BELLSOUTH® / CLEC Agreement

Customer Name: Excel Telecommunications, Inc.

Excel Telecommunications	, , ,
General Terms and Conditions	3
Attachment 1	25
Attachment 1 Rates	54
Attachment 2	63
Attachment 2 Rates	134
Attachment 3	458
Attachment 3 Rates	487
Attachment 4 - Collocation	505
Attachment 4 - Remote Site Collocation	545
Attachment 4 Rates	581
Attachment 5	607
Attachment 5 Rates	614
Attachment 6	623
Attachment 7	629
Attachment 7 Rates	645
Attachment 8	654
Attachment 9	656
Attachment 10	658
Attachment 11	666
Attachment 12	675
EXCEL ATT10 Amendment	678

Note: This page is not part of the actual signed contract/amendment, but is present for record keeping purposes only.

By and Between

BellSouth Telecommunications, Inc.

And

Excel Telecommunications, Inc.

AGREEMENT

THIS AGREEMENT is made by and between BellSouth Telecommunications, Inc., ("BellSouth"), a Georgia corporation, and Excel Telecommunications, Inc. a Texas corporation, on behalf of its operating affiliates identified in Part C hereof collectively, ("Excel") and shall be deemed effective as of February 6, 2002 ("Effective Date"). This Agreement may refer to either BellSouth or Excel or both as a "Party" or "Parties."

WITNESSETH

WHEREAS, BellSouth is a local exchange telecommunications company authorized to provide telecommunications services in the states of Alabama, Florida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, South Carolina and Tennessee; and

WHEREAS, Excel is or seeks to become a CLEC authorized to provide telecommunications services in the states of Alabama, Florida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, South Carolina, and Tennessee; and

WHEREAS, Excel wishes to resell BellSouth's telecommunications services and purchase network elements and other services, and the Parties wish to interconnect their facilities and exchange traffic pursuant to sections 251 and 252 of the Act.

NOW THEREFORE, in consideration of the mutual agreements contained herein, BellSouth and Excel agree as follows:

Definitions

Affiliate is defined as a person that (directly or indirectly) owns or controls, is owned or controlled by, or is under common ownership or control with, another person. For purposes of this paragraph, the term "own" means to own an equity interest (or equivalent thereof) of more than 10 percent.

Commission is defined as the appropriate regulatory agency in each of BellSouth's nine-state region, Alabama, Florida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, South Carolina, and Tennessee.

Competitive Local Exchange Carrier (CLEC) means a telephone company certificated by the Commission to provide local exchange service within BellSouth's franchised area.

End User means the ultimate user of the Telecommunications Service.

FCC means the Federal Communication Commission.

Telecommunications means the transmission, between or among points specified by the user, of information of the user's choosing, without change in the form or content of the information as sent and received.

Telecommunications Service means the offering of telecommunications for a fee directly to the public, or to such classes of users as to be effectively available directly to the public, regardless of the facilities used.

Telecommunications Act of 1996 ("Act") means Public Law 104-104 of the United States Congress effective February 8, 1996. The Act amended the Communications Act of 1934 (47 U.S.C. Section 1 et. seq.).

1. CLEC Certification

1.1 The certificate numbers for Excel for each state within the BellSouth region are as follows:

Alabama
Florida 960605-TX
Georgia
Kentucky
Louisiana TSP00141
Mississippi
North Carolina P-270, Sub 6
South Carolina
Tennessee 96-01030

1.2 Excel will notify BellSouth when it becomes certified to operate in any other state in the BellSouth region. Upon notification, BellSouth will file this Agreement with the appropriate commission for approval.

2. Term of the Agreement

- 2.1 The term of this Agreement shall be two years, beginning on the Effective Date and_shall apply to the BellSouth territory in the state(s) of Alabama, Florida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, South Carolina and Tennessee.
- 2.2 The Parties agree that by no earlier than two hundred seventy (270) days and no later than one hundred and eighty (180) days prior to the expiration of this Agreement, they shall commence negotiations for a new agreement to be effective beginning on the expiration date of this Agreement ("Subsequent Agreement"). If as of the expiration of this Agreement, a Subsequent Agreement has not been executed by the Parties, then except as set forth in Section 2.3.2 below, this Agreement shall continue on a month-to-month basis while a Subsequent

Agreement is being negotiated. The Parties' rights and obligations with respect to this Agreement after expiration shall be as set forth in Section 2.3 below.

- If, within one hundred and thirty-five (135) days of commencing the negotiation referred to in Section 2.2 above, the Parties are unable to negotiate new terms, conditions and prices for a Subsequent Agreement, either Party may petition the Commission to establish appropriate terms, conditions and prices for the Subsequent Agreement pursuant to 47 U.S.C. 252. In the event the Commission does not issue its order prior to the expiration date of this Agreement, or if the Parties continue beyond the expiration date of this Agreement to negotiate the Subsequent Agreement without Commission intervention, the terms, conditions and prices ultimately ordered by the Commission, or negotiated by the Parties, shall be effective as of the date of execution of this agreement.
- 2.3.1 Except as set forth in Section 2.3.2 below, notwithstanding the foregoing, in the event that as of the date of expiration of this Agreement and conversion of this Agreement to a month-to-month term, the Parties have not entered into a Subsequent Agreement and no arbitration proceeding has been filed in accordance with Section 2.3 above, then either Party may terminate this Agreement upon sixty (60) days notice to the other Party. In the event that BellSouth terminates this Agreement as provided above, BellSouth shall continue to offer services to Excel pursuant to the terms, conditions and rates set forth in BellSouth's then current standard interconnection agreement. In the event that BellSouth's standard interconnection agreement becomes effective as between the Parties, the Parties may continue to negotiate a Subsequent Agreement, and the terms of such Subsequent Agreement shall be effective as of the date of execution.
- 2.3.2 Notwithstanding Section 2.3 above, in the event that as of the date of expiration of this Agreement the Parties have not entered into a Subsequent Agreement and (1) no arbitration proceeding has been filed in accordance with Section 2.2 above, and (2) Excel either is not certified as a CLEC in any particular state to which this Agreement applies or has not ordered any services under this Agreement as of the date of expiration, then this Agreement shall not continue on a month to month basis but shall be deemed terminated as of the expiration date hereof.

3. Operational Support Systems

3.1 Excel shall pay charges for Operational Support Systems (OSS) as set forth in this Agreement in Attachment 1 and/or in Attachments 2, 3 and 5, as applicable.

4. Parity

4.1 When Excel purchases, pursuant to Attachment 1 of this Agreement, telecommunications services from BellSouth for the purposes of resale to end users, BellSouth shall provide said services so that the services are equal in quality, subject to the same conditions, and provided within the same provisioning time intervals that BellSouth provides to its affiliates, subsidiaries and end users. To the

extent technically feasible, the quality of a Network Element, as well as the quality of the access to such Network Element provided by BellSouth to Excel shall be at least equal in quality to that which BellSouth provides to itself, its affiliates or any other telecommunications carrier. The quality of the interconnection between the networks of BellSouth and the network of Excel shall be at a level that is equal to that which BellSouth provides itself, a subsidiary, an Affiliate, or any other party. The interconnection facilities shall be designed to meet the same technical criteria and service standards that are used within BellSouth's network and shall extend to a consideration of service quality as perceived by BellSouth's end users and service quality as perceived by Excel.

5. White Pages Listings

- 5.1 BellSouth shall provide Excel and their customers access to white pages directory listings under the following terms:
- 5.2 <u>Listings</u>. Excel shall provide all new, changed and deleted listings on a timely basis and BellSouth or its agent will include Excel residential and business customer listings in the appropriate White Pages (residential and business) or alphabetical directories. Directory listings will make no distinction between Excel and BellSouth subscribers.
- 5.2.1 <u>Rates.</u> So long as Excel provides subscriber listing information to BellSouth in accordance with Section 5.3 below, BellSouth shall provide to Excel one (1) primary White Pages listing per Excel subscriber at no charge other than applicable service order charges as set forth in BellSouth's tariffs.
- 5.3 Procedures for Submitting Excel Subscriber Information are found in The BellSouth Business Rules for Local Ordering.
- 5.3.1 Notwithstanding any provision(s) to the contrary, Excel shall provide to BellSouth, and BellSouth shall accept, Excel's Subscriber Listing Information (SLI) relating to Excel's customers in the geographic area(s) covered by this Interconnection Agreement. Excel authorizes BellSouth to release all such Excel SLI provided to BellSouth by Excel to qualifying third parties via either license agreement or BellSouth's Directory Publishers Database Service (DPDS), General Subscriber Services Tariff, Section A38.2, as the same may be amended from time to time. Such Excel SLI shall be intermingled with BellSouth's own customer listings and listings of any other CLEC that has authorized a similar release of SLI. Where necessary, BellSouth will use good faith efforts to obtain state commission approval of any necessary modifications to Section A38.2 of its tariff to provide for release of third party directory listings, including modifications regarding listings to be released pursuant to such tariff and BellSouth's liability thereunder. BellSouth's obligation pursuant to this Section shall not arise in any particular state until the commission of such state has approved modifications to such tariff.

- 5.3.2 No compensation shall be paid to Excel for BellSouth's receipt of Excel SLI, or for the subsequent release to third parties of such SLI. In addition, to the extent BellSouth incurs costs to modify its systems to enable the release of Excel's SLI, or costs on an ongoing basis to administer the release of Excel SLI, Excel shall pay to BellSouth its proportionate share of the reasonable costs associated therewith.
- 5.3.3 Neither BellSouth nor any agent shall be liable for the content or accuracy of any SLI provided by Excel under this Agreement. Excel shall indemnify, hold harmless and defend BellSouth and its agents from and against any damages, losses, liabilities, demands claims, suits, judgments, costs and expenses (including but not limited to reasonable attorneys' fees and expenses) arising from BellSouth's tariff obligations or otherwise and resulting from or arising out of any third party's claim of inaccurate Excel listings or use of the SLI provided pursuant to this Agreement. BellSouth may forward to Excel any complaints received by BellSouth relating to the accuracy or quality of Excel listings.
- 5.3.4 Listings and subsequent updates will be released consistent with BellSouth system changes and/or update scheduling requirements.
- 5.4 <u>Unlisted/Non-Published Subscribers</u>. Excel will be required to provide to BellSouth the names, addresses and telephone numbers of all Excel customers that wish to be omitted from directories.
- Inclusion of Excel Customers in Directory Assistance Database. BellSouth will include and maintain Excel subscriber listings in BellSouth's Directory Assistance databases at no recurring charge and Excel shall provide such Directory Assistance listings at no recurring charge. BellSouth and Excel will formulate appropriate procedures regarding lead-time, timeliness, format and content of listing information.
- Listing Information Confidentiality. BellSouth will accord Excel's directory listing information the same level of confidentiality that BellSouth accords its own directory listing information, and BellSouth shall limit access to Excel's customer proprietary confidential directory information to those BellSouth employees or agents who are involved in the preparation of listings or directories.
- 5.7 <u>Additional and Designer Listings</u>. Additional and designer listings will be offered by BellSouth at tariffed rates as set forth in the General Subscriber Services Tariff.
- 5.8 <u>Directories</u>. BellSouth or its agent shall make available White Pages directories to Excel subscribers at no charge or as specified in a separate BAPCO agreement.

6. Bona Fide Request/New Business Request Process for Further Unbundling

BellSouth shall, upon request of Excel, provide to Excel access to its network elements at any technically feasible point for the provision of Excel's telecommunications service where such access is necessary and failure to provide access would impair the ability of Excel to provide services that it seeks to offer.

Any request by Excel for access to a network element, interconnection option, or for the provisioning of any service or product that is not already available shall be treated as a Bona Fide Request/New Business Request (BFR/NBR), and shall be submitted to BellSouth pursuant to the BFR/NBR process as described in Attachment 12 to this Agreement.

Excel shall submit any BFR/NBR in writing to Excel's Account Manager. The BFR/NBR shall specifically identify the requested service date, technical requirements, space requirements and/or such specifications that clearly define the request such that BellSouth has sufficient information to analyze and prepare a response. The BFR/NBR also shall include Excel's designation of the request as being (i) pursuant to the Telecommunications Act of 1996 or (ii) pursuant to the needs of the business.

7. Court Ordered Requests for Call Detail Records and Other Subscriber Information

- 7.1 Subpoenas Directed to BellSouth. Where BellSouth provides resold services or local switching for Excel, BellSouth shall respond to subpoenas and court ordered requests delivered directly to BellSouth for the purpose of providing call detail records when the targeted telephone numbers belong to Excel end users. Billing for such requests will be generated by BellSouth and directed to the law enforcement agency initiating the request. BellSouth shall maintain such information for Excel end users for the same length of time it maintains such information for its own end users.
- 5.2 Subpoenas Directed to Excel. Where BellSouth is providing to Excel telecommunications services for resale or providing to Excel the local switching function, then Excel agrees that in those cases where Excel receives subpoenas or court ordered requests regarding targeted telephone numbers belonging to Excel end users, and where Excel does not have the requested information, Excel will advise the law enforcement agency initiating the request to redirect the subpoena or court ordered request to BellSouth for handling in accordance with 7.1 above.
- 7.3 In all other instances, where either Party receives a request for information involving the other Party's end user, the Party receiving the request will advise the law enforcement agency initiating the request to redirect such request to the other Party.

8. Liability and Indemnification

8.1 <u>Excel Liability</u>. In the event that Excel consists of two (2) or more separate entities as set forth in this Agreement and/or any Amendments hereto, all such entities shall be jointly and severally liable for the obligations of Excel under this Agreement.

8.2 <u>Liability for Acts or Omissions of Third Parties</u>. BellSouth shall not be liable to Excel for any act or omission of another telecommunications company providing services to Excel.

8.3 <u>Limitation of Liability</u>

- 8.3.1 Except for any indemnification obligations of the Parties hereunder, each Party's liability to the other for any loss, cost, claim, injury or liability or expense, including reasonable attorney's fees relating to or arising out of any negligent act or omission in its performance of this Agreement whether in contract or in tort, shall be limited to a credit for the actual cost of the services or functions not performed or improperly performed.
- 8.3.2 <u>Limitations in Tariffs</u>. A Party may, in its sole discretion, provide in its tariffs and contracts with its End Users and third parties that relate to any service, product or function provided or contemplated under this Agreement, that to the maximum extent permitted by Applicable Law, such Party shall not be liable to the End User or third Party for (i) any loss relating to or arising out of this Agreement, whether in contract, tort or otherwise, that exceeds the amount such Party would have charged that applicable person for the service, product or function that gave rise to such loss and (ii) Consequential Damages. To the extent that a Party elects not to place in its tariffs or contracts such limitations of liability, and the other Party incurs a loss as a result thereof, such Party shall indemnify and reimburse the other Party for that portion of the loss that would have been limited had the first Party included in its tariffs and contracts the limitations of liability that such other Party included in its own tariffs at the time of such loss.
- 8.3.3 Neither BellSouth nor Excel shall be liable for damages to the other Party's terminal location, equipment or End User premises resulting from the furnishing of a service, including, but not limited to, the installation and removal of equipment or associated wiring, except to the extent caused by a Party's negligence or willful misconduct or by a Party's failure to ground properly a local loop after disconnection.
- Under no circumstance shall a Party be responsible or liable for indirect, incidental, or consequential damages, including, but not limited to, economic loss or lost business or profits, damages arising from the use or performance of equipment or software, or the loss of use of software or equipment, or accessories attached thereto, delay, error, or loss of data. In connection with this limitation of liability, each Party recognizes that the other Party may, from time to time, provide advice, make recommendations, or supply other analyses related to the Services, or facilities described in this Agreement, and, while each Party shall use diligent efforts in this regard, the Parties acknowledge and agree that this limitation of liability shall apply to provision of such advice, recommendations, and analyses.
- 8.3.5 To the extent any specific provision of this Agreement purports to impose liability, or limitation of liability, on either Party different from or in conflict with the

liability or limitation of liability set forth in this Section, then with respect to any facts or circumstances covered by such specific provisions, the liability or limitation of liability contained in such specific provision shall apply.

- 8.4 <u>Indemnification for Certain Claims</u>. The Party providing services hereunder, its affiliates and its parent company, shall be indemnified, defended and held harmless by the Party receiving services hereunder against any claim, loss or damage arising from the receiving company's use of the services provided under this Agreement pertaining to (1) claims for libel, slander or invasion of privacy arising from the content of the receiving company's own communications, or (2) any claim, loss or damage claimed by the End User of the Party receiving services arising from such company's use or reliance on the providing company's services, actions, duties, or obligations arising out of this Agreement.
- 8.5 <u>Disclaimer</u>. EXCEPT AS SPECIFICALLY PROVIDED TO THE CONTRARY IN THIS AGREEMENT, NEITHER PARTY MAKES ANY REPRESENTATIONS OR WARRANTIES TO THE OTHER PARTY CONCERNING THE SPECIFIC QUALITY OF ANY SERVICES, OR FACILITIES PROVIDED UNDER THIS AGREEMENT. THE PARTIES DISCLAIM, WITHOUT LIMITATION, ANY WARRANTY OR GUARANTEE OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARISING FROM COURSE OF PERFORMANCE, COURSE OF DEALING, OR FROM USAGES OF TRADE.

9. Intellectual Property Rights and Indemnification

- 9.1 No License. No patent, copyright, trademark or other proprietary right is licensed, granted or otherwise transferred by this Agreement. Excel is strictly prohibited from any use, including but not limited to in sales, in marketing or advertising of telecommunications services, of any BellSouth name, service mark or trademark. Notwithstanding the foregoing, Excel may use BellSouth's name solely in response to inquiries of customers or potential customers regarding the source of the underlying service or the identity of repair or service technicians under this Agreement.
- 9.2 Ownership of Intellectual Property. Any intellectual property which originates from or is developed by a Party shall remain the exclusive property of that Party. Except for a limited license to use patents or copyrights to the extent necessary for the Parties to use any facilities or equipment (including software) or to receive any service solely as provided under this Agreement, no license in patent, copyright, trademark or trade secret, or other proprietary or intellectual property right now or hereafter owned, controlled or licensable by a Party, is granted to the other Party or shall be implied or arise by estoppel. It is the responsibility of each Party to ensure at no additional cost to the other Party that it has obtained any necessary licenses in relation to intellectual property of third Parties used in its network that may be required to enable the other Party to use any facilities or equipment

(including software), to receive any service, or to perform its respective obligations under this Agreement.

- 9.3 <u>Indemnification</u>. The Party providing a service pursuant to this Agreement will defend the Party receiving such service or data provided as a result of such service against claims of infringement arising solely from the use by the receiving Party of such service in the manner contemplated under this Agreement and will indemnify the receiving Party for any damages awarded based solely on such claims in accordance with Section 8 of this Agreement.
- 9.4 <u>Claim of Infringement</u>. In the event that use of any facilities or equipment (including software), becomes, or in the reasonable judgment of the Party who owns the affected network is likely to become, the subject of a claim, action, suit, or proceeding based on intellectual property infringement, then said Party shall promptly and at its sole expense and sole option, but subject to the limitations of liability set forth below:
- 9.4.1 modify or replace the applicable facilities or equipment (including software) while maintaining form and function, or
- 9.4.2 obtain a license sufficient to allow such use to continue.
- 9.4.3 In the event 9.4.1 or 9.4.2 are commercially unreasonable, then said Party may, terminate, upon reasonable notice, this contract with respect to use of, or services provided through use of, the affected facilities or equipment (including software), but solely to the extent required to avoid the infringement claim.
- 9.5 <u>Exception to Obligations</u>. Neither Party's obligations under this Section shall apply to the extent the infringement is caused by: (i) modification of the facilities or equipment (including software) by the indemnitee; (ii) use by the indemnitee of the facilities or equipment (including software) in combination with equipment or facilities (including software) not provided or authorized by the indemnitor, provided the facilities or equipment (including software) would not be infringing if used alone; (iii) conformance to specifications of the indemnitee which would necessarily result in infringement; or (iv) continued use by the indemnitee of the affected facilities or equipment (including software) after being placed on notice to discontinue use as set forth herein.
- 9.6 <u>Exclusive Remedy</u>. The foregoing shall constitute the Parties' sole and exclusive remedies and obligations with respect to a third party claim of intellectual property infringement arising out of the conduct of business under this Agreement.

10. Proprietary and Confidential Information

10.1 <u>Proprietary and Confidential Information</u>. It may be necessary for BellSouth and Excel, each as the "Discloser," to provide to the other Party, as "Recipient," certain proprietary and confidential information (including trade secret information) including but not limited to technical, financial, marketing, staffing

and business plans and information, strategic information, proposals, request for proposals, specifications, drawings, maps, prices, costs, costing methodologies, procedures, processes, business systems, software programs, techniques, customer account data, call detail records and like information (collectively the "Information"). All such Information conveyed in writing or other tangible form shall be clearly marked with a confidential or proprietary legend. Information conveyed orally by the Discloser to Recipient shall be designated as proprietary and confidential at the time of such oral conveyance, shall be reduced to writing by the Discloser within forty-five (45) days thereafter, and shall be clearly marked with a confidential or proprietary legend.

- 10.2 <u>Use and Protection of Information.</u> Recipient agrees to protect such Information of the Discloser provided to Recipient from whatever source from distribution, disclosure or dissemination to anyone except employees of Recipient with a need to know such Information solely in conjunction with Recipient's analysis of the Information and for no other purpose except as authorized herein or as otherwise authorized in writing by the Discloser. Recipient will not make any copies of the Information inspected by it.
- 10.3 <u>Exceptions</u>. Recipient will not have an obligation to protect any portion of the Information which:
- (a) is made publicly available by the Discloser or lawfully by a nonparty to this Agreement; (b) is lawfully obtained by Recipient from any source other than Discloser; (c) is previously known to Recipient without an obligation to keep it confidential; or (d) is released from the terms of this Agreement by Discloser upon written notice to Recipient.
- 10.4 Recipient agrees to use the Information solely for the purposes of negotiations pursuant to 47 U.S.C. 251 or in performing its obligations under this Agreement and for no other entity or purpose, except as may be otherwise agreed to in writing by the Parties. Nothing herein shall prohibit Recipient from providing information requested by the Federal Communications Commission or a state regulatory agency with jurisdiction over this matter, or to support a request for arbitration or an allegation of failure to negotiate in good faith.
- 10.5 Recipient agrees not to publish or use the Information for any advertising, sales promotions, press releases, or publicity matters that refer either directly or indirectly to the Information or to the Discloser or any of its affiliated companies.
- 10.6 The disclosure of Information neither grants nor implies any license to the Recipient under any trademark, patent, copyright, or application which is now or may hereafter be owned by the Discloser.
- 10.7 <u>Survival of Confidentiality Obligations.</u> The Parties' rights and obligations under this Section 10 shall survive and continue in effect until two (2) years after the expiration or termination date of this Agreement with regard to all Information

exchanged during the term of this Agreement. Thereafter, the Parties' rights and obligations hereunder survive and continue in effect with respect to any Information that is a trade secret under applicable law.

10.8 <u>Assignments</u>

Any assignment by either Party to any non-affiliated entity of any right, obligation or duty, or of any other interest hereunder, in whole or in part, without the prior written consent of the other Party shall be void. A Party may assign this Agreement or any right, obligation, duty or other interest hereunder to an Affiliate of the Party without the consent of the other Party; provided, however, that the assigning Party shall notify the other Party in writing of such assignment thirty (30) days prior to the Effective Date thereof and, provided further, if the assignee is an assignee of Excel, the assignee must provide evidence of Commission CLEC certification. The Parties shall amend this Agreement to reflect such assignments and shall work cooperatively to implement any changes required due to such assignment. All obligations and duties of any Party under this Agreement shall be binding on all successors in interest and assigns of such Party. No assignment or delegation hereof shall relieve the assignor of its obligations under this Agreement in the event that the assignee fails to perform such obligations.

11. Resolution of Disputes

Except as otherwise stated in this Agreement, if any dispute arises as to the interpretation of any provision of this Agreement or as to the proper implementation of this Agreement, the aggrieved Party shall petition the Commission for a resolution of the dispute. However, each Party reserves any rights it may have to seek judicial review of any ruling made by the Commission concerning this Agreement.

12. Taxes

- Definition. For purposes of this Section, the terms "taxes" and "fees" shall include but not limited to federal, state or local sales, use, excise, gross receipts or other taxes or tax-like fees of whatever nature and however designated (including tariff surcharges and any fees, charges or other payments, contractual or otherwise, for the use of public streets or rights of way, whether designated as franchise fees or otherwise) imposed, or sought to be imposed, on or with respect to the services furnished hereunder or measured by the charges or payments therefore, excluding any taxes levied on income.
- 12.2 Taxes and Fees Imposed Directly On Either Providing Party or Purchasing Party.
- Taxes and fees imposed on the providing Party, which are not permitted or required to be passed on by the providing Party to its customer, shall be borne and paid by the providing Party.

- Taxes and fees imposed on the purchasing Party, which are not required to be collected and/or remitted by the providing Party, shall be borne and paid by the purchasing Party.
- 12.3 <u>Taxes and Fees Imposed on Purchasing Party But Collected And Remitted By Providing Party.</u>
- 12.3.1 Taxes and fees imposed on the purchasing Party shall be borne by the purchasing Party, even if the obligation to collect and/or remit such taxes or fees is placed on the providing Party.
- To the extent permitted by applicable law, any such taxes and/or fees shall be shown as separate items on applicable billing documents between the Parties. Notwithstanding the foregoing, the purchasing Party shall remain liable for any such taxes and fees regardless of whether they are actually billed by the providing Party at the time that the respective service is billed.
- 12.3.3 If the purchasing Party determines that in its opinion any such taxes or fees are not payable, the providing Party shall not bill such taxes or fees to the purchasing Party if the purchasing Party provides written certification, reasonably satisfactory to the providing Party, stating that it is exempt or otherwise not subject to the tax or fee, setting forth the basis therefor, and satisfying any other requirements under applicable law. If any authority seeks to collect any such tax or fee that the purchasing Party has determined and certified not to be payable, or any such tax or fee that was not billed by the providing Party, the purchasing Party may contest the same in good faith, at its own expense. In any such contest, the purchasing Party shall promptly furnish the providing Party with copies of all filings in any proceeding, protest, or legal challenge, all rulings issued in connection therewith, and all correspondence between the purchasing Party and the taxing authority.
- In the event that all or any portion of an amount sought to be collected must be paid in order to contest the imposition of any such tax or fee, or to avoid the existence of a lien on the assets of the providing Party during the pendency of such contest, the purchasing Party shall be responsible for such payment and shall be entitled to the benefit of any refund or recovery.
- 12.3.5 If it is ultimately determined that any additional amount of such a tax or fee is due to the imposing authority, the purchasing Party shall pay such additional amount, including any interest and penalties thereon.
- 12.3.6 Notwithstanding any provision to the contrary, the purchasing Party shall protect, indemnify and hold harmless (and defend at the purchasing Party's expense) the providing Party from and against any such tax or fee, interest or penalties thereon, or other charges or payable expenses (including reasonable attorney fees) with respect thereto, which are incurred by the providing Party in connection with any claim for or contest of any such tax or fee.

- 12.3.7 Each Party shall notify the other Party in writing of any assessment, proposed assessment or other claim for any additional amount of such a tax or fee by a taxing authority; such notice to be provided, if possible, at least ten (10) days prior to the date by which a response, protest or other appeal must be filed, but in no event later than thirty (30) days after receipt of such assessment, proposed assessment or claim.
- 12.4 Taxes and Fees Imposed on Providing Party But Passed On To Purchasing Party.
- 12.4.1 Taxes and fees imposed on the providing Party, which are permitted or required to be passed on by the providing Party to its customer, shall be borne by the purchasing Party.
- To the extent permitted by applicable law, any such taxes and/or fees shall be shown as separate items on applicable billing documents between the Parties. Notwithstanding the foregoing, the purchasing Party shall remain liable for any such taxes and fees regardless of whether they are actually billed by the providing Party at the time that the respective service is billed.
- 12.4.3 If the purchasing Party disagrees with the providing Party's determination as to the application or basis for any such tax or fee, the Parties shall consult with respect to the imposition and billing of such tax or fee. Notwithstanding the foregoing, the providing Party shall retain ultimate responsibility for determining whether and to what extent any such taxes or fees are applicable, and the purchasing Party shall abide by such determination and pay such taxes or fees to the providing Party. The providing Party shall further retain ultimate responsibility for determining whether and how to contest the imposition of such taxes and fees; provided, however, that any such contest undertaken at the request of the purchasing Party shall be at the purchasing Party's expense.
- In the event that all or any portion of an amount sought to be collected must be paid in order to contest the imposition of any such tax or fee, or to avoid the existence of a lien on the assets of the providing Party during the pendency of such contest, the purchasing Party shall be responsible for such payment and shall be entitled to the benefit of any refund or recovery.
- 12.4.5 If it is ultimately determined that any additional amount of such a tax or fee is due to the imposing authority, the purchasing Party shall pay such additional amount, including any interest and penalties thereon.
- 12.4.6 Notwithstanding any provision to the contrary, the purchasing Party shall protect indemnify and hold harmless (and defend at the purchasing Party's expense) the providing Party from and against any such tax or fee, interest or penalties thereon, or other reasonable charges or payable expenses (including reasonable attorney fees) with respect thereto, which are incurred by the providing Party in connection with any claim for or contest of any such tax or fee.

- 12.4.7 Each Party shall notify the other Party in writing of any assessment, proposed assessment or other claim for any additional amount of such a tax or fee by a taxing authority; such notice to be provided, if possible, at least ten (10) days prior to the date by which a response, protest or other appeal must be filed, but in no event later than thirty (30) days after receipt of such assessment, proposed assessment or claim.
- Mutual Cooperation. In any contest of a tax or fee by one Party, the other Party shall cooperate fully by providing records, testimony and such additional information or assistance as may reasonably be necessary to pursue the contest. Further, the other Party shall be reimbursed for any reasonable and necessary out-of-pocket copying and travel expenses incurred in assisting in such contest.

13. Force Majeure

13.1 In the event performance of this Agreement, or any obligation hereunder, is either directly or indirectly prevented, restricted, or interfered with by reason of fire, flood, earthquake or like acts of God, wars, revolution, civil commotion, explosion, acts of public enemy, embargo, acts of the government in its sovereign capacity, labor difficulties, including without limitation, strikes, slowdowns, picketing, or boycotts, unavailability of equipment from vendor, changes requested by Customer, or any other circumstances beyond the reasonable control and without the fault or negligence of the Party affected, the Party affected, upon giving prompt notice to the other Party, shall be excused from such performance on a day-to-day basis to the extent of such prevention, restriction, or interference (and the other Party shall likewise be excused from performance of its obligations on a day-to-day basis until the delay, restriction or interference has ceased); provided however, that the Party so affected shall use diligent efforts to avoid or remove such causes of non-performance and both Parties shall proceed whenever such causes are removed or cease.

14. Adoption of Agreements

BellSouth shall make available, pursuant to 47 USC § 252 and the FCC rules and regulations regarding such availability, to Excel any interconnection, service, or network element provided under any other agreement filed and approved pursuant to 47 USC § 252, provided a minimum of six months remains on the term of such Agreement. The Parties shall adopt all rates, terms and conditions concerning such other interconnection, service or network element and any other rates, terms and conditions that are legitimately related to or were negotiated in exchange for or in conjunction with the interconnection, service or network element being adopted. The adopted interconnection, service, or network element and agreement shall apply to the same states as such other agreement. The term of the adopted agreement or provisions shall expire on the same date as set forth in the agreement which was adopted.

15. Modification of Agreement

- 15.1 If Excel changes its name or makes changes to its company structure or identity due to a merger, acquisition, transfer or any other reason, it is the responsibility of Excel to notify BellSouth of said change and request that an amendment to this Agreement, if necessary, be executed to reflect said change.
- No modification, amendment, supplement to, or waiver of the Agreement or any of its provisions shall be effective and binding upon the Parties unless it is made in writing and duly signed by the Parties.
- In the event that any effective legislative, regulatory, judicial or other legal action materially affects any material terms of this Agreement, or the ability of Excel or BellSouth to perform any material terms of this Agreement, Excel or BellSouth may, on thirty (30) days' written notice require that such terms be renegotiated, and the Parties shall renegotiate in good faith such mutually acceptable new terms as may be required. In the event that such new terms are not renegotiated within ninety (90) days after such notice, the Dispute shall be referred to the Dispute Resolution procedure set forth in this Agreement.
- Notwithstanding anything to the contrary in this Agreement, this Agreement shall not be amended or modified after the expiration date hereof as set forth in Section 2 above.

16. Non-waiver of Legal Rights

Execution of this Agreement by either Party does not confirm or infer that the executing Party agrees with any decision(s) issued pursuant to the Telecommunications Act of 1996 and the consequences of those decisions on specific language in this Agreement. Neither Party waives its rights to appeal or otherwise challenge any such decision(s) and each Party reserves all of its rights to pursue any and all legal and/or equitable remedies, including appeals of any such decision(s).

17. Severability

17.1 If any provision of this Agreement, or the application of such provision to either Party or circumstance, shall be held invalid, the remainder of the Agreement, or the application of any such provision to the Parties or circumstances other than those to which it is held invalid, shall not be affected thereby, provided that the Parties shall attempt to reformulate such invalid provision to give effect to such portions thereof as may be valid without defeating the intent of such provision.

18. Waivers

A failure or delay of either Party to enforce any of the provisions hereof, to exercise any option which is herein provided, or to require performance of any of the provisions hereof shall in no way be construed to be a waiver of such provisions or options, and each Party, notwithstanding such failure, shall have the

right thereafter to insist upon the performance of any and all of the provisions of this Agreement.

19. Governing Law

19.1 This Agreement shall be governed by, and construed and enforced in accordance with, the laws of the State of Georgia, without regard to its conflict of laws principles.

20. Arm's Length Negotiations

This Agreement was executed after arm's length negotiations between the undersigned Parties and reflects the conclusion of the undersigned that this Agreement is in the best interests of all Parties.

21. Notices

21.1 Every notice, consent, approval, or other communications required or contemplated by this Agreement shall be in writing and shall be delivered by hand, by overnight courier or by US mail postage prepaid, address to:

BellSouth Telecommunications, Inc.

Account Team 600 North 19th Street Birmingham, Alabama 35203

and

General Attorney - COU Suite 4300 675 W. Peachtree St. Atlanta, GA 30375 Excel Telecommunications, Inc. John Powell Director of Operations 4550 Excel Way Addison, TX 75001 Ph: 972-738-1126 Fax 972-738-1838

Jeffrey J. Walker Counsel 2440 Marsh Lane Carrolton, TX 75006 Ph. 972-478-3767 Fax 972-478-3646

or at such other address as the intended recipient previously shall have designated by written notice to the other Party.

- Unless otherwise provided in this Agreement, notice by mail shall be effective on the date it is officially recorded as delivered by return receipt or equivalent, and in the absence of such record of delivery, it shall be presumed to have been delivered the fifth day, or next business day after the fifth day, after it was deposited in the mails.
- 21.3 Notwithstanding the foregoing, BellSouth may provide Excel notice via Internet posting of price changes, changes to the terms and conditions of services available for resale per Commission Orders. BellSouth will also post changes to business processes and policies, notices of new service offerings, and changes to service offerings not requiring an amendment to this Agreement, notices required to be posted to BellSouth's website, and any other information of general applicability to CLECs.

22. Rule of Construction

No rule of construction requiring interpretation against the drafting Party hereof shall apply in the interpretation of this Agreement.

23. Headings of No Force or Effect

The headings of Articles and Sections of this Agreement are for convenience of reference only, and shall in no way define, modify or restrict the meaning or interpretation of the terms or provisions of this Agreement.

24. Multiple Counterparts

24.1 This Agreement may be executed in multiple counterparts, each of which shall be deemed an original, but all of which shall together constitute but one and the same document.

25. Implementation of Agreement

25.1 If Excel is a facilities based provider or a facilities based and resale provider, this section shall apply. Within 60 days of the execution of this Agreement, the Parties may adopt a schedule for the implementation of the Agreement. The schedule shall state with specificity time frames for submission of including but not limited to, network design, interconnection points, collocation arrangement requests, presales testing and full operational time frames for the business and residential markets. An implementation template which may be used for the implementation schedule is contained in Attachment 10 of this Agreement.

26. Filing of Agreement

- Upon execution of this Agreement it shall be filed with the appropriate state regulatory agency pursuant to the requirements of Section 252 of the Act, and the Parties shall share equally any filing fees therefor. If the regulatory agency imposes any filing or public interest notice fees regarding the filing or approval of the Agreement, Excel shall be responsible for publishing the required notice and the publication and/or notice costs shall be borne by Excel. Notwithstanding the foregoing, this Agreement shall not be submitted for approval by the appropriate state regulatory agency unless and until such time as Excel is duly certified as a local exchange carrier in such state, except as otherwise required by a state Commission.
- For electronic filing purposes in the State of Louisiana, the CLEC Louisiana Certification Number is required and must be provided by Excel prior to filing of the Agreement. The CLEC Louisiana Certification Number for Excel is as indicated in Section 1.1.

27. Compliance with Applicable Law

Each Party shall comply at its own expense with Applicable Law.

28. Necessary Approvals

Each Party shall be responsible for obtaining and keeping in effect all approvals from, and rights granted by, governmental authorities, building and property owners, other carriers, and any other persons that may be required in connection with the performance of its obligations under this Agreement. Each Party shall reasonably cooperate with the other Party in obtaining and maintaining any required approvals and rights for which such Party is responsible.

29. Good Faith Performance

Each Party shall act in good faith in its performance under this Agreement and, in each case in which a Party's consent or agreement is required or requested hereunder, such Party shall not unreasonably withhold or delay such consent or agreement.

30. Nonexclusive Dealings

This Agreement does not prevent either Party from providing or purchasing services to or from any other person nor, except as provided in Section 252(i) of the Act, does it obligate either Party to provide or purchase any services (except insofar as the Parties are obligated to provide access to Interconnection, services and Network Elements to Excel as a requesting carrier under the Act).

31. Rate True-Up

- This section applies to Local Interconnection and/or Unbundled Network Elements and Other Services rates that are interim or expressly subject to true-up under this Agreement.
- The interim prices for Network Elements and Other Services and Local Interconnection shall be subject to true-up according to the following procedures:
- 31.3 The interim prices shall be trued-up, either up or down, based on final prices determined either by further agreement between the Parties, or by a final order (including any appeals) of the Commission which final order meets the criteria of (3) below. The Parties shall implement the true-up by comparing the actual volumes and demand for each item, together with interim prices for each item, with the final prices determined for each item. Each Party shall keep its own records upon which the true-up can be based, and any final payment from one Party to the other shall be in an amount agreed upon by the Parties based on such records. In the event of any disagreement as between the records or the Parties regarding the amount of such true-up, the Parties agree that the body having jurisdiction over the matter shall be called upon to resolve such differences, or the Parties may mutually agree to submit the matter to the Dispute Resolution process in accordance with the provisions of Section 11 of the General Terms and Conditions and Attachment 1 of this Agreement.
- The Parties may continue to negotiate toward final prices, but in the event that no such Agreement is reached within nine (9) months, either Party may petition the Commission to resolve such disputes and to determine final prices for each item. Alternatively, upon mutual agreement, the Parties may submit the matter to the Dispute Resolution Process set forth in Section 11 of the General Terms and Conditions and Attachment 1 of this Agreement, so long as they file the resulting Agreement with the Commission as a "negotiated Agreement" under Section 252(e) of the Act.

An effective order of the Commission that forms the basis of a true-up shall be based upon cost studies submitted by either or both Parties to the Commission and shall be binding upon BellSouth and CLEC-1 specifically or upon all carriers generally, such as a generic cost proceeding.

32. Survival

The Parties' obligations under this Agreement which by their nature are intended to continue beyond the termination or expiration of this Agreement shall survive the termination or expiration of this Agreement.

33. Establishment of Service

If BellSouth is informed that an unauthorized change in local service to Excel has occurred, BellSouth will reestablish service with the appropriate local service provider and will assess Excel as the CLEC initiating the alleged unauthorized change, the appropriate nonrecurring charges, as set forth in Section A4 of the General Subscriber Service Tariff. In accordance with FCC Slamming Liability Rules, the relevant governmental agency will determine if an unauthorized change has occurred. Resolution of all relevant issues shall be handled directly with the authorized CLEC and Excel.

34. Entire Agreement

This Agreement and its Attachments, incorporated herein by this reference, sets forth the entire understanding and supersedes prior Agreements between the Parties relating to the subject matter contained herein and merges all prior discussions between them. Any orders placed under prior agreements between the Parties shall be governed by the terms of this Agreement. Neither Party shall be bound by any definition, condition, provision, representation, warranty, covenant or promise other than as expressly stated in this Agreement or as is contemporaneously or subsequently set forth in writing and executed by a duly authorized officer or representative of the Party to be bound thereby.

34.2 This Agreement may include attachments with provisions for the following services:

Network Elements and Other Services Local Interconnection Resale Collocation

34.3 The following services are included as options for purchase by Excel. Excel may elect to purchase said services by written request to its Account Manager if applicable:

Optional Daily Usage File (ODUF)
Enhanced Optional Daily Usage File (EODUF)
Access Daily Usage File (ADUF)
Line Information Database (LIDB) Storage
Centralized Message Distribution Service (CMDS)
Calling Name (CNAM)
LNP Data Base Query Service

IN WITNESS WHEREOF, the Parties have executed this Agreement the day and year written below.

BellSouth Telecommunications, Inc.	Excel Telecommunications, Inc.
By: Signature on File	By: Signature on File
Name: Gregory Follensbee	Name: James G. Timmer
Title: Senior Director	Title: EVP & CFO
Date: 02/06/2002	Date: 1/24/2002

Attachment	1

Page 1

Attachment 1

Resale

TABLE OF CONTENTS

1.	DISCOUNT RATES	3
2.	DEFINITION OF TERMS	3
3.	GENERAL PROVISIONS	3
4.	BELLSOUTH'S PROVISION OF SERVICES TO EXCEL	7
5.	MAINTENANCE OF SERVICES	8
6.	ESTABLISHMENT OF SERVICE	9
7.	PAYMENT AND BILLING ARRANGEMENTS	10
8.	DISCONTINUANCE OF SERVICE	13
9.	LINE INFORMATION DATABASE (LIDB)	14
10.	. RAO HOSTING	15
11.	OPTIONAL DAILY USAGE FILE (ODUF)	15
12.	. ENHANCED OPTIONAL DAILY USAGE FILE (EODUF)	15
Ex	chibit A – Applicable Discounts/OSS Rates	16
Ex	hibit B – Resale Restrictions	19
Ex	chibit C – Line Information Database (LIDB) Storage Agreement	20
Ex	chibit D – Optional Daily Usage File (ODUF)	24
Ex	chibit E – Enhanced Option Daily Usage File (EODUF)	28
Fv	hibit F ODUF/FODUF/CMDS Pates	Rate Table

RESALE

1. Discount Rates

The discount rates applied to Excel purchases of BellSouth Telecommunications Services for the purpose of resale shall be as set forth in Exhibit A. Such discounts have been determined by the applicable Commission to reflect the costs avoided by BellSouth when selling a service for wholesale purposes.

2. Definition of Terms

- 2.1 COMPETITIVE LOCAL EXCHANGE COMPANY (CLEC) means a telephone company certificated by the Commission to provide local exchange service within BellSouth's franchised area.
- 2.2 CUSTOMER OF RECORD means the entity responsible for placing application for service; requesting additions, rearrangements, maintenance or discontinuance of service; payment in full of charges incurred such as non-recurring, monthly recurring, toll, directory assistance, etc.
- 2.3 DEPOSIT means assurance provided by a customer in the form of cash, surety bond or bank letter of credit to be held by BellSouth.
- 2.4 END USER means the ultimate user of the Telecommunications Service.
- 2.5 END USER CUSTOMER LOCATION means the physical location of the premises where an End User makes use of the telecommunications services.
- 2.6 NEW SERVICES means functions, features or capabilities that are not currently offered by BellSouth. This includes packaging of existing services or combining a new function, feature or capability with an existing service.
- 2.7 RESALE means an activity wherein a certificated CLEC, such as Excel, subscribes to the telecommunications services of BellSouth and then offers those telecommunications services to the public.

3. General Provisions

3.1 All of the negotiated rates, terms and conditions set forth in this Attachment pertain to the resale of BellSouth's retail telecommunications services and other services specified in this Attachment. Subject to effective and applicable FCC and Commission rules and orders, BellSouth shall make available to Excel for resale those telecommunications services BellSouth makes available, pursuant to its General Subscriber Services Tariff and Private Line Services Tariff, to customer who are not telecommunications carriers. Such services shall be available at

BellSouth's tariffed rates less the discount set forth in Exhibit A to this Agreement and subject to the exclusions and limitations set forth in Exhibit B to this Agreement.

- 3.2 Excel may purchase resale services from BellSouth for their own use in operating their business. The resale discount will apply to those services under the following conditions:
- 3.2.1 Excel must resell services to other End Users.
- 3.2.2 Excel must order services through resale interfaces, i.e., the Local Carrier Service Center (LCSC) and/or appropriate Resale Account Teams pursuant to Section 3 of the General Terms and Conditions.
- 3.2.3 Excel cannot be a competitive local exchange telecommunications company for the single purpose of selling to themselves.
- Excel will be the customer of record for all services purchased from BellSouth. Except as specified herein, BellSouth will take orders from, bill and receive payment from Excel for said services.
- Excel will be BellSouth's single point of contact for all services purchased pursuant to this Agreement. BellSouth shall have no contact with the End User except to the extent provided for herein. Each Party shall provide to the other a nation wide (50 states) toll-free contact number for purposes of repair and maintenance.
- 3.5 BellSouth will continue to bill the End User for any services that the End User specifies it wishes to receive directly from BellSouth. BellSouth maintains the right to serve directly any End User within the service area of Excel. BellSouth will continue to market directly its own telecommunications products and services and in doing so may establish independent relationships with End Users of Excel. Neither Party shall interfere with the right of any person or entity to obtain service directly from the other Party.
- 3.5.1 When a subscriber of Excel or BellSouth elects to change his/her carrier to the other Party, both Parties agree to release the subscriber's service to the other Party concurrent with the due date of the service order, which shall be established based on the standard interval for the subscriber's requested service as set forth in BellSouth Product and Services Interval Guide.
- 3.5.2 BellSouth and Excel will refrain from contacting subscribers who have placed or whose selected carrier has placed on their behalf an order to change his/her service provider from BellSouth or Excel to the other Party until such time that the order for service has been completed.
- 3.6 Current telephone numbers may normally be retained by the End User and are assigned to the service furnished. However, neither Party nor the End User has a

property right to the telephone number or any other call number designation associated with services furnished by BellSouth, and no right to the continuance of service through any particular central office. BellSouth reserves the right to change such numbers, or the central office designation associated with such numbers, or both, whenever BellSouth deems it necessary to do so in the conduct of its business and in accordance with BellSouth practices and procedures on a nondiscriminatory basis.

- 3.7 For the purpose of the resale of BellSouth's telecommunications services by Excel, BellSouth will provide Excel with on line access to telephone numbers for reservation on a first come first served basis. Until December 1, 2000, such reservations of telephone numbers, on a pre-ordering basis shall be for a period of ninety (90) days. After December 1, 2000, BellSouth shall provide number reservation pursuant to the appropriate FCC rules and regulations. Excel acknowledges that there may be instances where there is a shortage of telephone numbers in a particular Common Language Location Identifier Code (CLLIC) and in such instances BellSouth may request that Excel cancel its reservations of numbers. Excel shall comply with such request.
- Further, upon Excel's request, and for the purpose of the resale of BellSouth's telecommunications services by Excel, BellSouth will reserve up to 100 telephone numbers per CLLIC, for Excel's sole use. Until December 1, 2000, such telephone number reservations shall be valid for ninety (90) days from the reservation date. After December 1, 2000, BellSouth shall provide number reservation pursuant to the appropriate FCC rules and regulations. Excel acknowledges that there may be instances where there is a shortage of telephone numbers in a particular CLLIC and in such instances BellSouth shall use its best efforts to reserve for a ninety (90) day period a sufficient quantity of Excel's reasonable need in that particular CLLIC.
- 3.9 Service is furnished subject to the condition that it will not be used for any unlawful purpose.
- 3.10 Service will be discontinued if any law enforcement agency advises that the service being used is in violation of the law.
- 3.11 BellSouth can refuse service when it has grounds to believe that service will be used in violation of the law.
- 3.12 BellSouth will cooperate with law enforcement agencies with subpoenas and court orders relating to Excel's End Users, pursuant to Section 7 of the General Terms and Conditions.
- 3.13 If Excel or its End Users utilize a BellSouth resold telecommunications service in a manner other than that for which the service was originally intended as described in BellSouth's retail tariffs, Excel has the responsibility to notify BellSouth.

BellSouth will only provision and maintain said service consistent with the terms and conditions of the tariff describing said service.

- Facilities and/or equipment utilized by BellSouth to provide service to Excel remain the property of BellSouth.
- 3.15 White page directory listings for Excel End Users will be provided in accordance with Section 5 of the General Terms and Conditions.
- 3.16 BellSouth provides electronic access to customer record information. Access is provided through the Local Exchange Navigation System (LENS) and the Telecommunications Access Gateway (TAG). Customer Record Information includes but is not limited to, customer specific information in CRIS and RSAG. In addition, Excel shall provide to BellSouth access to customer record information including electronic access where available. Otherwise, upon request by BellSouth Excel shall provide paper copies of customer record information within a reasonable period of time. Customer Record Information is equivalent to but not limited to the type of customer specific information contained in CRIS and RSAG. The Parties agree not to view, copy, or otherwise obtain access to the customer record information of any customer without that customer's permission, and further agrees that Excel and BellSouth will obtain access to customer record information only in strict compliance with applicable laws, rules, or regulations of the State in which the service is provided.
- 3.17 All costs incurred by BellSouth to develop and implement operational interfaces shall be recovered from CLECs who utilize the interfaces. Charges for use of Operational Support Systems (OSS) shall be as set forth in Exhibit A of this Attachment.
- 3.18 Where available to BellSouth's End Users, BellSouth shall provide the following telecommunications services at a discount to allow for voice mail services:
 - Message Waiting Indicator ("MWI"), stutter dialtone and message waiting light feature capabilities
 - Call Forward Busy Line ("CF/B")
 - Call Forward Don't Answer ("CF/DA")

Further, BellSouth messaging services set forth in BellSouth's Messaging Service Information Package shall be made available for resale without the wholesale discount.

3.19 BellSouth shall provide branding for, or shall unbrand, voice mail services for Excel per the Bona Fide Request/New Business Request process as set forth in Section 6 of the General Terms and Conditions.

- 3.20 BellSouth's Inside Wire Maintenance Service Plan is available for resale at rates, terms and conditions as set forth by BellSouth and without the wholesale discount.
- 3.21 In the event Excel acquires an end user whose service is provided pursuant to a BellSouth Special Assembly, BellSouth shall make available to Excel that Special Assembly at the wholesale discount at Excel's option. Excel shall be responsible for all terms and conditions of such Special Assembly including but not limited to termination liability if applicable.
- 3.22 BellSouth shall provide 911/E911 for Excel customers in the same manner that it is provided to BellSouth customers. BellSouth shall provide and validate Excel customer information to the PSAP. BellSouth shall use its service order process to update and maintain, on the same schedule that it uses for its customers, the Excel customer service information in the ALI/DMS (Automatic Location Identification/Location Information) databases used to support 911/E911 services.
- 3.23 BellSouth shall bill, and Excel shall pay, the End User line charge associated with implementing Number Portability as set forth in BellSouth's FCC No. 1 tariff. This charge is not subject to the wholesale discount.
- 3.24 Pursuant to 47 CFR Section 51.617, BellSouth will bill to Excel, and Excel shall pay, End User common line charges identical to the End User common line charges BellSouth bills its End Users.
- 3.25 BellSouth shall provide pre-ordering, ordering and provisioning and maintenance and repair services to Excel that are equivalent to the pre-ordering, ordering and provisioning and maintenance and repair services BellSouth provides to itself or any other CLEC, where technically feasible. The guidelines for pre-ordering, ordering and provisioning and maintenance and repair are set forth in the various guides and business rules, as appropriate, and as they are amended from time to time during this Agreement. The guides and business rules may be referenced at the following site:

http://www.interconnection.bellsouth.com

4. BellSouth's Provision of Services to Excel

- 4.1 Resale of BellSouth services shall be as follows:
- 4.1.1 The resale of telecommunications services shall be limited to users and uses conforming to the class of service restrictions.
- 4.1.2 Hotel and Hospital PBX services are the only telecommunications services available for resale to Hotel/Motel and Hospital End Users, respectively. Similarly, Access Line Service for Customer Provided Coin Telephones is the only local service available for resale to Payphone Service Provider (PSP) customers. Shared Tenant Service customers can only be sold those local exchange access

services available in BellSouth's A23 Shared Tenant Service Tariff in the states of Florida, Georgia, North Carolina and South Carolina, and in A27 in the states of Alabama, Kentucky, Louisiana, Mississippi and Tennessee.

- 4.1.3 BellSouth reserves the right to periodically audit services purchased by Excel to establish authenticity of use. Such audit shall not occur more than once in a calendar year. Excel shall make any and all records and data available to BellSouth or BellSouth's auditors on a reasonable basis. BellSouth shall bear the cost of said audit. Any information provided by Excel for purposes of such audit shall be deemed Confidential Information pursuant to the General Terms and Conditions of this Agreement.
- 4.2 Subject to Exhibit B hereto, resold services can only be used in the same manner as specified in BellSouth's Tariffs. Resold services are subject to the same terms and conditions as are specified for such services when furnished to an individual End User of BellSouth in the appropriate section of BellSouth's Tariffs. Specific tariff features (e.g. a usage allowance per month) shall not be aggregated across multiple resold services.
- 4.3 Excel may resell services only within the specific service area as defined in its certificate of operation approved by the Commission.

5. Maintenance of Services

- Excel will adopt and adhere to the standards contained in the applicable BellSouth Operational Understanding regarding maintenance of service. The BellSouth Operational Understanding can be accessed via the internet @ http://www.interconnection.bellsouth.com.
- 5.2 Services resold pursuant to this Attachment and BellSouth's General Subscriber Service Tariff and Private Line Service Tariff and facilities and equipment provided by BellSouth shall be maintained by BellSouth.
- Excel or its End Users may not rearrange, move, disconnect, remove or attempt to repair any facilities owned by BellSouth except with the written consent of BellSouth.
- Excel accepts responsibility to notify BellSouth of situations that arise that may result in a service problem.
- Excel will contact the appropriate repair centers in accordance with procedures established by BellSouth.
- For all repair requests, Excel shall adhere to BellSouth's prescreening guidelines prior to referring the trouble to BellSouth.

- 5.7 BellSouth will bill Excel for handling troubles that are found not to be in BellSouth's network pursuant to its standard time and material charges. The standard time and material charges will be no more than what BellSouth charges to its retail customers for the same services.
- 5.8 BellSouth reserves the right to contact Excel's End Users, if deemed necessary, for maintenance purposes.

6. Establishment of Service

- After receiving certification as a local exchange company from the appropriate regulatory agency, Excel will provide the appropriate BellSouth service center the necessary documentation to enable BellSouth to establish a master account for Excel's resold services. Such documentation shall include the Application for Master Account, proof of authority to provide telecommunications services, an Operating Company Number ("OCN") assigned by the National Exchange Carriers Association ("NECA") and a tax exemption certificate, if applicable. When necessary deposit requirements are met, as described in Section 6.6 below, BellSouth will begin taking orders for the resale of service.
- 6.1.2 Service orders will be in a standard format designated by BellSouth.
- 6.1.3 Excel shall provide to BellSouth a blanket letter of authorization ("LOA") certifying that Excel will have End User authorization prior to viewing the End User's customer service record or switching the End User's service. BellSouth will not require End User confirmation prior to establishing service for Excel's End User customer. Excel must, however, be able to demonstrate End User authorization upon request.
- 6.1.4 BellSouth will accept a request directly from the End User for conversion of the End User's service from Excel to BellSouth or will accept a request from another CLEC for conversion of the End User's service from Excel to such other CLEC. Upon completion of the conversion BellSouth will notify Excel that such conversion has been completed.
- 6.2 <u>Deposit Policy</u>. When purchasing services from BellSouth, Excel will be required to complete the BellSouth Credit Profile and provide information regarding credit worthiness. Based on the results of the credit analysis, BellSouth reserves the right to secure the account with a suitable form of security deposit.
- 6.2.1 Such security deposit shall take the form of cash, an Irrevocable Letter of Credit (BellSouth form), Surety Bond (BellSouth form) or, in sole discretion, some other form of security.
- 6.2.2 Such security deposit shall be required prior to the inauguration of service.

- 6.2.3 Security deposits collected under this Section shall not exceed two months' estimated billing.
- 6.2.4 The fact that a security deposit has been made in no way relieves Excel from complying with BellSouth's regulations as to advance payments. Any such security deposit shall in no way release Excel from its obligation to make complete and timely payments of its bills.
- 6.2.5 If in the sole opinion of BellSouth, circumstances so warrant and/or gross monthly billing has increased beyond the level initially used to determine the level of security, BellSouth reserves the right to request additional security and/or file a Uniform Commercial Code (UCCI) security interest in Excel's "accounts receivables and proceeds.""
- In the event Excel fails to remit to BellSouth any deposit requested pursuant to this Section, service to Excel may be terminated in accordance with the terms of Section 8.2 of this Attachment, and any security deposits will be applied to Excel's account(s).
- 6.2.7 In the event service to Excel is terminated due to Excel's default on its account, any security deposits held will be applied to Excel's account.
- 6.2.8 Interest on a security deposit, if provided in cash, shall accrue and be paid in accordance with the terms in the appropriate BellSouth tariff.

7. Payment And Billing Arrangements

- 7.1 Prior to submitting orders to BellSouth for local service, a master account must be established for Excel. Excel is required to provide the following before a master account is established: proof of PSC/PUC certification, the Application for Master Account, an Operating Company Number ("OCN") assigned by the National Exchange Carriers Association ("NECA") and a tax exemption certificate, if applicable.
- 7.2 BellSouth shall bill Excel on a current basis all applicable charges and credits.
- Payment of all charges will be the responsibility of Excel. Excel shall make payment to BellSouth for all services billed. BellSouth is not responsible for payments not received by Excel from Excel's End User. BellSouth will not become involved in billing disputes that may arise between Excel and its End User.

Payments made to BellSouth as payment on account will be credited to an accounts receivable master account and not to an End User's account.

- 7.4 BellSouth will render bills each month on established bill days for each of Excel's accounts.
- 7.5 BellSouth will bill Excel in advance for all services to be provided during the ensuing billing period except charges associated with service usage, which will be billed in arrears. Charges will be calculated on an individual End User account level, including, if applicable, any charge for usage or usage allowances. BellSouth will also bill Excel, and Excel will be responsible for and remit to BellSouth, all charges applicable to resold services including but not limited to 911 and E911 charges, End Users common line charges, federal subscriber line charges, telecommunications relay charges (TRS), and franchise fees.
- 7.6 The payment will be due by the next bill date (i.e., same date in the following month as the bill date) and is payable in immediately available funds. Payment is considered to have been made when received by BellSouth.
- 7.6.1 If the payment due date falls on a Sunday or on a Holiday which is observed on a Monday, the payment due date shall be the first non-Holiday day following such Sunday or Holiday. If the payment due date falls on a Saturday or on a Holiday which is observed on Tuesday, Wednesday, Thursday, or Friday, the payment due date shall be the last non-Holiday day preceding such Saturday or Holiday. If payment is not received by the payment due date, a late payment charge, as set forth in section 7.8 following, shall apply.
- 7.6.2 If Excel requests multiple billing media or additional copies of bills, BellSouth will provide these at an appropriate charge to Excel.
- Notices. Notwithstanding anything to the contrary in this Agreement, all bills and notices regarding billing matters, including notices relating to security deposits, to rejection of additional orders, from <cutomer_name> and to disconnection of services for nonpayment of charges, shall be forwarded to the individual an/or address provided by Excel in establishment of its billing account(s) with BellSouth, or to the individual and/or address subsequently provided by Excel as the contact for billing information. All monthly bills and notices described in this Section shall be forwarded to the same individual and/or address; provided, however, upon written notices from Excel to BellSouth's billing organization, a final notice of disconnection of services purchaed by Excel under this Agreement shall be sent via certified mail to the individual9s) listed in the Notices provision of the General Terms and Conditions of this Agreement at least 30 days before BellSouth takes any action to terminate such services.

7.6.4 Billing Disputes

- 7.6.4.1 Each Party agrees to notify the other Party in writing upon the discovery of a billing dispute. In the event of a billing dispute, the Parties will endeavor to resolve the dispute within sixty (60) calendar days of the notification date. If the Parties are unable within the 60 day period to reach resolution, then the aggrieved Party may pursue dispute resolution in accordance with the General Terms and Conditions of this Agreement.
- 7.6.4.2 For purposes of this Section 7.6.3, a billing dispute means a dispute of a specific amount of money actually billed by BellSouth. The dispute must be clearly explained by the disputing Party and supported by written documentation, which clearly shows the basis for disputing charges. By way of example and not by limitation, a billing dispute will not include the refusal to pay all or part of a bill or bills when no written documentation is provided to support the dispute, nor shall a billing dispute include the refusal to pay other amounts owed by the billed Party until the dispute is resolved. Claims by the billed Party for damages of any kind will not be considered a billing dispute for purposes of this Section. Once the billing dispute is resolved, the disputing Party will make immediate payment of any of the disputed amount owed to the billing Party or the billing Party shall have the right to pursue normal treatment procedures. Any credits due to the disputing Party, pursuant to the billing dispute, will be applied to the disputing Party's account by the billing Party immediately upon resolution of the dispute.
- 7.6.4.3 If a Party disputes a charge and does not pay such charge by the payment due date, such charges shall be subject to late payment charges as set forth in the Late Payment Charges provision of this Attachment. If a Party disputes charges and the dispute is resolved in favor of such Party, the other Party shall credit the bill of the disputing Party for the amount of the disputed charges along with any late payment charges assessed no later than the second Bill Date after the resolution of the dispute. Accordingly, if a Party disputes charges and the dispute is resolved in favor of the other Party, the disputing Party shall pay the other Party the amount of the disputed charges and any associated late payment charges assessed no later than the second bill payment due date after the resolution of the dispute. BellSouth shall only assess interest on previously assessed late payment charges in a state where it has authority pursuant to its tariffs.
- Upon proof of tax exempt certification from Excel, the total amount billed to Excel will not include any taxes due from the End User to reflect the tax exempt certification and local tax laws. Excel will be solely responsible for the computation, tracking, reporting, and payment of taxes applicable to Excel's End User.
- 7.8 If any portion of the payment is received by BellSouth after the payment due date as set forth preceding, or if any portion of the payment is received by BellSouth in funds that are not immediately available to BellSouth, then a late payment charge shall be due to BellSouth. The late payment charge shall be the portion of the payment not received by the payment due date times a late factor and will be

applied on a per bill basis. The late factor shall be as set forth in Section A2 of the General Subscriber Services Tariff or Section B2 of the Private Line Service Tariff, as applicable. Excel will be charged a fee for all returned checks as set forth in Section to A2 of the General Subscriber Services Tariff or in applicable state law.

- 7.9 Any switched access charges associated with interexchange carrier access to the resold local exchange lines will be billed by, and due to, BellSouth.
- 7.10 BellSouth will not perform billing and collection services for Excel as a result of the execution of this Agreement. All requests for billing services should be referred to the appropriate entity or operational group within BellSouth.
- 7.11 In general, BellSouth will not become involved in disputes between Excel and Excel's End User customers relating to resold services. If a dispute does arise that cannot be settled without the involvement of BellSouth, Excel shall contact the designated Service Center for resolution. BellSouth will assist in the resolution of the dispute and will work with Excel to resolve the matter in as timely a manner as possible. Excel may be required to submit documentation to substantiate the claim.

8. Discontinuance of Service

- 8.1 The procedures for discontinuing service to an End User are as follows:
- 8.1.1 BellSouth will deny service to Excel's End User on behalf of, and at the request of, Excel. Upon restoration of the End User's service, restoral charges will apply and will be the responsibility of Excel.
- 8.1.2 At the request of Excel, BellSouth will disconnect a Excel End User customer.
- 8.1.3 All requests by Excel for denial or disconnection of an End User for nonpayment must be in writing.
- 8.1.4 Excel will be made solely responsible for notifying the End User of the proposed disconnection of the service.
- 8.1.5 BellSouth will continue to process calls made to the Annoyance Call Center and will advise Excel when it is determined that annoyance calls are originated from one of its End User's locations. BellSouth shall be indemnified, defended and held harmless by Excel and/or the End User against any claim, loss or damage arising from providing this information to Excel. It is the responsibility of Excel to take the corrective action necessary with its End Users who make annoying calls. (Failure to do so will result in BellSouth's disconnecting the End User's service.)
- 8.1.6 BellSouth may disconnect and reuse facilities when the facility is in a denied state and BellSouth has received an order to establish new service or transfer of service

from an End User or an End User's CLEC at the same address served by the denied facility.

- 8.2 The procedures for discontinuing service to Excel are as follows:
- 8.2.1 BellSouth reserves the right to suspend or terminate service in the event of prohibited, unlawful or improper use of the facilities or service, abuse of the facilities, or any other violation or noncompliance by Excel of the rules and regulations of BellSouth's Tariffs.
- 8.2.2 BellSouth reserves the right to suspend or terminate service for nonpayment. If payment of amounts not subject to a billing dispute, as described in Section 7..6.3, is not received by the bill day in the month after the original bill day, BellSouth may provide written notice to Excel, that additional applications for service such as access to the operational support systems for pre-ordering, ordering and provisioning of services will be refused and that any pending orders for service will not be completed if payment is not received by the fifteenth day following the date of the notice. In addition BellSouth may, at the same time, provide written notice to the person designated by Excel to receive notices of noncompliance that BellSouth may discontinue the provision of existing services to Excel, if payment is not received by the thirtieth day following the date of the notice.
- 8.2.3 In the case of such discontinuance, all billed charges, as well as applicable termination charges, shall become due.
- 8.2.4 If BellSouth does not discontinue the provision of the services involved on the date specified in the thirty days notice and Excel's noncompliance continues, nothing contained herein shall preclude BellSouth's right to discontinue the provision of the services to Excel without further notice.
- 8.2.5 Upon discontinuance of service on a Excel's account, service to Excel's End Users will be denied. BellSouth will also reestablish service at the request of the End User or Excel upon payment of the appropriate connection fee and subject to BellSouth's normal application procedures. Excel is solely responsible for notifying the End User of the proposed disconnection of the service.
- 8.2.6 If within fifteen days after an End User's service has been denied no contact has been made in reference to restoring service, the End User's service will be disconnected.

9. Line Information Database (LIDB)

9.1 BellSouth will store in its Line Information Database (LIDB) records relating to service only in the BellSouth region. The LIDB Storage Agreement is included in this Attachment as Exhibit C.

9.2 BellSouth will provide LIDB Storage upon written request to Excel's Account Manager stating a requested activation date.

10. RAO Hosting

10.1 RAO Hosting is not required for resale in the BellSouth region.

11. Optional Daily Usage File (ODUF)

- 11.1 The Optional Daily Usage File (ODUF) Agreement with terms and conditions is included in this Attachment as Exhibit D. Rates for ODUF are as set forth in Exhibit F of this Attachment.
- BellSouth will provide ODUF service upon written request to its Account Manager stating a requested activation date.

12. Enhanced Optional Daily Usage File (EODUF)

- 12.1 The Enhanced Optional Daily Usage File (EODUF) service Agreement with terms and conditions is included in this Attachment as Exhibit E. Rates for EODUF are as set forth in Exhibit F of this Attachment.
- BellSouth will provide EODUF service upon written request to its Account Manager stating a requested activation date.

APPLICABLE DISCOUNTS

The telecommunications services available for purchase by Excel for the purposes of resale to Excel End Users shall be available at the following discount off of the retail rate. If Excel cancels an order for telecommunications services for the purpose of resale, any costs incurred by BellSouth in conjunction with the provisioning of that order will be recovered in accordance with the applicable sections of the GSST and the PLST.

DISCOUNT*

<u>STATE</u>	RESIDENCE	BUSINESS	CSAs***
ALABAMA	16.3%	16.3%	
FLORIDA	21.83%	16.81%	
GEORGIA	20.3%	17.3%	
KENTUCKY	16.79%	15.54%	
LOUISIANA	20.72%	20.72%	9.05%
MISSISSIPPI	15.75%	15.75%	
NORTH CAROLINA	21.5%	17.6%	
SOUTH CAROLINA	14.8%	14.8%	8.98%
TENNESSEE**	16%	16%	

- * When a CLEC provides Resale service in a cross boundary area (areas that are part of the local serving area of another state's exchange) the rates, regulations and discounts for the tariffing state will apply. Billing will be from the serving state.
- ** In Tennessee, if Excel provides its own operator services and directory services, the discount shall be 21.56%. Excel must provide written notification to BellSouth within 30 days prior to providing its own operator services and directory services to qualify for the higher discount rate of 21.56%.
- *** Unless noted in this column, the discount for Business will be the applicable discount rate for CSAs.

OPERATIONAL SUPPORT SYSTEMS (OSS) RATES

BellSouth has developed and made available the following mechanized systems by which Excel may submit LSRs electronically.

LENS	Local Exchange Navigation System
EDI	Electronic Data Interchange
TAG	Telecommunications Access Gateway

LSRs submitted by means of one of these interactive interfaces will incur an OSS electronic ordering charge as specified in the Table below. An individual LSR will be identified for billing purposes by its Purchase Order Number (PON). LSRs submitted by means other than one of these interactive interfaces (mail, fax, courier, etc.) will incur a manual order charge as specified in the table below:

OPERATIONAL SUPPORT	Electronic	<u>Manual</u>
SYSTEMS (OSS) RATES	Per LSR received from the CLEC by one of the OSS interactive interfaces	Per LSR received from the CLEC by means other than one of the OSS interactive interfaces
OSS LSR Charge	\$3.50	\$19.99
USOC	SOMEC	SOMAN

Note: In addition to the OSS charges, applicable discounted service order and related discounted charges apply per the tariff.

Denial/Restoral OSS Charge

In the event Excel provides a list of customers to be denied and restored, rather than an LSR, each location on the list will require a separate PON and, therefore will be billed as one LSR per location.

Cancellation OSS Charge

Excel will incur an OSS charge for an accepted LSR that is later canceled by Excel.

Note: Supplements or clarifications to a previously billed LSR will not incur another OSS charge.

Threshold Billing Plan

Excel will incur the mechanized rate for all LSRs, both mechanized and manual, if the percentage of mechanized LSRs to total LSRs meets or exceeds the threshold percentages shown below:

Year Ratio: Mechanized/Total LSRs
2001 90%

The threshold plan will be discontinued in 2002.

BellSouth will track the total LSR volume for each CLEC for each quarter. At the end of that time period, a Percent Electronic LSR calculation will be made for that quarter based on the LSR data tracked in the LCSC. If this percentage exceeds the threshold volume, all of that CLEC's future manual LSRs for the following quarter will be billed at the mechanized LSR rate. To allow time for obtaining and analyzing the data and updating the billing system, this billing change will take place on the first day of the second month following the end of the quarter (e.g. May 1 for 1Q, Aug 1 for 2Q, etc.). There will be no adjustments to the amount billed for previously billed LSRs.

Exclusions and Limitations On Services Available for Resale (Note 5)

Т	pe of Service	1	AL		FL		GA]	KY		LA]	MS]	NC		SC	,	TN
1 y j	pe of Service	Resale	Discount	Resale	Discount	Resale	Discount	Resale	Discount	Resale	Discount	Resale	Discount	Resale	Discount	Resale	Discount	Resale	Di
l I	Ifathered ces (Note 1)	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	
l I	otions - > 90 Note 2)	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	1
1	otions - \leq 90 (Note 2)	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	
4 Lifelii Service	ne/Link Up	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Note 4	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	
5 911/E	911 Services	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	Yes	Yes	Yes	
	Services	Yes	Yes	Yes	Yes	Yes	Yes	No	No	No	No	Yes	Yes	Yes	Yes	No	No	Yes	
7 Memo	oryCall [®] Service	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	
8 Mobil	e Services	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	
l I	al Subscriber Charges	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	
	RecurCharges	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	
	Jser Line Chg- per Portability	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	
	Telephone s Svc(PTAS)	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No	Yes	
	Wire Maint ce Plan	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	
•	Applicable No	tes:				•							•	•				•	_
1.	Grandfathere	d servic	es can be	resold o	nly to exis	sting sul	oscribers o	of the gra	andfathere	ed servic	e.								
2.	Where availabl	e for res	sale, pron	otions	will be ma	de avail	able only	to End I	Jsers who	would l	nave quali	fied for	the promo	tion had	d it been p	rovided	by BellSo	uth dire	ctly
3.	In Tennessee, 1	ong-teri	m promot	ions (of	fered for n	nore tha	n ninety (90) days	s) may be	obtained	l at one of	the foll	owing rate	s:					_
	(a) the state	d tariff 1	rate, less t	he whol	esale disco	ount;													
	(b) the prom	notional	rate (the	promoti	onal rate o	ffered b	y BellSou	th will r	ot be disc	ounted	further by	the who	lesale disc	count ra	te)				_
4.	Lifeline/Link Sections A3 an	Up servi	ices may b	e offere	d only to t	hose su	bscribers v	who mee								these sea	rvices as so	et forth	in
5.	Some of BellSo								e not avail	able in	certain cer	ntral off	ices and a	reas.					_

LINE INFORMATION DATA BASE (LIDB)

RESALE STORAGE AGREEMENT

I. Definitions (from Addendum)

- A. Billing number a number used by BellSouth for the purpose of identifying an account liable for charges. This number may be a line or a special billing number.
- B. Line number a ten-digit number assigned by BellSouth that identifies a telephone line associated with a resold local exchange service, or with a SPNP arrangement.
- C. Special billing number a ten-digit number that identifies a billing account established by BellSouth in connection with a resold local exchange service or with a SPNP arrangement.
- D. Calling Card number a billing number plus PIN number assigned by BellSouth.
- E. PIN number a four digit security code assigned by BellSouth which is added to a billing number to compose a fourteen digit calling card number.
- F. Toll billing exception indicator associated with a billing number to indicate that it is considered invalid for billing of collect calls or third number calls or both, by Excel.
- G. Billed Number Screening refers to the activity of determining whether a toll billing exception indicator is present for a particular billing number.
- H. Calling Card Validation refers to the activity of determining whether a particular calling card number exists as stated or otherwise provided by a caller.
- I. Billing number information information about billing number or Calling Card number as assigned by BellSouth and toll billing exception indicator provided to BellSouth by Excel.

II. General

A. This Agreement sets forth the terms and conditions pursuant to which BellSouth agrees to store in its LIDB certain information at the request of Excel and pursuant to which BellSouth, its LIDB customers and Excel shall have access to such information. In addition, this Agreement sets forth the terms and conditions for Excel's provision of billing number information to BellSouth for inclusion in BellSouth's LIDB. Excel understands that BellSouth provides access to information in its LIDB to various

telecommunications service providers pursuant to applicable tariffs and agrees that information stored at the request of Excel, pursuant to this Agreement, shall be available to those telecommunications service providers. The terms and conditions contained herein shall hereby be made a part of this Interconnection/Resale Agreement upon notice to Excel's account team to activate this LIDB Storage Agreement. The General Terms and Conditions of the Interconnection/Resale Agreement shall govern this LIDB Storage Agreement. The terms and conditions contained in the attached Addendum is hereby made a part of this LIDB Storage Agreement as if fully incorporated herein.

B. BellSouth will provide responses to on-line, call-by-call queries to billing number information for the following purposes:

1. Billed Number Screening

a. BellSouth is authorized to use the billing number information to determine whether Excel has identified the billing number as one that should not be billed for collect or third number calls.

2. Calling Card Validation

a. BellSouth is authorized to validate a 14-digit Calling Card number where the first 10 digits are a line number or special billing number assigned by BellSouth, and where the last four digits (PIN) are a security code assigned by BellSouth.

3. Fraud Control

a. BellSouth will provide seven days per week, 24-hours per day, fraud monitoring on Calling Cards, bill-to-third and collect calls made to numbers in BellSouth's LIDB, provided that such information is included in the LIDB query. BellSouth will establish fraud alert thresholds and will notify Excel of fraud alerts so that Excel may take action it deems appropriate.

III. Responsibilities of the Parties

A. BellSouth will administer all data stored in the LIDB, including the data provided by Excel pursuant to this Agreement, in the same manner as BellSouth's data for BellSouth's End User customers. BellSouth shall not be responsible to Excel for any lost revenue which may result from BellSouth's administration of the LIDB pursuant to its established practices and procedures as they exist and as they may be changed by BellSouth in its sole discretion from time to time.

B. Billing and Collection Customers

BellSouth currently has in effect numerous billing and collection agreements with various interexchange carriers and billing clearing houses and as such these billing and collection

customers ("B&C Customers") query BellSouth's LIDB to determine whether to accept various billing options from End Users. Until such time as BellSouth implements in its LIDB and its supporting systems the means to differentiate Excel's data from BellSouth's data, the following shall apply:

- (1) Excel will accept responsibility for telecommunications services billed by BellSouth for its B&C Customers for Excel's End User accounts which are resident in LIDB pursuant to this Agreement. Excel authorizes BellSouth to place such charges on Excel's bill from BellSouth and shall pay all such charges, including, but are not limited to, collect and third number calls.
- (2) Charges for such services shall appear on a separate BellSouth bill page identified with the name of the B&C Customers for which BellSouth is billing the charge.
- (3) Excel shall have the responsibility to render a billing statement to its End Users for these charges, but Excel shall pay BellSouth for the charges billed regardless of whether Excel collects from Excel's End Users.
- (4) BellSouth shall have no obligation to become involved in any disputes between Excel and B&C Customers. BellSouth will not issue adjustments for charges billed on behalf of any B&C Customer to Excel. It shall be the responsibility of Excel and the B&C Customers to negotiate and arrange for any appropriate adjustments.

C. SPNP ARRANGEMENTS

- BellSouth will include billing number information associated with resold exchange lines or SPNP arrangements in its LIDB. Excel will request any toll billing exceptions via the Local Service Request (LSR) form used to order resold exchange lines, or the SPNP service request form used to order SPNP arrangements.
- 2. Under normal operating conditions, BellSouth shall include the billing number information in its LIDB upon completion of the service order establishing either the resold local exchange service or the SPNP arrangement, provided that BellSouth shall not be held responsible for any delay or failure in performance to the extent such delay or failure is caused by circumstances or conditions beyond BellSouth's reasonable control. BellSouth will store in its LIDB an unlimited volume of the working telephone numbers associated with either the resold local exchange lines or the SPNP arrangements. For resold local exchange lines or for SPNP arrangements, BellSouth will issue line-based calling cards only in the name of Excel. BellSouth will not issue line-based calling cards in the name of Excel's individual End Users. In the event that Excel wants to include calling card numbers assigned by Excel in the BellSouth LIDB, a separate agreement is required.

IV. Fees for Service and Taxes

- A. Excel will not be charged a fee for storage services provided by BellSouth to Excel, as described in Section I of this LIDB Resale Storage Agreement.
- B. Sales, use and all other taxes (excluding taxes on BellSouth's income) determined by BellSouth or any taxing authority to be due to any federal, state or local taxing jurisdiction with respect to the provision of the service set forth herein will be paid by Excel in accordance with the tax provisions set forth in the General Terms and Conditions of this Agreement.

Optional Daily Usage File

- 1. Upon written request from Excel, BellSouth will provide the Optional Daily Usage File (ODUF) service to Excel pursuant to the terms and conditions set forth in this section.
- 2. Excel shall furnish all relevant information required by BellSouth for the provision of the Optional Daily Usage File.
- 3. The Optional Daily Usage Feed will contain billable messages that were carried over the BellSouth Network and processed in the BellSouth Billing System, but billed to a Excel customer.
 - Charges for delivery of the Optional Daily Usage File will appear on Excel's monthly bills. The charges are as set forth in Exhibit F to this Attachment.
- 4. The Optional Daily Usage Feed will contain both rated and unrated messages. All messages will be in the standard Alliance for Telecommunications Industry Solutions (ATIS) EMI record format.
- 5. Messages that error in Excel's billing system will be the responsibility of Excel. If, however, Excel should encounter significant volumes of errored messages that prevent processing by Excel within its systems, BellSouth will work with the to determine the source of the errors and the appropriate resolution.
- 6. The following specifications shall apply to the Optional Daily Usage Feed.
- 6.1 Usage To Be Transmitted
- 6.1.1 The following messages recorded by BellSouth will be transmitted to Excel:
 - Message recording for per use/per activation type services (examples: Three Way Calling, Verify, Interrupt, Call Return, etc.)
 - Measured billable Local
 - Directory Assistance messages
 - IntraLATA Toll
 - WATS and 800 Service
 - N11

- Information Service Provider Messages
- Operator Services Messages
- Operator Services Message Attempted Calls (UNE only)
- Credit/Cancel Records
- Usage for Voice Mail Message Service
- 6.1.2 Rated Incollects (originated in BellSouth and from other companies) can also be on Optional Daily Usage File. Rated Incollects will be intermingled with BellSouth recorded rated and unrated usage. Rated Incollects will not be packed separately.
- 6.1.3 BellSouth will perform duplicate record checks on records processed to Optional Daily Usage File. Any duplicate messages detected will be deleted and not sent to Excel.
- 6.1.4 In the event that Excel detects a duplicate on Optional Daily Usage File they receive from BellSouth, Excel will drop the duplicate message (Excel will not return the duplicate to BellSouth).
- 6.2 <u>Physical File Characteristics</u>
- 6.2.1 The Optional Daily Usage File will be distributed to Excel via an agreed medium with CONNECT:Direct being the preferred transport method. The Daily Usage Feed will be a variable block format (2476) with an LRECL of 2472. The data on the Daily Usage Feed will be in a non-compacted EMI format (175 byte format plus modules). It will be created on a daily basis (Monday through Friday except holidays). Details such as dataset name and delivery schedule will be addressed during negotiations of the distribution medium. There will be a maximum of one dataset per workday per OCN.
- Data circuits (private line or dial-up) will be required between BellSouth and Excel for the purpose of data transmission. Where a dedicated line is required, Excel will be responsible for ordering the circuit, overseeing its installation and coordinating the installation with BellSouth. Excel will also be responsible for any charges associated with this line. Equipment required on the BellSouth end to attach the line to the mainframe computer and to transmit successfully ongoing will be negotiated on a case by case basis. Where a dial-up facility is required, dial circuits will be installed in the BellSouth data center by BellSouth and the associated charges assessed to Excel. Additionally, all message toll charges associated with the use of the dial circuit by Excel will be the responsibility of Excel. Associated equipment on the BellSouth end, including a modem, will be negotiated on a case by case basis between the Parties. All equipment, including modems and software, that is required on Excel end for the purpose of data transmission will be the responsibility of Excel.

6.3 <u>Packing Specifications</u>

- 6.3.1 A pack will contain a minimum of one message record or a maximum of 99,999 message records plus a pack header record and a pack trailer record. One transmission can contain a maximum of 99 packs and a minimum of one pack.
- 6.3.2 The OCN, From RAO, and Invoice Number will control the invoice sequencing. The From RAO will be used to identify to Excel which BellSouth RAO is sending the message. BellSouth and Excel will use the invoice sequencing to control data exchange. BellSouth will be notified of sequence failures identified by Excel and resend the data as appropriate.

THE DATA WILL BE PACKED USING ATIS EMI RECORDS.

6.4 Pack Rejection

6.4.1 Excel will notify BellSouth within one business day of rejected packs (via the mutually agreed medium). Packs could be rejected because of pack sequencing discrepancies or a critical edit failure on the Pack Header or Pack Trailer records (i.e. out-of-balance condition on grand totals, invalid data populated). Standard ATIS EMI Error Codes will be used. Excel will not be required to return the actual rejected data to BellSouth. Rejected packs will be corrected and retransmitted to Excel by BellSouth.

6.5 Control Data

Excel will send one confirmation record per pack that is received from BellSouth. This confirmation record will indicate Excel received the pack and the acceptance or rejection of the pack. Pack Status Code(s) will be populated using standard ATIS EMI error codes for packs that were rejected by Excel for reasons stated in the above section.

6.6 Testing

Upon request from Excel, BellSouth shall send test files to Excel for the Optional Daily Usage File. The Parties agree to review and discuss the file's content and/or format. For testing of usage results, BellSouth shall request that Excel set up a production (LIVE) file. The live test may consist of Excel's employees making test calls for the types of services Excel requests on the Optional Daily Usage File. These test calls are logged by Excel, and the logs are provided to BellSouth. These logs will be used to verify the files. Testing will be completed within 30 calendar days from the date on which the initial test file was sent.

Enhanced Optional Daily Usage File

- 1. Upon written request from Excel, BellSouth will provide the Enhanced Optional Daily Usage File (EODUF) service to Excel pursuant to the terms and conditions set forth in this section. EODUF will only be sent to existing ODUF subscribers who request the EODUF option.
- 2. Excel shall furnish all relevant information required by BellSouth for the provision of the Enhanced Optional Daily Usage File.
- 3. The Enhanced Optional Daily Usage File (EODUF) will provide usage data for local calls originating from resold Flat Rate Business and Residential Lines.
- 4. Charges for delivery of the Enhanced Optional Daily Usage File will appear on Excel's monthly bills. The charges are as set forth in Exhibit F to this Attachment.
- 5. All messages will be in the standard Alliance for Telecommunications Industry Solutions (ATIS) EMI record format.
- 6. Messages that error in the billing system of Excel will be the responsibility of Excel. If, however, Excel should encounter significant volumes of errored messages that prevent processing by Excel within its systems, BellSouth will work with Excel to determine the source of the errors and the appropriate resolution.
- 7. The following specifications shall apply to the Optional Daily Usage Feed.
- 7.1 Usage To Be Transmitted
- 7.1.1 The following messages recorded by BellSouth will be transmitted to Excel:

Customer usage data for flat rated local call originating from Excel's End User lines (1FB or 1FR). The EODUF record for flat rate messages will include:

Date of Call

From Number

To Number

Connect Time

Conversation Time

Method of Recording

From RAO

Rate Class

Message Type

Billing Indicators

Bill to Number

- 7.1.2 BellSouth will perform duplicate record checks on EODUF records processed to Optional Daily Usage File. Any duplicate messages detected will be deleted and not sent to Excel.
- 7.1.3 In the event that Excel detects a duplicate on Enhanced Optional Daily Usage File they receive from BellSouth, Excel will drop the duplicate message (Excel will not return the duplicate to BellSouth).
- 7.2 Physical File Characteristics
- 7.2.1 The Enhanced Optional Daily Usage Feed will be distributed to Excel over their existing Optional Daily Usage File (ODUF) feed. The EODUF messages will be intermingled among Excel's Optional Daily Usage File (ODUF) messages. The EODUF will be a variable block format (2476) with an LRECL of 2472. The data on the EODUF will be in a non-compacted EMI format (175 byte format plus modules). It will be created on a daily basis (Monday through Friday except holidays).
- 7.2.2 Data circuits (private line or dial-up) may be required between BellSouth and Excel for the purpose of data transmission. Where a dedicated line is required, Excel will be responsible for ordering the circuit, overseeing its installation and coordinating the installation with BellSouth. Excel will also be responsible for any charges associated with this line. Equipment required on the BellSouth end to attach the line to the mainframe computer and to transmit successfully ongoing will be negotiated on a case by case basis. Where a dial-up facility is required, dial circuits will be installed in the BellSouth data center by BellSouth and the associated charges assessed to Excel. Additionally, all message toll charges associated with the use of the dial circuit by Excel will be the responsibility of Excel. Associated equipment on the BellSouth end, including a modem, will be negotiated on a case by case basis between the Parties. All equipment, including modems and software, that is required on Excel's end for the purpose of data transmission will be the responsibility of Excel.

- 7.3 <u>Packing Specifications</u>
- 7.3.1 A pack will contain a minimum of one message record or a maximum of 99,999 message records plus a pack header record and a pack trailer record. One transmission can contain a maximum of 99 packs and a minimum of one pack.
- 7.3.2 The Operating Company Number (OCN), From Revenue Accounting Office (RAO), and Invoice Number will control the invoice sequencing. The From RAO will be used to identify to Excel which BellSouth RAO is sending the message. BellSouth and Excel will use the invoice sequencing to control data exchange. BellSouth will be notified of sequence failures identified by Excel and resend the data as appropriate.

THE DATA WILL BE PACKED USING ATIS EMI RECORDS.

BELLSOUTH / VarTec RATES ODUF/EODUF Alabama

									RATES					OSS	RATES		
								Nonre	curring		ecurring onnect	Svc Order Submitted Elec per LSR	Manually per LSR		Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'I
CATEGORY	NOTES	RATE ELEMENT	Interim	Zone	BCS	USOC	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
-																	
ODUF/EDOU	F/CMDS/CNAM	-Resale															
		PTION DAILY USAGE FILE (EODUF)															
		EODUF: Message Processing, per message				N/A	\$0.004										
	OPTIONAL DA	L AILY USAGE FILE (ODUF)															
		ODUF: Recording, per message				N/A	\$0.0002										
		ODUF: Message Processing, per message				N/A	\$0.0033										
		ODUF: Message Processing, per Magnetic Tape provisioned				N/A	\$55.19										
		ODUF: Data Transmission (CONNECT:DIRECT), per message				N/A	\$0.00004										
																	<u> </u>
		ate is identified in the contract, the rate for the specific ser				et forth											

BELLSOUTH / VarTec RATES ODUF/EODUF FLORIDA

									RATES					oss	RATES		
								Nonre	ecurring		ecurring onnect	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Svc Order vs.	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'I
CATEGORY	NOTES	RATE ELEMENT	Interim	Zone	BCS	USOC	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
																	
ODUF/EDOU	F/CMDS/CNAM	-Resale															
																	ļ
	ENHANCED O	PTION DAILY USAGE FILE (EODUF)															
		EODUF: Message Processing, per message				N/A	\$0.004										
	OPTIONAL DA	L AILY USAGE FILE (ODUF)															
		ODUF: Recording, per message				N/A	\$0.008										
		ODUF: Message Processing, per message				N/A	\$0.004										
		ODUF: Message Processing, per Magnetic Tape provisioned				N/A	\$54.95										
		ODUF: Data Transmission (CONNECT:DIRECT), per message				N/A	\$0.001										
	1					,,,	φοισστ										1
		ate is identified in the contract, the rate for the specific ser rellSouth tariff or as negotiated by the Parties upon reque				set forth											

									RATES					OSS	RATES		
								Nonre	curring		ecurring onnect	Svc Order Submitted Elec per LSR	Manually per LSR		Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'I
CATEGORY	NOTES	RATE ELEMENT	Interim	Zone	BCS	USOC	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
																	
ODUF/EDOU	F/CMDS/CNAM	-Resale															
		PTION DAILY USAGE FILE (EODUF)															
		EODUF: Message Processing, per message				N/A	\$0.004										!
	OPTIONAL DA	L AILY USAGE FILE (ODUF)															
		ODUF: Recording, per message				N/A	\$0.0001275										
		ODUF: Message Processing, per message				N/A	\$0.0082548										
		ODUF: Message Processing, per Magnetic Tape provisioned				N/A	\$28.85										
		ODUF: Data Transmission (CONNECT:DIRECT), per message				N/A	\$0.0000434										
		ate is identified in the contract, the rate for the specific ser sellSouth tariff or as negotiated by the Parties upon reque				et forth											

Attachment 1 Exhibit A

Rates - Page 4

									RATES					oss	RATES		
								Nonre	ecurring		ecurring	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Svc Order vs.	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
CATEGORY	NOTES	RATE ELEMENT	Interim	Zone	BCS	USOC	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ODUE/EDOU	F/014 D0/01/444	I December 1				ļ											
ODUF/EDOU	F/CMDS/CNAM	-kesale												-	-		
	ENHANCED O	I PTION DAILY USAGE FILE (EODUF)												1	1		+
	LINIANOLD	EODUF: Message Processing, per message				N/A	\$0.004										1
		<u> </u>															
	OPTIONAL DA	AILY USAGE FILE (ODUF)															
		ODUF: Recording, per message				N/A	\$0.0008611										
		ODUF: Message Processing, per message				N/A	\$0.0032357										
		ODUF: Message Processing, per Magnetic Tape provisioned				N/A	\$55.68										
		ODUF: Data Transmission (CONNECT:DIRECT), per message				N/A	\$0.0000365										
						,,,	‡2.3000000						İ				1
		ate is identified in the contract, the rate for the specific ser tellSouth tariff or as negotiated by the Parties upon reque				set forth											

									RATES				•	oss	RATES	1	
								Nonre	curring		ecurring	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st		Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Dis Add'I
CATEGORY	NOTES	RATE ELEMENT	Interim	Zone	BCS	USOC	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
														1			
DUF/EDOUF	/CMDS/CNAM	Resale															
	ENHANCED O	PTION DAILY USAGE FILE (EODUF)															
		EODUF: Message Processing, per message				N/A	\$0.004										
	OPTIONAL DA	ILY USAGE FILE (ODUF)															
		ODUF: Recording, per message				N/A	\$0.00019										
		ODUF: Message Processing, per message				N/A	\$0.0024										
		ODUF: Message Processing, per Magnetic Tape provisioned				N/A	\$47.30										
		ODUF: Data Transmission (CONNECT:DIRECT), per message				N/A	\$0.00003										
			i														

									RATES					oss	RATES		
								Nonre	curring		ecurring	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Svc Order vs.	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
CATEGORY	NOTES	RATE ELEMENT	Interim	Zone	BCS	USOC	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
																	<u> </u>
ODUE/EDOU	I F/CMDS/CNAM	Pagala															
JDUF/EDOU	T/CIVIDS/CIVAIVI	-Resale															
	ENHANCED O	PTION DAILY USAGE FILE (EODUF)															+
	LIVITATION	EODUF: Message Processing, per message				N/A	\$0.004										
		3,1															
	OPTIONAL DA	ALY USAGE FILE (ODUF)															
		ODUF: Recording, per message				N/A	\$0.0001179										
		ODUF: Message Processing, per message				N/A	\$0.0032089										
		ODUF: Message Processing, per Magnetic Tape provisioned				N/A	\$54.62										
		ODUF: Data Transmission (CONNECT:DIRECT), per message				N/A	\$0.0000354										
		te is identified in the contract, the rate for the specific ser ellSouth tariff or as negotiated by the Parties upon reque				set forth											

BELLSOUTH / VarTec RATES ODUF/EODUF NORTH CAROLINA

									RATES					OSS	RATES		
									curring	Disc	ecurring onnect	Svc Order Submitted Elec per LSR	Manually per LSR		Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'I
CATEGORY	NOTES	RATE ELEMENT	Interim	Zone	BCS	USOC	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
																	
ODUF/EDOU	F/CMDS/CNAM	-Resale															
	ENHANCED O	PTION DAILY USAGE FILE (EODUF)															
		EODUF: Message Processing, per message				N/A	\$0.004										<u> </u>
	OPTIONAL DA	L AILY USAGE FILE (ODUF)															+
		ODUF: Recording, per message				N/A	\$0.0003										
		ODUF: Message Processing, per message				N/A	\$0.0032										
		ODUF: Message Processing, per Magnetic Tape provisioned				N/A	\$54.61										
		ODUF: Data Transmission (CONNECT:DIRECT), per message				N/A	\$0.0004										
							\$0.0001										1
		ate is identified in the contract, the rate for the specific set tellSouth tariff or as negotiated by the Parties upon reque				et forth											

BELLSOUTH / VarTec RATES ODUF/EODUF SOUTH CAROLINA

									RATES					OSS	RATES		
								Nonre	curring		ecurring onnect	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st		Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
CATEGORY	NOTES	RATE ELEMENT	Interim	Zone	BCS	USOC	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
																	<u> </u>
ODLIE/EDOLI	I F/CMDS/CNAM	- Possio															
ODOI7EDOO	F/CWIDS/CWAW	-resale															
	ENHANCED O	PTION DAILY USAGE FILE (EODUF)															
		EODUF: Message Processing, per message				N/A	\$0.004										
	ODTIONAL DA	ALL VILLEAGE FILE (ODITE)															<u> </u>
	OPTIONAL DA	ALLY USAGE FILE (ODUF)		-		N/A	\$0.0002862										
		ODUF: Recording, per message		1													
		ODUF: Message Processing, per message				N/A	\$0.0032344										
		ODUF: Message Processing, per Magnetic Tape provisioned				N/A	\$54.72										
		ODUF: Data Transmission (CONNECT:DIRECT), per message				N/A	\$0.0000357										
•																	
		ate is identified in the contract, the rate for the specific ser tellSouth tariff or as negotiated by the Parties upon reque				set forth											

							RATES				OSS RATES						
								Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Svc Order vs.	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
CATEGORY	NOTES	RATE ELEMENT	Interim	Zone	BCS	USOC	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
																	
ODUF/EDOU	F/CMDS/CNAM	I-Resale															
	OPTIONAL DA	AILY USAGE FILE (ODUF)															
		ODUF: Recording, per message				N/A	\$0.0000044										
		ODUF: Message Processing, per message				N/A	\$0.0027366										
		ODUF: Message Processing, per Magnetic Tape provisioned				N/A	\$52.75										
		ODUF: Data Transmission (CONNECT:DIRECT), per message				N/A	\$0.0000339										
		ate is identified in the contract, the rate for the specific ser BellSouth tariff or as negotiated by the Parties upon reque				et forth											

Attachment 2

Network Elements and Other Services

Version 4Q01: 12/01/01

TABLE OF CONTENTS

1	INTRODUCTION	3
2	UNBUNDLED LOOPS	4
3	HIGH FREQUENCY SPECTRUM NETWORK ELEMENT	24
4	LOCAL SWITCHING	31
5	UNBUNDLED NETWORK ELEMENT COMBINATIONS	37
6	TRANSPORT, CHANNELIZATION AND DARK FIBER	44
7 SCR	BELLSOUTH SWITCHED ACCESS ("SWA") 8XX TOLL FREE DIALING TEN DIGIT REENING SERVICE	49
8	LINE INFORMATION DATABASE (LIDB)	49
9	SIGNALING	52
10	OPERATOR SERVICE AND DIRECTORY ASSISTANCE	58
11	AUTOMATIC LOCATION IDENTIFICATION/DATA MANAGEMENT SYSTEM (ALI/DMS)	63
12	CALLING NAME (CNAM) DATABASE SERVICE	64
13 ADV	SERVICE CREATION ENVIRONMENT AND SERVICE MANAGEMENT SYSTEM (SCE/SMS VANCED INTELLIGENT NETWORK (AIN) ACCESS	
14	BASIC 911 AND E911	66
15	OPERATIONAL SUPPORT SYSTEMS (OSS)	67
LIE	OB Storage Agreement Exhib	oit A
Rat	tes Exhib	oit B

ACCESS TO NETWORK ELEMENTS AND OTHER SERVICES

1 Introduction

- 1.1 This Attachment sets forth rates, terms and conditions for Network Elements and combinations of Network Elements that BellSouth agrees to offer to Excel in accordance with its obligations under Section 251(c)(3) of the Act. Additionally, this Attachment sets forth the rates, terms and conditions for other services BellSouth makes available to Excel. The price for each Network Element and combination of Network Elements and other services are set forth in Exhibit B of this Agreement. Additionally, the provision of a particular Network Element or service may require Excel to purchase other Network Elements or services.
- 1.2 For purposes of this Agreement, "Network Element" is defined to mean a facility or equipment Excel used in the provision of a telecommunications service. For purposes of this Agreement, combinations of Network Elements shall be referred to as "Combinations."
- 1.3 BellSouth shall, upon request of Excel, and to the extent technically feasible, provide to Excel access to its Network Elements for the provision of Excel's telecommunications services. If no rate is identified in this Agreement, the rate for the specific service or function will be as set forth in the applicable BellSouth tariff or as negotiated by the Parties upon request by either Party.
- 1.4 Excel may purchase Network Elements and other services from BellSouth for the purpose of combining such network elements in any manner Excel chooses to provide telecommunication services to its intended users, including recreating existing BellSouth services. With the exception of the sub-loop Network Elements which are located outside of the central office, BellSouth shall deliver the Network Elements purchased by Excel to the designated Excel collocation space.
- 1.5 BellSouth shall comply with the requirements as set forth in the technical references within this Attachment 2.

1.6 Rates

- 1.6.1 The prices that Excel shall pay to BellSouth for Network Elements and Other Services are set forth in Exhibit B to this Attachment. If Excel purchases a service(s) from a tariff, all terms and conditions and rates as set forth in such tariff shall apply.
- 1.6.2 Rates, terms and conditions for order cancellation charges and Service Date Advancement Charges will apply in accordance with Attachment 6 and are incorporated herein by this reference.

- 1.6.3 If Excel modifies an order (Order Modification Charge (OMC)) after being sent a Firm Order Confirmation (FOC) from BellSouth, any costs incurred by BellSouth to accommodate the modification will be paid by Excel in accordance with FCC No. 1 Tariff, Section 5.
- 1.6.4 A one-month minimum billing period shall apply to all UNE conversions or new installations.

2 Unbundled Loops

- 2.1 General
- 2.1.1 The local loop Network Element ("Loop") is defined as a transmission facility between a distribution frame (or its equivalent) in BellSouth's central office and the loop demarcation point at an end-user customer premises, including inside wire owned by BellSouth. The local loop Network Element includes all features, functions, and capabilities of the transmission facilities, including dark fiber and attached electronics (except those used for the provision of advanced services, such as Digital Subscriber Line Access Multiplexers) and line conditioning.
- 2.1.2 The provisioning of a Loop to Excel's collocation space will require cross-office cabling and cross-connections within the central office to connect the Loop to a local switch or to other transmission equipment. These cross-connects are separate components, that are not considered a part of the Loop, and thus, have a separate charge.
- 2.1.3 To the extent available within BellSouth's network at a particular location, BellSouth will offer Loops capable of supporting telecommunications services. If a requested loop type is not available, and cannot be made available through BellSouth's Unbundled Loop Modification process, then Excel can use the Special Construction process to request that BellSouth place facilities in order to meet Excel's loop requirements. Standard Loop intervals shall not apply to the Special Construction process.
- 2.1.4 Where facilities are available, BellSouth will install Loops in compliance with BellSouth's Products and Services Interval Guide available at the website at http://www.interconnection.bellsouth.com. For orders of 15 or more Loops, the installation and any applicable Order Coordination as described below will be handled on a project basis, and the intervals will be set by the BellSouth project manager for that order. When Loops require a Service Inquiry (SI) prior to issuing the order to determine if facilities are available, the interval for the SI process is separate from the installation interval.
- 2.1.5 The Loop shall be provided to Excel in accordance with BellSouth's TR73600 Unbundled Local Loop Technical Specification and applicable industry standard technical references.

- 2.1.6 Excel may utilize the unbundled Loops to provide any telecommunications service it wishes, so long as such services are consistent with industry standards and BellSouth's TR73600.
- 2.1.7 BellSouth will only provision, maintain and repair the Loops to the standards that are consistent with the type of Loop ordered. In those cases where Excel has requested that BellSouth modify a Loop so that it no longer meets the technical parameters of the original Loop type (e.g., voice grade, ISDN, ADSL, etc.) the resulting Loop will be maintained as an unbundled copper Loop (UCL), and Excel shall pay the recurring and non-recurring charges for a UCL. For non-service specific loops (e.g. UCL, Loops modified by Excel using the Unbundled Loop Modification (ULM) process), BellSouth will only support that the Loop has copper continuity and balanced tip-and-ring.

2.1.8 <u>Loop Testing/Trouble Reporting</u>

- 2.1.8.1 Excel will be responsible for testing and isolating troubles on the Loops. Excel must test and isolate trouble to the BellSouth portion of a designed unbundled loop (e.g., UVL-SL2, UCL-D, etc.) before reporting repair to the UNE Center. At the time of the trouble report, Excel will be required to provide the results of the Excel test which indicate a problem on the BellSouth provided loop.
- 2.1.8.2 Once Excel has isolated a trouble to the BellSouth provided Loop, and had issued a trouble report to BellSouth on the Loop, BellSouth will take the actions necessary to repair the Loop if a trouble actually exists. BellSouth will repair these Loops in the same time frames that BellSouth repairs similarly situated Loops to its end users.
- 2.1.8.3 If Excel reports a trouble on a non-designed loop (e.g., UVL-SL1, UCL-ND, etc.) and no trouble actually exists, BellSouth will charge Excel for any dispatching and testing (both inside and outside the CO) required by BellSouth in order to confirm the loop's working status. If Excel reports trouble on a designed loop and no trouble is found, BellSouth will charge Excel for any dispatch and testing outside the central office.

2.1.9 Order Coordination and Order Coordination-Time Specific

2.1.9.1 "Order Coordination" (OC) allows BellSouth and Excel to coordinate the installation of the SL2 Loops, Unbundled Digital Loops (UDL) and other Loops where OC may be purchased as an option, to Excel's facilities to limit end user service outage. OC is available when the Loop is provisioned over an existing circuit that is currently providing service to the end user. OC for physical conversions will be scheduled at BellSouth's discretion during normal working hours on the committed due date. OC shall be provided in accordance with the chart set forth below.

2.1.9.2 "Order Coordination - Time Specific" (OC-TS) allows Excel to order a specific time for OC to take place. BellSouth will make every effort to accommodate Excel's specific conversion time request. However, BellSouth reserves the right to negotiate with Excel a conversion time based on load and appointment control when necessary. This OC-TS is a chargeable option for all Loops except Unbundled Copper Loops (UCL) and Universal Digital Channel (UDC), and is billed in addition to the OC charge. Excel may specify a time between 9:00 a.m. and 4:00 p.m. (location time) Monday through Friday (excluding holidays). If Excel specifies a time outside this window, or selects a time or quantity of Loops that requires BellSouth technicians to work outside normal work hours, overtime charges will apply in addition to the OC and OC-TS charges. Overtime charges will be applied based on the amount of overtime worked and in accordance with the rates established in the Access Services Tariff, Section E13.2, for each state. The OC-TS charges for an order due on the same day at the same location will be applied on a per Local Service Request (LSR) basis.

2.1.10 CLEC to CLEC Conversions for Unbundled Loops

- 2.1.10.1 The CLEC to CLEC conversion process for unbundled Loops may be used by Excel when converting an existing unbundled Loop from another CLEC for the same end user. The Loop type being converted must be included in Excel's Interconnection Agreement before requesting a conversion.
- 2.1.10.2 To utilize the CLEC to CLEC conversion process, the Loop being converted must be the same Loop type with no requested changes to the Loop, must serve the same end user location from the same serving wire center, and must not require an outside dispatch to provision.
- 2.1.10.3 The Loops converted to Excel pursuant to the CLEC to CLEC conversion process shall be provisioned in the same manner and with the same functionality and options as described in this Attachment for the specific Loop type.

	Order Coordination (OC)	Order Coordination - Time Specific (OC-TS)	Test Points	DLR	Charge for Dispatch and Testing if No Trouble Found		
SL-1 Chargeable Option		Chargeable Option	Not available	Chargeable Option – ordered as Engineering Information Document	Charged for Dispatch inside and outside Central Office		
UCL-ND Chargeable Option No		Not Available	Not Available	Chargeable Option – ordered as Engineering Information Document	Charged for Dispatch inside and outside Central Office		
Unbundled Included Characteristics Voice Loops - SL-2 (including 2- and 4-wire UVL)		Chargeable Option	Included	Included	Charged for Dispatch outside Central Office		
		Chargeable Option (except on Universal Digital Channel)	Included (where appropriate)	Included	Charged for Dispatch outside Central Office		
Unbundled Chargeable in accordance with Section 2 Not available		Included	Included	Charged for Dispatch outside Central Office			

For UVL-SL1 and UCLs, Excel must order and will be billed for both OC and OC-TS if requesting OC-TS.

2.2 <u>Unbundled Voice Loops (UVLs)</u>

- 2.2.1 BellSouth shall make available the following UVLs:
- 2.2.1.1 2-wire Analog Voice Grade Loop SL1 (Non-Designed)
- 2.2.1.2 2-wire Analog Voice Grade Loop SL2 (Designed)
- 2.2.1.3 4-wire Analog Voice Grade Loop (Designed)

- Unbundled Voice Loops (UVL) may be provisioned using any type of facility that will support voice grade services. This may include loaded copper, non-loaded copper, digital loop carrier systems, fiber or a combination of any of these facilities. BellSouth, in the normal course of maintaining, repairing, and configuring its network, may also change the facilities that are used to provide any given voice grade circuit. This change may occur at any time. In these situations, BellSouth will only ensure that the newly provided facility will support voice grade services. BellSouth will not guarantee that Excel will be able to continue to provide any advanced services over the new facility. BellSouth will offer UVL in two different service levels Service Level One (SL1) and Service Level Two (SL2).
- Unbundled Voice Loop SL1 (UVL-SL1) loops are 2-wire loop start circuits, will be non-designed, and will not have remote access test points. OC will be offered as a chargeable option on SLI loops when reuse of existing facilities has been requested by Excel. Excel may also order OC-TS when a specified conversion time is requested. OC-TS is a chargeable option for any coordinated order and is billed in addition to the OC charge. An Engineering Information (EI) document can be ordered as chargeable option. The EI document provides loop make up information which is similar to the information normally provided in a Design Layout Record. Upon issuance of a non-coordinated order in the service order system, SL1 loops will be activated on the due date in the same manner and time frames that BellSouth normally activates POTS-type loops for its end users.
- 2.2.4 For an additional charge BellSouth will make available Loop Testing so that Excel may request further testing on UVL-SL1 loops. Loop Testing is available for new and reuse of BellSouth facilities. Rates for Loop Testing are as set forth in Exhibit B of this Attachment.
- 2.2.5 Unbundled Voice Loop SL2 (UVL-SL2) loops may be 2-wire or 4-wire circuits, shall have remote access test points, and will be designed with a Design Layout Record provided to Excel. SL2 circuits can be provisioned with loop start, ground start or reverse battery signaling. OC is provided as a standard feature on SL2 loops. The OC feature will allow Excel to coordinate the installation of the loop with the disconnect of an existing customer's service and/or number portability service. In these cases, BellSouth will perform the order conversion with standard order coordination at its discretion during normal work hours.

2.3 <u>Unbundled Digital Loops</u>

- 2.3.1 BellSouth will offer Unbundled Digital Loops (UDL). UDLs are service specific, will be designed, will be provisioned with test points (where appropriate), and will come standard with OC and a Design Layout Record (DLR). The various UDLs are intended to support a specific digital transmission scheme or service.
- 2.3.2 BellSouth shall make available the following UDLs:

2.3.2.1 2-wire Unbundled ISDN Digital Loop 2.3.2.2 2-wire Universal Digital Channel (IDSL Compatible) 2.3.2.3 2-wire Unbundled ADSL Compatible Loop 2.3.2.4 2-wire Unbundled HDSL Compatible Loop 2.3.2.5 4-wire Unbundled HDSL Compatible Loop 2.3.2.6 4-wire Unbundled DS1 Digital Loop 2.3.2.7 4-wire Unbundled Digital Loop/DS0 – 64 kbps, 56 kbps and below 2.3.2.8 DS3 Loop 2.3.2.9 STS-1 Loop 2.3.2.10 OC3 Loop 2.3.2.11 OC12 Loop 2.3.2.12 OC48 Loop 2.3.3 2-Wire Unbundled ISDN Digital Loops will be provisioned according to industry standards for 2-Wire Basic Rate ISDN services and will come standard with a test point, Order Coordination, and a DLR. Excel will be responsible for providing BellSouth with a Service Profile Identifier (SPID) associated with a particular ISDN-capable loop and end user. With the SPID, BellSouth will be able to adequately test the circuit and ensure that it properly supports ISDN service. BellSouth will not reconfigure its ISDN-capable loop to support IDSL service. 2.3.3.1 The Universal Digital Channel (UDC) (also known as IDSL-compatible Loop) is intended to be compatible with IDSL service and has the same physical characteristics and transmission specifications as BellSouth's ISDN-capable loop. These specifications are listed in BellSouth's TR73600. 2.3.3.2 The UDC may be provisioned on copper or through a Digital Loop Carrier (DLC) system. When UDC Loops are provisioned using a DLC system, the Loops will be provisioned on time slots that are compatible with data-only services such as IDSL. 2.3.4 2-Wire ADSL-Compatible Loop. This is a designed loop that is provisioned according to Revised Resistance Design (RRD) criteria and may be up to 18kft long and may have up to 6kft of bridged tap (inclusive of loop length). The loop is a 2-wire circuit and will come standard with a test point, Order Coordination, and

a DLR.

- 2.3.5 2-Wire or 4-Wire HDSL-Compatible Loop. This is a designed loop that is provisioned according to Carrier Serving Area (CSA) criteria and may be up to 12,000 feet long and may have up to 2,500 feet of bridged tap (inclusive of loop length). It may be a 2-wire or 4-wire circuit and will come standard with a test point, Order Coordination, and a DLR.
- 2.3.6 4-Wire Unbundled DS1 Digital Loop. This is a designed 4-wire loop that is provisioned according to industry standards for DS1 or Primary Rate ISDN services and will come standard with a test point, Order Coordination, and a DLR.
- 4-Wire Unbundled Digital/DS0 Loop. These are designed 4-wire loops that may configured as 64kbps, 56kbps, 19kbps, and other sub-rate speeds associated with digital data services and will come standard with a test point, Order Coordination, and a DLR.
- 2.3.8 DS3 Loop. DS3 Loop is a two-point digital transmission path, which provides for simultaneous two-way transmission of serial, bipolar, return-to-zero isochronous digital electrical signals at a transmission rate of 44.736 megabits per second (Mbps) that is dedicated to the use of the ordering CLEC in its provisioning of local exchange and associated exchange access services. It may provide transport for twenty-eight (28) DS1 channels, each of which provides the digital equivalent of twenty-four analog voice grade channels. The interface to unbundled dedicated DS3 transport is a metallic-based electrical interface.
- 2.3.9 STS-1 Loop. STS-1 Loop is a high-capacity digital transmission path with SONET VT1.5 mapping that is dedicated for the use of the ordering customer for the purpose of provisioning local exchange and associated exchange access services. It is a two-point digital transmission path, which provides for simultaneous two-way transmission of serial bipolar return-to-zero synchronous digital electrical signals at a transmission rate of 51.84 megabits per second (Mbps). It may provide transport for twenty-eight (28) DS1 channels, each of which provides the digital equivalent of twenty-four analog voice grade channels. The interface to unbundled dedicated STS-1 transport is a metallic-based electrical interface.
- 2.3.10 OC3 Loop/OC12 Loop/OC48 Loop. OC3/OC-12/OC-48 Loops are optical two-point transmission paths that are dedicated to the use of the ordering CLEC in its provisioning of local exchange and associated exchange access services. The physical interface for all optical transport is optical fiber. This interface standard allows for transport of many different digital signals using a basic building block or base transmission rate of 51.84 megabits per second (Mbps). Higher rates are direct multiples of the base rate. The following rates are applicable: OC-3 155.52 Mbps; OC12 622.08 Mbps; and OC-48 2488 Mbps.

2.3.11 DS3 and above services come with a test point and a DLR. Mileage is airline miles, rounded up and a minimum of one mile applies. BellSouth TR 73501 LightGate[®] Service Interface and Performance Specifications, Issue D, June 1995 applies to DS3 and above services.

2.4 <u>Unbundled Copper Loops (UCL)</u>

2.4.1 BellSouth shall make available Unbundled Copper Loops (UCLs). The UCL is a copper twisted pair Loop that is unencumbered by any intervening equipment (e.g., filters, load coils, range extenders, digital loop carrier, or repeaters) and is not intended to support any particular telecommunications service. The UCL will be offered in two types – Designed and Non-Designed.

2.4.2 <u>Unbundled Copper Loop – Designed (UCL-D)</u>

- 2.4.2.1 The UCL-D will be provisioned as a dry copper twisted pair loop that is unencumbered by any intervening equipment (e.g., filters, load coils, range extenders, digital loop carrier, or repeaters). The UCL-D will be offered in two versions Short and Long.
- 2.4.2.2 A short UCL-D (18,000 feet or less) is provisioned according to Resistance Design parameters, may have up to 6,000 feet of bridged tap and will have up to 1300 ohms of resistance.
- 2.4.2.3 The long UCL-D (beyond 18,000 feet) is provisioned as a dry copper twisted pair longer than 18,000 feet and may have up to 12,000 feet of bridged tap and up to 2800 ohms of resistance.
- 2.4.2.4 The UCL-D is a designed circuit, is provisioned with a test point and comes standard with a DLR. OC is required on UCLs where a reuse of existing facilities has been requested by Excel.
- 2.4.2.5 These loops are not intended to support any particular services and may be utilized by Excel to provide a wide-range of telecommunications services so long as those services do not adversely affect BellSouth's network. This facility will include a Network Interface Device (NID) at the customer's location for the purpose of connecting the loop to the customer's inside wire.
- 2.4.2.6 BellSouth will make available the following UCL-Ds:
- 2.4.2.6.1 2-Wire UCL-D/short
- 2.4.2.6.2 2-Wire UCL-D/long
- 2.4.2.6.3 4-Wire UCL-D/short
- 2.4.2.6.4 4-Wire UCL-D/long

2.4.3 <u>Unbundled Copper Loop – Non-Designed (UCL-ND)</u>

- 2.4.3.1 The UCL–ND is provisioned as a dedicated 2-wire metallic transmission facility from BellSouth's Main Distribution Frame to a customer's premises (including the NID). The UCL-ND will be a "dry copper" facility in that it will not have any intervening equipment such as load coils, repeaters, or digital access main lines ("DAMLs"), and may have up to 6,000 feet of bridged tap between the end user's premises and the serving wire center. The UCL-ND typically will be 1300 Ohms resistance and in most cases will not exceed 18,000 feet in length, although the UCL-ND will not have a specific length limitation. For loops less than 18,000 feet and with less than 1300 Ohms resistance, the loop will provide a voice grade transmission channel suitable for loop start signaling and the transport of analog voice grade signals. The UCL-ND will not be designed and will not be provisioned with either a DLR or a test point.
- 2.4.3.2 The UCL-ND facilities may be mechanically assigned using BellSouth's assignment systems. Therefore, the Loop Make Up process is not required to order and provision the UCL-ND. However, Excel can request Loop Make Up for which additional charges would apply.
- 2.4.3.3 At an additional charge, BellSouth also will make available Loop Testing so that Excel may request further testing on the UCL-ND. Rates for Loop Testing are as set forth in Exhibit B of this Attachment.
- 2.4.3.4 UCL-ND loops are not intended to support any particular service and may be utilized by Excel to provide a wide-range of telecommunications services so long as those services do not adversely affect BellSouth's network. The UCL-ND will include a Network Interface Device (NID) at the customer's location for the purpose of connecting the loop to the customer's inside wire.
- 2.4.3.5 Order Coordination (OC) will be provided as a chargeable option and may be utilized when the UCL-ND provisioning is associated with the reuse of BellSouth facilities. Order Coordination -Time Specific (OC-TS) does not apply to this product.
- 2.4.3.6 Excel may use BellSouth's Unbundled Loop Modification (ULM) offering to remove bridge tap and/or load coils from any loop within the BellSouth network. Therefore, some loops that would not qualify as UCL-ND could be transformed into loops that do qualify, using the ULM process.

2.5 <u>Unbundled Loop Modifications (Line Conditioning)</u>

2.5.1 Line Conditioning is defined as the removal from the Loop of any devices that may diminish the capability of the Loop to deliver high-speed switched wireline telecommunications capability, including xDSL service. Such devices include, but are not limited to, load coils, bridged taps, low pass filters, and range extenders.

- 2.5.2 BellSouth shall condition Loops, as requested by Excel, whether or not BellSouth offers advanced services to the End User on that Loop.
- 2.5.3 In some instances, Excel will require access to a copper twisted pair loop unfettered by any intervening equipment (e.g., filters, load coils, range extenders, etc.), so that Excel can use the loop for a variety of services by attaching appropriate terminal equipment at the ends. Excel will determine the type of service that will be provided over the loop. BellSouth's Unbundled Loop Modifications (ULM) process will be used to determine the costs and feasibility of conditioning the loops as requested. Rates for ULM are as set forth in Exhibit B of this Attachment.
- 2.5.4 In those cases where Excel has requested that BellSouth modify a Loop so that it no longer meets the technical parameters of the original Loop type (e.g., voice grade, ISDN, ADSL, etc.) the resulting modified Loop will be ordered and maintained as a UCL.
- 2.5.5 The Unbundled Loop Modifications (ULM) offering provides the following elements: 1) removal of devices on 2-wire or 4-wire Loops equal to or less than 18,000 feet; 2) removal of devices on 2-wire or 4-wire Loops longer than 18,000 feet; and 3) removal of bridged-taps on loops of any length.
- 2.5.6 Excel shall request Loop make up information pursuant to this Attachment prior to submitting a service inquiry and/or a LSR for the Loop type that Excel desires BellSouth to condition.

2.6 Loop Provisioning Involving Integrated Digital Loop Carriers

- 2.6.1 Where Excel has requested an Unbundled Loop and BellSouth uses Integrated Digital Loop Carrier (IDLC) systems to provide the local service to the end user and BellSouth has a suitable alternate facility available, BellSouth will make such alternative facilities available to Excel. If a suitable alternative facility is not available, then to the extent it is technically feasible, BellSouth will make alternative arrangements available to Excel (e.g. hairpinning).
- 2.6.2 BellSouth will select one of the following arrangements:
 - 1. Roll the circuit(s) from the IDLC to any spare copper that exists to the customer premises.
 - 2. Roll the circuit(s) from the IDLC to an existing DLC that is not integrated.
 - 3. If capacity exists, provide "side-door" porting through the switch.
 - 4. If capacity exists, provide "DACS-door" porting (if the IDLC routes through a DACS prior to integration into the switch).
- 2.6.3 Arrangements 3 and 4 above require the use of a designed circuit. Therefore, non-designed loops such as the SL1 voice grade and UCL-ND may not be ordered in these cases.

2.6.4 If no alternate facility is available, BellSouth will utilize its Special Construction (SC) process to determine the additional costs required to provision the loop facilities. Excel will then have the option of paying the one-time SC rates to place the loop.

2.7 <u>Network Interface Device (NID)</u>

- 2.7.1 The NID is defined as any means of interconnection of end-user customer premises wiring to BellSouth's distribution plant, such as a cross-connect device used for that purpose. The NID is a single-line termination device or that portion of a multiple-line termination device required to terminate a single line or circuit at the premises. The NID features two independent chambers or divisions that separate the service provider's network from the end user's customer-premises wiring. Each chamber or division contains the appropriate connection points or posts to which the service provider and the end user each make their connections. The NID provides a protective ground connection and is capable of terminating cables such as twisted pair cable.
- 2.7.1.1 BellSouth shall permit Excel to connect Excel's Loop facilities the end-user's customer-premises wiring through the BellSouth NID or at any other technically feasible point.

2.7.2 Access to NID

- 2.7.2.1 Excel may access the end user's customer-premises wiring by any of the following means and Excel shall not disturb the existing form of electrical protection and shall maintain the physical integrity of the NID:
- 2.7.2.1.1 1) BellSouth shall allow Excel to connect its loops directly to BellSouth's multiline residential NID enclosures that have additional space and are not used by BellSouth or any other telecommunications carriers to provide service to the premises.
- 2.7.2.1.2 2) Where an adequate length of the end user's customer premises wiring is present and environmental conditions permit, either Party may remove the customer premises wiring from the other Party's NID and connect such wiring to that Party's own NID;
- 2.7.2.1.3 3) Enter the subscriber access chamber or dual chamber NID enclosures for the purpose of extending a connect divisioned or spliced jumper wire from the customer premises wiring through a suitable "punch-out" hole of such NID enclosures; or
- 2.7.2.1.4 4) Request BellSouth to make other rearrangements to the end user customer premises wiring terminations or terminal enclosure on a time and materials cost basis.

- 2.7.2.2 In no case shall either Party remove or disconnect the other Party's loop facilities from either Party's NIDs, enclosures, or protectors unless the applicable Commission has expressly permitted the same and the disconnecting Party provides prior notice to the other Party. In such cases, it shall be the responsibility of the Party disconnecting loop facilities to leave undisturbed the existing form of electrical protection and to maintain the physical integrity of the NID. It will be Excel's responsibility to ensure there is no safety hazard and will hold BellSouth harmless for any liability associated with the removal of the BellSouth loop from the BellSouth NID. Furthermore, it shall be the responsibility of the disconnecting Party, once the other Party's loop has been disconnected from the NID, to reconnect the disconnected loop to a nationally recognized testing laboratory listed station protector, which has been grounded as per Article 800 of the National Electrical Code. If no spare station protector exists in the NID, the disconnected loop must be appropriately cleared, capped and stored.
- 2.7.2.3 In no case shall either Party remove or disconnect ground wires from BellSouth's NIDs, enclosures, or protectors.
- 2.7.2.4 In no case shall either Party remove or disconnect NID modules, protectors, or terminals from BellSouth's NID enclosures.
- 2.7.2.5 Due to the wide variety of NID enclosures and outside plant environments, BellSouth will work with Excel to develop specific procedures to establish the most effective means of implementing this section if the procedures set forth herein do not apply to the NID in question.
- 2.7.3 Technical Requirements
- 2.7.3.1 The NID shall provide an accessible point of interconnection and shall maintain a connection to ground.
- 2.7.3.2 If an existing NID is accessed, it shall be capable of transferring electrical analog or digital signals between the end user's customer premises and the Distribution Media and/or cross connect to Excel's NID.
- 2.7.3.3 Existing BellSouth NIDS will be provided in "as is" condition. Excel may request BellSouth do additional work to the NID on a time and material basis. When Excel deploys its own local loops with respect to multiple-line termination devices, Excel shall specify the quantity of NIDs connections that it requires within such device.

2.8 **Sub-loop Elements**

- 2.8.1 Where facilities permit, BellSouth shall offer access to its Unbundled Sub-Loop (USL) and Unbundled Sub-loop Concentration (USLC) System.
- 2.8.2 <u>Unbundled Sub-Loop Distribution</u>

2.8.2.1 The unbundled sub-loop distribution facility is a dedicated transmission facility that BellSouth provides from an end user's point of demarcation to a BellSouth crossconnect device. The BellSouth cross-connect device may be located within a remote terminal (RT) or a stand-alone cross-box in the field or in the equipment room of a building. The unbundled sub-loop distribution media is a copper twisted pair that can be provisioned as a 2 Wire or 4 Wire facility. BellSouth will make the following available sub-loop distribution offerings where facilities permit:

Unbundled Sub-Loop Distribution – Voice Grade
Unbundled Copper Sub-Loop
Unbundled Sub-Loop Distribution – Intrabuilding Network Cable (aka riser cable)

- 2.8.2.2 Unbundled Sub-Loop Distribution Voice Grade (USLD-VG) is a sub-loop facility from the cross-box in the field up to and including the point of demarcation, at the end user's premises and may have load coils.
- 2.8.2.3 Unbundled Copper Sub-Loop (UCSL) is a copper facility of any length provided from the cross-box in the field up to and including the end-user's point of demarcation. If available, this facility will not have any intervening equipment such as load coils between the end-user and the cross-box.
- 2.8.2.4 If Excel requests a UCSL and it is not available, Excel may request the Sub-Loop facility be modified pursuant to the ULM process request to remove load coils and/or bridged taps. If load coils and/or bridged taps are removed, the facility will be classified as a UCSL.
- 2.8.2.5 Unbundled Sub-Loop Distribution Intrabuilding Network Cable (USLD-INC) is the distribution facility inside a building or between buildings on the same continuous property which is not separated by a public street or road. USLD-INC includes the facility from the cross-connect device in the building equipment room up to and including the point of demarcation, at the end user's premises.
- 2.8.2.6 BellSouth will install a cross connect panel in the building equipment room for the purpose of accessing USLD-INC pairs from a building equipment room. The cross-connect panel will function as a single point of interconnection (SPOI) for USLD-INC and will be accessible by multiple carriers as space permits. BellSouth will place cross-connect blocks in 25-pair increments for Excel's use on this cross-connect panel. Excel will be responsible for connecting its facilities to the 25-pair cross-connect block(s).
- 2.8.2.7 Unbundled Sub-Loop distribution facilities shall support functions associated with provisioning, maintenance and testing of the Unbundled Sub-Loop. For access to Voice Grade USLD and UCSL, Excel shall install a cable to the BellSouth cross-box pursuant to the terms and conditions for physical collocation for remote sites set forth in this Agreement. This cable would be connected by a BellSouth technician within the BellSouth cross-box during the set-up process. Excel's cable

pairs can then be connected to BellSouth's USL within the BellSouth cross-box by the BellSouth technician.

- 2.8.2.8 Through the Service Inquiry (SI) process, BellSouth will determine whether access to Unbundled Sub-Loops at the location requested by Excel is technically feasible and whether sufficient capacity exists in the cross-box. If existing capacity is sufficient to meet Excel's request, then BellSouth will perform the site set-up as described in Section 2.8.2.9. If any work must be done to modify existing BellSouth facilities or add new facilities (other than adding the cross-connect panel in a building equipment room as noted in Section 2.8.2.9) to accommodate Excel's request for Unbundled Sub-Loops, Excel may request BellSouth's Special Construction (SC) process to determine additional costs required to provision the Unbundled Sub-Loops. Excel will have the option to proceed under the SC process to modify the BellSouth facilities.
- 2.8.2.9 The site set-up must be completed before Excel can order sub-loop pairs. For the site set-up in a BellSouth cross-connect box in the field, BellSouth will perform the necessary work to splice Excel's cable into the cross-connect box. For the site set-up inside a building equipment room, BellSouth will perform the necessary work to install the cross-connect panel and the connecting block(s) that will be used to provide access to the requested USLs.
- 2.8.2.10 Once the site set-up is complete, Excel will request sub-loop pairs through submission of a Local Service Request (LSR) form to the Local Carrier Service Center (LCSC). Order Coordination is required with USL pair provisioning when Excel requests reuse of an existing facility and is in addition to the USL pair rate. For expedite requests by Excel for sub-loop pairs, expedite charges will apply for intervals less than 5 days.
- 2.8.2.11 Unbundled Sub-Loops will be provided in accordance with technical reference TR73600.

2.8.3 <u>Unbundled Network Terminating Wire (UNTW)</u>

- 2.8.3.1 Unbundled Network Terminating Wire (UNTW) is unshielded twisted copper wiring that is used to extend circuits from an intra-building network cable terminal or from a building entrance terminal to an individual customer's point of demarcation. It is the final portion of the Loop which, in multi-subscriber configurations, represents the point at which the network branches out to serve individual subscribers.
- 2.8.3.2 This element will be provided in Multi-Dwelling Units (MDUs) and/or Multi-Tenants Units (MTUs) where BellSouth owns wiring all the way to the end-users premises. BellSouth will not provide this element in those locations where the property owner provides its own wiring to the end-user's premises, where a third

party owns the wiring to the end-user's premises or where the property owner will not allow BellSouth to place its facilities to the end user.

2.8.3.3 Requirements

- 2.8.3.3.1 On a multi-unit premises, upon request of the other Party ("Requesting Party"), the Party owning the network terminating wire will provide access to UNTW pairs on an Access Terminal that is suitable for use by multiple carriers at each Garden Terminal or Wiring Closet.
- 2.8.3.3.2 The Provisioning Party shall not be required to install new or additional NTW beyond existing NTW to provision the services of the Requesting Party.
- 2.8.3.3.3 Upon receipt of the UNTW Service Inquiry (SI) requesting access to the Provisioning Party's UNTW pairs at a multi-unit premises, representatives of both Parties will participate in a meeting at the site of the requested access. The purpose of the site visit will include discussion of the procedures for installation and location of the Access Terminals. By request of the Requesting Party, an Access Terminal will be installed either adjacent to each Provisioning Party's Garden Terminal or inside each Wiring Closet. Requesting Party will deliver and connect its central office facilities to the UNTW pairs within the Access Terminal. Requesting Party may access any available pair on an Access Terminal. A pair is available when a pair is not being utilized to provide service or where the end user has requested a change in its local service provider to the Requesting Party. Prior to connecting Requesting Party's service on a pair previously used by Provisioning Party, Requesting Party is responsible for ensuring the end-user is no longer using Provisioning Party's service or another CLEC's service before accessing UNTW pairs.
- 2.8.3.3.4 Access Terminal installation intervals will be established on an individual case basis.
- 2.8.3.3.5 Requesting Party is responsible for obtaining the property owner's permission for Provisioning Party to install an Access Terminal(s) on behalf of the Requesting Party. The submission of the SI by the Requesting Party will serve as certification by the Requesting Party that such permission has been obtained. If the property owner objects to Access Terminal installations that are in progress or subsequent to completion and demands removal of Access Terminals, Requesting Party will be responsible for costs associated with removing Access Terminals and restoring property to its original state prior to Access Terminals being installed.
- 2.8.3.3.6 The Requesting Party shall indemnify and hold harmless the Provisioning Party against any claims of any kind that may arise out of the Requesting Party's failure to obtain the property owner's permission. Requesting Party will be billed for non-recurring and recurring charges for accessing UNTW pairs at the time the

Requesting Party activates the pair(s). The Requesting Party will notify the Provisioning Party each time it activates UNTW pairs using the LSR form.

- 2.8.3.3.7 Requesting Party will isolate and report troubles in the manner specified by the Provisioning Party. Requesting Party must tag the UNTW pair that requires repair. If Provisioning Party dispatches a technician on a reported trouble call and no UNTW trouble is found, Provisioning Party will charge Requesting Party for time spent on the dispatch and testing the UNTW pair(s).
- 2.8.3.3.8 If Requesting Party initiates the Access Terminal installation and the Requesting Party has not activated at least one pair on the Access Terminal installed pursuant to Requesting Party's request for an Access Terminal within 6 months of installation of the Access Terminal, Provisioning Party will bill Requesting Party a non-recurring charge equal to the actual cost of provisioning the Access Terminal.
- 2.8.3.3.9 If Provisioning Party determines that Requesting Party is using the UNTW pairs without reporting the activation of the pairs, the following charges shall apply:
- 2.8.3.3.9.1 If Requesting Party issued a LSR to disconnect an end-user from Provisioning Party in order to use a UNTW pair, Requesting Party will be billed for the use of the pair back to the disconnect order date.
- 2.8.3.3.9.2 If Requesting Party activated a UNTW pair on which Provisioning Party was not previously providing service, Requesting Party will be billed for the use of that pair back to the date the end-user began receiving service using that pair. Upon request, Requesting Party will provide copies of its billing record to substantiate such date. If Requesting Party fails to provide such records, then Provisioning Party will bill the Requesting Party back to the date of the Access Terminal installation.

2.8.4 <u>Unbundled Sub-Loop Feeder</u>

- 2.8.4.1 Unbundled Sub-Loop Feeder (USLF) provides connectivity between BellSouth's central office and cross-box (or other access point) that serves an end user location.
- 2.8.4.2 USLF utilized for voice traffic can be configured as 2-wire voice (USLF-2W/V) or 4-wire voice (USLF-4W/V).
- 2.8.4.3 USLF utilized for digital traffic can be configured as 2-wire ISDN (USLF-2W/I); 2-wire Copper (USLF-2W/C); 4-wire Copper (USLF-4W/C); 4-wire DS0 level loop (USLF-4W/D0); or 4-wire DS1 and ISDN (USLF-4W/DI).
- 2.8.4.4 USLF will provide access to both the equipment and the features in the BellSouth central office and BellSouth cross box necessary to provide a 2W or 4W communications pathway from the BellSouth central office to the BellSouth cross-

box. This element will allow for the connection of Excel's loop distribution elements onto BellSouth's feeder system.

2.8.4.5 Requirements

- 2.8.4.5.1 Excel will extend a compatible cable to BellSouth's cross-box. BellSouth will connect the cable to a panel inside the BellSouth cross-box to the requested level of feeder element. In those cases when there is no room in the BellSouth cross-box to accommodate the additional cross-connect panels mentioned above, BellSouth will utilize its Special Construction process to determine the costs to provide the sub-loop feeder element to Excel. Excel will then have the option of paying the special construction charges or canceling the order.
- 2.8.4.5.2 USLF will be a designed circuit and BellSouth will provide a Design Layout Record (DLR) for this element.
- 2.8.4.5.3 BellSouth will provide USLF elements in accordance with applicable industry standards for these types of facilities. Where industry standards do not exist, BellSouth's TR73600 will be used to determine performance parameters.
- 2.8.4.6 Unbundled Sub-Loop Feeder (USLF DS3 and above)
- 2.8.4.6.1 USLF DS3 and above provides connectivity between a BellSouth Serving Wire Center (SWC) and the Remote Terminal (RT) associated with that SWC that serves an end user location.
- 2.8.4.6.2 The sub-loop feeder is intended to be utilized for voice traffic and digital traffic. It can be configured at DS3, STS-1, OC-3, OC-12, or OC-48 transmission capacities.
- 2.8.4.6.3 The OC-48 Sub-Loop Feeder will consist of four (4) OC12 interfaces.
- 2.8.4.6.4 Both 2-fiber and 4-fiber-protect applications will be supported for OC-3 level and higher.
- 2.8.4.7 Requirements
- 2.8.4.7.1 Access in the SWC and RT will be via a Collocation cross-connect.
- 2.8.4.7.2 USLF DS3 and above will be a designed circuit. BellSouth will provide a Design Layout Record (DLR) for this network element.
- 2.8.4.7.3 Rates. Rates for these services are as set forth in Exhibit B of this Attachment. Mileage is based on airline miles.
- 2.8.4.7.4 BellSouth will provide USLF DS3 and above elements in accordance with applicable industry standards.

2.8.5 <u>Unbundled Loop Concentration (ULC)</u>

- 2.8.5.1 BellSouth will provide to Excel Unbundled Loop Concentration (ULC). Loop concentration systems in the central office concentrate the signals transmitted over local loops onto a digital loop carrier system. The concentration device is placed inside a BellSouth central office. BellSouth will offer ULC with a TR008 interface or a TR303 interface.
- 2.8.5.2 ULC will be offered in two system options. System A will allow up to 96
 BellSouth loops to be concentrated onto two or more DS1s. The high-speed
 connection from the concentrator will be at the electrical DS1 level and will
 connect to Excel at Excel's collocation site. System B will allow up to 192
 BellSouth loops to be concentrated onto 4 or more DS1s. System A may be
 upgraded to a System B. A minimum of two DS1s is required for each system
 (i.e., System A requires two DS1s and System B would require an additional two
 DS1s or four in total). All DS1 interfaces will terminate to Excel's collocation
 space. ULC service is offered with concentration (2 DS1s for 96 channels) or
 without concentration (4 DS1s for 96 channels) and with or without protection. A
 Loop Interface element will be required for each loop that is terminated onto the
 ULC system.

2.8.6 <u>Unbundled Sub-Loop Concentration (USLC)</u>

- 2.8.6.1 Where facilities permit, Excel may concentrate its sub-loops onto multiple DS1s back to the BellSouth Central Office.
- USLC, using the Lucent Series 5 equipment, will be offered in two system options. System A will allow up to 96 of Excel's sub-loops to be concentrated onto two or more DS1s. System B will allow an additional 96 of Excel's sub-loops to be concentrated onto two or more additional DS1s. One System A may be supplemented with one System B and they both must be physically located in a single Series 5 dual channel bank. A minimum of two DS1s is required for each system (i.e., System A requires two DS1s and System B would require an additional two DS1s or four in total). The DS1 level facility that connects the Remote Terminal site with the serving wire center is known as a Feeder Interface. All DS1 Feeder Interfaces will terminate to Excel's demarcation point associated with Excel's collocation space within the SWC that serves the remote terminal (RT). USLC service is offered with or without concentration and with or without a protection DS1.
- 2.8.6.3 Excel is required to deliver its sub-loops to its own cross-box, RT, or other similar device and deliver a single cable to the BellSouth RT. This cable shall be connected, by a BellSouth technician, to a cross-connect panel within the BellSouth RT/cross-box and shall allow Excel's sub-loops to be placed on the USLC and transported to Excel's collocation space at a DS1 level.

2.8.7 **Dark Fiber Loop**

- 2.8.7.1 Dark Fiber Loop is an unused optical transmission facility without attached signal regeneration, multiplexing, aggregation or other electronics that connects two points within BellSouth's network. Dark Fiber Loops may be strands of optical fiber existing in aerial or underground structure. BellSouth will not provide line terminating elements, regeneration or other electronics necessary for Excel to utilize Dark Fiber Loops.
- 2.8.7.2 A Dark Fiber Loop is a point to point arrangement from an end user's premises connected via a cross connect to the demarcation point associated with Excel's collocation space in the end user's serving wire center.
- 2.8.7.3 Dark Fiber Loop rates are differentiated between Local Channel, Interoffice Channel and Local Loop.
- 2.8.7.4 Requirements
- 2.8.7.4.1 BellSouth shall make available Dark Fiber Loop where it exists in BellSouth's network and where, as a result of future building or deployment, it becomes available. Dark Fiber Loop will not be deemed available if: (1) it is used by BellSouth for maintenance and repair purposes; (2) it is designated for use pursuant to a firm order placed by another customer; (3) it is restricted for use by all carriers, including BellSouth, because of transmission problems or because it is scheduled for removal due to documented changes to roads and infrastructure; or (4) BellSouth has plans to use the fiber within a two-year planning period. BellSouth is not required to place the fiber for Dark Fiber Loop if none is available.
- 2.8.7.4.2 If the requested Dark Fiber Loop has any lightwave repeater equipment interspliced to it, BellSouth will remove such equipment at Excel's request subject to time and materials charges.
- 2.8.7.4.3 Excel is solely responsible for testing the quality of the Dark Fiber to determine its usability and performance specifications.
- 2.8.7.4.4 BellSouth shall use its commercially reasonable efforts to provide to Excel information regarding the location, availability and performance of Dark Fiber Loop within ten (10) business days after receiving a Service Inquiry ("SI") from Excel.
- 2.8.7.4.5 If the requested Dark Fiber Loop is available, BellSouth shall use commercially reasonable efforts to provision the Dark Fiber Loop to Excel within twenty (20) business days after Excel submits a valid, error free LSR. Provisioning includes identification of appropriate connection points (e.g., Light Guide Interconnection (LGX) or splice points) to enable Excel to connect or splice Excel provided transmission media (e.g., optical fiber) or equipment to the Dark Fiber Loop.

2.9 **Loop Makeup (LMU)**

- 2.9.1 Description of Service
- 2.9.1.1 BellSouth shall make available to Excel (LMU) information so that Excel can make an independent judgment about whether the Loop is capable of supporting the advanced services equipment Excel intends to install and the services Excel wishes to provide. This section addresses LMU as a preordering transaction, distinct from Excel ordering any other service(s). Loop Makeup Service Inquiries (LMUSI) for preordering loop makeup are likewise unique from other preordering functions with associated service inquiries (SI) as described in this Agreement.
- 2.9.1.2 BellSouth will provide Excel LMU information consisting of the composition of the loop material (copper/fiber); the existence, location and type of equipment on the Loop, including but not limited to digital loop carrier or other remote concentration devices, feeder/distribution interfaces, bridged taps, load coils, pairgain devices; the loop length; the wire gauge and electrical parameters.
- 2.9.1.3 BellSouth's LMU information is provided to Excel as it exists either in BellSouth's databases or in its hard copy facility records. BellSouth does not guarantee accuracy or reliability of the LMU information provided.
- 2.9.1.4 Excel may choose to use equipment that it deems will enable it to provide a certain type and level of service over a particular BellSouth Loop. The determination shall be made solely by Excel and BellSouth shall not be liable in any way for the performance of the advanced data services provisioned over said Loop. The specific Loop type (ADSL, HDSL, or otherwise) ordered on the LSR must match the LMU of the loop reserved taking into consideration any requisite line conditioning. The LMU data is provided for informational purposes only and does not guarantee Excel's ability to provide advanced data services over the ordered loop type. Further, if Excel orders loops that are not intended to support advanced services (such as UV-SL1, UV-SL2, or ISDN compatible loops) and that are not inventoried as advanced services loops, the LMU information for such loops is subject to change at any time due to modifications and/or upgrades to BellSouth's network. Excel is fully responsible for any of its service configurations that may differ from BellSouth's technical standard for the loop type ordered.

2.9.2 **Submitting Loop Makeup Service Inquiries**

2.9.2.1 Excel may obtain LMU information by submitting a LMU Service Inquiry (LMUSI) mechanically or manually. Mechanized LMUSIs should be submitted through BellSouth's Operational Support Systems interfaces. After obtaining the Loop information from the mechanized LMUSI process, if Excel needs further loop information in order to determine loop service capability, Excel may initiate a

separate Manual Service Inquiry for a separate nonrecurring charge as set forth in Exhibit B of this Attachment.

2.9.2.2 Manual LMUSIs shall be submitted by electronic mail to BellSouth's Complex Resale Support Group (CRSG)/Account Team utilizing the Preordering Loop Makeup Service Inquiry form. The service interval for the return of a Loop Makeup Manual Service Inquiry is three business days. Manual LMUSIs are not subject to expedite requests. This service interval is distinct from the interval applied to the subsequent service order.

2.9.3 **Loop Reservations**

- 2.9.3.1 For a Mechanized LMUSI, Excel may reserve up to ten Loop facilities. For a Manual LMUSI, Excel may reserve up to three Loop facilities.
- 2.9.3.2 Excel may reserve facilities for up to four (4) business days for each facility requested on a LMUSI from the time the LMU information is returned to Excel. During and prior to Excel placing an LSR, the reserved facilities are rendered unavailable to other customers, including BellSouth. If Excel does not submit an LSR for a UNE service on a reserved facility within the four-day reservation timeframe, the reservation of that spare facility will become invalid and the facility will be released.
- 2.9.3.3 Charges for preordering LMUSI are separate from any charges associated with ordering other services from BellSouth.

2.9.4 Ordering of Other UNE Services

- 2.9.4.1 All LSRs issued for reserved facilities shall reference the facility reservation number as provided by BellSouth. Excel will not be billed any additional LMU charges for the loop ordered on such LSR. If, however, Excel does not reserve facilities upon an initial LMUSI, Excel's placement of an order for an advanced data service type facility will incur the appropriate billing charges to include service inquiry and reservation per Exhibit B of this Attachment.
- 2.9.4.2 Where Excel has reserved multiple Loop facilities on a single reservation, Excel may not specify which facility shall be provisioned when submitting the LSR. For those occasions, BellSouth will assign to Excel, subject to availability, a facility that meets the BellSouth technical standards of the BellSouth type Loop as ordered by Excel. If the ordered Loop type is not available, Excel may utilize the Unbundled Loop Modification process or the Special Construction process, as applicable, to obtain the Loop type ordered.

3 High Frequency Spectrum Network Element

3.1 General

- 3.1.1 BellSouth shall provide Excel access to the high frequency spectrum of the local loop as an unbundled network element only where BellSouth is the voice service provider to the end user at the rates set forth in this Attachment.
- 3.1.2 The High Frequency Spectrum is defined as the frequency range above the voiceband on a copper loop facility carrying analog circuit-switched voiceband transmissions. Access to the High Frequency Spectrum is intended to allow Excel the ability to provide Digital Subscriber Line ("xDSL") data services to the end user for which BellSouth provides voice services. The High Frequency Spectrum shall be available for any version of xDSL complying with Spectrum Management Class 5 of ANSI T1.417, American National Standard for Telecommunications, Spectrum Management for Loop Transmission Systems. BellSouth will continue to have access to the low frequency portion of the loop spectrum (from 300 Hertz to at least 3000 Hertz, and potentially up to 3400 Hertz, depending on equipment and facilities) for the purposes of providing voice service. Excel shall only use xDSL technology that is within the PSD mask for Spectrum Management Class 5 as found in the above-mentioned document.
- 3.1.3 Access to the High Frequency Spectrum requires an unloaded, 2-wire copper Loop. An unloaded Loop is a copper Loop with no load coils, low-pass filters, range extenders, DAMLs, or similar devices and minimal bridged taps consistent with ANSI T1.413 and T1.601.
- 3.1.4 BellSouth will provide Loop Modification to Excel on an existing Loop in accordance with procedures developed in the Line Sharing Collaborative. High Frequency Spectrum (Central Office Based) Unbundled Loop Modification is a separate distinct service from Unbundled Loop Modification set forth in Section 2.5 of this Attachment. Procedures for High Frequency Spectrum (Central Office Based) Unbundled Loop Modification were developed in the Line Sharing Collaborative and may be found posted to the web at http://www.interconnection.bellsouth.com/html/unes.html. Nonrecurring rates for this UNE offering may be found in Exhibit B of this Attachment. BellSouth is not required to modify a Loop for access to the High Frequency spectrum if modification of that Loop significantly degrades BellSouth's voice service. If Excel requests that BellSouth modify a Loop longer than 18,000 ft. and such modification significantly degrades the voice services on the Loop, Excel shall pay for the Loop to be restored to its original state.

3.2 **Provisioning of High Frequency Spectrum and Splitter Space**

- 3.2.1 BellSouth will provide Excel with access to the High Frequency Spectrum as follows:
- 3.2.1.1 To order High Frequency Spectrum on a particular Loop, Excel must have a Digital Subscriber Line Access Multiplexer (DSLAM) collocated in the central office that serves the end-user of such Loop.

- 3.2.1.2 Excel may provide its own splitters or may order splitters in a central office once it has installed its DSLAM in that central office. BellSouth will install splitters within thirty-six (36) calendar days of Excel's submission of an error free Line Splitter Ordering Document ("LSOD") to the BellSouth Complex Resale Support Group.
- 3.2.1.3 Once a splitter is installed on behalf of Excel in a central office in which Excel is located, Excel shall be entitled to order the High Frequency Spectrum on lines served out of that central office. BellSouth will bill and Excel shall pay the electronic or manual ordering charges as applicable when Excel orders High Frequency Spectrum for end-user service.
- 3.2.1.4 BellSouth will select, purchase, install, and maintain a central office POTS splitter and provide Excel access to data ports on the splitter. The splitter will route the High Frequency Spectrum on the circuit to Excel's xDSL equipment in Excel's collocation space. At least 30 days before making a change in splitter suppliers, BellSouth will provide Excel with a carrier notification letter, informing Excel of change. Excel shall purchase ports on the splitter in increments of 8 or 24 ports.
- 3.2.1.5 BellSouth will install the splitter in (i) a common area close to Excel's collocation area, if possible; or (ii) in a BellSouth relay rack as close to Excel's DS0 termination point as possible. Excel shall have access to the splitter for test purposes, regardless of where the splitter is placed in the BellSouth premises. For purposes of this section, a common area is defined as an area in the central office in which both Parties have access to a common test access point. A Termination Point is defined as the point of termination for Excel on the toll main distributing frame in the central office and is not the demarcation point set forth in Attachment 4 of this Agreement. BellSouth will cross-connect the splitter data ports to a specified Excel DS0 at such time that a Excel end user's service is established.
- 3.2.1.6 Excel may at its option purchase, install and maintain central office POTS splitters in its collocation arrangements. Excel may use such splitters for access to its customers and to provide digital line subscriber services to its customers using the High Frequency Spectrum. Existing Collocation rules and procedures shall apply.
- 3.2.1.7 Any splitters installed by Excel in its collocation arrangement shall comply with ANSI T1.413, Annex E, or any future ANSI splitter Standards. Excel may install any splitters that BellSouth deploys or permits to be deployed for itself or any BellSouth affiliate.
- 3.2.1.8 The High Frequency Spectrum shall only be available on Loops on which BellSouth is also providing, and continues to provide, analog voice service directly to the end user. In the event the end-user terminates its BellSouth provided voice service for any reason, or in the event BellSouth disconnects the end user's voice service pursuant to its tariffs or applicable law, and Excel desires to continue providing xDSL service on such Loop, Excel shall be required to purchase a full

stand-alone Loop unbundled network element. To the extent commercially practicable, BellSouth shall give Excel notice in a reasonable time prior to disconnect, which notice shall give Excel an adequate opportunity to notify BellSouth of its intent to purchase such Loop. In those cases in which BellSouth no longer provides voice service to the end user and Excel purchases the full stand-alone Loop, Excel may elect the type of loop it will purchase. Excel will pay the appropriate recurring and non-recurring rates for such Loop as set forth in Exhibit B to this Attachment. In the event Excel purchases a voice grade Loop, Excel acknowledges that such Loop may not remain xDSL compatible.

3.2.1.9 Only one competitive local exchange carrier shall be permitted access to the High Frequency Spectrum of any particular loop.

3.2.2 **Ordering**

- 3.2.2.1 Excel shall use BellSouth's Line Splitter Ordering Document ("LSOD") to order splitters from BellSouth and to activate and deactivate DS0 Collocation Connecting Facility Assignments (CFA) for use with High Frequency Spectrum.
- 3.2.2.2 BellSouth will provide Excel the Local Service Request ("LSR") format to be used when ordering the High Frequency Spectrum.
- 3.2.2.2.1 BellSouth will provision High Frequency Spectrum in compliance with BellSouth's Products and Services Interval Guide available at the website at http://www.interconnection.bellsouth.com.
- 3.2.2.2.2 BellSouth will provide Excel access to Preordering Loop Makeup (LMU), in accordance with the terms of this Agreement. BellSouth shall bill and Excel shall pay the rates for such services, as described in Exhibit B.
- 3.2.2.2.3 BellSouth shall test the data portion of the loop to ensure the continuity of the wiring for Excel's data.

3.2.3 **Maintenance and Repair**

- 3.2.3.1 Excel shall have access for repair and maintenance purposes, to any loop for which it has access to the High Frequency Spectrum. If Excel is using a BellSouth owned splitter, Excel may access the loop at the point where the combined voice and data signal exits the central office splitter via a bantam test jack. If Excel provides its own splitter, it may test from the collocation space or the Termination Point.
- 3.2.3.2 BellSouth will be responsible for repairing voice services and the physical line between the network interface device at the customer's premises and the Termination Point. Excel will be responsible for repairing data services. Each Party will be responsible for maintaining its own equipment.

- 3.2.3.3 Excel shall inform its end users to direct data problems to Excel, unless both voice and data services are impaired, in which event the end users should call BellSouth.
- 3.2.3.4 Once a Party has isolated a trouble to the other Party's portion of the loop, the Party isolating the trouble shall notify the end user that the trouble is on the other Party's portion of the Loop.
- 3.2.3.5 Notwithstanding anything else to the contrary in this Agreement, when BellSouth receives a voice trouble and isolates the trouble to the physical collocation arrangement belonging to Excel, BellSouth will notify Excel. Excel will provide no more than two (2) verbal connecting facility assignments (CFA) pair changes to BellSouth in an attempt to resolve the voice trouble. In the event a CFA pair change resolves the voice trouble, Excel will provide BellSouth an LSR with the new CFA pair information within 24 hours. If the owner of the collocation space fails to resolve the trouble by providing BellSouth with the verbal CFA pair changes, BellSouth may discontinue Excel's access to the High Frequency Spectrum on such loop. BellSouth will not be responsible for any loss of data as a result of this action.

3.2.4 <u>Line Splitting</u>.

3.2.4.1 General

- 3.2.4.2 Line Splitting allows a provider of data services (a "Data LEC") and a provider of voice services (a "Voice CLEC") to deliver voice and data service to end users over the same loop. The Voice CLEC and Data LEC may be the same or different carriers. Excel shall provide BellSouth with a signed Letter of Authorization ("LOA") between it and the Data LEC or Voice CLEC with which it desires to provision Line Splitting services.
- 3.2.4.3 The splitter may be provided by the Data LEC, Voice CLEC or BellSouth. When Excel or its authorized agent owns the splitter, Line Splitting requires the following: a non-designed analog loop from the serving wire center to the network interface device (NID) at the end user's location; a collocation cross connection connecting the loop to the collocation space; a second collocation cross connection from the collocation space connected to a voice port; and a splitter. The loop and port cannot be a loop and port combination (i.e. UNE-P), but must be individual stand-alone network elements. When BellSouth owns the splitter, Line Splitting requires the following: a non designed analog loop from the serving wire center to the network interface device (NID) at the end user's location with CFA and splitter port assignments, and a collocation cross connection from the collocation space connected to a voice port.
- 3.2.4.4 An unloaded 2-wire copper loop must serve the end user. The meet point for the Voice CLEC and the Data LEC is the point of termination on the MDF for the Data LEC's cable and pairs.

- 3.2.4.5 End Users currently receiving voice service from a Voice CLEC through a UNE platform (UNE-P) may be converted to Line Splitting arrangements by Excel or its authorized agent ordering Line Splitting Service. If the CLEC wishes to provide the splitter, the UNE-P arrangement will be converted to a stand-alone UNE loop, a UNE port and two collocation cross connects. If BellSouth owns the splitter, the UNE-P arrangement will be converted to a stand-alone UNE loop, port, and one collocation cross connection.
- 3.2.4.6 When end users using High Frequency Spectrum CO Based line sharing service convert to Line Splitting, BellSouth will discontinue billing for the upper spectrum. BellSouth will continue to bill the Data LEC for all associated splitter charges if the Data LEC continues to use a BellSouth splitter. It is the responsibility of Excel or its authorized agent to determine if the loop is compatible for Line Splitting Service. Excel or its authorized agent may use the existing loop unless it is not compatible with the Data LEC's data service and < customer_name> or its authorized agent submits an LSR to BellSouth to change the loop.
- 3.2.4.7 The foregoing procedures are applicable to migration to Line Splitting Service from a UNE-P arrangement. Where a UNE-P arrangement does not already exist, BellSouth will work cooperatively with CLECs to develop methods and procedures to develop a process whereby a Voice CLEC and a Data LEC may provide services over the same loop.

3.2.4.8 Ordering

- 3.2.4.9 Excel shall use BellSouth's Line Splitter Ordering Document ("LSOD") to order splitters from BellSouth and to activate and deactivate DS0 Collocation Connecting Facility Assignments (CFA) for use with Line Splitting.
- 3.2.4.10 BellSouth shall provide Excel the Local Service Request ("LSR") format to be used when ordering Line Splitting service.
- 3.2.4.11 BellSouth will provision Line Splitting service in compliance with BellSouth's Products and Services Interval Guide available at the website at http://www.interconnection.bellsouth.com.
- 3.2.4.12 BellSouth will provide Excel access to Preordering Loop Makeup (LMU) in accordance with the terms of this Agreement. BellSouth shall bill and Excel shall pay the rates for such services as described in Exhibit B.
- 3.2.4.13 BellSouth will provide loop modification to Excel on an existing loop in accordance with procedures developed in the Line Sharing Collaborative. High Frequency Spectrum (CO Based) Unbundled Loop Modification is a separate

distinct service from Unbundled Loop Modification set forth in Section 2.5 of this Attachment. Procedures for High Frequency Spectrum (CO Based) Unbundled Loop Modification may be found on the web at:

HTTP://www.interconnection.bellsouth.com/html/unes.html. Nonrecurring rates for this UNE offering may be found in Exhibit B of this Attachment.

3.2.4.14 Maintenance

- 3.2.4.15 BellSouth will be responsible for repairing voice services and the physical line between the network interface device at the customer's premises and the Termination Point. Excel will be responsible for repairing data services. Each Party will be responsible for maintaining its own equipment.
- 3.2.4.16 Excel shall inform its end users to direct data problems to Excel, unless both voice and data services are impaired, in which event the end users should call BellSouth.
- 3.2.4.17 Once a Party has isolated a trouble to the other Party's portion of the loop, the Party isolating the trouble shall notify the end user that the trouble is on the other Party's portion of the Loop.
- 3.2.4.18 When BellSouth receives a voice trouble and isolates the trouble to the physical collocation arrangement belonging to owner of the collocation space, BellSouth will notify the owner of the collocation space. The owner of the collocation space will provide no more than two (2) verbal CFA pair changes to BellSouth in an attempt to resolve the voice trouble. In the event the CFA pair is changed, the owner of the collocation space will provide BellSouth an LSR with the new CFA pair information within 24 hours. If the owner of the collocation space fails to resolve the trouble by providing BellSouth with the verbal CFA pair changes, BellSouth may discontinue the owner of the collocation space access to the High Frequency Spectrum on such loop.
- 3.2.4.19 If Excel is not the data provider, Excel shall indemnify, defend and hold harmless BellSouth from and against any claims, losses, actions, causes of action, suits, demands, damages, injury, and costs including reasonable attorney fees which arise out of actions related to the data provider.

3.2.5 Remote Site High Frequency Spectrum

3.2.6 Remote Site Line Sharing is being developed by the Line Sharing Collaborative, as described on the BellSouth website at www.interconnection.BellSouth.com. Processes, rates, terms, or conditions for ordering or provisioning of this product have not been finalized. BellSouth and Excel shall work within the Line Sharing Collaborative to develop the processes, terms, and conditions required to implement Remote Site Line Sharing. Upon finalization of the appropriate and required processes, rates, terms, and conditions, the Parties shall amend the Agreement to incorporate those processes, rates, terms, and conditions.

4 Local Switching

4.1 BellSouth shall provide non-discriminatory access to local circuit switching capability and local tandem switching capability on an unbundled basis, except as set forth in the Sections below to Excel for the provision of a telecommunications service. BellSouth shall provide non-discriminatory access to packet switching capability on an unbundled basis to Excel for the provision of a telecommunications service only in the limited circumstance described below in Section 4.5.

4.2 Local Circuit Switching Capability, including Tandem Switching Capability

- 4.2.1 Local circuit switching capability is defined as: (A) line-side facilities, which include, but are not limited to, the connection between a loop termination at a main distribution frame and a switch line card; (B) trunk-side facilities, which include, but are not limited to, the connection between trunk termination at a trunk-side cross-connect panel and a switch trunk card; (C) switching provided by remote switching modules; and (D) all features, functions, and capabilities of the switch, which include, but are not limited to: (1) the basic switching function of connecting lines to lines, line to trunks, trunks to lines, and trunks to trunks, as well as the same basic capabilities made available to BellSouth's customers, such as a telephone number, white page listings, and dial tone; and (2) all other features that the switch is capable of providing, including but not limited to customer calling, customer local area signaling service features, and Centrex, as well as any technically feasible customized routing functions provided by the switch. Any features that are not currently available but are technically feasible through the switch can be requested through the BFR/NBR process.
- 4.2.2 Notwithstanding BellSouth's general duty to unbundle local circuit switching, BellSouth shall not be required to unbundle local circuit switching for Excel when Excel serves an end-user with four (4) or more voice-grade (DS-0) equivalents or lines served by BellSouth in one of the following MSAs: Atlanta, GA; Miami, FL; Orlando, FL; Ft. Lauderdale, FL; Charlotte-Gastonia-Rock Hill, NC; Greensboro-Winston Salem-High Point, NC; Nashville, TN; and New Orleans, LA, and BellSouth has provided non-discriminatory cost based access to the Enhanced Extended Link (EEL) throughout Density Zone 1 as determined by NECA Tariff No. 4 as in effect on January 1, 1999.
- 4.2.3 In the event that Excel orders local circuit switching for an end user with four (4) or more DS0 equivalent lines within Density Zone 1 in an MSA listed above, BellSouth shall charge Excel the market based rates in Exhibit B for use of the local circuit switching functionality for the affected facilities.
- 4.2.4 Unbundled Local Switching consists of three separate unbundled elements:
 Unbundled Ports, End Office Switching Functionality, and End Office Interoffice
 Trunk Ports.

- 4.2.5 Unbundled Local Switching combined with Common Transport and, if necessary, Tandem Switching provides to Excel's end user local calling and the ability to presubscribe to a primary carrier for intraLATA and/or to presubscribe to a primary carrier for interLATA toll service.
- 4.2.6 Provided that Excel purchases unbundled local switching from BellSouth and uses the BellSouth CIC for its end users' LPIC or if a BellSouth local end user selects BellSouth as its LPIC, then the Parties will consider as local any calls originated by an Excel local end user, or originated by a BellSouth local end user and terminated to an Excel local end user, where such calls originate and terminate in the same LATA, except for those calls originated and terminated through switched access arrangements (i.e., calls that are transported by a party other than BellSouth). For such calls, BellSouth will charge Excel the UNE elements for the BellSouth facilities utilized. Neither Party shall bill the other originating or terminating switched access charges for such calls. Intercarrier compensation for local calls between BellSouth and Excel shall be as described in BellSouth's UNE Local Call Flows set forth on BellSouth's web site.
- 4.2.7 BellSouth shall assess Excel retroactive charges for UNE transport and switching associated with using the BellSouth LPIC if Excel has been able to previously select BellSouth as the end user LPIC prior to the option allowing the selection of a BellSouth provided LATA-wide local calling area being offered.
- 4.2.8 Where Excel purchases unbundled local switching from BellSouth but does not use the BellSouth CIC for its end users' LPIC, BellSouth will consider as local those direct dialed telephone calls that originate from an Excel end user and terminate within the basic local calling area or within the extended local calling areas and that are dialed using 7 or 10 digits as defined and specified in Section A3 of BellSouth's General Subscriber Services Tariffs. For such local calls, BellSouth will charge Excel the UNE elements for the BellSouth facilities utilized. Intercarrier compensation for local calls between BellSouth and Excel shall be as described in BellSouth's UNE Local Call Flows set forth on BellSouth's web site.
- 4.2.9 For any calls that originate and terminate through switched access arrangements (i.e., calls that are transported by a party other than BellSouth), BellSouth shall bill Excel the UNE elements for the BellSouth facilities utilized. Each Party may bill the toll provider originating or terminating switched access charges, as appropriate.
- 4.2.10 Reverse billed toll calls, such as intraLATA 800 calls, calling card calls and third party billed calls, where BellSouth is the carrier shall also be considered as local calls and Excel shall not bill BellSouth originating or terminating switched access for such calls.

4.2.11 **Unbundled Port Features**

- 4.2.11.1 Charges for Unbundled Port are as set forth in Exhibit B, and as specified in such exhibit, may or may not include individual features.
- 4.2.11.2 Where applicable and available, non-switch-based services may be ordered with the Unbundled Port at BellSouth's retail rates.
- 4.2.11.3 Any features that are not currently available but are technically feasible through the switch can be requested through the BFR/NBR process.
- 4.2.11.4 BellSouth will provide to Excel selective routing of calls to a requested Operator System platform pursuant to Section 10 of Attachment 2. Any other routing requests by Excel will be made pursuant to the BFR/NBR Process as set forth in Attachment 12.

4.2.12 **Provision for Local Switching**

- 4.2.12.1 BellSouth shall perform routine testing (e.g., Mechanized Loop Tests (MLT) and test calls such as 105, 107 and 108 type calls) and fault isolation on a mutually agreed upon schedule.
- 4.2.12.2 BellSouth shall control congestion points such as those caused by radio station call-ins, and network routing abnormalities. All traffic shall be restricted in a non-discriminatory manner.
- 4.2.12.3 BellSouth shall perform manual call trace and permit customer originated call trace. BellSouth shall provide Switching Service Point (SSP) capabilities and signaling software to interconnect the signaling links destined to the Signaling Transfer Point Switch (STPS). These capabilities shall adhere to the technical specifications set forth in the applicable industry standard technical references.
- 4.2.12.4 BellSouth shall provide interfaces to adjuncts through Telcordia standard interfaces. These adjuncts can include, but are not limited to, the Service Circuit Node and Automatic Call Distributors. BellSouth shall offer to Excel all AIN triggers in connection with its SMS/SCE offering.
- 4.2.12.5 BellSouth shall provide access to SS7 Signaling Network or Multi-Frequency trunking if requested by Excel.

4.2.13 <u>Local Switching Interfaces.</u>

- 4.2.13.1 Excel shall order ports and associated interfaces compatible with the services it wishes to provide, as listed in Exhibit B. BellSouth shall provide the following local switching interfaces:
- 4.2.13.1.1 Standard Tip/Ring interface including loopstart or groundstart, on-hook signaling (e.g., for calling number, calling name and message waiting lamp);

- 4.2.13.1.2 Coin phone signaling;
- 4.2.13.1.3 Basic Rate Interface ISDN adhering to appropriate Telcordia Technical Requirements;
- 4.2.13.1.4 Two-wire analog interface to PBX;
- 4.2.13.1.5 Four-wire analog interface to PBX;
- 4.2.13.1.6 Four-wire DS1 interface to PBX or customer provided equipment (e.g. computers and voice response systems);
- 4.2.13.1.7 Primary Rate ISDN to PBX adhering to ANSI standards Q.931, Q.932 and appropriate Telcordia Technical Requirements;
- 4.2.13.1.8 Switched Fractional DS1 with capabilities to configure Nx64 channels (where N = 1 to 24); and
- 4.2.13.1.9 Loops adhering to Telcordia TR-NWT-08 and TR-NWT-303 specifications to interconnect Digital Loop Carriers.

4.3 **Tandem Switching**

4.3.1 The Tandem Switching capability Network Element is defined as: (i) trunk-connect facilities, which include, but are not limited to, the connection between trunk termination at a cross connect panel and switch trunk card; (ii) the basic switch trunk function of connecting trunks to trunks; and (iii) the functions that are centralized in the Tandem Switches (as distinguished from separate end office switches), including but not limited to call recording, the routing of calls to operator services and signaling conversion features.

4.3.2 <u>Technical Requirements</u>

- 4.3.2.1 Tandem Switching shall have the same capabilities or equivalent capabilities as those described in Telcordia TR-TSY-000540 Issue 2R2, Tandem Supplement, 6/1/90. The requirements for Tandem Switching include, but are not limited to the following:
- 4.3.2.1.1 Tandem Switching shall provide signaling to establish a tandem connection;
- 4.3.2.1.2 Tandem Switching will provide screening as jointly agreed to by Excel and BellSouth;
- 4.3.2.1.3 Tandem Switching shall provide Advanced Intelligent Network triggers supporting AIN features where such routing is not available from the originating end office switch, to the extent such Tandem switch has such capability;
- 4.3.2.1.4 Tandem Switching shall provide access to Toll Free number database;

- 4.3.2.1.5 Tandem Switching shall provide connectivity to PSAPs where 911 solutions are deployed and the tandem is used for 911; and
- 4.3.2.1.6 Where appropriate, Tandem Switching shall provide connectivity for the purpose of routing transit traffic to and from other carriers.
- 4.3.2.2 BellSouth may perform testing and fault isolation on the underlying switch that is providing Tandem Switching. Such testing shall be testing routinely performed by BellSouth. The results and reports of the testing shall be made available to Excel.
- 4.3.2.3 BellSouth shall control congestion points and network abnormalities. All traffic will be restricted in a non-discriminatory manner.
- 4.3.2.4 Tandem Switching shall process originating toll-free traffic received from Excel's local switch.
- 4.3.2.5 In support of AIN triggers and features, Tandem Switching shall provide SSP capabilities when these capabilities are not available from the Local Switching Network Element, to the extent such Tandem Switch has such capability.
- 4.3.3 Upon Excel's purchase of overflow trunk groups, Tandem Switching shall provide an alternate routing pattern for Excel's traffic overflowing from direct end office high usage trunk groups.
- 4.4 <u>AIN Selective Carrier Routing for Operator Services, Directory Assistance</u> and Repair Centers
- 4.4.1 BellSouth will provide AIN Selective Carrier Routing at the request of Excel. AIN Selective Carrier Routing will provide Excel with the capability of routing operator calls, 0+ and 0- and 0+ NPA (LNPA) 555-1212 directory assistance, 1+411 directory assistance and 611 repair center calls to pre-selected destinations.
- 4.4.2 Excel shall order AIN Selective Carrier Routing through its Account Team. AIN Selective Carrier Routing must first be established regionally and then on a per central office, per state basis.
- 4.4.3 AIN Selective Carrier Routing is not available in DMS 10 switches.
- 4.4.4 Where AIN Selective Carrier Routing is utilized by Excel, the routing of Excel's end user calls shall be pursuant to information provided by Excel and stored in BellSouth's AIN Selective Carrier Routing Service Control Point database. AIN Selective Carrier Routing shall utilize a set of Line Class Codes (LCCs) unique to a basic class of service assigned on an 'as needed' basis. The same LCCs will be assigned in each central office where AIN Selective Carrier Routing is established.
- 4.4.5 Upon ordering of AIN Selective Carrier Routing Regional Service, Excel shall remit to BellSouth the Regional Service Order non-recurring charges set forth in

Exhibit B of this Attachment. There shall be a non-recurring End Office Establishment Charge per office due at the addition of each central office where AIN Selective Carrier Routing will be utilized. Said non-recurring charge shall be as set forth in Exhibit B of this Attachment. For each Excel end user activated, there shall be a non-recurring End User Establishment charge as set forth in Exhibit B of this Attachment. Excel shall pay the AIN Selective Carrier Routing Per Query Charge set forth in Exhibit B of this Attachment.

- 4.4.6 This Regional Service Order non-recurring charge will be non-refundable and will be paid with 1/2 due up-front with the submission of all fully completed required forms, including: Regional Selective Carrier Routing (SCR) Order Request-Form A, Central Office AIN Selective Carrier Routing (SCR) Order Request Form B, AIN_SCR Central Office Identification Form Form C, AIN_SCR Routing Options Selection Form Form D, and Routing Combinations Table Form E. BellSouth has 30 days to respond to Excel's fully completed firm order as a Regional Service Order. With the delivery of this firm order response to Excel, BellSouth considers that the delivery schedule of this service commences. The remaining 1/2 of the Regional Service Order payment must be paid when at least 90% of the Central Offices listed on the original order have been turned up for the service.
- 4.4.7 The non-recurring End Office Establishment Charge will be billed to Excel following BellSouth's normal monthly billing cycle for this type of order.
- 4.4.8 End-User Establishment Orders will not be turned-up until the second payment is received for the Regional Service Order. The non-recurring End-User Establishment Charges will be billed to Excel following BellSouth's normal monthly billing cycle for this type of order.
- 4.4.9 Additionally, the AIN Selective Carrier Routing Per Query Charge will be billed to Excel following the normal billing cycle for per query charges.
- 4.4.10 All other network components needed, for example, unbundled switching and unbundled local transport, etc, will be billed per contracted rates.

4.5 **Packet Switching Capability**

- 4.5.1 The packet switching capability network element is defined as the function of routing or forwarding packets, frames, cells or other data units based on address or other routing information contained in the packets, frames, cells or other data units.
- 4.5.2 BellSouth shall be required to provide non-discriminatory access to unbundled packet switching capability only where each of the following conditions are satisfied:

- 4.5.2.1 BellSouth has deployed digital loop carrier systems, including but not limited to, integrated digital loop carrier or universal digital loop carrier systems; or has deployed any other system in which fiber optic facilities replace copper facilities in the distribution section (e.g., end office to remote terminal, pedestal or environmentally controlled vault);
- 4.5.2.2 There are no spare copper loops capable of supporting the xDSL services Excel seeks to offer;
- 4.5.2.3 BellSouth has not permitted Excel to deploy a DSLAM at the remote terminal, pedestal or environmentally controlled vault or other interconnection point, nor has Excel obtained a virtual collocation arrangement at these sub-loop interconnection points as defined by 47 CFR § 51.319 (b); and
- 4.5.2.4 BellSouth has deployed packet switching capability for its own use.
- 4.5.3 If there is a dispute as to whether BellSouth must provide Packet Switching, such dispute will be resolved according to the dispute resolution process set forth in Section 12 of the General Terms and Conditions of this Agreement, incorporated herein by this reference.

4.6 <u>Interoffice Transmission Facilities</u>

4.6.1 BellSouth shall provide nondiscriminatory access, in accordance with FCC Rule 51.311 and Section 251(c)(3) of the Act, to interoffice transmission facilities on an unbundled basis to Excel for the provision of a telecommunications service.

5 Unbundled Network Element Combinations

- Unbundled Network Element Combinations shall include: 1) Enhanced Extended Links (EELs); 2) Other Non-Switched Transport Combinations; 3) UNE Loop/Special Access Combinations; and 4) UNE Loop/Port Combinations.
- For purposes of this Section, references to "Currently Combined" network elements shall mean that such network elements are in fact already combined by BellSouth in the BellSouth network to provide service to a particular end user at a particular location.

5.3 Enhanced Extended Links (EELs)

- Where facilities permit and where necessary to comply with an effective FCC and/or State Commission order, or as otherwise mutually agreed by the Parties, BellSouth shall offer access to loop and transport combinations, also known as the Enhanced Extended Link ("EEL") as defined in Section 5.3.2 below.
- 5.3.2 Subject to Section 5.3.4 below, BellSouth will provide access to the EEL in the combinations set forth in Section 5.3.5 following. Excel shall provide to BellSouth

a letter certifying that Excel is providing a significant amount of local exchange service (as described in Sections 5.3.7.2, 5.3.7.3, 5.3.7.4, or 5.3.7.5) over such combinations. This offering is intended to provide connectivity from an end user's location through that end user's SWC to Excel's POP serving wire center. The circuit must be connected to Excel's switch for the purpose of provisioning telephone exchange service to Excel's end-user customers. The EEL will be connected to Excel's facilities in Excel's collocation space at the POP SWC, or Excel may purchase BellSouth's access facilities between Excel's POP and Excel's collocation space at the POP SWC.

- 5.3.3 When ordering EEL combinations, Excel shall provide to BellSouth a letter certifying that Excel will provide a significant amount of local exchange service over the requested combination, as described in Section 5.3.6 below, and shall indicate under what local usage option Excel seeks to qualify. Excel shall be deemed to be providing a significant amount of local exchange service if one of the three (3) options set forth in Sections 5.3.7.2 through 5.3.7.4 is met. BellSouth shall have the right to audit Excel's records to verify that Excel is meeting the applicable local usage requirements. Such audit shall comply with the terms of Section 5.3.7.6 of this Attachment.
- BellSouth shall provide EEL combinations to Excel in Georgia, Kentucky, Louisiana, Mississippi and Tennessee regardless of whether or not such EELs are Currently Combined. In all other states, BellSouth shall make available to Excel those EEL combinations described in Section 5.3.5 below only to the extent such combinations are Currently Combined. Furthermore, BellSouth will make available new EEL combinations to Excel in density Zone 1, as defined in 47 CFR 69.123 as of January 1, 1999, in the Atlanta, GA; Miami, FL; Orlando, FL; Ft. Lauderdale, FL; Charlotte-Gastonia-Rock Hill, NC; Greensboro-Winston Salem-High Point, NC; Nashville, TN; and New Orleans, LA, MSAs. Except as stated above, EELs will be provided to Excel only to the extent such network elements are Currently Combined.

5.3.5 **EEL Combinations**

- 5.3.5.1 DS1 Interoffice Channel + DS1 Channelization + 2-wire VG Local Loop
- 5.3.5.2 DS1 Interoffice Channel + DS1 Channelization + 4-wire VG Local Loop
- 5.3.5.3 DS1 Interoffice Channel + DS1 Channelization + 2-wire ISDN Local Loop
- 5.3.5.4 DS1 Interoffice Channel + DS1 Channelization + 4-wire 56 kbps Local Loop
- 5.3.5.5 DS1 Interoffice Channel + DS1 Channelization + 4-wire 64 kbps Local Loop
- 5.3.5.6 DS1 Interoffice Channel + DS1 Local Loop
- 5.3.5.7 DS3 Interoffice Channel + DS3 Local Loop

5.3.5.8 STS-1 Interoffice Channel + STS-1 Local Loop 5.3.5.9 DS3 Interoffice Channel + DS3 Channelization + DS1 Local Loop 5.3.5.10 STS-1 Interoffice Channel + DS3 Channelization + DS1 Local Loop 5.3.5.11 2-wire VG Interoffice Channel + 2-wire VG Local Loop 5.3.5.12 4wire VG Interoffice Channel + 4-wire VG Local Loop 4-wire 56 kbps Interoffice Channel + 4-wire 56 kbps Local Loop 5.3.5.13 5.3.5.14 4-wire 64 kbps Interoffice Channel + 4-wire 64 kbps Local Loop 5.3.6 To order EELs Excel must meet the requirements in Section 5.3.7.2 or 5.3.7.3.

5.3.7 **Special Access Service Conversions**

- 5.3.7.1 Excel may not convert special access services to combinations of loop and transport network elements, whether or not Excel self-provides its entrance facilities (or obtains entrance facilities from a third party), unless Excel uses the combination to provide a significant amount of local exchange service, in addition to exchange access service, to a particular customer. To the extent Excel requests to convert any special access services to combinations of loop and transport network elements at UNE prices, Excel shall provide to BellSouth a letter certifying that Excel is providing a significant amount of local exchange service (as described in this Section) over such combinations. The certification letter shall also indicate under what local usage option Excel seeks to qualify for conversion of special access circuits. Excel shall be deemed to be providing a significant amount of local exchange service over such combinations if one of the following options is met:
- 5.3.7.2 Excel certifies that it is the exclusive provider of an end user's local exchange service. The loop-transport combinations must terminate at Excel's collocation arrangement in at least one BellSouth central office. This option does not allow loop-transport combinations to be connected to BellSouth's tariffed services. Under this option, Excel is the end user's only local service provider, and thus, is providing more than a significant amount of local exchange service. Excel can then use the loop-transport combinations that serve the end user to carry any type of traffic, including using them to carry 100 percent interstate access traffic; or
- 5.3.7.3 Excel certifies that it provides local exchange and exchange access service to the end user customer's premises and handles at least one third of the end user customer's local traffic measured as a percent of total end user customer local dialtone lines; and for DS1 circuits and above, at least 50 percent of the activated channels on the loop portion of the loop-transport combination have at least 5 percent local voice traffic individually, and the entire loop facility has at least 10

percent local voice traffic. When a loop-transport combination includes multiplexing, each of the individual DS1 circuits must meet these criteria. The loop-transport combination must terminate at Excel's collocation arrangement in at least one BellSouth central office. This option does not allow loop-transport combinations to be connected to BellSouth tariffed services; or

- 5.3.7.4 Excel certifies that at least 50 percent of the activated channels on a circuit are used to provide originating and terminating local dialtone service and at least 50 percent of the traffic on each of these local dialtone channels is local voice traffic, and that the entire loop facility has at least 33 percent local voice traffic. When a loop-transport combination includes multiplexing, each of the individual DS1 circuits must meet these criteria. This option does not allow loop-transport combinations to be connected to BellSouth's tariffed services. Under this option, collocation is not required. Excel does not need to provide a defined portion of the end user's local service, but the active channels on any loop-transport combination, and the entire facility, must carry the amount of local exchange traffic specified in this option.
- 5.3.7.5 In addition, there may be extraordinary circumstances where Excel is providing a significant amount of local exchange service, but does not qualify under any of the three options set forth in Section 5.3.7. In such case, Excel may petition the FCC for a waiver of the local usage options set forth in the June 2, 2000 Order. If a waiver is granted, then upon Excel's request the Parties shall amend this Agreement to the extent necessary to incorporate the terms of such waiver for such extraordinary circumstance.
- 5.3.7.6 BellSouth may at its sole discretion audit Excel records in order to verify the type of traffic being transmitted over combinations of loop and transport network elements. The audit shall be conducted by a third party independent auditor, and Excel shall be given thirty days written notice of scheduled audit. Such audit shall occur no more than one time in a calendar year, unless results of an audit find noncompliance with the significant amount of local exchange service requirement. In the event of noncompliance, Excel shall reimburse BellSouth for the cost of the audit. If, based on its audits, BellSouth concludes that Excel is not providing a significant amount of local exchange traffic over the combinations of loop and transport network elements, BellSouth may file a complaint with the appropriate Commission, pursuant to the dispute resolution process as set forth in the Interconnection Agreement. In the event that BellSouth prevails, BellSouth may convert such combinations of loop and transport network elements to special access services and may seek appropriate retroactive reimbursement from Excel.
- 5.3.7.7 Excel may convert special access circuits to combinations of loop and transport UNEs pursuant to the terms of this Section and subject to the termination provisions in the applicable special access tariffs, if any.

5.3.8 **Rates**

- 5.3.8.1 Georgia, Kentucky, Louisiana, Mississippi and Tennessee
- 5.3.8.1.1 The non-recurring and recurring rates for the EEL Combinations of network elements set forth in 5.3.4, whether Currently Combined or new, are as set forth in Exhibit B of this Attachment.
- 5.3.8.1.2 For combinations of loop and transport network elements not set forth in Section 5.3.5, where the elements are not Currently Combined but are ordinarily combined in BellSouth's network, the non-recurring and recurring charges for such UNE combinations shall be the sum of the stand-alone non-recurring and recurring charges of the network elements which make up the combination.
- 5.3.8.1.3 To the extent that Excel seeks to obtain other combinations of network elements that BellSouth ordinarily combines in its network which have not been specifically priced by the Commission when purchased in combined form, Excel, at its option, can request that such rates be determined pursuant to the BFR/NBR process set forth in this Agreement.
- 5.3.8.2 All Other States
- 5.3.8.2.1 Subject to the preceding sections, for all other states, the non-recurring and recurring rates for the Currently Combined EEL combinations set forth in Section 5.3.5 and other Currently Combined network elements will be the sum of the recurring rates for the individual network elements plus a non recurring charge set forth in Exhibit B of this Attachment.

5.3.9 **Multiplexing**

5.3.9.1 Where multiplexing functionality is required in connection with loop and transport combinations, such multiplexing will be provided at the rates and on the terms set forth in this Agreement.

5.4 Other Non-Switched Combinations

- 5.4.1 In the states of Georgia, Kentucky, Louisiana, Mississippi and Tennessee, BellSouth shall make available to Excel, in accordance with Section 5.4.2.1 below: (1) combinations of network elements other than EELs that are Currently Combined; and (2) combinations of network elements other than EELs that are not Currently Combined but that BellSouth ordinarily combines in its network. In all other states, BellSouth shall make available to Excel, in accordance with Section 5.4.2.2 below, combinations of network elements other than EELs only to the extent such combinations are Currently Combined.
- 5.4.2 Rates
- 5.4.2.1 Georgia, Kentucky, Louisiana, Mississippi and Tennessee

- 5.4.2.1.1 The non-recurring and recurring rates for Other Network Element combinations, whether Currently Combined or new, are as set forth in Exhibit B of this Attachment.
- 5.4.2.1.2 For Other Network Element combinations where the elements are not Currently Combined but are ordinarily combined in BellSouth's network, the non-recurring and recurring charges for such UNE combinations shall be the sum of the standalone non-recurring and recurring charges of the network elements that make up the combination.
- 5.4.2.1.3 To the extent that Excel seeks to obtain other combinations of network elements that BellSouth ordinarily combines in its network which have not been specifically priced by the Commission when purchased in combined form, Excel, at its option, can request that such rates be determined pursuant to the BFR/NBR process set forth in this Agreement.
- 5.4.2.2 All Other States
- 5.4.2.2.1 For all other states, the non-recurring and recurring rates for the Other Network Element Combinations that are Currently Combined will be the sum of the recurring rates for the individual network elements plus a non-recurring charge set forth in Exhibit B of this Attachment.
- 5.5 <u>UNE Loop/Special Access Combinations</u>
- 5.5.1 BellSouth shall make available to Excel a new combination of an unbundled loop and tariffed special access interoffice facilities. To the extent Excel will require multiplexing functionality in connection with such combination, BellSouth will provide access to multiplexing within the central office pursuant to the terms, conditions and rates set forth in its Access Services Tariffs. The tariffed special access interoffice facilities and any associated tariffed services, including but not limited to multiplexing, shall not be eligible for conversion to UNEs as described in Section 5.3.7.
- 5.5.2 Rates
- 5.5.2.1 The non-recurring and recurring rates for UNE/Special Access Combinations will be the sum of the unbundled loop rates as set forth in Exhibit B and the interoffice transport rates and multiplexing rates as set forth in the Access Services Tariff.
- 5.6 UNE Port/Loop Combinations
- 5.6.1 Combinations of port and loop unbundled network elements along with switching and transport unbundled network elements provide local exchange service for the origination or termination of calls. Port/loop combinations support the same local calling and feature requirements as described in the Unbundled Local Switching or Port section of this Attachment 2 and the ability to presubscribe to a primary

carrier for intraLATA and/or to presubscribe to a primary carrier for interLATA toll service.

- 5.6.2 BellSouth shall make available UNE port/loop combinations, regardless of whether such combinations are Currently Combined, so long as such combinations are ordinarily combined in BellSouth's network.
- 5.6.2.1 Except as set forth in section 5.6.3 below, in Georgia, Kentucky, Louisiana, Mississippi and Tennessee, BellSouth shall provide UNE port/loop combinations that are ordinarily combined in BellSouth's network, regardless of whether such combinations are Currently Combined at the cost-based rates in Exhibit B.
- 5.6.2.2 In Alabama, Florida, North Carolina and South Carolina, BellSouth shall provide UNE port/loop combinations that are not Currently Combined but that are ordinarily combined in BellSouth's network at the market rates in Exhibit B.
- 5.6.2.3 In Alabama, Florida, North Carolina and South Carolina, BellSouth shall provide UNE port/loop combinations that are Currently Combined at the cost-based rates in Exhibit B.
- BellSouth is not required to provide combinations of port and loop network elements on an unbundled basis in locations where, pursuant to FCC rules, BellSouth is not required to provide circuit switching as an unbundled network element.
- 5.6.3.1 BellSouth shall not be required to provide local circuit switching as an unbundled network element in density Zone 1, as defined in 47 CFR 69.123 as of January 1, 1999 of the Atlanta, GA; Miami, FL; Orlando, FL; Ft. Lauderdale, FL; Charlotte-Gastonia-Rock Hill, NC; Greensboro-Winston Salem-High Point, NC; Nashville, TN; and New Orleans, LA, MSAs to Excel if Excel's customer has 4 or more DS0 equivalent lines.
- Notwithstanding the foregoing, BellSouth shall provide combinations of port and loop network elements on an unbundled basis where, pursuant to FCC rules, BellSouth is not required to provide local circuit switching as an unbundled network element and shall do so at the market rates in Exhibit B.
- 5.6.4 Combination Offerings
- 5.6.4.1 2-wire voice grade port, voice grade loop, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.
- 5.6.4.2 2-wire voice grade Coin port, voice grade loop, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.

- 5.6.4.3 2-wire voice grade DID port, voice grade loop, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.
- 5.6.4.4 2-wire CENTREX port, voice grade loop, CENTREX intercom functionality, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.
- 5.6.4.5 2-wire ISDN Basic Rate Interface, voice grade loop, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.
- 5.6.4.6 4-wire ISDN Primary Rate Interface, DS1 loop, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.
- 5.6.4.7 4-wire DS1 Trunk port, DS1 Loop, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.
- 4-wire DS1 Loop with normal serving wire center channelization interface, 2-wire voice grade ports (PBX), 2-wire DID ports, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.

6 Transport, Channelization and Dark Fiber

6.1 <u>Transport</u>

- 6.1.1 Interoffice transmission facility network elements include:
- 6.1.1.1 Dedicated transport, defined as BellSouth's transmission facilities, is dedicated to a particular customer or carrier that provides telecommunications between wire centers or switches owned by BellSouth, or between wire centers and switches owned by BellSouth and Excel.
- Dark Fiber transport, defined as BellSouth's optical transmission facilities without attached signal regeneration, multiplexing, aggregation or other electronics;
- 6.1.1.3 Common (Shared) transport, defined as transmission facilities shared by more than one carrier, including BellSouth, between end office switches, between end office switches and tandem switches, and between tandem switches, in BellSouth's network. Where BellSouth Network Elements are connected by intraoffice wiring, such wiring is provided as part of the Network Element and is not Common (Shared) Transport.

- 6.1.2 BellSouth shall:
- Provide Excel exclusive use of interoffice transmission facilities dedicated to a particular customer or carrier, or shared use of the features, functions, and capabilities of interoffice transmission facilities shared by more than one customer or carrier;
- 6.1.2.2 Provide all technically feasible transmission facilities, features, functions, and capabilities of the transport facility for the provision of telecommunications services;
- 6.1.2.3 Permit, to the extent technically feasible, Excel to connect such interoffice facilities to equipment designated by Excel, including but not limited to, Excel's collocated facilities; and
- 6.1.2.4 Permit, to the extent technically feasible, Excel to obtain the functionality provided by BellSouth's digital cross-connect systems.
- 6.1.3 Technical Requirements of Common (Shared) Transport
- 6.1.3.1 Common (Shared) Transport provided on DS1 or VT1.5 circuits, shall, at a minimum, meet the performance, availability, jitter, and delay requirements specified for Central Office to Central Office ("CO to CO") connections in the applicable industry standards.
- 6.1.3.2 Common (Shared) Transport provided on DS3 circuits, STS-1 circuits, and higher transmission bit rate circuits, shall, at a minimum, meet the performance, availability, jitter, and delay requirements specified for CO to CO connections in the applicable industry standards.
- 6.1.3.3 BellSouth shall be responsible for the engineering, provisioning, and maintenance of the underlying equipment and facilities that are used to provide Common (Shared) Transport.
- 6.1.3.4 At a minimum, Common (Shared) Transport shall meet all of the requirements set forth in the applicable industry standards.

6.2 **Dedicated Transport**

- 6.2.1 Dedicated Transport is composed of the following Unbundled Network Elements:
- 6.2.1.1 Unbundled Local Channel, defined as the dedicated transmission path between Excel's Point of Presence ("POP") and Excel's collocation space in the BellSouth Serving Wire Center for Excel's POP, and

6.2.1.2 Unbundled Interoffice Channel, defined as the dedicated transmission path that provides telecommunication between BellSouth's Serving Wire Centers' collocations. 6.2.1.3 BellSouth shall offer Dedicated Transport in each of the following ways: 6.2.1.3.1 As capacity on a shared UNE facility. 6.2.1.3.2 As a circuit (e.g., DS0, DS1, DS3) dedicated to Excel. 6.2.1.4 Dedicated Transport may be provided over facilities such as optical fiber, copper twisted pair, and coaxial cable, and shall include transmission equipment such as, line terminating equipment, amplifiers, and regenerators. 6.2.2 **Technical Requirements** 6.2.2.1 The entire designated transmission service (e.g., DS0, DS1, DS3) shall be dedicated to Excel designated traffic. 6.2.2.2 For DS1 or VT1.5 circuits, Dedicated Transport shall, at a minimum, meet the performance, availability, jitter, and delay requirements specified for Customer Interface to Central Office ("CI to CO") connections in the applicable industry standards. 6.2.2.3 For DS3 circuits, Dedicated Transport shall, at a minimum, meet the performance, availability, jitter, and delay requirements specified for CI to CO connections in the applicable industry standards. 6.2.2.4 BellSouth shall offer the following interface transmission rates for Dedicated Transport: 6.2.2.4.1 DS0 Equivalent; 6.2.2.4.2 DS1; 6.2.2.4.3 DS3; and 6.2.2.4.4 SDH (Synchronous Digital Hierarchy) Standard interface rates in accordance with International Telecommunications Union (ITU) Recommendation G.707 and Plesiochronous Digital Hierarchy (PDH) rates per ITU Recommendation G.704. 6.2.2.5 BellSouth shall design Dedicated Transport according to its network infrastructure. Excel shall specify the termination points for Dedicated Transport. 6.2.2.6 At a minimum, Dedicated Transport shall meet each of the requirements set forth in the applicable industry technical references. 6.2.2.7 BellSouth Technical References:

- 6.2.2.7.1 TR-TSY-000191 Alarm Indication Signals Requirements and Objectives, Issue 1, May 1986.
- 6.2.2.7.2 TR 73501 LightGate[®] Service Interface and Performance Specifications, Issue D, June 1995.
- 6.2.2.7.3 TR 73525 MegaLink® Service, MegaLink Channel Service and MegaLink Plus Service Interface and Performance Specifications, Issue C, May 1996.

6.3 <u>Unbundled Channelization (Multiplexing)</u>

- Unbundled Channelization (UC) provides the multiplexing capability that will allow a DS1 (1.544 Mbps) or DS3 (44.736 Mbps) or STS-1 (51.84 Mbps) Unbundled Network Element (UNE) or collocation cross-connect to be multiplexed or channelized at a BellSouth central office. Channelization will be offered with both the high and low speed sides to be connected to collocation. Channelization can be accomplished through the use of a stand-alone multiplexer or a digital cross-connect system at the discretion of BellSouth. Once UC has been installed, Excel may request channel activation on an as-needed basis and BellSouth shall connect the requested facilities via Central Office Channel Interfaces (COCIs). The COCI must be compatible with the lower capacity facility and ordered with the lower capacity facility.
- 6.3.2 BellSouth shall make available the following channelization systems:
- 6.3.2.1 DS3/STS-1 Channelization System: channelizes a DS3 signal into 28 DS1s.
- 6.3.2.2 DS1 Channelization System: channelizes a DS1 signal into 24 DS0s.
- 6.3.3 BellSouth shall make available the following
- 6.3.3.1 Central Office Channel Interfaces (COCI):
- 6.3.3.2 DS1 COCI, which can be activated on a DS3 Channelization System.
- 6.3.3.3 Voice Grade and Digital Data COCI, which can be activated on a DS1 Channelization System.
- Data COCI, which can be activated on a DS1 Channelization System.
- 6.3.3.5 AMI and B8ZS line coding with either Super Frame (SF) and Extended Super Frame (ESF) framing formats will be supported as options.
- 6.3.4 Technical Requirements
- 6.3.4.1 In order to assure proper operation with BellSouth provided central office multiplexing functionality, Excel's channelization equipment must adhere strictly to

form and protocol standards. Excel must also adhere to such applicable industry standards for the multiplex channel bank, for voice frequency encoding, for various signaling schemes, and for sub rate digital access.

- 6.3.4.2 DS0 to DS1 Channelization
- 6.3.4.2.1 The DS1 signal must be framed utilizing the framing structure defined in ANSI T1.107, Digital Hierarchy Formats Specifications and ANSI T1.403.02, DS1 Robbed-bit Signaling State Definitions.
- 6.3.4.3 DS1 to DS3 Channelization
- 6.3.4.3.1 The DS3 signal must be framed utilizing the framing structure define in ANSI T1.107, Digital Hierarchy Formats Specifications. The asynchronous M13 multiplex format (combination of M12 and M23 formats) is specified for terminal equipment that multiplexes 28 DS1s into a DS3.
- 6.3.4.4 DS1 to STS Channelization
- 6.3.4.4.1 The STS-1 signal must be framed utilizing the framing structure define in ANSI T1.105, Synchronous Optical Network (SONET) Basic Description Including Multiplex Structure, Rates and Formats and T1.105.02, Synchronous Optical Network (SONET) Payload Mappings.

6.4 **Dark Fiber Transport**

- Dark Fiber Transport is an unused optical transmission facility without attached signal regeneration, multiplexing, aggregation or other electronics that connects two points within BellSouth's network. It may be strands of optical fiber existing in aerial or underground structure. BellSouth will not provide line terminating elements, regeneration or other electronics necessary for Excel to utilize Dark Fiber Transport.
- Dark Fiber Transport rates are differentiated between Local Channel, Interoffice Channel and Local Loop.
- 6.4.3 Requirements
- 6.4.3.1 BellSouth shall make available Dark Fiber Transport where it exists in BellSouth's network and where, as a result of future building or deployment, it becomes available. Dark Fiber Transport will not be deemed available if (1) it is used by BellSouth for maintenance and repair purposes, (2) it is designated for use pursuant to a firm order placed by another customer, (3) it is restricted for use by all carriers, including BellSouth, because of transmission problems or because it is scheduled for removal due to documented changes to roads and infrastructure, or (4) BellSouth has plans to use the fiber within a two-year planning period.

BellSouth is not required to place fibers for Dark Fiber Transport if there are none available.

- 6.4.3.2 If the requested Dark Fiber Transport has any lightwave repeater equipment interspliced to it, BellSouth will remove such equipment at Excel's request subject to time and materials charges.
- 6.4.3.3 Excel is solely responsible for testing the quality of the Dark Fiber Transport to determine its usability and performance specifications.
- 6.4.3.4 BellSouth shall use its best efforts to provide to Excel information regarding the location, availability and performance of Dark Fiber Transport within ten (10) business days after receiving a request from Excel. Within such time period, BellSouth shall send written confirmation of availability of the Dark Fiber Transport.
- 6.4.3.5 If the requested Dark Fiber Transport is available, BellSouth shall use its commercially reasonable efforts to provision the Dark Fiber Transport to Excel within twenty (20) business days after Excel submits a valid, error free LSR. Provisioning includes identification of appropriate connection points (e.g., Light Guide Interconnection (LGX)) to enable Excel to connect or splice Excel provided transmission media (e.g., optical fiber) or equipment to the Dark Fiber Transport.

7 BellSouth Switched Access ("SWA") 8XX Toll Free Dialing Ten Digit Screening Service

- 7.1 The BellSouth SWA 8XX Toll Free Dialing Ten Digit Screening Service database ("8XX SCP Database") is a Signaling control Point ("SCP") that contains customer record information and the functionality to provide call-handling instructions for 8XX calls. The 8XX SCP IN software stores data downloaded from the national SMS/8XX database and provides the routing instructions in response to queries from the Switching Service Point ("SSP") or tandem. The BellSouth SWA 8XX Toll Free Dialing Ten Digit Screening Service ("8XX TFD Service") utilizes the 8XX SCP Database to provide identification and routing of the 8XX calls, based on the ten digits dialed. At Excel's option, 8XX TFD Service is provided with or without POTS number delivery, dialing number delivery, and other optional complex features as selected by Excel.
- 7.2 The 8XX SCP Database is designated to receive and respond to queries using the ANSI Specification of Signaling System Seven (SS7) protocol.

8 Line Information Database (LIDB)

8.1 The Line Information Database (LIDB) is a transaction-oriented database accessible through Common Channel Signaling (CCS) networks. For access to LIDB, Excel must purchase appropriate signaling links pursuant to Section 9 of this Attachment. LIDB contains records associated with end user Line Numbers

and Special Billing Numbers. LIDB accepts queries from other Network Elements and provides appropriate responses. The query originator need not be the owner of LIDB data. LIDB queries include functions such as screening billed numbers that provides the ability to accept Collect or Third Number Billing calls and validation of Telephone Line Number based non-proprietary calling cards. The interface for the LIDB functionality is the interface between BellSouth's CCS network and other CCS networks. LIDB also interfaces to administrative systems.

- 8.2 Technical Requirements
- 8.2.1 BellSouth will offer to Excel any additional capabilities that are developed for LIDB during the life of this Agreement.
- 8.2.2 BellSouth shall process Excel's Customer records in LIDB at least at parity with BellSouth customer records, with respect to other LIDB functions. BellSouth shall indicate to Excel what additional functions (if any) are performed by LIDB in the BellSouth network.
- 8.2.3 Within two (2) weeks after a request by Excel, BellSouth shall provide Excel with a list of the customer data items, which Excel would have to provide in order to support each required LIDB function. The list shall indicate which data items are essential to LIDB function, and which are required only to support certain services. For each data item, the list shall show the data formats, the acceptable values of the data item and the meaning of those values.
- 8.2.4 BellSouth shall provide LIDB systems for which operating deficiencies that would result in calls being blocked shall not exceed 30 minutes per year.
- 8.2.5 BellSouth shall provide LIDB systems for which operating deficiencies that would not result in calls being blocked shall not exceed 12 hours per year.
- 8.2.6 BellSouth shall provide LIDB systems for which the LIDB function shall be in overload no more than 12 hours per year.
- 8.2.7 All additions, updates and deletions of Excel data to the LIDB shall be solely at the direction of Excel. Such direction from Excel will not be required where the addition, update or deletion is necessary to perform standard fraud control measures (e.g., calling card auto-deactivation).
- 8.2.8 BellSouth shall provide priority updates to LIDB for Excel data upon Excel's request (e.g., to support fraud detection), via password-protected telephone card, facsimile, or electronic mail within one hour of notice from the established BellSouth contact.
- 8.2.9 BellSouth shall provide LIDB systems such that no more than 0.01% of Excel customer records will be missing from LIDB, as measured by Excel audits. BellSouth will audit Excel records in LIDB against DBAS to identify record

mismatches and provide this data to a designated Excel contact person to resolve the status of the records and BellSouth will update system appropriately. BellSouth will refer record of mis-matches to Excel within one business day of audit. Once reconciled records are received back from Excel, BellSouth will update LIDB the same business day if less than 500 records are received before 1:00PM Central Time. If more than 500 records are received, BellSouth will contact Excel to negotiate a time frame for the updates, not to exceed three business days.

- 8.2.10 BellSouth shall perform backup and recovery of all of Excel's data in LIDB including sending to LIDB all changes made since the date of the most recent backup copy, in at least the same time frame BellSouth performs backup and recovery of BellSouth data in LIDB for itself. Currently, BellSouth performs backups of the LIDB for itself on a weekly basis and when a new software release is scheduled, a backup is performed prior to loading the new release.
- 8.2.11 BellSouth shall provide Excel with LIDB reports of data, which are missing or contain errors, as well as any misrouted errors, within a reasonable time period as negotiated between Excel and BellSouth.
- 8.2.12 BellSouth shall prevent any access to or use of Excel data in LIDB by BellSouth personnel that are outside of established administrative and fraud control personnel, or by any other Party that is not authorized by Excel in writing.
- 8.2.13 BellSouth shall provide Excel performance of the LIDB Data Screening function, which allows a LIDB to completely or partially deny specific query originators access to LIDB data owned by specific data owners, for Customer Data that is part of an NPA-NXX or RAO-0/1XX wholly or partially owned by Excel at least at parity with BellSouth Customer Data. BellSouth shall obtain from Excel the screening information associated with LIDB Data Screening of Excel data in accordance with this requirement. BellSouth currently does not have LIDB Data Screening capabilities. When such capability is available, BellSouth shall offer it to Excel under the BFR/NBR process as set forth in Attachment 12.
- 8.2.14 BellSouth shall accept queries to LIDB associated with Excel customer records, and shall return responses in accordance with industry standards.
- 8.2.15 BellSouth shall provide mean processing time at the LIDB within 0.50 seconds under normal conditions as defined in industry standards.
- 8.2.16 BellSouth shall provide processing time at the LIDB within 1 second for 99% of all messages under normal conditions as defined in industry standards.
- 8.3 Interface Requirements
- 8.3.1 BellSouth shall offer LIDB in accordance with the requirements of this subsection.

- 8.3.2 The interface to LIDB shall be in accordance with the technical references contained within.
- 8.3.3 The CCS interface to LIDB shall be the standard interface described herein.
- 8.3.4 The LIDB Data Base interpretation of the ANSI-TCAP messages shall comply with the technical reference herein. Global Title Translation shall be maintained in the signaling network in order to support signaling network routing to the LIDB.
- 8.3.5 The application of the LIDB rates contained in Exhibit B to this Attachment will be based on a Percent CLEC LIDB Usage ("PCLU") factor. Excel shall provide BellSouth a PCLU. The PCLU will be applied to determine the percentage of total LIDB usage to be billed to the other Party at local rates. Excel shall update its PCLU on the first of January, April, July and October and shall send it to BellSouth to be received no later than thirty (30) calendar days after the first of each such month based on local usage for the past three months ending the last day of December, March, June and September, respectively. Requirements associated with PCLU calculation and reporting shall be as set forth in BellSouth's Jurisdictional Factors Reporting Guide, as it is amended from time to time.

9 Signaling

9.1 BellSouth shall offer access to signaling and access to BellSouth's signaling databases subject to compatibility testing and at the rates set forth in this Attachment. BellSouth may provide mediated access to BellSouth signaling systems and databases. Available signaling elements include signaling links, signal transfer points and service control points. Signaling functionality will be available with both A-link and B-link connectivity.

9.2 **Signaling Link Transport**

- 9.2.1 Signaling Link Transport is a set of two or four dedicated 56 kbps transmission paths between Excel-designated Signaling Points of Interconnection that provide appropriate physical diversity.
- 9.2.2 Technical Requirements
- 9.2.3 Signaling Link Transport shall consist of full duplex mode 56 kbps transmission paths and shall perform in the following two ways:
- 9.2.3.1 As an "A-link" Signaling Link Transport is a connection between a switch or SCP and a home Signaling Transfer Point switch pair; and
- 9.2.3.2 As a "B-link" Signaling Link Transport is a connection between two Signaling Transfer Point switch pairs in different company networks (e.g., between two Signaling Transfer Point switch pairs for two CLECs).

- 9.2.4 Signaling Link Transport shall consist of two or more signaling link layers as follows:
- 9.2.4.1 An A-link layer shall consist of two links.
- 9.2.4.2 A B-link layer shall consist of four links.
- 9.2.4.3 A signaling link layer shall satisfy interoffice and intraoffice diversity of facilities and equipment, such that:
- 9.2.4.4 No single failure of facilities or equipment causes the failure of both links in an A-link layer (i.e., the links should be provided on a minimum of two separate physical paths end-to-end); and
- 9.2.4.5 No two concurrent failures of facilities or equipment shall cause the failure of all four links in a B-link layer (i.e., the links should be provided on a minimum of three separate physical paths end-to-end).
- 9.2.5 Interface Requirements
- 9.2.5.1 There shall be a DS1 (1.544 Mbps) interface at Excel's designated SPOIs. Each 56 kbps transmission path shall appear as a DS0 channel within the DS1 interface.
- 9.3 **Signaling Transfer Points (STPs)**
- 9.3.1 A Signaling Transfer Point is a signaling network function that includes all of the capabilities provided by the signaling transfer point switches (STPs) and their associated signaling links that enables the exchange of SS7 messages among and between switching elements, database elements and signaling transfer point switches.
- 9.3.2 Technical Requirements
- 9.3.2.1 Signaling Transfer Point s shall provide access to BellSouth Local Switching or Tandem Switching and to BellSouth Service Control Points/Databases connected to BellSouth SS7 network. Signaling Transfer Point also provide access to third-party local or tandem switching and Third-party-provided Signaling Transfer Points.
- 9.3.2.2 The connectivity provided by Signaling Transfer Points shall fully support the functions of all other Network Elements connected to the BellSouth SS7 network. This includes the use of the BellSouth SS7 network to convey messages that neither originate nor terminate at a signaling end point directly connected to the BellSouth SS7 network (i.e., transit messages). When the BellSouth SS7 network is used to convey transit messages, there shall be no alteration of the Integrated Services Digital Network User Part or Transaction Capabilities Application Part (TCAP) user data that constitutes the content of the message.

- 9.3.2.3 If a BellSouth tandem switch routes traffic, based on dialed or translated digits, on SS7 trunks between a Excel local switch and third party local switch, the BellSouth SS7 network shall convey the TCAP messages that are necessary to provide Call Management features (Automatic Callback, Automatic Recall, and Screening List Editing) between Excel local STPs and the STPs that provide connectivity with the third party local switch, even if the third party local switch is not directly connected to BellSouth STPs.
- 9.3.2.4 STPs shall provide all functions of the SCCP necessary for Class 0 (basic connectionless) service, as defined in Telcordia ANSI Interconnection Requirements. This includes Global Title Translation (GTT) and SCCP Management procedures, as specified in ANSI T1.112.4. Where the destination signaling point is a Excel or third party local or tandem switching system directly connected to BellSouth SS7 network, BellSouth shall perform final GTT of messages to the destination and SCCP Subsystem Management of the destination. In all other cases, BellSouth shall perform intermediate GTT of messages to a gateway pair of STPs in an SS7 network connected with BellSouth SS7 network, and shall not perform SCCP Subsystem Management of the destination. If BellSouth performs final GTT to a Excel database, then Excel agrees to provide BellSouth with the Destination Point Code for Excel database.
- 9.3.2.5 STPs shall provide all functions of the OMAP as specified in applicable industry standard technical references, which may include, where available in BellSouth's network, MTP Routing Verification Test (MRVT); and SCCP Routing Verification Test (SRVT).
- 9.3.2.6 Where the destination signaling point is a BellSouth local or tandem switching system or database, or is a Excel or third party local or tandem switching system directly connected to the BellSouth SS7 network, STPs shall perform MRVT and SRVT to the destination signaling point. In all other cases, STPs shall perform MRVT and SRVT to a gateway pair of STPs in an SS7 network connected with the BellSouth SS7 network. This requirement may be superseded by the specifications for Internetwork MRVT and SRVT when these become approved ANSI standards and available capabilities of BellSouth STPs.

9.4 SS7 Advanced Intelligent Network (AIN) Access

- 9.4.1 When technically feasible and upon request by Excel, SS7 AIN Access shall be made available in association with switching. SS7 AIN Access is the provisioning of AIN 0.1 triggers in an equipped BellSouth local switch and interconnection of the BellSouth SS7 network with Excel's SS7 network to exchange TCAP queries and responses with a Excel SCP.
- 9.4.2 SS7 AIN Access shall provide Excel SCP access to an equipped BellSouth local switch via interconnection of BellSouth's SS7 and Excel SS7 Networks.

 BellSouth shall offer SS7 AIN Access through its STPs. If BellSouth requires a

mediation device on any part of its network specific to this form of access, BellSouth must route its messages in the same manner. The interconnection arrangement shall result in the BellSouth local switch recognizing the Excel SCP as at least at parity with BellSouth's SCPs in terms of interfaces, performance and capabilities.

- 9.4.3 Interface Requirements
- 9.4.3.1 BellSouth shall provide the following STP options to connect Excel or Exceldesignated local switching systems to the BellSouth SS7 network:
- 9.4.3.1.1 An A-link interface from Excel local switching systems; and,
- 9.4.3.1.2 A B-link interface from Excel local STPs.
- 9.4.3.2 Each type of interface shall be provided by one or more layers of signaling links.
- 9.4.3.3 The Signaling Point of Interconnection for each link shall be located at a cross-connect element in the Central Office (CO) where the BellSouth STP is located. There shall be a DS1 or higher rate transport interface at each of the SPOIs. Each signaling link shall appear as a DS0 channel within the DS1 or higher rate interface.
- 9.4.3.4 BellSouth shall provide intraoffice diversity between the Signaling Point of Interconnection and BellSouth STPs, so that no single failure of intraoffice facilities or equipment shall cause the failure of both B-links in a layer connecting to a BellSouth STP.
- 9.4.3.5 STPs shall provide all functions of the MTP as defined in the applicable industry standard technical references.
- 9.4.4 Message Screening
- 9.4.4.1 BellSouth shall set message screening parameters so as to accept valid messages from Excel local or tandem switching systems destined to any signaling point within BellSouth's SS7 network where the Excel switching system has a valid signaling relationship.
- 9.4.4.2 BellSouth shall set message screening parameters so as to pass valid messages from Excel local or tandem switching systems destined to any signaling point or network accessed through BellSouth's SS7 network where the Excel switching system has a valid signaling relationship.
- 9.4.4.3 BellSouth shall set message screening parameters so as to accept and pass/send valid messages destined to and from Excel from any signaling point or network interconnected through BellSouth's SS7 network where the Excel SCP has a valid signaling relationship.

9.5 Service Control Points/Databases

- 9.5.1 Call Related Databases provide the storage of, access to, and manipulation of information required to offer a particular service and/or capability. BellSouth shall provide access to the following Databases: Local Number Portability, LIDB, Toll Free Number Database, Automatic Location Identification/Data Management System, and Calling Name Database. BellSouth also provides access to Service Creation Environment and Service Management System (SCE/SMS) application databases and Directory Assistance.
- 9.5.2 A Service Control Point (SCP) is deployed in a SS7 network that executes service application logic in response to SS7 queries sent to it by a switching system also connected to the SS7 network. Service Management Systems provide operational interfaces to allow for provisioning, administration and maintenance of subscriber data and service application data stored in SCPs.
- 9.5.3 Technical Requirements for SCPs/Databases
- 9.5.3.1 BellSouth shall provide physical access to SCPs through the SS7 network and protocols with TCAP as the application layer protocol.
- 9.5.3.2 BellSouth shall provide physical interconnection to databases via industry standard interfaces and protocols (e.g. SS7, ISDN and X.25).
- 9.5.3.3 The reliability of interconnection options shall be consistent with requirements for diversity and survivability.

9.6 **Local Number Portability Database**

9.6.1 The Permanent Number Portability (PNP) database supplies routing numbers for calls involving numbers that have been ported from one local service provider to another. BellSouth agrees to provide access to the PNP database at rates, terms and conditions as set forth by BellSouth and in accordance with an effective FCC or Commission directive.

9.7 **SS7 Network Interconnection**

- 9.7.1 SS7 Network Interconnection is the interconnection of Excel local signaling transfer point switches or Excel local or tandem switching systems with BellSouth signaling transfer point switches. This interconnection provides connectivity that enables the exchange of SS7 messages among BellSouth switching systems and databases, Excel local or tandem switching systems, and other third-party switching systems directly connected to the BellSouth SS7 network.
- 9.7.2 The connectivity provided by SS7 Network Interconnection shall fully support the functions of BellSouth switching systems and databases and Excel or other third-party switching systems with A-link access to the BellSouth SS7 network.

- 9.7.3 If traffic is routed based on dialed or translated digits between a Excel local switching system and a BellSouth or other third-party local switching system, either directly or via a BellSouth tandem switching system, then it is a requirement that the BellSouth SS7 network convey via SS7 Network Interconnection the TCAP messages that are necessary to provide Call Management services (Automatic Callback, Automatic Recall, and Screening List Editing) between the Excel local signaling transfer point switches and BellSouth or other third-party local switch.
- 9.7.4 SS7 Network Interconnection shall provide:
- 9.7.4.1 Signaling Data Link functions, as specified in ANSI T1.111.2;
- 9.7.4.2 Signaling Link functions, as specified in ANSI T1.111.3; and
- 9.7.4.3 Signaling Network Management functions, as specified in ANSI T1.111.4.
- 9.7.5 SS7 Network Interconnection shall provide all functions of the SCCP necessary for Class 0 (basic connectionless) service, as specified in ANSI T1.112. This includes Global Title Translation (GTT) and SCCP Management procedures, as specified in ANSI T1.112.4. Where the destination signaling point is a BellSouth switching system or DB, or is another third-party local or tandem switching system directly connected to the BellSouth SS7 network, SS7 Network Interconnection shall include final GTT of messages to the destination and SCCP Subsystem Management of the destination. Where the destination signaling point is a Excel local or tandem switching system, SS7 Network Interconnection shall include intermediate GTT of messages to a gateway pair of Excel local STPs, and shall not include SCCP Subsystem Management of the destination.
- 9.7.6 SS7 Network Interconnection shall provide all functions of the Integrated Services Digital Network User Part, as specified in ANSI T1.113.
- 9.7.7 SS7 Network Interconnection shall provide all functions of the TCAP, as specified in ANSI T1.114.
- 9.7.8 If Internetwork MRVT and SRVT become approved ANSI standards and available capabilities of BellSouth STPs, SS7 Network Interconnection may provide these functions of the OMAP.
- 9.7.9 Interface Requirements
- 9.7.9.1 The following SS7 Network Interconnection interface options are available to connect Excel or Excel-designated local or tandem switching systems or signaling transfer point switches to the BellSouth SS7 network:
- 9.7.9.1.1 A-link interface from Excel local or tandem switching systems; and

- 9.7.9.1.2 B-link interface from Excel STPs.
- 9.7.9.2 The Signaling Point of Interconnection for each link shall be located at a cross-connect element in the central office where the BellSouth STP is located. There shall be a DS1 or higher rate transport interface at each of the Signaling Points of interconnection. Each signaling link shall appear as a DS0 channel within the DS1 or higher rate interface.
- 9.7.9.3 BellSouth shall provide intraoffice diversity between the Signaling Points of Interconnection and the BellSouth STP, so that no single failure of intraoffice facilities or equipment shall cause the failure of both B-links in a layer connecting to a BellSouth STP.
- 9.7.9.4 The protocol interface requirements for SS7 Network Interconnection include the MTP, ISDNUP, SCCP, and TCAP. These protocol interfaces shall conform to the applicable industry standard technical references.
- 9.7.9.5 BellSouth shall set message screening parameters to accept messages from Excel local or tandem switching systems destined to any signaling point in the BellSouth SS7 network with which the Excel switching system has a valid signaling relationship.

10 Operator Service and Directory Assistance

- Operator Service provides: (1) operator handling for call completion (for example, collect, third number billing, and manual calling-card calls), (2) operator or automated assistance for billing after the end user has dialed the called number (for example, calling card calls); and (3) special services including but not limited to Busy Line Verification and Emergency Line Interrupt (ELI), Emergency Agency Call, and Operator-assisted Directory Assistance.
- 10.2 Upon request for BellSouth Operator Services, BellSouth shall:
- 10.2.1 Process 0+ and 0- dialed local calls.
- 10.2.2 Process 0+ and 0- intraLATA toll calls.
- 10.2.3 Process calls that are billed to Excel end user's calling card that can be validated by BellSouth.
- 10.2.4 Process person-to-person calls.
- 10.2.5 Process collect calls.
- 10.2.6 Provide the capability for callers to bill to a third party and shall also process such calls.

10.2.7	Process station-to-station calls.
10.2.8	Process Busy Line Verify and Emergency Line Interrupt requests.
10.2.9	Process emergency call trace originated by Public Safety Answering Points.
10.2.10	Process operator-assisted directory assistance calls.
10.2.11	Adhere to equal access requirements, providing Excel local end users the same IXC access as provided to BellSouth end users.
10.2.12	Exercise at least the same level of fraud control in providing Operator Service to Excel that BellSouth provides for its own operator service.
10.2.13	Perform Billed Number Screening when handling Collect, Person-to-Person, and Billed-to-Third-Party calls.
10.2.14	Direct customer account and other similar inquiries to the customer service center designated by Excel.
10.2.15	Provide call records to Excel in accordance with ODUF standards specified in Attachment 7.
10.2.16	The interface requirements shall conform to the interface specifications for the platform used to provide Operator Services as long as the interface conforms to industry standards.
10.3	<u>Directory Assistance Service</u>
10.3.1	Directory Assistance Service provides local end user telephone number listings with the option to complete the call at the caller's direction separate and distinct from local switching.
10.3.2	Directory Assistance Service shall provide up to two listing requests per call. If available and if requested by Excel's end user, BellSouth shall provide caller-optional directory assistance call completion service at rates contained in this Attachment to one of the provided listings.
10.3.3	<u>Directory Assistance Service Updates</u>
10.3.3.1	BellSouth shall update end user listings changes daily. These changes include:
10.3.3.1.1	New end user connections
10.3.3.1.2	End user disconnections
10.3.3.1.3	End user address changes

These updates shall also be provided for non-listed and non-published numbers for use in emergencies.

10.4 **Branding for Operator Call Processing and Directory Assistance**

- BellSouth's branding feature provides a definable announcement to Excel end users using Directory Assistance (DA)/Operator Call Processing (OCP) prior to placing such end users in queue or connecting them to an available operator or automated operator system. This feature allows Excel to have its calls custom branded with Excel's name on whose behalf BellSouth is providing Directory Assistance and/or Operator Call Processing. Rates for the branding features are set forth in this Attachment.
- BellSouth offers three (3) service levels of branding to Excel when ordering BellSouth's Directory Assistance and Operator Call Processing.
- 10.4.2.1 Service Level 1 BellSouth Branding
- 10.4.2.2 Service Level 2 Unbranding
- 10.4.2.3 Service Level 3 Custom Branding
- 10.4.3 Where Excel resells BellSouth's services or purchases unbundled local switching from BellSouth, and utilizes a directory assistance provider and operator services provider other than BellSouth, BellSouth will route Excel's end user calls to that provider through Selective Carrier Routing.

10.4.4 For Use with an Unbundled Port

- 10.4.4.1 Selective Call Routing using Line Class Codes (SCR-LCC) provides the capability for Excel to have its OS/DA calls routed to BellSouth's OS/DA platform for BellSouth provided Custom Branded or Unbranded OS/DA or to its own or an alternate OS/DA platform for Self-Branded OS/DA. SCR-LCC is only available if line class code capacity is available in the requested BellSouth end office switches.
- 10.4.4.2 Custom Branding for Directory Assistance is not available for certain classes of service, including but not limited to Hotel/Motel services, WATS service, and certain PBX services.
- Where available, Excel specific and unique line class codes are programmed in each BellSouth end office switch where Excel intends to serve end users with customized OS/DA branding. The line class codes specifically identify Excel's end users so OS/DA calls can be routed over the appropriate trunk group to the requested OS/DA platform. Additional line class codes are required in each end office if the end office serves multiple NPAs (i.e., a unique LCC is required per NPA), and/or if the end office switch serves multiple rate areas and Excel intends to provide Excel -branded OS/DA to its end users in these multiple rate areas.

Version 4Q01: 12/01/01

- 10.4.4.4 BellSouth Branding is the Default Service Level.
- 10.4.4.5 SCR-LCC supporting Custom Branding and Self Branding require Excel to order dedicated trunking from each BellSouth end office identified by Excel, either to the BellSouth Traffic Operator Position System (TOPS) for Custom Branding or to the Excel Operator Service Provider for Self Branding. Separate trunk groups are required for Operator Services and for Directory Assistance. Rates for trunks are set forth in applicable BellSouth tariffs.
- 10.4.4.6 Unbranding Unbranded Directory Assistance and/or Operator Call Processing calls ride common trunk groups provisioned by BellSouth from those end offices identified by Excel to the BellSouth TOPS. These calls are routed to "No Announcement."
- 10.4.4.7 The Rates for SCR-LCC are as set forth in this Attachment. There is a nonrecurring charge for the establishment of each Line Class Code in each BellSouth central office. Furthermore, for Unbranded and Custom Branded OS/DA provided by BellSouth Operator Services with unbundled ports and unbundled port/loop switch combinations, monthly recurring usage charges shall apply for the UNEs necessary to provide the service, such as end office and tandem switching and common transport. A flat rated end office switching charge shall apply to Self-Branded OS/DA when used in conjunction with unbundled ports and unbundled port/loop switch combinations.
- In addition to the branding methods described in this Section, Unbranding and Custom Branding are also available for Directory Assistance, Operator Call Processing or both via Originating Line Number Screening (OLNS) software. When utilizing this method of Unbranding or Custom Branding, Excel shall not be required to purchase dedicated trunking.
- 10.4.4.9 For BellSouth to provide Unbranding or Custom Branding via OLNS software for Operator Call Processing or for Directory Assistance, Excel must have its Operating Company Number ("OCN(s)") and telephone numbers reside in BellSouth's LIDB; however, a BellSouth LIDB Storage Agreement is not required. To implement Unbranding and Custom Branding via OLNS software, Excel must submit a manual order form which requires, among other things, Excel's OCN and a forecast for the traffic volume anticipated for each BellSouth TOPS during the peak busy hour. Excel shall provide updates to such forecast on a quarterly basis and at any time such forecasted traffic volumes are expected to change significantly. Upon Excel's purchase of Unbranding or Custom Branding using OLNS software for any particular TOPS, all Excel end users served by that TOPS will receive the Unbranded "no announcement" or the Custom Branded announcement.
- 10.4.4.10 Rates for Unbranding and Custom Branding via OLNS software for Directory Assistance and for Operator Call Processing are as set forth in this Attachment.

Notwithstanding anything to the contrary in this Agreement, to the extent BellSouth is unable to bill Excel applicable charges currently, BellSouth shall track such charges and will bill the same retroactively at such time as a billing process is implemented. In addition to the charges for Unbranding and Custom Branding via OLNS software, Excel shall continue to pay BellSouth applicable labor and other charges for the use of BellSouth's Directory Assistance and Operator Call Processing platforms as set forth in this Attachment. Further, where Excel is purchasing unbundled local switching from BellSouth, UNE usage charges for end office switching, tandem switching and transport, as applicable, shall continue to apply.

10.4.5 For Facilities Based Carriers

- 10.4.5.1 All Service Levels require Excel to order dedicated trunking from their end office(s) point of interface to the BellSouth TOPS Switches. Rates for trunks are set forth in applicable BellSouth tariffs.
- 10.4.5.2 Customized Branding includes charges for the recording of the branding announcement and the loading of the audio units in each TOPS Switch and Network Applications Vehicle (NAV) equipment for which Excel requires service.
- 10.4.5.3 Directory Assistance customized branding uses:
- 10.4.5.3.1 the recording of Excel;
- the front-end loading of the Digital Recorded Announcement Machine (DRAM) in each TOPS switch.
- 10.4.5.4 Operator Call Processing customized branding uses:
- 10.4.5.4.1 the recording of Excel;
- 10.4.5.4.2 the front-end loading of the DRAM in the TOPS Switch;
- 10.4.5.4.3 the 0- automation loading for the audio units in the Enhanced Billing and Access Service (EBAS) in the Network Applications Vehicle (NAV).

10.5 <u>Directory Assistance Database Service (DADS)</u>

10.5.1 BellSouth shall make its Directory Assistance Database Service (DADS) available at the rates set forth in this Attachment solely for the expressed purpose of providing Directory Assistance type services to Excel end users. The term "end user" denotes any entity that obtains Directory Assistance type services for its own use from a DADS customer. Directory Assistance type service is defined as Voice Directory Assistance (DA Operator assisted) and Electronic Directory Assistance (Data System assisted). Excel agrees that DADS will not be used for any purpose that violates federal or state laws, statutes, regulatory orders or tariffs. For the

purposes of provisioning a Directory Assistance type service, all terms and conditions of GSST A38 apply and are incorporated by reference herein. Except for the permitted uses, Excel agrees not to disclose DADS to others and shall provide due care in providing for the security and confidentiality of DADS.

- 10.5.2 BellSouth shall initially provide Excel with a Base File of subscriber listings via magnetic tape. DADS is available and may be ordered on a Business, Residence or combined Business and Residence listings basis for each central office requested. BellSouth will require approximately 30- 45 days after receiving an order from Excel to prepare the Base File.
- 10.5.3 BellSouth will provide updates on either a daily or weekly basis reflecting all listing change activity occurring since Excel's previous update. Delivery of updates will commence immediately after Excel receives the Base File. Updates will be provided via magnetic tape unless BellSouth and Excel mutually develop CONNECT: Direct TM electronic connectivity. Excel will pay all costs associated with CONNECT: Direct TM connectivity, which will vary depending upon volume and mileage.
- 10.5.4 Excel authorizes the inclusion of Excel Directory Assistance listings in the BellSouth Directory Assistance products, including but not limited to DADS. Any other use is not authorized.

10.6 **Direct Access to Directory Assistance Service**

- 10.6.1 Direct Access to Directory Assistance Service (DADAS) will provide Excel's directory assistance operators with the ability to search all available BellSouth subscriber listings using the Directory Assistance search format. DADAS will also provide Excel with the ability to search all available subscriber listings in BellSouth's out-of-region listing database. Subscription to DADAS will allow Excel to utilize its own switch, operator workstations and optional audio subsystems.
- 10.6.2 Rates, terms and conditions for provisioning DADAS are as set forth in the FCC tariff No. 1.

11 Automatic Location Identification/Data Management System (ALI/DMS)

- The ALI/DMS Database contains end user information (including name, address, telephone information, and sometimes special information from the local service provider or end user) used to determine to which Public Safety Answering Point ("PSAP") to route the call. The ALI/DMS database is used to provide enhanced routing flexibility for E911.
- 11.2 Technical Requirements

- BellSouth shall provide Excel a data link to the ALI/DMS database or permit Excel to provide its own data link to the ALI/DMS database. BellSouth shall provide error reports from the ALI/DMS database to Excel after Excel inputs end user information into the ALI/DMS database. Alternately, Excel may request that BellSouth enter Excel's end user information into the database, and validate end user information.
- When BellSouth is responsible for administering the ALI/DMS database in its entirety, ported number NXXs entries for the ported numbers should be maintained unless Excel requests otherwise and shall be updated if Excel requests, provided Excel supplies BellSouth with the updates.
- When Remote Call Forwarding (RCF) is used to provide number portability to the local end user and a remark or other appropriate field information is available in the database, the shadow or "forwarded-to" number and an indication that the number is ported shall be added to the customer record.
- 11.2.4 If BellSouth is responsible for configuring PSAP features (for cases when the PSAP or BellSouth supports an ISDN interface) it shall ensure that CLASS Automatic Recall (Call Return) is not used to call back to the ported number. Although BellSouth currently does not have ISDN interface, BellSouth agrees to comply with this requirement once ISDN interfaces are in place.
- 11.3 Interface Requirements
- 11.3.1 The interface between the E911 Switch or Tandem and the ALI/DMS database for Excel end users shall meet industry standards.

12 Calling Name (CNAM) Database Service

- 12.1 CNAM is the ability to associate a name with the calling party number, allowing the end user (to which a call is being terminated) to view the calling party's name before the call is answered. This service also provides Excel the opportunity to load and store its subscriber names in the BellSouth CNAM SCPs.
- Excel shall submit to BellSouth a notice of its intent to access and utilize BellSouth CNAM Database Services. Said notice shall be in writing, no less than 60 days prior to Excel's access to BellSouth's CNAM Database Services and shall be addressed to Excel's Account Manager.
- BellSouth's provision of CNAM Database Services to Excel requires interconnection from Excel to BellSouth CNAM Service Control Points (SCPs). Such interconnections shall be established pursuant to Attachment 3 of this Agreement, incorporated herein by this reference.

- 12.4 In order to formulate a CNAM query to be sent to the BellSouth CNAM SCP, Excel shall provide its own CNAM SSP. Excel's CNAM SSPs must be compliant with TR-NWT-001188, "CLASS Calling Name Delivery Generic Requirements".
- 12.5 If Excel elects to access the BellSouth CNAM SCP via a third party CCS7 transport provider, the third party CCS7 provider shall interconnect with the BellSouth CCS7 network according to BellSouth's Common Channel Signaling Interconnection Guidelines and Telcordia's CCS Network Interface Specification document, TR-TSV-000905. In addition, the third party provider shall establish CCS7 interconnection at the BellSouth Local Signal Transfer Points (LSTPs) serving the BellSouth CNAM SCPs that Excel desires to query.
- 12.6 If Excel queries the BellSouth CNAM SCP via a third party national SS7 transport provider, the third party SS7 provider shall interconnect with the BellSouth CCS7 network according to BellSouth's Common Channel Signaling Interconnection Guidelines and Telcordia's CCS Network Interface Specification document, TR-TSV-000905. In addition, the third party provider shall establish SS7 interconnection at one or more of the BellSouth Gateway Signal Transfer Points (STPs). The payment of all costs associated with the transport of SS7 signals via a third party will be established by mutual agreement of the Parties and this Agreement shall be amended in accordance with modification of the General Terms and Conditions incorporated herein by this reference.
- 12.7 The mechanism to be used by Excel for initial CNAM record load and/or updates shall be determined by mutual agreement. The initial load and all updates shall be provided by Excel in the BellSouth specified format and shall contain records for every working telephone number that can originate phone calls. It is the responsibility of Excel to provide accurate information to BellSouth on a current basis.
- 12.8 Updates to the SMS shall occur no less than once a week, reflect service order activity affecting either name or telephone number, and involve only record additions, deletions or changes.
- Excel CNAM records provided for storage in the BellSouth CNAM SCP shall be available, on a SCP query basis only, to all Parties querying the BellSouth CNAM SCP. Further, CNAM service shall be provided by each Party consistent with state and/or federal regulation.
- 13 Service Creation Environment and Service Management System (SCE/SMS)
 Advanced Intelligent Network (AIN) Access
- BellSouth's Service Creation Environment and Service Management System (SCE/SMS) Advanced Intelligent Network (AIN) Access shall provide Excel the capability to create service applications in a BellSouth SCE and deploy those applications in a BellSouth SMS to a BellSouth SCP.

- BellSouth's SCE/SMS AIN Access shall provide access to SCE hardware, software, testing and technical support (e.g., help desk, system administrator) resources available to Excel. Training, documentation, and technical support will address use of SCE and SMS access and administrative functions, but will not include support for the creation of a specific service application.
- 13.3 BellSouth SCP shall partition and protect Excel service logic and data from unauthorized access.
- When Excel selects SCE/SMS AIN Access, BellSouth shall provide training, documentation, and technical support to enable Excel to use BellSouth's SCE/SMS AIN Access to create and administer applications.
- Excel access will be provided via remote data connection (e.g., dial-in, ISDN).
- BellSouth shall allow Excel to download data forms and/or tables to BellSouth SCP via BellSouth SMS without intervention from BellSouth.

14 Basic 911 and E911

- Basic 911 and E911 provides a caller access to the applicable emergency service bureau by dialing 911.
- 14.2 <u>Basic 911 Service Provisioning.</u> BellSouth will provide to Excel a list consisting of each municipality that subscribes to Basic 911 service. The list will also provide, if known, the E911 conversion date for each municipality and, for network routing purposes, a ten-digit directory number representing the appropriate emergency answering position for each municipality subscribing to 911. Excel will be required to arrange to accept 911 calls from its end users in municipalities that subscribe to Basic 911 service and translate the 911 call to the appropriate 10-digit directory number as stated on the list provided by BellSouth. Excel will be required to route that call to BellSouth at the appropriate tandem or end office. When a municipality converts to E911 service, Excel will be required to begin using E911 procedures.
- 14.3 <u>E911 Service Provisioning.</u> Excel shall install a minimum of two dedicated trunks originating from the Excel serving wire center and terminating to the appropriate E911 tandem. The dedicated trunks shall be, at a minimum, DS-0 level trunks configured either as a 2-wire analog interface or as part of a digital (1.544 Mb/s) interface. Either configuration shall use CAMA-type signaling with multifrequency ("MF") pulsing that will deliver automatic number identification ("ANI") with the voice portion of the call. If the user interface is digital, MF pulses, as well as other AC signals, shall be encoded per the u-255 Law convention. Excel will be required to provide BellSouth daily updates to the E911 database. Excel will be required to forward 911 calls to the appropriate E911 tandem, along with ANI, based upon the current E911 end office to tandem homing arrangement as

provided by BellSouth. If the E911 tandem trunks are not available, Excel will be required to route the call to a designated 7-digit local number residing in the appropriate Public Service Answering Point ("PSAP"). This call will be transported over BellSouth's interoffice network and will not carry the ANI of the calling party. Excel shall be responsible for providing BellSouth with complete and accurate data for submission to the 911/E911 database for the purpose of providing 911/E911 to its end users.

- 14.4 <u>Rates.</u> Charges for 911/E911 service are borne by the municipality purchasing the service. BellSouth will impose no charge on Excel beyond applicable charges for BellSouth trunking arrangements.
- 14.5 Basic 911 and E911 functions provided to Excel shall be at least at parity with the support and services that BellSouth provides to its end users for such similar functionality.
- 14.6 The detailed practices and procedures for 911/E911 services are contained in the E911 Local Exchange Carrier Guide For Facility-Based Providers as amended from time to time during the term of this Agreement.

15 Operational Support Systems (OSS)

15.1 BellSouth has developed and made available the following electronic interfaces by which Excel may submit LSRs electronically.

LENS Local Exchange Navigation System

EDI Electronic Data Interchange

TAG Telecommunications Access Gateway

- LSRs submitted by means of one of these electronic interfaces will incur an OSS electronic ordering charge. An individual LSR will be identified for billing purposes by its Purchase Order Number (PON). LSRs submitted by means other than one of these interactive interfaces (mail, fax, courier, etc.) will incur a manual order charge. All OSS charges are specified in Rate Exhibit B of this Attachment 2.
- 15.3 Denial/Restoral OSS Charge
- 15.3.1 In the event Excel provides a list of customers to be denied and restored, rather than an LSR, each location on the list will require a separate PON and, therefore will be billed as one LSR per location.
- 15.4 Cancellation OSS Charge
- 15.4.1 Excel will incur an OSS charge for an accepted LSR that is later canceled.
- Supplements or clarifications to a previously billed LSR will not incur another OSS charge.

- 15.4.3 Network Elements and Other Services Manual Additive
- 15.4.3.1 The Commissions in some states have ordered per-element manual additive non-recurring charges (NRC) for Network Elements and Other Services ordered by means other than one of the interactive interfaces. These ordered Network Elements and Other Services manual additive NRCs will apply in these states, rather than the charge per LSR. The per-element charges are listed on the Rate Tables in Exhibit B.

EXHIBIT A

LINE INFORMATION DATA BASE (LIDB)

FACILITIES BASED STORAGE AGREEMENT

I. Definitions

- A. Billing number a number that Excel creates for the purpose of identifying an account liable for charges. This number may be a line or a special billing number.
- B. Line number a ten-digit number that identifies a telephone line administered by Excel.
- C. Special billing number a ten-digit number that identifies a billing account established by Excel.
- D. Calling Card number a billing number plus PIN number.
- E. PIN number a four-digit security code assigned by Excel that is added to a billing number to compose a fourteen-digit calling card number.
- F. Toll billing exception indicator associated with a billing number to indicate that it is considered invalid for billing of collect calls or third number calls or both, by Excel.
- G. Billed Number Screening refers to the activity of determining whether a toll billing exception indicator is present for a particular billing number.
- H. Calling Card Validation refers to the activity of determining whether a particular calling card number exists as stated or otherwise provided by a caller.
- I. Billing number information information about billing number, Calling Card number and toll billing exception indicator provided to BellSouth by Excel.

II. General

A. This Agreement sets forth the terms and conditions pursuant to which BellSouth agrees to store in its LIDB certain information at the request of Excel and pursuant to which BellSouth, its LIDB customers and Excel shall have access to such information. In addition, this Agreement sets forth the terms and conditions for Excel's provision of billing number information to BellSouth for inclusion in BellSouth's LIDB. Excel understands that BellSouth provides access to information in its LIDB to various telecommunications service providers pursuant to applicable tariffs and agrees that information stored at the request of Excel, pursuant to this Agreement, shall be available to those telecommunications service providers. The terms and conditions contained herein shall hereby be made a part of this Interconnection Agreement upon notice to Excel's account team to activate this LIDB Storage Agreement. The General Terms and Conditions of the Interconnection/Resale Agreement shall govern this LIDB Storage Agreement.

Version 4Q01: 12/01/01

B. BellSouth will provide responses to on-line, call-by-call queries to billing number information for the following purposes:

1. Billed Number Screening

BellSouth is authorized to use the billing number information to determine whether Excel has identified the billing number as one that should not be billed for collect or third number calls.

2. Calling Card Validation

BellSouth is authorized to validate a 14-digit Calling Card number where the first 10 digits are a line number or special billing number assigned by BellSouth and where the last four digits (PIN) are a security code assigned by BellSouth.

3. Fraud Control

BellSouth will provide seven days per week, 24-hours per day, fraud monitoring on Calling Cards, bill-to-third and collect calls made to numbers in BellSouth's LIDB, provided that such information is included in the LIDB query. BellSouth will establish fraud alert thresholds and will notify Excel of fraud alerts so that Excel may take action it deems appropriate.

III. Responsibilities of the Parties

A. BellSouth will administer all data stored in the LIDB, including the data provided by Excel pursuant to this Agreement, in the same manner as BellSouth's data for BellSouth's end user customers. BellSouth shall not be responsible to Excel for any lost revenue which may result from BellSouth's administration of the LIDB pursuant to its established practices and procedures as they exist and as they may be changed by BellSouth in its sole discretion from time to time.

B. Billing and Collection Customers

BellSouth currently has in effect numerous billing and collection agreements with various interexchange carriers and billing clearinghouses and as such these billing and collection customers ("B&C Customers") query BellSouth's LIDB to determine whether to accept various billing options from end users. Until such time as BellSouth implements in its LIDB and its supporting systems the means to differentiate Excel's data from BellSouth's data, the following terms and conditions shall apply:

1. Excel will accept responsibility for telecommunications services billed by BellSouth for its B&C Customers for Excel's End User accounts which are resident in LIDB pursuant to this Agreement. Excel authorizes BellSouth to place such charges on Excel's bill from BellSouth and shall pay all such charges including, but not limited to, collect and third number calls.

Version 4Q01: 12/01/01

- 2. Charges for such services shall appear on a separate BellSouth bill page identified with the name of the B&C Customers for which BellSouth is billing the charge.
- 3. Excel shall have the responsibility to render a billing statement to its End Users for these charges, but Excel shall pay BellSouth for the charges billed regardless of whether Excel collects from Excel's End Users.
- 4. BellSouth shall have no obligation to become involved in any disputes between Excel and B&C Customers. BellSouth will not issue adjustments for charges billed on behalf of any B&C Customer to Excel. It shall be the responsibility of Excel and the B&C Customers to negotiate and arrange for any appropriate adjustments.

C. SPNP Arrangements

- BellSouth will include billing number information associated with exchange lines or SPNP arrangements in its LIDB. Excel will request any toll billing exceptions via the Local Service Request (LSR) form used to order exchange lines, or the SPNP service request form used to order SPNP arrangements.
- 2. Under normal operating conditions, BellSouth shall include the billing number information in its LIDB upon completion of the service order establishing either the local exchange service or the SPNP arrangement, provided that BellSouth shall not be held responsible for any delay or failure in performance to the extent such delay or failure is caused by circumstances or conditions beyond BellSouth's reasonable control. BellSouth will store in its LIDB an unlimited volume of the working telephone numbers associated with either the local exchange lines or the SPNP arrangements. For local exchange lines or for SPNP arrangements, BellSouth will issue line-based calling cards only in the name of Excel. BellSouth will not issue line-based calling cards in the name of Excel's individual End Users. In the event that Excel wants to include calling card numbers assigned by Excel in the BellSouth LIDB, a separate agreement is required.

V. Fees for Service and Taxes

- A. Excel will not be charged a fee for storage services provided by BellSouth to Excel, as described in this LIDB Facilities Based Storage Agreement.
- B. Sales, use and all other taxes (excluding taxes on BellSouth's income) determined by BellSouth or any taxing authority to be due to any federal, state or local taxing jurisdiction with respect to the provision of the service set forth herein will be paid by Excel in accordance with the tax provisions set forth in the General Terms and Conditions of this Agreement.

UNBU	NDLED	NETWORK ELEMENTS - Alabama												Attachment:	2		Exhibit: B
CATI	EGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
	1							l				per Lok	per Lor	151	Add I	DISC 1St	DISC Add I
							Rec	Nonre	curring	Nonrecurring	Disconnect			oss	RATES (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
	The "Zor	ne" shown in the sections for stand-alone loops or loops as p	art of a	comb	ination refers to Geo	graphically I	Deaveraged UN	E Zones. To v	iew Geograph	ically Deaverag	ed UNE Zone	Designation	ns by Centra	al Office, refer	r to Internet W	/ebsite:	I
		vw.interconnection.bellsouth.com/become_a_clec/html/interc	onnecti	on.htn	1												
OPERA	TIONAL	SUPPORT SYSTEMS															
	NOTE: /4	Electronic Service Order: CLEC-1 should contact its contract	ot nogo	tistor i	f it profess the state	enocific alac	trania carvica	ordorina chara	os as ordarod	by the State Co	mmissions T	The electron	via convica a	rdoring char	no currently o	antained in th	ic rata
		s the BellSouth regional electronic service ordering charge. C															iis rate
	CATHOIC IS	s the behoodth regional electronic service ordering charge.	JEEO-1	illay C	ect entirer the state s	pecific comi	mission ordere	u rates for the	electronic ser	vice ordering c	narges, or our	_O-1 may er	ect the regi	onal electroni	ic service ord	ering charge.	
		2) Any element that can be ordered electronically will be billed															
		s that cannot be ordered electronically at present per the BBR SOMAN, will be applied to a CLECs bill when it submits an LS				category ret	lects the charg	je tnat would b	e billed to a C	LEC once elect	ronic oraering	capabilitie	s come on-	ine for that e	lement. Otne	rwise, the mai	nuai ordering
	charge,	Electronic OSS Charge, per LSR, submitted via BST's OSS	אל נט אל	ensour													
		interactive interfaces (Regional)				SOMEC		3.50									
UNBUN		(CHANGE ACCESS LOOP															
-	2-WIRE	ANALOG VOICE GRADE LOOP 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEAL2	15.24	59.03	43.14	15.21	3.22			27.37	12.97	17.77	17.77
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		2	UEANL	UEAL2	24.75	59.03	43.14	15.21	3.22			27.37	12.97	17.77	17.77
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL	UEAL2	44.85	59.03	43.14	15.21	3.22			23.97	12.97	17.77	17.77
		Loop Testing - Basic 1st Half Hour			UEANL	URET1		78.92	78.92								
		Loop Testing - Basic Additional Half Hour			UEANL	URETA		23.33	23.33								
		Engineering Information Document (EI) Manual Order Coordination for UVL-SL1s (per loop)*			UEANL UEANL	UEAMC		28.75 51.29	28.75 51.29								
		Order Coordination for Specified Conversion Time for UVL-SL1			OL/ WIL	OL7 WIO		01.20	01.20								
		(per LSR) *			UEANL	OCOSL		45.99	45.99								
	2-WIRE	Unbundled COPPER LOOP															
		2-Wire Unbundled Copper Loop - Non-Designed Zone 1 2 Wire Unbundled Copper Loop - Non-Designed - Zone 2		2	UEQ UEQ	UEQ2X UEQ2X	11.01 12.67	44.69 44.69	22.40 22.40	25.65 25.65	7.06 7.06			27.37 27.37	12.97 12.97		
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 2	+		UEQ	UEQ2X	20.22	44.69	22.40	25.65	7.06			27.37	12.97		
		Order Coordination 2 Wire Unbundled Copper Loop - Non-															
L		Designed (per loop)			UEQ	USBMC		51.29	51.29								
		Engineering Information Document			UEQ	LIDET4		28.75	28.75								
-	-	Loop Testing - Basic 1st Half Hour Loop Testing - Basic Additional Half Hour		1	UEQ UEQ	URET1 URETA		78.92 23.33	78.92 23.33	1			1		 		
UNBUN	DLED EX	(CHANGE ACCESS LOOP						20.00	20.00	1			†		†		
		ANALOG VOICE GRADE LOOP															
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-			LIEDOD LIEDOD	LIEALO	15.01	50.00	40.44	15.00	0.00			07.0-	10.0=	47	
-		Zone 1 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		1	UEPSR UEPSB	UEALS	15.24	59.03	43.14	15.21	3.22			27.37	12.97	17.77	17.77
		Zone 1	ı		UEPSR UEPSB	UEABS	15.24	59.03	43.14	15.21	3.22			27.37	12.97	17.77	17.77
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-															
		Zone 2	ı	2	UEPSR UEPSB	UEALS	24.75	59.03	43.14	15.21	3.22			27.37	12.97	17.77	17.77
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting- Zone 2			UEPSR UEPSB	UEABS	24.75	59.03	43.14	15.21	3.22			27.37	12.97	17.77	17.77
—		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		 	OLFON UEFOD	OLADO	24.15	59.03	43.14	15.21	3.22		 	21.31	12.97	17.77	11.77
L	<u> </u>	Zone 3	L_I	3	UEPSR UEPSB	UEALS	44.85	59.03	43.14	15.21	3.22	<u> </u>	<u> </u>	23.97	12.97	17.77	17.77
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
LINDIII	 	Zone 3 (CHANGE ACCESS LOOP	ı	<u> </u>	UEPSR UEPSB	UEABS	44.85	59.03	43.14	15.21	3.22			23.97	12.97	17.77	17.77
ONBUN		ANALOG VOICE GRADE LOOP		1				 	1	1			1		 		
	_ ******	CLEC to CLEC Conversion Charge without outside dispatch			UEANL	UREWO		48.12	22.02					27.37	12.97	17.77	17.77
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															
		Ground Start Signaling - Zone 1		1	UEA	UEAL2	17.95	145.46	108.40	40.31	26.01			27.37	12.97	17.77	17.77

4Q01:12/01/01 PAGE 1 OF 324

UNBUNDL	ED NETWORK ELEMENTS - Alabama												Attachment:	2		Exhibit: B
CATEGORY		Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge -
						Rec	Nonrec			g Disconnect				RATES (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 2		2	UEA	UEAL2	29.16	145.46	108.40	40.31	26.01			27.37	12.97	17.77	17.77
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 3		3	UEA	UEAL2	52.84	145.46	108.40	40.31	26.01			27.37	12.97	17.77	17.77
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		45.99									
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															
	Battery Signaling - Zone 1 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		1	UEA	UEAR2	17.95	145.46	108.40	40.31	26.01			27.37	12.97	17.77	17.77
	Battery Signaling - Zone 2 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		2	UEA	UEAR2	29.16	145.46	108.40	40.31	26.01			27.37	12.97	17.77	17.77
	Battery Signaling - Zone 3		3	UEA	UEAR2	52.84	145.46	108.40	40.31	26.01			27.37	12.97	17.77	17.77
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		45.99									
4-WIR	CLEC to CLEC Conversion Charge without outside dispatch E ANALOG VOICE GRADE LOOP			UEA	UREWO		131.85	38.28					27.37	12.97	17.77	17.77
- ****	4-Wire Analog Voice Grade Loop - Zone 1		1	UEA	UEAL4	24.01	293.70	241.76	108.96	57.01			27.37	12.97	17.77	17.77
	4-Wire Analog Voice Grade Loop - Zone 2		2	UEA	UEAL4	39.00	293.70	241.76		57.01			27.37	12.97	17.77	
	4-Wire Analog Voice Grade Loop - Zone 3		3	UEA	UEAL4	70.67	293.70	241.76	108.96	57.01			27.37	12.97	17.77	17.77
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		45.99									
2-WIF	E ISDN DIGITAL GRADE LOOP															
	2-Wire ISDN Digital Grade Loop - Zone 1		1	UDN	U1L2X	23.23	331.85	255.87	108.95	57.01			27.37	12.97	17.77	17.77
	2-Wire ISDN Digital Grade Loop - Zone 2		2	UDN	U1L2X	37.74	331.85	255.87	108.95	57.01			27.37	12.97	17.77	
	2-Wire ISDN Digital Grade Loop - Zone 3		3	UDN	U1L2X	68.38	331.85	255.87	108.95	57.01			27.37	12.97	17.77	17.77
	Order Coordination For Specified Conversion Time (per LSR)			UDN	OCOSL		45.99									
	CLEC to CLEC Conversion Charge without outside dispatch			UDN	UREWO		121.19	33.10					27.37	12.97	17.77	17.77
2-WIR	E Universal Digital Channel (UDC) COMPATIBLE LOOP															
	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone 1	1	1	UDC	UDC2X	16.84	104.17	78.10	108.95	57.01			18.94	8.42	17.77	17.77
	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone		2	UDC	UDC2X	19.45	104.17	78.10	108.95	57.01			18.94	8.42	17.77	17.77
	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone															
	3	ı	3	UDC	UDC2X	30.92	104.17	78.10	108.95	57.01			18.94	8.42	17.77	17.77
0.14/15	CLEC to CLEC Conversion Charge without outside dispatch	TIDLE	000	UDC	UREWO		104.17	33.10					27.37	12.97	17.77	17.77
2-WIR	E ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPA 2 Wire Unbundled ADSL Loop including manual service inquiry	IIBLE	LOOP		_							-				
	& facility reservation - Zone 1		1	UAL	UAL2X	12.09	514.21	464.58	106.65	56.98			27.37	12.97	17.77	17.77
	2 Wire Unbundled ADSL Loop including manual service inquiry		2	UAL	UAL2X	19.64	514.21	464.58	106.65	56.98			27.37	12.97	17.77	17.77
	& facility reservation - Zone 2 2 Wire Unbundled ADSL Loop including manual service inquiry			UAL	UALZA	19.04	314.21	404.30	100.00	30.90			21.31	12.97	17.77	17.77
	& facility reservation - Zone 3		3	UAL	UAL2X	35.59	514.21	464.58	106.65	56.98			27.37	12.97	17.77	17.77
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		45.99									
	2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 1		1	UAL	UAL2W	12.09	204.88	129.08	100.52	15.82			27.37	12.97	17.77	17.77
	2 Wire Unbundled ADSL Loop without manual service inquiry &		_													
	facility reservaton - Zone 2 2 Wire Unbundled ADSL Loop without manual service inquiry &		2	UAL	UAL2W	19.64	204.88	129.08	100.52	15.82	1		27.37	12.97	17.77	17.77
	facility reservaton - Zone 3 Order Coordination for Specified Conversion Time (per LSR)		3	UAL UAL	UAL2W OCOSL	35.59	204.88 45.99	129.08	100.52	15.82			27.37	12.97	17.77	17.77
 	CLEC to CLEC Conversion Charge without outside dispatch	 		UAL	UREWO		137.85	29.34					27.37	12.97	17.77	17.77
2-WIE	E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPAT	IBLE !	OOP	UAL	OKLAAO		101.00	23.34			 		21.31	12.97	11.11	17.77
2 4411	2 Wire Unbundled HDSL Loop including manual service inquiry	<u></u>										1				
	& facility reservation - Zone 1 2 Wire Unbundled HDSL Loop including manual service inquiry		1	UHL	UHL2X	9.41	514.21	464.58	106.65	56.98		-	27.37	12.97	17.77	17.77
	& facility reservation - Zone 2		2	UHL	UHL2X	15.29	514.21	464.58	106.65	56.98		ļ	27.37	12.97	17.77	17.77
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 3		3	UHL	UHL2X	27.70	514.21	464.58	106.65	56.98			27.37	12.97	17.77	17.77
<u> </u>	Order Coordination for Specified Conversion Time (per LSR)		Ť	UHL	OCOSL		45.99			23.00						T
	2 Wire Unbundled HDSL Loop without manual service inquiry															1
	and facility reservation - Zone 1		1	UHL	UHL2W	9.41	222.20	146.40	100.52	15.82		I	27.37	12.97	17.77	17.77

UNBUNDLED	NETWORK ELEMENTS - Alabama												Attachment:	2		Exhibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	всѕ	usoc			RATES(\$)	I			Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incremental Charge -
						Rec	Nonrec			g Disconnect	COMEC	COMAN		RATES (\$)	COMAN	COMAN
	2 Wire Unbundled HDSL Loop without manual service inquiry						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	and facility reservation - Zone 2		2	UHL	UHL2W	15.29	222.20	146.40	100.52	15.82			27.37	12.97	17.77	17.77
	2 Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 3		3	UHL	UHL2W	27.70	222.20	146.40	100.52	15.82			27.37	12.97	17.77	17.77
-	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		45.99	20.24					07.07	40.07	47.77	17.77
4-WIRE	CLEC to CLEC Conversion Charge without outside dispatch HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPAT	IBLE	OOP	UHL	UREWO		137.79	29.34					27.37	12.97	17.77	17.77
TWIKE	4 Wire Unbundled HDSL Loop including manual service inquiry	IDEL E														+
	and facility reservation - Zone 1		1	UHL	UHL4X	11.52	541.13	491.50	106.65	56.98			27.37	12.97	17.77	17.77
	4-Wire Unbundled HDSL Loop including manual service inquiry															
	and facility reservation - Zone 2		2	UHL	UHL4X	18.71	541.13	491.50	106.65	56.98			27.37	12.97	17.77	17.77
	4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 3		3	UHL	UHL4X	33.90	541.13	491.50	106.65	56.98			27.37	12.97	17.77	17.77
	Order Coordination for Specified Conversion Time (per LSR)		3	UHL	OCOSL	33.90	45.99	491.50	106.65	36.96			21.31	12.97	17.77	17.77
	4-Wire Unbundled HDSL Loop without manual service inquiry			OFIE	CCCCE		40.00									
	and facility reservation - Zone 1		1	UHL	UHL4W	11.52	279.39	203.59	109.99	20.70			27.37	12.97	17.77	17.77
	4-Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 2		2	UHL	UHL4W	18.71	279.39	203.59	109.99	20.70			27.37	12.97	17.77	17.77
	4-Wire Unbundled HDSL Loop without manual service inquiry		3			00.00	070.00	000 50	400.00	00.70			07.07	40.07	47.77	47.77
-	and facility reservation - Zone 3 Order Coordination for Specified Conversion Time (per LSR)		3	UHL	UHL4W OCOSL	33.90	279.39 45.99	203.59	109.99	20.70			27.37	12.97	17.77	17.77
	CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		137.79	29.34					27.37	12.97	17.77	17.77
4-WIRE	DS1 DIGITAL LOOP			0.12	0.1.2110		101110	20.01					27.07	12.01		
	4-Wire DS1 Digital Loop - Zone 1		1	USL	USLXX	51.74	610.13	380.26	134.77	55.97			27.37	12.97	17.77	17.77
	4-Wire DS1 Digital Loop - Zone 2		2	USL	USLXX	84.05	610.13	380.26	134.77	55.97			27.37	12.97	17.77	
	4-Wire DS1 Digital Loop - Zone 3		3	USL	USLXX	152.29	610.13	380.26	134.77	55.97			27.37	12.97	17.77	17.77
-	Order Coordination for Specified Conversion Time (per LSR)			USL	OCOSL UREWO		45.99 130.27	40.05					27.37	12.97	17.77	17.77
/-WIDE	CLEC to CLEC Conversion Charge without outside dispatch 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP			USL	UREVVO		130.27	40.05					21.31	12.97	17.77	17.77
4 111112	4 Wire Unbundled Digital 19.2 Kbps		1	UDL	UDL19	27.33	498.05	343.70	129.62	64.25			27.37	12.97	17.77	17.77
	4 Wire Unbundled Digital 19.2 Kbps		2	UDL	UDL19	44.40	498.05	343.70	129.62	64.25			27.37	12.97	17.77	
	4 Wire Unbundled Digital 19.2 Kbps		3	UDL	UDL19	80.45	498.05	343.70	129.62	64.25			27.37	12.97	17.77	
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1		1	UDL	UDL56	27.33	498.05	343.70	129.62	64.25			27.37	12.97	17.77	
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2		3	UDL UDL	UDL56 UDL56	44.40 80.45	498.05	343.70	129.62	64.25			27.37 27.37	12.97 12.97	17.77	
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3 Order Coordination for Specified Conversion Time (per LSR)		3	UDL	OCOSL	80.45	498.05 45.99	343.70	129.62	64.25			21.31	12.97	17.77	17.77
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1		1	UDL	UDL64	27.33	498.05	343.70	129.62	64.25			27.37	12.97	17.77	17.77
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2		2	UDL	UDL64	44.40	498.05	343.70	129.62	64.25			27.37	12.97	17.77	
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3		3	UDL	UDL64	80.45	498.05	343.70	129.62	64.25			27.37	12.97	17.77	
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		45.99									<u> </u>
2 Wine	CLEC to CLEC Conversion Charge without outside dispatch		<u> </u>	UDL	UREWO		131.69	38.69	-	 	<u> </u>		27.37	12.97	17.77	17.77
Z-WIRE	Unbundled COPPER LOOP 2-Wire Unbundled Copper Loop/Short including manual service	-	1		+				1	1	 		-			+
	inquiry & facility reservation - Zone 1		1	UCL	UCLPB	11.90	283.37	163.68	120.15	22.37			18.94	8.42		
	2-Wire Unbundled Copper Loop/Short including manual service		<u> </u>		302.2		200.07	.00.00	.20.10	22.07			.0.04	5.72		
	inquiry & facility reservation - Zone 2	L_	2	UCL	UCLPB	13.74	283.37	163.68	120.15	22.37	<u></u>		18.94	8.42		<u> </u>
	2 Wire Unbundled Copper Loop/Short including manual service															
\vdash	inquiry & facility reservation - Zone 3		3	UCL	UCLPB	21.83	283.37	163.68	120.15	22.37	<u> </u>		18.94	8.42		
 	Order Coordination for Unbundled Copper Loops (per loop) 2-Wire Unbundled Copper Loop/Short without manual service	-	1	UCL	UCLMC		36.46	36.46	1	1	 		-			+
	inquiry and facility reservation - Zone 1	l i	1	UCL	UCLPW	11.90	104.17	78.10					18.94	8.42		
	2-Wire Unbundled Copper Loop/Short without manual service	Ė	Ė						İ	İ			13.31	5: 12		1
	inquiry and facility reservation - Zone 2	I	2	UCL	UCLPW	13.74	104.17	78.10					18.94	8.42		
	2-Wire Unbundled Copper Loop/Short without manual service	l . ¯	l				,			1						
	inquiry and facility reservation - Zone 3		3	UCL	UCLPW	21.83	104.17 36.46	78.10			<u> </u>		18.94	8.42		
	Order Coordination for Unbundled Copper Loops (per loop) 2-Wire Unbundled Copper Loop/Long - includes manual srvc.	-	1	UUL	UCLIVIC		30.46	36.46	1	1	 		-			+
	inquiry and facility reservation - Zone 1		1	UCL	UCL2L	35.43	270.28	150.59	120.15	22.37			18.94	8.42		
	1 1. 7	•	• •	–	,	550	0.20	.00.00			1			J. 72		

UNBUNDLED	NETWORK ELEMENTS - Alabama			1							1		Attachment:	2		Exhibit: I
CATEGORY	RATE ELEMENTS	Interi m	Zone	всѕ	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrec		Nonrecurring					RATES (\$)		
	O Miss Unbounded Connections // continuous includes account as a					\longmapsto	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Unbundled Copper Loop/Long - includes manual svc. inquiry and facility reservation - Zone 2		2	UCL	UCL2L	40.91	270.28	150.59	120.15	22.37			18.94	8.42	l '	l
	2-Wire Unbundled Copper Loop/Long - includes manual svc.			UCL	UCLZL	40.91	210.20	150.59	120.15	22.31		-	10.94	0.42		
	inquiry and facility reservation - Zone 3		3	UCL	UCL2L	65.02	270.28	150.59	120.15	22.37			18.94	8.42	l '	
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC	00.02	36.46	36.46	120110	22.07			10.01	0. 12	[
	2-Wire Unbundled Copper Loop/Long - without manual service						55.15	00.10							i	
	inquiry and facility reservation - Zone 1	- 1	1	UCL	UCL2W	35.43	104.17	78.10					18.94	8.42	ł '	
	2-Wire Unbundled Copper Loop/Long - without manual service												i I	1	i '	
	inquiry and facility reservation - Zone 2	- 1	2	UCL	UCL2W	40.91	104.17	78.10					18.94	8.42	 '	
	2-Wire Unbundled Copper Loop/Long - without manual service		_		1101 6:11		40				1				1	1
\longrightarrow	inquiry and facility reservation - Zone 3	ı	3	UCL UCL	UCL2W UCLMC	65.02	104.17 36.46	78.10 36.46					18.94	8.42		
	Order Coordination for Unbundled Copper Loops (per loop) CLEC to CLEC Conversion Charge without outside dispatch			UCL	UCLIVIC	 	36.46	30.40							 	
	(UCL-Des)			UCL	UREWO		104.17	31.42					18.94	8.42	ł '	
	CLEC to CLEC Conversion Charge without outside dispatch			JUL	SIVEAAO	 	104.17	31.42					10.54	0.42		-
	(UCL-ND)			UEQ	UREWO	1	44.69	22.02			1		18.94	8.42	1	1
4-WIRE	COPPER LOOP														i	
	4-Wire Copper Loop/Short - including manual service inquiry												1	i i	1	
	and facility reservation - Zone 1		1	UCL	UCL4S	16.65	331.78	212.09	130.69	27.60			27.37	8.42		
	4-Wire Copper Loop/Short - including manual service inquiry		_											l'	l '	l
	and facility reservation - Zone 2		2	UCL	UCL4S	19.22	331.78	212.09	130.69	27.60			18.94	8.42	 '	
	4-Wire Copper Loop/Short - including manual service inquiry		3	UCL	UCL4S	30.55	331.78	212.09	130.69	27.60			18.94	8.42	l '	İ
	and facility reservation - Zone 3 Order Coordination for Unbundled Copper Loops (per loop)		3	UCL	UCL4S UCLMC	30.55	36.46	36.46	130.69	27.60			18.94	8.42		
	4-Wire Copper Loop/Short - without manual service inquiry and			UCL	OCLIVIC	 	30.40	30.40								
	facility reservation - Zone 1	1	1	UCL	UCL4W	16.65	104.17	78.10					18.94	8.42	ł '	ĺ
	4-Wire Copper Loop/Short - without manual service inquiry and						-								i	
	facility reservation - Zone 2	- 1	2	UCL	UCL4W	19.22	104.17	78.10					18.94	8.42	ł '	ĺ
	4-Wire Copper Loop/Short - without manual service inquiry and												1	1	1	
	facility reservation - Zone 3	ı	3	UCL	UCL4W	30.55	104.17	78.10					18.94	8.42	 '	
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		36.46	36.46						<u>'</u>	 '	
	4-Wire Unbundled Copper Loop/Long - includes manual svc.			1101	1101.41	47.50	240.70	400.00	420.00	07.00			40.04	0.40	l '	İ
	inquiry and facility reservation - Zone 1 4-Wire Unbundled Copper Loop/Long - includes manual svc.		1	UCL	UCL4L	47.56	318.70	199.00	130.69	27.60			18.94	8.42	 	
	inquiry and facility reservation - Zone 2		2	UCL	UCL4L	54.92	318.70	199.00	130.69	27.60			18.94	8.42	ł '	l
	4-Wire Unbundled Copper Loop/Long - includes manual svc.			002	OOLTE	04.02	010.70	100.00	100.00	27.00			10.54	0.42		
	inquiry and facility reservation - Zone 3		3	UCL	UCL4L	87.30	318.70	199.00	130.69	27.60			18.94	8.42	l '	l
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		36.46	36.46						i	i	
	4-Wire Unbundled Copper Loop/Long - without manual svc.												ı	ı 	i	1
	inquiry and facility reservation - Zone 1	I	1	UCL	UCL4O	47.56	104.17	78.10					18.94	8.42	 	└
	4-Wire Unbundled Copper Loop/Long - without manual svc.		_	LICI	1101.40	5400	404.4-	70.40			1		40.01		1	1
	inquiry and facility reservation - Zone 2	- 1	2	UCL	UCL4O	54.92	104.17	78.10					18.94	8.42	 '	├
	4-Wire Unbundled Copper Loop/Long - without manual svc. inquiry and facility reservation - Zone 3	- 1	3	UCL	UCL4O	87.30	104.17	78.10					18.94	8.42	1	1
	Order Coordination for Unbundled Copper Loops (per loop)	'	J	UCL	UCLMC	07.30	36.46	36.46					10.94	0.42		
$\overline{}$	CLEC to CLEC conversion Charge without outside dispatch			UCL	UREWO	 	104.17	31.42					18.94	8.42	1	
LOOP MODIFICA																
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire			UAL, UHL, UCL,	1								i			
	pair less than or equal to 18k ft	I		UEQ, ULS	ULM2L		67.39	67.39						ļ	<u> </u>	
	Unbundled Loop Modification, Removal of Load Coils - 2 wire			l	I	1 Τ		. 7			1		, J	ı [¬]	1	1
	greater than 18k ft	ı		UCL, ULS	ULM2G		337.50	337.50						ļ!	 	└
	Unbundled Loop Modification Removal of Load Coils - 4 Wire				LILME	1	07.00	07.00			1		, ,	1	1	1
	less than or equal to 18K ft Unbundled Loop Modification Removal of Load Coils - 4 Wire	I		UHL, UCL	ULM4L	├ ───	67.39	67.39				-			 '	
	pair greater than 18k ft			LICI	ULM4G	1	337.50	337.50			1		, ,	, '	1	1
					JEIVITO		331.30	337.30	1			1				
				UAL. UHL. UCI									1	'	•	I .
	pair greater than 18k tt Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop	1		UAL, UHL, UCL, UEQ, UEF, ULS	ULMBT		78.10	78.10								

Incremental Incremental Incremental Incremental Charge -	LINDUNDI ED	NETWORK ELEMENTS - Alabama												Attachment	2		Exhibit: B
CATEGORY RATE ELEMENTS Manual Part M	UNBUNDLEL	NETWORK ELEMENTS - Alabama	1		I	1	1					1	1	Attachment:	2		EXNIBIT: B
ATT CLEMENTS Part Color Colo																	Incremental
Second Contract of the United Second Contract of															Charge -		Charge -
Substitution	CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			Svc Order	Svc Order	Manual Svc	Manual Svc	Manual Svc	Manual Svc
Bit	OATEGORI	KATE ELEMENTO	m	Zone	500	0000			ικτι Ευ(ψ)			Submitted	Submitted	Order vs.	Order vs.	Order vs.	Order vs.
Section Sect																	
Sub-Logo Sub-limitation																	
Sel-Long Distribution				1								per Lak	per LSK	151	Auu i	DISC 1St	DISC Add I
Sel-Long Distribution							B				. B'			000	ATEO (A)		
Section Processor Process Pr				1			Kec					001150	001111		RATES (\$)	001441	001441
Sub-Logo - Per Cross Box Location - CLEC Freeder Family Set 1	0.1.1.	- Pi-rail and an		1				FIrst	Addi	First	Addi	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
1	Sub-Loc																
Sub-Locy - Detrotion Fee Zumen Flours - Fee Zumen Flours - CEC Flower 1		,															
Sub-Loop - Part Bulling Equipment Room - CLEC Feeder 1		Up	ı		UEANL	USBSA		421.08	421.08					18.94	8.42		
Sub-Loop - Part Bulling Equipment Room - CLEC Feeder 1																	
Faulty Set-Up Faulty Set-Up 1 UCPAL USSSC 394.74 394.74 16.84 3.42			ı		UEANL	USBSB		67.10	67.10					18.94	8.42		
Suit-Loop - Per Building Equipment Routing Equipment Routing Equipment Routing Price Part and Selection Destroy Vivos Grade Loop - Source Lo																	
Set-Up S			I		UEANL	USBSC		394.74	394.74					18.94	8.42		
Sub-Loco Databetion Per Avvier Auting Voca Grade Locy Switch Sub-Loco Databetion Switch Swit												1					
Shawards			I		UEANL	USBSD		154.57	154.57]				18.94	8.42		<u> </u>
Crider Coordination for Unbounded Sub-Loops, per Bub-loop part UEANL USBNC 46.99 45.99 45.99 45.99 45.90 123.72 28.77 18.94 8.42 18.94 8.42 18.94 19.94																	
Stud-Loop Distribution Port -4-Wine Analogy Votor Grade Loop - Sew UEANL USBM4 8.32 219.55 77.99 123.72 28.77 18.64 6.42		Statewide		SW	UEANL	USBN2	9.12	207.01	171.32	<u> </u>				18.94	8.42		
Stud-Loop Distribution Port -4-Wine Analogy Votor Grade Loop - Sew UEANL USBM4 8.32 219.55 77.99 123.72 28.77 18.64 6.42																	
Statewide		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		45.99	45.99								
Coder Coordination for Unbundled Sub-Loops, per sub-loop per UEANL USBMC 46.59 45.99		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -															
Sub-Loop 2-Wine Intrabulating Network Cable (INC)				sw	UEANL	USBN4	8.32	219.35	72.99	123.72	28.77			18.94	8.42		
Sub-Loop 2-Wine Intrabulating Network Cable (INC)																	
Order Coordination for Unburndled Sub-Loops, per sub-loop pair UEANL USBMC		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		45.99	45.99								
Order Coordination for Unburndled Sub-Loops, per sub-loop pair UEANL USBMC		Sub-Loop 2-Wire Intrabuilding Network Cable (INC)	-		UEANL	USBR2	1.61	137.03	41.59	115.85	19.17			18.94	8.42		
Sub-Loop 4-Wire Introduction (Newton)																	
Sub-Loop 4-Wire Introduction (Newton)		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		45.99	45.99								
Order Coordination for Unbundled Sub-Loop, per sub-loop pair UEANL USBMC 45.99 45.99 10.686 24.53 18.94 8.42							2.96			122.17	19.57			18.94	8.42		
2 Wire Copper Unbundied Sub-Loop Distribution - Statewide Sw UEF USBMC 45.99 45.99 45.99 45.99 46.99	 	Cas 200p 1 11110 Intrasarang Notificia Casto (1110)	· ·	1	0271112	CODIT.	2.00		00.11		10.01			10.01	0.12		
2 Wire Copper Unbundied Sub-Loop Distribution - Statewide Sw UEF USBMC 45.99 45.99 45.99 45.99 46.99		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			ΠΕΔΝΙ	LISBMC		45 99	45 99								
Order Coordination for Unbundled Sub-Loops, per sub-loop pair UEF USBMC 45.99 45.99 123.72 26.77 18.94 8.42	 			SW			5 54			108.86	24 53			18 94	8 42		
A Wire Copper Unburdled Sub-Loop Distribution - Statewide Sw UEF UCSAX 6.89 219.35 72.99 123.72 28.77 18.94 8.42		2 Wife Copper Oribunaled Cub-Loop Distribution - Statewide		SW	OLI	0002X	3.34	175.10	33.30	100.00	24.55			10.34	0.42		
A Wire Copper Unburndled Sub-Loop Distribution - Statewide Sw UEF UCSAX 6.89 219.35 72.99 123.72 28.77 18.94 8.42		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			LIEE	LISBMC		45.00	45.00								
Driver Coordination for Unbundled Sub-Loop Age as b-loop pair UEF USBMC 45.99 45.99				CW			6.80			123 72	28 77			18 0/	8 42		
Unbundled Sub-Loop Modification - 2-W Copper Dist Load UEF ULM2X 355.71 12.26 18.94 8.42 UEF ULM2X ULM2X UEF ULM2X	+	4 Wife Copper Oriburialed Sub-Loop Distribution - Statewide		SW	ULI	00347	0.09	219.33	12.55	123.12	20.11			10.34	0.42		ļ
Unbundled Sub-Loop Modification - 2-W Copper Dist Load UEF ULM2X 355.71 12.26 18.94 8.42 UEF ULM2X ULM2X UEF ULM2X		Order Coordination for Unbundled Sub Leans, per sub lean pair			LIEE	LICDMC		45.00	45.00								
Unbundled Sub-Loop Modification - 2-W Copper Dist Load UEF ULM2X 355.71 12.26 18.94 8.42	Unbund			1	UEF	USBIVIC		45.99	45.99								ļ
CollEquip Removal per 2-W PR	Ulibulio			1													ļ
Inhundled Sub-loop Modification - 4-W Copper Dist Load UFF ULMAX 335.71 12.26 18.94 8.42 18.94 8.42 18.94 8.42 18.94 8.42 18.94 8.42 18.94 18.94 8.42 18.94 18.94 8.42 18.94 18.					LIEE	LILMOV		255 74	10.06					10.04	0.40		
Colifequip Removal per 4-W PR					UEF	ULIVIZA		333.71	12.20					10.94	0.42		
Unbundled Sub-loop Modification - 2-wid-w Copper Dist Bridged Tap Removal, per PR unloaded UEF					uee	LILBAAY		255.74	40.00					40.04	0.40		
Tap Removal, per PR unloaded UEF ULMAT 560.55 14.30 18.94 8.42 Unbundled Network Terminating Wire (UNTW) E	\vdash		-	+	ULF	ULIVI4X	1	300.71	12.26			-	-	18.94	8.42		
Unbundled Network Terminating Wire (UNTW) UENTW UENTP 1.37 2.48 2.48 1.74 1.74 18.94 8.42					luce	LILAAT		500 55	44.00					40.04	0.40		
Unbundled Network Terminating Wire (UNTW) per Pair	I lok			1	ULF	ULIVI4 I	1	300.35	14.30	 		 		18.94	8.42		1
Network Interface Device (NID) - 1-2 lines	onbund			1	LICATON	LIENDO	1.0-	2.42	0.70	4	4	 		10.01	0.40		
Network Interface Device (NID) - 1-2 lines				-	UENIW	UENPP	1.37	2.48	2.48	1./4	1.74		ļ	18.94	8.42		<u> </u>
Network Interface Device (NID) - 1-8 lines	Network			1	LIENITA	LINIDAO	1	00.10	F0	1		1		40.01	0.10		
Network Interface Device Cross Connect - 2 W	\vdash			1													
Network Interface Device Cross Connect - 4W				1								ļ					
SUB-LOOPS Sub-Loop Feeder	\vdash						ļ			1							├
Sub-Loop Feeder USL-Feeder, DSO Set-up per Cross Box location - CLEC Distribution Facility set-up USL Feeder - DSO Set-up per Cross Box location - per 25 pair set-up USL Feeder - DSO Set-up per Cross Box location - per 25 pair set-up UEA, UDN,UCL,UDL,UDC USBFW UEA, UDN,UCL,UDL,UDC USBFX 67.10 67.10 USL Feeder DSI Set-up at DSX location, per DS1 termination USL USBFZ UDN,UCL,UDL,UDC USBFX 67.10 67.10 USL USBFZ 519.95 11.32 Unbundled Sub-Loop Feeder Loop, 2 Wire Ground-Start, Voice Grade- Statewide Sw UEA USBFA UEA OCOSL USBFA 421.08 421.08 421.08 421.08 67.10 67.10 17.10 18.94 8.42 19.95 11.95 27.04 18.94 8.42 18.94 8.42 UEA USBFB UBA USBFB UBA USBFB UBA USBFB UBA USBFB UBA USBFB UBA USBFB UBA USBFB	1	INETWORK INTERFACE Device Cross Connect - 4W		1	UENIW	UNDC4		11.73	11.73			ļ		18.94	8.42		_
USL-Feeder, DS0 Set-up per Cross Box location - CLEC UEA, UDN,UCL,UDL,UDC USBFW USL Feeder - DS0 Set-up per Cross Box location - per 25 pair set-up UDN,UCL,UDL,UDC USBFW UDN,UCL,UDL,UDC USBFX G7.10 G7		<u> </u>		1		ļ											
Distribution Facility set-up UDN,UCL,UDL,UDC USBFW 421.08 USL Feeder - DSO Set-up per Cross Box location - per 25 pair set-up UDN,UCL,UDL,UDC USBFX UDN,UCL,UDL,UDC USBFX G7.10 G7.10 USL Feeder DS1 Set-up at DSX location, per DS1 termination USL USBFZ 519.95 11.32 Unbundled Sub-Loop Feeder Loop, 2 Wire Ground-Start, Voice Grade- Statewide Sw UEA USBFA 8.58 206.44 170.05 119.95 27.04 18.94 8.42	Sub-Loc			-													_
USL Feeder - DS0 Set-up per Cross Box location - per 25 pair set-up UEA, UDN,UCL,UDL,UDC USBFX UDN,UCL,UDL,UDC USBFX UDN,UCL,UDL,UDC USBFX UDN,UCL,UDL,UDC USBFX UDN,UCL,UDL,UDC USBFX UDN,UCL,UDL,UDC USBFX USBFZ U																	
Set-up Set-up at DSX location, per DS1 termination USL USBFX 67.10 67.10 Set-up at DSX location, per DS1 termination USL USBFZ 519.95 11.32 Set-up at DSX location, per DS1 termination USL USBFZ Set-up at DSX location, per DS1 termination USL USBFZ Set-up at DSX location, per DS1 termination USL USBFZ Set-up at DSX location, per DS1 termination USL USBFZ Set-up at DSX location, per DS1 termination USL USBFZ Set-up at DSX location, per DS1 termination USL USBFX Set-up at DSX location, per DS1 termination USL USBFA Set-up at DSX location, per DS1 termination USL USBFA Set-up at DSX location, per DS1 termination USL USBFA Set-up at DSX location, per DS1 termination USL USBFA Set-up at DSX location, per DS1 termination USL USBFA Set-up at DSX location, per DS1 termination USL USBFA Set-up at DSX location, per DS2 USA USBFA USBFA Set-up at DSX location, per DS2 USA USBFA USBFA USBFA Set-up at DSX location, per DS2 USA USBFA	\vdash			1		OSBEM		421.08				ļ					
USL Feeder DS1 Set-up at DSX location, per DS1 termination																	
Unbundled Sub-Loop Feeder Loop, 2 Wire Ground-Start, Voice Sw UEA USBFA 8.58 206.44 170.05 119.95 27.04 18.94 8.42										ļ				ļ			<u> </u>
Grade- Statewide				<u> </u>	USL	USBFZ		519.95	11.32	ļ							ļ
Order Coordination for Specified Conversion Time, per LSR UDEA Unbundled Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice Grade - Statewide Order Coordination for Specified Time Conversion, per LSR UDEA USBFB UBA USBFB UBA USBFB UBA USBFB UBA USBFB UBA USBFB UBA USBFB UBA USBFB UBA USBFB UBA USBFB UBA USBFB UBA USBFB UBA USBFB UBA USBFB UBA USBFB UBA USBFB UBA USBFB UBA USBFB UBA UBA USBFB UBA USBFB UBA USBFB UBA USBFB UBA USBFB UBA USBFB UBA UBA USBFB UBA USBFB UBA USBFB UBA USBFB UBA USBFB UBA USBFB UBA UBA USBFB UBA USBFB UBA USBFB UBA USBFB UBA USBFB UBA USBFB UBA UBA USBFB UBA USBFB UBA USBFB UBA USBFB UBA USBFB UBA USBFB UBA UBA USBFB UBA USBFB UBA USBFB UBA USBFB UBA USBFB UBA USBFB UBA UBA USBFB UBA USBFB UBA UBA USBFB UBA UBA USBFB UBA UBA USBFB UBA UBA USBFB UBA UBA USBFB UBA UBA USBFB UBA UBA USBFB UBA UBA UBA UBA UBA UBA UBA UBA UBA UB																	
Unbundled Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice Sw UEA USBFB 8.58 206.44 170.05 119.95 27.04 18.94 8.42				SW			8.58		170.05	119.95	27.04			18.94	8.42		
Grade - Statewide					UEA	OCOSL		45.99									
Order Coordination for Specified Time Conversion, per LSR UEA OCOSL 45.99 Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery,																	
Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery,				SW			8.58		170.05	119.95	27.04			18.94	8.42		
					UEA	OCOSL		45.99									
Voice Grade Loop - Statewide																	
	1 1	Voice Grade Loop - Statewide		sw	UEA	USBFC	8.58	206.44	170.05	119.95	27.04	l	1	18.94	8.42		

UNBUNDLE	NETWORK ELEMENTS - Alabama												Attachment:	2		Exhibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR		Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring	g Disconnect				RATES (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Order Coordination For Specified Conversion Time, per LSR			UEA	OCOSL		45.99									
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice Grade - Statewide		sw	UEA	USBFD	19.91	243.41	81.32	134.77	33.93			18.94	8.42		
	Order Coordination For Specified Conversion Time, Per LSR			UEA	OCOSL		45.99									
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice Grade - Statewide		SW	UEA	USBFE	19.91	243.41	81.32	134.77	33.93			18.94	8.42		
	Order Coordination For Specified Conversion Time, Per LSR			UEA	OCOSL		45.99									
	Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Statewide		sw	UDN	USBFF	17.73	208.50	62.31	119.68	29.58			19.99	19.99	19.99	19.99
	Order Coordination For Specified Conversion Time, Per LSR			UDN	OCOSL		45.99									
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)		SW	UDC	USBFS	17.73	208.50	62.31	119.68	29.58			19.99	19.99	19.99	19.99
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Statewide		SW	USL	USBFG	79.30	203.69	128.76	124.09	34.80			19.99	19.99	19.99	19.99
	Order Coordination For Specified Conversion Time, Per LSR Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop -			USL	OCOSL		45.99									
	Statewide		sw	UCL	USBFH	7.22	195.38	63.15	119.68	29.58			18.94	8.42		
	Order Coordination For Specified Conversion Time, per LSR			UCL	OCOSL		45.99									
	Sub-Loop Feeder - Per 4-Wire Copper Loop - Statewide		SW	UCL	USBFJ	13.72	243.41	81.32	134.77	33.93			18.94	8.42		
	Order Coordination For Specified Conversion Time, per LSR			UCL	OCOSL		45.99									
	Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop		SW	UDL	USBFN	24.50	243.41	81.32	134.77	33.93			19.99	19.99	19.99	19.99
	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop - Statewide		sw	UDL	USBFO	24.50	243.41	81.32	134.77	33.93			19.99	19.99	19.99	19.99
	Order Coordination For Specified Time Conversion, per LSR			UDL	OCOSL		45.99									
	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - Statewide		SW	UDL	USBFP	24.50	243.41	81.32	134.77	33.93			19.99	19.99	19.99	19.99
	Order Coordination For Specified Conversion Time, per LSR			UDL	OCOSL		45.99									
SUB-LOOPS	op Feeder															
Sub-Lo	Sub Loop Feeder - DS3 - Per Mile Per Month			UE3	1L5SL	13.55			-			-				
	Sub Loop Feeder - DS3 - Fer Wille Fer Worlth Sub Loop Feeder - DS3 - Facility Termination Per Month			UE3	USBF1	332.40	3,384.00	407.00	160.47	90.97			31.31	31.31	3.93	3.93
	Sub Loop Feeder – STS-1 – Per Mile Per Month			UDLSX	1L5SL	13.55	0,004.00	407.00	100.47	30.37			01.01	01.01	0.00	0.00
	Sub Loop Feeder - STS-1 - Facility Termination Per Month			UDLSX	USBF7	357.36	3,384.00	407.00	160.47	90.97			31.31	31.31	3.93	3.93
	Sub Loop Feeder – OC-3 – Per Mile Per Month			UDLO3	1L5SL	10.28	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,									
	Sub Loop Feeder - OC-3 - Facility Termination Protection Per Month			UDLO3	USBF5	54.89										
	Sub Loop Feeder - OC-3 - Facility Termination Per Month			UDLO3	USBF2	538.69	3,384.00	407.00	160.47	90.97			31.31	31.31	3.93	3.93
	Sub Loop Feeder - OC-12 - Per Mile Per Month			UDL12	1L5SL	12.66	·									
	Sub Loop Feeder - OC-12 - Facility Termination Protection Per Month			UDL12	USBF6	620.18										
	Sub Loop Feeder - OC-12 - Facility Termination Per Month			UDL12	USBF3	1,729.00	3,384.00	407.00	160.47	90.97			31.31	31.31	3.93	3.93
	Sub Loop Feeder - OC-48 - Per Mile Per Month			UDL48	1L5SL	41.51	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,									
	Sub Loop Feeder - OC-48 - Facility Termination Protection Per Month			UDL48	USBF9	310.30										
	Sub Loop Feeder - OC-48 - Facility Termination Per Month			UDL48	USBF4	1,495.00	3,570.00	407.00	160.47	90.97			31.31	31.31	3.93	3.93
	Sub Loop Feeder - OC-12 Interface On OC-48			UDL48	USBF8	350.09	788.09	407.00	160.47	90.97			31.31	31.31	3.93	3.93
UNBUNDLED L	OOP CONCENTRATION															
	Unbundled Loop Concentration - System A (TR008)			ULC	UCT8A	441.42	650.81	650.81					19.99	19.99	19.99	19.99
	Unbundled Loop Concentration - System B (TR008)			ULC	UCT8B	52.97	271.17	271.17			ļ		19.99	19.99	19.99	19.99
	Unbundled Loop Concentration - System A (TR303)			ULC	UCT3A	478.93	650.81	650.81	1				10.00	10.00	10.00	10.00
	Unbundled Loop Concentration - System B (TR303)			ULC	UCT3B UCTCO	89.26 5.04	271.17 126.57	271.17 92.14	22.57	9.40	1	-	19.99 19.99	19.99 19.99	19.99 19.99	19.99 19.99
	Unbundled Loop Concentration - DS1 Loop Interface Card Unbundled Loop Concentration - ISDN Loop Interface (Brite			ULC					33.57							
	Card) Unbundled Loop Concentration - UDC Loop Interface (Brite			UDN	ULCC1	8.00	21.07	20.96	10.78	10.71		 	19.99	19.99	19.99	19.99
	Card) Unbundled Loop Concentration2 Wire Voice-Loop Start or			UDC	ULCCU	8.00	21.07	20.96	10.78	10.71		-	19.99	19.99	19.99	19.99
	Ground Start Loop Interface (POTS Card) Unbundled Loop Concentration - 2 Wire Voice - Reverse Battery			UEA	ULCC2	2.00	21.07	20.96	10.78	10.71			18.94	8.42		
	Loop Interface (SPOTS Card)			UEA	ULCCR	11.89	21.07	20.96	10.78	10.71			18.94	8.42		

UNBUNDLED	NETWORK ELEMENTS - Alabama												Attachment:	2		Exhibit: E
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonred First	curring Add'l	Nonrecurring First	g Disconnect Add'l	SOMEC	SOMAN	OSS F	RATES (\$)	SOMAN	SOMAN
	Unbundled Loop Concentration - 4 Wire Voice Loop Interface						Filst	Auu i	Filst	Auu i	SOMEC	JOWAN	SOWAN	SOWAN	SOWAN	JOWAN
	(Specials Card)			UEA	ULCC4	7.09	21.07	20.96	10.78	10.71			18.94	8.42		
	Unbundled Loop Concentration - TEST CIRCUIT Card			ULC	UCTTC	34.67	21.07	20.96	10.78	10.71			19.99	19.99	19.99	19.99
	Unbundled Loop Concentration - Digital 19.2 Kbps Data Loop Interface			UDL	ULCC7	10.51	21.07	20.96	10.78	10.71			19.99	19.99	19.99	19.99
	Unbundled Loop Concentration - Digital 56 Kbps Data Loop			UDL	ULCCI	10.51	21.07	20.96	10.76	10.71			19.99	19.99	19.99	19.99
	Interface			UDL	ULCC5	10.51	21.07	20.96	10.78	10.71			19.99	19.99	19.99	19.99
	Unbundled Loop Concentration - Digital 64 Kbps Data Loop															
	Interface			UDL	ULCC6	10.51	21.07	20.96	10.78	10.71			19.99	19.99	19.99	19.99
UNE OTHER, P	ROVISIONING ONLY - NO RATE NID - Dispatch and Service Order for NID installation			UENTW	UNDBX											
	UNTW Circuit Id Establishment, Provisioning Only - No Rate			UENTW	UENCE											
	OTTER Circuit to Establishment, 1 Tovisioning Only - No Rate			UEANL,UEF,UEQ,U	OLINOL											
	Unbundled Contract Name, Provisioning Only - No Rate			ENTW	UNECN											
UNE OTHER, P	ROVISIONING ONLY - NO RATE															
	Unbundled Contact Name, Provisioning Only - no rate			UAL,UCL,UDC,UDL, UDN,UEA,UHL,ULC	UNECN	0.00	0.00									
	Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no rate			UEA,UDN,UCL,UDC	USBFQ	0.00	0.00									
	Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no			UEA,USL,UCL,UDL	USBFR	0.00	0.00									
	Unbundled DS1 Loop - Superframe Format Option - no rate			USL	CCOSF	0.00	0.00									
	Unbundled DS1 Loop - Expanded Superframe Format option -			002		0.00	0.00			İ						
	no rate			USL	CCOEF	0.00	0.00									
	Y UNBUNDLED LOCAL LOOP															
NOTE: 4	month minimum billing period															
	High Capacity Unbundled Local Loop - DS3 - Per Mile per month			UE3	1L5ND	10.16										
	High Capacity Unbundled Local Loop - DS3 - Facility Termination per month			UE3	UE3PX	374.52	903.03	527.87	238.97	167.16			31.31	31.31	3.93	3.93
	High Capacity Unbundled Local Loop - STS-1 - Per Mile per month			UDLSX	1L5ND	10.16										
	High Capacity Unbundled Local Loop - STS-1 - Facility Termination per month			UDLSX	UDLS1	387.67	903.03	527.87	238.97	167.16			31.31	31.31	3.93	3.93
LOOP MAKE-U																
	Loop Makeup - Preordering Without Reservation, per working or spare facility queried (Manual).	1		UMK	UMKLW		131.22	131.22								
	Loop Makeup - Preordering With Reservation, per spare facility gueried (Manual).	ı		UMK	UMKLP		136.93	136.93								
	Loop MakeupWith or Without Reservation, per working or spare facility queried (Mechanized)	ı		UMK	PSUMK		0.9809855	0.9809855								
HIGH FREQUEN	NCY SPECTRUM				. JOIVIN		0.0000000	0.0000000								
	ERS-CENTRAL OFFICE BASED									1					Ì	
	Line Sharing Splitter, per System 96 Line Capacity			ULS	ULSDA	152.70	221.09	0.00	254.79	0.00		0.00				
	Line Sharing Splitter, per System 24 Line Capacity			ULS	ULSDB	38.18	221.09	0.00	254.79	0.00		0.00				
	Line Sharing Splitter, Per System, 8 Line Capacity	ı		ULS	ULSD8	12.73	221.09	0.00	254.79	0.00		0.00				
	Line Sharing-DLEC Owned Splitter in CO-CFA activation- deactivation (per LSOD)	1		ULS	ULSDG		57.70		11.39							
END US	ER ORDERING-CENTRAL OFFICE BASED-HIGH FREQUENCY	SPECTI	RUM A		02000		37.70		11.59							
	Line Sharing - per Line Activation			ULS	ULSDC	0.61	39.09	20.94	22.15	9.46			27.37	12.97	17.77	17.77
	Line Sharing - per Subsequent Activity per Line Rearrangement	ı		ULS	ULSDS		34.90	16.18					27.37	12.97		
	Line Splitting - per line activation DLEC owned splitter	i		UEPSR UEPSB	UREOS	0.61	34.90	10.10		1			27.57	12.51		
	Line Splitting - per line activation BST owned - physical	i		UEPSR UEPSB	UREBP	0.641	37.01	21.19	20.02	9.83						
	Line Splitting - per line activation BST owned - virtual	ı		UEPSR UEPSB	UREBV	0.639	37.01	21.19	20.02	9.83						
UNBUNDLED T																
INTERC	FFICE CHANNEL - DEDICATED TRANSPORT - VOICE GRADE			<u> </u>						1					<u> </u>	

TUNBUNDLE	D NETWORK ELEMENTS - Alabama												Attachment:	2		Exhibit: E
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc	Incremental Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge -
						Rec	Nonrec		Nonrecurring					RATES (\$)	1	
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -				+		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Per Mile per month Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Interoffice Channel - Dedicated Transport - 2- Wire Voice Grade -			U1TVX	1L5XX	0.0101										
	Facility Termination per month			U1TVX	U1TV2	24.15	81.07	54.82	33.47	13.79			31.31	31.31	3.93	3.93
	Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade Rev Bat Per Mile per month			U1TVX	1L5XX	0.0101			-							
	Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat Facility Termination per month			U1TVX	U1TR2	24.15	81.07	54.82	33.47	13.79			31.31	31.31	3.93	3.93
	Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade -															
	Per Mile per month Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade			U1TVX	1L5XX	0.0101	04.07	54.00	00.47	40.70			24.04	04.04	0.00	0.00
	- Facility Termination per month Interoffice Channel - Dedicated Transport - 56 kbps - per mile			U1TVX	U1TV4	21.41	81.07	54.82	33.47	13.79			31.31	31.31	3.93	3.93
	per month Interoffice Channel - Dedicated Transport - 56 kbps - Facility			U1TDX	1L5XX	0.0101										
	Termination per month			U1TDX	U1TD5	17.28	81.07	54.82	33.47	13.79			31.31	31.31	3.93	3.93
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month			U1TDX	1L5XX	0.0101										
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination per month			U1TDX	U1TD6	17.28	81.07	54.82	33.47	13.79			31.31	31.31	3.93	3.93
INTER	DFFICE CHANNEL - DEDICATED TRANSPORT - DS1			OTIDA	OTTDO	17.20	61.07	34.02	33.47	13.79			31.31	31.31	3.33	3.33
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month			U1TD1	1L5XX	0.2067										
	Interoffice Channel - Dedicated Tranport - DS1 - Facility Termination per month			U1TD1	U1TF1	68.75	178.53	163.61	32.70	28.88			31.31	31.31	3.93	3.93
INTER	OFFICE CHANNEL - DEDICATED TRANSPORT- DS3															
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month			U1TD3	1L5XX	4.67										
	Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month			U1TD3	U1TF3	804.02	557.49	325.51	120.39	116.91			31.31	31.31	3.93	3.93
INTER	OFFICE CHANNEL - DEDICATED TRANSPORT- STS-1															
	Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month			U1TS1	1L5XX	4.67										
	Interoffice Channel - Dedicated Transport - STS-1 - Facility Termination per month			U1TS1	U1TFS	801.57	557.49	325.51	120.39	116.91			31.31	31.31	3.93	3.93
	CHANNEL - DEDICATED TRANSPORT	L.,	l													
NOTE:	LOCAL CHANNEL DEDICATED TRANSPORT - minimum billing Local Channel - Dedicated - 2-Wire Voice Grade Per Month	period	- pelov	ULDVX	ULDV2	re=four months 15.96	386.19	66.33	73.28	6.39		-	31.31	31.31	3.93	3.93
	Local Channel - Dedicated - 2-Wire Voice Grade Rev Bat per															
	month Local Channel - Dedicated - 4-Wire Voice Grade per month		 	ULDVX UNDVX	ULDR2 ULDV4	15.96 17.06	386.19 387.19	66.33 67.20	73.28 74.22	6.39 7.33		1	31.31 31.31	31.31 31.31	3.93 3.93	3.93 3.93
 	Local Channel - Dedicated - 4-Wire Voice Grade per month Local Channel - Dedicated - DS1 per month - Zone 1		1	ULDD1	ULDF1	41.52	354.94	307.43	44.38	30.52		 	31.31	31.31	3.93	
	Local Channel - Dedicated - DS1 per month - Zone 2		2	ULDD1	ULDF1	61.05	354.94	307.43	44.38	30.52			31.31	31.31	3.93	3.93
	Local Channel - Dedicated - DS1 per month - Zone 3		3	ULDD1	ULDF1	47.29	354.94	307.43	44.38	30.52			31.31	31.31	3.93	3.93
	Local Channel - Dedicated - DS3 - Per Mile per month Local Channel - Dedicated - DS3 - Facility Termination per		-	ULDD3	1L5NC	7.91						1	-			
	month			ULDD3	ULDF3	476.04	903.03	527.87	238.87	167.16			31.31	31.31	3.93	3.93
	Local Channel - Dedicated - STS-1- Per Mile per month Local Channel - Dedicated - STS-1 - Facility Termination per			ULDS1	1L5NC	7.91				-					-	
	month			ULDS1	ULDFS	466.84	903.03	527.87	238.87	167.16			31.31	31.31	3.93	3.93
MULTIPLEXER	Channelization - DS1 to DS0 Channel System			UXTD1	MQ1	122.50	182.08	125.14	21.07	19.58			31.31	31.31	3.93	3.93
 	OCU-DP COCI (data) - DS1 to DS0 Channel System - per		 	OVIDI	INICI	122.50	102.08	120.14	21.07	19.58	-	-	31.31	31.31	3.93	3.93
	month (2.4-64kbs) 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per			UDL	1D1DD	1.36	13.15	9.43					-			1
	month			UDN	UC1CA	2.92	13.15	9.43								
\vdash	Voice Grade COCI - DS1 to DS0 Channel System - per month DS3 to DS1 Channel System per month			UEA UXTD3	1D1VG MQ3	0.64 201.37	13.15 356.28	9.43 187.94	66.51	63.65	1	-	31.31	31.31	3.93	3.93

UNBUN	NDLED	NETWORK ELEMENTS - Alabama												Attachment:	2		Exhibit:
CATEG		RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			1	Submitted Manually	Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge -
							Rec	Nonrec	urring Add'l	Nonrecurring First	g Disconnect Add'l	SOMEC		OSS F	RATES (\$)	SOMAN	SOMAN
		STS1 to DS1 Channel System per month			UXTS1	MQ3	201.37	First 356.28	187.94	66.51	63.65	SOMEC	SOMAN	31.31	31.31	3.93	3.93
		DS3 Interface Unit (DS1 COCI) used with Loop per month			USL	UC1D1	15.39	13.15	9.43	00.51	03.03			31.31	31.31	3.93	3.93
DARK FI		Dos interface offit (Do 1 Gool) used with Loop per month			OOL	OCIDI	10.00	13.13	9.40								
DAKKIII		Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction															
		Thereof per month - Local Channel			UDF	1L5DC	68.84										
		NRC Dark Fiber - Local Channel			UDF	UDFC4		1,278.17	275.73	634.11	395.32			31.31	31.31	3.93	3.93
		Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction						, -									
		Thereof per month - Interoffice Channel			UDF	1L5DF	25.53										
		NRC Dark Fiber - Interoffice Channel			UDF	UDF14		1,278.17	275.73	634.11	395.32			31.31	31.31	3.93	3.93
		Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction															
		Thereof per month - Local Loop			UDF	1L5DL	68.84							<u> </u>		<u> </u>	<u> </u>
		NRC Dark Fiber - Local Loop			UDF	UDFL4		1,278.17	275.73	634.11	395.32			31.31	31.31	3.93	3.93
TRANSP																	
C		Features & Functions:															
		Clear Channel Capability (B8ZS/ESF) Option - Subsequent -															
		per DS1 Channel			UNC1X	CCOEF		184.85	23.81	1.99	0.77			29.23	3.93		ļ
		Clear Channel Capability (B8ZS/SF) Option - Subsequent - per															
0000		DS1 Channel			UNC1X	CCOSF		184.85	23.81	1.99	0.77			29.23	3.93		
8XX ACC		N DIGIT SCREENING 8XX Access Ten Digit Screening, Per Call			OUD	-	0.0005										
-		8XX Access Ten Digit Screening, Per Call 8XX Access Ten Digit Screening, Reservation Charge Per 8XX			OHD		0.0005										
		Number Reserved			OHD	N8R1X		7.13	0.97					27.37	27.37	17.75	17.75
		8XX Access Ten Digit Screening, Per 8XX No. Established W/O			OHD	INOINTA		7.13	0.91			1		21.31	21.31	17.75	17.73
		POTS Translations			OHD			15.88	1.97	10.04	0.97			27.37	27.37	17.75	17.75
		8XX Access Ten Digit Screening, Per 8XX No. Established With			OND			13.00	1.57	10.04	0.57			21.51	21.01	17.73	17.73
		POTS Translations			OHD	N8FTX		15.88	1.97	10.04	0.97			27.37	27.37	17.75	17.75
		8XX Access Ten Digit Screening, Customized Area of Service			0.15	1101 171		10.00			0.07			2	27.07		
		Per 8XX Number			OHD	N8FCX		5.69	2.85					27.37	27.37	17.75	17.75
		8XX Access Ten Digit Screening, Multiple InterLATA CXR															
		Routing Per CXR Requested Per 8XX No.			OHD	N8FMX		6.66	3.81					27.37	27.37	17.75	17.75
		8XX Access Ten Digit Screening, Change Charge Per Request			OHD	N8FAX		8.10	0.97					27.37	27.37	17.75	17.75
		8XX Access Ten Digit Screening, Call Handling and Destination															
		Features			OHD	N8FDX		5.69						27.37	27.37	17.75	17.75
LINE INF	FORMAT	TION DATA BASE ACCESS (LIDB)															
		LIDB Common Transport Per Query			OQT		0.00004										
		LIDB Validation Per Query			OQU		0.0142										
		LIDB Originating Point Code Establishment or Change			OQT, OQU	NRPBX		64.36						27.37	27.37	17.75	17.75
SIGNALI	ING (CC	S7)			LIDD	DTOCY								 		ļ	↓
		CCS7 Signaling Termination, Per STP Port			UDB	PT8SX	148.72				-			 		1	
		CCS7 Signaling Usage, Per TCAP Message			UDB	TDD.	0.0001	174.00	474.00	405.70	405.70	-		05.00	05.00	40.04	40.04
		CCS7 Signaling Connection, Per link (A link) CCS7 Signaling Connection, Per link (B link) (also known as D			UDB	TPP++	18.79	171.98	171.98	135.70	135.70	-		25.93	25.93	16.31	16.31
		link)		l	UDB	TPP++	18.79	171.98	171.98	135.70	135.70			25.93	25.93	16.31	16.31
+		CCS7 Signaling Usage, Per ISUP Message			UDB	177++	0.00004	171.98	171.98	135.70	135.70			25.93	25.93	16.31	16.31
 -		CCS7 Signaling Usage Surrogate, per link per LATA			UDB	STU56	376.12							1		1	
 -		CCS7 Signaling Osage Surrogate, per link per LATA CCS7 Signaling Point Code, per Originating Point Code			000	31000	310.12							 			+
		Establishment or Change, per STP affected		l	UDB	CCAPO		40.00	40.00					25.93	25.93	16.31	16.31
+		CCS7 Signaling Point Code, per Destination Point Code				20.0	 	40.00	40.00			<u> </u>		20.00	20.00	10.01	10.01
		Establishment or Change, Per Stp Affected		l	UDB	CCAPD		8.00	8.00					25.93	25.93	16.31	16.31
E911 SE	RVICE					1		2.23	2.20		l						1
		Local Channel - Dedicated - 2-wr Voice Grade					13.91	382.95	62.40					18.94	8.42		1
		Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile					0.0222										1
		Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility															
		Termination			<u></u>	<u> </u>	17.07	79.61	36.08		<u></u>			18.94	18.94	<u></u>	
		Local Channel - Dedicated - DS1					38.36	356.15	312.89					44.22			
		Interoffice Transport - Dedicated - DS1 Per Mile					0.4523		-								
\Box]			
		Interoffice Transport - Dedicated - DS1 Per Facility Termination					78.47	147.07	111.75					18.94	18.94		

UNBUNDI	LED	NETWORK ELEMENTS - Alabama												Attachment:	2		Exhibit: B
CATEGOI		RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Submitted Manually	Incremental Charge - Manual Svc	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge -
							Rec	Nonrec First	urring Add'l	Nonrecurring Di	isconnect Add'l	SOMEC	SOMAN	OSS F	RATES (\$)	SOMAN	SOMAN
CALLING N	IAME	(CNAM) SERVICE						FIRST	Add I	FIRST	Addi	SOWIEC	SUMAN	SUMAN	SOWAN	SOWAN	SOWAN
CALLING		CNAM for DB Owners, Per Query			OQV		0.01										+
		CNAM for Non DB Owners, Per Query			OQV		0.01										+
		CNAM (Non-Databs Owner), NRC, applies when using the			54.		0.01										1
		Character Based User Interface (CHUI)			OQV	CDDCH		595.00	595.00					27.37	27.37	17.75	17.75
OPERATOR		L PROCESSING															
		Oper. Call Processing - Oper. Provided, Per Min Using BST LIDB					1.20										
		Oper. Call Processing - Oper. Provided, Per Min Using Foreign LIDB					1.24										
		Oper. Call Processing - Fully Automated, per Call - Using BST LIDB					0.20										
		Oper. Call Processing - Fully Automated, per Call - Using Foreign LIDB					0.20										
INWARD OF		TOR SERVICES					0.20										+
IIII OI		Inward Operator Services - Verification, Per Minute					1.15										†
		Inward Operator Services - Verification and Emergency Interrupt - Per Minute					1.15										
BBANDING	- ODI	ERATOR CALL PROCESSING					1.15										+
BICANDING		Recording of Custom Branded OA Announcement				CBAOS		7,000.00	7,000.00					19.99	19.99	19.99	19.99
		Loading of Custom Branded OA Announcement per shelf/NAV				CBAOL		500.00	500.00					19.99	19.99	10.00	10.00
Unb		ing via OLNS for UNEP CLEC															+
		Loading of OA per OCN (Regional)						1,200.00	1,200.00								1
		SISTANCE SERVICES															
DIR		RY ASSISTANCE ACCESS SERVICE															<u> </u>
DID	ГСТС	Directory Assistance Access Service Calls, Charge Per Call					0.30										
DIK		DRY ASSISTANCE CALL COMPLETION ACCESS SERVICE (DACE), Directory Assistance Call Completion Access Service (DACC),	(CC)			+											-
		Per Call Attempt					0.10										
DIR		DRY TRANSPORT															
		SWA Common transport per Directory Assistance Access Service Call					0.0003										
		SWA Common Transport per Directory Assistance Access Service Call Mile					0.00004										
		Access Tandem Switching per Directory Assistance Access															
		Service Call Directory Assistance Interconnection per Directory Assistance					0.00055										
		Access Service Call					0.00										
DIDECTORY		DS3 to DS1 Multiplexer per DA Access Service Call					0.00018										+
		DRY ASSISTANCE DATA BASE SERVICE (DADS)				+											
1		Directory Assistance Data Base Service Charge Per Listing					0.04										1
		Directory Assistance Data Base Service, per month				DBSOF	150.00										
	- DIR	ECTORY ASSISTANCE															
Faci	ility E	Based CLEC															
		Recording and Provisioning of DA Custom Branded Announcement			AMT	CBADA		6,000.00	6,000.00								
		Loading of Custom Branded Announcement per DRAM Card/Switch			AMT	CBADC		1,170.00	1,170.00		_				_		
UNE	EP CL							,	,								†
		Recording of DA Custom Branded Announcement						3,000.00	3,000.00								
		Loading of DA Custom Branded Announcement per DRAM Card/Switch per OCN						1,170.00	1,170.00								
Unb		ing via OLNS for UNEP CLEC				1		.,170.00	.,170.00								
		Loading of DA per OCN (1 OCN per Order)						420.00	420.00								İ
		Loading of DA per Switch per OCN						16.00	16.00								
SELECTIVE	ROU	TING															

CATEGORY RATE REMERTS Many Company C	UNBUNDLED	NETWORK ELEMENTS - Alabama												Attachment:	2		Exhibit: E
Selective Routing Per Unique Live Clear Cape Re Request PV URCA 2016 20	CATEGORY	RATE ELEMENTS		Zone	BCS	USOC			RATES(\$)			Submitted Elec	Submitted Manually	Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	Charge -
Sustein Resource for Unifyed Live Gross Cope Per Request Por Visual Coloration Application Code Coloration Code Co							Rec										•
Severt S		Colorativa Doutina Doublainus Lina Class Code Des Douvest Dou						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
WINTUAL COLL-COATION						LISPOR		230.60	230.60					40.71	0.58		
Myread Collections - Applications Code C	VIRTUAL COLL					USKCK		230.00	230.00					40.71	9.30		
Mary Collegation - Cycles Production - Cycles Production - Cycles Service - Cycles	VIII OAL GOLL				CLO	EAF		2.848.30	2.848.30								
Virtual Collections - Prior Spoon, per or, 1. CLO SSPVX 3.20																	
Visual Collocation - Power, per transfer array CLO ESPNX 3.48							3.20										
Coption																	
Virtual Collocation - 2-wise Cross Connects (loop)		Virtual Collocation - Cable Support Structure, per entrance			CLO	ESPSX	13.35										
Minist Collegation - 4-wine Cross Connects (seep)					ueanl,uea,udn,udc,												
Virtual Collocation - 2-Piner Cross Connects																	19.99
Wintal Collocation: 4-Piter Closes Connects																	19.99
																	19.99
Virtual Collocation - DSC Grate Connects USE, LUC, CLO CNDXX 56.25 191.90 11.83										21.86	18.31			19.99	19.99	19.99	19.99
Wintual Collocation - OcCarrier Cross Connects - Fiber Cable Support Structure, per linear to Wintual Collocation - OcCarrier Cross Connects - Capelin Costs Capelin C																	
Support Structure, per linear food MMTFS PE1ES 0.0008					USL,ULC,CLO	CND3X	56.25	151.90	11.83								
Cable Support Structure, per linear ft AMTES PEIDS 0.0038		Support Structure, per linear foot			AMTFS	PE1ES	0.0026										
Support Structure, per cable AMTES 538.37		Cable Support Structure, per linear ft			AMTFS	PE1DS	0.0038										
Cable Support Structure, per cable MMTFS 535,37		Support Structure,per cable			AMTFS			535.37									
Wirtual Collocatin - Security Escort - Premium, per half hour CLO SPTOX 48.00 30.00		Cable Support Structure, per cable															
Virtual Collocatin - Maintenance in CO - Dereitine, per half hour CLO SPTPX 55.00 35.00																	
Virtual Collocatin - Maintenance in CO - Basic, per half hour CLO SPTOM 35.77 35.77 STORE SPTOM SPTO																	
Virtual Collocatin - Maintenance in CO - Overtime, per half hour CLO SPTOM 35.77 35.77 35.77 35.77 35.77 35.77 35.77 35.77 35.77 35.77 35.77 35.77 35.77 35.77 35.77 35.77 35.77 35.77 35.77 35.77 35.77 35.77 35.77 35.77 35.77 35.77 35.77 35.77 35.77 35.77 35.77 35.77 35.77 35.77 35.77 35.77 35.77 35.77 35.77 35.77 35.77 35.77 35.77																	
Virtual Collocation - Maintenance in CO - Prenium per half hour CLO SPTPM 40.90 40.90 VIRTUAL COLLOCATION VIRTUAL COLL																	
VIRTUAL COLLOCATION UEPSR VETR2 0.28 30.76 29.40 12.75 11.38 19.99																	
Virtual Collocation - 2-wire Cross Connect, Exchange Port 2-wire UEPSR VE1R2	WIDTHAL COLL				CLO	SPIPM		40.90	40.90								
Wire Analog - Res	VIRTUAL COLL																
Voice Grade Res		Wire Analog - Res			UEPSR	VE1R2	0.28	30.76	29.40	12.75	11.38			19.99	19.99	19.99	19.99
Wire Line Side PBX Trunk - Bus UEPSP VE1R2 0.28 30.76 29.40 12.75 11.38 19.99 19.9		Voice Grade Res			UEPRX	PE1R2	0.28	30.76	29.40	12.75	11.38			19.99	19.99	19.99	19.99
Voice Grade PBX Trunk - Res		Wire Line Side PBX Trunk - Bus			UEPSP	VE1R2	0.28	30.76	29.40	12.75	11.38			19.99	19.99	19.99	19.99
Analog Bus		Voice Grade PBX Trunk - Res			UEPSE	VE1R2	0.28	30.76	29.40	12.75	11.38			19.99	19.99	19.99	19.99
ISDN		Analog Bus			UEPSB	VE1R2	0.28	30.76	29.40	12.75	11.38			19.99	19.99	19.99	19.99
ISDN		ISDN			UEPSX	VE1R2	0.28	30.76	29.40	12.75	11.38			19.99	19.99	19.99	19.99
4-Wire DS1		ISDN			UEPTX	VE1R2	0.28	30.76	29.40	12.75	11.38			19.99	19.99	19.99	19.99
ISDN DS1		4-Wire DS1			UEPDD	VE1R4	0.56	66.71	50.43					19.99	19.99	19.99	19.99
Virtual Collocation-2 Wire Cross Connects (Loop) for Line UEPSR, UEPSB VE1LS 0.28 30.76 29.40 12.75 11.38 19.99 19		ISDN DS1			UEPEX	VE1R4	0.56	66.71	50.43					19.99	19.99	19.99	19.99
Splitting	VIRTUAL COLL																
Regional Service Establishment I SRC SRCEC 202,197.82 17,181.39 27.37 27.37 27.37 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2					UEPSR, UEPSB	VE1LS	0.28	30.76	29.40	12.75	11.38			19.99	19.99	19.99	19.99
End Office Establishment	AIN SELECTIVE																
Query NRC, per query I SRC 0.0031412			ı														27.37
						SRCEO		339.75	339.75	3.39	3.39			27.37	27.37	27.37	27.37
AIN - BELLSOUTH AIN SMS ACCESS SERVICE			ı	<u> </u>	SRC		0.0031412						<u> </u>				

LINBUNDI ET	NETWORK ELEMENTS - Alabama												Attachment:	2		Exhibit: B
SHOONDLEL	ALL WORK ELLINER TO - Alabama														In a second	
													Incremental	Incremental	Incremental	Incremental
		Interi									Svo Order	Svc Order	Charge - Manual Svc	Charge - Manual Svc	Charge - Manual Svc	Charge - Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)				Submitted		Order vs.	Order vs.	Order vs.
											Elec	Manually		Electronic-	Electronic-	Electronic-
											per LSR		1st	Add'l	Disc 1st	Disc Add'l
											per Lore	per Lore	130	Addi	D130 13t	DISC Add I
						Rec	Nonrec			g Disconnect				RATES (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	AIN SMS Access Service - Service Establishment, Per State, Initial Setup			A1N	CAMSE		197.49	197.49	114.22	114.22			27.37	27.37	17.75	17.75
	Initial Setup			AIN	CAIVISE		197.49	197.49	114.22	114.22			21.31	21.31	17.75	17.75
	AIN SMS Access Service - Port Connection - Dial/Shared Access			A1N	CAMDP		64.05	64.05	27.04	27.04			27.37	27.37	17.75	17.75
	AIN SMS Access Service - Port Connection - ISDN Access			A1N	CAM1P		64.05	64.05	27.04	27.04			27.37	27.37	17.75	17.75
	AIN SMS Access Service - User Identification Codes - Per User															
	ID Code			A1N	CAMAU		141.84	141.84	70.05	70.05			27.37	27.37	17.75	17.75
	AIN SMS Access Service - Security Card, Per User ID Code, Initial or Replacement			A1N	CAMRC		142.13	142.13	35.26	35.26			27.37	27.37	17.75	17.75
	AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)			71114	O/ uvii to	0.0026	142.10	142.10	00.20	00.20			27.07	27.07	17.70	17.70
	AIN SMS Access Service - Session, Per Minute					0.0892										
	AIN SMS Access Service - Company Performed Session, Per															
AIN PELLOCI	Minute TH AIN TOOLKIT SERVICE		<u> </u>		+	2.08			 		ļ					
AIN - BELLSOU	AIN Toolkit Service - Service Establishment Charge, Per State,		1		+											
	Initial Setup		1	CAM	BAPSC		192.69	192.69	114.22	114.22			27.37	27.37	17.75	17.75
	AIN Toolkit Service - Training Session, Per Customer				BAPVX		8,363.00	8,363.00					27.37	27.37	17.75	17.75
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
	DN, Term. Attempt				BAPTT		49.64	49.64	27.04	27.04			27.37	27.37	17.75	17.75
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Delay				BAPTD		49.64	49.64	27.04	27.04			27.37	27.37	17.75	17.75
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				DAPID		49.04	49.04	27.04	27.04			21.31	21.31	17.75	17.75
	DN, Off-Hook Immediate				BAPTM		49.64	49.64	27.04	27.04			27.37	27.37	17.75	17.75
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
	DN, 10-Digit PODP				BAPTO		117.98	117.98	37.90	37.90			27.37	27.37	17.75	17.75
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				DARTO		447.00	447.00	07.00	07.00			07.07	07.07	47.75	47.75
	DN, CDP AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				BAPTC		117.98	117.98	37.90	37.90			27.37	27.37	17.75	17.75
	DN. Feature Code				BAPTF		117.98	117.98	37.90	37.90			27.37	27.37	17.75	17.75
	AIN Toolkit Service - Query Charge, Per Query					0.024			31133	91.100						
	AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit															
	Subscription, Per Node, Per Query					0.006										
	AIN Toolkit Service - SCP Storage Charge, Per SMS Access Account, Per 100 Kilobytes					1.63										
	AIN Toolkit Service - Monthly report - Per AIN Toolkit Service					1.03			1							
	Subscription			CAM	BAPMS	16.00	44.56	44.56	31.84	31.84			27.37	27.37	17.75	17.75
	AIN Toolkit Service - Special Study - Per AIN Toolkit Service															
	Subscription		<u> </u>	CAM	BAPLS	0.10	47.74	47.74	15.90	15.90			27.37	27.37	17.75	17.75
	AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service Subscription		1	CAM	BAPDS	15.90	44.56	44.56	31.84	31.84			27.37	27.37	17.75	17.75
 	AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit			CAIVI	BAPUS	15.90	44.56	44.56	31.84	31.84			21.31	21.31	17.75	17.75
1	Service Subscription		1	CAM	BAPES	0.003	47.74	47.74	1	1			27.37	27.37	17.75	17.75
	TENDED LINK (EELs)				_											
	lew EELs available in State of Georgia, density zone 1 of follo							Orleans, LA;								
NOTE: 0	Charlotte-Gastonia-Rockhill, NC; Greensboro-Winston Salem-F	ligh Po	int, NC	. Use all rates belo	w except Swit	tch As Is Charg	e.		l .	l						
	and states FF I material along the state of							0			e		INIE - (N)			
	n all states, EEL network elements shown below also apply to n GA, TN, KY, LA & MS, the EEL network elements apply to or							s is Charge ap	plies to curren	itly combined	racilities co	nverted to U	INES.(Non-red	urring rates of	io not apply.)	
	N GA, TN, KY, LA & MS, the EEL netWork elements apply to or VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTE				CITIS ON SWITE	II AS IS UNAIGE	;. <i>j</i>		 							
12.1711(E	First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport				1				1							
	Combination - Zone 1	L	1	UNCVX	UEAL2	17.95			<u> </u>			<u> </u>				<u> </u>
	First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed							-								
	Transport Combination - Zone 2		2	UNCVX	UEAL2	29.16					1					
	First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 3		3	UNCVX	UEAL2	52.84										
 	Interoffice Transport - Dedicated - DS1 combination - Per Mile		3	OINOVA	ULALZ	52.64			 	1	1					
	per month		1	UNC1X	1L5XX	0.2067			1	1						
	D.	•														

UNBUNDLE	D NETWORK ELEMENTS - Alabama												Attachment:	2		Exhibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge -
						Rec	Nonrec			g Disconnect	SOMEC			RATES (\$)	001111	Looman
	Interoffice Transport - Dedicated - DS1 combination - Facility						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Termination per month			UNC1X	U1TF1	68.75										
	DS1 Channelization System Per Month			UNC1X	MQ1	122.50										
	Voice Grade COCI - DS1 To Ds0 Interface - Per Month			UNCVX	1D1VG	0.64										
	Each Additional 2-Wire VG Loop(SL 2) in the same DS1 Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL2	17.95										
	Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL2	29.16										
	Each Additional 2-Wire VG Loop(SL2) in the same DS1			ONCVX	OLALZ	23.10										
	Interoffice Transport Combination - Zone 3 Voice Grade COCI - DS1 to DS0 Channel System combination -		3	UNCVX	UEAL2	52.84										
	per month			UNCVX	1D1VG	0.64										
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNC1X	UNCCC		11.18	11.18	13.96	13.96			31.31	31.31	3.93	3.93
4-WIRE	VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTE	ROFFIC	E TRA	NSPORT (EEL)												
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	24.01										
-	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice		'	UNCVX	UEAL4	24.01										
	Transport Combination - Zone 2 First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice		2	UNCVX	UEAL4	39.00										
	Transport Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile		3	UNCVX	UEAL4	70.67										
	Per Month			UNC1X	1L5XX	0.2067										
	Interoffice Transport - Dedicated - DS1 - Facility Termination Per Month			UNC1X	U1TF1	68.75										
	Channelization - Channel System DS1 to DS0 combination Per Month			UNC1X	MQ1	122.50										
	Voice Grade COCI - DS1 to DS0 Channel System combination - per month			UNCVX	1D1VG	0.64										
	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	24.01										
	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	39.00										
	Additional 4-Wire Analog Voice Grade Loop in same DS1			UNCVX	UEAL4	70.67										
	Interoffice Transport Combination - Zone 3 Voice Grade COCI - DS1 to DS0 Channel System combination -		3	OINCVA	UEAL4	/0.0/						 				
	per month Nonrecurring Currently Combined Network Elements Switch -As-			UNCVX	1D1VG	0.64						<u> </u>				
	Is Charge			UNC1X	UNCCC		11.18	11.18	13.96	13.96			31.31	31.31	3.93	3.93
4-WIRE	56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 IN	NTEROF	FICE :	TRANSPORT (EEL)												
	First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	27.33										
	First 4-wire 56Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	44.40										
	First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	80.45										
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month		Ť	UNC1X	1L5XX	0.2067										
	Interoffice Transport - Dedicated - DS1 - combination Facility Termination Per Month			UNC1X	U1TF1	68.75										
	Channelization - Channel System DS1 to DS0 combination Per															
	Month OCU-DP COCI (data) - DS1 to DS0 Channel System - per			UNC1X	MQ1	122.50										
	month (2.4-64kbs) Additional 4-Wire 56Kbps Digital Grade Loopin same DS1			UNCDX	1D1DD	1.36										
	Interoffice Transport Combination - Zone 1 Additional 4-Wire 56Kbps Digital Grade Loopin same DS1		1	UNCDX	UDL56	27.33						-				
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	44.40										

JNBUNDLED	NETWORK ELEMENTS - Alabama												Attachment:	2		Exhibit: E
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)					Incremental Charge - Manual Svc	Incremental Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge -
						Rec	Nonrec			g Disconnect		T		RATES (\$)		
	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	80.45										
_	OCU-DP COCI (data) - DS1 to DS0 Channel System -			ONODA	OBLOO	00.40										
	combination per month (2.4-64kbs)			UNCDX	1D1DD	1.36										
	Nonrecurring Currently Combined Network Elements Switch -As-															
4 WIDE	Is Charge	UTERO	FICE :	UNC1X	UNCCC		11.18	11.18	13.96	13.96			31.31	31.31	3.93	3.93
4-WIRE	64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 IN First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice	NIEROI	FFICE	TRANSPORT (EEL)	-					-						
	Transport Combination - Zone 1		1	UNCDX	UDL64	27.33										
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice		<u> </u>			200				1						
	Transport Combination - Zone 2		2	UNCDX	UDL64	44.40				<u> </u>						
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice			1												
	Transport Combination - Zone 3		3	UNCDX	UDL64	80.45										
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0.2067										
	Interoffice Transport - Dedicated - DS1 combination - Facility			UNCIA	ILSAA	0.2007										
	Termination Per Month			UNC1X	U1TF1	68.75										
	Channelization - Channel System DS1 to DS0 combination Per															
	Month			UNC1X	MQ1	122.50										
	OCU-DP COCI (data) - DS1 to DS0 Channel System															
	combination - per month (2.4-64kbs) Additional 4-Wire 64Kbps Digital Grade Loopin same DS1			UNCDX	1D1DD	1.36										
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	27.33										
	Additional 4-Wire 64Kbps Digital Grade Loopin same DS1		-	CNODA	OBLOT	27.00										
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	44.40										
	Additional 4-Wire 64Kbps Digital Grade Loopin same DS1															
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	80.45										
	OCU-DP COCI (data) - DS1 to DS0 Channel System combination - per month (2.4-64kbs)			UNCDX	1D1DD	1.36										
	Nonrecurring Currently Combined Network Elements Switch -As-			UNCDA	וטוטט	1.30				1						
	Is Charge			UNC1X	UNCCC		11.18	11.18	13.96	13.96			31.31	31.31	3.93	3.93
4-WIRE	DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INTER	ROFFIC	E TRA				-									
	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice															
	Transport - Zone 1		1	UNC1X	USLXX	51.74										
	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 2		2	UNC1X	USLXX	84.05										
	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice			ONCIA	OOLAX	04.03										
	Transport - Zone 3		3	UNC1X	USLXX	152.29				<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>		
	Interoffice Transport - Dedicated - DS1 combination - Per Mile															
	Per Month			UNC1X	1L5XX	0.2067										
['	Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month			LINC1Y	U1TF1	68.75										
 '	Nonrecurring Currently Combined Network Elements Switch -As-		1	UNC1X	UTIFT	08.75				+	}					1
['	Is Charge			UNC1X	UNCCC		11.18	11.18	13.96	13.96			31.31	31.31	3.93	3.93
4-WIRE	DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTER	ROFFIC	E TRA						15.00	. 5.00			201	2		5.00
	First DS1Loop in DS3 Interoffice Transport Combination - Zone															
	1		1	UNC1X	USLXX	51.74				ļ						
['	First DS1Loop in DS3 Interoffice Transport Combination - Zone		2	UNC1X	USLXX	84.05										
 '	2 First DS1Loop in DS3 Interoffice Transport Combination - Zone		2	UNCIA	USLXX	84.05				+	}					1
['	3		3	UNC1X	USLXX	152.29										
	Interoffice Transport - Dedicated - DS3 combination - Per Mile		Ť			.02.20				1						
'	Per Month			UNC3X	1L5XX	4.67										
		. –			1	1			l	1	1					1
	Interoffice Transport - Dedicated - DS3 - Facility Termination per															
	Interoffice Transport - Dedicated - DS3 - Facility Termination per month DS3 to DS1 Channel System combination per month			UNC3X UNC3X	U1TF3 MQ3	804.02 201.37										

NBUNDLED	NETWORK ELEMENTS - Alabama					1						•	Attachment:	2		Exhibit:
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			Submitted Elec	Svc Order Submitted Manually per LSR	Order vs.	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge
						Rec	Nonrec	urring	Nonrecurring	g Disconnect			OSS F	RATES (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 1		1	UNC1X	USLXX	51.74										
	Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 2		2	UNC1X	USLXX	84.05										
	Additional DS1Loop in DS3 Interoffice Transport Combination -															
	Zone 3		3	UNC1X	USLXX	152.29										
	DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	15.39										
	Nonrecurring Currently Combined Network Elements Switch -As-			UNC3X	1111000		44.40	44.40	40.00	40.00			04.04	04.04	0.00	
2 WIDE I	Is Charge VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GRADE INTE	BOEEK	CE TO		UNCCC		11.18	11.18	13.96	13.96			31.31	31.31	3.93	3.
Z-WIKE	2-WireVG Loop used with 2-wire VG Interoffice Transport	KUFFI	CE IK	I (EEL)	+						1				1	}
	Combination - Zone 1		1	UNCVX	UEAL2	17.95					1					
+	2-WireVG Loop used with 2-wire VG Interoffice Transport		+	SINOVA	ULALZ	11.55										1
	Combination - Zone 2		2	UNCVX	UEAL2	29.16										
	2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL2	52.84										
	Interoffice Transport - Dedicated - 2-wire VG combination - Per															
	Mile Per Month			UNCVX	1L5XX	0.0101										
	Interoffice Transport - Dedicated - 2- Wire Voice Grade															
	combination - Facility Termination per month			UNCVX	U1TV2	24.15										
	Nonrecurring Currently Combined Network Elements Switch -As-								40.00							
	ls Charge		<u> </u>	UNCVX	UNCCC		11.18	11.18	13.96	13.96			31.31	31.31	3.93	3.
4-WIRE	VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRADE INTE	ROFFI	CE IR	ANSPORT (EEL)												
	4-WireVG Loop used with 4-wire VG Interoffice Transport Combination - Zone 1		4	UNCVX	UEAL4	24.01										
	4-WireVG Loop used with 4-wire VG Interoffice Transport			UNCVX	UEAL4	24.01										
	Combination - Zone 2		2	UNCVX	UEAL4	39.00										
-	4-WireVG Loop used with 4-wire VG Interoffice Transport			UNCVA	UEAL4	39.00										
	Combination - Zone 3		3	UNCVX	UEAL4	70.67										
_	Interoffice Transport - Dedicated - 4-wire VG combination - Per		- 3	ONCVA	OLAL4	70.07										
	Mile Per Month			UNCVX	1L5XX	0.0101										
	Interoffice Transport - Dedicated - 4- Wire Voice Grade			0.1017	120701	0.0101										
	combination - Facility Termination per month			UNCVX	U1TV4	21.41										
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNCVX	UNCCC		11.18	11.18	13.96	13.96			31.31	31.31	3.93	3
DS3 DIG	ITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFICE	TRAN	SPORT	(EEL)												
	High Capacity Unbundled Local Loop - DS3 combination - Per															
	Mile per month			UNC3X	1L5ND	10.16										
	High Capacity Unbundled Local Loop - DS3 combination -															
_	Facility Termination per month		<u> </u>	UNC3X	UE3PX	374.52										<u> </u>
	Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X	1L5XX	4.67										
	Interoffice Transport - Dedicated - DS3 combination - Facility			UNC3X	U1TF3	804.02										
	Termination per per month Nonrecurring Currently Combined Network Elements Switch -As-		1	UNCSA	UTIF3	004.02										
	Is Charge			UNC3X	UNCCC		11.18	11.18	13.96	13.96			31.31	31.31	3.93	3
STS1 DI	GITAL EXTENDED LOOP WITH DEDICATED STS1 INTEROFFI	CE TRA	NSPO		5555		11.10	11.10	10.00	10.90			01.01	01.01	0.00	1
	High Capacity Unbundled Local Loop - STS1 combination - Per		1		1											
	Mile per month			UNCSX	1L5ND	10.16										
	High Capacity Unbundled Local Loop - STS1 combination -															
	Facility Termination per month			UNCSX	UDLS1	387.67										
	Interoffice Transport - Dedicated - STS1 combination - Per Mile															
	per month			UNCSX	1L5XX	4.67										
	Interoffice Transport - Dedicated - STS1 combination - Facility			l												
	Termination per month		<u> </u>	UNCSX	U1TFS	801.57										
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNCSX	UNCCC		11.18	11.18	13.96	13.96	1		31.31	31.31	3.93] .
																3

UNBUNDLED	NETWORK ELEMENTS - Alabama												Attachment:	2		Exhibit:
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Submitted Manually		Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrec			g Disconnect				RATES (\$)		
	5						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 1		1	UNCNX	U1L2X	23.23										
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 2		2	UNCNX	U1L2X	37.74										
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 3		3	UNCNX	U1L2X	68.38										
	Interoffice Transport - Dedicated - DS1 combination - Per Mile			UNC1X	1L5XX	0.2067										
	Interoffice Transport - Dedicated - DS1 combintion - Facility Termination per month			UNC1X	U1TF1	68.75										
	Channelization - Channel System DS1 to DS0 combination - per month			UNC1X	MQ1	122.50										
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System combination - per month			UNCNX	UC1CA	2.92										
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 1		1	UNCNX	U1L2X	23.23										
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 2		2	UNCNX	U1L2X	37.74										
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 3		3	UNCNX	U1L2X	68.38										
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System combintaion- per month			UNCNX	UC1CA	2.92										
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNC1X	UNCCC		11.18	11.18	13.96	13.96			31.31	31.31	3.93	3.93
4-WIRE	DS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 INTI	EROFFI	CE TR	ANSPORT (EEL)												
	First DS1 Loop in STS1 Interoffice Transport Combination - Zone 1		1	UNC1X	USLXX	51.74										
	First DS1 Loop in STS1 Interoffice Transport Combination - Zone 2		2	UNC1X	USLXX	84.05										
	First DS1 Loop in STS1 Interoffice Transport Combination - Zone 3		3	UNC1X	USLXX	152.29										
	Interoffice Transport - Dedicated - STS1 combination - Per Mile Per Month			UNCSX	1L5XX	4.67										
	Interoffice Transport - Dedicated - STS1 combination - Facility Termination			UNCSX	U1TFS	801.57										
	STS1 to DS1 Channel System conbination per month			UNCSX	MQ3	201.37										
	DS3 Interface Unit (DS1 COCI) combination per month Additional DS1Loop in STS1 Interoffice Transport Combination -			UNC1X	UC1D1	15.39										
	Zone 1 Additional DS1Loop in STS1 Interoffice Transport Combination -		1	UNC1X	USLXX	51.74										
	Zone 2 Additional DS1Loop in STS1 Interoffice Transport Combination -		2	UNC1X	USLXX	84.05										
	Zone 3		3	UNC1X	USLXX	152.29										
	DS3 Interface Unit (DS1 COCI) combination per month Nonrecurring Currently Combined Network Elements Switch -As-			UNC1X	UC1D1	15.39										
	Is Charge			UNCSX	UNCCC		11.18	11.18	13.96	13.96			31.31	31.31	3.93	3.9
4-WIRE	56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS INTEROFF	ICE TR	ANSP	UR F (EEL)	 						<u> </u>	<u> </u>				<u> </u>
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	27.33										
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	44.40										
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	80.45										
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Per Mile			UNCDX	1L5XX	0.0101										
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Facility Termination			UNCDX	U1TD5	17.28										
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNCDX	UNCCC		11.18	11.18	13.96	13.96			31.31	31.31	3.93	3.9

UNBUNDLE	D NETWORK ELEMENTS - Alabama												Attachment:	2		Exhibit: I
CATEGORY		Interi m	Zone	BCS	USOC			RATES(\$)				Submitted Manually		Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'l
						Rec	Nonrec		Nonrecurring					RATES (\$)		
4-WID	_ E 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTEROFI	EICE TE	ANCD	OPT (EEL)	1		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
4-WIK	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport Combination - Zone 1	FICE IF	1	UNCDX	UDL64	27.33										
	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	44.40										
	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	80.45										
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Per Mile		J	UNCDX	1L5XX	0.0101										
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Facility Termination			UNCDX	U1TD6	17.28										
ADDITIONA	Nonrecurring Currently Combined Network Elements Switch -As- is Charge			UNCDX	UNCCC		11.18	11.18	13.96	13.96			31.31	31.31	3.93	3.93
	NETWORK ELEMENTS used as a part of a currently combined facility, the non-recurrn	a charc	ies do	not apply, but a Sw	itch As Is ch	large does anni	v.		 	 						1
	used as ordinarilty combined network elements in Georgia, the															t
Node ((SynchroNet)															
Nonre	curring Currently Combined Network Elements "Switch As Is" C	harge (One ap	oplies to each comb	ination)											
	2/4-Wire VG Interoffice Channel used in a COMBINATION - "Switch As Is" Conversion Charge 56/64 kbps Interoffice Channel used in a COMBINATION -			UNCVX	UNCCC		11.18	11.18	13.96	13.96			31.31	31.31	3.93	3.93
	"Switch As Is" Conversion Charge DS1 Interoffice Channel used in a COMBINATION - "Switch As			UNCDX	UNCCC		11.18	11.18	13.96	13.96			31.31	31.31	3.93	3.93
	Is" Conversion Charge DS3 Interoffice Channel used in a COMBINATION - "Switch As			UNC1X	UNCCC		11.18	11.18	13.96	13.96			31.31	31.31	3.93	3.93
	Is" Conversion Charge STS1 Interoffice or Local Loop used in a COMBINATION -			UNC3X	UNCCC		11.18	11.18	13.96	13.96			31.31	31.31	3.93	3.93
NOTE	"Switch As Is" Conversion Charge Local Channel - Dedicated Transport - minimum billing period	Dalass	. DCa	UNCSX	UNCCC		11.18	11.18	13.96	13.96			31.31	31.31	3.93	3.93
	LOCAL EXCHANGE SWITCHING (PORTS)	- below	D33=	l libritii, DSS and	above=lour	months										
Excha	nge Ports															
	Although the Port Rate includes all available features in GA, K	Y, LA &	TN, th	e desired features w	ill need to be	e ordered using	retail USOCs									
2-WIR	E VOICE GRADE LINE PORT RATES (RES)			LIEDOD	LIEDDI	0.07	04.00	04.00	0.04	0.04			07.07	40.07	47.77	
	Exchange Ports - 2-Wire Analog Line Port- Res. Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.			UEPSR UEPSR	UEPRL UEPRC	2.07	21.93	21.93	6.21	6.21			27.37	12.97	17.77 17.77	1.44
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Res.			UEPSR	UEPRO	2.07	21.93	21.93	6.21	6.21			27.37	12.97	17.77	1.44
	Exchange Ports - 2-Wire VG unbundled AL extended local dialing parity Port with Caller ID - Res.			UEPSR	UEPAR	2.07	21.93	21.93	6.21	6.21			27.37	12.97	17.77	1.44
	Exchange Ports - 2-Wire VG unbundled res, low usage line port with Caller ID (LUM)			UEPSR	UEPAP	2.07	21.93	21.93	6.21	6.21			27.37	12.97	17.77	1.44
 _	Subsequent Activity			UEPSR	USASC	0.00	0.00	0.00								
FEATU	JRES All Available Vertical Features		1	UEPSR	UEPVF	5.55	0.00	0.00					27.37	12.97	17.77	1.44
2-WIR	E VOICE GRADE LINE PORT RATES (BUS)		 	OLFON	ULF VF	5.55	0.00	0.00					21.31	12.97	17.77	1.44
	Exchange Ports - 2-Wire Analog Line Port without Caller ID - Bus			UEPSB	UEPBL	2.07	21.93	21.93	6.21	6.21			27.37	12.97	17.77	1.44
	Exchange Ports - 2-Wire VG unbundled Line Port with unbundled port with Caller+E484 ID - Bus.			UEPSB	UEPBC	2.07	21.93	21.93	6.21	6.21			27.37	12.97	17.77	1.44
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus.			UEPSB	UEPBO	2.07	21.93	21.93	6.21	6.21			27.37	12.97	17.77	1.44
1	Exchange Ports - 2-Wire VG unbundled AL extended local dialing parity Port with Caller ID - Bus.			UEPSB	UEPAW	2.07	21.93	21.93	6.21	6.21			27.37	12.97	17.77	1.44
	Exhange Ports - 2-Wire VG unbundled incoming only port with															
	Exhange Ports - 2-Wire VG unbundled incoming only port with Caller ID - Bus Subsequent Activity			UEPSB UEPSB	UEPB1 USASC	2.07 0.00	21.93	21.93 0.00	6.21	6.21			27.37	12.97	17.77	1.44

UNBUNDLED	NETWORK ELEMENTS - Alabama												Attachment:	2		Exhibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Submitted Manually		Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonred	urring	Nonrecurring	n Disconnect			ossi	RATES (\$)		
					1	1.00	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
	All Available Vertical Features			UEPSB	UEPVF	5.55	0.00	0.00					27.37	12.97	17.77	
EXCHAN	IGE PORT RATES (DID & PBX)															1
	2-Wire VG Unbundled 2-Way PBX Trunk - Res			UEPSE	UEPRD	2.07	21.93	21.93	6.21	6.21			27.37	12.97	17.77	1.44
	2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus			UEPSP	UEPPC	2.07	21.93	21.93	6.21	6.21			27.37	12.97	17.77	
	2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus			UEPSP	UEPPO	2.07	21.93	21.93	6.21	6.21			27.37	12.97	17.77	
	2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus			UEPSP	UEPP1	2.07 2.07	21.93 21.93	21.93 21.93	6.21	6.21			27.37 27.37	12.97 12.97	17.77 17.77	1.44
	2-Wire Analog Long Distance Terminal PBX Trunk - Bus 2-Wire Voice Unbundled 2-Way PBX Alabama Calling Port			UEPSP UEPSP	UEPLD UEPA2	2.07	21.93	21.93	6.21 6.21	6.21 6.21			27.37	12.97	17.77	1.44 1.44
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPSP	UEPLD	2.07	21.93	21.93	6.21	6.21		1	27.37	12.97	17.77	
	2-Wire Voice Unbundled 1-BX ED Terminal Forts 2-Wire Voice Unbundled 2-Way PBX Usage Port			UEPSP	UEPXA	2.07	21.93	21.93	6.21	6.21			27.37	12.97	17.77	
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPSP	UEPXB	2.07	21.93	21.93	6.21	6.21		1	27.37	12.97	17.77	1.44
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPSP	UEPXC	2.07	21.93	21.93	6.21	6.21			27.37	12.97	17.77	1.44
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPSP	UEPXD	2.07	21.93	21.93	6.21	6.21			27.37	12.97	17.77	1.44
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPSP	UEPXE	2.07	21.93	21.93	6.21	6.21			27.37	12.97	17.77	1.44
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPSP	UEPXL	2.07	21.93	21.93	6.21	6.21			27.37	12.97	17.77	1.44
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPSP	UEPXM	2.07	21.93	21.93	6.21	6.21			27.37	12.97	17.77	1.44
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port			UEPSP	UEPXO	2.07	21.93	21.93	6.21	6.21			27.37	12.97	17.77	1.44
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPSP	UEPXS	2.07	21.93	21.93	6.21	6.21			27.37	12.97	17.77	1.44
	Subsequent Activity			UEPSP	USASC	0.00	0.00	0.00								
FEATUR				UEPSP UEPSE	UEPVF	5.55	0.00	0.00				1	27.37	12.97	17.77	1.44
EVCUAR	All Available Vertical Features GE PORT RATES (COIN)			UEPSP UEPSE	UEPVF	5.55	0.00	0.00				1	21.31	12.97	17.77	1.44
EXCHAI	Exchange Ports - Coin Port					2.34	21.93	21.93	5.21	5.21		1	25.93	12.97	16.33	0.48
	Transmission/usage charges associated with POTS circuit swi													Request Proc	cess.	
	OCAL EXCHANGE SWITCHING(PORTS)		,		1											T
	NGE PORT RATES (DID & PBX)															1
	Exchange Ports - 2-Wire DID Port			UEPEX	UEPP2	9.20	238.61	37.48	119.79				19.99	19.99	19.99	19.99
	Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID															
	capability			UEPDD	UEPDD	68.67	404.04	191.38	145.18	4.92			19.99	19.99	19.99	19.99
	Exchange Ports - 2-Wire ISDN Port (See Notes below.)			UEPTX UEPSX	U1PMA	11.19	145.54	105.97	95.57	21.47			19.99	19.99	19.99	19.99
NOTE:	All Features Offered	itahad i		UEPTX UEPSX	UEPVF	5.55	0.00	0.00	ooien by B Chr		stad with 2 s	wire ISDN m				<u> </u>
	Transmission/usage charges associated with POTS circuit swi			• • •					-					Request Proc	ess.	
NOTE. 7	Exchange Ports - 2-Wire ISDN Port Channel Profiles	a variabl	l	UEPTX UEPSX	U1UMA	0.00	0.00	0.00	tico will be det	Cimilieu via ti	Dona riu	- requestin	Duaniess	request 1100		
	Exchange Ports - 4-Wire ISDN DS1 Port			UEPEX	UEPEX	96.37	407.62	203.11	158.35	40.11	1		54.75	54.75	11.53	11.53
UNBUNDLED LO	OCAL SWITCHING, PORT USAGE					33.37		2001	.00.00	.5.11			50	00	150	100
	ce Switching (Port Usage)															
	End Office Switching Function, Per MOU					0.0018										
	End Office Trunk Port - Shared, Per MOU					0.0002		•								
Tandem	Switching (Port Usage) (Local or Access Tandem)				ļ	 							ļ			
	Tandem Switching Function Per MOU		 			0.00063					<u> </u>	<u> </u>				
•	Tandem Trunk Port - Shared, Per MOU		<u> </u>			0.00033				-	1	<u> </u>	1		1	
Commo	n Transport		<u> </u>		 	0.00004				-	1	ļ	!		1	+
	Common Transport - Per Mile, Per MOU Common Transport - Facilities Termination Per MOU	-	-		 	0.00001 0.00045					 	1	 		-	+
LINBUNDI ED PO	ORT/LOOP COMBINATIONS - COST BASED RATES			1	 	0.00043					1	 	t		1	+
	sed Rates are applied where BellSouth is required by FCC and	l/or Sta	te Con	mission rule to pro	vide Unbund	led Local Switch	hing or Switch	Ports.			1		I		 	
	s shall apply to the Unbundled Port/Loop Combination - Cost								Port section	of this Rate Ex	hibit.		İ		İ	†
						,					-			1	•	

4Q01:12/01/01 PAGE 18 OF 324

BUNDLED	NETWORK ELEMENTS - Alabama												Attachment:	2		Exhibi
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			Submitted Elec	Svc Order Submitted Manually per LSR	Order vs.	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charg
						Rec	Nonred	curring	Nonrecurrir	ng Disconnect			ossi	RATES (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN			SOMAN	SOM
End Offi	ce and Tandem Switching Usage and Common Transport Usa	ge rates	s in the	Port section of this	s rate exhibit	shall apply to	all combination	ns of loon/port	t network eler	nents except fo	or UNE Coin	Port/Loon	Combination	S .		
For Geo	rgia, Kentucky, Louisiana, Mississippi and Tennessee, the rec ed Combos for all states. In GA, KY, LA, MS and TN these non ed Combos in all other states, the nonrecurring charges shall	urring	UNE P	ort and Loop charge rges are commissio	es listed appl n ordered co	ly to Currently	Combined and and in AL, FL,	Not Currently	Combined Co	ombos. The the	first and a	dditional Po	rt nonrecurri	ng charges ap		
	/OICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) t/Loop Combination Rates															
ONL FOI	2-Wire VG Loop/Port Combo - Zone 1		1			16.55										+
+	2-Wire VG Loop/Port Combo - Zone 2		2			25.51										
	2-Wire VG Loop/Port Combo - Zone 3		3			44.44										
UNE Loc																
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPRX	UEPLX	14.35										$ldsymbol{oxed}$
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPRX	UEPLX	23.31				+						—
	2-Wire Voice Grade Loop (SL1) - Zone 3 oice Grade Line Port Rates (Res)		3	UEPRX	UEPLX	42.24				+			-	-		+
2-wire v	2-Wire voice unbundled port - residence			UEPRX	UEPRL	2.20	90.00	90.00					40.71	9.58		+
	2-Wire voice unbundled port with Caller ID - res			UEPRX	UEPRC	2.20	90.00	90.00					40.71	9.58		\vdash
	2-Wire voice unbundled port outgoing only - res			UEPRX	UEPRO	2.20	90.00	90.00					40.71	9.58		
	2-Wire voice Grade unbundled Alabama extended local dialing															
	parity port with Caller ID - res			UEPRX	UEPAR	2.20	90.00	90.00					40.71	9.58		
	2-Wire voice unbundles res, low usage line port with Caller ID (LUM)			UEPRX	UEPAP	2.20	90.00	90.00					40.71	9.58		
FEATUR				LIEDDY	LIED\/E		0.00	0.00					40.74	0.50		
	All Features Offered NUMBER PORTABILITY			UEPRX	UEPVF	5.55	0.00	0.00					40.71	9.58		+
LOCALI	Local Number Portability (1 per port)			UEPRX	LNPCX	0.35										\vdash
NONREC	CURRING CHARGES (NRCs) - CURRENTLY COMBINED															—
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
	Switch-as-is			UEPRX	USAC2		2.80	0.41					40.71	9.58		
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change			UEPRX	USACC		2.80	0.41					40.71	9.58		
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
ADDITIO	Subsequent Database Update NAL NRCs						1.44						8.25			₩
ADDITIO	2-Wire Voice Grade Loop/Line Port Combination - Subsequent															+-
	Activity			UEPRX	USAS2	0.00	0.00	0.00					40.71	9.58		
2-WIRE	/OICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)															
UNE Por	t/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Zone 1		1			16.55										
	2-Wire VG Loop/Port Combo - Zone 2		2			25.51 44.44				1						₩
UNE Loc	2-Wire VG Loop/Port Combo - Zone 3		3			44.44										+
ONE LOC	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPBX	UEPLX	14.35				+						+
1	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPBX	UEPLX	23.31				1						t
	2-Wire Voice Grade Loop (SL1) - Zone 3			UEPBX	UEPLX	42.24										
2-Wire V	oice Grade Line Port (Bus)															oxdot
1	2-Wire voice unbundled port without Caller ID - bus			UEPBX	UEPBL	2.20	90.00	90.00					40.71	9.58		
-	2-Wire voice unbundled port with Caller + E484 ID - bus			UEPBX UEPBX	UEPBC UEPBO	2.20 2.20	90.00 90.00	90.00 90.00		 			40.71 40.71	9.58 9.58		-
+	2-Wire voice unbundled port outgoing only - bus 2-Wire voice Grade unbundled Alabama extended local dialing			ULFDA	UEPBU	2.20	90.00	90.00		1			40.71	9.58		+-
	parity port with Caller ID - bus		l	UEPBX	UEPAW	2.20	90.00	90.00					40.71	9.58		1
1	2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPBX	UPEB1	2.20	90.00	90.00		1			40.71	9.58		t
	NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPBX	LNPCX	0.35										lacksquare
	Ee			ı	1				ı	1	1	1	1	1		1
FEATUR	All Features Offered			UEPBX	UEPVF	5.55	0.00	0.00					40.71	9.58		-

4Q01:12/01/01 PAGE 19 OF 324

<u>JNBUNDLED</u>	NETWORK ELEMENTS - Alabama												Attachment:	2		Exhibit:
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			1	Submitted Manually		Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge
						Rec	Nonrec		Nonrecurring		COMEC	COMAN		RATES (\$)	COMAN	COMAN
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -				-		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Switch-as-is			UEPBX	USAC2		2.80	0.41					40.71	9.58		
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
	Switch with change			UEPBX	USACC		2.80	0.41								
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -						1.44						0.05			
ADDITIO	Subsequent Database Update DNAL NRCs						1.44						8.25			
ADDITIO	2-Wire Voice Grade Loop/Line Port Combination - Subsequent															
	Activity			UEPBX	USAS2								40.71	9.58		
	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)															
UNE Por	rt/Loop Combination Rates					40.55										
	2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2		2			16.55 25.51										
	2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3		3			25.51 44.44										
UNE Loc	op Rates			1	1	77.74										
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPRG	UEPLX	14.35										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPRG	UEPLX	23.31										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPRG	UEPLX	42.24										
2-Wire V	oice Grade Line Port Rates (RES - PBX)															
	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port - Res			UEPRG	UEPRD	2.20	90.00	90.00					40.71	9.58		
LOCALI	NUMBER PORTABILITY			UEPRG	UEPRD	2.20	90.00	90.00					40.71	9.58		
LOCAL	Local Number Portability (1 per port)			UEPRG	LNPCP	3.15	0.00	0.00								
FEATUR				02.110	2.11 0.	0.10	0.00	0.00								
	All Features Offered			UEPRG	UEPVF	5.55	0.00	0.00					40.71	9.58		
NONREC	CURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
	Conversion - Switch-As-Is			UEPRG	USAC2		2.80	0.41					40.71	9.58		
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch with Change			UEPRG	USACC		2.80	0.41					40.71	9.58		
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -			OLI NO	OUACC		2.00	0.41					40.71	9.50		
	Subsequent Database Update						1.44						8.25			
ADDITIO	DNAL NRCs															
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
	Subsequent Activity			UEPRG	USAS2	0.00	0.00	0.00					40.71	9.58		
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group						14.64	14.64					19.99	19.99	19.99	19
2-WIRE	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)						14.04	14.04					19.99	19.99	19.99	19
	rt/Loop Combination Rates				+											
	2-Wire VG Loop/Port Combo - Zone 1		1			16.55										
	2-Wire VG Loop/Port Combo - Zone 2		2			25.51										
	2-Wire VG Loop/Port Combo - Zone 3		3			44.44										
UNE Loc	op Rates			LIEBBY	LIEBULI											1
	2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPPX UEPPX	UEPLX	14.35 23.31										1
	2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3			UEPPX	UEPLX	42.24										
2-Wire V	/oice Grade Line Port Rates (BUS - PBX)		-	52. T X	JEI EX	72.27										1
				İ	1											1
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPPX	UEPPC	2.20	90.00	90.00					40.71	9.58		
	Line Side Unbundled Outward PBX Trunk Port - Bus			UEPPX	UEPPO	2.20	90.00	90.00					40.71	9.58		
	Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPPX	UEPP1	2.20	90.00	90.00					40.71	9.58		1
	2-Wire Voice Unbundled 2-Way Combination PBX Alabama Calling Port			UEPPX	UEPA2	2.20	90.00	90.00					40.71	9.58		
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	2.20	90.00	90.00				1	27.37	9.58		1
	2-Wire Voice Unbundled PBX LD Terminal Ports 2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	2.20	90.00	90.00					40.71	9.58		
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	2.20	90.00	90.00					40.71	9.58		
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	2.20	90.00	90.00					40.71	9.58		
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	2.20	90.00	90.00					40.71	9.58		

UNBUNDLED	NETWORK ELEMENTS - Alabama			1	1						ı	1	Attachment:	2		Exhibit: E
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Submitted Manually	Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrec		Nonrecurring			T 001111		RATES (\$)		
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Capable Port			UEPPX	UEPXE	2.20	90.00	90.00					40.71	9.58		
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
	Administrative Calling Port			UEPPX	UEPXL	2.20	90.00	90.00					40.71	9.58		
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPPX	UEPXM	2.20	90.00	90.00					40.71	9.58		
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port			UEPPX	UEPXO	2.20	90.00	90.00					40.71	9.58		
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	2.20	90.00	90.00					40.71	9.58		
LOCAL	NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00								
FEATUR	RES All Features Offered			UEPPX	UEPVF	5.55	0.00	0.00				1	40.71	9.58		1
NONRE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED			UEFFA	UEFVF	5.55	0.00	0.00					40.71	9.56		
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
	Conversion - Switch-As-Is			UEPPX	USAC2		2.80	0.41					40.71	9.58		
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch with Change			UEPPX	USACC		2.80	0.41					40.71	9.58		
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -			UEFFA	USACC		2.00	0.41					40.71	9.56		
	Subsequent Database Update						1.44						8.25			
ADDITIO	DNAL NRCs															
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -			LIEDDY	110400	0.00	0.00	0.00					40.74	0.50		
	Subsequent Activity PBX Subsequent Activity - Change/Rearrange Multiline Hunt			UEPPX	USAS2	0.00	0.00	0.00					40.71	9.58		
	Group						14.64	14.64					19.99	19.99	19.99	19.99
	VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN PORT															
UNE Po	rt/Loop Combination Rates															
	2-Wire VG Coin Port/Loop Combo – Zone 1 2-Wire VG Coin Port/Loop Combo – Zone 2		1 2			16.88 25.84							1			
	2-Wire VG Coin Port/Loop Combo – Zone 2 2-Wire VG Coin Port/Loop Combo – Zone 3		3			44.77										
UNE Lo	op Rates															
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPCO	UEPLX	14.35										
	2-Wire Voice Grade Loop (SL1) - Zone 2			UEPCO	UEPLX	23.31										
2-Wire \	2-Wire Voice Grade Loop (SL1) - Zone 3 /oice Grade Line Ports (COIN)		3	UEPCO	UEPLX	42.24						1				-
2 11110	2-Wire Coin 2-Way without Operator Screening and without															
	Blocking (AL, KY, LA, MS)			UEPCO	UEPRF	2.53	90.00	90.00					40.71	9.58		
	2-Wire Coin 2-Way with Operator Screening (AL, KY)			UEPCO	UEPRE	2.53	90.00	90.00					40.71	9.58		
	2-Wire Coin 2-Way with Operator Screening and Blocking: 011, 900/976, 1+DDD (AL, KY, LA, MS)			UEPCO	UEPRA	2.53	90.00	90.00					40.71	9.58		
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking (AL, LA, MS)			UEPCO	UEPRB	2.53	90.00	90.00					40.71	9.58		
	2-Wire Coin 2-Way with Operator Screening & Blocking:															
	900/976, 1+DDD, 011+, & Local (AL, KY, LA, MS) 2-Wire Coin Outward with Operator Screening and 011 Blocking			UEPCO	UEPCD	2.53	90.00	90.00				-	40.71	9.58		
	(AL, FL)			UEPCO	UEPRK	2.53	90.00	90.00					40.71	9.58		
	2-Wire Coin Outward with Operator Screening and Blocking: 011, 900/976, 1+DDD (AL, KY, LA, MS)			UEPCO	UEPRH	2.53	90.00	90.00					40.71	9.58		
	2-Wire Coin Outward Operator Screening & Blocking: 900/976,			OLFOO	OLFKII	2.53	90.00	90.00	 			1	40.71	9.38		
	1+DDD, 011+, and Local (AL, KY, LA, MS)			UEPCO	UEPCN	2.53	90.00	90.00					40.71	9.58		
	2-Wire 2-Way Smartline with 900/976 (all states except LA)			UEPCO	UEPCK	2.53	90.00	90.00					40.71	9.58		
	2-Wire Coin Outward Smartline with 900/976 (all states except LA)			UEPCO	UEPCR	2.53	90.00	90.00					40.71	9.58		
ADDITIO	DNAL UNE COIN PORT/LOOP (RC)			LIEDOO	LIDECT											
LOCAL	UNE Coin Port/Loop Combo Usage (Flat Rate) NUMBER PORTABILITY			UEPCO	URECU	1.56	90.00	90.00					 			
	Local Number Portability (1 per port)			UEPCO	LNPCX	0.35										
FEATUR	RES						, The state of the									

<u>JNBUNDL</u> EI	NETWORK ELEMENTS - Alabama												Attachment:	2		Exhibit:
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			1	Submitted Manually	Incremental Charge - Manual Svc	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremen Charge Manual S Order vs
						Rec	Nonrec		Nonrecurring					RATES (\$)		T 0011111
NONDE	OUDDING OUADOES OUDDENTLY COMPINED						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
NONRE	CURRING CHARGES - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is			UEPCO	USAC2		2.80	0.41					40.71	9.58		
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
ADDITI	Switch with change DNAL NRCs			UEPCO	USACC		2.80	0.41					40.71	9.58		
ADDITIO	2-Wire Voice Grade Loop/Line Port Combination - Subsequent															
	2-wire voice Grade Loop/Line Port Combination - Subsequent Activity			LIEDOO	USAS2		0.00	0.00					40.71	0.50		
IDIINDI ED D	ORT/LOOP COMBINATIONS - COST BASED RATES			UEPCO	USAS2		0.00	0.00					40.71	9.58		
	VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK F	OPT			1						1					-
	ort/Loop Combination Rates	JILI			 							 				+
ONE FO	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1		1		 	29.59										\vdash
_	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2		2			36.58										
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3		3		1	45.06										<u> </u>
UNE Lo	op Rates		Ť			10.00										
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1		1	UEPPX	UECD1	20.42										
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2		2	UEPPX	UECD1	27.41										1
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3		3	UEPPX	UECD1	35.89										
UNE Po				-												
	Exchange Ports - 2-Wire DID Port			UEPPX	UEPD1	9.17							40.71	9.58		
NONRE	CURRING CHARGES - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination -															1
	Switch-as-is			UEPPX	USAC1		14.61	3.73					40.71	9.58		
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion															
	with BellSouth Allowable Changes			UEPPX	USA1C		14.61	3.73					40.71	9.58		
ADDITIO	ONAL NRCs															
	2-Wire DID Subsequent Activity - Add Trunks, Per Trunk			UEPPX	USAS1		53.56	53.56					40.71	9.58		
Telepho	one Number/Trunk Group Establisment Charges															
	DID Trunk Termination (One Per Port)			UEPPX	NDT	0.00	0.00	0.00								
	Additional DID Numbers for each Group of 20 DID Numbers			UEPPX	ND4	0.00	0.00	0.00								
	DID Numbers, Non- consecutive DID Numbers , Per Number			UEPPX	ND5	0.00	0.00	0.00								
	Reserve Non-Consecutive DID numbers			UEPPX	ND6	0.00	0.00	0.00								
	Reserve DID Numbers			UEPPX	NDV	0.00	0.00	0.00								
LOCAL	NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00								
	ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LINE	SIDE	PORT													
UNE PO	rt/Loop Combination Rates															
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -		4	UEPPB UEPPR		26.60						1				
	UNE Zone 1 2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -		1	UEPPB UEPPR	1	36.62						 				
1	UNE Zone 2		2	UEPPB UEPPR		44.49						1				
+	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -			OLFFB OLFFR	1	44.43					1					
	UNE Zone 3		3	UEPPB UEPPR		55.39						1				
UNFI	op Rates		-	SELLE OFFE	1	33.38					<u> </u>	 				
3.12.20	2-Wire ISDN Digital Grade Loop - UNE Zone 1		1	UEPPB UEPPR	USL2X	27.20							40.71	9.58		1
	The second secon		<u> </u>	32. K	1	220								0.00		†
	2-Wire ISDN Digital Grade Loop - UNE Zone 2		2	UEPPB UEPPR	USL2X	35.07						1	40.71	9.58		
	2-Wire ISDN Digital Grade Loop - UNE Zone 3			UEPPB UEPPR		45.97							40.71	9.58		†
UNE Po				, , , , , , , , , , , , , , , , , , ,	1					l				2.20		1
	Exchange Port - 2-Wire ISDN Line Side Port			UEPPB UEPPR	UEPPB	9.42							40.71	9.58		
NONRE	CURRING CHARGES - CURRENTLY COMBINED															
	2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port															
	Combination - Conversion			UEPPB UEPPR	USACB	0.00	77.01	54.04					40.71	9.58		
	ONAL NRCs															
LOCAL	NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPPB UEPPR	LNPCX	0.35	0.00	0.00								
B-CHAN	NEL USER PROFILE ACCESS:															
	CVS/CSD (DMS/5ESS)			UEPPB UEPPR	LITUCA	0.00	0.00	0.00								

RATE ELEMENTS (EWSD) AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS SC //CSD (DMS/5ESS) (EWSD) NAL PROFILE Terminal Profile (EWSD only)		Zone	UEPPB UEPPB UEPPB UEPPB UEPPB	UEPPR UEPPR	USOC U1UCB U1UCC	Rec 0.00 0.00	Nonrec First 0.00	Add'l	Nonrecurring First	Disconnect Add'l	Submitted Elec per LSR	Submitted Manually per LSR	Electronic- 1st OSS R	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Increment Charge - Manual St Order vs Electronic Disc Add
AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS SC //CSD (DMS/5ESS) (EWSD) NAL PROFILE Terminal Profile (EWSD only) EATURES ertical Features - One per Channel B User Profile E CHANNEL MILEAGE office Channel mileage each, including first mile and ties termination office Channel mileage each, additional mile DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK OP Combination Rates DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE		TN)	UEPPB UEPPB UEPPB UEPPB	UEPPR UEPPR UEPPR	U1UCC	0.00	First	Add'l								
AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS SC //CSD (DMS/5ESS) (EWSD) NAL PROFILE Terminal Profile (EWSD only) EATURES ertical Features - One per Channel B User Profile E CHANNEL MILEAGE office Channel mileage each, including first mile and ties termination office Channel mileage each, additional mile DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK OP Combination Rates DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE		TN)	UEPPB UEPPB UEPPB UEPPB	UEPPR UEPPR UEPPR	U1UCC				First							
AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS SC //CSD (DMS/5ESS) (EWSD) NAL PROFILE Terminal Profile (EWSD only) EATURES ertical Features - One per Channel B User Profile E CHANNEL MILEAGE office Channel mileage each, including first mile and ties termination office Channel mileage each, additional mile DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK OP Combination Rates DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE		TN)	UEPPB UEPPB UEPPB UEPPB	UEPPR UEPPR UEPPR	U1UCC		().()()	0.00		Add.I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS SC //CSD (DMS/5ESS) (EWSD) NAL PROFILE Terminal Profile (EWSD only) EATURES ertical Features - One per Channel B User Profile E CHANNEL MILEAGE office Channel mileage each, including first mile and ties termination office Channel mileage each, additional mile DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK PD Combination Rates DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE		TN)	UEPPB UEPPB UEPPB UEPPB	UEPPR UEPPR		0.00	0.00	0.00							 	-
/CSD (DMS/5ESS) (EWSD) NAL PROFILE Terminal Profile (EWSD only) ATURES etrical Features - One per Channel B User Profile E CHANNEL MILEAGE Office Channel mileage each, including first mile and ties termination office Channel mileage each, additional mile DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK PD Combination Rates DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE			UEPPB UEPPB UEPPB	UEPPR	U1UCD		0.00	0.00				\longrightarrow				——
(EWSD) NAL PROFILE Terminal Profile (EWSD only) ATURES ertical Features - One per Channel B User Profile CHANNEL MILEAGE office Channel mileage each, including first mile and ties termination office Channel mileage each, additional mile DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK OCOMBination Rates DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE	PORT		UEPPB UEPPB UEPPB	UEPPR		0.00	0.00	0.00								
NAL PROFILE Terminal Profile (EWSD only) EATURES ertical Features - One per Channel B User Profile E CHANNEL MILEAGE office Channel mileage each, including first mile and ties termination office Channel mileage each, additional mile DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK OP Combination Rates DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE	PORT		UEPPB UEPPB		U1UCE	0.00	0.00	0.00								
NAL PROFILE Terminal Profile (EWSD only) EATURES ertical Features - One per Channel B User Profile E CHANNEL MILEAGE office Channel mileage each, including first mile and ties termination office Channel mileage each, additional mile DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK PD Combination Rates DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE	PORT				U1UCF	0.00	0.00	0.00							i	
EATURES ertical Features - One per Channel B User Profile E CHANNEL MILEAGE office Channel mileage each, including first mile and ties termination office Channel mileage each, additional mile DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK DC Combination Rates DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE 1	PORT														i	
ertical Features - One per Channel B User Profile E CHANNEL MILEAGE office Channel mileage each, including first mile and ties termination office Channel mileage each, additional mile DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK P Combination Rates DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE 1	PORT			UEPPR	U1UMA	0.00	0.00	0.00								
E CHANNEL MILEAGÉ office Channel mileage each, including first mile and ties termination office Channel mileage each, additional mile DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK P Combination Rates DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE 1	PORT												i			
office Channel mileage each, including first mile and ties termination office Channel mileage each, additional mile DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK OP Combination Rates DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE	PORT		UEPPB	UEPPR	UEPVF	5.55	0.00	0.00					40.71	9.58		
ties termination office Channel mileage each, additional mile OIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK OP Combination Rates DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE	PORT															
office Channel mileage each, additional mile DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK OP Combination Rates DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE 1	PORT	1					_	_		-		, 	, ——		, ——	1
DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK UP Combination Rates DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE 1	PORT		UEPPB		M1GNC	17.81	107.11	48.27					40.71	9.58		
p Combination Rates DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE e 1	PORT		UEPPB	UEPPR	M1GNM	0.0339	0.00	0.00				0.00				
DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE															ļ	
e 1																
201 Digital Loop/AW ISDN DC1 Digital Trunk Dost LINE		1	UEPPP			198.29										
2 2 Digital Loop/4W ISDN DS1 Digital Trunk Port		2	UEPPP			274.00										1
DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE		3	UEPPP			425.41										
ites																
re DS1 Digital Loop - UNE Zone 1		1	UEPPP		USL4P	101.92							40.71	9.58		
re DS1 Digital Loop - UNE Zone 2		2	UEPPP		USL4P	177.63							40.71	9.58	, ,	
re DS1 Digital Loop - UNE Zone 3		3	UEPPP		USL4P	329.04							40.71	9.58		
e																
ange Ports - 4-Wire ISDN DS1 Port			UEPPP		UEPPP	96.37							40.71	9.58		
ING CHARGES - CURRENTLY COMBINED															i	
re DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port												ı l	i l		, ,	i
bination - Conversion -Switch-as-is			UEPPP		USACP	0.00	238.13	157.11					40.71	9.58		
NRCs												$\overline{}$				
re DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy-												ı l	i l		, ,	l
rd/two way tel nos within Std Allowance			UEPPP		PR7TF		0.9801								<u>_</u>	——
			LIEDES		DDZTO		00.00	00.00				i	ı l		, ,	i
	 	<u> </u>	UEPPP		PK/10		23.02	23.02				\vdash	,——			
			HEDDD		DD77T]	40.05	40.05				, l	, l		, ,	1
	├	!	UEPPP		rk/ZI	 	46.05	46.05								
	1	-	LIEDDD		LNPCN	1 75						$\overline{}$				
	 	 	JLI FF		LINI OIN	1.75						$\overline{}$	\longrightarrow			—
e/Data	 	 	UEPPP		PR71V	0.00	0.00	0.00				$\overline{}$	\longrightarrow			—
al Data	 	1										\leftarrow			$\overline{}$	
rd Data		<u> </u>	UEPPP		PR71E	0.00	0.00	0.00				$\overline{}$	 		i	
ional "B" Channel		1				3.50	5.50	0.00					- 		, 	
or Additional - Voice/Data B Channel			UEPPP		PR7BV	0.00	29.05					$\overline{}$, 		, 	
or Additional - Digital Data B Channel			UEPPP		PR7BF	0.00	29.05					$\overline{}$, 		, 	
or Additional Inward Data B Channel			UEPPP		PR7BD	0.00	29.05						i t		 	
or Additional Useage Sensitive Voice Data B Channel			UEPPP		PR7BS	0.00	29.05									
or Additional Useage Sensitive Digital Data B Channel			UEPPP		PR7BU	0.00	29.05						1			
-																
-1			UEPPP		PR7C1	0.00	0.00	0.00								
rd			UEPPP		PR7C0	0.00	0.00	0.00								
vard			UEPPP		PR7CC	0.00	0.00	0.00				, ——	, — —			
vard -way						<u> </u>										
vard -way nannel Mileage		1			LAI NIA A							<u>'</u>			<u>'</u> i	
vard -way			UEPPP UEPPP		1LN1A 1LN1B	80.382 0.692	198.15	148.18	25.44				40.71	9.58		
re va re se se se se se se se se se se se se se	e DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - rid Tel Numbers (All States except NC) DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port - requent Inward Tel Nos Above Std Allowance ER PORTABILITY Number Portability (1 per port) Tovsioning Only) Data Data Data d Data I B Te Channel r Additional - Voice/Data B Channel r Additional Inward Data B Channel r Additional Inward Data B Channel r Additional Useage Sensitive Voice Data B Channel r Additional Useage Sensitive Voice Data B Channel r Additional Useage Sensitive Voice Data B Channel	DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - rd Tel Numbers (All States except NC) DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port - rquent Inward Tel Nos Above Std Allowance ER PORTABILITY Number Portability (1 per port) rovsioning Only) Data Data Data Data Data Data Data Dat	P DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - rd Tel Numbers (All States except NC) DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port - requent Inward Tel Nos Above Std Allowance R PORTABILITY Number Portability (1 per port) rovsioning Only) Data Data Data Data Data Data Data Dat	PDS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - urd Tel Numbers (All States except NC) UEPPP DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port - upuent Inward Tel Nos Above Std Allowance UEPPP PROTABILITY UEPPP Tovisioning Only) Data UEPPP Data UEPPP Data UEPPP Data UEPPP Tovisioning Only) Data UEPPP Data UEPPP Try Data UEPPP Data UEPPP Try Data UEPPP Data UEPPP Try Data UEPPP Try Data UEPPP Try Data UEPPP Try Data UEPPP Try Data UEPPP Try Data UEPPP Try Data UEPPP Try Data UEPPP Try Data UEPPP Try Data UEPPP Try Data UEPPP Try Data UEPPP Try Data UEPPP Try Data UEPPP Try Data UEPPP Try Data UEPPP Data Data Data Data Data Data Data D	DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - rd Tel Numbers (All States except NC) DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port - requent Inward Tel Nos Above Std Allowance UEPPP PORTABILITY Number Portability (1 per port) Data UEPPP Data UEPPP Data UEPPP Data UEPPP Data UEPPP Trovsioning Only) Data UEPPP Data UEPPP Data UEPPP Tresional "B" Channel Tresional "B" Channel Tresional Digital Data B Channel Tresional Inward Data B Channel Tresional Useage Sensitive Voice Data B Channel Tresional Useage Sensitive Digital Data B Channel Tresional Useage Sensitive Digital Data B Channel UEPPP Tresional Useage Sensitive Digital Data B Channel UEPPP Tresional Useage Sensitive Digital Data B Channel UEPPP UEPP UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP UEPP UEPP UEPPP	DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - urd Tel Numbers (All States except NC) DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port - pquent Inward Tel Nos Above Std Allowance UEPPP PR7ZT RPORTABILITY UEPPP LNPCN Tovsioning Only) Data UEPPP PR71V Data UEPPP PR71V Data UEPPP PR71D Data UEPPP PR71D Data UEPPP PR71D Tr Additional - Voice/Data B Channel Tr Additional - Voice/Data B Channel Tr Additional Inward Data B Channel UEPPP PR7BD Tr Additional Useage Sensitive Voice Data B Channel UEPPP PR7BS Tr Additional Useage Sensitive Digital Data B Channel UEPPP PR7BS Tr Additional Useage Sensitive Digital Data B Channel UEPPP PR7BS UEPPP PR7BS UEPPP PR7BS UEPPP PR7BS UEPPP PR7BS UEPPP PR7BC UEPPP PR7C1 UEPPP PR7C1 UEPPP PR7C1 UEPPP PR7C1 UEPPP PR7C1 UEPPP PR7C2 UEPPP PR7C2 UEPPP PR7C2 UEPPP PR7C2 UEPPP PR7C2	DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - urd Tel Numbers (All States except NC)	DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port -	DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - red Tel Numbers (All States except NC)	DEST LOOP / 4-Wire ISDN DS1 Digital Trunk Port - red Tel Numbers (All States except NC)	DEST Loop / 4-Wire ISDN DS1 Digital Trunk Port -	DEST Loop / 4-Wire ISDN DS1 Digital Trunk Port -	DEST Loop / 4-Wire ISDN DS1 Digital Trunk Port - urd Tel Numbers (All States except NC)	DEST Loop / 4-Wire ISDN DST Digital Trunk Port -	DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - rd Tel Numbers (All States except NC)	DST Loop / 4-Wire ISDN DST Digital Trunk Port - rd Tel Numbers (All States except NC) UEPPP PR7TO DST Loop / 4-Wire ISDN DST Digital Trk Port - squent Inward Tel Nos Above Std Allowance UEPPP PR7ZT

UNBUNDLED	NETWORK ELEMENTS - Alabama				,								Attachment:	2		Exhibit:
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Submitted Manually		Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrec			g Disconnect			ossı	RATES (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UNE Po	rt/Loop Combination Rates			LIEDDO		470.50										
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2			UEPDC UEPDC	+	170.59 246.30				-		-				<u> </u>
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3			UEPDC	-	397.71						+				-
LINE LO	op Rates		3	UEPDC		397.71										
ONE EO	4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPDC	USLDC	101.92							40.71	9.58		†
	4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPDC	USLDC	177.63							40.71	9.58		
	4-Wire DS1 Digital Loop - UNE Zone 3			UEPDC	USLDC	329.04							40.71	9.58		
UNE Po																1
	4-Wire DDITS Digital Trunk Port			UEPDC	UDD1T	68.67										
NONRE	CURRING CHARGES - CURRENTLY COMBINED			-			<u> </u>									
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination															
	- Switch-as-is		<u> </u>	UEPDC	USAC4	ļ	258.98	134.03				1	40.71	9.58		
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with DS1 Changes			UEPDC	USAWA		258.98	134.04					40.71	9.58		
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination			LIEDDO	LICANAGE		050.00	404.00					40.74	0.50		
ADDITIO	- Conversion with Change - Trunk DNAL NRCs		1	UEPDC	USAWB	 	258.98	134.03		 			40.71	9.58		
ADDITIO	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC -				+	-				-						+
	Subsequent Channel Activation/Chan - 2-Way Trunk			UEPDC	UDTTA		28.85	28.95					40.71	9.58		
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent			OLI DO	ODITA		20.03	20.93					40.71	9.50		†
	Channel Activation/Chan - 1-Way Outward Trunk			UEPDC	UDTTB		28.85	28.85					40.71	9.58		
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel					1								0.00		
	Activation/Chan Inward Trunk w/out DID			UEPDC	UDTTC		28.85	28.85					40.71	9.58		
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan															
	Activation Per Chan - Inward Trunk with DID			UEPDC	UDTTD		28.85	28.85					40.71	9.58		
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan															
	Activation / Chan - 2-Way DID w User Trans			UEPDC	UDTTE		28.85	28.85					40.71	9.58		
BIPOLA	R 8 ZERO SUBSTITUTION			uenno.	00005											
	B8ZS - Superframe Format B8ZS - Extended Superframe Format			UEPDC UEPDC	CCOSF		0.00	600.00 600.00				+				-
Alternat	e Mark Inversion			UEPDC	CCOEF	-	0.00	600.00		-						+
Aitemat	AMI -Superframe Format			UEPDC	MCOSF	1	0.00	0.00								
	AMI - Extended SuperFrame Format			UEPDC	MCOPO		0.00	0.00								
Telepho	ne Number/Trunk Group Establisment Charges			02. 50		1	0.00	0.00								
	Telephone Number for 2-Way Trunk Group			UEPDC	UDTGX	0.00										
	Telephone Number for 1-Way Outward Trunk Group			UEPDC	UDTGY	0.00										
	Telephone Number for 1-Way Inward Trunk Group Without DID			UEPDC	UDTGZ	0.00										
	DID Numbers for each Group of 20 DID Numbers		<u> </u>	UEPDC	ND4	0.00	0.00					1				
	DID Numbers, Non- consecutive DID Numbers , Per Number		<u> </u>	UEPDC	ND5	0.00	0.00	0.00	-	1		1	 		-	
	Reserve Non-Consecutive DID Nos. Reserve DID Numbers		-	UEPDC UEPDC	ND6 NDV	0.00	0.00	0.00		 	1	1	 			
Dedicate	preserve DID Numbers and DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1 I	Dinital I	oon "			0.00	0.00	0.00	-	 		1	1		-	
Deulcal	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities	Jigital I	Loop v		I	+				 		+	 			
	Termination)			UEPDC	1LNO1	79.69	198.15	148.18	25.44	20.42			40.71	9.58		
	Interoffice Channel Mileage - Additional rate per mile - 0-8 miles			UEPDC	1LNOA	0.692	0.00	0.00						5.30		
	Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities Termination)			UEPDC	1LNO2	0.00	0.00	0.00								
	Interoffice Channel Mileage - Additional rate per mile - 9-25 miles			UEPDC	1LNOB	0.692	0.00	0.00								
	Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities Termination)			UEPDC	1LNO3	0.00	0.00	0.00	0.00							
	Interoffice Channel Mileage - Additional rate per mile - 25+ miles			UEPDC	1LNOC	0.692	0.00	0.00								
	Local Number Portability, per DS0 Activated			UEPDC	LNPCP	3.15	0.00	0.00	0.00							<u> </u>
	Central Office Termininating Point		<u> </u>	UEPDC	CTG	0.00										
4-WIRE	DS1 LOOP WITH CHANNELIZATION WITH PORT			l					l	<u> </u>			<u> </u>		l	Ь

CATEGORY RATE ELEMENTS Interian m Zone BCS USOC RATES(\$) BCS USOC RATES(\$) RATE S(\$) RATE S(\$) RATE S(\$) Svc Order Submitted Electronic- Electr	IINRIINDI ED	NETWORK ELEMENTS - Alabama												Attachment	2		Exhibit: B
ATTEMPTS RATE ELEMEN	ONDUNDED	NET WORK ELEMENTS - AIADAIIIA		1	1		T										
ATT ELEMENTS March							1							Incremental	Incremental		Incremental
AMERICAN Section Sec														Charge -	Charge -	Charge -	Charge -
Second Column Second Colum	CATEGODY	DATE ELEMENTO	Interi	7000	DCC.	usoc			DATES(\$)			Svc Order	Svc Order				Manual Svc
Part	CATEGORI	RATE ELEMENTS	m	Zone	BUS	USUC			KAIES(\$)								Order vs.
Part																	
Page Non-recurring																	Disc Add'l
System in 1081 Loop, 134 Channel Bank, and up to 24 Feature Activations First Adert First Adert SOME				1		1						per Lak	per LSK	151	Auu i	DISC 1St	DISC Add I
System in 1081 Loop, 134 Channel Bank, and up to 24 Feature Activations First Adert First Adert SOME							Pac	Nonrec	urring	Nonrecurring	n Disconnect			088	DATES (\$)		
System in 1 DEI Loop, 1 De Chammel Bank, and up to 24 Feature Activations							Nec					SOMEC	SOMAN			SOMAN	SOMAN
Sea System can Nave up to 34 combinations of raise depending on type and number of post used	System	is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Activ	ations			1		11100	Addi	11130	Addi	COMILO	COMPAN	COMPAR	COMPAR	COMPAN	COMPAR
WE FST Loop					ner of norts used												
			ype une	1	I												
CWM DS 1 Loss - UNE Zone 2 2 UEPRIG USBCD 39.00 0.00	ONE DO			1	LIEPMG	LISLIDG	101 92	0.00	0.00				1				
WHIS DISTORY - UNF ZORP 3													1				
UNESS Channel Capacities (A) Channel Bank Configurations)				_									1				
24 DSQ Channel Capacity 1 per 1051	UNE DS		s)		CEI WIO	GOLDO	020.04	0.00	0.00								1
45 DSC Channel Copanty - 1 par 2 DS1s	ONE DO		, 		LIEPMG	V/I IM24	115.89	0.00	0.00					40.71	9.58		+
MEDIC Channel Capacity - Tiper 4 DSTs													1				†
144 GSS Channel Capacity - 1 per 6 DSTs										—	 	1	-				†
192 DSS Charmel Capacity - 1 per 10 DS1s	<u> </u>			 						†	1						1
240 DS Charnel Capacity - 1 per 1 DS1s				1						 		1					
S80 D80 Channel Cappelly - 1 per (D81s UEPMG VUMB8 1,980.68 0.00 0.00 40,71 9.58 1,881.24 0.00 0.00 40,71 9.58 1,881.24 0.00 0.00 4,871 9.58 1,881.24 0.00 0.00 1,881.24 0.00 0.00 1,881.24 0.00 0.00 1,881.24 0.00 0.00 0.00 1,881.24 0.00 0.00 0.00 0.00 1,881.24 0.00	+			 						 		1					
Set DSD Channel Capacity - 1 per 10 DS1s	+			 						 		1					
480 BSI Channel Capacity - 1 per 2d DS1s	+			 						 		1					
S76 DSI Channel Capacity - 1 per 22 DS15 UEPMG VUMO7 3,244.82 0.00 0.00 40,71 9.58				-								 					
S72 DSD Channel Capacity - 1 per 28 DS1s																	
Non-Recurring Charges (MRC) Associated with 4-Wire DST Loop with Channelization with Port - Conversion Charge Based on a System Administration is One (1) DST, lone (1)																	
A Minimum System configuration is One (1) DSI, One (1) D4 Channel Bank, and Up To 24 D59 Ports with Feature Activations.	Non-Por		Channe	liztion					0.00					40.71	9.30		
Multiples of his configuration functioning as one are considered Add' after the minimum system configuration is counted. New Convention (Currently Combined) with or without Self-South Microsoft Changes UEPMG USACA 0.00 30.955 16.72 40.71 9.58								tem									
NRC - Correstroin Currently Cercibined with or without Block Allowed Changes USACA 0.00 300.95 16.72 40.71 9.58																	
BellSouth Allowed Changes	wuttpie		a i aitei		I system com	I guration is t	Journeu.										
System Additions at End User Locations Where 4-Wire DST Loop with Channelization with Port Combination Currently Exists and New (Not Currently Combined (In AB, WL, LM, MS & TN Only)					LIEDMG	LISACA	0.00	200.05	16 72					40.71	0.59		
New (Not Currently Combined) in GA, KY, LA, MS & TN Only UEPMG VUMD4 0.00 716.11 468.04 148.75 17.65 40.71 9.58	System		Chann	olizati				300.33	10.72					40.71	3.30		
TOS/IDA Channel Bank - Add NRC for each Port and Assoc EPMG VMID4 0.00 716.11 488.04 148.75 17.65 40.71 9.58			- Onani	L	l	Tation Gane	lily Exists und						1				
Fear Activation - New GA, LA, KY, MS, &TN Only UEPMG VUMD4 0.00 716.11 468.04 148.75 17.65 40.71 9.58				†													
Bipolar 8 Zero Substitution					LIEPMG	VUMD4	0.00	716 11	468.04	148 75	17 65			40 71	9.58		
Clear Channel Capability Format, superframe - Subsequent Activity Only UEPMG CCOSF 0.00 0.00 600.00 0.00 600.00 0.00	Binolar			†											0.00		
Activity Only UEPMG CCOSF 0.00 0.00 600.00	2.50.0.			†													
Clear Channel Capability Format - Extended Superframe - Subsequent Activity Only UEPMG CCOEF 0.00 0.00 600.00					LIEPMG	CCOSE	0.00	0.00	600.00								
Subsequent Activity Only				†	02.1.10	0000.	0.00	0.00	000.00								
Alternate Mark Inversion (AMI) Superframe Format					LIEPMG	CCOFF	0.00	0.00	600.00								
Superframe Format	Δlternat				020	0002.	0.00	0.00	000.00				1				†
Exchange Ports Associated with 4-Wire DS1 Loop with Channelization with Port	Alternat				LIEPMG	MCOSE	0.00	0.00	0.00								1
Exchange Ports Exch				†													
Exchange Ports	Exchang		n with F	ort	OLI IVIO	WOO! C	0.00	0.00	0.00								1
Line Side Combination Channelized PBX Trunk Port - Business Line Side Outward Channelized PBX Trunk Port - Business UEPPX UEPCX 1.58 0.00 0.00 0.00 0.00 0.00 0.00 0.00 40.71 9.58 Line Side Outward Channelized PBX Trunk Port - Business UEPPX NDT O.00				1		†				 		1		 			
Line Side Outward Channelized PBX Trunk Port - Business UEPPX UEPOX 1.58 0.00 0.00 0.00 0.00 0.00 40.17 9.58		y- ·				1				<u> </u>				<u> </u>			t
Line Side Outward Channelized PBX Trunk Port - Business UEPPX UEPOX 1.58 0.00 0.00 0.00 0.00 0.00 40.17 9.58	1	Line Side Combination Channelized PRX Trunk Port - Rusiness		1	UEPPX	UEPCX	1 58	0.00	0.00	0.00	0.00			40 71	9.58		
Line Side Inward Only Channelized PBX Trunk Port without DID 2-Wire Trunk Side Unbundled Channelized DID Trunk Port 2-Wire Channelized PBX Area Calling Service Combination Port (AL Only) 2-Wire Channelized PBX Area Calling Service Combination Port (AL Only) 2-Wire Channelized PBX Area Calling Service Outgoing Only Port (AL Only) 40.71 9.58 2-Wire Channelized PBX Area Calling Service Outgoing Only Port (AL Only) 40.71 9.58				 													t
2-Wire Trunk Side Unbundled Channelized DID Trunk Port UEPPX UEPDM 9.20 0.00 0.00 0.00 0.00 40.71 9.58	<u> </u>	Dublicas Chambridge DA Hallet Oil Daoilless		 		32. 37.	1.50	0.00	3.30	0.00	3.50			-10.77	5.56		t
2-Wire Trunk Side Unbundled Channelized DID Trunk Port UEPPX UEPAM 9.20 0.00	1	Line Side Inward Only Channelized PBX Trunk Port without DID		1	UEPPX	UEP1X	1.58	0.00	0.00	0.00	0.00			40.71	9.58		
2-Wire Channelized PBX Area Calling Service Combination Port (AL Only)				1								1					
Columber Columber				1		JEI DIVI	3.20	0.00	0.00	0.00	0.00	1		40.71	3.36		
2 Wire Channelized PBX Area Calling Service Outgoing Only Dept (AL Only) Dept (AL Onl					UEPPX	UEPA4	1 58	0.00	0.00	1				40 71	9.58		
Port (AL Only)	<u> </u>			 		32	1.50	0.00	3.30	†	1			70.71	5.56		t
Feature Activations - Unbundled Loop Concentration					UEPPX	UEPA3	1.58	0.00	0.00	1				40.71	9.58		
Feature (Service) Activation for each Line Side Port Terminated in D4 Bank	Feature							5.50	3.00	<u> </u>					5.00		t
In D4 Bank	, catale			 	 	1	† †			t	1			t			t
Feature (Service) Activation for each Trunk Side Port Terminated UEPPX	1			1	UEPPX	1PQWM	0.64	25.39	13.41	4.19	4.16			40.71	9.58		
In D4 Bank	1				1	1	3.54	20.00	.5. 11		0				5.50		1
Telephone Number/ Group Establishment Charges for DID Service	1			1	UEPPX	1PQWU	0.64	78.13	18.42	59.24	11.58			40.17	9.58		
DID Trunk Termination (1 per Port)	Telepho			 			3.54	. 0 0			50				5.50		1
DID Numbers - groups of 20 - Valid all States	Гоюрно				LIEPPX	NDT	0.00	0.00	0.00	—		1	-	—			†
Non-Consecutive DID Numbers - per number UEPPX ND5 0.00 0.00 0.00				1						 		1		 			
Reserve Non-Consecutive DID Numbers		Non-Consecutive DID Numbers - per number								—		1	-	—			†
		Reserve Non-Consecutive DID Numbers		1						 		1		 			
				 						t		 	1	t			

NBUNDLFF	NETWORK ELEMENTS - Alabama												Attachment:	2		Exhibit:
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually	Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incrementa Charge - Manual Sv Order vs. Electronic
												per LSR	1st	Add'l	Disc 1st	Disc Add
											po. zo.	po. 20.1	101	71441	2.00 .01	2.007.444
						Rec	Nonrec		Nonrecurring					RATES (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Local N	umber Portability Local Number Portability - 1 per port		-	UEPPX	LNPCP	3.15	0.00	0.00								
FEATUE	RES - Vertical and Optional			UEPPA	LINECE	3.15	0.00	0.00								
	witching Features Offered with Line Side Ports Only															
	All Features Available			UEPPX	UEPVF	5.55	0.00	0.00					40.71	9.58		
	ORT LOOP COMBINATIONS - MARKET RATES															
	Rates shall apply where BellSouth is not required to provide up	nbundl	ed loc	al switching or switch	h ports per	FCC and/or Sta	te Commissior	rules.								
	cenarios include:	al las Ala	<u> </u>	Flanisla Nauth Cana	 C	th Caralina										
	undled port/loop combinations that are Not Currently Combine undled port/loop combinations that are Currently Combined or						ISouth's region	n for and users	with 4 or mor	o DSO equival	ant lings					
Z. Olibe	andled portrioop combinations that are currently combined or	1401 00	inenti	y Combined in Zone	TOT THE TOP	O MIOAO III Dei	ilooddii a regioi	i ioi ena asers	5 WILLI 4 OF IIIOI	e Doo equivan	ont inico.		!	ļ	ļ	
The Top	o 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderdale	e, Miam	i); GA	(Atlanta); LA (New C	Orleans); NC	(Greensboro-W	/inston Salem-	Highpoint/Cha	rlotte-Gastonia	a-Rock Hill); TI	N (Nashville).				
	th currently is developing the billing capability to mechanically									ot currently co	mbined in	AL, FL, NC	and SC. In th	e interim whe	ere BellSouth	cannot bi
	Rates, BellSouth shall bill the rates in the Cost-Based section prices. The content of the conte			ieu of the Warket Ra	ies and rese	ves the right to	o true-up the b	illing amerend	e.		1	1				1
	ice and Tandem Switching Usage and Common Transport Usa			Port section of this	rate exhibit	shall apply to	all combination	ns of loop/por	l t network elem	ents except fo	r UNE Coin	Port/Loop	Combinations	s which have	a flat rate usa	ge charg
	URECU).	90			, , , , , , , , , , , , , , , , , , , ,	onan apply to				oxoop:		. о. и доор			u	.90 09
For Not	Currently Combined scenarios where Market Rates apply, the	Nonrec	urring	charges are listed in	n the First ar	d Additional N	IRC columns fo	r each Port US	SOC. For Curre	ently Combine	d scenarios	, the Nonre	curring charge	es are listed i	n the NRC - C	urrently
	ed section. Additional NRCs may apply also and are categoriz	ed acc	ording	ly.												
	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)															
UNE Po	rt/Loop Combination Rates					20.05										
	2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2		2			28.35 37.31										
	2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3		3			56.24										
UNE Lo	op Rates		Ů			00.E4										
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPRX	UEPLX	14.35										
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPRX	UEPLX	23.31										
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPRX	UEPLX	42.24										
2-Wire \	/oice Grade Line Port (Res)			LIEDDY	LIEDDI	44.00	00.00	00.00					40.74	0.50		
_	2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res			UEPRX UEPRX	UEPRL UEPRC	14.00 14.00	90.00 90.00	90.00 90.00					40.71 40.71	9.58 9.58		
	2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res			UEPRX	UEPRO	14.00	90.00	90.00					40.71	9.58		
	2-Wire voice unbundles res, low usage line port with Caller ID															
	(LUM)			UEPRX	UEPAP	14.00	90.00	90.00					40.71	9.58		
LOCAL	NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPRX	LNPCX	0.35										
FEATUR	All Features Offered			UEPRX	UEPVF	0.00	0.00	0.00								
NONRE	CURRING CHARGES - CURRENTLY COMBINED			UEPKA	UEFVF	0.00	0.00	0.00								
	ONAL NRCs															
	NRC - 2-Wire Voice Grade Loop/Line Port Combination -															
	Subsequent			UEPRX	USAS2		0.00	0.00					40.71	9.58		
	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)															
UNE Po	rt/Loop Combination Rates		_			20.25										
	2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2		2			28.35 37.31										<u> </u>
	2-Wire VG Loop/Port Combo - Zone 2		3			56.24										
UNE Lo	op Rates		<u> </u>										İ			
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPBX	UEPLX	14.35										
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPBX	UEPLX	23.31										
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPBX	UEPLX	42.24										
2-Wire \	/oice Grade Line Port (Bus)		<u> </u>	LIEDDY	HEDD!	44.00	20.00	20.00					40.71	0.50		
	2-Wire voice unbundled port without Caller ID - bus 2-Wire voice unbundled port with Caller + E484 ID - bus			UEPBX UEPBX	UEPBL UEPBC	14.00 14.00	90.00	90.00					40.71 40.71	9.58 9.58		
_	2-Wire voice unbundled port with Caller + E484 ID - bus 2-Wire voice unbundled port outgoing only - bus		 	UEPBX	UEPBC	14.00	90.00	90.00			1	1	40.71	9.58	1	
LOCAL	NUMBER PORTABILITY			OLI DA	OLI BO	14.00	30.00	30.00					40.71			
	Local Number Portability (1 per port)			UEPBX	LNPCX	0.35							İ			

4Q01:12/01/01 PAGE 26 OF 324

<u>INBUNDLED</u>	NETWORK ELEMENTS - Alabama												Attachment:	2		Exhibit
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Submitted Manually		Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge
						Rec	Nonre	curring	Nonrecurring	a Disconnect	per LOIX	per Lor		RATES (\$)	Disc 1st	Disc Au
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
FEATUR																
	CURRING CHARGES - CURRENTLY COMBINED															
ADDITIO	ONAL NRCs															
	NRC - 2-Wire Voice Grade Loop/Line Port Combination -															
0.14/105	Subsequent			UEPBX	USAS2		0.00	0.00					40.71	9.58		
	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX) ort/Loop Combination Rates															
UNE PO	2-Wire VG Loop/Port Combo - Zone 1		1		_	28.35										
+	2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2		2			37.31					1					
	2-Wire VG Loop/Port Combo - Zone 3		3		-	56.24										
UNE L o	op Rates		۲			30.24										
	2-Wire Voice Grade Loop (SL1) - Zone 1	1	1	UEPRG	UEPLX	14.35		1								
	2-Wire Voice Grade Loop (SL1) - Zone 2			UEPRG	UEPLX	23.31										
	2-Wire Voice Grade Loop (SL1) - Zone 3			UEPRG	UEPLX	42.24										
2-Wire \	Voice Grade Line Port Rates (RES - PBX)															
	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port -														_	
	Res			UEPRG	UEPRD	14.00	90.00	90.00					40.71	9.58		
LOCAL	NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPRG	LNPCP	3.15										
FEATUR	RES															
	CURRING CHARGES - CURRENTLY COMBINED															
ADDITIO	ONAL NRCs															
	2 Wire Loop/Line Side Port Combination - Non feature - Subsequent Activity- Nonrecurring						0.00	0.00								
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group						14.64	14.64					19.99	19.99	19.99	1
	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)															
UNE Po	rt/Loop Combination Rates		 													
_	2-Wire VG Loop/Port Combo - Zone 1		1			28.35										
	2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3		3			37.31 56.24										
LINE LO	op Rates		3			30.24										
ONE EO	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPPX	UEPLX	14.35										
-	2-Wire Voice Grade Loop (SL1) - Zone 2			UEPPX	UEPLX	23.31										
	2-Wire Voice Grade Loop (SL1) - Zone 3			UEPPX	UEPLX	42.24										
2-Wire \	Voice Grade Line Port Rates (BUS - PBX)		Ť					İ		l						
	, ,															
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPPX	UEPPC	14.00	90.00	90.00					40.71	9.58		
	Line Side Unbundled Outward PBX Trunk Port - Bus			UEPPX	UEPPO	14.00	90.00	90.00					40.71	9.58		
	Line Side Unbundled Incoming PBX Trunk Port - Bus	ļ		UEPPX	UEPP1	14.00	90.00	90.00					40.71	9.58		
	2-Wire Voice Unbundled 2-Way Combination PBX Alabama	1	1	Lucasy									40 = -			
	Calling Port	ļ	<u> </u>	UEPPX	UEPA2	14.00	90.00	90.00			ļ		40.71	9.58		
	2-Wire Voice Unbundled PBX LD Terminal Ports	!	<u> </u>	UEPPX	UEPLD	14.00	90.00	90.00			<u> </u>		40.71	9.58		
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port 2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports	 	1	UEPPX UEPPX	UEPXA UEPXB	14.00	90.00	90.00					40.71 40.71	9.58		
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports 2-Wire Voice Unbundled PBX LD DDD Terminals Port	 	 	UEPPX	UEPXB	14.00 14.00	90.00 90.00	90.00		-	-		40.71 40.71	9.58 9.58		
	2-Wire Voice Unbundled PBX LD DDD Terminals Port 2-Wire Voice Unbundled PBX LD Terminal Switchboard Port	1	1	UEPPX	UEPXD	14.00	90.00	90.00			}		40.71	9.58		-
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPPX	UEPXE	14.00	90.00	90.00					40.71	9.58		
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
	Administrative Calling Port 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			UEPPX	UEPXL	14.00	90.00	90.00					40.71	9.58		
	Room Calling Port 2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital			UEPPX	UEPXM	14.00	90.00	90.00					40.71	9.58		
	Discount Room Calling Port			UEPPX	UEPXO	14.00	90.00 90.00	90.00					40.71	9.58		
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port NUMBER PORTABILITY	ļ	1	UEPPX	UEPXS	14.00	90.00	90.00			1		40.71			
LOCA																

UNBUNDLE	NETWORK ELEMENTS - Alabama												Attachment:	2		Exhibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Submitted Manually	Electronic-	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrec			g Disconnect				RATES (\$)		
FEATU							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	CURRING CHARGES - CURRENTLY COMBINED															
	ONAL NRCs															
	2-Wire Voice Grade Loop/ Line Port Combination - Subsequent Wire Loop/Line Side Port Combination - Non feature -			UEPPX	USAS2		0.00	0.00		-			40.71	9.58		
	Subsequent Activity- Nonrecurring						0.00	0.00								
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt															
	Group						14.64	14.64					19.99	19.99	19.99	19.99
	VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN PORT ort/Loop Combination Rates				+					 						
UNE PO	2-Wire VG Coin Port/Loop Combo – Zone 1		1			28.35							1			
	2-Wire VG Coin Port/Loop Combo – Zone 2		2			37.31										
	2-Wire VG Coin Port/Loop Combo – Zone 3		3			56.24										
UNE Lo	op Rates			LIEBOO	LIEBLY											
	2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPCO UEPCO	UEPLX UEPLX	14.35 23.31				-			1			
	2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3			UEPCO	UEPLX	42.24				1			1			
2-Wire	Voice Grade Line Port Rates (Coin)			OLI OO	OLI EX	72.27										
	2-Wire Coin 2-Way without Operator Screening and without															
	Blocking (AL, KY, LA, MS)			UEPCO	UEPRF	14.00	90.00	90.00					40.71	9.58		
-	2-Wire Coin 2-Way with Operator Screening (AL, KY) 2-Wire Coin 2-Way with Operator Screening and Blocking: 011,			UEPCO	UEPRE	14.00	90.00	90.00					40.71	9.58		-
	900/976, 1+DDD (AL, KY, LA, MS, SC)			UEPCO	UEPRA	14.00	90.00	90.00					40.71	9.58		İ
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking			OLI OO	OLITOR	14.00	50.00	50.00					40.71	0.00		
	(AL, LA, MS)			UEPCO	UEPRB	14.00	90.00	90.00					40.71	9.58		
	2-Wire Coin 2-Way with Operator Screening & Blocking:															l
	900/976, 1+DDD, 011+, & Local (AL, KY, LA, MS) 2-Wire Coin Outward with Operator Screening and 011 Blocking			UEPCO	UEPCD	14.00	90.00	90.00		-			40.71	9.58		
	(AL, FL)			UEPCO	UEPRK	14.00	90.00	90.00					40.71	9.58		
	2-Wire Coin Outward with Operator Screening and Blocking:			02. 00	OLI TUT	1 1.00	00.00	00.00					10.7.	0.00		
	011, 900/976, 1+DDD (AL, KY, LA, MS)			UEPCO	UEPRH	14.00	90.00	90.00					40.71	9.58		
	2-Wire Coin Outward Operator Screening & Blocking: 900/976,															ĺ
LOCAL	1+DDD, 011+, & Local (AL, KY, LA, MS) NUMBER PORTABILITY			UEPCO	UEPCN	14.00	90.00	90.00					40.71	9.58		
LOCAL	Local Number Portability (1 per port)			UEPCO	LNPCX	0.35										
NONRE	CURRING CHARGES - CURRENTLY COMBINED															
ADDITIO	ONAL NRCs															
1	2-Wire Voice Grade Loop/ Line Port Combination - Subsequent			UEPCO	USAS2		0.00	0.00		1			40.71	9.58		
UNBUNDLED C	ENTREX PORT/LOOP COMBINATIONS			ULFCU	U3A32	1	0.00	0.00		 		-	40.71	9.58		
	DLED PORT/LOOP COMBINATIONS - COST BASED RATES															
	CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only)															
	VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
UNE Po	prt/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -												-			
	Non-Design		1	UEP91		16.55										İ
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Non-Design		2	UEP91		25.51										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		_	LIEDO4	1					1						
LINE Do	Non-Design ort/Loop Combination Rates (Design)		3	UEP91	+	44.44				1		-	 			-
ONE FO	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -		-			+						1				-
	Design		1	UEP91		22.62				<u> </u>	<u> </u>					<u> </u>
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		2	UEP91		29.61				 						├
	Design		3	UEP91	1	38.09				1						
	Dough			001 31		50.09			l	L	L	<u> </u>	L		l	

NBUNDLED	NETWORK ELEMENTS - Alabama												Attachment:	2		Exhibit:
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)	ı			Submitted Manually		Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Charge - Manual So Order vs
						Rec	Nonrec			g Disconnect				RATES (\$)		T
UNE Loo	an Dete						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP91	UECS1	14.35										-
	2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2			UEP91	UECS1	23.31			-							+
	2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3			UEP91	UECS1	42.24					1					1
	2-Wire Voice Grade Loop (SL 2) - Zone 3			UEP91	UECS2	20.42										-
	2-Wire Voice Grade Loop (SL 2) - Zone 2			UEP91	UECS2	27.41										
	2-Wire Voice Grade Loop (SL 2) - Zone 3			UEP91	UECS2	35.89										
UNE Port																
All States	s (Except North Carolina and Sout Carolina)															
	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP91	UEPYA	2.20							40.71	9.58		
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area			UEP91	UEPYB	2.20							40.71	9.58		
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area			UEP91	UEPYH	2.20							40.71	9.58		
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 Basic Local Area			UEP91	UEPYM	2.20							40.71	9.58		
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term - Basic Local Area			UEP91	UEPYZ	2.20							40.71	9.58		
	2-Wire Voice Grade Port terminated in on Megalink or equivalent - Basic Local Area			UEP91	UEPY9	2.20							40.71	9.58		
	2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area			UEP91	UEPY2	2.20							40.71	9.58		
	LA, MS, & TN Only			LIEBO.												
	2-Wire Voice Grade Port (Centrex) 2-Wire Voice Grade Port (Centrex 800 termination)			UEP91 UEP91	UEPQA UEPQB	2.20 2.20					1		40.71 40.71	9.58 9.58		
	2-Wire Voice Grade Port (Centrex 800 termination) 2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP91	UEPQB	2.20			-				40.71	9.58		
	2-Wire Voice Grade Fort (Centrex from diff Serving Wire Center)2			UEP91	UEPQM	2.20							40.71	9.58		
	Zerwire Voice Grade Port, Diff Serving Wire Center - 800 Service Term			UEP91	UEPQZ	2.20							40.71	9.58		
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP91	UEPQ9	2.20							40.71	9.58		
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP91	UEPQ2	2.20							40.71	9.58		
Local Sw																
	Centrex Intercom Funtionality, per port			UEP91	URECS	0.5488										
	imber Portability															
	Local Number Portability (1 per port)			UEP91	LNPCC	0.35										
Features			ļ		<u> </u>	ļ			ļ							
	All Standard Features Offered, per port		!	UEP91	UEPVF	2.64	40= ==			ļ	<u> </u>					1
	All Select Features Offered, per port All Centrex Control Features Offered, per port		!	UEP91	UEPVS UEPVC	0.00 2.64	405.52		 	 	1	ļ				1
NARS	All Centrex Control Features Offered, per port		<u> </u>	UEP91	UEPVC	∠.04			-	-	-	-		-		
	Unbundled Network Access Register - Combination		 	UEP91	UARCX	0.00	0.00	0.00	 	1	1	1		1		+
	Unbundled Network Access Register - Combination Unbundled Network Access Register - Indial	-	 	UEP91	UAR1X	0.00	0.00	0.00	 	<u> </u>	 	 			 	
	Unbundled Network Access Register - Outdial		<u> </u>	UEP91	UAROX	0.00	0.00	0.00	1	1						1
	neous Terminations			-		1		2.30								1
2-Wire Tr	runk Side															
	Trunk Side Terminations, each			UEP91	CENA6	9.17										
	ce Channel Mileage - 2-Wire						_						_			
	Interoffice Channel Facilities Termination - Voice Grade			UEP91	MIGBC	24.15										
	Interoffice Channel mileage, per mile or fraction of mile		<u> </u>	UEP91	MIGBM	0.0101			ļ	ļ						
	Activations (DS0) Centrex Loops on Channelized DS1 Service		<u> </u>													
D4 Chanı	nel Bank Feature Activations		<u> </u>	LIEDO4	400140	2.04			1	1	1	1		-		1
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP91	1PQWS	0.64										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP91	1PQW6 1PQW7	0.64										

UNBUNDLE'	D NETWORK ELEMENTS - Alabama												Attachment:	2		Exhibit: B
	, and a second														Ingrar	
i			1			1							Incremental	Incremental		
i		Interi									00	00	Charge -	Charge -	Charge -	Charge -
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)				Svc Order		Manual Svc		
i		""										Submitted		Order vs.	Order vs.	Order vs.
i											Elec	Manually		Electronic-	Electronic-	Electronic-
 											per LSR	per LSR	1st	Add'l	Disc 1st	Disc Add'l
i I						_			l							
+-						Rec	Nonrec			g Disconnect	SOMEC	COMAN	SOMAN	RATES (\$) SOMAN	SOMAN	COMAN
+-	Facture Activation on D.4 Channel Bank Contray Loop Clat				_	-	First	Add'l	First	Add'l	SOWIEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
i l	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center			UEP91	1PQWP	0.64										
+-	Different wire Center			UEP91	TPQVP	0.64			-							
i l	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP91	1PQWV	0.64										
-+-	Feature Activation on D-4 Channel Bank Tije Line/Trunk Loop			UEF91	IFQVV	0.64					1	1				<u> </u>
i l	Slot			UEP91	1PQWQ	0.64										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP91	1PQWA	0.64				-						
Non-Re	ecurring Charges (NRC) Associated with UNE-P Centrex			02. 0.		0.01					1					
1.0	Conversion - Currently Combined Switch-As-Is with allowed															
ı I	changes, per port			UEP91	USAC2		2.80	0.41	1							
	New Centrex Standard Common Block		i –	UEP91	M1ACS	0.00	667.21		1	İ				İ		İ
	New Centrex Customized Common Block		i –	UEP91	M1ACC	0.00	667.21		1	İ				İ		1
	Secondary Block, per Block			UEP91	M2CC1	0.00	78.02									1
	NAR Establishment Charge, Per Occasion			UEP91	URECA	0.00	72.73									1
UNE-P	CENTREX - 5ESS (Valid in All States)															
2-Wire	VG Loop/2-Wire Voice Grade Port (Centrex) Combo															ĺ
UNE Po	ort/Loop Combination Rates (Non-Design)															
i	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															ĺ
ــــــــــــــــــــــــــــــــــــــ	Non-Design		1	UEP95		16.55										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Non-Design		2	UEP95		25.51										
i l	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Non-Design		3	UEP95		44.44										
UNE Po	ort/Loop Combination Rates (Design)															
i l	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
	Design		1	UEP95		22.62										
i	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		_													
	Design		2	UEP95		29.61										
i	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		3	UEP95		00.00										
LINE	Design pop Rate		3	UEP95		38.09			-		1					
UNE LC	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP95	UECS1	14.35			-		1					
	2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP95	UECS1	23.31										
$\overline{}$	2-Wire Voice Grade Loop (SL 1) - Zone 2		3	UEP95	UECS1	42.24					1	1				
	2-Wire Voice Grade Loop (SL 1) - Zone 3	-	1	UEP95	UECS2	20.42	+		 	<u> </u>	 		 			
	2-Wire Voice Grade Loop (SL 2) - Zone 1		2	UEP95	UECS2	27.41	-		 	†	 					
	2-Wire Voice Grade Loop (SL 2) - Zone 3	1	3	UEP95	UECS2	35.89	-		-	1		<u> </u>	 			†
UNE Pr	ort Rate		Ť			55.55			1	1			1			1
All Stat			1		1	†	İ		1	1			1			1
	2-Wire Voice Grade Port (Centrex) Basic Local Area		i –	UEP95	UEPYA	2.20			1	İ			40.71	9.58		1
i	2-Wire Voice Grade Port (Centrex 800 termination)		1	UEP95	UEPYB	2.20							40.71	9.58		1
i	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local		1													1
ı l	Area			UEP95	UEPYH	2.20	l		I	1			40.71	9.58		
i	2-Wire Voice Grade Port (Centrex from diff Serving Wire						ĺ									
	Center)2 Basic Local Area		<u>L</u>	UEP95	UEPYM	2.20			<u> </u>	<u> </u>	<u> </u>		40.71	9.58		<u> </u>
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service]			
	Term - Basic Local Area			UEP95	UEPYZ	2.20							40.71	9.58		
	2-Wire Voice Grade Port terminated in on Megalink or equivalent															
	- Basic Local Area		<u> </u>	UEP95	UEPY9	2.20	ļ		ļ				40.71	9.58		<u> </u>
. 1	2-Wire Voice Grade Port Terminated on 800 Service Term -			l			l		I				1			
	Basic Local Area		<u> </u>	UEP95	UEPY2	2.20	ļ		ļ	ļ			40.71	9.58		1
AL, KY	, LA, MS, SC, & TN Only		<u> </u>			.			.	<u> </u>						ļ
	2-Wire Voice Grade Port (Centrex)		<u> </u>	UEP95	UEPQA	2.20				ļ	ļ		40.71	9.58		↓
	2-Wire Voice Grade Port (Centrex 800 termination)		<u> </u>	UEP95	UEPQB	2.20			-	 	<u> </u>		40.71	9.58		.
	2-Wire Voice Grade Port (Centrex with Caller ID)1		<u> </u>	UEP95	UEPQH	2.20			-	1			40.71	9.58		
ı l	2-Wire Voice Grade Port (Centrex from diff Serving Wire			LIEDOE	LIEBOM	0.00	l		1				40.71	0.50		
ı	Center)2			UEP95	UEPQM	2.20			L	<u> </u>	1	L	40.71	9.58		

UNBUNDLED	NETWORK ELEMENTS - Alabama												Attachment:	2		Exhibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			1	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc	Incremental Charge -	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec	urring	Nonrecurrin	g Disconnect	po: 20:x	po. zer	•	RATES (\$)	2.00 101	2.007.444.
							First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term			UEP95	UEPQZ	2.20							40.71	9.58		
	OME Visco Octobration in the Manager of the Company			UEP95	UEPQ9	0.00							40.74	9.58		
	2-Wire Voice Grade Port terminated in on Megalink or equivalent 2-Wire Voice Grade Port Terminated on 800 Service Term			UEP95 UEP95	UEPQ9	2.20 2.20							40.71 40.71	9.58		
Local S	witching			OLI 93	OLI QZ	2.20							40.71	9.50		
	Centrex Intercom Funtionality, per port			UEP95	URECS	0.5488										
Local N	umber Portability															
	Local Number Portability (1 per port)			UEP95	LNPCC	0.35										
Features																
	All Standard Features Offered, per port			UEP95	UEPVF	2.64	105.50									
	All Select Features Offered, per port			UEP95	UEPVS	0.00	405.52									
NARS	All Centrex Control Features Offered, per port			UEP95	UEPVC	2.64										
INAKS	Unbundled Network Access Register - Combination			UEP95	UARCX	0.00	0.00	0.00								
	Unbundled Network Access Register - Indial			UEP95	UAR1X	0.00	0.00	0.00								
	Unbundled Network Access Register - Outdial			UEP95	UAROX	0.00	0.00	0.00								
Miscella	neous Terminations															
2-Wire T	runk Side															
	Trunk Side Terminations, each			UEP95	CEND6	9.17										
4-Wire D	pigital (1.544 Megabits)															
	DS1 Circuit Terminations, each			UEP95	M1HD1	68.67										
	DS0 Channels Activated, each			UEP95	M1HDO	0.00	28.25									
Interoffi	ce Channel Mileage - 2-Wire Interoffice Channel Facilities Termination			UEP95	MIGBC	24.15			-							-
	Interoffice Channel mileage, per mile or fraction of mile			UEP95	MIGBM	0.0101			-	<u> </u>	-					
Feature	Activations (DS0) Centrex Loops on Channelized DS1 Service			OLI 93	IVIIODIVI	0.0101										
	nel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	1PQWS	0.64										
	·															
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP95	1PQW6	0.64										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop															
	Slot			UEP95	1PQW7	0.64										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center			UEP95	1PQWP	0.64										
	Factions Astrophics on D.4 Observal Book British 1997 Co.	l		UEP95	1PQWV	0.04			1							
\vdash	Feature Activation on D-4 Channel Bank Private Line Loop Slot Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop		!	UEP93	IPQWV	0.64			-	1	-		-			
	Slot		1	UEP95	1PQWQ	0.64			I				1			
	Feature Activation on D-4 Channel Bank WATS Loop Slot		!	UEP95	1PQWQ	0.64			†	†						
Non-Red	curring Charges (NRC) Associated with UNE-P Centrex		<u> </u>	00		0.04			1	1			1			
1.5.	NRC Conversion Currently Combined Switch-As-Is with allowed				İ	† †			1	Ì			Ì			†
	changes, per port	<u></u>	L	UEP95	USAC2	<u> </u>	2.80	0.41	<u> </u>		<u> </u>	<u> </u>		<u> </u>		<u> </u>
	New Centrex Standard Common Block			UEP95	M1ACS	0.00	667.21									
	New Centrex Customized Common Block			UEP95	M1ACC	0.00	667.21		ļ	ļ			ļ			
	NAR Establishment Charge, Per Occasion		<u> </u>	UEP95	URECA	0.00	72.73									ļ
	CENTREX - DMS100 (Valid in All States)															
2-Wire V	G Loop/2-Wire Voice Grade Port (Centrex) Combo															
UNE PO	t/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -		 		+	 			 	<u> </u>			1			
	Non-Design 2-Wire VG Loop/2-Wire Voice Grade For (Centrex) For Combo - 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		1	UEP9D	1	16.55										
	Non-Design	l	2	UEP9D		25.51			I				1			
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			OL1 3D	1	20.01			†	†						
	Non-Design	l	3	UEP9D		44.44			1							
UNE Po	rt/Loop Combination Rates (Design)				1								1			
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -					ĺ										
	Design	<u> </u>	1	UEP9D		22.62]		l]]			

UNBUNDLE	D NETWORK ELEMENTS - Alabama												Attachment:	2		Exhibit: E
ONDONDEL	NETWORK ELLINENTO Alabama		1													
•													Incremental	Incremental		Incrementa
1		Intori											Charge -	Charge -	Charge -	Charge -
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)					Manual Svc			
1		m										Submitted		Order vs.	Order vs.	Order vs.
1											Elec	Manually	Electronic-	Electronic-	Electronic-	Electronic-
											per LSR	per LSR	1st	Add'l	Disc 1st	Disc Add'l
						B				5'				ATEO (A)		
						Rec	First	curring Add'l	First	ng Disconnect Add'l	SOMEC	SOMAN	SOMAN	RATES (\$) SOMAN	SOMAN	SOMAN
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		1				FIISL	Add I	FIISL	Add I	SOWIEC	SOWAN	SOWAN	SOWAN	SOWAN	SOMAN
ı	Design		2	UEP9D		29.61										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			OLI 3D		23.01										
ı	Design		3	UEP9D		38.09										
UNE L	pop Rate					00.00										
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9D	UECS1	14.35										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP9D	UECS1	23.31										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP9D	UECS1	42.24										
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP9D	UECS2	20.42										
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP9D	UECS2	27.41										
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9D	UECS2	35.89			1							
	ort Rate	ļ		ļ				ļ	1							
ALL ST			<u> </u>	LIEDAD	LUED:::				ļ							
	2-Wire Voice Grade Port (Centrex) Basic Local Area	<u> </u>	1	UEP9D	UEPYA	2.20		 	+				40.71	9.58	ļ	ļ
.	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local			LIEDOD	LIEDYD	2 22			1				40.71	0.50		
	Area			UEP9D	UEPYB	2.20							40.71	9.58		
ı	2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local			LIEDOD	LIEDVO	0.00							40.74	0.50		
	Area 2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local			UEP9D	UEPYC	2.20			-	-			40.71	9.58		
1	Area			UEP9D	UEPYD	2.20							40.71	9.58		
	2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local		1	UEP9D	UEPTD	2.20							40.71	9.56		
ı	Area			UEP9D	UEPYE	2.20							40.71	9.58		
	2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local			OLI 3D	OLITE	2.20							40.71	9.50		
ı	Area			UEP9D	UEPYF	2.20							40.71	9.58		
	2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local			02. 02	02	2.20							10.7 1	0.00		
1	Area			UEP9D	UEPYG	2.20							40.71	9.58		
	2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local															
ı	Area			UEP9D	UEPYT	2.20							40.71	9.58		
	2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local															
	Area			UEP9D	UEPYU	2.20							40.71	9.58		
ı	2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local															
	Area			UEP9D	UEPYV	2.20							40.71	9.58		
ı	2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local															
	Area			UEP9D	UEPY3	2.20							40.71	9.58		
1	2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local															
	Area			UEP9D	UEPYH	2.20							40.71	9.58		
.	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp			LIEDOD	UEPYW	0.00			1				40.74	9.58		
	Indication))3 Basic Local Area 2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))3	 	+	UEP9D	UEPYW	2.20		1	+	+	-		40.71	9.58	-	
.	Basic Local Area	1	1	UEP9D	UEPYJ	2.20		1	I				40.71	9.58		
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)	 	 	OLI 3D	OLI IJ	2.20		 	†	+	 		40.71	9.30		1
.	2 Basic Local Area			UEP9D	UEPYM	2.20			1				40.71	9.58		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3		t		J2	2.20			†				.0.71	2.00		
.	Basic Local Area			UEP9D	UEPYO	2.20			1				40.71	9.58		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3													2.30		
.	Basic Local Area	1	1	UEP9D	UEPYP	2.20		1	I				40.71	9.58		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3															
	Basic Local Area			UEP9D	UEPYQ	2.20							40.71	9.58		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3						·		1							
	Basic Local Area	ļ		UEP9D	UEPYR	2.20		ļ	1				40.71	9.58		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3	1	1					1	I							
	Basic Local Area		<u> </u>	UEP9D	UEPYS	2.20			ļ				40.71	9.58		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3	1	1	LIEDOD	LIEDV4	0.00		1	I				40	0		
+-	Basic Local Area	 	₩	UEP9D	UEPY4	2.20		 	+	1			40.71	9.58	1	1
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3	1	1	LIEDOD	LIEDV6			1				I	40.74	0.50		
1	Pasis Local Area															
1	Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3	ļ	1	UEP9D	UEPY5	2.20			-	+			40.71	9.58		

JNBUNDLE	NETWORK ELEMENTS - Alabama												Attachment:	2		Exhibit:
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremen Charge
						Rec	Nonred First	urring Add'l	Nonrecurring First	g Disconnect Add'l	SOMEC	SOMAN	OSS F	RATES (\$)	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3						FIRST	Add I	FIRST	Addi	SOWIEC	SUMAN	SUMAN	SUMAN	SOWAN	SOMAN
	Basic Local Area			UEP9D	UEPY7	2.20							40.71	9.58		
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			-		_							-			
	Term			UEP9D	UEPYZ	2.20							40.71	9.58		
	2-Wire Voice Grade Port terminated in on Megalink or equivalent Basic Local Area			UEP9D	UEPY9	2.20							40.71	9.58		
	2-Wire Voice Grade Port Terminated on 800 Service Term Basic												40 =4			
AI KV	Local Area LA, MS, SC, & TN Only			UEP9D	UEPY2	2.20							40.71	9.58		
AL, KI,	2-Wire Voice Grade Port (Centrex)			UEP9D	UEPQA	2.20							40.71	9.58		
	2-Wire Voice Grade Fort (Centrex) 2-Wire Voice Grade Port (Centrex 800 termination)			UEP9D	UEPQB	2.20							40.71	9.58		
	2-Wire Voice Grade Port (Centrex / EBS-PSET)3			UEP9D	UEPQC	2.20			1				40.71	9.58		
	2-Wire Voice Grade Port (Centrex / EBS-M5009)3			UEP9D	UEPQD	2.20				l			40.71	9.58		1
	2-Wire Voice Grade Port (Centrex / EBS-M5209)3			UEP9D	UEPQE	2.20							40.71	9.58		
	2-Wire Voice Grade Port (Centrex / EBS-M5112)3			UEP9D	UEPQF	2.20							40.71	9.58		
	2-Wire Voice Grade Port (Centrex / EBS-M5312)3			UEP9D	UEPQG	2.20							40.71	9.58		
	2-Wire Voice Grade Port (Centrex / EBS-M5008)3			UEP9D	UEPQT	2.20							40.71	9.58		
	2-Wire Voice Grade Port (Centrex / EBS-M5208)3			UEP9D	UEPQU	2.20							40.71	9.58		
	2-Wire Voice Grade Port (Centrex / EBS-M5216)3			UEP9D	UEPQV	2.20							40.71	9.58		
	2-Wire Voice Grade Port (Centrex / EBS-M5316)3			UEP9D	UEPQ3	2.20							40.71	9.58		
	2-Wire Voice Grade Port (Centrex with Caller ID)			UEP9D	UEPQH	2.20							40.71	9.58		
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp															
	Indication)3			UEP9D UEP9D	UEPQW UEPQJ	2.20					1		40.71 40.71	9.58 9.58		
-	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)3 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)			UEP9D	UEPQJ	2.20						-	40.71	9.58		-
	2-Wile voice Grade Port (Centrex from all Serving Wile Center)			UEP9D	UEPQM	2.20							40.71	9.58		
+	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3			UEP9D	UEPQO	2.20					1		40.71	9.58		
	2 WHO VOICE CHARCT ON (CONTINUALITIES ON O / EBO 1 CE 1/2, O			OLI OD	OLI QO	2.20							40.71	0.00		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3			UEP9D	UEPQP	2.20							40.71	9.58		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3			UEP9D	UEPQQ	2.20							40.71	9.58		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3			UEP9D	UEPQR	2.20							40.71	9.58		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3			UEP9D	UEPQS	2.20							40.71	9.58		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3			UEP9D	UEPQ4	2.20							40.71	9.58		ļ
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3			UEP9D	UEPQ5	2.20							40.71	9.58		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3			UEP9D	UEPQ6	2.20							40.71	9.58		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3			UEP9D	UEPQ7	2.20							40.71	9.58		
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term			UEP9D	UEPQZ	2.20							40.71	9.58		
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9D	UEPQ9	2.20							40.71	9.58		
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP9D	UEPQ2	2.20	•						40.71	9.58		
Local S	witching															
	Centrex Intercom Funtionality, per port			UEP9D	URECS	0.5488										ļ
Local N	umber Portability			LIEDOD	LNDOO	0.05			ļ		<u> </u>					
F	Local Number Portability (1 per port)			UEP9D	LNPCC	0.35			ļ		<u> </u>					
Feature				UEP9D	UEPVF	2.64			1		1	-				├
	All Standard Features Offered, per port All Select Features Offered, per port			UEP9D UEP9D	UEPVF	0.00	405.52		-	-	-					
+	All Centrex Control Features Offered, per port		—	UEP9D	UEPVS	2.64	405.52		1		1	-				
NARS	7 at Control Control Features Officied, per port			OL1 3D	OLI VO	2.04										
	Unbundled Network Access Register - Combination			UEP9D	UARCX	0.00	0.00	0.00								
	Unbundled Network Access Register - Inward			UEP9D	UAR1X	0.00	0.00	0.00			1	1				†

	NETWORK ELEMENTS - Alabama												Attachment:			Exhibit:
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			1	Submitted Manually		Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge
						Rec	Nonrec		Nonrecurring					RATES (\$)		
				LIEBAB		2.22	First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Missella	Unbundled Network Access Register - Outdial aneous Terminations			UEP9D	UAROX	0.00	0.00	0.00								
	Trunk Side										-					
2-11110 1	Trunk Side Terminations, each			UEP9D	CEND6	9.17										
4-Wire D	Digital (1.544 Megabits)					2.1.										
	DS1 Circuit Terminations, each			UEP9D	M1HD1	68.67										
	DS0 Channels Activiated per Channel			UEP9D	M1HDO	0.00	28.25									
Interoffic	ce Channel Mileage - 2-Wire															
	Interoffice Channel Facilities Termination			UEP9D	MIGBC	24.15										
	Interoffice Channel mileage, per mile or fraction of mile			UEP9D	MIGBM	0.0101										
	Activations (DS0) Centrex Loops on Channelized DS1 Service															
D4 Chan	nnel Bank Feature Activations Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9D	1PQWS	0.64										1
+-	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9D	IPQWS	0.64										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9D	1PQW6	0.64										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop			LIEDOD	40014/7	0.04										
	Slot			UEP9D	1PQW7	0.64										1
	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center			UEP9D	1PQWP	0.64										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9D	1PQWV	0.64										
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop															
	Slot			UEP9D	1PQWQ	0.64										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9D	1PQWA	0.64										1
Non-Rec	Curring Charges (NRC) Associated with UNE-P Centrex NRC Conversion Currently Combined Switch-As-Is with allowed				_											
	changes, per port			UEP9D	USAC2		2.80	0.41								
+	New Centrex Standard Common Block			UEP9D	M1ACS	0.00	667.21	0.41								
	New Centrex Customized Common Block			UEP9D	M1ACC	0.00	667.21									
	NAR Establishment Charge, Per Occasion			UEP9D	URECA	0.00	72.73									
UNE-P C	CENTREX - EWSD (Valid in AL, FL, KY, LA, MS & TN)															
	/G Loop/2-Wire Voice Grade Port (Centrex) Combo															
UNE Por	rt/Loop Combination Rates (Non-Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
	Non-Design		1	UEP9E		16.55										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		2	UEP9E		25.51										
+	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			OLF9L		25.51										
	Non-Design		3	UEP9E		44.44										
UNE Por	rt/Loop Combination Rates (Design)		_	02. 02												
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
	Design		1	UEP9E		22.62										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design		2	UEP9E		29.61										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
100-	Design		3	UEP9E		38.09				ļ			ļ			
UNE Loc			4	LIEDOE	LIECC4	44.05				 	1					1
	2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2			UEP9E UEP9E	UECS1 UECS1	14.35 23.31				-			1			-
+	2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3				UECS1	42.24										
+-	2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP9E	UECS2	20.42				1						1
+	2-Wire Voice Grade Loop (SL 2) - Zone 1		2	UEP9E	UECS2	27.41				1						1
	2-Wire Voice Grade Loop (SL 2) - Zone 3			UEP9E	UECS2	35.89				Ì						
	rt Rate			<u> </u>						<u> </u>						
	KY, LA, MS, & TN only							_						_		
	KT, LA, WS, & IN ONLY															
	2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local			UEP9E	UEPYA	2.20							40.71	9.58		

NBUNDLED	NETWORK ELEMENTS - Alabama												Attachment:	2		Exhibit:
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Submitted Manually		Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge Manual S Order vi Electron Disc Add
						Rec	Nonred First	urring Add'l	Nonrecurrin First	g Disconnect	SOMEC	SOMAN	OSS F	RATES (\$)	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local						11130	Addi	11130	Addi	JOINEC	JOHAN	JONIAN	JONIAN	JONIAN	JONAN
l l	Area			UEP9E	UEPYH	2.20							40.71	9.58		
	2-Wire Voice Grade Port (Centrex from diff Serving Wire															
	Center)2 Basic Local Area			UEP9E	UEPYM	2.20							40.71	9.58		
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term - Basic Local Area			UEP9E	UEPYZ	2.20							40.71	9.58		
	2-Wire Voice Grade Port terminated in on Megalink or equivalent - Basic Local Area			UEP9E	UEPY9	2.20							40.71	9.58		
	2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area			UEP9E	UEPY2	2.20							40.71	9.58		
AL KY	LA, MS, & TN Only			OLF9L	ULF 12	2.20							40.71	9.36		
	2-Wire Voice Grade Port (Centrex)			UEP9E	UEPQA	2.20							40.71	9.58		
-	2-Wire Voice Grade Port (Centrex 800 termination)			UEP9E	UEPQB	2.20							40.71	9.58		
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP9E	UEPQH	2.20							40.71	9.58		
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2			UEP9E	UEPQM	2.20							40.71	9.58		
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
	Term			UEP9E	UEPQZ	2.20							40.71	9.58		
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9E	UEPQ9	2.20							40.71	9.58		
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP9E	UEPQ2	2.20							40.71	9.58		
	witching															
	Centrex Intercom Funtionality, per port			UEP9E	URECS	0.5488										
	umber Portability Local Number Portability (1 per port)			UEP9E	LNPCC	0.35						-				
Features				OLI SL	LIVI CC	0.55										
	All Standard Features Offered, per port			UEP9E	UEPVF	2.64										
	All Select Features Offered, per port			UEP9E	UEPVS	0.00	405.52									
	All Centrex Control Features Offered, per port			UEP9E	UEPVC	2.64										
NARS																
	Unbundled Network Access Register - Combination			UEP9E	UARCX	0.00	0.00	0.00								
	Unbundled Network Access Register - Indial			UEP9E	UAR1X	0.00	0.00	0.00								
	Unbundled Network Access Register - Outdial neous Terminations			UEP9E	UAROX	0.00	0.00	0.00								
	runk Side															
	Trunk Side Terminations, each			UEP9E	CEND6	9.17										
	Digital (1.544 Megabits)															
	DS1 Circuit Terminations, each			UEP9E	M1HD1	68.67										
	DS0 Channel Activated Per Channel			UEP9E	M1HDO	0.00	28.25									
	ce Channel Mileage - 2-Wire			LIEBAE		04.45										
	Interoffice Channel Facilities Termination Interoffice Channel mileage, per mile or fraction of mile			UEP9E UEP9E	MIGBC MIGBM	24.15 0.0101										
	Activations (DS0) Centrex Loops on Channelized DS1 Service			UEP9E	MIGBIN	0.0101										
	nel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9E	1PQWS	0.64										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9E	1PQW6	0.64										
1	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP9E	1PQW7	0.64										
l i			Ì			0.64										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center			UEP9E	1PQWP											
	Different Wire Center Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9E UEP9E	1PQWP	0.64										
	Different Wire Center Feature Activation on D-4 Channel Bank Private Line Loop Slot Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop			UEP9E	1PQWV	0.64										
	Different Wire Center Feature Activation on D-4 Channel Bank Private Line Loop Slot															

JNBUNDLED	NETWORK ELEMENTS - Alabama			1	1	1					1		Attachment:	2		Exhibit:
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)	I			Submitted Manually	Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrec	urring	Nonrecurrin	g Disconnect				RATES (\$)		
					_		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	NRC Conversion Currently Combined Switch-As-Is with allowed			LIEDOE	USAC2		2.80	0.41								
	changes, per port New Centrex Standard Common Block			UEP9E UEP9E	M1ACS	0.00	667.21	0.41								-
	New Centrex Customized Common Block			UEP9E	M1ACC	0.00	667.21									
	NAR Establishment Charge, Per Occasion			UEP9E	URECA	0.00	72.73									
UNE-P C	ENTREX - DCO - Valid in AL, KY, LA, MS, & TN)															1
	G Loop/2-Wire Voice Grade Port (Centrex) Combo															
UNE Por	t/Loop Combination Rates (Non-Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
	Non-Design		1	UEP93		16.55										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		2	UEP93		25.51										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			LIEDOO	1					1					1	
LINE De-	Non-Design		3	UEP93		44.44				-						
UNE POI	t/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -		 		+	1			1	 	1	1			1	
	Design		1	UEP93	1	22.62				1					1	
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		·	02.00		22.02										
	Design		2	UEP93		29.61										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design		3	UEP93		38.09										
UNE Loc			_	02.00		00.00										
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP93	UECS1	14.35										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP93	UECS1	23.31										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP93	UECS1	42.24										
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP93	UECS2	20.42										
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP93	UECS2	27.41										
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP93	UECS2	35.89										
UNE Por	t Rate LA, MS, & TN only															
AL, KT,	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP93	UEPYA	2.20							40.71	9.58		
	2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local			OLI 95	OLITA	2.20							40.71	3.30		-
	Area			UEP93	UEPYB	2.20							40.71	9.58		
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area			UEP93	UEPYH	2.20							40.71	9.58		
_	2-Wire Voice Grade Port (Centrex from diff Serving Wire		1	OLI 30	OLI III	2.20				†			40.71	5.30		†
	Center)2 Basic Local Area			UEP93	UEPYM	2.20							40.71	9.58		
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			LIEDOS	LIEDY 7	2.00							40.71	0.50		
	Term - Basic Local Area 2-Wire Voice Grade Port terminated in on Megalink or equivalent		 	UEP93	UEPYZ	2.20			1	+		-	40.71	9.58		
	- Basic Local Area			UEP93	UEPY9	2.20							40.71	9.58		
	2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area			UEP93	UEPY2	2.20							40.71	9.58		
+	2-Wire Voice Grade Port (Centrex)		 	UEP93 UEP93	UEPY2 UEPQA	2.20			1	 	1	1	40.71	9.58	1	
	2-Wire Voice Grade Port (Centrex) 2-Wire Voice Grade Port (Centrex 800 termination)			UEP93	UEPQB	2.20			1	†	1		40.71	9.58	1	†
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP93	UEPQH	2.20			Ì	1			40.71	9.58	Ì	
	2-Wire Voice Grade Port (Centrex from diff Serving Wire															Î
	Center)2			UEP93	UEPQM	2.20							40.71	9.58		ļ
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term			UEP93	UEPQZ	2.20							40.71	9.58		
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP93	UEPQ9	2.20							40.71	9.58		
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP93	UEPQ2	2.20							40.71	9.58		
Local Sv	witching															
	Centrex Intercom Funtionality, per port			UEP93	URECS	0.5488		•								
Local Nu	umber Portability			LIEBOO	1,1,0,0,0					ļ						<u> </u>
	Local Number Portability (1 per port)		<u> </u>	UEP93	LNCCC	0.35										
Features	S															1

NBUND	LED	NETWORK ELEMENTS - Alabama												Attachment:	2		Exhibit: B
CATEGO	RY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Submitted	Charge - Manual Svc	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Charge -
							Rec	Nonrec	urrina	Nonrecurring	Disconnect			oss i	RATES (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		All Standard Features Offered, per port			UEP93	UEPVF	2.64										
	,	All Centrex Control Features Offered, per port			UEP93	UEPVC	2.64										
NAI	RS																
		Unbundled Network Access Register - Combination			UEP93	UARCX	0.00	0.00	0.00								
		Unbundled Network Access Register - Indial			UEP93	UAR1X	0.00	0.00	0.00								
		Unbundled Network Access Register - Outdial			UEP93	UAROX	0.00	0.00	0.00								
		eous Terminations															
2-W	/ire Tr	unk Side															
		Trunk Side Terminations, each			UEP93	CEND6	9.17										
4-W	/ire Di	gital (1.544 Megabits)															
		DS1 Circuit Terminations, each			UEP93	M1HD1	68.67										
		DS0 Channels Activated, Per Channel			UEP93	M1HDO	0.00	28.25									
Inte	eroffic	e Channel Mileage - 2-Wire															
		Interoffice Channel Facilities Termination			UEP93	MIGBC	24.15										
		Interoffice Channel mileage, per mile or fraction of mile			UEP93	MIGBM	0.0101										
Fea	ture A	ctivations (DS0) Centrex Loops on Channelized DS1 Service															
		nel Bank Feature Activations															
		Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP93	1PQWS	0.64										
		Feature Activation on D-4 Channel Bank FX Line Side Loop Slot			UEP93	1PQW6	0.64										
		Feature Activation on D-4 Channel Bank FX Trunk Side Loop			ULF 93	IFQWU	0.04										
		Slot			UEP93	1PQW7	0.64										
		Feature Activation on D-4 Channel Bank Centrex Loop Slot -			ULF 93	IFQW/	0.04			-		-					-
		Different Wire Center			UEP93	1PQWP	0.64										
_		Different Wire Center			UEP93	IPQWP	0.64										
		Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP93	1PQWV	0.64										
	,	Feature Activation on D-4 Channel Bank Tie Line/Trunk Loop Slot			UEP93	1PQWQ	0.64										
		Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP93	1PQWA	0.64										
Nor		urring Charges (NRC) Associated with UNE-P Centrex															
		NRC Conversion Currently Combined Switch-As-Is with allowed															
		changes, per port		1	UEP93	USAC2		2.80	0.41								<u> </u>
		New Centrex Standard Common Block			UEP93	M1ACS	0.00	667.21	-		·			·			
		New Centrex Customized Common Block			UEP93	M1ACC	0.00	667.21	-		·			·			
		NAR Establishment Charge, Per Occasion			UEP93	URECA	0.00	72.73	-		·			·			
		Required Port for Centrex Control in 1AESS, 5ESS & EWSD															
Not	e 2-l	Requres Interoffice Channel Mileage															
Not	e 3 - R	Requires Specific Customer Premises Equipment							-		·			·			
																_	
										i i							1

LINIDIU	IDI ED	NETWORK ELEMENTO. Elemida												I		1	
ONBU	NULED	NETWORK ELEMENTS - Florida		1	T		I					1		Attachment:	2		Exhibit:
CATE	GORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			Svc Order	Svc Order	Incremental Charge - Manual Svc	Incremental Charge - Manual Svc	Incremental Charge - Manual Svc	Charge -
			m			0000						Submitted	Submitted	Order vs.	Order vs.	Order vs.	Order vs.
												Elec	Manually	Electronic-	Electronic-	Electronic-	Electronic
												per LSR	per LSR	1st	Add'l	Disc 1st	Disc Add'
							Do.	Manna		Namasannia	- Di			220	DATEC (6)		
							Rec	First	curring Add'l	First	g Disconnect Add'l	SOMEC	SOMAN	SOMAN	RATES (\$) SOMAN	SOMAN	SOMAN
								11130	Addi	11131	Auui	JOHILO	JOHIAN	JOHAN	JOHIAN	JONIAN	JOINAIN
											İ						
		ne" shown in the sections for stand-alone loops or loops as p				graphically I	Deaveraged UN	IE Zones. To v	iew Geograph	ically Deaverage	ged UNE Zone	Designation	ns by Centra	al Office, refe	r to Internet W	ebsite:	
		vw.interconnection.bellsouth.com/become_a_clec/html/interc SUPPORT SYSTEMS	onnect	ion.htr	n	T		1	1	1	1	1		ı	1	1	
OPERA	IONAL	SUPPORT STSTEMS		ı	L						1	l .	l	l			<u> </u>
	NOTE: (Electronic Service Order: CLEC-1 should contact its contra	ct near	tistor	if it nrofore the state	enecific elec	tronic service	ordering charg	as as ordered	hy the State C	ommissions T	The electron	nic service c	rdering char	ne currently c	ontained in th	ie rato
		s the BellSouth regional electronic service ordering charge.															
	EXIIIDILI	s the Bell-South regional electronic service ordering charge.	CLLC-1	illay e	ect either the state s	pecific com	illission ordere	u rates for the	electronic ser	vice ordering c	marges, or CLI	LC-1 Illay el	ect the regit	mai electroni	ic service orue	anny charge.	
	/																
		2) Any element that can be ordered electronically will be billed															
		s that cannot be ordered electronically at present per the BBR SOMAN, will be applied to a CLECs bill when it submits an LS				category ret	lects the charg	e that would b	e billed to a C	LEC once elec	tronic ordering	j capabilitie	s come on-i	ine for that e	lement. Otner	wise, the mar	iuai orderi
	charge,	Manual Service Order Charge, Disconnect Only (FL)	JK IU B	ensou	un. T	SOMAN	1	1.83	1	1	1	1	ı	ı	ı	1	1
		Electronic OSS Charge, per LSR, submitted via BST's OSS				SOIVIAIN		1.03									
		interactive interfaces (Regional)				SOMEC		3.50									
UNBUN	DLED EX	CHANGE ACCESS LOOP															
	2-WIRE	ANALOG VOICE GRADE LOOP															
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1			UEANL	UEAL2	12.79	49.57	22.83	25.62	6.57		11.90				
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2			UEANL	UEAL2	17.27	49.57	22.83	25.62	6.57		11.90				
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 Loop Testing - Basic 1st Half Hour		3	UEANL UEANL	UEAL2 URET1	33.36	49.57 77.09	22.83	25.62	6.57		11.90				
		Loop Testing - Basic 1st Hall Hour Loop Testing - Basic Additional Half Hour			UEANL	URETA		33.12									-
		Engineering Information Document (EI)			UEANL	OKETA		12.28	12.28								1
		Manual Order Coordination for UVL-SL1s (per loop)*			UEANL	UEAMC		9.00	9.00		İ						
1		Order Coordination for Specified Conversion Time for UVL-SL1															
		(per LSR) *			UEANL	OCOSL		23.02	23.02								
	2-WIRE	Unbundled COPPER LOOP															
		2-Wire Unbundled Copper Loop - Non-Designed Zone 1	l I		UEQ	UEQ2X	13.83	41.64	19.02	19.65	5.09		11.90				
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 2 2 Wire Unbundled Copper Loop - Non-Designed - Zone 3	- !		UEQ UEQ	UEQ2X UEQ2X	15.29 20.29	41.64 41.64	19.02 19.02	19.65 19.65	5.09 5.09		11.90 11.90				
		Order Coordination 2 Wire Unbundled Copper Loop - Non-	-	3	UEQ	UEQZX	20.29	41.64	19.02	19.65	5.09		11.90				
		Designed (per loop)			UEQ	USBMC		9.00	9.00								
		Engineering Information Document			UEQ	0050		12.28	12.28								
		Loop Testing - Basic 1st Half Hour			UEQ	URET1		77.09									
		Loop Testing - Basic Additional Half Hour			UEQ	URETA		33.12									
		(CHANGE ACCESS LOOP															
	2-WIRE	ANALOG VOICE GRADE LOOP															<u> </u>
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 1		1	UEPSR UEPSB	UEALS	12.79	49.57	22.83	25.62	6.57		10.73				
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-	- '	<u>'</u>	UEFSK UEFSB	UEALS	12.79	49.57	22.03	25.62	0.57		10.73				
		Zone 1	1		UEPSR UEPSB	UEABS	12.79	49.57	22.83	25.62	6.57		10.73				
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-									-						
		Zone 2	I	2	UEPSR UEPSB	UEALS	17.27	49.57	22.83	25.62	6.57		10.73				
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-															
		Zone 2	I		UEPSR UEPSB	UEABS	17.27	49.57	22.83	25.62	6.57		10.73				
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-			HEDOD HEDOD		00.00	40.57	00.00	05.00	0.57		40.70				
		Zone 3	- 1	3	UEPSR UEPSB	UEALS	33.36	49.57	22.83	25.62	6.57		10.73				
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 3			UEPSR UEPSB	UEABS	33.36	49.57	22.83	25.62	6.57		10.73				
UNBUNI	DLED F	CCHANGE ACCESS LOOP		t	OLI ON OLFOD	JEADO	33.36	45.37	22.03	25.02	0.37		10.73		1		
		ANALOG VOICE GRADE LOOP		t	1				1	1	1	1			1		
ı		CLEC to CLEC Conversion Charge without outside dispatch															
		(UVL-SL1)		<u> </u>	UEANL	UREWO		48.11	22.01				11.90				
1 T		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															1
		Ground Start Signaling - Zone 1		1	UEA	UEAL2	14.50	135.75	82.47	63.53	12.01		11.90	l		ĺ	1

JNBUNDLED	NETWORK ELEMENTS - Florida												Attachment:	2		Exhibit:
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			1	Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increments Charge - Manual Sv Order vs. Electronic
						Rec	Nonrec	urring	Nonrecurring	g Disconnect				RATES (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		_													
	Ground Start Signaling - Zone 2 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		2	UEA	UEAL2	19.57	135.75	82.47	63.53	12.01		11.90				
	Ground Start Signaling - Zone 3		3	UEA	UEAL2	37.82	135.75	82.47	63.53	12.01		11.90				
	Order Coordination for Specified Conversion Time (per LSR)		Ū	UEA	OCOSL	07.02	23.02	02.47	00.00	12.01		11.00				
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															
	Battery Signaling - Zone 1		1	UEA	UEAR2	14.50	135.75	82.47	63.53	12.01		11.90				
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		2	UEA	UEAR2	40.57	105.75	00.47	00.50	40.04		44.00				
	Battery Signaling - Zone 2 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		2	UEA	UEAR2	19.57	135.75	82.47	63.53	12.01		11.90				
	Battery Signaling - Zone 3		3	UEA	UEAR2	37.82	135.75	82.47	63.53	12.01		11.90				
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL	3.19	23.02		00.00							
	CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		131.83	38.27				11.90				
4-WIRE	ANALOG VOICE GRADE LOOP															
	4-Wire Analog Voice Grade Loop - Zone 1			UEA	UEAL4	23.02	167.86	115.15	67.08	15.56		11.90				
	4-Wire Analog Voice Grade Loop - Zone 2 4-Wire Analog Voice Grade Loop - Zone 3			UEA UEA	UEAL4 UEAL4	31.07 60.02	167.86 167.86	115.15 115.15	67.08 67.08	15.56 15.56		11.90 11.90				
+	Order Coordination for Specified Conversion Time (per LSR)		3	UEA	OCOSL	60.02	23.02	115.15	67.06	15.56		11.90				-
2-WIRE	ISDN DIGITAL GRADE LOOP			OLA	00002		20.02									
	2-Wire ISDN Digital Grade Loop - Zone 1		1	UDN	U1L2X	21.76	147.69	94.41	62.23	10.71		11.90				
	2-Wire ISDN Digital Grade Loop - Zone 2		2	UDN	U1L2X	29.38	147.69	94.41	62.23	10.71		11.90				
	2-Wire ISDN Digital Grade Loop - Zone 3		3	UDN	U1L2X	56.76	147.69	94.41	62.23	10.71		11.90				
	Order Coordination For Specified Conversion Time (per LSR)			UDN	OCOSL		23.02									
2 WIDE	CLEC to CLEC Conversion Charge without outside dispatch			UDN	UREWO		121.17	33.09				11.90				
2-WIKE	Universal Digital Channel (UDC) COMPATIBLE LOOP 2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone															
	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone		1	UDC	UDC2X	21.76	147.69	94.41	62.23	10.71		11.90				
	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone		2	UDC	UDC2X	29.38	147.69	94.41	62.23	10.71		11.90				
	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone		3	UDC	UDC2X	56.76	147.69	94.41	62.23	10.71		11.90				
	CLEC to CLEC Conversion Charge without outside dispatch		3	UDC	UREWO	30.70	121.17	33.09	02.23	10.71		11.90				-
2-WIRE	ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPA	TIBLE	LOOP	000	OKEWO		121.17	00.00				11.00				
	2 Wire Unbundled ADSL Loop including manual service inquiry															
	& facility reservation - Zone 1		1	UAL	UAL2X	12.65	149.53	103.85	75.05	15.63		11.90				
	2 Wire Unbundled ADSL Loop including manual service inquiry											I				1
	& facility reservation - Zone 2		2	UAL	UAL2X	17.08	149.53	103.85	75.05	15.63	 	11.90				
	2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 3		3	UAL	UAL2X	33.00	149.53	103.85	75.05	15.63		11.90				1
	Order Coordination for Specified Conversion Time (per LSR)		J	UAL	OCOSL	33.00	23.02	103.03	75.05	15.65	 	11.50	 			
	2 Wire Unbundled ADSL Loop without manual service inquiry &				12232		20.02									
	facility reservaton - Zone 1		1	UAL	UAL2W	12.65	124.83	71.12	60.64	9.12		11.90				
	2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 2		2	UAL	UAL2W	17.08	124.83	71.12	60.64	9.12		11.90				
i i	2 Wire Unbundled ADSL Loop without manual service inquiry &															
	facility reservaton - Zone 3			UAL	UAL2W	33.00	124.83	71.12	60.64	9.12	ļ	11.90	1		ļ	
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		23.02									
2.14/10=	CLEC to CLEC Conversion Charge without outside dispatch HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPAT	IDIEI	OOP	UAL	UREWO		124.83	29.33			 	11.90				
Z-WIRE	2 Wire Unbundled HDSL Loop including manual service inquiry	IDLE L	JUF		-								+			
	& facility reservation - Zone 1		1	UHL	UHL2X	9.97	159.09	113.41	75.05	15.63		11.90				1
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 2		2	UHL	UHL2X	13.46	159.09	113.41	75.05	15.63		11.90				
1	2 Wire Unbundled HDSL Loop including manual service inquiry			OI IL	UTILZA	13.46	159.09	113.41	75.05	13.63		11.90	+			
	& facility reservation - Zone 3		3	UHL	UHL2X	26.00	159.09	113.41	75.05	15.63		11.90			1	1
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL	20.00	23.02	110.71	70.00	10.00	 	11.50	 		 	

JNBUNDLE	NETWORK ELEMENTS - Florida												Attachment:	2		Exhibit:
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR		Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increments Charge - Manual Sv Order vs. Electronic
						Rec	Nonrec			g Disconnect				RATES (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1		1	UHL	UHL2W	9.97	134.40	80.69	60.64	9.12		11.90				
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2		2	UHL	UHL2W	13.46	134.40	80.69	60.64	9.12		11.90				
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3		3	UHL	UHL2W	26.00	134.40	80.69	60.64	9.12		11.90				
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		23.02									
	CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		134.40	29.33				11.90				
4-WIRE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPAT	IBLE LO	JOP		+											──
	4 Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 1 4-Wire Unbundled HDSL Loop including manual service inquiry		1	UHL	UHL4X	15.69	193.31	138.98	77.15	12.61		11.90				1
	and facility reservation - Zone 2 4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 2		2	UHL	UHL4X	21.17	193.31	138.98	77.15	12.61		11.90				
	and facility reservation - Zone 3		3	UHL UHL	UHL4X OCOSL	40.90	193.31 23.02	138.98	77.15	12.61		11.90				
	Order Coordination for Specified Conversion Time (per LSR) 4-Wire Unbundled HDSL Loop without manual service inquiry		_			45.00		445 47	60.74	44.00		44.00				
	and facility reservation - Zone 1 4-Wire Unbundled HDSL Loop without manual service inquiry		2	UHL	UHL4W	15.69	168.62	115.47	62.74	11.22		11.90				
	and facility reservation - Zone 2 4-Wire Unbundled HDSL Loop without manual service inquiry			UHL	UHL4W	21.17	168.62	115.47	62.74	11.22		11.90				
	and facility reservation - Zone 3 Order Coordination for Specified Conversion Time (per LSR)		3	UHL UHL	UHL4W OCOSL	40.90	168.62 23.02	115.47	62.74	11.22		11.90				
4 14/105	CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		134.40	29.33				11.90				
4-WIRE	DS1 DIGITAL LOOP 4-Wire DS1 Digital Loop - Zone 1		1	USL	USLXX	73.44	313.75	181.48	61.22	13.53		11.90				
	4-Wire DS1 Digital Loop - Zone 1			USL	USLXX	99.13	313.75	181.48	61.22	13.53		11.90				-
	4-Wire DS1 Digital Loop - Zone 3			USL	USLXX	191.51	313.75	181.48	61.22	13.53		11.90				
	Order Coordination for Specified Conversion Time (per LSR)			USL	OCOSL		23.02									
	CLEC to CLEC Conversion Charge without outside dispatch			USL	UREWO		130.25	40.04				11.90				
4-WIRE	19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP															
	4 Wire Unbundled Digital 19.2 Kbps			UDL	UDL19	26.39	161.56	108.85	67.08	15.56		11.90				
	4 Wire Unbundled Digital 19.2 Kbps			UDL	UDL19	35.62	161.56	108.85	67.08	15.56		11.90				
	4 Wire Unbundled Digital 19.2 Kbps 4 Wire Unbundled Digital Loop 56 Kbps - Zone 1		3	UDL UDL	UDL19 UDL56	68.82 26.39	161.56 161.56	108.85 108.85	67.08 67.08	15.56 15.56		11.90 11.90				
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2			UDL	UDL56	35.62	161.56	108.85	67.08	15.56		11.90				
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3			UDL	UDL56	68.82	161.56	108.85	67.08	15.56		11.90				
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		23.02									
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1			UDL	UDL64	26.39	161.56	108.85	67.08	15.56		11.90				
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2			UDL	UDL64	35.62	161.56	108.85	67.08	15.56		11.90				
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3		3	UDL	UDL64	68.82	161.56	108.85	67.08	15.56		11.90				
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		23.02									
O MUDE	CLEC to CLEC Conversion Charge without outside dispatch			UDL	UREWO		131.67	38.68				11.90				
Z-WIKE	Unbundled COPPER LOOP 2-Wire Unbundled Copper Loop/Short including manual service				-											
	inquiry & facility reservation - Zone 1 2-Wire Unbundled Copper Loop/Short including manual service		1	UCL	UCLPB	12.65	148.50	102.82	75.05	15.63		11.90				
	inquiry & facility reservation - Zone 2 2 Wire Unbundled Copper Loop/Short including manual service		2	UCL	UCLPB	17.08	148.50	102.82	75.05	15.63		11.90				1
	inquiry & facility reservation - Zone 3		3	UCL	UCLPB	33.00	148.50	102.82	75.05	15.63		11.90				
	Order Coordination for Unbundled Copper Loops (per loop) 2-Wire Unbundled Copper Loop/Short without manual service			UCL	UCLMC	-	9.00	9.00								-
	inquiry and facility reservation - Zone 1 2-Wire Unbundled Copper Loop/Short without manual service		1	UCL	UCLPW	12.65	123.81	70.09	60.64	9.12		11.90				
	inquiry and facility reservation - Zone 2		2	UCL	UCLPW	17.08	123.81	70.09	60.64	9.12		11.90				
	2-Wire Unbundled Copper Loop/Short without manual service inquiry and facility reservation - Zone 3		3	UCL	UCLPW	33.00	123.81	70.09	60.64	9.12		11.90				1

UNBUNDLE	D NETWORK ELEMENTS - Florida												Attachment:	2		Exhibit: E
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually	Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrec	urring	Nonrecurring	Disconnect				RATES (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		9.00	9.00								
ı	2-Wire Unbundled Copper Loop/Long - includes manual srvc. inquiry and facility reservation - Zone 1		1	UCL	UCL2L	37.07	148.50	102.82	75.05	15.63		11.90				
	2-Wire Unbundled Copper Loop/Long - includes manual svc.		<u>'</u>	002	OOLEL	07.07	140.00	102.02	70.00	10.00		11.00				<u> </u>
	inquiry and facility reservation - Zone 2		2	UCL	UCL2L	50.04	148.50	102.82	75.05	15.63		11.90				<u> </u>
	2-Wire Unbundled Copper Loop/Long - includes manual svc.															
	inquiry and facility reservation - Zone 3		3	UCL	UCL2L UCLMC	96.67	148.50	102.82	75.05	15.63		11.90				↓
	Order Coordination for Unbundled Copper Loops (per loop) 2-Wire Unbundled Copper Loop/Long - without manual service			UCL	UCLINIC		9.00	9.00								
ı	inquiry and facility reservation - Zone 1		1	UCL	UCL2W	37.07	123.81	70.09	60.64	9.12		11.90				
1	2-Wire Unbundled Copper Loop/Long - without manual service															
	inquiry and facility reservation - Zone 2		2	UCL	UCL2W	50.04	123.81	70.09	60.64	9.12		11.90				ļ
ı l	2-Wire Unbundled Copper Loop/Long - without manual service		3	UCL	UCL2W	96.67	123.81	70.09	60.64	0.40		44.00				
-+-	inquiry and facility reservation - Zone 3 Order Coordination for Unbundled Copper Loops (per loop)		3	UCL	UCLMC	96.67	9.00	9.00	60.64	9.12		11.90				
	CLEC to CLEC Conversion Charge without outside dispatch			002	0020		0.00	0.00								
<u> </u>	(UCL -Des)			UCL	UREWO		123.81	31.41				11.90				<u> </u>
i l	CLEC to CLEC Conversion Charge without outside dispatch															
4 14/107	(UCL-ND)			UEQ	UREWO		44.69	22.01				11.90				↓
4-WIRE	4-Wire Copper Loop/Short - including manual service inquiry															
i l	and facility reservation - Zone 1		1	UCL	UCL4S	18.03	177.87	132.76	77.15	17.73		11.90				
	4-Wire Copper Loop/Short - including manual service inquiry															
	and facility reservation - Zone 2		2	UCL	UCL4S	24.34	177.87	132.76	77.15	17.73		11.90				<u> </u>
i l	4-Wire Copper Loop/Short - including manual service inquiry		3	UCL	1101.40	47.00	477.07	100 70	77.45	47.70		44.00				
	and facility reservation - Zone 3 Order Coordination for Unbundled Copper Loops (per loop)		3	UCL	UCL4S UCLMC	47.02	177.87 9.00	132.76 9.00	77.15	17.73		11.90				
	4-Wire Copper Loop/Short - without manual service inquiry and			OOL	OCLIVIC		3.00	3.00								
<u> </u>	facility reservation - Zone 1		1	UCL	UCL4W	18.03	153.18	100.03	62.74	11.22		11.90				
i	4-Wire Copper Loop/Short - without manual service inquiry and															
	facility reservation - Zone 2 4-Wire Copper Loop/Short - without manual service inquiry and		2	UCL	UCL4W	24.34	153.18	100.03	62.74	11.22		11.90				
i l	facility reservation - Zone 3		3	UCL	UCL4W	47.02	153.18	100.03	62.74	11.22		11.90				
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC	47.02	9.00	9.00	02.14	11.22		11.00				
	4-Wire Unbundled Copper Loop/Long - includes manual svc.															
	inquiry and facility reservation - Zone 1		1	UCL	UCL4L	64.52	177.87	132.76	77.15	17.73		11.90				ļ
ı 1	4-Wire Unbundled Copper Loop/Long - includes manual svc. inquiry and facility reservation - Zone 2		2	UCL	UCL4L	87.09	177.87	132.76	77.15	17.73		11.90				
	4-Wire Unbundled Copper Loop/Long - includes manual svc.			OCL	UCL4L	87.09	177.07	132.70	77.13	17.73		11.90				
i l	inquiry and facility reservation - Zone 3		3	UCL	UCL4L	168.25	177.87	132.76	77.15	17.73		11.90				
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		9.00	9.00								1
ı 1	4-Wire Unbundled Copper Loop/Long - without manual svc.			LICI	1101.40	04.50	450.40	100.00	20.7:	11.00		44.00				
	inquiry and facility reservation - Zone 1 4-Wire Unbundled Copper Loop/Long - without manual svc.		1	UCL	UCL4O	64.52	153.18	100.03	62.74	11.22		11.90				
ı 1	inquiry and facility reservation - Zone 2		2	UCL	UCL4O	87.09	153.18	100.03	62.74	11.22		11.90				
, 	4-Wire Unbundled Copper Loop/Long - without manual svc.		T -			21120					1					1
	inquiry and facility reservation - Zone 3		3	UCL	UCL4O	168.25	153.18	100.03	62.74	11.22	ļ	11.90				<u> </u>
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		9.00	9.00			ļ	44.00				
LOOP MODIFIC	CLEC to CLEC Conversion Charge without outside dispatch			UCL	UREWO	-	123.81	31.41			<u> </u>	11.90				
LOGI MODIFIC	Unbundled Loop Modification, Removal of Load Coils - 2 Wire		1	UAL. UHL. UCL.	+											
	pair less than or equal to 18k ft			UEQ, ULS	ULM2L	<u> </u>	0.00	0.00								
	Unbundled Loop Modification, Removal of Load Coils - 2 wire															
	greater than 18k ft Unbundled Loop Modification Removal of Load Coils - 4 Wire			UCL, ULS	ULM2G		343.12	343.12			ļ					
				1					1	i i						

JNBUNDLI	ED NETWORK ELEMENTS - Florida												Attachment:	2		Exhibit: I
CATEGORY		Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge -
						Rec	Nonrec			g Disconnect				RATES (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Loop Modification Removal of Load Coils - 4 Wire pair greater than 18k ft			UCL	ULM4G		343.12	343.12								
	Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop			UAL, UHL, UCL, UEQ, UEF, ULS	ULMBT		10.52	10.52								
SUB-LOOPS	per unbunuled 100p			OLQ, OLI , OLS	OLIVID I		10.32	10.32								
	.oop Distribution															
	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set- Up	I		UEANL	USBSA		487.23	487.23				11.90				
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	ı		UEANL	USBSB		6.25	6.25				11.90				
	Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility Set-Up	ı		UEANL	USBSC		169.25	169.25				11.90				
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up	ı		UEANL	USBSD		38.65	38.65				11.90				
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 1		1	UEANL	USBN2	7.61	60.19	21.78	47.50	5.26		11.90				
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 2		2	UEANL	USBN2	10.27	60.19	21.78	47.50	5.26		11.90				
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 3		3	UEANL	USBN2	19.85	60.19	21.78	47.50	5.26		11.90				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		9.00	9.00								
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 1		1	UEANL	USBN4	8.12	68.83	30.42	49.71	6.60		11.90				
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 2		2	UEANL	USBN4	10.96	68.83	30.42	49.71	6.60		11.90				
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3		3	UEANL	USBN4	21.18	68.83	30.42	49.71	6.60		11.90				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		9.00	9.00								
	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)			UEANL	USBR2	3.50	51.84	13.44	47.50	5.26		11.90				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair Sub-Loop 4-Wire Intrabuilding Network Cable (INC)			UEANL UEANL	USBMC USBR4	6.68	9.00 55.91	9.00 17.51	49.71	6.60		11.90				
	Toda 2009 4-14the intrabuliding Network Cable (INC)	- 1		OLAIVE	JODIN4	0.00	33.31	17.51	45.71	0.00		11.50				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		9.00	9.00								
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1			UEF	UCS2X	6.25	60.19	21.78	47.50	5.26		11.90				
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	<u> </u>		UEF UEF	UCS2X UCS2X	8.44 16.30	60.19 60.19	21.78 21.78	47.50 47.50	5.26 5.26		11.90 11.90				
		1	3			10.30			47.30	5.26		11.90				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	1	1	UEF UEF	USBMC UCS4X	5.20	9.00 68.83	9.00 30.42	49.71	6.60		11.90				
-+	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1			UEF	UCS4X	7.02	68.83	30.42	49.71	6.60	1	11.90				
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	<u>i</u>		UEF	UCS4X	13.55	68.83	30.42	49.71	6.60		11.90				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		9.00	9.00								
Unbu	ndled Sub-Loop Modification															
	Unbundled Sub-Loop Modification - 2-W Copper Dist Load Coil/Equip Removal per 2-W PR			UEF	ULM2X		10.11	10.11				11.90				
	Unbundled Sub-loop Modification - 4-W Copper Dist Load Coil/Equip Removal per 4-W PR			UEF	ULM4X		10.11	10.11				11.90				
	Unbundled Sub-loop Modification - 2-w/4-w Copper Dist Bridged			UEF	ULM4T		15.58	15.58				11.90				
	Tap Removal, per PR unloaded		<u>L</u>	UEF	OLIVIA I		13.30	10.00								
Unbu	ndled Network Terminating Wire (UNTW)															
Unbu				UENTW UENTW	UENPP UENVS	0.2286	18.02 120.11	18.02 120.11				11.90				

UNBUNDLE	NETWORK ELEMENTS - Florida												Attachment:	2		Exhibit: E
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge -
						Rec	Nonrec	urring	Nonrecurring	Disconnect			OSS F	RATES (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Site Visit Set-Up, Per Terminal, Additional Terminals			UENTW	UENSV		36.42	36.42								
	Access Terminal Provisioning, per Terminal, 1st Terminal			UENTW	UEN1T		101.09	101.09								
1	Access Terminal Provisioning, per Terminal, Additional Terminals			UENTW	LIENOT		400.05	400.05								
+-	UNTW Pair Provisioning, per Pair for 1st Terminal			UENTW	UEN2T UENP1		100.25 4.48	100.25 4.48								
	UNTW Pair Provisioning, per Pair for Additional Terminals			UENTW	UENPA		3.64	3.64								
Networ	k Interface Device (NID)			02.1111	02.1.71		0.01	0.01								
	Network Interface Device (NID) - 1-2 lines			UENTW	UND12		68.08	42.80				11.90				
	Network Interface Device (NID) - 1-6 lines			UENTW	UND16		110.48	85.20				11.90				
	Network Interface Device Cross Connect - 2 W			UENTW	UNDC2		7.63	7.63				11.90				
SUB-LOOPS	Network Interface Device Cross Connect - 4W			UENTW	UNDC4		7.63	7.63				11.90				
	op Feeder	-														
Sub-LO	USL-Feeder, DS0 Set-up per Cross Box location - CLEC			UEA.												
1	Distribution Facility set-up			UDN,UCL,UDL,UDC	USBFW		487.23					11.90				
	USL Feeder - DS0 Set-up per Cross Box location - per 25 pair			UEA,												
	set-up			UDN,UCL,UDL,UDC			6.25	6.25				11.90				
	USL Feeder DS1 Set-up at DSX location, per DS1 termination			USL	USBFZ		522.41	11.32				11.90				
	Unbundled Sub-Loop Feeder Loop, 2 Wire Ground Start, Voice Grade - Zone 1		1	UEA	USBFA	8.05	92.75	51.24	58.45	13.07		11.90				
	Unbundled Sub-Loop Feeder Loop, 2 Wire Ground-Start, Voice Grade - Zone 2		2	UEA	USBFA	10.87	92.75	51.24	58.45	13.07		11.90				
	Unbundled Sub-Loop Feeder Loop, Per 2 Wire Ground-Start, Voice Grade - Zone 3		3	UEA	USBFA	21.00	92.75	51.24	58.45	13.07		11.90				
	Order Coordination for Specified Conversion Time, per LSR			UEA	OCOSL		23.02									
	Unbundlde Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice Grade - Zone 1		1	UEA	USBFB	8.05	92.75	51.24	58.45	13.07		11.90				
	Unbundled Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice Grade - Zone 2		2	UEA	USBFB	10.87	92.75	51.24	58.45	13.07		11.90				
	Unbundled Sub-Loop Feeder Loop, 2 Wire Start Loop, Voice															
	Grade - Zone 3		3	UEA	USBFB	21.00	92.75	51.24	58.45	13.07		11.90				
	Order Coordination for Specified Time Conversion, per LSR			UEA	OCOSL		23.02									
	Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery, Voice Grade - Zone 1		1	UEA	USBFC	8.05	92.75	51.24	58.45	13.07		11.90				
	Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery, Voice Grade - Zone 2		2	UEA	USBFC	10.87	92.75	51.24	58.45	13.07		11.90				
1	Unbundled Sub-Loop Feeder Loop, 2 Wire Analog Reverse Battery, Voice Grade - Zone 3		3	UEA	USBFC	21.00	92.75	51.24	58.45	13.07		11.90				
$\overline{}$	Order Coordination For Specified Conversion Time, per LSR		3	UEA	OCOSL	21.00	23.02	31.24	50.45	13.07	 	11.50				
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice			-												
	Grade - Zone 1		1	UEA	USBFD	17.26	106.92	64.46	63.54	14.83		11.90				
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice Grade - Zone 2		2	UEA	USBFD	23.29	106.92	64.46	63.54	14.83		11.90				
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground Start, Voice Grade - Zone 3		3	UEA	USBFD	45.00	106.92	64.46	63.54	14.83		11.90				
	Order Coordination For Specified Conversion Time, Per LSR			UEA	OCOSL		23.02									
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice Grade - Zone 1		1	UEA	USBFE	17.26	106.92	64.46	63.54	14.83		11.90				
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice							_								
	Grade - Zone 2 Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice		2	UEA	USBFE	23.29	106.92	64.46	63.54	14.83	 	11.90				
\longrightarrow	Grade - Zone 3	<u> </u>	3	UEA	USBFE	45.00	106.92	64.46	63.54	14.83		11.90				
	Order Coordination For Specified Conversion Time, Per LSR	ļ		UEA	OCOSL	47.01	23.02	20.00	20.01	10.10	ļ	44.00				
	Unbundled Sub-Loop Feeder Loop, 2 Wire ISDN BRI - Zone 1 Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 2			UDN UDN	USBFF USBFF	17.04 23.00	109.71 109.71	66.68 66.68	60.21 60.21	12.49 12.49	 	11.90 11.90				
	Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 2 Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 3			UDN	USBFF	44.43	109.71	66.68	60.21	12.49	+	11.90				
		1		UDN	OCOSL	77.70	100.71	00.00	00.21	12.70	1	11.30				1

UNBUNDLED	NETWORK ELEMENTS - Florida												Attachment:	2		Exhibit:
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual St Order vs Electronic Disc Add
						Rec	Nonrec	urring	Nonrecurring	g Disconnect				RATES (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)		1	UDC	USBFS	17.04	109.71	66.68	60.21	12.49		11.90				
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)			UDC	USBFS	23.00	109.71	66.68	60.21	12.49		11.90				
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)		3	UDC	USBFS	44.43	109.71	66.68	60.21	12.49 21.21		11.90				
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 1 Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 2			USL USL	USBFG USBFG	46.27 62.45	133.77 133.77	78.02 78.02	85.16 85.16	21.21		11.90 11.90				
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 2		3	USL	USBFG	120.65	133.77	78.02	85.16	21.21	-	11.90	-			
	Order Coordination For Specified Conversion Time, Per LSR		3	USL	OCOSL	120.03	23.02	70.02	65.16	21.21	1	11.90				1
	Unbundled Sub-Loop Feeder, 2-Wire Copper Loop - Zone 1		1	UCL	USBFH	7.25	85.27	42.24	58.54	10.82		11.90				
	Unbundled Sub-Loop Feeder, 2-Wire Copper Loop - Zone		- '-	- J-L	000111	1.23	05.27	72.24	30.34	10.02		11.30	t			
	2		2	UCL	USBFH	9.79	85.27	42.24	58.54	10.82	ļ	11.90				
	Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone		3	UCL	USBFH	18.92	85.27	42.24	58.54	10.82		11.90	1			
	Order Coordination For Specified Conversion Time, per LSR		3	UCL	OCOSL	18.92	23.02	42.24	58.54	10.82		11.90	+	1		
	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 1		1	UCL	USBFJ	14.22	99.66	57.20	60.98	12.28	1	11.90				1
	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 1			UCL	USBFJ	19.20	99.66	57.20	60.98	12.28		11.90				
	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 3			UCL	USBFJ	37.09	99.66	57.20	60.98	12.28		11.90				
	Order Coordination For Specified Conversion Time, per LSR		Ū	UCL	OCOSL	07.00	23.02	07.20	00.00	12.20		11.50				
	Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop		1	UDL	USBFN	18.68	100.62	58.16	63.54	14.83		11.90				
	Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop		2	UDL	USBFN	25.21	100.62	58.16	63.54	14.83		11.90				
	Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop			UDL	USBFN	48.71	100.62	58.16	63.54	14.83		11.90				
	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop -		_	UDL	USBFO	18.68	100.62	50.40	63.54	14.83		11.90				
	Zone 1 Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop -		1					58.16								
	Zone 2 Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop -		2	UDL	USBFO	25.21	100.62	58.16	63.54	14.83		11.90				-
	Zone 3		3	UDL	USBFO	48.71	100.62	58.16	63.54	14.83		11.90				
	Order Coordination For Specified Time Conversion, per LSR		Ť	UDL	OCOSL		23.02									
	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop -															
	Zone 1		1	UDL	USBFP	18.68	100.62	58.16	63.54	14.83		11.90				
	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - Zone 2		2	UDL	USBFP	25.21	100.62	58.16	63.54	14.83		11.90				
	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - Zone 3		3	UDL	USBFP	48.71	100.62	58.16	63.54	14.83		11.90				
	Order Coordination For Specified Conversion Time, per LSR		Ŭ	UDL	OCOSL		23.02	00.10	00.01	1 1.00		11.00				
SUB-LOOPS				-												
Sub-Lo	op Feeder															
	Sub Loop Feeder - DS3 - Per Mile Per Month			UE3	1L5SL	15.69										
	Sub Loop Feeder - DS3 - Facility Termination Per Month			UE3	USBF1	347.59	3,386.00	407.15	166.83	94.58		11.90				
	Sub Loop Feeder – STS-1 – Per Mile Per Month			UDLSX	1L5SL	15.69										
	Sub Loop Feeder - STS-1 - Facility Termination Per Month			UDLSX	USBF7	402.09	3,386.00	407.15	166.83	94.58		11.90				
	Sub Loop Feeder – OC-3 – Per Mile Per Month			UDLO3	1L5SL	11.90										<u> </u>
	Sub Loop Feeder - OC-3 - Facility Termination Protection Per Month			UDLO3	USBF5	62.98										
	Sub Loop Feeder - OC-3 - Facility Termination Per Month			UDLO3	USBF2	547.22	3,386.00	407.15	166.83	94.58		11.90				
	Sub Loop Feeder - OC-12 - Per Mile Per Month			UDL12	1L5SL	14.65										
	Sub Loop Feeder - OC-12 - Facility Termination Protection Per			UDL12	USBF6	502.47										
	Sub Loop Feeder - OC-12 - Facility Termination Per Month		-	UDL12	USBF3	1,577.00	3,386.00	407.15	166.83	94.58		11.90	-			
	Sub Loop Feeder - OC-48 - Per Mile Per Month			UDL48	1L5SL	48.06	5,500.00	-+07.13	100.03	34.30		11.30				
	Sub Loop Feeder - OC-48 - Facility Termination Protection Per			UDL48	USBF9	251.80										
	Sub Loop Feeder - OC-48 - Facility Termination Per Month			UDL48	USBF4	1,589.00	3,572.00	407.15	168.35	95.43		11.90	t			
	Sub Loop Feeder - OC-12 Interface On OC-48			UDL48	USBF8	331.15	788.39	407.15	168.35	95.43	<u> </u>	11.90	I			
INBUNDLED L	OOP CONCENTRATION				000.0	301.10	. 00.00	107.10	100.00	55.45	<u> </u>	11.50	I			
	Unbundled Loop Concentration - System A (TR008)			ULC	UCT8A	449.49	359.42	359.42	1			11.90	1			
	Unbundled Loop Concentration - System B (TR008)			ULC	UCT8B	53.44	149.76	149.76				11.90				
	Unbundled Loop Concentration - System A (TR303)			ULC	UCT3A	487.33	359.42	359.42				11.90				

LINBUNDI ED	NETWORK ELEMENTS - Florida												Attachment:	2		Exhibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually	Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec	urring	Nonrecurring	Disconnect				RATES (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Loop Concentration - System B (TR303)			ULC	UCT3B	90.05	149.76	149.76	10.10			11.90				├
-	Unbundled Loop Concentration - DS1 Loop Interface Card Unbundled Loop Concentration - ISDN Loop Interface (Brite			ULC	UCTCO	5.04	71.70	51.52	18.49	4.82		11.90				
	Card)			UDN	ULCC1	8.00	16.59	16.50	6.77	6.73		11.90				ĺ
	Unbundled Loop Concentration - UDC Loop Interface (Brite															
	Card)			UDC	ULCCU	8.00	16.59	16.50	6.77	6.73		11.90				├
	Unbundled Loop Concentration2 Wire Voice-Loop Start or Ground Start Loop Interface (POTS Card)			UEA	ULCC2	2.00	16.59	16.50	6.77	6.73		11.90				ĺ
-	Unbundled Loop Concentration - 2 Wire Voice - Reverse Battery			OLA	OLOGZ	2.00	10.55	10.50	0.77	0.73		11.30				
	Loop Interface (SPOTS Card)			UEA	ULCCR	11.90	16.59	16.50	6.77	6.73		11.90				<u> </u>
	Unbundled Loop Concentration - 4 Wire Voice Loop Interface						40 ==									i
	(Specials Card) Unbundled Loop Concentration - TEST CIRCUIT Card			UEA ULC	ULCC4 UCTTC	7.10 34.68	16.59 16.59	16.50 16.50	6.77 6.77	6.73 6.73		11.90 11.90				
	Unbundled Loop Concentration - Digital 19.2 Kbps Data Loop			OLC	OCTIC	34.00	16.59	16.50	6.77	0.73		11.90				
	Interface			UDL	ULCC7	10.51	16.59	16.50	6.77	6.73		11.90				ĺ
	Unbundled Loop Concentration - Digital 56 Kbps Data Loop															
	Interface			UDL	ULCC5	10.51	16.59	16.50	6.77	6.73		11.90				Ь——
	Unbundled Loop Concentration - Digital 64 Kbps Data Loop Interface			UDL	ULCC6	10.51	16.59	16.50	6.77	6.73		11.90				ĺ
UNE OTHER, PE	ROVISIONING ONLY - NO RATE			ODL	OLOGO	10.01	10.00	10.00	0.77	0.70		11.00				
	NID - Dispatch and Service Order for NID installation			UENTW	UNDBX											
	UNTW Circuit Id Establishment, Provisioning Only - No Rate			UENTW	UENCE											
	Unbundled Contract Name, Provisioning Only - No Rate			UEANL,UEF,UEQ,U ENTW	UNECN											ĺ
UNE OTHER, PE	ROVISIONING ONLY - NO RATE			LIVIV	UNLCIN											
	Unbundled Contact Name, Provisioning Only - no rate			UAL,UCL,UDC,UDL, UDN,UEA,UHL,ULC	UNECN	0.00	0.00									
	Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no rate			UEA,UDN,UCL,UDC	USBFQ	0.00	0.00									
	Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no rate			UEA,USL,UCL,UDL	USBFR	0.00	0.00									
	Unbundled DS1 Loop - Superframe Format Option - no rate			USL	CCOSF	0.00	0.00									
	Unbundled DS1 Loop - Expanded Superframe Format option -															
HIGH CARACITY	no rate Y UNBUNDLED LOCAL LOOP		-	USL	CCOEF	0.00	0.00									
	month minimum billing period											 				
	High Capacity Unbundled Local Loop - DS3 - Per Mile per month			UE3	1L5ND	10.92										
	High Capacity Unbundled Local Loop - DS3 - Facility Termination per month			UE3	UE3PX	386.88	556.37	343.01	139.13	96.84		11.90				
	High Capacity Unbundled Local Loop - STS-1 - Per Mile per month			UDLSX	1L5ND	10.92	555.51	0-10.01	100.10	55.04		11.30				
	High Capacity Unbundled Local Loop - STS-1 - Facility								100.10							
LOOP MAKE-UF	Termination per month			UDLSX	UDLS1	426.60	556.37	343.01	139.13	96.84	1	11.90				
LOOP MAKE-UP	Loop Makeup - Preordering Without Reservation, per working or															
	spare facility queried (Manual).	L		UMK	UMKLW		52.17	52.17				<u> </u>				<u>i</u>
	Loop Makeup - Preordering With Reservation, per spare facility queried (Manual).			UMK	UMKLP		55.07	55.07								
	Loop MakeupWith or Without Reservation, per working or spare facility queried (Mechanized)			UMK	PSUMK		0.6784	0.6784								
HIGH FREQUEN					. JOIVIIX		0.0704	0.0704								
	ERS-CENTRAL OFFICE BASED															
	Line Sharing Splitter, per System 96 Line Capacity - True up pending approval by PSC	ı		ULS	ULSDA	119.72	379.13	0.00	347.90	0.00		0.00				

UNBUNDLED	NETWORK ELEMENTS - Florida												Attachment:	2		Exhibit: I
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonre	curring	Nonrecurring	g Disconnect				RATES (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Line Sharing Splitter, per System 24 Line Capacity - True up															
-	pending approval by PSC	-	- !	ULS	ULSDB	29.93	379.13 150.00	0.00	347.90 150.00	0.00	1	0.00	-			<u> </u>
-	Line Sharing Splitter, Per System, 8 Line Capacity Line Sharing-DLEC Owned Splitter in CO-CFA activaton-	- 1	ı	ULS	ULSD8	8.33	150.00	0.00	150.00	0.00	1	0.00	-			<u> </u>
	deactivation (per LSOD) - True up pending approval by PSC			ULS	ULSDG		115.72		86.29							
	Line Sharing-DLEC Owned Splitter in CO-CFA activation-deactivation (per occurance of each group of 24 lines) - True up bending approval by PSC			ULS	ULSDG		57.94		11.13							
END US	ER ORDERING-CENTRAL OFFICE BASED-HIGH FREQUENCY	SPECT	RUM A													
	Line Sharing - per Line Activation - True up pending approval				1	İ										
	by PSC	I	I	ULS	ULSDC	0.00	29.68	21.28	19.57	9.61	<u> </u>	10.73	<u> </u>	<u> </u>	<u> </u>	<u></u>
	Line Sharing - per Subsequent Activity per Line Rearrangement															
	- True up pending approval by PSC		-	ULS	ULSDS		21.68	16.44		<u></u>	<u> </u>	10.73	<u></u>	<u> </u>	<u> </u>	
	Line Splitting - per line activation DLEC owned splitter		I	UEPSR UEPSB	UREOS	0.61	-									
	Line Splitting - per line activation BST owned - physical		ı	UEPSR UEPSB	UREBP	0.638	29.68	21.28	19.57	9.61						
	Line Splitting - per line activation BST owned - virtual		ı	UEPSR UEPSB	UREBV	1.134	29.68	21.28	19.57	9.61						
UNBUNDLED T																
INTERO	FFICE CHANNEL - DEDICATED TRANSPORT - VOICE GRADE															ļ
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -															
	Per Mile per month			U1TVX	1L5XX	0.0091										ļ
	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -			11477.07	U1TV2	05.00	47.05	04.70	40.04	7.00		44.00				
	Facility Termination per month Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade			U1TVX	01172	25.32	47.35	31.78	18.31	7.03		11.90				
	Rev Bat Per Mile per month			U1TVX	1L5XX	0.0091										
	Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat Facility Termination per month			U1TVX	U1TR2	25.32	47.35	31.78	18.31	7.03		11.90				
	Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade -															
	Per Mile per month			U1TVX	1L5XX	0.0091										
	Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade - Facility Termination per month			U1TVX	U1TV4	22.58	47.35	31.78	18.31	7.03		11.90				
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month			U1TDX	1L5XX	0.0091										
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination per month			U1TDX	U1TD5	18.44	47.35	31.78	18.31	7.03		11.90				
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month			U1TDX	1L5XX	0.0091										
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility			<u>-</u>	l	1							_	1		
	Termination per month			U1TDX	U1TD6	18.44	47.35	31.78	18.31	7.03		11.90	1			ļ
INTERO	FFICE CHANNEL - DEDICATED TRANSPORT - DS1				ļ						ļ					<u> </u>
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month			U1TD1	1L5XX	0.1856										
	Interoffice Channel - Dedicated Tranport - DS1 - Facility Termination per month			U1TD1	U1TF1	88.44	105.54	98.47	21.47	19.05		11.90				
INTERO	FFICE CHANNEL - DEDICATED TRANSPORT- DS3						·									
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month			U1TD3	1L5XX	3.87										
	Interoffice Channel - Dedicated Transport - DS3 - Facility															
	Termination per month			U1TD3	U1TF3	1,071.00	335.46	219.28	72.03	70.56	ļ	11.90				ļ
INTERO	FFICE CHANNEL - DEDICATED TRANSPORT- STS-1															
	Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per]							_]	1	
	month			U1TS1	1L5XX	3.87					ļ					<u> </u>
	Interoffice Channel - Dedicated Transport - STS-1 - Facility Termination per month			U1TS1	U1TFS	1,056.00	335.46	219.28	72.03	70.56		11.90				
	CHANNEL - DEDICATED TRANSPORT															
NOTE: L	OCAL CHANNEL DEDICATED TRANSPORT - minimum billing	period	- belov	v DS3=one month, D	DS3 and abov	<u>/e=four mont</u> hs		<u> </u>		<u> </u>	<u> </u>	<u> </u>	<u> </u>			<u> </u>

UNBUNDI F	D NETWORK ELEMENTS - Florida												Attachment:	2		Exhibit: B
CATEGORY		Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge -
						Rec	Nonrec			g Disconnect				RATES (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Local Channel - Dedicated - 2-Wire Voice Grade per month - Zone 1		1	ULDVX	ULDV2	21.94	265.84	46.97	37.63	4.00		11.90				
	Local Channel - Dedicated - 2-Wire Voice Grade per month - Zone 2		2	ULDVX	ULDV2	29.62	265.84	46.97	37.63	4.00		11.90				
	Local Channel - Dedicated - 2-Wire Voice Grade per month - Zone 3		3	UNDVX	ULDV2	57.22	265.84	46.97	37.63	4.00		11.90				
	Local Channel - Dedicated - 2-Wire Voice Grade Rev. Bat. Per month - Zone 1		1	ULDVX	ULDR2	21.94	265.84	46.97	37.63	4.00		11.90				
	Local Channel - Dedicated - 2-Wire Voice Grade Rev. Bat. Per Month - Zone 2		2	ULDVX	ULDR2	29.62	265.84	46.97	37.63	4.00		11.90				
	Local Channel - Dedicated - 2-Wire Voice Grade Rev. Bat. Per															
	Month - Zone 3 Local Channel - Dedicated - 4-Wire Voice Grade per month -		3	ULDVX	ULDR2	57.22	265.84	46.97	37.63	4.00		11.90				
	Zone 1 Local Channel - Dedicated - 4-Wire Voice Grade per month -		1	UNDVX	ULDV4	22.81	266.54	47.67	44.22	5.33		11.90				
	Zone 2		2	UNDVX	ULDV4	30.79	266.54	47.67	44.22	5.33		11.90				
	Local Channel - Dedicated - 4-Wire Voice Grade per month - Zone 3		3	UNDVX	ULDV4	59.48	266.54	47.67	44.22	5.33		11.90				
	Local Channel - Dedicated - DS1 per month - Zone 1			ULDD1	ULDF1	35.28	216.65	183.54	24.30	16.95		11.90				
	Local Channel - Dedicated - DS1 per month - Zone 2			ULDD1	ULDF1	47.63	216.65	183.54	24.30	16.95		11.90				
	Local Channel - Dedicated - DS1 per month - Zone 3		3	ULDD1	ULDF1	92.01	216.65	183.54	24.30	16.95		11.90				
	Local Channel - Dedicated - DS3 - Per Mile per month			ULDD3	1L5NC	8.50										
	Local Channel - Dedicated - DS3 - Facility Termination per month			ULDD3	ULDF3	531.91	556.37	343.01	139.13	96.84		11.90				
	Local Channel - Dedicated - STS-1- Per Mile per month Local Channel - Dedicated - STS-1 - Facility Termination per			ULDS1	1L5NC	8.50										
	month			ULDS1	ULDFS	540.69	556.37	343.01	139.13	96.84		11.90				
MULTIPLEXE				LIVEDA	MO4	440.77	404.40	74.00	44.00	40.40		44.00				
	Channelization - DS1 to DS0 Channel System OCU-DP COCI (data) - DS1 to DS0 Channel System - per			UXTD1	MQ1	146.77	101.42	71.62	11.09	10.49		11.90				
	month (2.4-64kbs) 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per			UDL	1D1DD	2.10	10.07	7.08				11.90				
	month			UDN	UC1CA	3.66	10.07	7.08				11.90				
	Voice Grade COCI - DS1 to DS0 Channel System - per month			UEA	1D1VG	1.38	10.07	7.08				11.90				
	DS3 to DS1 Channel System per month			UXTD3	MQ3	211.19	199.28	118.64	40.34	39.07		11.90				
	STS1 to DS1 Channel System per month			UXTS1	MQ3	211.19	199.28	118.64 7.08	40.34	39.07		11.90 11.90				
DARK FIBER	DS3 Interface Unit (DS1 COCI) used with Loop per month			USL	UC1D1	13.76	10.07	7.08				11.90				
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction															
	Thereof per month - Local Channel			UDF	1L5DC	55.04	754.01	400.00	050.01	200.41		44.00	1		-	<u> </u>
	NRC Dark Fiber - Local Channel Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction			UDF	UDFC4		751.34	193.88	356.21	230.11		11.90				
	Thereof per month - Interoffice Channel		l	UDF	1L5DF	26.85										
	NRC Dark Fiber - Interoffice Channel			UDF	UDF14		751.34	193.88	356.21	230.11		11.90				
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Local Loop			UDF	1L5DL	55.04										
	NRC Dark Fiber - Local Loop			UDF	UDFL4	33.04	751.34	193.88	356.21	230.11		11.90	1			
TRANSPORT	OTHER															
Option	nal Features & Functions:							•								
	Clear Channel Capability (B8ZS/ESF) Option - Subsequent - per DS1 Channel			UNC1X	CCOEF		184.92	23.82	2.07	0.80		11.90	1			1
	Clear Channel Capability (B8ZS/SF) Option - Subsequent - per DS1 Channel			UNC1X	CCOSF		184.92	23.82	2.07	0.80		11.90				
8XX ACCESS	TEN DIGIT SCREENING			UNCIA	CCOSF		184.92	23.82	2.07	0.80		11.90	 			
	8XX Access Ten Digit Screening, Per Call			OHD		0.0006252										
	8XX Access Ten Digit Screening, Reservation Charge Per 8XX Number Reserved			OHD	N8R1X		4.15	0.70				11.90				

CATEGORY RATE ELEMENTS Interi m Zone BCS USOC RATES(\$) Svc Order Submitted S	I ED NET	WORK ELEMENTS - Florida											Attachment:	2		Exhibit: B
Rec Nonexcurring Nonexcurring Disconnect OSS PATES (S)			Zone	BCS	usoc			RATES(\$)			Submitted Elec	Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-
STANDARD SOMAN S											per LSK	per LSK	1St	Addi	Disc 1st	Disc Add'l
SWA Access Tan Digit Scenaring, Per BXX No. Established W/O OHD RETX 8.78 1.16 5.77 0.70 1.150						Dec.	Name		Namaaaa	. Dianamana			000	DATES (A)		
BOX Access Ten Digit Servering, Per BOX No. Established Win. OHD S.78 1.18 5.77 0.70 11.00						Rec					SOMEC	SOMAN			SOMAN	SOMAN
POIS Transitions	8XX A	Access Ten Digit Screening, Per 8XX No. Established W/O					11131	Addi	1 1131	Auu	COMILO	JOINAN	COMPAR	COMPAR	COMPAR	COMPAR
POTS Translations	POTS	S Translations		OHD			8.78	1.18	5.77	0.70		11.90				<u> </u>
SXX Access Far Digit Screening, Castonized Area of Service Per 80 X Manufactors Per 8				CLID	NOETY		0.70	4.40	<i>-</i>	0.70		44.00				1
Per BXX Number				OHD	N8F1X		8.78	1.18	5.77	0.70		11.90				
Routing Per CNR Requested Per BOX No.				OHD	N8FCX		4.15	2.07				11.90				1
SXX Access Fam Digit Screening, Change Charge Per Request OHD N8FAX 4.85 0.70 11.9	8XX A	Access Ten Digit Screening, Multiple InterLATA CXR														
SXX Access Far Digit Screening, Cell Handling and Destination OHD NRFDX 4.15 4.15 4.15 11.90																
Features				OHD	N8FAX		4.85	0.70				11.90				
SXX Access Ten Digit Screening, wf SXX No. Delivery, per query SXX Access Ten Digit Screening, wf POTS No. Delivery, per Query SXX No. Delivery, per Query SXX No. Delivery, per Query SXX No. Delivery, per Query SXX No. Delivery, per Query SXX No. Delivery, per Query No. Delivery, per Query No. Delivery, per Query No. Delivery, per Query No. Delivery, per Query No. Delivery, per Query No. Delivery, per Query No. Delivery, per Query No. Delivery, per Query No. Delivery, per Query No. Delivery, per Query No. Delivery, per Query No. Delivery, per Query No. Delivery, per Query No. Delivery, per Query No. Delivery, per Query No. Delivery, per Query No. Delivery, per Query No. Delivery, per Query N				OHD	N8FDX		4.15	4.15				11.90				1
SIX Access far Digit Screening, w POTS No. Delivery, per query OHD							0					100				
Query OHD				OHD		0.0006252										<u></u>
LINE NFORMATION DATA BASE ACCESS (LIDB)				OHD		0.0006353										1
LIDB Common Transport Per Query				OnD		0.0006252					1					
CLBB Crignating Point Code Establishment or Change				OQT		0.0000203										i
SIGNALING (CCST) Signaling Termination. Per STP Port UDB PT8SX 135.05						0.0136959										1
CCST Signaling Usage, Per TCAP Message		Originating Point Code Establishment or Change		OQT, OQU	NRPBX		55.13	55.13	55.13	55.13		11.90				Ĺ
CCS7 Signaling Usage, Per TCAP Message		7 Cinnalina Taurination, Des CTD Dest	-	LIDD	DTOCY	425.05										
CCS7 Signaling Connection, Per link (A link) UDB TPP+			-		PI8SX											
CCS7 Signaling Usage, Per ISUP Message					TPP++		43.57	43.57	18.31	18.31		11.90				1
CCST Signaling Usage Surrogate, per Ink per LATA	CCS7															
CCS7 Signaling Usage Surrogate, per Inite per LATA					TPP++		43.57	43.57	18.31	18.31		11.90				
CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, per STP affected					STI IEE						1					
Establishment or Change, per STP affected				UDB	31036	094.32										
Local Channel - Dedicated - 2-wr Voice Grade - Zone 1 21.94 285.84 46.97 37.63 4.00 11.90				UDB	CCAPO		46.03	46.03	46.03	46.03		11.90				ł
Local Channel - Dedicated - 2-wr Voice Grade - Zone 2 286.84 46.97 37.63 4.00 11.90																
Local Channel - Dedicated - 2-wr Voice Grade - Zone 3 57.22 265.84 46.97 37.63 4.00 11.90																├
Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile 0.0091			-													
Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility Termination 25.32 47.35 31.78 18.31 7.03 11.90			1				203.04	40.37	37.03	4.00		11.30				
Local Channel - Dedicated - DS1 - Zone 1 35.28 216.65 183.54 21.47 19.05 11.90																i
Local Channel - Dedicated - DS1 - Zone 2																
Local Channel - Dedicated - DS1 - Zone 3 92.01 216.65 183.54 21.47 19.05 11.90 Interoffice Transport - Dedicated - DS1 Per Mile 0.1856			-													
Interoffice Transport - Dedicated - DS1 Per Mile																
CALLING NAME (CNAM) SERVICE			†				210.00	100.04	21.77	10.00		11.50				<u> </u>
CALLING NAME (CNAM) SERVICE		·														i
CNAM for DB Owners, Per Query						88.44	105.54	98.47	21.47	19.05	1	11.90				
CNAM for Non DB Owners - Service Establishment			-	001/		0.001024										
CNAM For DB Owners - Service Establishment			1		+						 	-				
CNAM For Non DB Owners - Service Establishment	CNAM	M For DB Owners - Service Establishment				5.50.024	25.35	25.35	19.01	19.01		11.90				
Establishment	CNAM	M For Non DB Owners - Service Establishment														<u> </u>
CNAM For Non DB Owners - Service Provisioning With Point OQV 546.51 393.82 358.06 259.09 11.90							4 500 00	4 477 00	050.00	050.00		44.00				
Code Establishment OQV 546.51 393.82 358.06 259.09 11.90			1	υψν	-		1,592.00	1,177.00	352.36	259.09	1	11.90				
				oov			546 51	393 82	358 06	259.09		11 90				i
							0.0.01	333.02	555.00	200.00	<u> </u>					i
LNP Charge Per query OQV 0.000852				OQV		0.000852										
LNP Service Establishment Manual 13.83 13.71 12.71 11.90																<u> </u>
LNP Service Provisioning with Point Code Establishment 655.50 334.88 297.03 218.40 11.90 OPERATOR CALL PROCESSING			1		+		655.50	334.88	297.03	218.40	1	11.90		 		

LINBLINDI E	D NETWORK ELEMENTS - Florida												Attachment:	2		Exhibit: B
CATEGORY		Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec	urring	Nonrecurrin	g Disconnect			OSS F	RATES (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Oper. Call Processing - Oper. Provided, Per Min Using BST LIDB					1.20										
	Oper. Call Processing - Oper. Provided, Per Min Using Foreign LIDB					1.24										
	Oper. Call Processing - Fully Automated, per Call - Using BST LIDB					0.20										
	Oper. Call Processing - Fully Automated, per Call - Using Foreign LIDB					0.20										
INWARD OPE	RATOR SERVICES															
	Inward Operator Services - Verification, Per Call					1.00										
	Inward Operator Services - Verification and Emergency Interrupt - Per Call					1.95										
BRANDING - C	PERATOR CALL PROCESSING					1.00										
	Recording of Custom Branded OA Announcement		1		CBAOS		7,000.00	7,000.00				11.90				
	Loading of Custom Branded OA Announcement per shelf/NAV				CBAOL		500.00	500.00				11.90				
Unbrai	nding via OLNS for UNEP CLEC															
	Loading of OA per OCN (Regional)						1,200.00	1,200.00				11.90				
	SSISTANCE SERVICES															
DIREC	TORY ASSISTANCE ACCESS SERVICE															
	Directory Assistance Access Service Calls, Charge Per Call					0.271744										
DIREC	TORY ASSISTANCE CALL COMPLETION ACCESS SERVICE (DA	ACC)														
	Directory Assistance Call Completion Access Service (DACC), Per Call Attempt					0.10										
DIREC	TORY TRANSPORT															
	SWA Common transport per Directory Assistance Access Service Call					0.0003										
	SWA Common Transport per Directory Assistance Access Service Call Mile					0.00004										
	Access Tandem Switching per Directory Assistance Access Service Call					0.00055										
	Directory Assistance Interconnection per Directory Assistance Access Service Call					0.00										
 	DS3 to DS1 Multiplexer per DA Access Service Call					0.00018					1					
DIRECTORY A	SSISTANCE SERVICES					0.00010										
	TORY ASSISTANCE DATA BASE SERVICE (DADS)				+											
	Directory Assistance Data Base Service Charge Per Listing					0.04										
	Directory Assistance Data Base Service, per month				DBSOF	150.00										
	DIRECTORY ASSISTANCE															
Facility	y Based CLEC															
	Recording and Provisioning of DA Custom Branded Announcement			AMT	CBADA		6,000.00	6,000.00								
	Loading of Custom Branded Announcement per DRAM Card/Switch			AMT	CBADC		1,170.00	1,170.00								1
UNEP							0.000.00	0.000.00								
\vdash	Recording of DA Custom Branded Announcement		├		+		3,000.00	3,000.00	 	1	}				1	
	Loading of DA Custom Branded Announcement per DRAM Card/Switch per OCN						1,170.00	1,170.00								
Unbrai	nding via OLNS for UNEP CLEC		igspace		1		ļ									
	Loading of DA per OCN (1 OCN per Order)		ļļ				420.00	420.00	ļ							1
	Loading of DA per Switch per OCN		\longmapsto				16.00	16.00		ļ	ļ					├
SELECTIVE R			├		+				1	1	1				-	
	Selective Routing Per Unique Line Class Code Per Request Per Switch				USRCR		93.55	93.55	12.71	12.71		11.90				
VIRTUAL COL																
	Virtual Collocation - Application Cost			CLO	EAF		4,122.00	2,848.30								
\vdash	Virtual Collocation - Cable Installation Cost, per cable			CLO	ESPCX		965.00	2,750.00								
	Virtual Collocation - Floor Space, per sq. ft.			CLO	ESPVX	4.25									<u> </u>	1

	NETWORK ELEMENTS - Florida												Attachment:	2		Exhibit: E
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)					Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec	urring	Nonrecurring	g Disconnect			OSS F	RATES (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Virtual Collocation - Power, per breaker amp			CLO	ESPAX	6.95										
	Virtual Collocation - Cable Support Structure, per entrance															
	cable			CLO	ESPSX	13.35										
	Virtual Collocation - 2-wire Cross Connects (loop), per 100 ckts			ueanl,uea,udn,udc, ual,uhl,ucl,ueq	UEAC2	5.02	1,157.00	1,157.00				11.90				
	Visit and College time A wine Conse Conserts (Incon) and 400 older				LIEACA	5.00	4 457 00	4 457 00				44.00				
\vdash	Virtual Collocation - 4-wire Cross Connects (loop), per 100 ckts Virtual Collocation - 2-Fiber Cross Connects	<u> </u>	<u> </u>	uea,uhl,ucl,udl CLO	UEAC4 CNC2F	5.02 6.71	1,157.00 2,431.00	1,157.00		-	-	11.90 11.90				
\vdash	Virtual Collocation - 4-Fiber Cross Connects	1		CLO	CNC2F CNC4F	6.71	2,431.00			+	}	11.90				1
	Virtual Collocation - 4-Fiber Cross Connects	 		USL,ULC,CLO	CNC4F CNC1X	7.50	155.00	14.00		 	1	11.90				
	Virtual Collocatin - DS3 Cross Connects			USL,ULC,CLO	CND3X	56.25	151.90	11.83		 	 	11.90				
	Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable	1		COL,ULU,ULU	CIADOV	50.25	131.50	11.03		†		11.50				
	Support Structure, per linear foot Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax			AMTFS	PE1ES	0.0028										
	Cable Support Structure, per linear ft Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable			AMTFS	PE1DS	0.0041										
	Support Structure,per cable			AMTFS			535.54									
	Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per cable			AMTFS			535.54									
	Virtual Collocatin - Security Escort - Basic, per quarter hour		<u> </u>	CLO	SPTBQ		10.89									
	Virtual Collocatili - Security Escort - Basic, per quarter flour			CLO	3F IBQ		10.09									
	Virtual Collocatin - Security Escort - Overtime, per quarter hour			CLO	SPTOQ		13.64									
	Virtual Collocatin - Security Escort - Premium, per quarter hour			CLO	SPTPQ		16.40									
	Virtual Collocation - 2-wire Cross Connects (loop), per 100 ckts			CLO		5.02	1,157.00									
	Virtual Collocation - 4-wire Cross Connects (loop), per 100 ckts			CLO		5.02	1,157.00									
	Virtual Collocation - DS-1/DCS, PER 28 CKTS			CLO	VE11S	226.39	1,950.00									
	Virtual Collocation - DS-1.DSX, PER 28 CKTS			CLO	VE11X	11.51	1,950.00									
	Virtual Collocation - DS-3/DCS, PER CKT			CLO	VE13S	56.97	528.00									
	Virtual Collocation - DS-3/DSC, PER CKT			CLO	VE13X	10.06	528.00									
	Virtual Collocation - Virtual to Virtual connection, per fiber, per cable			CLO		0.19	526.17									
	Virtual Collocation - Virtual to Virtual connection - DS1/DS-3, per cable			CLO		0.17	134.46									
	Virtual Collocatin - Maintenance in CO - Basic, per quarter hour			CLO	SPTRE		10.89									
	Virtual Collocatin - Maintenance in CO - Overtime, per quarter hour			CLO	SPTOE		13.64									
	Virtual Collocatin - Maintenance in CO - Premium per quarter hour			CLO	SPTPE		16.40									
VIRTUAL COLL											Ì					1
	Virtual Collocation - 2-wire Cross Connect, Exchange Port 2- Wire Analog - Res			UEPSR	VE1R2	0.524	11.57	11.57				11.90				
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Voice Grade Res			UEPRX	PE1R2	0.524	11.57	11.57				11.90				
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2- Wire Line Side PBX Trunk - Bus			UEPSP	VE1R2	0.524	11.57	11.57				11.90				
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Voice Grade PBX Trunk - Res			UEPSE	VE1R2	0.524	11.57	11.57				11.90				
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Analog Bus			UEPSB	VE1R2	0.524	11.57	11.57				11.90				
	Virtual Collocation 2-Wire Cross Connect, Exchnage Port 2-Wire ISDN			UEPSX	VE1R2	0.524	11.57	11.57				11.90				
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire ISDN			UEPSX	VE1R2 VE1R2	0.524	11.57	11.57				11.90				

CATEGORY RATE BLEMENTS Minor The Common Service Ser	JNBUNDLED	NETWORK ELEMENTS - Florida												Attachment:	2		Exhibit: B
Visual Collocation 4/Vier Criss Connect, Exchange Port DOTS UEPDO VETRA 0.504 11.57 11.57 11.50	CATEGORY	RATE ELEMENTS		Zone	BCS	usoc		ı	RATES(\$)	ı		Submitted Elec	Submitted Manually	Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
Wirral Collocation 4-Wire Cross Connect, Eacharge Port DOTS UEPDD VE-IR4 0.524 11.57 11.57 11.00							Rec					201150	Looman				
Wirtual Collections 4-Wire Cross Connect, Exchange Port 4-Wire Wirtual COLLOCATION					UEPDD	VE1R4	0.524			First	Addil	SOMEC		SOMAN	SOMAN	SOMAN	SOMAN
Virtual Coloration / Wire Cross Connects (Loop) for Line UEPSR UEPSB VE1LS 0.0297 33.86 31.85 10.73		ISDN DS1			UEPEX	VE1R4	0.524	11.57					11.90				
AM SELECTIVE CARRIER ROUTING Regional Service Establishment SRC SRCEC 193,444.00 7,737.00 111.00 1 SRC SRCEC 193,444.00 7,737.00 0, 0.69 0.11.00 1 SRC SRCEC 193,444.00 7,737.00 0, 0.69 0.11.00 1 SRC SRCEC 193,444.00 7,737.00 0, 0.69 0.11.00 1 SRC SRCEC 193,444.00 7,737.00 0, 0.69 0.11.00 1 SRC SRCEC 193,444.00 7,737.00 0, 0.69 0.11.00 1 SRC SRCEC 193,444.00 7,737.00 0, 0.69 0.11.00 1 SRC SRCEC 193,444.00 7,737.00 0, 0.69 0.11.00 1 SRC SRCEC 193,444.00 7,737.00 0, 0.69 0.11.00 1 SRC SRCEC 193,444.00 7,737.00 0, 0.69 0.11.00 1 AN SRC SRCEC 193,444.00 7,737.00 0, 0.69 0, 0.6	IRTUAL COLLO	Virtual Collocation-2 Wire Cross Connects (Loop) for Line			LIEPSR LIEPSR	VE1LS	0.0297	33.86	31 95				10.73				
End Office Establishment	IN SELECTIVE	CARRIER ROUTING			·		0.0207		01.00								
AN SEA CORREST SERVICE ANN SIAS ACCOSES SERVICE - SE	-								107.00		0.00						
AIN - BELLSOUTH AIN SMS ACCESS SERVICE A15.66 A4.493 A4.30 A4.						SKUEU	0.0031868	187.36	187.36	0.69	0.69	1	11.90			$\vdash \!$	\vdash
ANN SMS Access Service - Service Establishment, Per State,					50		0.0001000					t	t			<u> </u>	
All NSMS Access Service - Port Connection - ISDN Access All N CAMP 8.64 8.64 10.03 10.03 11.90					A1N	CAMSE		43.56	43.56	44.93	44.93		11.90				
All NSMS Access Service - Port Connection - ISDN Access All N CAMP 8.64 8.64 10.03 10.03 11.90		AIN SMS Access Service - Port Connection - Dial/Shared Access			A1N	CAMDP		8 64	8 64	10.03	10.03		11 90				
ID Code																	
Initial or Replacement		ID Code			A1N	CAMAU		38.66	38.66	29.88	29.88		11.90				
AN SMS Access Service - Storage, Per Unit (100 Kilobytes)					Δ1Ν	CAMPC		75 10	75 10	12.03	12 03		11 90				
ANN SMS Access Service - Session, Per Minute ANN SMS ACcess Service - Company Performed Session, Per Minute ANN SMS ACCESS Service - Company Performed Session, Per Minute ANN Toolkit Service - Service Establishment Charge, Per State, Initial Setup ANN Toolkit Service - Training Session, Per Customer ANN Toolkit Service - Training Session, Per Customer ANN Toolkit Service - Trigger Access Charge, Per Trigger, Per D. N. Term. Attempt ANN Toolkit Service - Trigger Access Charge, Per Trigger, Per D. N. Term. Attempt ANN Toolkit Service - Trigger Access Charge, Per Trigger, Per D. N. Off-Hobo Delay ANN Toolkit Service - Trigger Access Charge, Per Trigger, Per D. N. Off-Hobo Delay ANN Toolkit Service - Trigger Access Charge, Per Trigger, Per D. N. Off-Hobo Delay ANN Toolkit Service - Trigger Access Charge, Per Trigger, Per D. N. Off-Hobo Delay ANN Toolkit Service - Trigger Access Charge, Per Trigger, Per D. N. Off-Hobo Minediate ANN Toolkit Service - Trigger Access Charge, Per Trigger, Per D. N. CPP ANN Toolkit Service - Trigger Access Charge, Per Trigger, Per D. N. CPP ANN Toolkit Service - Trigger Access Charge, Per Trigger, Per D. N. CPP ANN Toolkit Service - Trigger Access Charge, Per Trigger, Per D. N. CPP ANN Toolkit Service - Trigger Access Charge, Per Trigger, Per D. N. CPP ANN Toolkit Service - Trigger Access Charge, Per Trigger, Per D. N. CPP ANN Toolkit Service - Trigger Access Charge, Per Trigger, Per D. N. CPP ANN Toolkit Service - Trigger Access Charge, Per Trigger, Per D. N. CPP ANN Toolkit Service - Trigger Access Charge, Per All N Toolkit Service - Trigger Access Charge, Per All N Toolkit Service - Trigger Access Charge, Per All N Toolkit Service - Trigger Access Charge, Per All N Toolkit Service - Trigger Access Charge, Per All N Toolkit Service - Trigger Access Charge, Per All N Toolkit Service - Trigger Access Charge, Per All N Toolkit Service - Trigger Access Charge, Per All N Toolkit Service - Trigger Access Charge, Per All N Toolkit Service - Trigger Access Charge, Per All					AIN	CAWING	0.0028	75.10	73.10	12.93	12.93		11.90			 	
Minute		AIN SMS Access Service - Session, Per Minute															
AIN TOOIK SERVICE AIN TOOIK Service - Service Istablishment Charge, Per State, Initial Setup AIN Toolki Service - Training Session. Per Customer AIN Toolki Service - Training Session. Per Customer AIN Toolki Service - Training Session. Per Customer AIN Toolki Service - Training Session. Per Customer AIN Toolki Service - Training Session. Per Customer AIN Toolki Service - Training Session. Per Customer AIN Toolki Service - Training Session. Per Customer AIN Toolki Service - Training Session. Per Customer AIN Toolki Service - Training Session. Per Customer BAPTT BAPT																	
AIN Toolkit Service - Service Establishment Charge, Per State, Initial Setup	IN BELLEOU						0.4609									├──	
Initial Setup	IN - BELLIOO															 	
AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Delay AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Immediate AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Immediate AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Immediate AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, 10-Digit PODP AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, 10-Digit PODP AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, 10-Digit PODP AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, 10-Digit PODP AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, 10-Digit PODP AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, 10-Digit PODP AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, 10-Digit PODP AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, 10-Digit PODP AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, 10-Digit PODP AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, 10-Digit PODP AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, 10-Digit PODP AIN Toolkit Service - Trigger Access Charge, Per AIN Toolkit Pode Pode Pode Pode Pode Pode Pode Pode		Initial Setup			CAM					44.93	44.93						
DN, Term. Attempt						BAPVX		8,439.00	8,439.00				11.90				
DN, Off-Hook Delay		DN, Term. Attempt				BAPTT		8.64	8.64	10.03	10.03		11.90				
DN, Off-Hook Immediate		DN, Off-Hook Delay				BAPTD		8.64	8.64	10.03	10.03		11.90				
DN, 10-Digit PODP		DN, Off-Hook Immediate				BAPTM		8.64	8.64	10.03	10.03		11.90				
DN, CDP		DN, 10-Digit PODP				BAPTO		38.06	38.06	15.86	15.86		11.90				
DN, Feature Code		DN, CDP				BAPTC		38.06	38.06	15.86	15.86		11.90				
AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit Subscription, Per Node, Per Query AIN Toolkit Service - SCP Storage Charge, Per SMS Access Account, Per 100 Kilobytes AIN Toolkit Service - Monthly report - Per AIN Toolkit Service Subscription CAM BAPMS 8.34 8.64 8.64 6.08 6.08 11.90		DN, Feature Code				BAPTF	0.0535927	38.06	38.06	15.86	15.86		11.90			ļ	
AIN Toolkit Service - SCP Storage Charge, Per SMS Access		AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit				1											
AIN Toolkit Service - Monthly report - Per AIN Toolkit Service Subscription CAM BAPMS 8.34 8.64 8.64 6.08 6.08 11.90		AIN Toolkit Service - SCP Storage Charge, Per SMS Access															
		AIN Toolkit Service - Monthly report - Per AIN Toolkit Service Subscription			CAM	BAPMS		8.64	8.64	6.08	6.08		11.90				
AIN Toolkit Service - Special Study - Per AIN Toolkit Service Subscription CAM BAPLS 3.73 9.56 9.56 11.90		AIN Toolkit Service - Special Study - Per AIN Toolkit Service Subscription			CAM	BAPLS	3.73	9.56	9.56				11.90				
AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service CAM BAPDS 4.73 8.64 8.64 6.08 6.08 11.90		AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service Subscription			CAM	BAPDS	4.73	8.64	8.64	6.08	6.08		11.90				
AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit Service Subscription CAM BAPES 0.12 9.56 9.56 11.90		Service Subscription			CAM		0.12	9.56	9.56				11.90				
ENHANCED EXTENDED LINK (EELs)			L	لِل		1											
NOTE: New EELs available in State of Georgia, density zone 1 of following SMAs: Orlando, FL; Miami, FL; Ft. Lauderdale, FLI; Nashville, TN; New Orleans, LA; NOTE: Charlotte-Gastonia-Rockhill, NC; Greensboro-Winston Salem-High Point, NC. Use all rates below except Switch As Is Charge.									Orleans, LA;							├	

NBUNDLED	NETWORK ELEMENTS - Florida									· · · · · · · · · · · · · · · · · · ·			Attachment:	2	1	Exhibit:
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Submitted Manually		Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge
						Rec	Nonrec		Nonrecurring					RATES (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
NOTE: I	n all states, EEL network elements shown below also apply to	curren	tly com	hinad facilities whi	ch are conve	ted to LINE rate	e A Switch A	s le Charge an	nlies to current	ly combined t	acilities cou	nverted to I	INFs (Non-rec	urring rates o	lo not annly)	
	n GA, TN, KY, LA & MS, the EEL network elements apply to or							o io Oriarge ap	piles to current	ily combined i	l lonning don		I CONTRACTOR TO	l l	lo not apply.)	
	VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTE				,											
	First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 1		1	UNCVX	UEAL2	14.50	127.59	60.54	48.00	6.31		11.90				
	First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed															
	Transport Combination - Zone 2		2	UNCVX	UEAL2	19.57	127.59	60.54	48.00	6.31		11.90				
	First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 3		3	UNCVX	UEAL2	37.82	127.59	60.54	48.00	6.31		11.90				
	Interoffice Transport - Dedicated - DS1 combination - Per Mile		3	UNCVA	UEALZ	37.02	127.59	60.54	46.00	0.31		11.90				
	per month			UNC1X	1L5XX	0.1856										
	Interoffice Transport - Dedicated - DS1 combination - Facility															
	Termination per month			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95		11.90				
	DS1 Channelization System Per Month			UNC1X	MQ1	146.77	57.28	14.74	1.50	1.34						
	Voice Grade COCI - DS1 To Ds0 Interface - Per Month			UNCVX	1D1VG	1.38	6.71	4.84								
	Each Additional 2-Wire VG Loop(SL 2) in the same DS1 Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL2	14.50	127.59	60.54	48.00	6.31		11.90				
	Each Additional 2-Wire VG Loop(SL2) in the same DS1			11110101	UEAL2	40.57	407.50	00.54	40.00	0.04		44.00				
	Interoffice Transport Combination - Zone 2 Each Additional 2-Wire VG Loop(SL2) in the same DS1		2	UNCVX	UEAL2	19.57	127.59	60.54	48.00	6.31		11.90	-			
	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL2	37.82	127.59	60.54	48.00	6.31		11.90				
	Voice Grade COCI - DS1 to DS0 Channel System combination - per month		ŭ	UNCVX	1D1VG	1.38	6.71	4.84	10.00	0.01		11100				
	Nonrecurring Currently Combined Network Elements Switch -As-			ONOVA	IDIVO	1.50	0.71	7.07								
	Is Charge			UNC1X	UNCCC		8.98	8.98	8.98	8.98		11.90				
4-WIRE	VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTE	ROFFIC	CE TRA	NSPORT (EEL)												
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	23.02	127.59	60.54	48.00	6.31		11.90				
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice		1	UNCVX	UEAL4	23.02	127.59	60.54	48.00	6.31		11.90	1			
	Transport Combination - Zone 2 First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice		2	UNCVX	UEAL4	31.07	127.59	60.54	48.00	6.31		11.90				
	Transport Combination - Zone 3		3	UNCVX	UEAL4	60.02	127.59	60.54	48.00	6.31		11.90				
	Interoffice Transport - Dedicated - DS1 combination - Per Mile															
	Per Month			UNC1X	1L5XX	0.1856										
	Interoffice Transport - Dedicated - DS1 - Facility Termination Per Month			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95		11.90				
	Channelization - Channel System DS1 to DS0 combination Per			O. TO IX		55	.,	122.10	10.01	11.00		11.00				
	Month			UNC1X	MQ1	146.77	57.28	14.74	1.50	1.34						
	Voice Grade COCI - DS1 to DS0 Channel System combination - per month			UNCVX	1D1VG	1.38	6.71	4.84								
	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	23.02	127.59	60.54	48.00	6.31		11.90				
	Additional 4-Wire Analog Voice Grade Loop in same DS1		_													
	Interoffice Transport Combination - Zone 2 Additional 4-Wire Analog Voice Grade Loop in same DS1		2	UNCVX	UEAL4	31.07	127.59	60.54	48.00	6.31		11.90				
	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	60.02	127.59	60.54	48.00	6.31		11.90				
	Voice Grade COCI - DS1 to DS0 Channel System combination - per month			UNCVX	1D1VG	1.38	6.71	4.84								
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNC1X	UNCCC		8.98	8.98	8.98	8.98		11.90				
4-WIRE	15 Charge 56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 II	NTEROF	FICE T		311000		0.50	0.90	0.30	0.30		11.00	†			
	First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice				LIDLE?				10.0-				İ			
+	Transport Combination - Zone 1 First 4-wire 56Kbps Digital Grade Loop in a DS1 Interoffice		1	UNCDX	UDL56	26.39	127.59	60.54	48.00	6.31		11.90				
ı	Transport Combination - Zone 2		2	UNCDX	UDL56	35.62	127.59	60.54	48.00	6.31		11.90	I		1	

UNBUNDLED	NETWORK ELEMENTS - Florida						_						Attachment:	2		Exhibit: E
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec	curring	Nonrecurring	Disconnect				RATES (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	68.82	127.59	60.54	48.00	6.31		11.90				
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0.1856										
	Interoffice Transport - Dedicated - DS1 - combination Facility Termination Per Month			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95		11.90				
	Channelization - Channel System DS1 to DS0 combination Per Month			UNC1X	MQ1	146.77	57.28	14.74	1.50	1.34						
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs)			UNCDX	1D1DD	2.10	6.71	4.84								
	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	26.39	127.59	60.54	48.00	6.31		11.90				
	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	35.62	127.59	60.54	48.00	6.31		11.90				
	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	68.82	127.59	60.54	48.00	6.31		11.90				
	OCU-DP COCI (data) - DS1 to DS0 Channel System - combination per month (2.4-64kbs)			UNCDX	1D1DD	2.10	6.71	4.84								
	Nonrecurring Currently Combined Network Elements Switch -As- ls Charge			UNC1X	UNCCC		8.98	8.98	8.98	8.98		11.90				
4-WIRE	64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 IN	ITEROF	FICE T	RANSPORT (EEL)												—
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	26.39	127.59	60.54	48.00	6.31		11.90				<u> </u>
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	35.62	127.59	60.54	48.00	6.31		11.90				
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	68.82	127.59	60.54	48.00	6.31		11.90				
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0.1856										
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95		11.90				
	Channelization - Channel System DS1 to DS0 combination Per Month			UNC1X	MQ1	146.77	57.28	14.74	1.50	1.34						
	OCU-DP COCI (data) - DS1 to DS0 Channel System combination - per month (2.4-64kbs)			UNCDX	1D1DD	2.10	6.71	4.84								
	Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	26.39	127.59	60.54	48.00	6.31		11.90				
	Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	35.62	127.59	60.54	48.00	6.31		11.90				
	Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	68.82	127.59	60.54	48.00	6.31		11.90				
	OCU-DP COCI (data) - DS1 to DS0 Channel System combination - per month (2.4-64kbs)			UNCDX	1D1DD	2.10	6.71	4.84								
	Nonrecurring Currently Combined Network Elements Switch -As- ls Charge			UNC1X	UNCCC		8.98	8.98	8.98	8.98		11.90				
4-WIRE	DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INTER	ROFFIC	E TRAN	ISPORT (EEL)												
	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 1		1	UNC1X	USLXX	73.44	217.75	121.62	51.44	14.45		11.90				
	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 2		2	UNC1X	USLXX	99.13	217.75	121.62	51.44	14.45		11.90				
	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 3		3	UNC1X	USLXX	191.51	217.75	121.62	51.44	14.45		11.90				
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0.1856										
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95		11.90				

NBUNDLED	NETWORK ELEMENTS - Florida				· · · · · · · · · · · · · · · · · · ·		· · · · · · · · · · · · · · · · · · ·		· · · · · · · · · · · · · · · · · · ·				Attachment:	2		Exhibit:
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge Manual S Order vs Electronic Disc Add
						Rec	Nonred	urring	Nonrecurring	g Disconnect				RATES (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Nonrecurring Currently Combined Network Elements Switch -As-															
4 WIDE	Is Charge DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTER	OFFIC	E TDAI	UNC1X	UNCCC		8.98	8.98	8.98	8.98		11.90				
4-WIRE	First DS1Loop in DS3 Interoffice Transport Combination - Zone	COFFIC	LIKA	NSPORT (EEL)												
	1		1	UNC1X	USLXX	73.44	217.75	121.62	51.44	14.45		11.90				
	First DS1Loop in DS3 Interoffice Transport Combination - Zone			0.10.71	002/01	70	20	121.02	0	0		11100				
	2		2	UNC1X	USLXX	99.13	217.75	121.62	51.44	14.45		11.90				
	First DS1Loop in DS3 Interoffice Transport Combination - Zone															
	3		3	UNC1X	USLXX	191.51	217.75	121.62	51.44	14.45		11.90				
	Interoffice Transport - Dedicated - DS3 combination - Per Mile															
	Per Month		<u> </u>	UNC3X	1L5XX	3.87										
	Interoffice Transport - Dedicated - DS3 - Facility Termination per			LINIOOV	114750	4 074 00	200.00	400.00	00.00	40.04		44.00				
	month			UNC3X	U1TF3 MQ3	1,071.00 211.19	320.00 115.50	138.20	38.60 12.16	18.81 4.26		11.90				
	DS3 to DS1 Channel System combination per month DS3 Interface Unit (DS1 COCI) combination per month		<u> </u>	UNC3X UNC1X	UC1D1	13.76	6.71	56.54 4.84	12.16	4.26	-					
	Additional DS1Loop in DS3 Interoffice Transport Combination -			UNCIA	OCIDI	13.76	0.71	4.04			-					
	Zone 1		1	UNC1X	USLXX	73.44	217.75	121.62	51.44	14.45		11.90				
	Additional DS1Loop in DS3 Interoffice Transport Combination -		- '-	UNCIA	USLAA	73.44	217.75	121.02	31.44	14.45		11.90				
	Zone 2		2	UNC1X	USLXX	99.13	217.75	121.62	51.44	14.45		11.90				
	Additional DS1Loop in DS3 Interoffice Transport Combination -		<u> </u>	0.1017	002,01	00.10	20	121.02	0	1 11 10		11.00				
	Zone 3		3	UNC1X	USLXX	191.51	217.75	121.62	51.44	14.45		11.90				
	DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	13.76	6.71	4.84								
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNC3X	UNCCC		8.98	8.98	8.98	8.98		11.90				
2-WIRE	VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GRADE INTE	ROFFI	CE TRA	NSPORT (EEL)												
	2-WireVG Loop used with 2-wire VG Interoffice Transport															
	Combination - Zone 1		1	UNCVX	UEAL2	14.50	127.59	60.54	48.00	6.31		11.90				
	2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL2	19.57	127.59	60.54	48.00	6.31		11.90				
	2-WireVG Loop used with 2-wire VG Interoffice Transport			UNCVA	UEALZ	19.57	127.59	60.54	46.00	6.31	-	11.90				
	Combination - Zone 3		3	UNCVX	UEAL2	37.82	127.59	60.54	48.00	6.31		11.90				
	Interoffice Transport - Dedicated - 2-wire VG combination - Per		- 5	ONCVA	ULALZ	37.02	127.55	00.54	40.00	0.51		11.50				
	Mile Per Month			UNCVX	1L5XX	0.0091										
	Interoffice Transport - Dedicated - 2- Wire Voice Grade			-												
	combination - Facility Termination per month			UNCVX	U1TV2	25.32	94.70	52.59	45.28	18.03		11.90				
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNCVX	UNCCC		8.98	8.98	8.98	8.98		11.90				
4-WIRE	VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRADE INTE	ROFFI	CE TRA	NSPORT (EEL)												
	4-WireVG Loop used with 4-wire VG Interoffice Transport		١.	11000		00.00	407.50	00.54	40.00	0.04		44.00				
	Combination - Zone 1		1	UNCVX	UEAL4	23.02	127.59	60.54	48.00	6.31		11.90				
	4-WireVG Loop used with 4-wire VG Interoffice Transport		2	UNCVX	UEAL4	31.07	127.59	60.54	48.00	6.31		11.90				
	Combination - Zone 2 4-WireVG Loop used with 4-wire VG Interoffice Transport			UNCVX	UEAL4	31.07	127.59	60.54	48.00	6.31	-	11.90				
	Combination - Zone 3		3	UNCVX	UEAL4	60.02	127.59	60.54	48.00	6.31		11.90				
	Interoffice Transport - Dedicated - 4-wire VG combination - Per			JJV/	JE/IE4	00.02	121.00	00.04	-10.00	0.01		11.30				
	Mile Per Month		1	UNCVX	1L5XX	0.0091										
	Interoffice Transport - Dedicated - 4- Wire Voice Grade															
	combination - Facility Termination per month	L		UNCVX	U1TV4	22.58	94.70	52.59	45.28	18.03	<u> </u>	11.90			<u> </u>	<u> </u>
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNCVX	UNCCC		8.98	8.98	8.98	8.98		11.90				
DS3 DIG	SITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFICE	TRAN	SPORT	(EEL)												
	High Capacity Unbundled Local Loop - DS3 combination - Per		1	LINGOV	41.55:5											
	Mile per month High Capacity Unbundled Local Loop - DS3 combination -		 	UNC3X	1L5ND	10.92									1	
1	Facility Termination per month	l	1	UNC3X	UE3PX	386.88	226.42	154.73	67.10	26.27						

JNBUNDLED	NETWORK ELEMENTS - Florida												Attachment:	2		Exhibit:
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual Sv Order vs. Electronic Disc Add
						Rec	Nonred	curring	Nonrecurring	g Disconnect				RATES (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - DS3 combination - Facility Termination per per month			UNC3X	U1TF3	1,071.00	320.00	138.20	38.60	18.81		11.90				
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNC3X	UNCCC		8.98	8.98	8.98	8.98		11.90				
STS1 DI	GITAL EXTENDED LOOP WITH DEDICATED STS1 INTEROFFI	CF TRA	NSPO		UNCCC		8.98	8.98	8.98	8.98		11.90				
0.0.0	High Capacity Unbundled Local Loop - STS1 combination - Per	<u> </u>	110.0.	(1 (222)												
	Mile per month			UNCSX	1L5ND	10.92										
	High Capacity Unbundled Local Loop - STS1 combination - Facility Termination per month			UNCSX	UDLS1	426.60	226.42	154.73	67.10	26.27						
	Interoffice Transport - Dedicated - STS1 combination - Per Mile															
	per month Interoffice Transport - Dedicated - STS1 combination - Facility			UNCSX	1L5XX	3.87										
	Termination per month Nonrecurring Currently Combined Network Elements Switch -As-			UNCSX	U1TFS	1,056.00	320.00	138.20	38.60	18.81		11.90				
	Is Charge			UNCSX	UNCCC		8.98	8.98	8.98	8.98		11.90				
2-WIRE	ISDN EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPORT	(EEL)								0.00						
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 1		1	UNCNX	U1L2X	21.76	127.59	60.54	48.00	6.31		11.90				
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination								40.00							
	Transport - Zone 2 First 2-Wire ISDN Loop in a DS1 Interoffice Combination		2	UNCNX	U1L2X	29.38	127.59	60.54	48.00	6.31		11.90				
	Transport - Zone 3		3	UNCNX	U1L2X	56.76	127.59	60.54	48.00	6.31		11.90				
	Interoffice Transport - Dedicated - DS1 combination - Per Mile			UNC1X	1L5XX	0.1856										
	Interoffice Transport - Dedicated - DS1 combintion - Facility Termination per month			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95		11.90				
	Channelization - Channel System DS1 to DS0 combination - per month			UNC1X	MQ1	146.77	57.28	14.74	1.50	1.34						
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System combination - per month			UNCNX	UC1CA	3.66	6.71	4.84								
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 1		1	UNCNX	U1L2X	21.76	127.59	60.54	48.00	6.31		11.90				
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 2		2	UNCNX	U1L2X	29.38	127.59	60.54	48.00	6.31		11.90				
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport			ONON	OTLEX	23.30	127.55	00.54	40.00	0.51		11.30				
	Combination - Zone 3 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System		3	UNCNX	U1L2X	56.76	127.59	60.54	48.00	6.31		11.90				1
	combintaion- per month Nonrecurring Currently Combined Network Elements Switch -As-			UNCNX	UC1CA	3.66	6.71	4.84								
	Is Charge			UNC1X	UNCCC		8.98	8.98	8.98	8.98		11.90				
4-WIRE	DS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 INT	EROFF	CE TR													
	First DS1 Loop in STS1 Interoffice Transport Combination - Zone 1		1	UNC1X	USLXX	73.44	217.75	121.62	51.44	14.45		11.90				
	First DS1 Loop in STS1 Interoffice Transport Combination - Zone 2		2	UNC1X	USLXX	99.13	217.75	121.62	51.44	14.45		11.90				
	First DS1 Loop in STS1 Interoffice Transport Combination - Zone 3		3	UNC1X	USLXX	191.51	217.75	121.62	51.44	14.45		11.90				
	Interoffice Transport - Dedicated - STS1 combination - Per Mile Per Month			UNCSX	1L5XX	3.87										
	Interoffice Transport - Dedicated - STS1 combination - Facility Termination			UNCSX	U1TFS	1,056.00	320.00	138.20	38.60	18.81		11.90				
	STS1 to DS1 Channel System conbination per month			UNCSX	MQ3	211.19										
	DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	13.76	6.71	4.84								
	Additional DS1Loop in STS1 Interoffice Transport Combination - Zone 1		1	UNC1X	USLXX	73.44	217.75	121.62	51.44	14.45		11.90				
	Additional DS1Loop in STS1 Interoffice Transport Combination - Zone 2		2	UNC1X	USLXX	99.13	217.75	121.62	51.44	14.45		11.90				

UNBUNDI FE	NETWORK ELEMENTS - Florida												Attachment:	2		Exhibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually	Incremental Charge - Manual Svc	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonred	curring	Nonrecurring	g Disconnect				RATES (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Additional DS1Loop in STS1 Interoffice Transport Combination -		_													ł
	Zone 3		3	UNC1X	USLXX	191.51 13.76	217.75	121.62 4.84	51.44	14.45	1	11.90				
	DS3 Interface Unit (DS1 COCI) combination per month Nonrecurring Currently Combined Network Elements Switch -As-			UNC1X	UC1D1	13.76	6.71	4.84			1					
	Is Charge			UNCSX	UNCCC		8.98	8.98	8.98	8.98		11.90				ł
4-WIRE	56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS INTEROFI	FICE TE	ANSP		011000		0.00	0.00	0.00	0.50		11.50				f
4 WIIKE	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport	IOL		JILI (LLL)												
	Combination - Zone 1		1	UNCDX	UDL56	26.39	127.59	60.54	48.00	6.31		11.90				ł
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport															
	Combination - Zone 2		2	UNCDX	UDL56	35.62	127.59	60.54	48.00	6.31		11.90				l .
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport															ł
	Combination - Zone 3		3	UNCDX	UDL56	68.82	127.59	60.54	48.00	6.31		11.90				
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -			LINODY	41.500/	0.0004										ł
	Per Mile Interoffice Transport - Dedicated - 4-wire 56 kbps combination -			UNCDX	1L5XX	0.0091										
	Facility Termination			UNCDX	U1TD5	18.44	94.70	52.59	45.28	18.03		11.90				ł
	Nonrecurring Currently Combined Network Elements Switch -As-			UNCDA	01103	10.44	34.70	32.39	45.20	10.03		11.90				
	Is Charge			UNCDX	UNCCC		8.98	8.98	8.98	8.98		11.90				ł
4-WIRE	64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTEROF	FICE TF	RANSP							0.00						
	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport			` '												i i
	Combination - Zone 1		1	UNCDX	UDL64	26.39	127.59	60.54	48.00	6.31		11.90				l .
	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport															1
	Combination - Zone 2		2	UNCDX	UDL64	35.62	127.59	60.54	48.00	6.31		11.90				<u> </u>
	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	68.82	127.59	60.54	48.00	6.31		11.90				
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Per Mile			UNCDX	1L5XX	0.0091										
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Facility Termination			UNCDX	U1TD6	18.44	94.70	52.59	45.28	18.03		11.90				ł
	Nonrecurring Currently Combined Network Elements Switch -As-			UNCDX	UTID6	18.44	94.70	52.59	45.28	18.03		11.90				
	Is Charge			UNCDX	UNCCC		8.98	8.98	8.98	8.98		11.90				ł
ADDITIONAL N	ETWORK ELEMENTS			ONODA	011000		0.00	0.00	0.00	0.50		11.50				
	sed as a part of a currently combined facility, the non-recurrn	g charg	jes do	not apply, but a Swi	itch As Is ch	arge does app	ly.									ī
When u	sed as ordinarilty combined network elements in Georgia, the															
	ynchroNet)							-								
Nonrecu	urring Currently Combined Network Elements "Switch As Is" C	harge (One ap	plies to each combi	nation)	ļ										ļ
	2/4-Wire VG Interoffice Channel used in a COMBINATION - "Switch As Is" Conversion Charge			UNCVX	UNCCC		8.98	8.98	8.98	8.98		11.90				<u> </u>
	56/64 kbps Interoffice Channel used in a COMBINATION - "Switch As Is" Conversion Charge			UNCDX	UNCCC		8.98	8.98	8.98	8.98		11.90				
	DS1 Interoffice Channel used in a COMBINATION - "Switch As Is" Conversion Charge			UNC1X	UNCCC		8.98	8.98	8.98	8.98		11.90				
	DS3 Interoffice Channel used in a COMBINATION - "Switch As Is" Conversion Charge			UNC3X	UNCCC		8.98	8.98	8.98	8.98		11.90				
	STS1 Interoffice or Local Loop used in a COMBINATION - "Switch As Is" Conversion Charge			UNCSX	UNCCC		8.98	8.98	8.98	8.98		11.90				
NOTE: I	ocal Channel - Dedicated Transport - minimum billing period	- Below	DS3=0			months	2.30	2.30	2.30	2.30			1		1	i
UNBUNDLED L	OCAL EXCHANGE SWITCHING(PORTS)															
	ge Ports													•		
	Although the Port Rate includes all available features in GA, K	Y, LA &	TN, the	e desired features w	ill need to be	ordered using	retail USOCs				1					<u> </u>
2-WIRE	VOICE GRADE LINE PORT RATES (RES)			HEDOD	HEDD!	4.00	0.71	0.00	1.00	1.00		44.00				
	Exchange Ports - 2-Wire Analog Line Port- Res.		-	UEPSR	UEPRL	1.40	3.74	3.63	1.88	1.80	1	11.90				
	Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.			UEPSR	UEPRC	1.40	3.74	3.63	1.88	1.80		11.90				
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Res.			UEPSR	UEPRO	1.40	3.74	3.63	1.88	1.80		11.90				l

TEGORY			1									1	Attachment:	_		Exhib
	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Char
						_										
+						Rec	Nonrec First	Add'l	Nonrecurring First	Add'l	SOMEC	SOMAN	SOMAN	RATES (\$) SOMAN	SOMAN	SOMA
Exc	change Ports - 2-Wire VG unbundled Florida area calling with				+		11130	Addi	11130	Auui	CONICO	JONAN	JOHAN	JOMAN	JOHAN	CONT
	ler ID - Res.			UEPSR	UEPAF	1.40	3.74	3.63	1.88	1.80		11.90				
	change Ports - 2-Wire VG unbundled res, low usage line port															
	n Caller ID (LUM)			UEPSR	UEPAP	1.40	3.74	3.63	1.88	1.80		11.90				
	sequent Activity			UEPSR	USASC	0.00	0.00	0.00								
FEATURES																
	Available Vertical Features			UEPSR	UEPVF	2.26	0.00	0.00				11.90				
	CE GRADE LINE PORT RATES (BUS)															
Exc	change Ports - 2-Wire Analog Line Port without Caller ID -			UEPSB	UEPBL	4.40	3.74	3.63	4.00	4.00		44.00				
		<u> </u>		UEPSB	UEPBL	1.40	3.74	3.03	1.88	1.80		11.90				
	change Ports - 2-Wire VG unbundled Line Port with bundled port with Caller+E484 ID - Bus.			UEPSB	UEPBC	1.40	3.74	3.63	1.88	1.80		11.90				
unio	diffused port with Callet+L484 ID - Bus.			OLFOB	OLFBC	1.40	3.74	3.03	1.00	1.00		11.90				
Exc	change Ports - 2-Wire Analog Line Port outgoing only - Bus.			UEPSB	UEPBO	1.40	3.74	3.63	1.88	1.80		11.90				
	nange Ports - 2-Wire VG unbundled incoming only port with			02. 05	02. 20	0	0	0.00	1.00			11.00				
	ler ID - Bus			UEPSB	UEPB1	1.40	3.74	3.63	1.88	1.80		11.90				
	osequent Activity			UEPSB	USASC	0.00	0.00	0.00								
FEATURES	,					0.00										
All A	Available Vertical Features			UEPSB	UEPVF	2.26	0.00	0.00				11.90				
EXCHANGE	PORT RATES (DID & PBX)															
2-W	Vire VG Unbundled 2-Way PBX Trunk - Res			UEPSE	UEPRD	1.40	39.06	18.18	12.35	0.7187		11.90				
2-W	Vire VG Line Side Unbundled 2-Way PBX Trunk - Bus			UEPSP	UEPPC	1.40	39.06	18.18	12.35	0.7187		11.90				
	Vire VG Line Side Unbundled Outward PBX Trunk - Bus			UEPSP	UEPPO	1.40	39.06	18.18	12.35	0.7187		11.90				
	Vire VG Line Side Unbundled Incoming PBX Trunk - Bus			UEPSP	UEPP1	1.40	39.06	18.18	12.35	0.7187		11.90				
	Vire Analog Long Distance Terminal PBX Trunk - Bus			UEPSP	UEPLD	1.40	39.06	18.18	12.35	0.7187		11.90				
	Vire Voice Unbundled PBX LD Terminal Ports			UEPSP	UEPLD	1.40	39.06	18.18	12.35	0.7187		11.90				
	Vire Vice Unbundled 2-Way PBX Usage Port			UEPSP	UEPXA	1.40	39.06	18.18	12.35	0.7187		11.90				
	Vire Voice Unbundled PBX Toll Terminal Hotel Ports Vire Voice Unbundled PBX LD DDD Terminals Port			UEPSP UEPSP	UEPXB	1.40 1.40	39.06 39.06	18.18 18.18	12.35	0.7187 0.7187		11.90 11.90				
	Vire Voice Unbundled PBX LD DDD Terminals Port			UEPSP	UEPXD	1.40	39.06	18.18	12.35 12.35	0.7187		11.90				
	Vire Voice Unbundled PBX LD Terminal Switchboard IDD			UEFSF	UEPAD	1.40	39.00	10.10	12.33	0.7107		11.90				
	pable Port			UEPSP	UEPXE	1.40	39.06	18.18	12.35	0.7187		11.90				
	Vire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			ULFSF	ULFAL	1.40	39.00	10.10	12.33	0.7107		11.90				
	ministrative Calling Port			UEPSP	UEPXL	1.40	39.06	18.18	12.35	0.7187		11.90				
	Vire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			02. 0.	02. AL		00.00	10.10	12.00	00.		11100				
	om Calling Port			UEPSP	UEPXM	1.40	39.06	18.18	12.35	0.7187		11.90				
	Vire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital															
	count Room Calling Port			UEPSP	UEPXO	1.40	39.06	18.18	12.35	0.7187		11.90				
	Vire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPSP	UEPXS	1.40	39.06	18.18	12.35	0.7187		11.90				
Sub	osequent Activity			UEPSP	USASC	0.00	0.00	0.00								
FEATURES																
	Available Vertical Features			UEPSP UEPSE	UEPVF	2.26	0.00	0.00				11.90				
	PORT RATES (COIN)															
	change Ports - Coin Port					1.40	3.74	3.63	1.88	1.80		11.90				

4Q01:12/01/01 PAGE 57 OF 324

NBUNDLE	D NETWORK ELEMENTS - Florida												Attachment:	2		Exhibit:
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Submitted Elec	Svc Order Submitted Manually per LSR	Order vs.	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremen Charge Manual S Order vs Electroni Disc Add
						Rec	Nonrec		Nonrecurring					RATES (\$)		
		l					First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
NOTE:	Access to B Channel or D Channel Packet capabilities will be a	availabl	le only	through BFR/New	Business Rec	uest Process. F	Rates for the pa	acket capabili	ties will be det	ermined via th	e Bona Fide	Request/N	lew Business	Request Proc	ess.	
	Exchange Ports - 2-Wire ISDN Port Channel Profiles			UEPTX UEPSX	U1UMA	0.00	0.00	0.00	40.00	40.00		44.00				
DUNDI ED I	Exchange Ports - 4-Wire ISDN DS1 Port			UEPEX	UEPEX	82.74	174.61	95.17	49.80	18.23		11.90			1.83	
	OCAL SWITCHING, PORT USAGE fice Switching (Port Usage)												-	-		
Elia Oli	End Office Switching Function, Per MOU					0.0007662							1	1		
	End Office Trunk Port - Shared, Per MOU		1			0.0007662										
Tanden	n Switching (Port Usage) (Local or Access Tandem)					0.000101										
	Tandem Switching Function Per MOU					0.0001319							1	1		
	Tandem Trunk Port - Shared, Per MOU					0.000235										
Commo	on Transport															
	Common Transport - Per Mile, Per MOU					0.0000035		-								
	Common Transport - Facilities Termination Per MOU					0.0004372										
	ORT/LOOP COMBINATIONS - COST BASED RATES															
	ased Rates are applied where BellSouth is required by FCC and as shall apply to the Unbundled Port/Loop Combination - Cost															
	fice and Tandem Switching Usage and Common Transport Usa														pply to Not Cu	rrently
For Geo	orgia, Kentucky, Louisiana, MIssissippi and Tennessee, the rec ned Combos for all states. In GA, KY, LA, MS and TN these non	curring recurri	UNE P	ort and Loop charg	ges listed app on ordered co	ly to Currently C st based rates a	Combined and I	Not Currently	Combined Cor	nbos. The the	first and ac	dditional Po	ort nonrecurri	ng charges ap		
For Geo Combir Combir	orgia, Kentucky, Louisiana, MIssissippi and Tennessee, the rec ted Combos for all states. In GA, KY, LA, MS and TN these non ted Combos in all other states, the nonrecurring charges shall	curring recurri	UNE P	ort and Loop charg	ges listed app on ordered co	ly to Currently C st based rates a	Combined and I	Not Currently	Combined Cor	nbos. The the	first and ac	dditional Po	ort nonrecurri	ng charges ap		
For Geo Combir Combir 2-WIRE	orgia, Kentucky, Louisiana, MIssissippi and Tennessee, the rec ned Combos for all states. In GA, KY, LA, MS and TN these non	curring recurri	UNE P	ort and Loop charg	ges listed app on ordered co	ly to Currently C st based rates a	Combined and I	Not Currently	Combined Cor	nbos. The the	first and ac	dditional Po	ort nonrecurri	ng charges ap		
For Geo Combir Combir 2-WIRE	orgia, Kentucky, Louisiana, MIssissippi and Tennessee, the rec ned Combos for all states. In GA, KY, LA, MS and TN these non ned Combos in all other states, the nonrecurring charges shall VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates	curring recurri	UNE P	ort and Loop charg	ges listed app on ordered co	ly to Currently C st based rates a ently Combined	Combined and I	Not Currently	Combined Cor	nbos. The the	first and ac	dditional Po	ort nonrecurri	ng charges ap		
For Geo Combir Combir 2-WIRE	orgia, Kentucky, Louisiana, MIssissippi and Tennessee, the rec ned Combos for all states. In GA, KY, LA, MS and TN these non ned Combos in all other states, the nonrecurring charges shall VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) nt/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2	curring recurri	UNE P ng cha se ider	ort and Loop charg	ges listed app on ordered co	ly to Currently C st based rates a ently Combined 14.11 18.23	Combined and I	Not Currently	Combined Cor	nbos. The the	first and ac	dditional Po	ort nonrecurri	ng charges ap		
For Geo Combir Combir 2-WIRE UNE Po	orgia, Kentucky, Louisiana, MIssissippi and Tennessee, the reced Combos for all states. In GA, KY, LA, MS and TN these non need Combos in all other states, the nonnecurring charges shall VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3	curring recurri	UNE P ng cha se ider	ort and Loop charg	ges listed app on ordered co	ly to Currently C st based rates a ently Combined	Combined and I	Not Currently	Combined Cor	nbos. The the	first and ac	dditional Po	ort nonrecurri	ng charges ap		
For Geo Combir Combir 2-WIRE UNE Po	orgia, Kentucky, Louisiana, MIssissippi and Tennessee, the reced Combos for all states. In GA, KY, LA, MS and TN these non ned Combos in all other states, the nonrecurring charges shall VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 Jop Rates	curring recurri	UNE P ng cha se ider	ort and Loop charg arges are commission tiffied in the Nonrec	ges listed app on ordered co curring - Curre	ly to Currently Cost based rates a ently Combined 14.11 18.23 33.04	Combined and I	Not Currently	Combined Cor	nbos. The the	first and ac	dditional Po	ort nonrecurri	ng charges ap		
For Geo Combir Combir 2-WIRE UNE Po	orgia, Kentucky, Louisiana, MIssissippi and Tennessee, the received Combos for all states. In GA, KY, LA, MS and TN these non ned Combos in all other states, the nonrecurring charges shall VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 topo Rates 2-Wire Voice Grade Loop (SL1) - Zone 1	curring recurri	UNE P ng cha se ider 1 2 3	ort and Loop charg arges are commission tiffied in the Nonrec	ges listed app on ordered co curring - Curre	ly to Currently C st based rates a ently Combined 14.11 18.23 33.04	Combined and I	Not Currently	Combined Cor	nbos. The the	first and ac	dditional Po	ort nonrecurri	ng charges ap		
For Geo Combir Combir 2-WIRE UNE Po	orgia, Kentucky, Louisiana, MIssissippi and Tennessee, the reced Combos for all states. In GA, KY, LA, MS and TN these non red Combos in all other states, the nonrecurring charges shall VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 top Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2	curring recurri	UNE P ng cha se ider 1 2 3 1 2	ort and Loop chargarges are commission tiffied in the Nonrectified	ges listed app on ordered co curring - Curri UEPLX UEPLX	y to Currently C st based rates a ently Combined 14.11 18.23 33.04 12.94 17.06	Combined and I	Not Currently	Combined Cor	nbos. The the	first and ac	dditional Po	ort nonrecurri	ng charges ap		
For Gec Combin Combin 2-WIRE UNE Po	orgia, Kentucky, Louisiana, MIssissippi and Tennessee, the reced Combos for all states. In GA, KY, LA, MS and TN these non need Combos in all other states, the nonrecurring charges shall VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1	curring recurri	UNE P ng cha se ider 1 2 3	ort and Loop charg arges are commission tiffied in the Nonrec	ges listed app on ordered co curring - Curre	ly to Currently C st based rates a ently Combined 14.11 18.23 33.04	Combined and I	Not Currently	Combined Cor	nbos. The the	first and ac	dditional Po	ort nonrecurri	ng charges ap		
For Gec Combin Combin 2-WIRE UNE Po	orgia, Kentucky, Louisiana, MIssissippi and Tennessee, the reced Combos for all states. In GA, KY, LA, MS and TN these non ned Combos in all other states, the nonrecurring charges shall VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 op Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res)	curring recurri	UNE P ng cha se ider 1 2 3 1 2	ort and Loop charges are commission tiffied in the Nonrect line in	ges listed app on ordered co curring - Curro UEPLX UEPLX UEPLX UEPLX	y to Currently C st based rates a ently Combined 14.11 18.23 33.04 12.94 17.06 31.87	Combined and in AL, FL, I sections.	Not Currently NC and SC the	Combined Cor	nbos. The the	first and ac	dditional Poes and are I	ort nonrecurri	ng charges ap		
For Gec Combin Combin 2-WIRE UNE Po	orgia, Kentucky, Louisiana, MIssissippi and Tennessee, the reced Combos for all states. In GA, KY, LA, MS and TN these non redd Combos in all other states, the nonrecurring charges shall VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 100 Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence	curring recurri	UNE P ng cha se ider 1 2 3 1 2	vort and Loop chargarges are commission tiffied in the Nonrectifie	ges listed app on ordered co curring - Curri UEPLX UEPLX	y to Currently C st based rates a ently Combined 14.11 18.23 33.04 12.94 17.06	Combined and in AL, FL, N sections.	Not Currently	Combined Cor	nbos. The the	first and ac	dditional Po	ort nonrecurri	ng charges ap		
For Gec Combin Combin 2-WIRE UNE Po	orgia, Kentucky, Louisiana, MIssissippi and Tennessee, the reced Combos for all states. In GA, KY, LA, MS and TN these non ned Combos in all other states, the nonrecurring charges shall VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 op Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res)	curring recurri	UNE P ng cha se ider 1 2 3 1 2	ort and Loop charges are commission tiffied in the Nonrect line in	ges listed app on ordered co curring - Curri UEPLX UEPLX UEPLX UEPLX	y to Currently C st based rates a ently Combined 14.11 18.23 33.04 12.94 17.06 31.87	Combined and in AL, FL, I sections.	Not Currently NC and SC the	Combined Cor	nbos. The the	first and ac	dditional Poes and are I	ort nonrecurri	ng charges ap		
For Gec Combin Combin 2-WIRE UNE Po	orgia, Kentucky, Louisiana, MIssissippi and Tennessee, the reced Combos for all states. In GA, KY, LA, MS and TN these non red Combos in all other states, the nonrecurring charges shall VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 10-10-10-10-10-10-10-10-10-10-10-10-10-1	curring recurri	UNE P ng cha se ider 1 2 3 1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC	14.11 18.23 33.04 12.94 17.06 31.87 1.17	90.00 90.00	90.00 90.00 90.00	Combined Cor	nbos. The the	first and ac	11.90 11.90	ort nonrecurri	ng charges ap		
For Gec Combin Combin 2-WIRE UNE Po	orgia, Kentucky, Louisiana, MIssissippi and Tennessee, the reced Combos for all states. In GA, KY, LA, MS and TN these non red Combos in all other states, the nonrecurring charges shall VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 1 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 3 1 2-Wire Voice Grade Loop (SL1) - Zone 3 1 2-Wire Voice Grade Loop (SL1) - Zone 3 1 2-Wire voice unbundled port - residence 2-Wire voice unbundled port - residence 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res	curring recurri	UNE P ng cha se ider 1 2 3 1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	ges listed app on ordered co curring - Curro UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX	y to Currently C st based rates a ently Combined 14.11 18.23 33.04 12.94 17.06 31.87	Combined and in AL, FL, N sections.	Not Currently NC and SC the	Combined Cor	nbos. The the	first and ac	dditional Poes and are I	ort nonrecurri	ng charges ap		
For Gec Combin Combin 2-WIRE UNE Po	orgia, Kentucky, Louisiana, MIssissippi and Tennessee, the reced Combos for all states. In GA, KY, LA, MS and TN these non need Combos in all other states, the nonrecurring charges shall VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) or/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 oop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundled sees, low usage line port with Caller ID	curring recurri	UNE P ng cha se ider 1 2 3 1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	ges listed app on ordered co curring - Curre UEPLX UEPLX UEPLX UEPLX UEPRC UEPRO UEPAF	y to Currently C st based rates a ently Combined 14.11 18.23 33.04 12.94 17.06 31.87 1.17 1.17	90.00 90.00	90.00 90.00 90.00	Combined Cor	nbos. The the	first and ac	11.90 11.90	ort nonrecurri	ng charges ap		
For Gec Combir Combir 2-WIRE UNE Po UNE Lo	orgia, Kentucky, Louisiana, MIssissippi and Tennessee, the reced Combos for all states. In GA, KY, LA, MS and TN these non red Combos in all other states, the nonrecurring charges shall VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 OP Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res	curring recurri	UNE P ng cha se ider 1 2 3 1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC	14.11 18.23 33.04 12.94 17.06 31.87 1.17	90.00 90.00	90.00 90.00 90.00	Combined Cor	nbos. The the	first and ac	11.90 11.90	ort nonrecurri	ng charges ap		
For Gec Combin Combin 2-WIRE UNE Po	orgia, Kentucky, Louisiana, MIssissippi and Tennessee, the reced Combos for all states. In GA, KY, LA, MS and TN these non red Combos in all other states, the nonrecurring charges shall VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 100 Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundles res, low usage line port with Caller ID (LUM) RES	curring recurri	UNE P ng cha se ider 1 2 3 1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPAF	y to Currently C st based rates a ently Combined 14.11 18.23 33.04 12.94 17.06 31.87 1.17 1.17	90.00 90.00 90.00	90.00 90.00 90.00 90.00	Combined Cor	nbos. The the	first and ac	11.90 11.90	ort nonrecurri	ng charges ap		
For Gec Combir 2-WiRE UNE Po UNE Lo 2-Wire	orgia, Kentucky, Louisiana, MIssissippi and Tennessee, the reced Combos for all states. In GA, KY, LA, MS and TN these non need Combos in all other states, the nonrecurring charges shall VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 top Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundled see, low usage line port with Caller ID (LUM) RES All Features Offered	curring recurri	UNE P ng cha se ider 1 2 3 1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	ges listed app on ordered co curring - Curre UEPLX UEPLX UEPLX UEPLX UEPRC UEPRO UEPAF	y to Currently C st based rates a ently Combined 14.11 18.23 33.04 12.94 17.06 31.87 1.17 1.17	90.00 90.00	90.00 90.00 90.00	Combined Cor	nbos. The the	first and ac	11.90 11.90	ort nonrecurri	ng charges ap		
For Gec Combir 2-WiRE UNE Po UNE Lo 2-Wire	orgia, Kentucky, Louisiana, MIssissippi and Tennessee, the reced Combos for all states. In GA, KY, LA, MS and TN these non red Combos in all other states, the nonrecurring charges shall VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 100 Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundles res, low usage line port with Caller ID (LUM) RES	curring recurri	UNE P ng cha se ider 1 2 3 1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPAF	y to Currently C st based rates a ently Combined 14.11 18.23 33.04 12.94 17.06 31.87 1.17 1.17	90.00 90.00 90.00	90.00 90.00 90.00 90.00	Combined Cor	nbos. The the	first and ac	11.90 11.90	ort nonrecurri	ng charges ap		
For Gec Combir Combir 2-WIRE UNE Po UNE Lo 2-Wire 1	orgia, Kentucky, Louisiana, MIssissippi and Tennessee, the reced Combos for all states. In GA, KY, LA, MS and TN these non red Combos in all other states, the nonrecurring charges shall VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 top Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 3 voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundled sers, low usage line port with Caller ID (LUM) RES All Features Offered NUMBER PORTABILITY Local Number Portability (1 per port) CURRING CHARGES (NRCs) - CURRENTLY COMBINED	curring recurri	UNE P ng cha se ider 1 2 3 1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRO UEPRO UEPAF UEPAF	14.11 18.23 33.04 12.94 17.06 31.87 1.17 1.17 1.17	90.00 90.00 90.00	90.00 90.00 90.00 90.00	Combined Cor	nbos. The the	first and ac	11.90 11.90	ort nonrecurri	ng charges ap		
For Gec Combir Combir 2-WIRE UNE Po UNE Lo 2-Wire 1	orgia, Kentucky, Louisiana, MIssissippi and Tennessee, the reced Combos for all states. In GA, KY, LA, MS and TN these non ded Combos in all other states, the nonrecurring charges shall VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundled Florida Area Calling with Caller ID - RES 3-Wire voice unbundled Florida Area Calling with Caller ID - RES 3-Wire voice unbundled Florida Area Calling with Caller ID - RES 3-Wire voice Unbundled Florida Area Calling with Caller ID - RES 3-Wire voice Unbundled Florida Area Calling with Caller ID - RES 3-Wire Voice Unbundled Florida Area Calling with Caller ID - RES 3-Wire Voice Unbundled Florida Area Calling with Caller ID - RES 3-Wire Voice Grade Loop / Line Port Combination - Conversion - Voice Wire Voice Grade Loop / Line Port Combination - Conversion -	curring recurri	UNE P ng cha se ider 1 2 3 1 2	UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRO UEPRO UEPAF UEPAF UEPAF UEPAF UEPAF	14.11 18.23 33.04 12.94 17.06 31.87 1.17 1.17 1.17	90.00 90.00 90.00 90.00	90.00 90.00 90.00 90.00	Combined Cor	nbos. The the	first and ac	11.90 11.90	ort nonrecurri	ng charges ap		
For Gec Combir Combir 2-WIRE UNE Po UNE Lo 2-Wire 1	orgia, Kentucky, Louisiana, MIssissippi and Tennessee, the reced Combos for all states. In GA, KY, LA, MS and TN these non redd Combos in all other states, the nonrecurring charges shall VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ntr/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 100 Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 12-Wire voice Grade Loop (SL1) - Zone 3 2-Wire voice unbundled port vith Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res 3-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice Unbundled Florida Area Calling with Caller ID - res 2-Wire voice Unbundled Florida Area Calling with Caller ID - res 2-Wire voice Unbundled Florida Area Calling with Caller ID - res 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is	curring recurri	UNE P ng cha se ider 1 2 3 1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRO UEPRO UEPAF UEPAF	14.11 18.23 33.04 12.94 17.06 31.87 1.17 1.17 1.17	90.00 90.00 90.00	90.00 90.00 90.00 90.00	Combined Cor	nbos. The the	first and ac	11.90 11.90	ort nonrecurri	ng charges ap		
For Gec Combir Combir 2-WIRE UNE Po UNE Lo 2-Wire 1	orgia, Kentucky, Louisiana, MIssissippi and Tennessee, the reced Combos for all states. In GA, KY, LA, MS and TN these non redd Combos in all other states, the nonrecurring charges shall VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 100 Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundled Florida Area Calling with Caller ID res 2-Wire voice unbundled Florida Area Calling with Caller ID res 3-Wire voice unbundled Florida Area Calling with Caller ID res 3-Wire voice unbundled Florida Area Calling with Caller ID res 3-Wire voice Unbundled Florida Area Calling with Caller ID res 3-Wire Voice Unbundled Florida Area Calling with Caller ID res 4-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is	curring recurri	UNE P ng cha se ider 1 2 3 1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRO UEPAF UEPAF UEPAF UEPAF UEPAF UEPAF UEPAF UEPAF UEPAF UEPAF UEPAF UEPAF UEPAF UEPAF UEPAF UEPAF UEPAF	14.11 18.23 33.04 12.94 17.06 31.87 1.17 1.17 1.17	90.00 90.00 90.00 90.00 90.00	90.00 90.00 90.00 90.00 90.00	Combined Cor	nbos. The the	first and ac	11.90 11.90 11.90	ort nonrecurri	ng charges ap		
For Gec Combir Combir 2-WiRE UNE Po UNE Lo 2-Wire V	orgia, Kentucky, Louisiana, MIssissippi and Tennessee, the reced Combos for all states. In GA, KY, LA, MS and TN these non need Combos in all other states, the nonrecurring charges shall VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 I wop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundled Florida Area Calling with Caller ID (LUM) RES All Features Offered NUMBER PORTABILITY Local Number Portability (1 per port) CURRING CHARGES (NRCs) - CURRENTLY COMBINED 2-Wire Voice Grade Loop / Line Port Combination - Conversion-Switch-as-is 2-Wire Voice Grade Loop / Line Port Combination - Conversion-Switch with change	curring recurri	UNE P ng cha se ider 1 2 3 1 2	UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRO UEPRO UEPAF UEPAF UEPAF UEPAF UEPAF	14.11 18.23 33.04 12.94 17.06 31.87 1.17 1.17 1.17	90.00 90.00 90.00 90.00	90.00 90.00 90.00 90.00	Combined Cor	nbos. The the	first and ac	11.90 11.90	ort nonrecurri	ng charges ap		
For Gec Combir Combir 2-WiRE UNE Po UNE Lo 2-Wire V	orgia, Kentucky, Louisiana, MIssissippi and Tennessee, the reced Combos for all states. In GA, KY, LA, MS and TN these non redd Combos in all other states, the nonrecurring charges shall VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 Isop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundled Florida Provide Caller ID - res 2-Wire voice unbundled Florida Provide Caller ID - res 2-Wire voice unbundled Florida Provide Caller ID - res 2-Wire voice Unbundled Florida Provide Caller ID - res 2-Wire voice Unbundled Florida Provide Caller ID - res 2-Wire voice Unbundled Florida Provide Caller ID - res 2-Wire voice Unbundled Florida Provide Caller ID - res 2-Wire voice Unbundled Florida Provide Caller ID - res 3-Wire voice Unbundled Florida Provide Caller ID - res 3-Wire voice Unbundled Florida Provide Florida	curring recurri	UNE P ng cha se ider 1 2 3 1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRO UEPAF UEPAF UEPAF UEPAF UEPAF UEPAF UEPAF UEPAF UEPAF UEPAF UEPAF UEPAF UEPAF UEPAF UEPAF UEPAF UEPAF	14.11 18.23 33.04 12.94 17.06 31.87 1.17 1.17 1.17	90.00 90.00 90.00 90.00 90.00	90.00 90.00 90.00 90.00 90.00	Combined Cor	nbos. The the	first and ac	11.90 11.90 11.90	ort nonrecurri	ng charges ap		
For Gec Combir 2-WiRE UNE Po UNE Lo 2-Wire V	orgia, Kentucky, Louisiana, MIssissippi and Tennessee, the reced Combos for all states. In GA, KY, LA, MS and TN these non red Combos in all other states, the nonrecurring charges shall VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 100 Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 100 Voice Grade Loop (SL1) - Zone 3 101 Voice Grade Loop (SL1) - Zone 3 102 Voice Grade Loop (SL1) - Zone 3 103 Voice Grade Loop (SL1) - Zone 3 104 Voice Grade Loop (SL1) - Zone 3 105 Voice Grade Loop (SL1) - Zone 3 106 Voice Grade Loop (SL1) - Zone 3 107 Voice Grade Loop (SL1) - Zone 3 108 Voice Unbundled port vith Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundles res, low usage line port with Caller ID (LUM) RES All Features Offered NUMBER PORTABILITY Local Number Portability (1 per port) CURRING CHARGES (NRCs) - CURRENTLY COMBINED 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is 2-Wire Voice Grade Loop / Line Port Combination - Subsequent	curring recurri	UNE P ng cha se ider 1 2 3 1 2	UEPRX UEPRX	Jes listed appon ordered cocurring - Curring -	14.11 18.23 33.04 12.94 17.06 31.87 1.17 1.17 1.17 2.26	90.00 90.00 90.00 90.00 90.00 90.00	90.00 90.00 90.00 90.00 90.00 90.00 0.102	Combined Cor	nbos. The the	first and ac	11.90 11.90 11.90 11.90	ort nonrecurri	ng charges ap		
For Gec Combir Combir 2-WIRE UNE Po UNE Lo 2-Wire V	orgia, Kentucky, Louisiana, MIssissippi and Tennessee, the reced Combos for all states. In GA, KY, LA, MS and TN these non red Combos in all other states, the nonrecurring charges shall VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 I 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundled Florida Area Calling with Caller ID (LUM) RES All Features Offered NUMBER PORTABILITY Local Number Portability (1 per port) CURRING CHARGES (NRCs) - CURRENTLY COMBINED 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change ONAL NRCs 2-Wire Voice Grade Loop / Line Port Combination - Subsequent Activity	curring recurri	UNE P ng cha se ider 1 2 3 1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRO UEPAF UEPAF UEPAF UEPAF UEPAF UEPAF UEPAF UEPAF UEPAF UEPAF UEPAF UEPAF UEPAF UEPAF UEPAF UEPAF UEPAF	14.11 18.23 33.04 12.94 17.06 31.87 1.17 1.17 1.17	90.00 90.00 90.00 90.00 90.00	90.00 90.00 90.00 90.00 90.00	Combined Cor	nbos. The the	first and ac	11.90 11.90 11.90	ort nonrecurri	ng charges ap		
For Geo Combir Combir 2-WIRE UNE Po UNE Lo 2-WIRE LOCAL NONRE ADDITIO 2-WIRE	orgia, Kentucky, Louisiana, MIssissippi and Tennessee, the reced Combos for all states. In GA, KY, LA, MS and TN these non red Combos in all other states, the nonrecurring charges shall VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 100 Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 100 Voice Grade Loop (SL1) - Zone 3 101 Voice Grade Loop (SL1) - Zone 3 102 Voice Grade Loop (SL1) - Zone 3 103 Voice Grade Loop (SL1) - Zone 3 104 Voice Grade Loop (SL1) - Zone 3 105 Voice Grade Loop (SL1) - Zone 3 106 Voice Grade Loop (SL1) - Zone 3 107 Voice Grade Loop (SL1) - Zone 3 108 Voice Unbundled port vith Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundles res, low usage line port with Caller ID (LUM) RES All Features Offered NUMBER PORTABILITY Local Number Portability (1 per port) CURRING CHARGES (NRCs) - CURRENTLY COMBINED 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is 2-Wire Voice Grade Loop / Line Port Combination - Subsequent	curring recurri	UNE P ng cha se ider 1 2 3 1 2	UEPRX UEPRX	Jes listed appon ordered cocurring - Curring -	14.11 18.23 33.04 12.94 17.06 31.87 1.17 1.17 1.17 2.26	90.00 90.00 90.00 90.00 90.00 90.00	90.00 90.00 90.00 90.00 90.00 90.00 0.102	Combined Cor	nbos. The the	first and ac	11.90 11.90 11.90 11.90	ort nonrecurri	ng charges ap		
For Geo Combir Combir 2-WiRE UNE Po UNE Lo 2-Wire \ LOCAL NONRE ADDITIO 2-WIRE	orgia, Kentucky, Louisiana, MIssissippi and Tennessee, the reced Combos for all states. In GA, KY, LA, MS and TN these non edd Combos in all other states, the nonrecurring charges shall VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 ORATES 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundled Florida Port Caller ID - res 2-Wire voice Unbundled Florida Port Caller ID - res 2-Wire voice Unbundled Florida Port Caller ID - res 2-Wire voice Unbundled Florida Port Combination - Conversion - Switch-as-is 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is 2-Wire Voice Grade Loop / Line Port Combination - Subsequent Activity VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)	curring recurri	UNE P ng cha se ider 1 2 3 1 2	UEPRX UEPRX	Jes listed appon ordered cocurring - Curring -	14.11 18.23 33.04 12.94 17.06 31.87 1.17 1.17 1.17 2.26	90.00 90.00 90.00 90.00 90.00 90.00	90.00 90.00 90.00 90.00 90.00 90.00 0.102	Combined Cor	nbos. The the	first and ac	11.90 11.90 11.90 11.90	ort nonrecurri	ng charges ap		
For Geo Combir Combir 2-WiRE UNE Po UNE Lo 2-Wire \ LOCAL NONRE ADDITIO 2-WIRE	orgia, Kentucky, Louisiana, MIssissippi and Tennessee, the reced Combos for all states. In GA, KY, LA, MS and TN these non redd Combos in all other states, the nonrecurring charges shall VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 100 Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 12-Wire voice Grade Loop (SL1) - Zone 3 2-Wire voice unbundled port vith Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res 3-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice Grade Loop / Line Port Combination - Conversion Switch-as-is 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change ONAL NRCs 2-Wire Voice Grade Loop WITH 2-WIRE LINE PORT (BUS)	curring recurri	UNE P ng cha se ider 1 2 3 1 2	UEPRX UEPRX	Jes listed appon ordered cocurring - Curring -	y to Currently C st based rates a ently Combined 14.11 18.23 33.04 12.94 17.06 31.87 1.17 1.17 1.17 2.26	90.00 90.00 90.00 90.00 90.00 90.00	90.00 90.00 90.00 90.00 90.00 90.00 0.102	Combined Cor	nbos. The the	first and ac	11.90 11.90 11.90 11.90	ort nonrecurri	ng charges ap		

INBUNDLE	D NETWORK ELEMENTS - Florida												Attachment:	2		Exhibit:
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge
						Rec	Nonrec		Nonrecurring E					RATES (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UNE LO	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPBX	UEPLX	12.94										
	2-Wire Voice Grade Loop (SL1) - Zone 1			UEPBX	UEPLX	17.06										
	2-Wire Voice Grade Loop (SL1) - Zone 3			UEPBX	UEPLX	31.87										
2-Wire	Voice Grade Line Port (Bus)			-												
	2-Wire voice unbundled port without Caller ID - bus			UEPBX	UEPBL	1.17	90.00	90.00				11.90				
	2-Wire voice unbundled port with Caller + E484 ID - bus			UEPBX	UEPBC	1.17	90.00	90.00				11.90				
	2-Wire voice unbundled port outgoing only - bus			UEPBX	UEPBO	1.17	90.00	90.00				11.90				
1.0041	2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPBX	UPEB1	1.17	90.00	90.00				11.90				
LOCAL	NUMBER PORTABILITY			LIEDDY	LNDOV	0.35										-
FEATU	Local Number Portability (1 per port)			UEPBX	LNPCX	0.35			-							
FEATU	All Features Offered			UEPBX	UEPVF	2.26	0.00	0.00				11.90				
NONRE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED			OLI DX	OLI VI	2.20	0.00	0.00				11.30				
1101111	2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
	Switch-as-is			UEPBX	USAC2		0.102	0.102				11.90				
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
	Switch with change			UEPBX	USACC		0.102	0.102								
ADDITI	ONAL NRCs															ļ
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent															
o WIDE	Activity VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)			UEPBX	USAS2		0.00	0.00	-			11.90				
	ort/Loop Combination Rates				_	-			-							-
UNLF	2-Wire VG Loop/Port Combo - Zone 1		1			14.11										
	2-Wire VG Loop/Port Combo - Zone 2		2			18.23										
	2-Wire VG Loop/Port Combo - Zone 3		3			33.04										
UNE Lo	pop Rates															
	2-Wire Voice Grade Loop (SL 1) - Zone 1			UEPRG	UEPLX	12.94										
	2-Wire Voice Grade Loop (SL 1) - Zone 2			UEPRG	UEPLX	17.06										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPRG	UEPLX	31.87										
2-Wire	Voice Grade Line Port Rates (RES - PBX)															
	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port - Res			UEPRG	UEPRD	1.17						11.90				
LOCAL	NUMBER PORTABILITY			UEFRG	UEPKD	1.17			-			11.90				-
LOCAL	Local Number Portability (1 per port)			UEPRG	LNPCP	3.15	0.00	0.00	 							-
FEATU				02.7.0	2.1. 0.	0.10	0.00	0.00								
	All Features Offered			UEPRG	UEPVF	2.26	0.00	0.00				11.90				
NONRE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
	Conversion - Switch-As-Is			UEPRG	USAC2		8.45	1.91				11.90				
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
ADDIT	Conversion - Switch with Change ONAL NRCs			UEPRG	USACC		8.45	1.91				11.90				
ADDITI	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -				_											
	Subsequent Activity			UEPRG	USAS2	0.00	0.00	0.00				11.90				
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt			OLITIO	OOAOZ	0.00	0.00	0.00				11.30				
	Group						7.09	7.09				11.90				
2-WIRE	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)															
	ort/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Zone 1		1			14.11										
	2-Wire VG Loop/Port Combo - Zone 2		2			18.23										
	2-Wire VG Loop/Port Combo - Zone 3		3			33.04										
UNE Lo	pop Rates		L_	HEDDY	LIEDLY	1001			 							<u> </u>
	2-Wire Voice Grade Loop (SL 1) - Zone 1			UEPPX	UEPLX	12.94	ļ		 							
	2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPPX UEPPX	UEPLX	17.06 31.87			 							
	Voice Grade Line Port Rates (BUS - PBX)		ა	OLFFA	UEPLA	31.87										↓

JNBUNDLED	NETWORK ELEMENTS - Florida												Attachment:	2		Exhibit:
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge -
						Rec	Nonrec	urring	Nonrecurring Disco	onnect			OSS F	RATES (\$)		
							First	Add'l		dd'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPPX	UEPPC	1.17	90.00	90.00				11.90				
	Line Side Unbundled Outward PBX Trunk Port - Bus			UEPPX	UEPPO	1.17	90.00	90.00				11.90				
	Line Side Unbundled Incoming PBX Trunk Port - Bus 2-Wire Voice Unbundled PBX LD Terminal Ports			UEPPX UEPPX	UEPP1 UEPLD	1.17 1.17	90.00 90.00	90.00				11.90 11.90				
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	1.17	90.00	90.00	-			11.90				
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	1.17	90.00	90.00				11.90				
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	1.17	90.00	90.00				11.90				
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	1.17	90.00	90.00				11.90				
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD															
	Capable Port			UEPPX	UEPXE	1.17	90.00	90.00				11.90				
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
	Administrative Calling Port			UEPPX	UEPXL	1.17	90.00	90.00				11.90				
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
	Room Calling Port			UEPPX	UEPXM	1.17	90.00	90.00				11.90				
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital			UEPPX	UEPXO	4.47	00.00	00.00				44.00				
	Discount Room Calling Port 2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXO	1.17 1.17	90.00 90.00	90.00				11.90 11.90				
LOCAL	NUMBER PORTABILITY			UEFFX	UEPAS	1.17	90.00	90.00	-			11.90				
LOCAL	Local Number Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00								
FEATUR				OLITA	LIVI OI	0.10	0.00	0.00								
	All Features Offered			UEPPX	UEPVF	2.26	0.00	0.00				11.90				
NONRE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
	Conversion - Switch-As-Is			UEPPX	USAC2		8.45	1.91				11.90				
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
	Conversion - Switch with Change			UEPPX	USACC		8.45	1.91				11.90				
ADDITIO	ONAL NRCs															
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
	Subsequent Activity			UEPPX	USAS2	0.00	0.00	0.00				11.90				
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt						7.86	7.00				11.90				
2-WIDE	Group VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN PORT						7.86	7.86	-			11.90				
	ort/Loop Combination Rates		-													
ONLIG	2-Wire VG Coin Port/Loop Combo – Zone 1		1			14.11										
	2-Wire VG Coin Port/Loop Combo – Zone 2		2			18.23										
	2-Wire VG Coin Port/Loop Combo – Zone 3		3			33.04										
UNE Lo	op Rates															
	2-Wire Voice Grade Loop (SL1) - Zone 1			UEPCO	UEPLX	12.94										
	2-Wire Voice Grade Loop (SL1) - Zone 2			UEPCO	UEPLX	17.06										
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPCO	UEPLX	31.87										
2-Wire \	Voice Grade Line Ports (COIN)															
	2-Wire Coin 2-Way with Operator Screening and Blocking: 011,		l	LIEDOO	LIEDOE		20.00	20.00				44.00				
	900/976, 1+DDD (FL) 2-Wire Coin 2-Way with Operator Screening and 011 Blocking		 	UEPCO	UEP2F	1.17	90.00	90.00				11.90	1			
	(FL)		l	UEPCO	UEPFA	1.17	90.00	90.00				11.90				
+	2-Wire Coin 2-Way with Operator Screening and Blocking:		 	OLFOO	ULFFA	1.17	90.00	90.00				11.90	 			
	900/976, 1+DDD, 011+, and Local (FL)		1	UEPCO	UEPCG	1.17	90.00	90.00	[11.90				
_	2-Wire Coin Outward with Operator Screening and 011 Blocking		-		02.00	1	55.55	55.56				11.50				1
	(AL, FL)		l	UEPCO	UEPRK	1.17	90.00	90.00				11.90				
	2-Wire Coin Outward with Operator Screening and Blocking:				T.											
L	900/976, 1+DDD, 011+ (FL)		L	UEPCO	UEPOF	1.17	90.00	90.00	<u> </u>			11.90	<u> </u>			<u> </u>
	2-Wire Coin Outward with Operator Screening and Blocking:															
	900/976, 1+DDD, 011+, and Local (FL, GA)			UEPCO	UEPCQ	1.17	90.00	90.00				11.90				
	2-Wire 2-Way Smartline with 900/976 (all states except LA)			UEPCO	UEPCK	1.17	90.00	90.00				11.90				
	2-Wire Coin Outward Smartline with 900/976 (all states except		1													
1	LA)			UEPCO	UEPCR	1.17	90.00	90.00				11.90				<u> </u>

JNBUNDLED	NETWORK ELEMENTS - Florida													Attachment:	2		Exhibit:
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS		USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge -
							Rec	Nonrec		Nonrecurring					RATES (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ADDITIO	DNAL UNE COIN PORT/LOOP (RC)			LIEBOO	<u> </u>	IDEOLI	4.00	00.00	00.00								
LOCAL	UNE Coin Port/Loop Combo Usage (Flat Rate) NUMBER PORTABILITY			UEPCO	U	JRECU	1.86	90.00	90.00								
	Local Number Portability (1 per port)			UEPCO		.NPCX	0.35										
FEATUR				02. 00		0/1	0.00										
	CURRING CHARGES - CURRENTLY COMBINED																
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is			UEPCO	U	JSAC2		0.102	0.102				11.90				
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -																
ABBITI	Switch with change		<u> </u>	UEPCO	U	JSACC		0.102	0.102				11.90				
ADDITIO	DNAL NRCs 2-Wire Voice Grade Loop/Line Port Combination - Subsequent																
	Activity			UEPCO	U	JSAS2		0.00	0.00				11.90				
JNBUNDLED PO	ORT/LOOP COMBINATIONS - COST BASED RATES																
2-WIRE	VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK F	PORT															
UNE Por	rt/Loop Combination Rates																
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1		1				23.21										
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2		2				28.28										
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3 op Rates		3				46.53										
ONE LOC	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1		1	UEPPX		JECD1	14.50						11.90			1.83	
- 	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1			UEPPX		JECD1	19.57						11.90			1.83	
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3			UEPPX		JECD1	37.82						11.90			1.83	
UNE Por				_													
	Exchange Ports - 2-Wire DID Port			UEPPX	U	JEPD1	8.71						11.90			1.83	
NONREC	CURRING CHARGES - CURRENTLY COMBINED																
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination - Switch-as-is			UEPPX	U	JSAC1		7.85	1.87				11.90				
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion with BellSouth Allowable Changes			UEPPX	l.,	JSA1C		7.85	1.87				11.90				
ADDITIC	DNAL NRCs			UEPPX	U	JSAIC		7.85	1.87				11.90				
	2-Wire DID Subsequent Activity - Add Trunks, Per Trunk			UEPPX	U	JSAS1		32.26	32.26				11.90				
	one Number/Trunk Group Establisment Charges			02.17	Ĭ	, , , , ,		02.20	02.20				11.00				
	DID Trunk Termination (One Per Port)		1	UEPPX	N	IDT	0.00	0.00	0.00				11.90			1.83	
	DID Numbers, Establish Trunk Group and Provide First Group																
	of 20 DID Numbers		<u> </u>	UEPPX		NDZ	0.00	0.00	0.00				11.90			1.83	
-+-	Additional DID Numbers for each Group of 20 DID Numbers		<u> </u>	UEPPX		ID4	0.00	0.00	0.00				11.90			1.83	
	DID Numbers, Non- consecutive DID Numbers , Per Number Reserve Non-Consecutive DID numbers		!	UEPPX UEPPX		ND5 ND6	0.00	0.00	0.00				11.90 11.90			1.83 1.83	
-+	Reserve DID Numbers	1	 	UEPPX		NDV	0.00	0.00	0.00			1	11.90			1.83	1
LOCAL	NUMBER PORTABILITY	1	1				0.00	0.00	0.00				11.50			1.00	
	Local Number Portability (1 per port)		1	UEPPX	L	.NPCP	3.15	0.00	0.00								
	ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LIN	E SIDE	PORT														
UNE Por	rt/Loop Combination Rates								•		•						
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 1		1	UEPPB U	JEPPR		32.09										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 2		2	UEPPB UI	IEPPR		38.15										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 3		3	UEPPB UI	IEPPR		59.94										
LIME		<u> </u>	1	UEPPB UE	EPPR U	ISI 2V	24.71						11.90			1.83	
UNE Loc			1 1	IUEFFB UE	LEEK 10	JULZA	24.71					1	11.90			1.83	1
UNE Lo	2-Wire ISDN Digital Grade Loop - UNE Zone 1							l									
UNE Lo	2-Wire ISDN Digital Grade Loop - UNE Zone 2		2			JSL2X	30.77						11.90			1.83	
UNE Loc	2-Wire ISDN Digital Grade Loop - UNE Zone 2 2-Wire ISDN Digital Grade Loop - UNE Zone 3				IEPPR U		30.77 52.56						11.90 11.90			1.83 1.83	

INBUNDLE	D NETWORK ELEMENTS - Florida													Attachment:	2		Exhibit:
CATEGORY	RATE ELEMENTS	Interi m	Zone	BC	s	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge Manual S Order vs Electronic Disc Add
							Rec	Nonrec			g Disconnect				RATES (\$)		
NONDE	TOURDING OUADOES, OURDENTLY COMPINED							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
NONRE	ECURRING CHARGES - CURRENTLY COMBINED 2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port							-									
	Combination - Conversion			UEPPB L	JEPPR	USACB	0.00	25.22	17.00				11.90			1.83	
ADDITI	IONAL NRCs																
LOCAL	NUMBER PORTABILITY																
	Local Number Portability (1 per port)			UEPPB	UEPPR	LNPCX	0.35	0.00	0.00								
B-CHA	NNEL USER PROFILE ACCESS:			LIEDDD	UEPPR	U1UCA	0.00	0.00	0.00								
	CVS/CSD (DMS/5ESS) CVS (EWSD)					U1UCB	0.00	0.00	0.00								
	CSD	-				U1UCC	0.00	0.00	0.00								
B-CHA	NNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS SC	MS, & 1	N)				2.30	2.30	2.00		1						
	TERMINAL PROFILE																
	User Terminal Profile (EWSD only)			UEPPB	UEPPR	U1UMA	0.00	0.00	0.00								
VERTIO	CAL FEATURES																
IN:	All Vertical Features - One per Channel B User Profile	ļ		UEPPB	UEPPR	UEPVF	2.26	0.00	0.00				11.90				
INTER	OFFICE CHANNEL MILEAGE																
	Interoffice Channel mileage each, including first mile and facilities termination			UEPPB U	IEDDD	M1GNC	18.4491	47.35	31.78	18.31	7.03		11.90			1.83	
	Interoffice Channel mileage each, additional mile			UEPPB U			0.0091	0.00	0.00	10.31	7.03		11.90			1.83	
4-WIRE	E DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK	PORT		OLITE C	JEITIK	IVITOIVIVI	0.0001	0.00	0.00				11.00			1.00	
	ort/Loop Combination Rates										İ						
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 1		1	UEPPP			156.18										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2		2	UEPPP			181.87										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 3		3	UEPPP			274.25										
UNFI	pop Rates		3	OLITI			214.25										
	4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPPP		USL4P	73.44				İ		11.90			1.83	
	4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPPP		USL4P	99.13						11.90			1.83	
	4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPPP		USL4P	191.51						11.90			1.83	
UNE Po	ort Rate																
	Exchange Ports - 4-Wire ISDN DS1 Port			UEPPP		UEPPP	82.74						11.90			1.83	
NONRE	ECURRING CHARGES - CURRENTLY COMBINED																
	4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port Combination - Conversion -Switch-as-is			UEPPP		USACP	0.00	84.17	61.38				11.90			1.83	
ודוחח	IONAL NRCs	 	<u> </u>	UEPPP		UJACE	0.00	04.17	01.38		 		11.90			1.83	
ADDITI	4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy-																
	Inward/two way tel nos within Std Allowance		l	UEPPP		PR7TF		0.5412			1		11.90			1.83	
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port -																
	Outward Tel Numbers (All States except NC)			UEPPP		PR7TO		12.71	12.71				11.90			1.83	
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port -			l													1
	Subsequent Inward Tel Nos Above Std Allowance	ļ		UEPPP		PR7ZT		25.42	25.42		ļ		11.90			1.83	
LOCAL	NUMBER PORTABILITY Local Number Portability (1 per port)	 		UEPPP		LNPCN	1.75	-			1						ļ
INTER	FACE (Provsioning Only)	 		UEPPP		LINPUN	1./5	+			-						
INTERI	Voice/Data	 		UEPPP		PR71V	0.00	0.00	0.00								
	Digital Data			UEPPP		PR71D	0.00	0.00	0.00		1						
	Inward Data			UEPPP		PR71E	0.00	0.00	0.00								
New or	Additional "B" Channel																
	New or Additional - Voice/Data B Channel			UEPPP		PR7BV	0.00	15.48			L		11.90			1.83	
	New or Additional - Digital Data B Channel	ļ		UEPPP		PR7BF	0.00	15.48					11.90			1.83	
_	New or Additional Inward Data B Channel	 		UEPPP UEPPP		PR7BD PR7BS	0.00	15.48 15.48			1		11.90 11.90			1.83	ļ
+	New or Additional Useage Sensitive Voice Data B Channel New or Additional Useage Sensitive Digital Data B Channel		<u> </u>	UEPPP		PR7BS PR7BU	0.00	15.48 15.48			 		11.90 11.90			1.83 1.83	
CALL	TYPES	 	 	OLI I'F		111100	0.00	10.40			 		11.50			1.03	
OALL	Inward	-	-	UEPPP		PR7C1	0.00	0.00	0.00		1	 	l				

	NETWORK ELEMENTS - Florida												Attachment:	2		Exhibit
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			1	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increme Charge Manual Order v Electros Disc Ac
						Rec	Nonrec	urrina	Nonrecurring	n Disconnect			oss i	RATES (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
	Outward			UEPPP	PR7C0	0.00	0.00	0.00								
	Two-way			UEPPP	PR7CC	0.00	0.00	0.00								
Interoffic	ce Channel Mileage															
	Fixed Each Including First Mile			UEPPP	1LN1A	88.6256	105.54	98.47	21.47	19.05		11.90			1.93	
	Each Airline-Fractional Additional Mile			UEPPP	1LN1B	0.1856										
	DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT															
UNE Por	t/Loop Combination Rates															
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1		1	UEPDC		128.39						11.90			1.83	
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2		2	UEPDC		154.08						11.90			1.83	
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3		3	UEPDC		246.46					ļ	11.90			1.83	
UNE Loc	pp Rates		_	LIEDDO	1101.00	70.41					 	44.00			1.00	
+	4-Wire DS1 Digital Loop - UNE Zone 1		1 2	UEPDC UEPDC	USLDC	73.44 99.13					 	11.90 11.90			1.83 1.83	
_	4-Wire DS1 Digital Loop - UNE Zone 2 4-Wire DS1 Digital Loop - UNE Zone 3			UEPDC	USLDC	191.51						11.90			1.83	
UNE Por			3	UEPDC	USLDC	191.51						11.90			1.03	
ONE FOI	4-Wire DDITS Digital Trunk Port			UEPDC	UDD1T	54.95						11.90			1.83	
NONBEC	CURRING CHARGES - CURRENTLY COMBINED			OLFDC	ODDII	34.53					1	11.90			1.03	
NONKEC	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination															
	- Switch-as-is			UEPDC	USAC4		95.31	46.71				11.90			1.83	
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination			OLI DO	00/104		30.01	70.71				11.00			1.00	
	- Conversion with DS1 Changes			UEPDC	USAWA		95.31	46.71				11.90			1.83	
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination			02. 50	00/11/11		00.01					11.00			1.00	
	- Conversion with Change - Trunk			UEPDC	USAWB		95.31	46.71				11.90			1.83	
ADDITIO	NAL NRCs															
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC -															
	Subsequent Channel Activation/Chan - 2-Way Trunk			UEPDC	UDTTA		15.69	15.69				11.90			1.83	
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent															
	Channel Activation/Chan - 1-Way Outward Trunk			UEPDC	UDTTB		15.69	15.69				11.90			1.83	
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel															
	Activation/Chan Inward Trunk w/out DID			UEPDC	UDTTC		15.69	15.69				11.90			1.83	
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan															
	Activation Per Chan - Inward Trunk with DID			UEPDC	UDTTD		15.69	15.69				11.90			1.83	
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan															
	Activation / Chan - 2-Way DID w User Trans			UEPDC	UDTTE		15.69	15.69				11.90			1.83	
BIPOLAI	R 8 ZERO SUBSTITUTION															
_	B8ZS -Superframe Format			UEPDC	CCOSF		0.00	655.00			ļ	11.90			1.83	
-	B8ZS - Extended Superframe Format			UEPDC	CCOEF		0.00	655.00			ļ	11.90			1.83	
Alternate	e Mark Inversion			HEDDO	MCCCC		0.00	2.00			ļ				ļ	
-	AMI - Superframe Format			UEPDC	MCOSF		0.00	0.00			ļ					
Tolonha	AMI - Extended SuperFrame Format ne Number/Trunk Group Establisment Charges			UEPDC	MCOPO		0.00	0.00								
reiepno	Telephone Number for 2-Way Trunk Group	-		UEPDC	UDTGX	0.00					 	11.90			1.83	-
+	Telephone Number for 1-Way Outward Trunk Group			UEPDC	UDTGX	0.00					 	11.90			1.83	
	Telephone Number for 1-Way Inward Trunk Group Without DID			UEPDC	UDTGZ	0.00					 	11.90			1.83	
+	DID Numbers, Establish Trunk Group and Provide First Group	-		02.1 00	00.02	0.00					 	11.00			1.03	-
	of 20 DID Numbers			UEPDC	NDZ	0.00	0.00	0.00				11.90			1.83	
	DID Numbers for each Group of 20 DID Numbers			UEPDC	ND4	0.00	0.00	0.00				11.90			1.83	
1	DID Numbers, Non- consecutive DID Numbers , Per Number			UEPDC	ND5	0.00						11.90			1.83	
	Reserve Non-Consecutive DID Nos.			UEPDC	ND6	0.00	0.00	0.00				11.90			1.83	
	Reserve DID Numbers			UEPDC	NDV	0.00	0.00	0.00				11.90			1.83	
Dedicate	ed DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1	Digital I	oop w	ith 4-Wire DDITS	Trunk Port			-								
	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities															
	Termination)	L		UEPDC	1LNO1	88.44	105.54	98.47	21.47	19.05	L	11.90			1.83	<u> </u>
	Later Control Miles and Additional and a second of the control of		1	UEPDC	1LNOA	0.1856	0.00	0.00				1			1	
	Interoffice Channel Mileage - Additional rate per mile - 0-8 miles Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities			OLI DO			0.00									

JNBUNDI	LED NETWORK ELEMENTS - Florida			-									Attachment:	2		Exhibit:
CATEGO	RY RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual Sv Order vs.
						Rec	Nonred	urring	Nonrecurring	g Disconnect			OSS F	RATES (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
	Interoffice Channel Mileage - Additional rate per mile - 9-25 miles			UEPDC	1LNOB	0.1856	0.00	0.00								
	Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities															
	Termination)			UEPDC	1LNO3	0.00	0.00	0.00	0.00							<u> </u>
	Interoffice Channel Mileage - Additional rate per mile - 25+ miles			UEPDC	1LNOC	0.1856	0.00	0.00								
	Local Number Portability, per DS0 Activated		1	UEPDC	LNPCP	3.15	0.00	0.00	0.00							+
	Central Office Termininating Point			UEPDC	CTG	0.00	0.00	0.00	0.00							+
4-W	IRE DS1 LOOP WITH CHANNELIZATION WITH PORT			02. 50	0.0	0.00										+
	tem is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Activ	ations														1
	h System can have up to 24 combinations of rates depending on the		numh	er of ports used	1											
	E DS1 Loop	-, , , , , , , , , , , , , , , ,										1				†
- Jane	4-Wire DS1 Loop - UNE Zone 1	†	1	UEPMG	USLDC	73,44	0.00	0.00								†
	4-Wire DS1 Loop - UNE Zone 2			UEPMG	USLDC	99.13	0.00	0.00								1
	4-Wire DS1 Loop - UNE Zone 3			UEPMG	USLDC	191.51	0.00	0.00								1
LINE	E DSO Channelization Capacities (D4 Channel Bank Configuration	e)	Ŭ	020	CCLSC	.01.01	0.00	0.00			1					†
0.112	24 DSO Channel Capacity - 1 per DS1	Ĭ		UEPMG	VUM24	118.06	0.00	0.00			1	11.90			1.83	†
	48 DSO Channel Capacity - 1 per 2 DS1s			UEPMG	VUM48	236.12	0.00	0.00				11.90			1.83	
	96 DSO Channel Capacity -1 per 2 DS1s			UEPMG	VUM96	472.24	0.00	0.00				11.90			1.83	
	144 DS0 Channel Capacity - 1 per 6 DS1s			UEPMG	VUM14	708.36	0.00	0.00				11.90			1.83	
	192 DS0 Channel Capacity -1 per 8 DS1s			UEPMG	VUM19	944.48	0.00	0.00			-	11.90			1.83	
	240 DS0 Channel Capacity - 1 per 10 DS1s			UEPMG	VUM20	1,180.60	0.00	0.00			-	11.90			1.83	
	288 DS0 Channel Capacity - 1 per 10 DS1s			UEPMG	VUM28	1,416.72	0.00	0.00			-	11.90			1.83	
	384 DS0 Channel Capacity - 1 per 12 DS1s	<u> </u>		UEPMG	VUM38	1,888.96	0.00	0.00				11.90			1.83	
	480 DS0 Channel Capacity - 1 per 16 DS1s	<u> </u>		UEPMG	VUM40	2,361.20	0.00	0.00				11.90			1.83	
		<u> </u>		UEPMG	VUM57	2,833.44	0.00									
	576 DS0 Channel Capacity -1 per 24 DS1s	<u> </u>		UEPMG	VUM67	3,305.68	0.00	0.00				11.90 11.90			1.83 1.83	
	672 DS0 Channel Capacity - 1 per 28 DS1s	01						0.00				11.90			1.83	
	n-Recurring Charges (NRC) Associated with 4-Wire DS1 Loop with						tem									4
	linimum System configuration is One (1) DS1, One (1) D4 Channel															4
Mul	tiples of this configuration functioning as one are considered Add	d'i after	the mi	nimum system confi	guration is c	ounted.										4
	NRC - Conversion (Currently Combined) with or without BellSouth Allowed Changes			UEPMG	USAC4	0.00	96.77	4.24				11.90				
Sys	tem Additions at End User Locations Where 4-Wire DS1 Loop with	n Chann	elizatio	on with Port Combir	ation Curren	tly Exists and										
New	v (Not Currently Combined) In GA, KY, LA, MS & TN Only															Ī
	1 DS1/D4 Channel Bank - Add NRC for each Port and Assoc															Ī
	Fea Activation - New GA, LA, KY, MS, &TN Only			UEPMG	VUMD4	0.00	726.11	468.21	145.32	17.24		11.90				
Bipo	olar 8 Zero Substitution											11.90				Ī
	Clear Channel Capability Format, superframe - Subsequent Activity Only			UEPMG	CCOSF	0.00	0.00	655.00				11.90				
	Clear Channel Capability Format - Extended Superframe -															1
	Subsequent Activity Only	-	.	UEPMG	CCOEF	0.00	0.00	655.00			1	11.90				
Alte	ernate Mark Inversion (AMI)	-	1	LIEDMO	140005	0.00	0.00	0.00			-	1				+
	Superframe Format	<u> </u>	ļ	UEPMG	MCOSF	0.00	0.00	0.00								+
F	Extended Superframe Format			UEPMG	MCOPO	0.00	0.00	0.00			1					
	hange Ports Associated with 4-Wire DS1 Loop with Channelizatio	ıı with F	σπ		1						-	1				+
Exc	hange Ports	1	1								1					+
	Line Side Combination Channelized PBX Trunk Port - Business		1	UEPPX	UEPCX	1.38	0.00	0.00	0.00	0.00		11.90			1.83	
	Line Side Outward Channelized PBX Trunk Port - Business		1	UEPPX	UEPOX	1.38	0.00	0.00	0.00	0.00	t	11.90			1.83	
	District Chambred For Hammar of Dublicoo	†	1			00	3.00	3.00	5.00	3.00	-	50				†
	Line Side Inward Only Channelized PBX Trunk Port without DID	1	1	UEPPX	UEP1X	1.38	0.00	0.00	0.00	0.00		11.90			1.83	
	2-Wire Trunk Side Unbundled Channelized DID Trunk Port	†	1	UEPPX	UEPDM	8.71	0.00	0.00		0.00	-	11.90			1.83	
Fee	ture Activations - Unbundled Loop Concentration	 	-	0=11 A	JEI DIVI	0.71	0.00	0.00	0.00	0.00		11.50			1.00	+
ı ca	Feature (Service) Activation for each Line Side Port Terminated	 	 		1	 										+
	in D4 Bank			UEPPX	1PQWM	0.66	25.40	13.41	3.96	3.93		11.90			1.83	
	Feature (Service) Activation for each Trunk Side Port Terminated															

UNBUNDLED	NETWORK ELEMENTS - Florida												Attachment:	2		Exhibit:
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Manually		Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'l
						Rec	Nonrec			g Disconnect				RATES (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Telepho	one Number/ Group Establishment Charges for DID Service	 		LIEDDY	NDT	0.00	0.00	0.00				11.90				
	DID Trunk Termination (1 per Port) Estab Trk Grp and Provide 1st 20 DID Nos. (FL,GA, NC,& SC)			UEPPX UEPPX	NDT NDZ	0.00	0.00	0.00		 		11.90				
	DID Numbers - groups of 20 - Valid all States			UEPPX	ND4	0.00	0.00	0.00				11.90				
	Non-Consecutive DID Numbers - per number			UEPPX	ND5	0.00	0.00	0.00				11.90				
	Reserve Non-Consecutive DID Numbers			UEPPX	ND6	0.00	0.00	0.00				11.90				
	Reserve DID Numbers			UEPPX	NDV	0.00	0.00	0.00				11.90				
	lumber Portability			İ		2.30	0	2.30		1						
	Local Number Portability - 1 per port			UEPPX	LNPCP	3.15	0.00	0.00		1						
	RES - Vertical and Optional															
	witching Features Offered with Line Side Ports Only															
	All Features Available			UEPPX	UEPVF	2.26	0.00	0.00				11.90	ļ		1.83	
	ORT LOOP COMBINATIONS - MARKET RATES	L	L	<u> </u>	<u> </u>		لببيا			ļ			ļ			
	Rates shall apply where BellSouth is not required to provide u	inbundle	ed loca	al switching or swit	cn ports per l	FCC and/or Sta	te Commission	rules.	ļ	ļ						
	scenarios include:	<u> </u>	<u> </u>		<u>. </u>											
	undled port/loop combinations that are Not Currently Combine undled port/loop combinations that are Currently Combined or								L		L					
The Top																
BellSout	uth currently is developing the billing capability to mechanical Rates, BellSouth shall bill the rates in the Cost-Based section rket Rate for unbundled norts includes all available features in	precedi	na in I	ieu of the Market Ra						not currently co	embined in A	AL, FL, NC	and SC. In the	e interim whe	re BellSouth	cannot bill
BellSout Market F The Mar		precedi	ng in I es.	ieu of the Market R	ates and rese	rves the right to	true-up the b	illing differend	ce.							
BellSour Market F The Mar End Offi (USOC:	Rates, BellSouth shall bill the rates in the Cost-Based section rket Rate for unbundled ports includes all available features in lice and Tandem Switching Usage and Common Transport Usa URECU).	precedi all state age rates	ng in I es. s in the	ieu of the Market Ra	ates and reserved	rves the right to shall apply to	o true-up the bi	illing difference ns of loop/por	ce. t network elem	nents except fo	r UNE Coin	Port/Loop	Combinations	which have a	a flat rate usa	ge charge
BellSour Market F The Mar End Offi (USOC:	Rates, BellSouth shall bill the rates in the Cost-Based section rket Rate for unbundled ports includes all available features in tice and Tandem Switching Usage and Common Transport Usa URECU). Currently Combined scenarios where Market Rates apply, the	preceding all states age rates	ng in I es. s in the urring	ieu of the Market Ra e Port section of thi charges are listed	ates and reserved	rves the right to shall apply to	o true-up the bi	illing difference ns of loop/por	ce. t network elem	nents except fo	r UNE Coin	Port/Loop	Combinations	which have a	a flat rate usa	ge charge
BellSour Market F The Mar End Offi (USOC: V	Rates, BellSouth shall bill the rates in the Cost-Based section rket Rate for unbundled ports includes all available features in lice and Tandem Switching Usage and Common Transport Usa URECU). Currently Combined scenarios where Market Rates apply, the led section. Additional NRCs may apply also and are categoris	preceding all states age rates	ng in I es. s in the urring	ieu of the Market Ra e Port section of thi charges are listed	ates and reserved	rves the right to shall apply to	o true-up the bi	illing difference ns of loop/por	ce. t network elem	nents except fo	r UNE Coin	Port/Loop	Combinations	which have a	a flat rate usa	ge charge
BellSour Market F The Mar End Offi (USOC: For NO: Combin 2-WIRE	Rates, BellSouth shall bill the rates in the Cost-Based section rket Rate for unbundled ports includes all available features in tice and Tandem Switching Usage and Common Transport Usa URECU). Currently Combined scenarios where Market Rates apply, the ned section. Additional NRCs may apply also and are categoria VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)	preceding all states age rates	ng in I es. s in the urring	ieu of the Market Ra e Port section of thi charges are listed	ates and reserved	rves the right to shall apply to	o true-up the bi	illing difference ns of loop/por	ce. t network elem	nents except fo	r UNE Coin	Port/Loop	Combinations	which have a	a flat rate usa	ge charge
BellSour Market F The Mar End Offi (USOC: For Not Combin 2-WIRE	Rates, BellSouth shall bill the rates in the Cost-Based section rket Rate for unbundled ports includes all available features in tice and Tandem Switching Usage and Common Transport Usa URECU). Currently Combined scenarios where Market Rates apply, the led section. Additional NRCs may apply also and are categori: VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates	preceding all states age rates	ng in I es. s in the urring ording	ieu of the Market Ra e Port section of thi charges are listed	ates and reserved	rves the right to shall apply to ad Additional N	o true-up the bi	illing difference ns of loop/por	ce. t network elem	nents except fo	r UNE Coin	Port/Loop	Combinations	which have a	a flat rate usa	ge charge
BellSour Market F The Mar End Offi (USOC: For NO: Combin 2-WIRE	Rates, BellSouth shall bill the rates in the Cost-Based section rket Rate for unbundled ports includes all available features in tice and Tandem Switching Usage and Common Transport Usa URECU). Currently Combined scenarios where Market Rates apply, the led section. Additional NRCs may apply also and are categoric VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) wit/Loop Combination Rates [2-Wire VG Loop/Port Combo - Zone 1	preceding all states age rates	ng in I es. s in the urring ording	ieu of the Market Ra e Port section of thi charges are listed	ates and reserved	shall apply to and Additional N	o true-up the bi	illing difference ns of loop/por	ce. t network elem	nents except fo	r UNE Coin	Port/Loop	Combinations	which have a	a flat rate usa	ge charge
BellSour Market F The Mar End Offi (USOC: For NO: Combin 2-WIRE	Rates, BellSouth shall bill the rates in the Cost-Based section rket Rate for unbundled ports includes all available features in fice and Tandem Switching Usage and Common Transport Usa URECU). Currently Combined scenarios where Market Rates apply, the ned section. Additional NRCs may apply also and are categoric VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) of the combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2	preceding all states age rates	ng in I es. s in the eurring ording	ieu of the Market Ra e Port section of thi charges are listed	ates and reserved	shall apply to a d Additional Ni	o true-up the bi	illing difference ns of loop/por	ce. t network elem	nents except fo	r UNE Coin	Port/Loop	Combinations	which have a	a flat rate usa	ge charge
BellSout Market F The Mar End Offi (USOC: I For Not Combin 2-WIRE UNE Por	Rates, BellSouth shall bill the rates in the Cost-Based section rket Rate for unbundled ports includes all available features in tice and Tandem Switching Usage and Common Transport Usa URECU). Currently Combined scenarios where Market Rates apply, the led section. Additional NRCs may apply also and are categoris VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates [2-Wire VG Loop/Port Combo - Zone 1 [2-Wire VG Loop/Port Combo - Zone 2 [2-Wire VG Loop/Port Combo - Zone 3	preceding all states age rates	ng in I es. s in the urring ording	ieu of the Market Ra e Port section of thi charges are listed	ates and reserved	shall apply to and Additional N	o true-up the bi	illing difference ns of loop/por	ce. t network elem	nents except fo	r UNE Coin	Port/Loop	Combinations	which have a	a flat rate usa	ge charge
BellSout Market F The Mar End Offi (USOC: I For Not Combin 2-WIRE UNE Por	Rates, BellSouth shall bill the rates in the Cost-Based section rket Rate for unbundled ports includes all available features in tice and Tandem Switching Usage and Common Transport Usa URECU). Currently Combined scenarios where Market Rates apply, the led section. Additional NRCs may apply also and are categori: VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) rt/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 op Rates	preceding all states age rates	ng in I es. s in the urring ording 1 2 3	ieu of the Market Ri e Port section of thi charges are listed ly.	ates and rese	shall apply to and Additional N	o true-up the bi	illing difference ns of loop/por	ce. t network elem	nents except fo	r UNE Coin	Port/Loop	Combinations	which have a	a flat rate usa	ge charge
BellSout Market F The Mar End Offi (USOC: I For Not Combin 2-WIRE UNE Por	Rates, BellSouth shall bill the rates in the Cost-Based section rket Rate for unbundled ports includes all available features in tice and Tandem Switching Usage and Common Transport Usa URECU). Currently Combined scenarios where Market Rates apply, the led section. Additional NRCs may apply also and are categoris VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) or VIVLoop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 top Rates 2-Wire Voice Grade Loop (SL1) - Zone 1	preceding all states age rates	ng in I es. s in the curring ording	ieu of the Market Rie Port section of thi charges are listed by.	ates and reserved as a rate exhibit on the First and the F	shall apply to a did Additional Ni 26.79 31.27 47.36	o true-up the bi	illing difference ns of loop/por	ce. t network elem	nents except fo	r UNE Coin	Port/Loop	Combinations	which have a	a flat rate usa	ge charge
BellSout Market F The Mar End Offi (USOC: I For Not Combin 2-WIRE UNE Por	Rates, BellSouth shall bill the rates in the Cost-Based section rivet Rate for unbundled ports includes all available features in tice and Tandem Switching Usage and Common Transport Usa URECU). Currently Combined scenarios where Market Rates apply, the fed section. Additional NRCs may apply also and are categoris VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) or VICOP Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 iop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2	preceding all states age rates	ng in I es. s in the curring ording 1 2 3 1 1 2	ieu of the Market Ri e Port section of thi charges are listed ly.	ates and rese	shall apply to and Additional N	o true-up the bi	illing difference ns of loop/por	ce. t network elem	nents except fo	r UNE Coin	Port/Loop	Combinations	which have a	a flat rate usa	ge charge
BellSout Market F The Mar End Offi (USOC: I For Not Combin 2-WIRE UNE Por	Rates, BellSouth shall bill the rates in the Cost-Based section rket Rate for unbundled ports includes all available features in tice and Tandem Switching Usage and Common Transport Usa URECU). Currently Combined scenarios where Market Rates apply, the led section. Additional NRCs may apply also and are categoris VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) or VIVLoop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 top Rates 2-Wire Voice Grade Loop (SL1) - Zone 1	preceding all states age rates	ng in I es. s in the curring ording 1 2 3 1 1 2	ieu of the Market Rie Port section of thi charges are listed by.	ueplx UEPLX UEPLX UEPLX UEPLX	shall apply to a d Additional N 26.79 31.27 47.36 12.79 17.27 33.36	o true-up the bi	illing difference ns of loop/por	ce. t network elem	nents except fo	r UNE Coin	Port/Loop	Combinations	which have a	a flat rate usa	ge charge
BellSout Market F The Mar End Offi (USOC: I For Not Combin 2-WIRE UNE Por	Rates, BellSouth shall bill the rates in the Cost-Based section riket Rate for unbundled ports includes all available features in tice and Tandem Switching Usage and Common Transport Usa URECU). Currently Combined scenarios where Market Rates apply, the led section. Additional NRCs may apply also and are categori: VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) VOICE GRADE LOOP Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 TOP Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 2	preceding all states age rates	ng in I es. s in the curring ording 1 2 3 1 1 2	ieu of the Market Rie Port section of thi charges are listed by.	s rate exhibit n the First an	26.79 31.27 47.36	o true-up the bi	illing difference ns of loop/por	ce. t network elem	nents except fo	r UNE Coin	Port/Loop	Combinations	which have a	a flat rate usa	ge charge
BellSout Market F The Mar End Offi (USOC: I For Not Combin 2-WIRE UNE Por	Rates, BellSouth shall bill the rates in the Cost-Based section rivet Rate for unbundled ports includes all available features in circe and Tandem Switching Usage and Common Transport Usa URECU). 1. Currently Combined scenarios where Market Rates apply, the led section. Additional NRCs may apply also and are categori: VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) or/Loop Combination Rates 1. 2-Wire VG Loop/Port Combo - Zone 1 1. 2-Wire VG Loop/Port Combo - Zone 2 1. 2-Wire VG Loop/Port Combo - Zone 3 1. 2-Wire VG Loop/Port Combo - Zone 1 1. 2-Wire Voice Grade Loop (SL1) - Zone 1 1. 2-Wire Voice Grade Loop (SL1) - Zone 2 1. 2-Wire Voice Grade Loop (SL1) - Zone 3 1. 2-Wire Voice Grade Loop (SL1) - Zone 3 1. 2-Wire Voice Grade Loop (SL1) - Zone 3 1. 2-Wire voice unbundled port - residence 1. 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res	preceding all states age rates	ng in I es. s in the curring ording 1 2 3 1 1 2	ieu of the Market Rie Port section of thi charges are listed by. UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	ueplx Ueplx Ueplx Ueplx Ueplx Ueplx Ueplx Ueplx Ueplx Ueplx Ueplx Ueplx	rves the right to shall apply to a d Additional N 26.79 31.27 47.36 12.79 17.27 33.36 14.00 14.00	90.00	illing differences of loop/por are ach Port US	SOC. For Curr	nents except fo	r UNE Coin	Port/Loop the Nonrec	Combinations	which have a	a flat rate usa	ge charge
BellSout Market F The Mar End Offi (USOC: I For Not Combin 2-WIRE UNE Por	Rates, BellSouth shall bill the rates in the Cost-Based section ricet Rate for unbundled ports includes all available features in tice and Tandem Switching Usage and Common Transport Usa URECU). Currently Combined scenarios where Market Rates apply, the fed section. Additional NRCs may apply also and are categoris VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) on the combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 op Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 voice Grade Line Port (Res) 2-Wire voice unbundled port - residence	preceding all states age rates	ng in I es. s in the curring ording 1 2 3 1 1 2	ueu of the Market Rie Port section of thi charges are listed ily. UEPRX UEPRX UEPRX UEPRX UEPRX	ueplx Ueplx Ueplx Ueplx Ueplx Ueplx Ueplx Ueplx Ueplx Ueplx Ueplx	26.79 31.27 47.36 12.79 33.36	o true-up the bi all combination RC columns fo	illing difference ns of loop/por or each Port US	SOC. For Curr	nents except fo	r UNE Coin	Port/Loop the Nonred	Combinations	which have a	a flat rate usa	ge charge
BellSout Market F The Mar End Offi (USOC: I For Not Combin 2-WIRE UNE Por	Rates, BellSouth shall bill the rates in the Cost-Based section ricet Rate for unbundled ports includes all available features in clice and Tandem Switching Usage and Common Transport Usa URECU). 12 Currently Combined scenarios where Market Rates apply, the led section. Additional NRCs may apply also and are categoris VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) or VICOP Combination Rates 12-Wire VG Loop/Port Combo - Zone 1 12-Wire VG Loop/Port Combo - Zone 2 12-Wire VG Loop/Port Combo - Zone 2 12-Wire VG Loop/Port Combo - Zone 3 12-Wire Voice Grade Loop (SL1) - Zone 1 12-Wire Voice Grade Loop (SL1) - Zone 1 12-Wire Voice Grade Loop (SL1) - Zone 3 12-Wire Voice Grade Loop (SL1) - Zone 3 12-Wire voice unbundled port - residence 12-Wire voice unbundled port with Caller ID - res 12-Wire voice unbundled port outgoing only - res 12-Wire voice unbundled Port outgoing only - res	preceding all states age rates	ng in I es. s in the curring ording 1 2 3 1 1 2	ieu of the Market Rie Port section of thi charges are listed by. UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	ueplx Ueplx Ueplx Ueplx Ueplx Ueplx Ueplx Ueplx Ueplx Ueplx Ueplx Ueplx	rves the right to shall apply to a d Additional N 26.79 31.27 47.36 12.79 17.27 33.36 14.00 14.00	90.00	illing differences of loop/por are ach Port US	ce.	nents except fo	r UNE Coin	Port/Loop the Nonrec	Combinations	which have a	a flat rate usa	ge charge
BellSout Market F The Mar End Offi (USOC: I For Not Combin 2-WIRE UNE Por UNE Loc 2-Wire V	Rates, BellSouth shall bill the rates in the Cost-Based section ricet Rate for unbundled ports includes all available features in tice and Tandem Switching Usage and Common Transport Usa URECU). Currently Combined scenarios where Market Rates apply, the edd section. Additional NRCs may apply also and are categoris VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) INT/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 I Sell Sell Sell Sell Sell Sell Sell Sel	preceding all states age rates	ng in I es. s in the curring ording 1 2 3 1 1 2	ueu of the Market Rie Port section of thi charges are listed ily. UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	ueplx Ueplx Ueplx Ueplx Ueplx Ueplx Ueplx Ueplx Ueplx Ueplx Ueplx Ueplx Ueplx Ueplx Uepro	rves the right to shall apply to an additional N 26.79 31.27 47.36 12.79 17.27 33.36 14.00 14.00 14.00	90.00 90.00	government of the second of th	ce.	nents except fo	r UNE Coin	11.90 11.90	Combinations	which have a	a flat rate usa	ge charge
BellSout Market F The Mar End Offi (USOC: I For Not Combin 2-WIRE UNE Por UNE Loc 2-Wire V	Rates, BellSouth shall bill the rates in the Cost-Based section ricet Rate for unbundled ports includes all available features in circe and Tandem Switching Usage and Common Transport Usa URECU). Currently Combined scenarios where Market Rates apply, the led section. Additional NRCs may apply also and are categoric VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) or VICOP Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 10- Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundled sers, low usage line port with Caller ID (LUM) NUMBER PORTABILITY	preceding all states age rates	ng in I es. s in the curring ording 1 2 3 1 1 2	ueu of the Market Rie Port section of thi charges are listed in the list	ueplx Ueplx Ueplx Ueplx Ueplx Ueplx Ueplx Ueplx Ueplx Ueplx Ueprc Ueprc Uepro Uepro Uepro	rves the right to shall apply to a didditional N 26.79 31.27 47.36 12.79 17.27 33.36 14.00 14.00 14.00 14.00	90.00 90.00	90.00	ce.	nents except fo	r UNE Coin	11.90 11.90	Combinations	which have a	a flat rate usa	ge charge
BellSout Market F The Mar End Offi (USOC: For Not Combine 2-WIRE UNE Por UNE Loc 2-Wire V	Rates, BellSouth shall bill the rates in the Cost-Based section rivet Rate for unbundled ports includes all available features in circe and Tandem Switching Usage and Common Transport Usa URECU). **Currently Combined scenarios where Market Rates apply, the led section. Additional NRCs may apply also and are categori: VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) or/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1	preceding all states age rates	ng in I es. s in the curring ording 1 2 3 1 1 2	ieu of the Market Rie Port section of thi charges are listed by. UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	ueplx Ueplx Ueplx Ueplx Ueplx Ueplx Ueplx Ueplx Ueplx Ueplx Ueplx Uepro Uepro	26.79 31.27 47.36 11.279 33.36 14.00 14.00	90.00 90.00	90.00	ce.	nents except fo	r UNE Coin	11.90 11.90	Combinations	which have a	a flat rate usa	ge charge
BellSout Market F The Mar End Offi (USOC: I For Not Combin 2-WIRE UNE Por UNE Loc 2-Wire V	Rates, BellSouth shall bill the rates in the Cost-Based section rivet Rate for unbundled ports includes all available features in circe and Tandem Switching Usage and Common Transport Usa URECU). **Currently Combined scenarios where Market Rates apply, the led section. Additional NRCs may apply also and are categori: VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) or/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1	preceding all states age rates	ng in I es. s in the curring ording 1 2 3 1 1 2	ueu of the Market Rie Port section of thi charges are listed in the list	ueplx Ueplx Ueplx Ueplx Ueplx Ueplx Ueplx Ueplx Ueplx Ueplx Ueprc Ueprc Uepro Uepro Uepro	rves the right to shall apply to a didditional N 26.79 31.27 47.36 12.79 17.27 33.36 14.00 14.00 14.00 14.00	90.00 90.00	90.00	soc. For Curr	nents except fo	r UNE Coin	11.90 11.90	Combinations	which have a	a flat rate usa	ge charge
BellSour Market F The Mar End Offi (USOC: For Not Combine 2-WIRE UNE Por	Rates, BellSouth shall bill the rates in the Cost-Based section riket Rate for unbundled ports includes all available features in tice and Tandem Switching Usage and Common Transport Usa URECU). Currently Combined scenarios where Market Rates apply, the led section. Additional NRCs may apply also and are categori: VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) volume VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 Top Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port (Res) 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res	preceding all states age rates	ng in I es. s in the curring ording 1 2 3 1 1 2	ieu of the Market Rie Port section of thi charges are listed by. UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	ueplx ueplx	rves the right to shall apply to sha	90.00 90.00 90.00	90.00 90.00 90.00	ce. It network elem SOC. For Curr	nents except fo	r UNE Coin	11.90 11.90	Combinations	which have a	a flat rate usa	ge charge
BellSour Market F The Mar End Offi (USOC: For Not Combine 2-WIRE UNE Por	Rates, BellSouth shall bill the rates in the Cost-Based section ricet Rate for unbundled ports includes all available features in tice and Tandem Switching Usage and Common Transport Usa URECU). Currently Combined scenarios where Market Rates apply, the fed section. Additional NRCs may apply also and are categoric VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) on VILoop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 1	preceding all states age rates	ng in I es. s in the curring ording 1 2 3 1 1 2	UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRO UEPRO UEPAF UEPAF UEPAF UEPAF UEPAF UEPAF UEPAF UEPAF UEPAF UEPAF UEPAF UEPAF UEPAF UEPAF UEPAF	rves the right to shall apply to sha	90.00 90.00 90.00 90.00 90.00	90.00 90.00 90.00 90.00	ce. It network elem SOC. For Curr	nents except fo	r UNE Coin	11.90 11.90 11.90	Combinations	which have a	a flat rate usa	ge charge
BellSour Market F The Mar End Offi (USOC: For Not Combine 2-WIRE UNE Por UNE Local UNE Local UNE Local UNE Local UNE The Market FEATUR	Rates, BellSouth shall bill the rates in the Cost-Based section riket Rate for unbundled ports includes all available features in tice and Tandem Switching Usage and Common Transport Usa URECU). Currently Combined scenarios where Market Rates apply, the led section. Additional NRCs may apply also and are categori: VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) volume VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 Top Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port (Res) 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res	preceding all states age rates	ng in I es. s in the curring ording 1 2 3 1 1 2	ueu of the Market Rie Port section of thi charges are listed by. UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	ueplx uepro uepro uepro uepro uepro	rves the right to shall apply to sha	90.00 90.00 90.00	90.00 90.00 90.00	ce. It network elem SOC. For Curr	nents except fo	r UNE Coin	11.90 11.90 11.90	Combinations	which have a	a flat rate usa	ge charge
BellSour Market F The Mar End Offi (USOC: For Not Combine 2-WIRE UNE Por UNE LOCAL I LOCAL I FEATUR ADDITIO	Rates, BellSouth shall bill the rates in the Cost-Based section ricet Rate for unbundled ports includes all available features in circe and Tandem Switching Usage and Common Transport Usa URECU). 12 Currently Combined scenarios where Market Rates apply, the led section. Additional NRCs may apply also and are categorized Volice GRADE LOOP WITH 2-WIRE LINE PORT (RES) or VICOP Combination Rates 12-Wire VG Loop/Port Combo - Zone 1 12-Wire VG Loop/Port Combo - Zone 2 12-Wire VG Loop/Port Combo - Zone 2 12-Wire VG Loop/Port Combo - Zone 3 12-Wire VG Loop/Port Combo - Zone 3 12-Wire VG Loop/Port Combo - Zone 3 12-Wire VG Loop/Port Combo - Zone 3 12-Wire VG Loop/Port Combo - Zone 3 12-Wire Voice Grade Loop (SL1) - Zone 1 12-Wire Voice Grade Loop (SL1) - Zone 2 12-Wire Voice Grade Loop (SL1) - Zone 3 12-Wire Voice Grade Loop (SL1) - Zone 3 12-Wire voice unbundled port residence 12-Wire voice unbundled port with Caller ID - res 12-Wire voice unbundled port outgoing only - res 12-Wire voice unbundled Florida Area Calling with Caller ID - res 12-Wire voice unbundled Florida Area Calling with Caller ID - res 12-Wire voice unbundled sers, low usage line port with Caller ID res 12-Wire voice unbundled sers, low usage line port with Caller ID RES 14 Features Offered 15 Features Offered 16 Features Offered 17 Features Offered 18 Features Offered 18 Features Offered 19 Features Offered 19 Features Offered 10 Features Offered 10 Features Offered 10 Features Offered 10 Features Offered 10 Features Offered 10 Features Offered 10 Features Offered 10 Features Offered 10 Features Offered 10 Features Offered 10 Features Offered 10 Features Offered 10 Features Offered 11 Features Offered Features Offered 12 Features Offered Features Offered Features Offered Features Offered Features Offered Features Offered Features Offered Features Offered Features Offered Features Offered Features Offered Features Offered Features Offered Features Offered Features Offered Features Offered Features Offered Fea	preceding all states age rates	ng in I es. s in the curring ording 1 2 3 1 1 2	UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRO UEPRO UEPAF UEPAF UEPAF UEPAF UEPAF UEPAF UEPAF UEPAF UEPAF UEPAF UEPAF UEPAF UEPAF UEPAF UEPAF	rves the right to shall apply to sha	90.00 90.00 90.00 90.00 90.00	90.00 90.00 90.00 90.00	ce. It network elem SOC. For Curr	nents except fo	r UNE Coin	11.90 11.90 11.90	Combinations	which have a	a flat rate usa	ge charge
BellSout Market F The Mar End Offi (USOC: For Not Combine 2-WIRE UNE Por UNE Loc 2-Wire V LOCAL FEATUR ADDITIC	Rates, BellSouth shall bill the rates in the Cost-Based section ricet Rate for unbundled ports includes all available features in tice and Tandem Switching Usage and Common Transport Usa URECU). Currently Combined scenarios where Market Rates apply, the fed section. Additional NRCs may apply also and are categoric VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Introduced Composition Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 Interview (Scenarde Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res 3-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res 3-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res 3-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res 3-Wire voice unbundled Florida Area Calling with Caller ID - res 3-Wire voice unbundled Florida Area Calling with Caller ID - res 3-Wire voice unbundled Florida Ar	preceding all states age rates	ng in I es. s in the curring ording 1 2 3 1 1 2	UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRO UEPRO UEPAF UEPAF UEPAF UEPAF UEPAF UEPAF UEVF UEVF USAC2 USACC	rves the right to shall apply to sha	90.00 90.00 90.00 90.00 41.50	90.00 90.00 90.00 90.00 41.50	ce. It network elem SOC. For Curr	nents except fo	r UNE Coin	11.90 11.90 11.90	Combinations	which have a	a flat rate usa	ge charge

4Q01:12/01/01 PAGE 65 OF 324

NBUNDLED	NETWORK ELEMENTS - Florida												Attachment:	2		Exhibit:
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Manually	Incremental Charge - Manual Svc	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremen Charge
						Rec	Nonrec	urring	Nonrecurring D	isconnect			OSS F	RATES (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire VG Loop/Port Combo - Zone 1		1			26.79										ļ
	2-Wire VG Loop/Port Combo - Zone 2		2			31.27										
UNELO	2-Wire VG Loop/Port Combo - Zone 3 op Rates		3		_	47.36	-									-
OIAL EC	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPBX	UEPLX	12.79										
	2-Wire Voice Grade Loop (SL1) - Zone 2			UEPBX	UEPLX	17.27										<u> </u>
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPBX	UEPLX	33.36										
2-Wire \	/oice Grade Line Port (Bus)															
	2-Wire voice unbundled port without Caller ID - bus			UEPBX	UEPBL	14.00	90.00	90.00				11.90		•		
	2-Wire voice unbundled port with Caller + E484 ID - bus	ļ		UEPBX	UEPBC	14.00	90.00	90.00				11.90				ļ
	2-Wire voice unbundled port outgoing only - bus			UEPBX	UEPBO	14.00	90.00	90.00				11.90				
LOCAL	NUMBER PORTABILITY It coul Number Portability (4 per port)	1	 	UEPBX	LNPCX	0.35	+									
FEATU	Local Number Portability (1 per port)			UEPBX	LINPCX	0.35										-
	CURRING CHARGES - CURRENTLY COMBINED				+	1										
																<u> </u>
	2-Wire Voice Grade Loop / Line Port Combination - Switch-as-is			UEPBX	USAC2		41.50	41.50				11.90				
	2-Wire Voice Grade Loop / Line Port Combination - Switch with															
	change			UEPBX	USACC		41.50	41.50								
ADDITIO	DNAL NRCs															
	NRC - 2-Wire Voice Grade Loop/Line Port Combination -															
0.14/105	Subsequent			UEPBX	USAS2		0.00	0.00				11.90				
	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX) rt/Loop Combination Rates															ļ
UNE PO	2-Wire VG Loop/Port Combo - Zone 1		1			26.79										
	2-Wire VG Loop/Port Combo - Zone 2		2			31.27										
	2-Wire VG Loop/Port Combo - Zone 3		3		1	47.36										
UNE Lo	op Rates															
	2-Wire Voice Grade Loop (SL1) - Zone 1			UEPRG	UEPLX	12.79										
	2-Wire Voice Grade Loop (SL1) - Zone 2			UEPRG	UEPLX	17.27										
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPRG	UEPLX	33.36										
2-Wire	Voice Grade Line Port Rates (RES - PBX)															ļ
	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port - Res			UEPRG	UEPRD	14.00	90.00	90.00				11.90				
LOCAL	NUMBER PORTABILITY			UEPRG	UEPKD	14.00	90.00	90.00				11.90				-
LOCAL	Local Number Portability (1 per port)			UEPRG	LNPCP	3.15										
FEATU				02. 110	2.1. 0.	0.10										
	CURRING CHARGES - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is			UEPRG	USAC2		41.50	41.50				11.90				
	2-Wire Voice Grade Loop/ Line Port Combination - Switch with	l	İ													
ADDITI	Change	 		UEPRG	USACC		41.50	41.50								
ADDITIO	DNAL NRCs 2 Wire Loop/Line Side Port Combination - Non feature -	1	 		-		+									
	Subsequent Activity- Nonrecurring	l	İ				0.00	0.00								
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt	1	1				0.00	0.00								
1	Group	l	l				7.09	7.09				11.90				
2-WIRE	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)															
UNE Po	rt/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Zone 1		1			26.79								•		
	2-Wire VG Loop/Port Combo - Zone 2		2			31.27										
	2-Wire VG Loop/Port Combo - Zone 3	ļ	3			47.36										
UNE Lo	op Rates	<u> </u>	L_	LIEDDY	LIEDLY	10.70										<u> </u>
-	2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2	1		UEPPX UEPPX	UEPLX UEPLX	12.79 17.27	-									
-	2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3	 		UEPPX	UEPLX	33.36			 							
	12-VVIIE VUICE GIAUE LOOD (SL I I - ZOTIE 3	1	J	ULFFA	IUEFLA	33.30			1			1				1

NBUNDLEI	NETWORK ELEMENTS - Florida												Attachment:	2		Exhibit:
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremen Charge
						Rec	Nonrec	urring	Nonrecurring Di	isconnect			OSS F	RATES (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus Line Side Unbundled Outward PBX Trunk Port - Bus			UEPPX UEPPX	UEPPC UEPPO	14.00 14.00	90.00 90.00	90.00				11.90 11.90				
	Line Side Unbundled Univarid PBX Trunk Port - Bus Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPPX	UEPP1	14.00	90.00	90.00				11.90				-
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	14.00	90.00	90.00				11.90				
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	14.00	90.00	90.00				11.90				
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	14.00	90.00	90.00				11.90				
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	14.00	90.00	90.00				11.90				
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	14.00	90.00	90.00				11.90				
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD															
	Capable Port			UEPPX	UEPXE	14.00	90.00	90.00				11.90				ļ
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			l	I		\exists					1				
	Administrative Calling Port			UEPPX	UEPXL	14.00	90.00	90.00				11.90				ļ
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			HEDDY	LIEDVAA	44.00	00.00	00.00				44.00				
	Room Calling Port			UEPPX	UEPXM	14.00	90.00	90.00				11.90				₩
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port			UEPPX	UEPXO	14.00	90.00	90.00				11.90				
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	14.00	90.00	90.00				11.90				-
LOCAL	NUMBER PORTABILITY			UEPFA	UEFAS	14.00	90.00	90.00				11.90				-
LOCAL	Local Number Portability (1 per port)			UEPPX	LNPCP	3.15										
FEATU				OLI I X	LIVI OI	0.10										
	CURRING CHARGES - CURRENTLY COMBINED				1											
	2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is			UEPPX	USAC2		41.50	41.50				11.90				
	2-Wire Voice Grade Loop/ Line Port Combination - Switch with															1
	Change			UEPPX	USACC		41.50	41.50								
ADDITI	ONAL NRCs															
				l												
	2-Wire Voice Grade Loop/ Line Port Combination - Subsequent			UEPPX	USAS2		0.00	0.00				11.90				
	2 Wire Loop/Line Side Port Combination - Non feature -															
	Subsequent Activity- Nonrecurring						0.00	0.00								
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group						7.09	7.09				11.90				
2-WIRE	VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN PORT	-			_		7.09	7.09				11.90				-
	ort/Loop Combination Rates															
OILE ! C	2-Wire VG Coin Port/Loop Combo – Zone 1		1			26.79										
	2-Wire VG Coin Port/Loop Combo – Zone 2		2			31.27										
	2-Wire VG Coin Port/Loop Combo – Zone 3		3			47.36										
UNE Lo	op Rates															
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPCO	UEPLX	12.79										1
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPCO	UEPLX	17.27										
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPCO	UEPLX	33.36										
2-Wire	Voice Grade Line Port Rates (Coin)															
	2-Wire Coin 2-Way with Operator Screening and Blocking: 011, 900/976, 1+DDD (FL)			UEPCO	UEP2F	14.00	90.00	90.00				11.90				
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking			UEPCO	UEPFA	14.00	90.00	90.00				11.90				
	2-Wire Coin 2-Way with Operator Screening and Blocking:			OLI CO	OLITA	14.00	30.00	30.00				11.50				
	900/976. 1+DDD. 011+, and Local (FL)			UEPCO	UEPCG	14.00	90.00	90.00				11.90				
1	2-Wire Coin Outward with Operator Screening and 011 Blocking															
	(AL, FL)			UEPCO	UEPRK	14.00	90.00	90.00				11.90				_
	2-Wire Coin Outward with Operator Screening and Blocking: 900/976, 1+DDD, 011+ (FL)			UEPCO	UEPOF	14.00	90.00	90.00	1			11.90				
	2-Wire Coin Outward with Operator Screening and Blocking:	-	-	OLFOO	UEFUF	14.00	90.00	90.00				11.90				
	900/976, 1+DDD, 011+, and Local (FL, GA)			UEPCO	UEPCQ	14.00	90.00	90.00				11.90				
LOCAL	NUMBER PORTABILITY				5 <u>2</u> . 0 <u>u</u>	14.00	30.00	55.50	 			11.50				t
	Local Number Portability (1 per port)		 	UEPCO	LNPCX	0.35						 				

UNBUNDLED	NETWORK ELEMENTS - Florida												Attachment:	2		Exhibit: I
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
						Rec	Nonrec	curring	Nonrecurring Dis	sconnect				RATES (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
NONRE	CURRING CHARGES - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is			UEPCO	USAC2		41.50	41.50				11.90				
	2-Wire Voice Grade Loop/ Line Port Combination - Switch with			02. 00	007.02		11.00	11.00				11.00				
	Change			UEPCO	USACC		41.50	41.50								
ADDITIO	DNAL NRCs															
	2-Wire Voice Grade Loop/ Line Port Combination - Subsequent			UEPCO	USAS2		0.00	0.00				11.90				
	ENTREX PORT/LOOP COMBINATIONS DLED PORT/LOOP COMBINATIONS - COST BASED RATES		-		+							-				-
	CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only)				+											
	/G Loop/2-Wire Voice Grade Port (Centrex) Combo				1											
	rt/Loop Combination Rates (Non-Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design		1	UEP91		14.11										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Non-Design		2	UEP91		18.23										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		3	UEP91		33.04										
UNE Po	rt/Loop Combination Rates (Design)		-	OLI 01		00.04										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
	Design		1	UEP91		16.53										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design		2	UEP91		21.60										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		3	UEP91		37.85										
UNFIO	Design op Rate		3	UEP91		37.85			-							
ONE EO	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP91	UECS1	12.94										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP91	UECS1	17.06										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP91	UECS1	31.87										
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP91	UECS2	15.36										
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP91	UECS2	20.43										1
UNIE D	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP91	UECS2	36.68										
UNE Po	rts es (Except North Carolina and Sout Carolina)		-		+											
An Stati	2-Wire Voice Grade Port (Centrex) Basic Local Area		1	UEP91	UEPYA	1.17						11.90			1.83	
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local				32	,						50				
	Area	<u> </u>	<u>L</u>	UEP91	UEPYB	1.17						11.90			1.83	
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area			UEP91	UEPYH	1.17						11.90			1.83	
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 Basic Local Area			UEP91	UEPYM	1.17						11.90			1.83	
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term - Basic Local Area			UEP91	UEPYZ	1.17						11.90			1.83	
	Wire Voice Grade Port terminated in on Megalink or equivalent Basic Local Area			UEP91	UEPY9	1.17						11.90			1.83	
	2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area			UEP91	UEPY2	1.17						11.90			1.83	
Georgia	and Florida Only		1	LIEDO4	LIEDUA							44.00			1.00	
	2-Wire Voice Grade Port (Centrex) 2-Wire Voice Grade Port (Centrex 800 termination)	 		UEP91 UEP91	UEPHA UEPHB	1.17 1.17			 			11.90 11.90			1.83	
	2-Wire Voice Grade Port (Centrex 800 termination) 2-Wire Voice Grade Port (Centrex with Caller ID)1		-	UEP91	UEPHB	1.17			 			11.90			1.83	
	2-Wire Voice Grade Port (Centrex with Carlier ID)1 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2			UEP91	UEPHM	1.17						11.90			1.83	
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service				02.71111	,						11.50			1.00	
	Term	l		UEP91	UEPHZ	1.17					1	11.90			1.83	1

JNBUNDLED	NETWORK ELEMENTS - Florida												Attachment:	2		Exhibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)	Γ			Submitted Manually		Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec			g Disconnect				RATES (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP91	UEPH9	1.17						11.90			1.83	
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP91	UEPH2	1.17						11.90			1.83	
	witching			LIEBA	110500	0.7004										
	Centrex Intercom Funtionality, per port umber Portability			UEP91	URECS	0.7384										
	Local Number Portability (1 per port)			UEP91	LNPCC	0.35										
Features						5.55										
	All Standard Features Offered, per port			UEP91	UEPVF	2.26										
	All Select Features Offered, per port			UEP91	UEPVS	0.00	370.70		<u> </u>							
NARS	All Centrex Control Features Offered, per port			UEP91	UEPVC	2.26			-							
INAKS	Unbundled Network Access Register - Combination			UEP91	UARCX	0.00	0.00	0.00								
	Unbundled Network Access Register - Indial			UEP91	UAR1X	0.00	0.00	0.00								
	Unbundled Network Access Register - Outdial			UEP91	UAROX	0.00	0.00	0.00								
	neous Terminations															
	runk Side Trunk Side Terminations, each			UEP91	CENA6	8.81										
	ce Channel Mileage - 2-Wire			UEF91	CENAO	0.01	t		1							
	Interoffice Channel Facilities Termination - Voice Grade			UEP91	MIGBC	25.32										
	Interoffice Channel mileage, per mile or fraction of mile			UEP91	MIGBM	0.0091										
	Activations (DS0) Centrex Loops on Channelized DS1 Service															
D4 Chan	Inel Bank Feature Activations			LIEDO4	4DOWC	0.00										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP91	1PQWS	0.66										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop			UEP91	1PQW6	0.66										
	Slot			UEP91	1PQW7	0.66										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center			UEP91	1PQWP	0.66										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP91	1PQWV	0.66										
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot			UEP91	1PQWQ	0.66										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP91	1PQWA	0.66										<u> </u>
Non-Rec	curring Charges (NRC) Associated with UNE-P Centrex															
	Conversion - Currently Combined Switch-As-Is with allowed															
	changes, per port Conversion of Existing Centrex Common Block			UEP91 UEP91	USAC2 USACN		21.50 5.17	8.42 8.32	.							
	New Centrex Standard Common Block			UEP91	M1ACS	0.00	618.82	0.32	 							
	New Centrex Customized Common Block			UEP91	M1ACC	0.00	618.82									
	Secondary Block, per Block			UEP91	M2CC1	0.00	71.31									
	NAR Establishment Charge, Per Occasion			UEP91	URECA	0.00	66.48									
	ENTREX - 5ESS (Valid in All States) G Loop/2-Wire Voice Grade Port (Centrex) Combo															
	rt/Loop Combination Rates (Non-Design)					+	+		 		}					
3142 1101	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design		1	UEP95		14.11										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		2	UEP95		18.23										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		3	UEP95		33.04										
UNE Por	rt/Loop Combination Rates (Design)		3	OL1 00	+	33.04	+		-							
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design		1	UEP95		16.53										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design		2	UEP95		21.60										

NBUNDLEI	NETWORK ELEMENTS - Florida												Attachment:	2		Exhibit:
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremen Charge
						Rec	Nonrec		Nonrecurrin	g Disconnect				RATES (\$)		
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Design		3	UEP95		37.85										
UNE Lo	op Rate															
	2-Wire Voice Grade Loop (SL 1) - Zone 1			UEP95	UECS1	12.94										
	2-Wire Voice Grade Loop (SL 1) - Zone 2			UEP95	UECS1	17.06										
	2-Wire Voice Grade Loop (SL 1) - Zone 3			UEP95	UECS1	31.87										
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP95	UECS2	15.36										
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP95	UECS2	20.43										
UNIT D	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP95	UECS2	36.68										
UNE Po					_											
All Stat	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP95	UEPYA	1.17						11.90			1.83	
	2-Wire Voice Grade Port (Centrex) Basic Eddar Area 2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPYB	1.17						11.90			1.83	
-	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local			OLI 30	OLI ID	1.17						11.50			1.00	
	Area			UEP95	UEPYH	1.17						11.90			1.83	
	2-Wire Voice Grade Port (Centrex from diff Serving Wire															
	Center)2 Basic Local Area			UEP95	UEPYM	1.17						11.90			1.83	
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
	Term - Basic Local Area			UEP95	UEPYZ	1.17						11.90			1.83	
	2-Wire Voice Grade Port terminated in on Megalink or equivalent															
	- Basic Local Area			UEP95	UEPY9	1.17						11.90			1.83	
	2-Wire Voice Grade Port Terminated on 800 Service Term -															
	Basic Local Area			UEP95	UEPY2	1.17						11.90			1.83	
	LA, MS, SC, & TN Only															
FL & G																
	2-Wire Voice Grade Port (Centrex)			UEP95	UEPHA	1.17						11.90			1.83	
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPHB	1.17						11.90			1.83	
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP95	UEPHH	1.17						11.90			1.83	
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2			UEP95	UEPHM	1.17						11.90			1.83	
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
	Term			UEP95	UEPHZ	1.17						11.90			1.83	
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP95	UEPH9	1.17			ļ			11.90			1.83	
-	2-Wire Voice Grade Port Terminated on 800 Service Term		<u> </u>	UEP95	UEPH2	1.17				ļ		11.90			1.83	
Local S	Witching			LIEDOE	LIDEOO	0.700:										
I cool b	Centrex Intercom Funtionality, per port			UEP95	URECS	0.7384				1						-
Local N	Local Number Portability (1 per port)			UEP95	LNPCC	0.35										
Feature				UEP95	LINFCC	0.33										
reature	All Standard Features Offered, per port		-	UEP95	UEPVF	2.26										
	All Select Features Offered, per port			UEP95	UEPVS	0.00	370.70									
	All Centrex Control Features Offered, per port			UEP95	UEPVC	2.26	370.70									
NARS	741 Ochtick Control i Catales Cholea, per port			OLI 30	OLI VO	2.20										
	Unbundled Network Access Register - Combination			UEP95	UARCX	0.00	0.00	0.00	1							
1	Unbundled Network Access Register - Indial			UEP95	UAR1X	0.00	0.00	0.00	1							
	Unbundled Network Access Register - Outdial			UEP95	UAROX	0.00	0.00	0.00								
Miscell	aneous Terminations															
2-Wire	Trunk Side															
	Trunk Side Terminations, each			UEP95	CEND6	8.81									_	
4-Wire	Digital (1.544 Megabits)															
	DS1 Circuit Terminations, each			UEP95	M1HD1	54.95										
	DS0 Channels Activated, each			UEP95	M1HDO	0.00	15.69		ļ							
Interoff	ice Channel Mileage - 2-Wire		 	LIEDOE	MICEC	05.00			ļ	ļ						<u> </u>
1	Interoffice Channel Facilities Termination			UEP95	MIGBC	25.32										
	Interoffice Channel mileage, per mile or fraction of mile			UEP95	MIGBM	0.0091										

UNBUNDLED	NETWORK ELEMENTS - Florida												Attachment:	2		Exhibit: E
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually	Incremental Charge - Manual Svc	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic Disc Add'l
						Rec	Nonrec			g Disconnect		•		RATES (\$)		
D4 01	I Paul France Astrontion						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
D4 Char	Inel Bank Feature Activations Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	1PQWS	0.66						-				
	realure Activation on D-4 Chairner Bank Centrex Loop Stot			UEF95	IFQVIS	0.00										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP95	1PQW6	0.66										i
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop			02.00	4.10	0.00										
	Slot			UEP95	1PQW7	0.66										i
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -															
	Different Wire Center			UEP95	1PQWP	0.66										İ
																1
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP95	1PQWV	0.66										—
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop			UEP95	40000	0.00										1
	Slot Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP95 UEP95	1PQWQ 1PQWA	0.66 0.66					-					
Non-Po	curring Charges (NRC) Associated with UNE-P Centrex			ULF90	IFQVVA	0.06			-	-	-			1		
NOII-RE	NRC Conversion Currently Combined Switch-As-Is with allowed				+	 					 					—
	changes, per port			UEP95	USAC2	0.00	21.50	8.42								i
	Conversion of Existing Centrex Common Block, each			UEP95	USACN	0.00	5.17	8.32								
	New Centrex Standard Common Block			UEP95	M1ACS	0.00	618.82									
	New Centrex Customized Common Block			UEP95	M1ACC	0.00	618.82									
	NAR Establishment Charge, Per Occasion			UEP95	URECA	0.00	66.48									
	CENTREX - DMS100 (Valid in All States)															
	G Loop/2-Wire Voice Grade Port (Centrex) Combo															
UNE Po	rt/Loop Combination Rates (Non-Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design		1	UEP9D		14.11										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design		2	UEP9D		18.23										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		_													i
	Non-Design		3	UEP9D		33.04										
UNE Po	rt/Loop Combination Rates (Design)															+
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design		1	UEP9D		16.53										i
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		2	UEP9D		21.60										
-+	Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			OLFSD	+	∠1.00			-	-	-			1		
	Design		3	UEP9D		37.85										1
UNE Lo			J	J_1 JD	1	37.03					1			1		
5.12 20	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9D	UECS1	12.94			Ì							
	2-Wire Voice Grade Loop (SL 1) - Zone 2			UEP9D	UECS1	17.06								1		
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP9D	UECS1	31.87										
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP9D	UECS2	15.36										1
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP9D	UECS2	20.43										<u> </u>
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9D	UECS2	36.68										
UNE Po					-	ļ					<u> </u>			ļ		
ALL ST				UEP9D	UEPYA	1 47			ļ		1	11.00			1.00	
	2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local			UEP9D	UEPYA	1.17					 	11.90			1.83	
	Area			UEP9D	UEPYB	1.17						11.90			1.83	<u> </u>
	2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local Area			UEP9D	UEPYC	1.17						11.90			1.83	
	2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local					Il										1
	Area 2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local			UEP9D	UEPYD	1.17						11.90			1.83	
	Area 2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local			UEP9D	UEPYE	1.17						11.90			1.83	
	Area			UEP9D	UEPYF	1.17						11.90			1.83	<u> </u>

UNBUNDLED	NETWORK ELEMENTS - Florida												Attachment:	2		Exhibit: E
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Submitted Manually		Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual Svo Order vs.
						Rec	Nonre	curring		g Disconnect				RATES (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local Area			UEP9D	UEPYG	1.17						11.90			1.83	
	2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local Area			UEP9D	UEPYT	1.17						11.90			1.83	
	2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local															
	Area 2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local			UEP9D	UEPYU	1.17						11.90			1.83	
	Area 2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local			UEP9D	UEPYV	1.17			1			11.90			1.83	1
	Area 2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local			UEP9D	UEPY3	1.17						11.90			1.83	
	Area			UEP9D	UEPYH	1.17						11.90			1.83	<u> </u>
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp Indication))3 Basic Local Area			UEP9D	UEPYW	1.17						11.90			1.83	
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))3 Basic Local Area			UEP9D	UEPYJ	1.17						11.90			1.83	
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) 2 Basic Local Area			UEP9D	UEPYM	1.17						11.90			1.83	
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3 Basic Local Area			UEP9D	UEPYO	1.17						11.90			1.83	
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3 Basic Local Area			UEP9D	UEPYP	1.17						11.90			1.83	
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3 Basic Local Area			UEP9D	UEPYQ	1.17						11.90			1.83	
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3 Basic Local Area			UEP9D	UEPYR	1.17						11.90			1.83	
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3 Basic Local Area			UEP9D	UEPYS	1.17						11.90			1.83	
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3			UEP9D	UEPY4	1.17						11.90			1.83	
	Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3															
	Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3			UEP9D	UEPY5	1.17						11.90			1.83	
	Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3			UEP9D	UEPY6	1.17						11.90			1.83	-
	Basic Local Area 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			UEP9D	UEPY7	1.17						11.90			1.83	
	Term 2-Wire Voice Grade Port, Birl Serving Wire Center - 300 Service 12-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9D	UEPYZ	1.17						11.90			1.83	
	Basic Local Area			UEP9D	UEPY9	1.17						11.90			1.83	
	2-Wire Voice Grade Port Terminated on 800 Service Term Basic Local Area			UEP9D	UEPY2	1.17						11.90			1.83	
FL & GA				LIEDOD	LIEDHA	1 47			-			11.00			1.00	<u> </u>
	2-Wire Voice Grade Port (Centrex) 2-Wire Voice Grade Port (Centrex 800 termination)			UEP9D UEP9D	UEPHA UEPHB	1.17 1.17			-	-	-	11.90 11.90			1.83 1.83	
	2-Wire Voice Grade Port (Centrex 800 termination) 2-Wire Voice Grade Port (Centrex / EBS-PSET)3			UEP9D	UEPHC	1.17			 	1	 	11.90			1.83	
	2-Wire Voice Grade Fort (Centrex / EBS-M5009)3	l		UEP9D	UEPHD	1.17			1			11.90			1.83	
	2-Wire Voice Grade Port (Centrex / EBS-M5209)3			UEP9D	UEPHE	1.17						11.90			1.83	
	2-Wire Voice Grade Port (Centrex / EBS-M5112)3			UEP9D	UEPHF	1.17						11.90			1.83	
	2-Wire Voice Grade Port (Centrex / EBS-M5312)3			UEP9D	UEPHG	1.17						11.90			1.83	
	2-Wire Voice Grade Port (Centrex / EBS-M5008)3			UEP9D	UEPHT	1.17						11.90			1.83	
	2-Wire Voice Grade Port (Centrex / EBS-M5208)3	<u> </u>	ļ	UEP9D	UEPHU	1.17				ļ		11.90			1.83	
	2-Wire Voice Grade Port (Centrex / EBS-M5216)3	 	<u> </u>	UEP9D UEP9D	UEPHV UEPH3	1.17		-	1	1		11.90			1.83	
 	2-Wire Voice Grade Port (Centrex / EBS-M5316)3 2-Wire Voice Grade Port (Centrex with Caller ID)		 	UEP9D UEP9D	UEPH3 UEPHH	1.17 1.17		-	 	1	 	11.90 11.90			1.83 1.83	
	2-Wire Voice Grade Port (Centrex/With Caller ID) Indication)3			UEP9D	UEPHW	1.17						11.90			1.83	

NBUNDLED NE	TWORK ELEMENTS - Florida												Attachment:	2		Exhibit:
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted	Incremental Charge - Manual Svc	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
						Rec	Nonrec		Nonrecurring D					RATES (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	(ire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)3			UEP9D	UEPHJ	1.17						11.90			1.83	
2-٧٧	fire Voice Grade Port (Centrex from diff Serving Wire Center)			UEP9D	UEPHM	1.17						11.90			1.83	
2-W	fire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3			UEP9D	UEPHO	1.17						11.90			1.83	
2-W	fire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3			UEP9D	UEPHP	1.17						11.90			1.83	
2-W	fire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3			UEP9D	UEPHQ	1.17						11.90			1.83	
2-W	fire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3			UEP9D	UEPHR	1.17						11.90			1.83	
2-W	fire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3			UEP9D	UEPHS	1.17						11.90			1.83	
2 141	fire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3			UEP9D	UEPH4	1.17						11.90			1.83	
2-٧٧	ile voice Grade Port (Ceritiex/diller SWC/EBS-W5006)2, 3			UEP9D	UEPH4	1.17						11.90			1.03	
2-W	fire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3			UEP9D	UEPH5	1.17						11.90			1.83	
	110 Voice Clade Cit (Colinio) and Cit (7220 110200)2; C			02.05	02.1.0							11.00			1.00	
2-W	fire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3			UEP9D	UEPH6	1.17						11.90			1.83	
	, , ,															
	fire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3			UEP9D	UEPH7	1.17						11.90			1.83	
	'ire Voice Grade Port, Diff Serving Wire Center - 800 Service															
Tern	n			UEP9D	UEPHZ	1.17						11.90			1.83	
	fire Voice Grade Port terminated in on Megalink or equivalent			UEP9D	UEPH9	1.17						11.90			1.83	
Local Switch	fire Voice Grade Port Terminated on 800 Service Term			UEP9D	UEPH2	1.17						11.90			1.83	
	trex Intercom Funtionality, per port			UEP9D	URECS	0.7384										
Local Number				OLF3D	UNLUG	0.7304										
	al Number Portability (1 per port)			UEP9D	LNPCC	0.35										
Features						0.00										
All S	Standard Features Offered, per port			UEP9D	UEPVF	2.26										
All S	Select Features Offered, per port			UEP9D	UEPVS	0.00	370.70									
	Centrex Control Features Offered, per port			UEP9D	UEPVC	2.26										
NARS																
	oundled Network Access Register - Combination			UEP9D	UARCX	0.00	0.00	0.00								
	oundled Network Access Register - Inward			UEP9D	UAR1X	0.00	0.00	0.00								
	oundled Network Access Register - Outdial us Terminations			UEP9D	UAROX	0.00	0.00	0.00								
2-Wire Trunk					+										1	
	nk Side Terminations, each			UEP9D	CEND6	8.81										
	Il (1.544 Megabits)			02	0220	0.01									1	
	Circuit Terminations, each			UEP9D	M1HD1	54.95										
	Channels Activiated per Channel			UEP9D	M1HDO	0.00	15.69									
Interoffice Ch	hannel Mileage - 2-Wire															
	roffice Channel Facilities Termination			UEP9D	MIGBC	25.32		•					_			
	roffice Channel mileage, per mile or fraction of mile			UEP9D	MIGBM	0.0091										
	vations (DS0) Centrex Loops on Channelized DS1 Service															
	Bank Feature Activations			LIEDOD	400000	0.00									1	
Feat	ture Activation on D-4 Channel Bank Centrex Loop Slot			UEP9D	1PQWS	0.66										
Foot	ture Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9D	1PQW6	0.66										
	ture Activation on D-4 Channel Bank FX Trunk Side Loop			טבו שט	IF QVV0	0.00									-	
Slot				UEP9D	1PQW7	0.66										
	ture Activation on D-4 Channel Bank Centrex Loop Slot -			02.00	5,117	0.00										
	erent Wire Center			UEP9D	1PQWP	0.66										
 					İ	1									İ	
l le	ture Activation on D-4 Channel Bank Private Line Loop Slot			UEP9D	1PQWV	0.66									l	

UNBUNDLED	NETWORK ELEMENTS - Florida												Attachment:	2		Exhibit: E
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)	I			Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge -
						Rec	Nonrec	urring	Nonrecurring	g Disconnect				RATES (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop			LIEBAB												
	Slot			UEP9D	1PQWQ	0.66 0.66					1					
Non-Por	Feature Activation on D-4 Channel Bank WATS Loop Slot curring Charges (NRC) Associated with UNE-P Centrex		1	UEP9D	1PQWA	0.00										
Non-Red	NRC Conversion Currently Combined Switch-As-Is with allowed				_							-				
	changes, per port			UEP9D	USAC2		21.50	8.42								
	Conversion of existing Centrex Common Block, each			UEP9D	USACN		5.17	8.32								
	New Centrex Standard Common Block			UEP9D	M1ACS	0.00	618.82	0.02								
	New Centrex Standard Common Block			UEP9D	M1ACC	0.00	618.82				1					<u> </u>
	NAR Establishment Charge, Per Occasion			UEP9D	URECA	0.00	66.48		1							
UNE-P C	CENTREX - EWSD (Valid in AL, FL, KY, LA, MS & TN)								İ						l	
	G Loop/2-Wire Voice Grade Port (Centrex) Combo															
	rt/Loop Combination Rates (Non-Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
	Non-Design		1	UEP9E		14.11										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Non-Design		2	UEP9E		18.23										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Non-Design		3	UEP9E		33.04										
UNE Po	rt/Loop Combination Rates (Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design		1	UEP9E		16.53										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design		2	UEP9E		21.60										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design		3	UEP9E		37.85										
UNE Loc																
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9E	UECS1	12.94										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP9E	UECS1	17.06										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP9E	UECS1	31.87										
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP9E	UECS2	15.36										
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP9E	UECS2	20.43										
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9E	UECS2	36.68										
UNE Po																
AL, FL,	KY, LA, MS, & TN only				1	ļ			ļ			L			<u> </u>	
	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP9E	UEPYA	1.17					<u> </u>	11.90			1.83	
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area			UEP9E	UEPYB	1.17						11.90			1.83	<u> </u>
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area			UEP9E	UEPYH	1.17						11.90			1.83	<u> </u>
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 Basic Local Area			UEP9E	UEPYM	1.17						11.90			1.83	
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term - Basic Local Area			UEP9E	UEPYZ	1.17						11.90			1.83	
	2-Wire Voice Grade Port terminated in on Megalink or equivalent - Basic Local Area			UEP9E	UEPY9	1.17						11.90	_		1.83	
	2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area			UEP9E	UEPY2	1.17						11.90			1.83	
Florida					1				1							
	2-Wire Voice Grade Port (Centrex)			UEP9E	UEPHA	1.17			Ì			11.90			1.83	
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP9E	UEPHB	1.17			İ			11.90			1.83	
<u>l</u>	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP9E	UEPHH	1.17						11.90			1.83	
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2			UEP9E	UEPHM	1.17						11.90			1.83	
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term			UEP9E	UEPHZ	1.17						11.90			1.83	

	NETWORK ELEMENTS - Florida												Attachment:	2		Exhibit
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge Manual S Order v Electron
						_			l							
						Rec	Nonrec First	urring Add'l	Nonrecurrin First	g Disconnect Add'l	SOMEC	SOMAN	SOMAN	RATES (\$) SOMAN	SOMAN	SOMA
	2-Wire Voice Grade Port terminated in on Megalink or equivalent 2-Wire Voice Grade Port Terminated on 800 Service Term			UEP9E UEP9E	UEPH9 UEPH2	1.17 1.17						11.90 11.90			1.83 1.83	
Local Sv	vitching			OLF3L	OLFTIZ	1.17						11.90			1.00	
	Centrex Intercom Funtionality, per port			UEP9E	URECS	0.7384										
Local No	mber Portability															
	Local Number Portability (1 per port)			UEP9E	LNPCC	0.35										ļ
Features				LIEDOE	LIEDVE	0.00				ļ						<u> </u>
	All Standard Features Offered, per port All Select Features Offered, per port			UEP9E UEP9E	UEPVF UEPVS	2.26 0.00	370.70			1						
+	All Centrex Control Features Offered, per port			UEP9E	UEPVS	2.26	3/0./0			1						
NARS	y ar Sommon Common reactines Officied, per port			OLI UL	OLI VO	2.20										
1	Unbundled Network Access Register - Combination			UEP9E	UARCX	0.00	0.00	0.00	1	1					1	
	Unbundled Network Access Register - Indial			UEP9E	UAR1X	0.00	0.00	0.00	İ	İ					İ	
	Unbundled Network Access Register - Outdial			UEP9E	UAROX	0.00	0.00	0.00								
	neous Terminations															
2-Wire T	runk Side															
ļ	Trunk Side Terminations, each			UEP9E	CEND6	8.81										
4-Wire D	igital (1.544 Megabits)			LIEDOE	MALIBA	54.05										
	DS1 Circuit Terminations, each			UEP9E	M1HD1	54.95	45.00									
Intereffi	DS0 Channel Activated Per Channel ce Channel Mileage - 2-Wire			UEP9E	M1HDO	0.00	15.69									
IIILEIOIII	Interoffice Channel Facilities Termination			UEP9E	MIGBC	25.32										
	Interoffice Channel mileage, per mile or fraction of mile			UEP9E	MIGBM	0.0091										
Feature	Activations (DS0) Centrex Loops on Channelized DS1 Service															
D4 Chan	nel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9E	1PQWS	0.66										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9E	1PQW6	0.66										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP9E	1PQW7	0.66										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center			UEP9E	1PQWP	0.66										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9E	1PQWV	0.66										
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot			UEP9E	1PQWQ	0.66										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9E	1PQWA	0.66	_	•								
Non-Red	urring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port			UEP9E	USAC2		21.50	8.42								
	Conversion of Existing Centrex Common Block, each			UEP9E	USACN	ļ <u>. </u>	5.17	8.32		ļ						
	New Centrex Standard Common Block			UEP9E	M1ACS	0.00	618.82			ļ						<u> </u>
+	New Centrex Customized Common Block NAR Establishment Charge, Per Occasion			UEP9E UEP9E	M1ACC URECA	0.00	618.82 66.48		-	 	1					
Note 1 -	Required Port for Centrex Control in 1AESS, 5ESS & EWSD			OLFBE	URECA	0.00	00.48			1						
	Required Port for Centrex Control in TAESS, 5ESS & EWSD				+				 	 	 					
	Requires Specific Customer Premises Equipment				1											
1									Ì	İ					Ì	
						<u> </u>			<u> </u>	<u> </u>						
											T-					

JNBUNDLE	D NETWORK ELEMENTS - Georgia												Attachment:	2		Exhibit:
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increments Charge - Manual Sv Order vs. Electronic Disc Add
						Rec	Nonred	urring	Nonrecurring	g Disconnect			oss	RATES (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
																
					1									1		
	one" shown in the sections for stand-alone loops or loops as				to Geographic	cally Deaverage	d UNE Zones.	To view Geog	raphically Dea	veraged UNE 2	one Design	ations by C	entral Office	refer to Interr	net Website:	
	www.interconnection.bellsouth.com/become_a_clec/html/inter L SUPPORT SYSTEMS	connec	tion.nt	m												
exhibit NOTE: those	(1) Electronic Service Order: CLEC-1 should contact its contricts the BellSouth regional electronic service ordering charge. (2) Any element that can be ordered electronically will be bill elements that cannot be ordered electronically at present per tell ordering charge, SOMAN, will be applied to a CLECs bill who	CLEC- ed acco	l may ording the relation of t	elect either the to the SOMEC ne listed SOME	state specific rate listed in the C rate in this	Commission of his category. P	rdered rates fo lease refer to E	the electronic BellSouth's Bu	service order siness Rules f	ing charges, o or Local Order	r CLEC-1 m ing (BBR-LC	ay elect the O) to determ	regional elec	tronic service	ordering cha lered electron	irge. ically. For
	Electronic OSS Charge, per LSR, submitted via BST's OSS															ĺ
INDI INDI ED I	interactive interfaces (Regional) EXCHANGE ACCESS LOOP				SOMEC		3.50									—
	E ANALOG VOICE GRADE LOOP															
2 11111	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEAL2	14.21	42.54	31.33					18.94	8.42		1
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		2	UEANL	UEAL2	16.41	42.54	31.33					18.94	8.42		
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL	UEAL2	26.08	42.54	31.33					18.94	8.42		
	Loop Testing - Basic 1st Half Hour Loop Testing - Basic Additional Half Hour			UEANL UEANL	URET1 URETA		78.92 23.33	78.92 23.33								
	Engineering Information Document (EI)			UEANL	OKLIA		28.72	28.72								ſ
	Manual Order Coordination for UVL-SL1s (per loop)*			UEANL	UEAMC		16.11	16.11								
	Order Coordination for Specified Conversion Time for UVL-SL1 (per LSR) *			UEANL	OCOSL		35.74	35.74								ł
2-WIRE	Unbundled COPPER LOOP															ĺ
	2-Wire Unbundled Copper Loop - Non-Designed Zone 1		1	UEQ	UEQ2X	11.02	44.69	22.40	25.65	7.06			18.94	8.42		<u> </u>
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 2 2 Wire Unbundled Copper Loop - Non-Designed - Zone 3		3	UEQ UEQ	UEQ2X UEQ2X	12.72 20.22	44.69 44.69	22.40 22.40	25.65 25.65	7.06 7.06			18.94 18.94	8.42 8.42		
	Order Coordination 2 Wire Unbundled Copper Loop - Non-	-	3	OLQ	OLQZX	20.22	44.03	22.40	25.05	7.00			10.34	0.42		ſ
	Designed (per loop)			UEQ	USBMC		16.11	16.11								1
	Engineering Information Document			UEQ	LIDETA		28.72	28.72								
	Loop Testing - Basic 1st Half Hour Loop Testing - Basic Additional Half Hour			UEQ UEQ	URET1 URETA		78.92 23.33	78.92 23.33								
NBUNDLED I	EXCHANGE ACCESS LOOP			OLQ	OKE IX		20.00	20.00								ſ
	ANALOG VOICE GRADE LOOP															
UNE L	oop Rates for Line Splitting (In Ga. PSC ordered the line split	tting lo	p USC	UEPSR,	lower port- loc	op combo rates	UEPLX)							-		
	2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 1	ı	1	UEPSB	UEALS,	10.80										1
	2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 1	Ι	1	UEPSR, UEPSB	UEABS	10.83										<u> </u>
	2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 2	ı	2	UEPSR, UEPSB	UEALS,	12.47										
	2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 2	_	2	UEPSR, UEPSB	UEABS	12.47										
	2-Wire Voice Grade Loop (SL1)for Line Splitting - Zone 3	ı	3	UEPSR, UEPSB	UEALS	19.83										
	2-Wire Voice Grade Loop (SL1)for Line Splitting - Zone 3	1	3	UEPSR, UEPSB	UEABS	19.83										
	EXCHANGE ACCESS LOOP															
2-WIRE	E ANALOG VOICE GRADE LOOP					1										—
	CLEC to CLEC Conversion Charge without outside dispatch (UVL-SL1)			UEANL	UREWO		42.05	21.98					18.94	8.42		
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 1		1	UEA	UEAL2	16.84	104.17	78.10					18.94	8.42		<u></u>
1	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 2	l	2	UEA	UEAL2	19.45	104.17	78.10				1	18.94	8.42		i

4Q01:12/01/01 PAGE 76 OF 324

UNBUNDLE	ED NETWORK ELEMENTS - Georgia												Attachment:	2		Exhibit:
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonred First	urring Add'l	Nonrecurring First	Disconnect Add'l	SOMEC	SOMAN	OSS	RATES (\$)	SOMAN	SOMAN
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or			1			FIISL	Add I	FIISL	Add I	SOWIEC	SOWAN	SOWAN	SOWAN	SOWAN	SOWAN
	Ground Start Signaling - Zone 3		3	UEA	UEAL2	30.92	104.17	78.10					18.94	8.42		
	Order Coordination for Specified Conversion Time (per LSR)		- 3	UEA	OCOSL	30.32	35.74	70.10					10.54	0.42		+
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse			OLA	00002		00.14									1
	Battery Signaling - Zone 1		1	UEA	UEAR2	16.84	104.17	78.10					18.94	8.42		
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															
	Battery Signaling - Zone 2		2	UEA	UEAR2	19.45	104.17	78.10					18.94	8.42		
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															1
	Battery Signaling - Zone 3		3	UEA	UEAR2	30.92	104.17	78.10					18.94	8.42		
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		35.74									
	CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		104.17	38.21					18.94	8.42		1
4-WIR	E ANALOG VOICE GRADE LOOP															
	4-Wire Analog Voice Grade Loop - Zone 1		1	UEA	UEAL4	22.26	206.95	170.57					18.94	8.42		
	4-Wire Analog Voice Grade Loop - Zone 2		2	UEA	UEAL4	25.70	206.95	170.57					18.94	8.42		
	4-Wire Analog Voice Grade Loop - Zone 3		3	UEA	UEAL4	40.86	206.95	170.57					18.94	8.42		
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		35.74									1
2-WIR	E ISDN DIGITAL GRADE LOOP															1
	2-Wire ISDN Digital Grade Loop - Zone 1		1	UDN	U1L2X	21.89	233.38	180.35					18.94	8.42		1
	2-Wire ISDN Digital Grade Loop - Zone 2		2	UDN	U1L2X	25.27	233.38	180.35					18.94	8.42		1
	2-Wire ISDN Digital Grade Loop - Zone 3		3	UDN	U1L2X	40.17	233.38	180.35					18.94	8.42		†
	Order Coordination For Specified Conversion Time (per LSR)			UDN	OCOSL		35.74									
	CLEC to CLEC Conversion Charge without outside dispatch			UDN	UREWO		120.98	33.04					18.94	8.42		
2-WIR	E Universal Digital Channel (UDC) COMPATIBLE LOOP															
	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone															1
	1	1	1	UDC	UDC2X	21.89	44.69	31.55	25.65	7.06			18.94	8.42		
	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone															†
	2	1	2	UDC	UDC2X	25.27	44.69	31.55	25.65	7.06			18.94	8.42		
	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone															
	3	1	3	UDC	UDC2X	40.17	44.69	31.55	25.65	7.06			18.94	8.42		
	CLEC to CLEC Conversion Charge without outside dispatch			UDC	UREWO		44.69	31.55					18.94	8.42		1
2-WIR	E ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP	ATIBLE	LOOF	,												
	2 Wire Unbundled ADSL Loop including manual service inquiry															
	& facility reservation - Zone 1		1	UAL	UAL2X	11.23	44.69	31.55	25.65	7.06			18.94	8.42		
	2 Wire Unbundled ADSL Loop including manual service inquiry															
	& facility reservation - Zone 2		2	UAL	UAL2X	12.97	44.69	31.55	25.65	7.06			18.94	8.42		
	2 Wire Unbundled ADSL Loop including manual service inquiry															
	& facility reservation - Zone 3		3	UAL	UAL2X	20.62	44.69	31.55	25.65	7.06			18.94	8.42		
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		35.74									
	2 Wire Unbundled ADSL Loop without manual service inquiry &															
	facility reservaton - Zone 1	I	1	UAL	UAL2W	11.23	44.69	31.55	25.65	7.06			18.94	8.42		
	2 Wire Unbundled ADSL Loop without manual service inquiry &															
	facility reservaton - Zone 2	I	2	UAL	UAL2W	12.97	44.69	31.55	25.65	7.06			18.94	8.42		
	2 Wire Unbundled ADSL Loop without manual service inquiry &															
	facility reservaton - Zone 3	- 1	3	UAL	UAL2W	20.62	44.69	31.55	25.65	7.06			18.94	8.42		
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		35.74									
	CLEC to CLEC Conversion Charge without outside dispatch	I		UAL	UREWO		44.69	29.29					18.94	8.42		
2-WIR	E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP													
	2 Wire Unbundled HDSL Loop including manual service inquiry															
	& facility reservation - Zone 1	<u></u>	_1	UHL	UHL2X	7.88	44.69	31.55	25.65	7.06	<u></u>	<u></u>	18.94	8.42	<u> </u>	<u> </u>
	2 Wire Unbundled HDSL Loop including manual service inquiry															
	& facility reservation - Zone 2	L	2	UHL	UHL2X	9.09	44.69	31.55	25.65	7.06	L		18.94	8.42	<u> </u>	<u> </u>
	2 Wire Unbundled HDSL Loop including manual service inquiry															
	& facility reservation - Zone 3		3	UHL	UHL2X	14.46	44.69	31.55	25.65	7.06	<u></u>	<u> </u>	18.94	8.42	<u> </u>	
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		35.74									
	2 Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 1	I	_1	UHL	UHL2W	7.88	44.69	31.55	25.65	7.06	<u> </u>	<u> </u>	18.94	8.42	<u> </u>	<u> </u>
	2 Wire Unbundled HDSL Loop without manual service inquiry															
			2	UHL	UHL2W	9.09	44.69	31.55	25.65	7.06	1	ĺ	18.94	8.42	1	i

UNBUNDLE	D NETWORK ELEMENTS - Georgia												Attachment:	2		Exhibit: I
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			1	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec First	urring Add'l	Nonrecurring First	g Disconnect Add'l	SOMEC	SOMAN	OSS	RATES (\$)	SOMAN	SOMAN
	2 Wire Unbundled HDSL Loop without manual service inquiry						LIIST	Auu i	Filat	Addi	SOWIEC	JOWAN	JOWAN	JOWAN	JOWAN	JOWAN
	and facility reservation - Zone 3	1	3	UHL	UHL2W	14.46	44.69	31.55	25.65	7.06			18.94	8.42		
	Order Coordination for Specified Conversion Time (per LSR)	-	Ŭ	UHL	OCOSL		35.74	01.00	20.00	7.00			10.01	0.12		
	CLEC to CLEC Conversion Charge without outside dispatch	- 1		UHL	UREWO		44.69	31.55					18.94	8.42		
4-WIRE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE I	LOOP													
	4 Wire Unbundled HDSL Loop including manual service inquiry															
	and facility reservation - Zone 1	- 1	1	UHL	UHL4X	10.39	44.69	31.55	25.65	7.06			18.94	8.42		
	4-Wire Unbundled HDSL Loop including manual service inquiry															
	and facility reservation - Zone 2		2	UHL	UHL4X	12.00	44.69	31.55	25.65	7.06			18.94	8.42		
	4-Wire Unbundled HDSL Loop including manual service inquiry		_													
\longrightarrow	and facility reservation - Zone 3		3	UHL	UHL4X	19.07	44.69	31.55	25.65	7.06			18.94	8.42		
-+-	Order Coordination for Specified Conversion Time (per LSR) 4-Wire Unbundled HDSL Loop without manual service inquiry			UHL	OCOSL		35.74									
	and facility reservation - Zone 1		4	UHL	UHL4W	10.39	44.69	31.55	25.65	7.06			18.94	8.42		
	4-Wire Unbundled HDSL Loop without manual service inquiry		-	UNL	UHL4VV	10.39	44.69	31.33	25.65	7.00			10.94	0.42		
	and facility reservation - Zone 2		2	UHL	UHL4W	12.00	44.69	31.55	25.65	7.06			18.94	8.42		
-+-	4-Wire Unbundled HDSL Loop without manual service inquiry	-		OTIL	OTILAN	12.00	44.03	31.33	25.05	7.00			10.54	0.42		-
	and facility reservation - Zone 3		3	UHL	UHL4W	19.07	44.69	31.55	25.65	7.06			18.94	8.42		
	Order Coordination for Specified Conversion Time (per LSR)		Ū	UHL	OCOSL	10.07	35.74	01.00	20.00	7.00			10.04	0.42		1
	CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		44.69	31.55					18.94	8.42		1
4-WIRE	DS1 DIGITAL LOOP															
	4-Wire DS1 Digital Loop - Zone 1		1	USL	USLXX	55.53	429.98	268.18					18.94	8.42		
	4-Wire DS1 Digital Loop - Zone 2			USL	USLXX	64.13	429.98	268.18					18.94	8.42		
	4-Wire DS1 Digital Loop - Zone 3		3	USL	USLXX	101.93	429.98	268.18					18.94	8.42		
	Order Coordination for Specified Conversion Time (per LSR)			USL	OCOSL		35.74									
	CLEC to CLEC Conversion Charge without outside dispatch			USL	UREWO		130.04	39.98					18.94	8.42		
	19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP															
	4 Wire Unbundled Digital 19.2 Kbps			UDL	UDL19	25.75	348.55	241.20					18.94	8.42		
	4 Wire Unbundled Digital 19.2 Kbps			UDL	UDL19	29.74	348.55	241.20					18.94	8.42		
	4 Wire Unbundled Digital 19.2 Kbps		3	UDL	UDL19	47.27	348.55	241.20					18.94	8.42		
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1		1	UDL	UDL56	25.75	348.55	241.20					18.94	8.42		
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2		2		UDL56	29.74	348.55	241.20					18.94	8.42		ļ
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3		3		UDL56 OCOSL	47.27	348.55 35.74	241.20					18.94	8.42		
	Order Coordination for Specified Conversion Time (per LSR) 4 Wire Unbundled Digital Loop 64 Kbps - Zone 1		- 1	UDL UDL	UDL64	25.75	348.55	241.20					18.94	8.42		
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1		2	UDL	UDL64	29.74	348.55	241.20					18.94	8.42		
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3		3	UDL	UDL64	47.27	348.55	241.20			1		18.94	8.42		1
-+	Order Coordination for Specified Conversion Time (per LSR)		3	UDL	OCOSL	41.21	35.74	241.20					10.94	0.42		
	CLEC to CLEC Conversion Charge without outside dispatc h			UDL	UREWO		131.46	38.62					18.94	8.42		
2-WIRE	Unbundled COPPER LOOP			002	0.1.2.1.0		101110	00.02					.0.0.	0.12		1
	2-Wire Unbundled Copper Loop/Short including manual service															
	inquiry & facility reservation - Zone 1		1	UCL	UCLPB	12.02	44.69	31.55	25.65	7.06			18.94	8.42		
	2-Wire Unbundled Copper Loop/Short including manual service															
	inquiry & facility reservation - Zone 2		2	UCL	UCLPB	13.88	44.69	31.55	25.65	7.06			18.94	8.42		
	2 Wire Unbundled Copper Loop/Short including manual service															
	inquiry & facility reservation - Zone 3		3	UCL	UCLPB	22.07	44.69	31.55	25.65	7.06			18.94	8.42		
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		16.11	16.11								
	2-Wire Unbundled Copper Loop/Short without manual service															1
	inquiry and facility reservation - Zone 1	-	1	UCL	UCLPW	12.02	44.69	31.55	25.65	7.06			18.94	8.42		
	2-Wire Unbundled Copper Loop/Short without manual service	_	_													1
	inquiry and facility reservation - Zone 2	ı	2	UCL	UCLPW	13.88	44.69	31.55	25.65	7.06			18.94	8.42		
	2-Wire Unbundled Copper Loop/Short without manual service		_		LIGI DV											
	inquiry and facility reservation - Zone 3		3	UCL	UCLPW	22.07	44.69	31.55	25.65	7.06			18.94	8.42		
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		16.11	16.11		-				1		
	2-Wire Unbundled Copper Loop/Long - includes manual srvc. inquiry and facility reservation - Zone 1		1	UCL	UCL2L	35.56	44.69	31.55	25.65	7.06			18.94	8.42		1
\longrightarrow	2-Wire Unbundled Copper Loop/Long - includes manual svc.		1	UCL	UCLZL	30.06	44.09	31.05	∠5.05	7.06			18.94	8.42		
	iz-vviie onbundied Copper Loop/Long - Includes manual SVC.		i	UCL	UCL2L	1		31.55	25.65	7.06	Î.	i	18.94	8.42		1

<u>JNBU</u> NDLE	D NETWORK ELEMENTS - Georgia												Attachment:	2		Exhibit: E
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
						Rec	Nonred First	urring Add'l	Nonrecurring First	g Disconnect Add'l	SOMEC	SOMAN	OSS I	RATES (\$)	SOMAN	SOMAN
	2-Wire Unbundled Copper Loop/Long - includes manual svc.						11131	Auu i	11130	Addi	OOMILO	JOHAN	JOHIAN	JOWAN	JOINAIN	JOHIAN
	inquiry and facility reservation - Zone 3		3	UCL	UCL2L	65.28	44.69	31.55	25.65	7.06			18.94	8.42		
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		16.11	16.11								
	2-Wire Unbundled Copper Loop/Long - without manual service															
	inquiry and facility reservation - Zone 1	I	1	UCL	UCL2W	35.56	44.69	31.55	25.65	7.06			18.94	8.42		
	2-Wire Unbundled Copper Loop/Long - without manual service															
	inquiry and facility reservation - Zone 2	- 1	2	UCL	UCL2W	41.07	44.69	31.55	25.65	7.06			18.94	8.42		
	2-Wire Unbundled Copper Loop/Long - without manual service															
	inquiry and facility reservation - Zone 3	ı	3	UCL	UCL2W	65.28	44.69	31.55	25.65	7.06			18.94	8.42		
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		16.11	16.11								
	CLEC to CLEC Conversion Charge without outside dispatch															
	(UCL-Des)			UCL	UREWO		44.69	31.36					18.94	8.42		
	CLEC to CLEC Conversion Charge without outside dispatch			UEQ	LIDEMO		44.69	04.00					40.04	8.42		
4 WID	(UCL-ND) E COPPER LOOP	- 1		UEQ	UREWO		44.69	21.98					18.94	8.42		
4-WIR	4-Wire Copper Loop/Short - including manual service inquiry				-											
	and facility reservation - Zone 1		1	UCL	UCL4S	12.02	44.69	31.55	25.65	7.06			18.94	8.42		
	4-Wire Copper Loop/Short - including manual service inquiry		-	UCL	UCL43	12.02	44.09	31.33	23.03	7.00			10.94	0.42		
	and facility reservation - Zone 2		2	UCL	UCL4S	13.88	44.69	31.55	25.65	7.06			18.94	8.42		
	4-Wire Copper Loop/Short - including manual service inquiry			OCL	00140	13.00	44.03	31.33	25.05	7.00			10.54	0.42		
	and facility reservation - Zone 3		3	UCL	UCL4S	22.07	44.69	31.55	25.65	7.06			18.94	8.42		
+	Order Coordination for Unbundled Copper Loops (per loop)		3	UCL	UCLMC	22.07	16.11	16.11	25.05	7.00			10.54	0.42		
	4-Wire Copper Loop/Short - without manual service inquiry and			OOL	OCLIVIC		10.11	10.11								
	facility reservation - Zone 1	1	1	UCL	UCL4W	12.02	44.69	31.55	25.65	7.06			18.94	8.42		
	4-Wire Copper Loop/Short - without manual service inquiry and	-	<u> </u>	OOL	OOLTW	12.02	44.00	01.00	20.00	7.00			10.54	0.42		
	facility reservation - Zone 2	1	2	UCL	UCL4W	13.88	44.69	31.55	25.65	7.06			18.94	8.42		
	4-Wire Copper Loop/Short - without manual service inquiry and															
	facility reservation - Zone 3	- 1	3	UCL	UCL4W	22.07	44.69	31.55	25.65	7.06			18.94	8.42		
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		16.11	16.11								
	4-Wire Unbundled Copper Loop/Long - includes manual svc.															
	inquiry and facility reservation - Zone 1		1	UCL	UCL4L	35.56	44.69	31.55	25.65	7.06			18.94	8.42		
	4-Wire Unbundled Copper Loop/Long - includes manual svc.															
	inquiry and facility reservation - Zone 2		2	UCL	UCL4L	41.07	44.69	31.55	25.65	7.06			18.94	8.42		
	4-Wire Unbundled Copper Loop/Long - includes manual svc.															
	inquiry and facility reservation - Zone 3		3	UCL	UCL4L	65.28	44.69	31.55	25.65	7.06			18.94	8.42		
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		16.11	16.11								
	4-Wire Unbundled Copper Loop/Long - without manual svc.															
	inquiry and facility reservation - Zone 1	l	1	UCL	UCL4O	35.56	44.69	31.55	25.65	7.06			18.94	8.42		
	4-Wire Unbundled Copper Loop/Long - without manual svc.		2	UCL	1101.40	44.07	44.00	04.55	05.05	7.00			40.04	0.40		
	inquiry and facility reservation - Zone 2	ı	2	UCL	UCL4O	41.07	44.69	31.55	25.65	7.06			18.94	8.42		
	4-Wire Unbundled Copper Loop/Long - without manual svc. inquiry and facility reservation - Zone 3		3	UCL	UCL4O	65.28	44.69	31.55	25.65	7.06			18.94	8.42		
	Order Coordination for Unbundled Copper Loops (per loop)	_ '	3	UCL	UCLMC	65.26	16.11	16.11	23.03	7.00			10.94	0.42		
	CLEC to CLEC conversion Charge without outside dispatch	-		UCL	UREWO	1	44.69	31.36					18.94	8.42		
OOP MODIFI		- '		OCL	OIKEWO	1	44.03	31.30					10.34	0.42		
231 11100111				UAL, UHL,	+	 						 				
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire			UCL, UEQ,	1							1				
	pair less than or equal to 18k ft	- 1		ULS	ULM2L		0.00	0.00				1				
	Unbundled Loop Modification, Removal of Load Coils - 2 wire															
	greater than 18k ft	- 1		UCL, ULS	ULM2G		0.00	0.00				1				1
	Unbundled Loop Modification Removal of Load Coils - 4 Wire							-								
	less than or equal to 18K ft	- 1		UHL, UCL	ULM4L		0.00	0.00								
	Unbundled Loop Modification Removal of Load Coils - 4 Wire															
1	pair greater than 18k ft	- 1		UCL	ULM4G		0.00	0.00				1				
				UAL, UHL,												
	Unbundled Loop Modification Removal of Bridged Tap Removal,			UCL, UEQ,	I							1				
	per unbundled loop		L	UEF, ULS	ULMBT	<u> </u>	0.00	0.00			<u> </u>	<u> </u>				<u> </u>
UB-LOOPS	1					ı -										

UNBUNDLE	D NETWORK ELEMENTS - Georgia				1	1						1	Attachment:	2		Exhibit:
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonred First	urring Add'l	Nonrecurring First	g Disconnect	SOMEC	SOMAN	OSS	RATES (\$)	SOMAN	SOMAN
Sub-Lo	pop Distribution															
	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set- Up	ı		UEANL	USBSA		421.08	421.08					18.94	8.42		
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	-		UEANL	USBSB		67.10	67.10					18.94	8.42		
	Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility Set-Up	ı		UEANL	USBSC		394.74	394.74					18.94	8.42		
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up	ı		UEANL	USBSD		154.57	154.57					18.94	8.42		
	Unbundled Sub-Loops, Riser Cable, 2-Wire per Loop, Working and Spare Loop Activation			UEANL	USBRC	1.37	2.48	2.48	1.74	1.74						
	Unbundled Sub-Loops, Riser Cable, 4-Wire per Loop, Working and Spare Loop Activation			UEANL	USBRD	2.74	4.96	4.96	1.74	1.74						
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Statewide		sw	UEANL	USBN2	9.12	207.01	171.32					18.94	8.42		
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		34.22	34.22								
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Statewide		sw	UEANL	USBN4	8.32	219.35	72.99	123.72	28.77			18.94	8.42		
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		34.22	34.22								
	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)	- 1		UEANL	USBR2	1.37	2.48	41.59	115.85	19.17			18.94	8.42		
	Sub-Loop 2-Wire Intrabuilding Network Cable (INC) - Intermediary Access Terminal (IAT)			UEANL	USBRC	1.37	2.48	2.48	1.74	1.74			18.94	8.42		
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		34.22	34.22								
	Sub-Loop 4-Wire Intrabuilding Network Cable (INC) - Intermediary Access Terminal (IAT)			UEANL	USBRD	2.74	4.96	4.96	1.74	1.74			18.94	8.42		
	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	- 1		UEANL	USBR4	2.96	176.46	55.11	122.17	19.57			18.94	8.42		
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEANL UEF	USBMC UCS2X	5.54	34.22 175.16	34.22 55.50	108.86	24.53			18.84	8.42		
	2 Wire Copper Unburidled Sub-Loop Distribution - Zone 1	-	2		UCS2X	5.54	175.16	55.50	108.86	24.53			18.94	8.42		
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	i		UEF	UCS2X	5.54	175.16	55.50	108.86	24.53			18.94	8.42		
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF UEF	USBMC UCS4X	6.89	34.22 219.35	34.22 72.99	123.72	28.77			18.94	8.42		<u></u>
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	-		UEF	UCS4X	6.89	219.35	72.99	123.72	28.77	-		18.94	8.42		+
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	i		UEF	UCS4X	6.89	219.35	72.99	123.72	28.77			18.94	8.42		
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		34.22	34.22								ļ
Unbun	dled Network Terminating Wire (UNTW) Unbundled Network Terminating Wire (UNTW) per Pair			UENTW	UENPP	1.37	2.48	2.48	1.74	1.74	-		18.94	8.42		+
Netwo	k Interface Device (NID) Network Interface Device (NID) - 1-2 lines			UENTW	UND12	1.37	86.37	56.69	1.74	1.74			18.94	8.42		
	Network Interface Device (NID) - 1-2 lines	-		UENTW	UND16		127.93	98.21			-		18.94	8.42		+
	Network Interface Device (NID) - 1-0 lines Network Interface Device Cross Connect - 2 W	<u> </u>		UENTW	UNDC2		6.15	6.15					18.94	8.42		+
	Network Interface Device Cross Connect - 2 W			UENTW	UNDC4		6.15	6.15					10.54	J.→Z		†
UB-LOOPS							91.10									
Sub-Lo	pop Feeder															
	USL-Feeder, DS0 Set-up per Cross Box location - CLEC Distribution Facility set-up			UEA, UDN,UCL,UD L,UDC	USBFW		421.08									
	USL Feeder - DS0 Set-up per Cross Box location - per 25 pair set-up			UEA, UDN,UCL,UD L,UDC	USBFX		67.10	67.10								
	USL Feeder DS1 Set-up at DSX location, per DS1 termination			USL	USBFZ		521.57	11.30								

NRONDLE	D NETWORK ELEMENTS - Georgia					,						•	Attachment:	2		Exhibit:
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual So Order vs
						Rec	Nonrec			g Disconnect				RATES (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Sub-Loop Feeder Loop, 2 Wire Ground-Start, Voice					0.50		.==								
-	Grade- Statewide Order Coordination for Specified Conversion Time, per LSR		SW	UEA UEA	USBFA OCOSL	8.58	206.44 35.74	170.05					18.94	8.42		1
-	Unbundled Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice			UEA	UCUSL		35.74									+
	Grade - Statewide		sw	UEA	USBFB	8.58	206.44	170.05					18.94	8.42		
	Order Coordination for Specified Time Conversion, per LSR		311	UEA	OCOSL	0.00	35.74	170.00					10.54	0.42		
	Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery,															1
	Voice Grade Loop - Statewide		SW	UEA	USBFC	8.58	206.44	170.05					18.94	8.42		
	Order Coordination For Specified Conversion Time, per LSR			UEA	OCOSL		35.74									
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice															
	Grade - Statewide		SW	UEA	USBFD	19.91	243.41	81.32	134.77	33.93			18.94	8.42		
	Order Coordination For Specified Conversion Time, Per LSR			UEA	OCOSL	ļ	35.74						ļ	ļ		
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice				LIODES											
	Grade - Statewide		SW	UEA	USBFE	19.91	243.41	81.32	134.77	33.93			18.94	8.42		
	Order Coordination For Specified Conversion Time, Per LSR			UEA	OCOSL		35.74									
	Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI -			UDN	USBFF	47.70	200 50	62.31	119.68	29.58			18.94	8.42		
	Statewide Order Coordination For Specified Conversion Time, Per LSR		SW	UDN	OCOSL	17.73	208.50 35.74	62.31	119.68	29.58			18.94	8.42		-
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)		SW	UDC	USBFS	17.73	208.50	62.31	119.68	29.58	1		19.99	19.99	19.99	19.9
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Statewide		SW	USL	USBFG	79.30	203.69	128.76	124.09	34.80			19.99	19.99	19.99	
	Order Coordination For Specified Conversion Time, Per LSR		SW	USL	OCOSL	73.50	35.74	120.70	124.03	34.00			13.33	13.33	13.33	10.0
	Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop -			COL	CCCCL		00.7 4									-
	Statewide		SW	UCL	USBFH	7.22	195.38	63.15	119.68	29.58			18.94	8.42		
	Order Coordination For Specified Conversion Time, per LSR			UCL	OCOSL		35.74									
	Sub-Loop Feeder - Per 4-Wire Copper Loop - Statewide		SW	UCL	USBFJ	13.72	243.41	81.32	134.77	33.93			18.94	8.42		
	Order Coordination For Specified Conversion Time, per LSR			UCL	OCOSL		35.74									
	Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop		SW	UDL	USBFN	24.50	243.41	81.32	134.77	33.93			19.99	19.99	19.99	19.9
	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop -															
	Statewide		SW	UDL	USBFO	24.50	243.41	81.32	134.77	33.93			19.99	19.99	19.99	19.9
	Order Coordination For Specified Time Conversion, per LSR			UDL	OCOSL		35.74									
	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop -															
	Statewide Statewide		SW		USBFP	24.50	243.41	81.32	134.77	33.93			19.99	19.99	19.99	19.9
SUB-LOOPS	Order Coordination For Specified Conversion Time, per LSR			UDL	OCOSL		35.74									-
	oop Feeder															+
OUD-L	Sub Loop Feeder - DS3 - Per Mile Per Month			UE3	1L5SL	12.80					1					1
	Sub Loop Feeder - DS3 - Facility Termination Per Month			UE3	USBF1	329.94	3.380.00	406.50	163.61	92.75			18.94	8.42		-
	Sub Loop Feeder – STS-1 – Per Mile Per Month			UDLSX	1L5SL	12.80	0,000.00	100.00	100.01	02.70			10.01	02		
	Sub Loop Feeder - STS-1 - Facility Termination Per Month			UDLSX	USBF7	372.78	3,380.00	406.50	163.61	92.75			18.94	8.42		
	Sub Loop Feeder - OC-3 - Per Mile Per Month			UDLO3	1L5SL	9.71	·									
j	Sub Loop Feeder - OC-3 - Facility Termination Protection Per															
	Month			UDLO3	USBF5	57.79										
	Sub Loop Feeder - OC-3 - Facility Termination Per Month			UDLO3	USBF2	524.13	3,380.00	406.50	163.61	92.75			18.94	8.42		
	Sub Loop Feeder - OC-12 - Per Mile Per Month			UDL12	1L5SL	11.95	, and the second									
	Sub Loop Feeder - OC-12 - Facility Termination Protection Per												1	1		
	Month			UDL12	USBF6	519.09				ļ			ļ	ļ	ļ	1
	Sub Loop Feeder - OC-12 - Facility Termination Per Month			UDL12	USBF3	1,570.00	3,380.00	406.50	163.61	92.75	<u> </u>		18.94	8.42	ļ	
	Sub Loop Feeder - OC-48 - Per Mile Per Month			UDL48	1L5SL	39.20				 	1		 	 	 	1
	Sub Loop Feeder - OC-48 - Facility Termination Protection Per Month			UDL48	USBF9	259.99							1	1	1	
	Sub Loop Feeder - OC-48 - Facility Termination Per Month			UDL48 UDL48	USBF4	1,505.00	3,566.00	406.50	163.61	92.75	 		18.94	8.42		
	Sub Loop Feeder - OC-48 - Facility Termination Per Month Sub Loop Feeder - OC-12 Interface On OC-48			UDL48	USBF8	323.43	787.13	406.50	163.61	92.75			18.94	8.42		1
IINBIINDI ED I	LOOP CONCENTRATION			UDL40	USDFO	323.43	101.13	400.50	103.61	92.75			10.94	0.42	1	1
CHROHOLED	Unbundled Loop Concentration - System A (TR008)			ULC	UCT8A	441.42	650.81	650.81		 			19.99	19.99	19.99	19.9
	Unbundled Loop Concentration - System A (TR008)			ULC	UCT8B	52.97	271.17	271.17		 			19.99	19.99	19.99	
	Unbundled Loop Concentration - System A (TR303)			ULC	UCT3A	478.93	650.81	650.81			1	1	19.99	19.99	19.99	
	Unbundled Loop Concentration - System B (TR303)			ULC	UCT3B	89.26	271.17	271.17		1			19.99	19.99	19.99	
	Unbundled Loop Concentration - DS1 Loop Interface Card			ULC	UCTCO	5.04	126.57	92.14	33.57	9.40	1		19.99	19.99	19.99	

JNBUNDLE	D NETWORK ELEMENTS - Georgia												Attachment:	2		Exhibit: E
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec First	urring Add'l	Nonrecurring First	g Disconnect Add'l	SOMEC	SOMAN	OSS	RATES (\$)	SOMAN	SOMAN
	Unbundled Loop Concentration - ISDN Loop Interface (Brite							,,,,,,		71441	0020		00			
	Card)			UDN	ULCC1	8.00	21.07	20.96	10.78	10.71			19.99	19.99	19.99	19.99
	Unbundled Loop Concentration - UDC Loop Interface (Brite Card)			UDC	ULCCU	8.00	21.07	20.96	10.78	10.71			19.99	19.99	19.99	19.99
	Unbundled Loop Concentration2 Wire Voice-Loop Start or Ground Start Loop Interface (POTS Card)			UEA	ULCC2	2.00	21.07	20.96	10.78	10.71			19.99	19.99	19.99	19.99
	Unbundled Loop Concentration - 2 Wire Voice - Reverse Battery															
	Loop Interface (SPOTS Card)			UEA	ULCCR	11.89	21.07	20.96	10.78	10.71			19.99	19.99	19.99	19.99
	Unbundled Loop Concentration - 4 Wire Voice Loop Interface (Specials Card)			UEA	ULCC4	7.09	21.07	20.96	10.78	10.71			19.99	19.99	19.99	19.99
	Unbundled Loop Concentration - TEST CIRCUIT Card			ULC	UCTTC	34.67	21.07	20.96	10.78	10.71			19.99	19.99	19.99	19.99
	Unbundled Loop Concentration - Digital 19.2 Kbps Data Loop															
	Interface			UDL	ULCC7	10.51	21.07	20.96	10.78	10.71			19.99	19.99	19.99	19.99
	Unbundled Loop Concentration - Digital 56 Kbps Data Loop Interface			UDL	ULCC5	10.51	21.07	20.96	10.78	10.71			19.99	19.99	19.99	19.99
	Unbundled Loop Concentration - Digital 64 Kbps Data Loop Interface			UDL	ULCC6	10.51	21.07	20.96	10.78	10.71			19.99	19.99	19.99	19.99
NE OTHER, F	PROVISIONING ONLY - NO RATE			ODL	OLOGO	10.51	21.07	20.30	10.70	10.71			10.00	15.55	13.33	13.33
	NID - Dispatch and Service Order for NID installation			UENTW	UNDBX											
	UNTW Circuit Id Establishment, Provisioning Only - No Rate			UENTW	UENCE											
	Halan Hala Control None Broker Colon No But			UEANL,UEF,	LINEON											
NE OTHER I	Unbundled Contract Name, Provisioning Only - No Rate PROVISIONING ONLY - NO RATE			UEQ,UENTW	UNECN											
INE OTTIER, I	KOVIDIONING ONET - NO KATE			UAL,UCL,UD												
				C,UDL,UDN,U												
	Unbundled Contact Name, Provisioning Only - no rate			EA,UHL,ULC	UNECN	0.00	0.00									
	Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no			UEA,UDN,UC	LIODEO	0.00	0.00									
	rate Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no			L,UDC UEA,USL,UCL	USBFQ	0.00	0.00									
	rate			UDL	USBFR	0.00	0.00									
	Unbundled DS1 Loop - Superframe Format Option - no rate			USL	CCOSF	0.00	0.00									
	Unbundled DS1 Loop - Expanded Superframe Format option -															
	no rate			USL	CCOEF	0.00	0.00									
	TY UNBUNDLED LOCAL LOOP 4 month minimum billing period															
NOTE.	High Capacity Unbundled Local Loop - DS3 - Per Mile per															
	month			UE3	1L5ND	8.90										
	High Capacity Unbundled Local Loop - DS3 - Facility															
	Termination per month			UE3	UE3PX	390.34	639.50	426.40	122.31	119.14			37.55	37.55	18.03	18.03
	High Capacity Unbundled Local Loop - STS-1 - Per Mile per month			UDLSX	1L5ND	8.90										
	High Capacity Unbundled Local Loop - STS-1 - Facility			ODLOX	TESIND	0.90										
	Termination per month			UDLSX	UDLS1	421.59	639.50	426.40	122.31	119.14			37.55	37.55	18.03	18.03
OOP MAKE-U																
	Loop Makeup - Preordering Without Reservation, per working or spare facility queried (Manual).			UMK	UMKLW		35.00	35.00								
	Loop Makeup - Preordering With Reservation, per spare facility		l	UMK	UMKLP		45.00	45.00								
	queried (Manual). Loop MakeupWith or Without Reservation, per working or			UIVIK	UMKLP		45.00	45.00								
	spare facility queried (Mechanized)		İ	UMK	PSUMK		0.075	0.075								
	NCY SPECTRUM															
SPLIT	TERS-CENTRAL OFFICE BASED			L												
	Line Sharing Splitter, per System 96 Line Capacity		 	ULS	ULSDA	131.00	0.00	0.00	0.00	0.00	1	0.00				
	Line Sharing Splitter, per System 24 Line Capacity Line Sharing Splitter, Per System, 8 Line Capacity	1		ULS	ULSDB ULSD8	32.00 11.00	0.00	0.00	0.00	0.00	1	0.00				
	Line Sharing Splitter, Per System, 8 Line Capacity Line Sharing-DLEC Owned Splitter in CO-CFA activaton-		1	ULO	ULODO	11.00	0.00	0.00	0.00	0.00		0.00				
	deactivation (per LSOD)	- 1	l	ULS	ULSDG		0.00	0.00	0.00	0.00						
	SER ORDERING-CENTRAL OFFICE BASED-HIGH FREQUENCY	CDEC	DIIM					2.20	2.30	2.30	1					

UNBUNDLE	D NETWORK ELEMENTS - Georgia												Attachment:	2		Exhibit: I
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)	ı		Submitted Elec	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual Sv Order vs. Electronic
						Rec	Nonrec		Nonrecurring					RATES (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
	Line Sharing - per Line Activation			ULS	ULSDC	0.61	10.51	7.70	7.00	4.20			18.94	8.42	7.00	4.20
	Line Sharing - per Subsequent Activity per Line Rearrangement	1		ULS	ULSDS		36.23	13.23					36.23	13.23		
	Line Splitting - per line activation DLEC owned splitter			UEPSR UEPSB	UREOS	0.61										
				UEPSR												1
	Line Splitting - per line activation BST owned - physical	I		UEPSB	UREBP	0.639	53.48	34.48	16.45	12.75						
	Line Splitting - per line activation BST owned - virtual	1		UEPSR UEPSB	UREBV	0.636	53.48	34.48	16.45	12.75						
UNBUNDLED 1	RANSPORT															
	OFFICE CHANNEL - DEDICATED TRANSPORT - VOICE GRADE				+	†					1			1		†
III. EIK	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -															†
	Per Mile per month			U1TVX	1L5XX	0.0222										
	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -						=0.04									
	Facility Termination per month Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade			U1TVX	U1TV2	17.07	79.61	36.08					18.94	18.94		+
	Rev Bat Per Mile per month			U1TVX	1L5XX	0.0222										
	Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat Facility Termination per month			U1TVX	U1TR2	17.07	79.61	36.08	0.00	0.00			18.94	18.94		
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month			U1TDX	1L5XX	0.0222										
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility															
	Termination per month Interoffice Channel - Dedicated Transport - 64 kbps - per mile			U1TDX	U1TD5	16.45	79.61	36.08					18.94	18.94		
	per month Interoffice Channel - Dedicated Transport - 64 kbps - Facility			U1TDX	1L5XX	0.0222										<u> </u>
	Termination per month			U1TDX	U1TD6	16.45	79.61	36.08	0.00	0.00			18.94	18.94		
INTER	DFFICE CHANNEL - DEDICATED TRANSPORT - DS1															
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month			U1TD1	1L5XX	0.4523										
	Interoffice Channel - Dedicated Tranport - DS1 - Facility Termination per month			U1TD1	U1TF1	78.47	147.07	111.75					18.94	18.94		
INTER	OFFICE CHANNEL - DEDICATED TRANSPORT- DS3			OTIDI	01111	70.47	147.07	111.73					10.54	10.54		+
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per				41 = 204	. =-										
	month Interoffice Channel - Dedicated Transport - DS3 - Facility			U1TD3	1L5XX	2.72										+
	Termination per month			U1TD3	U1TF3	788.00	511.10	330.77	122.31	119.14			37.55	37.55	18.03	18.03
INTER	OFFICE CHANNEL - DEDICATED TRANSPORT- STS-1															
	Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month			U1TS1	1L5XX	2.72										
	Interoffice Channel - Dedicated Transport - STS-1 - Facility Termination per month			U1TS1	U1TFS	783.63	511.10	449.91	122.31	119.14			61.19	61.19	3.17	3.17
LOCAL	CHANNEL - DEDICATED TRANSPORT			01101	01110	700.00	011110	1.0.01	122.01				00	00	0	0
NOTE:	LOCAL CHANNEL DEDICATED TRANSPORT - minimum billing	g perio	d - belo	w DS3=one n	nonth, DS3 and	above=four mo	onths									1
	Local Channel - Dedicated - 2-Wire Voice Grade Per Month			ULDVX	ULDV2	13.91	382.95	62.40					18.94	8.42		
	Local Channel - Dedicated - 2-Wire Voice Grade Rev Bat per			LII DVV	LII DDO	42.24	202.05	00.40					40.04	40.04		
	month Local Channel - Dedicated - 4-Wire Voice Grade per month		 	ULDVX UNDVX	ULDR2 ULDV4	13.91 14.99	382.95 368.44	62.40 64.05				-	18.94 18.94	18.94 8.42		
	Local Channel - Dedicated - 4-Wire Voice Grade per month			ULDD1	ULDF1	38.36	356.15	312.89	122.31	119.14	 		44.22	44.22	18.03	18.03
	Local Channel - Dedicated - DS3 - Per Mile per month			ULDD3	1L5NC	6.92	555.10	0.2.00	122.01					22	.0.00	.5.00
	Local Channel - Dedicated - DS3 - Facility Termination per month			ULDD3	ULDF3	515.91	639.50	426.31	122.31	119.14			37.55	37.55	18.03	18.03
	Local Channel - Dedicated - STS-1- Per Mile per month			ULDS1	1L5NC	6.92	300.00	120.01	122.01	110.14			07.00	07.00	10.00	10.00
	Local Channel - Dedicated - STS-1 - Facility Termination per month			ULDS1	ULDFS	517.56	639.50	426.31	122.31	119.14			18.94	18.94		
MULTIPLEXER					322. 3	317.50	300.00	120.01	122.01	110.14	1	<u> </u>	10.54	10.54	1	
	Channelization - DS1 to DS0 Channel System			UXTD1	MQ1	126.22	198.22	123.59	31.03	19.75	1		14.75	6.55	10.70	

UNBUNDLE	D NETWORK ELEMENTS - Georgia												Attachment:	2		Exhibit: I
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec		curring		g Disconnect				RATES (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per				1											
	month (2.4-64kbs)			UDL	1D1DD	1.86	12.02	8.66								
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per			LIDNI	110404	0.07	40.00	0.00								
	month Voice Grade COCI - DS1 to DS0 Channel System - per month			UDN UEA	UC1CA 1D1VG	3.37	12.02 12.02	8.66 8.66								
-	DS3 to DS1 Channel System per month			UXTD3	MQ3	1.17 182.04	265.91	188.78	72.50	59.96			14.75	6.55	10.60	
	STS1 to DS1 Channel System per month			UXTS1	MQ3	182.04	265.91	188.78	72.50	59.96	1		18.94	18.94	10.00	
	DS3 Interface Unit (DS1 COCI) used with Loop per month			USL	UC1D1	11.02	12.02	8.66	72.30	39.90	1		10.54	10.54		
DARK FIBER	Dos interface offit (Dof Gool) used with Loop per month			OOL	OCIDI	11.02	12.02	0.00								
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction															
	Thereof per month - Local Channel	l		UDF	1L5DC	44.22]			1		1	
	NRC Dark Fiber - Local Channel			UDF	UDFC4		1,355.29	273.69					18.94	18.94		
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction															
	Thereof per month - Interoffice Channel	<u></u>	<u></u>	UDF	1L5DF	44.22				<u> </u>	L	<u></u>	<u> </u>		<u> </u>	
	NRC Dark Fiber - Interoffice Channel			UDF	UDF14		1,355.29	273.69					18.94	18.94		
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction		1													
	Thereof per month - Local Loop			UDF	1L5DL	44.22										
	NRC Dark Fiber - Local Loop			UDF	UDFL4		1,355.29	273.69					18.94	18.94		
TRANSPORT (
Option	nal Features & Functions:															
	Clear Channel Capability (B8ZS/ESF) Option - Subsequent -	l		LINGAN	00055											
	per DS1 Channel	<u> </u>	1	UNC1X	CCOEF	1	184.62	23.78	2.03	0.79	<u> </u>		29.33	3.93	ļ	
	Clear Channel Capability (B8ZS/SF) Option - Subsequent - per DS1 Channel	l		LINICAY	00005		404.00	00.70	0.00	0.70			20.00	2.00		
OVY ACCESS	TEN DIGIT SCREENING	 	!	UNC1X	CCOSF	 	184.62	23.78	2.03	0.79	 	1	29.33	3.93	 	1
OVV WCCESS	8XX Access Ten Digit Screening, Per Call	-	1	OHD	+	0.0004868					 					
 	8XX Access Ten Digit Screening, Per Call 8XX Access Ten Digit Screening, Reservation Charge Per 8XX	 	1	0.10	†	0.0004000					<u> </u>		1	1	1	1
	Number Reserved	l		OHD	N8R1X		6.57	0.76					18.94	18.94		
 	8XX Access Ten Digit Screening, Per 8XX No. Established W/O		!	OI ID	HOIVIN	1	0.37	0.76		 	-	 	10.94	10.94	 	
	POTS Translations	l		OHD			12.81	1.45]			18.94	18.94	1	
	8XX Access Ten Digit Screening, Per 8XX No. Established With	1	1		1	1	12.01	1.40				1	10.54	10.04	 	1
	POTS Translations	l		OHD	N8FTX		12.81	1.45					18.94	18.94		
	8XX Access Ten Digit Screening, Customized Area of Service				1.2	1	.2.51	70		1			.0.54	.0.04	İ	
	Per 8XX Number	l		OHD	N8FCX		4.46	2.23]			18.94	18.94	1	
	8XX Access Ten Digit Screening, Multiple InterLATA CXR					1										
	Routing Per CXR Requested Per 8XX No.	<u></u>	<u>L</u>	OHD	N8FMX	<u> </u>	5.22	2.99	<u></u>	<u> </u>	<u></u>	<u> </u>	18.94	18.94	<u> </u>	<u> </u>
	8XX Access Ten Digit Screening, Change Charge Per Request			OHD	N8FAX		7.33	0.76					18.94	18.94		
	8XX Access Ten Digit Screening, Call Handling and Destination															
	Features		<u> </u>	OHD	N8FDX		4.72	4.46			ļ		18.94	18.94		
LINE INFORM	ATION DATA BASE ACCESS (LIDB)		ļ	007	ļ	0.05										
	LIDB Common Transport Per Query		ļ	OQT		0.0000338					ļ					
	LIDB Validation Per Query	<u> </u>	1	OQU	NDDDV	0.0105974	50.00			 	<u> </u>		40.01	40.01	ļ	
CIONAL INC. (C	LIDB Originating Point Code Establishment or Change	 	1	OQT, OQU	NRPBX	1	50.30			 	ļ		18.94	18.94	 	1
SIGNALING (C		 	1	LIDB	DTOCY	400.00				 	ļ		 	1	 	
\vdash	CCS7 Signaling Termination, Per STP Port	 	!	UDB UDB	PT8SX	133.99 0.000087				 	 	1	 	1	 	ļ
\vdash	CCS7 Signaling Usage, Per TCAP Message CCS7 Signaling Connection, Per link (A link)	!	1	UDB	TPP++	17.05	131.96	131.96		-	 	 	18.94	18.94	-	1
	CCS7 Signaling Connection, Per link (A link) CCS7 Signaling Connection, Per link (B link) (also known as D	-	1	ODB	166++	17.05	131.96	131.96					18.94	18.94		
	link) (also known as D	l		UDB	TPP++	17.05	131.96	131.96					18.94	18.94		
	CCS7 Signaling Usage, Per ISUP Message	 	l -	UDB	11177	0.0000354	131.90	131.90		1	 	1	10.94	10.94	1	1
 	CCS7 Signaling Usage Surrogate, per link per LATA		!	UDB	STU56	340.67				 	-	 	 	1	 	1
	CCS7 Signaling Point Code, per Originating Point Code	1	1		2.000	040.07						1	 	1	 	1
	Establishment or Change, per STP affected	l		UDB	CCAPO		40.00	40.00]			18.94	18.94	1	
	CCS7 Signaling Point Code, per Destination Point Code		1		1	1		15150		İ			1		İ	
	Establishment or Change, Per Stp Affected	l		UDB	CCAPD		8.00	8.00]			18.94	18.94	1	
CALLING NAM	ME (CNAM) SERVICE															
	CNAM for DB Owners, Per Query			OQV		0.01										
	CNAM for Non DB Owners, Per Query			OQV		0.01						1		I '		1

UNBUNDLI	ED NETWORK ELEMENTS - Georgia										1		Attachment:	2		Exhibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual Svo Order vs.
						Rec	Nonrec		Nonrecurring					RATES (\$)		
	ONAM (Alex Barrier Orace) MBO and Free free free free						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	CNAM (Non-Databs Owner), NRC, applies when using the Character Based User Interface (CHUI)			OQV	CDDCH		595.00	595.00					18.94	18.94		
OPERATOR (CALL PROCESSING			OQV	СББСП	1	595.00	595.00			1		10.94	10.94		+
OI EIRATOR C	Oper. Call Processing - Oper. Provided, Per Min Using BST															
	LIDB					1.20										
	Oper. Call Processing - Oper. Provided, Per Min Using															
	Foreign LIDB					1.24										
	Oper. Call Processing - Fully Automated, per Call - Using BST LIDB					0.20										
	Oper. Call Processing - Fully Automated, per Call - Using															1
	Foreign LIDB					0.20										<u> </u>
INWARD OPE	RATOR SERVICES				1	ļ								ļ	ļ	↓
	Inward Operator Svcs - Verification, Per Minute					1.15										↓
	Inward Operator Services - Verification and Emergency Interrupt					4.45										
DDANDING	- Per Minute OPERATOR CALL PROCESSING					1.15										
BRANDING -					CDAGC	1	7.000.00	7,000,00			1	1	19.99	19.99	19.99	19.99
	Recording of Custom Branded OA Announcement Loading of Custom Branded OA Announcement per shelf/NAV				CBAOS CBAOL		500.00	7,000.00 500.00			-		19.99	19.99	19.99	19.99
Unbr	anding via OLNS for UNEP CLEC				CBAUL	+	300.00	500.00			1	1	19.99	19.99		+
Olibia	Loading of OA per OCN (Regional)					1	1,200.00	1,200.00								+
DIRECTORY	ASSISTANCE SERVICES						1,200.00	1,200.00			1					+
	CTORY ASSISTANCE ACCESS SERVICE										-					+
	Directory Assistance Access Service Calls, Charge Per Call					0.25										
DIRE	CTORY ASSISTANCE CALL COMPLETION ACCESS SERVICE (D	ACC)														1
	Directory Assistance Call Completion Access Service (DACC),	,														1
	Per Call Attempt					0.10										
DIRE	CTORY TRANSPORT															1
	SWA Common transport per Directory Assistance Access															
	Service Call					0.0003										
	SWA Common Transport per Directory Assistance Access					0.00004										
	Service Call Mile					0.00004										+
	Access Tandem Switching per Directory Assistance Access Service Call					0.00055										
	Directory Assistance Interconnection per Directory Assistance					0.00055					1	1				+
	Access Service Call					0.00										
	DS3 to DS1 Multiplexer per DA Access Service Call					0.00018					-					+
DIRECTORY	ASSISTANCE SERVICES					0.00010					1					+
	CTORY ASSISTANCE DATA BASE SERVICE (DADS)															1
	Directory Assistance Data Base Service Charge Per Listing					0.04										
	Directory Assistance Data Base Service, per month				DBSOF	150.00										1
	DIRECTORY ASSISTANCE															
Facili	ty Based CLEC							•								
	Recording and Provisioning of DA Custom Branded Announcement			AMT	CBADA		6,000.00	6,000.00								
	Loading of Custom Branded Announcement per DRAM Card/Switch			AMT	CBADC		1,170.00	1,170.00								
UNEF	CLEC				1	1	,	,						İ	İ	1
	Recording of DA Custom Branded Announcement				İ	1	3,000.00	3,000.00			1		İ		İ	†
İ	Loading of DA Custom Branded Announcement per DRAM															
	Card/Switch per OCN					<u> </u>	1,170.00	1,170.00			<u> </u>					<u> </u>
Unbra	anding via OLNS for UNEP CLEC															
	Loading of DA per OCN (1 OCN per Order)						420.00	420.00		_						
	Loading of DA per Switch per OCN						16.00	16.00								
SELECTIVE F																1
	Selective Routing Per Unique Line Class Code Per Request Per Switch				USRCR		180.62	180.62					33.67	7.88		
VIRTUAL CO	LLOCATION															
	Virtual Collocation - Application Cost			CLO	EAF		2,848.30	2,848.30								

MOUNDELL	NETWORK ELEMENTS - Georgia												Attachment:	2		Exhibit:
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Charge - Manual So Order vs
						Rec	Nonrec		Nonrecurring					RATES (\$)		
	Martin College			01.0	ESPCX		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Virtual Collocation - Cable Installation Cost, per cable				ESPUX	0.00	2,750.00	2,750.00								
	Virtual Collocation - Floor Space, per sq. ft.		-			3.20										
	Virtual Collocation - Power, per breaker amp Virtual Collocation - Cable Support Structure, per entrance			CLO	ESPAX	3.48										
	cable			CLO	ESPSX	13.35										
	cable			ueanl,uea,udn	LOFOX	13.33					1					1
				,udc,ual,uhl,u												
	Virtual Collocation - 2-wire Cross Connects (loop)			cl.uea	UEAC2	0.0283	24.56	23.56	9.20	8.30			19.99	19.99	19.99	19.
	Virtual Collocation - 2-wire Cross Confidence (100p)			uea,uhl,ucl,ud	OLAGZ	0.0203	24.50	25.50	3.20	0.50			13.33	13.33	13.33	13.
	Virtual Collocation - 4-wire Cross Connects (loop)			l	UEAC4	0.0566	24.75	23.70	9.03	8.10			19.99	19.99	19.99	19.9
	Virtual Collocation - 2-Fiber Cross Connects		†	CLO	CNC2F	2.88	41.72	30.36	10.43	8.36			2.20	2.20	12.30	1
	Virtual Collocation - 4-Fiber Cross Connects			CLO	CNC4F	5.76	51.03	39.67	13.71	11.65			2.20	2.20	İ	
	Virtual Collocatin - DS1 Cross Connects			USL,ULC,CLO	CNC1X	7.50	155.00	14.00								
	NT				ON DOM											
	Virtual Collocatin - DS3 Cross Connects		<u> </u>	USL,ULC,CLO	CND3X	56.25	151.90	11.83								
	Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable			AMTES	DE4E0	0.0023										
	Support Structure, per linear foot			AMIFS	PE1ES	0.0023										
	Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per linear ft			AMTFS	PE1DS	0.0034										
	Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable			AIVITS	PEIDS	0.0034										
	Support Structure, per cable			AMTFS			553.43									
+	Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax			AWITTO		1	333.43									
	Cable Support Structure, per cable			AMTFS			553.43									
+	Virtual Collocatin - Security Escort - Basic, per half hour				SPTBX	<u> </u>	41.00	25.00								
	Virtual Collocatin - Security Escort - Overtime, per half hour				SPTOX		48.00	30.00								
	Virtual Collocatin - Security Escort - Premium, per half hour				SPTPX		55.00	35.00								
	Virtual Collocatin - Maintenance in CO - Basic, per half hour			CLO	CTRLX		30.64	30.64								
	Virtual Collocatin - Maintenance in CO - Overtime, per half hour			CLO	SPTOM		35.77	35.77								
	Virtual Collocatin - Maintenance in CO - Premium per half hour			CLO	SPTPM		40.90	40.90								
RTUAL COLL	OCATION															
	Virtual Collocation - 2-wire Cross Connect, Exchange Port 2-															
	Wire Analog - Res			UEPSR	VE1R2	0.30	12.60	12.60					19.99	19.99	19.99	19
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire															
	Voice Grade Res			UEPRX	PE1R2	0.30	12.60	12.60					19.99	19.99	19.99	19
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-															
	Wire Line Side PBX Trunk - Bus		<u> </u>	UEPSP	VE1R2	0.30	12.60	12.60					19.99	19.99	19.99	19
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire			UEPSE	VEADO	0.30	12.60	40.00					40.00	19.99	19.99	40
	Voice Grade PBX Trunk - Res Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire			UEPSE	VE1R2	0.30	12.60	12.60					19.99	19.99	19.99	19
	Analog Bus			UEPSB	VE1R2	0.30	12.60	12.60					19.99	19.99	19.99	19
	Virtual Collocation 2-Wire Cross Connect, Exchnage Port 2-Wire			UEPSB	VE IRZ	0.30	12.60	12.60			-		19.99	19.99	19.99	19
	ISDN			UEPSX	VE1R2	0.30	12.60	12.60					19.99	19.99	19.99	19
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire			ULFSX	VLTRZ	0.30	12.00	12.00					15.55	19.99	19.99	19
	ISDN			UEPTX	VE1R2	0.30	12.60	12.60					19.99	19.99	19.99	19
	Virtual Collocation 4-Wire Cross Connect, Exchange Port DDITS			02. 17.	V =	0.00	12.00	.2.00					10.00	10.00	10.00	
	4-Wire DS1			UEPDD	VE1R4	0.50	12.60	12.60					19.99	19.99	19.99	19
	Virtual Collocation 4-Wire Cross Connect, Exchange Port 4-Wire															
	ISDN DS1			UEPEX	VE1R4	0.50	12.60	12.60				1	19.99	19.99	19.99	19
RTUAL COLL																
	Virtual Collocation-2 Wire Cross Connects (Loop) for Line			UEPSR,												
	Splitting			UEPSB	VE1LS	0.03	24.56	23.56	9.20	8.30			19.99	19.99	19.99	19
	E CARRIER ROUTING															
	Regional Service Establishment			SRC	SRCEC		391,788.00						19.99	19.99	19.99	19
			1	SRC	SRCEO	1	320.53	320.53	ı		1	ı	19.99	19.99	19.99	19
	End Office Establishment Line/Port NRC, per end user		1		SRCLP		2.06	2.06					19.99	19.99	19.99	19

UNBUNDLE	D NETWORK ELEMENTS - Georgia			_	_								Attachment:	2		Exhibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrec			g Disconnect				RATES (\$)		
AIN BELLEO	UTH AIN SMS ACCESS SERVICE						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
AIN - BELLSU	AIN SMS Access Service - Service Establishment, Per State,					1					+	-				
	Initial Setup			A1N	CAMSE		90.25	90.25					18.94	18.94		
	AIN SMS Access Service - Port Connection - Dial/Shared Access			A1N	CAMDP		29.66	29.66					18.94	18.94		
	AIN SMS Access Service - Port Connection - ISDN Access			A1N	CAM1P		29.66	29.66					18.94	18.94		
	AIN SMS Access Service - User Identification Codes - Per User															
	ID Code			A1N	CAMAU		84.43	84.43					18.94	18.94		
	AIN SMS Access Service - Security Card, Per User ID Code,															
	Initial or Replacement		<u> </u>	A1N	CAMRC	0.000	35.44	35.44			1		18.94	18.94		ļ
	AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)		<u> </u>	-	1	0.0023 0.0795604				1	1					1
	AIN SMS Access Service - Session, Per Minute AIN SMS Access Service - Company Performed Session, Per		!		 	0.0795604					1	-				}
	Minute		1			2.08				1						
AIN - BELLSO	UTH AIN TOOLKIT SERVICE		 		+	2.00				1	 					
	AIN Toolkit Service - Service Establishment Charge, Per State,				1	 					1					†
	Initial Setup			CAM	BAPSC		86.74	86.74					18.94	18.94		
	AIN Toolkit Service - Training Session, Per Customer				BAPVX		8,348.00	8,348.00					18.94	18.94		
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per						·									
	DN, Term. Attempt				BAPTT		19.13	19.13					18.94	18.94		
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
	DN, Off-Hook Delay				BAPTD		114.80	114.80					18.94	18.94		
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
	DN, Off-Hook Immediate				BAPTM		19.13	19.13					18.94	18.94		
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, 10-Digit PODP				BAPTO		70.06	70.06					18.94	18.94		
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
	DN, CDP				BAPTC		70.06	70.06					18.94	18.94		
	AlN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN. Feature Code				BAPTF		70.06	70.06					18.94	18.94		
	AIN Toolkit Service - Query Charge, Per Query					0.0209223										
	AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit															
	Subscription, Per Node, Per Query					0.0053137										
	AIN Toolkit Service - SCP Storage Charge, Per SMS Access															
	Account, Per 100 Kilobytes					1.46										
	AIN Toolkit Service - Monthly report - Per AIN Toolkit Service															
	Subscription		}	CAM	BAPMS	15.96	22.64	22.64		 	1	1	18.94	18.94		
	AIN Toolkit Service - Special Study - Per AIN Toolkit Service Subscription		1	CAM	BAPLS	0.0861109	22.64	22.64		1			18.94	18.94		
- 1	AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service		 	C/IIVI	טרו בט	0.0001109	22.04	22.04		1	+	-	10.94	10.34		
1	Subscription		1	CAM	BAPDS	15.87	22.64	22.64		1			18.94	18.94		
	AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit				1	1				İ						İ
	Service Subscription	L_	L	CAM	BAPES	0.0028704	22.64	22.64		<u> </u>	<u> </u>	<u></u>	18.94	18.94		<u> </u>
	XTENDED LINK (EELs)															
NOTE:	New EELs available in State of Georgia, density zone 1 of follows	owing	SMAs:	Orlando, FL;	Miami, FL; Ft. L	auderdale, FLI;	Nashville, TN;	New Orleans,	LA;							
NOTE:	Charlotte-Gastonia-Rockhill, NC; Greensboro-Winston Salem-	High P	oint, N	C. Use all rate	s below except	Switch As Is Ch	narge.				1					l
														_		
	In all states, EEL network elements shown below also apply to							ch As Is Charg	e applies to c	urrently comb	ined facilitie	s converted	to UNEs.(No	n-recurring ra	tes do not a	pply.)
	In GA, TN, KY, LA & MS, the EEL network elements apply to o E VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT					Switch As is Ch	arge.)				1					1
Z-WIRI	First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport	EKUFF	ICE IK	ANSPURI (E	EL)	 					 					
1	Combination - Zone 1		1	UNCVX	UEAL2	16.84	104.14	78.10		1			18.94	8.42		
+	First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed		+-	CINOVA	JLALL	10.04	104.14	70.10		 	1		10.94	0.42		
	Transport Combination - Zone 2		2	UNCVX	UEAL2	19.45	104.14	78.10		1			18.94	8.42		
	First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed		T -		1	131.3				İ						İ
	Transport Combination - Zone 3		3	UNCVX	UEAL2	30.92	104.14	78.10			1	<u> </u>	18.94	8.42		
	Interoffice Transport - Dedicated - DS1 combination - Per Mile			UNC1X												
	per month				1L5XX	0.4523				•	1	1				

4Q01:12/01/01 PAGE 87 OF 324

UNBUNDLE	D NETWORK ELEMENTS - Georgia			1	1	ı					1	1	Attachment:	2		Exhibit:
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Order vs.	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge Manual So Order vs Electronic Disc Add
						Rec	Nonrec			Disconnect				RATES (\$)		
	Interoffice Transport - Dedicated - DS1 combination - Facility						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Termination per month			UNC1X	U1TF1	78.47	194.63	141.51	132.25	46.16			33.63	27.49	19.88	11.8
	DS1 Channelization System Per Month			UNC1X	MQ1	126.22	194.03	141.51	132.23	46.16	1		33.03	21.49	19.00	11.0
	Voice Grade COCI - DS1 To Ds0 Interface - Per Month			UNCVX	1D1VG	1.17	12.02	8.66								1
	Each Additional 2-Wire VG Loop(SL 2) in the same DS1			CHOVA	15110	1.17	12.02	0.00								1
	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL2	16.84	104.14	78.10					18.94	8.42		
	Each Additional 2-Wire VG Loop(SL2) in the same DS1													_		
	Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL2	19.45	104.14	78.10					18.94	8.42		
	Each Additional 2-Wire VG Loop(SL2) in the same DS1															
	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL2	30.92	104.14	78.10					18.94	8.42		
	Voice Grade COCI - DS1 to DS0 Channel System combination -]	<u> </u>	
	per month			UNCVX	1D1VG	1.17	12.02	8.66					1			
1	Nonrecurring Currently Combined Network Elements Switch -As-		1	l												
4 14/15/	Is Charge	FDOFF	OF TO	UNC1X	UNCCC		12.97	11.27	12.61	12.61			45.46	15.72		
4-WIRE	VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT	EROFF	ICE IR	ANSPORT (E	:EL)											
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 1			LINOVO	LIEALA	22.20	206.95	170.57					18.94	8.42		
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice		1	UNCVX	UEAL4	22.26	206.95	1/0.5/					18.94	8.42		
	Transport Combination - Zone 2		2	UNCVX	UEAL4	25.70	206.95	170.57					18.94	8.42		
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice			UNCVA	UEAL4	25.70	200.95	170.57			1		10.94	0.42		
	Transport Combination - Zone 3		3	UNCVX	UEAL4	40.86	206.95	170.57					18.94	8.42		
	Interoffice Transport - Dedicated - DS1 combination - Per Mile			CHOVA	OL/ IL4	40.00	200.00	170.07					10.04	0.42		1
	Per Month			UNC1X	1L5XX	0.4523										
	Interoffice Transport - Dedicated - DS1 - Facility Termination Per				1-911											
	Month			UNC1X	U1TF1	78.47	194.63	141.51	132.25	46.16			33.63	27.49	19.88	11.8
	Channelization - Channel System DS1 to DS0 combination Per															
	Month			UNC1X	MQ1	126.22										
	Voice Grade COCI - DS1 to DS0 Channel System combination -															
	per month			UNCVX	1D1VG	1.17	12.02	8.66								
	Additional 4-Wire Analog Voice Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	22.26	206.95	170.57					18.94	8.42		
	Additional 4-Wire Analog Voice Grade Loop in same DS1		_											0.40		
	Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	25.70	206.95	170.57					18.94	8.42		
	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 3		_	UNCVX	UEAL4	40.86	206.95	170.57					18.94	8.42		
	Voice Grade COCI - DS1 to DS0 Channel System combination -		3	UNCVX	UEAL4	40.86	206.95	170.57					18.94	8.42		
	per month			UNCVX	1D1VG	1.17	12.02	8.66								
	Nonrecurring Currently Combined Network Elements Switch -As-			ONOVA	IDIVO	1.17	12.02	0.00								1
	Is Charge			UNC1X	UNCCC		12.97	11.27	12.61	12.61			45.46	15.72		
4-WIRE	56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 I	NTERC	FFICE			i i					1					
	First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice				1											
	Transport Combination - Zone 1		1	UNCDX	UDL56	25.75	384.56	241.20					18.94	8.42		
	First 4-wire 56Kbps Digital Grade Loop in a DS1 Interoffice															
	Transport Combination - Zone 2		2	UNCDX	UDL56	29.74	384.56	241.20					18.94	8.42		
	First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice															
	Transport Combination - Zone 3		3	UNCDX	UDL56	47.27	384.56	241.20					18.94	8.42		
1	Interoffice Transport - Dedicated - DS1 combination - Per Mile		1	l									I	1		
	Per Month			UNC1X	1L5XX	0.4523							1			
1	Interoffice Transport - Dedicated - DS1 - combination Facility		1	LINCAY	LIATEA	70 47	194.63	141.51	132.25	46.16			33.63	27.40	19.88	14.
	Termination Per Month Channelization - Channel System DS1 to DS0 combination Per			UNC1X	U1TF1	78.47	194.63	141.51	132.25	46.16			33.63	27.49	19.88	11.8
	Month		l	UNC1X	MQ1	126.22							1			
-	OCU-DP COCI (data) - DS1 to DS0 Channel System - per			DINCIA	IVIQ I	120.22					<u> </u>		 	1	-	-
1	month (2.4-64kbs)		1	UNCDX	1D1DD	1.86	12.02	8.66						1		
- 1	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1			CINODA	10100	1.00	12.02	0.00			 		t	1	1	1
1	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	25.75	384.56	241.20					18.94	8.42		
	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1		Ė		1	200	3000	220					.0.04	3.72		
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	29.74	384.56	241.20			1	1	18.94	8.42		1

NRONDLE	D NETWORK ELEMENTS - Georgia				1						1		Attachment:	2		Exhibit:
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Submitted Elec	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual Sv Order vs. Electronic
						Rec	Nonred First	urring Add'l	Nonrecurring First	g Disconnect	SOMEC	SOMAN	OSS	RATES (\$)	SOMAN	SOMAN
	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1						-									
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	47.27	384.56	241.20					18.94	8.42		
	OCU-DP COCI (data) - DS1 to DS0 Channel System - combination per month (2.4-64kbs)			UNCDX	1D1DD	1.86	12.02	8.66								
	Nonrecurring Currently Combined Network Elements Switch -As-			CHODA	10100	1.00	12.02	0.00								+
	Is Charge			UNC1X	UNCCC		12.97	11.27	12.61	12.61			18.94	8.42		
4-WIRE	64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1	INTERC	FFICE	TRANSPORT	(EEL)											
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 1 First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice		1	UNCDX	UDL64	25.75	348.55	241.20					18.94	8.42		
	Transport Combination - Zone 2		2	UNCDX	UDL64	29.74	348.55	241.20					18.94	8.42		
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	47.27	348.55	241.20					18.94	8.42		
	Interoffice Transport - Dedicated - DS1 combination - Per Mile		Ŭ				040.00	241.20					10.04	0.42		
	Per Month Interoffice Transport - Dedicated - DS1 combination - Facility			UNC1X	1L5XX	0.4523										+
	Termination Per Month			UNC1X	U1TF1	78.47	194.63	141.51	132.25	46.16			33.63	27.49	19.88	11.
	Channelization - Channel System DS1 to DS0 combination Per Month			UNC1X	MQ1	126.22							18.94	8.42		
	OCU-DP COCI (data) - DS1 to DS0 Channel System combination - per month (2.4-64kbs)			UNCDX	1D1DD	1.86	12.02	8.66								
	Additional 4-Wire 64Kbps Digital Grade Loopin same DS1			UNCDA	10100	1.00	12.02	0.00								
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	25.75	348.55	241.20					18.94	8.42		
	Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	29.74	348.55	241.20					18.94	8.42		
	Additional 4-Wire 64Kbps Digital Grade Loopin same DS1															
	Interoffice Transport Combination - Zone 3 OCU-DP COCI (data) - DS1 to DS0 Channel System		3	UNCDX	UDL64	47.27	348.55	241.20					18.94	8.42		
	combination - per month (2.4-64kbs)			UNCDX	1D1DD	1.86	12.02	8.66								
	Nonrecurring Currently Combined Network Elements Switch -As-															
4 14/100	Is Charge DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INTE	DOEE!	OF TO	UNC1X	UNCCC		12.97	11.27	12.61	12.61			45.46	15.72		
4-99150	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice	KOFFI	CE IK	ANSPORT (EE	<u> </u>											+
	Transport - Zone 1		1	UNC1X	USLXX	55.53	443.20	138.69					18.94	8.42		
	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 2		2	UNC1X	USLXX	64.13	443.20	138.69					18.94	8.42		
	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice			UNCIA	USLAA	64.13	443.20	130.09					10.94	0.42		+
	Transport - Zone 3		3	UNC1X	USLXX	101.93	443.20	138.69					18.94	8.42		
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0.4523										
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month			UNC1X	U1TF1	78.47	194.63	141.51	132.25	46.16			33.63	27.49	19.88	11
	Nonrecurring Currently Combined Network Elements Switch -As-					78.47									19.88	111.
4 14/15/	Is Charge	DOFFI	OF TD	UNC1X	UNCCC		12.97	11.27	12.61	12.61			45.46	15.72		
4-WIRE	EDS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTE First DS1Loop in DS3 Interoffice Transport Combination - Zone	KOFFI	CE IRA			55.50	440.00	100.00					10.01	0.40		-
	First DS1Loop in DS3 Interoffice Transport Combination - Zone		1	UNC1X	USLXX	55.53	443.20	138.69					18.94	8.42		
	2 First DS1Loop in DS3 Interoffice Transport Combination - Zone			UNC1X	USLXX	64.13	443.20	138.69				 	18.94	8.42		
	3 Interoffice Transport - Dedicated - DS3 combination - Per Mile		3	UNC1X	USLXX	101.93	443.20	138.69			1	 	18.94	8.42		
	Per Month			UNC3X	1L5XX	2.72										ļ
	Interoffice Transport - Dedicated - DS3 - Facility Termination per month			UNC3X	U1TF3	788.00	198.45	153.15	95.40	35.99			37.55	37.55	18.03	18.
	DS3 to DS1 Channel System combination per month			UNC3X	MQ3	137.73	103.24	87.41	0.00	18.12						
	DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	11.02	12.02	8.66								

INBUNDLE	D NETWORK ELEMENTS - Georgia		1	1		ı							Attachment:	2		Exhibit:
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Submitted Elec	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual Sv Order vs. Electronic Disc Add
						Rec	Nonrec First	urring Add'l	Nonrecurring First	g Disconnect Add'l	SOMEC	SOMAN	OSS	RATES (\$)	SOMAN	SOMAN
	Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 1		1	UNC1X	USLXX	55.53	443.20	138.69					18.94	8.42		
	Additional DS1Loop in DS3 Interoffice Transport Combination -												18.94	8.42		
	Zone 2 Additional DS1Loop in DS3 Interoffice Transport Combination -		2	UNC1X	USLXX	64.13	443.20	138.69								
	Zone 3 DS3 Interface Unit (DS1 COCI) combination per month		3	UNC1X UNC1X	USLXX UC1D1	101.93 11.02	443.20 12.02	138.69 8.66					18.94	8.42		
	Nonrecurring Currently Combined Network Elements Switch -As-					11102			40.04	10.01			15.10	4==0		
2.WIDE	Is Charge VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GRADE INT	EDOE	ICE TE	UNC3X	UNCCC		12.97	11.27	12.61	12.61			45.46	15.72		
Z-VVIKE	2-WireVG Loop used with 2-wire VG Interoffice Transport	LKOFF	ICE II	I												
	Combination - Zone 1		1	UNCVX	UEAL2	16.84	104.14	78.10					18.94	8.42		
	2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL2	19.45	104.14	78.10					18.94	8.42		
	2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL2	30.92	104.14	78.10					18.94	8.42		
	Interoffice Transport - Dedicated - 2-wire VG combination - Per Mile Per Month			UNCVX	1L5XX	0.0222										
	Interoffice Transport - Dedicated - 2- Wire Voice Grade combination - Facility Termination per month			UNCVX	U1TV2	17.07	79.61	36.08					18.94	18.94		
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNCVX	UNCCC	17.07	12.97	11.27	12.61	12.61			45.46	15.72		
4-WIRE	IS Charge VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRADE INT	FROFE	ICF TE				12.97	11.27	12.01	12.01			45.46	15.72		
	4-WireVG Loop used with 4-wire VG Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	22.26	206.95	170.57					18.94	8.42		
	4-WireVG Loop used with 4-wire VG Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	25.70	206.95	170.57					18.94	8.42		
	A-WireVG Loop used with 4-wire VG Interoffice Transport Combination - Zone 3			UNCVX	UEAL4	40.86	206.95	170.57					18.94	8.42		
	Interoffice Transport - Dedicated - 4-wire VG combination - Per Mile Per Month		J	UNCVX	1L5XX	0.0222	200.93	170.57					10.54	0.42		
	Interoffice Transport - Dedicated - 4- Wire Voice Grade			UNCVA	ILSAA	0.0222										
	combination - Facility Termination per month			UNCVX	U1TV4	17.07	79.61	36.08					18.94	18.94		
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNCVX	UNCCC		12.97	11.27	12.61	12.61			45.46	15.72		
DS3 DI	GITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFIC	E TRA	NSPOR	T (EEL)												
	High Capacity Unbundled Local Loop - DS3 combination - Per Mile per month			UNC3X	1L5ND	8.90										
	High Capacity Unbundled Local Loop - DS3 combination - Facility Termination per month			UNC3X	UE3PX	390.34	639.50	426.40	122.31	119.14						
	Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X	1L5XX	2.72										
	Interoffice Transport - Dedicated - DS3 combination - Facility Termination per per month			UNC3X	U1TF3	788.00	198.45	153.15	95.40	35.99			37.55	37.55	18.03	18
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNC3X	UNCCC		12.97	11.27	12.61	12.61			45.46	15.72		
STS1 E	IGITAL EXTENDED LOOP WITH DEDICATED STS1 INTEROF	FICE TF	RANSP	ORT (EEL)												
	High Capacity Unbundled Local Loop - STS1 combination - Per Mile per month			UNCSX	1L5ND	8.90										
	High Capacity Unbundled Local Loop - STS1 combination - Facility Termination per month			UNCSX	UDLS1	421.59	639.50	426.40	122.31	119.14						
	Interoffice Transport - Dedicated - STS1 combination - Per Mile per month			UNCSX	1L5XX	2.72										
	Interoffice Transport - Dedicated - STS1 combination - Facility Termination per month			UNCSX	U1TFS	783.63	198.45	449.91	95.40	35.99			37.55	37.55	18.03	18.
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNCSX	UNCCC	700.00	12.97	11.27	12.61	12.61			45.46	15.72	10.03	10.
	IS Charge SISDN EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPOR	T /EEL		CINCOA	JINCCC	1	12.97	11.27	12.01	12.01	 		45.46	15.72		}

<u> </u>	D NETWORK ELEMENTS - Georgia												Attachment:	2		Exhibit:
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			1	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increments Charge - Manual Sv Order vs. Electronic Disc Add
						Rec	Nonred First	urring Add'l	Nonrecurring First	g Disconnect	SOMEC	SOMAN	OSS	RATES (\$)	SOMAN	SOMAN
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination							71441		7144.	0020		00			
	Transport - Zone 1		1	UNCNX	U1L2X	21.89	233.38	180.38					18.94	8.42		
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination		2	LINONIN	141.07	05.07	200 00	100.00					18.94	0.40		
	Transport - Zone 2 First 2-Wire ISDN Loop in a DS1 Interoffice Combination			UNCNX	U1L2X	25.27	233.38	180.38					18.94	8.42		
	Transport - Zone 3		3	UNCNX	U1L2X	40.17	233.38	180.38					18.94	8.42		
	Interoffice Transport - Dedicated - DS1 combination - Per Mile			UNC1X	1L5XX	0.4523										
	Interoffice Transport - Dedicated - DS1 combintion - Facility Termination per month			UNC1X	U1TF1	78.47	194.63	141.51	132.25	46.16			33.63	27.49	19.88	11.8
	Channelization - Channel System DS1 to DS0 combination -			LINGAY	MQ1	126.22										
	per month 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System			UNC1X	MQ1	126.22				-						
	combination - per month		l	UNCNX	UC1CA	3.37	12.02	8.66								
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport				23.00.	2.01		5.00								
	Combination - Zone 1		1	UNCNX	U1L2X	21.89	233.38	180.38					18.94	8.42		
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport															
	Combination - Zone 2		2	UNCNX	U1L2X	25.27	233.38	180.38					18.94	8.42		
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 3		3	UNCNX	U1L2X	40.17	233.38	180.38					18.94	8.42		
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System		3	ONONX	UTLZX	40.17	255.50	100.30					10.34	0.42		
	combintaion- per month			UNCNX	UC1CA	3.37	12.02	8.66								
	Nonrecurring Currently Combined Network Elements Switch -As-															
4 14/15/	Is Charge	FERRE		UNC1X	UNCCC		12.97	11.27	12.61	12.61			45.46	15.72		
4-WIRE	E DS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 INT First DS1 Loop in STS1 Interoffice Transport Combination -	IEKUF	FICE I	KANSPORT (I	I I											
	Zone 1		1	UNC1X	USLXX	55.53	443.20	138.69					18.94	8.42		
	First DS1 Loop in STS1 Interoffice Transport Combination -															
	Zone 2		2	UNC1X	USLXX	64.13	443.20	138.69					18.94	8.42		
	First DS1 Loop in STS1 Interoffice Transport Combination -		_													
	Zone 3 Interoffice Transport - Dedicated - STS1 combination - Per Mile		3	UNC1X	USLXX	101.93	443.20	138.69		-			18.94	8.42		
	Per Month			UNCSX	1L5XX	2.72										
	Interoffice Transport - Dedicated - STS1 combination - Facility			CHOOX	120701	2.72										
	Termination			UNCSX	U1TFS	783.63	198.45	449.91	95.40	35.99			37.55	37.55	18.08	18.0
	STS1 to DS1 Channel System conbination per month			UNCSX	MQ3	182.04	103.24	87.41	0.00	18.12						
\longrightarrow	DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	11.02	12.02	8.66								
	Additional DS1Loop in STS1 Interoffice Transport Combination - Zone 1		1	UNC1X	USLXX	55.53	443.20	138.69					18.94	8.42		
	Additional DS1Loop in STS1 Interoffice Transport Combination -		<u> </u>		30250	00.00	110.20	100.03					10.04	0.72		
	Zone 2		2	UNC1X	USLXX	64.13	443.20	138.69					18.94	8.42		
	Additional DS1Loop in STS1 Interoffice Transport Combination -		_	LINOAY	1101.307			400.0-								
	Zone 3 DS3 Interface Unit (DS1 COCI) combination per month		3	UNC1X UNC1X	USLXX UC1D1	101.93 11.02	443.20 12.02	138.69 8.66		-			18.94	8.42		
	Nonrecurring Currently Combined Network Elements Switch -As-			UNCIA	OCIDI	11.02	12.02	0.00								
	Is Charge			UNCSX	UNCCC		12.97	11.27	12.61	12.61			45.46	15.72		
4-WIRE	56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS INTEROP	FICE T	RANS	PORT (EEL)												
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport		١.													
	Combination - Zone 1 4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport		1	UNCDX	UDL56	25.75	384.56	241.20		 	-		18.94	8.42		
	Combination - Zone 2		2	UNCDX	UDL56	29.74	384.56	241.20		1			18.94	8.42		
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport Combination - Zone 3			UNCDX	UDL56	47.27	384.56	241.20					18.94	8.42		
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -						,,,,,,									
	Per Mile			UNCDX	1L5XX	0.0222										
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -				LIATOS			111.75					33.63	27.49	19.88	11.8
	Facility Termination Nonrecurring Currently Combined Network Elements Switch -As-			UNCDX	U1TD5	16.45	147.07	111.75					33.03	27.49	19.88	11.0

RATE ELEMENTS Intering Intering Name of Alpha Combination - Zone Intering First Add'I First Add'I First Add'I SOMEC SOMAN SOMA	UNBUNDLE	D NETWORK ELEMENTS - Georgia												Attachment:	2		Exhibit: B
ANNIEL SEA PROPERTY LEVERNED LOOP WITH LAX RUPS IN TREED PROPERTY (PLE) First Address of the Company and Compa				Zone	BCS	usoc			RATES(\$)			Submitted Elec	Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	Incrementa Charge -
Avenue de Xeine Confidence Avenue de Registration Avenue de Regis							Rec					SOMEC	SOMAN			SOMAN	SOMAN
However of Hops Looped-wine of Hops Interaction Transport 1 UMCDX	4-WIR	E 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTEROI	FFICE T	RANS	PORT (EEL)			1 11 31	Auu	11131	Auu	JOINED	COMPAR	COMPAR	COMPAR	COMPAR	COMPAR
Combination - 2 core 2 NACON UD.64 29.7 34.855 241.20 18.94 8.42		4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport Combination - Zone 1		1	<u> </u>	UDL64	25.75	348.55	241.20					18.94	8.42		
Combination - Zone 3 19.04 8.42		Combination - Zone 2		2	UNCDX	UDL64	29.74	348.55	241.20					18.94	8.42		
Intention Transport - Producted - 4-wer 64 logs combination UNCDX UTIDS 16.45 147.07 111.75 3.63 27.40 19.86				_	LINODY	LIBLAA	47.07	040.55	044.00					40.04	0.40		
Interdirec Transport - Dedicated - 4-wine (6 kbps combination Fability Termination Fa		Interoffice Transport - Dedicated - 4-wire 64 kbps combination -		3				348.55	241.20					18.94	8.42		
Noncourring Currently Combined Network Elements Switch 44 15.72 12.61 12.61 12.61 12.61 15.72 10.00TOMAL NETWORK ELEMENTS 15.72 10.00TOMAL NETWORK ELEMENTS 15.72 12.61 12.6		Interoffice Transport - Dedicated - 4-wire 64 kbps combination -						147 07	111 75					33.63	27 49	19.88	11.85
ADDITIONAL NETWORK (ELEMENTS When used as part of a currently combined facility, the non-recurring charges do not apply, but a Switch As is Charge does not. When used as ordinarily combined network elements in Georgia, the non-recurring charges apply and the Switch As is Charge does not. Note (Synchrober) Switch As is Charge does not. Note (Synchrober) Switch As is Charge does not. Note (Synchrober) Switch As is Charge does not. Note (Synchrober) Switch As is Charge does not. Note (Synchrober) Switch As is Charge does not. Note (Synchrober) Switch As is Charge does not. Note (Synchrober) Switch As is Charge does not. Note (Switch Charge) Switch As is Charge does not. Note (Switch Charge) Switch As is Charge does not. Note (Switch Charge) Switch As is Charge does not. Note (Switch Charge) Switch As is Charge does not. Note (Switch Charge) Note (Switch As is Charge) Note (Switch Charge) Note (Switch As is Charge) Note (Switch As is Charge) Note (Switch Charge) Note (Switch As is Charge) Note (Switch Charge) Note (Switch As is Charge) Note (Switch As is Charge) Note (Switch Charge) Note (Switch As is Charge) Note (Switch Charge) Note (Switch As is Charge) Note (Switch As is Charge) Note (Switch Charge) Note (Switch As is Charge) No		Nonrecurring Currently Combined Network Elements Switch -As-					101.10			12.61	12.61					10.00	11.00
When used as ordinarity combined Network Elements is Georgia, the non-recurring charges apply and the Switch As Is Charge does not.	ADDITIONAL																
None (SynchroNea) Nonecorring Currently Combined Network Elements "Switch As is" Charge (One applies to each combination)																	
Nonrecurring Currently Combined Network Elements "Switch As Is" Charge (One applies to each combination) 2/4/WFW VS Interoffice Channel used in a COMBINATION - UNCXX UNCCC 12.97 11.27 12.61 12.61 18.94 18			e non-r	ecurrin	ng charges app	oly and the Swi	tch As Is Charg	je does not.									<u> </u>
224-Wire VG Interoffice Channel used in a COMBINATION - UNCVX UNCCC 12.97 11.27 12.61 12.61 18.94 18.9			01	'													
S564 kbps Interoffice Channel used in a COMBINATION - UNCDX UNCCC 12.97 11.27 12.61 12.61 18.94	Nonre	2/4-Wire VG Interoffice Channel used in a COMBINATION -	Cnarge	(One a				12.07	11.27	12.61	12.61			19.04	19.04		
DST Interoffice Channel used in a COMBINATION - 'Switch As so Conversion Change UNCIX UNCCC 12.97 11.27 12.61 12.61 18.94 18.9		56/64 kbps Interoffice Channel used in a COMBINATION -															
DS3 InterOffice Channel used in a COMBINATION - 'Switch As Is 'Conversion Charge		DS1 Interoffice Channel used in a COMBINATION - "Switch As															
Switch As Is* Conversion Charge		DS3 Interoffice Channel used in a COMBINATION - "Switch As															
Local Channel - Dedicated - 2-Wire Voice Grade per month		"Switch As Is" Conversion Charge						12.97	11.27	12.61	12.61			18.94	18.94		
Local Channel - Dedicated - 4-Wire Voice Grade per month UNCXV ULDY1 14.99 272.07 60.43 113.76 18.94 18.94	NOTE:	Local Channel - Dedicated Transport - minimum billing period	l - Belo	w DS3													
Local Channel - Dedicated - OSI Per Month		Local Channel - Dedicated - 2-Wire Voice Grade per month															
UNBUNDLED LOCAL EXCHANGE SWITCHING(PORTS) Exchange Ports NOTE: Although the Port Rate includes all available features in GA, KY, LA & TN, the desired features will need to be ordered using retail USOCs 2-WIRE VOICE GRADE LINE PORT RATES (RES) Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res. UEPSR UEPRC 1.85 17.16 17.16 Exchange Ports - 2-Wire Analog Line Port outgoing only - Res. Exchange Ports - 2-Wire Vire US unbundled res, low usage line port with Caller ID - Bus Exchange Ports - 2-Wire Analog Line Port without Caller ID - Bus Exchange Ports - 2-Wire Analog Line Port without Caller ID - Bus Exchange Ports - 2-Wire Analog Line Port with Caller ID - Bus Exchange Ports - 2-Wire Analog Line Port with Caller ID - Bus Exchange Ports - 2-Wire Analog Line Port with Caller ID - Bus Exchange Ports - 2-Wire Analog Line Port with Caller ID - Bus Exchange Ports - 2-Wire Analog Line Port with Caller ID - Bus Exchange Ports - 2-Wire Analog Line Port with Caller ID - Bus Exchange Ports - 2-Wire Analog Line Port with Caller ID - Bus Exchange Ports - 2-Wire Vire Analog Line Port with Caller ID - Bus Exchange Ports - 2-Wire Vire Unbundled Line Port with Caller ID - Bus Exchange Ports - 2-Wire Vire Analog Line Port with Caller ID - Bus Exchange Ports - 2-Wire Vire Analog Line Port with Caller ID - Bus Exchange Ports - 2-Wire Vire Analog Line Port with Caller ID - Bus Exchange Ports - 2-Wire Vire Analog Line Port with Caller ID - Bus Exchange Ports - 2-Wire Vire Analog Line Port with Caller ID - Bus Exchange Ports - 2-Wire Vire Analog Line Port with Caller ID - Bus Exchange Ports - 2-Wire Analog Line Port with Caller ID - Bus Exchange Ports - 2-Wire Analog Line Port with Caller ID - Bus Exchange Ports - 2-Wire Vire Analog Line Port with Caller ID - Bus Exchange Ports - 2-Wire Vire Analog Line Port with Caller ID - Bus Exchange Ports - 2-Wire Vire Analog Line Port with Caller ID - Bus Exchange Ports - 2-Wire Vire Analog Line Port with Caller ID - Bus Exchange Ports - 2-Wire Analog Line														18.94	18.94		
Exchange Ports NOTE: Although the Port Rate includes all available features in GA, KY, LA & TN, the desired features will need to be ordered using retail USOCs	IINDIINDI ED				UNC1X	ULDF1	38.36	164.99	113.76								
NOTE: Although the Port Rate includes all available features in GA, KY, LA & TN, the desired features will need to be ordered using retail USOCs																	
Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res. UEPSR UEPRL 1.85 17.16 17.16 18.94 8.42	NOTE:	: Although the Port Rate includes all available features in GA.	Y. LA	& TN. t	he desired fea	tures will need	to be ordered	using retail US	OCs								+
Exchange Ports - 2-Wire Analog Line Port Res.			,	, .		1											
Exchange Ports - 2-Wire Analog Line Port outgoing only - Res. UEPSR UEPRO 1.85 17.16 17.16 18.94 8.42					UEPSR	UEPRL	1.85	17.16	17.16					18.94	8.42		
Exchange Ports - 2-Wire VG unbundled res, low usage line port UEPSR		Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.			UEPSR	UEPRC	1.85	17.16	17.16					18.94	8.42		
with Caller ID (LUM)					UEPSR	UEPRO	1.85	17.16	17.16					18.94	8.42		
FEATURES		with Caller ID (LUM)												18.94	8.42		
All Available Vertical Features					UEPSR	USASC	0.00	0.00	0.00								
2-WIRE VOICE GRADE LINE PORT RATES (BUS)	FEAT				HEDOD	LIEDVE	0.00	2.00	2.22					10.01	0.40		
Exchange Ports - 2-Wire Analog Line Port without Caller ID - Bus UEPBL 1.85 17.16 17.16 18.94 8.42	2 14/15				UEPSK	UEPVF	0.00	0.00	0.00		 	1		18.94	8.42		ļ
Exchange Ports - 2-Wire VG unbundled Line Port with unbundled port with Caller+E484 ID - Bus.	Z-VVIK	Exchange Ports - 2-Wire Analog Line Port without Caller ID -			UEPSB	UEPBI	1.85	17 16	17 16					18 94	8 42		
Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus.		Exchange Ports - 2-Wire VG unbundled Line Port with															
Exhange Ports - 2-Wire VG unbundled incoming only port with UEPSB UEPB1 1.85 17.16 17.16 18.94 8.42																	
Subsequent Activity UEPSB USASC 0.00 0.00 0.00		Exhange Ports - 2-Wire VG unbundled incoming only port with															
FEATURES		Subsequent Activity															
All Available Vertical Features UEPSB UEPVF 0.00 0.00 0.00 18.94 8.42	FEAT				LUEBOE	Luces at						ļ					

CHECKIDE	ED NETWORK ELEMENTS - Georgia												Attachment:	2		Exhibit: E
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC	,		RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec			g Disconnect				RATES (\$)		
EVCII	ANGE PORT RATES (DID & PBX)	-	1	ļ	-		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
EXCH	2-Wire VG Unbundled 2-Way PBX Trunk - Res	-	-	UEPSE	UEPRD	1.85	17.16	17.16			+		18.94	8.42		
	2-Wire VG Unbundled 2-Way PBX Trunk - Res 2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus	-		UEPSE	UEPPC	1.85	17.16	17.16		1			18.94	8.42		
	2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus	-	1	UEPSP	UEPPO	1.85	17.16	17.16					18.94	8.42		
	2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus			UEPSP	UEPP1	1.85	17.16	17.16			+		18.94	8.42		
	2-Wire Analog Long Distance Terminal PBX Trunk - Bus			UEPSP	UEPLD	1.85	17.16	17.16					18.94	8.42		
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPSP	UEPLD	1.85	17.16	17.16					18.94	8.42		
	2-Wire Vice Unbundled 2-Way PBX Usage Port			UEPSP	UEPXA	1.85	17.16	17.16					18.94	8.42		
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPSP	UEPXB	1.85	17.16	17.16					18.94	8.42		
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPSP	UEPXC	1.85	17.16	17.16					18.94	8.42		
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port	 	1	UEPSP	UEPXD	1.85	17.16	17.16		-			18.94	8.42		
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPSP	UEPXE	1.85	17.16	17.16					18.94	8.42		
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy	1	1	UEFSP	UEFAE	1.85	17.16	17.16		1	+		18.94	8.42		
	Administrative Calling Port 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			UEPSP	UEPXL	1.85	17.16	17.16					18.94	8.42		
	Room Calling Port 2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital			UEPSP	UEPXM	1.85	17.16	17.16					18.94	8.42		
	Discount Room Calling Port			UEPSP	UEPXO	1.85	17.16	17.16					18.94	8.42		
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPSP	UEPXS	1.85	17.16	17.16					18.94	8.42		
-	Subsequent Activity			UEPSP	USASC	0.00	0.00	0.00								
	IDEO															
FEAT	URES															
	All Available Vertical Features			UEPSP UEPSE	UEPVF	0.00	0.00	0.00					18.94	8.42		
EXCH	All Available Vertical Features ANGE PORT RATES (COIN) Exchange Ports - Coin Port			UEPSE		2.05	17.16	17.16					18.94	8.42		
EXCH NOTE NOTE	All Available Vertical Features ANGE PORT RATES (COIN) Exchange Ports - Coin Port : Transmission/usage charges associated with POTS circuit s : Access to B Channel or D Channel Packet capabilities will b			UEPSE	ly to circuit swi	2.05	17.16 d/or circuit swi	17.16 tched data trar					18.94 DN ports.	8.42	Process.	
NOTE NOTE UNBUNDLED	All Available Vertical Features ANGE PORT RATES (COIN) Exchange Ports - Coin Port : Transmission/usage charges associated with POTS circuit s : Access to B Channel or D Channel Packet capabilities will b LOCAL EXCHANGE SWITCHING(PORTS)			UEPSE	ly to circuit swi	2.05	17.16 d/or circuit swi	17.16 tched data trar					18.94 DN ports.	8.42	Process.	
NOTE NOTE UNBUNDLED	All Available Vertical Features ANGE PORT RATES (COIN) Exchange Ports - Coin Port : Transmission/usage charges associated with POTS circuit s : Access to B Channel or D Channel Packet capabilities will b LOCAL EXCHANGE SWITCHING(PORTS) ANGE PORT RATES (DID & PBX)			will also app	ly to circuit swi	2.05 tched voice and	17.16 d/or circuit swi	17.16 tched data trar the packet cap					18.94 DN ports. est/New Busin	8.42		19 90
NOTE NOTE UNBUNDLED	All Available Vertical Features ANGE PORT RATES (COIN) Exchange Ports - Coin Port : Transmission/usage charges associated with POTS circuit s : Access to B Channel or D Channel Packet capabilities will b LOCAL EXCHANGE SWITCHING(PORTS) ANGE PORT RATES (DID & PBX) Exchange Ports - 2-Wire DID Port			UEPSE	ly to circuit swi	2.05	17.16 d/or circuit swi	17.16 tched data trar					18.94 DN ports.	8.42	Process.	19.99
NOTE NOTE UNBUNDLED	All Available Vertical Features ANGE PORT RATES (COIN) Exchange Ports - Coin Port : Transmission/usage charges associated with POTS circuit s : Access to B Channel or D Channel Packet capabilities will b LOCAL EXCHANGE SWITCHING(PORTS) ANGE PORT RATES (DID & PBX)			will also app	ly to circuit swi	2.05 tched voice and	17.16 d/or circuit swi	17.16 tched data trar the packet cap					18.94 DN ports. est/New Busin	8.42		
NOTE NOTE UNBUNDLED	All Available Vertical Features ANGE PORT RATES (COIN) Exchange Ports - Coin Port : Transmission/usage charges associated with POTS circuit s : Access to B Channel or D Channel Packet capabilities will b LOCAL EXCHANGE SWITCHING(PORTS) ANGE PORT RATES (DID & PBX) Exchange Ports - 2-Wire DID Port Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID			will also app y through BF UEPEX UEPDD	ly to circuit swi	2.05 tched voice and Request Proce	17.16 d/or circuit swi ess. Rates for 61.91	17.16 tched data trar the packet cap					18.94 DN ports. est/New Busin	8.42 ness Request	19.99	
NOTE NOTE UNBUNDLED	All Available Vertical Features ANGE PORT RATES (COIN) Exchange Ports - Coin Port : Transmission/usage charges associated with POTS circuit s : Access to B Channel or D Channel Packet capabilities will b LOCAL EXCHANGE SWITCHING(PORTS) ANGE PORT RATES (DID & PBX) Exchange Ports - 2-Wire DID Port Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID capability			will also app y through BF UEPEX UEPDD UEPTX UEPSX	ly to circuit swi	2.05 tched voice and Request Proce 11.35 120.80	17.16 A/or circuit swi ess. Rates for 61.91 108.38	17.16 tched data trar the packet cap 61.91 60.88					18.94 ON ports. est/New Busin 19.99 19.99	19.99 19.99	19.99	
NOTE NOTE NOTE UNBUNDLED EXCH	All Available Vertical Features ANGE PORT RATES (COIN) Exchange Ports - Coin Port : Transmission/usage charges associated with POTS circuit s : Access to B Channel or D Channel Packet capabilities will b LOCAL EXCHANGE SWITCHING(PORTS) ANGE PORT RATES (DID & PBX) Exchange Ports - 2-Wire DID Port Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID capability Exchange Ports - 2-Wire ISDN Port (See Notes below.) All Features Offered : Transmission/usage charges associated with POTS circuit s	e availal	ble only	viil also app y through BF UEPEX UEPDD UEPTX UEPTX UEPTX UEPSX UEPSX	Ily to circuit swi	2.05 tched voice and Request Proce 11.35 120.80 13.47 0.00 tched voice and	17.16 #/or circuit swi	17.16 tched data trar the packet cap 61.91 60.88 47.37 0.00 tched data trar	abilities will b	be determined	via the Bona	Fide Requi	18.94 DN ports. est/New Busin 19.99 19.99 39.98 DN ports.	19.99 19.99 39.98	19.99	
NOTE NOTE NOTE UNBUNDLED EXCH	All Available Vertical Features ANGE PORT RATES (COIN) Exchange Ports - Coin Port : Transmission/usage charges associated with POTS circuit s : Access to B Channel or D Channel Packet capabilities will b LOCAL EXCHANGE SWITCHING(PORTS) ANGE PORT RATES (DID & PBX) Exchange Ports - 2-Wire DID Port Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID capability Exchange Ports - 2-Wire ISDN Port (See Notes below.) All Features Offered	e availal	ble only	viil also app y through BF UEPEX UEPDD UEPTX UEPTX UEPSX UEPSX UEPSX VEP	Ily to circuit swi	2.05 tched voice and Request Proce 11.35 120.80 13.47 0.00 tched voice and	17.16 #/or circuit swi	17.16 tched data trar the packet cap 61.91 60.88 47.37 0.00 tched data trar	abilities will b	be determined	via the Bona	Fide Requi	18.94 DN ports. est/New Busin 19.99 19.99 39.98 DN ports.	19.99 19.99 39.98	19.99	
NOTE NOTE NOTE UNBUNDLED EXCH	All Available Vertical Features ANGE PORT RATES (COIN) Exchange Ports - Coin Port : Transmission/usage charges associated with POTS circuit s : Access to B Channel or D Channel Packet capabilities will b LOCAL EXCHANGE SWITCHING(PORTS) ANGE PORT RATES (DID & PBX) Exchange Ports - 2-Wire DID Port Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID capability Exchange Ports - 2-Wire ISDN Port (See Notes below.) All Features Offered : Transmission/usage charges associated with POTS circuit s : Access to B Channel or D Channel Packet capabilities will b	e availal	ble only	vill also app y through BF UEPDD UEPTX UEPSX UEPTX UEPSX vill also app y through BF UEPTX	Ily to circuit swi R/New Business UEPP2 UEPDD U1PMA UEPVF Ily to circuit swi	2.05 tched voice and Request Proce 11.35 120.80 13.47 0.00 tched voice and Request Proce	17.16 A/or circuit swi ess. Rates for 61.91 108.38 47.37 0.00 A/or circuit swi	17.16 tched data trar the packet cap 61.91 60.88 47.37 0.00 tched data trar the packet cap	abilities will b	be determined	via the Bona	Fide Requi	18.94 DN ports. est/New Busin 19.99 19.99 39.98 DN ports.	19.99 19.99 39.98	19.99	
NOTE NOTE NOTE UNBUNDLED EXCH	All Available Vertical Features ANGE PORT RATES (COIN) Exchange Ports - Coin Port : Transmission/usage charges associated with POTS circuit s : Access to B Channel or D Channel Packet capabilities will b LOCAL EXCHANGE SWITCHING(PORTS) ANGE PORT RATES (DID & PBX) Exchange Ports - 2-Wire DID Port Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID capability Exchange Ports - 2-Wire ISDN Port (See Notes below.) All Features Offered : Transmission/usage charges associated with POTS circuit s : Access to B Channel or D Channel Packet capabilities will b Exchange Ports - 2-Wire ISDN Port - Channel Profiles	e availal	ble only	will also app y through BF UEPEX UEPDD UEPTX UEPTX UEPSX WILL ALSO will also app y through BF UEPTX UEPTX UEPTX UEPSX	Iy to circuit swi R/New Business UEPP2 UEPDD U1PMA UEPVF Iy to circuit swi R/New Business U1UMA	2.05 tched voice and Request Proce 11.35 120.80 13.47 0.00 tched voice and Request Proce	17.16 #/or circuit swi ess. Rates for 61.91 108.38 47.37 0.00 #/or circuit swi ess. Rates for	17.16 tched data trar the packet cap 61.91 60.88 47.37 0.00 tched data trar the packet cap	abilities will b	be determined	via the Bona	Fide Requi	18.94 DN ports. est/New Busin 19.99 19.99 39.98 DN ports. est/New Busin	8.42 ness Request 19.99 19.99 39.98 ness Request	19.99	
NOTE NOTE UNBUNDLED EXCH NOTE	All Available Vertical Features ANGE PORT RATES (COIN) Exchange Ports - Coin Port : Transmission/usage charges associated with POTS circuit s : Access to B Channel or D Channel Packet capabilities will b LOCAL EXCHANGE SWITCHING(PORTS) ANGE PORT RATES (DID & PBX) Exchange Ports - 2-Wire DID Port Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID capability Exchange Ports - 2-Wire ISDN Port (See Notes below.) All Features Offered : Transmission/usage charges associated with POTS circuit s : Access to B Channel or D Channel Packet capabilities will b Exchange Ports - 2-Wire ISDN Port - Channel Profiles Exchange Ports - 2-Wire ISDN Port - Channel Profiles	e availal	ble only	vill also app y through BF UEPDD UEPTX UEPSX UEPTX UEPSX vill also app y through BF UEPTX	Ily to circuit swi R/New Business UEPP2 UEPDD U1PMA UEPVF Ily to circuit swi	2.05 tched voice and Request Proce 11.35 120.80 13.47 0.00 tched voice and Request Proce	17.16 A/or circuit swi ess. Rates for 61.91 108.38 47.37 0.00 A/or circuit swi	17.16 tched data trar the packet cap 61.91 60.88 47.37 0.00 tched data trar the packet cap	abilities will b	be determined	via the Bona	Fide Requi	18.94 DN ports. est/New Busin 19.99 19.99 39.98 DN ports.	19.99 19.99 39.98	19.99	19.99
NOTE NOTE UNBUNDLED EXCH NOTE NOTE	All Available Vertical Features ANGE PORT RATES (COIN) Exchange Ports - Coin Port : Transmission/usage charges associated with POTS circuit s : Access to B Channel or D Channel Packet capabilities will b LOCAL EXCHANGE SWITCHING(PORTS) ANGE PORT RATES (DID & PBX) Exchange Ports - 2-Wire DID Port Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID capability Exchange Ports - 2-Wire ISDN Port (See Notes below.) All Features Offered : Transmission/usage charges associated with POTS circuit s : Access to B Channel or D Channel Packet capabilities will b Exchange Ports - 2-Wire ISDN Port Channel Profiles Exchange Ports - 4-Wire ISDN DS1 Port LOCAL SWITCHING, PORT USAGE	e availal	ble only	will also app y through BF UEPEX UEPDD UEPTX UEPTX UEPSX WILL ALSO will also app y through BF UEPTX UEPTX UEPTX UEPSX	Iy to circuit swi R/New Business UEPP2 UEPDD U1PMA UEPVF Iy to circuit swi R/New Business U1UMA	2.05 tched voice and Request Proce 11.35 120.80 13.47 0.00 tched voice and Request Proce	17.16 #/or circuit swi ess. Rates for 61.91 108.38 47.37 0.00 #/or circuit swi ess. Rates for	17.16 tched data trar the packet cap 61.91 60.88 47.37 0.00 tched data trar the packet cap	abilities will b	be determined	via the Bona	Fide Requi	18.94 DN ports. est/New Busin 19.99 19.99 39.98 DN ports. est/New Busin	8.42 ness Request 19.99 19.99 39.98 ness Request	19.99	
NOTE NOTE UNBUNDLED EXCH NOTE NOTE	All Available Vertical Features ANGE PORT RATES (COIN) Exchange Ports - Coin Port : Transmission/usage charges associated with POTS circuit s : Access to B Channel or D Channel Packet capabilities will b LOCAL EXCHANGE SWITCHING(PORTS) ANGE PORT RATES (DID & PBX) Exchange Ports - 2-Wire DID Port Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID capability Exchange Ports - 2-Wire ISDN Port (See Notes below.) All Features Offered : Transmission/usage charges associated with POTS circuit s : Access to B Channel or D Channel Packet capabilities will b Exchange Ports - 2-Wire ISDN Port - Channel Profiles Exchange Ports - 4-Wire ISDN DS1 Port LOCAL SWITCHING, PORT USAGE Office Switching (Port Usage)	e availal	ble only	will also app y through BF UEPEX UEPDD UEPTX UEPTX UEPSX WILL ALSO will also app y through BF UEPTX UEPTX UEPTX UEPSX	Iy to circuit swi R/New Business UEPP2 UEPDD U1PMA UEPVF Iy to circuit swi R/New Business U1UMA	2.05 tched voice and Request Proce 11.35 120.80 13.47 0.00 tched voice and Request Proce	17.16 #/or circuit swi ess. Rates for 61.91 108.38 47.37 0.00 #/or circuit swi ess. Rates for	17.16 tched data trar the packet cap 61.91 60.88 47.37 0.00 tched data trar the packet cap	abilities will b	be determined	via the Bona	Fide Requi	18.94 DN ports. est/New Busin 19.99 19.99 39.98 DN ports. est/New Busin	8.42 ness Request 19.99 19.99 39.98 ness Request	19.99	
NOTE NOTE UNBUNDLED EXCH NOTE NOTE	All Available Vertical Features ANGE PORT RATES (COIN) Exchange Ports - Coin Port : Transmission/usage charges associated with POTS circuit s : Access to B Channel or D Channel Packet capabilities will b LOCAL EXCHANGE SWITCHING(PORTS) ANGE PORT RATES (DID & PBX) Exchange Ports - 2-Wire DID Port Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID capability Exchange Ports - 2-Wire ISDN Port (See Notes below.) All Features Offered : Transmission/usage charges associated with POTS circuit s : Access to B Channel or D Channel Packet capabilities will b Exchange Ports - 2-Wire ISDN Port Channel Profiles Exchange Ports - 4-Wire ISDN DS1 Port LOCAL SWITCHING, PORT USAGE	e availal	ble only	will also app y through BF UEPEX UEPDD UEPTX UEPTX UEPSX WILL ALSO will also app y through BF UEPTX UEPTX UEPTX UEPSX	Iy to circuit swi R/New Business UEPP2 UEPDD U1PMA UEPVF Iy to circuit swi R/New Business U1UMA	2.05 tched voice and Request Proce 11.35 120.80 13.47 0.00 tched voice and Request Proce 0.00 163.16	17.16 #/or circuit swi ess. Rates for 61.91 108.38 47.37 0.00 #/or circuit swi ess. Rates for	17.16 tched data trar the packet cap 61.91 60.88 47.37 0.00 tched data trar the packet cap	abilities will b	be determined	via the Bona	Fide Requi	18.94 DN ports. est/New Busin 19.99 19.99 39.98 DN ports. est/New Busin	8.42 ness Request 19.99 19.99 39.98 ness Request	19.99	
NOTE NOTE NOTE UNBUNDLED EXCH NOTE NOTE	All Available Vertical Features ANGE PORT RATES (COIN) Exchange Ports - Coin Port : Transmission/usage charges associated with POTS circuit s : Access to B Channel or D Channel Packet capabilities will b LOCAL EXCHANGE SWITCHING(PORTS) ANGE PORT RATES (DID & PBX) Exchange Ports - 2-Wire DID Port Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID capability Exchange Ports - 2-Wire ISDN Port (See Notes below.) All Features Offered : Transmission/usage charges associated with POTS circuit s : Access to B Channel or D Channel Packet capabilities will b Exchange Ports - 2-Wire ISDN Port Channel Profiles Exchange Ports - 4-Wire ISDN DS1 Port LOCAL SWITCHING, PORT USAGE Office Switching (Port Usage) End Office Switching Function, Per MOU End Office Trunk Port - Stared, Per MOU Em Switching (Port Usage) (Local or Access Tandem)	e availal	ble only	will also app y through BF UEPEX UEPDD UEPTX UEPTX UEPSX WILL ALSO will also app y through BF UEPTX UEPTX UEPTX UEPSX	Iy to circuit swi R/New Business UEPP2 UEPDD U1PMA UEPVF Iy to circuit swi R/New Business U1UMA	2.05 tched voice and respect to the process request Process r	17.16 #/or circuit swi ess. Rates for 61.91 108.38 47.37 0.00 #/or circuit swi ess. Rates for	17.16 tched data trar the packet cap 61.91 60.88 47.37 0.00 tched data trar the packet cap	abilities will b	be determined	via the Bona	Fide Requi	18.94 DN ports. est/New Busin 19.99 19.99 39.98 DN ports. est/New Busin	8.42 ness Request 19.99 19.99 39.98 ness Request	19.99	
NOTE NOTE NOTE UNBUNDLED EXCH NOTE NOTE	All Available Vertical Features ANGE PORT RATES (COIN) Exchange Ports - Coin Port : Transmission/usage charges associated with POTS circuit s : Access to B Channel or D Channel Packet capabilities will b LOCAL EXCHANGE SWITCHING(PORTS) ANGE PORT RATES (DID & PBX) Exchange Ports - 2-Wire DID Port Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID capability Exchange Ports - 2-Wire ISDN Port (See Notes below.) All Features Offered : Transmission/usage charges associated with POTS circuit s : Access to B Channel or D Channel Packet capabilities will b Exchange Ports - 2-Wire ISDN Port - Channel Profiles Exchange Ports - 4-Wire ISDN DS1 Port LOCAL SWITCHING, PORT USAGE ffice Switching (Port Usage) End Office Switching Function, Per MOU end Switching (Port Usage) (Local or Access Tandem) Tandem Switching Function Per MOU	e availal	ble only	will also app y through BF UEPEX UEPDD UEPTX UEPTX UEPSX WILL ALSO will also app y through BF UEPTX UEPTX UEPTX UEPSX	Iy to circuit swi R/New Business UEPP2 UEPDD U1PMA UEPVF Iy to circuit swi R/New Business U1UMA	2.05 tched voice and 11.35 120.80 13.47 0.00 tched voice and 163.16 0.0016333 0.0001564 0.00006757	17.16 #/or circuit swi ess. Rates for 61.91 108.38 47.37 0.00 #/or circuit swi ess. Rates for	17.16 tched data trar the packet cap 61.91 60.88 47.37 0.00 tched data trar the packet cap	abilities will b	be determined	via the Bona	Fide Requi	18.94 DN ports. est/New Busin 19.99 19.99 39.98 DN ports. est/New Busin	8.42 ness Request 19.99 19.99 39.98 ness Request	19.99	
NOTE NOTE NOTE NOTE NOTE NOTE NOTE NOTE NOTE	All Available Vertical Features ANGE PORT RATES (COIN) Exchange Ports - Coin Port : Transmission/usage charges associated with POTS circuit s : Access to B Channel or D Channel Packet capabilities will b LOCAL EXCHANGE SWITCHING(PORTS) ANGE PORT RATES (DID & PBX) Exchange Ports - 2-Wire DID Port Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID capability Exchange Ports - 2-Wire ISDN Port (See Notes below.) All Features Offered : Transmission/usage charges associated with POTS circuit s : Access to B Channel or D Channel Packet capabilities will b Exchange Ports - 2-Wire ISDN Port Channel Profiles Exchange Ports - 4-Wire ISDN Port Channel Profiles Exchange Ports - 4-Wire ISDN Port Channel Profiles Exchange Ports - 4-Wire ISDN DS1 Port LOCAL SWITCHING, PORT USAGE ###ICC Switching (Port Usage) End Office Switching Function, Per MOU Tandem Switching Function Per MOU Tandem Switching Function Per MOU Tandem Trunk Port - Shared, Per MOU	e availal	ble only	will also app y through BF UEPEX UEPDD UEPTX UEPTX UEPSX WILL ALSO will also app y through BF UEPTX UEPTX UEPTX UEPSX	Iy to circuit swi R/New Business UEPP2 UEPDD U1PMA UEPVF Iy to circuit swi R/New Business U1UMA	2.05 tched voice and respect to the process request Process r	17.16 #/or circuit swi ess. Rates for 61.91 108.38 47.37 0.00 #/or circuit swi ess. Rates for	17.16 tched data trar the packet cap 61.91 60.88 47.37 0.00 tched data trar the packet cap	abilities will b	be determined	via the Bona	Fide Requi	18.94 DN ports. est/New Busin 19.99 19.99 39.98 DN ports. est/New Busin	8.42 ness Request 19.99 19.99 39.98 ness Request	19.99	
NOTE NOTE NOTE NOTE NOTE NOTE NOTE NOTE NOTE	All Available Vertical Features ANGE PORT RATES (COIN) Exchange Ports - Coin Port : Transmission/usage charges associated with POTS circuit s : Access to B Channel or D Channel Packet capabilities will b LOCAL EXCHANGE SWITCHING(PORTS) ANGE PORT RATES (DID & PBX) Exchange Ports - 2-Wire DID Port Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID capability Exchange Ports - 2-Wire ISDN Port (See Notes below.) All Features Offered : Transmission/usage charges associated with POTS circuit s : Access to B Channel or D Channel Packet capabilities will b Exchange Ports - 2-Wire ISDN port Channel Profiles Exchange Ports - 4-Wire ISDN DS1 Port LOCAL SWITCHING, PORT USAGE Uffice Switching (Port Usage) End Office Trunk Port - Shared, Per MOU Tandem Switching Function Per MOU Tandem Switching Function Per MOU Tandem Trunk Port - Shared, Per MOU Tandem Trunk Port - Shared, Per MOU Tandem Trunk Port - Shared, Per MOU	e availal	ble only	will also app y through BF UEPEX UEPDD UEPTX UEPTX UEPSX WILL ALSO will also app y through BF UEPTX UEPTX UEPTX UEPSX	Iy to circuit swi R/New Business UEPP2 UEPDD U1PMA UEPVF Iy to circuit swi R/New Business U1UMA	2.05 tched voice and respect to the process request Process request Process request Process request Process request Process request Process request Process request Process request Process request Process request Process request Process request Process request Process request Process request Process request Process request Process request r	17.16 #/or circuit swi ess. Rates for 61.91 108.38 47.37 0.00 #/or circuit swi ess. Rates for	17.16 tched data trar the packet cap 61.91 60.88 47.37 0.00 tched data trar the packet cap	abilities will b	be determined	via the Bona	Fide Requi	18.94 DN ports. est/New Busin 19.99 19.99 39.98 DN ports. est/New Busin	8.42 ness Request 19.99 19.99 39.98 ness Request	19.99	
NOTE NOTE NOTE NOTE NOTE NOTE NOTE NOTE NOTE	All Available Vertical Features ANGE PORT RATES (COIN) Exchange Ports - Coin Port : Transmission/usage charges associated with POTS circuit s : Access to B Channel or D Channel Packet capabilities will b LOCAL EXCHANGE SWITCHING(PORTS) ANGE PORT RATES (DID & PBX) Exchange Ports - 2-Wire DID Port Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID capability Exchange Ports - 2-Wire ISDN Port (See Notes below.) All Features Offered : Transmission/usage charges associated with POTS circuit s : Access to B Channel or D Channel Packet capabilities will b Exchange Ports - 2-Wire ISDN Port - Channel Profiles Exchange Ports - 4-Wire ISDN DS1 Port LOCAL SWITCHING, PORT USAGE Iffice Switching (Port Usage) End Office Trunk Port - Shared, Per MOU Tandem Trunk Port - Shared, Per MOU Tandem Switching Function Per MOU Tandem Trunk Port - Shared, Per MOU Tandem Trunk Port - Shared, Per MOU Tandem Trunk Port - Shared, Per MOU Tom Transport Common Transport - Per Mile, Per MOU	e availal	ble only	will also app y through BF UEPEX UEPDD UEPTX UEPTX UEPSX WILL ALSO will also app y through BF UEPTX UEPTX UEPTX UEPSX	Iy to circuit swi R/New Business UEPP2 UEPDD U1PMA UEPVF Iy to circuit swi R/New Business U1UMA	2.05 tched voice and 11.35 120.80 13.47 0.00 tched voice and 3.8 Request Proce 0.00 163.16 0.0016333 0.0001564 0.0000757 0.0002126 0.000008	17.16 #/or circuit swi ess. Rates for 61.91 108.38 47.37 0.00 #/or circuit swi ess. Rates for	17.16 tched data trar the packet cap 61.91 60.88 47.37 0.00 tched data trar the packet cap	abilities will b	be determined	via the Bona	Fide Requi	18.94 DN ports. est/New Busin 19.99 19.99 39.98 DN ports. est/New Busin	8.42 ness Request 19.99 19.99 39.98 ness Request	19.99	
NOTE NOTE NOTE NOTE NOTE NOTE NOTE NOTE Comm	All Available Vertical Features ANGE PORT RATES (COIN) Exchange Ports - Coin Port : Transmission/usage charges associated with POTS circuit s : Access to B Channel or D Channel Packet capabilities will b LOCAL EXCHANGE SWITCHING(PORTS) ANGE PORT RATES (DID & PBX) Exchange Ports - 2-Wire DID Port Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID capability Exchange Ports - 2-Wire ISDN Port (See Notes below.) All Features Offered : Transmission/usage charges associated with POTS circuit s : Access to B Channel or D Channel Packet capabilities will b Exchange Ports - 2-Wire ISDN port Channel Profiles Exchange Ports - 4-Wire ISDN DS1 Port LOCAL SWITCHING, PORT USAGE Uffice Switching (Port Usage) End Office Trunk Port - Shared, Per MOU Tandem Switching Function Per MOU Tandem Switching Function Per MOU Tandem Trunk Port - Shared, Per MOU Tandem Trunk Port - Shared, Per MOU Tandem Trunk Port - Shared, Per MOU	e availal	ble only	will also app y through BF UEPEX UEPDD UEPTX UEPTX UEPSX WILL ALSO will also app y through BF UEPTX UEPTX UEPTX UEPTX UEPSX	Iy to circuit swi R/New Business UEPP2 UEPDD U1PMA UEPVF Iy to circuit swi R/New Business U1UMA	2.05 tched voice and respect to the process request Process request Process request Process request Process request Process request Process request Process request Process request Process request Process request Process request Process request Process request Process request Process request Process request Process request Process request r	17.16 #/or circuit swi ess. Rates for 61.91 108.38 47.37 0.00 #/or circuit swi ess. Rates for	17.16 tched data trar the packet cap 61.91 60.88 47.37 0.00 tched data trar the packet cap	abilities will b	be determined	via the Bona	Fide Requi	18.94 DN ports. est/New Busin 19.99 19.99 39.98 DN ports. est/New Busin	8.42 ness Request 19.99 19.99 39.98 ness Request	19.99	

4Q01:12/01/01 PAGE 93 OF 324

RATE BLEMENTS IN THE PROPERTY OF THE PROPERTY	NBUNDLE	NETWORK ELEMENTS - Georgia												Attachment:	2		Exhibit:
Percent Perc	CATEGORY	RATE ELEMENTS		Zone	BCS	usoc			RATES(\$)			Submitted Elec	Submitted Manually	Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	Increment Charge - Manual St Order vs Electronic Disc Add
February shall apply to the Unknowled Port Logo Combination - Cold Based Rate section in the same manner as they are applied to the Stand-Andrew Unknowled Port section of this Rate Exhibit.							Rec										
Including and Common Transport Usage rates in the Port section of this rate exhibit shall apply to all combinations of loopport network elements accept for UNE Coin Particle Common Transport Usage rates in the Port section of this rate exhibit shall apply to all combinations and local Currently Combined Combine for all states. In AS, VI. A. M. Sand This exhibit shall apply to Currently Combined Combined Combined Combined Combined Combined for all states. In AS, VI. A. M. Sand This exhibit shall are shall be the inferriting that the common transport of the common transport o	Foature	e chall apply to the Unbundled Port/Lean Combination - Cos	t Basar	l Data s	oction in the	camo mannor a	s thou are anni						SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
For Complan, Memorative, Lindaines, Millansiage) and Transcribe, the recentling DME Part and Loop charges literal angle) to Currently Combined Combon. The the first and distribution for constructing charges and part of the Currently Combined Combon. The third and distribution of the Currently Combined Combon. The Currently Combined Combo	reature	s shall apply to the officialided ForeLoop Combination - Cos	LDaset	i Nate s	section in the s	same manner a	s triey are appr	ieu to the Star	id-Alone onbu	iuleu Fort sec	tion of this Na	ite Exilibit.	1				l
Combined Combined Combined in all other states, in GA, KY, LA, MS and TN these noncourring charges are Market Rates and are listed in the Marinet Rate section. For Current Combined Sections. In all other states, the noncourring charges are Market Rates and are listed in the Marinet Rate section. For Current Combined Sections. Combined Sect	End Off	ice and Tandem Switching Usage and Common Transport Us	sage rat	es in th	ne Port section	of this rate ex	hibit shall app	ly to all combi	nations of loop	/port network	elements exce	pt for UNE	Coin Port/L	oop Combina	ations.		
Combined Combined Combined in all other states, in GA, KY, LA, MS and TN these noncourring charges are Market Rates and are listed in the Marinet Rate section. For Current Combined Sections. In all other states, the noncourring charges are Market Rates and are listed in the Marinet Rate section. For Current Combined Sections. Combined Sect	For Ge	orgia Kentucky Louisiana Mississinni and Tennessee the re	ecurrin	n LINE I	Port and Loon	charnes listed	annly to Curre	ently Combiner	l and Not Curre	ently Combine	d Combos Th	e the first a	nd addition	al Port nonre	curring charg	es annly to N	ot Current
APPRIE VOICE GRADE LOOP WITH 2 WRITE LINE PORT (RES)																	
Wife PortLog Combination Rates			ll be the	ose ide	ntified in the N	onrecurring -	Currently Com	bined sections									
2-Yellow Vol. LogoPart Combot - Zone 1																	
2-Wiley Vol. LogiPTR Cortice - Zone 3	UNE PO			1			12 59										
2-Vive Vot LogoPart Contino - Zone 3						<u> </u>											
2-Wire Votes Grade Loop (St.) - Zeno 1		2-Wire VG Loop/Port Combo - Zone 3					21.62										
2-Wine Votice Grade Lorg (St.) - Zone 2 2 UEPRX 1247	UNE Lo			<u> </u>	LIEDDY	LIEDLY	10.00					ļ	1				
2-Wire Votace Grades Loop (SL1) - Zone 3 3 JEPRX UEPRX 1985													 				
2 2 2 2 2 2 3 3 3 3	-											 	 				
Swite value unbundled port with Caller ID - res	2-Wire			Ť	02.100	02. 27	10.00										
2-Wire voice unbundled port outgoing only- res UEPRX UEPX																	3
E-Wire voice unbundles res, low usage line port with Caller ID UEPRX UEPAP				<u> </u>													3
LUMD UEPRX UEPRA 1.79 22.14 15.25 8.45 3.91 33.67 7.88 11.17					UEPRX	UEPRO	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3
FEATURES					LIEPRX	LIEPAP	1 79	22 14	15.25	8 45	3 91			33 67	7 88	11 17	3
LOCAL NUMBER PORTABILITY Per port UPRX	FEATU				02.100	02.71			10.20	0.10	0.01			00.01	7.00		<u> </u>
Local Number Portability (1 per port)					UEPRX	UEPVF	0.00	0.00	0.00					33.67	7.88		
NOMECURRING CHARGES (NRCs) - CURRENTLY COMBINED				<u> </u>	LIEDDY	LNDOV	0.05										
2-Wire Voice Grade Loop / Line Port Combination - Conversion					UEPRX	LNPCX	0.35										
2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change UEPRX	INOINIL																
Switch with change					UEPRX	USAC2		2.01	0.3108					33.67	7.88	11.17	3
ADDITIONAL NRCS					LIEDDY	110400		0.04	0.0400					00.07	7.00		
2-Wire Voice Grade Loop/Line Port Combination - Subsequent UEPRX USAS2 0.00	ADDITI				UEPRX	USACC		2.01	0.3108					33.67	7.88		
Activity	ADDITI																
UNE Port/Logo Combination Rates		Activity			UEPRX	USAS2	0.00	0.00	0.00					33.67	7.88	11.17	3
2-Wire VG Loop/Port Combo - Zone 1																	
2-Wire VG Loop/Port Combo - Zone 2 2	UNE Po			_			40.50										
2-Wire Voice Grade Loop (SL1) - Zone 1																	
2-Wire Voice Grade Loop (SL1) - Zone 1																	
2-Wire Voice Grade Loop (SL1) - Zone 2 2 UEPBX UEPLX 12.47 19.83	UNE Lo																
2-Wire Voice Grade Loop (SL1) - Zone 3 3 UEPBX UEPBX 1.79 22.14 15.25 8.45 3.91 33.67 7.88 11.17																	
2-Wire Voice Grade Line Port (Bus)																	
2-Wire voice unbundled port without Caller ID - bus UEPBX UEPBL 1.79 22.14 15.25 8.45 3.91 33.67 7.88 11.17	2-Wire			-	OLI DX	OLI LX	19.00										
2-Wire voice unbundled port outgoing only - bus UEPBX UEPBO 1.79 22.14 15.25 8.45 3.91 33.67 7.88 11.17					UEPBX	UEPBL	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3
2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change UEPBX UPBX UPBX USACC UEPBX USACC USACS US																	3
LOCAL NUMBER PORTABILITY UEPBX LNPCX 0.35 UEPBX LNPCX 0.35 UEPBX LNPCX 0.35 UEPBX UEPVF 0.00 0.00 0.00 33.67 7.88 UEPBX UEPVF 0.00 0.00 0.00 33.67 7.88 UEPBX UEPVF 0.00 0.00 0.00 UEPBX UEPVF 0.00 0.00 0.00 UEPBX UEPVF 0.00 0.00 UEPXF UEPVF 0.00 0.00 UEPXF UEPVF 0.00 0.00 UEPXF UEPVF 0.00 UEPXF UEPVF 0.00 0.00 UEPXF UEPVF 0.00 UEPXF UEPVF 0.00 UEPXF UEPVF 0.00 UEPXF UEPVF 0.00 0.00 UEPXF UEPVF 0.00 UEPXF UEPVF 0.00 UEPXF UEPVF 0.00 UEPXF UEPVF 0.00 UEPXF UEPV																	3
Local Number Portability (1 per port)	LOCAL			 	UEPBA	UPEBI	1.79	22.14	15.25	8.45	3.91		 	33.67	7.88	11.17	- 3
FEATURES	LOGAL			1	UEPBX	LNPCX	0.35					1					
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change UEPBX USAC2 2.01 0.3108 33.67 7.88 11.17		RES															
2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is UEPBX USAC2 2.01 0.3108 33.67 7.88 11.17					UEPBX	UEPVF	0.00	0.00	0.00			ļ	1	33.67	7.88		
Switch-as-is UEPBX USAC2 2.01 0.3108 33.67 7.88 11.17 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change UEPBX USACC 2.01 0.3108 33.67 7.88 11.17	NONRE			 		-											
2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change UEPBX USACC 2.01 0.3108					UEPBX	USAC2		2.01	0.3108					33.67	7.88	11.17	3
				†				,	3.2.30			1			50	· · · · · ·	Ĭ
				<u> </u>	UEPBX	USACC		2.01	0.3108								<u> </u>

4Q01:12/01/01 PAGE 94 OF 324

MODIANTEL	D NETWORK ELEMENTS - Georgia												Attachment:	2		Exhib
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Increme Charg Manual Order
						Rec	Nonrec		Nonrecurring		201150			RATES (\$)		
-	2-Wire Voice Grade Loop/Line Port Combination - Subsequent						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
	Activity			UEPBX	USAS2								33.67	7.88	11.17	
2-WIRE	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)															
	ort/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Zone 1		1			12.59										
	2-Wire VG Loop/Port Combo - Zone 2		2			14.26										
	2-Wire VG Loop/Port Combo - Zone 3		3			21.62										
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPRG	UEPLX	10.80										
	2-Wire Voice Grade Loop (SL 1) - Zone 1		2	UEPRG	UEPLX	12.47					1					
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPRG	UEPLX	19.83										
	Voice Grade Line Port Rates (RES - PBX)															
	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port -	1									İ			1		1
	Res			UEPRG	UEPRD	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	
	NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPRG	LNPCP	3.15	0.00	0.00								
FEATUR				LIEBBO	LIED) /E	0.00	0.00	0.00					00.07	7.00		
	All Features Offered CURRING CHARGES (NRCs) - CURRENTLY COMBINED		<u> </u>	UEPRG	UEPVF	0.00	0.00	0.00			-		33.67	7.88		-
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															1
	Conversion - Switch-As-Is			UEPRG	USAC2		2.01	0.3108					33.67	7.88	11.17	
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -			OLI IKO	CONOL		2.01	0.0100					00.07	7.00		
	Conversion - Switch with Change			UEPRG	USACC		2.01	0.3108					33.67	7.88		
	ONAL NRCs					ĺ										
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
	Subsequent Activity			UEPRG	USAS2	0.00	0.00	0.00					33.67	7.88	11.17	
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt															
	Group VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)						14.64	14.64					19.99	19.99	19.99	
	ort/Loop Combination Rates					-										
	2-Wire VG Loop/Port Combo - Zone 1		1			12.59					+					
	2-Wire VG Loop/Port Combo - Zone 2		2			14.26										
	2-Wire VG Loop/Port Combo - Zone 3		3			21.62										
UNE Lo	pop Rates															
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPPX	UEPLX	10.80										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPPX	UEPLX	12.47										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPPX	UEPLX	19.83										
2-Wire \	Voice Grade Line Port Rates (BUS - PBX)				1	 					1					
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPPX	UEPPC	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	
	Line Side Unbundled Outward PBX Trunk Port - Bus		1	UEPPX	UEPPO	1.79	22.14	15.25	8.45	3.91	<u> </u>		33.67	7.88	11.17	1
	Line Side Unbundled Incoming PBX Trunk Port - Bus	1		UEPPX	UEPP1	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	1
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	1.79	22.14	15.25	8.45	3.91			37.06	7.88	11.17	
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD			LIEDDY	LIEDVE	4 70	00.44	45.05	0.45	2.01			22.07	7.00	44 47	
	Capable Port 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy	1		UEPPX	UEPXE	1.79	22.14	15.25	8.45	3.91	1	-	33.67	7.88	11.17	1
	Administrative Calling Port			UEPPX	UEPXL	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy		1	OLI I A	OLI AL	1.75	22.14	10.23	0.40	3.91	 		55.07	7.00	11.17	
	Room Calling Port			UEPPX	UEPXM	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital						22.14		3.40	3.51			55.07			
	Discount Room Calling Port			UEPPX	UEPXO	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	
	NUMBER PORTABILITY															

NRONDLE	NETWORK ELEMENTS - Georgia				1	,					1		Attachment:	2		Exhibit:
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge Manual So
						Rec	Nonred First	urring Add'l	Nonrecurring First	Disconnect Add'l	SOMEC	SOMAN		RATES (\$)	SOMAN	SOMAN
FEATU	RES					1	FIISL	Auu i	Filat	Auu i	SOWIEC	JOWAN	SOWAN	JOWAN	SOWAN	JOWAN
	All Features Offered			UEPPX	UEPVF	0.00	0.00	0.00					33.67	7.88		+
	CURRING CHARGES (NRCs) - CURRENTLY COMBINED			OLITA	OLI VI	0.00	0.00	0.00					00.07	7.00		
1	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															1
	Conversion - Switch-As-Is			UEPPX	USAC2		2.01	0.3108					33.67	7.88	11.17	3.
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
	Conversion - Switch with Change			UEPPX	USACC		2.01	0.3108					33.67	7.88		
ADDITI	ONAL NRCs															
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
	Subsequent Activity			UEPPX	USAS2	0.00	0.00	0.00					33.67	7.88	11.17	3.
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt						44.04	44.04					40.00	40.00	40.00	40
	Group VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POR	Ļ				 	14.64	14.64					19.99	19.99	19.99	19.
	ort/Loop Combination Rates	(I			_							-		-		+
ONLF	2-Wire VG Coin Port/Loop Combo – Zone 1		1			12.69					1	1				+
	2-Wire VG Coin Port/Loop Combo – Zone 2		2			14.36										+
-	2-Wire VG Coin Port/Loop Combo – Zone 3		3			21.72										+
	op Rates		Ŭ			21.72										
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPCO	UEPLX	10.80										1
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPCO	UEPLX	12.47										
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPCO	UEPLX	19.83										†
	Voice Grade Line Ports (COIN)															
	2-Wire Coin 2-Way with Operator Screening (GA)			UEPCO	UEPGC	1.89	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.
	2-Wire Coin 2-Way with Operator Screening and Blocking: 011,															
	900/976, 1+DDD (GA)			UEPCO	UEP2G	1.89	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking															
	(GA)			UEPCO	UEPGA	1.89	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.
	2-Wire Coin 2-Way with Operator Screening and 900/976			LIEBOO	LIEDOD	4.00	00.44	45.05	0.45	0.04			00.07	7.00	44.47	
_	Blocking (GA)			UEPCO	UEPGB	1.89	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3
	2-Wire Coin 2-Way with Operator Screening and Blocking: 900/976, 1+DDD, 011+, and Local (GA)			UEPCO	UEPCH	1.89	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.
_	2-Wire Coin Outward with Operator Screening and 011 Blocking			UEPCU	UEPCH	1.89	22.14	15.25	8.45	3.91		-	33.07	7.88	11.17	3.
	(GA, KY, MS)			UEPCO	UEPRJ	1.89	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3
-	2-Wire Coin Outward with Operator Screening and Blocking:			OLFCO	OLFINA	1.09	22.14	13.23	0.43	3.51	1		33.07	7.00	11.17	+
	900/976, 1+DDD, 011+, and Local (FL, GA)			UEPCO	UEPCQ	1.89	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3
	2-Wire 2-Way Smartline with 900/976 (all states except LA)			UEPCO	UEPCK	1.89	22.14	15.25	8.45	3.91			33.67	7.88	11.17	
	2-Wire Coin Outward Smartline with 900/976 (all states except															
	LA)			UEPCO	UEPCR	1.89	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3
ADDITI	ONAL UNE COIN PORT/LOOP (RC)															
	UNE Coin Port/Loop Combo Usage (Flat Rate)			UEPCO	URECU	3.59	0.00	0.00								1
	NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPCO	LNPCX	0.35										
FEATU					1		, The state of the									↓
NONRE	CURRING CHARGES - CURRENTLY COMBINED					ļ								1		
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -	1		LIEBOO			0.01	0.0400						7.00		_
	Switch-as-is	 		UEPCO	USAC2		2.01	0.3108			}		33.67	7.88	11.17	3
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change	1		UEPCO	USACC		2.01	0.31					33.67	7.88		
ADDITI	Switch with change DNAL NRCs	1		DEPUU	USACC	+	∠.∪1	0.31			}		33.07	7.88	1	+
ADDITI	2-Wire Voice Grade Loop/Line Port Combination - Subsequent	1			+						1	1		1		+
	Activity	1		UEPCO	USAS2]	0.00	0.00					33.67	7.88	11.17	3
BUNDLED P	ORT/LOOP COMBINATIONS - COST BASED RATES				- 57.102		3.00	3.00					55.07		,	
	VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	PORT		İ	1	† †								1		T
	rt/Loop Combination Rates															
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1		1			28.19										
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2		2			30.80										
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3		3			42.27										
UNFLO	op Rates															

<u>NBUNDL</u> EI	D NETWORK ELEMENTS - Georgia												Attachment:	2		Exhibit
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge
						Rec	Nonrec			g Disconnect	COMEC	SOMAN	OSS	RATES (\$)	SOMAN	SOMA
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1		1	UEPPX	UECD1	16.84	First 104.78	Add'l 78.10	First	Add'l	SOMEC	SUMAN	SUMAN	SUMAN	SUMAN	SOWIA
			2	UEPPX	UECD1											
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2		3	UEPPX	UECD1	19.45 30.92	104.78 104.78	78.10 104.10								
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3		3	UEPPX	UECDI	30.92	104.78	104.10								
UNE PO	ort Rate Exchange Ports - 2-Wire DID Port			UEPPX	UEPD1	11.35	61.91	61.91					33.67	7.88		
NONDE	CURRING CHARGES - CURRENTLY COMBINED			UEFFA	UEPDI	11.33	61.91	01.91					33.07	1.00		
NONKE	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination -															
	Switch-as-is			UEPPX	USAC1		93.38	93.38					33.67	7.88		
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion			UEPPX	USACT		93.38	93.38					33.67	7.88		+
	with BellSouth Allowable Changes			UEPPX	USA1C		93.38	93.38					33.67	7.88		
ADDITI	ONAL NRCs			UEFFA	USAIC		93.30	93.30					33.07	1.00		
	one Number/Trunk Group Establisment Charges															
reiepn	DID Trunk Termination (One Per Port)			UEPPX	NDT	0.00	0.00	0.00								
	DID Numbers, Establish Trunk Group and Provide First Group			UEPPA	INDT	0.00	0.00	0.00								+
	of 20 DID Numbers			UEPPX	NDZ	0.00	0.00	0.00								
	Additional DID Numbers for each Group of 20 DID Numbers			UEPPX	ND4	0.00	0.00	0.00								
					ND5											├
_	DID Numbers, Non- consecutive DID Numbers, Per Number Reserve Non-Consecutive DID numbers			UEPPX UEPPX	ND6	0.00	0.00	0.00								
_	Reserve DID Numbers															
1.0041	NUMBER PORTABILITY			UEPPX	NDV	0.00	0.00	0.00								├
				UEPPX	LNPCP	3.15	0.00	0.00								├
	Local Number Portability (1 per port)	IE OIDE	l DODT		LNPCP	3.15	0.00	0.00								
	ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LIN	NE SIDE	PORI													
UNE PO	ort/Loop Combination Rates			LIEDDD												
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -			UEPPB		05.00										
	UNE Zone 1 2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -		1	UEPPR		35.36										
			_	UEPPB UEPPR		00.74										
	UNE Zone 2		2			38.74										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -		_	UEPPB		50.04										
I INTE	UNE Zone 3		3	UEPPR		53.64										
UNE LO	oop Rates			LIEDDD												
			١.	UEPPB												
	2-Wire ISDN Digital Grade Loop - UNE Zone 1		1	UEPPR	USL2X	21.89	252.32	188.77					19.99	19.99		
	O.W IODN Divisi On to Large UNE 7		_	UEPPB	1101.01	05.07	050.00	400 77					40.00	40.00		
	2-Wire ISDN Digital Grade Loop - UNE Zone 2		2	UEPPR	USL2X	25.27	252.32	188.77					19.99	19.99		
			_	UEPPB		40.4										
	2-Wire ISDN Digital Grade Loop - UNE Zone 3		3	UEPPR	USL2X	40.17	252.32	188.77					19.99	19.99		
UNE Po	ort Rate															
	5			UEPPB			4= 0=									
	Exchange Port - 2-Wire ISDN Line Side Port			UEPPR	UEPPB	13.47	47.37						19.99	19.99		
NONRE	CURRING CHARGES - CURRENTLY COMBINED															
	2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port			UEPPB												
	Combination - Conversion			UEPPR	USACB	0.00	93.38	93.38					19.99	19.99		
ADDITI	ONAL NRCs															
	2-Wire ISDN Loop / 2-Wire ISDN Port Combination - Sub Actvy			UEPPB												
	Non Feature/Add Trunk			UEPPR	USASB		165.95						19.99	19.99		
LOCAL	NUMBER PORTABILITY															
				UEPPB	Lunav											
D 01111	Local Number Portability (1 per port)		 	UEPPR	LNPCX	0.35	0.00	0.00		-	1	ļ		-	1	├
B-CHA	NNEL USER PROFILE ACCESS:			LIEDDE						ļ				1		₩
	CVC/CCD (DMC/FFCC)		1	UEPPB	1141104	0.00	2.00	2.22				1			Ì	
	CVS/CSD (DMS/5ESS)			UEPPR	U1UCA	0.00	0.00	0.00		ļ				1		├
	0) (0 (FIMOD)		1	UEPPB	141105							1			Ì	
	CVS (EWSD)			UEPPR	U1UCB	0.00	0.00	0.00		ļ				1		₩
1			1	UEPPB UEPPR	U1UCC	0.00	0.00	0.00				1			Ì	
								0.00		1				i	1	1
F 6171	CSD NNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS SC		T. (*)	UEPPK	01000	0.00	0.00	0.00			_					+

<u>NBUNDLE</u>	ED NETWORK ELEMENTS - Georgia												Attachment:	2		Exhibit
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge
						Rec	Nonrec			Disconnect	201150			RATES (\$)		
				UEPPB			First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
	User Terminal Profile (EWSD only)			UEPPR	U1UMA	0.00	0.00	0.00								
VEDT	ICAL FEATURES	1		UEFFR	UTUIVIA	0.00	0.00	0.00			+					+
VERI	CAL FEATURES	1		UEPPB							1					-
	All Vertical Features - One per Channel B User Profile			UEPPR	UEPVF	0.00	0.00	0.00					19.99	19.99		
INTER	ROFFICE CHANNEL MILEAGE			OLITIK	OLI VI	0.00	0.00	0.00					13.33	13.33		+
IIVIE	Interoffice Channel mileage each, including first mile and			UEPPB												+
	facilities termination			UEPPR	M1GNC	16.47	79.61	36.08					19.99	19.99		
	racinties termination			UEPPB	WITGING	10.47	79.01	30.00					19.99	19.99		+
	Interoffice Channel mileage each, additional mile			UEPPR	M1GNM	0.0222	0.00	0.00				0.00				
4-WIR	E DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK	(PORT		OLITIK	IVITOTVIVI	0.0222	0.00	0.00				0.00				+
	Port/Loop Combination Rates	TOKI									1					+
ONE I	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE	1	-	1	1	1					1		1	1	1	+
	Zone 1		4	UEPPP		218.69										
-	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE	1	-	OLFFF	+	210.09					+					+
	Zone 2		2	UEPPP		227.29										
_				UEFFF		221.29										+
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE		3	UEPPP		205 00										
	Zone 3		3	UEPPP		265.09										
UNE	oop Rates			LIEDDD	1101.45	55.50	440.00	070.00					40.00	40.00		
	4-Wire DS1 Digital Loop - UNE Zone 1			UEPPP	USL4P	55.53	448.92	276.60					19.99	19.99		
	4-Wire DS1 Digital Loop - UNE Zone 2			UEPPP	USL4P	64.13	448.92	276.60					19.99	19.99		
	4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPPP	USL4P	101.93	448.92	276.60					19.99	19.99		
UNE	Port Rate															
	Exchange Ports - 4-Wire ISDN DS1 Port			UEPPP	UEPPP	163.16	186.80	186.80					19.99	19.99		
NONE	ECURRING CHARGES - CURRENTLY COMBINED															
	4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port															
	Combination - Conversion -Switch-as-is			UEPPP	USACP	0.00	269.96	269.96					19.99	19.99		
ADDI	FIONAL NRCs															
	4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy-															
	Inward/two way tel nos within Std Allowance			UEPPP	PR7TF		0.9686									
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port -															
	Outward Tel Numbers (All States except NC)			UEPPP	PR7TO		22.75	22.75								
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port -															
	Subsequent Inward Tel Nos Above Std Allowance			UEPPP	PR7ZT		45.49	45.49								
LOCA	L NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPPP	LNPCN	1.75										
INTER	RFACE (Provsioning Only)															
	Voice/Data			UEPPP	PR71V	0.00	0.00	0.00								
	Digital Data			UEPPP	PR71D	0.00	0.00	0.00								
	Inward Data			UEPPP	PR71E	0.00	0.00	0.00								
New o	or Additional "B" Channel															
	New or Additional - Voice/Data B Channel			UEPPP	PR7BV	0.00	28.71						19.99	19.99		
	New or Additional - Digital Data B Channel			UEPPP	PR7BF	0.00	28.71						19.99	19.99		
	New or Additional Inward Data B Channel			UEPPP	PR7BD	0.00	28.71						19.99	19.99		
	New or Additional Useage Sensitive Voice Data B Channel			UEPPP	PR7BS	0.00	28.71						19.99	19.99		
	New or Additional Useage Sensitive Digital Data B Channel			UEPPP	PR7BU	0.00	28.71						19.99	19.99		
CALL	TYPES															
	Inward			UEPPP	PR7C1	0.00	0.00	0.00								
	Outward			UEPPP	PR7C0	0.00	0.00	0.00								
	Two-way			UEPPP	PR7CC	0.00	0.00	0.00								
Intero	ffice Channel Mileage															
	Fixed Each Including First Mile			UEPPP	1LN1A	78.9223	147.07	111.75	0.00				19.99	19.99		
	Each Airline-Fractional Additional Mile			UEPPP	1LN1B	0.4523										
4-WIR	E DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT															
	Port/Loop Combination Rates					i i										1
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1		1	UEPDC		176.33										1
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2			UEPDC		184.93										1
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3			UEPDC		222.73					1		-	1	i	+

NRUNDLE	NETWORK ELEMENTS - Georgia												Attachment:	2		Exhibit
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)		s	ubmitted Elec	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge Manual Order
						Rec		urring	Nonrecurring Dis					RATES (\$)		T
UNIT	op Rates						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
			1	UEPDC	USLDC	55.53	448.92	276.00					19.99	19.99		
	4-Wire DS1 Digital Loop - UNE Zone 1 4-Wire DS1 Digital Loop - UNE Zone 2			UEPDC	USLDC	64.13	448.92	276.00					19.99	19.99		+
	4-Wire DS1 Digital Loop - UNE Zone 2 4-Wire DS1 Digital Loop - UNE Zone 3			UEPDC	USLDC	101.93	448.92	276.60					19.99	19.99		+
	ort Rate		3	OLFDC	USLDC	101.93	440.32	270.00					19.99	19.99		+
	4-Wire DDITS Digital Trunk Port			UEPDC	UDD1T	120.80	89.44	52.46					19.99	19.99		+
	CURRING CHARGES - CURRENTLY COMBINED			OLI DO	ODDII	120.00	00.44	02.40					10.00	10.00		†
HOITILE	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination															1
	- Switch-as-is			UEPDC	USAC4		269.96	269.96					19.99	19.99		
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination															†
	- Conversion with DS1 Changes	l		UEPDC	USAWA		269.96	269.96					19.99	19.99		
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination				İ	† †									İ	1
	- Conversion with Change - Trunk	l		UEPDC	USAWB		269.96	269.96					19.99	19.99		
ADDITIO	ONAL NRCs					1									1	
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent					1									1	
	Service Activity Per Service Order			UEPDC	USAS4		147.47	147.47								
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC -															
	Subsequent Channel Activation/Chan - 2-Way Trunk			UEPDC	UDTTA		28.71	28.71					19.99	19.99		
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent															
	Channel Activation/Chan - 1-Way Outward Trunk			UEPDC	UDTTB		28.71	28.71					19.99	19.99		
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel															
	Activation/Chan Inward Trunk w/out DID			UEPDC	UDTTC		28.71	28.71					19.99	19.99		
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan															1
	Activation Per Chan - Inward Trunk with DID			UEPDC	UDTTD		28.71	28.71					19.99	19.99		
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan															
	Activation / Chan - 2-Way DID w User Trans			UEPDC	UDTTE		28.71	28.71					19.99	19.99		
	AR 8 ZERO SUBSTITUTION															
	B8ZS -Superframe Format			UEPDC	CCOSF		0.00	600.00								
	B8ZS - Extended Superframe Format			UEPDC	CCOEF		0.00	600.00								
	te Mark Inversion															
	AMI -Superframe Format			UEPDC	MCOSF		0.00	0.00								
	AMI - Extended SuperFrame Format			UEPDC	MCOPO		0.00	0.00								
	one Number/Trunk Group Establisment Charges															<u> </u>
	Telephone Number for 2-Way Trunk Group			UEPDC	UDTGX	0.00										<u> </u>
	Telephone Number for 1-Way Outward Trunk Group	!	1	UEPDC	UDTGY	0.00										↓
	Telephone Number for 1-Way Inward Trunk Group Without DID	!	1	UEPDC	UDTGZ	0.00										↓
	DID Numbers, Establish Trunk Group and Provide First Group	l		LIEDDO	ND7											
	of 20 DID Numbers	 	1	UEPDC	NDZ	0.00	0.00	0.00						1		₩
	DID Numbers for each Group of 20 DID Numbers	 	1	UEPDC	ND4 ND5	0.00								1		₩
	DID Numbers, Non- consecutive DID Numbers , Per Number Reserve Non-Consecutive DID Nos.	1	1	UEPDC UEPDC	ND5 ND6	0.00	0.00	0.00		-				-	-	
-	Reserve Non-Consecutive DID Nos. Reserve DID Numbers	 	1	UEPDC	NDV	0.00	0.00	0.00								+
	red DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1	Digita					0.00	0.00	<u> </u>					-	-	+
	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities	Digita	Loop	WILLIA-WILL	India Por	i 				+				1	1	+
	Termination)	l		UEPDC	1LNO1	78.47	147.07	111.75	0.00	0.00			19.99	19.99		
+	· ····································			22, 20	12101	70.47	147.07	111.73	0.00	5.00			13.35	15.35		+
	Interoffice Channel Mileage - Additional rate per mile - 0-8 miles	l		UEPDC	1LNOA	0.4523	0.00	0.00								
	Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities	1	1 1	021 00	72107	0.4020	0.00	0.00	 	-						1
	Termination)	l		UEPDC	1LNO2	0.00	0.00	0.00								
	Interoffice Channel Mileage - Additional rate per mile - 9-25	1			1	5.55	0.00	3.30	 	+				1	1	†
	miles	l		UEPDC	1LNOB	0.4523	0.00	0.00								
	Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities			_	1	5220	2.20	2.30							İ	T
	Termination)			UEPDC	1LNO3	0.00	0.00	0.00	0.00							<u> </u>
	Interoffice Channel Mileage - Additional rate per mile - 25+ miles			UEPDC	1LNOC	0.4523	0.00	0.00								
	Local Number Portability, per DS0 Activated			UEPDC	LNPCP	3.15	0.00	0.00	0.00							
	Central Office Termininating Point			UEPDC	CTG	0.00										
4-WIDE	DS1 LOOP WITH CHANNELIZATION WITH PORT										_					

NBUNDLE	D NETWORK ELEMENTS - Georgia										,		Attachment:	2		Exhibi
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge
						Rec	Nonre			g Disconnect				RATES (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
	n is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Act															
	System can have up to 24 combinations of rates depending on	type ar	nd nun	nber of ports i	used	L										
UNE D	S1 Loop			LIEDMO	1101 00	55.50	0.00	0.00								
	4-Wire DS1 Loop - UNE Zone 1 4-Wire DS1 Loop - UNE Zone 2		1	UEPMG UEPMG	USLDC USLDC	55.53 64.13	0.00	0.00								
-	4-Wire DS1 Loop - UNE Zone 3			UEPMG	USLDC	101.93	0.00	0.00						-		
LINE D	SO Channelization Capacities (D4 Channel Bank Configuration	ns)	3	OLI WO	OOLDO	101.33	0.00	0.00								
O.V.E. D	24 DSO Channel Capacity - 1 per DS1			UEPMG	VUM24	102.64	0.00	0.00					19.99	19.99		
	48 DSO Channel Capacity - 1 per 2 DS1s			UEPMG	VUM48	205.28	0.00	0.00					19.99	19.99		
	96 DSO Channel Capacity -1per 4 DS1s			UEPMG	VUM96	410.56	0.00	0.00					19.99	19.99		
	144 DS0 Channel Capacity - 1 per 6 DS1s			UEPMG	VUM14	615.84	0.00	0.00					19.99	19.99		
	192 DS0 Channel Capacity -1 per 8 DS1s			UEPMG	VUM19	821.12	0.00	0.00					19.99	19.99		
	240 DS0 Channel Capacity - 1 per 10 DS1s	ļ		UEPMG	VUM20	1,026.40	0.00	0.00	ļ				19.99	19.99		
	288 DS0 Channel Capacity - 1 per 12 DS1s	ļ		UEPMG	VUM28	1,231.68	0.00	0.00					19.99	19.99		
	384 DS0 Channel Capacity - 1 per 16 DS1s			UEPMG	VUM38	1,642.24	0.00	0.00					19.99	19.99		
	480 DS0 Channel Capacity - 1 per 20 DS1s			UEPMG	VUM40	2,052.80	0.00	0.00					19.99	19.99		
	576 DS0 Channel Capacity -1 per 24 DS1s 672 DS0 Channel Capacity - 1 per 28 DS1s			UEPMG UEPMG	VUM57 VUM67	2,463.36 2,873.92	0.00	0.00			ļ		19.99 19.99	19.99 19.99		
Non D	ecurring Charges (NRC) Associated with 4-Wire DS1 Loop with	h Chan	a aliztia					0.00			1		19.99	19.99		
	mum System configuration is One (1) DS1, One (1) D4 Channe						System							-		
	les of this configuration functioning as one are considered Ac															
wantip	NRC - Conversion (Currently Combined) with or without	l are	T	l	I	ii is counted.										
	BellSouth Allowed Changes			UEPMG	USAC4	0.00	328.35	16.52					19.99	19.99		
	n Additions at End User Locations Where 4-Wire DS1 Loop wi	th Chan	neliza	tion with Port	Combination C	Currently Exists a	and									
New (I	Not Currently Combined) In GA, KY, LA, MS & TN Only															
	1 DS1/D4 Channel Bank - Add NRC for each Port and Assoc															
	Fea Activation - New GA, LA, KY, MS, &TN Only			UEPMG	VUMD4	0.00	738.61	462.53	144.05	17.09			19.99	19.99		
Bipola	r 8 Zero Substitution															
	Clear Channel Capability Format, superframe - Subsequent			LIEDMO	CCOSF	0.00	0.00	000.00								
	Activity Only Clear Channel Capability Format - Extended Superframe -			UEPMG	CCOSF	0.00	0.00	600.00			ļ					
	Subsequent Activity Only			UEPMG	CCOEF	0.00	0.00	600.00								
Δltern	ate Mark Inversion (AMI)			OLI WO	CCCLI	0.00	0.00	000.00			1					
7.1.10.1.1	Superframe Format			UEPMG	MCOSF	0.00	0.00	0.00								
	Extended Superframe Format			UEPMG	MCOPO	0.00	0.00	0.00								
Excha	nge Ports Associated with 4-Wire DS1 Loop with Channelizati	on with	Port													
Excha	nge Ports															
	Line Side Combination Channelized PBX Trunk Port - Business			UEPPX	UEPCX	1.79	0.00	0.00	0.00	0.00			33.67	7.88		
	Line Side Outward Channelized PBX Trunk Port - Business	<u> </u>		UEPPX	UEPOX	1.79	0.00	0.00	0.00	0.00	<u> </u>		33.67	7.88		
		1			l.,	1 1										
_	Line Side Inward Only Channelized PBX Trunk Port without DID	<u> </u>	<u> </u>	UEPPX	UEP1X	1.79	0.00	0.00	0.00	0.00	<u> </u>	<u> </u>	33.67	7.88		<u> </u>
E	2-Wire Trunk Side Unbundled Channelized DID Trunk Port e Activations - Unbundled Loop Concentration	-	1	UEPPX	UEPDM	11.35	0.00	0.00	0.00	0.00	-		33.67	7.88	-	
reatur	Feature (Service) Activation for each Line Side Port Terminated	<u> </u>	<u> </u>	}	+	 					1	1		 		1
	in D4 Bank			UEPPX	1PQWM	0.62	25.09	13.25	3.99	3.97			33.67	7.88		
-	Feature (Service) Activation for each Trunk Side Port Terminated	1	-	JLI I A	11 (2 4 4 1 1 1	0.02	25.09	13.25	3.99	3.91	1	1	33.07	7.00		1
	in D4 Bank	1		UEPPX	1PQWU	0.62	77.21	18.20	56.49	11.04			33.67	7.88		
	none Number/ Group Establishment Charges for DID Service		1	1	1	5.52	1	.0.20	55.10	5 -			55.57	7.50		
Teleph	DID Trunk Termination (1 per Port)			UEPPX	NDT	0.00	0.00	0.00								1
Teleph			İ	UEPPX	NDZ	0.00	0.00	0.00								
Teleph	Estab Trk Grp and Provide 1st 20 DID Nos. (FL,GA, NC,& SC)			Lucabay	ND4	0.00	0.00	0.00								
Teleph	DID Numbers - groups of 20 - Valid all States			UEPPX		0.00										
Teleph	DID Numbers - groups of 20 - Valid all States Non-Consecutive DID Numbers - per number			UEPPX	ND5	0.00	0.00	0.00								
Teleph	DID Numbers - groups of 20 - Valid all States Non-Consecutive DID Numbers - per number Reserve Non-Consecutive DID Numbers			UEPPX UEPPX	ND5 ND6	0.00 0.00	0.00	0.00								
	DID Numbers - groups of 20 - Valid all States Non-Consecutive DID Numbers - per number Reserve Non-Consecutive DID Numbers Reserve DID Numbers			UEPPX	ND5	0.00										
	DID Numbers - groups of 20 - Valid all States Non-Consecutive DID Numbers - per number Reserve Non-Consecutive DID Numbers			UEPPX UEPPX	ND5 ND6	0.00 0.00	0.00	0.00								

UNBUNDLE	D NETWORK ELEMENTS - Georgia												Attachment:	2		Exhibit: E
															Inoromant-1	
													Incremental	Incremental	Incremental	Incrementa
		Interi											Charge -	Charge -	Charge -	Charge -
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)				Svc Order	Manual Svc		Manual Svc	Manual Sv
												Submitted		Order vs.	Order vs.	Order vs.
											Elec	Manually	Electronic-	Electronic-	Electronic-	Electronic
							ı		ı		per LSR	per LSR	1st	Add'l	Disc 1st	Disc Add'l
						Rec	Name	curring	Na	g Disconnect			220	RATES (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
l ocal 9	Switching Features Offered with Line Side Ports Only						First	Auu i	FIISL	Auu i	SOMEC	SOWAN	JOWAN	JOWAN	JOWAN	SOWAN
Local S	All Features Available			UEPPX	UEPVF	0.00	0.00	0.00								
UNBUNDI ED E	PORT LOOP COMBINATIONS - MARKET RATES			OLITA	OLI VI	0.00	0.00	0.00								—
	Rates shall apply where BellSouth is not required to provide u	ınbunc	lled lo	cal switching o	r switch ports	per FCC and/o	or State Commi	ssion rules.								
	scenarios include:															
1. Unb	undled port/loop combinations that are Not Currently Combine	ed in A	labam	a, Florida, Nort	h Carolina and	d South Carolin	na.									
2. Unb	undled port/loop combinations that are Currently Combined o	r Not C	urrent	ly Combined in	Zone 1 of the	Top 8 MSAS i	n BellSouth's	egion for end	users with 4 o	r more DS0 eq	ivalent line	s.				
	p 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderda															
	uth currently is developing the billing capability to mechanical									for not curren	tly combine	d in AL, FL,	, NC and SC.	In the interim	where BellSo	outh canno
	rket Rates, BellSouth shall bill the rates in the Cost-Based sect			g in lieu of the	Market Rates	and reserves th	ne right to true	up the billing	difference.							
	arket Rate for unbundled ports includes all available features in															1
	fice and Tandem Switching Usage and Common Transport Usa	age rat	es in tl	ne Port section	of this rate ex	thibit shall app	ly to all combi	nations of loop	p/port network	elements exce	pt for UNE	Coin Port/L	oop Combin	ations which h	nave a flat rate	∍ usage
	(USOC: URECU).															
	t Currently Combined scenarios where Market Rates apply, the				isted in the Fi	rst and Additio	nal NRC colum	ns for each Po	ort USOC. For	Currently Com	bined scen	arios, the N	onrecurring o	charges are lis	ted in the NR	C - Current
	ned section. Additional NRCs may apply also and are categori	zed ac	cordin	gly.												
	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)															
UNE Po	ort/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Zone 1		1			24.80										
	2-Wire VG Loop/Port Combo - Zone 2		2			26.47										├
	2-Wire VG Loop/Port Combo - Zone 3		3			33.83										├
UNE LO	pop Rates		1	LIEDDY	HEDLY	40.00										+
	2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPRX UEPRX	UEPLX UEPLX	10.80 12.47				-						+
	2-Wire Voice Grade Loop (SL1) - Zone 3			UEPRX	UEPLX	19.83										
2-Wire	Voice Grade Line Port (Res)		3	UEPKA	UEPLA	19.03				-						
2-11116	2-Wire voice unbundled port - residence			UEPRX	UEPRL	14.00	90.00	90.00		1			33.67	7.88	11.17	3.9
	2-Wire voice unbundled port with Caller ID - res			UEPRX	UEPRC	14.00	90.00	90.00					33.67	7.88	11.17	3.9
	2-Wire voice unbundled port outgoing only - res			UEPRX	UEPRO	14.00	90.00	90.00					33.67	7.88	11.17	3.9
	2-Wire voice unbundles res, low usage line port with Caller ID															
	(LUM)			UEPRX	UEPAP	14.00	90.00	90.00					33.67	7.88	11.17	3.9
LOCAL	NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPRX	LNPCX	0.35										
FEATU	RES															ſ
	All Features Offered			UEPRX	UEPVF	0.00	0.00	0.00								[
								-					<u> </u>			1
	2-Wire Voice Grade Loop / Line Port Combination - Switch-as-is			UEPRX	USAC2		41.50	41.50		ļ			33.67	7.88	11.17	3.9
	2-Wire Voice Grade Loop / Line Port Combination - Switch with		1]	I						1
488:-	change		<u> </u>	UEPRX	USACC		41.50	41.50	 	-				ļ		
ADDITI	ONAL NRCs									.						⊢—
	NRC - 2-Wire Voice Grade Loop/Line Port Combination - Subsequent		l	UEPRX	USAS2		0.00	0.00		1			33.67	7.88	11.17	3.9
2 WIDE	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)			UEPRA	USAS2		0.00	0.00					33.67	7.88	11.17	3.9
	ort/Loop Combination Rates															1
UNE PO	2-Wire VG Loop/Port Combo - Zone 1		1			24.80				 			-			
	2-Wire VG Loop/Port Combo - Zone 2		2			26.47	 		 	 						
	2-Wire VG Loop/Port Combo - Zone 3		3			33.83				-	1			1		<u> </u>
UNE La	pop Rates		Ť			22.50	1		1	1						
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPBX	UEPLX	10.80				İ						
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPBX	UEPLX	12.47	İ		İ	1			İ			
	2-Wire Voice Grade Loop (SL1) - Zone 3			UEPBX	UEPLX	19.83										
2-Wire	Voice Grade Line Port (Bus)															
	2-Wire voice unbundled port without Caller ID - bus			UEPBX	UEPBL	14.00	90.00	90.00					33.67	7.88	11.17	3.9
	2-Wire voice unbundled port with Caller + E484 ID - bus			UEPBX	UEPBC	14.00	90.00	90.00					33.67	7.88	11.17	3.9
	2-Wire voice unbundled port outgoing only - bus			UEPBX	UEPBO	14.00	90.00	90.00					33.67	7.88	11.17	3.9
LOCAL	NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPBX	LNPCX	0.35										
FEATU										1						Ь—
NONRE	CURRING CHARGES - CURRENTLY COMBINED		l	1		1	I		I	1			I	1		i

4Q01:12/01/01 PAGE 101 OF 324

DUNULEL	NETWORK ELEMENTS - Georgia			ı		1					1		Attachment:		1	Exhibi
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge
						Rec	Nonrec First	urring Add'l	Nonrecurring First	g Disconnect Add'l	SOMEC	SOMAN	OSS	RATES (\$)	SOMAN	SOMA
	2-Wire Voice Grade Loop / Line Port Combination - Switch-as-is 2-Wire Voice Grade Loop / Line Port Combination - Switch with			UEPBX	USAC2		41.50	41.50					33.67	7.88	11.17	
	change			UEPBX	USACC		41.50	41.50								
ADDITIO	ONAL NRCs			OLI DX	00/100		41.00	41.00								
	NRC - 2-Wire Voice Grade Loop/Line Port Combination -															
	Subsequent			UEPBX	USAS2		0.00	0.00					33.67	7.88	11.17	
	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)															
UNE Po	ort/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Zone 1		1			24.80										
	2-Wire VG Loop/Port Combo - Zone 2		2			26.47										
	2-Wire VG Loop/Port Combo - Zone 3		3			33.83					1					
	pop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPRG	UEPLX	10.80					1					
	2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2			UEPRG	UEPLX	12.47					1					
	2-Wire Voice Grade Loop (SL1) - Zone 3			UEPRG	UEPLX	19.83					1					
	Voice Grade Line Port Rates (RES - PBX)			OLI IKO	OLI LX	10.00										
	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port -															
	Res			UEPRG	UEPRD	14.00	90.00	90.00					33.67	7.88	11.17	
LOCAL	NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPRG	LNPCP	3.15										
FEATU																
NONRE	CURRING CHARGES - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is			UEPRG	USAC2		41.50	41.50					33.67	7.88	11.17	
	2-Wire Voice Grade Loop/ Line Port Combination - Switch with															
	Change ONAL NRCs			UEPRG	USACC		41.50	41.50								
	2 Wire Loop/Line Side Port Combination - Non feature -															-
	Subsequent Activity- Nonrecurring						0.00	0.00								
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt						0.00	0.00			1					
	Group						14.64	14.64					19.99	19.99	19.99	
2-WIRE	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)										1		10.00	10.00	10.00	
	ort/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Zone 1		1			24.80										
	2-Wire VG Loop/Port Combo - Zone 2		2			26.47										
	2-Wire VG Loop/Port Combo - Zone 3		3			33.83										
	oop Rates															
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPPX	UEPLX	10.80										
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPPX	UEPLX	12.47 19.83										
	2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (BUS - PBX)		3	UEPPX	UEPLX	19.83					1					
2-wire	Voice Grade Line Port Rates (BUS - PBX)															-
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPPX	UEPPC	14.00	90.00	90.00					33.67	7.88	11.17	
	Line Side Unbundled Combination 2-way PBX Trunk Port - Bus	-		UEPPX	UEPPO	14.00	90.00	90.00					33.67	7.88	11.17	
	Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPPX	UEPP1	14.00	90.00	90.00					33.67	7.88	11.17	
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	14.00	90.00	90.00					33.67	7.88	11.17	
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	14.00	90.00	90.00					33.67	7.88	11.17	
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	14.00	90.00	90.00					33.67	7.88	11.17	
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	14.00	90.00	90.00					33.67	7.88	11.17	
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	14.00	90.00	90.00					33.67	7.88	11.17	
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD															
	Capable Port			UEPPX	UEPXE	14.00	90.00	90.00			ļ		33.67	7.88	11.17	
1	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			LIEDDY	LIEDY/	44.60	00.00	00.00					00.00	7.00		
	Administrative Calling Port	i	1	UEPPX	UEPXL	14.00	90.00	90.00		l	1	1	33.67	7.88	11.17	1
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy		1		-	+										

JNBUNDLE	D NETWORK ELEMENTS - Georgia											Attachment:	2	-	Exhibit:
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incremen Charge
						Rec	Nonrec First	urring Add'l	Nonrecurring Disc	connect	EC SOMAN		RATES (\$)	SOMAN	SOMAN
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital				+	1	FIISL	Add I	FIISL A	Add 1 SOW	EC SOMAN	SOWAN	SOWAN	SOWAN	SOWAN
	Discount Room Calling Port			UEPPX	UEPXO	14.00	90.00	90.00				33.67	7.88	11.17	3.
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	14.00	90.00	90.00				33.67	7.88	11.17	3.
LOCAL	NUMBER PORTABILITY														
	Local Number Portability (1 per port)			UEPPX	LNPCP	3.15						1			
FEATU															
NONRI	ECURRING CHARGES - CURRENTLY COMBINED											-			
	2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is			UEPPX	USAC2		41.50	41.50				33.67	7.88	11.17	3
	2-Wire Voice Grade Loop/ Line Port Combination - Switch with			OLITA	OOAOZ		41.50	41.50				33.07	7.00	11.17	-
	Change			UEPPX	USACC		41.50	41.50							
ADDIT	IONAL NRCs														
	2-Wire Voice Grade Loop/ Line Port Combination - Subsequent			UEPPX	USAS2		0.00	0.00				33.67	7.88	11.17	3
	2 Wire Loop/Line Side Port Combination - Non feature -														
	Subsequent Activity- Nonrecurring						0.00	0.00							
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group						44.64	44.64				40.00	40.00	19.99	19
2 WIDE	Group E VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POR))T	<u> </u>		-	-	14.64	14.64				19.99	19.99	19.99	19
	ort/Loop Combination Rates	1			+							-			
ONLI	2-Wire VG Coin Port/Loop Combo – Zone 1		1		+	24.80									
	2-Wire VG Coin Port/Loop Combo – Zone 2		2			26.47						-			
	2-Wire VG Coin Port/Loop Combo – Zone 3		3			33.83									
UNE L	oop Rates														
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPCO	UEPLX	10.80									
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPCO	UEPLX	12.47									
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPCO	UEPLX	19.83									
2-Wire	Voice Grade Line Port Rates (Coin)														
	2-Wire Coin 2-Way with Operator Screening (GA)			UEPCO	UEPGC	14.00	90.00	90.00				33.67	7.88	11.17	3
	2-Wire Coin 2-Way with Operator Screening and Blocking: 011, 900/976, 1+DDD (GA)			UEPCO	UEP2G	14.00	90.00	90.00				33.67	7.88	11.17	3
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking			OLFCO	OLFZG	14.00	90.00	90.00				33.07	7.00	11.17	,
	(GA)			UEPCO	UEPGA	14.00	90.00	90.00				33.67	7.88	11.17	
	2-Wire Coin 2-Way with Operator Screening and 900/976			02. 00	02. 0/1	100	00.00	00.00				00.07	7.00		,
	Blocking (GA)			UEPCO	UEPGB	14.00	90.00	90.00				33.67	7.88	11.17	3
	2-Wire Coin 2-Way with Operator Screening and Blocking:														
	900/976, 1+DDD, 011+,and Local (GA)			UEPCO	UEPCH	14.00	90.00	90.00				33.67	7.88	11.17	3
	2-Wire Coin Outward with Operator Screening and 011Blocking				l										_
	(GA, KY, MS)			UEPCO	UEPRJ	14.00	90.00	90.00				33.67	7.88	11.17	3
	2-Wire Coin Outward with Operator Screening and Blocking: 900/976, 1+DDD, 011+, and Local (FL, GA)			UEPCO	UEPCQ	14.00	90.00	90.00				33.67	7.88	11.17	3
LOCAL	NUMBER PORTABILITY			UEPCO	UEPCQ	14.00	90.00	90.00				33.07	7.00	11.17	
LOCAL	Local Number Portability (1 per port)			UEPCO	LNPCX	0.35									
NONR	ECURRING CHARGES - CURRENTLY COMBINED	<u> </u>				0.00						1	1		
		1			1	1					1	1	Ì		
	2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is	<u> </u>		UEPCO	USAC2		41.50	41.50				33.67	7.88	11.17	3
	2-Wire Voice Grade Loop/ Line Port Combination - Switch with							· · · · · · · · · · · · · · · · · · ·					1		
	Change	ļ		UEPCO	USACC	ļ .	41.50	41.50				1			
ADDIT	IONAL NRCs	<u> </u>				1							ļ		
	2-Wire Voice Grade Loop/ Line Port Combination - Subsequent	1		UEPCO	USAS2		0.00	0.00			1	33.67	7.88	11.17	3
RIINDI ED 4	2-Wire Voice Grade Loop/ Line Port Combination - Subsequent CENTREX PORT/LOOP COMBINATIONS	 	-	UEPUU	USASZ	1	0.00	0.00	 			33.07	7.88	11.17	
	NDLED PORT/LOOP COMBINATIONS - COST BASED RATES				+	1				-	+	+			
	CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only	')			+	† †			 	- 	_	t	1		1
	VG Loop/2-Wire Voice Grade Port (Centrex) Combo	Í			1							1			
	ort/Loop Combination Rates (Non-Design)	1			1	1				<u> </u>	1	1	İ		
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	l				İ	İ			İ			1		
ı	Non-Design	1	1	UEP91		12.59							1		

NRONDLED NE	TWORK ELEMENTS - Georgia										,	,	Attachment:	2		Exhibit
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge Manual Order v
						Rec	Nonrec	urring	Nonrecurring	g Disconnect				RATES (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
	re VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design		2	UEP91		14.26										
	re VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design		3	UEP91		21.62										
	pop Combination Rates (Design)															
	re VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
Desig			1	UEP91		18.63										
	re VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		_	l												
Desig			2	UEP91		21.24										
	re VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		_	LIEBOA		00.74										
Desig			3	UEP91	1	32.71			 	 	}	}	 	 	1	
UNE Loop R			<u> </u>	LIEDOS	LIECC1	10.00			-	-	1	1	-	-		
	re Voice Grade Loop (SL 1) - Zone 1		1	UEP91	UECS1	10.80			1	 	1	1	1	1	-	
	re Voice Grade Loop (SL 1) - Zone 2		2	UEP91 UEP91	UECS1	12.47 19.83			-	-	1	1	-	-		₩
	re Voice Grade Loop (SL 1) - Zone 3		3	UEP91 UEP91	UECS1	19.83			1	 	1	1	1	1	-	
	re Voice Grade Loop (SL 2) - Zone 1		1		UECS2				1	 	1	1	1	1	-	
	re Voice Grade Loop (SL 2) - Zone 2		2	UEP91	UECS2	19.45										+
	re Voice Grade Loop (SL 2) - Zone 3		3	UEP91	UECS2	30.92					1					+
UNE Ports	Second New House Consultance Consultance															╀
	except North Carolina and Sout Carolina)			UEP91	UEPYA	1.79	22.14	15.25	8.45	2.04			33.67	7.00		
	re Voice Grade Port (Centrex) Basic Local Area			UEP91	UEPTA	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	re Voice Grade Port (Centrex 800 termination)Basic Local			LIEBOA	LIEDVD	4.70	00.44	45.05	0.45	0.04			00.07	7.00		
Area	re Voice Grade Port (Centrex with Caller ID)1Basic Local			UEP91	UEPYB	1.79	22.14	15.25	8.45	3.91	1		33.67	7.88		+
				UEP91	UEPYH	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
Area	re Voice Grade Port (Centrex from diff Serving Wire			UEF91	UEPTH	1.79	22.14	15.25	0.40	3.91			33.67	1.00		+
	ter)2 Basic Local Area			UEP91	UEPYM	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	re Voice Grade Port, Diff Serving Wire Center - 800 Service			UEF91	UEPTIVI	1.79	22.14	15.25	0.40	3.91			33.67	1.00		+
	n - Basic Local Area			UEP91	UEPYZ	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	re Voice Grade Port terminated in on Megalink or equivalent			UEF91	UEFTZ	1.79	22.14	15.25	0.40	3.91			33.67	1.00		+
	sic Local Area			UEP91	UEPY9	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	re Voice Grade Port Terminated on 800 Service Term -			OLI 31	OLI 13	1.73	22.14	10.20	0.43	5.51			33.07	7.00		+
	c Local Area			UEP91	UEPY2	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	I Florida Only			OLF91	OLF 12	1.75	22.14	13.23	0.45	3.51	1	1	33.07	7.00		+
	re Voice Grade Port (Centrex)			UEP91	UEPHA	1.79	22.14	15.25	8.45	3.91			33.67	7.88		+
	re Voice Grade Port (Centrex 800 termination)			UEP91	UEPHB	1.79	22.14	15.25	8.45	3.91	1	1	33.67	7.88		+
	re Voice Grade Port (Centrex with Caller ID)1			UEP91	UEPHH	1.79	22.14	15.25	8.45	3.91	1	1	33.67	7.88		+
	re Voice Grade Port (Centrex with Caller ID)1 re Voice Grade Port (Centrex from diff Serving Wire		 	<u> </u>	JE11111	1.13	22.14	10.20	0.40	3.91	1	1	55.07	7.00	1	+
Cent		1	1	UEP91	UEPHM	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	re Voice Grade Port, Diff Serving Wire Center - 800 Service		 		3=	1.73	22.17	10.20	010	5.91	1	1	55.57	7.50	1	
Term			1	UEP91	UEPHZ	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
1.51111			-		1			.0.20	5.10	3.51	1		33.51	50	1	†
2-Wii	re Voice Grade Port terminated in on Megalink or equivalent		l	UEP91	UEPH9	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	re Voice Grade Port Terminated in 61 Weganink of equivalent			UEP91	UEPH2	1.79	22.14	15.25	8.45	3.91			33.67	7.88		†
Local Switch					1				50	2.31				1.50		†
	trex Intercom Funtionality, per port			UEP91	URECS	0.5554							İ	İ		1
	er Portability															1
	Il Number Portability (1 per port)			UEP91	LNPCC	0.35					İ	Ì				
Features	, , , , , , , , , , , , , , , , , , ,															
	tandard Features Offered, per port			UEP91	UEPVF	0.00										
All S	elect Features Offered, per port			UEP91	UEPVS	0.00	454.69									
All C	entrex Control Features Offered, per port			UEP91	UEPVC	0.00										
NARS	• • •															
Unbu	undled Network Access Register - Combination			UEP91	UARCX	0.00	0.00	0.00								
	undled Network Access Register - Indial			UEP91	UAR1X	0.00	0.00	0.00								
	undled Network Access Register - Outdial			UEP91	UAROX	0.00	0.00	0.00								
	us Terminations															
2-Wire Truni											1					T

<u>IBUNDLED NETWORK EL</u>	EMENTS - Georgia												Attachment:	2		Exhibit:
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			Submitted Elec	Svc Order Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Order vs Electron
						Rec	Name	curring	Namaaaaaiin	g Disconnect	per LSR	per LSR	1st	Add'l	Disc 1st	Disc Add
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		RATES (\$) SOMAN	SOMAN	SOMAN
Trunk Side Termina				UEP91	CENA6	11.35	61.91	61.91								
Interoffice Channel Mileag	je - 2-Wire															
	Facilities Termination - Voice Grade			UEP91	MIGBC	17.07										
	mileage, per mile or fraction of mile			UEP91	MIGBM	0.0222										
	Centrex Loops on Channelized DS1 Service	e														
D4 Channel Bank Feature																
Feature Activation of	on D-4 Channel Bank Centrex Loop Slot			UEP91	1PQWS	0.62										
	on D-4 Channel Bank FX line Side Loop Slot			UEP91	1PQW6	0.62										
	n D-4 Channel Bank FX Trunk Side Loop															
Slot				UEP91	1PQW7	0.62					1					<u> </u>
Feature Activation of Different Wire Cent	on D-4 Channel Bank Centrex Loop Slot - er			UEP91	1PQWP	0.62										
Feature Activation of	on D-4 Channel Bank Private Line Loop Slot			UEP91	1PQWV	0.62										
	on D-4 Channel Bank Tjie Line/Trunk Loop			02. 0.		0.02					1					
Slot				UEP91	1PQWQ	0.62										
	on D-4 Channel Bank WATS Loop Slot			UEP91	1PQWA	0.62										
	IRC) Associated with UNE-P Centrex				11. 41.11.											
	ntly Combined Switch-As-Is with allowed															
changes, per port	•			UEP91	USAC2		2.01	0.3108								
New Centrex Stand	ard Common Block			UEP91	M1ACS	0.00	659.41									
	mized Common Block			UEP91	M1ACC	0.00	659.41									
Secondary Block, p	er Block			UEP91	M2CC1	0.00	77.10									
NAR Establishment	Charge, Per Occasion			UEP91	URECA	0.00	71.88									
UNE-P CENTREX - 5ESS	(Valid in All States)															
	ice Grade Port (Centrex) Combo															
UNE Port/Loop Combinat	on Rates (Non-Design)															
2-Wire VG Loop/2-\ Non-Design	Vire Voice Grade Port (Centrex) Port Combo -		1	UEP95		12.59										
	Vire Voice Grade Port (Centrex)Port Combo -															
Non-Design	, ,		2	UEP95		14.26										Ì
2-Wire VG Loop/2-\ Non-Design	Vire Voice Grade Port (Centrex)Port Combo -		3	UEP95		21.62										
UNE Port/Loop Combinat	on Rates (Design)			02. 00		202					1					
	Vire Voice Grade Port (Centrex) Port Combo -															
Design	, , , , , , , , , , , , , , , , , , , ,		1	UEP95		18.63										Ì
	Vire Voice Grade Port (Centrex)Port Combo -															
Design			2	UEP95		21.24										
2-Wire VG Loop/2-\	Vire Voice Grade Port (Centrex)Port Combo -															
Design			3	UEP95		32.71										
UNE Loop Rate																
	Loop (SL 1) - Zone 1		1	UEP95	UECS1	10.80										
	Loop (SL 1) - Zone 2		2	UEP95	UECS1	12.47]						
	Loop (SL 1) - Zone 3		3	UEP95	UECS1	19.83										<u> </u>
	Loop (SL 2) - Zone 1		1	UEP95	UECS2	16.84										ļ
	Loop (SL 2) - Zone 2		2	UEP95	UECS2	19.45										
	Loop (SL 2) - Zone 3		3	UEP95	UECS2	30.92										
UNE Port Rate All States			 	!	1	 				 	1					
	Port (Centrex) Basic Local Area		1	UEP95	UEPYA	1.79	22.14	15.05	8.45	3.91	1		33.67	7.88		
			1	UEP95 UEP95	UEPYA	1.79	22.14	15.25 15.25	8.45 8.45	3.91	1		33.67	7.88		
	Port (Centrex 800 termination) Port (Centrex with Caller ID)1Basic Local	-	 	UEP95	UEPTB	1.79	22.14	15.25	8.45	3.91	 		33.67	7.88		├──
	FULL (Centrex with Caller ID) IBasic Local		1	UEP95	UEPYH	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	Port (Centrex from diff Serving Wire															
Center)2 Basic Loc 2-Wire Voice Grade	Port, Diff Serving Wire Center - 800 Service			UEP95	UEPYM	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
Term - Basic Local	Area			UEP95	UEPYZ	1.79	22.14	15.25	8.45	3.91			33.67	7.88		1

NRONDLE	D NETWORK ELEMENTS - Georgia					1							Attachment:	2		Exhibi
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge Manual
						Rec	Nonred First	urring Add'l	Nonrecurring First		COMEC	SOMAN		RATES (\$)	SOMAN	SOMA
	2-Wire Voice Grade Port terminated in on Megalink or equivalent						FIRST	Addi	FIRST	Add'l	SOMEC	SUMAN	SUMAN	SUMAN	SOWAN	SUMA
	- Basic Local Area			UEP95	UEPY9	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port Terminated on 800 Service Term -			OLI 33	OLI 13	1.73	22.17	13.23	0.43	3.31			33.07	7.00		+
	Basic Local Area			UEP95	UEPY2	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
FL & G										-						1
	2-Wire Voice Grade Port (Centrex)			UEP95	UEPHA	1.79	22.14	15.25	8.45	3.91			33.67	7.88		1
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPHB	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP95	UEPHH	1.79	22.14	15.25	8.45	3.91			33.67	7.88		1
	2-Wire Voice Grade Port (Centrex from diff Serving Wire															
	Center)2			UEP95	UEPHM	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
	Term			UEP95	UEPHZ	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP95	UEPH9	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP95	UEPH2	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	witching															
	Centrex Intercom Funtionality, per port			UEP95	URECS	0.5554										
	lumber Portability				111000											
	Local Number Portability (1 per port)			UEP95	LNPCC	0.35										
Feature				UEP95	UEPVF	0.00										-
	All Standard Features Offered, per port						454.00									+
	All Select Features Offered, per port All Centrex Control Features Offered, per port			UEP95 UEP95	UEPVS UEPVC	0.00	454.69									+
NARS	All Certifex Control Features Offered, per port			UEF95	DEPVC	0.00										+
	Unbundled Network Access Register - Combination			UEP95	UARCX	0.00	0.00	0.00								+
	Unbundled Network Access Register - Indial			UEP95	UAR1X	0.00	0.00	0.00								+
	Unbundled Network Access Register - Outdial			UEP95	UAROX	0.00	0.00	0.00								+
Miscell	aneous Terminations			02. 00	07.11.07.1	0.00	0.00	0.00								1
	Trunk Side															
	Trunk Side Terminations, each			UEP95	CEND6	11.35	61.91	61.91								
4-Wire	Digital (1.544 Megabits)															1
	DS1 Circuit Terminations, each			UEP95	M1HD1	120.80	89.44	52.46								
	DS0 Channels Activated, each			UEP95	M1HDO	0.00	28.71									
	ice Channel Mileage - 2-Wire															
	Interoffice Channel Facilities Termination			UEP95	MIGBC	17.07										
	Interoffice Channel mileage, per mile or fraction of mile			UEP95	MIGBM	0.0222										
	Activations (DS0) Centrex Loops on Channelized DS1 Service	е														
D4 Cha	nnel Bank Feature Activations			LIEDOE	40014/2	2.00										-
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	1PQWS	0.62										
	Facture Activation on D.4 Channel Beats EV line Cide Law City			UEP95	1PQW6	0.62						1				1
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP95	IPUVVO	0.62							-	-		+
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP95	1PQW7	0.62						1				1
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -			OLF 93	IF Q VV I	0.02							1	1		+-
	Different Wire Center			UEP95	1PQWP	0.62						1				1
+	Silloron Trillo Contoi			021 00	// 5411	0.02						 				+
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP95	1PQWV	0.62										
	Feature Activation on D-4 Channel Bank Tile Line/Trunk Loop					0.02										1
	Slot			UEP95	1PQWQ	0.62						1				1
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP95	1PQWA	0.62							İ	İ		1
	curring Charges (NRC) Associated with UNE-P Centrex															1
	NRC Conversion Currently Combined Switch-As-Is with allowed															1
	changes, per port	<u></u>		UEP95	USAC2		2.01	0.3108			<u> </u>	<u></u>	<u> </u>	<u> </u>		<u> </u>
	New Centrex Standard Common Block			UEP95	M1ACS	0.00	659.41									
	New Centrex Customized Common Block			UEP95	M1ACC	0.00	659.41									
	NAR Establishment Charge, Per Occasion CENTREX - DMS100 (Valid in All States)			UEP95	URECA	0.00	71.88									

UNBUNDLE	D NETWORK ELEMENTS - Georgia					T					1		Attachment:	2		Exhibit: I
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrec		Nonrecurring					RATES (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UNE P	ort/Loop Combination Rates (Non-Design)															1
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design		1	UEP9D		12.59										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		2	UEP9D		14.26										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo		•	LIEDOD		24.62										
LINE D	Non-Design ort/Loop Combination Rates (Design)		3	UEP9D		21.62										
UNE P	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -					1										
	Design		1	UEP9D		18.63										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design		2	UEP9D		21.24										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			OLFBD		21.24										
	Design		3	UEP9D		32.71										
UNE L	oop Rate			LIEDOD	115004	40.00										
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9D	UECS1	10.80										
	2-Wire Voice Grade Loop (SL 1) - Zone 2			UEP9D UEP9D	UECS1 UECS1	12.47 19.83					ļ					
	2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 1			UEP9D	UECS2	16.84										
	2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 2			UEP9D	UECS2	19.45										
	2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3			UEP9D	UECS2	30.92					1					+
LINE D	ort Rate		3	OLI 3D	OLOGZ	30.32					1					+
	TATES															+
ALLO	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP9D	UEPYA	1.79	22.14	15.25	8.45	3.91			33.67	7.88		1
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area			UEP9D	UEPYB	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local															
	Area 2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local			UEP9D	UEPYC	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	Area			UEP9D	UEPYD	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local Area			UEP9D	UEPYE	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local Area			UEP9D	UEPYF	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local												00.07			
	Area 2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local			UEP9D	UEPYG	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	Area 2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local			UEP9D	UEPYT	1.79	22.14	15.25	8.45	3.91			33.67	7.88		<u> </u>
	Area			UEP9D	UEPYU	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local Area			UEP9D	UEPYV	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local Area			UEP9D	UEPY3	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local Area			UEP9D	UEPYH	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp Indication))3 Basic Local Area			UEP9D	UEPYW	1.79	22.14	15.25	8.45	3.91		1	33.67	7.88		
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))3					İ										
	Basic Local Area 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)			UEP9D	UEPYJ	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3			UEP9D	UEPYM	1.79	22.14	15.25	8.45	3.91	1	-	33.67	7.88		
	Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3			UEP9D	UEPYO	1.79	22.14	15.25	8.45	3.91		-	33.67	7.88		
	Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-9509)2, 3			UEP9D	UEPYP	1.79	22.14	15.25	8.45	3.91		ļ	33.67	7.88		
	Basic Local Area			UEP9D	UEPYQ	1.79	22.14	15.25	8.45	3.91			33.67	7.88		

UNBUNDLE	D NETWORK ELEMENTS - Georgia												Attachment:	2		Exhibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)	Т			Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec			Disconnect			oss i	RATES (\$)		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Basic Local Area			UEP9D	UEPYR	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3															
	Basic Local Area			UEP9D	UEPYS	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3 Basic Local Area			UEP9D	UEPY4	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3															
	Basic Local Area			UEP9D	UEPY5	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3 Basic Local Area			UEP9D	UEPY6	1.79	22.14	15.25	8.45	3.91			33.67	7.88		ĺ
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3			OLF 9D	OLFTO	1.79	22.14	13.23	0.45	3.51			33.07	7.00		
	Basic Local Area			UEP9D	UEPY7	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
	Term			UEP9D	UEPYZ	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port terminated in on Megalink or equivalent Basic Local Area			UEP9D	UEPY9	1.79	22.14	15.25	8.45	3.91			33.67	7.88		ĺ
	2-Wire Voice Grade Port Terminated on 800 Service Term Basic			OLF 9D	OLF19	1.79	22.14	13.23	0.45	3.51			33.07	7.00		
	Local Area			UEP9D	UEPY2	1.79	22.14	15.25	8.45	3.91			33.67	7.88		ĺ
FL & G	A Only															
	2-Wire Voice Grade Port (Centrex)			UEP9D	UEPHA	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP9D	UEPHB	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex / EBS-PSET)3			UEP9D	UEPHC	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex / EBS-M5009)3			UEP9D	UEPHD	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex / EBS-M5209)3			UEP9D UEP9D	UEPHE	1.79 1.79	22.14	15.25	8.45	3.91			33.67	7.88 7.88		
	2-Wire Voice Grade Port (Centrex / EBS-M5112)3 2-Wire Voice Grade Port (Centrex / EBS-M5312)3			UEP9D UEP9D	UEPHF UEPHG	1.79	22.14 22.14	15.25 15.25	8.45 8.45	3.91 3.91			33.67 33.67	7.88		
-	2-Wire Voice Grade Port (Centrex / EBS-M5012)3			UEP9D	UEPHT	1.79	22.14	15.25	8.45	3.91	-		33.67	7.88		
 	2-Wire Voice Grade Port (Centrex / EBS-M5006)3			UEP9D	UEPHU	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex / EBS-M5200)3			UEP9D	UEPHV	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex / EBS-M5316)3			UEP9D	UEPH3	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex with Caller ID)			UEP9D	UEPHH	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp															
	Indication)3			UEP9D	UEPHW	1.79	22.14	15.25	8.45	3.91			33.67	7.88		İ
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)3			UEP9D	UEPHJ	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)															
	2			UEP9D	UEPHM	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3			UEP9D	UEPHO	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2 Mins Vaiss Crade Bost (Contravidiffer CMC /FBC ME000)2 2			UEP9D	UEPHP	4.70	22.14	15.25	8.45	2.04			33.67	7.00		İ
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3			UEP9D UEP9D	UEPHQ	1.79 1.79	22.14	15.25	8.45	3.91 3.91	-		33.67	7.88 7.88		
	2-Wile Voice Grade Port (Certitex/diller SWC /EBS-5209)2, 3			UEP9D	UEPHQ	1.79	22.14	15.25	0.45	3.91			33.67	7.00		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3			UEP9D	UEPHR	1.79	22.14	15.25	8.45	3.91			33.67	7.88		ĺ
	2 VIII VOIGO GIAGO I GIT (CONTRONGINOI CVVO / EBO INOT 12/2, O			OLI OD	CELTIIC	1.70	22.14	10.20	0.40	0.01			00.07	7.00		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3			UEP9D	UEPHS	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3			UEP9D	UEPH4	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3			UEP9D	UEPH5	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3			UEP9D	UEPH5	1.79	22.14	15.25	8.45	3.91			33.67	7.88		-
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3			UEP9D	UEPH6	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3			UEP9D	UEPH7	1.79	22.14	15.25	8.45	3.91			33.67	7.88		1
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
	Term			UEP9D	UEPHZ	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
_	2 Wire Voice Crade Port terminated in an Manufall and in the			LIEDOD	LIEDHO	4.70	00.44	45.05	0.45	2.01			22.07	7.00		
—	2-Wire Voice Grade Port terminated in on Megalink or equivalent 2-Wire Voice Grade Port Terminated on 800 Service Term			UEP9D UEP9D	UEPH9 UEPH2	1.79 1.79	22.14 22.14	15.25 15.25	8.45 8.45	3.91 3.91			33.67 33.67	7.88 7.88		
l ocal 9	Switching	-		OLFBD	ULFIIZ	1.79	22.14	15.25	0.40	3.91	-		33.07	7.08		
Local	AMICHINIS	<u> </u>	1		1	1			L		L	l	l			

NBUNDLE	D NETWORK ELEMENTS - Georgia												Attachment:	2		Exhibit:
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Submitted Elec	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual So Order vs Electronic Disc Add
						Rec	Nonrec First	urring Add'l	Nonrecurring First	g Disconnect	COMEC	SOMAN	OSS I	RATES (\$)	SOMAN	SOMAN
	Centrex Intercom Funtionality, per port			UEP9D	URECS	0.5554	FIISL	Add I	FIISL	Add I	SOMEC	SOWAN	SOWAN	SUMAN	SUMAN	SOWAN
Local	Number Portability			OLI OD	CINEGO	0.0004										
	Local Number Portability (1 per port)			UEP9D	LNPCC	0.35										
Featu	res															
	All Standard Features Offered, per port			UEP9D	UEPVF	0.00										
	All Select Features Offered, per port			UEP9D	UEPVS	0.00	454.69									
	All Centrex Control Features Offered, per port			UEP9D	UEPVC	0.00										
NARS																
	Unbundled Network Access Register - Combination			UEP9D	UARCX	0.00	0.00	0.00								
	Unbundled Network Access Register - Inward			UEP9D	UAR1X	0.00	0.00	0.00								
	Unbundled Network Access Register - Outdial			UEP9D	UAROX	0.00	0.00	0.00								
	llaneous Terminations															
2-Wire	Trunk Side															
	Trunk Side Terminations, each			UEP9D	CEND6	11.35										
4-Wire	Digital (1.544 Megabits)															
	DS1 Circuit Terminations, each			UEP9D	M1HD1	120.80	89.44	52.46								
	DS0 Channels Activiated per Channel			UEP9D	M1HDO	0.00	28.71									
Intero	ffice Channel Mileage - 2-Wire															
	Interoffice Channel Facilities Termination			UEP9D	MIGBC	17.07										
	Interoffice Channel mileage, per mile or fraction of mile			UEP9D	MIGBM	0.0222										
	re Activations (DS0) Centrex Loops on Channelized DS1 Service	е														
D4 Ch	annel Bank Feature Activations				100110											
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9D	1PQWS	0.62										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9D	1PQW6	0.62										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop															
	Slot			UEP9D	1PQW7	0.62										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center			UEP9D	1PQWP	0.62										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9D	1PQWV	0.62										
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop															
	Slot			UEP9D	1PQWQ	0.62										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9D	1PQWA	0.62										
Non-F	Recurring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed															
	changes, per port			UEP9D	USAC2		2.01	0.3108								
	New Centrex Standard Common Block			UEP9D	M1ACS	0.00	659.41									
	New Centrex Customized Common Block			UEP9D	M1ACC	0.00	659.41									
	NAR Establishment Charge, Per Occasion			UEP9D	URECA	0.00	71.88									
	Centrex Intercom Funtionality, per port			UEP9E	URECS					1						
	e Digital (1.544 Megabits)															
	I - Required Port for Centrex Control in 1AESS, 5ESS & EWSD										ļ					
	2 - Requires Interoffice Channel Mileage										ļ					
Note 3	3 - Requires Specific Customer Premises Equipment				1					-						
					1					-	<u> </u>					
										-						
-	 			-	1					1	ļ					
-	<u> </u>			 	1					!	ļ					<u> </u>
	1		i	1								1	1	1		1

UNBUNDLE	D NETWORK ELEMENTS - Kentucky												Attachment:	2		Exhibit:
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Order vs.	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
													•	•		
						Rec		urring	Nonrecurring					RATES (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
The "Z	one" shown in the sections for stand-alone loops or loops as	part of	a comi	bination refers to Ge	eographically	Deaveraged U	NE Zones. To	view Geograp	nically Deavera	ged UNE Zone	Designation	ns by Cent	ral Office, refe	er to Internet	Website:	ı
	www.interconnection.bellsouth.com/become_a_clec/html/inter	connec	tion.ht	m								-				
OPERATIONA I	L SUPPORT SYSTEMS															
exhibit NOTE: those	: (1) Electronic Service Order: CLEC-1 should contact its contr t is the BellSouth regional electronic service ordering charge. t (2) Any element that can be ordered electronically will be bill elements that cannot be ordered electronically at present per t ng charge, SOMAN, will be applied to a CLECs bill when it sub	CLEC- ed acco	1 may e ording t -LO, th	elect either the state to the SOMEC rate li ne listed SOMEC rate	specific Cor	nmission order category. Pleas	ed rates for the	e electronic se South's Busine	rvice ordering ess Rules for L	charges, or CL ocal Ordering	EC-1 may 6 (BBR-LO) to	elect the reg determine	ional electror	nic service or can be ordere	dering charge d electronical	e. Ily. For
	Electronic OSS Charge, per LSR, submitted via BST's OSS															
	interactive interfaces (Regional)				SOMEC		3.50									ļ
	EXCHANGE ACCESS LOOP															
2-WIRI	E ANALOG VOICE GRADE LOOP		_	UEANL	UEAL2	13.54	70.44	44.05	46.93	10.40		19.99				
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		1 2	UEANL	UEAL2 UEAL2	13.54	70.44	44.05 44.05	46.93 46.93	10.40		19.99				
	2-Wire Analog Voice Grade Loop - Service Level 1-Zone 2 2-Wire Analog Voice Grade Loop - Service Level 1-Zone 3		3	UEANL	UEAL2	28.27	70.44	44.05	46.93	10.40		19.99				
	Loop Testing - Basic 1st Half Hour		Ü	UEANL	URET1	20.27	78.92	78.92	40.00	10.40		10.00				
	Loop Testing - Basic Additional Half Hour			UEANL	URETA		23.33	23.33						İ		
	Engineering Information Document (EI)			UEANL			28.76	28.76								
	Manual Order Coordination for UVL-SL1s (per loop)*			UEANL	UEAMC		16.31	16.31								
	Order Coordination for Specified Conversion Time for UVL-SL1 (per LSR) *			UEANL	OCOSL		36.18	36.18								
2-WIRI	E Unbundled COPPER LOOP															
	2-Wire Unbundled Copper Loop - Non-Designed Zone 1	<u> </u>		UEQ	UEQ2X	11.01	44.69	22.40	25.65	7.06		19.99				
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 2 2 Wire Unbundled Copper Loop - Non-Designed - Zone 3		3	UEQ UEQ	UEQ2X UEQ2X	12.67 20.22	44.69 44.69	22.40 22.40	25.65 25.65	7.06 7.06		19.99 19.99				
	Order Coordination 2 Wire Unbundled Copper Loop - Non-	-	3	OLQ	OLQZX	20.22	44.03	22.40	23.03	7.00		13.33				
	Designed (per loop)			UEQ	USBMC		16.31	16.31								
	Engineering Information Document			UEQ			28.76	28.76								
	Loop Testing - Basic 1st Half Hour			UEQ	URET1		78.92	78.92								
	Loop Testing - Basic Additional Half Hour			UEQ	URETA		23.33	23.33								
	EXCHANGE ACCESS LOOP	ļ												1		
2-WIRI	E ANALOG VOICE GRADE LOOP 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-				+						 			 		
	Zone 1	1	1	UEPSR UEPSB	UEALS	13.54	70.44	44.05	46.93	10.40		19.99				
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		· ·	52. 0 02. 05		10.04		00	.0.00	.5.40		.0.00				
	Zone 1	L		UEPSR UEPSB	UEABS	13.54	70.44	44.05	46.93	10.40		19.99				<u> </u>
	2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting- Zone 2		2	UEPSR UEPSB	UEALS	19.73	70.44	44.05	46.93	10.40		19.99				
	2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting- Zone 2			UEPSR UEPSB	UEABS	19.73	70.44	44.05	46.93	10.40		19.99				
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-	- '-		OLI ON OLFOD	JEADO	15.13	70.44	44.05	40.33	10.40	-	15.55	 	t	 	<u> </u>
	Zone 3	- 1	3	UEPSR UEPSB	UEALS	28.27	70.44	44.05	46.93	10.40		19.99				
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
	Zone 3	1		UEPSR UEPSB	UEABS	28.27	70.44	44.05	46.93	10.40		19.99				ļ
	EXCHANGE ACCESS LOOP															
2-WIRI	E ANALOG VOICE GRADE LOOP															<u> </u>
	CLEC to CLEC Conversion Charge without outside dispatch (UVL-SL1)	l		UEANL	UREWO		48.12	22.02				19.99		1		
		 		OLAINL	UKEWU		48.12	22.02			+	19.99				
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or										1		I	1	I	1
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 1 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		1	UEA	UEAL2	17.27	236.75	177.10				19.99				

4Q01:12/01/01 PAGE 110 OF 324

LINBUNDI E	D NETWORK ELEMENTS - Kentucky												Attachment:	2		Exhibit: B
ONBONDE	T NETWORK ELEMENTS - Rentucky			1		I										
													Incremental	Incremental	Incremental	Incremental
													Charge -	Charge -	Charge -	Charge -
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)					Manual Svc	Manual Svc	Manual Svc	Manual Svc
		m						.,,				Submitted		Order vs.	Order vs.	Order vs.
											Elec	Manually	Electronic-	Electronic-	Electronic-	Electronic-
											per LSR	per LSR	1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonrec		Nonrecurring					RATES (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															
	Ground Start Signaling - Zone 3	ļ	3	UEA	UEAL2	55.78	236.75	177.10				19.99				
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		36.18									ļ
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 1		1	UEA	UEAR2	17.27	236.75	177.10				19.99				
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	-		UEA	UEARZ	17.27	230.73	177.10				19.99				-
	Battery Signaling - Zone 2		2	UEA	UEAR2	32.32	236.75	177.10				19.99				
-	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse			ULA	ULANZ	32.32	230.73	177.10	1			19.99				
	Battery Signaling - Zone 3		3	UEA	UEAR2	55.78	236.75	177.10				19.99				
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL	00.70	36.18	177.10				10.00				+
	CLEC to CLEC Conversion Charge without outside dispatch	1	†	UEA	UREWO		131.85	38.28				19.99				
4-WIR	E ANALOG VOICE GRADE LOOP	1	<u> </u>				, ,									
	4-Wire Analog Voice Grade Loop - Zone 1		1	UEA	UEAL4	20.92	457.14	348.83				19.99				
İ	4-Wire Analog Voice Grade Loop - Zone 2		2	UEA	UEAL4	39.14	457.14	348.83				19.99				
	4-Wire Analog Voice Grade Loop - Zone 3		3	UEA	UEAL4	67.57	457.14	348.83				19.99				
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		36.18									
2-WIR	E ISDN DIGITAL GRADE LOOP															
	2-Wire ISDN Digital Grade Loop - Zone 1			UDN	U1L2X	23.66	541.28	431.61				19.99				
	2-Wire ISDN Digital Grade Loop - Zone 2			UDN	U1L2X	44.28	541.28	431.61				19.99				
	2-Wire ISDN Digital Grade Loop - Zone 3		3	UDN	U1L2X	76.42	541.28	431.61				19.99				
	Order Coordination For Specified Conversion Time (per LSR)			UDN	OCOSL		36.18									
	CLEC to CLEC Conversion Charge without outside dispatch	ļ		UDN	UREWO		121.19	33.09				19.99				
2-WIR	E Universal Digital Channel (UDC) COMPATIBLE LOOP															
	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone	1	1	UDC	UDC2X	25.73	233.47	158.51	105.49	20.48		40.00				
	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone		1	UDC	UDC2X	25.73	233.47	158.51	105.49	20.48		19.99				
	2-Wile Offiversal Digital Charmer (ODC) Compatible Loop - Zone		2	UDC	UDC2X	34.83	233.47	158.51	105.49	20.48		19.99				
-	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone			UDC	UDCZX	34.03	255.41	130.31	105.45	20.40		19.99				
	3		3	UDC	UDC2X	45.56	233.47	158.51	105.49	20.48		19.99				
	CLEC to CLEC Conversion Charge without outside dispatch			UDC	UREWO	40.00	121.019	33.09	100.40	20.40		19.99				
2-WIR	E ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP	ATIBLE	LOOP													
	2 Wire Unbundled ADSL Loop including manual service inquiry															
	& facility reservation - Zone 1		1	UAL	UAL2X	8.79	713.50	609.44				19.99				
	2 Wire Unbundled ADSL Loop including manual service inquiry															
	& facility reservation - Zone 2		2	UAL	UAL2X	16.46	713.50	609.44				19.99				
	2 Wire Unbundled ADSL Loop including manual service inquiry															
	& facility reservation - Zone 3		3	UAL	UAL2X	28.40	713.50	609.44				19.99				1
	Order Coordination for Specified Conversion Time (per LSR)	1	<u> </u>	UAL	OCOSL		36.18									_
	2 Wire Unbundled ADSL Loop without manual service inquiry &			LIAL	LIALOVA	0.70	005.05	100.10	100.00	45.00		40.00				
ļ	facility reservaton - Zone 1 2 Wire Unbundled ADSL Loop without manual service inquiry &	1	1	UAL	UAL2W	8.79	205.25	129.42	100.89	15.88		19.99				
	facility reservation - Zone 2		2	UAL	UAL2W	16.46	205.25	129.42	100.89	15.88		19.99				
\vdash	2 Wire Unbundled ADSL Loop without manual service inquiry &	1		UAL	UALZVV	10.46	∠∪5.∠5	129.42	100.89	15.88		19.99		1		1
	facility reservaton - Zone 3		3	UAL	UAL2W	28.40	205.25	129.42	100.89	15.88		19.99				
-	Order Coordination for Specified Conversion Time (per LSR)	1	٦	UAL	OCOSL	20.40	36.18	123.42	100.09	13.00		15.55		1		1
	CLEC to CLEC Conversion Charge without outside dispatch	1	<u> </u>	UAL	UREWO		137.85	29.34	 			19.99				
2-WIR	E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP		1		.000	20.04				.0.00				1
7	2 Wire Unbundled HDSL Loop including manual service inquiry	T	T T		1											
	& facility reservation - Zone 1		1	UHL	UHL2X	6.29	713.50	609.44				19.99				
	2 Wire Unbundled HDSL Loop including manual service inquiry															
	& facility reservation - Zone 2	<u> </u>	2	UHL	UHL2X	11.78	713.50	609.44	<u> </u>			19.99		<u></u>		
	2 Wire Unbundled HDSL Loop including manual service inquiry						_			-						
	& facility reservation - Zone 3		3	UHL	UHL2X	20.33	713.50	609.44				19.99				<u> </u>
	Order Coordination for Specified Conversion Time (per LSR)		<u> </u>	UHL	OCOSL		36.18									1
	2 Wire Unbundled HDSL Loop without manual service inquiry			l												
ļļ	and facility reservation - Zone 1		1	UHL	UHL2W	6.29	222.58	146.75	100.89	15.88		19.99				
	2 Wire Unbundled HDSL Loop without manual service inquiry			l		44 ===	000 =0	440 ==	400.00	45.00		40.00				
	and facility reservation - Zone 2	1	2	UHL	UHL2W	11.78	222.58	146.75	100.89	15.88	l	19.99		l		

UNBUNDLE	D NETWORK ELEMENTS - Kentucky												Attachment:	2		Exhibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Submitted	Incremental Charge - Manual Svc	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec	urring	Nonrecurring	g Disconnect			oss i	RATES (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
	2 Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 3		3	UHL	UHL2W	20.33	222.58	146.75	100.89	15.88		19.99				
-	Order Coordination for Specified Conversion Time (per LSR)	1		UHL UHL	OCOSL UREWO		36.18 137.79	29.34				19.99				
/-WIDE	CLEC to CLEC Conversion Charge without outside dispatch HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	OOP	UHL	UREWU		137.79	29.34				19.99				
4-4411	4 Wire Unbundled HDSL Loop including manual service inquiry	(HIBEE I	1001													
	and facility reservation - Zone 1		1	UHL	UHL4X	7.68	748.93	646.17				19.99				
	4-Wire Unbundled HDSL Loop including manual service inquiry															
	and facility reservation - Zone 2	- 1	2	UHL	UHL4X	14.38	748.93	646.17				19.99				
	4-Wire Unbundled HDSL Loop including manual service inquiry						_									
	and facility reservation - Zone 3	ļ	3	UHL	UHL4X	24.82	748.93	646.17				19.99				
 	Order Coordination for Specified Conversion Time (per LSR)	1		UHL	OCOSL		36.18									
	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1		1	UHL	UHL4W	7.68	279.79	203.96	109.64	20.64		19.99				
	4-Wire Unbundled HDSL Loop without manual service inquiry	1	'	UNL	UHL4VV	7.00	219.19	203.90	109.64	20.64		19.99				
	and facility reservation - Zone 2		2	UHL	UHL4W	14.38	279.79	203.96	109.64	20.64		19.99				
	4-Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 3		3	UHL	UHL4W	24.82	279.79	203.96	109.64	20.64		19.99				
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		36.18									
	CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		137.79	29.34				19.99				
4-WIRE	DS1 DIGITAL LOOP															
	4-Wire DS1 Digital Loop - Zone 1	ļ		USL	USLXX	50.26	849.80	523.27				19.99				
	4-Wire DS1 Digital Loop - Zone 2 4-Wire DS1 Digital Loop - Zone 3	<u> </u>		USL USL	USLXX	94.06 162.34	849.80 849.80	523.27 523.27				19.99 19.99				
	Order Coordination for Specified Conversion Time (per LSR)	1	3	USL	OCOSL	102.34	36.18	525.21				19.99				
	CLEC to CLEC Conversion Charge without outside dispatch			USL	UREWO		130.27	40.05								
4-WIRE	19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP			002	CITETIO		100.27	10.00								
	4 Wire Unbundled Digital 19.2 Kbps		1	UDL	UDL19	35.92	250.99	176.03	116.85	27.85		19.99				
	4 Wire Unbundled Digital 19.2 Kbps		2	UDL	UDL19	40.32	250.99	176.03	116.85	27.85		19.99				
	4 Wire Unbundled Digital 19.2 Kbps		3		UDL19	37.90	250.99	176.03	116.85	27.85		19.99				
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1			UDL	UDL56	35.92	250.99	176.03	116.85	27.85		19.99				
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2	ļ		UDL	UDL56	40.32	250.99	176.03	116.85	27.85		19.99				
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3		3	UDL UDL	UDL56	37.90	250.99	176.03	116.85	27.85		19.99				
	Order Coordination for Specified Conversion Time (per LSR) 4 Wire Unbundled Digital Loop 64 Kbps - Zone 1	1	1	UDL	OCOSL UDL64	35.92	36.18 250.99	176.03	116.85	27.85		19.99				
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2		2		UDL64	40.32	250.99	176.03	116.85	27.85		19.99				
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3		3		UDL64	37.90	250.99	176.03	116.85	27.85		19.99				
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		36.18									
	CLEC to CLEC Conversion Charge without outside dispatch			UDL	UREWO		131.69	38.69				19.99				
2-WIRE	Unbundled COPPER LOOP															
	2-Wire Unbundled Copper Loop/Short including manual service		,		1101.55											
 	inquiry & facility reservation - Zone 1	1	1	UCL	UCLPB	14.94	283.77	164.04	120.60	22.45	1	19.99				
	2-Wire Unbundled Copper Loop/Short including manual service inquiry & facility reservation - Zone 2	1	2	UCL	UCLPB	15.15	283.77	164.04	120.60	22.45		19.99				
 	2 Wire Unbundled Copper Loop/Short including manual service	 		UUL	JULPD	15.15	203.11	104.04	120.00	22.45	+	19.99				
	inquiry & facility reservation - Zone 3	1	3	UCL	UCLPB	15.73	283.77	164.04	120.60	22.45		19.99				
	Order Coordination for Unbundled Copper Loops (per loop)	1		UCL	UCLMC		16.31	16.31		1						
	2-Wire Unbundled Copper Loop/Short without manual service															
	inquiry and facility reservation - Zone 1	<u> </u>	1	UCL	UCLPW	14.94	203.39	127.56	100.89	15.88		19.99				
	2-Wire Unbundled Copper Loop/Short without manual service	1				I T										
	inquiry and facility reservation - Zone 2		2	UCL	UCLPW	15.15	203.39	127.56	100.89	15.88		19.99		-	-	-
	2-Wire Unbundled Copper Loop/Short without manual service inquiry and facility reservation - Zone 3	1	3	UCL	UCLPW	15.73	203.39	127.56	100.89	15.88		19.99				
 	Order Coordination for Unbundled Copper Loops (per loop)	 	٦	UCL	UCLPVV	15.73	16.31	16.31	100.89	15.68	-	19.99				
	2-Wire Unbundled Copper Loop/Long - includes manual srvc.	 			JOLIVIO		10.51	10.51								
	inquiry and facility reservation - Zone 1	1	1	UCL	UCL2L	36.19	270.38	150.65	120.60	22.45		19.99				
	2-Wire Unbundled Copper Loop/Long - includes manual svc.															
	inquiry and facility reservation - Zone 2		2	UCL	UCL2L	49.31	270.38	150.65	120.60	22.45		19.99				

UNBUNDL	ED NETWORK ELEMENTS - Kentucky												Attachment:	2		Exhibit: B
CATEGORY		Interi m	Zone	BCS	usoc			RATES(\$)				Submitted	Incremental Charge - Manual Svc	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	
						Rec	Nonred	urring	Nonrecurring	g Disconnect			088.1	RATES (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
	2-Wire Unbundled Copper Loop/Long - includes manual svc.															
	inquiry and facility reservation - Zone 3		3	UCL	UCL2L	80.78	270.38	150.65	120.60	22.45		19.99				
-	Order Coordination for Unbundled Copper Loops (per loop) 2-Wire Unbundled Copper Loop/Long - without manual service			UCL	UCLMC		16.31	16.31								
	inquiry and facility reservation - Zone 1		1	UCL	UCL2W	36.19	190.00	114.17	100.89	15.88		19.99				
	2-Wire Unbundled Copper Loop/Long - without manual service		<u> </u>	002	OOLEVV	00.10	100.00	11-7.17	100.00	10.00		10.00				
	inquiry and facility reservation - Zone 2		2	UCL	UCL2W	49.31	190.00	114.17	100.89	15.88		19.99				
	2-Wire Unbundled Copper Loop/Long - without manual service															
	inquiry and facility reservation - Zone 3		3	UCL	UCL2W	80.78	190.00	114.17	100.89	15.88		19.99				
	Order Coordination for Unbundled Copper Loops (per loop) CLEC to CLEC Conversion Charge without outside dispatch			UCL	UCLMC	-	16.31	16.31								
	(UCL-Des)			UCL	UREWO		148.88	31.42				19.99				
	CLEC to CLEC Conversion Charge without outside dispatch			002	0.12110		1 10.00	01.12				10.00				
	(UCL-ND)			UEQ	UREWO		44.69	22.02				19.99				
4-WIF	E COPPER LOOP															
	4-Wire Copper Loop/Short - including manual service inquiry			UCL	1101.40	25.20	222.20	242.40	420.07	07.54		40.00				
	and facility reservation - Zone 1 4-Wire Copper Loop/Short - including manual service inquiry	1	- '	UCL	UCL4S	25.26	332.20	212.46	130.27	27.51		19.99				
	and facility reservation - Zone 2		2	UCL	UCL4S	23.00	332.20	212.46	130.27	27.51		19.99				
	4-Wire Copper Loop/Short - including manual service inquiry															
	and facility reservation - Zone 3		3	UCL	UCL4S	19.08	332.20	212.46	130.27	27.51		19.99				
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		16.31	16.31								
	4-Wire Copper Loop/Short - without manual service inquiry and facility reservation - Zone 1		1	UCL	UCL4W	25.26	251.82	175.99	109.64	20.64		19.99				
	4-Wire Copper Loop/Short - without manual service inquiry and	1		UCL	UCL4VV	25.26	251.82	175.99	109.64	20.64		19.99				
	facility reservation - Zone 2		2	UCL	UCL4W	23.00	251.82	175.99	109.64	20.64		19.99				
	4-Wire Copper Loop/Short - without manual service inquiry and			-												
	facility reservation - Zone 3		3	UCL	UCL4W	19.08	251.82	175.99	109.64	20.64		19.99				
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		16.31	16.31								
	4-Wire Unbundled Copper Loop/Long - includes manual svc. inquiry and facility reservation - Zone 1		1	UCL	UCL4L	61.02	318.81	199.07	130.27	27.51		19.99				
	4-Wire Unbundled Copper Loop/Long - includes manual svc.		<u>'</u>	OCL	UCL4L	01.02	310.01	199.07	130.21	27.51		13.33				
	inquiry and facility reservation - Zone 2		2	UCL	UCL4L	55.74	318.81	199.07	130.27	27.51		19.99				
	4-Wire Unbundled Copper Loop/Long - includes manual svc.															
	inquiry and facility reservation - Zone 3		3	UCL	UCL4L	88.97	318.81	199.07	130.27	27.51		19.99				
\vdash	Order Coordination for Unbundled Copper Loops (per loop)		<u> </u>	UCL	UCLMC		16.31	16.31								
	4-Wire Unbundled Copper Loop/Long - without manual svc. inquiry and facility reservation - Zone 1		1	UCL	UCL4O	61.02	238.42	162.60	109.64	20.64		19.99				
	4-Wire Unbundled Copper Loop/Long - without manual svc.		- '-		30140	01.02	200.72	102.00	103.04	20.04		13.33				
	inquiry and facility reservation - Zone 2		2	UCL	UCL4O	55.74	238.42	162.60	109.64	20.64	<u> </u>	19.99				
	4-Wire Unbundled Copper Loop/Long - without manual svc.															
\vdash	inquiry and facility reservation - Zone 3	<u> </u>	3	UCL	UCL40	88.97	238.42	162.60	109.64	20.64		19.99				1
\vdash	Order Coordination for Unbundled Copper Loops (per loop) CLEC to CLEC Conversion Charge without outside dispatch	1	 	UCL	UCLMC		16.31	16.31	-	-	 					1
	(UCL-Des)			UCL	UREWO		148.88	31.42				19.99				
LOOP MODIF																
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire			UAL, UHL, UCL,												
	pair less than or equal to 18k ft			UEQ, ULS	ULM2L		65.20	65.20								
	Unbundled Loop Modification, Removal of Load Coils - 2 wire greater than 18k ft			UCL, ULS	ULM2G		341.64	341.64								
 	Unbundled Loop Modification Removal of Load Coils - 4 Wire		 	UUL, ULO	ULIVIZU		341.04	341.04								
	less than or equal to 18K ft			UHL, UCL	ULM4L		65.20	65.20								
	Unbundled Loop Modification Removal of Load Coils - 4 Wire			, , , , ,							1					
	pair greater than 18k ft		<u> </u>	UCL	ULM4G		341.64	341.64								
	Unbundled Loop Modification Removal of Bridged Tap Removal,			UAL, UHL, UCL,	LILMET		CF 04	05.01								
SUB-LOOPS	per unbundled loop	1	 	UEQ, UEF, ULS	ULMBT		65.24	65.24	-	-	 					1
	Loop Distribution	 	†		+						 					1
- Jub I		•	1												1	

ONRONDLE	D NETWORK ELEMENTS - Kentucky			1									Attachment:	2	ļ	Exhibit: I
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
						Rec	Nonrec		Nonrecurring		00450			RATES (\$)		
	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Up	ı		UEANL	USBSA		600.03	600.03				19.99				
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	1		UEANL	USBSB		45.28	45.28				19.99				
	Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility Set-Up			UEANL	USBSC		379.89	379.89				19.99				
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up	1		UEANL	USBSD		111.55	111.55				19.99				
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -															
	Zone 1 Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -	- 1	1	UEANL	USBN2	9.03	131.64	61.93	90.83	13.44		19.99				
	Zone 2	ı	2	UEANL	USBN2	12.25	131.64	61.93	90.83	13.44		19.99				
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 3	1	3	UEANL	USBN2	16.71	131.64	61.93	90.83	13.44		19.99				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		36.18	36.18								
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 1		1	UEANL	USBN4	10.18	158.12	88.41	99.10	18.08		19.99				
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 2		2	UEANL	USBN4	9.44	158.12	88.41	99.10	18.08		19.99				
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3		3	UEANL	USBN4	13.38	158.12	88.41	99.10	18.08		19.99				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair Sub-Loop 2-Wire Intrabuilding Network Cable (INC)			UEANL UEANL	USBMC USBR2	3.23	36.18 106.06	36.18 36.35	90.83	13.44		19.99				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	-		UEANL UEANL	USBMC USBR4	6.29	36.18 118.54	36.18 48.84	99.10	18.08		19.99				-
						0.20			55.10	10.00		10.00				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		- 1	UEANL UEF	USBMC UCS2X	8.01	36.18 131.64	36.18 61.93	90.83	13.44		19.99				
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	-	2	UEF	UCS2X	9.18	131.64	61.93	90.83	13.44		19.99				
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	÷	3	UEF	UCS2X	11.02	131.64	61.93	90.83	13.44		19.99				-
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC	40.05	36.18	36.18	22.12			10.00				
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2		2	UEF UEF	UCS4X UCS4X	10.65 9.71	158.12 158.12	88.41 88.41	99.10 99.10	18.08 18.08		19.99 19.99				
+	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	-		UEF	UCS4X	8.45	158.12	88.41	99.10	18.08		19.99				
	4 Wile Copper Cribanaled Cab Ecop Distribution 2011e C					0.40	100.12		55.10	10.00		10.00				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		36.18	36.18								
Unbun	dled Sub-Loop Modification Unbundled Sub-Loop Modification - 2-W Copper Dist Load															
	Coil/Equip Removal per 2-W PR			UEF	ULM2X		355.83	12.27				19.99				
	Unbundled Sub-loop Modification - 4-W Copper Dist Load Coil/Equip Removal per 4-W PR			UEF	ULM4X		355.83	12.27				19.99				
	Unbundled Sub-loop Modification - 2-w/4-w Copper Dist Bridged Tap Removal, per PR unloaded			UEF	ULM4T		560.74	14.30				19.99				
Unbun	dled Network Terminating Wire (UNTW)															
	Unbundled Network Terminating Wire (UNTW) per Pair			UENTW	UENPP	0.64	62.83	62.83				19.99				
Netwo	rk Interface Device (NID) Network Interface Device (NID) - 1-2 lines			UENTW	UND12		00.00	57.24				10.00				
	Network Interface Device (NID) - 1-2 lines Network Interface Device (NID) - 1-6 lines		-	UENTW	UND12 UND16		89.66 129.24	99.52				19.99 19.99				-
	Network Interface Device (NID) - 1-6 lines Network Interface Device Cross Connect - 2 W			UENTW	UNDC2		129.24	99.52 11.78				19.99				
	Network Interface Device Cross Connect - 2 W Network Interface Device Cross Connect - 4W			UENTW	UNDC4		11.78	11.78				19.99				
SUB-LOOPS	The state of the s			1	J	1	5	0				70.00				
Sub-Lo	pop Feeder															
	USL-Feeder, DS0 Set-up per Cross Box location - CLEC Distribution Facility set-up			UEA, UDN,UCL,UDL,UDC	USBFW		600.03									

UNBUNDI E	D NETWORK ELEMENTS - Kentucky												Attachment:	2		Exhibit: B
ONBONDEL			l													
i													Incremental	Incremental	Incremental	Incremental
1		to the second											Charge -	Charge -	Charge -	Charge -
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)					Manual Svc	Manual Svc	Manual Svc	Manual Svc
i		m										Submitted	Order vs.	Order vs.	Order vs.	Order vs.
i											Elec	Manually	Electronic-	Electronic-	Electronic-	Electronic-
L											per LSR	per LSR	1st	Add'l	Disc 1st	Disc Add'l
i																
ullet						Rec	Nonrec		Nonrecurring					RATES (\$)		
\vdash							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
1	USL Feeder - DS0 Set-up per Cross Box location - per 25 pair			UEA,			4= 00	4= 00								
 	set-up			UDN,UCL,UDL,UDC	USBFX		45.28	45.28								
\vdash	USL Feeder DS1 Set-up at DSX location, per DS1 termination Unbundled Sub-Loop Feeder Loop, 2 Wire Ground Start, Voice		<u> </u>	USL	USBFZ		527.98	11.32								
1	Grade - Zone 1		1	UEA	USBFA	10.36	184.97	111.91	108.76	26.76		19.99				
 	Unbundled Sub-Loop Feeder Loop, 2 Wire Ground-Start, Voice		'	OLA	USBI A	10.30	104.91	111.51	100.70	20.70		19.99				
1	Grade - Zone 2		2	UEA	USBFA	13.62	184.97	111.91	108.76	26.76		19.99				
	Unbundled Sub-Loop Feeder Loop, Per 2 Wire Ground-Start,			OLIT	CODIA	10.02	104.01	111.01	100.70	20.70		10.00				
1 1	Voice Grade - Zone 3		3	UEA	USBFA	19.69	184.97	111.91	108.76	26.76		19.99				
	Order Coordination for Specified Conversion Time, per LSR			UEA	OCOSL		36.18									
	Unbundlde Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice	1					_									
	Grade - Zone 1		1	UEA	USBFB	10.36	184.97	111.91	108.76	26.76		19.99				
	Unbundled Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice															
$\sqsubseteq \sqsubseteq$	Grade - Zone 2		2	UEA	USBFB	13.62	184.97	111.91	108.76	26.76		19.99				
1	Unbundled Sub-Loop Feeder Loop, 2 Wire Start Loop, Voice															
	Grade - Zone 3		3	UEA	USBFB	19.69	184.97	111.91	108.76	26.76		19.99				
igwdows	Order Coordination for Specified Time Conversion, per LSR			UEA	OCOSL		36.18									
1	Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery,		1			40.00	4040=		=-							
	Voice Grade - Zone 1		1	UEA	USBFC	10.36	184.97	111.91	108.76	26.76		19.99				
i	Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery,		2	UEA	USBFC	13.62	184.97	111.01	100.76	26.76		19.99				
\vdash	Voice Grade - Zone 2 Unbundled Sub-Loop Feeder Loop, 2 Wire Analog Reverse			UEA	USBFC	13.02	184.97	111.91	108.76	26.76		19.99				
1	Battery, Voice Grade - Zone 3		3	UEA	USBFC	19.69	184.97	111.91	108.76	26.76		19.99				
	Order Coordination For Specified Conversion Time, per LSR		3	UEA	OCOSL	19.09	36.18	111.51	100.70	20.70		19.99				
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice			OLIT	COCCE		00.10									
i	Grade - Zone 1		1	UEA	USBFD	30.69	213.56	138.60	122.64	33.64		19.99				
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice								-							
1	Grade - Zone 2		2	UEA	USBFD	36.12	213.56	138.60	122.64	33.64		19.99				
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground Start, Voice															
	Grade - Zone 3		3	UEA	USBFD	22.90	213.56	138.60	122.64	33.64		19.99				
	Order Coordination For Specified Conversion Time, Per LSR			UEA	OCOSL		36.18									
i	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice															
igwdows	Grade - Zone 1		1	UEA	USBFE	30.69	213.56	138.60	122.64	33.64		19.99				
(l	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice		_	UEA	HODE	00.40	040.50	100.00	100.01	00.01		40.00				
	Grade - Zone 2		2	UEA	USBFE	36.12	213.56	138.60	122.64	33.64		19.99				1
1 1	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice Grade - Zone 3		3	UEA	USBFE	22.90	213.56	138.60	122.64	33.64		19.99				
 	Order Coordination For Specified Conversion Time, Per LSR		3	UEA	OCOSL	22.90	36.18	130.00	122.04	33.04		19.99				1
	Unbundled Sub-Loop Feeder Loop, 2 Wire ISDN BRI - Zone 1		1	UDN	USBFF	17.75	211.30	136.34	111.02	26.01		19.99				<u> </u>
	Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 2			UDN	USBFF	23.67	211.30	136.34	111.02	26.01		19.99				<u> </u>
	Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 3			UDN	USBFF	29.90	211.30	136.34	111.02	26.01		19.99				
	Order Coordination For Specified Conversion Time, Per LSR			UDN	OCOSL		36.18		<u></u>							
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)		1	UDC	USBFS	17.75	211.30	136.34	111.02	26.01		19.99				<u> </u>
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)			UDC	USBFS	23.67	211.30	136.34	111.02	26.01		19.99				
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)			UDC	USBFS	29.90	211.30	136.34	111.02	26.01		19.99				
ullet	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 1			USL	USBFG	75.10	202.14	127.18	122.64	33.64		19.99				
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 2		2		USBFG	104.53	202.14	127.18	122.64	33.64		19.99				
$\vdash \vdash \vdash$	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 3		3	USL	USBFG	152.36	202.14	127.18	122.64	33.64		19.99				ļ
\longleftarrow	Order Coordination For Specified Conversion Time, Per LSR			USL	OCOSL	0.00	36.18	20.00	100.10	04.77		40.00				ļ
+	Unbundled Sub-Loop Feeder, 2-Wire Copper Loop - Zone 1		1	UCL	USBFH	8.29	167.62	92.66	106.42	21.41		19.99				1
(l	Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone		2	UCL	USBFH	7.30	167.62	92.66	106.42	21.41		19.99				
	Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone	-		UUL	USDFĦ	7.30	107.02	92.00	106.42	∠1.41		19.99				
1 1	3		3	UCL	USBFH	6.03	167.62	92.66	106.42	21.41		19.99				
	Order Coordination For Specified Conversion Time, per LSR		-	UCL	OCOSL	0.00	36.18	52.00	100.42	21.71		10.00				1
	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 1		1		USBFJ	16.55	202.05	127.09	115.43	26.43		19.99				
·																•
\vdash	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 2		2	UCL	USBFJ	15.35	202.05	127.09	115.43	26.43		19.99				

CATEGORY RATE ELEMENTS Inlant																Attachment:	2		Exhibit: B
Section Confidence Confid	F		USOC	USOC	USOC	USOC	ю				RATES(\$)			Submitted Elec	Submitted Manually	Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	Charge -	Order vs.
March Confession For Security Confession C	Monrocurr	Poc						Poc	Poc	Nonro	curring	Nonrocur	ina Disconnact			220	DATES (\$)		
Order Consentation for Signature Conversion Here, part LSR		Rec						Rec	Rec					SOMEC	SOMAN			SOMAN	SOMAN
Sh. Lacer Feature Pea 4 Wind 102 April Dytte Circle Loop			OCOSL	OCOSL	OCOSL	COSL	_				7.44		7144	0020					
SUR-LOCK Feedor - Per 4-Viver 18 Zebo pipel Grade Loop 3 UOL USBPD 24-47 200.14 127.16 122.64 33.64 19.99		27.38						27.	27.38		127.18	122.6	33.64		19.99				
Sub-Loop Feeder - Per 4-Wing 6R Rips Digital Gridge Loop																			
2ms 1	202.14	24.47	USBFN	USBFN	USBFN	ISBFN	l	24.	24.47	202.14	127.18	122.6	33.64		19.99				
Section Sect	202.14	27.38	USBFO	USBFO	USBFO	ISBFO)	27.	27.38	202.14	127.18	122.6	33.64		19.99				
Sub-Loop Feeder - Per 4-Wire 58 Rops Digital Grade Loop	202.14	33.41	USBFO	USBFO	USBFO	ISBFO)	33.	33.41	202.14	127.18	122.6	33.64		19.99				
Zona 3						-													
Sub-Loop Feeder - Per 4-Wire 6 KRips Digital Grade Loop - 2		24.47						24.	24.47		127.18	122.6	33.64		19.99				
2mm 1 UDL	36.18		OCOSL	OCOSL	OCOSL	COSL	-			36.18									<u> </u>
Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - 2 UDL USBFP 33.4	202.44	07.00	HODER	HODES	HODED	CDED	.		07.00	000 / 1	107.11	100	.,		40.00				
2 DOL	202.14	27.38	USBFP	USBFP	USBFP	SBFP	'	27.	27.38	202.14	127.18	122.6	33.64		19.99				
Zone 9	202.14	33.41	USBFP	USBFP	USBFP	SBFP	,	33.	33.41	202.14	127.18	122.6	33.64		19.99				<u> </u>
Sub-Loop Fedder Sub-Loop F	202.14	24.47	USBFP	USBFP	USBFP	SBFP	,	24.	24.47	202.14	127.18	122.6	33.64		19.99				
Sub-Loop Feeder - DS3 - Per Mile Per Month	36.18		OCOSL	OCOSL	OCOSL	COSL	-			36.18									
Sub Loop Feeder - DS3 - Facility Termination Per Month UE3 USBF1 348.30 3,386.00 407.14 160.86 91.19 19.99																			
Sub Loop Feeder - DS3 - Facility Termination Per Month ULSX ULSX LSS LSS Sub Loop Feeder - ST51 - 1 Per Mile per Month UULSX U		45.00	41.501	41.501	41.501	1.501		45	45.00										
Sub Loop Feeder = STS1-1 Fee Mile Per Month UDLSX LISI	3 396 00									2 206 00	407.1/	160.9	6 01 10		10.00			<u> </u>	+
Sub Loop Feeder - CO-3 - Per Mile per Month UDL/SX USBF7 372.80 3,386.00 407.14 160.86 91.19 19.99	3,300.00									3,300.00	407.14	160.6	91.19		19.99				
Sub Loop Feeder - OC-3 - Fee Mile Per Month UDL03 LISSL 11.67	3.386.00									3.386.00	407.14	160.8	6 91.19		19.99			1	
Month	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,									0,000.00		1							†
Sub Loop Feeder - OC-12 - Per Mid- Per Month UDLO3 USBF2 564.68 3,386.00 407.14 160.86 91.19 19.99		58 27	USBE5	LISBE5	USBE5	ISRE5		58	58 27										
Sub Loop Feeder - OC-12 - Per Mile Per Month Month	3.386.00									3.386.00	407.14	160.8	6 91.19		19.99				1
Sub Loop Feeder - CO-12 - Facility Termination Protection Per UDL12	,	14.36	1L5SL	1L5SL	1L5SL	L5SL		14.	14.36	-,									
Sub Loop Feeder - OC-12 - Facility Termination Per Month UDL12 USBF3 1.778.00 3,386.00 407.14 160.86 91.19 19.99									1										1
Sub Loop Feeder - OC-48 - Per Mile Per Month UDL48 LLSSL 47.11 USBP 330.39 USBP USB																			
Sub Loop Feeder - OC-48 - Facility Termination Protection Per UDLAB	3,386.00									3,386.00	407.14	160.8	6 91.19		19.99				
Month UDL48 USBF9 330.39		47.11	1L5SL	1L5SL	1L5SL	L5SL		47.	47.11										
Sub Loop Feeder - OC-48 - Facility Termination Per Month UDL48 USBF4 1,533.00 3,571.00 407.14 160.86 91.19 19.99 1		330 30	IISBEO	LISBEO	LISBEO	ISREO		330	330 30										
Sub Loop Feeder - OC-12 Interface On OC-48	3.571.00									3.571.00	407.14	160.8	6 91.19		19.99				+
UNBUNDLED LODP CONCENTRATION																			1
Unbundled Loop Concentration - System B (TR008)																			
Unbundled Loop Concentration - System A (TR303)																			
Unbundled Loop Concentration - System B (TR303)																			
Unbundled Loop Concentration - DS1 Loop Interface Card ULC UCTCO 6.04 126.61 92.17 33.46 9.37 19.99 Unbundled Loop Concentration - ISDN Loop Interface (Brite Card) UDN ULCC1 9.59 21.08 20.96 10.75 10.68 19.99 Unbundled Loop Concentration - 2 Wire Voice-Loop Start or Ground Start Loop Interface (POTS Card) UEA ULCC2 2.40 21.08 20.96 10.75 10.68 19.99 Unbundled Loop Concentration - 2 Wire Voice - Reverse Battery Loop Interface (SPOTS Card) UEA ULCCR 14.26 21.08 20.96 10.75 10.68 19.99 Unbundled Loop Concentration - 4 Wire Voice Loop Interface (SPOTS Card) UEA ULCCR 14.26 21.08 20.96 10.75 10.68 19.99 Unbundled Loop Concentration - 4 Wire Voice Loop Interface (Specials Card) UEA ULCC4 8.51 21.08 20.96 10.75 10.68 19.99 Unbundled Loop Concentration - TEST CIRCUIT Card ULC UCTTC 41.58 21.08 20.96 10.75 10.68 19.99 Unbundled Loop Concentration - Digital 19.2 Kbps Data Loop UDL ULCC7 12.60 21.08 20.96 10.75 10.68 19.99 Unbundled Loop Concentration - Digital 19.2 Kbps Data Loop UDL ULCC7 12.60 21.08 20.96 10.75 10.68 19.99 UDL ULCC7 12.60 21.08 20.96 10.75 10.68 19.99 UDL ULCC7 12.60 21.08 20.96 10.75 10.68 19.99 UDL ULCC7 12.60 21.08 20.96 10.75 10.68 19.99 UDL ULCC7 12.60 21.08 20.96 10.75 10.68 19.99 UDL ULCC7 12.60 21.08 20.96 10.75 10.68 19.99 UDL ULCC7 12.60 21.08 20.96 10.75 10.68 19.99 UDL ULCC7 12.60 21.08 20.96 10.75 10.68 19.99 UDL ULCC7 12.60 21.08 20.96 10.75 10.68 19.99 UDL ULCC7 12.60 21.08 20.96 10.75 10.68 19.99 UDL ULCC7 12.60 21.08 20.96 10.75 10.68 19.99 UDL ULCC7 12.60 21.08 20.96 10.75 10.68 19.99 UDL ULCC7 12.60 21.08 20.96 10.75 10.68 19.99 UDL ULCC7 12.60 21.08 20.96 10.75 10.68 19.99 UDL ULCC7 12.60 21.08 20.96 10.75																			
Unbundled Loop Concentration - ISDN Loop Interface (Brite Card)													6 0.27						
Unbundled Loop Concentration - UDC Loop Interface (Brite Card)																			1
Card UDC ULCCU 9.59 21.08 20.96 10.75 10.68 19.99	21.08	9.59	ULCC1	ULCC1	ULCC1	LCC1		9.	9.59	21.08	20.96	10.7	5 10.68		19.99		1		
Ground Start Loop Interface (POTS Card)	21.08	9.59	ULCCU	ULCCU	ULCCU	LCCU	ı	9.	9.59	21.08	20.96	10.7	5 10.68		19.99				<u> </u>
Loop Interface (SPOTS Card)	21.08	2.40	ULCC2	ULCC2	ULCC2	LCC2		2.	2.40	21.08	20.96	10.7	5 10.68		19.99				
CSpecials Card)	21.08	14.26	ULCCR	ULCCR	ULCCR	LCCR		14.	14.26	21.08	20.96	10.7	5 10.68		19.99				
Unbundled Loop Concentration - TEST CIRCUIT Card ULC UCTTC 41.58 21.08 20.96 10.75 10.68 19.99 Unbundled Loop Concentration - Digital 19.2 Kbps Data Loop UDL ULCC7 12.60 21.08 20.96 10.75 10.68 19.99 Ups 19.99 UDL ULCC7 12.60 21.08 20.96 10.75 10.68 19.99 Ups 19.99 UDL ULCC7 12.60 21.08 20.96 10.75 10.68 19.99 Ups 19.99 UDL ULCC7 12.60 21.08 20.96 10.75 10.68 19.99 UDL ULCC7 12.60 ULCC7 12.60 ULCC7 ULCC7 ULCC7 ULCC7 ULCC7 ULCC7 ULCC7 ULCC7 ULCC7 ULCC7 ULCC7 ULCC7 ULCC7 ULCC7 ULCC	21 08	8 51	ULCC4	ULCC4	ULCC4	I CC4		Ω	8 51	21.08	20 06	10.7	5 10.68		10 00				
Unbundled Loop Concentration - Digital 19.2 Kbps Data Loop																			
Unbundled Loop Concentration - Digital 56 Kbps Data Loop																			<u> </u>

UNBUNDLE	D NETWORK ELEMENTS - Kentucky												Attachment:	2		Exhibit: E
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					RATES (\$)		
	History Hallow Communication Provided Addition Page 1						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Loop Concentration - Digital 64 Kbps Data Loop Interface			UDL	ULCC6	12.60	21.08	20.96	10.75	10.68		19.99				
LINE OTHER !	PROVISIONING ONLY - NO RATE			UDL	ULCC6	12.00	21.00	20.96	10.75	10.00		19.99				
ONE OTTIER, I	NID - Dispatch and Service Order for NID installation			UENTW	UNDBX											
	UNTW Circuit Id Establishment, Provisioning Only - No Rate			UENTW	UENCE											
				UEANL,UEF,UEQ,U												
	Unbundled Contract Name, Provisioning Only - No Rate			ENTW	UNECN											
UNE OTHER, F	PROVISIONING ONLY - NO RATE															
	Unbundled Contact Name, Provisioning Only - no rate			UAL,UCL,UDC,UDL, UDN,UEA,UHL,ULC	UNECN	0.00	0.00				1					
	Unbundled Contact Name, Provisioning Only - no rate Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no			ODIN, UEA, UHL, ULC	UNEUN	0.00	0.00				-					
	rate			UEA,UDN,UCL,UDC	USBFO	0.00	0.00								1	
- 	Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no			,,00.,000,000	- 55. W	0.00	0.00									
	rate			UEA,USL,UCL,UDL	USBFR	0.00	0.00									
	Unbundled DS1 Loop - Superframe Format Option - no rate			USL	CCOSF	0.00	0.00									
1	Unbundled DS1 Loop - Expanded Superframe Format option -															
	no rate			USL	CCOEF	0.00	0.00									
	TY UNBUNDLED LOCAL LOOP															
NOTE:	4 month minimum billing period															
i l	High Capacity Unbundled Local Loop - DS3 - Per Mile per month			UE3	1L5ND	11.53										
	High Capacity Unbundled Local Loop - DS3 - Facility			UE3	1L5ND	11.53										
i l	Termination per month			UE3	UE3PX	379.72	903.34	528.05	238.20	166.62		19.99				
-+-	High Capacity Unbundled Local Loop - STS-1 - Per Mile per			OLO	OLSI X	313.12	303.54	320.03	230.20	100.02		13.33				
i l	month			UDLSX	1L5ND	11.53										
	High Capacity Unbundled Local Loop - STS-1 - Facility															
	Termination per month			UDLSX	UDLS1	394.76	903.34	528.05	238.20	166.62		19.99				
LOOP MAKE-U																
i l	Loop Makeup - Preordering Without Reservation, per working or															
\vdash	spare facility queried (Manual).			UMK	UMKLW		47.98	47.98								
i l	Loop Makeup - Preordering With Reservation, per spare facility			LIMIZ	LIMIZLD		50.00	50.00								
	queried (Manual). Loop MakeupWith or Without Reservation, per working or			UMK	UMKLP		50.88	50.88								
i l	spare facility queried (Mechanized)			UMK	PSUMK		0.6746	0.6746								
HIGH FREQUE	ENCY SPECTRUM			OIVIIX	1 OOWIK		0.0740	0.0740								
	TERS-CENTRAL OFFICE BASED															
	Line Sharing Splitter, per System 96 Line Capacity	- 1		ULS	ULSDA	203.33	377.71	0.00	357.29	0.00		0.00				
	Line Sharing Splitter, per System 24 Line Capacity	ı		ULS	ULSDB	50.83	377.71	0.00	357.29	0.00		0.00				
	Line Sharing Splitter, Per System, 8 Line Capacity			ULS	ULSD8	16.94	377.71	0.00	357.29	0.00		0.00				
i l	Line Sharing-DLEC Owned Splitter in CO-CFA activaton-															
	deactivation (per LSOD)	1		ULS	ULSDG		57.72		11.43							
END U	SER ORDERING-CENTRAL OFFICE BASED-HIGH FREQUENCY	SPEC			111.000	0.04	07.00	04.00	00.40	0.07		40.00				
	Line Sharing - per Line Activation			ULS	ULSDC	0.61	37.02	21.20	20.10	9.87		19.99			 	
i I	Line Sharing - per Subsequent Activity per Line Rearrangement			ULS	ULSDS		32.78	16.38				19.99			1	
-+-	Line Splitting - per line activation DLEC owned splitter	÷		UEPSR UEPSB	UREOS	0.61	32.78	10.30				10.00			t	
	Line Splitting - per line activation BST owned - physical	i		UEPSR UEPSB	UREBP	0.647	37.02	21.20	21.10	9.87					1	
	Line Splitting - per line activation BST owned - virtual	i		UEPSR UEPSB	UREBV	0.645	37.02	21.20	21.10	9.87						
i .	<u> </u>															
UNBUNDLED																
INTER	OFFICE CHANNEL - DEDICATED TRANSPORT - VOICE GRADE															
ı l	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -			LIATIO	41.500						1					
	Per Mile per month			U1TVX	1L5XX	0.0118									1	
<u> </u>											ı				1	1
	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -			LI1TVX	111T\/2	20 51	81 07	5/1 9/	33 36	12 75		10 00				
	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - Facility Termination per month Interoffice Channel - Dedicated Transport- 2-Wire Voice Grade			U1TVX	U1TV2	29.51	81.07	54.84	33.36	13.75		19.99				

UNBUNDLE	D NETWORK ELEMENTS - Kentucky											,	Attachment:	2		Exhibit: I
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec	urring Add'l	Nonrecurring		COMEC	SOMAN		RATES (\$)	SOMAN	SOMAN
	Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat				-		First	Addi	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Facility Termination per month			U1TVX	U1TR2	29.51	81.07	54.84	33.36	13.75		19.99				
	Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade -															
	Per Mile per month			U1TVX	1L5XX	0.0118										
	Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade - Facility Termination per month			U1TVX	U1TV4	26.22	81.10	54.84	33.36	13.75		19.99				
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month			U1TDX	1L5XX	0.0118										
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility			LIATOV	LIATOS	04.00	04.44	54.04	00.00	10.75		40.00				
	Termination per month Interoffice Channel - Dedicated Transport - 64 kbps - per mile		<u> </u>	U1TDX	U1TD5	21.26	81.11	54.84	33.36	13.75		19.99				
	per month			U1TDX	1L5XX	0.0118										
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination per month			U1TDX	U1TD6	21.26	81.11	54.84	33.36	13.75		19.99				
INTER	OFFICE CHANNEL - DEDICATED TRANSPORT - DS1			UTIDA	01106	21.20	01.11	34.04	33.36	13.75		19.99				1
111.21	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per		 													<u> </u>
	month			U1TD1	1L5XX	0.2407										
	Interoffice Channel - Dedicated Tranport - DS1 - Facility															
INTER	Termination per month OFFICE CHANNEL - DEDICATED TRANSPORT- DS3			U1TD1	U1TF1	97.38	178.59	163.67	32.59	28.79		19.99				
INTER	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per				-				+							
	month			U1TD3	1L5XX	5.10										
	Interoffice Channel - Dedicated Transport - DS3 - Facility					91.10										
	Termination per month			U1TD3	U1TF3	1,191.53	557.69	325.62	120.00	116.54		19.99				
INTER	OFFICE CHANNEL - DEDICATED TRANSPORT- STS-1															
	Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month			U1TS1	1L5XX	5.10										
	Interoffice Channel - Dedicated Transport - STS-1 - Facility															
	Termination per month			U1TS1	U1TFS	1,165.53	557.69	325.62	120.00	116.54		19.99				
	L CHANNEL - DEDICATED TRANSPORT : LOCAL CHANNEL DEDICATED TRANSPORT - minimum billin			DC2	DC2 and ab a		_									
NOTE	Local Channel - Dedicated - 2-Wire Voice Grade Per Month	g perio	a - bei	ULDVX	ULDV2	18.81	386.33	66.35	73.04	6.37		19.99				
	Local Channel - Dedicated - 2-Wire Voice Grade Per Month Local Channel - Dedicated - 2-Wire Voice Grade Rev Bat per			OLDVA	ULDV2	10.01	300.33	00.33	73.04	6.37		19.99				
	month			ULDVX	ULDR2	18.81	386.33	66.35	73.04	6.37		19.99				
	Local Channel - Dedicated - 4-Wire Voice Grade per month			UNDVX	ULDV4	20.12	387.20	67.22	73.98	7.31		19.99				
	Local Channel - Dedicated - DS1 per month - Zone 1		1	ULDD1	ULDF1	44.63	355.06	307.53	44.24	30.42		19.99				
	Local Channel - Dedicated - DS1 per month - Zone 2		2	ULDD1	ULDF1	40.74	355.06	307.53	44.24	30.42		19.99				
	Local Channel - Dedicated - DS1 per month - Zone 3		3	ULDD1	ULDF1	42.95	355.06	307.53	44.24	30.42		19.99				
	Local Channel - Dedicated - DS3 - Per Mile per month Local Channel - Dedicated - DS3 - Facility Termination per			ULDD3	1L5NC	8.98										
	month			ULDD3	ULDF3	583.57	903.34	528.05	238.20	166.62		19.99				
	Local Channel - Dedicated - STS-1- Per Mile per month			ULDS1	1L5NC	8.98		5_5.00								
	Local Channel - Dedicated - STS-1 - Facility Termination per								1							
	month		<u> </u>	ULDS1	ULDFS	550.34	903.34	528.05	238.20	166.62		19.99				
MULTIPLEXE			<u> </u>	LIXTD4	MO1	100.05	100.44	405.40	04.00	40.50		40.00				<u> </u>
	Channelization - DS1 to DS0 Channel System OCU-DP COCI (data) - DS1 to DS0 Channel System - per			UXTD1	MQ1	139.65	182.14	125.19	21.00	19.52		19.99				1
	month (2.4-64kbs)		1	UDL	1D1DD	1.63	13.16	9.43								
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per			052	10.00		10.10	0.10								
	month		<u>L</u>	UDN	UC1CA	3.50	13.16	9.43	l							<u> </u>
	Voice Grade COCI - DS1 to DS0 Channel System - per month			UEA	1D1VG	0.7676	13.16	9.43								
	DS3 to DS1 Channel System per month		<u> </u>	UXTD3	MQ3	194.82	356.40	188.00	66.30	63.44		19.99				<u> </u>
	STS1 to DS1 Channel System per month		<u> </u>	UXTS1	MQ3	194.82	356.40	188.00	66.30	63.44		19.99			-	1
DARK FIBER	DS3 Interface Unit (DS1 COCI) used with Loop per month		!	USL	UC1D1	14.53	13.16	9.43								
DANK FIDER	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction		 	 	+				 							
1 I		1		UDF	1L5DC	48.00			1]				Ì	
	Thereof per month - Local Channel					40.00										

UNBUNDLE	D NETWORK ELEMENTS - Kentucky												Attachment:	2		Exhibit: E
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Submitted Manually		Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Charge - Manual Svo Order vs.
						Rec	Nonred First	curring Add'l	Nonrecurring First	g Disconnect Add'l	SOMEC	COMAN		RATES (\$)	SOMAN	SOMAN
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction				-		FIRST	Add I	FIRST	Addi	SOMEC	SOMAN	SUMAN	SUMAN	SOWAN	SOMAN
	Thereof per month - Interoffice Channel			UDF	1L5DF	31.51										
	NRC Dark Fiber - Interoffice Channel			UDF	UDF14	01.01	1,278.61	275.82	632.07	394.05		19.99				
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction						.,									
	Thereof per month - Local Loop			UDF	1L5DL	48.00										
	NRC Dark Fiber - Local Loop			UDF	UDFL4		1,278.61	275.82	632.07	394.05		19.99				
TRANSPORT C																
Option	al Features & Functions:															
	Clear Channel Capability (B8ZS/ESF) Option - Subsequent -			LINGAV	CCOFF		404.04	22.02	1.00	0.70		40.00				
	per DS1 Channel Clear Channel Capability (B8ZS/SF) Option - Subsequent - per	1	1	UNC1X	CCOEF	+	184.91	23.82	1.99	0.78	1	19.99				1
1	DS1 Channel		1	UNC1X	CCOSF		184.91	23.82	1.99	0.78		19.99				
8XX ACCESS T	TEN DIGIT SCREENING		1	014017	00001	+ -	104.31	23.02	1.99	0.76	1	13.33				1
1.31.7.002001	8XX Access Ten Digit Screening, Per Call	1	<u> </u>	OHD		0.001			1	1				1		1
	8XX Access Ten Digit Screening, Reservation Charge Per 8XX					0.001										
	Number Reserved			OHD	N8R1X		10.05	1.19				19.99				
	8XX Access Ten Digit Screening, Per 8XX No. Established W/O															
	POTS Translations			OHD			30.59	3.22				19.99				
	8XX Access Ten Digit Screening, Per 8XX No. Established With															
	POTS Translations			OHD	N8FTX		30.59	3.22				19.99				
	8XX Access Ten Digit Screening, Customized Area of Service			OHD	N8FCX		0.07	0.40				40.00				
	Per 8XX Number 8XX Access Ten Digit Screening, Multiple InterLATA CXR			ОНО	N8FCX		6.97	3.49				19.99				1
	Routing Per CXR Requested Per 8XX No.			OHD	N8FMX		8.16	4.67				19.99				
	8XX Access Ten Digit Screening, Change Charge Per Request			OHD	N8FAX		11.24	1.19				19.99				
	8XX Access Ten Digit Screening, Call Handling and Destination			-	_			-								
	Features			OHD	N8FDX		6.97					19.99				
	8XX Access Ten Digit Screening, w/ POTS No. Delivery, per															
	query			OHD		0.001										
	8XX Access Ten Digit Screening w/ POTS No. Delivery, with															
	Optional Complex Features, per query			OHD		0.0011										
LINE INFORMA	ATION DATA BASE ACCESS (LIDB) LIDB Common Transport Per Query			OQT		0.00006										1
	LIDB Validation Per Query			OQU	-	0.00008						-				-
	LIDB Originating Point Code Establishment or Change			OQT, OQU	NRPBX	0.00330	107.60					19.99				
SIGNALING (C				041,040	5/		101.00					10.00				
- (-	CCS7 Signaling Termination, Per STP Port			UDB	PT8SX	174.08										
	CCS7 Signaling Usage, Per TCAP Message			UDB		0.000102042										
	CCS7 Signaling Connection, Per link (A link)			UDB	TPP++	16.31	354.95	354.95	174.08	174.08		19.99				
1	CCS7 Signaling Connection, Per link (B link) (also known as D					1										
	link)			UDB	TPP++	16.31	354.95	354.95	174.08	174.08		19.99				
	CCS7 Signaling Usage, Per ISUP Message		1	UDB UDB	STU56	0.000037893 329.98										1
	CCS7 Signaling Usage Surrogate, per link per LATA CCS7 Signaling Point Code, per Originating Point Code		 	מחס	S1U5b	329.98		-	-	-	1		-	-		1
	Establishment or Change, per STP affected			UDB	CCAPO		40.00	40.00				19.99				
	CCS7 Signaling Point Code, per Destination Point Code				30/11 0	+	40.00	40.00				10.00				1
1	Establishment or Change, Per Stp Affected		1	UDB	CCAPD		8.00	8.00				19.99				
CALLING NAM	E (CNAM) SERVICE								<u> </u>	<u> </u>				<u> </u>		1
	CNAM for DB Owners, Per Query			OQV		0.01										
	CNAM for Non DB Owners, Per Query			OQV		0.01	•									
1	CNAM (Non-Databs Owner), NRC, applies when using the]]						
00504555	Character Based User Interface (CHUI)		!	OQV	CDDCH	1	595.00	595.00		ļ	<u> </u>	19.99				
UPERATOR CA	ALL PROCESSING	1	}		1				 	 	1	1		 		
1	Oper. Call Processing - Oper. Provided, Per Min Using BST LIDB		1			1.20										
	Oper. Call Processing - Oper. Provided, Per Min Using		 			1.20				1				1		
1	Foreign LIDB	ı	1		1	1.24		l	l	ĺ	1	1	l	ĺ		

UNBUNDLE	D NETWORK ELEMENTS - Kentucky	,										Attachment:	2		Exhibit: E
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			r Svc Order I Submitted Manually per LSR		Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring Discon				RATES (\$)		
	Ones Call Decession Fully Automated and Call Links DCT						First	Add'l	First Add	I SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Oper. Call Processing - Fully Automated, per Call - Using BST LIDB					0.20									
	Oper. Call Processing - Fully Automated, per Call - Using					0.00									
INWARD ORE	Foreign LIDB RATOR SERVICES					0.20									
INWARD OPER	Inward Operator Services - Verification, Per Call					1.00									
	Inward Operator Services - Verification, 1 er can Inward Operator Services - Verification and Emergency Interrupt					1.00					+				
	- Per Call					1.95									
BRANDING - C	PERATOR CALL PROCESSING														
	Recording of Custom Branded OA Announcement				CBAOS		7,000.00	7,000.00			19.99				
	Loading of Custom Branded OA Announcement per shelf/NAV				CBAOL		500.00	500.00			19.99	19.99	19.99		
Unbra	nding via OLNS for UNEP CLEC												ļ		
DIDEOTORY A	Loading of OA per OCN (Regional)						1,200.00	1,200.00							
	SSISTANCE SERVICES TORY ASSISTANCE ACCESS SERVICE														
DIREC	Directory Assistance Access Service Calls, Charge Per Call					0.275					-				-
DIREC	TORY ASSISTANCE CALL COMPLETION ACCESS SERVICE (D	ACC)				0.273									
DIREC	Directory Assistance Call Completion Access Service (DACC),	l													-
	Per Call Attempt					0.10									
DIREC	TORY TRANSPORT														
	SWA Common transport per Directory Assistance Access														
	Service Call					0.000178									
	SWA Common Transport per Directory Assistance Access Service Call Mile					0.000017									
	Access Tandem Switching per Directory Assistance Access Service Call					0.000287									
	Directory Assistance Interconnection per Directory Assistance														
	Access Service Call					0.00									
	DS3 to DS1 Multiplexer per DA Access Service Call					0.00018									
	SSISTANCE SERVICES														
DIREC	TORY ASSISTANCE DATA BASE SERVICE (DADS)					0.04									
	Directory Assistance Data Base Service Charge Per Listing Directory Assistance Data Base Service, per month				DBSOF	0.04 150.00					-				
BRANDING - D	DIRECTORY ASSISTANCE				DBSOF	150.00									
	y Based CLEC										+				
1	Recording and Provisioning of DA Custom Branded														
	Announcement			AMT	CBADA		6,000.00	6,000.00							
	Loading of Custom Branded Announcement per DRAM Card/Switch			AMT	CBADC		1,170.00	1,170.00							
UNEP							., 17 0.00	.,170.00		+	1		1	1	†
1 1	Recording of DA Custom Branded Announcement						3,000.00	3,000.00		1			Ì		
	Loading of DA Custom Branded Announcement per DRAM Card/Switch per OCN						1,170.00	1,170.00							
Unbrai	nding via OLNS for UNEP CLEC						.,170.00	.,170.00		1			1	1	
	Loading of DA per OCN (1 OCN per Order)						420.00	420.00							
	Loading of DA per Switch per OCN						16.00	16.00							
SELECTIVE R															
	Selective Routing Per Unique Line Class Code Per Request Per Switch				USRCR		229.65	229.65			19.99				
VIRTUAL COL	LOCATION														
	Virtual Collocation - Application Cost			CLO	EAF		2,848.30	2,848.30							
	Virtual Collocation - Cable Installation Cost, per cable			CLO	ESPCX		2,750.00	2,750.00							
	Virtual Collocation - Floor Space, per sq. ft.			CLO	ESPVX	3.20							ļ		
	Virtual Collocation - Power, per breaker amp			CLO	ESPAX	3.48								ļ	
	Virtual Collocation - Cable Support Structure, per entrance cable			CLO	ESPSX	13.35									
	Virtual Collocation - 2-wire Cross Connects (loop)			ueanl,uea,udn,udc, ual,uhl,ucl,ueq	UEAC2	0.31	54.21	51.07			19.99				

UNBUNDLE	D NETWORK ELEMENTS - Kentucky				1	1					1		Attachment:	2		Exhibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)	ı			Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec	urring	Nonrecurring	Disconnect				RATES (\$)		
							First	Add'l	First	Add'l	SOMEC		SOMAN	SOMAN	SOMAN	SOMAN
	Virtual Collocation - 4-wire Cross Connects (loop)			uea,uhl,ucl,udl	UEAC4	0.62	54.23	50.96				19.99				
	Virtual Collocation - 2-Fiber Cross Connects			CLO	CNC2F	15.64	41.56	29.82					19.99	19.99	19.99	19.99
	Virtual Collocation - 4-Fiber Cross Connects			CLO	CNC4F	28.11	50.53	38.78	40.70				19.99	19.99	19.99	19.99
-	Virtual Collocatin - DS1 Cross Connects Virtual Collocatin - DS3 Cross Connects			USL,ULC,CLO USL,ULC,CLO	CNC1X CND3X	1.50 56.25	44.07	31.86	12.76	11.53						
	Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable			USL,ULC,CLO	CND3X	56.∠5	151.90	11.83								
	Support Structure, per linear foot			AMTFS	PE1ES	0.003										
	Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax			AWITTS	FLILS	0.003										
	Cable Support Structure, per linear ft			AMTFS	PE1DS	0.0045										
	Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable			7411110	. 2.50	0.00.0										
	Support Structure,per cable	l		AMTFS	1		535.55								1	
	Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax															
	Cable Support Structure, per cable			AMTFS			535.55									
	Virtual Collocatin - Security Escort - Basic, per half hour			CLO	SPTBX		41.00	25.00								
	Virtual Collocatin - Security Escort - Overtime, per half hour			CLO	SPTOX		48.00	30.00								
	Virtual Collocatin - Security Escort - Premium, per half hour			CLO	SPTPX		55.00	35.00								
	Virtual Collocatin - Maintenance in CO - Basic, per half hour			CLO	CTRLX		30.64	30.64								
	L															
	Virtual Collocatin - Maintenance in CO - Overtime, per half hour			CLO	SPTOM		35.77	35.77								
VIRTUAL COLI	Virtual Collocatin - Maintenance in CO - Premium per half hour			CLO	SPTPM		40.90	40.90								
VIRTUAL COLI	Virtual Collocation - 2-wire Cross Connect, Exchange Port 2-				+											
	Wire Analog - Res			UEPSR	VE1R2	0.31	54.21	51.07				19.99				
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire			UEFSK	VETRZ	0.31	34.21	51.07				19.99				
	Voice Grade Res			UEPRX	PE1R2	0.31	54.21	51.07				19.99				
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-			CLITOX	I LINE	0.01	04.21	01.07				10.00				
	Wire Line Side PBX Trunk - Bus			UEPSP	VE1R2	0.31	54.21	51.07				19.99				
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire					0.0.										
	Voice Grade PBX Trunk - Res			UEPSE	VE1R2	0.31	54.21	51.07				19.99				
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire															
	Analog Bus			UEPSB	VE1R2	0.31	54.21	51.07				19.99				
	Virtual Collocation 2-Wire Cross Connect, Exchnage Port 2-Wire															
	ISDN			UEPSX	VE1R2	0.31	54.21	51.07				19.99				
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire															
	ISDN			UEPTX	VE1R2	0.31	54.21	51.07				19.99				
	Virtual Collocation 4-Wire Cross Connect, Exchange Port DDITS							=								
	4-Wire DS1			UEPDD	VE1R4	0.62	54.23	50.96				19.99			-	
	Virtual Collocation 4-Wire Cross Connect, Exchange Port 4-Wire ISDN DS1			UEPEX	VE1R4	0.62	54.23	50.96				19.99				
VIRTUAL COLI				OLFLX	VL IIX4	0.02	34.23	30.90				19.99				
VIKTOAL COL	Virtual Collocation-2 Wire Cross Connects (Loop) for Line				+											
	Splitting			UEPSR, UEPSB	VE1LS	0.31	54.21	51.07				19.99				
AIN SELECTIV	E CARRIER ROUTING					0.0.										
	Regional Service Establishment			SRC	SRCEC		391,788.00					19.99				
	End Office Establishment			SRC	SRCEO		320.53	320.53				19.99				
	Line/Port NRC, per end user			SRC	SRCLP		2.06	2.06				19.99				
	Query NRC, per query			SRC		0.000448										
	JTH AIN SMS ACCESS SERVICE															
	JTH AIN TOOLKIT SERVICE															
	(TENDED LINK (EELs)	L			<u> </u>	L									1	
	New EELs available in State of Georgia, density zone 1 of foll							w Orleans, LA;								
	Charlotte-Gastonia-Rockhill, NC; Greensboro-Winston Salem											L		l	1	
	In all states, EEL network elements shown below also apply t	o curre	ntly co	mbined facilities w	nich are conv	erted to UNE ra	ites. A Switch	As Is Charge a	pplies to curre	ntly combined	tacilities co	onverted to	UNEs.(Non-re	ecurring rates	do not	
apply.)	L. CA. THE KY LA C. HO. de . EF.					-1. 4 - 1. 6.			,				1	T		
	In GA, TN, KY, LA & MS, the EEL network elements apply to c				ents.(No Swif	cn As Is Charg	e.)								1	
2-WIRE	VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT	EKOFF	ICE IR	ANSPUKI (EEL)	+									 	 	
	First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 1	l	1	UNCVX	UEAL2	17.27									1	
	Outromation - 2016 1	l		OINOVA	ULALZ	11.21			<u> </u>		i	i		i	l	i

UNBUNDLE	D NETWORK ELEMENTS - Kentucky			1	1	1							Attachment:	2		Exhibit: E
CATEGORY	RATE ELEMENTS	Interi m	Zone	всѕ	usoc			RATES(\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrec	urring	Nonrecurring	Disconnect				RATES (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed		_		l											
	Transport Combination - Zone 2		2	UNCVX	UEAL2	32.32										
	First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 3		3	UNCVX	UEAL2	55.78										
	Interoffice Transport - Dedicated - DS1 combination - Per Mile		3	UNCVA	ULALZ	33.76										
	per month			UNC1X	1L5XX	0.2407										
	Interoffice Transport - Dedicated - DS1 combination - Facility															
	Termination per month			UNC1X	U1TF1	97.38										
	DS1 Channelization System Per Month			UNC1X	MQ1	139.65										
	Voice Grade COCI - DS1 To Ds0 Interface - Per Month			UNCVX	1D1VG	0.7676										
	Each Additional 2-Wire VG Loop(SL 2) in the same DS1		١													
	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL2	17.27					1				1	ļ
	Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL2	32.32										
	Each Additional 2-Wire VG Loop(SL2) in the same DS1			UNCVA	ULALZ	32.32										
	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL2	55.78										
	Voice Grade COCI - DS1 to DS0 Channel System combination -				1											
	per month			UNCVX	1D1VG	0.7676										
	Nonrecurring Currently Combined Network Elements Switch -As-															
	ls Charge			UNC1X	UNCCC		11.19	11.19	13.91	13.91		19.99				
4-WIRE	VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT	EROFF	ICE TR	ANSPORT (EEL)												
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice				l											
	Transport Combination - Zone 1		1	UNCVX	UEAL4	20.92					1					
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	39.14										
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice			UNCVA	UEAL4	39.14										1
	Transport Combination - Zone 3		3	UNCVX	UEAL4	67.57										
	Interoffice Transport - Dedicated - DS1 combination - Per Mile		Ŭ	0.1017.	02,12.	01.01										
	Per Month			UNC1X	1L5XX	0.2407										
	Interoffice Transport - Dedicated - DS1 - Facility Termination Per															
	Month			UNC1X	U1TF1	97.38										
	Channelization - Channel System DS1 to DS0 combination Per															
	Month			UNC1X	MQ1	139.65										
	Voice Grade COCI - DS1 to DS0 Channel System combination - per month			UNCVX	1D1VG	0.7676										
	Additional 4-Wire Analog Voice Grade Loop in same DS1			UNCVA	IDIVG	0.7676										
	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	20.92										
	Additional 4-Wire Analog Voice Grade Loop in same DS1		<u> </u>		J	20.02									1	
	Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	39.14										
	Additional 4-Wire Analog Voice Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	67.57										
	Nonrecurring Currently Combined Network Elements Switch -As-															
4 14/15/5	Is Charge	NITEDO	FFIOR	UNC1X	UNCCC		11.19	11.19	13.91	13.91		19.99				
4-WIRE	First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice	INTERC	PFICE	I KANSPUKT (EEL)	'										-	
	Transport Combination - Zone 1		1	UNCDX	UDL56	35.92										
	First 4-wire 56Kbps Digital Grade Loop in a DS1 Interoffice			5.10 <i>D</i> /.	35230	55.52									<u> </u>	†
	Transport Combination - Zone 2		2	UNCDX	UDL56	40.32										
	First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice						İ									
	Transport Combination - Zone 3		3	UNCDX	UDL56	37.90										
	Interoffice Transport - Dedicated - DS1 combination - Per Mile												_			
	Per Month			UNC1X	1L5XX	0.2407					ļ					ļ
	Interoffice Transport - Dedicated - DS1 - combination Facility															
	Termination Per Month			UNC1X	U1TF1	97.38					<u> </u>				ļ	<u> </u>
	Channelization - Channel System DS1 to DS0 combination Per Month			UNC1X	MQ1	139.65										
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per			OINC IV	ואוענו	139.03					1				1	1
	month (2.4-64kbs)			UNCDX	1D1DD	1.63										

UNBUNDLE	D NETWORK ELEMENTS - Kentucky	1		T	1	I					1	1	Attachment:	2		Exhibit: E
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual Svo Order vs. Electronic-
						Rec	Nonred First	curring Add'l	Nonrecurring First	g Disconnect	SOMEC	SOMAN	OSS	RATES (\$)	SOMAN	SOMAN
+	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1						FIRST	Add I	FIRST	Addi	SOMEC	SOWAN	SOWAN	SUMAN	SUMAN	SUMAN
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	35.92										
	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1															
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	40.32										
	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	37.90										
	OCU-DP COCI (data) - DS1 to DS0 Channel System - combination per month (2.4-64kbs)			UNCDX	1D1DD	1.63										
	Nonrecurring Currently Combined Network Elements Switch -As-	-														
	Is Charge	ļ		UNC1X	UNCCC		11.19	11.19	13.91	13.91		19.99				4
4-WIRE	64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice	INTERC	PFFICE	TRANSPORT (EEL)	1											+
	Transport Combination - Zone 1		1	UNCDX	UDL64	35.92										
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	40.32										
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	37.90										
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month		3	UNC1X	1L5XX	0.2407										
	Interoffice Transport - Dedicated - DS1 combination - Facility															
	Termination Per Month Channelization - Channel System DS1 to DS0 combination Per			UNC1X	U1TF1	97.38										
	Month OCU-DP COCI (data) - DS1 to DS0 Channel System			UNC1X	MQ1	139.65										
	combination - per month (2.4-64kbs) Additional 4-Wire 64Kbps Digital Grade Loopin same DS1			UNCDX	1D1DD	1.63										
	Interoffice Transport Combination - Zone 1 Additional 4-Wire 64Kbps Digital Grade Loopin same DS1		1	UNCDX	UDL64	35.92										
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	40.32										
	Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	37.90										
	OCU-DP COCI (data) - DS1 to DS0 Channel System															
	combination - per month (2.4-64kbs) Nonrecurring Currently Combined Network Elements Switch -As-	-		UNCDX	1D1DD	1.63										1
4 14/15	Is Charge DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INT	<u> </u>	OF TR	UNC1X	UNCCC		11.19	11.19	13.91	13.91		19.99				
4-WIRE	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice	EROFFI	CE IK	ANSPORT (EEL)											-	+
	Transport - Zone 1 4-Wire DS1 Digital Loop in Combination with DS1 Interoffice		1	UNC1X	USLXX	50.26										
	Transport - Zone 2		2	UNC1X	USLXX	94.06										
	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 3		3	UNC1X	USLXX	162.34										
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0.2407										
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month			UNC1X	U1TF1	97.38										
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge	1		UNC1X	UNCCC	555	11.19	11.19	13.91	13.91		19.99			İ	
4-WIRF	IS CHAIGE	EROFFI	CE TR		UNCCC		11.19	11.19	13.91	13.91		15.55				
	First DS1Loop in DS3 Interoffice Transport Combination - Zone		1	UNC1X	USLXX	50.26									İ	
	First DS1Loop in DS3 Interoffice Transport Combination - Zone															<u> </u>
	2 First DS1Loop in DS3 Interoffice Transport Combination - Zone		2	UNC1X	USLXX	94.06										
	3 Interoffice Transport - Dedicated - DS3 combination - Per Mile	<u> </u>	3	UNC1X	USLXX	162.34									1	1
	Per Month		<u></u>	UNC3X	1L5XX	5.10								<u> </u>	<u> </u>	<u> </u>

ONBONDLE	D NETWORK ELEMENTS - Kentucky		1		_								Attachment:	2		Exhibit:
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add
						Rec	Nonrec		Nonrecurring					RATES (\$)		
	Literatura De Francis De Production						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - DS3 - Facility Termination per month			UNC3X	U1TF3	1,191.53										
	DS3 to DS1 Channel System combination per month			UNC3X	MQ3	1,191.55										
	DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	14.53										
	Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 1		1	UNC1X	USLXX	50.26										
	Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 2		2	UNC1X	USLXX	94.06										
	Additional DS1Loop in DS3 Interoffice Transport Combination -		_													
	Zone 3		3	UNC1X	USLXX	162.34									ļ	
	DS3 Interface Unit (DS1 COCI) combination per month	1	-	UNC1X	UC1D1	14.53									 	1
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge	1	1	UNC3X	UNCCC		11.19	11.19	13.91	13.91		19.99			1	
2-WIRI	E VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GRADE INT	FROFE	ICE TE		UNCCC		11.19	11.19	13.91	13.91		15.55				
2	2-WireVG Loop used with 2-wire VG Interoffice Transport				+										1	1
	Combination - Zone 1		1	UNCVX	UEAL2	17.27										
	2-WireVG Loop used with 2-wire VG Interoffice Transport															
	Combination - Zone 2		2	UNCVX	UEAL2	32.32										
	2-WireVG Loop used with 2-wire VG Interoffice Transport															
	Combination - Zone 3		3	UNCVX	UEAL2	55.78										
	Interoffice Transport - Dedicated - 2-wire VG combination - Per															
	Mile Per Month Interoffice Transport - Dedicated - 2- Wire Voice Grade			UNCVX	1L5XX	0.0118										
	combination - Facility Termination per month Nonrecurring Currently Combined Network Elements Switch -As-			UNCVX	U1TV2	29.51										
	Is Charge			UNCVX	UNCCC		11.19	11.19	13.91	13.91		19.99				
4-WIRI	E VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRADE IN	FROFE	ICF TE		0.1000		11.10	11.10	10.01	10.01		10.00				
4 11110	4-WireVG Loop used with 4-wire VG Interoffice Transport	Littori	<u> </u>	TARGE ORT (EEE)												
	Combination - Zone 1		1	UNCVX	UEAL4	20.92										
	4-WireVG Loop used with 4-wire VG Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	39.14										
	4-WireVG Loop used with 4-wire VG Interoffice Transport			UNCVA	UEAL4	39.14										
	Combination - Zone 3		3	UNCVX	UEAL4	67.57										
	Interoffice Transport - Dedicated - 4-wire VG combination - Per															
	Mile Per Month Interoffice Transport - Dedicated - 4- Wire Voice Grade			UNCVX	1L5XX	0.0118										
	combination - Facility Termination per month			UNCVX	U1TV4	26.22										
	Nonrecurring Currently Combined Network Elements Switch -As-			UNCVA	01174	20.22										
	Is Charge			UNCVX	UNCCC		11.19	11.19	13.91	13.91		19.99				
DS3 D	GITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFIC	E TRA	NSPOR	RT (EEL)												
	High Capacity Unbundled Local Loop - DS3 combination - Per															
	Mile per month			UNC3X	1L5ND	11.53										
	High Capacity Unbundled Local Loop - DS3 combination -			LINGOV	LIEGE	6-6-6										
	Facility Termination per month Interoffice Transport - Dedicated - DS3 - Per Mile per month		-	UNC3X UNC3X	UE3PX 1L5XX	379.72 5.10									-	
	Interoffice Transport - Dedicated - DS3 - Per Mile per month Interoffice Transport - Dedicated - DS3 combination - Facility		-	UNCOA	ILOAA	5.10									-	-
	Termination per per month		1	UNC3X	U1TF3	1,191.53									1	
	Nonrecurring Currently Combined Network Elements Switch -As-			5.150/1	01110	1,101.00										
	Is Charge			UNC3X	UNCCC		11.19	11.19	13.91	13.91		19.99				
STS1 I	DIGITAL EXTENDED LOOP WITH DEDICATED STS1 INTEROF	FICE TF	RANSP	ORT (EEL)	1											
	High Capacity Unbundled Local Loop - STS1 combination - Per Mile per month			UNCSX	1L5ND	11.53								_		
	High Capacity Unbundled Local Loop - STS1 combination -	1		5.100A	120140	11.55									1	t
	Facility Termination per month		1	UNCSX	UDLS1	394.76										
	Interoffice Transport - Dedicated - STS1 combination - Per Mile															
	per month Interoffice Transport - Dedicated - STS1 combination - Facility			UNCSX	1L5XX	5.10										
	Termination per month		1	UNCSX	U1TFS	1,165.53					I				Ì	

UNBUNDLE	D NETWORK ELEMENTS - Kentucky												Attachment:	2		Exhibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec First	urring Add'l	Nonrecurring First	g Disconnect Add'l	SOMEC	SOMAN	OSS	RATES (\$)	SOMAN	SOMAN
-	Nonrecurring Currently Combined Network Elements Switch -As-						FIRST	Add I	FIRST	Addi	SOMEC	SOWAN	SUMAN	SUMAN	SUMAN	SOWAN
	Is Charge			UNCSX	UNCCC		11.19	11.19	13.91	13.91		19.99				
2-WIRE	ISDN EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPOR	RT (EEL)													
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination	1														
	Transport - Zone 1		1	UNCNX	U1L2X	23.66										
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination															
	Transport - Zone 2		2	UNCNX	U1L2X	44.28										
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination															
	Transport - Zone 3		3	UNCNX	U1L2X	76.42										
	Interoffice Transport - Dedicated - DS1 combination - Per Mile			UNC1X	1L5XX	0.2407										
	Interoffice Transport - Dedicated - DS1 combintion - Facility Termination per month	1		UNC1X	U1TF1	97.38										
 	Channelization - Channel System DS1 to DS0 combination -	1	-	OINC IV	UIIFI	91.38				1	1			1		1
	per month			UNC1X	MQ1	139.65										
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System			ONOTA	IVIQI	100.00										
	combination - per month			UNCNX	UC1CA	3.50										
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport															
	Combination - Zone 1		1	UNCNX	U1L2X	23.66										
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport															
	Combination - Zone 2		2	UNCNX	U1L2X	44.28										
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport															
	Combination - Zone 3		3	UNCNX	U1L2X	76.42										
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System															
	combintaion- per month			UNCNX	UC1CA	3.50										
	Nonrecurring Currently Combined Network Elements Switch -As-	1														
4 14/15/	Is Charge	TEDOE	LIOE T	UNC1X	UNCCC		11.19	11.19	13.91	13.91		19.99				
4-WIRE	E DS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 IN First DS1 Loop in STS1 Interoffice Transport Combination -	ILEKOF	FICE II	RANSPORT (EEL)	-											
	Zone 1		1	UNC1X	USLXX	50.26										
	First DS1 Loop in STS1 Interoffice Transport Combination -		'	UNCIX	USLAA	30.20										
	Zone 2		2	UNC1X	USLXX	94.06										
	First DS1 Loop in STS1 Interoffice Transport Combination -															
	Zone 3		3	UNC1X	USLXX	162.34										
	Interoffice Transport - Dedicated - STS1 combination - Per Mile															
	Per Month	<u></u>		UNCSX	1L5XX	5.10				<u></u>				<u> </u>		
	Interoffice Transport - Dedicated - STS1 combination - Facility												_			
	Termination			UNCSX	U1TFS	1,165.53										
\vdash	STS1 to DS1 Channel System conbination per month	ļ		UNCSX	MQ3	194.82										
\vdash	DS3 Interface Unit (DS1 COCI) combination per month	<u> </u>		UNC1X	UC1D1	14.53								ļ		
1 1	Additional DS1Loop in STS1 Interoffice Transport Combination -			LINICAV	USLXX	50.00										
	Zone 1 Additional DS1Loop in STS1 Interoffice Transport Combination -	1	1	UNC1X	USLAX	50.26				-				-		-
	Zone 2	1	2	UNC1X	USLXX	94.06										
 	Additional DS1Loop in STS1 Interoffice Transport Combination -	 	-	014017	JJLAA	94.00										
	Zone 3		3	UNC1X	USLXX	162.34										
	DS3 Interface Unit (DS1 COCI) combination per month	1		UNC1X	UC1D1	14.53					1					
	Nonrecurring Currently Combined Network Elements Switch -As-	1														
	Is Charge			UNCSX	UNCCC		11.19	11.19	13.91	13.91		19.99				
4-WIRE	56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS INTERO	FFICE 1	RANS	PORT (EEL)												
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport												_			
	Combination - Zone 1		1	UNCDX	UDL56	35.92										
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport	1			1	\neg										
\vdash	Combination - Zone 2	<u> </u>	2	UNCDX	UDL56	40.32								ļ		ļ
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport		3	LINCDY	LIDI 50	07.00										
ļ	Combination - Zone 3 Interoffice Transport - Dedicated - 4-wire 56 kbps combination -	!	3	UNCDX	UDL56	37.90				-				1		1
	Per Mile	1		UNCDX	1L5XX	0.0118										
	I OI IVIIIO	1	1	אמטאוט	ILUAA	0.0118			l .	l	1	1		l .		l .

CATEGORY			1	1	1	1										
SATEGORI	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
						Rec	Nonrec	urring	Nonrecurring	Disconnect			oss i	RATES (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Facility Termination			UNCDX	U1TD5	21.26										
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNCDX	UNCCC		11.19	11.19	13.91	13.91		19.99				
	64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTEROI	FFICE T	RANSI		1											
	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	35.92										
	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	40.32										
	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport		3	UNCDX	UDL64	37.90										
	Combination - Zone 3 Interoffice Transport - Dedicated - 4-wire 64 kbps combination -		3													
	Per Mile Interoffice Transport - Dedicated - 4-wire 64 kbps combination -			UNCDX	1L5XX	0.0118										
	Facility Termination Nonrecurring Currently Combined Network Elements Switch -As-			UNCDX	U1TD6	21.26										-
	Is Charge			UNCDX	UNCCC		11.19	11.19	13.91	13.91		19.99				
	ETWORK ELEMENTS															
	used as a part of a currently combined facility, the non-recurr used as ordinarilty combined network elements in Georgia, the															
	urring Currently Combined Network Elements in Georgia, the					As is Charge u	oes not.									
	2/4-Wire VG Interoffice Channel used in a COMBINATION -	Charge	(One a	ppiles to each com												
	"Switch As Is" Conversion Charge 56/64 kbps Interoffice Channel used in a COMBINATION -			UNCVX	UNCCC		11.19	11.19	13.91	13.91		19.99				
	"Switch As Is" Conversion Charge DS1 Interoffice Channel used in a COMBINATION - "Switch As			UNCDX	UNCCC		11.19	11.19	13.91	13.91		19.99				
	Is" Conversion Charge			UNC1X	UNCCC		11.19	11.19	13.91	13.91		19.99				
	DS3 Interoffice Channel used in a COMBINATION - "Switch As Is" Conversion Charge			UNC3X	UNCCC		11.19	11.19	13.91	13.91		19.99				
	STS1 Interoffice or Local Loop used in a COMBINATION - "Switch As Is" Conversion Charge			UNCSX	UNCCC		11.19	11.19	13.91	13.91		19.99				
NOTE:	Local Channel - Dedicated Transport - minimum billing period	l - Belo	w DS3:	one month, DS3 ar	nd above=fou	r months										
	OCAL EXCHANGE SWITCHING(PORTS)															
	ige Ports	~		ha daalaad (* - (*)												<u> </u>
	Although the Port Rate includes all available features in GA, EVOICE GRADE LINE PORT RATES (RES)	∖Y, LA δ	s: iN,t	ne desired features	will need to b	e oraered usin	g retail USOCs	1								
	Exchange Ports - 2-Wire Analog Line Port- Res.			UEPSR	UEPRL	2.61	24.98	24.98				19.99				
	Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.			UEPSR	UEPRC	2.61	24.98	24.98				19.99				
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Res.			UEPSR	UEPRO	2.61	24.98	24.98				19.99				
	Exchange Ports - 2-Wire VG unbundled KY extended local dialing parity Port with Caller ID - Res.			UEPSR	UEPRM	2.61	24.98	24.98				19.99				
	Exchange Ports - 2-Wire VG unbundled res, low usage line port with Caller ID (LUM)			UEPSR	UEPAP	2.61	24.98	24.98				19.99				
	Subsequent Activity			UEPSR	USASC	0.00	0.00	0.00				10.00				
FEATU																
	All Available Vertical Features			UEPSR	UEPVF	3.39	0.00	0.00				19.99				
	VOICE GRADE LINE PORT RATES (BUS)															
	Exchange Ports - 2-Wire Analog Line Port without Caller ID - Bus			UEPSB	UEPBL	2.61	37.55	37.55				19.99				
	Exchange Ports - 2-Wire VG unbundled Line Port with unbundled port with Caller+E484 ID - Bus.			UEPSB	UEPBC	2.61	37.55	37.55				19.99				
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus. Exchange Ports - 2-Wire VG unbundled KY extended local dialing parity Port with Caller ID - Bus.			UEPSB UEPSB	UEPBO UEPBM	2.61	37.55 37.78	37.55 37.78				19.99 19.99				

UNBUNDLEI	D NETWORK ELEMENTS - Kentucky												Attachment:	2		Exhibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonre	curring	Nonrecurring	Disconnect			oss	RATES (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN			SOMAN	SOMAN
	Exhange Ports - 2-Wire VG unbundled incoming only port with			LIEDOD	LIEDD4	0.04	07.55	07.55				40.00			ł	
—	Caller ID - Bus Subsequent Activity			UEPSB UEPSB	UEPB1 USASC	2.61 0.00	37.55 0.00	37.55 0.00	-			19.99				
FEATU				OLFOB	USAGC	0.00	0.00	0.00	-							
	All Available Vertical Features			UEPSB	UEPVF	3.39	0.00	0.00				19.99			i	
EXCHA	NGE PORT RATES (DID & PBX)														ı	
	2-Wire VG Unbundled 2-Way PBX Trunk - Res			UEPSE	UEPRD	2.61	36.47	36.47				19.99				
	2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus			UEPSP	UEPPC	2.61	36.47	36.47				19.99				
 	2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus 2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus	1	-	UEPSP UEPSP	UEPPO UEPP1	2.61 2.61	36.47 36.47	36.47 36.47			1	19.99 19.99		 		
 	2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus 2-Wire Analog Long Distance Terminal PBX Trunk - Bus			UEPSP	UEPLD	2.61	36.47	36.47	1		+	19.99				
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPSP	UEPLD	2.61	36.47	36.47				19.99				
	2-Wire Vice Unbundled 2-Way PBX Usage Port			UEPSP	UEPXA	2.61	36.47	36.47				19.99				
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPSP	UEPXB	2.61	36.47	36.47				19.99			ı	
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPSP	UEPXC	2.61	36.47	36.47				19.99				
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPSP	UEPXD	2.61	36.47	36.47				19.99				
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPSP	UEPXE	2.61	36.47	36.47				19.99				
	2-Wire Voice Unbundled 2-Way PBX Kentucky Room Area Calling Port Without LUD			UEPSP	UEPXF	2.61	36.47	36.47				19.99			ł	
	2-Wire Voice Unbundled PBX Kentucky LUD Area Calling Port	1		UEPSP	UEPXG	2.61	36.47	36.47				19.99				
	2-Wire Voice Unbundled PBX Kentucky Premium Callling Port			UEPSP	UEPXH	2.61	36.47	36.47				19.99				
	2-Wire Voice Unbundled 2-Way PBX Kentucky Area Callling Port Without LUD			UEPSP	UEPXJ	2.61	36.47	36.47				19.99				
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPSP	UEPXL	2.61	36.47	36.47				19.99				
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy											40.00				
	Room Calling Port 2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital			UEPSP	UEPXM	2.61	36.47	36.47				19.99				
	Discount Room Calling Port			UEPSP	UEPXO	2.61	36.47	36.47				19.99			L	
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPSP UEPSP	UEPXS	2.61	36.47	36.47				19.99				
FEATU	Subsequent Activity			UEPSP	USASC	0.00	0.00	0.00	-							
	All Available Vertical Features			UEPSP UEPSE	UEPVF	3.39	0.00	0.00	-			19.99				
	NGE PORT RATES (COIN)															
	Exchange Ports - Coin Port					3.04	40.71	40.71				19.99			Ī	
	witching Features offered with Port	L				ll					L., ., .	L				
NOTE:	Transmission/usage charges associated with POTS circuit s	witched	usage	will also apply to c	ircuit switche	ed voice and/or	circuit switch	ed data transm	ission by B-Ch	annels associ	iated with 2	-wire ISDN p	oorts.		·	
NOTE:	Access to B Channel or D Channel Packet capabilities will be	e availa	ole only	through BFR/New	Business Re	quest Process.	Rates for the	packet capabi	ities will be de	termined via t	he Bona Fi	de Request/	New Business	s Request Pro	cess.	
	Exchange port - 4-wire ISDN trunk port -all available features				HEDEY	075 10	404.07	440.10				10.00				
IINBIINDI ED I	included OCAL EXCHANGE SWITCHING(PORTS)	-	 		UEPEX	275.48	181.27	116.42	 		 	19.99				
	NGE PORT RATES (DID & PBX)				+				1		+					
- LXONA	Exchange Ports - 2-Wire DID Port			UEPEX	UEPP2	10.97	238.69	37.49	119.40	7.50		19.99				
	Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID															
	capability Exchange Ports - 2-Wire ISDN Port (See Notes below.)	-		UEPDD UEPTX UEPSX	UEPDD U1PMA	83.28 15.02	404.18 145.59	191.44 106.01	144.71 95.93	4.90 21.55	 	19.99 19.99				
	All Features Offered			UEPTX UEPSX	UEPVF	3.39	0.00	0.00								
NOTE:	Transmission/usage charges associated with POTS circuit s	witched	usage	will also apply to c	ircuit switche	ed voice and/or	circuit switch	ed data transm	ission by B-Ch	annels associ	iated with 2	-wire ISDN p	orts.			
NOTE:	Access to B Channel or D Channel Packet capabilities will be	e availa	ole only	through BFR/New	Business Re	quest Process.	Rates for the	packet capabi	lities will be de	termined via t	he Bona Fi	de Reauest/	New Busines	s Request Pro	cess.	
1	Exchange Ports - 2-Wire ISDN Port Channel Profiles			UEPTX UEPSX	U1UMA	0.00	0.00	0.00						. ,,		
	Exchange Ports - 4-Wire ISDN DS1 Port			UEPEX	UEPEX	113.21	407.77	203.18	157.84	39.98		19.99				
	OCAL SWITCHING, PORT USAGE															
	fice Switching (Port Usage)	<u> </u>				0.000500										
	End Office Switching Function, Per MOU n Switching (Port Usage) (Local or Access Tandem)	-	<u> </u>		 	0.002562										
randen	owntoning (1 oft obage) (Local of Access Faildell)	1	l		1	1					1	1		l		

4Q01:12/01/01 PAGE 127 OF 324

														1		1	
UNB	INDLE	D NETWORK ELEMENTS - Kentucky	1			1	T						1	Attachment:	2		Exhibit: E
														Incremental	Incremental	Incremental	Incremental
														Charge -	Charge -	Charge -	Charge -
CAT	GORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES(\$)			Svc Order	Svc Order	Manual Svc	Manual Svc	Manual Svc	Manual Svc
			m						- (,,			Submitted	Submitted	Order vs.	Order vs.	Order vs.	Order vs.
												Elec	Manually	Electronic-	Electronic-	Electronic-	Electronic-
												per LSR	per LSR	1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonred		Nonrecurring					RATES (\$)		
		T					0.001000	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Tandem Switching Function Per MOU					0.001096										
	Comm	on Transport Common Transport - Per Mile, Per MOU	1				0.0000049										
		Common Transport - Fer Mile, Fer MOU Common Transport - Facilities Termination Per MOU					0.000049										
UNBU	NDI FD I	PORT/LOOP COMBINATIONS - COST BASED RATES					0.000420										
0.120		ased Rates are applied where BellSouth is required by FCC ar	nd/or St	ate Co	mmission rule to pro	vide Unbun	dled Local Swi	tching or Swite	ch Ports.								
		es shall apply to the Unbundled Port/Loop Combination - Cos								d Port section	of this Rate E	xhibit.					
							•						•	•	•	•	
	End Of	fice and Tandem Switching Usage and Common Transport Us	sage rat	es in th	ne Port section of th	is rate exhib	it shall apply to	all combination	ons of loop/po	rt network eler	nents except	for UNE Coi	in Port/Loop	Combination	ns.		
		<u> </u>					117										
		orgia, Kentucky, Louisiana, MIssissippi and Tennessee, the r															
		ned Combos for all states. In GA, KY, LA, MS and TN these no							, NC and SC th	ese nonrecurr	ing charges a	e Market Ra	ates and are	listed in the	Market Rate s	ection. For	Currently
		ned Combos in all other states, the nonrecurring charges sha	ll be the	se ide	ntified in the Nonrec	urring - Cur	rently Combine	ed sections.		1				1		,	
		VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)															
	UNE P	ort/Loop Combination Rates		4			40.45										
		2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2		2			16.15 22.34										
		2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3		3		-	30.88						-				
-	LINEL	pop Rates		3			30.00										
	OILL E	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPRX	UEPLX	13.54										
		2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPRX	UEPLX	19.73										
		2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPRX	UEPLX	28.27										
	2-Wire	Voice Grade Line Port Rates (Res)															
		2-Wire voice unbundled port - residence			UEPRX	UEPRL	2.61	21.21	15.43	2.84	2.66		19.99				
		2-Wire voice unbundled port with Caller ID - res			UEPRX	UEPRC	2.61	21.21	15.43	2.84	2.66		19.99				
		2-Wire voice unbundled port outgoing only - res			UEPRX	UEPRO	2.61	21.21	15.43	2.84	2.66		19.99				
		2-Wire voice Grade unbundled Kentucky extended local dialing															
		parity port with Caller ID - res			UEPRX	UEPRM	2.61	21.21	15.43	2.84	2.66		19.99				
		2-Wire voice unbundles res, low usage line port with Caller ID			LIEDDY	UEPAP	0.04	04.04	45.40	0.04	0.00		40.00				
	FEATU	(LUM)	1		UEPRX	UEPAP	2.61	21.21	15.43	2.84	2.66		19.99				
	FEAT	All Features Offered			UEPRX	UEPVF	3.39	0.00	0.00				19.99				
	LOCAL	NUMBER PORTABILITY			OLFKA	OLF VI	3.39	0.00	0.00				19.99				
	LOOAL	Local Number Portability (1 per port)			UEPRX	LNPCX	0.35										
	NONR	CURRING CHARGES (NRCs) - CURRENTLY COMBINED															
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
<u></u>	<u> </u>	Switch-as-is	<u> </u>		UEPRX	USAC2		10.00	10.00				19.99				
	1	2-Wire Voice Grade Loop / Line Port Combination - Conversion -	1]	
	L	Switch with change	ļ		UEPRX	USACC	ļ	10.00	10.00				19.99			ļ	
<u> </u>	ADDIT	IONAL NRCs	<u> </u>			<u> </u>									ļ	ļ	<u> </u>
1	1	2-Wire Voice Grade Loop/Line Port Combination - Subsequent	1		LIEDBY	116 460	0.00	0.00	0.00				40.00			1	
-	2-WID	Activity E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)	1		UEPRX	USAS2	0.00	0.00	0.00				19.99				
		ort/Loop Combination Rates	 			-	1								1	1	
	SINE F	2-Wire VG Loop/Port Combo - Zone 1	1	1			16.15										
	1	2-Wire VG Loop/Port Combo - Zone 2	1	2			22.34									1	
	1	2-Wire VG Loop/Port Combo - Zone 3	1	3			30.88										
	UNE L	oop Rates															
		2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPBX	UEPLX	13.54										
		2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPBX	UEPLX	19.73										
	<u> </u>	2-Wire Voice Grade Loop (SL1) - Zone 3	ļ	3	UEPBX	UEPLX	28.27									ļ	
<u> </u>	2-Wire	Voice Grade Line Port (Bus)	ļ		LIEBBY .				4.5				10.5				
	!	2-Wire voice unbundled port without Caller ID - bus	!		UEPBX	UEPBL	2.61	21.21	15.43	2.84	2.66		19.99		1	 	
<u> </u>	1	2-Wire voice unbundled port with Caller + E484 ID - bus	1		UEPBX UEPBX	UEPBC UEPBO	2.61 2.61	21.21 21.21	15.43 15.43	2.84 2.84	2.66 2.66		19.99 19.99		-		
<u> </u>	 	2-Wire voice unbundled port outgoing only - bus 2-Wire voice Grade unbundled Kentucky extended local dialing	 		ULFDA	UEPBU	∠.01	21.21	15.43	∠.84	∠.06		19.99		1	-	
		parity port with Caller ID - bus			UEPBX	UEPBM	2.61	21.21	15.43	2.84	2.66		19.99				
-	!	2-Wire voice unbundled incoming only port with Caller ID - Bus	!		UEPBX	UPEB1	2.61	21.21	15.43	2.84	2.66		19.99		1	 	
		12 This reside dispartated incoming only port with Galler ID - Bus	1	1	0 L D N	וטובטו	2.01	41.41	15.73	2.04	2.00		10.00		1	1	l

4Q01:12/01/01 PAGE 128 OF 324

UNBUNDLE	D NETWORK ELEMENTS - Kentucky					•					1		Attachment:	2		Exhibit: E
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual Svo Order vs. Electronic-
						Rec	Nonrec		Nonrecurring		201150			RATES (\$)		T 00MAN
LOCAL	 . Number Portability						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
LOGAL	Local Number Portability (1 per port)			UEPBX	LNPCX	0.35										+
FEATU				02. 57.	Litti OX	0.00										+
	All Features Offered			UEPBX	UEPVF	3.39	0.00	0.00				19.99				
NONRE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
	Switch-as-is			UEPBX	USAC2	-	10.00	10.00				19.99				+
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change			UEPBX	USACC		10.00	10.00								
ADDITI	ONAL NRCs			OLFBA	USACC		10.00	10.00								+
ADDITI	2-Wire Voice Grade Loop/Line Port Combination - Subsequent				1											
	Activity			UEPBX	USAS2	[l					19.99				
	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)															
UNE Po	ort/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Zone 1		1			16.15					1					<u> </u>
	2-Wire VG Loop/Port Combo - Zone 2		2			22.34										+
LINE	2-Wire VG Loop/Port Combo - Zone 3		3			30.88										-
ONE LO	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPRG	UEPLX	13.54										+
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPRG	UEPLX	19.73										-
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPRG	UEPLX	28.27										†
2-Wire	Voice Grade Line Port Rates (RES - PBX)					-										1
	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port -															1
	Res			UEPRG	UEPRD	2.61	21.21	15.43	2.84	2.66			19.99	19.99		
	NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPRG	LNPCP	3.15	0.00	0.00								
FEATU	All Features Offered			UEPRG	UEPVF	3.39	0.00	0.00				19.99				
NONDE	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED			UEPRG	UEFVF	3.39	0.00	0.00				19.99				+
NONKE	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -					-										
	Conversion - Switch-As-Is			UEPRG	USAC2		10.00	10.00				19.99				
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
	Conversion - Switch with Change			UEPRG	USACC		10.00	10.00				19.99				
ADDITI	ONAL NRCs															
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -			LIEDDO	110400	0.00	0.00	0.00				40.00				
	Subsequent Activity			UEPRG	USAS2	0.00	0.00	0.00			1	19.99				+
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group				1		14.64	14.64				19.99				1
2-WIRE	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)				+	-	14.04	17.04				13.33				
	ort/Loop Combination Rates				İ		İ								Ì	†
	2-Wire VG Loop/Port Combo - Zone 1		1			16.15										
	2-Wire VG Loop/Port Combo - Zone 2		2			22.34										
linie :	2-Wire VG Loop/Port Combo - Zone 3	<u> </u>	3			30.88										
UNE Lo	pop Rates	ļ	_	LIEDDY	LIEDLY	40.54					<u> </u>					
	2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2			UEPPX UEPPX	UEPLX	13.54 19.73					1					+
	2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPPX	UEPLX	28.27	+				 					
2-Wire	Voice Grade Line Port Rates (BUS - PBX)		Ť		52. L/C	20.21									1	
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPPX	UEPPC	2.61	21.21	15.43	2.84	2.66		19.99				
<u> </u>	Line Side Unbundled Outward PBX Trunk Port - Bus			UEPPX	UEPPO	2.61	21.21	15.43	2.84	2.66		19.99				+
	Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPPX	UEPP1	2.61	21.21	15.43	2.84	2.66		19.99			İ	†
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	2.61	21.21	15.43	2.84	2.66		19.99			<u> </u>	
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	2.61	21.21	15.43	2.84	2.66		19.99				
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	2.61	21.21	15.43	2.84	2.66		19.99		_		
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	2.61	21.21	15.43	2.84	2.66		19.99			ļ	<u> </u>
1	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port		<u> </u>	UEPPX	UEPXD	2.61	21.21	15.43	2.84	2.66	l	19.99]	⊥

NRONDLE	D NETWORK ELEMENTS - Kentucky											ı	Attachment:	2		Exhibit:
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
						Rec	Nonrec		Nonrecurring					RATES (\$)		
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Capable Port			UEPPX	UEPXE	2.61	21.21	15.43	2.84	2.66		19.99				
	2-Wire Voice Unbundled 2-Way PBX Kentucky Room Area			UEPPA	UEFAE	2.01	21.21	15.43	2.04	2.00		19.99				
	Calling Port without LUD			UEPPX	UEPXF	2.61	21,21	15.43	2.84	2.66			19.99	19.99		
1	2-Wire Voice Unbundled PBX Kentucky LUD Area Calling Port			UEPPX	UEPXG	2.61	21.21	15.43	2.84	2.66			19.99	19.99		
	2-Wire Voice Unbundled PBX Kentucky Premium Calling Port			UEPPX	UEPXH	2.61	21.21	15.43	2.84	2.66			19.99	19.99		
	2-Wire Voice Unbundled 2-Way Kentucky Area Calling Port															
	without LUD			UEPPX	UEPXJ	2.61	21.21	15.43	2.84	2.66			19.99	19.99		
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
	Administrative Calling Port			UEPPX	UEPXL	2.61	21.21	15.43	2.84	2.66		19.99				
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPPX	UEPXM	2.04	04.04	45.40	0.04	0.00		19.99				
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital			UEPPA	UEPXIM	2.61	21.21	15.43	2.84	2.66		19.99				
	Discount Room Calling Port			UEPPX	UEPXO	2.61	21.21	15.43	2.84	2.66		19.99				
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	2.61	21.21	15.43	2.84	2.66		10.00	19.99	19.99		
	NUMBER PORTABILITY			02.17	02.70	2.01		10.10	2.01	2.00			10.00	10.00		
	Local Number Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00								
FEATU																
	All Features Offered			UEPPX	UEPVF	3.39	0.00	0.00				19.99				
	CURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
	Conversion - Switch-As-Is			UEPPX	USAC2		10.00	10.00				19.99				
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -			LIEDDY	110400		40.00	40.00				40.00				
ADDITI	Conversion - Switch with Change ONAL NRCs			UEPPX	USACC		10.00	10.00				19.99				
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -				-											
	Subsequent Activity			UEPPX	USAS2	0.00	0.00	0.00				19.99				
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt			OLITA	OOAOZ	0.00	0.00	0.00				13.33				
	Group						14.64	14.64				19.99				
	VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POR	₹T					_									
UNE Po	ort/Loop Combination Rates															
	2-Wire VG Coin Port/Loop Combo – Zone 1		1			16.15										
	2-Wire VG Coin Port/Loop Combo – Zone 2		2			22.64										
	2-Wire VG Coin Port/Loop Combo – Zone 3		3			31.09										
	pop Rates			LIEBOO	LIEBLY .	10 = 1										
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPCO	UEPLX	13.54										
-	2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPCO UEPCO	UEPLX UEPLX	19.73 28.27										
	Voice Grade Line Ports (COIN)		٦	OLFOO	ULFLA	20.21										
	2-Wire Coin 2-Way without Operator Screening and without				+ +											
	Blocking (AL, KY, LA, MS)			UEPCO	UEPRF	2.91	21.21	15.43	2.84	2.66		19.99	19.99			
	2-Wire Coin 2-Way with Operator Screening (AL, KY)			UEPCO	UEPRE	2.91	21.21	15.43	2.84	2.66		19.99				
	2-Wire Coin 2-Way with Operator Screening and Blocking: 011,															
	900/976, 1+DDD (AL, KY, LA, MS)			UEPCO	UEPRA	2.91	21.21	15.43	2.84	2.66		19.99				
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking					İ										
	(KY)			UEPCO	UEPKA	2.91	21.21	15.43	2.84	2.66		19.99				
	2-Wire Coin 2-Way with Operator Screening & Blocking:															
	900/976, 1+DDD, 011+, & Local (AL, KY, LA, MS)			UEPCO	UEPCD	2.91	21.21	15.43	2.84	2.66		19.99				
	2-Wire Coin Outward without Blocking and without Operator			UEPCO	UEPRN	2.04	24.04	15 40	2.04	2.00		10.00				
	Screening (KY, LA, MS) 2-Wire Coin Outward with Operator Screening and 011 Blocking			UEPCU	UEPKN	2.91	21.21	15.43	2.84	2.66		19.99				
	(GA. KY. MS)			UEPCO	UEPRJ	2.91	21.21	15.43	2.84	2.66		19.99				
	2-Wire Coin Outward with Operator Screening and Blocking:			OLFOO	OFLIZA	2.91	21.21	15.43	2.04	2.00		19.99				
	011, 900/976, 1+DDD (AL, KY, LA, MS)			UEPCO	UEPRH	2.91	21.21	15.43	2.84	2.66		19.99				
-	2-Wire Coin Outward Operator Screening & Blocking: 900/976,				02	2.01	21.21	10.40	2.04	2.50		10.00				
	1+DDD, 011+, and Local (AL, KY, LA, MS)			UEPCO	UEPCN	2.91	21.21	15.43	2.84	2.66		19.99				
	2-Wire 2-Way Smartline with 900/976 (all states except LA)			UEPCO	UEPCK	2.91						19.99				

UNBUNDLE	D NETWORK ELEMENTS - Kentucky												Attachment:	2		Exhibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			1	Submitted Manually		Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring		201150			RATES (\$)	0011411	
-	2-Wire Coin Outward Smartline with 900/976 (all states except						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	LA)			UEPCO	UEPCR	2.91						19.99				
ADDIT	IONAL UNE COIN PORT/LOOP (RC)															
	UNE Coin Port/Loop Combo Usage (Flat Rate)			UEPCO	URECU	2.57	0.00	0.00								ļ
LOCAL	L NUMBER PORTABILITY			LIEDOO	LUBOY											<u> </u>
FEATU	Local Number Portability (1 per port)			UEPCO	LNPCX	0.35										ļ
	ECURRING CHARGES - CURRENTLY COMBINED															
NONK	2-Wire Voice Grade Loop / Line Port Combination - Conversion -															+
	Switch-as-is			UEPCO	USAC2		10.00	10.00				19.99				
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
	Switch with change			UEPCO	USACC		10.00	10.00				19.99				
ADDIT	IONAL NRCs															ļ
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent											40.00				
I INDI ED E	Activity PORT/LOOP COMBINATIONS - COST BASED RATES			UEPCO	USAS2		0.00	0.00				19.99				
	E VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	DODT			-						1					+
	ort/Loop Combination Rates	FURI														1
ONLI	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1		1			28.72										1
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2		2			34.90										
İ	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3		3			45.90										
UNE Lo	oop Rates															
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1		1	UEPPX	UECD1	17.78						19.99				
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2		2	UEPPX	UECD1	23.96						19.99				
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3		3	UEPPX	UECD1	34.96						19.99				
UNE Po	ort Rate															
	Exchange Ports - 2-Wire DID Port			UEPPX	UEPD1	10.94	334.92	27.66	131.91	9.28		19.99				
NONRE	ECURRING CHARGES - CURRENTLY COMBINED										1					<u> </u>
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion with BellSouth Allowable Changes			UEPPX	USA1C		14.62	3.73				19.99				
ADDIT	TONAL NRCs			OLFFX	USAIC		14.02	3.73			1	15.55				1
ADDITI	2-Wire DID Subsequent Activity - Add Trunks, Per Trunk			UEPPX	USAS1		53.58	53.58				19.99				
Teleph	none Number/Trunk Group Establisment Charges			OLITA	00/101		00.00	00.00				10.00				
	DID Trunk Termination (One Per Port)			UEPPX	NDT	0.00	0.00	0.00				19.99				
	Additional DID Numbers for each Group of 20 DID Numbers			UEPPX	ND4	0.00	0.00	0.00				19.99				
	DID Numbers, Non- consecutive DID Numbers , Per Number			UEPPX	ND5	0.00	0.00	0.00				19.99				
	Reserve Non-Consecutive DID numbers			UEPPX	ND6	0.00	0.00	0.00				19.99				
	Reserve DID Numbers			UEPPX	NDV	0.00	0.00	0.00				19.99	ļ			ļ
LOCAL	L NUMBER PORTABILITY		ļ	HEDDY	LNDCD	0.1=	0.00	2.22			<u> </u>					<u> </u>
2 MIDE	Local Number Portability (1 per port) E ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LII	NE CIDE	DODI	UEPPX	LNPCP	3.15	0.00	0.00			<u> </u>	ļ				
	e ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LII ort/Loop Combination Rates	INE SIDE	PORI			 										
ONE P	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -		1			 										
	UNE Zone 1		1	UEPPB UEPPR	<u> </u>	35.40										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 2		2	UEPPB UEPPR		44.09									_	
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 3		3	UEPPB UEPPR		55.35										
LINE	oop Rates	1	3	ULPPD UEPPR	 	55.35					1	1	1			+
ONE LO	2-Wire ISDN Digital Grade Loop - UNE Zone 1		1	UEPPB UEPPR	USL2X	22.41					1	19.99				+
	2-Wire ISDN Digital Grade Loop - UNE Zone 2		2	UEPPB UEPPR	USL2X	31.10						19.99				
	2-Wire ISDN Digital Grade Loop - UNE Zone 3		_	UEPPB UEPPR		42.36						19.99				†
UNE P	ort Rate		Ť	CL. ID CLIIK	JULEN	72.00						10.00				1
15	Exchange Port - 2-Wire ISDN Line Side Port	1		UEPPB UEPPR	UEPPB	12.99	319.40	288.11	91.87	17.49		19.99				1
NONRE	ECURRING CHARGES - CURRENTLY COMBINED						-									1
	2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port Combination - Conversion			UEPPB UEPPR	USACB	0.00	77.04	54.04				19.99				

NRONDLE	D NETWORK ELEMENTS - Kentucky											1		Attachment:	2		Exhibit:
CATEGORY	RATE ELEMENTS	Interi m	Zone	E	acs	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Increment Charge - Manual S Order vs Electronic Disc Add
							Rec	Nonrec		Nonrecurring					RATES (\$)		
ADDIT	IONAL NRCs							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	IONAL NRCS L NUMBER PORTABILITY															-	
LOCAL	Local Number Portability (1 per port)			UEPPB	UEPPR	LNPCY	0.35	0.00	0.00								
B-CHA	NNEL USER PROFILE ACCESS:	1		OLITB	OLITIK	LIVI OX	0.55	0.00	0.00								
	CVS/CSD (DMS/5ESS)			UEPPB	UEPPR	U1UCA	0.00	0.00	0.00								
	CVS (EWSD)			UEPPB	UEPPR	U1UCB	0.00	0.00	0.00								
	CSD			UEPPB	UEPPR	U1UCC	0.00	0.00	0.00								
B-CHA	NNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS S	C,MS, 8	· TN)														
	CVS/CSD (DMS/5ESS)			UEPPB	UEPPR	U1UCD	0.00	0.00	0.00								
	CVS (EWSD)			UEPPB	UEPPR	U1UCE	0.00	0.00	0.00								
	CSD		<u> </u>	UEPPB	UEPPR	U1UCF	0.00	0.00	0.00							ļ	
USER	TERMINAL PROFILE	1	<u> </u>	LIEDDE	LIEDDS	11411540	0.00	0.00	0.00			<u> </u>				-	
VEDT	User Terminal Profile (EWSD only)	1	-	UEPPB	UEPPR	U1UMA	0.00	0.00	0.00			1				1	1
VERII	CAL FEATURES All Vertical Features - One per Channel B User Profile	1	1	UEPPB	UEPPR	UEPVF	3.39	0.00	0.00			1	19.99			 	-
INTER	OFFICE CHANNEL MILEAGE	+		UEPPB	UEFFR	UEFVF	3.39	0.00	0.00				19.99			-	
INTER	Interoffice Channel mileage each, including first mile and	+															
	facilities termination			LIEPPR	UEPPR	M1GNC	26.98	142.31	56.21				19.99				
- t	Interoffice Channel mileage each, additional mile				UEPPR	M1GNM	0.0301	0.00	0.00				19.99				
4-WIRE	E DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUN	K PORT		02	OLITIC		0.0001	0.00	0.00				10.00				
	ort/Loop Combination Rates															1	
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE																
	Zone 1		1	UEPPP			219.25										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE																
	Zone 2		2	UEPPP			248.36										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE																
	Zone 3		3	UEPPP			299.47										
UNE L	oop Rates		1	UEPPP		1101 4D	100.01						19.99				
	4-Wire DS1 Digital Loop - UNE Zone 1 4-Wire DS1 Digital Loop - UNE Zone 2	1	2	UEPPP		USL4P USL4P	106.04 135.15					1	19.99			-	
	4-Wire DS1 Digital Loop - UNE Zone 2		3	UEPPP		USL4P	186.15						19.99				
LINE D	ort Rate		3	OLFFF		USL4F	100.13						15.55				
ONLI	Exchange Ports - 4-Wire ISDN DS1 Port	1		UEPPP		UEPPP	113.21	733.57	381.40	158.92	48.65		19.99				
NONR	ECURRING CHARGES - CURRENTLY COMBINED			02		02		7 00.07	001110	100.02	10.00		10.00			1	
	4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port															1	
	Combination - Conversion -Switch-as-is			UEPPP		USACP	0.00	238.22	157.17				19.99				
ADDIT	IONAL NRCs																
	4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy-													-			
	Inward/two way tel nos within Std Allowance			UEPPP		PR7TF		0.9804				ļ	19.99			1	<u> </u>
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port -		1													I	
	Outward Tel Numbers (All States except NC)		<u> </u>	UEPPP		PR7TO		23.02	23.02			ļ	19.99				ļ
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port			LIEBBE		DDZZT		40.05	40.0=				40.00			1	
1.0041	Subsequent Inward Tel Nos Above Std Allowance L NUMBER PORTABILITY	1		UEPPP		PR7ZT		46.05	46.05			1	19.99			 	
LUCAL	Local Number Portability (1 per port)	+	 	UEPPP		LNPCN	1.75					 					-
INTER	FACE (Provsioning Only)	1		OLFFF		LINFOIN	1.75									 	
IN LIN	Voice/Data	1	1	UEPPP		PR71V	0.00	0.00	0.00							t	
	Digital Data	1		UEPPP		PR71D	0.00	0.00	0.00							1	
	Inward Data			UEPPP		PR71E	0.00	0.00	0.00			Ì					
New or	r Additional "B" Channel																
	New or Additional - Voice/Data B Channel			UEPPP		PR7BV	0.00	29.06					19.99				
	New or Additional - Digital Data B Channel			UEPPP		PR7BF	0.00	29.06					19.99				
	New or Additional Inward Data B Channel			UEPPP		PR7BD	0.00	29.06					19.99				
	New or Additional Useage Sensitive Voice Data B Channel			UEPPP		PR7BS	0.00	29.06					19.99			1	
	New or Additional Useage Sensitive Digital Data B Channel	1	<u> </u>	UEPPP		PR7BU	0.00	29.06				<u> </u>	19.99				
	TYPES	1	Ì			1						1					
CALL	Inward			UEPPP		PR7C1	0.00	0.00	0.00								

NRONDEF	D NETWORK ELEMENTS - Kentucky	1											Attachment:	2		Exhibit:
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge
						Rec	Nonrec	urring	Nonrecurring	Disconnect				RATES (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Two-way			UEPPP	PR7CC	0.00	0.00	0.00								
Interoff	ice Channel Mileage			LIEDDD	41.514.5	55.50	000.40	204.00	0.00			40.00				
	Fixed Each Including First Mile Each Airline-Fractional Additional Mile			UEPPP UEPPP	1LN1A 1LN1B	55.50 0.45	298.18	231.23	0.00			19.99				
4-WIDE	DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT			UEPPP	ILINID	0.45						-				
	ort/Loop Combination Rates															
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1		1	UEPDC		189.32						19.99				
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2		2	UEPDC		218.43						19.99				
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3		3	UEPDC		269.54						19.99				1
	op Rates															
	4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPDC	USLDC	106.04						19.99				
	4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPDC	USLDC	135.15						19.99				<u> </u>
	4-Wire DS1 Digital Loop - UNE Zone 3	<u> </u>	3	UEPDC	USLDC	186.15						19.99				
	ort Rate	 		LIEDDC	LIDDAT	00.00	777.07	204.00	475 57	40.00		40.00			1	
	4-Wire DDITS Digital Trunk Port CURRING CHARGES - CURRENTLY COMBINED	 		UEPDC	UDD1T	83.28	777.87	384.20	175.57	16.92	-	19.99				
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination	1			+						1				1	
	- Switch-as-is			UEPDC	USAC4		261.15	134.08				19.99				
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination			02. 50	00/101		201110	101.00				10.00				
	- Conversion with DS1 Changes			UEPDC	USAWA		261.15	134.08				19.99				
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination															
	- Conversion with Change - Trunk			UEPDC	USAWB		261.15	134.08				19.99				
	ONAL NRCs															
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC -															
	Subsequent Channel Activation/Chan - 2-Way Trunk			UEPDC	UDTTA		28.96	28.96				19.99				
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent															
	Channel Activation/Chan - 1-Way Outward Trunk			UEPDC	UDTTB		28.96	28.96				19.99				
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel Activation/Chan Inward Trunk w/out DID			UEPDC	UDTTC		28.96	28.96				19.99				
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan			UEPDC	ODITO		20.90	20.90				19.99				
	Activation Per Chan - Inward Trunk with DID			UEPDC	UDTTD		28.96	28.96				19.99				
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan			OLI DO	OBTIB		20.00	20.00				10.00				
	Activation / Chan - 2-Way DID w User Trans			UEPDC	UDTTE		28.96	28.96				19.99				
BIPOLA	AR 8 ZERO SUBSTITUTION															1
	B8ZS -Superframe Format			UEPDC	CCOSF		0.00	730.00				19.99				
	B8ZS - Extended Superframe Format			UEPDC	CCOEF		0.00	730.00				19.99				
Alterna	te Mark Inversion				1										ļ	
	AMI -Superframe Format	<u> </u>		UEPDC	MCOSF		0.00	0.00				<u> </u>				<u> </u>
Talast	AMI - Extended SuperFrame Format	 		UEPDC	MCOPO		0.00	0.00							1	₩
	one Number/Trunk Group Establisment Charges Telephone Number for 2-Way Trunk Group	 		UEPDC	UDTGX	0.00					-	19.99				
	Telephone Number for 1-Way Outward Trunk Group	1		UEPDC	UDTGX	0.00					1	19.99			1	
	Telephone Number for 1-Way Dutward Trunk Group Without DID			UEPDC	UDTGZ	0.00						19.99			 	
	DID Numbers for each Group of 20 DID Numbers	1		UEPDC	ND4	0.00						19.99			1	
	DID Numbers, Non- consecutive DID Numbers , Per Number			UEPDC	ND5	0.00						19.99			Ì	
l.	Reserve Non-Consecutive DID Nos.			UEPDC	ND6	0.00	0.00	0.00				19.99				
	Reserve DID Numbers			UEPDC	NDV	0.00	0.00	0.00		•		19.99	_			
Dedica	ted DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1	Digital	Loop	with 4-Wire DDITS	Trunk Port											
	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities Termination)			UEPDC	1LNO1	55.05	298.18	231.23	0.00	0.00		19.99				
	Interoffice Channel Mileage - Additional rate per mile - 0-8 miles			UEPDC	1LNOA	0.45	0.00	0.00								
	Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities Termination)	l		UEPDC	1LNO2	0.00	0.00	0.00								
	Interroffice Channel Mileage - Additional rate per mile - 9-25 miles			UEPDC	1LNO2	0.00	0.00	0.00								
	Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities Termination)			UEPDC	1LNO3	0.00	0.00	0.00	0.00							

IINRIINDI E	D NETWORK ELEMENTS - Kentucky												Attachment:	2		Exhibit: E
PHOUNDLE	D NETWORK ELEWIENTS - REMUCKY	1	1									1				
		1			1							1	Incremental	Incremental	Incremental	Incrementa
													Charge -	Charge -	Charge -	Charge -
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES(\$)					Manual Svc	Manual Svc	Manual Svc	Manual Svo
		m						***			Submitted	Submitted	Order vs.	Order vs.	Order vs.	Order vs.
											Elec	Manually	Electronic-	Electronic-	Electronic-	Electronic-
											per LSR	per LSR	1st	Add'l	Disc 1st	Disc Add'l
						_		_								
						Rec	Nonrec		Nonrecurring		201150	001441		RATES (\$)	0011411	001411
\longrightarrow							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Intereffice Channel Mileage Additional rate per mile 25 miles			UEPDC	1LNOC	0.45	0.00	0.00								
+-	Interoffice Channel Mileage - Additional rate per mile - 25+ miles Local Number Portability, per DS0 Activated			UEPDC	LNPCP	3.15	0.00	0.00	0.00							
	Central Office Termininating Point		1	UEPDC	CTG	0.00	0.00	0.00	0.00							
4-WIR	E DS1 LOOP WITH CHANNELIZATION WITH PORT			OLI DO	010	0.00										
	n is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Act	ivations														
	System can have up to 24 combinations of rates depending on			ber of ports used												
UNE D	S1 Loop			•												
	4-Wire DS1 Loop - UNE Zone 1		1	UEPMG	USLDC	106.04	0.00	0.00								
	4-Wire DS1 Loop - UNE Zone 2			UEPMG	USLDC	135.15	0.00	0.00								
	4-Wire DS1 Loop - UNE Zone 3		3	UEPMG	USLDC	186.15	0.00	0.00								
UNE D	SO Channelization Capacities (D4 Channel Bank Configuration	ns)			 											
\longrightarrow	24 DSO Channel Capacity - 1 per DS1	ļ		UEPMG	VUM24	136.99	0.00	0.00				19.99				
	48 DSO Channel Capacity - 1 per 2 DS1s	ļ		UEPMG	VUM48	273.98	0.00	0.00				19.99				
-+-	96 DSO Channel Capacity -1 per 4 DS1s	 	<u> </u>	UEPMG	VUM96 VUM14	547.96	0.00	0.00				19.99				
\longrightarrow	144 DS0 Channel Capacity - 1 per 6 DS1s 192 DS0 Channel Capacity -1 per 8 DS1s	-	-	UEPMG UEPMG	VUM14 VUM19	821.94 1.095.92	0.00	0.00				19.99 19.99				
\longrightarrow	240 DS0 Channel Capacity -1 per 8 DS1s		<u> </u>	UEPMG	VUM19 VUM20	1,095.92	0.00	0.00			-	19.99				
-+-	288 DS0 Channel Capacity - 1 per 10 DS1s			UEPMG	VUM28	1,643.88	0.00	0.00			-	19.99				
-+-	384 DS0 Channel Capacity - 1 per 16 DS1s			UEPMG	VUM38	2,191.84	0.00	0.00			1	19.99				
	480 DS0 Channel Capacity - 1 per 20 DS1s			UEPMG	VUM40	2,739.80	0.00	0.00				19.99				
-+	576 DS0 Channel Capacity -1 per 24 DS1s			UEPMG	VUM57	3.287.76	0.00	0.00				19.99				
	672 DS0 Channel Capacity - 1 per 28 DS1s			UEPMG	VUM67	3,835.72	0.00	0.00				19.99				
Non-R	ecurring Charges (NRC) Associated with 4-Wire DS1 Loop with	h Chani	neliztio	n with Port - Conve	ersion Charge		stem									
	mum System configuration is One (1) DS1, One (1) D4 Channe															
Multip	les of this configuration functioning as one are considered Ad	dd'I afte	r the m	inimum system co	nfiguration is	counted.										
	NRC - Conversion (Currently Combined) with or without															
	BellSouth Allowed Changes			UEPMG	USAC4	0.00	301.05	16.72				19.99				
	n Additions at End User Locations Where 4-Wire DS1 Loop wi	th Chan	nelizat	ion with Port Com	bination Curre	ntly Exists and										
New (N	Not Currently Combined) In GA, KY, LA, MS & TN Only															
	1 DS1/D4 Channel Bank - Add NRC for each Port and Assoc			LIEDMO	VUMD4	0.00	740.00	400.00	4.40.00	47.74		40.00				
Pinals	Fea Activation - New GA, LA, KY, MS, &TN Only at 8 Zero Substitution		<u> </u>	UEPMG	VUMD4	0.00	716.36	468.20	149.30	17.71	-	19.99				
Віроїа	Clear Channel Capability Format, superframe - Subsequent				+						-					
	Activity Only			UEPMG	CCOSF	0.00	0.00	730.00				19.99				
-+	Clear Channel Capability Format - Extended Superframe -			OLI IVIG	00001	0.00	0.00	730.00				15.33				
1	Subsequent Activity Only	1		UEPMG	CCOEF	0.00	0.00	730.00				19.99				
Altern	ate Mark Inversion (AMI)	1			00021	0.00	0.00	700.00				10.00				
1	Superframe Format			UEPMG	MCOSF	0.00	0.00	0.00								
	Extended Superframe Format			UEPMG	MCOPO	0.00	0.00	0.00								
	nge Ports Associated with 4-Wire DS1 Loop with Channelization	on with	Port													
Excha	nge Ports															
							_	-		-						
	Line Side Combination Channelized PBX Trunk Port - Business			UEPPX	UEPCX	1.66	0.00	0.00	0.00	0.00		19.99				
	Line Side Outward Channelized PBX Trunk Port - Business	1 -	1	UEPPX	UEPOX	1.66	0.00	0.00	0.00	0.00		19.99				
	Eine olde Odtward Orlaniciazed i BX Trank i Oit Business											l				
							_		_							
	Line Side Inward Only Channelized PBX Trunk Port without DID			UEPPX	UEP1X	1.66	0.00	0.00	0.00	0.00		19.99				
Foeture	Line Side Inward Only Channelized PBX Trunk Port without DID 2-Wire Trunk Side Unbundled Channelized DID Trunk Port			UEPPX UEPPX	UEP1X UEPDM	1.66 10.97	0.00	0.00 0.00	0.00	0.00		19.99 19.99				
Featur	Line Side Inward Only Channelized PBX Trunk Port without DID 2-Wire Trunk Side Unbundled Channelized DID Trunk Port e Activations - Unbundled Loop Concentration															
Featur	Line Side Inward Only Channelized PBX Trunk Port without DID 2-Wire Trunk Side Unbundled Channelized DID Trunk Port e Activations - Unbundled Loop Concentration Feature (Service) Activation for each Line Side Port Terminated			UEPPX	UEPDM	10.97	0.00	0.00	0.00	0.00		19.99				
Featur	Line Side Inward Only Channelized PBX Trunk Port without DID 2-Wire Trunk Side Unbundled Channelized DID Trunk Port e Activations - Unbundled Loop Concentration Feature (Service) Activation for each Line Side Port Terminated in D4 Bank															
Featur	Line Side Inward Only Channelized PBX Trunk Port without DID 2-Wire Trunk Side Unbundled Channelized DID Trunk Port e Activations - Unbundled Loop Concentration Feature (Service) Activation for each Line Side Port Terminated in D4 Bank Feature (Service) Activation for each Trunk Side Port Terminated			UEPPX UEPPX	UEPDM 1PQWM	0.77	25.40	13.41	4.17	4.15		19.99				
	Line Side Inward Only Channelized PBX Trunk Port without DID 2-Wire Trunk Side Unbundled Channelized DID Trunk Port e Activations - Unbundled Loop Concentration Feature (Service) Activation for each Line Side Port Terminated in D4 Bank Feature (Service) Activation for each Trunk Side Port Terminated in D4 Bank			UEPPX	UEPDM	10.97	0.00	0.00	0.00	0.00		19.99				
	Line Side Inward Only Channelized PBX Trunk Port without DID 2-Wire Trunk Side Unbundled Channelized DID Trunk Port e Activations - Unbundled Loop Concentration Feature (Service) Activation for each Line Side Port Terminated in D4 Bank Feature (Service) Activation for each Trunk Side Port Terminated			UEPPX UEPPX	UEPDM 1PQWM	0.77	25.40	13.41	4.17	4.15		19.99				
	Line Side Inward Only Channelized PBX Trunk Port without DID 2-Wire Trunk Side Unbundled Channelized DID Trunk Port e Activations - Unbundled Loop Concentration Feature (Service) Activation for each Line Side Port Terminated in D4 Bank Feature (Service) Activation for each Trunk Side Port Terminated in D4 Bank Teature (Service) Activation for each Trunk Side Port Terminated in D4 Bank Teature (Service) Activation for each Trunk Side Port Terminated in D4 Bank Teature (Service) Activation for each Trunk Side Port Terminated in D4 Bank			UEPPX UEPPX UEPPX	1PQWU	0.77 0.77	0.00 25.40 78.15	0.00 13.41 19.68	4.17	4.15		19.99 19.99				
	Line Side Inward Only Channelized PBX Trunk Port without DID 2-Wire Trunk Side Unbundled Channelized DID Trunk Port e Activations - Unbundled Loop Concentration Feature (Service) Activation for each Line Side Port Terminated in D4 Bank Feature (Service) Activation for each Trunk Side Port Terminated in D4 Bank Tone Number/ Group Establishment Charges for DID Service DID Trunk Termination (1 per Port)			UEPPX UEPPX UEPPX UEPPX	1PQWM 1PQWU NDT	0.77 0.77 0.00	0.00 25.40 78.15 0.00	0.00 13.41 19.68 0.00	4.17	4.15		19.99 19.99 19.99				

LINIDI	NDI E	D NETWORK ELEMENTO Kantualia												I		1	
ONRC	NULE	D NETWORK ELEMENTS - Kentucky	ı			1						1		Attachment:			Exhibit: E
														Incremental	Incremental	Incremental	
														Charge -	Charge -	Charge -	Charge -
CATE	GORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)					Manual Svc			Manual Svc
			m										Submitted		Order vs.	Order vs.	Order vs.
												Elec		Electronic-	Electronic-	Electronic-	Electronic-
	1							ı		1		per LSR	per LSR	1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonred	curring	Nonrecurring	Disconnect			088 6	RATES (\$)		
							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN			SOMAN	SOMAN
		Reserve DID Numbers			UEPPX	NDV	0.00	0.00	0.00				19.99				
	Local N	Number Portability															
		Local Number Portability - 1 per port			UEPPX	LNPCP	3.15	0.00	0.00								
		RES - Vertical and Optional															
-	Local S	Switching Features Offered with Line Side Ports Only All Features Available			UEPPX	UEPVF	3.39	0.00	0.00				19.99				—
LINBIIN	IDI ED E	PORT LOOP COMBINATIONS - MARKET RATES			UEPPX	UEPVF	3.39	0.00	0.00				19.99				
CITEG		Rates shall apply where BellSouth is not required to provide	unbund	dled loc	al switching or swit	ch ports pe	r FCC and/or St	ate Commission	on rules.								
		scenarios include:															
		undled port/loop combinations that are Not Currently Combin															
		undled port/loop combinations that are Currently Combined											Ļ				
	The To	p 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderda	ale, Mia	mi); G	(Atlanta); LA (New	Orleans); NO	C (Greensboro-	Winston Salem	-Highpoint/Ch	arlotte-Gaston	ia-Rock Hill); 1	TN (Nashvil	le).				1
	D.110.	and a command to the about a few times and a 1986 and a command a command and a command and a command and a command and a command and a command and a command and a command and a command a command a command and a command					B-4 1- 4-1-		·							5.110	
		uth currently is developing the billing capability to mechanica Rates, BellSouth shall bill the rates in the Cost-Based sectior									not currently o	compined ir	1 AL, FL, NC	and SC. In ti	ne interim wn	ere BellSoutr	a cannot bili
		rkates, Bensouth shall bill the rates in the Cost-Based section			neu or the market K	ates and res	Tres the right	to true-up trie	billing differen	ice.						I	
		fice and Tandem Switching Usage and Common Transport Us			e Port section of the	is rate exhib	it shall annly to	all combination	ons of loon/no	rt network eler	nents excent	for UNE Co	in Port/Loo	Combination	s which have	a flat rate	<u> </u>
		charge (USOC: URECU).	Jugo rui	CO III II	ic i oit scotion or th	is rate eximo	it silali appiy te	our combinati	опо от тооргро	or network elei	nemo exocpt	101 UNL 00		Combination	is willon have	o a nat rate	İ
		t Currently Combined scenarios where Market Rates apply, the	e Nonre	curring	charges are listed	in the First a	and Additional	NRC columns i	for each Port U	JSOC. For Cur	rently Combin	ed scenario	s, the Nonr	ecurring charg	ges are listed	in the NRC -	Currently
	Combin	ned section. Additional NRCs may apply also and are categor	rized ac	cording	gly.						-				-		-
UNBUN		CENTREX PORT/LOOP COMBINATIONS															
		IDLED PORT/LOOP COMBINATIONS - COST BASED RATES															
		CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only)														-
		VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design)															
	ONL F	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															<u> </u>
		Non-Design		1	UEP91		16.15										İ
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Non-Design		2	UEP91		22.34										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		_													İ
	LINE D	Non-Design		3	UEP91		30.88										
	UNE PO	ort/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															-
		Design		1	UEP91		20.39										İ
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -								1							
		Design		2	UEP91		26.57										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	LINIE :	Design		3	UEP91		37.57						1				
-	UNE LO	pop Rate 2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP91	UECS1	13.54			 		-	19.99				-
—		2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2			UEP91 UEP91	UECS1	13.54					-	19.99	 			
		2-Wire Voice Grade Loop (SL 1) - Zone 3			UEP91	UECS1	28.27						19.99				
		2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP91	UECS2	17.78			1			19.99				
		2-Wire Voice Grade Loop (SL 2) - Zone 2			UEP91	UECS2	23.96						19.99				
		2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP91	UECS2	34.96						19.99				
<u> </u>	UNE PO						1			ļ							
-	All Stat	tes (Except North Carolina and Sout Carolina) 2-Wire Voice Grade Port (Centrex) Basic Local Area		-	UEP91	UEPYA	2.61	21.21	15.43	2.84	2.66	-	19.99				-
-		2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local			OLFBI	OLFIA	2.01	21.21	15.43	2.04	∠.00	-	19.99	1			
		Area	l		UEP91	UEPYB	2.61	21.21	15.43	2.84	2.66		19.99				1
		2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local									00						
		Area	<u></u>		UEP91	UEPYH	2.61	21.21	15.43	2.84	2.66	<u> </u>	19.99				<u> </u>
		2-Wire Voice Grade Port (Centrex from diff Serving Wire													-		
		Center)2 Basic Local Area		<u> </u>	UEP91	UEPYM	2.61	21.21	15.43	2.84	2.66		19.99				1
		2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term - Basic Local Area	1		UEP91	UEPYZ	2.61	21.21	15.43	2.84	2.66		19.99				1
-	1	2-Wire Voice Grade Port terminated in on Megalink or equivalent	1	-	OLF91	UEPTZ	∠.01	21.21	15.43	∠.84	∠.00	 	19.99	1		1	
		- Basic Local Area			UEP91	UEPY9	2.61	21.21	15.43	2.84	2.66		19.99				
ь		I	·												L		

4Q01:12/01/01 PAGE 135 OF 324

NRONDLE	D NETWORK ELEMENTS - Kentucky	1	1								1		Attachment:	2		Exhibit:
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Order vs.
						Rec	Nonrec		Nonrecurring					RATES (\$)		
	2-Wire Voice Grade Port Terminated on 800 Service Term -						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Basic Local Area			UEP91	UEPY2	2.61	21.21	15.43	2.84	2.66		19.99				
AI KV	/ LA. MS. & TN Only			UEP91	UEP12	2.01	21.21	15.43	2.84	2.00		19.99			-	
AL, KI	2-Wire Voice Grade Port (Centrex)		1	UEP91	UEPQA	2.61	21.21	15.43	2.84	2.66		19.99				+
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP91	UEPQB	2.61	21.21	15.43	2.84	2.66		19.99				+
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP91	UEPQH	2.61	21.21	15.43	2.84	2.66		19.99				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire															
	Center)2			UEP91	UEPQM	2.61	21.21	15.43	2.84	2.66		19.99				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
	Term			UEP91	UEPQZ	2.61	21.21	15.43	2.84	2.66		19.99				
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP91	UEPQ9	2.61	21.21	15.43	2.84	2.66		19.99				
	2-Wire Voice Grade Port Terminated in on Niegalink of equivalent	1	 	UEP91	UEPQ2	2.61	21.21	15.43	2.84	2.66		19.99			 	\vdash
l ocal	Switching			OL: 31	OLF QZ	2.01	۷۱.۷۱	10.43	2.04	2.00		13.33			 	
Local	Centrex Intercom Funtionality, per port		1	UEP91	URECS	0.8873						19.99				
Local	Number Portability			OLI 01	ONLOG	0.0070						10.00				
	Local Number Portability (1 per port)			UEP91	LNPCC	0.35										
Featur				OLI 01	2141 00	0.00										
. Jului	All Standard Features Offered, per port			UEP91	UEPVF	3.39						19.99				
	All Select Features Offered, per port			UEP91	UEPVS	0.00	405.66					19.99				
	All Centrex Control Features Offered, per port			UEP91	UEPVC	3.39						19.99				
NARS																
	Unbundled Network Access Register - Combination			UEP91	UARCX	0.00	0.00	0.00								
	Unbundled Network Access Register - Indial			UEP91	UAR1X	0.00	0.00	0.00								1
	Unbundled Network Access Register - Outdial			UEP91	UAROX	0.00	0.00	0.00								1
Miscel	laneous Terminations															
2-Wire	Trunk Side															
	Trunk Side Terminations, each			UEP91	CENA6	10.94						19.99				
Interof	fice Channel Mileage - 2-Wire															
	Interoffice Channel Facilities Termination - Voice Grade			UEP91	MIGBC	29.51						19.99				
	Interoffice Channel mileage, per mile or fraction of mile			UEP91	MIGBM	0.0118						19.99				
	e Activations (DS0) Centrex Loops on Channelized DS1 Service	e														
D4 Cha	annel Bank Feature Activations		<u> </u>	LIEBO.	4001110							10.00				
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP91	1PQWS	0.77						19.99				
	Footure Activation on D.4 Channel Bank EV line Side Loan Slat			UEP91	1PQW6	0.77						19.99				
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop			UEP91	TPQW6	0.77						19.99				
	Slot			UEP91	1PQW7	0.77						19.99				
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -															
	Different Wire Center			UEP91	1PQWP	0.77						19.99				
	Facture Astruction on D. 4 Channel Book Drivets Line Land Clat			LIEDO4	1PQWV	0.77						40.00				
-	Feature Activation on D-4 Channel Bank Private Line Loop Slot Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop			UEP91	1PQWV	0.77						19.99				
	Slot			UEP91	1PQWQ	0.77						19.99				
_	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP91	1PQWQ	0.77						19.99				
Non-P	ecurring Charges (NRC) Associated with UNE-P Centrex			OLF91	IFQWA	0.77						15.55				
INOII-IN	Conversion - Currently Combined Switch-As-Is with allowed		1		+							1				
	changes, per port	l	1	UEP91	USAC2		10.00	10.00	Į Į			19.99			1	
	New Centrex Standard Common Block	1	t	UEP91	M1ACS	0.00	667.47		1			19.99			1	†
	New Centrex Customized Common Block			UEP91	M1ACC	0.00	667.47		İ			19.99			1	T
	Secondary Block, per Block			UEP91	M2CC1	0.00	78.04		İ			19.99				1
	NAR Establishment Charge, Per Occasion			UEP91	URECA	0.00	72.75		İ			19.99				1
UNE-P	CENTREX - 5ESS (Valid in All States)															
2-Wire	VG Loop/2-Wire Voice Grade Port (Centrex) Combo					j										
	ort/Loop Combination Rates (Non-Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -					j			ĺ							
1	Non-Design	l	1	UEP95		16.15									1	1

JNBUNDLE	D NETWORK ELEMENTS - Kentucky					<u> </u>							Attachment:	2		Exhibit: I
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Submitted Manually		Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring	Disconnect				RATES (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			LIEBOE		00.04										
	Non-Design		2	UEP95	_	22.34					1					+
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design		3	UEP95		30.88										
UNF P	ort/Loop Combination Rates (Design)		3	OLF 93	+ -	30.00										+
0.12.	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															†
	Design		1	UEP95		20.39										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design		2	UEP95		26.57										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -									_				_		
	Design		3	UEP95	<u> </u>	37.57					ļ					
UNE Lo	oop Rate			LIEBAE	lusos:						ļ					<u> </u>
	2-Wire Voice Grade Loop (SL 1) - Zone 1			UEP95	UECS1	13.54					<u> </u>	19.99	-			
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP95	UECS1	19.73						19.99				
	2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 1	1	3	UEP95 UEP95	UECS1 UECS2	28.27 17.78					 	19.99 19.99				
-	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP95	UECS2	23.96						19.99				+
	2-Wire Voice Grade Loop (SL 2) - Zone 3			UEP95	UECS2	34.96						19.99				+
UNE P	ort Rate		Ŭ	OLI 50	02002	04.50						10.00				†
All Sta																†
	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP95	UEPYA	2.61	21.21	15.43	2.84	2.66		19.99				
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPYB	2.61	21.21	15.43	2.84	2.66		19.99				
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local															
	Area			UEP95	UEPYH	2.61	21.21	15.43	2.84	2.66		19.99				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire															
	Center)2 Basic Local Area			UEP95	UEPYM	2.61	21.21	15.43	2.84	2.66		19.99				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
	Term - Basic Local Area			UEP95	UEPYZ	2.61	21.21	15.43	2.84	2.66		19.99				-
	2-Wire Voice Grade Port terminated in on Megalink or equivalent - Basic Local Area			UEP95	UEPY9	2.61	21.21	15.43	2.84	0.266		19.99				
	2-Wire Voice Grade Port Terminated on 800 Service Term -			UEF95	UEPT9	2.01	21.21	15.43	2.04	0.266	1	19.99				+
	Basic Local Area			UEP95	UEPY2	2.61	21.21	15.43	2.84	2.66		19.99				
AL KY	/, LA, MS, SC, & TN Only			OLI 93	OLI 12	2.01	21.21	10.40	2.04	2.00		13.33				+
712, 111	2-Wire Voice Grade Port (Centrex)			UEP95	UEPQA	2.61	21.21	15.43	2.84	2.66		19.99				1
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPQB	2.61	21.21	15.43	2.84	2.66		19.99				1
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP95	UEPQH	2.61	21.21	15.43	2.84	2.66		19.99				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire					İ										
	Center)2			UEP95	UEPQM	2.61	21.21	15.43	2.84	2.66	ļ	19.99				1
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service									_						
	Term			UEP95	UEPQZ	2.61	21.21	15.43	2.84	2.66	ļ	19.99				<u> </u>
	2 Wire Voice Condo Dort torreinstad in an Manalist control of			LIEDOS	LIEDOO	2.04	04.04	45 40				40.00			1	
	2-Wire Voice Grade Port terminated in on Megalink or equivalent 2-Wire Voice Grade Port Terminated on 800 Service Term			UEP95 UEP95	UEPQ9 UEPQ2	2.61 2.61	21.21 21.21	15.43 15.43	2.84	2.66	 	19.99 19.99	1			+
l ocal s	Switching			OLF 90	UEFQZ	2.01	21.21	10.43	2.84	2.00	1	19.99	-		1	+
LUCAI C	Centrex Intercom Funtionality, per port	1		UEP95	URECS	0.8873					<u> </u>	19.99				+
Local I	Number Portability					0.0070										
	Local Number Portability (1 per port)			UEP95	LNPCC	0.35							l		İ	1
Feature																
	All Standard Features Offered, per port			UEP95	UEPVF	3.39						19.99				
	All Select Features Offered, per port			UEP95	UEPVS	0.00	405.66	•				19.99				
	All Centrex Control Features Offered, per port			UEP95	UEPVC	3.39						19.99				<u> </u>
NARS				LIEBAE	luane:						ļ					1
_	Unbundled Network Access Register - Combination			UEP95	UARCX	0.00	0.00	0.00			ļ		ļ		ļ	
	Unbundled Network Access Register - Indial			UEP95	UAR1X	0.00	0.00	0.00								
Miscol	Unbundled Network Access Register - Outdial laneous Terminations			UEP95	UAROX	0.00	0.00	0.00								+
	Trunk Side				+						1		-		1	+
Z-44116	Trunk Side Trunk Side Terminations, each			UEP95	CEND6	10.94	238.69	37.43	122.66	7.50	1	19.99	1		1	+

DS DS Interoffice Interoffice Interoffice Interoffice Interoffice Interoffice Interoffice Interoffice Interoffice Interoffice Fee Side Fee Side Fee Side Fee Side Non-Recur NR	gital (1.544 Megabits) S1 Circuit Terminations, each S0 Channels Activated, each e Channel Mileage - 2-Wire teroffice Channel Facilities Termination teroffice Channel mileage, per mile or fraction of mile activations (DS0) Centrex Loops on Channelized DS1 Service led Bank Feature Activations eature Activation on D-4 Channel Bank Centrex Loop Slot seature Activation on D-4 Channel Bank FX line Side Loop Slot seature Activation on D-4 Channel Bank FX Trunk Side Loop	Interi m	Zone	BCS	USOC	Rec		RATES(\$)			Svc Order Submitted Elec	Submitted	Charge -	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incremen Charge Manual S Order vs
DS DS Interoffice Interoffice Interoffice Interoffice Interoffice Interoffice Interoffice Interoffice Interoffice Interoffice Fee Side Fee Side Fee Side Fee Side Non-Recur NR	S1 Circuit Terminations, each S0 Channels Activated, each e Channel Mileage - 2-Wire teroffice Channel Facilities Termination teroffice Channel mileage, per mile or fraction of mile activations (DS0) Centrex Loops on Channelized DS1 Service tel Bank Feature Activations eature Activation on D-4 Channel Bank Centrex Loop Slot eature Activation on D-4 Channel Bank FX line Side Loop Slot	ce				Rec					per LSR		1st	Add'l	Disc 1st	Electroni Disc Add
DS DS Interoffice Interoffice Interoffice Interoffice Interoffice Interoffice Interoffice Interoffice Interoffice Interoffice Fee Side Fee Side Fee Side Fee Side Non-Recur NR	S1 Circuit Terminations, each S0 Channels Activated, each e Channel Mileage - 2-Wire teroffice Channel Facilities Termination teroffice Channel mileage, per mile or fraction of mile activations (DS0) Centrex Loops on Channelized DS1 Service tel Bank Feature Activations eature Activation on D-4 Channel Bank Centrex Loop Slot eature Activation on D-4 Channel Bank FX line Side Loop Slot	i e				Ne€	Nonrec		Nonrecurring					RATES (\$)		
DS DS Interoffice Interoffice Interoffice Interoffice Interoffice Interoffice Interoffice Interoffice Interoffice Interoffice Fee Side Fee Side Fee Side Fee Side Non-Recur NR	S1 Circuit Terminations, each S0 Channels Activated, each e Channel Mileage - 2-Wire teroffice Channel Facilities Termination teroffice Channel mileage, per mile or fraction of mile activations (DS0) Centrex Loops on Channelized DS1 Service tel Bank Feature Activations eature Activation on D-4 Channel Bank Centrex Loop Slot eature Activation on D-4 Channel Bank FX line Side Loop Slot	i e					First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Interoffice Interoffice Interoffice Interoffice Interoffice Interoffice Interoffice Feature AC D4 Channe Fec Sio Fec Sio Fec Sio Fec Non-Recur NR	S0 Channels Activated, each e Channel Mileage - 2-Wire teroffice Channel Facilities Termination teroffice Channel mileage, per mile or fraction of mile ctivations (DS0) Centrex Loops on Channelized DS1 Service tel Bank Feature Activations eature Activation on D-4 Channel Bank Centrex Loop Slot eature Activation on D-4 Channel Bank FX line Side Loop Slot	e		1												
Interoffice Interoffice Interoffice Interoffice Interoffice Interoffice Feature Ac D4 Channe Fec Fec Silo Fec Silo Fec Silo Fec Non-Recur NR	e Channel Mileage - 2-Wire teroffice Channel Facilities Termination teroffice Channel mileage, per mile or fraction of mile activations (DS0) Centrex Loops on Channelized DS1 Service tel Bank Feature Activations seature Activation on D-4 Channel Bank Centrex Loop Slot teature Activation on D-4 Channel Bank FX line Side Loop Slot	e		UEP95	M1HD1	83.28	404.18	191.44	144.71		Ļ——	19.99				ļ
Inte	teroffice Channel Facilities Termination teroffice Channel mileage, per mile or fraction of mile activations (DS0) Centrex Loops on Channelized DS1 Service tel Bank Feature Activations acture Activation on D-4 Channel Bank Centrex Loop Slot acture Activation on D-4 Channel Bank FX line Side Loop Slot	e		UEP95	M1HDO	0.00	28.96		 			19.99				
Feature AC D4 Channe Fee Fee Fee Slo Fee Slo Fee Non-Recur NN	teroffice Channel mileage, per mile or fraction of mile activations (DS0) Centrex Loops on Channelized DS1 Service all Bank Feature Activations auture Activation on D-4 Channel Bank Centrex Loop Slot acture Activation on D-4 Channel Bank FX line Side Loop Slot	e	1	UEP95	MIGBC	29.51			 			19.99				
Feature Ac D4 Channe Fed Fed Fed Fed Sloo Fed Diff Fed Fed Non-Recur	activations (DS0) Centrex Loops on Channelized DS1 Service Bank Feature Activations eature Activation on D-4 Channel Bank Centrex Loop Slot eature Activation on D-4 Channel Bank FX line Side Loop Slot	e	1	UEP95	MIGBM	0.0118						19.99				
D4 Channe Fee Fee Slo Fee Slo Fee Slo Fee Slo Fee Non-Recur NR	nel Bank Feature Activations seature Activation on D-4 Channel Bank Centrex Loop Slot seature Activation on D-4 Channel Bank FX line Side Loop Slot			02. 00		0.0110					—	10.00				
Fee Fee Slo Fee Diff Fee Slo Fee Non-Recur	eature Activation on D-4 Channel Bank Centrex Loop Slot eature Activation on D-4 Channel Bank FX line Side Loop Slot											19.99				1
Fee Slo	eature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP95	1PQWS	0.77	-					19.99				
Fee Slo				UEP95	1PQW6	0.77						19.99				
Fee Slo			1	OLF 93	IFQWO	0.77			 			19.99				
Fee Slo Fee Non-Recur	ot			UEP95	1PQW7	0.77				 		19.99	1	 		
Fea Slo Fea Non-Recur	eature Activation on D-4 Channel Bank Centrex Loop Slot - ifferent Wire Center			UEP95	1PQWP	0.77				<u> </u>		19.99		 		
Slo Fea Non-Recur NR	eature Activation on D-4 Channel Bank Private Line Loop Slot			UEP95	1PQWV	0.77			i	<u> </u>		19.99				
Non-Recur NR	eature Activation on D-4 Channel Bank Tjie Line/Trunk Loop			UEP95	1PQWQ	0.77]		19.99]		
NR	eature Activation on D-4 Channel Bank WATS Loop Slot			UEP95	1PQWA	0.77						19.99				
	irring Charges (NRC) Associated with UNE-P Centrex									,				ı		
cha	RC Conversion Currently Combined Switch-As-Is with allowed								i	1		i I		1		
	nanges, per port			UEP95	USAC2		10.00	10.00		·		19.99		·		ļ
	ew Centrex Standard Common Block			UEP95	M1ACS	0.00	667.47					19.99				
	ew Centrex Customized Common Block			UEP95	M1ACC	0.00	667.47			·		19.99		·		<u> </u>
	AR Establishment Charge, Per Occasion ENTREX - DMS100 (Valid in All States)		1	UEP95	URECA	0.00	72.75		 		₩	19.99				
	B Loop/2-Wire Voice Grade Port (Centrex) Combo					·			 			+				-
	/Loop Combination Rates (Non-Design)		1			 			 			\leftarrow				
2-V	Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -			LIEDOD		40.45										
	on-Design Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		1	UEP9D		16.15										
No	on-Design Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		2	UEP9D		22.34						-				
	on-Design		3	UEP9D		30.88			i l	I		1				
	/Loop Combination Rates (Design)								i I							
	Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- esign	-	1	UEP9D		20.39				 						
	Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- esign		2	UEP9D		26.57						1		' 		
2-V	Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -						-							!		
	esign		3	UEP9D		37.57			 			\longmapsto		<u> </u>		ļ
UNE Loop		 	-	UEP9D	LIECC4	10.51			├		igwdapprox				1	
	Wire Voice Grade Loop (SL 1) - Zone 1 Wire Voice Grade Loop (SL 1) - Zone 2	<u> </u>	1 2	UEP9D UEP9D	UECS1 UECS1	13.54 19.73			 					<u> </u>		
	Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP9D	UECS1	28.27			 		\vdash	$\overline{}$			-	
	Wire Voice Grade Loop (SL 2) - Zone 1	 	1	UEP9D	UECS2	17.78			 			$\overline{}$				
	Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP9D	UECS2	23.96										T
	Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9D	UECS2	34.96		-	(I		$\overline{}$		 I	1	
UNE Port F	Rate					<u> </u>										
ALL STAT																
	Wire Voice Grade Port (Centrex) Basic Local Area			UEP9D	UEPYA	2.61	21.21	15.43	2.84	2.66		19.99				
2-V Are	Wire Voice Grade Port (Centrex 800 termination)Basic Local			UEP9D	UEPYB	2.61	21.21	15.43	2.84	2.66	7	19.99	$_{\scriptscriptstyle m I}$]		
				02.00	JE1 10	2.01		10.40	2.57	2.00		10.00			ļ	
2-V Are	Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local		1	UEP9D	UEPYC	2.61	21.21	15.43	2.84	2.66		19.99		ı — —		1

UNBUNDLE	D NETWORK ELEMENTS - Kentucky												Attachment:	2		Exhibit: I
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Order vs.	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual Svo Order vs.
						Rec	Nonred First	urring Add'l	Nonrecurring First	g Disconnect Add'l	SOMEC	SOMAN	OSS F	RATES (\$)	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local						гизс	Auu i	FIISL	Auu i	SOMEC	JOWAN	JOWAN	SOWAN	JOWAN	JOWAN
	Area			UEP9D	UEPYE	2.61	21.21	15.43	2.84	2.66		19.99				
	2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local Area			UEP9D	UEPYF	2.61	21.21	15.43	2.84	2.66		19.99				
	2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local			DEP9D	UEFTF	2.01	21.21	15.43	2.04	2.00		19.99				-
	Area			UEP9D	UEPYG	2.61	21.21	15.43	2.84	2.66		19.99				
	2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local Area			UEP9D	UEPYT	2.61	21.21	15.43	2.84	2.66		19.99				
	2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local			UEP9D	UEPYI	2.01	21.21	15.43	2.84	2.00		19.99				
	Area			UEP9D	UEPYU	2.61	21.21	15.43	2.84	2.66		19.99				
	2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local Area			UEP9D	UEPYV	2.61	21.21	15.43	2.84	2.66		19.99				
	2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local			UEP9D	UEFTV	2.01	21.21	15.43	2.04	2.00		19.99				
	Area			UEP9D	UEPY3	2.61	21.21	15.43	2.84	2.66		19.99				
	2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local Area			UEP9D	UEPYH	2.61	21.21	15.43	2.84	0.266		19.99				
	2-Wire Voice Grade Port (Centrex/Caller ID/Msq Wtg Lamp			OLF 9D	OLFIII	2.01	21.21	13.43	2.04	0.200		15.55				+
	Indication))3 Basic Local Area			UEP9D	UEPYW	2.61	21.21	15.43	2.84	2.66		19.99				
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))3 Basic Local Area			UEP9D	UEPYJ	2.61	21.21	15.43	2.84	2.66		19.99				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)			OEP9D	UEFTJ	2.01	21.21	15.45	2.04	2.00		19.99				
	2 Basic Local Area			UEP9D	UEPYM	2.61	21.21	15.43	2.84	2.66		19.99				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3			UEP9D	UEPYO	2.61	04.04	45.40	2.84	2.66		19.99				
-	Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3			UEP9D	UEPYU	2.01	21.21	15.43	2.84	2.00		19.99				1
	Basic Local Area			UEP9D	UEPYP	2.61	21.21	15.43	2.84	2.66		19.99				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3 Basic Local Area			UEP9D	UEPYQ	2.61	21.21	15.43	2.84	2.66		19.99				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3			UEP9D	UEPYQ	2.01	21.21	15.43	2.84	2.00		19.99				
	Basic Local Area			UEP9D	UEPYR	2.61	21.21	15.43	2.84	2.66		19.99				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3 Basic Local Area			UEP9D	UEPYS	2.61	21.21	15.43	2.84	2.66		19.99				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3			UEP9D	UEPYS	2.01	21.21	15.43	2.84	2.00		19.99				
	Basic Local Area			UEP9D	UEPY4	2.61	21.21	15.43	2.84	2.66		19.99				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 Basic Local Area			UEP9D	UEPY5	2.61	21.21	15.43	2.84	2.66		19.99				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3			OLF9D	OLFIS	2.01	21.21	13.43	2.04	2.00		15.55				+
	Basic Local Area			UEP9D	UEPY6	2.61	21.21	15.43	2.84	2.66		19.99				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3 Basic Local Area			UEP9D	UEPY7	2.61	21.21	15.43	2.84	2.66		19.99				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			OLI 3D	OLI 17	2.01	21.21	13.43	2.04	2.00		13.33				-
	Term			UEP9D	UEPYZ	2.61	21.21	15.43	2.84	2.66		19.99				
	2-Wire Voice Grade Port terminated in on Megalink or equivalent Basic Local Area			UEP9D	UEPY9	2.61	21.21	15.43	2.84	2.66		19.99				
	2-Wire Voice Grade Port Terminated on 800 Service Term Basic			OLI 3D	OLI 13	2.01	21.21	13.43	2.04	2.00		13.33				-
	Local Area			UEP9D	UEPY2	2.61	21.21	15.43	2.84	2.66		19.99				
AL, KY	, LA, MS, SC, & TN Only 2-Wire Voice Grade Port (Centrex)			UEP9D	UEPQA	2.61	21.21	15.43	2.84	2.66		19.99				
	2-Wire Voice Grade Port (Centrex) 2-Wire Voice Grade Port (Centrex 800 termination)			UEP9D	UEPQB	2.61	21.21	15.43	2.84	2.66		19.99				
	2-Wire Voice Grade Port (Centrex / EBS-PSET)3			UEP9D	UEPQC	2.61	21.21	15.43	2.84	2.66		19.99				
	2-Wire Voice Grade Port (Centrex / EBS-M5009)3 2-Wire Voice Grade Port (Centrex / EBS-M5209)3			UEP9D UEP9D	UEPQD UEPQE	2.61 2.61	21.21 21.21	15.43 15.43	2.84 2.84	2.66 2.66	-	19.99 19.99				
	2-Wire Voice Grade Port (Centrex / EBS-M5209)3			UEP9D	UEPQF	2.61	21.21	15.43	2.84	2.66		19.99				
	2-Wire Voice Grade Port (Centrex / EBS-M5312)3			UEP9D	UEPQG	2.61	21.21	15.43	2.84	2.66		19.99				
	2-Wire Voice Grade Port (Centrex / EBS-M5008)3			UEP9D UEP9D	UEPQT UEPQU	2.61 2.61	21.21 21.21	15.43 15.43	2.84 2.84	2.66 2.66		19.99 19.99				<u> </u>
	2-Wire Voice Grade Port (Centrex / EBS-M5208)3 2-Wire Voice Grade Port (Centrex / EBS-M5216)3			UEP9D UEP9D	UEPQU	2.61	21.21	15.43	2.84	2.66	 	19.99				
	2-Wire Voice Grade Port (Centrex / EBS-M5316)3			UEP9D	UEPQ3	2.61	21.21	15.43	2.84	2.66		19.99	1			1

NRUNDLE	NETWORK ELEMENTS - Kentucky		1								1		Attachment:	2		Exhibit:
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
						Rec	Nonreci		Nonrecurring I					RATES (\$)		
				LIEBAR			First	Add'l	First	Add'l	SOMEC		SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex with Caller ID)			UEP9D	UEPQH	2.61	21.21	15.43	2.84	2.66		19.99				
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp Indication)3			UEP9D	UEPQW	2.61	21.21	15.43	2.84	2.66		19.99				
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)3			UEP9D	UEPQJ	2.61	21.21	15.43	2.84	2.66		19.99				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)															
	2			UEP9D	UEPQM	2.61	21.21	15.43	2.84	2.66		19.99				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3			UEP9D	UEPQO	2.61	21.21	15.43	2.84	2.66		19.99				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3			UEP9D	UEPQP	2.61	21.21	15.43	2.84	2.66		19.99				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3			UEP9D	UEPQQ	2.61	21.21	15.43	2.84	2.66		19.99				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3			UEP9D	UEPQR	2.61	21.21	15.43	2.84	2.66		19.99				
	2-Wile Voice Glade Fort (Certifex differ 5WC/EB3-W5112)2, 3			OLF9D	ULFQK	2.01	21.21	13.43	2.04	2.00		13.33				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3			UEP9D	UEPQS	2.61	21.21	15.43	2.84	2.66		19.99				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3			UEP9D	UEPQ4	2.61	21.21	15.43	2.84	2.66		19.99				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3			UEP9D	UEPQ5	2.61	21.21	15.43	2.84	2.66		19.99				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3			UEP9D	UEPQ6	2.61	21.21	15.43	2.84	2.66		19.99				
	O Miller Meller Over to Prost (Overtone / Fifter OMO /EDO MEO40)0			UEP9D	UEPQ7	2.61	21.21	45.40	0.04	2.66		40.00				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			UEP9D	UEPQ/	2.01	21.21	15.43	2.84	2.00		19.99				
	Term			UEP9D	UEPQZ	2.61	21.21	15.43	2.84	2.66		19.99				
	Tom			OLI OD	OLI QZ	2.01	21.21	10.40	2.04	2.00		10.00				
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9D	UEPQ9	2.61	21.21	15.43	2.84	2.66		19.99				
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP9D	UEPQ2	2.61	21.21	15.43	2.84	2.66		19.99				
Local S	witching															
	Centrex Intercom Funtionality, per port			UEP9D	URECS	0.8873						19.99				
Local N	lumber Portability			LIEDAD	LNDOO	0.05						40.00				
Feature	Local Number Portability (1 per port)			UEP9D	LNPCC	0.35						19.99				
	All Standard Features Offered, per port			UEP9D	UEPVF	3.39						19.99				
	All Select Features Offered, per port			UEP9D	UEPVS	0.00	405.66					19.99				
	All Centrex Control Features Offered, per port			UEP9D	UEPVC	3.39	400.00					19.99				
NARS																
	Unbundled Network Access Register - Combination			UEP9D	UARCX	0.00	0.00	0.00								
	Unbundled Network Access Register - Inward			UEP9D	UAR1X	0.00	0.00	0.00								
	Unbundled Network Access Register - Outdial			UEP9D	UAROX	0.00	0.00	0.00								
	aneous Terminations															
	Trunk Side			LIEDOD	CENDO	40.04	220.00	27.40	122.40	7.50		40.00				
	Trunk Side Terminations, each Digital (1.544 Megabits)		<u> </u>	UEP9D	CEND6	10.94	238.69	37.49	122.40	7.50		19.99				
	DS1 Circuit Terminations, each			UEP9D	M1HD1	83.28	404.18	191.44	144.71	4.90		19.99				
	DS0 Channels Activiated per Channel			UEP9D	M1HDO	0.00	28.96	131.44	144.71	4.30		19.99				
Interoff	ice Channel Mileage - 2-Wire			02.05		0.00	20.00					10.00				
	Interoffice Channel Facilities Termination			UEP9D	MIGBC	29.51						19.99				
	Interoffice Channel mileage, per mile or fraction of mile			UEP9D	MIGBM	0.0118						19.99				
	Activations (DS0) Centrex Loops on Channelized DS1 Service	е														
D4 Cha	nnel Bank Feature Activations			LIEBAR	1,000			, in the second								
	Feature Activation on D-4 Channel Bank Centrex Loop Slot		<u> </u>	UEP9D	1PQWS	0.77						19.99				<u> </u>
	Easture Activation on D.4 Channel Beats EV line Cide Law City			LIEDOD	1PQW6	0.77					1	40.00				
-	Feature Activation on D-4 Channel Bank FX line Side Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop		 	UEP9D	IPQVV6	0.77						19.99				
	Slot			UEP9D	1PQW7	0.77						19.99				
_	Feature Activation on D-4 Channel Bank Centrex Loop Slot -				~,,,	0.77	-		+		 	10.00		1		†
1	Different Wire Center		1	UEP9D	1PQWP	0.77						19.99				

UNBUNDLE	D NETWORK ELEMENTS - Kentucky												Attachment:	2		Exhibit: E
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Charge -
						Rec	Nonrec First	urring Add'l	Nonrecurring First	g Disconnect	SOMEC	SOMAN	OSS I	RATES (\$)	SOMAN	SOMAN
					+	1	FIISL	Auu i	FIISL	Addi	SOWIEC	JOWAN	JOWAN	JOWAN	JOWAN	JOWAN
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9D	1PQWV	0.77						19.99				
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop					****										
	Slot			UEP9D	1PQWQ	0.77						19.99				
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9D	1PQWA	0.77						19.99				
Non-R	ecurring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed						40.00									
	changes, per port			UEP9D	USAC2	0.00	10.00 667.47	10.00				19.99 19.99				1
$\longrightarrow \longmapsto$	New Centrex Standard Common Block New Centrex Customized Common Block	-	 	UEP9D UEP9D	M1ACS M1ACC	0.00	667.47					19.99		-		+
-+-	NAR Establishment Charge, Per Occasion	1	 	UEP9D	URECA	0.00	72.75					19.99				+
UNF-P	P CENTREX - EWSD (Valid in AL, FL, KY, LA, MS & TN)	1	1	CL. 0D	JINEO/N	0.00	12.13					10.00				1
	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo	1	†			+				1						1
	ort/Loop Combination Rates (Non-Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	-					İ									1
	Non-Design		1	UEP9E		16.15										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Non-Design		2	UEP9E		22.34										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		_													
- Ince	Non-Design		3	UEP9E		30.88										
UNE P	Port/Loop Combination Rates (Design)				+	+										1
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design		1	UEP9E		20.39										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			OLFBL	+	20.39										
	Design		2	UEP9E		26.57										
-+	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			OLI OL	+	20.07										
	Design		3	UEP9E		37.57										
UNE L	oop Rate		_													
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9E	UECS1	13.54						19.99				
	2-Wire Voice Grade Loop (SL 1) - Zone 2			UEP9E	UECS1	19.73						19.99				
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP9E	UECS1	28.27						19.99				
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP9E	UECS2	17.78						19.99				
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP9E	UECS2	23.96						19.99				
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9E	UECS2	34.96						19.99				
	ort Rate ., KY, LA, MS, & TN only					-										
AL, FL	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP9E	UEPYA	2.61	21.21	15.43	2.84	2.66		19.99				
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local			OLFBL	OLFIA	2.01	21.21	13.43	2.04	2.00		15.55				1
	Area			UEP9E	UEPYB	2.61	21.21	15.43	2.84	2.66		19.99				
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local				1											
	Area			UEP9E	UEPYH	2.61	21.21	15.43	2.84	2.66		19.99				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire															
	Center)2 Basic Local Area			UEP9E	UEPYM	2.61	21.21	15.43	2.84	2.66		19.99				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
	Term - Basic Local Area		<u> </u>	UEP9E	UEPYZ	2.61	21.21	15.43	2.84	2.66		19.99				1
1	2-Wire Voice Grade Port terminated in on Megalink or equivalent	1		LIEDOE	LIEDY'S											1
$\!\!\!\!+\!\!\!\!-$	- Basic Local Area	1	ļ	UEP9E	UEPY9	2.61	21.21	15.43	2.84	2.66		19.99				1
1	2-Wire Voice Grade Port Terminated on 800 Service Term -			UEP9E	UEPY2	2.61	21.21	15.43	2.84	2.66		19.99			1	1
AI K	Basic Local Area Y, LA, MS, & TN Only	1	1	OLFSE	UEF12	2.01	∠1.∠1	15.43	∠.84	∠.06	-	19.99			-	
AL, KI	2-Wire Voice Grade Port (Centrex)	1	l -	UEP9E	UEPQA	2.61	21.21	15.43	2.84	2.66		19.99		1	1	1
-+	2-Wire Voice Grade Fort (Centrex) 2-Wire Voice Grade Port (Centrex 800 termination)	1	1	UEP9E	UEPQB	2.61	21.21	15.43	2.84	2.66	t	19.99		1	 	1
	2-Wire Voice Grade Port (Centrex ede termination)			UEP9E	UEPQH	2.61	21.21	15.43	2.84	2.66		19.99				1
	2-Wire Voice Grade Port (Centrex from diff Serving Wire	1														1
1	Center)2		<u>L</u>	UEP9E	UEPQM	2.61	21.21	15.43	2.84	2.66		19.99				<u> </u>
			1		ı 					1				I		
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term			UEP9E	UEPQZ	2.61	21.21	15.43	2.84	2.66		19.99				

JNBUNDLI	ED NETWORK ELEMENTS - Kentucky	1		T									Attachment:	2		Exhibit: E
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
						Rec	Nonrec		Nonrecurring					RATES (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	OME William Control Branch and the Manager Line and Control			LIEBOE	LIEDOS	0.04	04.04	45.40	0.04	0.00		40.00				
	2-Wire Voice Grade Port terminated in on Megalink or equivalent 2-Wire Voice Grade Port Terminated on 800 Service Term			UEP9E UEP9E	UEPQ9 UEPQ2	2.61 2.61	21.21 21.21	15.43 15.43	2.84 2.84	2.66 2.66		19.99 19.99			-	
l ocal	Switching			UEF9E	UEPQZ	2.01	21.21	15.45	2.04	2.00		19.99			1	
	Centrex Intercom Funtionality, per port			UEP9E	URECS	0.8873						19.99				
Local	Number Portability															
	Local Number Portability (1 per port)			UEP9E	LNPCC	0.35						19.99				
Featu																
	All Standard Features Offered, per port			UEP9E	UEPVF	3.39						19.99				
	All Select Features Offered, per port			UEP9E	UEPVS	0.00	405.66					19.99				
NARS	All Centrex Control Features Offered, per port			UEP9E	UEPVC	3.39						19.99				
NARS	Unbundled Network Access Register - Combination			UEP9E	UARCX	0.00	0.00	0.00			+					-
	Unbundled Network Access Register - Indial			UEP9E	UAR1X	0.00	0.00	0.00								
	Unbundled Network Access Register - Outdial			UEP9E	UAROX	0.00	0.00	0.00							1	
Misce	ellaneous Terminations															
2-Wir	e Trunk Side															
	Trunk Side Terminations, each			UEP9E	CEND6	10.94	238.69	37.49	119.40	7.50		19.99				
4-Wir	e Digital (1.544 Megabits)															
	DS1 Circuit Terminations, each			UEP9E	M1HD1	83.28	404.18	191.44	144.71	4.90		19.99				
	DS0 Channel Activated Per Channel			UEP9E	M1HDO	0.00	28.96					19.99				
Interd	office Channel Mileage - 2-Wire Interoffice Channel Facilities Termination			UEP9E	MIGBC	29.51	-					19.99			-	
	Interoffice Channel mileage, per mile or fraction of mile			UEP9E UEP9E	MIGBC	0.0118	-				-	19.99			-	+
Featu	re Activations (DS0) Centrex Loops on Channelized DS1 Service	Α		OLF9L	IVIIGBIVI	0.0116						15.55				
	hannel Bank Feature Activations	Ĭ														†
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9E	1PQWS	0.77						19.99			1	
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9E	1PQW6	0.77						19.99				
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop															
	Slot			UEP9E	1PQW7	0.77						19.99				
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -			LIEBOE	4D014/D	0.77						40.00				
	Different Wire Center			UEP9E	1PQWP	0.77					-	19.99				-
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9E	1PQWV	0.77						19.99				
	Feature Activation on D-4 Channel Bank Frivate Line Loop Slot			OLF3L	IFQVV	0.77	1					15.55			1	
	Slot			UEP9E	1PQWQ	0.77						19.99				
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9E	1PQWA	0.77	İ					19.99				
Non-	Recurring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed															
	changes, per port			UEP9E	USAC2		10.00	10.00				19.99			1	
	New Centrex Standard Common Block			UEP9E	M1ACS	0.00	667.47					19.99				ļ
	New Centrex Customized Common Block			UEP9E	M1ACC	0.00	667.47					19.99				
LINE	NAR Establishment Charge, Per Occasion P CENTREX - DCO - Valid in AL, KY, LA, MS, & TN)			UEP9E	URECA	0.00	72.75					19.99			1	
	P CENTREX - DCO - Valid in AL, KY, LA, MS, & TN) re VG Loop/2-Wire Voice Grade Port (Centrex) Combo				+						-	 			 	
	Port/Loop Combination Rates (Non-Design)				+		+				1				 	1
OIAL	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -				+	+	-								—	
	Non-Design		1	UEP93		16.15	l								1	
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Non-Design ,		2	UEP93		22.34									<u></u>	
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Non-Design		3	UEP93	1	30.88									1	
UNE	Port/Loop Combination Rates (Design)				1											ļ
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design		1	UEP93		20.39										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		Ė	- "	1	20.00									1	
1	Design		2	UEP93		26.57									1	

NRONDLE	D NETWORK ELEMENTS - Kentucky	1	1									1	Attachment:	2		Exhibit:
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual Sv Order vs Electronic
						Rec	Nonrec		Nonrecurring					RATES (\$)		
	OMEN VOLUME (OMEN VICTOR OF LA PORT (OF TAXABLE PART)						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		_	LIEBOO		07.57										
UNITI	Design Dop Rate		3	UEP93		37.57										+
UNE LO	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP93	UECS1	13.54										+
	2-Wire Voice Grade Loop (SL 1) - Zone 1		2	UEP93	UECS1	19.73										+
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP93	UECS1	28.27										+
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP93	UECS2	17.78										
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP93	UECS2	23.96										1
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP93	UECS2	34.96										
UNE Po	ort Rate															
	, LA, MS, & TN only															
	2-Wire Voice Grade Port (Centrex) Basic Local Area	<u></u>		UEP93	UEPYA	2.61	21.21	15.43	2.84	2.66		19.99				
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area			UEP93	UEPYB	2.61	21.21	15.43	2.84	2.66		19.99				
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area			UEP93	UEPYH	2.61	21.21	15.43	2.84	2.66		19.99				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 Basic Local Area			UEP93	UEPYM	2.61	21.21	15.43	2.84	2.66		19.99				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term - Basic Local Area 2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP93	UEPYZ	2.61	21.21	15.43	2.84	2.66		19.99				
	2-Wire Voice Grade Port terminated in on Megalink of equivalent Basic Local Area 2-Wire Voice Grade Port Terminated on 800 Service Term -			UEP93	UEPY9	2.61	21.21	15.43	2.84	2.66		19.99				
	Basic Local Area			UEP93	UEPY2	2.61	21.21	15.43	2.84	2.66		19.99				
	2-Wire Voice Grade Port (Centrex)			UEP93	UEPQA	2.61	21.21	15.43	2.84	2.66		19.99				+
+	2-Wire Voice Grade Port (Centrex 800 termination)			UEP93	UEPQB	2.61	21.21	15.43	2.84	2.66		19.99				+
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP93	UEPQH	2.61	21.21	15.43	2.84	2.66		19.99				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2			UEP93	UEPQM	2.61	21.21	15.43	2.84	2.66		19.99				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term			UEP93	UEPQZ	2.61	21.21	15.43	2.84	2.66		19.99				
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP93	UEPQ9	2.61	21.21	15.43	2.84	2.66		19.99				
Local S	2-Wire Voice Grade Port Terminated on 800 Service Term Switching			UEP93	UEPQ2	2.61	21.21	15.43	2.84	2.66		19.99				
	Centrex Intercom Funtionality, per port			UEP93	URECS	0.8873						19.99				
Local N	Number Portability					Ţ		Ť								
	Local Number Portability (1 per port)	ļ	<u> </u>	UEP93	LNCCC	0.35										
Feature			<u> </u>	LIEDOO	LIED) #E							/0.00				-
	All Standard Features Offered, per port	<u> </u>	<u> </u>	UEP93	UEPVF	3.39						19.99			ļ	+
NADO	All Centrex Control Features Offered, per port	1	 	UEP93	UEPVC	3.39						19.99			 	+
NARS		 	 	LIEDOS	UARCX	0.00	0.00	0.00							 	+
	Unbundled Network Access Register - Combination Unbundled Network Access Register - Indial	1	-	UEP93 UEP93	UARCX UAR1X	0.00	0.00	0.00	-							+
	Unbundled Network Access Register - Outdial	 		UEP93	UAROX	0.00	0.00	0.00	+						1	+
Miscell	Ianeous Terminations			021 00	5,1107	0.00	0.00	0.00	+						 	+
	Trunk Side	1	-		+ +	+			+						 	
	Trunk Side Terminations, each			UEP93	CEND6	10.94			1			19.99			İ	T
	Digital (1.544 Megabits)															
	DS1 Circuit Terminations, each			UEP93	M1HD1	83.28	404.18	191.44	144.71	4.90		19.99				
	DS0 Channels Activated, Per Channel			UEP93	M1HDO	0.00	28.96					19.99				
Interof	fice Channel Mileage - 2-Wire							_								
	Interoffice Channel Facilities Termination			UEP93	MIGBC	29.51						19.99				
	Interoffice Channel mileage, per mile or fraction of mile			UEP93	MIGBM	0.0118						19.99				
	e Activations (DS0) Centrex Loops on Channelized DS1 Service	e					_	•		•				_		
D4 Cha	nnel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP93	1PQWS	0.77						19.99]	

UNBUNDLE	D NETWORK ELEMENTS - Kentucky												Attachment:	2		Exhibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Submitted	Submitted	Charge - Manual Svc Order vs.	Charge -	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-
1						1					per LSR	per LSR	1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonrec			g Disconnect				RATES (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Feature Activation on D-4 Channel Bank FX Line Side Loop Slot			UEP93	1PQW6	0.77						19.99				
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP93	1PQW7	0.77						19.99				
	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center			UEP93	1PQWP	0.77						19.99				
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP93	1PQWV	0.77						19.99				
	Feature Activation on D-4 Channel Bank Tie Line/Trunk Loop Slot			UEP93	1PQWQ	0.77						19.99				
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP93	1PQWA	0.77						19.99				
	ecurring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port			UEP93	USAC2		10.00	10.00				19.99				
	New Centrex Standard Common Block			UEP93	M1ACS	0.00	667.47					19.99				
	New Centrex Customized Common Block			UEP93	M1ACC	0.00	667.47					19.99				
	NAR Establishment Charge, Per Occasion			UEP93	URECA	0.00	72.75					19.99				
Note 1	- Required Port for Centrex Control in 1AESS, 5ESS & EWSD															
Note 2	- Requres Interoffice Channel Mileage															
Note 3	- Requires Specific Customer Premises Equipment															
					+											
			1													
l		l	<u> </u>									l		l		l .

UNBU	INDLE	D NETWORK ELEMENTS - Louisiana												Attachment:	2		Exhibit: B
CATE	GORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Submitted Elec	Svc Order Submitted Manually	Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-
-												per LSR	per LSR	1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonre	curring	Nonrecurring	Disconnect			OSS	RATES (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
-																	
		one" shown in the sections for stand-alone loops or loops as				ographically	Deaveraged U	NE Zones. To	view Geograpi	hically Deavera	ged UNE Zone	e Designation	ons by Cent	ral Office, refe	er to Internet	Website:	
OPERA		vww.interconnection.bellsouth.com/become_a_clec/html/inter _ SUPPORT SYSTEMS	connec	tion.nt	m												
OI LIG	THO IT ALL	- OOT ON OTOTELINO		l .			I I					L.		l	l	<u>l</u>	
	NOTE:	(1) Electronic Service Order: CLEC-1 should contact its contr	act neg	otiator	if it prefers the state	specific ele	ctronic service	ordering char	ges as ordered	by the State C	commissions.	The electro	nic service	ordering cha	rge currently	contained in t	this rate
	exhibit	is the BellSouth regional electronic service ordering charge.	CLEC-	1 may e	elect either the state	specific Con	nmission order	ed rates for th	e electronic se	rvice ordering	charges, or Cl	_EC-1 may e	elect the reg	ional electror	nic service or	dering charge	١.
		(2) Any element that can be ordered electronically will be billed															
		elements that cannot be ordered electronically at present per t				in this cate	gory reflects the	e charge that	would be billed	I to a CLEC on	ce electronic o	ordering cap	oabilities co	me on-line fo	r that element	. Otherwise,	the manual
	oraem	Electronic OSS Charge, per LSR, submitted via BST's OSS	illits al	LOK	o bensouth.												
		interactive interfaces (Regional)				SOMEC		3.50									
UNBUN		EXCHANGE ACCESS LOOP															
	2-WIRE	ANALOG VOICE GRADE LOOP 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEAL2	12.90	36.54	16.87				15.20				
		2-Wire Analog Voice Grade Loop - Service Level 1-Zone 2			UEANL	UEAL2	23.33	36.54	16.87				15.20				
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3			UEANL	UEAL2	48.43	36.54	16.87				15.20				
		Loop Testing - Basic 1st Half Hour			UEANL	URET1		33.17	33.17								
		Loop Testing - Basic Additional Half Hour Engineering Information Document (EI)			UEANL UEANL	URETA		19.28 13.04	19.28 13.04								
		Manual Order Coordination for UVL-SL1s (per loop)*			UEANL	UEAMC		7.92	7.92								
		Order Coordination for Specified Conversion Time for UVL-SL1															
	2-WIDE	(per LSR) * E Unbundled COPPER LOOP			UEANL	OCOSL		17.56	17.56								
	Z-VVIKE	2-Wire Unbundled Copper Loop - Non-Designed Zone 1		1	UEQ	UEQ2X	12.40	35.27	15.60				15.20				
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 2		2	UEQ	UEQ2X	14.32	35.27	15.60				15.20				
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 3	ı	3	UEQ	UEQ2X	16.87	35.27	15.60				15.20				
		Order Coordination 2 Wire Unbundled Copper Loop - Non- Designed (per loop)			UEQ	USBMC		7.92	7.92								
		Engineering Information Document			UEQ	CODIVIO		13.04	13.04								
		Loop Testing - Basic 1st Half Hour			UEQ	URET1		33.17	33.17								
LINBLIN	IDI ED E	Loop Testing - Basic Additional Half Hour EXCHANGE ACCESS LOOP			UEQ	URETA		19.28	19.28								
ONDON		ANALOG VOICE GRADE LOOP															
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
		Zone 1 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-	- !	1	UEPSR UEPSB	UEALS	12.90	36.54	16.87	0.00	0.00		15.20				
		Zone 1	1		UEPSR UEPSB	UEABS	12.90	36.54	16.87	0.00	0.00		15.20				
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-															
		Zone 2 2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-		2	UEPSR UEPSB	UEALS	23.33	36.54	16.87	0.00	0.00	-	15.20				
		Zone 2	ı		UEPSR UEPSB	UEABS	23.33	36.54	16.87	0.00	0.00		15.20				
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 3		3	UEPSR UEPSB	UEALS	48.43	36.54	16.87	0.00	0.00		15.20				
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		Ť													
UNBUN	IDI FD F	Zone 3 EXCHANGE ACCESS LOOP			UEPSR UEPSB	UEABS	48.43	36.54	16.87	0.00	0.00	1	15.20				
3,123	2-WIRE	E ANALOG VOICE GRADE LOOP										t					
		CLEC to CLEC Conversion Charge without outside dispatch															
		(UVL-SL1) 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or			UEANL	UREWO		36.54	16.87			-	15.20				
		Ground Start Signaling - Zone 1 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		1	UEA	UEAL2	14.93	102.10	65.72								
		Ground Start Signaling - Zone 2		2	UEA	UEAL2	25.35	102.10	65.72				15.20				

4Q01:12/01/01 PAGE 145 OF 324

UNBUNDLE	D NETWORK ELEMENTS - Louisiana											Attachment:	2		Exhibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring Disconnec				RATES (\$)		
	lows A decided Visit Ord Indiana Ord in the 10 of the 10 of						First	Add'l	First Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 3		3	UEA	UEAL2	50.46	102.10	65.72			15.20				Ĭ
	Order Coordination for Specified Conversion Time (per LSR)		3	UEA	OCOSL	50.46	17.56	65.72			15.20				
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse			OLA	OCCOL		17.50			_	1				
	Battery Signaling - Zone 1		1	UEA	UEAR2	14.93	102.10	65.72			15.20				İ
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse														
	Battery Signaling - Zone 2		2	UEA	UEAR2	25.35	102.10	65.72			15.20				
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		_		1										İ
	Battery Signaling - Zone 3		3	UEA	UEAR2	50.46	102.10	65.72			15.20				├
 	Order Coordination for Specified Conversion Time (per LSR) CLEC to CLEC Conversion Charge without outside dispatch	1	1	UEA UEA	OCOSL UREWO		17.56 102.10	38.22		-	15.20				├ ──
4-WIDE	E ANALOG VOICE GRADE LOOP	1	 	OLA	ONLVVO		102.10	30.22		+	13.20				
7-11/1	4-Wire Analog Voice Grade Loop - Zone 1	1	1	UEA	UEAL4	30.81	127.40	91.02		1	15.20		1		†
	4-Wire Analog Voice Grade Loop - Zone 2			UEA	UEAL4	38.32	127.40	91.02			15.20				
	4-Wire Analog Voice Grade Loop - Zone 3		3	UEA	UEAL4	60.39	127.40	91.02			15.20				
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		17.56								
2-WIRE	ISDN DIGITAL GRADE LOOP														└
ļ	2-Wire ISDN Digital Grade Loop - Zone 1		1	UDN	U1L2X	22.09	113.34	76.96			15.20				
	2-Wire ISDN Digital Grade Loop - Zone 2			UDN UDN	U1L2X U1L2X	35.28 65.18	113.34	76.96 76.96			15.20 15.20				-
	2-Wire ISDN Digital Grade Loop - Zone 3 Order Coordination For Specified Conversion Time (per LSR)		3	UDN	OCOSL	65.18	113.34 17.56	76.96		_	15.20				
	CLEC to CLEC Conversion Charge without outside dispatch			UDN	UREWO		113.34	33.04	 		15.20				
2-WIRE	Universal Digital Channel (UDC) COMPATIBLE LOOP			ODIV	ORETTO		110.04	00.04			10.20				
	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone														
	1		1	UDC	UDC2X	22.09	113.34	76.96			15.20				İ
	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone														
	2		2	UDC	UDC2X	35.28	113.34	76.96			15.20				└
	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone	1	_			0= 40		=			4= 00				İ
-	CLEC to CLEC Conversion Charge without outside dispatch		3	UDC UDC	UDC2X UREWO	65.18	113.34 113.34	76.96 33.04			15.20 15.20				├
2-WIRE	E ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP	PATIRI F	LOOP		UKEWU		113.34	33.04		+	15.20				
Z-VVIIAL	2 Wire Unbundled ADSL Loop including manual service inquiry	ATIBLE	1							+					
	& facility reservation - Zone 1		1	UAL	UAL2X	12.29	117.08	68.36			15.20				
	2 Wire Unbundled ADSL Loop including manual service inquiry														
	& facility reservation - Zone 2		2	UAL	UAL2X	14.09	117.08	68.36			15.20				
	2 Wire Unbundled ADSL Loop including manual service inquiry														
	& facility reservation - Zone 3	1	3	UAL	UAL2X	15.75	117.08	68.36			15.20				
\vdash	Order Coordination for Specified Conversion Time (per LSR)	1	}	UAL	OCOSL		17.56			-	1				
	2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 1		1	UAL	UAL2W	12.29	92.83	56.02			15.20				1
 	2 Wire Unbundled ADSL Loop without manual service inquiry &		+ '-	O/ 1L	CALZVV	12.23	32.03	30.02			13.20				
	facility reservaton - Zone 2		2	UAL	UAL2W	14.09	92.83	56.02			15.20				1
	2 Wire Unbundled ADSL Loop without manual service inquiry &	1													
	facility reservaton - Zone 3		3	UAL	UAL2W	15.75	92.83	56.02			15.20				<u> </u>
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		17.56								
	CLEC to CLEC Conversion Charge without outside dispatch	<u> </u>		UAL	UREWO		92.83	29.29			15.20				↓
2-WIRE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA 2 Wire Unbundled HDSL Loop including manual service inquiry	TIBLE	LOOP		+					-	1				
	& facility reservation - Zone 1		1	UHL	UHL2X	9.79	125.50	76.77			15.20				1
 	2 Wire Unbundled HDSL Loop including manual service inquiry	1	+-	01 /L	OI ILZA	5.13	120.00	10.11		+	13.20				
	& facility reservation - Zone 2		2	UHL	UHL2X	11.52	125.50	76.77			15.20				1
	2 Wire Unbundled HDSL Loop including manual service inquiry	1													
	& facility reservation - Zone 3		3	UHL	UHL2X	12.74	125.50	76.77			15.20		<u> </u>		<u> </u>
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		17.56								
	2 Wire Unbundled HDSL Loop without manual service inquiry		1.				404 -								1
	and facility reservation - Zone 1	1	1	UHL	UHL2W	9.79	101.24	64.43			15.20		-		├
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2		2	UHL	UHL2W	11.52	101.24	64.43			15.20				1
	and racinty reservation - Zone Z	1		OLIF	UNLZW	11.32	101.24	04.43	<u> </u>		15.20		l	l	

UNBUNDLE	D NETWORK ELEMENTS - Louisiana											Attachment:	2		Exhibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			Submitted	Incremental Charge - Manual Svc	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring Disconnect				RATES (\$)		
							First	Add'l	First Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2 Wire Unbundled HDSL Loop without manual service inquiry														
	and facility reservation - Zone 3		3	UHL	UHL2W	12.74	101.24	64.43			15.20				
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		17.56				4= 00				
4 WIDE	CLEC to CLEC Conversion Charge without outside dispatch HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIDLE	000	UHL	UREWO		101.24	29.29			15.20				
4-WIRE	4 Wire Unbundled HDSL Loop including manual service inquiry	IIBLE	LUUP							+					
	and facility reservation - Zone 1		1	UHL	UHL4X	16.24	153.26	104.54			15.20				
	4-Wire Unbundled HDSL Loop including manual service inquiry		-	OFIL	UI IL4X	10.24	133.20	104.54			13.20				
	and facility reservation - Zone 2		2	UHL	UHL4X	16.65	153.26	104.54			15.20				
	4-Wire Unbundled HDSL Loop including manual service inquiry	†		-		12.00	20								
1 1	and facility reservation - Zone 3	1	3	UHL	UHL4X	17.34	153.26	104.54			15.20				
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		17.56								
	4-Wire Unbundled HDSL Loop without manual service inquiry														
	and facility reservation - Zone 1		1	UHL	UHL4W	16.24	129.00	92.20			15.20				
	4-Wire Unbundled HDSL Loop without manual service inquiry														
	and facility reservation - Zone 2		2	UHL	UHL4W	16.65	129.00	92.20			15.20				
	4-Wire Unbundled HDSL Loop without manual service inquiry														
	and facility reservation - Zone 3		3	UHL	UHL4W	17.34	129.00	92.20			15.20				
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		17.56								
	CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		101.24	29.29			15.20				
4-WIRE	DS1 DIGITAL LOOP														
	4-Wire DS1 Digital Loop - Zone 1			USL	USLXX	85.70	245.16	152.98			15.20				
	4-Wire DS1 Digital Loop - Zone 2			USL	USLXX	194.96	245.16	152.98			15.20				
	4-Wire DS1 Digital Loop - Zone 3		3	USL	USLXX	491.94	245.16	152.98			15.20				
	Order Coordination for Specified Conversion Time (per LSR) CLEC to CLEC Conversion Charge without outside dispatch			USL USL	OCOSL UREWO		17.56 130.07	39.99			15.20				
4-WIDE	19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP			USL	UKEWO		130.07	39.99		+	15.20				
4-4411	4 Wire Unbundled Digital 19.2 Kbps		1	UDL	UDL19	30.99	121.86	85.48		+	15.20				
	4 Wire Unbundled Digital 19.2 Kbps		2		UDL19	36.78	121.86	85.48		+	15.20				
	4 Wire Unbundled Digital 19.2 Kbps	1	3		UDL19	38.92	121.86	85.48		+	15.20				
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1			UDL	UDL56	30.99	121.86	85.48			15.20				
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2			UDL	UDL56	36.78	121.86	85.48			15.20				
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3		3	UDL	UDL56	38.92	121.86	85.48			15.20				
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		17.56								
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1			UDL	UDL64	30.99	121.86	85.48			15.20				
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2		2		UDL64	36.78	121.86	85.48			15.20				
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3		3		UDL64	38.92	121.86	85.48			15.20				
 	Order Coordination for Specified Conversion Time (per LSR)	ļ		UDL	OCOSL	ļļ	17.56			1	ļ				
	CLEC to CLEC Conversion Charge without outside dispatch	<u> </u>		UDL	UREWO		121.86	38.63		1	15.20		ļ		ļ
2-WIRE	Unbundled COPPER LOOP	!			1					1	1		1	1	1
	2-Wire Unbundled Copper Loop/Short including manual service		4	UCL	UCLPB	12.29	116.18	67.40			15 00				
	inquiry & facility reservation - Zone 1 2-Wire Unbundled Copper Loop/Short including manual service	1		UUL	UCLPB	12.29	110.18	67.46		+	15.20		1	1	1
	inquiry & facility reservation - Zone 2	1	2	UCL	UCLPB	14.09	116.18	67.46			15.20				
 	2 Wire Unbundled Copper Loop/Short including manual service	!		001	COLID	17.05	110.10	07.40		+	13.20				
	inquiry & facility reservation - Zone 3	1	3	UCL	UCLPB	15.75	116.18	67.46			15.20				
	Order Coordination for Unbundled Copper Loops (per loop)	1	_	UCL	UCLMC	.55	7.92	7.92							
	2-Wire Unbundled Copper Loop/Short without manual service	1				i i				1					
	inquiry and facility reservation - Zone 1	1	1	UCL	UCLPW	12.29	91.92	55.12			15.20				
i i	2-Wire Unbundled Copper Loop/Short without manual service					ĺ									
	inquiry and facility reservation - Zone 2		2	UCL	UCLPW	14.09	91.92	55.12			15.20				
	2-Wire Unbundled Copper Loop/Short without manual service						_								
	inquiry and facility reservation - Zone 3	<u> </u>	3	UCL	UCLPW	15.75	91.92	55.12		1	15.20				
	Order Coordination for Unbundled Copper Loops (per loop)	<u> </u>		UCL	UCLMC	ļ	7.92	7.92		1					ļ
	2-Wire Unbundled Copper Loop/Long - includes manual srvc.	1		1101	LIOLG:		,								
\vdash	inquiry and facility reservation - Zone 1	!	1	UCL	UCL2L	17.21	116.18	67.46		1	15.20		1	1	1
	2-Wire Unbundled Copper Loop/Long - includes manual svc.	1	2	UCL	UCL2L	24.98	116.18	67.46			15.20				
L	inquiry and facility reservation - Zone 2	1		UUL	UULZL	24.98	110.18	67.46	<u> </u>	1	15.20		l	l	l

UNBUNDLE	D NETWORK ELEMENTS - Louisiana											Attachment:	2		Exhibit: E
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec First	curring Add'l	Nonrecurring Disconnect First Add'l	SOMEC	SOMAN		RATES (\$)	SOMAN	SOMAN
-	2-Wire Unbundled Copper Loop/Long - includes manual svc.				1	+	FIISL	Auu i	First Add I	SOIVIEC	SOWAN	SOWAN	SOWAN	SOWAN	SOWAN
	inquiry and facility reservation - Zone 3		3	UCL	UCL2L	39.57	116.18	67.46			15.20				ł
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		7.92	7.92							
	2-Wire Unbundled Copper Loop/Long - without manual service														
	inquiry and facility reservation - Zone 1		1	UCL	UCL2W	17.21	91.92	55.12			15.20				l
	2-Wire Unbundled Copper Loop/Long - without manual service		_					== .0			4= 00				ĺ
	inquiry and facility reservation - Zone 2		2	UCL	UCL2W	24.98	91.92	55.12			15.20				
	2-Wire Unbundled Copper Loop/Long - without manual service inquiry and facility reservation - Zone 3		3	UCL	UCL2W	39.57	91.92	55.12			15.20				ĺ
	Order Coordination for Unbundled Copper Loops (per loop)		3	UCL	UCLMC	39.31	7.92	7.92			13.20				
	CLEC to CLEC Conversion Charge without outside dispatch			002	COLIVIO		7.02	7.02							1
	(UCL-Des)			UCL	UREWO		91.92	31.37			15.20				ĺ
	CLEC to CLEC Conversion Charge without outside dispatch														
	(UCL-ND)			UEQ	UREWO		36.53	16.16			15.20				ł
4-WIRI	COPPER LOOP														
	4-Wire Copper Loop/Short - including manual service inquiry										4= 00				ĺ
	and facility reservation - Zone 1		1	UCL	UCL4S	22.27	139.69	90.96			15.20				
	4-Wire Copper Loop/Short - including manual service inquiry and facility reservation - Zone 2		2	UCL	UCL4S	18.95	139.69	90.96			15.20				ł
	4-Wire Copper Loop/Short - including manual service inquiry			UCL	UCL43	10.95	139.09	90.96			15.20				-
	and facility reservation - Zone 3		3	UCL	UCL4S	10.99	139.69	90.96			15.20				l
	Order Coordination for Unbundled Copper Loops (per loop)		Ŭ	UCL	UCLMC	10.00	7.92	7.92			10.20				
	4-Wire Copper Loop/Short - without manual service inquiry and														
	facility reservation - Zone 1		1	UCL	UCL4W	22.27	115.43	78.63			15.20				ł
	4-Wire Copper Loop/Short - without manual service inquiry and														
	facility reservation - Zone 2		2	UCL	UCL4W	18.95	115.43	78.63			15.20				
	4-Wire Copper Loop/Short - without manual service inquiry and		_			40.00		=			4=00				ł
	facility reservation - Zone 3 Order Coordination for Unbundled Copper Loops (per loop)		3	UCL UCL	UCL4W UCLMC	10.99	115.43 7.92	78.63 7.92			15.20				-
	4-Wire Unbundled Copper Loop/Long - includes manual svc.			UCL	UCLIVIC	-	7.92	7.92							-
	inquiry and facility reservation - Zone 1		1	UCL	UCL4L	26.17	139.69	90.96			15.20				ł
	4-Wire Unbundled Copper Loop/Long - includes manual svc.			002	002.2	20	.00.00	00.00			10.20				
	inquiry and facility reservation - Zone 2		2	UCL	UCL4L	28.47	139.69	90.96			15.20				ł
	4-Wire Unbundled Copper Loop/Long - includes manual svc.														
	inquiry and facility reservation - Zone 3		3	UCL	UCL4L	62.93	139.69	90.96			15.20				
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		7.92	7.92							
	4-Wire Unbundled Copper Loop/Long - without manual svc.			UCL				=			4=00				ł
	inquiry and facility reservation - Zone 1 4-Wire Unbundled Copper Loop/Long - without manual svc.		1	UCL	UCL4O	26.17	115.43	78.63			15.20				-
	inquiry and facility reservation - Zone 2		2	UCL	UCL4O	28.47	115.43	78.63			15.20				ł
	4-Wire Unbundled Copper Loop/Long - without manual svc.			002	COLTO	20.47	110.40	70.00			10.20				l
	inquiry and facility reservation - Zone 3		3	UCL	UCL4O	62.93	115.43	78.63			15.20				ł
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		7.92	7.92							
	CLEC to CLEC Conversion Charge without outside dispatch														1
	(UCL-Des)			UCL	UREWO		91.92	31.37			15.20				1
LOOP MODIFI															
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire			UAL, UHL, UCL, UEQ, ULS	ULM2L		0.00	0.00							İ
	pair less than or equal to 18k ft Unbundled Loop Modification, Removal of Load Coils - 2 wire			UEW, ULS	ULIVIZL	 	0.00	0.00		-	-				—
	greater than 18k ft			UCL, ULS	ULM2G	[0.00	0.00							Ì
- 	Unbundled Loop Modification Removal of Load Coils - 4 Wire			331, 313	JEIVIEU	+	0.00	0.00		1	1				
	less than or equal to 18K ft			UHL, UCL	ULM4L		0.00	0.00							İ
	Unbundled Loop Modification Removal of Load Coils - 4 Wire	1													
	pair greater than 18k ft			UCL	ULM4G		0.00	0.00							
	Unbundled Loop Modification Removal of Bridged Tap Removal,			UAL, UHL, UCL,											i
0110 1 6555	per unbundled loop			UEQ, UEF, ULS	ULMBT		12.15	12.15							<u> </u>
SUB-LOOPS	Distribution				1				 	}	}				
Joub-Lo	pop Distribution	I	1		1				<u> </u>	<u> </u>	1				

UNBUNDLE	D NETWORK ELEMENTS - Louisiana											Attachment:	2		Exhibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Manually per LSR	Order vs.	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrec First	curring Add'l	Nonrecurring Disconnect First Add'l	SOMEC	SOMAN		RATES (\$)	SOMAN	SOMAN
	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-						FIISL	Add I	FIISL AUUT	SOWIEC	SUMAN	SOWIAN	SOWAN	SOWAN	SUMAN
	Up	1		UEANL	USBSA		144.09	144.09			15.20				l
															1
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up Sub-Loop - Per Building Equipment Room - CLEC Feeder	l I		UEANL	USBSB		10.99	10.99			15.20				
	Facility Set-Up	l i		UEANL	USBSC		86.16	86.16			15.20				l
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel														
	Set-Up	I		UEANL	USBSD		27.13	27.13			15.20				
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -	Ι.		UEANL	USBN2	7.57	63.89	30.06			15.20				l
	Zone 1 Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -	<u> </u>	1	UEANL	USBNZ	7.57	63.89	30.06			15.20				
	Zone 2	1	2	UEANL	USBN2	12.75	63.89	30.06			15.20				l
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -														
	Zone 3	l I	3	UEANL	USBN2	21.45	63.89	30.06			15.20				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		7.92	7.92							l
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -			02/11/2	CODIIIC		7.02	7.02							
	Zone 1		1	UEANL	USBN4	11.76	76.75	42.92			15.20				
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -		_					40.00			4= 00				l
	Zone 2 Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -		2	UEANL	USBN4	16.84	76.75	42.92			15.20				
	Zone 3		3	UEANL	USBN4	19.27	76.75	42.92			15.20				l
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		7.92	7.92							
	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)	l I		UEANL	USBR2	2.91	51.48	17.65			15.20				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		7.92	7.92							ł
	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)			UEANL	USBR4	6.58	57.54	23.71			15.20				
	-														
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		7.92	7.92			45.00				
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	<u> </u>		UEF UEF	UCS2X UCS2X	6.26 10.07	63.89 63.89	30.06 30.06			15.20 15.20				
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	<u> </u>		UEF	UCS2X	12.70	63.89	30.06			15.20				
	2 Will copper cribaliana cab 2005 Biotilibation 2010 c		Ŭ	02.	CCCLX	12.10	00.00	00.00			10.20				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		7.92	7.92							l
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1			UEF	UCS4X	8.03	76.75	42.92			15.20				ļ
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	<u> </u>		UEF UEF	UCS4X UCS4X	10.71 6.08	76.75 76.75	42.92 42.92		+	15.20 15.20				
	THE SUPPLY OF IDUITIONS OF THE SUPPLY OF THE	<u> </u>	3	OLI	00047	0.06	10.75	42.92		+	15.20				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		7.92	7.92		<u> </u>					<u> </u>
Unbur	dled Sub-Loop Modification														
	Unbundled Sub-Loop Modification - 2-W Copper Dist Load Coil/Equip Removal per 2-W PR			UEF	ULM2X		0.00	0.00			15.20				l
	Unbundled Sub-loop Modification - 4-W Copper Dist Load			ULI	ULIVIZA		0.00	0.00		+	15.20				ſ
	Coil/Equip Removal per 4-W PR			UEF	ULM4X		0.00	0.00			15.20				i
	Unbundled Sub-loop Modification - 2-w/4-w Copper Dist Bridged														1
I Inch	Tap Removal, per PR unloaded			UEF	ULM4T		224.55	4.29		1	15.20				——
Unbur	dled Network Terminating Wire (UNTW) Unbundled Network Terminating Wire (UNTW) per Pair			UENTW	UENPP	0.3454	14.72	14.72		+	15.20				
Netwo	rk Interface Device (NID)					5.5.54	2	2		†	.5.20				i
	Network Interface Device (NID) - 1-2 lines			UENTW	UND12		42.26	27.83			15.20				
	Network Interface Device (NID) - 1-6 lines			UENTW	UND16		62.86	48.43		 	15.20				
	Network Interface Device Cross Connect - 2 W Network Interface Device Cross Connect - 4W			UENTW UENTW	UNDC2 UNDC4		5.73 5.73	5.73 5.73		+	15.20 15.20				
SUB-LOOPS	NOTWORK INTO TABLE DEVICE CIOSS CONTINUE - TVV			CLITIVY	CIVIDOT	1	5.73	5.73		+	13.20				
	pop Feeder														
	USL-Feeder, DS0 Set-up per Cross Box location - CLEC			UEA,	HODE		,								i
l	Distribution Facility set-up	<u> </u>		UDN,UCL,UDL,UDC	USBFW		144.09			1	1	1			

UNBUNDLE	D NETWORK ELEMENTS - Louisiana											Attachment:	2		Exhibit: E
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)		1	Svc Order Submitted Manually per LSR	Order vs.	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring Disconnect	201150			RATES (\$)	0011411	Looman
	USL Feeder - DS0 Set-up per Cross Box location - per 25 pair			UEA,			First	Add'l	First Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	set-up			UDN,UCL,UDL,UDC	LISBEX		10.99	10.99							
	USL Feeder DS1 Set-up at DSX location, per DS1 termination			USL	USBFZ		568.98	11.30							
	Unbundled Sub-Loop Feeder Loop, 2 Wire Ground Start, Voice														
	Grade - Zone 1		1	UEA	USBFA	8.71	89.81	54.35			15.20				
	Unbundled Sub-Loop Feeder Loop, 2 Wire Ground-Start, Voice														
	Grade - Zone 2		2	UEA	USBFA	13.64	89.81	54.35			15.20				ļ
	Unbundled Sub-Loop Feeder Loop, Per 2 Wire Ground-Start, Voice Grade - Zone 3		3	UEA	USBFA	30.21	89.81	54.35			15.20				
	Order Coordination for Specified Conversion Time, per LSR		3	UEA	OCOSL	30.21	17.56	34.33			13.20				
	Unbundlde Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice			027	00002		11.00								
	Grade - Zone 1		1	UEA	USBFB	8.71	89.81	54.35			15.20				
	Unbundled Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice														
	Grade - Zone 2		2	UEA	USBFB	13.64	89.81	54.35			15.20				
	Unbundled Sub-Loop Feeder Loop, 2 Wire Start Loop, Voice				LIODED	00.04	00.04	54.05			45.00				
	Grade - Zone 3 Order Coordination for Specified Time Conversion, per LSR		3	UEA UEA	USBFB OCOSL	30.21	89.81 17.56	54.35			15.20				
	Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery,			UEA	UCUSL		17.56								
	Voice Grade - Zone 1		1	UEA	USBFC	8.71	89.81	54.35			15.20				
	Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery,														
	Voice Grade - Zone 2		2	UEA	USBFC	13.64	89.81	54.35			15.20				
	Unbundled Sub-Loop Feeder Loop, 2 Wire Analog Reverse														
	Battery, Voice Grade - Zone 3		3	UEA	USBFC	30.21	89.81	54.35			15.20				
	Order Coordination For Specified Conversion Time, per LSR			UEA	OCOSL		17.56								
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice Grade - Zone 1		1	UEA	USBFD	21.44	103.69	67.31			15.20				
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice		<u> </u>	OLA	OODI D	21.44	105.03	07.51			13.20				
	Grade - Zone 2		2	UEA	USBFD	24.66	103.69	67.31			15.20				
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground Start, Voice														
	Grade - Zone 3		3	UEA	USBFD	42.84	103.69	67.31			15.20				
	Order Coordination For Specified Conversion Time, Per LSR			UEA	OCOSL		17.56								
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice			1154	LICEE	04.44	402.00	67.04			45.00				
	Grade - Zone 1 Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice		1	UEA	USBFE	21.44	103.69	67.31			15.20				ļ
	Grade - Zone 2		2	UEA	USBFE	24.66	103.69	67.31			15.20				
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice		<u> </u>	027	002. 2	200	100.00	07.01			10.20				
	Grade - Zone 3		3	UEA	USBFE	42.84	103.69	67.31			15.20				
	Order Coordination For Specified Conversion Time, Per LSR			UEA	OCOSL		17.56								
	Unbundled Sub-Loop Feeder Loop, 2 Wire ISDN BRI - Zone 1			UDN	USBFF	15.44	102.58	66.20			15.20				
	Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 2 Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 3			UDN UDN	USBFF	23.32 44.57	102.58 102.58	66.20 66.20			15.20 15.20				ļ
	Order Coordination For Specified Conversion Time, Per LSR		3	UDN	OCOSL	44.57	17.56	00.20			13.20				
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)		1	UDC	USBFS	15.44	102.58	66.20			15.20				1
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)			UDC	USBFS	23.32	102.58	66.20			15.20				
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)			UDC	USBFS	44.57	102.58	66.20			15.20				
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 1			USL	USBFG	55.38	98.15	61.77			15.20				
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 2			USL	USBFG	167.83	98.15	61.77			15.20				
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 3 Order Coordination For Specified Conversion Time, Per LSR		3	USL USL	USBFG OCOSL	469.87	98.15 17.56	61.77			15.20				
	Unbundled Sub-Loop Feeder, 2-Wire Copper Loop - Zone 1	1	1	UCL	USBFH	6.96	81.36	44.98		1	15.20				1
	Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone				200111	0.30	01.50	44.30		1	10.20				
	2		2	UCL	USBFH	4.97	81.36	44.98			15.20				
	Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone														
	3			UCL	USBFH	3.99	81.36	44.98		ļ	15.20				
	Order Coordination For Specified Conversion Time, per LSR	1		UCL	OCOSL		17.56			ļ	<u> </u>				
	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 1 Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 2		1 2	UCL	USBFJ USBFJ	15.68 9.68	98.07 98.07	61.69 61.69			15.20 15.20				

UNBUNDLE	D NETWORK ELEMENTS - Louisiana											Attachment:	2		Exhibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec	urring	Nonrecurring Disconnect			ossi	RATES (\$)		
							First	Add'l	First Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Order Coordination For Specified Conversion Time, per LSR			UCL	OCOSL	00.04	17.56	04.77			45.00				
	Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop		1 2	UDL UDL	USBFN USBFN	22.61 22.87	98.15 98.15	61.77 61.77			15.20 15.20				
 	Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop			UDL	USBFN	24.25	98.15	61.77			15.20				
	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop - Zone 1		1	UDL	USBFO	22.61	98.15	61.77			15.20				
	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop - Zone 2		2	UDL	USBFO	22.87	98.15	61.77			15.20				
	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop - Zone 3		3	UDL	USBFO	24.25	98.15	61.77			15.20				
	Order Coordination For Specified Time Conversion, per LSR		3	UDL	OCOSL	24.20	17.56	01.77		+	13.20				
	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop -			-			50			1					
	Zone 1		1	UDL	USBFP	22.61	98.15	61.77			15.20				
	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - Zone 2		2	UDL	USBFP	22.87	98.15	61.77			15.20				
	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - Zone 3		3	UDL	USBFP	24.25	98.15	61.77			15.20				
	Order Coordination For Specified Conversion Time, per LSR		3	UDL	OCOSL	24.23	17.56	01.77			13.20				
SUB-LOOPS	erael coordination for opposited conversion filling, per 2010			002	00002		11.00								
Sub-Lo	op Feeder														
	Sub Loop Feeder - DS3 - Per Mile Per Month			UE3	1L5SL	17.00									
	Sub Loop Feeder - DS3 - Facility Termination Per Month			UE3	USBF1	368.44	3,381.00	406.56			15.20				
	Sub Loop Feeder – STS-1 – Per Mile Per Month			UDLSX	1L5SL	17.00	0.004.00	100.50			45.00				
	Sub Loop Feeder - STS-1 - Facility Termination Per Month			UDLSX UDLO3	USBF7 1L5SL	395.92 12.90	3,381.00	406.56			15.20				
	Sub Loop Feeder – OC-3 – Per Mile Per Month Sub Loop Feeder - OC-3 - Facility Termination Protection Per			UDLO3	ILSSL	12.90			l						
	Month			UDLO3	USBF5	60.45									
	Sub Loop Feeder - OC-3 - Facility Termination Per Month			UDLO3	USBF2	594.77	3,381.00	406.56			15.20				
	Sub Loop Feeder - OC-12 - Per Mile Per Month			UDL12	1L5SL	15.87	.,								
	Sub Loop Feeder - OC-12 - Facility Termination Protection Per														
	Month			UDL12	USBF6	683.03									
	Sub Loop Feeder - OC-12 - Facility Termination Per Month			UDL12	USBF3	1,922.00	3,381.00	406.56			15.20				
	Sub Loop Feeder - OC-48 - Per Mile Per Month			UDL48	1L5SL	52.07									
	Sub Loop Feeder - OC-48 - Facility Termination Protection Per Month			UDL48	USBF9	341.64									
	Sub Loop Feeder - OC-48 - Facility Termination Per Month			UDL48	USBF4	1,663.00	3,566.00	406.56			15.20				
	Sub Loop Feeder - OC-12 Interface On OC-48			UDL48	USBF8	385.45	787.24	406.56			15.20				
UNBUNDLED L	OOP CONCENTRATION														
	Unbundled Loop Concentration - System A (TR008)			ULC	UCT8A	374.26	316.00	316.00			15.20				
	Unbundled Loop Concentration - System B (TR008)			ULC	UCT8B	53.40	131.67	131.67			15.20				
 	Unbundled Loop Concentration - System A (TR303)			ULC	UCT3A	412.08	316.00	316.00			15.20				
 	Unbundled Loop Concentration - System B (TR303) Unbundled Loop Concentration - DS1 Loop Interface Card		-	ULC ULC	UCT3B UCTCO	89.98 5.12	131.67 61.46	131.67 44.74	 	+	15.20 15.20				
 	Unbundled Loop Concentration - DS1 Loop Interface Card Unbundled Loop Concentration - ISDN Loop Interface (Brite			OLC	00100	5.12	01.40	44.74		+	15.20				
	Card)			UDN	ULCC1	8.12	10.23	10.18			15.20				
	Unbundled Loop Concentration - UDC Loop Interface (Brite Card)			UDC	ULCCU	8.12	10.23	10.18			15.20				
	Unbundled Loop Concentration2 Wire Voice-Loop Start or Ground Start Loop Interface (POTS Card)			UEA	ULCC2	2.03	10.23	10.18			15.20				
	Unbundled Loop Concentration - 2 Wire Voice - Reverse Battery														
	Loop Interface (SPOTS Card) Unbundled Loop Concentration - 4 Wire Voice Loop Interface			UEA	ULCCR	12.07	10.23	10.18			15.20				
 	(Specials Card)		<u> </u>	UEA	ULCC4	7.20	10.23	10.18		1	15.20	-	-	-	
	Unbundled Loop Concentration - TEST CIRCUIT Card Unbundled Loop Concentration - Digital 19.2 Kbps Data Loop Interface			ULC	UCTTC ULCC7	35.19 10.67	10.23	10.18			15.20 15.20				
	Unbundled Loop Concentration - Digital 56 Kbps Data Loop		1	ODL	JLOUI	10.07	10.23	10.10		+	15.20				
	Interface			UDL	ULCC5	10.67	10.23	10.18		1	15.20				

UNBUNDLE	D NETWORK ELEMENTS - Louisiana												Attachment:	2		Exhibit: E
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge -
						Rec	Nonrec			g Disconnect				RATES (\$)		
	Unbundled Loop Concentration - Digital 64 Kbps Data Loop						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interface			UDL	ULCC6	10.67	10.23	10.18				15.20				
UNE OTHER, P	ROVISIONING ONLY - NO RATE															
	NID - Dispatch and Service Order for NID installation			UENTW	UNDBX											
	UNTW Circuit Id Establishment, Provisioning Only - No Rate			UENTW	UENCE											
	Unbundled Contract Name, Provisioning Only - No Rate			UEANL,UEF,UEQ,U ENTW	UNECN											
UNE OTHER. P	ROVISIONING ONLY - NO RATE			LINIVV	UNLON											
				UAL,UCL,UDC,UDL,												
\vdash	Unbundled Contact Name, Provisioning Only - no rate			UDN,UEA,UHL,ULC	UNECN	0.00	0.00									
	Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no rate			UEA,UDN,UCL,UDC	LISBEO	0.00	0.00									
	Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no			SEA,ODIN,OGE,ODG	א ומסט	0.00	0.00									†
	rate	L		UEA,USL,UCL,UDL	USBFR	0.00	0.00					<u></u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>
	Unbundled DS1 Loop - Superframe Format Option - no rate			USL	CCOSF	0.00	0.00									
	Unbundled DS1 Loop - Expanded Superframe Format option -				CCOEF	0.00	0.00									
HIGH CAPACIT	no rate Y UNBUNDLED LOCAL LOOP			USL	CCOEF	0.00	0.00									
	4 month minimum billing period															
	High Capacity Unbundled Local Loop - DS3 - Per Mile per															
	month			UE3	1L5ND	10.04										
	High Capacity Unbundled Local Loop - DS3 - Facility Termination per month			UE3	UE3PX	362.34	438.46	256.30				15.20				
	High Capacity Unbundled Local Loop - STS-1 - Per Mile per month			UDLSX	1L5ND	10.04										
	High Capacity Unbundled Local Loop - STS-1 - Facility Termination per month			UDLSX	UDLS1	374.56	438.46	256.30				15.20				
LOOP MAKE-U				ODLOX	ODLOT	374.30	430.40	230.30				13.20				
	Loop Makeup - Preordering Without Reservation, per working or															
	spare facility queried (Manual).			UMK	UMKLW		23.29	23.29								
	Loop Makeup - Preordering With Reservation, per spare facility queried (Manual).			UMK	UMKLP		24.70	24.70								
	Loop MakeupWith or Without Reservation, per working or spare facility queried (Mechanized)			UMK	PSUMK		0.19	0.19								
HIGH FREQUE	NCY SPECTRUM			CIVIIX	1 OOWIN		0.19	0.19			1					-
	ERS-CENTRAL OFFICE BASED															
	Line Sharing Splitter, per System 96 Line Capacity			ULS	ULSDA	187.17	183.33	0.00	0.00	0.00		0.00				
	Line Sharing Splitter, per System 24 Line Capacity Line Sharing Splitter, Per System, 8 Line Capacity	-		ULS ULS	ULSDB ULSD8	46.79 15.59	183.33 183.33	0.00	0.00	0.00	ļ	0.00				ļ
	Line Sharing Splitter, Per System, 8 Line Capacity Line Sharing-DLEC Owned Splitter in CO-CFA activaton-			ULO	ULODO	15.59	183.33	0.00	0.00	0.00		0.00				1
	deactivation (per LSOD)			ULS	ULSDG		83.98		0.00							
	SER ORDERING-CENTRAL OFFICE BASED-HIGH FREQUENCY	SPEC		AKA LINE SHARING												
	Line Sharing - per Line Activation	Ī		ULS	ULSDC	0.61	17.97	10.29	0.00	0.00		15.20				
	Line Sharing - per Subsequent Activity per Line Rearrangement	1		ULS	ULSDS		15.91	7.95				15.20				1
	Line Splitting - per line activation DLEC owned splitter	i		UEPSR UEPSB	UREOS	0.61										
	Line Splitting - per line activation BST owned - physical				UREBP	0.642	17.97	10.29								
	Line Splitting - per line activation BST owned - virtual	ı		UEPSR UEPSB	UREBV	0.64	17.97	10.29								
UNBUNDLED T	RANSPORT															
	DFFICE CHANNEL - DEDICATED TRANSPORT - VOICE GRADE	-							1							†
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -															
	Per Mile per month			U1TVX	1L5XX	0.013										
	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - Facility Termination per month			U1TVX	U1TV2	22.60	39.36	26.62				15.20				
	Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade Rev Bat Per Mile per month			U1TVX	1L5XX	0.013										

ONBONDLE	D NETWORK ELEMENTS - Louisiana	1	1	1		ı							Attachment:	2		Exhibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrec	urring	Nonrecurring	g Disconnect				RATES (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat															
	Facility Termination per month			U1TVX	U1TR2	22.60	39.36	26.62	0.00	0.00		15.20				
	Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade -	1		U1TVX	1L5XX	0.013										
	Per Mile per month Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade			UTIVX	ILSXX	0.013										
	- Facility Termination per month			U1TVX	U1TV4	19.81	39.36	26.62				15.20				
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile															
	per month			U1TDX	1L5XX	0.013										
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility															
	Termination per month	<u> </u>	ļ	U1TDX	U1TD5	15.61	39.37	26.62				15.20	ļ			4
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month		1	U1TDX	1L5XX	0.013										
 	Interoffice Channel - Dedicated Transport - 64 kbps - Facility	 		0.10/	TLOAA	0.013									†	†
	Termination per month	1		U1TDX	U1TD6	15.61	39.37	26.62	0.00	0.00		15.20			I	
INTER	OFFICE CHANNEL - DEDICATED TRANSPORT - DS1													<u> </u>		<u> </u>
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per													_		
	month			U1TD1	1L5XX	0.2652										
	Interoffice Channel - Dedicated Tranport - DS1 - Facility				=			=								
INTER	Termination per month OFFICE CHANNEL - DEDICATED TRANSPORT- DS3			U1TD1	U1TF1	70.47	86.69	79.44				15.20				ļ
INTER	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per		<u> </u>		-											
	month			U1TD3	1L5XX	6.04										
	Interoffice Channel - Dedicated Transport - DS3 - Facility			01103	TESTON	0.04										
	Termination per month			U1TD3	U1TF3	850.45	270.69	158.05				15.20				
INTER	OFFICE CHANNEL - DEDICATED TRANSPORT- STS-1															
	Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per															
	month			U1TS1	1L5XX	6.04										
	Interoffice Channel - Dedicated Transport - STS-1 - Facility															
1.004	Termination per month			U1TS1	U1TFS	830.19	270.69	158.05				15.20				
	. CHANNEL - DEDICATED TRANSPORT LOCAL CHANNEL DEDICATED TRANSPORT - minimum billin	a norio	d bold	DC2_ana manth	DC2 and aba	l l	_									
NOTE:	Local Channel - Dedicated - 2-Wire Voice Grade Per Month	g perio	u - beid	ULDVX	ULDV2	18.32	187.51	32.21				15.20				<u> </u>
	Local Channel - Dedicated - 2-Wire Voice Grade Per Month Local Channel - Dedicated - 2-Wire Voice Grade Rev Bat per			ULDVX	ULDV2	10.32	107.51	32.21				15.20				
	month			ULDVX	ULDR2	18.32	187.51	32.21	0.00	0.00		15.20				
	Local Channel - Dedicated - 4-Wire Voice Grade per month			UNDVX	ULDV4	19.41	187.94	32.63				15.20				
	Local Channel - Dedicated - DS1 per month - Zone 1		1	ULDD1	ULDF1	39.18	172.34	149.27				15.20				
	Local Channel - Dedicated - DS1 per month - Zone 2			ULDD1	ULDF1	121.58	172.34	149.27				15.20				
	Local Channel - Dedicated - DS1 per month - Zone 3	ļ	3	ULDD1	ULDF1	70.02	172.34	149.27				15.20		ļ	ļ	ļ
	Local Channel - Dedicated - DS3 - Per Mile per month	<u> </u>	ļ	ULDD3	1L5NC	7.82							ļ			<u> </u>
	Local Channel - Dedicated - DS3 - Facility Termination per month	1	1	ULDD3	ULDF3	469.44	438.46	256.30				15.20			I	
	Local Channel - Dedicated - STS-1- Per Mile per month			ULDS1	1L5NC	7.82	430.40	256.50				15.20				1
	Local Channel - Dedicated - STS-1 - Fel Mile per Month Local Channel - Dedicated - STS-1 - Facility Termination per	 		02001	ILUINO	1.02									†	†
	month			ULDS1	ULDFS	457.22	438.46	256.30				15.20				
MULTIPLEXER	RS															
	Channelization - DS1 to DS0 Channel System			UXTD1	MQ1	105.09	88.41	60.76				15.20				ļ <u> </u>
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per		1		10100											
	month (2.4-64kbs)		ļ	UDL	1D1DD	1.38	6.39	4.58			-	15.20			-	
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month			UDN	UC1CA	2.96	6.39	4.58				15.20			1	
	Voice Grade COCI - DS1 to DS0 Channel System - per month	1	 	UEA	1D1VG	0.6497	6.39	4.58	 		-	15.20		1	 	†
	DS3 to DS1 Channel System per month	 		UXTD3	MQ3	201.48	172.99	91.25				15.20			-	†
	STS1 to DS1 Channel System per month	1		UXTS1	MQ3	201.48	172.99	91.25	Ì			15.20		Ì	1	1
	DS3 Interface Unit (DS1 COCI) used with Loop per month			USL	UC1D1	11.78	6.39	4.58				15.20				
DARK FIBER																
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction	1														
	Thereof per month - Local Channel	ļ		UDF	1L5DC	52.23										.
	NRC Dark Fiber - Local Channel	1	1	UDF	UDFC4		620.60	133.88	l	l		15.20	l	l	l	

UNBUNDLE	D NETWORK ELEMENTS - Louisiana											Attachment:	2		Exhibit: E
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			Submitted Manually		Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring Disconnect			OSS	RATES (\$)		
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction						First	Add'l	First Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Thereof per month - Interoffice Channel			UDF	1L5DF	25.28									
	NRC Dark Fiber - Interoffice Channel			UDF	UDF14	20.20	620.60	133.88			15.20				
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction					İ									
	Thereof per month - Local Loop			UDF	1L5DL	52.23		100.00			45.00				
TRANSPORT O	NRC Dark Fiber - Local Loop			UDF	UDFL4		620.60	133.88			15.20				
Option	al Features & Functions:														
- Opiioiii	Clear Channel Capability (B8ZS/ESF) Option - Subsequent -														
	per DS1 Channel			UNC1X	CCOEF		184.65	23.70			15.20				
	Clear Channel Capability (B8ZS/SF) Option - Subsequent - per										4= 00				
RXX ACCESS T	DS1 Channel FEN DIGIT SCREENING		-	UNC1X	CCOSF	 	184.65	23.70		1	15.20				
BAX ACCESS I	8XX Access Ten Digit Screening, Per Call			OHD		0.0006387									
	8XX Access Ten Digit Screening, Reservation Charge Per 8XX				1					1					
	Number Reserved			OHD	N8R1X		2.51	0.43			15.20				
	8XX Access Ten Digit Screening, Per 8XX No. Established W/O			CLID				0.70			45.00				
.——	POTS Translations 8XX Access Ten Digit Screening, Per 8XX No. Established With			OHD			5.77	0.78			15.20				
	POTS Translations			OHD	N8FTX		5.77	0.78			15.20				
	8XX Access Ten Digit Screening, Customized Area of Service						-								
	Per 8XX Number			OHD	N8FCX		2.51	1.26			15.20				
	8XX Access Ten Digit Screening, Multiple InterLATA CXR			CLID	NOTAN		0.00	4.00			45.00				
	Routing Per CXR Requested Per 8XX No. 8XX Access Ten Digit Screening, Change Charge Per Request			OHD OHD	N8FMX N8FAX		2.93 2.93	1.68 0.43			15.20 15.20				
	8XX Access Ten Digit Screening, Change Charge 1 of Request			OTID	NOI AX		2.90	0.43			13.20				
	Features			OHD	N8FDX		2.51				15.20				
	8XX Access Ten Digit Screening, w/ 8XX No. Delivery, per query 8XX Access Ten Digit Screening, w/ POTS No. Delivery, per			OHD		0.0006387									
	query			OHD		0.0006387									
LINE INFORM	ATION DATA BASE ACCESS (LIDB)			0.15		0.000000.									
	LIDB Common Transport Per Query			OQT		0.0000221									
	LIDB Validation Per Query			OQU		0.0135077									
SIGNALING (C	LIDB Originating Point Code Establishment or Change		-	OQT, OQU	NRPBX		33.33			1	15.20				1
JIGNALING (CI	CCS7 Signaling Termination, Per STP Port		<u> </u>	UDB	PT8SX	147.60				+					
	CCS7 Signaling Usage, Per TCAP Message			UDB		0.000064				1					
	CCS7 Signaling Connection, Per link (A link)			UDB	TPP++	15.77	34.50				15.20				
. [CCS7 Signaling Connection, Per link (B link) (also known as D link)			UDB	TPP++	15.77	34.50	34.50			15.20				
	CCS7 Signaling Usage, Per ISUP Message		-	UDB	177++	0.000016	34.50	34.50		+	15.20				-
	CCS7 Signaling Usage Surrogate, per link per LATA			UDB	STU56	732.10									
	CCS7 Signaling Point Code, per Originating Point Code														
	Establishment or Change, per STP affected		ļ	UDB	CCAPO	ļļ	28.17	28.17		1	15.20				
. [CCS7 Signaling Point Code, per Destination Point Code			UDB	CCAPD		28.17	28.17			15.20				
E911 SERVICE	Establishment or Change, Per Stp Affected			סטט	CCAPD	 	∠8.17	28.17			15.20				
	Local Channel - Dedicated - 2-wr Voice Grade - Zone 1				+	18.32	187.51	32.21		1	15.20				
	Local Channel - Dedicated - 2-wr Voice Grade - Zone 2					18.32	187.51	32.21			15.20				
	Local Channel - Dedicated - 2-wr Voice Grade - Zone 3					18.32	187.51	32.21			15.20				
	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility		-		+	0.013									
. 1 '	Termination					22.60	79.61	36.08			15.20				
					+		172.34	149.27		1	15.20	l			1
	Local Channel - Dedicated - DS1 - Zone 1					39.18	172.34	149.27			13.20				
	Local Channel - Dedicated - DS1 - Zone 1 Local Channel - Dedicated - DS1 - Zone 2 Local Channel - Dedicated - DS1 - Zone 3					121.58 70.02	172.34 172.34	149.27 149.27 149.27			15.20 15.20				

UNBUNDL	ED NETWORK ELEMENTS - Louisiana											Attachment:	2		Exhibit: B
CATEGORY	7 RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Order vs. Electronic-
						Rec	Nonrec First	urring Add'l	Nonrecurring Disconnect First Add'l	SOMEC	SOMAN	OSS I	RATES (\$)	SOMAN	SOMAN
							11130	Addi	Tilot Add I	COMILO	COMPAR	COMPAR	COMPAR	COMPAR	COMPAR
	Interoffice Transport - Dedicated - DS1 Per Facility Termination					70.47	147.07	111.75			15.20				
CALLING NA	ME (CNAM) SERVICE														
	CNAM for DB Owners, Per Query			OQV OQV		0.0010217									
	CNAM for Non DB Owners, Per Query CNAM For DB Owners - Service Establishment			OQV OQV		0.0010217	22.29				15.20				
	CNAM For Non DB Owners - Service Establishment	1		OQV			22.29				15.20				
	CNAM For DB Owners - Service Provisioning With Point Code Establishment			oqv			962.22	711.64			15.20				
	CNAM For Non DB Owners - Service Provisioning With Point														
	Code Establishment	1		OQV			332.43	238.05			15.20				
LNP Query S		1													
	LNP Charge Per query			OQV		0.0008559	10.10				1=00				
	LNP Service Establishment Manual						12.16	294.43			15.20				
ODEDATOR	LNP Service Provisioning with Point Code Establishment CALL PROCESSING						576.33	294.43			15.20				
OPERATOR	Oper. Call Processing - Oper. Provided, Per Min Using BST	+	1												
	UIDB Oper. Call Processing - Oper. Provided, Per Min Using					1.20									
	Foreign LIDB					1.24									
	Oper. Call Processing - Fully Automated, per Call - Using BST LIDB					0.20									
	Oper. Call Processing - Fully Automated, per Call - Using														
INDIANA DE ODI	Foreign LIDB					0.20									
INWARD OPI	ERATOR SERVICES Inward Operator Services - Verification, Per Minute	-	1			1.15				1					
-	Inward Operator Services - Verification, Per Minute Inward Operator Services - Verification and Emergency Interrupt				+	1.10									
	- Per Minute	· [1.15									
BRANDING -	OPERATOR CALL PROCESSING					0									
	Recording of Custom Branded OA Announcement				CBAOS		7,000.00	7,000.00			15.20				
	Loading of Custom Branded OA Announcement per shelf/NAV				CBAOL		500.00	500.00			15.20				
Unbr	anding via OLNS for UNEP CLEC														
	Loading of OA per OCN (Regional)						1,200.00	1,200.00			15.20				
	ASSISTANCE SERVICES														
DIRE	CTORY ASSISTANCE ACCESS SERVICE	_				0.05									
DIRE	Directory Assistance Access Service Calls, Charge Per Call CTORY ASSISTANCE CALL COMPLETION ACCESS SERVICE ((DACC)	-		_	0.25									
DIKE	Directory Assistance Call Completion Access Service (DACC),	DACC)	1		+					1				1	
	Per Call Attempt				1	0.10									
DIRE	CTORY TRANSPORT	1													
	SWA Common transport per Directory Assistance Access														
	Service Call					0.0003									
	SWA Common Transport per Directory Assistance Access Service Call Mile					0.00004									
	Access Tandem Switching per Directory Assistance Access Service Call					0.00055									
	Directory Assistance Interconnection per Directory Assistance Access Service Call					0.00									
	DS3 to DS1 Multiplexer per DA Access Service Call					0.00018		•							
	ASSISTANCE SERVICES	1													
DIRE	CTORY ASSISTANCE DATA BASE SERVICE (DADS)	1	1							<u> </u>					ļ
	Directory Assistance Data Base Service Charge Per Listing	+	1		DBSOF	0.04 150.00								 	
BBANDING -	Directory Assistance Data Base Service, per month DIRECTORY ASSISTANCE	-	1		DROOL	150.00									
	ity Based CLEC	+	1		+									1	
i uoiii	Recording and Provisioning of DA Custom Branded	1			+					1				1	1
	Announcement	1	1	AMT	CBADA			6.000.00	ı			i i	1		1

UNBUNDLE	D NETWORK ELEMENTS - Louisiana											Attachment:	2		Exhibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)	I		Submitted Manually		Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring Disconnec			OSS F	RATES (\$)		
	Loading of Custom Branded Announcement per DRAM						First	Add'l	First Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Card/Switch			AMT	CBADC		1,170.00	1,170.00							
UNEP				AWI	CDADC		1,170.00	1,170.00							
9	Recording of DA Custom Branded Announcement						3,000.00	3,000.00							
	Loading of DA Custom Branded Announcement per DRAM Card/Switch per OCN						1,170.00	1,170.00							
Unbrar	nding via OLNS for UNEP CLEC														
	Loading of DA per OCN (1 OCN per Order)						420.00	420.00							
OF LEGILIE D	Loading of DA per Switch per OCN						16.00	16.00							
SELECTIVE R	Selective Routing Per Unique Line Class Code Per Request Per		1							-					-
	Switch				USRCR		82.25	82.25			15.20				
VIRTUAL COL			l		CONON		02.20	02.25		+	13.20				
1	Virtual Collocation - Application Cost			CLO	EAF		1,770.40								
	Virtual Collocation - Cable Installation Cost, per cable			CLO	ESPCX		841.54								
	Virtual Collocation - Floor Space, per sq. ft.			CLO	ESPVX	3.20									
	Virtual Collocation - Power, per breaker amp			CLO	ESPAX	8.32									
	Virtual Collocation - Cable Support Structure, per entrance			01.0	FOROV	40.00									
	cable			CLO ueanl,uea,udn,udc,	ESPSX	16.02									
	Virtual Collocation - 2-wire Cross Connects (loop)			ual,uhl,ucl,ueq	UEAC2	0.0296	11.94	11.46			15.20				
	Virtual Collocation - 4-wire Cross Connects (loop) Virtual Collocation - 2-Fiber Cross Connects			uea,uhl,ucl,udl CLO	UEAC4 CNC2F	0.0591 2.65	12.04 20.29	11.53 14.76			15.20 15.20				
	Virtual Collocation - 4-Fiber Cross Connects			CLO	CNC4F	5.31	24.81	19.29	+		15.20				1
	Virtual Collocation - 4-1 Iber Cross Connects				CNC1X	1.04	21.39	15.47			15.20				
1	Virtual Collocatin - DS3 Cross Connects				CND3X	13.21	20.28	14.76			15.20				
	Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable														
	Support Structure, per linear foot			AMTFS	PE1ES	0.0024									
	Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax				DE 100										
	Cable Support Structure, per linear ft			AMTFS	PE1DS	0.0036									
	Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure,per cable			AMTFS			534.79								
	Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax			AWITS			334.73								
	Cable Support Structure, per cable			AMTFS			534.79								
	Virtual Collocatin - Security Escort - Basic, per half hour			CLO	SPTBX		16.44	10.42							
	Virtual Collocatin - Security Escort - Overtime, per half hour			CLO	SPTOX		21.41	13.45							
	Virtual Collocatin - Security Escort - Premium, per half hour			CLO	SPTPX		26.38	16.49							ļ
	Virtual Collocatin - Maintenance in CO - Basic, per half hour		<u> </u>	CLO	CTRLX		27.12	10.42							
	Virtual Collocatin - Maintenance in CO - Overtime, per half hour		1	CLO	SPTOM		35.42	13.45							
 	Virtual Collocatin - Maintenance in CO - Overtime, per half hour		 	CLO	SPTPM	1	43.72	16.49		+	1				
VIRTUAL COL			1				2	.0.70		1					
	Virtual Collocation - 2-wire Cross Connect, Exchange Port 2-														
	Wire Analog - Res		<u> </u>	UEPSR	VE1R2	0.0296	11.94	11.46			15.20				
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Voice Grade Res			UEPRX	PE1R2	0.0296	11.94	11.46			15.20				
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-		 	OLI AX	I LINZ	0.0290	11.94	11.40			13.20				
	Wire Line Side PBX Trunk - Bus			UEPSP	VE1R2	0.0296	11.94	11.46			15.20				
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire														
	Voice Grade PBX Trunk - Res		<u> </u>	UEPSE	VE1R2	0.0296	11.94	11.46			15.20				
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire				l										
ļ	Analog Bus		ļ	UEPSB	VE1R2	0.0296	11.94	11.46		_	15.20				_
	Virtual Collocation 2-Wire Cross Connect, Exchnage Port 2-Wire ISDN		1	UEPSX	VE1R2	0.0296	11.94	11.46			15.20				
 	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire		1	ULFOA	VEIRZ	0.0296	11.94	11.46		+	15.20				
	ISDN		<u> </u>	UEPTX	VE1R2	0.0296	11.94	11.46		1	15.20				
	Virtual Collocation 4-Wire Cross Connect, Exchange Port DDITS 4-Wire DS1			UEPDD	VE1R4	0.0591	12.04	11.53			15.20				

UNBUNDLED	NETWORK ELEMENTS - Louisiana												Attachment:	2		Exhibit: E
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incrementa Charge - Manual Svo Order vs. Electronic Disc Add'l
						Rec	Nonrec	urring	Nonrecurrin	g Disconnect			oss i	RATES (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN			SOMAN	SOMAN
	Virtual Collocation 4-Wire Cross Connect, Exchange Port 4-Wire															
VIRTUAL COLL	ISDN DS1			UEPEX	VE1R4	0.0591	12.04	11.53				15.20				
	Virtual Collocation-2 Wire Cross Connects (Loop) for Line															
	Splitting	- 1		UEPSR, UEPSB	VE1LS	0.0296	11.94	11.46	0.00	0.00		15.20				
	CARRIER ROUTING															
	Regional Service Establishment			UEBIB UEBIB	SRCEC SRCEO		100,209.33 164.29	164.29		-		15.20 15.20				
	End Office Establishment Query NRC, per query			UEBIB	SRCEU	0.0030293	164.29	164.29		†		15.20				
	TH AIN SMS ACCESS SERVICE			OLDID		0.0000200										
	AIN SMS Access Service - Service Establishment, Per State,															
	Initial Setup		<u> </u>	A1N	CAMSE		38.30	38.30				15.20				
	AINI CAMO Assess Consists Deat Consession District			AAN	CAMED		7.00	7.00				45.00				1
	AIN SMS Access Service - Port Connection - Dial/Shared Access AIN SMS Access Service - Port Connection - ISDN Access	-	!	A1N A1N	CAMDP CAM1P		7.60 7.60	7.60 7.60		 		15.20 15.20				
	AIN SMS Access Service - Port Connection - ISDN Access AIN SMS Access Service - User Identification Codes - Per User		 	I A III	CAWIT		7.00	1.00	1	<u> </u>	<u> </u>	15.20				
	ID Code			A1N	CAMAU		33.99	33.99				15.20				i .
	AIN SMS Access Service - Security Card, Per User ID Code,															
	Initial or Replacement			A1N	CAMRC		41.39	41.39				15.20				<u> </u>
	AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)					0.0022										
	AIN SMS Access Service - Session, Per Minute					0.5795										├
	AIN SMS Access Service - Company Performed Session, Per Minute					0.8104										ĺ
	TH AIN TOOLKIT SERVICE					0.6104										
	AIN Toolkit Service - Service Establishment Charge, Per State,															—
	Initial Setup			CAM	BAPSC		38.30	38.30				15.20				ĺ
	AIN Toolkit Service - Training Session, Per Customer				BAPVX		4,175.10	4,175.10				15.20				
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															ĺ
	DN, Term. Attempt				BAPTT		7.60	7.60				15.20				
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				BAPTD		7.60	7.60				15.20				i
	DN, Off-Hook Delay AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				DAPID		7.00	7.00		†		13.20				
	DN, Off-Hook Immediate				BAPTM		7.60	7.60				15.20				ĺ
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
	DN, 10-Digit PODP				BAPTO		33.47	33.47				15.20				
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															i .
	DN, CDP				BAPTC		33.47	33.47		-		15.20				
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Feature Code				BAPTF		33.47	33.47				15.20				i
	AIN Toolkit Service - Query Charge, Per Query		†			0.0536446	55.47	33.41		†	1	10.20				
	AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit															
	Subscription, Per Node, Per Query					0.006569										
	AIN Toolkit Service - SCP Storage Charge, Per SMS Access															1
	ANN Toolkit Sonico Monthly report Per AIN Toolkit Sonico		<u> </u>		1	0.06			1	 	1					
	AIN Toolkit Service - Monthly report - Per AIN Toolkit Service Subscription			CAM	BAPMS	10.90	7.60	7.60				15.20				i
	AIN Toolkit Service - Special Study - Per AIN Toolkit Service		1	C, 441	27 11 1410	10.30	7.00	7.00			1	10.20				
	Subscription		1	CAM	BAPLS	2.80	8.41	8.41		1		15.20				1
	AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service															
	Subscription		<u> </u>	CAM	BAPDS	8.20	7.60	7.60		ļ	1	15.20				
	AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit		1	CAM	DADEC	0.00	0.44	0.44		1		45.00				1
ENHANCED EV	Service Subscription TENDED LINK (EELs)		 	CAM	BAPES	0.09	8.41	8.41		-	-	15.20	-	-	-	
	New EELs available in State of Georgia, density zone 1 of foll	owing	SMAs	Orlando, FI · Miami	. FL: Ft. Laud	erdale. Fl I· Na	shville. TN: Ne	w Orleans. I A		+	<u> </u>					—
	Charlotte-Gastonia-Rockhill, NC; Greensboro-Winston Salem-								1	†	1					
	n all states, EEL network elements shown below also apply t							As Is Charge a	pplies to curre	ently combined	facilities c	onverted to	UNEs.(Non-re	curring rates	do not	
apply.)																<u> </u>
NOTE: I	n GA, TN, KY, LA & MS, the EEL network elements apply to o	rdinari	ly com	bined network elem	ents.(No Swit	ch As Is Charg	e.)									

4Q01:12/01/01 PAGE 157 OF 324

UNBUI	NDLED	NETWORK ELEMENTS - Louisiana											Attachment:	2		Exhibit: B
CATEG		RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			Submitted Manually	Incremental Charge - Manual Svc	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
							Rec	Nonred First	curring Add'l	Nonrecurring Disconnect First Add'l	SOMEC	SOMAN		RATES (\$)	SOMAN	SOMAN
	2-WIRE	VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT	EROFF	ICE TR	ANSPORT (EEL)			11130	Auu i	Tilot Auu I	JOHILO	JOHAN	JONAN	JOWAN	JOHAN	JOWAN
		First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport			` '	UEAL2	14.93	94.21	45.09			15.20				
		Combination - Zone 1 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed		1	UNCVX											
		Transport Combination - Zone 2 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed		2	UNCVX	UEAL2	25.35	94.21	45.09		1	15.20				
		Transport Combination - Zone 3		3	UNCVX	UEAL2	50.46	94.21	45.09			15.20				
		Interoffice Transport - Dedicated - DS1 combination - Per Mile per month			UNC1X	1L5XX	0.2652									
		Interoffice Transport - Dedicated - DS1 combination - Facility			UNC1X	U1TF1	70.47	143.58	402.00			45.00				
		Termination per month DS1 Channelization System Per Month	1		UNC1X UNC1X	MQ1	105.09	143.58 59.97	103.88 12.96			15.20 15.20				
\vdash		Voice Grade COCI - DS1 To Ds0 Interface - Per Month	1		UNCVX	1D1VG	0.6497	59.97	4.26		1	15.20	1	1		1
		Each Additional 2-Wire VG Loop(SL 2) in the same DS1	 		0110 1/1	טעוטו	0.0497	3.51	4.20		+	 				
		Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL2	14.93	94.21	45.09			15.20				
		Each Additional 2-Wire VG Loop(SL2) in the same DS1		2	UNCVX	UEAL2	25.35	94.21	45.09			15.20				
		Interoffice Transport Combination - Zone 2 Each Additional 2-Wire VG Loop(SL2) in the same DS1		2	UNCVX	UEALZ	25.35	94.21	45.09			15.20				
		Interoffice Transport Combination - Zone 3 Voice Grade COCI - DS1 to DS0 Channel System combination -		3	UNCVX	UEAL2	50.46	94.21	45.09		 	15.20				
		per month .			UNCVX	1D1VG	0.6497	5.91	4.26							
		Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNC1X	UNCCC		5.43	5.43			15.20				
	4-WIRE	VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT	EROFF	ICE TR		UNCCC		3.43	3.43			13.20				
		First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice			(===,											
		Transport Combination - Zone 1		1	UNCVX	UEAL4	30.81	94.21	45.09		1	15.20				
		First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	38.32	94.21	45.09			15.20				
		First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice														
		Transport Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile		3	UNCVX	UEAL4	60.39	94.21	45.09		-	15.20				
		Per Month			UNC1X	1L5XX	0.2652									
		Interoffice Transport - Dedicated - DS1 - Facility Termination Per Month			UNC1X	U1TF1	70.47	143.58	103.88			15.20				
		Channelization - Channel System DS1 to DS0 combination Per			LINGAY	1101	405.00	50.07	10.00							
		Month Voice Grade COCI - DS1 to DS0 Channel System combination -			UNC1X	MQ1	105.09	59.97	12.96		<u> </u>					
		per month Additional 4-Wire Analog Voice Grade Loop in same DS1			UNCVX	1D1VG	0.6497	5.91	4.26		1					
		Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	30.81	94.21	45.09			15.20				
		Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	38.32	94.21	45.09			15.20				
		Additional 4-Wire Analog Voice Grade Loop in same DS1					ĺ									
\vdash		Interoffice Transport Combination - Zone 3 Voice Grade COCI - DS1 to DS0 Channel System combination -		3	UNCVX	UEAL4	60.39	94.21	45.09		1	15.20				
		per month .			UNCVX	1D1VG	0.6497	5.91	4.26		<u> </u>					
		Nonrecurring Currently Combined Network Elements Switch -As- Is Charge	1		UNC1X	UNCCC		5.43	5.43			15.20				
- 1	4-WIRE	56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1	INTERC	FFICE			i i	20	2.10				1			1
		First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	30.99	94.21	45.09			15.20				
		First 4-wire 56Kbps Digital Grade Loop in a DS1 Interoffice		Ė							1					
-		Transport Combination - Zone 2 First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice		2	UNCDX	UDL56	36.78	94.21	45.09		1	15.20				
		Transport Combination - Zone 3		3	UNCDX	UDL56	38.92	94.21	45.09		1	15.20				
		Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0.2652				1					
						,	3.2002			ı l						

UNBUNDLE	D NETWORK ELEMENTS - Louisiana											Attachment:	2		Exhibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Submitted Manually	Incremental Charge - Manual Svc	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incremental Charge -
					1	Rec	Nonred First	curring Add'l	Nonrecurring Disconnect First Add'l	SOMEC	SOMAN	OSS I	RATES (\$)	SOMAN	SOMAN
	Interoffice Transport - Dedicated - DS1 - combination Facility Termination Per Month			UNC1X	U1TF1	70.47	143.58	103.88			15.20				
	Channelization - Channel System DS1 to DS0 combination Per Month			UNC1X	MQ1	105.09	59.97	12.96							
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs)			UNCDX	1D1DD	1.38	5.91	4.26							
	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	30.99	94.21	45.09			15.20				
	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1		'	UNCDA	ODESO	30.99	54.21	43.09			13.20				
	Interoffice Transport Combination - Zone 2 Additional 4-Wire 56Kbps Digital Grade Loopin same DS1		2	UNCDX	UDL56	36.78	94.21	45.09			15.20				
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	38.92	94.21	45.09			15.20				1
	OCU-DP COCI (data) - DS1 to DS0 Channel System - combination per month (2.4-64kbs)			UNCDX	1D1DD	1.38	5.91	4.26							
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge	-		UNC1X	UNCCC		5.43	5.43			15.20				
4-WIRE	64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1	INTERC	FFICE	TRANSPORT (EEL))										
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	30.99	94.21	45.09			15.20				
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	36.78	94.21	45.09			15.20				
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	38.92	94.21	45.09			15.20				
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0.2652	04.21	40.00			10.20				
	Interoffice Transport - Dedicated - DS1 combination - Facility						442.50	402.00			45.00				
	Termination Per Month Channelization - Channel System DS1 to DS0 combination Per			UNC1X	U1TF1	70.47	143.58	103.88			15.20				
	Month OCU-DP COCI (data) - DS1 to DS0 Channel System			UNC1X	MQ1	105.09	59.97	12.96							
	combination - per month (2.4-64kbs) Additional 4-Wire 64Kbps Digital Grade Loopin same DS1			UNCDX	1D1DD	1.38	5.91	4.26							
	Interoffice Transport Combination - Zone 1 Additional 4-Wire 64Kbps Digital Grade Loopin same DS1		1	UNCDX	UDL64	30.99	94.21	45.09			15.20				
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	36.78	94.21	45.09			15.20				
	Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	38.92	94.21	45.09			15.20				
	OCU-DP COCI (data) - DS1 to DS0 Channel System combination - per month (2.4-64kbs)			UNCDX	1D1DD	1.38	5.91	4.26							
	Nonrecurring Currently Combined Network Elements Switch -As-					1.30					45.00				
A-WIDE	Is Charge DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INTI	FROFFI	CE TR	UNC1X	UNCCC		5.43	5.43		+	15.20				
4-VVIKE	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice	LAUFFI	JE IKA		HOLYGY		400.0-	100 5-		1	1= 0-				
	Transport - Zone 1 4-Wire DS1 Digital Loop in Combination with DS1 Interoffice		1	UNC1X	USLXX	85.70	169.22	100.89		+	15.20				
	Transport - Zone 2 4-Wire DS1 Digital Loop in Combination with DS1 Interoffice		2	UNC1X	USLXX	194.96	169.22	100.89			15.20				1
	Transport - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile	-	3	UNC1X	USLXX	491.94	169.22	100.89		1	15.20				1
	Per Month Interoffice Transport - Dedicated - DS1 combination - Facility			UNC1X	1L5XX	0.2652									1
	Termination Per Month			UNC1X	U1TF1	70.47	143.58	103.88			15.20				ļ
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNC1X	UNCCC		5.43	5.43			15.20				
4-WIRE	DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INT	EROFFI	CE TRA	NSPORT (EEL)	1					-					
	First DS1Loop in DS3 Interoffice Transport Combination - Zone		1	UNC1X	USLXX	85.70	169.22	100.89			15.20				<u> </u>

UNBUNDLE	D NETWORK ELEMENTS - Louisiana												Attachment:	2		Exhibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)		Sub E	mitted S Elec M	Svc Order Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring Disco					RATES (\$)		
	First DS1Loop in DS3 Interoffice Transport Combination - Zone						First	Add'l	First Ad	dd'I SO	OMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2		2	UNC1X	USLXX	194.96	169.22	100.89				15.20				
	First DS1Loop in DS3 Interoffice Transport Combination - Zone					404.04						4= 00				
	3 Interoffice Transport - Dedicated - DS3 combination - Per Mile		3	UNC1X	USLXX	491.94	169.22	100.89				15.20				
	Per Month			UNC3X	1L5XX	6.04										
	Interoffice Transport - Dedicated - DS3 - Facility Termination per											4= 00				
	month DS3 to DS1 Channel System combination per month			UNC3X UNC3X	U1TF3 MQ3	850.45 201.48	296.68 107.05	121.16 48.07				15.20				
	DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	11.78	5.91	4.26								
	Additional DS1Loop in DS3 Interoffice Transport Combination -															
	Zone 1	ļ	1	UNC1X	USLXX	85.70	169.22	100.89				15.20				
	Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 2		2	UNC1X	USLXX	194.96	169.22	100.89				15.20				
	Additional DS1Loop in DS3 Interoffice Transport Combination -			ONOTA	OOLXX	134.30	103.22	100.03				13.20				
	Zone 3		3	UNC1X	USLXX	491.94	169.22	100.89				15.20				
	DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	11.78	5.91	4.26								
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge	1		UNC3X	UNCCC		5.43	5.43				15.20				
2-WIRE	VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GRADE IN	TEROFF	ICE TR		011000		3.43	3.43				13.20				
	2-WireVG Loop used with 2-wire VG Interoffice Transport															
	Combination - Zone 1		1	UNCVX	UEAL2	14.93	94.21	45.09				15.20				
	2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL2	25.35	94.21	45.09				15.20				
	2-WireVG Loop used with 2-wire VG Interoffice Transport		_	one m	O E / LEE	20.00	02.	10.00				10.20				
	Combination - Zone 3		3	UNCVX	UEAL2	50.46	94.21	45.09				15.20				
	Interoffice Transport - Dedicated - 2-wire VG combination - Per Mile Per Month			UNCVX	1L5XX	0.013										
	Interoffice Transport - Dedicated - 2- Wire Voice Grade			UNCVA	ILSAA	0.013										
	combination - Facility Termination per month			UNCVX	U1TV2	22.60	72.60	41.75				15.20				
	Nonrecurring Currently Combined Network Elements Switch -As-	-						=				4= 00				
4-WIDE	Is Charge VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRADE IN	TEDOE	ICE TD	UNCVX	UNCCC		5.43	5.43				15.20				
4-441KE	4-WireVG Loop used with 4-wire VG Interoffice Transport	LKOFF	ICE IK	ANSFORT (EEL)												
	Combination - Zone 1		1	UNCVX	UEAL4	30.81	94.21	45.09				15.20				
	4-WireVG Loop used with 4-wire VG Interoffice Transport		2	UNCVX	UEAL4	38.32	94.21	45.09				45.00				
	Combination - Zone 2 4-WireVG Loop used with 4-wire VG Interoffice Transport		2	UNCVX	UEAL4	38.32	94.21	45.09				15.20				
1	Combination - Zone 3		3	UNCVX	UEAL4	60.39	94.21	45.09				15.20				
	Interoffice Transport - Dedicated - 4-wire VG combination - Per				41 m/c :											
-	Mile Per Month Interoffice Transport - Dedicated - 4- Wire Voice Grade	1		UNCVX	1L5XX	0.013										
	combination - Facility Termination per month			UNCVX	U1TV4	19.81	72.60	41.75				15.20				
	Nonrecurring Currently Combined Network Elements Switch -As-	1														
B00 =:	Is Charge		LODGE	UNCVX	UNCCC		5.43	5.43				15.20				
D23 DI	GITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFION High Capacity Unbundled Local Loop - DS3 combination - Per	E IKA	NOPUR	I (EEL)	-							l				
	Mile per month			UNC3X	1L5ND	10.04										
	High Capacity Unbundled Local Loop - DS3 combination -															
	Facility Termination per month Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X UNC3X	UE3PX 1L5XX	362.34 6.04	188.45	125.51								
	Interoffice Transport - Dedicated - DS3 - Per Mile per month Interoffice Transport - Dedicated - DS3 combination - Facility			UNUSA	ILOAA	6.04										
	Termination per per month			UNC3X	U1TF3	850.45	296.68	121.16				15.20				
	Nonrecurring Currently Combined Network Elements Switch -As-			LINGSY	LINIOGG		=					45.00				
STS1 D	Is Charge IGITAL EXTENDED LOOP WITH DEDICATED STS1 INTEROF	FICE TE	ANSP	UNC3X	UNCCC	-	5.43	5.43				15.20				
0.312	High Capacity Unbundled Local Loop - STS1 combination - Per	I JOE IF	- INOF	J. (LLL)	1											
	Mile per month			UNCSX	1L5ND	10.04										

UNBUNDLE	D NETWORK ELEMENTS - Louisiana											Attachment:	2		Exhibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Submitted Manually	Incremental Charge - Manual Svc	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonred First	urring Add'l	Nonrecurring Disconnect First Add'l	SOMEC	SOMAN	OSSI	RATES (\$)	SOMAN	SOMAN
	High Capacity Unbundled Local Loop - STS1 combination -						11100	Auu	THOS Add I	COMILO	COMPAR	COMPAR	COMPAR	COMPAR	COMPAR
	Facility Termination per month			UNCSX	UDLS1	374.56	188.45	125.51							
	Interoffice Transport - Dedicated - STS1 combination - Per Mile per month			UNCSX	1L5XX	6.04									
	Interoffice Transport - Dedicated - STS1 combination - Facility Termination per month			UNCSX	U1TFS	830.19	296.68	121.16			15.20				
	Nonrecurring Currently Combined Network Elements Switch -As-			LINGOV	1111000		5 40	5.40			45.00				
2-WIRE	Is Charge ISDN EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPOR	RT (EEL	.)	UNCSX	UNCCC		5.43	5.43		1	15.20				
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination		İ												
	Transport - Zone 1		1	UNCNX	U1L2X	22.09	94.21	45.09			15.20				
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 2		2	UNCNX	U1L2X	35.28	94.21	45.09			15.20				
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination														
	Transport - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile		3	UNCNX UNC1X	U1L2X 1L5XX	65.18 0.2652	94.21	45.09			15.20				
	Interoffice Transport - Dedicated - DS1 combination - Facility			ONCIX	ILJAA	0.2032									
	Termination per month			UNC1X	U1TF1	70.47	143.58	103.88			15.20				
	Channelization - Channel System DS1 to DS0 combination - per month			UNC1X	MQ1	105.09	59.97	12.96							
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System combination - per month			UNCNX	UC1CA	2.96	5.91	4.26							
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport														
	Combination - Zone 1 Additional 2-wire ISDN Loop in same DS1Interoffice Transport		1	UNCNX	U1L2X	22.09	94.21	45.09			15.20				
	Combination - Zone 2		2	UNCNX	U1L2X	35.28	94.21	45.09			15.20				
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 3		3	UNCNX	U1L2X	65.18	94.21	45.09			15.20				
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System combintaion- per month			UNCNX	UC1CA	2.96	5.91	4.26							
	Nonrecurring Currently Combined Network Elements Switch -As-	_		UNCINA	UCTCA	2.96	5.91	4.20							
	Is Charge			UNC1X	UNCCC		5.43	5.43			15.20				
4-WIRE	E DS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 IN First DS1 Loop in STS1 Interoffice Transport Combination -	ITEROF	FICE T	RANSPORT (EEL)											
	Zone 1		1	UNC1X	USLXX	85.70	169.22	100.89			15.20				
	First DS1 Loop in STS1 Interoffice Transport Combination - Zone 2		2	UNC1X	USLXX	194.96	169.22	100.89			15.20				
	First DS1 Loop in STS1 Interoffice Transport Combination - Zone 3		3	UNC1X	USLXX	491.94	169.22	100.89			15.20				
	Interoffice Transport - Dedicated - STS1 combination - Per Mile Per Month		3	UNCSX	1L5XX	6.04	109.22	100.89			15.20				
	Interoffice Transport - Dedicated - STS1 combination - Facility			OIVOOA	ILUAA	0.04					+				
	Termination			UNCSX	U1TFS	830.19	296.68	121.16			15.20				
	STS1 to DS1 Channel System conbination per month DS3 Interface Unit (DS1 COCI) combination per month			UNCSX UNC1X	MQ3 UC1D1	201.48 11.78	107.05 5.91	48.07 4.26							
	Additional DS1Loop in STS1 Interoffice Transport Combination -	<u> </u>	1	DINCIA	OCIDI	11.78	5.91	4.20							
	Zone 1		1	UNC1X	USLXX	85.70	169.22	100.89			15.20				
	Additional DS1Loop in STS1 Interoffice Transport Combination - Zone 2		2	UNC1X	USLXX	194.96	169.22	100.89			15.20				
	Additional DS1Loop in STS1 Interoffice Transport Combination - Zone 3		3	UNC1X	USLXX	491.94	169.22	100.89			15.20				
	DS3 Interface Unit (DS1 COCI) combination per month		Ľ	UNC1X	UC1D1	11.78	5.91	4.26							
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNCSX	UNCCC		5.43	5.43			15.20				
4-WIRE	IS Charge E 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS INTERO	FFICE 1	FRANSI		UNCCC		5.43	5.43			15.20				
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport									İ	1				
	Combination - Zone 1		1	UNCDX	UDL56	30.99	94.21	45.09			15.20				

UNBUNDLE	ED NETWORK ELEMENTS - Louisiana											Attachment:	2		Exhibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Submitted Manually	Order vs.	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring Disconnect				RATES (\$)		
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport						First	Add'l	First Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Combination - Zone 2		2	UNCDX	UDL56	36.78	94.21	45.09			15.20				
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	38.92	94.21	45.09			15.20				
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -		3	UNCDA	UDLS6	30.92	94.21	45.09			15.20				
	Per Mile			UNCDX	1L5XX	0.013									
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Facility Termination			UNCDX	U1TD5	15.61	72.60	41.75			15.20				ĺ
	Nonrecurring Currently Combined Network Elements Switch -As-					10.01									
4-WID	Is Charge E 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTERO	EEICE T	DANG	UNCDX	UNCCC		5.43	5.43			15.20				
4-771	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport	FFICE I	KANSI	PORT (EEL)											
	Combination - Zone 1		1	UNCDX	UDL64	30.99	94.21	45.09			15.20				
	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	36.78	94.21	45.09			15.20				
	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	38.92	94.21	45.09			15.20				
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -		3			30.32	34.21	40.03			15.20				
	Per Mile			UNCDX	1L5XX	0.013									
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Facility Termination Nonrecurring Currently Combined Network Elements Switch -As-			UNCDX	U1TD6	15.61	72.60	41.75			15.20				
	Is Charge			UNCDX	UNCCC		5.43	5.43			15.20				1
	NETWORK ELEMENTS														
	used as a part of a currently combined facility, the non-recurr														.
	used as ordinarilty combined network elements in Georgia, the sto DCS - Customer Reconfiguration (FlexServ)	e non-r	ecurrin	g cnarges apply and	tne Switch	As is Charge o	oes not.								
	(SynchroNet)														
Nonre	curring Currently Combined Network Elements "Switch As Is"	Charge	(One a	pplies to each comb	oination)										
	2/4-Wire VG Interoffice Channel used in a COMBINATION - "Switch As Is" Conversion Charge			UNCVX	UNCCC		5.43	5.43			15.20				
	56/64 kbps Interoffice Channel used in a COMBINATION -			UNCVA	UNCCC		5.43	3.43			15.20				
	"Switch As Is" Conversion Charge			UNCDX	UNCCC		5.43	5.43			15.20				
	DS1 Interoffice Channel used in a COMBINATION - "Switch As Is" Conversion Charge			UNC1X	UNCCC		5.43	5.43			15.20				1
	DS3 Interoffice Channel used in a COMBINATION - "Switch As			ONCIX	UNCCC		3.43	3.43			13.20				
	Is" Conversion Charge			UNC3X	UNCCC		5.43	5.43			15.20				
	STS1 Interoffice or Local Loop used in a COMBINATION - "Switch As Is" Conversion Charge			UNCSX	UNCCC		5.43	5.43			15.20				İ
	: Local Channel - Dedicated Transport - minimum billing period	d - Belo	w DS3:			r months	5.45	0.40		1	10.20				
	LOCAL EXCHANGE SWITCHING(PORTS)														
	inge Ports	VV 1 A -	 	ho decired factures	uill noad to !	no ordo	a rotoil UCCC			1					
	: Although the Port Rate includes all available features in GA, I E VOICE GRADE LINE PORT RATES (RES)	ΛT, LA δ	× iN,t	ne desired features (will need to I	be oraerea usii	ig retail USOCS	•		1					
2 ***	Exchange Ports - 2-Wire Analog Line Port- Res.			UEPSR	UEPRL	1.52	2.31	2.21			15.20				
	Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.			UEPSR	UEPRC	1.52	2.31	2.21			15.20				
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Res.			UEPSR	UEPRO	1.52	2.31	2.21			15.20				
	Exchange Ports - 2-Wire VG unbundled LA extended local dialing parity Port with Caller ID - Res.			UEPSR	UEPAS	1.52	2.31	2.21			15.20				İ
	Exchange Ports - 2-Wire VG unbundled Louisiana Area Plus with Caller ID - Res (RUL)			UEPSR	UEPAG	1.52	2.31	2.21			15.20				
	Exchange Ports - 2-Wire VG unbundled res, low usage line port with Caller ID (LUM)			UEPSR	UEPAP	1.52	2.31	2.21			15.20				
	Subsequent Activity			UEPSR	USASC	0.00	0.00	0.00		<u> </u>					
FEAT				LIEBOD			-				48.65				
	All Available Vertical Features		l	UEPSR	UEPVF	0.00	0.00	0.00		1	15.20				L

NBUNDLE	D NETWORK ELEMENTS - Louisiana											Attachment:	2		Exhibit:
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Submitted Manually		Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual Sv Order vs.
						Rec	Nonred First	curring Add'l	Nonrecurring Disconn	SOMEC	SOMAN	OSS	RATES (\$)	SOMAN	SOMAN
2-WIRE	L VOICE GRADE LINE PORT RATES (BUS)				+		First	Auu i	First Add i	SOMEC	SOWAN	JOWAN	JOWAN	SOWAN	JOWAN
	Exchange Ports - 2-Wire Analog Line Port without Caller ID -										+				+
	Bus			UEPSB	UEPBL	1.52	2.31	2.21			15.20				
	Exchange Ports - 2-Wire VG unbundled Line Port with unbundled port with Caller+E484 ID - Bus.			UEPSB	UEPBC	1.52	2.31	2.21			15.20				
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus.			UEPSB	UEPBO	1.52	2.31	2.21			15.20				
	Exchange Ports - 2-Wire VG unbundled LA extended local														
	dialing parity Port with Caller ID - Bus.			UEPSB	UEPAX	1.52	2.31	2.21			15.20				
	Exhange Ports - 2-Wire VG unbundled incoming only port with Caller ID - Bus			UEPSB	UEPB1	1.52	2.31	2.21			15.20				
	Exchange Ports - 2-Wire VG unbundled Louisiana Bus Area Calling Port with Caller ID - Bus (BUC)			UEPSB	UEPAA	1.52	2.31	2.21			15.20				
	Subsequent Activity			UEPSB	USASC	0.00	0.00	0.00		1	10.20	1			†
FEATU				-	1	2.20	2.20	2.30				1			1
	All Available Vertical Features			UEPSB	UEPVF	0.00	0.00	0.00			15.20				
EXCHA	NGE PORT RATES (DID & PBX)														1
	2-Wire VG Unbundled 2-Way PBX Trunk - Res			UEPSE	UEPRD	1.52	30.37	14.42			15.20				
	2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus			UEPSP	UEPPC	1.52	30.37	14.42			15.20				
	2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus			UEPSP	UEPPO	1.52	30.37	14.42			15.20				
	2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus			UEPSP	UEPP1	1.52	30.37	14.42			15.20				
	2-Wire Analog Long Distance Terminal PBX Trunk - Bus			UEPSP	UEPLD	1.52	30.37	14.42			15.20				
	2-Wire Voice Unbundled 2-Way PBX Louisiana Calling Port			UEPSP	UEPL2	1.52	30.37	14.42			15.20				
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPSP	UEPLD	1.52	30.37	14.42			15.20				
	2-Wire Vice Unbundled 2-Way PBX Usage Port			UEPSP	UEPXA	1.52	30.37	14.42			15.20				
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPSP	UEPXB	1.52	30.37	14.42			15.20				
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPSP	UEPXC	1.52	30.37	14.42			15.20				
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPSP	UEPXD	1.52	30.37	14.42			15.20				4
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD			LIEDOD	HEDVE	4.50	20.27	44.40			45.00				
	Capable Port 2-Wire Voice Unbundled 2-Way PBX Louisiana Local Optional		<u> </u>	UEPSP	UEPXE	1.52	30.37	14.42		_	15.20				+
	Callling Port			UEPSP	UEPXK	1.52	30.37	14.42			15.20				
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPSP	UEPXL	1.52	30.37	14.42			15.20				
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy														1
	Room Calling Port			UEPSP	UEPXM	1.52	30.37	14.42			15.20				1
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port			UEPSP	UEPXO	1.52	30.37	14.42			15.20				
	2-Wire Voice Unbundled 1-Way Outgoing PBX Louisiana Local											1			
	Discount Calling Port		<u> </u>	UEPSP	UEPXP	1.52	30.37	14.42			15.20	1			
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPSP	UEPXS	1.52	30.37	14.42			1				
	Subsequent Activity		ļ	UEPSP	USASC	0.00	0.00	0.00			1		ļ		
FEATU			<u> </u>	HEDOD HEDOE	LIEDVE	0.00	0.00	0.00			15.00	!	1		
EVOLIA	All Available Vertical Features NGE PORT RATES (COIN)		<u> </u>	UEPSP UEPSE	UEPVF	0.00	0.00	0.00			15.20	!	1		
EXCHA	Exchange Ports - Coin Port		 			1.52	2.31	2.21		_	15.20	 	-		
NOTE:	Transmission/usage charges associated with POTS circuit s	witched	HESCO	will also annly to o	ircuit ewitchs				ission by R-Channols as	sociated with		norte	1	1	+
NOTE:	Access to B Channel or D Channel Packet capabilities will be	availal	asaye de ont	through RFR/Now	Business Per	nuest Process	Rates for the	nacket canahi	lities will be determined	ia the Rona F	ide Regueet	New Busines	s Request Pro	cess	+
	OCAL EXCHANGE SWITCHING(PORTS)	avairai		Jugii bi iditew			aco for the	pasitot oapabi	Ann be determined	inc Bona i	request	Busines			
	NGE PORT RATES (DID & PBX)		 								1	1			†
	Exchange Ports - 2-Wire DID Port		1	UEPEX	UEPP2	8.29	115.85	18.20			15.20	İ		İ	1
	Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID														1
	capability			UEPDD	UEPDD	68.47	196.18	92.92			15.20	I			
	Exchange Ports - 2-Wire ISDN Port (See Notes below.)			UEPTX UEPSX	U1PMA	10.07	70.76	51.46			15.20				
	All Features Offered			UEPTX UEPSX	UEPVF	0.00	0.00	0.00							
NOTE:	Transmission/usage charges associated with POTS circuit s	witched	usage	will also apply to c	ircuit switche	d voice and/or	circuit switch	ed data transm	nission by B-Channels as	sociated with	2-wire ISDN	ports.			

HINDHINDI EE	NETWORK ELEMENTS Laviaiana												A44			
ONBONDLEL	NETWORK ELEMENTS - Louisiana		1			1					ı		Attachment:	2		Exhibit: E
		1	1			1							Incremental	Incremental	Incremental	Incrementa
													Charge -	Charge -	Charge -	Charge -
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES(\$)			Svc Order	Svc Order	Manual Svc	Manual Svc	Manual Svc	Manual Svo
		m		200	0000						Submitted	Submitted	Order vs.	Order vs.	Order vs.	Order vs.
											Elec	Manually	Electronic-	Electronic-	Electronic-	Electronic-
		<u> </u>	<u> </u>			ļ					per LSR	per LSR	1st	Add'l	Disc 1st	Disc Add'l
						_		_	l							
		<u> </u>				Rec	Nonred First	urring Add'l	Nonrecurring First		COMEC	COMAN	SOMAN	RATES (\$)	COMAN	SOMAN
		<u> </u>					FIRST	Add I	FIRST	Add'l	SOMEC	SUMAN	SUMAN	SUMAN	SOMAN	SOWAN
NOTE:	Assess to B Channel or D Channel Backet conchilities will be	امانون م	blo onl	v through DED/Nov	, Business Be	augot Brosses	Datas for the	naakat aanahi	lition will be do	torminad via t	ha Bana Fia	la Baguast/I	New Business	Boguest Bro		
	Access to B Channel or D Channel Packet capabilities will be Exchange Ports - 2-Wire ISDN Port Channel Profiles	e availa	Die Oili	UEPTX UEPSX	U1UMA	0.00	0.00	0.00	iilles will be de	termineu via t	ne Bona Fic	ie Kequesi/i	New business	Request Pro	cess.	
	Exchange Ports - 4-Wire ISDN DS1 Port	1	1	UEPEX	UEPEX	94.82	197.92	98.62				15.20				
	OCAL SWITCHING, PORT USAGE		1	OLI ZX	02.2%	0 1.02	107.02	00.02				10.20				
	ice Switching (Port Usage)															
	End Office Switching Function, Per MOU					0.001868										
	End Office Trunk Port - Shared, Per MOU					0.00018										
	Switching (Port Usage) (Local or Access Tandem)															
	Tandem Switching Function Per MOU	ļ	<u> </u>		_	0.0001067										
	Tandem Trunk Port - Shared, Per MOU	 	<u> </u>			0.000222							-			
	on Transport Common Transport - Per Mile, Per MOU	 	!		-	0.0000030			 							
	Common Transport - Per Mille, Per MOU Common Transport - Facilities Termination Per MOU	1	 		+	0.0000032 0.0003748			 		-		1			
	ORT/LOOP COMBINATIONS - COST BASED RATES	 	-		+	0.0003740			 							
	ased Rates are applied where BellSouth is required by FCC ar	nd/or St	ate Co	mmission rule to n	rovide Unbun	dled Local Swit	tching or Swite	h Ports.					1			
Feature	s shall apply to the Unbundled Port/Loop Combination - Cos	st Based	Rate	section in the same	manner as th	ey are applied t	to the Stand-A	lone Unbundle	ed Port section	of this Rate E	xhibit.					
						* **							•			
	ice and Tandem Switching Usage and Common Transport Us	sage rat	es in t	he Port section of t	his rate exhib	it shall apply to	all combination	ons of loop/po	rt network elen	nents except f	or UNE Coi	n Port/Loop	Combination	ıs.		
End Off																
	<u> </u>															
For Geo	orgia, Kentucky, Louisiana, MIssissippi and Tennessee, the re	recurring														
For Geo Combin	orgia, Kentucky, Louisiana, MIssissippi and Tennessee, the re ned Combos for all states. In GA, KY, LA, MS and TN these no	recurring onrecur	ring ch	narges are commiss	ion ordered c	ost based rates	and in AL, FL									
For Geo Combin Combin	orgia, Kentucky, Louisiana, MIssissippi and Tennessee, the re led Combos for all states. In GA, KY, LA, MS and TN these no led Combos in all other states, the nonrecurring charges sha	recurring onrecur	ring ch	narges are commiss	ion ordered c	ost based rates	and in AL, FL									
For Geo Combin Combin 2-WIRE	orgia, Kentucky, Louisiana, MIssissippi and Tennessee, the re led Combos for all states. In GA, KY, LA, MS and TN these no led Combos in all other states, the nonrecurring charges sha VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)	recurring onrecur	ring ch	narges are commiss	ion ordered c	ost based rates	and in AL, FL									
For Geo Combin Combin 2-WIRE UNE Po	orgia, Kentucky, Louisiana, MIssissippi and Tennessee, the related Combos for all states. In GA, KY, LA, MS and TN these led Combos in all other states, the nonrecurring charges sha VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates	recurring onrecur	ring ch	narges are commiss	ion ordered c	ost based rates rently Combine	and in AL, FL									
For Geo Combin Combin 2-WIRE UNE Po	orgia, Kentucky, Louisiana, MIssissippi and Tennessee, the reled Combos for all states. In GA, KY, LA, MS and TN these not led Combos in all other states, the nonrecurring charges shat VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) wit/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1	recurring onrecur	ring ch ose ide	narges are commiss	ion ordered c	ost based rates rently Combine	and in AL, FL									
For Geo Combin Combin 2-WIRE UNE Po	orgia, Kentucky, Louisiana, MIssissippi and Tennessee, the reled Combos for all states. In GA, KY, LA, MS and TN these noted Combos in all other states, the nonrecurring charges shat VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) int/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2	recurring onrecur	ring chose ide	narges are commiss	ion ordered c	ost based rates rently Combine 13.13 23.75	and in AL, FL									
For Gec Combin Combin 2-WIRE UNE Po	orgia, Kentucky, Louisiana, MIssissippi and Tennessee, the reled Combos for all states. In GA, KY, LA, MS and TN these not led Combos in all other states, the nonrecurring charges shat VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) wit/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1	recurring onrecur	ring ch ose ide	narges are commiss	ion ordered c	ost based rates rently Combine	and in AL, FL									
For Gec Combin Combin 2-WIRE UNE Po	orgia, Kentucky, Louisiana, MIssissippi and Tennessee, the related Combos for all states. In GA, KY, LA, MS and TN these noted Combos in all other states, the nonrecurring charges shated VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3	recurring onrecur	ring chose ide	narges are commiss	ion ordered c	ost based rates rently Combine 13.13 23.75	and in AL, FL									
For Gec Combin Combin 2-WIRE UNE PO	orgia, Kentucky, Louisiana, MIssissippi and Tennessee, the reled Combos for all states. In GA, KY, LA, MS and TN these noted Combos in all other states, the nonrecurring charges shat VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) riv/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 op Rates	recurring onrecur	ring choose ide	arges are commiss	ion ordered c	0st based rates rently Combine 13.13 23.75 49.62	and in AL, FL									
For Gec Combin Combin 2-WIRE UNE Po	orgia, Kentucky, Louisiana, MIssissippi and Tennessee, the reled Combos for all states. In GA, KY, LA, MS and TN these not led Combos in all other states, the nonrecurring charges shat VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) riv/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 op Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 2	recurring onrecur	ring choose ide	arges are commissentified in the Nonre	ion ordered c ecurring - Cur	ost based rates rently Combine 13.13 23.75 49.62 11.77	and in AL, FL									
For Gec Combin Combin 2-WIRE UNE Po	orgia, Kentucky, Louisiana, MIssissippi and Tennessee, the reled Combos for all states. In GA, KY, LA, MS and TN these noted Combos in all other states, the nonrecurring charges shat VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) wit/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 op Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3	recurring onrecur	1 2 3 1 1 2	ueperx Ueperx Ueperx Ueperx Ueperx Ueperx	UEPLX UEPLX UEPLX UEPLX	0st based rates rently Combine 13.13 23.75 49.62 11.77 22.39 48.26	s and in AL, FL d sections.	, NC and SC th				tes and are				
For Gec Combin Combin 2-WIRE UNE Po	orgia, Kentucky, Louisiana, MIssissippi and Tennessee, the reled Combos for all states. In GA, KY, LA, MS and TN these noted Combos in all other states, the nonrecurring charges shat voice GRADE LOOP WITH 2-WIRE LINE PORT (RES) wit/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 2-Wire VG Loop/Port Combo - Zone 3 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	recurring onrecur	1 2 3 1 1 2	ueprx Ueprx Ueprx Ueprx Ueprx Ueprx Ueprx Ueprx Ueprx Ueprx	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX	ost based rates rently Combine 13.13 23.75 49.62 11.77 22.39 48.26	s and in AL, FL d sections.	19.08				15.20				
For Gec Combin Combin 2-WIRE UNE Po	orgia, Kentucky, Louisiana, MIssissippi and Tennessee, the reled Combos for all states. In GA, KY, LA, MS and TN these noted Combos in all other states, the nonrecurring charges sha VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) rift/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 op Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res	recurring onrecur	1 2 3 1 1 2	ueperx Ueprx Ueprx Ueprx Ueprx Ueprx Ueprx Ueprx Ueprx Ueprx Ueprx Ueprx Ueprx Ueprx	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX	ost based rates rently Combine 13.13 23.75 49.62 11.77 22.39 48.26 1.36 1.36	s and in AL, FL d sections.	19.08 19.08				15.20 15.20				
For Gec Combin Combin 2-WIRE UNE PO UNE LO	orgia, Kentucky, Louisiana, MIssissippi and Tennessee, the reled Combos for all states. In GA, KY, LA, MS and TN these not led Combos in all other states, the nonrecurring charges shat VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) INTUCOP Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 op Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res	recurring onrecur all be the	1 2 3 1 1 2	ueprx Ueprx Ueprx Ueprx Ueprx Ueprx Ueprx Ueprx Ueprx Ueprx	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX	ost based rates rently Combine 13.13 23.75 49.62 11.77 22.39 48.26	s and in AL, FL d sections.	19.08				15.20				
For Gec Combin Combin 2-WIRE UNE PO UNE LO	orgia, Kentucky, Louisiana, MIssissippi and Tennessee, the reled Combos for all states. In GA, KY, LA, MS and TN these not need Combos in all other states, the nonrecurring charges shat voice GRADE LOOP WITH 2-WIRE LINE PORT (RES) wit/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 2 2-Wire VG Loop/Port Combo - Zone 3 2 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 2 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice Grade unbundled Loop (SL1) - Zone 2 2-Wire voice unbundled port outgoing only - res 2-Wire voice Grade unbundled Louisiana extended local dialing	recurring onrecur all be the	1 2 3 1 1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRO	13.13 23.75 49.62 11.77 22.39 48.26 1.36 1.36	38.85 38.85	19.08 19.08 19.08				15.20 15.20 15.20				
For Gec Combin Combin 2-WIRE UNE Po UNE Lo	orgia, Kentucky, Louisiana, MIssissippi and Tennessee, the related Combos for all states. In GA, KY, LA, MS and TN these noted Combos in all other states, the nonrecurring charges shated Combos in all other states, the nonrecurring charges shated Combos in all other states, the nonrecurring charges shated Combos in all other states. 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice Grade unbundled Louisiana extended local dialing parity port with Caller ID - res	recurring onrecur all be the	1 2 3 1 1 2	ueperx Ueprx Ueprx Ueprx Ueprx Ueprx Ueprx Ueprx Ueprx Ueprx Ueprx Ueprx Ueprx Ueprx	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX	ost based rates rently Combine 13.13 23.75 49.62 11.77 22.39 48.26 1.36 1.36	s and in AL, FL d sections.	19.08 19.08				15.20 15.20				
For Gec Combin Combin 2-WIRE UNE Po UNE Lo	orgia, Kentucky, Louisiana, MIssissippi and Tennessee, the reled Combos for all states. In GA, KY, LA, MS and TN these not need Combos in all other states, the nonrecurring charges shat voice GRADE LOOP WITH 2-WIRE LINE PORT (RES) wit/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 2 2-Wire VG Loop/Port Combo - Zone 3 2 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 2 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice Grade unbundled Loop (SL1) - Zone 2 2-Wire voice unbundled port outgoing only - res 2-Wire voice Grade unbundled Louisiana extended local dialing	recurring onrecur all be the	1 2 3 1 1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRO	13.13 23.75 49.62 11.77 22.39 48.26 1.36 1.36	38.85 38.85	19.08 19.08 19.08				15.20 15.20				
For Gec Combin Combin 2-WIRE UNE PO UNE LO	orgia, Kentucky, Louisiana, MIssissippi and Tennessee, the reled Combos for all states. In GA, KY, LA, MS and TN these not led Combos in all other states, the nonrecurring charges shat VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) riv/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 op Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice Grade unbundled Louisiana extended local dialing parity port with Caller ID - res 2-Wire voice unbundled Louisiana Area Plus with Caller ID - res	recurring onrecur all be the	1 2 3 1 1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRO	13.13 23.75 49.62 11.77 22.39 48.26 1.36 1.36	38.85 38.85	19.08 19.08 19.08				15.20 15.20 15.20				
For Gec Combin Combin 2-WIRE UNE PO UNE LO	orgia, Kentucky, Louisiana, MIssissippi and Tennessee, the reled Combos for all states. In GA, KY, LA, MS and TN these not led Combos in all other states, the nonrecurring charges shat VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) INTUCODE COMBINATION RATES 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 2-Wire VG Loop/Port Combo - Zone 3 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice Grade unbundled Louisiana extended local dialing parity port with Caller ID - res 2-Wire voice unbundled Louisiana Area Plus with Caller ID - res (RUL) 2-Wire voice unbundled Louisiana Area Plus with Caller ID - res (RUL)	recurring onrecur all be the	1 2 3 1 1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRO	13.13 23.75 49.62 11.77 22.39 48.26 1.36 1.36	38.85 38.85	19.08 19.08 19.08				15.20 15.20				
For Gec Combin Combin 2-WIRE UNE PO UNE LO	orgia, Kentucky, Louisiana, MIssissippi and Tennessee, the reled Combos for all states. In GA, KY, LA, MS and TN these not led Combos in all other states, the nonrecurring charges shat VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) INTUCODE COMBINATION RATES 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 2-Wire VG Loop/Port Combo - Zone 3 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice Grade unbundled Louisiana extended local dialing parity port with Caller ID - res 2-Wire voice unbundled Louisiana Area Plus with Caller ID - res (RUL) 2-Wire voice unbundled Louisiana Area Plus with Caller ID - res (RUL)	recurring onrecur all be the	1 2 3 1 1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPAS UEPAG	13.13 23.75 49.62 11.77 22.39 48.26 1.36 1.36 1.36	38.85 38.85 38.85	19.08 19.08 19.08 19.08				15.20 15.20 15.20				
For Gec Combin Combin 2-WIRE UNE PO UNE LO 2-Wire \	orgia, Kentucky, Louisiana, MIssissippi and Tennessee, the reled Combos for all states. In GA, KY, LA, MS and TN these noted Combos in all other states, the nonrecurring charges shat voice GRADE LOOP WITH 2-WIRE LINE PORT (RES) with Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 op Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port dutgoing only - res 2-Wire voice Grade unbundled Louisiana extended local dialing parity port with Caller ID - res 2-Wire voice unbundled Louisiana Area Plus with Caller ID - res 2-Wire voice unbundled Louisiana Area Plus with Caller ID - res 2-Wire voice unbundled Louisiana Area Plus with Caller ID - res 2-Wire voice unbundled sers, low usage line port with Caller ID (LUM) RES All Features Offered	recurring onrecur all be the	1 2 3 1 1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO UEPAS UEPAG	13.13 23.75 49.62 11.77 22.39 48.26 1.36 1.36 1.36	38.85 38.85 38.85	19.08 19.08 19.08 19.08				15.20 15.20 15.20				
FOR GEC COMBIN C	orgia, Kentucky, Louisiana, MIssissippi and Tennessee, the reled Combos for all states. In GA, KY, LA, MS and TN these noted Combos in all other states, the nonrecurring charges sha VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) riv/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 op Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 voice Grade Line Port Rates (Res) 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice Grade unbundled Louisiana extended local dialing parity port with Caller ID - res 2-Wire voice unbundled Louisiana Area Plus with Caller ID - res 2-Wire voice unbundled Louisiana Area Plus with Caller ID - res 2-Wire voice unbundled Louisiana Area Plus with Caller ID - res 2-Wire voice unbundled sees, low usage line port with Caller ID (LUM) RES All Features Offered NUMBER PORTABILITY	recurring onrecur all be the	1 2 3 1 1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRO UEPAG UEPAG UEPAF	13.13 23.75 49.62 11.77 22.39 48.26 1.36 1.36 1.36 1.36	38.85 38.85 38.85 38.85	19.08 19.08 19.08 19.08				15.20 15.20 15.20				
For Gec Combin Combin 2-WIRE UNE PO UNE LO 2-Wire \	orgia, Kentucky, Louisiana, MIssissippi and Tennessee, the reled Combos for all states. In GA, KY, LA, MS and TN these not led Combos in all other states, the nonrecurring charges shat voice GRADE LOOP WITH 2-WIRE LINE PORT (RES) introduced by the combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 2 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire voice Grade Loop (SL1) - Zone 3 2 2-Wire voice unbundled port residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled Louisiana extended local dialing parity port with Caller ID - res 2-Wire voice unbundled Louisiana Area Plus with Caller ID - res (RUL) 2-Wire voice unbundles res, low usage line port with Caller ID (LUM) RES All Features Offered NUMBER PORTABILITY Local Number Portability (1 per port)	recurring onrecur all be the	1 2 3 1 1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPAS UEPAG	13.13 23.75 49.62 11.77 22.39 48.26 1.36 1.36 1.36	38.85 38.85 38.85 38.85	19.08 19.08 19.08 19.08				15.20 15.20 15.20				
For Gec Combin 2-WIRE UNE PO UNE LO 2-Wire \ FEATURE LOCAL	orgia, Kentucky, Louisiana, MIssissippi and Tennessee, the reled Combos for all states. In GA, KY, LA, MS and TN these noted Combos in all other states, the nonrecurring charges sha VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) INTUINED TO COMBO - ZONE 1 2-Wire VG Loop/Port Combo - ZONE 2 2-Wire VG Loop/Port Combo - ZONE 2 2-Wire VG Loop/Port Combo - ZONE 3 0- Rates 2-Wire Voice Grade Loop (SL1) - ZONE 1 2-Wire Voice Grade Loop (SL1) - ZONE 2 2-Wire Voice Grade Loop (SL1) - ZONE 3 2-Wire Voice Grade Loop (SL1) - ZONE 3 2-Wire Voice Grade Loop (SL1) - ZONE 3 2-Wire voice unbundled port - residence 2-Wire voice unbundled port - residence 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled Louisiana extended local dialing parity port with Caller ID - res 2-Wire voice unbundled Louisiana Area Plus with Caller ID - res (RUL) 2-Wire voice unbundles res, low usage line port with Caller ID (LUM) RES All Features Offered NUMBER PORTABILITY LOCAL Number Portability (1 per port) CURRING CHARGES (NRCs) - CURRENTLY COMBINED	recurring onrecur all be the	1 2 3 1 1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRO UEPAG UEPAG UEPAF	13.13 23.75 49.62 11.77 22.39 48.26 1.36 1.36 1.36 1.36	38.85 38.85 38.85 38.85	19.08 19.08 19.08 19.08				15.20 15.20 15.20				
For Gec Combin 2-WIRE UNE PO UNE LO 2-Wire \	orgia, Kentucky, Louisiana, MIssissippi and Tennessee, the reled Combos for all states. In GA, KY, LA, MS and TN these noted Combos in all other states, the nonrecurring charges sha VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) rivILoop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 op Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled Louisiana extended local dialing parity port with Caller ID - res 2-Wire voice unbundled Louisiana Area Plus with Caller ID - res (RUL) 2-Wire voice unbundled sees, low usage line port with Caller ID (LUM) RES NUMBER PORTABILITY Local Number Portability (1 per port) CURRING CHARGES (NRCS) - CURRENTLY COMBINED 2-Wire Voice Grade Loop / Line Port Combination - Conversion -	recurring onrecur all be the	1 2 3 1 1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRO UEPAG UEPAG UEPAG UEPAF	13.13 23.75 49.62 11.77 22.39 48.26 1.36 1.36 1.36 1.36	38.85 38.85 38.85 38.85 38.85	19.08 19.08 19.08 19.08 19.08 19.08				15.20 15.20 15.20 15.20 15.20				
For Gec Combin Combin 2-WIRE UNE PO UNE LO 2-Wire \ FEATURE LOCAL	orgia, Kentucky, Louisiana, MIssissippi and Tennessee, the reled Combos for all states. In GA, KY, LA, MS and TN these not led Combos in all other states, the nonrecurring charges sha VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) INTUCOP Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 3	recurring onrecur all be the	1 2 3 1 1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRO UEPAG UEPAG UEPAF	13.13 23.75 49.62 11.77 22.39 48.26 1.36 1.36 1.36 1.36	38.85 38.85 38.85 38.85	19.08 19.08 19.08 19.08				15.20 15.20 15.20				
For Gec Combin Combin 2-WIRE UNE PO UNE LO 2-Wire \(\)	orgia, Kentucky, Louisiana, MIssissippi and Tennessee, the reled Combos for all states. In GA, KY, LA, MS and TN these noted Combos in all other states, the nonrecurring charges sha VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) introduced combos in all other states, the nonrecurring charges sha VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) introduced combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled Louisiana extended local dialing parity port with Caller ID - res 2-Wire voice unbundled Louisiana Area Plus with Caller ID - res (RUL) 2-Wire voice unbundles res, low usage line port with Caller ID (LUM) RES All Features Offered NUMBER PORTABILITY Local Number Portability (1 per port) CURRING CHARGES (NRCs) - CURRENTLY COMBINED 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is	recurring onrecur all be the	1 2 3 1 1 2	JEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO UEPAS UEPAG UEPAG UEPAF UEPAF UEPAF UEPAF UEPAF UEPAF UEPAF UEPAF UEPAF UEPAF UEPAF UEPAF UEPAF	13.13 23.75 49.62 11.77 22.39 48.26 1.36 1.36 1.36 1.36	38.85 38.85 38.85 38.85 0.00	19.08 19.08 19.08 19.08 19.08 19.08 0.00				15.20 15.20 15.20 15.20 15.20 15.20				
For Gec Combin Combin 2-WIRE UNE PO UNE LO 2-Wire \	orgia, Kentucky, Louisiana, MIssissippi and Tennessee, the reled Combos for all states. In GA, KY, LA, MS and TN these noted Combos in all other states, the nonrecurring charges sha VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) rivILoop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 op Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled Louisiana extended local dialing parity port with Caller ID - res 2-Wire voice unbundled Louisiana Area Plus with Caller ID - res (RUL) 2-Wire voice unbundled sees, low usage line port with Caller ID (LUM) RES All Features Offered NUMBER PORTABILITY Local Number Portability (1 per port) CURRING CHARGES (NRCs) - CURRENTLY COMBINED 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change	recurring onrecur all be the	1 2 3 1 1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRO UEPAG UEPAG UEPAG UEPAF	13.13 23.75 49.62 11.77 22.39 48.26 1.36 1.36 1.36 1.36	38.85 38.85 38.85 38.85 38.85	19.08 19.08 19.08 19.08 19.08 19.08				15.20 15.20 15.20 15.20 15.20				
For Gec Combin Combin 2-WIRE UNE PO UNE LO 2-Wire \ 1	orgia, Kentucky, Louisiana, MIssissippi and Tennessee, the reled Combos for all states. In GA, KY, LA, MS and TN these noted Combos in all other states, the nonrecurring charges sha VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) riv/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 op Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire voice Grade Loop (SL1) - Zone 3 voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice Grade Loop (SL1) - Zone 3 voice Grade Line Port Rates (Res) 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled Louisiana extended local dialing parity port with Caller ID - res 2-Wire voice unbundled Louisiana Area Plus with Caller ID - res (RUL) 2-Wire voice unbundled Louisiana Area Plus with Caller ID (LUM) RES All Features Offered NUMBER PORTABILITY Local Number Portability (1 per port) CURRING CHARGES (NRCs) - CURRENTLY COMBINED 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch -as-is 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch -as-is	recurring onrecur all be the	1 2 3 1 1 2	JEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO UEPAS UEPAG UEPAG UEPAF UEPAF UEPAF UEPAF UEPAF UEPAF UEPAF UEPAF UEPAF UEPAF UEPAF UEPAF UEPAF	13.13 23.75 49.62 11.77 22.39 48.26 1.36 1.36 1.36 1.36	38.85 38.85 38.85 38.85 0.00	19.08 19.08 19.08 19.08 19.08 19.08 0.00				15.20 15.20 15.20 15.20 15.20 15.20				
FOR GEC COMBIN C	orgia, Kentucky, Louisiana, MIssissippi and Tennessee, the reled Combos for all states. In GA, KY, LA, MS and TN these noted Combos in all other states, the nonrecurring charges sha VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) rivILoop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 op Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled Louisiana extended local dialing parity port with Caller ID - res 2-Wire voice unbundled Louisiana Area Plus with Caller ID - res (RUL) 2-Wire voice unbundled sees, low usage line port with Caller ID (LUM) RES All Features Offered NUMBER PORTABILITY Local Number Portability (1 per port) CURRING CHARGES (NRCs) - CURRENTLY COMBINED 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change	recurring onrecur all be the	1 2 3 1 1 2	JEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO UEPAS UEPAG UEPAG UEPAF UEPAF UEPAF UEPAF UEPAF UEPAF UEPAF UEPAF UEPAF UEPAF UEPAF UEPAF UEPAF	13.13 23.75 49.62 11.77 22.39 48.26 1.36 1.36 1.36 1.36	38.85 38.85 38.85 38.85 0.00	19.08 19.08 19.08 19.08 19.08 19.08 0.00				15.20 15.20 15.20 15.20 15.20 15.20				
For Gec Combin 2-WIRE UNE PO UNE LO 2-Wire \ 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	orgia, Kentucky, Louisiana, MIssissippi and Tennessee, the reled Combos for all states. In GA, KY, LA, MS and TN these noted Combos in all other states, the nonrecurring charges sha VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) int/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 op Rates 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled Louisiana extended local dialing parity port with Caller ID - res 2-Wire voice unbundled Louisiana Area Plus with Caller ID - res (RUL) 2-Wire voice unbundles res, low usage line port with Caller ID (LUM) RES All Features Offered NUMBER PORTABILITY Local Number Portability (1 per port) CURRING CHARGES (NRCs) - CURRENTLY COMBINED 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change DNAL NRCs 2-Wire Voice Grade Loop / Line Port Combination - Subsequent	recurring onrecur all be the	1 2 3 1 1 2	UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRO UEPRO UEPAS UEPAG UEPAG UEPAG UEPAC	0st based rates rently Combine 13.13 23.75 49.62 11.77 22.39 48.26 1.36 1.36 1.36 1.36 0.00 0.35	38.85 38.85 38.85 38.85 0.00	19.08 19.08 19.08 19.08 19.08 0.00				15.20 15.20 15.20 15.20 15.20 15.20				
FOR GEC COMBIN C	orgia, Kentucky, Louisiana, MIssissippi and Tennessee, the reled Combos for all states. In GA, KY, LA, MS and TN these noted Combos in all other states, the nonrecurring charges shat voice Grade Loop WITH 2-WIRE LINE PORT (RES) int/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 op Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port vith Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled Louisiana extended local dialing parity port with Caller ID - res 2-Wire voice unbundled Louisiana Area Plus with Caller ID - res (RUL) 2-Wire voice unbundled Louisiana Area Plus with Caller ID - res (RUL) 2-Wire voice unbundles res, low usage line port with Caller ID (LUM) RES All Features Offered NUMBER PORTABILITY Local Number Portability (1 per port) CURRING CHARGES (NRCs) - CURRENTLY COMBINED 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change DNAL NRCs 2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity	recurring onrecur all be the	1 2 3 1 1 2	UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRO UEPRO UEPAS UEPAG UEPAG UEPAG UEPAC	0st based rates rently Combine 13.13 23.75 49.62 11.77 22.39 48.26 1.36 1.36 1.36 1.36 0.00 0.35	38.85 38.85 38.85 38.85 0.00	19.08 19.08 19.08 19.08 19.08 0.00				15.20 15.20 15.20 15.20 15.20 15.20				
FOR GEC COMBIN C	orgia, Kentucky, Louisiana, MIssissippi and Tennessee, the reled Combos for all states. In GA, KY, LA, MS and TN these noted Combos in all other states, the nonrecurring charges sha VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) rivit/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 op Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port outgoing only - res 2-Wire voice Grade Loop (SL1) - Zone 3 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled Louisiana extended local dialing parity port with Caller ID - res 2-Wire voice unbundled Louisiana Area Plus with Caller ID - res 2-Wire voice unbundled Louisiana Area Plus with Caller ID - res (RUL) 2-Wire voice unbundles res, low usage line port with Caller ID (LUM) RES All Features Offered NUMBER PORTABILITY Local Number Portability (1 per port) CURRING CHARGES (NRCs) - CURRENTLY COMBINED 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch -as-is 2-Wire Voice Grade Loop / Line Port Combination - Subsequent Activity VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)	recurring onrecur all be the	1 2 3 1 1 2	UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRO UEPRO UEPAS UEPAG UEPAG UEPAG UEPAC	0st based rates rently Combine 13.13 23.75 49.62 11.77 22.39 48.26 1.36 1.36 1.36 1.36 0.00 0.35	38.85 38.85 38.85 38.85 0.00	19.08 19.08 19.08 19.08 19.08 0.00				15.20 15.20 15.20 15.20 15.20 15.20				

4Q01:12/01/01 PAGE 164 OF 324

JNBUNDLE	D NETWORK ELEMENTS - Louisiana												Attachment:	2		Exhibit:
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Order vs.	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrec		Nonrecurring E					ATES (\$)		
	0.W/V/0.L/DL-0		_			40.00	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UNITI	2-Wire VG Loop/Port Combo - Zone 3		3			49.62										ļ
UNE LO	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPBX	UEPLX	11.77										-
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPBX	UEPLX	22.39										
	2-Wire Voice Grade Loop (SL1) - Zone 2			UEPBX	UEPLX	48.26										
2-Wire	Voice Grade Line Port (Bus)		Ŭ	02. 27.	02. 2.	10.20										1
	2-Wire voice unbundled port without Caller ID - bus			UEPBX	UEPBL	1.36	38.85	19.08				15.20				
	2-Wire voice unbundled port with Caller + E484 ID - bus			UEPBX	UEPBC	1.36	38.85	19.08				15.20				
	2-Wire voice unbundled port outgoing only - bus			UEPBX	UEPBO	1.36	38.85	19.08				15.20				
	2-Wire voice Grade unbundled Louisiana extended local dialing															
	parity port with Caller ID - bus			UEPBX	UEPAX	1.36	38.85	19.08				15.20			<u> </u>	
	2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPBX	UPEB1	1.36	38.85	19.08				15.20				
	2-Wire voice unbundled Louisiana Bus Area Calling Port with		1						1			1				
	Caller ID (BUC)			UEPBX	UEPAA	1.36	38.85	19.08				15.20				<u> </u>
LOCAL	NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPBX	LNPCX	0.35										
FEATU				LIEDDY	UEPVF	0.00	0.00	0.00				45.00				
NONDE	All Features Offered CURRING CHARGES (NRCs) - CURRENTLY COMBINED			UEPBX	UEPVF	0.00	0.00	0.00				15.20				
NONKE	2-Wire Voice Grade Loop / Line Port Combination - Conversion -				-											-
	Switch-as-is			UEPBX	USAC2		0.10	0.10				15.20				
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -															1
	Switch with change			UEPBX	USACC		0.10	0.10								
ADDITI	ONAL NRCs															
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity			UEPBX	USAS2								31.92	7.32		
	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)															
UNE Po	ort/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Zone 1		1			13.13										
	2-Wire VG Loop/Port Combo - Zone 2		2			23.75										ļ
	2-Wire VG Loop/Port Combo - Zone 3		3		_	49.62										
UNE LO	pop Rates		_	LIEBBO	LIEDLY	44.77										
-	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPRG UEPRG	UEPLX UEPLX	11.77 22.39										
_	2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPRG	UEPLX	48.26										
2-Wire	Voice Grade Line Port Rates (RES - PBX)	-	٦	OLFING	OLFLA	40.20			 			1			1	
2-44116	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port -				+				 							
	Res		1	UEPRG	UEPRD	1.36	66.91	31.29				15.20				
LOCAL	NUMBER PORTABILITY				1	00	55.01	3.720								
	Local Number Portability (1 per port)			UEPRG	LNPCP	3.15	0.00	0.00							1	
FEATU	RES														<u> </u>	
	All Features Offered			UEPRG	UEPVF	0.00	0.00	0.00				15.20				
NONRE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED							•								
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -							·								
	Conversion - Switch-As-Is			UEPRG	USAC2		7.68	1.85				15.20				
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -		1									1				
455/-	Conversion - Switch with Change		<u> </u>	UEPRG	USACC		7.68	1.85	 				31.92	7.32	1	
ADDITI	ONAL NRCs 2-Wire Voice Grade Loop/ Line Port Combination (PBX) -	1			+				 							
	Subsequent Activity		1	UEPRG	USAS2	0.00	0.00	0.00				1	31.92	7.32		
+	PBX Subsequent Activity - Change/Rearrange Multiline Hunt			OLI NO	JUNUZ	0.00	0.00	0.00	 				31.32	1.32	1	
	Group		l				7.11	7.11					19.99	19.99	19.99	19.9
2-WIRF	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)				+	-	7.11	7.11	 				13.33	13.33	15.55	19.5
	ort/Loop Combination Rates				1											
J ,	2-Wire VG Loop/Port Combo - Zone 1		1		1	13.13										
	2-Wire VG Loop/Port Combo - Zone 2		2			23.75										
	2-Wire VG Loop/Port Combo - Zone 3		3			49.62										
	pop Rates															

UNBUNDLE	D NETWORK ELEMENTS - Louisiana												Attachment:	2		Exhibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Submitted	Incremental Charge - Manual Svc	Incremental Charge -	Charge -	Incremental Charge -
						Rec	Nonred	curring	Nonrecurring	Disconnect				RATES (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPPX	UEPLX	11.77										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPPX	UEPLX	22.39										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPPX	UEPLX	48.26										
2-Wire	Voice Grade Line Port Rates (BUS - PBX)															
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPPX	UEPPC	1.36	66.91	31.29				15.20				
	Line Side Unbundled Outward PBX Trunk Port - Bus			UEPPX	UEPPO	1.36	66.91	31.29				15.20				
	Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPPX	UEPP1	1.36	66.91	31.29				15.20				
	2-Wire Voice Unbundled 2-Way Combination PBX Louisiana			02.17	02		00.01	01.20				10.20		İ		İ
	Calling Port			UEPPX	UEPL2	1.36	66.91	31.29				15.20				
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	1.36	66.91	31.29				15.20				
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	1.36	66.91	31.29				15.20				
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	1.36	66.91	31.29				15.20		ļ		ļ
\vdash	2-Wire Voice Unbundled PBX LD DDD Terminals Port	1	\vdash	UEPPX	UEPXC	1.36	66.91	31.29			1	15.20		ļ		
-	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	1.36	66.91	31.29				15.20				
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPPX	UEPXE	1.36	00.04	31.29				45.00				
	2-Wire Voice Unbundled 2-Way PBX Louisiana Local Optional			UEPPX	UEPXE	1.36	66.91	31.29				15.20		-		-
	Calling Port			UEPPX	UEPXK	1.36	66.91	31.29				15.20				
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			OLITA	OLI AIX	1.50	00.31	31.23				13.20				
	Administrative Calling Port			UEPPX	UEPXL	1.36	66.91	31.29				15.20				
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
	Room Calling Port			UEPPX	UEPXM	1.36	66.91	31.29				15.20				
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital															
	Discount Room Calling Port			UEPPX	UEPXO	1.36	66.91	31.29				15.20				
	2-Wire Voice Unbundled 1-Way Outgoing PBX Louisiana Local															
	Discount Calling Port			UEPPX	UEPXP	1.36	66.91	31.29				15.20				
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	1.36	66.91	31.29				15.20	31.92	7.32		
LOCAL	. NUMBER PORTABILITY Local Number Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00						-		
FEATU				UEPFA	LINFCF	3.15	0.00	0.00						-		-
	All Features Offered			UEPPX	UEPVF	0.00	0.00	0.00				15.20				
	CURRING CHARGES (NRCs) - CURRENTLY COMBINED			OLI I X	OLI VI	0.00	0.00	0.00				10.20				
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
	Conversion - Switch-As-Is			UEPPX	USAC2		7.68	1.85				15.20				
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
<u> </u>	Conversion - Switch with Change			UEPPX	USACC		7.68	1.85			ļ		31.92	7.32		1
ADDITI	ONAL NRCs	1	\vdash		1						<u> </u>					
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -			UEPPX	USAS2	0.00	0.00	0.00					31.92	7.32		
	Subsequent Activity PBX Subsequent Activity - Change/Rearrange Multiline Hunt	1	1	UEPPA	USAS2	0.00	0.00	0.00	 		 	-	31.92	1.32		-
	Group						7.11	7.11					19.99	19.99	19.99	19.99
2-WIRF	EVOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POI	RT	\vdash			1	7.11	7.11			1		10.05	13.35	13.33	13.35
	ort/Loop Combination Rates	Ī												1		1
	2-Wire VG Coin Port/Loop Combo – Zone 1		1			13.13										
	2-Wire VG Coin Port/Loop Combo – Zone 2		2			23.75										
	2-Wire VG Coin Port/Loop Combo – Zone 3		3			49.62										
UNE Lo	pop Rates	1	اـــا	LIEBOO							1			ļ		
\vdash	2-Wire Voice Grade Loop (SL1) - Zone 1	1	1	UEPCO	UEPLX	11.77					<u> </u>			-		-
\vdash	2-Wire Voice Grade Loop (SL1) - Zone 2	1	3	UEPCO UEPCO	UEPLX	22.39 48.26					1	1	-	 	 	
2-14/:	2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Ports (COIN)	1	3	ULFCU	UEPLA	48.20					1	-	-			
Z-vvire	2-Wire Coin 2-Way without Operator Screening and without	1	\vdash		+						1	1		t		t
	Blocking (AL, KY, LA, MS)			UEPCO	UEPRF	1.36	38.85	19.08				15.20				
	2-Wire Coin 2-Way with Operator Screening and Blocking: 011,	1					55.56					.0.20		1		
	900/976, 1+DDD (AL, KY, LA, MS)			UEPCO	UEPRA	1.36	38.85	19.08				15.20		1		1
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking												_			
	(AL, LA, MS)			UEPCO	UEPRB	1.36	38.85	19.08				15.20		1		1

UNBUNDLE	D NETWORK ELEMENTS - Louisiana											,	Attachment:	2		Exhibit: I
CATEGORY	RATE ELEMENTS	Interi m	Zone	вся	s	USOC			RATES(\$)			Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment: Charge - Manual Sv Order vs. Electronic Disc Add
							Rec	Nonrec		Nonrecurring Disconnect	201150			RATES (\$)		
	2-Wire Coin 2-Way with Operator Screening & Blocking:							First	Add'l	First Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	900/976, 1+DDD, 011+, & Local (AL, KY, LA, MS)			UEPCO		UEPCD	1.36	38.85	19.08			15.20				İ
	2-Wire Coin Outward without Blocking and without Operator			OLI CO		OLI OD	1.00	00.00	10.00			10.20				
	Screening (KY, LA, MS)			UEPCO		UEPRN	1.36	38.85	19.08			15.20				
	2-Wire Coin Outward with Operator Screening and 011 Blocking (LA)			UEPCO		UEPLA	1.36	38.85	19.08			15.20				
	2-Wire Coin Outward with Operator Screening and Blocking: 011, 900/976, 1+DDD (AL, KY, LA, MS)			UEPCO		UEPRH	1.36	38.85	19.08			15.20				
	2-Wire Coin Outward Operator Screening & Blocking: 900/976,															
	1+DDD, 011+, and Local (AL, KY, LA, MS)			UEPCO		UEPCN	1.36	38.85	19.08			15.20				
	2-Wire Coin 2-Way Smartline with 900/976 (Louisiana only)			UEPCO		UEPNA	1.36	38.85	19.08			15.20				
455:-	2-Wire Coin Outward Smartline with 900/976 (Louisiana only)		ļ	UEPCO		UEPCB	1.36	38.85	19.08		<u> </u>	15.20				
ADDII	IONAL UNE COIN PORT/LOOP (RC) UNE Coin Port/Loop Combo Usage (Flat Rate)		1	UEPCO		URECU	1.81	0.00	0.00		+					
LOCAL	NUMBER PORTABILITY			UEPCO		URECU	1.81	0.00	0.00		-					
LOCAL	Local Number Portability (1 per port)			UEPCO		LNPCX	0.35				+					
FEATU				02. 00		2.1. 07.	0.00									
	ECURRING CHARGES - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is			UEPCO		USAC2		0.10	0.10			15.20				
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change			UEPCO		USACC		0.10	0.10				31.92	7.32		
ADDIT	IONAL NRCs							9119	****				9			
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent															
	Activity			UEPCO		USAS2		0.00	0.00				31.92	7.32		
	PORT/LOOP COMBINATIONS - COST BASED RATES															
	VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	PORT														
UNE P	ort/Loop Combination Rates		<u> </u>													
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1		1				23.20									
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3		3				33.62 58.73				-					
UNF I	pop Rates		3			1	30.73				+					
OIL E	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1		1	UEPPX		UECD1	14.93					15.20				
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2		2	UEPPX		UECD1	25.35					15.20				
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3		3	UEPPX		UECD1	50.46					15.20				
UNE P	ort Rate															
	Exchange Ports - 2-Wire DID Port			UEPPX		UEPD1	8.27	217.95	83.92			15.20				
NONR	CURRING CHARGES - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination - Switch-as-is			UEPPX		USAC1		7.10	1.81			15.20				
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion			OLFFX		USACT		7.10	1.01	+		13.20				
	with BellSouth Allowable Changes			UEPPX		USA1C		7.10	1.81			15.20				
ADDIT	IONAL NRCs			02.17		00/110		70			1	10.20				
	2-Wire DID Subsequent Activity - Add Trunks, Per Trunk			UEPPX		USAS1		26.01	26.01			15.20				
Teleph	one Number/Trunk Group Establisment Charges															
	DID Trunk Termination (One Per Port)			UEPPX		NDT	0.00	0.00	0.00			15.20				
	Additional DID Numbers for each Group of 20 DID Numbers		<u> </u>	UEPPX		ND4	0.00	0.00	0.00		1	15.20				
	DID Numbers, Non- consecutive DID Numbers , Per Number		-	UEPPX		ND5	0.00	0.00	0.00			15.20				
	Reserve Non-Consecutive DID numbers Reserve DID Numbers	1	-	UEPPX		ND6 NDV	0.00	0.00	0.00		1	15.20 15.20				
LOCAL	NUMBER PORTABILITY	-	1	UEPPA		אטאו	0.00	0.00	0.00			15.20				
LOCAL	Local Number Portability (1 per port)	1	 	UEPPX		LNPCP	3.15	0.00	0.00		1					
2-WIRI	EISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LII	NE SIDE	PORT			17 01	5.15	3.00	0.00							
	ort/Loop Combination Rates							İ								
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 1		1	UEPPB	UEPPR		27.48									
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 2		2	UEPPB	UEPPR		40.34									

UNBUNDLE	D NETWORK ELEMENTS - Louisiana											1		Attachment:	2		Exhibit:
CATEGORY	RATE ELEMENTS	Interi m	Zone	E	BCS	usoc			RATES(\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Charge -
							Rec	Nonrec	urring	Nonrecurring	g Disconnect			oss i	RATES (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -																
	UNE Zone 3		3	UEPPB	UEPPR		70.99										
UNE Lo	pop Rates					1101 01	10.00						1= 00				
	2-Wire ISDN Digital Grade Loop - UNE Zone 1		1	UEPPB	UEPPR	USL2X	19.09						15.20				
	2-Wire ISDN Digital Grade Loop - UNE Zone 2		2	UEPPB	UEPPR	USL2X	31.95						15.20				
	2-Wire ISDN Digital Grade Loop - UNE Zone 3		3	UEPPB	UEPPR		62.60					1	15.20				
LINE D	ort Rate		3	OLFFB	ULFFR	USLZX	02.00					1	13.20				
	Exchange Port - 2-Wire ISDN Line Side Port	1		LIFPPR	UEPPR	UEPPB	8.39	184.10	128.42				15.20				-
	CURRING CHARGES - CURRENTLY COMBINED			02	OL:	022	0.00	.00	120.12				.0.20				1
	2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port	†				1										İ	
	Combination - Conversion	1		UEPPB	UEPPR	USACB	0.00	37.40	26.23				15.20			1	1
ADDIT	ONAL NRCs							-				Ì					
	NUMBER PORTABILITY																
	Local Number Portability (1 per port)	<u> </u>		UEPPB	UEPPR	LNPCX	0.35	0.00	0.00								
B-CHA	NNEL USER PROFILE ACCESS:																
	CVS/CSD (DMS/5ESS)			UEPPB	UEPPR	U1UCA	0.00	0.00	0.00								
	CVS (EWSD)			UEPPB	UEPPR	U1UCB	0.00	0.00	0.00								
	CSD			UEPPB	UEPPR	U1UCC	0.00	0.00	0.00								
B-CHA	NNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS S	C,MS, 8	TN)														
	CVS/CSD (DMS/5ESS)			UEPPB	UEPPR	U1UCD	0.00	0.00	0.00								
	CVS (EWSD)			UEPPB	UEPPR		0.00	0.00	0.00								
	CSD			UEPPB	UEPPR	U1UCF	0.00	0.00	0.00								
USER	TERMINAL PROFILE			EBBB	LIEBBB		2.22										
VEDTI	User Terminal Profile (EWSD only)		<u> </u>	UEPPB	UEPPR	U1UMA	0.00	0.00	0.00								
	CAL FEATURES			LIEDDD	LIEDDD	LIED\/E	0.00	0.00	0.00			1	45.00				
	All Vertical Features - One per Channel B User Profile OFFICE CHANNEL MILEAGE			UEPPB	UEPPR	UEPVF	0.00	0.00	0.00				15.20				
INTER	Interoffice Channel mileage each, including first mile and																
	facilities termination			LIEDDD	UEPPR	M1GNC	22.613	39.36	26.62				15.20				
	Interoffice Channel mileage each, additional mile				UEPPR	M1GNM	0.013	0.00	0.00			1	15.20				
4-WIDE	E DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK	(PORT	1	OLITO	OLITIK	IVITOIVIVI	0.013	0.00	0.00			1	13.20				
	ort/Loop Combination Rates	I															-
O.V.E. I.	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE					+											
	Zone 1		1	UEPPP			180.52										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE	1	Ė			1	.00.02									1	1
	Zone 2	1	2	UEPPP		1	289.78									1	1
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE																
	Zone 3	1	3	UEPPP		1	586.76									1	1
UNE Lo	pop Rates	<u> </u>															
	4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPPP		USL4P	85.70						15.20				
	4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPPP		USL4P	194.96						15.20				
	4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPPP		USL4P	491.94						15.20				
	ort Rate																
	Exchange Ports - 4-Wire ISDN DS1 Port			UEPPP		UEPPP	94.82	443.08	251.60				15.20				
NONRE	CURRING CHARGES - CURRENTLY COMBINED	ļ	<u> </u>			1											<u> </u>
	4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port	1		l==												1	1
455:-	Combination - Conversion -Switch-as-is	!	<u> </u>	UEPPP		USACP	0.00	115.63	76.29				15.20		1		
ADDIT	ONAL NRCs	!	<u> </u>	 		1						}			1	1	
	4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy-	1		UEPPP		PR7TF		0.40					15.20			1	1
	Inward/two way tel nos within Std Allowance	 	 	UEPPP		FK/IF		0.48					15.20				
1	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - Outward Tel Numbers (All States except NC)	1	1	UEPPP		PR7TO		11.18	11.18				15.20			l	
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port -	 	-	UEPPP		FK/IU		11.18	11.18	-			15.20		-	-	
	Subsequent Inward Tel Nos Above Std Allowance	1	1	UEPPP		PR7ZT		22.35	22.35				15.20				
LOCAL	. NUMBER PORTABILITY	 		JLIFF		111/21		22.33	22.35			1	10.20		1	1	
LOCAL	Local Number Portability (1 per port)	 		UEPPP		LNPCN	1.75					 				 	
	FACE (Provsioning Only)		1	OLI FF		EINI OIN	1.73			1		1	1		1	1	

JNBUNDLE	D NETWORK ELEMENTS - Louisiana											Attachment:	2		Exhibit:
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Submitted Manually		Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrec		Nonrecurring Disconnec			OSS F	RATES (\$)		
							First	Add'l	First Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Voice/Data			UEPPP	PR71V	0.00	0.00	0.00							
	Digital Data			UEPPP	PR71D	0.00	0.00	0.00							
N1	Inward Data			UEPPP	PR71E	0.00	0.00	0.00							
New or	Additional "B" Channel New or Additional - Voice/Data B Channel		<u> </u>	UEPPP	PR7BV	0.00	14.11			_	15.20				
	New or Additional - Digital Data B Channel			UEPPP	PR7BF	0.00	14.11		+		15.20				
+	New or Additional Inward Data B Channel			UEPPP	PR7BD	0.00	14.11				15.20				
-	New or Additional Useage Sensitive Voice Data B Channel			UEPPP	PR7BS	0.00	14.11				15.20				
	New or Additional Useage Sensitive Voice Data B Channel			UEPPP	PR7BU	0.00	14.11		+		15.20				
CALL		1			1.720	5.00				+	.5.20				
	Inward			UEPPP	PR7C1	0.00	0.00	0.00							
	Outward			UEPPP	PR7C0	0.00	0.00	0.00							
	Two-way			UEPPP	PR7CC	0.00	0.00	0.00							
Interof	fice Channel Mileage														
	Fixed Each Including First Mile			UEPPP	1LN1A	70.7532	86.69	79.44			15.20				
	Each Airline-Fractional Additional Mile			UEPPP	1LN1B	0.2652									
4-WIRE	DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT														
UNE P	ort/Loop Combination Rates														
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1			UEPDC		154.17					15.20				
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2			UEPDC		263.43					15.20				
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3		3	UEPDC		560.41					15.20				
UNE L	pop Rates														
	4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPDC	USLDC	85.70					15.20				
	4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPDC	USLDC	194.96					15.20				
	4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPDC	USLDC	491.94					15.20				
UNE P	ort Rate														
	4-Wire DDITS Digital Trunk Port		<u> </u>	UEPDC	UDD1T	68.47	441.34	245.90			15.20				
NONRI	CURRING CHARGES - CURRENTLY COMBINED														
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Switch-as-is			UEPDC	USAC4		125.75	65.08			15.20				
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination														
	- Conversion with DS1 Changes			UEPDC	USAWA		125.75	65.08			15.20				
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination								1						
	- Conversion with Change - Trunk			UEPDC	USAWB		125.75	65.08			15.20				
ADDIT	ONAL NRCs														
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC -														
	Subsequent Channel Activation/Chan - 2-Way Trunk			UEPDC	UDTTA		14.06	14.06			15.20				
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent														
	Channel Activation/Chan - 1-Way Outward Trunk			UEPDC	UDTTB		14.06	14.06			15.20				
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel							<u> </u>							
	Activation/Chan Inward Trunk w/out DID			UEPDC	UDTTC		14.06	14.06			15.20				
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan	1													
	Activation Per Chan - Inward Trunk with DID	ļ		UEPDC	UDTTD		14.06	14.06			15.20				
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan	l													
	Activation / Chan - 2-Way DID w User Trans			UEPDC	UDTTE		14.06	14.06		_	15.20				
BIPOL	AR 8 ZERO SUBSTITUTION	ļ	ļ		22225		0.55				4=				
	B8ZS -Superframe Format	 	<u> </u>	UEPDC	CCOSF		0.00	605.00		-	15.20				ļ
Altar	B8ZS - Extended Superframe Format	 	-	UEPDC	CCOEF		0.00	605.00		+	15.20				1
Aiterna	ate Mark Inversion AMI -Superframe Format	 	-	UEPDC	MCOSE		0.00	0.00		+	1				1
		 	-	UEPDC UEPDC	MCOSF MCOPO					+	1				1
Talact	AMI - Extended SuperFrame Format	-	-	UEPUC	IVICOPO		0.00	0.00		_					
reieph	one Number/Trunk Group Establisment Charges	-	-	UEPDC	UDTGX	0.00				_	15.20				
	Telephone Number for 2-Way Trunk Group Telephone Number for 1-Way Outward Trunk Group	1		UEPDC	UDTGX	0.00				+	15.20				1
	Telephone Number for 1-Way Juward Trunk Group Telephone Number for 1-Way Inward Trunk Group Without DID	 	 	UEPDC	UDTGZ	0.00				_	15.20				
	DID Numbers for each Group of 20 DID Numbers	!	 	UEPDC	ND4	0.00				+	15.20				-
1	DID Numbers, Non- consecutive DID Numbers , Per Number		 	UEPDC	ND5	0.00			 	-	15.20				

NRONDER	ED NETWORK ELEMENTS - Louisiana				ı	1					1		Attachment:	2		Exhibit:
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge Manual S Order vs Electroni Disc Add
						Rec	Nonrec	urring	Nonrecurring	Disconnect				RATES (\$)		
							First	Add'l	First	Add'l	SOMEC		SOMAN	SOMAN	SOMAN	SOMAN
	Reserve DID Numbers		<u> </u>	UEPDC	NDV	0.00	0.00	0.00				15.20				
Dedica	ated DS1 (Interoffice Channel Mileage) - FX/FC0 for 4-Wire DS1	l Digital	Loop	with 4-Wire DDITS T	runk Port											
	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities Termination)			UEPDC	1LNO1	70.47	86.69	79.44				15.20				
	Terrimation)			OLI DO	ILIVOI	70.47	00.03	73.44				13.20				
	Interoffice Channel Mileage - Additional rate per mile - 0-8 miles			UEPDC	1LNOA	0.2652	0.00	0.00								
	Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities					ĺ										
	Termination)			UEPDC	1LNO2	0.00	0.00	0.00								
	Interoffice Channel Mileage - Additional rate per mile - 9-25															
	miles			UEPDC	1LNOB	0.2652	0.00	0.00								
	Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities Termination)			UEPDC	1LNO3	0.00	0.00	0.00	0.00							
	Termination)			UEPDC	ILINO3	0.00	0.00	0.00	0.00							
	Interoffice Channel Mileage - Additional rate per mile - 25+ miles			UEPDC	1LNOC	0.2652	0.00	0.00								
	Local Number Portability, per DS0 Activated			UEPDC	LNPCP	3.15	0.00	0.00	0.00						Ì	
	Central Office Termininating Point			UEPDC	CTG	0.00										
	E DS1 LOOP WITH CHANNELIZATION WITH PORT															
	m is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Act															
	System can have up to 24 combinations of rates depending on	type ar	nd num	ber of ports used												
UNE L	OS1 Loop		4	UEPMG	USLDC	85.70	0.00	0.00				15.20				
_	4-Wire DS1 Loop - UNE Zone 1 4-Wire DS1 Loop - UNE Zone 2		2	UEPMG	USLDC	194.96	0.00	0.00				15.20				
	4-Wire DS1 Loop - UNE Zone 3			UEPMG	USLDC	491.94	0.00	0.00				15.20				
UNE D	OSO Channelization Capacities (D4 Channel Bank Configuration	ns)	Ŭ	02. mo	00220	101101	0.00	0.00				10.20				
_	24 DSO Channel Capacity - 1 per DS1	,		UEPMG	VUM24	97.35	0.00	0.00				15.20				
	48 DSO Channel Capacity - 1 per 2 DS1s			UEPMG	VUM48	194.70	0.00	0.00				15.20				
	96 DSO Channel Capacity -1per 4 DS1s			UEPMG	VUM96	389.40	0.00	0.00				15.20				
	144 DS0 Channel Capacity - 1 per 6 DS1s			UEPMG	VUM14	584.10	0.00	0.00				15.20				
	192 DS0 Channel Capacity -1 per 8 DS1s 240 DS0 Channel Capacity - 1 per 10 DS1s			UEPMG UEPMG	VUM19 VUM20	778.80 973.50	0.00	0.00				15.20 15.20				
	288 DS0 Channel Capacity - 1 per 10 DS1s			UEPMG	VUM28	1,168.20	0.00	0.00				15.20				
	384 DS0 Channel Capacity - 1 per 16 DS1s			UEPMG	VUM38	1,557.60	0.00	0.00				15.20				
	480 DS0 Channel Capacity - 1 per 20 DS1s			UEPMG	VUM40	1,947.00	0.00	0.00				15.20				
	576 DS0 Channel Capacity -1 per 24 DS1s			UEPMG	VUM57	2,336.40	0.00	0.00				15.20				
-	672 DS0 Channel Capacity - 1 per 28 DS1s			UEPMG	VUM67	2,725.80	0.00	0.00				15.20				
	ecurring Charges (NRC) Associated with 4-Wire DS1 Loop with						stem									
	imum System configuration is One (1) DS1, One (1) D4 Channe															
Multip	oles of this configuration functioning as one are considered Ac	d'l afte	r the m	inimum system con	figuration is	counted.					<u> </u>					
	NRC - Conversion (Currently Combined) with or without BellSouth Allowed Changes			UEPMG	USAC4	0.00	146.13	0.10				15 20				
System	m Additions at End User Locations Where 4-Wire DS1 Loop with	th Chan	nelizat					8.12				15.20				
	Not Currently Combined) In GA, KY, LA, MS & TN Only	Onan	. IGIIZAI	IOI. WILLI I OIL COILD	auon oune	LATER AND LATER AND					 					
1,017 (1	1 DS1/D4 Channel Bank - Add NRC for each Port and Assoc														1	
	Fea Activation - New GA, LA, KY, MS, &TN Only			UEPMG	VUMD4	0.00	715.54	467.54				15.20				
Bipola	ar 8 Zero Substitution															
	Clear Channel Capability Format, superframe - Subsequent															
	Activity Only			UEPMG	CCOSF	0.00	0.00	605.00				15.20				
	Clear Channel Capability Format - Extended Superframe -			LIEDMC	CCOFF	0.00	0.00	605.00				45.00				
Altern	Subsequent Activity Only ate Mark Inversion (AMI)			UEPMG	CCOEF	0.00	0.00	605.00	-			15.20		-		
Aitem	Superframe Format	1		UEPMG	MCOSF	0.00	0.00	0.00			1				1	<u> </u>
	Extended Superframe Format			UEPMG	MCOPO	0.00	0.00	0.00	1		1				1	1
Excha	nge Ports Associated with 4-Wire DS1 Loop with Channelization	on with	Port												<u> </u>	
	nge Ports															<u> </u>
															_	
	Line Side Combination Channelized PBX Trunk Port - Business			UEPPX	UEPCX	1.52	0.00	0.00	0.00	0.00		15.20				
	Line Side Outward Channelized PBX Trunk Port - Business			UEPPX	UEPOX	1.52	0.00	0.00	0.00	0.00		15.20				

UNBUNDLE	D NETWORK ELEMENTS - Louisiana												Attachment:	2		Exhibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonred	urrina	Nonrecurring	Disconnect			000	RATES (\$)		ŀ
					1	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN		SOMAN	SOMAN
								7144		7144			•			
	Line Side Inward Only Channelized PBX Trunk Port without DID			UEPPX	UEP1X	1.52	0.00	0.00	0.00	0.00		15.20				[
	2-Wire Trunk Side Unbundled Channelized DID Trunk Port			UEPPX	UEPDM	8.29	0.00	0.00	0.00	0.00		15.20				
Feature	e Activations - Unbundled Loop Concentration															
	Feature (Service) Activation for each Line Side Port Terminated in D4 Bank			UEPPX	1PQWM	0.6497	25.36	13.40				15.20				
	Feature (Service) Activation for each Trunk Side Port Terminated in D4 Bank			UEPPX	1PQWU	0.6497	78.05	18.40				15.20				1
Telenh	one Number/ Group Establishment Charges for DID Service			UEPPX	IPQWU	0.6497	78.05	18.40				15.20				$\vdash \vdash \vdash$
	DID Trunk Termination (1 per Port)			UEPPX	NDT	0.00	0.00	0.00				15.20				\vdash
	DID Numbers - groups of 20 - Valid all States			UEPPX	ND4	0.00	0.00	0.00				15.20				
	Non-Consecutive DID Numbers - per number			UEPPX	ND5	0.00	0.00	0.00				15.20				
	Reserve Non-Consecutive DID Numbers			UEPPX	ND6	0.00	0.00	0.00				15.20				
	Reserve DID Numbers			UEPPX	NDV	0.00	0.00	0.00				15.20				
	Number Portability			LIEBBY	111000	0.15										<u> </u>
	Local Number Portability - 1 per port			UEPPX	LNPCP	3.15	0.00	0.00								\longleftarrow
	RES - Vertical and Optional Switching Features Offered with Line Side Ports Only															
Local S	All Features Available			UEPPX	UEPVF	0.00	0.00	0.00				15.20				
UNBUNDLED	PORT LOOP COMBINATIONS - MARKET RATES			OLITA	OLI VI	0.00	0.00	0.00				10.20				
	Rates shall apply where BellSouth is not required to provide	unbund	dled lo	cal switching or swi	tch ports per	FCC and/or St	ate Commissio	on rules.								
These	scenarios include:				1											
	oundled port/loop combinations that are Not Currently Combin															
	oundled port/loop combinations that are Currently Combined											ļ				 '
	p 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderda uth currently is developing the billing capability to mechanica														ana DallCaush	
	Rates, BellSouth shall bill the rates in the Cost-Based section									not currently c	onibineu ii	I AL, FL, NC	and SC. III t	ne mterm wi	ere bensoun	Cannot bin
	arket Rate for unbundled ports includes all available features			lieu of the warket K	ates and res	erves the right	to true-up trie	billing differen	ice.					1		
	fice and Tandem Switching Usage and Common Transport Us			ne Port section of th	is rate exhibi	it shall apply to	all combination	ons of loon/no	rt network elen	nents except	or UNF Coi	n Port/Loon	Combination	ns which have	a flat rate	
	charge (USOC: URECU).	Jugo .u.			io rato oximo	o upp.y	- u.i oo	опо стасрира			0. 0.12 00.	0.4200			a nat rate	1 '
	t Currently Combined scenarios where Market Rates apply, th	e Nonre	curring	g charges are listed	in the First a	nd Additional I	NRC columns	for each Port U	ISOC. For Curi	rently Combin	ed scenario	s, the Nonre	ecurring char	ges are listed	in the NRC -	Currently
	ned section. Additional NRCs may apply also and are categor	rized ac	cordin	gly.												
	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)															
UNE Po	ort/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Zone 1		1			25.77										
\vdash	2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3	1	3		 	36.39 62.26								-		
LINE I	pop Rates		3			02.20								1		
ONL E	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPRX	UEPLX	11.77										†
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPRX	UEPLX	22.39								Ì		
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPRX	UEPLX	48.26										
2-Wire	Voice Grade Line Port (Res)							•		•						
	2-Wire voice unbundled port - residence			UEPRX	UEPRL	14.00	90.00	90.00					31.92	7.32		
	2-Wire voice unbundled port with Caller ID - res			UEPRX	UEPRC	14.00	90.00	90.00					31.92	7.32		
\vdash	2-Wire voice unbundled port outgoing only - res 2-Wire voice Grade unbundled Louisiana extended local dialing		1	UEPRX	UEPRO	14.00	90.00	90.00					31.92	7.32		
	parity port with Caller ID - res			UEPRX	UEPAS	14.00	90.00	90.00					31.92	7.32		
	2-Wire voice unbundled Louisiana Area Plus with Caller ID - res (RUL)			UEPRX	UEPAG	14.00	90.00	90.00					31.92	7.32		
	2-Wire voice unbundled Louisiana Area Plus with Caller ID - res (AC7)			UEPRX	UEPAH	14.00	90.00	90.00					31.92	7.32		
	2-Wire voice unbundles res, low usage line port with Caller ID (LUM)			UEPRX	UEPAP	14.00	90.00	90.00					31.92	7.32		
LOCAL	NUMBER PORTABILITY							•		•						
	Local Number Portability (1 per port)		<u> </u>	UEPRX	LNPCX	0.35					ļ					↓
FEATU			<u> </u>	UEPRX	UEPVF	0.00	0.00	0.00			-					
\square	All Features Offered	1	1	ULPRA	UEFVF	0.00	0.00	0.00	l		·	ı		<u> </u>		

4Q01:12/01/01 PAGE 171 OF 324

NBUNDLE	D NETWORK ELEMENTS - Louisiana											Attachment:	2		Exhibit:
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC	1		RATES(\$)	_		Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Charge
						Rec	Nonrec First	urring Add'l	Nonrecurring Disconnec		SOMAN	OSS I	RATES (\$)	SOMAN	SOMAN
							Filat	Auu i	Filst Auu I	JOINEC	JOWAN	JOWAN	JOWAN	SOWAN	JOWAN
	2-Wire Voice Grade Loop / Line Port Combination - Switch-as-is			UEPRX	USAC2		41.50	41.50				31.92	7.32		
	2-Wire Voice Grade Loop / Line Port Combination - Switch with														
	change			UEPRX	USACC		41.50	41.50							
ADDITI	ONAL NRCs														ļ
	NRC - 2-Wire Voice Grade Loop/Line Port Combination - Subsequent			UEPRX	USAS2		0.00	0.00				31.92	7.32		
2-WIDE	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)			UEPKX	USASZ		0.00	0.00				31.92	1.32		
UNE PO	ort/Loop Combination Rates														
	2-Wire VG Loop/Port Combo - Zone 1		1			25.77									
	2-Wire VG Loop/Port Combo - Zone 2		2			36.39				1					
	2-Wire VG Loop/Port Combo - Zone 3		3			62.26									
	pop Rates														
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPBX	UEPLX	11.77									
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPBX	UEPLX	22.39									
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPBX	UEPLX	48.26									
	Voice Grade Line Port (Bus) 2-Wire voice unbundled port without Caller ID - bus			UEPBX	UEPBL	14.00	90.00	90.00				31.92	7.32		<u> </u>
	2-Wire voice unbundled port with Caller + E484 ID - bus			UEPBX	UEPBC	14.00	90.00	90.00				31.92	7.32		1
	2-Wire voice unbundled port with Callet + E-404 ib - bus 2-Wire voice unbundled port outgoing only - bus			UEPBX	UEPBO	14.00	90.00	90.00				31.92	7.32		
	2-Wire voice Grade unbundled Louisiana extended local dialing														
	parity port with Caller ID - bus			UEPBX	UEPAX	14.00	90.00	90.00				31.92	7.32		
	2-Wire voice unbundled Louisiana Bus Area Calling Port with														
	Caller ID (BUC)			UEPBX	UEPAA	14.00						31.92	7.32		
	NUMBER PORTABILITY														
	Local Number Portability (1 per port)			UEPBX	LNPCX	0.35									
FEATU	RES ECURRING CHARGES - CURRENTLY COMBINED														
NONRE	CURRING CHARGES - CURRENTLY COMBINED				-										<u> </u>
	2-Wire Voice Grade Loop / Line Port Combination - Switch-as-is			UEPBX	USAC2		41.50	41.50				31.92	7.32		
-	2-Wire Voice Grade Loop / Line Port Combination - Switch with			OLI DX	00/102		41.00	41.00				01.02	7.02		1
	change			UEPBX	USACC		41.50	41.50							
ADDITI	ONAL NRCs														
	NRC - 2-Wire Voice Grade Loop/Line Port Combination -														
	Subsequent			UEPBX	USAS2		0.00	0.00				31.92	7.32		
	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)		<u> </u>												!
UNE Po	ort/Loop Combination Rates		<u> </u>		+	05.77				-	1	-	-	1	
	2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2	1	1 2		+	25.77 36.39				-	1				
	2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3		3	-	+	62.26			 	+	-	1	-	-	}
	pop Rates	1	-		+	02.20				+	1			1	
	2-Wire Voice Grade Loop (SL1) - Zone 1	1	1	UEPRG	UEPLX	11.77				1		1		1	1
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPRG	UEPLX	22.39				1					
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPRG	UEPLX	48.26			İ						
2-Wire	Voice Grade Line Port Rates (RES - PBX)														
	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port - Res			UEPRG	UEPRD	14.00	90.00	90.00				31.92	7.32		
LOCAL	. NUMBER PORTABILITY		1	ULFRU	UEPRU	14.00	90.00	90.00		+		31.92	1.32	1	
	Local Number Portability (1 per port)		1	UEPRG	LNPCP	3.15				-					1
FEATU		1	†			5.15				1		1		1	1
	CURRING CHARGES - CURRENTLY COMBINED		<u> </u>							1					
	2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is			UEPRG	USAC2		41.50	41.50				31.92	7.32		<u> </u>
	2-Wire Voice Grade Loop/ Line Port Combination - Switch with	1		l		\neg									1
4 D.C.=:	Change		<u> </u>	UEPRG	USACC		41.50	41.50							ļ
ADDITI	ONAL NRCs 2 Wire Loop/Line Side Port Combination - Non feature -		}		+					-	ļ			 	1

NBUNDLE	D NETWORK ELEMENTS - Louisiana											Attachment:	2		Exhibit:
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge
						Rec	Nonrec		Nonrecurring Disconnect				RATES (\$)		
_	PBX Subsequent Activity - Change/Rearrange Multiline Hunt				-		First	Add'l	First Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Group						14.64	14.64				19.99	19.99	19.99	19.
2-WIDE	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)				1		14.04	14.04	-	1		19.99	19.99	19.99	19.
	ort/Loop Combination Rates				+				<u> </u>	1					
0.12.	2-Wire VG Loop/Port Combo - Zone 1		1			25.77									
	2-Wire VG Loop/Port Combo - Zone 2		2		1	36.39									†
	2-Wire VG Loop/Port Combo - Zone 3		3			62.26									
UNE L	pop Rates														
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPPX	UEPLX	11.77									
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPPX	UEPLX	22.39									
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPPX	UEPLX	48.26									
2-Wire	Voice Grade Line Port Rates (BUS - PBX)														
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPPX	UEPPC	14.00	90.00	90.00				31.92	7.32		
	Line Side Unbundled Outward PBX Trunk Port - Bus			UEPPX	UEPPO	14.00	90.00	90.00				31.92	7.32		
	Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPPX	UEPP1	14.00	90.00	90.00				31.92	7.32		
	2-Wire Voice Unbundled 2-Way Combination PBX Louisiana														
	Calling Port			UEPPX	UEPL2	14.00						31.92	7.32		
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	14.00	90.00	90.00				31.92	7.32		ļ
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	14.00	90.00	90.00				31.92	7.32		
_	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	14.00	90.00	90.00				31.92	7.32		-
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC UEPXD	14.00 14.00	90.00	90.00				31.92	7.32		
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port 2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD			UEPPX	UEPAD	14.00	90.00	90.00		-		31.92	7.32		
	Capable Port			UEPPX	UEPXE	14.00	90.00	90.00				31.92	7.32		
+	2-Wire Voice Unbundled 2-Way PBX Louisiana Local Optional			ULFFX	OLFAL	14.00	90.00	90.00	-	1	1	31.92	1.32		
	Calling Port			UEPPX	UEPXK	14.00	90.00	90.00				31.92	7.32		
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			OLI I X	OLI XIX	14.00	30.00	30.00				31.32	7.52		
	Administrative Calling Port			UEPPX	UEPXL	14.00	90.00	90.00				31.92	7.32		
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			02 X	02.7.2	1	00.00	00.00		1		01.02			
	Room Calling Port			UEPPX	UEPXM	14.00	90.00	90.00				31.92	7.32		
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital											7			1
	Discount Room Calling Port			UEPPX	UEPXO	14.00	90.00	90.00				31.92	7.32		
	2-Wire Voice Unbundled 1-Way Outgoing PBX Louisiana Local														
	Discount Calling Port			UEPPX	UEPXP	14.00	90.00	90.00				31.92	7.32		
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	14.00	90.00	90.00				31.92	7.32		
LOCAL	NUMBER PORTABILITY														
	Local Number Portability (1 per port)			UEPPX	LNPCP	3.15									
FEATU															
NONR	CURRING CHARGES - CURRENTLY COMBINED														
	2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is			UEPPX	USAC2		41.50	41.50				31.92	7.32		<u> </u>
	2-Wire Voice Grade Loop/ Line Port Combination - Switch with						44.50								
ADDIT	Change			UEPPX	USACC		41.50	41.50							ļ
ADDIT	ONAL NRCs				+				-	-	1				
	2 Wire Voice Grade Lean/Line Bort Combination Subsequent		1	UEPPX	USAS2		0.00	0.00				31.92	7.32	1	1
+	2-Wire Voice Grade Loop/ Line Port Combination - Subsequent 2 Wire Loop/Line Side Port Combination - Non feature -	-	 	ULFFA	USASZ	+	0.00	0.00		1	}	31.92	1.32	1	
	Subsequent Activity- Nonrecurring		1				0.00	0.00						1	1
+	PBX Subsequent Activity - Change/Rearrange Multiline Hunt		!		+	+	0.00	0.00	 	+	1	 		1	
1	Group						14.64	14.64				19.99	19.99	19.99	19
2-WIRE	VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POR	RT	1		+	+	14.04	17.04				10.00	10.99	10.00	
	ort/Loop Combination Rates	Ì	 		1										
	2-Wire VG Coin Port/Loop Combo – Zone 1		1		1	25.77				1				İ	†
1	2-Wire VG Coin Port/Loop Combo – Zone 2		2		1	36.39				1				1	<u> </u>
1	2-Wire VG Coin Port/Loop Combo – Zone 3		3			62.26						İ			
UNE L	pop Rates					ĺ									
-	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPCO	UEPLX	11.77									

UNBUNDLE	D NETWORK ELEMENTS - Louisiana											Attachment:	2		Exhibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)	_		Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Order vs. Electronic-
						Rec	Nonred First	urring Add'l	Nonrecurring Disconnect First Add'I	SOMEC	SOMAN	OSS F	RATES (\$)	SOMAN	SOMAN
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPCO	UEPLX	22.39	11130	Auu i	Tilat Addi	JOINLO	JOHAN	JOWAN	JONIAN	JOHIAN	JONAN
	2-Wire Voice Grade Loop (SL1) - Zone 3			UEPCO	UEPLX	48.26									1
2-Wire	Voice Grade Line Port Rates (Coin)														
	2-Wire Coin 2-Way without Operator Screening and without														
	Blocking (AL, KY, LA, MS)			UEPCO	UEPRF	14.00	90.00	90.00				31.92	7.32		ļ
	2-Wire Coin 2-Way with Operator Screening and Blocking: 011,			LIEBCO	LIEDDA	44.00	00.00	00.00				24.00	7.00		
	900/976, 1+DDD (AL, KY, LA, MS, SC) 2-Wire Coin 2-Way with Operator Screening and 011 Blocking			UEPCO	UEPRA	14.00	90.00	90.00				31.92	7.32		
	(AL, LA, MS)			UEPCO	UEPRB	14.00	90.00	90.00				31.92	7.32		
-	2-Wire Coin 2-Way with Operator Screening & Blocking:			OLI OO	OLI IND	14.00	50.00	50.00				01.02	7.02		†
	900/976, 1+DDD, 011+, & Local (AL, KY, LA, MS)			UEPCO	UEPCD	14.00	90.00	90.00				31.92	7.32		
	2-Wire Coin Outward without Blocking and without Operator														
	Screening (KY, LA, MS)			UEPCO	UEPRN	14.00	90.00	90.00				31.92	7.32		
	2-Wire Coin Outward with Operator Screening and 011 Blocking												= 00		
	(LA) 2-Wire Coin Outward with Operator Screening and Blocking:			UEPCO	UEPLA	14.00	90.00	90.00				31.92	7.32		-
	011, 900/976, 1+DDD (AL, KY, LA, MS)			UEPCO	UEPRH	14.00	90.00	90.00				31.92	7.32		
	2-Wire Coin Outward Operator Screening & Blocking: 900/976,			ULFCO	OLFKII	14.00	90.00	90.00				31.52	1.32		
	1+DDD, 011+, & Local (AL, KY, LA, MS)			UEPCO	UEPCN	14.00	90.00	90.00				31.92	7.32		
LOCAL	NUMBER PORTABILITY														1
	Local Number Portability (1 per port)			UEPCO	LNPCX	0.35									
NONR	CURRING CHARGES - CURRENTLY COMBINED														
							44.50						= 00		
	2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is 2-Wire Voice Grade Loop/ Line Port Combination - Switch with			UEPCO	USAC2	-	41.50	41.50				31.92	7.32		-
	Change			UEPCO	USACC		41.50	41.50							
ADDIT	ONAL NRCs			OLI OO	00/100		41.00	41.00							†
															1
	2-Wire Voice Grade Loop/ Line Port Combination - Subsequent			UEPCO	USAS2		0.00	0.00				31.92	7.32		
	CENTREX PORT/LOOP COMBINATIONS														
	NDLED PORT/LOOP COMBINATIONS - COST BASED RATES	<u> </u>													
	CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Combo														<u> </u>
	ort/Loop Combination Rates (Non-Design)														+
O.L.	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -														†
	Non-Design		1	UEP91		13.13									
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -														
	Non-Design		2	UEP91	1	23.75									ļ
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		_	LIEDO4		40.00							1		
LINE D	Non-Design ort/Loop Combination Rates (Design)	-	3	UEP91	1	49.62							-		
UNE P	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	l			+					1	1		1		+
	Design		1	UEP91		16.29							1		
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		<u> </u>	- " -	1										1
	Design		2	UEP91		26.71									<u> </u>
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -														
	Design		3	UEP91		48.26									
UNE L	pop Rate 2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP91	UECS1	11.77				1					
-	2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP91	UECS1	22.39				1	1		1		+
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP91	UECS1	48.26				1			1		†
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP91	UECS2	14.93									1
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP91	UECS2	25.35									
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP91	UECS2	50.46									ļ
UNE P		<u> </u>													
All Sta	tes (Except North Carolina and Sout Carolina) 2-Wire Voice Grade Port (Centrex) Basic Local Area	-		UEP91	UEPYA	1.36	38.85	19.08			15.20		-		<u> </u>
	2-wire voice Grade Port (Centrex) Basic Local Afea	l		UEF91	UEPTA	1.36	38.85	19.08		L	15.20		l		

NBUNDLE	D NETWORK ELEMENTS - Louisiana		1							1		Attachment:		 	Exhibit:
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge
						Rec	Nonrec		Nonrecurring Disconnect				RATES (\$)		
							First	Add'l	First Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local														
	Area			UEP91	UEPYB	1.36	28.85	18.08			15.20				
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area			UEP91	UEPYH	1.36	38.85	19.08			15.20				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire			UEF91	UEPTH	1.30	30.03	19.06		1	15.20				
	Center)2 Basic Local Area			UEP91	UEPYM	1.36	104.41	67.93			15.20				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			02. 0.	02			01.00			10.20				
	Term - Basic Local Area			UEP91	UEPYZ	1.36	104.41	67.93			15.20				
	2-Wire Voice Grade Port terminated in on Megalink or equivalent														
	- Basic Local Area			UEP91	UEPY9	1.36	38.85	19.08			15.20				
	2-Wire Voice Grade Port Terminated on 800 Service Term -														
	Basic Local Area			UEP91	UEPY2	1.36	28.85	19.08			15.20				
AL, KY	, LA, MS, & TN Only			115504		4.00					15.00				
	2-Wire Voice Grade Port (Centrex)			UEP91 UEP91	UEPQA	1.36	38.85	19.08			15.20				
	2-Wire Voice Grade Port (Centrex 800 termination) 2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP91	UEPQB UEPQH	1.36 1.36	38.85 38.85	19.08 19.08		1	15.20 15.20				1
	2-Wire Voice Grade Port (Centrex with Caller ID)1 2-Wire Voice Grade Port (Centrex from diff Serving Wire			UEF91	UEFQH	1.30	30.03	19.06			15.20				
	Center)2			UEP91	UEPQM	1.36	104.41	67.93			15.20				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			OLF91	ULFQIVI	1.30	104.41	07.93			13.20				
	Term			UEP91	UEPQZ	13.60	104.41	67.93			15.20				
				02. 0.	02. Q2	10.00		01.00			10.20				
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP91	UEPQ9	1.36	38.85	19.08			15.20				
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP91	UEPQ2	1.36	38.85	19.08			15.20				
Local S	Switching														
	Centrex Intercom Funtionality, per port			UEP91	URECS	0.8577									
Local I	Number Portability														
	Local Number Portability (1 per port)			UEP91	LNPCC	0.35									
Feature					UEPVF										<u> </u>
-	All Standard Features Offered, per port			UEP91 UEP91		0.00	410.05			1	15.20				1
	All Select Features Offered, per port All Centrex Control Features Offered, per port			UEP91	UEPVS UEPVC	0.00	412.25				15.20				<u> </u>
NARS	All Certifiex Control Features Offered, per port			OLF91	OLFVC	0.00				1					1
IVAINO	Unbundled Network Access Register - Combination			UEP91	UARCX	0.00	0.00	0.00							1
	Unbundled Network Access Register - Indial			UEP91	UAR1X	0.00	0.00	0.00		1					
	Unbundled Network Access Register - Outdial			UEP91	UAROX	0.00	0.00	0.00							
Miscel	laneous Terminations														
2-Wire	Trunk Side														
	Trunk Side Terminations, each			UEP91	CENA6	8.29	115.85	18.20			15.20				
Interof	fice Channel Mileage - 2-Wire			LIEBA	1,000		20.55				45.5			ļ	ļ
_	Interoffice Channel Facilities Termination - Voice Grade		<u> </u>	UEP91	MIGBC MIGBM	22.60	39.36	26.62		<u> </u>	15.20			 	1
Easter	Interoffice Channel mileage, per mile or fraction of mile e Activations (DS0) Centrex Loops on Channelized DS1 Service			UEP91	MIGRIM	0.13				 				-	├──
	e Activations (DS0) Centrex Loops on Channelized DS1 Service	,e	1		+	+				 				1	1
D4 Cha	Feature Activation on D-4 Channel Bank Centrex Loop Slot	1	 	UEP91	1PQWS	0.6497				<u> </u>	15.20			 	1
	- catalon on b 4 onamor bank control book			02. 01		0.0487					10.20				1
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot		1	UEP91	1PQW6	0.6497					15.20			1	1
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop													1	
	Slot			UEP91	1PQW7	0.6497					15.20				
	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center			UEP91	1PQWP	0.6497					15.20				
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP91	1PQWV	0.6497					15.20				
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop														
	Slot			UEP91	1PQWQ	0.6497					15.20			ļ	ļ
N	Feature Activation on D-4 Channel Bank WATS Loop Slot		<u> </u>	UEP91	1PQWA	0.6497				ļ	15.20				ļ
Non-Re	curring Charges (NRC) Associated with UNE-P Centrex Conversion - Currently Combined Switch-As-Is with allowed	1	 							<u> </u>				 	├
1	changes, per port			UEP91	USAC2		0.10	0.10			15.20				

NBUNDLE	D NETWORK ELEMENTS - Louisiana												Attachment:	2		Exhibit:
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR		Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Charge - Manual Sy Order vs.
						Rec	Nonrecu		Nonrecurring Dis				oss i	RATES (\$)		
				LIEDA		2.22	First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Conversion of Existing Centrex Common Block			UEP91	USACN	0.00	36.66	16.10				4= 00				
	New Centrex Standard Common Block			UEP91	M1ACS	0.00	680.40					15.20				
	New Centrex Customized Common Block			UEP91	M1ACC	0.00	680.40					15.20				-
	Secondary Block, per Block			UEP91	M2CC1	0.00	79.31					15.20				
LINE D	NAR Establishment Charge, Per Occasion CENTREX - 5ESS (Valid in All States)			UEP91	URECA	0.00	73.93					15.20				
	VG Loop/2-Wire Voice Grade Port (Centrex) Combo				-											
	ort/Loop Combination Rates (Non-Design)															+
ONLF	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -				+											
	Non-Design		1	UEP95		13.13										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		-	OLI 30	+ +	13.13	+		 						1	\vdash
	Non-Design		2	UEP95		23.75	1									
+	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			OLI 30	+ +	23.13	+									
	Non-Design		3	UEP95		49.62	1									
UNE Pa	ort/Loop Combination Rates (Design)		_		+ +	70.02	+		 						1	
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
	Design		1	UEP95		16.29										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design		2	UEP95		26.71										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -					-										
	Design		3	UEP95		51.82										
UNE Lo	pop Rate															
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP95	UECS1	11.77						15.20				
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP95	UECS1	22.39						15.20				1
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP95	UECS1	48.26										
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP95	UECS2	14.93										1
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP95	UECS2	25.35	102.10	65.72				15.20				
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP95	UECS2	50.46	102.10	65.72				15.20				
UNE Po	ort Rate															1
All Stat	tes															Ī
	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP95	UEPYA	1.36	38.85	19.08				15.20				
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPYB	1.36	38.85	19.08				15.20				
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local															
	Area			UEP95	UEPYH	1.36	38.85	19.08				15.20				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire			l	I					T						
	Center)2 Basic Local Area			UEP95	UEPYM	1.36	104.41	67.93				15.20				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service				1		1									
	Term - Basic Local Area			UEP95	UEPYZ	1.36	104.41	67.93				15.20				<u> </u>
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			LIEDOE	LIEDVO	4.00	00.6-	40.00				45.00				
	- Basic Local Area			UEP95	UEPY9	1.36	38.85	19.08				15.20				4
	2-Wire Voice Grade Port Terminated on 800 Service Term -			LIEDOE	LIEDVO	4.00	00.05	40.00				45.00				
A1 1/3/	Basic Local Area			UEP95	UEPY2	1.36	38.85	19.08				15.20				
AL, KY	, LA, MS, SC, & TN Only			UEP95	UEPQA	13.60	38.85	19.08				15.20				
	2-Wire Voice Grade Port (Centrex)															
	2-Wire Voice Grade Port (Centrex 800 termination) 2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP95 UEP95	UEPQB UEPQH	1.36 1.36	38.85 38.85	19.08 19.08				15.20 15.20				-
				UEP95	UEPQH	1.30	38.85	19.08				15.20				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2			UEP95	UEPQM	1.36	104.41	67.93				15.20				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			UEF93	UEPQIVI	1.30	104.41	07.93	-			15.20				
	Term			UEP95	UEPQZ	1.36	104.41	67.93				15.20				
+	Tom			OLF 30	ULFUL	1.30	104.41	67.93	 	-		15.20			1	
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP95	UEPQ9	1.36	38.85	19.08				15.20				
+	2-Wire Voice Grade Port terminated in on Megalink or equivalent 2-Wire Voice Grade Port Terminated on 800 Service Term			UEP95 UEP95	UEPQ9	1.36	38.85	19.08				15.20			1	
Local S	Switching			OLF 30	ULFQZ	1.30	30.03	19.08	 			15.20			1	
Local S	Centrex Intercom Funtionality, per port			UEP95	URECS	0.8577	+		 	-		15.20			1	
	Number Portability			OLI 30	UNLUG	0.0377	+			+		13.20				
			1	1	1									i i	ı	<u> </u>
	Local Number Portability (1 per port)			UEP95	LNPCC	0.35										

NBUNDLE	D NETWORK ELEMENTS - Louisiana												Attachment:	2	ļ	Exhibit:
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc	ı		RATES(\$)	I		1	Svc Order Submitted Manually per LSR		Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Charge
						Rec	Nonrec			g Disconnect			oss i	RATES (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	All Standard Features Offered, per port			UEP95	UEPVF	0.00						15.20				
	All Select Features Offered, per port			UEP95	UEPVS	0.00	412.25					15.20				
	All Centrex Control Features Offered, per port			UEP95	UEPVC	0.00						15.20				
NARS	Unbundled Network Access Register - Combination			UEP95	UARCX	0.00	0.00	0.00								
	Unbundled Network Access Register - Combination Unbundled Network Access Register - Indial			UEP95 UEP95	UARCX UAR1X	0.00	0.00	0.00								
-	Unbundled Network Access Register - Outdial			UEP95	UAROX	0.00	0.00	0.00								-
Miscell	aneous Terminations			ULF 93	UAROX	0.00	0.00	0.00		1	1					-
	Trunk Side															
	Trunk Side Terminations, each			UEP95	CEND6	8.29	115.85	18.20				15.20				<u> </u>
4-Wire	Digital (1.544 Megabits)															
	DS1 Circuit Terminations, each			UEP95	M1HD1	68.47	196.18	92.92	4.90			15.20				
	DS0 Channels Activated, each			UEP95	M1HDO	0.00	14.06					15.20				
Interoff	ice Channel Mileage - 2-Wire															
	Interoffice Channel Facilities Termination			UEP95	MIGBC	22.60	39.36	26.62				15.20				
	Interoffice Channel mileage, per mile or fraction of mile			UEP95	MIGBM	0.013										
	Activations (DS0) Centrex Loops on Channelized DS1 Service	e														
D4 Cha	nnel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	1PQWS	0.6497						15.20				
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP95	1PQW6	0.6497						15.20				
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP95	1PQW7	0.6497						15.20				
	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center			UEP95	1PQWP	0.6497						15.20				
	Feature Activation on D-4 Channel Bank Private Line Loop Slot Feature Activation on D-4 Channel Bank Tije Line/Trunk Loop			UEP95	1PQWV	0.6497						15.20				
	Slot Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP95	1PQWQ	0.6497						15.20				
Non Be	ecurring Charges (NRC) Associated with UNE-P Centrex			UEP95	1PQWA	0.06497				-		15.20				
NOII-RE	NRC Conversion Currently Combined Switch-As-Is with allowed									-	1	-				-
	changes, per port			UEP95	USAC2		0.10	0.10				15.20				
	Conversion of Existing Centrex Common Block, each			UEP95	USACN		36.66	16.10				13.20				
	New Centrex Standard Common Block			UEP95	M1ACS	0.00	680.40	10.10				15.20				
	New Centrex Customized Common Block			UEP95	M1ACC	0.00	680.40					15.20				
	NAR Establishment Charge, Per Occasion			UEP95	URECA	0.00	73.93					15.20				1
UNE-P	CENTREX - DMS100 (Valid in All States)															
	VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
UNE Po	ort/Loop Combination Rates (Non-Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design		1	UEP9D		13.13										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		2	UEP9D		23.75										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		3	UEP9D		49.62										
UNE Po	ort/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo															
	Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		1	UEP9D		16.29										
	Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		2	UEP9D		26.71						ļ				
likie i	Design		3	UEP9D		51.82				ļ		ļ				
UNE Lo	pop Rate	 	4	LIEDOD	LIECC4	44 77				.						├
-	2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2	 		UEP9D UEP9D	UECS1 UECS1	11.77 22.39			ļ	 	 	-	-	-	 	
	2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3	├	3	UEP9D UEP9D	UECS1	48.26				 	1				-	
	2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 1	1		UEP9D	UECS1	14.93			-	-	 	!	-	-	-	+

UNBUNDLE	D NETWORK ELEMENTS - Louisiana				-							Attachment:	2		Exhibit:
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc	1	,	RATES(\$)			Submitted Manually		Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Increment Charge - Manual Sv Order vs. Electronic Disc Add
						Rec	Nonrec		Nonrecurring Disconne			ossi	RATES (\$)		
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP9D	UECS2	25.35	First	Add'l	First Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3			UEP9D	UECS2	50.46						1			
UNE Po	ort Rate					331.13									
ALL ST															
	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP9D	UEPYA	1.36	38.85	19.08			15.20				
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area			UEP9D	UEPYB	1.36	38.85	19.08			15.20				
	2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local			OLI OD	OLI ID	1.00	00.00	10.00			10.20				
	Area			UEP9D	UEPYC	1.36	38.85	19.08			15.20				
	2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local			LIEDOD	LIEDVD	4.00	20.25	40.00			45.00				
	Area 2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local			UEP9D	UEPYD	1.36	38.85	19.08			15.20	 			
	Area			UEP9D	UEPYE	1.36	38.85	19.08			15.20				
	2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local														
	Area			UEP9D	UEPYF	1.36	38.85	19.08			15.20				
	2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local				l										
	Area 2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local			UEP9D	UEPYG	1.36	38.85	19.08			15.20	1			
	Area			UEP9D	UEPYT	1.36	38.85	19.08			15.20				
	2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local			02. 03	02	1.00	00.00	10.00			10.20				
	Area			UEP9D	UEPYU	1.36	38.85	19.08			15.20				
	2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local														
	Area			UEP9D	UEPYV	1.36	38.85	19.08			15.20				
	2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local Area			UEP9D	UEPY3	1.36	38.85	19.08			15.20				
	2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local		-	OLF 9D	OLF 13	1.30	30.03	19.00			13.20				
	Area			UEP9D	UEPYH	1.36	38.85	19.08			15.20				
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp														
	Indication))3 Basic Local Area			UEP9D	UEPYW	1.36	38.85	19.08			15.20				
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))3 Basic Local Area			UEP9D	UEPYJ	1.36	38.85	19.08			15.20				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)			DEP9D	UEFTJ	1.30	30.03	19.06			15.20	1			
	2 Basic Local Area			UEP9D	UEPYM	1.36	104.41	67.93			15.20				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3														
	Basic Local Area			UEP9D	UEPYO	1.36	104.41	67.93			15.20				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3			LIEDOD	UEPYP	4.00	404.44	07.00			45.00				
	Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3			UEP9D	UEPYP	1.36	104.41	67.93			15.20	1			
	Basic Local Area			UEP9D	UEPYQ	1.36	104.41	67.93			15.20				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3														
	Basic Local Area			UEP9D	UEPYR	1.36	104.41	67.93			15.20				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3														
	Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3			UEP9D	UEPYS	1.36	104.41	67.93			15.20	1			
	Basic Local Area			UEP9D	UEPY4	1.36	104.41	67.93			15.20				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3			02. 03	02			07.00			10.20				
	Basic Local Area			UEP9D	UEPY5	1.36	104.41	67.93			15.20				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3														
	Basic Local Area	ļ	1	UEP9D	UEPY6	1.36	104.41	67.93			15.20				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3 Basic Local Area			UEP9D	UEPY7	1.36	104.41	67.93			15.20	1			
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service		-	OLI 3D	OLF 17	1.30	104.41	07.93		+	13.20	 			
	Term			UEP9D	UEPYZ	1.36	104.41	67.93			15.20	1			
	2-Wire Voice Grade Port terminated in on Megalink or equivalent														
	Basic Local Area	ļ		UEP9D	UEPY9	1.36	38.85	19.08			15.20				
	2-Wire Voice Grade Port Terminated on 800 Service Term Basic			LIEDOD	LIEDYO	4.00	00.0=	10.00			45.00	1			
	Local Area , LA, MS, SC, & TN Only		1	UEP9D	UEPY2	1.36	38.85	19.08			15.20	 			

JNBUNDLE	D NETWORK ELEMENTS - Louisiana											Attachment:	2		Exhibit: E
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Manually per LSR	Order vs.	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrec		Nonrecurring Disconnect				RATES (\$)		
	OMfort Valve Over to Book (Overton)			LIEDAD	LIEDO A	4.00	First	Add'l	First Add'l	SOMEC		SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex)			UEP9D UEP9D	UEPQA UEPQB	1.36 1.36	38.85 38.85	19.08 19.08			15.20 15.20				
	2-Wire Voice Grade Port (Centrex 800 termination) 2-Wire Voice Grade Port (Centrex / EBS-PSET)3			UEP9D	UEPQB	1.36	38.85	19.08			15.20				
	2-Wire Voice Grade Port (Centrex / EBS-M5009)3			UEP9D	UEPQD	1.36	38.85	19.08			15.20				1
	2-Wire Voice Grade Port (Centrex / EBS-M5209)3			UEP9D	UEPQE	1.36	38.85	19.08			15.20				
	2-Wire Voice Grade Port (Centrex / EBS-M5112)3			UEP9D	UEPQF	1.36	38.85	19.08			15.20				
	2-Wire Voice Grade Port (Centrex / EBS-M5312)3			UEP9D	UEPQG	1.36	38.85	19.08			15.20				ļ
	2-Wire Voice Grade Port (Centrex / EBS-M5008)3 2-Wire Voice Grade Port (Centrex / EBS-M5208)3			UEP9D UEP9D	UEPQT UEPQU	1.36 1.36	38.85 38.85	19.08 19.08			15.20 15.20				
	2-Wire Voice Grade Port (Centrex / EBS-M5206)3			UEP9D	UEPQV	1.36	38.85	19.08			15.20				
	2-Wire Voice Grade Port (Centrex / EBS-M5316)3			UEP9D	UEPQ3	1.36	38.85	19.08			15.20				1
	2-Wire Voice Grade Port (Centrex with Caller ID)			UEP9D	UEPQH	1.36	38.85	19.08			15.20				
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp														
	Indication)3			UEP9D	UEPQW	1.36	38.85	19.08			15.20				ļ
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)3 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)			UEP9D	UEPQJ	1.36	38.85	19.08			15.20				1
	22-Wile Voice Grade Port (Centrex from dill Serving Wile Center)			UEP9D	UEPQM	1.36	104.41	67.93			15.20				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3			UEP9D	UEPQO	1.36	104.41	67.93			15.20				
	,,,														
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3			UEP9D	UEPQP	1.36	104.41	67.93			15.20				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3			UEP9D	UEPQQ	1.36	104.41	67.93			15.20				.
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3			UEP9D	UEPQR	1.36	104.41	67.93			15.20				
	2-Wile Voice Glade Fort (Centrevallier SWC /LB3-W5112)2, 3			OLF3D	OLFQK	1.30	104.41	07.93			13.20				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3			UEP9D	UEPQS	1.36	104.41	67.93			15.20				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3			UEP9D	UEPQ4	1.36	104.41	67.93			15.20				ļ
	O Miss Vaiss Crade Dark (Contract/differ CMC /FDC MECCO)			LIEDOD	LIEDOS	4.00	404.44	67.00			45.00				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3			UEP9D	UEPQ5	1.36	104.41	67.93			15.20				1
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3			UEP9D	UEPQ6	1.36	104.41	67.93			15.20				
	,,,,						-								
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3			UEP9D	UEPQ7	1.36	104.41	67.93			15.20				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service														
	Term			UEP9D	UEPQZ	1.36	104.41	67.93			15.20				
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9D	UEPQ9	1.36	38.85	19.08			15.20				
	2-Wire Voice Grade Port Terminated in 60 Wegamik of equivalent			UEP9D	UEPQ2	1.36	38.85	19.08			15.20				
Local S	Switching														
	Centrex Intercom Funtionality, per port			UEP9D	URECS	0.8577									
Local	Number Portability		ļ	LIEDAD	LNDOO	0.05					1				
Feature	Local Number Portability (1 per port)		-	UEP9D	LNPCC	0.35				-	1				
reatur	All Standard Features Offered, per port		-	UEP9D	UEPVF	0.00					15.20				
	All Select Features Offered, per port	1		UEP9D	UEPVS	0.00	412.25			1	15.20	1			†
	All Centrex Control Features Offered, per port			UEP9D	UEPVC	0.00					15.20				
NARS				•			-								
	Unbundled Network Access Register - Combination			UEP9D	UARCX	0.00	0.00	0.00			1				<u> </u>
	Unbundled Network Access Register - Inward			UEP9D	UAR1X	0.00	0.00	0.00		<u> </u>					
Miscal	Unbundled Network Access Register - Outdial laneous Terminations		-	UEP9D	UAROX	0.00	0.00	0.00				-			
	Trunk Side					+				 	 				+
2	Trunk Side Terminations, each			UEP9D	CEND6	8.29	115.85	18.20			15.20				†
4-Wire	Digital (1.544 Megabits)														
	DS1 Circuit Terminations, each			UEP9D	M1HD1	68.47	196.18	98.62			15.20				
	DS0 Channels Activiated per Channel fice Channel Mileage - 2-Wire		ļ	UEP9D	M1HDO	0.00	14.06				15.20				<u> </u>
			1						i 1		1	ī	1		1

NRONDLE	D NETWORK ELEMENTS - Louisiana												Attachment:	2	1	Exhibit:
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incremen Charge Manual S Order vs Electroni Disc Add
						Rec	Nonrec		Nonrecurring Di					RATES (\$)		
				LIEDAD	1,110,011	0.010	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
F	Interoffice Channel mileage, per mile or fraction of mile			UEP9D	MIGBM	0.013										
	e Activations (DS0) Centrex Loops on Channelized DS1 Service annel Bank Feature Activations	е													-	-
D4 CII	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9D	1PQWS	0.6497						15.20				
	Teature Florivation on B 4 Gridinici Bank Control Ecop Clot			OLI OD	ii Qwo	0.0401						10.20				
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9D	1PQW6	0.6497						15.20				
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop															
	Slot			UEP9D	1PQW7	0.6497						15.20				
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -															
	Different Wire Center			UEP9D	1PQWP	0.6497						15.20				
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9D	1PQWV	0.6497						15.20				ļ
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop					_ [1	
	Slot			UEP9D	1PQWQ	0.6497						15.20			1	
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9D	1PQWA	0.6497						15.20				
Non-R	ecurring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed			LIEDOD	110400		0.40	0.40				45.00				
	changes, per port Conversion of existing Centrex Common Block, each			UEP9D UEP9D	USAC2 USACN		0.10 36.66	0.10 16.10				15.20				
	New Centrex Standard Common Block		-	UEP9D	M1ACS	0.00	680.40	16.10				15.20				
-	New Centrex Standard Common Block			UEP9D	M1ACC	0.00	680.40			-		15.20				
	NAR Establishment Charge, Per Occasion			UEP9D	URECA	0.00	73.93					15.20				
UNF-F	CENTREX - EWSD (Valid in AL, FL, KY, LA, MS & TN)			OLI 3D	UNLUA	0.00	75.55					13.20				
	VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
	ort/Loop Combination Rates (Non-Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
	Non-Design		1	UEP9E		13.13										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Non-Design		2	UEP9E		23.75										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Non-Design		3	UEP9E		49.62										
UNE P	ort/Loop Combination Rates (Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
	Design		1	UEP9E		16.29										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		_	LIEDOE		00.74										
	Design		2	UEP9E		26.71									-	
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		3	UEP9E		51.82										
LINE	Design oop Rate		3	OEFSE	+	51.82									 	1
JIVE L	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9E	UECS1	11.77									t	1
	2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2	-	2	UEP9E	UECS1	22.39									t	
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP9E	UECS1	48.26			-						I	t
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP9E	UECS2	14.93									1	
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP9E	UECS2	25.35									1	
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9E	UECS2	50.46									1	
UNE P	ort Rate															
AL, FL	., KY, LA, MS, & TN only															
	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP9E	UEPYA	1.36	38.85	19.08				15.20				
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local									T					_	
	Area			UEP9E	UEPYB	1.36	38.85	19.08				15.20			1	
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local			l	l										1	
	Area			UEP9E	UEPYH	1.36	38.85	19.08				15.20			-	
	2-Wire Voice Grade Port (Centrex from diff Serving Wire			LIEDOE	LIEDVAA	4.00	404.44	07.00				45.00			I	
_	Center)2 Basic Local Area 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			UEP9E	UEPYM	1.36	104.41	67.93				15.20			!	ļ
	Term - Basic Local Area			UEP9E	UEPYZ	1.36	104.41	67.93				15.20			I	
_	2-Wire Voice Grade Port terminated in on Megalink or equivalent			OLI: 9L	ULFIZ	1.30	104.41	01.93				13.20			 	
1	- Basic Local Area	l	1	UEP9E	UEPY9	1.36	38.85	19.08				15.20				Ì

NRONDLEL	NETWORK ELEMENTS - Louisiana											Attachment:	2		Exhibit:
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)		1	Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge
						Rec	Nonrec		Nonrecurring Disconnect				RATES (\$)		
	O Wire Veice Conde Dest Terraineted on 200 Consider Terra						First	Add'l	First Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port Terminated on 800 Service Term -			UEP9E	UEPY2	4.00	20.05	40.00			45.00				
	Basic Local Area LA, MS, & TN Only			UEP9E	UEP12	1.36	38.85	19.08			15.20				-
	2-Wire Voice Grade Port (Centrex)			UEP9E	UEPQA	1.36	38.85	19.08			15.20				
	2-Wire Voice Grade Port (Centrex) 2-Wire Voice Grade Port (Centrex 800 termination)			UEP9E	UEPQB	1.36	38.85	19.08			15.20				
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP9E	UEPQH	1.36	38.85	19.08			15.20				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire			02. 02	02. Q		00.00	10.00			10.20				
	Center)2			UEP9E	UEPQM	1.36	104.41	67.93			15.20				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service														
	Term			UEP9E	UEPQZ	1.36	104.41	67.93			15.20				
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9E	UEPQ9	1.36	38.85	19.08			15.20				
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP9E	UEPQ2	1.36	38.85	19.08			15.20				
Local S	witching														
	Centrex Intercom Funtionality, per port			UEP9E	URECS	0.8577									
Local N	umber Portability														
	Local Number Portability (1 per port)			UEP9E	LNPCC	0.35									
Feature															
	All Standard Features Offered, per port			UEP9E	UEPVF	0.00					15.20				
	All Select Features Offered, per port			UEP9E	UEPVS	0.00	412.25				15.20				
	All Centrex Control Features Offered, per port			UEP9E	UEPVC	0.00					15.20				
NARS															
	Unbundled Network Access Register - Combination			UEP9E	UARCX	0.00	0.00	0.00							
	Unbundled Network Access Register - Indial			UEP9E	UAR1X	0.00	0.00	0.00							
	Unbundled Network Access Register - Outdial			UEP9E	UAROX	0.00	0.00	0.00							ļ
	aneous Terminations														
	Trunk Side Trunk Side Terminations, each			UEP9E	CEND6	8.29	115.85	18.20			15.20				
	Digital (1.544 Megabits)			UEF9E	CENDO	0.29	115.05	10.20		1	15.20				-
	DS1 Circuit Terminations, each			UEP9E	M1HD1	68.47	196.18	92.92			15.20				-
	DS0 Channel Activated Per Channel			UEP9E	M1HDO	0.00	14.06	02.02			15.20				
	ice Channel Mileage - 2-Wire			02. 02		0.00					10.20				
	Interoffice Channel Facilities Termination			UEP9E	MIGBC	22.60	39.36	26.62			15.20				†
	Interoffice Channel mileage, per mile or fraction of mile			UEP9E	MIGBM	0.013	00.00	20.02			10.20				1
	Activations (DS0) Centrex Loops on Channelized DS1 Service	e													<u> </u>
D4 Chai	nnel Bank Feature Activations														
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9E	1PQWS	0.6497					15.20				
	·						Ì								
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9E	1PQW6	0.6497					15.20				
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop					_		-							
	Slot			UEP9E	1PQW7	0.6497					15.20				<u> </u>
	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center			UEP9E	1PQWP	0.6497					15.20				
1 1					1	3.0.01	1								
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9E	1PQWV	0.6497					15.20				
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop						1								
	Slot	l		UEP9E	1PQWQ	0.6497	1				15.20				
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9E	1PQWA	0.6497					15.20				
Non-Re	curring Charges (NRC) Associated with UNE-P Centrex														
	NRC Conversion Currently Combined Switch-As-Is with allowed						Ī								
	changes, per port			UEP9E	USAC2		0.10	0.10			15.20				
	Conversion of Existing Centrex Common Block, each			UEP9E	USACN		36.66	16.10							
	New Centrex Standard Common Block			UEP9E	M1ACS	0.00	680.40				15.20				<u> </u>
	New Centrex Customized Common Block			UEP9E	M1ACC	0.00	680.40				15.20				<u> </u>
	NAR Establishment Charge, Per Occasion			UEP9E	URECA	0.00	73.93				15.20				ļ
	CENTREX - DCO - Valid in AL, KY, LA, MS, & TN) VG Loop/2-Wire Voice Grade Port (Centrex) Combo	ļ													↓

<u>INBUNDLEI</u>	D NETWORK ELEMENTS - Louisiana												Attachment:	2		Exhibit:
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)					Incremental Charge - Manual Svc	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual St Order vs Electronic Disc Add
						Rec	Nonred First	urring Add'l	Nonrecurrii First	ng Disconnect	SOMEC	SOMAN	OSS F	RATES (\$)	SOMAN	SOMAN
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -				+		FIISL	Add I	FIISL	Add I	SOMEC	SOWAN	SUMAN	SOWAN	SOWAN	SOWAN
	Non-Design		1	UEP93		13.13										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Non-Design		2	UEP93		23.75										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		3	UEP93		49.62										
LINE Do	ort/Loop Combination Rates (Design)		3	UEP93	+	49.62										
ONLIG	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
	Design		1	UEP93		16.29										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design Control of the		2	UEP93		26.71				1						
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			LIEBOO		54.00										
LINE La	Design pop Rate		3	UEP93	+	51.82										
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP93	UECS1	11.77										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP93	UECS1	22.36										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP93	UECS1	48.26										
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP93	UECS2	14.93										
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP93	UECS2	25.35										
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP93	UECS2	50.46										
	ort Rate															
AL, KY,	LA, MS, & TN only			LIEDOS	UEPYA	4.00	20.05	10.00				45.00				
	2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local			UEP93	UEPTA	1.36	38.85	19.08				15.20				
	Area			UEP93	UEPYB	1.36	38.85	19.08				15.20				
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area			UEP93	UEPYH	1.36	38.85	19.08				15.20				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 Basic Local Area			UEP93	UEPYM	1.36	104.41	67.93				15.20				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term - Basic Local Area			UEP93	UEPYZ	1.36	104.41	67.93				15.20				
	2-Wire Voice Grade Port terminated in on Megalink or equivalent - Basic Local Area 2-Wire Voice Grade Port Terminated on 800 Service Term -			UEP93	UEPY9	1.36	38.85	19.08				15.20				
	Basic Local Area			UEP93	UEPY2	1.36	38.85	19.08				15.20				
	2-Wire Voice Grade Port (Centrex)			UEP93	UEPQA	1.36	38.85	19.08		+	 	15.20				
	2-Wire Voice Grade Port (Centrex) 2-Wire Voice Grade Port (Centrex 800 termination)			UEP93	UEPQB	1.36	38.85	19.08		1		15.20				
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP93	UEPQH	1.36	38.85	19.08				15.20				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2			UEP93	UEPQM	1.36	104.41	67.93				15.20				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term			UEP93	UEPQZ	1.36	104.41	67.93				15.20				
	O Wine Visite Conde Boot terminated in the Manufacture			LIEDOS	LIEDOS	1.00	00.07	10.00				45.00				
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP93	UEPQ9	1.36	38.85	19.08		+		15.20				
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP93	UEPQ2	1.36	38.85	19.08		+		15.20				
	Centrex Intercom Funtionality, per port			UEP93	URECS	0.8577				+						
Local N	lumber Portability					3.3377										
	Local Number Portability (1 per port)			UEP93	LNCCC	0.35										
Feature																
	All Standard Features Offered, per port			UEP93	UEPVF	0.00						15.20				
	All Centrex Control Features Offered, per port			UEP93	UEPVC	0.00				1	1	15.20				
NARS	Habundlad Naturali Access Bogistes Combination			LIEDOS	LIABOY	0.00	0.00	0.00		1						
	Unbundled Network Access Register - Combination Unbundled Network Access Register - Indial			UEP93 UEP93	UARCX UAR1X	0.00	0.00	0.00		+	1					
	Unbundled Network Access Register - Indial Unbundled Network Access Register - Outdial			UEP93	UAROX	0.00	0.00	0.00		+	1					
	aneous Terminations			0_1 00	5/11/5/	0.00	0.00	0.00		+	 					
						-				+						

JNBUNDLE	D NETWORK ELEMENTS - Louisiana												Attachment:	2		Exhibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Submitted Manually	Charge -	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring D					RATES (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Trunk Side Terminations, each			UEP93	CEND6	8.27	115.85	18.20				15.20				
	Digital (1.544 Megabits)															
	DS1 Circuit Terminations, each			UEP93	M1HD1	68.47	196.18	92.92				15.20				
	DS0 Channels Activated, Per Channel			UEP93	M1HDO	0.00	14.01					15.20				
Interoff	ice Channel Mileage - 2-Wire															
	Interoffice Channel Facilities Termination			UEP93	MIGBC	22.60	39.36	26.62				15.20				
	Interoffice Channel mileage, per mile or fraction of mile			UEP93	MIGBM	0.013										
	Activations (DS0) Centrex Loops on Channelized DS1 Service	e														
	nnel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP93	1PQWS	0.6497						15.20				
	Feature Activation on D-4 Channel Bank FX Line Side Loop Slot			UEP93	1PQW6	0.6497						15.20				
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP93	1PQW7	0.6497						15.20				
	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center			UEP93	1PQWP	0.6497						15.20				
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP93	1PQWV	0.6497						15.20				
	Feature Activation on D-4 Channel Bank Tie Line/Trunk Loop			UEP93	1PQWQ	0.6497						15.20				
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP93	1PQWA	0.6497						15.20				
	ecurring Charges (NRC) Associated with UNE-P Centrex			OLI GO	11 Q W//	0.0407						10.20				
	NRC Conversion Currently Combined Switch-As-Is with allowed				-											
	changes, per port			UEP93	USAC2		0.10	0.10				15.20				
	Conversion of Existing Centrex Common Block, each			UEP93	USACN		36.66	16.10				15.20				
	New Centrex Standard Common Block			UEP93	M1ACS	0.00	680.40					15.20				
	New Centrex Customized Common Block			UEP93	M1ACC	0.00	680.40					15.20				
	NAR Establishment Charge, Per Occasion			UEP93	URECA	0.00	73.93					15.20				İ
	- Required Port for Centrex Control in 1AESS, 5ESS & EWSD															
	- Requres Interoffice Channel Mileage				1											İ
	- Requires Specific Customer Premises Equipment						İ									
							İ									
							İ									
							İ									
							j									
				1											1	1

LIND	IND: E	D NETWORK ELEMENTS Mississing:												A 44 1	•	ı	Full 2.2. T
ONBU	NULE	D NETWORK ELEMENTS - Mississippi I		1		l	I						1	Attachment:			Exhibit: I
														Incremental	Incremental		
1			١											Charge -	Charge -	Charge -	Charge -
CATE	GORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)				Svc Order		Manual Svc	Manual Svc	Manual Svo
	- '		m						- (+/				Submitted		Order vs.	Order vs.	Order vs.
												Elec	Manually	Electronic-	Electronic-	Electronic-	Electronic-
												per LSR	per LSR	1st	Add'l	Disc 1st	Disc Add'l
1																	
							Rec		curring		Disconnect				RATES (\$)		
-				<u> </u>			1	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
-	1													 	-		
														-			
	The "Z	one" shown in the sections for stand-alone loops or loops as	part of	a com	ination refers to Ge	ographically	Deaveraged U	NE Zones. To	view Geograp	hically Deavers	ged UNE Zone	Designation	ons by Cent	ral Office, refe	er to Internet	Website:	1
1		www.interconnection.bellsouth.com/become_a_clec/html/inter					•			-	-	•	-	•			
OPER#	TIONAL	SUPPORT SYSTEMS															
	NOTE	(4) Floring 1- 0 and 1- 0 along 01 F0 4 about 1 and 1 to 1 and 1			16 14 db at at					Liberation Order		Th l					
		(1) Electronic Service Order: CLEC-1 should contact its contr															
		is the BellSouth regional electronic service ordering charge.															
		(2) Any element that can be ordered electronically will be bill															
		elements that cannot be ordered electronically at present per t				in this cate	gory reflects th	e charge that	would be billed	to a CLEC on	ce electronic o	rdering cap	abilities co	me on-line fo	r that element	. Otherwise,	the manual
	orderin	ng charge, SOMAN, will be applied to a CLECs bill when it sub	mits ar	LSR t	o BellSouth.												
		Manual Service Order Charge, Disconnect Only (MS)				SOMAN		1.97									
1		Electronic OSS Charge, per LSR, submitted via BST's OSS				COMEC		2.50							1		
LINDIIA	IDI ED 5	interactive interfaces (Regional) EXCHANGE ACCESS LOOP				SOMEC		3.50						-	-	-	
ONBUN		E ANALOG VOICE GRADE LOOP		-									1	 	1	1	
-	Z-VVIRE	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEAL2	12.03	37.92	17.55	23.48	5.25		15.75	 	1	1	
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		2	UEANL	UEAL2	16.87	37.92	17.55	23.48	5.25		15.75	†	1	1	
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL	UEAL2	25.68	37.92	17.55	23.48	5.25		15.75	1	1		
		2-Wire Analog Voice Grade Loop - Service Level 1-Zone 4		4	UEANL	UEAL2	43.85	37.92	17.55	23.48	5.25		15.75			1	
		Loop Testing - Basic 1st Half Hour			UEANL	URET1		34.36					1		1		
		Loop Testing - Basic Additional Half Hour			UEANL	URETA		19.97									
		Engineering Information Document (EI)			UEANL			13.51	13.51					_			
		Manual Order Coordination for UVL-SL1s (per loop)*			UEANL	UEAMC		50.29	50.29								
		Order Coordination for Specified Conversion Time for UVL-SL1		1		0005								1	1		
	0.1475	(per LSR) *		ļ	UEANL	OCOSL		45.27	45.27						ļ	ļ	
-	∠-WIRE	Unbundled COPPER LOOP	-	4	UEQ	UEQ2X	11.01	36.53	16.16	22.66	4.42		15.75	1	 		
-		2-Wire Unbundled Copper Loop - Non-Designed Zone 1 2 Wire Unbundled Copper Loop - Non-Designed - Zone 2			UEQ	UEQ2X UEQ2X	11.01	36.53	16.16	22.66	4.42		15.75	-		-	
-	1	2 Wire Unbundled Copper Loop - Non-Designed - Zone 2 2 Wire Unbundled Copper Loop - Non-Designed - Zone 3	+	3	UEQ	UEQ2X	11.57	36.53	16.16	22.66	4.42		15.75	t	 		
-		2 Wire Unbundled Copper Loop - Non-Designed - Zone 3	i		UEQ	UEQ2X	13.10	36.53	16.16	22.66	4.42		15.75	-			
		Order Coordination 2 Wire Unbundled Copper Loop - Non-	<u> </u>	<u> </u>		,		55.50	.5.10		,2			1	1		
		Designed (per loop)			UEQ	USBMC		45.27	45.27					1			
		Engineering Information Document			UEQ			13.51	13.51								
		Loop Testing - Basic 1st Half Hour			UEQ	URET1		34.36									
		Loop Testing - Basic Additional Half Hour			UEQ	URETA		19.97									
UNBUN		XCHANGE ACCESS LOOP															
	2-WIRE	ANALOG VOICE GRADE LOOP		ļ											ļ	ļ	
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 1		1	UEPSR UEPSB	UEALS	12.03	37.92	17.55	23.48	5.25			25.52	11.34	16.06	40.00
-		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-	-	1	UEFOR UEFOB	UEALS	12.03	31.92	17.55	23.48	5.25			25.52	11.34	16.06	16.06
1		Zone 1		1	UEPSR UEPSB	UEABS	12.03	37.92	17.55	23.48	5.25			25.52	11.34	16.06	16.06
-	-	2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-	- '-		OLI OIL OLI OD	JE7100	12.03	51.32	17.55	20.40	5.25			20.02	11.34	10.00	10.00
		Zone 2	l ı	2	UEPSR UEPSB	UEALS.	16.87	37.92	17.55	23.48	5.25			25.52	11.34	16.06	16.06
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-	•					37.32	50	20.10	3.20			20.02	1.1.54		
		Zone 2	- 1	1	UEPSR UEPSB	UEABS	16.87	37.92	17.55	23.48	5.25			25.52	11.34	16.06	16.06
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
		Zone 3		3	UEPSR UEPSB	UEALS,	25.68	37.92	17.55	23.48	5.25			25.52	11.34	16.06	16.06
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-													1		
		Zone 3	ı		UEPSR UEPSB	UEABS	25.68	37.92	17.55	23.48	5.25			25.52	11.34	16.06	16.06
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-	Ι.	١.			40										
<u> </u>		Zone 4	ı	4	UEPSR UEPSB	UEALS,	43.85	37.92	17.55	23.48	5.25			25.52	11.34	16.06	16.06
1		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		1	LIEDOD LIEDOD	LIEARO	40.0=	07.00	47.5-	00.10				05.50		40.00	40.00
LINIDIII	IDI ED 5	Zone 4 EXCHANGE ACCESS LOOP		 	UEPSR UEPSB	UEABS	43.85	37.92	17.55	23.48	5.25			25.52	11.34	16.06	16.06
UNBUN		E ANALOG VOICE GRADE LOOP		-						1			1	 	1	1	
	Z-WIKE	ANALOG VOICE GRADE LOUP															

4Q01:12/01/01 PAGE 184 OF 324

UNBUNDLE	D NETWORK ELEMENTS - Mississippi												Attachment:	2		Exhibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Submitted	Incremental Charge - Manual Svc	Incremental Charge - Manual Svc Order vs. Electronic-	Charge -	Incremental Charge - Manual Svc Order vs. Electronic-
									<u> </u>		per LSR	per LSR	1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonrec			Disconnect				RATES (\$)		
-	CLEC to CLEC Conversion Charge without outside dispatch						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	(UVL-SL1)			UEANL	UREWO		37.92	17.55				15.75				1 '
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or			OL/ WIL	CITETYO	İ	07.02	17.00				10.70				
	Ground Start Signaling - Zone 1		1	UEA	UEAL2	13.89	105.96	68.28	52.82	10.37		15.75				j '
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															
	Ground Start Signaling - Zone 2		2	UEA	UEAL2	18.75	105.96	68.28	52.82	10.37		15.75				
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 3		3	UEA	UEAL2	27.55	105.96	68.28	52.82	10.37		15.75				j '
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		3	OLA	ULALZ	21.55	105.90	00.20	32.02	10.37		13.73				
	Ground Start Signaling - Zone 4		4	UEA	UEAL2	45.72	105.96	68.28	52.82	10.37		15.75				İ
	Order Coordination for Specified Conversion Time (per LSR)	1		UEA	OCOSL		18.19									
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															1
	Battery Signaling - Zone 1	1	1	UEA	UEAR2	13.89	105.96	68.28	52.82	10.37		15.75				↓
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 2		2	UEA	UEAR2	18.75	105.00	68.28	E2 92	10.37		15.75				
-	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse			UEA	UEAR2	18.75	105.96	68.28	52.82	10.37		15.75				-
	Battery Signaling - Zone 3		3	UEA	UEAR2	27.55	105.96	68.28	52.82	10.37		15.75				İ
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		_													
	Battery Signaling - Zone 4		4	UEA	UEAR2	45.72	105.96	68.28	52.82	10.37		15.75				İ
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		18.19									
	CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		105.96	38.21				15.75				
4-WIRE	ANALOG VOICE GRADE LOOP							0.1.50								
	4-Wire Analog Voice Grade Loop - Zone 1			UEA UEA	UEAL4 UEAL4	27.47 38.26	132.27	94.59	60.68	14.64 14.64		15.75 15.75				—
	4-Wire Analog Voice Grade Loop - Zone 2 4-Wire Analog Voice Grade Loop - Zone 3		3	UEA	UEAL4 UEAL4	38.26 50.03	132.27 132.27	94.59 94.59	60.68 60.68	14.64		15.75				
	4-Wire Analog Voice Grade Loop - Zone 3			UEA	UEAL4	50.03	132.27	94.59	60.68	14.64		15.75				
	Order Coordination for Specified Conversion Time (per LSR)		<u> </u>	UEA	OCOSL	00.00	18.19	0 1.00	00.00			10.10				
2-WIRE	ISDN DIGITAL GRADE LOOP															
	2-Wire ISDN Digital Grade Loop - Zone 1		1	UDN	U1L2X	21.01	117.61	79.92	52.82	10.37		15.75				
	2-Wire ISDN Digital Grade Loop - Zone 2			UDN	U1L2X	27.59	117.61	79.92	52.82	10.37		15.75				
	2-Wire ISDN Digital Grade Loop - Zone 3			UDN	U1L2X	37.34	117.61	79.92	52.82	10.37		15.75				
	2-Wire ISDN Digital Grade Loop - Zone 4		4	UDN	U1L2X	59.18	117.61	79.92	52.82	10.37		15.75				
	Order Coordination For Specified Conversion Time (per LSR) CLEC to CLEC Conversion Charge without outside dispatch			UDN UDN	OCOSL UREWO		18.19 117.61	33.03				15.75				
2-WIRE	Universal Digital Channel (UDC) COMPATIBLE LOOP			ODIN	OKEWO		117.01	33.03				13.73				
	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone		†													
	1		_1	UDC	UDC2X	21.01	117.61	79.92	52.82	10.37	<u> </u>	15.75		<u> </u>		<u> </u>
	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone															
\vdash	2	1	2	UDC	UDC2X	27.59	117.61	79.92	52.82	10.37		15.75				
	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone		3	UDC	UDC2X	37.34	117.61	79.92	52.82	10.37		15.75				1
 	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone	1	٦	ODC	UDUZA	31.34	117.01	19.92	52.82	10.37		15.75				
	4	1	4	UDC	UDC2X	59.18	117.61	79.92	52.82	10.37		15.75				1
	CLEC to CLEC Conversion Charge without outside dispatch *	1	T .	UDC	UREWO	22.10	117.61	33.03	502	13.01		15.75				
2-WIRE	ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP	PATIBLE	LOOP													
	2 Wire Unbundled ADSL Loop including manual service inquiry															
	& facility reservation - Zone 1	1	1	UAL	UAL2X	11.11	121.27	70.81	50.38	7.93		15.75				
	2 Wire Unbundled ADSL Loop including manual service inquiry		2	UAL	UAL2X	11.47	121.27	70.04	50.00	7.93		15 75				1
	& facility reservation - Zone 2 2 Wire Unbundled ADSL Loop including manual service inquiry	1	-	UAL	UALZX	11.4/	121.27	70.81	50.38	7.93	-	15.75				
	& facility reservation - Zone 3		3	UAL	UAL2X	11.74	121.27	70.81	50.38	7.93		15.75				1
	2 Wire Unbundled ADSL Loop including manual service inquiry		<u> </u>		1				22.30	50						
	& facility reservation - Zone 4		4	UAL	UAL2X	12.69	121.27	70.81	50.38	7.93		15.75		<u> </u>		1
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		18.19									
	2 Wire Unbundled ADSL Loop without manual service inquiry &		l .					=0.0-	== -							1
 	facility reservaton - Zone 1 2 Wire Unbundled ADSL Loop without manual service inquiry &	1	1	UAL	UAL2W	11.11	96.15	58.03	50.38	7.93		15.75				
	2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 2		2	UAL	UAL2W	11.47	96.15	58.03	50.38	7.93		15.75				1 '
	racinty reservatori - Zorie Z			UNL	UNLZVV	11.47	90.15	30.03	50.38	1.93	L	10.75		L		

<u>UNBUNDLE</u>	D NETWORK ELEMENTS - Mississippi												Attachment:	2		Exhibit:
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Order vs.	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrec		Nonrecurring					ATES (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2 Wire Unbundled ADSL Loop without manual service inquiry &		_	UAL	1141 0141	44.74	00.45	58.03	50.38	7.00		45.75				
	facility reservaton - Zone 3 2 Wire Unbundled ADSL Loop without manual service inquiry &		3	UAL	UAL2W	11.74	96.15	58.03	50.38	7.93		15.75				
	facility reservation - Zone 4		4	UAL	UAL2W	12.69	96.15	58.03	50.38	7.93		15.75				
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL	12.00	18.19	00.00	00.00	7.00		10.70				
	CLEC to CLEC Conversion Charge without outside dispatch			UAL	UREWO		96.15	29.28				15.75				
2-WIRE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP													
	2 Wire Unbundled HDSL Loop including manual service inquiry															
	& facility reservation - Zone 1		1	UHL	UHL2X	8.75	129.98	79.52	50.38	7.93		15.75				
	2 Wire Unbundled HDSL Loop including manual service inquiry		_		11111 634	0.00	400.00	70.50	50.00	7.00		4				
	& facility reservation - Zone 2	1	2	UHL	UHL2X	9.22	129.98	79.52	50.38	7.93	1	15.75				ļ
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 3		3	UHL	UHL2X	9.87	129.98	79.52	50.38	7.93		15.75				
	2 Wire Unbundled HDSL Loop including manual service inquiry		3	OFIL	UTILZX	5.07	129.90	19.52	30.36	7.53		13.73				-
	& facility reservation - Zone 4		4	UHL	UHL2X	10.46	129.98	79.52	50.38	7.93		15.75				
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		18.19									
	2 Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 1		1	UHL	UHL2W	8.75	104.86	66.74	50.38	7.93		15.75				
	2 Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 2		2	UHL	UHL2W	9.22	104.86	66.74	50.38	7.93		15.75				
	2 Wire Unbundled HDSL Loop without manual service inquiry					0.07	404.00	00.74	50.00	7.00		45.75				
	and facility reservation - Zone 3 2 Wire Unbundled HDSL Loop without manual service inquiry		3	UHL	UHL2W	9.87	104.86	66.74	50.38	7.93		15.75				-
	and facility reservation - Zone 4		4	UHL	UHL2W	10.46	104.86	66.74	50.38	7.93		15.75				
	Order Coordination for Specified Conversion Time (per LSR)		_	UHL	OCOSL	10.40	18.19	00.74	30.30	7.95		10.70				+
	CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		104.86	29.28				15.75				
4-WIRE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP													
	4 Wire Unbundled HDSL Loop including manual service inquiry															
	and facility reservation - Zone 1		1	UHL	UHL4X	13.78	158.74	108.28	56.72	10.68		15.75				
	4-Wire Unbundled HDSL Loop including manual service inquiry		_													
	and facility reservation - Zone 2		2	UHL	UHL4X	13.43	158.74	108.28	56.72	10.68		15.75				
	4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 3		3	UHL	UHL4X	15.59	158.74	108.28	56.72	10.68		15.75				
	4-Wire Unbundled HDSL Loop including manual service inquiry		3	UNL	UHL4X	15.59	156.74	100.20	36.72	10.00		15.75				
	and facility reservation - Zone 4		4	UHL	UHL4X	14.46	158.74	108.28	56.72	10.68		15.75				
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		18.19									
	4-Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 1		1	UHL	UHL4W	13.78	133.62	95.50	56.72	10.68		15.75				
	4-Wire Unbundled HDSL Loop without manual service inquiry				I 7	ΙΤ	,					l				
	and facility reservation - Zone 2	<u> </u>	2	UHL	UHL4W	13.43	133.62	95.50	56.72	10.68		15.75				
	4-Wire Unbundled HDSL Loop without manual service inquiry		2	UHL	UHL4W	45.50	100.00	95.50	F0 70	10.68		15.75				
	and facility reservation - Zone 3 4-Wire Unbundled HDSL Loop without manual service inquiry	1	3	UIL	UHL4VV	15.59	133.62	95.50	56.72	10.68		15.75				
	and facility reservation - Zone 4		4	UHL	UHL4W	14.46	133.62	95.50	56.72	10.68		15.75				
	Order Coordination for Specified Conversion Time (per LSR)	1	_	UHL	OCOSL	17.70	18.19	55.50	00.72	10.00		10.70				1
	CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		104.86	29.28				15.75				
4-WIRE	DS1 DIGITAL LOOP															
	4-Wire DS1 Digital Loop - Zone 1		1		USLXX	79.08	253.93	158.45	46.10	12.07		15.75				
	4-Wire DS1 Digital Loop - Zone 2	ļ		USL	USLXX	129.38	253.93	158.45	46.10	12.07		15.75				<u> </u>
	4-Wire DS1 Digital Loop - Zone 3	 		USL	USLXX	206.74	253.93	158.45	46.10	12.07		15.75				
	4-Wire DS1 Digital Loop - Zone 4 Order Coordination for Specified Conversion Time (per LSR)	<u> </u>	4	USL	USLXX OCOSL	458.46	253.93 18.19	158.45	46.10	12.07	-	15.75				
	CLEC to CLEC Conversion Charge without outside dispatch	1		USL	UREWO		130.03	39.98			1	15.75				1
4-WIRE	E 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP			001	JILLYVO	+	130.03	59.90				13.73	-			
	4 Wire Unbundled Digital 19.2 Kbps	<u> </u>	1	UDL	UDL19	27.44	126.53	88.85	60.68	14.64		15.75				
	4 Wire Unbundled Digital 19.2 Kbps		2	UDL	UDL19	34.55	126.53	88.85	60.68	14.64		15.75				
	4 Wire Unbundled Digital 19.2 Kbps			UDL	UDL19	40.76	126.53	88.85	60.68	14.64		15.75				
	4 Wire Unbundled Digital 19.2 Kbps		4	UDL	UDL19	32.25	126.53	88.85	60.68	14.64		15.75				

UNBUNDLE	NETWORK ELEMENTS - Mississippi												Attachment:	2		Exhibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)	I			Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec First	urring Add'l	Nonrecurring First	Disconnect Add'l	SOMEC	SOMAN	OSS I	RATES (\$)	SOMAN	SOMAN
+	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1		1	UDL	UDL56	27.44	126.53	88.85	60.68	14.64	SOMEC	15.75	SUMAN	SOWAN	SOWAN	SOWAN
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2			UDL	UDL56	34.55	126.53	88.85	60.68	14.64		15.75				
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3			UDL	UDL56	40.76	126.53	88.85	60.68	14.64		15.75				
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 4		4	UDL	UDL56	32.25	126.53	88.85	60.68	14.64		15.75				
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		18.19									
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1		1	UDL	UDL64	27.44	126.53	88.85	60.68	14.64		15.75				
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2		2	UDL	UDL64	34.55	126.53	88.85	60.68	14.64		15.75				
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3			UDL	UDL64	40.76	126.53	88.85	60.68	14.64		15.75				
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 4		4	UDL	UDL64	32.25	126.53	88.85	60.68	14.64		15.75				
	Order Coordination for Specified Conversion Time (per LSR)		<u> </u>	UDL	OCOSL		18.19									⊢——
	CLEC to CLEC Conversion Charge without outside dispatch	1	<u> </u>	UDL	UREWO		126.53	38.62				15.75				
2-WIRE	Unbundled COPPER LOOP	1	 		+											
	2-Wire Unbundled Copper Loop/Short including manual service inquiry & facility reservation - Zone 1		1	UCL	UCLPB	11.11	120.34	69.87	50.38	7.93		15.75				<u> </u>
	2-Wire Unbundled Copper Loop/Short including manual service inquiry & facility reservation - Zone 2		2	UCL	UCLPB	11.47	120.34	69.87	50.38	7.93		15.75				
	2 Wire Unbundled Copper Loop/Short including manual service inquiry & facility reservation - Zone 3		3	UCL	UCLPB	11.74	120.34	69.87	50.38	7.93		15.75				
	2 Wire Unbundled Copper Loop/Short including manual service					40.00			=	=						ĺ
	inquiry & facility reservation - Zone 4		4	UCL	UCLPB	12.69	120.34	69.87	50.38	7.93		15.75				├
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8.20	8.20								
	2-Wire Unbundled Copper Loop/Short without manual service inquiry and facility reservation - Zone 1		1	UCL	UCLPW	11.11	95.21	57.09	50.38	7.93		15.75				ĺ
	2-Wire Unbundled Copper Loop/Short without manual service		-	UCL	OCLF VV	11.11	95.21	37.09	30.36	7.55		13.73				
	inquiry and facility reservation - Zone 2		2	UCL	UCLPW	11.47	95.21	57.09	50.38	7.93		15.75				
	2-Wire Unbundled Copper Loop/Short without manual service															
	inquiry and facility reservation - Zone 3		3	UCL	UCLPW	11.74	95.21	57.09	50.38	7.93		15.75				L
	2-Wire Unbundled Copper Loop/Short without manual service															ĺ
	inquiry and facility reservation - Zone 4		4	UCL	UCLPW	12.69	95.21	57.09	50.38	7.93		15.75				
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8.20	8.20								+
	2-Wire Unbundled Copper Loop/Long - includes manual srvc. inquiry and facility reservation - Zone 1		1	UCL	UCL2L	29.29	120.34	69.87	50.38	7.93		15.75				ĺ
	2-Wire Unbundled Copper Loop/Long - includes manual svc.															
	inquiry and facility reservation - Zone 2 2-Wire Unbundled Copper Loop/Long - includes manual svc.		2	UCL	UCL2L	43.46	120.34	69.87	50.38	7.93		15.75				
	inquiry and facility reservation - Zone 3		3	UCL	UCL2L	64.44	120.34	69.87	50.38	7.93		15.75				1
	2-Wire Unbundled Copper Loop/Long - includes manual svc.			002	OOLLL	0	120.01	00.07	00.00	7.00		10.70				
	inquiry and facility reservation - Zone 4		4	UCL	UCL2L	87.60	120.34	69.87	50.38	7.93		15.75				ĺ
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8.20	8.20								
	2-Wire Unbundled Copper Loop/Long - without manual service									· · · · · · · · · · · · · · · · · · ·				-		1
	inquiry and facility reservation - Zone 1		1	UCL	UCL2W	29.29	95.21	57.09	50.38	7.93		15.75				
1 1	2-Wire Unbundled Copper Loop/Long - without manual service				1101011	40.40	05.64	57 00	50.00	7.00		45				1
\vdash	inquiry and facility reservation - Zone 2 2-Wire Unbundled Copper Loop/Long - without manual service	1	2	UCL	UCL2W	43.46	95.21	57.09	50.38	7.93		15.75				
	inquiry and facility reservation - Zone 3		3	UCL	UCL2W	64.44	95.21	57.09	50.38	7.93		15.75				1
 	2-Wire Unbundled Copper Loop/Long - without manual service	1		001	JULZVV	04.44	33.21	57.09	50.30	1.55		10.73				
	inquiry and facility reservation - Zone 4		4	UCL	UCL2W	87.60	95.21	57.09	50.38	7.93		15.75				1
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8.20	8.20								
	CLEC to CLEC Conversion Charge without outside dispatch (UCL-Des)			UCL	UREWO		95.21	31.36				15.75				
	CLEC to CLEC Conversion Charge without outside dispatch (UCL-ND)			UEQ	UREWO		36.53	16.16				15.75				
4-WIRE	COPPER LOOP	1			1				i l							ſ
	4-Wire Copper Loop/Short - including manual service inquiry								İ							
	and facility reservation - Zone 1		1	UCL	UCL4S	17.30	144.68	94.22	56.72	10.68		15.75				
1 1	4-Wire Copper Loop/Short - including manual service inquiry		2	UCL	1101.40	18.84	144.68	94.22	56.72	10.68		15.75				1
	and facility reservation - Zone 2	1	2	UUL	UCL4S	18.84	144.68	94.22	56.72	10.68	l	15./5				

ONBONDLE	D NETWORK ELEMENTS - Mississippi	ı	ı	ı	1								Attachment:			Exhibit: E
CATEGORY	RATE ELEMENTS	Interi m	Zone	всѕ	usoc			RATES(\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual Svo Order vs. Electronic-
						Rec	Nonrec		Nonrecurring		201150			RATES (\$)		
	4-Wire Copper Loop/Short - including manual service inquiry				-		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	and facility reservation - Zone 3		3	UCL	UCL4S	21.33	144.68	94.22	56.72	10.68		15.75				
	4-Wire Copper Loop/Short - including manual service inquiry															
	and facility reservation - Zone 4		4	UCL	UCL4S	21.33	144.68	94.22	56.72	10.68		15.75				
	Order Coordination for Unbundled Copper Loops (per loop) 4-Wire Copper Loop/Short - without manual service inquiry and			UCL	UCLMC		8.20	8.20								+
	facility reservation - Zone 1		1	UCL	UCL4W	17.30	119.56	81.44	56.72	10.68		15.75				
	4-Wire Copper Loop/Short - without manual service inquiry and															
	facility reservation - Zone 2		2	UCL	UCL4W	18.84	119.56	81.44	56.72	10.68		15.75				
	4-Wire Copper Loop/Short - without manual service inquiry and facility reservation - Zone 3		3	UCL	UCL4W	21.33	119.56	81.44	56.72	10.68		15.75				
	4-Wire Copper Loop/Short - without manual service inquiry and		3	OCL	UCL4W	21.33	119.30	01.44	30.72	10.00		13.73				+
	facility reservation - Zone 4		4	UCL	UCL4W	21.33	119.56	81.44	56.72	10.68		15.75				
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8.20	8.20								
	4-Wire Unbundled Copper Loop/Long - includes manual svc. inquiry and facility reservation - Zone 1		1	UCL	UCL4L	54.72	144.68	94.22	56.72	10.68		15.75				
	4-Wire Unbundled Copper Loop/Long - includes manual svc.		<u> </u>	UCL	UCL4L	54.72	144.00	94.22	30.72	10.00		15.75				+
	inquiry and facility reservation - Zone 2		2	UCL	UCL4L	97.47	144.68	94.22	56.72	10.68		15.75				
	4-Wire Unbundled Copper Loop/Long - includes manual svc.															
	inquiry and facility reservation - Zone 3		3	UCL	UCL4L	106.06	144.68	94.22	56.72	10.68		15.75				
	4-Wire Unbundled Copper Loop/Long - includes manual svc. inquiry and facility reservation - Zone 4		4	UCL	UCL4L	106.06	144.68	94.22	56.72	10.68		15.75				
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC	100.00	8.20	8.20	00.72	10.00		10.70				1
	4-Wire Unbundled Copper Loop/Long - without manual svc.															
	inquiry and facility reservation - Zone 1		1	UCL	UCL4O	54.72	119.56	81.44	56.72	10.68		15.75				
	4-Wire Unbundled Copper Loop/Long - without manual svc. inquiry and facility reservation - Zone 2		2	UCL	UCL4O	97.47	119.56	81.44	56.72	10.68		15.75				
	4-Wire Unbundled Copper Loop/Long - without manual svc.			OCL	UCL4O	37.47	119.50	01.44	30.72	10.00		13.73				+
	inquiry and facility reservation - Zone 3		3	UCL	UCL4O	106.06	119.56	81.44	56.72	10.68		15.75				
	4-Wire Unbundled Copper Loop/Long - without manual service															
	inquiry and facility reservation - Zone 4 Order Coordination for Unbundled Copper Loops (per loop)		4	UCL	UCL4O UCLMC	106.06	119.56 8.20	81.44 8.20	56.72	10.68		15.75				+
	CLEC to CLEC Conversion Charge without outside dispatch			UCL	UCLIVIC		6.20	6.20								+
	(UCL-Des)			UCL	UREWO		95.21	31.36				15.75				
OOP MODIFIC																
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft			UAL, UHL, UCL, UEQ. ULS	ULM2L		32.57	32.57								
	Unbundled Loop Modification, Removal of Load Coils - 2 wire			UEQ, ULS	ULIVIZL		32.37	32.31								+
	greater than 18k ft			UCL, ULS	ULM2G		171.49	171.49								
	Unbundled Loop Modification Removal of Load Coils - 4 Wire															
	less than or equal to 18K ft			UHL, UCL	ULM4L		32.57	32.57								
	Unbundled Loop Modification Removal of Load Coils - 4 Wire pair greater than 18k ft			UCL	ULM4G		171.49	171.49								
	Unbundled Loop Modification Removal of Bridged Tap Removal,			UAL, UHL, UCL,	JEIVITO		771.49	171.73								<u> </u>
	per unbundled loop			UEQ, UEF, ULS	ULMBT		32.59	32.59								
SUB-LOOPS	Pietrikutien															↓
Sub-Lo	Opp Distribution Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-		1		+						1					+
	Up	I		UEANL	USBSA		259.69					15.75				<u> </u>
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	I		UEANL	USBSB		22.77					15.75				
	Sub-Loop - Per Building Equipment Room - CLEC Feeder															
	Facility Set-Up	I	<u> </u>	UEANL	USBSC		178.47					15.75				
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up	١,		UEANL	USBSD		56.39					15.75				
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -		 	OLAINL	JUDUD		30.39				 	15.75				+
	Zone 1	1	1	UEANL	USBN2	7.15	66.18	31.14	45.36	6.71		15.75				1

UNBUNDLE	D NETWORK ELEMENTS - Mississippi												Attachment:	2		Exhibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec First	urring Add'l	Nonrecurring First	Disconnect Add'l	SOMEC	SOMAN	OSS F	RATES (\$)	SOMAN	SOMAN
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -						1 1130	Add I	11130	Addi	JOHILO	JOINAIN	JONIAN	JOWAN	JONAN	JOWIAN
	Zone 2	- 1	2	UEANL	USBN2	9.51	66.18	31.14	45.36	6.71		15.75				
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -		_				20.10		4= 00							
	Zone 3 Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -	I	3	UEANL	USBN2	12.45	66.18	31.14	45.36	6.71		15.75				
	Zone 4		4	UEANL	USBN2	18.26	66.18	31.14	45.36	6.71		15.75				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		45.27	45.27								
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 1		1	UEANL	USBN4	7.30	79.49	44.45	51.27	9.35		15.75				
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -					50	70.40	0	JZ/	0.00		.0.70				
	Zone 2		2	UEANL	USBN4	13.92	79.49	44.45	51.27	9.35		15.75				
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3		3	UEANL	USBN4	16.73	79.49	44.45	51.27	9.35		15.75				
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -		3	UEAINL	USBIN4	16.73	79.49	44.45	51.27	9.35		15.75				
	Zone 4		4	UEANL	USBN4	16.73	79.49	44.45	51.27	9.35		15.75				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair Sub-Loop 2-Wire Intrabuilding Network Cable (INC)			UEANL UEANL	USBMC USBR2	2.29	45.27 53.32	45.27 18.28	45.36	6.71		15.75 15.75				-
	Sub-Loop 2-vviile ilitiabuliding Network Cable (INC)	-		OLANL	USBINZ	2.29	33.32	10.20	40.30	0.71		13.73				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		45.27	45.27								
	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)			UEANL	USBR4	4.40	59.60	24.55	51.27	9.35		15.75				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		45.27	45.27								
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF	UCS2X	6.06	66.18	31.14	45.36	6.71		15.75				
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	ı	2	UEF	UCS2X	7.09	66.18	31.14	45.36	6.71		15.75				
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	I		UEF	UCS2X	8.16	66.18	31.14	45.36	6.71		15.75				
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 4		4	UEF	UCS2X	9.90	66.18	31.14	45.36	6.71		15.75				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		45.27	45.27								
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1			UEF	UCS4X	5.10	79.49	44.45	51.27	9.35		15.75				
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2			UEF	UCS4X	9.11	79.49	44.45	51.27	9.35		15.75				
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 4	ı	3 4	UEF UEF	UCS4X UCS4X	14.00 14.00	79.49 79.49	44.45 44.45	51.27 51.27	9.35 9.35		15.75 15.75				
	4 Wife Copper Cribunaled Gub-Loop Distribution - Zone 4		7	OLI	00047	14.00	73.43	44.40	31.27	9.55		15.75				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		45.27	45.27								
Unbur	Idled Sub-Loop Modification															
	Unbundled Sub-Loop Modification - 2-W Copper Dist Load Coil/Equip Removal per 2-W PR			UEF	ULM2X		176.80	5.13				15.75				
	Unbundled Sub-loop Modification - 4-W Copper Dist Load			-	O E.W.E.Y.		170.00	0.10				10.70				
	Coil/Equip Removal per 4-W PR			UEF	ULM4X		176.80	5.13				15.75				
	Unbundled Sub-loop Modification - 2-w/4-w Copper Dist Bridged Tap Removal, per PR unloaded			UEF	ULM4T		279.81	6.15				15.75				
Unbur	ndled Network Terminating Wire (UNTW)			ULF	ULIVI4 I		2/9.81	0.15				15./5				
	Unbundled Network Terminating Wire (UNTW) per Pair			UENTW	UENPP	0.34	30.55					15.75				
Netwo	rk Interface Device (NID)			lues may								,				
	Network Interface Device (NID) - 1-2 lines Network Interface Device (NID) - 1-6 lines			UENTW UENTW	UND12 UND16		43.84 65.30	28.90 50.36				15.75 15.75				
	Network Interface Device (NID) - 1-6 lines Network Interface Device Cross Connect - 2 W			UENTW	UNDC2	-	5.94	5.94				15.75				
	Network Interface Device Cross Connect - 4W			UENTW	UNDC4		5.94	5.94				15.75				
SUB-LOOPS										-						
Sub-L	USL-Feeder, DS0 Set-up per Cross Box location - CLEC			UEA,												
	Distribution Facility set-up			UDN,UCL,UDL,UDC	USBFW		259.69					15.75				
	USL Feeder - DS0 Set-up per Cross Box location - per 25 pair			UEA,												
	set-up			UDN,UCL,UDL,UDC	USBFX		22.77	22.77				15.75				
l	USL Feeder DS1 Set-up at DSX location, per DS1 termination			USL	USBFZ		534.46	11.30			l	15.75			<u> </u>	1

CATEGORY			l								1					
	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic Disc Add'l
						Rec	Nonrec		Nonrecurring					RATES (\$)		
	Unbundled Sub-Loop Feeder Loop, 2 Wire Ground Start, Voice				+		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Grade - Zone 1		1	UEA	USBFA	7.98	93.23	56.50	54.45	13.51		15.75				
	Unbundled Sub-Loop Feeder Loop, 2 Wire Ground-Start, Voice			OLA	OOD! A	7.30	33.23	30.30	34.43	13.51		13.73				
	Grade - Zone 2		2	UEA	USBFA	10.39	93.23	56.50	54.45	13.51		15.75				
	Unbundled Sub-Loop Feeder Loop, Per 2 Wire Ground-Start,															
	Voice Grade - Zone 3		3	UEA	USBFA	16.11	93.23	56.50	54.45	13.51		15.75				
	Unbundled Sub-Loop Feeder Loop, 2 Wire Ground-Start Loop,															
	Voice Grade - Zone 4		4	UEA	USBFA OCOSL	28.37	93.23	56.50	54.45	13.51		15.75				
	Order Coordination for Specified Conversion Time, per LSR Unbundlde Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice			UEA	OCOSL		18.19									
	Grade - Zone 1		1	UEA	USBFB	7.98	93.23	56.50	54.45	13.51		15.75				
	Unbundled Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice		Ė	0271	002.2	7.00	00.20	00.00	00	10.01		10.70				
	Grade - Zone 2		2	UEA	USBFB	10.39	93.23	56.50	54.45	13.51		15.75				
	Unbundled Sub-Loop Feeder Loop, 2 Wire Start Loop, Voice															
	Grade - Zone 3		3	UEA	USBFB	16.11	93.23	56.50	54.45	13.51		15.75				
	Unbundled Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice		l						L T			IT				
	Grade - Zone 4		4	UEA	USBFB	28.37	93.23	56.50	54.45	13.51		15.75				
	Order Coordination for Specified Time Conversion, per LSR Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery,			UEA	OCOSL		18.19									
	Voice Grade - Zone 1		1	UEA	USBFC	7.98	93.23	56.50	54.45	13.51		15.75				
	Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery,			OLA	USBI C	7.50	93.23	30.30	34.43	13.51		13.73				
	Voice Grade - Zone 2		2	UEA	USBFC	10.39	93.23	56.50	54.45	13.51		15.75				
	Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery,															
	Voice Grade - Zone 3		3	UEA	USBFC	16.11	93.23	56.50	54.45	13.51		15.75				
	Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery,															
	Voice Grade - Zone 4		4	UEA	USBFC	28.37	93.23	56.50	54.45	13.51		15.75				
	Order Coordination For Specified Conversion Time, per LSR			UEA	OCOSL		18.19									
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice Grade - Zone 1		1	UEA	USBFD	21.69	107.71	70.03	63.68	17.64		15.75				
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice		1	UEA	USBFD	21.69	107.71	70.03	03.08	17.64		15.75				
	Grade - Zone 2		2	UEA	USBFD	26.06	107.71	70.03	63.68	17.64		15.75				
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground Start, Voice		_	0271	002. 2	20.00		70.00	00.00			10.70				
	Grade - Zone 3		3	UEA	USBFD	34.77	107.71	70.03	63.68	17.64		15.75				
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice															
	Grade - Zone 4		4	UEA	USBFD	34.77	107.71	70.03	63.68	17.64		15.75				
	Order Coordination For Specified Conversion Time, Per LSR			UEA	OCOSL		18.19									
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice		1	UEA	HODEE	21.69	107.71	70.03	63.68	17.64		45.75				
	Grade - Zone 1 Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice		1	UEA	USBFE	21.69	107.71	70.03	63.68	17.64		15.75				
	Grade - Zone 2		2	UEA	USBFE	26.06	107.71	70.03	63.68	17.64		15.75				
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice			OLA	OOD! L	20.00	107.71	70.00	00.00	17.04		10.70				
	Grade - Zone 3		3	UEA	USBFE	34.77	107.71	70.03	63.68	17.64		15.75				
	Sub-Loop Feeder - Per 4-Wire Analog Voice Grade Loop-Start															
	Loop - Zone 4		4	UEA	USBFE	34.77	107.71	70.03	63.68	17.64		15.75				
	Order Coordination For Specified Conversion Time, Per LSR			UEA	OCOSL		18.19									
	Unbundled Sub-Loop Feeder Loop, 2 Wire ISDN BRI - Zone 1		1	UDN	USBFF	14.60	106.46	68.78	55.58	131.13		15.75				
	Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 2	1		UDN	USBFF	18.78 25.47	106.46	68.78	55.58	131.13	1	15.75			 	
	Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 3 Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 4		3 4	UDN UDN	USBFF	25.47 41.41	106.46 106.46	68.78 68.78	55.58 55.58	131.13 131.13	-	15.75 15.75				
	Order Coordination For Specified Conversion Time, Per LSR		-	UDN	OCOSL	41.41	18.19	00.70	33.36	131.13		13.73			1	
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)		1	UDC	USBFS	14.60	106.46	68.78	55.58	131.13	1	15.75			1	
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)		2	UDC	USBFS	18.78	106.46	68.78	55.58	131.13		15.75			İ	
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)		3	UDC	USBFS	25.47	106.46	68.78	55.58	131.13		15.75				
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)			UDC	USBFS	41.41	106.46	68.78	55.58	131.13		15.75				
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 1		1	USL	USBFG	55.19	101.97	64.29	63.68	17.64		15.75				
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 2			USL	USBFG	100.03	101.97	64.29	63.68	17.64		15.75				
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 3 Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 4			USL USL	USBFG USBFG	183.66 430.04	101.97 101.97	64.29 64.29	63.68 63.68	17.64 17.64		15.75 15.75			 	

ONRONDLE	D NETWORK ELEMENTS - Mississippi	1	1	ı		1					1		Attachment:	2		Exhibit: E
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrec		Nonrecurring					RATES (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Order Coordination For Specified Conversion Time, Per LSR			USL	OCOSL		18.19									<u> </u>
	Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone		1	UCL	USBFH	5.88	84.27	46.59	53.14	10.70		15.75				
	Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone 2		2	UCL	USBFH	5.21	84.27	46.59	53.14	10.70		15.75				
	Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone 3		3	UCL	USBFH	4.40	84.27	46.59	53.14	10.70		15.75				
	Unbundled Sub-Loop Feeder, 2-Wire Copper Loop - Zone 4		4	UCL	USBFH	3.63	84.27	46.59	53.14	10.70		15.75				
	Order Coordination For Specified Conversion Time, per LSR	ļ	<u> </u>	UCL	OCOSL	<u> </u>	18.19									
	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 1			UCL	USBFJ	13.49	101.58	63.90	59.71	13.67		15.75				↓
	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 2	ļ	2	UCL	USBFJ	10.96	101.58	63.90	59.71	13.67		15.75				↓
	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 3	<u> </u>	_	UCL	USBFJ	8.59	101.58	63.90	59.71	13.67		15.75	ļ	ļ		
	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 4		4	UCL	USBFJ	8.59	101.58	63.90	59.71	13.67		15.75				+
	Order Coordination For Specified Conversion Time, per LSR			UCL	OCOSL	00.00	18.19	04.00	00.00	17.01		45.75				
	Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop			UDL	USBFN	22.89	101.97	64.29	63.68	17.64		15.75				
	Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop			UDL	USBFN	25.11	101.97	64.29	63.68	17.64		15.75				+
	Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop		3	UDL UDL	USBFN USBFN	30.84 41.05	101.97 101.97	64.29 64.29	63.68 63.68	17.64 17.64		15.75 15.75				+
	Sub-Loop Feeder - Per 4-Wire 19.2 Kops Digital Grade Loop Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop - Zone 1		1	UDL	USBFO	22.89	101.97	64.29	63.68	17.64		15.75				<u> </u>
	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop -		2	UDL	USBFO		101.97									1
	Zone 2 Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop -					25.11		64.29	63.68	17.64		15.75				<u> </u>
	Zone 3 Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop -		3	UDL	USBFO	30.84	101.97	64.29	63.68	17.64		15.75				
	Zone 4		4	UDL	USBFO	41.05	101.97	64.29	63.68	17.64		15.75				+
	Order Coordination For Specified Time Conversion, per LSR Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - Zone 1		1	UDL UDL	OCOSL USBFP	22.89	18.19 101.97	64.29	63.68	17.64		15.75				
	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - Zone 2		2	UDL	USBFP	25.11	101.97	64.29	63.68	17.64		15.75				1
	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop -			UDL	USBFF	25.11	101.97	04.29	03.00	17.04		15.75				+
	Zone 3		3	UDL	USBFP	30.84	101.97	64.29	63.68	17.64		15.75				ļ
	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - Zone 4		4	UDL	USBFP	41.05	101.97	64.29	63.68	17.64		15.75				
SUB-LOOPS	Order Coordination For Specified Conversion Time, per LSR			UDL	OCOSL		18.19									-
	l op Feeder															+
	OOP CONCENTRATION															+
ONDONDEED E	Unbundled Loop Concentration - System A (TR008)			ULC	UCT8A	36367	327.30	327.30				15.75				+
	Unbundled Loop Concentration - System B (TR008)			ULC	UCT8B	47.56	136.37	136.37				15.75				+
	Unbundled Loop Concentration - System A (TR303)			ULC	UCT3A	397.35	327.30	327.30				15.75				†
	Unbundled Loop Concentration - System B (TR303)			ULC	UCT3B	80.15	136.37	136.37				15.75				†
	Unbundled Loop Concentration - DS1 Loop Interface Card			ULC	UCTCO	4.52	63.65	46.34	17.31	4.85		15.75				1
	Unbundled Loop Concentration - ISDN Loop Interface (Brite Card)			UDN	ULCC1	7.17	10.60	10.54	5.56	5.53		15.75				
	Unbundled Loop Concentration - UDC Loop Interface (Brite Card)			UDC	ULCCU	7.17	10.60	10.54	5.56	5.53		15.75				
	Unbundled Loop Concentration2 Wire Voice-Loop Start or Ground Start Loop Interface (POTS Card)			UEA	ULCC2	1.80	10.60	10.54	5.56	5.53		15.75				
	Unbundled Loop Concentration - 2 Wire Voice - Reverse Battery Loop Interface (SPOTS Card)			UEA	ULCCR	10.66	10.60	10.54	5.56	5.53		15.75				
	Unbundled Loop Concentration - 4 Wire Voice Loop Interface (Specials Card)			UEA	ULCC4	6.36	10.60	10.54	5.56	5.53		15.75				
	Unbundled Loop Concentration - TEST CIRCUIT Card			ULC	UCTTC	31.07	10.60	10.54	5.56	5.53		15.75				
	Unbundled Loop Concentration - Digital 19.2 Kbps Data Loop Interface			UDL	ULCC7	9.42	10.60	10.54	5.56	5.53		15.75				

UNBUNDLE	D NETWORK ELEMENTS - Mississippi												Attachment:	2		Exhibit: E
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual Svo Order vs.
						Rec	Nonrec		Nonrecurring					RATES (\$)		
	Unbundled Loop Concentration - Digital 56 Kbps Data Loop						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interface			UDL	ULCC5	9.42	10.60	10.54	5.56	5.53		15.75				
	Unbundled Loop Concentration - Digital 64 Kbps Data Loop Interface			UDL	ULCC6	9.42	10.60	10.54	5.56	5.53		15.75				
UNE OTHER. P	ROVISIONING ONLY - NO RATE			ODL	OLCOO	3.42	10.00	10.54	5.50	5.55		10.70				+
	NID - Dispatch and Service Order for NID installation			UENTW	UNDBX											†
	UNTW Circuit Id Establishment, Provisioning Only - No Rate			UENTW	UENCE											
	Unbundled Contract Name, Provisioning Only - No Rate			UEANL,UEF,UEQ,U ENTW	UNECN											
UNE OTHER, P	ROVISIONING ONLY - NO RATE															1
	Unbundled Contact Name, Provisioning Only - no rate			UAL,UCL,UDC,UDL, UDN,UEA,UHL,ULC	UNECN	0.00	0.00									
	Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no rate			UEA,UDN,UCL,UDC	USBFQ	0.00	0.00									
	Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no rate			UEA.USL.UCL.UDL	USBFR	0.00	0.00									
	Unbundled DS1 Loop - Superframe Format Option - no rate			USL	CCOSF	0.00	0.00									1
	Unbundled DS1 Loop - Expanded Superframe Format option - no rate			USL	CCOEF	0.00	0.00									
	Y UNBUNDLED LOCAL LOOP			002	OCCL	0.00	0.00									+
	4 month minimum billing period															+
	High Capacity Unbundled Local Loop - DS3 - Per Mile per month			UE3	1L5ND	11.20										
	High Capacity Unbundled Local Loop - DS3 - Facility Termination per month			UE3	UE3PX	326.15	454.13	265.47	123.23	86.19		15.75				
	High Capacity Unbundled Local Loop - STS-1 - Per Mile per month			UDLSX	1L5ND	11.20										
	High Capacity Unbundled Local Loop - STS-1 - Facility Termination per month			UDLSX	UDLS1	338.55	454.13	265.47	123.23	86.19		15.75				
LOOP MAKE-U																
	Loop Makeup - Preordering Without Reservation, per working or spare facility queried (Manual).			UMK	UMKLW		24.12	24.12								
	Loop Makeup - Preordering With Reservation, per spare facility queried (Manual).			UMK	UMKLP		25.58	25.58								
	Loop MakeupWith or Without Reservation, per working or spare facility queried (Mechanized)			UMK	PSUMK		0.6652	0.6652								
	NCY SPECTRUM															1
SPLITT	ERS-CENTRAL OFFICE BASED															
	Line Sharing Splitter, per System 96 Line Capacity	₩.	<u> </u>	ULS	ULSDA	186.67	189.89	0.00	178.41	0.00		0.00				ļ
	Line Sharing Splitter, per System 24 Line Capacity	++	!	ULS ULS	ULSDB ULSD8	46.67 15.55	189.89 189.89	0.00	178.41 178.41	0.00		0.00		 		
END HS	Line Sharing Splitter, Per System, 8 Line Capacity SER ORDERING-CENTRAL OFFICE BASED-HIGH FREQUENCY	Y SPFC	TRUM			15.55	189.89	0.00	178.41	0.00		0.00				
	Line Sharing - per Line Activation				ULSDC	0.61	18.62	10.66	10.04	4.93			25.52	11.34	16.06	16.06
	Line Sharing - per Subsequent Activity per Line Rearrangement	1		ULS	ULSDS		16.48	8.24					25.52	11.34		
	Line Splitting - per line activation DLEC owned splitter Line Splitting - per line activation BST owned - physical	- -			UREOS UREBP	0.61 0.639	18.62	10.66	10.04	4.93						
	Line Splitting - per line activation BST owned - physical Line Splitting - per line activation BST owned - virtual	1			UREBV	0.639	18.62	10.66	10.04	4.93						
UNBUNDLED T																
	PFFICE CHANNEL - DEDICATED TRANSPORT - VOICE GRADE	Ę														
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month			U1TVX	1L5XX	0.0098										
	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - Facility Termination per month			U1TVX	U1TV2	22.52	40.77	27.57	17.26	7.11		15.75				
	Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade Rev Bat Per Mile per month			U1TVX	1L5XX	0.0098										

UNBUNDLE	D NETWORK ELEMENTS - Mississippi												Attachment:	2		Exhibit: E
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)	Γ			Submitted Manually		Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec			g Disconnect			OSS	RATES (\$)		
	Literature Charles De Francis Literature Charles NO. De De L						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat Facility Termination per month			U1TVX	U1TR2	22.52	40.77	27.57	17.26	7.11		15.75				
	Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Per Mile per month			U1TVX	1L5XX	0.0098										
	Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade - Facility Termination per month			U1TVX	U1TV4	19.79	40.77	27.57	17.26	7.11		15.75				
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month			U1TDX	1L5XX	0.0098										
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility			LIATOV	LIATOS	45.00	40.77	07.57	47.00	7.44		45.75				
	Termination per month Interoffice Channel - Dedicated Transport - 64 kbps - per mile			U1TDX	U1TD5	15.68	40.77	27.57	17.26	7.11		15.75				
	per month Interoffice Channel - Dedicated Transport - 64 kbps - Facility			U1TDX	1L5XX	0.0098				_						
INTERC	Termination per month DFFICE CHANNEL - DEDICATED TRANSPORT - DS1			U1TDX	U1TD6	15.68	40.77	27.57	17.26	7.11		15.75				
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month			U1TD1	1L5XX	0.201										
	Interoffice Channel - Dedicated Tranport - DS1 - Facility Termination per month			U1TD1	U1TF1	57.33	89.79	82.28	16.86	14.90		15.75				
INTERC	OFFICE CHANNEL - DEDICATED TRANSPORT- DS3															
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month			U1TD3	1L5XX	4.76										
	Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month			U1TD3	U1TF3	641.90	280.37	163.70	62.08	60.29		15.75				
INTERO	OFFICE CHANNEL - DEDICATED TRANSPORT- STS-1															
	Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month			U1TS1	1L5XX	4.76										
	Interoffice Channel - Dedicated Transport - STS-1 - Facility Termination per month			U1TS1	U1TFS	644.21	280.37	163.70	62.08	60.29		15.75				
	CHANNEL - DEDICATED TRANSPORT		L		D00 1 -1 -		_									
NOTE:	LOCAL CHANNEL DEDICATED TRANSPORT - minimum billin	g perio						00.00	07.70	0.00		45.75				
	Local Channel - Dedicated - 2-Wire Voice Grade Per Month Local Channel - Dedicated - 2-Wire Voice Grade Rev Bat per			ULDVX	ULDV2	14.91	194.22	33.36	37.79	3.30		15.75				
	month			ULDVX	ULDR2	14.91	194.22	33.36	37.79	3.30		15.75				
	Local Channel - Dedicated - 4-Wire Voice Grade per month Local Channel - Dedicated - DS1 per month - Zone 1			UNDVX ULDD1	ULDV4 ULDF1	15.99	194.66	33.80	38.27	3.78 15.74		15.75				
	Local Channel - Dedicated - DS1 per month - Zone 2		2	ULDD1	ULDF1	36.83 35.99	178.50 178.50	154.61 154.61	22.89 22.89	15.74		15.75 15.75	-		-	
	Local Channel - Dedicated - DS1 per month - Zone 3		3	ULDD1	ULDF1	221.63	178.50	154.61	22.89	15.74		15.75				1
	Local Channel - Dedicated - DS1 per month - Zone 4		4	ULDD1	ULDF1	221.63	178.50	154.61	22.89	15.74		10.70				
	Local Channel - Dedicated - DS3 - Per Mile per month	1	Ħ	ULDD3	1L5NC	9.66		.001	22.30	.5.74			t		1	1
	Local Channel - Dedicated - DS3 - Facility Termination per				1											
	month			ULDD3	ULDF3	413.87	454.13	265.47	123.23	86.19	1	15.75	ļ		ļ	<u> </u>
	Local Channel - Dedicated - STS-1- Per Mile per month Local Channel - Dedicated - STS-1 - Facility Termination per		<u> </u>	ULDS1	1L5NC	9.66					+		 		 	-
	month			ULDS1	ULDFS	408.02	454.13	265.47	123.23	86.19		15.75				
MULTIPLEXER	Channelization - DS1 to DS0 Channel System			UXTD1	MQ1	102.85	91.57	62.94	10.87	10.10	1	15.75	1		 	
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs)			UDL	1D1DD	1.22	6.62	4.74	10.67	10.10		15.75				
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month			UDN	UC1CA	2.62	6.62	4.74				15.75				
	Voice Grade COCI - DS1 to DS0 Channel System - per month			UEA	1D1VG	0.5737	6.62	4.74			+	15.75				+
	DS3 to DS1 Channel System per month			UXTD3	MQ3	170.63	179.17	94.52	34.30	32.82		15.75				<u> </u>
	STS1 to DS1 Channel System per month			UXTS1	MQ3	170.63	179.17	94.52	34.30	32.82		15.75				
DARK FIBER	DS3 Interface Unit (DS1 COCI) used with Loop per month			USL	UC1D1	12.96	6.62	4.74			1	15.75				
DAKK FIBEK	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Local Channel			UDF	1L5DC	59.95										

UNBUNDLE	D NETWORK ELEMENTS - Mississippi												Attachment:	2		Exhibit: E
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					RATES (\$)		
	NDC Ded. Fiber Lead Cheesel			LIDE	UDFC4		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	NRC Dark Fiber - Local Channel Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction	1	!	UDF	UDFC4	 	642.79	138.67	326.97	203.85	1	15.75		-		
	Thereof per month - Interoffice Channel			UDF	1L5DF	28.27										
	NRC Dark Fiber - Interoffice Channel			UDF	UDF14	20.27	642.79	138.67	326.97	203.85		15.75				
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction			_												
	Thereof per month - Local Loop			UDF	1L5DL	59.95										
	NRC Dark Fiber - Local Loop			UDF	UDFL4		642.79	138.67	326.97	203.85		15.75				
TRANSPORT O																
Option	al Features & Functions:															
	Clear Channel Capability (B8ZS/ESF) Option - Subsequent - per DS1 Channel		1	UNC1X	CCOEF		184.60	23.78	1.96	0.76		15.75	1	1		
-	Clear Channel Capability (B8ZS/SF) Option - Subsequent - per	-	 	UNCIA	CCOEF		104.00	23.78	1.96	0.76		15.75				
	DS1 Channel			UNC1X	CCOSF		184.60	23.78	1.96	0.76		15.75				
8XX ACCESS	TEN DIGIT SCREENING	1	<u> </u>				.04.00	20.70	1.50	0.70		10.70	1	1	1	1
	8XX Access Ten Digit Screening, Per Call			OHD		0.0006216										
	8XX Access Ten Digit Screening, Reservation Charge Per 8XX						İ		İ							
	Number Reserved			OHD	N8R1X		2.60	0.44				15.75				
	8XX Access Ten Digit Screening, Per 8XX No. Established W/O															
	POTS Translations			OHD			5.97	0.81	4.60	0.54		15.75				
	8XX Access Ten Digit Screening, Per 8XX No. Established With POTS Translations			OHD	N8FTX		5.97	0.81	4.60	0.54		15.75				
	8XX Access Ten Digit Screening, Customized Area of Service			OHD	INOFIA		5.97	0.61	4.60	0.54		13.73				
	Per 8XX Number			OHD	N8FCX		2.60	1.30				15.75				
	8XX Access Ten Digit Screening, Multiple InterLATA CXR			0.15	110. 071	İ	2.00	1.00	İ			10.70				
	Routing Per CXR Requested Per 8XX No.			OHD	N8FMX		3.04	1.74				15.75				
	8XX Access Ten Digit Screening, Change Charge Per Request			OHD	N8FAX		3.04	0.44				15.75				
	8XX Access Ten Digit Screening, Call Handling and Destination															
	Features			OHD	N8FDX		2.60					15.75				
LINE INFORMA	ATION DATA BASE ACCESS (LIDB)			007		0.0000407										
	LIDB Common Transport Per Query LIDB Validation Per Query			OQT OQU		0.0000197 0.0137053										
-	LIDB Originating Point Code Establishment or Change			OQU OQT, OQU	NRPBX	0.0137053	34.52	34.52	42.33	42.33		15.75				
SIGNALING (C	CS7)			OQ1, OQU	INITEDA		34.32	34.32	42.33	42.33		13.73				
I	CCS7 Signaling Termination, Per STP Port			UDB	PT8SX	132.21			İ							
	CCS7 Signaling Usage, Per TCAP Message			UDB		0.0000597										
	CCS7 Signaling Connection, Per link (A link)			UDB	TPP++	16.55	35.74	35.74	16.53	16.53		15.75				
	CCS7 Signaling Connection, Per link (B link) (also known as D															
L	link)		!	UDB	TPP++	16.55	35.74	35.74	16.53	16.53	1	15.75				
 	CCS7 Signaling Usage, Per ISUP Message		<u> </u>	UDB UDB	STU56	0.0000149 683.55					1					
	CCS7 Signaling Usage Surrogate, per link per LATA CCS7 Signaling Point Code, per Originating Point Code		 	סטט	31036	083.00			 		-		1	-	-	-
i	Establishment or Change, per STP affected		1	UDB	CCAPO		29.18	29.18	35.78	35.78		15.75	1	1		
E911 SERVICE			<u> </u>		20/11 0		20.10	20.10	55.76	55.76		10.70				
I	Local Channel - Dedicated - 2-wr Voice Grade					14.91	194.22	33.36	37.79	3.30		15.75				
	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile					0.0098									İ	İ
	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility							· · · · · · · · · · · · · · · · · · ·		· · · · · · · · · · · · · · · · · · ·			1	1	1	1
	Termination		<u> </u>			22.52	40.77	27.57	17.26	7.11		15.75				
	Local Channel - Dedicated - DS1 - Zone 1		 			36.83	178.50	154.61	22.89	15.74		15.75	-	-	-	-
	Local Channel - Dedicated - DS1 - Zone 2 Local Channel - Dedicated - DS1 - Zone 3	1	!		+	35.99 221.63	178.50 178.50	154.61 154.61	22.89 22.89	15.74 15.74	1	15.75 15.75		-		
	Local Channel - Dedicated - DS1 - Zone 3	1	 		+	221.63	178.50	154.61	22.89	15.74	1	15.75	1	1	1	
	Interoffice Transport - Dedicated - DS1 Per Mile		1		+	0.2010	170.50	104.01	22.09	15.74		13.73				
	Transport Boardage Bott of Hillo		1		1	5.2010	t t									
	Interoffice Transport - Dedicated - DS1 Per Facility Termination					57.33	89.79	82.28	16.86	14.90		15.75				
	·											15.75			İ	
CALLING NAM	E (CNAM) SERVICE															
	CNAM for DB Owners, Per Query			OQV		0.0010231										
	CNAM for Non DB Owners, Per Query			OQV		0.0010231]		I	l	l]]]

UNBUNDLE	D NETWORK ELEMENTS - Mississippi												Attachment:	2		Exhibit: E
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Submitted Manually	Incremental Charge - Manual Svc	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					RATES (\$)		
				0.017			First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	CNAM For DB Owners - Service Establishment CNAM For Non DB Owners - Service Establishment			OQV OQV			23.09 23.09	23.09 23.09	21.23 21.23	21.23		15.75 15.75				
				OQV	-		23.09	23.09	21.23	21.23		15.75				
	CNAM For DB Owners - Service Provisioning With Point Code Establishment			OQV			996.62	737.08	270.49	198.89		15.75				
	CNAM For Non DB Owners - Service Provisioning With Point Code Establishment			oqv			344.32	246.56	276.85	198.89		15.75				İ
LNP Query Ser				OQV			344.32	240.56	276.00	190.09		13.73				
	LNP Charge Per guery			OQV		0.0008477										
	LNP Service Establishment Manual					0.0000	12.59	12.59	11.58	11.58		15.75				
	LNP Service Provisioning with Point Code Establishment				İ		596.94	304.96	270.49	198.89		15.75				
OPERATOR CA	ALL PROCESSING															
	Oper. Call Processing - Oper. Provided, Per Min Using BST															
	LIDB Oper. Call Processing - Oper. Provided, Per Min Using				1	1.20										
	Foreign LIDB					1.24										İ
	Oper. Call Processing - Fully Automated, per Call - Using BST LIDB					0.20										
	Oper. Call Processing - Fully Automated, per Call - Using Foreign LIDB					0.20										
	ATOR SERVICES					0.20					-					
INWARD OF ER	Inward Operator Services - Verification, Per Minute					1.15										
	Inward Operator Services - Verification and Emergency Interrupt					1.15										
	- Per Minute					1.15										İ
BRANDING - O	PERATOR CALL PROCESSING															
	Recording of Custom Branded OA Announcement				CBAOS		7,000.00	7,000.00				15.75				
	Loading of Custom Branded OA Announcement per shelf/NAV				CBAOL		500.00	500.00				15.75				
	ding via OLNS for UNEP CLEC															
	Loading of OA per OCN (Regional)						1,200.00	1,200.00				15.75				
	SSISTANCE SERVICES															
DIRECT	ORY ASSISTANCE ACCESS SERVICE Directory Assistance Access Service Calls, Charge Per Call					0.271744										—
DIRECT	FORY ASSISTANCE CALL COMPLETION ACCESS SERVICE (MCC)				0.271744					-					
DIRECT	Directory Assistance Call Completion Access Service (DACC),	JACC)														—
	Per Call Attempt					0.10										l
DIRECT	TORY TRANSPORT					0.10										
	SWA Common transport per Directory Assistance Access															
	Service Call					0.000178										
	SWA Common Transport per Directory Assistance Access Service Call Mile					0.000017										
	Access Tandem Switching per Directory Assistance Access Service Call					0.000287										
	Directory Assistance Interconnection per Directory Assistance Access Service Call					0.00										
	DS3 to DS1 Multiplexer per DA Access Service Call				+	0.00018	+									
	SSISTANCE SERVICES	1			1	0.00010					<u> </u>				1	—
	TORY ASSISTANCE DATA BASE SERVICE (DADS)						İ									
	Directory Assistance Data Base Service Charge Per Listing					0.04										
	Directory Assistance Data Base Service, per month				DBSOF	150.00										
	IRECTORY ASSISTANCE															
Facility	Based CLEC															
	Recording and Provisioning of DA Custom Branded Announcement			AMT	CBADA		6,000.00	6,000.00								1
	Loading of Custom Branded Announcement per DRAM															
	Card/Switch	<u> </u>		AMT	CBADC		1,170.00	1,170.00								<u></u>
UNEP C						_									_	
	Recording of DA Custom Branded Announcement						3,000.00	3,000.00								
	Loading of DA Custom Branded Announcement per DRAM Card/Switch per OCN						1,170.00	1,170.00								1

<u>UNBUNDL</u> EI	NETWORK ELEMENTS - Mississippi												Attachment:	2		Exhibit:
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Order vs.	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual So Order vs
						Rec	Nonrec			g Disconnect				RATES (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Unbran	ding via OLNS for UNEP CLEC						420.00	420.00								
	Loading of DA per OCN (1 OCN per Order)		<u> </u>				16.00	16.00			-					+
SELECTIVE RO	Loading of DA per Switch per OCN						16.00	16.00	-		+		-			+
OLLEGIVE RO	Selective Routing Per Unique Line Class Code Per Request Per Switch				USRCR		85.19	85.19	14.19	14.19		15.75				
VIRTUAL COLL	OCATION															
	Virtual Collocation - Application Cost				EAF		1,212.25		0.51							
	Virtual Collocation - Cable Installation Cost, per cable			CLO	ESPCX		926.27		22.62							
	Virtual Collocation - Floor Space, per sq. ft.			CLO	ESPVX	5.74										
	Virtual Collocation - Power, per breaker amp			CLO	ESPAX	7.33			ļ	ļ			ļ	ļ		
	Virtual Collocation - Cable Support Structure, per entrance			0.0					I	1				1		
	cable			CLO	ESPSX	15.24										
	Vietual Callegation 2 using Cones Constant	l		ueanl,uea,udn,udc,	LIEACO	0.0000	10.07	44.6=				45 7-	1			
	Virtual Collocation - 2-wire Cross Connects (loop) Virtual Collocation - 4-wire Cross Connects (loop)		-	ual,uhl,ucl,ueq	UEAC2 UEAC4	0.0268 0.0536	12.37 12.47	11.87 11.94	6.04 6.59	5.45 5.91	1	15.75 15.75	1			
											1		-			+
	Virtual Collocation - 2-Fiber Cross Connects Virtual Collocation - 4-Fiber Cross Connects				CNC2F CNC4F	2.91 5.82	21.01	15.29 19.97	7.61 10.01	6.10 8.50		15.75				
	Virtual Collocation - 4-Fiber Cross Connects Virtual Collocation - DS1 Cross Connects				CNC4F CNC1X	1.14	25.70 22.16	16.02	6.60	5.97		15.75 15.75	-			+
	Virtual Collocatin - DS3 Cross Connects				CND3X	14.49	21.01	15.29	7.61	6.10		15.75	-			+
	Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable			USL,ULU,ULU	CINDSX	14.43	21.01	13.29	7.01	0.10	1	13.73				+
	Support Structure, per linear foot			AMTFS	PE1ES	0.0025										
	Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax			AWITO	LILO	0.0023										+
	Cable Support Structure, per linear ft			AMTFS	PE1DS	0.0037										
	Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable			,		0.0001					1					+
	Support Structure,per cable			AMTFS			534.65									
	Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax			-												1
	Cable Support Structure, per cable			AMTFS			534.65									
	Virtual Collocatin - Security Escort - Basic, per half hour			CLO	SPTBX		17.02	10.79								
	Virtual Collocatin - Security Escort - Overtime, per half hour			CLO	SPTOX		22.17	13.94								
	Virtual Collocatin - Security Escort - Premium, per half hour			CLO	SPTPX		27.32	17.08								
	Virtual Collocatin - Maintenance in CO - Basic, per half hour			CLO	CTRLX		28.09	10.79								
	Virtual Collocatin - Maintenance in CO - Overtime, per half hour				SPTOM		36.69	13.94								
	Virtual Collocatin - Maintenance in CO - Premium per half hour			CLO	SPTPM		45.28	17.08								
VIRTUAL COLL									ļ				1			
	Virtual Collocation - 2-wire Cross Connect, Exchange Port 2-	l								_			1			
	Wire Analog - Res		<u> </u>	UEPSR	VE1R2	0.0268	12.37	11.87	6.04	5.45		15.75	1	 		
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire	l		UEPRX	PE1R2	0.0268	10.07	11.07	6.04	5.45		15 75	I	1	1	
	Voice Grade Res Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-	 	-	UEPKA	FE IKZ	0.0268	12.37	11.87	6.04	5.45	1	15.75	 	 	 	+
	Wire Line Side PBX Trunk - Bus	l		UEPSP	VE1R2	0.0268	12.37	11.87	6.04	5.45		15.75	I	1	1	
- 	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire	1		ULFOF	VEIRZ	0.0268	12.37	11.87	6.04	5.45	+	15.75	 	1	1	+
	Voice Grade PBX Trunk - Res	l		UEPSE	VE1R2	0.0268	12.37	11.87	6.04	5.45		15.75	I	1	1	
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire	 		OLI OL	v L 11\Z	0.0200	12.37	11.07	0.04	5.45	1	15.75	t	1	1	+
	Analog Bus	l		UEPSB	VE1R2	0.0268	12.37	11.87	6.04	5.45		15.75	I	1	1	
	Virtual Collocation 2-Wire Cross Connect, Exchnage Port 2-Wire	1				0.0200	12.01	11.07	0.04	5.45	1	10.70	I	 	 	
	ISDN	l		UEPSX	VE1R2	0.0268	12.37	11.87	6.04	5.45		15.75	I	1	1	
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire									,,,,						
	ISDN	l	1	UEPTX	VE1R2	0.0268	12.37	11.87	6.04	5.45		15.75	1			
	Virtual Collocation 4-Wire Cross Connect, Exchange Port DDITS															
	4-Wire DS1	<u> </u>		UEPDD	VE1R4	0.0536	12.47	11.94	6.59	5.91	<u> </u>	15.75	<u></u>	<u> </u>		
	Virtual Collocation 4-Wire Cross Connect, Exchange Port 4-Wire			_												
	ISDN DS1	<u> </u>		UEPEX	VE1R4	0.0536	12.47	11.94	6.59	5.91	<u> </u>	15.75	<u></u>	<u> </u>		
/IRTUAL COLL																
	Virtual Collocation-2 Wire Cross Connects (Loop) for Line	l]]		
	Splitting			UEPSR, UEPSB	VE1LS	0.0268	12.37	11.87	6.04	5.45	1		19.99	19.99	19.99	19.9
AIN SELECTIVE	CARRIER ROUTING															1

UNBUNDLEI	D NETWORK ELEMENTS - Mississippi												Attachment:	2		Exhibit: E
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually	Incremental Charge - Manual Svc	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs.
						Rec	Nonrec		Nonrecurring					RATES (\$)		
				000	00000		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Regional Service Establishment End Office Establishment		-	SRC SRC	SRCEC SRCEO		101,685.12 167.49	167.49	8,640.51 1.71	1.71		15.75 15.75				
	Query NRC, per query			SRC	SRCEO	0.0030502	167.49	167.49	1./1	1.71		15.75				1
AIN - BELLSOL	JTH AIN SMS ACCESS SERVICE			OILO		0.0030302										1
	AIN SMS Access Service - Service Establishment, Per State, Initial Setup			A1N	CAMSE		39.67	39.67	40.92	40.92		15.75				
	AIN SMS Access Service - Port Connection - Dial/Shared Access			A1N	CAMDP		7.87	7.87	9.14	9.14		15.75				
	AIN SMS Access Service - Port Connection - ISDN Access			A1N	CAM1P		7.87	7.87	9.14	9.14		15.75				
1	AIN SMS Access Service - User Identification Codes - Per User								5	5.14		.00				1
	ID Code			A1N	CAMAU		35.21	35.21	27.21	27.21		15.75				<u> </u>
	AIN SMS Access Service - Security Card, Per User ID Code,							-								
	Initial or Replacement			A1N	CAMRC		42.13	42.13	11.78	11.78		15.75				
	AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)					0.0021										
	AIN SMS Access Service - Session, Per Minute AIN SMS Access Service - Company Performed Session, Per		1		+	0.5649										
	Minute					0.8393										
AIN - BELLSOL	JTH AIN TOOLKIT SERVICE					0.0555										
	AIN Toolkit Service - Service Establishment Charge, Per State,				1											
	Initial Setup			CAM	BAPSC		39.67	39.67	40.92	40.92		15.75				
	AIN Toolkit Service - Training Session, Per Customer				BAPVX		4,226.54	4,226.54				15.75				
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
	DN, Term. Attempt				BAPTT		7.87	7.87	9.14	9.14		15.75				
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				BAPTD		7.87	7.07	0.44	9.14		45.75				
	DN, Off-Hook Delay AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per		-		BAPID		7.87	7.87	9.14	9.14		15.75				
	DN, Off-Hook Immediate				BAPTM		7.87	7.87	9.14	9.14		15.75				
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				DAI IIVI		7.07	7.07	3.14	3.14		10.70				1
	DN, 10-Digit PODP				BAPTO		34.67	34.67	14.44	14.44		15.75				
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
	DN, CDP				BAPTC		34.67	34.67	14.44	14.44		15.75				
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				L											
	DN, Feature Code		-		BAPTF	0.0535577	34.67	34.67	14.44	14.44		15.75				
	AIN Toolkit Service - Query Charge, Per Query AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit		-		-	0.0535577										
	Subscription, Per Node, Per Query					0.0063509										
	AIN Toolkit Service - SCP Storage Charge, Per SMS Access					3.3300009										1
	Account, Per 100 Kilobytes				1	0.06	1									
	AIN Toolkit Service - Monthly report - Per AIN Toolkit Service							-								
	Subscription			CAM	BAPMS	11.11	7.87	7.87	5.54	5.54		15.75				ļ
	AIN Toolkit Service - Special Study - Per AIN Toolkit Service			0444	D 4 D 1 O	0	0	0 = 1				45				
	Subscription AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service			CAM	BAPLS	2.71	8.71	8.71				15.75				
	Subscription			CAM	BAPDS	8.48	7.87	7.87	5.54	5.54		15.75				
	AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit					20			2.27	2.3.		1				1
	Service Subscription	<u> </u>		CAM	BAPES	0.09	8.71	8.71			<u> </u>	15.75				
	(TENDED LINK (EELs)							•								
	New EELs available in State of Georgia, density zone 1 of foll							v Orleans, LA;								ļ
	Charlotte-Gastonia-Rockhill, NC; Greensboro-Winston Salem												LINE - AL-		1	ļ
	In all states, EEL network elements shown below also apply t	o curre	ntly co	mpinea tacilities wi	nich are conv	ertea to UNE ra	ites. A Switch A	as is Unarge a	pplies to curre	ntly combined	racilities co	onverted to	UNES.(Non-re	curring rates	ao not	
apply.)	In GA, TN, KY, LA & MS, the EEL network elements apply to o	ordinari	ly com	hinad natwork alam	ente (No Sui	tch As Is Chara	۵) ا		1	ı		l	1			
	IN GA, TN, KY, LA & MS, the EEL network elements apply to C EVOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT				IEITES (NO SWI	CII AS IS CHAIG	e.j									
Z-WIKE	First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport				+		-									†
	Combination - Zone 1		1	UNCVX	UEAL2	13.89	105.96	68.28	52.82	10.37		15.75				
	<u></u>	1	1		1						1					İ
	First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 2		2	UNCVX	UEAL2	18.75	ı		52.82	10.37		15.75				

ONRONDLE	D NETWORK ELEMENTS - Mississippi			1									Attachment:	2		Exhibit:
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
						Rec	Nonrec		Nonrecurring					RATES (\$)		
	5						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed		_				40= 00		=							
	Transport Combination - Zone 3		3	UNCVX	UEAL2	27.55	105.96	68.28	52.82	10.37		15.75				
	First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 4		4	UNCVX	UEAL2	45.72	105.96	68.28	52.82	10.37		15.75				
-	Interoffice Transport - Dedicated - DS1 combination - Per Mile		4	UNCVA	UEALZ	45.72	105.96	00.20	52.62	10.37		15.75				-
	per month			UNC1X	1L5XX	0.1813										
	Interoffice Transport - Dedicated - DS1 combination - Facility															
	Termination per month			UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90		15.75				
	DS1 Channelization System Per Month			UNC1X	MQ1	102.85	91.57	62.94	10.87	10.10		15.75				
	Voice Grade COCI - DS1 To Ds0 Interface - Per Month			UNCVX	1D1VG	0.5737	6.62	4.74								
	Each Additional 2-Wire VG Loop(SL 2) in the same DS1															
	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL2	13.89	105.96	68.28	52.82	10.37		15.75				
	Each Additional 2-Wire VG Loop(SL2) in the same DS1								Π						1	
	Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL2	18.75	105.96	68.28	52.82	10.37		15.75				
	Each Additional 2-Wire VG Loop(SL2) in the same DS1		_	LINION	LIEALO		,					,				
	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL2	27.55	105.96	68.28	52.82	10.37		15.75			 	
	Each Additional 2-Wire VG Loop(SL2) in the same DS1			11000		45.70	405.00	00.00	50.00	40.07		45.75				
	Interoffice Transport Combination - Zone 4 Voice Grade COCI - DS1 to DS0 Channel System combination -		4	UNCVX	UEAL2	45.72	105.96	68.28	52.82	10.37		15.75				
	per month			UNCVX	1D1VG	0.5737	6.62	4.74				15.75				
	Nonrecurring Currently Combined Network Elements Switch -As-			UNCVA	IDIVG	0.5737	0.02	4.74				15.75				
	Is Charge			UNC1X	UNCCC		5.63	5.63	7.20	7.20		15.75				
4-WIRI	E VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT	FROFE	ICE TE		UNCCC		5.05	3.03	7.20	1.20		13.73				+
7 11111	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice	L.CO. I	<u> </u>	I CONTROL ON THE CONT												1
	Transport Combination - Zone 1		1	UNCVX	UEAL4	27.47	132.27	94.59	60.68	14.64		15.75				
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice															
	Transport Combination - Zone 2		2	UNCVX	UEAL4	38.26	132.27	94.59	60.68	14.64		15.75				
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice															
	Transport Combination - Zone 3		3	UNCVX	UEAL4	50.03	132.27	94.59	60.68	14.64		15.75				
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice															
	Transport Combination - Zone 4		4	UNCVX	UEAL4	50.03	132.27	94.59	60.68	14.64		15.75				
	Interoffice Transport - Dedicated - DS1 combination - Per Mile															
	Per Month			UNC1X	1L5XX	0.1813										
	Interoffice Transport - Dedicated - DS1 - Facility Termination Per															
	Month			UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90		15.75				.
	Channelization - Channel System DS1 to DS0 combination Per								40.00							
	Month			UNC1X	MQ1	102.85	91.57	62.94	10.87	10.10		15.75				
	Voice Grade COCI - DS1 to DS0 Channel System combination - per month			UNCVX	1D1VG	0.5737	6.62	4.74				15.75				
	Additional 4-Wire Analog Voice Grade Loop in same DS1			UNCVA	IDIVG	0.5737	0.02	4.74				15.75				+
	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	27.47	132.27	94.59	60.68	14.64		15.75				
	Additional 4-Wire Analog Voice Grade Loop in same DS1		-	ONOVA	OLAL	21.41	102.21	34.33	00.00	14.04		13.73				
	Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	38.26	132.27	94.59	60.68	14.64		15.75			1	
	Additional 4-Wire Analog Voice Grade Loop in same DS1		T -	1	1	33.23	.02.27	000	55.55			700			İ	
	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	50.03	132.27	94.59	60.68	14.64		15.75				
İ	Additional 4-Wire Analog Voice Grade Loop in same DS1	1													1	
	Interoffice Transport Combination - Zone 4		4	UNCVX	UEAL4	50.03	132.27	94.59	60.68	14.64		15.75				
	Voice Grade COCI - DS1 to DS0 Channel System combination -												<u> </u>			
	per month			UNCVX	1D1VG	0.5737	6.62	4.74				15.75				
	Nonrecurring Currently Combined Network Elements Switch -As-	·										,				
	Is Charge	<u> </u>		UNC1X	UNCCC		5.63	5.63	7.20	7.20		15.75				ļ
4-WIRI	56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1	INTERC	FFICE	IKANSPORT (EEL))				1							
	First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	27.44	126.53	88.85	60.68	14.64		15.75			1	
	First 4-wire 56Kbps Digital Grade Loop in a DS1 Interoffice			UNCDX	UDLOB	21.44	120.53	88.85	80.08	14.64		15./5				
	Transport Combination - Zone 2		2	UNCDX	UDL56	34.55	126.53	88.85	60.68	14.64		15.75				
	First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice			OINODA	ODESO	34.55	120.55	00.00	00.00	14.04		13.73			1	

NURONDLE	D NETWORK ELEMENTS - Mississippi			ı	,						1		Attachment:	2		Exhibit:
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR		Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
						Rec	Nonrec		Nonrecurring					ATES (\$)		
	First 4 Mine Foldier British Overland and Political Mine						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 4		4	UNCDX	UDL56	32.25	126.53	88.85	60.68	14.64		15.75				
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0.1813						15.75				
	Interoffice Transport - Dedicated - DS1 - combination Facility Termination Per Month			UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90		15.75				
	Channelization - Channel System DS1 to DS0 combination Per Month			UNC1X	MQ1	102.85	91.57	62.94	10.87	10.10		15.75				
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per				10.100											
	month (2.4-64kbs) Additional 4-Wire 56Kbps Digital Grade Loopin same DS1			UNCDX	1D1DD	1.22	6.62	4.74				15.75				
	Interoffice Transport Combination - Zone 1 Additional 4-Wire 56Kbps Digital Grade Loopin same DS1		1	UNCDX	UDL56	27.44	126.53	88.85	60.68	14.64		15.75				
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	34.55	126.53	88.85	60.68	14.64		15.75				
	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	40.76	126.53	88.85	60.68	14.64		15.75				
	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 4		4	UNCDX	UDL56	32.25	126.53	88.85	60.68	14.64		15.75				
	OCU-DP COCI (data) - DS1 to DS0 Channel System -		-						00.00	14.04						
	combination per month (2.4-64kbs) Nonrecurring Currently Combined Network Elements Switch -As-			UNCDX	1D1DD	1.22	6.62	4.74				15.75				
	ls Charge			UNC1X	UNCCC		5.63	5.63	7.20	7.20		15.75				
4-WIRE	64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1	INTERC	FFICE	TRANSPORT (EEL)												
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	27.44	126.53	88.85	60.68	14.64		15.75				
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	34.55	126.53	88.85	60.68	14.64		15.75				
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	40.76	126.53	88.85	60.68	14.64		15.75				
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice															
	Transport Combination - Zone 4 Interoffice Transport - Dedicated - DS1 combination - Per Mile		4	UNCDX	UND64	32.25	126.53	88.85	60.68	14.64		15.75				
	Per Month Interoffice Transport - Dedicated - DS1 combination - Facility			UNC1X	1L5XX	0.1813										
	Termination Per Month			UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90		15.75				
	Channelization - Channel System DS1 to DS0 combination Per Month			UNC1X	MQ1	102.85	91.57	62.94	10.87	10.10		15.75				
	OCU-DP COCI (data) - DS1 to DS0 Channel System combination - per month (2.4-64kbs)			UNCDX	1D1DD	1.22	6.62	4.74				15.75				
	Additional 4-Wire 64Kbps Digital Grade Loopin same DS1		_						20.00	4461						
	Interoffice Transport Combination - Zone 1 Additional 4-Wire 64Kbps Digital Grade Loopin same DS1		1	UNCDX	UDL64	27.44	126.53	88.85	60.68	14.64		15.75				
	Interoffice Transport Combination - Zone 2 Additional 4-Wire 64Kbps Digital Grade Loopin same DS1		2	UNCDX	UDL64	34.55	126.53	88.85	60.68	14.64		15.75				
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	40.76	126.53	88.85	60.68	14.64		15.75				
	Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 4		4	UNCDX	UDL64	32.25	126.53	88.85	60.68	14.64		15.75				
	OCU-DP COCI (data) - DS1 to DS0 Channel System combination - per month (2.4-64kbs)			UNCDX	1D1DD	1.22	6.62	4.74				15.75				
	Nonrecurring Currently Combined Network Elements Switch -As-			UNC1X		2			7.00	7.00						
4-1W1D	Is Charge E DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INTE	POEE!	CE TD		UNCCC		5.63	5.63	7.20	7.20		15.75			-	
4-VVIK	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice	KUFFI	CE IK	ANGFORT (EEL)												
	Transport - Zone 1		1	UNC1X	USLXX	79.08	253.93	158.45	46.10	12.07		15.75				
	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 2		2	UNC1X	USLXX	129.38	253.93	158.45	46.10	12.07		15.75				
	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 3		3	UNC1X	USLXX	206.74	253.93	158.45	46.10	12.07	_	15.75				_

RATE ELEMENTS RATE ELEMENTS BCS USOC RATES(\$) Svc Order Svc Order Submitted Electronic- Electronic- per LSR REC Nonrecurring Nonrecurring Disconnect Charge - Manual Svc Order vs. Electronic- Electronic- per LSR OSS RATES (\$)	Exhi		2	Attachment:							ı	1	ı			LED NETWORK ELEMENTS - Mississippi
A-Wile DST Digital Loop in Combination with Distinstration A LINCOLN USUX	ncremental Increr Charge - Cha Manual Svc Manu Order vs. Orde Electronic- Disc 1st Disc	rge - Cl al Svc Mar er vs. Or ronic- Ele	Charge - Manual Sv Order vs. Electronic	Charge - Manual Svc Order vs. Electronic-	Submitted Manually	Submitted Elec			RATES(\$)			usoc	BCS	Zone		Y RATE ELEMENTS
## Wind DST Digital Log in Combination with DST Interdiffice											Rec					
Transport - Joine & Householder - Dist combination - Per Mile Householder - Dist combination - Per Mile	SOMAN SOM	IAN S	SOMAN	SOMAN	SOMAN	SOMEC	Add'l	First	Add'l	First				,——	₩	A Wise DCA Digital Land in Combination with DCA lateraffice
Per Mann					15.75		12.07	46.10	158.45	253.93	458.46	USLXX	UNC1X	4		Transport - Zone 4
Termination Per Munth UNCIX UITT1 51.72 88.79 20.28 16.86 14.90 15.75											0.1813	1L5XX	UNC1X			Per Month
In Change					15.75		14.90	16.86	82.28	89.79	51.72	U1TF1	UNC1X	السا		Termination Per Month
Frat DSILope in DSS Interoffice Transport Combination - Zone					15.75		7.20	7.20	5.63	5.63		UNCCC	UNC1X			
1													ANSPORT (EEL)	E TRA	ROFFIC	IRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 IN
2 WNC1X USLXX 129.38 253.93 158.45 46.10 12.07 15.75					15.75		12.07	46.10	158.45	253.93	79.08	USLXX	UNC1X	1		First DS1Loop in DS3 Interoffice Transport Combination - Zone
First DSTLoop in DS3 Interoffice Transport Combination - Zone 3 UNC1X USLXX 206.74 253.99 158.45 46.10 12.07 15.75 15.75 1.00 1.0																First DS1Loop in DS3 Interoffice Transport Combination - Zone 2
First DSI Log in DSI Interoffice Transport Combination - Zone 4 Interoffice Transport - Decicated - DSI combination - Per Mile Per Morth Ministry - Market Per Mile Per Morth Ministry - Decicated - DSI - Facility Termination per morth UNC3X ILLSXX 4.29 UNC3X U1TF3 641.90 280.37 163.70 62.08 60.29 15.75 DSI DSI Channel System combination per morth UNC3X MINISTRY - MARKET PER MILE - MARK																First DS1Loop in DS3 Interoffice Transport Combination - Zone 3
Interoffice Transport - Dedicated - DS3 combination - Per Mile Per Month Interoffice Transport - Dedicated - DS3 - Facility Termination per month UNC3X U1TF3 641.50 280.37 163.70 62.08 60.29 15.75																First DS1Loop in DS3 Interoffice Transport Combination - Zone
Interoffice Transport - Dedicated - DS3 - Facility Termination per month					10.70		12.07	40.10	100.40	200.00						
DS3 to DS1 Channel System combination per month UNCIX USLX					15.75		60.20	62.09	162.70	290.27				Ħ		Interoffice Transport - Dedicated - DS3 - Facility Termination pe
DS3 Interface Unit (DS1 COCI) combination per month UNC1X UC1D1 12,96 6.62 4.74 15.75 16.75		-+												——I`		
Additional DSI Loop in DS3 Interface Transport Combination		+	 				32.02	34.30							\vdash	
Zone 1		-+	 		15.75				7.77	0.02	12.30	OCIDI	ONOTA		\leftarrow	
Zone 2		-			15.75		12.07	46.10	158.45	253.93	79.08	USLXX	UNC1X	1 !		Zone 1
Zone 3					15.75		12.07	46.10	158.45	253.93	129.38	USLXX	UNC1X	2	 	Zone 2
Zone 4					15.75		12.07	46.10	158.45	253.93	206.74	USLXX	UNC1X	3	 	Zone 3
DS3 Interface Unit (DS1 COCI) combination per month UNC1X UC1D1 12.96 6.62 4.74 15.75 15.75 15.75 Nonrecurring Currently Combined Network Elements Switch -As- INCCC					15.75		12 07	46 10	158 45	253 93	458 46	LISL XX	LINC1X	4	, ,	
Nonrecurring Currently Combined Network Elements Switch -As- UNC3X		-+	 				12.07	40.10							$\overline{}$	
2-Wire VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GRADE INTEROFFICE TRANSPORT (EEL)							7 20	7 20			12.00					Nonrecurring Currently Combined Network Elements Switch -A
Combination - Zone 1					10.70		7.20	7.20	0.00	0.00		0.1000		CE TR	EROFF	
2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 2 UNCVX UEAL2 18.75 105.96 68.28 52.82 10.37 15.75					15.75		10.37	52.82	68.28	105.96	13.89	UEAL2	UNCVX	1		
2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 3 A.1.2 - 2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 4 Loop Used with 2-wire VG Interoffice Transport																2-WireVG Loop used with 2-wire VG Interoffice Transport
A.1.2 2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 4 A UNCVX UEAL2 4 5.72 105.96 68.28 52.82 10.37 15.75 Interoffice Transport - Dedicated - 2-wire VG combination - Per Mile Per Month UNCVX USCX UNCVX UTV2 20.32 40.77 27.57 17.26 7.11 15.75 Interoffice Transport - Dedicated - 2- Wire Voice Grade combination - Facility Termination per month UNCVX UTV2 20.32 40.77 27.57 17.26 7.11 15.75 WOND COMBINATION OF COMBINATION OF TRANSPORT (EEL) 4-WireVG Loop used with 4-wire VG Interoffice Transport Combination - Zone 1 4-WireVG Loop used with 4-wire VG Interoffice Transport Combination - Zone 2 4-WireVG Loop used with 4-wire VG Interoffice Transport Combination - Zone 2 4-WireVG Loop used with 4-wire VG Interoffice Transport Combination - Zone 2 4-WireVG Loop used with 4-wire VG Interoffice Transport Combination - Zone 2 4-WireVG Loop used with 4-wire VG Interoffice Transport Combination - Zone 2 4-WireVG Loop used with 4-wire VG Interoffice Transport Combination - Zone 2 4-WireVG Loop used with 4-wire VG Interoffice Transport Combination - Zone 2 4-WireVG Loop used with 4-wire VG Interoffice Transport Combination - Zone 2 4-WireVG Loop used with 4-wire VG Interoffice Transport Combination - Zone 2 4-WireVG Loop used with 4-wire VG Interoffice Transport Combination - Zone 2 4-WireVG Loop used with 4-wire VG Interoffice Transport Combination - Zone 2 4-WireVG Loop used with 4-wire VG Interoffice Transport Combination - Zone 2 4-WireVG Loop used with 4-wire VG Interoffice Transport Combination - Zone 2 4-WireVG Loop used with 4-wire VG Interoffice Transport Combination - Zone 2 4-WireVG Loop used with 4-wire VG Interoffice Transport Combination - Zone 2 4-WireVG Loop used with 4-wire VG Interoffice Transport Combination - Zone 2 4-WireVG Loop used with 4-wire VG Interoffice Transport Combination - Zone 2 4-WireVG Loop used with 4-wire VG Interoffice Transport Combination - Zone 2 4-WireVG Loop used with 4-wire VG Interoffice Transport Combination - Z																2-WireVG Loop used with 2-wire VG Interoffice Transport
Interoffice Transport - Dedicated - 2-wire VG combination - Per Mile Per Month UNCVX 1L5XX 0.00088 Uncombination - Facility Termination per month UNCVX U1TV2 20.32 40.77 27.57 17.26 7.11 15.75 UNCVX U1TV2 20.32 40.77 27.57 17.26 7.11 15.75 UNCVX UNCVX UNCVX UNCVX UNCVX UNCCC 5.63 5.63 7.20 7.20 15.75 UNCVX UNCCC 4-Wire VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRADE INTEROFFICE TRANSPORT (EEL) UNCVX UEAL4 27.47 132.27 94.59 60.68 14.64 15.75 UNCVX UEAL4 38.26 132.27 94.59 60.68 14.64 15.75 UNCVX UEAL4 38.26 132.27 94.59 60.68 14.64 15.75 UNCVX UEAL4 38.26 132.27 94.59 60.68 14.64 15.75 UNCVX UEAL4 38.26 132.27 94.59 60.68 14.64 15.75 UNCVX UEAL4 38.26 132.27 94.59 60.68 14.64 15.75 UNCVX UEAL4 38.26 132.27 94.59 60.68 14.64 15.75 UNCVX UEAL4 38.26 132.27 94.59 60.68 14.64 15.75 UNCVX UEAL4 38.26 132.27 94.59 60.68 14.64 15.75 UNCVX UEAL4 38.26 132.27 94.59 60.68 14.64 15.75 UNCVX UEAL4 38.26 132.27 94.59 60.68 14.64 15.75 UNCVX UEAL4 38.26 132.27 94.59 60.68 14.64 15.75 UNCVX UEAL4 15.75 UNCVX																A.1.2 2-WireVG Loop used with 2-wire VG Interoffice Transport
Interoffice Transport - Dedicated - 2- Wire Voice Grade combination - Facility Termination per month					10.70		10.07	UZ.UZ	00.20	100.00						Interoffice Transport - Dedicated - 2-wire VG combination - Per
Nonrecurring Currently Combined Network Elements Switch -As- UNCVX					45.75		7.44	47.00	27.57	40.77						Interoffice Transport - Dedicated - 2- Wire Voice Grade
4-Wire Voice Grade Extended Loop/ 4 Wire Voice Grade Interoffice Transport 2-WireVG Loop used with 4-wire VG Interoffice Transport 1 UNCVX UEAL4 27.47 132.27 94.59 60.68 14.64 15.75 3-WireVG Loop used with 4-wire VG Interoffice Transport 2-WireVG Loop used with 4-wire VG Interoffice Transport 2-WireVG Loop used with 4-wire VG Interoffice Transport 2-WireVG Loop used with 4-wire VG Interoffice Transport 2-WireVG Loop used with 4-wire VG Interoffice Transport 3-WireVG Loop used with 4-wire VG Interoffice Transport 3-WireVG Loop used with 4-wire VG Interoffice Transport 3-WireVG Loop used with 4-wire VG Interoffice Transport 3-WireVG Loop used with 4-wire VG Interoffice Transport 3-WireVG Loop used with 4-wire VG Interoffice Transport 3-WireVG Loop used with 4-wire VG Interoffice Transport 3-WireVG Loop used with 4-wire VG Interoffice Transport 3-WireVG Loop used with 4-wire VG Interoffice Transport 3-WireVG Loop used with 4-wire VG Interoffice Transport 3-WireVG Loop used with 4-wire VG Interoffice Transport 3-WireVG Loop used with 4-wire VG Interoffice Transport 3-WireVG Loop used with 4-wire VG Interoffice Transport 3-WireVG Loop used with 4-wire VG Interoffice Transport 3-WireVG Loop used with 4-wire VG Interoffice Transport 3-WireVG Loop used with 4-wire VG Interoffice Transport 3-WireVG Loop used with 4-wire VG Interoffice Transport 3-WireVG Loop used with 4-wire VG Interoffice Transport 3-WireVG Loop used with 4-wire VG Interoffice Transport 3-WireVG Loop used with 4-wireVG Loop used		_									20.32			- '		Nonrecurring Currently Combined Network Elements Switch -A
4-WireVG Loop used with 4-wire VG Interoffice Transport Combination - Zone 1 1 UNCVX UEAL4 27.47 132.27 94.59 60.68 14.64 15.75 4-WireVG Loop used with 4-wire VG Interoffice Transport Combination - Zone 2 2 UNCVX UEAL4 38.26 132.27 94.59 60.68 14.64 15.75 4-WireVG Loop used with 4-wire VG Interoffice Transport 2 UNCVX UEAL4 38.26 132.27 94.59 60.68 14.64 15.75 4-WireVG Loop used with 4-wire VG Interoffice Transport 2 UNCVX UEAL4 38.26 132.27 94.59 60.68 14.64 15.75 15.75					15.75		7.20	7.20	5.63	5.63		UNCCC		ICE TO	FROFE	
4-WireVG Loop used with 4-wire VG Interoffice Transport Combination - Zone 2 2 UNCVX UEAL4 38.26 132.27 94.59 60.68 14.64 15.75 4-WireVG Loop used with 4-wire VG Interoffice Transport		_							0.1.50	400.07	07.47				EKUFFI	4-WireVG Loop used with 4-wire VG Interoffice Transport
4-WireVG Loop used with 4-wire VG Interoffice Transport		-+													-	4-WireVG Loop used with 4-wire VG Interoffice Transport
Combination - Zone 3		+	 													4-WireVG Loop used with 4-wire VG Interoffice Transport
4-WireVG Loop used with 4-wire VG Interoffice Transport Combination - Zone 4 4 UNCVX UEAL4 50.03 132.27 94.59 60.68 14.64 15.75		+	 													4-WireVG Loop used with 4-wire VG Interoffice Transport

ONRONDLE	D NETWORK ELEMENTS - Mississippi			Г	1						1		Attachment:	2		Exhibit: E
CATEGORY	RATE ELEMENTS	Interi m	Zone	всѕ	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual Sv Order vs.
						Rec	Nonrec	urring	Nonrecurring	Disconnect				RATES (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - 4-wire VG combination - Per Mile Per Month			UNCVX	1L5XX	0.00088										
	Interoffice Transport - Dedicated - 4- Wire Voice Grade			UNCVA	ILSAA	0.00066										
	combination - Facility Termination per month			UNCVX	U1TV4	17.86	40.77	27.57	17.26	7.11		15.75				
	Nonrecurring Currently Combined Network Elements Switch -As-							=								
Des Di	Is Charge GITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFIC	E TDA	NEDOD	UNCVX	UNCCC		5.63	5.63	7.20	7.20		15.75				
D33 DI	High Capacity Unbundled Local Loop - DS3 combination - Per	E IKA	NOPUR	(CCL)												
	Mile per month			UNC3X	1L5ND	11.20										
	High Capacity Unbundled Local Loop - DS3 combination -															
	Facility Termination per month			UNC3X UNC3X	UE3PX 1L5XX	252.17 4.29	454.13	265.47	123.23	86.19		15.75				1
	Interoffice Transport - Dedicated - DS3 - Per Mile per month Interoffice Transport - Dedicated - DS3 combination - Facility			UNC3X	1L5XX	4.29										
	Termination per per month			UNC3X	U1TF3	641.90	280.37	163.70	62.08	60.29		15.75				
	Nonrecurring Currently Combined Network Elements Switch -As-															
CTC4 F	Is Charge	CICE TE	ANCD	UNC3X	UNCCC		5.63	5.63	7.20	7.20		15.75				1
31311	DIGITAL EXTENDED LOOP WITH DEDICATED STS1 INTEROFI High Capacity Unbundled Local Loop - STS1 combination - Per	FICE IF	KANSP	JRI (EEL)	+											1
	Mile per month			UNCSX	1L5ND	11.20										
	High Capacity Unbundled Local Loop - STS1 combination -															
	Facility Termination per month			UNCSX	UDLS1	264.35	454.13	265.47	123.23	86.19		15.75				
	Interoffice Transport - Dedicated - STS1 combination - Per Mile per month			UNCSX	1L5XX	4.29										
	Interoffice Transport - Dedicated - STS1 combination - Facility			ONCOX	ILSAA	4.29										
	Termination per month			UNCSX	U1TFS	644.21	280.37	163.70	62.08	60.29		15.75				
	Nonrecurring Currently Combined Network Elements Switch -As-															
2.WIDE	Is Charge ISDN EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPOR	OT /EEI	 	UNCSX	UNCCC	-	5.63	5.63	7.20	7.20		15.75				-
Z-WIKL	First 2-Wire ISDN Loop in a DS1 Interoffice Combination	T (LLL														
	Transport - Zone 1		1	UNCNX	U1L2X	21.01	117.61	79.92	52.82	10.37		15.75				
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination															
	Transport - Zone 2 First 2-Wire ISDN Loop in a DS1 Interoffice Combination		2	UNCNX	U1L2X	27.59	117.61	79.92	52.82	10.37		15.75				
	Transport - Zone 3		3	UNCNX	U1L2X	37.34	117.61	79.92	52.82	10.37		15.75				
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination															
	Transport - Zone 4		4	UNCNX	U1L2X	59.18	117.61	79.92	52.82	10.37		15.75				
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Interoffice Transport - Dedicated - DS1 combintion - Facility			UNC1X	1L5XX	0.1813										
	Termination per month			UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90		15.75				
	Channelization - Channel System DS1 to DS0 combination -															
	per month			UNC1X	MQ1	102.85	91.57	62.94	10.87	10.10		15.75				
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System			UNCNX	UC1CA	2.62	6.62	4.74				15.75				
	combination - per month Additional 2-wire ISDN Loop in same DS1Interoffice Transport			UNCIX	UCICA	2.02	0.02	4.74				15.75				
	Combination - Zone 1		_1	UNCNX	U1L2X	21.01	117.61	79.92	52.82	10.37		15.75		<u> </u>		
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport															
	Combination - Zone 2		2	UNCNX	U1L2X	27.59	117.61	79.92	52.82	10.37		15.75				1
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 3		3	UNCNX	U1L2X	37.34	117.61	79.92	52.82	10.37		15.75				
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport		Ť	2.10.01	3. <u></u>	07.04	117.01	10.02	02.02	10.07		10.70				
	Combination - Zone 4		4	UNCNX	U1L2X	59.18	117.61	79.92	52.82	10.37		15.75				
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System		1	LINICNIX	LICACA	0.00	0.00	474				45.75				
	combintaion- per month Nonrecurring Currently Combined Network Elements Switch -As-			UNCNX	UC1CA	2.62	6.62	4.74				15.75				
	Is Charge			UNC1X	UNCCC		5.63	5.63	7.20	7.20		15.75				
4-WIRE	DS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 IN	TEROF	FICE T	RANSPORT (EEL)												
	First DS1 Loop in STS1 Interoffice Transport Combination -		1	1							1		1	1	1	1

IDONDEED	NETWORK ELEMENTS - Mississippi												Attachment:	2		Exhibit:
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc	T		RATES(\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Charge -
						Rec	Nonrec		Nonrecurring		COMEC	COMAN		RATES (\$)	COMAN	COMAN
	First DS1 Loop in STS1 Interoffice Transport Combination -						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Zone 2		2	UNC1X	USLXX	129.38	253.93	158.45	46.10	12.07		15.75				
	First DS1 Loop in STS1 Interoffice Transport Combination -															
	Zone 3 First DS1 Loop in STS1 Interoffice Transport Combination -		3	UNC1X	USLXX	206.74	253.93	158.45	46.10	12.07		15.75				
	Zone 4		4	UNC1X	USLXX	458.46	253.93	158.45	46.10	12.07		15.75				
	Interoffice Transport - Dedicated - STS1 combination - Per Mile			0.1017	002.01	100.10	200.00		10.10	12.07		10.10				
F	Per Month			UNCSX	1L5XX	4.29										
	Interoffice Transport - Dedicated - STS1 combination - Facility			LINICOV	U1TFS	C44.04	200 27	400.70	CO 00	CO 20		45.75				
	Termination STS1 to DS1 Channel System conbination per month			UNCSX UNCSX	MQ3	644.21 107.63	280.37 179.17	163.70 94.52	62.08 34.30	60.29 32.82		15.75 15.75				
	DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	12.96	6.62	4.74	34.30	52.02		15.75				
	Additional DS1Loop in STS1 Interoffice Transport Combination -										1					1
	Zone 1		1	UNC1X	USLXX	79.08	253.93	158.45	46.10	12.07		15.75				
	Additional DS1Loop in STS1 Interoffice Transport Combination - Zone 2		2	UNC1X	USLXX	129.38	253.93	158.45	46.10	12.07		15.75				
	Additional DS1Loop in STS1 Interoffice Transport Combination -			UNCIX	USLAA	129.30	255.95	156.45	46.10	12.07		15.75				
	Zone 3		3	UNC1X	USLXX	206.74	253.93	158.45	46.10	12.07		15.75				
	Additional DS1Loop in STS1 Interoffice Transport Combination -															
	Zone 4		4	UNC1X	USLXX	458.46	253.93	158.45	46.10	12.07		15.75				
	DS3 Interface Unit (DS1 COCI) combination per month Nonrecurring Currently Combined Network Elements Switch -As-			UNC1X	UC1D1	12.96	6.62	4.74				15.75				
	Is Charge			UNCSX	UNCCC		5.63	5.63	7.20	7.20		15.75				
	56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS INTEROI	FFICE T	RANSE	PORT (EEL)												
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	27.44	126.53	88.85	60.68	14.64		15.75				
4	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport															
	Combination - Zone 2		2	UNCDX	UDL56	34.55	126.53	88.85	60.68	14.64		15.75				
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	40.76	126.53	88.85	60.68	14.64		15.75				
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport		Ŭ	ONODA	ODEGO	40.70	120.00	00.00	00.00	14.04		10.70				
	Combination - Zone 4		4	UNCDX	UDL56	32.25	126.53	88.85	60.68	14.64		15.75				
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -			LINCDY	1L5XX	0.00088										
	Per Mile Interoffice Transport - Dedicated - 4-wire 56 kbps combination -			UNCDX	ILSXX	0.00088										
	Facility Termination			UNCDX	U1TD5	14.14	40.78	27.57	17.26	7.11		15.75				
	Nonrecurring Currently Combined Network Elements Switch -As-															
	IS Charge 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTEROI	EEICE T	DANCE	UNCDX	UNCCC	1	5.63	5.63	7.20	7.20		15.75				
	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport	FFICE I	KANSI	PORT (EEL)	1											
	Combination - Zone 1		1	UNCDX	UDL64	27.44	126.53	88.85	60.68	14.64		15.75				
	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport															
	Combination - Zone 2		2	UNCDX	UDL64	34.55	126.53	88.85	60.68	14.64		15.75				
	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	40.76	126.53	88.85	60.68	14.64		15.75				
	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport		_	5.10b/	SDEOT	40.70	120.00	00.00	00.00	14.04		10.73				
(Combination - Zone 4		4	UNCDX	UDL64	32.25	126.53	88.85	60.68	14.64		15.75				
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -			LINCDY	AL EVV	0.00000										
	Per Mile Interoffice Transport - Dedicated - 4-wire 64 kbps combination -			UNCDX	1L5XX	0.00088					1					
	Facility Termination			UNCDX	U1TD6	14.14	40.78	27.57	17.26	7.11		15.75				
	Nonrecurring Currently Combined Network Elements Switch -As-					İ										
UTION'A' '''	Is Charge		ļ	UNCDX	UNCCC		5.63	5.63	7.20	7.20		15.75				1
	ETWORK ELEMENTS sed as a part of a currently combined facility, the non-recurr	na cha	rnes do	notanniy but a 9	Switch As Is of	narne does ann	dv				 					
	see as a part of a currently combined facility, the non-recuif										 				 	+
	sed as ordinarilty combined network elements in Georgia, the	e non-r	ecurrın	d chardes apply an	id the Switch	As is Charde do	pes not.									

INRUNDLE	D NETWORK ELEMENTS - Mississippi	1	1	1	1	ı					1		Attachment:	2		Exhibit:
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment: Charge - Manual Sv Order vs. Electronic Disc Add
						Rec	Nonrec	urring	Nonrecurring	Disconnect				RATES (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2/4-Wire VG Interoffice Channel used in a COMBINATION -															
	"Switch As Is" Conversion Charge			UNCVX	UNCCC		5.63	5.63	7.20	7.20		15.75				
	56/64 kbps Interoffice Channel used in a COMBINATION -						= 00	=	= 00							
	"Switch As Is" Conversion Charge DS1 Interoffice Channel used in a COMBINATION - "Switch As			UNCDX	UNCCC		5.63	5.63	7.20	7.20		15.75				
	Is" Conversion Charge			UNC1X	UNCCC		5.63	5.63	7.20	7.20		15.75				
	DS3 Interoffice Channel used in a COMBINATION - "Switch As															
	Is" Conversion Charge			UNC3X	UNCCC		5.63	5.63	7.20	7.20		15.75				
	STS1 Interoffice or Local Loop used in a COMBINATION -															
	"Switch As Is" Conversion Charge	<u>. </u>		UNCSX	UNCCC	l	5.63	5.63	7.20	7.20		15.75				
	Local Channel - Dedicated Transport - minimum billing period	d - Belo	w DS3:	one month, DS3 ar	nd above=fou	r months										
	LOCAL EXCHANGE SWITCHING(PORTS)	<u> </u>		ļ	1										-	<u> </u>
	nge Ports	107 1 4	0.751.4													
	Although the Port Rate includes all available features in GA, I VOICE GRADE LINE PORT RATES (RES)	KY, LA	& IN, t	ne desired features	will need to i	oe oraerea usin	g retail USOCS	5								
Z-WIKE	Exchange Ports - 2-Wire Analog Line Port- Res.			UEPSR	UEPRL	1.41	2.39	2.29	1.42	1.33		15.75				
	Exchange Ports - 2-Wile Arialog Line Port- Res.			UEFSK	UEPKL	1.41	2.39	2.29	1.42	1.33		15.75			-	
	Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.			UEPSR	UEPRC	1.41	2.39	2.29	1.42	1.33		15.75				
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Res.			UEPSR	UEPRO	1.41	2.39	2.29	1.42	1.33		15.75				
	Exchange Ports - 2-Wire VG unbundled MS extended local			OLI OIX	OLI ILO	171	2.00	2.20	1.72	1.00		10.70				
	dialing parity Port with Caller ID - Res.			UEPSR	UEPAT	1.41	2.39	2.29	1.42	1.33		15.75				
	Exchange Ports - 2-Wire VG unbundled res, low usage line port				1											
	with Caller ID (LUM)			UEPSR	UEPAP	1.41	2.39	2.29	1.42	1.33		15.75				
	Subsequent Activity			UEPSR	USASC	0.00	0.00	0.00								
FEATU	RES															
	All Available Vertical Features			UEPSR	UEPVF	2.56	0.00	0.00				15.75				
2-WIRE	VOICE GRADE LINE PORT RATES (BUS)															
	Exchange Ports - 2-Wire Analog Line Port without Caller ID -															
	Bus			UEPSB	UEPBL	1.41	2.39	2.29	1.42	1.33		15.75				
	Exchange Ports - 2-Wire VG unbundled Line Port with				1											
	unbundled port with Caller+E484 ID - Bus.			UEPSB	UEPBC	1.41	2.39	2.29	1.42	1.33		15.75				
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus.			UEPSB	UEPBO	1.41	2.39	2.29	1.42	1.33		15.75				
_	Exchange Ports - 2-Wire VG unbundled MS extended local			OLFSB	OLFBO	1.41	2.39	2.25	1.42	1.33		13.73				
	dialing parity Port with Caller ID - Bus.			UEPSB	UEPAY	1.41	2.39	2.29	1.42	1.33		15.75				
	Exhange Ports - 2-Wire VG unbundled incoming only port with			OLI OD	OLI 70	171	2.00	2.20	1.72	1.00		10.70				
	Caller ID - Bus			UEPSB	UEPB1	1.41	2.39	2.29	1.42	1.33		15.75				
	Subsequent Activity			UEPSB	USASC	0.00	0.00	0.00								
FEATU																
	All Available Vertical Features			UEPSB	UEPVF	2.56	0.00	0.00				15.75				
EXCHA	ANGE PORT RATES (DID & PBX)															
	2-Wire VG Unbundled 2-Way PBX Trunk - Res			UEPSE	UEPRD	1.41	31.45	14.93	14.38	0.92		15.75				
	2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus			UEPSP	UEPPC	1.41	31.45	14.93	14.38	0.92		15.75				
	2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus			UEPSP	UEPPO	1.41	31.45	14.93	14.38	0.92		15.75				
_	2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus	<u> </u>		UEPSP	UEPP1	1.41	31.45	14.93	14.38	0.92		15.75			-	<u> </u>
	2-Wire Analog Long Distance Terminal PBX Trunk - Bus 2-Wire Voice Unbundled PBX LD Terminal Ports	-	-	UEPSP UEPSP	UEPLD UEPLD	1.41 1.41	31.45	14.93 14.93	14.38	0.92		15.75 15.75		-	 	-
_	2-Wire Voice Unbundled PBX LD Terminal Ports 2-Wire Vice Unbundled 2-Way PBX Usage Port	├	 	UEPSP	UEPLD	1.41	31.45 31.45	14.93 14.93	14.38 14.38	0.92 0.92		15.75 15.75		-		
	2-Wire Voice Unbundled 2-way PBX Usage Port 2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports	 		UEPSP	UEPXA	1.41	31.45	14.93	14.38	0.92		15.75		1	 	1
-	2-Wire Voice Unbundled PBX Toli Terminal Hotel Ports 2-Wire Voice Unbundled PBX LD DDD Terminals Port	 		UEPSP	UEPXC	1.41	31.45	14.93	14.38	0.92		15.75		1	t	1
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port	 		UEPSP	UEPXD	1.41	31.45	14.93	14.38	0.92		15.75			t	
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD				32.70	1.71	01.40	14.55	14.50	0.02		10.70			1	
	Capable Port			UEPSP	UEPXE	1.41	31.45	14.93	14.38	0.92		15.75			1	
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPSP	UEPXL	1.41	31.45	14.93	14.38	0.92		15.75				
+-	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy	1	-	OLFOF	JLFAL	1.41	31.43	14.93	14.38	0.92	1	15.75			 	
1	Room Calling Port	1	1	UEPSP	UEPXM	1.41	31.45	14.93	14.38	0.92		15.75		l	1	1

UNBUNDI	LED NETWORK ELEMENTS - Mississippi												Attachment:	2		Exhibit: B
CATEGOR		Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs.	Incremental Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs.
						Rec	Nonre	curring	Nonrecurrin	g Disconnect	por zore	po	•	RATES (\$)	2.00 .01	1 2.007.001
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN		SOMAN	SOMAN
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital															
	Discount Room Calling Port			UEPSP	UEPXO	1.41	31.45	14.93	14.38	0.92		15.75				
	2-Wire Voice Unbundled 2-Way PBX Mississippi Local Economy															
	Calling Port 2-Wire Voice Unbundled 2-Way PBX Mississippi Local Optional	-		UEPSP	UEPXQ	1.41	31.45	14.93	14.38	0.92		15.75				+
	Calling Port			UEPSP	UEPXR	1.41	31.45	14.93	14.38	0.92		15.75				
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPSP	UEPXS	1.41	31.45	14.93	14.38	0.92		15.75				+
	Subsequent Activity			UEPSP	USASC	0.00	0.00	0.00								
FEA	TURES			-												
<u> </u>	All Available Vertical Features			UEPSP UEPSE	UEPVF	2.56	0.00	0.00				15.75				
EXC	CHANGE PORT RATES (COIN) Exchange Ports - Coin Port	 			1	1.41	2.39	2.29	1.42	1.33	1	15.75				+
NOT	E: Transmission/usage charges associated with POTS circuit s	witched	HESGO	will also apply to c	irouit ewitch								norte			+
NO.	L. Transmission/usage charges associated with 1 010 circuit s	WITCHEG	usage	will also apply to ci	ircuit switche	eu voice ana/or	Circuit Switch	eu uata transii	iission by b-c	namers assoc	iateu witii z	-wile lobit	ports.		l	+
NOT	E: Access to B Channel or D Channel Packet capabilities will b	e availa	ole only	through BFR/New	Business Re	quest Process	Rates for the	packet canahi	ilities will be d	etermined via	the Bona Fi	de Request/	New Busines	s Request Pro	cess.	1
	D LOCAL EXCHANGE SWITCHING(PORTS)							, capabi					uooo			
EXC	CHANGE PORT RATES (DID & PBX)															
	Exchange Ports - 2-Wire DID Port			UEPEX	UEPP2	8.25	120.00	18.85	61.77	3.88		15.75			1.97	
	Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID															
	capability Exchange Ports - 2-Wire ISDN Port (See Notes below.)			UEPDD UEPTX UEPSX	UEPDD U1PMA	58.41 13.69	203.19 73.19	96.25 53.30	74.86 47.90	2.54 10.76		15.75 15.75			1.97 1.97	
 	All Features Offered	-		UEPTX UEPSX	UEPVF	2.56	0.00	0.00	47.90	10.76		15.75			1.97	
NOT	E: Transmission/usage charges associated with POTS circuit s	witched	usage						nission by B-C	hannels assoc	iated with 2		norts.		1.57	+
			uougo	also apply to o		, , , , , , , , , , , , , , , , , , ,		ou uniu i union					PO. 10.	1	ı	1
нот	E: Access to B Channel or D Channel Packet capabilities will b	e availal	ole only	through BFR/New	Business Re	quest Process.	Rates for the	packet capabi	ilities will be d	etermined via	he Bona Fi	de Request/	New Busines	s Request Pro	cess.	
	Exchange Ports - 2-Wire ISDN Port Channel Profiles			UEPTX UEPSX	U1UMA	0.00	0.00	0.00								
	Exchange Ports - 4-Wire ISDN DS1 Port			UEPEX	UEPEX	84.63	205.00	102.14	81.65	20.69		15.75			1.97	
	D LOCAL SWITCHING, PORT USAGE															
Ena	Office Switching (Port Usage) End Office Switching Function, Per MOU				-	0.0010269										
-	End Office Trunk Port - Shared, Per MOU	1			1	0.0010269				1			1			+
Tan	dem Switching (Port Usage) (Local or Access Tandem)					0.000101										1
	Tandem Switching Function Per MOU					0.0001723										
	Tandem Trunk Port - Shared, Per MOU					0.0001828										
Con	nmon Transport	1														
 	Common Transport - Per Mile, Per MOU Common Transport - Facilities Termination Per MOU	+			1	0.0000026 0.0004541			1	 	 	 	-			+
UNBLINDI F	D PORT/LOOP COMBINATIONS - COST BASED RATES	1			1	0.0004541				+	1	 	-	1	-	+
	t Based Rates are applied where BellSouth is required by FCC a	nd/or St	ate Co	mmission rule to pro	ovide Unbun	dled Local Swi	tching or Swit	ch Ports.	1	-	 	1	†	-	 	+
	tures shall apply to the Unbundled Port/Loop Combination - Co								ed Port section	of this Rate E	xhibit.					1
														•		
End	Office and Tandem Switching Usage and Common Transport U	sage rat	es in th	ne Port section of th	is rate exhib	it shall apply to	all combinati	ons of loop/po	ort network ele	ments except	for UNE Co	in Port/Loop	o Combinatio	ns.		
	Georgia, Kentucky, Louisiana, Mississippi and Tennessee, the															
	nbined Combos for all states. In GA, KY, LA, MS and TN these n nbined Combos in all other states, the nonrecurring charges sha							, NC and SC ti	nese nonrecur	ing charges a	e warket R	ates and are	istea in the	warket Rate s	ection. For	Currently
	IRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)	ii be m	Jae ide	nuneu in the Nonre	curring - cur	l	u sections.			1	1		I			T
	E Port/Loop Combination Rates	1				1				1	1					1
	2-Wire VG Loop/Port Combo - Zone 1	1	1			12.22										
	2-Wire VG Loop/Port Combo - Zone 2		2			17.13		_								
	2-Wire VG Loop/Port Combo - Zone 3	1	3			26.26					ļ	ļ	ļ			
11815	2-Wire VG Loop/Port Combo - Zone 4	 	4		1	44.91				 	1	 				+
UNE	Loop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1	1	1	UEPRX	UEPLX	10.98				-	<u> </u>		 	-		+
 	2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2	+	2	UEPRX	UEPLX	15.91			1	 	 	 				+
	2-Wire Voice Grade Loop (SL1) - Zone 2	1		UEPRX	UEPLX	25.04				†						†
	2-Wire Voice Grade Loop (SL1) - Zone 4			UEPRX	UEPLX	43.68			<u> </u>							1
2-W	ire Voice Grade Line Port Rates (Res)															

4Q01:12/01/01 PAGE 204 OF 324

CATEGORY RATE ELEMENTS Interi m Zone BCS USOC RATES(\$) Svc Order Submitted Submitted Elec Manually Elect per LSR Per LSR Rec Nonrecurring Disconnect Increi Cha	Attachment: 2	Exhib
2	Incremental Incremental Charge - Charge Manual Svc Manual Str. Order vs.	Charge - Charge Svc Manual Svc Manual S. Order vs. Order ic- Electronic- Electro
2-Wire vote unburded port - residence UEPRX UEPRC 123 40.31 19.64 24.90 6.98 15.75	OSS RATES (\$)	
2-Wire vote unbundled port with Caller ID -res UEPRX UEPRC 1.23 40.31 19.84 24.00 6.58 15.75		N SOMAN SOMA
2-Wire wise unbundled port outgrong only-tree UEPRX UEPR		
2-Wire voice Grade unbundled Mississpip extended local dishing parky port with Caller ID - res UEPRX UEPAT 1.23 40.31 19.84 24.90 6.58 15.75		
dialing parity port with Caller ID - res UEPRX UEPAT 1.23 40.31 18.84 24.90 6.58 15.75		
LUMP UEPRX		
FEATURES		
All Features Offered UEPRX UEVF 2.56 0.00 0.00 0.00 15.75		
LOCAL NUMBER PORTABILITY LICAB NUMBER PORTABILITY OF PORT LICAB NUMBER PORTABILITY OF PORT LICAB NUMBER PORTABILITY OF PORT LICAB NUMBER PORTABILITY OF PORT LICAB NUMBER PORTABILITY OF PORTABILITY OF PORTABILITY OF PORTABILITY LICAB NUMBER PORTABILITY OF PORTABILITY OF PORTABILITY OF PORTABILITY LICAB NUMBER PORTABILITY OF PORTABILITY OF PORTABILITY LICAB NUMBER PORTABILITY OF PORTABILITY OF PORTABILITY LICAB NUMBER PORTABILITY OF PORTABILITY OF PORTABILITY LICAB NUMBER PORTABILITY OF PORTABILITY OF PORTABILITY OF PORTABILITY LICAB NUMBER PORTABILITY OF		
Lacal Number Portability (1 per port)		
NONECURRING CHARGES (NRCs) - CURRENTLY COMBINED		
2-Wire Voice Grade Loop / Line Port Combination - Conversion		
Switch-as-is UEPRX USAC2 0.0988 0.0988 115.75		
Switch witch change UEPRX USACC 0.0988 0.0988 15.75		
2-Wire Voice Grade Loop / Line Port Combination - Conversion - Subsequent Database Update 0.00 0.00 15.75		
ADDITIONAL NRCS		
2-Wire Voice Grade Loop/Line Port Combination - Subsequent UEPRX		
Activity		
UNE Port/Loop Combination Rates		
2-Wire VG Loop/Port Combo - Zone 1		
2-Wire VG Loop/Port Combo - Zone 2 2		
2-Wire VG Loop/Port Combo - Zone 3 3 26.26		
UNE Loop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1		
2-Wire Voice Grade Loop (SL1) - Zone 1		
2-Wire Voice Grade Loop (SL1) - Zone 2 2 UEPBX UEPLX 15.91		
2-Wire Voice Grade Loop (SL1) - Zone 3 3 UEPBX UEPLX 25.04		
2-Wire Voice Grade Loop (SL1) - Zone 4		
2-Wire Voice Grade Line Port (Bus)		
2-Wire voice unbundled port without Caller ID - bus UEPBX UEPBC 1.23 40.31 19.84 24.90 6.58 15.75		
2-Wire voice unbundled port with Caller + E484 ID - bus UEPBX UEPBC 1.23 40.31 19.84 24.90 6.58 15.75		
2-Wire voice unbundled port outgoing only - bus UEPBX UEPBO 1.23 40.31 19.84 24.90 6.58 15.75		
2-Wire voice Grade unbundled Mississippi extended local dialing parity port with Caller ID - bus UEPBX UEPAY 1.23 40.31 19.84 24.90 6.58 15.75 2-Wire voice unbundled incoming only port with Caller ID - Bus UEPBX UPBI 1.23 40.31 19.84 24.90 6.58 15.75 LOCAL NUMBER PORTABILITY UEPBX LNPCX 0.35 UEPBX		
dialing parity port with Caller ID - bus UEPBX UEPAY 1.23 40.31 19.84 24.90 6.58 15.75 2-Wire voice unbundled incoming only port with Caller ID - Bus UEPBX UPBB 1.23 40.31 19.84 24.90 6.58 15.75 LOCAL NUMBER PORTABILITY		
2-Wire voice unbundled incoming only port with Caller ID - Bus UEPBX UPB1 1.23 40.31 19.84 24.90 6.58 15.75		
Local Number Portability (1 per port)		
FEATURES		
All Features Offered		
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is 2-Wire Voice Grade Loop / Line Port Combination - Conversion - UEPBX USAC2 0.0988 15.75		
2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is UEPBX USAC2 0.0988 0.0988 15.75 2-Wire Voice Grade Loop / Line Port Combination - Conversion -		
Switch-as-is UEPBX USAC2 0.0988 0.0988 15.75 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Image: Conversion - Image: Conversion		
2-Wire Voice Grade Loop / Line Port Combination - Conversion -		
Subsequent Database Update 0.00 0.00 15.75		
ADDITIONAL NRCs	 	
2-Wire Voice Grade Loop/Line Port Combination - Subsequent		
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)		
UNE Port/Loop Combination Rates		
2-Wire VG Loop/Port Combo - Zone 1 1 12.22		
2-Wire VG Loop/Port Combo - Zone 2 2 17.13		
2-Wire VG Loop/Port Combo - Zone 3 3 26.26 2-Wire VG Loop/Port Combo - Zone 4 4.91		

UNBUNDLE	D NETWORK ELEMENTS - Mississippi												Attachment:	2		Exhibit: E
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)	I			Svc Order Submitted Manually per LSR	Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrec		Nonrecurring		COMEC	SOMAN		RATES (\$)	SOMAN	SOMAN
LINE I	oop Rates						First	Add'l	First	Add'l	SOMEC	SUMAN	SUMAN	SOWAN	SOWAN	SUMAN
ONE E	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPRG	UEPLX	10.98										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPRG	UEPLX	15.91										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPRG	UEPLX	25.04										
	2-Wire Voice Grade Loop (SL 1) - Zone 4		4	UEPRG	UEPLX	43.68										
2-Wire	Voice Grade Line Port Rates (RES - PBX)															
	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port -															
	Res			UEPRG	UEPRD	1.23	69.37	32.48	37.86	6.17		15.75				
LOCAL	L NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPRG	LNPCP	3.15	0.00	0.00								
FEATU								-								
	All Features Offered	<u> </u>		UEPRG	UEPVF	2.56	0.00	0.00				15.75				
NONRE	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED	ļ			4						ļ	ļ	ļ			
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch-As-Is			UEPRG	USAC2		7.96	1.91				15.75				
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
	Conversion - Switch with Change			UEPRG	USACC		7.96	1.91				15.75				
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
	Subsequent Database Update						0.00	0.00				15.75				
ADDIT	IONAL NRCs															
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
	Subsequent Activity			UEPRG	USAS2	0.00	0.00	0.00				15.75				
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt							=								
0.14/15/	Group E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)	<u> </u>					7.36	7.36				15.75				
	ort/Loop Combination Rates										1					
UNE P	2-Wire VG Loop/Port Combo - Zone 1		1			12.22						1				
	2-Wire VG Loop/Port Combo - Zone 1		2			17.13					1	1				
	2-Wire VG Loop/Port Combo - Zone 3		3			26.26										+
- 	2-Wire VG Loop/Port Combo - Zone 4		4			44.91										†
UNE L	oop Rates															
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPPX	UEPLX	10.98										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPPX	UEPLX	15.91										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPPX	UEPLX	25.04										
	2-Wire Voice Grade Loop (SL 1) - Zone 4		4	UEPPX	UEPLX	43.68										
2-Wire	Voice Grade Line Port Rates (BUS - PBX)															
										·						
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus	ļ		UEPPX	UEPPC	1.23	69.37	32.48	37.86	6.17		15.75				ļ
	Line Side Unbundled Outward PBX Trunk Port - Bus	ļ		UEPPX	UEPPO	1.23	69.37	32.48	37.86	6.17		15.75				
	Line Side Unbundled Incoming PBX Trunk Port - Bus	<u> </u>		UEPPX	UEPP1 UEPLD	1.23	69.37 69.37	32.48 32.48	37.86 37.86	6.17 6.17	<u> </u>	15.75	ļ	ļ		<u> </u>
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPPX		1.23						15.75				<u> </u>
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port 2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX UEPPX	UEPXA UEPXB	1.23 1.23	69.37 69.37	32.48 32.48	37.86 37.86	6.17 6.17		15.75 15.75				-
	2-Wire Voice Unbundled PBX Toli Terminal Hotel Ports 2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXB	1.23	69.37	32.48	37.86	6.17		15.75				+
-+	2-Wire Voice Unbundled PBX LD DDD Terminals Port 2-Wire Voice Unbundled PBX LD Terminal Switchboard Port	 		UEPPX	UEPXC	1.23	69.37	32.48	37.86	6.17	}	15.75		1		
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD	 		5=11 <i>X</i>	JEI AD	1.20	03.37	52.40	37.00	0.17	 	10.73	1			
	Capable Port			UEPPX	UEPXE	1.23	69.37	32.48	37.86	6.17		15.75				
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
	Administrative Calling Port 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy	1		UEPPX	UEPXL	1.23	69.37	32.48	37.86	6.17	1	15.75	1			-
	Room Calling Port			UEPPX	UEPXM	1.23	69.37	32.48	37.86	6.17	1	15.75	1			1
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port			UEPPX	UEPXO	1.23	69.37	32.48	37.86	6.17		15.75				
	2-Wire Voice Unbundled 2-Way PBX Mississippi Local Economy Calling Port			UEPPX	UEPXQ	1.23	69.37	32.48	37.86	6.17		15.75				
	2-Wire Voice Unbundled 2-Way PBX Mississippi Local Optional															
	Calling Port	<u> </u>		UEPPX	UEPXR	1.23	69.37	32.48	37.86	6.17	<u> </u>	15.75				1
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	1.23	69.37	32.48	37.86	6.17		15.75				<u></u>

UNBUNDLE	D NETWORK ELEMENTS - Mississippi	1			_	1					1	ı	Attachment:	2		Exhibit: E
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					RATES (\$)		
LOCAL	L NUMBER PORTABILITY						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
LOCA	Local Number Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00								
FEATU				CELLX	LIVI OI	0.10	0.00	0.00								1
	All Features Offered			UEPPX	UEPVF	2.56	0.00	0.00				15.75				
NONR	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
	Conversion - Switch-As-Is			UEPPX	USAC2		7.96	1.91				15.75				4
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch with Change			UEPPX	USACC		7.96	1.91				15.75				
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -						0.00	0.00				15 75				
ADDIT	Subsequent Database Update TONAL NRCs		-				0.00	0.00				15.75				
ADDII	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -				+											+
	Subsequent Activity			UEPPX	USAS2	0.00	0.00	0.00				15.75				
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt															
	Group						7.36	7.36				15.75				
	E VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POR	RT														
UNE P	Port/Loop Combination Rates					10.00										
	2-Wire VG Coin Port/Loop Combo – Zone 1		2			12.22 17.13										
	2-Wire VG Coin Port/Loop Combo – Zone 2 2-Wire VG Coin Port/Loop Combo – Zone 3		3		-	26.26										
	2-Wire VG Coin Port/Loop Combo – Zone 4		4			44.91										1
UNE L	oop Rates		7			44.51										1
0.12	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPCO	UEPLX	10.98										
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPCO	UEPLX	15.91										
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPCO	UEPLX	25.04										
	2-Wire Voice Grade Loop (SL1) - Zone 4		4	UEPCO	UEPLX	43.68										
2-Wire	Voice Grade Line Ports (COIN)															
	2-Wire Coin 2-Way without Operator Screening and without Blocking (AL, KY, LA, MS)			UEPCO	UEPRF	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire Coin 2-Way without Operator Screening and without			OLI CO	OLI IXI	1.25	40.51	13.04	24.30	0.30		15.75				
	Blocking; with Dialing Parity (Note 3) (MS)			UEPCO	UEPMC	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire Coin 2-Way with Operator Screening and Blocking: 011, 900/976, 1+DDD (AL, KY, LA, MS)			UEPCO	UEPRA	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire Coin 2-W with Operator Screening and Blocking: 011,															
	900/976, 1+DDD; with Dialing Parity (MS)			UEPCO	UEPMA	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking															
	(AL, LA, MS)			UEPCO	UEPRB	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking; with Dialing Parity (MS)			UEPCO	UEPMB	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire Coin 2-Way with Operator Screening & Blocking: 900/976, 1+DDD, 011+, & Local (AL, KY, LA, MS)			UEPCO	UEPCD	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire Coin 2-W Operator Screening: 900 Block: 900/976,			OLFCO	OLFOD	1.23	40.31	15.04	24.90	0.36		13.73				
	1+DDD, 011+, Local; with Dialing Parity (MS)			UEPCO	UEPCJ	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire Coin Outward without Blocking and without Operator Screening (KY, LA, MS)			UEPCO	UEPRN	1.23	40.31	19.84	24.90	6.58		15.75				
1	2-Wire Coin Outward without Blocking and without Operator Screening; With Dailing Parity (MS)			UEPCO	UEPME	1.23	40.31	19.84	24.90	6.58		15.75				
-	2-Wire Coin Outward with Operator Screening and 011 Blocking	1	-	ULFCO	UEFIVIE	1.23	40.31	19.84	24.90	86.0	1	15.75			1	+
	(GA, KY, MS)			UEPCO	UEPRJ	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire Coin Outward with Operator Screening and 011 Blocking; with Dialing Parity (MS)			UEPCO	UEPMD	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire Coin Outward with Operator Screening and Blocking: 011, 900/976, 1+DDD (AL, KY, LA, MS)			UEPCO	UEPRH	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire Coin Outward Operator Screening & Blocking: 900/976, 1+DDD, 011+, and Local (AL, KY, LA, MS)			UEPCO	UEPCN	1.23	40.31	19.84	24.90	6.58		15.75				
-	2-Wire Coin Out Operator Screen & Block: 900/976, 1+DDD,	1	-	OLFOO	ULFUN	1.23	40.31	19.04	24.90	86.0	1	15.75			1	+
	011+, and Local; with Dialing Parity (MS)			UEPCO	UEPCS	1.23	40.31	19.84	24.90	6.58		15.75			1	

UNBUNDLE	ED NETWORK ELEMENTS - Mississippi												Attachment:	2		Exhibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonred	urring Add'l	Nonrecurring First		COMEC	COMAN		RATES (\$)	COMAN	SOMAN
	2-Wire 2-Way Smartline with 900/976 (all states except LA)			UEPCO	UEPCK	1.23	First 40.31	19.84	24.90	Add'l 6.58	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Coin Outward Smartline with 900/976 (all states except			OLI GO	OLI OK	1.23	40.51	13.04	24.90	0.50						
	LA)			UEPCO	UEPCR	1.23	40.31	19.84	24.90	6.58						<u> </u>
ADDIT	TIONAL UNE COIN PORT/LOOP (RC)															└
1.004	UNE Coin Port/Loop Combo Usage (Flat Rate)			UEPCO	URECU	4.62	0.00	0.00								
LOCA	L NUMBER PORTABILITY		1	UEPCO	LNPCX	0.35										
FEAT	Local Number Portability (1 per port)			UEPCO	LNPCX	0.35										
	ECURRING CHARGES - CURRENTLY COMBINED					 										-
INOM	2-Wire Voice Grade Loop / Line Port Combination - Conversion -		 			 										
	Switch-as-is			UEPCO	USAC2		0.0988	0.0988				15.75				
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -															1
	Switch with change		<u> </u>	UEPCO	USACC	ļl	0.0988	0.0988				15.75				
ADDIT	FIONAL NRCs		<u> </u>			ļl					ļ					
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent		1	LIEDCO	LICACO		0.00	0.00			1	45.75				1
	PORT/LOOP COMBINATIONS - COST BASED RATES		<u> </u>	UEPCO	USAS2	 	0.00	0.00				15.75		-	-	
	E VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	PORT				1										
	Port/Loop Combination Rates	IOKI				1										
0.12	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1		1			21.32										
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2		2			26.16										
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3		3			34.98										
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 4		4			53.15										
UNE L	Loop Rates															
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1		1	UEPPX	UECD1	13.89										
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2		2	UEPPX	UECD1	18.75										
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3		3	UEPPX UEPPX	UECD1 UECD1	27.55 45.72										
LINE	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 4 Port Rate		4	UEPPX	UECDI	45.72										
ONL	Exchange Ports - 2-Wire DID Port			UEPPX	UEPD1	7.43	225.96	87.13	114.59	14.25		15.75			1.97	
NONR	ECURRING CHARGES - CURRENTLY COMBINED			OLI I X	OLI DI	7.40	220.00	07.10	114.00	14.20		10.70			1.07	
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination -					i i										
	Switch-as-is			UEPPX	USAC1		7.35	1.88				15.75			1.97	İ
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion															
	with BellSouth Allowable Changes			UEPPX	USA1C		7.35	1.88				15.75			1.97	
ADDIT	FIONAL NRCs			ļ. <u></u>		ļI										
	2-Wire DID Subsequent Activity - Add Trunks, Per Trunk		ļ	UEPPX	USAS1	 	26.94	26.94				15.75			1.97	
I elepi	hone Number/Trunk Group Establisment Charges DID Trunk Termination (One Per Port)			UEPPX	NDT	0.00	0.00	0.00				15.75			1.97	
	Additional DID Numbers for each Group of 20 DID Numbers		-	UEPPX	ND1 ND4	0.00	0.00	0.00	-		-	15.75		-	1.97	
-+-	DID Numbers, Non- consecutive DID Numbers , Per Number	-		UEPPX	ND5	0.00	0.00	0.00				15.75			1.97	
	Reserve Non-Consecutive DID numbers			UEPPX	ND6	0.00	0.00	0.00				15.75			1.97	
	Reserve DID Numbers			UEPPX	NDV	0.00	0.00	0.00				15.75			1.97	
LOCA	L NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00								
	E ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LI	NE SIDE	PORT													
UNE F	Port/Loop Combination Rates			ļ		 										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 1		1	UEPPB UEPPR		28.59										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 2		2	UEPPB UEPPR		35.00										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 3		3	UEPPB UEPPR		45.18										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 4		4			67.61										
UNE L	oop Rates															
	2-Wire ISDN Digital Grade Loop - UNE Zone 1		1	UEPPB UEPPR	USL2X	18.26				· ·		15.75			1.97	

UNBUNDLE	D NETWORK ELEMENTS - Mississippi													Attachment:	2		Exhibit: E
CATEGORY	RATE ELEMENTS	Interi m	Zone	E	BCS	USOC			RATES(\$)				Submitted Manually		Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'I
							Rec	Nonrec		Nonrecurring					RATES (\$)		
							1	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire ISDN Digital Grade Loop - UNE Zone 2		2	UEPPB		USL2X	24.67						15.75			1.97	
	2-Wire ISDN Digital Grade Loop - UNE Zone 3		3	UEPPB		USL2X	34.85						15.75			1.97	
	2-Wire ISDN Digital Grade Loop - UNE Zone 4 ort Rate		4	UEPPB	UEPPR	USL2X	57.28						15.75			1.97	
	Exchange Port - 2-Wire ISDN Line Side Port			UFPPB	UEPPR	UEPPB	10.33	190.80	133.22	100.72	21.13		15.75			1.97	+
	ECURRING CHARGES - CURRENTLY COMBINED			OLITE	OLITIK	OLITB	10.00	100.00	100.22	100.72	21.10		10.70			1.07	
	2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port Combination - Conversion			UEPPB	UEPPR	USACB	0.00	38.73	27.17				15.75			1.97	
	IONAL NRCs																
LOCAL	- NUMBER PORTABILITY Local Number Portability (1 per port)	 	-	UEPPB	UEPPR	LNPCX	0.35	0.00	0.00				1				+
B-CHA	NNEL USER PROFILE ACCESS:			UEFFB	UEFFR	LINEUX	0.35	0.00	0.00				 				+
5 0.17.1	CVS/CSD (DMS/5ESS)			UEPPB	UEPPR	U1UCA	0.00	0.00	0.00								†
	CVS (EWSD)			UEPPB	UEPPR	U1UCB	0.00	0.00	0.00								
	CSD			UEPPB	UEPPR	U1UCC	0.00	0.00	0.00								
B-CHA	NNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS SO	C,MS, &	(NT	LIEDDD	LIEDDD	LIALIOD	0.00	0.00	2.22								4
	CVS/CSD (DMS/5ESS) CVS (EWSD)			UEPPB UEPPB	UEPPR UEPPR	U1UCD U1UCE	0.00	0.00	0.00								
	CSD			UEPPB	UEPPR		0.00	0.00	0.00								+
	TERMINAL PROFILE			02.10	OL: III	0.00.	0.00	0.00	0.00								1
	User Terminal Profile (EWSD only)			UEPPB	UEPPR	U1UMA	0.00	0.00	0.00								
	CAL FEATURES																
	All Vertical Features - One per Channel B User Profile OFFICE CHANNEL MILEAGE	ļ		UEPPB	UEPPR	UEPVF	2.56	0.00	0.00				15.75			1.97	+
INTERC	Interoffice Channel mileage each, including first mile and facilities termination			UEPPB	UEPPR	M1GNC	22.5298	40.77	27.57	17.26	7.11		15.75			1.97	
	Interoffice Channel mileage each, additional mile				UEPPR	M1GNM	0.0098	0.00	0.00								
	DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK	(PORT															
UNE Po	ort/Loop Combination Rates																
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 1 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE		1	UEPPP			155.43										
	Zone 2		2	UEPPP			205.74										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 3		3	UEPPP			283.10										<u> </u>
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 4		4	UEPPP			534.81										
UNE Lo	oop Rates																
	4-Wire DS1 Digital Loop - UNE Zone 1			UEPPP		USL4P	79.08						15.75			1.97	
	4-Wire DS1 Digital Loop - UNE Zone 2	ļ		UEPPP		USL4P	129.38						15.75			1.97	
	4-Wire DS1 Digital Loop - UNE Zone 3 4-Wire DS1 Digital Loop - UNE Zone 4			UEPPP UEPPP		USL4P USL4P	206.74 458.46						15.75 15.75			1.97 1.97	
	ort Rate		4	OLPPP		UGL4F	400.46					<u> </u>	10.75			1.97	+
	Exchange Ports - 4-Wire ISDN DS1 Port			UEPPP		UEPPP	76.35	458.93	260.59	127.75	32.76		15.75			1.97	†
NONRE	ECURRING CHARGES - CURRENTLY COMBINED																
	4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port			LIEBBE		LICAGE		440.70	70.01				45.75			4.0=	
ADDIT	Combination - Conversion -Switch-as-is	 	-	UEPPP		USACP	0.00	119.76	79.01			-	15.75			1.97	+
	4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy-		-			1	+ +					<u> </u>	1				+
	Inward/two way tel nos within Std Allowance			UEPPP		PR7TF	<u> </u>	0.49					15.75			1.97	<u> </u>
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port -						İ										
	Outward Tel Numbers (All States except NC)	<u> </u>	<u> </u>	UEPPP		PR7TO	1	11.58	11.58				15.75			1.97	1
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port - Subsequent Inward Tel Nos Above Std Allowance - NUMBER PORTABILITY			UEPPP		PR7ZT		23.15	23.15				15.75			1.97	
	Local Number Portability (1 per port)	-	-	UEPPP		LNPCN	1.75					-	}				+
	ILOUGH INGHIDEL I ORGINILY LI DEL DULLI		1	OLI FF		LINI CIN	1.73			1	ı	1	1	1	1	1	

INBUNDLE	D NETWORK ELEMENTS - Mississippi	,		•									Attachment:	2		Exhibit:
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)	I			Svc Order Submitted Manually per LSR		Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Charge
						Rec	Nonrec	urring	Nonrecurring	g Disconnect			OSS F	RATES (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Voice/Data			UEPPP	PR71V	0.00	0.00	0.00								
	Digital Data			UEPPP	PR71D	0.00	0.00	0.00								
	Inward Data			UEPPP	PR71E	0.00	0.00	0.00								
New or	Additional "B" Channel New or Additional - Voice/Data B Channel			UEPPP	PR7BV	0.00	14.61					45.75			4.07	
	New or Additional - Digital Data B Channel			UEPPP	PR7BF	0.00	14.61					15.75 15.75			1.97 1.97	
-	New or Additional Inward Data B Channel			UEPPP	PR7BD	0.00	14.61				1	15.75			1.97	
	New or Additional Useage Sensitive Voice Data B Channel			UEPPP	PR7BS	0.00	14.61					15.75			1.97	
	New or Additional Useage Sensitive Voice Data B Channel			UEPPP	PR7BU	0.00	14.61					15.75			1.97	
CALL				02		0.00	1					10.70			1.01	
	Inward	1		UEPPP	PR7C1	0.00	0.00	0.00								
	Outward			UEPPP	PR7C0	0.00	0.00	0.00								
	Two-way			UEPPP	PR7CC	0.00	0.00	0.00								
Interof	fice Channel Mileage															
	Fixed Each Including First Mile			UEPPP	1LN1A	57.53	89.79	82.28	16.66	14.90		15.75			1.97	
	Each Airline-Fractional Additional Mile			UEPPP	1LN1B	0.20										
4-WIRE	DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT															
UNE P	ort/Loop Combination Rates															
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1			UEPDC		131.78						15.75			1.97	
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2			UEPDC		182.07						15.75			1.97	
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3			UEPDC		259.44						15.75			1.97	
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 4		4	UEPDC		511.15						15.75			1.97	
UNE Lo	pop Rates															
	4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPDC	USLDC	79.08						15.75			1.97	
	4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPDC	USLDC	129.38						15.75			1.97	
	4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPDC	USLDC	206.74						15.75			1.97	
	4-Wire DS1 Digital Loop - UNE Zone 4		4	UEPDC	USLDC	458.46						15.75			1.97	
UNE P	ort Rate 4-Wire DDITS Digital Trunk Port			UEPDC	UDD1T	52.70	457.12	254.70	120.96	14.61		15.75			1.97	
NOND	ECURRING CHARGES - CURRENTLY COMBINED			UEPDC	ווטטטו	52.70	457.12	254.70	120.96	14.61	-	15.75			1.97	
NONKE	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination										1					
	- Switch-as-is			UEPDC	USAC4		130.24	67.41				15.75			1.97	
_	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination			OLI DO	00/104		130.24	07.41				13.73			1.57	
	- Conversion with DS1 Changes			UEPDC	USAWA		130.24	67.41				15.75			1.97	
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination			02. 50	00/11//		100.21	0				10.70			1.07	
	- Conversion with Change - Trunk			UEPDC	USAWB		130.24	67.41				15.75			1.97	
ADDIT	ONAL NRCs															
1	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC -									l					İ	1
	Subsequent Channel Activation/Chan - 2-Way Trunk	l		UEPDC	UDTTA		14.56	14.56				15.75			1.97	
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent															
	Channel Activation/Chan - 1-Way Outward Trunk	<u> </u>		UEPDC	UDTTB		14.56	14.56		<u></u>		15.75			1.97	<u></u>
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel															
	Activation/Chan Inward Trunk w/out DID			UEPDC	UDTTC		14.56	14.56				15.75			1.97	ļ
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan	l														
	Activation Per Chan - Inward Trunk with DID			UEPDC	UDTTD		14.56	14.56				15.75			1.97	
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan	l														
	Activation / Chan - 2-Way DID w User Trans			UEPDC	UDTTE		14.56	14.56				15.75			1.97	
BIPOL	AR 8 ZERO SUBSTITUTION	ļ		UEDDO.	22225		0.55					4 =			ļ	ļ
	B8ZS -Superframe Format	ļ		UEPDC	CCOSF		0.00	600.00				15.75			1.97	ļ
A14	B8ZS - Extended Superframe Format	<u> </u>		UEPDC	CCOEF		0.00	600.00				15.75			1.97	
Alterna	ate Mark Inversion	 		LIEDDO	MCCCC		0.00	0.00		-					1	ļ
	AMI -Superframe Format	1	-	UEPDC	MCOSF		0.00	0.00			-					}
Talant	AMI - Extended SuperFrame Format	 		UEPDC	MCOPO		0.00	0.00								
ı eleph	one Number/Trunk Group Establisment Charges Telephone Number for 2-Way Trunk Group	 		UEPDC	UDTGX	0.00					-	15.75			1.97	1
_	Telephone Number for 2-way Trunk Group Telephone Number for 1-Way Outward Trunk Group	 		UEPDC	UDTGX	0.00						15.75			1.97	
	Telephone Number for 1-Way Juward Trunk Group Telephone Number for 1-Way Inward Trunk Group Without DID	 		UEPDC	UDTGZ	0.00						15.75			1.97	

BUNDLED	NETWORK ELEMENTS - Mississippi												Attachment:	2		Exhibit:
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			Submitted Elec	Svc Order Submitted Manually per LSR	Order vs.	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge
						Rec	Nonrec		Nonrecurring		001150			RATES (\$)	0011411	
	DID Numbers, Non- consecutive DID Numbers , Per Number			UEPDC	ND5	0.00	First	Add'l	First	Add'l	SOMEC	SOMAN 15.75	SOMAN	SOMAN	SOMAN 1.97	SOMAN
	Reserve Non-Consecutive DID Nos.			UEPDC	ND6	0.00	0.00	0.00				15.75			1.97	
	Reserve DID Numbers			UEPDC	NDV	0.00	0.00	0.00				15.75			1.97	
	ed DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1	Digita	Loop			3,00	2.22									
	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities Termination)			UEPDC	1LNO1	57.33	89.79	82.28	16.86	14.90		15.75			1.97	
	Interoffice Channel Mileage - Additional rate per mile - 0-8 miles			UEPDC	1LNOA	0.20	0.00	0.00								
	Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities Termination)			UEPDC	1LNO2	0.00	0.00	0.00								
	Interoffice Channel Mileage - Additional rate per mile - 9-25 miles			UEPDC	1LNOB	0.20	0.00	0.00								
	Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities Termination)			UEPDC	1LNO3	0.00	0.00	0.00	0.00							
	Interoffice Channel Mileage - Additional rate per mile - 25+ miles			UEPDC	1LNOC	0.20	0.00	0.00	5.50							
	Local Number Portability, per DS0 Activated			UEPDC	LNPCP	3.15	0.00	0.00	0.00							
	Central Office Termininating Point			UEPDC	CTG	0.00	0.00	0.00	0.00							—
	DS1 LOOP WITH CHANNELIZATION WITH PORT															
	is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Acti															
	ystem can have up to 24 combinations of rates depending on	type ar	d num	ber of ports used												
	S1 Loop					70.00	2.22									
	4-Wire DS1 Loop - UNE Zone 1			UEPMG	USLDC	79.08	0.00	0.00								
	4-Wire DS1 Loop - UNE Zone 2 4-Wire DS1 Loop - UNE Zone 3		3	UEPMG UEPMG	USLDC	129.38 206.74	0.00	0.00								
	4-Wire DS1 Loop - UNE Zone 4			UEPMG	USLDC	458.46	0.00	0.00				15.75			1.97	-
	60 Channelization Capacities (D4 Channel Bank Configuration	ns)	Ė	020	00250	100.10	0.00	0.00				10.10				-
	24 DSO Channel Capacity - 1 per DS1			UEPMG	VUM24	95.06	0.00	0.00				15.75			1.97	
	48 DSO Channel Capacity - 1 per 2 DS1s			UEPMG	VUM48	190.12	0.00	0.00				15.75			1.97	
	96 DSO Channel Capacity -1per 4 DS1s			UEPMG	VUM96	380.24	0.00	0.00				15.75			1.97	
	144 DS0 Channel Capacity - 1 per 6 DS1s			UEPMG	VUM14	570.36	0.00	0.00				15.75			1.97	<u> </u>
	192 DS0 Channel Capacity -1 per 8 DS1s 240 DS0 Channel Capacity - 1 per 10 DS1s			UEPMG UEPMG	VUM19 VUM20	760.48 950.60	0.00	0.00				15.75 15.75			1.97 1.97	
	288 DS0 Channel Capacity - 1 per 10 DS1s			UEPMG	VUM28	1,140.72	0.00	0.00				15.75			1.97	
	384 DS0 Channel Capacity - 1 per 16 DS1s			UEPMG	VUM38	1,520.96	0.00	0.00				15.75			1.97	
	480 DS0 Channel Capacity - 1 per 20 DS1s			UEPMG	VUM40	1,901.20	0.00	0.00				15.75			1.97	
	576 DS0 Channel Capacity -1 per 24 DS1s			UEPMG	VUM57	2,281.44	0.00	0.00				15.75			1.97	
	672 DS0 Channel Capacity - 1 per 28 DS1s			UEPMG	VUM67	2,661.68	0.00	0.00				15.75			1.97	
	curring Charges (NRC) Associated with 4-Wire DS1 Loop with						tem									ļ
A Minin	num System configuration is One (1) DS1, One (1) D4 Channel es of this configuration functioning as one are considered Ad	ı Bank,	and Up	10 24 DSO Ports v	vith Feature A	Activations.										₩
	NRC - Conversion (Currently Combined) with or without	iu'i arte	r the m	iiiiiiium system cor	inguration is	countea.										
	BellSouth Allowed Changes Additions at End User Locations Where 4-Wire DS1 Loop wit	h Cha-	nolize'	UEPMG	USAC4	0.00	151.35	8.41				15.75			1.97	
	ot Currently Combined) In GA, KY, LA, MS & TN Only	ui chan	nenzat	IOII WILLI POR COME	manon curre	and Exists and					-	-				₩
	1 DS1/D4 Channel Bank - Add NRC for each Port and Assoc Fea Activation - New GA, LA, KY, MS, &TN Only			UEPMG	VUMD4	0.00	715.15	327.39	148.05	17.56		15.75			1.97	
	8 Zero Substitution					0.00	. 10.10	321.00	7-10.00	17.50		10.70			1.07	
	Clear Channel Capability Format, superframe - Subsequent Activity Only			UEPMG	CCOSF	0.00	0.00	600.00				15.75			1.97	
	Clear Channel Capability Format - Extended Superframe - Subsequent Activity Only			UEPMG	CCOEF	0.00	0.00	600.00				15.75			1.97	
Alternat	te Mark Inversion (AMI)															
	Superframe Format			UEPMG	MCOSF	0.00	0.00	0.00								
	Extended Superframe Format		i	UEPMG	MCOPO	0.00	0.00	0.00		·	1	I				
	ge Ports Associated with 4-Wire DS1 Loop with Channelization					0.00	0.00	0.00	ļ.							

UNBUNDLE	D NETWORK ELEMENTS - Mississippi												Attachment:	2		Exhibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			1	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc	Incremental Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonre		Nonrecurring					RATES (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Line Side Combination Channelized PBX Trunk Port - Business			UEPPX	UEPCX	1.23	0.00	0.00	0.00	0.00		15.75			1.97	
	Line Side Outward Channelized PBX Trunk Port - Business		1	UEPPX	UEPOX	1.23	0.00	0.00	0.00	0.00		15.75			1.97	
	Elifo dido dativara difaminingos i bat mania da Badinoso			OLI I X	02. 07.	1120	0.00	0.00	0.00	0.00		10.10			1.07	
	Line Side Inward Only Channelized PBX Trunk Port without DID			UEPPX	UEP1X	1.23	0.00	0.00	0.00	0.00		15.75			1.97	
	2-Wire Trunk Side Unbundled Channelized DID Trunk Port			UEPPX	UEPDM	7.40	0.00	0.00	0.00	0.00		15.75			1.97	
Feature	e Activations - Unbundled Loop Concentration		-													
	Feature (Service) Activation for each Line Side Port Terminated in D4 Bank			UEPPX	1PQWM	0.61	25.36	13.39	4.29	4.26		15.75			1.97	
	Feature (Service) Activation for each Trunk Side Port Terminated			OLITA	11 00 11111	0.01	20.00	10.00	4.25	4.20		10.70			1.07	
<u>. </u>	in D4 Bank			UEPPX	1PQWU	0.61	78.03	18.39	60.66	11.85	<u> </u>	15.75			1.97	
Teleph	one Number/ Group Establishment Charges for DID Service															
	DID Trunk Termination (1 per Port)	ļ	1	UEPPX	NDT	0.00	0.00	0.00			<u> </u>	15.75			1.97	
	DID Numbers - groups of 20 - Valid all States			UEPPX	ND4	0.00	0.00	0.00				15.75			1.97	
	Non-Consecutive DID Numbers - per number Reserve Non-Consecutive DID Numbers	 	1	UEPPX UEPPX	ND5 ND6	0.00	0.00	0.00			 	15.75 15.75			1.97 1.97	
	Reserve DID Numbers			UEPPX	NDV	0.00	0.00	0.00				15.75			1.97	
Local	Number Portability			OLITA	1454	0.00	0.00	0.00				10.70			1.07	
	Local Number Portability - 1 per port			UEPPX	LNPCP	3.15	0.00	0.00								
	JRES - Vertical and Optional															
I ocal (Switching Features Offered with Line Side Ports Only															
LUCAI -			_													
	All Features Available			UEPPX	UEPVF	2.56	0.00	0.00				15.75			1.97	
UNBUNDLED F	PORT LOOP COMBINATIONS - MARKET RATES	unbun	dlad la									15.75			1.97	
UNBUNDLED F	PORT LOOP COMBINATIONS - MARKET RATES Rates shall apply where BellSouth is not required to provide	unbun	dled lo									15.75			1.97	
UNBUNDLED I Market These	PORT LOOP COMBINATIONS - MARKET RATES			cal switching or swi	tch ports per	FCC and/or St						15.75			1.97	
UNBUNDLED F Market These 1. Unb	PORT LOOP COMBINATIONS - MARKET RATES Rates shall apply where BellSouth is not required to provide scenarios include: bundled port/loop combinations that are Not Currently Combinations that are Currently Combinations that are Currently Combinations that are Currently Combinations that are Currently Combined or Combinations that are Currently Combined or Combinations that are Currently Combined or Combinations that are Currently Combined or Comb	ned in A or Not 0	Alabam Current	cal switching or swi a, Florida, North Car ly Combined in Zon	tch ports per olina and Sc 1 of the To	FCC and/or St buth Carolina. p 8 MSAS in Be	ate Commissio	on rules. on for end use							1.97	
UNBUNDLED F Market These 1. Unb	PORT LOOP COMBINATIONS - MARKET RATES Rates shall apply where BellSouth is not required to provide scenarios include: bundled port/loop combinations that are Not Currently Combin	ned in A or Not 0	Alabam Current	cal switching or swi a, Florida, North Car ly Combined in Zon	tch ports per olina and Sc a 1 of the To	FCC and/or St buth Carolina. p 8 MSAS in Be	ate Commissio	on rules. on for end use							1.97	
UNBUNDLED F Market These 1. Unb 2. Unb The To	PORT LOOP COMBINATIONS - MARKET RATES Rates shall apply where BellSouth is not required to provide scenarios include: bundled port/loop combinations that are Not Currently Combinations that are Currently Combined on the BellSouth's region are: FL (Orlando, Ft. Lauderd:	ned in A or Not (ale, Mia	Alabama Current ami); G/	cal switching or swi a, Florida, North Car ly Combined in Zon A (Atlanta); LA (New	cch ports per lolina and Sc e 1 of the To Orleans); NO	FCC and/or St buth Carolina. p 8 MSAS in Be (Greensboro-	ate Commission	on rules. on for end use n-Highpoint/Ch	arlotte-Gaston	ia-Rock Hill);	TN (Nashvill	e).	and SC In t	he interim wh		cannot hill
UNBUNDLED F Market These 1. Unb 2. Unb The To	PORT LOOP COMBINATIONS - MARKET RATES Rates shall apply where BellSouth is not required to provide scenarios include: bundled port/loop combinations that are Not Currently Combin bundled port/loop combinations that are Currently Combined of bundled port/loop combinations that are Currently Combined of bundled port/loop combinations that are Currently Combined of bundled port/loop combinations that are Currently Combined of bundled port/loop combinations that are Currently Combined of bundled port/loop combinations that are Currently Combined of bundled port/loop combinations that are Currently Combined of bundled port/loop combinations that are Currently Combined of bundled port/loop combinations that are Currently Combined of bundled port/loop combinations that are Currently Combined of bundled port/loop combinations that are Not Currently Combined of bundled port/loop combinations that are Currently Combined of bundled port/loop combinations that are Currently Combined of bundled port/loop combinations that are Currently Combined of bundled port/loop combinations that are Currently Combined of bundled port/loop combinations that are Currently Combined of bundled port/loop combinations that are Currently Combined of bundled port/loop combined of	ned in A or Not (ale, Mia	Alabama Current ami); G/ the rec	cal switching or swi a, Florida, North Car ly Combined in Zon- A (Atlanta); LA (New urring and non-recu	cch ports per lolina and Sc e 1 of the To Orleans); NC	FCC and/or St buth Carolina. p 8 MSAS in Be (Greensboro-	ate Commission	on rules. on for end use n-Highpoint/Ch	arlotte-Gaston	ia-Rock Hill);	TN (Nashvill	e).	and SC. In t	he interim wh		cannot bill
UNBUNDLED F Market These 1. Unb 2. Unb The To BellSo Market	PORT LOOP COMBINATIONS - MARKET RATES Rates shall apply where BellSouth is not required to provide scenarios include: bundled port/loop combinations that are Not Currently Combinations that are Currently Combined on the BellSouth's region are: FL (Orlando, Ft. Lauderd:	ned in A or Not (ale, Mia ally bill n prece	Alabama Current ami); GA the rec ding in	cal switching or swi a, Florida, North Car ly Combined in Zon- A (Atlanta); LA (New urring and non-recu	cch ports per lolina and Sc e 1 of the To Orleans); NC	FCC and/or St buth Carolina. p 8 MSAS in Be (Greensboro-	ate Commission	on rules. on for end use n-Highpoint/Ch	arlotte-Gaston	ia-Rock Hill);	TN (Nashvill	e).	and SC. In t	he interim wh		cannot bill
UNBUNDLED F Market These 1. Unb 2. Unb The To BellSo Market The Ma	PORT LOOP COMBINATIONS - MARKET RATES Rates shall apply where BellSouth is not required to provide scenarios include: bundled port/loop combinations that are Not Currently Combined spandled port/loop combinations that are Currently Combined op pa MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderd uth currently is developing the billing capability to mechanica rates, BellSouth shall bill the rates in the Cost-Based section arket Rate for unbundled ports includes all available features in	ned in A or Not (ale, Mia ally bill n preced in all st	Alabama Current ami); G/ the rec ding in ates.	cal switching or swi lead and the care a, Florida, North Care ly Combined in Zon- A (Atlanta); LA (New urring and non-recu lieu of the Market R	cch ports per olina and Sc e 1 of the To Orleans); NC rring Market ates and res	FCC and/or St buth Carolina. p 8 MSAS in Be c (Greensboro- Rates in this s erves the right	ate Commission allSouth's regineration Salerrection except to true-up the	on rules. on for end use n-Highpoint/Ch for nonrecurrir billing differer	arlotte-Gaston ng charges for nce.	ia-Rock Hill);	TN (Nashvill	e). AL, FL, NC			ere BellSouth	cannot bill
UNBUNDLED I Market These 1. Unb 2. Unb The To BellSo Market The Ma End Of	PORT LOOP COMBINATIONS - MARKET RATES Rates shall apply where BellSouth is not required to provide scenarios include: Bundled port/loop combinations that are Not Currently Combinations that are Currently Combinations that are Currently Combinations that are Currently Combined on the Market BellSouth's region are: FL (Orlando, Ft. Lauderd: Buth currently is developing the billing capability to mechanical Rates, BellSouth shall bill the rates in the Cost-Based section arket Rate for unbundled ports includes all available features in the Cost-Based section arket Rate for unbundled ports includes all available features in the Cost-Based section (USOC: URECU).	ned in A or Not (ale, Mia ally bill n prece in all st sage rat	Alabama Current ami); GA the rec ding in ates. tes in th	cal switching or swit a, Florida, North Car ly Combined in Zon A (Atlanta); LA (New urring and non-recu lieu of the Market R	ich ports per loolina and Sc e 1 of the To Orleans); NO rring Market ates and res lis rate exhib	FCC and/or St buth Carolina. p 8 MSAS in Be c (Greensboro- Rates in this s erves the right it shall apply to	ate Commission all South's region winston Salem ection except to true-up the coall combinati	on rules. on for end use -Highpoint/Ch for nonrecurrin billing differer ons of loop/po	arlotte-Gaston ng charges for nce. rt network eler	ia-Rock Hill); on the currently of the c	TN (Nashvill combined in	e). AL, FL, NC	Combination	ns which have	ere BellSouth	
UNBUNDLED I Market These 1. Unb 2. Unb Hellso Market The Ma End Of usage For No	PORT LOOP COMBINATIONS - MARKET RATES Rates shall apply where BellSouth is not required to provide scenarios include: bundled port/loop combinations that are Not Currently Combined opp 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderd; uth currently is developing the billing capability to mechanicate. Rates, BellSouth shall bill the rates in the Cost-Based section arket Rate for unbundled ports includes all available features in ffice and Tandem Switching Usage and Common Transport Us charge (USOC: URECU). It Currently Combined scenarios where Market Rates apply, the	ned in A or Not (ale, Mia ally bill n precedin all st sage rat	Alabama Current ami); GA the rec ding in ates. tes in the	cal switching or switching and switching or switch, and Florida, North Carly Combined in Zona (Atlanta); LA (New urring and non-reculieu of the Market Rane Port section of the granges are listed	ich ports per loolina and Sc e 1 of the To Orleans); NO rring Market ates and res lis rate exhib	FCC and/or St buth Carolina. p 8 MSAS in Be c (Greensboro- Rates in this s erves the right it shall apply to	ate Commission all South's region winston Salem ection except to true-up the coall combinati	on rules. on for end use -Highpoint/Ch for nonrecurrin billing differer ons of loop/po	arlotte-Gaston ng charges for nce. rt network eler	ia-Rock Hill); on the currently of the c	TN (Nashvill combined in	e). AL, FL, NC	Combination	ns which have	ere BellSouth	
UNBUNDLED I Market These 1. Unb 2. Unb The To BellSo Market The Mi End Of usage For No Combi	PORT LOOP COMBINATIONS - MARKET RATES Rates shall apply where BellSouth is not required to provide scenarios include: bundled port/loop combinations that are Not Currently Combined op 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderd: the currently is developing the billing capability to mechanical at Rates, BellSouth shall bill the rates in the Cost-Based section arket Rate for unbundled ports includes all available features iffice and Tandem Switching Usage and Common Transport Uscharge (USOC: URECU). the Currently Combined scenarios where Market Rates apply, the ned section. Additional NRCs may apply also and are categor	ned in A or Not (ale, Mia ally bill n precedin all st sage rat	Alabama Current ami); GA the rec ding in ates. tes in the	cal switching or switching and switching or switch, and Florida, North Carly Combined in Zona (Atlanta); LA (New urring and non-reculieu of the Market Rane Port section of the granges are listed	ich ports per loolina and Sc e 1 of the To Orleans); NO rring Market ates and res lis rate exhib	FCC and/or St buth Carolina. p 8 MSAS in Be c (Greensboro- Rates in this s erves the right it shall apply to	ate Commission all South's region winston Salem ection except to true-up the coall combinati	on rules. on for end use -Highpoint/Ch for nonrecurrin billing differer ons of loop/po	arlotte-Gaston ng charges for nce. rt network eler	ia-Rock Hill); on the currently of the c	TN (Nashvill combined in	e). AL, FL, NC	Combination	ns which have	ere BellSouth	
UNBUNDLED I Market These 1. Uni 2. Uni The To BellSo Market The Ma End Of usage For No Combi UNBUNDLED (PORT LOOP COMBINATIONS - MARKET RATES Rates shall apply where BellSouth is not required to provide scenarios include: bundled port/loop combinations that are Not Currently Combined op 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderd: the currently is developing the billing capability to mechanical Rates, BellSouth shall bill the rates in the Cost-Based section arket Rate for unbundled ports includes all available features in the Cost-Based section in the Cost-Based section with currently is developing the billing capability to mechanical Rates, BellSouth shall bill the rates in the Cost-Based section in the Cost-Based section in the Cost-Based section with the cost-Based section in the Cost-Based sect	ned in A or Not (ale, Mia ally bill n precedin all st sage rat	Alabama Current ami); GA the rec ding in ates. tes in the	cal switching or switching and switching or switch, and Florida, North Carly Combined in Zona (Atlanta); LA (New urring and non-reculieu of the Market Rane Port section of the granges are listed	ich ports per loolina and Sc e 1 of the To Orleans); NO rring Market ates and res lis rate exhib	FCC and/or St buth Carolina. p 8 MSAS in Be c (Greensboro- Rates in this s erves the right it shall apply to	ate Commission all South's region winston Salem ection except to true-up the coall combinati	on rules. on for end use -Highpoint/Ch for nonrecurrin billing differer ons of loop/po	arlotte-Gaston ng charges for nce. rt network eler	ia-Rock Hill); on the currently of the c	TN (Nashvill combined in	e). AL, FL, NC	Combination	ns which have	ere BellSouth	
UNBUNDLED I Market These 1. Uni 2. Uni The To BellSo Market The Mi End Of usage For No Combi UNBUNDLED C UNBUNDLED C	PORT LOOP COMBINATIONS - MARKET RATES Rates shall apply where BellSouth is not required to provide scenarios include: Pundled port/loop combinations that are Not Currently Combinations that are Not Currently Combinations that are Currently Combinations that are Currently Combinations that are Currently Combined on the Second Seco	ned in A or Not (ale, Mia ally bill n precedin all st sage rate e Nonre	Alabama Current ami); GA the rec ding in ates. tes in the	cal switching or switching and switching or switch, and Florida, North Carly Combined in Zona (Atlanta); LA (New urring and non-reculieu of the Market Rane Port section of the granges are listed	ich ports per loolina and Sc e 1 of the To Orleans); NO rring Market ates and res lis rate exhib	FCC and/or St buth Carolina. p 8 MSAS in Be c (Greensboro- Rates in this s erves the right it shall apply to	ate Commission all South's region winston Salem ection except to true-up the coall combinati	on rules. on for end use -Highpoint/Ch for nonrecurrin billing differer ons of loop/po	arlotte-Gaston ng charges for nce. rt network eler	ia-Rock Hill); on the currently of the c	TN (Nashvill combined in	e). AL, FL, NC	Combination	ns which have	ere BellSouth	
UNBUNDLED I Market These 1. Unb 2. Unb The To BellSo Market The Ma End Of usage For No Combi UNBUNDLED (UNBUN UNE-P	PORT LOOP COMBINATIONS - MARKET RATES Rates shall apply where BellSouth is not required to provide scenarios include: bundled port/loop combinations that are Not Currently Combined to possible shall be bundled port/loop combinations that are Currently Combined to possible shall be bundled port/loop combinations that are Currently Combined to possible shall be bundled ports includes. The Lauderd with currently is developing the billing capability to mechanical rates and Fall South shall bill the rates in the Cost-Based section arket Rate for unbundled ports includes all available features iffice and Tandem Switching Usage and Common Transport Uscharge (USOC: URECU). The Currently Combined scenarios where Market Rates apply, the ned section. Additional NRCs may apply also and are categor CENTREX PORT/LOOP COMBINATIONS CENTREX PORT/LOOP COMBINATIONS - COST BASED RATES CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only)	ned in A or Not (ale, Mia ally bill n precedin all st sage rate e Nonre	Alabama Current ami); GA the rec ding in ates. tes in the	cal switching or switching and switching or switch, and Florida, North Carly Combined in Zona (Atlanta); LA (New urring and non-reculieu of the Market Rane Port section of the granges are listed	ich ports per loolina and Sc e 1 of the To Orleans); NO rring Market ates and res lis rate exhib	FCC and/or St buth Carolina. p 8 MSAS in Be c (Greensboro- Rates in this s erves the right it shall apply to	ate Commission all South's region winston Salem ection except to true-up the coall combinati	on rules. on for end use -Highpoint/Ch for nonrecurrin billing differer ons of loop/po	arlotte-Gaston ng charges for nce. rt network eler	ia-Rock Hill); on the currently of the c	TN (Nashvill combined in	e). AL, FL, NC	Combination	ns which have	ere BellSouth	
UNBUNDLED I Market These 1. Unb 2. Unb The To BellSo Market The Mi End Of usage For No Combi UNBUNDLED 0 UNBUN UNE-P 2-Wire	PORT LOOP COMBINATIONS - MARKET RATES Rates shall apply where BellSouth is not required to provide scenarios include: Pundled port/loop combinations that are Not Currently Combinations that are Not Currently Combinations that are Currently Combinations that are Currently Combinations that are Currently Combined on the Second Seco	ned in A or Not (ale, Mia ally bill n precedin all st sage rate e Nonre	Alabama Current ami); GA the rec ding in ates. tes in the	cal switching or switching and switching or switch, and Florida, North Carly Combined in Zona (Atlanta); LA (New urring and non-reculieu of the Market Rane Port section of the granges are listed	ich ports per loolina and Sc e 1 of the To Orleans); NO rring Market ates and res lis rate exhib	FCC and/or St buth Carolina. p 8 MSAS in Be c (Greensboro- Rates in this s erves the right it shall apply to	ate Commission all South's region winston Salem ection except to true-up the coall combinati	on rules. on for end use -Highpoint/Ch for nonrecurrin billing differer ons of loop/po	arlotte-Gaston ng charges for nce. rt network eler	ia-Rock Hill); on the currently of the c	TN (Nashvill combined in	e). AL, FL, NC	Combination	ns which have	ere BellSouth	
UNBUNDLED I Market These 1. Unb 2. Unb The To BellSo Market The Mi End Of usage For No Combi UNBUNDLED 0 UNBUN UNE-P 2-Wire	PORT LOOP COMBINATIONS - MARKET RATES Rates shall apply where BellSouth is not required to provide scenarios include: Dundled port/loop combinations that are Not Currently Combined op 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderd: A Rates, BellSouth shall bill the rates in the Cost-Based section arket Rate for unbundled ports includes all available features in the Cost-Bused section arket Rate for unbundled ports includes all available features in the Cost-Bused section arket Rate for unbundled ports includes all available features in the Cost-Bused section arket Rate for unbundled ports includes all available features in the Cost-Bused section arket Rate for unbundled ports includes all available features in the Cost-Bused section and Transport Use charge (USOC: URECU). The Company of the Market Rates apply, the desection. Additional NRCs may apply also and are categor CENTREX PORT/LOOP COMBINATIONS CENTREX PORT/LOOP COMBINATIONS - COST BASED RATES CENTREX - 1AESS - (Valid in AL, FL, GA, KY, LA, MS, &TN only, VG Loop)2-Wire Voice Grade Port (Centrex) Combo	ned in A or Not (ale, Mia ally bill n precedin all st sage rate e Nonre	Alabama Current ami); GA the rec ding in ates. tes in the	cal switching or switching and switching or switch, and Florida, North Carly Combined in Zona (Atlanta); LA (New urring and non-reculieu of the Market Rane Port section of the granges are listed	ich ports per loolina and Sc e 1 of the To Orleans); NO rring Market ates and res lis rate exhib	FCC and/or St buth Carolina. p 8 MSAS in Be c (Greensboro- Rates in this s erves the right it shall apply to	ate Commission all South's region winston Salem ection except to true-up the coall combinati	on rules. on for end use -Highpoint/Ch for nonrecurrin billing differer ons of loop/po	arlotte-Gaston ng charges for nce. rt network eler	ia-Rock Hill); on the currently of the c	TN (Nashvill combined in	e). AL, FL, NC	Combination	ns which have	ere BellSouth	
UNBUNDLED I Market These 1. Unb 2. Unb The To BellSo Market The Mi End Of usage For No Combi UNBUNDLED 0 UNBUN UNE-P 2-Wire	PORT LOOP COMBINATIONS - MARKET RATES Rates shall apply where BellSouth is not required to provide scenarios include: Dundled port/loop combinations that are Not Currently Combined op 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderdi uth currently is developing the billing capability to mechanica rates are for unbundled ports includes all available features in fifce and Tandem Switching Usage and Common Transport Uscharge (USOC: URECU). In Currently Combined scenarios where Market Rates apply, the ned section. Additional NRCs may apply also and are categor CENTREX PORT/LOOP COMBINATIONS INDLED PORT/LOOP COMBINATIONS VIDLED PORT/LO	ned in A or Not (ale, Mia ally bill n precedin all st sage rate e Nonre	Alabama Current ami); GA the rec ding in ates. tes in the	cal switching or switching and switching or switch, and Florida, North Carly Combined in Zona (Atlanta); LA (New urring and non-reculieu of the Market Rane Port section of the granges are listed	ich ports per loolina and Sc e 1 of the To Orleans); NO rring Market ates and res lis rate exhib	FCC and/or St buth Carolina. p 8 MSAS in Be c (Greensboro- Rates in this s erves the right it shall apply to	ate Commission all South's region winston Salem ection except to true-up the coall combinati	on rules. on for end use -Highpoint/Ch for nonrecurrin billing differer ons of loop/po	arlotte-Gaston ng charges for nce. rt network eler	ia-Rock Hill); on the currently of the c	TN (Nashvill combined in	e). AL, FL, NC	Combination	ns which have	ere BellSouth	
UNBUNDLED I Market These 1. Unb 2. Unb The To BellSo Market The Mi End Of usage For No Combi UNBUNDLED 0 UNBUN UNE-P 2-Wire	PORT LOOP COMBINATIONS - MARKET RATES Rates shall apply where BellSouth is not required to provide scenarios include: Dundled port/loop combinations that are Not Currently Combined op 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderdi uth currently is developing the billing capability to mechanica Rates, BellSouth shall bill the rates in the Cost-Based section arket Rate for unbundled ports includes all available features iffice and Tandem Switching Usage and Common Transport Uscharge (USOC: URECU). It Currently Combined scenarios where Market Rates apply, the desection. Additional NRCs may apply also and are categor CENTREX PORT/LOOP COMBINATIONS RDLED PORT/LOOP COMBINATIONS - COST BASED RATES CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Comboort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design	ned in A or Not (ale, Mia ally bill n precedin all st sage rate e Nonre	Alabama Current ami); G/ the rec ding in ates. tes in the ecurring	al switching or swi a, Florida, North Car ly Combined in Zona A (Atlanta); LA (New urring and non-recu lieu of the Market R he Port section of th g charges are listed gly.	ich ports per loolina and Sc e 1 of the To Orleans); NO rring Market ates and res lis rate exhib	FCC and/or St buth Carolina. p 8 MSAS in Be (Greensboro- Rates in this serves the right it shall apply to and Additional	ate Commission all South's region winston Salem ection except to true-up the coall combinati	on rules. on for end use -Highpoint/Ch for nonrecurrin billing differer ons of loop/po	arlotte-Gaston ng charges for nce. rt network eler	ia-Rock Hill); on the currently of the c	TN (Nashvill combined in	e). AL, FL, NC	Combination	ns which have	ere BellSouth	
UNBUNDLED I Market These 1. Unb 2. Unb The To BellSo Market The Mi End Of usage For No Combi UNBUNDLED 0 UNBUN UNE-P 2-Wire	PORT LOOP COMBINATIONS - MARKET RATES Rates shall apply where BellSouth is not required to provide scenarios include: bundled port/loop combinations that are Not Currently Combined op 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderd; the currently is developing the billing capability to mechanica rates, BellSouth shall bill the rates in the Cost-Based section arket Rate for unbundled ports includes all available features iffice and Tandem Switching Usage and Common Transport Us charge (USOC: URECU). It Currently Combined scenarios where Market Rates apply, the desection. Additional NRCs may apply also and are categor CENTREX PORT/LOOP COMBINATIONS VOLED PORT/LOOP COMBINATIONS VOLED PORT/LOOP COMBINATIONS - COST BASED RATES CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Comboort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design	ned in A or Not (ale, Mia ally bill n precedin all st sage rate e Nonre	Alabama Current ami); G/ the rec ding in ates. tes in the ecurring	al switching or swi a, Florida, North Car ly Combined in Zon- A (Atlanta); LA (New urring and non-recu lieu of the Market R ne Port section of th g charges are listed gly.	ich ports per loolina and Sc e 1 of the To Orleans); NO rring Market ates and res lis rate exhib	FCC and/or St puth Carolina. p 8 MSAS in Bc (Greensboro- Rates in this s erves the right it shall apply to	ate Commission all South's region winston Salem ection except to true-up the coall combinati	on rules. on for end use -Highpoint/Ch for nonrecurrin billing differer ons of loop/po	arlotte-Gaston ng charges for nce. rt network eler	ia-Rock Hill); on the currently of the c	TN (Nashvill combined in	e). AL, FL, NC	Combination	ns which have	ere BellSouth	
UNBUNDLED I Market These 1. Unb 2. Unb The To BellSo Market The Mi End Of usage For No Combi UNBUNDLED 0 UNBUN UNE-P 2-Wire	PORT LOOP COMBINATIONS - MARKET RATES Rates shall apply where BellSouth is not required to provide scenarios include: Dundled port/loop combinations that are Not Currently Combined on the BellSouth's region are: FL (Orlando, Ft. Lauderd: But currently is developing the billing capability to mechanical that currently is developing the billing capability to mechanical that capability to mechanical that capability to mechanical that capability to mechanical that capability is developing the billing capability to mechanical that capability is developing the billing capability to mechanical that capability to mechanical that capability to mechanical that capability is developing the billing capability to mechanical that capability is developed to the control of the capability of t	ned in A or Not (ale, Mia ally bill n precedin all st sage rate e Nonre	Alabama Current ami); G/ the rec ding in ates. tes in the ecurring ecording	al switching or swi	ich ports per loolina and Sc e 1 of the To Orleans); NO rring Market ates and res lis rate exhib	FCC and/or St puth Carolina. p 8 MSAS in Be c (Greensboro- Rates in this s erves the right it shall apply to and Additional	ate Commission all South's region winston Salem ection except to true-up the coall combinati	on rules. on for end use -Highpoint/Ch for nonrecurrin billing differer ons of loop/po	arlotte-Gaston ng charges for nce. rt network eler	ia-Rock Hill); on the currently of the c	TN (Nashvill combined in	e). AL, FL, NC	Combination	ns which have	ere BellSouth	
UNBUNDLED I Market These 1. Unb 2. Unb The To BellSo Market The Mi End Of usage For No Combi UNBUNDLED 0 UNBUN UNE-P 2-Wire	PORT LOOP COMBINATIONS - MARKET RATES Rates shall apply where BellSouth is not required to provide scenarios include: Dundled port/loop combinations that are Not Currently Combined op 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderd: Unit currently is developing the billing capability to mechanica at Rates, BellSouth shall bill the rates in the Cost-Based section arket Rate for unbundled ports includes all available features in the Cost-Based section arket Rate for unbundled ports includes all available features in the Currently Combined scenarios where Market Rates apply, the conditional NRCs may apply also and are categor CENTREX PORT/LOOP COMBINATIONS NDLED PORT/LOOP COMBINATIONS CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Comboort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port ComboNon-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port ComboNon-Design	ned in A or Not (ale, Mia ally bill n precedin all st sage rate e Nonre	Alabama Current ami); G/ the rec ding in ates. tes in the ecurring	al switching or swi a, Florida, North Car ly Combined in Zona A (Atlanta); LA (New urring and non-recu lieu of the Market R he Port section of th g charges are listed gly.	ich ports per loolina and Sc e 1 of the To Orleans); NO rring Market ates and res lis rate exhib	FCC and/or St buth Carolina. p 8 MSAS in Be (Greensboro- Rates in this serves the right it shall apply to and Additional	ate Commission all South's region winston Salem ection except to true-up the coall combinati	on rules. on for end use -Highpoint/Ch for nonrecurrin billing differer ons of loop/po	arlotte-Gaston ng charges for nce. rt network eler	ia-Rock Hill); on the currently of the c	TN (Nashvill combined in	e). AL, FL, NC	Combination	ns which have	ere BellSouth	
UNBUNDLED I Market These 1. Unb 2. Unb The To BellSo Market The Mi End Of usage For No Combi UNBUNDLED 0 UNBUN UNE-P 2-Wire	PORT LOOP COMBINATIONS - MARKET RATES Rates shall apply where BellSouth is not required to provide scenarios include: bundled port/loop combinations that are Not Currently Combined op 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderdi uth currently is developing the billing capability to mechanicar Rates, BellSouth shall bill the rates in the Cost-Based section arket Rate for unbundled ports includes all available features in ffice and Tandem Switching Usage and Common Transport User Currently Combined scenarios where Market Rates apply, the Currently Combined scenarios where Market Rates apply, the desction. Additional NRCs may apply also and are categor CENTREX PORT/LOOP COMBINATIONS VOLED PORT/LOOP COMBINATIONS - COST BASED RATES CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Comboort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design	ned in A or Not (ale, Mia ally bill n precedin all st sage rate e Nonre	Alabama Current ami); G/ the rec ding in ates. tes in the ecurring ecording	al switching or swi a, Florida, North Car ly Combined in Zon- A (Atlanta); LA (New urring and non-recu lieu of the Market R ne Port section of th g charges are listed gly. UEP91 UEP91	ich ports per loolina and Sc e 1 of the To Orleans); NO rring Market ates and res lis rate exhib	FCC and/or St puth Carolina. p 8 MSAS in Bc (Greensboro- Rates in this s reves the right it shall apply to and Additional 12.22 17.13 26.26	ate Commission all South's region winston Salem ection except to true-up the coall combinati	on rules. on for end use -Highpoint/Ch for nonrecurrin billing differer ons of loop/po	arlotte-Gaston ng charges for nce. rt network eler	ia-Rock Hill); on the currently of the c	TN (Nashvill combined in	e). AL, FL, NC	Combination	ns which have	ere BellSouth	
UNBUNDLED I Market These 1. Unb 2. Unb The To BellSo Market The Ma End Of USage For No Combi UNBUNDLED I UNBUN UNE-P 2-Wire UNE Po	PORT LOOP COMBINATIONS - MARKET RATES Rates shall apply where BellSouth is not required to provide scenarios include: Dundled port/loop combinations that are Not Currently Combined op 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderd: Unit currently is developing the billing capability to mechanica at Rates, BellSouth shall bill the rates in the Cost-Based section arket Rate for unbundled ports includes all available features in the Cost-Based section arket Rate for unbundled ports includes all available features in the Currently Combined scenarios where Market Rates apply, the conditional NRCs may apply also and are categor CENTREX PORT/LOOP COMBINATIONS NDLED PORT/LOOP COMBINATIONS CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Comboort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port ComboNon-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port ComboNon-Design	ned in A or Not (ale, Mia ally bill n precedin all st sage rate e Nonre	Alabam: Current ami); G/ the rec ding in ates. tes in the ecurring coording	al switching or swi	ich ports per loolina and Sc e 1 of the To Orleans); NO rring Market ates and res lis rate exhib	FCC and/or St puth Carolina. p 8 MSAS in Be c (Greensboro- Rates in this s erves the right it shall apply to and Additional	ate Commission all South's region winston Salem ection except to true-up the coall combinati	on rules. on for end use -Highpoint/Ch for nonrecurrin billing differer ons of loop/po	arlotte-Gaston ng charges for nce. rt network eler	ia-Rock Hill); on the currently of the c	TN (Nashvill combined in	e). AL, FL, NC	Combination	ns which have	ere BellSouth	
UNBUNDLED I Market These 1. Unb 2. Unb The To BellSo Market The Ma End Of USage For No Combi UNBUNDLED I UNBUN UNE-P 2-Wire UNE Po	PORT LOOP COMBINATIONS - MARKET RATES Rates shall apply where BellSouth is not required to provide scenarios include: bundled port/loop combinations that are Not Currently Combined op 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderdi uth currently is developing the billing capability to mechanicar Rates, BellSouth shall bill the rates in the Cost-Based section arket Rate for unbundled ports includes all available features in ffice and Tandem Switching Usage and Common Transport Us charge (USOC: URECU). It Currently Combined scenarios where Market Rates apply, the ned section. Additional NRCs may apply also and are categor CENTREX PORT/LOOP COMBINATIONS VOLED PORT/LOOP COMBINATIONS - COST BASED RATES CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Comboort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port ComboNon-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port ComboNon-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port ComboNon-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port ComboNon-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port ComboNon-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port ComboNon-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port ComboNon-Design	ned in A or Not (ale, Mia ally bill n precedin all st sage rate e Nonre	Alabam. Current Current Imi); G/J Im	Lal switching or switching or switching or switching and provided in Zona (Atlanta); LA (New urring and non-reculieu of the Market Rie Port section of the grapes are listed gly. UEP91 UEP91 UEP91 UEP91	ich ports per loolina and Sc e 1 of the To Orleans); NO rring Market ates and res lis rate exhib	FCC and/or St uth Carolina. p 8 MSAS in Be (Greensboro- Rates in this s erves the right it shall apply to and Additional 12.22 17.13 26.26 44.91	ate Commission all South's region winston Salem ection except to true-up the coall combinati	on rules. on for end use -Highpoint/Ch for nonrecurrin billing differer ons of loop/po	arlotte-Gaston ng charges for nce. rt network eler	ia-Rock Hill); on the currently of the c	TN (Nashvill combined in	e). AL, FL, NC	Combination	ns which have	ere BellSouth	
UNBUNDLED I Market These 1. Unb 2. Unb The To BellSo Market The Ma End Of USage For No Combi UNBUNDLED I UNBUN UNE-P 2-Wire UNE Pi	PORT LOOP COMBINATIONS - MARKET RATES Rates shall apply where BellSouth is not required to provide scenarios include: Dundled port/loop combinations that are Not Currently Combined op 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderd the currently is developing the billing capability to mechanical rates and the cost-Based section arket Rate for unbundled ports includes all available features in the Cost-Based section arket Rate for unbundled ports includes all available features in the Cost-Based section arket Rate for unbundled ports includes all available features in the Cost-Based section arket Rate for unbundled ports includes all available features in the Cost-Based section arket Rate for unbundled ports includes all available features in the Cost-Based section arket Rate for unbundled ports includes all available features in the Cost-Based section and Common Transport Use charge (USOC: URECU). In Currently Combined scenarios where Market Rates apply, the desection. Additional NRCs may apply also and are categor CENTREX PORT/LOOP COMBINATIONS DELED PORT/LOOP COMBINATIONS DELED PORT/LOOP COMBINATIONS CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Comboort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design	ned in A or Not (ale, Mia ally bill n precedin all st sage rate e Nonre	Alabam: Current ami); G/ the rec ding in ates. tes in the ecurring coording	al switching or swi a, Florida, North Car ly Combined in Zon- A (Atlanta); LA (New urring and non-recu lieu of the Market R ne Port section of th g charges are listed gly. UEP91 UEP91	ich ports per loolina and Sc e 1 of the To Orleans); NO rring Market ates and res lis rate exhib	FCC and/or St puth Carolina. p 8 MSAS in Bc (Greensboro- Rates in this s reves the right it shall apply to and Additional 12.22 17.13 26.26	ate Commission all South's region winston Salem ection except to true-up the coall combinati	on rules. on for end use -Highpoint/Ch for nonrecurrin billing differer ons of loop/po	arlotte-Gaston ng charges for nce. rt network eler	ia-Rock Hill); on the currently of the c	TN (Nashvill combined in	e). AL, FL, NC	Combination	ns which have	ere BellSouth	
UNBUNDLED I Market These 1. Unb 2. Unb The To BellSo Market The Ma End Of USage For No Combi UNBUNDLED I UNBUN UNE-P 2-Wire UNE Po	PORT LOOP COMBINATIONS - MARKET RATES Rates shall apply where BellSouth is not required to provide scenarios include: Dundled port/loop combinations that are Not Currently Combined op 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderd: A Rates, BellSouth's region are: FL (Orlando, Ft. Lauderd: B Rates, BellSouth's region are: FL (Orlando, Ft. Lauderd: B Rates, BellSouth shall bill the rates in the Cost-Based section arket Rate for unbundled ports includes all available features in the Cost-Based section arket Rate for unbundled ports includes all available features in the Currently Combined secnarios where Market Rates apply, the desection. Additional NRCs may apply also and are categor CENTREX PORT/LOOP COMBINATIONS BULED PORT/LOOP COMBINATIONS CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Comboon-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design	ned in A or Not (ale, Mia ally bill n precedin all st sage rate e Nonre	Alabammini Alaba	al switching or switching and switching or switching and in Zon-A (Atlanta); LA (New urring and non-reculieu of the Market Report section of the granges are listed gly. UEP91 UEP91 UEP91 UEP91	ich ports per loolina and Sc e 1 of the To Orleans); NO rring Market ates and res lis rate exhib	FCC and/or St uth Carolina. p 8 MSAS in Bc (Greensboro- Rates in this s erves the right it shall apply to 12.22 17.13 26.26 44.91	ate Commission all South's region winston Salem ection except to true-up the coall combinati	on rules. on for end use -Highpoint/Ch for nonrecurrin billing differer ons of loop/po	arlotte-Gaston ng charges for nce. rt network eler	ia-Rock Hill); on the currently of the c	TN (Nashvill combined in	e). AL, FL, NC	Combination	ns which have	ere BellSouth	
UNBUNDLED I Market These 1. Unb 2. Unb The To BellSo Market The Ma End Of USage For No Combi UNBUNDLED I UNBUN UNE-P 2-Wire UNE Po	PORT LOOP COMBINATIONS - MARKET RATES Rates shall apply where BellSouth is not required to provide scenarios include: Dundled port/loop combinations that are Not Currently Combined pp 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderdie Der MSAs in BellSouth's region are: F	ned in A or Not (ale, Mia ally bill n precedin all st sage rate e Nonre	Alabam. Current Current Imi); G/J Im	Lal switching or switching or switching or switching and provided in Zona (Atlanta); LA (New urring and non-reculieu of the Market Rie Port section of the grapes are listed gly. UEP91 UEP91 UEP91 UEP91	ich ports per loolina and Sc e 1 of the To Orleans); NO rring Market ates and res lis rate exhib	FCC and/or St uth Carolina. p 8 MSAS in Be (Greensboro- Rates in this s erves the right it shall apply to and Additional 12.22 17.13 26.26 44.91	ate Commission all South's region winston Salem ection except to true-up the coall combinati	on rules. on for end use -Highpoint/Ch for nonrecurrin billing differer ons of loop/po	arlotte-Gaston ng charges for nce. rt network eler	ia-Rock Hill); on the currently of the c	TN (Nashvill combined in	e). AL, FL, NC	Combination	ns which have	ere BellSouth	
UNBUNDLED I Market These 1. Unb 2. Unb The To BellSo Market The Ma End Of USage For No Combi UNBUNDLED I UNBUN UNE-P 2-Wire UNE Pi	PORT LOOP COMBINATIONS - MARKET RATES Rates shall apply where BellSouth is not required to provide scenarios include: Dundled port/loop combinations that are Not Currently Combined op 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderdi uth currently is developing the billing capability to mechanical Rates, BellSouth shall bill the rates in the Cost-Based section arket Rate for unbundled ports includes all available features in ffice and Tandem Switching Usage and Common Transport Uscharge (USOC: URECU). It Currently Combined scenarios where Market Rates apply, the desection. Additional NRCs may apply also and are categor CENTREX PORT/LOOP COMBINATIONS ODLED PORT/LOOP COMBINATIONS ODLED PORT/LOOP COMBINATIONS ODLED PORT/LOOP COMBINATIONS ODLED PORT/LOOP COMBINATIONS OF CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Comboort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design	ned in A or Not (ale, Mia ally bill n precedin all st sage rate e Nonre	Alabam. Alabam	al switching or swi	ich ports per loolina and Sc e 1 of the To Orleans); NO rring Market ates and res lis rate exhib	peth Carolina. p 8 MSAS in Bc (Greensboro- Rates in this s erves the right it shall apply to and Additional 12.22 17.13 26.26 44.91 15.12 19.98	ate Commission all South's region winston Salem ection except to true-up the coall combinati	on rules. on for end use -Highpoint/Ch for nonrecurrin billing differer ons of loop/po	arlotte-Gaston ng charges for nce. rt network eler	ia-Rock Hill); on the currently of the c	TN (Nashvill combined in	e). AL, FL, NC	Combination	ns which have	ere BellSouth	
UNBUNDLED I Market These 1. Unb 2. Unb The To BellSo Market The Ma End Of USage For No Combi UNBUNDLED I UNBUN UNE-P 2-Wire UNE Po	PORT LOOP COMBINATIONS - MARKET RATES Rates shall apply where BellSouth is not required to provide scenarios include: Dundled port/loop combinations that are Not Currently Combined pp 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderdie Der MSAs in BellSouth's region are: F	ned in A or Not (ale, Mia ally bill n precedin all st sage rate e Nonre	Alabammini Alaba	al switching or switching and switching or switching and in Zon-A (Atlanta); LA (New urring and non-reculieu of the Market Report section of the granges are listed gly. UEP91 UEP91 UEP91 UEP91	ich ports per loolina and Sc e 1 of the To Orleans); NO rring Market ates and res lis rate exhib	FCC and/or St uth Carolina. p 8 MSAS in Bc (Greensboro- Rates in this s erves the right it shall apply to 12.22 17.13 26.26 44.91	ate Commission all South's region winston Salem ection except to true-up the coall combinati	on rules. on for end use -Highpoint/Ch for nonrecurrin billing differer ons of loop/po	arlotte-Gaston ng charges for nce. rt network eler	ia-Rock Hill); on the currently of the c	TN (Nashvill combined in	e). AL, FL, NC	Combination	ns which have	ere BellSouth	

4Q01:12/01/01 PAGE 212 OF 324

	NETWORK ELEMENTS - Mississippi			ı								•	Attachment:	2		Exhibit
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR		Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Charge Manual S Order v
						Rec	Nonrec		Nonrecurring				OSS F	RATES (\$)		
LINELO	on Poto						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
	op Rate		1	LIEDO4	UECS1	10.98										
- '	2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP91 UEP91	UECS1	15.91										
	2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3			UEP91	UECS1	25.04										
	2-Wire Voice Grade Loop (SL 1) - Zone 4		4	UEP91	UECS1	43.68										
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP91	UECS2	13.89										
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP91	UECS2	18.75										
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP91	UECS2	27.55										
	2-Wire Voice Grade Loop (SL 2) - Zone 4		4	UEP91	UECS2	45.72										
UNE Po	orts															
	es (Except North Carolina and Sout Carolina)															
	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP91	UEPYA	1.23	40.31	19.84	24.90	6.58		15.75			1.97	
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area			UEP91	UEPYB	1.23	40.31	19.84	24.90	6.58		15.75			1.97	
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area			UEP91	UEPYH	1.23	40.31	19.84	24.90	6.58		15.75			1.97	
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 Basic Local Area			UEP91	UEPYM	1.23	108.35	70.57	54.24	11.70		15.75			1.97	
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term - Basic Local Area			UEP91	UEPYZ	1.23	108.35	70.57	54.24	11.70		15.75			1.97	
	Wire Voice Grade Port terminated in on Megalink or equivalent Basic Local Area			UEP91	UEPY9	1.23	40.31	19.84	24.90	6.58		15.75			1.97	
	2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area			UEP91	UEPY2	1.23	40.31	19.84	24.90	6.58		15.75			1.97	
	LA, MS, & TN Only			LIEDO1	UEPQA	1.23	40.31	19.84	24.00	6.58		15.75			1.97 1.97	
	2-Wire Voice Grade Port (Centrex) 2-Wire Voice Grade Port (Centrex 800 termination)			UEP91 UEP91	UEPQB	1.23	40.31	19.84	24.90 24.90	6.58		15.75 15.75			1.97	
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP91	UEPQH	1.23	40.31	19.84	24.90	6.58		15.75			1.97	
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2			UEP91	UEPQM	1.23	108.35	70.57	54.24	11.70		15.75			1.97	
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term			UEP91	UEPQZ	1.23	108.35	70.57	54.24	11.70		15.75			1.97	
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP91	UEPQ9	1.23	40.31	19.84	24.90	6.58		15.75			1.97	
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP91	UEPQ2	1.23	40.31	19.84	24.90	6.58		15.75			1.97	
	witching						•	•								
	Centrex Intercom Funtionality, per port			UEP91	URECS	0.7947	,						ļ			
	lumber Portability		!	LIEDOA	LNDCC	2.00							ļ			1
	Local Number Portability (1 per port)		<u> </u>	UEP91	LNPCC	0.35										1
Features	All Standard Features Offered, per port		!	UEP91	UEPVF	2.56					1	15.75			1.97	1
	All Select Features Offered, per port		1	UEP91	UEPVF	0.00	404.98					15.75			1.97	
	All Centrex Control Features Offered, per port	-	<u> </u>	UEP91	UEPVC	2.56	-tu-t30				 	15.75	 		1.97	
NARS	25 Control i catalog chorou, por port		<u> </u>		52. 70	2.00						10.70	1		1.57	1
	Unbundled Network Access Register - Combination			UEP91	UARCX	0.00	0.00	0.00					Ì			
	Unbundled Network Access Register - Indial			UEP91	UAR1X	0.00	0.00	0.00								
	Unbundled Network Access Register - Outdial			UEP91	UAROX	0.00	0.00	0.00	•					_		
	aneous Terminations															
	Trunk Side		<u> </u>	L	<u> </u>						ļ				ļ	
	Trunk Side Terminations, each		!	UEP91	CENA6	8.25	120.00	18.85	61.77	3.88		15.75	ļ		1.97	
	ice Channel Mileage - 2-Wire		<u> </u>	LIEDO4	MICDO	20.50	40.77	07.57	47.00	7.11		45.75	 		4.07	1
	Interoffice Channel Facilities Termination - Voice Grade		 	UEP91	MIGBC	22.52 0.0098	40.77	27.57	17.26	7.11		15.75	-		1.97	
	Interoffice Channel mileage, per mile or fraction of mile Activations (DS0) Centrex Loops on Channelized DS1 Service		 	UEP91	MIGBM	0.0098				-	-		1		-	-
	: Activations (DOU) Centrex E0005 On Chambelized DST Servic	, C	1	1	1					l	1				l	1
Feature						I										
Feature D4 Char	nnel Bank Feature Activations Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP91	1PQWS	0.57										<u> </u>

NRONDLE	D NETWORK ELEMENTS - Mississippi			1		1							Attachment:	2		Exhibit
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incremer Charge Manual S Order v Electron Disc Ad
						Rec	Nonrec		Nonrecurring					RATES (\$)		
	Factors Astination on D.4 Channel Book EV Trust Cide Long						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAI
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP91	1PQW7	0.57										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center			UEP91	1PQWP	0.57										
				UEP91	1PQWV											
	Feature Activation on D-4 Channel Bank Private Line Loop Slot Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop			UEP91	IPQWV	0.57										
	ISlot			UEP91	1PQWQ	0.57										
-	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP91	1PQWA	0.57										
Non-Re	ecurring Charges (NRC) Associated with UNE-P Centrex			OLI 01	11 Q 11/1	0.07										
	Conversion - Currently Combined Switch-As-Is with allowed															
	changes, per port			UEP91	USAC2		0.10	0.10				15.75			1.97	
	Conversion of Existing Centrex Common Block			UEP91	USACN		37.97	16.68								
	New Centrex Standard Common Block			UEP91	M1ACS	0.00	666.32					15.75			1.97	
	New Centrex Customized Common Block			UEP91	M1ACC	0.00	666.32					15.75			1.97	
	Secondary Block, per Block			UEP91	M2CC1	0.00	77.91					15.75			1.97	
	NAR Establishment Charge, Per Occasion			UEP91	URECA	0.00	72.63					15.75			1.97	
UNE-P	CENTREX - 5ESS (Valid in All States)															
	VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
	ort/Loop Combination Rates (Non-Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
	Non-Design		1	UEP95		12.22										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		2	UEP95		17.13										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -		3	UEP95		26.26										
	Non-Design		4	UEP95		44.91										
UNE P	ort/Loop Combination Rates (Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -					45.40										
-	Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		1	UEP95		15.12										
	Design		2	UEP95		19.98										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design		3	UEP95		28.78										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -		3	OLI 93		20.70										
	Design		4	UEP95		46.95										
UNFI	pop Rate			0L1 00		40.00										
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP95	UECS1	10.98										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP95	UECS1	15.91										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP95	UECS1	25.04										
	2-Wire Voice Grade Loop (SL 1) - Zone 4		4	UEP95	UECS1	43.68									İ	
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP95	UECS2	13.89										
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP95	UECS2	18.75										
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP95	UECS2	27.55										
	2-Wire Voice Grade Loop (SL 2) - Zone 4		4	UEP95	UECS2	45.72										
	ort Rate															
All Sta																
	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP95	UEPYA	1.23	40.31	19.84	24.90	6.58		15.75			1.97	
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPYB	1.23	40.31	19.84	24.90	6.58		15.75			1.97	
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area			UEP95	UEPYH	1.23	40.31	19.84	24.90	6.58		15.75			1.97	
\neg	2-Wire Voice Grade Port (Centrex from diff Serving Wire															
	Center)2 Basic Local Area 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service		-	UEP95	UEPYM	1.23	108.35	70.57	54.24	11.70		15.75			1.97	
	Term - Basic Local Area			UEP95	UEPYZ	1.23	108.35	70.57	54.24	11.70		15.75			1.97	
	2-Wire Voice Grade Port terminated in on Megalink or equivalent - Basic Local Area			UEP95	UEPY9	1.23	40.31	19.84	24.90	6.58		15.75			1.97	

NBUNDLED NET	WORK ELEMENTS - Mississippi												Attachment:	2		Exhibit
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increme Charge Manual S Order v Electror Disc Ad
						Rec	Nonrec		Nonrecurring		201150			RATES (\$)		
2 Wire	Voice Grade Port Terminated on 800 Service Term -						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
	Local Area			UEP95	UEPY2	1.23	40.31	19.84	24.90	6.58		15.75			1.97	
	S, SC, & TN Only			OLF 93	ULF 12	1.20	40.31	19.04	24.90	0.30	1	13.73			1.97	
	Voice Grade Port (Centrex)			UEP95	UEPQA	1.23	40.31	19.84	24.90	6.58		15.75			1.97	
	Voice Grade Port (Centrex 800 termination)			UEP95	UEPQB	1.23	40.31	19.84	24.90	6.58		15.75			1.97	
2-Wire	Voice Grade Port (Centrex with Caller ID)1			UEP95	UEPQH	1.23	40.31	19.84	24.90	6.58		15.75			1.97	
	Voice Grade Port (Centrex from diff Serving Wire															
Center))2			UEP95	UEPQM	1.23	108.35	70.57	54.24	11.70		15.75			1.97	
2-Wire	Voice Grade Port, Diff Serving Wire Center - 800 Service															
Term				UEP95	UEPQZ	1.23	108.35	70.57	54.24	11.70		15.75			1.97	
	Voice Grade Port terminated in on Megalink or equivalent			UEP95	UEPQ9	1.23	40.31	19.84	24.90	6.58		15.75			1.97	
	Voice Grade Port Terminated on 800 Service Term			UEP95	UEPQ2	1.23	40.31	19.84	24.90	6.58	<u> </u>	15.75			1.97	
FL & GA Only												15.75			1.97	
Local Switchin				LIEDOF	LIDEOO	0.7047										
	x Intercom Funtionality, per port			UEP95	URECS	0.7947										
Local Number				UEP95	LNPCC	0.35					1					
Features	Number Portability (1 per port)			UEP95	LNPCC	0.35										
	ndard Features Offered, per port			UEP95	UEPVF	2.56						15.75			1.97	
	ect Features Offered, per port			UEP95	UEPVS	0.00	404.98					15.75			1.97	
	ntrex Control Features Offered, per port			UEP95	UEPVC	2.56	404.50				1	15.75			1.97	
NARS	niex Control i eatures Offered, per port			OLF 93	OLFVC	2.30					1	13.73			1.57	
	dled Network Access Register - Combination			UEP95	UARCX	0.00	0.00	0.00								
	dled Network Access Register - Indial			UEP95	UAR1X	0.00	0.00	0.00			1					
	dled Network Access Register - Outdial			UEP95	UAROX	0.00	0.00	0.00			1					
Miscellaneous							0.00				1					
2-Wire Trunk S																
Trunk S	Side Terminations, each			UEP95	CEND6	8.25	120.00	18.85	61.77	3.88		15.75			1.97	
4-Wire Digital ((1.544 Megabits)															
DS1 Cir	rcuit Terminations, each			UEP95	M1HD1	58.41	203.19	96.25	74.86	2.54		15.75			1.97	
	hannels Activated, each			UEP95	M1HDO	0.00	14.56									
	annel Mileage - 2-Wire															
	ice Channel Facilities Termination			UEP95	MIGBC	22.52	40.77	27.57	17.26	7.11		15.75			1.97	
	ice Channel mileage, per mile or fraction of mile			UEP95	MIGBM	0.0098										
	tions (DS0) Centrex Loops on Channelized DS1 Service	е														
	ank Feature Activations				1001115						ļ					
Feature	e Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	1PQWS	0.57					<u> </u>				ļ	
F	Astination on D.4 Channel Book EV line City Law City			LIEDOE	400000	0.57										
	e Activation on D-4 Channel Bank FX line Side Loop Slot e Activation on D-4 Channel Bank FX Trunk Side Loop			UEP95	1PQW6	0.57					ļ				1	
Slot	e Activation on D-4 Channel Bank FX Trunk Side Loop			UEP95	1PQW7	0.57									1	
	e Activation on D-4 Channel Bank Centrex Loop Slot -	-		OLF90	IFQVV/	0.57					 				1	
	nt Wire Center			UEP95	1PQWP	0.57									1	
Dillelel	THE VIII COING			OL1 30	II QVVF	0.37					 				1	
Feature	e Activation on D-4 Channel Bank Private Line Loop Slot			UEP95	1PQWV	0.57									1	
	e Activation on D-4 Channel Bank Tilvate Line Loop Glot				~,,,,	0.01	1								 	1
Slot	2 Silver Silver Stand Stand Tyle Enter Hamilt Ecop			UEP95	1PQWQ	0.57									1	
	e Activation on D-4 Channel Bank WATS Loop Slot			UEP95	1PQWA	0.57									1	
	Charges (NRC) Associated with UNE-P Centrex														İ	
	conversion Currently Combined Switch-As-Is with allowed														İ	
	es, per port			UEP95	USAC2		0.10	0.10				15.75			1.97	
	rsion of Existing Centrex Common Block, each			UEP95	USACN		37.97	16.68								
	entrex Standard Common Block			UEP95	M1ACS	0.00	666.32					15.75			1.97	
	entrex Customized Common Block			UEP95	M1ACC	0.00	666.32					15.75			1.97	
	stablishment Charge, Per Occasion			UEP95	URECA	0.00	72.63					15.75			1.97	
	EX - DMS100 (Valid in All States)															
	pp/2-Wire Voice Grade Port (Centrex) Combo															

UNBUNDLE	D NETWORK ELEMENTS - Mississippi												Attachment:	2		Exhibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Submitted	Incremental Charge - Manual Svc		Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring	g Disconnect			oss i	RATES (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UNE Po	ort/Loop Combination Rates (Non-Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design		1	UEP9D		12.22										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		2	UEP9D		17.13										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -		3	UEP9D		26.26										
	Non-Design		4	UEP9D		44.91										
UNE Po	ort/Loop Combination Rates (Design)							-								
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design		1	UEP9D		15.12										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design		2	UEP9D		19.98							-			
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design		3	UEP9D		28.78										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design		4	UEP9D		46.95										
UNFI	pop Rate		7	OLI 3D		40.33										
0.02.20	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9D	UECS1	10.98										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP9D	UECS1	15.91										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP9D	UECS1	25.04										
	2-Wire Voice Grade Loop (SL 1) - Zone 4		4	UEP9D	UECS1	43.68										
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP9D	UECS2	13.89										
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP9D	UECS2	18.75										
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9D	UECS2	27.55										
	2-Wire Voice Grade Loop (SL21) - Zone 4		4	UEP9D	UECS2	45.72										
	ort Rate															
ALL ST				LIEDAD	1155)(4	1.00	10.01	10.01	0.1.00							
	2-Wire Voice Grade Port (Centrex) Basic Local Area		<u> </u>	UEP9D	UEPYA	1.23	40.31	19.84	24.90	6.58		15.75			1.97	
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area			UEP9D	UEPYB	1.23	40.31	19.84	24.90	6.58		15.75			1.97	
	2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local Area			UEP9D	UEPYC	1.23	40.31	19.84	24.90	6.58		15.75			1.97	
	2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local Area			UEP9D	UEPYD	1.23	40.31	19.84	24.90	6.58		15.75			1.97	
	2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local Area			UEP9D	UEPYE	1.23	40.31	19.84	24.90	6.58		15.75			1.97	
	2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local Area			UEP9D	UEPYF	1.23	40.31	19.84	24.90	6.58		15.75			1.97	
	2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local Area			UEP9D	UEPYG	1.23	40.31	19.84	24.90	6.58		15.75			1.97	
	2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local Area			UEP9D	UEPYT	1.23	40.31	19.84	24.90	6.58		15.75			1.97	
	2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local															
	Area 2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local			UEP9D	UEPYU	1.23	40.31	19.84	24.90	6.58		15.75			1.97	
	Area 2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local			UEP9D	UEPYV	1.23	40.31	19.84	24.90	6.58		15.75			1.97	
	Area 2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local			UEP9D	UEPY3	1.23	40.31	19.84	24.90	6.58		15.75			1.97	
	Area 2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp			UEP9D	UEPYH	1.23	40.31	19.84	24.90	6.58		15.75			1.97	
	Indication))3 Basic Local Area 2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))3			UEP9D	UEPYW	1.23	40.31	19.84	24.90	6.58		15.75			1.97	
	Basic Local Area 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)			UEP9D	UEPYJ	1.23	40.31	19.84	24.90	6.58		15.75			1.97	
	2 Basic Local Area			UEP9D	UEPYM	1.23	108.35	70.57	54.24	11.70		15.75			1.97	

UNDUNDLE	D NETWORK ELEMENTS - Mississippi	1			1 1								Attachment:	4	-	Exhibit:
CATEGORY	RATE ELEMENTS	Interi m	Zone	всѕ	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
						Rec	Nonrec	urring	Nonrecurring	Disconnect				RATES (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3															
	Basic Local Area			UEP9D	UEPYO	1.23	108.35	70.57	54.24	11.70		15.75			1.97	
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3 Basic Local Area			UEP9D	UEPYP	1.23	108.35	70.57	54.24	11.70		15.75			1.97	
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3			OLF9D	OLFIF	1.23	100.33	70.57	34.24	11.70		13.73			1.97	
	Basic Local Area			UEP9D	UEPYQ	1.23	108.35	70.57	54.24	11.70		15.75			1.97	
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3								-							
	Basic Local Area			UEP9D	UEPYR	1.23	108.35	70.57	54.24	11.70		15.75			1.97	
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3															
	Basic Local Area			UEP9D	UEPYS	1.23	108.35	70.57	54.24	11.70		15.75			1.97	
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3															
	Basic Local Area			UEP9D	UEPY4	1.23	108.35	70.57	54.24	11.70		15.75			1.97	
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 Basic Local Area			UEP9D	UEPY5	1.23	108.35	70.57	54.24	11.70		15.75			1.97	
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3			OLF3D	OLF 13	1.23	100.33	70.57	34.24	11.70		13.73			1.97	
	Basic Local Area			UEP9D	UEPY6	1.23	108.35	70.57	54.24	11.70		15.75			1.97	
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3				1				*****							
	Basic Local Area			UEP9D	UEPY7	1.23	108.35	70.57	54.24	11.70		15.75			1.97	
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
	Term			UEP9D	UEPYZ	1.23	108.35	70.57	54.24	11.70		15.75			1.97	
	2-Wire Voice Grade Port terminated in on Megalink or equivalent															
	Basic Local Area			UEP9D	UEPY9	1.23	40.31	19.84	24.90	6.58		15.75			1.97	
	2-Wire Voice Grade Port Terminated on 800 Service Term Basic			LIEDOD	LIEDVO	4.00	40.04	40.04	24.00	0.50		45.75			1.97	
AI KV	Local Area LA, MS, SC, & TN Only			UEP9D	UEPY2	1.23	40.31	19.84	24.90	6.58		15.75			1.97	
AL, KI	2-Wire Voice Grade Port (Centrex)			UEP9D	UEPQA	1.23	40.31	19.84	24.90	6.58		15.75			1.97	-
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP9D	UEPQB	1.23	40.31	19.84	24.90	6.58		15.75			1.97	
	2-Wire Voice Grade Port (Centrex / EBS-PSET)3			UEP9D	UEPQC	1.23	40.31	19.84	24.90	6.58		15.75			1.97	
	2-Wire Voice Grade Port (Centrex / EBS-M5009)3			UEP9D	UEPQD	1.23	40.31	19.84	24.90	6.58		15.75			1.97	
	2-Wire Voice Grade Port (Centrex / EBS-M5209)3			UEP9D	UEPQE	1.23	40.31	19.84	24.90	6.58		15.75			1.97	
	2-Wire Voice Grade Port (Centrex / EBS-M5112)3			UEP9D	UEPQF	1.23	40.31	19.84	24.90	6.58		15.75			1.97	
	2-Wire Voice Grade Port (Centrex / EBS-M5312)3			UEP9D	UEPQG	1.23	40.31	19.84	24.90	6.58		15.75			1.97	
-	2-Wire Voice Grade Port (Centrex / EBS-M5008)3			UEP9D UEP9D	UEPQT	1.23	40.31	19.84	24.90	6.58		15.75			1.97 1.97	
	2-Wire Voice Grade Port (Centrex / EBS-M5208)3 2-Wire Voice Grade Port (Centrex / EBS-M5216)3			UEP9D	UEPQU UEPQV	1.23 1.23	40.31 40.31	19.84 19.84	24.90 24.90	6.58 6.58		15.75 15.75			1.97	
	2-Wire Voice Grade Port (Centrex / EBS-M5316)3			UEP9D	UEPQ3	1.23	40.31	19.84	24.90	6.58		15.75			1.97	
	2-Wire Voice Grade Port (Centrex vith Caller ID)			UEP9D	UEPQH	1.23	40.31	19.84	24.90	6.58		15.75			1.97	
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp															
	Indication)3			UEP9D	UEPQW	1.23	40.31	19.84	24.90	6.58		15.75			1.97	
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)3			UEP9D	UEPQJ	1.23	40.31	19.84	24.90	6.58		15.75			1.97	
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)															
	2			UEP9D	UEPQM	1.23	108.35	70.57	54.24	11.70		15.75			1.97	
-	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3			UEP9D	UEPQO	1.23	108.35	70.57	54.24	11.70		15.75			1.97	
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3			UEP9D	UEPQP	1.23	108.35	70.57	54.24	11.70		15.75			1.97	
	2-Wire Voice Grade Port (Centrex differ SWC /EBS-N3003/2, 3			UEP9D	UEPQQ	1.23	108.35	70.57	54.24	11.70		15.75			1.97	
	2 1110 10100 01440 1 011 (0011101141101 0110 / 220 0200)2; 0			02.00	02. 44	20	100.00		0			10.70				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3			UEP9D	UEPQR	1.23	108.35	70.57	54.24	11.70		15.75			1.97	
	, i															1
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3			UEP9D	UEPQS	1.23	108.35	70.57	54.24	11.70		15.75			1.97	
				l						·					1	
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3	ļ		UEP9D	UEPQ4	1.23	108.35	70.57	54.24	11.70		15.75	ļ		1.97	<u> </u>
	O Miss Vales Conda Dart (Contract/differ CMC /FDO MECCO)			LIEDOD	LIEDOS	4.00	400.05	70.57	54.04	44.70		45.75			4.07	
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3			UEP9D	UEPQ5	1.23	108.35	70.57	54.24	11.70	-	15.75			1.97	
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3			UEP9D	UEPQ6	1.23	108.35	70.57	54.24	11.70		15.75			1.97	
				05	-2. 00	20		. 5.67	Ŭ£-∓			.0.70				
1	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3	l		UEP9D	UEPQ7	1.23	108.35	70.57	54.24	11.70		15.75			1.97	

NRONDLE	D NETWORK ELEMENTS - Mississippi			1									Attachment:	2		Exhibit:
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremen Charge Manual S Order vs Electroni Disc Add
						Rec	Nonrec		Nonrecurring					RATES (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term			UEP9D	UEPQZ	1.23	108.35	70.57	54.24	11.70		15.75			1.97	
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9D	UEPQ9	1.23	40.31	19.84	24.90	6.58		15.75			1.97	
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP9D	UEPQ2	1.23	40.31	19.84	24.90	6.58		15.75			1.97	
Local	Switching															
	Centrex Intercom Funtionality, per port			UEP9D	URECS	0.7947										
Local	Number Portability															
	Local Number Portability (1 per port)			UEP9D	LNPCC	0.35										
Featur																
	All Standard Features Offered, per port			UEP9D	UEPVF	2.56						15.75			1.97	
	All Select Features Offered, per port			UEP9D	UEPVS	0.00	404.98					15.75			1.97	
	All Centrex Control Features Offered, per port			UEP9D	UEPVC	2.56						15.75			1.97	
NARS																
	Unbundled Network Access Register - Combination			UEP9D	UARCX	0.00	0.00	0.00								
	Unbundled Network Access Register - Inward			UEP9D	UAR1X	0.00	0.00	0.00								
	Unbundled Network Access Register - Outdial			UEP9D	UAROX	0.00	0.00	0.00								
Miscel	llaneous Terminations															
2-Wire	Trunk Side															
	Trunk Side Terminations, each			UEP9D	CEND6	8.25	120.00	18.85	61.77	3.88		15.75			1.97	
4-Wire	Digital (1.544 Megabits)															
	DS1 Circuit Terminations, each			UEP9D	M1HD1	58.41	203.19	96.25	74.86	2.54		15.75			1.97	
	DS0 Channels Activiated per Channel			UEP9D	M1HDO	0.00	14.56									
Intero	ffice Channel Mileage - 2-Wire															
	Interoffice Channel Facilities Termination			UEP9D	MIGBC	22.52	40.77	27.57	17.26	7.11		15.75			1.97	
	Interoffice Channel mileage, per mile or fraction of mile			UEP9D	MIGBM	0.0098									_	
Featur	re Activations (DS0) Centrex Loops on Channelized DS1 Service	e														
	annel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9D	1PQWS	0.57										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9D	1PQW6	0.57										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop															
	Slot			UEP9D	1PQW7	0.57										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -															
	Different Wire Center			UEP9D	1PQWP	0.57										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9D	1PQWV	0.57										
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop			02. 02		0.01										
	Slot			UEP9D	1PQWQ	0.57										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9D	1PQWA	0.57			-		1					
Non-R	ecurring Charges (NRC) Associated with UNE-P Centrex			02. 02		0.07			-		1					
	NRC Conversion Currently Combined Switch-As-Is with allowed								-		1					
	changes, per port			UEP9D	USAC2		0.10	0.10				15.75			1.97	
	Conversion of existing Centrex Common Block, each			UEP9D	USACN		37.97	16.68				10.70			1.07	
	New Centrex Standard Common Block			UEP9D	M1ACS	0.00	666.32	10.00				15.75			1.97	
	New Centrex Customized Common Block		 	UEP9D	M1ACC	0.00	666.32					15.75			1.97	
	NAR Establishment Charge, Per Occasion			UEP9D	URECA	0.00	72.63					15.75			1.97	
LINE D	P CENTREX - EWSD (Valid in AL, FL, KY, LA, MS & TN)		 	OLI 3D	ONLOA	0.00	72.00					15.75			1.37	
	VG Loop/2-Wire Voice Grade Port (Centrex) Combo		-	†	+ -						1					
	Port/Loop Combination Rates (Non-Design)		 	 	1				l		1				1	
JIVE F	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -		1	 	+ +	-					 	-			1	
	Non-Design		4	UEP9E		12.22	l									
_	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			OLFSE		12.22									-	
	Non-Design		2	UEP9E		17.13	l									
	Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			OLFSE		17.13										
	Non-Design		3	UEP9E		26.26										
_	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -		Ť			20.20			 							

2-\ De 2-\ De 2-\ De 2-\ De	RATE ELEMENTS [Loop Combination Rates (Design) Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combosign Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-	Interi m	Zone	BCS	usoc			RATES(\$)			Svc Order	Svc Order	Incremental Charge - Manual Svc	Incremental Charge - Manual Svc	Incremental Charge - Manual Svc	Charge -
2-\ De 2-\ De 2-\ De 2-\ De	Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- esign Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-								T			Submitted Manually per LSR	Order vs.	Order vs. Electronic- Add'l	Order vs. Electronic- Disc 1st	Order vi Electron Disc Add
2-\ De 2-\ De 2-\ De 2-\ De	Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- esign Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-					Rec	Nonrec		Nonrecurring				OSS F	RATES (\$)		
2-\ De 2-\ De 2-\ De 2-\ De	Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- esign Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
De 2-\ De 2-\ De 2-\ De 2-\ De 2-\ De 2-\ De 2-\	esign Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
De 2-V De 2-V De De			1	UEP9E		15.12										
De 2-V De	esign		2	UEP9E		19.98										
2-V De	Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			LIEBOE		00.70										
	esign Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -		3	UEP9E		28.78										
	esign		4	UEP9E		46.95										<u> </u>
UNE Loop		<u> </u>		LIEDOE	LIECC1	10.00							ļ			
	Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9E	UECS1	10.98										
	Wire Voice Grade Loop (SL 1) - Zone 2	l	2	UEP9E	UECS1	15.91							-			-
	Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP9E	UECS1	25.04										
	Wire Voice Grade Loop (SL 1) - Zone 4 Wire Voice Grade Loop (SL 2) - Zone 1		4	UEP9E UEP9E	UECS1 UECS2	43.68 13.89										
	Wire Voice Grade Loop (SL 2) - Zone 1 Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP9E	UECS2	18.75										-
	Wire Voice Grade Loop (SL 2) - Zone 2 Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9E	UECS2	27.55										
	Wire Voice Grade Loop (SL2) - Zone 3 Wire Voice Grade Loop (SL21) - Zone 4		4	UEP9E	UECS2	45.72										
UNE Port			-	ULFBL	ULCGZ	45.72										
	Y, LA, MS, & TN only															
	Wire Voice Grade Port (Centrex) Basic Local Area			UEP9E	UEPYA	1.23	40.31	19.84	24.90	6.58		15.75			1.97	
	Wire Voice Grade Port (Centrex 800 termination)Basic Local			UEP9E	UEPYB	1.23	40.31	19.84	24.90	6.58		15.75			1.97	
2-\	Wire Voice Grade Port (Centrex with Caller ID)1Basic Local				UEPYH											
	Wire Voice Grade Port (Centrex from diff Serving Wire			UEP9E		1.23	40.31	19.84	24.90	6.58		15.75			1.97	
2-\	enter)2 Basic Local Area Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			UEP9E	UEPYM	1.23	108.35	70.57	54.24	11.70		15.75			1.97	
	erm - Basic Local Area Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9E	UEPYZ	1.23	108.35	70.57	54.24	11.70		15.75			1.97	<u> </u>
	Basic Local Area Wire Voice Grade Port Terminated on 800 Service Term -			UEP9E	UEPY9	1.23	40.31	19.84	24.90	6.58		15.75			1.97	
	asic Local Area			UEP9E	UEPY2	1.23	40.31	19.84	24.90	6.58		15.75			1.97	
AL, KY, L/	A, MS, & TN Only															
2-\	Wire Voice Grade Port (Centrex)			UEP9E	UEPQA	1.23	40.31	19.84	24.90	6.58		15.75			1.97	
	Wire Voice Grade Port (Centrex 800 termination)			UEP9E	UEPQB	1.23	40.31	19.84	24.90	6.58		15.75			1.97	
2-\	Wire Voice Grade Port (Centrex with Caller ID)1			UEP9E	UEPQH	1.23	40.31	19.84	24.90	6.58		15.75			1.97	
	Wire Voice Grade Port (Centrex from diff Serving Wire enter)2			UEP9E	UEPQM	1.23	108.35	70.57	54.24	11.70		15.75			1.97	
	Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			UEP9E	UEPQZ	1.23	108.35	70.57	54.24	11.70		15.75			1.97	
2-1	Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9E	UEPQ9	1.23	40.31	19.84	24.90	6.58		15.75			1.97	
	Wire Voice Grade Port Terminated in 61 Weganin of equivalent			UEP9E	UEPQ2	1.23	40.31	19.84	24.90	6.58		15.75	1		1.97	
Local Swit			1	-												
	entrex Intercom Funtionality, per port			UEP9E	URECS	0.7947										
	nber Portability															
	ocal Number Portability (1 per port)			UEP9E	LNPCC	0.35										
Features						İ										
All	Standard Features Offered, per port			UEP9E	UEPVF	2.56						15.75			1.97	
	Select Features Offered, per port			UEP9E	UEPVS	0.00	404.98									
	Centrex Control Features Offered, per port			UEP9E	UEPVC	2.56						15.75			1.97	
NARS																
	nbundled Network Access Register - Combination			UEP9E	UARCX	0.00	0.00	0.00								
	nbundled Network Access Register - Indial			UEP9E	UAR1X	0.00	0.00	0.00								
	nbundled Network Access Register - Outdial			UEP9E	UAROX	0.00	0.00	0.00								
Miscelland	eous Terminations															

NRANDLE	D NETWORK ELEMENTS - Mississippi			•									Attachment:	2	ļ	Exhibit:
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Submitted Manually		Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Charge Manual S Order vs
						Rec	Nonreci		Nonrecurring				oss i	RATES (\$)		
	Tarrell Cida Tarreir etiana asah			UEP9E	CEND6	0.05	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Trunk Side Terminations, each			UEP9E	CEND6	8.25	120.00	18.85	61.77	3.88	1	15.75			1.97	<u> </u>
	Digital (1.544 Megabits) DS1 Circuit Terminations, each			UEP9E	M1HD1	58.41	203.19	96.25	74.86	2.54	1	15.75			1.97	+
	DS0 Channel Activated Per Channel			UEP9E	M1HDO	0.00	14.56	90.23	74.00	2.04		15.75			1.97	
	ice Channel Mileage - 2-Wire			02. 02		0.00						10.10				
	Interoffice Channel Facilities Termination			UEP9E	MIGBC	22.52	40.77	27.57	17.26	7.11		15.75			1.97	
	Interoffice Channel mileage, per mile or fraction of mile			UEP9E	MIGBM	0.0098										1
	Activations (DS0) Centrex Loops on Channelized DS1 Service	е														
	nnel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9E	1PQWS	0.57						15.75			1.97	<u> </u>
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9E	1PQW6	0.57						15.75			1.97	
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP9E	1PQW7	0.57						15.75			1.97	
	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center			UEP9E	1PQWP	0.57						15.75			1.97	
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9E	1PQWV	0.57						15.75			1.97	
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot			UEP9E	1PQWQ	0.57						15.75			1.97	
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9E	1PQWA	0.57						15.75			1.97	
Non-Re	curring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port			UEP9E	USAC2		0.10	0.10				15.75			1.97	
	Conversion of Existing Centrex Common Block, each			UEP9E	USACN		37.97	16.68				15.75			1.97	
	New Centrex Standard Common Block			UEP9E	M1ACS							15.75			1.97	
	New Centrex Customized Common Block			UEP9E	M1ACC							15.75			1.97	
	NAR Establishment Charge, Per Occasion CENTREX - DCO - Valid in AL, KY, LA, MS, & TN)			UEP9E	URECA						1	15.75			1.97	
	VG Loop/2-Wire Voice Grade Port (Centrex) Combo				+						1				-	-
	ort/Loop Combination Rates (Non-Design)				1						1					
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
	Non-Design		1	UEP93		12.22										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		2	UEP93		17.13										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		3	UEP93		26.26										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design		4	UEP93		44.91										
UNE Po	ort/Loop Combination Rates (Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design		1	UEP93		15.12										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design		2	UEP93		19.98										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design		3	UEP93		28.78										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design		4	UEP93		46.95										
UNFI	pop Rate		7	OLI 90	1	40.33					 				t	†
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP93	UECS1	10.98									1	
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP93	UECS1	15.91									1	
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP93	UECS1	25.04										
	2-Wire Voice Grade Loop (SL 1) - Zone 4		4	UEP93	UECS1	43.68										
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP93	UECS2	13.89										
	2-Wire Voice Grade Loop (SL 2) - Zone 2			UEP93	UECS2	18.75										<u> </u>
			3	UEP93	UECS2	27.55			i	1	1	1	1	1		1
	2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL21) - Zone 4		4	UEP93	UECS2	27.55 45.72	-					-				+

NRUNDLEI	NETWORK ELEMENTS - Mississippi				, .						1		Attachment:	2		Exhibit:
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Submitted Manually		Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Charge
						Rec	Nonred First	curring Add'l	Nonrecurring First	g Disconnect Add'l	SOMEC	SOMAN	OSS I	RATES (\$)	SOMAN	SOMAN
AI KY	LA, MS, & TN only				1		FIISL	Auu i	First	Auu i	SOMEC	JOWAN	JOWAN	JOWAN	JOWAN	JOWAN
	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP93	UEPYA	1.23	40.31	19.84	24.90	6.58		15.75			1.97	
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local															
	Area			UEP93	UEPYB	1.23	40.31	19.84	24.90	6.58		15.75			1.97	
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area			UEP93	UEPYH	1.23	40.31	19.84	24.90	6.58		15.75			1.97	
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 Basic Local Area			UEP93	UEPYM	1.23	108.35	7.57	54.24	11.70		15.75			1.97	
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
	Term - Basic Local Area			UEP93	UEPYZ	1.23	108.35	7.57	54.24	11.70		15.75			1.97	
	2-Wire Voice Grade Port terminated in on Megalink or equivalent - Basic Local Area			UEP93	UEPY9	1.23	40.31	19.84	24.90	6.58		15.75			1.97	
	2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area			UEP93	UEPY2	1.23	40.31	19.84	24.90	6.58		15.75			1.97	
	2-Wire Voice Grade Port (Centrex)			UEP93 UEP93	UEPYZ	1.23	40.31	19.84	24.90	6.58		15.75			1.97	
	2-Wire Voice Grade Port (Centrex) 2-Wire Voice Grade Port (Centrex 800 termination)			UEP93	UEPQB	1.23	40.31	19.84	24.90	6.58		15.75			1.97	
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP93	UEPQH	1.23	40.31	19.84	24.90	6.58		15.75			1.97	
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2			UEP93	UEPQM	1.23	108.35	7.57	54.24	11.70		15.75			1.97	
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term			UEP93	UEPQZ	1.23	108.35	7.57	54.24	11.70		15.75			1.97	
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP93	UEPQ9	1.23	40.31	19.84	24.90	6.58		15.75			1.97	
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP93	UEPQ2	1.23	40.31	19.84	24.90	6.58		15.75			1.97	
	witching Centrex Intercom Funtionality, per port			UEP93	URECS	0.7947										
	umber Portability			OLI 93	OKLOG	0.7347										
	Local Number Portability (1 per port)			UEP93	LNCCC	0.35							İ			
Feature																
	All Standard Features Offered, per port			UEP93	UEPVF	2.56						15.75			1.97	
	All Centrex Control Features Offered, per port			UEP93	UEPVC	2.56						15.75			1.97	
NARS					1											
	Unbundled Network Access Register - Combination			UEP93	UARCX	0.00	0.00	0.00								
	Unbundled Network Access Register - Indial Unbundled Network Access Register - Outdial			UEP93 UEP93	UAR1X UAROX	0.00	0.00	0.00			-	1				
	aneous Terminations			UEP93	UARUX	0.00	0.00	0.00				1	-			
	Trunk Side				+											
	Trunk Side Terminations, each			UEP93	CEND6	8.25	120.00	18.85	61.77	3.88		15.75	İ		1.97	
	Digital (1.544 Megabits)															
	DS1 Circuit Terminations, each			UEP93	M1HD1	58.41	203.19	96.25	74.86	2.54		15.75			1.97	
	DS0 Channels Activated, Per Channel			UEP93	M1HDO	0.00	14.56					15.75			1.97	
	ice Channel Mileage - 2-Wire				1											
	Interoffice Channel Facilities Termination			UEP93	MIGBC	22.52	40.77	27.57	17.26	7.11		15.75			1.97	
	Interoffice Channel mileage, per mile or fraction of mile Activations (DS0) Centrex Loops on Channelized DS1 Service			UEP93	MIGBM	0.0098					-	1				
	nnel Bank Feature Activations	e														
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP93	1PQWS	0.57										
	Feature Activation on D-4 Channel Bank FX Line Side Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop			UEP93	1PQW6	0.57									1	
	Slot Feature Activation on D-4 Channel Bank FA Trunk Slote Loop Slot Feature Activation on D-4 Channel Bank Centrex Loop Slot -			UEP93	1PQW7	0.57									1	
	Different Wire Center			UEP93	1PQWP	0.57										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP93	1PQWV	0.57										
	Feature Activation on D-4 Channel Bank Tie Line/Trunk Loop			UEP93	1PQWQ	0.57							1			
1	Slot Feature Activation on D-4 Channel Bank WATS Loop Slot		—	UEP93 UEP93	1PQWQ 1PQWA	0.57				 	1	 	1		}	!

UNBU	JNDLEI	NETWORK ELEMENTS - Mississippi												Attachment:	2		Exhibit: B
CATE	GORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Submitted	Submitted Manually	Charge -	Charge - Manual Svc Order vs.	Electronic-	Charge -
							Rec	Nonrec	urring	Nonrecurring	g Disconnect			oss i	RATES (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Non-Re	curring Charges (NRC) Associated with UNE-P Centrex															
		NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port			UEP93	USAC2		0.10	0.10				15.75			1.97	
		Conversion of Existing Centrex Common Block, each			UEP93	USACN		37.97	16.68								
		New Centrex Standard Common Block			UEP93	M1ACS	0.00	666.32					15.75			1.97	
		New Centrex Customized Common Block			UEP93	M1ACC	0.00	666.32					15.75			1.97	
		NAR Establishment Charge, Per Occasion			UEP93	URECA	0.00	72.63					15.75			1.97	
	Note 1	Required Port for Centrex Control in 1AESS, 5ESS & EWSD															
		- Requres Interoffice Channel Mileage															
	Note 3	- Requires Specific Customer Premises Equipment															
	İ																
		_															
		_															

LINRUN	DI F	D NETWORK ELEMENTS - North Carolina												Attachment:	2		Exhibit:
SHEON		NET WORK ELLINER TO - NOTHI CATOLINA			I												
														Incremental	Incremental	Incremental	Increment
														Charge -	Charge -	Charge -	Charge -
CATEGO	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			Svc Order	Svc Order	Manual Svc	Manual Svc	Manual Svc	Manual S
0711201	•	TOTAL ELEMENTO	m		200	0000			= = (+)			Submitted	Submitted	Order vs.	Order vs.	Order vs.	Order vs
												Elec	Manually	Electronic-	Electronic-	Electronic-	Electronic
												per LSR		1st	Add'l	Disc 1st	Disc Add
												po. zo.t	po. 2011		7.44.	2.00 .00	2.007.444
							Rec	Nonred	curring	Nonrecurrin	g Disconnect			OSS F	RATES (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
T	he "Zo	one" shown in the sections for stand-alone loops or loops as	part of	a com	bination refers to G	eographically	Deaveraged U	NE Zones. To	view Geograp	hically Deaver	aged UNE Zone	Designation	ons by Cent	ral Office, refe	r to Internet \	Website:	
ht	ttp://w	www.interconnection.bellsouth.com/become_a_clec/html/inte	connec	tion.ht	m												
OPERATI	IONAL	L SUPPORT SYSTEMS															
										•	•			•	•	•	
N	IOTE:	(1) Electronic Service Order: CLEC-1 should contact its cont	ract neg	otiator	if it prefers the stat	e specific ele	ctronic service	ordering char	ges as ordered	by the State (Commissions.	The electro	nic service	ordering char	ge currently	contained in t	this rate
		is the BellSouth regional electronic service ordering charge.															
		(2) Any element that can be ordered electronically will be bil															
		elements that cannot be ordered electronically at present per															
				,		e iii tiiis cate	Jory renects the	e charge mar v	vould be billet	I to a CLLC OII	ce electronic c	ruering cap	Jabilities Co	ille oli-illie io	tilat element	. Otherwise,	tile manua
01	raerin	ng charge, SOMAN, will be applied to a CLECs bill when it sul	omits ar	LSK	o BellSouth.	1	1			1	1		1	1			
		Electronic OSS Charge, per LSR, submitted via BST's OSS				001150		0.50									
LINIBLINIB		interactive interfaces (Regional)				SOMEC		3.50									
		EXCHANGE ACCESS LOOP															
2-	-WIRE	ANALOG VOICE GRADE LOOP															
		2-Wire Analog Voice Grade Loop - Service Level 1- Statewide		SW	UEANL	UEAL2	15.88	57.99	42.37					26.94	12.76		
		Loop Testing - Basic 1st Half Hour			UEANL	URET1		78.92	78.92								
		Loop Testing - Basic Additional Half Hour			UEANL	URETA		23.33	23.33								
		Engineering Information Document (EI)			UEANL			28.74	28.74								
		Manual Order Coordination for UVL-SL1s (per loop)*			UEANL	UEAMC		61.38	61.38								
		Order Coordination for Specified Conversion Time for UVL-SL1															
		(per LSR) *			UEANL	OCOSL		45.34	45.34								
2-	-WIRE	Unbundled COPPER LOOP															
		2-Wire Unbundled Copper Loop Non-Designed - SW	I	SW	UEQ	UEQ2X	15.88	57.99	42.37					26.94	26.94	26.94	26.
		Order Coordination 2 Wire Unbundled Copper Loop - Non-															
		Designed (per loop)			UEQ	USBMC		61.38	61.38								
		Engineering Information Document			UEQ			28.74	28.74								
		Loop Testing - Basic 1st Half Hour			UEQ	URET1		78.92	78.92								
		Loop Testing - Basic Additional Half Hour			UEQ	URETA		23.33	23.33								
		EXCHANGE ACCESS LOOP															
2-	-WIRE	ANALOG VOICE GRADE LOOP															
		2 Wire Analog Voice Grade Loop -Service Level 1-Statewide-															
		Line Splitting	- 1		UEPSR UEPSB	UEALS	15.88	57.99	42.37					26.94	12.76		
		2 Wire Analog Voice Grade Loop -Service Level 1-Statewide-															
		Line Splitting	- 1		UEPSR UEPSB	UEABS	15.88	57.99	42.37					26.94	12.76		
U	INE Lo	oop Rates for Line Splitting															
		2-Wire Voice Grade Loop (SL1) for Line Splitting- Statewide		SW	UEPRX	UEPLX	14.18										
		EXCHANGE ACCESS LOOP															
2-	-WIRE	ANALOG VOICE GRADE LOOP															
		CLEC to CLEC Conversion Charge without outside dispatch															
					UEANL	UREWO		48.07	22.00					26.94	12.76		
		(UVL-SL1)			UEANL	UKLWO											
		(UVL-SL1) 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															
		(UVL-SL1) 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Statewide		sw	UEA	UEAL2	19.50	142.97	106.56					26.94	12.76		
		(UVL-SL1) 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Statewide Order Coordination for Specified Conversion Time (per LSR)		SW			19.50	142.97 45.34	106.56					26.94	12.76		
		(UVL-SL1) 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Statewide Order Coordination for Specified Conversion Time (per LSR) 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		SW	UEA UEA	UEAL2 OCOSL		45.34									
		(UVL-SL1) 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Statewide Order Coordination for Specified Conversion Time (per LSR) 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling-Statewide		SW	UEA UEA UEA	UEAL2 OCOSL UEAR2	19.50 19.50	45.34 142.97	106.56					26.94 26.94	12.76		
		(UVL-SL1) 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Statewide Order Coordination for Specified Conversion Time (per LSR) 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling-Statewide Order Coordination for Specified Conversion Time (per LSR)			UEA UEA UEA UEA	UEAL2 OCOSL UEAR2 OCOSL		45.34 142.97 45.34	106.56					26.94	12.76		
		(UVL-SL1) 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Statewide Order Coordination for Specified Conversion Time (per LSR) 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling-Statewide Order Coordination for Specified Conversion Time (per LSR) CLEC to CLEC Conversion Charge without outside dispatch			UEA UEA UEA	UEAL2 OCOSL UEAR2		45.34 142.97									
4-	-WIRE	(UVL-SL1) 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Statewide Order Coordination for Specified Conversion Time (per LSR) 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling-Statewide Order Coordination for Specified Conversion Time (per LSR) CLEC to CLEC Conversion Charge without outside dispatch ANALOG VOICE GRADE LOOP		SW	UEA UEA UEA UEA UEA	UEAL2 OCOSL UEAR2 OCOSL UREWO	19.50	45.34 142.97 45.34 131.73	106.56					26.94	12.76		
4-	-WIRE	(UVL-SL1) 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Statewide Order Coordination for Specified Conversion Time (per LSR) 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling-Statewide Order Coordination for Specified Conversion Time (per LSR) CLEC to CLEC Conversion Charge without outside dispatch ENNALOG VOICE GRADE LOOP 4-Wire Analog Voice Grade Loop - Statewide			UEA UEA UEA UEA UEA	UEAL2 OCOSL UEAR2 OCOSL UREWO		45.34 142.97 45.34 131.73 288.47	106.56					26.94	12.76		
		(UVL-SL1) 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Statewide Order Coordination for Specified Conversion Time (per LSR) 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling-Statewide Order Coordination for Specified Conversion Time (per LSR) CLEC to CLEC Conversion Charge without outside dispatch EANALOG VOICE GRADE LOOP 4-Wire Analog Voice Grade Loop - Statewide Order Coordination for Specified Conversion Time (per LSR)		SW	UEA UEA UEA UEA UEA	UEAL2 OCOSL UEAR2 OCOSL UREWO	19.50	45.34 142.97 45.34 131.73	106.56					26.94	12.76		
		(UVL-SL1) 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Statewide Order Coordination for Specified Conversion Time (per LSR) 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling-Statewide Order Coordination for Specified Conversion Time (per LSR) CLEC to CLEC Conversion Charge without outside dispatch ENNALOG VOICE GRADE LOOP 4-Wire Analog Voice Grade Loop - Statewide		SW	UEA UEA UEA UEA UEA	UEAL2 OCOSL UEAR2 OCOSL UREWO	19.50	45.34 142.97 45.34 131.73 288.47 45.34	106.56 38.24 237.45					26.94 26.94 26.94	12.76 12.76 12.76		
		(UVL-SL1) 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Statewide Order Coordination for Specified Conversion Time (per LSR) 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling-Statewide Order Coordination for Specified Conversion Time (per LSR) CLEC to CLEC Conversion Charge without outside dispatch EANALOG VOICE GRADE LOOP 4-Wire Analog Voice Grade Loop - Statewide Order Coordination for Specified Conversion Time (per LSR)		SW	UEA UEA UEA UEA UEA	UEAL2 OCOSL UEAR2 OCOSL UREWO	19.50	45.34 142.97 45.34 131.73 288.47	106.56					26.94	12.76		
		(UVL-SL1) 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Statewide Order Coordination for Specified Conversion Time (per LSR) 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling-Statewide Order Coordination for Specified Conversion Time (per LSR) CLEC to CLEC Conversion Charge without outside dispatch E ANALOG VOICE GRADE LOOP 4-Wire Analog Voice Grade Loop - Statewide Order Coordination for Specified Conversion Time (per LSR) ISDN DIGITAL GRADE LOOP 2-Wire ISDN Digital Grade Loop - Statewide Order Coordination For Specified Conversion Time (per LSR)		SW	UEA UEA UEA UEA UEA UEA UEA UEA UEA UEA	UEAL2 OCOSL UEAR2 OCOSL UREWO UEAL4 OCOSL U1L2X OCOSL	19.50	45.34 142.97 45.34 131.73 288.47 45.34	106.56 38.24 237.45 251.31					26.94 26.94 26.94	12.76 12.76 12.76		
		(UVL-SL1) 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Statewide Order Coordination for Specified Conversion Time (per LSR) 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling-Statewide Order Coordination for Specified Conversion Time (per LSR) CLEC to CLEC Conversion Charge without outside dispatch ANALOG VOICE GRADE LOOP 4-Wire Analog Voice Grade Loop - Statewide Order Coordination for Specified Conversion Time (per LSR) ESDN DIGITAL GRADE LOOP 2-Wire ISDN Digital Grade Loop - Statewide		SW	UEA UEA UEA UEA UEA UEA UEA UEA UEA UEA	UEAL2 OCOSL UEAR2 OCOSL UREWO UEAL4 OCOSL UTL2X	19.50	45.34 142.97 45.34 131.73 288.47 45.34 325.91	106.56 38.24 237.45					26.94 26.94 26.94	12.76 12.76 12.76		

4Q01:12/01/01 PAGE 223 OF 324

UNBUNDLE	D NETWORK ELEMENTS - North Carolina											Attachment:	2		Exhibit: E
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			Submitted Manually	Incremental Charge - Manual Svc	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
<u> </u>						Rec	Nonrec First	urring Add'l	Nonrecurring Disconnect First Add'l	SOMEC	SOMAN	OSS I	RATES (\$)	SOMAN	SOMAN
	2-Wire Universal Digital Channel (UDC) Compatible Loop -						FIISL	Add I	Filst Auu I	JOINIEC	JOWAN	JOWAN	JOWAN	JOWAN	SOWAN
ı l	Statewide		sw	UDC	UDC2X	24.98	325.91	251.31				26.94	12.76		
i 1	CLEC to CLEC Conversion Charge without outside dispatch			UDC	UREWO		121.08	33.06				26.94	12.76		
2-WIRE	E ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMF	PATIBLE	LOOP												
ı l	2 Wire Unbundled ADSL Loop including manual service inquiry														
	& facility reservation - Statewide		SW	UAL	UAL2X	14.60	504.90	456.17				26.94	12.76		
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		45.34								
ı	2 Wire Unbundled ADSL Loop without manual service inquiry and facility reservaton - Statewide		sw	UAL	UAL2W	14.60	203.85	128.42				26.94	12.76		
	Order Coordination for Specified Conversion Time (per LSR)		SW	UAL	OCOSL	14.60	45.34	120.42	-	+		20.94	12.76		
	CLEC to CLEC Conversion Charge without outside dispatch	 	1	UAL	UREWO		137.72	29.31		+		26.94	12.76		
2-WIRI	E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	ATIBLE	LOOP				2	20.01		1		20.07	.20		
	2 Wire Unbundled HDSL Loop including manual service inquiry	T	1			İ				1					
	and facility reservation - Statewide		sw	UHL	UHL2X	11.98	504.90	456.17				26.94	12.76		
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		45.34								
	2 Wire Unbundled HDSL Loop without manual service inquiry														
	and facility reservation - Statewide		SW	UHL	UHL2W	11.98	221.08	145.65				26.94	12.76		
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		45.34								
	CLEC to CLEC Conversion Charge without outside dispatch	<u> </u>		UHL	UREWO		137.66	29.31				26.94	12.76		
4-WIRE	E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	ATIBLE	LOOP												
	4 Wire Unbundled HDSL Loop including manual service inquiry			UHL	UHL4X	13.97	531.35	400.00				26.94	12.76		
	and facility reservation - Statewide Order Coordination for Specified Conversion Time (per LSR)	-	SW	UHL	OCOSL	13.97	45.34	482.62				26.94	12.76		
	4-Wire Unbundled HDSL Loop without manual service inquiry			UNL	OCOSL		45.54								
	and facility reservation - Statewide		sw	UHL	UHL4W	13.97	277.99	202.56				26.94	12.76		
- 	Order Coordination for Specified Conversion Time (per LSR)		3**	UHL	OCOSL	10.07	45.34	202.00		+		20.04	12.70		
	CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		137.66	29.31				26.94	12.76		
4-WIRI	E DS1 DIGITAL LOOP														
	4-Wire DS1 Digital Loop - Statewide		sw	USL	USLXX	62.78	714.84	421.47				42.19	12.76		
	Order Coordination for Specified Conversion Time (per LSR)			USL	OCOSL		45.34								
	CLEC to CLEC Conversion Charge without outside dispatch			USL	UREWO		130.15	40.01				26.94	12.76		
4-WIRE	E 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP														
	4 Wire Unbundled Digital 19.2 Kbps		SW		UDL19	32.67	489.04	337.51				19.99	19.99	19.99	19.99
	4 Wire Unbundled Digital Loop 56 Kbps		SW	UDL	UDL56	32.67	489.04	337.51				26.94	12.76		
	Order Coordination for Specified Conversion Time (per LSR)		SW	UDL UDL	OCOSL UDL64	32.67	45.34 489.04	337.51				26.94	12.76		
	4 Wire Unbundled Digital Loop 64 Kbps - Statewide Order Coordination for Specified Conversion Time (per LSR)	-	SW	UDL	OCOSL	32.07	45.34	337.31				20.94	12.70		
	CLEC to CLEC Conversion Charge without outside dispatch			UDL	UREWO		131.57	38.65		+		26.94	12.76		
2-WIRI	E Unbundled COPPER LOOP			ODL	OIKEVVO		101.07	00.00				20.04	12.70		
	2-Wire Unbundled Copper Loop/Short including manual service	1	†		1					1					
	inquiry & facility reservation - Zone 1		1	UCL	UCLPB	13.40	281.95	162.85		1		19.99	19.99	19.99	19.99
	2-Wire Unbundled Copper Loop/Short including manual service					i									
	inquiry & facility reservation - Zone 2		2	UCL	UCLPB	21.76	281.95	162.85				19.99	19.99	19.99	19.99
	2 Wire Unbundled Copper Loop/Short including manual service														
	inquiry & facility reservation - Zone 3		3	UCL	UCLPB	25.01	281.95	162.85				19.99	19.99	19.99	19.99
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		61.38	61.38							
ı İ	2-Wire Unbundled Copper Loop/Short without manual service inquiry and facility reservation - Zone 1		1	UCL	UCLPW	13.40	250.17	174.74				19.99	19.99	19.99	19.99
	2-Wire Unbundled Copper Loop/Short without manual service		- '-	UCL	UCLFVV	13.40	230.17	1/4./4		+		19.99	19.99	19.99	19.99
ı	inquiry and facility reservation - Zone 2		2	UCL	UCLPW	21.76	250.17	174.74				19.99	19.99	19.99	19.99
	2-Wire Unbundled Copper Loop/Short without manual service	1			J J J J J J J J J J J J J J J J J J J	21.73	200.17	117.17		+		10.00	10.00	10.00	10.00
ı İ	inquiry and facility reservation - Zone 3		3	UCL	UCLPW	25.01	250.17	174.74				19.99	19.99	19.99	19.99
	Order Coordination for Unbundled Copper Loops (per loop)	1		UCL	UCLMC		61.38	61.38							
	2-Wire Unbundled Copper Loop/Long - includes manual srvc.					i									
	inquiry and facility reservation - Zone 1		1	UCL	UCL2L	37.79	268.96	149.86				19.99	19.99	19.99	19.99
ı	2-Wire Unbundled Copper Loop/Long - includes manual svc.		1												
	inquiry and facility reservation - Zone 2		2	UCL	UCL2L	63.16	268.96	149.86	1	1	1	19.99	19.99	19.99	19.99

CATEGORY	NETWORK ELEMENTS - North Carolina											Attachment:			
CATEGORY														_	Exhibit: B
CATEGORY					1							Incremental	Incremental	Incremental	
CATEGORY		Intori								l		Charge -	Charge -	Charge -	Charge -
	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Manual Svc	Manual Svc		
		""								Submitted	Submitted		Order vs. Electronic-	Order vs. Electronic-	Order vs.
										per LSR	Manually per LSR	Electronic- 1st	Add'l	Disc 1st	Electronic- Disc Add'l
										per Lok	per Lok	151	Add I	DISC 1St	DISC Add I
						Rec	Nonrec	urring	Nonrecurring Disconnect			OSS F	RATES (\$)		
							First	Add'l	First Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Unbundled Copper Loop/Long - includes manual svc.		_												
	nquiry and facility reservation - Zone 3	-	3	UCL UCL	UCL2L UCLMC	73.02	268.96	149.86	ļ	-		19.99	19.99	19.99	19.99
	Order Coordination for Unbundled Copper Loops (per loop) 2-Wire Unbundled Copper Loop/Long - without manual service			UCL	UCLIVIC		61.38	61.38	+						+
	nguiry and facility reservation - Zone 1		1	UCL	UCL2W	37.79	189.00	113.57				19.99	19.99	19.99	19.99
	2-Wire Unbundled Copper Loop/Long - without manual service														
	nquiry and facility reservation - Zone 2		2	UCL	UCL2W	63.16	189.00	113.57				19.99	19.99	19.99	19.99
	2-Wire Unbundled Copper Loop/Long - without manual service		_												
	nquiry and facility reservation - Zone 3 Order Coordination for Unbundled Copper Loops (per loop)		3	UCL UCL	UCL2W UCLMC	73.02	189.00 61.38	113.57 61.38				19.99	19.99	19.99	19.99
	CLEC to CLEC Conversion Charge without outside dispatch			UCL	UCLIVIC		01.38	61.38	-	-					
	UCL-Des)			UCL	UREWO		148.74	31.39				19.99	19.99	19.99	19.99
	CLEC to CLEC Conversion Charge without outside dispatch	1		-	1			000		1		.0.00	.0.00	.0.00	.5.55
(U	(UCL-ND)			UEQ	UREWO		48.07	22.00				19.99	19.99	19.99	19.99
	COPPER LOOP							· · · · · ·							L
	4-Wire Copper Loop/Short - including manual service inquiry			UCL	1101.40	17.00	000.40	044.00				10.00	10.00	10.00	10.00
	and facility reservation - Zone 1 4-Wire Copper Loop/Short - including manual service inquiry		1	UCL	UCL4S	17.63	330.13	211.02				19.99	19.99	19.99	19.99
	and facility reservation - Zone 2		2	UCL	UCL4S	28.89	330.13	211.02				19.99	19.99	19.99	19.99
	4-Wire Copper Loop/Short - including manual service inquiry		_	002	002.0	20.00	000.10	211102				10.00	10.00	10.00	10.00
	and facility reservation - Zone 3		3	UCL	UCL4S	33.28	330.13	211.02				19.99	19.99	19.99	19.99
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		61.38	61.38							
	4-Wire Copper Loop/Short - without manual service inquiry and					4= 00									
	facility reservation - Zone 1 4-Wire Copper Loop/Short - without manual service inquiry and	-	1	UCL	UCL4W	17.63	250.17	174.74	ļ	-		19.99	19.99	19.99	19.99
	acility reservation - Zone 2		2	UCL	UCL4W	28.89	250.17	174.74				19.99	19.99	19.99	19.99
	4-Wire Copper Loop/Short - without manual service inquiry and		_	002	002	20.00	200					10.00	10.00	10.00	10.00
fa	acility reservation - Zone 3		3	UCL	UCL4W	33.28	250.17	174.74				19.99	19.99	19.99	19.99
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		61.38	61.38							
	4-Wire Unbundled Copper Loop/Long - includes manual svc.					== ==							40.00		
	nquiry and facility reservation - Zone 1 4-Wire Unbundled Copper Loop/Long - includes manual svc.		1	UCL	UCL4L	53.68	317.14	198.03		-		19.99	19.99	19.99	19.99
	nquiry and facility reservation - Zone 2		2	UCL	UCL4L	90.07	317.14	198.03				19.99	19.99	19.99	19.99
	4-Wire Unbundled Copper Loop/Long - includes manual svc.		_	002	OOLTE	30.07	017.14	100.00				10.00	10.00	10.00	10.00
	nquiry and facility reservation - Zone 3		3	UCL	UCL4L	104.23	317.14	198.03				19.99	19.99	19.99	19.99
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		61.38	61.38							
	4-Wire Unbundled Copper Loop/Long - without manual svc.					== ==		==					40.00		
	nquiry and facility reservation - Zone 1 4-Wire Unbundled Copper Loop/Long - without manual svc.	 	1	UCL	UCL4O	53.68	237.18	161.75		+		19.99	19.99	19.99	19.99
	nguiry and facility reservation - Zone 2		2	UCL	UCL4O	90.07	237.18	161.75				19.99	19.99	19.99	19.99
	4-Wire Unbundled Copper Loop/Long - without manual svc.	t	_			33.07	2010	.070				10.00	.0.00	.0.00	
ir	nquiry and facility reservation - Zone 3		3	UCL	UCL4O	104.23	237.18	161.75				19.99	19.99	19.99	19.99
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		61.38	61.38							
	CLEC to CLEC Conversion Charge without outside dispatch			LICI	LIDENA		440.71	04.00				10.00	10.00	10.00	10.00
LOOP MODIFICA	(UCL-Des)	<u> </u>		UCL	UREWO		148.74	31.39		1		19.99	19.99	19.99	19.99
	Jnbundled Loop Modification, Removal of Load Coils - 2 Wire	 		UAL, UHL, UCL,	+					+					
	pair less than or equal to 18k ft			UEQ, ULS	ULM2L		64.85	64.85							
Ü	Unbundled Loop Modification, Removal of Load Coils - 2 wire														
	greater than 18k ft			UCL, ULS	ULM2G		339.84	339.84							<u> </u>
	Jnbundled Loop Modification Removal of Load Coils - 4 Wire														
	ess than or equal to 18K ft Unbundled Loop Modification Removal of Load Coils - 4 Wire	-		UHL, UCL	ULM4L		64.85	64.85							
	Unbundled Loop Modification Removal of Load Colls - 4 Wire pair greater than 18k ft			UCL	ULM4G		339.84	339.84							
	Jnbundled Loop Modification Removal of Bridged Tap Removal,	 		UAL, UHL, UCL,	JEWAO		333.04	555.04		1					
	per unbundled loop			UEQ, UEF, ULS	ULMBT		64.90	64.90							
SUB-LOOPS	·														
Sub-Loo	p Distribution														

UNBUNDLE	D NETWORK ELEMENTS - North Carolina			1									Attachment:	2		Exhibit: E
CATEGORY	RATE ELEMENTS	Interi m	Zone	всѕ	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual Svo Order vs.
						Rec	Nonrec First	urring Add'l	Nonrecurring First	g Disconnect Add'l	SOMEC	SOMAN	OSS I	RATES (\$)	SOMAN	SOMAN
	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-						FIISL	Add I	First	Auu i	JOINIEC	JOWAN	JOWAN	JOWAN	JOWAN	JOWAN
	Up	- 1		UEANL	USBSA		498.09	498.09					26.94	12.76		
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up Sub-Loop - Per Building Equipment Room - CLEC Feeder	-		UEANL	USBSB		45.04	45.04					26.94	12.76		
	Facility Set-Up	- 1		UEANL	USBSC		313.01	313.01					26.94	12.76		
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel															
	Set-Up Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -	I		UEANL	USBSD		108.06	108.06					26.94	12.76		
	Zone 1	1	1	UEANL	USBN2	7.99	126.03	54.54	71.13	10.16			26.94	12.76	15.12	15.12
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -		<u> </u>	OL/ II VL	OODINE	7.55	120.00	04.04	71.10	10.10			20.54	12.70	10.12	10.12
	Zone 2	- 1	2	UEANL	USBN2	12.63	126.03	54.54	71.13	10.16			26.94	12.76	15.12	15.12
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -		_	LIFANII	LIODNIO	44.40	100.00	54.54	74.40	40.40			00.04	40.70	45.40	45.40
	Zone 3	-	3	UEANL	USBN2	14.43	126.03	54.54	71.13	10.16			26.94	12.76	15.12	15.12
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		45.34	45.34								
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -															Ì
	Zone 1		1	UEANL	USBN4	9.23	156.52	79.66	78.56	13.53			26.94	12.76		
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 2		2	UEANL	USBN4	14.63	156.52	79.66	78.56	13.53			26.94	12.76		
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -			OLANE	OODIV4	14.03	150.52	79.00	70.50	13.33			20.54	12.70		1
	Zone 3		3	UEANL	USBN4	16.73	156.52	79.66	78.56	13.53			26.94	12.76		
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair Sub-Loop 2-Wire Intrabuilding Network Cable (INC)			UEANL UEANL	USBMC USBR2	3.50	45.34 114.05	45.34 37.20	76.58	10.81			26.94	12.76		
	Oub-Loop 2-wire intrabuliding Network Cable (1140)	'		OLANE	OODINZ	3.30	114.03	37.20	70.50	10.01			20.54	12.70		1
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		45.34	45.34								
	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	- 1		UEANL	USBR4	3.75	127.67	50.82	78.71	10.69			26.94	12.76		
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		45.34	45.34								
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	1	1	UEF	UCS2X	7.33	137.10	60.24	76.58	10.81			26.94	12.76		
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	I	2	UEF	UCS2X	10.95	137.10	60.24	76.58	10.81			26.94	12.76		
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	I	3	UEF	UCS2X	12.36	137.10	60.24	76.58	10.81			26.94	12.76		
				uee	1100140		45.04	45.04								
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	-	1	UEF UEF	USBMC UCS4X	7.14	45.34 162.24	45.34 85.38	78.56	13.53			26.94	12.76		
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	i		UEF	UCS4X	11.09	162.24	85.38	78.56	13.53	1	-	26.94	12.76		-
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	+		UEF	UCS4X	12.63	162.24	85.38	78.56	13.53			26.94	12.76		1
	THIS copper onbandion can been bloamballer. Earlie o			02.	000	12.00	102.21	00.00	10.00	10.00			20.0	12.10		
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		45.34	45.34								
Unbund	dled Sub-Loop Modification															
	Unbundled Sub-Loop Modification - 2-W Copper Dist Load Coil/Equip Removal per 2-W PR			UEF	ULM2X		353.95	12.20					26.94	12.76		
	Unbundled Sub-loop Modification - 4-W Copper Dist Load			UEF	ULIVIZA		353.95	12.20					26.94	12.76		+
	Coil/Equip Removal per 4-W PR			UEF	ULM4X		353.95	12.20					26.94	12.76		
	Unbundled Sub-loop Modification - 2-w/4-w Copper Dist Bridged															
	Tap Removal, per PR unloaded			UEF	ULM4T		557.78	14.23					26.94	12.76		
Unbund	dled Network Terminating Wire (UNTW)			LIENTW	UENPP	0.44	64.00	64.98					26.04	10.76		
Notwor	Unbundled Network Terminating Wire (UNTW) per Pair k Interface Device (NID)		 	UENTW	UENPP	0.44	64.98	64.98					26.94	12.76		-
	Network Interface Device (NID) - 1-2 lines		 	UENTW	UND12		86.37	56.69		1	<u> </u>	-	26.94	12.76		+
	Network Interface Device (NID) - 1-2 lines	l i		UENTW	UND16		127.93	98.21					26.94	12.76		
	Network Interface Device Cross Connect - 2 W	i		UENTW	UNDC2		11.68	11.68		İ			26.94	12.76		
	Network Interface Device Cross Connect - 4W	İ		UENTW	UNDC4		11.68	11.68		<u> </u>			26.94	12.76		
SUB-LOOPS																
Sub-Lo	USL-Feeder, DS0 Set-up per Cross Box location - CLEC		<u> </u>													1
				UEA,					•							

DNRONDLEL	NETWORK ELEMENTS - North Carolina				1								Attachment:	2		Exhibit:
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Order vs.	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Charge Manual S Order vs
						Rec	Nonrec			g Disconnect			oss	RATES (\$)		
	LICI Fooder DC0 Cet up per Crees Boy leastion per 25 pair			UEA.			First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	USL Feeder - DS0 Set-up per Cross Box location - per 25 pair set-up			UDN,UCL,UDL,UDC	LICDEY		45.04	45.04								
	USL Feeder DS1 Set-up at DSX location, per DS1 termination			USL	USBFZ		523.51	11.31			1					+
	Unbundled Sub-Loop Feeder Loop, 2 Wire Ground Start, Voice			002	OOD! Z		020.01	11.01								+
	Grade - Zone 1		1	UEA	USBFA	11.43	122.52	46.61	149.46	59.37			19.99	19.99	19.99	19.9
	Unbundled Sub-Loop Feeder Loop, 2 Wire Ground-Start, Voice															
	Grade - Zone 2		2	UEA	USBFA	18.35	122.52	46.61	149.46	59.37			19.99	19.99	19.99	19.9
	Unbundled Sub-Loop Feeder Loop, Per 2 Wire Ground-Start,		3	UEA	LIODEA	04.04	100 50	40.04	4 40 40	50.07			40.00	40.00	19.99	
	Voice Grade - Zone 3 Order Coordination for Specified Conversion Time, per LSR		3	UEA	USBFA OCOSL	21.04	122.52 45.34	46.61	149.46	59.37			19.99	19.99	19.99	19.9
	Unbundlde Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice			OLA	COOOL		70.04				+					+
	Grade - Zone 1		1	UEA	USBFB	11.43	122.52	46.61	149.46	59.37			19.99	19.99	19.99	19.9
	Unbundled Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice															
	Grade - Zone 2		2	UEA	USBFB	18.35	122.52	46.61	149.46	59.37			19.99	19.99	19.99	19.9
	Unbundled Sub-Loop Feeder Loop, 2 Wire Start Loop, Voice															
	Grade - Zone 3		3	UEA	USBFB	21.04	122.52	46.61	149.46	59.37			19.99	19.99	19.99	19.9
	Order Coordination for Specified Time Conversion, per LSR			UEA	OCOSL		45.34				1					+
	Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery, Voice Grade - Zone 1		1	UEA	USBFC	11.43	122.52	46.61	149.46	59.37			19.99	19.99	19.99	19.9
	Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery,		-	UEA	USBFC	11.43	122.52	40.01	149.40	59.57			19.99	19.99	19.99	19.9
	Voice Grade - Zone 2		2	UEA	USBFC	18.35	122.52	46.61	149.46	59.37			19.99	19.99	19.99	19.9
	Unbundled Sub-Loop Feeder Loop, 2 Wire Analog Reverse															1
	Battery, Voice Grade - Zone 3		3	UEA	USBFC	21.04	122.52	46.61	149.46	59.37			19.99	19.99	19.99	19.9
	Order Coordination For Specified Conversion Time, per LSR			UEA	OCOSL		45.34									
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice															
	Grade - Zone 1		1	UEA	USBFD	21.91	226.36	144.28					19.99	19.99	19.99	19.9
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice Grade - Zone 2		2	UEA	USBFD	35.92	226.36	144.28					19.99	19.99	19.99	19.9
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground Start, Voice			UEA	USBFD	33.92	220.30	144.20			1		19.99	19.99	19.99	19.9
	Grade - Zone 3		3	UEA	USBFD	41.37	226.36	144.28					19.99	19.99	19.99	19.9
	Order Coordination For Specified Conversion Time, Per LSR		_	UEA	OCOSL		45.34									1
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice															1
	Grade - Zone 1		1	UEA	USBFE	21.91	226.36	144.28					19.99	19.99	19.99	19.9
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice		_													
	Grade - Zone 2		2	UEA	USBFE	35.92	226.36	144.28					19.99	19.99	19.99	19.9
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice Grade - Zone 3		3	UEA	USBFE	41.37	226.36	144.28					19.99	19.99	19.99	19.9
	Order Coordination For Specified Conversion Time, Per LSR		3		OCOSL	41.37	45.34	144.20					19.99	19.99	19.99	19.9
	Unbundled Sub-Loop Feeder Loop, 2 Wire ISDN BRI - Zone 1		1	UDN	USBFF	19.63	202.01	105.88					19.99	19.99	19.99	19.9
	Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 2		2	UDN	USBFF	31.61	202.01	105.88					19.99	19.99	19.99	
	Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 3		3	UDN	USBFF	36.27	202.01	105.88					19.99	19.99	19.99	19.9
	Order Coordination For Specified Conversion Time, Per LSR				OCOSL		45.34									
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)		1		USBFS	19.63	202.01	105.88			1		19.99	19.99	19.99	
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)		2	UDC	USBFS	31.61	202.01	105.88					19.99	19.99	19.99 19.99	
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible) Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 1		3	UDC USL	USBFS USBFG	36.27 39.69	202.01 393.01	105.88 153.37			-		19.99 42.19	19.99 12.76	19.99	19.9
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 1 Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 2		2	USL	USBFG	67.36	393.01	153.37		1	 		42.19	12.76		+
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 3		3	USL	USBFG	78.12	393.01	153.37			1		42.19	12.76		†
	Order Coordination For Specified Conversion Time, Per LSR			USL	OCOSL		45.34				Ì					1
	Unbundled Sub-Loop Feeder, 2-Wire Copper Loop - Zone 1		1	UCL	USBFH	10.66	172.89	90.81					19.99	19.99	19.99	19.9
	Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone									1			1			
	2		2	UCL	USBFH	16.44	172.89	90.81			1		19.99	19.99	19.99	19.9
	Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone		3	LICI	LICDELL	40.00	470.00	00.01		1			40.00	40.00	40.00	
	3 Order Coordination For Specified Conversion Time, per LSR		3	UCL UCL	USBFH OCOSL	18.69	172.89 45.34	90.81			1		19.99	19.99	19.99	19.9
	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 1		1	UCL	USBFJ	14.68	207.14	134.77	1	1	1	+	19.99	19.99	19.99	19.9
	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 2			UCL	USBFJ	23.74	207.14	134.77			†	<u> </u>	19.99	19.99	19.99	
	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 2		3		USBFJ	27.26	207.14	134.77	†	†	t	t	19.99	19.99	19.99	

UNBUNDLED	NETWORK ELEMENTS - North Carolina												Attachment:	2		Exhibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)	T			Svc Order Submitted Manually per LSR	Order vs.	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual Svo Order vs.
						Rec	Nonrec		Nonrecurrin	g Disconnect			oss i	RATES (\$)		
					0000		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Order Coordination For Specified Conversion Time, per LSR		1	UCL	OCOSL	00.74	45.34	422.02					40.00	40.00	10.00	40.00
	Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop			UDL UDL	USBFN USBFN	26.71 44.07	215.00 215.00	132.92 132.92		-	1	-	19.99 19.99	19.99 19.99	19.99 19.99	
	Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop			UDL	USBFN	50.83	215.00	132.92					19.99	19.99	19.99	
	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop - Zone 1		1	UDL	USBFO	26.71	215.00	132.92					19.99	19.99	19.99	
	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop - Zone 2		2	UDL	USBFO	44.07	215.00	132.92					19.99	19.99	19.99	19.99
	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop - Zone 3		3	UDL	USBFO	50.83	215.00	132.92					19.99	19.99	19.99	19.99
	Order Coordination For Specified Time Conversion, per LSR		3	UDL	OCOSL	50.83	45.34	132.92		 	1		19.99	19.99	19.99	19.99
	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop -			-	30000		70.0-1			†						
	Zone 1		1	UDL	USBFP	26.71	215.00	132.92					19.99	19.99	19.99	19.99
	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - Zone 2		2	UDL	USBFP	44.07	215.00	132.92					19.99	19.99	19.99	19.99
	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - Zone 3		3	UDL	USBFP	50.83	215.00	132.92					19.99	19.99	19.99	19.99
SUB-LOOPS	Order Coordination For Specified Conversion Time, per LSR			UDL	OCOSL		45.34					-				
	op Feeder									1						
	Sub Loop Feeder - DS3 - Per Mile Per Month			UE3	1L5SL	16.03										
	Sub Loop Feeder - DS3 - Facility Termination Per Month			UE3	USBF1	350.32	3,383.00	406.81	164.08	93.01			26.94	12.76		
	Sub Loop Feeder – STS-1 – Per Mile Per Month			UDLSX	1L5SL	16.03										
	Sub Loop Feeder - STS-1 - Facility Termination Per Month			UDLSX	USBF7	376.06	3,383.00	406.81	164.08	93.01			26.94	12.76		
	Sub Loop Feeder – OC-3 – Per Mile Per Month			UDLO3	1L5SL	12.16										
	Sub Loop Feeder - OC-3 - Facility Termination Protection Per Month			UDLO3 UDLO3	USBF5	56.60	2 202 00	406.81	164.08	93.01			26.94	40.70		
	Sub Loop Feeder - OC-3 - Facility Termination Per Month Sub Loop Feeder - OC-12 - Per Mile Per Month			UDLO3 UDL12	USBF2 1L5SL	564.14 14.97	3,383.00	406.81	164.08	93.01			26.94	12.76		<u> </u>
	Sub Loop Feeder - OC-12 - Facility Termination Protection Per			ODLIZ	ILJGL	14.57										
	Month			UDL12	USBF6	639.50										
	Sub Loop Feeder - OC-12 - Facility Termination Per Month			UDL12	USBF3	1,841.00	3,383.00	406.81	164.08	93.01			26.94	12.76		
	Sub Loop Feeder - OC-48 - Per Mile Per Month			UDL48	1L5SL	49.10	.,									
	Sub Loop Feeder - OC-48 - Facility Termination Protection Per Month			UDL48	USBF9	319.92										
	Sub Loop Feeder - OC-48 - Facility Termination Per Month			UDL48	USBF4	1,603.00	3,569.00	406.81	160.39	90.92			26.94	12.76		
	Sub Loop Feeder - OC-12 Interface On OC-48			UDL48	USBF8	360.95	787.73	406.81	160.39	90.92			26.94	12.76		
	OOP CONCENTRATION				UCT8A	398.41	652.26	652.26					19.99	40.00	19.99	19.99
	Unbundled Loop Concentration - System A (TR008) Unbundled Loop Concentration - System B (TR008)			ULC ULC	UCT8B	58.36	271.78	271.78					19.99	19.99 19.99	19.99	
	Unbundled Loop Concentration - System B (17000)			ULC	UCT3A	439.73	652.25	652.26					19.99	19.99	19.99	
	Unbundled Loop Concentration - System B (TR303)			ULC	UCT3B	98.34	271.78	271.78		1			19.99	19.99	19.99	
	Unbundled Loop Concentration - DS1 Loop Interface Card			ULC	UCTCO	5.52	126.85	92.35		9.42			19.99	19.99	19.99	
	Unbundled Loop Concentration - ISDN Loop Interface (Brite															
	Card) Unbundled Loop Concentration - UDC Loop Interface (Brite			UDN	ULCC1	8.77	21.11	21.00	10.81	10.74			19.99	19.99	19.99	
	Card) Unbundled Loop Concentration2 Wire Voice-Loop Start or			UDC	ULCCU	8.77	21.11	21.00	10.81	10.74			19.99	19.99	19.99	
	Ground Start Loop Interface (POTS Card) Unbundled Loop Concentration - 2 Wire Voice - Reverse Battery			UEA	ULCC2	2.19	21.11	21.00	10.81	10.74			19.99	19.99	19.99	
	Loop Interface (SPOTS Card) Unbundled Loop Concentration - 4 Wire Voice Loop Interface (Special Card)			UEA	ULCCA	13.03	21.11	21.00	10.81	10.74			19.99	19.99	19.99	
	(Specials Card) Unbundled Loop Concentration - TEST CIRCUIT Card			UEA ULC	ULCC4 UCTTC	7.77 37.98	21.11 21.11	21.00 21.00	10.81 10.81	10.74 10.74			19.99 19.99	19.99 19.99	19.99 19.99	
	Unbundled Loop Concentration - TEST CIRCUIT Card Unbundled Loop Concentration - Digital 19.2 Kbps Data Loop Interface			UDL	ULCC7	11.51	21.11	21.00	10.81	10.74			19.99	19.99	19.99	
	Unbundled Loop Concentration - Digital 56 Kbps Data Loop Interface			UDL	ULCC5	11.51	21.11	21.00		10.74			19.99	19.99	19.99	

UNBUNDLE	D NETWORK ELEMENTS - North Carolina												Attachment:	2		Exhibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec First	curring Add'l	Nonrecurrin First	g Disconnect Add'l	COMEC	SOMAN		RATES (\$)	SOMAN	SOMAN
	Unbundled Loop Concentration - Digital 64 Kbps Data Loop						FIRST	Add I	FIRST	Addi	SOWIEC	SUMAN	SUMAN	SOWAN	SUMAN	SUMAN
	Interface			UDL	ULCC6	11.51	21.11	21.00	10.81	10.74			19.99	19.99	19.99	19.99
UNE OTHER, F	ROVISIONING ONLY - NO RATE															
	NID - Dispatch and Service Order for NID installation			UENTW	UNDBX											
	UNTW Circuit Id Establishment, Provisioning Only - No Rate			UENTW	UENCE											
	Habita diad Contract Name - Benjainaine Only - No Date			UEANL,UEF,UEQ,U ENTW	UNECN											
LINE OTHER E	Unbundled Contract Name, Provisioning Only - No Rate PROVISIONING ONLY - NO RATE			ENIW	UNECN											
ONE OTHER, F	ROVISIONING ONE I - NO RATE															
				UAL,UCL,UDC,UDL,						1			1	1		
	Unbundled Contact Name, Provisioning Only - no rate			UDN,UEA,UHL,ULC	UNECN	0.00	0.00									
	Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no															
	rate			UEA,UDN,UCL,UDC	USBFQ	0.00	0.00				ļ					
	Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no									_						
	rate			UEA,USL,UCL,UDL	USBFR	0.00	0.00									
 	Unbundled DS1 Loop - Superframe Format Option - no rate Unbundled DS1 Loop - Expanded Superframe Format option -			USL	CCOSF	0.00	0.00		 	 	<u> </u>	1	 	 		1
	no rate			USL	CCOEF	0.00	0.00									
HIGH CAPACI	TY UNBUNDLED LOCAL LOOP			USL	CCOLI	0.00	0.00									
	4 month minimum billing period															
	High Capacity Unbundled Local Loop - DS3 - Per Mile per															
	month			UE3	1L5ND	11.12										
	High Capacity Unbundled Local Loop - DS3 - Facility Termination per month			UE3	UE3PX	404.98	1,124.48	699.60					53.48	53.48		
	High Capacity Unbundled Local Loop - STS-1 - Per Mile per month			UDLSX	1L5ND	11.12										
	High Capacity Unbundled Local Loop - STS-1 - Facility Termination per month			UDLSX	UDLS1	447.70	4 404 40	699.60					53.48	53.48		
LOOP MAKE-U				UDLSX	UDLST	417.70	1,124.48	699.60					53.48	53.48		
LOOF MAKE-C	Loop Makeup - Preordering Without Reservation, per working or										1					
	spare facility queried (Manual).			UMK	UMKLW		56.34	56.34								
	Loop Makeup - Preordering With Reservation, per spare facility queried (Manual).			UMK	UMKLP		58.56	58.56								
	Loop MakeupWith or Without Reservation, per working or															
	spare facility queried (Mechanized)			UMK	PSUMK		1.04	1.04								
	NCY SPECTRUM							•								
SPLITT	ERS-CENTRAL OFFICE BASED	<u> </u>				450.55	40.4				ļ					
 	Line Sharing Splitter, per System 96 Line Capacity			ULS ULS	ULSDA	152.73 38.18	424.61	0.00		 		0.00	-	-		-
 	Line Sharing Splitter, per System 24 Line Capacity Line Sharing Splitter, Per System, 8 Line Capacity	+		ULS	ULSDB ULSD8	38.18 12.73	424.61 424.61	0.00		-		0.00	-	-		
END U	SER ORDERING-CENTRAL OFFICE BASED-HIGH FREQUENCY	SPEC				12.13	+24.01	0.00		 	 	0.00				
	Line Sharing - per Line Activation	1		ULS	ULSDC	0.61	56.92	28.59	1	1			26.94	12.76		t
	, , , , , , , , , , , , , , , , , , ,			-		2.01								:=:/-0		
	Line Sharing - per Subsequent Activity per Line Rearrangement	I		ULS	ULSDS		35.14	16.29	<u> </u>	<u> </u>	<u></u>	<u> </u>	26.94	12.76	<u> </u>	<u> </u>
	Line Splitting - per line activation DLEC owned splitter				UREOS	0.61		-								
	Line Splitting - per line activation BST owned - physical	_			UREBP	0.641	56.92	28.59	ļ	ļ			ļ	ļ		
	Line Splitting - per line activation BST owned - virtual			UEPSR UEPSB	UREBV	0.639	56.92	28.59			<u> </u>		ļ	ļ		
UNBUNDLED 1	PANSDODT									1			1	1		
	PRANSPORT OFFICE CHANNEL - DEDICATED TRANSPORT - VOICE GRADE								1	 	1	1	1	1		
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -	Ī								-						-
	Per Mile per month			U1TVX	1L5XX	0.0282				1			1	1		
	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -															1
	Facility Termination per month	L		U1TVX	U1TV2	18.00	137.48	52.58	<u> </u>	<u> </u>	<u></u>	<u> </u>	38.07	38.07	<u> </u>	<u> </u>
	Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade							· · · · · · · · · · · · · · · · · · ·					1	1		
	Rev Bat Per Mile per month			U1TVX	1L5XX	0.0282			ļ	ļ			ļ	ļ		
	Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat			11477.07	LIATOS	40.0-		=0 =-								
	Facility Termination per month			U1TVX	U1TR2	18.00	137.48	52.58	0.00	0.00	ı	I .	38.07	38.07	l	L

UNBUNDL	ED NETWORK ELEMENTS - North Carolina												Attachment:	2		Exhibit: E
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Submitted	Charge - Manual Svc	Charge -	Charge -	Charge - Manual Svo Order vs.
						Rec	Nonrec			g Disconnect				RATES (\$)		
	Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade -						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Per Mile per month			U1TVX	1L5XX	0.0282										
	Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade - Facility Termination per month			U1TVX	U1TV4	22.16	106.11	65.95					38.07	38.07		
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month			U1TDX	1L5XX	0.0282	100.11	00.00					00.07	00.01		
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination per month			U1TDX	U1TD5	17.40	137.48	52.58					38.07	38.07		
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile			OTIDA	01103	17.40	137.40	32.30					30.07	30.07		+
	per month Interoffice Channel - Dedicated Transport - 64 kbps - Facility			U1TDX	1L5XX	0.0282									 	
	Termination per month			U1TDX	U1TD6	17.40	137.48	52.58	0.00	0.00			38.07	38.07		
INTER	ROFFICE CHANNEL - DEDICATED TRANSPORT - DS1 Interoffice Channel - Dedicated Channel - DS1 - Per Mile per													<u> </u>		1
	month			U1TD1	1L5XX	0.5753									L	
	Interoffice Channel - Dedicated Tranport - DS1 - Facility Termination per month			U1TD1	U1TF1	71.29	217.17	163.75					38.07	38.07		
INTER	ROFFICE CHANNEL - DEDICATED TRANSPORT- DS3														<u> </u>	
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month			U1TD3	1L5XX	12.98										
	Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month			U1TD3	U1TF3	720.38	794.94	579.55					91.26	91.26		
INTER	ROFFICE CHANNEL - DEDICATED TRANSPORT- STS-1															
	Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month			U1TS1	1L5XX	6.14								ļ		
	Interoffice Channel - Dedicated Transport - STS-1 - Facility Termination per month			U1TS1	U1TFS	790.37	642.23	408.89					53.48	53.48		
	AL CHANNEL - DEDICATED TRANSPORT															
NOTE	E: LOCAL CHANNEL DEDICATED TRANSPORT - minimum billin Local Channel - Dedicated - 2-Wire Voice Grade Per Month	g perio	d - belo	W DS3=one month, ULDVX	, DS3 and abo	ve=four month	s						42.17	12.76	├	
	Local Channel - Dedicated - 2-Wire Voice Grade Per Month -			OLDVX	ULDV2					1			42.17	12.76		
	Zone 1 Local Channel - Dedicated - 2-Wire Voice Grade per month -		1	ULDVX	ULDV2	12.51	553.80	89.69						ļ		
	Zone 2		2	ULDVX	ULDV2	21.23	553.80	89.69							L	
	Local Channel - Dedicated - 2-Wire Voice Grade per month - Zone 3		3	UNDVX	ULDV2	24.62	553.80	89.69								
	Local Channel - Dedicated - 4-Wire Voice Grade per month - Zone 1		1	UNDVX	ULDV4	13.40	562.23	92.67								
	Local Channel - Dedicated - 4-Wire Voice Grade per month - Zone 2		2	UNDVX	ULDV4	22.73	562.23	92.67								
	Local Channel - Dedicated - 4-Wire Voice Grade per month -			ONDVA	ULDV4	22.13	302.23	92.07								
	Zone 3		3	UNDVX	ULDV4	26.37	562.23	92.67								
	Local Channel - Dedicated - DS1 per month - Zone 1 Local Channel - Dedicated - DS1 per month - Zone 2		1 2	ULDD1 ULDD1	ULDF1 ULDF1	30.12 51.11	534.48 534.48	462.69 462.69					42.17 42.17	12.76 12.76	├──	
	Local Channel - Dedicated - DS1 per month - Zone 3		3	ULDD1	ULDF1	59.28	534.48	462.69		1			42.17	12.76		+
	Local Channel - Dedicated - DS3 - Per Mile per month	†	Ť	ULDD3	1L5NC	8.66	3340	.02.00		1			,	.2.70		†
	Local Channel - Dedicated - DS3 - Facility Termination per month			ULDD3	ULDF3	496.76	562.25	527.88					56.25	56.25		
	Local Channel - Dedicated - STS-1- Per Mile per month			ULDS1	1L5NC	8.66	302.23	327.00					30.23	30.23		1
	Local Channel - Dedicated - STS-1 - Facility Termination per				550		4.6=4.6=	C 10 1-						22.5-		
MULTIPLEXE	month			ULDS1	ULDFS	484.06	1,071.00	646.12			 		38.07	38.07	$\vdash \!$	-
	Channelization - DS1 to DS0 Channel System		L	UXTD1	MQ1	146.69	197.78	140.06					24.85	8.16		
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs)			UDL	1D1DD	2.00	13.09	9.38								
		t e			1					1	1			1		1
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per			UDN	UC1CA	3.59	13.09	9.38						1		

UNBUNDLE	NETWORK ELEMENTS - North Carolina												Attachment:	2		Exhibit: E
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)	Γ			Svc Order Submitted Manually per LSR		Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec			g Disconnect	201150	SOMAN	OSS I	RATES (\$)	SOMAN	SOMAN
	DS3 to DS1 Channel System per month		<u> </u>	UXTD3	MQ3	233.10	First 403.97	Add'l 234.40	First	Add'l	SOMEC	SUMAN	24.78	7.42	SUMAN	SOWAN
	STS1 to DS1 Channel System per month			UXTS1	MQ3	233.10	403.97	234.40			1	1	38.07	38.07		
 	DS3 Interface Unit (DS1 COCI) used with Loop per month		1	USL	UC1D1	16.07	13.09	9.38	1		1		36.07	36.07		
DARK FIBER	bos interface offit (bot cool) used with book per month			OOL	OCIDI	10.07	13.03	3.30			-					
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction															
	Thereof per month - Local Channel			UDF	1L5DC	53.86										
	NRC Dark Fiber - Local Channel			UDF	UDFC4		1,807.00	562.96					38.07	38.07		
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction															
	Thereof per month - Interoffice Channel			UDF	1L5DF	27.71										
	NRC Dark Fiber - Interoffice Channel			UDF	UDF14		1,807.00	562.96					38.07	38.07		
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction			l	1				_]			1	1		
	Thereof per month - Local Loop			UDF	1L5DL	53.86										
	NRC Dark Fiber - Local Loop		<u> </u>	UDF	UDFL4		1,807.00	562.96					38.07	38.07		ļ
TRANSPORT C	OTHER al Features & Functions:				+				 	 	1	1	 	 		1
Option	Clear Channel Capability (B8ZS/ESF) Option - Subsequent -								-		-					
	per DS1 Channel			UNC1X	CCOEF		184.76	23.60	1.99	0.78			29.33	3.93		
	Clear Channel Capability (B8ZS/SF) Option - Subsequent - per			UNCIA	CCOEF		104.70	23.00	1.99	0.76			29.33	3.93		
	DS1 Channel			UNC1X	CCOSF		184.76	23.60	1.99	0.78			29.33	3.93		
8XX ACCESS 1	EN DIGIT SCREENING			ONOTA	00001		104.70	20.00	1.00	0.70	-		20.00	0.00		
	8XX Access Ten Digit Screening, Per Call			OHD		0.0005										
	8XX Access Ten Digit Screening, Reservation Charge Per 8XX			-												
	Number Reserved			OHD	N8R1X		7.05	0.96					26.94	26.94		
	8XX Access Ten Digit Screening, Per 8XX No. Established W/O															
	POTS Translations			OHD			23.82	2.73					26.94	26.94		
	8XX Access Ten Digit Screening, Per 8XX No. Established With															
	POTS Translations			OHD	N8FTX		23.82	2.73					26.94	26.94		
	8XX Access Ten Digit Screening, Customized Area of Service															
	Per 8XX Number			OHD	N8FCX		5.63	2.82					26.94	26.94		
	8XX Access Ten Digit Screening, Multiple InterLATA CXR			OHD	N8FMX		6.59	3.77					26.94	26.94		
	Routing Per CXR Requested Per 8XX No. 8XX Access Ten Digit Screening, Change Charge Per Request		<u> </u>	OHD	N8FAX		8.01	0.96			-	-	26.94	26.94		
-	8XX Access Ten Digit Screening, Change Charge Fer Request 8XX Access Ten Digit Screening, Call Handling and Destination			טחט	INOFAA		0.01	0.96			1	1	20.94	26.94		
	Features			OHD	N8FDX		5.63						26.94	26.94		
LINE INFORMA	TION DATA BASE ACCESS (LIDB)			OTID	HOI DX		0.00				-		20.04	20.04		
	LIDB Common Transport Per Query			OQT	1	0.0003			1	1	1		1	1		
	LIDB Validation Per Query			OQU		0.0134			1	İ			İ	Ì		
	LIDB Originating Point Code Establishment or Change			OQT, OQU	NRPBX		62.26			<u> </u>		62.26	26.94	26.94		
SIGNALING (C																
	CCS7 Signaling Termination, Per STP Port			UDB	PT8SX	132.83										L
\vdash	CCS7 Signaling Usage, Per TCAP Message			UDB	1	0.00009			ļ					ļ		
	CCS7 Signaling Connection, Per link (A link)			UDB	TPP++	18.22	278.02	278.02					19.99	19.99	19.99	19.99
	CCS7 Signaling Connection, Per link (B link) (also known as D			LIDD	TDD		.=		1							
\vdash	link)			UDB	TPP++	18.22	278.02	278.02	_	 	 		19.99	19.99	19.99	19.99
\vdash	CCS7 Signaling Usage, Per ISUP Message		-	UDB UDB	STU56	0.00004 338.98			 	-	1		-	ļ	-	-
\vdash	CCS7 Signaling Usage Surrogate, per link per LATA CCS7 Signaling Point Code, per Originating Point Code	-	<u> </u>	סטט	31000	338.98			-		 				-	
1 1	Establishment or Change, per STP affected			UDB	CCAPO		40.00	40.00	I]			19.99	19.99	19.99	19.99
 	CCS7 Signaling Point Code, per Destination Point Code	-		000	JOAI-O		40.00	40.00	 	 	+		15.39	19.99	19.99	15.33
	Establishment or Change, Per Stp Affected		1	UDB	CCAPD		8.00	8.00	1				19.99	19.99	19.99	19.99
CALLING NAM	E (CNAM) SERVICE						5.50	0.30	1	1	1					
1	CNAM for DB Owners, Per Query			OQV		0.01			1	1			1	1	İ	
	CNAM for Non DB Owners, Per Query			OQV		0.01										
	CNAM (Non-Databs Owner), NRC, applies when using the															
	Character Based User Interface (CHUI)			OQV	CDDCH		595.00	595.00					26.94	26.94		
OPERATOR CA	ALL PROCESSING							•								
	Oper. Call Processing - Oper. Provided, Per Min Using BST		1]]	<u> </u>		
	LIDB		<u> </u>			1.20	_		L						<u> </u>	

ONRONDLE	D NETWORK ELEMENTS - North Carolina			,	· · · · · ·								Attachment:	2		Exhibit: I
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc	,		RATES(\$)	ı		1	Svc Order Submitted Manually per LSR		Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Charge - Manual Sv Order vs.
						Rec	Nonrec			g Disconnect			oss i	RATES (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Oper. Call Processing - Oper. Provided, Per Min Using					4.04										
	Foreign LIDB Oper. Call Processing - Fully Automated, per Call - Using BST		-		+	1.24						-				+
	LIDB					0.20										
	Oper. Call Processing - Fully Automated, per Call - Using				+	0.20										+
	Foreign LIDB					0.20										
INWARD OPER	RATOR SERVICES															+
	Inward Operator Services - Verification, Per Call					0.80										1
	Inward Operator Services - Verification, Per Minute					1.15										
	Inward Operator Services - Verification and Emergency Interrupt															
	- Per Call	<u> </u>	1			0.85										
	Inward Operator Services - Verification and Emergency Interrupt - Per Minute	1				4.45				I						
BRANDING O	- Per Minute PPERATOR CALL PROCESSING	 	<u> </u>		+	1.15			-	 	 	-	1	-		+
הייאוחוואף - 0	Recording of Custom Branded OA Announcement	1	1		CBAOS		7,000.00	7,000.00		 	1	1	19.99	19.99	19.99	19.99
	Loading of Custom Branded OA Announcement per shelf/NAV	 	t -		CBAOL		500.00	500.00		†	 		19.99	19.99	13.33	13.33
Unbrar	nding via OLNS for UNEP CLEC															+
	Loading of OA per OCN (Regional)						1,200.00	1,200.00								1
	SSISTANCE SERVICES															
DIREC	TORY ASSISTANCE ACCESS SERVICE															
	Directory Assistance Access Service Calls, Charge Per Call					0.25										
DIREC	TORY ASSISTANCE CALL COMPLETION ACCESS SERVICE (D	DACC)														
	Directory Assistance Call Completion Access Service (DACC),															
DIDEC	Per Call Attempt TORY TRANSPORT					0.062										
DIREC	SWA Common transport per Directory Assistance Access				+					-	1	-				+
	Service Call					0.0003										
	SWA Common Transport per Directory Assistance Access				+	0.0003										+
	Service Call Mile					0.00004										
	Access Tandem Switching per Directory Assistance Access															1
	Service Call					0.00055										
	Directory Assistance Interconnection per Directory Assistance															Ī
	Access Service Call					0.00269										
	DS3 to DS1 Multiplexer per DA Access Service Call					0.00018										
	SSISTANCE SERVICES															_
DIREC	TORY ASSISTANCE DATA BASE SERVICE (DADS) Directory Assistance Data Base Service Charge Per Listing		-		+	0.04						-				-
	Directory Assistance Data Base Service Charge Per Listing Directory Assistance Data Base Service, per month	1	1		DBSOF	150.00				 	<u> </u>	-				+
BRANDING - D	DIRECTORY ASSISTANCE	<u> </u>			20001	100.00				1						†
	y Based CLEC	1								1						†
	Recording and Provisioning of DA Custom Branded												1			1
	Announcement			AMT	CBADA		6,000.00	6,000.00								
	Loading of Custom Branded Announcement per DRAM	1														
	Card/Switch	ļ		AMT	CBADC		1,170.00	1,170.00		ļ	ļ					
UNEP (<u> </u>	<u> </u>				2 000 00	2 000 00		-						
	Recording of DA Custom Branded Announcement Loading of DA Custom Branded Announcement per DRAM	1			+		3,000.00	3,000.00		-						+
	Card/Switch per OCN	1					1,170.00	1,170.00		I						
Unbran	nding via OLNS for UNEP CLEC	 	t -		+ +		1,170.00	1,170.00		†	 					+
Jbiui	Loading of DA per OCN (1 OCN per Order)		1				420.00	420.00		1						1
	Loading of DA per Switch per OCN		1				16.00	16.00								†
SELECTIVE RO	OUTING															
	Selective Routing Per Unique Line Class Code Per Request Per							· · · · · · · · · · · · · · · · · · ·								
	Switch	<u> </u>			USRCR		229.65	229.65			ļ		40.18	9.45		<u> </u>
VIRTUAL COLI			1	01.0			0.040.00	0.040.00			ļ					
	Virtual Collocation - Application Cost Virtual Collocation - Cable Installation Cost, per cable	 	1	CLO CLO	EAF ESPCX		2,848.30 2,750.00	2,848.30 2,750.00		 	<u> </u>	1				+
			1	ICLU	IESPLY		2.750.00	2.750.00	1	1	1	1		1	I	

UNBUNDLE	NETWORK ELEMENTS - North Carolina				1	1							Attachment:	2		Exhibit:
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Order vs.	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Charge -
						Rec	Nonrec		Nonrecurring				oss	RATES (\$)		
				01.0	E0541/	0.10	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Virtual Collocation - Power, per breaker amp			CLO	ESPAX	3.48										
	Virtual Collocation - Cable Support Structure, per entrance cable			CLO	ESPSX	13.35										
	Virtual Collocation - 2-wire Cross Connects (loop)			ueanl,uea,udn,udc, ual,uhl,ucl,ueq	UEAC2	0.09	41.78	39.23	4.75	4.75			19.99	19.99	19.99	19.99
	Virtual Collocation - 4-wire Cross Connects (loop)			uea,uhl,ucl,udl	UEAC4	0.18	41.78	39.25	4.73	4.73			19.99	19.99	19.99	19.99
	Virtual Collocation - 2-Fiber Cross Connects			CLO	CNC2F	15.99	67.34	48.55		0			19.99	19.99	19.99	19.99
	Virtual Collocation - 4-Fiber Cross Connects			CLO	CNC4F	28.74	82.35	63.56					19.99	19.99	19.99	19.9
	Virtual Collocatin - DS1 Cross Connects			USL,ULC,CLO	CNC1X	0.97	71.02	51.08								
	Virtual Collocatin - DS3 Cross Connects			USL,ULC,CLO	CND3X	56.25	151.90	11.83								
	Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure, per linear foot			AMTFS	PE1ES	0.0028										
	Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per linear ft			AMTFS	PE1DS	0.0041										
	Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable															
	Support Structure,per cable			AMTFS			532.72									
	Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per cable			AMTFS			532.72									
	Virtual Collocatin - Security Escort - Basic, per half hour			CLO	SPTBX		41.00	25.00								
	Virtual Collocatin - Security Escort - Overtime, per half hour			CLO CLO	SPTOX SPTPX		48.00 55.00	30.00 35.00								
	Virtual Collocatin - Security Escort - Premium, per half hour Virtual Collocatin - Maintenance in CO - Basic, per half hour			CLO	CTRLX		30.64	35.00			1					
	Virtual Collocatin - Maintenance in CO - Dasic, per nair nour Virtual Collocatin - Maintenance in CO - Overtime, per half hour			CLO	SPTOM		35.77	35.77								
	Virtual Collocatin - Maintenance in CO - Premium per half hour			CLO	SPTPM		40.90	40.90								
VIRTUAL COLL				020	0		10.00	10.00								
	Virtual Collocation - 2-wire Cross Connect, Exchange Port 2-															
	Wire Analog - Res			UEPSR	VE1R2	0.09	41.78	39.23					19.99	19.99	19.99	19.99
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Voice Grade Res			UEPRX	PE1R2	0.09	41.78	39.23					19.99	19.99	19.99	19.99
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2- Wire Line Side PBX Trunk - Bus			UEPSP	VE1R2	0.09	41.78	39.23					19.99	19.99	19.99	19.9
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Voice Grade PBX Trunk - Res			UEPSE	VE1R2	0.09	41.78	39.23					19.99	19.99	19.99	19.9
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Analog Bus			UEPSB	VE1R2	0.09	41.78	39.23					19.99	19.99	19.99	19.99
	Virtual Collocation 2-Wire Cross Connect, Exchnage Port 2-Wire ISDN			UEPSX	VE1R2	0.09	41.78	39.23					19.99	19.99	19.99	19.9
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire ISDN			UEPTX	VE1R2	0.09	41.78	39.23					19.99	19.99	19.99	19.9
	Virtual Collocation 4-Wire Cross Connect, Exchange Port DDITS 4-Wire DS1			UEPDD	VE1R4	0.18	41.91	39.25					19.99	19.99	19.99	19.9
	Virtual Collocation 4-Wire Cross Connect, Exchange Port 4-Wire ISDN DS1			UEPEX	VE1R4	0.18	41.91	39.25					19.99	19.99	19.99	19.99
VIRTUAL COLL	Virtual Collocation-2 Wire Cross Connects (Loop) for Line	 									<u> </u>	1	 		 	ļ
AIN CEL COTO	Virtual Collocation-2 Wire Cross Connects (Loop) for Line Splitting E CARRIER ROUTING			UEPSR, UEPSB	VE1LS	0.09	41.78	39.23	4.75	4.75			19.99	19.99	19.99	19.9
AIN SELECTIVI	E CARRIER ROUTING Regional Service Establishment	!		SRC	SRCEC		391,788.00				1		19.99	19.99	19.99	19.99
	End Office Establishment	-		SRC	SRCEO		391,788.00	320.53					19.99	19.99	19.99	19.9
	Line/Port NRC, per end user			SRC	SRCLP		2.06	2.06					19.99	19.99	19.99	19.9
	Query NRC, per end daer			SRC		0.000448	2.00	2.00			1	1	10.00	10.00	10.00	10.0
AIN - BELLSOL	JTH AIN SMS ACCESS SERVICE					2.3001.0							İ		1	
	AIN SMS Access Service - Service Establishment, Per State, Initial Setup			A1N	CAMSE		294.77	294.77					26.94	26.94		
	AIN SMS Access Service - Port Connection - Dial/Shared Access			A1N	CAMDP		86.94	86.94					26.94	26.94		
	AIN SMS Access Service - Port Connection - ISDN Access			A1N	CAM1P		86.94	86.94			1		26.94	26.94		Ì

UNBUNDLE	D NETWORK ELEMENTS - North Carolina											Attachment:	2		Exhibit: E
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			Submitted Manually		Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrec		Nonrecurring Disconnect				RATES (\$)		
	AINI CMC Access Consists I local Identification Codes Devilled						First	Add'l	First Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	AIN SMS Access Service - User Identification Codes - Per User ID Code			A1N	CAMAU		200.83	200.83				26.94	26.94		
	AIN SMS Access Service - Security Card, Per User ID Code,			441	04450		470.05	470.05				00.04	00.04		
	Initial or Replacement AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)			A1N	CAMRC	0.0023	172.05	172.05				26.94	26.94		
	AIN SMS Access Service - Storage, Per Offit (100 Kilobytes) AIN SMS Access Service - Session, Per Minute					0.0023									
	AIN SMS Access Service - Company Performed Session, Per														
	Minute					2.08									
AIN - BELLSO	UTH AIN TOOLKIT SERVICE AIN Toolkit Service - Service Establishment Charge, Per State,														
	Initial Setup			CAM	BAPSC		290.05	290.05				26.94	26.94		
	AIN Toolkit Service - Training Session, Per Customer				BAPVX		8,363.00	8,363.00				26.94	26.94		
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per														
	DN, Term. Attempt				BAPTT		72.76	72.76		1		26.94	26.94		
	AlN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Delay				BAPTD		72.76	72.76		1		26.94	26.94		
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				DAFID		72.70	72.70				20.94	20.94		
	DN, Off-Hook Immediate				BAPTM		72.76	72.76				26.94	26.94		
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per														
	DN, 10-Digit PODP				BAPTO		149.95	149.95				26.94	26.94		
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN. CDP				BAPTC		149.95	149.95				26.94	26.94		
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				DAI 10		143.33	149.93				20.34	20.34		
	DN, Feature Code				BAPTF		149.95	149.95				26.94	26.94		
	AIN Toolkit Service - Query Charge, Per Query					0.02									
	AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit Subscription, Per Node, Per Query					0.005									
	AIN Toolkit Service - SCP Storage Charge, Per SMS Access					0.005									
	Account, Per 100 Kilobytes					1.45									
	AIN Toolkit Service - Monthly report - Per AIN Toolkit Service														
	Subscription			CAM	BAPMS	15.98	71.80	71.80				26.94	26.94		
	AIN Toolkit Service - Special Study - Per AIN Toolkit Service Subscription			CAM	BAPLS	0.08	47.20	47.20				26.94	26.94		
	AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service			CAIVI	DAPLO	0.06	47.20	47.20				20.94	26.94		
	Subscription			CAM	BAPDS	15.90	71.80	71.80				26.94	26.94		
	AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit														
FAULANIOSS S	Service Subscription			CAM	BAPES	0.003	47.20	47.20		1		26.94	26.94		
	XTENDED LINK (EELs) New EELs available in State of Georgia, density zone 1 of foll	owing 9	SMAs.	Orlando El Miami	FI: Ft I and	erdale FII·Nas	hville TN·No	ν Orleans Ι Δ·		+					
	Charlotte-Gastonia-Rockhill, NC; Greensboro-Winston Salem-							. Oneans, LA,		+					
	In all states, EEL network elements shown below also apply t							As Is Charge a	pplies to currently combine	d facilities c	onverted to	UNEs.(Non-re	curring rates	do not	
apply.)									· · · · · · · · · · · · · · · · · · ·						
NOTE:	In GA, TN, KY, LA & MS, the EEL network elements apply to o	ordinari	ly com	oined network elem	ents.(No Swit	ch As Is Charge	e.)								
2-WIRI	E VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT First 2-Wire VG Loop - Service Level 2/DS1 Interofficed	EROFF	ICE TR	ANSPORT (EEL)	 					1	1				
	Transport Combination - Statewide		sw	UNCVX	UEAL2	19.50	142.97	106.56				38.07	38.07		
	Interoffice Transport - Dedicated - DS1 combination - Per Mile		JW	5.101/	J L / 1.L L	19.50	172.31	100.00				30.07	30.07		
	per month			UNC1X	1L5XX	0.5753									
	Interoffice Transport - Dedicated - DS1 combination - Facility					74.00	047 :-	400 ==				00.07	00.07		
	Termination per month DS1 Channelization System Per Month			UNC1X UNC1X	U1TF1 MQ1	71.29 146.69	217.17 197.78	163.75 140.06		1		38.07	38.07		
	Voice Grade COCI - DS1 To Ds0 Interface - Per Month		-	UNCVX	1D1VG	1.27	13.09	9.38		+	1				
	Each Additional 2-Wire Vg Loop(SI2) In The Same Ds1														
	Interoffice Transport Combination Per Month			UNCVX	UEAL2	19.50	142.97	108.56				38.07	38.07		
	Each Additional 2-Wire VG Loop(SL2) in the same DS1	1	1		1	1				1	1	1			
	Intereffice Transport Combination 7000 2		2	LINIONA	LIEVIO										
	Interoffice Transport Combination - Zone 3 Voice Grade COCI - DS1 to DS0 Channel System combination -		3	UNCVX	UEAL2					1					

4Q01:12/01/01 PAGE 234 OF 324

ONBONDLE	D NETWORK ELEMENTS - North Carolina	1		1									Attachment:	2		Exhibit:
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrec			g Disconnect				RATES (\$)		
	Name of the Company o						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNC1X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
4-WIRE	E VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT	EROFF	CE TR		0.1000		21.70	21.70	02.20	10.50			00.07	00.07		
	First 4-Wire Analog Voice Grade Loop/DS1 Interoffice Transport															
	Combination - Statewide		SW	UNCVX	UEAL4	27.49	288.47	237.45					38.07	38.07		
	Interoffice Transport - Dedicated - DS1 combination - Per Mile															
	Per Month	ļ		UNC1X	1L5XX	0.5753										
	Interoffice Transport - Dedicated - DS1 - Facility Termination Per Month			UNC1X	U1TF1	71.29	217.17	163.75					38.07	38.07		
	Channelization - Channel System DS1 to DS0 combination Per			ONOTA	011111	71.23	217.17	103.73					30.07	30.07		
	Month			UNC1X	MQ1	146.69	197.78	140.06								
	Voice Grade COCI - DS1 to DS0 Channel System combination -															
	per month			UNCVX	1D1VG	1.27	13.09	9.38								
	Additional 4-Wire Analog Voice Grade Loop in same DS1															
	Interoffice Transport Combination - Statewide		SW	UNCVX	UEAL4	27.49	288.47	237.45					38.07	38.07		
	Voice Grade COCI - DS1 to DS0 Channel System combination -			1110101	1041/0	4.07	40.00	0.00								
	per month Nonrecurring Currently Combined Network Elements Switch -As-			UNCVX	1D1VG	1.27	13.09	9.38								
	Is Charge			UNC1X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
4-WIRE	E 56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1	INTERO	FFICE				21.75	21.75	32.20	10.30			30.07	30.07		
	First 4-Wire 56Kbps Digital Grade Loop/DS1 Interoffice															
	Transport Combination - Statewide		SW	UNCDX	UDL56	37.67	489.04	337.51					38.07	38.07		
	Interoffice Transport - Dedicated - DS1 combination - Per Mile															
	Per Month			UNC1X	1L5XX	0.5753										
	Interoffice Transport - Dedicated - DS1 - combination Facility															
	Termination Per Month			UNC1X	U1TF1	71.29	217.17	163.75					38.07	38.07		
	Channelization - Channel System DS1 to DS0 combination Per			UNC1X	MQ1	440.00	407.70	140.00								
-	Month OCU-DP COCI (data) - DS1 to DS0 Channel System - per			UNCIX	IVIQT	146.69	197.78	140.06								
	month (2.4-64kbs)			UNCDX	1D1DD	2.00	15.76	11.28								
	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1			ONODA	10100	2.00	10.70	11.20								
	Interoffice Transport Combination - Statewide		SW	UNCDX	UDL56	37.67	489.04	337.51					38.07	38.07		
	OCU-DP COCI (data) - DS1 to DS0 Channel System -															
	combination per month (2.4-64kbs)			UNCDX	1D1DD	2.00	15.76	11.28								
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge	<u> </u>		UNC1X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
4-WIRE	E 64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1	INTERO	FFICE	TRANSPORT (EEL)												
	First 4-Wire 64Kbps Digital Grade Loop/DS1 Interoffice Transport Combination - Statewide		sw	UNCDX	UDL64	37.67	489.04	337.51					38.07	38.07		
	Interoffice Transport - Dedicated - DS1 combination - Per Mile		SW	UNCDA	ODL04	37.07	409.04	337.31					36.07	36.07		
	Per Month			UNC1X	1L5XX	0.5753										
	Interoffice Transport - Dedicated - DS1 combination - Facility					0.0.00										
	Termination Per Month	<u> </u>	L_	UNC1X	U1TF1	71.29	217.17	163.75		<u></u>			38.07	38.07		
	Channelization - Channel System DS1 to DS0 combination Per															
	Month	 		UNC1X	MQ1	146.69	197.78	140.06								
	OCU-DP COCI (data) - DS1 to DS0 Channel System			LINCDY	40400	0.00	45 70	44.65								
	combination - per month (2.4-64kbs) Additional 4-Wire 64Kbps Digital Grade Loopin same DS1	 		UNCDX	1D1DD	2.00	15.76	11.28								
1	Interoffice Transport Combination - Statewide		SW	UNCDX	UDL64	37.67	489.04	337.51					38.07	38.07		
 	OCU-DP COCI (data) - DS1 to DS0 Channel System		511	5.13B/t	35204	57.07	-00.04	307.31					33.07	55.07		
1	combination - per month (2.4-64kbs)			UNCDX	1D1DD	2.00	15.76	11.28								
	Nonrecurring Currently Combined Network Elements Switch -As-	l					-							1	1	
	Is Charge			UNC1X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
4-WIRE	E DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INTI	EROFFI	CE TRA	ANSPORT (EEL)	1											
	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice			LINGAY	LICLYY	60.70	74404	404 47					20.07	20.07		
	Transport - Statewide Interoffice Transport - Dedicated - DS1 combination - Per Mile	1	SW	UNC1X	USLXX	62.78	714.84	421.47					38.07	38.07	 	1
	princeronice transport - Dedicated - DST combination - Per Mile	1	1	UNC1X	1	i				i	1	1		1	Ì	1

INDUNDE	D NETWORK ELEMENTS - North Carolina	1	1	1	1 1								Attachment:			Exhibit:
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR		Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
						Rec	Nonrec		Nonrecurring					RATES (\$)		
	Little (first Transport Deliver) DOI 100 1						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month			UNC1X	U1TF1	71.29	217.17	163.75					38.07	38.07		
	Nonrecurring Currently Combined Network Elements Switch -As-									40.00						
4-WIDI	Is Charge E DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTI	POEE	CE TD	UNC1X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
4-WIKL	First DS1Loop in DS3 Interoffice Transport Combination -	I	L IK	HNOFORT (EEE)												
	Statewide		sw	UNC1X	USLXX	62.78	714.84	421.47					38.07	38.07		
	Interoffice Transport - Dedicated - DS3 combination - Per Mile															
	Per Month			UNC3X	1L5XX	12.98										
	Interoffice Transport - Dedicated - DS3 - Facility Termination per month			LINCOV	LIATEO	700.00	704.04	570.55					20.07	20.07		
-+	DS3 to DS1 Channel System combination per month			UNC3X UNC3X	U1TF3 MQ3	720.38 233.10	794.94 403.97	579.55 234.40					38.07	38.07		
	DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	16.07	13.09	9.38								
	Additional DS1Loop in DS3 Interoffice Transport Combination -			0.10.1%	00.5.	10.01	10.00	0.00								
	Statewide		sw	UNC1X	USLXX	62.78	714.84	421.47					38.07	38.07		
	DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	16.07	13.09	9.38								
	Nonrecurring Currently Combined Network Elements Switch -As-															
O MUDI	Is Charge E VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GRADE INT	L	ICE TE	UNC3X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
Z-WIKE	2-WireVG Loop used with 2-wire VG Interoffice Transport	EROFF	ICE IF	RANSPORT (EEL)												
	Combination - Statewide		sw	UNCVX	UEAL2	19.50	142.97	106.56								
	Interoffice Transport - Dedicated - 2-wire VG combination - Per															
	Mile Per Month			UNCVX	1L5XX	0.0282										
	Interoffice Transport - Dedicated - 2- Wire Voice Grade															
	combination - Facility Termination per month			UNCVX	U1TV2	18.00	137.48	52.58					38.07	38.07		
	Nonrecurring Currently Combined Network Elements Switch -As-			UNCVX	LINICCC		04.75	04.75	22.20	40.00			20.07	20.07		
4-WID!	Is Charge E VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRADE INT	EPOEE	ICE TE		UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
4-WIKL	4-WireVG Loop used with 4-wire VG Interoffice Transport	LKOFF	ICE II	ANGFORT (LLL)												
	Combination - Statewide		sw	UNCVX	UEAL4	27.49	288.47	237.45								
	Interoffice Transport - Dedicated - 4-wire VG combination - Per															
	Mile Per Month			UNCVX	1L5XX	0.0282										
	Interoffice Transport - Dedicated - 4- Wire Voice Grade															
	combination - Facility Termination per month			UNCVX	U1TV4	22.16	106.11	65.95					38.07	38.07		
	Nonrecurring Currently Combined Network Elements Switch -As- ls Charge			UNCVX	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
DS3 D	IGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFIC	E TRAI	ISPOR		UNCCC		21.75	21.75	32.20	10.90			36.07	36.07		
D03 D1	High Capacity Unbundled Local Loop - DS3 combination - Per	I INA	101 011													
	Mile per month			UNC3X	1L5ND	11.12										
	High Capacity Unbundled Local Loop - DS3 combination -															
	Facility Termination per month			UNC3X	UE3PX	404.98	1,071.00	646.12								
	Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X	1L5XX	12.98										
	Interoffice Transport - Dedicated - DS3 combination - Facility Termination per per month			UNC3X	U1TF3	720.38	794.94	579.55					38.07	38.07		
	Nonrecurring Currently Combined Network Elements Switch -As-			UNC3X	UTIF3	720.38	794.94	5/9.55					38.07	38.07		
	Is Charge			UNC3X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
STS1 F	DIGITAL EXTENDED LOOP WITH DEDICATED STS1 INTEROF	FICE TR	ANSP													
	High Capacity Unbundled Local Loop - STS1 combination - Per						İ	İ								
	Mile per month			UNCSX	1L5ND	11.12										
	High Capacity Unbundled Local Loop - STS1 combination -	l	İ	LINGOV	LIDI 04	447.00	4.074.00	040.40								
	Facility Termination per month			UNCSX	UDLS1	417.70	1,071.00	646.12								1
	Interoffice Transport - Dedicated - STS1 combination - Per Mile per month		l	UNCSX	1L5XX	6.14										
	Interoffice Transport - Dedicated - STS1 combination - Facility	1		011007	ILOAA	0.14										
		l	l	LINICOV	U1TFS	700.07	704.04	C70 FF					38.07	38.07	ĺ	1
	Termination per month			UNCSX	01113	790.37	794.94	679.55					30.07	30.07		
	Termination per month Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNCSX	UNCCC	790.37	21.75	21.75	32.28	10.96			38.07	38.07		

NBUNDLE	D NETWORK ELEMENTS - North Carolina												Attachment:	2		Exhibit:
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremen Charge Manual S Order vs Electroni Disc Add
						Rec	Nonrec		Nonrecurring					RATES (\$)		
	First 2-Wire ISDN Loop/DS1 Interoffice Combination Transport -						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Statewide		sw	UNCNX	U1L2X	24.98	325.91	251.31					38.07	38.07		
	Interoffice Transport - Dedicated - DS1 combination - Per Mile		SW	UNC1X	1L5XX	0.5753	323.91	231.31					30.07	36.07		
	Interoffice Transport - Dedicated - DS1 combination - Facility	1		ONOTA	TLOXX	0.5755										
	Termination per month			UNC1X	U1TF1	71.29	217.17	163.75					38.07	38.07		
	Channelization - Channel System DS1 to DS0 combination -															
	per month			UNC1X	MQ1	146.69	197.78	140.06								
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System															
	combination - per month			UNCNX	UC1CA	3.59	15.76	11.28								
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport															
	Combination - Statewide		SW	UNCNX	U1L2X	24.98	325.91	251.31					38.07	38.07		
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System															
	combintaion- per month			UNCNX	UC1CA	3.59	15.76	11.28								
	Nonrecurring Currently Combined Network Elements Switch -As-	-														
	Is Charge			UNC1X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
4-WIRE	DS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 IN	ILEKOF	FICE I	RANSPORT (EEL)												
	First DS1 Loop in STS1 Interoffice Transport Combination -			LINION	1101.307	00.70	74404	101 17					38.07	00.07		
	Statewide		SW	UNCIX	USLXX	62.78	714.84	421.47					38.07	38.07		
	Interoffice Transport - Dedicated - STS1 combination - Per Mile Per Month			UNCSX	1L5XX	6.14										
	Interoffice Transport - Dedicated - STS1 combination - Facility			UNCSX	ILSAA	0.14										
	Termination			UNCSX	U1TFS	790.37	794.94	679.55					38.07	38.07		
	STS1 to DS1 Channel System conbination per month			UNCSX	MQ3	233.10	403.90	234.40					38.07	38.07		
	DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	16.07	13.09	9.38								
	Additional DS1Loop in STS1 Interoffice Transport Combination -			ONOTA	00101	10.07	15.05	3.30								
	Statewide		sw	UNC1X	USLXX	62.78	714.84	421.47					38.07	38.07		
	DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	16.07	13.09	9.38								
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNCSX	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
4-WIRE	56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS INTERO	FFICE 1	RANS	PORT (EEL)												
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport															
	Combination - Statewide		sw	UNCDX	UDL56	37.67	489.04	337.51								
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -															
	Per Mile			UNCDX	1L5XX	0.0282										
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -															
_	Facility Termination	ļ		UNCDX	U1TD5	17.40	137.48	52.58					38.07	38.07		
	Nonrecurring Currently Combined Network Elements Switch -As-	1		LINCDY	UNCCC		21.75	21.75	32.28	40.00	1		38.07	38.07		
4-WIDE	Is Charge 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTERO	EEICE 1	DANC	UNCDX	UNCCC	-	21.75	21.75	32.28	10.96	-		38.07	38.07		\vdash
4-WIKE	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport	TFICE	KANS	TORT (EEL)	+											-
	Combination - Statewide		sw	UNCDX	UDL64	37.67	489.04	337.51								
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -	1	JW	5.10DA	00204	37.07	-103.04	337.31								
	Per Mile	1		UNCDX	1L5XX	0.0282										
-	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -	†			1-2.31	3.0202										
	Facility Termination			UNCDX	U1TD6	17.40	137.48	52.58					38.07	38.07		
	Nonrecurring Currently Combined Network Elements Switch -As-	-														
	Is Charge	<u> </u>		UNCDX	UNCCC		21.75	21.75	32.28	10.96		<u> </u>	38.07	38.07		
	NETWORK ELEMENTS															
	used as a part of a currently combined facility, the non-recurr															
	used as ordinarilty combined network elements in Georgia, th	ne non-r	ecurrin	ng charges apply ar	nd the Switch A	As Is Charge de	oes not.									
	SynchroNet)	<u> </u>		L												
Nonrec	curring Currently Combined Network Elements "Switch As Is"	Charge	(One a	applies to each con	nbination)											
	2/4-Wire VG Interoffice Channel used in a COMBINATION -	1		110000	LINIOGO		a. =-	~. =-			1		~~ ~-			
-	"Switch As Is" Conversion Charge	<u> </u>		UNCVX	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07	ļ	
	56/64 kbps Interoffice Channel used in a COMBINATION - "Switch As Is" Conversion Charge	1		UNCDX	UNCCC		21.75	21.75	20.00	40.00	1		38.07	38.07		
				TURK JA	TUNGGG		21.75	21.75	32.28	10.96	i	i	38.07	38.07	i	1
	DS1 Interoffice Channel used in a COMBINATION - "Switch As			O. TOBA	0.1000											

UNBUNDLE	D NETWORK ELEMENTS - North Carolina			T		1					1	1	Attachment:	2		Exhibit:
CATEGORY	RATE ELEMENTS	Interi m	Zone	всѕ	USOC			RATES(\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
					1	Rec	Nonred First	urring Add'l	Nonrecurring First	Disconnect Add'l	SOMEC	SOMAN	OSS F	RATES (\$)	SOMAN	SOMAN
	DS3 Interoffice Channel used in a COMBINATION - "Switch As						1 1131	Auu	11100	Auu	COMILO	COMPAR	COMPAR	COMPAR	OOMAN	COMPAR
	Is" Conversion Charge			UNC3X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
	STS1 Interoffice or Local Loop used in a COMBINATION -															
NOTE	"Switch As Is" Conversion Charge	d Dala	DC2	UNCSX	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
INDIE:	Local Channel - Dedicated Transport - minimum billing perior OCAL EXCHANGE SWITCHING(PORTS)	a - Beio	W D53:	eone month, DS3 an	id above=rou	r montns										
	nge Ports															
	Although the Port Rate includes all available features in GA,	KY, LA	& TN, t	he desired features	will need to I	be ordered usin	g retail USOCs	3								
2-WIRE	VOICE GRADE LINE PORT RATES (RES)															
	Exchange Ports - 2-Wire Analog Line Port- Res.			UEPSR	UEPRL	2.19	21.60	21.60					26.94	12.76		
	Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.			UEPSR	UEPRC	2.19	21.60	21.60					26.94	12.76		
	Endough Body O.M. Andre Line Body O. Andre D. Brown			LIEDOD	LIEDDO	0.40	04.00	04.00					00.04	40.70		
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Res. Exchange Ports - 2-Wire VG unbundled res, low usage line port			UEPSR	UEPRO	2.19	21.60	21.60					26.94	12.76		
	with Caller ID (LUM)			UEPSR	UEPAP	2.19	21.60	21.60					26.94	12.76		
	Subsequent Activity			UEPSR	USASC	0.00	0.00	0.00					20.01	.2		
FEATU							0.00									
	All Available Vertical Features			UEPSR	UEPVF	3.40	0.00	0.00					26.94	12.76		
2-WIRE	VOICE GRADE LINE PORT RATES (BUS)															
	Exchange Ports - 2-Wire Analog Line Port without Caller ID - Bus			UEPSB	UEPBL	2.19	21.60	21.60					26.94	12.76		
	Exchange Ports - 2-Wire VG unbundled Line Port with															
	unbundled port with Caller+E484 ID - Bus.			UEPSB	UEPBC	2.19	21.60	21.60					26.94	12.76		
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus. Exhange Ports - 2-Wire VG unbundled incoming only port with			UEPSB	UEPBO	2.19	21.60	21.60					26.94	12.76		
	Caller ID - Bus			UEPSB	UEPB1	2.19	21.60	21.60					26.94	12.76		
	Subsequent Activity			UEPSB	USASC	0.00	0.00	0.00								
FEATU																
	All Available Vertical Features			UEPSB	UEPVF	3.40	0.00	0.00					26.94	12.76		
	NGE PORT RATES (DID & PBX)	-		UEPSE	UEPRD	0.40	21.60	21.60					26.94	12.76		
	2-Wire VG Unbundled 2-Way PBX Trunk - Res 2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus			UEPSE	UEPRD	2.18 2.18	21.60	21.60					26.94	12.76		
	2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus			UEPSP	UEPPO	2.18	21.60	21.60					26.94	12.76		
	2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus			UEPSP	UEPP1	2.18	21.60	21.60					26.94	12.76		
	2-Wire Analog Long Distance Terminal PBX Trunk - Bus			UEPSP	UEPLD	2.18	21.60	21.60					26.94	12.76		
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPSP	UEPLD	2.18	21.60	21.60					26.94	12.76		
	2-Wire Vice Unbundled 2-Way PBX Usage Port			UEPSP	UEPXA	2.18	21.60	21.60					26.94	12.76		
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPSP	UEPXB	2.18	21.60	21.60					26.94	12.76		
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPSP	UEPXC	2.18	21.60	21.60					26.94	12.76		<u> </u>
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port 2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD			UEPSP	UEPXD	2.18	21.60	21.60					26.94	12.76		
	Capable Port 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			UEPSP	UEPXE	2.18	21.60	21.60					26.94	12.76		
	Administrative Calling Port 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			UEPSP	UEPXL	2.18	21.60	21.60					26.94	12.76		
	Room Calling Port 2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital	-		UEPSP	UEPXM	2.18	21.60	21.60					26.94	12.76		
	Discount Room Calling Port			UEPSP	UEPXO	2.18	21.60	21.60					26.94	12.76		
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPSP	UEPXS	2.18	21.60	21.60					26.94	12.76		
	Subsequent Activity			UEPSP	USASC	0.00	0.00	0.00								<u> </u>
FEATU	All Available Vertical Features	 		UEPSP UEPSE	UEPVF	3.40	0.00	0.00					26.94	12.76		
	NGE PORT RATES (COIN)	-		ULFOF UEPSE	UEFVF	3.40	0.00	0.00			-		20.94	12.76		
	Exchange Ports - Coin Port	1				2.59	21.60	21.60					26.94	12.76		
	Transmission/usage charges associated with POTS circuit so	1		L	1						1	ı		12.70		

	D NETWORK ELEMENTS - North Carolina												Attachment:	2		Exhibit: B
													Incremental	Incremental		Incremental
		Interi									Cur Onder	Core Conden	Charge - Manual Svc	Charge -	Charge - Manual Svc	Charge - Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)						Manual Svc		
												Submitted		Order vs.	Order vs.	Order vs.
											Elec		Electronic-	Electronic-	Electronic-	Electronic-
1						l i I			1		per LSR	per LSR	1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonrec		Monroourris	g Disconnect			000	RATES (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN		SOMAN	SOMAN
						l l	riist	Auu i	First	Auu i	SOWIEC	SOMAN	JOWAN	JOWAN	JOWAN	JOWAN
NOTE:	Access to B Channel or D Channel Packet capabilities will be	امانوسو	bla anlı	through DED/Nov	, Business Be	augus Brasses	Datas for the	naakat aanahi	النبي مما النبي	latarminad via	the Bene Ei	do Doguest	New Business	Dogwood Bra		
	OCAL EXCHANGE SWITCHING (PORTS)	e availai	le only	iniough brk/New	Dusiliess Re	quest Process.	Rates for the	раскет сараві	lities will be t	letermineu via	The Bolla Fi	ie Requesi/	New Dusines	Request Fro	cess.	
	NGE PORT RATES (DID & PBX)										1					
2.0.0	Exchange Ports - 2-Wire DID Port			UEPEX	UEPP2	12.36	108.78	84.60			1		26.94	12.76		
	Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID			02. 27.	022	12.00	.00.70	000					20.01	.2.70		
	capability			UEPDD	UEPDD	123.65	143.53	82.68					19.99	19.99	19.99	19.99
	Exchange Ports - 2-Wire ISDN Port (See Notes below.)			UEPTX UEPSX	U1PMA	24.50	117.59	117.59					55.30	55.30		
	All Features Offered			UEPTX UEPSX	UEPVF	3.40	0.00	0.00								
NOTE:	Transmission/usage charges associated with POTS circuit so	witched	usage	will also apply to o	circuit switche	ed voice and/or	circuit switch	ed data transm	ission by B-C	hannels assoc	iated with 2	wire ISDN	oorts.			
NOTE:	Access to B Channel or D Channel Packet capabilities will be	e availal	ble only	through BFR/New	Business Re	quest Process.	Rates for the	packet capabi	lities will be o	letermined via	the Bona Fi	de Request/	New Busines	s Request Pro	cess.	
	Exchange Ports - 2-Wire ISDN Port Channel Profiles			UEPTX UEPSX	U1UMA	0.00	0.00	0.00						1		
	Exchange Ports - 4-Wire ISDN DS1 Port			UEPEX	UEPEX	179.75	241.63	241.63					53.89	53.89		
	OCAL SWITCHING, PORT USAGE															
End Of	fice Switching (Port Usage)															
	End Office Switching Function, Per MOU					0.0015										
	End Office Trunk Port - Shared, Per MOU					0.00023										
Tander	n Switching (Port Usage) (Local or Access Tandem)															
	Tandem Switching Function Per MOU					0.0006										
	Tandem Trunk Port - Shared, Per MOU	ļ				0.0003										
Commo	on Transport					0.00004										
Commo	Common Transport - Per Mile, Per MOU					0.00001										
	Common Transport - Per Mile, Per MOU Common Transport - Facilities Termination Per MOU					0.00001 0.00034										
UNBUNDLED F	Common Transport - Per Mile, Per MOU Common Transport - Facilities Termination Per MOU PORT/LOOP COMBINATIONS - COST BASED RATES	nd/or St	eato Cor	mmission rule to n	rovido Unbun	0.00034	ching or Swit	sh Porte								
UNBUNDLED F	Common Transport - Per Mile, Per MOU Common Transport - Facilities Termination Per MOU 'ORT/LOOP COMBINATIONS - COST BASED RATES ased Rates are applied where BellSouth is required by FCC ar					0.00034 dled Local Swit			ad Port section	n of this Pate I	whihit					
UNBUNDLED F	Common Transport - Per Mile, Per MOU Common Transport - Facilities Termination Per MOU PORT/LOOP COMBINATIONS - COST BASED RATES					0.00034 dled Local Swit			ed Port sectio	n of this Rate I	Exhibit.					
UNBUNDLED F Cost B Feature	Common Transport - Per Mile, Per MOU Common Transport - Facilities Termination Per MOU ORT/LOOP COMBINATIONS - COST BASED RATES ased Rates are applied where BellSouth is required by FCC all as shall apply to the Unbundled Port/Loop Combination - Cos	st Based	l Rate s	section in the same	manner as th	0.00034 dled Local Swit ey are applied	to the Stand-A	one Unbundle				in Port// oor	Combination			
UNBUNDLED F Cost B Feature	Common Transport - Per Mile, Per MOU Common Transport - Facilities Termination Per MOU 'ORT/LOOP COMBINATIONS - COST BASED RATES ased Rates are applied where BellSouth is required by FCC ar	st Based	l Rate s	section in the same	manner as th	0.00034 dled Local Swit ey are applied	to the Stand-A	one Unbundle				in Port/Loop	o Combination	ns.		
UNBUNDLED F Cost B Feature	Common Transport - Per Mile, Per MOU Common Transport - Facilities Termination Per MOU ORT/LOOP COMBINATIONS - COST BASED RATES ased Rates are applied where BellSouth is required by FCC are as shall apply to the Unbundled Port/Loop Combination - Cost fice and Tandem Switching Usage and Common Transport Us	st Based sage rat	Rate s	section in the same	manner as th	0.00034 dled Local Switeley are applied to the shall apply to	to the Stand-A	one Unbundle	rt network ele	ements except	for UNE Co					
UNBUNDLED F Cost B Feature End Of	Common Transport - Per Mile, Per MOU Common Transport - Facilities Termination Per MOU ORT/LOOP COMBINATIONS - COST BASED RATES ased Rates are applied where BellSouth is required by FCC at as shall apply to the Unbundled Port/Loop Combination - Cost fice and Tandem Switching Usage and Common Transport Us orgia, Kentucky, Louisiana, MIssissippi and Tennessee, the re	st Based sage rat	Rates es in the	section in the same ne Port section of the Port and Loop char	manner as the his rate exhiborges listed app	0.00034 dled Local Swite ey are applied to the shall apply to be currently to Currently	o the Stand-A	one Unbundle ons of loop/po d Not Currentl	ort network ele	ements except	for UNE Co	additional F	ort nonrecur	ing charges a		
UNBUNDLED F Cost B Feature End Of For Ge Combin	Common Transport - Per Mile, Per MOU Common Transport - Facilities Termination Per MOU ORT/LOOP COMBINATIONS - COST BASED RATES ased Rates are applied where BellSouth is required by FCC are as shall apply to the Unbundled Port/Loop Combination - Cost fice and Tandem Switching Usage and Common Transport Us orgia, Kentucky, Louisiana, Mississippi and Tennessee, the re ned Combos for all states. In GA, KY, LA, MS and TN these no	st Based sage rat recurring onrecurr	Rate sees in the g UNE Fring cha	section in the same ne Port section of the Port and Loop char arges are commiss	manner as the his rate exhiborges listed applion ordered contacts.	0.00034 dled Local Switely are applied to the shall apply to be currently ost based rates	all combination Combined and and in AL, FL	one Unbundle ons of loop/po d Not Currentl	ort network ele	ements except	for UNE Co	additional F	ort nonrecur	ing charges a		
UNBUNDLED F Cost B Feature End Of For Ge Combin Combin	Common Transport - Per Mile, Per MOU Common Transport - Facilities Termination Per MOU ORT/LOOP COMBINATIONS - COST BASED RATES ased Rates are applied where BellSouth is required by FCC as as shall apply to the Unbundled Port/Loop Combination - Cos fice and Tandem Switching Usage and Common Transport Us orgia, Kentucky, Louisiana, Mississippi and Tennessee, the red Combos for all states. In GA, KY, LA, MS and TN these no ned Combos in all other states, the nonrecurring charges sha	st Based sage rat recurring onrecurr	Rate sees in the g UNE Fring cha	section in the same ne Port section of the Port and Loop char arges are commiss	manner as the his rate exhiborges listed applion ordered contacts.	0.00034 dled Local Switely are applied to the shall apply to be currently ost based rates	all combination Combined and and in AL, FL	one Unbundle ons of loop/po d Not Currentl	ort network ele	ements except	for UNE Co	additional F	ort nonrecur	ing charges a		
UNBUNDLED F Cost B Feature End Of For Ge Combin Combin 2-WIRE	Common Transport - Per Mile, Per MOU Common Transport - Facilities Termination Per MOU ORT/LOOP COMBINATIONS - COST BASED RATES ased Rates are applied where BellSouth is required by FCC as as shall apply to the Unbundled Port/Loop Combination - Cos fice and Tandem Switching Usage and Common Transport Us orgia, Kentucky, Louisiana, MIssissippi and Tennessee, the read Combos for all states. In GA, KY, LA, MS and TN these not and Combos in all other states, the nonrecurring charges sha VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)	st Based sage rat recurring onrecurr	Rate sees in the g UNE Fring cha	section in the same ne Port section of the Port and Loop char arges are commiss	manner as the his rate exhiborges listed applion ordered contacts.	0.00034 dled Local Switely are applied to the shall apply to be currently ost based rates	all combination Combined and and in AL, FL	one Unbundle ons of loop/po d Not Currentl	ort network ele	ements except	for UNE Co	additional F	ort nonrecur	ing charges a		
UNBUNDLED F Cost B Feature End Of For Ge Combin Combin 2-WIRE	Common Transport - Per Mile, Per MOU Common Transport - Facilities Termination Per MOU ORT/LOOP COMBINATIONS - COST BASED RATES ased Rates are applied where BellSouth is required by FCC as as shall apply to the Unbundled Port/Loop Combination - Cost fice and Tandem Switching Usage and Common Transport Usage, Kentucky, Louisiana, Mississippi and Tennessee, the related Combos for all states. In GA, KY, LA, MS and TN these noted Combos in all other states, the nonrecurring charges shall VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)	st Based sage rat recurring onrecurr	es in the g UNE Fring chapes	section in the same ne Port section of the Port and Loop char arges are commiss	manner as the his rate exhiborges listed applion ordered contacts.	0.00034 dled Local Swittey are applied in the shall apply to be compared to the shall apply to be compared to the shall apply to currently ost based rates rently Combine	all combination Combined and and in AL, FL	one Unbundle ons of loop/po d Not Currentl	ort network ele	ements except	for UNE Co	additional F	ort nonrecur	ing charges a		
UNBUNDLED F Cost B Feature End Of For Ge Combin Combin 2-WIRE UNE PG	Common Transport - Per Mile, Per MOU Common Transport - Facilities Termination Per MOU ORT/LOOP COMBINATIONS - COST BASED RATES ased Rates are applied where BellSouth is required by FCC are as shall apply to the Unbundled Port/Loop Combination - Cost fice and Tandem Switching Usage and Common Transport Usage and Tandem Switching Usage and Tennessee, the related Combos for all states. In GA, KY, LA, MS and TN these noted Combos in all other states, the nonrecurring charges shall VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) TOTAL ORD Combination Rates 2-Wire VG Loop/Port Combo - Statewide	st Based sage rat recurring onrecurr	Rate sees in the g UNE Fring cha	section in the same ne Port section of the Port and Loop char arges are commiss	manner as the his rate exhiborges listed applion ordered contacts.	0.00034 dled Local Switely are applied to the shall apply to be currently ost based rates	all combination Combined and and in AL, FL	one Unbundle ons of loop/po d Not Currentl	ort network ele	ements except	for UNE Co	additional F	ort nonrecur	ing charges a		
UNBUNDLED F Cost B Feature End Of For Ge Combin 2-WIRE UNE PG	Common Transport - Per Mile, Per MOU Common Transport - Facilities Termination Per MOU ORT/LOOP COMBINATIONS - COST BASED RATES ased Rates are applied where BellSouth is required by FCC as as shall apply to the Unbundled Port/Loop Combination - Cos fice and Tandem Switching Usage and Common Transport Us orgia, Kentucky, Louisiana, Mississippi and Tennessee, the red Combos for all states. In GA, KY, LA, MS and TN these no ed Combos in all other states, the nonrecurring charges sha VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Statewide oop Rates	st Based sage rat recurring onrecurr	d Rate s res in the g UNE F ring cha	section in the same ne Port section of t Port and Loop char arges are commiss ntified in the Nonre	manner as th his rate exhib rges listed ap- ion ordered c acurring - Cur	0.00034 dled Local Swite ey are applied to it shall apply to by to Currently ost based rates rently Combine	all combination Combined and and in AL, FL	one Unbundle ons of loop/po d Not Currentl	ort network ele	ements except	for UNE Co	additional F	ort nonrecur	ing charges a		
End Of For Ge Combin 2-WIRE UNE PO	Common Transport - Per Mile, Per MOU Common Transport - Facilities Termination Per MOU ORT/LOOP COMBINATIONS - COST BASED RATES ased Rates are applied where BellSouth is required by FCC are as shall apply to the Unbundled Port/Loop Combination - Cost fice and Tandem Switching Usage and Common Transport Usage and Tandem Switching Usage and Tennessee, the related Combos for all states. In GA, KY, LA, MS and TN these noted Combos in all other states, the nonrecurring charges shall VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) TOTAL ORD Combination Rates 2-Wire VG Loop/Port Combo - Statewide	st Based sage rat recurring onrecurr	es in the g UNE Fring chapes	section in the same ne Port section of the Port and Loop char arges are commiss	manner as the his rate exhiborges listed applion ordered contacts.	0.00034 dled Local Swittey are applied in the shall apply to be compared to the shall apply to be compared to the shall apply to currently ost based rates rently Combine	all combination Combined and and in AL, FL	one Unbundle ons of loop/po d Not Currentl	ort network ele	ements except	for UNE Co	additional F	ort nonrecur	ing charges a		
End Of For Ge Combin 2-WIRE UNE PO	Common Transport - Per Mile, Per MOU Common Transport - Facilities Termination Per MOU OPT/LOOP COMBINATIONS - COST BASED RATES Pased Rates are applied where BellSouth is required by FCC at a shall apply to the Unbundled Port/Loop Combination - Cost fice and Tandem Switching Usage and Common Transport Use orgia, Kentucky, Louisiana, Mississippi and Tennessee, the related Combos for all states. In GA, KY, LA, MS and TN these noted Combos in all other states, the nonrecurring charges shall volice GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Statewide op Rates 2-Wire Voice Grade Loop (SL1) - Statewide Voice Grade Line Port Rates (Res)	st Based sage rat recurring onrecurr	d Rate s res in the g UNE F ring cha	section in the same ne Port section of t Port and Loop char arges are commiss ntified in the Nonre	manner as th his rate exhib rges listed ap- ion ordered c acurring - Cur	0.00034 dled Local Swite ey are applied in it shall apply to only to Currently ost based rates rently Combine 16.46 14.18	to the Stand-A all combination Combined and and in AL, FL d sections.	ons of loop/pc	ort network ele	ements except	for UNE Co	additional F	ort nonrecur	ing charges a		
End Of For Ge Combin 2-WIRE UNE PO	Common Transport - Per Mile, Per MOU Common Transport - Facilities Termination Per MOU ORT/LOOP COMBINATIONS - COST BASED RATES ased Rates are applied where BellSouth is required by FCC at as shall apply to the Unbundled Port/Loop Combination - Cost fice and Tandem Switching Usage and Common Transport Us orgia, Kentucky, Louisiana, Mississippi and Tennessee, the read Combos for all states. In GA, KY, LA, MS and TN these noted Combos in all other states, the nonrecurring charges sha VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Statewide 12-Wire Voice Grade Loop (SL1) - Statewide	st Based sage rat recurring onrecurr	d Rate s res in the g UNE F ring cha	pection in the same the Port section of the Port and Loop charanges are commiss ntified in the Nonre	manner as the manner as the his rate exhibiting sellisted applied to accurring - Cur	0.00034 dled Local Swite ey are applied to it shall apply to by to Currently ost based rates rently Combine	all combination Combined and and in AL, FL	one Unbundle ons of loop/po d Not Currentl	ort network ele	ements except	for UNE Co	additional F	Port nonrecuri	ring charges a		
End Of For Ge Combin 2-WIRE UNE PO	Common Transport - Per Mile, Per MOU Common Transport - Facilities Termination Per MOU ORT/LOOP COMBINATIONS - COST BASED RATES ased Rates are applied where BellSouth is required by FCC as as shall apply to the Unbundled Port/Loop Combination - Cos fice and Tandem Switching Usage and Common Transport Us orgia, Kentucky, Louisiana, Mississippi and Tennessee, the red Combos for all states. In GA, KY, LA, MS and TN these no ned Combos in all other states, the nonrecurring charges shall VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire Voice Coop/Port Combo - Statewide top Rates 2-Wire Voice Grade Loop (SL1) - Statewide Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence	st Based sage rat recurring onrecurr	d Rate s res in the g UNE F ring cha	Port section of the Port section of the Port section of the Port and Loop characters are commissentified in the Nonrell UEPRX	manner as the manner as the his rate exhibiting a sisted applies on ordered courring - Curring - Curring - Curring - Curring - Curring - Curring - Curring - Curring - Curring - Curring - Curring - Curring - Curring - Cur	0.00034 dled Local Swite ey are applied to it shall apply to Currently ost based rates rently Combine 16.46 14.18	to the Stand-A all combination Combined and and in AL, FL d sections.	ons of loop/pc d Not Currentl , NC and SC tt	ort network ele	ements except	for UNE Co	additional F	Port nonrecuri	ing charges a Market Rate s		
End Of For Ge Combin 2-WIRE UNE PO	Common Transport - Per Mile, Per MOU Common Transport - Facilities Termination Per MOU ORT/LOOP COMBINATIONS - COST BASED RATES ased Rates are applied where BellSouth is required by FCC as as shall apply to the Unbundled Port/Loop Combination - Cost fice and Tandem Switching Usage and Common Transport Us orgia, Kentucky, Louisiana, Mississippi and Tennessee, the read Combos for all states. In GA, KY, LA, MS and TN these nead Combos in all other states, the nonrecurring charges sha VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Statewide opp Rates 2-Wire Voice Grade Loop (SL1) - Statewide Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res	st Based sage rat recurring onrecurr	d Rate s res in the g UNE F ring cha	Port section of the Port section of the Port section of the Port and Loop chararges are commissentified in the Nonrell UEPRX UEPRX UEPRX UEPRX	manner as the manner as the his rate exhibiting as listed application ordered accurring - Curring - Curring - UEPLX UEPLX UEPRL UEPRC	0.00034 dled Local Swite ey are applied to it shall apply to obly to Currently ost based rates rently Combine 16.46 14.18 2.28	to the Stand-A all combinate Combined and and in AL, FL d sections. 90.00 90.00	ons of loop/pc d Not Currenti , NC and SC ti	ort network ele	ements except	for UNE Co	additional F	Port nonrecuri	Market Rate s		
End Of For Ge Combin 2-WIRE UNE PO	Common Transport - Per Mile, Per MOU Common Transport - Facilities Termination Per MOU ORT/LOOP COMBINATIONS - COST BASED RATES ased Rates are applied where BellSouth is required by FCC at as shall apply to the Unbundled Port/Loop Combination - Cost fice and Tandem Switching Usage and Common Transport Us orgia, Kentucky, Louisiana, MIssissippi and Tennessee, the read Combos for all states. In GA, KY, LA, MS and TN these need Combos in all other states, the nonrecurring charges sha COICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Statewide opp Rates 2-Wire Voice Grade Loop (SL1) - Statewide Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res	st Based sage rat recurring onrecurr	d Rate s res in the g UNE F ring cha	Port section of the Port section of the Port section of the Port and Loop chararges are commissentified in the Nonrell UEPRX UEPRX UEPRX UEPRX	manner as the manner as the his rate exhibiting as listed application ordered accurring - Curring - Curring - UEPLX UEPLX UEPRL UEPRC	0.00034 dled Local Swite ey are applied to it shall apply to obly to Currently ost based rates rently Combine 16.46 14.18 2.28	to the Stand-A all combinate Combined and and in AL, FL d sections. 90.00 90.00	ons of loop/pc d Not Currenti , NC and SC ti	ort network ele	ements except	for UNE Co	additional F	Port nonrecuri	Market Rate s		
End Of For Ge Combin 2-WIRE UNE PO	Common Transport - Per Mile, Per MOU Common Transport - Facilities Termination Per MOU ORT/LOOP COMBINATIONS - COST BASED RATES ased Rates are applied where BellSouth is required by FCC as as shall apply to the Unbundled Port/Loop Combination - Cos fice and Tandem Switching Usage and Common Transport Us orgia, Kentucky, Louisiana, Mississippi and Tennessee, the red Combos for all states. In GA, KY, LA, MS and Th these noted Combos in all other states, the nonrecurring charges sha VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Statewide op Rates 2-Wire Voice Grade Loop (SL1) - Statewide Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled sers, low usage line port with Caller ID (LUM)	st Based sage rat recurring onrecurr	d Rate s res in the g UNE F ring cha	DEPRX UEPRX UEPRX UEPRX UEPRX	manner as the ma	0.00034 dled Local Swite ey are applied it shall apply to Currently ost based rates rently Combine 16.46 14.18 2.28 2.28 2.28	all combination Combined and and in AL, FL discretions.	90.00 90.00	ort network ele	ements except	for UNE Co	additional F	Port nonrecuric listed in the 40.18 40.18 40.18	9.45 9.45		
UNBUNDLED F Cost B Feature End Of For Ge Combin 2-WIRE UNE Pc UNE Lc 2-Wire	Common Transport - Per Mile, Per MOU Common Transport - Facilities Termination Per MOU ORT/LOOP COMBINATIONS - COST BASED RATES ased Rates are applied where BellSouth is required by FCC as as shall apply to the Unbundled Port/Loop Combination - Cos fice and Tandem Switching Usage and Common Transport Us orgia, Kentucky, Louisiana, Mississippi and Tennessee, the red Combos for all states. In GA, KY, LA, MS and TN these no ned Combos for all states, the nonrecurring charges shall VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Statewide top Rates 2-Wire Voice Grade Loop (SL1) - Statewide Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port with Caller ID (LUM) RES All Features Offered	st Based sage rat recurring onrecurr	d Rate s res in the g UNE F ring cha	DEPRX UEPRX UEPRX UEPRX UEPRX	manner as the ma	0.00034 dled Local Swite ey are applied to it shall apply to Currently ost based rates rently Combine 16.46 14.18 2.28 2.28 2.28	all combination Combined and and in AL, FL discretions.	90.00 90.00	ort network ele	ements except	for UNE Co	additional F	Port nonrecuric listed in the 40.18 40.18 40.18	9.45 9.45		
UNBUNDLED F Cost B Feature End Of For Ge Combin 2-WIRE UNE Po 2-Wire FEATU	Common Transport - Per Mile, Per MOU Common Transport - Facilities Termination Per MOU ORT/LOOP COMBINATIONS - COST BASED RATES ased Rates are applied where BellSouth is required by FCC are as shall apply to the Unbundled Port/Loop Combination - Cost fice and Tandem Switching Usage and Common Transport Us orgia, Kentucky, Louisiana, Mississippi and Tennessee, the re ned Combos for all states. In GA, KY, LA, MS and TN these ned Combos in all other states, the nonrecurring charges shall VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Statewide oop Rates 2-Wire Voice Grade Loop (SL1) - Statewide Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled sees, low usage line port with Caller ID (LUM) RES AIF Seatures Offered NUMBER PORTABILITY	st Based sage rat recurring onrecurr	d Rate s res in the g UNE F ring cha	DEPRX UEPRX UEPRX UEPRX	manner as the his rate exhibits rate exhibits rate exhibits rate applied to recurring - Curring	0.00034 dled Local Switely are applied to the shall apply to currently ost based rates rently Combine 16.46 14.18 2.28 2.28 2.28 3.40	20 the Stand-A all combination Combined and and in AL, FL d sections.	ons of loop/pc d Not Currentl , NC and SC ti 90.00 90.00 90.00	ort network ele	ements except	for UNE Co	additional F	40.18 40.18 40.18	9.45 9.45		
UNBUNDLED F Cost B Feature End Of For Ge Combin 2-WIRE UNE Pc UNE Lc 2-Wire FEATU	Common Transport - Per Mile, Per MOU Common Transport - Facilities Termination Per MOU ORT/LOOP COMBINATIONS - COST BASED RATES ased Rates are applied where BellSouth is required by FCC as as shall apply to the Unbundled Port/Loop Combination - Cost fice and Tandem Switching Usage and Common Transport Us orgia, Kentucky, Louisiana, Mississippi and Tennessee, the read Combos for all states. In GA, KY, LA, MS and TN these nead Combos in all other states, the nonrecurring charges sha VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Statewide voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled see, low usage line port with Caller ID (LUM) RES All Features Offered NUMBER PORTABILITY Local Number Portability (1 per port)	st Based sage rat recurring onrecurr	d Rate s res in the g UNE F ring cha	DEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	manner as the manner as the his rate exhibiting as listed applied on ordered cocurring - Cur	0.00034 dled Local Swite ey are applied it shall apply to Currently ost based rates rently Combine 16.46 14.18 2.28 2.28 2.28	20 the Stand-A all combination Combined and and in AL, FL d sections.	ons of loop/pc d Not Currentl , NC and SC ti 90.00 90.00 90.00	ort network ele	ements except	for UNE Co	additional F	40.18 40.18 40.18	9.45 9.45		
UNBUNDLED F Cost B Feature End Of For Ge Combin 2-WIRE UNE Pc UNE Lc 2-Wire FEATU	Common Transport - Per Mile, Per MOU Common Transport - Facilities Termination Per MOU ORT/LOOP COMBINATIONS - COST BASED RATES ased Rates are applied where BellSouth is required by FCC as as shall apply to the Unbundled Port/Loop Combination - Cos fice and Tandem Switching Usage and Common Transport Us orgia, Kentucky, Louisiana, Mississippi and Tennessee, the red Combos for all states. In GA, KY, LA, MS and TN these no ned Combos for all states. In GA, KY, LA, MS and TN these no ned Combos in all other states, the nonrecurring charges sha VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ory/Loop Combination Rates 2-Wire VG Loop/Port Combo - Statewide op Rates 2-Wire Voice Grade Loop (SL1) - Statewide Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundles res, low usage line port with Caller ID (LUM) RES All Features Offered NUMBER PORTABILITY Local Number Portability (1 per port) CURRING CHARGES (NRCs) - CURRENTLY COMBINED	st Based sage rat recurring onrecurr	d Rate s res in the g UNE F ring cha	DEPRX UEPRX UEPRX UEPRX	manner as the his rate exhibits rate exhibits rate exhibits rate applied to recurring - Curring	0.00034 dled Local Switely are applied to the shall apply to currently ost based rates rently Combine 16.46 14.18 2.28 2.28 2.28 3.40	20 the Stand-A all combination Combined and and in AL, FL d sections.	ons of loop/pc d Not Currentl , NC and SC ti 90.00 90.00 90.00	ort network ele	ements except	for UNE Co	additional F	40.18 40.18 40.18	9.45 9.45		
UNBUNDLED F Cost B Feature End Of For Ge Combin 2-WIRE UNE Pc UNE Lc 2-Wire FEATU	Common Transport - Per Mile, Per MOU Common Transport - Facilities Termination Per MOU OrnTriLOOP COMBINATIONS - COST BASED RATES ased Rates are applied where BellSouth is required by FCC as as shall apply to the Unbundled Port/Loop Combination - Cos fice and Tandem Switching Usage and Common Transport Us orgia, Kentucky, Louisiana, Mississippi and Tennessee, the re ed Combos for all states. In GA, KY, LA, MS and TN these no ned Combos in all other states, the nonrecurring charges shall VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VoLoop/Port Combo - Statewide oop Rates 2-Wire Voice Grade Loop (SL1) - Statewide Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port using only - res 2-Wire voice unbundled port using only - res 2-Wire voice unbundled port vibrage line port with Caller ID (LUM) RES All Features Offered NUMBER PORTABILITY Local Number Portability (1 per port) CURRING CHARGES (NRCs) - CURRENTLY COMBINED 2-Wire Voice Grade Loop / Line Port Combination - Conversion -	st Based sage rat recurring onrecurr	d Rate s res in the g UNE F ring cha	DEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	manner as the his rate exhibiting as listed applied to recurring - Curring -	0.00034 dled Local Switely are applied to the shall apply to currently ost based rates rently Combine 16.46 14.18 2.28 2.28 2.28 3.40	eo the Stand-A all combination Combined and and in AL, FL d sections. 90.00 90.00 90.00 90.00 0.00	90.00 90.00 90.00	ort network ele	ements except	for UNE Co	additional F	40.18 40.18 40.18 40.18	9.45 9.45 9.45		
UNBUNDLED F Cost B Feature End Of For Ge Combin 2-WIRE UNE Pc UNE Lc 2-Wire FEATU	Common Transport - Per Mile, Per MOU Common Transport - Facilities Termination Per MOU ORT/LOOP COMBINATIONS - COST BASED RATES ased Rates are applied where BellSouth is required by FCC as as shall apply to the Unbundled Port/Loop Combination - Cos fice and Tandem Switching Usage and Common Transport Us orgia, Kentucky, Louisiana, Mlssissippi and Tennessee, the red Combos for all states. In GA, KY, LA, MS and TN these noted Combos in all other states, the nonrecurring charges sha VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Statewide voice Grade Line Port Rates (Res) 2-Wire Voice Grade Loop (SL1) - Statewide Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 3-Wire voice unbundled port with Caller ID res 2-Wire voice unbundled port with Caller ID res 3-Wire voice unbundled port with Caller ID res 3-Wire voice unbundled port with Caller ID res 3-Wire voice unbundled port with Caller ID res 3-Wire voice unbundled port voice unbundled port with Caller ID (LUM) RES All Features Offered NUMBER PORTABILITY Local Number Portability (1 per port) CURRING CHARGES (NRCs) - CURRENTLY COMBINED 3-Wirch-as-is	st Based sage rat recurring onrecurr	d Rate s res in the g UNE F ring cha	DEPRX UEPRX UEPRX UEPRX	manner as the his rate exhibits rate exhibits rate exhibits rate applied to recurring - Curring	0.00034 dled Local Switely are applied to the shall apply to currently ost based rates rently Combine 16.46 14.18 2.28 2.28 2.28 3.40	20 the Stand-A all combination Combined and and in AL, FL d sections.	ons of loop/pc d Not Currentl , NC and SC ti 90.00 90.00 90.00	ort network ele	ements except	for UNE Co	additional F	40.18 40.18 40.18	9.45 9.45		
UNBUNDLED F Cost B Feature End Of For Ge Combin 2-WIRE UNE Pc UNE Lc 2-Wire FEATU	Common Transport - Per Mile, Per MOU Common Transport - Facilities Termination Per MOU ORT/LOOP COMBINATIONS - COST BASED RATES ased Rates are applied where BellSouth is required by FCC at as shall apply to the Unbundled Port/Loop Combination - Cost fice and Tandem Switching Usage and Common Transport Us orgia, Kentucky, Louisiana, Mississippi and Tennessee, the read Combos for all states. In GA, KY, LA, MS and TN these ne ned Combos for all states. In GA, KY, LA, MS and TN these ne ned Combos in all other states, the nonrecurring charges sha VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Statewide opp Rates 2-Wire Voice Grade Loop (SL1) - Statewide Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port residence 2-Wire voice unbundled port outgoing only - res 2-Wire voice un	st Based sage rat recurring onrecurr	d Rate s res in the g UNE F ring cha	DEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	manner as the manner as the his rate exhibiting as listed applied on ordered cocurring - Curring	0.00034 dled Local Switely are applied to the shall apply to currently ost based rates rently Combine 16.46 14.18 2.28 2.28 2.28 3.40	20 the Stand-A all combination Combined and and in AL, FL discretions. 90.00 90.00 90.00 90.00 2.77	90.00 90.00 90.00	ort network ele	ements except	for UNE Co	additional F	40.18 40.18 40.18	9.45 9.45 9.45		
UNBUNDLED F Cost B Feature End Of For Ge Combin 2-WIRE UNE Pc UNE Lc 2-Wire FEATU	Common Transport - Per Mile, Per MOU Common Transport - Facilities Termination Per MOU ORT/LOOP COMBINATIONS - COST BASED RATES ased Rates are applied where BellSouth is required by FCC as as shall apply to the Unbundled Port/Loop Combination - Cos fice and Tandem Switching Usage and Common Transport Us orgia, Kentucky, Louisiana, Mississippi and Tennessee, the re ed Combos for all states. In GA, KY, LA, MS and TN these no ned Combos in all other states, the nonrecurring charges shall VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Statewide oop Rates 2-Wire Voice Grade Loop (SL1) - Statewide Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port visth Caller ID - res 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port with Caller ID (LUM) RES All Features Offered NUMBER PORTABILITY Local Number Portability (1 per port) CURRING CHARGES (NRCs) - CURRENTLY COMBINED 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change	st Based sage rat recurring onrecurr	d Rate s res in the g UNE F ring cha	DEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	manner as the his rate exhibiting as listed applied to recurring - Curring -	0.00034 dled Local Switely are applied to the shall apply to currently ost based rates rently Combine 16.46 14.18 2.28 2.28 2.28 3.40	eo the Stand-A all combination Combined and and in AL, FL d sections. 90.00 90.00 90.00 90.00 0.00	90.00 90.00 90.00	ort network ele	ements except	for UNE Co	additional F	40.18 40.18 40.18 40.18	9.45 9.45 9.45		
UNBUNDLED F Cost B Feature End Of For Ge Combin 2-WIRE UNE Pc UNE Lc 2-Wire FEATU	Common Transport - Per Mile, Per MOU Common Transport - Facilities Termination Per MOU ORT/LOOP COMBINATIONS - COST BASED RATES ased Rates are applied where BellSouth is required by FCC as as shall apply to the Unbundled Port/Loop Combination - Cos fice and Tandem Switching Usage and Common Transport Us orgia, Kentucky, Louisiana, Mississippi and Tennessee, the red Combos for all states. In GA, KY, LA, MS and TN these ne ed Combos in all other states, the nonrecurring charges sha VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Statewide op Rates 2-Wire Voice Grade Loop (SL1) - Statewide Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice Unbundled port outgoing only - res 2-Wire voice Unbundled port outgoing only - res 2-Wire voice Unbundled port outgoing only - res 2-Wire voice Unbundled port outgoing only - res 2-Wire voice Unbundled port outgoing only - res 2-Wire voice Unbundled port outgoing only - res 2-Wire voice Unbundled port outgoing only - res 2-Wire voice Grade Loop / Line Port Combination - Conversion - Switch vith change 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change 2-Wire Voice Grade Loop / Line Port Combination - Conversion -	st Based sage rat recurring onrecurr	d Rate s res in the g UNE F ring cha	DEPRX UEPRX UEPRX UEPRX UEPRX	manner as the manner as the his rate exhibiting as listed applied on ordered cocurring - Curring	0.00034 dled Local Switely are applied to the shall apply to currently ost based rates rently Combine 16.46 14.18 2.28 2.28 2.28 3.40	90.00 90.00 90.00 90.00 2.77	90.00 90.00 90.00	ort network ele	ements except	for UNE Co	additional F	40.18 40.18 40.18 40.18 40.18	9.45 9.45 9.45		
UNBUNDLED F Cost B Feature End Of For Ge Combin 2-WIRE UNE Pc UNE Lc 2-Wire FEATU LOCAL NONRE	Common Transport - Per Mile, Per MOU Common Transport - Facilities Termination Per MOU ORT/LOOP COMBINATIONS - COST BASED RATES ased Rates are applied where BellSouth is required by FCC as as shall apply to the Unbundled Port/Loop Combination - Cos fice and Tandem Switching Usage and Common Transport Us orgia, Kentucky, Louisiana, Mississippi and Tennessee, the re ed Combos for all states. In GA, KY, LA, MS and TN these no ned Combos in all other states, the nonrecurring charges shall VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Statewide oop Rates 2-Wire Voice Grade Loop (SL1) - Statewide Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port visth Caller ID - res 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port with Caller ID (LUM) RES All Features Offered NUMBER PORTABILITY Local Number Portability (1 per port) CURRING CHARGES (NRCs) - CURRENTLY COMBINED 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change	st Based sage rat recurring onrecurr	d Rate s res in the g UNE F ring cha	DEPRX UEPRX UEPRX UEPRX UEPRX	manner as the manner as the his rate exhibiting as listed applied on ordered cocurring - Curring	0.00034 dled Local Switely are applied to the shall apply to currently ost based rates rently Combine 16.46 14.18 2.28 2.28 2.28 3.40	20 the Stand-A all combination Combined and and in AL, FL discretions. 90.00 90.00 90.00 90.00 2.77	90.00 90.00 90.00	ort network ele	ements except	for UNE Co	additional F	40.18 40.18 40.18	9.45 9.45 9.45		

4Q01:12/01/01 PAGE 239 OF 324

IRONDLED	NETWORK ELEMENTS - North Carolina											Attachment:	2	ļ	Exhibit:
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc	,		RATES(\$)			Submitted Manually		Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Charge Manual S Order vs
						Rec	Nonrec		Nonrecurring Disco			oss	RATES (\$)		
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent						First	Add'l	First Ac	Id'I SOME	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Activity			UEPRX	USAS2	0.00	0.00	0.00				40.18	9.45		
	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)			OLITOR	00/102	0.00	0.00	0.00				40.10	0.40		
	ort/Loop Combination Rates														
	2-Wire VG Loop/Port Combo - Statewide		SW			16.46									
	op Rates														
	2-Wire Voice Grade Loop (SL1) - Statewide		SW	UEPBX	UEPLX	14.18									
	Voice Grade Line Port (Bus)			HEDDY	LIEDDI	0.00	00.00	90.00		-		40.18	0.45		
	2-Wire voice unbundled port without Caller ID - bus 2-Wire voice unbundled port with Caller + E484 ID - bus		1	UEPBX UEPBX	UEPBL UEPBC	2.28 2.28	90.00 90.00	90.00				40.18	9.45 9.45		
	2-Wire voice unbundled port with Caller + £464 iD - bus			UEPBX	UEPBO	2.28	90.00	90.00				40.18	9.45	1	
	2-Wire voice unburidled incoming only port with Caller ID - Bus			UEPBX	UPEB1	2.28	90.00	90.00		<u> </u>		40.18	9.45		<u> </u>
	NUMBER PORTABILITY					2.23	55.56	22.50				10.10	00	Ì	
	Local Number Portability (1 per port)			UEPBX	LNPCX	0.35				<u> </u>					
FEATU															
	All Features Offered			UEPBX	UEPVF	3.40	0.00	0.00				40.18	9.45		
	CURRING CHARGES (NRCs) - CURRENTLY COMBINED														
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -			HEDDY	110400		0.77	0.40				40.40	0.45		
	Switch-as-is 2-Wire Voice Grade Loop / Line Port Combination - Conversion -			UEPBX	USAC2		2.77	0.40				40.18	9.45		
	Switch with change			UEPBX	USACC		2.77	0.40							
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Subsequent Database Update						1.42					10.27			
	ONAL NRCs				+		1.42					10.27			
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent											10.10			
	Activity			UEPBX	USAS2							40.18	9.45		
	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX) ort/Loop Combination Rates				_							 			
	2-Wire VG Loop/Port Combo - Statewide		SW			16.46									
	op Rates		311		+	10.40									
	2-Wire Voice Grade Loop (SL 1) - Statewide		SW	UEPRG	UEPLX	14.18									
2-Wire \	Voice Grade Line Port Rates (RES - PBX)														1
	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port -														
	Res			UEPRG	UEPRD	2.28	90.00	90.00				40.18	9.45		
	NUMBER PORTABILITY														
	Local Number Portability (1 per port)			UEPRG	LNPCP	3.15	0.00	0.00							
FEATU	All Features Offered			UEPRG	UEPVF	3.40	0.00	0.00				40.18	9.45		
	CURRING CHARGES (NRCs) - CURRENTLY COMBINED			UEFRG	UEFVF	3.40	0.00	0.00				40.16	9.45		
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -				+										-
	Conversion - Switch-As-Is			UEPRG	USAC2		2.77	0.40				40.18	9.45		
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -														
	Conversion - Switch with Change			UEPRG	USACC		2.77	0.40				40.18	9.45		
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -														
	Subsequent Database Update						1.42					10.27			
	ONAL NRCs														
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Subsequent Activity			UEPRG	USAS2	0.00	0.00	0.00				40.18	9.45		
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt			UEPRG	USA52	0.00	0.00	0.00				40.18	9.45		-
	Group						14.64	14.64				19.99	19.99	19.99	19
	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)	1			1		17.04	1-1.0-1		 		15.55	10.00	10.00	13
	ort/Loop Combination Rates				1							1		Ì	†
	2-Wire VG Loop/Port Combo - Statewide		SW			16.46						1		İ	
	op Rates					_		•							
	2-Wire Voice Grade Loop (SL 1) - Statewide		SW	UEPPX	UEPLX	14.18						ļ			
12-Wire \	Voice Grade Line Port Rates (BUS - PBX)	1													
Z-WIIG															

UNBUNDLE	D NETWORK ELEMENTS - North Carolina								<u> </u>			Attachment:	2		Exhibit: E
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Submitted Manually		Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrec		Nonrecurring Disconnect				RATES (\$)		
\longrightarrow	Line Side Unbundled Outward PBX Trunk Port - Bus			UEPPX	UEPPO	2.28	First 90.00	Add'I 90.00	First Add'l	SOMEC	SOMAN	SOMAN 40.18	SOMAN 9.45	SOMAN	SOMAN
	Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPPX	UEPP1	2.28	90.00	90.00				40.18	9.45		-
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	2.28	90.00	90.00				40.18	9.45		
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	2.28	90.00	90.00				40.18	9.45		
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	2.28	90.00	90.00				40.18	9.45		
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	2.28	90.00	90.00				40.18	9.45		
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	2.28	90.00	90.00				40.18	9.45		
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPPX	UEPXE	2.28	90.00	90.00				40.18	9.45		
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPPX	UEPXL	2.28	90.00	90.00				40.18	9.45		
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPPX	UEPXM	2.28	90.00	90.00				40.18	9.45		
-	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital		l	OLITA	JLI AW	2.20	90.00	90.00		1	1	40.10	₹.40		
	Discount Room Calling Port			UEPPX	UEPXO	2.28	90.00	90.00				40.18	9.45		
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	2.28	90.00	90.00				40.18	9.45		
LOCAL	NUMBER PORTABILITY														
	Local Number Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00							
FEATU				LIEDDY	LIEDVE	0.40	0.00	0.00				40.40	0.45		
NOND	All Features Offered ECURRING CHARGES (NRCs) - CURRENTLY COMBINED			UEPPX	UEPVF	3.40	0.00	0.00				40.18	9.45		
NONKE	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -														
	Conversion - Switch-As-Is 2-Wire Voice Grade Loop/ Line Port Combination (PBX) -			UEPPX	USAC2		2.77	0.40				40.18	9.45		
	Conversion - Switch with Change 2-Wire Voice Grade Loop / Line Port Combination - Conversion -			UEPPX	USACC		2.77	0.40				40.18	9.45		
	Subsequent Database Update						1.42					10.27			
ADDIT!	IONAL NRCs														
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Subsequent Activity			UEPPX	USAS2	0.00	0.00	0.00				40.18	9.45		
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group						14.64	14.64				19.99	19.99	19.99	19.9
	VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POR	RT													
UNE P	ort/Loop Combination Rates														
- Invest	2-Wire VG Coin Port/Loop Combo – Statewide		SW			16.80									
UNE LO	oop Rates 2-Wire Voice Grade Loop (SL1) - Statewide		0111	UEPCO	UEPLX	14.18									-
2-Wire	Voice Grade Line Ports (COIN)		ъw	OLFOO	JLFLA	14.18				 	 				\vdash
	2-Wire Coin 2-Way without Operator Screening and without Blocking (NC)			UEPCO	UEPND	2.62	90.00	90.00				40.18	9.45		
	2-Wire Coin 2-Way with Operator Screening (NC)			UEPCO	UEPNC	2.62	90.00	90.00				40.18	9.45		
	2-Wire Coin 2-Way with Operator Screening and Blocking: 011, 900/976, 1+DDD (NC, TN)			UEPCO	UEPRP	2.62	90.00	90.00				40.18	9.45		
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking (NC)			UEPCO	UEPNB	2.62	90.00	90.00				40.18	9.45		
	2-Wire Coin 2-Way with Operator Screening: 900 Blocking: 900/976, 1+DDD, 011+, and Local (NC, TN)			UEPCO	UEPCA	2.62	90.00	90.00				40.18	9.45		
	2-Wire Coin Outward with Operator Screening and 011 Blocking (NC)			UEPCO	UEPNE	2.62	90.00	90.00				40.18	9.45		
	2-Wire Coin Outward with Operator Screening and Blocking:		1	LIEDCO	LIEDCI	2.00	00.00	00.00				40.40	0.45		
-+-	900/976, 1+DDD, 011+, and Local (NC) 2-Wire 2-Way Smartline with 900/976 (all states except LA)	<u> </u>	 	UEPCO UEPCO	UEPCK	2.62 2.62	90.00	90.00		-		40.18 40.18	9.45 9.45		
-+	2-Wire 2-way Smartline with 900/976 (all states except LA) 2-Wire Coin Outward Smartline with 900/976 (all states except		 	ULFCU	UEPUN	2.02	90.00	90.00			1	40.18	9.45		-
ADDIT	IDAL UNE COIN PORT/LOOP (RC)			UEPCO	UEPCR	2.62	90.00	90.00				40.18	9.45		
ADDITI	UNE Coin Port/Loop Combo Usage (Flat Rate)		1	UEPCO	URECU	3.70	90.00	90.00		1					
LOCAL	NUMBER PORTABILITY		1			1									
	Local Number Portability (1 per port)			UEPCO	LNPCX	0.35									

UNBUNDLE	D NETWORK ELEMENTS - North Carolina													Attachment:	2		Exhibit:
CATEGORY	RATE ELEMENTS	Interi m	Zone	В	cs	USOC			RATES(\$)				Submitted Manually	Incremental Charge - Manual Svc	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Increments Charge - Manual Sv Order vs.
							Rec	Nonred First	curring Add'l	Nonrecurring First	Disconnect Add'l	SOMEC	SOMAN		RATES (\$)	SOMAN	SOMAN
FEATU	RES.							FIISL	Add I	FIISL	Auu i	SOMEC	SUMAN	SOWAN	SOWAN	SOWAN	SOWAN
	CURRING CHARGES - CURRENTLY COMBINED																
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -																
	Switch-as-is 2-Wire Voice Grade Loop / Line Port Combination - Conversion -			UEPCO		USAC2		2.77	0.40					40.18	9.45		
	Switch with change			UEPCO		USACC		2.77	0.40					40.18	9.45		
	ONAL NRCs																
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity			UEPCO		USAS2		0.00	0.00					40.18	9.45		
	ORT/LOOP COMBINATIONS - COST BASED RATES																
	VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	PORT							-		•						
	ort/Loop Combination Rates																
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - Statewide		SW				31.07										
	pop Rates						40.50	440.07	100.50					40.40	0.45		
	2-Wire Analog Voice Grade Loop - (SL2) - Statewide ort Rate		SW	-			19.50	142.97	106.56					40.18	9.45	-	
	Exchange Ports - 2-Wire DID Port			UEPPX		UEPD1	12.36							40.18	9.45		
	CURRING CHARGES - CURRENTLY COMBINED			OLITA		OLI DI	12.00							40.10	5.40		1
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination -																
	Switch-as-is 2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion			UEPPX		USAC1		13.26	8.39					40.18	9.45		
	with BellSouth Allowable Changes			UEPPX		USA1C		13.26	8.39					40.71	9.45		
	ONAL NRCs								0.00								
	2-Wire DID Subsequent Activity - Add Trunks, Per Trunk			UEPPX		USAS1		53.49						40.18	9.45		
	one Number/Trunk Group Establisment Charges																
	DID Trunk Termination (One Per Port)			UEPPX		NDT	0.00	0.00	0.00								
	DID Numbers, Establish Trunk Group and Provide First Group																
	of 20 DID Numbers			UEPPX UEPPX		NDZ ND4	0.00	0.00	0.00								
	Additional DID Numbers for each Group of 20 DID Numbers DID Numbers, Non- consecutive DID Numbers, Per Number			UEPPX		ND5	0.00	0.00	0.00								
	Reserve Non-Consecutive DID numbers			UEPPX		ND6	0.00	0.00	0.00								
	Reserve DID Numbers			UEPPX		NDV	0.00	0.00	0.00								1
	NUMBER PORTABILITY						2.00		0.00								
I	Local Number Portability (1 per port)			UEPPX		LNPCP	3.15	0.00	0.00								
	ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LII	NE SIDE	PORT														
	ort/Loop Combination Rates																
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -			UEPPB			44.40										
	Statewide pop Rates		SW	UEPPR			44.49										-
UNE LO	DOP NAICS			-								-					+
l l	2-Wire ISDN Digital Grade Loop - Statewide		sw	UEPPB	UEPPR	USL2X	20.12	325.91	251.31					19.99	19.99		
	ort Rate		· · ·		J		20.12	020.01	2001								
	Exchange Port - 2-Wire ISDN Line Side Port			UEPPB	UEPPR	UEPPB	24.37							19.99	19.99		
NONRE	CURRING CHARGES - CURRENTLY COMBINED																
	2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port Combination - Conversion			UEPPB	UEPPR	USACB	0.00	174.35	174.35					19.99	19.99		
	ONAL NRCs																
LOCAL	NUMBER PORTABILITY																
	Local Number Portability (1 per port)			UEPPB	UEPPR	LNPCX	0.35	0.00	0.00								
	NNEL USER PROFILE ACCESS:			LIEDES	LIEBES	114110:											ļ
	CVS/CSD (DMS/5ESS)			UEPPB	UEPPR	U1UCA	0.00	0.00	0.00					-	 	1	
	CVS (EWSD)			UEPPB UEPPB		U1UCB U1UCC	0.00	0.00	0.00								-
	ICSD NNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS SO	C.MS &	TN)	UEPPB	UEFFR	01000	0.00	0.00	0.00						1	1	
	FERMINAL PROFILE	J,1413, Q	1.14)	 													
	User Terminal Profile (EWSD only)			UEPPB	UEPPR	U1UMA	0.00	0.00	0.00								
	CAL FEATURES														İ	<u> </u>	
V LIVII C				UEPPB	UEPPR		3.40	0.00	0.00								

UNBUNDLEI	D NETWORK ELEMENTS - North Carolina			1	1	1						ı	Attachment:	2		Exhibit: E
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec	urring	Nonrecurring					RATES (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	OFFICE CHANNEL MILEAGE															
	Interoffice Channel mileage each, including first mile and facilities termination			UEPPB UEPPR	M1GNC	17.42	137.48	52.58					19.99	19.99		
	Interoffice Channel mileage each, additional mile			UEPPB UEPPR	M1GNM	0.0282	0.00	0.00				0.00				
	DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK	PORT														
	ort/Loop Combination Rates															
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port -			UEPPP		044.70										
	Statewide pop Rates		SW	UEPPP	+	241.72										
	4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPPP	USL4P											
	ort Rate			02.11	J J L TI	 										
	Exchange Ports - 4-Wire ISDN DS1 Port			UEPPP	UEPPP	179.01			İ				19.99	19.99		
	CURRING CHARGES - CURRENTLY COMBINED				1				İ							
	4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port															
	Combination - Conversion -Switch-as-is			UEPPP	USACP	0.00	481.51	481.51					19.99	19.99		
ADDITI	ONAL NRCs															
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port -															
	Subsequent Inward/2-Way Tel Nos - (NC Only)			UEPPP	PR7TG		1.17	1.17					19.99	19.99		
	4-Wire DS1 Loop/4-Wire ISDN Digital Trunk Port - Subsequent															
	Activity Outward tel nos. (NC only)			UEPPP	PR7TP		28.17	28.17					19.99	19.99		
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port -															
	Subsequent Inward Tel Nos Above Std Allowance			UEPPP	PR7ZT		56.33	56.33					19.99	19.99		
	NUMBER PORTABILITY				L											
	Local Number Portability (1 per port)			UEPPP	LNPCN	1.75										
	FACE (Provsioning Only) Voice/Data		1	UEPPP	PR71V	0.00	0.00	0.00								
	Digital Data			UEPPP	PR71D	0.00	0.00	0.00								
	Inward Data			UEPPP	PR71E	0.00	0.00	0.00								
	Additional "B" Channel			02		0.00	0.00	0.00								
	New or Additional - Voice/Data B Channel			UEPPP	PR7BV	0.00	36.92						19.99	19.99		
	New or Additional - Digital Data B Channel			UEPPP	PR7BF	0.00	36.92						19.99	19.99		
	New or Additional Inward Data B Channel			UEPPP	PR7BD	0.00	36.92						19.99	19.99		
	New or Additional Useage Sensitive Voice Data B Channel			UEPPP	PR7BS	0.00	36.92						19.99	19.99		
	New or Additional Useage Sensitive Digital Data B Channel			UEPPP	PR7BU	0.00	36.92						19.99	19.99		
CALL T																
	Inward			UEPPP	PR7C1	0.00	0.00	0.00								
	Outward			UEPPP	PR7C0	0.00	0.00	0.00								<u> </u>
	Two-way		<u> </u>	UEPPP	PR7CC	0.00	0.00	0.00								1
interoff	rice Channel Mileage Fixed Each Including First Mile		-	UEPPP	1LN1A	71.3683	217.17	163.75	0.00				19.99	19.99	 	
	Each Airline-Fractional Additional Mile		 	UEPPP	1LN1A 1LN1B	0.0783	217.17	103.75	0.00				19.99	19.99	-	1
/-WIPE	E DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT		-	OLFFF	ILINID	0.0763									1	
	ort/Loop Combination Rates				†	+			+						 	1
	4W DS1 Digital Loop/4W DDITS Trunk Port - Statewide		SW	UEPDC	1	186.23							19.99	19.99		
	pop Rates				1	.00.20									1	
	4-Wire DS1 Digital Loop - Statewide		SW	UEPDC	USLDC	62.71	714.84	482.62	İ				19.99	19.99		
	ort Rate					İ							-			
	4-Wire DDITS Digital Trunk Port			UEPDC	UDD1T	123.65							19.99	19.99		
	CURRING CHARGES - CURRENTLY COMBINED									· · · · · · · · · · · · · · · · · · ·						
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination		1							-						
	- Switch-as-is			UEPDC	USAC4		288.86	133.87					19.99	19.99		
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination		1	l	l		_		l						1	
	- Conversion with DS1 Changes		ļ	UEPDC	USAWA		288.86	133.37					19.99	19.99		
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination		1	LIEBBO	LICANAD		200.00	400.07	l				40.00	40.00	1	
ADDIT	- Conversion with Change - Trunk		 	UEPDC	USAWB		288.86	133.37					19.99	19.99	 	ļ
AUUITI	ONAL NRCs 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent				<u> </u>											
																1

CATEGORY RATE ELEMENTS Was RCS USOC RATERD Section Course	UNBUNDLE	D NETWORK ELEMENTS - North Carolina												Attachment:	2		Exhibit: B
CATEONY RATE ELEMENTS Rate PCS USOC RATE(ELEMENTS Company Charges Ch	<u> </u>																
ATE ELEMENTS Month Zero Month																	
March Marc			Interi									Cura Oudan	Cora Cordon				
Proceedings	CATEGORY	RATE ELEMENTS		Zone	BCS	USOC			RATES(\$)								
Avise DST Logs / Avise DSTS Trans Port - NRC																	
No. Col										ı		per LSR	per LSR	1st	Add'l	Disc 1st	Disc Add'l
March Col Lacy A Native Col Superior Superior Col Superior Superior Col Superior							Dan I	Names		Name and a committee	Di			222	DATES (6)		
Afference Affe	—					+	Rec					COMEC	COMAN			COMAN	COMAN
Statespark Structure Annaboro China - 2 Annaboro Structure 1,990 1,900	-	4 Wire DS1 Loop / 4 Wire DDITS Trunk Port NDC				-		FIISL	Auu i	FIISL	Add I	SOIVIEC	SUMAN	SOWAN	SOWAN	SOWAN	SUMAN
E-Wiss DS Logs / E-Wiss DIST Your Ref - Subsequent					LIEDDC	LIDTTA		20 01	20 01					10.00	10.00		
Charles Application They Colleged Track UPPOC UPTE 28.51 28.51 19.99 1	 				OLFDC	ODITA		20.01	20.01			1		19.99	19.99		
A-Wine Stot Loop, 4 Vilvis DOINS Trank Fort - Subsept Channel A-Wine Stot Loop, 4 Vilvis DOINS Que Decided 19.99 19.99 19.99 19.99 19.90		Channel Activation/Chan - 1-Way Outward Trunk			LIEPDC	LIDTTB		28 81	28.81					19 99	19 99		
ActivationChair Inswerd Tunk Word IDID USPDC UDTTC 28.81 28.81 19.90 19.90		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsant Channel			02. 00	022		20.01	20.01					10.00	10.00		
Average Color Provided Pr					UEPDC	UDTTC		28.81	28.81					19.99	19.99		
Activation Per Clans - Invased Trank Arab IDC UEPCC USTTID 28.81 28.61 19.99 19.99																	
BPCAAR 298 SUSTITUTION					UEPDC	UDTTD		28.81	28.81					19.99	19.99		
BPCASE SERO SUBSTITUTION		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan															
BSE25 - Superful Report Format					UEPDC	UDTTE		28.81	28.81					19.99	19.99		
Afternate Mark Inversion	BIPOL																
Alternate Mark Inversion																	
MAI - Superfarer Format					UEPDC	CCOEF		0.00	615.00					19.99	19.99		ļ
MAI - Extended SuperFrame Format UEPPC MCOPPO 0.00 0.00 15.96 15	Alterna																
Telephone Number (Trusk Group Establishment Charges UEPDC UDTGX	\vdash											<u> </u>		ļ	 	ļ	ļ
Telephone Number for 2-Way Trunk Group UEPDC UDTGY 0.00 19.99 19.9	T-1			<u> </u>	UEPDC	MCOPO		0.00	0.00		-	1		1	 	 	1
Telephone Number for 1-Wey Outward Trunk Group UEPDC UDTGZ 0.00 19.99 19.9	I elepn				LIEDDO	LIDTOV	0.00					ļ		40.00	10.00		
Telephone Numbers (1-1-We) Invanced Trunk Group Welhout DID UEPDC UDTGZ 0.00 19.99	-											1					
DID Numbers Stabilish Trunk Group and Provide First Group UEPDC NDZ 0.00 0		Telephone Number for 1-Way Duward Trunk Group Without DID										1					
O 20 DID Numbers UEPDC NOZ 0.00 0.	 				OLI DO	ODIOZ	0.00					1		13.33	13.33		
DID Numbers for each Group of 20 DID Numbers UEPDC NDS 0.00					LIEPDC	ND7	0.00	0.00	0.00								
DID Numbers, Non-consecutive DID Numbers is Per Number UEPDC NDB 0.00								0.00	0.00								
Reserve Non-Consecutive DID Nos.																	
Dedicated DSI (Interoffice Channel Mileage) - EXPCO for 4-Wire DSI Digital Loop with 4-Wire DDITS Trunk Port							0.00	0.00	0.00								
Interoffice Channel Mileage - Fixed rate 0-8 miles UEPDC		Reserve DID Numbers			UEPDC	NDV	0.00	0.00	0.00								
Termination UEPDC	Dedica	ted DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS	1 Digital	Loop	with 4-Wire DDITS	Trunk Port											
Interoffice Channel Mileage - Additional rate per mile - 0-8 miles UEPDC 1LNOA 0.0783 0.00		Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities															
Interoffice Channel Mileage - Rixed rate 9-25 miles (Facilities Termination)		Termination)			UEPDC	1LNO1	71.29	217.17	163.75	0.00	0.00			19.99	19.99		
Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities Termination)																	
Termination UEPDC 1LNO2 0.00					UEPDC	1LNOA	0.0783	0.00	0.00								
Interoffice Channel Mileage - Additional rate per mile - 9-25 UEPDC																	
Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities UEPDC 1LNOB 0.0783 0.00 0				<u> </u>	UEPDC	1LNO2	0.00	0.00	0.00								
Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities Termination)					LIEDDC	41 NOB	0.0700	0.00	0.00								
Interoffice Channel Mileage - Additional rate per mile - 25+ miles	ļ	1100		<u> </u>	UEPDC	ILNOB	0.0783	0.00	0.00		-	1		1	 	 	ļ.
Interoffice Channel Mileage - Additional rate per mile - 25+ miles UEPDC LINCC 0.0783 0.00					LIEDDC	11 NO2	0.00	0.00	0.00	0.00					1	1	
Local Number Portability, per DSO Activated	 	reminauUH)	-		OLPDC	ILINU3	0.00	0.00	0.00	0.00		1	}	1	1	1	
Local Number Portability, per DSO Activated		Interoffice Channel Mileage - Additional rate per mile - 25± miles			LIEPDC	1LNOC	0.0783	0.00	0.00								
Central Office Terminiating Point	 									0.00		 	 		 	 	
4-WIRE DS1 LOOP WITH CHANNELIZATION WITH PORT System is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Activations	 							0.00	0.00	5.50		1	1		 	 	1
System is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Activations Each System can have up to 24 combinations of rates depending on type and number of ports used UNE DS1 Loop UNE DS1 Loop UNE - Statewide Sw UEPMG USLDC 62.71 UNB DS0 Channel Capacity - 1 per 10 DS1s UEPMG VUM24 123.06 0.00 0.00 0.00 19.99 19.	4-WIRE				-	1									İ	İ	
Each System can have up to 24 combinations of rates depending on type and number of ports used UNE DS1 Loop UNE - Statewide Sw UEPMG USLDC 62.71 19.99			ivations	5													
Incomposition Incompositio					ber of ports used												
UNE DSO Channel Capacity - 1 per DS1	UNE D																
24 DSO Channel Capacity - 1 per DS1				SW	UEPMG	USLDC	62.71							19.99			
48 DSO Channel Capacity - 1 per 2 DS1s	UNE D		ns)														
96 DSO Channel Capacity -1 per 4 DS1s												ļ				ļ	
144 DS0 Channel Capacity - 1 per 6 DS1s												ļ				ļ	
192 DS0 Channel Capacity -1 per 8 DS1s												ļ					ļ
240 DS0 Channel Capacity - 1 per 10 DS1s				<u> </u>								<u> </u>					
288 DSO Channel Capacity - 1 per 12 DS1s				<u> </u>													
384 DS0 Channel Capacity - 1 per 16 DS1s	 			1								1	1			-	1
480 DS0 Channel Capacity - 1 per 20 DS1s	 			1								1	1			-	1
576 DS0 Channel Capacity -1 per 24 DS1s UEPMG VUM57 2,953.44 0.00 0.00 19.99 19.99	 			-								1	1			 	1
	\vdash		-	 								 	 			-	1
	\vdash	672 DS0 Channel Capacity -1 per 24 DS1s	-		UEPMG UEPMG	VUM67	2,953.44 3,445.68	0.00	0.00			1	}	19.99	19.99	1	

UNBUNDLE	D NETWORK ELEMENTS - North Carolina												Attachment:	2		Exhibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual Svc Order vs.
						Rec	Nonre	curring	Nonrecurring	Disconnect			oss i	RATES (\$)		
					1	1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Non-R	ecurring Charges (NRC) Associated with 4-Wire DS1 Loop with	h Chanr	neliztio	n with Port - Conver	rsion Charge	Based on a Sy										
A Min	imum System configuration is One (1) DS1, One (1) D4 Channe	l Bank,	and Up	To 24 DSO Ports w	ith Feature A	Activations.										
Multip	oles of this configuration functioning as one are considered Ac	ld'I afte	r the m	inimum system con	figuration is	counted.										
	NRC - Conversion (Currently Combined) with or without															
	BellSouth Allowed Changes			UEPMG	USAC4	0.00	330.61	16.64					19.99	19.99		
	m Additions at End User Locations Where 4-Wire DS1 Loop wit	th Chan	nelizat	ion with Port Combi	ination Curre	ently Exists and										
New (Not Currently Combined) In GA, KY, LA, MS & TN Only															ļ
	1 DS1/D4 Channel Bank - Add NRC for each Port and Assoc			UEPMG	VUMD4	0.00	743.74	200.00	149.02	47.00			19.99			
Binali	Fea Activation - New GA, LA, KY, MS, &TN Only ar 8 Zero Substitution			UEPIVIG	VUIVID4	0.00	743.74	326.22	149.02	17.68			19.99			
Біроїа	Clear Channel Capability Format, superframe - Subsequent	1			1	 			+						 	+
1	Activity Only	1		UEPMG	CCOSF	0.00	0.00	615.00			1				I	
-+	Clear Channel Capability Format - Extended Superframe -	1		0 = 1 WIO	30001	0.00	0.00	013.00	†						†	†
	Subsequent Activity Only	l		UEPMG	CCOEF	0.00	0.00	615.00							1	
Altern	ate Mark Inversion (AMI)			-	1	5.30	2.30	2.2.30							1	1
	Superframe Format			UEPMG	MCOSF	0.00	0.00	0.00								1
	Extended Superframe Format			UEPMG	MCOPO	0.00	0.00	0.00								
Excha	nge Ports Associated with 4-Wire DS1 Loop with Channelization	on with	Port													
Excha	nge Ports															
	Line Side Combination Channelized PBX Trunk Port - Business			UEPPX	UEPCX	2.28	0.00	0.00	0.00	0.00			40.18	9.45		
	Line Side Outward Channelized PBX Trunk Port - Business			UEPPX	UEPOX	2.28	0.00	0.00	0.00	0.00			40.18	9.45		
	Live Cite to an I Cote Observation I DDV To at Dead Site of DD			UEPPX	LIEDAY	0.00	0.00	0.00	0.00	0.00			10.10	0.45		
	Line Side Inward Only Channelized PBX Trunk Port without DID 2-Wire Trunk Side Unbundled Channelized DID Trunk Port				UEP1X UEPDM	2.28	0.00	0.00	0.00	0.00			40.18 40.18	9.45 9.45	-	<u> </u>
Foatu	re Activations - Unbundled Loop Concentration			UEPPX	UEPDIVI	13.26	0.00	0.00	0.00	0.00			40.18	9.45		
Featur	Feature (Service) Activation for each Line Side Port Terminated															+
	in D4 Bank			UEPPX	1PQWM	0.65	25.27	13.34	4.15	4.12			40.18	9.45		
	Feature (Service) Activation for each Trunk Side Port Terminated			OLITA	11 Q 11111	0.00	20.27	10.04	4.10	7.12			40.10	0.40		
	in D4 Bank			UEPPX	1PQWU	0.65	77.75	18.33	58.74	11.48			40.18	9.45		
Telepi	hone Number/ Group Establishment Charges for DID Service															
	DID Trunk Termination (1 per Port)			UEPPX	NDT	0.00	0.00	0.00								
	Estab Trk Grp and Provide 1st 20 DID Nos. (FL,GA, NC,& SC)			UEPPX	NDZ	0.00	0.00	0.00								
	DID Numbers - groups of 20 - Valid all States			UEPPX	ND4	0.00	0.00	0.00								
	Non-Consecutive DID Numbers - per number			UEPPX	ND5	0.00	0.00	0.00								
	Reserve Non-Consecutive DID Numbers			UEPPX	ND6	0.00	0.00	0.00								
	Reserve DID Numbers			UEPPX	NDV	0.00	0.00	0.00								
Local	Number Portability	 		UEPPX	LNPCP	3.15	0.00	0.00	1						 	
EEAT	Local Number Portability - 1 per port URES - Vertical and Optional	-		ULFFA	LINEUP	3.15	0.00	0.00	+		-					
	Switching Features Offered with Line Side Ports Only	1			1	 			+						 	+
Local	All Features Available			UEPPX	UEPVF	3.40	0.00	0.00					40.18	9.45		
UNBUNDI FD	PORT LOOP COMBINATIONS - MARKET RATES			OLITA	OLI VI	3.40	0.00	0.00					40.10	3.43		
	t Rates shall apply where BellSouth is not required to provide	unbund	lled lo	cal switching or swit	tch ports per	FCC and/or St	ate Commission	on rules.							1	
These	scenarios include:								1						1	
1. Un	bundled port/loop combinations that are Not Currently Combin	ned in A	labama	a, Florida, North Car	rolina and So	outh Carolina.			1							1
	bundled port/loop combinations that are Currently Combined															
The To	op 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderda	ale, Mia	mi); G/	A (Atlanta); LA (New	Orleans); NO	C (Greensboro-	Winston Salem	n-Highpoint/Ch	narlotte-Gastoni	a-Rock Hill); 1	N (Nashvill	e).				
Marke The M	outh currently is developing the billing capability to mechanica t Rates, BellSouth shall bill the rates in the Cost-Based section arket Rate for unbundled ports includes all available features i	n preced	ding in ates.	lieu of the Market R	ates and res	erves the right	to true-up the	billing differen	nce.							n cannot bill
usage	office and Tandem Switching Usage and Common Transport Us charge (USOC: URECU). To Currently Combined scenarios where Market Rates apply, the	Ū	curring	g charges are listed		,				·						Currently
Comb	ined section. Additional NRCs may apply also and are categor	rized ac	cording	gly.												
Combi 2-WIR	ined section. Additional NRCs may apply also and are categor E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates	rized ac	cording	gly.												

4Q01:12/01/01 PAGE 245 OF 324

UNE Loop 2-W 2-Wire Voice	RATE ELEMENTS	Interi m	Zone	BCS	usoc							Incremental Charge -	Incremental Charge -	Incremental Charge -	Incrementa Charge -
UNE Loop 2-W 2-Wire Voice					USOC			RATES(\$)			Submitted Manually	Manual Svc	Manual Svc Order vs. Electronic- Add'l	Manual Svc Order vs. Electronic- Disc 1st	Manual Sv Order vs. Electronic Disc Add
UNE Loop 2-W 2-Wire Voice						Rec	Nonrec		Nonrecurring Disconne			OSS F	RATES (\$)		
UNE Loop 2-W 2-Wire Voice						20.10	First	Add'l	First Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
2-Wire Voic	Vire VG Loop/Port Combo - Statewide		SW			28.18									
2-Wire Voic	Vire Voice Grade Loop (SL1) - Statewide		SW	UEPRX	UEPLX	14.18									<u> </u>
	ce Grade Line Port (Res)		311	OLI TOC	OLI LX	14.10									
2-W	Vire voice unbundled port - residence			UEPRX	UEPRL	14.00	90.00	90.00				40.18	9.45		
2-W	Vire voice unbundled port with Caller ID - res			UEPRX	UEPRC	14.00	90.00	90.00				40.18	9.45		
	Vire voice unbundled port outgoing only - res			UEPRX	UEPRO	14.00	90.00	90.00				40.18	9.45		
	Vire voice unbundles res, low usage line port with Caller ID											40.40			İ
(LUI				UEPRX	UEPAP	14.00	90.00	90.00				40.18	9.45		-
	IMBER PORTABILITY cal Number Portability (1 per port)			UEPRX	LNPCX	0.35					1				
FEATURES				ULFKA	LINFUA	0.35				1					
	Features Offered			UEPRX	UEPVF	0.00	0.00	0.00							
	. 54.4.55 5.1.5.54			02.100	JEI VI	3.30	5.00	0.00							
2-W	Vire Voice Grade Loop / Line Port Combination - Switch-as-is			UEPRX	USAC2		41.50	41.50				40.18	9.45		
	Vire Voice Grade Loop / Line Port Combination - Switch with														
	ange			UEPRX	USACC		41.50	41.50							
ADDITIONA															
	C - 2-Wire Voice Grade Loop/Line Port Combination -														İ
	bsequent			UEPRX	USAS2		0.00	0.00				40.18	9.45		
	DICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)				-										
	Loop Combination Rates Vire VG Loop/Port Combo - Statewide		SW		+	28.18				_					
UNE Loop I			SW		+	20.10									
	Vire Voice Grade Loop (SL1) - Statewide		SW	UEPBX	UEPLX	14.18									
	ce Grade Line Port (Bus)		311	OLI DX	OLI LX	14.10									
	Vire voice unbundled port without Caller ID - bus			UEPBX	UEPBL	14.00	90.00	90.00				40.18	9.45		
	Vire voice unbundled port with Caller + E484 ID - bus			UEPBX	UEPBC	14.00	90.00	90.00				40.18	9.45		
	Vire voice unbundled port outgoing only - bus			UEPBX	UEPBO	14.00	90.00	90.00				40.18	9.45		
	IMBER PORTABILITY														
	cal Number Portability (1 per port)			UEPBX	LNPCX	0.35									
FEATURES															
NONRECUE	RRING CHARGES - CURRENTLY COMBINED				1										
2.14	Vire Voice Grade Loop / Line Port Combination - Switch-as-is			UEPBX	USAC2		41.50	41.50				40.18	9.45		
	Vire Voice Grade Loop / Line Port Combination - Switch with			UEPBA	USACZ		41.50	41.50		_		40.16	9.45		
	ange			UEPBX	USACC		41.50	41.50				1			1
ADDITIONA				0 L1 D/	35,150	-	71.50	71.50	 			1	1		
	C - 2-Wire Voice Grade Loop/Line Port Combination -				1 1	İ				İ		Ì			
Sub	bsequent			UEPBX	USAS2		0.00	0.00				40.18	9.45		1
	DICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)				<u></u> 1										
	Loop Combination Rates			-								40.18	9.45	20.00	20.00
	Vire VG Loop/Port Combo - Statewide		SW		\bot	28.18						ļ			
UNE Loop				LIEBBO	LIEDLY										
	Vire Voice Grade Loop (SL1) - Statewide ce Grade Line Port Rates (RES - PBX)		SW	UEPRG	UEPLX	14.18					1	 	-		
	Vire VG Unbundled Combination 2-Way PBX Trunk Port -				+				 		-	1	1		
Z-vv Res				UEPRG	UEPRD	14.00	90.00	90.00				40.18	9.45		1
	S IMBER PORTABILITY			OLI IVO	OLI IVD	14.00	90.00	50.00				40.10	9.40		
	cal Number Portability (1 per port)			UEPRG	LNPCP	3.15						1			
FEATURES					1 1	55						1			
	RRING CHARGES - CURRENTLY COMBINED				1								1		
	Vire Voice Grade Loop/ Line Port Combination - Switch-As-Is			UEPRG	USAC2		41.50	41.50				40.18	9.45		<u> </u>
	Vire Voice Grade Loop/ Line Port Combination - Switch with														
ADDITIONA ADDITIONA	ange			UEPRG	USACC	ļ	41.50	41.50							

JINDUNDLE	D NETWORK ELEMENTS - North Carolina	1		I	1	Π							Attachment:			Exhibit:
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
						Rec	Nonrec	urring	Nonrecurring D	Disconnect				RATES (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2 Wire Loop/Line Side Port Combination - Non feature -															
	Subsequent Activity- Nonrecurring						0.00	0.00								
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt															
	Group						14.64	14.64					19.99	19.99	19.99	19.9
	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)	<u> </u>														
	ort/Loop Combination Rates					00.40										
	2-Wire VG Loop/Port Combo - Statewide		SW		+	28.18										
UNE LO	2-Wire Voice Grade Loop (SL1) - Statewide			UEPPX	UEPLX	14.18										
2 Wire			SW	UEPPX	UEPLA	14.18										
2-wire	Voice Grade Line Port Rates (BUS - PBX)				+											
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPPX	UEPPC	14.00	90.00	90.00					40.18	9.45	1	
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus Line Side Unbundled Outward PBX Trunk Port - Bus	 		UEPPX	UEPPO	14.00	90.00	90.00	-				40.18	9.45	-	
	Line Side Unbundled Incoming PBX Trunk Port - Bus 2-Wire Voice Unbundled PBX LD Terminal Ports	 		UEPPX UEPPX	UEPP1 UEPLD	14.00 14.00	90.00 90.00	90.00					40.18 40.18	9.45 9.45	1	!
	2-Wire Voice Unbundled PBX LD Terminal Ports 2-Wire Voice Unbundled 2-Way Combination PBX Usage Port	-		UEPPX	UEPKA	14.00	90.00	90.00					40.18	9.45		
		-														
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	14.00	90.00	90.00					40.18	9.45		
_	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC UEPXD	14.00	90.00	90.00					40.18	9.45		
-	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port 2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD			UEPPX	UEPAD	14.00	90.00	90.00					40.18	9.45		
	Capable Port			UEPPX	UEPXE	14.00	90.00	90.00					40.18	9.45		
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
	Administrative Calling Port			UEPPX	UEPXL	14.00	90.00	90.00					40.18	9.45		
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
	Room Calling Port			UEPPX	UEPXM	14.00	90.00	90.00					40.18	9.45		
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital															
	Discount Room Calling Port			UEPPX	UEPXO	14.00	90.00	90.00					40.18	9.45		
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	14.00	90.00	90.00					40.18	9.45		
LOCAL	NUMBER PORTABILITY	<u> </u>		LIEDDY	LNDOD	0.45										
	Local Number Portability (1 per port)			UEPPX	LNPCP	3.15										
FEATU																
NONRE	CURRING CHARGES - CURRENTLY COMBINED	-														
	2 Mine Veine Conda Land / Line Bort Combination Contab As In			UEPPX	110 4 00		44.50	41.50					40.18	0.45		
	2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is	-		UEPPX	USAC2		41.50	41.50					40.18	9.45		
	2-Wire Voice Grade Loop/ Line Port Combination - Switch with Change			UEPPX	USACC		41.50	41.50								
ADDITI	ONAL NRCs	<u> </u>	-	UEPFA	USACC		41.50	41.50								
ADDITI	UNAL NRCS	 				 			-						-	-
	2-Wire Voice Grade Loop/ Line Port Combination - Subsequent	1		UEPPX	USAS2		0.00	0.00					40.18	9.45	l	
_	2 Wire Loop/Line Side Port Combination - Subsequent	 		ULPFA	USASZ	 	0.00	0.00	-				40.18	9.45	-	-
	Subsequent Activity- Nonrecurring	1			1		0.00	0.00							l	
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt				_	+	0.00	0.00	-							
	Group	1			1		14.64	14.64					19.99	19.99	19.99	19.9
2-WIDE	TOTOUP E VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POP	T			+	 	14.04	14.04					15.55	13.33	19.99	19.3
	ort/Loop Combination Rates	i'			+	 									 	
	2-Wire VG Coin Port/Loop Combo – Statewide	 	SW		+	28.18			-							
	pop Rates		<u> </u>	1	+	200			 						 	
<u> </u>	2-Wire Voice Grade Loop (SL1) - Statewide	†	SW	UEPCO	UEPLX	14.18									1	
2-Wire	Voice Grade Line Port Rates (Coin)														1	
	2-Wire Coin 2-Way without Operator Screening and without			1	+	†									 	
	Blocking (NC)	1		UEPCO	UEPND	14.00	90.00	90.00					40.18	9.45	Ì	
	2-Wire Coin 2-Way with Operator Screening (NC)			UEPCO	UEPNC	14.00	90.00	90.00					40.18	9.45	İ	
	2-Wire Coin 2-Way with Operator Screening and Blocking: 011,				1	1	22.00	22.00					0	27.10	İ	
	900/976, 1+DDD (NC, TN)			UEPCO	UEPRP	14.00							40.18	9.45		
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking				1										İ	
	(NC)			UEPCO	UEPNB	14.00	90.00	90.00					40.18	9.45		
	2-Wire Coin 2-Way with Operator Screening and Blocking:			İ	1	1									İ	
1	900/976, 1+DDD, 011+, and Local (NC, TN)	1	I	UEPCO	UEPCA	14.00	90.00	90.00				1	40.18	9.45	ĺ	

UNBUNDLE	D NETWORK ELEMENTS - North Carolina												Attachment:	2		Exhibit:
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)		Sub	omitted	Svc Order Submitted Manually per LSR		Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrec First	urring Add'l	Nonrecurring Disc		OMEC I	SOMAN	OSS F	RATES (\$)	SOMAN	SOMAN
-	2-Wire Coin Outward with Operator Screening and 011 Blocking				-		LIISI	Add I	FIISL F	dd i SC	JIVIEC	JUWAN	SUMAN	SOWAN	SOWAN	SOWAN
	(NC)			UEPCO	UEPNE	14.00	90.00	90.00					40.18	9.45		
	2-Wire Coin Outward with Operator Screening and Blocking:			021 00	OLITIC	14.00	50.00	50.00					40.10	0.40		
	900/976, 1+DDD, 011+, and Local (NC)			UEPCO	UEPCL	14.00	90.00	90.00					40.18	9.45		
LOCAL	NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPCO	LNPCX	0.35										
NONRE	ECURRING CHARGES - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is			UEPCO	USAC2		41.50	41.50					40.18	9.45		
	2-Wire Voice Grade Loop/ Line Port Combination - Switch with															
	Change			UEPCO	USACC		41.50	41.50								
ADDIT	IONAL NRCs															
		1			I						T					1
	2-Wire Voice Grade Loop/ Line Port Combination - Subsequent			UEPCO	USAS2		0.00	0.00					40.18	9.45		
	CENTREX PORT/LOOP COMBINATIONS				1											
UNBUN	NDLED PORT/LOOP COMBINATIONS - COST BASED RATES	ļ	<u> </u>		1											
	New Centrex Customized Common Block			UEP91	M1ACC											
	CENTREX - 5ESS (Valid in All States)															
2-Wire	VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
UNE P	ort/Loop Combination Rates (Non-Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo -															
	Non-Design		SW	UEP95		16.46										
UNE P	ort/Loop Combination Rates (Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo -															
	Design		SW	UEP95		21.78										
UNE Lo	oop Rate															
	2-Wire Voice Grade Loop (SL 1) - Statewide		SW	UEP95	UECS1	14.18										
	2-Wire Voice Grade Loop (SL 2) - Statewide		SW	UEP95	UECS2	19.50										
	ort Rate															
All Sta				LIEDOE	LIEDVA	2.20							40.40	0.45		
	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP95	UEPYA	2.28							40.18	9.45		
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPYB	2.28							40.18	9.45		
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local			LIEDOS	LIEDVILI	0.00							10.10	0.45		
	Area	l	1	UEP95	UEPYH	2.28							40.18	9.45		
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 Basic Local Area	l		UEP95	UEPYM	2.28							40.18	9.45		
		-	1	UEF95	UEPTIVI	2.28					-		40.18	9.45		
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term - Basic Local Area	l		UEP95	UEPYZ	2.28							40.40	9.45		
	2-Wire Voice Grade Port terminated in on Megalink or equivalent	-	 	OLF90	UEP1Z	2.28			 				40.18	9.45		
	- Basic Local Area	l		UEP95	UEPY9	2.28							40.18	9.45		
	2-Wire Voice Grade Port Terminated on 800 Service Term -	!	1	OEF90	UEF 19	∠.∠8			 				40.18	9.45		-
	Basic Local Area	l		UEP95	UEPY2	2.28							40.18	9.45		1
NC On		1	1	OFL 99	UEFIZ	2.28				-	+		40.18	9.45		
NC On	2-Wire Voice Grade Port (Centrex)	1	1	UEP95	UEPUA	2.28				-	+		40.18	9.45		
	2-Wire Voice Grade Port (Centrex) 2-Wire Voice Grade Port (Centrex 800 termination)	1	1	UEP95	UEPUB	2.28				-	+		40.18	9.45		
	2-Wire Voice Grade Port (Centrex violation) 2-Wire Voice Grade Port (Centrex with Caller ID)1		1	UEP95	UEPUH	2.28			 	-	-		40.18	9.45		
	2-Wire Voice Grade Fort (Centrex with Galler ID)1 2-Wire Voice Grade Port (Centrex from diff Serving Wire	-	!	CL. 00	JE1 011	2.20			 		-		70.10	0.40		
	Center)2	l		UEP95	UEPUM	2.28							40.18	9.45		1
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service	1	1		J. J. J. J. J. J. J. J. J. J. J. J. J. J	2.20							70.10	5.45		
	Term	l		UEP95	UEPUZ	2.28							40.18	9.45		1
			İ			20				l l				20		
		ı		UEP95	UEPU9	2.28							40.18	9.45		
	2-Wire Voice Grade Port terminated in on Megalink or equivalent								 				40.18			
	2-Wire Voice Grade Port terminated in on Megalink or equivalent 2-Wire Voice Grade Port Terminated on 800 Service Term			UEP95	UEPU2	2.28							40.18	9.45		
Local S	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP95	UEPU2	2.28					<u> </u>		40.18	9.45		
Local	2-Wire Voice Grade Port Terminated on 800 Service Term Switching					0.903							40.18	9.45		
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP95	UEPU2 URECS								40.18	9.45		
	2-Wire Voice Grade Port Terminated on 800 Service Term Switching Centrex Intercom Funtionality, per port												40.18	9.45		

NBUNDLED NE	TWORK ELEMENTS - North Carolina	1	ı		1	1					1		Attachment:	Z		Exhibit:
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge
						Rec	Nonrec	urring	Nonrecurring	g Disconnect				RATES (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	tandard Features Offered, per port			UEP95	UEPVF	3.40										
	elect Features Offered, per port			UEP95	UEPVS	0.00	457.83									ļ
	entrex Control Features Offered, per port			UEP95	UEPVC	3.40										
NARS	undled Network Access Register - Combination			UEP95	UARCX	0.00	0.00	0.00								-
	undled Network Access Register - Combination		<u> </u>	UEP95 UEP95	UARCX UAR1X	0.00	0.00	0.00								<u> </u>
	undled Network Access Register - India			UEP95	UAROX	0.00	0.00	0.00			1					-
	us Terminations			OLF 95	UAROX	0.00	0.00	0.00								
2-Wire Trunk																
	k Side Terminations, each	<u> </u>		UEP95	CEND6	12.36								1	1	
	al (1.544 Megabits)															
	Circuit Terminations, each			UEP95	M1HD1	186.23										
DS0	Channels Activated, each			UEP95	M1HDO	0.00	28.81									
	hannel Mileage - 2-Wire															
	office Channel Facilities Termination			UEP95	MIGBC	18.00										
	office Channel mileage, per mile or fraction of mile			UEP95	MIGBM	0.0282										
	vations (DS0) Centrex Loops on Channelized DS1 Service	e														
	Bank Feature Activations															ļ
Featu	ure Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	1PQWS	0.65										ļ
	ure Activation on D-4 Channel Bank FX line Side Loop Slot			UEP95	1PQW6	0.65										
Slot	ure Activation on D-4 Channel Bank FX Trunk Side Loop			UEP95	1PQW7	0.65										
	ure Activation on D-4 Channel Bank Centrex Loop Slot - rent Wire Center			UEP95	1PQWP	0.65										
	ure Activation on D-4 Channel Bank Private Line Loop Slot			UEP95	1PQWV	0.65										
Slot	ure Activation on D-4 Channel Bank Tjie Line/Trunk Loop			UEP95	1PQWQ	0.65										
	ure Activation on D-4 Channel Bank WATS Loop Slot			UEP95	1PQWA	0.65										
	ng Charges (NRC) Associated with UNE-P Centrex															<u> </u>
	Conversion Currently Combined Switch-As-Is with allowed ages, per port			UEP95	USAC2		2.77	0.40								
	Centrex Standard Common Block			UEP95	M1ACS	0.00	695.11	0.40			1					-
	Centrex Standard Common Block Centrex Customized Common Block			UEP95	M1ACC	0.00	695.11									-
	Establishment Charge, Per Occasion	 		UEP95	URECA	0.00	72.73									†
	TREX - DMS100 (Valid in All States)	<u> </u>		- "		5.55								1	1	
	oop/2-Wire Voice Grade Port (Centrex) Combo					i i										
UNE Port/Lo	oop Combination Rates (Non-Design)															
	re VG Loop/2-Wire Voice Grade Port (Centrex) Combo -															
	Design		SW	UEP9D		16.46										
	oop Combination Rates (Design)															
Desig			SW	UEP9D		21.78										
UNE Loop R		<u> </u>		L												<u> </u>
	re Voice Grade Loop (SL 1) - Statewide	ļ	SW	UEP9D	UECS1	14.18										↓
	re Voice Grade Loop (SL 2) - Statewide	<u> </u>	SW	UEP9D	UECS2	19.50					<u> </u>			ļ	 	
UNE Port Ra		 	-		-	 					1			 	 	
ALL STATES		-	-	UEP9D	UEPYA	2.28							40.18	9.45	 	-
2-Wii	re Voice Grade Port (Centrex) Basic Local Area re Voice Grade Port (Centrex 800 termination)Basic Local															
Area		 	-	UEP9D	UEPYB	2.28					1		40.18	9.45	 	—
	re Voice Grade Port (Centrex / EBS-PSET)3Basic Local			UEP9D	UEPYC	2.28	l						40.40	9.45		
Area 2-Wii Area	re Voice Grade Port (Centrex / EBS-M5009)3Basic Local			UEP9D	UEPYC	2.28							40.18	9.45		
	re Voice Grade Port (Centrex / EBS-M5209))3 Basic Local	 	 	OFLAD	UEFTU	2.28					 	—	40.18	9.45	-	
Area				UEP9D	UEPYE	2.28							40.18	9.45		

UNBUNDLE	NETWORK ELEMENTS - North Carolina										1	1	Attachment:	2		Exhibit: E
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc	ī		RATES(\$)	1		1	Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual Svo Order vs. Electronic-
						Rec	Nonred First	urring Add'l	Nonrecurring First	Disconnect Add'l	SOMEC	SOMAN	OSS F	RATES (\$)	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local															
	Area			UEP9D	UEPYF	2.28							40.18	9.45		<u> </u>
	2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local Area			UEP9D	UEPYG	2.28							40.18	9.45		
	2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local Area			UEP9D	UEPYT	2.28							40.18	9.45		
	2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local Area			UEP9D	UEPYU	2.28							40.18	9.45		
	2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local															
	Area 2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local			UEP9D	UEPYV	2.28							40.18	9.45		
	Area			UEP9D	UEPY3	2.28							40.18	9.45		
	2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local Area			UEP9D	UEPYH	2.28							40.18	9.45		
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp					0.00										
	Indication))3 Basic Local Area 2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))3			UEP9D	UEPYW	2.28							40.18	9.45		+
	2-Wire Voice Grade Port (Centres/from diff Serving Wire Center)			UEP9D	UEPYJ	2.28							40.18	9.45		
	2 Basic Local Area			UEP9D	UEPYM	2.28							40.18	9.45		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3 Basic Local Area			UEP9D	UEPYO	2.28							40.18	9.45		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3			UEP9D	UEPYP	2.28							40.18	9.45		
	Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3 Basic Local Area			UEP9D	UEPYQ	2.28							40.18	9.45		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3 Basic Local Area			UEP9D	UEPYR	2.28							40.18	9.45		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3															†
	Basic Local Area			UEP9D	UEPYS	2.28							40.18	9.45		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3 Basic Local Area			UEP9D	UEPY4	2.28							40.18	9.45		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3			UEP9D	UEPY5	2.28							40.18	9.45		ļ
	Basic Local Area			UEP9D	UEPY6	2.28							40.18	9.45		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3 Basic Local Area			UEP9D	UEPY7	2.28							40.18	9.45		
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term			UEP9D	UEPYZ	2.28							40.18	9.45		
	2-Wire Voice Grade Port terminated in on Megalink or equivalent Basic Local Area			UEP9D	UEPY9	2.28							40.18	9.45		
	2-Wire Voice Grade Port Terminated on 800 Service Term Basic Local Area			UEP9D	UEPY2	2.28							40.18	9.45		
NC Onl				LIEDOD	LIEDU:								40.4-			
-	2-Wire Voice Grade Port (Centrex) 2-Wire Voice Grade Port (Centrex 800 termination)			UEP9D UEP9D	UEPUA UEPUB	2.28			 		-		40.18 40.18	9.45 9.45		
-	2-Wire Voice Grade Port (Centrex 800 termination) 2-Wire Voice Grade Port (Centrex / EBS-PSET)3			UEP9D	UEPUB	2.28					1		40.18	9.45		
	2-Wire Voice Grade Port (Centrex / EBS-M5009)3			UEP9D	UEPUD	2.28							40.18	9.45		
	2-Wire Voice Grade Port (Centrex / EBS-M5209)3			UEP9D	UEPUE	2.28							40.18	9.45		
	2-Wire Voice Grade Port (Centrex / EBS-M5112)3		<u> </u>	UEP9D	UEPUF	2.28			1		-		40.18 40.18	9.45 9.45		
-	2-Wire Voice Grade Port (Centrex / EBS-M5312)3 2-Wire Voice Grade Port (Centrex / EBS-M5008)3		-	UEP9D UEP9D	UEPUG UEPUT	2.28					 		40.18 40.18	9.45 9.45		+
	2-Wire Voice Grade Fort (Centrex / EBS-M5208)3			UEP9D	UEPUU	2.28							40.18	9.45		\vdash
	2-Wire Voice Grade Port (Centrex / EBS-M5216)3			UEP9D	UEPUV	2.28							40.18	9.45		†
	2-Wire Voice Grade Port (Centrex / EBS-M5316)3			UEP9D	UEPU3	2.28							40.18	9.45		
	2-Wire Voice Grade Port (Centrex with Caller ID)			UEP9D	UEPUH	2.28	, The state of the						40.18	9.45		

NBUNDLE!	D NETWORK ELEMENTS - North Carolina												Attachment:	2		Exhibit:
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			1	Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge Manual S Order vs Electroni Disc Add
						Rec	Nonrec			ng Disconnect	201150			RATES (\$)		
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp				+		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Indication)3			UEP9D	UEPUW	2.28							40.18	9.45		
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)3			UEP9D	UEPUJ	2.28							40.18	9.45		
	2-Wire Voice Grade Port (Centrex Mag Vitg Lamp Indication) 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)			OLI 3D	OLI OS	2.20							40.10	3.43		
	2			UEP9D	UEPUM	2.28							40.18	9.45		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3			UEP9D	UEPUO	2.28							40.18	9.45		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3			UEP9D	UEPUP	2.28							40.18	9.45		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3			UEP9D	UEPUQ	2.28							40.18	9.45		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3			UEP9D	UEPUR	2.28							40.18	9.45		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3			UEP9D	UEPUS	2.28							40.18	9.45		<u> </u>
	2 Mire Vaine Conda Bort (Control/differ CN/C /EBC MECOO)2 2			LIEDOD	UEPU4	0.00							40.40	9.45		
_	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3			UEP9D	UEPU4	2.28							40.18	9.45		<u> </u>
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3			UEP9D	UEPU5	2.28							40.18	9.45		
	2-Wile Voice Grade Fort (Certifex differ SWC /LB3-W5200)2, 3			OLF 9D	OLF 03	2.20							40.10	5.43		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3			UEP9D	UEPU6	2.28							40.18	9.45		
	2 VIII VOICE CIAGE FOIT (CENTRON AINCE CIVO / EBO NIOZ 10/2, O			OLI OD	OL1 00	2.20							40.10	0.40		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3			UEP9D	UEPU7	2.28							40.18	9.45		
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service				1											
	Term			UEP9D	UEPUZ	2.28							40.18	9.45		
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9D	UEPU9	2.28							40.18	9.45		
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP9D	UEPU2	2.28							40.18	9.45		
	Switching															
	Centrex Intercom Funtionality, per port			UEP9D	URECS	0.903										
Local N	lumber Portability															
	Local Number Portability (1 per port)			UEP9D	LNPCC	0.35										
Feature				LIEBAB												<u> </u>
	All Standard Features Offered, per port			UEP9D UEP9D	UEPVF UEPVS	3.40	457.00									
	All Select Features Offered, per port All Centrex Control Features Offered, per port			UEP9D	UEPVS	0.00 3.40	457.83									-
NARS	All Certifex Control Features Offered, per port			UEP9D	UEFVC	3.40										-
IVAINO	Unbundled Network Access Register - Combination			UEP9D	UARCX	0.00	0.00	0.00								
	Unbundled Network Access Register - Inward			UEP9D	UAR1X	0.00	0.00	0.00								
	Unbundled Network Access Register - Outdial			UEP9D	UAROX	0.00	0.00	0.00								
	aneous Terminations															
	Trunk Side															
	Trunk Side Terminations, each			UEP9D	CEND6	12.36										
4-Wire	Digital (1.544 Megabits)															
	DS1 Circuit Terminations, each			UEP9D	M1HD1	186.23										
	DS0 Channels Activiated per Channel			UEP9D	M1HDO	0.00	28.81									
	ice Channel Mileage - 2-Wire															
	Interoffice Channel Facilities Termination	ļ		UEP9D	MIGBC	18.00			ļ	ļ						
	Interoffice Channel mileage, per mile or fraction of mile	l		UEP9D	MIGBM	0.0282				-						
	Activations (DS0) Centrex Loops on Channelized DS1 Service	e			+ +	+			 	-					1	
	nnel Bank Feature Activations Feature Activation on D-4 Channel Bank Centrex Loop Slot	 		UEP9D	1PQWS	0.65			 	+	-				-	
	reature Activation on D-4 Channel Bank Centrex Loop Slot	1		OLFSD	IFQWS	0.05				+						
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot	l		UEP9D	1PQW6	0.65										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop			OLI 3D	IFQVVO	0.05			 	+						
	Slot	1		UEP9D	1PQW7	0.65			1							
_	Feature Activation on D-4 Channel Bank Centrex Loop Slot -	1			1 ~~~	0.00			 	1	<u> </u>				1	
	Different Wire Center	l		UEP9D	1PQWP	0.65										
					1					1						
	Feature Activation on D-4 Channel Bank Private Line Loop Slot	l	I	UEP9D	1PQWV	0.65			ĺ						l	ĺ

UNBUNDLE	D NETWORK ELEMENTS - North Carolina												Attachment:	2		Exhibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Submitted Manually	Charge - Manual Svc Order vs.	Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrec		Nonrecurring					RATES (\$)		
	Factors Activistics on D.4 Channel Beat Tile Line/Touch Lean						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot			UEP9D	1PQWQ	0.65										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9D	1PQWA	0.65										
	ecurring Charges (NRC) Associated with UNE-P Centrex					0.00										
	NRC Conversion Currently Combined Switch-As-Is with allowed															
	changes, per port			UEP9D	USAC2		2.77	0.40								
	New Centrex Standard Common Block			UEP9D	M1ACS	0.00	695.11									
	New Centrex Customized Common Block			UEP9D	M1ACC	0.00	695.11									
	NAR Establishment Charge, Per Occasion			UEP9D	URECA	0.00	72.73									
	Digital (1.544 Megabits)															
Note 1	- Required Port for Centrex Control in 1AESS, 5ESS & EWSD															
Note 2	- Requres Interoffice Channel Mileage															
Note 3	- Requires Specific Customer Premises Equipment															
				·												

LINIDLINID		NETWORK ELEMENTO Court Court												I		I	
UNBUND	LED	NETWORK ELEMENTS - South Carolina	ı		1	ı	Ī					ı		Attachment:	2		Exhibit: B
														Incremental	Incremental	Incremental	Incremental
														Charge -	Charge -	Charge -	Charge -
CATEGOR	RY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			Svc Order	Svc Order	Manual Svc	Manual Svc	Manual Svc	Manual Svc
			m									Submitted	Submitted	Order vs.	Order vs.	Order vs.	Order vs.
												Elec	Manually	Electronic-	Electronic-	Electronic-	Electronic-
												per LSR	per LSR	1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonred		Nonrecurring					RATES (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
-																	
The	e "Zo	ne" shown in the sections for stand-alone loops or loops as	part of	a com	bination refers to Ge	ographically	Deaveraged U	NE Zones. To	view Geograpi	nically Deavera	aged UNE Zone	Designation	ons by Cent	ral Office, refe	er to Internet	Website:	
		ww.interconnection.bellsouth.com/become_a_clec/html/inter				,				,	•						
OPERATIO	NAL	SUPPORT SYSTEMS															
		1) Electronic Service Order: CLEC-1 should contact its contr															
		s the BellSouth regional electronic service ordering charge.															
		2) Any element that can be ordered electronically will be bill															
		ements that cannot be ordered electronically at present per t				in this cate	gory reflects th	e cnarge tnat \	voula be billed	to a CLEC on	ce electronic o	raering cap	Dapilities CO	me on-line to	r tnat element	. Otnerwise,	tne manual
ord		g charge, SOMAN, will be applied to a CLECs bill when it sub Electronic OSS Charge, per LSR, submitted via BST's OSS	omits ar	LSKI	o BeilSouth.	l			1	1		l		1	1	I	
		nteractive interfaces (Regional)				SOMEC		3.50									
UNBUNDI F		KCHANGE ACCESS LOOP				COIVILO		3.30									
		ANALOG VOICE GRADE LOOP												1			
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEAL2	18.48	70.44	44.05					44.22	13.55		
	- 1	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		2	UEANL	UEAL2	27.87	70.44	44.05					44.22	13.55		
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL	UEAL2	36.91	70.44	44.05					44.22	13.55		
		Loop Testing - Basic 1st Half Hour			UEANL	URET1		78.92	78.92								
		Loop Testing - Basic Additional Half Hour			UEANL	URETA		23.33	23.33								
		Engineering Information Document (EI)			UEANL	LIEANO		28.82	28.82								
		Manual Order Coordination for UVL-SL1s (per loop)* Order Coordination for Specified Conversion Time for UVL-SL1			UEANL	UEAMC		62.10	62.10								
		(per LSR) *			UEANL	OCOSL		45.43	45.43								
2-W	/IRF	Unbundled COPPER LOOP			OLANE	OCCOL		40.40	40.40								
F - 1		2-Wire Unbundled Copper Loop - Non-Designed Zone 1	1	1	UEQ	UEQ2X	11.01	44.69	22.40	25.65	7.06			44.22	13.55		
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 2	Ì	2	UEQ	UEQ2X	12.67	44.69	22.40	25.65	7.06			44.22	13.55		
	- 1	2 Wire Unbundled Copper Loop - Non-Designed - Zone 3	- 1	3	UEQ	UEQ2X	20.22	44.69	22.40	25.65	7.06			44.22	13.55		
	-	Order Coordination 2 Wire Unbundled Copper Loop - Non-															
		Designed (per loop)			UEQ	USBMC		62.10	62.10								
		Engineering Information Document	ļ	<u> </u>	UEQ			28.82	28.82								
\vdash		Loop Testing - Basic 1st Half Hour	ļ	<u> </u>	UEQ	URET1		78.92	78.92						1		
LINDLIND: F		Loop Testing - Basic Additional Half Hour KCHANGE ACCESS LOOP	<u> </u>		UEQ	URETA		23.33	23.33								
		ANALOG VOICE GRADE LOOP	 											-	-	-	
2-44		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-	1	1													
		Zone 1	1	1	UEPSR UEPSB	UEALS	18.48	70.44	44.05					44.22	13.55		
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		Ė										I	13.30	1	
	- 1	Zone 1	1	<u></u>	UEPSR UEPSB	UEABS	18.48	70.44	44.05			<u> </u>	<u> </u>	44.22	13.55		
		Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-															
		Zone 2	I	2	UEPSR UEPSB	UEALS	27.87	70.44	44.05					44.22	13.55		
		Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-	١.														
\vdash		Zone 2		<u> </u>	UEPSR UEPSB	UEABS	27.87	70.44	44.05					44.22	13.55	-	
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 3	١,	3	UEPSR UEPSB	UEALS	36.91	70.44	44.05					44.22	13.55		
\vdash		Zone 3 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		3	ULFOR UEPOB	UEALO	30.91	70.44	44.05			-		44.22	13.55	1	
		Zone 3	L	1	UEPSR UEPSB	UEABS	36.91	70.44	44.05			1		44.22	13.55		
UNBUNDLE		KCHANGE ACCESS LOOP	- '-				55.51	70.74	44.00					77.22	10.00		
		ANALOG VOICE GRADE LOOP	1		Ì									İ			
		CLEC to CLEC Conversion Charge without outside dispatch	l											1			
		(UVL-SL1)			UEANL	UREWO		48.22	22.06					44.42	13.55		
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or										1		1			
\vdash		Ground Start Signaling - Zone 1	ļ	1	UEA	UEAL2	21.57	178.12	128.80			ļ		44.42	13.55		
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		_		LIEALO	00.50	170.10	400.00			1			10.55		
		Ground Start Signaling - Zone 2	<u> </u>	2	UEA	UEAL2	32.53	178.12	128.80				l	44.42	13.55		

4Q01:12/01/01 PAGE 253 OF 324

ONRONDLE	D NETWORK ELEMENTS - South Carolina	1		ı								1	Attachment:	2		Exhibit: E
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Charge - Manual Svo Order vs.
						Rec	Nonrec		Nonrecurring					RATES (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		_													
	Ground Start Signaling - Zone 3		3	UEA	UEAL2	43.08	178.12	128.80					44.42	13.55		
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		45.43									
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		1	UEA	UEAR2	21.57	178.12	128.80					44.42	13.55		
	Battery Signaling - Zone 1 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		-	UEA	UEARZ	21.57	170.12	120.00					44.42	13.55		+
	Battery Signaling - Zone 2		2	UEA	UEAR2	32.53	178.12	128.80					44.42	13.55		
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse			ULA	ULANZ	32.33	170.12	120.00					44.42	13.33		+
	Battery Signaling - Zone 3		3	UEA	UEAR2	43.08	178.12	128.80					44.42	13.55		
	Order Coordination for Specified Conversion Time (per LSR)		Ŭ	UEA	OCOSL	.0.00	45.43	.20.00					2	10.00		+
	CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		132.12	38.36					44.42	13.55		1
4-WIRE	ANALOG VOICE GRADE LOOP															
	4-Wire Analog Voice Grade Loop - Zone 1		1	UEA	UEAL4	29.47	383.39	286.77					44.06	13.55		
	4-Wire Analog Voice Grade Loop - Zone 2		2	UEA	UEAL4	44.44	383.39	286.77					44.06	13.55		
	4-Wire Analog Voice Grade Loop - Zone 3		3	UEA	UEAL4	58.85	383.39	286.77					44.06	13.55		
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		45.43									
2-WIRE	ISDN DIGITAL GRADE LOOP															
	2-Wire ISDN Digital Grade Loop - Zone 1		1	UDN	U1L2X	26.68	423.04	301.75					44.42	13.55		
	2-Wire ISDN Digital Grade Loop - Zone 2			UDN	U1L2X	40.24	423.04	301.75					44.42	13.55		
	2-Wire ISDN Digital Grade Loop - Zone 3		3	UDN	U1L2X	53.85	423.04	301.75					44.42	13.55		
	Order Coordination For Specified Conversion Time (per LSR)			UDN	OCOSL		45.43									
	CLEC to CLEC Conversion Charge without outside dispatch			UDN	UREWO		121.44	33.16					44.42	13.55		
2-WIRE	Universal Digital Channel (UDC) COMPATIBLE LOOP															
	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone		١.,						400.00							
	O Wine Heimered Binitel Channel (UDC) Commetible Long Zone		1	UDC	UDC2X	31.51	235.15	160.05	106.09	21.21			44.42	13.55		
	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone		_	LIDO	LIDOOY	40.05	005.45	400.05	400.00	04.04			44.40	40.55		
	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone		2	UDC	UDC2X	40.95	235.15	160.05	106.09	21.21			44.42	13.55		+
	2-vvire Universal Digital Channel (UDC) Compatible Loop - Zone		3	UDC	UDC2X	47.12	235.15	160.05	106.09	21.21			44.42	13.55		
	CLEC to CLEC Conversion Charge without outside dispatch		3	UDC	UREWO	47.12	121.44	33.16	100.09	21.21			44.42	13.55		+
2-WIRE	E ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP	ΔTIRI F	LOOP		OILLIVO	1	121.44	33.10					77.72	13.33		+
2 *****	2 Wire Unbundled ADSL Loop including manual service inquiry	AHDEL			+											+
	& facility reservation - Zone 1		1	UAL	UAL2X	17.10	600.61	507.33					44.42	13.55		
	2 Wire Unbundled ADSL Loop including manual service inquiry			07.2	O/ ILL/ I		000.01	007.00					2	10.00		
	& facility reservation - Zone 2		2	UAL	UAL2X	25.79	600.61	507.33					44.42	13.55		
	2 Wire Unbundled ADSL Loop including manual service inquiry															1
	& facility reservation - Zone 3		3	UAL	UAL2X	34.15	600.61	507.33					44.42	13.55		
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		45.43									
	2 Wire Unbundled ADSL Loop without manual service inquiry &															
	facility reservaton - Zone 1		1	UAL	UAL2W	17.10	205.28	129.32	100.74	15.86			44.42	13.55		
	2 Wire Unbundled ADSL Loop without manual service inquiry &															
	facility reservaton - Zone 2		2	UAL	UAL2W	25.79	205.25	129.32	100.74	15.86			44.42	13.55		
	2 Wire Unbundled ADSL Loop without manual service inquiry &															
	facility reservaton - Zone 3		3	UAL	UAL2W	34.15	205.28	129.32	100.74	15.86			44.42	13.55		
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		45.43									
	CLEC to CLEC Conversion Charge without outside dispatch			UAL	UREWO		138.14	29.40					44.42	13.55		
2-WIRE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP													-
	2 Wire Unbundled HDSL Loop including manual service inquiry			l	LILII OV	40.04	COO C4	507.00					44.00	40.55		
	& facility reservation - Zone 1 2 Wire Unbundled HDSL Loop including manual service inquiry	 	1	UHL	UHL2X	12.21	600.61	507.33			-		44.06	13.55	 	+
1			2	UHL	UHL2X	40 44	600.61	E07 22					44.06	13.55	1	1
-+	& facility reservation - Zone 2	 	- 2	UTL	UHL2X	18.41	000.61	507.33			-		44.06	13.55	 	+
1	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 3		3	UHL	UHL2X	24.39	600.61	507.33					44.06	13.55	1	1
-	Order Coordination for Specified Conversion Time (per LSR)	 	3	UHL	OCOSL OCOSL	24.39	45.43	307.33					44.06	13.55	1	+
-	2 Wire Unbundled HDSL Loop without manual service inquiry	 		OI IL	OCOSL	+	45.43								1	+
1	and facility reservation - Zone 1		1	UHL	UHL2W	12.21	222.65	146.68	100.74	15.86			44.06	13.55	1	1
+	2 Wire Unbundled HDSL Loop without manual service inquiry	 	<u> </u>	U. IL	OT ILEVV	12.21	£22.00	170.00	100.74	10.00			44.00	15.55	 	+
1	and facility reservation - Zone 2	1	2	UHL	UHL2W	18.41	222.65	146.68	100.74	15.86			44.06	13.55	1	1

UNBUNDLE	D NETWORK ELEMENTS - South Carolina			T									Attachment:	2		Exhibit: E
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic Disc Add'l
						Rec	Nonrec		Nonrecurring		00450	L COMAN I		RATES (\$)		
	2 Wire Unbundled HDSL Loop without manual service inquiry						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	and facility reservation - Zone 3		3	UHL	UHL2W	24.39	222.65	146.68	100.74	15.86			44.06	13.55		
	Order Coordination for Specified Conversion Time (per LSR)		3	UHL	OCOSL	24.39	45.43	140.00	100.74	15.00			44.06	13.33		
	CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		138.07	29.40					44.06	13.55		
4-WIR	E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE I	OOP	0.12	0.12110		100.07	20.10						10.00		
	4 Wire Unbundled HDSL Loop including manual service inquiry															
	and facility reservation - Zone 1		1	UHL	UHL4X	16.21	625.11	532.78					44.06	13.55		
	4-Wire Unbundled HDSL Loop including manual service inquiry															
	and facility reservation - Zone 2		2	UHL	UHL4X	24.45	625.11	532.78					44.06	13.55		
	4-Wire Unbundled HDSL Loop including manual service inquiry															
	and facility reservation - Zone 3		3	UHL	UHL4X	32.38	625.11	532.78					44.06	13.55		
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		45.43									
	4-Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 1		1	UHL	UHL4W	16.21	279.96	203.99	110.24	20.75			44.06	13.55		
	4-Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 2		2	UHL	UHL4W	24.45	279.96	203.99	110.24	20.75			44.06	13.55		
	4-Wire Unbundled HDSL Loop without manual service inquiry		_													
	and facility reservation - Zone 3		3	UHL	UHL4W	32.38	279.96	203.99	110.24	20.75			44.06	13.55		.
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		45.43						11.00	10.55		
	CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		138.07	29.40					44.06	13.55		
4-WIRI	E DS1 DIGITAL LOOP				1101307	=0.04		101 =0						10.55		.
	4-Wire DS1 Digital Loop - Zone 1		1	USL	USLXX	59.61	715.77	421.50					43.77	13.55		.
	4-Wire DS1 Digital Loop - Zone 2			USL	USLXX	89.90	715.77	421.50					43.77	13.55		ļ
	4-Wire DS1 Digital Loop - Zone 3		3	USL	USLXX	119.06	715.77	421.50					43.77	13.55		.
	Order Coordination for Specified Conversion Time (per LSR)			USL	OCOSL		45.43	40.40					40.77	40.55		.
	CLEC to CLEC Conversion Charge without outside dispatch			USL	UREWO		130.54	40.13					43.77	13.55		ļ
4-WIRI	E 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP	-	1	UDI	LIDI 40	04.00	000.70	000.50					44.06	40.55		
	4 Wire Unbundled Digital 19.2 Kbps			UDL	UDL19	34.26	602.73	393.50					44.06 44.06	13.55		
	4 Wire Unbundled Digital 19.2 Kbps			UDL	UDL19	51.67	602.73	393.50						13.55		ļ
	4 Wire Unbundled Digital 19.2 Kbps 4 Wire Unbundled Digital Loop 56 Kbps - Zone 1	-	3	UDL UDL	UDL19 UDL56	68.43 34.26	602.73 602.73	393.50 393.50					44.06 44.06	13.55 13.55		
			1	UDL		51.67							44.06			
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2		2	UDL	UDL56 UDL56	68.43	602.73	393.50 393.50					44.06	13.55		
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3 Order Coordination for Specified Conversion Time (per LSR)		3	UDL	OCOSL	68.43	602.73 45.43	393.50					44.06	13.55		
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1		1	UDL	UDL64	34.26	602.73	393.50					44.06	13.55		
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2		2	UDL	UDL64	51.67	602.73	393.50					44.06	13.55		
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3		3	UDL	UDL64	68.47	602.73	393.50					44.06	13.55		
	Order Coordination for Specified Conversion Time (per LSR)		3	UDL	OCOSL	00.47	45.43	393.30					44.06	13.33		-
-	CLEC to CLEC Conversion Charge without outside dispatch			UDL	UREWO		131.96	38.77					44.06	13.55		
2-WIRI	E Unbundled COPPER LOOP			ODL	OINEWO		131.30	30.77					44.00	13.33		
Z-VVIIVI	2-Wire Unbundled Copper Loop/Short including manual service															
	inquiry & facility reservation - Zone 1		1	UCL	UCLPB	15.24	283.95	163.99	120.42	22.42			19.99	19.99	19.99	19.9
	2-Wire Unbundled Copper Loop/Short including manual service		<u> </u>	OOL	OOLI D	15.24	203.93	105.55	120.42	22.72			13.33	13.33	13.33	13.3
	inquiry & facility reservation - Zone 2		2	UCL	UCLPB	17.14	283.95	163.99	120.42	22.42			19.99	19.99	19.99	19.9
	2 Wire Unbundled Copper Loop/Short including manual service			002	002. 5		200.00	100.00	120.12				10.00	10.00	10.00	
	inquiry & facility reservation - Zone 3		3	UCL	UCLPB	17.68	283.95	163.99	120.42	22.42			19.99	19.99	19.99	19.9
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		62.10	62.10								
	2-Wire Unbundled Copper Loop/Short without manual service			002	CCLING		02.10	02.10								
	inquiry and facility reservation - Zone 1	1	1	UCL	UCLPW	15.24	203.42	127.45	100.74	15.86	1		19.99	19.99	19.99	19.9
1	2-Wire Unbundled Copper Loop/Short without manual service													1		
	inquiry and facility reservation - Zone 2	l	2	UCL	UCLPW	17.14	203.42	127.45	100.74	15.86			19.99	19.99	19.99	19.9
	2-Wire Unbundled Copper Loop/Short without manual service															
1	inquiry and facility reservation - Zone 3	1	3	UCL	UCLPW	17.68	203.42	127.45	100.74	15.86	1		19.99	19.99	19.99	19.9
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		62.10	62.10								
	2-Wire Unbundled Copper Loop/Long - includes manual srvc.															
	inquiry and facility reservation - Zone 1	<u> </u>	1	UCL	UCL2L	47.77	270.89	150.93	120.42	22.42	<u></u>		19.99	19.99	19.99	19.9
	2-Wire Unbundled Copper Loop/Long - includes manual svc.															
1	inquiry and facility reservation - Zone 2	l	2	UCL	UCL2L	69.16	270.89	150.93	120.42	22.42]		19.99	19.99	19.99	19.9

UNBUNDLE	D NETWORK ELEMENTS - South Carolina												Attachment:	2		Exhibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Order vs.	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrec First	curring Add'l	Nonrecurring First	Disconnect Add'l	SOMEC	SOMAN		RATES (\$) SOMAN	SOMAN	SOMAN
	2-Wire Unbundled Copper Loop/Long - includes manual svc.						FIISt	Auu i	Filst	Auu i	SOMEC	JOWAN	JOWAN	JOWAN	SOWAN	JOWAN
	inquiry and facility reservation - Zone 3		3	UCL	UCL2L	84.94	270.89	150.93	120.42	22.42			19.99	19.99	19.99	19.99
	Order Coordination for Unbundled Copper Loops (per loop) 2-Wire Unbundled Copper Loop/Long - without manual service			UCL	UCLMC		62.10	62.10								-
	inquiry and facility reservation - Zone 1		1	UCL	UCL2W	47.77	190.36	114.39	100.74	15.86			19.99	19.99	19.99	19.99
	2-Wire Unbundled Copper Loop/Long - without manual service															
	inquiry and facility reservation - Zone 2		2	UCL	UCL2W	69.16	190.36	114.39	100.74	15.86			19.99	19.99	19.99	19.99
	2-Wire Unbundled Copper Loop/Long - without manual service inquiry and facility reservation - Zone 3		3	UCL	UCL2W	84.94	190.36	114.39	100.74	15.86			19.99	19.99	19.99	19.99
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC	001	62.10	62.10	100.7 1	10.00			10.00	10.00	10.00	10.00
	CLEC to CLEC Conversion Charge without outside dispatch			UCL	UREWO		149.19	31.48					19.99	19.99	19.99	19.99
	(UCL-Des) CLEC to CLEC Conversion Charge without outside dispatch			UCL	UREWU		149.19	31.48					19.99	19.99	19.99	19.99
	(UCL-ND)			UEQ	UREWO		44.69	22.06					19.99	19.99	19.99	19.99
4-WIRE	COPPER LOOP															
	4-Wire Copper Loop/Short - including manual service inquiry and facility reservation - Zone 1		1	UCL	UCL4S	24.55	332.47	212.51	130.98	27.68			19.99	19.99	19.99	19.99
	4-Wire Copper Loop/Short - including manual service inquiry			002		24.00	002.47	212.01	100.00	21.00			10.00	10.00	10.00	10.00
	and facility reservation - Zone 2		2	UCL	UCL4S	26.13	332.47	212.51	130.98	27.68			19.99	19.99	19.99	19.99
	4-Wire Copper Loop/Short - including manual service inquiry and facility reservation - Zone 3		3	UCL	UCL4S	24.17	332.47	212.51	130.98	27.68			19.99	19.99	19.99	19.99
	Order Coordination for Unbundled Copper Loops (per loop)		3	UCL	UCLMC	24.17	62.10	62.10	130.98	21.00			19.99	15.55	13.33	13.33
	4-Wire Copper Loop/Short - without manual service inquiry and															
	facility reservation - Zone 1 4-Wire Copper Loop/Short - without manual service inquiry and		1	UCL	UCL4W	24.55	251.94	175.94	110.24	20.75			19.99	19.99	19.99	19.99
	facility reservation - Zone 2		2	UCL	UCL4W	26.13	251.94	175.94	110.24	20.75			19.99	19.99	19.99	19.99
	4-Wire Copper Loop/Short - without manual service inquiry and															
	facility reservation - Zone 3 Order Coordination for Unbundled Copper Loops (per loop)			UCL UCL	UCL4W UCLMC	24.17	251.94 62.10	175.94 62.10	110.24	20.75			19.99	19.99	19.99	19.99
	4-Wire Unbundled Copper Loop/Long - includes manual svc.			UCL	UCLIVIC		62.10	62.10								
	inquiry and facility reservation - Zone 1		1	UCL	UCL4L	96.61	319.41	199.45	130.98	27.66			19.99	19.99	19.99	19.99
	4-Wire Unbundled Copper Loop/Long - includes manual svc.				1101.41	440.40	040.44	100.45	400.00	07.00			40.00	19.99	40.00	40.00
-	inquiry and facility reservation - Zone 2 4-Wire Unbundled Copper Loop/Long - includes manual svc.		2	UCL	UCL4L	148.48	319.41	199.45	130.98	27.66			19.99	19.99	19.99	19.99
	inquiry and facility reservation - Zone 3		3	UCL	UCL4L	180.12	319.41	199.45	130.98	27.66			19.99	19.99	19.99	19.99
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		62.10	62.10								
	4-Wire Unbundled Copper Loop/Long - without manual svc. inquiry and facility reservation - Zone 1		1	UCL	UCL4O	96.61	238.87	162.90	110.24	20.75			19.99	19.99	19.99	19.99
	4-Wire Unbundled Copper Loop/Long - without manual svc.			002	OOL+O	30.01	200.07	102.00	110.24	20.10			10.00	10.00	10.00	10.00
	inquiry and facility reservation - Zone 2		2	UCL	UCL4O	148.48	238.87	162.90	110.24	20.75			19.99	19.99	19.99	19.99
	4-Wire Unbundled Copper Loop/Long - without manual svc. inquiry and facility reservation - Zone 3		3	UCL	UCL4O	180.12	238.87	162.90	110.24	20.75			19.99	19.99	19.99	19.99
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC	100.12	62.10	62.10	110.24	20.75			19.99	13.33	13.33	13.33
	CLEC to CLEC Conversion Charge without outside dispatch															
LOOP MODIFIC	(UCL-Des)			UCL	UREWO		149.19	31.48					19.99	19.99	19.99	19.99
LOCI WIODIFI	Unbundled Loop Modification, Removal of Load Coils - 2 Wire			UAL, UHL, UCL,	1						1					†
	pair less than or equal to 18k ft			UEQ, ULS	ULM2L		65.32	65.32								
	Unbundled Loop Modification, Removal of Load Coils - 2 wire greater than 18k ft			UCL, ULS	ULM2G		342.29	342.29								
	Unbundled Loop Modification Removal of Load Coils - 4 Wire			OOL, ULO	JLIVIZG		342.29	342.29								+
	less than or equal to 18K ft			UHL, UCL	ULM4L		65.32	65.32								
	Unbundled Loop Modification Removal of Load Coils - 4 Wire			LICI.	LILMAC	Ι Τ	240.00	0.40.00								
	pair greater than 18k ft Unbundled Loop Modification Removal of Bridged Tap Removal,			UCL UAL, UHL, UCL,	ULM4G		342.29	342.29								1
	per unbundled loop			UEQ, UEF, ULS	ULMBT		65.37	65.37								
SUB-LOOPS	Platella di sa													-		
Sub-Lo	pop Distribution	<u> </u>	l			<u> </u>					<u> </u>		<u> </u>			Ь

UNBUNDLE	NETWORK ELEMENTS - South Carolina			ı	1	1							Attachment:	2		Exhibit: E
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)	I			Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic Disc Add'l
						Rec	Nonrec		Nonrecurring					RATES (\$)		
	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Up	1		UEANL	USBSA		507.75	507.75					44.22	13.55		
	•															
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	- 1		UEANL	USBSB		45.37	45.37					44.22	13.55		
	Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility Set-Up	- 1		UEANL	USBSC		380.60	380.60					44.22	13.55		
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up	_		UEANL	USBSD		111.15	111.15					44.22	13.55		
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -															
	Zone 1	ı	1	UEANL	USBN2	11.09	131.88	62.05	90.69	13.42			44.22	13.55		ļ
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 2	ı	2	UEANL	USBN2	15.72	131.88	62.05	90.69	13.42			44.22	13.55		
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 3	_	3	UEANL	USBN2	18.49	131.88	62.05	90.69	13.42			44.22	13.55		
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		45.43	45.43								<u> </u>
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 1		1	UEANL	USBN4	17.64	158.41	88.58	99.64	18.17			44.22	13.55		
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 2		2	UEANL	USBN4	24.25	158.41	88.58	99.64	18.17			44.22	13.55		
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3		3	UEANL	USBN4	23.63	158.41	88.58	99.64	18.17			44.22	13.55		
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC USBR2	3.01	45.43	45.43 36.42	00.00	40.40			44.22	40.55		ļ
	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)	-		UEANL	USBRZ	3.01	106.26	30.42	90.69	13.42			44.22	13.55		+
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		45.43	45.43								
	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	ı		UEANL	USBR4	6.70	118.76	48.93	99.64	18.17			44.22	13.55		
	0.10			LIFANII	1100040		45.40	45.40								
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEANL UEF	USBMC UCS2X	8.59	45.43 131.88	45.43 62.05	90.69	13.42			44.22	13.55		
	2 Wire Copper Unburidled Sub-Loop Distribution - Zone 1	i i	2	UEF	UCS2X	12.29	131.88	62.05	90.69	13.42			44.22	13.55		
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	i		UEF	UCS2X	13.10	131.88	62.05	90.69	13.42			44.22	13.55		
	·															
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		45.43	45.43	22.21	10.15			11.00			
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	-	1	UEF UEF	UCS4X UCS4X	9.81 17.71	158.41 158.41	88.58 88.58	99.64 99.64	18.17 18.17			44.22 44.22	13.55 13.55		
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3			UEF	UCS4X UCS4X	17.71	158.41	88.58	99.64	18.17			44.22	13.55		
	4 Wile Copper Oribunaled Sub-Loop Distribution - Zone 3	-	3	OLI	00347	13.60	130.41	00.30	99.04	10.17			44.22	13.33		
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		45.43	45.43								
Unbun	dled Sub-Loop Modification															
	Unbundled Sub-Loop Modification - 2-W Copper Dist Load Coil/Equip Removal per 2-W PR			UEF	ULM2X		356.50	12.29					44.22	13.55		
	Unbundled Sub-loop Modification - 4-W Copper Dist Load															
	Coil/Equip Removal per 4-W PR			UEF	ULM4X		356.50	12.29					44.22	13.55		<u> </u>
	Unbundled Sub-loop Modification - 2-w/4-w Copper Dist Bridged Tap Removal, per PR unloaded			UEF	ULM4T		561.80	14.33					44.22	13.55		
Unbun	dled Network Terminating Wire (UNTW)			0=1	JEIVITI		301.00	14.55					77.22	10.00		
	Unbundled Network Terminating Wire (UNTW) per Pair			UENTW	UENPP	0.41	62.71	62.71					44.22	13.55		
Networ	k Interface Device (NID)															
	Network Interface Device (NID) - 1-2 lines			UENTW	UND12		87.36	57.58					44.22	13.55		
	Network Interface Device (NID) - 1-6 lines			UENTW	UND16		128.84	99.06					44.22	13.55		<u> </u>
	Network Interface Device Cross Connect - 2 W			UENTW	UNDC2		11.83	11.83					44.22 44.22	13.55		
SUB-LOOPS	Network Interface Device Cross Connect - 4W			UENTW	UNDC4		11.83	11.83					44.22	13.55		
	op Feeder															
522 20	USL-Feeder, DS0 Set-up per Cross Box location - CLEC			UEA,	1	1										
	Distribution Facility set-up	1		UDN,UCL,UDL,UDC	USBFW		507.75				1					

ONRONDLE	D NETWORK ELEMENTS - South Carolina			1	,						1		Attachment:	2	ļ	Exhibit:
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual St Order vs Electronic Disc Add
						Rec	Nonrec		Nonrecurring					RATES (\$)		
	UCL Freder, DCO Cot on the Cores Baseline and Of their			UEA.			First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	USL Feeder - DS0 Set-up per Cross Box location - per 25 pair			UDN.UCL.UDL.UDC	HODEV		45.37	45.07								
	set-up				USBFX			45.37 11.34								
	USL Feeder DS1 Set-up at DSX location, per DS1 termination Unbundled Sub-Loop Feeder Loop, 2 Wire Ground Start, Voice		-	USL	USBFZ		523.87	11.34								-
	Grade - Zone 1		1	UEA	USBFA	11.16	186.56	113.37	109.36	27.48			19.99	19.99	19.99	19.9
-	Unbundled Sub-Loop Feeder Loop, 2 Wire Ground-Start, Voice		-	ULA	USBI A	11.10	100.30	113.37	109.30	27.40			15.55	19.99	15.55	15.5
	Grade - Zone 2		2	UEA	USBFA	14.67	186.56	113.37	109.36	27.48			19.99	19.99	19.99	19.9
	Unbundled Sub-Loop Feeder Loop, Per 2 Wire Ground-Start,			OLA	OOD! A	14.07	100.50	110.07	103.30	21.40			13.33	13.33	15.55	13.0
	Voice Grade - Zone 3		3	UEA	USBFA	18.43	186.56	113.37	109.36	27.48			19.99	19.99	19.99	19.9
	Order Coordination for Specified Conversion Time, per LSR		Ť	UEA	OCOSL		45.43									
	Unbundlde Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice															
1	Grade - Zone 1		1	UEA	USBFB	11.16	186.56	113.37	109.36	27.48			19.99	19.99	19.99	19.
	Unbundled Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice															
	Grade - Zone 2	<u></u>	2	UEA	USBFB	14.67	186.56	113.37	109.36	27.48	<u> </u>		19.99	19.99	19.99	19.9
	Unbundled Sub-Loop Feeder Loop, 2 Wire Start Loop, Voice															
	Grade - Zone 3		3	UEA	USBFB	18.43	186.56	113.37	109.36	27.48			19.99	19.99	19.99	19.
	Order Coordination for Specified Time Conversion, per LSR			UEA	OCOSL		45.43									
	Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery,															
	Voice Grade - Zone 1		1	UEA	USBFC	11.16	186.56	113.37	109.36	27.48			19.99	19.99	19.99	19.9
	Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery,															
	Voice Grade - Zone 2		2	UEA	USBFC	14.67	186.56	113.37	109.36	27.48			19.99	19.99	19.99	19.9
	Unbundled Sub-Loop Feeder Loop, 2 Wire Analog Reverse															
	Battery, Voice Grade - Zone 3		3	UEA	USBFC	18.43	186.56	113.37	109.36	27.48			19.99	19.99	19.99	19.9
	Order Coordination For Specified Conversion Time, per LSR			UEA	OCOSL		45.43									
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice															
	Grade - Zone 1		1	UEA	USBFD	27.04	215.82	140.72	124.52	35.03			19.99	19.99	19.99	19.9
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice															
	Grade - Zone 2		2	UEA	USBFD	34.46	215.82	140.72	124.52	35.03			19.99	19.99	19.99	19.
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground Start, Voice		_													
	Grade - Zone 3		3	UEA	USBFD	32.55	215.82	140.72	124.52	35.03			19.99	19.99	19.99	19.9
	Order Coordination For Specified Conversion Time, Per LSR			UEA	OCOSL		45.43									
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice				HODEE	07.04	045.00	440.70	404.50	05.00			10.00	40.00	40.00	40
	Grade - Zone 1		1	UEA	USBFE	27.04	215.82	140.72	124.52	35.03			19.99	19.99	19.99	19.
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice		2	UEA	USBFE	34.46	215.82	140.72	404.50	25.02			19.99	19.99	19.99	40
	Grade - Zone 2 Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice			UEA	USBFE	34.46	215.82	140.72	124.52	35.03			19.99	19.99	19.99	19.
	Grade - Zone 3		3	UEA	USBFE	32.55	215.82	140.72	124.52	35.03			19.99	19.99	19.99	19.
	Order Coordination For Specified Conversion Time, Per LSR		3	UEA	OCOSL	32.33	45.43	140.72	124.52	33.03			19.99	19.99	19.99	19.
-	Unbundled Sub-Loop Feeder Loop, 2 Wire ISDN BRI - Zone 1		1	UDN	USBFF	21.31	212.94	137.84	111.61	26.73			19.99	19.99	19.99	19.
	Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 2		2	UDN	USBFF	26.15	212.94	137.84	111.61	26.73			19.99	19.99	19.99	19.
	Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 3		3	UDN	USBFF	29.36	212.94	137.84	111.61	26.73			19.99	19.99	19.99	19.
	Order Coordination For Specified Conversion Time, Per LSR			UDN	OCOSL	20.00	45.43	107.04	111.01	20.70			10.00	10.00	10.00	10.
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)		1	UDC	USBFS	21.31	212.94	137.84	111.61	26.73			19.99	19.99	19.99	19.
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)		2	UDC	USBFS	26.15	212.94	137.84	111.61	26.73			19.99	19.99	19.99	19.
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)		3	UDC	USBFS	29.36	212.94	137.84	111.61	26.73			19.99	19.99	19.99	19.
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 1		1	USL	USBFG	79.79	204.38	129.38	124.52	35.03			19.99	19.99	19.99	19.
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 2			USL	USBFG	155.94	204.38	129.38	124.52	35.03			19.99	19.99	19.99	19.
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 3			USL	USBFG	290.50	204.38	129.38	124.52	35.03			19.99	19.99	19.99	19.
	Order Coordination For Specified Conversion Time, Per LSR		Ť	USL	OCOSL		45.43			22.30				0	15.50	
	Unbundled Sub-Loop Feeder, 2-Wire Copper Loop - Zone 1		1	UCL	USBFH	7.47	167.94	92.84	106.27	21.38			19.99	19.99	19.99	19.
İ	Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone												-			
1	2		2	UCL	USBFH	6.00	167.94	92.84	106.27	21.38			19.99	19.99	19.99	19.
	Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone															
1	3	1	3	UCL	USBFH	5.74	167.94	92.84	106.27	21.38			19.99	19.99	19.99	19.
	Order Coordination For Specified Conversion Time, per LSR			UCL	OCOSL		45.43									
	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 1			UCL	USBFJ	16.51	202.43	127.33	116.06	26.57			19.99	19.99	19.99	19.9
	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 2		2	UCL	USBFJ	10.35	202.43	127.33	116.06	26.57			19.99	19.99	19.99	19.
	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 3		3	UCL	USBFJ	10.52	202.43	127.33	116.06	26.57			19.99	19.99	19.99	19.

UNBUNDLED	NETWORK ELEMENTS - South Carolina												Attachment:	2		Exhibit: E
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Order vs.	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrec			g Disconnect			OSS	RATES (\$)		
	Order Coordination For Specified Conversion Time, per LSR			UCL	OCOSL		First 45.43	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop		1	UDL	USBFN	26.27	204.38	129.28	124.52	35.03			19.99	19.99	19.99	19.99
	Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop			UDL	USBFN	26.62	204.38	129.29	124.52	35.03	+		19.99	19.99	19.99	19.99
	Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop			UDL	USBFN	25.21	204.38	129.28	124.52	35.03			19.99	19.99	19.99	
	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop - Zone 1		1	UDL	USBFO	26.27	204.38	129.28	124.52	35.03			19.99	19.99	19.99	19.99
	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop - Zone 2		2	UDL	USBFO	26.62	204.38	129.29	124.52	35.03			19.99	19.99	19.99	19.99
	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop - Zone 3		3	UDL	USBFO	25.21	204.38	129.28	124.52	35.03			19.99	19.99	19.99	19.99
	Order Coordination For Specified Time Conversion, per LSR			UDL	OCOSL	20.21	45.43	120.20	124.02	33.03			10.99	10.00	10.00	10.00
	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop -						- 1									
	Zone 1		1	UDL	USBFP	26.27	204.38	129.28	124.52	35.03			19.99	19.99	19.99	19.99
	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - Zone 2		2	UDL	USBFP	26.62	204.38	129.29	124.52	35.03			19.99	19.99	19.99	19.99
	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - Zone 3		3	UDL	USBFP	25.21	204.38	129.28	124.52	35.03			19.99	19.99	19.99	19.99
	Order Coordination For Specified Conversion Time, per LSR		3	UDL	OCOSL	20.21	45.43	123.20	124.52	33.03			19.99	19.99	13.33	13.33
SUB-LOOPS	eraci ecoramation i el epocinica ecimencian rimo, por zero			002	00002		10.10									
Sub-Lo	op Feeder															
	Sub Loop Feeder - DS3 - Per Mile Per Month			UE3	1L5SL	20.44										
	Sub Loop Feeder - DS3 - Facility Termination Per Month			UE3	USBF1	348.12	3,392.00	407.90	160.83	91.17			31.38	31.38	3.94	3.94
	Sub Loop Feeder – STS-1 – Per Mile Per Month			UDLSX	1L5SL	20.44		107.00	100.00	24.4=			01.00	24.00		
	Sub Loop Feeder - STS-1 - Facility Termination Per Month			UDLSX	USBF7 1L5SL	369.07	3,392.00	407.90	160.83	91.17			31.38	31.38	3.94	3.94
	Sub Loop Feeder – OC-3 – Per Mile Per Month Sub Loop Feeder - OC-3 - Facility Termination Protection Per			UDLO3	ILSSL	15.51										
	Month			UDLO3	USBF5	56.04										
	Sub Loop Feeder - OC-3 - Facility Termination Per Month			UDLO3	USBF2	565.50	3,392.00	407.90	160.83	91.17			31.38	31.38	3.94	3.94
	Sub Loop Feeder - OC-12 - Per Mile Per Month			UDL12	1L5SL	19.08	.,									
	Sub Loop Feeder - OC-12 - Facility Termination Protection Per															
	Month			UDL12	USBF6	669.82										
	Sub Loop Feeder - OC-12 - Facility Termination Per Month			UDL12	USBF3	1,840.00	3,392.00	407.90	160.83	91.17			31.38	31.38	3.94	3.94
	Sub Loop Feeder - OC-48 - Per Mile Per Month			UDL48	1L5SL	62.60										
	Sub Loop Feeder - OC-48 - Facility Termination Protection Per Month			UDL48	USBF9	326.16										
	Sub Loop Feeder - OC-48 - Facility Termination Per Month			UDL48	USBF4	1,560.00	3,578.00	407.90	160.83	91.17	1		31.38	31.38	3.94	3.94
	Sub Loop Feeder - OC-12 Interface On OC-48			UDL48	USBF8	366.86	789.85	407.90	160.83	91.17			31.38	31.38	3.94	
	OOP CONCENTRATION			-	1					1	1		230	130	2.31	
	Unbundled Loop Concentration - System A (TR008)			ULC	UCT8A	398.41	652.26	652.26					19.99	19.99	19.99	19.99
	Unbundled Loop Concentration - System B (TR008)			ULC	UCT8B	58.36	271.78	271.78					19.99	19.99	19.99	19.99
	Unbundled Loop Concentration - System A (TR303)			ULC	UCT3A	439.73	652.26	652.26			1		19.99	19.99	19.99	19.99
	Unbundled Loop Concentration - System B (TR303)			ULC	UCT3B	98.34	271.78	271.78	22.05	0.40	1	1	19.99	19.99	19.99	19.99
	Unbundled Loop Concentration - DS1 Loop Interface Card Unbundled Loop Concentration - ISDN Loop Interface (Brite			ULC	UCTCO	5.52	126.85	92.35	33.65	9.42		1	19.99	19.99	19.99	19.99
	Card)			UDN	ULCC1	8.77	21.11	21.00	10.81	10.74			19.99	19.99	19.99	19.99
	Unbundled Loop Concentration - UDC Loop Interface (Brite Card)			UDC	ULCCU	8.77	21.11	21.00	10.81	10.74			19.99	19.99	19.99	19.99
	Unbundled Loop Concentration2 Wire Voice-Loop Start or Ground Start Loop Interface (POTS Card)			UEA	ULCC2	2.19	21.11	21.00	10.81	10.74			19.99	19.99	19.99	19.99
	Unbundled Loop Concentration - 2 Wire Voice - Reverse Battery				LII CCD	40.00	24.44	04.00	40.04	40.74			40.00	40.00	40.00	40.00
	Loop Interface (SPOTS Card) Unbundled Loop Concentration - 4 Wire Voice Loop Interface (Specials Card)			UEA UEA	ULCC4	13.03 7.77	21.11	21.00	10.81	10.74			19.99	19.99	19.99	19.99
	Unbundled Loop Concentration - TEST CIRCUIT Card			ULC	UCTTC	37.98	21.11	21.00	10.81	10.74	+		19.99	19.99	19.99	
	Unbundled Loop Concentration - Digital 19.2 Kbps Data Loop Interface			UDL	ULCC7	11.51	21.11	21.00	10.81	10.74			19.99	19.99	19.99	19.99
	Unbundled Loop Concentration - Digital 56 Kbps Data Loop Interface			UDL	ULCC5	11.51	21.11	21.00	10.81	10.74			19.99	19.99	19.99	19.99

UNBUNDLE	D NETWORK ELEMENTS - South Carolina												Attachment:	2		Exhibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					RATES (\$)		
	Unbundled Loop Concentration - Digital 64 Kbps Data Loop						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interface			UDL	ULCC6	11.51	21.11	21.00	10.81	10.74			19.99	19.99	19.99	19.99
UNE OTHER, E	PROVISIONING ONLY - NO RATE			ODL	OLCCO	11.51	21.11	21.00	10.61	10.74			15.55	19.99	19.99	19.99
1	NID - Dispatch and Service Order for NID installation			UENTW	UNDBX											İ
	UNTW Circuit Id Establishment, Provisioning Only - No Rate			UENTW	UENCE											
				UEANL,UEF,UEQ,U												
	Unbundled Contract Name, Provisioning Only - No Rate			ENTW	UNECN											
UNE OTHER, F	PROVISIONING ONLY - NO RATE															
				HAL HOL HDO HDI												
	Unbundled Contact Name, Provisioning Only - no rate			UAL,UCL,UDC,UDL, UDN,UEA,UHL,ULC	UNECN	0.00	0.00									
 	Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no			ODIN,OLA,OI IL,OLC	CINECIN	0.00	0.00							1	1	
	rate			UEA,UDN,UCL,UDC	USBFQ	0.00	0.00									
	Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no					0.00										
	rate			UEA,USL,UCL,UDL	USBFR	0.00	0.00									
	Unbundled DS1 Loop - Superframe Format Option - no rate			USL	CCOSF	0.00	0.00									
	Unbundled DS1 Loop - Expanded Superframe Format option -															
	no rate			USL	CCOEF	0.00	0.00									
	TY UNBUNDLED LOCAL LOOP															
NOTE:	4 month minimum billing period High Capacity Unbundled Local Loop - DS3 - Per Mile per															
	month			UE3	1L5ND	15.33										
	High Capacity Unbundled Local Loop - DS3 - Facility			ULS	TESIND	15.55										
	Termination per month			UE3	UE3PX	382.95	905.04	529.05	239.50	167.53			31.38	31.38	3.94	3.94
	High Capacity Unbundled Local Loop - STS-1 - Per Mile per															
	month			UDLSX	1L5ND	15.33										
	High Capacity Unbundled Local Loop - STS-1 - Facility															
	Termination per month			UDLSX	UDLS1	391.86	905.04	529.05	239.50	167.53			31.38	31.38	3.94	3.94
LOOP MAKE-U																
	Loop Makeup - Preordering Without Reservation, per working or				1.15.41.21.14.4		40.07	40.07								
	spare facility queried (Manual). Loop Makeup - Preordering With Reservation, per spare facility			UMK	UMKLW		48.07	48.07								
	queried (Manual).			UMK	UMKLP		50.97	50.97								
	Loop MakeupWith or Without Reservation, per working or			OWIN	OWNER		30.97	30.97								
	spare facility queried (Mechanized)			UMK	PSUMK		0.6873	0.6873								
HIGH FREQUE	NCY SPECTRUM															
SPLITT	TERS-CENTRAL OFFICE BASED															
	Line Sharing Splitter, per System 96 Line Capacity	_		ULS	ULSDA	216.22	378.42	0.00	356.76	0.00		0.00				
	Line Sharing Splitter, per System 24 Line Capacity	!		ULS	ULSDB	54.05	378.42	0.00	356.76	0.00		0.00				
	Line Sharing Splitter, Per System, 8 Line Capacity	- 1		ULS	ULSD8	18.02	378.42	0.00	356.76	0.00		0.00				
	Line Sharing-DLEC Owned Splitter in CO-CFA activaton- deactivation (per LSOD)			ULS	ULSDG		57.83		11.41							
END II	SER ORDERING-CENTRAL OFFICE BASED-HIGH FREQUENCY	/ SPEC	TRIIM		ULSDG		57.63		11.41							
LIND O	Line Sharing - per Line Activation	I I		ULS	ULSDC	0.61	37.09	21.24	20.07	9.85			44.22	13.55		
	2 - 1 J Fee					2.01	250			2.00				15,00	İ	
	Line Sharing - per Subsequent Activity per Line Rearrangement	ı		ULS	ULSDS	<u> </u>	32.84	16.41	<u> </u>		<u> </u>		44.22	13.56	<u> </u>	<u> </u>
	Line Splitting - per line activation DLEC owned splitter			UEPSR UEPSB	UREOS	0.61		-								
	Line Splitting - per line activation BST owned - physical	ı		UEPSR UEPSB	UREBP	0.644	37.09	21.24	20.07	9.85						ļ
	Line Splitting - per line activation BST owned - virtual	- 1		UEPSR UEPSB	UREBV	0.642	37.09	21.24	20.07	9.85				ļ	ļ	1
LIMBUNDI ED S	FRANCRORT															1
UNBUNDLED 1	RANSPORT OFFICE CHANNEL - DEDICATED TRANSPORT - VOICE GRADE															
INTER	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -			1		 					1			1	1	
	Per Mile per month			U1TVX	1L5XX	0.0167										
	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -					3.0.07								1	1	t
1 1	Facility Termination per month			U1TVX	U1TV2	24.30	81.25	54.94	33.54	13.82			31.38	31.38	9.80	9.80
	Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade															
	Rev Bat Per Mile per month			U1TVX	1L5XX	0.0167										<u> </u>

<u> </u>	D NETWORK ELEMENTS - South Carolina												Attachment:	2		Exhibit: I
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	I Incrementa Charge - Manual Svo Order vs.
						Rec	Nonrec First	urring Add'l	Nonrecurring First	Disconnect Add'l	SOMEC	SOMAN	OSS I	RATES (\$)	SOMAN	SOMAN
	Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat Facility Termination per month			U1TVX	U1TR2	24.30	81.25	54.94	33.54	13.82			31.38	31.38	9.80	9.80
	Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Per Mile per month			U1TVX	1L5XX	0.0167										
	Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade - Facility Termination per month			U1TVX	U1TV4	21.29	81.25	54.94	33.54	13.82			31.38	31.38	3.94	3.94
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month			U1TDX	1L5XX	0.0167										
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination per month			U1TDX	U1TD5	16.76	81.26	54.94	33.54	13.82			31.38	31.38	3.94	3.94
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month			U1TDX	1L5XX	0.0282										
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination per month			U1TDX	U1TD6	16.76	81.26	54.94	33.54	13.82			31.38	31.38	9.80	9.80
	DFFICE CHANNEL - DEDICATED TRANSPORT - DS1 Interoffice Channel - Dedicated Channel - DS1 - Per Mile per			U1TD1	1L5XX	0.3415										
	month Interoffice Channel - Dedicated Tranport - DS1 - Facility Termination per month			U1TD1	U1TF1	77.14	178.93	163.98	32.77	28.95			31.38	31.38	3.94	3.94
INTERO	OFFICE CHANNEL - DEDICATED TRANSPORT- DS3			OTIDI	OTIFT	77.14	170.93	103.90	32.11	20.93			31.30	31.30	3.54	3.54
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month			U1TD3	1L5XX	8.02										
	Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month			U1TD3	U1TF3	880.65	558.74	326.23	120.66	117.17			31.38	31.38	3.94	3.94
	DFFICE CHANNEL - DEDICATED TRANSPORT- STS-1 Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month			U1TS1	1L5XX	8.02										
	Interoffice Channel - Dedicated Transport - STS-1 - Facility Termination per month			U1TS1	U1TFS	880.55	558.74	326.26	120.66	117.17			31.38	31.38	3.94	3.94
	CHANNEL - DEDICATED TRANSPORT			D00	D00 1 -1 -		_									
NOTE: I	LOCAL CHANNEL DEDICATED TRANSPORT - minimum billin	g perio	d - belo					00.40	70.44	0.44			04.00	31.38	0.04	3.94
	Local Channel - Dedicated - 2-Wire Voice Grade Per Month Local Channel - Dedicated - 2-Wire Voice Grade Rev Bat per			ULDVX	ULDV2 ULDR2	15.33 15.33	387.05 387.05	66.48	73.44 73.44	6.41			31.38	31.38	3.94	
	month Local Channel - Dedicated - 4-Wire Voice Grade per month			UNDVX	ULDV4	16.54	387.05	67.35	73.44	7.35			31.38	31.38	3.94	
	Local Channel - Dedicated - 4-Wire Voice Grade per month Local Channel - Dedicated - DS1 per month - Zone 1	-	1	ULDD1	ULDV4 ULDF1	42.62	355.73	308.11	74.38 44.48	30.59			31.38	31.38	3.94	
	Local Channel - Dedicated - DS1 per month - Zone 2		2	ULDD1	ULDF1	70.32	355.73	308.11	44.48	30.59			31.38	31.38	3.94	
	Local Channel - Dedicated - DS1 per month - Zone 3			ULDD1	ULDF1	190.68	355.73	308.11	44.48	30.59			31.38	31.38	3.94	
	Local Channel - Dedicated - DS3 - Per Mile per month Local Channel - Dedicated - DS3 - Facility Termination per		_	ULDD3	1L5NC	11.93	222.70		10				200	2.300	5.01	3.0
	month			ULDD3	ULDF3	446.00	905.04	529.05	239.50	167.53			31.38	31.38	3.94	3.94
	Local Channel - Dedicated - STS-1- Per Mile per month Local Channel - Dedicated - STS-1 - Facility Termination per			ULDS1	1L5NC	11.93	005.01	500.05	200 =2	407.50			04.00	04.00	0.01	
MULTIPLEXER				ULDS1	ULDFS	435.10	905.04	529.05	239.50	167.53			31.38	31.38	3.94	
	Channelization - DS1 to DS0 Channel System			UXTD1	MQ1	134.46	182.48	125.42	21.12	19.62			31.38	31.38	3.947	3.94
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs)			UDL	1D1DD	1.49	13.18	9.45								
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month			UDN	UC1CA	3.20	13.18	9.45								
	Voice Grade COCI - DS1 to DS0 Channel System - per month			UEA	1D1VG	0.7012	13.18	9.45								
	DS3 to DS1 Channel System per month			UXTD3	MQ3	180.03	357.07	188.36	66.66	63.79			31.38	31.38	3.94	
	STS1 to DS1 Channel System per month	1		UXTS1	MQ3	180.03	357.07	188.36	66.66	63.79			31.38	31.38	3.94	3.94
	DS3 Interface Unit (DS1 COCI) used with Loop per month			USL	UC1D1	10.80	13.18	9.45								-
DARK FIDED			 		1						!	-	 	!		1
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Local Channel			UDF	1L5DC	97.65										

UNBUNDLED	NETWORK ELEMENTS - South Carolina			•	1								Attachment:	2		Exhibit: I
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Submitted Manually		Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Charge -
						Rec	Nonre			g Disconnect			oss	RATES (\$)		
	Dell Eiles Esse Eiles Obere le Des Deste Miles Essetie						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction			UDF	1L5DF	20.44										ĺ
	Thereof per month - Interoffice Channel NRC Dark Fiber - Interoffice Channel			UDF	UDF14	36.41	1,281.02	276.34	635.52	396.21			31.38	31.38	3.94	3.94
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction			ОВІ	ODI 14		1,201.02	270.54	033.32	330.21			31.30	31.30	3.34	5.5-
	Thereof per month - Local Loop			UDF	1L5DL	97.65										
	NRC Dark Fiber - Local Loop			UDF	UDFL4		1,281.02	276.34	635.52	396.21			31.38	31.38	3.94	3.94
TRANSPORT O																
	Il Features & Functions:															
	Clear Channel Capability (B8ZS/ESF) Option - Subsequent - per DS1 Channel			UNC1X	CCOEF		185.26	22.00	4.00	0.78			29.33	3.93		
	Clear Channel Capability (B8ZS/SF) Option - Subsequent - per			UNCIX	CCOEF		185.26	23.86	1.99	0.78			29.33	3.93		
	DS1 Channel			UNC1X	CCOSF		185.26	23.86	1.99	0.78			29.33	3.93		
	EN DIGIT SCREENING			2.30.00	20001		100.20	20.00	1.99	0.70			20.00	0.00		
	8XX Access Ten Digit Screening, Per Call			OHD		0.0005227										
	8XX Access Ten Digit Screening, Reservation Charge Per 8XX															
	Number Reserved			OHD	N8R1X		6.38	0.9583					27.84	27.84		
	8XX Access Ten Digit Screening, Per 8XX No. Established W/O			CUD			00.00	0.70					07.04	07.04		l
	POTS Translations 8XX Access Ten Digit Screening, Per 8XX No. Established With			OHD			22.63	2.73					27.84	27.84		
	POTS Translations			OHD	N8FTX		22.63	2.73					27.84	27.84		l
	8XX Access Ten Digit Screening, Customized Area of Service			OTID	1401 170		22.00	2.70					27.04	27.04		
	Per 8XX Number			OHD	N8FCX		5.64	2.82					27.84	27.84		ĺ
	8XX Access Ten Digit Screening, Multiple InterLATA CXR															
	Routing Per CXR Requested Per 8XX No.			OHD	N8FMX		6.60	3.78					27.84	27.84		
	8XX Access Ten Digit Screening, Change Charge Per Request			OHD	N8FAX		7.34	0.9583					27.84	27.84		
	8XX Access Ten Digit Screening, Call Handling and Destination			CUD	NOEDV		5.04						07.04	07.04		ĺ
	Features TION DATA BASE ACCESS (LIDB)			OHD	N8FDX		5.64						27.84	27.84		-
	LIDB Common Transport Per Query			OQT		0.0000442										
	LIDB Validation Per Query			OQU	1	0.0145288										
	LIDB Originating Point Code Establishment or Change			OQT, OQU	NRPBX		61.62						27.84	27.84		
SIGNALING (CC																
	CCS7 Signaling Termination, Per STP Port			UDB	PT8SX	156.33										
	CCS7 Signaling Usage, Per TCAP Message			UDB		0.0001108							10.00	10.00	10.00	10.00
	CCS7 Signaling Connection, Per link (A link) CCS7 Signaling Connection, Per link (B link) (also known as D		-	UDB	TPP++	21.79	277.07	277.07				1	19.99	19.99	19.99	19.99
	link)			UDB	TPP++	21.79	277.07	277.07					19.99	19.99	19.99	19.99
	CCS7 Signaling Usage, Per ISUP Message			UDB		0.0000452	211.01	211.01					13.33	13.33	10.00	13.33
	CCS7 Signaling Usage Surrogate, per link per LATA			UDB	STU56	396.55										
	CCS7 Signaling Point Code, per Originating Point Code					l i										
	Establishment or Change, per STP affected			UDB	CCAPO		40.00	40.00					19.99	19.99	19.99	19.99
	CCS7 Signaling Point Code, per Destination Point Code			1100	00400		0.00	0.00					40.00	40.00	40.00	40.00
	Establishment or Change, Per Stp Affected E (CNAM) SERVICE			UDB	CCAPD		8.00	8.00					19.99	19.99	19.99	19.99
	CNAM for DB Owners, Per Query			OQV		0.01										-
	CNAM for Non DB Owners, Per Query			OQV		0.01										
	CNAM (Non-Databs Owner), NRC, applies when using the				İ	2.01								İ		
	Character Based User Interface (CHUI)			OQV	CDDCH		595.00	595.00			<u> </u>		27.84	27.84		<u> </u>
	LL PROCESSING							·								
	Oper. Call Processing - Oper. Provided, Per Min Using BST						·									1
	LIDB		<u> </u>		1	1.20							1			
	Oper. Call Processing - Oper. Provided, Per Min Using Foreign LIDB					1.24										1
	Oper. Call Processing - Fully Automated, per Call - Using BST		1		+	1.24								1		
	LIDB					0.20										1
	Oper. Call Processing - Fully Automated, per Call - Using				İ	5.20								Ì		
	Foreign LIDB	<u> </u>	<u>L</u>	<u></u>	<u> </u>	0.20			<u> </u>		<u> </u>	<u></u>		<u> </u>	<u> </u>	<u></u>
INWARD OPER	ATOR SERVICES															

UNBUNDLE	D NETWORK ELEMENTS - South Carolina		_										Attachment:	2		Exhibit: E
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			1	Svc Order Submitted Manually per LSR		Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec			g Disconnect			OSS F	RATES (\$)		
	Inward Operator Services - Verification, Per Minute					1.15	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Inward Operator Services - Verification, Per Minute Inward Operator Services - Verification and Emergency Interrupt					1.15				1	1	-				
	- Per Minute					1.15										
BRANDING - 0	OPERATOR CALL PROCESSING															
	Recording of Custom Branded OA Announcement				CBAOS		7,000.00	7,000.00					19.99	19.99	19.99	19.99
	Loading of Custom Branded OA Announcement per shelf/NAV				CBAOL		500.00	500.00					19.99	19.99		
Unbra	nding via OLNS for UNEP CLEC															
	Loading of OA per OCN (Regional)						1,200.00	1,200.00								
	ASSISTANCE SERVICES															
DIREC	CTORY ASSISTANCE ACCESS SERVICE									ļ					ļ	
	Directory Assistance Access Service Calls, Charge Per Call	1	<u> </u>			0.25					ļ					
DIREC	CTORY ASSISTANCE CALL COMPLETION ACCESS SERVICE (D	DACC)	<u> </u>						-	-	<u> </u>		-	-	1	ļ.
	Directory Assistance Call Completion Access Service (DACC),					0.40										
DIREC	Per Call Attempt CTORY TRANSPORT					0.10					1					
DIREC	SWA Common transport per Directory Assistance Access															
	Service Call					0.0003										
	SWA Common Transport per Directory Assistance Access					0.0003					1					
	Service Call Mile					0.00004										
-	Access Tandem Switching per Directory Assistance Access					0.00004										
	Service Call					0.00055										
	Directory Assistance Interconnection per Directory Assistance					0.00000										
	Access Service Call					0.00										
	DS3 to DS1 Multiplexer per DA Access Service Call					0.00018										
DIRECTORY A	ASSISTANCE SERVICES															
DIREC	CTORY ASSISTANCE DATA BASE SERVICE (DADS)															
	Directory Assistance Data Base Service Charge Per Listing					0.04										
	Directory Assistance Data Base Service, per month				DBSOF	150.00										
	DIRECTORY ASSISTANCE															
Facilit	y Based CLEC															
	Recording and Provisioning of DA Custom Branded															
	Announcement			AMT	CBADA		6,000.00	6,000.00								
	Loading of Custom Branded Announcement per DRAM			AMT	CDADC		4 470 00	4 470 00								
LINED	CLEC Card/Switch			AWII	CBADC		1,170.00	1,170.00								
UNEF	Recording of DA Custom Branded Announcement						3,000.00	3,000.00		1	1	-				
-	Loading of DA Custom Branded Announcement per DRAM						3,000.00	3,000.00								
1	Card/Switch per OCN						1,170.00	1,170.00							1	
Unbra	nding via OLNS for UNEP CLEC						.,	.,		Ì					Ì	
1	Loading of DA per OCN (1 OCN per Order)						420.00	420.00		Ì					Ì	
	Loading of DA per Switch per OCN						16.00	16.00								
SELECTIVE R	OUTING															
	Selective Routing Per Unique Line Class Code Per Request Per															
	Switch				USRCR		226.22	226.22					43.19	9.91		
VIRTUAL COL																
	Virtual Collocation - Application Cost				EAF		2,848.30	2,848.30		ļ					ļ	
	Virtual Collocation - Cable Installation Cost, per cable		<u> </u>	CLO	ESPCX		2,750.00	2,750.00		ļ	ļ				ļ	
	Virtual Collocation - Floor Space, per sq. ft.		1	CLO	ESPVX	3.20				-	ļ		ļ	ļ	ļ	ļ
	Virtual Collocation - Power, per breaker amp		ļ	CLO	ESPAX	3.48				1						1
1	Virtual Collocation - Cable Support Structure, per entrance			CLO	ECDCV	12.25										
	cable		!	CLO	ESPSX	13.35				 	 	-		-	 	1
1	Virtual Collocation - 2-wire Cross Connects (loop)			ueanl,uea,udn,udc, ual,uhl,ucl,ueq	UEAC2	0.3648	41.50	38.94					19.99	19.99	19.99	19.99
+	Virtual Collocation - 2-wire Cross Connects (loop) Virtual Collocation - 4-wire Cross Connects (loop)		l -		UEAC2	0.3648	41.50	38.94		1	 		19.99	19.99	19.99	
+	Virtual Collocation - 2-Fiber Cross Connects		1		CNC2F	15.06	69.28	48.89		†	1		19.99	19.99	19.99	19.99
	Virtual Collocation - 4-Fiber Cross Connects		!	CLO	CNC4F	27.08	84.07	63.68		 	 		19.99	19.99	19.99	19.99
								00.00	•		1	i	10.00		10.00	10.00
	Virtual Collocation - DS1 Cross Connects			USL,ULC,CLO	CNC1X	7.50	155.00	14.00								

UNBUNDLE	D NETWORK ELEMENTS - South Carolina												Attachment:	2		Exhibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Submitted Elec	Svc Order Submitted Manually per LSR		Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec First	urring Add'l	Nonrecurring Di	sconnect Add'l	SOMEC	SOMAN	OSS F	RATES (\$) SOMAN	SOMAN	SOMAN
	Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable						1 1131	Auu	11130	Addi	COMILO	COMPAN	OOMPAR	COMPAR	COMPAR	COMPAR
	Support Structure, per linear foot			AMTFS	PE1ES	0.0022										
	Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per linear ft			AMTFS	PE1DS	0.0033										
	Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable			AWITTS	FLIDS	0.0033										
	Support Structure,per cable			AMTFS			536.56									
	Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per cable			AMTFS			536.56									
	Virtual Collocatin - Security Escort - Basic, per half hour			CLO	SPTBX		41.00	25.00								
	Virtual Collocatin - Security Escort - Overtime, per half hour			CLO	SPTOX		48.00	30.00								
	Virtual Collocatin - Security Escort - Premium, per half hour			CLO	SPTPX		55.00	35.00								
	Virtual Collocatin - Maintenance in CO - Basic, per half hour			CLO	CTRLX		30.64	30.64								
	Virtual Collocatin - Maintenance in CO - Overtime, per half hour			CLO	SPTOM		35.77	35.77								
	Virtual Collocatin - Maintenance in CO - Premium per half hour			CLO	SPTPM		40.90	40.90								
VIRTUAL COL																
	Virtual Collocation - 2-wire Cross Connect, Exchange Port 2- Wire Analog - Res			UEPSR	VE1R2	0.3648	41.50	38.94					19.99	19.99	19.99	19.99
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Voice Grade Res			UEPRX	PE1R2	0.3648	41.50	38.94					19.99	19.99	19.99	19.99
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2- Wire Line Side PBX Trunk - Bus			UEPSP	VE1R2	0.3648	41.50	38.94					19.99	19.99	19.99	19.99
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Voice Grade PBX Trunk - Res			UEPSE	VE1R2	0.3648	41.50	38.94					19.99	19.99	19.99	19.99
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Analog Bus			UEPSB	VE1R2	0.3648	41.50	38.94					19.99	19.99	19.99	19.99
	Virtual Collocation 2-Wire Cross Connect, Exchnage Port 2-Wire ISDN			UEPSX	VE1R2	0.3648	41.50	38.94					19.99	19.99	19.99	19.99
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire ISDN			UEPTX	VE1R2	0.3648	41.50	38.94					19.99	19.99	19.99	19.99
	Virtual Collocation 4-Wire Cross Connect, Exchange Port DDITS 4-Wire DS1			UEPDD	VE1R4	0.7297	41.56	38.90					19.99	19.99	19.99	19.99
	Virtual Collocation 4-Wire Cross Connect, Exchange Port 4-Wire ISDN DS1			UEPEX	VE1R4	0.7297	41.56	38.90					19.99	19.99	19.99	19.99
VIRTUAL COL																
	Virtual Collocation-2 Wire Cross Connects (Loop) for Line Splitting			UEPSR, UEPSB	VE1LS	0.3648	41.50	38.94					19.99	19.99	19.99	19.99
AIN SELECTIV	E CARRIER ROUTING			OLFSK, OLFSB	VLILS	0.3046	41.50	30.94					19.99	19.99	19.99	19.99
	Regional Service Establishment			SRC	SRCEC		391,788.00						19.99	19.99	19.99	19.99
	End Office Establishment			SRC	SRCEO		320.53	320.53					19.99	19.99	19.99	19.99
	Line/Port NRC, per end user Query NRC, per query			SRC SRC	SRCLP	0.000448	2.06	2.06					19.99	19.99	19.99	19.99
AIN - BELLSO	JTH AIN SMS ACCESS SERVICE			SKC		0.000448										
	AIN SMS Access Service - Service Establishment, Per State, Initial Setup			A1N	CAMSE		296.16	296.16					27.84	27.84		
	AIN SMS Access Service - Port Connection - Dial/Shared Access			A1N	CAMDP		87.29	87.29					27.84	27.84		
	AIN SMS Access Service - Port Connection - ISDN Access			A1N	CAM1P		87.29	87.29					27.84	27.84		
	AIN SMS Access Service - User Identification Codes - Per User ID Code			A1N	CAMAU		202.08	202.08					27.84	27.84		
	AIN SMS Access Service - Security Card, Per User ID Code, Initial or Replacement			A1N	CAMRC		172.26	172.26					27.84	27.84		
	AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)					0.0028										
	AIN SMS Access Service - Session, Per Minute AIN SMS Access Service - Company Performed Session, Per					0.0942966				· · · ·						
AIN - BELLSO	Minute JTH AIN TOOLKIT SERVICE					2.07										
						ıl	ıl		ı				l .	1		l .

CHOCKDE	D NETWORK ELEMENTS - South Carolina												Attachment:	2		Exhibit: E
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'I
						Rec	Nonrec		Nonrecurring First		COMEC	COMAN		RATES (\$)	SOMAN	SOMAN
	AIN Toolkit Service - Service Establishment Charge, Per State,				_		First	Add'l	FIRST	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SUMAN	SOWAN
	Initial Setup			CAM	BAPSC		291.41	291.41					27.84	27.84		
	AIN Toolkit Service - Training Session, Per Customer			OAW	BAPVX		8,333.00	8,333.00					27.84	27.84		
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per						5,000.00	3,000.00								
	DN, Term. Attempt				BAPTT		73.02	73.02					27.84	27.84		
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
	DN, Off-Hook Delay				BAPTD		73.02	73.02					27.84	27.84		
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Immediate				BAPTM		73.02	73.02					27.84	27.84		
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, 10-Digit PODP				BAPTO		150.25	150.25					27.84	27.84		
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per	1	-		DAP 10		150.25	150.25					21.84	21.84		
1	DN. CDP				BAPTC		150.25	150.25					27.84	27.84		
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				Dru 10		100.20	100.20					27.04	27.04		
	DN, Feature Code				BAPTF		150.25	150.25					27.84	27.84		
	AIN Toolkit Service - Query Charge, Per Query					0.0250662										
	AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit															
	Subscription, Per Node, Per Query					0.0062979										
	AIN Toolkit Service - SCP Storage Charge, Per SMS Access Account, Per 100 Kilobytes					1.73										
	AIN Toolkit Service - Monthly report - Per AIN Toolkit Service	1	1		-	1.73			-							
	Subscription			CAM	BAPMS	15.93	72.15	72.15					27.84	27.84		
	AIN Toolkit Service - Special Study - Per AIN Toolkit Service			O7 UVI	D/ ti IVIO	10.50	72.10	72.10					27.04	27.04		
	Subscription			CAM	BAPLS	0.0872769	47.35	47.35					27.84	27.84		
	AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service															
	Subscription			CAM	BAPDS	15.84	72.15	72.15					27.84	27.84		
	AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit															
							47.35	47.35								
	Service Subscription			CAM	BAPES	0.0029092	47.33	47.00					27.84	27.84		
	XTENDED LINK (EELs)	lowing (SMA or										21.04	27.04		
NOTE:	XTENDED LINK (EELs) : New EELs available in State of Georgia, density zone 1 of foll			Orlando, FL; Miami	, FL; Ft. Laud	erdale, FLI; Nas	shville, TN; Nev						27.04	27.04		
NOTE:	XTENDED LINK (EELs) : New EELs available in State of Georgia, density zone 1 of foll : Charlotte-Gastonia-Rockhill, NC; Greensboro-Winston Salem	-High P	oint, N	Orlando, FL; Miami C. Use all rates belo	, FL; Ft. Laud ow except Sw	erdale, FLI; Nas	shville, TN; Nev ge.	v Orleans, LA;		tly combined	facilities of	anverted to			do not	
NOTE: NOTE: NOTE:	XTENDED LINK (EELs) New EELs available in State of Georgia, density zone 1 of foli Charlotte-Gastonia-Rockhill, NC; Greensboro-Winston Salem In all states, EEL network elements shown below also apply	-High P	oint, N	Orlando, FL; Miami C. Use all rates belo	, FL; Ft. Laud ow except Sw	erdale, FLI; Nas	shville, TN; Nev ge.	v Orleans, LA;		tly combined	facilities co	onverted to			do not	
NOTE: NOTE: NOTE: apply.)	XTENDED LINK (EELs) New EELs available in State of Georgia, density zone 1 of foll Charlotte-Gastonia-Rockhill, NC; Greensboro-Winston Salem In all states, EEL network elements shown below also apply to	-High P to curre	oint, N ntly co	Orlando, FL; Miami C. Use all rates belo mbined facilities wh	, FL; Ft. Laud ow except Sw hich are conv	erdale, FLI; Nas itch As Is Char erted to UNE ra	shville, TN; Nev ge. tes. A Switch	v Orleans, LA;		tly combined	facilities co	onverted to			do not	
NOTE: NOTE: NOTE: apply.) NOTE:	XTENDED LINK (EELs) New EELs available in State of Georgia, density zone 1 of foli Charlotte-Gastonia-Rockhill, NC; Greensboro-Winston Salem In all states, EEL network elements shown below also apply	-High P to curre ordinari	oint, N ntly co	Orlando, FL; Miami, C. Use all rates belo mbined facilities wh	, FL; Ft. Laud ow except Sw hich are conv	erdale, FLI; Nas itch As Is Char erted to UNE ra	shville, TN; Nev ge. tes. A Switch	v Orleans, LA;		tly combined	facilities co	onverted to			do not	
NOTE: NOTE: NOTE: apply.) NOTE:	XTENDED LINK (EELs) New EELs available in State of Georgia, density zone 1 of folic Charlotte-Gastonia-Rockhill, NC; Greensboro-Winston Salem: In all states, EEL network elements shown below also apply to 1. In GA, TN, KY, LA & MS, the EEL network elements apply to 2. VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEREST.	-High P to curre ordinari	oint, N ntly co ly com ICE TR	Orlando, FL; Miami, C. Use all rates belombined facilities which the companies of the compa	, FL; Ft. Laud ow except Sw hich are conv	erdale, FLI; Nas itch As Is Charg erted to UNE ra tch As Is Charg	shville, TN; Nev ge. tes. A Switch	v Orleans, LA;		tly combined	facilities co	onverted to			do not	
NOTE: NOTE: NOTE: apply.) NOTE:	XTENDED LINK (EELs) New EELs available in State of Georgia, density zone 1 of folls: Charlotte-Gastonia-Rockhill, NC; Greensboro-Winston Salem: In all states, EEL network elements shown below also apply to a compart of the compart	-High P to curre ordinari	oint, N ntly co	Orlando, FL; Miami, C. Use all rates belo mbined facilities wh	, FL; Ft. Laud ow except Sw hich are conv	erdale, FLI; Nas itch As Is Char erted to UNE ra	shville, TN; Nev ge. tes. A Switch	v Orleans, LA;		tly combined	facilities co	onverted to			do not	
NOTE: NOTE: NOTE: apply.) NOTE:	XTENDED LINK (EELs) New EELs available in State of Georgia, density zone 1 of folls: Charlotte-Gastonia-Rockhill, NC; Greensboro-Winston Saleme In all states, EEL network elements shown below also apply to a line of the state	-High P to curre ordinari	oint, N ntly co ly com ICE TR	Orlando, FL; Miami, C. Use all rates belombined facilities who bined network elem: ANSPORT (EEL) UNCVX	, FL; Ft. Laud ow except Sw hich are conv eents.(No Swi	erdale, FLI; Nasitch As Is Chargerted to UNE ratch As Is Chargerted to 21.57	shville, TN; Nev ge. tes. A Switch	v Orleans, LA;		tly combined	facilities co	onverted to			do not	
NOTE: NOTE: NOTE: apply.) NOTE:	XTENDED LINK (EELs) New EELs available in State of Georgia, density zone 1 of folic Charlotte-Gastonia-Rockhill, NC; Greensboro-Winston Salem: In all states, EEL network elements shown below also apply () In GA, TN, KY, LA & MS, the EEL network elements apply to compare the compared of the compared	-High P to curre ordinari	oint, N ntly co ly com ICE TR	Orlando, FL; Miami, C. Use all rates belombined facilities which the companies of the compa	, FL; Ft. Laud ow except Sw hich are conv	erdale, FLI; Nas itch As Is Charg erted to UNE ra tch As Is Charg	shville, TN; Nev ge. tes. A Switch	v Orleans, LA;		tly combined	facilities co	onverted to			do not	
NOTE: NOTE: NOTE: apply.) NOTE:	XTENDED LINK (EELs) New EELs available in State of Georgia, density zone 1 of folic Charlotte-Gastonia-Rockhill, NC; Greensboro-Winston Salem: In all states, EEL network elements shown below also apply to the control of the contro	-High P to curre ordinari	oint, N ntly co ly com ICE TR	Orlando, FL; Miami, C. Use all rates belombined facilities who bined network elements (ANSPORT (EEL) UNCVX UNCVX	, FL; Ft. Laud ow except Sw hich are conv ients.(No Swi UEAL2	erdale, FLI; Natitch As Is Chargerted to UNE ratch As Is Chargerted to 21.57	shville, TN; Nev ge. tes. A Switch	v Orleans, LA;		tly combined	facilities co	onverted to			do not	
NOTE: NOTE: NOTE: apply.) NOTE:	XTENDED LINK (EELs) New EELs available in State of Georgia, density zone 1 of folic Charlotte-Gastonia-Rockhill, NC; Greensboro-Winston Salem: In all states, EEL network elements shown below also apply () In GA, TN, KY, LA & MS, the EEL network elements apply to compare the compared of the compared	-High P to curre ordinari	oint, N ntly co ly com ICE TR	Orlando, FL; Miami, C. Use all rates belombined facilities who bined network elem: ANSPORT (EEL) UNCVX	FL; Ft. Laud ow except Sw hich are conv sents.(No Swi UEAL2 UEAL2	erdale, FLI; Nasitch As Is Chargerted to UNE ratch As Is Chargerted to 21.57	shville, TN; Nev ge. tes. A Switch	v Orleans, LA;		tly combined	facilities co	onverted to			do not	
NOTE: NOTE: NOTE: apply.) NOTE:	XTENDED LINK (EELs) New EELs available in State of Georgia, density zone 1 of folic Charlotte-Gastonia-Rockhill, NC; Greensboro-Winston Salem: In all states, EEL network elements shown below also apply to 1. In GA, TN, KY, LA & MS, the EEL network elements apply to 0. First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 1 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 2 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 2 Interoffice Transport - Dedicated - DS1 combination - Per Mile per month	-High P to curre ordinari	oint, N ntly co ly com ICE TR	Orlando, FL; Miami, C. Use all rates belombined facilities who bined network elements (ANSPORT (EEL) UNCVX UNCVX	, FL; Ft. Laud ow except Sw hich are conv ients.(No Swi UEAL2	erdale, FLI; Natitch As Is Chargerted to UNE ratch As Is Chargerted to 21.57	shville, TN; Nev ge. tes. A Switch	v Orleans, LA;		tly combined	facilities co	onverted to			do not	
NOTE: NOTE: NOTE: apply.) NOTE:	XTENDED LINK (EELs) New EELs available in State of Georgia, density zone 1 of folic Charlotte-Gastonia-Rockhill, NC; Greensboro-Winston Salem: In all states, EEL network elements shown below also apply to the state of the sta	-High P to curre ordinari	oint, N ntly co ly com ICE TR	Orlando, FL; Miami, C. Use all rates belo mbined facilities who bined network elem ANSPORT (EEL) UNCVX UNCVX UNCVX UNCVX	J. FL; Ft. Laud ow except Sw hich are conv lents.(No Swi UEAL2 UEAL2 UEAL2	erdale, FLI; Nasitch As Is Chargerted to UNE ratch As Is Chargerted to UNE ratch As Is Chargerted at 21.57 32.53 43.08 0.3415	shville, TN; Nev ge. tes. A Switch	v Orleans, LA;		tly combined	facilities co	onverted to			do not	
NOTE: NOTE: NOTE: apply.) NOTE:	XTENDED LINK (EELs) New EELs available in State of Georgia, density zone 1 of folic Charlotte-Gastonia-Rockhill, NC; Greensboro-Winston Saleme In all states, EEL network elements shown below also apply to the EVOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INIT First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 1 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 2 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile per month Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month	-High P to curre ordinari	oint, N ntly co ly com ICE TR	Orlando, FL; Miami, C. Use all rates belo mbined facilities who bined network elem ANSPORT (EEL) UNCVX UNCVX UNCVX UNCVX UNCVX UNCIX	, FL; Ft. Laud ow except Sw hich are conv leents.(No Swi UEAL2 UEAL2 UEAL2 1L5XX	erdale, FLI; Natich As Is Chargerted to UNE ratich As Is Chargerted to UNE 7 at 21.57 a 22.53 a 43.08 0.3415 77.14	shville, TN; Nev ge. tes. A Switch	v Orleans, LA;		tly combined	facilities co	onverted to			do not	
NOTE: NOTE: NOTE: apply.) NOTE:	XTENDED LINK (EELs) New EELs available in State of Georgia, density zone 1 of folic Charlotte-Gastonia-Rockhill, NC; Greensboro-Winston Salem: In all states, EEL network elements shown below also apply to 3. In GA, TN, KY, LA & MS, the EEL network elements apply to 6. E VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 1 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 2 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile per month Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month DS1 Channelization System Per Month	-High P to curre ordinari	oint, N ntly co ly com ICE TR	Orlando, FL; Miami, C. Use all rates belo mbined facilities who bined network elem ANSPORT (EEL) UNCVX UNCVX UNCVX UNCVX UNCVX UNCIX UNCIX UNCIX UNCIX	, FL; Ft. Laud ow except Sw hich are conv eents.(No Swi UEAL2 UEAL2 UEAL2 1L5XX U1TF1 MQ1	erdale, FLI; Natitch As Is Chargerted to UNE ratch As Is Chargerted to UNE ratch As Is Chargerted As Is Char	shville, TN; Nev ge. tes. A Switch	v Orleans, LA;		tly combined	facilities co	onverted to			do not	
NOTE: NOTE: NOTE: apply.) NOTE:	XTENDED LINK (EELs) New EELs available in State of Georgia, density zone 1 of folic Charlotte-Gastonia-Rockhill, NC; Greensboro-Winston Salem: In all states, EEL network elements shown below also apply to the State of Georgia, density zone 1 of folic In all states, EEL network elements shown below also apply to the State of Georgia Charles of Georgia C	-High P to curre ordinari	oint, N ntly co ly com ICE TR	Orlando, FL; Miami, C. Use all rates belo mbined facilities who bined network elem ANSPORT (EEL) UNCVX UNCVX UNCVX UNCVX UNCVX UNCIX	, FL; Ft. Laud ow except Sw hich are conv leents.(No Swi UEAL2 UEAL2 UEAL2 1L5XX	erdale, FLI; Natich As Is Chargerted to UNE ratich As Is Chargerted to UNE 7 at 21.57 a 22.53 a 43.08 0.3415 77.14	shville, TN; Nev ge. tes. A Switch	v Orleans, LA;		tly combined	facilities co	onverted to			do not	
NOTE: NOTE: NOTE: apply.) NOTE:	XTENDED LINK (EELs) New EELs available in State of Georgia, density zone 1 of folic Charlotte-Gastonia-Rockhill, NC; Greensboro-Winston Saleme In all states, EEL network elements shown below also apply to the In all states, EEL network elements shown below also apply to the In GA, TN, KY, LA & MS, the EEL network elements apply to the EVOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INITIAL STATES IN THE ST	-High P to curre ordinari	oint, N ntly co ly com ICE TR	Orlando, FL; Miami, C. Use all rates belo mbined facilities wh bined network elem ANSPORT (EEL) UNCVX UNCVX UNCVX UNC1X UNC1X UNC1X UNC1X UNC1X UNC1X	, FL; Ft. Laudow except Swinich are convincents.(No Swinich are Laudow) uents.(No Swinich are La	erdale, FLI; Natich As Is Chargerted to UNE ratich As Is Charg	shville, TN; Nev ge. tes. A Switch	v Orleans, LA;		tly combined	facilities co	onverted to			do not	
NOTE: NOTE: NOTE: apply.) NOTE:	XTENDED LINK (EELs) New EELs available in State of Georgia, density zone 1 of folic Charlotte-Gastonia-Rockhill, NC; Greensboro-Winston Salem: In all states, EEL network elements shown below also apply to the State of Georgia, density zone 1 of folic In all states, EEL network elements shown below also apply to the State of Georgia Charles of Georgia C	-High P to curre ordinari	oint, N ntly co ly com ICE TR	Orlando, FL; Miami, C. Use all rates belo mbined facilities who bined network elem ANSPORT (EEL) UNCVX UNCVX UNCVX UNCVX UNCVX UNCIX UNCIX UNCIX UNCIX	, FL; Ft. Laud ow except Sw hich are conv eents.(No Swi UEAL2 UEAL2 UEAL2 1L5XX U1TF1 MQ1	erdale, FLI; Natitch As Is Chargerted to UNE ratch As Is Chargerted to UNE ratch As Is Chargerted As Is Char	shville, TN; Nev ge. tes. A Switch	v Orleans, LA;		tly combined	facilities co	onverted to			do not	
NOTE: NOTE: NOTE: apply.) NOTE:	XTENDED LINK (EELs) New EELs available in State of Georgia, density zone 1 of folic Charlotte-Gastonia-Rockhill, NC; Greensboro-Winston Salems: In all states, EEL network elements shown below also apply to the state of the st	-High P to curre ordinari	oint, N ntly co ly com ICE TR	Orlando, FL; Miami, C. Use all rates belo mbined facilities wh bined network elem ANSPORT (EEL) UNCVX UNCVX UNCVX UNC1X UNC1X UNC1X UNC1X UNC1X UNC1X	, FL; Ft. Laudow except Swinich are convincents.(No Swinich are Laudow) uents.(No Swinich are La	erdale, FLI; Natich As Is Chargerted to UNE ratich As Is Charg	shville, TN; Nev ge. tes. A Switch	v Orleans, LA;		tly combined	facilities co	onverted to			do not	
NOTE: NOTE: NOTE: apply.) NOTE:	XTENDED LINK (EELs) Yew EELs available in State of Georgia, density zone 1 of folic Charlotte-Gastonia-Rockhill, NC; Greensboro-Winston Salemet In all states, EEL network elements shown below also apply to the State of Georgia, density zone 1 of folic In all states, EEL network elements shown below also apply to the State of Combination of Combinat	-High P to curre ordinari	oint, N ntly com ly com ICE TR 1 2 3	Orlando, FL; Miami, C. Use all rates belo mbined facilities who bined network elem ANSPORT (EEL) UNCVX UNCVX UNCVX UNCVX UNCIX UNCIX UNCIX UNCIX UNCIX UNCIX UNCIX UNCVX UNCVX UNCVX UNCVX	, FL; Ft. Laud ow except Sw hich are conv hich are conv hich are conv HEAL2 UEAL2 UEAL2 1L5XX U1TF1 MQ1 1D1VG UEAL2 UEAL2 UEAL2	erdale, FLI; Natich As Is Chargerted to UNE ratch As Is Chargerted	shville, TN; Nev ge. tes. A Switch	v Orleans, LA;		tly combined	facilities co	onverted to			do not	
NOTE: NOTE: NOTE: apply.) NOTE:	XTENDED LINK (EELs) XTENDED LINK (EELs) New EELs available in State of Georgia, density zone 1 of folic Charlotte-Gastonia-Rockhill, NC; Greensboro-Winston Salem In all states, EEL network elements shown below also apply to the state of	-High P to curre ordinari	oint, N ntly co ly comi ICE TR 2 3	Orlando, FL; Miami, C. Use all rates belo mbined facilities who bined network elem ANSPORT (EEL) UNCVX UNCVX UNCVX UNCVX UNCVX UNC1X UNC1X UNC1X UNC1X UNC1X UNC1X UNCVX	J. FL; Ft. Laudow except Switch are convicents. (No Switch Leads UEAL2 UEAL2 UEAL2 LL5XX U1TF1 MQ1 1D1VG UEAL2	erdale, FLI; Nasitch As Is Chargerted to UNE ratch As Is Chargerte	shville, TN; Nev ge. tes. A Switch	v Orleans, LA;		tly combined	facilities co	onverted to			do not	
NOTE: NOTE: NOTE: apply.) NOTE:	XTENDED LINK (EELs) XTENDED LINK (EELs) New EELs available in State of Georgia, density zone 1 of folic Charlotte-Gastonia-Rockhill, NC; Greensboro-Winston Salem In all states, EEL network elements shown below also apply to the State of Combination of the State of Combination of Combinati	-High P to curre ordinari	oint, N ntly com ly com ICE TR 1 2 3	Orlando, FL; Miami, C. Use all rates belombined facilities whome facilities with bined network eleminance (EEL) UNCVX UNCVX UNCVX UNCVX UNCVX UNC1X UNC1X UNC1X UNC1X UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX	, FL; Ft. Laudow except Swhich are convents.(No Swinerts.(No Swinerts.) UEAL2 UEAL2 UEAL2 1L5XX U1TF1 MQ1 1D1VG UEAL2 UEAL2 UEAL2	erdale, FLI; Naitch As Is Chargerted to UNE ratch As Is Chargerted	shville, TN; Nev ge. tes. A Switch	v Orleans, LA;		tly combined	facilities co	onverted to			do not	
NOTE: NOTE: NOTE: apply.) NOTE:	XTENDED LINK (EELs) Yew EELs available in State of Georgia, density zone 1 of folic Charlotte-Gastonia-Rockhill, NC; Greensboro-Winston Salems In all states, EEL network elements shown below also apply to the State of Combination of the EU OICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INITIAL First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 1 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 2 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 2 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile per month Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month DS1 Channelization System Per Month Voice Grade COCI - DS1 To Ds0 Interface - Per Month Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 1 Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 2 Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 3 Voice Grade COCI - DS1 to DS0 Channel System combination - per month	-High P to curre ordinari EROFF	oint, N ntly com ly com ICE TR 1 2 3	Orlando, FL; Miami, C. Use all rates belo mbined facilities who bined network elem ANSPORT (EEL) UNCVX UNCVX UNCVX UNCVX UNCIX UNCIX UNCIX UNCIX UNCIX UNCIX UNCIX UNCVX UNCVX UNCVX UNCVX	, FL; Ft. Laud ow except Sw hich are conv hich are conv hich are conv HEAL2 UEAL2 UEAL2 1L5XX U1TF1 MQ1 1D1VG UEAL2 UEAL2 UEAL2	erdale, FLI; Natich As Is Chargerted to UNE ratch As Is Chargerted	shville, TN; Nev ge. tes. A Switch	v Orleans, LA;		tly combined	facilities co	onverted to			do not	
NOTE: NOTE: NOTE: apply.) NOTE:	XTENDED LINK (EELs) XTENDED LINK (EELs) New EELs available in State of Georgia, density zone 1 of folic Charlotte-Gastonia-Rockhill, NC; Greensboro-Winston Salem In all states, EEL network elements shown below also apply to the State of Combination of the State of Combination of Combinati	-High P to curre ordinari EROFF	oint, N ntly com ly com ICE TR 1 2 3	Orlando, FL; Miami, C. Use all rates belombined facilities whome facilities with bined network eleminance (EEL) UNCVX UNCVX UNCVX UNCVX UNCVX UNC1X UNC1X UNC1X UNC1X UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX	, FL; Ft. Laudow except Swhich are convents.(No Swinerts.(No Swinerts.) UEAL2 UEAL2 UEAL2 1L5XX U1TF1 MQ1 1D1VG UEAL2 UEAL2 UEAL2	erdale, FLI; Naitch As Is Chargerted to UNE ratch As Is Chargerted	shville, TN; Nev ge. tes. A Switch	v Orleans, LA;		tly combined	facilities co	onverted to			do not	3.94

4Q01:12/01/01 PAGE 265 OF 324

Tran First Tran First Tran Inter Per I Inter Mon Cha Mon Voice Per I Addi Inter Addi Inter Addi Inter Addi Inter Addi First Tran First	annelization - Channel System DS1 to DS0 combination Per nth ce Grade COCI - DS1 to DS0 Channel System combination -	Interi m	Zone 1 2	BCS	USOC	Rec		RATES(\$)			Submitted Elec	Submitted Manually	Charge - Manual Svc Order vs. Electronic-	Charge -	Incremental Charge - Manual Svc Order vs. Electronic-	Charge -
Tran First Tran First Tran Inter Per I Inter Mon Cha Mon Voice Per I Addi Inter Addi Inter Addi Inter Addi Inter Addi First Tran First	Insport Combination - Zone 1 st 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Insport Combination - Zone 2 st 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Insport Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile Information - Channel System DS1 to DS0 combination Per Inth Intheroffice Grade COCI - DS1 to DS0 Channel System combination -			LINICVY		Rec	•••				per LSR	per LSR	1st	Auu i	Disc 1st	Disc Add'l
Tran First Tran First Tran Inter Per I Inter Mon Cha Mon Voice Per I Addi Inter Addi Inter Addi Inter Addi Inter Addi First Tran First	Insport Combination - Zone 1 st 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Insport Combination - Zone 2 st 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Insport Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile Information - Channel System DS1 to DS0 combination Per Inth Intheroffice Grade COCI - DS1 to DS0 Channel System combination -			LINCVY			Nonrec	curring	Nonrecurring	Disconnect	ł			RATES (\$)		
Tran First Tran First Tran Inter Per I Inter Mon Cha Mon Voice Per I Addi Inter Addi Inter Addi Inter Addi Inter Addi First Tran First	Insport Combination - Zone 1 st 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Insport Combination - Zone 2 st 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Insport Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile Information - Channel System DS1 to DS0 combination Per Inth Intheroffice Grade COCI - DS1 to DS0 Channel System combination -			LINCVY			First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
First Tran First Fran First Tran Inter Per Per Inter Mon Chau Mon Voicio per r Addi Inter Addi Inter Addi Inter Addi Inter First Tran First	st 4-Wire Analog Voice Grade Loop in a DS1 Interoffice insport Combination - Zone 2 st 4-Wire Analog Voice Grade Loop in a DS1 Interoffice insport Combination - Zone 3 sroffice Transport - Dedicated - DS1 combination - Per Mile r Month in the Transport - Dedicated - DS1 - Facility Termination Per nth in the Transport - Channel System DS1 to DS0 combination Per nth in the Grade COCI - DS1 to DS0 Channel System combination -					00.47			i	!	, ,	1			Ĭ	
First Fran First Tran Inter Per Inter Mon Chai Mon Voice per Addi Inter Addi Inter Addi Inter Addi Inter For Honon Is Cl 4-WIRE 56 H First Tran First	Insport Combination - Zone 2 st 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Insport Combination - Zone 3 eroffice Transport - Dedicated - DS1 combination - Per Mile Month Foroffice Transport - Dedicated - DS1 - Facility Termination Per nth Interoffice Transport - Dedicated - DS1 - Facility Termination Per nth Compared to DS1 - Combination Per nth Compared to DS1 to DS0 combination - Compared to DS1 - DS1 to DS0 combination - Compared to DS1 to DS0 Channel System combination -		2	OINOVA	UEAL4	29.47		 	 		\vdash	\vdash			├──	
First Tran Inter Per I Inter Mon Cha Mon Voici per I Addi Inter Addi Inter Addi Inter Addi Inter Addi Inter Addi Inter Addi Inter The Addi Inter The Addi Inter The Addi Inter The Addi Inter The Addi Inter The Addi Inter The Addi Inter The The The The The The The The The The	st 4-Wire Analog Voice Grade Loop in a DS1 Interoffice insport Combination - Zone 3 eroffice Transport - Dedicated - DS1 combination - Per Mile r Month eroffice Transport - Dedicated - DS1 - Facility Termination Per nth annelization - Channel System DS1 to DS0 combination Per nth ce Grade COCI - DS1 to DS0 Channel System combination -			UNCVX	UEAL4	44.44		_i ,	i	!		1	, l		ĺ	
Inter Per I Inter Mon Chan Mon Voice per I Addi Inter Addi Inter Addi Inter Addi Inter First Tran First	eroffice Transport - Dedicated - DS1 combination - Per Mile r Month sroffice Transport - Dedicated - DS1 - Facility Termination Per nth annelization - Channel System DS1 to DS0 combination Per nth ce Grade COCI - DS1 to DS0 Channel System combination -		1			i			1							
Per I Inter Mon Cha Mon Voic per r Addi Inter Addi Inter Addi Inter Addi Inter First Tran First	r Month roffice Transport - Dedicated - DS1 - Facility Termination Per nth annelization - Channel System DS1 to DS0 combination Per nth ce Grade COCI - DS1 to DS0 Channel System combination -		3	UNCVX	UEAL4	58.85		ļ			ļ		ļ	ļ		
Inter Mon Chai Mon Voice per Addi Inter Addi Inter Addi Inter Addi Inter Addi Inter Addi Inter Addi Inter First Tran First	eroffice Transport - Dedicated - DS1 - Facility Termination Per nth annelization - Channel System DS1 to DS0 combination Per nth ce Grade COCI - DS1 to DS0 Channel System combination -			UNC1X	1L5XX	0.3415			i	!	, ,	1			Ĭ	
Mon Chai Mon Voice per r Addi Inter Addi Inter Addi Inter Addi Inter First Tran First	nth annelization - Channel System DS1 to DS0 combination Per nth ce Grade COCI - DS1 to DS0 Channel System combination -			UNCIA	ILSAA	0.3415									 	
Mon Voiic per r Addi Inter Addi Inter Addi Inter Addi Inter Addi Inter Addi Inter Non Is CI 4-WIRE 56 # First Tran First	nth ce Grade COCI - DS1 to DS0 Channel System combination -			UNC1X	U1TF1	77.14		_i ,	i	!		1	, l		ĺ	
Voice per r Addi Inter Addi Inter Addi Inter Addi Inter Addi Inter Addi Inter Addi Inter Addi Inter First First First Fran First First	ce Grade COCI - DS1 to DS0 Channel System combination -					i			ĺ							
per i Addi Inter Addi Inter Addi Inter Addi Inter Addi Inter Von Inter I			ļ	UNC1X	MQ1	134.46		<u> </u>	\longmapsto		ļ	\vdash			├	
Addi Inter Addi Inter Addi Inter Addi Inter Non Is Ct 4-WIRE 56 Ir First Tran First Tran First	***************************************			UNCVX	1D1VG	0.7012		, !	1	Į.				ļ I		
Inter Addi Inter Addi Inter Nonn Is CI 4-WIRE 56 F First Tran First Tran First Fran First	ditional 4-Wire Analog Voice Grade Loop in same DS1			ONCVA	IDIVG	0.7012	-					\vdash			-	
Inter Addi Inter Non Is Ct 4-WIRE 56 H First Tran First Tran First	eroffice Transport Combination - Zone 1		1	UNCVX	UEAL4	29.47			i	!	, ,	1			Ĭ	
Addi Inter Non Is Ct 4-WIRE 56 F First Tran First Tran First	ditional 4-Wire Analog Voice Grade Loop in same DS1					1			i				, ,			
Inter Nonn Is Ci 4-WIRE 56 H First Tran First Tran First Fran First	eroffice Transport Combination - Zone 2		2	UNCVX	UEAL4	44.44					 			·		
Noni Is Cl 4-WIRE 56 F First Tran First Tran First	ditional 4-Wire Analog Voice Grade Loop in same DS1 eroffice Transport Combination - Zone 3		3	UNCVX	UEAL4	58.85			i	!	, ,	1			Ĭ	
ls Ch 4-WIRE 56 F First Tran First Tran First	nrecurring Currently Combined Network Elements Switch -As-		J	ONOVA	OLAL	30.03			 			\vdash			—	
First Tran First Tran First	Charge			UNC1X	UNCCC	ı l	11.21	11.21	13.99	13.99		1	31.38	31.38	3.94	3.94
Tran First Tran First	KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1	INTERC	FFICE	TRANSPORT (EEL)												
First Tran First	st 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice		1	LINCDY	LIDI 50	24.00			i	!	, ,	1			Ĭ	
Tran First	Insport Combination - Zone 1 st 4-wire 56Kbps Digital Grade Loop in a DS1 Interoffice		-	UNCDX	UDL56	34.26			 		\vdash	\vdash				
First	Insport Combination - Zone 2		2	UNCDX	UDL56	51.67		_i ,	i	!		1	, l		ĺ	
I	st 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice								1							
	Insport Combination - Zone 3		3	UNCDX	UDL56	68.43								ļ		
	eroffice Transport - Dedicated - DS1 combination - Per Mile r Month			LINGAY	1L5XX	0.3415		_i ,	i	!		1	, l		ĺ	
	eroffice Transport - Dedicated - DS1 - combination Facility			UNC1X	ILSAA	0.3415			 		\vdash	\vdash				
	mination Per Month			UNC1X	U1TF1	77.14			i	!	, ,	1			Ĭ	
	annelization - Channel System DS1 to DS0 combination Per								1							
Mon				UNC1X	MQ1	134.46								ļ		
	CU-DP COCI (data) - DS1 to DS0 Channel System - per nth (2.4-64kbs)			UNCDX	1D1DD	1.49			i	!	, ,	1			Ĭ	
	ditional 4-Wire 56Kbps Digital Grade Loopin same DS1			UNCDX	IDIDD	1.49	-					\vdash			-	
	eroffice Transport Combination - Zone 1		1	UNCDX	UDL56	34.26		_i ,	i	!		1	, l		ĺ	
	ditional 4-Wire 56Kbps Digital Grade Loopin same DS1					i			ĺ							
	eroffice Transport Combination - Zone 2		2	UNCDX	UDL56	51.67					ļ——			·		
	ditional 4-Wire 56Kbps Digital Grade Loopin same DS1 eroffice Transport Combination - Zone 3		3	UNCDX	UDL56	68.43			i	!	, ,	1			Ĭ	
	CU-DP COCI (data) - DS1 to DS0 Channel System -		-	ONODA	ODESO	00.43										
comi	nbination per month (2.4-64kbs)			UNCDX	1D1DD	1.49		_i ,	i	!		1	, l		ĺ	
	nrecurring Currently Combined Network Elements Switch -As-															
	Charge KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1	INTER	LECTOR	UNC1X	UNCCC	,	11.21	11.21	13.99	13.99		\longmapsto	31.38	31.38	3.94	3.94
	st 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice	INTERC	JFFICE	TRANSPORT (EEL)	1				 			 			 	
Tran	Insport Combination - Zone 1		1	UNCDX	UDL64	34.26			į l	Į.		1		ļ I	1	
	st 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice					1			1							
	Insport Combination - Zone 2		2	UNCDX	UDL64	51.67					ļ	\longmapsto	ļ			
			3	UNCDX	UDL64	68.43	.	, ,	1	!	, l	1		I		
	st 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice		- 3	ONODA	UDLU4	00.43			 			\vdash	·		\vdash	
Per I	st 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Insport Combination - Zone 3	l	<u>L</u>	UNC1X	41.577										1	1
Inter Term	st 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice			5.101/	1L5XX	0.3415		<u> </u>	<u> </u>		l	<u> </u>	<u> </u>	<u> </u>		L

UNBUNDLE	D NETWORK ELEMENTS - South Carolina												Attachment:	2		Exhibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Submitted Manually	Incremental Charge - Manual Svc		Charge -	Charge -
						Rec	Nonrec			g Disconnect				RATES (\$)		
	Channelization - Channel System DS1 to DS0 combination Per	-					First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Month			UNC1X	MQ1	134.46										
	OCU-DP COCI (data) - DS1 to DS0 Channel System															
	combination - per month (2.4-64kbs) Additional 4-Wire 64Kbps Digital Grade Loopin same DS1			UNCDX	1D1DD	1.49										
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	34.26										
	Additional 4-Wire 64Kbps Digital Grade Loopin same DS1		_													
	Interoffice Transport Combination - Zone 2 Additional 4-Wire 64Kbps Digital Grade Loopin same DS1		2	UNCDX	UDL64	51.67										
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	68.43										
	OCU-DP COCI (data) - DS1 to DS0 Channel System			LINODY	10100											
\vdash	combination - per month (2.4-64kbs) Nonrecurring Currently Combined Network Elements Switch -As-	1	<u> </u>	UNCDX	1D1DD	1.49					-	-				
	Is Charge			UNC1X	UNCCC		11.21	11.21	13.99	13.99			31.38	31.38	3.94	3.94
4-WIRE	DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INT	EROFFI	CE TRA	NSPORT (EEL)												
	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 1		1	UNC1X	USLXX	59.61										
	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice		 '	ONCIX	USLAA	39.01										
	Transport - Zone 2		2	UNC1X	USLXX	89.90										
	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 3		3	UNC1X	USLXX	119.06										
	Interoffice Transport - Dedicated - DS1 combination - Per Mile		<u> </u>	ONOTA	COLFOR	110.00										
	Per Month			UNC1X	1L5XX	0.3415										
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month			UNC1X	U1TF1	77.14										
	Nonrecurring Currently Combined Network Elements Switch -As-	-														
4 14/17	Is Charge	FROFE	OF TD (UNC1X	UNCCC		11.21	11.21	13.99	13.99			31.38	31.38	3.94	3.94
4-WIRE	DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INT First DS1Loop in DS3 Interoffice Transport Combination - Zone	EROFFI	CE IRA	INSPORT (EEL)	1	+ +										
	1		1	UNC1X	USLXX	59.61										
	First DS1Loop in DS3 Interoffice Transport Combination - Zone		2	UNC1X	USLXX	89.90										
	First DS1Loop in DS3 Interoffice Transport Combination - Zone			UNCIA	USLAA	69.90										+
	3		3	UNC1X	USLXX	119.06										
	Interoffice Transport - Dedicated - DS3 combination - Per Mile Per Month			UNC3X	1L5XX	8.02										
	Interoffice Transport - Dedicated - DS3 - Facility Termination per			UNCSX	ILJAA	8.02										
	month			UNC3X	U1TF3	880.65										
-	DS3 to DS1 Channel System combination per month DS3 Interface Unit (DS1 COCI) combination per month			UNC3X UNC1X	MQ3 UC1D1	180.03 10.80										
	Additional DS1Loop in DS3 Interoffice Transport Combination -		 	OI OI A	55151	10.80										
	Zone 1		1	UNC1X	USLXX	59.61										↓
1 1	Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 2		2	UNC1X	USLXX	89.90										
	Additional DS1Loop in DS3 Interoffice Transport Combination -	1									1	t				
	Zone 3		3	UNC1X	USLXX	119.06										↓
\vdash	DS3 Interface Unit (DS1 COCI) combination per month Nonrecurring Currently Combined Network Elements Switch -As-	_	 	UNC1X	UC1D1	10.80					-	-				
	Is Charge		<u></u>	UNC3X	UNCCC	<u> </u>	11.21	11.21	13.99	13.99			31.38	31.38	3.94	3.94
2-WIRE	VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GRADE IN	TEROFF	ICE TR	ANSPORT (EEL)												
1 1	2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL2	21.57										
	2-WireVG Loop used with 2-wire VG Interoffice Transport	1														
	Combination - Zone 2		2	UNCVX	UEAL2	32.53										<u> </u>
	2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL2	43.08										
	Interoffice Transport - Dedicated - 2-wire VG combination - Per		Ť													
	Mile Per Month		<u> </u>	UNCVX	1L5XX	0.0167										

JNBUNDLED	NETWORK ELEMENTS - South Carolina												Attachment:	2		Exhibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Submitted Manually	Incremental Charge - Manual Svc	Incremental Charge -	Charge -	Charge -
						Rec	Nonrec			g Disconnect				RATES (\$)		
	Interoffice Transport - Dedicated - 2- Wire Voice Grade						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	combination - Facility Termination per month			UNCVX	U1TV2	24.30										
	Nonrecurring Currently Combined Network Elements Switch -As-	-														
	ls Charge			UNCVX	UNCCC		11.21	11.21	13.99	13.99			31.38	31.38	3.94	3.94
	VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRADE INT 4-WireVG Loop used with 4-wire VG Interoffice Transport	LEKOFF	ICE IR	ANSPORT (EEL)						-						
	Combination - Zone 1		1	UNCVX	UEAL4	29.47										
4	4-WireVG Loop used with 4-wire VG Interoffice Transport															
	Combination - Zone 2 4-WireVG Loop used with 4-wire VG Interoffice Transport		2	UNCVX	UEAL4	44.44										
	Combination - Zone 3		3	UNCVX	UEAL4	58.85				ļ						
	Interoffice Transport - Dedicated - 4-wire VG combination - Per Mile Per Month			UNCVX	1L5XX	0.0167										
	Interoffice Transport - Dedicated - 4- Wire Voice Grade	1	 	OINCVA	ILOAA	0.0167				 	 	 				
	combination - Facility Termination per month		L	UNCVX	U1TV4	21.29				<u> </u>	<u> </u>	<u> </u>				
	Nonrecurring Currently Combined Network Elements Switch -As-														_	
	IS Charge SITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFIC	CE TRA	NCDOD	UNCVX	UNCCC		11.21	11.21	13.99	13.99			31.38	31.38	3.94	3.94
	High Capacity Unbundled Local Loop - DS3 combination - Per	LEIRA	NSPUR	I (EEL)												
l l	Mile per month			UNC3X	1L5ND	15.33										
	High Capacity Unbundled Local Loop - DS3 combination -															
	Facility Termination per month Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X UNC3X	UE3PX 1L5XX	382.95 8.02										
	Interoffice Transport - Dedicated - DS3 - Fer Mile per Month Interoffice Transport - Dedicated - DS3 combination - Facility			UNCSX	ILJAA	0.02										
-	Termination per per month			UNC3X	U1TF3	880.65										
	Nonrecurring Currently Combined Network Elements Switch -As-	-														
	Is Charge IGITAL EXTENDED LOOP WITH DEDICATED STS1 INTEROF	EICE TE	ANCD	UNC3X	UNCCC	-	11.21	11.21	13.99	13.99			31.38	31.38	3.94	3.94
	High Capacity Unbundled Local Loop - STS1 combination - Per	TICE II	MINOF	JKT (EEL)												
ı	Mile per month			UNCSX	1L5ND	15.33										
	High Capacity Unbundled Local Loop - STS1 combination -															
	Facility Termination per month Interoffice Transport - Dedicated - STS1 combination - Per Mile		ļ	UNCSX	UDLS1	391.86				-						
	per month			UNCSX	1L5XX	8.02										
	Interoffice Transport - Dedicated - STS1 combination - Facility															
	Termination per month			UNCSX	U1TFS	880.55										
	Nonrecurring Currently Combined Network Elements Switch -As- ls Charge			UNCSX	UNCCC		11.21	11.21	13.99	13.99			31.38	31.38	3.94	3.94
2-WIRE	ISDN EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPOR	RT (EEL	.)							.0.00			300	350	0.04	5.54
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination															
	Transport - Zone 1 First 2-Wire ISDN Loop in a DS1 Interoffice Combination		1	UNCNX	U1L2X	26.68					1	1				
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 2		2	UNCNX	U1L2X	40.24										
I	First 2-Wire ISDN Loop in a DS1 Interoffice Combination															
	Transport - Zone 3		3	UNCNX	U1L2X	53.85					ļ					
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Interoffice Transport - Dedicated - DS1 combination - Facility		!	UNC1X	1L5XX	0.3415				 	 	 				
	Termination per month			UNC1X	U1TF1	77.14										
	Channelization - Channel System DS1 to DS0 combination -															
	per month 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System		<u> </u>	UNC1X	MQ1	134.46					 	-				
· ·	combination - per month			UNCNX	UC1CA	3.20						<u> </u>				
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport															
	Combination - Zone 1 Additional 2-wire ISDN Loop in same DS1Interoffice Transport	1	1	UNCNX	U1L2X	26.68					ļ					
	Combination - Zone 2		2	UNCNX	U1L2X	40.24										
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 3		3	UNCNX	U1L2X	53.85										

No. 1	JNBUNDLE	NETWORK ELEMENTS - South Carolina	,											Attachment:	2		Exhibit: B
Swee BIDD COCT (BRTS) - Dist to DSD Charmed System	CATEGORY	RATE ELEMENTS		Zone	BCS	usoc			RATES(\$)			Submitted Elec	Submitted Manually	Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svo Order vs.
Division (DIX CODE) (BRITE) - DIX To DIX DIX DIX DIX DIX DIX DIX DIX DIX DIX							Rec	Nonrec	urring	Nonrecurring	g Disconnect						
Complementation per month								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
No. Chapter 1.0 1.		combintaion- per month			UNCNX	UC1CA	3.20										
### OST DIGITAL EXPENDED LOOP WITH DEDICATED STS1 INTERCOPTICE TRANSPORT (EEL) PIFE DIST Loop in \$151 Intercifics Transport Contribution		Nonrecurring Currently Combined Network Elements Switch -As-								40.00							
First DS1 Luop in TST5 Interdiffice Transport Combination			ITEROF	FICE T		UNCCC	-	11.21	11.21	13.99	13.99			31.38	31.38	3.94	3.94
Zone 1			I	I IOL I	INANOI ORI (EEE)												+
Zone 2		·		1	UNC1X	USLXX	59.61										
First DST Loop in STST Interdifice Transport Combination - Par Mile				2	LINC1Y	LISI YY	89 90										
InterCifex Transport - Dedicated - STST combination - Per Me Per Moorm					ONOTA	OOLXX	03.30										
Per Nomb				3	UNC1X	USLXX	119.06										
Insectifice Transport - Decicated - STS (combination - Facility Termination UNCSX UTTS 880.55					UNCSX	11.5XX	8 02										
STS 10 DST Charmel System conhances per month UNCSX M03 180.03		Interoffice Transport - Dedicated - STS1 combination - Facility															
OS3 Interface Unit (DST COCI) combination per month																	
Additional DS1Lop in STS1 Interdifice Transport Combination -																	-
Zone 1					UNC1X	UC1D1	10.80										+
Zone 2		Zone 1		1	UNC1X	USLXX	59.61										
Zone 3				2	UNC1X	USLXX	89.90										
DS3 Interface Unit (DS1 COCI) combination per month UNCTX UCID1 10.80 Nonceuring Currently Combined Network Elements Switch -As- Is Charge UNCSX UNCCC 11.21 11.21 13.99 13.99 31.38 31.38 3.94				3	UNC1X	USI XX	119.06										
Scharge				Ť													
### SR KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS INTEROFFICE TRANSPORT (EEL) ### 65 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS INTEROFFICE TRANSPORT (EEL) ### 65 KBPS DIGITAL EXTENDED LOOP WITH 65 KBPS INTEROFFICE TRANSPORT (EEL) ### 65 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTEROFFICE TRANSPORT (EEL) ### 65 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTEROFFICE TRANSPORT (EEL) ### 65 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTEROFFICE TRANSPORT (EEL) ### 65 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTEROFFICE TRANSPORT (EEL) ### 65 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTEROFFICE TRANSPORT (EEL) ### 65 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTEROFFICE TRANSPORT (EEL) ### 65 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTEROFFICE TRANSPORT (EEL) ### 65 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTEROFFICE TRANSPORT (EEL) ### 65 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTEROFFICE TRANSPORT (EEL) ### 65 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTEROFFICE TRANSPORT (EEL) ### 65 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTEROFFICE TRANSPORT (EEL) ### 65 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTEROFFICE TRANSPORT (EEL) ### 65 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTEROFFICE TRANSPORT (EEL) ### 65 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTEROFFICE TRANSPORT (EEL) ### 65 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTEROFFICE TRANSPORT (EEL) ### 65 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTEROFFICE TRANSPORT (EEL) ### 65 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTEROFFICE TRANSPORT (EEL) ### 65 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTEROFFICE TRANSPORT (EEL) ### 65 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTEROFFICE TRANSPORT (EEL) ### 65 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTEROFFICE TRANSPORT (EEL) ### 65 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTEROFFICE TRANSPORT (EEL) ### 65 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTEROFFICE TRANSPORT (EEL) ### 65 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTEROFFICE TRANSPORT (EEL) ### 65 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTEROFFICE TRANSPORT (LINGOV	111000		44.04	44.04	40.00	40.00			04.00	04.00	0.04	0.04
A-wire 56 kbps Loop/4-wire 56 kbps Interdifice Transport			FEICE 1	RANS		UNCCC		11.21	11.21	13.99	13.99			31.38	31.38	3.94	3.94
A-wire 56 kbps Loop/4-wire 66 kbps Interoffice Transport 2 UNCDX		4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport	11102	,			24.00										
A-wire 66 kbps Logi/A-wire 56 kbps interoffice Transport		4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport		1													
Combination - Zone 3				2	UNCDX	UDL56	51.67										
Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Per Mile Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Facility Termination Nonrecurring Currently Combined Network Elements Switch -As- Is Charge UNCDX UNCDX UNCDX UNCCC 11.21 11.21 13.99 13.99 31.38 31.38 3.94 4-WIRE 64 kbps DiGITAL EXTENDED LOOP WITH 64 KBPS INTEROFFICE TRANSPORT (EEL) 4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport Combination - Zone 1 1 UNCDX UDL64 34.26 4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport Combination - Zone 2 2 UNCDX UDL64 51.67 4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport Combination - Zone 2 1 UNCDX UDL64 51.67 4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport Combination - Zone 3 3 UNCDX UDL64 68.43 Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Per Mile Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Facility Termination UNCDX				3	UNCDX	UDL56	68.43										
Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Facility Termination Nonrecurring Currently Combined Network Elements Switch - As- Is Charge UNCDX UNCCC 11.21 11.21 13.99 13.99 31.38 31.38 3.94 4-Wire 64 Kbps Digital EXTENDED LOOP WITH 64 KBPS INTEROFFICE TRANSPORT (EEL) 4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport Combination - Zone 1 UNCDX UDL64 34.26 4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport Combination - Zone 2 UNCDX UDL64 34.26 4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport Combination - Zone 2 UNCDX UDL64 51.67 4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport Combination - Zone 3 UNCDX UDL64 68.43 Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Per Mile Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Per Mile Interoffice Transport - Dedicated - 4-wire 64 kbps combination - UNCDX		Interoffice Transport - Dedicated - 4-wire 56 kbps combination -															
Facility Termination UNCDX U1TD5 16.76 Nonrecurring Currently Combined Network Elements Switch -As- Is Charge UNCDX UNCCC 11.21 11.21 13.99 13.99 31.38 31.38 3.94					UNCDX	1L5XX	0.0167										
Is Charge					UNCDX	U1TD5	16.76										
4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTEROFFICE TRANSPORT (EEL) 4-WIRE 64 Kbps Loop/4-Wire 64 kbps Interoffice Transport Combination - Zone 1 1 UNCDX UDL64 34.26 4-WIRE 64 kbps Loop/4-Wire 64 kbps Interoffice Transport Combination - Zone 2 2 UNCDX UDL64 51.67 4-WIRE 64 kbps Loop/4-Wire 64 kbps Interoffice Transport Combination - Zone 2 1 UNCDX UDL64 51.67 4-WIRE 64 kbps Loop/4-Wire 64 kbps Interoffice Transport Combination - Zone 2 1 UNCDX UDL64 51.67 4-WIRE 64 kbps Loop/4-Wire 64 kbps Interoffice Transport Combination - Zone 2 1 UNCDX UDL64 68.43 Interoffice Transport - Dedicated - 4-Wire 64 kbps combination - Per Mile Interoffice Transport - Dedicated - 4-Wire 64 kbps combination - UNCDX UNCDX UNCDX U1TD6 16.76 Nonrecurring Currently Combined Network Elements Switch -As-Is Charge Goes apply. When used as a part of a currently combined facility, the non-recurring charges do not apply, but a Switch As Is charge Goes not.			-														1
A-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport 1 UNCDX UDL64 34.26	4 14/10/5			D 4 1 10		UNCCC		11.21	11.21	13.99	13.99			31.38	31.38	3.94	3.94
Combination - Zone 1 1 UNCDX UDL64 34.26			FFICE	RANS	PORT (EEL)		 									1	-
Combination - Zone 2 4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport Combination - Zone 3 3 UNCDX UDL64 68.43 Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Per Mile Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Per Mile Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Facility Termination Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Facility Termination UNCDX U1TD6 Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Facility Termination UNCDX U1TD6 Interoffice Transport - Dedicated - 4-wire 64 kbps combination - UNCDX U1TD6 Interoffice Transport - Dedicated - 4-wire 64 kbps combination - UNCDX U1TD6 Interoffice Transport - Dedicated - 4-wire 64 kbps combination - UNCDX UNCDX U1TD6 Interoffice Transport - Dedicated - 4-wire 64 kbps combination - UNCDX UNCDX U1TD6 Interoffice Transport - Dedicated - 4-wire 64 kbps combination - UNCDX UNCDX UNCDX U1TD6 Interoffice Transport - Dedicated - 4-wire 64 kbps combination - UNCDX UNCDX UNCDX U1TD6 Interoffice Transport - Dedicated - 4-wire 64 kbps combination - UNCDX UNCDX UNCDX U1TD6 Interoffice Transport - Dedicated - 4-wire 64 kbps combination - UNCDX UNCDX UNCDX UNCDX U1TD6 Interoffice Transport - Dedicated - 4-wire 64 kbps combination - UNCDX UNCDX UNCDX UNCDX U1TD6 Interoffice Transport - Dedicated - 4-wire 64 kbps combination - UNCDX UNCDX UNCDX UNCDX U1TD6 Interoffice Transport - Dedicated - 4-wire 64 kbps combination - UNCDX UNCDX UNCDX UNCDX U1TD6 Interoffice Transport - Dedicated - 4-wire 64 kbps combination - UNCDX UNCDX UNCDX UNCDX UNCDX U1TD6 Interoffice Transport - Dedicated - 4-wire 64 kbps combination - UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX U1TD6 Interoffice Transport - Dedicated - 4-wire 64 kbps combination - UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX U1TD6 Interoffice Transport - Dedicated - 4-wire 64 kbps combination - UNCDX UNC				1	UNCDX	UDL64	34.26										
4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport Combination - Zone 3 Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Per Mile UNCDX UDL64 68.43 UDL64 68.43 U				2	LINCDX	LIDI 64	51.67										
Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Per Mile UNCDX 1L5XX 0.0167 Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Facility Termination UNCDX U1TD6 16.76 Nonrecurring Currently Combined Network Elements Switch -As- Is Charge UNCDX UNCCC 11.21 11.21 13.99 13.99 31.38 31.38 3.94 ADDITIONAL NETWORK ELEMENTS When used as a part of a currently combined facility, the non-recurring charges do not apply, but a Switch As Is charge does apply. When used as ordinarilty combined network elements in Georgia, the non-recurring charges apply and the Switch As Is Charge does not.		4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport															
Per Mile			<u> </u>	3	UNCDX	UDL64	68.43										
Facility Termination UNCDX U1TD6 16.76 UNCDX U1TD6 16.76 UNCDX U1TD6 16.76 UNCDX UNCCC 11.21 13.99 13.99 31.38 31.38 3.94 ADDITIONAL NETWORK ELEMENTS UNCC 11.21 11.21 13.99 13.99 31.38 31.38 3.94 When used as a part of a currently combined facility, the non-recurring charges do not apply, but a Switch As Is charge does apply. When used as ordinarilty combined network elements in Georgia, the non-recurring charges apply and the Switch As Is Charge does not.					UNCDX	1L5XX	0.0167										
Nonrecurring Currently Combined Network Elements Switch -As- Is Charge ADDITIONAL NETWORK ELEMENTS When used as a part of a currently combined facility, the non-recurring charges do not apply, but a Switch As Is charge does apply. When used as ordinarilty combined network elements in Georgia, the non-recurring charges apply and the Switch As Is Charge does not.					UNCDX	U1TD6	16.76										
ADDITIONAL NETWORK ELEMENTS When used as a part of a currently combined facility, the non-recurring charges do not apply, but a Switch As Is charge does apply. When used as ordinarilty combined network elements in Georgia, the non-recurring charges apply and the Switch As Is Charge does not.		Nonrecurring Currently Combined Network Elements Switch -As-					10.75	44.04	44.04	40.00	40.00			04.00	24.00	201	2.21
When used as a part of a currently combined facility, the non-recurring charges do not apply, but a Switch As Is charge does apply. When used as ordinarilty combined network elements in Georgia, the non-recurring charges apply and the Switch As Is Charge does not.			-	-	UNCDX	UNCCC	 	11.21	11.21	13.99	13.99			31.38	31.38	3.94	3.94
When used as ordinarilty combined network elements in Georgia, the non-recurring charges apply and the Switch As Is Charge does not.			rng cha	rges do	not apply, but a S	witch As Is c	harge does app	oly.									<u> </u>
Nede (CymphreNet)	When u	sed as ordinarilty combined network elements in Georgia, th															<u> </u>
Node (SynchroNet) Nonrecurring Currently Combined Network Elements "Switch As Is" Charge (One applies to each combination)	Node (S	SynchroNet)															

RUNDLE	D NETWORK ELEMENTS - South Carolina												Attachment:	2		Exhibit
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremen Charge Manual S Order vs Electroni Disc Add
						Rec	Nonrec First	urring Add'l	Nonrecurring First	Disconnect Add'l	COMEC	SOMAN	OSS F	RATES (\$)	SOMAN	SOMAN
	2/4-Wire VG Interoffice Channel used in a COMBINATION -				+		FIRST	Add I	FIRST	Addi	SOMEC	SUMAN	SUMAN	SUMAN	SOWAN	SOWA
	"Switch As Is" Conversion Charge			UNCVX	UNCCC		11.21	11.21	13.99	13.99			31.38	31.38	3.94	3.
	56/64 kbps Interoffice Channel used in a COMBINATION -				0.1000								0.1.00			
	"Switch As Is" Conversion Charge			UNCDX	UNCCC		11.21	11.21	13.99	13.99			31.38	31.38	3.94	3
	DS1 Interoffice Channel used in a COMBINATION - "Switch As Is" Conversion Charge			UNC1X	UNCCC		11.21	11.21	13.99	13.99			31.38	31.38	3.94	3
	DS3 Interoffice Channel used in a COMBINATION - "Switch As Is" Conversion Charge			UNC3X	UNCCC		11.21	11.21	13.99	13.99			31.38	31.38	3.94	3
	STS1 Interoffice or Local Loop used in a COMBINATION -				UNCCC											_
NOTE:	"Switch As Is" Conversion Charge Local Channel - Dedicated Transport - minimum billing period	l - Bolo	w Des.	UNCSX		r months	11.21	11.21	13.99	13.99			31.38	31.38	3.94	
	OCAL EXCHANGE SWITCHING(PORTS)	ı - belo	w D33:	one month, DSS a	nd above=iou	monus										
	age Ports															
	Although the Port Rate includes all available features in GA, I	Y. LA	& TN. t	ne desired features	will need to b	e ordered usin	a retail USOCs	1								
	VOICE GRADE LINE PORT RATES (RES)															
	Exchange Ports - 2-Wire Analog Line Port- Res.			UEPSR	UEPRL	2.35	24.98	24.98					44.42	14.63		
	Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.			UEPSR	UEPRC	2.35	24.98	24.98					44.42	14.63		
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Res.			UEPSR	UEPRO	2.35	24.98	24.98					44.42	14.63		
	Exchange Ports - 2-Wire VG unbundled SC extended local dialing parity Port with Caller ID - Res.			UEPSR	UEPAU	2.35	24.98	24.98					44.42	14.63		
	Exchange Ports - 2-Wire VG unbundled South Carolina Area Calling port with Caller ID - Res (LW8)			UEPSR	UEPAJ	2.35	24.98	24.98					44.42	14.63		
	Exchange Ports - 2-Wire VG unbundled res, low usage line port with Caller ID (LUM)			UEPSR	UEPAP	2.35	24.98	24.98					44.42	14.63		
	Subsequent Activity			UEPSR	USASC	0.00	0.00	0.00								
FEATU	RES															
	All Available Vertical Features			UEPSR	UEPVF	6.29	0.00	0.00					44.42	14.63		
2-WIRE	VOICE GRADE LINE PORT RATES (BUS)															
	Exchange Ports - 2-Wire Analog Line Port without Caller ID - Bus			UEPSB	UEPBL	2.35	24.98	24.98					44.42	14.63		
	Exchange Ports - 2-Wire VG unbundled Line Port with unbundled port with Caller+E484 ID - Bus.			UEPSB	UEPBC	2.35	24.98	24.98					44.42	14.63		
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus.			UEPSB	UEPBO	2.35	24.98	24.98					44.42	14.63		
	Exchange Ports - 2-Wire VG unbundled SC extended local dialing parity Port with Caller ID - Bus.			UEPSB	UEPAZ	2.35	24.98	24.98					44.42	14.63		
	Exhange Ports - 2-Wire VG unbundled incoming only port with Caller ID - Bus			UEPSB	UEPB1	2.35	24.98	24.98					44.42	14.63		
	Exchange Ports - 2-Wire VG unbundled South Carolina Bus Area Calling Port with Caller ID - Bus (LMB)			UEPSB	UEPAB	2.35	24.98	24.98					44.42	14.63		
	Subsequent Activity			UEPSB	USASC	0.00	0.00	0.00								<u> </u>
FEATU				HEDOD	LIEDVE	0.00	0.00	0.00					44.40	44.00		<u> </u>
EVOUA	All Available Vertical Features NGE PORT RATES (DID & PBX)			UEPSB	UEPVF	6.29	0.00	0.00			1		44.42	14.63		1
EACHA	2-Wire VG Unbundled 2-Way PBX Trunk - Res			UEPSE	UEPRD	2.35	24.36	24.36					41.86	14.46		
1	2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus			UEPSP	UEPPC	2.35	24.36	24.36					41.86	14.46		†
	2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus			UEPSP	UEPPO	2.35	24.36	24.36					41.86	14.46		l
	2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus			UEPSP	UEPP1	2.35	24.36	24.36					41.86	14.46		
	2-Wire Analog Long Distance Terminal PBX Trunk - Bus			UEPSP	UEPLD	2.35	24.36	24.36					41.86	14.46		
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPSP	UEPLD	2.35	24.36	24.36					41.86	14.46		
	2-Wire Vice Unbundled 2-Way PBX Usage Port			UEPSP	UEPXA	2.35	24.36	24.36					41.86	14.46		
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPSP	UEPXB	2.35	24.36	24.36					41.86	14.46		
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPSP	UEPXC	2.35	24.36	24.36					41.86	14.46		
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPSP	UEPXD	2.35	24.36	24.36					41.86	14.46		
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPSP	UEPXE	2.35	24.36	24.36					41.86	14.46		

UNBUNDL	ED NETWORK ELEMENTS - South Carolina												Attachment:	2		Exhibit: B
CATEGOR	Y RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Order vs.	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonred		Nonrecurring I		COMEC	COMAN		RATES (\$)	COMAN	COMAN
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Administrative Calling Port			UEPSP	UEPXL	2.35	24.36	24.36					41.86	14.46		
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPSP	UEPXM	2.35	24.36	24.36					41.86	14.46		
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port			UEPSP	UEPXO	2.35	24.36	24.36					41.86	14.46		
h	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPSP	UEPXS	2.35	24.36	24.36					41.86	14.46		
	2-Wire Voice Unbundled 2-Way PBX South Carolina Area Plus															
	Calling Port			UEPSP	UEPXT	2.35	24.36	24.36					41.86	14.46		
	Subsequent Activity			UEPSP	USASC	0.00	0.00	0.00								
FEA	TURES All Available Vertical Features		 	UEPSP UEPSE	UEPVF	6.29	0.00	0.00	+				41.86	14.46	 	
FXC	HANGE PORT RATES (COIN)		 	ULFOF UEPSE	UEFVF	0.∠9	0.00	0.00	 				41.86	14.46	 	
	Exchange Ports - Coin Port					2.77	24.75	24.75	1				43.48	14.57		
	al Switching Features offered with Port															
NOT	E: Transmission/usage charges associated with POTS circuit sv	vitched	usage	will also apply to ci	ircuit switche	ed voice and/or	circuit switch	ed data transn	nission by B-Cha	nnels associ	iated with 2	wire ISDN إ	oorts.			
NOT	E: Access to B Channel or D Channel Packet capabilities will be	availa	ble onl	y through BFR/New	Business Re	quest Process.	Rates for the	packet capabi	lities will be dete	ermined via t	he Bona Fi	de Request/	New Business	Request Pro	cess.	
	Exchange port - 4-wire ISDN trunk port -all available features included				UEPEX	251.00	311.73	311.73					65.48	65.48		
	Exchange Port - 2-wire ISDN digital line side port with three features included				U1PMA	36.01	70.32	70.32					67.52	67.52		
	D LOCAL EXCHANGE SWITCHING(PORTS)															
EXC	HANGE PORT RATES (DID & PBX)			HEDEV	LIEDDO	0.00	220.44	27.50	400.05	7.54			67.50	67.50		
	Exchange Ports - 2-Wire DID Port Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID			UEPEX	UEPP2	8.86	239.14	37.56	120.05	7.54			67.52	67.52		-
	capability			UEPDD	UEPDD	73.62	404.94	191.80	145.50	4.93			19.99	19.99	19.99	19.99
	Exchange Ports - 2-Wire ISDN Port (See Notes below.)			UEPTX UEPSX	U1PMA	13.38	145.86	106.21	95.79	21.52			67.52	67.52		
NOT	All Features Offered E: Transmission/usage charges associated with POTS circuit so			UEPTX UEPSX	UEPVF	6.29	0.00	0.00				ina ICDNI a				
INOT	E. Transmission/usage charges associated with FOTS circuit st	viicheu	usage	will also apply to ci	ircuit switche	eu voice anu/or	Circuit Switch	eu uata transii	iission by b-cha	illieis associ	ialeu wilii z	-wire isolv j	Jores.		ı	1
NOT	E: Access to B Channel or D Channel Packet capabilities will be	availal	hle onl	v through RFR/New	Rusiness Re	auest Process	Rates for the	nacket canabi	lities will he dete	ermined via t	he Bona Fi	de Request/	New Rusiness	Request Pro	ncess	
	Exchange Ports - 2-Wire ISDN Port Channel Profiles	avana	1	UEPTX UEPSX	U1UMA	0.00	0.00	0.00		Silliniou via t	lic Bolla i i	uc request	Dusiness	Requestire		
	Exchange Ports - 4-Wire ISDN DS1 Port			UEPEX	UEPEX	107.44	408.53	203.56	158.70	21.52			65.48	65.48		
	D LOCAL SWITCHING, PORT USAGE															
End	Office Switching (Port Usage)															
	End Office Switching Function, Per MOU					0.0019295										
Tane	End Office Trunk Port - Shared, Per MOU dem Switching (Port Usage) (Local or Access Tandem)				-	0.0002581			+						1	<u> </u>
Tanc	Tandem Switching Function Per MOU					0.0006843			† 						1	
	Tandem Trunk Port - Shared, Per MOU					0.0004034										
Com	mon Transport															
	Common Transport - Per Mile, Per MOU					0.0000121										
	Common Transport - Facilities Termination Per MOU					0.0004672										
	D PORT/LOOP COMBINATIONS - COST BASED RATES	. 1/							\vdash							
	Based Rates are applied where BellSouth is required by FCC ar ures shall apply to the Unbundled Port/Loop Combination - Cos								ad Port section o	of this Data =	vhihit				 	
												in Dantil co	Combination		1	
	Office and Tandem Switching Usage and Common Transport Us Georgia, Kentucky, Louisiana, MIssissippi and Tennessee, the r											•			apply to Not (Currently
Com	bined Combos for all states. In GA, KY, LA, MS and TN these no	nrecur	ring ch	arges are commissi	on ordered c	ost based rates	and in AL, FL									
	bined Combos in all other states, the nonrecurring charges sha	I be the	ose ide	ntified in the Nonre	curring - Cur	rently Combine	d sections.	1					1		•	_
	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)		<u> </u>													
UNE	Port/Loop Combination Rates		_		 	20.74			 		<u> </u>					
$\vdash \vdash$	2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2		2		+	20.71 29.35			 		-				 	
 	2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3		3		+	29.35 37.68			 		-	 			 	
				l	1	07.00		1			1	1	1	1	1	

4Q01:12/01/01 PAGE 271 OF 324

NRONDLE	D NETWORK ELEMENTS - South Carolina												Attachment:	2		Exhibit:
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR		Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Charge
						Rec	Nonre		Nonrecurring		001150	SOMAN	OSS I	RATES (\$)	SOMAN	SOMAN
LINE Lo	l pop Rates						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ONL LO	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPRX	UEPLX	17.02										
	2-Wire Voice Grade Loop (SL1) - Zone 2			UEPRX	UEPLX	25.66					1					
+	2-Wire Voice Grade Loop (SL1) - Zone 3			UEPRX	UEPLX	33.99					1					
	Voice Grade Line Port Rates (Res)		-	OLITON	OLI EX	00.00										
	2-Wire voice unbundled port - residence			UEPRX	UEPRL	3.69	90.00	90.00					43.19	9.91		<u> </u>
	2-Wire voice unbundled port with Caller ID - res			UEPRX	UEPRC	3.69	90.00	90.00					43.19	9.91		
	2-Wire voice unbundled port outgoing only - res			UEPRX	UEPRO	3.69	90.00	90.00					43.19	9.91		
	2-Wire voice Grade unbundled South Carolina extended local															
	dialing parity port with Caller ID - res			UEPRX	UEPAU	3.69	90.00	90.00					43.19	9.91		
	2-Wire voice unbundled South Carolina Area Calling port with															
	Caller ID - res (LW8)			UEPRX	UEPAJ	3.69	90.00	90.00					43.19	9.91		
	2-Wire voice unbundles res, low usage line port with Caller ID									-					<u> </u>	
	(LUM)			UEPRX	UEPAP	3.69	90.00	90.00					43.19	9.91		
FEATU																
	All Features Offered			UEPRX	UEPVF	6.29	0.00	0.00					43.19	9.91		
	NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPRX	LNPCX	0.35										
NONRE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is			UEPRX	USAC2		1.59	0.40					43.19	9.91		
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change			UEPRX	USACC		1.59	0.40					43.19	9.91		
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Subsequent Database Update						0.71						8.91			
ADDITI	ONAL NRCs															
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent															
	Activity			UEPRX	USAS2	0.00	0.00	0.00					43.19	9.91		
	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)															
UNE Po	ort/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Zone 1		1			20.71										
	2-Wire VG Loop/Port Combo - Zone 2		2			29.35										ļ
	2-Wire VG Loop/Port Combo - Zone 3		3			37.68										
	pop Rates			LIEDDY/	LUEBLY.	47.00										
	2-Wire Voice Grade Loop (SL1) - Zone 1	<u> </u>		UEPBX	UEPLX	17.02										<u> </u>
	2-Wire Voice Grade Loop (SL1) - Zone 2			UEPBX UEPBX	UEPLX UEPLX	25.66 33.99										ļ
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPBX	UEPLX	33.99										
∠-wire	Voice Grade Line Port (Bus) 2-Wire voice unbundled port without Caller ID - bus	}		UEPBX	UEPBL	3.69	90.00	90.00			}		43.19	9.91	1	
	2-Wire voice unbundled port with Caller ID - bus 2-Wire voice unbundled port with Caller + E484 ID - bus	 		UEPBX	UEPBC	3.69	90.00	90.00					43.19	9.91	-	
	2-Wire voice unburidled port outgoing only - bus	1		UEPBX	UEPBO	3.69	90.00	90.00			1		43.19	9.91	1	\vdash
_	2-Wire voice Grade unbundled South Carolina extended local	 		011 DX	02.00	5.09	30.00	30.00			 		40.19	5.51		
	dialing parity port with Caller ID - bus			UEPBX	UEPAZ	3.69	90.00	90.00					43.19	9.91		1
	2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPBX	UPEB1	3.69	90.00	90.00					43.19	9.91		
	2-Wire voice unbundled South Carolina Bus Area Calling Port					5.00	23.00	22.00					.0.10	5.51		
	with Caller ID (LMB)			UEPBX	UEPAB	3.69	90.00	90.00					43.19	9.91		
LOCAL	NUMBER PORTABILITY					2.20	22.20	22.30						1.5.		
	Local Number Portability (1 per port)			UEPBX	LNPCX	0.35										
FEATU											Ì					
	All Features Offered			UEPBX	UEPVF	6.29	0.00	0.00			Ì		43.19	9.91		
NONRE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is			UEPBX	USAC2		1.59	0.40					43.19	9.91		
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change			UEPBX	USACC		1.59	0.40						2.01		
	Switch with change 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Subsequent Database Update			OLI DA	3000			0.40					0.04			
	I SUNCAMUANT LIGISINGEA LINGGIA		i	i			71.00	1	1	ı	1	1	8.91	1	1	1

UNBUNDLE	D NETWORK ELEMENTS - South Carolina												Attachment:	2		Exhibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Submitted Manually	Incremental Charge - Manual Svc		Charge -	Incremental Charge -
						Rec	Nonrec	curring	Nonrecurrin	g Disconnect				RATES (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent															
0.1400	Activity			UEPBX	USAS2								43.19	9.91		
	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX) ort/Loop Combination Rates	-			_											
ONLF	2-Wire VG Loop/Port Combo - Zone 1		1			20.71										
	2-Wire VG Loop/Port Combo - Zone 2		2			29.35										
	2-Wire VG Loop/Port Combo - Zone 3		3			37.68										t
UNE Lo	pop Rates															
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPRG	UEPLX	17.02										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPRG	UEPLX	25.66										
	2-Wire Voice Grade Loop (SL 1) - Zone 3	1	3	UEPRG	UEPLX	33.99										
2-Wire	Voice Grade Line Port Rates (RES - PBX)	ļ	<u> </u>													1
	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port -			UEPRG	UEPRD	3.69							43.19	9.91		1
LOCAL	Res NUMBER PORTABILITY	-		UEPRG	UEPRD	3.69							43.19	9.91		
LOCAL	Local Number Portability (1 per port)			UEPRG	LNPCP	3.15	0.00	0.00								
FEATU				OLI NO	LIVI OI	3.13	0.00	0.00								
LATO	All Features Offered			UEPRG	UEPVF	6.29	0.00	0.00					43.19	9.91		
NONRE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
	Conversion - Switch-As-Is			UEPRG	USAC2		1.59	0.40					43.19	9.91		
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
	Conversion - Switch with Change			UEPRG	USACC		1.59	0.40					43.19	9.91		
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -	-														
ADDIT	Subsequent Database Update						0.71						8.91			
ADDITI	ONAL NRCs In Wire Voice Crade Leap / Line Port Combination (DRV)	-			_											
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Subsequent Activity			UEPRG	USAS2	0.00	0.00	0.00					43.19	9.91		
-	PBX Subsequent Activity - Change/Rearrange Multiline Hunt			ULFRG	U3A32	0.00	0.00	0.00					43.13	5.51		
	Group						14.64	14.64					19.99	19.99	19.99	19.99
2-WIRE	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)															
UNE P	ort/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Zone 1		1			20.71										
	2-Wire VG Loop/Port Combo - Zone 2		2			29.35										
	2-Wire VG Loop/Port Combo - Zone 3		3			37.68										
UNE Lo	pop Rates	1	<u> </u>	LIEBBY .	LIEBLY.	4= 65										
\vdash	2-Wire Voice Grade Loop (SL 1) - Zone 1	1	1	UEPPX	UEPLX	17.02					1	ļ		 	 	1
\vdash	2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3	+	3	UEPPX UEPPX	UEPLX UEPLX	25.66 33.99			-	1	1	-		1	-	
2-Wire	Voice Grade Line Port Rates (BUS - PBX)	1	٦	OLFFA	ULFLA	33.88			1	1	1	1		1	1	
1 1	Total Citato Line For Hutto (Doo 1 DA)	1	1		+	 										-
1 1	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPPX	UEPPC	3.69	90.00	90.00					43.19	9.91		
	Line Side Unbundled Outward PBX Trunk Port - Bus			UEPPX	UEPPO	3.69	90.00	90.00					43.19	9.91	<u> </u>	
	Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPPX	UEPP1	3.69	90.00	90.00					43.19	9.91		
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	3.69	90.00	90.00					43.19	9.91		
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	3.69	90.00	90.00					43.19	9.91		
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports	1	ļ	UEPPX	UEPXB	3.69	90.00	90.00					43.19	9.91		
\vdash	2-Wire Voice Unbundled PBX LD DDD Terminals Port	 	<u> </u>	UEPPX	UEPXC	3.69	90.00	90.00	-	1	1	1	43.19	9.91	1	1
\vdash	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port 2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD	1	l	UEPPX	UEPXD	3.69	90.00	90.00					43.19	9.91	 	
1 1	Capable Port			UEPPX	UEPXE	3.69	90.00	90.00					43.19	9.91		
 	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy	1	1	OLI FX	JLFAL	3.09	90.00	50.00					45.19	5.91	1	
	Administrative Calling Port			UEPPX	UEPXL	3.69	90.00	90.00					43.19	9.91		
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy	1	i –		32.7.2	5.55	55.00	22.00					.0.10	3.01		1
	Room Calling Port			UEPPX	UEPXM	3.69	90.00	90.00					43.19	9.91	1	I
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital															
	Discount Room Calling Port			UEPPX	UEPXO	3.69	90.00	90.00					43.19	9.91		
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	3.69	90.00	90.00					43.19	9.91		

CATEGORY RATE ELEMENTS Interi m Zone BCS USOC Rec Nor	RATES(\$)			1	Attachment: Incremental	Incremental	Incremental	In oromontal
Rec Nor		1		Manually	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I	Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
	recurring	Nonrecurring Disconnect				RATES (\$)		
2-Wire Voice Unbundled 2-Way PBX South Carolina Area Plus	Add'l	First Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	0 90.00				43.19	9.91		
LOCAL NUMBER PORTABILITY								
Local Number Portability (1 per port) UEPPX LNPCP 3.15 0.0	0.00			-				\vdash
PEATURES UEPPX UEPVF 6.29 0.0	0 0.00		+		43.19	9.91		
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED								
2-Wire Voice Grade Loop/ Line Port Combination (PBX) -	0 0 40				40.40	0.04		
Conversion - Switch-As-Is UEPPX USAC2 1.: 2-Wire Voice Grade Loop/ Line Port Combination (PBX) -	9 0.40			-	43.19	9.91		
Conversion - Switch with Change UEPPX USACC 1.5	9 0.40				43.19	9.91		
2-Wire Voice Grade Loop / Line Port Combination - Conversion -								
Subsequent Database Update 0.3	1		+	-	8.91			
				+				
Subsequent Activity UEPPX USAS2 0.00 0.0	0.00				43.19	9.91		
PBX Subsequent Activity - Change/Rearrange Multiline Hunt					40.00	40.00	40.00	
Group 14.0 2-WIRE VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN PORT	4 14.64		+	-	19.99	19.99	19.99	19.99
UNE Port/Loop Combination Rates				1				
2-Wire VG Coin Port/Loop Combo – Zone 1								
2-Wire VG Coin Port/Loop Combo – Zone 2 2 29.70								
2-Wire VG Coin Port/Loop Combo – Zone 3 28.03 UNE Loop Rates 28.03				-				
12-Wire Voice Grade Loop (SL1) - Zone 1								
2-Wire Voice Grade Loop (SL1) - Zone 2 2 UEPCO UEPLX 25.66								
2-Wire Voice Grade Loop (SL1) - Zone 3 3 UEPCO UEPLX 33.99								
2-Wire Voice Grade Line Ports (COIN) 2-Wire Coin 2-Way without Operator Screening and without								
Blocking (SC) UEPSD 4.04 90.0	0 90.00				43.19	9.91		Ĭ
2-Wire Coin 2-Way with Operator Screening and Blocking: 011,								
900/976, 1+DDD (SC) UEPCO UEPSA 4.04 90.0	0 90.00				43.19	9.91		
2-Wire Coin 2-Way with Operator Screening and 011 Blocking UEPCO UEPSH 4.04 90.0	0 90.00				43.19	9.91		Ĭ
2-Wire Coin 2-Way with Operator Screening and 011 Blocking;	0 00.00			1	40.10	0.01		
with Dialing Parity (SC) UEPSC 4.04 90.0	0 90.00				43.19	9.91		
2-Wire Coin 2-Way with Operator Screening and: 900 Blocking: UEPCO UEPCC 4.04 90.0	00.00				43.19	9.91		1
900/976, 1+DDD, 011+, and Local (SC) UEPCO UEPCC 4.04 90.0 2-Wire Coin 2-W Operator Screen: 900 Block: 900/976, 1+DDD,	0 90.00		+	+ +	43.19	9.91		
011+, Local; Enhanced Call OPT 3YV (SC) UEPCO UEPCE 4.04 90.0	0 90.00				43.19	9.91		<u> </u>
2-Wire Coin 2-W Operator Screen: 900 Block: 900/976, 1+DDD,								
011+, Local; Enhanced Call OPT AP7 (SC) UEPCO UEPCF 4.04 90.0 2-Wire Coin Outward without Blocking and without Operator	0 90.00			-	43.19	9.91		
	0 90.00				43.19	9.91		ĺ
2-Wire Coin Outward with Operator Screening and 011 Blocking								
(SC) UEPCO UEPSF 4.04 90.0	0 90.00			-	43.19	9.91		
2-Wire Coin Outward with Operator Screening and Blocking: UEPCO UEPSJ 4.04 90.0	0 90.00				43.19	9.91		1
2-Wire Coin Outward with Operator Screening and Blocking:			1	1 1				
900/976, 1+DDD, 011+, and Local (SC) UEPCO UEPCM 4.04 90.0	0 90.00		1		43.19	9.91		
2-Wire Coin Out Operator Screen & Block: 900/976, 1+DDD, 011+, Local; Enhanced Calling OPT 3YW (SC) UEPCO UEPCP 4.04 90.0	0 90.00				43.19	9.91		1
011+, Local, Enhanced Calling 091-31W (SD)		+ +	1	+	43.19	9.91		—
2-Wire Coin Outward Smartline with 900/976 (all states except								
	0 90.00		1	1	43.19	9.91		
ADDITIONAL UNE COIN PORT/LOOP (RC) UNE Coin Port/Loop Combo Usage (Flat Rate) UEPCO URECU 4.05 90.0	0 90.00			-				
LOCAL NUMBER PORTABILITY UNLCOH UNL	30.00		1					$\vdash \vdash \vdash$

CATEGORY				l										Incremental	Incremental	Incremental	Incrementa
	RATE ELEMENTS	Interi m	Zone	В	cs	USOC			RATES(\$)				Svc Order Submitted Manually per LSR		Charge - Manual Svc Order vs. Electronic- Add'l	Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual Sv Order vs. Electronic Disc Add
			igsqcup	<u> </u>			Rec	Nonrec		Nonrecurring Dis				OSS F	RATES (\$)		
	Level Novel of Device 177 (4 accessed)		igspace	LIEBOO		LNDOV	0.05	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
FEATUR	Local Number Portability (1 per port)		${f o}$	UEPCO		LNPCX	0.35				\longrightarrow						
	CURRING CHARGES - CURRENTLY COMBINED		$\vdash \vdash$			 	\vdash	. +		\vdash	\longrightarrow						
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -		$\vdash \vdash$			 	+			 							
	Switch-as-is			UEPCO		USAC2		1.59	0.40					43.19	9.91		
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -		\vdash														
	Switch with change			UEPCO		USACC		1.59	0.40					43.19	9.91		
ADDITIO	ONAL NRCs			<u> </u>													
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent					1											
	Activity			UEPCO		USAS2		0.00	0.00					43.19	9.91		
	PORT/LOOP COMBINATIONS - COST BASED RATES		ldot			<u> </u>											
	VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	PORT	$ldsymbol{\sqcup}$	⊢——		<u> </u>	↓			\longleftarrow							
	ort/Loop Combination Rates		لبا			 		,		\longleftarrow						ļ	
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1		1			 	29.68	,		\longleftarrow						ļ	
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3		2				37.74 44.40			++							
	pop Rates		3			+	44.40			++				1		-	-
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1		1	UEPPX		UECD1	20.85	+		 						-	
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2			UEPPX		UECD1	28.91										
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3			UEPPX		UECD1	35.57										
	ort Rate		۲	02: : : :		0200.	00.07										
	Exchange Ports - 2-Wire DID Port			UEPPX		UEPD1	8.83							43.19	9.91		
	CURRING CHARGES - CURRENTLY COMBINED																
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination -			<u> </u>													
	Switch-as-is			UEPPX		USAC1		14.62	3.73					43.19	9.91		
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion with BellSouth Allowable Changes			UEPPX		USA1C		14.62	3.73					43.19	9.91		
	ONAL NRCs			<u> </u>													
	2-Wire DID Subsequent Activity - Add Trunks, Per Trunk			UEPPX		USAS1		53.68						43.19	9.91		
	one Number/Trunk Group Establisment Charges																
	DID Trunk Termination (One Per Port)		ш	UEPPX		NDT	0.00	0.00	0.00								
	DID Numbers, Establish Trunk Group and Provide First Group		1 1	1					ļ								
	of 20 DID Numbers		igspace	UEPPX		NDZ	0.00	0.00	0.00								
	Additional DID Numbers for each Group of 20 DID Numbers		igspace	UEPPX		ND4	0.00	0.00	0.00								
	DID Numbers, Non- consecutive DID Numbers , Per Number Reserve Non-Consecutive DID numbers		$\vdash \vdash$	UEPPX UEPPX		ND5 ND6	0.00	0.00	0.00	++							
	Reserve DID Numbers	-	⊢⊢	UEPPX		NDV	0.00	0.00	0.00	++	\longrightarrow						-
	NUMBER PORTABILITY		$\vdash \vdash$	ULPPA		אסאו	0.00	0.00	0.00	 						-	
	Local Number Portability (1 per port)	-	$\vdash \vdash$	UEPPX		LNPCP	3.15	0.00	0.00		+						
	SISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LIF	NE SIDE					5.15	3.50	0.00	 							
	ort/Loop Combination Rates		ı —			 	 										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 1		1	UEPPB	UEPPR		38.58				•						
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -		一一		<u> </u>		55.55										
	UNE Zone 2 2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -		2	UEPPB	UEPPR		48.25			 							
	UNE Zone 3		3	UEPPB	UEPPR		55.29		ŀ	1							
	pop Rates			<u></u>		 	55.25										
	2-Wire ISDN Digital Grade Loop - UNE Zone 1		1	UEPPB	UEPPR	USL2X	27.38	,						19.99	19.99		
	·		\Box	i				į l									
	2-Wire ISDN Digital Grade Loop - UNE Zone 2		2	UEPPB		USL2X	37.05							19.99	19.99		
	2-Wire ISDN Digital Grade Loop - UNE Zone 3		3	UEPPB	UEPPR	USL2X	44.09							19.99	19.99		
	ort Rate		\Box														
	Exchange Port - 2-Wire ISDN Line Side Port		╙	UEPPB	UEPPR	UEPPB	11.20			\longleftarrow				19.99	19.99		
INIONIDE	CURRING CHARGES - CURRENTLY COMBINED		ldot			ļ				<u> </u>							
	2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port Combination - Conversion		ļ j	UEPPB		USACB	0.00	77.18	54.15			j		19.99	19.99		

JINDUNULE	D NETWORK ELEMENTS - South Carolina	1	1	1			ı					1		Attachment:			Exhibit:
CATEGORY	RATE ELEMENTS	Interi m	Zone	E	acs	usoc			RATES(\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge Manual S Order vs Electronic Disc Add
							Rec	Nonrec	urring	Nonrecurring	g Disconnect				RATES (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
LOCAL	NUMBER PORTABILITY																<u> </u>
	Local Number Portability (1 per port)	<u> </u>	<u> </u>	UEPPB	UEPPR	LNPCX	0.35	0.00	0.00								
B-CHA	NNEL USER PROFILE ACCESS: CVS/CSD (DMS/5ESS)	1		UEPPB	UEPPR	U1UCA	0.00	0.00	0.00								
	CVS/CSD (DMS/3ESS)	-	<u> </u>	UEPPB	UEPPR	U1UCB	0.00	0.00	0.00								
	CSD			UEPPB	UEPPR	U1UCC	0.00	0.00	0.00								
B-CHA	NNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS S	C MS &	TN)	OLITB	OLITIK	01000	0.00	0.00	0.00								
B-OIIA	CVS/CSD (DMS/5ESS)	T	1 111	UEPPB	UEPPR	U1UCD	0.00	0.00	0.00								
	CVS (EWSD)			UEPPB	UEPPR	U1UCE	0.00	0.00	0.00								
	CSD			UEPPB	UEPPR	U1UCF	0.00	0.00	0.00								
USER 1	TERMINAL PROFILE																
	User Terminal Profile (EWSD only)			UEPPB	UEPPR	U1UMA	0.00	0.00	0.00								
VERTI	CAL FEATURES																
	All Vertical Features - One per Channel B User Profile			UEPPB	UEPPR	UEPVF	6.29	0.00	0.00					19.99	19.99		
INTER	OFFICE CHANNEL MILEAGE																
	Interoffice Channel mileage each, including first mile and		1	1]	
	facilities termination				UEPPR	M1GNC	20.74	136.44	51.37					19.99	19.99		
	Interoffice Channel mileage each, additional mile			UEPPB	UEPPR	M1GNM	0.0373	0.00	0.00				0.00				
	DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNI	K PORT															
UNE P	ort/Loop Combination Rates																
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE		l .														
	Zone 1		1	UEPPP			221.03										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE			LIEDDD			004.70										
	Zone 2 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE	1	2	UEPPP			301.73										
	Zone 3		3	UEPPP			434.80										
LINE L	oop Rates	-	3	UEFFF		_	434.00										-
ONL L	4-Wire DS1 Digital Loop - UNE Zone 1	+	1	UEPPP		USL4P	113.59					1		19.99	19.99		+
	4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPPP		USL4P	194.29							19.99	19.99		
	4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPPP		USL4P	327.36							19.99	19.99		
UNE P	ort Rate																
	Exchange Ports - 4-Wire ISDN DS1 Port			UEPPP		UEPPP	107.44							19.99	19.99		
NONR	ECURRING CHARGES - CURRENTLY COMBINED																
	4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port																1
	Combination - Conversion -Switch-as-is			UEPPP		USACP	0.00	238.67	157.46					19.99	19.99		
ADDIT	IONAL NRCs																
	4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy-							_									
	Inward/two way tel nos within Std Allowance	<u> </u>		UEPPP		PR7TF		0.9822				<u> </u>		19.99	19.99		
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port -		1	l]									1	
	Outward Tel Numbers (All States except NC)	ļ	<u> </u>	UEPPP		PR7TO		23.02	23.02			ļ		19.99	19.99		
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port -			LIEBBE		DDZZT		40.0-	40.0=					10.00	10.00		
1.00**	Subsequent Inward Tel Nos Above Std Allowance	1	-	UEPPP		PR7ZT		46.05	46.05			}		19.99	19.99	 	
LOCAL	NUMBER PORTABILITY	1	1	UEPPP		LNPCN	1.75					1			 	 	
	Local Number Portability (1 per port) Voice/Data	1	-	UEPPP		PR71V	0.00	0.00	0.00			1			 	 	
-+	Digital Data	 	1	UEPPP		PR71D	0.00	0.00	0.00			}		1	1	1	+
-+-	Inward Data	1		UEPPP		PR71E	0.00	0.00	0.00			1		1	1	1	-
New or	r Additional "B" Channel	1		J		. 137 15	0.00	0.00	0.00			1			 	 	
1.0.7 0	New or Additional - Voice/Data B Channel	†		UEPPP		PR7BV	0.00	29.11						19.99	19.99		†
	New or Additional - Digital Data B Channel	 		UEPPP		PR7BF	0.00	29.11						19.99	19.99	1	<u> </u>
	New or Additional Inward Data B Channel	1		UEPPP		PR7BD	0.00	29.11						19.99	19.99		1
	New or Additional Useage Sensitive Voice Data B Channel	1		UEPPP		PR7BS	0.00	29.11				Ì		19.99	19.99		
	New or Additional Useage Sensitive Digital Data B Channel			UEPPP		PR7BU	0.00	29.11						19.99	19.99		
CALL																	
	Inward			UEPPP		PR7C1	0.00	0.00	0.00								
	Outward			UEPPP		PR7C0	0.00	0.00	0.00								
	Two-way			UEPPP		PR7CC	0.00	0.00	0.00								
Interof	fice Channel Mileage																

CATEGORY	RATE ELEMENTS										1		Incremental	Incremental	Incremental	1.
	ICATE ELEMENTO	Interi m	Zone	BCS	USOC			RATES(\$)				Submitted Manually	Charge - Manual Svc Order vs. Electronic- 1st	Charge -	Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge
						Rec	Nonrec	urring	Nonrecurring	Disconnect				RATES (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Fixed Each Including First Mile			UEPPP	1LN1A	95.7398	216.27	162.70	0.00				19.99	19.99		
	Each Airline-Fractional Additional Mile			UEPPP	1LN1B	0.7598										
	DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT															-
	ort/Loop Combination Rates 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1		1	UEPDC		187.21							19.99	40.00		-
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1			UEPDC		267.91							19.99	19.99 19.99		-
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3		3	UEPDC		400.98					1		19.99	19.99		-
	op Rates		3	ULFDC		400.90					1		15.55	19.99		-
	4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPDC	USLDC	113.59							19.99	19.99		
	4-Wire DS1 Digital Loop - UNE Zone 2	1	2	UEPDC	USLDC	194.29							19.99	19.99		
	4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPDC	USLDC	327.36							19.99	19.99		
UNE Por											Ì					
4	4-Wire DDITS Digital Trunk Port			UEPDC	UDD1T	73.62							19.99	19.99		
	CURRING CHARGES - CURRENTLY COMBINED															
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination													_		
	- Switch-as-is			UEPDC	USAC4		259.56	134.33					19.99	19.99		
-	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with DS1 Changes			UEPDC	USAWA		259.56	134.33					19.99	19.99		
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination															
	- Conversion with Change - Trunk			UEPDC	USAWB		259.56	134.33					19.99	19.99		
	ONAL NRCs															
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent															
	Channel Activation/Chan - 1-Way Outward Trunk			UEPDC	UDTTB		29.01	29.01					19.99	19.99		
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel															
	Activation/Chan Inward Trunk w/out DID			UEPDC	UDTTC		29.01	29.01					19.99	19.99		ļ
1	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan Activation Per Chan - Inward Trunk with DID			UEPDC	UDTTD		29.01	29.01					19.99	19.99		
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan															
	Activation / Chan - 2-Way DID w User Trans			UEPDC	UDTTE		29.01	29.01					19.99	19.99		
	AR 8 ZERO SUBSTITUTION															ļ
	B8ZS -Superframe Format			UEPDC	CCOSF		0.00	605.00					19.99	19.99		
	B8ZS - Extended Superframe Format			UEPDC	CCOEF		0.00	605.00					19.99	19.99		
	te Mark Inversion															<u> </u>
	AMI -Superframe Format			UEPDC UEPDC	MCOSF MCOPO		0.00	0.00								<u> </u>
	AMI - Extended SuperFrame Format one Number/Trunk Group Establisment Charges			UEPDC	MCOPO		0.00	0.00								
	Telephone Number for 2-Way Trunk Group			UEPDC	UDTGX	0.00							19.99	19.99		
	Telephone Number for 1-Way Outward Trunk Group	 		UEPDC	UDTGY	0.00					1		19.99	19.99		\vdash
	Telephone Number for 1-Way Inward Trunk Group Without DID	1		UEPDC	UDTGZ	0.00			1				19.99	19.99		—
	DID Numbers, Establish Trunk Group and Provide First Group	1		02. 00	35102	0.00			1				10.99	10.00		—
	of 20 DID Numbers	l		UEPDC	NDZ	0.00	0.00	0.00					19.99	19.99		1
	DID Numbers for each Group of 20 DID Numbers			UEPDC	ND4	0.00	2.20	2.20					19.99	19.99		T
	DID Numbers, Non- consecutive DID Numbers , Per Number			UEPDC	ND5	0.00	0.00	0.00					19.99	19.99		
	Reserve Non-Consecutive DID Nos.			UEPDC	ND6	0.00	0.00	0.00					19.99	19.99		
	Reserve DID Numbers			UEPDC	NDV	0.00	0.00	0.00					19.99	19.99		
	ed DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1	Digital	Loop	with 4-Wire DDITS	Trunk Port											
	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities															
	Termination)			UEPDC	1LNO1	94.98	216.27	162.70	0.00	0.00			19.99	19.99		<u> </u>
	Interoffice Channel Mileage - Additional rate per mile - 0-8 miles			UEPDC	1LNOA	0.7598	0.00	0.00								
	Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities Termination)			UEPDC	1LNO2	0.00	0.00	0.00								
	Interoffice Channel Mileage - Additional rate per mile - 9-25															
	miles	<u> </u>		UEPDC	1LNOB	0.7598	0.00	0.00						<u></u>		<u> </u>
	Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities Termination)			UEPDC	1LNO3	0.00	0.00	0.00	0.00							
				UEPDC	1LNOC	0.7598	0.00	0.00								

NRONDLE	D NETWORK ELEMENTS - South Carolina												Attachment:	2		Exhibit:
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrec		Nonrecurring					ATES (\$)		
	Local Number Destability, you DCO Activated			LIEDDO	LNPCP	2.45	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Local Number Portability, per DS0 Activated Central Office Termininating Point			UEPDC UEPDC	CTG	3.15 0.00	0.00	0.00	0.00							
4-WIDI	E DS1 LOOP WITH CHANNELIZATION WITH PORT			UEPDC	CIG	0.00										
	n is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Act	ivations														
	System can have up to 24 combinations of rates depending on			ber of ports used												
	S1 Loop	,														
	4-Wire DS1 Loop - UNE Zone 1			UEPMG	USLDC	113.59	0.00	0.00								
	4-Wire DS1 Loop - UNE Zone 2			UEPMG	USLDC	194.29	0.00	0.00								
	4-Wire DS1 Loop - UNE Zone 3		3	UEPMG	USLDC	327.36	0.00	0.00								
UNE D	SO Channelization Capacities (D4 Channel Bank Configuration	ns)		1150110	1 0 11 45											
	24 DSO Channel Capacity - 1 per DS1	<u> </u>		UEPMG	VUM24	103.47	0.00	0.00					19.99	19.99	ļ	
_	48 DSO Channel Capacity - 1 per 2 DS1s	 		UEPMG	VUM48	206.94	0.00	0.00					19.99	19.99	-	
-	96 DSO Channel Capacity -1per 4 DS1s	1		UEPMG	VUM96	413.88	0.00	0.00					19.99	19.99 19.99		1
	144 DS0 Channel Capacity - 1 per 6 DS1s 192 DS0 Channel Capacity -1 per 8 DS1s			UEPMG UEPMG	VUM14 VUM19	620.82 827.76	0.00	0.00					19.99	19.99		
	240 DS0 Channel Capacity -1 per 8 DS1s	 		UEPMG UEPMG	VUM20	1,034.70	0.00	0.00	-		-	-	19.99 19.99	19.99		-
	288 DS0 Channel Capacity - 1 per 10 DS1s	 		UEPMG	VUM28	1,241.64	0.00	0.00					19.99	19.99	-	
	384 DS0 Channel Capacity - 1 per 16 DS1s			UEPMG	VUM38	1,655.52	0.00	0.00					19.99	19.99		
_	480 DS0 Channel Capacity - 1 per 20 DS1s			UEPMG	VUM40	2,069.40	0.00	0.00					19.99	19.99		
	576 DS0 Channel Capacity -1 per 24 DS1s			UEPMG	VUM57	2,483.28	0.00	0.00					19.99	19.99		
	672 DS0 Channel Capacity - 1 per 28 DS1s			UEPMG	VUM67	2,897.16	0.00	0.00					19.99	19.99		
Non-R	ecurring Charges (NRC) Associated with 4-Wire DS1 Loop with	h Chanr			rsion Charge	Based on a Sys	stem									
	imum System configuration is One (1) DS1, One (1) D4 Channe															
Multip	les of this configuration functioning as one are considered Ad	ld'I afte	r the m	inimum system cor	figuration is	counted.										
	NRC - Conversion (Currently Combined) with or without			UEPMG	USAC4	0.00	301.62	40.70					19.99	19.99		
Cueten	BellSouth Allowed Changes n Additions at End User Locations Where 4-Wire DS1 Loop wi	th Chan					301.62	16.76					19.99	19.99		
	Not Currently Combined) In GA, KY, LA, MS & TN Only	in Chan	nenzat	ion with Port Comb	Ination Curre	HILLY EXISTS AND										
IACM (I	1 DS1/D4 Channel Bank - Add NRC for each Port and Assoc															
	Fea Activation - New GA, LA, KY, MS, &TN Only			UEPMG	VUMD4	0.00	717.71	425.81	149.08	17.69			19.99			
Bipola	ar 8 Zero Substitution															
	Clear Channel Capability Format, superframe - Subsequent															
	Activity Only			UEPMG	CCOSF	0.00	0.00	605.00								
	Clear Channel Capability Format - Extended Superframe -															
	Subsequent Activity Only			UEPMG	CCOEF	0.00	0.00	605.00								
Alterna	ate Mark Inversion (AMI)		1							-						
	Superframe Format			UEPMG	MCOSF	0.00	0.00	0.00								
FI	Extended Superframe Format			UEPMG UEPMG	MCOSF MCOPO	0.00 0.00	0.00 0.00	0.00								
	Extended Superframe Format nge Ports Associated with 4-Wire DS1 Loop with Channelizati	on with	Port													
	Extended Superframe Format	on with	Port													
	Extended Superframe Format nge Ports Associated with 4-Wire DS1 Loop with Channelizati nge Ports	on with	Port	UEPMG	МСОРО	0.00	0.00	0.00	0.00	0.00			42.10	0.04		
	Extended Superframe Format nge Ports Associated with 4-Wire DS1 Loop with Channelizati nge Ports Line Side Combination Channelized PBX Trunk Port - Business	on with	Port	UEPMG UEPPX	MCOPO UEPCX	1.65	0.00	0.00	0.00	0.00			43.19	9.91		
	Extended Superframe Format nge Ports Associated with 4-Wire DS1 Loop with Channelizati nge Ports	on with	Port	UEPMG	МСОРО	0.00	0.00	0.00	0.00	0.00			43.19 43.19	9.91 9.91		
	Extended Superframe Format nge Ports Associated with 4-Wire DS1 Loop with Channelizati nge Ports Line Side Combination Channelized PBX Trunk Port - Business Line Side Outward Channelized PBX Trunk Port - Business	on with	Port	UEPPX UEPPX UEPPX	MCOPO UEPCX	1.65 1.65	0.00	0.00	0.00	0.00			43.19			
	Extended Superframe Format nge Ports Associated with 4-Wire DS1 Loop with Channelizati nge Ports Line Side Combination Channelized PBX Trunk Port - Business	on with	Port	UEPMG UEPPX	MCOPO UEPCX UEPOX	1.65	0.00 0.00 0.00	0.00 0.00 0.00						9.91		
Exchai	Extended Superframe Format nge Ports Associated with 4-Wire DS1 Loop with Channelizati nge Ports Line Side Combination Channelized PBX Trunk Port - Business Line Side Outward Channelized PBX Trunk Port - Business Line Side Inward Only Channelized PBX Trunk Port without DID	on with	Port	UEPPX UEPPX UEPPX UEPPX	UEPCX UEPOX UEP1X	1.65 1.65 1.65	0.00 0.00 0.00 0.00	0.00 0.00 0.00 0.00	0.00	0.00			43.19 43.19	9.91 9.91		
Exchai	Extended Superframe Format nge Ports Associated with 4-Wire DS1 Loop with Channelizati nge Ports Line Side Combination Channelized PBX Trunk Port - Business Line Side Outward Channelized PBX Trunk Port - Business Line Side Inward Only Channelized PBX Trunk Port without DID 2-Wire Trunk Side Unbundled Channelized DID Trunk Port e Activations - Unbundled Loop Concentration Feature (Service) Activation for each Line Side Port Terminated	on with	Port	UEPPX UEPPX UEPPX UEPPX UEPPX	UEPCX UEPOX UEP1X UEPDM	1.65 1.65 1.65 8.86	0.00 0.00 0.00 0.00	0.00 0.00 0.00 0.00	0.00 0.00 0.00	0.00 0.00 0.00			43.19 43.19 43.19	9.91 9.91 9.91		
Exchai	Extended Superframe Format nge Ports Associated with 4-Wire DS1 Loop with Channelizati nge Ports Line Side Combination Channelized PBX Trunk Port - Business Line Side Outward Channelized PBX Trunk Port - Business Line Side Inward Only Channelized PBX Trunk Port without DID 2-Wire Trunk Side Unbundled Channelized DID Trunk Port e Activations - Unbundled Loop Concentration Feature (Service) Activation for each Line Side Port Terminated in D4 Bank		Port	UEPPX UEPPX UEPPX UEPPX	UEPCX UEPOX UEP1X	1.65 1.65 1.65	0.00 0.00 0.00 0.00	0.00 0.00 0.00 0.00	0.00	0.00			43.19 43.19	9.91 9.91		
Exchai	Extended Superframe Format nge Ports Associated with 4-Wire DS1 Loop with Channelizati nge Ports Line Side Combination Channelized PBX Trunk Port - Business Line Side Outward Channelized PBX Trunk Port - Business Line Side Inward Only Channelized PBX Trunk Port without DID 2-Wire Trunk Side Unbundled Channelized DID Trunk Port e Activations - Unbundled Loop Concentration Feature (Service) Activation for each Line Side Port Terminated in D4 Bank Feature (Service) Activation for each Trunk Side Port Terminated		Port	UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX	UEPCX UEPOX UEPIX UEPDM	1.65 1.65 1.65 8.86	0.00 0.00 0.00 0.00 0.00 0.00	0.00 0.00 0.00 0.00 0.00	0.00 0.00 0.00 4.20	0.00 0.00 0.00 4.17			43.19 43.19 43.19 43.19	9.91 9.91 9.91 9.91		
Featur	Extended Superframe Format nge Ports Associated with 4-Wire DS1 Loop with Channelizati nge Ports Line Side Combination Channelized PBX Trunk Port - Business Line Side Outward Channelized PBX Trunk Port - Business Line Side Inward Only Channelized PBX Trunk Port without DID 2-Wire Trunk Side Unbundled Channelized DID Trunk Port e Activations - Unbundled Loop Concentration Feature (Service) Activation for each Line Side Port Terminated in D4 Bank Feature (Service) Activation for each Trunk Side Port Terminated in D4 Bank		Port	UEPPX UEPPX UEPPX UEPPX UEPPX	UEPCX UEPOX UEP1X UEPDM	1.65 1.65 1.65 8.86	0.00 0.00 0.00 0.00	0.00 0.00 0.00 0.00	0.00 0.00 0.00	0.00 0.00 0.00			43.19 43.19 43.19	9.91 9.91 9.91		
Featur	Extended Superframe Format nge Ports Associated with 4-Wire DS1 Loop with Channelization nge Ports Line Side Combination Channelized PBX Trunk Port - Business Line Side Outward Channelized PBX Trunk Port - Business Line Side Inward Only Channelized PBX Trunk Port without DID 2-Wire Trunk Side Unbundled Channelized DID Trunk Port e Activations - Unbundled Loop Concentration Feature (Service) Activation for each Line Side Port Terminated in D4 Bank Feature (Service) Activation for each Trunk Side Port Terminated in D4 Bank Tenture (Service) Activation for each Trunk Side Port Terminated in D4 Bank Tenture (Service) Activation for each Trunk Side Port Terminated in D4 Bank Tenture (Service) Activation for each Trunk Side Port Terminated Te		Port	UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX	UEPCX UEPOX UEPOX UEP1X UEPDM 1PQWM	1.65 1.65 1.65 8.86 0.70	0.00 0.00 0.00 0.00 0.00 25.45	0.00 0.00 0.00 0.00 13.44 18.46	0.00 0.00 0.00 4.20	0.00 0.00 0.00 4.17			43.19 43.19 43.19 43.19	9.91 9.91 9.91 9.91		
Featur	Extended Superframe Format nge Ports Associated with 4-Wire DS1 Loop with Channelization nge Ports Line Side Combination Channelized PBX Trunk Port - Business Line Side Outward Channelized PBX Trunk Port - Business Line Side Inward Only Channelized PBX Trunk Port without DID 2-Wire Trunk Side Unbundled Channelized DID Trunk Port ex Activations - Unbundled Loop Concentration Feature (Service) Activation for each Line Side Port Terminated in D4 Bank Feature (Service) Activation for each Trunk Side Port Terminated in D4 Bank Tone Number/ Group Establishment Charges for DID Service DID Trunk Termination (1 per Port)		Port	UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX	UEPCX UEPOX UEPOX UEPTX UEPDM 1PQWM 1PQWU NDT	1.65 1.65 1.65 8.86 0.70 0.70	0.00 0.00 0.00 0.00 0.00 25.45 78.31	0.00 0.00 0.00 0.00 0.00 13.44 18.46	0.00 0.00 0.00 4.20	0.00 0.00 0.00 4.17			43.19 43.19 43.19 43.19	9.91 9.91 9.91 9.91		
Featur	Extended Superframe Format nge Ports Associated with 4-Wire DS1 Loop with Channelizati nge Ports Line Side Combination Channelized PBX Trunk Port - Business Line Side Outward Channelized PBX Trunk Port - Business Line Side Inward Only Channelized PBX Trunk Port without DID 2-Wire Trunk Side Unbundled Channelized DID Trunk Port e Activations - Unbundled Loop Concentration Feature (Service) Activation for each Line Side Port Terminated in D4 Bank Feature (Service) Activation for each Trunk Side Port Terminated in D4 Bank none Number/ Group Establishment Charges for DID Service DID Trunk Termination (1 per Port) Estab Trk Grp and Provide 1st 20 DID Nos. (FL,GA, NC,& SC)		Port	UEPPX	0.00 1.65 1.65 1.65 0.70 0.70	0.00 0.00 0.00 0.00 0.00 25.45 78.31	0.00 0.00 0.00 0.00 13.44 18.46	0.00 0.00 0.00 4.20	0.00 0.00 0.00 4.17			43.19 43.19 43.19 43.19	9.91 9.91 9.91 9.91			
Featur	Extended Superframe Format nge Ports Associated with 4-Wire DS1 Loop with Channelizati nge Ports Line Side Combination Channelized PBX Trunk Port - Business Line Side Outward Channelized PBX Trunk Port - Business Line Side Inward Only Channelized PBX Trunk Port without DID 2-Wire Trunk Side Unbundled Channelized DID Trunk Port e Activations - Unbundled Loop Concentration Feature (Service) Activation for each Line Side Port Terminated in D4 Bank Feature (Service) Activation for each Trunk Side Port Terminated in D4 Bank Ione Number/ Group Establishment Charges for DID Service DID Trunk Termination (1 per Port) Estab Trk Grp and Provide 1st 20 DID Nos. (FL,GA, NC,& SC) DID Numbers - groups of 20 - Valid all States		Port	UEPPX NDZ ND4	0.00 1.65 1.65 1.65 8.86 0.70 0.70 0.00 0.00	0.00 0.00 0.00 0.00 0.00 25.45 78.31 0.00 0.00	0.00 0.00 0.00 0.00 13.44 18.46 0.00 0.00	0.00 0.00 0.00 4.20	0.00 0.00 0.00 4.17			43.19 43.19 43.19 43.19	9.91 9.91 9.91 9.91			
Featur	Extended Superframe Format nge Ports Associated with 4-Wire DS1 Loop with Channelizati nge Ports Line Side Combination Channelized PBX Trunk Port - Business Line Side Outward Channelized PBX Trunk Port - Business Line Side Inward Only Channelized PBX Trunk Port without DID 2-Wire Trunk Side Unbundled Channelized DID Trunk Port e Activations - Unbundled Loop Concentration Feature (Service) Activation for each Line Side Port Terminated in D4 Bank Feature (Service) Activation for each Trunk Side Port Terminated in D4 Bank none Number/ Group Establishment Charges for DID Service DID Trunk Termination (1 per Port) Estab Trk Grp and Provide 1st 20 DID Nos. (FL,GA, NC,& SC)		Port	UEPPX	0.00 1.65 1.65 1.65 0.70 0.70	0.00 0.00 0.00 0.00 0.00 25.45 78.31	0.00 0.00 0.00 0.00 13.44 18.46	0.00 0.00 0.00 4.20	0.00 0.00 0.00 4.17			43.19 43.19 43.19 43.19	9.91 9.91 9.91 9.91			

HINDHAIDI F	D NETWORK ELEMENTS - South Carolina												Attack '	2		Exhibit: I
UNDUNDLE	D INC I WORK ELEWIEN 13 - SOUTH CAROLINA	1	1		l	1					l	l	Attachment:	4		Exnibit: I
			1								1	1	Incremental	Incremental	Incremental	
													Charge -	Charge -	Charge -	Charge -
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			Svc Order	Svc Order	Manual Svc	Manual Svc	Manual Svc	Manual Svo
G/11200111	NATE ELEMENTO	m		500	0000			101120(4)			Submitted	Submitted	Order vs.	Order vs.	Order vs.	Order vs.
											Elec	Manually	Electronic-	Electronic-	Electronic-	Electronic-
			L		<u> </u>						per LSR	per LSR	1st	Add'l	Disc 1st	Disc Add'l
																•
						Rec	Nonrec		Nonrecurring					RATES (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Local	Number Portability															
	Local Number Portability - 1 per port			UEPPX	LNPCP	3.15	0.00	0.00								
	JRES - Vertical and Optional															
Local	Switching Features Offered with Line Side Ports Only			LIEDDY	LIEDVE	0.00	0.00	0.00					40.40	0.04		
LINDUNDI ED	All Features Available			UEPPX	UEPVF	6.29	0.00	0.00					43.19	9.91		
	PORT LOOP COMBINATIONS - MARKET RATES t Rates shall apply where BellSouth is not required to provide		llad lad			FCC	ata Camminaia									
	scenarios include:	unbunc	llea loc	cal switching or swit	cn ports per	FCC and/or St	ate Commissio	n ruies.								
	bundled port/loop combinations that are Not Currently Combin	nod in A	laham	. Florida North Car	olina and So	uth Carolina										
	bundled port/loop combinations that are Currently Combined						allSouth's regi	n for and use	re with 1 or mo	re DS0 equiva	lent lines					
	op 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderd											e)				
	op 0 mo/10 m 20100 am 0 10g.011 am 01 1 2 (011am au), 1 m 2au au 1	u.o,u	,, 0,	· (//, =/ · (0000,,0	(0.00020.0	·····oto··· oaio			,,	(٠,٠				1
BellSo	outh currently is developing the billing capability to mechanica	ally bill	he rec	urring and non-recu	rring Market	Rates in this s	ection except t	or nonrecurrir	g charges for	not currently o	ombined in	AL, FL, NC	and SC. In t	he interim wh	ere BellSouth	h cannot bill
	t Rates, BellSouth shall bill the rates in the Cost-Based section									•						
	arket Rate for unbundled ports includes all available features						•	<u> </u>								
	ffice and Tandem Switching Usage and Common Transport U			ne Port section of the	s rate exhibi	t shall apply to	all combination	ns of loop/po	rt network eler	nents except	or UNE Coi	n Port/Loor	Combination	ns which have	a flat rate	
	charge (USOC: URECU).	•														
	ot Currently Combined scenarios where Market Rates apply, th	e Nonre	curring	charges are listed	in the First a	nd Additional	NRC columns t	or each Port L	SOC. For Cur	rently Combin	ed scenario	s, the Nonre	curring char	ges are listed	in the NRC -	Currently
	ined section. Additional NRCs may apply also and are catego									•		•		-		•
	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)															
UNE P	ort/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Zone 1		1			31.02										
	2-Wire VG Loop/Port Combo - Zone 2		2			39.66										
	2-Wire VG Loop/Port Combo - Zone 3		3			47.99										
UNE L	oop Rates															
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPRX	UEPLX	17.02										
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPRX	UEPLX	25.66										
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPRX	UEPLX	33.99										
2-Wire	Voice Grade Line Port (Res)			UEDDV		11.00	20.00						10.10			
	2-Wire voice unbundled port - residence			UEPRX	UEPRL	14.00	90.00	90.00					43.19	9.91		
	2-Wire voice unbundled port with Caller ID - res			UEPRX	UEPRC	14.00	90.00	90.00					43.19	9.91		
	2-Wire voice unbundled port outgoing only - res			UEPRX	UEPRO	14.00	90.00	90.00					43.19	9.91		
	2-Wire voice unbundles res, low usage line port with Caller ID (LUM)			UEPRX	UEPAP	14.00	90.00	90.00					43.19	9.91		
LOCAL	_((LUM) L NUMBER PORTABILITY	1	1	OLPRA	UEFAP	14.00	90.00	90.00			1	-	43.19	9.91		
LUCAI	Local Number Portability (1 per port)	1	1	UEPRX	LNPCX	0.35					1	-				
FEATU		1		OLI IXX	LIVI OX	0.35										
FEAT	All Features Offered	1		UEPRX	UEPVF	0.00	0.00	0.00			 	 				
ADDIT	TONAL NRCs	1				3.30	0.00	0.00								
	NRC - 2-Wire Voice Grade Loop/Line Port Combination -	1														i e
	Subsequent			UEPRX	USAS2		0.00	0.00					43.19	9.91		
2-WIRI	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)	1														
	ort/Loop Combination Rates															1
	2-Wire VG Loop/Port Combo - Zone 1		1			31.02										
	2-Wire VG Loop/Port Combo - Zone 2		2			39.66										
	2-Wire VG Loop/Port Combo - Zone 3		3			47.99										
UNE L	oop Rates															
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPBX	UEPLX	17.02										
	2-Wire Voice Grade Loop (SL1) - Zone 2	<u> </u>	2	UEPBX	UEPLX	25.66										
	2-Wire Voice Grade Loop (SL1) - Zone 3	1	3	UEPBX	UEPLX	33.99										
2-Wire	Voice Grade Line Port (Bus)				L											ļ
	2-Wire voice unbundled port without Caller ID - bus			UEPBX	UEPBL	14.00	90.00	90.00					43.19	9.91		ļ
	2-Wire voice unbundled port with Caller + E484 ID - bus			UEPBX	UEPBC	14.00	90.00	90.00					43.19	9.91		ļ
	2-Wire voice unbundled port outgoing only - bus	1		UEPBX	UEPBO	14.00	90.00	90.00					43.19	9.91		
	2-Wire voice Grade unbundled South Carolina extended local	1	ı	1	l	l					I	l		1		
				LIEDDY												
	dialing parity port with Caller ID - bus			UEPBX	UEPAZ	14.00	90.00	90.00					43.19	9.91		
				UEPBX UEPBX	UEPAZ UEPAB	14.00	90.00	90.00					43.19	9.91		

UNBONDLE	D NETWORK ELEMENTS - South Carolina	1	1	1		1					ı		Attachment:	2		Exhibit:
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual Sv Order vs.
						Rec	Nonrec	urring	Nonrecurring	Disconnect				RATES (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
LOCAL	L NUMBER PORTABILITY			LIEDDY	LNDOV	0.05										
FEATU	Local Number Portability (1 per port)			UEPBX	LNPCX	0.35										+
	ECURRING CHARGES - CURRENTLY COMBINED		1		-											+
	TONAL NRCs				1											†
	NRC - 2-Wire Voice Grade Loop/Line Port Combination -					ĺ										1
	Subsequent			UEPBX	USAS2		0.00	0.00					43.19	9.91		
	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)															1
UNE P	Port/Loop Combination Rates		L ,			04.00										
	2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2		2		1	31.02 39.66										
+	2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3	1	3		+	47.99								1	1	+
UNF	oop Rates	 	-		+	41.55			 							+
0.1.2.2	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPRG	UEPLX	17.02										†
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPRG	UEPLX	25.66										
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPRG	UEPLX	33.99										
2-Wire	Voice Grade Line Port Rates (RES - PBX)															
	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port -				1											
1.004	Res			UEPRG	UEPRD	14.00	90.00	90.00					43.19	9.91		
LOCAL	L NUMBER PORTABILITY Local Number Portability (1 per port)			UEPRG	LNPCP	3.15										+
FEATU				ULFRG	LINFOR	3.13										+
	ECURRING CHARGES - CURRENTLY COMBINED		1													1
	TONAL NRCs															
	2 Wire Loop/Line Side Port Combination - Non feature -					ĺ										1
	Subsequent Activity- Nonrecurring						0.00	0.00								
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt															
0.14/1701	Group E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)						14.64	14.64					19.99	19.99	19.99	19.99
	Port/Loop Combination Rates				-											+
OIL.	2-Wire VG Loop/Port Combo - Zone 1		1		+	31.02										+
	2-Wire VG Loop/Port Combo - Zone 2		2			39.66										†
	2-Wire VG Loop/Port Combo - Zone 3		3			47.99										
UNE L	oop Rates															
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPPX	UEPLX	17.02										
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPPX	UEPLX	25.66										
0 14/:	2-Wire Voice Grade Loop (SL1) - Zone 3	1	3	UEPPX	UEPLX	33.99									-	+
∠-wire	Voice Grade Line Port Rates (BUS - PBX)	1	1		+											+
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus		1	UEPPX	UEPPC	14.00	90.00	90.00					43.19	9.91		
	Line Side Unbundled Outward PBX Trunk Port - Bus	<u> </u>	<u> </u>	UEPPX	UEPPO	14.00	90.00	90.00					43.19	9.91		
	Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPPX	UEPP1	14.00	90.00	90.00					43.19	9.91	<u> </u>	
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	14.00	90.00	90.00					43.19	9.91		
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	14.00	90.00	90.00					43.19	9.91		
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports	<u> </u>	ļ	UEPPX	UEPXB	14.00	90.00	90.00					43.19	9.91		
	2-Wire Voice Unbundled PBX LD DDD Terminals Port 2-Wire Voice Unbundled PBX LD Terminal Switchboard Port	 	<u> </u>	UEPPX	UEPXC	14.00	90.00	90.00					43.19 43.19	9.91 9.91	 	+
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port 2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD	 	 	UEPPX	UEPXD	14.00	90.00	90.00	 		-		43.19	9.91	-	+
	Capable Port	1	1	UEPPX	UEPXE	14.00	90.00	90.00			1		43.19	9.91		
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy	†			52.72	14.00	30.00	55.50	†				70.19	5.51	1	
	Administrative Calling Port			UEPPX	UEPXL	14.00	90.00	90.00					43.19	9.91		
İ	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy					ĺ										
	Room Calling Port			UEPPX	UEPXM	14.00	90.00	90.00					43.19	9.91		1
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital	1	1		l==:-						1					
	Discount Room Calling Port	<u> </u>	<u> </u>	UEPPX	UEPXO	14.00	90.00	90.00					43.19	9.91		
1.004	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port L NUMBER PORTABILITY	 	<u> </u>	UEPPX	UEPXS	14.00	90.00	90.00					43.19	9.91	 	+
LUCAL	Local Number Portability (1 per port)	-	-	UEPPX	LNPCP	3.15			 					-	-	+

UNBUNDLI	ED NETWORK ELEMENTS - South Carolina			•									Attachment:	2		Exhibit: I
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
						Rec	Nonrec		Nonrecurring					RATES (\$)		
CEAT	URES						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	RECURRING CHARGES - CURRENTLY COMBINED															
	TIONAL NRCs															
	2-Wire Voice Grade Loop/ Line Port Combination - Subsequent			UEPPX	USAS2		0.00	0.00					43.19	9.91		
	2 Wire Loop/Line Side Port Combination - Non feature -															
	Subsequent Activity- Nonrecurring PBX Subsequent Activity - Change/Rearrange Multiline Hunt				+		0.00	0.00								
	Group						14.64	14.64					19.99	19.99	19.99	19.99
2-WIF	RE VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POR	RT											10.00	10.00	10.00	10.00
UNE	Port/Loop Combination Rates															
	2-Wire VG Coin Port/Loop Combo – Zone 1		1			31.02										
	2-Wire VG Coin Port/Loop Combo – Zone 2		2			39.66										
	2-Wire VG Coin Port/Loop Combo – Zone 3		3			47.99										
UNE	Loop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1	 	1	UEPCO	UEPLX	17.02										
	2-Wire Voice Grade Loop (SL1) - Zone 1		2	UEPCO	UEPLX	25.66										
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPCO	UEPLX	33.99										
2-Wir	e Voice Grade Line Port Rates (Coin)			021 00	OLI EX	00.00										
	2-Wire Coin 2-Way without Operator Screening and without Blocking (SC)			UEPCO	UEPSD	14.00	90.00	90.00					43.19	9.91		
	2-Wire Coin 2-Way with Operator Screening and Blocking: 011, 900/976, 1+DDD (AL, KY, LA, MS, SC)			UEPCO	UEPRA	14.00	90.00	90.00					43.19	9.91		
	2-Wire Coin 2-Way with Operator Screening and Blocking: 011, 900/976, 1+DDD (SC)			UEPCO	UEPSA	14.00	90.00	90.00					43.19	9.91		
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking (SC)			UEPCO	UEPSH	14.00	90.00	90.00					43.19	9.91		
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking; with Dialing Parity (SC) 2-Wire Coin 2-Way with Operator Screening and Blocking:			UEPCO	UEPSC	14.00	90.00	90.00					43.19	9.91		
	900/976, 1+DDD, 011+, and Local (SC) 2-Wire Coin 2-W Oper Screen & Blocking: 900/976, 1+DDD,			UEPCO	UEPCC	14.00	90.00	90.00					43.19	9.91		
	011+ & Local; Enhanced Calling OPT 3YV (SC) 2-Wire Coin 2-W Oper Screen & Block: 900/976, 1+DDD, 011+,			UEPCO	UEPCE	14.00	90.00	90.00					43.19	9.91		
	& Local; Enhanced Calling OPT AP7 (SC)			UEPCO	UEPCF	14.00	90.00	90.00					43.19	9.91		
	2-Wire Coin Outward without Blocking and without Operator Screening (SC)			UEPCO	UEPSG	14.00	90.00	90.00					43.19	9.91		
	2-Wire Coin Outward with Operator Screening and 011 Blocking (SC) 2-Wire Coin Outward with Operator Screening and Blocking:			UEPCO	UEPSF	14.00	90.00	90.00					43.19	9.91		
	011, 900/976, 1+DDD (SC)			UEPCO	UEPSJ	14.00	90.00	90.00					43.19	9.91		
	2-Wire Coin Outward with Operator Screening and Blocking: 900/976, 1+DDD, 011+, and Local (SC)			UEPCO	UEPCM	14.00	90.00	90.00					43.19	9.91		
	2-Wire Coin Out Oper Screen & Block: 900/976, 1+DDD, 011+, & Local ; w/ Enhanced Call OPT 3YW (SC)			UEPCO	UEPCP	14.00	90.00	90.00					43.19	9.91		
LOCA	AL NUMBER PORTABILITY Local Number Portability (1 per port)		!	UEPCO	LNPCX	0.35										-
NONE	RECURRING CHARGES - CURRENTLY COMBINED		 	UEPCU	LINFUX	0.35										
	TIONAL NRCs		<u> </u>													
7.201			1	1												
	2-Wire Voice Grade Loop/ Line Port Combination - Subsequent	<u> </u>	<u>L</u>	UEPCO	USAS2		0.00	0.00					43.19	9.91		
	CENTREX PORT/LOOP COMBINATIONS							•		•						
	JNDLED PORT/LOOP COMBINATIONS - COST BASED RATES															
	P CENTREX - 5ESS (Valid in All States)	ļ	<u> </u>								ļ					ļ
	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design)		<u> </u>	 	_											-
UNE	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -		1	1												
	Non-Design		1	UEP95	1	14.89										

NBUNDLE	D NETWORK ELEMENTS - South Carolina												Attachment:	2		Exhibit:
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)					Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremen Charge
						Rec	Nonrec		Nonrecurring					RATES (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		2	UEP95		21.52										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		3	UEP95		27.17										
LINE D	ort/Loop Combination Rates (Design)		3	UEF95	_	21.11										
ONLF	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -				+						1					
	Design		1	UEP95		17.81										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design		2	UEP95		24.26										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
UNETA	Design Dop Rate		3	UEP95		29.59						1				1
ONE EC	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP95	UECS1	13.76					 					
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP95	UECS1	20.38										
	2-Wire Voice Grade Loop (SL 1) - Zone 3	1	3	UEP95	UECS1	26.04										
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP95	UECS2	16.68										
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP95	UECS2	23.13										
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP95	UECS2	28.46										
UNE Po	ort Rate															
All Stat	tes															
	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP95	UEPYA	1.13	40.30	19.90	24.98	6.65		15.69			1.97	
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPYB	1.13	40.30	19.90	24.98	6.65		15.69			1.97	
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area			UEP95	UEPYH	1.13	40.30	19.90	24.98	6.65		15.69			1.97	
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 Basic Local Area			UEP95	UEPYM	1.13	108.36	70.71	54.47	11.94		15.69			1.97	
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term - Basic Local Area			UEP95	UEPYZ	1.13	108.36	70.71	54.47	11.94		15.69			1.97	
	2-Wire Voice Grade Port terminated in on Megalink or equivalent - Basic Local Area			UEP95	UEPY9	1.13	40.30	19.90	24.98	6.65		15.69			1.97	
	2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area			UEP95	UEPY2	1.13	40.30	19.90	24.98	6.65		15.69			1.97	
AL. KY	, LA, MS, SC, & TN Only			OLI 50	OLI 12	1.10	40.30	19.90	24.98	6.65		15.69			1.97	
7.=,	2-Wire Voice Grade Port (Centrex)			UEP95	UEPQA	1.13	40.30	19.90	24.98	6.65		15.69			1.97	
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPQB	1.13	40.30	19.90	24.98	6.65		15.69			1.97	
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP95	UEPQH	1.13	40.30	19.90	24.98	6.65		15.69		1	1.97	1
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2			UEP95	UEPQM	1.13	108.36	70.71	54.47	11.94		15.69			1.97	
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term			UEP95	UEPQZ	1.13	108.36	70.71	54.47	11.94		15.69			1.97	
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP95	UEPQ9	1.13	40.30	19.90	24.98	6.65		15.69			1.97	
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP95	UEPQ2	1.13	40.30	19.90	24.98	6.65		15.69		İ	1.97	1
Local S	Switching															
l ocal N	Centrex Intercom Funtionality, per port			UEP95	URECS	0.7996										
	Local Number Portability (1 per port)			UEP95	LNPCC	0.35										
Feature								•								
	All Standard Features Offered, per port			UEP95	UEPVF	3.04						15.69			1.97	
	All Select Features Offered, per port			UEP95	UEPVS	0.00	406.42					15.69			1.97	
NARS	All Centrex Control Features Offered, per port			UEP95	UEPVC	3.04						15.69			1.97	
ITANO	Unbundled Network Access Register - Combination			UEP95	UARCX	0.00	0.00	0.00			 	15.69			1.97	
+	Unbundled Network Access Register - Indial	1		UEP95	UAR1X	0.00	0.00	0.00			1	15.69			1.97	†
	Unbundled Network Access Register - Outdial	1		UEP95	UAROX	0.00	0.00	0.00				15.69			1.97	
Miscell	aneous Terminations				1	2.20	2.20	2.30								
	Trunk Side				İ				İ	İ				İ		1
	Trunk Side Terminations, each			UEP95	CEND6	8.86	239.14	37.56	120.05	7.54	İ	15.69		İ	1.97	

Interoffice Channels Interoffice Channels Interoffice Channel Interoffice Channel Interoffice Channel Interoffice Cha Interoffice Cha Feature Activations (D4 Channel Bank Fea Feature Activa Feature Activa Slot Feature Activa Different Wire Feature Activa Slot Feature Activa Slot Feature Activa Non-Recurring Charg NRC Conversi changes, per New Centrex C NAR Establish UNE-P CENTREX - D 2-Wire VG Loor Non-Design 2-Wire VG Loo Non-Design 2-Wire VG Loo Non-Design 2-Wire VG Loo Design 2-Wire VG Loo	it Terminations, each inels Activated, each led Mileage - 2-Wire Channel Facilities Termination Channel mileage, per mile or fraction of mile ns (DS0) Centrex Loops on Channelized DS1 Servi	Interi m	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted		Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs.	Charge - Manual Svc	Incrementa Charge - Manual Sv
DS1 Circuit Te DS0 Channels Interoffice Channel Iv Interoffice Channel Iv Interoffice Channel Iv Interoffice Channel Iv Interoffice Channel Iv Interoffice Channel Iv Interoffice Channel Iv Feature Activations (Iv Feature Activations (Iv) Feature	it Terminations, each inels Activated, each lel Mileage - 2-Wire Channel Facilities Termination Channel mileage, per mile or fraction of mile ns (DS0) Centrex Loops on Channelized DS1 Servi Feature Activations				l						Elec per LSR		Electronic- 1st	Electronic- Add'l	Order vs. Electronic- Disc 1st	Order vs Electroni Disc Add
DS1 Circuit Te DS0 Channel N Interoffice Channel N Interoffice Cha Interoffice	it Terminations, each inels Activated, each lel Mileage - 2-Wire Channel Facilities Termination Channel mileage, per mile or fraction of mile ns (DS0) Centrex Loops on Channelized DS1 Servi Feature Activations		<u> </u>			Rec	Nonrec		Nonrecurring					RATES (\$)		
DS1 Circuit Te DS0 Channel N Interoffice Channel N Interoffice Cha Interoffice	it Terminations, each inels Activated, each lel Mileage - 2-Wire Channel Facilities Termination Channel mileage, per mile or fraction of mile ns (DS0) Centrex Loops on Channelized DS1 Servi Feature Activations					\longmapsto	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
DS0 Channels Interoffice Channel Interoffice Channel Interoffice Channel Interoffice Channel Interoffice Channel Interoffice Cha Feature Activations (D4 Channel Bank Fea Feature Activa Feature Activa Different Wire Feature Activa Feature Activa Slot Feature Activa Feature Activa Feature Activa Non-Recurring Chare NRC Conversi changes, per New Centrex C NAR Establish UNE-P CENTREX - D 2-Wire VG Loop/2-Wi UNE Port/Loop Coml 2-Wire VG Loo Non-Design 2-Wire VG Loo Non-Design 2-Wire VG Loo Design 2-Wire VG Loo	nels Activated, each lel Mileage - 2-Wire Channel Facilities Termination Channel mileage, per mile or fraction of mile ns (DS0) Centrex Loops on Channelized DS1 Servi Feature Activations		-	UEP95	M1HD1	73.62	404.94	191.90	145.50	4.93	\vdash	15.69			1.97	
Interoffice Channel I	nel Mileage - 2-Wire Channel Facilities Termination Channel mileage, per mile or fraction of mile ns (DS0) Centrex Loops on Channelized DS1 Servi Feature Activations		1	UEP95	M1HDO	0.00	14.51	191.90	145.50	4.53	\vdash	13.09			1.97	
Interoffice Che Interoffice Che Interoffice Che Interoffice Activations (D4 Channel Bank Fer Feature Activations (Feature Activations (Feature Activations (Feature Activations (Feature Activations (Feature Activations (Feature Activations (Feature Activations (Feature Activations (Feature Activations (Feature Activations (Ron-Recurring Charget (NRC Conversions (NRC Establish (UNE-P CENTREX - D 2-Wire VG Loop/2-Wite VG Loo Non-Design (2-Wire VG Loo Non-Design (2-Wire VG Loo Design (Channel Facilities Termination Channel mileage, per mile or fraction of mile ns (DS0) Centrex Loops on Channelized DS1 Servi Feature Activations		1	OLI SO	WITTE	0.00	14.01									
Feature Activations (D4 Channel Bank Fet Feature Activa Feature Activa Feature Activa Slot Feature Activa Different Wire Feature Activa Stot Feature Activa Siot Feature Activa Feature Activa Feature Activa Non-Recurring Charg NRC Conversi changes, per New Centrex C NAR Establish UNE-P CENTREX - D 2-Wire VG Loop/2-Wir UNE Port/Loop Coml 2-Wire VG Loo Non-Design 2-Wire VG Loc Non-Design 2-Wire VG Loc Design UNE Port/Loop Coml 2-Wire VG Loc Design 2-Wire VG Loc Design 2-Wire VG Loc Design 2-Wire VG Loc Design 2-Wire VG Loc Design 2-Wire VG Loc Design 2-Wire VG Loc Design 2-Wire VG Loc Design 2-Wire VG Loc Design 2-Wire VG Loc Design 2-Wire VG Loc Design 2-Wire VG Loc Design 2-Wire VG Loc Design 2-Wire VG Loc Design 2-Wire VG Loc Design 2-Wire VG Loc Design 2-Wire VG Loc Design 2-Wire VG Loc Design 2-Wire VG Loc 2-Wire Voice C 2-Wire Voice C 2-Wire Voice C 2-Wire Voice C	ns (DS0) Centrex Loops on Channelized DS1 Servi Feature Activations			UEP95	MIGBC	24.30	81.25	54.94	33.54	13.82		15.69			1.97	
D4 Channel Bank Fer Feature Activa Feature Activa Feature Activa Slot Feature Activa Slot Feature Activa Feature Activa Slot Feature Activa Feature Activa Slot Feature Activa Slot Feature Activa Slot Feature Activa Non-Recurring Charg NRC Conversi changes, per New Centrex S New Centrex S New Centrex S New Centrex S UNE-P CENTREX - D 2-Wire VG Loo Non-Design 2-Wire VG Loc Non-Design 2-Wire VG Loc Non-Design 2-Wire VG Loc Design 2-Wire VG Loc Design 2-Wire VG Loc Design 2-Wire VG Loc Design 2-Wire VG Loc Design 2-Wire VG Loc Design 2-Wire VG Loc Design 2-Wire VG Loc Design 2-Wire VG Loc Design 2-Wire VG Loc Design 2-Wire VG Loc Design 2-Wire VG Loc Design 2-Wire VG Loc Design 2-Wire VG Loc Design 2-Wire VG Loc Design 2-Wire VG Loc Design 2-Wire VG Loc Design UNE Loop Rate 2-Wire Voice G 2-Wire Voice G 2-Wire Voice G 2-Wire Voice G	Feature Activations			UEP95	MIGBM	0.0167										
Feature Activa Feature Activa Feature Activa Slot Feature Activa Slot Feature Activa Slot Feature Activa Slot Feature Activa Slot Feature Activa Slot Feature Activa Slot Feature Activa Slot Feature Activa Non-Recurring Charg NRC Conversi changes, per J New Centrex & New Centrex & NAR Establish UNE-P CENTREX - D 2-Wire VG Loop/2-Wi UNE Port/Loop Coml 2-Wire VG Loo Non-Design 2-Wire VG Loo Non-Design 2-Wire VG Loo Design 2-Wire VG Loo Design 2-Wire VG Loo Design 2-Wire VG Loo Design 2-Wire VG Loo Design 2-Wire VG Loo Design 2-Wire VG Loo Design 2-Wire VG Loo Design 2-Wire VG Loo Design 2-Wire VG Loo Design 2-Wire VG Loo Design 2-Wire VG Loo Design 2-Wire VG Loo Design 2-Wire VG Loo Design 2-Wire VG Loo Design 2-Wire VG Loo Design UNE Loop Rate 2-Wire Voice G		ce														
Feature Activa Feature Activa Slot Feature Activa Different Wire Feature Activa Different Wire Feature Activa Feature Activa Slot Feature Activa Non-Recurring Charg NRC Conversi changes, per New Centrex & NAR Establish UNE-P CENTREX - D 2-Wire VG Loop/2-Wir UNE Port/Loop Coml 2-Wire VG Loo Non-Design 2-Wire VG Loc Non-Design 2-Wire VG Loc Non-Design 2-Wire VG Loc Design 2-Wire VG Loc Design 2-Wire VG Loc Design 2-Wire VG Loc Design 2-Wire VG Loc Design 2-Wire VG Loc Design 2-Wire VG Loc Design 2-Wire VG Loc Design 2-Wire VG Loc Design 2-Wire VG Loc Design 2-Wire VG Loc Design 2-Wire VG Loc Design 2-Wire VG Loc Design 2-Wire VG Loc Design 2-Wire VG Loc Design 2-Wire VG Loc Design 2-Wire VG Loc Design 2-Wire VG Loc Design 2-Wire VG Loc 2-Wire Voice C 2-Wire Voice C	ctivation on D-4 Channel Bank Centrex Loop Slot					\longrightarrow					Ļ'			ļ		
Feature Activa Slot Feature Activa Different Wire Feature Activa Different Wire Feature Activa Slot Feature Activa Slot Feature Activa Slot Feature Activa Non-Recurring Charg NRC Conversi changes, per New Centrex C NaR Establish UNE-P CENTREX - D 2-Wire VG Loop/2-Wi UNE Port/Loop Coml 2-Wire VG Loo Non-Design 2-Wire VG Loo Non-Design 2-Wire VG Loo Design 2-Wire VG Loo Design 2-Wire VG Loo Design 2-Wire VG Loo Design 2-Wire VG Loo Design 2-Wire VG Loo Design 2-Wire VG Loo Design 2-Wire VG Loo Design 2-Wire VG Loo Design 2-Wire VG Loo Design 2-Wire VG Loo Design 2-Wire VG Loo Design 2-Wire VG Loo Design 2-Wire VG Loo Design 2-Wire VG Loo Design 2-Wire VG Loo Design 2-Wire VG Loo Design 2-Wire VG Loo Design 2-Wire VG Loo Design UNE Loop Rate 2-Wire Voice C 2-Wire Voice C 2-Wire Voice C 2-Wire Voice C 2-Wire Voice C	•			UEP95	1PQWS	0.56					<u> </u>	15.69		.	1.97	
Slot Feature Activa Different Wire Feature Activa Feature Activa Feature Activa Slot Feature Activa Non-Recurring Charg NRC Conversi changes, per New Centrex & New Centrex & NAR Establish UNE-P CENTREX - D 2-Wire VG Loop/2-Wi UNE Port/Loop Coml 2-Wire VG Loo Non-Design 2-Wire VG Loc Non-Design 2-Wire VG Loc Non-Design 2-Wire VG Loc 2-Wire Voice C 2-Wire Voice C	ctivation on D-4 Channel Bank FX line Side Loop Slot			UEP95	1PQW6	0.56						15.69		<u> </u>	1.97	
Feature Activa Different Wire Feature Activa Feature Activa Feature Activa Feature Activa Slot Feature Activa Non-Recurring Charg NRC Conversi changes, per New Centrex S New Centrex S New Centrex S New Centrex S New Centrex C NAR Establish UNE-P CENTREX - D 2-Wire VG Loo Non-Design 2-Wire VG Loo Non-Design 2-Wire VG Loo Non-Design 2-Wire VG Loo Design 2-Wire VG Loo Design 2-Wire VG Loo Design 2-Wire VG Loo Design 2-Wire VG Loo Design 2-Wire VG Loo Design 2-Wire VG Loo Design 2-Wire VG Loo Design 2-Wire VG Loo Design 2-Wire VG Loo Design 2-Wire VG Loo Design UNE Loop Rate 2-Wire Voice G 2-Wire Voice G 2-Wire Voice G 2-Wire Voice G	ctivation on D-4 Channel Bank FX Trunk Side Loop			l		1		,	ı		1	ıl		1	l !	
Different Wire Feature Activa Feature Activa Slot Feature Activa Non-Recurring Charg NRC Conversi changes, per New Centrex (NAR Establish UNE-P CENTREX - D 2-Wire VG Loop/2-Wi UNE Port/Loop Coml 2-Wire VG Loo Non-Design 2-Wire VG Loo Non-Design 2-Wire VG Loo Non-Design 2-Wire VG Loo Design 2-Wire VG Loo Design 2-Wire VG Loo Design 2-Wire VG Loo Design 2-Wire VG Loo Design 2-Wire VG Loo Design 2-Wire VG Loo Design 2-Wire VG Loo Design 2-Wire VG Loo Design 2-Wire VG Loo Design 2-Wire VG Loo Design 2-Wire VG Loo Design 2-Wire VG Loo Design UNE Loop Rate 2-Wire Voice G 2-Wire Voice G 2-Wire Voice G 2-Wire Voice G 2-Wire Voice G 2-Wire Voice G 2-Wire Voice G	effective and D. A. Olivera and D. A. Olivera and D. A. Olivera	_		UEP95	1PQW7	0.56					—	15.69			1.97	
Feature Activa Slot Feature Activa Slot Feature Activa Non-Recurring Charg NRC Conversi changes, per New Centrex S New Centrex S New Centrex S New Centrex S New Centrex S New Centrex S New Centrex S New Centrex S New Centrex S Non-Design 2-Wire VG Loo Non-Design 2-Wire VG Loc Non-Design 2-Wire VG Loc Non-Design 2-Wire VG Loc Design 2-Wire VG Loc Design 2-Wire VG Loc Design 2-Wire VG Loc Design 2-Wire VG Loc Design 2-Wire VG Loc Design 2-Wire VG Loc Design 2-Wire VG Loc Design 2-Wire VG Loc Design 2-Wire VG Loc Design 2-Wire VG Loc Design UNE Loop Rate 2-Wire Voice G 2-Wire Voice G 2-Wire Voice G 2-Wire Voice G 2-Wire Voice G 2-Wire Voice G 2-Wire Voice G	ctivation on D-4 Channel Bank Centrex Loop Slot - Vire Center			UEP95	1PQWP	0.56						15.69		ļ	1.97	
Feature Activa Slot Feature Activa Slot Feature Activa Non-Recurring Charg NRC Conversi changes, per New Centrex S New Centrex S New Centrex S New Centrex S New Centrex S New Centrex S New Centrex S New Centrex S New Centrex S Non-Design 2-Wire VG Loo Non-Design 2-Wire VG Loc Non-Design 2-Wire VG Loc Non-Design 2-Wire VG Loc Design 2-Wire VG Loc Design 2-Wire VG Loc Design 2-Wire VG Loc Design 2-Wire VG Loc Design 2-Wire VG Loc Design 2-Wire VG Loc Design 2-Wire VG Loc Design 2-Wire VG Loc Design 2-Wire VG Loc Design 2-Wire VG Loc Design UNE Loop Rate 2-Wire Voice G 2-Wire Voice G 2-Wire Voice G 2-Wire Voice G 2-Wire Voice G 2-Wire Voice G 2-Wire Voice G	ctivation on D-4 Channel Bank Private Line Loop Slot			UEP95	1PQWV	0.56			ı	!	'	15.69			1.97	
Slot Feature Activa Non-Recurring Charg NRC Conversi changes, per New Centrex G New Centrex G New Centrex G NAR Establish UNE-P CENTEX - D 2-Wire VG Loop/2-Wi UNE Port/Loop Coml 2-Wire VG Loo Non-Design 2-Wire VG Loo Non-Design 2-Wire VG Loo Non-Design 2-Wire VG Loo Design 2-Wire VG Loo Design 2-Wire VG Loo Design 2-Wire VG Loo Design 2-Wire VG Loo Design 2-Wire VG Loo Design 2-Wire VG Loo Design 2-Wire VG Loo Design 2-Wire VG Loo Design 2-Wire VG Loo Design 2-Wire VG Loo Design 2-Wire VG Loo Design 2-Wire VG Loo Design 2-Wire VG Loo Design UNE Loop Rate 2-Wire Vioice G 2-Wire Vioice G 2-Wire Vioice G 2-Wire Vioice G 2-Wire Vioice G 2-Wire Vioice G 2-Wire Vioice G 2-Wire Vioice G 2-Wire Vioice G 2-Wire Vioice G 2-Wire Vioice G 2-Wire Vioice G 2-Wire Vioice G 2-Wire Vioice G 2-Wire Vioice G 2-Wire Vioice G	ctivation on D-4 Channel Bank Tjie Line/Trunk Loop	+	1	UEF95	IPQWV	0.56	. +					15.69			1.97	
Non-Recurring Charg Non-Recurring Charg NRC Conversi changes, per New Centrex S New Centrex S New Centrex S NaR Establish UNE-P CENTREX - D 2-Wire VG Loop/2-Wil UNE Port/Loop Coml 2-Wire VG Loo Non-Design 2-Wire VG Loc Non-Design 2-Wire VG Loc Non-Design UNE Port/Loop Coml 2-Wire VG Loc Design 2-Wire VG Loc Design 2-Wire VG Loc Design 2-Wire VG Loc Design 2-Wire VG Loc Design 2-Wire VG Loc Design 2-Wire VG Loc Design 2-Wire VG Loc Design 2-Wire VG Loc Design 2-Wire VG Loc Design 2-Wire VG Loc Design UNE Loop Rate 2-Wire Voice G 2-Wire Voice G 2-Wire Voice G 2-Wire Voice G	ctivation on 5-4 chainer bank The Line, frunk Loop			UEP95	1PQWQ	0.56		,			1 '	15.69			1.97	
Non-Recurring Charge NRC Conversis changes, per New Centrex S New Centrex S New Centrex S New Centrex S New Centrex S New Centrex S New Centrex S New Centrex S New Centrex S NaR Establish UNE-P CENTREX - D 2-Wire VG Loo Non-Design 2-Wire VG Loo Non-Design 2-Wire VG Loo Non-Design 2-Wire VG Loo Design 2-Wire VG Loo Design 2-Wire VG Loo Design 2-Wire VG Loo Design 2-Wire VG Loo Design 2-Wire VG Loo Design 2-Wire VG Loo Design 2-Wire VG Loo Design 2-Wire VG Loo Design 2-Wire VG Loo Design UNE Loop Rate 2-Wire Voice G 2-Wire Voice G 2-Wire Voice G 2-Wire Voice G 2-Wire Voice G 2-Wire Voice G 2-Wire Voice G	ctivation on D-4 Channel Bank WATS Loop Slot		1	UEP95	1PQWA	0.56						15.69			1.97	
changes, per J. New Centrex & New Centrex & New Centrex & New Centrex & New Centrex & New Centrex & New Centrex & New Centrex & New Centrex & New Centrex & New Centre & New C	harges (NRC) Associated with UNE-P Centrex												-			
changes, per J. New Centrex & New Centrex & New Centrex & New Centrex & New Centrex & New Centrex & New Centrex & New Centrex & New Centrex & New Centrex & New Centre & New C	version Currently Combined Switch-As-Is with allowed			1												
New Centrex (NAR Establish UNE-P CENTREX - D 2-Wire VG Loop/2-Wir UNE Port/Loop Coml 2-Wire VG Loo Non-Design 2-Wire VG Loc Non-Design 2-Wire VG Loc Non-Design 2-Wire VG Loc Non-Design 2-Wire VG Loc Design				UEP95	USAC2		37.93	16.72			<u> </u>	15.69			1.97	
NAR Establish UNE-P CENTREX - D 2-Wire VG Loop/2-Wi UNE Port/Loop Coml 2-Wire VG Loc Non-Design 2-Wire VG Loc Non-Design 2-Wire VG Loc Non-Design 2-Wire VG Loc Non-Design 2-Wire VG Loc Design 2-Wire VG Loc Design 2-Wire VG Loc Design 2-Wire VG Loc Design 2-Wire VG Loc Design 2-Wire VG Loc Design 2-Wire VG Loc Design 2-Wire VG Loc Design 2-Wire VG Loc Design 2-Wire VG Loc Design 2-Wire VG Loc Design 2-Wire VG Loc Design 2-Wire VG Loc Design 2-Wire VG Loc Design 2-Wire VG Loc Design UNE Loop Rate 2-Wire VG Loc Design 2-Wire VG Loc Design UNE Loop Rate 2-Wire VG Loc Design UNE Loop Rate 2-Wire VG Loc Design UNE Loop Rate 2-Wire VG Loc Design	rex Standard Common Block			UEP95	M1ACS	0.00	668.70					15.69		<u></u>	1.97	
UNE-P CENTREX - D 2-Wire VG Loop/2-Wi UNE Port/Loop Coml 2-Wire VG Loc Non-Design 2-Wire VG Loc Non-Design 2-Wire VG Loc Non-Design 2-Wire VG Loc Non-Design 2-Wire VG Loc Design 2-Wire VG Loc Design 2-Wire VG Loc Design 2-Wire VG Loc Design 2-Wire VG Loc Design 2-Wire VG Loc Design 2-Wire VG Loc Design 2-Wire VG Loc Design 2-Wire VG Loc Design 2-Wire VG Loc Design 2-Wire VG Loc Design 2-Wire VG Loc Design 2-Wire VG Loc Design 2-Wire VG Loc Design 2-Wire VG Loc Design 2-Wire VG Loc Design 2-Wire VG Loc Design 2-Wire VG Loc Design	rex Customized Common Block			UEP95	M1ACC	0.00	668.70				Ļ'	15.69		·	1.97	
2-Wire VG Loop/2-Wire VG Loop Combined The VG Loop	blishment Charge, Per Occasion	_	1	UEP95	URECA	0.00	72.89					15.69		·	1.97	
UNE Port/Loop Comi 2-Wire VG Loo Non-Design 2-Wire VG Loo Non-Design 2-Wire VG Loo Non-Design 2-Wire VG Loo Non-Design 2-Wire VG Loo Design 2-Wire VG Loo Design 2-Wire VG Loo Design 2-Wire VG Loo Design 2-Wire VG Loo Design 2-Wire VG Loo Design 2-Wire VG Loo Design 2-Wire Voice G 2-Wire Voice G 2-Wire Voice G 2-Wire Voice G 2-Wire Voice G 2-Wire Voice G 2-Wire Voice G	2-Wire Voice Grade Port (Centrex) Combo	-	1	+		\vdash										
2-Wire VG Loc Non-Design 2-Wire VG Loc Non-Design 2-Wire VG Loc Non-Design 2-Wire VG Loc Non-Design 2-Wire VG Loc Design 2-Wire VG Loc Design 2-Wire VG Loc Design 2-Wire VG Loc Design 2-Wire VG Loc Design 2-Wire VG Loc Design 2-Wire Voice C 2-Wire Voice C 2-Wire Voice C 2-Wire Voice C 2-Wire Voice C		+	1	 	+	 	. +									
Non-Design 2-Wire VG Loc Non-Design 2-Wire VG Loc Non-Design 2-Wire VG Loc Non-Design 2-Wire VG Loc Design 2-Wire VG Loc Design 2-Wire VG Loc Design 2-Wire VG Loc Comparison 2-Wire VG Loc Design 2-Wire VG Loc Design 2-Wire VG Loc Design 2-Wire Voice C 2-Wire Voice C 2-Wire Voice C 2-Wire Voice C 2-Wire Voice C 2-Wire Voice C 2-Wire Voice C	Loop/2-Wire Voice Grade Port (Centrex) Port Combo	1	<u> </u>	+	+	+										
2-Wire VĞ Loc Non-Design 2-Wire VG Loc Non-Design UNE Port/Loop Coml 2-Wire VG Loc Design 2-Wire VG Loc Design 2-Wire VG Loc Design 2-Wire VG Loc Design 2-Wire Voice C 2-Wire Voice C 2-Wire Voice C 2-Wire Voice C 2-Wire Voice C 2-Wire Voice C			1	UEP9D	ļ	14.89		,			1 '	ı l				
Non-Design 2-Wire VG Loc Non-Design UNE Port/Loop Coml 2-Wire VG Loc Design 2-Wire VG Loc Design 2-Wire VG Loc Design 2-Wire VG Loc Design 2-Wire Voice C 2-Wire Voice C 2-Wire Voice C 2-Wire Voice C 2-Wire Voice C 2-Wire Voice C 2-Wire Voice C	Loop/2-Wire Voice Grade Port (Centrex)Port Combo	-			-								-			
Non-Design UNE Port/Loop Coml 2-Wire VG Loc Design 2-Wire VG Loc Design 2-Wire VG Loc Design UNE Loop Rate 2-Wire Voice C 2-Wire Voice C 2-Wire Voice C 2-Wire Voice C 2-Wire Voice C 2-Wire Voice C 2-Wire Voice C 2-Wire Voice C			2	UEP9D	ļ	21.52		,			1 '	ı l				
UNE Port/Loop Comi 2-Wire VG Lot Design 2-Wire VG Lot Design 2-Wire VG Lot Design 2-Wire VG Lot Design 2-Wire Voice C 2-Wire Voice C 2-Wire Voice C 2-Wire Voice C 2-Wire Voice C 2-Wire Voice C	Loop/2-Wire Voice Grade Port (Centrex)Port Combo	-										i I				
2-Wire VG Loc Design 2-Wire VG Loc Design 2-Wire VG Loc Design UNE Loop Rate 2-Wire Voice G 2-Wire Voice G 2-Wire Voice G 2-Wire Voice G 2-Wire Voice G 2-Wire Voice G 2-Wire Voice G 2-Wire Voice G			3	UEP9D		27.17					Ļ'			ļ		
Design 2-Wire VG Lot Design 2-Wire VG Lot Design UNE Loop Rate 2-Wire Voice 0 2-Wire Voice 0 2-Wire Voice 0 2-Wire Voice 0 2-Wire Voice 0 2-Wire Voice 0 2-Wire Voice 0 2-Wire Voice 0 2-Wire Voice 0											 '					
2-Wire VG Loc Design 2-Wire VG Loc Design UNE Loop Rate 2-Wire Voice 0 2-Wire Voice 0 2-Wire Voice 0 2-Wire Voice 0 2-Wire Voice 0 2-Wire Voice 0 2-Wire Voice 0 2-Wire Voice 0	Loop/2-Wire Voice Grade Port (Centrex) Port Combo	1	1	UEP9D]	17.81		, ,	ı	!	ı '	i l	ļ		1 '	
Design 2-Wire VG Lox Design UNE Loop Rate 2-Wire Voice 0 2-Wire Voice 0 2-Wire Voice 0 2-Wire Voice 0 2-Wire Voice 0 2-Wire Voice 0 2-Wire Voice 0	Loop/2-Wire Voice Grade Port (Centrex)Port Combo	-	+ '-	UEP9D	+	17.81	. +				$\vdash \vdash \vdash$	\longrightarrow	\longrightarrow		\vdash	-
2-Wire VG Loc Design UNE Loop Rate 2-Wire Voice G 2-Wire Voice G 2-Wire Voice G 2-Wire Voice G 2-Wire Voice G 2-Wire Voice G 2-Wire Voice G 2-Wire Voice G	. 200p/2 Wile Voice Grade Fort (Certifex)Fort Combo		2	UEP9D		24.26			ı	!	ı '	, l	ļ		1 '	
Design UNE Loop Rate 2-Wire Voice (2-Wire Voice (2-Wire Voice (2-Wire Voice (2-Wire Voice (2-Wire Voice (2-Wire Voice (2-Wire Voice (2-Wire Voice (Loop/2-Wire Voice Grade Port (Centrex)Port Combo	-1	+-	1	+	27.25					$\overline{}$		\longrightarrow		\vdash	—
2-Wire Voice (2-Wire Voice (2-Wire Voice (2-Wire Voice (2-Wire Voice (2-Wire Voice (2-Wire Voice (3	UEP9D		29.59			ı	!	ı '	, l	ļ		1 '	
2-Wire Voice (2-Wire Voice (2-Wire Voice (2-Wire Voice (2-Wire Voice (2-Wire Voice (
2-Wire Voice (2-Wire Voice (2-Wire Voice (2-Wire Voice (ice Grade Loop (SL 1) - Zone 1		1	UEP9D	UECS1	13.76										
2-Wire Voice (2-Wire Voice (2-Wire Voice (ice Grade Loop (SL 1) - Zone 2	1	2		UECS1	20.38			<u>_</u>		└	igwdow		·	└	
2-Wire Voice (2-Wire Voice (ice Grade Loop (SL 1) - Zone 3	1	3	UEP9D	UECS1	26.04					└─ ─'				 '	<u> </u>
2-Wire Voice (ice Grade Loop (SL 2) - Zone 1	1	1 2	UEP9D UEP9D	UECS2 UECS2	16.68 23.13										
	ice Grade Loop (SL 2) - Zone 2	1	3	UEP9D	UECS2	23.13	. +				\vdash		\longrightarrow		\vdash	
UNE Port Rate		+	-	021 00	01002	20.40			 			$\overline{}$			\vdash	
ALL STATES	ice Grade Loop (SL 2) - Zone 3	+	1	+	+	 					\vdash				\vdash	†
		1	1	UEP9D	UEPYA	1.13	40.30	19.90	24.98	6.65		15.69			1.97	
	ice Grade Loop (SL 2) - Zone 3	1		1	1									 I		
Area		1		UEP9D	UEPYB	1.13	40.30	19.90	24.98	6.65	'	15.69			1.97	<u> </u>
2-Wire Voice (Area	ice Grade Loop (SL 2) - Zone 3 ice Grade Port (Centrex) Basic Local Area ice Grade Port (Centrex 800 termination)Basic Local															
2-Wire Voice C Area	ice Grade Loop (SL 2) - Zone 3 ice Grade Port (Centrex) Basic Local Area			UEP9D	UEPYC	1.13	40.30	19.90	24.98	6.65	<u> </u>	15.69		<u> </u>	1.97	

ONBONDLE	D NETWORK ELEMENTS - South Carolina			1	1								Attachment:	2	 	Exhibit:
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual Sv Order vs. Electronic Disc Add
						Rec	Nonred		Nonrecurring		SOMEC	SOMAN	OSS F	RATES (\$)	SOMAN	SOMAN
-	2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local						First	Add'l	First	Add'l	SOWIEC	SUMAN	SUMAN	SOWAN	SUMAN	SUMAN
	Area			UEP9D	UEPYE	1.13	40.30	19.90	24.98	6.65		15.69			1.97	
	2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local															
	Area 2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local			UEP9D	UEPYF	1.13	40.30	19.90	24.98	6.65		15.69			1.97	
	Area			UEP9D	UEPYG	1.13	40.30	19.90	24.98	6.65		15.69			1.97	
	2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local															
	Area			UEP9D	UEPYT	1.13	40.30	19.90	24.98	6.65		15.69			1.97	
	2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local Area			UEP9D	UEPYU	1.13	40.30	19.90	24.98	6.65		15.69			1.97	
	2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local			02.05	020	0	.0.00	10.00	2 1.00	0.00		10.00			1101	
	Area			UEP9D	UEPYV	1.13	40.30	19.90	24.98	6.65		15.69			1.97	
	2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local Area			UEP9D	UEPY3	1.13	40.30	19.90	24.98	6.65		15.69			1.97	
	2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local			OLF9D	OLF 13	1.13	40.30	19.90	24.90	0.03		13.09			1.31	
	Area			UEP9D	UEPYH	1.13	40.30	19.90	24.98	6.65		15.69			1.97	
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp						40.00					4= 00				
	Indication))3 Basic Local Area 2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))3			UEP9D	UEPYW	1.13	40.30	19.90	24.98	6.65		15.69			1.97	
	Basic Local Area			UEP9D	UEPYJ	1.13	40.30	19.90	24.98	6.65		15.69			1.97	
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)															
	2 Basic Local Area			UEP9D	UEPYM	1.13	108.36	70.71	54.47	11.94		15.69			1.97	1
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3 Basic Local Area			UEP9D	UEPYO	1.13	108.36	70.71	54.47	11.94		15.69			1.97	
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3			02.05	020	0	100.00	70.71	0	11.01		10.00			1101	
	Basic Local Area			UEP9D	UEPYP	1.13	108.36	70.71	54.47	11.94		15.69			1.97	
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3 Basic Local Area			UEP9D	UEPYQ	1.13	108.36	70.71	54.47	11.94		15.69			1.97	
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3			OLF 9D	OLFIQ	1.13	100.30	70.71	34.47	11.54		13.09			1.37	
	Basic Local Area			UEP9D	UEPYR	1.13	108.36	70.71	54.47	11.94		15.69			1.97	
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3			LIEDOD	LIEDVO	4.40	400.00	70.74	54.47	44.04		45.00			4.07	
	Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3			UEP9D	UEPYS	1.13	108.36	70.71	54.47	11.94		15.69			1.97	
	Basic Local Area			UEP9D	UEPY4	1.13	108.36	70.71	54.47	11.94		15.69			1.97	
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3						400.00	====				4= 00				
_	Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3			UEP9D	UEPY5	1.13	108.36	70.71	54.47	11.94		15.69			1.97	<u> </u>
	Basic Local Area			UEP9D	UEPY6	1.13	108.36	70.71	54.47	11.94		15.69			1.97	
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3															
	Basic Local Area 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			UEP9D	UEPY7	1.13	108.36	70.71	54.47	11.94		15.69			1.97	<u> </u>
	Term			UEP9D	UEPYZ	1.13	108.36	70.71	54.47	11.94		15.69			1.97	
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			OLI OD	OLI 12	1.10	100.00	70.71	04.47	11.04		10.00			1.01	
	Basic Local Area			UEP9D	UEPY9	1.13	40.30	19.90	24.98	6.65		15.69			1.97	
	2-Wire Voice Grade Port Terminated on 800 Service Term Basic Local Area			UEP9D	UEPY2	1.13	40.30	19.90	24.98	6.65		15.69			1.97	
AL. KY	, LA, MS, SC, & TN Only			OLF9D	OLF 12	1.13	40.30	19.90	24.98	6.65		13.09			1.37	
	2-Wire Voice Grade Port (Centrex)			UEP9D	UEPQA	1.13	40.30	19.90	24.98	6.65		15.69			1.97	
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP9D	UEPQB	1.13	40.30	19.90	24.98	6.65		15.69			1.97	
	2-Wire Voice Grade Port (Centrex / EBS-PSET)3 2-Wire Voice Grade Port (Centrex / EBS-M5009)3			UEP9D UEP9D	UEPQC UEPQD	1.13 1.13	40.30 40.30	19.90 19.90	24.98 24.98	6.65 6.65		15.69 15.69			1.97 1.97	1
	2-Wire Voice Grade Port (Centrex / EBS-M5209)3			UEP9D	UEPQE	1.13	40.30	19.90	24.98	6.65		15.69			1.97	
	2-Wire Voice Grade Port (Centrex / EBS-M5112)3			UEP9D	UEPQF	1.13	40.30	19.90	24.98	6.65		15.69			1.97	
	2-Wire Voice Grade Port (Centrex / EBS-M5312)3 2-Wire Voice Grade Port (Centrex / EBS-M5008)3			UEP9D UEP9D	UEPQG UEPQT	1.13 1.13	40.30 40.30	19.90 19.90	24.98 24.98	6.65 6.65		15.69 15.69			1.97 1.97	
	2-Wire Voice Grade Port (Centrex / EBS-M5008)3			UEP9D	UEPQU	1.13	40.30	19.90	24.98	6.65		15.69			1.97	
	2-Wire Voice Grade Port (Centrex / EBS-M5216)3			UEP9D	UEPQV	1.13	40.30	19.90	24.98	6.65		15.69			1.97	
	2-Wire Voice Grade Port (Centrex / EBS-M5316)3			UEP9D	UEPQ3	1.13	40.30	19.90	24.98	6.65		15.69			1.97	

INRONDLE	D NETWORK ELEMENTS - South Carolina	,		•									Attachment:	2		Exhibit:
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremen Charge Manual S Order vs Electroni Disc Add
						Rec	Nonrec		Nonrecurring					RATES (\$)		
							First	Add'l	First	Add'l	SOMEC		SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex with Caller ID)			UEP9D	UEPQH	1.13	40.30	19.90	24.98	6.65		15.69			1.97	
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp			LIEDOD	LIEDOM	4.40	40.00	40.00	04.00	0.05		45.00			4.07	
	Indication)3 2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)3			UEP9D UEP9D	UEPQW UEPQJ	1.13 1.13	40.30 40.30	19.90 19.90	24.98 24.98	6.65 6.65		15.69 15.69			1.97 1.97	
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)3			OLF9D	ULFQJ	1.13	40.30	19.90	24.90	0.05		13.09			1.97	
	2			UEP9D	UEPQM	1.13	108.36	70.71	54.47	11.94		15.69			1.97	
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3			UEP9D	UEPQO	1.13	108.36	70.71	54.47	11.94		15.69			1.97	

	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3			UEP9D	UEPQP	1.13	108.36	70.71	54.47	11.94		15.69			1.97	
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3			UEP9D	UEPQQ	1.13	108.36	70.71	54.47	11.94		15.69			1.97	
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3			UEP9D	UEPQR	1.13	108.36	70.71	54.47	11.94		15.69			1.97	
							400.00					4= 00				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3			UEP9D	UEPQS	1.13	108.36	70.71	54.47	11.94		15.69			1.97	
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3			UEP9D	UEPQ4	1.13	108.36	70.71	54.47	11.94		15.69			1.97	
	2-vviie voice Grade Fort (CertiteXullier SVVC /EBS-IVISO06)2, 3			UEP9D	UEPQ4	1.13	100.30	70.71	54.47	11.94		15.69			1.97	
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3			UEP9D	UEPQ5	1.13	108.36	70.71	54.47	11.94		15.69			1.97	
	2-Wife Voice Grade Fort (Gentlewaliter GWG/EBG-M5200)2, 3			OLI 3D	OLI QU	1.13	100.50	70.71	34.47	11.54		13.03			1.57	
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3			UEP9D	UEPQ6	1.13	108.36	70.71	54.47	11.94		15.69			1.97	
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3			UEP9D	UEPQ7	1.13	108.36	70.71	54.47	11.94		15.69			1.97	
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
	Term			UEP9D	UEPQZ	1.13	108.36	70.71	54.47	11.94		15.69			1.97	
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9D	UEPQ9	1.13	40.30	19.90	24.98	6.65		15.69			1.97	
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP9D	UEPQ2	1.13	40.30	19.90	24.98	6.65		15.69			1.97	
Local S	Switching			UEP9D	URECS	0.7996						15.69			1.97	
Local N	Centrex Intercom Funtionality, per port			UEP9D	URECS	0.7996			-			15.69			1.97	
Locali	Local Number Portability (1 per port)			UEP9D	LNPCC	0.35										
Feature				02. 05	2.1. 00	0.00										
	All Standard Features Offered, per port			UEP9D	UEPVF	3.04						31.38			3.94	
	All Select Features Offered, per port			UEP9D	UEPVS	0.00	406.42					31.38			3.94	
	All Centrex Control Features Offered, per port			UEP9D	UEPVC	3.04						31.38			3.94	
												31.38			3.94	
NARS		ļ		L											ļ	ļ
	Unbundled Network Access Register - Combination	 		UEP9D	UARCX	0.00	0.00	0.00				31.38			3.94	
-	Unbundled Network Access Register - Inward Unbundled Network Access Register - Outdial	 		UEP9D UEP9D	UAR1X UAROX	0.00	0.00	0.00				31.38 31.38			3.94 3.94	-
Miscell	Junbundled Network Access Register - Outdial laneous Terminations			OEFSD	VARUX	0.00	0.00	0.00	+			31.38			3.94	
	Trunk Side	 		 	+ +	1			+						1	
	Trunk Side Terminations, each			UEP9D	CEND6	8.86	239.14	37.56	120.05	7.54		15.69			1.97	
	Digital (1.544 Megabits)			1		0.00		350	.20.00	7.54		.0.00				
	DS1 Circuit Terminations, each			UEP9D	M1HD1	73.62	404.94	191.80	145.50	4.93		15.69			1.97	
	DS0 Channels Activiated per Channel			UEP9D	M1HDO	0.00	14.51					15.69			1.97	
	ice Channel Mileage - 2-Wire							•								
	Interoffice Channel Facilities Termination			UEP9D	MIGBC	24.30	81.25	54.94	33.54	13.82		15.69			1.97	
	Interoffice Channel mileage, per mile or fraction of mile	l		UEP9D	MIGBM	0.0167										
	Activations (DS0) Centrex Loops on Channelized DS1 Service	e		 	+ +										 	ļ
	nnel Bank Feature Activations Feature Activation on D-4 Channel Bank Centrex Loop Slot	l		UEP9D	1PQWS	0.50						15.69			1.97	
_	reacure Activation on D-4 Channel Bank Centrex Loop Slot			UEP9D	IPQW5	0.56			+			15.69			1.97	
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot	l		UEP9D	1PQW6	0.56						15.69			1.97	l
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop			021 00	11 04 110	0.50			+			10.03			1.37	
	Slot	l		UEP9D	1PQW7	0.56						15.69			1.97	
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -				-		İ									
	Different Wire Center	l	1	UEP9D	1PQWP	0.56					I	15.69			1.97	1

UNBUNDLE	D NETWORK ELEMENTS - South Carolina												Attachment:	2		Exhibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Submitted Manually	Charge - Manual Svc Order vs.	Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrec	urring	Nonrecurring	g Disconnect			ossi	RATES (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9D	1PQWV	0.56						15.69			1.97	
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot			UEP9D	1PQWQ	0.56						15.69			1.97	
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9D	1PQWA	0.56						15.69			1.97	
Non-Re	ecurring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port			UEP9D	USAC2		37.93	16.72				15.69			1.97	
	New Centrex Standard Common Block			UEP9D	M1ACS	0.00	668.70					15.69			1.97	
	New Centrex Customized Common Block			UEP9D	M1ACC	0.00	668.70					15.69			1.97	
	NAR Establishment Charge, Per Occasion			UEP9D	URECA	0.00	72.89					15.69			1.97	
	- Required Port for Centrex Control in 1AESS, 5ESS & EWSD															
	- Requres Interoffice Channel Mileage		<u> </u>													
Note 3	- Requires Specific Customer Premises Equipment															
\vdash			 		-											
	 		-	 	1						1	-				
	 				-											
					1	1										
					1	1				İ						

																1	
UNBU	NDLE	D NETWORK ELEMENTS - Tennessee	1	1	Т		1						1	Attachment:	2		Exhibit: E
														Incremental	Incremental	Incremental	Incrementa
														Charge -	Charge -	Charge -	Charge -
CATE	GORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			Svc Order	Svc Order	Manual Svc	Manual Svc	Manual Svc	Manual Svo
			m						- (1)			Submitted	Submitted	Order vs.	Order vs.	Order vs.	Order vs.
												Elec	Manually	Electronic-	Electronic-	Electronic-	Electronic
												per LSR	per LSR	1st	Add'l	Disc 1st	Disc Add'l
							_										
							Rec	Nonrecurring			g Disconnect				RATES (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
				1									-				
	The "Z	one" shown in the sections for stand-alone loops or loops as	part of	a com	pination refers to Ge	ographically	Deaveraged U	NE Zones. To	view Geograp	hically Deavers	aged UNE Zone	Designation	ons by Cent	ral Office, refe	er to Internet	Website:	
		www.interconnection.bellsouth.com/become_a_clec/html/inter				. ,	•		٠.	•	•	•	•				
OPER#	TIONAL	SUPPORT SYSTEMS															
		(1) Electronic Service Order: CLEC-1 should contact its contr															
		is the BellSouth regional electronic service ordering charge.															
		(2) Any element that can be ordered electronically will be bill															
		elements that cannot be ordered electronically at present per t				in this cated	gory reflects th	e charge that	would be billed	to a CLEC on	ce electronic o	rdering ca	pabilities co	me on-line fo	r that elemen	. Otherwise,	the manual
	orderir	ng charge, SOMAN, will be applied to a CLECs bill when it sub	mits ar	LSR t	o BellSouth.	1		1		1	1			1		1	
		Electronic OSS Charge, per LSR, submitted via BST's OSS				COMEC		2.50									
LINDII	IDI ED 1	interactive interfaces (Regional) EXCHANGE ACCESS LOOP		-		SOMEC		3.50		-	-	-	1	1		1	
UNDUN		E ANALOG VOICE GRADE LOOP											+		-		
	Z-VVIIXL	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEAL2	13.19	31.99	20.02	10.65	1.41		1	20.35	10.54	13.32	13.3
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		2	UEANL	UEAL2	17.23	31.99	20.02	10.65	1.41		-	20.35	10.54	13.32	13.3
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL	UEAL2	22.53	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.3
		Loop Testing - Basic 1st Half Hour			UEANL	URET1		78.92	78.92								
		Loop Testing - Basic Additional Half Hour			UEANL	URETA		23.33	23.33								
		Engineering Information Document (EI)			UEANL			28.80	28.80								
		Manual Order Coordination for UVL-SL1s (per loop)*			UEANL	UEAMC		36.46	36.46								
		Order Coordination for Specified Conversion Time for UVL-SL1															
		(per LSR) *			UEANL	OCOSL		36.52	36.52								
	2-WIRE	Unbundled COPPER LOOP		L.,	LUEO	115001	10.10	0.1.00		40.05				10.00	10.00	10.00	
		2-Wire Unbundled Copper Loop - Non-Designed Zone 1		1	UEQ	UEQ2X	13.19	31.99	20.02	10.65	1.41			19.99	19.99	19.99	19.9
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 2		3	UEQ UEQ	UEQ2X UEQ2X	17.23 22.53	31.99 31.99	20.02	10.65 10.65	1.41 1.41		-	19.99 19.99	19.99 19.99	19.99 19.99	19.9 19.9
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 3 Order Coordination 2 Wire Unbundled Copper Loop - Non-	-	3	UEQ	UEQZX	22.53	31.99	20.02	10.05	1.41		+	19.99	19.99	19.99	19.9
		Designed (per loop)			UEQ	USBMC		36.52	36.52								
		Engineering Information Document			UEQ	COBINO		28.80	28.80				-				
		Loop Testing - Basic 1st Half Hour			UEQ	URET1		78.92	78.92						1		
		Loop Testing - Basic Additional Half Hour			UEQ	URETA		23.33	23.33								
UNBUN		XCHANGE ACCESS LOOP															
	2-WIRE	ANALOG VOICE GRADE LOOP															
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
		Zone 1	ı	1	UEPSR UEPSB	UEALS	13.19	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.3
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-	١.		LIEDOD LIEDOD	115450	40.40	04.00	00.00	40.05				00.05	40.54	40.00	40.0
	!	Zone 1 2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-	- 1	-	UEPSR UEPSB	UEABS	13.19	31.99	20.02	10.65	1.41		1	20.35	10.54	13.32	13.3
	l	Zone 2	١,	2	UEPSR UEPSB	UEALS	17.23	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.3
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-			OLI OK OLI OD	OLALO	17.25	31.33	20.02	10.03	1.41		1	20.55	10.54	10.02	10.0
	1	Zone 2	l ı	1	UEPSR UEPSB	UEABS	17.23	31.99	20.02	10.65	1.41	1		20.35	10.54	13.32	13.3
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-				1	20	1			1		1		1		
	1	Zone 3	- 1	3	UEPSR UEPSB	UEALS	22.53	31.99	20.02	10.65	1.41	1		20.35	10.54	13.32	13.3
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
		Zone 3	I		UEPSR UEPSB	UEABS	22.53	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.3
UNBUN		EXCHANGE ACCESS LOOP															
	2-WIRE	ANALOG VOICE GRADE LOOP											ļ				
	l	CLEC to CLEC Conversion Charge without outside dispatch				LIDEW:											
 		(UVL-SL1)		<u> </u>	UEANL	UREWO		31.99	20.02				1	20.35	10.54	13.32	13.3
1	1	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		4	UEA	UEAL2	16.50	75.06	48.20	28.70	17.64	1		20.35	10.54	13.32	40.0
-	-	Ground Start Signaling - Zone 1 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		1	UEA	UEAL2	16.56	/5.06	48.20	28.70	17.64	-	1	20.35	10.54	13.32	13.3
1	1	Ground Start Signaling - Zone 2		2	UEA	UEAL2	21.63	75.06	48.20	28.70	17.64	1		20.35	10.54	13.32	13.3
	L	Ground Start Signaling - Zone Z			ULA	ULALZ	21.03	75.00	40.20	20.70	17.04	l	1	20.33	10.34	13.32	13.0

DURONDLEI	D NETWORK ELEMENTS - Tennessee	1		1	1						1		Attachment:	2		Exhibit: I
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual Sv Order vs.
						Rec	Nonrecurring		Nonrecurring					RATES (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		_			00.00	75.00	40.00	00.70	47.04			00.05	40.54	40.00	40.00
	Ground Start Signaling - Zone 3 Order Coordination for Specified Conversion Time (per LSR)		3	UEA UEA	UEAL2 OCOSL	28.28	75.06 34.29	48.20	28.70	17.64			20.35	10.54	13.32	13.32
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse			ULA	OCOGL		34.29									1
	Battery Signaling - Zone 1		1	UEA	UEAR2	16.56	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															
	Battery Signaling - Zone 2		2	UEA	UEAR2	21.63	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															
	Battery Signaling - Zone 3		3	UEA	UEAR2	28.28	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32
	Order Coordination for Specified Conversion Time (per LSR)			UEA UEA	OCOSL UREWO		34.29	38.34					20.35	10.54	13.32	13.32
	CLEC to CLEC Conversion Charge without outside dispatch ANALOG VOICE GRADE LOOP			UEA	UKEWU		75.06	30.34					20.33	10.54	13.32	13.32
	4-Wire Analog Voice Grade Loop - Zone 1		1	UEA	UEAL4	24.70	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.32
	4-Wire Analog Voice Grade Loop - Zone 2		2	UEA	UEAL4	32.25	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.32
	4-Wire Analog Voice Grade Loop - Zone 3		3	UEA	UEAL4	42.17	122.76	85.57	76.35	39.16			20.35	10.54	13.32	
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		34.29									
	ISDN DIGITAL GRADE LOOP															
	2-Wire ISDN Digital Grade Loop - Zone 1		1	UDN	U1L2X	22.00	142.76	88.88	76.35	39.16			20.35	10.54	13.32	13.32
	2-Wire ISDN Digital Grade Loop - Zone 2		2	UDN	U1L2X U1L2X	29.02 37.95	142.76	88.88 88.88	76.35 76.35	39.16 39.16			20.35 20.35	10.54 10.54	13.32 13.32	13.32 13.32
	2-Wire ISDN Digital Grade Loop - Zone 3 Order Coordination For Specified Conversion Time (per LSR)		3	UDN	OCOSL	37.95	142.76 34.29	88.88	76.35	39.16			20.35	10.54	13.32	13.32
	CLEC to CLEC Conversion Charge without outside dispatch			UDN	UREWO		121.37	33.14					20.35	10.54	13.32	13.32
2-WIRE	Universal Digital Channel (UDC) COMPATIBLE LOOP			ODIN	OKEWO		121.57	33.14					20.55	10.54	13.32	10.02
	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone															
'	1		1	UDC	UDC2X	21.15	228.92	152.42	110.01	21.63			20.35	10.54	13.32	13.32
,	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone															
	2		2	UDC	UDC2X	27.62	228.92	152.42	110.01	21.63			20.35	10.54	13.32	13.32
	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone		_													
	CLECA CLEC Commence Change with suit suitaide dispetals		3	UDC	UDC2X	36.12	228.92	152.42	110.01	21.63			20.35	10.54	13.32 13.32	13.32
	CLEC to CLEC Conversion Charge without outside dispatch ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP	ATIRI F	LOOF	UDC	UREWO		121.37	33.14					20.35	10.54	13.32	13.32
	2 Wire Unbundled ADSL Loop including manual service inquiry	ATIBLE	1		+											-
	& facility reservation - Zone 1		1	UAL	UAL2X	13.82	270.01	234.63	74.54	39.14			20.35	10.54	13.32	13.32
	2 Wire Unbundled ADSL Loop including manual service inquiry															
	& facility reservation - Zone 2		2	UAL	UAL2X	18.05	270.01	234.63	74.54	39.14			20.35	10.54	13.32	13.32
	2 Wire Unbundled ADSL Loop including manual service inquiry															
	& facility reservation - Zone 3		3	UAL	UAL2X	23.60	270.01	234.63	74.54	39.14			20.35	10.54	13.32	13.32
	Order Coordination for Specified Conversion Time (per LSR) 2 Wire Unbundled ADSL Loop without manual service inquiry &			UAL	OCOSL		34.29									-
	facility reservation - Zone 1	١.,	1	UAL	UAL2W	13.82	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	2 Wire Unbundled ADSL Loop without manual service inquiry &	- '-	- '-	UAL	UALZVV	13.02	31.99	20.02	10.03	1.41			20.55	10.54	13.32	13.32
	facility reservaton - Zone 2	l ı	2	UAL	UAL2W	18.05	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	2 Wire Unbundled ADSL Loop without manual service inquiry &															
	facility reservaton - Zone 3	- 1	3	UAL	UAL2W	23.60	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		34.29									
	CLEC to CLEC Conversion Charge without outside dispatch	I		UAL	UREWO		31.99	20.02					20.35	10.54	13.32	13.32
	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	IBLE	LOOP	 	+											1
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 1		1	UHL	UHL2X	10.83	270.01	234.63	74.54	39.14			20.35	10.54	13.32	13.32
	2 Wire Unbundled HDSL Loop including manual service inquiry	1	+	OI IL	OI ILZA	10.03	210.01	204.03	74.54	35.14			20.33	10.54	13.32	13.32
	& facility reservation - Zone 2	1	2	UHL	UHL2X	14.15	270.01	234.63	74.54	39.14	1		20.35	10.54	13.32	13.32
	2 Wire Unbundled HDSL Loop including manual service inquiry															
	& facility reservation - Zone 3	<u></u>	3	UHL	UHL2X	18.50	270.01	234.63	74.54	39.14	<u> </u>	<u> </u>	20.35	10.54	13.32	13.32
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL	·	34.29									
										· · · · · · · · · · · · · · · · · · ·		1			1	1
	2 Wire Unbundled HDSL Loop without manual service inquiry															
	Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1 Wire Unbundled HDSL Loop without manual service inquiry	ı	1	UHL	UHL2W	10.83	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32

JNBUNDLE	NETWORK ELEMENTS - Tennessee												Attachment:	2		Exhibit: E
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Charge -
						Rec	Nonrecurring First	Add'l	Nonrecurring First	g Disconnect Add'l	SOMEC	SOMAN	OSS I	RATES (\$)	SOMAN	SOMAN
	2 Wire Unbundled HDSL Loop without manual service inquiry		_													
	and facility reservation - Zone 3 Order Coordination for Specified Conversion Time (per LSR)		3	UHL UHL	UHL2W OCOSL	18.50	31.99 34.29	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	CLEC to CLEC Conversion Charge without outside dispatch	ı		UHL	UREWO		31.99	20.02					20.35	10.54	13.32	13.32
	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP													
	4 Wire Unbundled HDSL Loop including manual service inquiry					10.00									40.00	40.00
	and facility reservation - Zone 1 4-Wire Unbundled HDSL Loop including manual service inquiry		1	UHL	UHL4X	13.93	279.60	244.22	74.54	39.14			20.35	10.54	13.32	13.32
	and facility reservation - Zone 2		2	UHL	UHL4X	18.20	279.60	244.22	74.54	39.14			20.35	10.54	13.32	13.32
	4-Wire Unbundled HDSL Loop including manual service inquiry			-												
	and facility reservation - Zone 3		3	UHL	UHL4X	23.80	279.60	244.22	74.54	39.14			20.35	10.54	13.32	13.32
	Order Coordination for Specified Conversion Time (per LSR) 4-Wire Unbundled HDSL Loop without manual service inquiry		-	UHL	OCOSL		34.29									1
	and facility reservation - Zone 1	1	1	UHL	UHL4W	13.93	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	4-Wire Unbundled HDSL Loop without manual service inquiry	Ė	<u> </u>	0.12	0112111	10.00	01.00	20.02	10.00				20.00		10.02	10.02
	and facility reservation - Zone 2	I	2	UHL	UHL4W	18.20	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	4-Wire Unbundled HDSL Loop without manual service inquiry			UHL		00.00	04.00	00.00	40.05				00.05	40.54	40.00	40.00
	and facility reservation - Zone 3 Order Coordination for Specified Conversion Time (per LSR)		3	UHL UHL	UHL4W OCOSL	23.80	31.99 34.29	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		31.99	20.02					20.35	10.54	13.32	13.32
	DS1 DIGITAL LOOP						0.100									
	4-Wire DS1 Digital Loop - Zone 1			USL	USLXX	57.73	313.08	219.72	96.86	40.45			18.98	8.43	11.95	
	4-Wire DS1 Digital Loop - Zone 2		2		USLXX	75.40	313.08	219.72	96.86	40.45			18.98	8.43	11.95	
	4-Wire DS1 Digital Loop - Zone 3 Order Coordination for Specified Conversion Time (per LSR)		3	USL USL	USLXX	98.59	313.08 34.29	219.72	96.86	40.45			18.98	8.43	11.95	11.95
	CLEC to CLEC Conversion Charge without outside dispatch			USL	UREWO		130.47	40.11					20.35	10.54	13.32	13.32
	19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP			002	O.I.Z.IVO		100.11						20.00		10.02	10.02
	4 Wire Unbundled Digital 19.2 Kbps		1	UDL	UDL19	31.10	207.01	141.38	90.70				20.35	10.54	13.32	
	4 Wire Unbundled Digital 19.2 Kbps			UDL	UDL19	40.61	207.01	141.38	90.70	44.18			20.35	10.54	13.32	
	4 Wire Unbundled Digital 19.2 Kbps 4 Wire Unbundled Digital Loop 56 Kbps - Zone 1		3	UDL UDL	UDL19 UDL56	53.11 31.10	207.01 207.01	141.38 141.38	90.70 90.70	44.18 44.18			20.35 20.35	10.54 10.54	13.32 13.32	
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1	1		UDL	UDL56	40.61	207.01	141.38	90.70	44.18			20.35	10.54	13.32	
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3		3		UDL56	53.11	207.01	141.38	90.70	44.18			20.35	10.54	13.32	
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		34.29									
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1		1	UDL	UDL64	31.10	207.01	141.38	90.70	44.18			20.35	10.54	13.32	
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2			UDL	UDL64	40.61	207.01	141.38	90.70	44.18			20.35	10.54	13.32	
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3 Order Coordination for Specified Conversion Time (per LSR)		3	UDL UDL	UDL64 OCOSL	53.11	207.01 34.29	141.38	90.70	44.18			20.35	10.54	13.32	13.32
	CLEC to CLEC Conversion Charge without outside dispatch			UDL	UREWO		131.89	38.75					20.35	10.54	13.32	13.32
2-WIRE	Unbundled COPPER LOOP															
	2 Wire Unbundled Copper Loop/Short including manual service															
	inquiry & fac. reservation - Statewide	1	SW	UCL	UCLPB	12.16	131.99	120.02	10.65	1.41			20.35	10.54	13.32	13.32
	Order Coordination for Unbundled Copper Loops (per loop) 2-Wire Unbundled Copper Loop/Short without manual svc.	<u> </u>	-	UCL	UCLMC		36.52	36.52	-							1
	inquiry and facility reservation - Statewide	1	sw	UCL	UCLPW	12.16	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	Order Coordination for Unbundled Copper Loops (per loop)	Ľ	Ľ	UCL	UCLMC		36.52	36.52								
	2-Wire Unbundled Copper Loop/Long - includes manual svc															
	inquiry and facility reservation - Statewide	1	SW	UCL	UCL2L	12.16	131.99	120.02	10.65	1.41			20.35	10.54	13.32	13.32
	Order Coordination for Unbundled Copper Loops (per loop) 2-Wire Unbundled Copper Loop/Long - without manual svc.	1		UCL	UCLMC		36.52	36.52								1
	inquiry and facility reservation - Statewide	- 1	sw	UCL	UCL2W	12.16	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	Order Coordination for Unbundled Copper Loops (per loop)	Ľ	Ľ	UCL	UCLMC		36.52	36.52								
	CLEC to CLEC Conversion Charge without outside dispatch															
\longrightarrow	(UCL-Des)			UCL	UREWO		31.99	20.02					20.35	10.54	13.32	13.32
	CLEC to CLEC Conversion Charge without outside dispatch	Ι.		UEQ	UREWO		31.99	20.02					20.35	10.54	13.32	13.32
1 1	(UCL-ND)															

<u>UNBUNDLE</u>	D NETWORK ELEMENTS - Tennessee												Attachment:	2		Exhibit: E
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Order vs.	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring First	Add'l	Nonrecurring First	Disconnect Add'l	SOMEC	SOMAN		RATES (\$)	SOMAN	SOMAN
	4-Wire Copper Loop/Short - including manual service inquiry						11131	Addi	11130	Addi	JOINLO	JOINAIN	JOWAN	JONIAN	JOHAN	JOWAN
	and facility reservation - Statewide	- 1	sw	UCL	UCL4S	12.16	131.99	120.02	10.65	1.41			20.35	10.54	13.32	13.32
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		36.52	36.52								
	4-Wire Copper Loop/Short - without manual service inquiry and															
	facility reservation - Statewide	ı	SW	UCL	UCL4W	12.16	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	Order Coordination for Unbundled Copper Loops (per loop) 4-Wire Unbundled Copper Loop/Long - includes manual svc			UCL	UCLMC		36.52	36.52								ļ
	inquiry and facility reservation - Statewide		sw	UCL	UCL4L	12.15	131.99	120.02	10.65	1.41			20.35	10.54	13.32	13.32
	Order Coordination for Unbundled Copper Loops (per loop)	-	SW	UCL	UCLMC	12.13	36.52	36.52	10.03	1.41			20.33	10.54	13.32	13.32
	4-Wire Unbundled Copper Loop/Long - without manual svc.			002	CCLING		00.02	00.02								
	inquiry and facility reservation - Statewide	- 1	sw	UCL	UCL4O	12.16	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		36.52	36.52								
	CLEC to CLEC Conversion Charge without outside dispatch															
	(UCL-Des)	I		UCL	UREWO		31.99	20.02					20.35	10.54	13.32	13.32
LOOP MODIFI				1141 1111 1101												
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft			UAL, UHL, UCL, UEQ. ULS	ULM2L		65.40	65.40								
	Unbundled Loop Modification, Removal of Load Coils - 2 wire			UEQ, ULS	ULIVIZL		65.40	65.40				-				
	greater than 18k ft	1		UCL, ULS	ULM2G		710.71	23.77								
	Unbundled Loop Modification Removal of Load Coils - 4 Wire	•		OOL, OLO	OLIVIZO		7 10.71	20.77								
	less than or equal to 18K ft	- 1		UHL, UCL	ULM4L		65.40	65.40								
	Unbundled Loop Modification Removal of Load Coils - 4 Wire			,												
	pair greater than 18k ft	- 1		UCL	ULM4G		710.71	23.77								
	Unbundled Loop Modification Removal of Bridged Tap Removal,			UAL, UHL, UCL,												
OUD LOOPS	per unbundled loop	ı		UEQ, UEF, ULS	ULMBT		65.44	65.44								
SUB-LOOPS	oop Distribution															
Sub-Lo	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-															
	Up	1		UEANL	USBSA		517.25	517.25					20.35	10.54	13.32	13.32
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	1		UEANL	USBSB		42.68	42.68					20.35	10.54	13.32	13.32
	Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility Set-Up			UEANL	USBSC		313.01	313.01					20.35	10.54	13.32	13.32
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel	-		UEAINL	USBSC		313.01	313.01					20.35	10.54	13.32	13.32
	Set-Up	- 1		UEANL	USBSD		108.06	108.06					20.35	10.54	13.32	13.32
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -															
	Statewide		SW	UEANL	USBN2	10.02	148.84	112.34	73.14	36.65			20.35	10.54	13.32	13.32
					1100140		04.00	04.00								
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -			UEANL	USBMC		34.29	34.29								
	Zone 1		1	UEANL	USBN4	7.30	147.93	75.11	99.96	16.98			20.35	10.54	13.32	13.32
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -		<u> </u>	OL7 II VL	COBIT	7.00	147.50	70.11	55.50	10.50			20.00	10.04	10.02	10.02
	Zone 2		2	UEANL	USBN4	9.54	147.93	75.11	99.96	16.98			20.35	10.54	13.32	13.32
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -															
	Zone 3		3	UEANL	USBN4	12.47	147.93	75.11	99.96	16.98			20.35	10.54	13.32	13.32
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		34.29	34.29								
	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)			UEANL	USBR2	1.35	94.56	29.35	94.41	13.09			20.35	10.54	13.32	13.32
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		34.29	34.29								
1	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	 	 	UEANL	USBR4	2.26	116.14	34.29	99.96	16.98	1	1	20.35	10.54	13.32	13.32
1	Cap Loop + wile illiabalially Network Cable (IIVO)	- '-	 	OLAINE	JUDINA	2.20	110.14	37.10	55.50	10.90	1	-	20.33	10.34	13.32	13.32
1	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		1	UEANL	USBMC		34.29	34.29								
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	I	1	UEF	UCS2X	5.16	110.71	37.89	94.41	13.09			20.35	10.54	13.32	13.32
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	I	2	UEF	UCS2X	6.74	110.71	37.89	94.41	13.09			20.35	10.54	13.32	13.32
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	ı	3	UEF	UCS2X	8.81	110.71	37.89	94.41	13.09			20.35	10.54	13.32	13.32
			1				[
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		<u> </u>	UEF	USBMC		34.29	34.29								1

UNBUNDLE	D NETWORK ELEMENTS - Tennessee												Attachment:	2		Exhibit: E
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Order vs.	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring	A 1 III	Nonrecurring		201150	Looman		RATES (\$)		
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF	UCS4X	6.52	First 117.12	Add'I 44.30	First 99.96	Add'I 16.98	SOMEC	SOMAN	SOMAN 20.35	SOMAN 10.54	SOMAN 13.32	SOMAN 13.32
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	H		UEF	UCS4X	8.52	117.12	44.30	99.96	16.98			20.35	10.54	13.32	13.32
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	l i		UEF	UCS4X	11.14	117.12	44.30		16.98			20.35	10.54	13.32	13.32
Unbur	Order Coordination for Unbundled Sub-Loops, per sub-loop pair dled Sub-Loop Modification			UEF	USBMC		34.29	34.29								
	Unbundled Sub-Loop Modification - 2-W Copper Dist Load Coil/Equip Removal per 2-W PR			UEF	ULM2X		335.35	7.82					20.34	10.54	13.32	13.32
	Unbundled Sub-loop Modification - 4-W Copper Dist Load Coil/Equip Removal per 4-W PR			UEF	ULM4X		335.36	7.82					20.35	10.54	13.32	13.32
	Unbundled Sub-loop Modification - 2-w/4-w Copper Dist Bridged Tap Removal, per PR unloaded			UEF	ULM4T		528.48	9.74					20.35	10.54	13.32	13.32
Unbur	dled Network Terminating Wire (UNTW) Unbundled Network Terminating Wire (UNTW) per Pair	<u> </u>		UENTW	UENPP	0.45	2.48	2.48	1		1	1	20.35	10.54	13.32	13.32
Netwo	rk Interface Device (NID)	<u> </u>		UENTW	UENPP	0.45	2.48	2.48	-				20.35	10.54	13.32	13.32
Netwo	Network Interface Device (NID) - 1-2 lines			UENTW	UND12		89.69	54.56					20.35	10.54	13.32	13.32
	Network Interface Device (NID) - 1-6 lines			UENTW	UND16		129.65	94.51					20.35	10.54	13.32	13.32
	Network Interface Device Cross Connect - 2 W			UENTW	UNDC2		0.74	0.74					20.35	10.54	13.32	13.32
	Network Interface Device Cross Connect - 4W			UENTW	UNDC4		0.74	0.74					20.35	10.54	13.32	13.32
SUB-LOOPS																
Sub-L	pop Feeder															<u> </u>
	USL-Feeder, DS0 Set-up per Cross Box location - CLEC Distribution Facility set-up			UEA, UDN,UCL,UDL,UDC	USBFW		517.25									
	USL Feeder - DS0 Set-up per Cross Box location - per 25 pair set-up			UEA, UDN,UCL,UDL,UDC	USBFX		42.68	42.68	1							
	USL Feeder DS1 Set-up at DSX location, per DS1 termination			USL	USBFZ		531.04	11.34	+							
	Unbundled Sub-Loop Feeder Loop, 2 Wire Ground-Start, Voice			002	005. 2		501.01									
	Grade- Statewide		sw	UEA	USBFA	12.05	122.24	85.05	76.35	39.16			20.35	10.54	13.32	13.32
	Order Coordination for Specified Conversion Time, per LSR			UEA	OCOSL		34.29									
	Unbundled Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice															
	Grade - Statewide		SW	UEA	USBFB	12.05	122.24	85.05	76.35	39.16			20.35	10.54	13.32	13.32
	Order Coordination for Specified Time Conversion, per LSR			UEA	OCOSL		34.29									ļ
	Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery, Voice Grade Loop - Statewide		sw	UEA	USBFC	12.05	122.24	85.05	76.35	39.16			20.35	10.54	13.32	13.32
	Order Coordination For Specified Conversion Time, per LSR		SW	UEA	OCOSL	12.05	34.29	65.05	76.33	39.16			20.33	10.54	13.32	13.32
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice			OLA	CCCCL		34.23									
	Grade - Zone 1 Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice		1	UEA	USBFD	21.52	137.31	61.93	118.04	30.13			20.35	10.54	13.32	13.32
	Grade - Zone 2 Unbundled Sub-Loop Feeder Loop, 4 Wire Ground Start, Voice		2	UEA	USBFD	28.11	137.31	61.93	118.04	30.13			20.35	10.54	13.32	13.32
	Grade - Zone 3		3	UEA	USBFD	36.76	137.31	61.93	118.04	30.13			20.35	10.54	13.32	13.32
	Order Coordination For Specified Conversion Time, Per LSR			UEA	OCOSL		34.29									
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice Grade - Zone 1		1	UEA	USBFE	21.52	137.31	61.93	118.04	30.13			20.35	10.54	13.32	13.32
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice Grade - Zone 2		2	UEA	USBFE	28.11	137.31	61.93	118.04	30.13			20.35	10.54	13.32	13.32
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice	l	_						,							
	Grade - Zone 3	 	3	UEA	USBFE	36.76	137.31	61.93	118.04	30.13	1	1	20.35	10.54	13.32	13.32
	Order Coordination For Specified Conversion Time, Per LSR Unbundled Sub-Loop Feeder Loop, 2 Wire ISDN BRI - Zone 1		1	UEA UDN	OCOSL USBFF	16.11	34.29 142.83	67.45	104.67	18.53	-	-	19.99	19.99	19.99	19.99
	Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 2	 		UDN	USBFF	21.04	142.83	67.45	104.67	18.53	1	1	19.99	19.99	19.99	19.99
<u> </u>	Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 3	1		UDN	USBFF	27.51	142.83	67.45	104.64	18.53	1	1	19.99	19.99	19.99	19.99
	Order Coordination For Specified Conversion Time, Per LSR		Ľ	UDN	OCOSL		34.29									
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)			UDC	USBFS	16.11	142.83	67.45		18.53			19.99	19.99	19.99	19.99
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)			UDC	USBFS	21.04	142.83	67.45		18.53			19.99	19.99	19.99	19.99
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)			UDC	USBFS	27.51	142.83	67.45	104.64	18.53			19.99	19.99	19.99	19.99
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 1	ļ		USL	USBFG	39.74	116.00	40.62	106.82	18.91			19.99	19.99	19.99	19.99
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 2	l	2	USL	USBFG	51.90	116.00	40.62	106.82	18.91	l	l	19.99	19.99	19.99	19.99

<u>UNBU</u> NDLEI	D NETWORK ELEMENTS - Tennessee												Attachment:	2		Exhibit: E
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			1	Svc Order Submitted Manually per LSR	Order vs.	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring First	Add'l	Nonrecurring First	Disconnect Add'l	COMEC	SOMAN		ATES (\$)	SOMAN	SOMAN
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 3		3	LISI	USBFG	67.86	116.00	40.62	106.82	18.91	SOMEC	SOWAN	19.99	19.99	19.99	19.99
	Order Coordination For Specified Conversion Time, Per LSR		3	USL	OCOSL	07.00	34.29	40.02	100.02	10.31			13.33	13.33	15.55	15.55
	Unbundled Sub-Loop Feeder, 2-Wire Copper Loop - Zone 1		1	UCL	USBFH	9.52	114.27	38.89	104.64	18.53			19.99	19.99	19.99	19.99
	Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone															
	2		2	UCL	USBFH	12.43	114.27	38.89	104.64	18.53			19.99	19.99	19.99	19.99
	Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone		3	UCL	USBFH	16.26	114.27	38.89	104.64	18.53			19.99	19.99	19.99	19.99
	Order Coordination For Specified Conversion Time, per LSR		3	UCL	OCOSL	10.20	34.29	30.03	104.04	10.55			13.33	19.99	19.99	19.95
	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 1		1	UCL	USBFJ	14.37	123.41	48.03	110.44	22.53			19.99	19.99	19.99	19.99
	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 2		2	UCL	USBFJ	18.76	123.41	48.03	110.44	22.53			19.99	19.99	19.99	19.99
	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 3		3	UCL	USBFJ	24.53	123.41	48.03	110.44	22.53			19.99	19.99	19.99	19.99
	Order Coordination For Specified Conversion Time, per LSR			UCL	OCOSL		34.29									
	Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop		1	UDL	USBFN	26.06	116.00	40.62	106.82	18.91			19.99	19.99	19.99	19.99
	Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop			UDL	USBFN	34.03 44.50	116.00	40.62 40.62	106.82	18.91			19.99 19.99	19.99 19.99	19.99 19.99	19.99 19.99
	Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop -		3	UDL	USBFN	44.50	116.00	40.62	106.82	18.91		-	19.99	19.99	19.99	19.98
	Zone 1		1	UDL	USBFO	26.06	116.00	40.62	106.82	18.91			19.99	19.99	19.99	19.99
	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop -			ODL	OOD! O	20.00	110.00	40.02	100.02	10.01			10.00	10.00	10.00	10.00
	Zone 2 Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop -		2	UDL	USBFO	34.03	116.00	40.62	106.82	18.91			19.99	19.99	19.99	19.99
	Zone 3		3	UDL	USBFO	44.50	116.00	40.62	106.82	18.91			19.99	19.99	19.99	19.99
	Order Coordination For Specified Time Conversion, per LSR			UDL	OCOSL		34.29									
	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - Zone 1		1	UDL	USBFP	26.06	116.00	40.62	106.82	18.91			19.99	19.99	19.99	19.99
	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - Zone 2		2	UDL	USBFP	34.03	116.00	40.62	106.82	18.91			19.99	19.99	19.99	19.99
	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - Zone 3		3	UDL	USBFP	44.50	116.00	40.62	106.82	18.91			19.99	19.99	19.99	19.99
	Order Coordination For Specified Conversion Time, per LSR			UDL	OCOSL		34.29									
SUB-LOOPS																
Sub-Lo	oop Feeder															
	Sub Loop Feeder - DS3 - Per Mile Per Month			UE3	1L5SL	14.11										
	Sub Loop Feeder - DS3 - Facility Termination Per Month			UE3	USBF1	333.26	3,390.00	407.68	165.17	501.31			20.35	10.54	13.32	
-	Sub Loop Feeder – STS-1 – Per Mile Per Month Sub Loop Feeder - STS-1 - Facility Termination Per Month			UDLSX UDLSX	1L5SL USBF7	14.11 359.02	3,390.00	407.68	165.17	501.31	1		20.35	10.54	13.32	
-	Sub Loop Feeder - OC-3 - Per Mile Per Month			UDLO3	1L5SL	10.71	3,390.00	407.00	165.17	501.51	1	-	20.35	10.54	13.32	+
	Sub Loop Feeder - OC-3 - Facility Termination Protection Per			OBLOG	ILOOL	10.71										1
	Month			UDLO3	USBF5	56.64										
	Sub Loop Feeder - OC-3 - Facility Termination Per Month			UDLO3	USBF2	546.31	3,390.00	407.68	165.17	501.31			20.35	10.54	13.32	
	Sub Loop Feeder - OC-12 - Per Mile Per Month			UDL12	1L5SL	13.18										
	Sub Loop Feeder - OC-12 - Facility Termination Protection Per															
	Month			UDL12	USBF6	639.98										
	Sub Loop Feeder - OC-12 - Facility Termination Per Month			UDL12	USBF3	1,697.00	3,390.00	407.68	165.17	501.31			20.35	10.54	13.32	
	Sub Loop Feeder - OC-48 - Per Mile Per Month Sub Loop Feeder - OC-48 - Facility Termination Protection Per			UDL48	1L5SL	43.22	 				1					
	Month			UDL48	USBF9	320.36										
	Sub Loop Feeder - OC-48 - Facility Termination Per Month			UDL48	USBF4	1,457.00	3,576.00	407.68	165.17	501.31			20.35	10.54	13.32	
	Sub Loop Feeder - OC-12 Interface On OC-48			UDL48	USBF8	361.44	789.41	407.68	165.17	501.31						
UNBUNDLED L	OOP CONCENTRATION															
	Loop Channelization System			ULC	ULCCS	307.07	307.34	74.37	4.18				20.35	10.54	13.32	13.32
	CO Channel Interface - 2-Wire Voice Grade			ULC	ULCC2	1.20	9.57	9.52	8.66	8.60			20.35	10.54	13.32	13.32
	Unbundled Loop Concentration - System A (TR008)		<u> </u>	ULC	UCT8A	500.18	613.60	613.60	ļ		ļ		20.35	10.54	13.32	13.32
	Unbundled Loop Concentration - System B (TR008)	 		ULC	UCT8B	54.82	255.67	255.67			<u> </u>		20.35	10.54	13.32	13.32
	Unbundled Loop Concentration - System A (TR303) Unbundled Loop Concentration - System B (TR303)	!	-	ULC ULC	UCT3A UCT3B	539.00 92.37	613.60 255.67	613.60 255.67	 		 		20.35 20.35	10.54 10.54	13.32 13.32	13.32 13.32
-	Unbundled Loop Concentration - System B (1R303) Unbundled Loop Concentration - DS1 Loop Interface Card		-	ULC	UCTCO	6.23	74.39	53.07	30.23	8.46	 	+	20.35	10.54	13.32	13.32
	Unbundled Loop Concentration - ISDN Loop Interface (Brite				55.55	0.20	74.00	55.57	55.25	0.40			20.00	10.04	10.02	10.02
1	Card)	1	1	UDN	ULCC1	8.46	8.69	8.65	9.71	9.65			20.35	10.54	13.32	13.32

UNBUNDLE	NETWORK ELEMENTS - Tennessee							· · · · · · · · · · · · · · · · · · ·		· · · · · · · · · · · · · · · · · · ·			Attachment:	2		Exhibit: I
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Order vs.	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual Sv Order vs.
						Rec	Nonrecurring First	Add'l	Nonrecurring First	g Disconnect Add'l	SOMEC	SOMAN		RATES (\$)	SOMAN	SOMAN
	Unbundled Loop Concentration - UDC Loop Interface (Brite Card)			UDC	ULCCU	8.46	8.69	8.65	9.71	9.65			20.35	10.54	13.32	13.32
	Unbundled Loop Concentration2 Wire Voice-Loop Start or Ground Start Loop Interface (POTS Card)			UEA	ULCC2	2.32	8.69	8.65	9.71	9.65			20.35	10.54	13.32	13.32
	Unbundled Loop Concentration - 2 Wire Voice - Reverse Battery Loop Interface (SPOTS Card)			UEA	ULCCR	12.45	8.69	8.65	9.71	9.65			20.35	10.54	13.32	13.32
	Unbundled Loop Concentration - 4 Wire Voice Loop Interface (Specials Card)			UEA	ULCC4	7.53	8.69	8.65	9.71	9.65			20.35	10.54	13.32	13.332
	Unbundled Loop Concentration - TEST CIRCUIT Card			ULC	UCTTC	35.77	8.69	8.65	9.71	9.65			20.35	10.54	13.32	13.32
	Unbundled Loop Concentration - Digital 19.2 Kbps Data Loop Interface			UDL	ULCC7	11.03	8.069	8.65	9.71	9.65			20.35	10.54	13.32	13.32
	Unbundled Loop Concentration - Digital 56 Kbps Data Loop Interface			UDL	ULCC5	11.03	8.69	8.65	9.71	9.65			20.35	10.54	13.32	13.32
	Unbundled Loop Concentration - Digital 64 Kbps Data Loop Interface			UDL	ULCC6	11.03	8.69	8.65	9.71	9.65			20.35	10.54	13.32	13.32
UNE OTHER, P	ROVISIONING ONLY - NO RATE															
	NID - Dispatch and Service Order for NID installation			UENTW	UNDBX											
	UNTW Circuit Id Establishment, Provisioning Only - No Rate			UENTW	UENCE											
	Unbundled Contract Name, Provisioning Only - No Rate			UEANL,UEF,UEQ,U ENTW	UNECN											
UNE OTHER, P	ROVISIONING ONLY - NO RATE															
	Unbundled Contact Name, Provisioning Only - no rate Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no			UAL,UCL,UDC,UDL, UDN,UEA,UHL,ULC	UNECN	0.00	0.00									
	rate Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no			UEA,UDN,UCL,UDC	USBFQ	0.00	0.00									
	rate				USBFR	0.00	0.00									
	Unbundled DS1 Loop - Superframe Format Option - no rate Unbundled DS1 Loop - Expanded Superframe Format option -			USL	CCOSF	0.00	0.00									
	no rate			USL	CCOEF	0.00	0.00									
HIGH CAPACII	Y UNBUNDLED LOCAL LOOP 4 month minimum billing period										1					
NOTE:	High Capacity Unbundled Local Loop - DS3 - Per Mile per			LIEO	41.5115	0.10										
	month High Capacity Unbundled Local Loop - DS3 - Facility			UE3	1L5ND	9.19				170.10				00.04		40.04
	Termination per month High Capacity Unbundled Local Loop - STS-1 - Per Mile per			UE3	UE3PX	374.24	595.67	304.50	234.83	170.16			36.84	36.84	19.01	19.01
	month High Capacity Unbundled Local Loop - STS-1 - Facility			UDLSX	1L5ND	9.19										
	Termination per month			UDLSX	UDLS1	389.35	595.37	304.50	215.82	151.15			36.84	36.84	19.01	19.01
LOOP MAKE-U	Loop Makeup - Preordering Without Reservation, per working or															
	spare facility queried (Manual). Loop Makeup - Preordering With Reservation, per spare facility			UMK	UMKLW		100.00	100.00								
	queried (Manual). Loop MakeupWith or Without Reservation, per working or	- 1		UMK	UMKLP		100.00	100.00								
HIGH FREQUE	spare facility queried (Mechanized) NCY SPECTRUM	I		UMK	PSUMK		0.6888	0.6888								
	ERS-CENTRAL OFFICE BASED								Ì				Ì			1
	Line Sharing Splitter, per System 96 Line Capacity			ULS	ULSDA	100.00	150.00	0.00	150.00	0.00		0.00				
	Line Sharing Splitter, per System 24 Line Capacity	ı			ULSDB	25.00	150.00	0.00	150.00	0.00		0.00		-		
	Line Sharing Splitter, Per System, 8 Line Capacity				ULSD8	8.33	150.00	0.00	150.00	0.00	ļ	0.00				1
END US	SER ORDERING-CENTRAL OFFICE BASED-HIGH FREQUENCY	SPEC	IRUM		III ene	0.01	40.00	04.00	25.00	40.70	<u> </u>		20.25	40.54	40.00	40.00
	Line Sharing - per Line Activation			ULS	ULSDC	0.61	40.00	21.39	35.06	10.79			20.35	10.54	13.32	13.32
	Line Sharing - per Subsequent Activity per Line Rearrangement			ULS	ULSDS		30.00	15.00					20.35	10.54		

UNBUNDLE	D NETWORK ELEMENTS - Tennessee												Attachment:	2		Exhibit: E
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		· · · · · · · · · · · · · · · · · · ·	RATES(\$)	ı		Submitted Elec	Svc Order Submitted Manually per LSR	Order vs.	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Charge -
						Rec	Nonrecurring First	Add'l	Nonrecurring First	g Disconnect Add'l	SOMEC	SOMAN		RATES (\$)	SOMAN	SOMAN
	Line Splitting - per line activation BST owned - physical	<u> </u>		UEPSR UEPSB	UREBP	0.97	48.96	21.39	35.06	10.79	SOWIEC	JOWIAN	JOWAN	JOWAN	SOWAN	JOWAN
$\overline{}$	Line Splitting - per line activation BST owned - virtual	l i		UEPSR UEPSB	UREBV	0.91	48.96	21.39	35.06	10.79						
L	Enterophically per and delivation per entred virtual			02. 01. 02. 03	O.K.E.D.Y	0.01	10.00	21.00	00.00	10.10						
UNBUNDLED T																
INTERC	OFFICE CHANNEL - DEDICATED TRANSPORT - VOICE GRADE	<u> </u>														
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month			U1TVX	1L5XX	0.0054										
	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -			UTIVX	ILSXX	0.0054			†							
	Facility Termination per month			U1TVX	U1TV2	18.58	55.39	17.37	27.96	3.51			20.35	21.09	9.80	10.54
	Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade															
	Rev Bat Per Mile per month			U1TVX	1L5XX	0.0054			ļ							
	Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat	i		11477.07	LIATED	10.50	55.00	47.07	07.00	0.54			00.05	04.00	0.00	10.51
-	Facility Termination per month Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade -			U1TVX	U1TR2	18.58	55.39	17.37	27.96	3.51			20.35	21.09	9.80	10.54
	Per Mile per month			U1TVX	1L5XX	0.0054			1							
	Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade															
	- Facility Termination per month			U1TVX	U1TV4	24.09	37.87	26.02	30.78	13.07			15.08	15.08	8.66	8.66
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile															
	per month Interoffice Channel - Dedicated Transport - 56 kbps - Facility			U1TDX	1L5XX	0.0174										
	Termination per month			U1TDX	U1TD5	17.98	55.39	17.37	27.96	3.51			20.35	21.09	9.80	10.54
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile			OTIDA	01120	17.50	00.00	17.07	27.00	0.01			20.00	21.00	0.00	10.04
	per month			U1TDX	1L5XX	0.0174										
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility															
INITED	Termination per month			U1TDX	U1TD6	17.98	55.39	17.37	27.96	3.51			20.35	21.09	9.80	10.54
INTERC	DFFICE CHANNEL - DEDICATED TRANSPORT - DS1 Interoffice Channel - Dedicated Channel - DS1 - Per Mile per															
	month			U1TD1	1L5XX	0.3525										
	Interoffice Channel - Dedicated Tranport - DS1 - Facility				1-91-1	3,332										
	Termination per month			U1TD1	U1TF1	77.86	112.40	76.27	19.55	14.99			20.35	21.09	9.80	10.54
INTERC	DFFICE CHANNEL - DEDICATED TRANSPORT- DS3															
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month			U1TD3	1L5XX	2.34										
	Interoffice Channel - Dedicated Transport - DS3 - Facility			01103	ILSXX	2.34			†							
	Termination per month			U1TD3	U1TF3	848.99	395.29	176.56	109.04	105.91			36.84	36.84	19.01	19.01
INTERO	OFFICE CHANNEL - DEDICATED TRANSPORT- STS-1															
	Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per															
	month			U1TS1	1L5XX	2.34										
	Interoffice Channel - Dedicated Transport - STS-1 - Facility Termination per month			U1TS1	U1TFS	849.30	395.29	176.56	109.04	105.91			36.84	36.84	19.01	19.01
LOCAL	CHANNEL - DEDICATED TRANSPORT			01101	01110	040.00	030.20	170.00	100.04	100.01			00.04	00.04	10.01	10.01
	LOCAL CHANNEL DEDICATED TRANSPORT - minimum billin	g perio	d - belo													
	Local Channel - Dedicated - 2-Wire Voice Grade Per Month			ULDVX	ULDV2	19.43	199.33	24.16	54.81	4.80			20.35	10.54	13.32	13.32
	Local Channel - Dedicated - 2-Wire Voice Grade Rev Bat per			LII DVAV	LII DDC	10.70	400.00	24.42	F4.6.	4.00			00.05	04.00	0.00	10.51
	month Local Channel - Dedicated - 4-Wire Voice Grade per month		-	ULDVX UNDVX	ULDR2 ULDV4	19.43 20.56	199.33 201.53	24.16 24.83	54.81 55.52	4.80 5.51			20.35 20.35	21.09 20.35	9.80 13.32	10.54 13.32
 	Local Channel - Dedicated - 4-wire voice Grade per month		<u> </u>	ULDD1	ULDV4	40.99	277.35	233.26	33.18	22.30		 	45.68	1.76	21.75	13.32
	Local Channel - Dedicated - DS3 - Per Mile per month			ULDD3	1L5NC	7.15	277.00	200.20	55.10	22.00			70.00	1.70	21.70	1.70
	Local Channel - Dedicated - DS3 - Facility Termination per															
	month			ULDD3	ULDF3	611.30	595.37	304.50	215.82	151.15			36.84	36.84	19.01	19.01
ļ <u> </u>	Local Channel - Dedicated - STS-1- Per Mile per month			ULDS1	1L5NC	7.15			-	-	<u> </u>					
	Local Channel - Dedicated - STS-1 - Facility Termination per month			ULDS1	ULDFS	599.59	588.07	297.20	215.82	151.15			20.35	21.09	9.80	10.54
MULTIPLEXER			1	OLDO I	OLDI 3	399.59	300.07	231.20	213.02	131.13			20.33	21.09	3.00	10.54
	Channelization - DS1 to DS0 Channel System			UXTD1	MQ1	80.77	141.67	77.11	44.47	42.62			20.35	9.80	11.49	1.18
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per															
	month (2.4-64kbs)			UDL	1D1DD	1.82	6.07	4.66								

UNBUNDLE	D NETWORK ELEMENTS - Tennessee			T	1						1		Attachment:	2		Exhibit:
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		ı	RATES(\$)	Γ			Svc Order Submitted Manually per LSR		Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Charge - Manual Sv Order vs.
						Rec	Nonrecurring			g Disconnect			oss	RATES (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per															
	month			UDN	UC1CA	3.10	6.07	4.66								
	Voice Grade COCI - DS1 to DS0 Channel System - per month			UEA	1D1VG	0.91	6.07	4.66							44.40	
	DS3 to DS1 Channel System per month			UXTD3	MQ3 MQ3	222.98 222.98	308.03 308.03	108.47 108.47	6.34 6.34	4.23 4.23			20.35 20.35	9.80 21.09	11.49 9.80	
	STS1 to DS1 Channel System per month DS3 Interface Unit (DS1 COCI) used with Loop per month			UXTS1 USL	UC1D1	17.58	6.07	4.66	6.34	4.23	-	-	20.35	21.09	9.80	9.80
DARK FIBER	D33 interface offic (D31 COCI) used with Loop per month			USL	OCIDI	17.50	0.07	4.00			1	1				1
DAKK FIBEK	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction										+					+
	Thereof per month - Local Channel			UDF	1L5DC	53.23										
	NRC Dark Fiber - Local Channel			UDF	UDFC4	00.20	1,219.22	169.75	453.22	339.34	1		20.35	21.09	9.80	10.5
İ	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction		1		1	1	,		1	122.01					1.30	1.5.0
	Thereof per month - Interoffice Channel		1	UDF	1L5DF	53.23			I]			1	1	1	
	NRC Dark Fiber - Interoffice Channel		i	UDF	UDF14		1,219.22	169.75	453.22	339.34			20.35	21.09	9.80	10.5
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction															
	Thereof per month - Local Loop			UDF	1L5DL	53.23										
	NRC Dark Fiber - Local Loop			UDF	UDFL4		1,219.22	169.75	453.22	339.34			20.35	21.09	9.80	10.5
TRANSPORT C	OTHER															
	Clear Channel Capability (B8ZS/ESF) Option - Subsequent -															
	per DS1 Channel			UNC1X	CCOEF		185.16	23.85	2.03	0.79			20.35	21.09	9.80	10.5
	Clear Channel Capability (B8ZS/SF) Option - Subsequent - per															
	DS1 Channel			UNC1X	CCOSF		185.16	23.85	2.03	0.79			20.35	21.09	9.80	10.5
8XX ACCESS T	EN DIGIT SCREENING															
	8XX Access Ten Digit Screening, Per Call			OHD		0.0005192										
	8XX Access Ten Digit Screening, Reservation Charge Per 8XX			OUD	NODAY		5.04	0.70					00.05	00.05	40.00	40.0
	Number Reserved			OHD	N8R1X		5.21	0.76					20.35	20.35	13.28	13.2
	8XX Access Ten Digit Screening, Per 8XX No. Established W/O			OUD			44.47	4.40	7.04	0.7000			20.25	20.25	40.00	40.0
	POTS Translations 8XX Access Ten Digit Screening, Per 8XX No. Established With			OHD			11.47	1.46	7.34	0.7602	-		20.35	20.35	13.28	13.2
	POTS Translations			OHD	N8FTX		11.47	1.46	7.34	0.7602			20.35	20.35	13.28	13.28
	8XX Access Ten Digit Screening, Customized Area of Service			ОПО	INOF I A		11.47	1.40	7.34	0.7602	-		20.33	20.33	13.20	13.20
	Per 8XX Number			OHD	N8FCX		4.47	2.24					20.35	20.35	13.28	13.28
	8XX Access Ten Digit Screening, Multiple InterLATA CXR			OTID	NOI OX		7.77	2.24	1		1		20.55	20.55	13.20	13.20
	Routing Per CXR Requested Per 8XX No.			OHD	N8FMX		5.23	3.00					20.35	20.35	13.28	13.28
	8XX Access Ten Digit Screening, Change Charge Per Request			OHD	N8FAX		5.97	0.76					20.35	20.35	13.28	
	8XX Access Ten Digit Screening, Call Handling and Destination						0.01									
	Features			OHD	N8FDX		4.47						20.35	20.35	13.28	13.28
LINE INFORMA	ATION DATA BASE ACCESS (LIDB)															
	LIDB Common Transport Per Query			OQT		0.0000354										
	LIDB Validation Per Query			OQU		0.0117403										
	LIDB Originating Point Code Establishment or Change			OQT, OQU	NRPBX		49.03						20.35	20.35	13.28	13.28
SIGNALING (C																
	CCS7 Signaling Termination, Per STP Port			UDB	PT8SX	138.41					<u> </u>					
	CCS7 Signaling Usage, Per TCAP Message		<u> </u>	UDB		0.0000916	ļ <u> </u>		ļ							ļ
	CCS7 Signaling Connection, Per link (A link)		<u> </u>	UDB	TPP++	17.84	130.84	130.84	ļ	ļ	1		20.35	20.35	13.32	13.3
	CCS7 Signaling Connection, Per link (B link) (also known as D		1	LIDD	TDD	47.01	400.01	400.01	I]			00.00	00.00	40.00	40.0
	link)		<u> </u>	UDB	TPP++	17.84	130.84	130.84	_	 	 		20.35	20.35	13.32	13.3
	CCS7 Signaling Usage, Per ISUP Message		 	UDB UDB	STU56	0.0000373 352.30	 		 	-	1		 	 	 	
	CCS7 Signaling Usage Surrogate, per link per LATA CCS7 Signaling Point Code, per Originating Point Code	-	 	מטא	91096	352.30	 		-	-	 		-	-	-	1
	Establishment or Change, per STP affected		1	UDB	CCAPO		40.00	40.00	I]			20.35	20.35	13.32	13.3
	CCS7 Signaling Point Code, per Destination Point Code	-	 	טטט	CCAPO	1	40.00	40.00	+	1	1	-	20.35	20.35	13.32	13.3
	Establishment or Change, Per Stp Affected			UDB	CCAPD		8.00	8.00	1				20.35	20.35	13.32	13.3
CALLING NAM	E (CNAM) SERVICE		!	000	CCAPD	1	0.00	6.00	 	1	1		20.35	20.35	13.32	13.3
C. LELINO HAIN	CNAM for DB Owners, Per Query	1	†	OQV	1	0.01	 		-		†	<u> </u>	 	 	 	1
<u> </u>	CNAM for Non DB Owners, Per Query	-	<u> </u>	OQV	+	0.01	 		 	 	1		 	 	 	1
	CNAM (Non-Databs Owner), NRC, applies when using the	1	†		1	0.01	 		-		†	<u> </u>	 	 	 	1
1				oqv	CDDCH	1	595.00	595.00	1				20.35	20.35	13.28	13.2
	Character Based User Interface (CHUI)															

UNBUNDLE	D NETWORK ELEMENTS - Tennessee												Attachment:	2		Exhibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR		Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring			g Disconnect			oss i	RATES (\$)		
	Oper. Call Processing - Oper. Provided, Per Min Using BST						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	LIDB					1.20										İ
	Oper. Call Processing - Oper. Provided, Per Min Using					1.20										
	Foreign LIDB					1.24										ĺ
	Oper. Call Processing - Fully Automated, per Call - Using BST															
	LIDB					0.20										
	Oper. Call Processing - Fully Automated, per Call - Using Foreign LIDB					0.20										ĺ
INWARD OPER	ATOR SERVICES					0.20										
INVARIDOLER	Inward Operator Services - Verification, Per Call				+	1.00										<u> </u>
	Inward Operator Services - Verification and Emergency Interrupt															
	- Per Call					1.95										
BRANDING - O	PERATOR CALL PROCESSING							· · · · ·								
	Recording of Custom Branded OA Announcement				CBAOS		7,000.00	7,000.00					19.99	19.99	19.99	19.99
l laborer	Loading of Custom Branded OA Announcement per shelf/NAV				CBAOL		500.00	500.00	-	-	<u> </u>		19.99	19.99		
	ding via OLNS for UNEP CLEC Loading of OA per OCN (Regional)				+		1,200.00	1,200.00	-	1	 					
	SSISTANCE SERVICES				-		1,200.00	1,200.00								
	TORY ASSISTANCE ACCESS SERVICE															
	Directory Assistance Access Service Calls, Charge Per Call					0.25	İ				1					
DIRECT	TORY ASSISTANCE CALL COMPLETION ACCESS SERVICE (D	ACC)														
	Directory Assistance Call Completion Access Service (DACC),															
	Per Call Attempt					0.10										
DIREC	FORY TRANSPORT SWA Common transport per Directory Assistance Access															-
	SWA Common Transport per Directory Assistance Access Service Call SWA Common Transport per Directory Assistance Access					0.0003										
	Service Call Mile					0.00004										İ
	Access Tandem Switching per Directory Assistance Access					0.00004										
	Service Call					0.00055										İ
	DS3 to DS1 Multiplexer per DA Access Service Call					0.00018										
DIRECTORY AS	SSISTANCE SERVICES															
	TORY ASSISTANCE DATA BASE SERVICE (DADS)															
	Directory Assistance Data Base Service Charge Per Listing				2222	0.04										
DDANDING D	Directory Assistance Data Base Service, per month IRECTORY ASSISTANCE				DBSOF	150.00										
	Based CLEC															
Facility	Recording and Provisioning of DA Custom Branded				+					1	1					
	Announcement			AMT	CBADA		6,000.00	6,000.00								
	Loading of Custom Branded Announcement per DRAM							•								
	Card/Switch			AMT	CBADC		1,170.00	1,170.00		Į.	ļ					
UNEP (1		0.000.00	0.000.5		ļ	<u> </u>					
	Recording of DA Custom Branded Announcement		 		1		3,000.00	3,000.00	1		 					<u> </u>
	Loading of DA Custom Branded Announcement per DRAM Card/Switch per OCN						1,170.00	1,170.00								
Unbran	Iding via OLNS for UNEP CLEC				+		1,170.00	1,170.00		1	 					
	Loading of DA per OCN (1 OCN per Order)				1		420.00	420.00	1							
	Loading of DA per Switch per OCN						16.00	16.00								
SELECTIVE RO																
	Selective Routing Per Unique Line Class Code Per Request Per							· · · · · · · · · · · · · · · · · · ·								
MDTHALAS	Switch		 		USRCR		179.60	179.60		ļ	<u> </u>		30.89	7.03		
VIRTUAL COLI	OCATION Virtual Collocation - Application Cost			CLO	EAF		2,848.30	2,848.30		1	 					-
 	Virtual Collocation - Application Cost Virtual Collocation - Cable Installation Cost, per cable			CLO	ESPCX		2,848.30	2,848.30	1	1	 					
 	Virtual Collocation - Cable Installation Cost, per cable Virtual Collocation - Floor Space, per sq. ft.			CLO	ESPVX	3.20	2,730.00	2,730.00		1	 					
	Virtual Collocation - Power, per breaker amp			CLO	ESPAX	3.48	†		1							
	Virtual Collocation - Cable Support Structure, per entrance															
1	cable		L	CLO	ESPSX	13.35	<u> </u>		<u> </u>		L			<u> </u>	<u> </u>	1

UNBUNDLE	D NETWORK ELEMENTS - Tennessee												Attachment:	2		Exhibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			Submitted Elec	Svc Order Submitted Manually per LSR	Order vs.	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrecurring First	Add'l	Nonrecurring First	Disconnect	SOMEC	SOMAN		RATES (\$)	SOMAN	SOMAN
	Virtual Collocation - 2-Fiber Cross Connects			CLO	CNC2F	15.64	41.56	29.82	Tilot	Addi	JOINEO	JOMAN	JOWAN	JOWAN	JOHAN	JOHIAN
	Virtual Collocation - 4-Fiber Cross Connects			CLO	CNC4F	28.11	50.53	38.78								
	Virtual Collocatin - DS1 Cross Connects			USL,ULC,CLO	CNC1X	1.319	32.22	17.76	10.46	8.75						
	Virtual Collocatin - DS3 Cross Connects			USL,ULC,CLO	CND3X	56.25	151.90	11.83								
	Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure, per linear foot			AMTFS	PE1ES	0.0031										
	Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per linear ft			AMTFS	PE1DS	0.0045										
	Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure,per cable			AMTFS			555.03									
	Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per cable			AMTFS	1		555.03									İ
1	Virtual Collocatin - Security Escort - Basic, per half hour			CLO	SPTBX		41.00	25.00								
	Virtual Collocatin - Security Escort - Overtime, per half hour			CLO	SPTOX		48.00	30.00								
	Virtual Collocatin - Security Escort - Premium, per half hour			CLO	SPTPX		55.00	35.00								
	Virtual Collocatin - Maintenance in CO - Basic, per half hour			CLO	CTRLX		30.64	30.64								
	Virtual Collocatin - Maintenance in CO - Overtime, per half hour			CLO	SPTOM		35.77	35.77								
VIRTUAL COL	Virtual Collocatin - Maintenance in CO - Premium per half hour	-		CLO	SPTPM		40.90	40.90								—
VIRTUAL COL	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Voice Grade Res			UEPRX	PE1R2	0.30	19.20	19.20					19.99	19.99	19.99	19.99
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2- Wire Line Side PBX Trunk - Bus			UEPSP	VE1R2	0.30	19.20	19.20					19.99	19.99	19.99	19.99
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Voice Grade PBX Trunk - Res			UEPSE	VE1R2	0.30	19.20	19.20					19.99	19.99	19.99	19.99
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Analog Bus			UEPSB	VE1R2	0.30	19.20	19.20					19.99	19.99	19.99	19.99
	Virtual Collocation 2-Wire Cross Connect, Exchnage Port 2-Wire ISDN			UEPSX	VE1R2	0.30	19.20	19.20					19.99	19.99	19.99	19.99
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire ISDN Virtual Collocation 4-Wire Cross Connect, Exchange Port DDITS			UEPTX	VE1R2	0.30	19.20	19.20					19.99	19.99	19.99	19.99
	A-Wire DS1 Virtual Collocation 4-Wire Cross Connect, Exchange Port DDITS 4-Wire DS1 Virtual Collocation 4-Wire Cross Connect, Exchange Port 4-Wire			UEPDD	VE1R4	0.50	19.20	19.20					19.99	19.99	19.99	19.99
	ISDN DS1			UEPEX	VE1R4	0.50	19.20	19.20					19.99	19.99	19.99	19.99
VIRTUAL COL	LOCATION															
AIN SELECTIV	E CARRIER ROUTING															
	Regional Service Establishment			SRC	SRCEC		391,788.00						19.99	19.99	19.99	19.99
	End Office Establishment			SRC	SRCEO SRCLP		320.53 2.06	320.53 2.06					19.99 19.99	19.99 19.99	19.99 19.99	19.99 19.99
	Line/Port NRC, per end user Query NRC, per query			SRC SRC	SKCLP	0.000448	2.06	2.06					19.99	19.99	19.99	19.98
AIN - BELLSO	UTH AIN SMS ACCESS SERVICE			SKC		0.000446										
AIN BELLOO	AIN SMS Access Service - Service Establishment, Per State,															
	Initial Setup			A1N	CAMSE		135.56	135.56					20.35	20.35	13.28	13.28
	AIN SMS Access Service - Port Connection - Dial/Shared Access			A1N	CAMDP		41.75	41.75					20.35	20.35	13.28	13.28
	AIN SMS Access Service - Port Connection - ISDN Access AIN SMS Access Service - User Identification Codes - Per User			A1N	CAM1P		41.75	41.75					20.35	20.35	13.28	13.28
	ID Code AIN SMS Access Service - Security Card, Per User ID Code,			A1N	CAMAU		96.63	96.63					20.35	20.35	13.28	13.28
	Initial or Replacement AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)	 	-	A1N	CAIVIRC	0.0024	113.67	113.67					20.35	20.35	13.28	13.28
	AIN SMS Access Service - Storage, Per Unit (100 Kilobytes) AIN SMS Access Service - Session, Per Minute AIN SMS Access Service - Company Performed Session, Per					0.0024										
AIN - BELLSO	Minute UTH AIN TOOLKIT SERVICE					2.27										1
AIN - DELLOU	OTH AIR TOOLKII SERVICE	·	<u> </u>		1	ı	l J		1		·	1	l		l .	

	D NETWORK ELEMENTS - Tennessee												Attachment:	2		Exhibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Order vs.	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring		Nonrecurring	Disconnect			OSS F	RATES (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
	AIN Toolkit Service - Service Establishment Charge, Per State, Initial Setup			CAM	DADCC		132.04	400.04					20.25	20.25	40.00	40.00
	AIN Toolkit Service - Training Session, Per Customer			CAM	BAPSC BAPVX		7,915.00	132.04 7,915.00					20.35 20.35	20.35 20.35	13.28 13.28	13.28 13.28
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per						1,0100	.,								
	DN, Term. Attempt				BAPTT		31.21	31.21					20.35	20.35	13.28	13.28
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Delay				BAPTD		31.21	31.21					20.35	20.35	13.28	13.28
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				DAFID		31.21	31.21					20.33	20.33	13.20	13.20
	DN, Off-Hook Immediate				BAPTM		31.21	31.21					20.35	20.35	13.28	13.28
	AlN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN. 10-Digit PODP				ВАРТО		85,24	85.24					20.35	20.35	13.28	13.28
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per		1		DAFIU		85.∠4	85.∠4			 		20.35	20.35	13.28	13.28
	DN, CDP				BAPTC		85.24	85.24					20.35	20.35	13.28	13.28
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per														10.00	40.00
	DN, Feature Code AIN Toolkit Service - Query Charge, Per Query				BAPTF	0.0211882	85.24	85.24					20.35	20.35	13.28	13.28
	AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit				1	0.0211002										
	Subscription, Per Node, Per Query					0.0054774										
	AIN Toolkit Service - SCP Storage Charge, Per SMS Access Account, Per 100 Kilobytes					4.50										
	AIN Toolkit Service - Monthly report - Per AIN Toolkit Service					1.50										
	Subscription			CAM	BAPMS	17.43	33.52	33.52					20.35	20.35	13.28	13.28
	AIN Toolkit Service - Special Study - Per AIN Toolkit Service															
	Subscription AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service			CAM	BAPLS	0.1321116	36.23	36.23					20.35	20.35	13.28	13.28
	Subscription			CAM	BAPDS	17.35	33.52	33.52					20.35	20.35	13.28	13.28
	AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit															
1 1	This rooming control can Event openiar chary i or this rooming															
	Service Subscription			CAM	BAPES	0.0511435	36.23	36.23					20.35	20.35	13.28	13.28
	Service Subscription XTENDED LINK (EELs)	owing 9	SMAs										20.35	20.35	13.28	13.28
NOTE:	Service Subscription			Orlando, FL; Miami	, FL; Ft. Laud	erdale, FLI; Na	shville, TN; Nev						20.35	20.35	13.28	13.28
NOTE:	Service Subscription XTENDED LINK (EELs) : New EELs available in State of Georgia, density zone 1 of foll : Charlotte-Gastonia-Rockhill, NC; Greensboro-Winston Salem	-High P	oint, N	Orlando, FL; Miami C. Use all rates belo	, FL; Ft. Laud ow except Sw	erdale, FLI; Na itch As Is Char	shville, TN; Nev ge.	w Orleans, LA;								
NOTE:	Service Subscription XTENDED LINK (EELs) New EELs available in State of Georgia, density zone 1 of foll Charlotte-Gastonia-Rockhill, NC; Greensboro-Winston Salem In all states, EEL network elements shown below also apply	-High P	oint, N	Orlando, FL; Miami C. Use all rates belo	, FL; Ft. Laud ow except Sw hich are conv	erdale, FLI; Na itch As Is Char erted to UNE ra	shville, TN; Nev ge.	w Orleans, LA;		ntly combined	facilities co	onverted to				
NOTE: NOTE: NOTE:	Service Subscription XTENDED LINK (EELs) : New EELs available in State of Georgia, density zone 1 of foll : Charlotte-Gastonia-Rockhill, NC; Greensboro-Winston Salem : In all states, EEL network elements shown below also apply to In GA, TN, KY, LA & MS, the EEL network elements apply to C	High P o curre	ntly co	Orlando, FL; Miami C. Use all rates belo mbined facilities who bined network elem	, FL; Ft. Laud ow except Sw hich are conv	erdale, FLI; Na itch As Is Char erted to UNE ra	shville, TN; Nev ge.	w Orleans, LA;		ntly combined	facilities co	onverted to				
NOTE: NOTE: NOTE:	Service Subscription XTENDED LINK (EELs) New EELs available in State of Georgia, density zone 1 of foll Charlotte-Gastonia-Rockhill, NC; Greensboro-Winston Salem In all states, EEL network elements shown below also apply	High P o curre	ntly co	Orlando, FL; Miami C. Use all rates belo mbined facilities who bined network elem	, FL; Ft. Laud ow except Sw hich are conv	erdale, FLI; Na itch As Is Char erted to UNE ra	shville, TN; Nev ge.	w Orleans, LA;		ntly combined	facilities co	onverted to				
NOTE: NOTE: NOTE:	Service Subscription XTENDED LINK (EELs) : New EELs available in State of Georgia, density zone 1 of foll : Charlotte-Gastonia-Rockhill, NC; Greensboro-Winston Salem : In all states, EEL network elements shown below also apply to the state of the state	High P o curre	ntly co	Orlando, FL; Miami C. Use all rates belo mbined facilities who bined network elem	, FL; Ft. Laud ow except Sw hich are conv	erdale, FLI; Na itch As Is Char erted to UNE ra	shville, TN; Nev ge.	w Orleans, LA;		ntly combined	facilities co	onverted to)
NOTE: NOTE: NOTE:	Service Subscription XTENDED LINK (EELs) : New EELs available in State of Georgia, density zone 1 of foll : Charlotte-Gastonia-Rockhill, NC; Greensboro-Winston Salem : In all states, EEL network elements shown below also apply to the in GA, TN, KY, LA & MS, the EEL network elements apply to the EVOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT	High P o curre	ently co ly comi ICE TR	Orlando, FL; Miami C. Use all rates belo mbined facilities wi bined network elem ANSPORT (EEL) UNCVX	, FL; Ft. Laud ow except Sw hich are conv tents.(No Swi	erdale, FLI; Na itch As Is Char erted to UNE ra tch As Is Charg	shville, TN; Nev ge. ates. A Switch / ee.)	As Is Charge a	pplies to curre	10.86	facilities co	onverted to	UNEs.(Non-re	curring rates	do not apply	10.54
NOTE: NOTE: NOTE:	Service Subscription XTENDED LINK (EELs) : New EELs available in State of Georgia, density zone 1 of foll : Charlotte-Gastonia-Rockhill, NC; Greensboro-Winston Salem : In all states, EEL network elements shown below also apply to the state of the state	High P o curre	ently co ly comi ICE TR	Orlando, FL; Miami C. Use all rates belo mbined facilities wl bined network elem ANSPORT (EEL)	, FL; Ft. Laud ow except Sw hich are conv nents.(No Swi	erdale, FLI; Na itch As Is Char erted to UNE ra tch As Is Char	shville, TN; Nev ge. ates. A Switch /	w Orleans, LA;	pplies to curre		facilities co	onverted to	UNEs.(Non-re	curring rates	do not apply	10.54
NOTE: NOTE: NOTE:	Service Subscription XTENDED LINK (EELs) : New EELs available in State of Georgia, density zone 1 of foll : Charlotte-Gastonia-Rockhill, NC; Greensboro-Winston Salem : In all states, EEL network elements shown below also apply to the state of the state	High P o curre	ently co ly comb FICE TR	Orlando, FL; Miami C. Use all rates belo mbined facilities wi bined network elem ANSPORT (EEL) UNCVX	, FL; Ft. Laud ow except Sw hich are conv tents.(No Swi	erdale, FLI; Na itch As Is Char erted to UNE ra tch As Is Charg	shville, TN; Nev ge. ates. A Switch / ee.)	As Is Charge a	pplies to curre	10.86	facilities co	onverted to	UNEs.(Non-re	curring rates	do not apply	10.54
NOTE: NOTE: NOTE:	Service Subscription XTENDED LINK (EELs) New EELs available in State of Georgia, density zone 1 of foll Charlotte-Gastonia-Rockhill, NC; Greensboro-Winston Salem- In all states, EEL network elements shown below also apply to a compare to the com	High P o curre	ently co ly comb FICE TR	Orlando, FL; Miami C. Use all rates belo mbined facilities wi bined network elem ANSPORT (EEL) UNCVX UNCVX	p. FL; Ft. Laud ow except Sw hich are conv ents.(No Swi UEAL2 UEAL2	erdale, FLI; Na itch As Is Char erted to UNE ratch As Is Charg 16.56 21.63	shville, TN; Ner ge. ates. A Switch A e.) 108.76	As Is Charge a 35.47	72.94	10.86	facilities co	onverted to	UNEs.(Non-re	21.09 21.09	9.80 9.80	10.54
NOTE: NOTE: NOTE:	Service Subscription XTENDED LINK (EELs): New EELs available in State of Georgia, density zone 1 of foll Charlotte-Gastonia-Rockhill, NC; Greensboro-Winston Salem: In all states, EEL network elements shown below also apply to a ling A, TN, KY, LA & MS, the EEL network elements apply to a VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 1 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 2 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile per month	High P o curre	ently co ly comb FICE TR	Orlando, FL; Miami C. Use all rates belo mbined facilities wl bined network elem ANSPORT (EEL) UNCVX	, FL; Ft. Laudow except Swinich are convents.(No Swinich Swini	erdale, FLI; Na itch As Is Char erted to UNE ra tch As Is Charg	shville, TN; Ner ge. ates. A Switch A e.) 108.76	As Is Charge a 35.47	72.94	10.86	facilities co	onverted to	UNEs.(Non-re	21.09 21.09	9.80 9.80	10.54
NOTE: NOTE: NOTE:	Service Subscription XTENDED LINK (EELs) : New EELs available in State of Georgia, density zone 1 of foll : Charlotte-Gastonia-Rockhill, NC; Greensboro-Winston Salem : In all states, EEL network elements shown below also apply to the state of the state	High P o curre	ently co ly comb FICE TR	Orlando, FL; Miami C. Use all rates belo mbined facilities who bined network elem ANSPORT (EEL) UNCVX UNCVX UNCVX UNCVX UNCVX UNC1X	, FL; Ft. Laud pow except Sw hich are conv eients.(No Swi UEAL2 UEAL2 UEAL2 1L5XX U1TF1	erdale, FLI; Na itch As Is Char erted to UNE ratch As Is Charg 16.56 21.63 28.28 0.3525 77.86	shville, TN; Ne ge. ates. A Switch e.) 108.76 108.76	w Orleans, LA; As Is Charge a 35.47 35.47 113.12	72.94 72.94 72.94	10.86 10.86 10.86	facilities or	onverted to	UNEs.(Non-re	21.09 21.09	9.80 9.80	10.54 10.54
NOTE: NOTE: NOTE:	Service Subscription XTENDED LINK (EELs): New EELs available in State of Georgia, density zone 1 of foll Charlotte-Gastonia-Rockhill, NC; Greensboro-Winston Salem: In all states, EEL network elements shown below also apply to the state of	High P o curre	ently co ly comb FICE TR	Orlando, FL; Miami C. Use all rates belo mbined facilities wl bined network elem ANSPORT (EEL) UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCIX UNC1X UNC1X	J. FL; Ft. Laudow except Sw hich are convents.(No Swi UEAL2 UEAL2 UEAL2 1L5XX U1TF1 MQ1	erdale, FLI; Na itch As Is Char erted to UNE ratch As Is Charge 16.56 21.63 28.28 0.3525 77.86 80.77	shville, TN; Nev ge. 108.76 108.76 108.76 108.76 108.76	w Orleans, LA; As Is Charge a 35.47 35.47 35.47 113.12 49.95	72.94 72.94	10.86 10.86	facilities or	onverted to	20.35 20.35 20.35	21.09 21.09	9.80 9.80	10.54 10.54
NOTE: NOTE: NOTE:	Service Subscription XTENDED LINK (EELs) : New EELs available in State of Georgia, density zone 1 of foll : Charlotte-Gastonia-Rockhill, NC; Greensboro-Winston Salem : In all states, EEL network elements shown below also apply to the state of the state	High P o curre	ently co ly comb FICE TR	Orlando, FL; Miami C. Use all rates belo mbined facilities who bined network elem ANSPORT (EEL) UNCVX UNCVX UNCVX UNCVX UNCVX UNC1X	, FL; Ft. Laud pow except Sw hich are conv eients.(No Swi UEAL2 UEAL2 UEAL2 1L5XX U1TF1	erdale, FLI; Na itch As Is Char erted to UNE ratch As Is Charg 16.56 21.63 28.28 0.3525 77.86	shville, TN; Ne ge. ates. A Switch e.) 108.76 108.76	w Orleans, LA; As Is Charge a 35.47 35.47 113.12	72.94 72.94 72.94	10.86 10.86 10.86	facilities or	onverted to	20.35 20.35 20.35	21.09 21.09	9.80 9.80	13.28 10.54 10.54 10.54
NOTE: NOTE: NOTE:	Service Subscription XTENDED LINK (EELs): New EELs available in State of Georgia, density zone 1 of foll Charlotte-Gastonia-Rockhill, NC; Greensboro-Winston Salem: In all states, EEL network elements shown below also apply to the state of	High P o curre	ently co ly comb FICE TR	Orlando, FL; Miami C. Use all rates belo mbined facilities wl bined network elem ANSPORT (EEL) UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCIX UNC1X UNC1X	J. FL; Ft. Laudow except Sw hich are convents.(No Swi UEAL2 UEAL2 UEAL2 1L5XX U1TF1 MQ1	erdale, FLI; Na itch As Is Char erted to UNE ratch As Is Charge 16.56 21.63 28.28 0.3525 77.86 80.77	shville, TN; Nev ge. 108.76 108.76 108.76 108.76 108.76	w Orleans, LA; As Is Charge a 35.47 35.47 35.47 113.12 49.95	72.94 72.94 72.94	10.86 10.86 10.86	facilities or	onverted to	20.35 20.35 20.35	21.09 21.09	9.80 9.80	10.54 10.54
NOTE: NOTE: NOTE:	Service Subscription XTENDED LINK (EELs): New EELs available in State of Georgia, density zone 1 of foll Charlotte-Gastonia-Rockhill, NC; Greensboro-Winston Salem: In all states, EEL network elements shown below also apply to the State of Georgia, density zone 1 of foll In GA, TN, KY, LA & MS, the EEL network elements apply to the EVOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 1 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 2 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile per month Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month DS1 Channelization System Per Month Voice Grade COCI - DS1 To Ds0 Interface - Per Month Each Additional 2-Wire VG Loop(SL 2) in the same DS1 Interoffice Transport Combination - Zone 1 Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 1	High P o curre	ently co ly coml ICE TR	Orlando, FL; Miami C. Use all rates belo mbined facilities wi bined network elem ANSPORT (EEL) UNCVX UNCVX UNCVX UNCVX UNCVX UNC1X UNC1X UNC1X UNC1X UNC1X UNC1X UNCVX	JEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2	erdale, FLI; Naritch As Is Charreted to UNE ratch As Is Charge 16.56 21.63 28.28 0.3525 77.86 80.77 0.91 16.56	shville, TN; Nev ge. 108.76 108.76 108.76 171.24 214.52 5.70 108.76	w Orleans, LA; As Is Charge a 35.47 35.47 113.12 49.95 4.42 35.47	72.94 72.94 72.94 72.94 72.94	10.86 10.86 10.86 30.90 13.60	facilities co	ponverted to	20.35 20.35 20.35 20.35	21.09 21.09 21.09 21.09	9.80 9.80 9.80 9.80	10.54 10.54 10.54
NOTE: NOTE: NOTE:	Service Subscription XTENDED LINK (EELs) : New EELs available in State of Georgia, density zone 1 of foll : Charlotte-Gastonia-Rockhill, NC; Greensboro-Winston Salem : In all states, EEL network elements shown below also apply to the state of Georgia, density zone 1 of foll : In GA, TN, KY, LA & MS, the EEL network elements apply to the state of Georgia of Geor	High P o curre	oint, Nonthly co ly comining the state of th	Orlando, FL; Miami C. Use all rates belo mbined facilities wl bined network elem ANSPORT (EEL) UNCVX UNCVX UNCVX UNCVX UNCVX UNC1X UNC1X UNC1X UNC1X UNC1X UNC1X UNC1X	, FL; Ft. Laud which are convenents.(No Swi UEAL2 UEAL2 UEAL2 1L5XX U1TF1 MQ1 1D1VG	erdale, FLI; Na itch As Is Char erted to UNE ratch As Is Charge 16.56 21.63 28.28 0.3525 77.86 80.77 0.91	shville, TN; Nev ge. ttes. A Switch (e.) 108.76 108.76 108.76 171.24 214.52 5.70	w Orleans, LA; As is Charge a 35.47 35.47 113.12 49.95 4.42	72.94 72.94 72.94 70.07 75.98	10.86 10.86 10.86 30.90 13.60	facilities of	ponverted to	20.35 20.35 20.35 20.35	21.09 21.09 21.09 21.09	9.80 9.80 9.80	10.54 10.54 10.54 10.54
NOTE: NOTE: NOTE:	Service Subscription XTENDED LINK (EELs): New EELs available in State of Georgia, density zone 1 of foll Charlotte-Gastonia-Rockhill, NC; Greensboro-Winston Salem: In all states, EEL network elements shown below also apply to the State of Georgia, density zone 1 of foll In GA, TN, KY, LA & MS, the EEL network elements apply to the EVOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 1 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 2 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile per month Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month DS1 Channelization System Per Month Voice Grade COCI - DS1 To Ds0 Interface - Per Month Each Additional 2-Wire VG Loop(SL 2) in the same DS1 Interoffice Transport Combination - Zone 1 Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 1	High P o curre	ently co ly coml CICE TR	Orlando, FL; Miami C. Use all rates belo mbined facilities wi bined network elem ANSPORT (EEL) UNCVX UNCVX UNCVX UNCVX UNC1X UNC1X UNC1X UNC1X UNC1X UNC1X UNCVX UNCVX UNCVX	JEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2	erdale, FLI; Na itch As Is Char erted to UNE retch As Is Charge 16.56 21.63 28.28 0.3525 77.86 80.77 0.91 16.56 21.63	shville, TN; Ne ge. 108.76 108.76 108.76 171.24 214.52 5.70 108.76	35.47 35.47 35.47 35.47 35.47 35.47 35.47	72.94 72.94 72.94 72.94 72.94 72.94	10.86 10.86 10.86 30.90 13.60	facilities co	onverted to	20.35 20.35 20.35 20.35 20.35	21.09 21.09 21.09 21.09	9.80 9.80 9.80 9.80	10.54 10.54 10.54 10.54
NOTE: NOTE: NOTE:	Service Subscription XTENDED LINK (EELs) : New EELs available in State of Georgia, density zone 1 of foll : Charlotte-Gastonia-Rockhill, NC; Greensboro-Winston Salem : In all states, EEL network elements shown below also apply to the sale of the	High P o curre	ently co ly coml CICE TR	Orlando, FL; Miami C. Use all rates belo mbined facilities wl bined network elem ANSPORT (EEL) UNCVX UNCVX UNCVX UNCVX UNC1X UNC1X UNC1X UNC1X UNC1X UNC1X UNCYX UNCVX UNCVX	JEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2	erdale, FLI; Na itch As Is Char erted to UNE ra tch As Is Charg 16.56 21.63 28.28 0.3525 77.86 80.77 0.91 16.56 21.63	shville, TN; Nev ge. 108.76 108.76 108.76 171.24 214.52 5.70 108.76 108.76	35.47 35.47 35.47 35.47 35.47 35.47 35.47 35.47	72.94 72.94 72.94 72.94 72.94	10.86 10.86 10.86 30.90 13.60	facilities co	onverted to	20.35 20.35 20.35 20.35	21.09 21.09 21.09 21.09 21.09	9.80 9.80 9.80 9.80 9.80	10.54 10.54 10.54 10.54
NOTE: NOTE: NOTE:	Service Subscription XTENDED LINK (EELs) : New EELs available in State of Georgia, density zone 1 of foll : Charlotte-Gastonia-Rockhill, NC; Greensboro-Winston Salem : In all states, EEL network elements shown below also apply to the sale of the	High P	ently co ly coml CICE TR	Orlando, FL; Miami C. Use all rates belo mbined facilities wi bined network elem ANSPORT (EEL) UNCVX UNCVX UNCVX UNCVX UNC1X UNC1X UNC1X UNC1X UNC1X UNC1X UNCVX UNCVX UNCVX	J. FL; Ft. Laudow except Sw hich are convents.(No Swinerts.(No Swinerts.(No Swinerts.)) UEAL2 UEAL2 UEAL2 1L5XX U1TF1 MQ1 1D1VG UEAL2 UEAL2	erdale, FLI; Na itch As Is Char erted to UNE retch As Is Charge 16.56 21.63 28.28 0.3525 77.86 80.77 0.91 16.56 21.63	shville, TN; Ne ge. 108.76 108.76 108.76 171.24 214.52 5.70 108.76	35.47 35.47 35.47 35.47 35.47 35.47 35.47	72.94 72.94 72.94 72.94 72.94 72.94	10.86 10.86 10.86 30.90 13.60	facilities co	onverted to	20.35 20.35 20.35 20.35 20.35	21.09 21.09 21.09 21.09 21.09	9.80 9.80 9.80 9.80 9.80	10.54 10.54 10.54 10.54
NOTE: NOTE: NOTE:	Service Subscription XTENDED LINK (EELs) : New EELs available in State of Georgia, density zone 1 of foll : Charlotte-Gastonia-Rockhill, NC; Greensboro-Winston Salem : In all states, EEL network elements shown below also apply to the sale of the	High P	ently co ly coml CICE TR	Orlando, FL; Miami C. Use all rates belo mbined facilities wl bined network elem ANSPORT (EEL) UNCVX UNCVX UNCVX UNCVX UNC1X UNC1X UNC1X UNC1X UNC1X UNC1X UNCYX UNCVX UNCVX	JEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2	erdale, FLI; Na itch As Is Char erted to UNE ra tch As Is Charg 16.56 21.63 28.28 0.3525 77.86 80.77 0.91 16.56 21.63	shville, TN; Nev ge. 108.76 108.76 108.76 171.24 214.52 5.70 108.76 108.76 108.76	35.47 35.47 35.47 35.47 35.47 35.47 35.47 35.47	72.94 72.94 72.94 72.94 72.94 72.94	10.86 10.86 10.86 30.90 13.60	facilities of	onverted to	20.35 20.35 20.35 20.35 20.35	21.09 21.09 21.09 21.09 21.09	9.80 9.80 9.80 9.80 9.80	10.54 10.54

4Q01:12/01/01 PAGE 298 OF 324

UNBUNDLE	D NETWORK ELEMENTS - Tennessee				1	1					ı	1	Attachment:	2		Exhibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring		Nonrecurring				oss i	RATES (\$)		
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Transport Combination - Zone 1		1	UNCVX	UEAL4	24.70	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	32.25	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	42.17	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
	Interoffice Transport - Dedicated - DS1 combination - Per Mile		3				100.70	33.47	72.54	10.00			20.33	21.09	9.00	10.34
	Per Month Interoffice Transport - Dedicated - DS1 - Facility Termination Per			UNC1X	1L5XX	0.3525										
	Month Channelization - Channel System DS1 to DS0 combination Per			UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09	9.80	10.54
	Month			UNC1X	MQ1	80.77	214.52	49.95	75.98	13.60						
	Voice Grade COCI - DS1 to DS0 Channel System combination - per month			UNCVX	1D1VG	0.91	5.70	4.42								
	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	24.70	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
	Additional 4-Wire Analog Voice Grade Loop in same DS1		-	UNCVX	UEAL4	24.70	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
	Interoffice Transport Combination - Zone 2 Additional 4-Wire Analog Voice Grade Loop in same DS1		2	UNCVX	UEAL4	32.25	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	42.17	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
	Voice Grade COCI - DS1 to DS0 Channel System combination - per month			UNCVX	1D1VG	0.91	5.70	4.42								
	Nonrecurring Currently Combined Network Elements Switch -As- ls Charge			UNC1X	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09	9.80	10.54
4-WIRE	56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 I	NTERO	FFICE				32.73	24.02	9.12	5.12			20.33	21.09	9.00	10.34
	First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	31.10	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
	First 4-wire 56Kbps Digital Grade Loop in a DS1 Interoffice															
	Transport Combination - Zone 2 First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice		2	UNCDX	UDL56	40.61	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
	Transport Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile		3	UNCDX	UDL56	53.11	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
	Per Month			UNC1X	1L5XX	0.3525										
	Interoffice Transport - Dedicated - DS1 - combination Facility Termination Per Month			UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09	9.80	10.54
	Channelization - Channel System DS1 to DS0 combination Per Month			UNC1X	MQ1	80.77	214.52	49.95	75.98	13.60						
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per								73.90	13.00						
	month (2.4-64kbs) Additional 4-Wire 56Kbps Digital Grade Loopin same DS1			UNCDX	1D1DD	1.82	5.70	4.42								
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	31.10	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	40.61	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	53.11	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
	OCU-DP COCI (data) - DS1 to DS0 Channel System -															
	combination per month (2.4-64kbs) Nonrecurring Currently Combined Network Elements Switch -As-			UNCDX	1D1DD	1.82	5.70	4.42								
	Is Charge	NTCSS	FFIAF	UNC1X	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09	9.80	10.54
4-WIRE	64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 I First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice	NIEKO	FFICE	` '												
	Transport Combination - Zone 1 First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice		1	UNCDX	UDL64	31.10	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
	Transport Combination - Zone 2		2	UNCDX	UDL64	40.61	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	53.11	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0.3525					_					

NRONDLE	NETWORK ELEMENTS - Tennessee		1	1									Attachment:	2		Exhibit
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge
						Rec	Nonrecurring First	Add'l	Nonrecurring First	Disconnect Add'l	SOMEC	SOMAN	OSS F	RATES (\$)	SOMAN	SOMA
	Interoffice Transport - Dedicated - DS1 combination - Facility						1 1131	Auu	1 1130	Auu	COMILO	COMPAR	OOMAIT	COMPAN	COMPAR	
	Termination Per Month			UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09	9.80	10
	Channelization - Channel System DS1 to DS0 combination Per Month			LINGAY	MQ1	80.77	044.50	49.95	75.00	10.00			00.05	21.09	9.80	1
	OCU-DP COCI (data) - DS1 to DS0 Channel System			UNC1X	IVIQ1	80.77	214.52	49.95	75.98	13.60			20.35	21.09	9.80	- '
	combination - per month (2.4-64kbs)			UNCDX	1D1DD	1.82	5.70	4.42								
	Additional 4-Wire 64Kbps Digital Grade Loopin same DS1															1
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	31.10	108.76	35.47	72.94	10.86			20.35	21.09	9.80	1
	Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	40.61	108.76	35.47	72.94	10.86			20.35	21.09	9.80	1
	Additional 4-Wire 64Kbps Digital Grade Loopin same DS1			UNCDX	ODL04	40.01	100.70	33.47	12.54	10.00			20.33	21.09	9.00	+
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	53.11	108.76	35.47	72.94	10.86			20.35	21.09	9.80	
	OCU-DP COCI (data) - DS1 to DS0 Channel System															
	combination - per month (2.4-64kbs)			UNCDX	1D1DD	1.82	5.70	4.42								<u> </u>
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNC1X	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09	9.80	
4-WIRE	DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INT	EROFFI	CE TR		014000		32.73	24.02	9.12	3.12			20.55	21.03	3.00	+
	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice			, ,												
	Transport - Zone 1		1	UNC1X	USLXX	57.73	228.40	161.74	79.87	24.88			20.35	21.09	9.80	
	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice		_	LINGAV	LICLYY	75.40	220.40	404.74	70.07	24.00			20.25	24.00	0.00	
	Transport - Zone 2 4-Wire DS1 Digital Loop in Combination with DS1 Interoffice		2	UNC1X	USLXX	75.40	228.40	161.74	79.87	24.88			20.35	21.09	9.80	
	Transport - Zone 3		3	UNC1X	USLXX	98.59	228.40	161.74	79.87	24.88			20.35	21.09	9.80	
	Interoffice Transport - Dedicated - DS1 combination - Per Mile															
	Per Month			UNC1X	1L5XX	0.3525										
	Interoffice Transport - Dedicated - DS1 combination - Facility			LINGAY		77.00	474.04	440.40	70.07	00.00			00.05	04.00	0.00	
	Termination Per Month Nonrecurring Currently Combined Network Elements Switch -As-			UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09	9.80	
	Is Charge			UNC1X	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09	9.80	
4-WIRE	DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INT	ROFFI	CE TR	ANSPORT (EEL)												1
	First DS1Loop in DS3 Interoffice Transport Combination - Zone		١.													
	First DS1Loop in DS3 Interoffice Transport Combination - Zone		1	UNC1X	USLXX	57.73	228.40	161.74	79.87	24.88			20.35	21.09	9.80	
	2		2	UNC1X	USLXX	75.40	228.40	161.74	79.87	24.88			20.35	21.09	9.80	
	First DS1Loop in DS3 Interoffice Transport Combination - Zone															
	3		3	UNC1X	USLXX	98.59	228.40	161.74	79.87	24.88			20.35	21.09	9.80	
	Interoffice Transport - Dedicated - DS3 combination - Per Mile			UNC3X	1L5XX	2.34										
-	Per Month Interoffice Transport - Dedicated - DS3 - Facility Termination per			UNCSA	ILSAA	2.34										+
	month			UNC3X	U1TF3	848.99	428.01	153.81	64.43	35.43			20.35	21.09	9.80	
	DS3 to DS1 Channel System combination per month			UNC3X	MQ3	222.98	319.48	126.63	45.53	17.05						
	DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	17.58	6.52	2.58								<u> </u>
	Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 1		1	UNC1X	USLXX	57.73	228.40	161.74	79.87	24.88			20.35	21.09	9.80	
	Additional DS1Loop in DS3 Interoffice Transport Combination -		-	ONOTA	OOLXX	37.13	220.40	101.74	73.07	24.00			20.55	21.03	9.00	†
	Zone 2		2	UNC1X	USLXX	75.40	228.40	161.74	79.87	24.88			20.35	21.09	9.80	
	Additional DS1Loop in DS3 Interoffice Transport Combination -															
	Zone 3 DS3 Interface Unit (DS1 COCI) combination per month		3	UNC1X UNC1X	USLXX UC1D1	98.59 17.58	228.40 6.52	161.74 2.58	79.87	24.88			20.35	21.09	9.80	<u> </u>
	Nonrecurring Currently Combined Network Elements Switch -As-			UNCIX	OCIDI	17.56	0.52	2.56								+
	Is Charge			UNC3X	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09	9.80	
2-WIRE	VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GRADE IN	EROFF	ICE T	RANSPORT (EEL)												
	2-WireVG Loop used with 2-wire VG Interoffice Transport		1	LINCVY	LIEALO	40.50	400.70	25.47	70.04	40.00			00.05	04.00	0.00	
	Combination - Zone 1 2-WireVG Loop used with 2-wire VG Interoffice Transport		1	UNCVX	UEAL2	16.56	108.76	35.47	72.94	10.86			20.35	21.09	9.80	-
	Combination - Zone 2		2	UNCVX	UEAL2	21.63	108.76	35.47	72.94	10.86			20.35	21.09	9.80	
	2-WireVG Loop used with 2-wire VG Interoffice Transport															
1	Combination - Zone 3		3	UNCVX	UEAL2	28.28	108.76	35.47	72.94	10.86			20.35	21.09	9.80	<u> </u>

NBUNDLE	NETWORK ELEMENTS - Tennessee												Attachment:	2		Exhibit:
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)	.			Svc Order Submitted Manually per LSR	Order vs.	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Charge Manual S Order v
						Rec	Nonrecurring First	Add'l	Nonrecurring First	g Disconnect Add'l	SOMEC	SOMAN	OSS	RATES (\$)	SOMAN	SOMAN
	Interoffice Transport - Dedicated - 2-wire VG combination - Per						Filst	Auu i	First	Auu i	SOMEC	JOWAN	JOWAN	JOWAN	JOWIAN	JOWA
	Mile Per Month			UNCVX	1L5XX	0.0174										
	Interoffice Transport - Dedicated - 2- Wire Voice Grade															
	combination - Facility Termination per month Nonrecurring Currently Combined Network Elements Switch -As-			UNCVX	U1TV2	18.58	79.86	44.06	69.32	31.00			20.35	21.09	9.80	10
	Is Charge			UNCVX	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09	9.80	10
4-WIRE	VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRADE INT	EROFF	ICE TR	ANSPORT (EEL)												
	4-WireVG Loop used with 4-wire VG Interoffice Transport					0.4 = 0										
	Combination - Zone 1 4-WireVG Loop used with 4-wire VG Interoffice Transport		1	UNCVX	UEAL4	24.70	108.75	35.47	72.94	10.85			20.35	21.09	9.80	10
	Combination - Zone 2		2	UNCVX	UEAL4	32.25	108.75	35.47	72.94	10.85			20.35	21.09	9.80	10
	4-WireVG Loop used with 4-wire VG Interoffice Transport															
	Combination - Zone 3		3	UNCVX	UEAL4	42.17	108.75	35.47	72.94	10.85			20.35	21.09	9.80	10
	Interoffice Transport - Dedicated - 4-wire VG combination - Per Mile Per Month			UNCVX	1L5XX	0.0174										
	Interoffice Transport - Dedicated - 4- Wire Voice Grade			ONCVA	ILJAA	0.0174										
	combination - Facility Termination per month			UNCVX	U1TV4	24.09	79.83	44.08	69.32	31.00			20.35	21.09	9.80	10
	Nonrecurring Currently Combined Network Elements Switch -As-															
DG2 DI	Is Charge GITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFIC	E TDAI	ISDOD	UNCVX	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09	9.80	10
D33 DI	High Capacity Unbundled Local Loop - DS3 combination - Per	LIKA	VOFOR	1 (LLL)												
	Mile per month			UNC3X	1L5ND	9.19										
	High Capacity Unbundled Local Loop - DS3 combination -															
	Facility Termination per month Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X UNC3X	UE3PX 1L5XX	374.24 2.34	240.23	180.87	106.78	45.24						
	Interoffice Transport - Dedicated - DS3 - Per Mile per month Interoffice Transport - Dedicated - DS3 combination - Facility			UNCOX	ILSAA	2.34										
	Termination per per month			UNC3X	U1TF3	848.99	428.01	153.81	64.43	35.43			20.35	21.09	9.80	10
	Nonrecurring Currently Combined Network Elements Switch -As-															
CTC4 D	Is Charge IGITAL EXTENDED LOOP WITH DEDICATED STS1 INTEROFF	ICE TO	ANCD	UNC3X	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09	9.80	10
31310	High Capacity Unbundled Local Loop - STS1 combination - Per	TICE IT	ANSF	JRT (EEL)												1
	Mile per month			UNCSX	1L5ND	9.19										
	High Capacity Unbundled Local Loop - STS1 combination -			LINGOV	UDI 04	000.05	040.00	100.07	400.70	45.04						
	Facility Termination per month Interoffice Transport - Dedicated - STS1 combination - Per Mile			UNCSX	UDLS1	389.35	240.23	180.87	106.78	45.24						
	per month			UNCSX	1L5XX	2.34										
	Interoffice Transport - Dedicated - STS1 combination - Facility						l i									
	Termination per month			UNCSX	U1TFS	849.30	428.01	153.61	64.43	35.43			20.35	21.09	9.80	1
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNCSX	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09	9.80	1
2-WIRE	ISDN EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPOR	T (EEL)				52.76	202	0.12	J.12			20.00	200	3.00	
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination															
	Transport - Zone 1 First 2-Wire ISDN Loop in a DS1 Interoffice Combination		1	UNCNX	U1L2X	22.00	108.76	35.47	72.94	10.86			20.35	21.09	9.80	1
	Transport - Zone 2		2	UNCNX	U1L2X	29.02	108.76	35.47	72.94	10.86			20.35	21.09	9.80	1
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination					20.02		33.17	. 2.54	.0.50			20.00	255		
	Transport - Zone 3		3	UNCNX	U1L2X	37.95	108.76	35.47	72.94	10.86			20.35	21.09	9.80	1
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Interoffice Transport - Dedicated - DS1 combintion - Facility			UNC1X	1L5XX	0.3525			.							1
	Termination per month			UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09	9.80	1
	Channelization - Channel System DS1 to DS0 combination -				3	77.50	171.24	110.12	70.07	55.50	t	t	20.00	21.00	5.50	†
	per month			UNC1X	MQ1	80.77	214.52	49.95	75.98	13.60						
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System			LINIONIX	110404	0.40	0.45	0.00								
	combination - per month Additional 2-wire ISDN Loop in same DS1Interoffice Transport			UNCNX	UC1CA	3.10	6.16	0.60			 	 			 	1
	Combination - Zone 1		1	UNCNX	U1L2X	22.00	108.76	35.47	72.94	10.86			20.35	21.09	9.80	1
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport															
	Combination - Zone 2		2	UNCNX	U1L2X	29.02	108.76	35.47	72.94	10.86			20.35	21.09	9.80	

IBUNDLE	NETWORK ELEMENTS - Tennessee												Attachment:	2		Exhibi
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR		Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge Manual Order
						Rec	Nonrecurring First	Add'l	Nonrecurring First	g Disconnect Add'l	SOMEC	SOMAN		RATES (\$)	SOMAN	SOMA
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 3		3	UNCNX	U1L2X	37.95	108.76	35.47	72.94	10.86			20.35	21.09	9.80	
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System combintaion- per month			UNCNX	UC1CA	3.10	6.16	0.60								
	Nonrecurring Currently Combined Network Elements Switch -As- ls Charge			UNC1X	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09	9.80	1
4-WIRE	DS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 IN	TEROF	FICE T	RANSPORT (EEL)												1
	First DS1 Loop in STS1 Interoffice Transport Combination - Zone 1		1	UNC1X	USLXX	57.73	228.40	161.74	79.87	24.88			20.35	21.09	9.80	
	First DS1 Loop in STS1 Interoffice Transport Combination - Zone 2		2	UNC1X	USLXX	75.40	228.40	161.74	79.87	24.88			20.35	21.09	9.80	
	First DS1 Loop in STS1 Interoffice Transport Combination - Zone 3		3	UNC1X	USLXX	98.59	228.40	161.74	79.87	24.88			20.35	21.09	9.80	
	Interoffice Transport - Dedicated - STS1 combination - Per Mile Per Month			UNCSX	1L5XX	2.34										
	Interoffice Transport - Dedicated - STS1 combination - Facility Termination			UNCSX	U1TFS	849.30	428.01	153.61	64.43	35.43			20.35	21.09	9.80	
	STS1 to DS1 Channel System conbination per month			UNCSX	MQ3	222.98	319.48	126.63	45.53	17.05						
	DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	17.58	6.52	2.58								
	Additional DS1Loop in STS1 Interoffice Transport Combination - Zone 1		1	UNC1X	USLXX	57.73	228.40	161.74	79.87	24.88			20.35	21.09	9.80	
	Additional DS1Loop in STS1 Interoffice Transport Combination - Zone 2		2	UNC1X	USLXX	75.40	228.40	161.74	79.87	24.88			20.35	21.09	9.80	
	Additional DS1Loop in STS1 Interoffice Transport Combination - Zone 3		3	UNC1X	USLXX	98.59	228.40	161.74	79.87	24.88			20.35	21.09	9.80	
	DS3 Interface Unit (DS1 COCI) combination per month Nonrecurring Currently Combined Network Elements Switch -As-			UNC1X	UC1D1	17.58	6.52	2.58								+
4 WIDE	Is Charge 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS INTEROI	FEICE T	DANCI	UNCSX	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09	9.80	₩
4-WIKE	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport	FFICE I	KANSI	OKI (EEL)												+
	Combination - Zone 1 4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport		1	UNCDX	UDL56	31.10	108.76	35.47	72.94	10.86			20.35	21.09	9.80	
	Combination - Zone 2 4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport		2	UNCDX	UDL56	40.61	108.76	35.47	72.94	10.86			20.35	21.09	9.80	_
	Combination - Zone 3 Interoffice Transport - Dedicated - 4-wire 56 kbps combination -		3	UNCDX	UDL56	53.11	108.76	35.47	72.94	10.86			20.35	21.09	9.80	
	Per Mile			UNCDX	1L5XX	0.174										
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Facility Termination Nonrecurring Currently Combined Network Elements Switch -As-			UNCDX	U1TD5	22.10	58.54	38.32	13.98	8.59			20.35	21.09	9.80	
	Is Charge	<u></u>		UNCDX	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09	9.80	
4-WIRE	64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTEROI	FFICE I	RANSI	PORT (EEL)												+
	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport Combination - Zone 1 4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport		1	UNCDX	UDL64	31.10	108.76	35.47	72.94	10.86			20.35	21.09	9.80	1
	Combination - Zone 2 4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport		2	UNCDX	UDL64	40.61	108.76	35.47	72.94	10.86			20.35	21.09	9.80	<u> </u>
	Combination - Zone 3 Interoffice Transport - Dedicated - 4-wire 64 kbps combination -		3	UNCDX	UDL64	53.11	108.76	35.47	72.94	10.86			20.35	21.09	9.80	<u> </u>
	Per Mile Interoffice Transport - Dedicated - 4-wire 64 kbps combination -			UNCDX	1L5XX	0.174										<u> </u>
	Recility Termination Nonrecurring Currently Combined Network Elements Switch -As-			UNCDX	U1TD6	22.10	58.54	38.32	13.98	8.59			20.35	21.09	9.80	1
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge ETWORK ELEMENTS			UNCDX	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09	9.80	
	ETWORK ELEMENTS used as a part of a currently combined facility, the non-recurr	na cha	rnes do	notanniy but a S	Witch As Is of	arge does an	niv		-	-	-		1			+-
	ised as a part of a currently combined facility, the hon-recurr								1		1	1	1			+-
1	SynchroNet)	- 11011-I	Journill	g changes apply all		or oriunge t			 	 	 					+-

UNBUNDI	LED NETWORK ELEMENTS - Tennessee												Attachment:	2		Exhibit: B
CATEGOR		Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge -
						Rec	Nonrecurring	Add'l	Nonrecurring		COMEC	COMAN		RATES (\$)	COMAN	SOMAN
Non	Inrecurring Currently Combined Network Elements "Switch As Is"	Charge	(One a	nnlies to each com	hination)		First	Addi	First	Add'l	SOMEC	SUMAN	SOMAN	SUMAN	SOMAN	SOWAN
110.11	2/4-Wire VG Interoffice Channel used in a COMBINATION -	l	(0.1.0 a	ppiles to each com	Dination											
	"Switch As Is" Conversion Charge			UNCVX	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09	9.80	10.54
	56/64 kbps Interoffice Channel used in a COMBINATION - "Switch As Is" Conversion Charge			UNCDX	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09	9.80	10.54
	DS1 Interoffice Channel used in a COMBINATION - "Switch As Is" Conversion Charge			UNC1X	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09	9.80	10.54
	DS3 Interoffice Channel used in a COMBINATION - "Switch As Is" Conversion Charge			UNC3X	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09	9.80	10.54
	STS1 Interoffice or Local Loop used in a COMBINATION -			014037	014000		32.73	24.02	3.12	3.12			20.55	21.03	3.00	10.54
	"Switch As Is" Conversion Charge			UNCSX	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09	9.80	10.54
NOT	TE: Local Channel - Dedicated Transport - minimum billing period	d - Belo	w DS3=													
	Local Channel - Dedicated - 2-Wire Voice Grade per month Local Channel - Dedicated - 4-Wire Voice Grade per month			UNCXV UNCXV	ULDV2 ULDV4	19.43 20.56										
	Local Channel - Dedicated - DS1 Per Month			UNC1X	ULDF1	40.00										
UNBUNDLE	ED LOCAL EXCHANGE SWITCHING(PORTS)	1		5.15 IX	CLDIII	40.00										<u> </u>
	hange Ports															
	TE: Although the Port Rate includes all available features in GA, F	KY, LA &	& TN, th	ne desired features	will need to b	e ordered usin	ng retail USOCs	3								
2-W	IRE VOICE GRADE LINE PORT RATES (RES)															
	Exchange Ports - 2-Wire Analog Line Port- Res.			UEPSR	UEPRL	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.			UEPSR	UEPRC	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Res.			UEPSR	UEPRO	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Exchange Ports - 2-Wire VG unbundled TN extended local dialing parity Port with Caller ID - Res.			UEPSR	UEPAQ	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Exchange Ports - 2-Wire VG unbundled Tennessee Area Plus with Caller ID - Res (AC7)			UEPSR	UEPAH	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Exchange Ports - 2-Wire VG unbundled Tennessee Area Calling port with Caller ID - Res (F2R)			UEPSR	UEPAK	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Exchange Ports - 2-Wire VG unbundled Tennessee Area Calling port with Caller ID - Res (TACER)			UEPSR	UEPAL	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Exchange Ports - 2-Wire VG unbundled Tennessee Area Calling port with Caller ID - Res (TACSR)			UEPSR	UEPAM	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Exchange Ports - 2-Wire VG unbundled Tennessee Area Calling port with Caller ID - Res (1MF2X)			UEPSR	UEPAN	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Exchange Ports - 2-Wire VG unbundled Tennessee Area Calling port with Caller ID - Res (2MR)			UEPSR	UEPAO	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Exchange Ports - 2-Wire VG unbundled res, low usage line port with Caller ID (LUM)			UEPSR	UEPAP	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Subsequent Activity			UEPSR	USASC	0.00	0.00	0.00		,_						
FEA	ATURES				ļ											ļ
	All Available Vertical Features	<u> </u>		UEPSR	UEPVF	0.00	0.00	0.00			<u> </u>		20.35	10.54	13.32	1.40
2-W	IRE VOICE GRADE LINE PORT RATES (BUS) Exchange Ports - 2-Wire Analog Line Port without Caller ID - Bus			UEPSB	UEPBL	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
 	Exchange Ports - 2-Wire VG unbundled Line Port with			OLFOD	OLFDL	1.09	9.93	9.19	3.00	2.92			20.35	10.54	13.32	1.40
	unbundled port with Caller+E484 ID - Bus.			UEPSB	UEPBC	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus.			UEPSB	UEPBO	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Exchange Ports - 2-Wire VG unbundled TN extended local dialing parity Port with Caller ID - Bus.			UEPSB	UEPAV	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Exhange Ports - 2-Wire VG unbundled incoming only port with Caller ID - Bus			UEPSB	UEPB1	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Exchange Ports - 2-Wire VG unbundled TN Bus 2-Way Area Calling Port Economy Option - Bus (TACC1)			UEPSB	UEPAC	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Exchange Ports - 2-Wire VG unbundled TN Bus 2-Way Area Calling Port Standard Option - Bus (TACC2)			UEPSB	UEPAD	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40

UNBUNDLE	D NETWORK ELEMENTS - Tennessee												Attachment:	2		Exhibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring			g Disconnect				RATES (\$)		
	Exchange Ports - 2-W VG unbundled TN Bus 2-Way Collierville						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	& Memphis Local Calling Port - Bus (B2F)			UEPSB	UEPAE	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Subsequent Activity			UEPSB	USASC	0.00	0.00	0.00	0.00	2.02			20.00	10.01	10.02	
FEAT																
	All Available Vertical Features			UEPSB	UEPVF	0.00	0.00	0.00					20.35	10.54	13.32	1.40
EXCH	ANGE PORT RATES (DID & PBX)			LIEBOE	LIEDDD	4.70	0.00	0.40	0.00	0.00			00.05	40.54	40.00	4.40
	2-Wire VG Unbundled 2-Way PBX Trunk - Res 2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus			UEPSE UEPSP	UEPRD UEPPC	1.79 1.79	9.93 9.93	9.19 9.19	3.66 3.66	2.92 2.92			20.35 20.35	10.54 10.54	13.32 13.32	1.40 1.40
 	2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus			UEPSP	UEPPO	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus	†		UEPSP	UEPP1	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	2-Wire Analog Long Distance Terminal PBX Trunk - Bus			UEPSP	UEPLD	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	2-Wire Analog TN 2-Way Calling Plan PBX Trunk - Bus			UEPSP	UEPT2	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	2-Wire TN Outward Calling Plan PBX Trunk - Bus			UEPSP	UEPTO	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	2-Wire Voice Unbundled PBX LD Terminal Ports	<u> </u>		UEPSP	UEPLD	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
\vdash	2-Wire Voice Unbundled 2-Way PBX Tennessee Calling Port	<u> </u>		UEPSP	UEPT2	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	2-Wire Voice Unbundled 1-Way Outgoing PBX Tennessee Calling Port			UEPSP	UEPTO	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	2-Wire Vice Unbundled 2-Way PBX Usage Port			UEPSP	UEPXA	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
B.1.7	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPSP	UEPXB	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
B.1.7	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPSP	UEPXC	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
B.1.7	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPSP	UEPXD	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
B.1.7	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPSP	UEPXE	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
5	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			OLI OI	OLI AL	1.70	3.30	0.10	0.00	2.02			20.00	10.04	10.02	1.40
B.1.7	Administrative Calling Port 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			UEPSP	UEPXL	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
B.1.7	Room Calling Port			UEPSP	UEPXM	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
B.1.7	2-W Voice Unbundled 1-Way Out PBX Hotel/Hospital Economy Administrative Calling Port TN Calling Port			UEPSP	UEPXN	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
5.4.7	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital			LIEDOD	LIEDVO	4.70	0.00	0.40	0.00	0.00			00.05	40.54	40.00	4.40
B.1.7 B.1.7	Discount Room Calling Port 2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPSP UEPSP	UEPXO	1.79 1.79	9.93 9.93	9.19 9.19	3.66 3.66	2.92 2.92			20.35 20.35	10.54 10.54	13.32 13.32	1.40 1.40
D.1.7	2-Wire Voice Unbundled PBX Collierville and Memphis Calling			UEPSP	UEPAS	1.79	9.93	9.19	3.00	2.92			20.33	10.54	13.32	1.40
B.1.7	Port			UEPSP	UEPXU	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
B.1.7	2-Wire Voice Unbundled 2-Way PBX Tennessee RegionServ Calling Port			UEPSP	UEPXV	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Subsequent Activity			UEPSP	USASC	0.00	0.00	0.00								
FEAT					ļ									1		
Eva	All Available Vertical Features	<u> </u>	1	UEPSP UEPSE	UEPVF	0.00	0.00	0.00					20.35	10.54	13.32	1.40
EXCH	ANGE PORT RATES (COIN) Exchange Ports - Coin Port					2.11	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
NOTE	Exchange Ports - Coin Port Transmission/usage charges associated with POTS circuit s	witcher	lieade	will also annly to o	ircuit ewitche						ated with 2	wire ISDN r		10.54	13.32	1.40
NOTE	. Transmission/usage charges associated with 1 010 circuit s	WILCIIGO	usage	will also apply to c	il cuit switche	sa voice ana/oi	Circuit Switch	eu uata transn	ilasion by B-Ci	lanners assoc	ateu with z	WITE TODIN	30113.	l.		
NOTE	Access to B Channel or D Channel Packet capabilities will be	e availa	ble only	through BFR/New	Business Re	quest Process	Rates for the	nacket canabi	lities will be de	etermined via t	he Bona Fi	de Request/	New Busines	s Request Pro	cess	
	LOCAL EXCHANGE SWITCHING(PORTS)			Jug 2			112100 101 1110	silve capabi		l l						
	ANGE PORT RATES (DID & PBX)	1			1	İ										
	Exchange Ports - 2-Wire DID Port			UEPEX	UEPP2	8.97	47.75	47.01	9.21	8.47			20.35	10.54	13.32	1.40
	Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID	1]			
\vdash	capability	<u> </u>	_	UEPDD	UEPDD	35.74	75.93	38.15	8.77	8.04			19.99	19.99	19.99	19.99
NOTE	Exchange Ports - 2-Wire ISDN Port (See Notes below.)	wite by	Luca	UEPTX UEPSX	U1PMA	16.26	30.23	29.49	4.10	4.10	otod with o	wire ICDN	41.43	42.17	9.80	9.80
NOTE	: Transmission/usage charges associated with POTS circuit s	witched	usage	will also apply to c	ircuit switche	u voice and/or	CITCUIT SWITCH	eu data transn	ussion by B-C	ianneis assoc	ated With 2	-wire iSDN	JUITS.	L	l .	
NOTE	: Access to B Channel or D Channel Packet capabilities will b	a availa	hla anh	through PED/No	Rusiness Pe	auget Process	Pates for the	nacket canali	litios will bo d	atorminad via 4	he Bona Fi	la Paguasti	New Business	e Ponuce Pro	NC000	
NOTE	Exchange Ports - 2-Wire ISDN Port Channel Profiles	avalia	DIE OHIS	UEPTX UEPSX	U1UMA	0.00	0.00	0.00	ines will be de	sterrimieu via t	ile bolla Fil	reduest/	new busines	o Nequest Pro	, 	1
	Exchange Ports - 4-Wire ISDN DS1 Port			UEPEX	UEPEX	75.04	148.66	147.18	38.46	36.98			40.69	42.17	9.07	10.54
UNBUNDLED	LOCAL SWITCHING, PORT USAGE	1			1	75.54	5.50		55.10	55.50			.0.50		3.57	.0.04
	ffice Switching (Port Usage)	L														
	End Office Switching Function, Per MOU			_		0.0008041		-								

4Q01:12/01/01 PAGE 304 OF 324

	ED NETWORK ELEMENTS - Tennessee												Attachment:	2		Exhibit:
	,														_	
													Incremental	Incremental		Incremen
													Charge -	Charge -	Charge -	Charge
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			Svc Order	Svc Order	Manual Svc	Manual Svc	Manual Svc	Manual S
OAT LOOK !	KATE ELEMENTO	m	20116	Воо	0000			πΑΤΕΘ(ψ)			Submitted	Submitted	Order vs.	Order vs.	Order vs.	Order vs
	!										Elec		Electronic-	Electronic-	Electronic-	Electroni
											per LSR	per LSR	1st	Add'l	Disc 1st	Disc Add
$\overline{}$	+								I		perLak	per LSK	151	Auu i	טואל ואנ	DISC Add
						Rec	Nonrecurring		Nonrecurring	Disconnect			0881	RATES (\$)		
-+-	+				1	Nec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
Tondo	om Cuitabing (Bart Hooga) (Local or Access Tandom)						FIISL	Auu i	FIISL	Auu i	SOIVIEC	SUMAN	SOWAN	SOWAN	SUMAN	SUMAN
rande	em Switching (Port Usage) (Local or Access Tandem)															
	Tandem Switching Function Per MOU					0.0009778										
Comm	non Transport															
	Common Transport - Per Mile, Per MOU					0.0000064										
	Common Transport - Facilities Termination Per MOU					0.0003871										
	PORT/LOOP COMBINATIONS - COST BASED RATES															
	Based Rates are applied where BellSouth is required by FCC an															
Featur	res shall apply to the Unbundled Port/Loop Combination - Cos	t Based	I Rate s	ection in the same i	manner as th	ey are applied	to the Stand-A	lone Unbundle	ed Port section	of this Rate E	xhibit.					
End O	Office and Tandem Switching Usage and Common Transport Us	sage rat	es in th	ne Port section of th	is rate exhib	it shall apply t	o all combinati	ons of loop/po	rt network elen	nents except f	or UNE Coi	n Port/Loor	Combination	ns.		
For Gr	Office and Tandem Switching Usage and Common Transport Us eorgia, Kentucky, Louisiana, MIssissippi and Tennessee, the re	ecurring	UNE F	ort and Loop charg	es listed app	oly to Currently	Combined an	d Not Currently	y Combined Co	mbos. The th	e first and	additional P	ort nonrecuri	ing charges a	pply to Not C	urrently
Comb	nined Combos for all states. In GA, KY, LA, MS and TN these no	nrecuri	rina ch	arges are commission	on ordered c	ost based rate	sand in Al. Fl	NC and SC th	nese nonrecurr	ing charges ar	e Market Ra	ites and are	listed in the	Market Rate s	ection. For (Currently
	nined Combos in all other states, the nonrecurring charges shall							., 140 and 00 ti	icac nomicoun	ing onanges a	o mancina	nco una uro	noted in the	market reace o		Junionary
	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)	ii be tiit	Jac Ide	initined in the Nonie	T Curring - Cur	Tentily Combin	a sections.				1					
	Port/Loop Combination Rates		-													
UNEF			_		1	44.40										
	2-Wire VG Loop/Port Combo - Zone 1		1			14.18										
	2-Wire VG Loop/Port Combo - Zone 2		2			18.01										
	2-Wire VG Loop/Port Combo - Zone 3		3			23.02										
UNE L	Loop Rates															
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPRX	UEPLX	12.48										
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPRX	UEPLX	16.31										
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPRX	UEPLX	21.32										
2-Wire	e Voice Grade Line Port Rates (Res)															
	2-Wire voice unbundled port - residence			UEPRX	UEPRL	1.70	22.14	15.25	8.45	3.91			30.89	7.03		
	2-Wire voice unbundled port with Caller ID - res			UEPRX	UEPRC	1.70	22.14	15.25	8.45	3.91			30.89	7.03		
+-	2-Wire voice unbundled port outgoing only - res			UEPRX	UEPRO	1.70		15.25	8.45	3.91			30.89	7.03		
-+	2-Wire voice dribdhaled port outgoing only 1 les 2-Wire voice Grade unbundled Tennessee extended local			OLFIX	OLFKO	1.70	22.14	13.23	0.40	3.91			30.09	7.03		
				UEPRX	UEPAQ	1.70	22.14	45.05	0.45	3.91			30.89	7.03		
	dialing parity port with Caller ID - res			UEPRX	UEPAQ	1.70	22.14	15.25	8.45	3.91			30.89	7.03		
	2-Wire voice unbundled Tennessee Area Plus with Caller ID -															
	res (AC7)			UEPRX	UEPAH	1.70	22.14	15.25	8.45	3.91			30.89	7.03		
	2-Wire voice unbundled Tennessee Area Calling port with Caller															
	ID - res (F2R)			UEPRX	UEPAK	1.70	22.14	15.25	8.45	3.91			30.89	7.03		
	2-Wire voice unbundled Tennessee Area Calling port with Caller															
	ID - res (TACER)			UEPRX	UEPAL	1.70	22.14	15.25	8.45	3.91			30.89	7.03		
	2-Wire voice unbundled Tennessee Area Calling port with Caller															
	ID - res (TACSR)			UEPRX	UEPAM	1.70	22.14	15.25	8.45	3.91			30.89	7.03		
	2-Wire voice unbundled Tennessee Area Calling port with Caller															
	ID - res (1MF2X)			UEPRX	UEPAN	1.70	22.14	15.25	8.45	3.91			30.89	7.03		
	2-Wire voice unbundled Tennessee Area Calling port with Caller															
	ID - res (2MR)			UEPRX	UEPAO	1.70	22.14	15.25	8.45	3.91	l	l	30.89	7.03		
-+	2-Wire voice unbundles res, low usage line port with Caller ID			101				.0.20	3.40	0.01			55.65			
	(LUM)			UEPRX	UEPAP	1.70	22.14	15.25	8.45	3.91	l	l	30.89	7.03		
FEATU				OLI IXX	OLFAF	1.70	22.14	15.25	0.40	3.91			30.09	1.03		
FEAT	All Features Offered			LIEDDV	UEPVF	0.00	0.00	0.00					30.89	7.03		
			1	UEPRX	UEFVF	0.00	0.00	0.00					30.89	7.03		
LUCAI	L NUMBER PORTABILITY			HEDDY	LNDCV		1					ļ		1		
	Local Number Portability (1 per port)			UEPRX	LNPCX	0.35						ļ				
	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED		ļ		<u> </u>											
NONR	2-Wire Voice Grade Loop / Line Port Combination - Conversion -				1	1	I				1	1		İ		
NONR	Switch-as-is			UEPRX	USAC2		1.03	0.29					30.89	7.03		
NONR																
NONR	2-Wire Voice Grade Loop / Line Port Combination - Conversion -					İ	1.03	0.29			1	1	30.89	7.03		
NONR	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change			UEPRX	USACC											
NONR				UEPRX	USACC											
NONR	Switch with change 2-Wire Voice Grade Loop / Line Port Combination - Conversion -			UEPRX	USACC											
	Switch with change 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Subsequent Database Update			UEPRX	USACC		0.76						7.97			
	Switch with change 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Subsequent Database Update TIONAL NRCS			UEPRX	USACC											
	Switch with change 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Subsequent Database Update TIONAL NRCS 2-Wire Voice Grade Loop/Line Port Combination - Subsequent					0.00	0.76	0.00					7.97			
ADDIT	Switch with change 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Subsequent Database Update TIONAL NRCS			UEPRX UEPRX	USACC USAS2	0.00		0.00						7.03		

4Q01:12/01/01 PAGE 305 OF 324

JNBUNDLE	NETWORK ELEMENTS - Tennessee												Attachment:	2		Exhibit:
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Submitted Elec	Svc Order Submitted Manually per LSR		Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Charge -
						Rec	Nonrecurring First	Add'l	Nonrecurring First	g Disconnect Add'l	SOMEC	SOMAN		RATES (\$)	SOMAN	SOMAN
	2-Wire VG Loop/Port Combo - Zone 1		1		+	14.18	Filat	Add I	Filat	Addi	JOINILO	JOWAN	JOWAN	JOWAN	JOWAN	JOWAN
	2-Wire VG Loop/Port Combo - Zone 2		2		1	18.01	†									
	2-Wire VG Loop/Port Combo - Zone 3		3			23.02										
	op Rates															
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPBX	UEPLX	12.48										
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPBX	UEPLX	16.31										
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPBX	UEPLX	21.32										
	Voice Grade Line Port (Bus) 2-Wire voice unbundled port without Caller ID - bus		<u> </u>	UEPBX	UEPBL	1.70	22.14	15.25	8.45	3.91			30.89	7.03		
-	2-Wire voice unbundled port with Caller + E484 ID - bus			UEPBX	UEPBC	1.70	22.14	15.25	8.45	3.91	1		30.89	7.03		
	2-Wire voice unbundled port outgoing only - bus			UEPBX	UEPBO	1.70	22.14	15.25	8.45	3.91	 		30.89	7.03		
	2-Wire voice Grade unbundled Tennessee extended local					0		.0.20	5. 70	5.51			55.55	1.50	1	
	dialing parity port with Caller ID - bus			UEPBX	UEPAV	1.70	22.14	15.25	8.45	3.91			30.89	7.03		
	2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPBX	UPEB1	1.70	22.14	15.25	8.45	3.91			30.89	7.03		
	2-Wire voice unbundled Tennessee Bus 2-Way Area Calling Port Economy Option (TACC1)			UEPBX	UEPAC	1.70	22.14	15.25	8.45	3.91			30.89	7.03		
	2-Wire voice unbundled Tennessee Bus 2-Way Area Calling Port Standard Option (TACC2)			UEPBX	UEPAD	1.70	22.14	15.25	8.45	3.91			30.89	7.03		
	2-Wire voice unbundled Tennessee Bus 2-Way Collierville and Memphis Local Calling Port (B2F)			UEPBX	UEPAE	1.70	22.14	15.25	8.45	3.91			30.89	7.03		
	NUMBER PORTABILITY Local Number Portability (1 per port)			UEPBX	LNPCX	0.35	-				1					
FEATU				UEPBA	LINPUX	0.35					1					
	All Features Offered			UEPBX	UEPVF	0.00	0.00	0.00					30.89	7.03		-
	CURRING CHARGES (NRCs) - CURRENTLY COMBINED			02. 5%	02	0.00	0.00	0.00					00.00	7.00		
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
	Switch-as-is 2-Wire Voice Grade Loop / Line Port Combination - Conversion -			UEPBX	USAC2		1.03	0.29					30.89	7.03		
	Switch with change 2-Wire Voice Grade Loop / Line Port Combination - Conversion -			UEPBX	USACC		1.03	0.29								
	Subsequent Database Update						0.76						7.97			
	ONAL NRCs															
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity			UEPBX	USAS2								30.89	7.03		
	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX) ort/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Zone 1		1			14.18					1					ļ
	2-Wire VG Loop/Port Combo - Zone 1		2			18.01										
	2-Wire VG Loop/Port Combo - Zone 3		3			23.02										
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPRG	UEPLX	12.48	İ									
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPRG	UEPLX	16.31										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPRG	UEPLX	21.32										
	Voice Grade Line Port Rates (RES - PBX)							•								
	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port - Res			UEPRG	UEPRD	1.70	22.14	15.25	8.45	3.91			30.89	7.03		
	NUMBER PORTABILITY				1		ļļ									
	Local Number Portability (1 per port)		<u> </u>	UEPRG	LNPCP	3.15	0.00	0.00								
FEATU	All Features Offered	1		UEPRG	UEPVF	0.00	0.00	0.00			 	1	30.89	7.03		
	CURRING CHARGES (NRCs) - CURRENTLY COMBINED		-	ULFRU	UEFVF	0.00	0.00	0.00			 	-	30.89	7.03	-	
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch-As-Is			UEPRG	USAC2		1.03	0.29					30.89	7.03		
	Conversion - Switch with Change			UEPRG	USACC		1.03	0.29					30.89	7.03		
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Subsequent Database Update						0.76	0.20					7.97	50		
ADDITI	ONAL NRCs		1				1				İ	İ		İ	İ	

JNBUNDLE	D NETWORK ELEMENTS - Tennessee											,	Attachment:	2		Exhibit:
CATEGORY	RATE ELEMENTS	Interi m	Zone	всѕ	USOC			RATES(\$)				Svc Order Submitted Manually per LSR		Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual Sv Order vs. Electronic Disc Add
						Rec	Nonrecurring First	Add'I	Nonrecurring First	Disconnect Add'l	SOMEC	SOMAN	OSS I	RATES (\$)	SOMAN	SOMAN
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -						Filst	Add I	Filst	Auu i	SOWIEC	JOWAN	JOWAN	JOWAN	JOWAN	JOWAN
	Subsequent Activity			UEPRG	USAS2	0.00	0.00	0.00					30.89	7.03		
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt															
	Group						14.64	14.64					19.99	19.99	19.99	19.9
	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)															
UNE PO	ort/Loop Combination Rates		4			44.40										
	2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2		1 2		_	14.18 18.01										-
	2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3		3			23.02										1
UNFI	pop Rates				+	25.02	1		1							+
0.12.2	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPPX	UEPLX	12.48										1
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPPX	UEPLX	16.31										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPPX	UEPLX	21.32	1		1							
2-Wire	Voice Grade Line Port Rates (BUS - PBX)															
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPPX	UEPPC	1.70	22.14	15.25	8.45	3.91			30.89	7.03		ļ
	Line Side Unbundled Outward PBX Trunk Port - Bus			UEPPX	UEPPO	1.70	22.14	15.25	8.45	3.91			30.89	7.03		
	Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPPX	UEPP1	1.70	22.14	15.25	8.45	3.91			30.89	7.03		
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	1.70	22.14	15.25	8.45	3.91			30.89	7.03		
	2-Wire Voice Unbundled 2-Way Combination PBX Tennessee Calling Port			UEPPX	UEPT2	1.70	22.14	15.25	8.45	3.91			30.89	7.03		
	2-Wire Voice Unbundled 1-Way Outgoing PBX Tennessee			UEPPX		. =-								=		
	Calling Port			UEPPX	UEPTO UEPXA	1.70 1.70	22.14	15.25	8.45 8.45	3.91 3.91			30.89 30.89	7.03 7.03		
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port 2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXA	1.70	22.14 22.14	15.25 15.25	8.45 8.45	3.91			30.89	7.03		
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	1.70	22.14	15.25	8.45	3.91			30.89	7.03		-
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	1.70	22.14	15.25	8.45	3.91			30.89	7.03		
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD			OLI I X	OLI AD	1.70	22.17	10.20	0.40	0.01			00.00	7.00		
	Capable Port 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			UEPPX	UEPXE	1.70	22.14	15.25	8.45	3.91			30.89	7.03		
	Administrative Calling Port			UEPPX	UEPXL	1.70	22.14	15.25	8.45	3.91			30.89	7.03		
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPPX	UEPXM	1.70	22.14	15.25	8.45	3.91			30.89	7.03		
	2-Wire Voice Unbundled 1W Out PBX Hotel/Hospital Economy Administrative Calling Port TN Calling Port			UEPPX	UEPXN	1.70	22.14	15.25	8.45	3.91			30.89	7.03		
-	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital			OLITA	OLI XIV	1.70	22.14	10.20	0.43	3.31			30.03	7.03		
	Discount Room Calling Port			UEPPX	UEPXO	1.70	22.14	15.25	8.45				30.89	7.03		
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	1.70	22.14	15.25	8.45	3.91			30.89	7.03		
	2-Wire Voice Unbundled PBX Collierville and Memphis Calling															
	Port 2-Wire Voice Unbundled 2-Way PBX Tennessee RegionServ			UEPPX	UEPXU	1.70	22.14	15.25	8.45	3.91			30.89	7.03		<u> </u>
	Callling Port			UEPPX	UEPXV	1.70	22.14	15.25	8.45	3.91			30.89	7.03		
LOCAL	NUMBER PORTABILITY															1
	Local Number Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00								
FEATU																
	All Features Offered			UEPPX	UEPVF	0.00	0.00	0.00					30.89	7.03		
NONRE	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
	Conversion - Switch-As-Is 2-Wire Voice Grade Loop/ Line Port Combination (PBX) -			UEPPX	USAC2		1.03	0.29					30.89	7.03		
	Conversion - Switch with Change 2-Wire Voice Grade Loop / Line Port Combination - Conversion -			UEPPX	USACC		1.03	0.29					30.89	7.03		
	Subsequent Database Update						0.76						7.97			ļ
ADDITI	ONAL NRCs			ļ												ļ
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Subsequent Activity			UEPPX	USAS2	0.00	0.00	0.00					30.89	7.03		
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group						14.64	14.64					19.99	19.99	19.99	19.

NNRONDLE	D NETWORK ELEMENTS - Tennessee			Γ	1						1	1	Attachment:	2	<u> </u>	Exhibit:
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
						Rec	Nonrecurring	A 1 III	Nonrecurring		00450			RATES (\$)		SOMAN
LINE D	l ort/Loop Combination Rates				_		First	Add'l	First	Add'l	SOMEC	SOMAN	SUMAN	SUMAN	SOMAN	SUMAN
ONLI	2-Wire VG Coin Port/Loop Combo – Zone 1		1		+	14.18										
	2-Wire VG Coin Port/Loop Combo – Zone 2		2		+	18.01										
	2-Wire VG Coin Port/Loop Combo – Zone 3		3			23.02										
	pop Rates															
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPCO	UEPLX	12.48										
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPCO	UEPLX	16.31										
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPCO	UEPLX	21.32										
2-Wire	Voice Grade Line Ports (COIN)															
	2-Wire Coin 2-Way without Operator Screening and without															
	Blocking (TN)			UEPCO	UEPTB	1.70	22.14	15.25	8.45	3.91			30.89	7.03		
1	2-Wire Coin 2-Way with Operator Screening and Blocking: 011,	1			1 !]				1			1	I	
	900/976, 1+DDD (NC, TN)			UEPCO	UEPRP	1.70	22.14	15.25	8.45	3.91			30.89	7.03	1	
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking (TN)			UEPCO	UEPTA	1.70	22.14	15.25	8.45	3.91			30.89	7.03		
	2-Wire Coin 2-Way with Operator Screening: 900 Blocking:															
	900/976, 1+DDD, 011+, and Local (NC, TN)			UEPCO	UEPCA	1.70	22.14	15.25	8.45	3.91			30.89	7.03		
	2-Wire Coin Outward with Operator Screening and 011 Blocking (TN)			UEPCO	UEPTC	1.70	22.14	15.25	8.45	3.91			30.89	7.03		
	2-Wire Coin Outward with Operator Screening and Blocking: 900/976, 1+DDD, 011+, and Local (TN)			UEPCO	UEPOT	1.70	22.14	15.25	8.45	3.91			30.89	7.03		
	2-Wire 2-Way Smartline with 900/976 (all states except LA)			UEPCO	UEPCK	1.88							30.89	7.03		
	2-Wire Coin Outward Smartline with 900/976 (all states except LA)			UEPCO	UEPCR	1.88							30.89	7.03		
ADDITI	ONAL UNE COIN PORT/LOOP (RC)															
	UNE Coin Port/Loop Combo Usage (Flat Rate)			UEPCO	URECU	3.45	0.00	0.00								
	Local Number Portability (1 per port)			UEPCO	LNPCX	0.35										
FEATU	-															
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is			UEPCO	USAC2		1.03	0.29					30.89	7.03		
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change			UEPCO	USACC		1.03	0.29					30.89	7.03		
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity			UEPCO	USAS2		0.00	0.00					30.89	7.03		
NBUNDLED F	PORT/LOOP COMBINATIONS - COST BASED RATES			02. 00	007.02		0.00	0.00					00.00	7.00		
	VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	PORT												Ì	1	
	ort/Loop Combination Rates						j									
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1		1			18.38										
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2		2			19.87										
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3		3	L	1	24.78										
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1		1	UEPPX	UECD1	9.60									1	
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2		2	UEPPX	UECD1	11.09										ļ
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3	ļ	3	UEPPX	UECD1	16.00										ļ
	Exchange Ports - 2-Wire DID Port	ļ		UEPPX	UEPD1	8.78	45.44	29.94	8.45	3.91			30.89	7.03	-	
NONRE	CURRING CHARGES - CURRENTLY COMBINED 2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination -	 			+									 	!	ļ
	Switch-as-is			UEPPX	USAC1		8.76	5.75					30.89	7.03		
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion with BellSouth Allowable Changes			UEPPX	USA1C		8.76	5.75					30.89	7.03		
	one Number/Trunk Group Establisment Charges	ļ		LIEDDY	NDT		2.0-									ļ
	DID Trunk Termination (One Per Port)	ļ		UEPPX	NDT	0.00	0.00	0.00							-	
	Additional DID Numbers for each Group of 20 DID Numbers	<u> </u>		UEPPX	ND4	0.00	0.00	0.00						ļ	-	ļ
	DID Numbers, Non- consecutive DID Numbers , Per Number	1		UEPPX	ND5	0.00	0.00	0.00						 	 	<u> </u>
	Reserve Non-Consecutive DID numbers	 		UEPPX	ND6	0.00	0.00	0.00						 	!	ļ
LOCAL	Reserve DID Numbers NUMBER PORTABILITY	 		UEPPX	NDV	0.00	0.00	0.00						 	 	
	Local Number Portability (1 per port)	 	-	UEPPX	LNPCP	3.15	0.00	0.00			-			-		
	ILOGAL NUMBEL FORADINA OF DEL DOM	1	1	UEPPX	LINECE	ა. 15	0.00	0.00			ı				1	1

ONBONDLE	D NETWORK ELEMENTS - Tennessee			1		1	1					1	1	Attachment:	2		Exhibit:
CATEGORY	RATE ELEMENTS	Interi m	Zone	В	cs	usoc			RATES(\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
							Rec	Nonrecurring		Nonrecurring					RATES (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UNE Po	ort/Loop Combination Rates																
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 1		1	UEPPB	UEPPR		32.27										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 2		2	UEPPB	UEPPR		34.78										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -																
	UNE Zone 3		3	UEPPB	UEPPR		44.32										
	2-Wire ISDN Digital Grade Loop - UNE Zone 1		1	UEPPB	UEPPR	USL2X	16.20										
			_														
	2-Wire ISDN Digital Grade Loop - UNE Zone 2 2-Wire ISDN Digital Grade Loop - UNE Zone 3		3	UEPPB UEPPB	UEPPR UEPPR	USL2X USL2X	18.71								-	-	1
	Exchange Port - 2-Wire ISDN Line Side Port		3	UEPPB	UEPPR	USL2X UEPPB	28.25 16.07	141.75	118.37	49.20	43.26			19.99	19.99		
NONRE	ECURRING CHARGES - CURRENTLY COMBINED			UEFFB	UEFFR	UEPPB	16.07	141.75	110.31	49.20	43.20			19.99	19.99		
I I I I I I I I I I I I I I I I I I I	2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port Combination - Conversion			LIEDDD	UEPPR	USACB	0.00	117.23	117.23					19.99	19.99		
ADDITI	ONAL NRCs			OLFFB	ULFFR	USACB	0.00	117.23	117.23					15.55	19.99		
ADDITI	2-Wire ISDN Loop / 2-Wire ISDN Port Combination - Sub Actvy - Non Feature/Add Trunk			UEPPB	UEPPR	USASB		212.88						19.99	19.99		
LOCAL	NUMBER PORTABILITY			UEFFB	UEPPK	USASB	1	212.00						19.99	19.99		
LOUAL	Local Number Portability (1 per port)			UEPPB	UEPPR	LNPCX	0.35	0.00	0.00								
B-CHA	NNEL USER PROFILE ACCESS:																
	CVS/CSD (DMS/5ESS)			UEPPB	UEPPR	U1UCA	0.00	0.00	0.00								
	CVS (EWSD)			UEPPB	UEPPR	U1UCB	0.00		0.00								
	CSD		L	UEPPB	UEPPR	U1UCC	0.00	0.00	0.00								
B-CHA	NNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS SO	C,MS, &	TN)	LIEDDD	LIEDDD	LIALIOD	0.00	0.00	0.00								
-	CVS/CSD (DMS/5ESS) CVS (EWSD)			UEPPB UEPPB	UEPPR UEPPR	U1UCD U1UCE	0.00	0.00	0.00			1					
-	CSD			UEPPB	UEPPR	U1UCF	0.00	0.00	0.00								
USER	FERMINAL PROFILE			OLFFB	ULFFR	01001	0.00	0.00	0.00								
002.1	User Terminal Profile (EWSD only)			UEPPB	UEPPR	U1UMA	0.00	0.00	0.00								
VERTIC	CAL FEATURES																
	All Vertical Features - One per Channel B User Profile			UEPPB	UEPPR	UEPVF	0.00	0.00	0.00								
	Interoffice Channel mileage each, including first mile and			UEPPB	UEPPR	MACNIC	47.04	52.00	47.07					19.99	19.99		
	facilities termination Interoffice Channel mileage each, additional mile			UEPPB	UEPPR	M1GNC M1GNM	17.91 0.173	53.99 0.00	17.37 0.00					19.99	19.99		
4-WIRE	EDS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK	PORT		UEPPB	UEFFR	IVITGINIVI	0.173	0.00	0.00								
	ort/Loop Combination Rates	- OKI				1											
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE																
	Zone 1		1	UEPPP			132.58										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2		2	UEPPP			150.25										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE		_														
	Zone 3		3	UEPPP		1101.45	173.44					<u> </u>	1	ļ			1
	4-Wire DS1 Digital Loop - UNE Zone 1 4-Wire DS1 Digital Loop - UNE Zone 2		1 2	UEPPP UEPPP		USL4P USL4P	57.73 75.40					1	1		 	 	}
	4-Wire DS1 Digital Loop - ONE Zone 2 4-Wire DS1 Digital Loop - UNE Zone 3			UEPPP		USL4P USL4P	98.59					1	1	1	1	1	1
	Exchange Ports - 4-Wire ISDN DS1 Port		J	UEPPP		UEPPP	74.85	415.53	366.90	89.28	77.43	1		19.99	19.99	1	1
NONRE	CURRING CHARGES - CURRENTLY COMBINED						100			11.20				12.00	12,00		
	4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port Combination - Conversion -Switch-as-is			UEPPP		USACP	0.00	328.53	328.53					19.99	19.99		
ודוחח∆	ONAL NRCs			UEPPP		USACP	0.00	3∠8.53	328.53			}		19.99	19.99		}
וווטטא	4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy-					 	 					1	1		1	1	1
	Inward/two way tel nos within Std Allowance			UEPPP		PR7TF		0.94						19.99	19.99		
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - Outward Tel Numbers (All States except NC)			UEPPP		PR7TO		22.36	22.36					19.99	19.99		
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port -																
	Subsequent Inward Tel Nos Above Std Allowance			UEPPP		PR7ZT		44.71	44.70					19.99	19.99		
LOCAL	NUMBER PORTABILITY																

<u>INBUNDL</u> E	D NETWORK ELEMENTS - Tennessee												Attachment:	2		Exhibit:
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Submitted Manually		Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrecurring		Nonrecurring				OSS F	RATES (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Local Number Portability (1 per port)			UEPPP	LNPCN	1.75										
INTERI	FACE (Provsioning Only)				55744											
	Voice/Data			UEPPP UEPPP	PR71V PR71D	0.00	0.00	0.00								
	Digital Data Inward Data			UEPPP	PR71E	0.00	0.00	0.00			-					
New or	Additional "B" Channel			OLFFF	FR/ IL	0.00	0.00	0.00								
ivew or	New or Additional - Voice/Data B Channel			UEPPP	PR7BV	0.00	28.39						19.99	19.99		
	New or Additional - Digital Data B Channel			UEPPP	PR7BF	0.00	29.11						19.99	19.99		
	New or Additional Inward Data B Channel			UEPPP	PR7BD	0.00	29.39						19.99	19.99		
-	New or Additional Useage Sensitive Voice Data B Channel			UEPPP	PR7BS	0.00	28.39						19.99	19.99		
	New or Additional Useage Sensitive Digital Data B Channel			UEPPP	PR7BU	0.00	28.39						19.99	19.99		
CALL 1						2.00										
	Inward			UEPPP	PR7C1	0.00	0.00	0.00								
	Outward			UEPPP	PR7C0	0.00	0.00	0.00								
	Two-way			UEPPP	PR7CC	0.00	0.00	0.00								
Interof	fice Channel Mileage															
	Fixed Each Including First Mile			UEPPP	1LN1A	76.1825	145.98	109.85	19.55				19.99	19.99		
	Each Airline-Fractional Additional Mile			UEPPP	1LN1B	0.3525										
	DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT															
UNE Po	ort/Loop Combination Rates															
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1			UEPDC		93.28							19.99	19.99		
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2			UEPDC		110.95							19.99	19.99		
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3		3	UEPDC		134.14							19.99	19.99		
	4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPDC	USLDC	57.53										
	4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPDC	USLDC	75.40										
	4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPDC	USLDC	98.59										
	4-Wire DDITS Digital Trunk Port			UEPDC	UDD1T	35.55	342.80	257.87	61.41	48.49			19.99	19.99		
NONRE	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination															
	- Switch-as-is			UEPDC	USAC4		312.91	312.91					19.99	19.99		
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination			UEPDC	U3AC4		312.91	312.91					19.99	19.99		
	- Conversion with DS1 Changes			UEPDC	USAWA		312.91	312.91					19.99	19.99		
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination			OLFDC	USAWA		312.91	312.91					15.55	19.99		
	- Conversion with Change - Trunk			UEPDC	USAWB		312.91	312.91					19.99	19.99		
ADDITI	ONAL NRCs			OLI DO	OO/WD		012.01	012.01					10.00	10.00		
1.23111	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent		1		1		 									1
	Service Activity Per Service Order			UEPDC	USAS4		94.88	94.88								
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC -			-			1	230		İ						1
	Subsequent Channel Activation/Chan - 2-Way Trunk			UEPDC	UDTTA		108.67	108.67					19.99	19.99		
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent						1									
	Channel Activation/Chan - 1-Way Outward Trunk			UEPDC	UDTTB		108.67	108.67	<u></u>	<u> </u>		<u> </u>	19.99	19.99		
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel															
	Activation/Chan Inward Trunk w/out DID			UEPDC	UDTTC		108.67	108.67					19.99	19.99		
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan															
	Activation Per Chan - Inward Trunk with DID			UEPDC	UDTTD		108.67	108.67					19.99	19.99		
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan						1									
	Activation / Chan - 2-Way DID w User Trans			UEPDC	UDTTE		108.67	108.67					19.99	19.99		
BIPOL	AR 8 ZERO SUBSTITUTION			UEBBO	00005			=00					10	10		ļ
	B8ZS -Superframe Format			UEPDC	CCOSF		0.00	590.00					19.99	19.99		ļ
	B8ZS - Extended Superframe Format			UEPDC	CCOEF		0.00	590.00		 			19.99	19.99		
Alterna	ate Mark Inversion			HEDDO	MCCCC		2.00	0.00		 						ļ
	AMI - Superframe Format			UEPDC	MCOSF MCOPO		0.00	0.00		 	-	1				1
Talast	AMI - Extended SuperFrame Format			UEPDC	MCOPO		0.00	0.00		 	-	1				1
reieph	one Number/Trunk Group Establisment Charges Telephone Number for 2-Way Trunk Group			UEPDC	UDTGX	0.00	 			 	-	1	19.99	19.99		1
	relephone Number for Z-way Truffk Group	1							ļ		<u> </u>					
				LIEDUC	LIDTCV	0.00							10.00	10.00		
	Telephone Number for 1-Way Outward Trunk Group Telephone Number for 1-Way Inward Trunk Group Without DID			UEPDC UEPDC	UDTGY	0.00					-		19.99 19.99	19.99 19.99		

NRONDLE	D NETWORK ELEMENTS - Tennessee			T		1							Attachment:	2		Exhibit:
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge Manual S Order vs Electroni Disc Add
						Rec	Nonrecurring		Nonrecurring	Disconnect			ossi	RATES (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
	DID Numbers, Non- consecutive DID Numbers , Per Number			UEPDC	ND5	0.00							19.99	19.99		
	Reserve Non-Consecutive DID Nos.			UEPDC	ND6	0.00	0.00	0.00								
	Reserve DID Numbers			UEPDC	NDV	0.00	0.00	0.00								
Dedica	ted DS1 (Interoffice Channel Mileage) - FX/FC0 for 4-Wire DS1	Digital	Loop	with 4-Wire DDITS 1	Frunk Port											
	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities Termination)			UEPDC	1LNO1	75.83	145.98	109.85	19.66	14.99						
	Interoffice Channel Mileage - Additional rate per mile - 0-8 miles			UEPDC	1LNOA	0.3525	0.00	0.00								
	Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities			LIEDDO	41.1100	0.00	0.00	0.00								
	Termination) Interoffice Channel Mileage - Additional rate per mile - 9-25			UEPDC	1LNO2	0.00	0.00	0.00								
	miles			UEPDC	1LNOB	0.3525	0.00	0.00								
	Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities Termination)			UEPDC	1LNO3	0.00	0.00	0.00	0.00							
	Interoffice Channel Mileage - Additional rate per mile - 25+ miles			UEPDC	1LNOC	0.3525	0.00	0.00								
	Local Number Portability, per DS0 Activated			UEPDC	LNPCP	3.15	0.00	0.00	0.00							
	Central Office Termininating Point			UEPDC	CTG	0.00	0.00	0.00	0.00							
4-WIRE	DS1 LOOP WITH CHANNELIZATION WITH PORT			02. 50	0.0	0.00	İ									
	is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Acti	vations														
Each S	ystem can have up to 24 combinations of rates depending on	type ar	d num	ber of ports used												
UNE D	S1 Loop															
	4-Wire DS1 Loop - UNE Zone 1		1	UEPMG	USLDC	57.73	0.00	0.00								
	4-Wire DS1 Loop - UNE Zone 2		2	UEPMG	USLDC	75.40	0.00	0.00								
	4-Wire DS1 Loop - UNE Zone 3		3	UEPMG	USLDC	98.59	0.00	0.00								
UNE D	SO Channelization Capacities (D4 Channel Bank Configuration	ıs)														
	24 DSO Channel Capacity - 1 per DS1			UEPMG	VUM24	131.87	0.00	0.00					19.99	19.99		
	48 DSO Channel Capacity - 1 per 2 DS1s			UEPMG	VUM48 VUM96	263.74	0.00	0.00					19.99	19.99		
	96 DSO Channel Capacity -1per 4 DS1s 144 DS0 Channel Capacity - 1 per 6 DS1s			UEPMG UEPMG	VUM14	527.48 791.42	0.00	0.00					19.99 19.99	19.99 19.99		
	192 DS0 Channel Capacity -1 per 8 DS1s			UEPMG	VUM19	827.76		0.00					19.99	19.99		
	240 DS0 Channel Capacity - 1 per 10 DS1s			UEPMG	VUM20	1,318.70	0.00	0.00					19.99	19.99		
-	288 DS0 Channel Capacity - 1 per 10 DS1s			UEPMG	VUM28	1,582.44	0.00	0.00	1				19.99	19.99		
	384 DS0 Channel Capacity - 1 per 12 DC13			UEPMG	VUM38	2,109.92	0.00	0.00					19.99	19.99		-
	480 DS0 Channel Capacity - 1 per 20 DS1s			UEPMG	VUM40	2,637,40	0.00	0.00					19.99	19.99		
	576 DS0 Channel Capacity -1 per 24 DS1s			UEPMG	VUM57	3,164.88	0.00	0.00					19.99	19.99		
	672 DS0 Channel Capacity - 1 per 28 DS1s			UEPMG	VUM67	3,692.36		0.00					19.99	19.99		
Non-Re	ecurring Charges (NRC) Associated with 4-Wire DS1 Loop with	Chanr	eliztio													
	mum System configuration is One (1) DS1, One (1) D4 Channel															
Multipl	es of this configuration functioning as one are considered Ad	ld'I afte	the m	inimum system con	figuration is	counted.										
	NRC - Conversion (Currently Combined) with or without BellSouth Allowed Changes			UEPMG	USAC4	0.00	303.61	15.74					19.99	19.99		
System	Additions at End User Locations Where 4-Wire DS1 Loop wit	h Chan	nelizat			ntly Exists and										
New (N	ot Currently Combined) In GA, KY, LA, MS & TN Only															
	1 DS1/D4 Channel Bank - Add NRC for each Port and Assoc															
	Fea Activation - New GA, LA, KY, MS, &TN Only			UEPMG	VUMD4	0.00	704.68	441.48	138.36	16.41			19.99			
Bipola	8 Zero Substitution															
	Clear Channel Capability Format, superframe - Subsequent Activity Only			UEPMG	CCOSF	0.00	0.00	590.00								
	Clear Channel Capability Format - Extended Superframe -															
	Subsequent Activity Only			UEPMG	CCOEF	0.00	0.00	590.00								
Alterna	te Mark Inversion (AMI)															
	Superframe Format			UEPMG	MCOSF	0.00	0.00	0.00								
	Extended Superframe Format			UEPMG	MCOPO	0.00	0.00	0.00								
	nge Ports Associated with 4-Wire DS1 Loop with Channelization	n with	Port		1		ļ								ļ	
Exchar	nge Ports				1		 							1	1	
	Line Side Combination Channelized PBX Trunk Port - Business			UEPPX	UEPCX	1.79	0.00	0.00	0.00	0.00			30.89	7.03		

UNBUI	NDLE	NETWORK ELEMENTS - Tennessee												Attachment:	2		Exhibit: B
														Incremental	Incremental	Incremental	Incremental
														Charge -	Charge -	Charge -	Charge -
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			Svc Order	Svc Order	Manual Svc	Manual Svc	Manual Svc	Manual Svc
071120		NATE ELEMENTO	m	20110	500	0000			==(+)			Submitted	Submitted	Order vs.	Order vs.	Order vs.	Order vs.
												Elec	Manually	Electronic-	Electronic-	Electronic-	Electronic-
												per LSR	per LSR	1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonrecurring		Nonrecurring	g Disconnect			OSS	RATES (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
		Line Side Outward Channelized PBX Trunk Port - Business			UEPPX	UEPOX	1.79	0.00	0.00	0.00	0.00			30.89	7.03		
		Line Side Inward Only Channelized PBX Trunk Port without DID			UEPPX	UEP1X	1.79	0.00	0.00	0.00	0.00			30.89	7.03		
		2-Wire Trunk Side Unbundled Channelized DID Trunk Port			UEPPX	UEPDM	8.97	0.00	0.00	0.00	0.00			30.89	7.03		
<u> </u>	Feature	Activations - Unbundled Loop Concentration															
		Feature (Service) Activation for each Line Side Port Terminated															
		in D4 Bank			UEPPX	1PQWM	0.66	23.94	12.64	3.82	3.80			30.89	7.03		
		Feature (Service) Activation for each Trunk Side Port Terminated in D4 Bank			UEPPX	1PQWU	0.66	73.67	17.37	54.09	10.57			30.89	7.03		
	Tolonh	one Number/ Group Establishment Charges for DID Service			UEPPX	IPQWU	0.00	73.07	17.37	54.09	10.57			30.89	7.03		
\vdash	eighu	DID Trunk Termination (1 per Port)	-		UEPPX	NDT	0.00	0.00	0.00								
+		DID Numbers - groups of 20 - Valid all States			UEPPX	ND4	0.00	0.00	0.00								
+		Non-Consecutive DID Numbers - per number	 		UEPPX	ND5	0.00	0.00	0.00								
 		Reserve Non-Consecutive DID Numbers			UEPPX	ND6	0.00	0.00	0.00								
 		Reserve DID Numbers			UEPPX	NDV	0.00	0.00	0.00								
 	Local N	umber Portability				1	3.30	3.50	0.00								
		Local Number Portability - 1 per port			UEPPX	LNPCP	3.15	0.00	0.00								
	FEATU	RES - Vertical and Optional						0.00									
	Local S	witching Features Offered with Line Side Ports Only															
		All Features Available			UEPPX	UEPVF	0.00	0.00	0.00								
UNBUN	DLED P	ORT LOOP COMBINATIONS - MARKET RATES															
		Rates shall apply where BellSouth is not required to provide	unbund	dled lo	cal switching or swit	tch ports per	FCC and/or St	ate Commissio	n rules.								
		scenarios include:															
		undled port/loop combinations that are Not Currently Combin															
		undled port/loop combinations that are Currently Combined of											1				
	The To	o 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderda	ale, Mia	mı); GA	A (Atlanta); LA (New	Orleans); NC	(Greensboro-	Winston Salem	-Highpoint/Ch	arlotte-Gaston	ia-Rock Hill); I	N (Nashvill	е).				
		th currently is developing the billing capability to mechanica									not currently o	combined in	AL, FL, NC	and SC. In t	he interim wh	ere BellSoutr	cannot bill
		Rates, BellSouth shall bill the rates in the Cost-Based section rket Rate for unbundled ports includes all available features i			lieu of the Market R	ates and res	erves the right	to true-up the	ollling altteren	ice.	ı	1			1		
					. Best coeffee of the			-11 1 ' 1'				(I INIE O		0		- 0-11-	
		ice and Tandem Switching Usage and Common Transport Us	age rat	es in tr	ne Port section of th	is rate exhib	it snaii appiy to	ali combinatio	ons of loop/po	rt network eien	nents except	for UNE COI	n Port/Loop	Combination	is which have	a flat rate	
		charge (USOC: URECU). Currently Combined scenarios where Market Rates apply, the	o Nonre	ourring	a charace are listed	in the Eiret a	nd Additional	NDC columns (or each Port I	ISOC For Cur	rontly Combin	ad scanaria	s the Nenr	ourring char	noe aro lietod	in the NDC -	Currently
		ned section. Additional NRCs may apply also and are categor				iii tiie riist a	iliu Auditioliai	INIC COlumns	or each Fort o	300. For Curi	rentry Combin	eu scenano	s, the None	curring chan	ges are risteu	III the NIC -	Surrently
		VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)	izeu au	Coruin	giy.	ı							1				
		rt/Loop Combination Rates	-	1		1											
 		2-Wire VG Loop/Port Combo - Zone 1		1		1	26.48										
\vdash		2-Wire VG Loop/Port Combo - Zone 2		2			30.31										
		2-Wire VG Loop/Port Combo - Zone 3		3			35.32										
		op Rates															
		2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPRX	UEPLX	12.48										
		2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPRX	UEPLX	16.31										
		2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPRX	UEPLX	21.32										
	2-Wire	Voice Grade Line Port (Res)															
		2-Wire voice unbundled port - residence			UEPRX	UEPRL	14.00	90.00	90.00					30.89	7.03		
\Box		2-Wire voice unbundled port with Caller ID - res			UEPRX	UEPRC	14.00	90.00	90.00					30.89	7.03		
		2-Wire voice unbundled port outgoing only - res			UEPRX	UEPRO	14.00	90.00	90.00					30.89	7.03		
		2-Wire voice Grade unbundled Tennessee extended local			UEDDV												
\vdash		dialing parity port with Caller ID - res		<u> </u>	UEPRX	UEPAQ	14.00	90.00	90.00					30.89	7.03		
		2-Wire voice unbundled Tennessee Area Calling port with Caller			HEDDY	LIEDAIA	44.00	00.00	00.00					00.00	7.00		
\vdash		ID - res (F2R)		<u> </u>	UEPRX	UEPAK	14.00	90.00	90.00					30.89	7.03		
		2-Wire voice unbundled Tennessee Area Calling port with Caller ID - res (TACER)			UEPRX	UEPAL	14.00	90.00	90.00					30.89	7.03		
\vdash		2-Wire voice unbundled Tennessee Area Calling port with Caller			101		00	55.00	22.00					55.00			
1 !		ID - res (TACSR)			UEPRX	UEPAM	14.00	90.00	90.00					30.89	7.03		
1 1						+		22.00	22.00	1	-	 		22.00	1.00		
\vdash		2-Wire voice unbundled Tennessee Area Calling port with Caller															
		2-Wire voice unbundled Tennessee Area Calling port with Caller ID - res (1MF2X)			UEPRX	UEPAN	14.00	90.00	90.00					30.89	7.03		

4Q01:12/01/01 PAGE 312 OF 324

JNBUNDLE	D NETWORK ELEMENTS - Tennessee					1						Attachment:	2		Exhibit: I
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		, ·	RATES(\$)			Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Order vs. Electronic
						Rec	Nonrecurring First	Add'l	Nonrecurring Disconnect First Add'l	SOMEC	SOMAN	OSS F	RATES (\$)	SOMAN	SOMAN
	2-Wire voice unbundled Tennessee Area Calling port with Caller						11130	Addi	Tilot Addi	JOHILO	JOHAN	JOWAN	JOWAN	JOHAN	JOWAN
	ID - res (2MR)			UEPRX	UEPAO	14.00	90.00	90.00				30.89	7.03		
	2-Wire voice unbundles res, low usage line port with Caller ID														
LOCAL	(LUM) NUMBER PORTABILITY			UEPRX	UEPAP	14.00	90.00	90.00				30.89	7.03		
LOCAL	Local Number Portability (1 per port)			UEPRX	LNPCX	0.35									-
FEATU				OLI IOX	LIVIOX	0.33									
. =, 0	All Features Offered			UEPRX	UEPVF	0.00	0.00	0.00							
	2-Wire Voice Grade Loop / Line Port Combination - Switch-as-is			UEPRX	USAC2		41.50	41.50				30.89	7.03		
	2-Wire Voice Grade Loop / Line Port Combination - Switch with														
	change			UEPRX	USACC		41.50	41.50							
ADDIT	ONAL NRCs						ļ			ļ					ļ
	NRC - 2-Wire Voice Grade Loop/Line Port Combination -			HEDDY	110 4 00		0.00	0.00				00.00	7.00		
2-WIDE	Subsequent VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)			UEPRX	USAS2		0.00	0.00		 		30.89	7.03		
	ort/Loop Combination Rates				-					1					
UNLF	2-Wire VG Loop/Port Combo - Zone 1		1			26.48									
	2-Wire VG Loop/Port Combo - Zone 2		2			30.31									
	2-Wire VG Loop/Port Combo - Zone 3		3			35.32				1					1
UNE Lo	pop Rates														
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPBX	UEPLX	12.48									
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPBX	UEPLX	16.31									
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPBX	UEPLX	21.32									ļ
2-Wire	Voice Grade Line Port (Bus)			LIEDDY	LIEDDI	44.00	00.00	20.00				00.00	7.00		
	2-Wire voice unbundled port without Caller ID - bus			UEPBX UEPBX	UEPBL	14.00	90.00 90.00	90.00				30.89 30.89	7.03		
	2-Wire voice unbundled port with Caller + E484 ID - bus 2-Wire voice unbundled port outgoing only - bus			UEPBX	UEPBC UEPBO	14.00 14.00	90.00	90.00 90.00				30.89	7.03 7.03		-
-	2-Wire voice Grade unbundled Tennessee extended local			OLFBA	OLFBO	14.00	90.00	90.00				30.69	7.03		
	dialing parity port with Caller ID - bus			UEPBX	UEPAV	14.00	90.00	90.00				30.89	7.03		
	2-Wire voice unbundled Tennessee Bus 2-Way Area Calling									1					1
	Port Economy Option (TACC1)			UEPBX	UEPAC	14.00						30.89	7.03		
	2-Wire voice unbundled Tennessee Bus 2-Way Area Calling														
	Port Standard Option (TACC2)			UEPBX	UEPAD	14.00	90.00	90.00				30.89	7.03		
	2-Wire voice unbundled Tennessee Bus 2-Way Collierville and														
	Memphis Local Calling Port (B2F)			UEPBX	UEPAE	14.00						30.89	7.03		
LOCAL	. NUMBER PORTABILITY Local Number Portability (1 per port)			UEPBX	LNPCX	0.35									
FEATU				UEPBA	LINFOX	0.35									
	ECURRING CHARGES - CURRENTLY COMBINED				+										
- 1101111															
	2-Wire Voice Grade Loop / Line Port Combination - Switch-as-is			UEPBX	USAC2		41.50	41.50				30.89	7.03		
	2-Wire Voice Grade Loop / Line Port Combination - Switch with														
	change			UEPBX	USACC		41.50	41.50							
ADDIT	ONAL NRCs						ļ			ļ					ļ
	NRC - 2-Wire Voice Grade Loop/Line Port Combination -			LIEDBY	LICACO		0.00	0.00				20.00	7.00		
2-WIDE	Subsequent E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)			UEPBX	USAS2		0.00	0.00	 	 		30.89	7.03		
	ort/Loop Combination Rates				+		 								
3.1.2.1	2-Wire VG Loop/Port Combo - Zone 1		1		1	26.48	 			1			1		†
	2-Wire VG Loop/Port Combo - Zone 2		2		1	30.31							Ì		
	2-Wire VG Loop/Port Combo - Zone 3		3			35.32									
	pop Rates							•							
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPRG	UEPLX	12.48									
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPRG	UEPLX	16.31							ļ		<u> </u>
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPRG	UEPLX	21.32	ļ			<u> </u>			ļ		<u> </u>
2-Wire	Voice Grade Line Port Rates (RES - PBX)									1			l		<u> </u>

UNBUNDLE	D NETWORK ELEMENTS - Tennessee												Attachment:	2		Exhibit: E
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)	I			Submitted		Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring	A 1.111		g Disconnect	001150		OSS F	RATES (\$)		
	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port -						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Res			UEPRG	UEPRD	14.00	90.00	90.00					30.89	7.03		
LOCAL	NUMBER PORTABILITY															
FEATU	Local Number Portability (1 per port)			UEPRG	LNPCP	3.15										
FEATU	CURRING CHARGES - CURRENTLY COMBINED															
HOHIL	SOUTHING GHARGES CONTRENTED COMBINED															
	2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is			UEPRG	USAC2		41.50	41.50					30.89	7.03		
	2-Wire Voice Grade Loop/ Line Port Combination - Switch with															
ADDITI	Change ONAL NRCs		!	UEPRG	USACC		41.50	41.50								
ADDITI	2 Wire Loop/Line Side Port Combination - Non feature -															
	Subsequent Activity- Nonrecurring		L				0.00	0.00				<u> </u>		<u></u>	<u> </u>	<u></u>
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt															
o Mube	Group		<u> </u>				14.64	14.64					19.99	19.99	19.99	19.99
	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX) ort/Loop Combination Rates									-						
UNE PO	2-Wire VG Loop/Port Combo - Zone 1		1			26.48										
	2-Wire VG Loop/Port Combo - Zone 2		2			30.31										
	2-Wire VG Loop/Port Combo - Zone 3		3			35.32										
	pop Rates															
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPPX	UEPLX	12.48										
	2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPPX UEPPX	UEPLX UEPLX	16.31 21.32										
2-Wire	Voice Grade Line Port Rates (BUS - PBX)		-	OLITA	OLILA	21.02										—
	,															
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPPX	UEPPC	14.00	90.00	90.00					30.89	7.03		
	Line Side Unbundled Outward PBX Trunk Port - Bus			UEPPX	UEPPO	14.00	90.00	90.00					30.89	7.03		
	Line Side Unbundled Incoming PBX Trunk Port - Bus 2-Wire Voice Unbundled PBX LD Terminal Ports			UEPPX UEPPX	UEPP1 UEPLD	14.00 14.00	90.00 90.00	90.00					30.89 30.89	7.03 7.03		—
	2-Wire Voice Unbundled 2-Way Combination PBX Tennessee			UEPPX	UEPLD	14.00	90.00	90.00					30.69	7.03		
	Calling Port			UEPPX	UEPT2	14.00							30.89	7.03		
	2-Wire Voice Unbundled 1-Way Outgoing PBX Tennessee															
	Calling Port			UEPPX	UEPTO	14.00	20.00						30.89	7.03		
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port 2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX UEPPX	UEPXA UEPXB	14.00 14.00	90.00 90.00	90.00					30.89 30.89	7.03 7.03		
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	14.00	90.00	90.00					30.89	7.03		
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	14.00	90.00	90.00					30.89	7.03		
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD															
	Capable Port		<u> </u>	UEPPX	UEPXE	14.00	90.00	90.00					30.89	7.03		
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPPX	UEPXL	14.00	90.00	90.00					30.89	7.03		
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy		 	ULFFA	UEFAL	14.00	90.00	90.00					30.89	7.03		
	Room Calling Port			UEPPX	UEPXM	14.00	90.00	90.00					30.89	7.03		1
	2-Wire Voice Unbundled 1-W Out PBX Hotel/Hospital Economy															
	Administrative Calling Port TN		ļ	UEPPX	UEPXN	14.00	90.00	90.00					30.89	7.03		
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital			LIEDDY	UEPXO	14.00	90.00	90.00					30.89	7.00		
	Discount Room Calling Port 2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port		!	UEPPX UEPPX	UEPXO	14.00	90.00	90.00		+			30.89	7.03 7.03		
	2-Wire Voice Unbundled PBX Collierville and Memphis Calling		1	SELLY.	JL1 //U	14.00	30.00	30.00					30.09	7.03		
	Port		L	UEPPX	UEPXU	14.00	90.00	90.00	<u> </u>			<u> </u>	30.89	7.03	<u> </u>	<u> </u>
	2-Wire Voice Unbundled 2-Way PBX Tennessee RegionServ															
	Callling Port		ļ	UEPPX	UEPXV	14.00	90.00	90.00					30.89	7.03		
LOCAL	NUMBER PORTABILITY Local Number Portability (1 per port)		<u> </u>	UEPPX	LNPCP	3.15			 		1		-			<u> </u>
FEATU			1	ULFFA	LINFOP	3.15			1		}		1			
	CURRING CHARGES - CURRENTLY COMBINED		†							1	1		 	1	 	—

NRONDLE	D NETWORK ELEMENTS - Tennessee	1		ı								Attachment:	2		Exhibit: E
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic Disc Add'l
						Rec	Nonrecurring First	Add'l	Nonrecurring Disconnect First Add'l	SOMEC	SOMAN	OSS F	RATES (\$)	SOMAN	SOMAN
	2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is			UEPPX	USAC2		41.50	41.50				30.89	7.03		
	2-Wire Voice Grade Loop/ Line Port Combination - Switch with Change			UEPPX	USACC		41.50	41.50							
ADDITI	ONAL NRCs			OLI I X	00/100		41.00	41.00						20.00	20.00
	2-Wire Voice Grade Loop/ Line Port Combination - Subsequent			UEPPX	USAS2		0.00	0.00				30.89	7.03		
	2 Wire Loop/Line Side Port Combination - Non feature -						0.00	0.00							
	Subsequent Activity- Nonrecurring PBX Subsequent Activity - Change/Rearrange Multiline Hunt				_		0.00	0.00							
	Group						14.64	14.64				19.99	19.99	19.99	19.99
2-WIRE	VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POR	RT													
UNE Po	ort/Loop Combination Rates														
	2-Wire VG Coin Port/Loop Combo – Zone 1		1			26.48									
	2-Wire VG Coin Port/Loop Combo – Zone 2		2			30.31									
	2-Wire VG Coin Port/Loop Combo – Zone 3		3			35.32									
UNE Lo	pop Rates			LIEDOO	LIEDLY	10.10									
	2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2		1 2	UEPCO UEPCO	UEPLX UEPLX	12.48 16.31									
	2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPCO	UEPLX	21.32									
	Voice Grade Line Port Rates (Coin)		3	OLI GO	OLI LX	21.02									
	2-Wire Coin 2-Way without Operator Screening and without														
	Blocking (TN)			UEPCO	UEPTB	14.00	90.00	90.00				30.89	7.03		
	2-Wire Coin 2-Way with Operator Screening and Blocking: 011, 900/976, 1+DDD (NC, TN)			UEPCO	UEPRP	14.00						30.89	7.03		
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking														
	(TN)			UEPCO	UEPTA	14.00	90.00	90.00				30.89	7.03		
	2-Wire Coin 2-Way with Operator Screening and Blocking: 900/976, 1+DDD, 011+, and Local (NC, TN)			UEPCO	UEPCA	14.00	90.00	90.00				30.89	7.03		
	2-Wire Coin Outward with Operator Screening and 011 Blocking (TN) 2-Wire Coin Outward with Operator Screening and Blocking:			UEPCO	UEPTC	14.00	90.00	90.00				30.89	7.03		
	900/976, 1+DDD, 011+, and Local (TN)			UEPCO	UEPOT	14.00	90.00	90.00				30.89	7.03		
LOCAL	NUMBER PORTABILITY			OLI OO	OLI OI	14.00	30.00	30.00				30.03	7.03		
	Local Number Portability (1 per port)			UEPCO	LNPCX	0.35									
NONRE	CURRING CHARGES - CURRENTLY COMBINED														
	2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is			UEPCO	USAC2		41.50	41.50				30.89	7.03		
	2-Wire Voice Grade Loop/ Line Port Combination - Switch with														
ADDITI	Change ONAL NRCs		-	UEPCO	USACC		41.50	41.50							
ADDITI	UNAL NRCS		1												
	2-Wire Voice Grade Loop/ Line Port Combination - Subsequent			UEPCO	USAS2		0.00	0.00				30.89	7.03		
BUNDLED C	CENTREX PORT/LOOP COMBINATIONS			OLI OO	00/102		0.00	0.00				00.00	7.00		
UNBUN	IDLED PORT/LOOP COMBINATIONS - COST BASED RATES														
	CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only)													
	VG Loop/2-Wire Voice Grade Port (Centrex) Combo														
	ort/Loop Combination Rates (Non-Design)		1												
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design		1	UEP91		14.18									
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		2	UEP91		18.01									
IINE S	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		3	UEP91		23.02									
IUNE Po	ort/Loop Combination Rates (Design)														
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -														

<u>NBUNDLE</u> [D NETWORK ELEMENTS - Tennessee												Attachment:	2	<u> </u>	Exhibi
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Submitted Manually	Incremental Charge - Manual Svc	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge Manual Order v
						Rec	Nonrecurring			g Disconnect				RATES (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design		2	UEP91		23.33										<u> </u>
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design		3	UEP91		29.98										
	oop Rate															
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP91	UECS1	12.48										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP91	UECS1	16.31										Ī
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP91	UECS1	21.32										
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP91	UECS2	16.56										
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP91	UECS2	21.63										
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP91	UECS2	28.28										1
UNE Po	orts						1					İ				
	es (Except North Carolina and Sout Carolina)															
	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP91	UEPYA	1.70	22.14	15.25	8.45	3.91		30.89	7.03			1
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area			UEP91	UEPYB	1.70		15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local															1
	Area 2-Wire Voice Grade Port (Centrex from diff Serving Wire			UEP91	UEPYH	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	Center)2 Basic Local Area			UEP91	UEPYM	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term - Basic Local Area			UEP91	UEPYZ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port terminated in on Megalink or equivalent - Basic Local Area			UEP91	UEPY9	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area			UEP91	UEPY2	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	, LA, MS, & TN Only															
	2-Wire Voice Grade Port (Centrex)			UEP91	UEPQA	1.70		15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP91	UEPQB	1.70		15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP91	UEPQH	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2			UEP91	UEPQM	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term			UEP91	UEPQZ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP91	UEPQ9	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP91	UEPQ2	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	Switching		1						1	2.31			1.50	İ	İ	1
	Centrex Intercom Funtionality, per port		1	UEP91	URECS	0.6381	i i		İ		İ	İ	İ	İ	İ	1
	lumber Portability		1		1	0.0001	† †		 		1	 			1	1
	Local Number Portability (1 per port)		1	UEP91	LNPCC	0.35	†		1				1	1	1	1
Feature			1		1	2.00	1				l	1				†
	All Standard Features Offered, per port		1	UEP91	UEPVF	0.00	†		1			30.89	7.03	1	1	1
	All Select Features Offered, per port		t	UEP91	UEPVS	0.00			1			30.89	7.03			†
	All Centrex Control Features Offered, per port		1	UEP91	UEPVC	0.00					l	30.89	7.03			†
NARS			1	- " - "		5.50	†		1			55.55	7.30	1	1	1
	Unbundled Network Access Register - Combination		1	UEP91	UARCX	0.00	0.00	0.00			l	1				†
	Unbundled Network Access Register - Indial		<u> </u>	UEP91	UAR1X	0.00		0.00			1	1				†
	Unbundled Network Access Register - Outdial		1	UEP91	UAROX	0.00		0.00			l	1				†
Miscell	aneous Terminations		1		0,	0.00	0.00	0.00			1					+
	Trunk Side	-	 		+		 		 		 	 				
	Trunk Side Trunk Side Terminations, each		 	UEP91	CENA6	8.78	22.14	15.25	8.45	3.91	1	30.89	7.03	1	1	+
	ice Channel Mileage - 2-Wire		 	OLI 31	CLIVAU	0.76	22.14	15.25	0.45	3.91	1	30.69	1.03			+
	Interoffice Channel Facilities Termination - Voice Grade	-	 	UEP91	MIGBC	18.58	22.14	15.25	8.45	3.91	1	30.89	7.03			+
	Interoffice Channel mileage, per mile or fraction of mile		 	UEP91	MIGBM	0.0174	22.14	15.25	0.45	3.91	-	30.09	1.03	-	-	+
	Activations (DS0) Centrex Loops on Channelized DS1 Service		 	OFLAI	IVIIGDIVI	0.0174	+		 		-		-	-	-	+
	nnel Bank Feature Activations	<u> </u>	├				 				1	-				+
	IIII DAIIN FEALUIE ACUVAUOUS		1	1							1		ī	ī	1	1

UNBUNDLE	D NETWORK ELEMENTS - Tennessee												Attachment:	2		Exhibit: B
															In aromar 4-1	
					1								Incremental			
		Interi									Cura Oudan	Cora Cordon	Charge -	Charge -	Charge -	Charge -
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)					Manual Svc	Manual Svc		
												Submitted		Order vs.	Order vs.	Order vs.
											Elec		Electronic-	Electronic-	Electronic-	Electronic-
									ı		per LSR	per LSR	1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonrecurring		Monroourrin	g Disconnect			000	RATES (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN		SOMAN	SOMAN
							11100	Auu i	11100	Auu	COMILO	COMPAN	COMPAR	COMPAR	COMPAR	COMPAR
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP91	1PQW6	0.66										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop			02. 0.	4.1.0	0.00										
	Slot			UEP91	1PQW7	0.66										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -															
	Different Wire Center			UEP91	1PQWP	0.66										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP91	1PQWV	0.66										
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop															
	Slot			UEP91	1PQWQ	0.66										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP91	1PQWA	0.66										
Non-R	ecurring Charges (NRC) Associated with UNE-P Centrex	ļ												ļ		1
	Conversion - Currently Combined Switch-As-Is with allowed															1
	changes, per port			UEP91	USAC2		1.03	0.29				30.89	7.03			
\vdash	New Centrex Standard Common Block	ļ		UEP91	M1ACS	0.00	658.60					30.89	7.03			
$\vdash \vdash \vdash$	New Centrex Customized Common Block	<u> </u>		UEP91	M1ACC	0.00	658.60					30.89	7.03	 	ļ	-
\vdash	Secondary Block, per Block	 	<u> </u>	UEP91	M2CC1	0.00	73.55		-	-		30.89	7.03	 	 	!
LINE	NAR Establishment Charge, Per Occasion			UEP91	URECA		68.57						30.89			-
	CENTREX - 5ESS (Valid in All States) VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
	ort/Loop Combination Rates (Non-Design)				_											
UNE P	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -				+											-
	Non-Design		1	UEP95		14.18										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		- ' -	OLF 93		14.10										
	Non-Design		2	UEP95		18.01										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			OLI SO		10.01										
	Non-Design		3	UEP95		23.02										
UNE P	ort/Loop Combination Rates (Design)		Ť	02. 00		20.02										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
	Design		1	UEP95		18.26										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design		2	UEP95		23.33										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design		3	UEP95		29.98										
UNE L	oop Rate															
	2-Wire Voice Grade Loop (SL 1) - Zone 1			UEP95	UECS1	12.48										
	2-Wire Voice Grade Loop (SL 1) - Zone 2			UEP95	UECS1	16.31										
\vdash	2-Wire Voice Grade Loop (SL 1) - Zone 3	ļ		UEP95	UECS1	21.32								ļ	ļ	ļ
\vdash	2-Wire Voice Grade Loop (SL 2) - Zone 1	ļ	1	UEP95	UECS2	16.56										
\vdash	2-Wire Voice Grade Loop (SL 2) - Zone 2	<u> </u>	2	UEP95	UECS2	21.63										-
	2-Wire Voice Grade Loop (SL 2) - Zone 3	 	3	UEP95	UECS2	28.28										1
	ort Rate	 	1		+						-	1		-	-	1
All Sta			-	UEP95	UEPYA	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
\vdash	2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex 800 termination)		-	UEP95 UEP95	UEPYA	1.70	22.14	15.25	8.45 8.45	3.91		30.89	7.03			
\vdash	2-Wire Voice Grade Port (Centrex 800 termination) 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local	├	 	ULF90	UEFTB	1.70	22.14	15.25	8.45	3.91	-	30.89	7.03	-	-	
	Area	1		UEP95	UEPYH	1.70	22.14	15.25	8.45	3.91		30.89	7.03	1	1	I
	2-Wire Voice Grade Port (Centrex from diff Serving Wire	 		OLF 30	OLF IT	1.70	22.14	15.25	0.45	3.91		30.09	7.03	1	1	t
	Center)2 Basic Local Area	1		UEP95	UEPYM	1.70	22.14	15.25	8.45	3.91		30.89	7.03	1	1	I
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service	 		J_1 00	JEI IIVI	1.70	22.14	10.20	0.43	5.31		30.09	7.03	 	 	t
	Term - Basic Local Area	1		UEP95	UEPYZ	1.70	22.14	15.25	8.45	3.91		30.89	7.03	1	1	I
	2-Wire Voice Grade Port terminated in on Megalink or equivalent				1		14	.5.20	0.40	3.51		55.00				1
	- Basic Local Area			UEP95	UEPY9	1.70	22.14	15.25	8.45	3.91		30.89	7.03			1
	2-Wire Voice Grade Port Terminated on 800 Service Term -				1			77.20	510	3.31			1.30			1
	Basic Local Area	1		UEP95	UEPY2	1.70	22.14	15.25	8.45	3.91		30.89	7.03	1	1	I
AL, K	Y, LA, MS, SC, & TN Only	1					22.14	15.25	8.45	3.91						
	2-Wire Voice Grade Port (Centrex)			UEP95	UEPQA	1.70		15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPQB	1.70	22.14	15.25	8.45	3.91		30.89	7.03			

NRUNDLE	ED NETWORK ELEMENTS - Tennessee	1	1		1						1		Attachment:	2	-	Exhibit:
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Increment Charge - Manual So Order vs Electronic Disc Add
						Rec	Nonrecurring		Nonrecurring				oss i	RATES (\$)		
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP95	UEPQH	1.70	First 22.14	Add'l 15.25	First 8.45	Add'I 3.91	SOMEC	30.89	SOMAN 7.03	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex with Caller ID) I 2-Wire Voice Grade Port (Centrex from diff Serving Wire			UEP95	UEPQH	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	Center)2			UEP95	UEPQM	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term			UEP95	UEPQZ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP95	UEPQ9	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP95	UEPQ2	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
FL & 0	GA Only															
	Switching		<u> </u>		1		i i									
	Centrex Intercom Funtionality, per port		1	UEP95	URECS	0.6381	İ									
Local	Number Portability															
	Local Number Portability (1 per port)			UEP95	LNPCC	0.35										
Featu																
	All Standard Features Offered, per port			UEP95	UEPVF	0.00						30.89	7.03			
	All Select Features Offered, per port			UEP95	UEPVS	0.00	433.78					30.89	7.03			
	All Centrex Control Features Offered, per port			UEP95	UEPVC	0.00						30.89	7.03			
NARS																
	Unbundled Network Access Register - Combination			UEP95	UARCX	0.00	0.00	0.00								
	Unbundled Network Access Register - Indial			UEP95	UAR1X	0.00	0.00	0.00								
	Unbundled Network Access Register - Outdial			UEP95	UAROX	0.00	0.00	0.00								
	Ilaneous Terminations															
2-Wire	Trunk Side				051150				2.01							
4 140	Trunk Side Terminations, each			UEP95	CEND6	8.78	47.75	47.01	9.21	8.47		30.89	7.03			
4-1116	e Digital (1.544 Megabits) DS1 Circuit Terminations, each			UEP95	M1HD1	35.55	75.93	38.15				30.89	7.03			
	DS0 Channels Activated, each			UEP95	M1HD0	0.00	108.67	30.13	-			30.69	7.03			
Interes	ffice Channel Mileage - 2-Wire	-		UEF95	IVITIDO	0.00	100.07				1					
intero	Interoffice Channel Facilities Termination			UEP95	MIGBC	18.58	22.14	15.25	8.45	3.91	1	30.89	7.03			
	Interoffice Channel mileage, per mile or fraction of mile			UEP95	MIGBM	0.0174	22.14	10.20	0.40	5.51		30.03	7.03			
Featu	re Activations (DS0) Centrex Loops on Channelized DS1 Service	e		02. 00	02	0.0111										
	annel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	1PQWS	0.66										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP95	1PQW6	0.66										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop			02. 00		0.00										
	Slot			UEP95	1PQW7	0.66										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center			UEP95	1PQWP	0.66										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP95	1PQWV	0.66										
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop															1
	Slot			UEP95	1PQWQ	0.66										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP95	1PQWA	0.66										
Non-R	lecurring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port			UEP95	USAC2		1.03	0.29				30.89	7.03			
	New Centrex Standard Common Block	1	†	UEP95	M1ACS	0.00	658.60	0.23				30.89	7.03		1	
	New Centrex Customized Common Block			UEP95	M1ACC	0.00	658.60					30.89	7.03		İ	†
	NAR Establishment Charge, Per Occasion		<u> </u>	UEP95	URECA	0.00	68.57					30.89	7.03			
UNE-F	P CENTREX - DMS100 (Valid in All States)															1
2-Wire	VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
	Port/Loop Combination Rates (Non-Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design		1	UEP9D		14.18										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Non-Design		2	UEP9D		18.01					<u> </u>					

	D NETWORK ELEMENTS - Tennessee												Attachment:	2		Exhibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Order vs.
						Rec	Nonrecurring		Nonrecurring	g Disconnect			oss	RATES (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			LIEDOD		00.00										
	Non-Design ort/Loop Combination Rates (Design)		3	UEP9D		23.02										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
	Design		1	UEP9D		18.26										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design		2	UEP9D		23.33										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo		_	LIEDOD		20.00										
	Design pop Rate		3	UEP9D		29.98										
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9D	UECS1	12.48										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP9D	UECS1	16.31										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP9D	UECS1	21.32										
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP9D	UECS2	16.56										
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP9D	UECS2	21.63										
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9D	UECS2	28.28										
UNE Po																L
ALL ST							20.11	15.05		0.01						
	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP9D	UEPYA	1.70	22.14	15.25	8.45	3.91		30.89	7.03			_
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area			UEP9D	UEPYB	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local			UEP9D	UEPTB	1.70	22.14	15.25	0.40	3.91		30.09	7.03			
	Area			UEP9D	UEPYC	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local			OLI OD	OLI 10	1.70	22.17	10.20	0.40	0.01		00.00	7.00			
	Area			UEP9D	UEPYD	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local															
	Area			UEP9D	UEPYE	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local															
	Area			UEP9D	UEPYF	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local			LIEDOD	LIEDVO	4.70	00.44	45.05	0.45	0.04		00.00	7.00			
	Area			UEP9D	UEPYG	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local Area			UEP9D	UEPYT	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local			OLF3D	OLFII	1.70	22.14	13.23	0.40	3.91		30.09	7.03			
	Area			UEP9D	UEPYU	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local	<u> </u>			1	0		.0.20	5.10	5.51		30.00		1		
	Area	<u> </u>	L	UEP9D	UEPYV	1.70	22.14	15.25	8.45	3.91	<u> </u>	30.89	7.03	<u> </u>		
	2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local															
	Area	<u> </u>		UEP9D	UEPY3	1.70	22.14	15.25	8.45	3.91		30.89	7.03	ļ		
	2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local			LIEDOD	LIEDVAL	4.70	00.44	45.05	0.45	0.04		00.00	7.00			
	Area	1	-	UEP9D	UEPYH	1.70	22.14	15.25	8.45	3.91		30.89	7.03	-		<u> </u>
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp Indication))3 Basic Local Area			UEP9D	UEPYW	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))3	1	1	OLFAD	DEFIN	1.70	22.14	15.25	0.45	3.91		30.89	1.03	1		
	Basic Local Area	1		UEP9D	UEPYJ	1.70	22.14	15.25	8.45	3.91		30.89	7.03	1		
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)			02.00	020			10.20	0.10	0.01		00.00	7.00			
	2 Basic Local Area			UEP9D	UEPYM	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3															
	Basic Local Area			UEP9D	UEPYO	1.70	22.14	15.25	8.45	3.91		30.89	7.03			<u> </u>
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3	1		LIEDOD	LIEDY'S			.= -						1		
	Basic Local Area	ļ	<u> </u>	UEP9D	UEPYP	1.70	22.14	15.25	8.45	3.91		30.89	7.03			├
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3 Basic Local Area	1		UEP9D	UEPYQ	1.70	22.14	15.25	8.45	3.91		30.89	7.03	1		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3	1	 	OLFBD	ULF IQ	1.70	22.14	15.25	0.45	3.91		30.09	1.03	 		
	Basic Local Area	1		UEP9D	UEPYR	1.70	22.14	15.25	8.45	3.91		30.89	7.03	1		
		 	-						20	2.01		22.50		1		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3															

JNBUNDLE	D NETWORK ELEMENTS - Tennessee												Attachment:	2	I	Exhibit:
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			1	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrecurring First	Add'I	Nonrecurring First	Disconnect Add'l	SOMEC	SOMAN		ATES (\$)	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3						151	Addi	1 1130	Addi	COMEO	JOINIAN	COMPAR	COMPAR	COMPAR	OOMAN
	Basic Local Area			UEP9D	UEPY4	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3															
	Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3			UEP9D	UEPY5	1.70	22.14	15.25	8.45	3.91		30.89	7.03			+
	Basic Local Area			UEP9D	UEPY6	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3 Basic Local Area			UEP9D	UEPY7	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			OLI 9D	OLI 17	1.70	22.14	13.23	0.40	3.91		30.03	7.05			+
	Term			UEP9D	UEPYZ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			LIEDOD	LIED/C	4 ===	00.4	45.05	0.4-	0.01		20.00	7.00			
	Basic Local Area 2-Wire Voice Grade Port Terminated on 800 Service Term Basic			UEP9D	UEPY9	1.70	22.14	15.25	8.45	3.91		30.89	7.03			+
	Local Area			UEP9D	UEPY2	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
AL, KY	, LA, MS, SC, & TN Only			-			22.14	15.25	8.45	3.91						
	2-Wire Voice Grade Port (Centrex)			UEP9D	UEPQA	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP9D	UEPQB	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex / EBS-PSET)3			UEP9D	UEPQC	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex / EBS-M5009)3			UEP9D	UEPQD UEPQE	1.70 1.70	22.14 22.14	15.25 15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex / EBS-M5209)3			UEP9D UEP9D	UEPQE	1.70	22.14		8.45	3.91 3.91	1	30.89 30.89	7.03 7.03			
	2-Wire Voice Grade Port (Centrex / EBS-M5112)3 2-Wire Voice Grade Port (Centrex / EBS-M5312)3			UEP9D	UEPQG	1.70	22.14	15.25 15.25	8.45 8.45	3.91		30.89	7.03			+
	2-Wire Voice Grade Port (Centrex / EBS-M5008)3			UEP9D	UEPQT	1.70	22.14	15.25	8.45	3.91		30.89	7.03			+
+	2-Wire Voice Grade Port (Centrex / EBS-M5000)3			UEP9D	UEPQU	1.70	22.14	15.25	8.45	3.91	1	30.89	7.03			+
	2-Wire Voice Grade Port (Centrex / EBS-M5206)3			UEP9D	UEPQV	1.70	22.14	15.25	8.45	3.91	1	30.89	7.03			
-	2-Wire Voice Grade Port (Centrex / EBS-M5316)3			UEP9D	UEPQ3	1.70	22.14	15.25	8.45	3.91		30.89	7.03			+
	2-Wire Voice Grade Port (Centrex with Caller ID)			UEP9D	UEPQH	1.70	22.14	15.25	8.45	3.91		30.89	7.03			+
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp			02. 05	02. Q			10.20	0.10	0.01		00.00	7.00			
	Indication)3			UEP9D	UEPQW	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)3			UEP9D	UEPQJ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			1
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)															
	2			UEP9D	UEPQM	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3			UEP9D	UEPQO	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3			UEP9D	UEPQP	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3			UEP9D	UEPQQ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
													= 00			
-	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3			UEP9D	UEPQR	1.70	22.14	15.25	8.45	3.91	1	30.89	7.03			
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3			UEP9D	UEPQS	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2 1110 10100 01440 1 011 (0011101011011011011011012)2; 0			02. 05	02. 40			10.20	0.10	0.01		00.00	7.00			†
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3			UEP9D	UEPQ4	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	,															
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3			UEP9D	UEPQ5	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3			UEP9D	UEPQ6	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2 Wire Vaine Conde Bott (Control differ CMC /EBC ME246)2 2			UEP9D	UEPQ7	1.70	22.44	45.05	8.45	2.04		30.89	7.03			
-	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			UEP9D	UEPQ/	1.70	22.14	15.25	8.45	3.91	1	30.89	7.03			+
	Term			UEP9D	UEPQZ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	O Mira Vaina Canda Bart tarraineta la canda Marallal and			LIEDOD	LIEDOS	4 =	00.4	45.05	0.4-	0.01		20.00	7.00			
	2-Wire Voice Grade Port terminated in on Megalink or equivalent	1	!	UEP9D	UEPQ9	1.70	22.14	15.25	8.45	3.91 3.91	<u> </u>	30.89	7.03			+
Local	2-Wire Voice Grade Port Terminated on 800 Service Term Switching	-	 	UEP9D	UEPQ2	1.70	22.14	15.25	8.45	3.91	1	30.89	7.03			+
Local S	Centrex Intercom Funtionality, per port			UEP9D	URECS	0.6381	 				1				-	+
Local N	Number Portability	-	<u> </u>	021 00	511250	0.0001	 				 					+
	Local Number Portability (1 per port)			UEP9D	LNPCC	0.35					1					
Feature		t	 		1 50	0.00	1		1		1	t			1	

<u>JNBUNDL</u> EI	NETWORK ELEMENTS - Tennessee												Attachment:	2		Exhibit:
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)	I			Submitted Manually		Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Charge Manual S Order vs
						Rec	Nonrecurring			g Disconnect			ossi	RATES (\$)		
				LIEDAD	LIED (E		First	Add'l	First	Add'l	SOMEC			SOMAN	SOMAN	SOMAN
	All Standard Features Offered, per port			UEP9D	UEPVF	0.00	100 70					30.89	7.03			
	All Select Features Offered, per port			UEP9D	UEPVS UEPVC	0.00	433.78					30.89	7.03			
NARS	All Centrex Control Features Offered, per port			UEP9D	UEPVC	0.00	-				1	30.89	7.03			
INAKS	Unbundled Network Access Register - Combination			UEP9D	UARCX	0.00	0.00	0.00							-	-
	Unbundled Network Access Register - Inward			UEP9D	UAR1X	0.00	0.00	0.00								
	Unbundled Network Access Register - Outdial			UEP9D	UAROX	0.00	0.00	0.00								
Miscell	aneous Terminations			02.02	07.11.071	0.00	0.00	0.00								
	Trunk Side															
	Trunk Side Terminations, each			UEP9D	CEND6	8.78	22.14	15.25	8.45	3.91		30.89	7.03			
4-Wire	Digital (1.544 Megabits)															
	DS1 Circuit Terminations, each			UEP9D	M1HD1	35.55	75.93	38.15				30.89	7.03			
	DS0 Channels Activiated per Channel			UEP9D	M1HDO	0.00	108.67									
Interoff	ice Channel Mileage - 2-Wire															
	Interoffice Channel Facilities Termination			UEP9D	MIGBC	18.58	22.14	15.25	8.45	3.91		30.89	7.03			
	Interoffice Channel mileage, per mile or fraction of mile			UEP9D	MIGBM	0.0174										
	Activations (DS0) Centrex Loops on Channelized DS1 Service	e														
D4 Cha	nnel Bank Feature Activations Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9D	1PQWS	0.66	-				1					
	·															
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop			UEP9D	1PQW6	0.66										
	Slot Feature Activation on D-4 Channel Bank Centrex Loop Slot -			UEP9D	1PQW7	0.66										
	Different Wire Center			UEP9D	1PQWP	0.66										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop			UEP9D	1PQWV	0.66										
	Slot			UEP9D	1PQWQ	0.66										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9D	1PQWA	0.66										
Non-Re	curring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port			UEP9D	USAC2		1.03	0.29				30.89	7.03			
	New Centrex Standard Common Block			UEP9D	M1ACS	0.00	658.60					30.89	7.03			1
	New Centrex Customized Common Block			UEP9D	M1ACC	0.00	658.60					30.89	7.03			
	NAR Establishment Charge, Per Occasion			UEP9D	URECA		68.57					30.89	7.03			
	CENTREX - EWSD (Valid in AL, FL, KY, LA, MS & TN)															
	VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
UNE Po	ort/Loop Combination Rates (Non-Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design		1	UEP9E		14.18										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		2	UEP9E		18.01										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		3	UEP9E		23.02										
UNE Po	ort/Loop Combination Rates (Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design		1	UEP9E		18.26	<u> </u>									
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design		2	UEP9E		23.33										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design		3	UEP9E		29.98										
UNE I	op Rate	1	_ <u> </u>			20.00	†								1	
3	2-Wire Voice Grade Loop (SL 1) - Zone 1	1	1	UEP9E	UECS1	12.48	†								1	
	2-Wire Voice Grade Loop (SL 1) - Zone 2	1		UEP9E	UECS1	16.31	†								1	
	2-Wire Voice Grade Loop (SL 1) - Zone 3			UEP9E	UECS1	21.32										
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP9E	UECS2	16.56										
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP9E	UECS2	21.63										

UNDUNDLE	D NETWORK ELEMENTS - Tennessee	1			1	ı							Attachment:			Exhibit:
CATEGORY	RATE ELEMENTS	Interi m	Zone	всѕ	usoc			RATES(\$)				Svc Order Submitted Manually per LSR		Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual Sv Order vs. Electronic Disc Add
						Rec	Nonrecurring		Nonrecurring	Disconnect				RATES (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9E	UECS2	28.28										
	ort Rate															
AL, FL	, KY, LA, MS, & TN only 2-Wire Voice Grade Port (Centrex) Basic Local Area		<u> </u>	UEP9E	UEPYA	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local			OLF9L	OLFTA	1.70	22.14	13.23	0.43	3.91		30.09	7.03			
	Area			UEP9E	UEPYB	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area			UEP9E	UEPYH	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex from diff Serving Wire								0.45				= 00			
	Center)2 Basic Local Area			UEP9E	UEPYM	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term - Basic Local Area			UEP9E	UEPYZ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port terminated in on Megalink or equivalent															
	- Basic Local Area			UEP9E	UEPY9	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area			UEP9E	UEPY2	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
AI KY	, LA, MS, & TN Only			OLF9L	ULF 12	1.70	22.14	13.23	0.43	3.91		30.09	7.03			
AL, IX	2-Wire Voice Grade Port (Centrex)			UEP9E	UEPQA	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP9E	UEPQB	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP9E	UEPQH	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2			UEP9E	UEPQM	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term			UEP9E	UEPQZ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9E	UEPQ9	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP9E	UEPQ2	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
Local	Switching			LIEDOE	LIDEOO	0.0004										
Local	Centrex Intercom Funtionality, per port Number Portability		<u> </u>	UEP9E	URECS	0.6381										
Local	Local Number Portability (1 per port)			UEP9E	LNPCC	0.35										
Featur				OLI OL	2111 00	0.00										
	All Standard Features Offered, per port			UEP9E	UEPVF	0.00						30.89	7.03			
	All Select Features Offered, per port			UEP9E	UEPVS	0.00	433.78					30.89	7.03			
	All Centrex Control Features Offered, per port			UEP9E	UEPVC	0.00						30.89	7.03			
NARS																
	Unbundled Network Access Register - Combination		ļ	UEP9E	UARCX	0.00	0.00	0.00			ļ					
	Unbundled Network Access Register - Indial Unbundled Network Access Register - Outdial	ļ		UEP9E UEP9E	UAR1X UAROX	0.00	0.00	0.00								
Miscal	laneous Terminations	-	-	OLFSE	UARUX	0.00	0.00	0.00			-	 		-	 	-
	Trunk Side	 	 		1						-			1	 	
2 *******	Trunk Side Terminations, each			UEP9E	CEND6	8.78	22.14	15.25	8.45	3.91		30.89	7.03			
4-Wire	Digital (1.544 Megabits)								50							
	DS1 Circuit Terminations, each			UEP9E	M1HD1	35.55	75.93	38.15				30.89	7.03			
	DS0 Channel Activated Per Channel			UEP9E	M1HDO	0.00	108.67									
Interof	fice Channel Mileage - 2-Wire		<u> </u>			40						00.5				
-	Interoffice Channel Facilities Termination	1		UEP9E UEP9E	MIGBC	18.58 0.0174	22.14	15.25	8.45	3.91	1	30.89	7.03	 	 	1
Fastur	Interoffice Channel mileage, per mile or fraction of mile e Activations (DS0) Centrex Loops on Channelized DS1 Service	<u> </u>	-	UEPSE	INIGRIN	0.0174						 		-	 	
	annel Bank Feature Activations	ĭ	 		1						-	1		1	 	-
5- 511	Feature Activation on D-4 Channel Bank Centrex Loop Slot	1		UEP9E	1PQWS	0.66					1	1		1	1	1
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9E	1PQW6	0.66										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP9E	1PQW7	0.66										
_	Feature Activation on D-4 Channel Bank Centrex Loop Slot -			OLF 3L	IF Q VV /	0.00					+					
1	Different Wire Center	l	1	UEP9E	1PQWP	0.66								1	1	

NDUNDLE	D NETWORK ELEMENTS - Tennessee	1	1	1	1						1		Attachment:	4		Exhibit:
CATEGORY	RATE ELEMENTS	Interi m	Zone	всѕ	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremen Charge Manual S Order vs Electroni Disc Add
						Rec	Nonrecurring		Nonrecurring	Disconnect				RATES (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Feature Activation on D-4 Channel Bank Private Line Loop Slot Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop			UEP9E	1PQWV	0.66										
	Slot			UEP9E	1PQWQ	0.66										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9E	1PQWA	0.66										
Non-Re	ecurring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed															
	changes, per port			UEP9E	USAC2		1.03	0.29				30.89	7.03			
	New Centrex Standard Common Block			UEP9E	M1ACS	0.00	658.60					30.89	7.03			
	New Centrex Customized Common Block	1	<u> </u>	UEP9E	M1ACC URECA	0.00	658.60					30.89	7.03		-	1
IINE-D	NAR Establishment Charge, Per Occasion CENTREX - DCO - Valid in AL, KY, LA, MS, & TN)	 	 	UEP9E	URECA	0.00	68.57				1	30.89	7.03		-	
	VG Loop/2-Wire Voice Grade Port (Centrex) Combo	1	 	 	+						1				1	1
	ort/Loop Combination Rates (Non-Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
	Non-Design		1	UEP93		14.18										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Non-Design		2	UEP93		18.01										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo		_													
UNER	Non-Design		3	UEP93		23.02										
UNE P	ort/Loop Combination Rates (Design)				+						1					
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design		1	UEP93		18.26										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		-	OLI 93		10.20										
	Design		2	UEP93		23.33										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design		3	UEP93		29.98										
UNE Lo	pop Rate															
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP93	UECS1	12.48										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		3	UEP93	UECS1	16.31 21.32										
	2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP93 UEP93	UECS1 UECS2	16.56										
	2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP93	UECS2	21.63										
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP93	UECS2	28.28										
UNE P	ort Rate															
AL, KY	, LA, MS, & TN only															
	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP93	UEPYA	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local															
	Area			UEP93	UEPYB	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area			UEP93	UEPYH	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex from diff Serving Wire			UEP93	UEPTH	1.70	22.14	15.25	0.45	3.91		30.09	7.03			
	Center)2 Basic Local Area	1	1	UEP93	UEPYM	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service	l		5 = 1 00	32	0	22.14	.0.20	3.40	0.01		55.55			İ	
	Term - Basic Local Area			UEP93	UEPYZ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port terminated in on Megalink or equivalent															
	- Basic Local Area			UEP93	UEPY9	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port Terminated on 800 Service Term -															
	Basic Local Area	<u> </u>	ļ	UEP93	UEPY2	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex)	1		UEP93	UEPQA UEPQB	1.70	22.14	15.25	8.45 8.45	3.91		30.89 30.89	7.03			
	2-Wire Voice Grade Port (Centrex 800 termination) 2-Wire Voice Grade Port (Centrex with Caller ID)1	 	 	UEP93 UEP93	UEPQB	1.70 1.70	22.14 22.14	15.25 15.25	8.45 8.45	3.91 3.91	-	30.89	7.03 7.03		-	-
-	2-Wire Voice Grade Port (Centrex with Caller ID) I 2-Wire Voice Grade Port (Centrex from diff Serving Wire		 	OLF 33	ULFUN	1.70	22.14	15.25	0.40	3.91	 	30.09	1.03			
	Center)2			UEP93	UEPQM	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
	Term	ļ	<u> </u>	UEP93	UEPQZ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			<u> </u>
	1	1	1	1			1			i i	1				I	1

JNBUNDLE	D NETWORK ELEMENTS - Tennessee												Attachment:	2		Exhibit: I
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC	RATES(\$)					Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual Sv Order vs. Electronic Disc Add	
						Rec	Nonrecurring		Nonrecurring	Disconnect			ossi	RATES (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP93	UEPQ2	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
Local	Switching					-										
	Centrex Intercom Funtionality, per port			UEP93	URECS	0.6381										
Local	Number Portability															
	Local Number Portability (1 per port)			UEP93	LNCCC	0.35										
Featur																
	All Standard Features Offered, per port			UEP93	UEPVF	0.00						30.89				
	All Centrex Control Features Offered, per port			UEP93	UEPVC	0.00						30.89				
NARS																
	Unbundled Network Access Register - Combination			UEP93	UARCX	0.00	0.00	0.00						İ	İ	
	Unbundled Network Access Register - Indial			UEP93	UAR1X	0.00	0.00	0.00								
	Unbundled Network Access Register - Outdial			UEP93	UAROX	0.00	0.00	0.00								
Miscel	laneous Terminations															
	Trunk Side															
	Trunk Side Terminations, each			UEP93	CEND6	8.78	22.14	15.25	8.45	3.91		30.89	7.03			
4-Wire	Digital (1.544 Megabits)															
	DS1 Circuit Terminations, each			UEP93	M1HD1	35.55	75.93	38.15				30.89	7.03			
	DS0 Channels Activated, Per Channel			UEP93	M1HDO	0.00	108.67					00.00				
Interof	fice Channel Mileage - 2-Wire			02. 00		0.00	100.01									
	Interoffice Channel Facilities Termination			UEP93	MIGBC	18.58	22.14	15.25	8.45	3.91		30.89	7.03			
+	Interoffice Channel mileage, per mile or fraction of mile			UEP93	MIGBM	0.0174		10.20	0.10	0.01		00.00	7.00			1
Featur	e Activations (DS0) Centrex Loops on Channelized DS1 Service	6		OLI SO	IVIIODIVI	0.0174										
	annel Bank Feature Activations						1		+							1
D4 0116	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP93	1PQWS	0.66										
	reature Activation on B-4 channel bank denties 200p Glot			OL1 93	II QWO	0.00	+									
	Feature Activation on D-4 Channel Bank FX Line Side Loop Slot			UEP93	1PQW6	0.66										i
_	Feature Activation on D-4 Channel Bank FX Trunk Side Loop			OLI 30	11 00110	0.00										
	Slot			UEP93	1PQW7	0.66										i
_	Feature Activation on D-4 Channel Bank Centrex Loop Slot -			OLI 33	11 Q 11 /	0.00										
	Different Wire Center			UEP93	1PQWP	0.66										i
	Different Wife Center			OLF 93	IFQWF	0.00										——
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP93	1PQWV	0.66										i
	Feature Activation on D-4 Channel Bank Frivate Line Loop Stot Feature Activation on D-4 Channel Bank Tie Line/Trunk Loop			UEF93	IPQWV	0.00	+		-							
	Slot			UEP93	1PQWQ	0.66										i
_	Feature Activation on D-4 Channel Bank WATS Loop Slot		-	UEP93	1PQWQ	0.66										
Non D	ecurring Charges (NRC) Associated with UNE-P Centrex			OFLAS	IFQWA	0.00	 		+					-	-	
NOII-K	NRC Conversion Currently Combined Switch-As-Is with allowed			-	+		+		-		-			-	-	
	changes, per port			UEP93	USAC2		1.03	0.29				30.89	7.03			i
	New Centrex Standard Common Block			UEP93	M1ACS	0.00	658.60	0.29	-			30.89	7.03			
	New Centrex Standard Common Block			UEP93	M1ACC	0.00	658.60		-			30.89	7.03			
	NAR Establishment Charge, Per Occasion			UEP93	URECA	0.00	68.57		+			30.89	7.03	-	-	
Note 4	- Required Port for Centrex Control in 1AESS, 5ESS & EWSD			OFL 22	UNLUA		00.37		+			30.09	1.03	-	-	
	- Required Port for Centrex Control in 1AESS, 5ESS & EWSD			+	+		 		+					-	-	
	- Requires Specific Customer Premises Equipment			-	+		+		-		-			-	-	H
Note 3	- requires opecine customer Premises Equipment			1	+		 									
					-		 				1			-		
-				1	+		 									
					-		 				1			-		
					-											
																—
1												<u> </u>		<u> </u>	<u> </u>	

ATTACHMENT 3 NETWORK INTERCONNECTION

TABLE OF CONTENTS

1. Network Interconnection	
2. Interconnection Trunk Group Architectures	
3. Network Design And Management For Interconn	nection12
4. Local Dialing Parity	15
5. Interconnection Compensation	15
6. Frame Relay Service Interconnection	21
7. Operational Support Systems (OSS)	24
Rates	Exhibit A
Basic Architecture	Exhibit B
One Way Architecture	Exhibit C
Two Way Architecture	Exhibit D
Supergroup Architecture	Exhibit E

NETWORK INTERCONNECTION

1. GENERAL

- 1.1 The Parties shall provide interconnection with each other's networks for the transmission and routing of telephone exchange service (local) and exchange access (intraLATA toll and switched access) on the following terms:
- 2. DEFINITIONS: (FOR THE PURPOSE OF THIS ATTACHMENT)
- 2.1 For purposes of this attachment only, the following terms shall have the definitions set forth below:
- 2.1.1 **Call Termination** has the meaning set forth for "termination" in 47CFR § 51.701(d).
- 2.1.2 **Call Transport** has the meaning set forth for "transport" in 47 CFR § 51.701(c).
- 2.1.3 **Call Transport and Termination** is used collectively to mean the switching and transport functions from the Interconnection Point to the last point of switching.
- 2.1.4 **Common (Shared) Transport** is defined as the transport of the originating Party's traffic by the terminating Party over the terminating Party's common (shared) facilities between (1) the terminating Party's tandem switch and end office switch, (2) between the terminating Party's tandem switches, and/or (3) between the terminating Party's host and remote end office switches. All switches referred herein must be entered into the Local Exchange Routing Guide ("LERG").
- 2.1.5 **Dedicated Interoffice Facility** is defined as a switch transport facility between a Party's Serving Wire Center and the first point of switching on the other Party's common (shared) network.
- 2.1.6 **End Office Switching** is defined as the function that establishes a communications path between the trunk side and line side of the End Office switch.
- 2.1.7 **Fiber Meet** is an interconnection arrangement whereby the Parties physically interconnect their networks via an optical fiber interface at which one Party's facilities, provisioning, and maintenance responsibility begins and the other Party's responsibility ends.
- 2.1.8 **Interconnection Point ("IP")** is the physical telecommunications equipment interface that performs the interconnection function for BellSouth and Excel.
- 2.1.9 **Local Channel** is defined as a switched transport facility between a Party's Interconnection Point and it's the IP's Serving Wire Center.

- 2.1.10 **Local Traffic** is as defined in Section 5 of this Attachment.
- 2.1.11 **Serving Wire Center** is defined as the wire center owned by one Party from which the other Party would normally obtain dial tone for its IP.
- 2.1.12 **Tandem Switching** is defined as the function that establishes a communications path between two switching offices through a third switching office through the provision of trunk side to trunk side switching.
- 2.1.13 **Transit Traffic** is traffic originating on Excel's network that is switched and/or transported by BellSouth and delivered to a third party's network, or traffic originating on a third Party's network that is switched and/or transported by BellSouth and delivered to Excel's network.

3. NETWORK INTERCONNECTION

- 3.1 This Attachment pertains only to the provision of network interconnection where Excel owns and provides its switch(es).
- Network interconnection may be provided by the Parties at any technically feasible point within BellSouth's network. Requests to BellSouth for interconnection at points other than as set forth in this Attachment may be made through the Bona Fide Request/New Business Request process set out in this Agreement.
- 3.2.1 Each Party is responsible for providing, engineering and maintaining the network on its side of the IP. The IP must be located within BellSouth's serving territory in the LATA in which local traffic is originating. The IP determines the point at which the originating Party shall pay the terminating Party for the Call Transport and Termination of that traffic.
- 3.2.1.1 When first establishing the interconnection arrangement in each LATA, the location of the IP shall be established by mutual agreement of the Parties. In selecting the IP, both Parties will act in good faith and select the point which is most efficient for both Parties. If the Parties are unable to agree on the location of the IP, each Party will designate the Inform its originated traffic. Additional IP(s) in a particular LATA may be established by mutual agreement of the Parties. If the Parties are unable to agree to additional IPs, each Party will designate the IP for its originated traffic. When the Parties agree to utilize two-way interconnection trunk groups for the exchange of Local Traffic, the Parties must agree to the location of the IP(s).

3.3 Interconnection via Dedicated Facilities

3.3.1 <u>Local Channel Facilities.</u> As part of network interconnection, the originating Party may obtain Local Channel facilities from the terminating Party. The portion of Local Channel facilities utilized for Local Traffic shall be determined based upon the application of the Percent Local Facility (PLF) Factor. The charges applied to

the portion of the Local Channel used for Local Traffic as determined by the PLF are as set forth in Exhibit A to this Attachment.

3.3.2 <u>Dedicated Interoffice Facilities.</u> As a part of network interconnection, the originating Party may obtain Dedicated Interoffice Facilities. The portion of Dedicated Interoffice Facilities utilized for Local Traffic shall be determined based upon the application of the Percent Local Facility (PLF) Factor. The charges applied to the portion of the Dedicated Interoffice Facility used for Local Traffic as determined by the PLF are as set forth in Exhibit A to this Attachment.

3.4 Fiber Meet

- 3.4.1 If Excel elects to interconnect with BellSouth pursuant to a Fiber Meet, Excel and BellSouth shall jointly engineer, operate and maintain a Synchronous Optical Network ("SONET") transmission system by which they shall interconnect their transmission and routing of Local Traffic via a Local Channel at either the DS1 or DS3 level. The Parties shall work jointly to determine the specific transmission system. However, Excel's SONET transmission system must be compatible with BellSouth's equipment, and the Data Communications Channel (DCC) must be turned off.
- 3.4.2 Each Party, at its own expense, shall procure, install and maintain the agreed upon SONET transmission system in its network.
- 3.4.3 The Parties shall agree to a Fiber Meet point between the BellSouth Serving Wire Center and the Excel Serving Wire Center. The Parties shall deliver their fiber optic facilities to the Fiber Meet point with sufficient spare length to reach the fusion splice point for the Fiber Meet Point. BellSouth shall, at its own expense, provide and maintain the fusion splice point for the Fiber Meet. A building type Common Language Location Identification ("CLLI") code will be established for each Fiber Meet point. All orders for interconnection facilities from the Fiber Meet point shall indicate the Fiber Meet point as the originating point for the facility.
- 3.4.4 Upon verbal request by Excel, BellSouth shall allow Excel access to the fusion splice point for the Fiber Meet point for maintenance purposes on Excel's side of the Fiber Meet point.
- 3.4.5 Neither Party shall charge the other for it's the Local Channel portion of the Fiber Meet facility used exclusively for Local Traffic . All the appropriate charges will apply. Charges for switched and special access services shall be billed in accordance with the applicable access service tariff.

4. INTERCONNECTION TRUNK GROUP ARCHITECTURES

4.1 BellSouth and Excel shall establish interconnecting trunk groups and trunk group configurations between networks, including the use of one-way or two-way trunks

in accordance with the following provisions set forth in this Agreement. For trunking purposes, traffic will be routed based on the digits dialed by the originating end user and in accordance with the LERG.

- 4.2 Excel shall establish an interconnection trunk group(s) to at least one BellSouth access tandem within the LATA for the delivery of Excel's originated Local Traffic and for the receipt and delivery of Transit Traffic. To the extent Excel desires to deliver Local Traffic and/or Transit Traffic BellSouth access tandems within the LATA, other than the tandems(s) to which Excel has established interconnection trunk groups, Excel shall order Multiple Tandem Access, as described in this Attachment, to such other BellSouth access tandems.
- 4.2.1 Notwithstanding the forgoing, Excel shall establish an interconnection trunk group(s) to all BellSouth access and local tandems in the LATA where Excel has homed (i.e. assigned) its NPA/NXXs. Excel shall home its NPA/NXXs on the BellSouth tandems that serve the exchange rate center areas to which the NPA/NXXs are assigned. The specified exchange rate center assigned to each BellSouth tandem is defined in the LERG. Excel shall enter its NPA/NXX access and/or local tandem homing arrangements into the LERG.
- 4.3 Switched access traffic will be delivered to and from Interexchange Carriers (IXCs) based on Excel's NXX access tandem homing arrangement as specified by Excel in the LERG.
- Any Excel interconnection request that (1) deviates from the interconnection trunk group architectures as described in this Agreement, (2) affects traffic delivered to Excel from a BellSouth switch, and (3) requires special BellSouth switch translations and other network modifications will require Excel to submit a Bona Fide Request/New Business Request (BFR/NBR) via the BFR/NBR Process as set forth in this Agreement.
- 4.5 Recurring and non-recurring rates associated with interconnecting trunk groups between BellSouth and Excel are set forth in Exhibit A. To the extent a rate associated with the interconnecting trunk group is not set forth in Exhibit A, the rate shall be as set forth in the appropriate BellSouth tariff for switched access services.
- 4.6 For two-way trunk groups that carry only both Parties' Local Traffic, the Parties shall be compensated at 50% of the nonrecurring and recurring rates for dedicated trunks and facilities. Excel shall be responsible for ordering and paying for any two-way trunks carrying Transit Traffic.
- 4.7 All trunk groups will be provisioned as Signaling System 7 (SS7) capable where technically feasible. If SS7 is not technically feasible multi-frequency (MF) protocol signaling shall be used.

- In cases where Excel is also an IXC, the IXC's Feature Group D (FG D) trunk group(s) must remain separate from the local interconnection trunk group(s).
- Each Party shall order interconnection trunks and trunk group, including trunk and trunk group augmentations via the ASR process. A Firm Order Confirmation (FOC) shall be returned to the ordering Party, after receipt of a valid, error free ASR, within the timeframes set forth in Attachment 9 to this Agreement. Notwithstanding the foregoing, blocking situations and projects shall be managed through BellSouth's Local Interconnection Switching Center (LISC) Project Management Group and Excel's equivalent trunking group, and FOCs for such orders shall be returned in the timeframes applicable to the project. A project is defined as (1) a new trunk group or (2) a request for more than 96 trunks on a single or multiple group(s) in a given BellSouth local calling area.

4.10 Interconnection Trunk Groups for Exchange of Local Traffic and Transit Traffic

4.10.1 Upon mutual agreement of the Parties in a joint planning meeting, the Parties' shall exchange Local Traffic on two-way interconnection trunk group(s) with the quantity of trunks being mutually determined and the provisioning being jointly coordinated. Furthermore, the Parties shall agree upon the IP(s) for two-way interconnection trunk groups transporting both Parties Local Traffic. Excel shall order such two-way trunks via the Access Service Request (ASR) process. BellSouth will use the Trunk Group Service Request (TGSR) to request changes in trunking. Furthermore, the Parties shall jointly review trunk performance and forecasts on a periodic basis. The Parties use of two-way interconnection trunk groups for the transport of Local Traffic between the Parties does not preclude either Party from establishing additional one-way interconnection trunks for the delivery of its originated Local Traffic to the other Party.

4.10.2 **BellSouth Access Tandem Interconnection**

4.10.2.1 BellSouth access tandem interconnection at a single access tandem provides access to those end offices subtending that access tandem ("Intratandem Access").

Access tandem interconnection is available for any of the following access tandem architectures

4.10.2.2 **Basic Architecture**

4.10.2.2.1 In the basic architecture, Excel's originating Local Traffic and originating and terminating Transit Traffic is transported on a single two-way trunk group between Excel and BellSouth access tandem(s) within a LATA to provide Intratandem Access. This trunk group carries Transit Traffic between Excel and Independent Companies, Interexchange Carriers, other CLECs, CMRS providers that have a Meet Point Billing arrangement with BellSouth, and other network providers with which Excel desires to exchange traffic. This trunk group also carries Excel

originated Transit Traffic transiting a single BellSouth access tandem destined to third party tandems such as an Independent Company tandem or other CLEC tandem. BellSouth originated Local Traffic is transported on a separate single one-way trunk group terminating to Excel. Other trunk groups for operator services, directory assistance, emergency services and intercept must be established if service is requested. The LERG contains current routing and tandem serving arrangements. The basic Architecture is illustrated in Exhibit B.

4.10.2.3 **One-Way Trunk Group Architecture**

4.10.2.3.1 In one-way trunk group architecture, the Parties interconnect using three separate trunk groups. A one-way trunk group provides Intratandem Access for Exceloriginated Local Traffic destined for BellSouth end-users. A second one-way trunk group carries BellSouth-originated Local Traffic destined for Excel endusers. A two-way trunk group provides Intratandem Access for Excel's originating and terminating Transit Traffic. This trunk group carries Transit Traffic between Excel and Independent Companies, Interexchange Carriers, other CLECs, CMRS providers that have a Meet Point Billing arrangement with BellSouth, and other network providers with which Excel desires to exchange traffic. This trunk group also carries Excel originated Transit Traffic transiting a single BellSouth access tandem destined to third party tandems such as an Independent Company tandem or other CLEC tandem. BellSouth originated Local Traffic is transported on a separate single one-way trunk group terminating to Excel. Other trunk groups for operator services, directory assistance, emergency services and intercept must be established if service is requested. The LERG contains current routing and tandem serving arrangements. The one-way trunk group architecture is illustrated in Exhibit C.

4.10.2.4 **Two-Way Trunk Group Architecture**

4.10.2.4.1 Upon agreement of the Parties as set forth in Section 4.10.1 above, the two-way trunk group Architecture establishes one two-way trunk group to provide Intratandem Access for the exchange of Local Traffic between Excel and BellSouth. In addition, a separate two-way transit trunk group must be established for Excel's originating and terminating Transit Traffic. This trunk group carries Transit Traffic between Excel and Independent Companies, Interexchange Carriers, other CLECs, CMRS providers that have a Meet Point Billing arrangement with BellSouth, and other network providers with which Excel desires to exchange traffic. This trunk group also carries Excel originated Transit Traffic transiting a single BellSouth access tandem destined to third party tandems such as an Independent Company tandem or other CLEC tandem. BellSouth originated Local Traffic is transported on a separate single one-way trunk group terminating to Excel. Other trunk groups for operator services, directory assistance, emergency services and intercept must be established if service is requested. The LERG contains current routing and tandem serving arrangements. The two-way trunk group architecture is illustrated in Exhibit D.

4.10.2.5 **Supergroup Architecture**

4.10.2.5.1 Upon agreement of the Parties as set forth in Section 4.10.1 above, the Parties may establish a supergroup architecture. In the supergroup architecture, the Parties' Local Traffic and Excel's Transit Traffic are exchanged on a single two-way trunk group between Excel and BellSouth to provide Intratandem Access to Excel. This trunk group carries Transit Traffic between Excel and Independent Companies, Interexchange Carriers, other CLECs, CMRS providers that have a Meet Point Billing arrangement with BellSouth, and other network providers with which Excel desires to exchange traffic. This trunk group also carries Excel originated Transit Traffic transiting a single BellSouth access tandem destined to third party tandems such as an Independent Company tandem or other CLEC tandem. BellSouth originated Local Traffic is transported on a separate single one-way trunk group terminating to Excel. Other trunk groups for operator services, directory assistance, emergency services and intercept must be established if service is requested. The LERG contains current routing and tandem serving arrangements. The supergroup architecture is illustrated in Exhibit D..

4.10.3 Multiple Tandem Access Interconnection

- 4.10.3.1 Where Excel does not choose access tandem interconnection at every BellSouth access tandem within a LATA, Excel may utilize BellSouth multiple tandem access interconnection (MTA). To utilize MTA Excel must establish an interconnection trunk group(s) at a BellSouth access tandem through multiple BellSouth access tandems within the LATA as required. BellSouth will route Excel's originated Local Traffic for LATA wide transport and termination. Excel must also establish an interconnection trunk group(s) at all BellSouth access tandems where Excel NXXs are homed as described in Section 4.2.1 above. If Excel does not have NXXs homed at any particular BellSouth access tandem within a LATA and elects not to establish an interconnection trunk group(s) at such BellSouth access tandem, Excel can order MTA in each BellSouth access tandem within the LATA where it does have an interconnection trunk group(s) and BellSouth will terminate Excel's Local Traffic to end-users served through those BellSouth access tandems where Excel does not have an interconnection trunk group(s). MTA shall be provisioned in accordance with BellSouth's Ordering Guidelines.
- 4.10.3.2 Excel may also utilize MTA to route its originated Transit Traffic; provided, however, that MTA may not be utilized to route switched access traffic that transits the BellSouth network to an Interexchange Carrier (IXC). Switched access traffic originated by or terminated to Excel will be delivered to and from IXCs based on Excel's NXX access tandem homing arrangement as specified by Excel in the LERG.
- 4.10.3.3 Compensation for MTA shall be at the applicable tandem switching and transport charges specified in Exhibit A to this Attachment and shall be billed in addition to any Call Transport and Termination charges.

4.10.3.4 To the extent Excel does not purchase MTA in a LATA served by multiple access tandems, Excel must establish an interconnection trunk group(s) to every access tandem in the LATA to serve the entire LATA. To the extent Excel routes its traffic in such a way that utilizes BellSouth's MTA service without properly ordering MTA service, Excel agrees to pay BellSouth the associated transport and termination charges.

4.10.4 Local Tandem Interconnection

- 4.10.4.1 Local Tandem Interconnection arrangement allows Excel to establish an interconnection trunk group(s) at BellSouth local tandems for: (1) the delivery of Excel-originated Local Traffic transported and terminated by BellSouth to BellSouth end offices within the local calling area as defined in BellSouth's General Subscriber Services Tariff (GSST), section A3 served by those BellSouth local tandems, and (2) for local Transit Traffic transported by BellSouth for third party network providers who have also established an interconnection trunk group(s) at those BellSouth local tandems.
- When a specified local calling area is served by more than one BellSouth local tandem, Excel must designate a "home" local tandem for each of its assigned NPA/NXXs and establish trunk connections to such local tandems. Additionally, Excel may choose to establish an interconnection trunk group(s) at the BellSouth local tandems where it has no codes homing but is not required to do so. Excel may deliver Local Traffic to a "home" BellSouth local tandem that is destined for other BellSouth or third party network provider end offices subtending other BellSouth local tandems in the same local calling area where Excel does not choose to establish an interconnection trunk group(s). It is Excel's responsibility to enter its own NPA/NXX local tandem homing arrangements into the LERG either directly or via a vendor in order for other third party network providers to determine appropriate traffic routing to Excel's codes. Likewise, Excel shall obtain its routing information from the LERG.
- 4.10.4.3 Notwithstanding establishing an interconnection trunk group(s) to BellSouth's local tandems, Excel must also establish an interconnection trunk group(s) to BellSouth access tandems within the LATA on which Excel has NPA/NXXs homed for the delivery of Interexchange Carrier Switched Access (SWA) and toll traffic, and traffic to Type 2A CMRS connections located at the access tandems. BellSouth shall not switch SWA traffic through more than one BellSouth access tandem. SWA, Type 2A CMRS or toll traffic routed to the local tandem in error will not be backhauled to the BellSouth access tandem for completion. (Type 2A CMRS interconnection is defined in BellSouth's A35 General Subscriber Services Tariff).
- 4.10.4.4 BellSouth's provisioning of local tandem interconnection assumes that Excel has executed the necessary Local Interconnection Agreements with the other third party network providers subtending those local tandems as required by the Act.

4.10.5 **Direct End Office-to-End Office Interconnection**

- 4.10.5.1 Direct End Office-to-End Office one-way or two-way interconnection trunk groups allow for the delivery of a Party's originating local or intraLATA toll traffic to the terminating Party on a direct end office-to-end office basis.
- 4.10.5.2 The Parties shall utilize direct end office-to-end office trunk groups under the following conditions:
- 4.10.5.2.1 (1) Tandem Exhaust If a tandem through which the Parties are interconnected is unable to, or is forecasted to be unable to support additional traffic loads for any period of time, the Parties will mutually agree on an end office trunking plan that will alleviate the tandem capacity shortage and ensure completion of traffic between Excel and BellSouth's subscribers.
- 4.10.5.2.2 (2) Traffic Volume –To the extent either Party has the capability to measure the amount of traffic between a Excel switching center and a BellSouth end office, either Party shall install and retain direct end office trunking sufficient to handle actual or reasonably forecasted traffic volumes, whichever is greater, between a Excel switching center and a BellSouth end office where the traffic exceeds or is forecasted to exceed a single DS1 of traffic per month. Either Party will install additional capacity between such points when overflow traffic between Excel's switching center and BellSouth's end office exceeds or is forecasted to exceed a single DS1 of traffic per month. In the case of one way trunking, additional trunking shall only be required by the Party whose trunking has achieved the preceding usage threshold.
- 4.10.5.2.3 (3) Mutual Agreement The Parties may install direct end office trunking upon mutual agreement in the absence of conditions (1) or (2) above, and agreement will not unreasonably be withheld.

4.10.6 **Transit Traffic Trunk Group**

4.10.6.1 Transit Traffic trunks can either be two-way trunks or two one-way trunks ordered by Excel to deliver and receive local and intraLATA toll Transit Traffic from third parties, such as Independent Companies and other CLECs, via BellSouth access tandems (or BellSouth local tandems for Local Traffic), and Switched Access traffic to and from Interexchange Carriers via BellSouth access tandems pursuant to the Transit Traffic section of this Attachment. Establishing Transit Traffic trunks at BellSouth access and local tandems provides intratandem access to the third parties also interconnected at those tandems.

4.10.6.2 **Toll Free Traffic**

4.10.6.2.1 If Excel chooses BellSouth to handle Toll Free database queries from its switches, all Excel originating Toll Free traffic will be routed over the Transit Traffic Trunk Group.

- 4.10.6.2.2 All originating Toll Free Service (Toll Free) calls for which Excel requests that BellSouth perform the Service Switching Point ("SSP") function (i.e., perform the database query) shall be delivered using GR-394 format over the Transit Traffic Trunk Group. Carrier Code "0110" and Circuit Code (to be determined for each LATA) shall be used for all such calls.
- Excel may handle its own Toll Free database queries from its switch. If so, Excel 4.10.6.2.3 will determine the nature (local/intraLATA/interLATA) of the Toll Free call based on the response from the database. If the query determines that the call is a BellSouth local or intraLATA Toll Free number, Excel will route the post-query local or IntraLATA converted ten-digit local number to BellSouth over the local or intraLATA trunk group. If the query determines that the call is a third party (ICO or other CLEC) local or intraLATA Toll Free number, Excel will route the post-query local or intraLATA converted ten-digit local number to BellSouth over the Transit Traffic Trunk Group. In such case, Excel is to provide a Toll Free billing record when appropriate. If the query reveals the call is an interLATA Toll Free number, Excel will route the post-query interLATA call (Toll Free number) directly from its switch for carriers interconnected with its network or over the Transit Traffic Trunk Group to carriers not directly connected to its network but are connected to BellSouth's access tandem. Calls will be routed to BellSouth over the local/intraLATA and Transit Traffic Trunk Groups within the LATA in which the calls originate.
- 4.10.6.2.4 All post-query Toll Free Service (Toll Free) calls for which Excel performs the SSP function, if delivered to BellSouth, shall be delivered using GR-394 format for calls destined to IXCs, and GR-317 format for calls destined to end offices that directly subtend the BellSouth access tandem.

5. NETWORK DESIGN AND MANAGEMENT FOR INTERCONNECTION

- Network Management and Changes. Both Parties will work cooperatively with each other to install and maintain the most effective and reliable interconnected telecommunications networks, including but not limited to, the exchange of toll-free maintenance contact numbers and escalation procedures. Both Parties agree to provide public notice of changes in the information necessary for the transmission and routing of services using its local exchange facilities or networks, as well as of any other changes that would affect the interoperability of those facilities and networks.
- 5.2 <u>Interconnection Technical Standards</u>. The interconnection of all networks will be based upon accepted industry/national guidelines for transmission standards and traffic blocking criteria. Interconnecting facilities shall conform, at a minimum, to the telecommunications industry standard of DS-1 pursuant to Bellcore Standard No. TR-NWT-00499. Signal transfer point, Signaling System 7 ("SS7") connectivity is required at each interconnection point. BellSouth will provide out-of-band signaling using Common Channel Signaling Access Capability where

technically and economically feasible, in accordance with the technical specifications set forth in the BellSouth Guidelines to Technical Publication, TR-TSV-000905. Facilities of each Party shall provide the necessary on-hook, off-hook answer and disconnect supervision and shall hand off calling number ID (Calling Party Number) when technically feasible.

- Ouality of Interconnection. The local interconnection for the transmission and routing of telephone exchange service and exchange access that each Party provides to each other will be at least equal in quality to what it provides to itself and any subsidiary or affiliate, where technically feasible, or to any other Party to which each Party provides local interconnection.
- Network Management Controls. Both Parties will work cooperatively with each other to apply sound network management principles by invoking appropriate network management controls (e.g., call gapping) to alleviate or prevent network congestion.
- Common Channel Signaling. Both Parties will provide LEC-to-LEC Common Channel Signaling ("CCS") to each other, where available, in conjunction with all traffic in order to enable full interoperability of CLASS features and functions except for call return. All CCS signaling parameters will be provided, including automatic number identification ("ANI"), originating line information ("OLI") calling company category, charge number, etc. All privacy indicators will be honored, and each Party will cooperate with each other on the exchange of Transactional Capabilities Application Part ("TCAP") messages to facilitate full interoperability of CCS-based features between the respective networks. Neither Party shall alter the CCS parameters, or be a party to altering such parameters, or knowingly pass CCS parameters that have been altered in order to circumvent appropriate interconnection charges.
- Signaling Call Information. BellSouth and Excel will send and receive 10 digits for Local Traffic. Additionally, BellSouth and Excel will exchange the proper call information, i.e. originated call company number and destination call company number, CIC, and OZZ, including all proper translations for routing between networks and any information necessary for billing.

5.7 Forecasting for Trunk Provisioning

5.7.1 Within six (6) months after execution of this agreement, Excel shall provide an initial interconnection trunk group forecast for each LATA that it shall provide service within BellSouth's region. Upon receipt of Excel's forecast, the Parties shall schedule and participate in a joint planning meeting to develop a joint interconnection trunk group forecast. Each forecast provided under this Section shall be deemed "Confidential Information" under the General Terms and Conditions of this Agreement.

- 5.7.1.1 At a minimum, the forecast shall include the projected quantity of Transit Trunks, Excel-to-BellSouth one-way trunks ("Excel Trunks"), BellSouth-to-Excel one-way trunks ("Reciprocal Trunks") and/or two-way interconnection trunks, if the Parties have agreed to interconnect using two-way trunking to transport the Parties' local and intraLATA toll. The quantities shall be projected for a minimum of six months in advance and shall include the current year plus next two years total forecasted quantities. Considering Excel's provided forecast, the Parties shall mutually develop Reciprocal Trunk and/or two-way interconnection trunk forecast quantities for the time periods listed and to be included within the initial forecast.
- 5.7.1.2 Additionally all forecasts shall include, at a minimum, Access Carrier Terminal Location ("ACTL"), trunk group type (local/intraLATA toll, Transit, Operator Services, 911, etc.), A location/Z location (CLLI codes for Excel location and BellSouth location where the trunks shall terminate), interface type (e.g., DS1), Direction of Signaling, Trunk Group Number, if known, (commonly referred to as the 2-6 code) and forecasted trunks in service each year (cumulative).
- 5.7.2 Each Party shall exercise its best efforts to provide the quantity of interconnection trunks mutually forecasted. However, the provision of the forecasted quantity of interconnection trunks is subject to trunk terminations and facility capacity existing at the time the trunk order is submitted. Furthermore, the receipt and development of trunk forecasts does not imply any liability for failure to perform if capacity (trunk terminations or facilities) is not available for use at the forecasted time.
- 5.7.3 The submitting and development of interconnection trunk forecasts shall not replace the ordering process in place for local interconnection trunks.
- 5.7.4 Once initial interconnection trunk forecasts have been developed, Excel shall continue to provide interconnection trunk forecasts on a semiannual basis or at otherwise mutually agreeable intervals. Excel shall use its best efforts to make the forecasts as accurate as possible based on reasonable engineering criteria. Interconnection trunk forecasts shall be updated and provided to BellSouth on an as needed basis, but no less frequently than semiannually and no more frequently than monthly. Upon receipt of Excel's forecast, including forecast updates, the Parties shall confer to mutually develop BellSouth Reciprocal Trunk and/or two-way interconnection trunk forecasted quantities for the listed time periods within such subsequent forecasts.

5.8 Trunk Utilization

5.8.1 BellSouth and Excel shall monitor traffic on each interconnection trunk group that is installed pursuant to the initial interconnection trunk requirements and subsequent forecasts. At any time after the end of a calendar quarter, based on a review of the capacity utilization during such quarter for installed reciprocal trunk groups and/or two-way interconnection trunk groups, subject to the provisions of the section following, BellSouth may disconnect any non-utilized or under-utilized

reciprocal trunk(s) and Excel shall refund to BellSouth any associated trunk and facility charges paid by BellSouth. BellSouth may request Excel to disconnect any under-utilized two-way interconnection trunk(s), if BellSouth has determined that the trunk group is not being utilized at eighty-five percent (85%) of the time consistent busy hour utilization level, provided that the Parties have not otherwise agreed. Excel shall comply with all such requests, subject to Section 3.8.1.1 below. Under-utilized trunks are defined as the trunks being utilized at less than 85% as a result of a time consistent busy hour utilization.

- BellSouth's LISC will notify the Excel of any under-utilized reciprocal trunk groups and the number of trunks that BellSouth wishes to disconnect. BellSouth will provide supporting information either by email or facsimile to the designated Excel interface. Excel will provide concurrence with the disconnection in seven (7) business days or will provide specific information supporting why the trunks should not be disconnected. Such supporting information should include expected Local Number Ported (LNP) and traffic volumes and the timeframes within which Excel expects to need such trunks. BellSouth's LISC Project Manager and Circuit Capacity Manager will discuss the information with Excel to determine if agreement can be reached on the number of trunks to be removed. If no agreement can be reached, BellSouth will issue disconnect orders to Excel. The due date of these orders will be four weeks after Excel was first notified in writing of the underutilization of the trunk groups.
- 5.8.1.2 Excel monitors all direct trunks from Excel to BellSouth. If Excel wishes to disconnect any such trunks, Excel shall issue an ASR to do so.
- 5.8.2 To the extent that any interconnection trunk group is utilized at a time-consistent busy hour of eighty-five percent (85%) or greater, the Parties shall negotiate in good faith for the installation of augmented facilities.

6. LOCAL DIALING PARITY

BellSouth and Excel shall provide local and toll dialing parity to each other with no unreasonable dialing delays. Dialing parity shall be provided for all originating telecommunications services that require dialing to route a call. BellSouth and Excel shall permit similarly situated telephone exchange service end users to dial the same number of digits to make a local telephone call notwithstanding the identity of the end user's or the called party's telecommunications service provider.

7. INTERCONNECTION COMPENSATION

7.1 Compensation for Call Transportation and Termination for Local Traffic

7.1.1 For reciprocal compensation between the Parties pursuant to this Attachment, Local Traffic is defined as any circuit switched call that is originated by an end user

of one Party and terminated to an end user of the other Party within a given LATA on that other Party's network, except for those calls that are originated or terminated through switched access arrangements as established by the ruling regulatory body.

- 7.1.1.1 Additionally, Local Traffic includes any cross boundary, voice-to-voice intrastate, interLATA or interstate, interLATA calls established as a local call by the ruling regulatory body.
- 7.1.2 ISP-bound Traffic is defined as calls to an information service provider or Internet service provider ("ISP") that are dialed by using a local dialing pattern (7 or 10 digits) by a calling party in one exchange or local calling area to an ISP server or modem in the same exchange or local calling area. ISP-bound Traffic is not considered Local Traffic subject to reciprocal compensation, but instead is information traffic subject to interstate access.
- 7.1.3 Neither Party shall pay compensation to the other Party for the transportation and termination of Local Traffic or ISP-bound Traffic.
- 7.1.4 The elemental rates set forth in Exhibit A of this Attachment shall apply for Transit Traffic as described in Sections 7.9 and 7.9.1 below.
- 7.1.5 Neither Party shall represent Switched Access Traffic as Local Traffic or ISP-bound Traffic for purposes of payment of reciprocal compensation.
- 7.1.6 If Excel assigns NPA/NXXs to specific BellSouth rate centers within the LATA and assigns numbers from those NPA/NXXs to Excel end users physically located outside of that LATA, BellSouth traffic originating from within the LATA where the NPA/NXXs are assigned and delivered to a Excel customer physically located outside of such LATA, shall not be deemed Local Traffic, and no compensation from BellSouth to Excel shall be due therefor. Further, Excel agrees to identify such interLATA traffic to BellSouth and to compensate BellSouth for originating and transporting such interLATA traffic to Excel at BellSouth's switched access tariff rates.
- 7.2 If Excel does not identify such interLATA traffic to BellSouth, to the best of BellSouth's ability BellSouth will determine which whole Excel NPA/NXXs on which to charge the applicable rates for originating network access service as reflected in BellSouth's Access Service Tariff. BellSouth shall make appropriate billing adjustments if Excel can provide sufficient information for BellSouth to determine whether or not said traffic is Local Traffic.
- 7.3 Percent Local Use. Each Party shall report to the other a Percent Local Usage ("PLU"). The application of the PLU will determine the amount of local minutes to be billed to the other Party. For purposes of developing the PLU, each Party shall consider every local call and every long distance call, excluding Transit

Traffic. Each Party shall update its PLU on the first of January, April, July and October of the year and shall send it to the other Party to be received no later than 30 calendar days after the first of each such month based on local usage for the past three months ending the last day of December, March, June and September, respectively. Requirements associated with PLU calculation and reporting shall be as set forth in BellSouth's Jurisdictional Factors Reporting Guide, as it is amended from time to time. Notwithstanding the foregoing, where the terminating Party has message recording technology that identifies the jurisdiction of traffic terminated as defined in this Agreement, such information, in lieu of the PLU factor, shall at the terminating Party's option be utilized to determine the appropriate local usage compensation to be paid.

- Percent Local Facility. Each Party shall report to the other a Percent Local Facility ("PLF"). The application of the PLF will determine the portion of switched dedicated transport to be billed per the local jurisdiction rates. The PLF shall be applied to Multiplexing, Local Channel and Interoffice Channel Switched Dedicated Transport utilized in the provision of local interconnection trunks. Each Party shall update its PLF on the first of January, April, July and October of the year and shall send it to the other Party to be received no later than 30 calendar days after the first of each such month to be effective the first bill period the following month, respectively. Requirements associated with PLU and PLF calculation and reporting shall be as set forth in BellSouth's Jurisdictional Factors Reporting Guide, as it is amended from time to time.
- 7.5 **Percent Interstate Usage.** Each Party shall report to the other the projected Percent Interstate Usage ("PIU"). All jurisdictional report requirements, rules and regulations for Interexchange Carriers specified in BellSouth's Intrastate Access Services Tariff will apply to Excel. After interstate and intrastate traffic percentages have been determined by use of PIU procedures, the PLU and PLF factors will be used for application and billing of local interconnection. Each Party shall update its PIUs on the first of January, April, July and October of the year and shall send it to the other Party to be received no later than 30 calendar days after the first of each such month, for all services showing the percentages of use (PIUs, PLU, and PLF) for the past three months ending the last day of December, March, June and September. Notwithstanding the foregoing, where the terminating Party has message recording technology that identifies the jurisdiction of traffic terminated as defined in this Agreement, such information, in lieu of the PIU and PLU factors, shall at the terminating Party's option be utilized to determine the appropriate local usage compensation to be paid.
- Audits. On thirty (30) days written notice, each Party must provide the other the ability and opportunity to conduct an annual audit to ensure the proper billing of traffic. BellSouth and Excel shall retain records of call detail for a minimum of nine months from which a PLU, PLF and/or PIU can be ascertained. The audit shall be accomplished during normal business hours at an office designated by the Party being audited. Audit requests shall not be submitted more frequently than

one (1) time per calendar year. Audits shall be performed by a mutually acceptable independent auditory paid for by the Party requesting the audit. The PLU and/or PIU shall be adjusted based upon the audit results and shall apply to the usage for the quarter the audit was completed, to the usage for the quarter prior to the completion of the audit, and to the usage for the two quarters following the completion of the audit. If, as a result of an audit, either Party is found to have overstated the PLU and/or PIU by twenty percentage points (20%) or more, that Party shall reimburse the auditing Party for the cost of the audit.

7.7 Compensation for 8XX Traffic

- 7.7.1 <u>Compensation for 8XX Traffic</u>. Each Party shall compensate the other pursuant to the appropriate switched access charges, including the database query charge as set forth in the BellSouth intrastate or interstate switched access tariffs.
- 7.7.2 Records for 8XX Billing. Each Party will provide to the other the appropriate records necessary for billing intraLATA 8XX customers. The records provided will be in a standard EMI format.
- 7.7.3 8XX Access Screening. BellSouth's provision of 8XX TFD to Excel requires interconnection from Excel to BellSouth 8XX SCP. Such interconnections shall be established pursuant to BellSouth's Common Channel Signaling Interconnection Guidelines and Bellcore's CCS Network Interface Specification document, TR-TSV-000905. Excel shall establish CCS7 interconnection at the BellSouth Local Signal Transfer Points serving the BellSouth 8XX SCPs that Excel desires to query. The terms and conditions for 8XX TFD are set out in BellSouth's Intrastate Access Services Tariff as amended.

7.8 **Mutual Provision of Switched Access Service**

- 7.8.1 Switched Access Traffic. Switched Access Traffic is described in the BellSouth Access Tariff. Additionally, any Public Switched Telephone Network interexchange telecommunications traffic, regardless of transport protocol method, where the originating and terminating points, end-to-end points, are in different LATAs, or are in the same LATA and the Parties' Switched Access services are used for the origination or termination of the call, shall be considered Switched Access Traffic. Irrespective of transport protocol method used, a call which originates in one LATA and terminates in another LATA (i.e., the end-to-end points of the call) or in which the Parties' Switched Access Services are used for the origination or termination of the call, shall not be compensated as local.
- 7.8.2 If the BellSouth end user chooses Excel as their presubscribed interexchange carrier, or if the BellSouth end user uses Excel as an interexchange carrier on a 101XXXX basis, BellSouth will charge Excel the appropriate BellSouth tariff charges for originating switched access services

- 7.8.3 For originating or terminating switched access traffic on the other company's network, the originating Party will pay the terminating Party BellSouth's current intrastate or interstate, whichever is appropriate, switched access tariff rates as set forth in BellSouth's Intrastate or Interstate Access Services Tariff..
- 7.8.4 When Excel's end office switch, subtending the BellSouth Access Tandem switch for receipt or delivery of switched access traffic, provides an access service connection to or from an interexchange carrier ("IXC") by either a direct trunk group to the IXC utilizing BellSouth facilities, or via BellSouth's tandem switch, each Party will provide its own access services to the IXC and bill on a multi-bill, multi-tariff meet-point basis. Each Party will bill its own access services rates to the IXC with the exception of the interconnection charge. The interconnection charge will be billed by the Party providing the end office function. Each party will use the Multiple Exchange Carrier Access Billing (MECAB) guidelines to establish meet point billing for all applicable traffic. Thirty (30)-day billing periods will be employed for these arrangements. For tandem routed traffic, the tandem company agrees to provide to the Initial Billing Company as defined in MECAB, at no charge, all the switched access detail usage data, recorded at the access tandem, within no more than sixty (60) days after the recording date. The Initial Billing Company will provide the switched access summary usage data, for all originating and terminating traffic, to all Subsequent Billing Companies as defined in MECAB within 10 days of rendering the initial bill to the IXC. Each Party will notify the other when it is not feasible to meet these requirements so that the customers may be notified for any necessary revenue accrual associated with the significantly delayed recording or billing. As business requirements change data reporting requirements may be modified as necessary.
- 7.8.5 In the event that either Party fails to provide the appropriate MECAB switched access usage data to the other Party within 90 days after the recording date and the receiving Party is unable to bill and/or collect access revenues due to the sending Party's failure to provide such data within said time period, then the Party failing to send the data as specified herein shall be liable to the other Party in an amount equal to the unbillable or uncollectible revenues. Each company will provide complete documentation to the other to substantiate any claim of unbillable switched access revenues, and a negotiated settlement will be agreed upon between the Parties.
- 7.8.6 Each Party will retain for a minimum period of sixty (60) days, access message detail sufficient to recreate any data which is lost or damaged by their company or any third party involved in processing or transporting data.
- 7.8.7 Each Party agrees to recreate the lost or damaged data within forty-eight (48) hours of notification by the other or by an authorized third party handling the data.
- 7.8.8 Each Party also agrees to process the recreated data within forty-eight (48) hours of receipt at its data processing center.

- 7.8.9 All claims should be filed with the other Party within 120 days of the receipt of the date of the unbillable usage.
- 7.8.10 The Initial Billing Company shall keep records of its billing activities relating to jointly-provided Intrastate and Interstate access services in sufficient detail to permit the Subsequent Billing Party to, by formal or informal review or audit, to verify the accuracy and reasonableness of the jointly-provided access billing data provided by the Initial Billing Party. Each Party agrees to cooperate in such formal or informal reviews or audits and further agrees to jointly review the findings of such reviews or audits in order to resolve any differences concerning the findings thereof.
- 7.8.11 Excel agrees not to deliver switched access traffic to BellSouth for termination except over Excel ordered switched access trunks and facilities.

7.9 **Transit Traffic**

- 7.9.1 BellSouth shall provide tandem switching and transport services for Excel's Transit Traffic. Rates for local Transit Traffic shall be the applicable Call Transport and Termination charges as set forth in Exhibit A to this Attachment. Rates for Switched Access Transit Traffic shall be the applicable charges as set forth in BellSouth Interstate or Intrastate Switched Access tariffs. Switched Access Transit Traffic presumes that Excel's end office is subtending the BellSouth Access Tandem for switched access traffic to and from Excel's end users utilizing BellSouth facilities, either by direct trunks with the IXC, or via the BellSouth Access Tandem. Billing associated with all Transit Traffic shall be pursuant to MECAB guidelines. Pursuant to these guidelines, the Initial Billing Company shall provide summary usage data, for all originating and terminating Transit Traffic, to all Subsequent Billing Companies. Traffic between Excel and Wireless Type 1 third parties shall not be treated as Transit Traffic from a routing or billing perspective. Traffic between Excel and Wireless Type 2A or UNE-CLEC third parties shall not be treated as Transit Traffic from a routing or billing perspective until BellSouth and the Wireless carrier or UNE-CLEC third party have the capability to properly meet-point-bill in accordance with MECAB guidelines.
- 7.9.2 In the event that either Party fails to provide the appropriate MECAB usage data to the other Party within 90 days after the recording date and the receiving Party is unable to bill and/or collect Transit Traffic revenues due to the sending Party's failure to provide such data within said time period, then the Party failing to send the data as specified herein shall be liable to the other Party in an amount equal to the unbillable or uncollectible revenues. Each company will provide complete documentation to the other to substantiate any claim of unbillable revenues and a negotiated settlement will be agreed upon between the Parties
- 7.9.3 The delivery of traffic which transits the BellSouth network and is transported to another carrier's network is excluded from any BellSouth billing guarantees and

will be delivered at the rates stipulated in this Agreement to a terminating carrier. BellSouth agrees to deliver this traffic to the terminating carrier; provided, however, that Excel is solely responsible for negotiating and executing any appropriate contractual agreements with the terminating carrier for the receipt of this traffic through the BellSouth network. BellSouth will not be liable for any compensation to the terminating carrier or to Excel. Excel agrees to compensate BellSouth for any charges or costs for the delivery of Transit Traffic to a connecting carrier on behalf of Excel. Additionally, the Parties agree that any billing to a third party or other telecommunications carrier under this section shall be pursuant to MECAB procedures.

8. FRAME RELAY SERVICE INTERCONNECTION

- 8.1 In addition to the Local Interconnection services set forth above, BellSouth will offer a network to network Interconnection arrangement between BellSouth's and Excel's frame relay switches as set forth below. The following provisions will apply only to Frame Relay Service and Exchange Access Frame Relay Service in those states in which Excel is certified and providing Frame Relay Service as a Local Exchange Carrier and where traffic is being exchanged between Excel and BellSouth Frame Relay Switches in the same LATA.
- 8.2 The Parties agree to establish two-way Frame Relay facilities between their respective Frame Relay Switches to the mutually agreed upon Frame Relay Service point(s) of interconnection ("IP(s)") within the LATA. All IPs shall be within the same Frame Relay Network Serving Areas as defined in Section A40 of BellSouth's General Subscriber Service Tariff except as set forth in this Attachment.
- 8.3 Upon the request of either Party, such interconnection will be established where BellSouth and Excel have Frame Relay Switches in the same LATA. Where there are multiple Frame Relay switches in one central office, an interconnection with any one of the switches will be considered an interconnection with all of the switches at that central office for purposes of routing packet traffic.
- 8.4 The Parties agree to provision local and intraLATA Frame Relay Service and Exchange Access Frame Relay Service (both intrastate and interstate) over Frame Relay interconnection facilities between the respective Frame Relay switches and the IPs.
- 8.5 The Parties agree to assess each other reciprocal charges for the facilities that each provides to the other according to the Percent Local Circuit Use Factor (PLCU), determined as follows:
- 8.5.1 If the data packets originate and terminate in locations in the same LATA, and consistent with the local definitions of the Agreement, the traffic is considered local. Frame Relay framed packet data is transported within Virtual Circuits (VC).

For the purposes of this Agreement, if all the data packets transported within a VC remain within the LATA, then consistent with the local definitions in this Agreement, the traffic on that VC is local ("Local VC").

- 8.5.2 If the originating and terminating locations of the two-way packet data traffic are not in the same LATA, the traffic on that VC is interLATA ("InterLATA VC").
- 8.5.3 The PLCU is determined by dividing the total number of Local VCs, by the total number of VCs on each Frame Relay facility. To facilitate implementation, Excel may determine its PLCU in aggregate, by dividing the total number of Local VCs in a given LATA by the total number VCs in that LATA. The Parties agree to renegotiate the method for determining PLCU, at BellSouth's request, and within 90 days, if BellSouth notifies Excel that it has found that this method does not adequately represent the PLCU.
- 8.5.4 If there are no VCs on a facility when it is billed, the PLCU will be zero.
- 8.5.5 BellSouth will provide the circuit between the Parties' respective Frame Relay Switches. The Parties will be compensated as follows: BellSouth will invoice, and Excel will pay, the total non-recurring and recurring charges for the circuit based upon the rates set forth in BellSouth's Interstate Access Tariff, FCC No. 1. Excel will then invoice, and BellSouth will pay, an amount calculated by multiplying the BellSouth billed charges for the circuit by one-half of Excel's PLCU.
- 8.6 The Parties agree to compensate each other for Frame Relay network-to-network interface (NNI) ports based upon the NNI rates set forth in BellSouth's Interstate Access Tariff, FCC No. 1 Compensation for each pair of NNI ports will be calculated as follows: BellSouth will invoice, and Excel will pay, the total non-recurring and recurring charges for the NNI port. Excel will then invoice, and BellSouth will pay, an amount calculated by multiplying the BellSouth billed non-recurring and recurring charges for the NNI port by Excel's PLCU.
- 8.7 Each Party agrees that there will be no charges to the other Party for its own subscriber's Permanent Virtual Circuit (PVC) rate elements for the local PVC segment from its Frame Relay switch to its own subscriber's premises. PVC rate elements include the Data Link Connection Identifier (DLCI) and Committed Information Rate (CIR).
- 8.8 For the PVC segment between the Excel and BellSouth Frame Relay switches, compensation for the PVC charges is based upon the rates in BellSouth's Interstate Access Tariff, FCC No. 1.
- 8.9 Compensation for PVC rate elements will be calculated as follows:
- 8.9.1 If Excel orders a VC connection between a BellSouth subscriber's PVC segment and a PVC segment from the BellSouth Frame Relay switch to the Excel Frame Relay switch, BellSouth will invoice, and Excel will pay, the total non-recurring

Version 2Q01: 06/15/01

and recurring PVC charges for the PVC segment between the BellSouth and Excel Frame Relay switches. If the VC is a Local VC, Excel will then invoice and BellSouth will pay, the total nonrecurring and recurring PVC charges billed for that segment. If the VC is not local, no compensation will be paid to Excel for the PVC segment.

- 8.9.2 If BellSouth orders a Local VC connection between a Excel subscriber's PVC segment and a PVC segment from the Excel Frame Relay switch to the BellSouth Frame Relay switch, BellSouth will invoice, and Excel will pay, the total non-recurring and recurring PVC and CIR charges for the PVC segment between the BellSouth and Excel Frame Relay switches. If the VC is a Local VC, Excel will then invoice and BellSouth will pay the total non-recurring and recurring PVC and CIR charges billed for that segment. If the VC is not local, no compensation will be paid to Excel for the PVC segment.
- 8.9.3 The Parties agree to compensate each other for requests to change a PVC segment or PVC service order record, according to the Feature Change charge as set forth in the BellSouth access tariff BellSouth Tariff FCC No. 1.
- 8.9.4 If Excel requests a change, BellSouth will invoice and Excel will pay a Feature Change charge for each affected PVC segment.
- 8.9.4.1 If BellSouth requests a change to a Local VC, Excel will invoice and BellSouth will pay a Feature Change charge for each affected PVC segment.
- 8.9.5 The Parties agree to limit the sum of the CIR for the VCs on a DS1 NNI port to not more than three times the port speed, or not more than six times the port speed on a DS3 NNI port.
- 8.9.6 Except as expressly provided herein, this Agreement does not address or alter in any way either Party's provision of Exchange Access Frame Relay Service or interLATA Frame Relay Service. All charges by each Party to the other for carriage of Exchange Access Frame Relay Service or interLATA Frame Relay Service are included in the BellSouth access tariff BellSouth Tariff FCC No. 1.
- 8.10 Excel will identify and report quarterly to BellSouth the PLCU of the Frame Relay facilities it uses, per section 6.5.3 above.
- 8.11 Either Party may request a review or audit of the various service components, consistent with the provisions of section E2 of the BellSouth State Access Services tariffs or Section 2 of the BellSouth FCC No.1 Tariff.
- 8.12 If during the term of this Agreement, BellSouth obtains authority to provide interLATA Frame Relay in any State, the Parties agree to renegotiate this arrangement for the exchange of Frame Relay Service Traffic within one hundred eighty (180) days of the date BellSouth receives interLATA authority. In the event the Parties fail to renegotiate this Section 6 within the one hundred eighty

Version 2Q01: 06/15/01


day period, they will submit this matter to the appropriate State commission(s) for resolution.

9. OPERATIONAL SUPPORT SYSTEMS (OSS)

9.1 The terms, conditions and rates for OSS are as set forth in FCC Tariff No., for Access Service Records.

Basic Architecture


Exhibit B



Version 2Q01: 06/15/01

One-Way Architecture


Exhibit C



Version 2Q01: 00/13/01

Two-Way Architecture


Exhibit D



Version 2Q01: 00/13/01

Supergroup Architecture

Exhibit E



Version 2Q01: 06/1

ATTACHMENT 3 PAGE 7

	Ī	I	I	ı	İ	ĺ		F	RATES					oss	RATES		
																	í
								Nonrec	curring		ecurring	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
CATEGORY	NOTES	LOCAL INTERCONNECTION	Interim	Zone	BCS	USOC	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
																	
LOCAL INTER	CONNECTION (C	L ALL TRANSPORT AND TERMINATION)															1
		·															
	END OFFICE SV																
		End Office Switching Function, Per MOU			OHD		\$0.0009900										
	TANDEM SWIT	HING															
	TANDEW SWIT	Tandem Switching Function Per MOU			OHD		\$0.0005692										1
		Multiple Tandem Switching, per MOU (applies to intial			OND		ψ0.0003032										ſ
		tandem only)			OHD		\$0.0005692										1
		Tandem Intermediary Charge, per MOU*			OHD		\$0.0015										
	* This charge is a	applicable only to transit traffic and is applied in addition to app	licable swi	tching	and/or interconnec	tion charges.		1	1	1	1	1			1		1
	TRUNK CHARG	 E		-	+												<u> </u>
	TAGINA CHARG	Installation Trunk Side Service - per DS0	 	1-	OHD	TPP++	 	\$333.69	\$56.91	1							í
		Dedicated End Office Trunk Port Service-per DS0**			OHD	TDE0P	\$0.00	ψοσο.σο	Ψ00.01								·
		Dedicated End Office Trunk Port Service-per DS1**			0H1	TDE1P	\$0.00										
		Dedicated Tandem Trunk Port Service-per DS0**			OHD	TDW0P	\$0.00										Ī
		Dedicated Tandem Trunk Port Service-per DS1**			OH1MS	TDW1P	\$0.00										
	** This rate elem-	ent is recovered on a per MOU basis and is included in the En	d Office S	witchir	ng and Tandem Swi	itching, per MOU	rate elements										
LOCAL INTER	CONNECTION (T	RANSPORT)															
	COMMON TRAN	I ISPORT (Shared)										-					
	COMMON I KAN	Common Transport - Per Mile, Per MOU		-	OHD		\$0.000026										
		Common Transport - Facilities Termination Per MOU			OHD		\$0.0003685					1					1
		Common Transport Tabilities Termination Comme			05		ψο.οοοσσσσ										· · · · · ·
	INTEROFFICE C	CHANNEL - DEDICATED TRANSPORT - VOICE GRADE															
		Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month			OHL OH1MS	1L5NF	\$0.0101										
		Interoffice Channel - Dedicated Transport- 2- Wire Voice			0111 0114440	41.5115	60445	604.07	\$54.62	000.47	£40.70						1
		Grade - Facility Termination per month			OHL OH1MS	1L5NF	\$24.15	\$81.07	\$54.62	\$33.47	\$13.79	1					
	INTEROFFICE C	CHANNEL - DEDICATED TRANSPORT - 56/64 KBPS															·
		Interoffice Channel - Dedicated Transport - 56 kbps - per															
		mile per month			OHM OH1MS	1L5NK	\$0.0101										1
		Interoffice Channel - Dedicated Transport - 56 kbps - Facility															1
	1	Termination per month		-	OHM OH1MS	1L5NK	\$17.28	\$114.54						-			1
	1	Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month			OHM OH1MS	1L5NK	\$0.0101										i
	<u> </u>	Interoffice Channel - Dedicated Transport - 64 kbps - Facility		1	OUNI OU IMS	ILDINK	\$0.0101										1
	I	Termination per month		1	OHM OH1MS	1L5NK	\$17.28	\$114.54	\$0.00	\$0.00	\$0.00				1		i
																	i
	INTEROFFICE C	HANNEL - DEDICATED TRANSPORT - DS1															ļ
		Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month			OH1 OH1MS	1L5NL	\$0.2067										l
		Interoffice Channel - Dedicated Tranport - DS1 - Facility		1	5 51111110	. 20142	ψ0.2007										 I
		Termination per month			OH1 OH1MS	1L5NL	\$68.75	\$211.32									l .
				1													<u> </u>
	INTEROFFICE C	CHANNEL - DEDICATED TRANSPORT- DS3		1	1				ļ	1	1						
	I	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month		1	OH3 OH3MS	11 55154	64.07			1					1		i
	+	Interoffice Channel - Dedicated Transport - DS3 - Facility		1	OH3 OH3MS	1L5NM	\$4.67										1
	1	Termination per month			OH3 OH3MS	1L5NM	\$804.02	\$677.87									í
	1	Tommadon por moner		1	3110 01101010	TEGINI	ψ004.02	ψ0, 1.01						1			i
	LOCAL CHANN	EL - DEDICATED TRANSPORT		L	1		<u> </u>	İ									
			1				1			1	1				1		1
<u> </u>		Local Channel - Dedicated - 2-Wire Voice Grade per month		1	OHL	TEFV2	\$15.9	\$459.47		1							1
	I	Local Channel Dadicated A Wire Vales Cards and attention		1	OHI	TEFV4	647.00	£464.00		1					1		i
-	-	Local Channel - Dedicated - 4-Wire Voice Grade per month Local Channel - Dedicated - DS1 per month		1	OHL OH1	TEFV4	\$17.06 \$41.52	\$461.28 \$399.32						-			l
L	l	Local Charlier - Dedicated - DOT per Hotilit	l		OHI	IEFFIG	φ41.52	დაუუ.ა2	1	1	1				l		

BELLSOUTH / VarTec RATES LOCAL INTERCONNECTION Alabama

									RATES					OSS F	RATES		
		LOOK MYTHOOMYCTTON						Nonre		Disc	ocurring	Svc Order Submitted Elec per LSR	Submitted Manually per LSR	Electronic-1st	Svc Order vs. Electronic-Add'l	Electronic-Disc 1st	Add'l
ATEGORY	NOTES	LOCAL INTERCONNECTION	Interim	Zone	BCS	USOC	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Local Channel - Dedicated - DS3 Facility Termination per			OH3	TEFHJ	6407.07	£4.044.0									
		month(assumes 1 mile)		-	UH3	TEFHJ	\$487.97	\$1,041.9									+
	LOCAL INTERC	ONNECTION MID-SPAN MEET															
	NOTE: If Access	service ride Mid-Span Meet, one-half the tariffed service Loc	al Channel	rate is	applicable.												
		Local Channel - Dedicated - DS1 per month			OH1MS	TEFHG	\$0.00	\$0.00	\$0.00								1
		Local Channel - Dedicated - DS3 per month			OH3MS	TEFHJ	\$0.00	\$0.00	\$0.00								
	MULTIPLEXERS																
	WOLTIFLEXERS	Channelization - DS1 to DS0 Channel System		-	OH1 OH1MS	SATN1	\$122.5	\$182.08	\$125.14	\$21.07	\$19.56						
		DS3 to DS1 Channel System per month		-	OH3 OH3MS	SATNS	\$201.37	\$356.28	\$187.94	\$66.51	\$63.65						
		DS3 Interface Unit (DS1 COCI) per month			OH1 OH1MS	SATCO	\$15.39		\$9.43	φοσιστ	ψου.ου	İ					1

Version 2Q01: 06/15/01

BELLSOUTH / VarTec RATES LOCAL INTERCONNECTION Florida

							Flor	ida									
Ţ				I	Ī				RATES					OSSI	RATES		
ŀ																	
ŀ																	
ŀ																Incremental	Incremental
ŀ																Charge -	Charge -
ŀ												Svc Order	Svc Order	Incremental	Incremental	Manual Svc	Manual Svc
ŀ										Nonre	curring	Submitted Elec	Submitted Manually per	Charge - Manual Svc Order vs.	Charge - Manual Svc Order vs.	Order vs. Electronic-	Order vs. Electronic-Disc
ŀ								Nonre	curring	Disc	onnect	per LSR	LSR	Electronic-1st	Electronic-Add'l	Disc 1st	Add'l
CATEGORY	NOTES	LOCAL INTERCONNECTION	Interim	Zone	BCS	USOC	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
LOCAL INTER	CONNECTION (C	ALL TRANSPORT AND TERMINATION)		<u> </u>													
LOCAL INTERC	CONNECTION (C	ALL TRANSPORT AND TERMINATION)															1
	END OFFICE SV	WITCHING															1
	END OFFICE OF	End Office Switching Function, Per MOU			OHD		\$0.0010739										
	TANDEM SWITC																
		Tandem Switching Function Per MOU			OHD		\$0.0006948										
		Multiple Tandem Switching, per MOU (applies			OUD		# 0.0000040										
		to intial tandem only)			OHD		\$0.0006948										
	TRUNK CHARG	E	l .					1		1	1				l	!	
		Installation Trunk Side Service - per DS0			OHD	TPP++		\$336.43	\$57.38								
		Dedicated End Office Trunk Port Service-per															
		DS0**			OHD	TDE0P	\$0.00										
		Dedicated End Office Trunk Port Service-per					4										
		DS1** Dedicated Tandem Trunk Port Service-per			0H1	TDE1P	\$0.00										
		DS0**			OHD	TDW0P	\$0.00										
		Dedicated Tandem Trunk Port Service-per			OHD	IDWUF	\$0.00										1
		DS1**			OH1MS	TDW1P	\$0.00										
		ent is recovered on a per MOU basis and is inclu	ided in the	End (Office Sw	itching ar	nd Tandem Switchi	ing, per MOL	J rate eleme	nts							
LOCAL INTER	CONNECTION (T	RANSPORT)															
	COMMON TRAN	ISPORT (Shared)			OUD		fto 000004										
		Common Transport - Per Mile, Per MOU Common Transport - Facilities Termination Per			OHD		\$0.00004	-									-
		MOU			OHD		\$0.0005										
					05		ψοισσσσ										
	INTEROFFICE O	CHANNEL - DEDICATED TRANSPORT - VOICE	GRADE														
		Interoffice Channel - Dedicated Transport - 2-															
		Wire Voice Grade - Per Mile per month		0	HL OH1N	11L5NF											
		Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - Facility Termination per															
		month		0	HL OH1N	1115NF	\$26.52	\$81.09	\$54.83	\$31.01	\$12.78						
		THO THE		Ť			Ψ20.02	φοιισσ	ψο 1.00	ψοσ.	ψ.2.70						
	INTEROFFICE O	CHANNEL - DEDICATED TRANSPORT - 56/64 I	KBPS														
		Interoffice Channel - Dedicated Transport - 56			_												
		kbps - per mile per month		0	HM OH1	11L5NK	\$0.0098										
		Interoffice Channel - Dedicated Transport - 56		_		111 ENII/	¢10.24	¢110.10									
	1	kbps - Facility Termination per month Interoffice Channel - Dedicated Transport - 64		U	HM OH1	NVICALL	\$19.31	\$112.12	1			}			}		\vdash
1	ĺ	kbps - per mile per month		O	HM OH1	11L5NK	\$0.0098										
		Interoffice Channel - Dedicated Transport - 64		<u> </u>	2	5 (# 2.3000	1				1					
		kbps - Facility Termination per month		O	HM OH1	11L5NK	\$19.31	\$112.12									
	WITTER 6	NAME OF THE PERSON OF THE PERS						<u> </u>	ļ			1					oxdot
	INTEROFFICE C	CHANNEL - DEDICATED TRANSPORT - DS1 Interoffice Channel - Dedicated Channel - DS1 -		1				<u> </u>	1	1		1			<u> </u>		\vdash
	ĺ	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month		_	H1 OH1N	1 11 5NI	\$0.2										
		Interoffice Channel - Dedicated Tranport - DS1 -		T .	iii Oiiill	ILJINL	Ψ0.∠										
1	ĺ	Facility Termination per month		0	H1 OH1N	11L5NL	\$92.62	\$208.89									
	INTEROFFICE C	CHANNEL - DEDICATED TRANSPORT- DS3															

BELLSOUTH / VarTec RATES LOCAL INTERCONNECTION Florida

							Fior	iua									
		l i		1	I				RATES					oss	RATES		
							_										
								Nonre	ecurring		ocurring onnect	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Dis Add'l
CATEGORY	NOTES	LOCAL INTERCONNECTION	Interim	Zone	BCS	usoc	Rec	First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
•		Interoffice Channel - Dedicated Transport -					* *										
		DS3 - Per Mile per month		0	НЗ ОНЗМ	11L5NM	\$4.17										
		Interoffice Channel - Dedicated Transport - DS3															
		- Facility Termination per month		0	НЗ ОНЗМ	11L5NM	\$1,121.93	\$669.25									
	LOCAL CHANN	EL - DEDICATED TRANSPORT															
		Local Channel - Dedicated - 2-Wire Voice									ĺ						
		Grade per month			OHL	TEFV2	\$29.33	\$454.27									
		Local Channel - Dedicated - 4-Wire Voice					4										
		Grade per month		<u> </u>		TEFV4	\$30.5	\$455.99									
		Local Channel - Dedicated - DS1 per month		<u> </u>	OH1	TEFHG	\$30.5	\$396.21									
		Local Channel - Dedicated - DS3 Facility			0110	TE E	0 500.0	04 404 00									
		Termination per month(assumes 1 mile)			OH3	TEFHJ	\$568.2	\$1,124.83									
	LOCAL INTERC	ONNECTION MID-SPAN MEET		1	1				i i								
		s service ride Mid-Span Meet, one-half the tarif	ffed servi	ce I or	cal Chani	nel rate is	s annlicable	1									
	NOTE. II Acces.	Local Channel - Dedicated - DS1 per month	ilea sei vii	I		TEFHG		\$0.00	\$0.00								
		Local Channel - Dedicated - DS3 per month			OH3MS		\$0.00	\$0.00	\$0.00								
		200di Orialinci Dodiodica Doo per monti			OI IOIVIO	121110	ψ0.00	Ψ0.00	ψ0.00								
	MULTIPLEXER	S		1				1	İ								
		Channelization - DS1 to DS0 Channel System		0	H1 OH1N	ISATN1	\$153.6	\$182.14	\$125.18	\$19.52	\$18.14						
					ОНЗ			1.			1						
		DS3 to DS1 Channel System per month			OH3MS	SATNS	\$220.97	\$356.4	\$188.000	\$61.61	\$58.98						
		D00 1			OH1	0.4.700	04440	040.40	00.40								
	 	DS3 Interface Unit (DS1 COCI) per month		-	OH1MS	SATCO	\$14.40	\$13.16	\$9.43							.	1
	1			Ь	I			<u> </u>	1		I	L				l	1
	Notes: If no rate	is identified in the contract, the rate for the spec	ific service	e or fu	nction wil	l be as se	t forth in applicabl	e BellSouth	tariff or as ne	gotiated by	the Parties u	oon request	by either Pa	rty.			

BELLSOUTH / VarTec RATES LOCAL INTERCONNECTION Georgia

							Geor	rgia									Rates - Page 5
				I	l	I			•					OSS	RATES		
																Incremental Charge -	Incremental Charge -
												Svc Order	Svc Order	Incremental	Incremental	Manual Svc	Manual Svc
										Nonre	curring	Submitted Elec	Submitted Manually per	Charge - Manual Svc Order vs.	Charge - Manual Svc Order vs.	Order vs. Electronic-	Order vs. Electronic-Disc
								Nonre	curring	Disc	onnect	per LSR	LSR	Electronic-1st		Disc 1st	Add'I
CATEGORY	NOTES	LOCAL INTERCONNECTION	Interim	Zone	BCS	USOC	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
LOCAL INTER	CONNECTION (C	ALL TRANSPORT AND TERMINATION)		<u> </u>												<u> </u>	
LOCAL INTERC	CONNECTION (C	ALL TRANSPORT AND TERMINATION)										1				├ ──	
	END OFFICE SV	VITCHING														 	
		End Office Switching Function, Per MOU			OHD		\$0.0017897										
		g ,															
	TANDEM SWITC																
		Tandem Switching Function Per MOU			OHD		\$0.0011009									ـــــــــــ	
		Multiple Tandem Switching, per MOU (applies			OL ID		***									ĺ	
		to intial tandem only)			OHD		\$0.0011009									├──	
 	TRUNK CHARG	F		<u> </u>	I	·		<u> </u>		<u> </u>		1		!	<u> </u>	ь	
	THOMAS OF TAKE	Installation Trunk Side Service - per DS0			OHD	TPP++		\$333.28	\$56.84			1					,
		Dedicated End Office Trunk Port Service-per			<u> </u>	<u> </u>		ψ000. <u>E</u> 0	Ψ55.04								
		DS0**			OHD	TDE0P	\$0.00										
		Dedicated End Office Trunk Port Service-per															
		DS1**			0H1	TDE1P	\$0.00										
		Dedicated Tandem Trunk Port Service-per			OL ID	TDIMOD										ĺ	
		DS0** Dedicated Tandem Trunk Port Service-per			OHD	TDW0P	\$0.00										
		DS1**			OH1MS	TDW1P	\$0.00										
	** This rate elem	ent is recovered on a per MOU basis and is inclu	ided in the	End (ina, per MOL	J rate elemer	nts							
LOCAL INTER	CONNECTION (T																
	COMMON TRAN	ISPORT (Shared)															
		Common Transport - Per Mile, Per MOU			OHD		\$0.000008										
		Common Transport - Facilities Termination Per MOU			OHD		\$0.0004152										
		INIOO			OHD		\$0.0004152									 	
	INTEROFFICE C	HANNEL - DEDICATED TRANSPORT - VOICE	GRADE														
		Interoffice Channel - Dedicated Transport - 2-															
		Wire Voice Grade - Per Mile per month		0	HL OH1N	I 1L5NF	\$0.0222									<u> </u>	
		Interoffice Channel - Dedicated Transport- 2-														ĺ	
		Wire Voice Grade - Facility Termination per month			HL OH1N	I AL ENE	\$17.07	\$79.61	\$36.08								
		month		U	nl On III	ILDINE	\$17.07	\$79.61	\$30.08								
	INTEROFFICE C	CHANNEL - DEDICATED TRANSPORT - 56/64	KBPS														
		Interoffice Channel - Dedicated Transport - 56															
		kbps - per mile per month		O	HM OH1	11L5NK	\$0.0222									<u></u>	
		Interoffice Channel - Dedicated Transport - 56														1	
<u> </u>		kbps - Facility Termination per month		O	HM OH1	11L5NK	\$16.45	\$79.61								├	+
		Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month			HM OH1	111 ENIK	\$0.0222									1	
		Interoffice Channel - Dedicated Transport - 64			I IIVI OITII	LILDINK	φυ.υ∠∠∠					1	1			—	++
		kbps - Facility Termination per month		O	HM OH1	11L5NK	\$16.45	\$79.61								1	
	INTEROFFICE C	HANNEL - DEDICATED TRANSPORT - DS1															
		Interoffice Channel - Dedicated Channel - DS1 -				l										1	
		Per Mile per month		0	H1 OH1N	1L5NL	\$0.4523					1	1	<u> </u>		 	
		Interoffice Channel - Dedicated Tranport - DS1 - Facility Termination per month		_	H1 OH1N	1 1 5 NII	\$78.47	\$147.07								1	
		i admity Termination per IIIOHtti		<u> </u>		ILJINL	φιυ.41	φ141.01				 	-			-	
	INTEROFFICE C	CHANNEL - DEDICATED TRANSPORT- DS3		t		l						1					
										•							

BELLSOUTH / VarTec RATES LOCAL INTERCONNECTION Georgia

							Geo	giu									
I				Ī					,					oss	RATES		
ļ																	
ļ																	
																Incremental Charge -	Increme
I.												Svc Order	Svc Order	Incremental	Incremental	Manual Svc	Manua
Į.										Nonre	curring	Submitted Elec	Submitted Manually per	Charge - Manual Svc Order vs.	Charge - Manual Svc Order vs.	Order vs. Electronic-	Order Electroni
Ų.								Nonre	curring	Disc	onnect	per LSR	LSR	Electronic-1st	Electronic-Add'l	Disc 1st	Add
ATEGORY	NOTES	LOCAL INTERCONNECTION	Interim	Zone	BCS	USOC	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SON
l		Interoffice Channel - Dedicated Transport -															
		DS3 - Per Mile per month		0	H3 OH3N	11L5NM	\$2.72										
		Interoffice Channel - Dedicated Transport - DS3		_													
		- Facility Termination per month		0	H3 OH3N	11L5NM	\$788.00	\$633.41									<u> </u>
	LOCAL CHANN	EL - DEDICATED TRANSPORT															+
	LOCAL CITAININ	Local Channel - Dedicated - 2-Wire Voice						1									+
		Grade per month			OHL	TEFV2	\$13.91	\$62.4									
		Local Channel - Dedicated - 4-Wire Voice			OLIE	ILI VZ	ψ13.31	Ψ02.4									†
Į.		Grade per month			OHL	TEFV4	\$14.99	\$368.44									
		Local Channel - Dedicated - DS1 per month			OH1	TEFHG	\$38.36	\$478.46									
	İ	Local Channel - Dedicated - DS3 Facility			0	121110	ψου.ου	\$110.10									†
		Termination per month(assumes 1 mile)			OH3	TEFHJ	\$527.84	\$661.81									
	LOCAL INTERC	ONNECTION MID-SPAN MEET															
		s service ride Mid-Span Meet, one-half the tari	ffod corvi	co Loc	al Chan	ani rato is	annlicable										+
	NOTE. II ACCES	Local Channel - Dedicated - DS1 per month	ileu seivi			TEFHG	\$0.00	\$0.00	\$0.00								+
		Local Channel - Dedicated - DS3 per month			OH3MS		\$0.00	\$0.00	\$0.00								+
		200di Olidillioi Bodiodica Boo poi montii			01101110	121110	ψ0.00	ψ0.00	ψ0.00								1
	MULTIPLEXERS	S															1
		Channelization - DS1 to DS0 Channel System		0	H1 OH1N	ISATN1	\$126.22	\$198.22	\$123.59	\$31.03	\$19.75						
Ų					ОНЗ												
Ų		DS3 to DS1 Channel System per month				SATNS	\$182.04	\$265.91	\$188.78	\$72.5	\$59.96						
		Dec to Be Condition by Storm per month.			0.100	0,11110	ψ102.01	φ200.01	ψ100.10	ψ. Σ. σ	ψου.σο						
Į.					OH1												
	ļ	DS3 Interface Unit (DS1 COCI) per month			OH1MS	SATCO	\$11.02	\$12.02	\$8.66								₩
		<u></u>						1	I	I			I		l	I	
ļ																	
Ų	Notes: If no rate	e is identified in the contract, the rate for the spec	ific service	or fur	nction wil	l be as se	t forth in applicabl	e BellSouth	tariff or as ne	gotiated by	he Parties ur	oon request	by either Pa	rty.			
				Ī			- 11	1	1	Ĭ		1	l ·	ľ			
																	1

BELLSOUTH / VarTec RATES LOCAL INTERCONNECTION Kentucky

							Kentu	ıcky									Rates - Page /
	1			I	I	I			RATES					OSS	RATES		
												-					
																	1
																Incremental Charge -	Incremental Charge -
												Svc Order	Svc Order	Incremental	Incremental	Manual Svc	Manual Svc
										Nonre	curring	Submitted	Submitted	Charge - Manual	Charge - Manual	Order vs. Electronic-	Order vs.
								Nonre	curring	Disc	onnect	Elec per LSR	Manually per LSR	Svc Order vs. Electronic-1st	Svc Order vs. Electronic-Add'l	Disc 1st	Electronic-Disc Add'l
CATEGORY	NOTES	LOCAL INTERCONNECTION	Interim	Zone	BCS	usoc	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
LOCAL INTER	CONNECTION (C	ALL TRANSPORT AND TERMINATION)															
	END OFFICE SV				OLID		f0 0045744										
		End Office Switching Function, Per MOU			OHD		\$0.0015711										
	TANDEM SWITC	CHING															
		Tandem Switching Function Per MOU			OHD		\$0.0007555					1					
		Multiple Tandem Switching, per MOU (applies															
		to intial tandem only)			OHD		\$0.0007555										1
		Tandem Intermediary Charge, per MOU*			OHD		\$0.001096										
	L																
-	* This charge is	applicable only to transit traffic and is applied in a	addition to	applic	able swi	tching and	d/or interconnection	n charges.	1		1	1		ı			
	TRUNK CHARG	E															├
	TRUNK CHARG	Installation Trunk Side Service - per DS0			OHD	TPP++		\$334.09	\$57.12								\vdash
		Dedicated End Office Trunk Port Service-per		<u> </u>	OHD	IFFTT		\$334.09	φ37.12								
		DS0**			OHD	TDE0P	\$0.00										
	1	Dedicated End Office Trunk Port Service-per					V 0.00	İ									
		DS1**			0H1	TDE1P	\$0.00										
		Dedicated Tandem Trunk Port Service-per															
		DS0**			OHD	TDW0P	\$0.00										
		Dedicated Tandem Trunk Port Service-per					4										
	** This yets alone	DS1** ent is recovered on a per MOU basis and is inclu	مطفضات المصامر	- Food (TDW1P	\$0.00	MOI	 	1		1					├
LOCAL INTER	CONNECTION (T		idea in the	Ena	Jilice Sw	itching ar	id randem Switchi	ing, per MOC	Tale elemen	ils							\vdash
LOCAL INTER	I CONNECTION (1	RANGFORT		<u> </u>													
	COMMON TRAN	ISPORT (Shared)		†													
		Common Transport - Per Mile, Per MOU			OHD		\$0.0000031	1									
		Common Transport - Facilities Termination Per															
		MOU			OHD		\$0.000757										
				<u> </u>				1									ldash
	INTEROFFICE C	CHANNEL - DEDICATED TRANSPORT - VOICE	GRADE	!	<u> </u>			1		<u> </u>			<u> </u>				↓
		Interoffice Channel - Dedicated Transport - 2-		_	HL OH1N	11 ENE	¢n n110										1 1
	 	Wire Voice Grade - Per Mile per month Interoffice Channel - Dedicated Transport- 2-		- 0	UL OUT	TILDINE	\$0.0118	1		1		1	1		1		\vdash
		Wire Voice Grade - Facility Termination per															1
		month		0	HL OH1N	1L5NF	\$27.66	\$142.31	\$56.21								1 1
							·										
	INTEROFFICE C	HANNEL - DEDICATED TRANSPORT - 56/64	KBPS														
		Interoffice Channel - Dedicated Transport - 56		-		L											1 7
<u> </u>		kbps - per mile per month		O	HM OH1	11L5NK	\$0.0118	<u> </u>				1					
		Interoffice Channel - Dedicated Transport - 56			HM OH1I	441 ENIV	\$29.51	¢114.20									1
-	 	kbps - Facility Termination per month Interoffice Channel - Dedicated Transport - 64		U	IIIN OH'II	ANICALI	φ∠9.5 I	\$114.36		1		1	1		1		
		kbps - per mile per month		O	нм он1	1115NK	\$0.0118										1
		Interoffice Channel - Dedicated Transport - 64			0.1111	LOI VIC	ψο.στισ					1					
		kbps - Facility Termination per month		O	НМ ОН1	11L5NK	\$29.51	\$114.4	\$0.00	\$0.00	\$0.00						1
	INTEROFFICE C	HANNEL - DEDICATED TRANSPORT - DS1															$ldsymbol{oxed}$
		Interoffice Channel - Dedicated Channel - DS1 -															1
		Per Mile per month		0	H1 OH1N	I 1L5NL	\$0.2407					1					<u> </u>

BELLSOUTH / VarTec RATES LOCAL INTERCONNECTION Kentucky

									RATES					OSS	RATES		
												Syc Order	Svc Order	Incremental	Incremental	Incremental Charge - Manual Svc	Increm Char Manua
								Nonre	ecurring		ecurring onnect	Submitted Elec per LSR	Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic-1st	Charge - Manual Svc Order vs. Electronic-Add'l	Order vs. Electronic- Disc 1st	Order Electroni Add
ATEGORY	NOTES	LOCAL INTERCONNECTION	Interim	Zone	BCS	USOC	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOM
		Interoffice Channel - Dedicated Tranport - DS1 -															
		Facility Termination per month		0	H1 OH1N	I 1L5NL	\$97.38	\$211.18									
	INTEROFFICE (CHANNEL - DEDICATED TRANSPORT- DS3															
		Interoffice Channel - Dedicated Transport -				LAL ENINA	05.4										
		DS3 - Per Mile per month Interoffice Channel - Dedicated Transport - DS3		U	ns Unsil	I1L5NM	\$5.1	-									
		- Facility Termination per month			ns Onsi	I1L5NM	\$1,191.53	\$677.69									
		- Facility Termination per month		- 0	na Onak	I ILSINIVI	\$1,191.55	\$677.69				1					1
	LOCAL CHANN	EL - DEDICATED TRANSPORT										1					
		Local Channel - Dedicated - 2-Wire Voice															
		Grade per month			OHL	TEFV2	\$18.16	\$459.37									
		Local Channel - Dedicated - 4-Wire Voice															
		Grade per month			OHL	TEFV4	\$20.12	\$461.18									
		Local Channel - Dedicated - DS1 per month			OH1	TEFHG	\$44.63	\$399.3									
		Local Channel - Dedicated - DS3 Facility															
		Termination per month(assumes 1 mile)			OH3	TEFHJ	\$595.5	\$1,141.54									
		CONNECTION MID-SPAN MEET		<u> </u>		ببا											
	NOTE: If Acces	s service ride Mid-Span Meet, one-half the tarif	rea servi	ce Loc				#0.00	# 0.00								-
		Local Channel - Dedicated - DS1 per month			OH1MS OH3MS	TEFHG	\$0.00	\$0.00	\$0.00								-
		Local Channel - Dedicated - DS3 per month			OH3IVIS	IEFHJ	\$0.00	\$0.00	\$0.00								1
	MULTIPLEXER	S						+				<u> </u>			1		1
	MOLIN LEXEK	Channelization - DS1 to DS0 Channel System		0	H1 OH1N	ISATN1	\$139.65	\$182.14	\$125.19	\$21.00	\$19.52						
		Charmenzation Bot to Boo Charmor Cystem		Ŭ	11 011111	10/ (III (I	ψ100.00	ψ102.14	Ψ120.10	Ψ21.00	ψ10.02						
					ОНЗ												
		DS3 to DS1 Channel System per month			OH3MS	SATNS	\$194.82	\$356.4	\$188.000	\$66.63	\$63.44						
					OH1												
		DS3 Interface Unit (DS1 COCI) per month		<u> </u>	OH1MS	SATCO	\$14.43	\$13.16	\$9.43			ļ					
					l				I	I	I	1	I			l	1

Version 2Q01: 06/15/01

BELLSOUTH / VarTec RATES LOCAL INTERCONNECTION Louisiana

							Louis	iana									
	Ī	1	Ī	1	I	Ī			RATES					oss	RATES		
								-				1					
																Incremental	Incremental
												Svc Order	Svc Order	Incremental	Incremental	Charge - Manual Svc	Charge - Manual Svc
										Nonre	curring	Submitted	Submitted		Charge - Manual	Order vs.	Order vs.
											•	Elec	Manually per	Svc Order vs.	Svc Order vs.	Electronic-	Electronic-Disc
CATEGORY		LOCAL INTERCONNECTION	Interim	Zone	BCS		_		curring		onnect	per LSR	LSR	Electronic-1st	Electronic-Add'l	Disc 1st	Add'l
CATEGORY	NOTES	LOCAL INTERCONNECTION	interim	Zone	всэ	USOC	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
																	+
LOCAL INTER	CONNECTION (C	CALL TRANSPORT AND TERMINATION)															
LOOAL INTER	I	TRANSPORT AND TERMINATION															
	END OFFICE SV	WITCHING															
	LIND OFFICE OF	End Office Switching Function, Per MOU			OHD		\$0.0011550					1					
							¥0.000.1000										
	TANDEM SWIT	CHING															1
		Tandem Switching Function Per MOU			OHD		\$0.0006289										1
		Multiple Tandem Switching, per MOU (applies															
		to intial tandem only)			OHD		\$0.0006289										
	TRUNK CHARG																
	ļ	Installation Trunk Side Service - per DS0			OHD	TPP++		\$334.94	\$56.98								ļ
		Dedicated End Office Trunk Port Service-per															
		DS0**			OHD	TDE0P	\$0.00										
		Dedicated End Office Trunk Port Service-per			01.14	TDE4D	# 0.00										
	1	DS1** Dedicated Tandem Trunk Port Service-per		-	0H1	TDE1P	\$0.00										
		DS0**			OHD	TDW0P	\$0.00										
		Dedicated Tandem Trunk Port Service-per			OHD	IDWUF	\$0.00	1									
		DS1**			OH1MS	TDW1P	\$0.00										
	** This rate elem	nent is recovered on a per MOU basis and is inclu	ided in the	End 0				ina, per MOl	J rate elemei	nts							
LOCAL INTER	CONNECTION (T			1	1	l l	Tarracin Ciricon	I	1	I							
	1																
	COMMON TRAN	NSPORT (Shared)															
		Common Transport - Per Mile, Per MOU			OHD		\$0.0000037										
		Common Transport - Facilities Termination Per															
		MOU			OHD		\$0.0004332										
	INTEROFFICE (CHANNEL - DEDICATED TRANSPORT - VOICE	GRADE														
		Interoffice Channel - Dedicated Transport - 2-		_													
		Wire Voice Grade - Per Mile per month		0	HL OH1N	I 1L5NF	\$0.0165										
		Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - Facility Termination per															
		month			HL OH1N	1 11 5NE	\$26.12	\$80.98	\$54.76	\$33.91	\$13.97						
		moner			I CITTI	ILCINI	Ψ20.12	\$60.96	ψ54.70	ψ55.91	φ13.31						-
	INTEROFFICE O	CHANNEL - DEDICATED TRANSPORT - 56/64	KBPS									1					
		Interoffice Channel - Dedicated Transport - 56										1					
		kbps - per mile per month		O	HM OH1	11L5NK	\$0.0165										
		Interoffice Channel - Dedicated Transport - 56					*										
	<u> </u>	kbps - Facility Termination per month		OI	HM OH1	11L5NK	\$26.12	\$114.89				<u></u>		L	L		<u> </u>
		Interoffice Channel - Dedicated Transport - 64															
	1	kbps - per mile per month		Ol	HM OH1	11L5NK	\$0.0165										<u> </u>
		Interoffice Channel - Dedicated Transport - 64				L											
		kbps - Facility Termination per month		OI	HM OH1	11L5NK	\$26.12	\$114.89	\$0.00	\$0.00	\$0.00	<u> </u>					
	INTERCEPOS	CHANNEL DEDICATED TRANSPORT 504		-	1	1		1	1	!		1	!	 	1		
	INTEROFFICE (CHANNEL - DEDICATED TRANSPORT - DS1 Interoffice Channel - Dedicated Channel - DS1 -		-		-		<u> </u>	.	.		<u> </u>	.				
		Per Mile per month		_	H1 OH1N	1 1 ENI	\$0.3367							ĺ			
	 	Interoffice Channel - Dedicated Tranport - DS1 -			III OHIII	ILONL	φυ.330 <i>1</i>	 	 	 		 	 	1	l		\vdash
	I	Facility Termination per month		\cap	H1 OH1N	11 5NI	\$81.45	\$211.47	Ī	Ī			Ī	l			
	 	. dot, rommiduon por monui			1	LOIVE	ψυ1.τυ	Ψ211.71		1		1	1	1	 		+
	INTEROFFICE (CHANNEL - DEDICATED TRANSPORT- DS3							Ì						İ		
		= ••	-	•	-	-		-		•		•		-	-	•	

BELLSOUTH / VarTec RATES LOCAL INTERCONNECTION Louisiana

							Loui	siana									
	1			I		I 1			RATES					oss	RATES		
out-oopy.			Interim	Zone	BCS				ecurring	Disc	curring	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
CATEGORY	NOTES	LOCAL INTERCONNECTION Interoffice Channel - Dedicated Transport -	interim	Zone	BCS	USOC	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		DS3 - Per Mile per month Interoffice Channel - Dedicated Transport - DS3		0	нз онзл	11L5NM	\$7.67										
		- Facility Termination per month		0	НЗ ОНЗЛ	I1L5NM	\$982.87	\$678.88									
	LOCAL CHANN	EL - DEDICATED TRANSPORT		-					-								ļ
	LOCAL CHANN	Local Channel - Dedicated - 2-Wire Voice		-					-				-				ļ
		Grade per month			OHI	TEFV2	\$21.44	\$460.03									
		Local Channel - Dedicated - 4-Wire Voice			OHL	ILI VZ	Ψ21.44	ψ+00.03	1				1				1
		Grade per month			OHL	TEFV4	\$22.7	\$460.04									
		Local Channel - Dedicated - DS1 per month			OH1	TEFHG	\$45.1	\$399.53									
		Local Channel - Dedicated - DS3 Facility															
		Termination per month(assumes 1 mile)			OH3	TEFHJ	\$555.75	\$1,144.21									
	LOCAL INTERC	CONNECTION MID-SPAN MEET															
		s service ride Mid-Span Meet, one-half the tari	ffed servi	ce Loc	al Chani	nel rate is	s applicable.					i e					<u> </u>
		Local Channel - Dedicated - DS1 per month		1		TEFHG		\$0.00	\$0.00								
		Local Channel - Dedicated - DS3 per month			OH3MS		\$0.00	\$0.00	\$0.00								
	MULTIPLEXER	<u> </u>															
	IIIOETII EEXEK	Channelization - DS1 to DS0 Channel System		0	H1 OH1N	ISATN1	\$121.5	\$181.88	\$125.01	\$21.36	\$19.84						
		Doors Dod Observed Contaments			OH3	CATNO	\$200.0F	#055.00	£407.70	#07.4	CO 4 40						
		DS3 to DS1 Channel System per month				SATNS	\$233.25	\$355.89	\$187.73	\$67.4	\$34.49						
		DS3 Interface Unit (DS1 COCI) per month			OH1 OH1MS	SATCO	\$13.64	\$13.14	\$9.42								
	Notes: If no rate	e is identified in the contract, the rate for the spec	ific service	e or fur	nction wil	l be as se	et forth in applicat	ole BellSouth	tariff or as ne	egotiated by	the Parties u	pon request	by either Pa	rty.			

BELLSOUTH / VarTec RATES LOCAL INTERCONNECTION Mississippi

							Missis	sippi									rates rage rr
	Ī			I	I	Ī			RATES					OSS	RATES		
								-		ł		-					
																Incremental	Incremental
												Svc Order	Svc Order	Incremental	Incremental	Charge - Manual Svc	Charge - Manual Svc
										Nonre	curring	Submitted	Submitted		Charge - Manual	Order vs.	Order vs.
											•	Elec	Manually per	Svc Order vs.	Svc Order vs.	Electronic-	Electronic-Disc
				l_					curring		onnect	per LSR	LSR	Electronic-1st	Electronic-Add'l	Disc 1st	Add'l
CATEGORY	NOTES	LOCAL INTERCONNECTION	Interim	Zone	BCS	USOC	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
																	-
LOCAL INTER	CONNECTION (C	CALL TRANSPORT AND TERMINATION)						1		1		ł					-
LOCAL INTER	I	TRANSFORT AND TERMINATION															+
	END OFFICE SV	WITCHING															+
	LIND OFFICE 31	End Office Switching Function, Per MOU			OHD		\$0.0014872										+
		End embe ewitering Fanction, Fer wee			OND		ψ0.0014072										
	TANDEM SWITC	CHING															
		Tandem Switching Function Per MOU			OHD		\$0.0006733										
		Multiple Tandem Switching, per MOU (applies															
		to intial tandem only)			OHD		\$0.0006733										
	TRUNK CHARG					_											
		Installation Trunk Side Service - per DS0			OHD	TPP++		\$334.11	\$56.98								$oxed{oxed}$
		Dedicated End Office Trunk Port Service-per															
		DS0**			OHD	TDE0P	\$0.00										
		Dedicated End Office Trunk Port Service-per															
		DS1**			0H1	TDE1P	\$0.00										
		Dedicated Tandem Trunk Port Service-per			OLID	TDWOD	00.00										
		DS0**		-	OHD	TDW0P	\$0.00										
		Dedicated Tandem Trunk Port Service-per DS1**			OHAME	TDW1P	\$0.00										
	** This rate clam	nent is recovered on a per MOU basis and is inclu	idad in tha	End (ing per MOI	Lrato olomo	nte							
LOCAL INTER	CONNECTION (T		ided iii tiie	LIIU	Jilice Sw	iteriirig ai	id Tandeni Switch	ling, per MOC	Tale eleme	i i i i							+
LOOAL INTER	I	KANOT OKT)															
	COMMON TRAN	NSPORT (Shared)															1
	COMMICITY TRA	Common Transport - Per Mile, Per MOU			OHD		\$0.000003										1
		Common Transport - Facilities Termination Per			0		ψοισσσσσσ					İ					
		MOU			OHD		\$0.0004990										
	INTEROFFICE O	CHANNEL - DEDICATED TRANSPORT - VOICE	GRADE														
		Interoffice Channel - Dedicated Transport - 2-															
		Wire Voice Grade - Per Mile per month		0	HL OH1N	I 1L5NF	\$0.0112										
		Interoffice Channel - Dedicated Transport- 2-															
		Wire Voice Grade - Facility Termination per		_													
		month		0	HL OH1N	I 1L5NF	\$24.75	\$80.95	\$54.74	\$34.27	\$14.12						
	INTEROFFICE (CHANNEL DEDICATED TRANSPORT FOICA	/DDC														-
-	IN I EKUFFICE (CHANNEL - DEDICATED TRANSPORT - 56/64 Interoffice Channel - Dedicated Transport - 56	NDP3	-				_				1					1
		kbps - per mile per month			HM OH1	441 ENIZ	\$0.0112										
		Interoffice Channel - Dedicated Transport - 56		Oi	HIVI OH II	TILSINK	\$0.0112	1		1		ł					
		kbps - Facility Termination per month			HM OH1	111 5NK	\$17.24	\$115.23									
		Interoffice Channel - Dedicated Transport - 64		Oi	I IIVI OI I I I	ILONIC	Ψ17.2-	ψ113.23									1
		kbps - per mile per month		OI	HM OH1	11L5NK	\$0.0112										
		Interoffice Channel - Dedicated Transport - 64		<u> </u>			*****										
		kbps - Facility Termination per month		Ol	HM OH1	11L5NK	\$17.24	\$115.23	\$0.00	\$0.00	\$0.00						
	INTEROFFICE C	HANNEL - DEDICATED TRANSPORT - DS1															
		Interoffice Channel - Dedicated Channel - DS1 -		l													
		Per Mile per month		0	H1 OH1N	I 1L5NL	\$0.2293					ļ					ļl
		Interoffice Channel - Dedicated Tranport - DS1 -				l											
		Facility Termination per month		0	H1 OH1N	1L5NL	\$63.00	\$209.75				ļ					ļI
	INTERREFICE (NAME DEDICATED TRANSPORT DOS		├		-		!		-		!			ļ —	ļ	↓
	IN LEKOFFICE (CHANNEL - DEDICATED TRANSPORT- DS3			1					<u> </u>		<u> </u>					

BELLSOUTH / VarTec RATES LOCAL INTERCONNECTION Mississippi

							Missis	sippi									
]		I					RATES					oss	RATES		
								Nonre	ecurring		ecurring	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'I
CATEGORY	NOTES	LOCAL INTERCONNECTION	Interim	Zone	BCS	usoc	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month Interoffice Channel - Dedicated Transport - DS3			H3 OH3N		\$5.43										
	1	- Facility Termination per month		0	H3 OH3N	I1L5NM	\$705.42	\$680.03									
	LOCAL CHANN	L - DEDICATED TRANSPORT		!					-	-							
-	LOCAL CHANN	Local Channel - Dedicated - 2-Wire Voice		-													
		Grade per month			OHL	TEFV2	\$16.39	\$460.72									
		Local Channel - Dedicated - 4-Wire Voice Grade per month			OHL	TEFV4	\$17.59	\$461.68									
		Local Channel - Dedicated - DS1 per month			OH1	TEFHG	\$41.4	\$399.92									
		Local Channel - Dedicated - DS3 Facility Termination per month(assumes 1 mile)			ОНЗ	TEFHJ	\$467.62	\$1,146.52									
	LOCAL INTERC	ONNECTION MID-SPAN MEET		<u> </u>													
		s service ride Mid-Span Meet, one-half the tarif	fod convi	00 00	ol Chan	nol roto id	a annliaahla		-	-							
	NOTE. II ACCES	Local Channel - Dedicated - DS1 per month	ieu servi			TEFHG		\$0.00	\$0.00	1							
		Local Channel - Dedicated - DS1 per month			OH3MS		\$0.00	\$0.00	\$0.00								
	MULTIPLEXER																
		Channelization - DS1 to DS0 Channel System		0	H1 OH1N	ISATN1	\$125.29	\$181.84	\$124.98	\$21.57	\$20.05						
		DS3 to DS1 Channel System per month			OH3 OH3MS	SATNS	\$207.87	\$355.8	\$187.69	\$68.11	\$65.17						
		DS3 Interface Unit (DS1 COCI) per month			OH1 OH1MS	SATCO	\$15.78	\$13.13	\$9.41								
	Notes: If no rate	e is identified in the contract, the rate for the spec	ific service	or fur	nction wil	l be as se	et forth in applicabl	e BellSouth	tariff or as ne	egotiated by	the Parties up	oon request	by either Pa	rty.			·

BELLSOUTH / VarTec RATES LOCAL INTERCONNECTION North Carolina

							North C	arolina									Rates - Page 13		
	1	1		I	I	I			RATES			OSS RATES							
								-				1							
																Incremental	Incremental		
												Svc Order	Svc Order	Incremental	Incremental	Charge - Manual Svc	Charge - Manual Svc		
										Nonre	curring	Submitted	Submitted		Charge - Manual	Order vs.	Order vs.		
											•	Elec	Manually per	Svc Order vs.	Svc Order vs.	Electronic-	Electronic-Disc		
				l _					curring		onnect	per LSR	LSR	Electronic-1st	Electronic-Add'l	Disc 1st	Add'l		
CATEGORY	NOTES	LOCAL INTERCONNECTION	Interim	Zone	BCS	USOC	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN		
	-							!								-	-		
LOCAL INTER	CONNECTION (C	L CALL TRANSPORT AND TERMINATION)						!								-			
LOCAL INTER	TONNECTION (C	ALL TRANSPORT AND TERMINATION)						+		1		1	1				\vdash		
	END OFFICE SV	MITCHING						+		1		1	1				\vdash		
	END OFFICE ST	End Office Switching Function, Per MOU			OHD		\$0.0017300	1				1					\vdash		
		End office ewitching Fanction, Fer wee			OHD		ψ0.0017000					1							
	TANDEM SWITE	CHING																	
		Tandem Switching Function Per MOU			OHD		\$0.0012000												
		Multiple Tandem Switching, per MOU (applies																	
		to intial tandem only)			OHD		\$0.0012000												
	TRUNK CHARG							-		-			-		-				
		Installation Trunk Side Service - per DS0			OHD	TPP++		\$333.54	\$56.88										
		Dedicated End Office Trunk Port Service-per																	
		DS0**			OHD	TDE0P	\$0.00									L			
		Dedicated End Office Trunk Port Service-per																	
		DS1**			0H1	TDE1P	\$0.00												
		Dedicated Tandem Trunk Port Service-per			OLID	TDWOD	00.00												
	1	DS0**		-	OHD	TDW0P	\$0.00	1											
		Dedicated Tandem Trunk Port Service-per DS1**			OHAME	TDW1P	\$0.00												
	** This rate clar	nent is recovered on a per MOU basis and is inclu	idad in the	End (ing per MOI	L rata alamar	nte.		1	1				\vdash		
LOCAL INTER	CONNECTION (T		idea iii tiid	Liiu	I I I I I I	licining ai	id Tandem Owiten	Ing, per woo	Tate elemen	113						-	 		
LOOAL IIII LIK	I	TANOT ONLY														-	 		
	COMMON TRAN	NSPORT (Shared)										1							
		Common Transport - Per Mile, Per MOU			OHD		\$0.00001	1											
		Common Transport - Facilities Termination Per																	
		MOU			OHD		\$0.00034												
	INTEROFFICE (CHANNEL - DEDICATED TRANSPORT - VOICE	GRADE																
		Interoffice Channel - Dedicated Transport - 2-																	
		Wire Voice Grade - Per Mile per month		0	HL OH1N	I 1L5NF	\$0.0282												
		Interoffice Channel - Dedicated Transport- 2-																	
		Wire Voice Grade - Facility Termination per		_	HL OH1N	LALENE	\$18.01	\$137.48	¢ E0 E0										
	-	month		0	nl On III	ILDINE	\$18.01	\$137.48	\$52.58	1		1	1						
	INTEROFFICE O	I CHANNEL - DEDICATED TRANSPORT - 56/64	KBPS			 						 				\vdash	 		
		Interoffice Channel - Dedicated Transport - 56				 						 				\vdash	\vdash		
		kbps - per mile per month		O	HM OH1	11L5NK	\$0.0282							ĺ			1 1		
		Interoffice Channel - Dedicated Transport - 56		Ť			*****	1											
		kbps - Facility Termination per month		O	HM OH1	11L5NK	\$17.40	\$137.48								1	1 1		
		Interoffice Channel - Dedicated Transport - 64																	
		kbps - per mile per month		OI	HM OH1	11L5NK	\$0.0282									<u></u>			
		Interoffice Channel - Dedicated Transport - 64		l												1	1 7		
	ļ	kbps - Facility Termination per month		O	HM OH1	11L5NK	\$17.40	\$137.48											
	WITED 6 == : 6 =	l		-				1				<u> </u>				├	\longleftarrow		
	INTEROFFICE (CHANNEL - DEDICATED TRANSPORT - DS1		<u> </u>		.						<u> </u>		.	!	├	\longleftarrow		
		Interoffice Channel - Dedicated Channel - DS1 -		_		I AL END	¢0 €7€0							ĺ			1 1		
	-	Per Mile per month Interoffice Channel - Dedicated Tranport - DS1 -		0	H1 OH1N	LILDINL	\$0.5753	1				 			-		\vdash		
		Facility Termination per month		_	H1 OH1N	1 1 5 NI	\$71.29	\$217.17						ĺ			1 1		
<u> </u>	 	racinty reminiation per month		\vdash	I	ILJINL	ψι ι.Δ5	φε11.11						l		 	\vdash		
	INTEROFFICE O	CHANNEL - DEDICATED TRANSPORT- DS3															\vdash		
	1						1				L			·	·				

BELLSOUTH / VarTec RATES LOCAL INTERCONNECTION North Carolina

							North C	arolina											
	I			1					RATES			OSS RATES							
																Incremental	Incremen		
												Svc Order	Svc Order	Incremental	Incremental	Charge - Manual Svc	Charge Manual S		
										Nonre	curring	Submitted	Submitted	Charge - Manual	Charge - Manual	Order vs.	Order v		
								Nonre	curring	Disc	onnect	Elec per LSR	Manually per LSR	Svc Order vs. Electronic-1st	Svc Order vs. Electronic-Add'l	Electronic- Disc 1st	Electronic- Add'l		
CATEGORY	NOTES	LOCAL INTERCONNECTION	Interim	Zone	BCS	usoc	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA		
		Interoffice Channel - Dedicated Transport -																	
		DS3 - Per Mile per month		С	OH3 OH3N	11L5NM	\$112.98												
		Interoffice Channel - Dedicated Transport - DS3																	
		- Facility Termination per month		С	H3 OH3N	I1L5NM	\$720.38	\$794.94											
	LOCAL CHANN	L EL - DEDICATED TRANSPORT															<u> </u>		
	LOGAL GITAIN	Local Channel - Dedicated - 2-Wire Voice						+											
		Grade per month			OHL	TEFV2	\$14.82	\$553.8											
		Local Channel - Dedicated - 4-Wire Voice					¥1.110=	40000											
		Grade per month			OHL	TEFV4	\$15.67	\$562.23											
		Local Channel - Dedicated - DS1 per month			OH1	TEFHG	\$35.68	\$534.48											
-		Local Channel - Dedicated - DS3 Facility																	
		Termination per month(assumes 1 mile)			OH3	TEFHJ	\$508.69	\$562.25											
	LOCAL INTERC	ONNECTION MID-SPAN MEET						1											
		s service ride Mid-Span Meet, one-half the tari	ffed servi	ce Lo	cal Chan	nel rate is	s applicable.												
		Local Channel - Dedicated - DS1 per month				TEFHG		\$0.00	\$0.00										
		Local Channel - Dedicated - DS3 per month			OH3MS		\$0.00	\$0.00	\$0.00										
	MULTIPLEXER	<u> </u>						1											
		Channelization - DS1 to DS0 Channel System		С	H1 OH1N	SATN1	\$146.69	\$197.78	\$140.05										
							•												
		DS3 to DS1 Channel System per month			OH3 OH3MS	SATNS	\$233.1	\$103.97	\$234.4										
		, ,																	
		DS3 Interface Unit (DS1 COCI) per month			OH1	SATCO	\$16.07	\$13.09	\$9.38										
	1	200 interface of int (201 Gool) per month			OTTIVIO	OATOO	ψ10.07	ψ13.03	ψ3.30										
		-																	
	Notes: If no rate	e is identified in the contract, the rate for the spec	ific service	e or fu	nction wil	l be as se	et forth in applicab	e BellSouth	tariff or as ne	gotiated by	he Parties u	pon request	by either Pa	rty.	1		1		

BELLSOUTH / VarTec RATES LOCAL INTERCONNECTION South Carolina

							South C	arolina											
	1	1		I		I			RATES			OSS RATES							
												-							
																Incremental Charge -	Incremental Charge -		
												Svc Order	Svc Order	Incremental	Incremental	Manual Svc	Manual Svc		
										Nonre	curring	Submitted	Submitted		Charge - Manual	Order vs.	Order vs.		
								Nonre	curring	Disc	onnect	Elec per LSR	Manually per LSR	Svc Order vs. Electronic-1st	Svc Order vs. Electronic-Add'l	Electronic- Disc 1st	Electronic-Disc Add'l		
CATEGORY	NOTES	LOCAL INTERCONNECTION	Interim	Zone	BCS	usoc	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN		
LOCAL INTER	CONNECTION (C	CALL TRANSPORT AND TERMINATION)																	
	END OFFICE SI																		
	1	End Office Switching Function, Per MOU			OHD		\$0.0021876												
	TANDEM SWITE	CHING																	
	TANDEM OWIT	Tandem Switching Function Per MOU			OHD		\$0.0014911												
		Multiple Tandem Switching, per MOU (applies			OHD		ψ0.0014011	1											
		to intial tandem only)			OHD		\$0.0014911												
	TRUNK CHARG									•									
<u> </u>		Installation Trunk Side Service - per DS0			OHD	TPP++		\$335.14	\$57.16			ļ							
		Dedicated End Office Trunk Port Service-per			OLID	TDEAD	* 0.00												
		DS0** Dedicated End Office Trunk Port Service-per			OHD	TDE0P	\$0.00												
		DS1**			0H1	TDE1P	\$0.00												
		Dedicated Tandem Trunk Port Service-per			0111	IDLIF	φ0.00												
		DS0**			OHD	TDW0P	\$0.00												
		Dedicated Tandem Trunk Port Service-per					*												
		DS1**				TDW1P													
		nent is recovered on a per MOU basis and is inclu	ided in the	End (Office Sw	itching ar	nd Tandem Switch	ing, per MOL	J rate eleme	nts									
LOCAL INTER	CONNECTION (T	RANSPORT)																	
		HODORT (OL II)																	
	COMMON TRAI	NSPORT (Shared) Common Transport - Per Mile, Per MOU			OHD		\$0.0000121												
		Common Transport - Per Mile, Per MOU Common Transport - Facilities Termination Per			OHD		\$0.0000121												
		MOU			OHD		\$0.0004672												
					0		ψο.οσο τοι Σ												
	INTEROFFICE (CHANNEL - DEDICATED TRANSPORT - VOICE	GRADE																
		Interoffice Channel - Dedicated Transport - 2-																	
		Wire Voice Grade - Per Mile per month		0	HL OH1N	I 1L5NF	\$0.0167												
		Interoffice Channel - Dedicated Transport- 2-																	
		Wire Voice Grade - Facility Termination per month		_	HL OH1N	1 11 ENE	\$24.3	\$81.25	\$54.94	\$33.64	\$13.82								
		monu			IL OHIII	ILICINE	Φ24.3	Φ01.23	\$34.94	φ33.04	φ13.02								
	INTEROFFICE O	CHANNEL - DEDICATED TRANSPORT - 56/64	KBPS					1											
		Interoffice Channel - Dedicated Transport - 56																	
		kbps - per mile per month		O	HM OH1	11L5NK	\$0.0167												
		Interoffice Channel - Dedicated Transport - 56																	
		kbps - Facility Termination per month		Ol	HM OH1	11L5NK	\$16.76	\$114.89											
		Interoffice Channel - Dedicated Transport - 64		_															
		kbps - per mile per month		O	HM OH1	11L5NK	\$0.0167												
		Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination per month			HM OH1	111 5NIV	\$16.76	\$114.89	\$0.00	\$0.00	\$0.00								
	 	rups - i acinty remination per month				ANICALI	φ10.70	ψ114.09	φυ.υυ	φυ.υυ	φυ.υυ						 		
	INTEROFFICE (CHANNEL - DEDICATED TRANSPORT - DS1		t		l						1							
		Interoffice Channel - Dedicated Channel - DS1 -																	
	<u> </u>	Per Mile per month		0	H1 OH1N	1 1L5NL	\$0.3415	<u></u>				<u> </u>							
		Interoffice Channel - Dedicated Tranport - DS1 -																	
	ļ	Facility Termination per month		0	H1 OH1N	I 1L5NL	\$77.14	\$211.7											
<u> </u>	WITED OFFICE			-				<u> </u>				<u> </u>							
	INTEROFFICE (CHANNEL - DEDICATED TRANSPORT- DS3										<u> </u>							

BELLSOUTH / VarTec RATES LOCAL INTERCONNECTION South Carolina

						South											
		Ī	I	1	I 1			RATES			OSS RATES						
														ual Charge - Manual s. Svc Order vs.			
NOTES				nce	IISOC				Disc	onnect	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Svc Order vs. Electronic-1st		Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Dis Add'l	
NOTES		interim	Zone	всэ	USOC	Rec	First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	
	DS3 - Per Mile per month		0	H3 OH3N	11L5NM	\$8.02											
	- Facility Termination per month		0	НЗ ОНЗМ	I1L5NM	\$880.65	\$679.4										
LOCAL CHANN	EL DEDICATED TRANSPORT		+				-										
LUCAL CHANN			-				-					-				-	
				ОНІ	TEFV/2	\$15.33	\$460.49										
				OHE	ILI VZ	ψ10.00	φ400.40				1						
				OHL	TEFV4	\$16.54	\$462.31										
	Local Channel - Dedicated - DS1 per month			OH1	TEFHG	\$42.62	\$400.21										
	Local Channel - Dedicated - DS3 Facility																
	Termination per month(assumes 1 mile)		-	OH3	TEFHJ	\$457.93	\$1,144.54										
LOCAL INTERC	ONNECTION MID-SPAN MEET																
		ffed servi	ce Loc	cal Chan	nel rate is	s applicable.											
			1				\$0.00	\$0.00									
	Local Channel - Dedicated - DS3 per month					\$0.00	\$0.00	\$0.00									
MUI TIPI EXERS	I S																
	Channelization - DS1 to DS0 Channel System		0	H1 OH1N	ISATN1	\$134.46	\$182.48	\$125.42	\$21.12	\$19.62							
	DS3 to DS1 Channel System per month			OH3 OH3MS	SATNS	\$233.1	\$403.97	\$234.4									
				OH1	SATCO		\$13.18	\$9.45									
L	LOCAL CHANN LOCAL INTERC NOTE: If Acces	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month LOCAL CHANNEL - DEDICATED TRANSPORT Local Channel - Dedicated - 2-Wire Voice Grade per month Local Channel - Dedicated - 4-Wire Voice Grade per month Local Channel - Dedicated - DS1 per month Local Channel - Dedicated - DS3 Facility Termination per month(assumes 1 mile) LOCAL INTERCONNECTION MID-SPAN MEET NOTE: If Access service ride Mid-Span Meet, one-half the tari Local Channel - Dedicated - DS1 per month Local Channel - Dedicated - DS3 per month Local Channel - Dedicated - DS3 per month Cocal Channel - Dedicated - DS3 per month Cocal Channel - Dedicated - DS3 per month	Interoffice Channel - Dedicated Transport - DS3 - Per Mille per month Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month LOCAL CHANNEL - DEDICATED TRANSPORT Local Channel - Dedicated - 2-Wire Voice Grade per month Local Channel - Dedicated - 4-Wire Voice Grade per month Local Channel - Dedicated - DS1 per month Local Channel - Dedicated - DS3 Facility Termination per month(assumes 1 mile) LOCAL INTERCONNECTION MID-SPAN MEET NOTE: If Access service ride Mid-Span Meet, one-half the tariffed servi Local Channel - Dedicated - DS1 per month Local Channel - Dedicated - DS1 per month MULTIPLEXERS Channelization - DS1 to DS0 Channel System	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month Local Channel - Dedicated - 2-Wire Voice Grade per month Local Channel - Dedicated - 4-Wire Voice Grade per month Local Channel - Dedicated - DS1 per month Local Channel - Dedicated - DS3 Facility Termination per month(assumes 1 mile) LOCAL INTERCONNECTION MID-SPAN MEET NOTE: If Access service ride Mid-Span Meet, one-half the tariffed service Local Channel - Dedicated - DS3 per month Local Channel - Dedicated - DS3 per month Local Channel - Dedicated - DS3 per month Cocal Channel - Dedicated - DS3 per month Cocal Channel - Dedicated - DS3 per month Cocal Channel - Dedicated - DS3 per month Cocal Channel - Dedicated - DS3 per month Cocal Channel - Dedicated - DS3 per month Cocal Channel - Dedicated - DS3 per month Cocal Channel - DS1 to DS0 Channel System Channelization - DS1 to DS0 Channel System	Interoffice Channel - Dedicated Transport - DS3 - Per Mille per month	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month Interoffice Channel - Dedicated - DS3 - Facility Termination Per month Interoffice Channel - Dedicated - 2-Wire Voice Interoffice Channel - Dedicated - 2-Wire Voice Interoffice Channel - Dedicated - 2-Wire Voice Interoffice Channel - Dedicated - 2-Wire Voice Interoffice Channel - Dedicated - DS1 per month Interoffice Channel - Dedicated - DS1 per month Interoffice Channel - Dedicated - DS3 Facility Interoffice Channel - Dedicated - DS3 Facility Interoffice Channel - Dedicated - DS3 Facility Interoffice Channel - Dedicated - DS3 Facility Interoffice Channel - Dedicated - DS1 per month Interoffice Channel - Dedicated - DS3 per month Interoffice Channel - Dedicated - DS3 per month Interoffice Channel - DS3 per month Interoffice Channel - DS4 to DS0 Channel System Interoffice Channel - DS4 to DS0 Channel System Interoffice Channel - DS4 to DS0 Channel System Interoffice Channel - DS4 to DS0 Channel System Interoffice Channel - DS4 to DS0 Channel System Interoffice Channel - DS4 to DS0 Channel System Interoffice Channel - DS4 to DS0 Channel System Interoffice Channel - DS4 to DS0 Channel System Interoffice Channel - DS4 to DS0 Channel System Interoffice Channel - DS4 to DS0 Channel System Interoffice Channel - DS4 to DS3 Channel System Interoffice Channel - DS4 to DS4 Channel System Interoffice Channel - DS4 to DS4 Channel System Interoffice Channel - DS4 to DS4 Channel System Interoffice Channel - DS4 Channel System Interoffice Channel - DS4 Channel System Interoffice Channel - DS4 Channel System Interoffice Channel - DS4 Channel System Interoffice Channel System Interoffice Channel System Interoffice Channel System Interoffice Channel System Interoffice Channel System Interoffice Channel System Interoff	Notes	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month	Notes Local Interconnection Interim Zone BCS USOC Rec First Addri First	Notes Local Interconnection Interim Zone BCS USOC Rec Nonrecurring Disconnect	Notes Local Interconnection Interim Zone BCS USOC Rec Nonrecurring Disconnect Disconnect Elec Ele	Note	Note	NOTES LOCAL INTERCONNECTION Interiffice Channel - Dedicated Transport - DS3 - Per Mile per month OH3 OH3N 1L5NM \$8.0.2	Note Note	

BELLSOUTH / VarTec RATES LOCAL INTERCONNECTION Tennessee

							Tenne	ssee									Rates - Page 17		
	Ī			I		Ī			RATES		OSS RATES								
												1							
																Incremental	Incremental		
												Svc Order	Svc Order	Incremental	Incremental	Charge - Manual Svc	Charge - Manual Svc		
										Nonre	curring	Submitted	Submitted	Charge - Manual	Charge - Manual	Order vs.	Order vs.		
									curring	Diag	onnect	Elec per LSR	Manually per LSR	Svc Order vs. Electronic-1st	Svc Order vs. Electronic-Add'l	Electronic- Disc 1st	Electronic-Disc Add'l		
CATEGORY	NOTES	LOCAL INTERCONNECTION	Interim	Zone	BCS	usoc	REC	Nonre	curring	Disci	Dilliect	per Lon	LON	Electronic-1st	Electronic-Add i	DISC 1St	Auu i		
SATE COLL	NOTES	EGOVE HITEHOOTHEOTH				0000	KEO												
LOCAL INTER	CONNECTION (C	CALL TRANSPORT AND TERMINATION)																	
	END OFFICE SV																		
		End Office Switching Function, Per MOU			OHD		\$0.0008041												
	TANDEM SWITE				OHD		\$0.0000770												
		Tandem Switching Function Per MOU Multiple Tandem Switching, per MOU (applies			OHD		\$0.0009778												
		to intial tandem only)			OHD		\$0.0009778												
		to initial tandem only)			OHD		φυ.υυυσττο												
	TRUNK CHARG	E												J	<u> </u>				
		Installation Trunk Side Service - per DS0			OHD	TPP++		\$334.29	\$57.01										
		Dedicated End Office Trunk Port Service-per																	
		DS0**			OHD	TDE0P	\$0.00												
		Dedicated End Office Trunk Port Service-per																	
		DS1**			0H1	TDE1P	\$0.00												
		Dedicated Tandem Trunk Port Service-per			OLID	TDWOD													
		DS0** Dedicated Tandem Trunk Port Service-per			OHD	TDW0P	\$0.00												
		DS1**			OH1MS	TDW1P	\$0.00												
	** This rate elem	nent is recovered on a per MOU basis and is inclu	ided in the	End 0				ina, per MOl	J rate elemer	nts									
LOCAL INTER	CONNECTION (T							I											
	·	,																	
	COMMON TRAN	NSPORT (Shared)																	
		Common Transport - Per Mile, Per MOU			OHD		\$0.0000064												
		Common Transport - Facilities Termination Per																	
		MOU			OHD		\$0.0003871												
	INTEROFFICE (I CHANNEL - DEDICATED TRANSPORT - VOICE	CDADE					1											
	INTEROFFICE	Interoffice Channel - Dedicated Transport - 2-	GRADE		L														
		Wire Voice Grade - Per Mile per month		0	HL OH1N	11L5NF	\$0.0174												
		Interoffice Channel - Dedicated Transport- 2-		Ť	0		φοιστι												
		Wire Voice Grade - Facility Termination per																	
		month		0	HL OH1N	I 1L5NF	\$18.58	\$55.39	\$17.37	\$27.96	\$3.51								
	INTEROFFICE (CHANNEL - DEDICATED TRANSPORT - 56/64	KBPS		<u> </u>	 		<u> </u>		<u> </u>		<u> </u>					ļ		
		Interoffice Channel - Dedicated Transport - 56			LIM OLIAN	MALENIZ	¢0.0474		Ī								l l		
	 	kbps - per mile per month Interoffice Channel - Dedicated Transport - 56		O	HM OH1	TILSNK	\$0.0174	 				 					 		
		kbps - Facility Termination per month			HM OH1	111 5NK	\$18.53	\$83.35	Ī										
	 	Interoffice Channel - Dedicated Transport - 64			I IIVI OI III	LILUINIX	ψ10.00	ψυυ.υυ				 							
		kbps - per mile per month		O	HM OH1	11L5NK	\$0.0174												
		Interoffice Channel - Dedicated Transport - 64		T .			******												
		kbps - Facility Termination per month		OI	HM OH1	11L5NK	\$18.53	\$83.35											
	INTEROFFICE (CHANNEL - DEDICATED TRANSPORT - DS1				 		<u> </u>		<u> </u>		<u> </u>					ļļ		
		Interoffice Channel - Dedicated Channel - DS1 -		_		41.55"	\$0.0505												
	 	Per Mile per month Interoffice Channel - Dedicated Tranport - DS1 -		U	H1 OH1N	TL5NL	\$0.3525	1	1	1		1		1	-				
		Facility Termination per month		0	H1 OH1N	11.5NI	\$75.83	\$131.95											
	<u> </u>	. domy romination por month		T		7 20142	Ψ, 0.00	\$101.00				<u> </u>							
	INTEROFFICE (CHANNEL - DEDICATED TRANSPORT- DS3																	
					_	_								-	-				

BELLSOUTH / VarTec RATES LOCAL INTERCONNECTION Tennessee

							Tenne	ssee										
				I	1	Ī			RATES			OSS RATES						
CATEGORY								Nonre	curring		ecurring onnect	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge Manual S Order v Electronic Add'I	
CATEGORY	NOTES	LOCAL INTERCONNECTION	Interim	Zone	BCS	USOC	REC										├	
		Interoffice Channel - Dedicated Transport -				AL ENDA	CO 04											
		DS3 - Per Mile per month Interoffice Channel - Dedicated Transport - DS3		U	H3 OH3N	TLSINIVI	\$2.34											
						41.55184	#0.40.00	6504.00										
		- Facility Termination per month		U	H3 OH3N	TLSINIVI	\$848.99	\$504.33										
	LOCAL CUANN	EL - DEDICATED TRANSPORT		-														
	LOCAL CHANN			!														
		Local Channel - Dedicated - 2-Wire Voice			0111	TEE (0	040.00	005444										
		Grade per month		!	OHL	TEFV2	\$19.02	\$254.14										
		Local Channel - Dedicated - 4-Wire Voice			0111	TE E / /	000.50	0057.05										
		Grade per month				TEFV4	\$20.56	\$257.05										
		Local Channel - Dedicated - DS1 per month		!	OH1	TEFHG	\$40.00	\$310.53										
		Local Channel - Dedicated - DS3 Facility																
		Termination per month(assumes 1 mile)			OH3	TEFHJ	\$623.23	\$811.19									<u> </u>	
	NOTE: If Acces	s service ride Mid-Span Meet, one-half the tari	ffed servi	ce I or	ral Chani	nol rato is	s annlicable										-	
	NOTE. II Acces	Local Channel - Dedicated - DS1 per month	ilea servi	I		TEFHG		\$0.00	\$0.00			1					-	
		Local Channel - Dedicated - DS3 per month		1	OH3MS		\$0.00	\$0.00	\$0.00			1						
	MULTIPLEXER				OHSIVIS	IEFFIJ	\$0.00	\$0.00	\$0.00			1					-	
	MOLTIFELALK	Channelization - DS1 to DS0 Channel System			H1 OH1N	I C A TNI4	\$80.77	\$141.87	\$77.11	\$44.47	\$42.62	1					-	
	1	Charmenzation - DST to DS0 Charmer System			птопп	ISAINI	φου.//	φ141.0 <i>1</i>	Φ//.11	\$44.4 <i>1</i>	\$42.02	1					-	
					ОНЗ													
		DS3 to DS1 Channel System per month				SATNS	\$222.98	\$308.03	\$108.47	\$6.43	\$4.23							
		D33 to D31 Charmer System per month		-	OHSIVIS	SAINS	\$222.90	\$306.03	\$100.47	\$0.43	φ4.23	1					-	
					OH1													
		DS3 Interface Unit (DS1 COCI) per month				SATCO	\$17.58	\$6.07	\$4.66									
		D33 interface offit (D31 COCI) per month		1	OFFINIS	SAICO	\$17.50	φ0.07	φ4.00			1					-	
	Notes: If no rate	e is identified in the contract, the rate for the spec	ific senice	or fu	nction wil	l ha as se	at forth in applicable	e RellSouth	tariff or as ne	anotiated by	the Parties II	non request	by either Pa	rtv				
	notes. Il lio late	l la lacitation in the contract, the rate for the spec	361 VICE	, or rui	TOUGHT WII	, DE 03 30	A TOTAL III APPRICADI	Denoutif	ann or as ne	golialou by	ino i ainos u	Pon request	by Gillion Fa	I	I		т—	
	 			\vdash	1				 			1		 	1		\vdash	
					1			 		-		1	-				-	
	1			1	1			1	-	 	-	1	 	-	-		1	
					I													

Attachment 4

Physical Collocation

BELLSOUTH

PHYSICAL COLLOCATION

1. Scope of Attachment

- 1.1 The rates, terms, and conditions contained within this Attachment shall only apply when Excel is physically collocated as a sole occupant or as a Host within a Premises location pursuant to this Attachment. BellSouth Premises include BellSouth Central Offices and Serving Wire Centers (hereinafter "Premises"). This Attachment is applicable to Premises owned or leased by BellSouth. However, if the Premises occupied by BellSouth is leased by BellSouth from a third party, special considerations and intervals may apply in addition to the terms and conditions of this Attachment.
- Right to Occupy. BellSouth shall offer to Excel collocation on rates, terms, and conditions that are just, reasonable, non-discriminatory and consistent with the rules of the Federal Communications Commission ("FCC"). Subject to the rates, terms and conditions of this Attachment where space is available and it is technically feasible, BellSouth will allow Excel to occupy that certain area designated by BellSouth within a BellSouth Premises, or on BellSouth property upon which the BellSouth Premises is located, of a size which is specified by Excel and agreed to by BellSouth (hereinafter "Collocation Space"). The necessary rates, terms and conditions for BellSouth locations other than BellSouth Premises shall be negotiated upon request for collocation at such location(s).
- 1.2.1 Neither BellSouth nor any of BellSouth's affiliates may reserve space for future use on more preferential terms than those set forth below.
- 1.2.1.1 In all states other than Florida, the size specified by Excel may contemplate a request for space sufficient to accommodate Excel's growth within a two-year period.
- 1.2.1.2 In the state of Florida, the size specified by Excel may contemplate a request for space sufficient to accommodate Excel's growth within an eighteen (18) month period.
- 1.3 Space Allocation. BellSouth shall attempt to accommodate <customer_ name>'s requested preferences if any. In allocating Collocation Space, BellSouth shall not materially increase Excel's cost or materially delay Excel's occupation and use of the Collocation Space, shall not assign Collocation Space that will impair the quality of service or otherwise limit the service the Excel wishes to offer, and shall not reduce unreasonably the total space available for physical collocation or preclude unreasonably physical collocation within the Premises. Space shall not be available for collocation if it is: (a) physically occupied by non-obsolete equipment; (b) assigned to another collocator; (c) used to provide physical access to occupied space; (d) used to enable technicians to work on equipment located within occupied space; (e) properly reserved for future use, either by BellSouth or by another carrier; or (f) essential for

the administration and proper functioning of BellSouth's Premises. BellSouth may segregate collocation space and require separate entrances in accordance with FCC rules.

- 1.4 <u>Space Reclamation.</u> In the event of space exhaust within a Central Office Premises, BellSouth may include in its documentation for the Petition for Waiver filing any unutilized space in the Central Office Premises. Excel will be responsible for any justification of unutilized space within its space, if the appropriate state commission requires such justification.
- 1.5 <u>Use of Space</u>. Excel shall use the Collocation Space for the purposes of installing, maintaining and operating Excel's equipment (to include testing and monitoring equipment) necessary for interconnection with BellSouth services and facilities or for accessing BellSouth unbundled network elements for the provision of telecommunications services, as specifically set forth in this Attachment. The Collocation Space may be used for no other purposes except as specifically described herein or in any amendment hereto.
- 1.6 <u>Rates and Charges</u>. Excel agrees to pay the rates and charges identified in Exhibit C attached hereto.
- 1.7 <u>Due Dates</u>. If any due date contained in this Attachment falls on a weekend or National holiday, then the due date will be the next business day thereafter.
- 1.8 The parties agree to comply with all applicable federal, state, county, local and administrative laws, rules, ordinances, regulations and codes in the performance of their obligations hereunder.

2. Space Availability Report

- 2.1 Space Availability Report. Upon request from Excel, BellSouth will provide a written report ("Space Availability Report") describing in detail the space that is available for collocation and specifying the amount of Collocation Space available at the Premises requested, the number of collocators present at the Premises, any modifications in the use of the space since the last report on the Premises requested and the measures BellSouth is taking to make additional space available for collocation arrangements. A Space Availability Report does not reserve space at the Premises.
- 2.1.1 The request from Excel for a Space Availability Report must be written and must include the Premises street address, located in the Local Exchange Routing Guide and Common Language Location Identification ("CLLI") code of the Premises. CLLI code information is located in the National Exchange Carriers Association (NECA) Tariff FCC No. 4.
- 2.1.2 BellSouth will respond to a request for a Space Availability Report for a particular Premises within ten (10) calendar days of receipt of such request. BellSouth will make Version 4Q01: 12/01/01

best efforts to respond in ten (10) calendar days to such a request when the request includes from two (2) to five (5) Premises within the same state. The response time for requests of more than five (5) Premises shall be negotiated between the Parties. If BellSouth cannot meet the ten calendar day response time, BellSouth shall notify Excel and inform Excel of the time frame under which it can respond.

3. Collocation Options

- 3.1 <u>Cageless.</u> BellSouth shall allow Excel to collocate Excel's equipment and facilities without requiring the construction of a cage or similar structure. BellSouth shall allow Excel to have direct access to Excel's equipment and facilities. BellSouth shall make cageless collocation available in single bay increments. Except where Excel's equipment requires special technical considerations (e.g., special cable racking, isolated ground plane, etc.), BellSouth shall assign cageless Collocation Space in conventional equipment rack lineups where feasible. For equipment requiring special technical considerations, Excel must provide the equipment layout, including spatial dimensions for such equipment pursuant to generic requirements contained in Telcordia GR-63-Core, and shall be responsible for compliance with all special technical requirements associated with such equipment.
- 3.2 Caged. At Excel's expense, Excel may arrange with a Supplier certified by BellSouth ("Certified Supplier") to construct a collocation arrangement enclosure in accordance with BellSouth's guidelines and specifications prior to starting equipment installation. BellSouth will provide guidelines and specifications upon request. Where local building codes require enclosure specifications more stringent than BellSouth's standard enclosure specification, Excel and Excel's Certified Supplier must comply with the more stringent local building code requirements. Excel's Certified Supplier shall be responsible for filing and receiving any and all necessary permits and/or licenses for such construction. BellSouth shall cooperate with Excel and provide, at Excel's expense, the documentation, including existing building architectural drawings, enclosure drawings, and specifications required and necessary for Excel to obtain the zoning, permits and/or other licenses. Excel's Certified Supplier shall bill Excel directly for all work performed for Excel pursuant to this Attachment and BellSouth shall have no liability for nor responsibility to pay such charges imposed by the Excel's Certified Supplier. Excel must provide the local BellSouth building contact with two Access Keys used to enter the locked enclosure. Except in case of emergency, BellSouth will not access Excel's locked enclosure prior to notifying Excel. Upon request, BellSouth shall construct the enclosure for Excel.
- 3.2.1 BellSouth may elect to review Excel's plans and specifications prior to allowing construction to start to ensure compliance with BellSouth's guidelines and specifications. Notification to Excel indicating BellSouth's desire to execute this review will be provided in BellSouth's response to the Initial Application, if Excel has indicated their desire to construct their own enclosure. If Excel's Initial Application

does not indicate their desire to construct their own enclosure, but their subsequent firm order does indicate their desire to construct their own enclosure, then notification to review will be given within ten (10) calendar days after the Firm Order date. BellSouth shall complete its review within fifteen (15) calendar days after the receipt of the plans and specifications. Regardless of whether or not BellSouth elects to review Excel's plans and specifications, BellSouth reserves the right to inspect the enclosure after construction to make sure it is constructed according to the submitted plans and specifications and/or BellSouth's guidelines and specifications, as applicable. BellSouth shall require Excel to remove or correct within seven (7) calendar days at Excel's expense any structure that does not meet these plans and specifications or, where applicable, BellSouth guidelines and specifications.

- Shared (Subleased) Caged Collocation. Excel may allow other telecommunications carriers to share Excel's caged collocation arrangement pursuant to terms and conditions agreed to by Excel ("Host") and other telecommunications carriers ("Guests") and pursuant to this section, except where the BellSouth Premises is located within a leased space and BellSouth is prohibited by said lease from offering such an option. Excel shall notify BellSouth in writing upon execution of any agreement between the Host and its Guest within ten (10) calendar days of its execution and prior to any Firm Order. Further, such notice shall include the name of the Guest(s) and the term of the agreement, and shall contain a certification by Excel that said agreement imposes upon the Guest(s) the same terms and conditions for Collocation Space as set forth in this Attachment between BellSouth and Excel.
- 3.3.1 Excel, as the Host shall be the sole interface and responsible Party to BellSouth for the assessment and billing of rates and charges contained within this Attachment and for the purposes of ensuring that the safety and security requirements of this Attachment are fully complied with by the Guest, its employees and agents. BellSouth shall provide Excel with a proration of the costs of the collocation space based on the number of collocators and the space used by each. In all states other than Florida, and in addition to the foregoing, Excel shall be the responsible party to BellSouth for the purpose of submitting Applications for initial and additional equipment placement of Guest. In Florida the Guest may directly submit initial and additional equipment placement applications using the Host's access carrier name abbreviation (ACNA). A separate Guest application shall require the assessment of an Initial or Subsequent Application Fee, as set forth in Exhibit C. Notwithstanding the foregoing, Guest may arrange directly with BellSouth for the provision of the interconnecting facilities between BellSouth and Guest and for the provision of the services and access to unbundled network elements.
- 3.3.2 Excel shall indemnify and hold harmless BellSouth from any and all claims, actions, causes of action, of whatever kind or nature arising out of the presence of Excel's Guests in the Collocation Space except to the extent caused by BellSouth's sole negligence, gross negligence, or willful misconduct.

- Adjacent Collocation. Subject to technical feasibility and space availability, BellSouth will permit adjacent collocation arrangements ("Adjacent Arrangement") on the Premises' property where physical collocation space within the Premises is legitimately exhausted, where the Adjacent Arrangement does not interfere with access to existing or planned structures or facilities on the Premises property. The Adjacent Arrangement shall be constructed or procured by Excel and in conformance with BellSouth's design and construction specifications. Further, Excel shall construct, procure, maintain and operate said Adjacent Arrangement(s) pursuant to all of the rates, terms and conditions set forth in this Attachment.
- 3.4.1 Should Excel elect such option, Excel must arrange with a Certified Supplier to construct an Adjacent Arrangement structure in accordance with BellSouth's guidelines and specifications. BellSouth will provide guidelines and specifications upon request. Where local building codes require enclosure specifications more stringent than BellSouth's standard specification, Excel and Excel's Certified Supplier must comply with the more stringent local building code requirements. Excel's Certified Supplier shall be responsible for filing and receiving any and all necessary zoning, permits and/or licenses for such construction. Excel's Certified Supplier shall bill Excel directly for all work performed for Excel pursuant to this Attachment and BellSouth shall have no liability for nor responsibility to pay such charges imposed by Excel's Certified Supplier. Excel must provide the local BellSouth building contact with two cards, keys or other access device used to enter the locked enclosure. Except in cases of emergency, BellSouth shall not access Excel's locked enclosure prior to notifying Excel.
- 3.4.2 Excel must submit its plans and specifications to BellSouth with its Firm Order. BellSouth shall review Excel's plans and specifications prior to construction of an Adjacent Arrangement(s) to ensure compliance with BellSouth's guidelines and specifications. BellSouth shall complete its review within fifteen (15) calendar days after receipt of plans and specifications. BellSouth will have the right to inspect the Adjacent Arrangement during and after construction to make sure it is constructed according to the submitted plans and specifications. BellSouth shall require Excel to remove or correct within seven (7) calendar days at Excel's expense any structure that does not meet these plans and specifications or, where applicable, BellSouth's guidelines and specifications.
- 3.4.3 Excel shall provide a concrete pad, the structure housing the arrangement, heating/ventilation/air conditioning ("HVAC"), lighting, and all facilities that connect the structure (i.e. racking, conduits, etc.) to the BellSouth point of demarcation. At Excel's option, and where the local authority having jurisdiction permits, BellSouth shall provide an AC power source and access to physical collocation services and facilities subject to the same nondiscriminatory requirements as applicable to any other physical collocation arrangement. In Louisiana, BellSouth will provide DC power to Adjacent Collocation sites where technically feasible, as that term has been defined by the FCC. Excel's Certified Supplier shall be responsible, at Excel's expense, for filing and receiving any and all necessary zoning, permits and/or licenses for such

arrangement. BellSouth shall allow Shared (Subleased) Caged Collocation within an Adjacent Arrangement pursuant to the terms and conditions set forth herein.

- 3.5 <u>Co-carrier cross-connect (CCXC)</u>. The primary purpose of collocating CLEC equipment is to interconnect with BellSouth's network or access BellSouth's unbundled network elements for the provision of telecommunications services. BellSouth will permit Excel to interconnect between its virtual or physical collocation arrangements and those of another collocated CLEC whose Agreement contains co-carrier cross-connect language. At no point in time shall Excel use the Collocation Space for the sole or primary purpose of cross-connecting to other CLECs.
- 3.5.1 The CCXC, shall be provisioned through facilities owned by Excel. Such connections to other carriers may be made using either optical or electrical facilities. Excel may deploy such optical or electrical connections directly between its own facilities and the facilities of other CLEC(s) without being routed through BellSouth equipment. Excel may not self provision CCXC on any BellSouth distribution frame, Pot Bay, DSX or LGX. Excel is responsible for ensuring the integrity of the signal.
- 3.5.2 Excel shall be responsible for obtaining authorization from the other CLEC(s) involved. Excel must use a BellSouth Certified Supplier to place the CCXC. There will be a recurring charge per linear foot of common cable support structure used. Excel-provisioned CCXC shall utilize common cable support structure. In the case of two contiguous collocation arrangements, Excel may have the option of constructing its own dedicated support structure.

4. <u>Occupancy</u>

- 4.1 Occupancy. BellSouth will notify Excel in writing that the Collocation Space is ready for occupancy ("Space Ready Date"). Excel will schedule and complete an acceptance walkthrough of each Collocation Space with BellSouth within fifteen (15) days of BellSouth's notifying Excel that the collocation space is ready for occupancy. In the event that Excel fails to complete an acceptance walkthrough within this fifteen (15) day interval, the Collocation Space shall be deemed accepted by Excel and billing will commence on the sixteenth day after BellSouth releases the collocation space. Excel must notify BellSouth in writing that collocation equipment installation is complete and is operational with BellSouth's network. BellSouth may, at its option, not accept orders for cross connects until receipt of such notice. For purposes of this paragraph, Excel's telecommunications equipment will be deemed operational when cross-connected to BellSouth's network for the purpose of service provision.
- 4.2 <u>Termination of Occupancy</u>. In addition to any other provisions addressing termination of occupancy in this Attachment, Excel may terminate occupancy in a particular Collocation Space by submitting a Subsequent Application requesting termination of occupancy. A Subsequent Application Fee will not apply for termination of occupancy. BellSouth may terminate Excel's right to occupy the Collocation Space in the event Excel fails to comply with any provision of this Agreement.

4.2.1 Upon termination of occupancy, Excel at its expense shall remove its equipment and other property from the Collocation Space. Excel shall have thirty (30) calendar days from the termination date to complete such removal, including the removal of all equipment and facilities of Excel's Guests, unless Excel's Guest has assumed responsibility for the collocation space housing the Guest's equipment and executed the documentation required by BellSouth prior to such removal date. Excel shall continue payment of monthly fees to BellSouth until such date as Excel, and if applicable Excel's Guest, has fully vacated the Collocation Space and the Space Relinquish Form has been accepted by BellSouth.. Should Excel or Excel's Guest fail to vacate the Collocation Space within thirty (30) calendar days from the termination date, BellSouth shall have the right to remove the equipment and other property of Excel or Excel's Guest at Excel's expense and with no liability for damage or injury to Excel or Excel's Guest's property unless caused by the gross negligence or intentional misconduct of BellSouth. Upon termination of Excel's right to occupy Collocation Space, Excel shall surrender such Collocation Space to BellSouth in the same condition as when first occupied by Excel except for ordinary wear and tear, unless otherwise agreed to by the Parties. Excel or Excel's BellSouth Certified Supplier shall be responsible for updating and making any necessary changes to BellSouth's records as required by BellSouth's guidelines and specifications including but not limited to Central Office Record Drawings and ERMA Records. Excel shall be responsible for the cost of removing any enclosure, together with all support structures (e.g., racking, conduits, power cables, etc.), at the termination of occupancy and restoring the grounds to their original condition.

5. <u>Use of Collocation Space</u>

- 5.1 Equipment Type. BellSouth permits the collocation of any type of equipment necessary for interconnection to BellSouth's network or for access to BellSouth's unbundled network elements in the provision of telecommunications services, as the term "necessary" is defined by FCC 47 C.F.R. Section 51.323 (b). The primary purpose and function of any equipment collocated in a Premises must be for interconnection to BellSouth's network or for access to BellSouth's unbundled network elements in the provision of telecommunications services.
- 5.1.1 Examples of equipment that would not be considered necessary include but are not limited to: Traditional circuit switching equipment, equipment used exclusively for call-related databases, computer servers used exclusively for providing information services, operations support system (OSS) equipment used to support CLEC network operations, equipment that generates customer orders, manages trouble tickets or inventory, or stores customer records in centralized databases, etc. BellSouth will determine upon receipt of an application if the requested equipment is necessary based on the criteria established by the FCC. Multifunctional equipment placed on BellSouth's Premises must not place any greater relative burden on BellSouth's

- property than comparable single-function equipment. BellSouth reserves the right to permit collocation of any equipment on a nondiscriminatory basis.
- 5.1.2 Such equipment must at a minimum meet the following BellCore (Telcordia) Network Equipment Building Systems (NEBS) General Equipment Requirements: Criteria Level 1 requirements as outlined in the BellCore (Telcordia) Special Report SR-3580, Issue 1; equipment design spatial requirements per GR-63-CORE, Section 2; thermal heat dissipation per GR-063-CORE, Section 4, Criteria 77-79; acoustic noise per GR-063-CORE, Section 4, Criterion 128, and National Electric Code standards. Except where otherwise required by a Commission, BellSouth shall comply with the applicable FCC rules relating to denial of collocation based on Excel's failure to comply with this section.
- 5.1.3 Excel shall not request more DS0, DS1, DS3 and optical terminations for a collocation arrangement than the total port or termination capacity of the equipment physically installed in the arrangement. The total capacity of the equipment collocated in the arrangement will include equipment contained in the application in question as well as equipment already placed in the arrangement. If full network termination capacity of the equipment being installed is not requested in the application, additional network terminations for the installed equipment will require the submission of another application. In the event that Excel submits an application for terminations that exceed the total capacity of the collocated equipment, Excel will be informed of the discrepancy and will be required to submit a revision to the application.
- 5.2 Excel shall not use the Collocation Space for marketing purposes nor shall it place any identifying signs or markings outside the Collocation Space or on the grounds of the Premises.
- 5.3 Excel shall place a plaque or other identification affixed to Excel's equipment necessary to identify Excel's equipment, including a list of emergency contacts with telephone numbers.
- Entrance Facilities. Excel may elect to place Excel-owned or Excel-leased fiber entrance facilities into the Collocation Space. BellSouth will designate the point of interconnection in close proximity to the Premises building housing the Collocation Space, such as an entrance manhole or a cable vault, which are physically accessible by both Parties. Excel will provide and place fiber cable at the point of entrance of sufficient length to be pulled through conduit and into the splice location. Excel will provide and install a sufficient length of fire retardant riser cable, to which the entrance cable will be spliced by BellSouth, which will extend from the splice location to Excel's equipment in the Collocation Space. In the event Excel utilizes a non-metallic, riser-type entrance facility, a splice will not be required. Excel must contact BellSouth for instructions prior to placing the entrance facility cable in the manhole. Excel is responsible for maintenance of the entrance facilities. At Excel's option BellSouth will accommodate where technically feasible a microwave entrance facility pursuant to

separately negotiated terms and conditions. In the case of adjacent collocation, unless BellSouth determines that limited space is available for the entrance facilities, copper facilities may be used between the adjacent collocation arrangement and the central office demarcation point.

- Dual Entrance. BellSouth will provide at least two interconnection points at each Premises where there are at least two such interconnection points available and where capacity exists. Upon receipt of a request for physical collocation under this Attachment, BellSouth shall provide Excel with information regarding BellSouth's capacity to accommodate dual entrance facilities. If conduit in the serving manhole(s) is available and is not reserved for another purpose for utilization within 12 months of the receipt of an application for collocation, BellSouth will make the requested conduit space available for installing a second entrance facility to Excel's arrangement. The location of the serving manhole(s) will be determined at the sole discretion of BellSouth. Where dual entrance is not available due to lack of capacity, BellSouth will so state in the Application Response.
- Shared Use. Excel may utilize spare capacity on an existing interconnector entrance facility for the purpose of providing an entrance facility to Excel's collocation arrangement within the same BellSouth Premises. BellSouth shall allow the splice, provided that the fiber is non-working fiber. Excel must arrange with BellSouth for BellSouth to splice the Excel provided riser cable to the spare capacity on the entrance facility. The rates set forth in Exhibit C will apply. If Excel Excel desires to allow another CLEC to use its entrance facilities, additional rates, terms and conditions will apply and shall be negotiated between the parties.
- 5.5 Demarcation Point. BellSouth will designate the point(s) of demarcation between Excel's equipment and/or network and BellSouth's network. Each Party will be responsible for maintenance and operation of all equipment/facilities on its side of the demarcation point. For 2-wire and 4-wire connections to BellSouth's network, the demarcation point shall be a common block on the BellSouth designated conventional distributing frame (CDF). Excel shall be responsible for providing, and a supplier certified by BellSouth ("Certified Supplier") shall be responsible for installing and properly labeling/stenciling, the common block, and necessary cabling pursuant to Section 6. For all other terminations BellSouth shall designate a demarcation point on a per arrangement basis. Excel or its agent must perform all required maintenance to equipment/facilities on its side of the demarcation point, pursuant to Section 5.6, following, and may self-provision cross-connects that may be required within the Collocation Space to activate service requests. At Excel's option and expense, a Point of Termination ("POT") bay or frame may be placed in the Collocation Space, but will not serve as the demarcation point. Excel must make arrangements with a Certified Supplier for such placement.
- 5.5.1 <u>In Tennessee</u>, BellSouth will designate the point(s) of demarcation between Excel's equipment and/or network and BellSouth's network. Each Party will be responsible

for maintenance and operation of all equipment/facilities on its side of the demarcation point. For connections to BellSouth's network, the demarcation point shall be a Excel provided Point of Termination Bay (POT Bay) in a common area within the Premises. Excel shall be responsible for providing, and a supplier certified by BellSouth ("Excel's Certified Supplier") shall be responsible for installing and properly labeling, the POT Bay as well as the necessary cabling between Excel's collocation space and the demarcation point. Excel or its agent must perform all required maintenance to equipment/facilities on its side of the demarcation point, pursuant to Section 5.6, following, and may self-provision cross-connects that may be required within the Collocation Space to activate service requests. BellSouth will negotiate alternative rates, terms and conditions related to the demarcation point in Tennessee in the event that Excel desires to avoid the use of an intermediary device as contemplated by the Tennessee Regulatory Authority.

- Excel's Equipment and Facilities. Excel, or if required by this Attachment, Excel's Certified Supplier, is solely responsible for the design, engineering, installation, testing, provisioning, performance, monitoring, maintenance and repair of the equipment and facilities used by Excel which must be performed in compliance with all applicable BellSouth policies and guidelines. Such equipment and facilities may include but are not limited to cable(s), equipment, and point of termination connections. Excel and its selected Certified Supplier must follow and comply with all BellSouth requirements outlined in BellSouth's TR 73503, TR 73519, TR 73572, and TR 73564.
- BellSouth's Access to Collocation Space. From time to time BellSouth may require access to the Collocation Space. BellSouth retains the right to access such space for the purpose of making BellSouth equipment and building modifications (e.g., running, altering or removing racking, ducts, electrical wiring, HVAC, and cables). BellSouth will give notice to Excel at least 48 hours before access to the Collocation Space is required. Excel may elect to be present whenever BellSouth performs work in the Collocation Space. The Parties agree that Excel will not bear any of the expense associated with this work.
- 5.8 Access. Pursuant to Section 11, Excel shall have access to the Collocation Space twenty-four (24) hours a day, seven (7) days a week. Excel agrees to provide the name and social security number or date of birth or driver's license number of each employee, contractor, or agents of Excel or Excel's Guests provided with access keys or devices ("Access Keys") prior to the issuance of said Access Keys. Key acknowledgement forms must be signed by Excel and returned to BellSouth Access Management within 15 calendar days of Excel's receipt. Failure to return properly acknowledged forms will result in the holding of subsequent requests until acknowledgements are current. Access Keys shall not be duplicated under any circumstances. Excel agrees to be responsible for all Access Keys and for the return of all said Access Keys in the possession of Excel employees, contractors, Guests, or agents after termination of the employment relationship, contractual obligation with

Excel or upon the termination of this Attachment or the termination of occupancy of an individual collocation arrangement.

- BellSouth will permit one accompanied site visit to Excel's designated collocation arrangement location after receipt of the Bona Fide Firm Order without charge to Excel. Excel must submit to BellSouth the completed Access Control Request Form for all employees or agents requiring access to the BellSouth Premises a minimum of 30 calendar days prior to the date Excel desires access to the Collocation Space. In order to permit reasonable access during construction of the Collocation Space, Excel may submit such a request at any time subsequent to BellSouth's receipt of the Bona Fide Firm Order. In the event Excel desires access to the Collocation Space after submitting such a request but prior to access being approved, in addition to the first accompanied free visit, BellSouth shall permit Excel to access the Collocation Space accompanied by a security escort at Excel's expense. Excel must request escorted access at least three (3) business days prior to the date such access is desired.
- 5.9 <u>Lost or Stolen Access Keys</u>. Excel shall notify BellSouth in writing within 24 hours of becoming aware in the case of lost or stolen Access Keys. Should it become necessary for BellSouth to re-key buildings or deactivate a card as a result of a lost Access Key(s) or for failure to return an Access Key(s), Excel shall pay for all reasonable costs associated with the re-keying or deactivating the card.
- 5.10 <u>Interference or Impairment</u>. Notwithstanding any other provisions of this Attachment, Excel shall not use any product or service provided under this Agreement, any other service related thereto or used in combination therewith, or place or use any equipment or facilities in any manner that 1) significantly degrades, interferes with or impairs service provided by BellSouth or by any other entity or any person's use of its telecommunications service; 2) endangers or damages the equipment, facilities or other property of BellSouth or of any other entity or person; 3) compromises the privacy of any communications; or 4) creates an unreasonable risk of injury or death to any individual or to the public. If BellSouth reasonably determines that any equipment or facilities of Excel violates the provisions of this paragraph, BellSouth shall give written notice to Excel, which notice shall direct Excel to cure the violation within forty-eight (48) hours of Excel's actual receipt of written notice or, at a minimum, to commence curative measures within 24 hours and to exercise reasonable diligence to complete such measures as soon as possible thereafter. After receipt of the notice, the Parties agree to consult immediately and, if necessary, to inspect the arrangement.
- 5.10.1 Except in the case of the deployment of an advanced service which significantly degrades the performance of other advanced services or traditional voice band services, if Excel fails to take curative action within 48 hours or if the violation is of a character which poses an immediate and substantial threat of damage to property, injury or death to any person, or any other significant degradation, interference or impairment of BellSouth's or another entity's service, then and only in that event BellSouth may take such action as it deems appropriate to correct the violation, including without limitation the interruption of electrical power to Excel's equipment.

BellSouth will endeavor, but is not required, to provide notice to Excel prior to taking such action and shall have no liability to Excel for any damages arising from such action, except to the extent that such action by BellSouth constitutes willful misconduct.

- 5.10.2 For purposes of this Section, the term significantly degrade shall mean an action that noticeably impairs a service from a user's perspective. In the case of the deployment of an advanced service which significantly degrades the performance of other advanced services or traditional voice band services and Excel fails to take curative action within 48 hours then BellSouth will establish before the relevant Commission that the technology deployment is causing the significant degradation. Any claims of network harm presented to Excel or, if subsequently necessary, the relevant Commission must be supported with specific and verifiable information. Where BellSouth demonstrates that a deployed technology is significantly degrading the performance of other advanced services or traditional voice band services, Excel shall discontinue deployment of that technology and migrate its customers to technologies that will not significantly degrade the performance of other such services. Where the only degraded service itself is a known disturber, and the newly deployed technology satisfies at least one of the criteria for a presumption that is acceptable for deployment under section 47 C.F.R. 51.230, the degraded service shall not prevail against the newly-deployed technology.
- 5.11 Personalty and its Removal. Facilities and equipment placed by Excel in the Collocation Space shall not become a part of the Collocation Space, even if nailed, screwed or otherwise fastened to the Collocation Space, but shall retain their status as personal property and may be removed by Excel at any time. Any damage caused to the Collocation Space by Excel's employees, agents or representatives during the removal of such property shall be promptly repaired by Excel at its expense.
- Alterations. In no case shall Excel or any person acting on behalf of Excel make any rearrangement, modification, improvement, addition, or other alteration which could affect in any way space, power, HVAC, and/or safety considerations to the Collocation Space or the BellSouth Premises without the written consent of BellSouth, which consent shall not be unreasonably withheld. The cost of any such specialized alterations shall be paid by Excel. Any such material rearrangement, modification, improvement, addition, or other alteration shall require a Subsequent Application and Subsequent Application Fee.
- Janitorial Service. Excel shall be responsible for the general upkeep of the Collocation Space. Excel shall arrange directly with a BellSouth Certified Supplier for janitorial services applicable to Caged Collocation Space. BellSouth shall provide a list of such suppliers on a site-specific basis upon request.

6. Ordering and Preparation of Collocation Space

- Should any state or federal regulatory agency impose procedures or intervals applicable to Excel that are different from procedures or intervals set forth in this section, whether now in effect or that become effective after execution of this Agreement, those procedures or intervals shall supersede the requirements set forth herein for that jurisdiction for all applications submitted for the first time after the effective date thereof.
- 6.2 <u>Initial Application</u>. For Excel or Excel's Guest(s) initial equipment placement, Excel shall submit to BellSouth a Physical Expanded Interconnection Application Document ("Application"). The Application is Bona Fide when it is complete and accurate, meaning that all required fields on the application are completed with the appropriate type of information. An application fee will apply.
- 6.3 <u>Subsequent Application.</u> In the event Excel or Excel's Guest(s) desires to modify the use of the Collocation Space after Bona Fide Firm Order, Excel shall complete an Application detailing all information regarding the modification to the Collocation Space ("Subsequent Application"). BellSouth shall determine what modifications, if any, to the Premises are required to accommodate the change requested by Excel in the Application. Such necessary modifications to the Premises may include, but are not limited to, floor loading changes, changes necessary to meet HVAC requirements, changes to power plant requirements, equipment additions, etc.
- 6.3.1 Subsequent Application Fee. The application fee paid by Excel for its request to modify the use of the Collocation Space shall be dependent upon the level of assessment needed for the modification requested. Where the Subsequent Application does not require assessment for provisioning or construction work by BellSouth, no Subsequent Application fee will be required. The fee for a Subsequent Application where the modification requested has limited effect (e.g., requires limited assessment and no capital expenditure by BellSouth) shall be the Subsequent Application Fee as set forth in Exhibit C. If the modification requires capital expenditure assessment, a full Application Fee shall apply. The Subsequent Application is Bona Fide when it is complete and accurate, meaning that all required fields on the Application are completed with the appropriate type of information.
- Space Preferences. If Excel has previously requested and received a Space Availability Report for the Premises, Excel may submit up to three (3) space preferences on their application identifying specific space identification numbers as referenced on the Space Availability Report. In the event that BellSouth can not accommodate the Excel's preference(s), Excel may elect to accept the space allocated by BellSouth or may cancel its application and submit another application requesting additional preferences, which will be treated as a new application and an application fee will apply.
- 6.5 <u>Space Availability Notification.</u>

- Unless otherwise specified, BellSouth will respond to an application within ten (10) calendar days as to whether space is available or not available within a BellSouth Premises. BellSouth will also respond as to whether the Application is Bona Fide and if it is not Bona Fide the items necessary to cause the Application to become Bona Fide. If the amount of space requested is not available, BellSouth will notify Excel of the amount of space that is available and no Application Fee shall apply. When BellSouth's response includes an amount of space less than that requested by Excel, or differently configured, Excel must resubmit its Application to reflect the actual space available.
- 6.5.2 BellSouth will respond to a Florida Application within fifteen (15) calendar days as to whether space is available or not available within a BellSouth Premises. BellSouth will also respond as to whether the Application is Bona Fide and if it is not Bona Fide the items necessary to cause the Application to become Bona Fide. If a lesser amount of space than requested is available, BellSouth will provide an Application Response for the amount of space that is available and an Application Fee will be assessed. When BellSouth's Application Response includes an amount of space less than that requested by Excel or differently configured, Excel must amend its Application to reflect the actual space available prior to submitting Bona Fide Firm Order.
- 6.5.3 BellSouth will respond to a Louisiana Application within ten (10) calendar days for space availability for one (1) to ten (10) Applications; fifteen (15) calendar days for eleven (11) to twenty (20) Applications; and for more than twenty (20) Applications, it is increased by five (5) calendar days for every five additional Applications received within five (5) business days. If the amount of space requested is not available, BellSouth will notify Excel of the amount of space that is available and no Application Fee shall apply. When BellSouth's response includes an amount of space less than that requested by Excel or differently configured, Excel must resubmit its Application to reflect the actual space available. BellSouth will also respond as to whether the Application is Bona Fide and if it is not Bona Fide the items necessary to cause the Application to become Bona Fide.
- Denial of Application. If BellSouth notifies Excel that no space is available ("Denial of Application"), BellSouth will not assess an Application Fee. After notifying Excel that BellSouth has no available space in the requested Premises, BellSouth will allow Excel, upon request, to tour the entire Premises within ten (10) calendar days of such Denial of Application. In order to schedule said tour within ten (10) calendar days, the request for a tour of the Premises must be received by BellSouth within five (5) calendar days of the Denial of Application.
- 6.7 <u>Filing of Petition for Waiver</u>. Upon Denial of Application BellSouth will timely file a petition with the Commission pursuant to 47 U.S.C. § 251(c)(6). BellSouth shall provide to the Commission any information requested by that Commission. Such information shall include which space, if any, BellSouth or any of BellSouth's affiliates have reserved for future use and a detailed description of the specific future uses for which the space has been reserved. Subject to an appropriate nondisclosure agreement

or provision, BellSouth shall permit Excel to inspect any floor plans or diagrams that BellSouth provides to the Commission.

- Maiting List. On a first-come, first-served basis governed by the date of receipt of an Application or Letter of Intent, BellSouth will maintain a waiting list of requesting carriers who have either received a Denial of Application or, where it is publicly known that the Premises is out of space, have submitted a Letter of Intent to collocate. BellSouth will notify the telecommunications carriers on the waiting list that can be accommodated by the amount of space that becomes available according to the position of the telecommunications carriers on said waiting list.
- 6.8.1 In Florida, on a first-come, first-served basis governed by the date of receipt of an Application or Letter of Intent, BellSouth will maintain a waiting list of requesting carriers who have either received a Denial of Application or, where it is publicly known that the Premises is out of space, have submitted a Letter of Intent to collocate. Sixty (60) days prior to space becoming available, if known, BellSouth will notify the Florida PSC and the telecommunications carriers on the waiting list by mail when space becomes available according to the position of telecommunications carrier on said waiting list. If not known sixty (60) days in advance, BellSouth shall notify the Florida PSC and the telecommunications carriers on the waiting list within two days of the determination that space is available. A CLEC that, upon denial of physical collocation, requests virtual collocation shall be automatically placed on the waiting list.
- When space becomes available, Excel must submit an updated, complete, and correct Application to BellSouth within 30 calendar days of such notification. If Excel has originally requested caged collocation space and cageless collocation space becomes available, Excel may refuse such space and notify BellSouth in writing within that time that Excel wants to maintain its place on the waiting list without accepting such space. Excel may accept an amount of space less than its original request by submitting an Application as set forth above, and upon request, may maintain its position on the waiting list for the remaining space that was initially requested. If Excel does not submit such an Application or notify BellSouth in writing as described above, BellSouth will offer such space to the next CLEC on the waiting list and remove Excel from the waiting list. Upon request, BellSouth will advise Excel as to its position on the list.
- 6.9 <u>Public Notification</u>. BellSouth will maintain on its Interconnection Services website a notification document that will indicate all Central Offices that are without available space. BellSouth shall update such document within ten (10) calendar days of the date BellSouth becomes aware that there is insufficient space to accommodate physical collocation. BellSouth will also post a document on its Interconnection Services website that contains a general notice where space has become available in a Central Office previously on the space exhaust list.
- 6.10 <u>Application Response.</u>

- 6.10.1 In Alabama, Kentucky and North Carolina, when space has been determined to be available, BellSouth will provide a written response ("Application Response") within twenty-three (23) business days of the receipt of a Bona Fide Application, which will include, at a minimum, the configuration of the space, the Cable Installation Fee, Cable Records Fee, and the space preparation fees, as described in Section 8.
- 6.10.2 In South Carolina and Mississippi, BellSouth will provide a written response ("Application Response") within thirty (30) calendar days of receipt of a Bona Fide Application. The Application Response will include, at a minimum, the configuration of the space, the Cable Installation Fee, Cable Records Fee, and the space preparation fees, as described in Section 8. When multiple applications are submitted in a state within a fifteen (15) calendar day window, BellSouth will respond to the Bona Fide Applications as soon as possible, but no later than the following: within thirty (30) calendar days for Bona Fide Applications one (1) to five (5); within thirty-six (36) calendar days for Bona Fide Applications six (6) to ten (10); within forty-two (42) calendar days for Bona Fide Applications eleven (11) to fifteen (15). Response intervals for multiple Bona Fide Applications submitted within the same timeframe for the same state in excess of fifteen (15) must be negotiated. All negotiations shall consider the total volume from all requests from telecommunications companies for collocation.
- 6.10.3 In Tennessee, BellSouth will provide a written response ("Application Response") within thirty (30) calendar days of receipt of a Bona Fide Application. The Application Response will include, at a minimum, the configuration of the space, the Cable Installation Fee, Cable Records Fee, and the space preparation fees, as described in Section 8.
- In Florida, within fifteen (15) calendar days of receipt of a Bona Fide Application, when space has been determined to be available or when a lesser amount of space than that requested is available, then with respect to the space available, BellSouth will provide a written response ("Application Response") including sufficient information to enable Excel to place a Firm Order. The Application Response will include, at a minimum, the configuration of the space, the Cable Installation Fee, Cable Records Fee, and the space preparation fees, as described in Section 8. When Excel submits ten (10) or more Applications within ten (10) calendar days, the initial fifteen (15) day response period will increase by ten (10) days for every additional ten (10) Applications or fraction thereof.
- 6.10.5 In Georgia, when space has been determined to be available for caged or cageless arrangements, BellSouth will provide a written response ("Application Response") within twenty (20) calendar days of receipt of a Bona Fide Application. The Application Response will include, at a minimum, the configuration of the space, the Cable Installation Fee, Cable Records Fee, and the space preparation fees, as described in Section 8.

6.10.6 In Louisiana, when space has been determined to be available, BellSouth will provide a written response ("Application Response") within thirty (30) calendar days for one (1) to ten (10) Applications; thirty-five (35) calendar days for eleven (11) to twenty (20) Applications; and for requests of more than twenty (20) Application it is increased by five (5) calendar days for every five (5) Applications received within five (5) business days. The Application Response will include, at a minimum, the configuration of the space, the Cable Installation Fee, Cable Records Fee, and the space preparation fees, as described in Section 8.

6.11 <u>Application Modifications</u>.

6.11.1 If a modification or revision is made to any information in the Bona Fide Application prior to Bona Fide Firm Order, with the exception of modifications to Customer Information, Contact Information or Billing Contact Information, either at the request of Excel or necessitated by technical considerations, said Application shall be considered a new Application and shall be handled as a new Application with respect to response and provisioning intervals and BellSouth may charge Excel an application fee. Where the Application Modification does not require assessment for provisioning or construction work by BellSouth, no application fee will be required. The fee for an Application Modification where the modification requested has limited effect (e.g., requires limited assessment and no capital expenditure by BellSouth) shall be the Subsequent Application Fee as set forth in Exhibit C. Major changes such as requesting additional space or adding equipment may require Excel to submit the Application with an Application Fee.

6.12 Bona Fide Firm Order.

- 6.12.1 In Alabama, Kentucky, North Carolina, and Tennessee, Excel shall indicate its intent to proceed with equipment installation in a BellSouth Premises by submitting a Physical Expanded Interconnection Firm Order document ("Firm Order") to BellSouth. A Firm Order shall be considered Bona Fide when Excel has completed the Application/Inquiry process described in Section 6, preceeding, and has submitted the Firm Order document indicating acceptance of the Application Response provided by BellSouth. The Bona Fide Firm Order must be received by BellSouth no later than five (5) business days after BellSouth's Application Response to Excel's Bona Fide Application.
- 6.12.2 Except as otherwise provided, in all States that have ordered provisioning intervals but not addressed Firm Order intervals, the following shall apply. Excel shall indicate its intent to proceed with equipment installation in a BellSouth Premises by submitting a Firm Order to BellSouth. The Bona Fide Firm Order must be received by BellSouth no later than thirty (30) calendar days after BellSouth's Application Response to Excel's Bona Fide Application or the Application will expire.

BellSouth will establish a firm order date based upon the date BellSouth is in receipt of a Bona Fide Firm Order. BellSouth will acknowledge the receipt of Excel's Bona Fide Firm Order within seven (7) calendar days of receipt indicating that the Bona Fide Firm Order has been received. A BellSouth response to a Bona Fide Firm Order will include a Firm Order Confirmation containing the firm order date. No revisions will be made to a Bona Fide Firm Order.

7. <u>Construction and Provisioning</u>

- 7.1 <u>Construction and Provisioning Intervals</u>
- 7.1.1 In Alabama (Caged Only), Kentucky, and North Carolina, BellSouth will complete construction for collocation arrangements within seventy-six (76) business days from receipt of an Application or as agreed to by the Parties. Under extraordinary conditions, BellSouth will complete construction for collocation arrangements within ninety-one (91) business days. Examples of extraordinary conditions include, but are not limited to, extended license or permitting intervals; major BellSouth equipment rearrangement or addition; power plant addition or upgrade; major mechanical addition or upgrade; major upgrade for ADA compliance; environmental hazard or hazardous materials abatement; and arrangements for which equipment shipping intervals are extraordinary in length. In the event Excel submits a forecast as described in the following section three (3) months or more prior to the application date, the above intervals shall apply. In the event Excel submits such a forecast between two (2) months and three (3) months prior to the application date, the above intervals may be extended by one (1) additional month. In the event Excel submits such a forecast less than two (2) months prior to the application date, the above intervals may be extended by sixty (60) calendar days. BellSouth will attempt to meet standard intervals for unforecasted requests and any interval adjustments will be discussed with Excel at the time the application is received. Raw space, which is space lacking the necessary infrastructure to provide collocation space including but not limited to HVAC, Power, etc.), conversion time frames fall outside the normal intervals and are negotiated on an individual case basis. Additionally, installations to existing collocation arrangements for line sharing or line splitting, which include adding cable, adding cable and splitter, and adding a splitter, will be forty five (45) business days from receipt of an Application.
- 7.1.1.1 To be considered a timely and accurate forecast, Excel must submit to BellSouth the CLEC Forecast Form, as set forth in exhibit B attached hereto, containing the following information: Central Office/Serving Wire Center CLLI, number of Caged square feet and/or Cageless bays, number of DS0, DS1, DS3 frame terminations, number of fused amps and planned application date.
- 7.1.2 In Alabama (Cageless), BellSouth will complete construction for cageless collocation arrangements under ordinary conditions as soon as possible and within a maximum of sixty (60) calendar days from receipt of a Bona Fide Firm Order and ninety (90)

calendar days for extraordinary conditions or as agreed to by the Parties. Ordinary conditions are defined as space available with only minor changes to support systems required, such as but not limited to, HVAC, cabling and the power plant(s). Extraordinary conditions are defined to include but are not limited to major BellSouth equipment rearrangement or addition; power plant addition or upgrade; major mechanical addition or upgrade; major upgrade for ADA compliance; environmental hazard or hazardous materials abatement; and arrangements for which equipment shipping intervals are extraordinary in length. The Parties may mutually agree to renegotiate an alternative provisioning interval or BellSouth may seek a waiver from this interval from the Commission.

- 7.1.3 In Florida, BellSouth will complete construction for collocation arrangements as soon as possible and within a maximum of ninety (90) calendar days from receipt of a Bona Fide Firm Order or as agreed to by the Parties. For changes to collocation space after initial space completion ("Augmentation"), BellSouth will complete construction for collocation arrangements as soon as possible and within a maximum of forty-five (45) calendar days from receipt of a Bona Fide Firm Order or as agreed to by the Parties. If BellSouth does not believe that construction will be completed within the relevant time frame and BellSouth and Excel cannot agree upon a completion date, within forty-five (45) calendar days of receipt of the Bona Fide Firm Order for an initial request, and within thirty (30) calendar days for Augmentations, BellSouth may seek an extension from the Florida PSC.
- 7.1.4 In Georgia, BellSouth will complete construction for caged collocation arrangements under ordinary conditions as soon as possible and within a maximum of ninety (90) calendar days from receipt of a Bona Fide Firm Order or as agreed to by the Parties. BellSouth will complete construction for cageless collocation arrangements under ordinary conditions as soon as possible and within a maximum of sixty (60) calendar days from receipt of a Bona Fide Firm Order and ninety (90) calendar days for extraordinary conditions or as agreed to by the Parties. Ordinary conditions are defined as space available with only minor changes to support systems required, such as but not limited to, HVAC, cabling and the power plant(s). Extraordinary conditions are defined to include but are not limited to major BellSouth equipment rearrangement or addition; power plant addition or upgrade; major mechanical addition or upgrade; major upgrade for ADA compliance; environmental hazard or hazardous materials abatement; and arrangements for which equipment shipping intervals are extraordinary in length. The Parties may mutually agree to renegotiate an alternative provisioning interval or BellSouth may seek a waiver from this interval from the Commission.
- 7.1.5 In Louisiana, BellSouth will complete construction for collocation arrangements under ordinary conditions as soon as possible and within a maximum of ninety (90) calendar days for caged and sixty (60) calendar days for cageless from receipt of a Bona Fide Firm Order for an initial request, and within sixty (60) calendar days for an Augmentation, or as agreed to by the Parties. Ordinary conditions are defined as space available with only minor changes to support systems required, such as but not limited to, HVAC, cabling and the power plant(s). BellSouth will complete

construction of all other Collocation Space ("extraordinary conditions") within one hundred twenty (120) calendar days for caged and ninety (90) calendar days for cageless from the receipt of a Bona Fide Firm Order. Examples of extraordinary conditions include but are not limited to, extended license or permitting intervals; major BellSouth equipment rearrangement or addition; power plant addition or upgrade; major mechanical addition or upgrade; major upgrade for ADA compliance; environmental hazard or hazardous materials abatement; and arrangements for which equipment shipping intervals are extraordinary in length. The Parties may mutually agree to renegotiate an alternative provisioning interval or BellSouth may seek a waiver from this interval from the Commission.

- 7.1.6 In Mississippi, excluding the time interval required to secure the appropriate government licenses and permits, BellSouth will complete construction for collocation arrangements under ordinary conditions as soon as possible and within a maximum of ninety (90) calendar days from receipt of a Bona Fide Firm Order or as agreed to by the Parties. Ordinary conditions are defined as space available with only minor changes to support systems required, such as but not limited to, HVAC, cabling and the power plant(s). Excluding the time interval required to secure the appropriate government licenses and permits, BellSouth will complete construction of all other Collocation Space ("extraordinary conditions") within one hundred twenty (120) calendar days of the receipt of a Bona Fide Firm Order. Examples of extraordinary conditions include but are not limited to, extended license or permitting intervals; major BellSouth equipment rearrangement or addition; power plant addition or upgrade; major mechanical addition or upgrade; major upgrade for ADA compliance; environmental hazard or hazardous materials abatement; and arrangements for which equipment shipping intervals are extraordinary in length. The Parties may mutually agree to renegotiate an alternative provisioning interval or BellSouth may seek a waiver from this interval from the Commission.
- 7.1.7 In South Carolina, BellSouth will complete the construction and provisioning activities for cageless and caged collocation arrangements as soon as possible, but no later than ninety (90) calendar days from receipt of a bona fide firm order. The Parties may mutually agree to renegotiate an alternative provisioning interval or BellSouth may seek a waiver from this interval from the Commission.
- 7.1.8 In Tennessee, BellSouth will complete construction for collocation arrangements under Ordinary Conditions as follows: (i) for caged collocation arrangements, within a maximum of 90 calendar days from receipt of an Bona Fide Firm Order, or as agreed to by the Parties; (ii) for cageless collocation arrangements, within 30 calendar days from receipt of a Bona Fide Firm Order when there is conditioned space and Excel installs the bays/racks. In no event shall the provisioning interval for cageless collocation exceed 90 calendar days from the receipt of a Bona Fide Firm Order, or as agreed to by the parties. Under extraordinary conditions, BellSouth may elect to renegotiate an alternative provisioning interval with Excel or seek a waiver from this interval from the Commission. For the purpose of defining conditioned space as referenced in the TRA order setting intervals for cageless collocation in Tennessee,

conditioned space is defined as follows: i) floor space must be available; ii) floor space must be equipped with adequate air conditioning to accommodate equipment listed on application; iii) Cable racking, any fiber duct, riser cable support structure and power cable support structure must be in place to support equipment listed on the application; and iv) power plant capacity at BDFB or main power board must be available. If LGX or DGX equipment is requested on the application and adequate existing capacity is not available then conditioned is considered unavailable. If BellSouth is required by the application to place power cabling, conditioned space is considered unavailable.

- Joint Planning. Joint planning between BellSouth and Excel will commence within a maximum of twenty (20) calendar days from BellSouth's receipt of a Bona Fide Firm Order. BellSouth will provide the preliminary design of the Collocation Space and the equipment configuration requirements as reflected in the Bona Fide Application and affirmed in the Bona Fide Firm Order. The Collocation Space completion time period will be provided to Excel during joint planning.
- 7.3 <u>Permits</u>. Each Party or its agents will diligently pursue filing for the permits required for the scope of work to be performed by that Party or its agents within ten (10) calendar days of the completion of finalized construction designs and specifications.
- Acceptance Walk Through. Excel will schedule and complete an acceptance walkthrough of each Collocation Space with BellSouth within fifteen (15) days of BellSouth's notifying Excel that the collocation space is ready for occupancy. In the event that Excel fails to complete an acceptance walkthrough within this fifteen (15) day interval, the Collocation Space shall be deemed accepted by Excel. BellSouth will correct any deviations to Excel's original or jointly amended requirements within seven (7) calendar days after the walk through, unless the Parties jointly agree upon a different time frame.
- 7.5 Use of BellSouth Certified Supplier. Excel shall select a supplier which has been approved as a BellSouth Certified Supplier to perform all engineering and installation work. Excel and Excel's BellSouth Certified Supplier must follow and comply with all BellSouth requirements outlined in BellSouth's TR 73503, TR 73519, TR 73572, and TR 73564. In some cases, Excel must select separate BellSouth Certified Suppliers for transmission equipment, switching equipment and power equipment. BellSouth shall provide Excel with a list of BellSouth Certified Suppliers upon request. The BellSouth Certified Supplier(s) shall be responsible for installing Excel's equipment and components, extending power cabling to the BellSouth power distribution frame, performing operational tests after installation is complete, and notifying BellSouth's equipment engineers and Excel upon successful completion of installation, etc. The BellSouth Certified Supplier shall bill Excel directly for all work performed for Excel pursuant to this Attachment and BellSouth shall have no liability for nor responsibility to pay such charges imposed by the BellSouth Certified Supplier. BellSouth shall consider certifying Excel or any supplier proposed by Excel. All work performed by or for Excel shall conform to generally accepted industry guidelines and standards.

- Alarm and Monitoring. BellSouth shall place environmental alarms in the Premises for the protection of BellSouth equipment and facilities. Excel shall be responsible for placement, monitoring and removal of environmental and equipment alarms used to service Excel's Collocation Space. Upon request, BellSouth will provide Excel with applicable tariffed service(s) to facilitate remote monitoring of collocated equipment by Excel. Both Parties shall use best efforts to notify the other of any verified environmental condition known to that Party.
- 7.7 Virtual to Physical Collocation Relocation. In the event physical collocation space was previously denied at a location due to technical reasons or space limitations, and physical collocation space has subsequently become available, Excel may relocate its virtual collocation arrangements to physical collocation arrangements and pay the appropriate fees for physical collocation and for the rearrangement or reconfiguration of services terminated in the virtual collocation arrangement, as outlined in the appropriate BellSouth tariffs. In the event that BellSouth knows when additional space for physical collocation may become available at the location requested by Excel, such information will be provided to Excel in BellSouth's written denial of physical collocation. To the extent that (i) physical Collocation Space becomes available to Excel within 180 calendar days of BellSouth's written denial of Excel's request for physical collocation, (ii) BellSouth had knowledge that the space was going to become available, and (iii) Excel was not informed in the written denial that physical Collocation Space would become available within such 180 calendar days, then Excel may relocate its virtual collocation arrangement to a physical collocation arrangement and will receive a credit for any nonrecurring charges previously paid for such virtual collocation. Excel must arrange with a BellSouth Certified Supplier for the relocation of equipment from its virtual Collocation Space to its physical Collocation Space and will bear the cost of such relocation.
- 7.8 Virtual to Physical Conversion (In Place). Virtual collocation arrangements may be converted to "in-place" physical arrangements if the potential conversion meets the following four criteria: 1) there is no change in the amount of equipment or the configuration of the equipment that was in the virtual collocation arrangement; 2) the conversion of the virtual collocation arrangement will not cause the equipment or the results of that conversion to be located in a space that BellSouth has reserved for its own future needs; 3) the converted arrangement does not limit BellSouth's ability to secure its own equipment and facilities due to the location of the virtual collocation arrangement; and 4) any changes to the arrangement can be accommodated by existing power, HVAC, and other requirements. The application fee for the conversion from virtual to in-place, physical collocation is as set forth in Exhibit C. Unless otherwise specified, BellSouth will complete virtual to in-place physical collocation conversions within sixty (60) calendar days.
- 7.8.1 In Florida, for Virtual to Physical conversions in place that require no physical changes, the only applicable charges shall cover the administrative billing and engineering records updates.

- 7.8.2 In Tennessee, BellSouth will complete Virtual to Physical conversions in place within thirty (30) calendar days.
- Cancellation. If, at anytime prior to space acceptance, Excel cancels its order for the Collocation Space(s) ("Cancellation"), BellSouth will bill the applicable non-recurring rate for any and all work processes for which work has begun. In Georgia, if Excel cancels its order for Collocation Space at any time prior to space acceptance, BellSouth will bill Excel for all costs incurred prior to the date of Cancellation and for any costs incurred as a direct result of the Cancellation, not to exceed the total amount that would have been due had the order not been cancelled.
- 7.10 <u>Licenses.</u> Excel, at its own expense, will be solely responsible for obtaining from governmental authorities, and any other appropriate agency, entity, or person, all rights, privileges, and licenses necessary or required to operate as a provider of telecommunications services to the public or to occupy the Collocation Space.
- 7.11 <u>Environmental Compliance.</u> The Parties agree to utilize and adhere to the Environmental Hazard Guidelines identified as Exhibit A attached hereto.

8. Rates and Charges

- 8.1 BellSouth shall assess an Application Fee via a service order, which shall be issued at the time BellSouth responds that space is available pursuant to Section 2. Payment of said Application Fee will be due as dictated by Excel's current billing cycle and is non-refundable.
- 8.1.1 In Tennessee the applicable Application Fee is the Planning Fee for both Applications and Subsequent Applications placed by Excel.

8.2 <u>Space Preparation</u>

- 8.2.1 Recurring Charges. The recurring charges for space preparation begin on the date Excel executes the written document accepting the collocation space pursuant to section 4 or on the date Excel first occupies collocation space, whichever is first. If Excel fails to schedule and complete an acceptance walk through within fifteen (15) days after BellSouth releases the space for occupancy, BellSouth shall begin billing Excel for recurring charges as of the sixteenth day after BellSouth releases the collocation space.
- 8.2.2 Space preparation fees consist of a nonrecurring charge for Firm Order Processing and monthly recurring charges for Central Office Modifications, assessed per arrangement, per square foot, and Common Systems Modifications, assessed per arrangement, per square foot for cageless collocation and per cage for caged collocation. Excel shall remit payment of the nonrecurring Firm Order Processing Fee coincident with submission of a Bona Fide Firm Order. The charges recover the costs associated with preparing the Collocation Space, which includes survey, engineering of the Collocation

Space, design and modification costs for network, building and support systems. In the event Excel opts for cageless space, the space preparation fees will be assessed based on the total floor space dedicated to Excel as prescribed in this Section 8.

- 8.2.3 Space Preparation Fee (Florida). Space preparation fees include a nonrecurring charge for Firm Order Processing and monthly recurring charges for Central Office Modifications, assessed per arrangement, per square foot, and Common Systems Modifications, assessed per arrangement, per square foot for cageless and per cage for caged collocation. Excel shall remit payment of the nonrecurring Firm Order Processing Fee coincident with submission of a Bona Fide Firm Order. The charges recover the costs associated with preparing the Collocation Space, which includes survey, engineering of the Collocation Space, design and modification costs for network, building and support systems. In the event Excel opts for cageless space, space preparation fees will be assessed based on the total floor space dedicated to Excel as prescribed in this Section 8.
- 8.2.4 <u>Space Preparation Fee (Georgia)</u>. In Georgia, the Space Preparation Fee is a one time fee, assessed per arrangement, per location. It recovers a portion of costs associated with preparing the Collocation Space, which includes survey, engineering of the Collocation Space, design and modification costs for network, power, building and support systems. This is a set fee of \$100 per square foot as established by the Georgia Public Service Commission Order in Docket No. 7016 U. In the event Excel opts for non enclosed space, the space preparation fee will be assessed based on the total floor space dedicated to Excel as prescribed in Section 8 and will be billed based upon Excel's first billing cycle after Firm Order.
- 8.2.5 Space Preparation Fee (North Carolina). In North Carolina, space preparation fees consist of monthly recurring charges for Central Office Modifications, assessed per arrangement, per square foot; Common Systems Modifications, assessed per arrangement, per square foot for cageless and per cage for caged collocation; and Power, assessed per the nominal –48V DC ampere requirements specified by Excel on the Bona Fide Application. The charges recover the costs associated with preparing the Collocation Space, which includes survey, engineering of the Collocation Space, design and modification costs for network, building and support systems. In the event Excel opts for cageless space, the space preparation fees will be assessed based on the total floor space dedicated to Excel as described in this Section 8.
- 8.3 Cable Installation. Cable Installation Fee(s) are assessed per entrance cable placed.
- 8.4 <u>Floor Space</u>. The Floor Space Charge includes reasonable charges for lighting, HVAC, and other allocated expenses associated with maintenance of the Premises but does not recover any power-related costs incurred by BellSouth. When the Collocation Space is enclosed, Excel shall pay floor space charges based upon the number of square feet so enclosed. When the Collocation Space is not enclosed, Excel shall pay floor space charges based upon the following floor space calculation: [(depth of the equipment lineup in which the rack is placed) + (0.5 x maintenance aisle depth)

- + (0.5 x wiring aisle depth)] X (width of rack and spacers). For purposes of this calculation, the depth of the equipment lineup shall consider the footprint of equipment racks plus any equipment overhang. BellSouth will assign unenclosed Collocation Space in conventional equipment rack lineups where feasible. In the event Excel's collocated equipment requires special cable racking, isolated grounding or other treatment which prevents placement within conventional equipment rack lineups, Excel shall be required to request an amount of floor space sufficient to accommodate the total equipment arrangement.
- 8.4.1 The recurring charges for floor space begin on the date Excel executes the written document accepting the collocation space pursuant to section 4 or on the date Excel first occupies collocation space, whichever is first. If Excel fails to schedule and complete an acceptance walk through within fifteen (15) days after BellSouth releases the space for occupancy, BellSouth shall begin billing Excel for recurring charges as of the sixteenth day after BellSouth releases the collocation space.
- 8.5 <u>Power</u>. BellSouth shall make available –48 Volt (-48V) DC power for Excel's Collocation Space at a BellSouth Power Board or BellSouth Battery Distribution Fuse Bay ("BDFB") at Excel's option within the Premises.
- 8.5.1 Recurring charges for -48V DC power will be assessed per ampere per month based upon the BellSouth Certified Supplier engineered and installed power feed fused ampere capacity. Rates include redundant feeder fuse positions (A&B) and common cable rack to Excel's equipment or space enclosure. Recurring power charges begin on the Space Ready Date, or on the date Excel first occupies the Collocation Space, whichever is sooner. When obtaining power from a BDFB, fuses and power cables (A&B) must be engineered (sized), and installed by Excel's BellSouth Certified Supplier. When obtaining power from a BellSouth power board, power cables (A&B) must be engineered (sized), and installed by Excel's BellSouth Certified power Supplier. Excel is responsible for contracting with a BellSouth Certified Supplier for power distribution feeder cable runs from a BellSouth BDFB or power board to Excel's equipment. Determination of the BellSouth BDFB or BellSouth power board as the power source will be made at BellSouth's sole, but reasonable, discretion. The BellSouth Certified Supplier contracted by Excel must provide BellSouth a copy of the engineering power specification prior to the day on which Excel's equipment becomes operational. BellSouth will provide the common power feeder cable support structure between the BellSouth BDFB or power board and Excel's arrangement area. Excel shall contract with a BellSouth Certified Supplier who will be responsible for the following: dedicated power cable support structure within Excel's arrangement, power cable feeds, and terminations of cable. Any terminations at a BellSouth power board must be performed by a BellSouth Certified power Supplier. Excel shall comply with all applicable National Electric Code (NEC), BellSouth TR73503, Telcordia (BellCore) and ANSI Standards regarding power cabling.
- 8.5.2 If BellSouth has not previously invested in power plant capacity for collocation at a specific site, Excel has the option to add its own dedicated power plant; provided,

however, that such work shall be performed by a BellSouth Certified Supplier who shall comply with BellSouth's guidelines and specifications. Where the addition of Excel's dedicated power plant results in construction of a new power plant room, upon termination of Excel's right to occupy collocation space at such site, Excel shall have the right to remove its equipment from the power plant room, but shall otherwise leave the room intact.

- 8.5.3 If Excel elects to install its own DC Power Plant, BellSouth shall provide AC power to feed Excel's DC Power Plant. Charges for AC power will be assessed per breaker ampere per month. Rates include the provision of commercial and standby AC power. When obtaining power from a BellSouth service panel, protection devices and power cables must be engineered (sized), and installed by Excel's BellSouth Certified Supplier except that BellSouth shall engineer and install protection devices and power cables for Adjacent Collocation. Excel's BellSouth Certified Supplier must also provide a copy of the engineering power specification prior to the equipment becoming operational. Charges for AC power shall be assessed pursuant to the rates specified in Exhibit C. AC power voltage and phase ratings shall be determined on a per location basis. At Excel's option, Excel may arrange for AC power in an Adjacent Collocation arrangement from a retail provider of electrical power.
- 8.5.4 In Tennessee, Recurring charges for -48V DC power consumption will be assessed per ampere per month based upon the engineered and installed power feed fused ampere capacity. Rates include redundant feeder fuse positions (A&B) and common cable rack to Excel's equipment or space enclosure. Excel shall contract with a Certified Supplier who will be responsible for the following: dedicated power cable support structure within Excel's arrangement and terminations of cable within the collocation space.
- 8.5.5 In Tennessee, Non recurring charges for –48V DC power distribution will be based on the common power feeder cable support structure between the BellSouth BDFB and Excel's arrangement area.
- 8.5.6 In Louisiana, Excel has the option to purchase power directly from an electric utility company. Under such an option, Excel is responsible for contracting with the electric utility company for their own power feed and meter, and is financially responsible for purchasing all equipment necessary to accomplish the arrangement, including inverters, batteries, power boards, bus bars, BDFBs, backup power supplies and cabling. The actual work to install this arrangement must be performed by a certified vendor hired by Excel Excel must comply with all applicable safety codes, including the National Electric Safety Codes, in installing this power arrangement. Any floor space, cable racking, etc utilized by Excel in provisioning said power will be billed on an ICB basis.
- 8.6 <u>Security Escort</u>. A security escort will be required whenever Excel or its approved agent desires access to the entrance manhole or must have access to the Premises after the one accompanied site visit allowed pursuant to Section 5 prior to completing BellSouth's Security Training requirements. Rates for a security escort are assessed

according to the schedule appended hereto as Exhibit C beginning with the scheduled escort time. BellSouth will wait for one-half (1/2) hour after the scheduled time for such an escort and Excel shall pay for such half-hour charges in the event Excel fails to show up.

- 8.7 <u>Cable Record charges.</u> These charges apply for work required to build cable records in BellSouth systems. The VG/DS0 per cable record charge is for a maximum of 3600 records. The Fiber cable record charge is for a maximum of 99 records.
- 8.8 Other. If no rate is identified in the contract, the rate for the specific service or function will be negotiated by the Parties upon request by either Party. Payment of all other charges under this Attachment shall be due thirty (30) calendar days after receipt of the bill (payment due date). Excel will pay a late payment charge of the lessor of one and one half percent or the legal interest rate assessed monthly on any balance which remains unpaid after the payment due date.

9. <u>Insurance</u>

- 9.1 Excel shall, at its sole cost and expense, procure, maintain, and keep in force insurance as specified in this Section 9 and underwritten by insurance companies licensed to do business in the states applicable under this Attachment and having a Best's Insurance Rating of A-.
- 9.2 Excel shall maintain the following specific coverage:
- 9.2.1 Commercial General Liability coverage in the amount of ten million dollars (\$10,000,000.00) or a combination of Commercial General Liability and Excess/Umbrella coverage totaling not less than ten million dollars (\$10,000,000.00). BellSouth shall be named as an Additional Insured on the Commercial General Liability policy as specified herein.
- 9.2.2 Statutory Workers Compensation coverage and Employers Liability coverage in the amount of one hundred thousand dollars (\$100,000.00) each accident, one hundred thousand dollars (\$100,000.00) each employee by disease, and five hundred thousand dollars (\$500,000.00) policy limit by disease.
- 9.2.3 All Risk Property coverage on a full replacement cost basis insuring all of Excel's real and personal property situated on or within BellSouth's Central Office location(s).
- 9.2.4 Excel may elect to purchase business interruption and contingent business interruption insurance, having been advised that BellSouth assumes no liability for loss of profit or revenues should an interruption of service occur.
- 9.3 The limits set forth in Section 9.2 above may be increased by BellSouth from time to time during the term of this Attachment upon thirty (30) days notice to Excel to at

least such minimum limits as shall then be customary with respect to comparable occupancy of BellSouth structures.

- 9.4 All policies purchased by Excel shall be deemed to be primary and not contributing to or in excess of any similar coverage purchased by BellSouth. All insurance must be in effect on or before the date equipment is delivered to BellSouth's Premises and shall remain in effect for the term of this Attachment or until all Excel's property has been removed from BellSouth's Premises, whichever period is longer. If Excel fails to maintain required coverage, BellSouth may pay the premiums thereon and seek reimbursement of same from Excel.
- 9.5 Excel shall submit certificates of insurance reflecting the coverage required pursuant to this Section a minimum of ten (10) business days prior to the commencement of any work in the Collocation Space. Failure to meet this interval may result in construction and equipment installation delays. Excel shall arrange for BellSouth to receive thirty (30) business days' advance notice of cancellation from Excel's insurance company. Excel shall forward a certificate of insurance and notice of cancellation/non-renewal to BellSouth at the following address:

BellSouth Telecommunications, Inc. Attn.: Risk Management Coordinator 17H53 BellSouth Center 675 W. Peachtree Street Atlanta, Georgia 30375

- 9.6 Excel must conform to recommendations made by BellSouth's fire insurance company to the extent BellSouth has agreed to, or shall hereafter agree to, such recommendations.
- 9.7 Self-Insurance. If Excel's net worth exceeds five hundred million dollars (\$500,000,000), Excel may elect to request self-insurance status in lieu of obtaining any of the insurance required in Sections 9.2.1 and 9.2.2. Excel shall provide audited financial statements to BellSouth thirty (30) days prior to the commencement of any work in the Collocation Space. BellSouth shall then review such audited financial statements and respond in writing to Excel in the event that self-insurance status is not granted to Excel. If BellSouth approves Excel for self-insurance, Excel shall annually furnish to BellSouth, and keep current, evidence of such net worth that is attested to by one of Excel's corporate officers. The ability to self-insure shall continue so long as the Excel meets all of the requirements of this Section. If the Excel subsequently no longer satisfies this Section, Excel is required to purchase insurance as indicated by Sections 9.2.1 and 9.2.2.
- 9.8 The net worth requirements set forth in Section 9.7 may be increased by BellSouth from time to time during the term of this Attachment upon thirty (30) days' notice to Excel to at least such minimum limits as shall then be customary with respect to comparable occupancy of BellSouth structures.

9.9 Failure to comply with the provisions of this Section will be deemed a material breach of this Attachment.

10. <u>Mechanics Liens</u>

10.1 If any mechanics lien or other liens shall be filed against property of either Party (BellSouth or Excel), or any improvement thereon by reason of or arising out of any labor or materials furnished or alleged to have been furnished or to be furnished to or for the other Party or by reason of any changes, or additions to said property made at the request or under the direction of the other Party, the other Party directing or requesting those changes shall, within thirty (30) business days after receipt of written notice from the Party against whose property said lien has been filed, either pay such lien or cause the same to be bonded off the affected property in the manner provided by law. The Party causing said lien to be placed against the property of the other shall also defend, at its sole cost and expense, on behalf of the other, any action, suit or proceeding which may be brought for the enforcement of such liens and shall pay any damage and discharge any judgment entered thereon.

11. <u>Inspections</u>

BellSouth may conduct an inspection of Excel's equipment and facilities in the Collocation Space(s) prior to the activation of facilities between Excel's equipment and equipment of BellSouth. BellSouth may conduct an inspection if Excel adds equipment and may otherwise conduct routine inspections at reasonable intervals mutually agreed upon by the Parties. BellSouth shall provide Excel with a minimum of forty-eight (48) hours or two (2) business days, whichever is greater, advance notice of all such inspections. All costs of such inspection shall be borne by BellSouth.

12. Security and Safety Requirements

Unless otherwise specified, Excel will be required, at its own expense, to conduct a statewide investigation of criminal history records for each Excel employee hired in the past five years being considered for work on the BellSouth Premises, for the states/counties where the Excel employee has worked and lived for the past five years. Where state law does not permit statewide collection or reporting, an investigation of the applicable counties is acceptable. Excel shall not be required to perform this investigation if an affiliated company of Excel has performed an investigation of the Excel employee seeking access, if such investigation meets the criteria set forth above. This requirement will not apply if Excel has performed a pre-employment statewide investigation of criminal history records of the Excel employee for the states/counties where the Excel employee has worked and lived for the past five years or, where state law does not permit a statewide investigation, an investigation of the applicable counties.

- Excel will be required to administer to their personnel assigned to the BellSouth Premises security training either provided by BellSouth, or meeting criteria defined by BellSouth.
- Excel shall provide its employees and agents with picture identification, which must be worn, and visible at all times while in the Collocation Space or other areas in or around the Premises. The photo identification card shall bear, at a minimum, the employee's name and photo, and the Excel's name. BellSouth reserves the right to remove from its premises any employee of Excel not possessing identification issued by Excel or who has violated any of BellSouth's policies as outlined in the CLEC Security Training documents. Excel shall hold BellSouth harmless for any damages resulting from such removal of its personnel from BellSouth premises. Excel shall be solely responsible for ensuring that any Guest of Excel is in compliance with all subsections of this Section 12.
- Excel shall not assign to the BellSouth Premises any personnel with records of felony criminal convictions. Excel shall not assign to the BellSouth Premises any personnel with records of misdemeanor convictions, except for misdemeanor traffic violations, without advising BellSouth of the nature and gravity of the offense(s). BellSouth reserves the right to refuse building access to any Excel personnel who have been identified to have misdemeanor criminal convictions. Notwithstanding the foregoing, in the event that Excel chooses not to advise BellSouth of the nature and gravity of any misdemeanor conviction, Excel may, in the alternative, certify to BellSouth that it shall not assign to the BellSouth Premises any personnel with records of misdemeanor convictions (other than misdemeanor traffic violations).
- 12.4.1 Excel shall not knowingly assign to the BellSouth Premises any individual who was a former employee of BellSouth and whose employment with BellSouth was terminated for a criminal offense whether or not BellSouth sought prosecution of the individual for the criminal offense.
- 12.4.2 Excel shall not knowingly assign to the BellSouth Premises any individual who was a former supplier of BellSouth and whose access to a BellSouth Premises was revoked due to commission of a criminal offense whether or not BellSouth sought prosecution of the individual for the criminal offense.
- For each Excel employee or agent hired by Excelwithin five years of being considered for work on the BellSouth Premises, who requires access to a BellSouth Premises pursuant to this agreement, Excel shall furnish BellSouth, prior to an employee or agent gaining such access, a certification that the aforementioned background check and security training were completed. The certification will contain a statement that no felony convictions were found and certifying that the security training was completed by the employee. If the employee's criminal history includes misdemeanor convictions, Excel will disclose the nature of the convictions to BellSouth at that time. In the alternative, Excel may certify to BellSouth that it shall not assign to the

- BellSouth Premises any personnel with records of misdemeanor convictions other than misdemeanor traffic violations.
- 12.5.1 For all other Excelemployees requiring access to a BellSouth Premises pursuant to this Attachment, Excel shall furnish BellSouth, prior to an employee gaining such access, a certification that the employee is not subject to the requirements of Section 12.5 above and that security training was completed by the employee.
- At BellSouth's request, Excel shall promptly remove from BellSouth's Premises any employee of Excel BellSouth does not wish to grant access to its premises 1) pursuant to any investigation conducted by BellSouth or 2) prior to the initiation of an investigation if an employee of Excel is found interfering with the property or personnel of BellSouth or another CLEC, provided that an investigation shall promptly be commenced by BellSouth.
- 12.7 Notification to BellSouth. BellSouth reserves the right to interview Excel's employees, agents, or contractors in the event of wrongdoing in or around BellSouth's property or involving BellSouth's or another CLEC's property or personnel, provided that BellSouth shall provide reasonable notice to Excel's Security contact of such interview. Excel and its contractors shall reasonably cooperate with BellSouth's investigation into allegations of wrongdoing or criminal conduct committed by, witnessed by, or involving Excel's employees, agents, or contractors. Additionally, BellSouth reserves the right to bill Excel for all reasonable costs associated with investigations involving its employees, agents, or contractors if it is established and mutually agreed in good faith that Excel's employees, agents, or contractors are responsible for the alleged act. BellSouth shall bill Excel for BellSouth property which is stolen or damaged where an investigation determines the culpability of Excel's employees, agents, or contractors and where Excel agrees, in good faith, with the results of such investigation. Excel shall notify BellSouth in writing immediately in the event that Excel discovers one of its employees already working on the BellSouth premises is a possible security risk. Upon request of the other Party, the Party who is the employer shall discipline consistent with its employment practices, up to and including removal from BellSouth Premises, any employee found to have violated the security and safety requirements of this section. Excel shall hold BellSouth harmless for any damages resulting from such removal of its personnel from BellSouth premises.
- 12.8 <u>Use of Supplies</u>. Unauthorized use of telecommunications equipment or supplies by either Party, whether or not used routinely to provide telephone service (e.g. plug-in cards,) will be strictly prohibited and handled appropriately. Costs associated with such unauthorized use may be charged to the offending Party, as may be all associated investigative costs.
- 12.9 <u>Use of Official Lines</u>. Except for non-toll calls necessary in the performance of their work, neither Party shall use the telephones of the other Party on the BellSouth

Premises. Charges for unauthorized telephone calls may be charged to the offending Party, as may be all associated investigative costs.

12.10 <u>Accountability</u>. Full compliance with the Security requirements of this section shall in no way limit the accountability of either Party to the other for the improper actions of its employees.

13. Destruction of Collocation Space

13.1 In the event a Collocation Space is wholly or partially damaged by fire, windstorm, tornado, flood or by similar causes to such an extent as to be rendered wholly unsuitable for Excel's permitted use hereunder, then either Party may elect within ten (10) business days after such damage, to terminate occupancy of the damaged Collocation Space, and if either Party shall so elect, by giving the other written notice of termination, both Parties shall stand released of and from further liability under the terms hereof. If the Collocation Space shall suffer only minor damage and shall not be rendered wholly unsuitable for Excel's permitted use, or is damaged and the option to terminate is not exercised by either Party, BellSouth covenants and agrees to proceed promptly without expense to Excel, except for improvements not the property of BellSouth, to repair the damage. BellSouth shall have a reasonable time within which to rebuild or make any repairs, and such rebuilding and repairing shall be subject to delays caused by storms, shortages of labor and materials, government regulations, strikes, walkouts, and causes beyond the control of BellSouth, which causes shall not be construed as limiting factors, but as exemplary only. Excel may, at its own expense, accelerate the rebuild of its collocated space and equipment provided however that a BellSouth Certified Supplier is used and the necessary space preparation has been completed. Rebuild of equipment must be performed by a BellSouth Certified Supplier. If Excel's acceleration of the project increases the cost of the project, then those additional charges will be incurred by Excel. Where allowed and where practical, Excel may erect a temporary facility while BellSouth rebuilds or makes repairs. In all cases where the Collocation Space shall be rebuilt or repaired, Excel shall be entitled to an equitable abatement of rent and other charges, depending upon the unsuitability of the Collocation Space for Excel's permitted use, until such Collocation Space is fully repaired and restored and Excel's equipment installed therein (but in no event later than thirty (30) business days after the Collocation Space is fully repaired and restored). Where Excel has placed an Adjacent Arrangement pursuant to Section 3, Excel shall have the sole responsibility to repair or replace said Adjacent Arrangement provided herein. Pursuant to this section, BellSouth will restore the associated services to the Adjacent Arrangement.

14. Eminent Domain

14.1 If the whole of a Collocation Space or Adjacent Arrangement shall be taken by any public authority under the power of eminent domain, then this Attachment shall

terminate with respect to such Collocation Space or Adjacent Arrangement as of the day possession shall be taken by such public authority and rent and other charges for the Collocation Space or Adjacent Arrangement shall be paid up to that day with proportionate refund by BellSouth of such rent and charges as may have been paid in advance for a period subsequent to the date of the taking. If any part of the Collocation Space or Adjacent Arrangement shall be taken under eminent domain, BellSouth and Excel shall each have the right to terminate this Attachment with respect to such Collocation Space or Adjacent Arrangement and declare the same null and void, by written notice of such intention to the other Party within ten (10) business days after such taking.

15. Nonexclusivity

15.1 Excel understands that this Attachment is not exclusive and that BellSouth may enter into similar agreements with other Parties. Assignment of space pursuant to all such agreements shall be determined by space availability and made on a first come, first served basis

ENVIRONMENTAL AND SAFETY PRINCIPLES

The following principles provide basic guidance on environmental and safety issues when applying for and establishing Physical Collocation arrangements.

1. GENERAL PRINCIPLES

- 1.1 Compliance with Applicable Law. BellSouth and Excel agree to comply with applicable federal, state, and local environmental and safety laws and regulations including U.S. Environmental Protection Agency (USEPA) regulations issued under the Clean Air Act (CAA), Clean Water Act (CWA), Resource Conservation and Recovery Act (RCRA), Comprehensive Environmental Response, Compensation and Liability Act (CERCLA), Superfund Amendments and Reauthorization Act (SARA), the Toxic Substances Control Act (TSCA), and OSHA regulations issued under the Occupational Safety and Health Act of 1970, as amended and NFPA and National Electrical Codes (NEC) and the NESC ("Applicable Laws"). Each Party shall notify the other if compliance inspections are conducted by regulatory agencies and/or citations are issued that relate to any aspect of this Attachment.
- Notice. BellSouth and Excel shall provide notice to the other, including Material Safety Data Sheets (MSDSs), of known and recognized physical hazards or Hazardous Chemicals existing on site or brought on site. Each Party is required to provide specific notice for known potential Imminent Danger conditions. Excel should contact 1-800-743-6737 for BellSouth MSDS sheets.
- 1.3 Practices/Procedures. BellSouth may make available additional environmental control procedures for Excel to follow when working at a BellSouth Premises (See Section 2, below). These practices/procedures will represent the regular work practices required to be followed by the employees and contractors of BellSouth for environmental protection. Excel will require its contractors, agents and others accessing the BellSouth Premises to comply with these practices. Section 2 lists the Environmental categories where BST practices should be followed by Excel when operating in the BellSouth Premises.
- 1.4 <u>Environmental and Safety Inspections</u>. BellSouth reserves the right to inspect the Excel space with proper notification. BellSouth reserves the right to stop any Excel work operation that imposes Imminent Danger to the environment, employees or other persons in the area or Facility.
- 1.5 <u>Hazardous Materials Brought On Site</u>. Any hazardous materials brought into, used, stored or abandoned at the BellSouth Premises by Excel are owned by Excel. Excel will indemnify BellSouth for claims, lawsuits or damages to persons or property caused by these materials. Without prior written BellSouth approval, no substantial

new safety or environmental hazards can be created by Excel or different hazardous materials used by Excel at BellSouth Facility. Excel must demonstrate adequate emergency response capabilities for its materials used or remaining at the BellSouth Facility.

- 1.6 <u>Spills and Releases</u>. When contamination is discovered at a BellSouth Premises, the Party discovering the condition must notify BellSouth. All Spills or Releases of regulated materials will immediately be reported by Excel to BellSouth.
- 1.7 Coordinated Environmental Plans and Permits. BellSouth and Excel will coordinate plans, permits or information required to be submitted to government agencies, such as emergency response plans, spill prevention control and countermeasures (SPCC) plans and community reporting. If fees are associated with filing, BellSouth and Excel will develop a cost sharing procedure. If BellSouth's permit or EPA identification number must be used, Excel must comply with all of BellSouth's permit conditions and environmental processes, including environmental "best management practices (BMP)" (see Section 2, below) and/or selection of BST disposition vendors and disposal sites.
- 1.8 Environmental and Safety Indemnification. BellSouth and Excel shall indemnify, defend and hold harmless the other Party from and against any claims (including, without limitation, third-party claims for personal injury or death or real or personal property damage), judgments, damages, (including direct and indirect damages, and punitive damages), penalties, fines, forfeitures, costs, liabilities, interest and losses arising in connection with the violation or alleged violation of any Applicable Law or contractual obligation or the presence or alleged presence of contamination arising out of the acts or omissions of the indemnifying Party, its agents, contractors, or employees concerning its operations at the Facility.

2. CATEGORIES FOR CONSIDERATION OF ENVIRONMENTAL ISSUES

- When performing functions that fall under the following Environmental categories on BellSouth's Premises, Excel agrees to comply with the applicable sections of the current issue of BellSouth's Environmental and Safety Methods and Procedures (M&Ps), incorporated herein by this reference. Excel further agrees to cooperate with BellSouth to ensure that Excel's employees, agents, and/or subcontractors are knowledgeable of and satisfy those provisions of BellSouth's Environmental M&Ps which apply to the specific Environmental function being performed by Excel, its employees, agents and/or subcontractors.
- 2.2 The most current version of reference documentation must be requested from BellSouth.

ENVIRONMENTAL CATEGORIES	ENVIRONMENTAL ISSUES	ADDRESSED BY THE FOLLOWING DOCUMENTATION
Disposal of hazardous material or other regulated material (e.g., batteries, fluorescent tubes, solvents & cleaning materials)	Compliance with all applicable local, state, & federal laws and regulations Pollution liability insurance EVET approval of contractor	Std T&C 450 Fact Sheet Series 17000 Std T&C 660-3 Approved Environmental Vendor List (Contact E/S Management)
Emergency response	Hazmat/waste release/spill fire safety emergency	Fact Sheet Series 1700 Building Emergency Operations Plan (EOP) (specific to and located on Premises)
Contract labor/outsourcing for services with environmental implications to be performed on BellSouth Premises (e.g., disposition of hazardous material/waste; maintenance of storage tanks)	Compliance with all applicable local, state, & federal laws and regulations Performance of services in accordance with BST's environmental M&Ps Insurance	Std T&C 450 Std T&C 450-B (Contact E/S for copy of appropriate E/S M&Ps.) Std T&C 660
Transportation of hazardous material	Compliance with all applicable local, state, & federal laws and regulations Pollution liability insurance EVET approval of contractor	Std T&C 450 Fact Sheet Series 17000 Std T&C 660-3 Approved Environmental Vendor List (Contact E/S Management)
Maintenance/operations work which may produce a waste Other maintenance work	Compliance with all application local, state, & federal laws and regulations Protection of BST employees and equipment	Std T&C 450 29CFR 1910.147 (OSHA Standard) 29CFR 1910 Subpart O (OSHA Standard)

	İ	1 uge 30
Janitorial services	All waste removal and disposal must conform to all applicable federal, state and local regulations	P&SM Manager - Procurement Fact Sheet Series 17000
	All Hazardous Material and Waste Asbestos notification and protection of employees and equipment	GU-BTEN-001BT, Chapter 3 BSP 010-170-001BS (Hazcom)
Manhole cleaning	Compliance with all applicable local, state, & federal laws and regulations Pollution liability insurance EVET approval of contractor	Std T&C 450 Fact Sheet 14050 BSP 620-145-011PR Issue A, August 1996 Std T&C 660-3 Approved Environmental Vendor List (Contact E/S Management)
Removing or disturbing building materials that may contain asbestos	Asbestos work practices	GU-BTEN-001BT, Chapter 3

3. **DEFINITIONS**

<u>Generator</u>. Under RCRA, the person whose act produces a Hazardous Waste, as defined in 40 CFR 261, or whose act first causes a Hazardous Waste to become subject to regulation. The Generator is legally responsible for the proper management and disposal of Hazardous Wastes in accordance with regulations.

<u>Hazardous Chemical</u>. As defined in the U.S. Occupational Safety and Health (OSHA) hazard communication standard (29 CFR 1910.1200), any chemical which is a health hazard or physical hazard.

Hazardous Waste. As defined in section 1004 of RCRA.

<u>Imminent Danger</u>. Any conditions or practices at a facility which are such that a danger exists which could reasonably be expected to cause immediate death or serious harm to people or immediate significant damage to the environment or natural resources.

Spill or Release. As defined in Section 101 of CERCLA.

4. ACRONYMS

E/S – Environmental/Safety

EVET - Environmental Vendor Evaluation Team

 $\underline{DEC/LDEC} \text{ - Department Environmental Coordinator/Local Department Environmental Coordinator}$

<u>GU-BTEN-001BT</u> - BellSouth Environmental Methods and Procedures

NESC - National Electrical Safety Codes

P&SM - Property & Services Management

Std. T&C - Standard Terms & Conditions

THREE MONTH CLEC FORECAST

CLEC NAME	DATE
-----------	-------------

STATE	Central Office/City	CAG ED Sq. Ft.	CAGEI Ba		FRAME TERMINATI ONS	CLEC Provided BDFB Amps Load	BDFB	Heat Dissipation BTU/Hour	Proposed Applicatio n Date	NOTES
			Standard Bays*	Non- Standar d Bays**						

^{*}Standard bays are defined as racks, bays or cabinets, including equipment and cable, with measurements equal to or less than the following: Width - 26", Depth - 25". The standard height for all collocated equipment bays in BellSouth is 7'0".

<u>Notes</u>: Forecast information will be used for no other purpose than collocation planning.

Forecast with application dates greater than 3 months from the date of submission will not guarantee the reservation of space in the office requested.

^{**} Any forecast for non-standard cageless bays must include an attachment describing the quantity and width and depth measurements.

Page 1

Remote Site Physical Collocation

BELLSOUTH

REMOTE SITE PHYSICAL COLLOCATION

1. Scope of Attachment

- 1.1 <u>Scope of Attachment.</u> The rates, terms, and conditions contained within this Attachment shall only apply when Excel is occupying the Remote Collocation Space as a sole occupant or as a Host within a Remote Site Location.
- Right to occupy. BellSouth shall offer to Excel Remote Site Collocation on rates, terms, and conditions that are just, reasonable, non-discriminatory and consistent with the rules of the Federal Communications Commission ("FCC"). Subject to the rates, terms, and conditions of this Attachment, BellSouth hereby grants to Excel a right to occupy that certain area designated by BellSouth within a BellSouth Remote Site Location, of a size which is specified by Excel and agreed to by BellSouth (hereinafter "Remote Collocation Space"). BellSouth Remote Site Locations include cabinets, huts, and controlled environmental vaults owned or leased by BellSouth that house BellSouth Network Facilities. To the extent this Attachment does not include all the necessary rates, terms and conditions for BellSouth remote locations other than cabinets, huts and controlled environmental vaults, the Parties will negotiate said rates, terms, and conditions at the request for collocation at BellSouth remote locations other than those specified above.
- 1.2.1 In all states other than Florida, the number of racks/bays specified by Excel may contemplate a request for space sufficient to accommodate Excel's growth within a two year period.
- 1.2.2 In the state of Florida, the number of racks/bays specified by Excel may contemplate a request for space sufficient to accommodate Excel's growth within an eighteen (18) month period.
- 1.2.3 Neither BellSouth nor any of BellSouth's affiliates may reserve space for future use on more preferential terms than those set forth above.
- 1.3 Third Party Property. If the Premises, or the property on which it is located, is leased by BellSouth from a third party or otherwise controlled by a third party, special considerations and intervals may apply in addition to the terms and conditions of this Agreement. Additionally, where BellSouth notifies Excel that BellSouth's agreement with a third party does not grant BellSouth the ability to provide access and use rights to others, upon Excel's request, BellSouth will use its best efforts to obtain the owner's consent and to otherwise secure such rights for Excel. Excel agrees to

reimburse BellSouth for the reasonable and demonstrable costs incurred by BellSouth in obtaining such rights for Excel. In cases where a third party agreement does not grant BellSouth the right to provide access and use rights to others as contemplated by this Agreement and BellSouth, despite its best efforts, is unable to secure such access and use rights for Excel as above, Excel shall be responsible for obtaining such permission to access and use such property. BellSouth shall cooperate with Excel in obtaining such permission.

- 1.4 <u>Space Reclamation</u>. In the event of space exhaust within a Remote Site Location, BellSouth may include in its documentation for the Petition for Waiver filing any vacant space in the Remote Site Location. Excel will be responsible for any justification of vacant space within its Remote Collocation Space, if such justification is required by the appropriate state commission.
- 1.5 <u>Use of Space</u>. Excel shall use the Remote Collocation Space for the purposes of installing, maintaining and operating Excel's equipment (to include testing and monitoring equipment) necessary, for interconnection with BellSouth services and facilities, including access to unbundled network elements, for the provision of telecommunications services. The Remote Collocation Space may be used for no other purposes except as specifically described herein or as authorized in writing by BellSouth.
- 1.6 <u>Rates and charges</u>. Excel agrees to pay the rates and charges identified in Exhibit D attached hereto.
- 1.7 <u>Due Dates</u>. In all states except Georgia, if any due date contained in this Attachment falls on a weekend or holiday, then the due date will be the next business day thereafter.

2. Space Availability Report

- 2.1 Reporting. Upon request from Excel, BellSouth will provide a written report ("Space Availability Report") specifying the amount of Remote Collocation Space available at the Remote Site Location requested, the number of collocators present at the Remote Site Location, any modifications in the use of the space since the last report on the Remote Site Location requested and the measures BellSouth is taking to make additional space available for collocation arrangements.
- 2.1.1 The request from Excel for a Space Availability Report must be written and must include the Common Language Location Identification ("CLLI") code for both the Remote Site Location and the serving central office. Such information regarding the CLLI code for the serving central offices located in the National Exchange Carriers Association (NECA) Tariff FCC No. 4. If Excel is unable to obtain the CLLI code,

Page 4

from for example a site visit to the remote site, Excel may request the CLLI code from BellSouth. To obtain a CLLI code for a remote site directly from BellSouth, Excel should submit to BellSouth a Remote Site Interconnection Request for Remote Site CLLI Code prior to submitting its request for a Space Availability Report. Excel should complete all the requested information and submit the Request with the applicable fee to BellSouth.

2.1.2 BellSouth will respond to a request for a Space Availability Report for a particular Remote Site Location within ten (10) calendar days of receipt of such request. This interval excludes national holidays. BellSouth will make best efforts to respond in ten (10) calendar days to such a request when the request includes from two (2) to five (5) Remote Site Locations within the same state. The response time for requests of more than five (5) Remote Site Locations shall be negotiated between the Parties. If BellSouth cannot meet the ten calendar day response time, BellSouth shall notify Excel and inform Excel of the time frame under which it can respond. In Mississippi, the above intervals shall be in business days.

3. <u>Collocation Options</u>

- 3.1 <u>Compliance</u>. The parties agree to comply with all applicable federal, state, county, local and administrative laws, orders, rules, ordinances, regulations, and codes in the performance of their obligations hereunder.
- 3.2 <u>Cageless</u>. BellSouth shall allow Excel to collocate Excel's equipment and facilities without requiring the construction of a cage or similar structure. BellSouth shall allow Excel to have direct access to its equipment and facilities. BellSouth shall make cageless collocation available in single rack/bay increments. For equipment requiring special technical considerations, Excel must provide the equipment layout, including spatial dimensions for such equipment pursuant to generic requirements contained in BellCore (Telcordia) GR-63-Core and shall be responsible for constructing all special technical requirements associated with such equipment pursuant to **Section 6**, following. Subject to space availability and technical feasibility, at Excel's option, Excel may enclose its equipment.
- 3.3 <u>Shared (Subleased) Collocation</u>. Excel may allow other telecommunications carriers to share Excel's Remote Collocation Space pursuant to terms and conditions agreed to by Excel ("Host") and other telecommunications carriers ("Guests") and pursuant to this section, except where the BellSouth Remote Site Location is located within a leased space and BellSouth is prohibited by said lease from offering such an option or is located on property for which BellSouth holds an easement and such easement does not permit such an option. Excel shall notify BellSouth in writing upon execution of any agreement between the Host and its Guest within ten (10) calendar days (in Mississippi, 10 business days) of its execution and prior to any Firm Order. Further, such notice shall include the name of the Guest(s) and the term of the agreement, and

shall contain a certification by Excel that said agreement imposes upon the Guest(s) the same terms and conditions for Remote Collocation Space as set forth in this Attachment between BellSouth and Excel.

- 3.3.1 Excel shall be the sole interface and responsible Party to BellSouth for assessment of rates and charges contained within this Attachment; and for the purposes of ensuring that the safety and security requirements of this Attachment are fully complied with by the Guest, its employees and agents. BellSouth shall provide Excel with a proration of the costs of the collocation space based on the number of collocators and the space used by each. In all states other than Florida, and in addition to the foregoing, Excel shall be the responsible party to BellSouth for the purpose of submitting Applications for initial and additional equipment placement of Guest. In the event the Host and Guest jointly submit an Application, only one Application Fee will be assessed. A separate Guest Application shall require the assessment of an Application Fee, as set forth in Exhibit D. Notwithstanding the foregoing, Guest may arrange directly with BellSouth for the provision of the interconnecting facilities between BellSouth and Guest and for the provision of the services and access to unbundled network elements.
- 3.3.2 Excel shall indemnify and hold harmless BellSouth from any and all claims, actions, causes of action, of whatever kind or nature arising out of the presence of Excel's Guests in the Remote Collocation Space except to the extent caused by BellSouth's sole negligence, gross negligence, or willful misconduct.
- Adjacent Collocation. Subject to technical feasibility and space availability, BellSouth will provide approval for adjacent Remote Site collocation arrangements ("Remote Site Adjacent Arrangement") where space within the Remote Site Location is legitimately exhausted, where the Remote Site Adjacent Arrangement does not interfere with access to existing or planned structures or facilities on the Remote Site Location property. The Remote Site Adjacent Arrangement shall be constructed or procured by Excel and in conformance with BellSouth's design and construction specifications. Further, Excel shall construct, procure, maintain and operate said Remote Site Adjacent Arrangement(s) pursuant to all of the terms and conditions set forth in this Attachment. Rates shall be negotiated at the time of the request for the Remote Site Adjacent Arrangement.
- 3.4.1 Should Excel elect such an option, Excel must arrange with a BellSouth Certified Contractor to construct a Remote Site Adjacent Arrangement structure in accordance with BellSouth's guidelines and specifications. BellSouth will provide guidelines and specifications upon request. Where local building codes require enclosure specifications more stringent than BellSouth's standard specification, Excel and Excel's BellSouth Certified Contractor must comply with local building code requirements. Excel's BellSouth Certified Contractor shall be responsible for filing and receiving any and all necessary zoning, permits and/or licenses for such construction. Excel's BellSouth Certified Contractor shall bill Excel directly for all work performed for Excel pursuant to this Attachment and BellSouth shall have no

Page 6

liability for nor responsibility to pay such charges imposed by the BellSouth Certified Contractor. Excel must provide the local BellSouth Remote Site Location contact with two cards, keys or other access device used to enter the locked enclosure. Except in cases of emergency, BellSouth shall not access Excel's locked enclosure prior to notifying Excel.

- 3.4.2 BellSouth maintains the right to review Excel's plans and specifications prior to construction of a Remote Site Adjacent Arrangement(s). BellSouth shall complete its review within fifteen (15) calendar days. BellSouth may inspect the Remote Site Adjacent Arrangement(s) following construction and prior to the Commencement Date, as defined in Section 4 following, to ensure the design and construction comply with BellSouth's guidelines and specifications. BellSouth may require Excel, at Excel's sole cost, to correct any deviations from BellSouth's guidelines and specifications found during such inspection(s), up to and including removal of the Remote Site Adjacent Arrangement, within seven (7) calendar days of BellSouth's inspection, unless the Parties mutually agree to an alternative time frame.
- 3.4.3 Excel shall provide a concrete pad, the structure housing the arrangement, heating/ventilation/air conditioning ("HVAC"), lighting, and all facilities that connect the structure (i.e. racking, conduits, etc.) to the BellSouth point of demarcation. At Excel's option, and where the local authority having jurisdiction permits, BellSouth shall provide an AC power source and access to physical collocation services and facilities subject to the same nondiscriminatory requirements as applicable to any other physical collocation arrangement. Excel's BellSouth Certified Contractor shall be responsible, at Excel's expense, for filing and receiving any and all necessary zoning, permits and/or licenses for such arrangement.
- 3.4.4 BellSouth shall allow Shared (Subleased) Collocation within a Remote Site Adjacent Arrangement pursuant to the terms and conditions set forth herein.

4 <u>Occupancy</u>

- 4.1 <u>Occupancy</u>. BellSouth will notify Excel in writing that the Remote Collocation Space is ready for occupancy. Excel must notify BellSouth in writing that collocation equipment installation is complete. BellSouth may, at its option, not accept orders for interconnected service until receipt of such notice.
- 4.2 <u>Termination of Occupancy</u>. In addition to any other provisions addressing termination of occupancy in this Agreement, Excel may terminate occupancy in a particular Remote Site Location by submitting a Subsequent Application requesting termination of occupancy. A Subsequent Application Fee will not apply for termination of occupancy.

Page 7

4.2.1 Upon termination of occupancy, Excel at its expense shall remove its equipment and other property from the Remote Collocation Space. Excel shall have thirty (30) calendar days from the termination date to complete such removal, including the removal of all equipment and facilities of Excel's Guests, unless Excel's Guest has assumed responsibility for the collocation space housing the Guest's equipment and executed the documentation required by BellSouth prior to such removal date; provided, however, that Excel shall continue payment of monthly fees to BellSouth until such date as Excel, and if applicable Excel's Guest, has fully vacated the Remote Collocation Space. Should Excel or Excel's Guest fail to vacate the Remote Collocation Space within thirty (30) calendar days from the termination date, BellSouth shall have the right to remove the equipment and other property of Excel or Excel's Guest at Excel's expense and with no liability for damage or injury to Excel or Excel's Guest's property unless caused by the gross negligence or intentional misconduct of BellSouth. Upon termination of occupancy with respect to a Remote Collocation Space, Excel shall surrender such Remote Collocation Space to BellSouth in the same condition as when first occupied by the Excel except for ordinary wear and tear unless otherwise agreed to by the Parties. Excel shall be responsible for the cost of removing any enclosure, together with all support structures (e.g., racking, conduits), of a Remote Site Adjacent Arrangement at the termination of occupancy and restoring the grounds to their original condition.

5 <u>Use of Remote Collocation Space</u>

- 5.1 <u>Equipment Type</u>. BellSouth permits the collocation of any type of equipment necessary for interconnection to BellSouth's network or for access to unbundled network elements in the provision of telecommunications services.
- 5.1.1 Such equipment must at a minimum meet the following BellCore (Telcordia) Network Equipment Building Systems (NEBS) General Equipment Requirements: Criteria Level 3 requirements as outlined in the BellCore (Telcordia) Special Report SR-3580, Issue 1; equipment design spatial requirements per GR-63-CORE, Section 2; thermal heat dissipation per GR-063-CORE, Section 4, Criteria 77-79; acoustic noise per GR-063-CORE, Section 4, Criterion 128, and National Electric Code standards. Except where otherwise required by a Commission, BellSouth shall comply with the applicable FCC rules relating to denial of collocation based on Excel's failure to comply with these requirements.
- 5.1.2 Excel shall not use the Remote Collocation Space for marketing purposes nor shall it place any identifying signs or markings in the area surrounding the Remote Collocation Space or on the grounds of the Remote Site Location.
- 5.1.3 Excel shall place a plaque or other identification affixed to Excel's equipment to identify Excel's equipment, including a list of emergency contacts with telephone numbers.

- 5.1.4 All Excel equipment installation shall comply with BellSouth TR 73503-11, Section 8, "Grounding Engineering Procedures". Metallic cable sheaths and metallic strength members of optical fiber cables as well as the metallic cable sheaths of all copper conductor cables shall be bonded to the designated grounding bus for the Remote Site Location. All copper conductor pairs, working and non-working, shall be equipped with a solid state protector unit (over-voltage protection only) which has been listed by a nationally recognized testing laboratory.
- Entrance Facilities. Excel may elect to place Excel-owned or Excel-leased entrance facilities into the Remote Collocation Space from Excel's point of presence.

 BellSouth will designate the point of interconnection at the Remote Site Location housing the Remote Collocation Space, which is physically accessible by both Parties. Excel will provide and place copper cable through conduit from the Remote Collocation Space to the Feeder Distribution Interface to the splice location of sufficient length for splicing by BellSouth. Excel must contact BellSouth for instructions prior to placing the entrance facility cable. Excel is responsible for maintenance of the entrance facilities.
- 5.2.1 <u>Shared Use</u>. Excel may utilize spare capacity on an existing interconnector entrance facility for the purpose of providing an entrance facility to Excel's collocation arrangement within the same BellSouth Remote Site Location.
- Demarcation Point. BellSouth will designate the point(s) of demarcation between Excel's equipment and/or network and BellSouth's network. Each Party will be responsible for maintenance and operation of all equipment/facilities on its side of the demarcation point. Excel or its agent must perform all required maintenance to Excel equipment/facilities on its side of the demarcation point, pursuant to Section 5.4, following.
- 5.4 <u>Excel's Equipment and Facilities</u>. Excel, or if required by this Attachment, Excel's Certified Supplier, is solely responsible for the design, engineering, installation, testing, provisioning, performance, monitoring, maintenance and repair of the equipment and facilities used by Excel.
- 5.5 <u>BellSouth's Access to Remote Collocation Space</u>. BellSouth retains the right to access the Remote Collocation Space for the purpose of making BellSouth equipment and Remote Site Location modifications.
- Access. Pursuant to Section 12, Excel shall have access to the Remote Collocation Space twenty-four (24) hours a day, seven (7) days a week. Excel agrees to provide the name and social security number or date of birth or driver's license number of each employee, contractor, or agents of Excel or Excel's Guests provided with access keys or devices ("Access Keys") prior to the issuance of said Access Keys. Key acknowledgement forms must be signed by Excel and returned to BellSouth Access

Management within fifteen (15) calendar days of Excel's receipt. Failure to return properly acknowledged forms will result in the holding of subsequent requests until acknowledgements are current. Access Keys shall not be duplicated under any circumstances. Excel agrees to be responsible for all Access Keys and for the return of all said Access Keys in the possession of Excel employees, contractors, Guests, or agents after termination of the employment relationship, contractual obligation with Excel or upon the termination of this Attachment or the termination of occupancy of an individual Remote Site collocation arrangement.

- Excel must submit to BellSouth the completed Access Control Request Form for all employees or agents requiring access to the BellSouth Premises a minimum of thirty (30) calendar days prior to the date Excel desires access to the Collocation Space. In order to permit reasonable access during construction of the Collocation Space, Excel may submit such a request at any time subsequent to BellSouth's receipt of the Bona Fide Firm Order. In the event Excel desires access to the Collocation Space after submitting such a request but prior to access being approved, BellSouth shall permit Excel to access the Collocation Space accompanied by a security escort at Excel's expense. Excel must request escorted access at least three (3) business days prior to the date such access is desired.
- 5.7 <u>Lost or Stolen Access Keys</u>. Excel shall notify BellSouth in writing immediately in the case of lost or stolen Access Keys. Should it become necessary for BellSouth to rekey Remote Site Locations as a result of a lost Access Key(s) or for failure to return an Access Key(s), Excel shall pay for all reasonable costs associated with the rekeying.
- 5.8 Interference or Impairment. Notwithstanding any other provisions of this Attachment, equipment and facilities placed in the Remote Collocation Space shall not significantly degrade, interfere with or impair service provided by BellSouth or by any other interconnector located in the Remote Site Location; shall not endanger or damage the facilities of BellSouth or of any other interconnector, the Remote Collocation Space, or the Remote Site Location; shall not compromise the privacy of any communications carried in, from, or through the Remote Site Location; and shall not create an unreasonable risk of injury or death to any individual or to the public. If BellSouth reasonably determines that any equipment or facilities of Excel violates the provisions of this paragraph, BellSouth shall give written notice to Excel, which notice shall direct Excel to cure the violation within forty-eight (48) hours of Excel's actual receipt of written notice or, at a minimum, to commence curative measures within 24 hours and to exercise reasonable diligence to complete such measures as soon as possible thereafter. After receipt of the notice, the Parties agree to consult immediately and, if necessary, to inspect the arrangement.
- 5.8.1 Except in the case of the deployment of an advanced service which significantly degrades the performance of other advanced services or traditional voice band services, if Excel fails to take curative action within 48 hours or if the violation is of a

character which poses an immediate and substantial threat of damage to property, injury or death to any person, or other interference/impairment of the services provided by BellSouth or any other interconnector, then and only in that event BellSouth may take such action as it deems appropriate to correct the violation, including without limitation the interruption of electrical power to Excel's equipment. BellSouth will endeavor, but is not required, to provide notice to Excel prior to taking such action and shall have no liability to Excel for any damages arising from such action, except to the extent that such action by BellSouth constitutes willful misconduct.

- 5.8.2 For purposes of this section, the term significantly degrade shall mean an action that noticeably impairs a service from a user's perspective. In the case of the deployment of an advanced service which significantly degrades the performance of other advanced services or traditional voice band services and Excel fails to take curative action within 48 hours then BellSouth will establish before the relevant Commission that the technology deployment is causing the significant degradation. Any claims of network harm presented to Excel or, if subsequently necessary, the relevant Commission must be supported with specific and verifiable information. Where BellSouth demonstrates that a deployed technology is significantly degrading the performance of other advanced services or traditional voice band services, Excel shall discontinue deployment of that technology and migrate its customers to technologies that will not significantly degrade the performance of other such services. Where the only degraded service itself is a known disturber, and the newly deployed technology satisfies at least one of the criteria for a presumption that is acceptable for deployment under 47 C.F.R. 51.230, the degraded service shall not prevail against the newlydeployed technology.
- 5.9 <u>Presence of Facilities</u>. Facilities and equipment placed by Excel in the Remote Collocation Space shall not become a part of the Remote Site Location, even if nailed, screwed or otherwise fastened to the Remote Collocation Space but shall retain its status as personality and may be removed by Excel at any time. Any damage caused to the Remote Collocation Space by Excel's employees, agents or representatives shall be promptly repaired by Excel at its expense.
- Alterations. In no case shall Excel or any person acting on behalf of Excel make any rearrangement, modification, improvement, addition, or other alteration which could affect in any way space, power, HVAC, and/or safety considerations to the Remote Collocation Space or the BellSouth Remote Site Location without the written consent of BellSouth, which consent shall not be unreasonably withheld. The cost of any specialized alterations shall be paid by Excel. Any material rearrangement, modification, improvement, addition, or other alteration shall require an Application Fee.
- 5.11 <u>Upkeep of Remote Collocation Space</u>. Excel shall be responsible for the general upkeep and cleaning of the Remote Collocation Space. Excel shall be responsible for

removing any Excel debris from the Remote Collocation Space and from in and around the Remote Collocation Site on each visit.

Space Notification

- 6.1 Should any state or federal regulatory agency impose procedures or intervals applicable to Excel and BellSouth that are different from procedures or intervals set forth in this section, whether now in effect or that become effective after execution of this Agreement, those procedures or intervals shall supersede the requirements set forth herein for that jurisdiction for all applications submitted for the first time after the effective date thereof
- 6.2 <u>Application for Space</u>. Excel shall submit a Remote Site Collocation Application when Excel or Excel's Guest(s), as defined in **Section 3**, desires to request or modify the use of the Remote Collocation Space.
- 6.3 <u>Initial Application</u>. For Excel or Excel's Guest(s) equipment placement, Excel shall submit to BellSouth an Application. The Application is Bona Fide when it is complete and accurate, meaning that all required fields on the Application are completed with the appropriate type of information. Prior to submitting the application, CLLI information can be obtained in the manner set forth in Section 2. An Application Fee will apply.
- Subsequent Application In the event Excel or Excel's Guest(s) desires to modify the use of the Collocation Space after Bona Fide Firm Order, Excel shall complete an Application detailing all information regarding the modification to the Collocation Space ("Subsequent Application"). BellSouth shall determine what modifications, if any, to the Premises are required to accommodate the change requested by Excel in the Application. Such necessary modifications to the Premises may include, but are not limited to, floor loading changes, changes necessary to meet HVAC requirements, changes to power plant requirements, equipment additions, etc.
- 6.4.1 <u>Subsequent Application Fee.</u> The application fee paid by Excel for its request to modify the use of the Collocation Space shall be dependent upon the level of assessment needed for the modification requested. Where the Subsequent Application does not require assessment for provisioning or construction work by BellSouth, no Subsequent Application fee will be required. The fee for a Subsequent Application where the modification requested has limited effect (e.g., requires limited assessment and no capital expenditure by BellSouth) shall be the Subsequent Application Fee as set forth in Exhibit D. If the modification requires capital expenditure assessment, a full Application Fee shall apply. The Subsequent Application is Bona Fide when it is complete and accurate, meaning that all required fields on the Application are completed with the appropriate type of information.

- 6.5 Availability of Space. Upon submission of an Application, BellSouth will permit Excel to physically collocate, pursuant to the terms of this Attachment, at any BellSouth Remote Site Location, unless BellSouth has determined that there is no space available due to space limitations or that Remote Site Collocation is not practical for technical reasons. In the event space is not immediately available at a Remote Site Location, BellSouth reserves the right to make additional space available, in which case the conditions in Section 7 shall apply, or BellSouth may elect to deny space in accordance with this section in which case virtual or adjacent collocation options may be available. If the amount of space requested is not available, BellSouth will notify Excel of the amount that is available.
- Availability Notification. Unless otherwise specified, BellSouth will respond to an application within ten (10) calendar days (In Mississippi, ten (10) business days) as to whether space is available or not available within a BellSouth Remote Site Location. With the exception of Georgia, this interval excludes National Holidays. If the amount of space requested is not available, BellSouth will notify Excel of the amount of space that is available and no Application Fee shall apply. When BellSouth's response includes an amount of space less than that requested by Excel, Excel must resubmit its Application to reflect the actual space available.
- BellSouth will respond to a Florida Application within fifteen (15) calendar days as to whether space is available or not available within a BellSouth Remote Site Location. BellSouth will also respond as to whether the Application is Bona Fide and if it is not Bona Fide the items necessary to cause the Application to become Bona Fide. If a lesser amount of space than requested is available, BellSouth will provide an Application Response for the amount of space that is available and an Application Fee will be assessed. When BellSouth's Application Response includes an amount of space less than that requested by Excel, Excel must amend its Application to reflect the actual space available prior to submitting Bona Fide Firm Order.
- BellSouth will respond to a Louisiana Application within ten (10) calendar days for space availability for one (1) to ten (10) Applications; fifteen (15) calendar days for eleven (11) to twenty (20) Applications; and for more than twenty (20) Applications, it is increased by five (5) calendar days for every five additional Applications received within five (5) business days. If the amount of space requested is not available, BellSouth will notify Excel of the amount of space that is available and no Application Fee will apply. When BellSouth's response includes an amount of space less than that requested by Excel, Excel must resubmit its Application to reflect the actual space available. BellSouth will also respond as to whether the Application is Bona Fide and if it is not Bona Fide the items necessary to cause the Application to become Bona Fide.
- 6.6 <u>Denial of Application</u>. If BellSouth notifies Excel that no space is available ("Denial of Application"), BellSouth will not assess an Application Fee. After notifying Excel that

BellSouth has no available space in the requested Remote Site Location, BellSouth will allow Excel, upon request, to tour the Remote Site Location within ten (10) calendar days of such Denial of Application. With the exception of Georgia, this interval excludes national holidays. In order to schedule said tour within ten (10) calendar days, the request for a tour of the Remote Site Location must be received by BellSouth within five (5) calendar days of the Denial of Application. In Mississippi the above intervals shall be in business days.

- 6.7 <u>Filing of Petition for Waiver</u>. Upon Denial of Application BellSouth will timely file a petition with the Commission pursuant to 47 U.S.C. § 251(c)(6). BellSouth shall provide to the Commission any information requested by that Commission. Such information shall include which space, if any, BellSouth or any of BellSouth's affiliates have reserved for future use and a detailed description of the specific future uses for which the space has been reserved. Subject to an appropriate nondisclosure agreement or provision, BellSouth shall permit Excel to inspect any plans or diagrams that BellSouth provides to the Commission.
- Maiting List. On a first-come, first-served basis governed by the date of receipt of an Application or Letter of Intent, BellSouth will maintain a waiting list of requesting carriers who have either received a Denial of Application or, where it is publicly known that the Premises is out of space, have submitted a Letter of Intent to collocate. BellSouth will notify the telecommunications carriers on the waiting list that can be accommodated by the amount of space that becomes available according to the position of the telecommunications carriers on said waiting list
- 6.8.1 In Florida, on a first-come, first-served basis governed by the date of receipt of an Application or Letter of Intent, BellSouth will maintain a waiting list of requesting carriers who have either received a Denial of Application or, where it is publicly known that the Remote Site Location is out of space, have submitted a Letter of Intent to collocate. Sixty (60) days prior to space becoming available, if known, BellSouth will notify the Florida PSC and the telecommunications carriers on the waiting list by mail when space becomes available according to the position of telecommunications carrier on said waiting list. If not known sixty (60) days in advance, BellSouth shall notify the Florida PSC and the telecommunications carriers on the waiting list within two days of the determination that space is available. A CLEC that, upon denial of physical collocation, requests virtual collocation shall be automatically placed on the waiting list.
- 6.8.2 When space becomes available, Excel must submit an updated, complete, and correct Application to BellSouth within 30 calendar days (in Mississippi, 30 business days) of such notification. Excel may accept an amount of space less than its original request by submitting an Application as set forth above, and upon request, may maintain its position on the waiting list for the remaining space that was initially requested. If Excel does not submit such an Application or notify BellSouth in writing as described above, BellSouth will offer such space to the next CLEC on the waiting list and

Page 14

remove Excel from the waiting list. Upon request, BellSouth will advise Excel as to its position on the list.

- 6.9 <u>Public Notification</u>. BellSouth will maintain on its Interconnection Services website a notification document that will indicate all Remote Site Locations that are without available space. BellSouth shall update such document within ten (10) calendar days (in Mississippi, 10 business days) of the Denial of Application date. This interval excludes national holidays. BellSouth will also post a document on its Interconnection Services website that contains a general notice where space has become available in a Remote Site Location previously on the space exhaust list.
- 6.10 <u>Application Response.</u>
- Application Response. In Alabama, Kentucky, North Carolina, and Tennessee, when space has been determined to be available, BellSouth will provide a written response ("Application Response") within twenty-three (23) business days of the receipt of a Bona Fide Application, which will include, at a minimum, the configuration of the space, the Cable Installation Fee, Cable Records Fee, and the space preparation fees, as described in Section 8.
- Except as otherwise provided, for all States that have ordered provisioning intervals but not application response intervals, BellSouth will provide a written response ("Application Response") within thirty (30) calendar days of receipt of a Bona Fide Application. The Application Response will include, at a minimum, the estimated provisioning interval, any additional engineering charges, if applicable, and any other additional information that may extend the ordinary interval to extraordinary interval status, together with sufficient information to explain such extension.
- 6.10.2.1 When multiple applications are submitted in a state within a fifteen (15) calendar day window, BellSouth will respond to the Bona Fide Applications as soon as possible, but no later than the following: within thirty (30) calendar days for Bona Fide Applications 1-5; within thirty-six (36) calendar days for Bona Fide Applications 6-10; within forty-two (42) calendar days for Bona Fide Applications 11-15. Response intervals for multiple Bona Fide Applications submitted within the same timeframe for the same state in excess of 15 must be negotiated. All negotiations shall consider the total volume from all requests from telecommunications companies for collocation.
- In Florida, when space has been determined to be available or when a lesser amount of space than that requested is available, then with respect to the space available, BellSouth will provide a written response ("Application Response") including sufficient information to enable Excel to place a Firm Order. When Excel submits ten (10) or more Applications within ten (10) calendar days, the initial fifteen (15) day response period will increase by ten (10) days for every additional ten (10) Applications or fraction thereof.

- 6.10.4 In Georgia, when space has been determined to be available, BellSouth will provide a written response ("Application Response") within thirty (30) calendar days of receipt of a Bona Fide Application. The Application Response will include, at a minimum, the estimated provisioning interval, any additional engineering charges, if applicable, and any other additional information that may extend the ordinary interval to extraordinary interval status, together with sufficient information to explain such extension.
- 6.10.5 In Louisiana, BellSouth will respond with a full Application Response within thirty (30) calendar days for one (1) to ten (10) Applications; thirty (35) calendar days for eleven (11) to twenty (20) Applications; and for requests of more than twenty (20) Applications, it is increased by five (5) calendar days for every five Applications received within five (5) business days. The Application Response will include, at a minimum, the estimated provisioning interval, any additional engineering charges, if applicable, and any other additional information that may extend the ordinary interval to extraordinary interval status, together with sufficient information to explain such extension.

6.11 <u>Application Modifications.</u>

6.11.1 If a modification or revision is made to any information in the Bona Fide Application prior to Bona Fide Firm Order, with the exception of modifications to Customer Information, Contact Information or Billing Contact Information, either at the request of Excel or necessitated by technical considerations, said Application shall be considered a new Application and shall be handled as a new Application with respect to response and provisioning intervals and BellSouth may charge Excel an application fee. Where the Application Modification does not require assessment for provisioning or construction work by BellSouth, no application fee will be required. The fee for an Application Modification where the modification requested has limited effect (e.g., requires limited assessment and no capital expenditure by BellSouth) shall be the Subsequent Application Fee as set forth in Exhibit D. Major changes such as requesting additional space or adding equipment may require Excel to submit the Application with an Application Fee.

6.12 Bona Fide Firm Order.

6.12.1 Bona Fide Firm Order. In Alabama, Kentucky, North Carolina, and Tennessee, Excel shall indicate its intent to proceed with equipment installation in a BellSouth Premises by submitting a Physical Expanded Interconnection Firm Order document ("Firm Order") to BellSouth. A Firm Order shall be considered Bona Fide when Excel has completed the Application/Inquiry process described in Section 6.2, preceding, and has submitted the Firm Order document indicating acceptance of the Application Response provided by BellSouth. The Bona Fide Firm Order must be received by BellSouth no later than five (5) business days after BellSouth's Application Response to Excel's Bona Fide Application.

Page 16

- 6.12.2 Except as otherwise provided, in all States that have ordered provisioning intervals but not addressed Firm Order intervals, the following shall apply. Excel shall indicate its intent to proceed with equipment installation in a BellSouth Remote Site Location by submitting a Physical Expanded Interconnection Firm Order document ("Firm Order") to BellSouth. A Firm Order shall be considered Bona Fide when Excel has completed the Application/Inquiry process described in this **Section 6**, preceding and has submitted the Firm Order document indicating acceptance of the Application Response provided by BellSouth. The Bona Fide Firm Order must be received by BellSouth no later than thirty (30) calendar days (in Mississippi 30 business days) after BellSouth's Application Response to Excel's Bona Fide Application or the Application will expire.
- In Mississippi, Excel shall indicate its intent to proceed with equipment installation in a BellSouth Remote Terminal Location by submitting a Physical Expanded Interconnection Firm Order document ("Firm Order") to BellSouth. A Firm Order shall be considered Bona Fide when Excel has completed the Application/Inquiry process described in Section 6, preceding and has submitted the Firm Order document indicating acceptance of the Application Response provided by BellSouth. The Bona Fide Firm Order must be received by BellSouth no later than thirty (30) business days after BellSouth's Application Response to Excel's Bona Fide Application or the Application will expire.
- BellSouth will establish a firm order date based upon the date BellSouth is in receipt of a Bona Fide Firm Order. BellSouth will acknowledge the receipt of Excel's Bona Fide Firm Order within seven (7) calendar days of receipt indicating that the Bona Fide Firm Order has been received. A BellSouth response to a Bona Fide Firm Order will include a Firm Order Confirmation containing the firm order date. No revisions will be made to a Bona Fide Firm Order.
- 6.13 BellSouth will permit one accompanied site visit to Excel's designated Remote Collocation Space after receipt of the Bona Fide Firm Order without charge to Excel.

7. <u>Construction and Provisioning</u>

- 7.1 Construction and Provisioning Intervals.
- 7.1.1 In Alabama (Caged Only), Kentucky, North Carolina and Tennessee, BellSouth will complete construction for collocation arrangements within seventy-six (76) business days from receipt of an Application or as agreed to by the Parties. Under extraordinary conditions, BellSouth will complete construction for collocation arrangements within ninety-one (91) business days. Examples of extraordinary conditions include, but are not limited to, extended license or permitting intervals; major BellSouth equipment rearrangement or addition; power plant addition or upgrade; major mechanical addition or upgrade; major upgrade for ADA compliance; environmental hazard or hazardous materials abatement; and arrangements for which

equipment shipping intervals are extraordinary in length. In the event Excel submits a forecast as described in the following section three (3) months or more prior to the application date, the above intervals shall apply. In the event Excel submits such a forecast between two (2) months and three (3) months prior to the application date, the above intervals may be extended by one (1) additional month. In the event Excel submits such a forecast less than two (2) months prior to the application date, the above intervals may be extended by sixty (60) calendar days. BellSouth will attempt to meet standard intervals for unforecasted requests and any interval adjustments will be discussed with Excel at the time the application is received. Raw space, which is space lacking the necessary infrastructure to provide collocation space including but not limited to HVAC, Power, etc.), conversion time frames fall outside the normal intervals and are negotiated on an individual case basis. Additionally, installations to existing collocation arrangements for line sharing or line splitting, which include adding cable, adding cable and splitter, and adding a splitter, will be forty five (45) business days from receipt of an Application.

- 7.1.1.1 To be considered a timely and accurate forecast, Excel must submit to BellSouth the CLEC Forecast Form, as set forth in exhibit C attached hereto, containing the following information: Central Office/Serving Wire Center CLLI, Remote Site CLLI, number of bays, number of DS0, DS1, DS3 terminations, equipment power requirements (power drain) and planned application date.
- 7.1.2 In Alabama, BellSouth will complete construction for cageless collocation arrangements under ordinary conditions as soon as possible and within a maximum of sixty (60) calendar days from receipt of a Bona Fide Firm Order and ninety (90) calendar days for extraordinary conditions or as agreed to by the Parties. Ordinary conditions are defined as space available with only minor changes to support systems required, such as but not limited to, HVAC, cabling and the power plant(s). Extraordinary conditions are defined to include but are not limited to major BellSouth equipment rearrangement or addition; power plant addition or upgrade; major mechanical addition or upgrade; major upgrade for ADA compliance; environmental hazard or hazardous materials abatement; and arrangements for which equipment shipping intervals are extraordinary in length. The Parties may mutually agree to renegotiate an alternative provisioning interval or BellSouth may seek a waiver from this interval from the Commission.
- 7.1.3 In Florida, BellSouth will complete construction for collocation arrangements as soon as possible and within a maximum of ninety (90) calendar days from receipt of a Bona Fide Firm Order or as agreed to by the Parties. For changes to collocation space after initial space completion ("Augmentation"), BellSouth will complete construction for collocation arrangements as soon as possible and within a maximum of forty-five (45) calendar days from receipt of a Bona Fide Firm Order or as agreed to by the Parties. If BellSouth does not believe that construction will be completed within the relevant time frame and BellSouth and Excel cannot agree upon a completion date, within 45 calendar days of receipt of the Bona Fide Firm Order for an initial request, and within

30 calendar days for Augmentations, BellSouth may seek an extension from the Florida PSC.

- 7.1.4 In Georgia, BellSouth will complete construction for caged collocation arrangements under ordinary conditions as soon as possible and within a maximum of ninety (90) calendar days from receipt of a Bona Fide Firm Order or as agreed to by the Parties. BellSouth will complete construction for cageless collocation arrangements under ordinary conditions as soon as possible and within a maximum of 60 calendar days from receipt of a Bona Fide Firm Order and 90 calendar days for extraordinary conditions or as agreed to by the Parties. Ordinary conditions are defined as space available with only minor changes to support systems required, such as but not limited to, HVAC, cabling and the power plant(s). Extraordinary conditions are defined to include but are not limited to major BellSouth equipment rearrangement or addition; power plant addition or upgrade; major mechanical addition or upgrade; major upgrade for ADA compliance; environmental hazard or hazardous materials abatement; and arrangements for which equipment shipping intervals are extraordinary in length. The Parties may mutually agree to renegotiate an alternative provisioning interval or BellSouth may seek a waiver from this interval from the Commission.
- 7.1.5 In Louisiana, BellSouth will complete construction for collocation arrangements under ordinary conditions as soon as possible and within a maximum of 120 calendar days from receipt of a Bona Fide Firm Order for an initial request, and within 60 calendar days for an Augmentation, or as agreed to by the Parties. Ordinary conditions are defined as space available with only minor changes to support systems required, such as but not limited to, HVAC, cabling and the power plant(s). BellSouth will complete construction of all other Collocation Space ("extraordinary conditions") within 120 calendar days of the receipt of a Bona Fide Firm Order. Examples of extraordinary conditions include but are not limited to, extended license or permitting intervals; major BellSouth equipment rearrangement or addition; power plant addition or upgrade; major mechanical addition or upgrade; major upgrade for ADA compliance; environmental hazard or hazardous materials abatement; and arrangements for which equipment shipping intervals are extraordinary in length. The Parties may mutually agree to renegotiate an alternative provisioning interval or BellSouth may seek a waiver from this interval from the Commission.
- 7.1.6 In Mississippi, excluding the time interval required to secure the appropriate government licenses and permits, BellSouth will complete construction for collocation arrangements under ordinary conditions as soon as possible and within a maximum of 120 calendar days from receipt of a Bona Fide Firm Order or as agreed to by the Parties. Ordinary conditions are defined as space available with only minor changes to support systems required, such as but not limited to, HVAC, cabling and the power plant(s). Excluding the time interval required to secure the appropriate government licenses and permits, BellSouth will complete construction of all other Collocation Space ("extraordinary conditions") within 180 calendar days of the receipt of a Bona Fide Firm Order. Examples of extraordinary conditions include but are not limited to,

extended license or permitting intervals; major BellSouth equipment rearrangement or addition; power plant addition or upgrade; major mechanical addition or upgrade; major upgrade for ADA compliance; environmental hazard or hazardous materials abatement; and arrangements for which equipment shipping intervals are extraordinary in length. The Parties may mutually agree to renegotiate an alternative provisioning interval or BellSouth may seek a waiver from this interval from the Commission.

- 7.1.7 In South Carolina, BellSouth will complete the construction and provisioning activities for collocation arrangements as soon as possible, but no later than 90 calendar days from receipt of a bona fide firm order. The Parties may mutually agree to renegotiate an alternative provisioning interval or BellSouth may seek a waiver from this interval from the Commission.
- 7.2 In the event BellSouth does not have space immediately available at a Remote Site Location, BellSouth may elect to make additional space available by, for example but not limited to, rearranging BellSouth facilities or constructing additional capacity. In such cases, the above intervals shall not apply and BellSouth will provision the Remote Collocation Space in a nondiscriminatory manner and at parity with BellSouth and will provide Excel with the estimated completion date in its Response.
- 7.3 <u>Permits</u>. Each Party or its agents will diligently pursue filing for the permits required for the scope of work to be performed by that Party or its agents within ten (10) calendar days of the completion of finalized construction designs and specifications.
- Acceptance Walk Through. Excel will schedule and complete an acceptance walk through of each Collocation Space with BellSouth within fifteen (15) days of BellSouth's notifying Excel that the collocation space is ready for occupancy. BellSouth will correct any deviations to Excel's original or jointly amended requirements within seven (7) calendar days after the walk through, unless the Parties jointly agree upon a different time frame.
- 7.5 <u>Use of BellSouth Certified Supplier</u>. Excel shall select a supplier that has been approved by BellSouth to perform all engineering and installation work required in the Remote Collocation Space per TR 73503 specifications ("Certified Supplier"). BellSouth shall provide Excel with a list of Certified Suppliers upon request. The Certified Supplier(s) shall be responsible for installing Excel's equipment and components, extending power cabling to the BellSouth power distribution frame, performing operational tests after installation is complete, and notifying BellSouth's Outside Plant engineers and Excel upon successful completion of installation. The Certified Supplier shall bill Excel directly for all work performed for Excel pursuant to this Attachment and BellSouth shall have no liability for nor responsibility to pay such charges imposed by the Certified Supplier. BellSouth shall consider certifying Excel or any supplier proposed by Excel. All work performed by or for Excel shall conform to generally accepted industry guidelines and standards.

- Alarm and Monitoring. BellSouth may place alarms in the Remote Site Location for the protection of BellSouth equipment and facilities. Excel shall be responsible for placement, monitoring and removal of alarms used to service Excel's Remote Collocation Space and for ordering the necessary services therefor. Both Parties shall use best efforts to notify the other of any verified hazardous conditions known to that Party.
- 7.7 Virtual Remote Site Collocation Relocation. BellSouth offers Virtual Collocation pursuant to the terms and conditions set forth in its F.C.C. Tariff No. 1 for Remote Site Collocation locations. The rates shall be the same as provided in this Exhibit D of this agreement. Excel may place within its Virtual Collocation arrangements the telecommunications equipment set forth in Section 5. In the event physical Remote Collocation Space was previously denied at a Remote Site Location due to technical reasons or space limitations, and that physical Remote Collocation Space has subsequently become available, Excel may relocate its virtual Remote Site collocation arrangements to physical Remote Site collocation arrangements and pay the appropriate non-recurring fees for physical Remote Site collocation and for the rearrangement or reconfiguration of services terminated in the virtual Remote Site collocation arrangement, as outlined in the appropriate BellSouth tariffs. In the event that BellSouth knows when additional space for physical Remote Site collocation may become available at the location requested by Excel, such information will be provided to Excel in BellSouth's written denial of physical Remote Site collocation. To the extent that (i) physical Remote Collocation Space becomes available to Excel within 180 calendar days of BellSouth's written denial of Excel's request for physical collocation, and (ii) Excel was not informed in the written denial that physical Remote Collocation Space would become available within such 180 calendar days, then Excel may relocate its virtual Remote Site collocation arrangement to a physical Remote Site collocation arrangement and will receive a credit for any nonrecurring charges previously paid for such virtual Remote Site collocation. Excel must arrange with a BellSouth Certified Supplier for the relocation of equipment from its virtual Remote Collocation Space to its physical Remote Collocation Space and will bear the cost of such relocation.
- 7.8 <u>Cancellation</u>. If, at anytime prior to space acceptance, Excel cancels its order for the Remote Collocation Space(s), Excel will reimburse BellSouth for the applicable non recurring rate for any and all work processes for which work has begun.
- 7.9 <u>Licenses</u>. Excel, at its own expense, will be solely responsible for obtaining from governmental authorities, and any other appropriate agency, entity, or person, all rights, privileges, and licenses necessary or required to operate as a provider of telecommunications services to the public or to occupy the Remote Collocation Space.
- 7.10 <u>Environmental Hazard Guidelines</u>. The Parties agree to utilize and adhere to the Environmental Hazard Guidelines identified as Exhibit A attached hereto.

8. Rates and Charges

- 8.1 <u>Application Fee.</u> BellSouth will assess an Application Fee on a service order which shall be issued at the time BellSouth responds that space is available. Payment of the Application Fee will be due as dictated by Excel's current billing cycle and is non-refundable.
- 8.2 Recurring Charges. Recurring charges begin on the date that Excel executes the written document accepting the Remote Collocation Space pursuant to Section 7, or on the date Excel first occupies the Remote Collocation Space, whichever is sooner. If Excel fails to schedule and complete a walkthrough pursuant to Section 7 within fifteen (15) days after BellSouth releases the space for occupancy, then BellSouth shall begin billing Excel for recurring charges as of the sixteenth (16) day after BellSouth releases the Remote Collocation Space. Other charges shall be billed upon request for the services. All charges shall be due as dictated by Excel's current billing cycle.
- 8.3 Rack/Bay Space. The rack/bay space charge includes reasonable charges for air conditioning, ventilation and other allocated expenses associated with maintenance of the Remote Site Location, and includes amperage necessary to power Excel's equipment. Excel shall pay rack/bay space charges based upon the number of racks/bays requested. BellSouth will assign Remote Collocation Space in conventional remote site rack/bay lineups where feasible
- 8.4 Power. BellSouth shall make available –48 Volt (-48V) DC power for Excel's Remote Collocation Space at a BellSouth Power Board (Fuse and Alarm Panel) or BellSouth Battery Distribution Fuse Bay ("BDFB") at Excel's option within the Remote Site Location. The charge for power shall be assessed as part of the recurring charge for rack/bay space. If the power requirements for Excel's equipment exceeds the capacity for the rack/bay, then such power requirements shall be assessed on a recurring per amp basis for the individual case.
- 8.4.1 Charges for AC power will be assessed per breaker ampere per month. Rates include the provision of commercial and standby AC power, where available. When obtaining power from a BellSouth service panel, protection devices and power cables must be engineered (sized), and installed by Excel's BellSouth Certified Supplier except that BellSouth shall engineer and install protection devices and power cables for Adjacent Collocation. Excel's BellSouth Certified Supplier must also provide a copy of the engineering power specification prior to the Commencement Date. AC power voltage and phase ratings shall be determined on a per location basis. At Excel's option, Excel may arrange for AC power in an Adjacent Collocation arrangement from a retail provider of electrical power.

- 8.5 <u>Security Escort.</u> A security escort will be required whenever Excel or its approved agent desires access to the Remote Site Location after the one accompanied site visit allowed prior to completing BellSouth's Security Training requirements The parties will negotiate appropriate security escort rates which will be assessed on a one half (1/2) hour increment basis.
- 8.6 Rate "True-Up". The Parties agree that the prices reflected as interim herein shall be "trued-up" (up or down) based on final prices either determined by further agreement or by an effective order, in a proceeding involving BellSouth before the regulatory authority for the state in which the services are being performed or any other body having jurisdiction over this Agreement (hereinafter "Commission"). Under the "trueup" process, the interim price for each service shall be multiplied by the volume of that service purchased to arrive at the total interim amount paid for that service ("Total Interim Price"). The final price for that service shall be multiplied by the volume purchased to arrive at the total final amount due ("Total Final Price"). The Total Interim Price shall be compared with the Total Final Price. If the Total Final Price is more than the Total Interim Price, Excel shall pay the difference to BellSouth. If the Total Final Price is less than the Total Interim Price, BellSouth shall pay the difference to Excel. Each Party shall keep its own records upon which a "true-up" can be based and any final payment from one Party to the other shall be in an amount agreed upon by the Parties based on such records. In the event of any disagreement as between the records or the Parties regarding the amount of such "true-up," the Parties agree that the Commission shall be called upon to resolve such differences.
- 8.7 Other. If no rate is identified in the contract, the rate for the specific service or function will be negotiated by the Parties upon request by either Party. Payment of all other charges under this Attachment shall be due as dictated by Excel's current billing cycle. Excel will pay a late payment charge of the lessor of one and one half percent or the legal interest rate assessed monthly on any balance which remains unpaid after the payment due date..

9. Insurance

- 9.1 <u>Maintain Insurance</u>. Excel shall, at its sole cost and expense, procure, maintain, and keep in force insurance as specified in this Section 9 and underwritten by insurance companies licensed to do business in the states applicable under this Attachment and having a Best's Insurance Rating of A-.
- 9.2 Coverage. Excel shall maintain the following specific coverage:
- 9.2.1 Commercial General Liability coverage in the amount of ten million dollars (\$10,000,000.00) or a combination of Commercial General Liability and Excess/Umbrella coverage totaling not less than ten million dollars (\$10,000,000.00). BellSouth shall be named as an Additional Insured on the Commercial General Liability policy as specified herein.

- 9.2.2 Statutory Workers Compensation coverage and Employers Liability coverage in the amount of one hundred thousand dollars (\$100,000.00) each accident, one hundred thousand dollars (\$100,000.00) each employee by disease, and five hundred thousand dollars (\$500,000.00) policy limit by disease.
- 9.2.3 All Risk Property coverage on a full replacement cost basis insuring all of Excel's real and personal property situated on or within BellSouth's Remote Site Location.
- 9.2.4 Excel may elect to purchase business interruption and contingent business interruption insurance, having been advised that BellSouth assumes no liability for loss of profit or revenues should an interruption of service occur.
- 9.3 <u>Limits</u>. The limits set forth in Section 9.2 above may be increased by BellSouth from time to time during the term of this Attachment upon thirty (30) days notice to Excel to at least such minimum limits as shall then be customary with respect to comparable occupancy of BellSouth structures.
- 9.4 All policies purchased by Excel shall be deemed to be primary. All policies purchased by Excel shall be deemed to be primary and not contributing to or in excess of any similar coverage purchased by BellSouth. All insurance must be in effect on or before the date equipment is delivered to BellSouth's Remote Site Location and shall remain in effect for the term of this Attachment or until all Excel''s property has been removed from BellSouth's Remote Site Location, whichever period is longer. If Excel fails to maintain required coverage, BellSouth may pay the premiums thereon and seek reimbursement of same from Excel.
- 9.5 <u>Submit certificates of insurance</u>. Excel shall submit certificates of insurance reflecting the coverage required pursuant to this Section a minimum of ten (10) business days prior to the commencement of any work in the Remote Collocation Space. Failure to meet this interval may result in construction and equipment installation delays. Excel shall arrange for BellSouth to receive thirty (30) business days' advance notice of cancellation from Excel'''s insurance company. Excel shall forward a certificate of insurance and notice of cancellation/non-renewal to BellSouth at the following address:

BellSouth Telecommunications, Inc. Attn.: Risk Management Coordinator 675 W. Peachtree Street Rm. 17H53 Atlanta, Georgia 30375

9.6 <u>Conformance to recommendations made by BellSouth's fire insurance company</u>. Excel must conform to recommendations made by BellSouth's fire insurance company to the extent BellSouth has agreed to, or shall hereafter agree to, such recommendations.

- 9.7 Self-Insurance. If Excel's net worth exceeds five hundred million dollars (\$500,000,000), Excel may elect to request self-insurance status in lieu of obtaining any of the insurance required in Sections 9.2.1 and Section 9.2.3. Excel shall provide audited financial statements to BellSouth thirty (30) days prior to the commencement of any work in the Remote Collocation Space. BellSouth shall then review such audited financial statements and respond in writing to Excel in the event that self-insurance status is not granted to Excel. If BellSouth approves Excel for self-insurance, Excel shall annually furnish to BellSouth, and keep current, evidence of such net worth that is attested to by one of Excel's corporate officers. The ability to self-insure shall continue so long as Excel meets all of the requirements of this Section. If Excel subsequently no longer satisfies this Section, Excel is required to purchase insurance as indicated by Sections 9.2.1 and Section 9.2.3.
- 9.8 Net worth requirements. The net worth requirements set forth in Section 9.7 may be increased by BellSouth from time to time during the term of this Attachment upon thirty (30) days' notice to Excel to at least such minimum limits as shall then be customary with respect to comparable occupancy of BellSouth structures.
- 9.9 <u>Failure to comply</u>. Failure to comply with the provisions of this Section will be deemed a material breach of this Attachment.

10. <u>Mechanics Liens</u>

Mechanics Lien or other Liens. If any mechanics lien or other liens shall be filed against property of either Party (BellSouth or Excel), or any improvement thereon by reason of or arising out of any labor or materials furnished or alleged to have been furnished or to be furnished to or for the other Party or by reason of any changes, or additions to said property made at the request or under the direction of the other Party, the other Party directing or requesting those changes shall, within thirty (30) business days after receipt of written notice from the Party against whose property said lien has been filed, either pay such lien or cause the same to be bonded off the affected property in the manner provided by law. The Party causing said lien to be placed against the property of the other shall also defend, at its sole cost and expense, on behalf of the other, any action, suit or proceeding which may be brought for the enforcement of such liens and shall pay any damage and discharge any judgment entered thereon.

11. Inspections

BellSouth may conduct inspection. BellSouth may conduct an inspection of Excel's equipment and facilities in the Remote Collocation Space(s) prior to the activation of facilities between Excel's equipment and equipment of BellSouth. BellSouth may conduct an inspection if Excel adds equipment and may otherwise conduct routine inspections at reasonable intervals mutually agreed upon by the Parties. BellSouth

shall provide Excel with a minimum of forty-eight (48) hours or two (2) business days, whichever is greater, advance notice of all such inspections. All costs of such inspection shall be borne by BellSouth.

12. Security and Safety Requirements

- Excel will be required, at its own expense, to conduct a statewide investigation of criminal history records for each Excel employee being considered for work on the BellSouth Premises, for the states/counties where the Excel employee has worked and lived for the past five years. Where state law does not permit statewide collection or reporting, an investigation of the applicable counties is acceptable. Excel shall not be required to perform this investigation if an affiliated company of Excel has performed an investigation of the Excel employee seeking access, if such investigation meets the criteria set forth above. This requirement will not apply if Excel has performed a preemployment statewide investigation of criminal history records of the Excel employee for the states/counties where the Excel employee has worked and lived for the past five years or, where state law does not permit a statewide investigation, an investigation of the applicable counties.
- Excel shall provide its employees and agents with picture identification which must be worn and visible at all times while in the Collocation Space or other areas in or around the Premises. The photo Identification card shall bear, at a minimum, the employee's name and photo, and the Excel name. BellSouth reserves the right to remove from its premises any employee of Excel not possessing identification issued by Excel or who have violated any of BellSouth's policies as outlined in the CLEC Security Training documents. Excel shall hold BellSouth harmless for any damages resulting from such removal of its personnel from BellSouth premises. Excel shall be solely responsible for ensuring that any Guest of Excel is in compliance with all subsections of this Section 12.
- 12.3 Excel will be required to administer to their personnel assigned to the BellSouth Premises security training either provided by BellSouth, or meeting criteria defined by BellSouth.
- Excel shall not assign to the BellSouth Premises any personnel with records of felony criminal convictions. Excel shall not assign to the BellSouth Premises any personnel with records of misdemeanor convictions, except for misdemeanor traffic violations, without advising BellSouth of the nature and gravity of the offense(s). BellSouth reserves the right to refuse access to any Excel personnel who have been identified to have misdemeanor criminal convictions. Notwithstanding the foregoing, in the event that Excel chooses not to advise BellSouth of the nature and gravity of any misdemeanor conviction, Excel may, in the alternative, certify to BellSouth that it shall not assign to the BellSouth Premises any personnel with records of misdemeanor convictions (other than misdemeanor traffic violations).

- 12.4.1 Excel shall not knowingly assign to the BellSouth Premises any individual who was a former employee of BellSouth and whose employment with BellSouth was terminated for a criminal offense whether or not BellSouth sought prosecution of the individual for the criminal offense.
- 12.4.2 Excel shall not knowingly assign to the BellSouth Premises any individual who was a former contractor of BellSouth and whose access to a BellSouth Premises was revoked due to commission of a criminal offense whether or not BellSouth sought prosecution of the individual for the criminal offense.
- 12.5 For each Excel employee requiring access to a BellSouth Premises pursuant to this Attachment, Excel shall furnish BellSouth, prior to an employee gaining such access, a certification that the aforementioned background check and security training were completed. The certification will contain a statement that no felony convictions were found and certifying that the security training was completed by the employee. If the employee's criminal history includes misdemeanor convictions, Excel will disclose the nature of the convictions to BellSouth at that time. In the alternative, Excel may certify to BellSouth that it shall not assign to the BellSouth Premises any personnel with records of misdemeanor convictions other than misdemeanor traffic violations.
- At BellSouth's request, Excel shall promptly remove from BellSouth's Premises any employee of Excel BellSouth does not wish to grant access to its premises 1) pursuant to any investigation conducted by BellSouth or 2) prior to the initiation of an investigation if an employee of Excel is found interfering with the property or personnel of BellSouth or another CLEC, provided that an investigation shall promptly be commenced by BellSouth.
- 12.7 Notification to BellSouth. BellSouth reserves the right to interview Excel's employees, agents, or contractors in the event of wrongdoing in or around BellSouth's property or involving BellSouth's or another CLEC's property or personnel, provided that BellSouth shall provide reasonable notice to Excel's Security contact of such interview. Excel and its contractors shall reasonably cooperate with BellSouth's investigation into allegations of wrongdoing or criminal conduct committed by, witnessed by, or involving Excel's employees, agents, or contractors. Additionally, BellSouth reserves the right to bill Excel for all reasonable costs associated with investigations involving its employees, agents, or contractors if it is established and mutually agreed in good faith that Excel's employees, agents, or contractors are responsible for the alleged act. BellSouth shall bill Excel for BellSouth property which is stolen or damaged where an investigation determines the culpability of Excel's employees, agents, or contractors and where Excel agrees, in good faith, with the results of such investigation. Excel shall notify BellSouth in writing immediately in the event that the Excel discovers one of its employees already working on the BellSouth premises is a possible security risk. Upon request of the other Party, the Party who is the employer shall discipline consistent with its employment practices, up to and

including removal from BellSouth Premises, any employee found to have violated the security and safety requirements of this section. Excel shall hold BellSouth harmless for any damages resulting from such removal of its personnel from BellSouth premises.

- 12.8 <u>Use of Supplies</u>. Unauthorized use of telecommunications equipment or supplies by either Party, whether or not used routinely to provide telephone service (e.g. plug-in cards,) will be strictly prohibited and handled appropriately. Costs associated with such unauthorized use may be charged to the offending Party, as may be all associated investigative costs.
- 12.9 <u>Use of Official Lines</u>. Except for non-toll calls necessary in the performance of their work, neither Party shall use the telephones of the other Party on the BellSouth Premises. Charges for unauthorized telephone calls may be charged to the offending Party, as may be all associated investigative costs. In no event shall Excel, its agents, vendors or employees access BellSouth or any other CLEC's end user telephone lines.
- 12.10 <u>Accountability</u>. Full compliance with the Security requirements of this section shall in no way limit the accountability of either Party to the other for the improper actions of its employees.

13. <u>Destruction of Remote Collocation Space</u>

13.1 Remote Collocation Space is damaged. In the event a Remote Collocation Space is wholly or partially damaged by fire, windstorm, tornado, flood or by similar causes to such an extent as to be rendered wholly unsuitable for Excel's permitted use hereunder, then either Party may elect within ten (10) business days after such damage, to terminate this Attachment with respect to the affected Remote Collocation Space, and if either Party shall so elect, by giving the other written notice of termination, both Parties shall stand released of and from further liability under the terms hereof with respect to such Remote Collocation Space. If the Remote Collocation Space shall suffer only minor damage and shall not be rendered wholly unsuitable for Excel"'s permitted use, or is damaged and the option to terminate is not exercised by either Party, BellSouth covenants and agrees to proceed promptly without expense to Excel, except for improvements not the property of BellSouth, to repair the damage. BellSouth shall have a reasonable time within which to rebuild or make any repairs, and such rebuilding and repairing shall be subject to delays caused by storms, shortages of labor and materials, government regulations, strikes, walkouts, and causes beyond the control of BellSouth, which causes shall not be construed as limiting factors, but as exemplary only. Excel may, at its own expense, accelerate the rebuild of its Remote Collocation Space and equipment provided however that a BellSouth Certified Contractor is used and the necessary space preparation has been completed. Rebuild of equipment must be performed by a BellSouth Certified Vendor. If Excel"'s acceleration of the project increases the cost of the project, then

those additional charges will be incurred by Excel. Where allowed and where practical, Excel may erect a temporary facility while BellSouth rebuilds or makes repairs. In all cases where the Remote Collocation Space shall be rebuilt or repaired, Excel shall be entitled to an equitable abatement of rent and other charges, depending upon the unsuitability of the Remote Collocation Space for Excel'''s permitted use, until such Remote Collocation Space is fully repaired and restored and Excel'''s equipment installed therein (but in no event later than thirty (30) business days after the Remote Collocation Space is fully repaired and restored). Where Excel has placed a Remote Site Adjacent Arrangement pursuant to section 3.4, Excel shall have the sole responsibility to repair or replace said Remote Site Adjacent Arrangement provided herein. Pursuant to this section, BellSouth will restore the associated services to the Remote Site Adjacent Arrangement.

14. Eminent Domain

14.1 Power of Eminent Domain. If the whole of a Remote Collocation Space or Remote Site Adjacent Arrangement shall be taken by any public authority under the power of eminent domain, then this Attachment shall terminate with respect to such Remote Collocation Space or Remote Site Adjacent Arrangement as of the day possession shall be taken by such public authority and rent and other charges for the Remote Collocation Space or Remote Site Adjacent Arrangement shall be paid up to that day with proportionate refund by BellSouth of such rent and charges as may have been paid in advance for a period subsequent to the date of the taking. If any part of the Remote Collocation Space or Remote Site Adjacent Arrangement shall be taken under eminent domain, BellSouth and Excel shall each have the right to terminate this Attachment with respect to such Remote Collocation Space or Remote Site Adjacent Arrangement and declare the same null and void, by written notice of such intention to the other Party within ten (10) business days after such taking.

15. Nonexclusivity

Attachment is not exclusive. Excel understands that this Attachment is not exclusive and that BellSouth may enter into similar agreements with other Parties. Assignment of space pursuant to all such agreements shall be determined by space availability and made on a first come, first served basis.

ENVIRONMENTAL AND SAFETY PRINCIPLES

The following principles provide basic guidance on environmental and safety issues when applying for and establishing Physical Collocation arrangements.

1. GENERAL PRINCIPLES

- 1.1 Compliance with Applicable Law. BellSouth and Excel agree to comply with applicable federal, state, and local environmental and safety laws and regulations including U.S. Environmental Protection Agency (USEPA) regulations issued under the Clean Air Act (CAA), Clean Water Act (CWA), Resource Conservation and Recovery Act (RCRA), Comprehensive Environmental Response, Compensation and Liability Act (CERCLA), Superfund Amendments and Reauthorization Act (SARA), the Toxic Substances Control Act (TSCA), and OSHA regulations issued under the Occupational Safety and Health Act of 1970, as amended and NFPA and National Electrical Codes (NEC) and the NESC ("Applicable Laws"). Each Party shall notify the other if compliance inspections are conducted by regulatory agencies and/or citations are issued that relate to any aspect of this Attachment.
- Notice. BellSouth and Excel shall provide notice to the other, including Material Safety Data Sheets (MSDSs), of known and recognized physical hazards or Hazardous Chemicals existing on site or brought on site. Each Party is required to provide specific notice for known potential Imminent Danger conditions. Excel should contact 1-800-743-6737 for BellSouth MSDS sheets.
- 1.3 Practices/Procedures. BellSouth may make available additional environmental control procedures for Excel to follow when working at a BellSouth Premises (See Section 2, below). These practices/procedures will represent the regular work practices required to be followed by the employees and contractors of BellSouth for environmental protection. Excel will require its contractors, agents and others accessing the BellSouth Premises to comply with these practices. Section 2 lists the Environmental categories where BST practices should be followed by Excel when operating in the BellSouth Premises.
- 1.4 <u>Environmental and Safety Inspections</u>. BellSouth reserves the right to inspect the Excel space with proper notification. BellSouth reserves the right to stop any Excel work operation that imposes Imminent Danger to the environment, employees or other persons in the area or Facility.
- 1.5 <u>Hazardous Materials Brought On Site</u>. Any hazardous materials brought into, used, stored or abandoned at the BellSouth Premises by Excel are owned by Excel. Excel will indemnify BellSouth for claims, lawsuits or damages to persons or property

caused by these materials. Without prior written BellSouth approval, no substantial new safety or environmental hazards can be created by Excel or different hazardous materials used by Excel at BellSouth Facility. Excel must demonstrate adequate emergency response capabilities for its materials used or remaining at the BellSouth Facility.

- 1.6 <u>Spills and Releases</u>. When contamination is discovered at a BellSouth Premises, the Party discovering the condition must notify BellSouth. All Spills or Releases of regulated materials will immediately be reported by Excel to BellSouth.
- 1.7 Coordinated Environmental Plans and Permits. BellSouth and Excel will coordinate plans, permits or information required to be submitted to government agencies, such as emergency response plans, spill prevention control and countermeasures (SPCC) plans and community reporting. If fees are associated with filing, BellSouth and Excel will develop a cost sharing procedure. If BellSouth's permit or EPA identification number must be used, Excel must comply with all of BellSouth's permit conditions and environmental processes, including environmental "best management practices (BMP)" (see Section 2, below) and/or selection of BST disposition vendors and disposal sites.
- Environmental and Safety Indemnification. BellSouth and Excel shall indemnify, defend and hold harmless the other Party from and against any claims (including, without limitation, third-party claims for personal injury or death or real or personal property damage), judgments, damages, (including direct and indirect damages, and punitive damages), penalties, fines, forfeitures, costs, liabilities, interest and losses arising in connection with the violation or alleged violation of any Applicable Law or contractual obligation or the presence or alleged presence of contamination arising out of the acts or omissions of the indemnifying Party, its agents, contractors, or employees concerning its operations at the Facility.

2. CATEGORIES FOR CONSIDERATION OF ENVIRONMENTAL ISSUES

When performing functions that fall under the following Environmental categories on BellSouth's Premises, Excel agrees to comply with the applicable sections of the current issue of BellSouth's Environmental and Safety Methods and Procedures (M&Ps), incorporated herein by this reference. Excel further agrees to cooperate with BellSouth to ensure that Excel's employees, agents, and/or subcontractors are knowledgeable of and satisfy those provisions of BellSouth's Environmental M&Ps which apply to the specific Environmental function being performed by Excel, its employees, agents and/or subcontractors.

The most current version of reference documentation must be requested from BellSouth.

ENVIRONMENTAL CATEGORIES	ENVIRONMENTAL ISSUES	ADDRESSED BY THE FOLLOWING DOCUMENTATION
Disposal of hazardous material or other regulated material (e.g., batteries, fluorescent	Compliance with all applicable local, state, & federal laws and regulations	Std T&C 450Fact Sheet Series 17000
tubes, solvents & cleaning materials)	Pollution liability insurance	• Std T&C 660-3
	EVET approval of contractor	Approved Environmental Vendor List (Contact E/S Management)
Emergency response	Hazmat/waste release/spill firesafety emergency	 Fact Sheet Series 1700 Building Emergency Operations Plan (EOP) (specific to and located on Premises)
Contract labor/outsourcing for services with environmental implications to be performed on BellSouth Premises (e.g., disposition of hazardous material/waste; maintenance of storage tanks)	Compliance with all applicable local, state, & federal laws and regulations Performance of services in accordance with BST's environmental M&Ps Insurance	 Std T&C 450 Std T&C 450-B (Contact E/S for copy of appropriate E/S M&Ps.) Std T&C 660
Transportation of hazardous material	Compliance with all applicable local, state, & federal laws and regulations	Std T&C 450Fact Sheet Series 17000
	Pollution liability insurance	• Std T&C 660-3
	EVET approval of contractor	Approved Environmental Vendor List (Contact E/S Management)
Maintenance/operations work which may produce a waste	Compliance with all application local, state, & federal laws and regulations	• Std T&C 450
Other maintenance work	Protection of BST employees and equipment	 29CFR 1910.147 (OSHA Standard) 29CFR 1910 Subpart O (OSHA Standard)

Janitorial services	All waste removal and disposal must conform to all applicable federal, state and local regulations	P&SM Manager - Procurement		
	All Hazardous Material and Waste	Fact Sheet Series 17000		
	Asbestos notification and protection of employees and equipment	 GU-BTEN-001BT, Chapter 3 BSP 010-170-001BS (Hazcom) 		
Manhole cleaning	Compliance with all applicable local, state, & federal laws and regulations	 Std T&C 450 Fact Sheet 14050 BSP 620-145-011PR Issue A, August 1996 		
	Pollution liability insurance	• Std T&C 660-3		
	EVET approval of contractor	Approved Environmental Vendor List (Contact E/S Management)		
Removing or disturbing building materials that may contain asbestos	Asbestos work practices	• GU-BTEN-001BT, Chapter 3		

3. **DEFINITIONS**

<u>Generator</u>. Under RCRA, the person whose act produces a Hazardous Waste, as defined in 40 CFR 261, or whose act first causes a Hazardous Waste to become subject to regulation. The Generator is legally responsible for the proper management and disposal of Hazardous Wastes in accordance with regulations.

<u>Hazardous Chemical</u>. As defined in the U.S. Occupational Safety and Health (OSHA) hazard communication standard (29 CFR 1910.1200), any chemical which is a health hazard or physical hazard.

Hazardous Waste. As defined in section 1004 of RCRA.

<u>Imminent Danger</u>. Any conditions or practices at a facility which are such that a danger exists which could reasonably be expected to cause immediate death or serious harm to people or immediate significant damage to the environment or natural resources.

Spill or Release. As defined in Section 101 of CERCLA.

4. ACRONYMS

E/S – Environmental/Safety

EVET - Environmental Vendor Evaluation Team

 $\underline{DEC/LDEC} \text{ - Department Environmental Coordinator/Local Department Environmental Coordinator}$

<u>GU-BTEN-001BT</u> - BellSouth Environmental Methods and Procedures

NESC - National Electrical Safety Codes

P&SM - Property & Services Management

Std. T&C - Standard Terms & Conditions

Interval Matrix

State	Туре	Space Availability/Bona Fide Firm Order	Application Response/Price Quote		truction and visioning
				Ordinary	Extraordinary
Alabama ¹	Cageless	10 Calendar Days	23 Business Days	60 Cal	90 Cal
Florida	Cageless	15 Calendar Days	15 Calendar Days*	90 Cal	NA
Georgia	Cageless	10 Calendar Days	30 Calendar Days	60 Cal	90 Cal
Kentucky ¹	Cageless	10 Calendar Days	23 Business Days	76 Bus.	91 Bus
Louisiana	Cageless	10 Calendar Days*	30 Calendar Days*	90 Cal	120 Cal
Mississippi	Cageless	10 Business Days	30 Business Days*	120 Cal	180Cal
North Carolina ¹	Cageless	10 Calendar Days	23 Business Days	76 Bus.	91 Bus
South Carolina	Cageless	10 Calendar Days	30 Calendar Days*	90 Cal	NA Cal
Tennessee ¹	Cageless	10 Calendar Days	23 Business Days	76 Bus.	91 Bus

^{*} Extended intervals shall apply when multiple applications are submitted.

Note 1: The intervals were set by the FCC's Order in Docket No. 98-147 released February 20, 2001.

The construction and provisioning intervals, as listed for these states, will apply if a forecast is submitted three (3) months prior to the application date. Extended intervals shall apply if the forecast is not received three (3) months in advance.

THREE-MONTH CLEC FORECAST

CLEC NAME	DATE	
-----------	------	--

STATE	Central Office/City	CAGED Sq. Ft.	CAGELES	S # Bays	FRAME TERMINATIONS	CLEC Provided BDFBAmps Load	BST Provided BDFBAmps Load	Heat Dissipation BTU/Hour	Entrance Facilities # sheaths & # fibers	Proposed Application Date	NOTES
			Standard Bays*	Non- Standard Bays**							

*Standard bays are defined as racks, bays or cabinets, including equipment and cable, with measurements equal to or less than the following: Width - 26", Depth - 25". The standard height for all collocated equipment bays in BellSouth is 7' 0".

Notes: Forecast information will be used for no other purpose than collocation planning.

Forecast with application dates greater than 3 months from the date of submission will not guarantee the reservation of space in the office

^{**} Any forecast for non-standard cageless bays must include an attachment describing the quantity and width and depth measurements.

requested.

COLLOCATI	ION - Alabama												Attachment:	4		Exhibit: D
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual Svc Order vs. Electronic-
						Rec	Nonrec		Nonrecurring					RATES (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
-																
						-										
PHYSICAL CO																
	Physical Collocation - Application Fee - Initial			CLO	PE1BA		3,760.00	3,760.00								
	Physical Collocation - Application Fee - Subsequent			CLO	PE1CA		3,134.00	3,134.00								
	Physical Collocation - Space Preparation - Firm Order			CLO	PE1SJ		1,211.00	1,211.00								
	Processing Physical Collocation - Space Preparation - C.O. Modification per			CLO	PETSJ		1,211.00	1,211.00								
	square ft.	h		CLO	PE1SK	2.24										
1	Physical Collocation - Space Preparation - Common Systems	1														1
	Modification per square ft Cageless	I		CLO	PE1SL	3.01										
	Physical Collocation - Space Preparation - Common Systems	l		0.0	DE 40::											
	Modification per Cage Physical Collocation - Cable Installation	l l		CLO CLO	PE1SM PE1BD	102.16	4.754.00	4 754 00								
	Physical Collocation - Cable Installation Physical Collocation - Floor Space per Sq. Ft.			CLO	PE1BD PE1PJ	3.68	1,751.00	1,751.00								
	Physical Collocation - Cable Support Structure		1	CLO	PE1PM	19.67										
	Physical Collocation - Power (Provided from BST BDFB), per			OLO	LIIIW	10.07										
	Fused Amp	I		CLO	PE1PL	9.00										
	Physical Collocation - Power (Provided from BST Main Power															
	Board), per Fused Amp			CLO	PE1FJ	8.75										
	Dhusiasi Callacation 400\/ Circle Dhase Ctandley Daynes Date			CLO	PE1FB	5.63										
	Physical Collocation - 120V, Single Phase Standby Power Rate	1		CLO	PEIFB	5.65										
	Physical Collocation - 240V, Single Phase Standby Power Rate	ı		CLO	PE1FD	11.26										
	, , , , , , , , , , , , , , , , , , , ,															
	Physical Collocation - 120V, Three Phase Standby Power Rate	I		CLO	PE1FE	16.89										
				0.0	55.50											
	Physical Collocation - 277V, Three Phase Standby Power Rate	I		CLO UEANL,UEA,UDN,U	PE1FG	38.99										
				DC,UAL,UHL,UCL,U												
	Physical Collocation - 2-Wire Cross-Connects			EQ	PE1P2	0.031	33.68	31.79								
	Physical Collocation - 4-Wire Cross-Connects			CLO	PE1P4	0.062	33.63	31.67								
				CLO,UEANL,UEQ,W												
	Physical Collocation - DS1 Cross-Connects			DS1L,WDS1S	PE1P1	1.28	52.93	39.87								
	Physical Collocation - DS3 Cross-Connects Physical Collocation - 2-Fiber Cross-Connect	-		CLO CLO	PE1P3 PE1F2	16.27	51.99 52.00	38.59 38.60								
	Physical Collocation - 2-Fiber Cross-Connect Physical Collocation - 4-Fiber Cross-Connect			CLO	PE1F2 PE1F4	3.23 5.73	64.54	51.14								
	Physical Collocation - Welded Wire Cage - First 100 Sq. Ft.			CLO	PE1BW	178.65	04.54	31.14								
1	Physical Collocation - Welded Wire Cage - Add'l 50 Sq. Ft.			CLO	PE1CW	17.52										
	Physical Collocation - Security Access System - Security System															
	per Central Office		ļ	CLO	PE1AX	54.14										
1	Physical Collocation - Security Access System - New Access		1	CLO	DE4A4	0.000=	40.00	10.00	0.70	0						
	Card Activation, per Card Physical Collocation-Security Access System-Administrative	 	<u> </u>	CLO	PE1A1	0.0607	46.20	46.20	8.72	8.72	-					-
1	Change, existing Access Card, per Card			CLO	PE1AA	[15.40	15.40								
1	Physical Collocation - Security Access System - Replace Lost or	t	1			1	10.40	10.40								
	Stolen Card, per Card			CLO	PE1AR		45.02	45.02								
	Physical Collocation - Security Access - Initial Key, per Key			CLO	PE1AK		26.19	26.19	· ·							
	Physical Collocation - Security Access - Key, Replace Lost or			0.0	55											
	Stolen Key, per Key Physical Collocation - Space Availability Report per premises		ļ	CLO CLO	PE1AL PE1SR		26.19 2,150.00	26.19 2,150.00								
	r nysical Collocation - Space Availability Report per premises	l'	 	UEANL,UEA,UDN,U	FEIOK	1	∠, 150.00	∠,150.00			1					<u> </u>
1	L	l		DC,UAL,UHL,UCL,U							1					1
	POT Bay Arrangements prior to 6/1/99 - 2-Wire Cross-Connect,					l l										

COLLOCATI	ON - Alabama												Attachment:	4		Exhibit: D
0022007111								I	l	l			Incremental	Incremental		Incremental
		Interi									00		Charge -	Charge -	Charge -	Charge -
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)					Manual Svc	Manual Svc		Manual Svc
												Submitted		Order vs.	Order vs.	Order vs. Electronic-
											Elec per LSR	_	Electronic- 1st	Electronic- Add'l	Electronic- Disc 1st	Disc Add'l
											per Lok	per Lor	151	Add I	DISC ISL	DISC Add I
						Rec	Nonre	curring	Nonrecurrin	g Disconnect				RATES (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2072			UEANL,UEA,UDN,U												
	POT Bay Arrangements prior to 6/1/99 - 4-Wire Cross-Connect,			DC,UAL,UHL,UCL,U	PE1PF	0.47										
—	per cross-connect	-		EQ,CLO UEANL,UEA,UDN,U	PETPF	0.17										
				DC.UAL.UHL.UCL.U												
	POT Bay Arrangements prior to 6/1/99 - DS1 Cross-Connect,			EQ,CLO,WDS1L,W												
	per cross-connect		l l	DS1S,	PE1PG	0.69										
				UEANL,UEA,UDN,U												
	POT Bay Arrangements prior to 6/1/99 - DS3 Cross-Connect,			DC,UAL,UHL,UCL,U												
	per cross-connect			EQ,CLO	PE1PH	4.74										
	DOT D A			UEANL,UEA,UDN,U												
	POT Bay Arrangements prior to 6/1/99 - 2-Fiber Cross-Connect, per cross-connect			DC,UAL,UHL,UCL,U EQ.CLO	PE1B2	32.02										
-	per cross-connect			UEANL,UEA,UDN,U	PE1B2	32.02			-	-						
	POT Bay Arrangements prior to 6/1/99 - 4-Fiber Cross-Connect,			DC,UAL,UHL,UCL,U					1	1						
	per cross-connect			EQ,CLO	PE1B4	40.48										
	Collocation Cable Records - per request			CLO	PE1CR		1,518.57	976.22	265.99	265.99						
	Collocation Cable Records - VG/DS0 Cable, per cable record			CLO	PE1CD		653.83	653.83	378.24	378.24						
	Collocation Cable Records - VG/DS0 Cable, per each 100 pair			CLO	PE1CO		9.62	9.62	11.79	11.79						
	Collocation Cable Records - DS1, per T1TIE			CLO	PE1C1		4.50	4.50	5.52	5.52						
	Collocation Cable Records - DS3, per T3TIE			CLO	PE1C3		15.75	15.75	19.32	19.32						
-	Collocation Cable Records - Fiber Cable, per 99 fiber records Physical Collocation - Security Escort - Basic, per Half Hour			CLO CLO,CLORS	PE1CB PE1BT		168.97 33.85	168.97 21.45	154.25	154.25		1				
	Priysical Collocation - Security Escort - Basic, per Hair Hour		- '	CLO,CLORG	FLIDI		33.03	21.45								
	Physical Collocation - Security Escort - Overtime, per Half Hour			CLO,CLORS	PE1OT		44.09	27.71								
	Physical Collocation - Security Escort - Premium, per Half Hour		(CLO,CLORS	PE1PT		54.33	33.96								
	Physical Collocation - Co-Carrier Cross Connects - Fiber Cable															
	Support Structure, per linear ft.			CLO	PE1ES	0.0026										
	Physical Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per lin. ft.			CLO	PE1DS	0.0038										
 	Physical Collocation - Co-Carrier Cross Connects - Cable	-	<u> </u>	CLO	FLIDS	0.0036			1	1		1				
	(Copper or Fiber) Support Structure, per cable			CLO	PE1DT		535.37									
ADJACENT CO																
	Adjacent Collocation - Space Charge per Sq. Ft.			CLOAC	PE1JA	0.2542										
	Adjacent Collocation - Electrical Facility Charge per Linear Ft.			CLOAC	PE1JC	5.44										
	Adjacent Collocation - 2-Wire Cross-Connects	1		CLOAC	PE1P2	0.0598	24.95	23.97	12.80	11.67		ļ				
	Adjacent Collegation 4 Wire Crass Conserve			UEA,UHL,UDL,UCL, CLOAC	PE1P4	0.1196	25.14	24.11	13.18	11.96						
 	Adjacent Collocation - 4-Wire Cross-Connects Adjacent Collocation - DS1 Cross-Connects	-		USL,CLOAC	PE1P4 PE1P1	0.1196	25.14 44.19	24.11 32.13	13.18 12.94	11.96 11.82	-	 		-		-
	Adjacent Collocation - DS1 Cross-Connects	1		CLOAC	PE1P3	14.12	41.93	32.13	14.72	12.05	-	 		 		+
	Adjacent Collocation - 2-Fiber Cross-Connect	1		CLOAC	PE1F2	2.39	41.93	30.69	14.72	12.06	1			1		1
	Adjacent Collocation - 4-Fiber Cross-Connect	1		CLOAC	PE1F4	4.57	51.14	39.90	18.97	16.30						1
	Adjacent Collocation - Application Fee			CLOAC	PE1JB		1,555.00		0.99							
1 1	Adjacent Collocation - 120V, Single Phase Standby Power Rate		1 T		L				_	_				1		
	per AC Breaker Amp	1		CLOAC	PE1FB	5.39						ļ				
	Adjacent Collocation - 240V, Single Phase Standby Power Rate			CLOAC	PE1FD	40.70			1	1						
 	per AC Breaker Amp Adjacent Collocation - 120V, Three Phase Standby Power Rate	-	- '	CLOAC	REILD	10.79		-	 	 		 		-		-
	per AC Breaker Amp			CLOAC	PE1FE	16.18			1	1				1		
	Adjacent Collocation - 277V, Three Phase Standby Power Rate	1	t t		T	0			1	1				1		
	per AC Breaker Amp	<u> </u>		CLOAC	PE1FG	37.37		<u></u>	<u> </u>	<u> </u>	<u> </u>	<u></u>		<u> </u>		<u> </u>
PHYSICAL CO	LLOCATION IN THE REMOTE SITE															
	Physical Collocation in the Remote Site - Application Fee *	1		CLORS	PE1RA		608.17	608.17	323.44	323.44						
	Cabinet Space in the Remote Site per Bay/ Rack *	-		CLORS	PE1RB	224.82			-	-						
	Physical Collocation in the Remote Site - Security Access - Key *		l.	CLORS	PE1RD		25.88	25.88	1	1						
	<u> </u>	1	L	OLUKO	LEIKN	1	25.88	∠5.88	1	1	1	L		l	l	1

COLLOC	CATION - Alabama												Attachment:	4		Exhibit: D
CATEGO	ORY RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			Svc Order	Svc Order	Charge -	Charge -	Incremental Charge - Manual Svc	Charge -
J. 1. 200	TATE ELLINEATO	m	20110					= 5(4)			Submitted Elec per LSR	Manually	Order vs. Electronic- 1st	Order vs. Electronic- Add'l		Order vs. Electronic- Disc Add'l
						Rec	Nonrec	urring	Nonrecurrin	g Disconnect	po. 2011	po. 2011		RATES (\$)	2.00 101	2.007.444.
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Physical Collocation in the Remote Site - Space Availability Report per Premises Requested *			CLORS	PE1SR		229.02	229.02								
	Physical Collocation in the Remote Site - Remote Site CLLI Code Request, per CLLI Code Requested *			CLORS	PE1RE		74.22	74.22								
	Remote Site DLEC Data (BRSDD), per Compact Disk, per C	O .		CLORS	PE1RR		233.38									
PHYSICAL	L COLLOCATION IN THE REMOTE SITE - ADJACENT	i														
	Remote Site-Adjacent Collocation - AC Power, per breaker a	mp		CLORS	PE1RS	6.27										
	Remote Site-Adjacent Collocation - Real Estate, per square	oot		CLORS	PE1RT	0.134										
* 1	Interim rates which are subject to true-up.							·								
NO	OTE: If Security Escort and/or Add'l Engineering Fees become	necessary	for rem	ote site collocation	, the Parties v	vill negotiate ap	propriate rate	s.								

COLLOCATI	ON - Florida												Attachment:	4		Exhibit: D
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec	urring	Nonrecurring	Disconnect			ossi	RATES (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
																
PHYSICAL COI	I OCATION															
	Physical Collocation - Application Fee - Initial			CLO	PE1BA		3,791.00	3,791.00								
	Physical Collocation - Application Fee - Subsequent			CLO	PE1CA		3,160.00	3,160.00								
	Physical Collocation - Space Preparation - Firm Order															
\longrightarrow	Processing			CLO	PE1SJ		1,211.00	1,211.00								
	Physical Collocation - Space Preparation - C.O. Modification per square ft.			CLO	PE1SK	2.58										
	Physical Collocation - Space Preparation - Common Systems Modification per square ft Cageless			CLO	PE1SL	2.96										
	Physical Collocation - Space Preparation - Common Systems Modification per Cage			CLO	PE1SM	100.66										
	Physical Collocation - Cable Installation			CLO	PE1BD	100.00	1,826.00	1,826.00								
	Physical Collocation - Floor Space per Sq. Ft.			CLO	PE1PJ	6.57	,	, , , , , , , , , , , , , , , , , , , ,								
	Physical Collocation - Cable Support Structure			CLO	PE1PM	21.66										
	Physical Collocation - Power (Provided from BST BDFB), per Fused Amp			CLO	PE1PL	8.86										
	Physical Collocation - Power (Provided from BST Main Power															
\longrightarrow	Board), per Fused Amp			CLO	PE1FJ	8.61										
	Physical Collocation - 120V, Single Phase Standby Power Rate			CLO	PE1FB	5.62										
	Physical Collocation - 240V, Single Phase Standby Power Rate			CLO	PE1FD	11.26										
	Physical Collocation - 120V, Three Phase Standby Power Rate			CLO	PE1FE	16.88										
	Physical Collocation - 277V, Three Phase Standby Power Rate			CLO	PE1FG	38.98										
				UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U												
	Physical Collocation - 2-Wire Cross-Connects		<u> </u>	EQ	PE1P2	0.074	34.53	32.51	-							
+-	Physical Collocation - 4-Wire Cross-Connects			CLO CLO,UEANL,UEQ,W	PE1P4	0.148	34.54	32.53	-							
1	Physical Collocation - DS1 Cross-Connects		l	DS1L,WDS1S	PE1P1	1.29	54.15	40.94								
	Physical Collocation - DS3 Cross-Connects			CLO	PE1P3	17.48	53.28	39.65	<u> </u>							
	Physical Collocation - 2-Fiber Cross-Connect			CLO	PE1F2	2.96	53.28	39.66								
	Physical Collocation - 4-Fiber Cross-Connect			CLO	PE1F4	5.66	66.08	52.47								
	Physical Collocation - Welded Wire Cage - First 100 Sq. Ft.			CLO CLO	PE1BW PE1CW	205.93 20.20										
- + -	Physical Collocation - Welded Wire Cage - Add'l 50 Sq. Ft. Physical Collocation - Security System Per Central Office Per		1	CLO	FEICW	20.20			1							
	Assignable Sq. Ft.			CLO	PE1AX	0.0113										
	Physical Collocation - Security Access System - New Access Card Activation, per Card			CLO	PE1A1	0.06	56.03	56.03								
	Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Card			CLO	PE1AA		15.71	15.71								
	Physical Collocation - Security Access System - Replace Lost or Stolen Card, per Card			CLO	PE1AR		45.93	45.93								
	Physical Collocation - Security Access - Initial Key, per Key			CLO	PE1AK	†	26.41	26.41								
	Physical Collocation - Security Access - Key, Replace Lost or Stolen Key, per Key			CLO	PE1AL		26.41	26.41								
	Physical Collocation - Space Availability Report per premises			CLO	PE1SR	†	2,168.00	2,168.00	1							
	Collocation Cable Records - per request			CLO	PE1CR		1,709.00	1,166.00								
	Collocation Cable Records - VG/DS0 Cable, per cable record			CLO	PE1CD		923.86	923.86								
	Collocation Cable Records - VG/DS0 Cable, per each 100 pair			CLO	PE1CO		18.03	18.03								

Col Col Phy Phy Hou Phy Sug	ysical Collocation - Security Escort - Premium, Per Quarter	Interi m	Zone	BCS CLO CLO CLO CLO CLO CLO	USOC PE1C1 PE1C3 PE1CB	Rec	Nonrec First 8.44	RATES(\$) urring Add'l 8.44	Nonrecurring First	Disconnect Add'l		Submitted	1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I RATES (\$) SOMAN	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
Col Col Phy Phy Hou Phy Sug	Ilocation Cable Records - DS3, per T3TIE Illocation Cable Records - Fiber Cable, per 99 fiber records ysical Collocation - Security Escort - Basic, Per Quarter Hour ysical Collocation - Security Escort - Overtime, Per Quarter ur ysical Collocation - Security Escort - Premium, Per Quarter ur ysical Collocation - Security Escort - Premium, Per Quarter ur ysical Collocation - Co-Carrier Cross Connects - Fiber Cable pport Structure, per linear ft. ysical Collocation - Co-Carrier Cross Connects - Copper/Coax ble Support Structure, per lin. ft.			CLO CLO	PE1C3 PE1CB	Rec	First 8.44	Add'l			SOMEC	SOMAN			SOMAN	SOMAN
Col Col Phy Phy Hou Phy Sug	Ilocation Cable Records - DS3, per T3TIE Illocation Cable Records - Fiber Cable, per 99 fiber records ysical Collocation - Security Escort - Basic, Per Quarter Hour ysical Collocation - Security Escort - Overtime, Per Quarter ur ysical Collocation - Security Escort - Premium, Per Quarter ur ysical Collocation - Security Escort - Premium, Per Quarter ur ysical Collocation - Co-Carrier Cross Connects - Fiber Cable pport Structure, per linear ft. ysical Collocation - Co-Carrier Cross Connects - Copper/Coax ble Support Structure, per lin. ft.			CLO CLO	PE1C3 PE1CB		First 8.44	Add'l			SOMEC	SOMAN			SOMAN	SOMAN
Col Col Phy Phy Hou Phy Sug	Ilocation Cable Records - DS3, per T3TIE Illocation Cable Records - Fiber Cable, per 99 fiber records ysical Collocation - Security Escort - Basic, Per Quarter Hour ysical Collocation - Security Escort - Overtime, Per Quarter ur ysical Collocation - Security Escort - Premium, Per Quarter ur ysical Collocation - Security Escort - Premium, Per Quarter ur ysical Collocation - Co-Carrier Cross Connects - Fiber Cable pport Structure, per linear ft. ysical Collocation - Co-Carrier Cross Connects - Copper/Coax ble Support Structure, per lin. ft.			CLO CLO	PE1C3 PE1CB			8 44								
Phy Phy Hot Phy Sup Phy	Ilocation Cable Records - Fiber Cable, per 99 fiber records ysical Collocation - Security Escort - Basic, Per Quarter Hour ysical Collocation - Security Escort - Overtime, Per Quarter ur ysical Collocation - Security Escort - Premium, Per Quarter ur ysical Collocation - Co-Carrier Cross Connects - Fiber Cable pport Structure, per linear ft. ysical Collocation - Co-Carrier Cross Connects - Copper/Coax ble Support Structure, per lin. ft.			CLO	PE1CB											
Phy Phy Hou Phy Hou Phy Sur	ysical Collocation - Security Escort - Basic, Per Quarter Hour ysical Collocation - Security Escort - Overtime, Per Quarter ur ysical Collocation - Security Escort - Premium, Per Quarter ur ysical Collocation - Co-Carrier Cross Connects - Fiber Cable pport Structure, per linear ft. ysical Collocation - Co-Carrier Cross Connects - Copper/Coax ble Support Structure, per lin. ft.			CLO			29.54	29.54								
Phy Hot Phy Hot Phy Sup	ysical Collocation - Security Escort - Overtime, Per Quarter ur ysical Collocation - Security Escort - Premium, Per Quarter ur ysical Collocation - Co-Carrier Cross Connects - Fiber Cable pport Structure, per linear ft. ysical Collocation - Co-Carrier Cross Connects - Copper/Coax ble Support Structure, per lin. ft.						279.05	279.05								
Phy Hot Phy Hot Phy Sup	ysical Collocation - Security Escort - Overtime, Per Quarter ur ysical Collocation - Security Escort - Premium, Per Quarter ur ysical Collocation - Co-Carrier Cross Connects - Fiber Cable pport Structure, per linear ft. ysical Collocation - Co-Carrier Cross Connects - Copper/Coax ble Support Structure, per lin. ft.				PE1BQ		40.00									
Hoi Phy Hoi Phy Sur Phy	ur ysical Collocation - Security Escort - Premium, Per Quarter ur ysical Collocation - Co-Carrier Cross Connects - Fiber Cable pport Structure, per linear ft. ysical Collocation - Co-Carrier Cross Connects - Copper/Coax ble Support Structure, per lin. ft.			CLO	PETBQ		10.89									
Hou Phy Sup Phy	ur ysical Collocation - Co-Carrier Cross Connects - Fiber Cable pport Structure, per linear ft. ysical Collocation - Co-Carrier Cross Connects - Copper/Coax ble Support Structure, per lin. ft.				PE1OQ		13.64									
Sur Phy	pport Structure, per linear ft. ysical Collocation - Co-Carrier Cross Connects - Copper/Coax ble Support Structure, per lin. ft.		ı	CLO	PE1PQ		16.40									
Phy	ysical Collocation - Co-Carrier Cross Connects - Copper/Coax ble Support Structure, per lin. ft.															
	ble Support Structure, per lin. ft.			CLO	PE1ES	0.0028										
				CLO	PE1DS	0.0041										
				CLO	PE1DS	0.0041										
	opper or Fiber) Support Structure, per cable			CLO	PE1DT		535.54									
ADJACENT COLLO				OLO	1 2 101		000.04									
	jacent Collocation - Space Charge per Sq. Ft.			CLOAC	PE1JA	0.182										
	jacent Collocation - Electrical Facility Charge per Linear Ft.			CLOAC	PE1JC	6.70										
Adj	jacent Collocation - 2-Wire Cross-Connects			CLOAC	PE1P2	0.074	34.53	32.51								
				UEA,UHL,UDL,UCL,												
	jacent Collocation - 4-Wire Cross-Connects			CLOAC	PE1P4	0.148	34.54	32.53								
	jacent Collocation - DS1 Cross-Connects jacent Collocation - DS3 Cross-Connects			USL,CLOAC CLOAC	PE1P1 PE1P3	1.29 17.48	54.15 53.28	40.94 39.65								
	jacent Collocation - DS3 Cross-Connects jacent Collocation - 2-Fiber Cross-Connect			CLOAC	PE1P3 PE1F2	2.96	53.28	39.66								
	jacent Collocation - 2-Fiber Cross-Connect			CLOAC	PE1F4	5.66	66.08	52.47								
	jacent Collocation - Application Fee			CLOAC	PE1JB	3.00	2,677.00	32.47								
Adj	jacent Collocation - 120V, Single Phase Standby Power Rate r AC Breaker Amp			CLOAC	PE1FB	5.62	2,011.00									
Adj	jacent Collocation - 240V, Single Phase Standby Power Rate															
	r AC Breaker Amp jacent Collocation - 120V, Three Phase Standby Power Rate			CLOAC	PE1FD	11.26										
	r AC Breaker Amp			CLOAC	PE1FE	16.88										
	jacent Collocation - 277V, Three Phase Standby Power Rate			020710		10.00										
per	r AC Breaker Amp			CLOAC	PE1FG	38.98										
	OCATION IN THE REMOTE SITE															
	ysical Collocation in the Remote Site - Application Fee *			CLORS	PE1RA		309.48		168.63							
	binet Space in the Remote Site per Bay/ Rack *			CLORS	PE1RB	210.05										
*	ysical Collocation in the Remote Site - Security Access - Key			CLORS	PE1RD		13.17	13.17								
	ysical Collocation in the Remote Site - Space Availability															
	port per Premises Requested *			CLORS	PE1SR		116.54	116.54								
	ysical Collocation in the Remote Site - Remote Site CLLI			CLORS	DE4DE		27.77	27.77								
	de Request, per CLLI Code Requested * mote Site DLEC Data (BRSDD), per Compact Disk, per CO			CLORS	PE1RE PE1RR		37.77 233.51	37.77							-	
	OCATION IN THE REMOTE SITE - ADJACENT		 	OLUNG	LINK		ان.د∠									
	mote Site-Adjacent Collocation - AC Power, per breaker amp			CLORS	PE1RS	6.27										
	,															
	mote Site-Adjacent Collocation - Real Estate, per square foot rates which are subject to true-up.			CLORS	PE1RT	0.134			+						-	
	ecurity Escort and/or Add'l Engineering Fees become nece	essany f	or rem	ote site collecation	the Parties "	vill negotiate a	nronriate rate	•								+

COLLO	CATI	ON - Georgia												Attachment:	4		Exhibit: D
CATEG		RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)	ı			Submitted Manually	Incremental Charge - Manual Svc	Incremental Charge -	Charge -	Incremental Charge -
							Rec	Nonre	curring	Nonrecurrin	g Disconnect			oss	RATES (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN		SOMAN	SOMAN
-				-							-						
PHYSIC		LOCATION															
		Physical Collocation - Application Fee - Initial			CLO	PE1BA		3,850.00									
		Physical Collocation - Application Fee - Subsequent			CLO	PE1CA		3,130.00	3,130.00								
-		Physical Collocation - Space Preparation Fee Per Square Ft. Physical Collocation - Space Preparation - Firm Order		- 1	CLO	PE1BB		100.00	100.00		-						
		Processing		1 1	CLO	PE1SJ		1,187.00									
		Physical Collocation - Space Preparation - C.O. Modification per			020	1 2 100		1,107.00									
		square ft.		(CLO	PE1SK	2.02										
		Physical Collocation - Space Preparation - Common Systems															
-		Modification per square ft Cageless Physical Collocation - Space Preparation - Common Systems		- '	CLO	PE1SL	2.80			-							
		Modification per Cage		1 1	CLO	PE1SM	95.23										
		Physical Collocation - Cable Installation			CLO	PE1BD	00.20	2,750.00	2,750.00								
		Physical Collocation - Floor Space per Sq. Ft.			CLO	PE1PJ	7.50	,	,								
		Physical Collocation - Floor Space - Zone B per Sq. Ft.			CLO	PE1PK	6.75										
		Physical Collocation - Cable Support Structure		-	CLO	PE1PM	13.35										
		Physical Collocation - Power (Provided from BST BDFB), per Fused Amp		l 1.	CLO	PE1PL	8.06										
		Physical Collocation - Power (Provided from BST Main Power		 	CLO	PEIPL	0.00										
		Board), per Fused Amp			CLO	PE1FJ	7.81										
		· · · · · · · · · · · · · · · · · · ·															
		Physical Collocation - 120V, Single Phase Standby Power Rate	I		CLO	PE1FB	5.52										
		Blood of College Control of Contr	l.		01.0	DE4ED	44.05										
-		Physical Collocation - 240V, Single Phase Standby Power Rate	<u> </u>	H	CLO	PE1FD	11.05										
		Physical Collocation - 120V, Three Phase Standby Power Rate	lı .		CLO	PE1FE	16.58										
							10.00										
		Physical Collocation - 277V, Three Phase Standby Power Rate	I		CLO	PE1FG	38.27										
					UEANL,UEA,UDN,U												
		Physical Collocation - 2-Wire Cross-Connects			DC,UAL,UHL,UCL,U EQ	PE1P2	0.30	12.60	12.60								
-		Physical Collocation - 2-Wire Cross-Connects Physical Collocation - 4-Wire Cross-Connects			CLO	PE1P2 PE1P4	0.50	12.60	12.60								
		Johnstalion . This cross controls			CLO,UEANL,UEQ,W		0.00	12.00	12.30	†			†				
		Physical Collocation - DS1 Cross-Connects			DS1L,WDS1S	PE1P1	8.00	155.00	27.00								
		Physical Collocation - DS3 Cross-Connects			CLO	PE1P3	72.00	155.00	27.00								
		Physical Collocation - 2-Fiber Cross-Connect			CLO	PE1F2	2.86	52.14	38.72								
-		Physical Collocation - 4-Fiber Cross-Connect Physical Collocation - Welded Wire Cage - First 100 Sq. Ft.			CLO CLO	PE1F4 PE1BW	5.08 161.27	64.74	51.31								
-		Physical Collocation - Welded Wire Cage - First 100 Sq. Ft. Physical Collocation - Welded Wire Cage - Add'l 50 Sq. Ft.			CLO	PE1CW	15.82			1							
		Physical Collocation - Weided Wife Cage - Add 130 3q. 1 t. Physical Collocation - Security System Per Central Office Per		H			10.02			†			†				
		Assignable Sq. Ft.	<u> </u>		CLO	PE1AX	0.0172			<u> </u>		<u></u>	<u></u>				
		Physical Collocation - Security Access System - New Access							· · · · · ·								
\vdash		Card Activation, per Card			CLO	PE1A1	0.0607	46.20	46.20		ļ						ļ
		Physical Collocation - Security Access System - New Access Card Deactivation, per Card			CLO	PE1A4		8.72	8.72	1							
\vdash		Physical Collocation-Security Access System-Administrative		 	OLO	I L IA4		0.12	0.72	 	1	-					1
		Change, existing Access Card, per Card	ı		CLO	PE1AA		15.40	15.40	1							
		Physical Collocation - Security Access System - Replace Lost or															
		Stolen Card, per Card	I		CLO	PE1AR		45.02	45.02	ļ							
\vdash		Physical Collocation - Security Access - Initial Key, per Key			CLO	PE1AK		26.16	26.16	-	1						1
		Physical Collocation - Security Access - Key, Replace Lost or Stolen Key, per Key		l.	CLO	PE1AL		26.16	26.16	1							
		Physical Collocation - Space Availability Report per premises	 		CLO	PE1SR		2,148.00	2,148.00	-							
		, z.z z onoodion opado , trandonty report por promises				. = . =	1	_, 1-10.00	_,170.00	·	·			l			

COLLOCATI	ON - Georgia												Attachment:	4		Exhibit: D
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Submitted	Incremental Charge - Manual Svc	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonre		Nonrecurrin	g Disconnect				RATES (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	POT Bay Arrangements prior to 6/1/99 - 2-Wire Cross-Connect, per cross-connect			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO	PE1PE	0.40										
	POT Bay Arrangements prior to 6/1/99 - 4-Wire Cross-Connect, per cross-connect			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO	PE1PF	1.20										
	POT Bay Arrangements prior to 6/1/99 - DS1 Cross-Connect, per cross-connect			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO,WDS1L,W DS1S, UEANL,UEA,UDN,U	PE1PG	1.20										
	POT Bay Arrangements prior to 6/1/99 - DS3 Cross-Connect, per cross-connect			DC,UAL,UHL,UCL,U EQ,CLO	PE1PH	8.00										
	POT Bay Arrangements prior to 6/1/99 - 2-Fiber Cross-Connect, per cross-connect			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO	PE1B2	38.79										
	POT Bay Arrangements prior to 6/1/99 - 4-Fiber Cross-Connect, per cross-connect			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO	PE1B4	52.31										
	Collocation Cable Records - per request			CLO	PE1CR		1,706.00	1,164.00								
	Collocation Cable Records - VG/DS0 Cable, per cable record			CLO	PE1CD		922.38	922.38								
	Collocation Cable Records - VG/DS0 Cable, per each 100 pair			CLO	PE1CO		18.00	18.00								
-	Collocation Cable Records - DS1, per T1TIE			CLO	PE1C1		8.43	8.43								
	Collocation Cable Records - DS3, per T3TIE			CLO CLO	PE1C3 PE1CB		29.49 278.61	29.49 278.61		-						
	Collocation Cable Records - Fiber Cable, per 99 fiber records Physical Collocation - Security Escort - Basic, per Half Hour	<u> </u>		CLO,CLORS	PE1CB PE1BT		41.00	25.00								
	Friysical Collocation - Security Escort - Basic, per Hail Hour	1		CLO,CLORS	FLIDI		41.00	25.00			1					
	Physical Collocation - Security Escort - Overtime, per Half Hour			CLO,CLORS	PE1OT		48.00	30.00								
	Physical Collocation - Security Escort - Premium, per Half Hour			CLO,CLORS	PE1PT		55.00	35.00								
	Physical Collocation - Co-Carrier Cross Connects - Fiber Cable															
	Support Structure, per linear ft.			CLO	PE1ES	0.0023										
	Physical Collocation - Co-Carrier Cross Connects - Copper/Coax	:		0.0	DE / DO											
-	Cable Support Structure, per lin. ft.			CLO	PE1DS	0.0034										
	Physical Collocation - Co-Carrier Cross Connects - Cable (Copper or Fiber) Support Structure, per cable			CLO	PE1DT		553.43									
ADJACENT CO		 		OLO	LLIDI	<u> </u>	333.43			 				 	1	1
	Adjacent Collocation - Space Charge per Sq. Ft.	1		CLOAC	PE1JA	0.2542				-	t			I	 	1
	Adjacent Collocation - Space Charge per Cq. 11. Adjacent Collocation - Electrical Facility Charge per Linear Ft.	†		CLOAC	PE1JC	5.44			1	1				1		
	Adjacent Collocation - 2-Wire Cross-Connects			CLOAC	PE1P2	0.598	24.95	23.97	11.80	10.67						
				UEA,UHL,UDL,UCL,												
	Adjacent Collocation - 4-Wire Cross-Connects	ļ		CLOAC	PE1P4	0.1196	25.14	24.11	12.15	10.93				1		
	Adjacent Collocation - DS1 Cross-Connects	ļ		USL,CLOAC	PE1P1	1.04	44.19	32.13	11.93	10.81						ļ
<u> </u>	Adjacent Collocation - DS3 Cross-Connects	!		CLOAC	PE1P3	14.12 2.39	41.93	30.69	13.71	11.04				!	 	1
 	Adjacent Collocation - 2-Fiber Cross-Connect Adjacent Collocation - 4-Fiber Cross-Connect	 		CLOAC CLOAC	PE1F2 PE1F4	2.39 4.57	41.93 51.14	30.69 39.90	13.71 17.96	11.05 15.29				 	 	1
	Adjacent Collocation - 4-Fiber Cross-Connect Adjacent Collocation - Application Fee	1		CLOAC	PE1F4 PE1JB	4.57	1,555.00	39.90	17.96	15.29	-			+		
	Adjacent Collocation - Application Fee Adjacent Collocation - 120V, Single Phase Standby Power Rate	 		OLUAU	I LIVD	<u> </u>	1,355.00		1	 		-		t		
	per AC Breaker Amp Adjacent Collocation - 240V, Single Phase Standby Power Rate			CLOAC	PE1FB	5.39										
	per AC Breaker Amp Adjacent Collocation - 120V, Three Phase Standby Power Rate			CLOAC	PE1FD	10.79										
	per AC Breaker Amp Adjacent Collocation - 277V, Three Phase Standby Power Rate			CLOAC	PE1FE	16.18										
	per AC Breaker Amp Adjacent Collocation - 240V, Three Phase Standby Power Rate			CLOAC	PE1FG	38.27										-
	per AC Breaker Amp			CLOAC	PEIJD	37.37				l	1	l		1		

COLLOCAT	ION - Georgia												Attachment:	4		Exhibit: D
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Submitted Manually	Charge - Manual Svc	Charge -	Order vs.	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	RATES (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
PHYSICAL CO	LLOCATION IN THE REMOTE SITE															
	Physical Collocation in the Remote Site - Application Fee *			CLORS	PE1RA		608.18	608.17	323.63	323.63						
	Cabinet Space in the Remote Site per Bay/ Rack *			CLORS	PE1RB	224.82										
	Physical Collocation in the Remote Site - Security Access - Key *			CLORS	PE1RD		25.88	25.88								
	Physical Collocation in the Remote Site - Space Availability Report per Premises Requested *			CLORS	PE1SR		229.02	229.02								
	Physical Collocation in the Remote Site - Remote Site CLLI Code Request, per CLLI Code Requested *			CLORS	PE1RE		74.22	74.22								
	Remote Site DLEC Data (BRSDD), per Compact Disk, per CO			CLORS	PE1RR		232.88									
PHYSICAL CO	LLOCATION IN THE REMOTE SITE - ADJACENT															
	Remote Site-Adjacent Collocation - AC Power, per breaker amp			CLORS	PE1RS	6.27										
10.100	Remote Site-Adjacent Collocation - Real Estate, per square foot			CLORS	PE1RT	0.134										
	im rates which are subject to true-up. If Security Escort and/or Add'l Engineering Fees become nec	essary f	or rem	l ote site collocation,	the Parties v	l vill negotiate a	ppropriate rate	s.								

ATECOPY RATE ELEMENTS March ATECH	COLL	CATI	ON - Kentucky												Attachment:	4		Exhibit: D
Private Address Addr					Zone	BCS	USOC			RATES(\$)			Submitted Elec	Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-
Privace Collections - Space Proporation - Privace Collections - Space Proporation - Privace Collections - Space Proporation - Privace Collections - Space Proporation - Privace Collections - Space Proporation - Privace Collections - Space Proporation - Privace Collections - Space Proporation - Common Systems - Collections - Space Proporation - Common Systems - Collections - Space Proporation - Common Systems - Collections - Space Proporation - Common Systems - Collections - Space Proporation - Common Systems - Collections - Space Proporation - Common Systems - Collections - Space Proporation - Common Systems - Collections - Space Proporation - Common Systems - Collections - Space Proporation - Common Systems - Collections - Space Proporation - Common Systems - Collections - Space Proporation - Common Systems - Collections - Space Proporation - Common Systems - Collections - Space Proporation - Collections - Space Proporation - Collections								Rec	Nonrec	curring	Nonrecurrin	g Disconnect						
Physical Coloration - Agellation Fee - Subsequent									First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Physical Coloration - Agellation Fee - Subsequent																		
Physical Coloration - Agellation Fee - Subsequent																		
Physical Coloration - Agellation Fee - Subsequent	-										-			-				
Physical Coloration - Agellation Fee - Subsequent	-																	
Physical Collocation - Agent	PHYSIC	AL CO	LOCATION								İ							
Project Collocation - Space Preparation - Co. McGreater			Physical Collocation - Application Fee - Initial			CLO	PE1BA											
Processing Collocation - Space Proposition - C.O. Modification per Physical Collocation - Space Proposition - Common Systems C.O.			Physical Collocation - Application Fee - Subsequent			CLO	PE1CA		3,135.00	3,135.00								
Physical Collection - Space Proposition - C.O. Modification per sequent 1:																		
Sequence CLO PETSK 2.38				ļ!		CLO	PE1SJ		1,202.00	1,202.00								
Physical Collocation - Space Preparation - Common Systems Medication per square in Colleges CLC PE1SL 3.30				l,		CLO	DE16K	2 20			1							
Modification per square ft - Cagaless CLO PETSL 3.30	 			ľ	-	010	ILION	2.38			 	1	 	1	1	1	1	1
Physical Collocation - Space Preparation - Common Systems Notification per Cage Physical Collocation - Cable Installation CLO PETBD 1,755.00				h		CLO	PE1SL	3,30			1							
Modification per Cage I			Physical Collocation - Space Preparation - Common Systems					1.00				1						
Physical Collocation - Flore Space per St. FL. CLO PETPJ B.20			Modification per Cage	1				112.11			<u> </u>				<u> </u>	<u> </u>		
Physical Collocation - Cabilo Support Structure									1,755.00	1,755.00								
Physical Collocation - Power (Provided from SET BDFS), per CLO PE1PL 8.77																		
Fused Amp Physical Collocation - Power (Provided from BST Main Power Board), per Fused Amp CLO PE1FJ 8.52	-			-		CLO	PE1PM	20.14										
Physical Collocation - Power (Provided from BST Main Power CLO PE1FJ 8.52						CLO	DE1DI	8 77										
Board), per Fused Amp	-					OLO		0.77										
Physical Collocation - 120V, Single Phase Standby Power Rate CLO PETFD 11.16						CLO	PE1FJ	8.52										
Physical Collocation - 240V, Single Phase Standby Power Rate CLO PE1FD 11.16			,					ĺ										
Physical Collocation - 120V, Three Phase Standby Power Rate CLO PE1FE 16.74			Physical Collocation - 120V, Single Phase Standby Power Rate	I		CLO	PE1FB	5.58										
Physical Collocation - 120V, Three Phase Standby Power Rate CLO PE1FE 16.74																		
Physical Collocation - 277V, Three Phase Standby Power Rate CLO PE1FG 38.65			Physical Collocation - 240V, Single Phase Standby Power Rate	1		CLO	PE1FD	11.16										
Physical Collocation - 277V, Three Phase Standby Power Rate CLO PE1FG 38.65			Physical Collegation 120V Three Phase Standby Power Pate			CLO	DE1EE	16.74										
DEANL_UEA_UDN, UD			Priysical Collocation - 120V, Three Phase Standby Power Rate	1		CLO	PEIFE	10.74										
Physical Collocation - 2-Wire Cross-Connects EQ PE1P2 0.037 33.67 31.78			Physical Collocation - 277V, Three Phase Standby Power Rate	ı		CLO	PE1FG	38.65										
Physical Collocation - 2-Wire Cross-Connects			,															
Physical Collocation - 4-Wire Cross-Connects																		
Physical Collocation - DS1 Cross-Connects																		
Physical Collocation - DS1 Cross-Connects DS1L,WDS1S PEIP1 1.51 52.97 39.90			Physical Collocation - 4-Wire Cross-Connects				PE1P4	0.075	33.66	31.70								
Physical Collocation - DS3 Cross-Connects			Physical Collocation - DS1 Cross-Connects				DE1D1	1.51	52.07	30 00								
Physical Collocation - 2-Fiber Cross-Connect	\vdash										 	1	-					1
Physical Collocation - 4-Fiber Cross-Connect											1							
Physical Collocation - Welded Wire Cage - First 100 Sq. Ft. Physical Collocation - Welded Wire Cage - Add'I 50 Sq. Ft. Physical Collocation - Security Access System - Security System per Central Office Physical Collocation - Security Access System - Security System per Central Office Physical Collocation - Security Access System - New Access Card Activation, per Card CLO PE1AX 78.11 Physical Collocation-Security Access System - New Access Card Activation, per Card CLO PE1AA 15.59 55.59 Physical Collocation - Security Access System - Replace Lost or Stolen Card, per Card CLO PE1AR 45.58 45.58 Physical Collocation - Security Access - Initial Key, per Key Physical Collocation - Security Access - Key, Replace Lost or Stolen Card, per Card Physical Collocation - Security Access - Key, Replace Lost or Stolen Key, per Key Physical Collocation - Security Access - Key, Replace Lost or Stolen Key, per Key Physical Collocation - Space Availability Report per premises CLO PE1AL 26.20 26.20 Physical Collocation - Space Availability Report per premises CLO PE1SR 2,151.00 2,151.00 POT Bay Arrangements prior to 6/1/99 - 2-Wire Cross-Connect, DC,UAL,UHL,UCL,U							PE1F4											<u> </u>
Physical Collocation - Security Access System - Security System CLO PE1AX 78.11 CLO PE1AX 78.11 Physical Collocation - Security Access System - New Access Card Activation, per Card CLO PE1A1 0.059 55.59 55.59 CLO PE1A1 0.059 55.59 C			Physical Collocation - Welded Wire Cage - First 100 Sq. Ft.					189.85										
Dep Central Office						CLO	PE1CW	18.62										
Physical Collocation - Security Access System - New Access Card Activation, per Card Change, existing Access Card, per Card CLO PE1A1 0.059 55.59 55.59 Physical Collocation - Security Access System-Administrative Change, existing Access Card, per Card CLO PE1AA 15.59 15.59 Physical Collocation - Security Access System - Replace Lost or Stolen Card, per Card CLO PE1AR 45.58 45.58 Physical Collocation - Security Access - Initial Key, per Key Physical Collocation - Security Access - Key, Replace Lost or Stolen Key, per Key CLO PE1AL 26.20 26.20 Physical Collocation - Space Availability Report per permises CLO PE1AL 26.20 26.20 PE1SR 2,151.00 2,151.00 POT Bay Arrangements prior to 6/1/99 - 2-Wire Cross-Connect, DC,UAL,UHL,UCL,U				l.		0.0	DEANY				1							
Card Activation, per Card	\vdash			I	-	CLO	PE1AX	78.11			 	 	-					
Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Card CLO PE1AA 15.59 15.59 Physical Collocation - Security Access System - Replace Lost or Stolen Card, per Card CLO PE1AR 45.58 45.58 Physical Collocation - Security Access - Initial Key, per Key CLO PE1AK 26.20 26.20 Physical Collocation - Security Access - Initial Key, per Key CLO PE1AK 26.20 26.20 Stolen Key, per Key CLO PE1AL 26.20 26.20 Physical Collocation - Space Availability Report per premises CLO PE1AL 26.20 26.20 Physical Collocation - Space Availability Report per premises CLO PE1AR 27.151.00 POT Bay Arrangements prior to 6/1/99 - 2-Wire Cross-Connect, DC,UAL,UHL,UCL,U						CLO	PF1A1	0.050	55 50	55 50								
Change, existing Access Card, per Card	 			 			. = 1/11	0.039	55.55	55.59	-	†	 	 				
Physical Collocation - Security Access System - Replace Lost or Stolen Card, per Card						CLO	PE1AA		15.59	15.59	1							
Physical Collocation - Security Access - Initial Key, per Key Physical Collocation - Security Access - Key, Replace Lost or Stolen Key, per Key CLO PE1AL 26.20 26.20 Physical Collocation - Space Availability Report per premises CLO PE1BR 26.20 26.20 CLO PE1AL 26.20 26.20 PE1BR 2,151.00 PE1BR 2,151.00 PETRIC P			Physical Collocation - Security Access System - Replace Lost or					İ										
Physical Collocation - Security Access - Key, Replace Lost or Stolen Key, per Key CLO PE1AL 26.20 26.20 Physical Collocation - Space Availability Report per premises CLO PE1SR 2,151.00 2,151.00 UEANL,UEA,UDN,U POT Bay Arrangements prior to 6/1/99 - 2-Wire Cross-Connect, DC,UAL,UHL,UCL,U				<u> </u>														
Stolen Key, per Key				ļ		CLO	PE1AK		26.20	26.20								
Physical Collocation - Space Availability Report per premises CLO PE1SR 2,151.00 2,151.00 UEANL,UEA,UDN,U POT Bay Arrangements prior to 6/1/99 - 2-Wire Cross-Connect, DC,UAL,UHL,UCL,U						CLO	DE1AL		26.20	26.20	1							1
POT Bay Arrangements prior to 6/1/99 - 2-Wire Cross-Connect, DC,UAL,UHL,UCL,U	\vdash							 			 	1	-					
POT Bay Arrangements prior to 6/1/99 - 2-Wire Cross-Connect, DC,UAL,UHL,UCL,U			- 175.00. Concoduori Opaco / Wallability (Coport per premises				1010		2,101.00	2,101.00	1							
per cross-connect EQ,CLO PE1PE 0.06						DC,UAL,UHL,UCL,U					1							
			per cross-connect			EQ,CLO	PE1PE	0.06										

COLLOCAT	ON - Kentucky												Attachment:	4		Exhibit: D
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Order vs.	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec		curring		Disconnect				RATES (\$)		
	POT Bay Arrangements prior to 6/1/99 - 4-Wire Cross-Connect, per cross-connect			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO	PE1PF	0.15	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	POT Bay Arrangements prior to 6/1/99 - DS1 Cross-Connect, per cross-connect			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO,WDS1L,W DS1S,	PE1PG	0.58										
	POT Bay Arrangements prior to 6/1/99 - DS3 Cross-Connect, per cross-connect			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO	PE1PH	4.51										
	POT Bay Arrangements prior to 6/1/99 - 2-Fiber Cross-Connect, per cross-connect			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO	PE1B2	38.79										
	POT Bay Arrangements prior to 6/1/99 - 4-Fiber Cross-Connect, per cross-connect			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO	PE1B4	52.31										
	Collocation Cable Records - per request			CLO	PE1CR		1,709.00	1,166.00								
	Collocation Cable Records - VG/DS0 Cable, per cable record			CLO	PE1CD		923.83	923.83								
	Collocation Cable Records - VG/DS0 Cable, per each 100 pair			CLO	PE1CO		18.03	18.03								
	Collocation Cable Records - DS1, per T1TIE			CLO	PE1C1		8.44	8.44								
	Collocation Cable Records - DS3, per T3TIE			CLO	PE1C3		29.54	29.54								
	Collocation Cable Records - Fiber Cable, per 99 fiber records			CLO	PE1CB		279.05	279.05								
	Physical Collocation - Security Escort - Basic, per Half Hour			CLO,CLORS	PE1BT		33.86	21.46								
	Physical Collocation - Security Escort - Overtime, per Half Hour			CLO,CLORS	PE1OT		44.10	27.72								
	Physical Collocation - Security Escort - Premium, per Half Hour			CLO,CLORS	PE1PT		54.35	33.97								
	Physical Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure, per linear ft. Physical Collocation - Co-Carrier Cross Connects - Copper/Coax			CLO	PE1ES	0.003										
	Cable Support Structure, per lin. ft.			CLO	PE1DS	0.0045										
	Physical Collocation - Co-Carrier Cross Connects - Cable (Copper or Fiber) Support Structure, per cable			CLO	PE1DT		535.55									
ADJACENT CO				CLO	PEIDI		535.55				-					
ADJACENT CC	Adjacent Collocation - Space Charge per Sq. Ft.			CLOAC	PE1JA	0.018										
	Adjacent Collocation - Electrical Facility Charge per Linear Ft.			CLOAC	PE1JC	6.01			1							1
	Adjacent Collocation - 2-Wire Cross-Connects			CLOAC	PE1P2	0.037	33.67	31.78								
	Adjacent Collocation - 4-Wire Cross-Connects			UEA,UHL,UDL,UCL, CLOAC	PE1P4	0.075	33.66	31.70								
	Adjacent Collocation - 4-Wire Cross-Connects Adjacent Collocation - DS1 Cross-Connects			USL,CLOAC	PE1P1	1.51	52.97	39.90								
	Adjacent Collocation - DS3 Cross-Connects			CLOAC	PE1P3	19.15	52.04	38.62								
	Adjacent Collocation - 2-Fiber Cross-Connect			CLOAC	PE1F2	3.80	52.04	38.63	İ	l						
	Adjacent Collocation - 4-Fiber Cross-Connect			CLOAC	PE1F4	6.75	64.59	51.18								
	Adjacent Collocation - Application Fee			CLOAC	PE1JB		3,155.00							•		<u> </u>
	Adjacent Collocation - 120V, Single Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FB	5.58										
	Adjacent Collocation - 240V, Single Phase Standby Power Rate per AC Breaker Amp Adjacent Collocation - 120V, Three Phase Standby Power Rate			CLOAC	PE1FD	11.16										
	per AC Breaker Amp Adjacent Collocation - 277V, Three Phase Standby Power Rate			CLOAC	PE1FE	16.74										
	per AC Breaker Amp			CLOAC	PE1FG	38.65										
PHYSICAL CO	LLOCATION IN THE REMOTE SITE															
	Physical Collocation in the Remote Site - Application Fee *			CLORS	PE1RA	2011	868.91	868.91			ļ					
	Cabinet Space in the Remote Site per Bay/ Rack *			CLORS	PE1RB	224.41			1	-						
	Physical Collocation in the Remote Site - Security Access - Key *			CLORS	PE1RD		26.60	26.60								

COLLOCATI	ION - Kentucky												Attachment:	4		Exhibit: D
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Submitted Manually	Charge -	Charge - Manual Svc Order vs.		Charge -
						Rec	Nonrec		Nonrecurring				OSS	RATES (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Physical Collocation in the Remote Site - Space Availability Report per Premises Requested *			CLORS	PE1SR		231.82	231.82								
	Physical Collocation in the Remote Site - Remote Site CLLI Code Request, per CLLI Code Requested *			CLORS	PE1RE		75.13	75.13								
	Remote Site DLEC Data (BRSDD), per Compact Disk, per CO			CLORS	PE1RR		233.42									
PHYSICAL CO	LLOCATION IN THE REMOTE SITE - ADJACENT															
	Remote Site-Adjacent Collocation - AC Power, per breaker amp			CLORS	PE1RS	6.27										
	Remote Site-Adjacent Collocation - Real Estate, per square foot			CLORS	PE1RT	0.134										
	im rates which are subject to true-up.															
NOTE:	If Security Escort and/or Add'l Engineering Fees become nece	essary f	or rem	ote site collocation,	the Parties v	vill negotiate ap	propriate rate	s.								

COLLOCATI	ON - Louisiana												Attachment:	4		Exhibit: D
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Order vs. Electronic-
						Rec	Nonrec			g Disconnect				RATES (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
																ļ
						-										
																+
PHYSICAL CO																
	Physical Collocation - Application Fee - Initial			CLO	PE1BA		1,837.24									
	Physical Collocation - Application Fee - Subsequent			CLO	PE1CA		1,533.41									
	Physical Collocation - Space Preparation - Firm Order Processing			CLO	PE1SJ		583.33									
	Physical Collocation - Space Preparation - C.O. Modification per			CLO	FLISS		363.33									+
	square ft.			CLO	PE1SK	2.31										
	Physical Collocation - Space Preparation - Common Systems															
	Modification per square ft Cageless			CLO	PE1SL	2.70										
	Physical Collocation - Space Preparation - Common Systems			01.0	DE4014	04.00										
	Modification per Cage Physical Collocation - Cable Installation			CLO CLO	PE1SM PE1BD	91.60	841.54	841.54								<u> </u>
	Physical Collocation - Cable Installation Physical Collocation - Floor Space per Sq. Ft.			CLO	PE1PJ	5.30	041.04	041.34								1
	Physical Collocation - Cable Support Structure			CLO	PE1PM	18.31										+
	Physical Collocation - Power (Provided from BST BDFB), per			020		10.01										
	Fused Amp	I		CLO	PE1PL	8.32										
	Physical Collocation - Power (Provided from BST Main Power															
	Board), per Fused Amp			CLO	PE1FJ	8.07										
	Dhusias Callessias 4001/ Circle Dhase Ctardhy Davis Date			CLO	PE1FB	5.45										
	Physical Collocation - 120V, Single Phase Standby Power Rate			CLO	PETER	5.45										+
	Physical Collocation - 240V, Single Phase Standby Power Rate			CLO	PE1FD	10.92										
	Physical Collocation - 120V, Three Phase Standby Power Rate			CLO	PE1FE	16.37										
	Physical Collocation - 277V, Three Phase Standby Power Rate			CLO	PE1FG	37.80										
				UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U												
	Physical Collocation - 2-Wire Cross-Connects			EQ	PE1P2	0.0318	11.94	11.46								
	Physical Collocation - 4-Wire Cross-Connects			CLO	PE1P4	0.0636	12.04	11.53								
	,			CLO,UEANL,UEQ,W												
	Physical Collocation - DS1 Cross-Connects			DS1L,WDS1S	PE1P1	1.04	21.39	15.47								
	Physical Collocation - DS3 Cross-Connects			CLO	PE1P3	13.21	20.28	14.76								
	Physical Collocation - 2-Fiber Cross-Connect			CLO	PE1F2	2.62	20.28	14.76								
	Physical Collocation - 4-Fiber Cross-Connect			CLO	PE1F4 PE1BW	4.65 184.50	24.81	19.29			1					<u> </u>
-	Physical Collocation - Welded Wire Cage - First 100 Sq. Ft. Physical Collocation - Welded Wire Cage - Add'l 50 Sq. Ft.			CLO CLO	PE1BW PE1CW	184.50										
	Physical Collocation - Security System Per Central Office Per			OLO	LIOW	10.10										+
	Assignable Sq. Ft.			CLO	PE1AX	0.0224										
	Physical Collocation - Security Access System - New Access															
	Card Activation, per Card			CLO	PE1A1	0.0579	27.50									
	Physical Collocation-Security Access System-Administrative			0.0		1 7										
	Change, existing Access Card, per Card Physical Collocation - Security Access System - Replace Lost or	-		CLO	PE1AA	 	7.74	7.74			<u> </u>					
	Stolen Card, per Card			CLO	PE1AR		22.64	22.64								
	Physical Collocation - Security Access - Initial Key, per Key	1		CLO	PE1AK		13.01	13.01		1	1				 	
1	Physical Collocation - Security Access - Key, Replace Lost or							.5.51								
	Stolen Key, per Key	<u> </u>		CLO	PE1AL	<u> </u>	13.01	13.01			L	<u> </u>			<u> </u>	
	Physical Collocation - Space Availability Report per premises			CLO	PE1SR		1,044.07	1,044.07								
	DOT D. A			UEANL,UEA,UDN,U												
	POT Bay Arrangements prior to 6/1/99 - 2-Wire Cross-Connect,			DC,UAL,UHL,UCL,U	DE4DE	0.070										
1	per cross-connect	l l		EQ,CLO	PE1PE	0.079			l	1	L			l .	l .	<u> </u>

COLLOCAT	ON - Louisiana												Attachment:	4		Exhibit: D
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Order vs.	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec		curring		Disconnect				RATES (\$)		
	POT Bay Arrangements prior to 6/1/99 - 4-Wire Cross-Connect, per cross-connect			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO	PE1PF	0.158	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	POT Bay Arrangements prior to 6/1/99 - DS1 Cross-Connect, per cross-connect			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO,WDS1L,W DS1S,	PE1PG	1.12										
	POT Bay Arrangements prior to 6/1/99 - DS3 Cross-Connect, per cross-connect			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO	PE1PH	9.95										
	POT Bay Arrangements prior to 6/1/99 - 2-Fiber Cross-Connect, per cross-connect			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO	PE1B2	33.96										
	POT Bay Arrangements prior to 6/1/99 - 4-Fiber Cross-Connect, per cross-connect			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO	PE1B4	45.80										
	Collocation Cable Records - per request			CLO	PE1CR	10.97										
	Collocation Cable Records - VG/DS0 Cable, per cable record			CLO	PE1CD	5.29										
	Collocation Cable Records - VG/DS0 Cable, per each 100 pair Collocation Cable Records - DS1, per T1TIE			CLO CLO	PE1CO PE1C1	0.08 0.04										
1	Collocation Cable Records - DS3, per T3TIE			CLO	PE1C3	0.13										
	Collocation Cable Records - Fiber Cable, per 99 fiber records			CLO	PE1CB	1.37										
	Physical Collocation - Security Escort - Basic, per Half Hour			CLO,CLORS	PE1BT		16.44	10.42								
	Physical Collocation - Security Escort - Overtime, per Half Hour			CLO,CLORS	PE1OT		21.41	13.45								
	Physical Collocation - Security Escort - Premium, per Half Hour			CLO,CLORS	PE1PT		26.38	16.49								
	Physical Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure, per linear ft.			CLO	PE1ES	0.0024										
	Physical Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per lin. ft.			CLO	PE1DS	0.0036										
	Physical Collocation - Co-Carrier Cross Connects - Cable			01.0	DE 1 DE		=0.4 =0									
ADJACENT CO	(Copper or Fiber) Support Structure, per cable			CLO	PE1DT		534.79									
ADJACENT CC	Adjacent Collocation - Space Charge per Sq. Ft.			CLOAC	PE1JA	0.0552										
	Adjacent Collocation - Electrical Facility Charge per Linear Ft.			CLOAC	PE1JC	5.61										
	Adjacent Collocation - 2-Wire Cross-Connects			CLOAC	PE1P2	0.0245	11.94	11.46								
	Adjacent Collocation - 4-Wire Cross-Connects			UEA,UHL,UDL,UCL, CLOAC	PE1P4	0.0491	12.04	11.53								
	Adjacent Collocation - DS1 Cross-Connects			USL,CLOAC	PE1P1	0.9605	21.39	15.47								_
	Adjacent Collocation - DS3 Cross-Connects Adjacent Collocation - 2-Fiber Cross-Connect	1		CLOAC CLOAC	PE1P3 PE1F2	13.01 2.20	20.28 20.28	14.76 14.76	 		1		 			
 	Adjacent Collocation - 2-Fiber Cross-Connect Adjacent Collocation - 4-Fiber Cross-Connect			CLOAC	PE1F2 PE1F4	4.21	20.28	14.76								+
	Adjacent Collocation - Application Fee			CLOAC	PE1JB	7.21	1,543.20	13.29								
	Adjacent Collocation - 120V, Single Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FB	5.45	,-									
	Adjacent Collocation - 240V, Single Phase Standby Power Rate per AC Breaker Amp Adjacent Collocation - 120V, Three Phase Standby Power Rate			CLOAC	PE1FD	10.92										
	per AC Breaker Amp			CLOAC	PE1FE	16.37										
	Adjacent Collocation - 277V, Three Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FG	37.80										
PHYSICAL CO	LLOCATION IN THE REMOTE SITE															
	Physical Collocation in the Remote Site - Application Fee *			CLORS	PE1RA	205.00	298.80	298.80								<u> </u>
 	Cabinet Space in the Remote Site per Bay/ Rack * Physical Collocation in the Remote Site - Security Access - Key			CLORS	PE1RB	225.39					 					
	*			CLORS	PE1RD		13.01	13.01								

COLLOCAT	ION - Louisiana												Attachment:	4		Exhibit: D
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)				1	Charge - Manual Svc	Charge - Manual Svc		Charge - Manual Svc
		m									Submitted Elec per LSR	Manually	Order vs. Electronic- 1st	Order vs. Electronic- Add'l		Order vs. Electronic- Disc Add'l
						Rec	Nonrec	urring	Nonrecurrin	g Disconnect			ossı	RATES (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Physical Collocation in the Remote Site - Space Availability Report per Premises Requested *			CLORS	PE1SR		112.52	112.52								
	Physical Collocation in the Remote Site - Remote Site CLLI Code Request, per CLLI Code Requested *			CLORS	PE1RE		36.47	36.47								
	Remote Site DLEC Data (BRSDD), per Compact Disk, per CO			CLORS	PE1RR		233.21									
PHYSICAL CO	LLOCATION IN THE REMOTE SITE - ADJACENT															
	Remote Site-Adjacent Collocation - AC Power, per breaker amp			CLORS	PE1RS	6.27										
	Remote Site-Adjacent Collocation - Real Estate, per square foot			CLORS	PE1RT	0.134										
	im rates which are subject to true-up.															
NOTE:	If Security Escort and/or Add'l Engineering Fees become nece	essary f	for rem	ote site collocation,	the Parties v	vill negotiate ap	propriate rate	s.								

COLLOCATI	ON - Mississippi												Attachment:	4		Exhibit: D
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Order vs. Electronic-
						Rec	Nonrec		Nonrecurring					RATES (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
																
																+
PHYSICAL CO																
	Physical Collocation - Application Fee - Initial			CLO	PE1BA		1,890.38		0.05							
	Physical Collocation - Application Fee - Subsequent			CLO	PE1CA		1,575.69		0.51							
	Physical Collocation - Space Preparation - Firm Order Processing	l		CLO	PE1SJ		604.19									
	Physical Collocation - Space Preparation - C.O. Modification per	<u>'</u>		CLO	FL100		004.15									+
	square ft.	lı		CLO	PE1SK	2.30										
	Physical Collocation - Space Preparation - Common Systems															
	Modification per square ft Cageless			CLO	PE1SL	2.52										<u> </u>
	Physical Collocation - Space Preparation - Common Systems	l.		0.0	DE 1011											
	Modification per Cage Physical Collocation - Cable Installation			CLO CLO	PE1SM PE1BD	85.67	926.27	926.27	22.62							
	Physical Collocation - Cable Installation Physical Collocation - Floor Space per Sq. Ft.			CLO	PE1PJ	5.74	920.27	920.21	22.02							1
	Physical Collocation - Cable Support Structure			CLO	PE1PM	17.42										+
	Physical Collocation - Power (Provided from BST BDFB), per			020											1	
	Fused Amp	ı		CLO	PE1PL	7.33										
	Physical Collocation - Power (Provided from BST Main Power															
	Board), per Fused Amp			CLO	PE1FJ	7.08										<u> </u>
	Dhusias Callessias 400V Circle Dhase Ctardhu Danies Data	l		CLO	PE1FB	5.29										
	Physical Collocation - 120V, Single Phase Standby Power Rate			CLO	PETEB	5.29										+
	Physical Collocation - 240V, Single Phase Standby Power Rate	lı .		CLO	PE1FD	10.58										
	Physical Collocation - 120V, Three Phase Standby Power Rate	1		CLO	PE1FE	15.87										
	Physical Collocation - 277V, Three Phase Standby Power Rate	<u> </u>		CLO UEANL,UEA,UDN,U	PE1FG	36.65										ļ
				DC,UAL,UHL,UCL,U												
	Physical Collocation - 2-Wire Cross-Connects			EQ	PE1P2	0.0288	12.37	11.87	6.04	5.45						
	Physical Collocation - 2-Wire Cross-Connects			CLO	PE1P4	0.0576	12.47	11.94	6.59	5.91						
				CLO,UEANL,UEQ,W		0.00.0			9.00							
	Physical Collocation - DS1 Cross-Connects			DS1L,WDS1S	PE1P1	1.14	22.16	16.02	6.60	5.97						
	Physical Collocation - DS3 Cross-Connects			CLO	PE1P3	14.49	21.01	15.29	7.61	6.10						
	Physical Collocation - 2-Fiber Cross-Connect			CLO	PE1F2	2.87	21.01	15.29	7.61	6.10						
	Physical Collocation - 4-Fiber Cross-Connect			CLO	PE1F4	5.10	25.70	19.97	10.01	8.50						
	Physical Collocation - Welded Wire Cage - First 100 Sq. Ft. Physical Collocation - Welded Wire Cage - Add'l 50 Sq. Ft.			CLO CLO	PE1BW PE1CW	183.20 17.97										<u> </u>
	Physical Collocation - Weided Wife Cage - Add 130 34. 1 t. Physical Collocation - Security Access System - Security System			CLO	FLICW	17.97										
	per Central Office	lı .		CLO	PE1AX	75.23										
	Physical Collocation - Security Access System - New Access															
	Card Activation, per Card	<u> </u>		CLO	PE1A1	0.0576	27.95	27.95								
	Physical Collocation-Security Access System-Administrative															
	Change, existing Access Card, per Card	I		CLO	PE1AA		7.84	7.84								
	Physical Collocation - Security Access System - Replace Lost or Stolen Card, per Card	l		CLO	PE1AR		22.91	22.91							1	
-	Physical Collocation - Security Access - Initial Key, per Key			CLO	PE1AK PE1AK	 	13.17	13.17			1				 	+
-	Physical Collocation - Security Access - Initial Rey, per Rey Physical Collocation - Security Access - Key, Replace Lost or				. = 1/41		13.17	13.17			1	 			†	
	Stolen Key, per Key	1		CLO	PE1AL		13.17	13.17							I	
	Physical Collocation - Space Availability Report per premises			CLO	PE1SR		1,081.40	1,081.40								
				UEANL,UEA,UDN,U												
1	POT Bay Arrangements prior to 6/1/99 - 2-Wire Cross-Connect,	1		DC,UAL,UHL,UCL,U	DE 1 D =										I	
1	per cross-connect	l		EQ,CLO	PE1PE	0.0867						l		İ	L	<u> </u>

COLLOCA	ATION - Mississippi												Attachment:	4		Exhibit: D
		1							II.	1			Incremental	Incremental	Incremental	Incremental
													Charge -	Charge -	Charge -	Charge -
		Interi									Svc Order	Svc Order	Manual Svc	Manual Svc		Manual Svc
CATEGOR	Y RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)				Submitted		Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
											Elec per LSR	Manually per LSR	1st	Add'l	Disc 1st	Disc Add'l
											perLSK	perLSK	ist	Add I	DISC 1St	DISC Add 1
						Rec	Nonre	curring	Nonrecurrin	g Disconnect			oss	RATES (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
				EANL,UEA,UDN,U												
	POT Bay Arrangements prior to 6/1/99 - 4-Wire Cross-Connect,			C,UAL,UHL,UCL,U												
	per cross-connect			Q,CLO	PE1PF	0.1734										
				EANL,UEA,UDN,U C,UAL,UHL,UCL,U												
	POT Bay Arrangements prior to 6/1/99 - DS1 Cross-Connect,			Q,CLO,WDS1L,W												
	per cross-connect			S1S,	PE1PG	1.22										
	per cross connect			EANL,UEA,UDN,U	12110	1.22										
	POT Bay Arrangements prior to 6/1/99 - DS3 Cross-Connect,			C.UAL.UHL.UCL.U												
	per cross-connect		EC	Q,CLO	PE1PH	10.91										
			UE	EANL,UEA,UDN,U												
	POT Bay Arrangements prior to 6/1/99 - 2-Fiber Cross-Connect,		DO	C,UAL,UHL,UCL,U												
	per cross-connect			Q,CLO	PE1B2	37.26										
				EANL,UEA,UDN,U												
	POT Bay Arrangements prior to 6/1/99 - 4-Fiber Cross-Connect,			C,UAL,UHL,UCL,U						1				1		
	per cross-connect			Q,CLO	PE1B4	50.24		100.01								
	Collocation Cable Records - per request			LO	PE1CR		763.69	490.94		133.77						
	Collocation Cable Records - VG/DS0 Cable, per cable record		CL	LO	PE1CD		328.81	328.81	190.22	190.22				-		
	Collocation Cable Records - VG/DS0 Cable, per each 100 pair		CI	LO	PE1CO		4.84	4.84	5.93	5.93						
	Collocation Cable Records - VG/DS0 Cable, per each 100 pair			LO	PE1C1		2.27	2.27	2.78	2.78						
	Collocation Cable Records - DS3, per T3TIE			LO	PE1C3		7.92	7.92	9.72	9.72						
	Collocation Cable Records - Fiber Cable, per 99 fiber records			LO	PE1CB		84.98	84.98	77.58	77.58						
	Physical Collocation - Security Escort - Basic, per Half Hour			LO,CLORS	PE1BT		17.02	10.79								
	Physical Collocation - Security Escort - Overtime, per Half Hour		Cl	LO,CLORS	PE1OT		22.17	13.94								
	Physical Collocation - Security Escort - Premium, per Half Hour		Cl	LO,CLORS	PE1PT		27.32	17.08								
	Physical Collocation - Co-Carrier Cross Connects - Fiber Cable		CI	LO	PE1ES	0.0005										
—	Support Structure, per linear ft. Physical Collocation - Co-Carrier Cross Connects - Copper/Coax		CI	LU	PETES	0.0025				-				-		
	Cable Support Structure, per lin. ft.	`	CI	LO	PE1DS	0.0037										
	Physical Collocation - Co-Carrier Cross Connects - Cable		- 0.		LIDO	0.0001										
	(Copper or Fiber) Support Structure, per cable		CI	LO	PE1DT		534.65									
ADJACENT	COLLOCATION															
	Adjacent Collocation - Space Charge per Sq. Ft.			LOAC	PE1JA	0.0678										
	Adjacent Collocation - Electrical Facility Charge per Linear Ft.			LOAC	PE1JC	4.68										
	Adjacent Collocation - 2-Wire Cross-Connects	1		LOAC	PE1P2	0.0223	12.37	11.87	6.04	5.45				ļ		
	Adianast Callantina A Wisa Corres			EA,UHL,UDL,UCL,	DE4D4	0.0440	10.7=	44.61	0.50							
\vdash	Adjacent Collocation - 4-Wire Cross-Connects Adjacent Collocation - DS1 Cross-Connects	 		LOAC SL,CLOAC	PE1P4 PE1P1	0.0446 1.05	12.47 22.16	11.94 16.02	6.59 6.60	5.91 5.97		-		-		-
	Adjacent Collocation - DS1 Cross-Connects Adjacent Collocation - DS3 Cross-Connects	1		LOAC	PE1P1	1.05	21.01	15.29	7.61	6.10	 	1		 		+
	Adjacent Collocation - 2-Fiber Cross-Connect	1		LOAC	PE1F2	2.42	21.01	15.29	7.61	6.10		1		t		
	Adjacent Collocation - 2-Fiber Cross-Connect	1		LOAC	PE1F4	4.62	25.70	19.97	10.01	8.50				1		
	Adjacent Collocation - Application Fee			LOAC	PE1JB		1,585.83	.0.07	0.51	3.30				1		
	Adjacent Collocation - 120V, Single Phase Standby Power Rate															
	per AC Breaker Amp		CI	LOAC	PE1FB	5.29								<u> </u>		
	Adjacent Collocation - 240V, Single Phase Standby Power Rate															
	per AC Breaker Amp	1	Cl	LOAC	PE1FD	10.58								ļ		
	Adjacent Collocation - 120V, Three Phase Standby Power Rate			1040	DEAEC	45.00				1				1		
	per AC Breaker Amp Adjacent Collocation - 277V, Three Phase Standby Power Rate	1	CI	LOAC	PE1FE	15.87				 				 	 	
	per AC Breaker Amp		CI	LOAC	PE1FG	36.65				I						
PHYSICAL	COLLOCATION IN THE REMOTE SITE	1	U.	LOAU	LIIG	30.05				 		1		t		+
····SIGAL	Physical Collocation in the Remote Site - Application Fee *	1	CI	LORS	PE1RA		309.48		168.63	†	1			†		
	Cabinet Space in the Remote Site per Bay/ Rack *			LORS	PE1RB	210.05	200.70		.55.50	1				1		
	Physical Collocation in the Remote Site - Security Access - Key															
	*	<u> </u>	CI	LORS	PE1RD		13.17	13.17		<u> </u>				<u> </u>		
			•													

COLLOCAT	TION - Mississippi												Attachment:	4		Exhibit: D
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				1	Charge -	Charge -	Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs.
											Elec	Manually	Electronic-		Electronic-	Electronic-
											per LSR	per LSR	1st	Addi	Disc 1st	Disc Add'l
						Rec	Nonrec	urring	Nonrecurring	g Disconnect			ossi	RATES (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Physical Collocation in the Remote Site - Space Availability															
	Report per Premises Requested *			CLORS	PE1SR		116.54	116.54								
	Physical Collocation in the Remote Site - Remote Site CLLI Code Request, per CLLI Code Requested *			CLORS	PE1RE		37.77	37.77								
	Remote Site DLEC Data (BRSDD), per Compact Disk, per CO			CLORS	PE1RR		233.14									
PHYSICAL CO	DLLOCATION IN THE REMOTE SITE - ADJACENT															
	Remote Site-Adjacent Collocation - AC Power, per breaker amp			CLORS	PE1RS	6.27										
	Remote Site-Adjacent Collocation - Real Estate, per square foot			CLORS	PE1RT	0.134										
* Inte	rim rates which are subject to true-up.							·								
NOTE	: If Security Escort and/or Add'l Engineering Fees become nec	essary f	or rem	ote site collocation,	the Parties v	vill negotiate ap	propriate rate	s.								

COLLOCATI	ON - North Carolina												Attachment:	4		Exhibit: D
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec	urrina	Nonrecurring	Disconnect			OSS F	RATES (\$)		ŀ
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
																
PHYSICAL CO				0.0	DEADA		0.050.00	0.050.00								
	Physical Collocation - Application Fee - Initial Physical Collocation - Application Fee - Subsequent			CLO CLO	PE1BA PE1CA		3,850.00 3,119.00	3,850.00 3,119.00								
	Physical Collocation - Application Fee - Subsequent Physical Collocation - Space Preparation - C.O. Modification per			CLO	PEICA		3,119.00	3,119.00								-
	square ft.	ı		CLO	PE1SK	1.57										
	Physical Collocation - Space Preparation - Common Systems				_											
	Modification per square ft Cageless	1		CLO	PE1SL	3.26										
	Physical Collocation - Space Preparation - Common Systems Modification per Cage			CLO	PE1SM	110.79										Ĭ
	Space Preparation Fees - Power Per Nominal -48V Dc Amp	i		CLO	PEIFH	5.76										
	Physical Collocation - Cable Installation	l		CLO	PE1BD		2,305.00	2,305.00								
	Physical Collocation - Floor Space per Sq. Ft.	<u> </u>		CLO	PE1PJ	3.45										
	Physical Collocation - Cable Support Structure Physical Collocation - Power (Provided from BST BDFB), per	<u> </u>		CLO	PE1PM	21.33										
	Fused Amp	ı		CLO	PE1PL	6.65										ĺ
	Physical Collocation - Power (Provided from BST Main Power			020		0.00										
	Board), per Fused Amp			CLO	PE1FJ	6.40										
	Physical Collocation - 120V, Single Phase Standby Power Rate	I		CLO	PE1FB	5.50										
	Physical Collocation - 240V, Single Phase Standby Power Rate	I		CLO	PE1FD	11.01										
	Physical Collocation - 120V, Three Phase Standby Power Rate	I		CLO	PE1FE	16.51										
	Physical Collocation - 277V, Three Phase Standby Power Rate			CLO	PE1FG	38.12										ĺ
				UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ			44.70	00.00								
	Physical Collocation - 2-Wire Cross-Connects Physical Collocation - 4-Wire Cross-Connects	<u>'</u>	 	CLO	PE1P2 PE1P4	0.32 0.64	41.78 41.91	39.23 39.25								\vdash
				CLO,UEANL,UEQ,W												
	Physical Collocation - DS1 Cross-Connects	I		DS1L,WDS1S	PE1P1	2.34	71.02	51.08								
	Physical Collocation - DS3 Cross-Connects Physical Collocation - 2-Fiber Cross-Connect	1		CLO CLO	PE1P3 PE1F2	42.84 2.94	69.84 51.97	49.43 38.59								├
	Physical Collocation - 2-Fiber Cross-Connect Physical Collocation - 4-Fiber Cross-Connect	<u> </u>		CLO	PE1F2 PE1F4	2.94 5.62	64.53	38.59 51.15								
	Physical Collocation - Welded Wire Cage - First 100 Sq. Ft.	i		CLO	PE1BW	102.76	04.00	01.10								
	Physical Collocation - Welded Wire Cage - Add'l 50 Sq. Ft.	I		CLO	PE1CW	10.44										
	Physical Collocation - Security Access System - Security System per Central Office			CLO	PE1AX	41.03										
	Physical Collocation - Security Access System - New Access Card Activation, per Card			CLO	PE1A1	0.062	55.30	55.30								1
	Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Card			CLO	PE1AA		15.51	15.51								
	Physical Collocation - Security Access System - Replace Lost or Stolen Card, per Card			CLO	PE1AR		45.34	45.34								
 	Physical Collocation - Security Access - Initial Key, per Key			CLO	PE1AK		26.18	26.18								
	Physical Collocation - Security Access - Key, Replace Lost or															
	Stolen Key, per Key		ļ	CLO	PE1AL		26.18	26.18								
	Physical Collocation - Space Availability Report per premises	<u> </u>	-	CLO UEANL,UEA,UDN,U	PE1SR		2,140.00	2,140.00								<u> </u>
	POT Bay Arrangements prior to 6/1/99 - 2-Wire Cross-Connect, per cross-connect			DC,UAL,UHL,UCL,U EQ,CLO	PE1PE	0.10										

COLLOCATI	ON - North Carolina											Attachment:	4		Exhibit: D
CATEGORY	RATE ELEMENTS	Interi m	Zone BCS	USOC			RATES(\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual Svc Order vs.
					Rec		urring		g Disconnect				RATES (\$)		
			LIEANII LIEA LIDALLI			First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	POT Bay Arrangements prior to 6/1/99 - 4-Wire Cross-Connect, per cross-connect		UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO	PE1PF	0.19										
	POT Bay Arrangements prior to 6/1/99 - DS1 Cross-Connect, per cross-connect		UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO,WDS1L,W DS1S,	PE1PG	0.79										
	POT Bay Arrangements prior to 6/1/99 - DS3 Cross-Connect, per cross-connect		UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO	PE1PH	4.85										
	POT Bay Arrangements prior to 6/1/99 - 2-Fiber Cross-Connect, per cross-connect		UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ.CLO	PE1B2	45.30										
	POT Bay Arrangements prior to 6/1/99 - 4-Fiber Cross-Connect, per cross-connect		UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO		61.09										
-	Collocation Cable Records - per request		CLO	PE1B4 PE1CR	61.09	1,707.00	1,165.00								
	Collocation Cable Records - per request Collocation Cable Records - VG/DS0 Cable, per cable record	1	CLO	PE1CD		923.08	923.08		†	1					+
	Collocation Cable Records - VG/DS0 Cable, per each 100 pair		CLO	PE1CO		18.02	18.02								
	Collocation Cable Records - DS1, per T1TIE		CLO	PE1C1		8.43	8.43								
—	Collocation Cable Records - DS3, per T3TIE		CLO CLO	PE1C3		29.51	29.51 278.82								
-	Collocation Cable Records - Fiber Cable, per 99 fiber records Physical Collocation - Security Escort - Basic, per Half Hour		CLO,CLORS	PE1CB PE1BT		278.82 42.92	278.82		<u> </u>						+
	Physical Collocation - Security Escort - Desire, per Half Hour		CLO,CLORS	PE1OT		54.51	32.44								
	Physical Collocation - Security Escort - Premium, per Half Hour		CLO,CLORS	PE1PT		66.10	39.32								
	Physical Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure, per linear ft.		CLO	PE1ES	0.0028	00.10	39.32								
	Physical Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per lin. ft.		CLO	PE1DS	0.0041										
	Physical Collocation - Co-Carrier Cross Connects - Cable		020	. 2.50	0.0011										1
	(Copper or Fiber) Support Structure, per cable		CLO	PE1DT		532.72									
ADJACENT CO															
	Adjacent Collocation - Space Charge per Sq. Ft.		CLOAC	PE1JA	0.179										
\vdash	Adjacent Collocation - Electrical Facility Charge per Linear Ft.	1	CLOAC	PE1JC	5.96					ļ					
\vdash	Adjacent Collocation - 2-Wire Cross-Connects		CLOAC	PE1P2	0.32	41.78	39.23	-	-	<u> </u>			1		+
	Adjacent Collocation - 4-Wire Cross-Connects		UEA,UHL,UDL,UCL, CLOAC	PE1P4	0.64	41.91	39.25								1
	Adjacent Collocation - 4-Wire Cross-Connects Adjacent Collocation - DS1 Cross-Connects	1	USL,CLOAC	PE1P1	2.34	71.02	51.08		†	1	 		†	 	+
 	Adjacent Collocation - DS3 Cross-Connects		CLOAC	PE1P3	42.84	69.84	49.43		1				1		<u> </u>
	Adjacent Collocation - 2-Fiber Cross-Connect		CLOAC	PE1F2	2.94	51.97	38.59		1						†
	Adjacent Collocation - 4-Fiber Cross-Connect		CLOAC	PE1F4	5.62	64.53	51.15								
	Adjacent Collocation - Application Fee		CLOAC	PE1JB		3,153.00	•								
	Adjacent Collocation - 120V, Single Phase Standby Power Rate per AC Breaker Amp		CLOAC	PE1FB	5.50										<u> </u>
	Adjacent Collocation - 240V, Single Phase Standby Power Rate per AC Breaker Amp Adjacent Collocation - 120V, Three Phase Standby Power Rate		CLOAC	PE1FD	11.01										
	per AC Breaker Amp Adjacent Collocation - 277V, Three Phase Standby Power Rate		CLOAC	PE1FE	16.51										
	per AC Breaker Amp		CLOAC	PE1FG	38.12										
PHYSICAL CO	LLOCATION IN THE REMOTE SITE	ļļ		L	ļ				ļ	ļ			ļ	ļ	
\vdash	Physical Collocation in the Remote Site - Application Fee * Cabinet Space in the Remote Site per Bay/ Rack *	-	CLORS CLORS	PE1RA PE1RB	254.02	865.34	865.34			-	1		 		
	Physical Collocation in the Remote Site - Security Access - Key *		CLORS	PE1RD	204.02	26.06	26.06								1
	I .	1 1	OLONG	LLIKD	1	20.00	20.00	L	<u> </u>	1	<u> </u>		l	l .	

COLLOCATI	ON - North Carolina												Attachment:	4		Exhibit: D
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Submitted Manually	Charge - Manual Svc Order vs.	Charge - Manual Svc Order vs.	Order vs. Electronic-	Charge - Manual Svc Order vs.
						Rec	Nonrec		Nonrecurrin	g Disconnect				RATES (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Physical Collocation in the Remote Site - Space Availability Report per Premises Requested *			CLORS	PE1SR		230.60	230.60								
	Physical Collocation in the Remote Site - Remote Site CLLI Code Request, per CLLI Code Requested *			CLORS	PE1RE		74.74	74.74								
	Remote Site DLEC Data (BRSDD), per Compact Disk, per CO			CLORS	PE1RR		232.94									
PHYSICAL CO	LLOCATION IN THE REMOTE SITE - ADJACENT															
	Remote Site-Adjacent Collocation - AC Power, per breaker amp			CLORS	PE1RS	6.27										
	Remote Site-Adjacent Collocation - Real Estate, per square foot			CLORS	PE1RT	0.134										
	im rates which are subject to true-up.															
NOTE:	If Security Escort and/or Add'l Engineering Fees become nec	essary f	or rem	ote site collocation,	the Parties v	vill negotiate ap	propriate rate	s.								

COLLOCAT	ION - South Carolina												Attachment:	4		Exhibit: D
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			1	Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Order vs. Electronic-
						Rec	Nonrec			g Disconnect				RATES (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
-											1	-			-	
PHYSICAL CO	LLOCATION														1	
	Physical Collocation - Application Fee - Initial			CLO	PE1BA		3,768.00	3,768.00								
	Physical Collocation - Application Fee - Subsequent			CLO	PE1CA		3,141.00	3,141.00								
	Physical Collocation - Space Preparation - Firm Order															
	Processing	I		CLO	PE1SJ		1,204.00	1,204.00								
	Physical Collocation - Space Preparation - C.O. Modification per			0.0	DE 1011											
	square ft.	1		CLO	PE1SK	2.75			1	-	<u> </u>		-	1	1	
	Physical Collocation - Space Preparation - Common Systems Modification per square ft Cageless	l.		CLO	PE1SL	3.24									I	
+	Physical Collocation - Space Preparation - Common Systems	 		OLO	I LIOL	3.24			 		<u> </u>	-		1	 	
	Modification per Cage	lı		CLO	PE1SM	110.17									I	
	Physical Collocation - Cable Installation			CLO	PE1BD		1,621.00	1,621.00								
	Physical Collocation - Floor Space per Sq. Ft.			CLO	PE1PJ	3.95		·								
	Physical Collocation - Cable Support Structure			CLO	PE1PM	21.33										
	Physical Collocation - Power (Provided from BST BDFB), per															
	Fused Amp	I		CLO	PE1PL	9.19										
	Physical Collocation - Power (Provided from BST Main Power															
	Board), per Fused Amp			CLO	PE1FJ	8.94										
	Physical Callegation 120V/ Single Phase Standby Payer Rate			CLO	PE1FB	5.67										
	Physical Collocation - 120V, Single Phase Standby Power Rate	'		CLO	PEIFB	5.67										1
	Physical Collocation - 240V, Single Phase Standby Power Rate	ı		CLO	PE1FD	11.36										
	Thysical conceation 240 V, Gingle Fridge Standby Fower Rate			020	12113	11.00										1
	Physical Collocation - 120V, Three Phase Standby Power Rate	I		CLO	PE1FE	17.03										
																1
	Physical Collocation - 277V, Three Phase Standby Power Rate	I		CLO	PE1FG	39.33										
				UEANL,UEA,UDN,U												
				DC,UAL,UHL,UCL,U												
	Physical Collocation - 2-Wire Cross-Connects			EQ	PE1P2	0.034	33.75	31.86								
	Physical Collocation - 4-Wire Cross-Connects			CLO,UEANL,UEQ,W	PE1P4	0.068	33.71	31.75			1					
	Physical Collocation - DS1 Cross-Connects			DS1L,WDS1S	PE1P1	1.12	53.05	39.96								
	Physical Collocation - DS3 Cross-Connects			CLO	PE1P3	14.21	52.11	38.68			1					1
	Physical Collocation - 2-Fiber Cross-Connect			CLO	PE1F2	2.82	52.11	38.69								
	Physical Collocation - 4-Fiber Cross-Connect			CLO	PE1F4	5.01	64.69	51.26								
	Physical Collocation - Welded Wire Cage - First 100 Sq. Ft.			CLO	PE1BW	219.19										
	Physical Collocation - Welded Wire Cage - Add'l 50 Sq. Ft.			CLO	PE1CW	21.50										1
	Physical Collocation - Security Access System - Security System															1
	per Central Office	I		CLO	PE1AX	74.12										
	Physical Collocation - Security Access System - New Access	l.		0.0	DE44:										I	
	Card Activation, per Card	1		CLO	PE1A1	0.06	55.70	55.70	1	-	<u> </u>		-	1	1	
	Physical Collocation-Security Access System-Administrative	l.		CLO	PE1AA		15.62	15.62							I	
	Change, existing Access Card, per Card Physical Collocation - Security Access System - Replace Lost or	'		OLO	FEIMA	 	15.62	15.62	1	1	1	1	1	1	 	+
	Stolen Card, per Card			CLO	PE1AR		45.66	45.66							1	
	Physical Collocation - Security Access - Initial Key, per Key			CLO	PE1AK	1	26.25	26.25						İ	İ	†
	Physical Collocation - Security Access - Key, Replace Lost or															
	Stolen Key, per Key			CLO	PE1AL		26.25	26.25								
	Physical Collocation - Space Availability Report per premises	I		CLO	PE1SR		2,155.00	2,155.00								
	2072			UEANL,UEA,UDN,U											I	
	POT Bay Arrangements prior to 6/1/99 - 2-Wire Cross-Connect,			DC,UAL,UHL,UCL,U	DEADE	0.4001									1	
1	per cross-connect	<u> </u>		EQ,CLO	PE1PE	0.1091			1		<u> </u>		l	l .	I .	

COLLOCA	ATION - South Carolina												Attachment:	4		Exhibit: D
GGLLGG	There could carolina									ı			Incremental	Incremental	Incremental	
		Interi m			1							Svc Order	Charge -	Charge -	Charge -	Charge -
CATEGOR	Y RATE ELEMENTS		Zone	BCS	USOC		RATES(\$)						Manual Svc	Manual Svc		
													Order vs.	Order vs.	Order vs.	Order vs.
							Elec		Electronic- 1st	Electronic- Add'l	Electronic-					
									1		per LSR	per LSR	Disc 1st	Disc Add'l		
						_										
						Rec	Nonre First	curring Add'l	Nonrecurrin First	g Disconnect Add'l	COMEC	SOMAN	SOMAN	RATES (\$)	SOMAN	SOMAN
-			-	JEANL.UEA.UDN.U			FIISL	Auu i	FIISL	Add I	SOWIEC	SOWAN	SOWAN	SOWAN	SOWAN	SOWAN
	POT Bay Arrangements prior to 6/1/99 - 4-Wire Cross-Connect,			DC,UAL,UHL,UCL,U												
	per cross-connect			EQ,CLO	PE1PF	0.2181										
 	per cross-connect	+		UEANL,UEA,UDN,U	FLIFF	0.2101										+
				DC,UAL,UHL,UCL,U												
	POT Bay Arrangements prior to 6/1/99 - DS1 Cross-Connect,			EQ,CLO,WDS1L,W												
	per cross-connect			DS1S,	PE1PG	0.9004										
				UEANL,UEA,UDN,U												
	POT Bay Arrangements prior to 6/1/99 - DS3 Cross-Connect,			DC.UAL.UHL.UCL.U												
	per cross-connect		E	EQ.CLO	PE1PH	5.64										
			l	UEANL,UEA,UDN,U												
	POT Bay Arrangements prior to 6/1/99 - 2-Fiber Cross-Connect,			DC,UAL,UHL,UCL,U												
	per cross-connect			EQ,CLO	PE1B2	37.36]					Ì	l	
			l	UEANL,UEA,UDN,U												
	POT Bay Arrangements prior to 6/1/99 - 4-Fiber Cross-Connect,			DC,UAL,UHL,UCL,U												
	per cross-connect		E	EQ,CLO	PE1B4	50.38										
	Collocation Cable Records - per request			CLO	PE1CR		1,712.00	1,168.00								
	Collocation Cable Records - VG/DS0 Cable, per cable record		(CLO	PE1CD		925.57	925.57								
	Collocation Cable Records - VG/DS0 Cable, per each 100 pair			CLO	PE1CO		18.06	18.06								
	Collocation Cable Records - DS1, per T1TIE			CLO	PE1C1		8.45	8.45								ļ
	Collocation Cable Records - DS3, per T3TIE			CLO	PE1C3		29.59	29.59								ļ
-	Collocation Cable Records - Fiber Cable, per 99 fiber records			CLO CLO,CLORS	PE1CB PE1BT		279.57	279.57 21.50								-
	Physical Collocation - Security Escort - Basic, per Half Hour	 		ULU,ULURS	PEIBI		33.92	21.50								+
	Physical Collocation - Security Escort - Overtime, per Half Hour			CLO,CLORS	PE1OT		44.19	27.77								
 	1 Hysical Collocation - Security Escott - Overtime, per Hair Hour	+		olo,olono	ILIOI		44.13	21.11								+
	Physical Collocation - Security Escort - Premium, per Half Hour		(CLO,CLORS	PE1PT		54.45	34.04								
	Physical Collocation - Co-Carrier Cross Connects - Fiber Cable			020,020.10			0 11 10	0 1.0 1								
	Support Structure, per linear ft.			CLO	PE1ES	0.0022										
	Physical Collocation - Co-Carrier Cross Connects - Copper/Coax															
	Cable Support Structure, per lin. ft.			CLO	PE1DS	0.0033										
	Physical Collocation - Co-Carrier Cross Connects - Cable															
	(Copper or Fiber) Support Structure, per cable		(CLO	PE1DT		536.56									
ADJACENT	COLLOCATION	<u> </u>														ļl
	Adjacent Collocation - Space Charge per Sq. Ft.	ļ		CLOAC	PE1JA	0.094			ļ	ļ				ļ	ļ	
\vdash	Adjacent Collocation - Electrical Facility Charge per Linear Ft.	1		CLOAC	PE1JC	6.40				ļ						
\vdash	Adjacent Collocation - 2-Wire Cross-Connects	 		CLOAC	PE1P2	0.034	33.75	31.86	 	1				 	 	
	Adjacent Collocation - 4-Wire Cross-Connects			UEA,UHL,UDL,UCL, CLOAC	PE1P4	0.068	33.71	31.75]					1	1	
\vdash	Adjacent Collocation - 4-vvire Cross-Connects Adjacent Collocation - DS1 Cross-Connects	+		USL,CLOAC	PE1P4 PE1P1	1.12	53.05	31.75	-	 				-	-	1
\vdash	Adjacent Collocation - DS1 Cross-Connects Adjacent Collocation - DS3 Cross-Connects	1		CLOAC	PE1P1	14.21	52.11	39.96	1	1	-			1	1	+
 	Adjacent Collocation - 2-Fiber Cross-Connect	1		CLOAC	PE1F2	2.82	52.11	38.69	1	1				1	1	+
	Adjacent Collocation - 4-Fiber Cross-Connect	1		CLOAC	PE1F4	5.01	64.69	51.26			<u> </u>			 	 	
	Adjacent Collocation - Application Fee			CLOAC	PE1JB	0.01	3,161.00	01.20								
	Adjacent Collocation - 120V, Single Phase Standby Power Rate	1		-	T		.,		İ	1					İ	
	per AC Breaker Amp			CLOAC	PE1FB	5.67]					1	1	
	Adjacent Collocation - 240V, Single Phase Standby Power Rate															
	per AC Breaker Amp	1		CLOAC	PE1FD	11.36										
	Adjacent Collocation - 120V, Three Phase Standby Power Rate		l T]					1	<u> </u>	
	per AC Breaker Amp			CLOAC	PE1FE	17.03										1
	Adjacent Collocation - 277V, Three Phase Standby Power Rate			0.0.0	DE 45 -]					1	1	
DUVEICAL	per AC Breaker Amp	 		CLOAC	PE1FG	39.33			 	1				 	 	
PHYSICAL (COLLOCATION IN THE REMOTE SITE Physical Collocation in the Remote Site - Application Fee *	1	 	CLORS	PE1RA	1	871.12	871.12	 	 	1	-		 	 	
	Cabinet Space in the Remote Site - Application Fee Cabinet Space in the Remote Site per Bay/ Rack *	1		CLORS	PE1RA PE1RB	246.44	8/1.12	8/1.12	1	1	-			1	1	+
 	Physical Collocation in the Remote Site - Security Access - Key	1	 	OLONO .	LIND	240.44			1	†	-	-		 		+
	*		1	CLORS	PE1RD		26.25	26.25]					1	1	
<u> </u>	1					1	20.20	20.20	1					1	1	

COLLOCATION - South Carolina													Attachment:	4	Exhibit: D		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC	RATES(\$)						Submitted	Charge - Manual Svc Order vs.	Charge - Manual Svc Order vs.		Charge -	
						Rec Nonrecurring Nonrecurring Disconnect											
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	
	Physical Collocation in the Remote Site - Space Availability Report per Premises Requested *			CLORS	PE1SR		232.25	232.25									
	Physical Collocation in the Remote Site - Remote Site CLLI Code Request, per CLLI Code Requested *			CLORS	PE1RE		75.27	75.27									
	Remote Site DLEC Data (BRSDD), per Compact Disk, per CO			CLORS	PE1RR		234.50										
PHYSICAL CO	LLOCATION IN THE REMOTE SITE - ADJACENT																
	Remote Site-Adjacent Collocation - AC Power, per breaker amp			CLORS	PE1RS	6.27											
	Remote Site-Adjacent Collocation - Real Estate, per square foot			CLORS	PE1RT	0.134											
	* Interim rates which are subject to true-up.																
NOTE: If Security Escort and/or Add'l Engineering Fees become necessary for remote site collocation, the Parties will negotiate appropriate rates.																	

COLLOCATI	ON - Tennessee												Attachment:	4		Exhibit: D
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Order vs. Electronic-
						Rec	Nonrecurring		Nonrecurring	g Disconnect			OSS	RATES (\$)		ļ
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
																+
																+
																1
PHYSICAL CO																
	Physical Collocation - Application Fee - Initial			CLO	PE1BA		3,767.00	3,767.00								
	Physical Collocation - Application Fee - Subsequent			CLO	PE1CA		3,140.00	3,140.00								1
	Physical Collocation - Space Preparation - Firm Order Processing			CLO	PE1SJ		1,204.00	1,204.00								
	Physical Collocation - Space Preparation - C.O. Modification per			OLO	1 1 100		1,204.00	1,204.00								+
	square ft.	ı		CLO	PE1SK	2.74										
	Physical Collocation - Space Preparation - Common Systems															
	Modification per square ft Cageless	I		CLO	PE1SL	2.95										ļ
	Physical Collocation - Space Preparation - Common Systems Modification per Cage			CLO	PE1SM	100.14										
	Physical Collocation - Cable Installation	'		CLO	PE1BD	100.14	1,757.00	1,757.00								+
	Physical Collocation - Floor Space per Sq. Ft.			CLO	PE1PJ	6.75	1,737.00	1,737.00								†
	Physical Collocation - Cable Support Structure			CLO	PE1PM	19.80										1
	Physical Collocation - Power (Provided from BST BDFB), per															
	Fused Amp	I		CLO	PE1PL	8.87										
	Physical Collocation - Power (Provided from BST Main Power			CLO	PE1FJ	8.62										
-	Board), per Fused Amp			CLO	PETFJ	8.62										+
	Physical Collocation - 120V, Single Phase Standby Power Rate	ı		CLO	PE1FB	5.60										
																†
	Physical Collocation - 240V, Single Phase Standby Power Rate	I		CLO	PE1FD	11.22										
	Physical Collocation - 120V, Three Phase Standby Power Rate	l		CLO	PE1FE	16.82										.
	Physical Collocation - 277V, Three Phase Standby Power Rate			CLO	PE1FG	38.84										
	Thysical Conocation - 277 v, Three Fridge Standby Fower Rate			UEANL,UEA,UDN,U	12110	30.04										
				DC,UAL,UHL,UCL,U												
	Physical Collocation - 2-Wire Cross-Connects			EQ	PE1P2	0.033	33.82	31.92								
	Physical Collocation - 4-Wire Cross-Connects			CLO	PE1P4	0.066	33.94	31.95								
	Discribed Colleges to BOA Course Courses			CLO,UEANL,UEQ,W	DEADA	4.54	50.07	10.10								
	Physical Collocation - DS1 Cross-Connects Physical Collocation - DS3 Cross-Connects			DS1L,WDS1S CLO	PE1P1 PE1P3	1.51 19.26	53.27 52.37	40.16 38.89								+
	Physical Collocation - 2-Fiber Cross-Connect			CLO	PE1F2	3.82	52.37	38.89								
	Physical Collocation - 4-Fiber Cross-Connect			CLO	PE1F4	6.79	65.03	51.55								
	Physical Collocation - Welded Wire Cage - First 100 Sq. Ft.			CLO	PE1BW	218.53										
	Physical Collocation - Welded Wire Cage - Add'l 50 Sq. Ft.			CLO	PE1CW	21.44										ļ
	Physical Collocation - Security Access System - Security System per Central Office			CLO	PE1AX	55.99										
	Physical Collocation - Security Access System - New Access			CLO	PETAX	55.99										+
	Card Activation, per Card			CLO	PE1A1	0.059	55.67	55.67								
	Physical Collocation-Security Access System-Administrative															1
	Change, existing Access Card, per Card			CLO	PE1AA		15.61	15.61								1
	Physical Collocation - Security Access System - Replace Lost or			010	DEAAD		45.01	45.00								
<u> </u>	Stolen Card, per Card Physical Collocation - Security Access - Initial Key, per Key	-		CLO CLO	PE1AR PE1AK	 	45.64 26.24	45.64 26.24			1					
1	Physical Collocation - Security Access - Initial Rey, per Rey Physical Collocation - Security Access - Key, Replace Lost or			OLO	LLIAN	 	20.24	20.24			1					
1	Stolen Key, per Key			CLO	PE1AL		26.24	26.24								
	Physical Collocation - Space Availability Report per premises	I		CLO	PE1SR		2,154.00	2,154.00								
				UEANL,UEA,UDN,U												
1	POT Bay Arrangements prior to 6/1/99 - 2-Wire Cross-Connect,			DC,UAL,UHL,UCL,U	DE 4 DE											
l	per cross-connect	l		EQ,CLO	PE1PE	0.40	l		l		1	l	l .	l .	i	

COLLOCAT	ION - Tennessee												Attachment:	4		Exhibit: D
GGEEGG/	Tomicocco	1					l									
													Incremental	Incremental		Incremental
		Intori			USOC								Charge -	Charge -	Charge -	Charge -
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS				RATES(\$)					Manual Svc	Manual Svc		Manual Svc
		""										Submitted		Order vs.	Order vs.	Order vs.
											Elec		Electronic-	Electronic-		
											per LSR	per LSR	1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonrecurring			g Disconnect				RATES (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
				UEANL,UEA,UDN,U												
	POT Bay Arrangements prior to 6/1/99 - 4-Wire Cross-Connect,			DC,UAL,UHL,UCL,U												
	per cross-connect			EQ,CLO	PE1PF	1.20										
				UEANL,UEA,UDN,U												
	DOT D. A			DC,UAL,UHL,UCL,U												
	POT Bay Arrangements prior to 6/1/99 - DS1 Cross-Connect,			EQ,CLO,WDS1L,W	55150											
	per cross-connect			DS1S,	PE1PG	1.20										
	DOT D			UEANL,UEA,UDN,U												
	POT Bay Arrangements prior to 6/1/99 - DS3 Cross-Connect,			DC,UAL,UHL,UCL,U	DE4D!!	0.00										
	per cross-connect			EQ,CLO	PE1PH	8.00										
	5075			UEANL,UEA,UDN,U												
1 1	POT Bay Arrangements prior to 6/1/99 - 2-Fiber Cross-Connect,	1		DC,UAL,UHL,UCL,U	DEADO	20.70								Ì	l	
	per cross-connect			EQ,CLO	PE1B2	38.79										
1 1	DOT Day Assessments assess C/4/00 A Fiber Committee	1		UEANL,UEA,UDN,U		I								Ì	l	
	POT Bay Arrangements prior to 6/1/99 - 4-Fiber Cross-Connect,			DC,UAL,UHL,UCL,U	DE4D4	50.04										
	per cross-connect			EQ,CLO	PE1B4	52.31	. =									
-	Collocation Cable Records - per request			CLO	PE1CR		1,711.00	1,168.00								
	Collocation Cable Records - VG/DS0 Cable, per cable record			CLO	PE1CD		925.06	925.06								
	0.11			CLO	PE1CO		40.05	40.05								
	Collocation Cable Records - VG/DS0 Cable, per each 100 pair Collocation Cable Records - DS1, per T1TIE			CLO	PE1C0		18.05 8.45	18.05 8.45								
	Collocation Cable Records - DS3, per T3TIE Collocation Cable Records - Fiber Cable, per 99 fiber records			CLO CLO	PE1C3 PE1CB	-	29.57 279.42	29.57 279.42								
				CLO,CLORS	PE1CB PE1BT		33.91	21.49								
	Physical Collocation - Security Escort - Basic, per Half Hour			CLU,CLURS	PEIBI	-	33.91	21.49								
	Physical Collocation - Security Escort - Overtime, per Half Hour			CLO,CLORS	PE1OT		44.17	27.76								
-	Physical Collocation - Security Escort - Overtime, per Hair Hour		ľ	CLO,CLORS	PEIOI		44.17	21.10								
	Physical Collocation - Security Escort - Premium, per Half Hour			CLO,CLORS	PE1PT		54.42	34.02								
	Physical Collocation - Security Escort - Premium, per hair Hour Physical Collocation - Co-Carrier Cross Connects - Fiber Cable	1		CLO,CLORS	PEIPI		34.42	34.02								
	Support Structure, per linear ft.			CLO	PE1ES	0.0031										
	Physical Collocation - Co-Carrier Cross Connects - Copper/Coax			CLO	FLILS	0.0031										
	Cable Support Structure, per lin. ft.			CLO	PE1DS	0.0045										
	Physical Collocation - Co-Carrier Cross Connects - Cable			OLO	I LIDO	0.0043										
	(Copper or Fiber) Support Structure, per cable			CLO	PE1DT		555.03									
ADJACENT C				OLO	I LIDI		000.00									
ADDAOLITIO	Adjacent Collocation - Space Charge per Sq. Ft.			CLOAC	PE1JA	0.069										
	Adjacent Collocation - Electrical Facility Charge per Linear Ft.	1		CLOAC	PE1JC	6.06	1							1	 	
	Adjacent Collocation - 2-Wire Cross-Connects	†		CLOAC	PE1P2	0.033	33.82	31.92	Ì	Ì				1	1	
		1		UEA,UHL,UDL,UCL,	<u> </u>	1.130		232		1				İ	İ	1
1 1	Adjacent Collocation - 4-Wire Cross-Connects	1		CLOAC	PE1P4	0.066	33.94	31.95						Ì	l	
	Adjacent Collocation - DS1 Cross-Connects	1		USL,CLOAC	PE1P1	1.51	53.27	40.16		1				İ	İ	1
	Adjacent Collocation - DS3 Cross-Connects			CLOAC	PE1P3	19.26	52.37	38.89								
	Adjacent Collocation - 2-Fiber Cross-Connect			CLOAC	PE1F2	3.82	52.37	38.89								
	Adjacent Collocation - 4-Fiber Cross-Connect			CLOAC	PE1F4	6.79	65.03	51.55								
	Adjacent Collocation - Application Fee			CLOAC	PE1JB		3,160.00									
	Adjacent Collocation - 120V, Single Phase Standby Power Rate															
	per AC Breaker Amp	<u></u>	L J	CLOAC	PE1FB	5.60	<u> </u>				<u></u>	<u></u>		<u> </u>	<u> </u>	<u> </u>
	Adjacent Collocation - 240V, Single Phase Standby Power Rate															
I	per AC Breaker Amp	<u> </u>		CLOAC	PE1FD	11.22	<u> </u>					<u></u>		<u> </u>	<u> </u>	<u> </u>
	Adjacent Collocation - 120V, Three Phase Standby Power Rate															
	per AC Breaker Amp	<u></u>	<u> </u>	CLOAC	PE1FE	16.82	<u></u>					<u> </u>		L		<u> </u>
	Adjacent Collocation - 277V, Three Phase Standby Power Rate															
	per AC Breaker Amp	<u> </u>		CLOAC	PE1FG	38.84										
PHYSICAL CO	LLOCATION IN THE REMOTE SITE															
	Physical Collocation in the Remote Site - Application Fee *			CLORS	PE1RA		872.95	872.95								
	Cabinet Space in the Remote Site per Bay/ Rack *			CLORS	PE1RB	219.37										
	Physical Collocation in the Remote Site - Security Access - Key	1	l T											<u> </u>	<u> </u>	
	*	<u> </u>		CLORS	PE1RD	1	26.23	26.23								

COLLOCAT	ION - Tennessee	nnessee Attacl		Attachment:	Attachment: 4		Exhibit: D									
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc	RATES(\$)						Submitted Manually	Charge -	Charge - Manual Svc Order vs.	Electronic-	Charge -
						Rec	Nonrecurring		Nonrecurring	g Disconnect			ossı	RATES (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Physical Collocation in the Remote Site - Space Availability Report per Premises Requested *			CLORS	PE1SR		232.12	232.12								
	Physical Collocation in the Remote Site - Remote Site CLLI Code Request, per CLLI Code Requested *			CLORS	PE1RE		75.23	75.23								
	Remote Site DLEC Data (BRSDD), per Compact Disk, per CO			CLORS	PE1RR		234.15									
PHYSICAL CO	LLOCATION IN THE REMOTE SITE - ADJACENT															
	Remote Site-Adjacent Collocation - AC Power, per breaker amp			CLORS	PE1RS	6.27										
	Remote Site-Adjacent Collocation - Real Estate, per square foot			CLORS	PE1RT	0.134										
	im rates which are subject to true-up.															
NOTE:	NOTE: If Security Escort and/or Add'l Engineering Fees become necessary for remote site collocation, the Parties will negotiate appropriate rates.															

ATTACHMENT 5 ACCESS TO NUMBERS AND NUMBER PORTABILITY

TABLE OF CONTENTS

1. NON-DISCRIMINATORY ACCESS TO TELEPHONE N	NUMBERS3
2. NUMBER PORTABILITY PERMANENT SOLUTION	3
3. SERVICE PROVIDER NUMBER PORTABILITY	4
4. SPNP IMPLEMENTATION	5
5. OPERATIONAL SUPPORT SYSTEM (OSS) RATES	12
Rates	

ACCESS TO NUMBERS AND NUMBER PORTABILITY

1. NON-DISCRIMINATORY ACCESS TO TELEPHONE NUMBERS

- 1.1 During the term of this Agreement, where Excel is utilizing its own switch, Excel shall contact the North American Numbering Plan Administrator, Neustar, for the assignment of numbering resources. In order to be assigned a Central Office Code, Excel will be required to complete the Central Office Code (NXX) Assignment Request and Confirmation Form (Code Request Form) in accordance with Industry Numbering Committee's Central Office Code (NXX) Assignment Guidelines (INC 95-0407-008).
- Where BellSouth is providing local switching, Excel may utilize BellSouth's telephone numbers. BellSouth will provide Excel with on line access to telephone numbers on a first come first served basis. Assignment, reservation and use of telephone numbers shall be governed by applicable FCC rules and regulations.
- 1.3 Excel acknowledges that there may be instances where there is a shortage of telephone numbers in a particular Common Language Location Identifier Code (CLLIC); and in such instances, Excel shall return numbers to BellSouth upon BellSouth's request. BellSouth shall make all such requests on a nondiscriminatory basis.

2. NUMBER PORTABILITY PERMANENT SOLUTION

- The Parties will offer local number portability in accordance with rules, regulations and guidelines adopted by the Commission, the FCC and industry fora. Interim Service Provider Number Portability (SPNP) will be available only in those end offices where no carrier has requested implementation of permanent local number portability (PNP). Once PNP is implemented in an end office pursuant to the request of a carrier, both Parties must withdraw their SPNP offerings. The transition from existing SPNP arrangements to PNP shall occur within ninety (90) days from the date PNP is implemented in the end office. Neither Party shall charge the other Party for conversion from SPNP to PNP.
- 2.2 <u>End User Line Charge</u>. Where Excel subscribes to BellSouth's local switching, BellSouth shall bill and Excel shall pay the end user line charge associated with implementing PNP as set forth in BellSouth's FCC Tariff No. 1. This charge is not subject to the resale discount set forth in Attachment 1 of this Agreement.
- 2.3 To limit service outage, BellSouth and Excel will adhere to the process flows and cutover guidelines for porting numbers as outlined in the LNP Reference Guide, as amended from time to time. The LNP Reference Guide, incorporated herein by reference, is accessible via the Internet at the following site:

- http://www.interconnection.bellsouth.com. All intervals referenced in the LNP Reference Guide shall apply to both BellSouth and Excel.
- 2.4 The Parties will set Local Routing Number (LRN) unconditional or 10-digit triggers where applicable. Where triggers are set, the porting Party will remove the ported number at the same time the trigger is removed.
- A trigger order is a service order issued in advance of the porting of a number. A trigger order 1) initiates call queries to the AIN SS7 network in advance of the number being ported; and 2) provides for the new service provider to be in control of when a number ports.
- 2.6 Where triggers are not set, the Parties shall coordinate the porting of the number between service providers so as to minimize service interruptions to the end user.
- 2.7 BellSouth and Excel will work cooperatively to implement changes to PNP process flows ordered by the FCC or as recommended by standard industry forums addressing PNP.

3. SERVICE PROVIDER NUMBER PORTABILITY

- 3.1 Where PNP has not been implemented in an end office, the Parties shall provide SPNP. SPNP is a service arrangement whereby an end user who switches subscription of his local exchange service from BellSouth to a CLEC, or vice versa, is permitted to retain the use of his existing assigned telephone number, provided that the end user remains at the same location for his local exchange service or changes locations and service providers but stays within the same BellSouth local calling area of his existing number. Except as otherwise expressly provided herein, SPNP is available only where the local exchange carrier is currently providing basic local exchange service to the end user. SPNP for a particular assigned telephone number will be disconnected when any end user, Commission, BellSouth, or CLEC initiated activity (e.g., a change in exchange boundaries) would normally result in a telephone number change had the end user retained his initial local exchange service.
- 3.2 <u>Methods of Providing SPNP</u>. SPNP is available through either remote call forwarding or direct inward dialing trunks. Remote call forwarding (SPNP-RCF) is an existing switch-based service that redirects calls within the telephone network. Direct inward dialing trunks (SPNP-DID) allow calls to be routed over a dedicated facility to the switch that serves the subscriber.
- 3.3 <u>Signaling Requirements</u>. SS7 Signaling is required for the provision of SPNP services.
- 3.4 Rates

3.4.1 Rates for SPNP are set out in Exhibit A to this Attachment. If no rate is identified in the Attachment, the rate for the specific service or function will be as set forth in applicable BellSouth tariff or as negotiated by the Parties upon request by either Party.

4. SPNP IMPLEMENTATION

- 4.1 SPNP-RCF is a telecommunications service whereby a call dialed to an SPNP-RCF equipped telephone number is automatically forwarded to an assigned seven-or ten- digit telephone number within the local calling area as defined in BellSouth's General Subscriber Services Tariff. The forwarded-to number shall be specified by Excel or BellSouth, as appropriate. The forwarding Party will provide identification of the originating telephone number, via SS7 signaling, to the receiving Party. Identification of the originating telephone number to the SPNP-RCF end user cannot be guaranteed, however. SPNP-RCF provides a single call path for the forwarding of no more than one call to the receiving Party's specified forwarded-to number. Additional call paths for the forwarding of multiple simultaneous calls are available on a per path basis at rates as outlined in this Attachment.
- 4.2 SPNP-DID service provides trunk side access to end office switches for direct inward dialing to the other Party's premises equipment from the telecommunications network to lines associated with the other Party's switching equipment and must be provided on all trunks in a group arranged for inward service. SPNP-DID is available from BellSouth on a per DS0, DS1 or DS3 basis. A SPNP-DID trunk termination charge, provided with SS7 Signaling only, applies for each trunk voice grade equivalent. In addition, direct facilities are required from the end office where a ported number resides to the end office serving the ported end user customer. The rates for a switched local channel and switched dedicated transport apply as contained in BellSouth's Intrastate Access Services tariff, as amended from time to time. Transport mileage will be calculated as the airline distance between the end office where the number is ported and the Point of Interface ("POI") using the V&H coordinate method. SPNP-DID must be established with a minimum configuration of two channels and one unassigned telephone number per switch, per arrangement for control purposes. Transport facilities arranged for SPNP-DID may not be mixed with any other type of trunk group, with no outgoing calls placed over said facilities. SPNP-DID will be provided only where such facilities are available and where the switching equipment of the ordering Party is properly equipped. Where SPNP-DID service is required from more than one wire center or from separate trunk groups within the same wire center, such service provided from each wire center or each trunk group within the same wire center shall be considered a separate service. Only customer-dialed sent-paid calls will be completed to the first number of a SPNP-DID number group; however, there are no restrictions on calls completed to other

numbers of a SPNP-DID number group. Sent-paid calls refer to those calls placed by an end user who physically deposits currency in a public telephone. Interface group arrangements provided for terminating the switched transport at the Party's terminal location are as set forth in of BellSouth's Intrastate Access Services Tariff, § E6.1.3.A as amended from time to time.

- 4.3 SPNP-DID Service requires ordering consecutive telephone numbers in blocks of twenty. Excel may order non-consecutive telephone numbers or telephone numbers in less than blocks of twenty pursuant to BellSouth's tariffs.
- 4.4 The calling Party shall be responsible for payment of the applicable charges for sent-paid calls to the SPNP number. For collect, third-party, or other operatorassisted non-sent paid calls to the ported telephone number, BellSouth or Excel shall be responsible for the payment of charges under the same terms and conditions for which the end user would have been liable for those charges. Either Party may request that the other block collect and third party non-sent paid calls to the SPNP-assigned telephone number. If a Party does not request blocking, the other Party will provide itemized local usage detail for the billing of non-sent paid calls on the monthly bill of usage charges provided at the individual end user account level. The detail will include itemization of all billable usage. Each Party shall have the option of receiving this usage data on a daily basis via a data file transfer arrangement. This arrangement will utilize the existing industry uniform standard, known as EMI standards, for exchange of billing data. Files of usage data will be created daily for the optional service. Usage originated and recorded in the sending BellSouth RAO will be provided in unrated or rated format, depending on processing system. Excel usage originated elsewhere and delivered via CMDS to the sending BellSouth RAO shall be provided in rated format.
- 4.5 The new service provider shall be responsible for obtaining authorization from the end user for the handling of the disconnection of the end user's service, the provision of new local service and the provision of SPNP services. Each Party shall be responsible for coordinating the provision of service with the other to assure that its switch is capable of accepting SPNP ported traffic. Each Party shall be solely responsible to ensure that its facilities, equipment and services do not interfere with or impair any facility, equipment, or service of the other Party or any of its end users. In the event that either Party determines in its reasonable judgment that the other Party will likely impair or is impairing, or interfering with any equipment, facility or service or any of its end users, that Party may either refuse to provide SPNP service or may terminate SPNP service to the other Party after providing appropriate notice.
- 4.6 Each Party shall be responsible for providing an appropriate intercept announcement service for any telephone numbers subscribed to SPNP-DID services for which it is not presently providing local exchange service or terminating to an end user. Where either Party chooses to disconnect or terminate any SPNP service, that Party shall be responsible for designating the preferred standard type of announcement to be provided.

- 4.7 End-to-end transmission characteristics may vary depending on the distance and routing necessary to complete calls over SPNP facilities and the fact that another carrier is involved in the provisioning of service. Neither Party shall specify end-to-end transmission characteristics for SPNP calls.
- 4.8 Where SPNP-RCF is utilized for SPNP, for terminating IXC traffic ported to either Party which requires use of either Party's tandem switching, the tandem provider will bill the IXC tandem switching, the interconnection charge, and a portion of the transport, and the other Party will bill the IXC local switching, the carrier common line and a portion of the transport. If the tandem provider is unable to provide the necessary access records to permit the other Party to bill the IXC directly for terminating access to ported numbers, then the tandem provider will bill the IXC full terminating switched access charges at the tandem provider's rate and will compensate the other Party at the tandem Party's tariff rates via a process used by BellSouth to estimate the amount of ported switched access revenues due the other Party. If an intraLATA toll call is delivered, the delivering Party will pay terminating access rates to the other Party.

5. OPERATIONAL SUPPORT SYSTEM (OSS) RATES

5.1 The terms, conditions and rates for OSS are as set forth in Attachment 2.

BELLSOUTH / VarTec RATES SERVICE PROVIDER NUMBER PORTABILITY Alabama

									RATES					oss	RATES		
																	ĺ
			Interim					Nonre	eurring	Nonrecur Disconn	ŭ	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Dis Add'I
CATEGORY	NOTES	RATES ELEMENT	Indicator	Zone	BCS	USOC	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
				-												<u> </u>	⊢—
INTERIM SERVIC	E PROVIDER NUMBE	R PORTABILITY - RCF (1) (2)					 										
0	 	RCF, per number ported (Business Line), 10 paths				TNPBL										 	
		RCF, per number ported (Business Line)				TNPBL	\$2.13	\$0.65		\$0.07							
		RCF, per number ported (Residence Line), 6 paths				TNPRL	4-1.15	******		44.41							
		RCF, per number ported (Residence Line)				TNPRL	\$2.13	\$0.65		\$0.07							
		RCF, add'l capacity for simultaneous call forwarding, per						•									ſ
		additional path					\$0.32										l
		RCF, per service order, per location (Business)				TNPBD		\$1.44	\$1.44	\$1.44	\$1.44	\$3.50		\$19.99			\$19.99
		RCF, per service order, per location (Residence)				TNPRD		\$1.44	\$1.44	\$1.44	\$1.44	\$3.50		\$19.99	\$19.99	\$19.99	\$19.99
INTERIM SERVI	I CE PROVIDER NUMBE	R PORTABILITY - DID															
		DID per number ported (Residence)				TNPDR		\$1.18		\$1.18							ſ
		DID per number ported (Business)				TNPDB		\$1.18		\$1.18						1	
		DID per service order, per location (Residence)				TNPRD		\$1.44	\$1.44	\$1.44	\$1.44	\$3.50		\$19.99	\$19.99	\$19.99	\$19.99
		DID per service order, per location (Business)				TNPBD		\$1.44	\$1.44	\$1.44	\$1.44	\$3.50		\$19.99	\$19.99		\$19.99
		DID, per trunk termination, Initial				TNPT2	\$11.84	\$173.73		\$50.43		\$3.50		\$19.99	\$19.99		\$19.99
		DID, per trunk termination, Subsequent				TNPT2	\$11.84	\$51.35		\$25.00		\$3.50		\$19.99	\$19.99	\$19.99	\$19.99
				1													1
i	Nata. If no voto is iden	tified in the contract, the rate for the specific service or funct	مط الثين ممث		famb in an	anliankia DaliCa	outh toriff or on u		Dorting among roo	aat bu aitbar Da	4.						
	Note: II no rate is iden	uned in the contract, the rate for the specific service of funct	90 IIIW I I UI	as set	ioitii iii ap	philicapie pelloc	Julii taliii Ol as I	reguliated by the	railles upon rec	luesi by either Pal	ıy.						

1) Until the FCC issues its order implementing a cost recovery mechanism for permanent number portability, the Company will track its costs of providing interim SPNP with sufficient detail to verify the costs. This will facilitate the Florida PSCs consideration of the recovery of these costs in Docket 950737-TP. (FL)

2) BellSouth and CLEC will each bear their own costs of providing remote call forwarding as an interim number portability option. (KY)

BELLSOUTH / VarTec RATES SERVICE PROVIDER NUMBER PORTABILITY Florida

			1	ı	ı	ı			RATES					oss	RATES		
									T					1			
			Interim					Nonre	curring	Nonrecu Discon	-	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'I
CATEGORY	NOTES	RATES ELEMENT	Indicator	Zone	BCS	USOC	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
				<u> </u>													
			1	<u> </u>			l			1				l	l		
	these costs in Docket 95							costs of providir	ng interim SPNP v	with sufficient deta	ail to verify the	e costs. This	will facilitate	the Florida PS	Cs considerati	ion of the reco	overy of
	2) BellSouth and CLEC	will each bear their own costs of providing remote call forw	arding as a	n interi	m numbe	r portabili	ty option. (KY)	1	1	1							
			l	1													
				t	1	1											
				l													
		1		<u> </u>				I		1		l	1			l	
	+			-													

BELLSOUTH / VarTec RATES SERVICE PROVIDER NUMBER PORTABILITY Georgia

				1		1			RATES					oss	RATES		
			Interim					Nonre	curring	Nonrec Discor		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Svc Order vs.	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Dis Add'l
CATEGORY	NOTES	RATES ELEMENT	Indicator	Zone	BCS	USOC	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
																	-
NTERIM SERVIC	CE PROVIDER NUMBER	R PORTABILITY - RCF (1) (2)															
02		RCF, per number ported (Business Line)				TNPBL	\$2.03	\$0.51									1
		RCF, per number ported (Residence Line)				TNPRL	\$2.03	\$0.51									
		RCF, add'l capacity for simultaneous call forwarding, per					Ψ2.00	\$0.01									1
		additional path					\$0.2836										
		RCF, per service order, per location (Business)				TNPBD	70	\$2.10	\$2.10			\$3.50		\$19.99	\$19.99	\$19.99	\$19.99
		RCF, per service order, per location (Residence)				TNPRD		\$2.10	\$2.10			\$3.50		\$19.99	\$19.99	\$19.99	\$19.99
NTERIM SERVIC	CE PROVIDER NUMBER																
		DID per number ported (Residence)				TNPDR		\$0.93									
		DID per number ported (Business)				TNPDB		\$0.93									
		DID per service order, per location (Residence)				TNPRD		\$2.10	\$2.10								
		DID per service order, per location (Business)				TNPBD		\$2.10	\$2.10			\$3.50		\$19.99	\$19.99	\$19.99	
		DID, per trunk termination, Initial				TNPT2	\$10.73	\$135.47				\$3.50		\$19.99	\$19.99		
		DID, per trunk termination, Subsequent				TNPT2	\$10.73	\$39.53				\$3.50		\$19.99	\$19.99	\$19.99	\$19.99
	Note: If no rate is identi	ified in the contract, the rate for the specific service or func	tion will be	as set	forth in a	pplicable E	BellSouth tariff o	r as negotiated l	by the Parties upo	on request by eit	her Party.	1	I				
	1) Until the FCC issues i these costs in Docket 95	its order implementing a cost recovery mechanism for pem 50737-TP. (FL)	nanent num	ber po	rtability, t	he Compa	ny will track its o	costs of providin	g interim SPNP w	vith sufficient det	ail to verify th	e costs. This	will facilitate	the Florida PS	Cs considerati	on of the rec	overy of
	2) BellSouth and CLEC	will each bear their own costs of providing remote call forw	arding as a	n interi	m numbe	er portabilit	y option. (KY)										
																	L
	1			ĺ		1						1			l		1

BELLSOUTH / VARTEC RATES SERVICE PROVIDER NUMBER PORTABILITY Kentucky

									RATES					oss	RATES		
			Interim					Nonre	curring	Nonrece Discon		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Electronic-Disc	Increment: Charge - Manual Sv Order vs. Electronic-D Add'I
CATEGORY	NOTES	RATES ELEMENT	Indicator	Zone	BCS	USOC	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
-																	
					ļ												ļ
		•			•					•		•				•	
	1) Until the FCC issues these costs in Docket 9:	its order implementing a cost recovery mechanism for per 50737-TP. (FL)	rmanent num	nber po	ortability,	the Comp	any will track its	costs of providing	ng interim SPNP	with sufficient det	ail to verify the	e costs. This	s will facilitate	the Florida PS	Cs considerat	ion of the rec	overy of
	these costs in Docket 9							costs of providing	ng interim SPNP v	with sufficient det	ail to verify the	e costs. This	s will facilitate	the Florida PS	Cs considerat	ion of the rec	overy of
	these costs in Docket 9	50737-TP. (FL)						costs of providing	ng interim SPNP v	with sufficient det	ail to verify the	e costs. This	s will facilitate	the Florida PS	Cs considerat	ion of the rec	overy of
	these costs in Docket 9	50737-TP. (FL)						costs of providing	ng interim SPNP v	with sufficient det	ail to verify the	e costs. This	s will facilitate	the Florida PS	Cs considerat	ion of the rec	overy of
	these costs in Docket 9	50737-TP. (FL)						costs of providir	ng interim SPNP v	with sufficient det	ail to verify the	e costs. This	s will facilitate	the Florida PS	Cs considerat	ion of the rec	overy of
	these costs in Docket 9	50737-TP. (FL)						costs of providir	ng interim SPNP v	with sufficient det	ail to verify the	e costs. This	s will facilitate	the Florida PS	Cs considerat	ion of the rec	overy of
	these costs in Docket 9	50737-TP. (FL)						costs of providing	ng interim SPNP v	with sufficient det	ail to verify the	e costs. This	s will facilitate	the Florida PS	Cs considerat	ion of the rec	overy of
	these costs in Docket 9	50737-TP. (FL)						costs of providing	ng interim SPNP v	with sufficient det	ail to verify the	e costs. This	s will facilitate	the Florida PS	Cs considerat	ion of the rec	overy of
	these costs in Docket 9	50737-TP. (FL)						costs of providing	ng interim SPNP v	with sufficient det	ail to verify the	e costs. This	s will facilitate	the Florida PS	Cs considerat	ion of the rec	overy of
	these costs in Docket 9	50737-TP. (FL)						costs of providing	ng interim SPNP v	with sufficient det	ail to verify the	e costs. This	s will facilitate	the Florida PS	Cs considerat	ion of the rec	overy of
	these costs in Docket 9	50737-TP. (FL)						costs of providing	ng interim SPNP v	with sufficient det	ail to verify the	e costs. This	will facilitate	the Florida PS	Cs considerat	ion of the rec	overy of
	these costs in Docket 9	50737-TP. (FL)						costs of providing	ng interim SPNP v	with sufficient det	ail to verify the	e costs. This	will facilitate	the Florida PS	Cs considerat	ion of the rec	overy of
	these costs in Docket 9	50737-TP. (FL)						costs of providing	ng interim SPNP v	with sufficient det	ail to verify the	e costs. This	will facilitate	the Florida PS	Cs considerat	ion of the rec	overy of
	these costs in Docket 9	50737-TP. (FL)						costs of providing	ng interim SPNP v	with sufficient det	ail to verify the	e costs. This	will facilitate	the Florida PS	Cs considerat	ion of the rec	overy of

BELLSOUTH / VarTec RATES SERVICE PROVIDER NUMBER PORTABILITY Louisiana

									RATES					oss	RATES		
			Interim					Nonre	curring	Nonrecu Discon	•	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Svc Order vs.	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Electronic-Disc	Increment Charge - Manual Sv Order vs Electronic-D Add'I
CATEGORY	NOTES	RATES ELEMENT	Indicator	Zone	BCS	USOC	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
				-													
ITEDIM CEDVIC	CE DDOVIDED NI IMDI	ER PORTABILITY - RCF (1) (2)		1		1											-
VI EKIWI SEKVI	LE PROVIDER NOME	RCF, per number ported (Business Line)				TNPBL	\$2.29	\$0.49		\$0.05							-
		RCF, per number ported (Business Line) RCF, per number ported (Residence Line)		-		TNPRL	\$2.29	\$0.49		\$0.05							ļ
		RCF, add'l capacity for simultaneous call forwarding, per		-		INPKL	\$2.29	\$0.49		\$0.05							ļ
		additional path					\$0.38										Ì
		RCF, per service order, per location (Business)				TNPBD	φυ.30	\$2.02	\$2.02	\$2.01	\$2.01	\$3.50		\$19.99	\$19.99	\$19.99	\$19.
		RCF, per service order, per location (Besidence)		1		TNPRD		\$2.02	\$2.02	\$2.01	\$2.01	\$3.50		\$19.99	\$19.99	\$19.99	
		rear , per cervice order, per localien (realderice)				11111111		\$2.02	\$2.02	Ψ2.01	Ψ2.01	ψο.σσ		Ψ10.00	\$10.00	Ψ10.00	ψ10.
ITERIM SERVI	CE PROVIDER NUMB	ER PORTABILITY - DID															
		DID per number ported (Residence)				TNPDR		\$0.89		\$0.90							
		DID per number ported (Business)				TNPDB		\$0.89		\$0.90							
		DID per service order, per location (Residence)				TNPRD		\$2.02	\$2.02	\$2.01	\$2.01	\$3.50		\$19.99	\$19.99	\$19.99	\$19.
		DID per service order, per location (Business)				TNPBD		\$2.02	\$2.02	\$2.01	\$2.01	\$3.50		\$19.99	\$19.99	\$19.99	\$19.
		DID, per trunk termination, Initial				TNPT2	\$12.46	\$129.69		\$37.85		\$3.50		\$19.99	\$19.99		
		DID, per trunk termination, Subsequent				TNPT2	\$12.46	\$37.85		\$18.75		\$3.50		\$19.99	\$19.99	\$19.99	\$19.
		ntified in the contract, the rate for the specific service or functions is serviced in the contract, the rate for the specific service or functions is serviced in the contract, the rate for the specific service or func									•	coosto Thio	will facilitate	the Elevide DS	Co considerati	ion of the rece	
	these costs in Docket		naneni num	ibei po	itability, i	ine Compa	arry will track its	costs of providin	y interim SFNF w	itii sumcient deta	in to verify the	COSIS. THIS	wiii raciiitate	the Florida F.S	Cs considerali	on or the reci	
	2) BellSouth and CLE	C will each bear their own costs of providing remote call forw	arding as a	n interi	m numbe	er portabili	ty option. (KY)										
					I	1						i	1	1	1	1	1

BELLSOUTH / VarTec RATES SERVICE PROVIDER NUMBER PORTABILITY Mississippi

			1		l					RATES					ossi	RATES		
			Interim						Nonrec	urring	Nonrecur Disconn	ŭ	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Dis Add'l
CATEGORY	NOTES	RATES ELEMENT	Indicator	Zone	BCS	USOC	Rec	Fir	rst	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		<u> </u>																
ITERIM SERVI	CE PROVIDER NUMBEI	R PORTABILITY - RCF (1) (2)																
		RCF, per number ported (Business Line)				TNPBL	\$2.34		0.6441		\$0.0644							
		RCF, per number ported (Residence Line)				TNPRL	\$2.34	\$	0.6441		\$0.0644							
		RCF, add'l capacity for simultaneous call forwarding, per additional path					\$0.3838											
		RCF, per service order, per location (Business)				TNPBD			\$2.84	\$2.84	\$2.84	\$2.84	\$3.50		\$19.99	\$19.99	\$19.99	\$19.99
		RCF, per service order, per location (Residence)				TNPRD			\$2.84	\$2.84	\$2.84	\$2.84	\$3.50		\$19.99	\$19.99	\$19.99	\$19.99
ITERIM SERVI	CE PROVIDER NUMBE																	
		DID per number ported (Residence)				TNPDR			\$1.17		\$1.17							
		DID per number ported (Business)				TNPDB			\$1.17		\$1.17							
		DID per service order, per location (Residence)				TNPRD			\$2.84	\$2.84	\$2.84	\$2.84	\$3.50		\$19.99	\$19.99	\$19.99	\$19.99
		DID per service order, per location (Business)				TNPBD			\$2.84	\$2.84	\$2.84	\$2.84	\$3.50		\$19.99	\$19.99	\$19.99	\$19.99
		DID, per trunk termination, Initial				TNPT2	\$13.78		\$171.68		\$49.86		\$3.50		\$19.99	\$19.99	\$19.99	\$19.99
		DID, per trunk termination, Subsequent				TNPT2	\$13.78		\$50.69		\$24.71		\$3.50		\$19.99	\$19.99	\$19.99	\$19.99
		ified in the contract, the rate for the specific service or func				•												
	 Until the FCC issues these costs in Docket 9 	its order implementing a cost recovery mechanism for pern 50737-TP. (FL)	nanent num	ber po	rtability, th	ne Compa	ny will track its c	osts of	providing	interim SPNP wit	th sufficient detai	I to verify the	costs. This	will facilitate	the Florida PS	Os consideration	on of the reco	overy of
	inese costs in Docket s																	
		will each bear their own costs of providing remote call forw	arding as a	n interi	m number	portability	option. (KY)											
		. ,	arding as a	n interi	m number	portability	option. (KY)											

BELLSOUTH / VARTEC RATES SERVICE PROVIDER NUMBER PORTABILITY North Carolina

									RATES					oss	RATES		
																	1
			Interim					Nonre	curring	Nonrecu Disconr	5	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disa Add'l
CATEGORY	NOTES	RATES ELEMENT	Indicator	Zone	BCS	USOC	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
						 											
INTERIM SERVIC	E PROVIDER NUMBE	R PORTABILITY - RCF (1) (2)				 											
	1	RCF, per number ported (Business Line), 10 paths				TNPBL	\$2.25										
		RCF, per number ported (Business Line)				TNPBL	\$1.66	\$0.71		\$0.50							
		RCF, per number ported (Residence Line), 6 paths				TNPRL	\$1.15	****		40.00							
		RCF, per number ported (Residence Line)				TNPRL	\$1.66	\$0.71		\$0.50							
		RCF, add'l capacity for simultaneous call forwarding, per					•	•		,							
		additional path					\$0.32										ĺ
		RCF, per service order, per location (Business)				TNPBD	•	\$2.73	\$2.73			\$3.50		\$19.99	\$19.99	\$19.99	\$19.99
		RCF, per service order, per location (Residence)				TNPRD		\$2.73	\$2.73			\$3.50		\$19.99	\$19.99	\$19.99	\$19.99
INTERIM SERVIC	I CE PROVIDER NUMBE	R PORTABILITY - DID															
		DID per number ported (Residence)				TNPDR		\$2.25									
		DID per number ported (Business)				TNPDB		\$2.25									1
		DID per service order, per location (Residence)				TNPRD		\$2.73	\$2.73			\$3.50		\$19.99	\$19.99	\$19.99	
		DID per service order, per location (Business)				TNPBD		\$2.73	\$2.73			\$3.50		\$19.99	\$19.99	\$19.99	
		DID, per trunk termination, Initial				TNPT2	\$11.43	\$217.88				\$3.50		\$19.99	\$19.99	\$19.99	
		DID, per trunk termination, Subsequent				TNPT2	\$11.43	\$73.56				\$3.50		\$19.99	\$19.99	\$19.99	\$19.99
						<u> </u>											L
	Note: If no rate is ident	tified in the contract, the rate for the specific service or funct	ion will be	ac cot	forth in a	nnlicable B	allSouth tariff o	r as pagatisted b	ov the Parties upor	request by eith	or Party						
	Note: Il no late is iden	and in the contract, the rate for the specific service of rand	IOTI WIII DC	45 501	ioitii iii a	ppiicabic D	ciioodiii taiiii o	r as negotiated i	by the raines upor	rrequest by citi	or r arty.						
	1) Until the FCC issues	its order implementing a cost recovery mechanism for perm	anent num	ber po	rtability, t	he Compar	ny will track its	costs of providin	g interim SPNP wit	th sufficient deta	ail to verify th	e costs. This	will facilitate	the Florida PS	Cs considerati	ion of the reco	overy of
	these costs in Docket 9	50737-TP. (FL)		-	-	•		·	•		-						

2) BellSouth and CLEC will each bear their own costs of providing remote call forwarding as an interim number portability option. (KY)

BELLSOUTH / VarTec RATES SERVICE PROVIDER NUMBER PORTABILITY South Carolina

				l		1			RATES					oss	RATES		
			Interim					Nonrec	surring	Nonrecu Discon		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'I	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Dis Add'I
CATEGORY	NOTES	RATES ELEMENT	Indicator	Zone	BCS	USOC	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ITEDIM SEDVIC	CE DDOVIDED NI IMDEE	R PORTABILITY - RCF (1) (2)															
VI EKIWI SEKVIC		RCF, per number ported (Business Line)				TNPBL	\$2.17	\$0.7046									
		RCF, per number ported (Business Line) RCF, per number ported (Residence Line)				TNPRL	\$2.17	\$0.7046									
		RCF, add'l capacity for simultaneous call forwarding, per				TINITINE	ΨΖ.17	ψυ. 1 040									
		additional path					\$0.3854										
		RCF, per service order, per location (Business)				TNPBD	ψο.σσο :	\$1.37	\$1.37			\$3.50		\$19.99	\$19.99	\$19.99	\$19.99
		RCF, per service order, per location (Residence)				TNPRD		\$1.37	\$1.37			\$3.50		\$19.99	\$19.99	\$19.99	
		, , , , , , , , , , , , , , , , , , , ,							-								
NTERIM SERVIC	CE PROVIDER NUMBER	PORTABILITY - DID															
		DID per number ported (Residence)				TNPDR		\$2.25									
		DID per number ported (Business)				TNPDB		\$2.25									
		DID per service order, per location (Residence)				TNPRD		\$1.37	\$1.37	\$44.70	\$44.70	\$3.50		\$19.99	\$19.99	\$19.99	
		DID per service order, per location (Business)				TNPBD		\$1.37	\$1.37	\$44.70	\$44.70	\$3.50		\$19.99	\$19.99	\$19.99	
		DID, per trunk termination, Initial				TNPT2	\$13.16	\$218.03				\$3.50		\$19.99	\$19.99	\$19.99	
		DID, per trunk termination, Subsequent				TNPT2	\$13.16	\$73.63				\$3.50		\$19.99	\$19.99	\$19.99	\$19.99
	Note: If no rate is identi	fied in the contract, the rate for the specific service or func	tion will be a	as set	forth in a	pplicable E	BellSouth tariff o	r as negotiated b	by the Parties upo	n request by eith	er Party.		l	l			
	1) Until the FCC issues i these costs in Docket 95	ts order implementing a cost recovery mechanism for perm 50737-TP. (FL)	nanent num	ber po	rtability, t	he Compa	ny will track its o	costs of providing	g interim SPNP w	ith sufficient deta	ail to verify the	costs. This	will facilitate	the Florida PS	Cs considerati	on of the rec	overy of
	2) BellSouth and CLEC	will each bear their own costs of providing remote call forwa	arding as a	n interi	m numbe	er portabilit	y option. (KY)										
						I									1		l

BELLSOUTH / VARTEC RATES SERVICE PROVIDER NUMBER PORTABILITY Tennessee

									RATES					oss	RATES		
								Nonrec			curring	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Dis Add'I
CATEGORY	NOTES	RATES ELEMENT	Interim Indicator	Zone	BCS	usoc	Rec	First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN SOMAN	SOMAN	SOMAN	SOMAN
	ļ																
ITERIM SERVI		R PORTABILITY - RCF (1) (2)															
		RCF, per number ported (Business Line)				TNPBL	\$1.50										
		RCF, per number ported (Residence Line)		-		TNPRL	\$1.25										
		RCF, add'l capacity for simultaneous call forwarding, per additional path					\$0.50										
		RCF, per service order, per location (Business)				TNPBD		\$25.00	\$25.00					\$19.99	\$19.99	\$19.99	\$19.99
		RCF, per service order, per location (Residence)				TNPRD		\$25.00	\$25.00					\$19.99	\$19.99	\$19.99	\$19.99
		ified in the contract, the rate for the specific service or function will be as se its order implementing a cost recovery mechanism for permanent number p					-			·	costs. This wi	I facilitate the	e Florida PSC	s consideration	n of the recove	ry of these co	osts in
	1) Until the FCC issues Docket 950737-TP. (FL	its order implementing a cost recovery mechanism for permanent number p	ortability, t	he Cor	npany wi	ill track its c	-			·	costs. This wi	I facilitate the	∍ Florida PSC	s consideration	n of the recove	ry of these co	osts in
	1) Until the FCC issues Docket 950737-TP. (FL	its order implementing a cost recovery mechanism for permanent number p	ortability, t	he Cor	npany wi	ill track its c	-			·	costs. This wi	I facilitate the	B Florida PSC	s consideration	n of the recove	ry of these co	osts in
	1) Until the FCC issues Docket 950737-TP. (FL	its order implementing a cost recovery mechanism for permanent number p	ortability, t	he Cor	npany wi	ill track its c	-			·	costs. This wi	I facilitate the	₽ Florida PSC	s consideration	n of the recove	ry of these co	osts in
	1) Until the FCC issues Docket 950737-TP. (FL	its order implementing a cost recovery mechanism for permanent number p	ortability, t	he Cor	npany wi	ill track its c	-			·	costs. This wi	I facilitate the	e Florida PSC	s consideration	n of the recove	ry of these co	osts in
	1) Until the FCC issues Docket 950737-TP. (FL	its order implementing a cost recovery mechanism for permanent number p	ortability, t	he Cor	npany wi	ill track its c	-			·	costs. This wi	I facilitate the	Florida PSC	s consideration	n of the recove	ry of these co	osts in
	1) Until the FCC issues Docket 950737-TP. (FL	its order implementing a cost recovery mechanism for permanent number p	ortability, t	he Cor	npany wi	ill track its c	-			·	costs. This wi	I facilitate the	e Florida PSC	s consideration	n of the recove	ry of these co	osts in
	1) Until the FCC issues Docket 950737-TP. (FL	its order implementing a cost recovery mechanism for permanent number p	ortability, t	he Cor	npany wi	ill track its c	-			·	costs. This wi	I facilitate the	Florida PSC	s consideration	n of the recove	ry of these α	osts in
	1) Until the FCC issues Docket 950737-TP. (FL	its order implementing a cost recovery mechanism for permanent number p	ortability, t	he Cor	npany wi	ill track its c	-			·	costs. This wi	I facilitate the	Florida PSC	s consideration	n of the recove	ry of these co	osts in
	1) Until the FCC issues Docket 950737-TP. (FL	its order implementing a cost recovery mechanism for permanent number p	ortability, t	he Cor	npany wi	ill track its c	-			·	costs. This wi	I facilitate the	e Florida PSC	s consideration	n of the recove	ry of these co	osts in

Attachment 6

Pre-Ordering, Ordering and Provisioning, Maintenance and Repair

TABLE OF CONTENTS

	QUALITY OF PRE-ORDERING, ORDERING AND PROVISIONING, MAINTENANCE AND PAIR	3
	ACCESS TO OPERATIONS SUPPORT SYSTEMS	
3.	MISCELLANEOUS ORDERING AND PROVISIONING GUIDELINES	5

PRE-ORDERING, ORDERING AND PROVISIONING, MAINTENANCE AND REPAIR

1. QUALITY OF PRE-ORDERING, ORDERING AND PROVISIONING, MAINTENANCE AND REPAIR

- 1.1 BellSouth shall provide pre-ordering, ordering and provisioning and maintenance and repair services to Excel that are equivalent to the pre-ordering, ordering and provisioning and maintenance and repair services BellSouth provides to itself or any other CLEC, where technically feasible. The guidelines for pre-ordering, ordering and provisioning and maintenance and repair are set forth in the various guides and business rules, as appropriate, and as they are amended from time to time during this Agreement. The guides and business rules are found at http://www.interconnection.bellsouth.com and are incorporated herein by reference.
- 1.2 For purposes of this Agreement, BellSouth's regular working hours for provisioning are defined as follows:

Monday – Friday – 8:00 a.m. – 5:00 p.m. (Excluding Holidays)
(Resale/UNE non-coordinated,
coordinated orders and order
coordinated-time specific)
Saturday - 8:00 a.m. – 5:00 p.m. (Excluding Holidays)
(Resale/UNE non-coordinated orders)

- 1.2.1 The above hours represent the hours, either Eastern or Central Time, of where the physical work is being performed.
- 1.2.2 To the extent Excel requests provisioning of service to be performed outside BellSouth's regular working hours, or the work so requested requires BellSouth's technicians to work outside regular working hours, overtime billing charges shall apply. Notwithstanding the foregoing, if such work is performed outside of regular working hours by a BellSouth technician during his or her scheduled shift and BellSouth does not incur any overtime charges in performing the work on behalf of Excel, BellSouth will not assess Excel additional charges beyond the rates and charges specified in this Agreement.

2. ACCESS TO OPERATIONS SUPPORT SYSTEMS

2.1 BellSouth shall provide Excel access to operations support systems ("OSS") functions for pre-ordering, ordering and provisioning, maintenance and repair, and billing. BellSouth shall provide access to the OSS through manual and/or electronic interfaces as described in this Attachment. It is the sole responsibility of Excel to obtain the technical capability to access and utilize BellSouth's OSS

interfaces. Specifications for Excel's access and use of BellSouth's electronic interfaces are set forth at www.interconnection.bellsouth.com and are incorporated herein by reference.

- 2.1.1 Pre-Ordering. In accordance with FCC and Commission rules and orders, BellSouth will provide electronic access to the following pre-ordering functions: service address validation, telephone number selection, service and feature availability, due date information, customer record information and loop makeup information. Access is provided through the Local Exchange Navigation System (LENS) interface and the Telecommunications Access Gateway (TAG) interface. Customer record information includes customer specific information in CRIS and RSAG. Excel shall not view, copy, or otherwise obtain access to the customer record information of any customer without that customer's permission. Excel will obtain access to customer record information only in strict compliance with applicable laws, rules, or regulations of the State in which the service is provided. BellSouth reserves the right to audit Excel's access to customer record information. If a BellSouth audit of Excel's access to customer record information reveals that Excel is accessing customer record information without having obtained the proper End User authorization, BellSouth upon reasonable notice to Excel may take corrective action, including but not limited to suspending or terminating Excel's electronic access to BellSouth's OSS functionality. All such information obtained through an audit shall be deemed Information covered by the Proprietary and Confidential Information section in the General Terms and Conditions of this Agreement.
- 2.1.2 <u>Service Ordering</u>. BellSouth will make available the Electronic Data Interchange (EDI) interface and the TAG ordering interface for the purpose of exchanging order information, including order status and completion notification, for non-complex and certain complex resale requests and certain network elements. Excel may integrate the EDI interface or the TAG ordering interface with the TAG pre-ordering interface. In addition, BellSouth will provide integrated pre-ordering and ordering capability through the LENS interface for non-complex and certain complex resale service requests and certain network element requests.
- Maintenance and Repair. Excel may report and monitor service troubles and obtain repair services from BellSouth via electronic interfaces. BellSouth provides several options for electronic trouble reporting. For exchange services, BellSouth will offer Excel non-discriminatory access to the Trouble Analysis Facilitation Interface (TAFI). In addition, BellSouth will offer an industry standard, machine-to-machine Electronic Communications Trouble Administration (ECTA) Gateway interface. For designed services, BellSouth will provide non-discriminatory trouble reporting via the ECTA Gateway. BellSouth will provide Excel an estimated time to repair, an appointment time or a commitment time, as appropriate, on trouble reports. Requests for trouble repair will be billed in accordance with the provisions of Section 1.2.1 of this Attachment. BellSouth and Excel agree to adhere to BellSouth's Operational Understanding, as amended from time to time during this Agreement and as incorporated herein by reference. The Operational

Understanding may be accessed via the Internet at http://www.interconnection.bellsouth.com.

- 2.2 <u>Change Management</u>. BellSouth provides a collaborative process for change management of the electronic interfaces through the Change Control Process (CCP). Guidelines for this process are set forth in the CCP document as amended from time to time during this Agreement. The CCP document may be accessed via the Internet at http://www.interconnection.bellsouth.com.
- 2.3 <u>BellSouth's Versioning Policy for Electronic Interfaces.</u> BellSouth's Versioning Policy is part of the Change Control Process (CCP). Pursuant to the CCP, BellSouth will issue new software releases for new industry standards for its EDI and TAG electronic interfaces. The Versioning Policy, including the appropriate notification to Excel, is set forth in the CCP document as amended from time to time during this Agreement. The CCP document may be accessed via the Internet at http://www.interconnection.bellsouth.com.
- 2.4 <u>Rates.</u> Charges for use of OSS shall be as set forth in Attachments 1 and 2 of this Agreement and are incorporated herein by reference.

3. MISCELLANEOUS

- Pending Orders. Orders placed in the hold or pending status by Excel will be held for a maximum of thirty (30) days from the date the order is placed on hold. After such time, Excel shall be required to submit a new service order. Incorrect or invalid orders returned to Excel for correction or clarification will be held for ten (10) days. If Excel does not return a corrected order within ten (10) days, BellSouth will cancel the order.
- 3.2 Single Point of Contact. Excel will be the single point of contact with BellSouth for ordering activity for network elements and other services used by Excel to provide services to its end users, except that BellSouth may accept an order directly from another CLEC, or BellSouth, acting with authorization of the affected end user. Excel and BellSouth shall each execute a blanket letter of authorization with respect to customer orders. The Parties shall each be entitled to adopt their own internal processes for verification of customer authorization for orders, provided, however, that such processes shall comply with applicable state and federal law including, until superseded, the FCC guidelines and orders applicable to Presubscribed Interexchange Carrier (PIC) changes, including Un-PIC. Pursuant to an order from another carrier, BellSouth may disconnect any network element being used by Excel to provide service to that end user and may reuse such network elements or facilities to enable such other carrier to provide service to the end user. BellSouth will notify Excel that such an order has been processed, but will not be required to notify Excel in advance of such processing.
- 3.3 <u>Use of Facilities.</u> When a customer of Excel elects to discontinue service and transfer service to another local exchange carrier, including BellSouth, BellSouth

shall have the right to reuse the facilities provided to CLEC by BellSouth. In addition, where BellSouth provides local switching, BellSouth may disconnect and reuse facilities when the facility is in a denied state and BellSouth has received an order to establish new service or transfer of service from a customer or a customer's CLEC at the same address served by the denied facility. BellSouth will notify Excel that such an order has been processed after the disconnect order has been completed.

- 3.4 <u>Contact Numbers</u>. The Parties agree to provide one another with toll-free nation-wide (50 states) contact numbers for the purpose of ordering, provisioning and maintenance of services.
- 3.5 <u>Subscription Functions</u>. In cases where BellSouth performs subscription functions for an inter-exchange carrier (i.e. PIC and LPIC changes via Customer Account Record Exchange (CARE)), BellSouth will provide the affected inter-exchange carriers with the Operating Company Number (OCN) of the local provider for the purpose of obtaining end user billing account and other end user information required under subscription requirements.
- 3.6 <u>Cancellation Charges</u>. If Excel cancels an order for Network Elements or other services, any costs incurred by BellSouth in conjunction with the provisioning of that order will be recovered in accordance with FCC No. 1 Tariff, Section 5.
- 3.7 <u>Expedite Charges</u>. For expedited requests by Excel, expedited charges will apply for intervals less than the standard interval as outlined in the BellSouth Product and Services Interval Guide. The charges as outlined in BellSouth's FCC No. 1 Tariff, Section 5, will apply.
- 3.8 <u>CLEC Responsibilities</u>. Excel shall provide to BellSouth electronic access to customer record information, where available. If electronic access is not available, Excel shall provide paper copies of customer record information. Such information shall be provided to BellSouth in the same intervals that BellSouth provides such information to Excel.

Attachment 7

Billing

TABLE OF CONTENTS

1.	Payment and Billing Arrangements	3
2.	Billing Disputes	6
3.	RAO Hosting	7
4.	Optional Daily Usage File	10
5.	Access Daily Usage File	13
Ra	ites.	Exhibit A

BILLING

1. PAYMENT AND BILLING ARRANGEMENTS

All negotiated rates, terms and conditions set forth in this Attachment pertain to billing and billing accuracy certifications.

- Billing. BellSouth agrees to provide billing through the Carrier Access Billing System (CABS) and through the Customer Records Information System (CRIS) depending on the particular service(s) that Excel requests. BellSouth will bill and record in accordance with this Agreement those charges Excel incurs as a result of Excel purchasing from BellSouth Network Elements and Other Services as set forth in this Agreement. BellSouth will format all bills in CBOS Standard or CLUB/EDI format, depending on the type of service ordered. For those services where standards have not yet been developed, BellSouth's billing format will change as necessary when standards are finalized by the industry forum.
- 1.1.1 For any service(s) BellSouth orders from Excel, Excel shall bill BellSouth in CABS format.
- 1.1.2 If either Party requests multiple billing media or additional copies of bills, the Billing Party will provide these at a reasonable cost.
- Master Account. After receiving certification as a local exchange company from the appropriate regulatory agency, Excel will provide the appropriate BellSouth account manager the necessary documentation to enable BellSouth to establish a master account for Local Interconnection, Network Elements and Other Services, and/or resold services. Such documentation shall include the Application for Master Account, proof of authority to provide telecommunications services, an Operating Company Number (OCN) assigned by the National Exchange Carriers Association (NECA), Carrier Identification Code (CIC), Group Access Code (GAC), Access Customer Name and Abbreviation (ACNA) and a tax exemption certificate, if applicable.
- 1.2.1 Payment Responsibility. Payment of all charges will be the responsibility of Excel. Excel shall make payment to BellSouth for all services billed. BellSouth is not responsible for payments not received by Excel from Excel's customer. BellSouth will not become involved in billing disputes that may arise between Excel and Excel's customer. Payments made to BellSouth as payment on account will be credited to an accounts receivable master account and not to an end user's account.
- 1.3 <u>Payment Due</u>. The payment will be due on or before the next bill date (i.e., same date in the following month as the bill date) and is payable in immediately available funds. Payment is considered to have been made when received by BellSouth.

- 1.4 If the payment due date falls on a Sunday or on a Holiday which is observed on a Monday, the payment due date shall be the first non-Holiday day following such Sunday or Holiday. If the payment due date falls on a Saturday or on a Holiday which is observed on Tuesday, Wednesday, Thursday, or Friday, the payment due date shall be the last non-Holiday day preceding such Saturday or Holiday. If payment is not received by the payment due date, a late payment charge, as set forth in Section 1.6, below, shall apply.
- 1.5 <u>Tax Exemption</u>. Upon proof of tax exempt certification from Excel, the total amount billed to Excel will not include those taxes or fees for which the CLEC is exempt. Excel will be solely responsible for the computation, tracking, reporting and payment of all taxes and like fees associated with the services provided to the end user of Excel.
- Late Payment. If any portion of the payment is received by BellSouth after the payment due date as set forth preceding, or if any portion of the payment is received by BellSouth in funds that are not immediately available to BellSouth, then a late payment charge shall be due to BellSouth. The late payment charge shall be the portion of the payment not received by the payment due date times a late factor and will be applied on a per bill basis. The late factor shall be as set forth in Section A2 of the General Subscriber Services Tariff, Section B2 of the Private Line Service Tariff or Section E2 of the Intrastate Access Tariff, whichever BellSouth determines is appropriate. Excel will be charged a fee for all returned checks as set forth in Section A2 of the General Subscriber Services Tariff or pursuant to the applicable state law.
- 1.7 <u>Discontinuing Service to Excel.</u> The procedures for discontinuing service to Excel are as follows:
- 1.7.1 BellSouth reserves the right to suspend or terminate service for nonpayment of services or in the event of prohibited, unlawful or improper use of BellSouth facilities or service or any other violation or noncompliance by Excel of the rules and regulations contained in BellSouth's tariffs.
- 1.7.2 If payment of amounts not subject to a billing dispute, as described in Section 2.1.2., is not received by the bill date in the month after the original bill date, BellSouth may provide written notice to Excel that additional applications for service will be refused and that any pending orders for service will not be completed if payment is not received by the fifteenth day following the date of the notice. In addition, BellSouth may, at the same time, give thirty (30)days notice to Excel at the billing address to discontinue the provision of existing services to Excel at any time thereafter.
- 1.7.3 In the case of such discontinuance, all billed charges, as well as applicable termination charges, shall become due.

- 1.7.4 If BellSouth does not discontinue the provision of the services involved on the date specified in the thirty days notice and Excel's noncompliance continues, nothing contained herein shall preclude BellSouth's right to discontinue the provision of the services to Excel without further notice.
- 1.7.5 If payment is not received or satisfactory arrangements made for payment by the date given in the written notification, Excel's services will be discontinued. Upon discontinuance of service on Excel's account, service to Excel's end users will be denied. BellSouth will reestablish service at the request of the end user or Excel for BellSouth to reestablish service upon payment of the appropriate connection fee and subject to BellSouth's normal application procedures. Excel is solely responsible for notifying the end user of the proposed service disconnection. If within fifteen (15) days after an end user's service has been denied and no arrangements to reestablish service have been made consistent with this subsection, the end user's service will be disconnected.
- 1.8 Deposit Policy. When purchasing services from BellSouth, Excel will be required to complete the BellSouth Credit Profile and provide information regarding credit worthiness. Based on the results of the credit analysis, BellSouth reserves the right to secure the account with a suitable form of security deposit. Such security deposit shall take the form of cash, an Irrevocable Letter of Credit (BellSouth form), Surety Bond (BellSouth form) or, in its sole discretion, some other form of security. Any such security deposit shall in no way release Excel from its obligation to make complete and timely payments of its bill. Such security shall be required prior to the inauguration of service. If, in the sole opinion of BellSouth, circumstances so warrant and/or gross monthly billing has increased beyond the level initially used to determine the level of security, BellSouth reserves the right to request additional security and/or file a Uniform Commercial Code (UCC1) security interest in Excel's "accounts receivables and proceeds." Interest on a security deposit, if provided in cash, shall accrue and be paid in accordance with the terms in the appropriate BellSouth tariff. Security deposits collected under this Section shall not exceed two months' estimated billing. In the event Excel fails to remit to BellSouth any deposit requested pursuant to this Section, service to Excel may be terminated in accordance with the terms of Section 1.7 of this Attachment, and any security deposits will be applied to Excel's account(s).
- 1.9 Notices. Notwithstanding anything to the contrary in this Agreement, all bills and notices regarding billing matters, including notices relating to security deposits, to rejection of additional orders from Excel and to disconnection of services for nonpayment of charges, shall be forwarded to the individual and/or address provided by Excel in establishment of its billing account(s) with BellSouth, or to the individual and/or address subsequently provided by Excel as the contact for billing information. All monthly bills and notices described in this Section shall be forwarded to the same individual and/or address; provided, however, upon written notice from Excel to BellSouth's billing organization, a final notice of disconnection of services purchased by Excel under this Agreement shall be sent

via certified mail to the individual(s) listed in the Notices provision of the General Terms and Conditions of this Agreement at least 30 days before BellSouth takes any action to terminate such services.

1.10 Rates. Rates for Optional Daily Usage File (ODUF), Access Daily Usage File (ADUF), and Centralized Message Distribution Service (CMDS) are set out in Exhibit A to this Attachment. If no rate is identified in this Attachment, the rate for the specific service or function will be as set forth in applicable BellSouth tariff or as negotiated by the Parties upon request by either Party.

2. BILLING DISPUTES

- 2.1 Billing disputes shall be handled pursuant to the terms of this section.
- 2.1.1 Each Party agrees to notify the other Party in writing upon the discovery of a billing dispute. In the event of a billing dispute, the Parties will endeavor to resolve the dispute within sixty (60) calendar days of the notification date. If the Parties are unable within the 60 day period to reach resolution, then the aggrieved Party may pursue dispute resolution in accordance with the General Terms and Conditions of this Agreement.
- 2.1.2 For purposes of this Section 2, a billing dispute means a dispute of a specific amount of money actually billed by either Party. The dispute must be clearly explained by the disputing Party and supported by written documentation, which clearly shows the basis for disputing charges. By way of example and not by limitation, a billing dispute will not include the refusal to pay all or part of a bill or bills when no written documentation is provided to support the dispute, nor shall a billing dispute include the refusal to pay other amounts owed by the billed Party until the dispute is resolved. Claims by the billed Party for damages of any kind will not be considered a billing dispute for purposes of this Section 3. Once the billing dispute is resolved, the disputing Party will make immediate payment of any of the disputed amount owed to the billing Party or the billing Party shall have the right to pursue normal treatment procedures. Any credits due to the disputing Party, pursuant to the billing dispute, will be applied to the disputing Party's account by the billing Party immediately upon resolution of the dispute.
- If a Party disputes a charge and does not pay such charge by the payment due date, or if a payment or any portion of a payment is received by either Party after the payment due date, or if a payment or any portion of a payment is received in funds which are not immediately available to the other Party, then a late payment charge shall be assessed. For bills rendered by either Party for payment, the late payment charge for both Parties shall be calculated based on the portion of the payment not received by the payment due date times the late factor as set forth in the following BellSouth tariffs: for services purchased from the General Subscribers Services Tariff for purposes of resale and for ports and non-designed loops, Section A2 of the General Subscriber Services Tariff; for services purchased from the Private Line Tariff for purposes of resale, Section B2 of the Private Line Service Tariff;

and for network elements and other services and local interconnection charges, Section E2 of the Access Service Tariff. In no event, however, shall interest be assessed by either Party on any previously assessed late payment charges. The Parties shall assess interest on previously assessed late payment charges only in a state where it has the authority pursuant to its tariffs.

3. RAO HOSTING

- 3.1 RAO Hosting, Calling Card and Third Number Settlement System (CATS) and Non-Intercompany Settlement System (NICS) services provided to Excel by BellSouth will be in accordance with the methods and practices regularly adopted and applied by BellSouth to its own operations during the term of this Agreement, including such revisions as may be made from time to time by BellSouth.
- 3.2 Excel shall furnish all relevant information required by BellSouth for the provision of RAO Hosting, CATS and NICS.
- 3.3 Compensation amounts, if applicable, will be billed by BellSouth to Excel on a monthly basis in arrears. Amounts due from one Party to the other (excluding adjustments) are payable within thirty (30) days of receipt of the billing statement.
- Excel must have its own unique hosted RAO code. Requests for establishment of RAO status where BellSouth is the selected CMDS interfacing host, require written notification from Excel to the BellSouth RAO Hosting coordinator at least eight (8) weeks prior to the proposed effective date. The proposed effective date will be mutually agreed upon between the Parties with consideration given to time necessary for the completion of required Telcordia (formerly BellCore) functions. BellSouth will request the assignment of an RAO code from its connecting contractor, currently Telcordia (formerly BellCore), on behalf of Excel and will coordinate all associated conversion activities.
- 3.5 BellSouth will receive messages from Excel that are to be processed by BellSouth, another LEC or CLEC in the BellSouth region or a LEC outside the BellSouth region.
- 3.6 BellSouth will perform invoice sequence checking, standard EMI format editing, and balancing of message data with the EMI trailer record counts on all data received from Excel.
- 3.7 All data received from Excel that is to be processed or billed by another LEC or CLEC within the BellSouth region will be distributed to that LEC or CLEC in accordance with the Agreement(s) which may be in effect between BellSouth and the involved LEC or CLEC.
- 3.8 All data received from Excel that is to be placed on the CMDS network for distribution outside the BellSouth region will be handled in accordance with the

- agreement(s) which may be in effect between BellSouth and its connecting contractor (currently Telcordia (formerly BellCore)).
- 3.9 BellSouth will receive messages from the CMDS network that are destined to be processed by Excel and will forward them to Excel on a daily basis.
- 3.10 Transmission of message data between BellSouth and Excel will be via CONNECT:Direct.
- 3.11 All messages and related data exchanged between BellSouth and Excel will be formatted in accordance with accepted industry standards for EMI formatted records and packed between appropriate EMI header and trailer records, also in accordance with accepted industry standards.
- 3.12 Excel will ensure that the recorded message detail necessary to recreate files provided to BellSouth will be maintained for back-up purposes for a period of three (3) calendar months beyond the related message dates.
- 3.13 Should it become necessary for Excel to send data to BellSouth more than sixty (60) days past the message date(s), Excel will notify BellSouth in advance of the transmission of the data. If there will be impacts outside the BellSouth region, BellSouth will work with its connecting contractor and Excel to notify all affected Parties.
- In the event that data to be exchanged between the two Parties should become lost or destroyed, both Parties will work together to determine the source of the problem. Once the cause of the problem has been jointly determined and the responsible Party (BellSouth or Excel) identified and agreed to, the company responsible for creating the data (BellSouth or Excel) will make every effort to have the affected data restored and retransmitted. If the data cannot be retrieved, the responsible Party will be liable to the other Party for any resulting lost revenue. Lost revenue may be a combination of revenues that could not be billed to the end users and associated access revenues. Both Parties will work together to estimate the revenue amount based upon historical data through a method mutually agreed upon. The resulting estimated revenue loss will be paid by the responsible Party to the other Party within three (3) calendar months of the date of problem resolution, or as mutually agreed upon by the Parties.
- 3.15 Should an error be detected by the EMI format edits performed by BellSouth on data received from Excel, the entire pack containing the affected data will not be processed by BellSouth. BellSouth will notify Excel of the error condition. Excel will correct the error(s) and will resend the entire pack to BellSouth for processing. In the event that an out-of-sequence condition occurs on subsequent packs, Excel will resend these packs to BellSouth after the pack containing the error has been successfully reprocessed by BellSouth.

- In association with message distribution service, BellSouth will provide Excel with associated intercompany settlements reports (CATS and NICS) as appropriate.
- In no case shall either Party be liable to the other for any direct or consequential damages incurred as a result of the obligations set out in this Agreement.
- 3.18 RAO Compensation
- 3.18.1 Rates for message distribution service provided by BellSouth for Excel are as set forth in Exhibit A to this Attachment.
- 3.18.2 Rates for data transmission associated with message distribution service are as set forth in Exhibit A to this Attachment.
- 3.18.3 Data circuits (private line or dial-up) will be required between BellSouth and Excel for the purpose of data transmission. Where a dedicated line is required, Excel will be responsible for ordering the circuit, overseeing its installation and coordinating the installation with BellSouth. Excel will also be responsible for any charges associated with this line. Equipment required on the BellSouth end to attach the line to the mainframe computer and to transmit successfully ongoing will be negotiated on a case by case basis. Where a dial-up facility is required, dial circuits will be installed in the BellSouth data center by BellSouth and the associated charges assessed to Excel. Additionally, all message toll charges associated with the use of the dial circuit by Excel will be the responsibility of Excel. Associated equipment on the BellSouth end, including a modem, will be negotiated on a case by case basis between the Parties.
- 3.18.4 All equipment, including modems and software, that is required on the Excel end for the purpose of data transmission will be the responsibility of Excel.
- 3.19 Intercompany Settlements Messages
- 3.19.1 This Section addresses the settlement of revenues associated with traffic originated from or billed by Excel as a facilities based provider of local exchange telecommunications services outside the BellSouth region. Only traffic that originates in one Bell operating territory and bills in another Bell operating territory is included. Traffic that originates and bills within the same Bell operating territory will be settled on a local basis between Excel and the involved company(ies), unless that company is participating in NICS.
- 3.19.2 Both traffic that originates outside the BellSouth region by Excel and is billed within the BellSouth region, and traffic that originates within the BellSouth region and is billed outside the BellSouth region by Excel, is covered by this Agreement (CATS). Also covered is traffic that either is originated by or billed by Excel, involves a company other than Excel, qualifies for inclusion in the CATS settlement, and is not originated or billed within the BellSouth region (NICS).

- 3.19.3 Once Excel is operating within the BellSouth territory, revenues associated with calls originated and billed within the BellSouth region will be settled via Telcordia (formerly BellCore)'s, its successor or assign, NICS system.
- 3.19.4 BellSouth will receive the monthly NICS reports from Telcordia (formerly BellCore), its successor or assign, on behalf of Excel. BellSouth will distribute copies of these reports to Excel on a monthly basis.
- 3.19.5 BellSouth will receive the monthly Calling Card and Third Number Settlement System (CATS) reports from Telcordia (formerly BellCore), its successor or assign, on behalf of Excel. BellSouth will distribute copies of these reports to Excel on a monthly basis.
- 3.19.6 BellSouth will collect the revenue earned by Excel from the Bell operating company in whose territory the messages are billed (CATS), less a per message billing and collection fee of five cents (\$0.05), on behalf of Excel. BellSouth will remit the revenue billed by Excel to the Bell operating company in whose territory the messages originated, less a per message billing and collection fee of five cents (\$0.05), on behalf on Excel. These two amounts will be netted together by BellSouth and the resulting charge or credit issued to Excel via a monthly Carrier Access Billing System (CABS) miscellaneous bill.
- 3.19.7 BellSouth will collect the revenue earned by Excel within the BellSouth territory from another CLEC also within the BellSouth territory (NICS) where the messages are billed, less a per message billing and collection fee of five cents (\$0.05), on behalf of Excel. BellSouth will remit the revenue billed by Excel within the BellSouth region to the CLEC also within the BellSouth region, where the messages originated, less a per message billing and collection fee of five cents (\$0.05). These two amounts will be netted together by BellSouth and the resulting charge or credit issued to Excel via a monthly CABS miscellaneous bill.
- 3.19.8 BellSouth and Excel agree that monthly netted amounts of less than fifty dollars (\$50.00) will not be settled.

4. OPTIONAL DAILY USAGE FILE

- 4.1 Upon written request from Excel, BellSouth will provide the Optional Daily Usage File (ODUF) service to Excel pursuant to the terms and conditions set forth in this section.
- 4.2 Excel shall furnish all relevant information required by BellSouth for the provision of the ODUF.
- 4.3 The Optional Daily Usage Feed will contain billable messages that were carried over the BellSouth Network and processed in the BellSouth Billing System, but billed to a Excel customer.

- 4.4 Charges for delivery of the ODUF will appear on Excels' monthly bills. The charges are as set forth in Exhibit A to this Attachment.
- 4.5 The Optional Daily Usage Feed will contain both rated and unrated messages. All messages will be in the standard Alliance for Telecommunications Industry Solutions (ATIS) EMI record format.
- 4.6 Messages that error in the billing system of Excel will be the responsibility of Excel. If, however, Excel should encounter significant volumes of errored messages that prevent processing by Excel within its systems, BellSouth will work with Excel to determine the source of the errors and the appropriate resolution.
- 4.7 The following specifications shall apply to the Optional Daily Usage Feed.

4.7.1 **USAGE TO BE TRANSMITTED**

- 4.7.1.1 The following messages recorded by BellSouth will be transmitted to Excel:
 - Message recording for per use/per activation type services (examples: Three -Way Calling, Verify, Interrupt, Call Return, etc.)
 - Measured billable Local
 - Directory Assistance messages
 - IntraLATA Toll
 - WATS and 800 Service
 - N11
 - Information Service Provider Messages
 - Operator Services Messages
 - Operator Services Message Attempted Calls (Network Element only)
 - Credit/Cancel Records
 - Usage for Voice Mail Message Service
- 4.7.1.2 Rated Incollects (originated in BellSouth and from other companies) can also be on ODUF. Rated Incollects will be intermingled with BellSouth recorded rated and unrated usage. Rated Incollects will not be packed separately.
- 4.7.1.3 BellSouth will perform duplicate record checks on records processed to ODUF. Any duplicate messages detected will be deleted and not sent to Excel.

4.7.1.4 In the event that Excel detects a duplicate on ODUF they receive from BellSouth, Excel will drop the duplicate message (Excel will not return the duplicate to BellSouth).

4.7.2 **PHYSICAL FILE CHARACTERISTICS**

- 4.7.2.1 ODUF will be distributed to Excel via an agreed medium with CONNECT:Direct being the preferred transport method. The Daily Usage Feed will be a variable block format (2476) with an LRECL of 2472. The data on the Daily Usage Feed will be in a non-compacted EMI format (175 byte format plus modules). It will be created on a daily basis (Monday through Friday except holidays). Details such as dataset name and delivery schedule will be addressed during negotiations of the distribution medium. There will be a maximum of one dataset per workday per OCN.
- Data circuits (private line or dial-up) will be required between BellSouth and Excel for the purpose of data transmission. Where a dedicated line is required, Excel will be responsible for ordering the circuit, overseeing its installation and coordinating the installation with BellSouth. Excel will also be responsible for any charges associated with this line. Equipment required on the BellSouth end to attach the line to the mainframe computer and to transmit successfully ongoing will be negotiated on a case by case basis. Where a dial-up facility is required, dial circuits will be installed in the BellSouth data center by BellSouth and the associated charges assessed to Excel. Additionally, all message toll charges associated with the use of the dial circuit by Excel will be the responsibility of Excel. Associated equipment on the BellSouth end, including a modem, will be negotiated on a case by case basis between the Parties. All equipment, including modems and software, that is required on Excel's end for the purpose of data transmission will be the responsibility of Excel.

4.7.3 **PACKING SPECIFICATIONS**

- 4.7.3.1 A pack will contain a minimum of one message record or a maximum of 99,999 message records plus a pack header record and a pack trailer record. One transmission can contain a maximum of 99 packs and a minimum of one pack.
- 4.7.3.2 The OCN, From RAO, and Invoice Number will control the invoice sequencing. The From RAO will be used to identify to Excel which BellSouth RAO that is sending the message. BellSouth and Excel will use the invoice sequencing to control data exchange. BellSouth will be notified of sequence failures identified by Excel and resend the data as appropriate.

The data will be packed using ATIS EMI records.

4.7.4 PACK REJECTION

4.7.4.1 Excel will notify BellSouth within one business day of rejected packs (via the mutually agreed medium). Packs could be rejected because of pack sequencing discrepancies or a critical edit failure on the Pack Header or Pack Trailer records (i.e. out-of-balance condition on grand totals, invalid data populated). Standard ATIS EMI Error Codes will be used. Excel will not be required to return the actual rejected data to BellSouth. Rejected packs will be corrected and retransmitted to Excel by BellSouth.

4.7.5 **CONTROL DATA**

4.7.5.1 Excel will send one confirmation record per pack that is received from BellSouth. This confirmation record will indicate Excel received the pack and the acceptance or rejection of the pack. Pack Status Code(s) will be populated using standard ATIS EMI error codes for packs that were rejected by Excel for reasons stated in the above section.

4.7.6 **TESTING**

4.7.6.1 Upon request from Excel, BellSouth shall send test files to Excel for ODUF. The Parties agree to review and discuss the file's content and/or format. For testing of usage results, BellSouth shall request that Excel set up a production (LIVE) file. The live test may consist of Excel's employees making test calls for the types of services Excel requests on ODUF. These test calls are logged by Excel, and the logs are provided to BellSouth. These logs will be used to verify the files. Testing will be completed within 30 calendar days from the date on which the initial test file was sent.

5. ACCESS DAILY USAGE FILE

- 5.1 Upon written request from Excel, BellSouth will provide the Access Daily Usage File (ADUF) service to Excel pursuant to the terms and conditions set forth in this section.
- 5.2 Excel shall furnish all relevant information required by BellSouth for the provision of ADUF.
- 5.3 ADUF will contain access messages associated with a port that Excel has purchased from BellSouth
- 5.4 Charges for delivery of ADUF will appear on Excel's monthly bills. The charges are as set forth in Exhibit A to this Attachment. All messages will be in the standard ATIS EMI record format.
- Messages that error in the billing system of Excel will be the responsibility of Excel. If, however, Excel should encounter significant volumes of errored messages that prevent processing by Excel within its systems, BellSouth will work with Excel to determine the source of the errors and the appropriate resolution.

5.6 USAGE TO BE TRANSMITTED 5.6.1 The following messages recorded by BellSouth will be transmitted to Excel: 5.6.1.1 Recorded originating and terminating interstate and intrastate access records associated with a port. 5.6.1.2 Recorded terminating access records for undetermined jurisdiction access records associated with a port. 5.6.2 When Excel purchases Network Element ports from BellSouth and calls are made using these ports, BellSouth will handle the calls as follows: 5.6.2.1 Originating from Network Element and carried by Interexchange Carrier: 5.6.2.1.1 BellSouth will bill network element to CLEC and send access record to the CLEC via ADUF. 5.6.2.2 Originating from network element and carried by BellSouth (Excel is BellSouth's toll customer). 5.6.2.3 Terminating on network element and carried by Interexchange Carrier: 5.6.2.3.1 BellSouth will bill network element to Excel and send access record to Excel. 5.6.2.4 Terminating on network element and carried by BellSouth: 5.6.2.4.1 BellSouth will bill network element to Excel and send access record to Excel. 5.6.3 BellSouth will perform duplicate record checks on records processed to ADUF. Any duplicate messages detected will be dropped and not sent to Excel. 5.6.4 In the event that Excel detects a duplicate on ADUF they receive from BellSouth, Excel will drop the duplicate message (Excel will not return the duplicate to BellSouth.) 5.6.5 PHYSICAL FILE CHARACTERISTICS 5.6.5.1 ADUF will be distributed to Excel via CONNECT:Direct. The Access Daily Usage Feed will be a fixed block format (2476) with an LRECL of 2472. The data on the Daily Usage Feed will be in a non-compacted EMI format (210 byte). It will be created on a daily basis (Monday through Friday except holidays). Details such as dataset name and delivery schedule will be addressed during negotiations of the distribution medium. There will be a maximum of one dataset per workday per OCN. 5.6.5.2 Data circuits (private line or dial-up) will be required between BellSouth and Excel for the purpose of data transmission. Where a dedicated line is required, Excel will

be responsible for ordering the circuit, overseeing its installation and coordinating the installation with BellSouth. Excel will also be responsible for any charges associated with this line. Equipment required on the BellSouth end to attach the line to the mainframe computer and to transmit successfully ongoing will be negotiated on a case by case basis. Where a dial-up facility is required, dial circuits will be installed in the BellSouth data center by BellSouth and the associated charges assessed to Excel. Additionally, all message toll charges associated with the use of the dial circuit by Excel will be the responsibility of Excel. Associated equipment on the BellSouth end, including a modem, will be negotiated on a case by case basis between the Parties. All equipment, including modems and software, that is required on Excel's end for the purpose of data transmission will be the responsibility of Excel.

5.6.6 PACKING SPECIFICATIONS

- 5.6.6.1 A pack will contain a minimum of one message record or a maximum of 99,999 message records plus a pack header record and a pack trailer record. One transmission can contain a maximum of 99 packs and a minimum of one pack.
- The OCN, From RAO, and Invoice Number will control the invoice sequencing. The From RAO will be used to identify to Excel which BellSouth RAO is sending the message. BellSouth and Excel will use the invoice sequencing to control data exchange. BellSouth will be notified of sequence failures identified by Excel and resend the data as appropriate.

The data will be packed using ATIS EMI records.

5.6.7 **PACK REJECTION**

5.6.7.1 Excel will notify BellSouth within one business day of rejected packs (via the mutually agreed medium). Packs could be rejected because of pack sequencing discrepancies or a critical edit failure on the Pack Header or Pack Trailer records (i.e. out-of-balance condition on grand totals, invalid data populated). Standard ATIS EMI Error Codes will be used. Excel will not be required to return the actual rejected data to BellSouth. Rejected packs will be corrected and retransmitted to Excel by BellSouth.

5.6.8 **CONTROL DATA**

5.6.8.1 Excel will send one confirmation record per pack that is received from BellSouth. This confirmation record will indicate Excel received the pack and the acceptance or rejection of the pack. Pack Status Code(s) will be populated using standard ATIS EMI error codes for packs that were rejected by Excel for reasons stated in the above section.

5.6.9 <u>Testing</u>

5.6.9.1 Upon request from Excel, BellSouth shall send a test file of generic data to Excel via Connect:Direct or Text File via E-Mail. The Parties agree to review and discuss the test file's content and/or format.

BELLSOUTH / VarTec RATES ODUF/ADUF/CMDS Alabama

									RATES					OSSI	RATES		
								Noni	ecurring	Disc	ocurring onnect	Svc Order Submitted Elec per LSR	Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Add'l
CATEGORY	NOTES	RATE ELEMENT	Interim	Zone	BCS	USOC	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ODUF/EDOUF/ADUF	-/CMDS			1													<u> </u>
	ACCESS DAILY USAG	GE FILE (ADLIE)															
	ACCECC DAIL 1 COA	ADUF: Message Processing, per message				N/A	\$0.004										
		ADUF: Data Transmission (CONNECT:DIRECT), per message				N/A	\$0.001										
		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,					, , , ,										
	OPTIONAL DAILY US	AGE FILE (ODUF)															
		ODUF: Recording, per message				N/A	\$0.0002										
		ODUF: Message Processing, per message				N/A	\$0.0033										
		ODUF: Message Processing, per Magnetic Tape provisioned				N/A	\$55.19										
		ODUF: Data Transmission (CONNECT:DIRECT), per message		1		N/A	\$0.00004		ļ				ļ				<u> </u>
	CENTRALIZED MESS	AGE DISTRIBUTION SERVICE (CMDS)		1													
	CENTRALIZED WESS	CMDS: Message Processing, per message		1		N/A	\$0.004		1				1				
		CMDS: Data Transmission (CONNECT:DIRECT), per message				N/A	\$0.004										
		OMBO. Bata Transmission (CONVECT.DIRECT), per message	-	1		14/7	φ0.001		†				†				
		In the contract, the rate for the specific service or function will by the Parties upon request by either Party.	e as set forth	in appl	icable Bel	South											

BELLSOUTH / VarTec RATES ODUF/ADUF/CMDS Florida

				T				RATES						ossı	RATES		
									I		I						
																Incremental Charge -	Incremental Charge -
												Svc Order	Svc Order	Incremental	Incremental	Manual Svc	Manual Svc
										Nonr	ecurring	Submitted	Submitted	Charge - Manual	Charge - Manual	Order vs.	Order vs.
								Nonrecurring First Add'l		Disconnect First Add'l		Elec per LSR	Manually per LSR SOMAN	Svc Order vs. Electronic-1st SOMAN	Svc Order vs. Electronic-Add'l SOMAN	Electronic-Disc 1st	Electronic-Disc Add'l
CATEGORY	NOTES	RATE ELEMENT	Interim	Zone	BCS	usoc	Rec					SOMEC				SOMAN	SOMAN
							1100	11100	Auu I	1 1101	Aug i	Comeo	COMPLE	COMPAC	ООШРА	COMPAR	COMPAN
ODUF/EDOUF/ADUF	-/CMDS																
	ACCESS DAILY USAG	GE FILE (ADUF)															ı
		ADUF: Message Processing, per message				N/A	\$0.004										ı
		ADUF: Data Transmission (CONNECT:DIRECT), per message				N/A	\$0.001										i i
																	i i
	OPTIONAL DAILY US	AGE FILE (ODUF)															1
		ODUF: Recording, per message				N/A	\$0.008										Ī
		ODUF: Message Processing, per message				N/A	\$0.004										
		ODUF: Message Processing, per Magnetic Tape provisioned				N/A	\$54.95										1
																	1
		ODUF: Data Transmission (CONNECT:DIRECT), per message				N/A	\$0.001										
	CENTRALIZED MESS	AGE DISTRIBUTION SERVICE (CMDS)															
		CMDS: Message Processing, per message				N/A	\$0.004										
		CMDS: Data Transmission (CONNECT:DIRECT), per message				N/A	\$0.001						1				ļ
																	ļ l
	Natas: If an asta is ide			:1	aabla Dal	10							1				1
		entified in the contract, the rate for the specific service or function will be by the Parties upon request by either Party.	e as set forth	ın appı	icable Bel	ioouth							1				
	itanin or as negotiated t	by the nathes upon request by either Party.							l	1	1						

BELLSOUTH / VarTec RATES ODUF/ADUF/CMDS Georgia

								RATES						OSS	RATES		•
																Incremental Charge -	Incremental Charge -
												Svc Order	Svc Order	Incremental	Incremental	Manual Svc	Manual Svc
										Nonr	ecurring	Submitted	Submitted	Charge - Manual	Charge - Manual	Order vs.	Order vs.
								Nonrecurring First Add'l		Disconnect First Add'l		Elec per LSR	Manually per LSR SOMAN	Svc Order vs. Electronic-1st SOMAN	Svc Order vs. Electronic-Add'l SOMAN	Electronic-Disc 1st	Electronic-Disc Add'l
CATEGORY	NOTES	RATE ELEMENT	Interim	Zone	BCS	USOC	Rec					SOMEC				SOMAN	SOMAN
ODUF/EDOUF/ADUF/	/CMDS																
	ACCESS DAILY USAG																
		ADUF: Message Processing, per message				N/A	\$0.0136327										
		ADUF: Data Transmission (CONNECT:DIRECT), per message				N/A	\$0.0000434										
	OPTIONAL DAILY US																
		ODUF: Recording, per message				N/A	\$0.0001275										
		ODUF: Message Processing, per message				N/A	\$0.0082548										
		ODUF: Message Processing, per Magnetic Tape provisioned				N/A	\$28.85										
		ODUF: Data Transmission (CONNECT:DIRECT), per message				N/A	\$0.0000434										
			_						ļ		ļ		 				↓
	CENTRALIZED MESS	AGE DISTRIBUTION SERVICE (CMDS)		_													
		CMDS: Message Processing, per message				N/A	\$0.004										
		CMDS: Data Transmission (CONNECT:DIRECT), per message		1		N/A	\$0.001						1				├
			l l										1				├
													1				
	Notes: If no rate is ide	entified in the contract, the rate for the specific service or function will b	ne as set forth	in appli	icable Bel	South							1			l	
		by the Parties upon request by either Party.	20 00 001 101111	аррі	ouble Del								1	1		1	

BELLSOUTH / VarTec RATES ODUF/ADUF/CMDS Kentucky

								RATES						ossı	RATES		
									I		I						
																Incremental Charge -	Incremental Charge -
												Svc Order	Svc Order	Incremental	Incremental	Manual Svc	Manual Svc
										Nonr	ecurring	Submitted	Submitted	Charge - Manual	Charge - Manual	Order vs.	Order vs.
								Nonrecurring First Add'l		Disconnect First Add'l		Elec per LSR	Manually per LSR SOMAN	Svc Order vs. Electronic-1st SOMAN	Svc Order vs. Electronic-Add'l SOMAN	Electronic-Disc 1st	Electronic-Disc Add'l
CATEGORY	NOTES	RATE ELEMENT	Interim	Zone	BCS	usoc	Rec					SOMEC				SOMAN	SOMAN
							1100	11100	Auu I	1 1101	Aug i	Comeo	COMPLE	COMPAC	ООШРА	COMPAR	COMPAN
ODUF/EDOUF/ADUF	/CMDS																
	1																
	ACCESS DAILY USAG	GE FILE (ADUF)															
		ADUF: Message Processing, per message				N/A	\$0.004										
		ADUF: Data Transmission (CONNECT:DIRECT), per message				N/A	\$0.001										
		, , , , , , , , , , , , , , , , , , , ,															
	OPTIONAL DAILY US	AGE FILE (ODUF)															
		ODUF: Recording, per message				N/A	\$0.0008611										ı
		ODUF: Message Processing, per message				N/A	\$0.0032357										i i
		ODUF: Message Processing, per Magnetic Tape provisioned				N/A	\$55.68										ı
																	ı
		ODUF: Data Transmission (CONNECT:DIRECT), per message				N/A	\$0.0000365										
	CENTRALIZED MESS	AGE DISTRIBUTION SERVICE (CMDS)															
		CMDS: Message Processing, per message				N/A	\$0.004										
		CMDS: Data Transmission (CONNECT:DIRECT), per message				N/A	\$0.001										
																	ļ l
	h 10												1				'
		entified in the contract, the rate for the specific service or function will be	e as set forth	ın appl	icable Bel	iiSouth							1				
	tariii or as negotiated t	by the Parties upon request by either Party.							1								

BELLSOUTH / VarTec RATES ODUF/ADUF/CMDS Louisiana

									RATES					OSS I	RATES		
									I		1						
																	l
																Incremental Charge -	Incremental Charge -
												Svc Order	Svc Order	Incremental	Incremental	Manual Svc	Manual Svc
										Nonr	ecurring	Submitted	Submitted	Charge - Manual	Charge - Manual Svc Order vs.	Order vs. Electronic-Disc	Order vs. Electronic-Disc
								Nonre	ecurrina	Disc	onnect	Elec per LSR	Manually per LSR	Svc Order vs. Electronic-1st	Svc Order vs. Electronic-Add'l	1st	Add'I
CATEGORY	NOTES	RATE ELEMENT	Interim	Zone	BCS	USOC	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
																	ı
ODUF/EDOUF/ADUF	/CMDS																
	ACCESS DAILY USAGE FILE (ADUF)																
		ADUF: Message Processing, per message				N/A	\$0.004										
		ADUF: Data Transmission (CONNECT:DIRECT), per message				N/A	\$0.001										
	OPTIONAL DAILY US																
		ODUF: Recording, per message				N/A	\$0.00019										
		ODUF: Message Processing, per message				N/A	\$0.0024										
		ODUF: Message Processing, per Magnetic Tape provisioned				N/A	\$47.30										
																	ļ l
		ODUF: Data Transmission (CONNECT:DIRECT), per message				N/A	\$0.00003										
	CENTRALIZED MESS	AGE DISTRIBUTION SERVICE (CMDS)															
		CMDS: Message Processing, per message				N/A	\$0.004										
		CMDS: Data Transmission (CONNECT:DIRECT), per message				N/A	\$0.001										
																	ļ!
	Notes: If no rate is identified in the contract, the rate for the specific service or function will be as set forth in applicable BellSouth												1				
	tariff or as negotiated by the Parties upon request by either Party.												1				
	tann or as negotiated t	by the raines aport request by either raity.							I	1	I	1	1				

BELLSOUTH / VarTec RATES ODUF/ADUF/CMDS Mississippi

									RATES					ossı	RATES		
							•		I		1						
																Incremental Charge -	Incremental Charge -
												Svc Order	Svc Order	Incremental	Incremental	Manual Svc	Manual Svc
										Nonr	ecurring	Submitted	Submitted	Charge - Manual	Charge - Manual	Order vs.	Order vs.
								None	ecurring	Dies	onnect	Elec per LSR	Manually per LSR	Svc Order vs. Electronic-1st	Svc Order vs. Electronic-Add'l	Electronic-Disc 1st	Electronic-Disc Add'I
CATEGORY	NOTES	RATE ELEMENT	Interim	Zono	BCS	USOC	Rec	First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
CATEGORI	HOILS	KATE ELEMENT	interim	20116	ВОО	0300	Rec	FIISL	Add I	FIISL	Add I	SOMEC	SOMAN	SOWAN	SOWAN	SOWAN	SOMAN
																	1
ODUF/EDOUF/ADUF	C/CMDS																
	1																
	ACCESS DAILY USAGE FILE (ADUF)																
		ADUF: Message Processing, per message				N/A	\$0.004										
		ADUF: Data Transmission (CONNECT:DIRECT), per message				N/A	\$0.001										i -
	OPTIONAL DAILY US	AGE FILE (ODUF)															
		ODUF: Recording, per message				N/A	\$0.0001179										
		ODUF: Message Processing, per message				N/A	\$0.0032089										
		ODUF: Message Processing, per Magnetic Tape provisioned				N/A	\$54.62										
		ODUF: Data Transmission (CONNECT:DIRECT), per message				N/A	\$0.0000354										
																	i i
	CENTRALIZED MESS	AGE DISTRIBUTION SERVICE (CMDS)															1
		CMDS: Message Processing, per message				N/A	\$0.004										1
		CMDS: Data Transmission (CONNECT:DIRECT), per message				N/A	\$0.001										
		<u> </u>															
													1				
	Notes: If no rate is identified in the contract, the rate for the specific service or function will be as set forth in applicable BellSouth tariff or as negotiated by the Parties upon request by either Party.										1		1				'
	tariff or as negotiated b	by the Parties upon request by either Party.											l				ļ!

BELLSOUTH / VarTec RATES ODUF/ADUF/CMDS North Carolina

				1	1	1			RATES			1		OSS	RATES		
									KAILS					1	KAILS		
									l			-					
																Incremental Charge -	Incremental Charge -
												Svc Order	Svc Order	Incremental	Incremental	Manual Svc	Manual Svc
										Nonr	ecurring	Submitted	Submitted	Charge - Manual	Charge - Manual	Order vs.	Order vs.
								Nonr	ecurrina	Disc	onnect	Elec per LSR	Manually per LSR	Svc Order vs. Electronic-1st	Svc Order vs. Electronic-Add'l	1st	Electronic-Disc Add'l
CATEGORY	NOTES	RATE ELEMENT	Interim	Zone	BCS	usoc	Rec	First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ODUF/EDOUF/ADUF	/CMDS																
	ACCESS DAILY USAGE FILE (ADUF)																
		ADUF: Message Processing, per message				N/A	\$0.004										
		ADUF: Data Transmission (CONNECT:DIRECT), per message				N/A	\$0.001										
	OPTIONAL DAILY US					ļ											
		ODUF: Recording, per message				N/A	\$0.0003										
		ODUF: Message Processing, per message				N/A	\$0.0032										
		ODUF: Message Processing, per Magnetic Tape provisioned				N/A	\$54.61										
		ODUF: Data Transmission (CONNECT:DIRECT), per message	-	1		N/A	\$0.0004										-
	CENTRALIZED MESS	AGE DISTRIBUTION SERVICE (CMDS)		1													
	OLIVITALIZED MILOO	CMDS: Message Processing, per message		1		N/A	\$0.004										
		CMDS: Data Transmission (CONNECT:DIRECT), per message		1		N/A	\$0.004		1			1					1
		ombo. Sala manomodon (Contracor), per message		1		.4/1	ψ0.001		1								1
		1				1			İ								
		entified in the contract, the rate for the specific service or function will be	e as set forth	in appl	icable Be	llSouth											
	tariff or as negotiated l	by the Parties upon request by either Party.					tariff or as negotiated by the Parties upon request by either Party.										

BELLSOUTH / VarTec RATES ODUF/ADUF/CMDS South Carolina

									RATES					OSS RATES			
									1	<u> </u>	l	-					
																Incremental Charge -	Incremental Charge -
												Svc Order	Svc Order	Incremental	Incremental	Manual Svc	Manual Svc
										Nonr	ecurring	Submitted		Charge - Manual			Order vs.
								None	ecurrina	Diec	connect	Elec per LSR	Manually per LSR	Svc Order vs. Electronic-1st	Svc Order vs. Electronic-Add'l	1st	Electronic-Disc
CATEGORY	NOTES	RATE ELEMENT	Interim	Zone	BCS	USOC	Rec	First	Add'I	First	Add'I	SOMEC	SOMAN	SOMAN SOMAN	SOMAN .	SOMAN	SOMAN
				1			Rec	11100	Aug :	100	7001	COME	COMPLE	Compar	Compar	COMPAR	COMPAR
ODUF/EDOUF/ADUF	/CMDS																
	ACCESS DAILY USAGE FILE (ADUF)																
		ADUF: Message Processing, per message				N/A	\$0.004										
		ADUF: Data Transmission (CONNECT:DIRECT), per message				N/A	\$0.001										
	OPTIONAL DAILY US	AGE FILE (ODUF)															
		ODUF: Recording, per message				N/A	\$0.0002862										
		ODUF: Message Processing, per message				N/A	\$0.0032344										
		ODUF: Message Processing, per Magnetic Tape provisioned				N/A	\$54.72										
		ODUF: Data Transmission (CONNECT:DIRECT), per message				N/A	\$0.0000357										
													ļ				_
		AGE DISTRIBUTION SERVICE (CMDS)															
		CMDS: Message Processing, per message				N/A	\$0.004										
		CMDS: Data Transmission (CONNECT:DIRECT), per message		1		N/A	\$0.001					ļ					
	Notes: If no rate is ide	entified in the contract, the rate for the specific service or function will t	be as set forth	in appl	icable Be	lSouth				1		1	1				
		by the Parties upon request by either Party.							1						l	I	1

BELLSOUTH / VarTec RATES ODUF/ADUF/CMDS Tennessee

									RATES					OSS I	RATES		
																	ł
								Nonre	ecurring		ecurring	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
CATEGORY	NOTES	RATE ELEMENT	Interim	Zone	BCS	usoc	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
					,			•									
																	
ODUF/EDOUF/ADUF	F/CMDS			<u> </u>													
	OPTIONAL DAILY US	SACE EILE (ODLIE)															
	OF HONAL DAILT US	ODUF: Recording, per message				N/A	\$0.000044										—
		ODUF: Message Processing, per message				N/A	\$0.0027366										
		ODUF: Message Processing, per Magnetic Tape provisioned				N/A	\$52.75										
		ODUF: Data Transmission (CONNECT:DIRECT), per message				N/A	\$0.0000339										
	Notes: If no rate is in tariff or as negotiated	dentified in the contract, the rate for the specific service or function will by the Parties upon request by either Party.	e as set forth	in appl	icable Be	llSouth											

Attachment 8

Rights-of-Way, Conduits and Pole Attachments

Rights-of-Way, Conduits and Pole Attachments

BellSouth will provide nondiscriminatory access to any pole, duct, conduit, or right-of-way owned or controlled by BellSouth pursuant to 47 U.S.C. § 224, as amended by the Act, pursuant to terms and conditions of a license agreement subsequently negotiated with BellSouth's Competitive Structure Provisioning Center.

ATTACHMENT 9

PERFORMANCE MEASUREMENTS

PERFORMANCE MEASUREMENTS

Upon a particular Commission's issuance of an Order pertaining to Performance Measurements in a proceeding expressly applicable to all CLECs generally, BellSouth shall implement in that state such Performance Measurements as of the date specified by the Commission.

for

VarTec Telecom, Inc.

BellSouth Standard Interconnection Agreement

Agreement Effective Date: 2/6/02	Agreement Expiration Date: 2/5/04
Account Manager:	Account Manager Tel No:

Attachment Name/Number	Section Number	Version Date	Planned Activities
Terms/Conditions	1		
	2		
	3		
	4		
	5		
	6		
	7		
	8		
	9		
	10		
	11		
	12		
	13		
	14		
	15		
	16		
	17		
	18		
	19		
	20		
	21		
	22		
	23		
	24		
	25		
	26		
	27		

for

VarTec Telecom, Inc.

BellSouth Standard Interconnection Agreement

Attachment	Section	Version	Planned Activities
Name/Number	Number	Date	
	28		
	29		
	30		
	31		
	32		
	33		
	34		
1-Resale	1		
	2		
	3		
	4		
	5		
	6		
	7		
	8		
	9		
	10		
	11		
	12		
	Exhibit A		
	Exhibit B		
	Exhibit C		
	Exhibit D		
	Exhibit E		
	Exhibit F		
2-Network Elements & Other Svs	1		
	2		
	3		
	4		
	5		

for

VarTec Telecom, Inc.

BellSouth Standard Interconnection Agreement

Attachment Name/Number	Section Number	Version Date	Planned Activities
	6		
	7		
	8		
	9		
	10		
	11		
	12		
	13		
	Exhibit A		
	Exhibit B		
	Exhibit C		
3-Local Interconnection	1		
	2		
	3		
	4		
	5		
	6		
	7		
	8		
	9		
	Exhibit A		
	Exhibit B		
	Exhibit C		
	Exhibit D		
	Exhibit E		
4-Physical Collocation	C.O.		
	TN		
	Rem Site		
5-Access to Numbers/Num Portability	1		
,	2		

for

VarTec Telecom, Inc.

BellSouth Standard Interconnection Agreement

Attachment Name/Number	Section Number	Version Date	Planned Activities
Name/Number	Number	Date	
	3		
	4		
	5		
	Exhibit A		
6-Pre-Ordering, Ordering/	1		
Provisioning/Maint/Repair			
	2		
	3		
7-Billing	1		
	2		
	3		
	4		
	5		
	Exhibit A		
8-ROW/Conduits/PoleAtt			
9-Perf Measurement			
10-Agrmt Implementation Template			
11-Disaster Recovery			
12-BFR/NBR Process			

for

Excel Telecommunications, Inc. BellSouth Standard Interconnection Agreement

Agreement Effective Date:	Agreement Expiration Date:
Account Manager:	Account Manager Tel No:

Attachment Name	Section No.	Version Date	Planned Activities
Terms/Conditions	1	Dute	
Torms, Conditions	2		
	3		
	4		
	5		
	6		
	7		
	8		
	9		
	10		
	11		
	12		
	13		
	14		
	15		
	16		
	17		
	18		
	19		
	20		
	21		
	22		
	23		
	24		
	25		
	26		
	27		

for

Excel Telecommunications, Inc. BellSouth Standard Interconnection Agreement

Attachment	Section	Version	Planned Activities
Name	No.	Date	
111	28		
	29		
	30		
	31		
	32		
	33		
	34		
1-Resale	1		
	2		
	3		
	4		
	5		
	6		
	7		
	8		
	9		
	10		
	11		
	12		
	Exhibit A		
	Exhibit B		
	Exhibit C		
	Exhibit D		
	Exhibit E		
	Exhibit F		
2-Network Elements & Other Services	1		
	2		
	3		
	4		
	5		

for

Excel Telecommunications, Inc. BellSouth Standard Interconnection Agreement

Attachment	Section	Version	Planned Activities
Name	No.	Date	
	6		
	7		
	8		
	9		
	10		
	11		
	12		
	13		
	Exhibit A		
	Exhibit B		
	Exhibit C		
3-Local Interconnection	1		
	2		
	3		
	4		
	5		
	6		
	7		
	8		
	9		
	Exhibit A		
	Exhibit B		
	Exhibit C		
	Exhibit D		
	Exhibit E		
4-Physical Collocation	C.O.		
	TN		
	Rem Site		
5-Access to Numbers/Num Portability	1		
	2		

for

Excel Telecommunications, Inc. BellSouth Standard Interconnection Agreement

Attachment	Section	Version	Planned Activities
Name	No.	Date	
	3		
	4		
	5		
	Exhibit A		
6-Pre-Ord/Ord/Prov/Maint/ Repair	1		
	2		
	3		
7-Billing	1		
	2		
	3		
	4		
	5		
	Exhibit A		
8-ROW/Conduits/PoleAtt			
9-Perf Measurement			
10-Agmt Implementation Template			
11-Disaster Recovery Plan			
12-BFR/NBR Process			

Attachment 11

BellSouth Disaster Recovery Plan

CON	ITENT	<u>S</u>		PAGE
1.0	Purpo	ose		2.
2.0		Point of	Contact	2
3.0	_	fying the		2
	3.1			3
	3.2	Enviro	nmental Concerns	4
4.0	The E	Emergenc	y Control Center (ECC)	4
5.0		very Proc		5
	5.1	ČLEC		5
	5.2	BellSou	uth Outage	5
			Loss of Central Office	6
		5.2.2	Loss of a Central Office with Serving Wire Center Functions	6
			Loss of a Central Office with Tandem Functions	6
		5.2.4	Loss of a Facility Hub	6
	5.3		ned Outage (CLEC and BellSouth Equipment)	7
6.0	T1 Id	entification	on Procedures	7
7.0	Acro	nvms		8

1.0 PURPOSE

In the unlikely event of a disaster occurring that affects BellSouth's long-term ability to deliver traffic to a Competitive Local Exchange Carrier (CLEC), general procedures have been developed to hasten the recovery process. Since each location is different and could be affected by an assortment of potential problems, a detailed recovery plan is impractical. However, in the process of reviewing recovery activities for specific locations, some basic procedures emerge that appear to be common in most cases.

These general procedures should apply to any disaster that affects the delivery of traffic for an extended time period. Each CLEC will be given the same consideration during an outage and service will be restored as quickly as possible.

This document will cover the basic recovery procedures that would apply to every CLEC.

2.0 SINGLE POINT OF CONTACT

When a problem is experienced, regardless of the severity, the BellSouth Network Management Center (NMC) will observe traffic anomalies and begin monitoring the situation. Controls will be appropriately applied to insure the sanity of BellSouth's network; and, in the event that a switch or facility node is lost, the NMC will attempt to circumvent the failure using available reroutes.

BellSouth's NMC will remain in control of the restoration efforts until the problem has been identified as being a long-term outage. At that time, the NMC will contact BellSouth's Emergency Control Center (ECC) and relinquish control of the recovery efforts. Even though the ECC may take charge of the situation, the NMC will continue to monitor the circumstances and restore traffic as soon as damaged network elements are revitalized.

The telephone number for the BellSouth Network Management Center in Atlanta, as published in Telcordia's National Network Management Directory, is 404-321-2516.

3.0 IDENTIFYING THE PROBLEM

During the early stages of problem detection, the NMC will be able to tell which CLECs are affected by the catastrophe. Further analysis and/or first hand observation will determine if the disaster has affected CLEC equipment only; BellSouth equipment only or a combination. The initial restoration activity will be largely determined by the equipment that is affected.

Once the nature of the disaster is determined and after verifying the cause of the problem, the NMC will initiate reroutes and/or transfers that are jointly agreed upon by the affected CLECs' Network Management Center and the BellSouth NMC. The type and percentage of controls used will depend upon available network capacity. Controls necessary to stabilize the situation will be invoked and the NMC will attempt to re-establish as much traffic as possible.

For long term outages, recovery efforts will be coordinated by the Emergency Control Center (ECC). Traffic controls will continue to be applied by the NMC until facilities are re-established. As equipment is made available for service, the ECC will instruct the NMC to begin removing the controls and allow traffic to resume.

3.1 SITE CONTROL

In the total loss of building use scenario, what likely exists will be a smoking pile of rubble. This rubble will contain many components that could be dangerous. It could also contain any personnel on the premises at the time of the disaster. For these reasons, the local fire marshal with the assistance of the police will control the site until the building is no longer a threat to surrounding properties and the companies have secured the site from the general public.

During this time, the majority owner of the building should be arranging for a demolition contractor to mobilize to the site with the primary objective of reaching the cable entrance facility for a damage assessment. The results of this assessment would then dictate immediate plans for restoration, both short term and permanent.

In a less catastrophic event, i.e., the building is still standing and the cable entrance facility is usable, the situation is more complex. The site will initially be controlled by local authorities until the threat to adjacent property has diminished. Once the site is returned to the control of the companies, the following events should occur.

An initial assessment of the main building infrastructure systems (mechanical, electrical, fire and life safety, elevators, and others) will establish building needs. Once these needs are determined, the majority owner should lead the building restoration efforts. There may be situations where the site will not be totally restored within the confines of the building. The companies must individually determine their needs and jointly assess the cost of permanent restoration to determine the overall plan of action.

Multiple restoration trailers from each company will result in the need for designated space and installation order. This layout and control is required to maximize the amount of restoration equipment that can be placed at the site, and the priority of placements.

Care must be taken in this planning to insure other restoration efforts have logistical access to the building. Major components of telephone and building equipment will need to be removed and replaced. A priority for this equipment must also be jointly established to facilitate overall site restoration. (Example: If the AC switchgear has sustained damage, this would be of the highest priority in order to regain power, lighting, and HVAC throughout the building.)

If the site will not accommodate the required restoration equipment, the companies would then need to quickly arrange with local authorities for street closures, rights of way or other possible options available.

3.2 ENVIRONMENTAL CONCERNS

In the worse case scenario, many environmental concerns must be addressed. Along with the police and fire marshal, the state environmental protection department will be on site to monitor the situation.

Items to be concerned with in a large central office building could include:

- 1. Emergency engine fuel supply. Damage to the standby equipment and the fuel handling equipment could have created "spill" conditions that have to be handled within state and federal regulations.
- 2. Asbestos containing materials that may be spread throughout the wreckage. Asbestos could be in many components of building, electrical, mechanical, outside plant distribution, and telephone systems.
- 3. Lead and acid. These materials could be present in potentially large quantities depending upon the extent of damage to the power room.
- 4. Mercury and other regulated compounds resident in telephone equipment.
- 5. Other compounds produced by the fire or heat.

Once a total loss event occurs at a large site, local authorities will control immediate clean up (water placed on the wreckage by the fire department) and site access.

At some point, the companies will become involved with local authorities in the overall planning associated with site clean up and restoration. Depending on the clean up approach taken, delays in the restoration of several hours to several days may occur.

In a less severe disaster, items listed above are more defined and can be addressed individually depending on the damage.

In each case, the majority owner should coordinate building and environmental restoration as well as maintain proper planning and site control.

4.0 THE EMERGENCY CONTROL CENTER (ECC)

The ECC is located in the Colonnade Building in Birmingham, Alabama. During an emergency, the ECC staff will convene a group of pre-selected experts to inventory the damage and initiate corrective actions. These experts have regional access to BellSouth's personnel and equipment and will assume control of the restoration activity anywhere in the nine-state area.

In the past, the ECC has been involved with restoration activities resulting from hurricanes, ice storms and floods. They have demonstrated their capabilities during these calamities as well as

during outages caused by human error or equipment failures. This group has an excellent record of restoring service as quickly as possible.

During a major disaster, the ECC may move emergency equipment to the affected location, direct recovery efforts of local personnel and coordinate service restoration activities with the CLECs. The ECC will attempt to restore service as quickly as possible using whatever means is available; leaving permanent solutions, such as the replacement of damaged buildings or equipment, for local personnel to administer.

Part of the ECC's responsibility, after temporary equipment is in place, is to support the NMC efforts to return service to the CLECs. Once service has been restored, the ECC will return control of the network to normal operational organizations. Any long-term changes required after service is restored will be made in an orderly fashion and will be conducted as normal activity.

5.0 RECOVERY PROCEDURES

The nature and severity of any disaster will influence the recovery procedures. One crucial factor in determining how BellSouth will proceed with restoration is whether or not BellSouth's equipment is incapacitated. Regardless of who's equipment is out of service, BellSouth will move as quickly as possible to aid with service recovery; however, the approach that will be taken may differ depending upon the location of the problem.

5.1 CLEC OUTAGE

For a problem limited to one CLEC (or a building with multiple CLECs), BellSouth has several options available for restoring service quickly. For those CLECs that have agreements with other CLECs, BellSouth can immediately start directing traffic to a provisional CLEC for completion. This alternative is dependent upon BellSouth having concurrence from the affected CLECs.

Whether or not the affected CLECs have requested a traffic transfer to another CLEC will not impact BellSouth's resolve to re-establish traffic to the original destination as quickly as possible.

5.2 BELLSOUTH OUTAGE

Because BellSouth's equipment has varying degrees of impact on the service provided to the CLECs, restoring service from damaged BellSouth equipment is different. The outage will probably impact a number of Carriers simultaneously. However, the ECC will be able to initiate immediate actions to correct the problem.

A disaster involving any of BellSouth's equipment locations could impact the CLECs, some more than others. A disaster at a Central Office (CO) would only impact the delivery of traffic to and from that one location, but the incident could affect many Carriers. If the Central Office is a Serving Wire Center (SWC), then traffic from the entire area to those Carriers served from that switch would also be impacted. If the switch functions as an Access Tandem, or there is a tandem in the building, traffic from every CO to every CLEC could be interrupted. A disaster that destroys a facility hub could disrupt various traffic flows, even though the switching equipment may be unaffected.

The NMC would be the first group to observe a problem involving BellSouth's equipment. Shortly after a disaster, the NMC will begin applying controls and finding re-routes for the

completion of as much traffic as possible. These reroutes may involve delivering traffic to alternate Carriers upon receiving approval from the CLECs involved. In some cases, changes in translations will be required. If the outage is caused by the destruction of equipment, then the ECC will assume control of the restoration.

5.2.1 Loss of a Central Office

When BellSouth loses a Central Office, the ECC will

- a) Place specialists and emergency equipment on notice;
- b) Inventory the damage to determine what equipment and/or functions are lost;
- c) Move containerized emergency equipment and facility equipment to the stricken area, if necessary;
- d) Begin reconnecting service for Hospitals, Police and other emergency agencies; and
- e) Begin restoring service to CLECs and other customers.

5.2.2 Loss of a Central Office with Serving Wire Center Functions

The loss of a Central Office that also serves as a Serving Wire Center (SWC) will be restored as described in section 5.2.1.

5.2.3 Loss of a Central Office with Tandem Functions

When BellSouth loses a Central Office building that serves as an Access Tandem and as a SWC, the ECC will

- a) Place specialists and emergency equipment on notice;
- b) Inventory the damage to determine what equipment and/or functions are lost;
- c) Move containerized emergency equipment and facility equipment to the stricken area, if necessary;
- d) Begin reconnecting service for Hospitals, Police and other emergency agencies;
- e) Re-direct as much traffic as possible to the alternate access tandem (if available) for delivery to those CLECs utilizing a different location as a SWC;
- f) Begin aggregating traffic to a location near the damaged building. From this location, begin re-establishing trunk groups to the CLECs for the delivery of traffic normally found on the direct trunk groups. (This aggregation point may be the alternate access tandem location or another CO on a primary facility route.)
- g) Begin restoring service to CLECs and other customers.

5.2.4 Loss of a Facility Hub

In the event that BellSouth loses a facility hub, the recovery process is much the same as above. Once the NMC has observed the problem and administered the appropriate controls, the ECC will assume authority for the repairs. The recovery effort will include

- a) Placing specialists and emergency equipment on notice;
- b) Inventorying the damage to determine what equipment and/or functions are lost;
- c) Moving containerized emergency equipment to the stricken area, if necessary;
- d) Reconnecting service for Hospitals, Police and other emergency agencies; and
- e) Restoring service to CLECs and other customers. If necessary, BellSouth will aggregate the traffic at another location and build temporary facilities. This alternative would be viable for a location that is destroyed and building repairs are required.

5.3 COMBINED OUTAGE (CLEC AND BELLSOUTH EQUIPMENT)

In some instances, a disaster may impact BellSouth's equipment as well as the CLECs'. This situation will be handled in much the same way as described in section 5.2.3. Since BellSouth and the CLECs will be utilizing temporary equipment, close coordination will be required.

6.0 T1 IDENTIFICATION PROCEDURES

During the restoration of service after a disaster, BellSouth may be forced to aggregate traffic for delivery to a CLEC. During this process, T1 traffic may be consolidated onto DS3s and may become unidentifiable to the Carrier. Because resources will be limited, BellSouth may be forced to "package" this traffic entirely differently then normally received by the CLECs. Therefore, a method for identifying the T1 traffic on the DS3s and providing the information to the Carriers is required.

7.0 ACRONYMS

CO - Central Office (BellSouth)

DS3 - Facility that carries 28 T1s (672 circuits)

ECC - Emergency Control Center (BellSouth)

CLEC - Competitive Local Exchange Carrier

NMC - Network Management Center

SWC - Serving Wire Center (BellSouth switch)

T1 - Facility that carries 24 circuits

Hurricane Information

During a hurricane, BellSouth will make every effort to keep CLECs updated on the status of our network. Information centers will be set up throughout BellSouth Telecommunications. These centers are not intended to be used for escalations, but rather to keep the CLEC informed of network related issues, area damages and dispatch conditions, etc.

Hurricane-related information can also be found on line at http://www.interconnection.bellsouth.com/network/disaster/dis_resp.htm. Information concerning Mechanized Disaster Reports can also be found at this website by clicking on CURRENT MDR REPORTS or by going directly to http://www.interconnection.bellsouth.com/network/disaster/mdrs.htm.

BST Disaster Management Plan

BellSouth maintenance centers have geographical and redundant communication capabilities. In the event of a disaster removing any maintenance center from service another geographical center would assume maintenance responsibilities. The contact numbers will not change and the transfer will be transparent to the CLEC.

Attachment 12

Bona Fide Request and New Business Requests Process

BONA FIDE REQUEST AND NEW BUSINESS REQUESTS PROCESS

- 1.0 The Parties agree that Excel is entitled to order any Network Element, Interconnection option, service option or Resale Service required to be made available by the Communications Act of 1934, as modified by the Telecommunications Act of 1996 (the "Act"), FCC requirements or State Commission requirements. Excel also shall be permitted to request the development of new or revised facilities or service options which are not required by the Act. Procedures applicable to requesting the addition of such facilities or service options are specified in this Attachment 12.
- Bona Fide Requests ("BFR") are to be used when Excel makes a request of BellSouth to provide a new or modified network element, interconnection option, or other service option pursuant to the Act that was not previously included in the Agreement. New Business Requests ("NBRs") are to be used when Excel makes a request of BellSouth to provide a new or custom capability or function to meet Excel's business needs that was not previously included in the Agreement. The BFR/NBR process is intended to facilitate the two-way exchange of information between Excel and BellSouth, necessary for accurate processing of requests in a consistent and timely fashion.
- 3.0 A BFR shall be submitted in writing by Excel and shall specifically identify the required service date, technical requirements, space requirements and/or such specifications that clearly define the request such that BellSouth has sufficient information to analyze and prepare a response. Such a request also shall include a Excel's designation of the request as being (i) pursuant to the Telecommunications Act of 1996 (i.e. a "BFR") or (ii) pursuant to the needs of the business (i.e. a "NBR"). The request shall be sent to Excel's Account Executive.
- 4.0 Excel may cancel a BFR or NBR at any time. If Excel cancels the request more than three (3) business days after submitting it, Excel shall pay BellSouth's reasonable and demonstrable costs of processing and/or implementing the BFR or NBR up to the date of cancellation. If Excel does not cancel a BFR or NBR, Excel shall pay BellSouth's reasonable and demonstrable costs of processing and implementing the request.
- 5.0 Within twenty-five (25) business days of its receipt of a BFR or NBR from Excel, BellSouth shall respond to Excel by providing a preliminary analysis of such Interconnection, Network Element, or other facility or service option that is the subject of the BFR or NBR. The preliminary analysis shall confirm that BellSouth will either offer access to the Interconnection, Network Element, or other facility or service option, or provide an explanation of why it is not technically feasible and/or why the

request does not qualify as an Interconnection, Network Element, or is not otherwise required to be provided under the Act.

- 6.0 If BellSouth determines that the Interconnection, Network Element, or other facility or service option that is the subject of the BFR is technically feasible, BellSouth shall propose a firm price and a detailed implementation plan within fifty (50) business days after receipt of the BFR. BellSouth may, but shall not be required to, provide a firm time and cost proposal for a NBR.
- 7.0 Within thirty (30) business days after its receipt of (i) a refusal of BellSouth to provide a BFR or NBR price quote, or (ii) the BFR or NBR price quote and implementation plan from BellSouth, Excel must either confirm or cancel its order for such facility or service option. If it believes such quote is not consistent with the requirements of the Act, Excel may at that time seek FCC or state Commission arbitration of its request, as appropriate. Any such arbitration applicable to Network Elements and/or Interconnection shall be conducted in accordance with standards prescribed in Section 252 of the Act.
- Unless Excel agrees otherwise, all prices shall be consistent with the pricing principles of the Act, FCC and/or the State Commission.
- 9.0 If either Party to a BFR or NBR believes that the other Party is not requesting, negotiating, or processing the Bona Fide Request in good faith, or disputes a determination, or price or cost quote, such Party may seek FCC or state Commission resolution of the dispute, as appropriate.
- 10.0 Upon agreement to the terms of a BFR or NBR, an amendment to the Agreement may be required.

AMENDMENT TO INTERCONNECTION AGREEMENT BETWEEN BELLSOUTH TELECOMMUNICATIONS, INC. AND

EXCEL TELECOMMUNICATIONS, INC. DATED February 6, 2002

This Agreement (the "Amendment") is made and entered into between BellSouth Telecommunications, Inc. ("BellSouth") a Georgia corporation, and Excel Telecommunications, Inc. ("Excel"), a Texas corporation.

WHEREAS, the Parties desire to amend that certain Interconnection Agreement between BellSouth and Excel dated February 6, 2002 (the "Interconnection Agreement") in order to replace Attachment 10 in its entirety.

NOW THEREFORE, in consideration of the mutual provisions contained herein and other good and valuable consideration, the receipt and sufficiency of which are hereby acknowledged, BellSouth and Excel hereby convenant and agree as follows:

- 1. The Interconnection Agreement is hereby amended to delete Attachment 10, in its entirety and replace it with Attachment 10 hereto attached.
- 2. The Parties agree that all of the other provisions of the Interconnection Agreement, dated February 6, 2002, shall remain in full force and effect.
- 3. The Parties further agree that either or both of the Parties is authorized to submit this Amendment to the appropriate regulatory body having jurisdiction over the subject matter of this Amendment, for approval subject to Section 252(e) of the federal Telecommunications Act of 1996.

This Amendment is made effective upon the date that it is signed by both Parties.

IN WITNESS WHEREOF, the parties hereto have caused this Amendment to be executed by their respective duly authorized representatives on the data indicated below.

BellSouth Telecommunications, Inc.	Excel Telecommunications, Inc.
Ву:	By:
Title:	Title:
Date:	Date:

ATTACHMENT 10

for

EXCEL TELECOMMUNICATIONS, INC.

BellSouth Standard Interconnection Agreement

Agreement Effective Date:	Agreement Expiration Date:
Account Manager:	Account Manager Tel No:

Attachment Name/Number	Section Number	Version Date	Planned Activities
Name/Number	Number	Date	
Terms/Conditions	1		
	2		
	3		
	4		
	5		
	6		
	7		
	8		
	9		
	10		
	11		
	12		
	13		
	14		
	15		
	16		
	17		
	18		
	19		
	20		
	21		
	22		
	23		
	24		
	25		
	26		
	27		

for

EXCEL TELECOMMUNICATIONS, INC.

BellSouth Standard Interconnection Agreement

Attachment Name/Number	Section Number	Version Date	Planned Activities
	28		
	29		
	30		
	31		
	32		
	33		
1-Resale	1		
	2		
	3		
	4		
	5		
	6		
	7		
	8		
	9		
	10		
	11		
	12		
	Exhibit A		
	Exhibit B		
	Exhibit C		
	Exhibit D		
	Exhibit E		
	Exhibit F		
2-Network Elements & Oth Svs	1		
	2		
	3		
	4		
	5		
	6		

for

EXCEL TELECOMMUNICATIONS, INC.

BellSouth Standard Interconnection Agreement

Attachment Name/Number	Section Number	Version Date	Planned Activities
	7		
	8		
	9		
	10		
	11		
	12		
	13		
	Exhibit A		
	Exhibit B		
	Exhibit C		
3-Local Interconnection	1		
	2		
	3		
	4		
	5		
	6		
	7		
	Exhibit A		
	Exhibit B		
	Exhibit C		
	Exhibit D		
	Exhibit E		
4-Physical Collocation	1		
Ĭ	2		
	3		
	4		
	5		
	6		
	7		
	8		

for

EXCEL TELECOMMUNICATIONS, INC.

BellSouth Standard Interconnection Agreement

Attachment	Section	Version	Planned Activities
Name/Number	Number	Date	
	9		
	10		
	11		
	12		
	13		
	14		
	Exhibit A		
	Exhibit B		
5-Access to Numbers/Num Portability	1		
	2		
	3		
	4		
	5		
	6		
	7		
	8		
	Exhibit A		
6-Pre-Ordering,Ordering/	1		
Provisioning/Maint/Repair			
	2		
	3		
7-Billing	1		
	2		
	3		
	4		
	5		
	Exhibit A		
8-ROW/Conduits/PoleAtt	1		
9-Perf Measurement			
10-Agrmt Implementation Template			
11-Disaster Recovery			

for

EXCEL TELECOMMUNICATIONS, INC.

BellSouth Standard Interconnection Agreement

Agreement Effective Date:	Agreement Expiration Date:
Account Manager:	Account Manager Tel No:

Attachment	Section	Version	Planned Activities
Name	No.	Date	
Terms/Conditions	1		
	2		
	3		
	4		
	5		
	6		
	7		
	8		
	9		
	10		
	11		
	12		
	13		
	14		
	15		
	16		
	17		
	18		
	19		
	20		
	21		
	22		
	23		
	24		
	25		
	26		
	27		

for

EXCEL TELECOMMUNICATIONS, INC.

BellSouth Standard Interconnection Agreement

Attachment	Section	Version	Planned Activities
Name	No.	Date	
	28		
	29		
	30		
	31		
	32		
	33		
1-Resale	1		
	2		
	3		
	4		
	5		
	6		
	7		
	8		
	9		
	10		
	11		
	12		
	Exhibit A		
	Exhibit B		
	Exhibit C		
	Exhibit D		
	Exhibit E		
	Exhibit F		
2-Network Elements & Other Services	1		
	2		
	3		
	4		
	5		
	6		

for

EXCEL TELECOMMUNICATIONS, INC.

BellSouth Standard Interconnection Agreement

Attachment	Section	Version	Planned Activities
Name	No.	Date	
	7		
	8		
	9		
	10		
	11		
	12		
	13		
	Exhibit A		
	Exhibit B		
	Exhibit C		
3-Local Interconnection	1		
	2		
	3		
	4		
	5		
	6		
	7		
	Exhibit A		
	Exhibit B		
	Exhibit C		
	Exhibit D		
	Exhibit E		
4-Physical Collocation	1		
	2		
	3		
	4		
	5		
	6		
	7		
	8		

for

EXCEL TELECOMMUNICATIONS, INC.

BellSouth Standard Interconnection Agreement

Attachment	Section	Version	Planned Activities
Name	No.	Date	
	9		
	10		
	11		
	12		
	13		
	14		
	Exhibit A		
	Exhibit B		
5-Access to Numbers/Num Portability	1		
	2		
	3		
	4		
	5		
	6		
	7		
	8		
	Exhibit A		
6-Pre-Ord/Ord/Prov/Maint/ Repair	1		
	2		
	3		
7-Billing	1		
	2		
	3		
	4		
	5		
	Exhibit A		
8-ROW/Conduits/PoleAtt	1		
9-Perf Measurement			
10-Agmt Implementation Template			
11-Disaster Recovery Plan			