BELLSOUTH® / CLEC Agreement

Customer Name: Global Connection of America, Inc.

Global Connection, Inc. of America Adoption of NOW Interconnection					
Adoption Paper	3				
Att 1 - Resale	Ģ				
Att 1 - Resale Discounts and Rates	35				
Att 2 - UNEs	37				
Att 2 - UNE Rates	111				
Global Connection of America, Inc.	435				

Note: This page is not part of the actual signed contract/amendment, but is present for record keeping purposes only.

By and Between

BellSouth Telecommunications, Inc.

And

Global Connection Inc. of America

AGREEMENT

This Agreement, which shall become effective as of the last signature ("effective date") is entered into by and between Global Connection Inc. of America ("Global Connection"), a Georgia corporation on behalf of itself and its certified operating affiliates identified in Exhibit A hereof, and BellSouth Telecommunications, Inc., ("BellSouth"), a Georgia corporation, having an office at 675 W. Peachtree Street, Atlanta, Georgia, 30375, on behalf of itself and its successors and assigns.

WHEREAS, the Telecommunications Act of 1996 (the "Act") was signed into law on February 8, 1996; and

WHEREAS, section 252(i) of the Act requires BellSouth to make available any interconnection, service, or network element provided under an agreement approved by the appropriate state regulatory body to any other requesting telecommunications carrier upon the same terms and conditions as those provided in the agreement in its entirety; and

WHEREAS, Global Connection has requested that BellSouth make available the interconnection agreement in its entirety executed between BellSouth and NOW Communications, Inc. dated April 16, 2001 for the state(s) of Alabama, Florida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, South Carolina, and Tennessee.

NOW, THEREFORE, in consideration of the promises and mutual covenants of this Agreement, Global Connection and BellSouth hereby agree as follows:

1. Global Connection and BellSouth shall adopt the NOW Communications, Inc. Interconnection Agreement dated April 16, 2001 and any and all amendments to said agreement executed and approved by the appropriate state regulatory commission as of the date of the execution of this Agreement. The NOW Communications, Inc. Interconnection Agreement and all amendments are attached hereto as Exhibit 1 and incorporated herein by this reference. The adoption of this agreement with amendment(s) consists of the following:

ITEM	NO. PAGES
Adoption Papers	5
Exhibit 1 Title Page	1
Interconnection Agreement Title Page	2

Table of Contents	1
General Terms and Conditions	21
Attachment 1	1
Attachment 2	170
Attachment 3	37
Attachment 4 – PC	62
Attachment 4 – RS	48
Attachment 5	11
Attachment 6	7
Attachment 7	16
Attachment 8	2
Attachment 9	2
Attachment 10	8
Attachment 11	11
Attachment 12	3
Amendment 06/19/01	30
Amendment 06/27/01	6
Amendment 01/07/02	172
TOTAL	616

2. Global Connection and BellSouth shall incorporate into this Agreement a new Attachment 1, Resale, and a replacement to Attachment 2, Network Elements and Other Services, attached hereto as Exhibit 2 and incorporated herein by this reference. This inclusion of new rates, terms, and conditions for Resale and Network Elements and Other Services, Exhibit 2, consists of the following:

ITEM	NO.
	PAGES
Exhibit 2 Title Page	1
Resale – Attachment 1	28
Network Elements and Other Services –	
Attachment 2	398
Total	427

- 3. In the event that Global Connection consists of two (2) or more separate entities as set forth in the preamble to this Agreement, all such entities shall be jointly and severally liable for the obligations of Global Connection under this Agreement.
 - 4. The term of this Agreement shall be from the effective date as

set forth above and shall expire as set forth in section <u>2.1</u> of the <u>NOW Communications, Inc.</u> Interconnection Agreement. For the purposes of determining the expiration date of this Agreement pursuant to section <u>2.1</u> of the NOW Communications, Inc. Interconnection Agreement, the effective date shall be April 16, 2001.

- 5. Global Connection shall accept and incorporate any amendments to the NOW Communications, Inc. Interconnection Agreement executed as a result of any final judicial, regulatory, or legislative action.
- 6. Every notice, consent, approval, or other communications required or contemplated by this Agreement shall be in writing and shall be delivered in person or given by postage prepaid mail, address to:

BellSouth Telecommunications, Inc.

CLEC Account Team
9th Floor
600 North 19th Street
Birmingham, Alabama 35203

and

General Attorney - COU Suite 4300 675 W. Peachtree St. Atlanta, GA 30375

Global Connection Inc. of America

Mr. Bassam Abdallah Director of Operations 3957 Pleasantdale Road Atlanta, GA 30340

Telephone: 678-966-8507 Fax: 770-458-6773

or at such other address as the intended recipient previously shall have designated by written notice to the other Party. Where specifically required, notices shall be by certified or registered mail. Unless otherwise provided in this Agreement, notice by mail shall be effective on the date it is officially recorded as delivered by return receipt or equivalent, and in the absence of such record of delivery, it shall be presumed to have been delivered the fifth day, or next business day after the fifth day, after it was deposited in the mails.

IN WITNESS WHEREOF, the Parties have executed this Agreement through their authorized representatives.

BellSouth Telecommunications, Inc.	Global Connection Inc. of America
Original On File Signature	Original on File Signature
Cignaturo	Oignaturo
C. W. Boltz	Bassam Abdallah
Printed Name	Printed Name
Managing Director	Director of Operations
Title	Title
1-23-02	1-18-02
Date	Date

Exhibit A

Schedule of Operating Affiliates for Global Connection Inc. of America ("Global Connection")

<u>State</u>	Operating Affiliate Name
AL	Global Connection Inc. of Alabama
FL	Global Connection, Inc. of America
GA	Global Connection Inc. of America
KY	Global Connection Inc. of Kentucky
MS	Global Connection of Mississippi, Inc.
NC	Global Connection, Inc. of North Carolina
SC	Global Connection of South Carolina, Inc.
TN	Global Connection Inc. of Tennessee

EXHIBIT 1

Attachment	

Page 1

Attachment 1

Resale

Table of Contents

1.	Discount Rates	3
2.	Definition of Terms	3
3.	General Provisions	4
4.	BellSouth's Provision of Services to Global Connection	8
5.	Maintenance of Services	9
6.	Establishment of Service	9
7.	Discontinuance of Service	10
8.	Operator Services (Operator Call Processing and Directory Assistance)	10
9.	Line Information Database (LIDB)	14
10.	RAO Hosting	14
11.	Optional Daily Usage File (ODUF)	14
12.	Enhanced Optional Daily Usage File (EODUF)	14
Res	ale Restrictions	Exhibit A
Lin	e Information Database (LIDB) Storage Agreemt	Exhibit B
Op	tional Daily Usage File (ODUF)	Exhibit C
Enl	nanced Option Daily Usage File (EODUF)	Exhibit D
Res	ale Discounts and Rates	Exhibit E

RESALE

1. Discount Rates

- 1.1 The discount rates applied to Global Connection purchases of BellSouth
 Telecommunications Services for the purpose of resale shall be as set forth in
 Exhibit E. Such discounts have been determined by the applicable Commission to
 reflect the costs avoided by BellSouth when selling a service for wholesale
 purposes.
- 1.2 The telecommunications services available for purchase by Global Connection for the purposes of resale to Global Connection's End Users shall be available at BellSouth's tariffed rates less the discount set forth in Exhibit E to this Agreement and subject to the exclusions and limitations set forth in Exhibit A to this Agreement.

2. Definition of Terms

- 2.1 COMPETITIVE LOCAL EXCHANGE COMPANY (CLEC) means a telephone company certificated by the Commission to provide local exchange service within BellSouth's franchised area.
- 2.2 CUSTOMER OF RECORD means the entity responsible for placing application for service; requesting additions, rearrangements, maintenance or discontinuance of service; payment in full of charges incurred such as non-recurring, monthly recurring, toll, directory assistance, etc.
- DEPOSIT means assurance provided by a customer in the form of cash, surety bond or bank letter of credit to be held by BellSouth.
- 2.4 END USER means the ultimate user of the Telecommunications Service.
- 2.5 END USER CUSTOMER LOCATION means the physical location of the premises where an End User makes use of the telecommunications services.
- 2.6 NEW SERVICES means functions, features or capabilities that are not currently offered by BellSouth. This includes packaging of existing services or combining a new function, feature or capability with an existing service.
- 2.7 RESALE means an activity wherein a certificated CLEC, such as Global Connection, subscribes to the telecommunications services of BellSouth and then offers those telecommunications services to the public.

3. General Provisions

- 3.1 All of the negotiated rates, terms and conditions set forth in this Attachment pertain to the resale of BellSouth's retail telecommunications services and other services specified in this Attachment. Subject to effective and applicable FCC and Commission rules and orders, BellSouth shall make available to Global Connection for resale those telecommunications services BellSouth makes available, pursuant to its General Subscriber Services Tariff and Private Line Services Tariff, to customers who are not telecommunications carriers.
- 3.1.1 When Global Connection provides Resale service in a cross boundary area (areas that are part of the local serving area of another state's exchange) the rates, regulations and discounts for the tariffing state will apply. Billing will be from the serving state.
- 3.1.2 In Tennessee, if Global Connection provides its own operator services and directory services, the discount shall be 21.56%. Global Connection must provide written notification to BellSouth within 30 days prior to providing its own operator services and directory services to qualify for the higher discount rate of 21.56%.
- 3.2 Global Connection may purchase resale services from BellSouth for their own use in operating their business. The resale discount will apply to those services under the following conditions:
- 3.2.1 Global Connection must resell services to other End Users.
- 3.2.2 Global Connection cannot be a competitive local exchange telecommunications company for the single purpose of selling to themselves.
- 3.3 Global Connection will be the customer of record for all services purchased from BellSouth. Except as specified herein, BellSouth will take orders from, bill and receive payment from Global Connection for said services.
- 3.4 Global Connection will be BellSouth's single point of contact for all services purchased pursuant to this Agreement. BellSouth shall have no contact with the End User except to the extent provided for herein. Each Party shall provide to the other a nation wide (50 states) toll-free contact number for purposes of repair and maintenance.
- 3.5 BellSouth will continue to bill the End User for any services that the End User specifies it wishes to receive directly from BellSouth. BellSouth maintains the right to serve directly any End User within the service area of Global Connection. BellSouth will continue to market directly its own telecommunications products and services and in doing so may establish independent relationships with End Users of Global Connection. Neither Party shall interfere with the right of any person or entity to obtain service directly from the other Party.

- 3.5.1 When a subscriber of Global Connection or BellSouth elects to change his/her carrier to the other Party, both Parties agree to release the subscriber's service to the other Party concurrent with the due date of the service order, which shall be established based on the standard interval for the subscriber's requested service as set forth in the BellSouth Product and Services Interval Guide.
- 3.5.2 BellSouth and Global Connection will refrain from contacting subscribers who have placed or whose selected carrier has placed on their behalf an order to change his/her service provider from BellSouth or Global Connection to the other Party until such time that the order for service has been completed.
- 3.6 Current telephone numbers may normally be retained by the End User and are assigned to the service furnished. However, neither Party nor the End User has a property right to the telephone number or any other call number designation associated with services furnished by BellSouth, and no right to the continuance of service through any particular central office. BellSouth reserves the right to change such numbers, or the central office designation associated with such numbers, or both, whenever BellSouth deems it necessary to do so in the conduct of its business and in accordance with BellSouth practices and procedures on a nondiscriminatory basis.
- 3.7 Where BellSouth provides local switching or resold services to Global Connection, BellSouth will provide Global Connection with on line access to intermediate telephone numbers as defined by applicable FCC rules and regulations on a first come first served basis. Global Connection acknowledges that such access to numbers shall be in accordance with the appropriate FCC rules and regulations. Global Connection acknowledges that there may be instances where there is a shortage of telephone numbers in a particular Common Language Location Identifier Code (CLLIC); and in such instances, Global Connection shall return unused intermediate telephone numbers to BellSouth upon BellSouth's request. BellSouth shall make all such requests on a nondiscriminatory basis.
- 3.8 BellSouth will allow Global Connection to designate up to 100 intermediate telephone numbers per CLLIC, for Global Connection's sole use. Assignment, reservation and use of telephone numbers shall be governed by applicable FCC rules and regulations. Global Connection acknowledges that there may be instances where there is a shortage of telephone numbers in a particular CLLIC and BellSouth has the right to limit access to blocks of intermediate telephone numbers. These instances include: 1) where jeopardy status has been declared by the North American Numbering Plan (NANP) for a particular Numbering Plan Area (NPA); or 2) where a rate center has less than six months supply of numbering resources.
- 3.9 Service is furnished subject to the condition that it will not be used for any unlawful purpose.

- 3.10 Service will be discontinued if any law enforcement agency advises that the service being used is in violation of the law.
- 3.11 BellSouth can refuse service when it has grounds to believe that service will be used in violation of the law.
- 3.12 BellSouth will cooperate with law enforcement agencies with subpoenas and court orders relating to Global Connection's End Users, pursuant to Section 7 of the General Terms and Conditions.
- 3.13 If Global Connection or its End Users utilize a BellSouth resold telecommunications service in a manner other than that for which the service was originally intended as described in BellSouth's retail tariffs, Global Connection has the responsibility to notify BellSouth. BellSouth will only provision and maintain said service consistent with the terms and conditions of the tariff describing said service.
- Facilities and/or equipment utilized by BellSouth to provide service to Global Connection remain the property of BellSouth.
- 3.15 White page directory listings for Global Connection End Users will be provided in accordance with Section 5 of the General Terms and Conditions.
- 3.16 Service Ordering and Operational Support Systems (OSS)
- 3.16.1 Global Connection must order services through resale interfaces, i.e., the Local Carrier Service Center (LCSC) and/or appropriate Resale Account Teams pursuant to this Agreement. BellSouth has developed and made available interactive interfaces by which Global Connection may submit LSRs electronically as set forth in Attachment 6 of this Agreement. Service orders will be in a standard format designated by BellSouth.
- 3.16.2 LSRs submitted by means of one of these interactive interfaces will incur an OSS electronic charge as set forth in Exhibit E to this Agreement. An individual LSR will be identified for billing purposes by its Purchase Order Number (PON). LSRs submitted by means other than one of these interactive interfaces (Mail, fax, courier, etc.) will incur a manual order charge as set forth in Exhibit E to this Agreement. Supplements or clarifications to a previously billed LSR will not incur another OSS charge.
- 3.16.3 <u>Denial/Restoral OSS Charge.</u> In the event Global Connection provides a list of customers to be denied and restored, rather than an LSR, each location on the list will require a separate PON and therefore will be billed as one LSR per location.
- 3.16.4 Cancellation OSS Charge. Global Connection will incur an OSS charge for an accepted LSR that is later canceled.

- 3.16.5 Threshold Billing Plan. Global Connection will incur the mechanized rate for all LSRs, both mechanized and manual, if the percentage of mechanized LSRs to total LSRs meets or exceeds the threshold percentage of 90% in the year 2001. The threshold plan will be discontinued in 2002.
- 3.16.5.1 BellSouth will track the total LSR volume for each CLEC for each quarter. At the end of that time period, a Percent Electronic LSR calculation will be made for that quarter based on the LSR data tracked in the LCSC. If this percentage exceeds the threshold volume, all of that CLEC's future manual LSRs for the following quarter will be billed at the mechanized LSR rate. To allow time for obtaining and analyzing the data and updating the billing system, this billing change will take place on the first day of the second month following the end of the quarter (e.g. May 1 for 1Q, Aug 1 for 2Q, etc.). There will be no adjustments to the amount billed for previously billed LSRs.
- 3.17 Where available to BellSouth's End Users, BellSouth shall provide the following telecommunications services at a discount to allow for voice mail services:
 - Message Waiting Indicator ("MWI"), stutter dialtone and message waiting light feature capabilities
 - Call Forward Busy Line ("CF/B")
 - Call Forward Don't Answer ("CF/DA")

Further, BellSouth messaging services set forth in BellSouth's Messaging Service Information Package shall be made available for resale without the wholesale discount.

- 3.19 BellSouth shall provide branding for, or shall unbrand, voice mail services for Global Connection per the Bona Fide Request/New Business Request process as set forth in Section 6 of the General Terms and Conditions.
- 3.20 BellSouth's Inside Wire Maintenance Service Plan is available for resale at rates, terms and conditions as set forth by BellSouth and without the wholesale discount.
- 3.21 In the event Global Connection acquires an end user whose service is provided pursuant to a BellSouth Special Assembly, BellSouth shall make available to Global Connection that Special Assembly at the wholesale discount at Global Connection's option. Global Connection shall be responsible for all terms and conditions of such Special Assembly including but not limited to termination liability if applicable.
- 3.22 BellSouth shall provide 911/E911 for Global Connection customers in the same manner that it is provided to BellSouth customers. BellSouth shall provide and validate Global Connection customer information to the PSAP. BellSouth shall use its service order process to update and maintain, on the same schedule that it

uses for its customers, the Global Connection customer service information in the ALI/DMS (Automatic Location Identification/Location Information) databases used to support 911/E911 services.

- 3.23 BellSouth shall bill, and Global Connection shall pay, the End User line charge associated with implementing Number Portability as set forth in BellSouth's FCC No. 1 tariff. This charge is not subject to the wholesale discount.
- 3.24 Pursuant to 47 CFR Section 51.617, BellSouth will bill to Global Connection, and Global Connection shall pay, End User common line charges identical to the End User common line charges BellSouth bills its End Users.

4. BellSouth's Provision of Services to Global Connection

- 4.1 Resale of BellSouth services shall be as follows:
- 4.1.1 The resale of telecommunications services shall be limited to users and uses conforming to the class of service restrictions.
- 4.1.2 Hotel and Hospital PBX services are the only telecommunications services available for resale to Hotel/Motel and Hospital End Users, respectively. Similarly, Access Line Service for Customer Provided Coin Telephones is the only local service available for resale to Payphone Service Provider (PSP) customers. Shared Tenant Service customers can only be sold those local exchange access services available in BellSouth's A23 Shared Tenant Service Tariff in the states of Florida, Georgia, North Carolina and South Carolina, and in A27 in the states of Alabama, Kentucky, Louisiana, Mississippi and Tennessee.
- 4.1.3 BellSouth reserves the right to periodically audit services purchased by Global Connection to establish authenticity of use. Such audit shall not occur more than once in a calendar year. Global Connection shall make any and all records and data available to BellSouth or BellSouth's auditors on a reasonable basis. BellSouth shall bear the cost of said audit. Any information provided by Global Connection for purposes of such audit shall be deemed Confidential Information pursuant to the General Terms and Conditions of this Agreement.
- 4.2 Subject to Exhibit A hereto, resold services can only be used in the same manner as specified in BellSouth's Tariffs. Resold services are subject to the same terms and conditions as are specified for such services when furnished to an individual End User of BellSouth in the appropriate section of BellSouth's Tariffs. Specific tariff features (e.g. a usage allowance per month) shall not be aggregated across multiple resold services.
- 4.3 Global Connection may resell services only within the specific service area as defined in its certificate of operation approved by the Commission.

4.4 If Global Connection cancels an order for resold services, any costs incurred by BellSouth in conjunction with provisioning of such order will be recovered in accordance with BellSouth's General Subscriber Services Tariffs and Private Line Services Tariffs.

5. Maintenance of Services

- 5.1 Services resold pursuant to this Attachment and BellSouth's General Subscriber Service Tariff and Private Line Service Tariff and facilities and equipment provided by BellSouth shall be maintained by BellSouth.
- 5.2 Global Connection or its End Users may not rearrange, move, disconnect, remove or attempt to repair any facilities owned by BellSouth except with the written consent of BellSouth.
- 5.3 Global Connection accepts responsibility to notify BellSouth of situations that arise that may result in a service problem.
- 5.4 Global Connection will contact the appropriate repair centers in accordance with procedures established by BellSouth.
- For all repair requests, Global Connection shall adhere to BellSouth's prescreening guidelines prior to referring the trouble to BellSouth.
- BellSouth will bill Global Connection for handling troubles that are found not to be in BellSouth's network pursuant to its standard time and material charges. The standard time and material charges will be no more than what BellSouth charges to its retail customers for the same services.
- 5.7 BellSouth reserves the right to contact Global Connection's End Users, if deemed necessary, for maintenance purposes.

6. Establishment of Service

- After receiving certification as a local exchange company from the appropriate regulatory agency, Global Connection will provide the appropriate BellSouth service center the necessary documentation to enable BellSouth to establish a master account for Global Connection's resold services. Such documentation shall include the Application for Master Account, proof of authority to provide telecommunications services, an Operating Company Number ("OCN") assigned by the National Exchange Carriers Association ("NECA") and a tax exemption certificate, if applicable.
- Global Connection shall provide to BellSouth a blanket letter of authorization ("LOA") certifying that Global Connection will have End User authorization prior to viewing the End User's customer service record or switching the End User's service. BellSouth will not require End User confirmation prior to establishing

service for Global Connection's End User customer. Global Connection must, however, be able to demonstrate End User authorization upon request.

6.1.3 BellSouth will accept a request directly from the End User for conversion of the End User's service from Global Connection to BellSouth or will accept a request from another CLEC for conversion of the End User's service from Global Connection to such other CLEC. Upon completion of the conversion BellSouth will notify Global Connection that such conversion has been completed.

7. Discontinuance of Service

- 7.1 The procedures for discontinuing service to an End User are as follows:
- 7.1.1 BellSouth will deny service to Global Connection's End User on behalf of, and at the request of, Global Connection. Upon restoration of the End User's service, restoral charges will apply and will be the responsibility of Global Connection.
- 7.1.2 At the request of Global Connection, BellSouth will disconnect a Global Connection End User customer.
- 7.1.3 All requests by Global Connection for denial or disconnection of an End User for nonpayment must be in writing.
- 7.1.4 Global Connection will be made solely responsible for notifying the End User of the proposed disconnection of the service.
- 7.1.5 BellSouth will continue to process calls made to the Annoyance Call Center and will advise Global Connection when it is determined that annoyance calls are originated from one of its End User's locations. BellSouth shall be indemnified, defended and held harmless by Global Connection and/or the End User against any claim, loss or damage arising from providing this information to Global Connection. It is the responsibility of Global Connection to take the corrective action necessary with its End Users who make annoying calls. (Failure to do so will result in BellSouth's disconnecting the End User's service.)

8.0 Operator Services (Operator Call Processing and Directory Assistance)

- 8.1 Operator Services provides: (1) operator handling for call completion (for example, collect, third number billing, and manual calling-card calls). (2) operator or automated assistance for billing after the end user has dialed the called number (for example, calling card calls); and (3) special services including but not limited to Busy Line Verification and Emergency Line Interrupt (ELI), Emergency Agency Call and Operator-assisted Directory Assistance.
- Upon request for BellSouth Operator Call Processing, BellSouth shall:
- 8.2.1 Process 0+ and 0- dialed local calls

8.2.2 Process 0+ and 0- intraLATA toll calls. 8.2.3 Process calls that are billed to Global Connection end user's calling card that can be validated by BellSouth. 8.2.4 Process person-to-person calls. 8.2.5 Process collect calls. 8.2.6 Provide the capability for callers to bill a third party and shall also process such calls. 8.2.7 Process station-to-station calls. 8.2.8 Process Busy Line Verify and Emergency Line Interrupt requests. 8.2.9 Process emergency call trace originated by Public Safety Answering Points. 8.2.10 Process operator-assisted directory assistance calls. 8.2.11 Adhere to equal access requirements, providing Global Connection local end users the same IXC access that BellSouth provides its own operator service. 8.2.12 Exercise at least the same level of fraud control in providing Operator Service to Global Connection that BellSouth provides for its own operator service. 8.2.13 Perform Billed Number Screening when handling Collect, Person-to-Person, and Billed-To-Third-Party calls. 8.2.14 Direct customer account and other similar inquiries to the customer service center designated by Global Connection. 8.2.15 Provide call records to Global Connection in accordance with ODUF standards. 8.2.16 The interface requirements shall conform to the interface specifications for the platform used to provide Operator Services as long as the interface conforms to industry standards. 8.3 Directory Assistance Service 8.3.1 Directory Assistance Service provides local end user telephone number listings with the option to complete the call at the caller's direction separate and distinct from local switching. 8.3.2 Directory Assistance Service shall provide up to two listing requests per call. If available and if requested by Global Connection's end user. BellSouth shall provide caller-optional directory assistance call completion service at rates contained in Exhibit E to one of the provided listings.

	rage 12
8.3.3	Directory Assistance Service Updates
8.3.3.1	BellSouth shall update end user listings changes daily. These changes include:
8.3.3.1.1	New end user connections
8.3.3.1.2	End user disconnections
8.3.3.1.3	End user address changes
8.3.3.2	These updates shall also be provided for non-listed and non-published numbers for use in emergencies.
8.4	Branding for Operator Call Processing and Directory Assistance
8.4.1	BellSouth's branding feature provides a definable announcement to Global Connection end users using Directory Assistance (DA)/ Operator Call Processing (OCP) prior to placing such end users in queue or connecting them to an available operator or automated operator system. This feature allows Global Connection's name on whose behalf BellSouth is providing Directory Assistance and/or Operator Call Processing. Rates for the branding features are set forth in Exhibit E.
8.4.2	BellSouth offers three (3) service levels of branding to Global Connection when ordering BellSouth's Directory Assistance and Operator Call Processing.
8.4.2.1	Service Level 1 - BellSouth Branding
8.4.2.2	Service Level 2 - Unbranding
8.4.2.3	Service Level 3 - Custom Branding
8.4.3	Where Global Connection resells BellSouth's services and utilizes an operator services provider other than BellSouth, BellSouth will route Global Connection's end user calls to that provider through Selective Carrier Routing.
8.4.4	Branding Options
8.4.4.1	Selective Call Routing using Line Class Codes (SCR-LCC) provides the capability for Global Connection to have its OCP/DA calls routed to BellSouth's OCP/DA platform for BellSouth provided Custom Branded or Unbranded OCP/DA or to its own or an alternate OCP/DA platform for Self-Branded OCP/DA. SCR-LCC is only available if line class code capacity is available in the requested BellSouth end office switches.
8.4.4.2	Custom Branding for Directory Assistance is not available for certain classes of service, including but not limited to Hotel/Motel services, WATS service and certain PBX services.

- 8.4.4.3 Where available, Global Connection specific and unique line class codes are programmed in each BellSouth end office switch were Global Connection intends to service end users with customized OCP/DA branding. The line class codes specifically identify Global Connection's end users so OCP/DA calls can be routed over the appropriate trunk group to the request OCP/DA platform. Additional line class codes are required in each end office if the end office serves multiple NPAs (i.e., a unique LCC is required per NPA), and/or if the end office switch serves multiple rate areas and Global Connection intends to provide Global Connection-branded OCP/DA to its end users in these multiple rate areas.
- 8.4.4.4 BellSouth Branding is the Default Service Level.
- 8.4.4.5 SCR-LCC supporting Custom Branding and Self Branding require Global Connection to order dedicated trunking from each BellSouth end office identified by Global Connection, either to the BellSouth Traffic Operator Position System (TOPS) for Custom Branding or to the Global Connection Operator Service Provider for Self Branding. Separate trunk groups are required for Operator Services and for Directory Assistance. Rates for trunks are set for in applicable BellSouth Tariffs.
- 8.4.4.6 Unbranding-Unbranded Directory Assistance and/or Operator Call Processing calls ride common trunk groups provisioned by BellSouth from those end offices identified by Global Connection to the BellSouth Tops. The calls are routed to "No Announcement."
- 8.4.4.7 The rates for SCR-LCC are as set forth in Exhibit E of this Attachment. There is a nonrecurring charge for the establishment of each Line Class Code in each BellSouth central office.
- 8.4.4.8 In addition to the branding methods described in this Section, Unbranding and Custom Branding are also available for Directory Assistance, Operator Call Processing or both via Originating Line Number Screening (OLNS) software. When utilizing this method of Unbranding or Custom Branding, Global Connection shall not be required to purchase direct trunking.
- 8.4.4.9 For Bellsouth to provide Unbranding or Custom Branding via OLNS software for Operator Call Processing or for Directory Assitance, Global Connection must have its Operating Company Number ("OCN(s)") and telephone numbers reside in BellSouth's LIDB; however, a BellSouth LIDB Storage Agreement is not required. To implement Unbranding and Custom Branding via OLNS software, Global Connection must submit a manual order form which requires, among other things, Global Connection's OCN and a forecast for the traffic volume anticipated for each BellSouth TOPS during the peak busy hour. Global Connection shall provide updates to such forecast on a quarterly basis and at any time such forecasted traffic volumes are expected to change significantly. Upon Global Connection's purchase of Unbranding or Custom Branding using OLNS software for any particular

TOPS, all Global Connection end users served by that TOPS will receive the Unbranded "no announcement" or the Custom Branded announcement.

8.4.4.10 Rates for Unbranding and Custom Branding via OLNS software for Directory Assistance and for Operator Call Processing are as set forth in Exhibit E of this Attachment. Notwithstanding anything to the contrary in this Agreement, to the extent BellSouth is unable to bill Global Connection applicable charges currently, BellSouth shall track such charges and will bill the same retroactively at such time as a billing process is implemented. In addition to the charges for Unbranding and Custom Branding via OLNS software, Global Connection shall continue to pay BellSouth applicable labor and other charges for the use of BellSouth's Directory Assistance and Operator Call Processing platforms as set forth in Exhibit E of this Attachment.

9. Line Information Database (LIDB)

- 9.1 BellSouth will store in its Line Information Database (LIDB) records relating to service only in the BellSouth region. The LIDB Storage Agreement is included in this Attachment as Exhibit B.
- 9.2 BellSouth will provide LIDB Storage upon written request to Global Connection's Account Manager stating a requested activation date.

10. RAO Hosting

10.1 RAO Hosting is not required for resale in the BellSouth region.

11. Optional Daily Usage File (ODUF)

- 11.1 The Optional Daily Usage File (ODUF) Agreement with terms and conditions is included in this Attachment as Exhibit C. Rates for ODUF are as set forth in Exhibit E of this Attachment.
- BellSouth will provide ODUF service upon written request to its Account Manager stating a requested activation date.

12. Enhanced Optional Daily Usage File (EODUF)

- 12.1 The Enhanced Optional Daily Usage File (EODUF) service Agreement with terms and conditions is included in this Attachment as Exhibit D. Rates for EODUF are as set forth in Exhibit E of this Attachment.
- BellSouth will provide EODUF service upon written request to its Account Manager stating a requested activation date.

EXCLUSIONS AND LIMITATIONS ON SERVICES AVAILABLE FOR RESALE (Note 5)

Type of Service		AL		FL		GA		KY		LA		MS		NC		SC		TN	
1 9]	pe of Service	Resale	Discount	Resale	Discount	Resale	Discount	Resale	Discount	Resale	Discount	Resale	Discount	Resale	Discount	Resale	Discount	Resale	Discount
1 Grand	lfathered	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
	ces (Note 1)	103	103	103	103	103	103	103	103	103	103	103	103	103	103	103	103	103	103
	otions - > 90 Note 2)	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Note 3
	otions - \leq 90 (Note 2)	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No
4 Lifelin Service	ne/Link Up ces	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Note 4	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
	911 Services	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
6 N11 S		Yes	Yes	Yes	Yes	Yes	Yes	No	No	No	No	Yes	Yes	Yes	Yes	No	No	Yes	Yes
	oryCall [®] Service	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No
8 Mobil	e Services	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No
	al Subscriber Charges	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No
10 Non-F	RecurCharges	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No
	Jser Line Chg- per Portability	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No
	Telephone s Svc(PTAS)	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes
	Wire Maint ce Plan	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No
·	Applicable No	tes:																	
1.	Grandfathered	d servic	es can be	resold o	nly to exis	ting sub	oscribers o	f the gra	andfathere	d servic	e.								
2.	Where availabl	e for res	ale, prom	otions v	will be ma	de avail	able only t	to End U	Jsers who	would h	nave qualit	fied for	the promo	tion had	l it been p	rovided	by BellSo	uth dire	ctly.
3.	In Tennessee, 1	ong-terr	n promot i	ions (of	fered for n	nore tha	n ninety (9	90) days) may be o	obtained	at one of	the follo	owing rate	s:					
	(a) the state	d tariff 1	ate, less th	he whol	esale disco	ount;													
	(b) the prom	notional	rate (the p	promotio	onal rate o	ffered b	y BellSout	th will n	ot be disc	ounted f	urther by	the who	lesale disc	count ra	te)				
4.	Lifeline/Link Sections A3 and								et the crite	ria that	BellSouth	current	ly applies	to subsc	cribers of t	hese sei	vices as se	et forth	in
5.	Some of BellSo								e not avail	able in	certain cer	ntral off	ices and ar	eas.					

LINE INFORMATION DATA BASE (LIDB)

RESALE STORAGE AGREEMENT

I. Definitions (from Addendum)

- A. Billing number a number used by BellSouth for the purpose of identifying an account liable for charges. This number may be a line or a special billing number.
- B. Line number a ten-digit number assigned by BellSouth that identifies a telephone line associated with a resold local exchange service, or with a SPNP arrangement.
- C. Special billing number a ten-digit number that identifies a billing account established by BellSouth in connection with a resold local exchange service or with a SPNP arrangement.
- D. Calling Card number a billing number plus PIN number assigned by BellSouth.
- E. PIN number a four-digit security code assigned by BellSouth that is added to a billing number to compose a fourteen-digit calling card number.
- F. Toll billing exception indicator associated with a billing number to indicate that it is considered invalid for billing of collect calls or third number calls or both, by Global Connection.
- G. Billed Number Screening refers to the activity of determining whether a toll billing exception indicator is present for a particular billing number.
- H. Calling Card Validation refers to the activity of determining whether a particular calling card number exists as stated or otherwise provided by a caller.
- I. Billing number information information about billing number or Calling Card number as assigned by BellSouth and toll billing exception indicator provided to BellSouth by Global Connection.

II. General

A. This Agreement sets forth the terms and conditions pursuant to which BellSouth agrees to store in its LIDB certain information at the request of Global Connection and pursuant to which BellSouth, its LIDB customers and Global Connection shall have access to such information. In addition, this Agreement sets forth the terms and conditions for Global Connection's provision of billing number information to

BellSouth for inclusion in BellSouth's LIDB. Global Connection understands that BellSouth provides access to information in its LIDB to various telecommunications service providers pursuant to applicable tariffs and agrees that information stored at the request of Global Connection, pursuant to this Agreement, shall be available to those telecommunications service providers. The terms and conditions contained herein shall hereby be made a part of this Interconnection/Resale Agreement upon notice to Global Connection's account team to activate this LIDB Storage Agreement. The General Terms and Conditions of the Interconnection/Resale Agreement shall govern this LIDB Storage Agreement. The terms and conditions contained in the attached Addendum are hereby made a part of this LIDB Storage Agreement as if fully incorporated herein.

- B. BellSouth will provide responses to on-line, call-by-call queries to billing number information for the following purposes:
 - 1. Billed Number Screening

BellSouth is authorized to use the billing number information to determine whether Global Connection has identified the billing number as one that should not be billed for collect or third number calls.

2. Calling Card Validation

BellSouth is authorized to validate a 14-digit Calling Card number where the first 10 digits are a line number or special billing number assigned by BellSouth, and where the last four digits (PIN) are a security code assigned by BellSouth.

3. Fraud Control

BellSouth will provide seven days per week, 24-hours per day, fraud monitoring on Calling Cards, bill-to-third and collect calls made to numbers in BellSouth's LIDB, provided that such information is included in the LIDB query. BellSouth will establish fraud alert thresholds and will notify Global Connection of fraud alerts so that Global Connection may take action it deems appropriate.

III. Responsibilities of the Parties

- A. BellSouth will administer all data stored in the LIDB, including the data provided by Global Connection pursuant to this Agreement, in the same manner as BellSouth's data for BellSouth's End User customers. BellSouth shall not be responsible to Global Connection for any lost revenue which may result from BellSouth's administration of the LIDB pursuant to its established practices and procedures as they exist and as they may be changed by BellSouth in its sole discretion from time to time.
- B. Billing and Collection Customers

BellSouth currently has in effect numerous billing and collection agreements with various interexchange carriers and billing clearing houses and as such these billing and collection customers ("B&C Customers") query BellSouth's LIDB to determine whether to accept various billing options from End Users. Until such time as BellSouth implements in its LIDB and its supporting systems the means to differentiate Global Connection's data from BellSouth's data, the following shall apply:

- (1) Global Connection will accept responsibility for telecommunications services billed by BellSouth for its B&C Customers for Global Connection's End User accounts which are resident in LIDB pursuant to this Agreement. Global Connection authorizes BellSouth to place such charges on Global Connection's bill from BellSouth and shall pay all such charges, including, but are not limited to, collect and third number calls.
- (2) Charges for such services shall appear on a separate BellSouth bill page identified with the name of the B&C Customers for which BellSouth is billing the charge.
- (3) Global Connection shall have the responsibility to render a billing statement to its End Users for these charges, but Global Connection shall pay BellSouth for the charges billed regardless of whether Global Connection collects from Global Connection's End Users.
- (4) BellSouth shall have no obligation to become involved in any disputes between Global Connection and B&C Customers. BellSouth will not issue adjustments for charges billed on behalf of any B&C Customer to Global Connection. It shall be the responsibility of Global Connection and the B&C Customers to negotiate and arrange for any appropriate adjustments.

C. SPNP ARRANGEMENTS

- BellSouth will include billing number information associated with resold exchange lines or SPNP arrangements in its LIDB. Global Connection will request any toll billing exceptions via the Local Service Request (LSR) form used to order resold exchange lines, or the SPNP service request form used to order SPNP arrangements.
- 2. Under normal operating conditions, BellSouth shall include the billing number information in its LIDB upon completion of the service order establishing either the resold local exchange service or the SPNP arrangement, provided that BellSouth shall not be held responsible for any delay or failure in performance to the extent such delay or failure is caused by circumstances or conditions beyond BellSouth's reasonable control. BellSouth will store in its LIDB an unlimited volume of the working telephone numbers associated with either the resold local exchange lines or the SPNP arrangements. For resold local exchange lines or for SPNP arrangements, BellSouth will issue line-based calling cards only in the name of Global Connection. BellSouth will not issue line-based calling cards in the name

of Global Connection's individual End Users. In the event that Global Connection wants to include calling card numbers assigned by Global Connection in the BellSouth LIDB, a separate agreement is required.

IV. Fees for Service and Taxes

- A. Global Connection will not be charged a fee for storage services provided by BellSouth to Global Connection, as described in this LIDB Resale Storage Agreement.
- B. Sales, use and all other taxes (excluding taxes on BellSouth's income) determined by BellSouth or any taxing authority to be due to any federal, state or local taxing jurisdiction with respect to the provision of the service set forth herein will be paid by Global Connection in accordance with the tax provisions set forth in the General Terms and Conditions of this Agreement.

Optional Daily Usage File

- 1. Upon written request from Global Connection, BellSouth will provide the Optional Daily Usage File (ODUF) service to Global Connection pursuant to the terms and conditions set forth in this section.
- 2. Global Connection shall furnish all relevant information required by BellSouth for the provision of the Optional Daily Usage File.
- 3. The ODUF feed will contain billable messages that were carried over the BellSouth Network and processed in the BellSouth Billing System, but billed to a Global Connection customer.
 - Charges for delivery of the Optional Daily Usage File will appear on Global Connection's monthly bills. The charges are as set forth in Exhibit E to this Attachment.
- 4. The ODUF feed will contain both rated and unrated messages. All messages will be in the standard Alliance for Telecommunications Industry Solutions (ATIS) EMI record format.
- 5. Messages that error in Global Connection's billing system will be the responsibility of Global Connection. If, however, Global Connection should encounter significant volumes of errored messages that prevent processing by Global Connection within its systems, BellSouth will work with Global Connection to determine the source of the errors and the appropriate resolution.
- 6. The following specifications shall apply to the ODUF feed.
- 6.1 Usage To Be Transmitted
- 6.1.1 The following messages recorded by BellSouth will be transmitted to Global Connection:
 - Message recording for per use/per activation type services (examples: Three Way Calling, Verify, Interrupt, Call Return, etc.)
 - Measured billable Local
 - Directory Assistance messages
 - IntraLATA Toll

- WATS and 800 Service
- N11
- Information Service Provider Messages
- Operator Services Messages
- Operator Services Message Attempted Calls (UNE only)
- Credit/Cancel Records
- Usage for Voice Mail Message Service
- 6.1.2 Rated Incollects (originated in BellSouth and from other companies) can also be on Optional Daily Usage File. Rated Incollects will be intermingled with BellSouth recorded rated and unrated usage. Rated Incollects will not be packed separately.
- 6.1.3 BellSouth will perform duplicate record checks on records processed to Optional Daily Usage File. Any duplicate messages detected will be deleted and not sent to Global Connection.
- 6.1.4 In the event that Global Connection detects a duplicate on Optional Daily Usage File they receive from BellSouth, Global Connection will drop the duplicate message (Global Connection will not return the duplicate to BellSouth).
- 6.2 <u>Physical File Characteristics</u>
- 6.2.1 The Optional Daily Usage File will be distributed to Global Connection via an agreed medium with CONNECT:Direct being the preferred transport method. The ODUF feed will be a variable block format (2476) with an LRECL of 2472. The data on the ODUF feed will be in a non-compacted EMI format (175 byte format plus modules). It will be created on a daily basis (Monday through Friday except holidays). Details such as dataset name and delivery schedule will be addressed during negotiations of the distribution medium. There will be a maximum of one dataset per workday per OCN.
- Data circuits (private line or dial-up) will be required between BellSouth and Global Connection for the purpose of data transmission. Where a dedicated line is required, Global Connection will be responsible for ordering the circuit, overseeing its installation and coordinating the installation with BellSouth. Global Connection will also be responsible for any charges associated with this line. Equipment required on the BellSouth end to attach the line to the mainframe computer and to transmit successfully ongoing will be negotiated on an individual case basis. Where a dial-up facility is required, dial circuits will be installed in the BellSouth data center by BellSouth and the associated charges assessed to Global Connection. Additionally, all

message toll charges associated with the use of the dial circuit by Global Connection will be the responsibility of Global Connection. Associated equipment on the BellSouth end, including a modem, will be negotiated on an individual case basis between the Parties. All equipment, including modems and software, that is required on Global Connection end for the purpose of data transmission will be the responsibility of Global Connection.

6.3 <u>Packing Specifications</u>

- 6.3.1 A pack will contain a minimum of one message record or a maximum of 99,999 message records plus a pack header record and a pack trailer record. One transmission can contain a maximum of 99 packs and a minimum of one pack.
- 6.3.2 The OCN, From RAO, and Invoice Number will control the invoice sequencing. The From RAO will be used to identify to Global Connection which BellSouth RAO is sending the message. BellSouth and Global Connection will use the invoice sequencing to control data exchange. BellSouth will be notified of sequence failures identified by Global Connection and resend the data as appropriate.

THE DATA WILL BE PACKED USING ATIS EMI RECORDS.

6.4 Pack Rejection

6.4.1 Global Connection will notify BellSouth within one business day of rejected packs (via the mutually agreed medium). Packs could be rejected because of pack sequencing discrepancies or a critical edit failure on the Pack Header or Pack Trailer records (i.e. out-of-balance condition on grand totals, invalid data populated). Standard ATIS EMI Error Codes will be used. Global Connection will not be required to return the actual rejected data to BellSouth. Rejected packs will be corrected and retransmitted to Global Connection by BellSouth.

6.5 Control Data

Global Connection will send one confirmation record per pack that is received from BellSouth. This confirmation record will indicate Global Connection received the pack and the acceptance or rejection of the pack. Pack Status Code(s) will be populated using standard ATIS EMI error codes for packs that were rejected by Global Connection for reasons stated in the above section.

6.6 <u>Testing</u>

6.6.1 Upon request from Global Connection, BellSouth shall send test files to Global Connection for the Optional Daily Usage File. The Parties agree to review and discuss the file's content and/or format. For testing of usage results, BellSouth shall request that Global Connection set up a production (LIVE) file. The live test may consist of Global Connection's employees making test calls for the types of services Global

Attachment 1 Page 23 Exhibit C

Connection requests on the Optional Daily Usage File. These test calls are logged by Global Connection, and the logs are provided to BellSouth. These logs will be used to verify the files. Testing will be completed within 30 calendar days from the date on which the initial test file was sent.

Enhanced Optional Daily Usage File

- 1. Upon written request from Global Connection, BellSouth will provide the Enhanced Optional Daily Usage File (EODUF) service to Global Connection pursuant to the terms and conditions set forth in this section. EODUF will only be sent to existing ODUF subscribers who request the EODUF option.
- 2. Global Connection shall furnish all relevant information required by BellSouth for the provision of the Enhanced Optional Daily Usage File.
- 3. The Enhanced Optional Daily Usage File (EODUF) will provide usage data for local calls originating from resold Flat Rate Business and Residential Lines.
- 4. Charges for delivery of the Enhanced Optional Daily Usage File will appear on Global Connection's monthly bills. The charges are as set forth in Exhibit E to this Attachment.
- 5. All messages will be in the standard Alliance for Telecommunications Industry Solutions (ATIS) EMI record format.
- 6. Messages that error in the billing system of Global Connection will be the responsibility of Global Connection. If, however, Global Connection should encounter significant volumes of errored messages that prevent processing by Global Connection within its systems, BellSouth will work with Global Connection to determine the source of the errors and the appropriate resolution.
- 7. The following specifications shall apply to the ODUF feed.
- 7.1 <u>Usage To Be Transmitted</u>
- 7.1.1 The following messages recorded by BellSouth will be transmitted to Global Connection:

Customer usage data for flat rated local call originating from Global Connection's End User lines (1FB or 1FR). The EODUF record for flat rate messages will include:

Date of Call

From Number

To Number

Connect Time

Version 4Q01 12/01/01

Conversation Time

Method of Recording

From RAO

Rate Class

Message Type

Billing Indicators

Bill to Number

- 7.1.2 BellSouth will perform duplicate record checks on EODUF records processed to Optional Daily Usage File. Any duplicate messages detected will be deleted and not sent to Global Connection.
- 7.1.3 In the event that Global Connection detects a duplicate on Enhanced Optional Daily Usage File they receive from BellSouth, Global Connection will drop the duplicate message (Global Connection will not return the duplicate to BellSouth).
- 7.2 Physical File Characteristics
- 7.2.1 The EODUF feed will be distributed to Global Connection over their existing Optional Daily Usage File (ODUF) feed. The EODUF messages will be intermingled among Global Connection's Optional Daily Usage File (ODUF) messages. The EODUF will be a variable block format (2476) with an LRECL of 2472. The data on the EODUF will be in a non-compacted EMI format (175 byte format plus modules). It will be created on a daily basis (Monday through Friday except holidays).
- 7.2.2 Data circuits (private line or dial-up) may be required between BellSouth and Global Connection for the purpose of data transmission. Where a dedicated line is required, Global Connection will be responsible for ordering the circuit, overseeing its installation and coordinating the installation with BellSouth. Global Connection will also be responsible for any charges associated with this line. Equipment required on the BellSouth end to attach the line to the mainframe computer and to transmit successfully ongoing will be negotiated on an individual case basis. Where a dial-up facility is required, dial circuits will be installed in the BellSouth data center by BellSouth and the associated charges assessed to Global Connection. Additionally, all message toll charges associated with the use of the dial circuit by Global Connection will be the responsibility of Global Connection. Associated equipment on the BellSouth end, including a modem, will be negotiated on an individual case basis

Version 4Q01 12/01/01

between the Parties. All equipment, including modems and software, that is required on Global Connection's end for the purpose of data transmission will be the responsibility of Global Connection.

- 7.3 <u>Packing Specifications</u>
- 7.3.1 A pack will contain a minimum of one message record or a maximum of 99,999 message records plus a pack header record and a pack trailer record. One transmission can contain a maximum of 99 packs and a minimum of one pack.
- 7.3.2 The Operating Company Number (OCN), From Revenue Accounting Office (RAO), and Invoice Number will control the invoice sequencing. The From RAO will be used to identify to Global Connection which BellSouth RAO is sending the message. BellSouth and Global Connection will use the invoice sequencing to control data exchange. BellSouth will be notified of sequence failures identified by Global Connection and resend the data as appropriate.

THE DATA WILL BE PACKED USING ATIS EMI RECORDS.

RESALE DISCOUNTS AND RATES

								NORTH	SOUTH	
		ALABAMA	FLORIDA	GEORGIA	KENTUCKY	LOUISIANA	MISSISSIPPI	CAROLINA	CAROLINA	TENNESSEE
APPLICABL	E DISCOU	NTS								
RESIDENCE	,	16.3%	21.83%	20.3%	16.79%	20.72%	15.75%	21.5%	14.8%	16%
BUSINESS		16.3%	16.81%	17.3%	15.54%	20.72%	15.75%	17.6%	14.8%	16%
CSAs*						9.05%			8.98%	
* Unless noted in	this row, the di	scount for Busin	ness will be the applical	ole discount rate for	r CSAs.					
OPERATION	NAL SUPPO	RT SYSTE	MS (OSS) RATES	S						
ELEMENT	<u>USOC</u>									
Electronic LSR	SOMEC	\$3.50	\$3.50	\$3.50	\$3.50	\$3.50	\$3.50	\$3.50	\$3.50	\$3.50
Manual LSR	SOMAN	\$19.99	\$19.99	\$19.99	\$19.99	\$19.99	\$19.99	\$19.99	\$19.99	\$19.99
ODUF/EODU	JF/CMDS R	ATES								
ENHANCED O	PTION DAILY	USAGE FILE	E (EODUF)							
EODUF: Message per message	e Processing,	\$0.004	0.229109	\$0.0034555	\$0.004	\$0.250015	\$0.250424	\$0.004	\$0.004	\$0.004
OPTIONAL DA	ILY USAGE F	TLE (ODUF)								
ODUF: Recordin	ng, per message	\$0.0002	0.0000071	\$0.0001275	\$0.0008611	\$0.0000117	\$0.0000063	\$0.0003	\$0.0002862	\$0.0000044
ODUF: Message per message	Processing,	\$0.0033	0.006835	\$0.0082548	\$0.0032357	\$0.004641	\$0.004707	\$0.0032	\$0.0032344	\$0.0027366
ODUF: Message per Magnetic Tap	_	\$55.19	48.96	\$28.85	\$55.68	\$48.45	\$49.04	\$54.61	\$54.72	\$52.75
ODUF: Data Tra		\$0.00004	0.00010811	\$0.0000434	\$0.0000365	\$0.00010568	\$0.00010669	\$0.0004	\$0.0000357	\$0.0000339

Version 4Q01: 12/01/01

RESALE DISCOUNTS AND RATES

		ALABAMA	FLORIDA	GEORGIA	KENTUCKY	LOUISIANA	MISSISSIPPI	NORTH CAROLINA	SOUTH CAROLINA	TENNESSEE
CUSTOM B	RANDING A	ANNOUNCE	EMENT (CBA)							
DIRECTORY A	ASSISTANCE ((DA) CBA via O	LNS SOFTWARE							
Recording of DA	CBA	\$3,000.00	\$3,000.00	\$3,000.00	\$3,000.00	\$3,000.00	\$3,000.00	\$3,000.00	\$3,000.00	\$3,000.00
Loading of DA C DRAM Card/Sw		\$1,700.00	\$1,700.00	\$1,700.00	\$1,700.00	\$1,700.00	\$1,700.00	\$1,700.00	\$1,700.00	\$1,700.00
DIRECTORY A	ASSISTANCE ((DA) UNBRANI	DING via OLNS SOF	TWARE						
Loading of DA p (1 OCN per Orde		\$420.00	\$420.00	\$420.00	\$420.00	\$420.00	\$420.00	\$420.00	\$420.00	\$420.00
Loading of DA p per OCN	er Switch,	\$16.00	\$16.00	\$16.00	\$16.00	\$16.00	\$16.00	\$16.00	\$16.00	\$16.00
OPERATOR A	SSISTANCE (OA) CBA via Ol	LNS SOFTWARE							
ELEMENT	USOC									
Recording of OA CBA	CBAOS	\$7,000.00	\$7,000.00	\$7,000.00	\$7,000.00	\$7,000.00	\$7,000.00	\$7,000.00	\$7,000.00	\$7,000.00
Loading of OA CBA per shelf/ NAV per OCN	CBAOL	\$500.00	\$500.00	\$500.00	\$500.00	\$500.00	\$500.00	\$500.00	\$500.00	\$500.00
Loading of DA CBA per DRAM Card/Switch per OCN		\$1,170.00	\$1,170.00	\$1,170.00	\$1,170.00	\$1,170.00	\$1,170.00	\$1,170.00	\$1,170.00	\$1,170.00
OPERATOR A	SSISTANCE (OA) UNBRAND	ING via OLNS SOFT	WARE						
Loading of OA p Regional	per OCN -	\$1,200.00	\$1,200.00	\$1,200.00	\$1,200.00	\$1,200.00	\$1,200.00	\$1,200.00	\$1,200.00	\$1,200.00

Version 4Q01: 12/01/01

Attachment 2

Network Elements and Other Services

Version 4Q01: 12/17/01

TABLE OF CONTENTS

1	INTRODUCTION	3
2	UNBUNDLED LOOPS	4
3	HIGH FREQUENCY SPECTRUM NETWORK ELEMENT	. 25
4	LOCAL SWITCHING	. 31
5	UNBUNDLED NETWORK ELEMENT COMBINATIONS	. 38
6	TRANSPORT, CHANNELIZATION AND DARK FIBER	. 45
7 SCR	BELLSOUTH SWITCHED ACCESS ("SWA") 8XX TOLL FREE DIALING TEN DIGIT EENING SERVICE	. 50
8	LINE INFORMATION DATABASE (LIDB)	. 51
9	SIGNALING	. 53
10	OPERATOR SERVICE AND DIRECTORY ASSISTANCE	. 60
11	AUTOMATIC LOCATION IDENTIFICATION/DATA MANAGEMENT SYSTEM (ALI/DMS)	. 65
12	CALLING NAME (CNAM) DATABASE SERVICE	. 66
13 ADV	SERVICE CREATION ENVIRONMENT AND SERVICE MANAGEMENT SYSTEM (SCE/SMS) 'ANCED INTELLIGENT NETWORK (AIN) ACCESS	
14	BASIC 911 AND E911	. 68
15	OPERATIONAL SUPPORT SYSTEMS (OSS)	. 69
LID	B Storage Agreement Exhibit	t A
Rat	es Exhibit	t B

ACCESS TO NETWORK ELEMENTS AND OTHER SERVICES

1 Introduction

- 1.1 This Attachment sets forth rates, terms and conditions for Network Elements and combinations of Network Elements that BellSouth agrees to offer to Global Connection in accordance with its obligations under Section 251(c)(3) of the Act. Additionally, this Attachment sets forth the rates, terms and conditions for other services BellSouth makes available to Global Connection. The price for each Network Element and combination of Network Elements and other services are set forth in Exhibit B of this Agreement. Additionally, the provision of a particular Network Element or service may require Global Connection to purchase other Network Elements or services.
- 1.2 For purposes of this Agreement, "Network Element" is defined to mean a facility or equipment Global Connection used in the provision of a telecommunications service. For purposes of this Agreement, combinations of Network Elements shall be referred to as "Combinations."
- 1.3 BellSouth shall, upon request of Global Connection, and to the extent technically feasible, provide to Global Connection access to its Network Elements for the provision of Global Connection's telecommunications services. If no rate is identified in this Agreement, the rate for the specific service or function will be as set forth in the applicable BellSouth tariff or as negotiated by the Parties upon request by either Party.
- 1.4 Global Connection may purchase Network Elements and other services from BellSouth for the purpose of combining such network elements in any manner Global Connection chooses to provide telecommunication services to its intended users, including recreating existing BellSouth services. With the exception of the sub-loop Network Elements which are located outside of the central office, BellSouth shall deliver the Network Elements purchased by Global Connection to the designated Global Connection collocation space.
- 1.5 BellSouth shall comply with the requirements as set forth in the technical references within this Attachment 2.

1.6 Rates

1.6.1 The prices that Global Connection shall pay to BellSouth for Network Elements and Other Services are set forth in Exhibit B to this Attachment. If Global Connection purchases a service(s) from a tariff, all terms and conditions and rates as set forth in such tariff shall apply.

- 1.6.2 Rates, terms and conditions for order cancellation charges and Service Date Advancement Charges will apply in accordance with Attachment 6 and are incorporated herein by this reference.
- 1.6.3 If Global Connection modifies an order (Order Modification Charge (OMC)) after being sent a Firm Order Confirmation (FOC) from BellSouth, any costs incurred by BellSouth to accommodate the modification will be paid by Global Connection in accordance with FCC No. 1 Tariff, Section 5.
- 1.6.4 A one-month minimum billing period shall apply to all UNE conversions or new installations.

2 Unbundled Loops

- 2.1 General
- 2.1.1 The local loop Network Element ("Loop") is defined as a transmission facility between a distribution frame (or its equivalent) in BellSouth's central office and the loop demarcation point at an end-user customer premises, including inside wire owned by BellSouth. The local loop Network Element includes all features, functions, and capabilities of the transmission facilities, including dark fiber and attached electronics (except those used for the provision of advanced services, such as Digital Subscriber Line Access Multiplexers) and line conditioning.
- 2.1.2 The provisioning of a Loop to Global Connection's collocation space will require cross-office cabling and cross-connections within the central office to connect the Loop to a local switch or to other transmission equipment. These cross-connects are separate components, that are not considered a part of the Loop, and thus, have a separate charge.
- 2.1.3 To the extent available within BellSouth's network at a particular location, BellSouth will offer Loops capable of supporting telecommunications services. If a requested loop type is not available, and cannot be made available through BellSouth's Unbundled Loop Modification process, then Global Connection can use the Special Construction process to request that BellSouth place facilities in order to meet Global Connection's loop requirements. Standard Loop intervals shall not apply to the Special Construction process.
- Where facilities are available, BellSouth will install Loops in compliance with BellSouth's Products and Services Interval Guide available at the website at http://www.interconnection.bellsouth.com. For orders of 15 or more Loops, the installation and any applicable Order Coordination as described below will be handled on a project basis, and the intervals will be set by the BellSouth project manager for that order. When Loops require a Service Inquiry (SI) prior to issuing the order to determine if facilities are available, the interval for the SI process is separate from the installation interval.

- 2.1.5 The Loop shall be provided to Global Connection in accordance with BellSouth's TR73600 Unbundled Local Loop Technical Specification and applicable industry standard technical references.
- 2.1.6 Global Connection may utilize the unbundled Loops to provide any telecommunications service it wishes, so long as such services are consistent with industry standards and BellSouth's TR73600.
- 2.1.7 BellSouth will only provision, maintain and repair the Loops to the standards that are consistent with the type of Loop ordered. In those cases where Global Connection has requested that BellSouth modify a Loop so that it no longer meets the technical parameters of the original Loop type (e.g., voice grade, ISDN, ADSL, etc.) the resulting Loop will be maintained as an unbundled copper Loop (UCL), and Global Connection shall pay the recurring and non-recurring charges for a UCL. For non-service specific loops (e.g. UCL, Loops modified by Global Connection using the Unbundled Loop Modification (ULM) process), BellSouth will only support that the Loop has copper continuity and balanced tip-and-ring.

2.1.8 <u>Loop Testing/Trouble Reporting</u>

- 2.1.8.1 Global Connection will be responsible for testing and isolating troubles on the Loops. Global Connection must test and isolate trouble to the BellSouth portion of a designed unbundled loop (e.g., UVL-SL2, UCL-D, etc.) before reporting repair to the UNE Center. At the time of the trouble report, Global Connection will be required to provide the results of the Global Connection test which indicate a problem on the BellSouth provided loop.
- 2.1.8.2 Once Global Connection has isolated a trouble to the BellSouth provided Loop, and had issued a trouble report to BellSouth on the Loop, BellSouth will take the actions necessary to repair the Loop if a trouble actually exists. BellSouth will repair these Loops in the same time frames that BellSouth repairs similarly situated Loops to its end users.
- 2.1.8.3 If Global Connection reports a trouble on a non-designed loop (e.g., UVL-SL1, UCL-ND, etc.) and no trouble actually exists, BellSouth will charge Global Connection for any dispatching and testing (both inside and outside the CO) required by BellSouth in order to confirm the loop's working status. If Global Connection reports trouble on a designed loop and no trouble is found, BellSouth will charge Global Connection for any dispatch and testing outside the central office.

2.1.9 Order Coordination and Order Coordination-Time Specific

2.1.9.1 "Order Coordination" (OC) allows BellSouth and Global Connection to coordinate the installation of the SL2 Loops, Unbundled Digital Loops (UDL) and other Loops where OC may be purchased as an option, to Global Connection's facilities

to limit end user service outage. OC is available when the Loop is provisioned over an existing circuit that is currently providing service to the end user. OC for physical conversions will be scheduled at BellSouth's discretion during normal working hours on the committed due date. OC shall be provided in accordance with the chart set forth below.

"Order Coordination - Time Specific" (OC-TS) allows Global Connection to 2.1.9.2 order a specific time for OC to take place. BellSouth will make every effort to accommodate Global Connection's specific conversion time request. However, BellSouth reserves the right to negotiate with Global Connection a conversion time based on load and appointment control when necessary. This OC-TS is a chargeable option for all Loops except Unbundled Copper Loops (UCL) and Universal Digital Channel (UDC), and is billed in addition to the OC charge. Global Connection may specify a time between 9:00 a.m. and 4:00 p.m. (location time) Monday through Friday (excluding holidays). If Global Connection specifies a time outside this window, or selects a time or quantity of Loops that requires BellSouth technicians to work outside normal work hours, overtime charges will apply in addition to the OC and OC-TS charges. Overtime charges will be applied based on the amount of overtime worked and in accordance with the rates established in the Access Services Tariff, Section E13.2, for each state. The OC-TS charges for an order due on the same day at the same location will be applied on a per Local Service Request (LSR) basis.

2.1.10 <u>CLEC to CLEC Conversions for Unbundled Loops</u>

- 2.1.10.1 The CLEC to CLEC conversion process for unbundled Loops may be used by Global Connection when converting an existing unbundled Loop from another CLEC for the same end user. The Loop type being converted must be included in Global Connection's Interconnection Agreement before requesting a conversion.
- 2.1.10.2 To utilize the CLEC to CLEC conversion process, the Loop being converted must be the same Loop type with no requested changes to the Loop, must serve the same end user location from the same serving wire center, and must not require an outside dispatch to provision.
- 2.1.10.3 The Loops converted to Global Connection pursuant to the CLEC to CLEC conversion process shall be provisioned in the same manner and with the same functionality and options as described in this Attachment for the specific Loop type.

	Order Coordination (OC)	Order Coordination - Time Specific (OC-TS)	Test Points	DLR	Charge for Dispatch and Testing if No Trouble Found
SL-1	Chargeable Option	Chargeable Option	Not available	Chargeable Option – ordered as Engineering Information Document	Charged for Dispatch inside and outside Central Office
UCL-ND	Chargeable Option	Not Available	Not Available	Chargeable Option – ordered as Engineering Information Document	Charged for Dispatch inside and outside Central Office
Unbundled Voice Loops - SL-2 (including 2- and 4-wire UVL)	Included	Chargeable Option	Included	Included	Charged for Dispatch outside Central Office
Unbundled Digital Loop	Included	Chargeable Option (except on Universal Digital Channel)	Included (where appropriate)	Included	Charged for Dispatch outside Central Office
Unbundled Copper Loop	Chargeable in accordance with Section 2	Not available	Included	Included	Charged for Dispatch outside Central Office

For UVL-SL1 and UCLs, Global Connection must order and will be billed for both OC and OCTS if requesting OC-TS.

2.2 <u>Unbundled Voice Loops (UVLs)</u>

- 2.2.1 BellSouth shall make available the following UVLs:
- 2.2.1.1 2-wire Analog Voice Grade Loop SL1 (Non-Designed)
- 2.2.1.2 2-wire Analog Voice Grade Loop SL2 (Designed)
- 2.2.1.3 4-wire Analog Voice Grade Loop (Designed)

- Unbundled Voice Loops (UVL) may be provisioned using any type of facility that will support voice grade services. This may include loaded copper, non-loaded copper, digital loop carrier systems, fiber or a combination of any of these facilities. BellSouth, in the normal course of maintaining, repairing, and configuring its network, may also change the facilities that are used to provide any given voice grade circuit. This change may occur at any time. In these situations, BellSouth will only ensure that the newly provided facility will support voice grade services. BellSouth will not guarantee that Global Connection will be able to continue to provide any advanced services over the new facility. BellSouth will offer UVL in two different service levels Service Level One (SL1) and Service Level Two (SL2).
- 2.2.3 Unbundled Voice Loop SL1 (UVL-SL1) loops are 2-wire loop start circuits, will be non-designed, and will not have remote access test points. OC will be offered as a chargeable option on SLI loops when reuse of existing facilities has been requested by Global Connection. Global Connection may also order OC-TS when a specified conversion time is requested. OC-TS is a chargeable option for any coordinated order and is billed in addition to the OC charge. An Engineering Information (EI) document can be ordered as chargeable option. The EI document provides loop make up information which is similar to the information normally provided in a Design Layout Record. Upon issuance of a non-coordinated order in the service order system, SL1 loops will be activated on the due date in the same manner and time frames that BellSouth normally activates POTS-type loops for its end users.
- 2.2.4 For an additional charge BellSouth will make available Loop Testing so that Global Connection may request further testing on UVL-SL1 loops. Loop Testing is available for new and reuse of BellSouth facilities. Rates for Loop Testing are as set forth in Exhibit B of this Attachment.
- 2.2.5 Unbundled Voice Loop SL2 (UVL-SL2) loops may be 2-wire or 4-wire circuits, shall have remote access test points, and will be designed with a Design Layout Record provided to Global Connection. SL2 circuits can be provisioned with loop start, ground start or reverse battery signaling. OC is provided as a standard feature on SL2 loops. The OC feature will allow Global Connection to coordinate the installation of the loop with the disconnect of an existing customer's service and/or number portability service. In these cases, BellSouth will perform the order conversion with standard order coordination at its discretion during normal work hours.

2.3 <u>Unbundled Digital Loops</u>

2.3.1 BellSouth will offer Unbundled Digital Loops (UDL). UDLs are service specific, will be designed, will be provisioned with test points (where appropriate), and will come standard with OC and a Design Layout Record (DLR). The various UDLs are intended to support a specific digital transmission scheme or service.

2.3.2 BellSouth shall make available the following UDLs: 2.3.2.1 2-wire Unbundled ISDN Digital Loop 2.3.2.2 2-wire Universal Digital Channel (IDSL Compatible) 2.3.2.3 2-wire Unbundled ADSL Compatible Loop 2.3.2.4 2-wire Unbundled HDSL Compatible Loop 2.3.2.5 4-wire Unbundled HDSL Compatible Loop 2.3.2.6 4-wire Unbundled DS1 Digital Loop 2.3.2.7 4-wire Unbundled Digital Loop/DS0 – 64 kbps, 56 kbps and below 2.3.2.8 DS3 Loop 2.3.2.9 STS-1 Loop 2.3.2.10 OC3 Loop 2.3.2.11 OC12 Loop 2.3.2.12 OC48 Loop 2.3.3 2-Wire Unbundled ISDN Digital Loops will be provisioned according to industry standards for 2-Wire Basic Rate ISDN services and will come standard with a test point, Order Coordination, and a DLR. Global Connection will be responsible for providing BellSouth with a Service Profile Identifier (SPID) associated with a particular ISDN-capable loop and end user. With the SPID, BellSouth will be able to adequately test the circuit and ensure that it properly supports ISDN service. BellSouth will not reconfigure its ISDN-capable loop to support IDSL service. 2.3.3.1 The Universal Digital Channel (UDC) (also known as IDSL-compatible Loop) is intended to be compatible with IDSL service and has the same physical characteristics and transmission specifications as BellSouth's ISDN-capable loop. These specifications are listed in BellSouth's TR73600. 2.3.3.2 The UDC may be provisioned on copper or through a Digital Loop Carrier (DLC) system. When UDC Loops are provisioned using a DLC system, the Loops will be provisioned on time slots that are compatible with data-only services such as IDSL. 2.3.4 2-Wire ADSL-Compatible Loop. This is a designed loop that is provisioned according to Revised Resistance Design (RRD) criteria and may be up to 18kft long and may have up to 6kft of bridged tap (inclusive of loop length). The loop is

- a 2-wire circuit and will come standard with a test point, Order Coordination, and a DLR.
- 2.3.5 2-Wire or 4-Wire HDSL-Compatible Loop. This is a designed loop that is provisioned according to Carrier Serving Area (CSA) criteria and may be up to 12,000 feet long and may have up to 2,500 feet of bridged tap (inclusive of loop length). It may be a 2-wire or 4-wire circuit and will come standard with a test point, Order Coordination, and a DLR.
- 2.3.6 4-Wire Unbundled DS1 Digital Loop. This is a designed 4-wire loop that is provisioned according to industry standards for DS1 or Primary Rate ISDN services and will come standard with a test point, Order Coordination, and a DLR.
- 4-Wire Unbundled Digital/DS0 Loop. These are designed 4-wire loops that may configured as 64kbps, 56kbps, 19kbps, and other sub-rate speeds associated with digital data services and will come standard with a test point, Order Coordination, and a DLR.
- 2.3.8 DS3 Loop. DS3 Loop is a two-point digital transmission path, which provides for simultaneous two-way transmission of serial, bipolar, return-to-zero isochronous digital electrical signals at a transmission rate of 44.736 megabits per second (Mbps) that is dedicated to the use of the ordering CLEC in its provisioning of local exchange and associated exchange access services. It may provide transport for twenty-eight (28) DS1 channels, each of which provides the digital equivalent of twenty-four analog voice grade channels. The interface to unbundled dedicated DS3 transport is a metallic-based electrical interface.
- 2.3.9 STS-1 Loop. STS-1 Loop is a high-capacity digital transmission path with SONET VT1.5 mapping that is dedicated for the use of the ordering customer for the purpose of provisioning local exchange and associated exchange access services. It is a two-point digital transmission path, which provides for simultaneous two-way transmission of serial bipolar return-to-zero synchronous digital electrical signals at a transmission rate of 51.84 megabits per second (Mbps). It may provide transport for twenty-eight (28) DS1 channels, each of which provides the digital equivalent of twenty-four analog voice grade channels. The interface to unbundled dedicated STS-1 transport is a metallic-based electrical interface.
- 2.3.10 OC3 Loop/OC12 Loop/OC48 Loop. OC3/OC-12/OC-48 Loops are optical two-point transmission paths that are dedicated to the use of the ordering CLEC in its provisioning of local exchange and associated exchange access services. The physical interface for all optical transport is optical fiber. This interface standard allows for transport of many different digital signals using a basic building block or base transmission rate of 51.84 megabits per second (Mbps). Higher rates are

direct multiples of the base rate. The following rates are applicable: OC-3 - 155.52 Mbps; OC12 - 622.08 Mbps; and OC-48 - 2488 Mbps.

2.3.11 DS3 and above services come with a test point and a DLR. Mileage is airline miles, rounded up and a minimum of one mile applies. BellSouth TR 73501 LightGate[®] Service Interface and Performance Specifications, Issue D, June 1995 applies to DS3 and above services.

2.4 <u>Unbundled Copper Loops (UCL)</u>

2.4.1 BellSouth shall make available Unbundled Copper Loops (UCLs). The UCL is a copper twisted pair Loop that is unencumbered by any intervening equipment (e.g., filters, load coils, range extenders, digital loop carrier, or repeaters) and is not intended to support any particular telecommunications service. The UCL will be offered in two types – Designed and Non-Designed.

2.4.2 <u>Unbundled Copper Loop – Designed (UCL-D)</u>

- 2.4.2.1 The UCL-D will be provisioned as a dry copper twisted pair loop that is unencumbered by any intervening equipment (e.g., filters, load coils, range extenders, digital loop carrier, or repeaters). The UCL-D will be offered in two versions Short and Long.
- 2.4.2.2 A short UCL-D (18,000 feet or less) is provisioned according to Resistance Design parameters, may have up to 6,000 feet of bridged tap and will have up to 1300 ohms of resistance.
- 2.4.2.3 The long UCL-D (beyond 18,000 feet) is provisioned as a dry copper twisted pair longer than 18,000 feet and may have up to 12,000 feet of bridged tap and up to 2800 ohms of resistance.
- 2.4.2.4 The UCL-D is a designed circuit, is provisioned with a test point and comes standard with a DLR. OC is required on UCLs where a reuse of existing facilities has been requested by Global Connection.
- 2.4.2.5 These loops are not intended to support any particular services and may be utilized by Global Connection to provide a wide-range of telecommunications services so long as those services do not adversely affect BellSouth's network. This facility will include a Network Interface Device (NID) at the customer's location for the purpose of connecting the loop to the customer's inside wire.
- 2.4.2.6 BellSouth will make available the following UCL-Ds:
- 2.4.2.6.1 2-Wire UCL-D/short
- 2.4.2.6.2 2-Wire UCL-D/long

- 2.4.2.6.3 4-Wire UCL-D/short
- 2.4.2.6.4 4-Wire UCL-D/long

2.4.3 <u>Unbundled Copper Loop – Non-Designed (UCL-ND)</u>

- 2.4.3.1 The UCL–ND is provisioned as a dedicated 2-wire metallic transmission facility from BellSouth's Main Distribution Frame to a customer's premises (including the NID). The UCL-ND will be a "dry copper" facility in that it will not have any intervening equipment such as load coils, repeaters, or digital access main lines ("DAMLs"), and may have up to 6,000 feet of bridged tap between the end user's premises and the serving wire center. The UCL-ND typically will be 1300 Ohms resistance and in most cases will not exceed 18,000 feet in length, although the UCL-ND will not have a specific length limitation. For loops less than 18,000 feet and with less than 1300 Ohms resistance, the loop will provide a voice grade transmission channel suitable for loop start signaling and the transport of analog voice grade signals. The UCL-ND will not be designed and will not be provisioned with either a DLR or a test point.
- 2.4.3.2 The UCL-ND facilities may be mechanically assigned using BellSouth's assignment systems. Therefore, the Loop Make Up process is not required to order and provision the UCL-ND. However, Global Connection can request Loop Make Up for which additional charges would apply.
- 2.4.3.3 At an additional charge, BellSouth also will make available Loop Testing so that Global Connection may request further testing on the UCL-ND. Rates for Loop Testing are as set forth in Exhibit B of this Attachment.
- 2.4.3.4 UCL-ND loops are not intended to support any particular service and may be utilized by Global Connection to provide a wide-range of telecommunications services so long as those services do not adversely affect BellSouth's network. The UCL-ND will include a Network Interface Device (NID) at the customer's location for the purpose of connecting the loop to the customer's inside wire.
- 2.4.3.5 Order Coordination (OC) will be provided as a chargeable option and may be utilized when the UCL-ND provisioning is associated with the reuse of BellSouth facilities. Order Coordination -Time Specific (OC-TS) does not apply to this product.
- 2.4.3.6 Global Connection may use BellSouth's Unbundled Loop Modification (ULM) offering to remove bridge tap and/or load coils from any loop within the BellSouth network. Therefore, some loops that would not qualify as UCL-ND could be transformed into loops that do qualify, using the ULM process.
- 2.5 Unbundled Loop Modifications (Line Conditioning)

- 2.5.1 Line Conditioning is defined as the removal from the Loop of any devices that may diminish the capability of the Loop to deliver high-speed switched wireline telecommunications capability, including xDSL service. Such devices include, but are not limited to, load coils, bridged taps, low pass filters, and range extenders.
- 2.5.2 BellSouth shall condition Loops, as requested by Global Connection, whether or not BellSouth offers advanced services to the End User on that Loop.
- 2.5.3 In some instances, Global Connection will require access to a copper twisted pair loop unfettered by any intervening equipment (e.g., filters, load coils, range extenders, etc.), so that Global Connection can use the loop for a variety of services by attaching appropriate terminal equipment at the ends. Global Connection will determine the type of service that will be provided over the loop. BellSouth's Unbundled Loop Modifications (ULM) process will be used to determine the costs and feasibility of conditioning the loops as requested. Rates for ULM are as set forth in Exhibit B of this Attachment.
- 2.5.4 In those cases where Global Connection has requested that BellSouth modify a Loop so that it no longer meets the technical parameters of the original Loop type (e.g., voice grade, ISDN, ADSL, etc.) the resulting modified Loop will be ordered and maintained as a UCL.
- 2.5.5 The Unbundled Loop Modifications (ULM) offering provides the following elements: 1) removal of devices on 2-wire or 4-wire Loops equal to or less than 18,000 feet; 2) removal of devices on 2-wire or 4-wire Loops longer than 18,000 feet; and 3) removal of bridged-taps on loops of any length.
- 2.5.6 Global Connection shall request Loop make up information pursuant to this Attachment prior to submitting a service inquiry and/or a LSR for the Loop type that Global Connection desires BellSouth to condition.

2.6 <u>Loop Provisioning Involving Integrated Digital Loop Carriers</u>

- 2.6.1 Where Global Connection has requested an Unbundled Loop and BellSouth uses Integrated Digital Loop Carrier (IDLC) systems to provide the local service to the end user and BellSouth has a suitable alternate facility available, BellSouth will make such alternative facilities available to Global Connection. If a suitable alternative facility is not available, then to the extent it is technically feasible, BellSouth will make alternative arrangements available to Global Connection (e.g. hairpinning).
- 2.6.2 BellSouth will select one of the following arrangements:
 - 1. Roll the circuit(s) from the IDLC to any spare copper that exists to the customer premises.
 - 2. Roll the circuit(s) from the IDLC to an existing DLC that is not integrated.
 - 3. If capacity exists, provide "side-door" porting through the switch.

- 4. If capacity exists, provide "DACS-door" porting (if the IDLC routes through a DACS prior to integration into the switch).
- 2.6.3 Arrangements 3 and 4 above require the use of a designed circuit. Therefore, non-designed loops such as the SL1 voice grade and UCL-ND may not be ordered in these cases.
- 2.6.4 If no alternate facility is available, BellSouth will utilize its Special Construction (SC) process to determine the additional costs required to provision the loop facilities. Global Connection will then have the option of paying the one-time SC rates to place the loop.

2.7 **Network Interface Device (NID)**

- 2.7.1 The NID is defined as any means of interconnection of end-user customer premises wiring to BellSouth's distribution plant, such as a cross-connect device used for that purpose. The NID is a single-line termination device or that portion of a multiple-line termination device required to terminate a single line or circuit at the premises. The NID features two independent chambers or divisions that separate the service provider's network from the end user's customer-premises wiring. Each chamber or division contains the appropriate connection points or posts to which the service provider and the end user each make their connections. The NID provides a protective ground connection and is capable of terminating cables such as twisted pair cable.
- 2.7.1.1 BellSouth shall permit Global Connection to connect Global Connection's Loop facilities the end-user's customer-premises wiring through the BellSouth NID or at any other technically feasible point.

2.7.2 Access to NID

- 2.7.2.1 Global Connection may access the end user's customer-premises wiring by any of the following means and Global Connection shall not disturb the existing form of electrical protection and shall maintain the physical integrity of the NID:
- 2.7.2.1.1 1) BellSouth shall allow Global Connection to connect its loops directly to BellSouth's multi-line residential NID enclosures that have additional space and are not used by BellSouth or any other telecommunications carriers to provide service to the premises.
- 2.7.2.1.2 2) Where an adequate length of the end user's customer premises wiring is present and environmental conditions permit, either Party may remove the customer premises wiring from the other Party's NID and connect such wiring to that Party's own NID;
- 2.7.2.1.3 3) Enter the subscriber access chamber or dual chamber NID enclosures for the purpose of extending a connect divisioned or spliced jumper wire from the

customer premises wiring through a suitable "punch-out" hole of such NID enclosures; or

- 2.7.2.1.4 4) Request BellSouth to make other rearrangements to the end user customer premises wiring terminations or terminal enclosure on a time and materials cost basis.
- 2.7.2.2 In no case shall either Party remove or disconnect the other Party's loop facilities from either Party's NIDs, enclosures, or protectors unless the applicable Commission has expressly permitted the same and the disconnecting Party provides prior notice to the other Party. In such cases, it shall be the responsibility of the Party disconnecting loop facilities to leave undisturbed the existing form of electrical protection and to maintain the physical integrity of the NID. It will be Global Connection's responsibility to ensure there is no safety hazard and will hold BellSouth harmless for any liability associated with the removal of the BellSouth loop from the BellSouth NID. Furthermore, it shall be the responsibility of the disconnecting Party, once the other Party's loop has been disconnected from the NID, to reconnect the disconnected loop to a nationally recognized testing laboratory listed station protector, which has been grounded as per Article 800 of the National Electrical Code. If no spare station protector exists in the NID, the disconnected loop must be appropriately cleared, capped and stored.
- 2.7.2.3 In no case shall either Party remove or disconnect ground wires from BellSouth's NIDs, enclosures, or protectors.
- 2.7.2.4 In no case shall either Party remove or disconnect NID modules, protectors, or terminals from BellSouth's NID enclosures.
- 2.7.2.5 Due to the wide variety of NID enclosures and outside plant environments, BellSouth will work with Global Connection to develop specific procedures to establish the most effective means of implementing this section if the procedures set forth herein do not apply to the NID in question.
- 2.7.3 Technical Requirements
- 2.7.3.1 The NID shall provide an accessible point of interconnection and shall maintain a connection to ground.
- 2.7.3.2 If an existing NID is accessed, it shall be capable of transferring electrical analog or digital signals between the end user's customer premises and the Distribution Media and/or cross connect to Global Connection's NID.
- 2.7.3.3 Existing BellSouth NIDS will be provided in "as is" condition. Global Connection may request BellSouth do additional work to the NID on a time and material basis. When Global Connection deploys its own local loops with respect to multiple-line termination devices, Global Connection shall specify the quantity of NIDs connections that it requires within such device.

2.8 **Sub-loop Elements**

2.8.1 Where facilities permit, BellSouth shall offer access to its Unbundled Sub-Loop (USL) and Unbundled Sub-loop Concentration (USLC) System.

2.8.2 **Unbundled Sub-Loop Distribution**

2.8.2.1 The unbundled sub-loop distribution facility is a dedicated transmission facility that BellSouth provides from an end user's point of demarcation to a BellSouth crossconnect device. The BellSouth cross-connect device may be located within a remote terminal (RT) or a stand-alone cross-box in the field or in the equipment room of a building. The unbundled sub-loop distribution media is a copper twisted pair that can be provisioned as a 2 Wire or 4 Wire facility. BellSouth will make the following available sub-loop distribution offerings where facilities permit:

Unbundled Sub-Loop Distribution – Voice Grade
Unbundled Copper Sub-Loop
Unbundled Sub-Loop Distribution – Intrabuilding Network Cable (aka riser cable)

- 2.8.2.2 Unbundled Sub-Loop Distribution Voice Grade (USLD-VG) is a sub-loop facility from the cross-box in the field up to and including the point of demarcation, at the end user's premises and may have load coils.
- 2.8.2.3 Unbundled Copper Sub-Loop (UCSL) is a copper facility of any length provided from the cross-box in the field up to and including the end-user's point of demarcation. If available, this facility will not have any intervening equipment such as load coils between the end-user and the cross-box.
- 2.8.2.4 If Global Connection requests a UCSL and it is not available, Global Connection may request the Sub-Loop facility be modified pursuant to the ULM process request to remove load coils and/or bridged taps. If load coils and/or bridged taps are removed, the facility will be classified as a UCSL.
- 2.8.2.5 Unbundled Sub-Loop Distribution Intrabuilding Network Cable (USLD-INC) is the distribution facility inside a building or between buildings on the same continuous property which is not separated by a public street or road. USLD-INC includes the facility from the cross-connect device in the building equipment room up to and including the point of demarcation, at the end user's premises.
- 2.8.2.6 BellSouth will install a cross connect panel in the building equipment room for the purpose of accessing USLD-INC pairs from a building equipment room. The cross-connect panel will function as a single point of interconnection (SPOI) for USLD-INC and will be accessible by multiple carriers as space permits. BellSouth will place cross-connect blocks in 25-pair increments for Global Connection's use on this cross-connect panel. Global Connection will be responsible for connecting its facilities to the 25-pair cross-connect block(s).

Version 4Q01: 12/17/01

- 2.8.2.7 Unbundled Sub-Loop distribution facilities shall support functions associated with provisioning, maintenance and testing of the Unbundled Sub-Loop. For access to Voice Grade USLD and UCSL, Global Connection shall install a cable to the BellSouth cross-box pursuant to the terms and conditions for physical collocation for remote sites set forth in this Agreement. This cable would be connected by a BellSouth technician within the BellSouth cross-box during the set-up process. Global Connection's cable pairs can then be connected to BellSouth's USL within the BellSouth cross-box by the BellSouth technician.
- 2.8.2.8 Through the Service Inquiry (SI) process, BellSouth will determine whether access to Unbundled Sub-Loops at the location requested by Global Connection is technically feasible and whether sufficient capacity exists in the cross-box. If existing capacity is sufficient to meet Global Connection's request, then BellSouth will perform the site set-up as described in Section 2.8.2.9. If any work must be done to modify existing BellSouth facilities or add new facilities (other than adding the cross-connect panel in a building equipment room as noted in Section 2.8.2.9) to accommodate Global Connection's request for Unbundled Sub-Loops, Global Connection may request BellSouth's Special Construction (SC) process to determine additional costs required to provision the Unbundled Sub-Loops. Global Connection will have the option to proceed under the SC process to modify the BellSouth facilities.
- 2.8.2.9 The site set-up must be completed before Global Connection can order sub-loop pairs. For the site set-up in a BellSouth cross-connect box in the field, BellSouth will perform the necessary work to splice Global Connection's cable into the cross-connect box. For the site set-up inside a building equipment room, BellSouth will perform the necessary work to install the cross-connect panel and the connecting block(s) that will be used to provide access to the requested USLs.
- 2.8.2.10 Once the site set-up is complete, Global Connection will request sub-loop pairs through submission of a Local Service Request (LSR) form to the Local Carrier Service Center (LCSC). Order Coordination is required with USL pair provisioning when Global Connection requests reuse of an existing facility and is in addition to the USL pair rate. For expedite requests by Global Connection for sub-loop pairs, expedite charges will apply for intervals less than 5 days.
- 2.8.2.11 Unbundled Sub-Loops will be provided in accordance with technical reference TR73600.

2.8.3 Unbundled Network Terminating Wire (UNTW)

2.8.3.1 Unbundled Network Terminating Wire (UNTW) is unshielded twisted copper wiring that is used to extend circuits from an intra-building network cable terminal or from a building entrance terminal to an individual customer's point of demarcation. It is the final portion of the Loop which, in multi-subscriber

configurations, represents the point at which the network branches out to serve individual subscribers.

- 2.8.3.2 This element will be provided in Multi-Dwelling Units (MDUs) and/or Multi-Tenants Units (MTUs) where BellSouth owns wiring all the way to the end-users premises. BellSouth will not provide this element in those locations where the property owner provides its own wiring to the end-user's premises, where a third party owns the wiring to the end-user's premises or where the property owner will not allow BellSouth to place its facilities to the end user.
- 2.8.3.3 Requirements
- 2.8.3.3.1 On a multi-unit premises, upon request of the other Party ("Requesting Party"), the Party owning the network terminating wire will provide access to UNTW pairs on an Access Terminal that is suitable for use by multiple carriers at each Garden Terminal or Wiring Closet.
- 2.8.3.3.2 The Provisioning Party shall not be required to install new or additional NTW beyond existing NTW to provision the services of the Requesting Party.
- 2.8.3.3.3 Upon receipt of the UNTW Service Inquiry (SI) requesting access to the Provisioning Party's UNTW pairs at a multi-unit premises, representatives of both Parties will participate in a meeting at the site of the requested access. The purpose of the site visit will include discussion of the procedures for installation and location of the Access Terminals. By request of the Requesting Party, an Access Terminal will be installed either adjacent to each Provisioning Party's Garden Terminal or inside each Wiring Closet. Requesting Party will deliver and connect its central office facilities to the UNTW pairs within the Access Terminal. Requesting Party may access any available pair on an Access Terminal. A pair is available when a pair is not being utilized to provide service or where the end user has requested a change in its local service provider to the Requesting Party. Prior to connecting Requesting Party's service on a pair previously used by Provisioning Party, Requesting Party is responsible for ensuring the end-user is no longer using Provisioning Party's service or another CLEC's service before accessing UNTW pairs.
- 2.8.3.3.4 Access Terminal installation intervals will be established on an individual case basis.
- 2.8.3.3.5 Requesting Party is responsible for obtaining the property owner's permission for Provisioning Party to install an Access Terminal(s) on behalf of the Requesting Party. The submission of the SI by the Requesting Party will serve as certification by the Requesting Party that such permission has been obtained. If the property owner objects to Access Terminal installations that are in progress or subsequent to completion and demands removal of Access Terminals, Requesting Party will be

responsible for costs associated with removing Access Terminals and restoring property to its original state prior to Access Terminals being installed.

- 2.8.3.3.6 The Requesting Party shall indemnify and hold harmless the Provisioning Party against any claims of any kind that may arise out of the Requesting Party's failure to obtain the property owner's permission. Requesting Party will be billed for non-recurring and recurring charges for accessing UNTW pairs at the time the Requesting Party activates the pair(s). The Requesting Party will notify the Provisioning Party each time it activates UNTW pairs using the LSR form.
- 2.8.3.3.7 Requesting Party will isolate and report troubles in the manner specified by the Provisioning Party. Requesting Party must tag the UNTW pair that requires repair. If Provisioning Party dispatches a technician on a reported trouble call and no UNTW trouble is found, Provisioning Party will charge Requesting Party for time spent on the dispatch and testing the UNTW pair(s).
- 2.8.3.3.8 If Requesting Party initiates the Access Terminal installation and the Requesting Party has not activated at least one pair on the Access Terminal installed pursuant to Requesting Party's request for an Access Terminal within 6 months of installation of the Access Terminal, Provisioning Party will bill Requesting Party a non-recurring charge equal to the actual cost of provisioning the Access Terminal.
- 2.8.3.3.9 If Provisioning Party determines that Requesting Party is using the UNTW pairs without reporting the activation of the pairs, the following charges shall apply:
- 2.8.3.3.9.1 If Requesting Party issued a LSR to disconnect an end-user from Provisioning Party in order to use a UNTW pair, Requesting Party will be billed for the use of the pair back to the disconnect order date.
- 2.8.3.3.9.2 If Requesting Party activated a UNTW pair on which Provisioning Party was not previously providing service, Requesting Party will be billed for the use of that pair back to the date the end-user began receiving service using that pair. Upon request, Requesting Party will provide copies of its billing record to substantiate such date. If Requesting Party fails to provide such records, then Provisioning Party will bill the Requesting Party back to the date of the Access Terminal installation.

2.8.4 **Unbundled Sub-Loop Feeder**

- 2.8.4.1 Unbundled Sub-Loop Feeder (USLF) provides connectivity between BellSouth's central office and cross-box (or other access point) that serves an end user location.
- 2.8.4.2 USLF utilized for voice traffic can be configured as 2-wire voice (USLF-2W/V) or 4-wire voice (USLF-4W/V).

- 2.8.4.3 USLF utilized for digital traffic can be configured as 2-wire ISDN (USLF-2W/I); 2-wire Copper (USLF-2W/C); 4-wire Copper (USLF-4W/C); 4-wire DS0 level loop (USLF-4W/D0); or 4-wire DS1 and ISDN (USLF-4W/DI).
- 2.8.4.4 USLF will provide access to both the equipment and the features in the BellSouth central office and BellSouth cross box necessary to provide a 2W or 4W communications pathway from the BellSouth central office to the BellSouth cross-box. This element will allow for the connection of Global Connection's loop distribution elements onto BellSouth's feeder system.

2.8.4.5 Requirements

- 2.8.4.5.1 Global Connection will extend a compatible cable to BellSouth's cross-box.

 BellSouth will connect the cable to a panel inside the BellSouth cross-box to the requested level of feeder element. In those cases when there is no room in the BellSouth cross-box to accommodate the additional cross-connect panels mentioned above, BellSouth will utilize its Special Construction process to determine the costs to provide the sub-loop feeder element to Global Connection. Global Connection will then have the option of paying the special construction charges or canceling the order.
- 2.8.4.5.2 USLF will be a designed circuit and BellSouth will provide a Design Layout Record (DLR) for this element.
- 2.8.4.5.3 BellSouth will provide USLF elements in accordance with applicable industry standards for these types of facilities. Where industry standards do not exist, BellSouth's TR73600 will be used to determine performance parameters.
- 2.8.4.6 Unbundled Sub-Loop Feeder (USLF DS3 and above)
- 2.8.4.6.1 USLF DS3 and above provides connectivity between a BellSouth Serving Wire Center (SWC) and the Remote Terminal (RT) associated with that SWC that serves an end user location.
- 2.8.4.6.2 The sub-loop feeder is intended to be utilized for voice traffic and digital traffic. It can be configured at DS3, STS-1, OC-3, OC-12, or OC-48 transmission capacities.
- 2.8.4.6.3 The OC-48 Sub-Loop Feeder will consist of four (4) OC12 interfaces.
- 2.8.4.6.4 Both 2-fiber and 4-fiber-protect applications will be supported for OC-3 level and higher.
- 2.8.4.7 Requirements
- 2.8.4.7.1 Access in the SWC and RT will be via a Collocation cross-connect.

- 2.8.4.7.2 USLF DS3 and above will be a designed circuit. BellSouth will provide a Design Layout Record (DLR) for this network element.
- 2.8.4.7.3 Rates. Rates for these services are as set forth in Exhibit B of this Attachment. Mileage is based on airline miles.
- 2.8.4.7.4 BellSouth will provide USLF DS3 and above elements in accordance with applicable industry standards.

2.8.5 <u>Unbundled Loop Concentration (ULC)</u>

- 2.8.5.1 BellSouth will provide to Global Connection Unbundled Loop Concentration (ULC). Loop concentration systems in the central office concentrate the signals transmitted over local loops onto a digital loop carrier system. The concentration device is placed inside a BellSouth central office. BellSouth will offer ULC with a TR008 interface or a TR303 interface.
- 2.8.5.2 ULC will be offered in two system options. System A will allow up to 96
 BellSouth loops to be concentrated onto two or more DS1s. The high-speed
 connection from the concentrator will be at the electrical DS1 level and will
 connect to Global Connection at Global Connection's collocation site. System B
 will allow up to 192 BellSouth loops to be concentrated onto 4 or more DS1s.
 System A may be upgraded to a System B. A minimum of two DS1s is required
 for each system (i.e., System A requires two DS1s and System B would require an
 additional two DS1s or four in total). All DS1 interfaces will terminate to Global
 Connection's collocation space. ULC service is offered with concentration (2
 DS1s for 96 channels) or without concentration (4 DS1s for 96 channels) and with
 or without protection. A Loop Interface element will be required for each loop that
 is terminated onto the ULC system.

2.8.6 <u>Unbundled Sub-Loop Concentration (USLC)</u>

- 2.8.6.1 Where facilities permit, Global Connection may concentrate its sub-loops onto multiple DS1s back to the BellSouth Central Office.
- 2.8.6.2 USLC, using the Lucent Series 5 equipment, will be offered in two system options. System A will allow up to 96 of Global Connection's sub-loops to be concentrated onto two or more DS1s. System B will allow an additional 96 of Global Connection's sub-loops to be concentrated onto two or more additional DS1s. One System A may be supplemented with one System B and they both must be physically located in a single Series 5 dual channel bank. A minimum of two DS1s is required for each system (i.e., System A requires two DS1s and System B would require an additional two DS1s or four in total). The DS1 level facility that connects the Remote Terminal site with the serving wire center is known as a Feeder Interface. All DS1 Feeder Interfaces will terminate to Global Connection's demarcation point associated with Global Connection's collocation space within

the SWC that serves the remote terminal (RT). USLC service is offered with or without concentration and with or without a protection DS1.

2.8.6.3 Global Connection is required to deliver its sub-loops to its own cross-box, RT, or other similar device and deliver a single cable to the BellSouth RT. This cable shall be connected, by a BellSouth technician, to a cross-connect panel within the BellSouth RT/cross-box and shall allow Global Connection's sub-loops to be placed on the USLC and transported to Global Connection's collocation space at a DS1 level.

2.8.7 **Dark Fiber Loop**

- 2.8.7.1 Dark Fiber Loop is an unused optical transmission facility without attached signal regeneration, multiplexing, aggregation or other electronics that connects two points within BellSouth's network. Dark Fiber Loops may be strands of optical fiber existing in aerial or underground structure. BellSouth will not provide line terminating elements, regeneration or other electronics necessary for Global Connection to utilize Dark Fiber Loops.
- 2.8.7.2 A Dark Fiber Loop is a point to point arrangement from an end user's premises connected via a cross connect to the demarcation point associated with Global Connection's collocation space in the end user's serving wire center.
- 2.8.7.3 Dark Fiber Loop rates are differentiated between Local Channel, Interoffice Channel and Local Loop.
- 2.8.7.4 Requirements
- 2.8.7.4.1 BellSouth shall make available Dark Fiber Loop where it exists in BellSouth's network and where, as a result of future building or deployment, it becomes available. Dark Fiber Loop will not be deemed available if: (1) it is used by BellSouth for maintenance and repair purposes; (2) it is designated for use pursuant to a firm order placed by another customer; (3) it is restricted for use by all carriers, including BellSouth, because of transmission problems or because it is scheduled for removal due to documented changes to roads and infrastructure; or (4) BellSouth has plans to use the fiber within a two-year planning period. BellSouth is not required to place the fiber for Dark Fiber Loop if none is available.
- 2.8.7.4.2 If the requested Dark Fiber Loop has any lightwave repeater equipment interspliced to it, BellSouth will remove such equipment at Global Connection's request subject to time and materials charges.
- 2.8.7.4.3 Global Connection is solely responsible for testing the quality of the Dark Fiber to determine its usability and performance specifications.

- 2.8.7.4.4 BellSouth shall use its commercially reasonable efforts to provide to Global Connection information regarding the location, availability and performance of Dark Fiber Loop within ten (10) business days after receiving a Service Inquiry ("SI") from Global Connection.
- 2.8.7.4.5 If the requested Dark Fiber Loop is available, BellSouth shall use commercially reasonable efforts to provision the Dark Fiber Loop to Global Connection within twenty (20) business days after Global Connection submits a valid, error free LSR. Provisioning includes identification of appropriate connection points (e.g., Light Guide Interconnection (LGX) or splice points) to enable Global Connection to connect or splice Global Connection provided transmission media (e.g., optical fiber) or equipment to the Dark Fiber Loop.

2.9 <u>Loop Makeup (LMU)</u>

- 2.9.1 Description of Service
- 2.9.1.1 BellSouth shall make available to Global Connection (LMU) information so that Global Connection can make an independent judgment about whether the Loop is capable of supporting the advanced services equipment Global Connection intends to install and the services Global Connection wishes to provide. This section addresses LMU as a preordering transaction, distinct from Global Connection ordering any other service(s). Loop Makeup Service Inquiries (LMUSI) for preordering loop makeup are likewise unique from other preordering functions with associated service inquiries (SI) as described in this Agreement.
- 2.9.1.2 BellSouth will provide Global Connection LMU information consisting of the composition of the loop material (copper/fiber); the existence, location and type of equipment on the Loop, including but not limited to digital loop carrier or other remote concentration devices, feeder/distribution interfaces, bridged taps, load coils, pair-gain devices; the loop length; the wire gauge and electrical parameters.
- 2.9.1.3 BellSouth's LMU information is provided to Global Connection as it exists either in BellSouth's databases or in its hard copy facility records. BellSouth does not guarantee accuracy or reliability of the LMU information provided.
- 2.9.1.4 Global Connection may choose to use equipment that it deems will enable it to provide a certain type and level of service over a particular BellSouth Loop. The determination shall be made solely by Global Connection and BellSouth shall not be liable in any way for the performance of the advanced data services provisioned over said Loop. The specific Loop type (ADSL, HDSL, or otherwise) ordered on the LSR must match the LMU of the loop reserved taking into consideration any requisite line conditioning. The LMU data is provided for informational purposes only and does not guarantee Global Connection's ability to provide advanced data services over the ordered loop type. Further, if Global Connection orders loops that are not intended to support advanced services (such as UV-SL1, UV-SL2, or

ISDN compatible loops) and that are not inventoried as advanced services loops, the LMU information for such loops is subject to change at any time due to modifications and/or upgrades to BellSouth's network. Global Connection is fully responsible for any of its service configurations that may differ from BellSouth's technical standard for the loop type ordered.

2.9.2 <u>Submitting Loop Makeup Service Inquiries</u>

- 2.9.2.1 Global Connection may obtain LMU information by submitting a LMU Service Inquiry (LMUSI) mechanically or manually. Mechanized LMUSIs should be submitted through BellSouth's Operational Support Systems interfaces. After obtaining the Loop information from the mechanized LMUSI process, if Global Connection needs further loop information in order to determine loop service capability, Global Connection may initiate a separate Manual Service Inquiry for a separate nonrecurring charge as set forth in Exhibit B of this Attachment.
- 2.9.2.2 Manual LMUSIs shall be submitted by electronic mail to BellSouth's Complex Resale Support Group (CRSG)/Account Team utilizing the Preordering Loop Makeup Service Inquiry form. The service interval for the return of a Loop Makeup Manual Service Inquiry is three business days. Manual LMUSIs are not subject to expedite requests. This service interval is distinct from the interval applied to the subsequent service order.

2.9.3 **Loop Reservations**

- 2.9.3.1 For a Mechanized LMUSI, Global Connection may reserve up to ten Loop facilities. For a Manual LMUSI, Global Connection may reserve up to three Loop facilities.
- 2.9.3.2 Global Connection may reserve facilities for up to four (4) business days for each facility requested on a LMUSI from the time the LMU information is returned to Global Connection. During and prior to Global Connection placing an LSR, the reserved facilities are rendered unavailable to other customers, including BellSouth. If Global Connection does not submit an LSR for a UNE service on a reserved facility within the four-day reservation timeframe, the reservation of that spare facility will become invalid and the facility will be released.
- 2.9.3.3 Charges for preordering LMUSI are separate from any charges associated with ordering other services from BellSouth.

2.9.4 Ordering of Other UNE Services

2.9.4.1 All LSRs issued for reserved facilities shall reference the facility reservation number as provided by BellSouth. Global Connection will not be billed any additional LMU charges for the loop ordered on such LSR. If, however, Global Connection does not reserve facilities upon an initial LMUSI, Global Connection's placement of an order for an advanced data service type facility will incur the

appropriate billing charges to include service inquiry and reservation per Exhibit B of this Attachment.

2.9.4.2 Where Global Connection has reserved multiple Loop facilities on a single reservation, Global Connection may not specify which facility shall be provisioned when submitting the LSR. For those occasions, BellSouth will assign to Global Connection, subject to availability, a facility that meets the BellSouth technical standards of the BellSouth type Loop as ordered by Global Connection. If the ordered Loop type is not available, Global Connection may utilize the Unbundled Loop Modification process or the Special Construction process, as applicable, to obtain the Loop type ordered.

3 High Frequency Spectrum Network Element

- 3.1 General
- 3.1.1 BellSouth shall provide Global Connection access to the high frequency spectrum of the local loop as an unbundled network element only where BellSouth is the voice service provider to the end user at the rates set forth in this Attachment.
- 3.1.2 The High Frequency Spectrum is defined as the frequency range above the voiceband on a copper loop facility carrying analog circuit-switched voiceband transmissions. Access to the High Frequency Spectrum is intended to allow Global Connection the ability to provide Digital Subscriber Line ("xDSL") data services to the end user for which BellSouth provides voice services. The High Frequency Spectrum shall be available for any version of xDSL complying with Spectrum Management Class 5 of ANSI T1.417, American National Standard for Telecommunications, Spectrum Management for Loop Transmission Systems. BellSouth will continue to have access to the low frequency portion of the loop spectrum (from 300 Hertz to at least 3000 Hertz, and potentially up to 3400 Hertz, depending on equipment and facilities) for the purposes of providing voice service. Global Connection shall only use xDSL technology that is within the PSD mask for Spectrum Management Class 5 as found in the above-mentioned document.
- 3.1.3 Access to the High Frequency Spectrum requires an unloaded, 2-wire copper Loop. An unloaded Loop is a copper Loop with no load coils, low-pass filters, range extenders, DAMLs, or similar devices and minimal bridged taps consistent with ANSI T1.413 and T1.601.
- 3.1.4 BellSouth will provide Loop Modification to Global Connection on an existing Loop in accordance with procedures developed in the Line Sharing Collaborative. High Frequency Spectrum (Central Office Based) Unbundled Loop Modification is a separate distinct service from Unbundled Loop Modification set forth in Section 2.5 of this Attachment. Procedures for High Frequency Spectrum (Central Office Based) Unbundled Loop Modification were developed in the Line Sharing

Collaborative and may be found posted to the web at http://www.interconnection.bellsouth.com/html/unes.html. Nonrecurring rates for this UNE offering may be found in Exhibit B of this Attachment. BellSouth is not required to modify a Loop for access to the High Frequency spectrum if modification of that Loop significantly degrades BellSouth's voice service. If Global Connection requests that BellSouth modify a Loop longer than 18,000 ft. and such modification significantly degrades the voice services on the Loop, Global Connection shall pay for the Loop to be restored to its original state.

3.2 Provisioning of High Frequency Spectrum and Splitter Space

- 3.2.1 BellSouth will provide Global Connection with access to the High Frequency Spectrum as follows:
- 3.2.1.1 To order High Frequency Spectrum on a particular Loop, Global Connection must have a Digital Subscriber Line Access Multiplexer (DSLAM) collocated in the central office that serves the end-user of such Loop.
- 3.2.1.2 Global Connection may provide its own splitters or may order splitters in a central office once it has installed its DSLAM in that central office. BellSouth will install splitters within thirty-six (36) calendar days of Global Connection's submission of an error free Line Splitter Ordering Document ("LSOD") to the BellSouth Complex Resale Support Group.
- 3.2.1.3 Once a splitter is installed on behalf of Global Connection in a central office in which Global Connection is located, Global Connection shall be entitled to order the High Frequency Spectrum on lines served out of that central office. BellSouth will bill and Global Connection shall pay the electronic or manual ordering charges as applicable when Global Connection orders High Frequency Spectrum for enduser service.
- 3.2.1.4 BellSouth will select, purchase, install, and maintain a central office POTS splitter and provide Global Connection access to data ports on the splitter. The splitter will route the High Frequency Spectrum on the circuit to Global Connection's xDSL equipment in Global Connection's collocation space. At least 30 days before making a change in splitter suppliers, BellSouth will provide Global Connection with a carrier notification letter, informing Global Connection of change. Global Connection shall purchase ports on the splitter in increments of 8 or 24 ports.
- 3.2.1.5 BellSouth will install the splitter in (i) a common area close to Global Connection's collocation area, if possible; or (ii) in a BellSouth relay rack as close to Global Connection's DS0 termination point as possible. Global Connection shall have access to the splitter for test purposes, regardless of where the splitter is placed in the BellSouth premises. For purposes of this section, a common area is defined as an area in the central office in which both Parties have access to a common test

access point. A Termination Point is defined as the point of termination for Global Connection on the toll main distributing frame in the central office and is not the demarcation point set forth in Attachment 4 of this Agreement. BellSouth will cross-connect the splitter data ports to a specified Global Connection DS0 at such time that a Global Connection end user's service is established.

- 3.2.1.6 Global Connection may at its option purchase, install and maintain central office POTS splitters in its collocation arrangements. Global Connection may use such splitters for access to its customers and to provide digital line subscriber services to its customers using the High Frequency Spectrum. Existing Collocation rules and procedures shall apply.
- 3.2.1.7 Any splitters installed by Global Connection in its collocation arrangement shall comply with ANSI T1.413, Annex E, or any future ANSI splitter Standards. Global Connection may install any splitters that BellSouth deploys or permits to be deployed for itself or any BellSouth affiliate.
- 3.2.1.8 The High Frequency Spectrum shall only be available on Loops on which BellSouth is also providing, and continues to provide, analog voice service directly to the end user. In the event the end-user terminates its BellSouth provided voice service for any reason, or in the event BellSouth disconnects the end user's voice service pursuant to its tariffs or applicable law, and Global Connection desires to continue providing xDSL service on such Loop, Global Connection shall be required to purchase a full stand-alone Loop unbundled network element. To the extent commercially practicable, BellSouth shall give Global Connection notice in a reasonable time prior to disconnect, which notice shall give Global Connection an adequate opportunity to notify BellSouth of its intent to purchase such Loop. In those cases in which BellSouth no longer provides voice service to the end user and Global Connection purchases the full stand-alone Loop, Global Connection may elect the type of loop it will purchase. Global Connection will pay the appropriate recurring and non-recurring rates for such Loop as set forth in Exhibit B to this Attachment. In the event Global Connection purchases a voice grade Loop, Global Connection acknowledges that such Loop may not remain xDSL compatible.
- Only one competitive local exchange carrier shall be permitted access to the High Frequency Spectrum of any particular loop.

3.2.2 **Ordering**

3.2.2.1 Global Connection shall use BellSouth's Line Splitter Ordering Document ("LSOD") to order splitters from BellSouth and to activate and deactivate DS0 Collocation Connecting Facility Assignments (CFA) for use with High Frequency Spectrum.

- 3.2.2.2 BellSouth will provide Global Connection the Local Service Request ("LSR") format to be used when ordering the High Frequency Spectrum.
- 3.2.2.2.1 BellSouth will provision High Frequency Spectrum in compliance with BellSouth's Products and Services Interval Guide available at the website at http://www.interconnection.bellsouth.com.
- 3.2.2.2.2 BellSouth will provide Global Connection access to Preordering Loop Makeup (LMU), in accordance with the terms of this Agreement. BellSouth shall bill and Global Connection shall pay the rates for such services, as described in Exhibit B.
- 3.2.2.2.3 BellSouth shall test the data portion of the loop to ensure the continuity of the wiring for Global Connection's data.

3.2.3 **Maintenance and Repair**

- 3.2.3.1 Global Connection shall have access for repair and maintenance purposes, to any loop for which it has access to the High Frequency Spectrum. If Global Connection is using a BellSouth owned splitter, Global Connection may access the loop at the point where the combined voice and data signal exits the central office splitter via a bantam test jack. If Global Connection provides its own splitter, it may test from the collocation space or the Termination Point.
- 3.2.3.2 BellSouth will be responsible for repairing voice services and the physical line between the network interface device at the customer's premises and the Termination Point. Global Connection will be responsible for repairing data services. Each Party will be responsible for maintaining its own equipment.
- 3.2.3.3 Global Connection shall inform its end users to direct data problems to Global Connection, unless both voice and data services are impaired, in which event the end users should call BellSouth.
- 3.2.3.4 Once a Party has isolated a trouble to the other Party's portion of the loop, the Party isolating the trouble shall notify the end user that the trouble is on the other Party's portion of the Loop.
- 3.2.3.5 Notwithstanding anything else to the contrary in this Agreement, when BellSouth receives a voice trouble and isolates the trouble to the physical collocation arrangement belonging to Global Connection, BellSouth will notify Global Connection. Global Connection will provide no more than two (2) verbal connecting facility assignments (CFA) pair changes to BellSouth in an attempt to resolve the voice trouble. In the event a CFA pair change resolves the voice trouble, Global Connection will provide BellSouth an LSR with the new CFA pair information within 24 hours. If the owner of the collocation space fails to resolve the trouble by providing BellSouth with the verbal CFA pair changes, BellSouth may discontinue Global Connection's access to the High Frequency Spectrum on

such loop. BellSouth will not be responsible for any loss of data as a result of this action.

3.2.4 <u>Line Splitting</u>.

3.2.4.1 **General**

- 3.2.4.2 Line Splitting allows a provider of data services (a "Data LEC") and a provider of voice services (a "Voice CLEC") to deliver voice and data service to end users over the same loop. The Voice CLEC and Data LEC may be the same or different carriers. Global Connection shall provide BellSouth with a signed Letter of Authorization ("LOA") between it and the Data LEC or Voice CLEC with which it desires to provision Line Splitting services.
- 3.2.4.3 The splitter may be provided by the Data LEC, Voice CLEC or BellSouth. When Global Connection or its authorized agent owns the splitter, Line Splitting requires the following: a non-designed analog loop from the serving wire center to the network interface device (NID) at the end user's location; a collocation cross connection connecting the loop to the collocation space; a second collocation cross connection from the collocation space connected to a voice port; and a splitter. The loop and port cannot be a loop and port combination (i.e. UNE-P), but must be individual stand-alone network elements. When BellSouth owns the splitter, Line Splitting requires the following: a non designed analog loop from the serving wire center to the network interface device (NID) at the end user's location with CFA and splitter port assignments, and a collocation cross connection from the collocation space connected to a voice port.
- 3.2.4.4 An unloaded 2-wire copper loop must serve the end user. The meet point for the Voice CLEC and the Data LEC is the point of termination on the MDF for the Data LEC's cable and pairs.
- 3.2.4.5 End Users currently receiving voice service from a Voice CLEC through a UNE platform (UNE-P) may be converted to Line Splitting arrangements by Global Connection or its authorized agent ordering Line Splitting Service. If the CLEC wishes to provide the splitter, the UNE-P arrangement will be converted to a stand-alone UNE loop, a UNE port and two collocation cross connects. If BellSouth owns the splitter, the UNE-P arrangement will be converted to a stand-alone UNE loop, port, and one collocation cross connection.
- 3.2.4.6 When end users using High Frequency Spectrum CO Based line sharing service convert to Line Splitting, BellSouth will discontinue billing for the upper spectrum. BellSouth will continue to bill the Data LEC for all associated splitter charges if the Data LEC continues to use a BellSouth splitter. It is the responsibility of Global Connection or its authorized agent to determine if the loop is compatible for Line Splitting Service. Global Connection or its authorized agent may use the

existing loop unless it is not compatible with the Data LEC's data service and < customer_name> or its authorized agent submits an LSR to BellSouth to change the loop.

3.2.4.7 The foregoing procedures are applicable to migration to Line Splitting Service from a UNE-P arrangement. Where a UNE-P arrangement does not already exist, BellSouth will work cooperatively with CLECs to develop methods and procedures to develop a process whereby a Voice CLEC and a Data LEC may provide services over the same loop.

3.2.4.8 Ordering

- 3.2.4.9 Global Connection shall use BellSouth's Line Splitter Ordering Document ("LSOD") to order splitters from BellSouth and to activate and deactivate DS0 Collocation Connecting Facility Assignments (CFA) for use with Line Splitting.
- 3.2.4.10 BellSouth shall provide Global Connection the Local Service Request ("LSR") format to be used when ordering Line Splitting service.
- 3.2.4.11 BellSouth will provision Line Splitting service in compliance with BellSouth's Products and Services Interval Guide available at the website at http://www.interconnection.bellsouth.com.
- 3.2.4.12 BellSouth will provide Global Connection access to Preordering Loop Makeup (LMU) in accordance with the terms of this Agreement. BellSouth shall bill and Global Connection shall pay the rates for such services as described in Exhibit B.
- 3.2.4.13 BellSouth will provide loop modification to Global Connection on an existing loop in accordance with procedures developed in the Line Sharing Collaborative. High Frequency Spectrum (CO Based) Unbundled Loop Modification is a separate distinct service from Unbundled Loop Modification set forth in Section 2.5 of this Attachment. Procedures for High Frequency Spectrum (CO Based) Unbundled Loop Modification may be found on the web at: HTTP://www.interconnection.bellsouth.com/html/unes.html. Nonrecurring rates for this UNE offering may be found in Exhibit B of this Attachment.

3.2.4.14 Maintenance

3.2.4.15 BellSouth will be responsible for repairing voice services and the physical line between the network interface device at the customer's premises and the Termination Point. Global Connection will be responsible for repairing data services. Each Party will be responsible for maintaining its own equipment.

- 3.2.4.16 Global Connection shall inform its end users to direct data problems to Global Connection, unless both voice and data services are impaired, in which event the end users should call BellSouth.
- 3.2.4.17 Once a Party has isolated a trouble to the other Party's portion of the loop, the Party isolating the trouble shall notify the end user that the trouble is on the other Party's portion of the Loop.
- 3.2.4.18 When BellSouth receives a voice trouble and isolates the trouble to the physical collocation arrangement belonging to owner of the collocation space, BellSouth will notify the owner of the collocation space. The owner of the collocation space will provide no more than two (2) verbal CFA pair changes to BellSouth in an attempt to resolve the voice trouble. In the event the CFA pair is changed, the owner of the collocation space will provide BellSouth an LSR with the new CFA pair information within 24 hours. If the owner of the collocation space fails to resolve the trouble by providing BellSouth with the verbal CFA pair changes, BellSouth may discontinue the owner of the collocation space access to the High Frequency Spectrum on such loop.
- 3.2.4.19 If Global Connection is not the data provider, Global Connection shall indemnify, defend and hold harmless BellSouth from and against any claims, losses, actions, causes of action, suits, demands, damages, injury, and costs including reasonable attorney fees which arise out of actions related to the data provider.

3.2.5 Remote Site High Frequency Spectrum

3.2.6 Remote Site Line Sharing is being developed by the Line Sharing Collaborative, as described on the BellSouth website at www.interconnection.BellSouth.com.

Processes, rates, terms, or conditions for ordering or provisioning of this product have not been finalized. BellSouth and Global Connection shall work within the Line Sharing Collaborative to develop the processes, terms, and conditions required to implement Remote Site Line Sharing. Upon finalization of the appropriate and required processes, rates, terms, and conditions, the Parties shall amend the Agreement to incorporate those processes, rates, terms, and conditions.

4 Local Switching

- 4.1 BellSouth shall provide non-discriminatory access to local circuit switching capability and local tandem switching capability on an unbundled basis, except as set forth in the Sections below to Global Connection for the provision of a telecommunications service. BellSouth shall provide non-discriminatory access to packet switching capability on an unbundled basis to Global Connection for the provision of a telecommunications service only in the limited circumstance described below in Section 4.5.
- 4.2 Local Circuit Switching Capability, including Tandem Switching Capability

- 4.2.1 Local circuit switching capability is defined as: (A) line-side facilities, which include, but are not limited to, the connection between a loop termination at a main distribution frame and a switch line card; (B) trunk-side facilities, which include, but are not limited to, the connection between trunk termination at a trunk-side cross-connect panel and a switch trunk card; (C) switching provided by remote switching modules; and (D) all features, functions, and capabilities of the switch, which include, but are not limited to: (1) the basic switching function of connecting lines to lines, line to trunks, trunks to lines, and trunks to trunks, as well as the same basic capabilities made available to BellSouth's customers, such as a telephone number, white page listings, and dial tone; and (2) all other features that the switch is capable of providing, including but not limited to customer calling, customer local area signaling service features, and Centrex, as well as any technically feasible customized routing functions provided by the switch. Any features that are not currently available but are technically feasible through the switch can be requested through the BFR/NBR process.
- 4.2.2 Notwithstanding BellSouth's general duty to unbundle local circuit switching, BellSouth shall not be required to unbundle local circuit switching for Global Connection when Global Connection serves an end-user with four (4) or more voice-grade (DS-0) equivalents or lines served by BellSouth in one of the following MSAs: Atlanta, GA; Miami, FL; Orlando, FL; Ft. Lauderdale, FL; Charlotte-Gastonia-Rock Hill, NC; Greensboro-Winston Salem-High Point, NC; Nashville, TN; and New Orleans, LA, and BellSouth has provided non-discriminatory cost based access to the Enhanced Extended Link (EEL) throughout Density Zone 1 as determined by NECA Tariff No. 4 as in effect on January 1, 1999.
- 4.2.3 In the event that Global Connection orders local circuit switching for an end user with four (4) or more DS0 equivalent lines within Density Zone 1 in an MSA listed above, BellSouth shall charge Global Connection the market based rates in Exhibit B for use of the local circuit switching functionality for the affected facilities.
- 4.2.4 Unbundled Local Switching consists of three separate unbundled elements:
 Unbundled Ports, End Office Switching Functionality, and End Office Interoffice
 Trunk Ports.
- 4.2.5 Unbundled Local Switching combined with Common Transport and, if necessary, Tandem Switching provides to Global Connection's end user local calling and the ability to presubscribe to a primary carrier for intraLATA and/or to presubscribe to a primary carrier for interLATA toll service.
- 4.2.6 Provided that Global Connection purchases unbundled local switching from BellSouth and uses the BellSouth CIC for its end users' LPIC or if a BellSouth local end user selects BellSouth as its LPIC, then the Parties will consider as local any calls originated by an Global Connection local end user, or originated by a BellSouth local end user and terminated to an Global Connection local end user,

where such calls originate and terminate in the same LATA, except for those calls originated and terminated through switched access arrangements (i.e., calls that are transported by a party other than BellSouth). For such calls, BellSouth will charge Global Connection the UNE elements for the BellSouth facilities utilized. Neither Party shall bill the other originating or terminating switched access charges for such calls. Intercarrier compensation for local calls between BellSouth and Global Connection shall be as described in BellSouth's UNE Local Call Flows set forth on BellSouth's web site.

- 4.2.7 BellSouth shall assess Global Connection retroactive charges for UNE transport and switching associated with using the BellSouth LPIC if Global Connection has been able to previously select BellSouth as the end user LPIC prior to the option allowing the selection of a BellSouth provided LATA-wide local calling area being offered.
- 4.2.8 Where Global Connection purchases unbundled local switching from BellSouth but does not use the BellSouth CIC for its end users' LPIC, BellSouth will consider as local those direct dialed telephone calls that originate from an Global Connection end user and terminate within the basic local calling area or within the extended local calling areas and that are dialed using 7 or 10 digits as defined and specified in Section A3 of BellSouth's General Subscriber Services Tariffs. For such local calls, BellSouth will charge Global Connection the UNE elements for the BellSouth facilities utilized. Intercarrier compensation for local calls between BellSouth and Global Connection shall be as described in BellSouth's UNE Local Call Flows set forth on BellSouth's web site.
- 4.2.9 For any calls that originate and terminate through switched access arrangements (i.e., calls that are transported by a party other than BellSouth), BellSouth shall bill Global Connection the UNE elements for the BellSouth facilities utilized. Each Party may bill the toll provider originating or terminating switched access charges, as appropriate.
- 4.2.10 Reverse billed toll calls, such as intraLATA 800 calls, calling card calls and third party billed calls, where BellSouth is the carrier shall also be considered as local calls and Global Connection shall not bill BellSouth originating or terminating switched access for such calls.

4.2.11 <u>Unbundled Port Features</u>

- 4.2.11.1 Charges for Unbundled Port are as set forth in Exhibit B, and as specified in such exhibit, may or may not include individual features.
- 4.2.11.2 Where applicable and available, non-switch-based services may be ordered with the Unbundled Port at BellSouth's retail rates.

- 4.2.11.3 Any features that are not currently available but are technically feasible through the switch can be requested through the BFR/NBR process.
- 4.2.11.4 BellSouth will provide to Global Connection selective routing of calls to a requested Operator System platform pursuant to Section 10 of Attachment 2. Any other routing requests by Global Connection will be made pursuant to the BFR/NBR Process as set forth in Attachment 12.

4.2.12 **Provision for Local Switching**

- 4.2.12.1 BellSouth shall perform routine testing (e.g., Mechanized Loop Tests (MLT) and test calls such as 105, 107 and 108 type calls) and fault isolation on a mutually agreed upon schedule.
- 4.2.12.2 BellSouth shall control congestion points such as those caused by radio station call-ins, and network routing abnormalities. All traffic shall be restricted in a non-discriminatory manner.
- 4.2.12.3 BellSouth shall perform manual call trace and permit customer originated call trace. BellSouth shall provide Switching Service Point (SSP) capabilities and signaling software to interconnect the signaling links destined to the Signaling Transfer Point Switch (STPS). These capabilities shall adhere to the technical specifications set forth in the applicable industry standard technical references.
- 4.2.12.4 BellSouth shall provide interfaces to adjuncts through Telcordia standard interfaces. These adjuncts can include, but are not limited to, the Service Circuit Node and Automatic Call Distributors. BellSouth shall offer to Global Connection all AIN triggers in connection with its SMS/SCE offering.
- 4.2.12.5 BellSouth shall provide access to SS7 Signaling Network or Multi-Frequency trunking if requested by Global Connection.

4.2.13 <u>Local Switching Interfaces.</u>

- 4.2.13.1 Global Connection shall order ports and associated interfaces compatible with the services it wishes to provide, as listed in Exhibit B. BellSouth shall provide the following local switching interfaces:
- 4.2.13.1.1 Standard Tip/Ring interface including loopstart or groundstart, on-hook signaling (e.g., for calling number, calling name and message waiting lamp);
- 4.2.13.1.2 Coin phone signaling;
- 4.2.13.1.3 Basic Rate Interface ISDN adhering to appropriate Telcordia Technical Requirements;
- 4.2.13.1.4 Two-wire analog interface to PBX;

- 4.2.13.1.5 Four-wire analog interface to PBX;
- 4.2.13.1.6 Four-wire DS1 interface to PBX or customer provided equipment (e.g. computers and voice response systems);
- 4.2.13.1.7 Primary Rate ISDN to PBX adhering to ANSI standards Q.931, Q.932 and appropriate Telcordia Technical Requirements;
- 4.2.13.1.8 Switched Fractional DS1 with capabilities to configure Nx64 channels (where N = 1 to 24); and
- 4.2.13.1.9 Loops adhering to Telcordia TR-NWT-08 and TR-NWT-303 specifications to interconnect Digital Loop Carriers.

4.3 **Tandem Switching**

4.3.1 The Tandem Switching capability Network Element is defined as: (i) trunk-connect facilities, which include, but are not limited to, the connection between trunk termination at a cross connect panel and switch trunk card; (ii) the basic switch trunk function of connecting trunks to trunks; and (iii) the functions that are centralized in the Tandem Switches (as distinguished from separate end office switches), including but not limited to call recording, the routing of calls to operator services and signaling conversion features.

4.3.2 Technical Requirements

- 4.3.2.1 Tandem Switching shall have the same capabilities or equivalent capabilities as those described in Telcordia TR-TSY-000540 Issue 2R2, Tandem Supplement, 6/1/90. The requirements for Tandem Switching include, but are not limited to the following:
- 4.3.2.1.1 Tandem Switching shall provide signaling to establish a tandem connection;
- 4.3.2.1.2 Tandem Switching will provide screening as jointly agreed to by Global Connection and BellSouth;
- 4.3.2.1.3 Tandem Switching shall provide Advanced Intelligent Network triggers supporting AIN features where such routing is not available from the originating end office switch, to the extent such Tandem switch has such capability;
- 4.3.2.1.4 Tandem Switching shall provide access to Toll Free number database;
- 4.3.2.1.5 Tandem Switching shall provide connectivity to PSAPs where 911 solutions are deployed and the tandem is used for 911; and
- 4.3.2.1.6 Where appropriate, Tandem Switching shall provide connectivity for the purpose of routing transit traffic to and from other carriers.

- 4.3.2.2 BellSouth may perform testing and fault isolation on the underlying switch that is providing Tandem Switching. Such testing shall be testing routinely performed by BellSouth. The results and reports of the testing shall be made available to Global Connection.
- 4.3.2.3 BellSouth shall control congestion points and network abnormalities. All traffic will be restricted in a non-discriminatory manner.
- 4.3.2.4 Tandem Switching shall process originating toll-free traffic received from Global Connection's local switch.
- 4.3.2.5 In support of AIN triggers and features, Tandem Switching shall provide SSP capabilities when these capabilities are not available from the Local Switching Network Element, to the extent such Tandem Switch has such capability.
- 4.3.3 Upon Global Connection's purchase of overflow trunk groups, Tandem Switching shall provide an alternate routing pattern for Global Connection's traffic overflowing from direct end office high usage trunk groups.

4.4 <u>AIN Selective Carrier Routing for Operator Services, Directory Assistance</u> and Repair Centers

- 4.4.1 BellSouth will provide AIN Selective Carrier Routing at the request of Global Connection. AIN Selective Carrier Routing will provide Global Connection with the capability of routing operator calls, 0+ and 0- and 0+ NPA (LNPA) 555-1212 directory assistance, 1+411 directory assistance and 611 repair center calls to preselected destinations.
- 4.4.2 Global Connection shall order AIN Selective Carrier Routing through its Account Team. AIN Selective Carrier Routing must first be established regionally and then on a per central office, per state basis.
- 4.4.3 AIN Selective Carrier Routing is not available in DMS 10 switches.
- 4.4.4 Where AIN Selective Carrier Routing is utilized by Global Connection, the routing of Global Connection's end user calls shall be pursuant to information provided by Global Connection and stored in BellSouth's AIN Selective Carrier Routing Service Control Point database. AIN Selective Carrier Routing shall utilize a set of Line Class Codes (LCCs) unique to a basic class of service assigned on an 'as needed' basis. The same LCCs will be assigned in each central office where AIN Selective Carrier Routing is established.
- 4.4.5 Upon ordering of AIN Selective Carrier Routing Regional Service, Global Connection shall remit to BellSouth the Regional Service Order non-recurring charges set forth in Exhibit B of this Attachment. There shall be a non-recurring End Office Establishment Charge per office due at the addition of each central office where AIN Selective Carrier Routing will be utilized. Said non-recurring

charge shall be as set forth in Exhibit B of this Attachment. For each Global Connection end user activated, there shall be a non-recurring End User Establishment charge as set forth in Exhibit B of this Attachment. Global Connection shall pay the AIN Selective Carrier Routing Per Query Charge set forth in Exhibit B of this Attachment.

- 4.4.6 This Regional Service Order non-recurring charge will be non-refundable and will be paid with 1/2 due up-front with the submission of all fully completed required forms, including: Regional Selective Carrier Routing (SCR) Order Request-Form A, Central Office AIN Selective Carrier Routing (SCR) Order Request Form B, AIN_SCR Central Office Identification Form Form C, AIN_SCR Routing Options Selection Form Form D, and Routing Combinations Table Form E. BellSouth has 30 days to respond to Global Connection's fully completed firm order as a Regional Service Order. With the delivery of this firm order response to Global Connection, BellSouth considers that the delivery schedule of this service commences. The remaining 1/2 of the Regional Service Order payment must be paid when at least 90% of the Central Offices listed on the original order have been turned up for the service.
- 4.4.7 The non-recurring End Office Establishment Charge will be billed to Global Connection following BellSouth's normal monthly billing cycle for this type of order.
- 4.4.8 End-User Establishment Orders will not be turned-up until the second payment is received for the Regional Service Order. The non-recurring End-User Establishment Charges will be billed to Global Connection following BellSouth's normal monthly billing cycle for this type of order.
- 4.4.9 Additionally, the AIN Selective Carrier Routing Per Query Charge will be billed to Global Connection following the normal billing cycle for per query charges.
- 4.4.10 All other network components needed, for example, unbundled switching and unbundled local transport, etc, will be billed per contracted rates.

4.5 **Packet Switching Capability**

- 4.5.1 The packet switching capability network element is defined as the function of routing or forwarding packets, frames, cells or other data units based on address or other routing information contained in the packets, frames, cells or other data units.
- 4.5.2 BellSouth shall be required to provide non-discriminatory access to unbundled packet switching capability only where each of the following conditions are satisfied:
- 4.5.2.1 BellSouth has deployed digital loop carrier systems, including but not limited to, integrated digital loop carrier or universal digital loop carrier systems; or has

deployed any other system in which fiber optic facilities replace copper facilities in the distribution section (e.g., end office to remote terminal, pedestal or environmentally controlled vault);

- 4.5.2.2 There are no spare copper loops capable of supporting the xDSL services Global Connection seeks to offer;
- 4.5.2.3 BellSouth has not permitted Global Connection to deploy a DSLAM at the remote terminal, pedestal or environmentally controlled vault or other interconnection point, nor has Global Connection obtained a virtual collocation arrangement at these sub-loop interconnection points as defined by 47 CFR § 51.319 (b); and
- 4.5.2.4 BellSouth has deployed packet switching capability for its own use.
- 4.5.3 If there is a dispute as to whether BellSouth must provide Packet Switching, such dispute will be resolved according to the dispute resolution process set forth in Section 12 of the General Terms and Conditions of this Agreement, incorporated herein by this reference.

4.6 **Interoffice Transmission Facilities**

4.6.1 BellSouth shall provide nondiscriminatory access, in accordance with FCC Rule 51.311 and Section 251(c)(3) of the Act, to interoffice transmission facilities on an unbundled basis to Global Connection for the provision of a telecommunications service.

5 Unbundled Network Element Combinations

- 5.1 Unbundled Network Element Combinations shall include: 1) Enhanced Extended Links (EELs); 2) Other Non-Switched Transport Combinations; 3) UNE Loop/Special Access Combinations; and 4) UNE Loop/Port Combinations.
- For purposes of this Section, references to "Currently Combined" network elements shall mean that such network elements are in fact already combined by BellSouth in the BellSouth network to provide service to a particular end user at a particular location.

5.3 Enhanced Extended Links (EELs)

- Where facilities permit and where necessary to comply with an effective FCC and/or State Commission order, or as otherwise mutually agreed by the Parties, BellSouth shall offer access to loop and transport combinations, also known as the Enhanced Extended Link ("EEL") as defined in Section 5.3.2 below.
- 5.3.2 Subject to Section 5.3.4 below, BellSouth will provide access to the EEL in the combinations set forth in Section 5.3.5 following. Global Connection shall provide to BellSouth a letter certifying that Global Connection is providing a significant

amount of local exchange service (as described in Sections 5.3.7.2, 5.3.7.3, 5.3.7.4, or 5.3.7.5) over such combinations. This offering is intended to provide connectivity from an end user's location through that end user's SWC to Global Connection's POP serving wire center. The circuit must be connected to Global Connection's switch for the purpose of provisioning telephone exchange service to Global Connection's end-user customers. The EEL will be connected to Global Connection's facilities in Global Connection's collocation space at the POP SWC, or Global Connection may purchase BellSouth's access facilities between Global Connection's POP and Global Connection's collocation space at the POP SWC.

- When ordering EEL combinations, Global Connection shall provide to BellSouth a letter certifying that Global Connection will provide a significant amount of local exchange service over the requested combination, as described in Section 5.3.6 below, and shall indicate under what local usage option Global Connection seeks to qualify. Global Connection shall be deemed to be providing a significant amount of local exchange service if one of the three (3) options set forth in Sections 5.3.7.2 through 5.3.7.4 is met. BellSouth shall have the right to audit Global Connection's records to verify that Global Connection is meeting the applicable local usage requirements. Such audit shall comply with the terms of Section 5.3.7.6 of this Attachment.
- 5.3.4 BellSouth shall provide EEL combinations to Global Connection in Georgia, Kentucky, Louisiana, Mississippi, South Carolina and Tennessee regardless of whether or not such EELs are Currently Combined. In all other states, BellSouth shall make available to Global Connection those EEL combinations described in Section 5.3.5 below only to the extent such combinations are Currently Combined. Furthermore, BellSouth will make available new EEL combinations to Global Connection in density Zone 1, as defined in 47 CFR 69.123 as of January 1, 1999, in the Atlanta, GA; Miami, FL; Orlando, FL; Ft. Lauderdale, FL; Charlotte-Gastonia-Rock Hill, NC; Greensboro-Winston Salem-High Point, NC; Nashville, TN; and New Orleans, LA, MSAs. Except as stated above, EELs will be provided to Global Connection only to the extent such network elements are Currently Combined.

5.3.5 **EEL Combinations**

- 5.3.5.1 DS1 Interoffice Channel + DS1 Channelization + 2-wire VG Local Loop
- 5.3.5.2 DS1 Interoffice Channel + DS1 Channelization + 4-wire VG Local Loop
- 5.3.5.3 DS1 Interoffice Channel + DS1 Channelization + 2-wire ISDN Local Loop
- 5.3.5.4 DS1 Interoffice Channel + DS1 Channelization + 4-wire 56 kbps Local Loop
- 5.3.5.5 DS1 Interoffice Channel + DS1 Channelization + 4-wire 64 kbps Local Loop
- 5.3.5.6 DS1 Interoffice Channel + DS1 Local Loop

5.3.5.7 DS3 Interoffice Channel + DS3 Local Loop 5.3.5.8 STS-1 Interoffice Channel + STS-1 Local Loop 5.3.5.9 DS3 Interoffice Channel + DS3 Channelization + DS1 Local Loop 5.3.5.10 STS-1 Interoffice Channel + DS3 Channelization + DS1 Local Loop 5.3.5.11 2-wire VG Interoffice Channel + 2-wire VG Local Loop 5.3.5.12 4wire VG Interoffice Channel + 4-wire VG Local Loop 5.3.5.13 4-wire 56 kbps Interoffice Channel + 4-wire 56 kbps Local Loop 5.3.5.14 4-wire 64 kbps Interoffice Channel + 4-wire 64 kbps Local Loop 5.3.6 To order EELs Global Connection must meet the requirements in Section 5.3.7.2 or 5.3.7.3.

5.3.7 **Special Access Service Conversions**

- Global Connection may not convert special access services to combinations of loop and transport network elements, whether or not Global Connection self-provides its entrance facilities (or obtains entrance facilities from a third party), unless Global Connection uses the combination to provide a significant amount of local exchange service, in addition to exchange access service, to a particular customer. To the extent Global Connection requests to convert any special access services to combinations of loop and transport network elements at UNE prices, Global Connection shall provide to BellSouth a letter certifying that Global Connection is providing a significant amount of local exchange service (as described in this Section) over such combinations. The certification letter shall also indicate under what local usage option Global Connection seeks to qualify for conversion of special access circuits. Global Connection shall be deemed to be providing a significant amount of local exchange service over such combinations if one of the following options is met:
- 5.3.7.2 Global Connection certifies that it is the exclusive provider of an end user's local exchange service. The loop-transport combinations must terminate at Global Connection's collocation arrangement in at least one BellSouth central office. This option does not allow loop-transport combinations to be connected to BellSouth's tariffed services. Under this option, Global Connection is the end user's only local service provider, and thus, is providing more than a significant amount of local exchange service. Global Connection can then use the loop-transport combinations that serve the end user to carry any type of traffic, including using them to carry 100 percent interstate access traffic; or

- 5.3.7.3 Global Connection certifies that it provides local exchange and exchange access service to the end user customer's premises and handles at least one third of the end user customer's local traffic measured as a percent of total end user customer local dialtone lines; and for DS1 circuits and above, at least 50 percent of the activated channels on the loop portion of the loop-transport combination have at least 5 percent local voice traffic individually, and the entire loop facility has at least 10 percent local voice traffic. When a loop-transport combination includes multiplexing, each of the individual DS1 circuits must meet these criteria. The loop-transport combination must terminate at Global Connection's collocation arrangement in at least one BellSouth central office. This option does not allow loop-transport combinations to be connected to BellSouth tariffed services; or
- Global Connection certifies that at least 50 percent of the activated channels on a circuit are used to provide originating and terminating local dialtone service and at least 50 percent of the traffic on each of these local dialtone channels is local voice traffic, and that the entire loop facility has at least 33 percent local voice traffic. When a loop-transport combination includes multiplexing, each of the individual DS1 circuits must meet these criteria. This option does not allow loop-transport combinations to be connected to BellSouth's tariffed services. Under this option, collocation is not required. Global Connection does not need to provide a defined portion of the end user's local service, but the active channels on any loop-transport combination, and the entire facility, must carry the amount of local exchange traffic specified in this option.
- 5.3.7.5 In addition, there may be extraordinary circumstances where Global Connection is providing a significant amount of local exchange service, but does not qualify under any of the three options set forth in Section 5.3.7. In such case, Global Connection may petition the FCC for a waiver of the local usage options set forth in the June 2, 2000 Order. If a waiver is granted, then upon Global Connection's request the Parties shall amend this Agreement to the extent necessary to incorporate the terms of such waiver for such extraordinary circumstance.
- 5.3.7.6 BellSouth may at its sole discretion audit Global Connection records in order to verify the type of traffic being transmitted over combinations of loop and transport network elements. The audit shall be conducted by a third party independent auditor, and Global Connection shall be given thirty days written notice of scheduled audit. Such audit shall occur no more than one time in a calendar year, unless results of an audit find noncompliance with the significant amount of local exchange service requirement. In the event of noncompliance, Global Connection shall reimburse BellSouth for the cost of the audit. If, based on its audits, BellSouth concludes that Global Connection is not providing a significant amount of local exchange traffic over the combinations of loop and transport network elements, BellSouth may file a complaint with the appropriate Commission, pursuant to the dispute resolution process as set forth in the Interconnection Agreement. In the event that BellSouth prevails, BellSouth may convert such

combinations of loop and transport network elements to special access services and may seek appropriate retroactive reimbursement from Global Connection.

5.3.7.7 Global Connection may convert special access circuits to combinations of loop and transport UNEs pursuant to the terms of this Section and subject to the termination provisions in the applicable special access tariffs, if any.

5.3.8 **Rates**

- 5.3.8.1 Georgia, Kentucky, Louisiana, Mississippi, South Carolina and Tennessee
- 5.3.8.1.1 The non-recurring and recurring rates for the EEL Combinations of network elements set forth in 5.3.4, whether Currently Combined or new, are as set forth in Exhibit B of this Attachment.
- 5.3.8.1.2 For combinations of loop and transport network elements not set forth in Section 5.3.5, where the elements are not Currently Combined but are ordinarily combined in BellSouth's network, the non-recurring and recurring charges for such UNE combinations shall be the sum of the stand-alone non-recurring and recurring charges of the network elements which make up the combination.
- 5.3.8.1.3 To the extent that Global Connection seeks to obtain other combinations of network elements that BellSouth ordinarily combines in its network which have not been specifically priced by the Commission when purchased in combined form, Global Connection, at its option, can request that such rates be determined pursuant to the BFR/NBR process set forth in this Agreement.
- 5.3.8.2 All Other States
- 5.3.8.2.1 Subject to the preceding sections, for all other states, the non-recurring and recurring rates for the Currently Combined EEL combinations set forth in Section 5.3.5 and other Currently Combined network elements will be the sum of the recurring rates for the individual network elements plus a non recurring charge set forth in Exhibit B of this Attachment.

5.3.9 **Multiplexing**

5.3.9.1 Where multiplexing functionality is required in connection with loop and transport combinations, such multiplexing will be provided at the rates and on the terms set forth in this Agreement.

5.4 Other Non-Switched Combinations

5.4.1 In the states of Georgia, Kentucky, Louisiana, Mississippi, South Carolina and Tennessee, BellSouth shall make available to Global Connection, in accordance with Section 5.4.2.1 below: (1) combinations of network elements other than EELs that are Currently Combined; and (2) combinations of network elements

other than EELs that are not Currently Combined but that BellSouth ordinarily combines in its network. In all other states, BellSouth shall make available to Global Connection, in accordance with Section 5.4.2.2 below, combinations of network elements other than EELs only to the extent such combinations are Currently Combined.

- 5.4.2 Rates
- 5.4.2.1 Georgia, Kentucky, Louisiana, Mississippi, South Carolina and Tennessee
- 5.4.2.1.1 The non-recurring and recurring rates for Other Network Element combinations, whether Currently Combined or new, are as set forth in Exhibit B of this Attachment.
- 5.4.2.1.2 For Other Network Element combinations where the elements are not Currently Combined but are ordinarily combined in BellSouth's network, the non-recurring and recurring charges for such UNE combinations shall be the sum of the standalone non-recurring and recurring charges of the network elements that make up the combination.
- 5.4.2.1.3 To the extent that Global Connection seeks to obtain other combinations of network elements that BellSouth ordinarily combines in its network which have not been specifically priced by the Commission when purchased in combined form, Global Connection, at its option, can request that such rates be determined pursuant to the BFR/NBR process set forth in this Agreement.
- 5.4.2.2 All Other States
- 5.4.2.2.1 For all other states, the non-recurring and recurring rates for the Other Network Element Combinations that are Currently Combined will be the sum of the recurring rates for the individual network elements plus a non-recurring charge set forth in Exhibit B of this Attachment.
- 5.5 **UNE Loop/Special Access Combinations**
- 5.5.1 BellSouth shall make available to Global Connection a new combination of an unbundled loop and tariffed special access interoffice facilities. To the extent Global Connection will require multiplexing functionality in connection with such combination, BellSouth will provide access to multiplexing within the central office pursuant to the terms, conditions and rates set forth in its Access Services Tariffs. The tariffed special access interoffice facilities and any associated tariffed services, including but not limited to multiplexing, shall not be eligible for conversion to UNEs as described in Section 5.3.7.
- 5.5.2 Rates

- 5.5.2.1 The non-recurring and recurring rates for UNE/Special Access Combinations will be the sum of the unbundled loop rates as set forth in Exhibit B and the interoffice transport rates and multiplexing rates as set forth in the Access Services Tariff.
- 5.6 UNE Port/Loop Combinations
- 5.6.1 Combinations of port and loop unbundled network elements along with switching and transport unbundled network elements provide local exchange service for the origination or termination of calls. Port/ loop combinations support the same local calling and feature requirements as described in the Unbundled Local Switching or Port section of this Attachment 2 and the ability to presubscribe to a primary carrier for interLATA and/or to presubscribe to a primary carrier for interLATA toll service.
- 5.6.2 BellSouth shall make available UNE port/loop combinations, regardless of whether such combinations are Currently Combined, so long as such combinations are ordinarily combined in BellSouth's network.
- 5.6.2.1 Except as set forth in section 5.6.3 below, in Georgia, Kentucky, Louisiana, Mississippi, South Carolina and Tennessee, BellSouth shall provide UNE port/loop combinations that are ordinarily combined in BellSouth's network, regardless of whether such combinations are Currently Combined at the cost-based rates in Exhibit B.
- 5.6.2.2 In Alabama, Florida, and North Carolina, BellSouth shall provide UNE port/loop combinations that are not Currently Combined but that are ordinarily combined in BellSouth's network at the market rates in Exhibit B.
- 5.6.2.3 In Alabama, Florida, and North Carolina, BellSouth shall provide UNE port/loop combinations that are Currently Combined at the cost-based rates in Exhibit B.
- BellSouth is not required to provide combinations of port and loop network elements on an unbundled basis in locations where, pursuant to FCC rules, BellSouth is not required to provide circuit switching as an unbundled network element.
- 5.6.3.1 BellSouth shall not be required to provide local circuit switching as an unbundled network element in density Zone 1, as defined in 47 CFR 69.123 as of January 1, 1999 of the Atlanta, GA; Miami, FL; Orlando, FL; Ft. Lauderdale, FL; Charlotte-Gastonia-Rock Hill, NC; Greensboro-Winston Salem-High Point, NC; Nashville, TN; and New Orleans, LA, MSAs to Global Connection if Global Connection's customer has 4 or more DS0 equivalent lines.
- Notwithstanding the foregoing, BellSouth shall provide combinations of port and loop network elements on an unbundled basis where, pursuant to FCC rules, BellSouth is not required to provide local circuit switching as an unbundled network element and shall do so at the market rates in Exhibit B.

- 5.6.4 Combination Offerings
- 5.6.4.1 2-wire voice grade port, voice grade loop, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.
- 5.6.4.2 2-wire voice grade Coin port, voice grade loop, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.
- 5.6.4.3 2-wire voice grade DID port, voice grade loop, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.
- 5.6.4.4 2-wire CENTREX port, voice grade loop, CENTREX intercom functionality, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.
- 5.6.4.5 2-wire ISDN Basic Rate Interface, voice grade loop, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.
- 5.6.4.6 4-wire ISDN Primary Rate Interface, DS1 loop, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.
- 5.6.4.7 4-wire DS1 Trunk port, DS1 Loop, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.
- 4-wire DS1 Loop with normal serving wire center channelization interface, 2-wire voice grade ports (PBX), 2-wire DID ports, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.

6 Transport, Channelization and Dark Fiber

6.1 **Transport**

- 6.1.1 Interoffice transmission facility network elements include:
- 6.1.1.1 Dedicated transport, defined as BellSouth's transmission facilities, is dedicated to a particular customer or carrier that provides telecommunications between wire centers or switches owned by BellSouth, or between wire centers and switches owned by BellSouth and Global Connection.

- Dark Fiber transport, defined as BellSouth's optical transmission facilities without attached signal regeneration, multiplexing, aggregation or other electronics;
- 6.1.1.3 Common (Shared) transport, defined as transmission facilities shared by more than one carrier, including BellSouth, between end office switches, between end office switches and tandem switches, and between tandem switches, in BellSouth's network. Where BellSouth Network Elements are connected by intraoffice wiring, such wiring is provided as part of the Network Element and is not Common (Shared) Transport.
- 6.1.2 BellSouth shall:
- 6.1.2.1 Provide Global Connection exclusive use of interoffice transmission facilities dedicated to a particular customer or carrier, or shared use of the features, functions, and capabilities of interoffice transmission facilities shared by more than one customer or carrier;
- 6.1.2.2 Provide all technically feasible transmission facilities, features, functions, and capabilities of the transport facility for the provision of telecommunications services;
- 6.1.2.3 Permit, to the extent technically feasible, Global Connection to connect such interoffice facilities to equipment designated by Global Connection, including but not limited to, Global Connection's collocated facilities; and
- 6.1.2.4 Permit, to the extent technically feasible, Global Connection to obtain the functionality provided by BellSouth's digital cross-connect systems.
- 6.1.3 Technical Requirements of Common (Shared) Transport
- 6.1.3.1 Common (Shared) Transport provided on DS1 or VT1.5 circuits, shall, at a minimum, meet the performance, availability, jitter, and delay requirements specified for Central Office to Central Office ("CO to CO") connections in the applicable industry standards.
- 6.1.3.2 Common (Shared) Transport provided on DS3 circuits, STS-1 circuits, and higher transmission bit rate circuits, shall, at a minimum, meet the performance, availability, jitter, and delay requirements specified for CO to CO connections in the applicable industry standards.
- 6.1.3.3 BellSouth shall be responsible for the engineering, provisioning, and maintenance of the underlying equipment and facilities that are used to provide Common (Shared) Transport.
- 6.1.3.4 At a minimum, Common (Shared) Transport shall meet all of the requirements set forth in the applicable industry standards.

6.2	Dedicated Transport
6.2.1	Dedicated Transport is composed of the following Unbundled Network Elements:
6.2.1.1	Unbundled Local Channel, defined as the dedicated transmission path between Global Connection's Point of Presence ("POP") and Global Connection's collocation space in the BellSouth Serving Wire Center for Global Connection's POP, and
6.2.1.2	Unbundled Interoffice Channel, defined as the dedicated transmission path that provides telecommunication between BellSouth's Serving Wire Centers' collocations.
6.2.1.3	BellSouth shall offer Dedicated Transport in each of the following ways:
6.2.1.3.1	As capacity on a shared UNE facility.
6.2.1.3.2	As a circuit (e.g., DS0, DS1, DS3) dedicated to Global Connection.
6.2.1.4	Dedicated Transport may be provided over facilities such as optical fiber, copper twisted pair, and coaxial cable, and shall include transmission equipment such as, line terminating equipment, amplifiers, and regenerators.
6.2.2	Technical Requirements
6.2.2.1	The entire designated transmission service (e.g., DS0, DS1, DS3) shall be dedicated to Global Connection designated traffic.
6.2.2.2	For DS1 or VT1.5 circuits, Dedicated Transport shall, at a minimum, meet the performance, availability, jitter, and delay requirements specified for Customer Interface to Central Office ("CI to CO") connections in the applicable industry standards.
6.2.2.3	For DS3 circuits, Dedicated Transport shall, at a minimum, meet the performance, availability, jitter, and delay requirements specified for CI to CO connections in the applicable industry standards.
6.2.2.4	BellSouth shall offer the following interface transmission rates for Dedicated Transport:
6.2.2.4.1	DS0 Equivalent;
6.2.2.4.2	DS1;
6.2.2.4.3	DS3; and

- 6.2.2.4.4 SDH (Synchronous Digital Hierarchy) Standard interface rates in accordance with International Telecommunications Union (ITU) Recommendation G.707 and Plesiochronous Digital Hierarchy (PDH) rates per ITU Recommendation G.704.
- 6.2.2.5 BellSouth shall design Dedicated Transport according to its network infrastructure. Global Connection shall specify the termination points for Dedicated Transport.
- At a minimum, Dedicated Transport shall meet each of the requirements set forth in the applicable industry technical references.
- 6.2.2.7 BellSouth Technical References:
- 6.2.2.7.1 TR-TSY-000191 Alarm Indication Signals Requirements and Objectives, Issue 1, May 1986.
- 6.2.2.7.2 TR 73501 LightGate[®] Service Interface and Performance Specifications, Issue D, June 1995.
- 6.2.2.7.3 TR 73525 MegaLink® Service, MegaLink Channel Service and MegaLink Plus Service Interface and Performance Specifications, Issue C, May 1996.

6.3 <u>Unbundled Channelization (Multiplexing)</u>

- Unbundled Channelization (UC) provides the multiplexing capability that will allow a DS1 (1.544 Mbps) or DS3 (44.736 Mbps) or STS-1 (51.84 Mbps)
 Unbundled Network Element (UNE) or collocation cross-connect to be multiplexed or channelized at a BellSouth central office. Channelization will be offered with both the high and low speed sides to be connected to collocation. Channelization can be accomplished through the use of a stand-alone multiplexer or a digital cross-connect system at the discretion of BellSouth. Once UC has been installed, Global Connection may request channel activation on an as-needed basis and BellSouth shall connect the requested facilities via Central Office Channel Interfaces (COCIs). The COCI must be compatible with the lower capacity facility and ordered with the lower capacity facility.
- 6.3.2 BellSouth shall make available the following channelization systems:
- 6.3.2.1 DS3/STS-1 Channelization System: channelizes a DS3 signal into 28 DS1s.
- 6.3.2.2 DS1 Channelization System: channelizes a DS1 signal into 24 DS0s.
- 6.3.3 BellSouth shall make available the following
- 6.3.3.1 Central Office Channel Interfaces (COCI):
- 6.3.3.2 DS1 COCI, which can be activated on a DS3 Channelization System.

- 6.3.3.3 Voice Grade and Digital Data COCI, which can be activated on a DS1 Channelization System.
- 6.3.3.4 Data COCI, which can be activated on a DS1 Channelization System.
- 6.3.3.5 AMI and B8ZS line coding with either Super Frame (SF) and Extended Super Frame (ESF) framing formats will be supported as options.
- 6.3.4 Technical Requirements
- 6.3.4.1 In order to assure proper operation with BellSouth provided central office multiplexing functionality, Global Connection's channelization equipment must adhere strictly to form and protocol standards. Global Connection must also adhere to such applicable industry standards for the multiplex channel bank, for voice frequency encoding, for various signaling schemes, and for sub rate digital access.
- 6.3.4.2 DS0 to DS1 Channelization
- 6.3.4.2.1 The DS1 signal must be framed utilizing the framing structure defined in ANSI T1.107, Digital Hierarchy Formats Specifications and ANSI T1.403.02, DS1 Robbed-bit Signaling State Definitions.
- 6.3.4.3 DS1 to DS3 Channelization
- 6.3.4.3.1 The DS3 signal must be framed utilizing the framing structure define in ANSI T1.107, Digital Hierarchy Formats Specifications. The asynchronous M13 multiplex format (combination of M12 and M23 formats) is specified for terminal equipment that multiplexes 28 DS1s into a DS3.
- 6.3.4.4 DS1 to STS Channelization
- 6.3.4.4.1 The STS-1 signal must be framed utilizing the framing structure define in ANSI T1.105, Synchronous Optical Network (SONET) Basic Description Including Multiplex Structure, Rates and Formats and T1.105.02, Synchronous Optical Network (SONET) Payload Mappings.
- 6.4 **Dark Fiber Transport**
- Dark Fiber Transport is an unused optical transmission facility without attached signal regeneration, multiplexing, aggregation or other electronics that connects two points within BellSouth's network. It may be strands of optical fiber existing in aerial or underground structure. BellSouth will not provide line terminating elements, regeneration or other electronics necessary for Global Connection to utilize Dark Fiber Transport.

- Dark Fiber Transport rates are differentiated between Local Channel, Interoffice Channel and Local Loop.
- 6.4.3 Requirements
- BellSouth shall make available Dark Fiber Transport where it exists in BellSouth's network and where, as a result of future building or deployment, it becomes available. Dark Fiber Transport will not be deemed available if (1) it is used by BellSouth for maintenance and repair purposes, (2) it is designated for use pursuant to a firm order placed by another customer, (3) it is restricted for use by all carriers, including BellSouth, because of transmission problems or because it is scheduled for removal due to documented changes to roads and infrastructure, or (4) BellSouth has plans to use the fiber within a two-year planning period. BellSouth is not required to place fibers for Dark Fiber Transport if there are none available.
- 6.4.3.2 If the requested Dark Fiber Transport has any lightwave repeater equipment interspliced to it, BellSouth will remove such equipment at Global Connection's request subject to time and materials charges.
- Global Connection is solely responsible for testing the quality of the Dark Fiber Transport to determine its usability and performance specifications.
- 6.4.3.4 BellSouth shall use its best efforts to provide to Global Connection information regarding the location, availability and performance of Dark Fiber Transport within ten (10) business days after receiving a request from Global Connection. Within such time period, BellSouth shall send written confirmation of availability of the Dark Fiber Transport.
- 6.4.3.5 If the requested Dark Fiber Transport is available, BellSouth shall use its commercially reasonable efforts to provision the Dark Fiber Transport to Global Connection within twenty (20) business days after Global Connection submits a valid, error free LSR. Provisioning includes identification of appropriate connection points (e.g., Light Guide Interconnection (LGX)) to enable Global Connection to connect or splice Global Connection provided transmission media (e.g., optical fiber) or equipment to the Dark Fiber Transport.
- 7 BellSouth Switched Access ("SWA") 8XX Toll Free Dialing Ten Digit Screening Service
- 7.1 The BellSouth SWA 8XX Toll Free Dialing Ten Digit Screening Service database ("8XX SCP Database") is a Signaling control Point ("SCP") that contains customer record information and the functionality to provide call-handling instructions for 8XX calls. The 8XX SCP IN software stores data downloaded from the national SMS/8XX database and provides the routing instructions in response to queries from the Switching Service Point ("SSP") or tandem. The

BellSouth SWA 8XX Toll Free Dialing Ten Digit Screening Service ("8XX TFD Service") utilizes the 8XX SCP Database to provide identification and routing of the 8XX calls, based on the ten digits dialed. At Global Connection's option, 8XX TFD Service is provided with or without POTS number delivery, dialing number delivery, and other optional complex features as selected by Global Connection.

7.2 The 8XX SCP Database is designated to receive and respond to queries using the ANSI Specification of Signaling System Seven (SS7) protocol.

8 Line Information Database (LIDB)

- 8.1 The Line Information Database (LIDB) is a transaction-oriented database accessible through Common Channel Signaling (CCS) networks. For access to LIDB, Global Connection must purchase appropriate signaling links pursuant to Section 9 of this Attachment. LIDB contains records associated with end user Line Numbers and Special Billing Numbers. LIDB accepts queries from other Network Elements and provides appropriate responses. The query originator need not be the owner of LIDB data. LIDB queries include functions such as screening billed numbers that provides the ability to accept Collect or Third Number Billing calls and validation of Telephone Line Number based non-proprietary calling cards. The interface for the LIDB functionality is the interface between BellSouth's CCS network and other CCS networks. LIDB also interfaces to administrative systems.
- 8.2 Technical Requirements
- 8.2.1 BellSouth will offer to Global Connection any additional capabilities that are developed for LIDB during the life of this Agreement.
- 8.2.2 BellSouth shall process Global Connection's Customer records in LIDB at least at parity with BellSouth customer records, with respect to other LIDB functions. BellSouth shall indicate to Global Connection what additional functions (if any) are performed by LIDB in the BellSouth network.
- 8.2.3 Within two (2) weeks after a request by Global Connection, BellSouth shall provide Global Connection with a list of the customer data items, which Global Connection would have to provide in order to support each required LIDB function. The list shall indicate which data items are essential to LIDB function, and which are required only to support certain services. For each data item, the list shall show the data formats, the acceptable values of the data item and the meaning of those values.
- 8.2.4 BellSouth shall provide LIDB systems for which operating deficiencies that would result in calls being blocked shall not exceed 30 minutes per year.
- 8.2.5 BellSouth shall provide LIDB systems for which operating deficiencies that would not result in calls being blocked shall not exceed 12 hours per year.

- 8.2.6 BellSouth shall provide LIDB systems for which the LIDB function shall be in overload no more than 12 hours per year.
- 8.2.7 All additions, updates and deletions of Global Connection data to the LIDB shall be solely at the direction of Global Connection. Such direction from Global Connection will not be required where the addition, update or deletion is necessary to perform standard fraud control measures (e.g., calling card auto-deactivation).
- 8.2.8 BellSouth shall provide priority updates to LIDB for Global Connection data upon Global Connection's request (e.g., to support fraud detection), via password-protected telephone card, facsimile, or electronic mail within one hour of notice from the established BellSouth contact.
- 8.2.9 BellSouth shall provide LIDB systems such that no more than 0.01% of Global Connection customer records will be missing from LIDB, as measured by Global Connection audits. BellSouth will audit Global Connection records in LIDB against DBAS to identify record mismatches and provide this data to a designated Global Connection contact person to resolve the status of the records and BellSouth will update system appropriately. BellSouth will refer record of mismatches to Global Connection within one business day of audit. Once reconciled records are received back from Global Connection, BellSouth will update LIDB the same business day if less than 500 records are received before 1:00PM Central Time. If more than 500 records are received, BellSouth will contact Global Connection to negotiate a time frame for the updates, not to exceed three business days.
- 8.2.10 BellSouth shall perform backup and recovery of all of Global Connection's data in LIDB including sending to LIDB all changes made since the date of the most recent backup copy, in at least the same time frame BellSouth performs backup and recovery of BellSouth data in LIDB for itself. Currently, BellSouth performs backups of the LIDB for itself on a weekly basis and when a new software release is scheduled, a backup is performed prior to loading the new release.
- 8.2.11 BellSouth shall provide Global Connection with LIDB reports of data, which are missing or contain errors, as well as any misrouted errors, within a reasonable time period as negotiated between Global Connection and BellSouth.
- 8.2.12 BellSouth shall prevent any access to or use of Global Connection data in LIDB by BellSouth personnel that are outside of established administrative and fraud control personnel, or by any other Party that is not authorized by Global Connection in writing.
- 8.2.13 BellSouth shall provide Global Connection performance of the LIDB Data Screening function, which allows a LIDB to completely or partially deny specific query originators access to LIDB data owned by specific data owners, for Customer Data that is part of an NPA-NXX or RAO-0/1XX wholly or partially

owned by Global Connection at least at parity with BellSouth Customer Data. BellSouth shall obtain from Global Connection the screening information associated with LIDB Data Screening of Global Connection data in accordance with this requirement. BellSouth currently does not have LIDB Data Screening capabilities. When such capability is available, BellSouth shall offer it to Global Connection under the BFR/NBR process as set forth in Attachment 12.

- 8.2.14 BellSouth shall accept queries to LIDB associated with Global Connection customer records, and shall return responses in accordance with industry standards.
- 8.2.15 BellSouth shall provide mean processing time at the LIDB within 0.50 seconds under normal conditions as defined in industry standards.
- 8.2.16 BellSouth shall provide processing time at the LIDB within 1 second for 99% of all messages under normal conditions as defined in industry standards.
- 8.3 Interface Requirements
- 8.3.1 BellSouth shall offer LIDB in accordance with the requirements of this subsection.
- 8.3.2 The interface to LIDB shall be in accordance with the technical references contained within.
- 8.3.3 The CCS interface to LIDB shall be the standard interface described herein.
- 8.3.4 The LIDB Data Base interpretation of the ANSI-TCAP messages shall comply with the technical reference herein. Global Title Translation shall be maintained in the signaling network in order to support signaling network routing to the LIDB.
- 8.3.5 The application of the LIDB rates contained in Exhibit B to this Attachment will be based on a Percent CLEC LIDB Usage ("PCLU") factor. Global Connection shall provide BellSouth a PCLU. The PCLU will be applied to determine the percentage of total LIDB usage to be billed to the other Party at local rates. Global Connection shall update its PCLU on the first of January, April, July and October and shall send it to BellSouth to be received no later than thirty (30) calendar days after the first of each such month based on local usage for the past three months ending the last day of December, March, June and September, respectively. Requirements associated with PCLU calculation and reporting shall be as set forth in BellSouth's Jurisdictional Factors Reporting Guide, as it is amended from time to time.

9 Signaling

9.1 BellSouth shall offer access to signaling and access to BellSouth's signaling databases subject to compatibility testing and at the rates set forth in this Attachment. BellSouth may provide mediated access to BellSouth signaling

systems and databases. Available signaling elements include signaling links, signal transfer points and service control points. Signaling functionality will be available with both A-link and B-link connectivity.

9.2	Signaling Link Transport
9.2.1	Signaling Link Transport is a set of two or four dedicated 56 kbps transmission paths between Global Connection-designated Signaling Points of Interconnection that provide appropriate physical diversity.
9.2.2	Technical Requirements
9.2.3	Signaling Link Transport shall consist of full duplex mode 56 kbps transmission paths and shall perform in the following two ways:
9.2.3.1	As an "A-link" Signaling Link Transport is a connection between a switch or SCP and a home Signaling Transfer Point switch pair; and
9.2.3.2	As a "B-link" Signaling Link Transport is a connection between two Signaling Transfer Point switch pairs in different company networks (e.g., between two Signaling Transfer Point switch pairs for two CLECs).
9.2.4	Signaling Link Transport shall consist of two or more signaling link layers as follows:
9.2.4.1	An A-link layer shall consist of two links.
9.2.4.2	A B-link layer shall consist of four links.
9.2.4.3	A signaling link layer shall satisfy interoffice and intraoffice diversity of facilities and equipment, such that:
9.2.4.4	No single failure of facilities or equipment causes the failure of both links in an A-link layer (i.e., the links should be provided on a minimum of two separate physical paths end-to-end); and
9.2.4.5	No two concurrent failures of facilities or equipment shall cause the failure of all four links in a B-link layer (i.e., the links should be provided on a minimum of three separate physical paths end-to-end).
9.2.5	Interface Requirements
9.2.5.1	There shall be a DS1 (1.544 Mbps) interface at Global Connection's designated SPOIs. Each 56 kbps transmission path shall appear as a DS0 channel within the DS1 interface.

Version 4Q01: 12/17/01

9.3

Signaling Transfer Points (STPs)

- 9.3.1 A Signaling Transfer Point is a signaling network function that includes all of the capabilities provided by the signaling transfer point switches (STPs) and their associated signaling links that enables the exchange of SS7 messages among and between switching elements, database elements and signaling transfer point switches.
- 9.3.2 Technical Requirements
- 9.3.2.1 Signaling Transfer Point s shall provide access to BellSouth Local Switching or Tandem Switching and to BellSouth Service Control Points/Databases connected to BellSouth SS7 network. Signaling Transfer Point also provide access to third-party local or tandem switching and Third-party-provided Signaling Transfer Points.
- 9.3.2.2 The connectivity provided by Signaling Transfer Points shall fully support the functions of all other Network Elements connected to the BellSouth SS7 network. This includes the use of the BellSouth SS7 network to convey messages that neither originate nor terminate at a signaling end point directly connected to the BellSouth SS7 network (i.e., transit messages). When the BellSouth SS7 network is used to convey transit messages, there shall be no alteration of the Integrated Services Digital Network User Part or Transaction Capabilities Application Part (TCAP) user data that constitutes the content of the message.
- 9.3.2.3 If a BellSouth tandem switch routes traffic, based on dialed or translated digits, on SS7 trunks between a Global Connection local switch and third party local switch, the BellSouth SS7 network shall convey the TCAP messages that are necessary to provide Call Management features (Automatic Callback, Automatic Recall, and Screening List Editing) between Global Connection local STPs and the STPs that provide connectivity with the third party local switch, even if the third party local switch is not directly connected to BellSouth STPs.
- 9.3.2.4 STPs shall provide all functions of the SCCP necessary for Class 0 (basic connectionless) service, as defined in Telcordia ANSI Interconnection Requirements. This includes Global Title Translation (GTT) and SCCP Management procedures, as specified in ANSI T1.112.4. Where the destination signaling point is a Global Connection or third party local or tandem switching system directly connected to BellSouth SS7 network, BellSouth shall perform final GTT of messages to the destination and SCCP Subsystem Management of the destination. In all other cases, BellSouth shall perform intermediate GTT of messages to a gateway pair of STPs in an SS7 network connected with BellSouth SS7 network, and shall not perform SCCP Subsystem Management of the destination. If BellSouth performs final GTT to a Global Connection database, then Global Connection agrees to provide BellSouth with the Destination Point Code for Global Connection database.

- 9.3.2.5 STPs shall provide all functions of the OMAP as specified in applicable industry standard technical references, which may include, where available in BellSouth's network, MTP Routing Verification Test (MRVT); and SCCP Routing Verification Test (SRVT).
- 9.3.2.6 Where the destination signaling point is a BellSouth local or tandem switching system or database, or is a Global Connection or third party local or tandem switching system directly connected to the BellSouth SS7 network, STPs shall perform MRVT and SRVT to the destination signaling point. In all other cases, STPs shall perform MRVT and SRVT to a gateway pair of STPs in an SS7 network connected with the BellSouth SS7 network. This requirement may be superseded by the specifications for Internetwork MRVT and SRVT when these become approved ANSI standards and available capabilities of BellSouth STPs.

9.4 <u>SS7 Advanced Intelligent Network (AIN) Access</u>

- 9.4.1 When technically feasible and upon request by Global Connection, SS7 AIN Access shall be made available in association with switching. SS7 AIN Access is the provisioning of AIN 0.1 triggers in an equipped BellSouth local switch and interconnection of the BellSouth SS7 network with Global Connection's SS7 network to exchange TCAP queries and responses with a Global Connection SCP.
- 9.4.2 SS7 AIN Access shall provide Global Connection SCP access to an equipped BellSouth local switch via interconnection of BellSouth's SS7 and Global Connection SS7 Networks. BellSouth shall offer SS7 AIN Access through its STPs. If BellSouth requires a mediation device on any part of its network specific to this form of access, BellSouth must route its messages in the same manner. The interconnection arrangement shall result in the BellSouth local switch recognizing the Global Connection SCP as at least at parity with BellSouth's SCPs in terms of interfaces, performance and capabilities.
- 9.4.3 Interface Requirements
- 9.4.3.1 BellSouth shall provide the following STP options to connect Global Connection or Global Connection-designated local switching systems to the BellSouth SS7 network:
- 9.4.3.1.1 An A-link interface from Global Connection local switching systems; and,
- 9.4.3.1.2 A B-link interface from Global Connection local STPs.
- 9.4.3.2 Each type of interface shall be provided by one or more layers of signaling links.
- 9.4.3.3 The Signaling Point of Interconnection for each link shall be located at a cross-connect element in the Central Office (CO) where the BellSouth STP is located. There shall be a DS1 or higher rate transport interface at each of the SPOIs. Each

signaling link shall appear as a DS0 channel within the DS1 or higher rate interface.

- 9.4.3.4 BellSouth shall provide intraoffice diversity between the Signaling Point of Interconnection and BellSouth STPs, so that no single failure of intraoffice facilities or equipment shall cause the failure of both B-links in a layer connecting to a BellSouth STP.
- 9.4.3.5 STPs shall provide all functions of the MTP as defined in the applicable industry standard technical references.
- 9.4.4 Message Screening
- 9.4.4.1 BellSouth shall set message screening parameters so as to accept valid messages from Global Connection local or tandem switching systems destined to any signaling point within BellSouth's SS7 network where the Global Connection switching system has a valid signaling relationship.
- 9.4.4.2 BellSouth shall set message screening parameters so as to pass valid messages from Global Connection local or tandem switching systems destined to any signaling point or network accessed through BellSouth's SS7 network where the Global Connection switching system has a valid signaling relationship.
- 9.4.4.3 BellSouth shall set message screening parameters so as to accept and pass/send valid messages destined to and from Global Connection from any signaling point or network interconnected through BellSouth's SS7 network where the Global Connection SCP has a valid signaling relationship.

9.5 <u>Service Control Points/Databases</u>

- 9.5.1 Call Related Databases provide the storage of, access to, and manipulation of information required to offer a particular service and/or capability. BellSouth shall provide access to the following Databases: Local Number Portability, LIDB, Toll Free Number Database, Automatic Location Identification/Data Management System, and Calling Name Database. BellSouth also provides access to Service Creation Environment and Service Management System (SCE/SMS) application databases and Directory Assistance.
- 9.5.2 A Service Control Point (SCP) is deployed in a SS7 network that executes service application logic in response to SS7 queries sent to it by a switching system also connected to the SS7 network. Service Management Systems provide operational interfaces to allow for provisioning, administration and maintenance of subscriber data and service application data stored in SCPs.
- 9.5.3 Technical Requirements for SCPs/Databases

- 9.5.3.1 BellSouth shall provide physical access to SCPs through the SS7 network and protocols with TCAP as the application layer protocol.
- 9.5.3.2 BellSouth shall provide physical interconnection to databases via industry standard interfaces and protocols (e.g. SS7, ISDN and X.25).
- 9.5.3.3 The reliability of interconnection options shall be consistent with requirements for diversity and survivability.

9.6 **Local Number Portability Database**

9.6.1 The Permanent Number Portability (PNP) database supplies routing numbers for calls involving numbers that have been ported from one local service provider to another. BellSouth agrees to provide access to the PNP database at rates, terms and conditions as set forth by BellSouth and in accordance with an effective FCC or Commission directive.

9.7 **SS7 Network Interconnection**

- 9.7.1 SS7 Network Interconnection is the interconnection of Global Connection local signaling transfer point switches or Global Connection local or tandem switching systems with BellSouth signaling transfer point switches. This interconnection provides connectivity that enables the exchange of SS7 messages among BellSouth switching systems and databases, Global Connection local or tandem switching systems, and other third-party switching systems directly connected to the BellSouth SS7 network.
- 9.7.2 The connectivity provided by SS7 Network Interconnection shall fully support the functions of BellSouth switching systems and databases and Global Connection or other third-party switching systems with A-link access to the BellSouth SS7 network.
- 9.7.3 If traffic is routed based on dialed or translated digits between a Global Connection local switching system and a BellSouth or other third-party local switching system, either directly or via a BellSouth tandem switching system, then it is a requirement that the BellSouth SS7 network convey via SS7 Network Interconnection the TCAP messages that are necessary to provide Call Management services (Automatic Callback, Automatic Recall, and Screening List Editing) between the Global Connection local signaling transfer point switches and BellSouth or other third-party local switch.
- 9.7.4 SS7 Network Interconnection shall provide:
- 9.7.4.1 Signaling Data Link functions, as specified in ANSI T1.111.2;
- 9.7.4.2 Signaling Link functions, as specified in ANSI T1.111.3; and

- 9.7.4.3 Signaling Network Management functions, as specified in ANSI T1.111.4.
- 9.7.5 SS7 Network Interconnection shall provide all functions of the SCCP necessary for Class 0 (basic connectionless) service, as specified in ANSI T1.112. This includes Global Title Translation (GTT) and SCCP Management procedures, as specified in ANSI T1.112.4. Where the destination signaling point is a BellSouth switching system or DB, or is another third-party local or tandem switching system directly connected to the BellSouth SS7 network, SS7 Network Interconnection shall include final GTT of messages to the destination and SCCP Subsystem Management of the destination. Where the destination signaling point is a Global Connection local or tandem switching system, SS7 Network Interconnection shall include intermediate GTT of messages to a gateway pair of Global Connection local STPs, and shall not include SCCP Subsystem Management of the destination.
- 9.7.6 SS7 Network Interconnection shall provide all functions of the Integrated Services Digital Network User Part, as specified in ANSI T1.113.
- 9.7.7 SS7 Network Interconnection shall provide all functions of the TCAP, as specified in ANSI T1.114.
- 9.7.8 If Internetwork MRVT and SRVT become approved ANSI standards and available capabilities of BellSouth STPs, SS7 Network Interconnection may provide these functions of the OMAP.
- 9.7.9 Interface Requirements
- 9.7.9.1 The following SS7 Network Interconnection interface options are available to connect Global Connection or Global Connection-designated local or tandem switching systems or signaling transfer point switches to the BellSouth SS7 network:
- 9.7.9.1.1 A-link interface from Global Connection local or tandem switching systems; and
- 9.7.9.1.2 B-link interface from Global Connection STPs.
- 9.7.9.2 The Signaling Point of Interconnection for each link shall be located at a cross-connect element in the central office where the BellSouth STP is located. There shall be a DS1 or higher rate transport interface at each of the Signaling Points of interconnection. Each signaling link shall appear as a DS0 channel within the DS1 or higher rate interface.
- 9.7.9.3 BellSouth shall provide intraoffice diversity between the Signaling Points of Interconnection and the BellSouth STP, so that no single failure of intraoffice facilities or equipment shall cause the failure of both B-links in a layer connecting to a BellSouth STP.

- 9.7.9.4 The protocol interface requirements for SS7 Network Interconnection include the MTP, ISDNUP, SCCP, and TCAP. These protocol interfaces shall conform to the applicable industry standard technical references.
- 9.7.9.5 BellSouth shall set message screening parameters to accept messages from Global Connection local or tandem switching systems destined to any signaling point in the BellSouth SS7 network with which the Global Connection switching system has a valid signaling relationship.

10 Operator Service and Directory Assistance

- Operator Service provides: (1) operator handling for call completion (for example, collect, third number billing, and manual calling-card calls), (2) operator or automated assistance for billing after the end user has dialed the called number (for example, calling card calls); and (3) special services including but not limited to Busy Line Verification and Emergency Line Interrupt (ELI), Emergency Agency Call, and Operator-assisted Directory Assistance.
- 10.2 Upon request for BellSouth Operator Services, BellSouth shall:
- 10.2.1 Process 0+ and 0- dialed local calls.
- 10.2.2 Process 0+ and 0- intraLATA toll calls.
- 10.2.3 Process calls that are billed to Global Connection end user's calling card that can be validated by BellSouth.
- 10.2.4 Process person-to-person calls.
- 10.2.5 Process collect calls.
- 10.2.6 Provide the capability for callers to bill to a third party and shall also process such calls.
- 10.2.7 Process station-to-station calls.
- 10.2.8 Process Busy Line Verify and Emergency Line Interrupt requests.
- 10.2.9 Process emergency call trace originated by Public Safety Answering Points.
- 10.2.10 Process operator-assisted directory assistance calls.
- 10.2.11 Adhere to equal access requirements, providing Global Connection local end users the same IXC access as provided to BellSouth end users.
- 10.2.12 Exercise at least the same level of fraud control in providing Operator Service to Global Connection that BellSouth provides for its own operator service.

10.2.13 Perform Billed Number Screening when handling Collect, Person-to-Person, and Billed-to-Third-Party calls. 10.2.14 Direct customer account and other similar inquiries to the customer service center designated by Global Connection. 10.2.15 Provide call records to Global Connection in accordance with ODUF standards specified in Attachment 7. 10.2.16 The interface requirements shall conform to the interface specifications for the platform used to provide Operator Services as long as the interface conforms to industry standards. 10.3 **Directory Assistance Service** 10.3.1 Directory Assistance Service provides local end user telephone number listings with the option to complete the call at the caller's direction separate and distinct from local switching. 10.3.2 Directory Assistance Service shall provide up to two listing requests per call. If available and if requested by Global Connection's end user, BellSouth shall provide caller-optional directory assistance call completion service at rates contained in this Attachment to one of the provided listings. 10.3.3 **Directory Assistance Service Updates** 10.3.3.1 BellSouth shall update end user listings changes daily. These changes include: 10.3.3.1.1 New end user connections 10.3.3.1.2 End user disconnections 10.3.3.1.3 End user address changes 10.3.3.2 These updates shall also be provided for non-listed and non-published numbers for

10.4 **Branding for Operator Call Processing and Directory Assistance**

use in emergencies.

10.4.1 BellSouth's branding feature provides a definable announcement to Global Connection end users using Directory Assistance (DA)/Operator Call Processing (OCP) prior to placing such end users in queue or connecting them to an available operator or automated operator system. This feature allows Global Connection to have its calls custom branded with Global Connection's name on whose behalf BellSouth is providing Directory Assistance and/or Operator Call Processing. Rates for the branding features are set forth in this Attachment.

- 10.4.2 BellSouth offers three (3) service levels of branding to Global Connection when ordering BellSouth's Directory Assistance and Operator Call Processing.
- 10.4.2.1 Service Level 1 BellSouth Branding
- 10.4.2.2 Service Level 2 Unbranding
- 10.4.2.3 Service Level 3 Custom Branding
- Where Global Connection resells BellSouth's services or purchases unbundled local switching from BellSouth, and utilizes a directory assistance provider and operator services provider other than BellSouth, BellSouth will route Global Connection's end user calls to that provider through Selective Carrier Routing.
- 10.4.4 For Use with an Unbundled Port
- 10.4.4.1 Selective Call Routing using Line Class Codes (SCR-LCC) provides the capability for Global Connection to have its OS/DA calls routed to BellSouth's OS/DA platform for BellSouth provided Custom Branded or Unbranded OS/DA or to its own or an alternate OS/DA platform for Self-Branded OS/DA. SCR-LCC is only available if line class code capacity is available in the requested BellSouth end office switches.
- 10.4.4.2 Custom Branding for Directory Assistance is not available for certain classes of service, including but not limited to Hotel/Motel services, WATS service, and certain PBX services.
- Where available, Global Connection specific and unique line class codes are programmed in each BellSouth end office switch where Global Connection intends to serve end users with customized OS/DA branding. The line class codes specifically identify Global Connection's end users so OS/DA calls can be routed over the appropriate trunk group to the requested OS/DA platform. Additional line class codes are required in each end office if the end office serves multiple NPAs (i.e., a unique LCC is required per NPA), and/or if the end office switch serves multiple rate areas and Global Connection intends to provide Global Connection -branded OS/DA to its end users in these multiple rate areas.
- 10.4.4.4 BellSouth Branding is the Default Service Level.
- 10.4.4.5 SCR-LCC supporting Custom Branding and Self Branding require Global Connection to order dedicated trunking from each BellSouth end office identified by Global Connection, either to the BellSouth Traffic Operator Position System (TOPS) for Custom Branding or to the Global Connection Operator Service Provider for Self Branding. Separate trunk groups are required for Operator Services and for Directory Assistance. Rates for trunks are set forth in applicable BellSouth tariffs.

- 10.4.4.6 Unbranding Unbranded Directory Assistance and/or Operator Call Processing calls ride common trunk groups provisioned by BellSouth from those end offices identified by Global Connection to the BellSouth TOPS. These calls are routed to "No Announcement."
- 10.4.4.7 The Rates for SCR-LCC are as set forth in this Attachment. There is a nonrecurring charge for the establishment of each Line Class Code in each BellSouth central office. Furthermore, for Unbranded and Custom Branded OS/DA provided by BellSouth Operator Services with unbundled ports and unbundled port/loop switch combinations, monthly recurring usage charges shall apply for the UNEs necessary to provide the service, such as end office and tandem switching and common transport. A flat rated end office switching charge shall apply to Self-Branded OS/DA when used in conjunction with unbundled ports and unbundled port/loop switch combinations.
- In addition to the branding methods described in this Section, Unbranding and Custom Branding are also available for Directory Assistance, Operator Call Processing or both via Originating Line Number Screening (OLNS) software. When utilizing this method of Unbranding or Custom Branding, Global Connection shall not be required to purchase dedicated trunking.
- 10.4.4.9 For BellSouth to provide Unbranding or Custom Branding via OLNS software for Operator Call Processing or for Directory Assistance, Global Connection must have its Operating Company Number ("OCN(s)") and telephone numbers reside in BellSouth's LIDB; however, a BellSouth LIDB Storage Agreement is not required. To implement Unbranding and Custom Branding via OLNS software, Global Connection must submit a manual order form which requires, among other things, Global Connection's OCN and a forecast for the traffic volume anticipated for each BellSouth TOPS during the peak busy hour. Global Connection shall provide updates to such forecast on a quarterly basis and at any time such forecasted traffic volumes are expected to change significantly. Upon Global Connection's purchase of Unbranding or Custom Branding using OLNS software for any particular TOPS, all Global Connection end users served by that TOPS will receive the Unbranded "no announcement" or the Custom Branded announcement.
- 10.4.4.10 Rates for Unbranding and Custom Branding via OLNS software for Directory
 Assistance and for Operator Call Processing are as set forth in this Attachment.
 Notwithstanding anything to the contrary in this Agreement, to the extent
 BellSouth is unable to bill Global Connection applicable charges currently,
 BellSouth shall track such charges and will bill the same retroactively at such time
 as a billing process is implemented. In addition to the charges for Unbranding and
 Custom Branding via OLNS software, Global Connection shall continue to pay
 BellSouth applicable labor and other charges for the use of BellSouth's Directory
 Assistance and Operator Call Processing platforms as set forth in this Attachment.
 Further, where Global Connection is purchasing unbundled local switching from

BellSouth, UNE usage charges for end office switching, tandem switching and transport, as applicable, shall continue to apply.

10.4.5 For Facilities Based Carriers

- 10.4.5.1 All Service Levels require Global Connection to order dedicated trunking from their end office(s) point of interface to the BellSouth TOPS Switches. Rates for trunks are set forth in applicable BellSouth tariffs.
- 10.4.5.2 Customized Branding includes charges for the recording of the branding announcement and the loading of the audio units in each TOPS Switch and Network Applications Vehicle (NAV) equipment for which Global Connection requires service.
- 10.4.5.3 Directory Assistance customized branding uses:
- 10.4.5.3.1 the recording of Global Connection;
- 10.4.5.3.2 the front-end loading of the Digital Recorded Announcement Machine (DRAM) in each TOPS switch.
- 10.4.5.4 Operator Call Processing customized branding uses:
- 10.4.5.4.1 the recording of Global Connection;
- 10.4.5.4.2 the front-end loading of the DRAM in the TOPS Switch;
- the 0- automation loading for the audio units in the Enhanced Billing and Access Service (EBAS) in the Network Applications Vehicle (NAV).

10.5 <u>Directory Assistance Database Service (DADS)</u>

BellSouth shall make its Directory Assistance Database Service (DADS) available at the rates set forth in this Attachment solely for the expressed purpose of providing Directory Assistance type services to Global Connection end users. The term "end user" denotes any entity that obtains Directory Assistance type services for its own use from a DADS customer. Directory Assistance type service is defined as Voice Directory Assistance (DA Operator assisted) and Electronic Directory Assistance (Data System assisted). Global Connection agrees that DADS will not be used for any purpose that violates federal or state laws, statutes, regulatory orders or tariffs. For the purposes of provisioning a Directory Assistance type service, all terms and conditions of GSST A38 apply and are incorporated by reference herein. Except for the permitted uses, Global Connection agrees not to disclose DADS to others and shall provide due care in providing for the security and confidentiality of DADS.

- 10.5.2 BellSouth shall initially provide Global Connection with a Base File of subscriber listings via magnetic tape. DADS is available and may be ordered on a Business, Residence or combined Business and Residence listings basis for each central office requested. BellSouth will require approximately 30- 45 days after receiving an order from Global Connection to prepare the Base File.
- 10.5.3 BellSouth will provide updates on either a daily or weekly basis reflecting all listing change activity occurring since Global Connection's previous update. Delivery of updates will commence immediately after Global Connection receives the Base File. Updates will be provided via magnetic tape unless BellSouth and Global Connection mutually develop CONNECT: Direct TM electronic connectivity. Global Connection will pay all costs associated with CONNECT: Direct TM connectivity, which will vary depending upon volume and mileage.
- 10.5.4 Global Connection authorizes the inclusion of Global Connection Directory Assistance listings in the BellSouth Directory Assistance products, including but not limited to DADS. Any other use is not authorized.

10.6 Direct Access to Directory Assistance Service

- 10.6.1 Direct Access to Directory Assistance Service (DADAS) will provide Global Connection's directory assistance operators with the ability to search all available BellSouth subscriber listings using the Directory Assistance search format. DADAS will also provide Global Connection with the ability to search all available subscriber listings in BellSouth's out-of-region listing database. Subscription to DADAS will allow Global Connection to utilize its own switch, operator workstations and optional audio subsystems.
- 10.6.2 Rates, terms and conditions for provisioning DADAS are as set forth in the FCC tariff No. 1.

11 Automatic Location Identification/Data Management System (ALI/DMS)

- The ALI/DMS Database contains end user information (including name, address, telephone information, and sometimes special information from the local service provider or end user) used to determine to which Public Safety Answering Point ("PSAP") to route the call. The ALI/DMS database is used to provide enhanced routing flexibility for E911.
- 11.2 Technical Requirements
- 11.2.1 BellSouth shall provide Global Connection a data link to the ALI/DMS database or permit Global Connection to provide its own data link to the ALI/DMS database. BellSouth shall provide error reports from the ALI/DMS database to Global Connection after Global Connection inputs end user information into the ALI/DMS database. Alternately, Global Connection may request that BellSouth

enter Global Connection's end user information into the database, and validate end user information.

- When BellSouth is responsible for administering the ALI/DMS database in its entirety, ported number NXXs entries for the ported numbers should be maintained unless Global Connection requests otherwise and shall be updated if Global Connection requests, provided Global Connection supplies BellSouth with the updates.
- When Remote Call Forwarding (RCF) is used to provide number portability to the local end user and a remark or other appropriate field information is available in the database, the shadow or "forwarded-to" number and an indication that the number is ported shall be added to the customer record.
- 11.2.4 If BellSouth is responsible for configuring PSAP features (for cases when the PSAP or BellSouth supports an ISDN interface) it shall ensure that CLASS Automatic Recall (Call Return) is not used to call back to the ported number. Although BellSouth currently does not have ISDN interface, BellSouth agrees to comply with this requirement once ISDN interfaces are in place.
- 11.3 Interface Requirements
- 11.3.1 The interface between the E911 Switch or Tandem and the ALI/DMS database for Global Connection end users shall meet industry standards.

12 Calling Name (CNAM) Database Service

- 12.1 CNAM is the ability to associate a name with the calling party number, allowing the end user (to which a call is being terminated) to view the calling party's name before the call is answered. This service also provides Global Connection the opportunity to load and store its subscriber names in the BellSouth CNAM SCPs.
- Global Connection shall submit to BellSouth a notice of its intent to access and utilize BellSouth CNAM Database Services. Said notice shall be in writing, no less than 60 days prior to Global Connection's access to BellSouth's CNAM Database Services and shall be addressed to Global Connection's Account Manager.
- BellSouth's provision of CNAM Database Services to Global Connection requires interconnection from Global Connection to BellSouth CNAM Service Control Points (SCPs). Such interconnections shall be established pursuant to Attachment 3 of this Agreement, incorporated herein by this reference.
- In order to formulate a CNAM query to be sent to the BellSouth CNAM SCP, Global Connection shall provide its own CNAM SSP. Global Connection's CNAM SSPs must be compliant with TR-NWT-001188, "CLASS Calling Name Delivery Generic Requirements".

- 12.5 If Global Connection elects to access the BellSouth CNAM SCP via a third party CCS7 transport provider, the third party CCS7 provider shall interconnect with the BellSouth CCS7 network according to BellSouth's Common Channel Signaling Interconnection Guidelines and Telcordia's CCS Network Interface Specification document, TR-TSV-000905. In addition, the third party provider shall establish CCS7 interconnection at the BellSouth Local Signal Transfer Points (LSTPs) serving the BellSouth CNAM SCPs that Global Connection desires to query.
- 12.6 If Global Connection queries the BellSouth CNAM SCP via a third party national SS7 transport provider, the third party SS7 provider shall interconnect with the BellSouth CCS7 network according to BellSouth's Common Channel Signaling Interconnection Guidelines and Telcordia's CCS Network Interface Specification document, TR-TSV-000905. In addition, the third party provider shall establish SS7 interconnection at one or more of the BellSouth Gateway Signal Transfer Points (STPs). The payment of all costs associated with the transport of SS7 signals via a third party will be established by mutual agreement of the Parties and this Agreement shall be amended in accordance with modification of the General Terms and Conditions incorporated herein by this reference.
- The mechanism to be used by Global Connection for initial CNAM record load and/or updates shall be determined by mutual agreement. The initial load and all updates shall be provided by Global Connection in the BellSouth specified format and shall contain records for every working telephone number that can originate phone calls. It is the responsibility of Global Connection to provide accurate information to BellSouth on a current basis.
- 12.8 Updates to the SMS shall occur no less than once a week, reflect service order activity affecting either name or telephone number, and involve only record additions, deletions or changes.
- Global Connection CNAM records provided for storage in the BellSouth CNAM SCP shall be available, on a SCP query basis only, to all Parties querying the BellSouth CNAM SCP. Further, CNAM service shall be provided by each Party consistent with state and/or federal regulation.
- Service Creation Environment and Service Management System (SCE/SMS)
 Advanced Intelligent Network (AIN) Access
- BellSouth's Service Creation Environment and Service Management System (SCE/SMS) Advanced Intelligent Network (AIN) Access shall provide Global Connection the capability to create service applications in a BellSouth SCE and deploy those applications in a BellSouth SMS to a BellSouth SCP.
- 13.2 BellSouth's SCE/SMS AIN Access shall provide access to SCE hardware, software, testing and technical support (e.g., help desk, system administrator) resources available to Global Connection. Training, documentation, and technical

support will address use of SCE and SMS access and administrative functions, but will not include support for the creation of a specific service application.

- 13.3 BellSouth SCP shall partition and protect Global Connection service logic and data from unauthorized access.
- When Global Connection selects SCE/SMS AIN Access, BellSouth shall provide training, documentation, and technical support to enable Global Connection to use BellSouth's SCE/SMS AIN Access to create and administer applications.
- Global Connection access will be provided via remote data connection (e.g., dialin, ISDN).
- BellSouth shall allow Global Connection to download data forms and/or tables to BellSouth SCP via BellSouth SMS without intervention from BellSouth.

14 Basic 911 and E911

- 14.1 Basic 911 and E911 provides a caller access to the applicable emergency service bureau by dialing 911.
- 14.2 <u>Basic 911 Service Provisioning.</u> BellSouth will provide to Global Connection a list consisting of each municipality that subscribes to Basic 911 service. The list will also provide, if known, the E911 conversion date for each municipality and, for network routing purposes, a ten-digit directory number representing the appropriate emergency answering position for each municipality subscribing to 911. Global Connection will be required to arrange to accept 911 calls from its end users in municipalities that subscribe to Basic 911 service and translate the 911 call to the appropriate 10-digit directory number as stated on the list provided by BellSouth. Global Connection will be required to route that call to BellSouth at the appropriate tandem or end office. When a municipality converts to E911 service, Global Connection will be required to begin using E911 procedures.
- 14.3 <u>E911 Service Provisioning.</u> Global Connection shall install a minimum of two dedicated trunks originating from the Global Connection serving wire center and terminating to the appropriate E911 tandem. The dedicated trunks shall be, at a minimum, DS-0 level trunks configured either as a 2-wire analog interface or as part of a digital (1.544 Mb/s) interface. Either configuration shall use CAMA-type signaling with multifrequency ("MF") pulsing that will deliver automatic number identification ("ANI") with the voice portion of the call. If the user interface is digital, MF pulses, as well as other AC signals, shall be encoded per the u-255 Law convention. Global Connection will be required to provide BellSouth daily updates to the E911 database. Global Connection will be required to forward 911 calls to the appropriate E911 tandem, along with ANI, based upon the current E911 end office to tandem homing arrangement as provided by BellSouth. If the E911 tandem trunks are not available, Global Connection will be required to route

the call to a designated 7-digit local number residing in the appropriate Public Service Answering Point ("PSAP"). This call will be transported over BellSouth's interoffice network and will not carry the ANI of the calling party. Global Connection shall be responsible for providing BellSouth with complete and accurate data for submission to the 911/E911 database for the purpose of providing 911/E911 to its end users.

- 14.4 <u>Rates.</u> Charges for 911/E911 service are borne by the municipality purchasing the service. BellSouth will impose no charge on Global Connection beyond applicable charges for BellSouth trunking arrangements.
- 14.5 Basic 911 and E911 functions provided to Global Connection shall be at least at parity with the support and services that BellSouth provides to its end users for such similar functionality.
- The detailed practices and procedures for 911/E911 services are contained in the E911 Local Exchange Carrier Guide For Facility-Based Providers as amended from time to time during the term of this Agreement.

15 Operational Support Systems (OSS)

BellSouth has developed and made available the following electronic interfaces by which Global Connection may submit LSRs electronically.

LENS Local Exchange Navigation System

EDI Electronic Data Interchange

TAG Telecommunications Access Gateway

- LSRs submitted by means of one of these electronic interfaces will incur an OSS electronic ordering charge. An individual LSR will be identified for billing purposes by its Purchase Order Number (PON). LSRs submitted by means other than one of these interactive interfaces (mail, fax, courier, etc.) will incur a manual order charge. All OSS charges are specified in Rate Exhibit B of this Attachment 2.
- 15.3 Denial/Restoral OSS Charge
- 15.3.1 In the event Global Connection provides a list of customers to be denied and restored, rather than an LSR, each location on the list will require a separate PON and, therefore will be billed as one LSR per location.
- 15.4 Cancellation OSS Charge
- 15.4.1 Global Connection will incur an OSS charge for an accepted LSR that is later canceled.
- Supplements or clarifications to a previously billed LSR will not incur another OSS charge.

- 15.4.3 Network Elements and Other Services Manual Additive
- 15.4.3.1 The Commissions in some states have ordered per-element manual additive non-recurring charges (NRC) for Network Elements and Other Services ordered by means other than one of the interactive interfaces. These ordered Network Elements and Other Services manual additive NRCs will apply in these states, rather than the charge per LSR. The per-element charges are listed on the Rate Tables in Exhibit B.

EXHIBIT A

LINE INFORMATION DATA BASE (LIDB)

FACILITIES BASED STORAGE AGREEMENT

I. Definitions

- A. Billing number a number that Global Connection creates for the purpose of identifying an account liable for charges. This number may be a line or a special billing number.
- B. Line number a ten-digit number that identifies a telephone line administered by Global Connection.
- C. Special billing number a ten-digit number that identifies a billing account established by Global Connection.
- D. Calling Card number a billing number plus PIN number.
- E. PIN number a four-digit security code assigned by Global Connection that is added to a billing number to compose a fourteen-digit calling card number.
- F. Toll billing exception indicator associated with a billing number to indicate that it is considered invalid for billing of collect calls or third number calls or both, by Global Connection.
- G. Billed Number Screening refers to the activity of determining whether a toll billing exception indicator is present for a particular billing number.
- H. Calling Card Validation refers to the activity of determining whether a particular calling card number exists as stated or otherwise provided by a caller.
- I. Billing number information information about billing number, Calling Card number and toll billing exception indicator provided to BellSouth by Global Connection.

II. General

A. This Agreement sets forth the terms and conditions pursuant to which BellSouth agrees to store in its LIDB certain information at the request of Global Connection and pursuant to which BellSouth, its LIDB customers and Global Connection shall have access to such information. In addition, this Agreement sets forth the terms and conditions for Global Connection's provision of billing number information to BellSouth for inclusion in BellSouth's LIDB. Global Connection understands that BellSouth provides access to information in its LIDB to various telecommunications service providers pursuant to applicable tariffs and agrees that information stored at the request of Global Connection, pursuant to this Agreement, shall be available to those telecommunications service providers. The terms and conditions contained

herein shall hereby be made a part of this Interconnection Agreement upon notice to Global Connection's account team to activate this LIDB Storage Agreement. The General Terms and Conditions of the Interconnection/Resale Agreement shall govern this LIDB Storage Agreement.

B. BellSouth will provide responses to on-line, call-by-call queries to billing number information for the following purposes:

1. Billed Number Screening

BellSouth is authorized to use the billing number information to determine whether Global Connection has identified the billing number as one that should not be billed for collect or third number calls.

2. Calling Card Validation

BellSouth is authorized to validate a 14-digit Calling Card number where the first 10 digits are a line number or special billing number assigned by BellSouth and where the last four digits (PIN) are a security code assigned by BellSouth.

3. Fraud Control

BellSouth will provide seven days per week, 24-hours per day, fraud monitoring on Calling Cards, bill-to-third and collect calls made to numbers in BellSouth's LIDB, provided that such information is included in the LIDB query. BellSouth will establish fraud alert thresholds and will notify Global Connection of fraud alerts so that Global Connection may take action it deems appropriate.

III. Responsibilities of the Parties

A. BellSouth will administer all data stored in the LIDB, including the data provided by Global Connection pursuant to this Agreement, in the same manner as BellSouth's data for BellSouth's end user customers. BellSouth shall not be responsible to Global Connection for any lost revenue which may result from BellSouth's administration of the LIDB pursuant to its established practices and procedures as they exist and as they may be changed by BellSouth in its sole discretion from time to time.

B. Billing and Collection Customers

BellSouth currently has in effect numerous billing and collection agreements with various interexchange carriers and billing clearinghouses and as such these billing and collection customers ("B&C Customers") query BellSouth's LIDB to determine whether to accept various billing options from end users. Until such time as BellSouth implements in its LIDB and its supporting systems the means to differentiate Global Connection's data from BellSouth's data, the following terms and conditions shall apply:

- Global Connection will accept responsibility for telecommunications services billed by BellSouth for its B&C Customers for Global Connection's End User accounts which are resident in LIDB pursuant to this Agreement. Global Connection authorizes BellSouth to place such charges on Global Connection's bill from BellSouth and shall pay all such charges including, but not limited to, collect and third number calls.
- 2. Charges for such services shall appear on a separate BellSouth bill page identified with the name of the B&C Customers for which BellSouth is billing the charge.
- 3. Global Connection shall have the responsibility to render a billing statement to its End Users for these charges, but Global Connection shall pay BellSouth for the charges billed regardless of whether Global Connection collects from Global Connection's End Users.
- 4. BellSouth shall have no obligation to become involved in any disputes between Global Connection and B&C Customers. BellSouth will not issue adjustments for charges billed on behalf of any B&C Customer to Global Connection. It shall be the responsibility of Global Connection and the B&C Customers to negotiate and arrange for any appropriate adjustments.

C. SPNP Arrangements

- BellSouth will include billing number information associated with exchange lines or SPNP arrangements in its LIDB. Global Connection will request any toll billing exceptions via the Local Service Request (LSR) form used to order exchange lines, or the SPNP service request form used to order SPNP arrangements.
- 2. Under normal operating conditions, BellSouth shall include the billing number information in its LIDB upon completion of the service order establishing either the local exchange service or the SPNP arrangement, provided that BellSouth shall not be held responsible for any delay or failure in performance to the extent such delay or failure is caused by circumstances or conditions beyond BellSouth's reasonable control. BellSouth will store in its LIDB an unlimited volume of the working telephone numbers associated with either the local exchange lines or the SPNP arrangements. For local exchange lines or for SPNP arrangements, BellSouth will issue line-based calling cards only in the name of Global Connection. BellSouth will not issue line-based calling cards in the name of Global Connection's individual End Users. In the event that Global Connection wants to include calling card numbers assigned by Global Connection in the BellSouth LIDB, a separate agreement is required.

V. Fees for Service and Taxes

Version 4Q01: 12/17/01

- A. Global Connection will not be charged a fee for storage services provided by BellSouth to Global Connection, as described in this LIDB Facilities Based Storage Agreement.
- B. Sales, use and all other taxes (excluding taxes on BellSouth's income) determined by BellSouth or any taxing authority to be due to any federal, state or local taxing jurisdiction with respect to the provision of the service set forth herein will be paid by Global Connection in accordance with the tax provisions set forth in the General Terms and Conditions of this Agreement.

UNBU	NDLED	NETWORK ELEMENTS - Alabama												Attachment:	2		Exhibit: B
CATI	EGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
												per Lon	per Lon	151	Addi	DISC 1St	DISC AUU I
							Rec	Nonre	curring	Nonrecurring	Disconnect			oss	RATES (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	The "Zor	ne" shown in the sections for stand-alone loops or loops as p	art of a	comb	ination refers to Geo	graphically I	Deaveraged UN	E Zones. To v	view Geograph	ically Deaverag	ed UNE Zone	Designation	ns by Centra	al Office, refer	r to Internet W	/ebsite:	
		ww.interconnection.bellsouth.com/become_a_clec/html/interco	onnecti	on.htn	1				T								1
OPERA	TIONAL :	SUPPORT SYSTEMS													1		
	NOTE: (1) Electronic Service Order: CLEC-1 should contact its contract	ct nego	tiator i	f it profers the state	enocific aloc	tronic service	ordering charg	as as ordered	hy the State Co	ommissions 1	The electron	nic service c	rdering char	ne currently c	ontained in th	ie rato
		s the BellSouth regional electronic service ordering charge. C															iis rate
	CALLIDATE I	5 0 20 0 5 5 5 5 5				poo			0.000.000		900, 0. 02.	- · · · · · · · · · · ·	ooto .og.	0.00		orning ornal gor	
		2) Any element that can be ordered electronically will be billed															
		s that cannot be ordered electronically at present per the BBR- SOMAN, will be applied to a CLECs bill when it submits an LS				category ret	lects the charg	e that would b	e billed to a C	LEC once elect	ronic oraering	capabilitie	s come on-	ine for that e	lement. Otne	rwise, the mai	nuai ordering
	charge,	Electronic OSS Charge, per LSR, submitted via BST's OSS	K IU DI	ensour	n.				l					1	1	1	
		interactive interfaces (Regional)				SOMEC		3.50									
		, ,															
UNBUN		CHANGE ACCESS LOOP															
-	2-WIRE	ANALOG VOICE GRADE LOOP 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		4	UEANL	UEAL2	15.24	59.03	43.14	15.21	3.22			27.37	12.97	17.77	17.77
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		2	UEANL	UEAL2	24.75	59.03	43.14	15.21	3.22			27.37	12.97	17.77	17.77
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL	UEAL2	44.85	59.03	43.14	15.21	3.22			23.97	12.97	17.77	17.77
		Loop Testing - Basic 1st Half Hour			UEANL	URET1		78.92	78.92								
		Loop Testing - Basic Additional Half Hour			UEANL	URETA		23.33	23.33								
		Engineering Information Document (EI) Manual Order Coordination for UVL-SL1s (per loop)*			UEANL UEANL	UEAMC		28.75 51.29	28.75 51.29								
		Order Coordination for OVL-SL1s (per 100p) Order Coordination for Specified Conversion Time for UVL-SL1			UEANL	UEAIVIC		51.29	51.29								
		(per LSR) *			UEANL	OCOSL		45.99	45.99								
	2-WIRE	Unbundled COPPER LOOP															
		2-Wire Unbundled Copper Loop - Non-Designed Zone 1	I	1	UEQ	UEQ2X	11.01	44.69	22.40	25.65	7.06			27.37	12.97		
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 2 2 Wire Unbundled Copper Loop - Non-Designed - Zone 3	_		UEQ UEQ	UEQ2X UEQ2X	12.67 20.22	44.69 44.69	22.40 22.40	25.65 25.65	7.06 7.06			27.37 27.37	12.97 12.97		
		Order Coordination 2 Wire Unbundled Copper Loop - Non-	- 1	3	UEQ	UEQZX	20.22	44.09	22.40	25.65	7.06			21.31	12.97		
		Designed (per loop)			UEQ	USBMC		51.29	51.29								
		Engineering Information Document			UEQ			28.75	28.75								
<u> </u>		Loop Testing - Basic 1st Half Hour		<u> </u>	UEQ	URET1		78.92	78.92						<u> </u>		
LINRIIN	IDI ED EV	Loop Testing - Basic Additional Half Hour (CHANGE ACCESS LOOP		-	UEQ	URETA		23.33	23.33	-			 		-		
ONBOI		ANALOG VOICE GRADE LOOP															
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
L		Zone 1	- 1	1	UEPSR UEPSB	UEALS	15.24	59.03	43.14	15.21	3.22			27.37	12.97	17.77	17.77
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-						=====									
-		Zone 1 2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-			UEPSR UEPSB	UEABS	15.24	59.03	43.14	15.21	3.22			27.37	12.97	17.77	17.77
		Zone 2	1	2	UEPSR UEPSB	UEALS	24.75	59.03	43.14	15.21	3.22			27.37	12.97	17.77	17.77
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-															
		Zone 2	I	<u> </u>	UEPSR UEPSB	UEABS	24.75	59.03	43.14	15.21	3.22			27.37	12.97	17.77	17.77
1		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		3	UEPSR UEPSB	UEALS	44.85	59.03	43.14	45.04	3.22			23.97	12.97	17.77	17.77
-		Zone 3 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-	- 1	3	ULFOR UEFOB	UEALS	44.85	59.03	43.14	15.21	3.22		 	23.97	12.97	17.77	17.77
		Zone 3	ı		UEPSR UEPSB	UEABS	44.85	59.03	43.14	15.21	3.22			23.97	12.97	17.77	17.77
UNBUN		CHANGE ACCESS LOOP															
<u> </u>	2-WIRE	ANALOG VOICE GRADE LOOP			LIEANII	LIDEWS		10.1-	20.5								
 		CLEC to CLEC Conversion Charge without outside dispatch 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		<u> </u>	UEANL	UREWO		48.12	22.02				 	27.37	12.97	17.77	17.77
		Ground Start Signaling - Zone 1		1	UEA	UEAL2	17.95	145.46	108.40	40.31	26.01			27.37	12.97	17.77	17.77
					-	- "											

4Q01:12/01/01 PAGE 1 OF 324

UNBUND	LED	NETWORK ELEMENTS - Alabama												Attachment:	2		Exhibit: B
CATEGO		RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge -
							Rec	Nonrec		Nonrecurring					RATES (\$)		
		O.W. A. de la Villa Carla La care Carla La cal Carla C						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 2		2	UEA	UEAL2	29.16	145.46	108.40	40.31	26.01			27.37	12.97	17.77	17.77
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 3		3	UEA	UEAL2	52.84	145.46	108.40	40.31	26.01			27.37	12.97	17.77	17.77
		Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		45.99									
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 1		1	UEA	UEAR2	17.95	145.46	108.40	40.31	26.01			27.37	12.97	17.77	17.77
		Daktery Signaling - Zone 1 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 2		2	UEA	UEAR2	29.16	145.46	108.40	40.31	26.01			27.37	12.97	17.77	17.77
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		_													
		Battery Signaling - Zone 3 Order Coordination for Specified Conversion Time (per LSR)		3	UEA UEA	UEAR2 OCOSL	52.84	145.46 45.99	108.40	40.31	26.01	-		27.37	12.97	17.77	17.77
		CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		131.85	38.28					27.37	12.97	17.77	17.77
4-W		ANALOG VOICE GRADE LOOP		1	UEA	UEAL4	24.01	293.70	241.76	108.96	57.01			27.37	12.97	17.77	17.77
		4-Wire Analog Voice Grade Loop - Zone 1 4-Wire Analog Voice Grade Loop - Zone 2		2	UEA	UEAL4	39.00	293.70	241.76	108.96	57.01			27.37	12.97	17.77	
		4-Wire Analog Voice Grade Loop - Zone 3		3	UEA	UEAL4	70.67	293.70	241.76	108.96	57.01			27.37	12.97	17.77	17.77
		Order Coordination for Specified Conversion Time (per LSR)		Ŭ	UEA	OCOSL	7 0.01	45.99	20	100.00	01.01			2	12.01		
2-W		SDN DIGITAL GRADE LOOP															1
		2-Wire ISDN Digital Grade Loop - Zone 1		1	UDN	U1L2X	23.23	331.85	255.87	108.95	57.01			27.37	12.97	17.77	17.77
		2-Wire ISDN Digital Grade Loop - Zone 2		2	UDN	U1L2X	37.74	331.85	255.87	108.95	57.01			27.37	12.97	17.77	
		2-Wire ISDN Digital Grade Loop - Zone 3		3	UDN	U1L2X	68.38	331.85	255.87	108.95	57.01			27.37	12.97	17.77	17.77
		Order Coordination For Specified Conversion Time (per LSR)			UDN	OCOSL		45.99									
		CLEC to CLEC Conversion Charge without outside dispatch			UDN	UREWO		121.19	33.10					27.37	12.97	17.77	17.77
2-W		Iniversal Digital Channel (UDC) COMPATIBLE LOOP															
		2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone 1	I	1	UDC	UDC2X	16.84	104.17	78.10	108.95	57.01			18.94	8.42	17.77	17.77
		2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone 2	I	2	UDC	UDC2X	19.45	104.17	78.10	108.95	57.01			18.94	8.42	17.77	17.77
		2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone		3	UDC	UDC2X	30.92	104.17	78.10	108.95	57.01			18.94	8.42	17.77	17.77
		CLEC to CLEC Conversion Charge without outside dispatch	-	3	UDC	UREWO	30.32	104.17	33.10	100.55	37.01			27.37	12.97	17.77	
2-W		SYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPA	TIBLE	LOOP	020	0.1.20			00.10					2	12.01		
		2 Wire Unbundled ADSL Loop including manual service inquiry															1
		& facility reservation - Zone 1		1	UAL	UAL2X	12.09	514.21	464.58	106.65	56.98			27.37	12.97	17.77	17.77
		2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 2		2	UAL	UAL2X	19.64	514.21	464.58	106.65	56.98			27.37	12.97	17.77	17.77
		2 Wire Unbundled ADSL Loop including manual service inquiry		3				=		100.00							
		& facility reservation - Zone 3 Order Coordination for Specified Conversion Time (per LSR)		3	UAL	UAL2X OCOSL	35.59	514.21 45.99	464.58	106.65	56.98			27.37	12.97	17.77	17.77
		2 Wire Unbundled ADSL Loop without manual service inquiry &			UAL	UCUSL		45.99									+
		facility reservaton - Zone 1		1	UAL	UAL2W	12.09	204.88	129.08	100.52	15.82			27.37	12.97	17.77	17.77
		2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 2		2	UAL	UAL2W	19.64	204.88	129.08	100.52	15.82			27.37	12.97	17.77	17.77
		2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 3		3	UAL	UAL2W	35.59	204.88	129.08	100.52	15.82			27.37	12.97	17.77	17.77
		Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		45.99									1
		CLEC to CLEC Conversion Charge without outside dispatch			UAL	UREWO		137.85	29.34					27.37	12.97	17.77	17.77
2-W		IIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPAT	IBLE L	OOP					-								
		2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 1		1	UHL	UHL2X	9.41	514.21	464.58	106.65	56.98			27.37	12.97	17.77	17.77
		2 Wire Unbundled HDSL Loop including manual service inquiry											1				
		& facility reservation - Zone 2 2 Wire Unbundled HDSL Loop including manual service inquiry		2	UHL	UHL2X	15.29	514.21	464.58	106.65	56.98			27.37	12.97	17.77	17.77
-		& facility reservation - Zone 3 Order Coordination for Specified Conversion Time (per LSR)		3	UHL UHL	UHL2X OCOSL	27.70	514.21 45.99	464.58	106.65	56.98			27.37	12.97	17.77	17.77
		2 Wire Unbundled HDSL Loop without manual service inquiry	 	—	OI IL	OGGGE		45.55		 		1	-	t			
		and facility reservation - Zone 1		1	UHL	UHL2W	9.41	222.20	146.40	100.52	15.82			27.37	12.97	17.77	17.77

UNBUNDLE	NETWORK ELEMENTS - Alabama												Attachment:	2		Exhibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)	I			Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incremental Charge -
						Rec	Nonrec			g Disconnect	COMEC	COMAN		RATES (\$)	COMAN	COMAN
	2 Wire Unbundled HDSL Loop without manual service inquiry						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	and facility reservation - Zone 2		2	UHL	UHL2W	15.29	222.20	146.40	100.52	15.82			27.37	12.97	17.77	17.77
	2 Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 3		3	UHL	UHL2W	27.70	222.20	146.40	100.52	15.82			27.37	12.97	17.77	17.77
	Order Coordination for Specified Conversion Time (per LSR) CLEC to CLEC Conversion Charge without outside dispatch			UHL UHL	OCOSL UREWO		45.99 137.79	29.34					27.37	12.97	17.77	17.77
4-WIRE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPAT	IBLE	OOP	UHL	UREWU		137.79	29.34					21.31	12.97	17.77	17.77
4 111112	4 Wire Unbundled HDSL Loop including manual service inquiry	IDEE E	T .													
	and facility reservation - Zone 1		1	UHL	UHL4X	11.52	541.13	491.50	106.65	56.98			27.37	12.97	17.77	17.77
	4-Wire Unbundled HDSL Loop including manual service inquiry			_												
	and facility reservation - Zone 2		2	UHL	UHL4X	18.71	541.13	491.50	106.65	56.98			27.37	12.97	17.77	17.77
	4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 3		3	UHL	UHL4X	33.90	541.13	491.50	106.65	56.98			27.37	12.97	17.77	17.77
	Order Coordination for Specified Conversion Time (per LSR)		3	UHL	OCOSL	33.90	45.99	491.50	100.00	56.98			21.31	12.97	17.77	17.77
	4-Wire Unbundled HDSL Loop without manual service inquiry			OTIE	CCCCE		40.00									
	and facility reservation - Zone 1		1	UHL	UHL4W	11.52	279.39	203.59	109.99	20.70			27.37	12.97	17.77	17.77
	4-Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 2		2	UHL	UHL4W	18.71	279.39	203.59	109.99	20.70			27.37	12.97	17.77	17.77
	4-Wire Unbundled HDSL Loop without manual service inquiry					00.00	070.00	000 50	400.00	00.70			07.07	40.07	47.77	47.77
	and facility reservation - Zone 3 Order Coordination for Specified Conversion Time (per LSR)		3	UHL UHL	UHL4W OCOSL	33.90	279.39 45.99	203.59	109.99	20.70			27.37	12.97	17.77	17.77
	CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		137.79	29.34					27.37	12.97	17.77	17.77
4-WIRE	DS1 DIGITAL LOOP			0.12	0.12.110		101110	20.01					27.07	12.01		
	4-Wire DS1 Digital Loop - Zone 1		1	USL	USLXX	51.74	610.13	380.26	134.77	55.97			27.37	12.97	17.77	17.77
	4-Wire DS1 Digital Loop - Zone 2		2	USL	USLXX	84.05	610.13	380.26	134.77	55.97			27.37	12.97	17.77	17.77
	4-Wire DS1 Digital Loop - Zone 3		3	USL	USLXX	152.29	610.13	380.26	134.77	55.97			27.37	12.97	17.77	17.77
	Order Coordination for Specified Conversion Time (per LSR)			USL	OCOSL UREWO		45.99 130.27	40.05					27.37	12.97	17.77	17.77
4-WIDE	CLEC to CLEC Conversion Charge without outside dispatch 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP			USL	UREWU		130.27	40.05					21.31	12.97	17.77	17.77
4-WIKE	4 Wire Unbundled Digital 19.2 Kbps		1	UDL	UDL19	27.33	498.05	343.70	129.62	64.25			27.37	12.97	17.77	17.77
	4 Wire Unbundled Digital 19.2 Kbps		2	UDL	UDL19	44.40	498.05	343.70	129.62	64.25			27.37	12.97	17.77	17.77
	4 Wire Unbundled Digital 19.2 Kbps		3	UDL	UDL19	80.45	498.05	343.70	129.62	64.25			27.37	12.97	17.77	17.77
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1		1	UDL	UDL56	27.33	498.05	343.70	129.62	64.25			27.37	12.97	17.77	
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2		2	UDL	UDL56	44.40	498.05	343.70	129.62	64.25			27.37	12.97	17.77	
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3 Order Coordination for Specified Conversion Time (per LSR)		3	UDL UDL	UDL56 OCOSL	80.45	498.05 45.99	343.70	129.62	64.25			27.37	12.97	17.77	17.77
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1		1	UDL	UDL64	27.33	498.05	343.70	129.62	64.25			27.37	12.97	17.77	17.77
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2		2	UDL	UDL64	44.40	498.05	343.70	129.62	64.25			27.37	12.97	17.77	
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3		3	UDL	UDL64	80.45	498.05	343.70	129.62	64.25			27.37	12.97	17.77	17.77
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		45.99									
2 WIDE	CLEC to CLEC Conversion Charge without outside dispatch		1	UDL	UREWO		131.69	38.69	-	 	<u> </u>		27.37	12.97	17.77	17.77
Z-WIRE	Unbundled COPPER LOOP 2-Wire Unbundled Copper Loop/Short including manual service	-	1		-				1	1	 					1
	inquiry & facility reservation - Zone 1		1	UCL	UCLPB	11.90	283.37	163.68	120.15	22.37			18.94	8.42		
	2-Wire Unbundled Copper Loop/Short including manual service		<u> </u>		302. 2		200.07		.20.10	22.07			.0.04	3.42		
	inquiry & facility reservation - Zone 2		2	UCL	UCLPB	13.74	283.37	163.68	120.15	22.37			18.94	8.42		
	2 Wire Unbundled Copper Loop/Short including manual service															
 	inquiry & facility reservation - Zone 3		3	UCL	UCLPB	21.83	283.37	163.68	120.15	22.37	<u> </u>		18.94	8.42		1
 	Order Coordination for Unbundled Copper Loops (per loop) 2-Wire Unbundled Copper Loop/Short without manual service	-	1	UCL	UCLMC		36.46	36.46	1	1	1					
	inquiry and facility reservation - Zone 1	l i	1	UCL	UCLPW	11.90	104.17	78.10					18.94	8.42		
	2-Wire Unbundled Copper Loop/Short without manual service	Ė	<u> </u>						İ	İ						
	inquiry and facility reservation - Zone 2	- 1	2	UCL	UCLPW	13.74	104.17	78.10					18.94	8.42		
	2-Wire Unbundled Copper Loop/Short without manual service															
	inquiry and facility reservation - Zone 3	I	3	UCL	UCLPW	21.83	104.17	78.10			<u> </u>		18.94	8.42		_
 	Order Coordination for Unbundled Copper Loops (per loop) 2-Wire Unbundled Copper Loop/Long - includes manual srvc.	 	+	UCL	UCLMC		36.46	36.46		-	 					
	inquiry and facility reservation - Zone 1		1	UCL	UCL2L	35.43	270.28	150.59	120.15	22.37			18.94	8.42		
			<u> </u>	1	00-44	55.75	210.20	100.00	120.10	LL.01	1	ı	10.04	U. ¬Z	·	

CATEONY RATE ELEMENTS Prince 1000	UNBUNDLED	NETWORK ELEMENTS - Alabama												Attachment:	2		Exhibit: B
Solid Comment Commen				Zone	BCS	USOC			RATES(\$)	I		Submitted Elec	Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-
Second Complete Com							Rec					SOMEC	LEOMAN			SOMAN	SOMAN
Property and facility reservation - Zero 2 2 0.0. 0.0.1 0.0.		2-Wire Unbundled Copper Loop/Long - includes manual svc.				+		Filst	Add I	First	Auu	SOMEC	JOWAN	JOWAN	SOWAN	JOWAN	SOWAN
Popular part facility reconstruction. To Visional Corporation (Control Control Contr				2	UCL	UCL2L	40.91	270.28	150.59	120.15	22.37			18.94	8.42		
Order Constraint in triancation Copper Locate (per locate)																	
2-Wise Unbounded Copport Logo (Fund - window) and remove in the company of both presentation - Zince 2 1 2 U.C. U.C.2W 4.011 194.17 78.10 18.94 8.42 18.94 8.42 18.94 18.94 8.42 18.94				3			65.02			120.15	22.37			18.94	8.42		
Imaging year feeding reconstance - Zonn 1 1 1 1 1 1 1 1 1 1					UCL	UCLIVIC		30.40	36.46								
Biggly and facility receivables - Zone 2 1 2 CCL UCL2W 40.91 194.17 78.10 19.41 8.42			1	1	UCL	UCL2W	35.43	104.17	78.10					18.94	8.42		
Image: property and facility reservation - Zone 3			ī	2	UCL	UCL2W	40.91	104.17	78.10					18.94	8.42		
Order Coordination for Unburshed Capper Loops (per loops)		2-Wire Unbundled Copper Loop/Long - without manual service															
CLE Co CLE Conversion Charge without outside dispatch (UCL-Del) UCL UREWO 104.17 31.42 18.94 8.42			ı				65.02				ļ			18.94	8.42		
CUC_UC-New CUC_UC-New Content Cuc_UC-New Cuc_UC					UCL	UCLIVIC		36.46	36.46								
A-WINE Corporat Long/Short - Including manual service inquiry 1 UCL UCLAS 16.85 331.78 212.08 19.09 27.60 18.94 8.42		(UCL-Des)			UCL	UREWO		104.17	31.42					18.94	8.42		
4-Wire Cooper Loop/Short - including manual service inquiry 1 UCL UCLAS 16.65 331.76 212.09 130.69 27.60 27.37 8.42					UEQ	UREWO		44.69	22.02					18.94	8.42		
and flositily reservation - Zone 1	4-WIRE														_		
A-Wire Cooper Loop/Short - Including manual service inquiry and and incling reservation - Zone 2 UCL UCL4S 19.22 331.78 212.09 130.68 27.60 18.94 8.42																	
and facility reservation - Zone 2				1	UCL	UCL4S	16.65	331.78	212.09	130.69	27.60			27.37	8.42		
### After Copper Loop/Fiftor - Zone 3 ### Control Control and Indianal Reservice Inquiry Reservation - Zone 3 ### Control Control Indianal Reservice Inquiry and Indianal Reservice Inquir				2	LICI	LICL4S	19 22	331 78	212.09	130.69	27 60			18 94	8 42		
and facility reservation - Zone 3					OOL	OOL40	13.22	331.70	212.03	130.09	27.00			10.54	0.42		
A-Wire Copper Loops/Short - without manual service inquiry and facility reservation - Zone 1 1 1 UCL UCLAW 16.65 104.17 78.10 15.94 8.42 15.94				3			30.55			130.69	27.60			18.94	8.42		
facility reservation - Zone 1 1 UCL UCLAW 16.65 104.17 78.10 18.94 8.42					UCL	UCLMC		36.46	36.46								
A-Wire Copper Loop/Short - without manual service inquiry and lacility reservation - Zone 2					LICI	LICL AW	40.05	404.47	70.40					40.04	0.40		
Seality reservation - Zone 2			-	-	UCL	UCL4VV	10.00	104.17	78.10					18.94	8.42		
4-Wire Copper Loop/Short - without manual sence inquiry and 1 3 UCL UCL4W 30.55 104.17 78.10 18.94 8.42			1	2	UCL	UCL4W	19.22	104.17	78.10					18.94	8.42		
Order Coordination for Unburnelled Copper Loops (per loop)																	
4-Wire Unbundled Copper Loop/Long - includes manual svc. 1 UCL UCL4L 47.56 318.70 199.00 130.69 27.60 18.94 8.42			I	3			30.55							18.94	8.42		
Inquiry and facility reservation - Zone 1					UCL	UCLMC		36.46	36.46								
A-Wire Unbundled Copper Loop/Long - includes manual svc. Inquiry and facility reservation - Zone 2				1	LICI	LICI 4I	47.56	219 70	100.00	120.60	27.60			19.04	9.42		
Inquiry and facility reservation - Zone 2				-	OCL	UCL4L	47.30	310.70	199.00	130.09	27.00			10.94	0.42		
Inquiry and facility reservation - Zone 3				2	UCL	UCL4L	54.92	318.70	199.00	130.69	27.60			18.94	8.42		
Order Coordination for Unbundled Copper Loops (per loop)																	
A-Wire Unbundled Copper Loop/Long - without manual svc. inquiry and facility reservation - Zone 1				3			87.30			130.69	27.60			18.94	8.42		
Inquiry and facility reservation - Zone 1	-				UCL	UCLIVIC		36.46	36.46								
4-Wire Unbundled Copper Loop/Long - without manual svc. inquiry and facility reservation - Zone 2			1	1	UCL	UCL4O	47.56	104.17	78.10					18.94	8.42		
A-Wire Unbundled Copper Loop/Long - without manual svc. inquiry and facility reservation - Zone 3		4-Wire Unbundled Copper Loop/Long - without manual svc.															
Inquiry and facility reservation - Zone 3			I	2	UCL	UCL4O	54.92	104.17	78.10					18.94	8.42		
Order Coordination for Unbundled Copper Loops (per loop) CLEC to CLEC conversion Charge without outside dispatch UCL UREWO 104.17 31.42 18.94 8.42 LOOP MODIFICATION Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft Unbundled Loop Modification, Removal of Load Coils - 2 wire greater than 18k ft UCL, ULS ULM2L 67.39 67.39 Unbundled Loop Modification Removal of Load Coils - 4 Wire less than or equal to 18K ft Unbundled Loop Modification Removal of Load Coils - 4 Wire pair greater than 18k ft UNL, UCL, ULS ULM4L 67.39 67.39 Unbundled Loop Modification Removal of Load Coils - 4 Wire pair greater than 18k ft UNL, UCL, ULM4L 67.39 67.39 Unbundled Loop Modification Removal of Load Coils - 4 Wire pair greater than 18k ft UNL, UCL, ULM4L 77.39 UNLM4G 337.50 337.50 337.50 337.50 337.50 337.50 337.50 Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled Loop Modification Removal of Bridged Tap Removal, I ULM4G 78.10 UNL, UHL, UCL, ULM8T 78.10 TR.10 TR.10	1 1			2	IIICI	LICL 4O	97.30	104 17	70 10					10.04	0.40		
CLEC to CLEC conversion Charge without outside dispatch LOOP MODIFICATION Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft Unbundled Loop Modification, Removal of Load Coils - 2 wire greater than 18k ft Unbundled Loop Modification Removal of Load Coils - 4 Wire less than or equal to 18K ft Unbundled Loop Modification Removal of Load Coils - 4 Wire less than or equal to 18K ft Unbundled Loop Modification Removal of Load Coils - 4 Wire pair greater than 18k ft Unbundled Loop Modification Removal of Load Coils - 4 Wire pair greater than 18k ft Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop Unbundled Loop Modification Removal of Bridged Tap Removal, UAL, UHL, UCL, ULMBT Table 104.17 31.42 18.48 4.42 18.94 8.42 18.94 67.39			-	3			87.30			1	 		 	18.94	8.42		
LOOP MODIFICATION Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft l UEQ, ULS ULM2L 67.39 67.39										1				18.94	8.42		
pair less than or equal to 18k ft Unbundled Loop Modification, Removal of Load Coils - 2 wire greater than 18k ft Unbundled Loop Modification Removal of Load Coils - 4 Wire less than or equal to 18K ft Unbundled Loop Modification Removal of Load Coils - 4 Wire pair greater than 18k ft Unbundled Loop Modification Removal of Load Coils - 4 Wire pair greater than 18k ft Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop UNAL, UHL, UCL ULM4G 337.50 337.50 337.50 337.50 337.50 337.50 337.50	LOOP MODIFICA																
Unbundled Loop Modification, Removal of Load Coils - 2 wire greater than 18k ft I UCL, ULS ULM2G 337.50 337.50 337.50 IUNbundled Loop Modification Removal of Load Coils - 4 Wire less than or equal to 18K ft I UHL, UCL ULM4L 67.39 67.39 IUNbundled Loop Modification Removal of Load Coils - 4 Wire pair greater than 18k ft I UCL ULM4G 337.50 337.50 IUNbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop I UEQ, UEF, ULS ULMBT 78.10 78.10			١.					07.00	07.00								1
Greater than 18k ft			-	1	UEW, ULS	ULIVIZL		67.39	67.39		-		-				\vdash
Unbundled Loop Modification Removal of Load Coils - 4 Wire less than or equal to 18K ft I UHL, UCL ULM4L 67.39 67.39 Unbundled Loop Modification Removal of Load Coils - 4 Wire pair greater than 18k ft I UCL ULM4G 337.50 337.50 Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop Modification Removal of Bridged Tap Removal, I UEQ, UEF, ULS ULMBT 78.10 78.10	1 1		1	1	UCL, ULS	ULM2G		337.50	337.50								1
Unbundled Loop Modification Removal of Load Coils - 4 Wire pair greater than 18k ft I UCL ULM4G 337.50 337.50 ULMbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop I UEQ, UEF, ULS ULMBT 78.10 78.10																	
pair greater than 18k ft I UCL ULM4G 337.50 337.50 337.50 Significant of Bridged Tap Removal, per unbundled loop I UEQ, UEF, ULS ULMBT 78.10 78.10			I	<u> </u>	UHL, UCL	ULM4L		67.39	67.39								
Unbundled Loop Modification Removal of Bridged Tap Removal, Per unbundled loop I UEQ, UEF, ULS ULMBT 78.10 78.10				1	LICI	LILMAC		227.52	207.50								
per unbundled loop I UEQ, UEF, ULS ULMBT 78.10 78.10 78.10			-	1		ULIVI4G		337.50	337.50		-		-				-
	1 1		ı	1		ULMBT		78.10	78.10								
SOR-FOOLS	SUB-LOOPS																

CATEGORY RATE ELEMENTS Interi m Zone BCS USOC RATES(\$) RATE SLEMENTS RATE SLEMENTS RATE SLEMENTS Incremental Charge - Charg	LINDUNDI ED	NETWORK ELEMENTS - Alabama												Attachment:	2		Exhibit: B
CATEGORY RATE ELEMENTS Manual Grove BCS USOC Section	UNBUNDLEL				I		1										
ATT CLEMENTS Mark Core BCS USOC PATE Core Section Core																	Incremental
Sub-limited Color			Interi														
Part	CATEGORY	RATE ELEMENTS		Zone	BCS	USOC			RATES(\$)								
Sub-Loss Per Barrier Sub-Loss Per Loss Sub-Loss Per Lo			m														
Sub-Logo Distribution																	
Sel-Long Distribution								1				per LSR	per LSR	1st	Add'l	Disc 1st	Disc Add'l
Sel-Long Distribution							_			l							
Section Performance Section	—			1			Rec					COMEC	COMAN			COMAN	COMAN
Sub-Loop - Per Cose Box Location - CLEC Feeder Facility See 1	Sub-Lo	n Distribution						FIRST	Add I	FIRST	Addi	SOMEC	SUMAN	SOWAN	SUMAN	SUMAN	SOWAN
1	Jub-Lot			1													
Sub-Locy - Per Closed Sear Location - Per 25 Pair Paired Sear Up UEAM. USBSS 17.10 E7.10 E7.		,			ΙΙΕΔΝΙ	LISBSA		421.08	421 08					18 94	8 42		
Sub-Loop - Tear Building Equipment Room - CLEC Feature 1		100			0271112	0020/1		121.00	121100	İ				10.01	0.12		
Sub-Lock on Part Publing Equipment Roun - CLEC Preview 1		Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	- 1		UEANL	USBSB		67.10	67.10					18.94	8.42		
Sub-Loop - Per Building Equipment Roam - Per 25 Par Parel 1		Sub-Loop - Per Building Equipment Room - CLEC Feeder															
Set-Up S			- 1		UEANL	USBSC		394.74	394.74					18.94	8.42		
Sub-Loco Databetion First - Vive Analogy Vacos Grade Locy	1 1																
Statewards	\vdash			1	UEANL	USBSD		154.57	154.57	.				18.94	8.42		
Criter Coordination for Unbundled Sub-Loops, per Bub-loop part UEANL USBMC 46.99 45.99 123.72 28.77 18.94 8.42 12.70 12.70 12.77 18.94 8.42 12.70 12.70 12.77 18.94 8.42 12.70 12.70 12.77 18.94 8.42 12.70	1 1			C	LIEANI	LICDNO	0.40	207.04	474.00					10.04	0.40		
Stud-Loop Distribution For 4-Wire Analog Victor Grade Loop - w UEANL USBN4	\vdash	Statewide	 	SW	UEAINL	USBINZ	9.12	207.01	1/1.32	-				18.94	8.42		
Stud-Loop Distribution For 4-Wire Analog Victor Grade Loop - w UEANL USBN4	1 1	Order Coordination for Unbundled Sub-Loops, per sub-loop pair	1		LIFANI	LISBMC		45 00	45 99	1				1			1
Statewide Stat				1	OLANE	CODIVIC		40.99	40.00								
Order Coordination for Unbundled Sub-Loops, per sub-loop part UEANL USBMC 15.00 115.85 19.17 18.94 8.42	1 1		1	sw	UEANL	USBN4	8.32	219.35	72.99	123.72	28.77			18.94	8.42		1
Sub-Logo 24/Wire Intrabulating Network Cable (INC)			1	<u> </u>		1		2.0.00	: _:50	1				1			İ
Order Coordination for Unburndied Sub-Loops, per sub-loop pair UEANL USBNC		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL			45.99	45.99								
Sub-Loop A-Wire Introductions (Pathwork Cable (NCC) I UEANL USBRA 2.96 17-8.46 55.11 12.17 19.57 18.94 8.42		Sub-Loop 2-Wire Intrabuilding Network Cable (INC)	- 1		UEANL	USBR2	1.61	137.03	41.59	115.85	19.17			18.94	8.42		
Sub-Loop A-Wire Introductions (Pathwork Cable (NCC) I UEANL USBRA 2.96 17-8.46 55.11 12.17 19.57 18.94 8.42																	
Order Coordination for Unbundled Sub-Loop, per sub-loop pair UEANL USBMC 45.99 45.99 45.90 16.86 24.53 18.94 8.42 175.16 65.50 105.86 24.53 18.94 8.42 175.16 18.94 18.9			<u> </u>												0.10		
2 Wire Copper Unbundied Sub-Loop Distribution - Statewide Sav UEF UCS2X 5.54 175.16 55.50 108.86 24.53 18.94 8.42		Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	- 1		UEANL	USBR4	2.96	1/6.46	55.11	122.17	19.57			18.94	8.42		
2 Wire Copper Unbundied Sub-Loop Distribution - Statewide Sav UEF UCS2X 5.54 175.16 55.50 108.86 24.53 18.94 8.42		Order Coordination for Unbundled Sub-Loope, per sub-loop peir			LIEANII	LICEMC		45.00	45.00								
Order Coordination for Unbundled Sub-Loops, per sub-loop pair UEF USBMC 45.99 45.99 123.72 28.77 18.94 8.42				SW			5 54			108.86	24 53			18 94	8 42		
A Wire Copper Unburdled Sub-Loop Distribution - Statewide Sw UEF UCSAX 6.89 219.35 72.99 123.72 28.77 18.94 8.42		2 Wile copper cribunated out Ecop Bistribution Clatewide		344	OLI	OOOZX	0.04	170.10	00.00	100.00	24.00			10.54	0.42		
A Wire Copper Unburdled Sub-Loop Distribution - Statewide Sw UEF UCSAX 6.89 219.35 72.99 123.72 28.77 18.94 8.42		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		45.99	45.99								
Unbundled Sub-Loop Modification - 2-W Copper Dist Load UEF ULM2X 355.71 12.26 18.94 8.42 ULM2W UEF ULM2W 355.71 12.26 18.94 8.42 ULM2W		4 Wire Copper Unbundled Sub-Loop Distribution - Statewide		sw	UEF	UCS4X	6.89	219.35	72.99	123.72	28.77			18.94	8.42		
Unbundled Sub-Loop Modification - 2-W Copper Dist Load UEF ULM2X 355.71 12.26 18.94 8.42 ULM2W UEF ULM2W 355.71 12.26 18.94 8.42 ULM2W																	
Unbundled Sub-Loop Modification - 2-W Copper Dist Load UEF ULM2X 355.71 12.26 18.94 8.42 Unbundled Sub-loop Modification - 4-W Copper Dist Load UEF ULM2X 355.71 12.26 18.94 8.42 Unbundled Sub-loop Modification - 4-W Copper Dist Bridged Tap Removal, per PV unloaded UEF ULMAT 560.55 14.30 18.94 8.42 Unbundled Sub-loop Modification - 2-wi-e-W Copper Dist Bridged Tap Removal, per PV unloaded UEF ULMAT 560.55 14.30 18.94 8.42 Ulbundled Sub-loop Revision 18.94 8.42 Ulbundled Sub-loop Revision 18.94 8.42 Ulbundled Sub-loop Revision 18.94 8.42 Ulbundled Sub-loop Revision 18.94 8.42 Ulbundled Sub-loop Revision 18.94 8.42 Ulbundled Sub-loop Revision 18.94 8.42 Ulbundled Sub-loop Revision 18.94 8.42 Ulbundled Sub-loop Revision 18.94 8.42 Ulbundled Sub-loop Revision 18.94 8.42 Ulbundled Sub-loop Revision 18.94 8.42 Ulbundled Sub-loop Revision 18.94 8.42 Ulbundled Sub-loop Revision 18.94 8.42 Ulbundled Sub-loop Revision 18.94 8.42 Ulbundled Sub-loop Revision 18.94 8.42 Ulbundled Sub-loop Revision 18.94 8.42 Ulbundled Sub-loop Revision 18.94 8.42 Ulbundled Sub-loop Revision 18.94 8.42 Ulbundled Sub-loop Revision 18.94 8.42 Ulbundled Sub-loop Revision 18.94 Sub-loop Sub-loop Revision 18.94 Su					UEF	USBMC		45.99	45.99								
ColiFaquip Removal per 2-W PR	Unbund																
Unbundled Sub-loop Modification - 4-W Copper Dist Load UFF ULMAX 355.71 12.26 18.94 8.42 18.94 8.42 18.94 18.94 8.42 18.94					uee	111 1401/		055.74	40.00					40.04	0.40		
Colifequip Removal per 4-W PR					UEF	ULW2X		355.71	12.26					18.94	8.42		
Unbundled Sub-loop Modification - 2-w/4-w Copper Dist Bridged Tap Removal, per PR unloaded UEF					LIEE	HIMAY		355 71	12.26					18 04	8.42		
Tap Removal, per PR unloaded UEF ULMAT 560.55 14.30 18.94 8.42					OL:	CLIVITA		333.71	12.20					10.54	0.42		
Unbundled Network Terminating Wire (UNTW) UENTW UENPP 1.37 2.48 2.48 1.74 1.74 18.94 8.42	1 1		1		UEF	ULM4T		560.55	14.30	1				18.94	8.42		1
Network Interface Device (NID) Network Interface Device (NID) - 1-2 lines UENTW UND12 86.46 56.75 18.94 8.42 18.94 8.42 18.94 8.42 18.94 8.42 19.95 19	Unbund																
Network Interface Device (NID) - 1-2 lines					UENTW	UENPP	1.37	2.48	2.48	1.74	1.74			18.94	8.42		
Network Interface Device (NID) - 1-6 lines	Network																
Network Interface Device Cross Connect - 2 W	\vdash		<u> </u>	<u> </u>													
Network Interface Device Cross Connect - 4W	\vdash		 	-						 							
SUB-LOOPS Sub-Loop Feeder	 		1	 								1	1				1
Sub-Loop Feeder USL-Feeder, DSO Set-up per Cross Box location - CLEC Distribution Facility set-up USL Feeder - DSO Set-up per Cross Box location - per 25 pair UEA, USL Feeder - DSO Set-up per Cross Box location - per 25 pair UEA, USL Feeder - DSO Set-up per Cross Box location - per 25 pair UEA, UDN,UCL,UDL,UDC USBFX 67.10 67.10 USL Feeder DSI Set-up at DSX location, per DSI termination USL USBFZ 519.95 11.32 Unbundled Sub-Loop Feeder Loop, 2 Wire Ground-Start, Voice Grade- Statewide Sw UEA USBFA USBFA UEA OCOSL 45.99 UEA USBFB 8.58 206.44 170.05 119.95 27.04 18.94 8.42 USBFB 8.42 UEA USBFB 8.58 UEA USBFB 8.58 206.44 170.05 119.95 27.04 18.94 8.42 USBFB 8.42 UEA USBFB 8.58 UEA USBFB USBFB USBFB USBFB USBFB USBFB USBFB USBFB USBFB USBFB USBFB USBFB USBFB USBFB U	SUB-LOOPS	THOUSEN THE HACE DEVICE CHOSS CONTINUES - 444	 	1	OFIAIAA	SINDO		11.73	11.73	+				10.94	0.42		
USL-Feeder, DSO Set-up per Cross Box location - CLEC Distribution Facility set-up USL Feeder - DSO Set-up per Cross Box location - per 25 pair set-up USL Feeder DS1 Set-up per Cross Box location - per 25 pair set-up UDN,UCL,UDL,UDC USBFX Gr.10 USL Feeder DS1 Set-up at DSX location, per DS1 termination USL USBFZ UDN,UCL,UDL,UDC USBFX Gr.10 Gr.10 USL USBFZ USBFZ USBFZ USBFZ USBFA USBFA USBFA USBFA USBFA UEA USBFA UEA USBFA UEA USBFB UEA USBFB UEA USBFB UEA USBFB USB		pp Feeder	<u> </u>							1				1			1
Distribution Facility set-up UDN,UCL,UDL,UDC USBFW 421.08 USL Feeder - DSO Set-up per Cross Box location - per 25 pair UEA,																	
Set-up Set-up at DSX location, per DS1 termination USL USBFX 67.10 67.10 Set-up at DSX location, per DS1 termination USL USBFZ 519.95 11.32 Set-up at DSX location, per DS1 termination USL USBFZ 519.95 11.32 Set-up at DSX location, per DS1 termination USL USBFZ Set-up at DSX location, per DS1 termination USL USBFZ Set-up at DSX location, per DS1 termination USL USBFZ Set-up at DSX location, per DS1 termination USL USBFZ Set-up at DSX location, per DS1 termination USL USBFX Set-up at DSX location, per DS1 termination USL USBFX Set-up at DSX location, per DS1 termination USL USBFX Set-up at DSX location, per DS1 termination USL USBFX Set-up at DSX location, per DS1 termination USL USBFX Set-up at DSX location, per DS1 termination USL USBFX Set-up at DSX location, per DS1 termination USL USBFX Set-up at DSX location, per DS1 termination USL USBFX Set-up at DSX location, per DS1 termination USL USBFX Set-up at DSX location, per DS1 termination USL USBFX Set-up at DSX location, per DS1 termination USL USBFX Set-up at DSX location, per DS1 termination USL USBFX Set-up at DSX location, per DS1 termination USL USBFX Set-up at DSX location, per DS1 termination USL USBFX Set-up at DSX location, per DS1 termination USL USBFX Set-up at DSX location, per DS1 termination USL USBFX Set-up at DSX location, per DS1 termination USL USBFX Set-up at DSX location, per DS1 termination USL USBFX Set-up at DSX location USBFX Set-up at DSX location USBFX Set-up at DSX location USBFX Set-up at DSX location USBFX Set-up at DSX location USBFX Set-up at DSX location USBFX Set-up at DSX location USBFX Set-up at DSX location USBFX Set-up at DSX location USBFX Set-up at DSX location USBFX Set-up at DSX location USBFX Set-up at DSX location USBFX Set-up at DSX location USBFX Set-up at DSX location USBFX USBFX Set-up at D		Distribution Facility set-up				USBFW		421.08						<u> </u>			
USL Feeder DS1 Set-up at DSX location, per DS1 termination														1			1
Unbundled Sub-Loop Feeder Loop, 2 Wire Ground-Start, Voice Sw UEA USBFA 8.58 206.44 170.05 119.95 27.04 18.94 8.42	\vdash		ļ														
Grade- Statewide			<u> </u>	<u> </u>	USL	USBFZ		519.95	11.32	-							
Order Coordination for Specified Conversion Time, per LSR UEA Unbundled Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice Grade - Statewide Order Coordination for Specified Time Conversion, per LSR UEA USBFB 8.58 206.44 170.05 119.95 27.04 18.94 8.42 UEA OCOSL UEA OCOSL UEA OCOSL UEA OCOSL UEA OCOSL UEA OCOSL UEA OCOSL	1 1		1	C	LIEA	LICDEA	0.50	206 44	170.05	110.05	27.04			10.04	0.40		1
Unbundled Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice Sw	\vdash		 	SW			8.58		170.05	119.95	21.04			18.94	8.42		1
Grade - Statewide	 		 	1	OLA.	JUUGL		45.39		+							
Order Coordination for Specified Time Conversion, per LSR UEA OCOSL 45.99 Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery,	1 1		1	sw	UEA	USBFB	8.58	206.44	170.05	119.95	27.04			18.94	8.42		1
Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery,																	
Voice Grade Loop - Statewide		Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery,															
		Voice Grade Loop - Statewide	<u> </u>	SW	UEA	USBFC	8.58	206.44	170.05	119.95	27.04			18.94	8.42		

UNBUNDLED	NETWORK ELEMENTS - Alabama												Attachment:	2		Exhibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec			g Disconnect				RATES (\$)		
					00001		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Order Coordination For Specified Conversion Time, per LSR			UEA	OCOSL		45.99									
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice Grade - Statewide		sw	UEA	USBFD	19.91	243.41	81.32	134.77	33.93			18.94	8.42		
	Order Coordination For Specified Conversion Time, Per LSR			UEA	OCOSL		45.99									
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice Grade - Statewide		sw	UEA	USBFE	19.91	243.41	81.32	134.77	33.93			18.94	8.42		
	Order Coordination For Specified Conversion Time, Per LSR			UEA	OCOSL		45.99									
	Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Statewide		sw	UDN	USBFF	17.73	208.50	62.31	119.68	29.58			19.99	19.99	19.99	19.99
	Order Coordination For Specified Conversion Time, Per LSR			UDN	OCOSL		45.99									
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)			UDC	USBFS	17.73	208.50	62.31	119.68	29.58			19.99	19.99	19.99	19.99
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Statewide		SW	USL	USBFG	79.30	203.69	128.76	124.09	34.80			19.99	19.99	19.99	19.99
	Order Coordination For Specified Conversion Time, Per LSR		1	USL	OCOSL		45.99						1			
	Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Statewide		sw	UCL	USBFH	7.22	195.38	63.15	119.68	29.58			18.94	8.42		
	Order Coordination For Specified Conversion Time, per LSR			UCL	OCOSL	10.70	45.99	21.00					10.01			
	Sub-Loop Feeder - Per 4-Wire Copper Loop - Statewide		SW	UCL	USBFJ	13.72	243.41	81.32	134.77	33.93			18.94	8.42		
	Order Coordination For Specified Conversion Time, per LSR Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop		SW	UCL UDL	OCOSL USBFN	24.50	45.99 243.41	81.32	134.77	33.93			19.99	19.99	19.99	19.99
	Sub-Loop Feeder - Per 4-Wire 19.2 Rbps Digital Grade Loop -		SW	UDL	USBFIN	24.50	243.41	01.32	134.77	33.93	1		19.99	19.99	19.99	19.99
	Statewide		sw	UDL	USBFO	24.50	243.41	81.32	134.77	33.93			19.99	19.99	19.99	19.99
	Order Coordination For Specified Time Conversion, per LSR			UDL	OCOSL	21.00	45.99	01.02		00.00			10.00	10.00	10.00	.0.00
	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop -			-												
	Statewide		sw	UDL	USBFP	24.50	243.41	81.32	134.77	33.93			19.99	19.99	19.99	19.99
	Order Coordination For Specified Conversion Time, per LSR			UDL	OCOSL		45.99									
SUB-LOOPS	<u> </u>															
Sub-Loc	pp Feeder Sub Loop Feeder - DS3 - Per Mile Per Month			UE3	1L5SL	13.55										
	Sub Loop Feeder - DS3 - Per Mille Per Month Sub Loop Feeder - DS3 - Facility Termination Per Month			UE3	USBF1	332.40	3,384.00	407.00	160.47	90.97			31.31	31.31	3.93	3.93
	Sub Loop Feeder – STS-1 – Per Mile Per Month			UDLSX	1L5SL	13.55	3,304.00	407.00	100.47	30.31			31.31	31.31	3.33	3.33
	Sub Loop Feeder - STS-1 - Facility Termination Per Month			UDLSX	USBF7	357.36	3,384.00	407.00	160.47	90.97			31.31	31.31	3.93	3.93
	Sub Loop Feeder – OC-3 – Per Mile Per Month			UDLO3	1L5SL	10.28										
	Sub Loop Feeder - OC-3 - Facility Termination Protection Per			LIDI OO	HODES	54.00										
	Month Sub Loop Feeder - OC-3 - Facility Termination Per Month			UDLO3 UDLO3	USBF5 USBF2	54.89 538.69	3,384.00	407.00	160.47	90.97			31.31	31.31	3.93	3.93
	Sub Loop Feeder - OC-3 - Pacinty Termination Fer Worth	-	1	UDL12	1L5SL	12.66	3,304.00	+07.00	100.47	50.97	<u> </u>		31.31	31.31	ა.ჟა	3.53
	Sub Loop Feeder - OC-12 - Facility Termination Protection Per				.2002	12.00				1						
	Month	L	<u>L</u>	UDL12	USBF6	620.18			<u> </u>	<u> </u>	<u></u>	<u> </u>	<u> </u>	<u> </u>		<u> </u>
	Sub Loop Feeder - OC-12 - Facility Termination Per Month			UDL12	USBF3	1,729.00	3,384.00	407.00	160.47	90.97			31.31	31.31	3.93	3.93
	Sub Loop Feeder - OC-48 - Per Mile Per Month			UDL48	1L5SL	41.51							1			
	Sub Loop Feeder - OC-48 - Facility Termination Protection Per			LIDI 40	LICDEO	240.00				1				1		
	Month Sub-Loop Fooder, OC 49, Facility Termination Per Month	 	-	UDL48 UDL48	USBF9 USBF4	310.30 1,495.00	3,570.00	407.00	160.47	90.97	<u> </u>	1	31.31	31.31	3.93	3.93
	Sub Loop Feeder - OC-48 - Facility Termination Per Month Sub Loop Feeder - OC-12 Interface On OC-48	<u> </u>	1	UDL48 UDL48	USBF8	1,495.00 350.09	788.09	407.00	160.47	90.97	1	1	31.31	31.31	3.93	3.93
UNBUNDLED LO	DOP CONCENTRATION			000	00010	330.09	, 00.03	407.00	100.47	30.91	1	1	51.51	51.51	5.35	5.55
	Unbundled Loop Concentration - System A (TR008)			ULC	UCT8A	441.42	650.81	650.81	1	1			19.99	19.99	19.99	19.99
	Unbundled Loop Concentration - System B (TR008)			ULC	UCT8B	52.97	271.17	271.17					19.99	19.99	19.99	19.99
	Unbundled Loop Concentration - System A (TR303)			ULC	UCT3A	478.93	650.81	650.81								
	Unbundled Loop Concentration - System B (TR303)			ULC	UCT3B	89.26	271.17	271.17	ļ	ļ			19.99	19.99	19.99	19.99
	Unbundled Loop Concentration - DS1 Loop Interface Card	-	<u> </u>	ULC	UCTCO	5.04	126.57	92.14	33.57	9.40			19.99	19.99	19.99	19.99
	Unbundled Loop Concentration - ISDN Loop Interface (Brite Card)			UDN	ULCC1	8.00	21.07	20.96	10.78	10.71			19.99	19.99	19.99	19.99
	Unbundled Loop Concentration - UDC Loop Interface (Brite							· · · · · · · · · · · · · · · · · · ·		1				1		
	Card) Unbundled Loop Concentration2 Wire Voice-Loop Start or		-	UDC	ULCCU	8.00	21.07	20.96	10.78	10.71			19.99	19.99	19.99	19.99
	Ground Start Loop Interface (POTS Card) Unbundled Loop Concentration - 2 Wire Voice - Reverse Battery			UEA	ULCC2	2.00	21.07	20.96	10.78	10.71			18.94	8.42		
	Loop Interface (SPOTS Card)			UEA	ULCCR	11.89	21.07	20.96	10.78	10.71			18.94	8.42		

UNBUNDLED	NETWORK ELEMENTS - Alabama						-						Attachment:	2		Exhibit: E
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonred First	curring Add'l	Nonrecurring First	g Disconnect Add'l	SOMEC	SOMAN	OSS F	RATES (\$)	SOMAN	SOMAN
	Unbundled Loop Concentration - 4 Wire Voice Loop Interface						FIRST	Addi	FIRST	Addi	SOMEC	SOWAN	SOWAN	SOWAN	SOWAN	SOMAN
	(Specials Card)			UEA	ULCC4	7.09	21.07	20.96	10.78	10.71			18.94	8.42		
	Unbundled Loop Concentration - TEST CIRCUIT Card			ULC	UCTTC	34.67	21.07	20.96	10.78	10.71			19.99	19.99	19.99	19.99
	Unbundled Loop Concentration - Digital 19.2 Kbps Data Loop															
	Interface			UDL	ULCC7	10.51	21.07	20.96	10.78	10.71			19.99	19.99	19.99	19.99
	Unbundled Loop Concentration - Digital 56 Kbps Data Loop Interface			UDL	ULCC5	10.51	21.07	20.96	10.78	10.71			19.99	19.99	19.99	19.99
	Unbundled Loop Concentration - Digital 64 Kbps Data Loop			ODL	02003	10.51	21.07	20.30	10.70	10.71			13.33	15.55	19.55	15.55
	Interface			UDL	ULCC6	10.51	21.07	20.96	10.78	10.71			19.99	19.99	19.99	19.99
UNE OTHER, PI	ROVISIONING ONLY - NO RATE															
	NID - Dispatch and Service Order for NID installation			UENTW	UNDBX											
	UNTW Circuit Id Establishment, Provisioning Only - No Rate		-	UENTW UEANL,UEF,UEQ,U	UENCE	1				 						-
	Unbundled Contract Name, Provisioning Only - No Rate			ENTW	UNECN					1						
UNE OTHER. PF	ROVISIONING ONLY - NO RATE			F141 AA	SINLOIN	+				-		 				†
	Unbundled Contact Name, Provisioning Only - no rate			UAL,UCL,UDC,UDL, UDN,UEA,UHL,ULC	UNECN	0.00	0.00									
	Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no rate			UEA,UDN,UCL,UDC	USBFQ	0.00	0.00									
	Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no rate			UEA,USL,UCL,UDL	USBFR	0.00	0.00									
	Unbundled DS1 Loop - Superframe Format Option - no rate			USL	CCOSF	0.00	0.00									
	Unbundled DS1 Loop - Expanded Superframe Format option -															
	no rate			USL	CCOEF	0.00	0.00									
	Y UNBUNDLED LOCAL LOOP															
NOTE: 4	I month minimum billing period High Capacity Unbundled Local Loop - DS3 - Per Mile per															
	month High Capacity Unbundled Local Loop - DS3 - Fel Mile per			UE3	1L5ND	10.16										
	Termination per month High Capacity Unbundled Local Loop - DS3 - Facility Termination per month			UE3	UE3PX	374.52	903.03	527.87	238.97	167.16			31.31	31.31	3.93	3.93
	month			UDLSX	1L5ND	10.16										
L COD MAKE III	High Capacity Unbundled Local Loop - STS-1 - Facility Termination per month			UDLSX	UDLS1	387.67	903.03	527.87	238.97	167.16			31.31	31.31	3.93	3.93
LOOP MAKE-U	Loop Makeup - Preordering Without Reservation, per working or					-				-						
	spare facility queried (Manual).	ı		UMK	UMKLW		131.22	131.22								
	Loop Makeup - Preordering With Reservation, per spare facility queried (Manual).	ı		UMK	UMKLP		136.93	136.93								
	Loop MakeupWith or Without Reservation, per working or spare facility queried (Mechanized)	ı		UMK	PSUMK		0.9809855	0.9809855								
	NCY SPECTRUM									ļ			ļ			
SPLITTI	ERS-CENTRAL OFFICE BASED			111.0	LII CDA	450.70	204.00	0.00	054.70	0.00		0.00				
	Line Sharing Splitter, per System 96 Line Capacity Line Sharing Splitter, per System 24 Line Capacity	+		ULS ULS	ULSDA ULSDB	152.70 38.18	221.09 221.09	0.00	254.79 254.79	0.00		0.00				-
	Line Sharing Splitter, Per System 24 Line Capacity Line Sharing Splitter, Per System, 8 Line Capacity	<u> </u>		ULS	ULSD8	12.73	221.09	0.00	254.79	0.00		0.00				
	Line Sharing-DLEC Owned Splitter in CO-CFA activation-deactivation (per LSOD)	ı		ULS	ULSDG	.20	57.70	3.30	11.39	5.50		5.50				
END US	ER ORDERING-CENTRAL OFFICE BASED-HIGH FREQUENCY	SPECTI	RUM A				370			1						
	Line Sharing - per Line Activation			ULS	ULSDC	0.61	39.09	20.94	22.15	9.46			27.37	12.97	17.77	17.77
	Line Sharing - per Subsequent Activity per Line Rearrangement	I		ULS	ULSDS		34.90	16.18					27.37	12.97		
	Line Splitting - per line activation DLEC owned splitter	ı		UEPSR UEPSB	UREOS	0.61		-								
	Line Splitting - per line activation BST owned - physical	- !		UEPSR UEPSB	UREBP	0.641	37.01	21.19	20.02	9.83						
INDIANO ES E	Line Splitting - per line activation BST owned - virtual	ı		UEPSR UEPSB	UREBV	0.639	37.01	21.19	20.02	9.83						
UNBUNDLED TI						ļ				.					ļ	
INTERO	FFICE CHANNEL - DEDICATED TRANSPORT - VOICE GRADE		1		1				l	1	1	1	ı		l .	

UNBUNDLED	NETWORK ELEMENTS - Alabama												Attachment:	2		Exhibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Order vs.	Charge -	Charge -	Charge - Manual Svc Order vs.
						Rec	Nonrec		Nonrecurring					RATES (\$)		
	Interesting Changel Dedicated Transport 2 Wire Vision Conde						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -			U1TVX	1L5XX	0.0101										
	Facility Termination per month			U1TVX	U1TV2	24.15	81.07	54.82	33.47	13.79			31.31	31.31	3.93	3.93
	Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade Rev Bat Per Mile per month			U1TVX	1L5XX	0.0101										
	Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat Facility Termination per month			U1TVX	U1TR2	24.15	81.07	54.82	33.47	13.79			31.31	31.31	3.93	3.93
	Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade -			LIATAN	41 EVV	0.0404										
	Per Mile per month Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade - Facility Termination per month			U1TVX U1TVX	1L5XX U1TV4	0.0101 21.41	81.07	54.82	33.47	13.79			31.31	31.31	3.93	3.93
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month			U1TDX	1L5XX	0.0101	007	0.132	55.71	10.10			551	551	3.30	0.30
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility															
	Termination per month Interoffice Channel - Dedicated Transport - 64 kbps - per mile			U1TDX	U1TD5	17.28	81.07	54.82	33.47	13.79			31.31	31.31	3.93	3.93
	per month Interoffice Channel - Dedicated Transport - 64 kbps - Facility			U1TDX	1L5XX	0.0101										
	Termination per month			U1TDX	U1TD6	17.28	81.07	54.82	33.47	13.79			31.31	31.31	3.93	3.93
INTERO	FFICE CHANNEL - DEDICATED TRANSPORT - DS1															
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month Interoffice Channel - Dedicated Tranport - DS1 - Facility			U1TD1	1L5XX	0.2067										
INTERO	Termination per month FFICE CHANNEL - DEDICATED TRANSPORT- DS3			U1TD1	U1TF1	68.75	178.53	163.61	32.70	28.88			31.31	31.31	3.93	3.93
INTERO	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per Imonth			U1TD3	1L5XX	4.67										
	Informition Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month			U1TD3	U1TF3	804.02	557.49	325.51	120.39	116.91			31.31	31.31	3.93	3.93
INTERO	FFICE CHANNEL - DEDICATED TRANSPORT- STS-1			01120	01110	004.02	007.40	020.01	120.00	110.01			01.01	01.01	0.00	0.00
	Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month			U1TS1	1L5XX	4.67										
	Interoffice Channel - Dedicated Transport - STS-1 - Facility Termination per month			U1TS1	U1TFS	801.57	557.49	325.51	120.39	116.91			31.31	31.31	3.93	3.93
	CHANNEL - DEDICATED TRANSPORT						001.40	020.01	120.00	110.01	<u> </u>		01.01	01.01	0.30	0.90
NOTE: L	OCAL CHANNEL DEDICATED TRANSPORT - minimum billing	period	- belov													
	Local Channel - Dedicated - 2-Wire Voice Grade Per Month Local Channel - Dedicated - 2-Wire Voice Grade Rev Bat per		-	ULDVX	ULDV2	15.96	386.19	66.33	73.28	6.39			31.31	31.31	3.93	3.93
	month			ULDVX	ULDR2	15.96	386.19	66.33	73.28	6.39			31.31	31.31	3.93	
	Local Channel - Dedicated - 4-Wire Voice Grade per month			UNDVX	ULDV4	17.06	387.19	67.20	74.22	7.33			31.31	31.31	3.93	3.93
	Local Channel - Dedicated - DS1 per month - Zone 1 Local Channel - Dedicated - DS1 per month - Zone 2		2	ULDD1 ULDD1	ULDF1 ULDF1	41.52 61.05	354.94 354.94	307.43 307.43	44.38 44.38	30.52 30.52			31.31 31.31	31.31 31.31	3.93 3.93	
	Local Channel - Dedicated - DS1 per month - Zone 2 Local Channel - Dedicated - DS1 per month - Zone 3		3	ULDD1	ULDF1	47.29	354.94	307.43	44.38	30.52			31.31		3.93	
	Local Channel - Dedicated - DS3 - Per Mile per month			ULDD3	1L5NC	7.91				00.00						
	Local Channel - Dedicated - DS3 - Facility Termination per			LII DD2	LILDES	470.04	002.02	507.07	220.07	407.40			24.24	24.24	2.02	2.02
	Local Channel - Dedicated - STS-1- Per Mile per month		 	ULDD3 ULDS1	ULDF3 1L5NC	476.04 7.91	903.03	527.87	238.87	167.16	-		31.31	31.31	3.93	3.93
	Local Channel - Dedicated - STS-1 - Facility Termination per		Ì													
MIII TIPLEYES	month		<u> </u>	ULDS1	ULDFS	466.84	903.03	527.87	238.87	167.16			31.31	31.31	3.93	3.93
MULTIPLEXERS	Channelization - DS1 to DS0 Channel System		<u> </u>	UXTD1	MQ1	122.50	182.08	125.14	21.07	19.58			31.31	31.31	3.93	3.93
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per					122.00	702.00	120.14	21.07	10.00			01.01	01.01	0.50	0.00
	month (2.4-64kbs) 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per			UDL	1D1DD	1.36	13.15	9.43								
	month			UDN	UC1CA	2.92	13.15	9.43								
	Voice Grade COCI - DS1 to DS0 Channel System - per month DS3 to DS1 Channel System per month		<u> </u>	UEA UXTD3	1D1VG MQ3	0.64 201.37	13.15 356.28	9.43 187.94	66.51	63.65			31.31	31.31	3.93	3.93
<u> </u>	DOS TO DO FORMINEL SYSTEM PEL MONTH		1	טאוטט	INIGO	201.37	330.28	107.94	10.00	03.00	<u> </u>	l	31.31	31.31	3.93	3.93

IINR	IINDI EL	NETWORK ELEMENTS - Alabama												Attachment:	2		Exhibit: B
OND	UNDEEL	NETWORK ELLINENTS - Alabama	1		1												
САТ	regory	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually	Order vs.	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-
							_					per LSR	per LSR	1st	Add'I	Disc 1st	Disc Add'l
	+						Rec	Nonrec First	urring Add'l	Nonrecurring First	Add'l	SOMEC	SOMAN	SOMAN	RATES (\$) SOMAN	SOMAN	SOMAN
		STS1 to DS1 Channel System per month			UXTS1	MQ3	201.37	356.28	187.94	66.51	63.65	0020		31.31	31.31	3.93	3.93
		DS3 Interface Unit (DS1 COCI) used with Loop per month			USL	UC1D1	15.39	13.15	9.43								
DARK	FIBER																
		Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Local Channel			UDF	1L5DC	68.84										Ĭ
-		NRC Dark Fiber - Local Channel			UDF	UDFC4	00.04	1,278.17	275.73	634.11	395.32			31.31	31.31	3.93	3.93
		Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction			OD:	0D1 04		1,270.17	270.70	004.11	000.02			01.01	01.01	0.00	0.00
		Thereof per month - Interoffice Channel			UDF	1L5DF	25.53										ĺ
		NRC Dark Fiber - Interoffice Channel			UDF	UDF14		1,278.17	275.73	634.11	395.32			31.31	31.31	3.93	3.93
		Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction					20.5	\exists									
<u> </u>	-	Thereof per month - Local Loop NRC Dark Fiber - Local Loop			UDF UDF	1L5DL UDFL4	68.84	1,278.17	275 72	634.11	395.32			31.31	31.31	3.93	3.93
TPAN	SPORT O			1	UDF	UDFL4		1,∠/8.1/	275.73	034.11	395.32		-	31.31	31.31	3.93	3.93
IIIAN		I Features & Functions:			 			+					t				†
		Clear Channel Capability (B8ZS/ESF) Option - Subsequent -															
		per DS1 Channel			UNC1X	CCOEF		184.85	23.81	1.99	0.77			29.23	3.93		
		Clear Channel Capability (B8ZS/SF) Option - Subsequent - per															
03/3/ 4	00500.5	DS1 Channel			UNC1X	CCOSF		184.85	23.81	1.99	0.77			29.23	3.93		-
8XX A	CCESS I	EN DIGIT SCREENING 8XX Access Ten Digit Screening, Per Call			OHD	_	0.0005										-
		8XX Access Ten Digit Screening, Per Call 8XX Access Ten Digit Screening, Reservation Charge Per 8XX			OHD	+	0.0003										
		Number Reserved			OHD	N8R1X		7.13	0.97					27.37	27.37	17.75	17.75
		8XX Access Ten Digit Screening, Per 8XX No. Established W/O															
		POTS Translations			OHD			15.88	1.97	10.04	0.97			27.37	27.37	17.75	17.75
		8XX Access Ten Digit Screening, Per 8XX No. Established With			0.15			4= 00									
		POTS Translations 8XX Access Ten Digit Screening, Customized Area of Service			OHD	N8FTX		15.88	1.97	10.04	0.97			27.37	27.37	17.75	17.75
		Per 8XX Number			OHD	N8FCX		5.69	2.85					27.37	27.37	17.75	17.75
		8XX Access Ten Digit Screening, Multiple InterLATA CXR			OND	NOI OX		3.03	2.03					21.01	21.51	17.75	17.75
		Routing Per CXR Requested Per 8XX No.			OHD	N8FMX		6.66	3.81					27.37	27.37	17.75	17.75
		8XX Access Ten Digit Screening, Change Charge Per Request			OHD	N8FAX		8.10	0.97					27.37	27.37	17.75	17.75
		8XX Access Ten Digit Screening, Call Handling and Destination															1
LINE	NEODMA	Features TION DATA BASE ACCESS (LIDB)			OHD	N8FDX		5.69						27.37	27.37	17.75	17.75
LINE	INFORMA	LIDB Common Transport Per Query			OQT		0.00004										
		LIDB Validation Per Query			OQU		0.0142										—
		LIDB Originating Point Code Establishment or Change			OQT, OQU	NRPBX		64.36						27.37	27.37	17.75	17.75
SIGNA	ALING (CO	S7)															
<u> </u>	1	CCS7 Signaling Termination, Per STP Port		1	UDB	PT8SX	148.72					1	ļ				
-	+	CCS7 Signaling Usage, Per TCAP Message CCS7 Signaling Connection, Per link (A link)		1	UDB UDB	TPP++	0.0001 18.79	171.98	171.98	135.70	135.70			25.93	25.93	16.31	16.31
	+	CCS7 Signaling Connection, Per link (A link) CCS7 Signaling Connection, Per link (B link) (also known as D			מטט	177++	10.79	171.98	171.98	135.70	133.70			25.93	25.93	10.31	10.31
		link)		1	UDB	TPP++	18.79	171.98	171.98	135.70	135.70			25.93	25.93	16.31	16.31
		CCS7 Signaling Usage, Per ISUP Message			UDB		0.00004										
		CCS7 Signaling Usage Surrogate, per link per LATA			UDB	STU56	376.12										
		CCS7 Signaling Point Code, per Originating Point Code		1	LIDD	00450		40.00	40.00					05.00	05.00	1001	100:
-	+	Establishment or Change, per STP affected CCS7 Signaling Point Code, per Destination Point Code		 	UDB	CCAPO		40.00	40.00			1	1	25.93	25.93	16.31	16.31
		Establishment or Change, Per Stp Affected		1	UDB	CCAPD		8.00	8.00					25.93	25.93	16.31	16.31
E911 S	SERVICE	Local Strong Str			555	30/11 2		5.50	0.00					20.00	20.90	10.01	10.01
		Local Channel - Dedicated - 2-wr Voice Grade			İ		13.91	382.95	62.40	<u> </u>				18.94	8.42		
		Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile					0.0222										
		Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility			1										40 -		
-	+	Termination Local Channel - Dedicated - DS1		1	1		17.07 38.36	79.61 356.15	36.08 312.89			1	 	18.94 44.22	18.94		
	+	Interoffice Transport - Dedicated - DS1 Per Mile			1		0.4523	330. IS	312.89					44.22			\vdash
	1	Transport Doubled Dorr of Mile			1		3.4020	†									
		Interoffice Transport - Dedicated - DS1 Per Facility Termination	L	L	<u> </u>		78.47	147.07	111.75	<u> </u>				18.94	18.94		1
_			_										_				

UNBUNE	DLED	NETWORK ELEMENTS - Alabama												Attachment:	2		Exhibit: E
CATEGO		RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge -
							Rec	Nonrec			g Disconnect	201150	Looman		RATES (\$)	001111	0011411
CALLING	NAME	(CNAM) SERVICE		1				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
CALLING		CNAM for DB Owners, Per Query		1	OQV		0.01										
		CNAM for Non DB Owners, Per Query		1	OQV		0.01				1		1				
		CNAM (Non-Databs Owner), NRC, applies when using the			OQV		0.01										
		Character Based User Interface (CHUI)			oqv	CDDCH		595.00	595.00					27.37	27.37	17.75	17.75
OPERATO		L PROCESSING															
		Oper. Call Processing - Oper. Provided, Per Min Using BST															
		LIDB					1.20										
		Oper. Call Processing - Oper. Provided, Per Min Using															
		Foreign LIDB					1.24										
		Oper. Call Processing - Fully Automated, per Call - Using BST															
$\vdash \vdash$		LIDB		<u> </u>			0.20						ļ				
		Oper. Call Processing - Fully Automated, per Call - Using															
INIMADD		Foreign LIDB TOR SERVICES		1			0.20				-		1				
INWARD		IOR SERVICES Inward Operator Services - Verification, Per Minute		1			1.15				-		1				
		Inward Operator Services - Verification, Fer Militate Inward Operator Services - Verification and Emergency Interrupt					1.15				-		1	-			
		- Per Minute					1.15										
BRANDING	G - OPE	ERATOR CALL PROCESSING					1.10										
		Recording of Custom Branded OA Announcement				CBAOS		7,000.00	7,000.00					19.99	19.99	19.99	19.99
		Loading of Custom Branded OA Announcement per shelf/NAV				CBAOL		500.00	500.00					19.99	19.99		
Un	nbrandi	ng via OLNS for UNEP CLEC															
		Loading of OA per OCN (Regional)						1,200.00	1,200.00								
		ISTANCE SERVICES															
DII		RY ASSISTANCE ACCESS SERVICE															
		Directory Assistance Access Service Calls, Charge Per Call					0.30										
Dil		RY ASSISTANCE CALL COMPLETION ACCESS SERVICE (DA	ACC)														
		Directory Assistance Call Completion Access Service (DACC), Per Call Attempt					0.10										
DII		RY TRANSPORT					0.10						1				
		SWA Common transport per Directory Assistance Access											1				
		Service Call					0.0003										
		SWA Common Transport per Directory Assistance Access					0.0000										
		Service Call Mile					0.00004										
	ĺ.	Access Tandem Switching per Directory Assistance Access															
		Service Call					0.00055										
		Directory Assistance Interconnection per Directory Assistance															
$\vdash \vdash$		Access Service Call		<u> </u>			0.00						ļ				
DIDECTO	DV 400	DS3 to DS1 Multiplexer per DA Access Service Call		<u> </u>		+	0.00018				1		<u> </u>	1		-	
		ISTANCE SERVICES RY ASSISTANCE DATA BASE SERVICE (DADS)		-							 	1	<u> </u>	1			
		Directory Assistance Data Base Service (Dabs)		1			0.04				+			+			
\vdash		Directory Assistance Data Base Service Charge Fer Listing Directory Assistance Data Base Service, per month				DBSOF	150.00				 			 			
BRANDING		ECTORY ASSISTANCE				55001	100.00				1			1			
	cility B	ased CLEC															
		Recording and Provisioning of DA Custom Branded															
		Announcement			AMT	CBADA		6,000.00	6,000.00		<u></u>			<u></u>			L
		Loading of Custom Branded Announcement per DRAM															
		Card/Switch			AMT	CBADC		1,170.00	1,170.00		ļ		ļ	ļ			ļ
UN	NEP CL			<u> </u>				0.000.00	0.000.00				ļ				
		Recording of DA Custom Branded Announcement		<u> </u>		_		3,000.00	3,000.00		.		ļ	-		ļ	ļ
		Loading of DA Custom Branded Announcement per DRAM Card/Switch per OCN						4 470 00	4 470 00		1			1			
		ng via OLNS for UNEP CLEC		1				1,170.00	1,170.00		+			+			
	ıvı anul			 		+		420.00	420.00			1	1				
Un		Loading of DA per OCN (1 OCN per Order)															
Un		Loading of DA per OCN (1 OCN per Order) Loading of DA per Switch per OCN						16.00	16.00								

LINDI NDI EI	D NETWORK ELEMENTS - Alabama												Attachment:	2		Exhibit: B
UNBUNDLE	NETWORK ELEMENTS - Alabama		1			1							Attachment:	2		EXHIBIT: B
													Incremental	Incremental	Incremental	Incremental
													Charge -	Charge -	Charge -	Charge -
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			Svc Order	Svc Order	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORI	RATE ELEMENTS	m	Zone	603	0300			INATEO(ψ)			Submitted	Submitted	Order vs.	Order vs.	Order vs.	Order vs.
											Elec	Manually	Electronic-	Electronic-	Electronic-	
											per LSR	per LSR	1st	Add'l	Disc 1st	Disc Add'l
1											per Lon	per LSK	151	Auu i	DISC 1St	DISC Add I
						Rec	Nonrec	urring	Nonrecurring	Disconnect			220	RATES (\$)		
			1			Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Selective Routing Per Unique Line Class Code Per Request Per		-				11100	Addi	11100	Auu	COMILO	COMPAR	COMPAR	COMPAR	COMPAR	COMPAN
	Switch				USRCR		230.60	230.60					40.71	9.58		
VIRTUAL COLI			-		COROR		200.00	200.00					40.71	0.00		
VIKTOAL COLL	Virtual Collocation - Application Cost		-	CLO	EAF		2,848.30	2,848.30								
	Virtual Collocation - Application Cost, per cable		-	CLO	ESPCX		2,750.00	2,750.00								
	Virtual Collocation - Cable Installation Cost, per cable Virtual Collocation - Floor Space, per sq. ft.		1	CLO	ESPVX	3.20	2,730.00	2,730.00								
	Virtual Collocation - Power, per breaker amp		1	CLO	ESPAX	3.48										
	Virtual Collocation - Cable Support Structure, per entrance		1	CLO	LOI AX	3.40										
	cable			CLO	ESPSX	13.35										
 	OGDIO		+-	ueanl,uea,udn,udc,	LUI UA	13.35			 		-					
	Virtual Collocation - 2-wire Cross Connects (loop)		1	ual,uhl,ucl,ueq	UEAC2	0.28	30.76	29.40	12.75	11.38			19.99	19.99	19.99	19.99
 	Virtual Collocation - 4-wire Cross Connects (loop)		1	uea,uhl,ucl,udl	UEAC4	0.56	66.71	50.43	12.73	11.39	1		19.99	19.99	19.99	
 	Virtual Collocation - 2-Fiber Cross Connects		1	CLO	CNC2F	12.10	55.46	39.18	16.83	13.27	 		19.99	19.99	19.99	
 	Virtual Collocation - 2-Fiber Cross Connects Virtual Collocation - 4-Fiber Cross Connects		1	CLO	CNC2F CNC4F	21.75	66.71	50.43	21.86	18.31	 		19.99	19.99	19.99	
	Virtual Collocation - 4-Fiber Cross Connects Virtual Collocatin - DS1 Cross Connects		+	USL,ULC,CLO	CNC4F CNC1X	7.50	155.00	14.00		18.31			19.99	19.99	19.99	19.99
	Virtual Collocatin - DS3 Cross Connects		-	USL,ULC,CLO	CND3X	56.25	151.90	11.83								
-	Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable		+	USL,ULC,ULO	CINDOX	30.23	131.50	11.03			-					
				AMTEC	DE4E0	0.0026										
	Support Structure, per linear foot		-	AMTFS	PE1ES	0.0026										
	Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax			AMTEC	DE4DC	0.0000										
-	Cable Support Structure, per linear ft			AMTFS	PE1DS	0.0038										
	Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable			ALTEO			505.07									
-	Support Structure,per cable			AMTFS			535.37									
	Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax															
-	Cable Support Structure, per cable			AMTFS	0.0701/		535.37									
	Virtual Collocatin - Security Escort - Basic, per half hour			CLO	SPTBX		41.00	25.00								
	Virtual Collocatin - Security Escort - Overtime, per half hour			CLO	SPTOX		48.00	30.00								
	Virtual Collocatin - Security Escort - Premium, per half hour			CLO	SPTPX		55.00	35.00								
	Virtual Collocatin - Maintenance in CO - Basic, per half hour			CLO	CTRLX		30.64	30.64								
	Virtual Collocatin - Maintenance in CO - Overtime, per half hour			CLO	SPTOM		35.77	35.77								
	Virtual Collocatin - Maintenance in CO - Premium per half hour			CLO	SPTPM		40.90	40.90								
VIRTUAL COLI																
	Virtual Collocation - 2-wire Cross Connect, Exchange Port 2-															
	Wire Analog - Res			UEPSR	VE1R2	0.28	30.76	29.40	12.75	11.38			19.99	19.99	19.99	19.99
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire															
	Voice Grade Res			UEPRX	PE1R2	0.28	30.76	29.40	12.75	11.38			19.99	19.99	19.99	19.99
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-															
	Wire Line Side PBX Trunk - Bus		<u> </u>	UEPSP	VE1R2	0.28	30.76	29.40	12.75	11.38			19.99	19.99	19.99	19.99
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire		1	l	l]			I							
	Voice Grade PBX Trunk - Res		<u> </u>	UEPSE	VE1R2	0.28	30.76	29.40	12.75	11.38			19.99	19.99	19.99	19.99
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire		1	l	l]			I							
	Analog Bus		1	UEPSB	VE1R2	0.28	30.76	29.40	12.75	11.38			19.99	19.99	19.99	19.99
	Virtual Collocation 2-Wire Cross Connect, Exchnage Port 2-Wire		1	İ]			I							
	ISDN		<u> </u>	UEPSX	VE1R2	0.28	30.76	29.40	12.75	11.38			19.99	19.99	19.99	19.99
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire		1	l]			I							
	ISDN			UEPTX	VE1R2	0.28	30.76	29.40	12.75	11.38			19.99	19.99	19.99	19.99
	Virtual Collocation 4-Wire Cross Connect, Exchange Port DDITS		1	l]			I							
	4-Wire DS1		1	UEPDD	VE1R4	0.56	66.71	50.43	ļ				19.99	19.99	19.99	19.99
	Virtual Collocation 4-Wire Cross Connect, Exchange Port 4-Wire								1							
	ISDN DS1		<u> </u>	UEPEX	VE1R4	0.56	66.71	50.43	1				19.99	19.99	19.99	19.99
VIRTUAL COLI																
	Virtual Collocation-2 Wire Cross Connects (Loop) for Line								1							
	Splitting		1	UEPSR, UEPSB	VE1LS	0.28	30.76	29.40	12.75	11.38			19.99	19.99	19.99	19.99
AIN SELECTIV	E CARRIER ROUTING		<u> </u>	ļ	1				1							
	Regional Service Establishment	I	1	SRC	SRCEC]	202,197.82		17,181.39				27.37	27.37	27.37	
	End Office Establishment	I		SRC	SRCEO		339.75	339.75	3.39	3.39			27.37	27.37	27.37	27.37
	Query NRC, per query JTH AIN SMS ACCESS SERVICE	I	1	SRC	1	0.0031412			ļ							
					i				1		1		ī			

UNBUNDLE	NETWORK ELEMENTS - Alabama												Attachment:	2		Exhibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)	ı		Submitted Elec	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonred First	urring Add'l	Nonrecurring First	g Disconnect Add'l	SOMEC	SOMAN	OSS I SOMAN	RATES (\$) SOMAN	SOMAN	SOMAN
	AIN SMS Access Service - Service Establishment, Per State, Initial Setup			A1N	CAMSE		197.49	197.49	114.22	114.22			27.37	27.37	17.75	17.75
	AIN SMS Access Service - Port Connection - Dial/Shared Access			A1N	CAMDP		64.05	64.05	27.04	27.04			27.37	27.37	17.75	17.75
	AIN SMS Access Service - Port Connection - ISDN Access			A1N	CAM1P		64.05	64.05	27.04	27.04			27.37	27.37	17.75	17.75
	AIN SMS Access Service - User Identification Codes - Per User															
\vdash	ID Code AIN SMS Access Service - Security Card, Per User ID Code,			A1N	CAMAU		141.84	141.84	70.05	70.05			27.37	27.37	17.75	17.75
	Initial or Replacement			A1N	CAMRC		142.13	142.13	35.26	35.26			27.37	27.37	17.75	17.75
\vdash	AIN SMS Access Service - Storage, Per Unit (100 Kilobytes) AIN SMS Access Service - Session, Per Minute					0.0026 0.0892										
\vdash	AIN SMS Access Service - Session, Per Minute AIN SMS Access Service - Company Performed Session, Per					0.0892										
	Minute					2.08					<u> </u>		<u> </u>			
AIN - BELLSOU	TH AIN TOOLKIT SERVICE															
1 1	AIN Toolkit Service - Service Establishment Charge, Per State,			CAM	DADCC		400.00	192.69	114.22	444.00			07.07	27.37	17.75	17.75
\vdash	Initial Setup AIN Toolkit Service - Training Session, Per Customer			CAM	BAPSC BAPVX		192.69 8,363.00	8,363.00	114.22	114.22			27.37 27.37	27.37	17.75	17.75
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				D/u V/		0,000.00	0,000.00					27.07	27.07	17.70	17.70
	DN, Term. Attempt AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				BAPTT		49.64	49.64	27.04	27.04			27.37	27.37	17.75	17.75
	DN, Off-Hook Delay				BAPTD		49.64	49.64	27.04	27.04			27.37	27.37	17.75	17.75
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Immediate				BAPTM		49.64	49.64	27.04	27.04			27.37	27.37	17.75	17.75
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
	DN, 10-Digit PODP AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				BAPTO		117.98	117.98	37.90	37.90			27.37	27.37	17.75	17.75
	DN, CDP				BAPTC		117.98	117.98	37.90	37.90			27.37	27.37	17.75	17.75
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Feature Code				BAPTF		117.98	117.98	37.90	37.90			27.37	27.37	17.75	17.75
igsquare	AIN Toolkit Service - Query Charge, Per Query					0.024										
	AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit Subscription, Per Node, Per Query					0.006										
	AIN Toolkit Service - SCP Storage Charge, Per SMS Access Account, Per 100 Kilobytes					1.63										
	AIN Toolkit Service - Monthly report - Per AIN Toolkit Service															
\vdash	Subscription AIN Toolkit Service - Special Study - Per AIN Toolkit Service			CAM	BAPMS	16.00	44.56	44.56	31.84	31.84			27.37	27.37	17.75	17.75
	Subscription			CAM	BAPLS	0.10	47.74	47.74	15.90	15.90			27.37	27.37	17.75	17.75
	AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service Subscription			CAM	BAPDS	15.90	44.56	44.56	31.84	31.84	<u> </u>		27.37	27.37	17.75	17.75
	AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit Service Subscription			CAM	BAPES	0.003	47.74	47.74					27.37	27.37	17.75	17.75
	TENDED LINK (EELs)			-												
	lew EELs available in State of Georgia, density zone 1 of follo							Orleans, LA;								
NOTE: 0	Charlotte-Gastonia-Rockhill, NC; Greensboro-Winston Salem-H	iigh Po	ınt, NC	Use all rates belo	w except Swi	tch As Is Charge	Э.					<u> </u>				L
NOTE:	n all states, EEL network elements shown below also apply to	curren	tly com	bined facilities wh	ich are conve	erted to UNE rate	s. A Switch A	s Is Charge an	plies to curren	tly combined	facilities co	nverted to U	JNEs.(Non-red	curring rates of	lo not apply.)	
NOTE: I	n GA, TN, KY, LA & MS, the EEL network elements apply to or	dinarily	combi	ned network eleme				. J . 4p							111 77	
2-WIRE	VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTE	ROFFI	E TRA	NSPORT (EEL)							<u> </u>					
	First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 1		1	UNCVX	UEAL2	17.95										
	First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed															
\vdash	Transport Combination - Zone 2 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed		2	UNCVX	UEAL2	29.16										
	Transport Combination - Zone 3		3	UNCVX	UEAL2	52.84					ļ	ļ				
	Interoffice Transport - Dedicated - DS1 combination - Per Mile per month			UNC1X	1L5XX	0.2067										

UNBUNDLE	D NETWORK ELEMENTS - Alabama												Attachment:	2		Exhibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)	I				Incremental Charge - Manual Svc	Incremental Charge -	Charge -	Incremental Charge - Manual Svc Order vs.
						Rec	Nonrec			g Disconnect				RATES (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month			UNC1X	U1TF1	68.75										
+	DS1 Channelization System Per Month			UNC1X	MQ1	122.50			1							+
	Voice Grade COCI - DS1 To Ds0 Interface - Per Month			UNCVX	1D1VG	0.64										
	Each Additional 2-Wire VG Loop(SL 2) in the same DS1					0.0.										
	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL2	17.95										
	Each Additional 2-Wire VG Loop(SL2) in the same DS1															
	Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL2	29.16										
	Each Additional 2-Wire VG Loop(SL2) in the same DS1		_	1110101		50.04										
	Interoffice Transport Combination - Zone 3 Voice Grade COCI - DS1 to DS0 Channel System combination -		3	UNCVX	UEAL2	52.84										
	per month			UNCVX	1D1VG	0.64			1							
	Nonrecurring Currently Combined Network Elements Switch -As-		<u> </u>	22	1.2	3.04			1							1
	Is Charge			UNC1X	UNCCC		11.18	11.18	13.96	13.96			31.31	31.31	3.93	3.93
4-WIRE	VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTE	ROFFI	CE TRA	NSPORT (EEL)												
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice															
	Transport Combination - Zone 1		1	UNCVX	UEAL4	24.01										
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice		2	UNCVX	LIE AL 4	20.00										
-	Transport Combination - Zone 2 First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice		2	UNCVX	UEAL4	39.00										+
	Transport Combination - Zone 3		3	UNCVX	UEAL4	70.67										
-	Interoffice Transport - Dedicated - DS1 combination - Per Mile		Ŭ	ONOVA	OL/1L-	70.01										+
	Per Month			UNC1X	1L5XX	0.2067										
	Interoffice Transport - Dedicated - DS1 - Facility Termination Per															
	Month			UNC1X	U1TF1	68.75										
	Channelization - Channel System DS1 to DS0 combination Per															
	Month			UNC1X	MQ1	122.50										
	Voice Grade COCI - DS1 to DS0 Channel System combination - per month			UNCVX	1D1VG	0.64										
+	Additional 4-Wire Analog Voice Grade Loop in same DS1			UNCVA	IDIVG	0.04			1							+
	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	24.01										
	Additional 4-Wire Analog Voice Grade Loop in same DS1								İ							1
	Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	39.00										
	Additional 4-Wire Analog Voice Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	70.67										
	Voice Grade COCI - DS1 to DS0 Channel System combination -			11000	104)/0	0.04										
\vdash	per month Nonrecurring Currently Combined Network Elements Switch -As-		1	UNCVX	1D1VG	0.64			 	1	-	 				+
	Is Charge			UNC1X	UNCCC		11.18	11.18	13.96	13.96			31.31	31.31	3.93	3.93
4-WIRE	56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 IN	NTERO	FICE				11.10	11.70	10.90	10.90		t e	01.01	01.01	0.00	3.55
	First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice			, ,												1
	Transport Combination - Zone 1		1	UNCDX	UDL56	27.33										
	First 4-wire 56Kbps Digital Grade Loop in a DS1 Interoffice			l	I			· · · · · ·								
	Transport Combination - Zone 2		2	UNCDX	UDL56	44.40				ļ	<u> </u>		ļ	ļ		
	First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice		3	LINCDY	UDL56	80.45			1							
	Transport Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile		3	UNCDX	ODLOB	80.45			 	1	1		1	1	-	+
	Per Month			UNC1X	1L5XX	0.2067			1				1			
	Interoffice Transport - Dedicated - DS1 - combination Facility		t		.20,01	0.2007			1			t e				1
	Termination Per Month			UNC1X	U1TF1	68.75			1				1			1
	Channelization - Channel System DS1 to DS0 combination Per															
	Month		<u> </u>	UNC1X	MQ1	122.50			ļ							<u> </u>
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per			LINODY	40455				1							
 	month (2.4-64kbs)		<u> </u>	UNCDX	1D1DD	1.36			 				-		-	+
	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	27.33			1							
 	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1		+ -	OHODA	SDESO	21.00										
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	44.40			1				1			1
					,							4				

													Attachment:	2		Exhibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			Submitted Elec	Submitted	Incremental Charge - Manual Svc	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonred First	urring Add'l	Nonrecurring First	Disconnect	SOMEC	SOMAN	OSS F	RATES (\$)	SOMAN	SOMAN
	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1						FIISL	Add I	FIISL	Add I	SOWIEC	SOWAN	SOWAN	SOWAN	SOWIAN	SOWAN
	nteroffice Transport Combination - Zone 3 DCU-DP COCI (data) - DS1 to DS0 Channel System -		3	UNCDX	UDL56	80.45										
CC	combination per month (2.4-64kbs)			UNCDX	1D1DD	1.36										
	Nonrecurring Currently Combined Network Elements Switch -Ass Charge			UNC1X	UNCCC		11.18	11.18	13.96	13.96			31.31	31.31	3.93	3.93
	KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 IN	NTEROF	FICE 1		ONCOC		11.10	11.10	13.90	15.50			31.31	31.31	5.55	5.55
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice		1	UNCDX	UDL64	27.33										
F	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice			UNCDX	UDL64	44.40										
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice				ODLO4	44.40										
	Fransport Combination - Zone 3		3	UNCDX	UDL64	80.45										
P	nteroffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0.2067										
To	nteroffice Transport - Dedicated - DS1 combination - Facility Fermination Per Month			UNC1X	U1TF1	68.75										
	Channelization - Channel System DS1 to DS0 combination Per Month			UNC1X	MQ1	122.50										
	OCU-DP COCI (data) - DS1 to DS0 Channel System combination - per month (2.4-64kbs)			UNCDX	1D1DD	1.36										
A	Additional 4-Wire 64Kbps Digital Grade Loopin same DS1															
	nteroffice Transport Combination - Zone 1		1	UNCDX	UDL64	27.33										
In	nteroffice Transport Combination - Zone 2		2	UNCDX	UDL64	44.40										
	Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 nteroffice Transport Combination - Zone 3		3	UNCDX	UDL64	80.45										
0	OCU-DP COCI (data) - DS1 to DS0 Channel System combination - per month (2.4-64kbs)			UNCDX	1D1DD	1.36										
N	Nonrecurring Currently Combined Network Elements Switch -Ass Charge			UNC1X	UNCCC	1100	11.18	11.18	13.96	13.96			31.31	31.31	3.93	3.93
	S Charge S1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INTER	ROFFIC	E TRAI		UNCCC		11.10	11.10	13.90	13.90			31.31	31.31	3.93	3.53
4-	I-Wire DS1 Digital Loop in Combination with DS1 Interoffice		1	UNC1X	USLXX	51.74										
4-	I-Wire DS1 Digital Loop in Combination with DS1 Interoffice															
	Fransport - Zone 2 I-Wire DS1 Digital Loop in Combination with DS1 Interoffice		2	UNC1X	USLXX	84.05										
Ti	Fransport - Zone 3		3	UNC1X	USLXX	152.29										
P	nteroffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0.2067										
Te	nteroffice Transport - Dedicated - DS1 combination - Facility Fermination Per Month			UNC1X	U1TF1	68.75										
Is	Nonrecurring Currently Combined Network Elements Switch -Ass S Charge			UNC1X	UNCCC		11.18	11.18	13.96	13.96			31.31	31.31	3.93	3.93
4-WIRE DS	S1 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTER	ROFFIC	E TRAI													
1	First DS1Loop in DS3 Interoffice Transport Combination - Zone		1	UNC1X	USLXX	51.74										
F 2	First DS1Loop in DS3 Interoffice Transport Combination - Zone		2	UNC1X	USLXX	84.05				_						
F 3	First DS1Loop in DS3 Interoffice Transport Combination - Zone			UNC1X	USLXX	152,29										
	Per Month		Ť	UNC3X	1L5XX	4.67										
In	nteroffice Transport - Dedicated - DS3 - Facility Termination per															
	nonth DS3 to DS1 Channel System combination per month		-	UNC3X UNC3X	U1TF3 MQ3	804.02 201.37					 					
	DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	15.39					1					1

JNBUNDLED	NETWORK ELEMENTS - Alabama	1		ı							1	1	Attachment:	2		Exhibit:
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Submitted Manually	Electronic-	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrec		Nonrecurring					RATES (\$)		
	Additional DC41 and in DC2 Intereffice Transport Combination						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 1		1	UNC1X	USLXX	51.74										
	Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 2		2	UNC1X	USLXX	84.05										
	Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 3		3	UNC1X	USLXX	152.29										
	DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	15.39										
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNC3X	UNCCC		11.18	11.18	13.96	13.96			31.31	31.31	3.93	3.93
2-WIRE	VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GRADE INTE	ROFFI	CE TR													
	2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL2	17.95										
	2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL2	29.16										
	2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL2	52.84										
	Interoffice Transport - Dedicated - 2-wire VG combination - Per Mile Per Month		Ů	UNCVX	1L5XX	0.0101										
	Interoffice Transport - Dedicated - 2- Wire Voice Grade combination - Facility Termination per month			UNCVX	U1TV2	24.15										
	Nonrecurring Currently Combined Network Elements Switch -As-					24.15			40.00	40.00			21.01	21.21		
4 14/105	Is Charge VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRADE INTE	DOEEL	OF TO	UNCVX	UNCCC		11.18	11.18	13.96	13.96			31.31	31.31	3.93	3.93
4-VVIRE	A-WireVG Loop used with 4-wire VG Interoffice Transport Combination - Zone 1	KOFFI		UNCVX	UEAL4	24.01										
	4-WireVG Loop used with 4-wire VG Interoffice Transport															
	Combination - Zone 2 4-WireVG Loop used with 4-wire VG Interoffice Transport			UNCVX	UEAL4	39.00										
	Combination - Zone 3 Interoffice Transport - Dedicated - 4-wire VG combination - Per		3	UNCVX	UEAL4	70.67										
	Mile Per Month Interoffice Transport - Dedicated - 4- Wire Voice Grade			UNCVX	1L5XX	0.0101										
	combination - Facility Termination per month			UNCVX	U1TV4	21.41										
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNCVX	UNCCC		11.18	11.18	13.96	13.96			31.31	31.31	3.93	3.9
DS3 DIG	ITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFICE	TRAN	SPORT	(EEL)												
	High Capacity Unbundled Local Loop - DS3 combination - Per Mile per month			UNC3X	1L5ND	10.16										
	High Capacity Unbundled Local Loop - DS3 combination - Facility Termination per month			UNC3X	UE3PX	374.52										
	Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X	1L5XX	4.67										
	Interoffice Transport - Dedicated - DS3 combination - Facility Termination per per month			UNC3X	U1TF3	804.02										
	Nonrecurring Currently Combined Network Elements Switch -As- ls Charge			UNC3X	UNCCC		11.18	11.18	13.96	13.96			31.31	31.31	3.93	3.9
STS1 DI	GITAL EXTENDED LOOP WITH DEDICATED STS1 INTEROFFI	CE TRA	NSPO													
	High Capacity Unbundled Local Loop - STS1 combination - Per Mile per month			UNCSX	1L5ND	10.16								_		
	High Capacity Unbundled Local Loop - STS1 combination - Facility Termination per month			UNCSX	UDLS1	387.67										
	Interoffice Transport - Dedicated - STS1 combination - Per Mile per month			UNCSX	1L5XX	4.67										
	Interoffice Transport - Dedicated - STS1 combination - Facility Termination per month			UNCSX	U1TFS	801.57										
	Nonrecurring Currently Combined Network Elements Switch -As-			014007	01110	301.37					1	 	1		 	
	Is Charge			UNCSX	UNCCC		11.18	11.18	13.96	13.96			31.31	31.31	3.93	3.93

UNBUNDLED	NETWORK ELEMENTS - Alabama												Attachment:	2		Exhibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec	urring	Nonrecurrin	g Disconnect			ossı	RATES (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 1		1	UNCNX	U1L2X	23.23										
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination		2	UNCNX	U1L2X	37.74										
	Transport - Zone 2 First 2-Wire ISDN Loop in a DS1 Interoffice Combination															
	Transport - Zone 3		3	UNCNX	U1L2X	68.38										
	Interoffice Transport - Dedicated - DS1 combination - Per Mile			UNC1X	1L5XX	0.2067										
	Interoffice Transport - Dedicated - DS1 combintion - Facility Termination per month			UNC1X	U1TF1	68.75										
	Channelization - Channel System DS1 to DS0 combination - per month			UNC1X	MQ1	122.50										
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System															
	combination - per month		 	UNCNX	UC1CA	2.92				ļ						
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 1		1	UNCNX	U1L2X	23.23										
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 2		2	UNCNX	U1L2X	37.74										
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 3		3	UNCNX	U1L2X	68.38										
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System combintaion- per month			UNCNX	UC1CA	2.92										
	Nonrecurring Currently Combined Network Elements Switch -As-			UNC1X			44.40	44.40	42.00	42.00			24.24	24.24	3.93	2.02
4-WIDE	Is Charge DS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 INT	EDOEE	CE TD		UNCCC		11.18	11.18	13.96	13.96	-	-	31.31	31.31	3.93	3.93
4-WIKE	First DS1 Loop in STS1 Interoffice Transport Combination -	LICOLI	L III	ANOI ONI (LLL)												
	Zone 1 First DS1 Loop in STS1 Interoffice Transport Combination -		1	UNC1X	USLXX	51.74										
	Zone 2		2	UNC1X	USLXX	84.05										
	First DS1 Loop in STS1 Interoffice Transport Combination - Zone 3		3	UNC1X	USLXX	152.29										
	Interoffice Transport - Dedicated - STS1 combination - Per Mile Per Month			UNCSX	1L5XX	4.67										
	Interoffice Transport - Dedicated - STS1 combination - Facility Termination			UNCSX	U1TFS	801.57										
	STS1 to DS1 Channel System conbination per month			UNCSX	MQ3	201.37	İ									
	DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	15.39										
	Additional DS1Loop in STS1 Interoffice Transport Combination - Zone 1		1	UNC1X	USLXX	51.74										
	Additional DS1Loop in STS1 Interoffice Transport Combination - Zone 2		2	UNC1X	USLXX	84.05										
	Additional DS1Loop in STS1 Interoffice Transport Combination -															
 	Zone 3		3	UNC1X UNC1X	USLXX UC1D1	152.29 15.39					1	1				
 	DS3 Interface Unit (DS1 COCI) combination per month Nonrecurring Currently Combined Network Elements Switch -As-		 	OINC IA	ומוטטו	15.39				 	 	 				
	Is Charge		1	UNCSX	UNCCC		11.18	11.18	13.96	13.96			31.31	31.31	3.93	3.93
4-WIRE	56 KBPŠ DIGITAL EXTENDED LOOP WITH 56 KBPS INTEROF	FICE T	RANSP	ORT (EEL)												
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport		_	LINCDY	LIDLES	07.00										
	Combination - Zone 1 4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport			UNCDX	UDL56	27.33										
	Combination - Zone 2 4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport		2	UNCDX	UDL56	44.40										
	Combination - Zone 3 Interoffice Transport - Dedicated - 4-wire 56 kbps combination -		3	UNCDX	UDL56	80.45										
	Per Mile Interoffice Transport - Dedicated - 4-wire 56 kbps combination -			UNCDX	1L5XX	0.0101				ļ						
	Facility Termination			UNCDX	U1TD5	17.28										
	Nonrecurring Currently Combined Network Elements Switch -As- ls Charge			UNCDX	UNCCC		11.18	11.18	13.96	13.96			31.31	31.31	3.93	3.93

UNBUNDLE	NETWORK ELEMENTS - Alabama												Attachment:	2		Exhibit: E
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Submitted Manually		Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonred	curring	Nonrecurrin	g Disconnect			oss i	RATES (\$)		
L				L			First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
4-WIRE	64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTEROF	FICE TR	ANSP	ORT (EEL)	ļ											
	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	27.33										
	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport Combination - Zone 2 4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport		2	UNCDX	UDL64	44.40										
	Combination - Zone 3		3	UNCDX	UDL64	80.45										
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Per Mile			UNCDX	1L5XX	0.0101										
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Facility Termination			UNCDX	U1TD6	17.28										
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNCDX	UNCCC		11.18	11.18	13.96	13.96			31.31	31.31	3.93	3.93
ADDITIONAL N	ETWORK ELEMENTS			ONODA	ONCCC		11.10	11.10	15.50	13.30			31.31	31.31	3.33	3.33
When u	sed as a part of a currently combined facility, the non-recurrn								<u> </u>							
	sed as ordinarilty combined network elements in Georgia, the	non-re	curring	charges apply and	the Switch	As Is Charge do	es not.									
	SynchroNet)	Ļ			1											
Nonreci	urring Currently Combined Network Elements "Switch As Is" C 2/4-Wire VG Interoffice Channel used in a COMBINATION -	harge (One ap													
	"Switch As Is" Conversion Charge 56/64 kbps Interoffice Channel used in a COMBINATION -			UNCVX	UNCCC		11.18	11.18	13.96	13.96			31.31	31.31	3.93	3.93
	"Switch As Is" Conversion Charge DS1 Interoffice Channel used in a COMBINATION - "Switch As			UNCDX	UNCCC		11.18	11.18	13.96	13.96			31.31	31.31	3.93	3.93
	Is" Conversion Charge DS3 Interoffice Channel used in a COMBINATION - "Switch As			UNC1X	UNCCC		11.18	11.18	13.96	13.96			31.31	31.31	3.93	3.93
	Is" Conversion Charine used in a COMBINATION - Switch as Is" Conversion Charge STS1 Interoffice or Local Loop used in a COMBINATION -			UNC3X	UNCCC		11.18	11.18	13.96	13.96			31.31	31.31	3.93	3.93
	"Switch As Is" Conversion Charge			UNCSX	UNCCC		11.18	11.18	13.96	13.96			31.31	31.31	3.93	3.93
	ocal Channel - Dedicated Transport - minimum billing period	- Below	DS3=	one month, DS3 and	l above=four	r months										
	OCAL EXCHANGE SWITCHING(PORTS)															
	ge Ports Although the Port Rate includes all available features in GA, K	V I A 9	TNI +h	o decired features w	ill nood to b	o ordered using	rotail IISOCs			-						<u> </u>
	VOICE GRADE LINE PORT RATES (RES)	I, LA &	i iv, uii	e desired realures w	T Teed to b	le ordered using	retail 0300s									
Z-WIKE	Exchange Ports - 2-Wire Analog Line Port- Res.			UEPSR	UEPRL	2.07	21.93	21.93	6.21	6.21			27.37	12.97	17.77	1.44
	Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.			UEPSR	UEPRC	2.07	21.93	21.93	6.21	6.21			27.37	12.97	17.77	1.44
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Res.			UEPSR	UEPRO	2.07	21.93	21.93	6.21	6.21			27.37	12.97	17.77	1.44
	Exchange Ports - 2-Wire VG unbundled AL extended local dialing parity Port with Caller ID - Res.			UEPSR	UEPAR	2.07	21.93	21.93	6.21	6.21			27.37	12.97	17.77	1.44
ı l	Exchange Ports - 2-Wire VG unbundled res, low usage line port with Caller ID (LUM)			UEPSR	UEPAP	2.07	21.93	21.93	6.21	6.21			27.37	12.97	17.77	1.44
	Subsequent Activity			UEPSR	USASC	0.00	0.00	0.00		3.2.						
FEATUR																
	All Available Vertical Features			UEPSR	UEPVF	5.55	0.00	0.00					27.37	12.97	17.77	1.44
2-WIRE	VOICE GRADE LINE PORT RATES (BUS)				1	ļ										<u> </u>
	Exchange Ports - 2-Wire Analog Line Port without Caller ID - Bus			UEPSB	UEPBL	2.07	21.93	21.93	6.21	6.21			27.37	12.97	17.77	1.44
	Exchange Ports - 2-Wire VG unbundled Line Port with unbundled port with Caller+E484 ID - Bus.			UEPSB	UEPBC	2.07	21.93	21.93	6.21	6.21			27.37	12.97	17.77	1.44
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus.			UEPSB	UEPBO	2.07	21.93	21.93	6.21	6.21			27.37	12.97	17.77	1.44
	Exchange Ports - 2-Wire VG unbundled AL extended local dialing parity Port with Caller ID - Bus.			UEPSB	UEPAW	2.07	21.93	21.93	6.21	6.21			27.37	12.97	17.77	1.44
	Exhange Ports - 2-Wire VG unbundled incoming only port with Caller ID - Bus			UEPSB	UEPB1	2.07	21.93	21.93	6.21	6.21			27.37	12.97	17.77	1.44
	Subsequent Activity			UEPSB	USASC	0.00	0.00	0.00								
FEATUR	RES		<u> </u>		1				l	1	İ]				1

ATT ELEMENTS Inter 200 BCS USOC PATES(S) Sev Code Sev Co	UNBUNDLED	NETWORK ELEMENTS - Alabama												Attachment:	2		Exhibit: B
	CATEGORY	RATE ELEMENTS		Zone	BCS	USOC			RATES(\$)			Submitted Elec	Submitted Manually	Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	Charge -
							Rec	Nonrec	urrina	Nonrecurring	n Disconnect			oss i	RATES (\$)		
Content Cont												SOMEC	SOMAN			SOMAN	SOMAN
Sweet No. Linearided 2 May PRIX. Trans. Rep. 19696 19690 207 2150 2210 621 621 621 727 1207 1277					UEPSB	UEPVF	5.55	0.00	0.00					27.37	12.97	17.77	1.44
2 2000 NC 100 State 10	EXCHAN	IGE PORT RATES (DID & PBX)															
E-Wire VC Line Silbe Ubbounded Colored PST Trunk - Supe UPPSP UPPSP 270" 2133 2163 6.21 6.21 27.3" 12.9" 17.77									21.93	6.21	6.21					17.77	1.44
OWNE VIC Lance Biot Uniformatic Recomming PRX Trusts - Bout ULPSPP UEPFI 2.77 21:30 21:30 0.21 0.21 0.27 27:37 17:27 17:77																	0.48
2-Wire Audig Large Desarces Territoral PRS Trum's Data UEPSP UEPLD 2-07 21-08 21-08 22-1																	1.44
2-Wine Vice Intrincided 2-Winy PSX Authorn Calling Port UFPSP UFPA 2.07 2.160 2.150 6.21 6.21 7.737 1.237 1.777																	1.44
2-Wine Vace Unumarie Ports																	1.44
2-We Vice Unknowled PW ye PRI (Usep Port UFPS UFPS UFPS UFPS 277 2183 2183 2183 2183 221 277 2																	
2.Www Vacci Unburded PRX Tel Transies Internal Floats UPPS UPPS 2.07 21.93 6.21 6.21 27.37 12.91 17.77																	1.44
2.Www Voice Unburded PRIX LD DRD Terminals Prof																	1.44 1.44
2-Wine Vace Unbunded PIXL D*Terminal Switchboard PID UEPSP UEPSD 2.07 21.93 21.93 6.21 6.21 77.37 12.97 17.77 1.00 1												ļ					1.44
2-Wine Vace Unbundled PRIX LD Terminal Switchcoard ID UEPSP UEPSE 2.07 21.50 21.50 6.21 6.21 77.37 12.97 17.77 1.25 1.												1					1.44
Capable Port Capa					UEFSF	UEPAD	2.07	21.93	21.93	0.21	0.21	1		21.31	12.97	17.77	1.44
Administrative Caling Port		Capable Port			UEPSP	UEPXE	2.07	21.93	21.93	6.21	6.21			27.37	12.97	17.77	1.44
Room Calling Port		Administrative Calling Port			UEPSP	UEPXL	2.07	21.93	21.93	6.21	6.21			27.37	12.97	17.77	1.44
Discount Room Calling Port UEPSP UEPXS 2.07 21.33 21.33 6.21 6.21 27.37 12.97 17.77		Room Calling Port			UEPSP	UEPXM	2.07	21.93	21.93	6.21	6.21			27.37	12.97	17.77	1.44
Subsequent Activity		Discount Room Calling Port															1.44
PEATURES										6.21	6.21			27.37	12.97	17.77	1.44
All Available Vertical Features	FEATUR				UEPSP	USASC	0.00	0.00	0.00								
EXCHANGE PORT RATES (COIN) NOTE: Access to B Channel or D Channel Packet capabilities will be available only through BFR/New Business Request Process. NOTE: Access to B Channel or D Channel Packet capabilities will be available only through BFR/New Business Request Process. NOTE: Access to B Channel or D Channel Packet capabilities will be available only through BFR/New Business Request Process. NOTE: Access to B Channel or D Channel Packet capabilities will be available only through BFR/New Business Request Process. NOTE: Access to B Channel or D Channel Packet capabilities will be determined via the Bona Fide Request/New Business Request Process. NOTE: Access to B Channel or D Channel Packet capabilities will be determined via the Bona Fide Request/New Business Request Process. NOTE: Access to B Channel or D Channel Packet capabilities will be determined via the Bona Fide Request/New Business Request Process. NOTE: Access to B Channel or D Channel Packet capabilities will be determined via the Bona Fide Request/New Business Request Process. NOTE: Access to B Channel or D Channel Packet capabilities will be determined via the Bona Fide Request/New Business Request Process. NOTE: Transmission/Jusage charges associated with POTS circuit switched usage will also apply to circuit switched data transmission by B-Channels associated with 2-wire ISDN ports. NOTE: Access to B Channel or D Channel Packet capabilities will be available only through BFR/New Business Request Process. NOTE: Access to B Channel or D Channel Packet capabilities will be available only through BFR/New Business Request Process. NOTE: Access to B Channel or D Channel Packet capabilities will be available only through BFR/New Business Request Process. NOTE: Access to B Channel or D Channel Packet capabilities will be available only through BFR/New Business Request Process. NOTE: Access to B Channel or D Channel Packet capabilities will be determined via the Bona Fide Request/New Business Request Process. NOTE: Access to B Channel	FEATUR				HEDOD HEDOE	LIEDVE	5 55	0.00	0.00					27.27	12.07	17 77	1.44
Exchange Ports - Coin Port 2,34 21,93 21,93 21,93 5,21 5,21 25,93 12,97 16,33 0.000000000000000000000000000000000	EXCHAN				UEFSF UEFSE	UEFVF	5.55	0.00	0.00				1	21.31	12.97	17.77	1.44
NOTE: Transmission/usage charges associated with POTS circuit switched usage will also apply to circuit switched voice and/or circuit switched data transmission by B-Channels associated with 2-wire ISDN ports. NOTE: Access to B Channel or D Channel Packet capabilities will be available only through BFR/New Business Request Process. NEUNDLED LOCAL EXCHANGE SWITCHING(PORTS) EXCHANGE PORT NATES (DIO & PBX) Exchange Ports -2-Wire DID Port Exchange Ports -2-Wire DID Port Exchange Ports -2-Wire ISDN Port (See Notes below.) UEPPDU UEPDD							2 34	21 93	21 93	5.21	5.21	1		25 93	12 97	16.33	0.48
NBUNDLED LOCAL EXCHANGE SWITCHING(PORTS) UEPEX UEPP2 9.20 2.38.61 37.48 119.79 19.99															Request Proc	cess.	
Exchange Ports - 2-Wire DID Port UEPEX U					_				•								
Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID UEPDD	EXCHAN	IGE PORT RATES (DID & PBX)															
Capability UEPDD UEPDD 68.67 404.04 191.38 145.18 4.92 19.99					UEPEX	UEPP2	9.20	238.61	37.48	119.79				19.99	19.99	19.99	19.99
Exchange Ports - 2-Wire ISDN Port (See Notes below.) UEPTX UEPSX UIPMA 11.19 145.54 105.97 95.57 21.47 19.99																	
NOTE: Transmission/usage charges associated with POTS circuit switched usage will also apply to circuit switched voice and/or circuit switched data transmission by B-Channels associated with 2-wire ISDN ports. NOTE: Access to B Channel or D Channel Packet capabilities will be available only through BFR/New Business Request Process. Exchange Ports - 2-Wire ISDN Port Channel Profiles UEPTX UEPSX UUMA 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.																	19.99
NOTE: Transmission/usage charges associated with POTS circuit switched usage will also apply to circuit switched voice and/or circuit switched data transmission by B-Channels associated with 2-wire ISDN ports. NOTE: Access to B Channel or D Channel Packet capabilities will be available only through BFR/New Business Request Process. Exchange Ports - 2-Wire ISDN Port - Channel Profiles UEPTX UEPSX U1UMA 0.00 0.				<u> </u>						95.57	21.47			19.99	19.99	19.99	19.99
NOTE: Access to B Channel or D Channel Packet capabilities will be available only through BFR/New Business Request Process. Exchange Ports - 2-Wire ISDN Port Channel Profiles UEPTX UEPSX U1UMA 0.00		All Features Offered			UEPTX UEPSX	UEPVF	5.55	0.00	0.00							<u> </u>	<u> </u>
Exchange Ports - 2-Wire ISDN Port - Channel Profiles					• • • • • • • • • • • • • • • • • • • •					-							
Exchange Ports - 4-Wire ISDN DS1 Port	NOTE: A		availabl	e only						ties will be det	ermined via th	e Bona Fid	e Request/N	lew Business	Request Prod	ess.	
End Office Switching (Port Usage)																	
End Office Switching (Port Usage)					UEPEX	UEPEX	96.37	407.62	203.11	158.35	40.11	<u> </u>		54.75	54.75	11.53	11.53
End Office Switching Function, Per MOU 0.0018			ļ	<u> </u>		ļ	 						ļ				
End Office Trunk Port - Shared, Per MOU 0.0002	End Offic		<u> </u>	<u> </u>		ļ	0.0010					<u> </u>	ļ	-			
Tandem Switching (Port Usage) (Local or Access Tandem)			<u> </u>	<u> </u>		1								-			!
Tandem Switching Function Per MOU 0.00063	Tan da		 	 		 	0.0002					1	 	 			
Tandem Trunk Port - Shared, Per MOU Common Transport Common Transport - Per Mile, Per MOU Common Transport - Facilities Termination Per MOU Common Transport - Facilities Termination Per MOU NBUNDLED PORT/LOOP COMBINATIONS - COST BASED RATES Cost Based Rates are applied where BellSouth is required by FCC and/or State Commission rule to provide Unbundled Local Switching or Switch Ports.	rangem		 	!		1	0.00060					 	1	 		├ ──	
Common Transport Common Transport - Per Mile, Per MOU 0.00001 Common Transport - Facilities Termination Per MOU 0.00045 Common Transport - Facilities Termination Per MOU 0.00045 Cost Based Rates are applied where BellSouth is required by FCC and/or State Commission rule to provide Unbundled Local Switching or Switch Ports.			1	 		1						}	 	+		 	
Common Transport - Per Mile, Per MOU 0.00001 Common Transport - Facilities Termination Per MOU 0.00045	Commor		-	<u> </u>		1	0.00033			-	-					 	
Common Transport - Facilities Termination Per MOU 0.00045	Common		1	1		1	0.00001					1	1	1		 	+
INBUNDLED PORT/LOOP COMBINATIONS - COST BASED RATES Cost Based Rates are applied where BellSouth is required by FCC and/or State Commission rule to provide Unbundled Local Switching or Switch Ports.			 	-		1						1	 	t		 	
Cost Based Rates are applied where BellSouth is required by FCC and/or State Commission rule to provide Unbundled Local Switching or Switch Ports.	UNBUNDI ED PO	ORT/I OOP COMBINATIONS - COST BASED RATES		 		 	0.00043					 	 	t			
			d/or Sta	te Con	mission rule to pro	vide Unbund	led Local Switc	hing or Switch	Ports.					t			1
										Port section	of this Rate Ex	hibit.		İ			1

4Q01:12/01/01 PAGE 18 OF 324

NBUNDLED	NETWORK ELEMENTS - Alabama												Attachment:	2		Exhibit:
	/ WWW.IIW												Incremental Charge -	Incremental Charge -	Incremental Charge -	
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES(\$)			Svc Order	Svc Order	Manual Svc	Manual Svc	Manual Svc	
o,oo	NATE ELEMENTO	m	20.10	500	0000			= = (0)			Submitted	Submitted	Order vs.	Order vs.	Order vs.	Order v
											Elec	Manually	Electronic-	Electronic-	Electronic-	Electron
											per LSR	per LSR	1st	Add'l	Disc 1st	Disc Add
						_										
						Rec	Nonred First	urring Add'l	Nonrecurring First	Add'I	SOMEC	SOMAN	SOMAN	RATES (\$)	SOMAN	SOMAI
					ı		FIISL	Add I	FIISL	Add I	SOWIEC	SUMAN	SOWAN	SOWAN	SOWAN	SUMA
For Geo	ice and Tandem Switching Usage and Common Transport Usa orgia, Kentucky, Louisiana, MIssissippi and Tennessee, the rec ted Combos for all states. In GA, KY, LA, MS and TN these non	curring	UNE P	ort and Loop charge	es listed appl	y to Currently	Combined and	Not Currently	Combined Cor	nbos. The the	first and ac	ditional Po	rt nonrecurri	ng charges ap		
	ned Combos in all other states, the nonrecurring charges shall	be thos	se iden	tified in the Nonrecu	urring - Curre	ently Combined	d sections.									
	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)															
UNE Po	rt/Loop Combination Rates					10.55										
	2-Wire VG Loop/Port Combo - Zone 1		1			16.55										
	2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3		3		-	25.51 44.44										
UNFIA	op Rates		3		 	44.44								1		+
5.112 20	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPRX	UEPLX	14.35								1		t -
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPRX	UEPLX	23.31								Ì		†
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPRX	UEPLX	42.24										
2-Wire \	Voice Grade Line Port Rates (Res)															
	2-Wire voice unbundled port - residence			UEPRX	UEPRL	2.20	90.00	90.00					40.71	9.58		
	2-Wire voice unbundled port with Caller ID - res			UEPRX	UEPRC	2.20	90.00	90.00					40.71	9.58		
	2-Wire voice unbundled port outgoing only - res			UEPRX	UEPRO	2.20	90.00	90.00					40.71	9.58		
	2-Wire voice Grade unbundled Alabama extended local dialing parity port with Caller ID - res			UEPRX	UEPAR	2.20	90.00	90.00					40.71	9.58		
	2-Wire voice unbundles res, low usage line port with Caller ID			OLFKX	OLFAR	2.20	90.00	90.00					40.71	9.30		
	(LUM)			UEPRX	UEPAP	2.20	90.00	90.00					40.71	9.58		
FEATUR				-												
	All Features Offered			UEPRX	UEPVF	5.55	0.00	0.00					40.71	9.58		
LOCAL	NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPRX	LNPCX	0.35										
NONKE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED 2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
	Switch-as-is			UEPRX	USAC2		2.80	0.41					40.71	9.58		
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -			OLFKA	USACZ		2.00	0.41					40.71	9.36		
	Switch with change			UEPRX	USACC		2.80	0.41					40.71	9.58		
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
	Subsequent Database Update						1.44						8.25			
ADDITIO	ONAL NRCs															
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity			UEPRX	USAS2	0.00	0.00	0.00					40.71	9.58		
2-WIRE	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)			021100	30,102	0.00	0.00	0.00					40.71	3.30		
	ort/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Zone 1		1			16.55										1
	2-Wire VG Loop/Port Combo - Zone 2		2			25.51				•						
	2-Wire VG Loop/Port Combo - Zone 3		3			44.44										
UNE Lo	op Rates			HEDDY	LIEDLY	44.0=										1
	2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2		1 2	UEPBX UEPBX	UEPLX UEPLX	14.35 23.31								-		
	2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3			UEPBX	UEPLX	42.24								 		
2-Wire \	Voice Grade Line Port (Bus)		5	011 D/	JLI LA	72.24										
	2-Wire voice unbundled port without Caller ID - bus			UEPBX	UEPBL	2.20	90.00	90.00					40.71	9.58		†
	2-Wire voice unbundled port with Caller + E484 ID - bus			UEPBX	UEPBC	2.20	90.00	90.00					40.71	9.58		
	2-Wire voice unbundled port outgoing only - bus			UEPBX	UEPBO	2.20	90.00	90.00		•			40.71	9.58		
	2-Wire voice Grade unbundled Alabama extended local dialing				l											
	parity port with Caller ID - bus			UEPBX	UEPAW	2.20	90.00	90.00					40.71	9.58		<u> </u>
LOCAL	2-Wire voice unbundled incoming only port with Caller ID - Bus NUMBER PORTABILITY			UEPBX	UPEB1	2.20	90.00	90.00					40.71	9.58		
LOCAL	Local Number Portability (1 per port)			UEPBX	LNPCX	0.35										\vdash
FEATUR				OLI DA	LINEON	0.35										
	All Features Offered			UEPBX	UEPVF	5.55	0.00	0.00					40.71	9.58		
	All I eatures Officieu															

4Q01:12/01/01 PAGE 19 OF 324

UNBUNDLED	NETWORK ELEMENTS - Alabama												Attachment:	2		Exhibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)					Incremental Charge - Manual Svc	Incremental Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonred	curring	Nonrecurring	Disconnect				RATES (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
	Switch-as-is 2-Wire Voice Grade Loop / Line Port Combination - Conversion -			UEPBX	USAC2		2.80	0.41					40.71	9.58		
	Switch with change			UEPBX	USACC		2.80	0.41								
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -		1	OLI BX	00/100		2.00	0.41								
	Subsequent Database Update						1.44						8.25			
	NAL NRCs															
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent															
2 WIDE V	Activity /OICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)			UEPBX	USAS2								40.71	9.58		
	t/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Zone 1		1		-	16.55										
	2-Wire VG Loop/Port Combo - Zone 2		2			25.51										
	2-Wire VG Loop/Port Combo - Zone 3		3			44.44										
UNE Loc	p Rates															
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPRG	UEPLX	14.35										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPRG	UEPLX	23.31										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPRG	UEPLX	42.24										
	oice Grade Line Port Rates (RES - PBX) 2-Wire VG Unbundled Combination 2-Way PBX Trunk Port -															
	Res			UEPRG	UEPRD	2.20	90.00	90.00					40.71	9.58		
	NUMBER PORTABILITY		1	OLI IKO	OLITE	2.20	30.00	50.00					40.71	5.50		
	Local Number Portability (1 per port)			UEPRG	LNPCP	3.15	0.00	0.00								
FEATUR																
	All Features Offered			UEPRG	UEPVF	5.55	0.00	0.00					40.71	9.58		
	URRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
	Conversion - Switch-As-Is			UEPRG	USAC2		2.80	0.41					40.71	9.58		
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch with Change			UEPRG	USACC		2.80	0.41					40.71	9.58		
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -		1	OLI IKO	OOACC		2.00	0.41					40.71	3.30		
	Subsequent Database Update						1.44						8.25			
ADDITIO	NAL NRCs															
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
	Subsequent Activity			UEPRG	USAS2	0.00	0.00	0.00					40.71	9.58		
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt												40.00	40.00	40.00	40.00
	Group						14.64	14.64					19.99	19.99	19.99	19.99
	/OICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX) t/Loop Combination Rates		!		1	 			+			+				
	2-Wire VG Loop/Port Combo - Zone 1		1		1	16.55			† †							
	2-Wire VG Loop/Port Combo - Zone 2		2			25.51							İ	İ		İ
	2-Wire VG Loop/Port Combo - Zone 3		3			44.44										
UNE Loc							-									
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPPX	UEPLX	14.35										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPPX	UEPLX	23.31 42.24										
	2-Wire Voice Grade Loop (SL 1) - Zone 3 oice Grade Line Port Rates (BUS - PBX)		3	UEPPX	UEPLX	42.24			+				-	-		
Z-VVIIE V	oice Grade Line Fort Nates (DOS - FDA)		1			 			+				1	1		
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPPX	UEPPC	2.20	90.00	90.00					40.71	9.58		
	Line Side Unbundled Outward PBX Trunk Port - Bus			UEPPX	UEPPO	2.20	90.00	90.00					40.71	9.58		
	Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPPX	UEPP1	2.20	90.00	90.00					40.71	9.58		
	2-Wire Voice Unbundled 2-Way Combination PBX Alabama						· · · · · · · · · · · · · · · · · · ·						1	1		1
	Calling Port		<u> </u>	UEPPX	UEPA2	2.20	90.00	90.00					40.71	9.58		ļ
	2-Wire Voice Unbundled PBX LD Terminal Ports		<u> </u>	UEPPX	UEPLD	2.20	90.00	90.00					27.37	9.58		
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port 2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports	-	<u> </u>	UEPPX UEPPX	UEPXA UEPXB	2.20 2.20	90.00	90.00					40.71 40.71	9.58 9.58		
	2-Wire Voice Unbundled PBX LD DDD Terminal Hotel Ports 2-Wire Voice Unbundled PBX LD DDD Terminals Port		1	UEPPX	UEPXC	2.20	90.00	90.00					40.71	9.58		
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port		t	UEPPX	UEPXD	2.20	90.00	90.00					40.71	9.58		
	2 THIS VOICE STIDUTIONED I DA ED TEITHING SWITCHDOOLG FOIL	l	1	IOL: I A	JLI AD	2.20	30.00	30.00	ı		1	L	70.71	9.30		l

UNBUNDLED	NETWORK ELEMENTS - Alabama			1	1	1							Attachment:	2		Exhibit: I
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Submitted Manually	Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual Sv Order vs.
						Rec	Nonrec		Nonrecurring Dis					RATES (\$)		
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Capable Port			UEPPX	UEPXE	2.20	90.00	90.00					40.71	9.58		
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			OLI I X	OLI AL	2.20	50.00	50.00					40.71	0.00		+
	Administrative Calling Port			UEPPX	UEPXL	2.20	90.00	90.00					40.71	9.58		
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPPX	UEPXM	2.20	90.00	90.00					40.71	9.58		
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital															
	Discount Room Calling Port 2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX UEPPX	UEPXO UEPXS	2.20 2.20	90.00	90.00					40.71 40.71	9.58 9.58		+
LOCAL	NUMBER PORTABILITY			UEPPA	UEPAS	2.20	90.00	90.00					40.71	9.56		+
	Local Number Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00								+
FEATUR																
	All Features Offered			UEPPX	UEPVF	5.55	0.00	0.00					40.71	9.58		
NONRE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch-As-Is			UEPPX	USAC2		2.80	0.41					40.71	9.58		
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -			ULFFX	USACZ		2.00	0.41					40.71	9.36		+
	Conversion - Switch with Change			UEPPX	USACC		2.80	0.41					40.71	9.58		
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
	Subsequent Database Update						1.44						8.25			
ADDITIC	DNAL NRCs 2-Wire Voice Grade Loop/ Line Port Combination (PBX) -				+											+
	Subsequent Activity			UEPPX	USAS2	0.00	0.00	0.00					40.71	9.58		
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt			OLI I X	00/102	0.00	0.00	0.00					40.71	0.00		1
	Group						14.64	14.64					19.99	19.99	19.99	19.99
	VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN PORT	•														
UNE Po	rt/Loop Combination Rates					10.00										
	2-Wire VG Coin Port/Loop Combo – Zone 1 2-Wire VG Coin Port/Loop Combo – Zone 2		1 2			16.88 25.84			-							+
	2-Wire VG Coin Port/Loop Combo – Zone 2 2-Wire VG Coin Port/Loop Combo – Zone 3		3		+	44.77										+
UNE Lo	op Rates															1
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPCO	UEPLX	14.35										
	2-Wire Voice Grade Loop (SL1) - Zone 2			UEPCO	UEPLX	23.31										
0.14/:1	2-Wire Voice Grade Loop (SL1) - Zone 3 /oice Grade Line Ports (COIN)		3	UEPCO	UEPLX	42.24										+
2-wire v	2-Wire Coin 2-Way without Operator Screening and without				+				-							+
	Blocking (AL, KY, LA, MS)			UEPCO	UEPRF	2.53	90.00	90.00					40.71	9.58		
	2-Wire Coin 2-Way with Operator Screening (AL, KY)			UEPCO	UEPRE	2.53	90.00	90.00					40.71	9.58		
	2-Wire Coin 2-Way with Operator Screening and Blocking: 011, 900/976, 1+DDD (AL, KY, LA, MS)			UEPCO	UEPRA	2.53	90.00	90.00					40.71	9.58		
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking			UEPCO	UEPRA	2.53	90.00	90.00	-				40.71	9.58		+
	(AL, LA, MS)			UEPCO	UEPRB	2.53	90.00	90.00					40.71	9.58		
	2-Wire Coin 2-Way with Operator Screening & Blocking:															1
	900/976, 1+DDD, 011+, & Local (AL, KY, LA, MS)			UEPCO	UEPCD	2.53	90.00	90.00					40.71	9.58		
	2-Wire Coin Outward with Operator Screening and 011 Blocking (AL, FL)			UEPCO	UEPRK	2.53	90.00	90.00					40.71	9.58		
	2-Wire Coin Outward with Operator Screening and Blocking:												-			1
	011, 900/976, 1+DDD (AL, KY, LA, MS)			UEPCO	UEPRH	2.53	90.00	90.00					40.71	9.58		
	2-Wire Coin Outward Operator Screening & Blocking: 900/976,		l	LIEBOO	LIEDON		00.00	00.00					40.71	0.50		
	1+DDD, 011+, and Local (AL, KY, LA, MS) 2-Wire 2-Way Smartline with 900/976 (all states except LA)		<u> </u>	UEPCO UEPCO	UEPCN UEPCK	2.53 2.53	90.00 90.00	90.00		-		 	40.71 40.71	9.58 9.58		+
	2-Wire Coin Outward Smartline with 900/976 (all states except LA)			OLI TOO	OLFOR	2.55	90.00	90.00					40.71	5.30		+
	LA)		L	UEPCO	UEPCR	2.53	90.00	90.00				<u></u>	40.71	9.58		<u> </u>
ADDITIO	DNAL UNE COIN PORT/LOOP (RC)															
	UNE Coin Port/Loop Combo Usage (Flat Rate)			UEPCO	URECU	1.56	90.00	90.00				1				↓
II OCAL	NUMBER PORTABILITY					1						<u> </u>				
LOUAL	Local Number Portability (1 per port)			UEPCO	LNPCX	0.35	1			1						

UNBUNDLED	NETWORK ELEMENTS - Alabama												Attachment:	2		Exhibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	uso	С		RATES(\$)				Submitted Manually	Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Charge -
						Rec		curring	Nonrecurring D					RATES (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
NONREC	CURRING CHARGES - CURRENTLY COMBINED															ļ
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is			UEPCO	USAC2		2.80	0.41					40.71	9.58		
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change			UEPCO	USACC		2.80	0.41					40.71	9.58		
ADDITIC	DNAL NRCs															
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity			UEPCO	USAS2		0.00	0.00					40.71	9.58		
	ORT/LOOP COMBINATIONS - COST BASED RATES															
	VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK F	PORT														<u> </u>
UNE Po	rt/Loop Combination Rates 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1	 	1		_	29.59		1				1	-		-	
			2			29.59 36.58										
-+	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3	1	3		_	36.58 45.06		-								
LINELA	op Rates	 	٦		-	45.06		 				1				
ONE LOC	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1	 	1	UEPPX	UECD1	20.42		 				1				
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2		2	UEPPX	UECD1	27.41										
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3			UEPPX	UECD1	35.89										
UNE Poi			_	02 x	02001	00.00										
	Exchange Ports - 2-Wire DID Port			UEPPX	UEPD1	9.17							40.71	9.58		
NONRE/	CURRING CHARGES - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination -															
	Switch-as-is 2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion			UEPPX	USAC1		14.61	3.73					40.71	9.58		
ADDITI	with BellSouth Allowable Changes			UEPPX	USA1C		14.61	3.73					40.71	9.58		
ADDITIC	DNAL NRCs 2-Wire DID Subsequent Activity - Add Trunks, Per Trunk			UEPPX	USAS1		53.56	53.56					40.71	9.58		
Tolonho	ne Number/Trunk Group Establisment Charges			UEPFA	USAST		55.56	55.50					40.71	9.56		
relepilo	DID Trunk Termination (One Per Port)			UEPPX	NDT	0.00	0.00	0.00								
	Additional DID Numbers for each Group of 20 DID Numbers			UEPPX	ND4	0.00	0.00	0.00								
	DID Numbers, Non- consecutive DID Numbers , Per Number			UEPPX	ND5	0.00	0.00	0.00								1
	Reserve Non-Consecutive DID numbers			UEPPX	ND6	0.00	0.00	0.00								
	Reserve DID Numbers			UEPPX	NDV	0.00	0.00	0.00								
LOCAL	NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00								
	ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LIN	E SIDE	PORT													
UNE Por	rt/Loop Combination Rates															
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 1		1	UEPPB UEP	PR	36.62										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 2		2	UEPPB UEPF	PR	44.49										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 3		3	UEPPB UEPF	PR	55.39										
UNE Lo	op Rates		Ť	J_: 1 D JE11		55.00		1								İ
	2-Wire ISDN Digital Grade Loop - UNE Zone 1		1	UEPPB UEPP	R USL2X	27.20							40.71	9.58		1
	2-Wire ISDN Digital Grade Loop - UNE Zone 2		2	UEPPB UEPF	PR USL2X	35.07							40.71	9.58		
	2-Wire ISDN Digital Grade Loop - UNE Zone 3				R USL2X	45.97							40.71	9.58		
UNE Poi																
	Exchange Port - 2-Wire ISDN Line Side Port			UEPPB UEPPI	R UEPPB	9.42							40.71	9.58		
NONRE	CURRING CHARGES - CURRENTLY COMBINED															
	2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port Combination - Conversion			UEPPB UEPPI	R USACB	0.00	77.01	54.04					40.71	9.58		
	DNAL NRCs															
LOCAL	NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPPB UEPP	R LNPCX	0.35	0.00	0.00								
	NEL USER PROFILE ACCESS:				_			ļ								ļ
	CVS/CSD (DMS/5ESS)	1	<u> </u>	UEPPB UEPP	R U1UCA	0.00	0.00	0.00				1			l	<u> </u>

UNBUNDLED	NETWORK ELEMENTS - Alabama													Attachment:	2		Exhibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	В	scs	usoc			RATES(\$)					Incremental Charge - Manual Svc	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
							Rec	Nonrec	urrina	Nonrecurring	Disconnect			ossi	RATES (\$)		
							1100	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
	CVS (EWSD)			UEPPB	UEPPR	U1UCB	0.00	0.00	0.00								
	CSD			UEPPB	UEPPR	U1UCC	0.00	0.00	0.00								
B-CHANI	NEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS SC	,MS, &	TN)														
	CVS/CSD (DMS/5ESS)			UEPPB UEPPB	UEPPR UEPPR	U1UCD U1UCE	0.00	0.00	0.00								
	CVS (EWSD) CSD			UEPPB	UEPPR		0.00	0.00	0.00								
	ERMINAL PROFILE			OLITE	OLITIK	01001	0.00	0.00	0.00								
	User Terminal Profile (EWSD only)			UEPPB	UEPPR	U1UMA	0.00	0.00	0.00								
	AL FEATURES																
	All Vertical Features - One per Channel B User Profile			UEPPB	UEPPR	UEPVF	5.55	0.00	0.00					40.71	9.58		
INTERO	FFICE CHANNEL MILEAGE																
	Interoffice Channel mileage each, including first mile and		1	LIEDDE	LIEDDE		47.0.	407	40.00					40.71	0.50		1
	facilities termination				UEPPR	M1GNC	17.81	107.11	48.27				0.00	40.71	9.58		
	Interoffice Channel mileage each, additional mile DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK	POPT	-	UEPPB	UEPPR	M1GNM	0.0339	0.00	0.00			}	0.00				
	t/Loop Combination Rates					 						 	 				
0.12.01	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE																
	Zone 1		1	UEPPP			198.29										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE																
	Zone 2		2	UEPPP			274.00										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE																
	Zone 3		3	UEPPP			425.41										
UNE Loc	4-Wire DS1 Digital Loop - UNE Zone 1		4	UEPPP		USL4P	101.92							40.71	9.58		
	4-Wire DS1 Digital Loop - UNE Zone 1		2	UEPPP		USL4P USL4P	177.63							40.71	9.58		
	4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPPP		USL4P	329.04							40.71	9.58		
UNE Por																	
	Exchange Ports - 4-Wire ISDN DS1 Port			UEPPP		UEPPP	96.37							40.71	9.58		
NONREC	CURRING CHARGES - CURRENTLY COMBINED																
	4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port																
	Combination - Conversion -Switch-as-is			UEPPP		USACP	0.00	238.13	157.11					40.71	9.58		
ADDITIO	NAL NRCs 4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy-																
	Inward/two way tel nos within Std Allowance			UEPPP		PR7TF		0.9801									
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port -	1	 	JLFFF		ENTIF		0.9001				1	-	 			
	Outward Tel Numbers (All States except NC)			UEPPP		PR7TO		23.02	23.02								
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port -																
	Subsequent Inward Tel Nos Above Std Allowance			UEPPP		PR7ZT		46.05	46.05								
	NUMBER PORTABILITY																
	Local Number Portability (1 per port)		<u> </u>	UEPPP		LNPCN	1.75										
	ACE (Provsioning Only)			UEPPP		DD71\/	0.00	0.00	0.00			1	-				
	Voice/Data Digital Data			UEPPP		PR71V PR71D	0.00	0.00	0.00					-			-
	Inward Data		1	UEPPP		PR71E	0.00	0.00	0.00								
	Additional "B" Channel			J=. 11			0.00	0.00	0.00				l –				
	New or Additional - Voice/Data B Channel			UEPPP		PR7BV	0.00	29.05									
	New or Additional - Digital Data B Channel			UEPPP		PR7BF	0.00	29.05									
	New or Additional Inward Data B Channel			UEPPP		PR7BD	0.00	29.05	·								
	New or Additional Useage Sensitive Voice Data B Channel		ļ	UEPPP		PR7BS	0.00	29.05									
	New or Additional Useage Sensitive Digital Data B Channel		<u> </u>	UEPPP		PR7BU	0.00	29.05				1		 			
CALL TY	Inward	1		UEPPP		PR7C1	0.00	0.00	0.00			1	-	-			-
	Outward	1	-	UEPPP		PR7C0	0.00	0.00	0.00			1	1	1			1
	Two-way			UEPPP		PR7CC	0.00	0.00	0.00								
Interoffic	ce Channel Mileage					1	0.00	0.00	0.00					Ì			Ì
	Fixed Each Including First Mile			UEPPP		1LN1A	80.382	198.15	148.18	25.44				40.71	9.58		
	Each Airline-Fractional Additional Mile			UEPPP		1LN1B	0.692		-		-				·		
4-WIRE I	DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT													l			l

JNBUNDLE	NETWORK ELEMENTS - Alabama			T	1	1						1	Attachment:	2		Exhibit:
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrec		Nonrecurring					RATES (\$)		T
	- Continuing But						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UNE PO	ort/Loop Combination Rates 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1		- 1	UEPDC	+	170.59										
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2			UEPDC	+	246.30						1				+
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3			UEPDC		397.71										+
UNE Lo	pop Rates			02. 50		001111										1
	4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPDC	USLDC	101.92							40.71	9.58		1
	4-Wire DS1 Digital Loop - UNE Zone 2			UEPDC	USLDC	177.63							40.71	9.58		
	4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPDC	USLDC	329.04							40.71	9.58		
UNE Po	ort Rate															
NONE	4-Wire DDITS Digital Trunk Port CURRING CHARGES - CURRENTLY COMBINED		<u> </u>	UEPDC	UDD1T	68.67				1		<u> </u>	 		-	
NONRE	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination		 	 	+	 				-	 	 				+
	- Switch-as-is		1	UEPDC	USAC4		258.98	134.03					40.71	9.58		
-+	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination			02.1 00	00,104		200.00	104.03		1	1	1	70.71	3.36		
	- Conversion with DS1 Changes			UEPDC	USAWA		258.98	134.04					40.71	9.58		
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination															
	- Conversion with Change - Trunk			UEPDC	USAWB		258.98	134.03					40.71	9.58		
ADDITI-	ONAL NRCs															
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC -															
	Subsequent Channel Activation/Chan - 2-Way Trunk 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent			UEPDC	UDTTA		28.85	28.95					40.71	9.58		
	Channel Activation/Chan - 1-Way Outward Trunk			UEPDC	UDTTB		28.85	28.85					40.71	9.58		
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel			OLFDC	ODITE	<u> </u>	20.03	20.00				1	40.71	9.30		+
	Activation/Chan Inward Trunk w/out DID			UEPDC	UDTTC		28.85	28.85					40.71	9.58		
-	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan			02. 50	05.10		20.00	20.00					10.7 1	0.00		1
	Activation Per Chan - Inward Trunk with DID			UEPDC	UDTTD		28.85	28.85					40.71	9.58		
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan															1
	Activation / Chan - 2-Way DID w User Trans			UEPDC	UDTTE		28.85	28.85					40.71	9.58		
BIPOL/	AR 8 ZERO SUBSTITUTION															
	B8ZS -Superframe Format			UEPDC	CCOSF		0.00	600.00								
Altama	B8ZS - Extended Superframe Format te Mark Inversion			UEPDC	CCOEF		0.00	600.00								4
Alterna	AMI -Superframe Format			UEPDC	MCOSF		0.00	0.00								+
	AMI - Extended SuperFrame Format			UEPDC	MCOPO		0.00	0.00								+
Teleph	one Number/Trunk Group Establisment Charges			OLI DO	WICCIC		0.00	0.00								+
	Telephone Number for 2-Way Trunk Group			UEPDC	UDTGX	0.00										†
	Telephone Number for 1-Way Outward Trunk Group			UEPDC	UDTGY	0.00				<u> </u>			İ			
	Telephone Number for 1-Way Inward Trunk Group Without DID			UEPDC	UDTGZ	0.00			-					_	_	
	DID Numbers for each Group of 20 DID Numbers		<u> </u>	UEPDC	ND4	0.00	0.00									
+	DID Numbers, Non- consecutive DID Numbers , Per Number		<u> </u>	UEPDC UEPDC	ND5	0.00	0.00	0.00		-		<u> </u>				
	Reserve Non-Consecutive DID Nos. Reserve DID Numbers			UEPDC	ND6 NDV	0.00	0.00	0.00				1				+
Dedica	ted DS1 (Interoffice Channel Mileage) - FX/FC0 for 4-Wire DS1	Digital I	oon v			0.00	0.00	0.00		1	+	 				+
Deutcal	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities	- igitai I	_oop v		- ank i oit					1	1	1	1			
	Termination)	L	L	UEPDC	1LNO1	79.69	198.15	148.18	25.44	20.42	<u> </u>		40.71	9.58	<u> </u>	<u> </u>
	Interoffice Channel Mileage - Additional rate per mile - 0-8 miles			UEPDC	1LNOA	0.692	0.00	0.00								
	Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities Termination)			UEPDC	1LNO2	0.00	0.00	0.00								
	Interoffice Channel Mileage - Additional rate per mile - 9-25 miles			UEPDC	1LNOB	0.692	0.00	0.00								
	Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities			UEPDC	1LNO3	0.00	0.00	0.00	0.00					-		
	Termination)															
	Interoffice Channel Mileage - Additional rate per mile - 25+ miles			UEPDC	1LNOC	0.692	0.00	0.00								
				UEPDC UEPDC UEPDC	1LNOC LNPCP CTG	0.692 3.15 0.00	0.00 0.00	0.00	0.00							

UNBUNDI FO	NETWORK ELEMENTS - Alabama												Attachment:	2		Exhibit: B
ONDONDELL	Alabama	1			1											
													Incremental	Incremental	Incremental	Incremental
													Charge -	Charge -	Charge -	Charge -
CATEGORY	RATE ELEMENTS	Interi	7	BCS	USOC			RATES(\$)			Svc Order	Svc Order	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			KAIES(\$)				Submitted		Order vs.	Order vs.	Order vs.
											Elec	Manually		Electronic-	Electronic-	Electronic-
											per LSR	per LSR	1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	RATES (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
System	is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Activ	ations														
	stem can have up to 24 combinations of rates depending on t		numb	or of norte used							-	 				
UNE DS		ype and	I	ei oi porta uaeu							1	1				
UNE D3	4-Wire DS1 Loop - UNE Zone 1		-	UEPMG	USLDC	404.00	0.00	0.00			ļ	ļ				
-		-				101.92						ļ				
	4-Wire DS1 Loop - UNE Zone 2			UEPMG	USLDC	177.63	0.00	0.00								
	4-Wire DS1 Loop - UNE Zone 3		3	UEPMG	USLDC	329.04	0.00	0.00								
UNE DS	O Channelization Capacities (D4 Channel Bank Configurations	s)														
	24 DSO Channel Capacity - 1 per DS1			UEPMG	VUM24	115.89	0.00	0.00					40.71	9.58		
	48 DSO Channel Capacity - 1 per 2 DS1s			UEPMG	VUM48	231.78	0.00	0.00					40.71	9.58		
	96 DSO Channel Capacity -1per 4 DS1s			UEPMG	VUM96	463.56	0.00	0.00			Ì	Ì	40.71	9.58		
 	144 DS0 Channel Capacity - 1 per 6 DS1s	1		UEPMG	VUM14	695.34	0.00	0.00			1	1	40.71	9.58		†
	192 DS0 Channel Capacity -1 per 8 DS1s	-	 	UEPMG	VUM19	980.00	0.00	0.00			 	 	40.71	9.58		
		-	-				0.00				1	1	40.71	9.58		
-	240 DS0 Channel Capacity - 1 per 10 DS1s	 	-	UEPMG	VUM20	1,158.90		0.00			1	1				
	288 DS0 Channel Capacity - 1 per 12 DS1s	 		UEPMG	VUM28	1,390.68	0.00	0.00			 	 	40.71	9.58		
	384 DS0 Channel Capacity - 1 per 16 DS1s			UEPMG	VUM38	1,854.24	0.00	0.00					40.71	9.58		
	480 DS0 Channel Capacity - 1 per 20 DS1s			UEPMG	VUM40	2,317.80	0.00	0.00					40.71	9.58		
	576 DS0 Channel Capacity -1 per 24 DS1s			UEPMG	VUM57	2,781.36	0.00	0.00					40.71	9.58		
	672 DS0 Channel Capacity - 1 per 28 DS1s			UEPMG	VUM67	3,244.92	0.00	0.00					40.71	9.58		
Non-Red	curring Charges (NRC) Associated with 4-Wire DS1 Loop with	Channe	liztion	with Port - Convers	sion Charge		tem									
	num System configuration is One (1) DS1, One (1) D4 Channel															
	s of this configuration functioning as one are considered Add										-	 				
multiple	NRC - Conversion (Currently Combined) with or without	I aitei	lite iiii	illiain system com	I guration is	Journey.										-
				LIEDMO	110404	0.00	000.05	40.70					40.74	0.50		
	BellSouth Allowed Changes	L	L	UEPMG	USAC4	0.00	300.95	16.72					40.71	9.58		
	Additions at End User Locations Where 4-Wire DS1 Loop with	Chann	elizatio	on with Port Combii	nation Curre	ntly Exists and										ļ
New (No	t Currently Combined) In GA, KY, LA, MS & TN Only															
	1 DS1/D4 Channel Bank - Add NRC for each Port and Assoc															
	Fea Activation - New GA, LA, KY, MS, &TN Only			UEPMG	VUMD4	0.00	716.11	468.04	148.75	17.65			40.71	9.58		
Bipolar	8 Zero Substitution															
	Clear Channel Capability Format, superframe - Subsequent															
	Activity Only			UEPMG	CCOSF	0.00	0.00	600.00								
	Clear Channel Capability Format - Extended Superframe -			OLI IVIO	00001	0.00	0.00	000.00			1	1				-
	Subsequent Activity Only			UEPMG	CCOEF	0.00	0.00	600.00								
				UEPIVIG	CCOEF	0.00	0.00	600.00								
Alternat	e Mark Inversion (AMI)															
	Superframe Format			UEPMG	MCOSF	0.00	0.00	0.00								
	Extended Superframe Format			UEPMG	MCOPO	0.00	0.00	0.00								
Exchang	ge Ports Associated with 4-Wire DS1 Loop with Channelization	n with F	ort													
Exchang																
					İ	i i			İ		İ	İ	Ì			
	Line Side Combination Channelized PBX Trunk Port - Business	l		UEPPX	UEPCX	1.58	0.00	0.00	0.00	0.00	1	1	40.71	9.58		
	Line Side Outward Channelized PBX Trunk Port - Business	 	 	UEPPX	UEPOX	1.58	0.00	0.00	0.00	0.00	 	 	40.77	9.58		+
	Line Side Outward Channelized PBA Trunk Port - Business	 		ULPPA	UEPUX	1.58	0.00	0.00	0.00	0.00	 	1	40.17	9.58		<u> </u>
	Live Only I would only Observed and DDV Total District	l	1	LIEDDY	LIEDAY	1 4	0.00	0.00	0.00	0.00	1	Ì	40 =:	0		
	Line Side Inward Only Channelized PBX Trunk Port without DID			UEPPX	UEP1X	1.58	0.00	0.00	0.00	0.00			40.71	9.58		
	2-Wire Trunk Side Unbundled Channelized DID Trunk Port]		UEPPX	UEPDM	9.20	0.00	0.00	0.00	0.00			40.71	9.58		
	2-Wire Channelized PBX Area Calling Service Combination Port	1	1		1							1				
	(AL Only)	l		UEPPX	UEPA4	1.58	0.00	0.00			1	1	40.71	9.58		
	2 Wire Channelized PBX Area Calling Service Outgoing Only					1						1		İ		
	Port (AL Only)	l		UEPPX	UEPA3	1.58	0.00	0.00			1	1	40.71	9.58		
Feature	Activations - Unbundled Loop Concentration	1			1			2.30			1	Ì	1	2.30		1
i catale	Feature (Service) Activation for each Line Side Port Terminated	1	1		1	 					1	1				†
	lin D4 Bank	l		UEPPX	1PQWM	0.64	25.39	13.41	4.19	4.16	1	1	40.71	9.58		
		 	-	OLFFA	IF Q VVIVI	0.64	20.39	13.41	4.19	4.10	 	 	40.71	9.38		
	Feature (Service) Activation for each Trunk Side Port Terminated	l		LIEDDY	450000		=				I					
	in D4 Bank			UEPPX	1PQWU	0.64	78.13	18.42	59.24	11.58			40.17	9.58		ļ
Telepho	ne Number/ Group Establishment Charges for DID Service															1
	DID Trunk Termination (1 per Port)			UEPPX	NDT	0.00	0.00	0.00			<u></u>					
	DID Numbers - groups of 20 - Valid all States	l		UEPPX	ND4	0.00	0.00	0.00			1					
	Non-Consecutive DID Numbers - per number			UEPPX	ND5	0.00	0.00	0.00								
	Reserve Non-Consecutive DID Numbers			UEPPX	ND6	0.00	0.00	0.00	İ		İ	İ	İ			
	Reserve DID Numbers	1	†	UEPPX	NDV	0.00	0.00	0.00			1	1				†
<u> </u>	בוסטוואיו עוע פיוסטוואיו עוע פיוסטוואיי			OLITA	I AD A	0.00	0.00	0.00			·	·	i	1		

UNDUND: 55	NETWORK ELEMENTS Alabama														ı	F. 1 0 0 =
ONRONDLED	NETWORK ELEMENTS - Alabama		1	T	1	1					ı	1	Attachment:	2		Exhibit: B
			1			1							Incremental	Incremental	Incremental	Incremental
													Charge -	Charge -	Charge -	Charge -
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			Svc Order	Svc Order	Manual Svc	Manual Svc	Manual Svc	Manual Svc
0711200111	NATE ELEMENTO	m		500	0000			==(+)			Submitted	Submitted	Order vs.	Order vs.	Order vs.	Order vs.
											Elec	Manually	Electronic-	Electronic-	Electronic-	Electronic-
	_		L		<u> </u>	<u> </u>					per LSR	per LSR	1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonred			g Disconnect				RATES (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Local N	umber Portability			LIEDDY	LNDOD	0.45	0.00	0.00								
EE A TILE	Local Number Portability - 1 per port ES - Vertical and Optional			UEPPX	LNPCP	3.15	0.00	0.00								
	vitching Features Offered with Line Side Ports Only		<u> </u>													
Local 3	All Features Available			UEPPX	UEPVF	5.55	0.00	0.00					40.71	9.58		
UNBUNDLED PO	ORT LOOP COMBINATIONS - MARKET RATES			OLITA	OLI VI	0.00	0.00	0.00					40.71	0.00		
	Rates shall apply where BellSouth is not required to provide u	nbundi	ed loca	al switching or switc	h ports per	FCC and/or Sta	ate Commission	rules.								
	cenarios include:				1											
1. Unbu	indled port/loop combinations that are Not Currently Combine	ed in Al	abama	Florida, North Caro	lina and Sou	uth Carolina.										
2. Unbu	indled port/loop combinations that are Currently Combined or	r Not Cı	ırrently	/ Combined in Zone	1 of the Top	8 MSAS in Be	IISouth's regio	n for end user	s with 4 or mor	re DS0 equival	ent lines.					
The Top	8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderdal	le, Mian	ոi); GA	(Atlanta); LA (New C	Orleans); NC	(Greensboro-V	Vinston Salem-	Highpoint/Cha	rlotte-Gastonia	a-Rock Hill); T	N (Nashville).				
BellSou	th currently is developing the billing capability to mechanical	ly bill th	ne recu	rring and non-recurr	ring Market I	Rates in this se	ection except fo	r nonrecurrin	g charges for n	ot currently c	ombined in	AL, FL, NC	and SC. In th	e interim whe	re BellSouth	cannot bill
	Rates, BellSouth shall bill the rates in the Cost-Based section											, , -				
	ket Rate for unbundled ports includes all available features in					Ī										
End Offi	ce and Tandem Switching Usage and Common Transport Usa	ge rate	s in the	Port section of this	rate exhibit	shall apply to	all combinatio	ns of loop/por	t network elem	ents except for	or UNE Coin	Port/Loop	Combination	s which have	a flat rate usa	ige charge
(USOC:	URECU).															
	Currently Combined scenarios where Market Rates apply, the				n the First ar	nd Additional N	NRC columns fo	or each Port U	SOC. For Curre	ently Combine	d scenarios	, the Nonre	curring charg	es are listed i	n the NRC - C	urrently
	ed section. Additional NRCs may apply also and are categorize	zed acc	ording	ly.												
	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)															
UNE Po	t/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Zone 1		1			28.35										
	2-Wire VG Loop/Port Combo - Zone 2		2			37.31										
I INCE 1	2-Wire VG Loop/Port Combo - Zone 3		3			56.24										
UNE LO	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPRX	UEPLX	14.35										
-	2-Wire Voice Grade Loop (SL1) - Zone 1			UEPRX	UEPLX	23.31					1					
-	2-Wire Voice Grade Loop (SL1) - Zone 3			UEPRX	UEPLX	42.24					1					
2-Wire V	oice Grade Line Port (Res)		Ŭ	OLITON	OLI LX	72.27										
	2-Wire voice unbundled port - residence			UEPRX	UEPRL	14.00	90.00	90.00					40.71	9.58		
	2-Wire voice unbundled port with Caller ID - res			UEPRX	UEPRC	14.00	90.00	90.00					40.71	9.58		
	2-Wire voice unbundled port outgoing only - res			UEPRX	UEPRO	14.00	90.00	90.00					40.71	9.58		
	2-Wire voice unbundles res, low usage line port with Caller ID															
	(LUM)			UEPRX	UEPAP	14.00	90.00	90.00					40.71	9.58		
	NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPRX	LNPCX	0.35										
FEATUR																L
	All Features Offered		ļ	UEPRX	UEPVF	0.00	0.00	0.00		ļ	<u> </u>		ļ	ļ		
	CURRING CHARGES - CURRENTLY COMBINED		<u> </u>			1	1		1	1	<u> </u>		 	-	-	
ADDITIO	NRC - 2-Wire Voice Grade Loop/Line Port Combination -		 			.	1		1	 	 		 	1	1	1
1 1	Subsequent		1	UEPRX	USAS2	I	0.00	0.00]			40.71	9.58		1
2-WIDE	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)		1	OLFKA	USASZ	1	0.00	0.00			1	1	40.71	9.58		
	rt/Loop Combination Rates		 		 	 			 	 			 			
ONE FO	2-Wire VG Loop/Port Combo - Zone 1		1			28.35	1					1	 		1	
	2-Wire VG Loop/Port Combo - Zone 2		2			37.31			1	1			1			1
	2-Wire VG Loop/Port Combo - Zone 3		3		İ	56.24							İ			İ
UNE Loc	pp Rates															
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPBX	UEPLX	14.35										
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPBX	UEPLX	23.31										
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPBX	UEPLX	42.24										
2-Wire V	oice Grade Line Port (Bus)															
	2-Wire voice unbundled port without Caller ID - bus			UEPBX	UEPBL	14.00	90.00	90.00					40.71	9.58		
	2-Wire voice unbundled port with Caller + E484 ID - bus			UEPBX	UEPBC	14.00	90.00	90.00			ļ		40.71	9.58		
	2-Wire voice unbundled port outgoing only - bus		<u> </u>	UEPBX	UEPBO	14.00	90.00	90.00					40.71			ļ
LOCAL	NUMBER PORTABILITY		<u> </u>	LIEBBY	LLIBOY		ļ				ļ					
	Local Number Portability (1 per port)			UEPBX	LNPCX	0.35										

4Q01:12/01/01 PAGE 26 OF 324

CATEGON RATE CLERICUTS Principle P	UNBUNDLED	NETWORK ELEMENTS - Alabama											Attachment:	2		Exhibit: B
Pres			Zone	BCS	usoc			RATES(\$)			Submitted Elec	Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-
FFATURES						Rec	Nonrec	urring	Nonrecurring	Disconnect			oss i	RATES (\$)		
DOMESCURRING CHARGES - CURRENTLY COMMINDS							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
APPLICATION OF Ground Local Line Port Continuation																
No. 2-Wire Vice Grant Long With Name Like Port (RES - PEX) UPPX USA52 UPPX UPPX USA52 UPPX USA52 UPPX USA52 UPPX USA52 UPPX					+											
Subsequent Sub	ADDITIO				+											
Well-tope Scale Common Research				UEPBX	USAS2		0.00	0.00					40.71	9.58		
2-Wine Vot Control C																
2.Wise Vol CoopProt Center - Zene 2 2	UNE Por		<u> </u>													
Description Description	-				+											
UPEND UPEN					+											
SWINE YORK ORGANICADE (SSL) - Zone 2	UNE Loc				1	55.24										
2-Wire Vote Grade Lorder (SE) 1-2009 3 1 1 1 1 1 1 1 1 1		2-Wire Voice Grade Loop (SL1) - Zone 1	1													
2-Wine Volume For Rates (RES - PRX)																
Safe Wile Vol Unburded Combination 2-Way PBX Trunk Port - UEPRG UEPR			3	UEPRG	UEPLX	42.24										
COLA MANDER PORTABILITY	2-Wire V															
COLA NUMBER PORTABILITY				UEPRG	UEPRD	14 00	90.00	90.00					40 71	9.58		
FATURES	LOCAL			OLITIO	OLI ND	14.00	50.00	50.00					40.71	0.00		
NONRECURRING CHARGES - CURRENTLY COMBINED				UEPRG	LNPCP	3.15										
ADDITIONAL INCS 2 West Loop/Line Side Port Combination - Non feature -																
2 Wire Loop/Inc Side Port Combination - Non feature																
Subsequent Activity - ChangeRearrange Multiline Hunt Group	ADDITIO															
Strop		Subsequent Activity- Nonrecurring					0.00	0.00								
NE Fort/Log Combination Rates		Group					14.64	14.64					19.99	19.99	19.99	19.99
2-Wire VG Loop/Port Combo - Zone 1																
2-Wire Vol Loop/Part Combo - Zone 2	UNE POI		1			29.25										
2-Wire Volce Grade Long (SL1): Zone 1																
2-Wire Voice Grade Loop (St.1) - Zone 1																
2-Wire Voice Grade Loop (S.L.) - Zone 2 2 UEPPX UEPLX 23.31	UNE Loc	pp Rates														
2-Wire Voice Grade Line Port Rates (BUS - PBX)																
2-Wire Voice Unbundled Combination 2-Way PBX Trunk Port - Bus UEPPX UEPPC 14.00 90.00 90.00 90.00 40.71 9.58 14.071 9.58 14.071 9.58 14.071 9.58 14.071 9.58 14.071 9.58 14.071 9.58 14.071 9.58 14.071 9.58 15.071																
Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus Line Side Unbundled Outward PBX Trunk Port - Bus UEPPX UEPPC 14.00 90.00 90.00 90.00 40.71 9.58 Line Side Unbundled Combination PBX Hashama Line Side Unbundled Incoming PBX Trunk Port - Bus UEPPX UEPPC 14.00 90.00 90.00 90.00 40.71 9.58 Calling Port Calling Port Calling Port UEPPX U	2 W: V		3	UEPPX	UEPLX	42.24										
Line Side Unbundled Outward PBX Trunk Port - Bus UEPPX UEPP 14.00 90.00 90.00 90.00 40.71 9.58	2-wire v	oice Grade Line Port Kates (BUS - PBX)	 		+	 										
Line Side Unbundled Outward PBX Trunk Port - Bus UEPPX UEPP 14.00 90.00 90.00 90.00 40.71 9.58		Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus	1	UEPPX	UEPPC	14.00	90.00	90.00					40.71	9.58		
2-Wire Voice Unbundled 2-Way Combination PBX Alabama UEPPX UEPA2 14.00 90.00 90.00 90.00 40.71 9.58																
Calling Port				UEPPX	UEPP1	14.00	90.00	90.00					40.71	9.58		
2-Wire Voice Unbundled PBX LD Terminal Ports UEPPX UEPX UEPX UEPX 14.00 90.00 90.00 90.00 40.71 9.58 9.5																
2-Wire Voice Unbundled 2-Way Combination PBX Usage Port UEPX	\vdash															
2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports	\vdash		 													
2-Wire Voice Unbundled PBX LD DDD Terminals Port UEPPX UEPX																
2-Wire Voice Unbundled PBX LD Terminal Switchboard Port UEPPX UEPX																
Capable Port		2-Wire Voice Unbundled PBX LD Terminal Switchboard Port														
2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port UEPPX UEPX				UEPPX	UEPXE	14.00	90.00	90.00					40.71	9.58		
2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port UEPX U		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			UEPXL											
2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port UEPPX UEPX 14.00 90.00 90.00 40.71 9.58 2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port UEPPX UEPX 14.00 90.00 90.00 40.71 9.58 LOCAL NUMBER PORTABILITY		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy														
2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port UEPPX UEPXS 14.00 90.00 90.00 40.71 40.71 LOCAL NUMBER PORTABILITY		2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital														
LOCAL NUMBER PORTABILITY														3.36		
Local Number Partshility (1 per port)	LOCAL				7		22.00	22.00								
LOUAT INTERTION DEFFA LINFOF 3.10		Local Number Portability (1 per port)		UEPPX	LNPCP	3.15										

UNBUNDLE	D NETWORK ELEMENTS - Alabama												Attachment:	2		Exhibit: B
CATEGORY		Interi m	Zone	BCS	usoc			RATES(\$)				Submitted Manually		Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrec			g Disconnect				RATES (\$)		
FEATU	IDES						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	ECURRING CHARGES - CURRENTLY COMBINED				+	1										
	IONAL NRCs															
i l	OMfor Value On to Lang (Line Book On thinging On Language			UEPPX	110400		0.00	0.00					40.74	0.50		
 	2-Wire Voice Grade Loop/ Line Port Combination - Subsequent 2 Wire Loop/Line Side Port Combination - Non feature -			UEPPX	USAS2		0.00	0.00					40.71	9.58		
	Subsequent Activity- Nonrecurring						0.00	0.00								
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group						14.64	14.64					19.99	19.99	19.99	19.99
	VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN PORT						14.04	14.04					13.33	13.33	10.00	19.93
UNE P	ort/Loop Combination Rates															
	2-Wire VG Coin Port/Loop Combo – Zone 1 2-Wire VG Coin Port/Loop Combo – Zone 2		2		-	28.35 37.31										
	2-Wire VG Coin Port/Loop Combo – Zone 2 2-Wire VG Coin Port/Loop Combo – Zone 3		3		+	56.24										
UNE L	oop Rates					00:21										
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPCO	UEPLX	14.35										
\vdash	2-Wire Voice Grade Loop (SL1) - Zone 2			UEPCO	UEPLX	23.31										
2-Wiro	2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Coin)		3	UEPCO	UEPLX	42.24										
2-Wife	2-Wire Coin 2-Way without Operator Screening and without				+											1
i l	Blocking (AL, KY, LA, MS)			UEPCO	UEPRF	14.00	90.00	90.00					40.71	9.58		
	2-Wire Coin 2-Way with Operator Screening (AL, KY)			UEPCO	UEPRE	14.00	90.00	90.00					40.71	9.58		
	2-Wire Coin 2-Way with Operator Screening and Blocking: 011, 900/976, 1+DDD (AL, KY, LA, MS, SC)			UEPCO	UEPRA	14.00	90.00	90.00					40.71	9.58		
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking			OLI GO	OLITA	14.00	30.00	30.00					40.71	3.30		
	(AL, LA, MS)			UEPCO	UEPRB	14.00	90.00	90.00					40.71	9.58		<u> </u>
i l	2-Wire Coin 2-Way with Operator Screening & Blocking: 900/976, 1+DDD, 011+, & Local (AL, KY, LA, MS)			UEPCO	UEPCD	14.00	90.00	90.00					40.71	9.58		
	2-Wire Coin Outward with Operator Screening and 011 Blocking			OLI GO	OLI OD	14.00	50.00	30.00					40.71	0.00		1
	(AL, FL)			UEPCO	UEPRK	14.00	90.00	90.00					40.71	9.58		
i l	2-Wire Coin Outward with Operator Screening and Blocking: 011, 900/976, 1+DDD (AL, KY, LA, MS)			UEPCO	UEPRH	14.00	90.00	90.00					40.71	9.58		
	2-Wire Coin Outward Operator Screening & Blocking: 900/976,			DEFCO	UEFKH	14.00	90.00	90.00					40.71	9.56		
i l	1+DDD, 011+, & Local (AL, KY, LA, MS)			UEPCO	UEPCN	14.00	90.00	90.00					40.71	9.58		
LOCAL	NUMBER PORTABILITY															
NONE	Local Number Portability (1 per port) ECURRING CHARGES - CURRENTLY COMBINED			UEPCO	LNPCX	0.35										
	IONAL NRCs		-													+
ADDITI																
	2-Wire Voice Grade Loop/ Line Port Combination - Subsequent			UEPCO	USAS2		0.00	0.00					40.71	9.58		
	CENTREX PORT/LOOP COMBINATIONS		<u> </u>													
	NDLED PORT/LOOP COMBINATIONS - COST BASED RATES CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only)					 										
	VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
	ort/Loop Combination Rates (Non-Design)															
i	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -			LIEDO4		10.55										
\vdash	Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		1	UEP91		16.55										
1	Non-Design		2	UEP91		25.51										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
LINES	Non-Design ort/Loop Combination Rates (Design)		3	UEP91		44.44						-				
UNE P	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo		-													+
1 1	Design		1	UEP91		22.62										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		_													
	Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		2	UEP91		29.61										
1 1	Design		3	UEP91		38.09										

UNBUNDLED	NETWORK ELEMENTS - Alabama												Attachment:	2		Exhibit: B
ONDONDEED	THE TWO THE ELEMENTO THE BUILDING															
													Incremental	Incremental		Incremental
		Interi										00	Charge -	Charge -	Charge -	Charge -
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)				Svc Order				Manual Svc
		'''										Submitted		Order vs.	Order vs.	Order vs.
											Elec		Electronic-	Electronic-	Electronic-	Electronic-
					1				1		per LSR	per LSR	1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonreci		Name and a committee	- Di			222	DATES (A)		
-					+	Rec	First	Add'l	First	g Disconnect Add'l	SOMEC	SOMAN		RATES (\$) SOMAN	SOMAN	SOMAN
UNE LO	nn Pate				+		FIISL	Auu i	FIISt	Auu i	JOINIEC	JOWAN	SOWAN	JOWAN	JOWAN	JOWAN
OIAL LO	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP91	UECS1	14.35					1					
	2-Wire Voice Grade Loop (SL 1) - Zone 2			UEP91	UECS1	23.31										
	2-Wire Voice Grade Loop (SL 1) - Zone 3			UEP91	UECS1	42.24										
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP91	UECS2	20.42										
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP91	UECS2	27.41										
	2-Wire Voice Grade Loop (SL 2) - Zone 3			UEP91	UECS2	35.89										
UNE Po	rts															
All State	es (Except North Carolina and Sout Carolina)															
	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP91	UEPYA	2.20							40.71	9.58		
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local	l	1]]
	Area			UEP91	UEPYB	2.20					<u> </u>		40.71	9.58		
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local	l			1											
	Area			UEP91	UEPYH	2.20							40.71	9.58		
	2-Wire Voice Grade Port (Centrex from diff Serving Wire	l	1													
	Center)2 Basic Local Area			UEP91	UEPYM	2.20							40.71	9.58		
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
	Term - Basic Local Area			UEP91	UEPYZ	2.20							40.71	9.58		
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			LIEDO4	UEPY9	2.20							40.71	9.58		
	- Basic Local Area 2-Wire Voice Grade Port Terminated on 800 Service Term -			UEP91	UEPT9	2.20							40.71	9.58		
	Basic Local Area			UEP91	UEPY2	2.20							40.71	9.58		
AL KV	LA, MS, & TN Only			UEP91	UEF12	2.20				1		-	40.71	9.56		
AL, KI,	2-Wire Voice Grade Port (Centrex)			UEP91	UEPQA	2.20					1	1	40.71	9.58		
	2-Wire Voice Grade Port (Centrex) 2-Wire Voice Grade Port (Centrex 800 termination)			UEP91	UEPQB	2.20							40.71	9.58		
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP91	UEPQH	2.20							40.71	9.58		
	2-Wire Voice Grade Port (Centrex from diff Serving Wire			02. 0.	02. 4	2.20								0.00		
	Center)2			UEP91	UEPQM	2.20							40.71	9.58		
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
	Term			UEP91	UEPQZ	2.20							40.71	9.58		
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP91	UEPQ9	2.20							40.71	9.58		
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP91	UEPQ2	2.20							40.71	9.58		
Local S	witching															
	Centrex Intercom Funtionality, per port			UEP91	URECS	0.5488										
Local N	umber Portability	ļ		LIEBOA	Lunca				ļ	ļ			ļ			ļ
<u> </u>	Local Number Portability (1 per port)	ļ	ļ	UEP91	LNPCC	0.35				ļ						
Feature		<u> </u>		LIEDO4	LIED /E	0.01				ļ						
 	All Standard Features Offered, per port	 	 	UEP91	UEPVF	2.64	405.50		 	1	}		 	1	1	ļ
 	All Select Features Offered, per port All Centrex Control Features Offered, per port	 	 	UEP91 UEP91	UEPVS UEPVC	0.00 2.64	405.52		 	1	}		 	1	1	
NARS	An Centrex Control Features Offered, per port	!	 	OFLAI	DEFVC	∠.04				-	 		-			
CHAN	Unbundled Network Access Register - Combination	1	-	UEP91	UARCX	0.00	0.00	0.00		1	1	1				
	Unbundled Network Access Register - Indial	1	 	UEP91	UAR1X	0.00	0.00	0.00	 	 			 			
	Unbundled Network Access Register - Outdial	-		UEP91	UAROX	0.00	0.00	0.00		 	 		 			
Miscella	neous Terminations	1			5, 5,	0.00	0.00	0.00		1	1	<u> </u>	 		1	
	runk Side	1			1	†			1	1			1			
	Trunk Side Terminations, each			UEP91	CENA6	9.17			1	Ì			1			
Interoffi	ce Channel Mileage - 2-Wire			-	1		İ		İ	1				İ	İ	İ
	Interoffice Channel Facilities Termination - Voice Grade			UEP91	MIGBC	24.15	j									
	Interoffice Channel mileage, per mile or fraction of mile			UEP91	MIGBM	0.0101										
	Activations (DS0) Centrex Loops on Channelized DS1 Service															
D4 Char	nel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP91	1PQWS	0.64										
		l	1		1	_							1]
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot	ļ		UEP91	1PQW6	0.64			ļ	ļ			ļ			ļ
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop	l	1	LIEBOA	400117								1			
	Slot	l	<u> </u>	UEP91	1PQW7	0.64				1	I	L	<u> </u>	l	l	<u> </u>

JNBUNDLED	NETWORK ELEMENTS - Alabama												Attachment:	2		Exhibit: E
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc	Incremental Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs.
						Rec	Nonrec	urring	Nonrecurrir	ng Disconnect			ossi	RATES (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -															
	Different Wire Center			UEP91	1PQWP	0.64										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot		1	UEP91	1PQWV	0.64										
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop			UEP91	1PQWQ	0.04										
	Slot Feature Activation on D-4 Channel Bank WATS Loop Slot		1	UEP91	1PQWQ	0.64 0.64				+						+
Non-Poo	curring Charges (NRC) Associated with UNE-P Centrex		1	OLF91	IFQWA	0.04					1	1				+
Non-Rec	Conversion - Currently Combined Switch-As-Is with allowed		1								1	1				+
	changes, per port			UEP91	USAC2		2.80	0.41					1			
	New Centrex Standard Common Block		1	UEP91	M1ACS	0.00	667.21	5.41					1			
	New Centrex Customized Common Block			UEP91	M1ACC	0.00	667.21		1				1	1		1
	Secondary Block, per Block			UEP91	M2CC1	0.00	78.02									
	NAR Establishment Charge, Per Occasion			UEP91	URECA	0.00	72.73									
UNE-P C	ENTREX - 5ESS (Valid in All States)															
	G Loop/2-Wire Voice Grade Port (Centrex) Combo															
UNE Por	rt/Loop Combination Rates (Non-Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design		1	UEP95		16.55										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Non-Design		2	UEP95		25.51										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			LIEDOE												
LINE Dos	Non-Design rt/Loop Combination Rates (Design)		3	UEP95	_	44.44				+						+
UNE FOI	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -		1								1	1				+
	Design		1	UEP95		22.62										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design		2	UEP95		29.61										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		-	ULF 95	-	29.01										+
	Design		3	UEP95		38.09										
UNE Loc			Ť													1
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP95	UECS1	14.35										+
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP95	UECS1	23.31										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP95	UECS1	42.24										
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP95	UECS2	20.42										
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP95	UECS2	27.41										
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP95	UECS2	35.89										_
UNE Por		<u> </u>	1										-			
All State		 	+	LIEDOS	LIEDYA	0.00			 	1	}	}	40.74	0.50		+
	2-Wire Voice Grade Port (Centrex) Basic Local Area	-	-	UEP95 UEP95	UEPYA UEPYB	2.20 2.20			-	+			40.71 40.71	9.58 9.58		+
	2-Wire Voice Grade Port (Centrex 800 termination) 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local	 	 	UEP95	UEPTB	2.20				+	-	 	40.71	9.58		+
	Area			UEP95	UEPYH	2.20							40.71	9.58		
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 Basic Local Area			UEP95	UEPYM	2.20							40.71	9.58		
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term - Basic Local Area			UEP95	UEPYZ	2.20							40.71	9.58		
	2-Wire Voice Grade Port terminated in on Megalink or equivalent - Basic Local Area			UEP95	UEPY9	2.20							40.71	9.58		1
	2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area		1	UEP95	UEPY2	2.20							40.71	9.58		
AI. KY I	LA, MS, SC, & TN Only	 	1	021 30	JLI 12	2.20			 	+	 	 	70.71	3.36		+
	2-Wire Voice Grade Port (Centrex)	†	1	UEP95	UEPQA	2.20			 	1	1	1	40.71	9.58		
	2-Wire Voice Grade Fort (Centrex) 2-Wire Voice Grade Port (Centrex 800 termination)	1	t	UEP95	UEPQB	2.20			1				40.71	9.58		
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP95	UEPQH	2.20							40.71	9.58		1
	2-Wire Voice Grade Port (Centrex from diff Serving Wire			UEP95	UEPQM	2.20							40.71	9.58		

UNBUNDLED	NETWORK ELEMENTS - Alabama												Attachment:	2		Exhibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR		Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrec			ng Disconnect	COMEC	COMAN		RATES (\$)	COMAN	COMAN
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service						First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Term			UEP95	UEPQZ	2.20							40.71	9.58		
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP95	UEPQ9	2.20							40.71	9.58		
Local Sv	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP95	UEPQ2	2.20							40.71	9.58		_
Local ov	Centrex Intercom Funtionality, per port		-	UEP95	URECS	0.5488										
I ocal Ni	umber Portability		1	OL: 00	OILEGO	0.0400					1					
	Local Number Portability (1 per port)			UEP95	LNPCC	0.35										
Features																
	All Standard Features Offered, per port			UEP95	UEPVF	2.64										
	All Select Features Offered, per port			UEP95	UEPVS	0.00	405.52									
	All Centrex Control Features Offered, per port			UEP95	UEPVC	2.64										
NARS				LIEBAE	LILE OV		2.22									
	Unbundled Network Access Register - Combination		1	UEP95	UARCX	0.00	0.00	0.00								
	Unbundled Network Access Register - Indial		-	UEP95	UAR1X UAROX	0.00	0.00	0.00								
	Unbundled Network Access Register - Outdial neous Terminations		1	UEP95	UARUX	0.00	0.00	0.00		+	-					
	runk Side		-								-					
2-Wile I	Trunk Side Terminations, each		1	UEP95	CEND6	9.17					1	1				1
4-Wire D	igital (1.544 Megabits)		1	OLF 93	CLINDO	9.17					1					1
4-11116 D	DS1 Circuit Terminations, each		-	UEP95	M1HD1	68.67										
	DS0 Channels Activated, each		1	UEP95	M1HDO	0.00	28.25				1					1
Interoffic	ce Channel Mileage - 2-Wire			02. 00		0.00	20.20									
	Interoffice Channel Facilities Termination			UEP95	MIGBC	24.15										
	Interoffice Channel mileage, per mile or fraction of mile			UEP95	MIGBM	0.0101										
Feature	Activations (DS0) Centrex Loops on Channelized DS1 Service		1													
	nel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	1PQWS	0.64										
				l												
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP95	1PQW6	0.64										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop			l												
	Slot			UEP95	1PQW7	0.64										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center			UEP95	1PQWP	0.64										
						0.0.										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP95	1PQWV	0.64										
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop					ĺ										
	Slot			UEP95	1PQWQ	0.64										ļ
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP95	1PQWA	0.64										
	curring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed			LIEDOS	110 4 00		0.00	0.44								
	changes, per port		1	UEP95	USAC2	0.00	2.80	0.41		-						
	New Centrex Standard Common Block New Centrex Customized Common Block	-	+	UEP95 UEP95	M1ACS M1ACC	0.00	667.21 667.21		-	+	+		-			
	NAR Establishment Charge, Per Occasion		-	UEP95	URECA	0.00	72.73				-					
IINF-P C	ENTREX - DMS100 (Valid in All States)		+	OE1 30	UNLUA	0.00	12.13		1	1	+		1	1		
	G Loop/2-Wire Voice Grade Port (Centrex) Combo		-		+											+
	t/Loop Combination Rates (Non-Design)		1							+	1		1			t
5	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -		1			İ			Ì	İ	1		Ì			1
	Non-Design		1	UEP9D		16.55			<u> </u>			<u> </u>	<u> </u>			
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Non-Design		2	UEP9D		25.51			-	1	1					
1	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		3	UEP9D		44.44			1				1			
LINE Dos	Non-Design t/Loop Combination Rates (Design)		3	UEP9D		44.44				+	+			-		┼──
ONE POI	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -		1		+					1	+			-		+
	Design		1	UEP9D		22.62				1						
	12009		<u> </u>	10-1 00		22.02			l	1	1	1	l	l		

UNBUNDLED	NETWORK ELEMENTS - Alabama												Attachment:	2		Exhibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)	1			Svc Order Submitted Manually per LSR		Charge -	Charge -	Charge -
						Rec	Nonre			g Disconnect				RATES (\$)		
	D. Wine V.C. Learn / O. Wine Vision Cond. Book / Condens) Don't Condens						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design		2	UEP9D		29.61										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		_	02. 02		20.01				1						
	Design		3	UEP9D		38.09										
UNE Lo			1	UEP9D	LIECC4	44.05										
	2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP9D	UECS1 UECS1	14.35 23.31										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP9D	UECS1	42.24										
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP9D	UECS2	20.42										
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP9D	UECS2	27.41										
UNE Po	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9D	UECS2	35.89				1						_
ALL ST						1				+						
7.22 01.	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP9D	UEPYA	2.20					<u> </u>		40.71	9.58		
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local															
	Area			UEP9D	UEPYB	2.20							40.71	9.58		
	2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local Area			UEP9D	UEPYC	2.20							40.71	9.58		
	2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local			OLF3D	OLFIC	2.20							40.71	9.36		
	Area			UEP9D	UEPYD	2.20							40.71	9.58		
	2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local															
	Area			UEP9D	UEPYE	2.20							40.71	9.58		
	2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local Area			UEP9D	UEPYF	2.20							40.71	9.58		
	2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local			OLF3D	OLFIT	2.20							40.71	9.36		
	Area			UEP9D	UEPYG	2.20							40.71	9.58		
	2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local															
	Area			UEP9D	UEPYT	2.20							40.71	9.58		
	2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local Area			UEP9D	UEPYU	2.20							40.71	9.58		
	2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local			OLF3D	OLFTO	2.20				+			40.71	9.36		
	Area			UEP9D	UEPYV	2.20							40.71	9.58		
	2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local															
	Area			UEP9D	UEPY3	2.20							40.71	9.58		
	2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local Area			UEP9D	UEPYH	2.20							40.71	9.58		
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp			OLI 3D	OLI III	2.20							40.71	3.30		1
	Indication))3 Basic Local Area			UEP9D	UEPYW	2.20							40.71	9.58		
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))3															
	Basic Local Area			UEP9D	UEPYJ	2.20				1			40.71	9.58		_
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) 2 Basic Local Area			UEP9D	UEPYM	2.20							40.71	9.58		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3			02. 02	02	2.20								0.00		
	Basic Local Area			UEP9D	UEPYO	2.20							40.71	9.58		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3												40 = :			
	Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3			UEP9D	UEPYP	2.20				1			40.71	9.58		
	Basic Local Area			UEP9D	UEPYQ	2.20							40.71	9.58		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3			021 00	<u> </u>	2.20				†		†	70.71	3.30		
	Basic Local Area			UEP9D	UEPYR	2.20							40.71	9.58		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3			LIEDOD	LIED: (C	2.05							40.7			
	Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3	1	1	UEP9D	UEPYS	2.20			-	+	-	1	40.71	9.58		
	Basic Local Area			UEP9D	UEPY4	2.20				1			40.71	9.58		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3									1	1			3.50		
	Basic Local Area			UEP9D	UEPY5	2.20							40.71	9.58		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3			LIEDOD	LIEDVO	0.00				1			40.74	0.50		
	Basic Local Area	1	L	UEP9D	UEPY6	2.20]	1	1	1	I .	40.71	9.58		

LINBLIND	LED NETWORK ELEMENTS - Alabama												Attachment:	2		Exhibit: B
CHECHDI	LLD IAL I WORK ELEWIEI I 3 - Alabama	1		1	1											
Ì		l		1									Incremental	Incremental	Incremental	
ł													Charge -	Charge -	Charge -	Charge -
CATEGOR	DRY RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES(\$)			Svc Order	Svc Order	Manual Svc	Manual Svc	Manual Svc	Manual Svo
I GALLOGI	KATE EEEMERTO	m	20116	500	0000			π. Ευ(ψ)			Submitted	Submitted	Order vs.	Order vs.	Order vs.	Order vs.
i											Elec	Manually	Electronic-	Electronic-	Electronic-	
i											per LSR		1st	Add'l	Disc 1st	Disc Add'l
											per Lore	per Lore	130	Addi	D130 131	DISC Add I
1						Rec	Nonrec	curring	Nonrecurrin	ng Disconnect			oss	RATES (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3															
i l	Basic Local Area			UEP9D	UEPY7	2.20							40.71	9.58		
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
1	Term			UEP9D	UEPYZ	2.20							40.71	9.58		
	2-Wire Voice Grade Port terminated in on Megalink or equivalent															
l	Basic Local Area			UEP9D	UEPY9	2.20							40.71	9.58		
	2-Wire Voice Grade Port Terminated on 800 Service Term Basic															
l	Local Area			UEP9D	UEPY2	2.20							40.71	9.58		
AL,	, KY, LA, MS, SC, & TN Only															
	2-Wire Voice Grade Port (Centrex)			UEP9D	UEPQA	2.20							40.71	9.58		
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP9D	UEPQB	2.20							40.71	9.58		
	2-Wire Voice Grade Port (Centrex / EBS-PSET)3			UEP9D	UEPQC	2.20							40.71	9.58		
	2-Wire Voice Grade Port (Centrex / EBS-M5009)3			UEP9D	UEPQD	2.20							40.71	9.58		
	2-Wire Voice Grade Port (Centrex / EBS-M5209)3			UEP9D	UEPQE	2.20							40.71	9.58		
	2-Wire Voice Grade Port (Centrex / EBS-M5112)3			UEP9D	UEPQF	2.20							40.71	9.58		
	2-Wire Voice Grade Port (Centrex / EBS-M5312)3			UEP9D	UEPQG	2.20							40.71	9.58		
	2-Wire Voice Grade Port (Centrex / EBS-M5008)3			UEP9D	UEPQT	2.20							40.71	9.58		
	2-Wire Voice Grade Port (Centrex / EBS-M5208)3			UEP9D	UEPQU	2.20							40.71	9.58		
	2-Wire Voice Grade Port (Centrex / EBS-M5216)3			UEP9D	UEPQV	2.20							40.71	9.58		
	2-Wire Voice Grade Port (Centrex / EBS-M5316)3			UEP9D	UEPQ3	2.20							40.71	9.58		
	2-Wire Voice Grade Port (Centrex with Caller ID)			UEP9D	UEPQH	2.20							40.71	9.58		
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp															
	Indication)3			UEP9D	UEPQW	2.20							40.71	9.58		
$\vdash \vdash$	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)3			UEP9D	UEPQJ	2.20							40.71	9.58		
i l	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)															
\vdash	2			UEP9D	UEPQM	2.20							40.71	9.58		
\longleftarrow	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3			UEP9D	UEPQO	2.20							40.71	9.58		
1																
\vdash	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3			UEP9D	UEPQP	2.20							40.71	9.58		
\longleftarrow	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3			UEP9D	UEPQQ	2.20							40.71	9.58		
i l	0.117 1/1 0 1 0 1/0 1/1/2 01/0 /500 1/5/0 0															
$\vdash \!$	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3			UEP9D	UEPQR	2.20							40.71	9.58		
1	0.18" 1/- 1 0 1 D1 (01 /- 1"" 0.140 /ED0.145040)0.0			LIEDOD	LIEDOO	0.00							40.74	0.50		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3			UEP9D	UEPQS	2.20							40.71	9.58		
i I	2 Wire Voice Grade Bort (Contravidiffer SMC /EBS MESSON)	l		LIEBOD	UEPQ4	2.20			I				40.71	9.58		
$\vdash \vdash$	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3	 	<u> </u>	UEP9D	UEFQ4	2.20			+	1	1		40.71	9.58		
i I	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3	l		UEP9D	UEPQ5	2.20			I				40.71	9.58		
+	2-vviile voice Grade Fort (Centrex/differ SWC /EBS-IVIS/208)2, 3	1	 	OEFSD	UEFUS	2.20			+		}	-	40.71	9.58		1
i l	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3	l		UEP9D	UEPQ6	2.20			1				40.71	9.58		
\vdash	2-VVIIG VOICE GIAUE FOIL (CEILLEWUIILEI SVVC /EDS-IVISZ 16)2, 3	-	!	OLFBD	ULFUO	2.20			+	+			40.71	9.58		
1	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3	l		UEP9D	UEPQ7	2.20							40.71	9.58		
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service	1	 	02. 30	JLI Q1	2.20			+	+			70.71	3.36		
1	Term	l		UEP9D	UEPQZ	2.20							40.71	9.58		
	10111	1	-	051 30	ULI QL	2.20			+	+	1		40.71	3.30		
1	2-Wire Voice Grade Port terminated in on Megalink or equivalent	l		UEP9D	UEPQ9	2.20							40.71	9.58		
-+	2-Wire Voice Grade Port Terminated in 61 Weganink of equivalent	1		UEP9D	UEPQ2	2.20			 	1	1	<u> </u>	40.71	9.58		†
Loc	cal Switching	1	<u> </u>			2.23			1					5.50		1
	Centrex Intercom Funtionality, per port	l	t	UEP9D	URECS	0.5488			1							1
Loc	cal Number Portability					2.2.30			1							
	Local Number Portability (1 per port)	1	t	UEP9D	LNPCC	0.35			1	1						1
Fea	atures		1	<u> </u>	1				1							1
	All Standard Features Offered, per port			UEP9D	UEPVF	2.64			1							
	All Select Features Offered, per port			UEP9D	UEPVS	0.00	405.52									1
 				UEP9D	UEPVC	2.64			1	1	1	1	i e	1		1
	All Centrex Control Features Offered, per port			UEP9D	UEPVC	2.64										
NAF	All Centrex Control Features Offered, per port			UEP9D	UEPVC	2.04										
NAR	All Centrex Control Features Offered, per port			UEP9D	UARCX	0.00	0.00	0.00								

JNBUNDLE	NETWORK ELEMENTS - Alabama			1	1								Attachment:	2		Exhibit:
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Submitted Manually	Charge - Manual Svc	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrec			g Disconnect				RATES (\$)		
	Habita diad Naturali Access Desister, Outdiel			UEP9D	UAROX	0.00	First	Add'I 0.00	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Miscell	Unbundled Network Access Register - Outdial aneous Terminations			UEP9D	UARUX	0.00	0.00	0.00		<u> </u>						.
	Trunk Side					1										
2 11110	Trunk Side Terminations, each			UEP9D	CEND6	9.17										
4-Wire I	Digital (1.544 Megabits)															
	DS1 Circuit Terminations, each			UEP9D	M1HD1	68.67										
	DS0 Channels Activiated per Channel			UEP9D	M1HDO	0.00	28.25									
Interoff	ice Channel Mileage - 2-Wire															
	Interoffice Channel Facilities Termination			UEP9D UEP9D	MIGBC MIGBM	24.15 0.0101										
Foaturo	Interoffice Channel mileage, per mile or fraction of mile Activations (DS0) Centrex Loops on Channelized DS1 Service			UEP9D	IVIIGBIVI	0.0101										-
	nnel Bank Feature Activations		 		+	 			1	1	1	1	1	1	1	1
Ona	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9D	1PQWS	0.64				İ	1		1	1	1	1
	Service Servic			- "	1	3.54				Ì						†
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9D	1PQW6	0.64										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop															
	Slot			UEP9D	1PQW7	0.64										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center			UEP9D	1PQWP	0.64										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9D	1PQWV	0.64										
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop															
	Slot			UEP9D	1PQWQ	0.64										
Non De	Feature Activation on D-4 Channel Bank WATS Loop Slot curring Charges (NRC) Associated with UNE-P Centrex			UEP9D	1PQWA	0.64										
Non-Re	NRC Conversion Currently Combined Switch-As-Is with allowed				_											
	changes, per port			UEP9D	USAC2		2.80	0.41								
	New Centrex Standard Common Block			UEP9D	M1ACS	0.00	667.21	0.41								
	New Centrex Customized Common Block			UEP9D	M1ACC	0.00	667.21									
	NAR Establishment Charge, Per Occasion			UEP9D	URECA	0.00	72.73									
	CENTREX - EWSD (Valid in AL, FL, KY, LA, MS & TN)															
	VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
UNE Po	rt/Loop Combination Rates (Non-Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design		1	UEP9E		16.55										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		2	UEP9E		25.51										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		3	UEP9E		44.44										
UNE Po	rt/Loop Combination Rates (Design)			- "	1					Ì						†
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -				1	† †				1						1
	Design		1	UEP9E		22.62								<u> </u>		
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design		2	UEP9E		29.61										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design			UEP9E		38.09										
UNE Lo	op Rate		Ť	- "	1	55.55				1						
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9E	UECS1	14.35				1			1	1	1	
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP9E	UECS1	23.31										
	2-Wire Voice Grade Loop (SL 1) - Zone 3			UEP9E	UECS1	42.24		·								
	2-Wire Voice Grade Loop (SL 2) - Zone 1			UEP9E	UECS2	20.42				ļ						
	2-Wire Voice Grade Loop (SL 2) - Zone 2			UEP9E	UECS2	27.41				ļ						<u> </u>
HME D-	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9E	UECS2	35.89				 	-					
UNE Po	rt Rate KY, LA, MS, & TN only				+	+			-	+			-	-	-	-
AL, FL,	2-Wire Voice Grade Port (Centrex) Basic Local Area		 	UEP9E	UEPYA	2.20			1	1	1	1	40.71	9.58	1	1
	2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local				102. 171	2.20				İ	1	1	70.71	5.50	1	1
	Area		l	UEP9E	UEPYB	2.20							40.71	9.58		

CATEGORY	RATE ELEMENTS	lusteni:											Incremental		Incremental	Incremental
	KALE ELEMENTO	Interi m	Zone	BCS	USOC	,		RATES(\$)	ı			Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I	Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec			g Disconnect	201150	001111		RATES (\$)	001111	
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local					-	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Area			UEP9E	UEPYH	2.20							40.71	9.58		
2	2-Wire Voice Grade Port (Centrex from diff Serving Wire															
	Center)2 Basic Local Area			UEP9E	UEPYM	2.20							40.71	9.58		
Т	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term - Basic Local Area			UEP9E	UEPYZ	2.20							40.71	9.58		
-	2-Wire Voice Grade Port terminated in on Megalink or equivalent - Basic Local Area			UEP9E	UEPY9	2.20							40.71	9.58		
	2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area			UEP9E	UEPY2	2.20							40.71	9.58		
	A, MS, & TN Only			021 02	OLI 12	2.20				1			40.71	0.00		
	2-Wire Voice Grade Port (Centrex)			UEP9E	UEPQA	2.20							40.71	9.58		
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP9E	UEPQB	2.20							40.71	9.58		
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP9E	UEPQH	2.20							40.71	9.58		
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2			UEP9E	UEPQM	2.20							40.71	9.58		
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
 	Term			UEP9E	UEPQZ	2.20							40.71	9.58		
2	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9E	UEPQ9	2.20							40.71	9.58		
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP9E	UEPQ2	2.20							40.71	9.58		
Local Swit																
	Centrex Intercom Funtionality, per port			UEP9E	URECS	0.5488										
	mber Portability			LIEBAE	Lungo											
Features	Local Number Portability (1 per port)			UEP9E	LNPCC	0.35										
	All Standard Features Offered, per port			UEP9E	UEPVF	2.64				+						
	All Select Features Offered, per port			UEP9E	UEPVS	0.00	405.52									
	All Centrex Control Features Offered, per port			UEP9E	UEPVC	2.64										
NARS																
	Unbundled Network Access Register - Combination			UEP9E	UARCX	0.00	0.00	0.00								
	Unbundled Network Access Register - Indial			UEP9E	UAR1X	0.00	0.00	0.00								
	Unbundled Network Access Register - Outdial leous Terminations			UEP9E	UAROX	0.00	0.00	0.00		+			-			
2-Wire Tru						1				1			1			
	Trunk Side Terminations, each			UEP9E	CEND6	9.17				+						
	gital (1.544 Megabits)									1			1			
	DS1 Circuit Terminations, each			UEP9E	M1HD1	68.67										
	DS0 Channel Activated Per Channel			UEP9E	M1HDO	0.00	28.25									
	e Channel Mileage - 2-Wire			LIEBAE	1,110000	21.15				1						
	Interoffice Channel Facilities Termination Interoffice Channel mileage, per mile or fraction of mile			UEP9E UEP9E	MIGBC MIGBM	24.15 0.0101				1						
	activations (DS0) Centrex Loops on Channelized DS1 Service			UEP9E	MIGBIN	0.0101				+						
	nel Bank Feature Activations				+	1				+			1			
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9E	1PQWS	0.64										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9E	1PQW6	0.64										
F	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP9E	1PQW7	0.64										
F	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center			UEP9E	1PQWP	0.64										1
				-												
	Feature Activation on D-4 Channel Bank Private Line Loop Slot Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop		1	UEP9E	1PQWV	0.64							-			
F							1									
F	Feature Activation on D-4 Channel Bank Tijle Line/ Irunk Loop Slot Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9E UEP9E	1PQWQ 1PQWA	0.64 0.64										

UNBUND	LED NETWORK ELEMENTS - Alabama												Attachment:	2		Exhibit: B
CATEGO		Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc	Incremental Charge -	Charge -	Incremental Charge - Manual Svc Order vs.
						Rec	Nonrec	urring	Nonrecurrir	ng Disconnect			oss i	RATES (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	NRC Conversion Currently Combined Switch-As-Is with allowed															
	changes, per port			UEP9E	USAC2		2.80	0.41								ļ!
-	New Centrex Standard Common Block New Centrex Customized Common Block		1	UEP9E UEP9E	M1ACS M1ACC	0.00	667.21 667.21					-				
	NAR Establishment Charge, Per Occasion		1	UEP9E	URECA	0.00	72.73									+
UNE	E-P CENTREX - DCO - Valid in AL, KY, LA, MS, & TN)			02. 02	0.120/1	0.00	72.70									
	ire VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
UNE	Port/Loop Combination Rates (Non-Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	-														
	Non-Design	1	1	UEP93		16.55					ļ					
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		2	UEP93	1	25.51										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			OFLAO	+	25.51			1	+	 	+				
	Non-Design		3	UEP93		44.44										
UNE	F Port/Loop Combination Rates (Design)		T													1
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	-														
	Design		1	UEP93		22.62										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		_													
	Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		2	UEP93		29.61										
	Design		3	UEP93		38.09										
UNE	E Loop Rate		3	OLF 93		30.09										+
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP93	UECS1	14.35										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP93	UECS1	23.31										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP93	UECS1	42.24										
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP93	UECS2	20.42										
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP93	UECS2	27.41										<u> </u>
1.15.17	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP93	UECS2	35.89										
	E Port Rate KY, LA, MS, & TN only	1	1													+
AL,	2-Wire Voice Grade Port (Centrex) Basic Local Area		1	UEP93	UEPYA	2.20							40.71	9.58		+
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local			02.00	02	2.20								0.00		
	Area			UEP93	UEPYB	2.20							40.71	9.58		
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local															
	Area			UEP93	UEPYH	2.20							40.71	9.58		
	2-Wire Voice Grade Port (Centrex from diff Serving Wire															
	Center)2 Basic Local Area		-	UEP93	UEPYM	2.20							40.71	9.58		
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term - Basic Local Area			UEP93	UEPYZ	2.20							40.71	9.58		
	2-Wire Voice Grade Port terminated in on Megalink or equivalent	:	1	OLI 33	JLI 12	2.20				†			70.71	3.36		†
	- Basic Local Area			UEP93	UEPY9	2.20							40.71	9.58		
	2-Wire Voice Grade Port Terminated on 800 Service Term -											1				1
	Basic Local Area			UEP93	UEPY2	2.20					ļ		40.71	9.58		
	2-Wire Voice Grade Port (Centrex)	1	1	UEP93	UEPQA	2.20			ļ	1	 	ļ	40.71	9.58		
\vdash	2-Wire Voice Grade Port (Centrex 800 termination)	<u> </u>	-	UEP93	UEPQB	2.20 2.20				1	 	-	40.71 40.71	9.58 9.58		
	2-Wire Voice Grade Port (Centrex with Caller ID)1 2-Wire Voice Grade Port (Centrex from diff Serving Wire	1	+	UEP93	UEPQH	2.20				+	 	-	40.71	9.58		+
	Center)2		1	UEP93	UEPQM	2.20							40.71	9.58		
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service	t	1		52. QW	2.20				1		l –	70.71	5.50		1
	Term		L	UEP93	UEPQZ	2.20					<u></u>	<u> </u>	40.71	9.58		
								-								
$oxed{oxed}$	2-Wire Voice Grade Port terminated in on Megalink or equivalent	<u> </u>	ļ	UEP93	UEPQ9	2.20							40.71	9.58		<u> </u>
	2-Wire Voice Grade Port Terminated on 800 Service Term	<u> </u>	1	UEP93	UEPQ2	2.20			-	1	<u> </u>		40.71	9.58		
Loc	al Switching Centrex Intercom Funtionality, per port	1	+	UEP93	URECS	0.5488			1	+	 	 				+
Loc	al Number Portability	1	+	OLF 30	ONEGO	0.5468			1	+	1	1	1	1		+
100	Local Number Portability (1 per port)	1	<u> </u>	UEP93	LNCCC	0.35			1	1	1	1	1	1		†
Fea	tures	1								1						1
•																

NBUNDLED N	IETWORK ELEMENTS - Alabama												Attachment:	2		Exhibit:
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Submitted	Charge - Manual Svc	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge - Manual Svc Order vs.	Increment Charge Manual S Order vs Electronic Disc Add
						Rec	Nonrec	urring	Nonrecurring	Disconnect			ossi	RATES (\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Al	Il Standard Features Offered, per port			UEP93	UEPVF	2.64										
	Il Centrex Control Features Offered, per port			UEP93	UEPVC	2.64										
NARS	• • •															
	nbundled Network Access Register - Combination			UEP93	UARCX	0.00	0.00	0.00								
	nbundled Network Access Register - Indial			UEP93	UAR1X	0.00	0.00	0.00								
	nbundled Network Access Register - Outdial			UEP93	UAROX	0.00	0.00	0.00								
	eous Terminations					0.00										
2-Wire Tru			1								1	1	1	1	1	
	runk Side Terminations, each			UEP93	CEND6	9.17										
	ital (1.544 Megabits)		1		3220	5.17			1		1	1	1	1	1	
	S1 Circuit Terminations, each			UEP93	M1HD1	68.67			+							
	S0 Channels Activated, Per Channel			UEP93	M1HDO	0.00	28.25									
	Channel Mileage - 2-Wire			OLI GO	WITIDO	0.00	20.20									
	Iteroffice Channel Facilities Termination			UEP93	MIGBC	24.15										
	steroffice Channel mileage, per mile or fraction of mile			UEP93	MIGBM	0.0101										
	ctivations (DS0) Centrex Loops on Channelized DS1 Service			ULF 93	IVIIGBIVI	0.0101			+		1					
	el Bank Feature Activations				+				+		1					-
	eature Activations eature Activations eature Activation on D-4 Channel Bank Centrex Loop Slot			UEP93	1PQWS	0.64			+		1					-
	eature Activation on D-4 Channel Bank Centrex Loop Slot			UEP93	IPQWS	0.04										
E/	eature Activation on D-4 Channel Bank FX Line Side Loop Slot			UEP93	1PQW6	0.64										
1 6	eature Activation on D-4 Channel Bank FX Trunk Side Loop			ULF 93	IFQWU	0.04			+		1					
	lot			UEP93	1PQW7	0.64										
	eature Activation on D-4 Channel Bank Centrex Loop Slot -			UEF93	IFQW/	0.64										
	ifferent Wire Center			UEP93	1PQWP	0.64										
Di	illerent wire Center			UEP93	IPQWP	0.64										
-	anticon Anticotico en D. 4 Channel Book Britata Line Lana Clat			UEP93	1PQWV	0.64										
F	eature Activation on D-4 Channel Bank Private Line Loop Slot eature Activation on D-4 Channel Bank Tie Line/Trunk Loop		-	UEP93	TPQWV	0.64										
			1	LIEDOS	40000	0.04						1				
	lot		 	UEP93	1PQWQ	0.64			ļ <u> </u>		 	 	 	 	 	
	eature Activation on D-4 Channel Bank WATS Loop Slot		-	UEP93	1PQWA	0.64					ļ		-	-	-	
	rring Charges (NRC) Associated with UNE-P Centrex															
	RC Conversion Currently Combined Switch-As-Is with allowed		1	LIEBOO	110400		0.65					1				
	hanges, per port			UEP93	USAC2		2.80	0.41								
	ew Centrex Standard Common Block			UEP93	M1ACS	0.00	667.21									
	ew Centrex Customized Common Block			UEP93	M1ACC	0.00	667.21									
	AR Establishment Charge, Per Occasion		ļ	UEP93	URECA	0.00	72.73				ļ					
	equired Port for Centrex Control in 1AESS, 5ESS & EWSD		ļ								ļ					
	equres Interoffice Channel Mileage		ļ								ļ					
Note 3 - Re	equires Specific Customer Premises Equipment		ļ								ļ					
			<u> </u>								ļ		ļ	ļ	ļ	
											ļ					
											ļ					
			<u> </u>													
			<u> </u>								<u> </u>		L			

LIMBI	INDI EE	NETWORK ELEMENTS Florido													•		F.4.9.9. F
UNB	JNDLEL	NETWORK ELEMENTS - Florida	1		I		I						1	Attachment:	<u>2</u>	-	Exhibit: E
														Incremental	Incremental	Incremental	Incremental
														Charge -	Charge -	Charge -	Charge -
CAT	EGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)				Svc Order		Manual Svc	Manual Svc	
			m										Submitted		Order vs.	Order vs.	Order vs.
												Elec	Manually		Electronic-	Electronic-	Electronic-
								,		,		per LSR	per LSR	1st	Add'l	Disc 1st	Disc Add'l
							Rec	Monro		Nonrecurring	n Diagonnoot			000	RATES (\$)		
							Rec	First	curring Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
								FIISL	Add I	FIISL	Add I	SOMEC	SOWAN	SOWAN	SOWAN	SUMAN	SOWAN
																	1
		ne" shown in the sections for stand-alone loops or loops as p				graphically [Deaveraged UN	E Zones. To v	iew Geograph	ically Deaverag	ed UNE Zone	Designation	ns by Centr	al Office, refer	to Internet W	lebsite:	
		ww.interconnection.bellsouth.com/become_a_clec/html/interc	onnecti	on.htn	<u> </u>												-
OPER.	ATIONAL	SUPPORT SYSTEMS															
		1) Electronic Service Order: CLEC-1 should contact its contra															
	exhibit i	s the BellSouth regional electronic service ordering charge.	CLEC-1	may el	ect either the state s	pecific Com	mission ordere	d rates for the	electronic ser	vice ordering c	harges, or CLI	EC-1 may el	ect the regi	onal electroni	c service orde	ering charge.	
	NOTE: (2) Any element that can be ordered electronically will be bille	d accor	ding to	the SOMEC rate lis	ted in this ca	tegory. Please	e refer to BellS	outh's Busines	ss Rules for Lo	cal Ordering (I	BBR-LO) to	determine i	f a product ca	n be ordered	electronically	y. For those
	element	s that cannot be ordered electronically at present per the BBR	LO, the	e listed	SOMEC rate in this	category ref	lects the charg	e that would b	e billed to a C	LEC once elect	ronic ordering	capabilitie	s come on-	line for that el	ement. Other	wise, the mai	nual orderin
	charge,	SOMAN, will be applied to a CLECs bill when it submits an LS	SR to Be	ellSout	h.												
		Manual Service Order Charge, Disconnect Only (FL)				SOMAN		1.83									
		Electronic OSS Charge, per LSR, submitted via BST's OSS															
		interactive interfaces (Regional)				SOMEC		3.50									
UNBU		XCHANGE ACCESS LOOP															
	2-WIRE	ANALOG VOICE GRADE LOOP			115 441	LIEALO	40.70	10.57	00.00	05.00	0.57		44.00				
	-	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEAL2	12.79	49.57	22.83	25.62	6.57		11.90			-	
	-	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL UEANL	UEAL2 UEAL2	17.27 33.36	49.57 49.57	22.83 22.83	25.62 25.62	6.57 6.57		11.90 11.90				
		Loop Testing - Basic 1st Half Hour		3	UEANL	URET1	33.30	77.09	22.03	25.62	6.57		11.90			-	
		Loop Testing - Basic 1st Hall Hour Loop Testing - Basic Additional Half Hour			UEANL	URETA		33.12									1
		Engineering Information Document (EI)			UEANL	OKLIA		12.28	12.28				-				
		Manual Order Coordination for UVL-SL1s (per loop)*			UEANL	UEAMC		9.00	9.00								1
		Order Coordination for Specified Conversion Time for UVL-SL1							0.00								
		(per LSR) *			UEANL	OCOSL		23.02	23.02								
	2-WIRE	Unbundled COPPER LOOP															
		2-Wire Unbundled Copper Loop - Non-Designed Zone 1	ı	1	UEQ	UEQ2X	13.83	41.64	19.02	19.65	5.09		11.90				
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 2	I	2	UEQ	UEQ2X	15.29	41.64	19.02	19.65	5.09		11.90				
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 3	ı	3	UEQ	UEQ2X	20.29	41.64	19.02	19.65	5.09		11.90				
	1	Order Coordination 2 Wire Unbundled Copper Loop - Non-		1	LIEO	LICDMO		0.00	0.00						1		
	+	Designed (per loop) Engineering Information Document		-	UEQ UEQ	USBMC	ļ	9.00	9.00 12.28	 		1	1	1	 	 	
	+	Loop Testing - Basic 1st Half Hour		-	UEQ	URET1	-	12.28 77.09	12.28			-	1	-	1		
	+	Loop Testing - Basic 1st Hall Hour Loop Testing - Basic Additional Half Hour	-		UEQ	URETA		33.12		 			+	1	 	t	
UNBU	NDLED E	XCHANGE ACCESS LOOP				J / .		00.12				1	1	1	1	†	—
		ANALOG VOICE GRADE LOOP				Ì	Ì	Ì	1	1					1	1	†
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															1
	<u> </u>	Zone 1	I	1	UEPSR UEPSB	UEALS	12.79	49.57	22.83	25.62	6.57		10.73			<u> </u>	
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
	<u> </u>	Zone 1	I		UEPSR UEPSB	UEABS	12.79	49.57	22.83	25.62	6.57		10.73		ļ	1	ļ
	1	2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-	l .	1	l	l					_		1		1	I	
	<u> </u>	Zone 2	I	2	UEPSR UEPSB	UEALS	17.27	49.57	22.83	25.62	6.57		10.73			-	
	1	2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-		1	HEDER HEDER	LIEADO	47.07	40.57	00.00	05.00	0.53		40.70		1		
	+	Zone 2 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		-	UEPSR UEPSB	UEABS	17.27	49.57	22.83	25.62	6.57	1	10.73	1	 	 	
		Zone 3		3	UEPSR UEPSB	UEALS	33.36	49.57	22.83	25.62	6.57		10.73			1	
	+	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-	-	3	ULFOR UEFOR	UEALS	33.36	49.57	22.83	25.62	0.57		10.73			 	
		Zone 3	- 1		UEPSR UEPSB	UEABS	33.36	49.57	22.83	25.62	6.57		10.73			1	
UNBU	NDLED E	XCHANGE ACCESS LOOP	<u> </u>			32.20	33.30	40.07	22.00	20.02	0.07		10.70		1	1	
		ANALOG VOICE GRADE LOOP					1	1	1	1			1		1	1	
		CLEC to CLEC Conversion Charge without outside dispatch											1				
	<u> </u>	(UVL-SL1)	<u></u>	L	UEANL	UREWO	<u> </u>	48.11	22.01	<u> </u>		<u> </u>	11.90		<u> </u>	<u> </u>	<u></u>
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															
	1	Ground Start Signaling - Zone 1		1	UEA	UEAL2	14.50	135.75	82.47	63.53	12.01		11.90				

JNBUNDLED	NETWORK ELEMENTS - Florida												Attachment:	2	1	Exhibit:
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual Sv Order vs. Electronic Disc Add
						Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	RATES (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or				115410	40.57	105.75	00.47	00.50	40.04		44.00				
	Ground Start Signaling - Zone 2 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		2	UEA	UEAL2	19.57	135.75	82.47	63.53	12.01		11.90	-			
	Ground Start Signaling - Zone 3		3	UEA	UEAL2	37.82	135.75	82.47	63.53	12.01		11.90				
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		23.02									
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															
	Battery Signaling - Zone 1		1	UEA	UEAR2	14.50	135.75	82.47	63.53	12.01		11.90				
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 2		2	UEA	UEAR2	19.57	135.75	82.47	63.53	12.01		11.90				
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		<u> </u>	0271	02/11/2	.0.0.	100.70	02	00.00	12.01		11.00				
	Battery Signaling - Zone 3		3	UEA	UEAR2	37.82	135.75	82.47	63.53	12.01		11.90				
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		23.02									
	CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		131.83	38.27				11.90				
4-WIRE	ANALOG VOICE GRADE LOOP				_											
	4-Wire Analog Voice Grade Loop - Zone 1 4-Wire Analog Voice Grade Loop - Zone 2		2	UEA UEA	UEAL4 UEAL4	23.02 31.07	167.86 167.86	115.15 115.15	67.08 67.08	15.56 15.56		11.90 11.90				
	4-Wire Analog Voice Grade Loop - Zone 2 4-Wire Analog Voice Grade Loop - Zone 3			UEA	UEAL4	60.02	167.86	115.15	67.08	15.56		11.90	-			+
	Order Coordination for Specified Conversion Time (per LSR)		3	UEA	OCOSL	00.02	23.02	113.13	07.00	13.30		11.90				
2-WIRE	ISDN DIGITAL GRADE LOOP			OLA	00002		20.02									
	2-Wire ISDN Digital Grade Loop - Zone 1		1	UDN	U1L2X	21.76	147.69	94.41	62.23	10.71		11.90	1			
	2-Wire ISDN Digital Grade Loop - Zone 2		2	UDN	U1L2X	29.38	147.69	94.41	62.23	10.71		11.90				
	2-Wire ISDN Digital Grade Loop - Zone 3		3	UDN	U1L2X	56.76	147.69	94.41	62.23	10.71		11.90				
	Order Coordination For Specified Conversion Time (per LSR)			UDN	OCOSL		23.02									
	CLEC to CLEC Conversion Charge without outside dispatch			UDN	UREWO		121.17	33.09				11.90				
2-WIRE	Universal Digital Channel (UDC) COMPATIBLE LOOP															
	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone 1		1	UDC	UDC2X	21.76	147.69	94.41	62.23	10.71		11.90				
	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone		2	UDC	UDC2X	29.38	147.69	94.41	62.23	10.71		11.90				
	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone		3	UDC	UDC2X	56.76		94.41	62.23	10.71						
	CLEC to CLEC Conversion Charge without outside dispatch		3	UDC	UREWO	56.76	147.69 121.17	33.09	62.23	10.71		11.90 11.90				
2-WIRE	ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPA	TIBLE	OOP	ODC	UKLVVO		121.17	33.09				11.50				
	2 Wire Unbundled ADSL Loop including manual service inquiry		1													
	& facility reservation - Zone 1		1	UAL	UAL2X	12.65	149.53	103.85	75.05	15.63		11.90				
	2 Wire Unbundled ADSL Loop including manual service inquiry															
	& facility reservation - Zone 2		2	UAL	UAL2X	17.08	149.53	103.85	75.05	15.63		11.90	1			ļ
	2 Wire Unbundled ADSL Loop including manual service inquiry		_		LIALOY	00.00	440.50	100.0=	75.0-	45.00		44.00				
	& facility reservation - Zone 3 Order Coordination for Specified Conversion Time (per LSR)		3	UAL	UAL2X OCOSL	33.00	149.53 23.02	103.85	75.05	15.63	1	11.90	1		 	
-	2 Wire Unbundled ADSL Loop without manual service inquiry &		-	UAL	UCUSL		23.02						+			+
	facility reservaton - Zone 1		1	UAL	UAL2W	12.65	124.83	71.12	60.64	9.12		11.90	1			
	2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservator - Zone 2			UAL	UAL2W	17.08	124.83	71.12	60.64	9.12		11.90				
	2 Wire Unbundled ADSL Loop without manual service inquiry &		 	O/ IL	UNLZVV	17.00	124.03	11.12	00.04	5.12	1	11.50	t		 	
	facility reservaton - Zone 3		3	UAL	UAL2W	33.00	124.83	71.12	60.64	9.12		11.90	1			
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		23.02									
	CLEC to CLEC Conversion Charge without outside dispatch			UAL	UREWO		124.83	29.33				11.90				
2-WIRE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPAT	IBLE L	OOP										1			
	2 Wire Unbundled HDSL Loop including manual service inquiry						,=						1			
\rightarrow	& facility reservation - Zone 1		1	UHL	UHL2X	9.97	159.09	113.41	75.05	15.63	1	11.90				ļ
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 2		2	UHL	UHL2X	13.46	159.09	113.41	75.05	15.63		11.90				
-	2 Wire Unbundled HDSL Loop including manual service inquiry			OLIE	JIILZA	13.40	155.05	113.41	75.05	13.03		11.90	 			
1	& facility reservation - Zone 3		3	UHL	UHL2X	26.00	159.09	113.41	75.05	15.63		11.90	I		1	
1	Order Coordination for Specified Conversion Time (per LSR)		T	UHL	OCOSL		23.02				İ		İ		İ	

UNBUNDLE	NETWORK ELEMENTS - Florida												Attachment:	2		Exhibit: E
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge -
						Rec	Nonrec	curring	Nonrecurring					RATES (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1		1	UHL	UHL2W	9.97	134.40	80.69	60.64	9.12		11.90				
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2		2	UHL	UHL2W	13.46	134.40	80.69	60.64	9.12		11.90				
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3		3	UHL	UHL2W	26.00	134.40	80.69	60.64	9.12		11.90				
	Order Coordination for Specified Conversion Time (per LSR)		3	UHL	OCOSL	26.00	23.02	80.69	60.64	9.12		11.90				
	CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		134.40	29.33				11.90				
4-WIRE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPAT	IBLE L	OOP		1							1				
	4 Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 1		1	UHL	UHL4X	15.69	193.31	138.98	77.15	12.61		11.90				
	4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 2		2	UHL	UHL4X	21.17	193.31	138.98	77.15	12.61		11.90				
	4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 3		3	UHL	UHL4X	40.90	193.31	138.98	77.15	12.61		11.90				
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		23.02									
	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1		1	UHL	UHL4W	15.69	168.62	115.47	62.74	11.22		11.90				
	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2		2	UHL	UHL4W	21.17	168.62	115.47	62.74	11.22		11.90				
	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3		3	UHL	UHL4W	40.90	168.62	115.47	62.74	11.22		11.90				
	Order Coordination for Specified Conversion Time (per LSR) CLEC to CLEC Conversion Charge without outside dispatch			UHL UHL	OCOSL UREWO		23.02 134.40	29.33				11.90				
4-WIRE	DS1 DIGITAL LOOP			OTIL	OKLWO		134.40	29.33				11.50				
4 001102	4-Wire DS1 Digital Loop - Zone 1		1	USL	USLXX	73.44	313.75	181.48	61.22	13.53		11.90				
	4-Wire DS1 Digital Loop - Zone 2			USL	USLXX	99.13	313.75	181.48	61.22	13.53		11.90				
	4-Wire DS1 Digital Loop - Zone 3		3	USL	USLXX	191.51	313.75	181.48	61.22	13.53		11.90				
	Order Coordination for Specified Conversion Time (per LSR)			USL	OCOSL		23.02									
4 WIDE	CLEC to CLEC Conversion Charge without outside dispatch			USL	UREWO		130.25	40.04				11.90				
4-WIRE	19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP 4 Wire Unbundled Digital 19.2 Kbps		1	UDL	UDL19	26.39	161.56	108.85	67.08	15.56		11.90				
	4 Wire Unbundled Digital 19.2 Kbps			UDL	UDL19	35.62	161.56	108.85	67.08	15.56		11.90				+
	4 Wire Unbundled Digital 19.2 Kbps		3	UDL	UDL19	68.82	161.56	108.85	67.08	15.56		11.90				
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1		1	UDL	UDL56	26.39	161.56	108.85	67.08	15.56		11.90				
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2			UDL	UDL56	35.62	161.56	108.85	67.08	15.56		11.90				
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3		3	UDL	UDL56	68.82	161.56	108.85	67.08	15.56		11.90				
	Order Coordination for Specified Conversion Time (per LSR)	<u> </u>	_	UDL	OCOSL	20.00	23.02	100.05	07.00	45.50	<u> </u>	44.00				
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1 4 Wire Unbundled Digital Loop 64 Kbps - Zone 2	 		UDL UDL	UDL64 UDL64	26.39 35.62	161.56 161.56	108.85 108.85	67.08 67.08	15.56 15.56	1	11.90 11.90				
- 	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2 4 Wire Unbundled Digital Loop 64 Kbps - Zone 3			UDL	UDL64	68.82	161.56	108.85	67.08	15.56	 	11.90				\vdash
1	Order Coordination for Specified Conversion Time (per LSR)	1		UDL	OCOSL	00.02	23.02	100.00	37.00	10.00		11.30				
	CLEC to CLEC Conversion Charge without outside dispatch			UDL	UREWO		131.67	38.68				11.90				
2-WIRE	Unbundled COPPER LOOP															
	2-Wire Unbundled Copper Loop/Short including manual service inquiry & facility reservation - Zone 1		1	UCL	UCLPB	12.65	148.50	102.82	75.05	15.63		11.90				
	2-Wire Unbundled Copper Loop/Short including manual service inquiry & facility reservation - Zone 2		2	UCL	UCLPB	17.08	148.50	102.82	75.05	15.63		11.90				
	2 Wire Unbundled Copper Loop/Short including manual service		_	LICI	LICL DD	00.00	440.50	100.00	75.05	45.00		44.00				
1	inquiry & facility reservation - Zone 3 Order Coordination for Unbundled Copper Loops (per loop)		3	UCL UCL	UCLPB UCLMC	33.00	148.50 9.00	102.82 9.00	75.05	15.63		11.90				-
 	2-Wire Unbundled Copper Loop/Short without manual service	1			JOLIVIO	1	3.00	3.00			1	1				—
	inquiry and facility reservation - Zone 1 2-Wire Unbundled Copper Loop/Short without manual service		1	UCL	UCLPW	12.65	123.81	70.09	60.64	9.12		11.90				
	inquiry and facility reservation - Zone 2 2-Wire Unbundled Copper Loop/Short without manual service		2	UCL	UCLPW	17.08	123.81	70.09	60.64	9.12		11.90				
	inquiry and facility reservation - Zone 3		3	UCL	UCLPW	33.00	123.81	70.09	60.64	9.12		11.90				

UNBUNDLED	NETWORK ELEMENTS - Florida												Attachment:	2		Exhibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)	I			Svc Order Submitted Manually	Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec	urring	Nonrecurring	g Disconnect				RATES (\$)		
					1101110		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Order Coordination for Unbundled Copper Loops (per loop) 2-Wire Unbundled Copper Loop/Long - includes manual srvc.			UCL	UCLMC		9.00	9.00								
	inquiry and facility reservation - Zone 1		1	UCL	UCL2L	37.07	148.50	102.82	75.05	15.63		11.90				i .
	2-Wire Unbundled Copper Loop/Long - includes manual svc.															
	inquiry and facility reservation - Zone 2		2	UCL	UCL2L	50.04	148.50	102.82	75.05	15.63		11.90				
	2-Wire Unbundled Copper Loop/Long - includes manual svc. inquiry and facility reservation - Zone 3		3	UCL	UCL2L	96.67	148.50	102.82	75.05	15.63		11.90				
	Order Coordination for Unbundled Copper Loops (per loop)		3	UCL	UCLMC	90.07	9.00	9.00	73.03	13.03		11.90				
	2-Wire Unbundled Copper Loop/Long - without manual service															
	inquiry and facility reservation - Zone 1		1	UCL	UCL2W	37.07	123.81	70.09	60.64	9.12		11.90				
	2-Wire Unbundled Copper Loop/Long - without manual service inquiry and facility reservation - Zone 2		2	UCL	UCL2W	50.04	123.81	70.09	60.64	9.12		11.90				i
	2-Wire Unbundled Copper Loop/Long - without manual service			UCL	UCLZVV	50.04	123.81	70.09	60.64	9.12		11.90				
	inquiry and facility reservation - Zone 3		3	UCL	UCL2W	96.67	123.81	70.09	60.64	9.12		11.90				i .
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		9.00	9.00								
	CLEC to CLEC Conversion Charge without outside dispatch				LIDEMO		400.04	04.44				44.00				
	(UCL -Des) CLEC to CLEC Conversion Charge without outside dispatch			UCL	UREWO		123.81	31.41				11.90				
	(UCL-ND)			UEQ	UREWO		44.69	22.01				11.90				i .
4-WIRE	COPPER LOOP															
	4-Wire Copper Loop/Short - including manual service inquiry and facility reservation - Zone 1		1	UCL	UCL4S	18.03	177.87	132.76	77.15	17.73		11.90				
	4-Wire Copper Loop/Short - including manual service inquiry and facility reservation - Zone 2		2	UCL	UCL4S	24.34	177.87	132.76	77.15	17.73		11.90				
	4-Wire Copper Loop/Short - including manual service inquiry and facility reservation - Zone 3		3	UCL	UCL4S	47.02	177.87	132.76	77.15	17.73		11.90				
	Order Coordination for Unbundled Copper Loops (per loop)		3	UCL	UCLMC	47.02	9.00	9.00		17.73		11.90				
	4-Wire Copper Loop/Short - without manual service inquiry and															
	facility reservation - Zone 1		1	UCL	UCL4W	18.03	153.18	100.03	62.74	11.22		11.90				
	4-Wire Copper Loop/Short - without manual service inquiry and facility reservation - Zone 2		2	UCL	UCL4W	24.34	153.18	100.03	62.74	11.22		11.90				
	4-Wire Copper Loop/Short - without manual service inquiry and facility reservation - Zone 3		3	UCL	UCL4W	47.02	153.18	100.03	62.74	11.22		11.90				
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC	41.02	9.00	9.00	02.74	11.22		11.50				
	4-Wire Unbundled Copper Loop/Long - includes manual svc.															
	inquiry and facility reservation - Zone 1		1	UCL	UCL4L	64.52	177.87	132.76	77.15	17.73	ļ	11.90				
	4-Wire Unbundled Copper Loop/Long - includes manual svc. inquiry and facility reservation - Zone 2		2	UCL	UCL4L	87.09	177.87	132.76	77.15	17.73		11.90				ĺ
	4-Wire Unbundled Copper Loop/Long - includes manual svc.				OOL-TL	01.09	111.01	132.10	77.13	17.73		11.50				
	inquiry and facility reservation - Zone 3		3	UCL	UCL4L	168.25	177.87	132.76	77.15	17.73		11.90				
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		9.00	9.00								-
	4-Wire Unbundled Copper Loop/Long - without manual svc. inquiry and facility reservation - Zone 1		1	UCL	UCL4O	64.52	153.18	100.03	62.74	11.22		11.90				
	4-Wire Unbundled Copper Loop/Long - without manual svc.		- '-		001-10	04.02	155.16	100.03	02.74	11.22	1	11.00				
	inquiry and facility reservation - Zone 2		2	UCL	UCL4O	87.09	153.18	100.03	62.74	11.22		11.90				
	4-Wire Unbundled Copper Loop/Long - without manual svc.															i
	inquiry and facility reservation - Zone 3 Order Coordination for Unbundled Copper Loops (per loop)		3	UCL UCL	UCL4O UCLMC	168.25	153.18 9.00	100.03 9.00	62.74	11.22	-	11.90				
	CLEC to CLEC Conversion Charge without outside dispatch			UCL	UREWO		123.81	31.41				11.90				
LOOP MODIFIC	ATION															
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire			UAL, UHL, UCL,												1
	pair less than or equal to 18k ft Unbundled Loop Modification, Removal of Load Coils - 2 wire			UEQ, ULS	ULM2L		0.00	0.00			-					
	greater than 18k ft			UCL, ULS	ULM2G		343.12	343.12								
	Unbundled Loop Modification Removal of Load Coils - 4 Wire less than or equal to 18K ft			UHL, UCL	ULM4L		0.00	0.00								

UNBUND	LED	NETWORK ELEMENTS - Florida												Attachment:	2		Exhibit: B
CATEGO	RY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Submitted Manually		Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
							Rec	Nonrec	urring	Nonrecurring	Disconnect			ossi	RATES (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	l	Unbundled Loop Modification Removal of Load Coils - 4 Wire pair greater than 18k ft			UCL	ULM4G		343.12	343.12								
		Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop			UAL, UHL, UCL, UEQ, UEF, ULS	ULMBT		10.52	10.52								
SUB-LOOP																	
Sub		p Distribution Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-					-										-
		Up	I		UEANL	USBSA		487.23	487.23				11.90				
		Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	ı		UEANL	USBSB		6.25	6.25				11.90				
		Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility Set-Up	- 1		UEANL	USBSC		169.25	169.25				11.90				
		Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up	-		UEANL	USBSD		38.65	38.65				11.90				
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 1		1	UEANL	USBN2	7.61	60.19	21.78	47.50	5.26		11.90				
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 2		2	UEANL	USBN2	10.27	60.19	21.78	47.50	5.26		11.90				
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 3		3	UEANL	USBN2	19.85	60.19	21.78	47.50	5.26		11.90				
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair		Ť	UEANL	USBMC	10.00	9.00	9.00		0.20		1.1.00				
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -			UEAINL	USBIVIC	+	9.00	9.00								1
		Zone 1 Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -		1	UEANL	USBN4	8.12	68.83	30.42	49.71	6.60		11.90				
		Zone 2		2	UEANL	USBN4	10.96	68.83	30.42	49.71	6.60		11.90				
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3		3	UEANL	USBN4	21.18	68.83	30.42	49.71	6.60		11.90				
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		9.00	9.00								
		Sub-Loop 2-Wire Intrabuilding Network Cable (INC)	ı		UEANL	USBR2	3.50	51.84	13.44	47.50	5.26		11.90				t
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair Sub-Loop 4-Wire Intrabuilding Network Cable (INC)			UEANL UEANL	USBMC USBR4	6.68	9.00 55.91	9.00 17.51	49.71	6.60		11.90				-
		Oub-Loop 4-11118 Intrabuliding Network Cable (INC)	-	 	OLAINL	UODIN4	0.00	55.91	17.31	45.71	0.00		11.90				
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC	<u> </u>	9.00	9.00								
		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	I		UEF	UCS2X	6.25	60.19	21.78	47.50	5.26		11.90				
		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	I		UEF UEF	UCS2X UCS2X	8.44 16.30	60.19 60.19	21.78 21.78	47.50 47.50	5.26 5.26	-	11.90 11.90				
		·	'	3			10.30			47.50	5.20		11.90				
\vdash		Order Coordination for Unbundled Sub-Loops, per sub-loop pair	-	1	UEF	USBMC	5.00	9.00	9.00	40.74	0.00		44.00				
 		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	-		UEF UEF	UCS4X UCS4X	5.20 7.02	68.83 68.83	30.42 30.42	49.71 49.71	6.60 6.60	-	11.90 11.90				
		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	i	3		UCS4X	13.55	68.83	30.42	49.71	6.60		11.90				
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		9.00	9.00								
Unk		ed Sub-Loop Modification															
		Unbundled Sub-Loop Modification - 2-W Copper Dist Load Coil/Equip Removal per 2-W PR			UEF	ULM2X		10.11	10.11				11.90				
		Unbundled Sub-loop Modification - 4-W Copper Dist Load Coil/Equip Removal per 4-W PR			UEF	ULM4X		10.11	10.11				11.90				
		Unbundled Sub-loop Modification - 2-w/4-w Copper Dist Bridged Tap Removal, per PR unloaded			UEF	ULM4T		15.58	15.58				11.90				
Unk		ed Network Terminating Wire (UNTW)			<u></u>	OLIVIT I		10.00	10.00			t	11.00				†
		Unbundled Network Terminating Wire (UNTW) per Pair			UENTW	UENPP	0.2286	18.02	18.02				11.90				
		Set-Up Work: Site Visit Survey, per MDU			UENTW	UENVS		120.11	120.11	_							
		Site Visit Set-Up - Per Terminal - 1st Terminal			UENTW	UENSS	1	39.43	39.43					l			l .

UNBUNDLE	NETWORK ELEMENTS - Florida												Attachment:	2		Exhibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually	Incremental Charge - Manual Svc Order vs.		Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring	Disconnect				RATES (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Site Visit Set-Up, Per Terminal, Additional Terminals			UENTW	UENSV		36.42	36.42								
\vdash	Access Terminal Provisioning, per Terminal, 1st Terminal			UENTW	UEN1T		101.09	101.09			1					
	Access Terminal Provisioning, per Terminal, Additional Terminals			UENTW	UEN2T		100.25	100.25								
	UNTW Pair Provisioning, per Pair for 1st Terminal			UENTW	UENP1	1	4.48	4.48			1					
—	UNTW Pair Provisioning, per Pair for Additional Terminals			UENTW	UENPA	1	3.64	3.64			1					
Networ	k Interface Device (NID)			OLIVIV	OLIVI A		3.04	3.04								
110111011	Network Interface Device (NID) - 1-2 lines			UENTW	UND12		68.08	42.80				11.90				
	Network Interface Device (NID) - 1-6 lines			UENTW	UND16	1	110.48	85.20				11.90				
	Network Interface Device Cross Connect - 2 W			UENTW	UNDC2		7.63	7.63				11.90				
	Network Interface Device Cross Connect - 4W			UENTW	UNDC4		7.63	7.63				11.90				
SUB-LOOPS																
Sub-Lo	op Feeder															
	USL-Feeder, DS0 Set-up per Cross Box location - CLEC			UEA,												
	Distribution Facility set-up			UDN,UCL,UDL,UDC	USBFW		487.23					11.90				L
	USL Feeder - DS0 Set-up per Cross Box location - per 25 pair			UEA,												İ
	set-up			UDN,UCL,UDL,UDC			6.25	6.25				11.90				
	USL Feeder DS1 Set-up at DSX location, per DS1 termination Unbundled Sub-Loop Feeder Loop, 2 Wire Ground Start, Voice		1	USL	USBFZ	1	522.41	11.32				11.90				├
	Grade - Zone 1		1	UEA	USBFA	8.05	92.75	51.24	58.45	13.07		11.90				
	Unbundled Sub-Loop Feeder Loop, 2 Wire Ground-Start, Voice Grade - Zone 2		2	UEA	USBFA	10.87	92.75	51.24	58.45	13.07		11.90				
	Unbundled Sub-Loop Feeder Loop, Per 2 Wire Ground-Start, Voice Grade - Zone 3		3	UEA	USBFA	21.00	92.75	51.24	58.45	13.07		11.90				
	Order Coordination for Specified Conversion Time, per LSR			UEA	OCOSL		23.02									
	Unbundlde Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice															
	Grade - Zone 1		1	UEA	USBFB	8.05	92.75	51.24	58.45	13.07		11.90				
	Unbundled Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice Grade - Zone 2		2	UEA	USBFB	10.87	92.75	51.24	58.45	13.07		11.90				
	Unbundled Sub-Loop Feeder Loop, 2 Wire Start Loop, Voice															
	Grade - Zone 3		3	UEA	USBFB	21.00	92.75	51.24	58.45	13.07		11.90				L
	Order Coordination for Specified Time Conversion, per LSR			UEA	OCOSL		23.02									
	Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery,		1	UEA	USBFC	8.05	92.75	51.24	58.45	13.07		11.90				
\vdash	Voice Grade - Zone 1 Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery,			UEA	USBFC	8.05	92.75	51.24	58.45	13.07	ļ	11.90				
	Voice Grade - Zone 2		2	UEA	USBFC	10.87	92.75	51.24	58.45	13.07		11.90				
	Unbundled Sub-Loop Feeder Loop, 2 Wire Analog Reverse Battery, Voice Grade - Zone 3		3	UEA	USBFC	21.00	92.75	51.24	58.45	13.07		11.90	1]		1
\vdash	Order Coordination For Specified Conversion Time, per LSR		3	UEA	OCOSL	21.00	92.75	51.24	58.45	13.07	_	11.90	-	1		
 	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice	1	1	OLA	JUUGL	1	23.02				 	1	 	1		
	Grade - Zone 1		1	UEA	USBFD	17.26	106.92	64.46	63.54	14.83		11.90				
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice Grade - Zone 2		2	UEA	USBFD	23.29	106.92	64.46	63.54	14.83		11.90				
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground Start, Voice Grade - Zone 3		3	UEA	USBFD	45.00	106.92	64.46	63.54	14.83		11.90				
 	Order Coordination For Specified Conversion Time, Per LSR	-	- 3	UEA	OCOSL	45.00	23.02	04.40	03.34	14.03	 	11.50	 	 		
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice Grade - Zone 1		1	UEA	USBFE	17.26	106.92	64.46	63.54	14.83		11.90				
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice		<u> </u>	<u></u>	55D1 L	17.20	100.92	0-1.40	00.04	17.00	1	11.30				—
	Grade - Zone 2		2	UEA	USBFE	23.29	106.92	64.46	63.54	14.83		11.90				
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice Grade - Zone 3		3	UEA	USBFE	45.00	106.92	64.46	63.54	14.83		11.90				
	Order Coordination For Specified Conversion Time, Per LSR		Ť	UEA	OCOSL		23.02	070	00.04	50			Ì	Ì		
	Unbundled Sub-Loop Feeder Loop, 2 Wire ISDN BRI - Zone 1		1	UDN	USBFF	17.04	109.71	66.68	60.21	12.49		11.90	Ì	Ì		
	Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 2			UDN	USBFF	23.00	109.71	66.68	60.21	12.49		11.90	<u> </u>	<u> </u>		
	Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 3		3	UDN	USBFF	44.43	109.71	66.68	60.21	12.49		11.90				
	Order Coordination For Specified Conversion Time, Per LSR			UDN	OCOSL		23.02									

CATEGORY Unbui Unbui Unbui Unbui Unbui Unbui Unbui Unbui Unbui Unbui	RATE ELEMENTS RATE ELEMENTS undled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)	Interi m	Zone	BCS	usoc								Attachment: Incremental	Incremental	Incremental	Exhibit: B
Unbui Unbui Unbui Unbui Unbui Order Unbui								RATES(\$)			1	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual Svc Order vs. Electronic- Disc Add'l
Unbui Unbui Unbui Unbui Unbui Order Unbui											per Lor	per Lor			Disc 1st	DISC Add I
Unbui Unbui Unbui Unbui Unbui Order Unbui						Rec	Nonrec		Nonrecurring		201150	001111		RATES (\$)	0011411	201441
Unbui Unbui Unbui Unbui Unbui Order Unbui			-1	UDC	USBFS	17.04	First 109.71	Add'I 66.68	First 60.21	Add'l 12.49	SOMEC	SOMAN 11.90	SOMAN	SOMAN	SOMAN	SOMAN
Unbui Unbui Unbui Unbui Order Unbui	undled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)			UDC	USBFS	23.00	109.71	66.68	60.21	12.49		11.90				
Unbui Unbui Unbui Order Unbui	undled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)			UDC	USBFS	44.43	109.71	66.68	60.21	12.49		11.90				
Unbui Order Unbui	undled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 1		1		USBFG	46.27	133.77	78.02	85.16	21.21		11.90				
Order Unbu	undled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 2		2	USL	USBFG	62.45	133.77	78.02	85.16	21.21		11.90				i
Unbu	undled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 3		3	USL	USBFG	120.65	133.77	78.02	85.16	21.21		11.90				ı
	er Coordination For Specified Conversion Time, Per LSR			USL	OCOSL		23.02									<u> </u>
	undled Sub-Loop Feeder, 2-Wire Copper Loop - Zone 1		1	UCL	USBFH	7.25	85.27	42.24	58.54	10.82		11.90				
2	undled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone		2	UCL	USBFH	9.79	85.27	42.24	58.54	10.82		11.90				
3	undled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone		3	UCL	USBFH	18.92	85.27	42.24	58.54	10.82		11.90				
	er Coordination For Specified Conversion Time, per LSR		4	UCL	OCOSL USBFJ	14.22	23.02 99.66	E7.00	00.00	40.00		11.90				
	Loop Feeder - Per 4-Wire Copper Loop - Zone 1 Loop Feeder - Per 4-Wire Copper Loop - Zone 2			UCL UCL	USBFJ	19.20	99.66	57.20 57.20	60.98 60.98	12.28 12.28		11.90				
	Loop Feeder - Per 4-Wire Copper Loop - Zone 2			UCL	USBFJ	37.09	99.66	57.20	60.98	12.28		11.90				
	er Coordination For Specified Conversion Time, per LSR			UCL	OCOSL	07.00	23.02	07.20	00.00	12.20		11.50				
	Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop		1	UDL	USBFN	18.68	100.62	58.16	63.54	14.83		11.90				i
Sub-l	Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop		2	UDL	USBFN	25.21	100.62	58.16	63.54	14.83		11.90				
	Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop		3	UDL	USBFN	48.71	100.62	58.16	63.54	14.83		11.90				ı
Zone			1	UDL	USBFO	18.68	100.62	58.16	63.54	14.83		11.90				
Zone			2	UDL	USBFO	25.21	100.62	58.16	63.54	14.83		11.90				<u> </u>
Zone			3	UDL	USBFO	48.71	100.62	58.16	63.54	14.83		11.90				<u> </u>
	er Coordination For Specified Time Conversion, per LSR			UDL	OCOSL		23.02									
Zone			1	UDL	USBFP	18.68	100.62	58.16	63.54	14.83		11.90				
Zone			2	UDL	USBFP	25.21	100.62	58.16	63.54	14.83		11.90				
Zone			3	UDL	USBFP	48.71	100.62	58.16	63.54	14.83		11.90				
	er Coordination For Specified Conversion Time, per LSR			UDL	OCOSL		23.02	, in the second								
SUB-LOOPS	odor				+	1					-					
Sub-Loop Fee	Loop Feeder - DS3 - Per Mile Per Month			UE3	1L5SL	15.69			-		-					
	Loop Feeder - DS3 - Fer Mile Fer Month Loop Feeder - DS3 - Facility Termination Per Month			UE3	USBF1	347.59	3,386.00	407.15	166.83	94.58	 	11.90	 			
	Loop Feeder – STS-1 – Per Mile Per Month			UDLSX	1L5SL	15.69	2,222.00					50				
	Loop Feeder - STS-1 - Facility Termination Per Month			UDLSX	USBF7	402.09	3,386.00	407.15	166.83	94.58		11.90				<u> </u>
Sub L	Loop Feeder – OC-3 – Per Mile Per Month			UDLO3	1L5SL	11.90										
Month				UDLO3	USBF5	62.98										<u> </u>
	Loop Feeder - OC-3 - Facility Termination Per Month			UDLO3	USBF2	547.22	3,386.00	407.15	166.83	94.58		11.90				
	Loop Feeder - OC-12 - Per Mile Per Month			UDL12	1L5SL	14.65										
	Loop Feeder - OC-12 - Facility Termination Protection Per			LIDI 12	LICETO	500.47										l
Month Sub I	th Loop Feeder - OC-12 - Facility Termination Per Month			UDL12 UDL12	USBF6 USBF3	502.47 1,577.00	3,386.00	407.15	166.83	94.58		11.90	-	-		
	Loop Feeder - OC-12 - Pacifity Termination Fer Month			UDL48	1L5SL	48.06	3,300.00	407.15	100.03	34.30		11.90				
Sub L	Loop Feeder - OC-48 - Facility Termination Protection Per															
Month				UDL48	USBF9	251.80	2 570 00	407.45	100.05	05.40		44.00				
	Loop Feeder - OC-48 - Facility Termination Per Month Loop Feeder - OC-12 Interface On OC-48			UDL48 UDL48	USBF4 USBF8	1,589.00 331.15	3,572.00 788.39	407.15 407.15	168.35 168.35	95.43 95.43		11.90 11.90	-			
UNBUNDLED LOOP C				0DL#0	OGDFO	331.15	100.39	407.15	100.33	90.43	1	11.90				
	undled Loop Concentration - System A (TR008)			ULC	UCT8A	449.49	359.42	359.42				11.90				<u> </u>
	undled Loop Concentration - System B (TR008)			ULC	UCT8B	53.44	149.76	149.76				11.90				i
	undled Loop Concentration - System A (TR303)			ULC	UCT3A	487.33	359.42	359.42				11.90				í

UNBUNDLED	NETWORK ELEMENTS - Florida					· · · · · · · · · · · · · · · · · · ·	<u> </u>	· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·			Attachment:	2		Exhibit: I
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)	Γ			Svc Order Submitted Manually per LSR	Order vs.	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
						Rec	Nonrec			g Disconnect				RATES (\$)		
	History B. H. and Construction Control D (TD000)				LIOTOR	20.05	First	Add'l	First	Add'l	SOMEC		SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Loop Concentration - System B (TR303) Unbundled Loop Concentration - DS1 Loop Interface Card			ULC ULC	UCT3B UCTCO	90.05 5.04	149.76 71.70	149.76 51.52	18.49	4.82		11.90 11.90				
	Unbundled Loop Concentration - ISDN Loop Interface Card			OLC	00100	3.04	71.70	31.32	10.49	4.02		11.90				
	Card)			UDN	ULCC1	8.00	16.59	16.50	6.77	6.73		11.90				
	Unbundled Loop Concentration - UDC Loop Interface (Brite Card)			UDC	ULCCU	8.00	16.59	16.50	6.77	6.73		11.90				
	Unbundled Loop Concentration2 Wire Voice-Loop Start or															
	Ground Start Loop Interface (POTS Card) Unbundled Loop Concentration - 2 Wire Voice - Reverse Battery			UEA	ULCC2	2.00	16.59	16.50	6.77	6.73		11.90				
	Loop Interface (SPOTS Card)			UEA	ULCCR	11.90	16.59	16.50	6.77	6.73		11.90				
	Unbundled Loop Concentration - 4 Wire Voice Loop Interface						10.50	40.50	0 ==	0 =0		44.00				
	(Specials Card) Unbundled Loop Concentration - TEST CIRCUIT Card			UEA ULC	ULCC4 UCTTC	7.10 34.68	16.59 16.59	16.50 16.50	6.77 6.77	6.73 6.73		11.90 11.90				
	Unbundled Loop Concentration - TEST CIRCUIT Card Unbundled Loop Concentration - Digital 19.2 Kbps Data Loop			010	00110	34.08	10.09	10.00	0.77	0.73		11.90				
	Interface			UDL	ULCC7	10.51	16.59	16.50	6.77	6.73		11.90				
	Unbundled Loop Concentration - Digital 56 Kbps Data Loop															
	Interface Unbundled Loop Concentration - Digital 64 Kbps Data Loop			UDL	ULCC5	10.51	16.59	16.50	6.77	6.73		11.90				
	Interface			UDL	ULCC6	10.51	16.59	16.50	6.77	6.73		11.90				
UNE OTHER, PE	ROVISIONING ONLY - NO RATE			-					-							
	NID - Dispatch and Service Order for NID installation			UENTW	UNDBX											
	UNTW Circuit Id Establishment, Provisioning Only - No Rate			UENTW	UENCE											
	Unbundled Contract Name, Provisioning Only - No Rate			UEANL,UEF,UEQ,U ENTW	UNECN											
UNE OTHER. PE	ROVISIONING ONLY - NO RATE			LIVIVV	ONLON											
	Unbundled Contact Name, Provisioning Only - no rate Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no			UAL,UCL,UDC,UDL, UDN,UEA,UHL,ULC	UNECN	0.00	0.00									
	rate			UEA,UDN,UCL,UDC	USBFQ	0.00	0.00									
	Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no			,,		5.55	3.00									
	rate			UEA,USL,UCL,UDL	USBFR	0.00	0.00									
	Unbundled DS1 Loop - Superframe Format Option - no rate Unbundled DS1 Loop - Expanded Superframe Format option -			USL	CCOSF	0.00	0.00									
	no rate			USL	CCOEF	0.00	0.00									
HIGH CAPACIT	Y UNBUNDLED LOCAL LOOP			002	OOOLI	0.00	0.00									
NOTE: 4	month minimum billing period															
	High Capacity Unbundled Local Loop - DS3 - Per Mile per month			UE3	1L5ND	10.92										
	High Capacity Unbundled Local Loop - DS3 - Facility Termination per month			UE3	UE3PX	386.88	556.37	343.01	139.13	96.84		11.90				
	High Capacity Unbundled Local Loop - STS-1 - Per Mile per month			UDLSX	1L5ND	10.92										
	High Capacity Unbundled Local Loop - STS-1 - Facility Termination per month			UDLSX	UDLS1	426.60	556.37	343.01	139.13	96.84		11.90		· · · · · · · · · · · · · · · · · · ·		
LOOP MAKE-UF				ODLOA	ODLOI	420.00	550.57	J 4 J.U1	138.13	90.04		11.90				
	Loop Makeup - Preordering Without Reservation, per working or															
	spare facility queried (Manual).			UMK	UMKLW		52.17	52.17								
	Loop Makeup - Preordering With Reservation, per spare facility queried (Manual).			UMK	UMKLP		55.07	55.07								
	Loop MakeupWith or Without Reservation, per working or spare facility queried (Mechanized)			UMK	PSUMK		0.6784	0.6784							·	
HIGH FREQUEN	ICY SPECTRUM			S.I.II.	. CONT		3.0704	3.0704	1	1						
	ERS-CENTRAL OFFICE BASED															
	Line Sharing Splitter, per System 96 Line Capacity - True up pending approval by PSC	1		ULS	ULSDA	119.72	379.13	0.00	347.90	0.00		0.00				

UNBUNDLED	NETWORK ELEMENTS - Florida												Attachment:	2		Exhibit: I
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec		curring	Nonrecurring					RATES (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Line Sharing Splitter, per System 24 Line Capacity - True up															
	pending approval by PSC	+		ULS	ULSDB	29.93	379.13	0.00	347.90	0.00		0.00				_
	Line Sharing Splitter, Per System, 8 Line Capacity	- 1	I	ULS	ULSD8	8.33	150.00	0.00	150.00	0.00		0.00				
	Line Sharing-DLEC Owned Splitter in CO-CFA activaton-		Ι.		LII CDC		445.70		00.00							
	deactivation (per LSOD) - True up pending approval by PSC Line Sharing-DLEC Owned Splitter in CO-CFA activation- deactivation (per occurance of each group of 24 lines) - True up pending approval by PSC			ULS	ULSDG		115.72 57.94		86.29							
END US	ER ORDERING-CENTRAL OFFICE BASED-HIGH FREQUENCY	SPECT	RUM A													
1	Line Sharing - per Line Activation - True up pending approval				1									Ì	Ì	1
	by PSC	- 1	1	ULS	ULSDC	0.00	29.68	21.28	19.57	9.61		10.73				
	Line Sharing - per Subsequent Activity per Line Rearrangement															
1	- True up pending approval by PSC	I	- 1	ULS	ULSDS		21.68	16.44				10.73		1	1	
	Line Splitting - per line activation DLEC owned splitter			UEPSR UEPSB	UREOS	0.61										
	Line Splitting - per line activation BST owned - physical		- 1	UEPSR UEPSB	UREBP	0.638	29.68	21.28	19.57	9.61						
	Line Splitting - per line activation BST owned - virtual		I	UEPSR UEPSB	UREBV	1.134	29.68	21.28	19.57	9.61						
																1
UNBUNDLED TI																
INTERO	FFICE CHANNEL - DEDICATED TRANSPORT - VOICE GRADE															
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -															
	Per Mile per month			U1TVX	1L5XX	0.0091										ļ
	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -															
	Facility Termination per month			U1TVX	U1TV2	25.32	47.35	31.78	18.31	7.03		11.90				ļ
	Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade Rev Bat Per Mile per month			U1TVX	1L5XX	0.0091										
	Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat Facility Termination per month			U1TVX	U1TR2	25.32	47.35	31.78	18.31	7.03		11.90				
	Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade -			LIATON	41.577	0.0004										
	Per Mile per month			U1TVX	1L5XX	0.0091										
	Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade - Facility Termination per month			U1TVX	U1TV4	22.58	47.35	31.78	18.31	7.03		11.90				
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month Interoffice Channel - Dedicated Transport - 56 kbps - Facility			U1TDX	1L5XX	0.0091										
	Termination per month			U1TDX	U1TD5	18.44	47.35	31.78	18.31	7.03		11.90				
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month			U1TDX	1L5XX	0.0091										
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination per month		1	U1TDX	U1TD6	18.44	47.35	31.78	18.31	7.03		11.90		1	1	
INTERA	FFICE CHANNEL - DEDICATED TRANSPORT - DS1		-	UIIDA	סטווט	10.44	41.33	31.78	10.31	1.03	 	11.90	1	1	1	
INTERO	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per				 	 								 	 	
	month Interoffice Channel - Dedicated Tranport - DS1 - Facility			U1TD1	1L5XX	0.1856										
INITEDO	Termination per month			U1TD1	U1TF1	88.44	105.54	98.47	21.47	19.05		11.90				
INTERO	FFICE CHANNEL - DEDICATED TRANSPORT- DS3 Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month			U1TD3	1L5XX	3.87										
	Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month			U1TD3	U1TF3	1,071.00	335.46	219.28	72.03	70.56		11.90				
INTERO	FFICE CHANNEL - DEDICATED TRANSPORT- STS-1				<u> </u>											
	Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per												_		_	
	month Interoffice Channel - Dedicated Transport - STS-1 - Facility			U1TS1	1L5XX	3.87										
LOCAL	Termination per month CHANNEL - DEDICATED TRANSPORT			U1TS1	U1TFS	1,056.00	335.46	219.28	72.03	70.56		11.90				
	OCAL CHANNEL DEDICATED TRANSPORT - minimum billing	nericd	- belc	v DS3-one morth F	193 and abou	e-four months			-		 	 	 	 	 	+

UNBUNDLED	NETWORK ELEMENTS - Florida												Attachment:	2		Exhibit: E
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)	I			Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrec		Nonrecurring					RATES (\$)		
	Local Channel - Dedicated - 2-Wire Voice Grade per month -						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Zone 1		1	ULDVX	ULDV2	21.94	265.84	46.97	37.63	4.00		11.90				
	Local Channel - Dedicated - 2-Wire Voice Grade per month -		2	LII DVAV	LII D) (0	00.00	005.04	40.07	07.00	4.00		44.00				
	Zone 2 Local Channel - Dedicated - 2-Wire Voice Grade per month -		2	ULDVX	ULDV2	29.62	265.84	46.97	37.63	4.00		11.90				
	Zone 3		3	UNDVX	ULDV2	57.22	265.84	46.97	37.63	4.00		11.90				
	Local Channel - Dedicated - 2-Wire Voice Grade Rev. Bat. Per month - Zone 1		1	ULDVX	ULDR2	21.94	265.84	46.97	37.63	4.00		11.90				
	Local Channel - Dedicated - 2-Wire Voice Grade Rev. Bat. Per Month - Zone 2		2	ULDVX	ULDR2	29.62	265.84	46.97	37.63	4.00		11.90				
	Local Channel - Dedicated - 2-Wire Voice Grade Rev. Bat. Per			CLDVA	OLDINA	23.02	200.04	40.37	31.03	4.00		11.50				
	Month - Zone 3		3	ULDVX	ULDR2	57.22	265.84	46.97	37.63	4.00		11.90				
	Local Channel - Dedicated - 4-Wire Voice Grade per month - Zone 1		1	UNDVX	ULDV4	22.81	266.54	47.67	44.22	5.33		11.90				
	Local Channel - Dedicated - 4-Wire Voice Grade per month -			CIADAX	OLD V T	22.01	200.04	41.01	77.22	0.00		11.50				
	Zone 2		2	UNDVX	ULDV4	30.79	266.54	47.67	44.22	5.33		11.90				
	Local Channel - Dedicated - 4-Wire Voice Grade per month - Zone 3		3	UNDVX	ULDV4	59.48	266.54	47.67	44.22	5.33		11.90				
	Local Channel - Dedicated - DS1 per month - Zone 1			ULDD1	ULDF1	35.28	216.65	183.54	24.30	16.95		11.90				
	Local Channel - Dedicated - DS1 per month - Zone 2			ULDD1	ULDF1	47.63	216.65	183.54	24.30	16.95		11.90				
	Local Channel - Dedicated - DS1 per month - Zone 3		3	ULDD1	ULDF1	92.01	216.65	183.54	24.30	16.95		11.90				
	Local Channel - Dedicated - DS3 - Per Mile per month Local Channel - Dedicated - DS3 - Facility Termination per			ULDD3	1L5NC	8.50										ļ
	month			ULDD3	ULDF3	531.91	556.37	343.01	139.13	96.84		11.90				
	Local Channel - Dedicated - STS-1- Per Mile per month			ULDS1	1L5NC	8.50										
	Local Channel - Dedicated - STS-1 - Facility Termination per															
MULTIPLEXERS	month			ULDS1	ULDFS	540.69	556.37	343.01	139.13	96.84		11.90				
MOETH LEXERS	Channelization - DS1 to DS0 Channel System			UXTD1	MQ1	146.77	101.42	71.62	11.09	10.49		11.90				
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per															
	month (2.4-64kbs)			UDL	1D1DD	2.10	10.07	7.08				11.90				
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month			UDN	UC1CA	3.66	10.07	7.08				11.90				
	Voice Grade COCI - DS1 to DS0 Channel System - per month			UEA	1D1VG	1.38	10.07	7.08				11.90				
	DS3 to DS1 Channel System per month			UXTD3	MQ3	211.19	199.28	118.64	40.34	39.07		11.90				<u> </u>
	STS1 to DS1 Channel System per month			UXTS1	MQ3	211.19	199.28	118.64	40.34	39.07		11.90				
DARK FIBER	DS3 Interface Unit (DS1 COCI) used with Loop per month			USL	UC1D1	13.76	10.07	7.08				11.90				
DAKK FIDEK	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction				+		ł									1
	Thereof per month - Local Channel	<u> </u>		UDF	1L5DC	55.04					<u> </u>	<u> </u>			<u> </u>	
	NRC Dark Fiber - Local Channel			UDF	UDFC4		751.34	193.88	356.21	230.11		11.90				
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Interoffice Channel			UDF	1L5DF	26.85										
 	NRC Dark Fiber - Interoffice Channel			UDF	UDF14	∠0.85	751.34	193.88	356.21	230.11		11.90				1
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction						.0.101	.00.00	555.21	200.71						
	Thereof per month - Local Loop			UDF	1L5DL	55.04										
TRANSPORT	NRC Dark Fiber - Local Loop			UDF	UDFL4		751.34	193.88	356.21	230.11		11.90				
TRANSPORT O	I HER Il Features & Functions:				+											1
Optiona	Clear Channel Capability (B8ZS/ESF) Option - Subsequent -				†											<u> </u>
	per DS1 Channel			UNC1X	CCOEF		184.92	23.82	2.07	0.80		11.90				
	Clear Channel Capability (B8ZS/SF) Option - Subsequent - per			LINICAV	CCCC		404.00	00.00	0.07	0.00		44.00				
8XX ACCESS T	DS1 Channel EN DIGIT SCREENING			UNC1X	CCOSF		184.92	23.82	2.07	0.80		11.90				1
1	8XX Access Ten Digit Screening, Per Call			OHD	†	0.0006252										<u> </u>
	8XX Access Ten Digit Screening, Reservation Charge Per 8XX			OHD	N8R1X		4.15	0.70				11.90				

UNBUNDLE	NETWORK ELEMENTS - Florida												Attachment:	2		Exhibit: E
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec	urring	Nonrecurring	g Disconnect				RATES (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	8XX Access Ten Digit Screening, Per 8XX No. Established W/O POTS Translations			OHD			8.78	1.18	5.77	0.70		11.90				
	8XX Access Ten Digit Screening, Per 8XX No. Established With POTS Translations			OHD	N8FTX		8.78	1.18	5.77	0.70		11.90				
	8XX Access Ten Digit Screening, Customized Area of Service Per 8XX Number			OHD	N8FCX		4.15	2.07				11.90				
	8XX Access Ten Digit Screening, Multiple InterLATA CXR Routing Per CXR Requested Per 8XX No.			OHD	N8FMX		4.85	2.78				11.90				
	8XX Access Ten Digit Screening, Change Charge Per Request			OHD	N8FAX		4.85	0.70				11.90				
	8XX Access Ten Digit Screening, Call Handling and Destination			0.15												
_	Features			OHD	N8FDX		4.15	4.15				11.90				
	8XX Access Ten Digit Screening, w/ 8XX No. Delivery, per query 8XX Access Ten Digit Screening, w/ POTS No. Delivery, per			OHD		0.0006252										
LINE INFORMA	query			OHD		0.0006252										
LINE INFORMA	LTION DATA BASE ACCESS (LIDB) LIDB Common Transport Per Query			OQT		0.0000203										
	LIDB Validation Per Query			OQU		0.0136959										
	LIDB Originating Point Code Establishment or Change			OQT, OQU	NRPBX	0.0100000	55.13	55.13	55.13	55.13		11.90				
SIGNALING (CO				,												
	CCS7 Signaling Termination, Per STP Port			UDB	PT8SX	135.05										
	CCS7 Signaling Usage, Per TCAP Message			UDB		0.0000607										
	CCS7 Signaling Connection, Per link (A link)			UDB	TPP++	17.93	43.57	43.57	18.31	18.31		11.90				
	CCS7 Signaling Connection, Per link (B link) (also known as D link)			UDB	TPP++	17.93	43.57	43.57	18.31	18.31		11.90				
	CCS7 Signaling Usage, Per ISUP Message			UDB		0.0000152										
	CCS7 Signaling Usage Surrogate, per link per LATA			UDB	STU56	694.32										
	CCS7 Signaling Point Code, per Originating Point Code			LIDD	00450		40.00	40.00	40.00	40.00		44.00				
E911 SERVICE	Establishment or Change, per STP affected			UDB	CCAPO		46.03	46.03	46.03	46.03		11.90				
E911 SERVICE	Local Channel - Dedicated - 2-wr Voice Grade - Zone 1					21.94	265.84	46.97	37.63	4.00		11.90				
	Local Channel - Dedicated - 2-wr Voice Grade - Zone 1 Local Channel - Dedicated - 2-wr Voice Grade - Zone 2				-	29.62	265.84	46.97	37.63	4.00		11.90				
	Local Channel - Dedicated - 2-wr Voice Grade - Zone 3					57.22	265.84	46.97	37.63	4.00		11.90				
	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile					0.0091										
	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility															
	Termination		<u> </u>		_	25.32	47.35	31.78	18.31	7.03		11.90				
-+-	Local Channel - Dedicated - DS1 - Zone 1		<u> </u>		+	35.28	216.65	183.54	21.47	19.05		11.90				
	Local Channel - Dedicated - DS1 - Zone 2 Local Channel - Dedicated - DS1 - Zone 3		!		-	47.63 92.01	216.65 216.65	183.54 183.54	21.47 21.47	19.05 19.05		11.90 11.90				
	Interoffice Transport - Dedicated - DS1 - Zone 3				+	0.1856	210.05	103.54	21.47	19.05		11.90				
	·		l													
CALLING NAM	Interoffice Transport - Dedicated - DS1 Per Facility Termination E (CNAM) SERVICE		<u> </u>			88.44	105.54	98.47	21.47	19.05		11.90				
J. LELINO IVAIVII	CNAM for DB Owners, Per Query		l	OQV	+	0.001024	+				1					
	CNAM for Non DB Owners, Per Query			OQV		0.001024	t t									
				OQV			25.35	25.35	19.01	19.01		11.90				
	CNAM For DB Owners - Service Establishment						05.05	25.35	19.01	19.01		11.90				
	CNAM For DB Owners - Service Establishment CNAM For Non DB Owners - Service Establishment			OQV			25.35	20.00	10.01							
	CNAM For DB Owners - Service Establishment CNAM For Non DB Owners - Service Establishment CNAM For DB Owners - Service Provisioning With Point Code			OQV								44.00				
	CNAM For DB Owners - Service Establishment CNAM For Non DB Owners - Service Establishment CNAM For DB Owners - Service Provisioning With Point Code Establishment						1,592.00	1,177.00	352.36	259.09		11.90				
	CNAM For DB Owners - Service Establishment CNAM For Non DB Owners - Service Establishment CNAM For DB Owners - Service Provisioning With Point Code			OQV								11.90 11.90				
LNP Query Serv	CNAM For DB Owners - Service Establishment CNAM For Non DB Owners - Service Establishment CNAM For DB Owners - Service Provisioning With Point Code Establishment CNAM For Non DB Owners - Service Provisioning With Point Code Establishment vice			OQV OQV			1,592.00	1,177.00	352.36	259.09						
LNP Query Sen	CNAM For DB Owners - Service Establishment CNAM For Non DB Owners - Service Establishment CNAM For DB Owners - Service Provisioning With Point Code Establishment CNAM For Non DB Owners - Service Provisioning With Point Code Establishment vice LNP Charge Per query			OQV OQV		0.000852	1,592.00 546.51	1,177.00 393.82	352.36 358.06	259.09 259.09		11.90				
LNP Query Sen	CNAM For DB Owners - Service Establishment CNAM For Non DB Owners - Service Establishment CNAM For DB Owners - Service Provisioning With Point Code Establishment CNAM For Non DB Owners - Service Provisioning With Point Code Establishment vice			OQV OQV		0.000852	1,592.00	1,177.00	352.36	259.09						

UNBUNDLE!	D NETWORK ELEMENTS - Florida												Attachment:	2		Exhibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)	I			Submitted Manually		Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec			g Disconnect				RATES (\$)		
	Oper. Call Processing - Oper. Provided, Per Min Using BST LIDB					1.20	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Oper. Call Processing - Oper. Provided, Per Min Using Foreign LIDB					1.24										
	Oper. Call Processing - Fully Automated, per Call - Using BST LIDB					0.20										
	Oper. Call Processing - Fully Automated, per Call - Using Foreign LIDB					0.20										
INWARD OPER	ATOR SERVICES]						1
	Inward Operator Services - Verification, Per Call					1.00					1					
	Inward Operator Services - Verification and Emergency Interrupt	1				\vdash	Т]			1			1
DD AND::::	- Per Call	ļ	1		1	1.95					1					
BRANDING - O	PERATOR CALL PROCESSING	ļ	1		CDAGC		7 000 00	7,000,00			<u> </u>	44.00				
	Recording of Custom Branded OA Announcement		 		CBAOS		7,000.00	7,000.00				11.90				
I lasta a	Loading of Custom Branded OA Announcement per shelf/NAV ding via OLNS for UNEP CLEC	 	1		CBAOL		500.00	500.00	-		1	11.90	-			+
Unbran			 				1 200 00	1 200 00			-	11.90				-
DIRECTORY A	Loading of OA per OCN (Regional) SSISTANCE SERVICES	1	+ +		+	-	1,200.00	1,200.00			 	11.90				+
	FORY ASSISTANCE ACCESS SERVICE	1	+ +		+	-					 					+
DIRECT	Directory Assistance Access Service Calls, Charge Per Call	 	 		1	0.271744			 	1	+		 			+
DIRECT	FORY ASSISTANCE CALL COMPLETION ACCESS SERVICE (DA	ACC)	+		+	0.211144			 	<u> </u>	1		 			+
D.I.LO	Directory Assistance Call Completion Access Service (DACC),	.50,														
	Per Call Attempt	l				0.10										
DIREC ¹	FORY TRANSPORT		1 1		1		İ			İ	1				İ	†
	SWA Common transport per Directory Assistance Access Service Call					0.0003										
	SWA Common Transport per Directory Assistance Access Service Call Mile					0.00004										
	Access Tandem Switching per Directory Assistance Access Service Call					0.00055										
	Directory Assistance Interconnection per Directory Assistance Access Service Call					0.00										
DIDECTORY	DS3 to DS1 Multiplexer per DA Access Service Call	!	\vdash		1	0.00018			 	 	 		 		ļ	+
	SSISTANCE SERVICES	ļ	\vdash		1						1					+
DIRECT	FORY ASSISTANCE DATA BASE SERVICE (DADS) Directory Assistance Data Base Service Charge Per Listing	 	1		+	0.04			 	 	1		 		-	+
\vdash	Directory Assistance Data Base Service Charge Per Listing Directory Assistance Data Base Service, per month	1	+		DBSOF	150.00	-		1	1	1		1		1	+
BRANDING - D	IRECTORY ASSISTANCE		+		20001	130.00			 	<u> </u>	1		 			+
	Based CLEC	1	1 +		1	+	-				1	1	 		1	
	Recording and Provisioning of DA Custom Branded Announcement		ļ.	AMT	CBADA		6,000.00	6,000.00								
	Loading of Custom Branded Announcement per DRAM Card/Switch		A	AMT	CBADC		1,170.00	1,170.00						-		
UNEP (ļ			ļ											
\square	Recording of DA Custom Branded Announcement	ļ			1		3,000.00	3,000.00								
<u> </u>	Loading of DA Custom Branded Announcement per DRAM Card/Switch per OCN						1,170.00	1,170.00								
Unbran	Iding via OLNS for UNEP CLEC	!	\vdash		1		400.00	400.00	 	 	 		 		ļ	+
-	Loading of DA per OCN (1 OCN per Order)	 	1		-	1	420.00	420.00	ļ	-	1		ļ			+
SELECTIVE RO	Loading of DA per Switch per OCN	 	1		+		16.00	16.00	 	 	1		 		-	+
SELECTIVE RC	Selective Routing Per Unique Line Class Code Per Request Per	 	+		1				-	-	 	-	-			+
	Switch	1			USRCR	1	93.55	93.55	12.71	12.71		11.90	1			1
VIRTUAL COLL		1	\vdash		JUNUK	+	ყა.აა	შა.შე	12.71	12./1	1	11.90	1		1	+
I I	Virtual Collocation - Application Cost		-	CLO	EAF	+	4,122.00	2,848.30			 		 			+
———	Virtual Collocation - Cable Installation Cost, per cable	1		CLO	ESPCX		965.00	2,750.00			1	1	 			

UNBUNDLED	NETWORK ELEMENTS - Florida											Attachment:	2		Exhibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Submitted Manually	Incremental Charge - Manual Svc	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonre	curring	Nonrecurring Disconnec	t			RATES (\$)		
							First	Add'l	First Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Virtual Collocation - Power, per breaker amp Virtual Collocation - Cable Support Structure, per entrance			CLO	ESPAX	6.95									
	cable			CLO	ESPSX	13.35									i .
	Virtual Collocation - 2-wire Cross Connects (loop)			ueanl,uea,udn,udc, ual,uhl,ucl,ueq,AMT FS	UEAC2	0.05	11.57	11.57			11.90				
	Virtual Collocation - 4-wire Cross Connects (loop)			uea,uhl,ucl,udl,AMT FS	UEAC4	0.05	11.57	11.57			11.90				i .
	Virtual Collocation - 2-Fiber Cross Connects (100p)			CLO	CNC2F	6.71	2,431.00	11.57			11.90				
	Virtual Collocation - 4-Fiber Cross Connects			CLO	CNC4F	6.71	2,431.00				11.90				
	Virtual Collocatin - DS1 Cross Connects			USL,ULC,CLO	CNC1X	7.50	155.00	14.00			11.90				
	Virtual Collocatin - DS3 Cross Connects			USL,ULC,CLO	CND3X	56.25	151.90	11.83			11.90				Ĺ
	Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable			AMETER	DE4E0	0.0000									ı
	Support Structure, per linear foot Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax			AMTFS	PE1ES	0.0028									
	Cable Support Structure, per linear ft			AMTFS	PE1DS	0.0041									ı
	Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure,per cable			AMTFS	T E I BO	0.0041	535.54								
	Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax														
	Cable Support Structure, per cable			AMTFS			535.54								L
	Virtual Collocatin - Security Escort - Basic, per quarter hour			CLO	SPTBQ		10.89								├
	Virtual Collocatin - Security Escort - Overtime, per quarter hour			CLO	SPTOQ		13.64								
	Virtual Collocatin - Security Escort - Premium, per quarter hour			CLO	SPTPQ		16.40								
	Virtual Collocation - 2-wire Cross Connects (loop), per 100 ckts			CLO		5.02	1,157.00			-					
	Virtual Collocation - 4-wire Cross Connects (loop), per 100 ckts			CLO		5.02	1,157.00								i .
	Virtual Collocation - DS-1/DCS, PER 28 CKTS			CLO	VE11S	226.39	1,950.00								
	Virtual Collocation - DS-1.DSX, PER 28 CKTS			CLO	VE11X	11.51	1,950.00								
	Virtual Collocation - DS-3/DCS, PER CKT			CLO	VE13S	56.97	528.00								
	Virtual Collocation - DS-3/DSC, PER CKT Virtual Collocation - Virtual to Virtual connection, per fiber, per			CLO	VE13X	10.06	528.00								
	Virtual Collocation - Virtual to Virtual connection - DS1/DS-3, per			CLO		0.19	526.17								
	cable			CLO		0.17	134.46								
	Virtual Collocatin - Maintenance in CO - Basic, per quarter hour Virtual Collocatin - Maintenance in CO - Overtime, per quarter			CLO	SPTRE		10.89								
	Virtual Collocatin - Maintenance in CO - Overnine, per quarter Virtual Collocatin - Maintenance in CO - Premium per quarter			CLO	SPTOE		13.64								
	hour			CLO	SPTPE		16.40								ĺ
VIRTUAL COLL	OCATION			_											
	Virtual Collocation - 2-wire Cross Connect, Exchange Port 2- Wire Analog - Res			UEPSR	VE1R2	0.524	11.57	11.57			11.90				
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Voice Grade Res			UEPRX	PE1R2	0.524	11.57	11.57			11.90				
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2- Wire Line Side PBX Trunk - Bus			UEPSP	VE1R2	0.524	11.57	11.57			11.90				
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire										l				1
	Voice Grade PBX Trunk - Res Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire			UEPSE	VE1R2	0.524	11.57	11.57			11.90				
\vdash	Analog Bus Virtual Collocation 2-Wire Cross Connect, Exchnage Port 2-Wire			UEPSB	VE1R2	0.524	11.57	11.57			11.90				
	ISDN			UEPSX	VE1R2	0.524	11.57	11.57			11.90				<u> </u>

UNBUNDLI	ED NETWORK ELEMENTS - Florida												Attachment:	2		Exhibit: B
CATEGOR		Interi m	Zone	BCS	USOC			RATES(\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs.		Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrec		Nonrecurring					RATES (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire ISDN			UEPTX	VE1R2	0.524	11.57	11.57				11.90				
	Virtual Collocation 4-Wire Cross Connect, Exchange Port DDITS 4-Wire DS1			UEPDD	VE1R4	0.524	11.57	11.57				11.90				
i	Virtual Collocation 4-Wire Cross Connect, Exchange Port 4-Wire															
	ISDN DS1			UEPEX	VE1R4	0.524	11.57	11.57				11.90				
VIRTUAL CO					1											
	Virtual Collocation-2 Wire Cross Connects (Loop) for Line			HEDER HEDER	VE41.0	0.0207	22.00	24.05				10.70				1
AIN SELECT	Splitting VE CARRIER ROUTING			UEPSR, UEPSB	VE1LS	0.0297	33.86	31.95			 	10.73	-			
AIN SELECTI	Regional Service Establishment			SRC	SRCEC		193,444.00		7,737.00		1	11.90	1	1		
 	End Office Establishment			SRC	SRCEO		187.36	187.36	0.69	0.69		11.90				
	Query NRC, per query			SRC	0.1020	0.0031868	101.00	101.00	0.00	0.00		11.00				
AIN - BELLSO	OUTH AIN SMS ACCESS SERVICE			-									İ	Ì		
	AIN SMS Access Service - Service Establishment, Per State,															
	Initial Setup			A1N	CAMSE		43.56	43.56	44.93	44.93		11.90				
	AIN SMS Access Service - Port Connection - Dial/Shared Access			A1N	CAMDP		8.64	8.64	10.03	10.03		11.90				,
h h	AIN SMS Access Service - Port Connection - ISDN Access			A1N	CAM1P		8.64	8.64	10.03	10.03		11.90				-
h	AIN SMS Access Service - User Identification Codes - Per User			7.111	O/ WITT		0.04	0.04	10.00	10.00		11.00				
	ID Code			A1N	CAMAU		38.66	38.66	29.88	29.88		11.90				,
	AIN SMS Access Service - Security Card, Per User ID Code, Initial or Replacement			A1N	CAMRC		75.10	75.10	12.93	12.93		11.90				
	AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)					0.0028			12.00							
	AIN SMS Access Service - Session, Per Minute					0.7809										
	AIN SMS Access Service - Company Performed Session, Per															1
	Minute					0.4609										
AIN - BELLS	OUTH AIN TOOLKIT SERVICE				1											
	AIN Toolkit Service - Service Establishment Charge, Per State,			0444	D 4 DOO		40.50	40.50	44.00	44.00		44.00				
-	Initial Setup AIN Toolkit Service - Training Session, Per Customer		1	CAM	BAPSC BAPVX		43.56 8,439.00	43.56 8,439.00	44.93	44.93		11.90 11.90				-
h h	AIN Toolkit Service - Training Session, Fer Customer AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				DAFVA		6,439.00	6,439.00				11.90				-
	DN, Term. Attempt				BAPTT		8.64	8.64	10.03	10.03		11.90				
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				BAPTD		0.04	0.04	40.00	40.00		44.00				
	DN, Off-Hook Delay AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				BAPID		8.64	8.64	10.03	10.03		11.90				
	DN, Off-Hook Immediate				BAPTM		8.64	8.64	10.03	10.03		11.90				
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, 10-Digit PODP				ВАРТО		38.06	38.06	15.86	15.86		11.90				
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN. CDP				ВАРТС		38.06	38.06	15.86	15.86		11.90				
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
	DN, Feature Code				BAPTF		38.06	38.06	15.86	15.86		11.90				
\vdash	AIN Toolkit Service - Query Charge, Per Query		.			0.0535927										 '
	AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit Subscription, Per Node, Per Query					0.0063698										
	AIN Toolkit Service - SCP Storage Charge, Per SMS Access Account, Per 100 Kilobytes					0.06										
	AIN Toolkit Service - Monthly report - Per AIN Toolkit Service						0.71									
	Subscription AIN Toolkit Service - Special Study - Per AIN Toolkit Service			CAM	BAPMS	8.34	8.64	8.64	6.08	6.08		11.90				
	Subscription			CAM	BAPLS	3.73	9.56	9.56				11.90				
	AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service Subscription			CAM	BAPDS	4.73	8.64	8.64	6.08	6.08		11.90				<u> </u>
	AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit			CAM	BAPES	0.12	9.56	9.56				11.90				
ENHANCED	Service Subscription EXTENDED LINK (EELs)	 		CAW	DAFES	0.12	9.56	9.56			<u> </u>	11.90				
LINITAINCED E	VI FIANTO FIIAL (FEFS)	<u> </u>	1		1				l		1	1	I	1		

NBUNDLE	NETWORK ELEMENTS - Florida						· · · · · · · · · · · · · · · · · · ·			· · · · · · · · · · · · · · · · · · ·			Attachment:	2		Exhibit:
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			1	Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge Manual S Order vs Electroni Disc Add
						Rec	Nonrec	urring	Nonrecurring	Disconnect				RATES (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	New EELs available in State of Georgia, density zone 1 of follor Charlotte-Gastonia-Rockhill, NC; Greensboro-Winston Salem-H							Orleans, LA;								
NOTE	Shanotte-Gastonia-Rockillii, NC, Greensboro-Winston Saleni-n	iigii Fo	int, NC.	. Use all rates below	except Switt	chi As is Charge	;									
NOTE: I	n all states, EEL network elements shown below also apply to	curren	tly com	bined facilities which	h are conve	ted to UNF rate	s. A Switch As	Is Charge an	nlies to curren	tly combined t	acilities cor	verted to U	NFs.(Non-rec	urring rates d	lo not apply.)	
	n GA, TN, KY, LA & MS, the EEL network elements apply to ore							o to ontaingo ap	pilos to californ	,				arring rates a	 	
2-WIRE	VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTE	ROFFIC	E TRA	NSPORT (EEL)	,		,									
	First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport															
	Combination - Zone 1		1	UNCVX	UEAL2	14.50	127.59	60.54	48.00	6.31		11.90				
	First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 2		2	UNCVX	UEAL2	19.57	127.59	60.54	48.00	6.31		11.90				
	First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed			OINOVA	ULALZ	19.57	127.59	60.54	40.00	0.31	 	11.90				
	Transport Combination - Zone 3		3	UNCVX	UEAL2	37.82	127.59	60.54	48.00	6.31		11.90				
	Interoffice Transport - Dedicated - DS1 combination - Per Mile															
	per month			UNC1X	1L5XX	0.1856										
	Interoffice Transport - Dedicated - DS1 combination - Facility				=.		.=									
	Termination per month			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95		11.90				
	DS1 Channelization System Per Month Voice Grade COCI - DS1 To Ds0 Interface - Per Month			UNC1X UNCVX	MQ1 1D1VG	146.77 1.38	57.28 6.71	14.74 4.84	1.50	1.34						
	Each Additional 2-Wire VG Loop(SL 2) in the same DS1			UNCVX	IDIVG	1.30	0.71	4.04								
	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL2	14.50	127.59	60.54	48.00	6.31		11.90				
	Each Additional 2-Wire VG Loop(SL2) in the same DS1															
	Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL2	19.57	127.59	60.54	48.00	6.31		11.90				
	Each Additional 2-Wire VG Loop(SL2) in the same DS1															
	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL2	37.82	127.59	60.54	48.00	6.31		11.90				
	Voice Grade COCI - DS1 to DS0 Channel System combination - per month			UNCVX	1D1VG	1.38	6.71	4.84								
	Nonrecurring Currently Combined Network Elements Switch -As-			UNCVX	IDIVG	1.38	6.71	4.84								
	Is Charge			UNC1X	UNCCC		8.98	8.98	8.98	8.98		11.90				
4-WIRE	VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTE	ROFFIC	E TRA		0.1000		0.00	0.00	0.00	0.00		11.00				
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	23.02	127.59	60.54	48.00	6.31		11.90				
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice															
	Transport Combination - Zone 2		2	UNCVX	UEAL4	31.07	127.59	60.54	48.00	6.31		11.90				
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	60.02	127.59	60.54	48.00	6.31		11.90				
	Interoffice Transport - Dedicated - DS1 combination - Per Mile		3	UNUVA	OL'AL4	60.02	127.59	60.54	40.00	0.31		11.90				
	Per Month			UNC1X	1L5XX	0.1856										
	Interoffice Transport - Dedicated - DS1 - Facility Termination Per						İ									
	Month			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95		11.90				
	Channelization - Channel System DS1 to DS0 combination Per Month			UNC1X	MQ1	146.77	57.28	14.74	1.50	1.34						
	Voice Grade COCI - DS1 to DS0 Channel System combination -			-			56									
	per month			UNCVX	1D1VG	1.38	6.71	4.84								
	Additional 4-Wire Analog Voice Grade Loop in same DS1						,					,				
_	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	23.02	127.59	60.54	48.00	6.31		11.90				
	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	31.07	127.59	60.54	48.00	6.31		11.90				
+	Additional 4-Wire Analog Voice Grade Loop in same DS1			0110 V/	OLAL4	31.07	121.39	00.54	40.00	0.31	 	11.50				
	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	60.02	127.59	60.54	48.00	6.31		11.90				
	Voice Grade COCI - DS1 to DS0 Channel System combination -															
	per month			UNCVX	1D1VG	1.38	6.71	4.84								
	Nonrecurring Currently Combined Network Elements Switch -As-			LINGAY	LINIOGO							,,				
A-M/IDE	Is Charge 56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 IN	ITEPO	FICE	UNC1X	UNCCC		8.98	8.98	8.98	8.98		11.90				
4-WIKE	First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice	· · LKUF	I ICE I	MANOFURI (EEL)												
	Transport Combination - Zone 1		1	UNCDX	UDL56	26.39	127.59	60.54	48.00	6.31	1	11.90			l	l

UNBUNDLED	NETWORK ELEMENTS - Florida												Attachment:	2		Exhibit: E
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'I
						Rec	Nonred	curring	Nonrecurring	g Disconnect			oss	RATES (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	First 4-wire 56Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	35.62	127.59	60.54	48.00	6.31		11.90				İ
	First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice		_													
	Transport Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile		3	UNCDX	UDL56	68.82	127.59	60.54	48.00	6.31		11.90				<u> </u>
	Per Month			UNC1X	1L5XX	0.1856										
	Interoffice Transport - Dedicated - DS1 - combination Facility Termination Per Month			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95		11.90				ĺ
	Channelization - Channel System DS1 to DS0 combination Per											11.50				
	Month OCU-DP COCI (data) - DS1 to DS0 Channel System - per			UNC1X	MQ1	146.77	57.28	14.74	1.50	1.34						
	month (2.4-64kbs)			UNCDX	1D1DD	2.10	6.71	4.84								
	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	26.39	127.59	60.54	48.00	6.31		11.90				
	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1		<u>'</u>	UNCDX	UDLS6	20.39	127.59	60.54	40.00	0.31		11.90				
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	35.62	127.59	60.54	48.00	6.31		11.90				
	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	68.82	127.59	60.54	48.00	6.31		11.90				ĺ
	OCU-DP COCI (data) - DS1 to DS0 Channel System -															
	combination per month (2.4-64kbs) Nonrecurring Currently Combined Network Elements Switch -As-			UNCDX	1D1DD	2.10	6.71	4.84								—
	Is Charge			UNC1X	UNCCC		8.98	8.98	8.98	8.98		11.90				
4-WIRE	64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 IN First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice	ITERO	FICE 1	RANSPORT (EEL)												
	Transport Combination - Zone 1		1	UNCDX	UDL64	26.39	127.59	60.54	48.00	6.31		11.90				ĺ
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice			. m.opv	LIBL 64		407.50		40.00							
	Transport Combination - Zone 2 First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice		2	UNCDX	UDL64	35.62	127.59	60.54	48.00	6.31		11.90				
	Transport Combination - Zone 3		3	UNCDX	UDL64	68.82	127.59	60.54	48.00	6.31		11.90				
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0.1856										ĺ
	Interoffice Transport - Dedicated - DS1 combination - Facility			ONCIX	ILJAA	0.1030										
	Termination Per Month Channelization - Channel System DS1 to DS0 combination Per			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95		11.90				
	Month			UNC1X	MQ1	146.77	57.28	14.74	1.50	1.34						ĺ
	OCU-DP COCI (data) - DS1 to DS0 Channel System															
	combination - per month (2.4-64kbs) Additional 4-Wire 64Kbps Digital Grade Loopin same DS1			UNCDX	1D1DD	2.10	6.71	4.84								
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	26.39	127.59	60.54	48.00	6.31		11.90				
	Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	35.62	127.59	60.54	48.00	6.31		11.90				ĺ
	Additional 4-Wire 64Kbps Digital Grade Loopin same DS1															
	Interoffice Transport Combination - Zone 3 OCU-DP COCI (data) - DS1 to DS0 Channel System		3	UNCDX	UDL64	68.82	127.59	60.54	48.00	6.31		11.90				
	combination - per month (2.4-64kbs)			UNCDX	1D1DD	2.10	6.71	4.84								1
	Nonrecurring Currently Combined Network Elements Switch -As-								0.00	0.00		44.00				
4-WIRE	Is Charge DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INTER	ROFFIC	E TRAI	UNC1X NSPORT (EEL)	UNCCC		8.98	8.98	8.98	8.98		11.90	<u> </u>			
	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice			` ,			e									
	Transport - Zone 1 4-Wire DS1 Digital Loop in Combination with DS1 Interoffice		1	UNC1X	USLXX	73.44	217.75	121.62	51.44	14.45		11.90				
	Transport - Zone 2		2	UNC1X	USLXX	99.13	217.75	121.62	51.44	14.45		11.90				
	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 3		3	UNC1X	USLXX	191.51	217.75	121.62	51.44	14.45		11.90				1
	Interoffice Transport - Dedicated - DS1 combination - Per Mile						211.13	121.02	31.44	17.40		11.50	<u> </u>			
	Per Month			UNC1X	1L5XX	0.1856										<u> </u>

UNBUNDLED	NETWORK ELEMENTS - Florida												Attachment:	2		Exhibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Submitted Manually		Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrec		Nonrecurring					RATES (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95		11.90				
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge	1		UNC1X	UNCCC		8.98	8.98	8.98	8.98		11.90				,
4-WIRE	DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTER	ROFFIC	F TRAI		ONOCC		0.90	0.90	0.30	0.30		11.30				
1	First DS1Loop in DS3 Interoffice Transport Combination - Zone															
	1		1	UNC1X	USLXX	73.44	217.75	121.62	51.44	14.45		11.90				
	First DS1Loop in DS3 Interoffice Transport Combination - Zone															
	2		2	UNC1X	USLXX	99.13	217.75	121.62	51.44	14.45		11.90				
	First DS1Loop in DS3 Interoffice Transport Combination - Zone		3	UNC1X	USLXX	191.51	217.75	121.62	51.44	14.45		11.90				
 	Interoffice Transport - Dedicated - DS3 combination - Per Mile		3	UNCIA	USLAA	181.51	211.75	121.02	51.44	14.45	1	11.90				
	Per Month			UNC3X	1L5XX	3.87										
	Interoffice Transport - Dedicated - DS3 - Facility Termination per										1			İ		
	month			UNC3X	U1TF3	1,071.00	320.00	138.20	38.60	18.81		11.90				
	DS3 to DS1 Channel System combination per month			UNC3X	MQ3	211.19	115.50	56.54	12.16	4.26						
	DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	13.76	6.71	4.84								
	Additional DS1Loop in DS3 Interoffice Transport Combination -		1	LINIOAV	1101.307	70.44	047.75	404.00	54.44	44.45		44.00				
	Zone 1		1	UNC1X	USLXX	73.44	217.75	121.62	51.44	14.45		11.90				
	Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 2		2	UNC1X	USLXX	99.13	217.75	121.62	51.44	14.45		11.90				
	Additional DS1Loop in DS3 Interoffice Transport Combination -			UNCIA	USLAA	99.13	217.73	121.02	31.44	14.45		11.90				
	Zone 3		3	UNC1X	USLXX	191.51	217.75	121.62	51.44	14.45		11.90				
	DS3 Interface Unit (DS1 COCI) combination per month		_	UNC1X	UC1D1	13.76	6.71	4.84								
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNC3X	UNCCC		8.98	8.98	8.98	8.98		11.90				
2-WIRE	VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GRADE INTE	ROFFI	CE TRA	NSPORT (EEL)												
	2-WireVG Loop used with 2-wire VG Interoffice Transport			LINCVA	LIEALO	44.50	407.50	CO 54	40.00	0.04		44.00				
	Combination - Zone 1 2-WireVG Loop used with 2-wire VG Interoffice Transport		1	UNCVX	UEAL2	14.50	127.59	60.54	48.00	6.31		11.90				
	Combination - Zone 2		2	UNCVX	UEAL2	19.57	127.59	60.54	48.00	6.31		11.90				
	2-WireVG Loop used with 2-wire VG Interoffice Transport			ONOVA	OLALZ	19.57	127.03	00.54	40.00	0.51		11.30				
	Combination - Zone 3		3	UNCVX	UEAL2	37.82	127.59	60.54	48.00	6.31		11.90				
	Interoffice Transport - Dedicated - 2-wire VG combination - Per															
	Mile Per Month			UNCVX	1L5XX	0.0091										
	Interoffice Transport - Dedicated - 2- Wire Voice Grade	l						====								
	combination - Facility Termination per month	1		UNCVX	U1TV2	25.32	94.70	52.59	45.28	18.03		11.90	-	-		
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge	1		UNCVX	UNCCC		8.98	8.98	8.98	8.98		11.90				
4-WIRF	VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRADE INTE	ROFFI	CE TRA		0.1000		0.30	0.90	0.30	0.30	1	11.30				
	4-WireVG Loop used with 4-wire VG Interoffice Transport				1						1			İ		<u> </u>
	Combination - Zone 1	<u> </u>	1	UNCVX	UEAL4	23.02	127.59	60.54	48.00	6.31		11.90				
	4-WireVG Loop used with 4-wire VG Interoffice Transport															
	Combination - Zone 2		2	UNCVX	UEAL4	31.07	127.59	60.54	48.00	6.31		11.90	ļ	ļ		
	4-WireVG Loop used with 4-wire VG Interoffice Transport		_	1110101												
 	Combination - Zone 3	1	3	UNCVX	UEAL4	60.02	127.59	60.54	48.00	6.31	<u> </u>	11.90	 	 		1
	Interoffice Transport - Dedicated - 4-wire VG combination - Per Mile Per Month			UNCVX	1L5XX	0.0091										
 	Interoffice Transport - Dedicated - 4- Wire Voice Grade	 		0.40 47	ILUAA	0.0091					 	<u> </u>	 	1		
	combination - Facility Termination per month	l		UNCVX	U1TV4	22.58	94.70	52.59	45.28	18.03		11.90				
	Nonrecurring Currently Combined Network Elements Switch -As-				1		20	200	20	. 2.00						
	Is Charge			UNCVX	UNCCC		8.98	8.98	8.98	8.98		11.90				
DS3 DIG	ITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFICE	TRAN	SPORT	(EEL)												
	High Capacity Unbundled Local Loop - DS3 combination - Per	l														
	Mile per month	1		UNC3X	1L5ND	10.92							-	-		
	High Capacity Unbundled Local Loop - DS3 combination - Facility Termination per month	l		UNC3X	UE3PX	386.88	226.42	154.73	67.10	26.27						
LL	r admity reminiation per month	<u> </u>	Ь	UNUUA	ULJEA	300.00	220.42	104.73	07.10	20.21	<u> </u>	1	L	l	1	<u> </u>

UNBUNDLED	NETWORK ELEMENTS - Florida												Attachment:	2		Exhibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Submitted Manually		Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					RATES (\$)		
	Interesting Transport Desirated DC2 Des Mile and recent			UNC3X	1L5XX	3.87	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - DS3 - Per Mile per month Interoffice Transport - Dedicated - DS3 combination - Facility			UNC3X	TLOAX	3.87	+									
	Termination per per month			UNC3X	U1TF3	1,071.00	320.00	138.20	38.60	18.81		11.90				
	Nonrecurring Currently Combined Network Elements Switch -As- ls Charge			UNC3X	UNCCC	1,011100	8.98	8.98	8.98	8.98		11.90				
	GITAL EXTENDED LOOP WITH DEDICATED STS1 INTEROFFI	CE TRA	NSPO		UNCCC		0.90	0.90	0.30	0.30		11.30				
	High Capacity Unbundled Local Loop - STS1 combination - Per Mile per month			UNCSX	1L5ND	10.92										
	High Capacity Unbundled Local Loop - STS1 combination - Facility Termination per month			UNCSX	UDLS1	426.60	226.42	154.73	67.10	26.27						
	Interoffice Transport - Dedicated - STS1 combination - Per Mile															
	per month Interoffice Transport - Dedicated - STS1 combination - Facility			UNCSX	1L5XX	3.87										
	Termination per month			UNCSX	U1TFS	1,056.00	320.00	138.20	38.60	18.81		11.90				
	Nonrecurring Currently Combined Network Elements Switch -As- ls Charge			UNCSX	UNCCC		8.98	8.98	8.98	8.98		11.90				
	SDN EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPORT	(EEL)														
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 1		1	UNCNX	U1L2X	21.76	127.59	60.54	48.00	6.31		11.90				
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination		-	UNCIVA	UTLZX	21.70	127.59	00.34	46.00	0.31		11.90				
	Transport - Zone 2		2	UNCNX	U1L2X	29.38	127.59	60.54	48.00	6.31		11.90				
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 3		3	UNCNX	U1L2X	56.76	127.59	60.54	48.00	6.31		11.90				
	Interoffice Transport - Dedicated - DS1 combination - Per Mile			UNC1X	1L5XX	0.1856										
	Interoffice Transport - Dedicated - DS1 combintion - Facility Termination per month			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95		11.90				
	Channelization - Channel System DS1 to DS0 combination - per month			UNC1X	MQ1	146.77	57.28	14.74	1.50	1.34						
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System combination - per month			UNCNX	UC1CA	3.66	6.71	4.84								
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport															
	Combination - Zone 1 Additional 2-wire ISDN Loop in same DS1Interoffice Transport		1	UNCNX	U1L2X	21.76	127.59	60.54	48.00	6.31		11.90				
	Combination - Zone 2		2	UNCNX	U1L2X	29.38	127.59	60.54	48.00	6.31		11.90				
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 3		3	UNCNX	U1L2X	56.76	127.59	60.54	48.00	6.31		11.90				
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System combintaion- per month			UNCNX	UC1CA	3.66	6.71	4.84								
	Nonrecurring Currently Combined Network Elements Switch -As- ls Charge			UNC1X	UNCCC		8.98	8.98	8.98	8.98		11.90				
4-WIRE D	DS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 INT	EROFF	CE TR		3		0.00	0.00	0.00	0.30	1	11.50				
	First DS1 Loop in STS1 Interoffice Transport Combination - Zone 1		1	UNC1X	USLXX	73.44	217.75	121.62	51.44	14.45		11.90				
	First DS1 Loop in STS1 Interoffice Transport Combination - Zone 2		2	UNC1X	USLXX	99.13	217.75	121.62	51.44	14.45		11.90				
	First DS1 Loop in STS1 Interoffice Transport Combination - Zone 3		3	UNC1X	USLXX	191.51	217.75	121.62	51.44	14.45		11.90				
	Per Month		,	UNCSX	1L5XX	3.87	217.73	121.02	31.44	17.43		11.90				
	Termination - Facility Termination			UNCSX	U1TFS	1,056.00	320.00	138.20	38.60	18.81		11.90				
	STS1 to DS1 Channel System conbination per month			UNCSX	MQ3	1,056.00	320.00	138.∠0	38.00	18.81	1	11.90				
	DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	13.76	6.71	4.84			1					
	Additional DS1Loop in STS1 Interoffice Transport Combination - Zone 1		1	UNC1X	USLXX	73.44	217.75	121.62	51.44	14.45		11.90				
	Additional DS1Loop in STS1 Interoffice Transport Combination - Zone 2		2	UNC1X	USLXX	99.13	217.75	121.62	51.44	14.45		11.90				

UNBUNDI FE	NETWORK ELEMENTS - Florida												Attachment:	2		Exhibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually	Incremental Charge - Manual Svc	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonre	curring	Nonrecurring	g Disconnect			oss i	RATES (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Additional DS1Loop in STS1 Interoffice Transport Combination -		_													ł
	Zone 3		3	UNC1X	USLXX	191.51 13.76	217.75	121.62 4.84	51.44	14.45	1	11.90				
	DS3 Interface Unit (DS1 COCI) combination per month Nonrecurring Currently Combined Network Elements Switch -As-			UNC1X	UC1D1	13.76	6.71	4.84			1					
	Is Charge	1		UNCSX	UNCCC		8.98	8.98	8.98	8.98		11.90				ł
4-WIRF	56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS INTEROFI	FICE TE	ANSP		UNCCC		0.90	0.90	0.90	0.50		11.90				
4 111112	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport	10 <u>2 11</u>		OITT (LLL)												
	Combination - Zone 1		1	UNCDX	UDL56	26.39	127.59	60.54	48.00	6.31		11.90				ł
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport															
	Combination - Zone 2		2	UNCDX	UDL56	35.62	127.59	60.54	48.00	6.31		11.90				<u> </u>
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport															
	Combination - Zone 3		3	UNCDX	UDL56	68.82	127.59	60.54	48.00	6.31		11.90				
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -			LINODY	41.500/	0.0004										ł
+	Per Mile			UNCDX	1L5XX	0.0091					1					
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Facility Termination			UNCDX	U1TD5	18.44	94.70	52.59	45.28	18.03		11.90				ł
	Nonrecurring Currently Combined Network Elements Switch -As-			UNCDA	01103	10.44	34.70	32.39	45.20	10.03		11.90				
	Is Charge			UNCDX	UNCCC		8.98	8.98	8.98	8.98		11.90				ł
4-WIRE	64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTEROF	FICE TE	RANSP													
	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport			` '												i i
	Combination - Zone 1		1	UNCDX	UDL64	26.39	127.59	60.54	48.00	6.31		11.90				<u> </u>
	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport															ĺ
	Combination - Zone 2		2	UNCDX	UDL64	35.62	127.59	60.54	48.00	6.31		11.90				<u> </u>
	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	68.82	127.59	60.54	48.00	6.31		11.90				
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Per Mile			UNCDX	1L5XX	0.0091										
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -			LINCDY	LIATEC	40.44	04.70	50.50	45.00	40.00		44.00				ł
+	Facility Termination			UNCDX	U1TD6	18.44	94.70	52.59	45.28	18.03		11.90				
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge	1		UNCDX	UNCCC		8.98	8.98	8.98	8.98		11.90				ł
ADDITIONAL N	ETWORK ELEMENTS			UNCDA	UNCCC		0.90	0.90	0.90	0.50		11.90				
	sed as a part of a currently combined facility, the non-recurrn	a charc	ies do	not apply, but a Swi	itch As Is ch	arge does app	v.									
	sed as ordinarilty combined network elements in Georgia, the															i
Node (S	SynchroNet)															i
Nonrecu	urring Currently Combined Network Elements "Switch As Is" C	harge (One ap	plies to each combi	nation)			-							·	
	2/4-Wire VG Interoffice Channel used in a COMBINATION - "Switch As Is" Conversion Charge			UNCVX	UNCCC		8.98	8.98	8.98	8.98		11.90				<u></u>
	56/64 kbps Interoffice Channel used in a COMBINATION - "Switch As Is" Conversion Charge			UNCDX	UNCCC		8.98	8.98	8.98	8.98		11.90				
	DS1 Interoffice Channel used in a COMBINATION - "Switch As Is" Conversion Charge			UNC1X	UNCCC		8.98	8.98	8.98	8.98		11.90				
	DS3 Interoffice Channel used in a COMBINATION - "Switch As Is" Conversion Charge			UNC3X	UNCCC		8.98	8.98	8.98	8.98		11.90				
	STS1 Interoffice or Local Loop used in a COMBINATION - "Switch As Is" Conversion Charge			UNCSX	UNCCC		8.98	8.98	8.98	8.98		11.90				
NOTE: L	ocal Channel - Dedicated Transport - minimum billing period	- Below	DS3=0			months										i
UNBUNDLED L	OCAL EXCHANGE SWITCHING(PORTS)															
	ge Ports			<u> </u>												ļ
	Although the Port Rate includes all available features in GA, K	Y, LA &	TN, the	e desired features wi	Il need to be	ordered using	retail USOCs									
2-WIRE	VOICE GRADE LINE PORT RATES (RES)	-	-	LIEDOD	HEDDI	4.40	0.74	2.00	4.00	4.00		44.00				
\vdash	Exchange Ports - 2-Wire Analog Line Port- Res.	<u> </u>	 	UEPSR	UEPRL	1.40	3.74	3.63	1.88	1.80	-	11.90				
	Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.			UEPSR	UEPRC	1.40	3.74	3.63	1.88	1.80		11.90				
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Res.			UEPSR	UEPRO	1.40	3.74	3.63	1.88	1.80		11.90				l

BUNDLED	NETWORK ELEMENTS - Florida												Attachment:	2		Exhibi
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			Submitted Elec	Svc Order Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Order vs. Electronic-	Charg Manual Order Electro
											per LSR	per LSR	1st	Add'l	Disc 1st	Disc A
						Doo	Managa		Namaaaa	Dianamana			000	RATES (\$)		
			1			Rec	Nonrec First	Add'l	First	g Disconnect Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
	Exchange Ports - 2-Wire VG unbundled Florida area calling with						11130	Addi	11100	Addi	COME	OOMAN	COMPAR	COMPAN	COMPAR	
	Caller ID - Res.			UEPSR	UEPAF	1.40	3.74	3.63	1.88	1.80		11.90				
	Exchange Ports - 2-Wire VG unbundled res, low usage line port															
	with Caller ID (LUM)			UEPSR	UEPAP	1.40	3.74	3.63	1.88	1.80		11.90				-
FEATUR	Subsequent Activity			UEPSR	USASC	0.00	0.00	0.00								+
FLATOR	All Available Vertical Features			UEPSR	UEPVF	2.26	0.00	0.00				11.90				+
2-WIRE	VOICE GRADE LINE PORT RATES (BUS)			02. 0.0	02. 1.	2.20	0.00	0.00				11100			İ	1
	Exchange Ports - 2-Wire Analog Line Port without Caller ID -															
	Bus			UEPSB	UEPBL	1.40	3.74	3.63	1.88	1.80		11.90				
	Exchange Ports - 2-Wire VG unbundled Line Port with															
	unbundled port with Caller+E484 ID - Bus.			UEPSB	UEPBC	1.40	3.74	3.63	1.88	1.80		11.90				-
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus.		1	UEPSB	UEPBO	1.40	3.74	3.63	1.88	1.80		11.90				
	Exhange Ports - 2-Wire VG unbundled incoming only port with		 	OLFOD	OLFBU	1.40	3.14	3.03	1.08	1.60		11.90				+
	Caller ID - Bus			UEPSB	UEPB1	1.40	3.74	3.63	1.88	1.80		11.90				
	Subsequent Activity			UEPSB	USASC	0.00	0.00	0.00	1.00	1.00		11100			İ	1
FEATUR																
	All Available Vertical Features			UEPSB	UEPVF	2.26	0.00	0.00				11.90				
EXCHAN	IGE PORT RATES (DID & PBX)															
	2-Wire VG Unbundled 2-Way PBX Trunk - Res			UEPSE	UEPRD	1.40	39.06	18.18	12.35	0.7187		11.90				
	2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus			UEPSP	UEPPC	1.40	39.06	18.18	12.35	0.7187		11.90				
	2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus 2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus			UEPSP UEPSP	UEPPO UEPP1	1.40 1.40	39.06 39.06	18.18 18.18	12.35 12.35	0.7187 0.7187		11.90 11.90				+
	2-Wire Analog Long Distance Terminal PBX Trunk - Bus			UEPSP	UEPLD	1.40	39.06	18.18	12.35	0.7187		11.90				+
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPSP	UEPLD	1.40	39.06	18.18	12.35	0.7187		11.90				+
	2-Wire Vice Unbundled 2-Way PBX Usage Port			UEPSP	UEPXA	1.40	39.06	18.18	12.35	0.7187		11.90				
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPSP	UEPXB	1.40	39.06	18.18	12.35	0.7187		11.90				
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPSP	UEPXC	1.40	39.06	18.18	12.35	0.7187		11.90				
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPSP	UEPXD	1.40	39.06	18.18	12.35	0.7187		11.90				
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD			LIEDOD	LIEDVE	4.40	00.00	10.10	40.05	0.7407		44.00				
	Capable Port 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			UEPSP	UEPXE	1.40	39.06	18.18	12.35	0.7187		11.90			-	+
	Administrative Calling Port			UEPSP	UEPXL	1.40	39.06	18.18	12.35	0.7187		11.90				
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			OLI OI	OLI AL	1.40	00.00	10.10	12.00	0.7107		11.00				+
	Room Calling Port			UEPSP	UEPXM	1.40	39.06	18.18	12.35	0.7187		11.90				
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital															
	Discount Room Calling Port			UEPSP	UEPXO	1.40	39.06	18.18	12.35	0.7187		11.90				
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPSP	UEPXS	1.40	39.06	18.18	12.35	0.7187		11.90				
	Subsequent Activity			UEPSP	USASC	0.00	0.00	0.00								
FEATUR				HEDOD HEDOE	LIED\/E	2.20	0.00	0.00				44.00			-	
EVCUAN	All Available Vertical Features GE PORT RATES (COIN)			UEPSP UEPSE	UEPVF	2.26	0.00	0.00				11.90			-	+
LACITAL						1 40	3 74	3.63	1.88	1.80		11 90				+
NOTE:	Exchange Ports - Coin Port Fransmission/usage charges associated with POTS circuit sw													Demost Bree		<u></u>
	Access to B Channel or D Channel Packet capabilities will be DCAL EXCHANGE SWITCHING(PORTS)	avandDi	l	unough brk/New	Dusiliess Reqi	uest FIUCESS.	nates for the p	acket capabili	lies will be det	emmeu via tri	e bona ride	nequest/N	ew Dusiness	Nequest Proc	ess.	_
	IGE PORT RATES (DID & PBX)		 		+									1	 	+
LAGINA	Exchange Ports - 2-Wire DID Port			UEPEX	UEPP2	8.73	78.41	15.82	41.94	4.26		11.90			1.83	
	Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID					50		2		20				Ì	1.50	1
	capability		<u>L</u>	UEPDD	UEPDD	54.95	151.11	77.75	48.81	3.10		11.90			1.83	
	Exchange Ports - 2-Wire ISDN Port (See Notes below.)			UEPTX UEPSX	U1PMA	8.83	46.83	50.68	27.64	11.93		11.90			1.83	
_	All Features Offered			UEPTX UEPSX	UEPVF	2.26	0.00	0.00				11.90			1.83	

4Q01:12/01/01 PAGE 57 OF 324

UNBUNDLED	NETWORK ELEMENTS - Florida												Attachment:	2		Exhibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)					Incremental Charge - Manual Svc Order vs.		Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					RATES (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
NOTE:	Access to B Channel or D Channel Packet capabilities will be	availabl	o only	through RED/Now I	Busines Des	west Process	Dates for the n	acket canabili	tios will be dot	orminad via th	o Bona Eide	n Dogwoet/N	ow Business	Poguest Proc	nee	
NOTE:	Exchange Ports - 2-Wire ISDN Port Channel Profiles	avanabi	Comy	UEPTX UEPSX	U1UMA	0.00	0.00	0.00		eriiiiied via tii	e Bolla i luc	Requestri	EW Busiliess	Request 1100		
	Exchange Ports - 4-Wire ISDN DS1 Port			UEPEX	UEPEX	82.74	174.61	95.17	49.80	18.23		11.90			1.83	
	DCAL SWITCHING, PORT USAGE															
End Offi	ce Switching (Port Usage) End Office Switching Function, Per MOU					0.0007662										
	End Office Switching Function, Fer MOU End Office Trunk Port - Shared, Per MOU					0.0007662										
Tandem	Switching (Port Usage) (Local or Access Tandem)					0.000101										
	Tandem Switching Function Per MOU					0.0001319										
	Tandem Trunk Port - Shared, Per MOU					0.000235										
Commo	n Transport		 		+	0.0000035					-	ļ				
 	Common Transport - Per Mile, Per MOU Common Transport - Facilities Termination Per MOU				+	0.0000035					1					
UNBUNDLED PO	DRT/LOOP COMBINATIONS - COST BASED RATES				+	0.0004372										
	sed Rates are applied where BellSouth is required by FCC and	d/or Sta	te Com	mission rule to pro	vide Unbund	led Local Switch	hing or Switch	Ports.								
Features	s shall apply to the Unbundled Port/Loop Combination - Cost	Based	Rate se	ction in the same n	nanner as the	y are applied to	the Stand-Alo	ne Unbundled	Port section of	of this Rate Ex	hibit.					
Combin	ed Combos for all states. In GA, KY, LA, MS and TN these nor ed Combos in all other states, the nonrecurring charges shall VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)							NC and SC the	ese nonrecurrir	ng charges are	Market Rat	es and are I	isted in the M	larket Rate se	ction. For Cu	urrently
	rt/Loop Combination Rates				_											
	2-Wire VG Loop/Port Combo - Zone 1		1			14.11										
	2-Wire VG Loop/Port Combo - Zone 2		2			18.23										
UNELO	2-Wire VG Loop/Port Combo - Zone 3		3		+	33.04										
ONE LO	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPRX	UEPLX	12.94										
	2-Wire Voice Grade Loop (SL1) - Zone 2			UEPRX	UEPLX	17.06										
	2-Wire Voice Grade Loop (SL1) - Zone 3			UEPRX	UEPLX	31.87										
2-Wire V	oice Grade Line Port Rates (Res)				1											
	2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res			UEPRX UEPRX	UEPRL	1.17 1.17	90.00 90.00	90.00 90.00				11.90 11.90				
-	2-Wire voice unbundled port with Caller ID - res			UEPRX	UEPRO	1.17	90.00	90.00				11.90				
	the state of the s				1	,	55.55	55.56								
	2-Wire voice unbundled Florida Area Calling with Caller ID - res			UEPRX	UEPAF	1.17	90.00	90.00				11.90				
FEATUR	2-Wire voice unbundles res, low usage line port with Caller ID (LUM)			UEPRX	UEPAP	1.17	90.00	90.00				11.90				
FEATUR	All Features Offered			UEPRX	UEPVF	2.26	0.00	0.00			1	11.90				
LOCAL	NUMBER PORTABILITY				1	2.20	5.55	0.00								
	Local Number Portability (1 per port)			UEPRX	LNPCX	0.35										
NONRE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is			UEPRX	USAC2		0.102	0.102			<u> </u>	11.90				
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
ADDITIO	Switch with change		 	UEPRX	USACC	1	0.102	0.102			-	11.90				
ADDITIO	2-Wire Voice Grade Loop/Line Port Combination - Subsequent				+				-		 					
	Activity			UEPRX	USAS2	0.00	0.00	0.00				11.90				
	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)															
UNE Po	t/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Zone 1		1		 	14.11 18.23										
 	2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3		3		+	33.04					-	}		1		
<u> </u>	12 Mile AO Fooby, ou compo - Zone 2	<u> </u>	J			33.04			L		1		I	1		·

ATEGORY RATE BLEMENTS Interface ACT AC	Ex		Exhibit
UNEL Loop Rates	ntal Incremental Incre e - Charge - Ch Svc Manual Svc Man vs. Order vs. Order ic- Electronic- Electronic-	ncremental Inc Charge - C Ianual Svc Ma Order vs. C Electronic- El	Charge Manual S Order vi
UPER Loop Rates			
EVENT VIOLE Grade Loop (SL1) - Zone 2	N SOMAN SC	SOMAN	SOMAI
2-Wine Votes Grade Long (SL1) - Zone 2 2 UFPRX UFPX VFPX 37.87 2-Wine Votes Grade Long (SL1) - Zone 3 UFPX UFPX UFPX 37.87 2-Wine Votes Canded Long (SL1) - Zone 3 UFPX			
2-Wive Vote Grade Long (St.1) - Zanna 3			+
2-Wire Votes Grade Lue Port (Bus)		+	+
2-Wire votes unfunded port will caller 10 - bus UEPBX UEPBC 11.77 90.00 90.00 11.90 2-Wire votes unfunded port will caller 2-Bus UEPBX UEPBC 11.77 90.00 90.00 11.90 11.90 2-Wire votes unfunded port output of the port output of t			+
2-Vivir voice unbunded port with Caller 1 = 1641 D - Use			_
2.Wire votor unbrundled morning only port with Callor ID - Bus UPER			
UCAL NUMBER PORTABILITY UEPBX UE			
Coad Number Portability (1 per port)			
FEATURES	\bot		
All Features Offered UEPBX UEPVF 2.26 0.00 0.00 11.90 11.90			
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED			+
2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is - S			+
2-Wire Voice Grade Loop (Line Port Combination - Conversion - Switch with change UEPBX			
Switch with change			+
2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity UEPBX USAS2 0.00 0.00 11.90 11.90			
Activity USAS2			
2-Wire Voice Grade LoOP WITH 2-Wire LINE PORT (RES - PBX)			
UNE Port/Loop Combination Rates			
2-Wire VG Loop/Port Combo - Zone 1			
2-Wire VG Loop/Port Combo - Zone 2 2 18.23 3.30			
2-Wire VG Logo/Port Combo - Zone 3 3 3 33.04			+
UNE Loop Rates		+	+
2-Wire Voice Grade Loop (St. 1) - Zone 1			+
2-Wire Voice Grade Loop (St. 1) - Zone 2			_
2-Wire Voice Grade Line Port Rates (RES - PBX)			
E-Wire VG Unbundled Combination 2-Way PBX Trunk Port - Res			
Res			
Local Number Portability (1 per port)			
FEATURES	\bot		
All Features Offered			
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED			+
2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch-As-Is	- - -	+	+
2-Wire Voice Grade Loop/ Line Port Combination (PBX) - UEPRG USACC 8.45 1.91 11.90			+
ADDITIONAL NRCs 2-Wire Voice Grade Loop/ Line Port Combination (PBX) -			+
2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Subsequent Activity - Change/Rearrange Multiline Hunt Group 11.90	+ +		+
PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group 7.09 7.09 7.09 11.90			
UNE Port/Loop Combination Rates 1 14.11 1 14.11 1			
2-Wire VG Loop/Port Combo - Zone 1 1 14.11			
1 10 10 10 10 10 10 10 10 10 10 10 10 10			
2-Wire VG Loop/Port Combo - Zone 2 2 18.23			4
2-Wire VG Loop/Port Combo - Zone 3 3 33.04	-		+
UNE Loop Rates 2-Wire Voice Grade Loop (SL 1) - Zone 1 1 UEPPX UEPLX 12.94 1 UEPX UEPX 12.94 1 2 1 1 2 2 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2			+
Z-Write Votice Grade Loop (St. 1) - Zone 2 1 UEPPX UEPLX 17.06	+	+	+
Z-Write Voice Grade Loop (St. 1) - Zone 3	+	+	+
2-Wire Voice Grade Line Port Rates (BUS - PBX)			+

UNBUNDLED	NETWORK ELEMENTS - Florida												Attachment:	2		Exhibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Submitted Manually		Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual Svc Order vs.
						Rec	Nonrec	urring	Nonrecurring	g Disconnect			ossi	RATES (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPPX UEPPX	UEPPC UEPPO	1.17 1.17	90.00 90.00	90.00				11.90 11.90				
	Line Side Unbundled Outward PBX Trunk Port - Bus Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPPX	UEPPO UEPP1	1.17	90.00	90.00				11.90				
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	1.17	90.00	90.00				11.90				+
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	1.17	90.00	90.00				11.90				†
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	1.17	90.00	90.00				11.90				
2	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	1.17	90.00	90.00				11.90				1
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	1.17	90.00	90.00				11.90				
(2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPPX	UEPXE	1.17	90.00	90.00				11.90				
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPPX	UEPXL	1.17	90.00	90.00				11.90				
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPPX	UEPXM	1.17	90.00	90.00				11.90				
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port			UEPPX	UEPXO	1.17	90.00	90.00				11.90				
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port UMBER PORTABILITY			UEPPX	UEPXS	1.17	90.00	90.00				11.90				
	Local Number Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00								
FEATURE																
	All Features Offered			UEPPX	UEPVF	2.26	0.00	0.00				11.90				
	URRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch-As-Is			UEPPX	USAC2		8.45	1.91				11.90				
(2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch with Change			UEPPX	USACC		8.45	1.91				11.90				
	NAL NRCs															4
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -			LIEDDY	110400	0.00	0.00	0.00				44.00				
	Subsequent Activity PBX Subsequent Activity - Change/Rearrange Multiline Hunt		<u> </u>	UEPPX	USAS2	0.00	0.00	0.00				11.90				+
	Group	<u> </u>					7.86	7.86				11.90				<u> </u>
	OICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN PORT															
	2-Wire VG Coin Port/Loop Combo – Zone 1		1			14.11										+
	2-Wire VG Coin Port/Loop Combo – Zone 2		2			18.23										†
2	2-Wire VG Coin Port/Loop Combo – Zone 3		3			33.04				<u> </u>						
UNE Loop																
	2-Wire Voice Grade Loop (SL1) - Zone 1		_	UEPCO	UEPLX	12.94				ļ			ļ	ļ		
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPCO	UEPLX	17.06				1		1	 	 		
	2-Wire Voice Grade Loop (SL1) - Zone 3 pice Grade Line Ports (COIN)	1	3	UEPCO	UEPLX	31.87					 	1	-			
	2-Wire Coin 2-Way with Operator Screening and Blocking: 011,				+					1	 	1		1		
9	900/976, 1+DDD (FL)			UEPCO	UEP2F	1.17	90.00	90.00				11.90				ļ
(2-Wire Coin 2-Way with Operator Screening and 011 Blocking (FL)			UEPCO	UEPFA	1.17	90.00	90.00				11.90				<u> </u>
9	2-Wire Coin 2-Way with Operator Screening and Blocking: 900/976, 1+DDD, 011+, and Local (FL)			UEPCO	UEPCG	1.17	90.00	90.00				11.90				
	2-Wire Coin Outward with Operator Screening and 011 Blocking (AL, FL)			UEPCO	UEPRK	1.17	90.00	90.00				11.90				
2	CAL: 1 L) Wire Coin Outward with Operator Screening and Blocking: 900/976, 1+DDD, 011+ (FL)			UEPCO	UEPOF	1.17	90.00	90.00				11.90				
2	2-Wire Coin Outward with Operator Screening and Blocking: 900/976, 1+DDD, 011+, and Local (FL, GA)			UEPCO	UEPCQ	1.17	90.00	90.00				11.90				
	2-Wire 2-Way Smartline with 900/976 (all states except LA)	1		UEPCO	UEPCK	1.17	90.00	90.00		1	1	11.90	1	1		†
1	2-Wire Coin Outward Smartline with 900/976 (all states except LA)			UEPCO	UEPCR	1.17	90.00	90.00				11.90				

UNBUNDLE	NETWORK ELEMENTS - Florida													Attachment:	2	_	Exhibit:
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS		USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge -
							Rec	Nonrec	urring	Nonrecurring	g Disconnect				RATES (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ADDITIO	ONAL UNE COIN PORT/LOOP (RC)			LIEDCO		JRECU	4.00	00.00	00.00								
LOCAL	UNE Coin Port/Loop Combo Usage (Flat Rate) NUMBER PORTABILITY			UEPCO	U	JRECU	1.86	90.00	90.00								—
LOCAL	Local Number Portability (1 per port)			UEPCO		.NPCX	0.35										-
FEATU				02. 00		0/1	0.00										
	CURRING CHARGES - CURRENTLY COMBINED																
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is			UEPCO	U	JSAC2		0.102	0.102				11.90				
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -																İ
455:=:	Switch with change			UEPCO	U	JSACC		0.102	0.102		-		11.90				
ADDITIO	ONAL NRCs 2-Wire Voice Grade Loop/Line Port Combination - Subsequent			-			 			-	-	 					
	2-wire voice Grade Loop/Line Port Combination - Subsequent Activity		l	UEPCO		JSAS2	1	0.00	0.00				11.90				
UNBUNDLED F	PORT/LOOP COMBINATIONS - COST BASED RATES			OLI OO		JOAOZ		0.00	0.00				11.30				-
	VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK F	PORT					İ										
	ort/Loop Combination Rates																
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1		1				23.21										
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2		2				28.28										
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3		3				46.53										
UNE Lo	pop Rates			LIEBBY .		15054										4.00	
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1			UEPPX UEPPX		JECD1 JECD1	14.50 19.57						11.90 11.90			1.83 1.83	
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2 2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3			UEPPX		JECD1	37.82						11.90			1.83	
UNE Po			3	OLFFA	U	DECDI	37.02						11.50			1.03	<u> </u>
	Exchange Ports - 2-Wire DID Port			UEPPX	U	JEPD1	8.71						11.90			1.83	
NONRE	CURRING CHARGES - CURRENTLY COMBINED																
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination -																
	Switch-as-is			UEPPX	U	JSAC1		7.85	1.87				11.90				
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion																
	with BellSouth Allowable Changes			UEPPX	U	JSA1C		7.85	1.87				11.90				
ADDITIO	ONAL NRCs 2-Wire DID Subsequent Activity - Add Trunks, Per Trunk			UEPPX		JSAS1	-	32.26	32.26				11.90				
Telenh	one Number/Trunk Group Establisment Charges			UEPPA	U	JOAGI		32.20	32.20				11.90				
тегерис	DID Trunk Termination (One Per Port)	1		UEPPX	N	NDT	0.00	0.00	0.00				11.90			1.83	
	DID Numbers, Establish Trunk Group and Provide First Group	1					5.50	5.55	3.30		1						
	of 20 DID Numbers	<u></u>		UEPPX		NDZ	0.00	0.00	0.00		<u> </u>		11.90			1.83	<u> </u>
	Additional DID Numbers for each Group of 20 DID Numbers			UEPPX		ID4	0.00	0.00	0.00				11.90		·	1.83	
	DID Numbers, Non- consecutive DID Numbers , Per Number	ļ		UEPPX		ND5	0.00	0.00	0.00				11.90			1.83	<u> </u>
	Reserve Non-Consecutive DID numbers	<u> </u>		UEPPX		1D6	0.00	0.00	0.00				11.90			1.83	
1.0041	Reserve DID Numbers NUMBER PORTABILITY	1		UEPPX	N	1DV	0.00	0.00	0.00		 	1	11.90			1.83	
LUCAL	Local Number Portability (1 per port)	1		UEPPX	11	.NPCP	3.15	0.00	0.00				1				
2-WIRF	ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LINI	E SIDE	PORT	OLI I A	L	111 OI	3.15	0.00	0.00								
	ort/Loop Combination Rates	_ <u>0.52</u>	J.(.)														
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 1		1	UEPPB U	IEPPR		32.09										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 2		2		EPPR		38.15										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 3		3	UEPPB UE	EPPR		59.94										
UNE Lc	oop Rates																
	2-Wire ISDN Digital Grade Loop - UNE Zone 1		1	UEPPB UE	PPR U	JSL2X	24.71						11.90			1.83	
	2-Wire ISDN Digital Grade Loop - UNE Zone 2		2			JSL2X	30.77						11.90			1.83	
	2-Wire ISDN Digital Grade Loop - UNE Zone 3		3	UEPPB UE	PPR U	JSL2X	52.56						11.90			1.83	
UNE Po	ort Rate	ļ					ļl										
	Exchange Port - 2-Wire ISDN Line Side Port	<u> </u>		UEPPB UE	PPR U	JEPPB	7.38			<u> </u>			11.09			1.83	

UNBUNDLE	D NETWORK ELEMENTS - Florida													Attachment:	2		Exhibit: E
CATEGORY	RATE ELEMENTS	Interi m	Zone	E	scs	usoc			RATES(\$)				Submitted Manually		Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
							Rec	Nonred	urring	Nonrecurring	g Disconnect			OSS F	RATES (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
NONR	ECURRING CHARGES - CURRENTLY COMBINED																
	2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port								.=							4.00	
ADDIT	Combination - Conversion IONAL NRCs			UEPPB	UEPPR	USACB	0.00	25.22	17.00				11.90			1.83	
	L NUMBER PORTABILITY																
LOCAI	Local Number Portability (1 per port)		1	UEPPB	UEPPR	LNPCX	0.35	0.00	0.00								
B-CHA	NNEL USER PROFILE ACCESS:			02.10	<u> </u>	2.11 0/1	0.00	0.00	0.00								
	CVS/CSD (DMS/5ESS)			UEPPB	UEPPR	U1UCA	0.00	0.00	0.00								
	CVS (EWSD)			UEPPB	UEPPR	U1UCB	0.00	0.00	0.00								
	CSD			UEPPB	UEPPR	U1UCC	0.00	0.00	0.00								
	NNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS SC	,MS, &	TN)														
USER	TERMINAL PROFILE	 	<u> </u>	HEDDE	LIEDDS	LIALINAA	0.00	0.00	0.00				1				
VEDTI	User Terminal Profile (EWSD only) CAL FEATURES	-		UEPPB	UEPPR	U1UMA	0.00	0.00	0.00								
VERII	All Vertical Features - One per Channel B User Profile	 	 	UEPPB	UEPPR	LIED\/E	2.26	0.00	0.00			-	11.90				
INTER	OFFICE CHANNEL MILEAGE			UEPPB	UEFFR	UEFVF	2.20	0.00	0.00				11.90				1
IIVIEN	Interoffice Channel mileage each, including first mile and																
	facilities termination			UEPPB	UEPPR	M1GNC	18.4491	47.35	31.78	18.31	7.03		11.90			1.83	
	Interoffice Channel mileage each, additional mile			UEPPB	UEPPR	M1GNM	0.0091	0.00	0.00				11.90			1.83	
4-WIRI	E DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK	PORT															
UNE P	ort/Loop Combination Rates																
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 1		1	UEPPP			156.18										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2		2	UEPPP			181.87										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE		3	LIEDDD			074.05										
LINE	Zone 3		3	UEPPP			274.25										-
ONE	4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPPP		USL4P	73.44						11.90			1.83	
	4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPPP		USL4P	99.13						11.90			1.83	†
	4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPPP		USL4P	191.51						11.90			1.83	
UNE P	ort Rate																
	Exchange Ports - 4-Wire ISDN DS1 Port			UEPPP		UEPPP	82.74						11.90			1.83	
NONR	ECURRING CHARGES - CURRENTLY COMBINED																
	4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port		1	l <u></u>													
ADDIT	Combination - Conversion -Switch-as-is	 	<u> </u>	UEPPP		USACP	0.00	84.17	61.38				11.90			1.83	
ADDII	IONAL NRCs 4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy-	 	 														
	Inward/two way tel nos within Std Allowance		1	UEPPP		PR7TF		0.5412					11.90			1.83	
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port -	 	 	J		. 137.11		0.0412					11.30			1.00	
	Outward Tel Numbers (All States except NC)			UEPPP		PR7TO		12.71	12.71				11.90			1.83	
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port -															50	
	Subsequent Inward Tel Nos Above Std Allowance	<u></u>	L	UEPPP		PR7ZT	<u> </u>	25.42	25.42			<u> </u>	11.90	<u> </u>		1.83	
LOCA	NUMBER PORTABILITY								-	-							
	Local Number Portability (1 per port)			UEPPP		LNPCN	1.75										
INTER	FACE (Provsioning Only)	<u> </u>	<u> </u>	LIEBBB		DD741.1											
	Voice/Data Digital Data	-	1	UEPPP		PR71V PR71D	0.00	0.00	0.00								
	Inward Data	 	 	UEPPP		PR71D PR71E	0.00	0.00	0.00				-				
New o	r Additional "B" Channel	1	 	JLPPP		I INTIE	0.00	0.00	0.00			1	1	1			1
INEW O	New or Additional - Voice/Data B Channel	 	 	UEPPP		PR7BV	0.00	15.48					11.90			1.83	
- 	New or Additional - Voice/Data B Channel	1	1	UEPPP		PR7BF	0.00	15.48				1	11.90			1.83	1
	New or Additional Inward Data B Channel	1		UEPPP		PR7BD	0.00	15.48					11.90	İ		1.83	†
	New or Additional Useage Sensitive Voice Data B Channel			UEPPP		PR7BS	0.00	15.48					11.90			1.83	
	New or Additional Useage Sensitive Digital Data B Channel			UEPPP		PR7BU	0.00	15.48					11.90			1.83	
CALL	TYPES																
	Inward			UEPPP		PR7C1	0.00	0.00	0.00								

IDOIIDE	NETWORK ELEMENTS - Florida												Attachment:	2		Exhibit:
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add
						Rec	Nonrec	urring	Nonrecurring	Disconnect			OSS F	RATES (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
	Outward			UEPPP	PR7C0	0.00	0.00	0.00								
	Two-way			UEPPP	PR7CC	0.00	0.00	0.00								
Interoffic	ce Channel Mileage			UEPPP	1LN1A	00.0050	405.54	00.47	04.47	10.05		44.00			1.93	
-+-	Fixed Each Including First Mile Each Airline-Fractional Additional Mile			UEPPP	1LN1B	88.6256 0.1856	105.54	98.47	21.47	19.05		11.90			1.93	
4-WIRE	DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT			UEPPP	ILINID	0.1656										
	rt/Loop Combination Rates															
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1		1	UEPDC		128.39						11.90			1.83	
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2		2	UEPDC		154.08						11.90			1.83	
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3		3	UEPDC		246.46				•		11.90			1.83	
UNE Lor	op Rates															
	4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPDC	USLDC	73.44						11.90			1.83	
	4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPDC	USLDC	99.13						11.90			1.83	
UNE Por	4-Wire DS1 Digital Loop - UNE Zone 3	 	3	UEPDC	USLDC	191.51					-	11.90			1.83	
UNE POI	4-Wire DDITS Digital Trunk Port			UEPDC	UDD1T	54.95						11.90			1.83	
NONRE(CURRING CHARGES - CURRENTLY COMBINED			OLI DO	ODDII	34.33						11.30			1.00	
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination															
	- Switch-as-is			UEPDC	USAC4		95.31	46.71				11.90			1.83	
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination															
	- Conversion with DS1 Changes			UEPDC	USAWA		95.31	46.71				11.90			1.83	
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination															
ADDITIO	- Conversion with Change - Trunk			UEPDC	USAWB		95.31	46.71				11.90			1.83	
ADDITIO	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC -															
	Subsequent Channel Activation/Chan - 2-Way Trunk			UEPDC	UDTTA		15.69	15.69				11.90			1.83	
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent			OLI DO	OBTIN		10.00	10.00				11.50			1.00	
	Channel Activation/Chan - 1-Way Outward Trunk			UEPDC	UDTTB		15.69	15.69				11.90			1.83	
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel															
	Activation/Chan Inward Trunk w/out DID			UEPDC	UDTTC		15.69	15.69				11.90			1.83	
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan															
	Activation Per Chan - Inward Trunk with DID			UEPDC	UDTTD		15.69	15.69				11.90			1.83	
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan			LIEDDO	LIDTTE		45.00	45.00				44.00			4.00	
BIDOL A	Activation / Chan - 2-Way DID w User Trans R 8 ZERO SUBSTITUTION	-		UEPDC	UDTTE		15.69	15.69			-	11.90			1.83	-
DIFULA	B8ZS -Superframe Format	 		UEPDC	CCOSF		0.00	655.00				11.90			1.83	
_	B8ZS - Extended Superframe Format	1		UEPDC	CCOEF		0.00	655.00				11.90			1.83	
Alternat	e Mark Inversion			-	1			,,,,,,,								
	AMI -Superframe Format			UEPDC	MCOSF		0.00	0.00								
	AMI - Extended SuperFrame Format			UEPDC	MCOPO		0.00	0.00								
Telepho	ne Number/Trunk Group Establisment Charges															
$-\!\!\!\!+\!\!\!\!-\!\!\!\!\!-$	Telephone Number for 2-Way Trunk Group	ļ		UEPDC	UDTGX	0.00						11.90			1.83	
	Telephone Number for 1-Way Outward Trunk Group	1		UEPDC UEPDC	UDTGY	0.00						11.90 11.90			1.83 1.83	
$-\!\!+\!\!-\!\!-$	Telephone Number for 1-Way Inward Trunk Group Without DID DID Numbers, Establish Trunk Group and Provide First Group	 		UEPUC	UDIGZ	0.00					-	11.90			1.83	
	of 20 DID Numbers	l		UEPDC	NDZ	0.00	0.00	0.00				11.90			1.83	
	DID Numbers for each Group of 20 DID Numbers	1		UEPDC	ND4	0.00	0.00	0.00			1	11.90			1.83	
	DID Numbers, Non- consecutive DID Numbers , Per Number			UEPDC	ND5	0.00						11.90			1.83	
	Reserve Non-Consecutive DID Nos.			UEPDC	ND6	0.00	0.00	0.00				11.90			1.83	
	Reserve DID Numbers			UEPDC	NDV	0.00	0.00	0.00				11.90			1.83	
Dedicate	ed DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1	Digital I	oop w	ith 4-Wire DDITS T	runk Port											
	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities	l		LIEDDO	41.110.1		,		a							
$-\!$	Termination)	 		UEPDC	1LNO1	88.44	105.54	98.47	21.47	19.05		11.90			1.83	
		l	1	UEPDC	1LNOA	0.1856	0.00	0.00								
	Interoffice Channel Mileage - Additional rate per mile - 0-8 miles			ULFDC												

UNBUND	LED NETWORK ELEMENTS - Florida												Attachment:	2		Exhibit:
CATEGO	RY RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual St Order vs Electronic Disc Add
						Rec	Nonrec	urring	Nonrecurring	Disconnect			OSS F	RATES (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
	Interoffice Channel Mileage - Additional rate per mile - 9-25 miles			UEPDC	1LNOB	0.1856	0.00	0.00								
	Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities															
	Termination)			UEPDC	1LNO3	0.00	0.00	0.00	0.00							
	Interoffice Channel Mileage - Additional rate per mile - 25+ miles			UEPDC	1LNOC	0.1856	0.00	0.00								
	Local Number Portability, per DS0 Activated		1	UEPDC	LNPCP	3.15	0.00	0.00	0.00							
	Central Office Termininating Point			UEPDC	CTG	0.00	0.00	0.00	0.00							
4-W	VIRE DS1 LOOP WITH CHANNELIZATION WITH PORT			OLI DO	010	0.00										
	stem is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Activ	rations	-		 							 				
	th System can have up to 24 combinations of rates depending on t		l numb	er of norte used	†											
LAU	E DS1 Loop	ype and	a mannik	or ports useu	1						1	1				
OINE	4-Wire DS1 Loop - UNE Zone 1		1	UEPMG	USLDC	73.44	0.00	0.00								
	4-Wire DS1 Loop - UNE Zone 2	1		UEPMG	USLDC	99.13	0.00	0.00			-	-				
	4-Wire DS1 Loop - UNE Zone 3			UEPMG	USLDC	191.51	0.00	0.00								
11515			3	UEPIVIG	USLDC	191.51	0.00	0.00								
UNE	E DSO Channelization Capacities (D4 Channel Bank Configurations	S)		LIEDMO	V/LINAO 4	440.00	0.00	0.00				44.00			4.00	
	24 DSO Channel Capacity - 1 per DS1		-	UEPMG	VUM24 VUM48	118.06	0.00	0.00				11.90			1.83	
	48 DSO Channel Capacity - 1 per 2 DS1s			UEPMG		236.12	0.00	0.00				11.90			1.83	
	96 DSO Channel Capacity -1per 4 DS1s			UEPMG	VUM96	472.24	0.00	0.00				11.90			1.83	
	144 DS0 Channel Capacity - 1 per 6 DS1s			UEPMG	VUM14	708.36	0.00	0.00				11.90			1.83	
	192 DS0 Channel Capacity -1 per 8 DS1s			UEPMG	VUM19	944.48	0.00	0.00				11.90			1.83	
	240 DS0 Channel Capacity - 1 per 10 DS1s			UEPMG	VUM20	1,180.60	0.00	0.00				11.90			1.83	
	288 DS0 Channel Capacity - 1 per 12 DS1s			UEPMG	VUM28	1,416.72	0.00	0.00				11.90			1.83	
	384 DS0 Channel Capacity - 1 per 16 DS1s			UEPMG	VUM38	1,888.96	0.00	0.00				11.90			1.83	
	480 DS0 Channel Capacity - 1 per 20 DS1s			UEPMG	VUM40	2,361.20	0.00	0.00				11.90			1.83	
	576 DS0 Channel Capacity -1 per 24 DS1s			UEPMG	VUM57	2,833.44	0.00	0.00				11.90			1.83	
	672 DS0 Channel Capacity - 1 per 28 DS1s			UEPMG	VUM67	3,305.68	0.00	0.00				11.90			1.83	
	n-Recurring Charges (NRC) Associated with 4-Wire DS1 Loop with						tem									
	linimum System configuration is One (1) DS1, One (1) D4 Channel															
Mul	Itiples of this configuration functioning as one are considered Add	d'I after	the mi	nimum system conf	guration is c	ounted.										
	NRC - Conversion (Currently Combined) with or without BellSouth Allowed Changes			UEPMG	USAC4	0.00	96.77	4.24				11.90				
Sys	tem Additions at End User Locations Where 4-Wire DS1 Loop with	h Chann	elizatio	on with Port Combin	nation Curren	tly Exists and										
New	v (Not Currently Combined) In GA, KY, LA, MS & TN Only															
	1 DS1/D4 Channel Bank - Add NRC for each Port and Assoc															
	Fea Activation - New GA, LA, KY, MS, &TN Only			UEPMG	VUMD4	0.00	726.11	468.21	145.32	17.24		11.90				
Bip	olar 8 Zero Substitution											11.90				
	Clear Channel Capability Format, superframe - Subsequent Activity Only			UEPMG	CCOSF	0.00	0.00	655.00				11.90				
	Clear Channel Capability Format - Extended Superframe -										1					
4,-	Subsequent Activity Only	1	<u> </u>	UEPMG	CCOEF	0.00	0.00	655.00			1	11.90				
Alte	ernate Mark Inversion (AMI)	!	1	LIEDIAO	140005	0.00	0.00	0.00			-	1				
	Superframe Format			UEPMG	MCOSF	0.00	0.00	0.00								
	Extended Superframe Format	<u> </u>	<u> </u>	UEPMG	MCOPO	0.00	0.00	0.00			1					
	change Ports Associated with 4-Wire DS1 Loop with Channelization	n with F	ort		+											
EXC	change Ports	1	-		+						-					
	Line Cide Combination Changelined DDV Truels Deat D	1	1	UEPPX	UEPCX	4.00	0.00	0.00	0.00	0.00		44.00			4.00	
	Line Side Combination Channelized PBX Trunk Port - Business Line Side Outward Channelized PBX Trunk Port - Business	1	1	UEPPX	UEPOX	1.38 1.38	0.00	0.00	0.00	0.00	1	11.90 11.90			1.83	
	Line Side Outward Channelized PBX Trunk Port - Business	1	<u> </u>	UEPPA	UEPUX	1.38	0.00	0.00	0.00	0.00	1	11.90			1.83	
	Line Cide Issued Only Channelined DDV Tayah Doc 1915 1 DD	1	1	HEDDY	LIEDAY	4.00	0.00	0.00	0.00	0.00		44.00			4.00	
	Line Side Inward Only Channelized PBX Trunk Port without DID	1	<u> </u>	UEPPX	UEP1X	1.38	0.00	0.00	0.00	0.00	1	11.90			1.83	1
	2-Wire Trunk Side Unbundled Channelized DID Trunk Port	1	<u> </u>	UEPPX	UEPDM	8.71	0.00	0.00	0.00	0.00	1	11.90			1.83	
iFea	ture Activations - Unbundled Loop Concentration	<u> </u>														
	Feature (Service) Activation for each Line Side Port Terminated	1	l			1									4.00	
	in D4 Bank Feature (Service) Activation for each Trunk Side Port Terminated			UEPPX	1PQWM	0.66	25.40	13.41	3.96	3.93		11.90			1.83	

CATEGORY RATE ELEMENTS	CATEGORY	NETWORK ELEMENTS - Florida												Attachment:	2		Exhibit: B
Rec		RATE ELEMENTS		Zone	BCS	USOC			RATES(\$)			Submitted Elec	Submitted Manually	Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
Telephon Number/ Group Establishment Charges for DID Service												per Lok	per Lok	151	Add I	DISC ISL	DISC Add I
Telephone Number Group Establishment Charges for DID Service UEPPX NDT 0.00 0.00 0.00 11.00 11.00							Rec										
DID Trunk Termination () per Provide 1st 20D DNes. (FL,CA, NC,& SC) UEPPX NDT	Talamba	About and Consum Entablish mant Changes for DID Comition						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Estab Tirk Gry and Provide 1st 20 DID Nes. (FLGA. N.C.& SC) UEPPX NDZ 0.00 0.00 0.00 11190 111	relepho				LIEPPX	NDT	0.00	0.00	0.00				11 90				
DID Numbers - groups of 20 - Valid all States UEPPX ND4 0.00 0.00 0.00 111.90					~=												
Reserve DID Numbers		DID Numbers - groups of 20 - Valid all States						0.00	0.00				11.90				
Reserve DID Number Portability UEPPX NDV 0.00 0.00 0.00 11.90																	
Local Number Portability - 1 per port [Local Number Portability - 1 per port UEPPX LNPCP 3.15 0.00 0.00 FEATURES - Vertical and Optional UEPPX UPPY 2.60 0.00 0.00 [July Features Available UEPPX UEPPY 2.60 0.00 0.00 11.90 1.80 [July Features Available UEPPX UEPPY 2.60 0.00 0.00 11.90 1.80 [July Features Available UEPPX UEPPY 2.60 0.00 0.00 11.90 1.80 [July Features Available UEPPX UEPPY 2.60 0.00 0.00 11.90 1.80 [July Features Available UEPPX UEPPY 2.60 0.00 0.00 11.90 1.80 [July Features Available UEPPX UEPPY 2.60 0.00 0.00 11.90 1.80 [July Features Available UEPPX UEPPY 2.60 0.00 0.00 11.90 1.80 [July Features Available UEPPX UEPPY 2.60 0.00 0.00 11.90 1.80 [July Features Available UEPPX UEPPY 2.60 0.00 0.00 11.90 1.80 [July Features Available UEPPX UEPPY 2.60 0.00 0.00 11.90 1.80 [July Features Available UEPPX UEPPY 2.60 0.00 0.00 11.90 1.80 [July Features Available UEPPX UEPPY 2.60 0.00 0.00 11.90 1.80 [July Features Available UEPPX UEPPY 2.60 0.00 0.00 0.00 11.90 1.80 [July Features Available UEPPX UEPPY 2.60 0.00 0.00 0.00 11.90 1.80 [July Features Available UEPPX UEPPX UEPPY 2.60 0.00 0.00 0.00 11.90 1.80 [July Features Available UEPPX UE																	
EPATURES - Vertical and Optional UEPPX U	Local N				UEPPA	NDV	0.00	0.00	0.00				11.90				
Local Switching Features Offered with Line Side Ports Only					UEPPX	LNPCP	3.15	0.00	0.00								
MIFERURE Available UEPPX UEPPK 2.26 0.00 0.00 11.90 1.8: UNBUNIDED PORT LOOP COMBINATIONS: MARKET RATES																	
INDIBUTIOLED PORT LOOP COMBINATIONS - MARKET RATES																	
Market Rates shall apply where BellSouth is not required to provide unbundled local switching or switch ports per FCC and/or State Commission rules. 1. Unbundled port/loop combinations that are Not Currently Combined in Alabama, Florida, North Carolina and South Carolina. 2. Unbundled port/loop combinations that are Currently Combined or Not Currently Combined in Zone 1 of the Top 8 MSAS in BellSouth's region for end users with 4 or more DS0 equivalent lines. The Top 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderdale, Miami); GA (Atlanta); LA (New Orleans); NC (Greensboro-Winston Salem-Highpoint/Charlotte-Gastonia-Rock Hill); TN (Nashville). BellSouth currently is developing the billing capability to mechanically bill the recurring and non-recurring Market Rates in this section except for nonrecurring charges for not currently combined in AL, FL, NC and SC. In the interim where BellSouth Market Rates, BellSouth shall bill the rates in the Cost-Based section preceding in lieu of the Market Rates and reserves the right to true-up the billing difference. The Market Rate for unbundled ports includes all available features in all states. End Office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this rate exhibit shall apply to all combinations of loop/port network elements except for UNE Coin Port/Loop Combinations which have a flat rate us (USOC: URECU). For Not Currently Combined scenarios where Market Rates apply, the Nonrecurring charges are listed in the First and Additional NRC columns for each Port USOC. For Currently Combined scenarios, the Nonrecurring charges are listed in the NRC - Combined section. Additional NRCs may apply also and are categorized accordingly. 2-Wire Violoe Combination Rates 2-Wire Violoe Grade Loop (SL1) - Zone 1 1 1 UEPRX UEPLX 12.79 2-Wire Violoe Grade Loop (SL1) - Zone 2 2 1 UEPRX UEPLX 33.36 3-Wire Violoe Grade Loop (SL1) - Zone 3 3 UEPRX UEPLX 14.00 90.00 90.00 11.90 11.90 12-Wire violoe Unbundled port in Science 1 UEPRX					UEPPX	UEPVF	2.26	0.00	0.00				11.90			1.83	
These scenarios include: 1. Unbundled port/loop combinations that are Not Currently Combined in Alabama, Florida, North Carolina and South Carolina. 2. Unbundled port/loop combinations that are Currently Combined or Not Currently Combined in Zone 1 of the Top 8 MSAS in BellSouth's region for end users with 4 or more D80 equivalent lines. The Top 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderdale, Miami); GA (Atlanta); LA (New Orleans); NC (Greensboro-Winston Salem-Highpoint/Charlotte-Gastonia-Rock Hill); TN (Nashville). BellSouth currently is developing the billing capability to mechanically bill the recurring and non-recurring Market Rates in this section except for nonrecurring charges for not currently combined in AL, FL, NC and SC. In the interim where BellSouth Market Rates, BellSouth shall bill the rates in the Cost-Based section preceding in lieu of the Market Rates for true-up the billing difference. The Market Rate for unbundled ports includes all available features in all states. End Office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this rate exhibit shall apply to all combinations of loop/port network elements except for UNE Coin Port/Loop Combinations which have a flat rate us (USOC: URECU). For Not Currently Combined scenarios where Market Rates apply, the Nonrecurring charges are listed in the First and Additional NRC columns for each Port USOC. For Currently Combined scenarios, the Nonrecurring charges are listed in the NRC - Combined section. Additional NRCs may apply also and are categorized accordingly. 2-Wire Voice Dop Port Combo - Zone 2			nhundl	ed loca	l ewitching or ewitch	norte nor l	CC and/or Sta	te Commission	rulee								
1. Unbundled port/loop combinations that are Not Currently Combined in Alabama, Florida, North Carolina. 2. Unbundled port/loop combinations that are Currently Combined or Not Currently Combined in Zone 1 of the Top 8 MSAS in BellSouth's region or end users with 4 or more DS0 equivalent lines. The Top 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderdale, Miamil); GA (Atlanta); LA (New Orleans); NC (Greensboro-Winston Salem-Highpoint/Charlotte-Gastonia-Rock Hill); TN (Nashville). BellSouth currently is developing the billing capability to mechanically bill the reater in the Cost-Based section preceding in Ileu of the Market Rates in this section except for nonrecurring charges for not currently combined in AL, FL, NC and SC. In the interim where BellSouth Market Rates, BellSouth shall bill the rates in the Cost-Based section preceding in Ileu of the Market Rates and reserves the right to true-up the billing difference. The Market Rate for unbundled ports includes all available features in all states. End Office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this rate exhibit shall apply to all combinations of loop/port network elements except for UNE Coin Port/Loop Combinations which have a flat rate us (USOC: URECU). For Not Currently Combined scenarios where Market Rates apply, the Nonrecurring charges are listed in the First and Additional NRC columns for each Port USOC. For Currently Combined scenarios, the Nonrecurring charges are listed in the NRC-Combined section. Additional NRCs may apply also and are categorized accordingly. 2-Wire Volce Grade Loop (State Dep Wirth 2-Wire LINE PORT (RES) UNE Port/Loop/Port Combo - Zone 1 1			l	eu ioca	ir switching or switch	i ports per i	CC and/or Sta	te Commission	i iules.								
2. Unbundled port/loop combinations that are Currently Combined or Not Currently Combined in Zone 1 of the Top 8 MSAS in BellSouth's region for end users with 4 or more DS0 equivalent lines. The Top 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderdale, Miami); GA (Atlanta); LA (New Orleans); NC (Greensboro-Winston Salem-Highpoint/Charlotte-Gastonia-Rock Hill); TN (Nashville). BellSouth currently is developing the billing capability to mechanically bill the recurring and non-recurring Market Rates in this section except for nonrecurring charges for not currently combined in AL, FL, NC and SC. In the interim where BellSouth Market Rates, BellSouth shall bill the rates in the Cost-Based section preceding in lieu of the Market Rates and reserves the right to true-up the billing difference. The Market Rate for unbundled ports includes all available features in all states. End Office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this rate exhibit shall apply to all combinations of loop/port network elements except for UNE Coin Port/Loop Combinations which have a flat rate us (USOC: URECU). For Not Currently Combined scenarios where Market Rates apply, the Nonrecurring charges are listed in the First and Additional NRC columns for each Port USOC. For Currently Combined scenarios, the Nonrecurring charges are listed in the NRC-Combined section. Additional NRCs may apply also and are categorized accordingly. 2-Wine Volice Grabe Loop Wint PaymRe Links PORT (RES) UNE Port/Loop Combination Rates UNE Loop Patts 1			ed in Al	abama.	Florida, North Carol	ina and Sou	th Carolina.										
The Top 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderdale, Miami); GA (Atlanta); LA (New Orleans); NC (Greensboro-Winston Salem-Highpoint/Charlotte-Gastonia-Rock Hill); TN (Nashville). BellSouth currently is developing the billing capability to mechanically bill the recurring and non-recurring Market Rates in this section except for nonrecurring charges for not currently combined in AL, FL, NC and SC. In the interim where BellSouth Market Rates, BellSouth shall bill the rates in the Cost-Based section preceding in lieu of the Market Rates and reserves the right to true-up the billing difference. The Market Rate for unbundled ports includes all available features in all states. End Office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this rate exhibit shall apply to all combinations of loop/port network elements except for UNE Coin Port/Loop Combinations which have a flat rate us (USOC: URECU). For Not Currently Combined scenarios where Market Rates apply, the Nonrecurring charges are listed in the First and Additional NRC columns for each Port USOC. For Currently Combined scenarios, the Nonrecurring charges are listed in the NRC-Combined section. Additional NRCs may apply also and are categorized accordingly. 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) UNE Port/Loop Combination Rates Valvier Voice Loop/Port Combo - Zone 2								South's region	n for end users	with 4 or more	e DS0 equivale	ent lines.					
BellSouth currently is developing the billing capability to mechanically bill the recurring and non-recurring Market Rates in this section except for nonrecurring charges for not currently combined in AL, FL, NC and SC. In the interim where BellSouth Market Rates, BellSouth shall bill the rates in the Cost-Based section preceding in lieu of the Market Rates and reserves the right to true-up the billing difference. The Market Rate for unbundled ports includes all available features in all states. End Office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this rate exhibit shall apply to all combinations of loop/port network elements except for UNE Coin Port/Loop Combinations which have a flat rate us (USOC: URECU). For Not Currently Combined scenarios where Market Rates apply, the Nonrecurring charges are listed in the First and Additional NRC columns for each Port USOC. For Currently Combined scenarios, the Nonrecurring charges are listed in the NRC - Combined section. Additional NRCs may apply also and are categorized accordingly. 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) UNE Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 1 1 1 26.79 2-Wire VG Loop/Port Combo - Zone 3 3 1 47.36 UNE Loop Rates 1 2-Wire Voice Grade Loop (SL1) - Zone 1 1 1 UEPRX UEPLX 17.27 2-Wire Voice Grade Loop (SL1) - Zone 2 2 1 UEPRX UEPLX 17.27 2-Wire Voice Grade Loop (SL1) - Zone 3 3 UEPRX UEPLX 17.27 2-Wire Voice Grade Loop (SL1) - Zone 3 3 UEPRX UEPLX 17.27 2-Wire Voice Grade Loop (SL1) - Zone 3 3 UEPRX UEPLX 17.27 2-Wire Voice Grade Loop (SL1) - Zone 3 1 UEPRX UEPLX 11.90 2-Wire Voice Grade Loop (SL1) - Zone 5 UEPRX UEPRX UEPRX UEPRX 14.00 90.00 90.00 11.90 11.90						•							•				
Market Rates, BellSouth shall bill the rates in the Cost-Based section preceding in lieu of the Market Rates and reserves the right to true-up the billing difference. The Market Rate for unbundled ports includes all available features in all states. End Office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this rate exhibit shall apply to all combinations of loop/port network elements except for UNE Coin Port/Loop Combinations which have a flat rate us (USOC: URECU). For Not Currently Combined scenarios where Market Rates apply, the Nonrecurring charges are listed in the First and Additional NRC columns for each Port USOC. For Currently Combined scenarios, the Nonrecurring charges are listed in the NRC-Combined section. Additional NRCs may apply also and are categorized accordingly. 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) UNE Port/Loop Combination Rates 1	The Top	o 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderdal	e, Mian	ni); GA	(Atlanta); LA (New O	rleans); NC	(Greensboro-W	inston Salem-	Highpoint/Cha	rlotte-Gastonia	-Rock Hill); Th	N (Nashville).				
Market Rates, BellSouth shall bill the rates in the Cost-Based section preceding in lieu of the Market Rates and reserves the right to true-up the billing difference. The Market Rate for unbundled ports includes all available features in all states. End Office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this rate exhibit shall apply to all combinations of loop/port network elements except for UNE Coin Port/Loop Combinations which have a flat rate us (USOC: URECU). For Not Currently Combined scenarios where Market Rates apply, the Nonrecurring charges are listed in the First and Additional NRC columns for each Port USOC. For Currently Combined scenarios, the Nonrecurring charges are listed in the NRC-Combined section. Additional NRCs may apply also and are categorized accordingly. 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) UNE Port/Loop Combination Rates 1																	
Market Rates, BellSouth shall bill the rates in the Cost-Based section preceding in lieu of the Market Rates and reserves the right to true-up the billing difference. The Market Rate for unbundled ports includes all available features in all states. End Office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this rate exhibit shall apply to all combinations of loop/port network elements except for UNE Coin Port/Loop Combinations which have a flat rate us (USOC: URECU). For Not Currently Combined scenarios where Market Rates apply, the Nonrecurring charges are listed in the First and Additional NRC columns for each Port USOC. For Currently Combined scenarios, the Nonrecurring charges are listed in the NRC-Combined section. Additional NRCs may apply also and are categorized accordingly. 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) UNE Port/Loop Combination Rates 1	BellSou ^e	th currently is developing the billing capability to mechanical	ly bill th	ne recu	rring and non-recurr	ing Market F	Rates in this se	ction except fo	r nonrecurring	charges for no	ot currently co	mbined in	AL, FL, NC a	and SC. In the	e interim whe	re BellSouth	cannot bill
End Office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this rate exhibit shall apply to all combinations of loop/port network elements except for UNE Coin Port/Loop Combinations which have a flat rate use (USOC: URECU). For Not Currently Combined scenarios where Market Rates apply, the Nonrecurring charges are listed in the First and Additional NRC columns for each Port USOC. For Currently Combined scenarios, the Nonrecurring charges are listed in the NRC - Combined section. Additional NRCs may apply also and are categorized accordingly. 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) UNE Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 1 1 26.79 2-Wire VG Loop/Port Combo - Zone 2 2 2 31.27 UNE Loop Rates 1 UEPRX UEPLX 12.79 2-Wire Voice Grade Loop (SL1) - Zone 1 1 UEPRX UEPLX 17.27 2-Wire Voice Grade Loop (SL1) - Zone 2 2 1 UEPRX UEPLX 17.27 2-Wire Voice Grade Loop (SL1) - Zone 2 2 1 UEPRX UEPLX 17.27 2-Wire Voice Grade Loop (SL1) - Zone 2 2 1 UEPRX UEPLX 17.27 2-Wire Voice Grade Loop (SL1) - Zone 3 3 UEPRX UEPLX 17.27 2-Wire Voice Grade Loop (SL1) - Zone 3 0 UEPRX UEPLX 17.20 2-Wire Voice Grade Loop (SL1) - Zone 3 0 UEPRX UEPLX 17.20 2-Wire voice unbundled port - residence 2-Wire voice unbundled port - residence 1-UEPRX UEPRX UEPRC 14.00 90.00 90.00 11.90 1-UEPRX UEPRC 14.00 90.00 90.00 11.90											-						
CUSOC: URECU).																	
For Not Currently Combined scenarios where Market Rates apply, the Nonrecurring charges are listed in the First and Additional NRC columns for each Port USOC. For Currently Combined scenarios, the Nonrecurring charges are listed in the NRC - Combined scention. Additional NRCs may apply also and are categorized accordingly. 2-Wire VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) UNE Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 1 2 26.79 2-Wire VG Loop/Port Combo - Zone 2 2 3 31.27 2-Wire VG Loop/Port Combo - Zone 3 3 47.36 UNE Loop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 1 UEPRX UEPLX 12.79 2-Wire Voice Grade Loop (SL1) - Zone 2 1 UEPRX UEPLX 17.27 2-Wire Voice Grade Loop (SL1) - Zone 3 3 UEPRX UEPLX 33.36 2-Wire Voice Grade Loop (SL1) - Zone 3 3 UEPRX UEPLX 33.36 2-Wire Voice Grade Line Port (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res UEPRX UEPRC 14.00 90.00 90.00 11.90 11.90			ige rate	s in the	Port section of this	rate exhibit	shall apply to	all combination	ns of loop/port	network eleme	ents except fo	r UNE Coin	Port/Loop	Combinations	which have a	a flat rate usa	ge charge
Combined section. Additional NRCs may apply also and are categorized accordingly. 2-WiRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)																	
2-Wire Voice GRADE LOOP WITH 2-WiRE LINE PORT (RES) UNE Port/Loop Combination Rates 1						the First an	d Additional N	RC columns to	or each Port US	OC. For Curre	ently Combine	d scenarios	, the Nonrec	curring charge	es are listed in	the NRC - Co	urrently
UNE Port/Loop Combination Rates			zeu acc	oranigi	у.												
2-Wire VG Loop/Port Combo - Zone 1																	
2-Wire VG Loop/Port Combo - Zone 3 3 47.36 47.36				1			26.79										
UNE Loop Rates				2			31.27										
2-Wire Voice Grade Loop (SL1) - Zone 1				3			47.36										
2-Wire Voice Grade Loop (SL1) - Zone 2 2 UEPRX UEPLX 17.27	UNE Loc																
2-Wire Voice Grade Loop (SL1) - Zone 3 3 UEPRX UEPLX 33.36																	
2-Wire Voice Grade Line Port (Res)							17.27			1							
2-Wire voice unbundled port - residence			1		OLI IV												
2-Wire voice unbundled port with Caller ID - res UEPRX UEPRC 14.00 90.00 90.00 11.90	2-Wire V	Voice Grade Line Fort (Res)				UEPLA											
2-Wire voice unbundled port outgoing only - res UEPRX UEPRO 14.00 90.00 90.00 11.90	2-Wire V				UEPRX		33.36	90.00	90.00				11.90				
	2-Wire V	2-Wire voice unbundled port - residence				UEPRL UEPRC	33.36 14.00 14.00						11.90				
I I love i i i recordi della compania della lorenza di	2-Wire V	2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res			UEPRX	UEPRL UEPRC	33.36 14.00 14.00	90.00	90.00				11.90				
	2-Wire V	2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res			UEPRX UEPRX	UEPRL UEPRC UEPRO	33.36 14.00 14.00 14.00	90.00 90.00	90.00 90.00				11.90 11.90				
	2-Wire V	2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res			UEPRX	UEPRL UEPRC	33.36 14.00 14.00	90.00	90.00				11.90				
LOCAL NUMBER PORTABILITY	2-Wire V	2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundles res, low usage line port with Caller ID			UEPRX UEPRX UEPRX	UEPRL UEPRC UEPRO UEPAF	14.00 14.00 14.00 14.00	90.00 90.00 90.00	90.00 90.00 90.00				11.90 11.90 11.90				
		2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundled Florida Area Calling with Caller ID (LUM)			UEPRX UEPRX	UEPRL UEPRC UEPRO	33.36 14.00 14.00 14.00	90.00 90.00	90.00 90.00				11.90 11.90				
FEATURES		2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res (LUM) NUMBER PORTABILITY			UEPRX UEPRX UEPRX UEPRX	UEPRL UEPRC UEPRO UEPAF UEPAP	33.36 14.00 14.00 14.00 14.00	90.00 90.00 90.00	90.00 90.00 90.00				11.90 11.90 11.90				
All Features Offered UEPRX	LOCAL	2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res (LUM) NUMBER PORTABILITY Local Number Portability (1 per port)			UEPRX UEPRX UEPRX	UEPRL UEPRC UEPRO UEPAF	14.00 14.00 14.00 14.00	90.00 90.00 90.00	90.00 90.00 90.00				11.90 11.90 11.90				
	LOCAL	2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundles res, low usage line port with Caller ID (LUM) NUMBER PORTABILITY Local Number Portability (1 per port)			UEPRX UEPRX UEPRX UEPRX UEPRX	UEPRL UEPRC UEPRO UEPAF UEPAF UEPAP	33.36 14.00 14.00 14.00 14.00 14.00 0.35	90.00 90.00 90.00 90.00	90.00 90.00 90.00 90.00				11.90 11.90 11.90				
	LOCAL	2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundles res, low usage line port with Caller ID (LUM) NUMBER PORTABILITY Local Number Portability (1 per port) RES All Features Offered			UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPRL UEPRC UEPRO UEPAF UEPAF UEPAP LNPCX UEPVF	33.36 14.00 14.00 14.00 14.00 14.00 0.35	90.00 90.00 90.00 90.00	90.00 90.00 90.00 90.00				11.90 11.90 11.90				
	LOCAL	2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundles res, low usage line port with Caller ID (LUM) NUMBER PORTABILITY Local Number Portability (1 per port) RES All Features Offered 2-Wire Voice Grade Loop / Line Port Combination - Switch-as-is			UEPRX UEPRX UEPRX UEPRX UEPRX	UEPRL UEPRC UEPRO UEPAF UEPAF UEPAP	33.36 14.00 14.00 14.00 14.00 14.00 0.35	90.00 90.00 90.00 90.00	90.00 90.00 90.00 90.00				11.90 11.90 11.90				
	LOCAL	2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundles res, low usage line port with Caller ID (LUM) NUMBER PORTABILITY Local Number Portability (1 per port) RES All Features Offered 2-Wire Voice Grade Loop / Line Port Combination - Switch-as-is 2-Wire Voice Grade Loop / Line Port Combination - Switch with			UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPRL UEPRC UEPRO UEPAF UEPAP LNPCX UEPVF	33.36 14.00 14.00 14.00 14.00 14.00 0.35	90.00 90.00 90.00 90.00 0.00 41.50	90.00 90.00 90.00 90.00 0.00 41.50				11.90 11.90 11.90				
change UEPRX	LOCAL I	2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundles res, low usage line port with Caller ID (LUM) NUMBER PORTABILITY Local Number Portability (1 per port) RES All Features Offered 2-Wire Voice Grade Loop / Line Port Combination - Switch-as-is 2-Wire Voice Grade Loop / Line Port Combination - Switch with change			UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPRL UEPRC UEPRO UEPAF UEPAP LNPCX UEPVF	33.36 14.00 14.00 14.00 14.00 14.00 0.35	90.00 90.00 90.00 90.00 0.00 41.50	90.00 90.00 90.00 90.00 0.00 41.50				11.90 11.90 11.90				
change	LOCAL I	2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundles res, low usage line port with Caller ID (LUM) NUMBER PORTABILITY Local Number Portability (1 per port) RES All Features Offered 2-Wire Voice Grade Loop / Line Port Combination - Switch-as-is 2-Wire Voice Grade Loop / Line Port Combination - Switch with change			UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPRL UEPRC UEPRO UEPAF UEPAP LNPCX UEPVF	33.36 14.00 14.00 14.00 14.00 14.00 0.35	90.00 90.00 90.00 90.00 0.00 41.50	90.00 90.00 90.00 90.00 0.00 41.50				11.90 11.90 11.90				
change UEPRX	LOCAL I	2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundles res, low usage line port with Caller ID (LUM) NUMBER PORTABILITY Local Number Portability (1 per port) RES All Features Offered 2-Wire Voice Grade Loop / Line Port Combination - Switch-as-is 2-Wire Voice Grade Loop / Line Port Combination - Switch with change DNAL NRCS NRC - 2-Wire Voice Grade Loop/Line Port Combination -			UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPRL UEPRC UEPRO UEPAF UEPAP LNPCX UEPVF USAC2	33.36 14.00 14.00 14.00 14.00 14.00 0.35	90.00 90.00 90.00 90.00 0.00 41.50	90.00 90.00 90.00 90.00 41.50				11.90 11.90 11.90 11.90				
	LOCAL I FEATUR ADDITIO	2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundles res, low usage line port with Caller ID (LUM) NUMBER PORTABILITY Local Number Portability (1 per port) RES All Features Offered 2-Wire Voice Grade Loop / Line Port Combination - Switch-as-is 2-Wire Voice Grade Loop / Line Port Combination - Switch with change NNAL NRCS NRC - 2-Wire Voice Grade Loop/Line Port Combination - Subsequent			UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPRL UEPRC UEPRO UEPAF UEPAP LNPCX UEPVF USAC2	33.36 14.00 14.00 14.00 14.00 14.00 0.35	90.00 90.00 90.00 90.00 0.00 41.50	90.00 90.00 90.00 90.00 41.50				11.90 11.90 11.90 11.90				

4Q01:12/01/01 PAGE 65 OF 324

JNBUNDLE	NETWORK ELEMENTS - Florida												Attachment:	2		Exhibit:
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge -
						Rec	Nonrec	urring	Nonrecurring	g Disconnect			OSS F	RATES (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
	2-Wire VG Loop/Port Combo - Zone 1		1			26.79										
	2-Wire VG Loop/Port Combo - Zone 2		2			31.27										
UNEL	2-Wire VG Loop/Port Combo - Zone 3	-	3			47.36										
UNE LO	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPBX	UEPLX	12.79										
	2-Wire Voice Grade Loop (SL1) - Zone 1		2	UEPBX	UEPLX	17.27										
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPBX	UEPLX	33.36										
2-Wire	Voice Grade Line Port (Bus)															
	2-Wire voice unbundled port without Caller ID - bus			UEPBX	UEPBL	14.00	90.00	90.00				11.90				
	2-Wire voice unbundled port with Caller + E484 ID - bus			UEPBX	UEPBC	14.00	90.00	90.00				11.90				
	2-Wire voice unbundled port outgoing only - bus	ļ		UEPBX	UEPBO	14.00	90.00	90.00				11.90				
LOCAL	NUMBER PORTABILITY			LIEDDY	LNDOV	0.05										
FEATU	Local Number Portability (1 per port)	<u> </u>		UEPBX	LNPCX	0.35				-						
	CURRING CHARGES - CURRENTLY COMBINED	1	-		+					1	1	1	1			
HOME	SOUTHING CHARGES - CORRENTET COMBINED															
	2-Wire Voice Grade Loop / Line Port Combination - Switch-as-is			UEPBX	USAC2		41.50	41.50				11.90				
	2-Wire Voice Grade Loop / Line Port Combination - Switch with															
	change			UEPBX	USACC		41.50	41.50								
ADDITI	ONAL NRCs															
	NRC - 2-Wire Voice Grade Loop/Line Port Combination -															
0.14/175	Subsequent			UEPBX	USAS2		0.00	0.00				11.90				
	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX) ort/Loop Combination Rates				_											
UNE PO	2-Wire VG Loop/Port Combo - Zone 1		1			26.79										
-+	2-Wire VG Loop/Port Combo - Zone 2		2			31.27										
	2-Wire VG Loop/Port Combo - Zone 3		3			47.36										
UNE Lc	pop Rates															
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPRG	UEPLX	12.79										
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPRG	UEPLX	17.27										
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPRG	UEPLX	33.36										
2-Wire	Voice Grade Line Port Rates (RES - PBX)															
1.0041	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port - Res			UEPRG	UEPRD	14.00	90.00	90.00				11.90				
LOCAL	NUMBER PORTABILITY Local Number Portability (1 per port)		<u> </u>	UEPRG	LNPCP	3.15					-	-				
FEATU				UEPRG	LINECE	3.10										
	CURRING CHARGES - CURRENTLY COMBINED															
		t e			1					İ	l –	l –				
	2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is	<u></u>	L	UEPRG	USAC2		41.50	41.50			<u> </u>	11.90	<u> </u>			<u> </u>
	2-Wire Voice Grade Loop/ Line Port Combination - Switch with															
	Change	<u> </u>		UEPRG	USACC		41.50	41.50								
ADDITI	ONAL NRCs	ļ			1					ļ						
	Wire Loop/Line Side Port Combination - Non feature - Subsequent Activity- Nonrecurring						0.00	0.00								
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt						7.00	7.00				44.00				
2-14/105	Group VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)	 	-		+		7.09	7.09		+		11.90				
	ort/Loop Combination Rates	1	-		+					1	1	1	1			1
JAL FO	2-Wire VG Loop/Port Combo - Zone 1	 	1		+	26.79				†						
	2-Wire VG Loop/Port Combo - Zone 2	1	2			31.27				Ì			İ			
	2-Wire VG Loop/Port Combo - Zone 3		3			47.36										
	oop Rates															
UNE Lo				LUCBBY	THE DLAY					1 -	. — —	1 -				
UNE Lc	2-Wire Voice Grade Loop (SL1) - Zone 1			UEPPX	UEPLX	12.79										
UNE Lo	2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3		2	UEPPX UEPPX UEPPX	UEPLX UEPLX UEPLX	12.79 17.27 33.36										

JNBUNDLE	NETWORK ELEMENTS - Florida												Attachment:	2		Exhibit: E
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Submitted Manually		Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrec		Nonrecurring Di					RATES (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPPX	UEPPC	14.00	90.00	90.00				11.90				
	Line Side Unbundled Outward PBX Trunk Port - Bus			UEPPX	UEPPO	14.00	90.00	90.00				11.90				
	Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPPX	UEPP1	14.00	90.00	90.00				11.90				
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	14.00	90.00	90.00				11.90				
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	14.00	90.00	90.00				11.90				
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports 2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPPX UEPPX	UEPXB UEPXC	14.00 14.00	90.00 90.00	90.00 90.00				11.90 11.90				
	2-Wire Voice Unbundled PBX LD DDD Terminals Port 2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	14.00	90.00	90.00				11.90				
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPPX	UEPXE	14.00	90.00	90.00				11.90				
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPPX	UEPXL	14.00	90.00	90.00				11.90				
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPPX	UEPXM	14.00	90.00	90.00				11.90				
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port			UEPPX	UEPXO	14.00	90.00	90.00				11.90				
LOCAL	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port NUMBER PORTABILITY			UEPPX UEPPX	LNPCP	14.00 3.15	90.00	90.00				11.90				
FEATUR	Local Number Portability (1 per port)			UEPPX	LINPCP	3.15										
	CURRING CHARGES - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is 2-Wire Voice Grade Loop/ Line Port Combination - Switch with			UEPPX	USAC2		41.50	41.50				11.90				
	Change			UEPPX	USACC		41.50	41.50								
ADDITIO	ONAL NRCs															
	2-Wire Voice Grade Loop/ Line Port Combination - Subsequent 2 Wire Loop/Line Side Port Combination - Non feature -			UEPPX	USAS2		0.00	0.00				11.90				
	Subsequent Activity - Nonrecurring PBX Subsequent Activity - Change/Rearrange Multiline Hunt						0.00	0.00								
	Group						7.09	7.09				11.90				
	VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN PORT															
UNE Po	rt/Loop Combination Rates															
	2-Wire VG Coin Port/Loop Combo – Zone 1 2-Wire VG Coin Port/Loop Combo – Zone 2		1 2			26.79 31.27										
	2-Wire VG Coin Port/Loop Combo – Zone 3		3		+	47.36										
UNE Lo	op Rates		Ť			00	t									
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPCO	UEPLX	12.79										
	2-Wire Voice Grade Loop (SL1) - Zone 2			UEPCO	UEPLX	17.27										
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPCO	UEPLX	33.36										
2-Wire \	Voice Grade Line Port Rates (Coin)															
	2-Wire Coin 2-Way with Operator Screening and Blocking: 011, 900/976, 1+DDD (FL)			UEPCO	UEP2F	14.00	90.00	90.00				11.90				
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking (FL) 2-Wire Coin 2-Way with Operator Screening and Blocking:			UEPCO	UEPFA	14.00	90.00	90.00				11.90				
	2-Wire Coin Outward with Operator Screening and Blocking. 2-Wire Coin Outward with Operator Screening and 011 Blocking.			UEPCO	UEPCG	14.00	90.00	90.00				11.90				
	(AL, FL) 2-Wire Coin Outward with Operator Screening and Blocking:			UEPCO	UEPRK	14.00	90.00	90.00				11.90				
	900/976, 1+DDD, 011+ (FL) 2-Wire Coin Outward with Operator Screening and Blocking:			UEPCO	UEPOF	14.00	90.00	90.00				11.90				
LOCAL	900/976, 1+DDD, 011+, and Local (FL, GA) NUMBER PORTABILITY			UEPCO	UEPCQ	14.00	90.00	90.00				11.90				
	Local Number Portability (1 per port)			UEPCO	LNPCX	0.35										

UNBU	NDLED	NETWORK ELEMENTS - Florida												Attachment:	2		Exhibit: B
	EGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			Submitted Elec	Svc Order Submitted	Incremental Charge - Manual Svc		Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
							Rec	Nonrec			g Disconnect				RATES (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	NONRE	CURRING CHARGES - CURRENTLY COMBINED															
		2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is			UEPCO	USAC2		41.50	41.50				11.90				
		2-Wire Voice Grade Loop/ Line Port Combination - Switch with			021 00	00/102		41.00	41.00				11.00				
		Change			UEPCO	USACC		41.50	41.50								
	ADDITIO	NAL NRCs															
LINDIII	IDI ED A	2-Wire Voice Grade Loop/ Line Port Combination - Subsequent ENTREX PORT/LOOP COMBINATIONS		1	UEPCO	USAS2		0.00	0.00		-	<u> </u>	11.90				
ONBON		ENTREX PORT/LOOP COMBINATIONS DLED PORT/LOOP COMBINATIONS - COST BASED RATES	1			+	-					1	-				<u> </u>
—		ENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only)		1							1						
		G Loop/2-Wire Voice Grade Port (Centrex) Combo	1			1					1	1		1			
		rt/Loop Combination Rates (Non-Design)				1					İ						
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
		Non-Design		1	UEP91		14.11										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design		2	UEP91		18.23										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			OLI 31		10.25										
		Non-Design		3	UEP91		33.04										
	UNE Po	t/Loop Combination Rates (Design)															
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
		Design		1	UEP91		16.53										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		_													
		Design		2	UEP91		21.60										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		3	UEP91		37.85										
	UNE Lo	Design Pate		3	UEP91		37.85										
	OIAL LO	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP91	UECS1	12.94										
		2-Wire Voice Grade Loop (SL 1) - Zone 2			UEP91	UECS1	17.06										
		2-Wire Voice Grade Loop (SL 1) - Zone 3			UEP91	UECS1	31.87										
		2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP91	UECS2	15.36										
		2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP91	UECS2	20.43										
		2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP91	UECS2	36.68										
-	UNE Po			1		+					1	1		-			
-	All State	s (Except North Carolina and Sout Carolina) 2-Wire Voice Grade Port (Centrex) Basic Local Area		<u> </u>	UEP91	UEPYA	1.17				-	1	11.90	1	1	1.83	
-		2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local		1	OLI 31	JLI IA	1.17					1	11.50			1.03	
1		Area			UEP91	UEPYB	1.17						11.90			1.83	
		2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local															
		Area			UEP91	UEPYH	1.17						11.90			1.83	
	1	2-Wire Voice Grade Port (Centrex from diff Serving Wire					I										7
-		Center)2 Basic Local Area		1	UEP91	UEPYM	1.17						11.90			1.83	
1		2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term - Basic Local Area			UEP91	UEPYZ	1.17						11.90			1.83	
-	-	2-Wire Voice Grade Port terminated in on Megalink or equivalent	1	1	OLF31	ULF 12	1.17				1	1	11.90	1		1.03	
		- Basic Local Area			UEP91	UEPY9	1.17						11.90			1.83	
	1	2-Wire Voice Grade Port Terminated on 800 Service Term -				1					İ						
		Basic Local Area			UEP91	UEPY2	1.17						11.90			1.83	
	Georgia	and Florida Only								·							
		2-Wire Voice Grade Port (Centrex)			UEP91	UEPHA	1.17						11.90			1.83	
<u> </u>	ļ	2-Wire Voice Grade Port (Centrex 800 termination)		1	UEP91	UEPHB	1.17				1	1	11.90	-		1.83	
		2-Wire Voice Grade Port (Centrex with Caller ID)1 2-Wire Voice Grade Port (Centrex from diff Serving Wire			UEP91	UEPHH	1.17						11.90	-		1.83	
		Center)2			UEP91	UEPHM	1.17						11.90			1.83	
		2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service									1					1.00	
L	<u> </u>	Term			UEP91	UEPHZ	1.17				<u> </u>		11.90		<u> </u>	1.83	

UNBUNDLED	NETWORK ELEMENTS - Florida												Attachment:	2		Exhibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually	Incremental Charge - Manual Svc Order vs.		Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge -
						Rec	Nonrec			g Disconnect				RATES (\$)		
			<u> </u>				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP91	UEPH9	1.17						11.90			1.83	
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP91	UEPH2	1.17						11.90			1.83	
Local Sw																
	Centrex Intercom Funtionality, per port		ļ	UEP91	URECS	0.7384				-						-
	Local Number Portability (1 per port)			UEP91	LNPCC	0.35										
Features				OLI 01	LIVIOO	0.00										
	All Standard Features Offered, per port			UEP91	UEPVF	2.26										
	All Select Features Offered, per port			UEP91	UEPVS	0.00	370.70									
NARS	All Centrex Control Features Offered, per port		!	UEP91	UEPVC	2.26	-			 		1				1
	Unbundled Network Access Register - Combination			UEP91	UARCX	0.00	0.00	0.00		1						1
	Unbundled Network Access Register - Indial			UEP91	UAR1X	0.00	0.00	0.00								
	Unbundled Network Access Register - Outdial			UEP91	UAROX	0.00	0.00	0.00								
	neous Terminations															
	runk Side			LIEDO4	OFNIAO	0.04										
	Trunk Side Terminations, each			UEP91	CENA6	8.81				-						
	Interoffice Channel Facilities Termination - Voice Grade			UEP91	MIGBC	25.32				1						
	Interoffice Channel mileage, per mile or fraction of mile			UEP91	MIGBM	0.0091	İ									
Feature A	Activations (DS0) Centrex Loops on Channelized DS1 Service															
	nel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP91	1PQWS	0.66										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP91	1PQW6	0.66										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP91	1PQW7	0.66										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center			UEP91	1PQWP	0.66										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP91	1PQWV	0.66										
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot			UEP91	1PQWQ	0.66										
Non Dec	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP91	1PQWA	0.66										
	urring Charges (NRC) Associated with UNE-P Centrex Conversion - Currently Combined Switch-As-Is with allowed		!		1		+		 	 						
	changes, per port			UEP91	USAC2		21.50	8.42								
	Conversion of Existing Centrex Common Block			UEP91	USACN		5.17	8.32								
	New Centrex Standard Common Block			UEP91	M1ACS	0.00	618.82									
	New Centrex Customized Common Block		<u> </u>	UEP91	M1ACC	0.00	618.82			1	<u> </u>					
	Secondary Block, per Block NAR Establishment Charge, Per Occasion		1	UEP91 UEP91	M2CC1 URECA	0.00	71.31 66.48			-						-
	ENTREX - 5ESS (Valid in All States)		1	OLI 31	JILOA	0.00	00.40			†	<u> </u>	1				
	G Loop/2-Wire Voice Grade Port (Centrex) Combo															
UNE Port	t/Loop Combination Rates (Non-Design)							•								
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design		1	UEP95		14.11										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		2	UEP95		18.23		·]						_
	Non-Design VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		3	UEP95		33.04										
	t/Loop Combination Rates (Design)		3	OL1 30	1	33.04	+			-						†
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design		1	UEP95		16.53										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design		2	UEP95		21.60										

JNBUNDLEI	NETWORK ELEMENTS - Florida												Attachment:	2		Exhibit: E
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)	Γ			Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec			ıg Disconnect				RATES (\$)		
-+-	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Design		3	UEP95		37.85										
UNE Lo	op Rate															
	2-Wire Voice Grade Loop (SL 1) - Zone 1			UEP95	UECS1	12.94										
	2-Wire Voice Grade Loop (SL 1) - Zone 2			UEP95	UECS1	17.06										
	2-Wire Voice Grade Loop (SL 1) - Zone 3			UEP95	UECS1	31.87										
	2-Wire Voice Grade Loop (SL 2) - Zone 1			UEP95	UECS2	15.36										
	2-Wire Voice Grade Loop (SL 2) - Zone 2			UEP95	UECS2	20.43										
UNE Po	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP95	UECS2	36.68			 	 	 				-	
All State			1		-	H			+	+						
All State	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP95	UEPYA	1.17	+		 	+		11.90			1.83	
-+	2-Wire Voice Grade Port (Centrex) Basic Eocal Area 2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPYB	1.17	+		†	+	1	11.90			1.83	
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local								<u> </u>	1					50	
	Area			UEP95	UEPYH	1.17						11.90			1.83	
	2-Wire Voice Grade Port (Centrex from diff Serving Wire															
	Center)2 Basic Local Area			UEP95	UEPYM	1.17						11.90			1.83	
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term - Basic Local Area			UEP95	UEPYZ	1.17						11.90			1.83	
	2-Wire Voice Grade Port terminated in on Megalink or equivalent - Basic Local Area			UEP95	UEPY9	1.17						11.90			1.83	
	2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area			UEP95	UEPY2	1.17						11.90			1.83	
AL, KY.	LA, MS, SC, & TN Only															
FL & G/	A Only															
	2-Wire Voice Grade Port (Centrex)			UEP95	UEPHA	1.17						11.90			1.83	
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPHB	1.17						11.90			1.83	
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP95	UEPHH	1.17						11.90			1.83	
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2			UEP95	UEPHM	1.17						11.90			1.83	
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term			UEP95	UEPHZ	1.17						11.90			1.83	
	2 Wire Voice Crade Bort terminated in an Magalink or equivalent			LIEDOE	LIEDHO	1 17						11.00			1 02	
-+-	2-Wire Voice Grade Port terminated in on Megalink or equivalent 2-Wire Voice Grade Port Terminated on 800 Service Term		-	UEP95 UEP95	UEPH9 UEPH2	1.17 1.17			 	+	_	11.90 11.90			1.83 1.83	
l ocal S	witching			ULF 95	ULFTIZ	1.17				+		11.90			1.03	
Local o	Centrex Intercom Funtionality, per port			UEP95	URECS	0.7384			1	1						
Local N	lumber Portability					1	İ		1	1			İ			
	Local Number Portability (1 per port)			UEP95	LNPCC	0.35										
Feature	s															
	All Standard Features Offered, per port			UEP95	UEPVF	2.26										
	All Select Features Offered, per port			UEP95	UEPVS	0.00	370.70									
	All Centrex Control Features Offered, per port			UEP95	UEPVC	2.26										
NARS										1						
	Unbundled Network Access Register - Combination			UEP95	UARCX	0.00	0.00	0.00		ļ	ļ					
	Unbundled Network Access Register - Indial			UEP95	UAR1X	0.00	0.00	0.00		+	<u> </u>				 	
Miossii	Unbundled Network Access Register - Outdial		-	UEP95	UAROX	0.00	0.00	0.00	 	+	 				 	
	aneous Terminations Trunk Side					 			 	 	 				-	
2-44116	Trunk Side Trunk Side Terminations, each			UEP95	CEND6	8.81	+		 	+	<u> </u>					
4-Wire	Digital (1.544 Megabits)			OL1 30	OLINDO	0.01			†	+	 					
	DS1 Circuit Terminations, each			UEP95	M1HD1	54.95	-		-	+					 	
	DS0 Channels Activated, each			UEP95	M1HDO	0.00	15.69		1	1						
Interoff	ice Channel Mileage - 2-Wire					2.00			1	1						
	Interoffice Channel Facilities Termination			UEP95	MIGBC	25.32										
	Interoffice Channel mileage, per mile or fraction of mile			UEP95	MIGBM	0.0091										
Feature	Activations (DS0) Centrex Loops on Channelized DS1 Service															

UNBUNDLED	NETWORK ELEMENTS - Florida												Attachment:	2		Exhibit: E
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			1	Svc Order Submitted Manually	Incremental Charge - Manual Svc	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incrementa Charge -
						Rec	Nonrec		Nonrecurring					RATES (\$)		
D4 01	I Bart Fredrick Astronomy						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
D4 Chan	nel Bank Feature Activations Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	1PQWS	0.66										
	realure Activation on D-4 Channel Bank Centrex Loop Stot			UEF95	IPQWS	0.00										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP95	1PQW6	0.66										l
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop															
	Slot			UEP95	1PQW7	0.66										l
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -															
	Different Wire Center			UEP95	1PQWP	0.66										
]		1
	Feature Activation on D-4 Channel Bank Private Line Loop Slot		<u> </u>	UEP95	1PQWV	0.66					ļ					1
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop	l		UEP95	40000	0.00										1
	Slot Feature Activation on D-4 Channel Bank WATS Loop Slot	<u> </u>		UEP95 UEP95	1PQWQ 1PQWA	0.66 0.66							-			
Non-Per	curring Charges (NRC) Associated with UNE-P Centrex		1	OLF 30	IF QVVA	0.00			1	1	1	1	1	1	1	
14011-1460	NRC Conversion Currently Combined Switch-As-Is with allowed				+						 					-
	changes, per port			UEP95	USAC2	0.00	21.50	8.42								1
	Conversion of Existing Centrex Common Block, each			UEP95	USACN		5.17	8.32								
	New Centrex Standard Common Block			UEP95	M1ACS	0.00	618.82									
	New Centrex Customized Common Block			UEP95	M1ACC	0.00	618.82									
	NAR Establishment Charge, Per Occasion			UEP95	URECA	0.00	66.48									
	ENTREX - DMS100 (Valid in All States)															
	G Loop/2-Wire Voice Grade Port (Centrex) Combo															
UNE Por	rt/Loop Combination Rates (Non-Design)															—
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design		1	UEP9D		14.11										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		2	UEP9D		18.23										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		_													
	Non-Design		3	UEP9D		33.04										
UNE POI	t/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -				-											
	Design	1	1	UEP9D		16.53										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		2	UEP9D		21.60										
	Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			UEP9D	-	21.60					1	-				
	Design		3	UEP9D		37.85										
UNE Loc			Ü	OLI OD		07.00										
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9D	UECS1	12.94										
	2-Wire Voice Grade Loop (SL 1) - Zone 2			UEP9D	UECS1	17.06										
	2-Wire Voice Grade Loop (SL 1) - Zone 3			UEP9D	UECS1	31.87		-					_			
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP9D	UECS2	15.36										
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP9D	UECS2	20.43					ļ					1
LINE D	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9D	UECS2	36.68			1	-	<u> </u>		-	 	 	
UNE Por			1		+						 	-			-	
ALL SIA	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP9D	UEPYA	1.17						11.90		1	1.83	
	2-Wire Voice Grade Port (Centrex) Basic Edicar Area Area Area			UEP9D	UEPYB	1.17						11.90			1.83	
	2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local				UEPYC	1.17									1.83	
	Area 2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local	-	1	UEP9D	UEPTC	1.17						11.90			1.83	\vdash
	Area			UEP9D	UEPYD	1.17						11.90		1	1.83	1
	2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local Area			UEP9D	UEPYE	1.17						11.90			1.83	
	2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local Area			UEP9D	UEPYF	1.17						11.90			1.83	

UNBUNDLED	NETWORK ELEMENTS - Florida												Attachment:	2		Exhibit: E
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'I
						Rec		curring	Nonrecurrin	g Disconnect				RATES (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local Area			UEP9D	UEPYG	1.17						11.90			1.83	
	2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local Area			UEP9D	UEPYT	1.17						11.90			1.83	
	2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local			LIEDOD	LIED/III	4.47						44.00			4.00	
	Area 2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local			UEP9D	UEPYU	1.17						11.90			1.83	
	Area 2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local			UEP9D	UEPYV	1.17		1				11.90			1.83	
	Area			UEP9D	UEPY3	1.17						11.90			1.83	
	2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local Area			UEP9D	UEPYH	1.17						11.90			1.83	
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp Indication))3 Basic Local Area			UEP9D	UEPYW	1.17						11.90			1.83	
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))3 Basic Local Area			UEP9D	UEPYJ	1.17						11.90			1.83	
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) 2 Basic Local Area			UEP9D	UEPYM	1.17						11.90			1.83	
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3 Basic Local Area			UEP9D	UEPYO	1.17						11.90			1.83	
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3 Basic Local Area			UEP9D	UEPYP	1.17						11.90			1.83	
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3 Basic Local Area			UEP9D	UEPYQ	1.17						11.90			1.83	
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3 Basic Local Area			UEP9D	UEPYR	1.17						11.90			1.83	
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3 Basic Local Area			UEP9D	UEPYS	1.17						11.90			1.83	
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3 Basic Local Area			UEP9D	UEPY4	1.17						11.90			1.83	
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 Basic Local Area			UEP9D	UEPY5	1.17						11.90			1.83	
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3															
	Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3			UEP9D	UEPY6	1.17						11.90			1.83	
	Basic Local Area 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			UEP9D	UEPY7	1.17						11.90			1.83	1
	Term 2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9D	UEPYZ	1.17						11.90			1.83	
	Basic Local Area 2-Wire Voice Grade Port Terminated on 800 Service Term Basic			UEP9D	UEPY9	1.17						11.90			1.83	
	Local Area			UEP9D	UEPY2	1.17						11.90			1.83	
FL & GA	2-Wire Voice Grade Port (Centrex)			UEP9D	UEPHA	1.17		 		 	-	11.90			1.83	
-	2-Wire Voice Grade Port (Centrex) 2-Wire Voice Grade Port (Centrex 800 termination)			UEP9D UEP9D	UEPHA	1.17		 	1	1	-	11.90			1.83	
<u> </u>	2-Wire Voice Grade Port (Centrex 800 termination) 2-Wire Voice Grade Port (Centrex / EBS-PSET)3			UEP9D	UEPHC	1.17				†		11.90			1.83	
	2-Wire Voice Grade Port (Centrex / EBS-M5009)3			UEP9D	UEPHD	1.17		1	Ì	Ì		11.90			1.83	
	2-Wire Voice Grade Port (Centrex / EBS-M5209)3			UEP9D	UEPHE	1.17						11.90			1.83	
	2-Wire Voice Grade Port (Centrex / EBS-M5112)3			UEP9D	UEPHF	1.17						11.90			1.83	
	2-Wire Voice Grade Port (Centrex / EBS-M5312)3			UEP9D	UEPHG	1.17						11.90			1.83	
	2-Wire Voice Grade Port (Centrex / EBS-M5008)3			UEP9D	UEPHT	1.17		ļ	ļ	ļ		11.90			1.83	
	2-Wire Voice Grade Port (Centrex / EBS-M5208)3			UEP9D	UEPHU	1.17						11.90			1.83	
	2-Wire Voice Grade Port (Centrex / EBS-M5216)3			UEP9D	UEPHV	1.17		_	 	-		11.90			1.83	
	2-Wire Voice Grade Port (Centrex / EBS-M5316)3			UEP9D UEP9D	UEPH3 UEPHH	1.17 1.17		-		-		11.90 11.90			1.83 1.83	
	2-Wire Voice Grade Port (Centrex with Caller ID) 2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp Indication)3			UEP9D	UEPHW	1.17						11.90			1.83	

IBUNDLED	NETWORK ELEMENTS - Florida												Attachment:	2		Exhibit:
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			1	Svc Order Submitted	Incremental Charge - Manual Svc	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increments Charge - Manual Sy Order vs. Electronic Disc Add
						Rec	Nonrec		Nonrecurring					RATES (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)3			UEP9D	UEPHJ	1.17						11.90			1.83	
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)			UEP9D	UEPHM	1.17						11.90			1.83	
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3			UEP9D	UEPHO	1.17						11.90			1.83	
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3			UEP9D	UEPHP	1.17						11.90			1.83	
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3			UEP9D	UEPHQ	1.17						11.90			1.83	
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3			UEP9D	UEPHR	1.17						11.90			1.83	
	, ,															
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3			UEP9D	UEPHS	1.17						11.90			1.83	
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3			UEP9D	UEPH4	1.17						11.90			1.83	
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3			UEP9D	UEPH5	1.17						11.90			1.83	
	2-Wile Voice Grade Port (Certifex differ SWC /EBS-W5206)2, 3			UEP9D	UEPHS	1.17						11.90			1.03	
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3			UEP9D	UEPH6	1.17						11.90			1.83	
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3			UEP9D	UEPH7	1.17						11.90			1.83	
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term			UEP9D	UEPHZ	1.17						11.90			1.83	
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9D	UEPH9	1.17						11.90			1.83	
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP9D	UEPH2	1.17						11.90			1.83	
Local Sw				LIEBAB		0 =00.4										
	Centrex Intercom Funtionality, per port Imber Portability		1	UEP9D	URECS	0.7384			-							
	Local Number Portability (1 per port)			UEP9D	LNPCC	0.35										
Features				02. 03	2.1.00	0.00										
	All Standard Features Offered, per port			UEP9D	UEPVF	2.26										
	All Select Features Offered, per port			UEP9D	UEPVS	0.00	370.70									
	All Centrex Control Features Offered, per port			UEP9D	UEPVC	2.26										
NARS	Link on diad Nationals Assess Decistor Combination			UEP9D	UARCX	0.00	0.00	0.00								
	Unbundled Network Access Register - Combination Unbundled Network Access Register - Inward		1	UEP9D	UARCX UAR1X	0.00	0.00	0.00	-							
	Unbundled Network Access Register - Inward Unbundled Network Access Register - Outdial			UEP9D	UAROX	0.00	0.00	0.00								
	neous Terminations			OLI OD	O/ II CO/C	0.00	0.00	0.00								
	runk Side															
	Trunk Side Terminations, each			UEP9D	CEND6	8.81										
	igital (1.544 Megabits)															
	DS1 Circuit Terminations, each			UEP9D	M1HD1	54.95	15.00									
	DS0 Channels Activiated per Channel			UEP9D	M1HDO	0.00	15.69									
	ce Channel Mileage - 2-Wire Interoffice Channel Facilities Termination			UEP9D	MIGBC	25.32										
	Interoffice Channel mileage, per mile or fraction of mile			UEP9D	MIGBM	0.0091										
	Activations (DS0) Centrex Loops on Channelized DS1 Service				1											
D4 Chan	nel Bank Feature Activations							•								
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9D	1PQWS	0.66										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9D	1PQW6	0.66										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop															
	Slot			UEP9D	1PQW7	0.66										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center			UEP9D	1PQWP	0.66										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9D	1PQWV	0.66					İ					

UNBUNDLED	NETWORK ELEMENTS - Florida												Attachment:	2		Exhibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec	urring	Nonrecurring	g Disconnect			oss i	RATES (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot			UEP9D	1PQWQ	0.66										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9D	1PQWA	0.66										
Non-Red	curring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed															
	changes, per port			UEP9D	USAC2		21.50	8.42								
	Conversion of existing Centrex Common Block, each			UEP9D	USACN		5.17	8.32								
	New Centrex Standard Common Block			UEP9D	M1ACS	0.00	618.82									
	New Centrex Customized Common Block			UEP9D	M1ACC	0.00	618.82									
	NAR Establishment Charge, Per Occasion			UEP9D	URECA	0.00	66.48									
	ENTREX - EWSD (Valid in AL, FL, KY, LA, MS & TN)									ļ	ļ					
	G Loop/2-Wire Voice Grade Port (Centrex) Combo															
UNE Por	t/Loop Combination Rates (Non-Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design		1	UEP9E		14.11										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Non-Design		2	UEP9E		18.23										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		3	UEP9E		33.04										
UNE Por	rt/Loop Combination Rates (Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
	Design		1	UEP9E		16.53										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design		2	UEP9E		21.60										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design		3	UEP9E		37.85										
UNE Loc						000										
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9E	UECS1	12.94										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP9E	UECS1	17.06										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP9E	UECS1	31.87										
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP9E	UECS2	15.36										
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP9E	UECS2	20.43										
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9E	UECS2	36.68										
UNE Por																
AL, FL,	KY, LA, MS, & TN only															
	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP9E	UEPYA	1.17						11.90			1.83	
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area			UEP9E	UEPYB	1.17						11.90			1.83	
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area	Ì		UEP9E	UEPYH	1.17						11.90			1.83	
	2-Wire Voice Grade Port (Centrex from diff Serving Wire															
	Center)2 Basic Local Area 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			UEP9E	UEPYM	1.17						11.90			1.83	
	Term - Basic Local Area 2-Wire Voice Grade Port terminated in on Megalink or equivalent		ļ	UEP9E	UEPYZ	1.17					1	11.90			1.83	
	- Basic Local Area			UEP9E	UEPY9	1.17						11.90			1.83	
	2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area			UEP9E	UEPY2	1.17						11.90			1.83	
Florida (
	2-Wire Voice Grade Port (Centrex)			UEP9E	UEPHA	1.17						11.90			1.83	
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP9E	UEPHB	1.17						11.90			1.83	
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP9E	UEPHH	1.17						11.90			1.83	
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2			UEP9E	UEPHM	1.17						11.90			1.83	
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term			UEP9E	UEPHZ	1.17						11.90			1.83	

JNBUNDLED	NETWORK ELEMENTS - Florida												Attachment:	2		Exhibit:
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR		Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increments Charge - Manual Sv Order vs. Electronic Disc Add
						B	N 1		N 1				000	DATEO (A)		
						Rec	Nonrec First	urring Add'l	First	g Disconnect Add'l	SOMEC	SOMAN	SOMAN	RATES (\$) SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port terminated in on Megalink or equivalent 2-Wire Voice Grade Port Terminated on 800 Service Term			UEP9E UEP9E	UEPH9 UEPH2	1.17 1.17						11.90			1.83	
Local S	witching			OLI OL	OLITIZ	,						11.00			1.00	
	Centrex Intercom Funtionality, per port			UEP9E	URECS	0.7384										
Local N	umber Portability															
	Local Number Portability (1 per port)			UEP9E	LNPCC	0.35					1	ļ				
Feature	All Standard Features Offered, per port			UEP9E	UEPVF	2.26				 	1	-				
	All Select Features Offered, per port			UEP9E	UEPVS	0.00	370.70			-		-				ļ
	All Centrex Control Features Offered, per port			UEP9E	UEPVC	2.26	310.10			†						
NARS	2227 Control 1 Catalog Cholod, por port					2.20				1		l –				
	Unbundled Network Access Register - Combination			UEP9E	UARCX	0.00	0.00	0.00								
	Unbundled Network Access Register - Indial			UEP9E	UAR1X	0.00	0.00	0.00								
	Unbundled Network Access Register - Outdial			UEP9E	UAROX	0.00	0.00	0.00								
	neous Terminations															
2-Wire 1	runk Side				051100	2.21										
4 10/: [Trunk Side Terminations, each			UEP9E	CEND6	8.81										
4-wire L	Digital (1.544 Megabits) DS1 Circuit Terminations, each		1	UEP9E	M1HD1	54.95						-				
	DS0 Channel Activated Per Channel			UEP9E	M1HDO	0.00	15.69									
Interoffi	ce Channel Mileage - 2-Wire			OLI 3L	WITIDO	0.00	15.05									
	Interoffice Channel Facilities Termination			UEP9E	MIGBC	25.32				İ						
	Interoffice Channel mileage, per mile or fraction of mile			UEP9E	MIGBM	0.0091										
	Activations (DS0) Centrex Loops on Channelized DS1 Service															
D4 Char	nel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9E	1PQWS	0.66										<u> </u>
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop			UEP9E	1PQW6	0.66										
	Slot			UEP9E	1PQW7	0.66										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center			UEP9E	1PQWP	0.66										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop			UEP9E	1PQWV	0.66										
	Slot			UEP9E	1PQWQ	0.66				1						1
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9E	1PQWA	0.66										
Non-Re	curring Charges (NRC) Associated with UNE-P Centrex				1	2.00				1			İ			
	NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port			UEP9E	USAC2		21.50	8.42								
	Conversion of Existing Centrex Common Block, each			UEP9E	USACN		5.17	8.32								
	New Centrex Standard Common Block			UEP9E	M1ACS	0.00	618.82	·								
	New Centrex Customized Common Block			UEP9E	M1ACC	0.00	618.82									
No.	NAR Establishment Charge, Per Occasion		.	UEP9E	URECA	0.00	66.48				<u> </u>		ļ	ļ		
	Required Port for Centrex Control in 1AESS, 5ESS & EWSD									 	1	1	 			
	Requires Interoffice Channel Mileage Requires Specific Customer Premises Equipment				+					+						
14016.2 -	requires openine oustomer i remises Equipment				+					 	1	-	 			
										1						
					1					1			İ			

UNBU	NDLE	D NETWORK ELEMENTS - Georgia												Attachment:	2		Exhibit:
CATE	GORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
							Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	RATES (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
						<u> </u>	-										
		one" shown in the sections for stand-alone loops or loops as	•			to Geographic	cally Deaverage	d UNE Zones.	To view Geog	raphically Dea	veraged UNE 2	Zone Desigr	nations by C	entral Office,	refer to Inter	net Website:	•
OBEDA		/ww.interconnection.bellsouth.com/become_a_clec/html/inter _ SUPPORT SYSTEMS	rconnec	tion.ht	im T	1	1	1		1					1		
OFERA	TIONAL	- SOFFORT STSTEMS	1		I								I	1	l		
	those e	is the BellSouth regional electronic service ordering charge. (2) Any element that can be ordered electronically will be bill elements that cannot be ordered electronically at present per d ordering charge, SOMAN, will be applied to a CLECs bill wh [Electronic OSS Charge, per LSR, submitted via BST's OSS	the BBF	R-LO, th	ne listed SOME	EC rate in this o											
		interactive interfaces (Regional)				SOMEC		3.50									<u> </u>
UNBUN		XCHANGE ACCESS LOOP															
	2-WIRE	ANALOG VOICE GRADE LOOP 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEAL2	14.21	42.54	31.33					18.94	8.42		
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		2	UEANL	UEAL2	16.41	42.54	31.33					18.94	8.42		
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL	UEAL2	26.08	42.54	31.33					18.94	8.42		
		Loop Testing - Basic 1st Half Hour			UEANL	URET1		78.92	78.92								
		Loop Testing - Basic Additional Half Hour Engineering Information Document (EI)			UEANL UEANL	URETA		23.33 28.72	23.33 28.72								
		Manual Order Coordination for UVL-SL1s (per loop)*			UEANL	UEAMC		16.11	16.11								
		Order Coordination for Specified Conversion Time for UVL-SL1 (per LSR) *			UEANL	OCOSL		35.74	35.74								
	2-WIRE	Unbundled COPPER LOOP		1	UEQ	UEQ2X	11.02	44.69	22.40	25.65	7.06			18.94	8.42		
		2-Wire Unbundled Copper Loop - Non-Designed Zone 1 2 Wire Unbundled Copper Loop - Non-Designed - Zone 2	H	2	UEQ	UEQ2X UEQ2X	12.72	44.69	22.40	25.65	7.06			18.94	8.42		
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 3	Ť	3	UEQ	UEQ2X	20.22	44.69	22.40	25.65	7.06			18.94	8.42		
		Order Coordination 2 Wire Unbundled Copper Loop - Non- Designed (per loop)			UEQ	USBMC		16.11	16.11								
		Engineering Information Document Loop Testing - Basic 1st Half Hour			UEQ	LIDETA		28.72 78.92	28.72								
		Loop Testing - Basic 1st Hall Hour			UEQ UEQ	URET1 URETA		23.33	78.92 23.33								
		XCHANGE ACCESS LOOP															
		ANALOG VOICE GRADE LOOP															
	UNE Lo	oop Rates for Line Splitting (In Ga. PSC ordered the line spli	tting lo	op USC	OCs match the UEPSR,	lower port- loc	op combo rates	UEPLX)					-				1
		2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 1	I	1	UEPSB UEPSR,	UEALS,	10.80										
		2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 1	ı	1	UEPSB UEPSR,	UEABS	10.83										
		2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 2	I	2	UEPSB UEPSR,	UEALS,	12.47										
		2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 2	I	2	UEPSB UEPSR,	UEABS	12.47										
		2-Wire Voice Grade Loop (SL1)for Line Splitting - Zone 3		3	UEPSB UEPSR,	UEALS	19.83										
UNBUN	DLED E	2-Wire Voice Grade Loop (SL1)for Line Splitting - Zone 3 EXCHANGE ACCESS LOOP	<u> </u>	3	UEPSB	UEABS	19.83										
		ANALOG VOICE GRADE LOOP															
		CLEC to CLEC Conversion Charge without outside dispatch			LIFANII	LIDEMO		40.05	04.00					40.04	0.40		
		(UVL-SL1) 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 1		1	UEANL	UREWO UEAL2	16.84	42.05 104.17	21.98 78.10					18.94 18.94	8.42 8.42		
				1 I	IUEA	IUEAL2	10.84	104.17	/8.10	1		1	1	18.94	0.42		İ

4Q01:12/01/01 PAGE 76 OF 324

JNBUNDLE	D NETWORK ELEMENTS - Georgia			1								1	Attachment:	2		Exhibit:
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
						Rec	Nonred First	curring Add'l	Nonrecurring		COMEC	SOMAN		RATES (\$)	SOMAN	SOMAN
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or				_		FIRST	Addi	First	Add'l	SOMEC	SUMAN	SUMAN	SUMAN	SOWAN	SUMAN
	Ground Start Signaling - Zone 3		3	UEA	UEAL2	30.92	104.17	78.10					18.94	8.42		
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL	00.02	35.74	70.10					10.04	0.42		
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															
	Battery Signaling - Zone 1		1	UEA	UEAR2	16.84	104.17	78.10					18.94	8.42		
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															
	Battery Signaling - Zone 2		2	UEA	UEAR2	19.45	104.17	78.10					18.94	8.42		
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		_		LIEADO	00.00	404.47	70.40					40.04	0.40		
	Battery Signaling - Zone 3		3	UEA UEA	UEAR2 OCOSL	30.92	104.17	78.10					18.94	8.42		
	Order Coordination for Specified Conversion Time (per LSR) CLEC to CLEC Conversion Charge without outside dispatch		<u> </u>	UEA	UREWO		35.74 104.17	38.21					18.94	8.42		
4-WIDI	E ANALOG VOICE GRADE LOOP		1	ULA	OKEWO		104.17	30.21					10.94	0.42		
7-11/1/	4-Wire Analog Voice Grade Loop - Zone 1		1	UEA	UEAL4	22.26	206.95	170.57			1		18.94	8.42		
	4-Wire Analog Voice Grade Loop - Zone 2		2	UEA	UEAL4	25.70	206.95	170.57					18.94	8.42		
	4-Wire Analog Voice Grade Loop - Zone 3		3	UEA	UEAL4	40.86	206.95	170.57					18.94	8.42		
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		35.74									
2-WIRE	SDN DIGITAL GRADE LOOP															
	2-Wire ISDN Digital Grade Loop - Zone 1		1	UDN	U1L2X	21.89	233.38	180.35					18.94	8.42		
	2-Wire ISDN Digital Grade Loop - Zone 2		2	UDN	U1L2X	25.27	233.38	180.35					18.94	8.42		
	2-Wire ISDN Digital Grade Loop - Zone 3		3	UDN	U1L2X	40.17	233.38	180.35					18.94	8.42		
	Order Coordination For Specified Conversion Time (per LSR)			UDN	OCOSL		35.74						10.01			
2 WIDI	CLEC to CLEC Conversion Charge without outside dispatch Universal Digital Channel (UDC) COMPATIBLE LOOP		1	UDN	UREWO		120.98	33.04					18.94	8.42		
Z-WIKE	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone															
	1	- 1	1	UDC	UDC2X	21.89	44.69	31.55	25.65	7.06			18.94	8.42		
	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone	-	<u> </u>	020	00000	200	11.00	01.00	20.00	7.00			10.01	02		
	2	1	2	UDC	UDC2X	25.27	44.69	31.55	25.65	7.06			18.94	8.42		
	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone															
	3	- 1	3	UDC	UDC2X	40.17	44.69	31.55	25.65	7.06			18.94	8.42		
	CLEC to CLEC Conversion Charge without outside dispatch			UDC	UREWO		44.69	31.55					18.94	8.42		
2-WIRE	ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP	ATIBLE	LOOP)												
	2 Wire Unbundled ADSL Loop including manual service inquiry			UAL	LIALOV	11.23	44.69	31.55	25.65	7.06			40.04	8.42		
_	& facility reservation - Zone 1 2 Wire Unbundled ADSL Loop including manual service inquiry		1	UAL	UAL2X	11.23	44.69	31.55	25.65	7.06			18.94	8.42		
	& facility reservation - Zone 2		2	UAL	UAL2X	12.97	44.69	31.55	25.65	7.06			18.94	8.42		
_	2 Wire Unbundled ADSL Loop including manual service inquiry			07 L	ONLEN	12.07	44.00	01.00	20.00	7.00			10.54	0.42		
	& facility reservation - Zone 3		3	UAL	UAL2X	20.62	44.69	31.55	25.65	7.06			18.94	8.42		
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		35.74									
	2 Wire Unbundled ADSL Loop without manual service inquiry &															
	facility reservaton - Zone 1	- 1	1	UAL	UAL2W	11.23	44.69	31.55	25.65	7.06			18.94	8.42		
	2 Wire Unbundled ADSL Loop without manual service inquiry &															
	facility reservaton - Zone 2	ı	2	UAL	UAL2W	12.97	44.69	31.55	25.65	7.06			18.94	8.42		
	2 Wire Unbundled ADSL Loop without manual service inquiry &				1141 0147	00.00	44.00	04.55	05.05	7.00			40.04	0.40		
	facility reservaton - Zone 3 Order Coordination for Specified Conversion Time (per LSR)	- 1	3	UAL	UAL2W OCOSL	20.62	44.69 35.74	31.55	25.65	7.06			18.94	8.42		
_	CLEC to CLEC Conversion Charge without outside dispatch			UAL	UREWO		44.69	29.29					18.94	8.42		
2-WIRI	E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBI F	LOOP	OAL	OKLWO		44.09	25.29					10.94	0.42		
	2 Wire Unbundled HDSL Loop including manual service inquiry			1	1								1			
	& facility reservation - Zone 1		1	UHL	UHL2X	7.88	44.69	31.55	25.65	7.06			18.94	8.42		
	2 Wire Unbundled HDSL Loop including manual service inquiry					i										
	& facility reservation - Zone 2		2	UHL	UHL2X	9.09	44.69	31.55	25.65	7.06			18.94	8.42		
	2 Wire Unbundled HDSL Loop including manual service inquiry															
	& facility reservation - Zone 3		3	UHL	UHL2X	14.46	44.69	31.55	25.65	7.06			18.94	8.42		1
	Order Coordination for Specified Conversion Time (per LSR)		<u> </u>	UHL	OCOSL		35.74									1
-			1	1	1						1	1	1	l		1
+	2 Wire Unbundled HDSL Loop without manual service inquiry		_		1 11 11 0147	7.00	44.00	04.55	25.25	7 ^ ^			1000	0.40		
	and facility reservation - Zone 1 2 Wire Unbundled HDSL Loop without manual service inquiry	Ι	1	UHL	UHL2W	7.88	44.69	31.55	25.65	7.06			18.94	8.42		

UNBUNDLE	D NETWORK ELEMENTS - Georgia												Attachment:	2		Exhibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)	I			Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual Svc Order vs.
						Rec	Nonrec			Disconnect	001150	Looman		RATES (\$)	0011411	
-	2 Wire Unbundled HDSL Loop without manual service inquiry						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	and facility reservation - Zone 3	1	3	UHL	UHL2W	14.46	44.69	31.55	25.65	7.06			18.94	8.42		
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		35.74									
	CLEC to CLEC Conversion Charge without outside dispatch	l l		UHL	UREWO		44.69	31.55					18.94	8.42		
4-WIRI	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP													ļ
	4 Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 1	١.,	1	UHL	UHL4X	10.39	44.69	31.55	25.65	7.06			18.94	8.42		
	4-Wire Unbundled HDSL Loop including manual service inquiry	<u> </u>	1	UHL	UHL4X	10.39	44.69	31.55	25.65	7.06			18.94	8.42		
	and facility reservation - Zone 2		2	UHL	UHL4X	12.00	44.69	31.55	25.65	7.06			18.94	8.42		
	4-Wire Unbundled HDSL Loop including manual service inquiry															
 	and facility reservation - Zone 3		3	UHL	UHL4X OCOSL	19.07	44.69 35.74	31.55	25.65	7.06	1		18.94	8.42		
	Order Coordination for Specified Conversion Time (per LSR) 4-Wire Unbundled HDSL Loop without manual service inquiry			UHL	OCOSL	-	35.74									
	and facility reservation - Zone 1	1	1	UHL	UHL4W	10.39	44.69	31.55	25.65	7.06			18.94	8.42		
	4-Wire Unbundled HDSL Loop without manual service inquiry		2		11111 4047	40.00	44.00	04.55	05.05	7.00			40.04	0.40		
	and facility reservation - Zone 2 4-Wire Unbundled HDSL Loop without manual service inquiry	<u> </u>	2	UHL	UHL4W	12.00	44.69	31.55	25.65	7.06			18.94	8.42		
	and facility reservation - Zone 3	ı	3	UHL	UHL4W	19.07	44.69	31.55	25.65	7.06			18.94	8.42		
	Order Coordination for Specified Conversion Time (per LSR) CLEC to CLEC Conversion Charge without outside dispatch	.		UHL UHL	OCOSL UREWO		35.74 44.69	31.55					18.94	8.42		.
4-WIDI	E DS1 DIGITAL LOOP			UHL	UREWU	-	44.69	31.55					18.94	8.42		
4-44171	4-Wire DS1 Digital Loop - Zone 1		1	USL	USLXX	55.53	429.98	268.18					18.94	8.42		+
	4-Wire DS1 Digital Loop - Zone 2		2		USLXX	64.13	429.98	268.18					18.94	8.42		
	4-Wire DS1 Digital Loop - Zone 3			USL	USLXX	101.93	429.98	268.18					18.94	8.42		
	Order Coordination for Specified Conversion Time (per LSR)			USL	OCOSL		35.74									
	CLEC to CLEC Conversion Charge without outside dispatch			USL	UREWO		130.04	39.98					18.94	8.42		
4-WIRI	19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP		1	1101	LIDI 40	05.75	0.40.55	044.00					10.01	0.40		ļ
-	4 Wire Unbundled Digital 19.2 Kbps 4 Wire Unbundled Digital 19.2 Kbps		2	UDL UDL	UDL19 UDL19	25.75 29.74	348.55 348.55	241.20 241.20					18.94 18.94	8.42 8.42		
	4 Wire Unbundled Digital 19.2 Kbps			UDL	UDL19	47.27	348.55	241.20					18.94	8.42		1
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1		1	UDL	UDL56	25.75	348.55	241.20					18.94	8.42		
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2		2	UDL	UDL56	29.74	348.55	241.20					18.94	8.42		
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3		3	UDL	UDL56	47.27	348.55	241.20					18.94	8.42		
	Order Coordination for Specified Conversion Time (per LSR)		<u> </u>	UDL	OCOSL		35.74									
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1		1	UDL	UDL64	25.75	348.55	241.20					18.94	8.42		ļ
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2 4 Wire Unbundled Digital Loop 64 Kbps - Zone 3		3	UDL UDL	UDL64 UDL64	29.74 47.27	348.55 348.55	241.20 241.20					18.94 18.94	8.42 8.42		
	Order Coordination for Specified Conversion Time (per LSR)		3	UDL	OCOSL	41.21	35.74	241.20					10.54	0.42		+
	CLEC to CLEC Conversion Charge without outside dispatc h			UDL	UREWO	†	131.46	38.62					18.94	8.42		
2-WIRI	Unbundled COPPER LOOP															
	2-Wire Unbundled Copper Loop/Short including manual service							_								
	inquiry & facility reservation - Zone 1		1	UCL	UCLPB	12.02	44.69	31.55	25.65	7.06			18.94	8.42		ļ
	2-Wire Unbundled Copper Loop/Short including manual service inquiry & facility reservation - Zone 2		2	UCL	UCLPB	13.88	44.69	31.55	25.65	7.06			18.94	8.42		
	2 Wire Unbundled Copper Loop/Short including manual service			OOL	COLI B	10.00	44.00	01.00	20.00	7.00			10.04	0.42		
	inquiry & facility reservation - Zone 3		3	UCL	UCLPB	22.07	44.69	31.55	25.65	7.06			18.94	8.42		
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		16.11	16.11								
	2-Wire Unbundled Copper Loop/Short without manual service inquiry and facility reservation - Zone 1	١,	1	UCL	UCLPW	12.02	44.69	31.55	25.65	7.06			18.94	8.42		
	2-Wire Unbundled Copper Loop/Short without manual service				1552. 77	12.02	44.00	01.00	20.00	7.50		t	10.04	0.7∠		
	inquiry and facility reservation - Zone 2	- 1	2	UCL	UCLPW	13.88	44.69	31.55	25.65	7.06			18.94	8.42		ļ
	2-Wire Unbundled Copper Loop/Short without manual service inquiry and facility reservation - Zone 3		3	UCL	UCLPW	22.07	44.69	31.55	25.65	7.06			18.94	8.42		
	Order Coordination for Unbundled Copper Loops (per loop)	- '-		UCL	UCLMC	22.07	16.11	16.11	25.05	7.00			10.54	0.72		
	2-Wire Unbundled Copper Loop/Long - includes manual srvc.															
	inquiry and facility reservation - Zone 1 2-Wire Unbundled Copper Loop/Long - includes manual svc.		1	UCL	UCL2L	35.56	44.69	31.55	25.65	7.06		-	18.94	8.42		
	inquiry and facility reservation - Zone 2		2	UCL	UCL2L	41.07	44.69	31.55	25.65	7.06			18.94	8.42		

UNBU	NDLE	NETWORK ELEMENTS - Georgia												Attachment:	2		Exhibit: B
CATE	GORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Manually	Order vs.	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual Svc Order vs.
							Rec		urring		Disconnect				RATES (\$)		
		2-Wire Unbundled Copper Loop/Long - includes manual svc.						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		inquiry and facility reservation - Zone 3		3	UCL	UCL2L	65.28	44.69	31.55	25.65	7.06			18.94	8.42		
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		16.11	16.11								
		2-Wire Unbundled Copper Loop/Long - without manual service inquiry and facility reservation - Zone 1		4	UCL	UCL2W	35.56	44.69	31.55	25.65	7.06			18.94	8.42		
		2-Wire Unbundled Copper Loop/Long - without manual service	'		UCL	UCLZVV	33.36	44.09	31.55	25.05	7.00			10.94	0.42		1
		inquiry and facility reservation - Zone 2	- 1	2	UCL	UCL2W	41.07	44.69	31.55	25.65	7.06			18.94	8.42		
		2-Wire Unbundled Copper Loop/Long - without manual service															
		inquiry and facility reservation - Zone 3 Order Coordination for Unbundled Copper Loops (per loop)		3	UCL	UCL2W UCLMC	65.28	44.69 16.11	31.55 16.11	25.65	7.06			18.94	8.42		
		CLEC to CLEC Conversion Charge without outside dispatch			UCL	OCLIVIC	1	10.11	10.11								+
		(UCL-Des)	- 1		UCL	UREWO		44.69	31.36					18.94	8.42		
		CLEC to CLEC Conversion Charge without outside dispatch		1		LIDEW'S					-						
	1-WIDE	(UCL-ND) COPPER LOOP	ı		UEQ	UREWO		44.69	21.98					18.94	8.42		
		4-Wire Copper Loop/Short - including manual service inquiry		1		+	 					1	 				†
		and facility reservation - Zone 1		1	UCL	UCL4S	12.02	44.69	31.55	25.65	7.06			18.94	8.42		
		4-Wire Copper Loop/Short - including manual service inquiry									=						
		and facility reservation - Zone 2 4-Wire Copper Loop/Short - including manual service inquiry		2	UCL	UCL4S	13.88	44.69	31.55	25.65	7.06			18.94	8.42		+
		and facility reservation - Zone 3		3	UCL	UCL4S	22.07	44.69	31.55	25.65	7.06			18.94	8.42		
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		16.11	16.11								
		4-Wire Copper Loop/Short - without manual service inquiry and		١.							=						
_		facility reservation - Zone 1 4-Wire Copper Loop/Short - without manual service inquiry and	- 1	1	UCL	UCL4W	12.02	44.69	31.55	25.65	7.06			18.94	8.42		
		facility reservation - Zone 2	1	2	UCL	UCL4W	13.88	44.69	31.55	25.65	7.06			18.94	8.42		
		4-Wire Copper Loop/Short - without manual service inquiry and															
		facility reservation - Zone 3	- 1	3	UCL	UCL4W	22.07	44.69	31.55	25.65	7.06			18.94	8.42		ļ
		Order Coordination for Unbundled Copper Loops (per loop) 4-Wire Unbundled Copper Loop/Long - includes manual svc.			UCL	UCLMC	 	16.11	16.11								+
		inquiry and facility reservation - Zone 1		1	UCL	UCL4L	35.56	44.69	31.55	25.65	7.06			18.94	8.42		
		4-Wire Unbundled Copper Loop/Long - includes manual svc.															
		inquiry and facility reservation - Zone 2		2	UCL	UCL4L	41.07	44.69	31.55	25.65	7.06			18.94	8.42		ļ
		4-Wire Unbundled Copper Loop/Long - includes manual svc. inquiry and facility reservation - Zone 3		3	UCL	UCL4L	65.28	44.69	31.55	25.65	7.06			18.94	8.42		
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC	00.20	16.11	16.11	20.00	7.00			10.01	0.12		
		4-Wire Unbundled Copper Loop/Long - without manual svc.															
		inquiry and facility reservation - Zone 1		1	UCL	UCL4O	35.56	44.69	31.55	25.65	7.06			18.94	8.42		1
		4-Wire Unbundled Copper Loop/Long - without manual svc. inquiry and facility reservation - Zone 2	1	2	UCL	UCL4O	41.07	44.69	31.55	25.65	7.06			18.94	8.42		
		4-Wire Unbundled Copper Loop/Long - without manual svc.															1
		inquiry and facility reservation - Zone 3	- 1	3	UCL	UCL4O	65.28	44.69	31.55	25.65	7.06			18.94	8.42		ļ
		Order Coordination for Unbundled Copper Loops (per loop) CLEC to CLEC conversion Charge without outside dispatch			UCL UCL	UCLMC UREWO		16.11 44.69	16.11 31.36					18.94	8.42		
LOOP N	MODIFIC		-		OCL	UKLVVO		44.09	31.30					10.54	0.42		†
					UAL, UHL,		<u> </u>										
		Unbundled Loop Modification, Removal of Load Coils - 2 Wire	Ι.		UCL, UEQ,			0.00	0.00								
-		pair less than or equal to 18k ft Unbundled Loop Modification, Removal of Load Coils - 2 wire		<u> </u>	ULS	ULM2L	 	0.00	0.00			-	-				-
		greater than 18k ft	- 1		UCL, ULS	ULM2G		0.00	0.00								
		Unbundled Loop Modification Removal of Load Coils - 4 Wire					i										
		less than or equal to 18K ft		<u> </u>	UHL, UCL	ULM4L	<u> </u>	0.00	0.00				1	1			
		Unbundled Loop Modification Removal of Load Coils - 4 Wire pair greater than 18k ft	1		UCL	ULM4G		0.00	0.00								
		pan groater triair forcit	<u>'</u>	 	UAL, UHL,	JEWITO	†	0.00	0.00				1				
		Unbundled Loop Modification Removal of Bridged Tap Removal,			UCL, UEQ,												
SUB-LC	ODC	per unbundled loop		<u> </u>	UEF, ULS	ULMBT	<u> </u>	0.00	0.00			1					
OOR-F(JUP3			I	1	I	1			ı		1	1	I	ı	ı	

UNBUNDL	ED NETWORK ELEMENTS - Georgia												Attachment:	2		Exhibit: B
CATEGORY	7 RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					RATES (\$)		
Cub	Loop Distribution		ļ				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Sub-	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-															+
	Up	ı		UEANL	USBSA		421.08	421.08					18.94	8.42		
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up			UEANL	USBSB		67.10	67.10					18.94	8.42		
	Sub-Loop - Per Building Equipment Room - CLEC Feeder						-									t
	Facility Set-Up	- 1		UEANL	USBSC		394.74	394.74					18.94	8.42		
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up	l i		UEANL	USBSD		154.57	154.57					18.94	8.42		
	Unbundled Sub-Loops, Riser Cable, 2-Wire per Loop, Working															
	and Spare Loop Activation Unbundled Sub-Loops, Riser Cable, 4-Wire per Loop, Working			UEANL	USBRC	1.37	2.48	2.48	1.74	1.74						
	and Spare Loop Activation			UEANL	USBRD	2.74	4.96	4.96	1.74	1.74						
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -															
	Statewide		SW	UEANL	USBN2	9.12	207.01	171.32					18.94	8.42		-
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		34.22	34.22								
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -															
	Statewide		SW	UEANL	USBN4	8.32	219.35	72.99	123.72	28.77			18.94	8.42		
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		34.22	34.22								
	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)	ı		UEANL	USBR2	1.37	2.48	41.59	115.85	19.17			18.94	8.42		
	Sub-Loop 2-Wire Intrabuilding Network Cable (INC) -			l												
	Intermediary Access Terminal (IAT)			UEANL	USBRC	1.37	2.48	2.48	1.74	1.74			18.94	8.42		-
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		34.22	34.22								
	Sub-Loop 4-Wire Intrabuilding Network Cable (INC) -															
	Intermediary Access Terminal (IAT)			UEANL	USBRD USBR4	2.74	4.96 176.46	4.96	1.74 122.17	1.74 19.57			18.94 18.94	8.42 8.42		
	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	ı		UEANL	USBR4	2.96	176.46	55.11	122.17	19.57			18.94	8.42		
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		34.22	34.22								
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1			UEF	UCS2X	5.54	175.16	55.50	108.86	24.53			18.84	8.42		
-	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	-		UEF	UCS2X UCS2X	5.54 5.54	175.16 175.16	55.50 55.50	108.86 108.86	24.53 24.53			18.94 18.94	8.42 8.42		
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	'	3	UEF	00528	5.54	1/5.16	55.50	108.86	24.53			18.94	8.42		
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		34.22	34.22								
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1			UEF	UCS4X	6.89	219.35	72.99	123.72	28.77			18.94	8.42		
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	-		UEF UEF	UCS4X	6.89 6.89	219.35 219.35	72.99 72.99	123.72 123.72	28.77 28.77			18.94 18.94	8.42 8.42		
	4 wife Copper Oribunated Sub-Loop Distribution - 2016 3	- '-	3	ULF	UCS4X	0.89	219.30	12.99	123.72	20.11		-	10.94	0.42		
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		34.22	34.22								
Unbu	Indled Network Terminating Wire (UNTW)					1.5							10 -			
Notes	Unbundled Network Terminating Wire (UNTW) per Pair ork Interface Device (NID)		 	UENTW	UENPP	1.37	2.48	2.48	1.74	1.74		 	18.94	8.42		
IAGEM	Network Interface Device (NID) - 1-2 lines	-	1	UENTW	UND12	+	86.37	56.69				-	18.94	8.42		
	Network Interface Device (NID) - 1-6 lines			UENTW	UND16		127.93	98.21					18.94	8.42		
	Network Interface Device Cross Connect - 2 W	I		UENTW	UNDC2		6.15	6.15		-			18.94	8.42		
SUB-LOOPS	Network Interface Device Cross Connect - 4W		1	UENTW	UNDC4	+	6.15	6.15				1				
	Loop Feeder		 									1				
	USL-Feeder, DS0 Set-up per Cross Box location - CLEC Distribution Facility set-up			UEA, UDN,UCL,UD L,UDC	USBFW		421.08									
	USL Feeder - DS0 Set-up per Cross Box location - per 25 pair set-up			UEA, UDN,UCL,UD L,UDC	USBFX		67.10	67.10								
	USL Feeder DS1 Set-up at DSX location, per DS1 termination			USL	USBFZ		521.57	11.30								

UNBUND	DLED	NETWORK ELEMENTS - Georgia												Attachment:	2		Exhibit: B
CATEGOR	PRY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)	I			Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svo Order vs. Electronic- Disc 1st	Charge - Manual Svc Order vs.
							Rec	Nonrec			g Disconnect				RATES (\$)		
-		Internal Control Contr						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Unbundled Sub-Loop Feeder Loop, 2 Wire Ground-Start, Voice Grade- Statewide		sw	UEA	USBFA	8.58	206.44	170.05					18.94	8.42		
		Order Coordination for Specified Conversion Time, per LSR		SW	UEA	OCOSL	0.00	35.74	170.05			1		10.94	0.42		+
		Jnbundled Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice			OLA	CCCCL		00.14									
		Grade - Statewide		sw	UEA	USBFB	8.58	206.44	170.05					18.94	8.42		
		Order Coordination for Specified Time Conversion, per LSR			UEA	OCOSL		35.74									
		Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery,															
<u> </u>		Voice Grade Loop - Statewide		SW	UEA	USBFC	8.58	206.44	170.05					18.94	8.42		
\vdash		Order Coordination For Specified Conversion Time, per LSR			UEA	OCOSL		35.74									
		Jnbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice Grade - Statewide		sw	UEA	USBFD	19.91	243.41	81.32	134.77	33.93			18.94	8.42		1
		Order Coordination For Specified Conversion Time, Per LSR		OW	UEA	OCOSL	15.51	35.74	01.32	134.77	55.95	1		10.94	0.42		
		Jnbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice						оо т				1					1
	(Grade - Statewide		sw	UEA	USBFE	19.91	243.41	81.32	134.77	33.93	1	L	18.94	8.42	<u> </u>	1
		Order Coordination For Specified Conversion Time, Per LSR			UEA	OCOSL		35.74	•								
		Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI			l												
\vdash		Statewide		SW	UDN	USBFF	17.73	208.50	62.31	119.68	29.58			18.94	8.42		
		Order Coordination For Specified Conversion Time, Per LSR Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)		SW	UDN UDC	OCOSL USBFS	17.73	35.74 208.50	62.31	119.68	29.58			19.99	19.99	19.99	19.99
\vdash		Jnbundled Sub-Loop Feeder, 2 Wife ODC (IDSL compatible)			USL	USBFG	79.30	203.69	128.76	124.09	34.80			19.99	19.99	19.99	
h +		Order Coordination For Specified Conversion Time, Per LSR		3**	USL	OCOSL	70.00	35.74	120.70	124.00	04.00			10.00	10.00	10.00	10.00
		Jnbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop -			002	00002		00.1 1									
	5	Statewide		sw	UCL	USBFH	7.22	195.38	63.15	119.68	29.58			18.94	8.42		
		Order Coordination For Specified Conversion Time, per LSR			UCL	OCOSL		35.74									
$oxed{oxed}$		Sub-Loop Feeder - Per 4-Wire Copper Loop - Statewide		SW	UCL	USBFJ	13.72	243.41	81.32	134.77	33.93			18.94	8.42		
\vdash		Order Coordination For Specified Conversion Time, per LSR			UCL	OCOSL	04.50	35.74	04.00	10177	00.00			19.99	10.00	40.00	40.00
		Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop -		SW	UDL	USBFN	24.50	243.41	81.32	134.77	33.93			19.99	19.99	19.99	19.99
		Statewide		sw	UDL	USBFO	24.50	243.41	81.32	134.77	33.93			19.99	19.99	19.99	19.99
		Order Coordination For Specified Time Conversion, per LSR			UDL	OCOSL	200	35.74	002		00.00			10.00	10.00	.0.00	10.00
		Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop -															
	5	Statewide		sw	UDL	USBFP	24.50	243.41	81.32	134.77	33.93			19.99	19.99	19.99	19.99
		Order Coordination For Specified Conversion Time, per LSR			UDL	OCOSL		35.74									
SUB-LOOP																	
Sul		pp Feeder			UE3	1L5SL	12.80										
		Sub Loop Feeder - DS3 - Per Mile Per Month Sub Loop Feeder - DS3 - Facility Termination Per Month			UE3	USBF1	329.94	3.380.00	406.50	163.61	92.75			18.94	8.42		
		Sub Loop Feeder - STS-1 - Per Mile Per Month			UDLSX	1L5SL	12.80	5,500.00	+00.30	103.01	32.73	1		10.94	0.42		
		Sub Loop Feeder - STS-1 - Facility Termination Per Month			UDLSX	USBF7	372.78	3,380.00	406.50	163.61	92.75	1		18.94	8.42		1
		Sub Loop Feeder – OC-3 – Per Mile Per Month			UDLO3	1L5SL	9.71										
		Sub Loop Feeder - OC-3 - Facility Termination Protection Per							· · · · · · · · · · · · · · · · · · ·								
\vdash		Month	<u> </u>	<u> </u>	UDLO3	USBF5	57.79		100	100 -		1	ļ	10.5		ļ	_
$\vdash \vdash$		Sub Loop Feeder - OC-3 - Facility Termination Per Month		-	UDLO3	USBF2	524.13	3,380.00	406.50	163.61	92.75	1	 	18.94	8.42		1
\vdash		Sub Loop Feeder - OC-12 - Per Mile Per Month Sub Loop Feeder - OC-12 - Facility Termination Protection Per			UDL12	1L5SL	11.95					1	-			-	
		Month			UDL12	USBF6	519.09]						1			1
		Sub Loop Feeder - OC-12 - Facility Termination Per Month			UDL12	USBF3	1,570.00	3,380.00	406.50	163.61	92.75	1	1	18.94	8.42	t	t
		Sub Loop Feeder - OC-48 - Per Mile Per Month			UDL48	1L5SL	39.20	2,222.30		122701	32.70	1		15.01	5.12		
		Sub Loop Feeder - OC-48 - Facility Termination Protection Per															
		Month			UDL48	USBF9	259.99										
$oxed{oxed}$		Sub Loop Feeder - OC-48 - Facility Termination Per Month			UDL48	USBF4	1,505.00	3,566.00	406.50	163.61	92.75			18.94	8.42		1
LINID		Sub Loop Feeder - OC-12 Interface On OC-48			UDL48	USBF8	323.43	787.13	406.50	163.61	92.75	1		18.94	8.42		1
ONRONDE		DOP CONCENTRATION	 	-	111.0	LICTOA	444 40	650.04	CEO 01			1	<u> </u>	19.99	40.00	40.00	40.00
\vdash		Jnbundled Loop Concentration - System A (TR008) Jnbundled Loop Concentration - System B (TR008)			ULC ULC	UCT8A UCT8B	441.42 52.97	650.81 271.17	650.81 271.17			1	 	19.99	19.99 19.99	19.99 19.99	
\vdash		Jnbundled Loop Concentration - System 8 (TR008) Jnbundled Loop Concentration - System A (TR303)	 		ULC	UCT3A	478.93	650.81	650.81			1	 	19.99	19.99	19.99	
\vdash		Jnbundled Loop Concentration - System A (TK303)			ULC	UCT3B	89.26	271.17	271.17			1		19.99	19.99	19.99	
		Jnbundled Loop Concentration - DS1 Loop Interface Card			ULC	UCTCO	5.04	126.57	92.14	33.57	9.40	+		19.99	19.99	19.99	

UNBUNDLE	D NETWORK ELEMENTS - Georgia												Attachment:	2		Exhibit: E
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronica Disc Add'l
						Rec	Nonred First	urring Add'l	Nonrecurring First	g Disconnect	SOMEC	SOMAN	OSS	RATES (\$)	SOMAN	SOMAN
	Unbundled Loop Concentration - ISDN Loop Interface (Brite															
	Card)			UDN	ULCC1	8.00	21.07	20.96	10.78	10.71			19.99	19.99	19.99	19.99
	Unbundled Loop Concentration - UDC Loop Interface (Brite Card)			UDC	ULCCU	8.00	21.07	20.96	10.78	10.71			19.99	19.99	19.99	19.99
	Unbundled Loop Concentration2 Wire Voice-Loop Start or Ground Start Loop Interface (POTS Card)			UEA	ULCC2	2.00	21.07	20.96	10.78	10.71			19.99	19.99	19.99	19.99
	Unbundled Loop Concentration - 2 Wire Voice - Reverse Battery															
	Loop Interface (SPOTS Card) Unbundled Loop Concentration - 4 Wire Voice Loop Interface			UEA	ULCCR	11.89	21.07	20.96	10.78	10.71			19.99	19.99	19.99	19.99
	(Specials Card)			UEA	ULCC4	7.09	21.07	20.96	10.78	10.71			19.99	19.99	19.99	19.99
	Unbundled Loop Concentration - TEST CIRCUIT Card			ULC	UCTTC	34.67	21.07	20.96	10.78	10.71			19.99	19.99	19.99	19.99
	Unbundled Loop Concentration - Digital 19.2 Kbps Data Loop					40 -:			10 ==	40			10	40		40.5
	Interface Unbundled Loop Concentration - Digital 56 Kbps Data Loop			UDL	ULCC7	10.51	21.07	20.96	10.78	10.71			19.99	19.99	19.99	19.99
	Unbundled Loop Concentration - Digital 56 Kbps Data Loop Unbundled Loop Concentration - Digital 64 Kbps Data Loop			UDL	ULCC5	10.51	21.07	20.96	10.78	10.71			19.99	19.99	19.99	19.99
	Interface			UDL	ULCC6	10.51	21.07	20.96	10.78	10.71			19.99	19.99	19.99	19.99
NE OTHER, F	PROVISIONING ONLY - NO RATE															
	NID - Dispatch and Service Order for NID installation			UENTW	UNDBX											
_	UNTW Circuit Id Establishment, Provisioning Only - No Rate			UENTW UEANL,UEF,	UENCE											
	Unbundled Contract Name, Provisioning Only - No Rate			UEQ,UENTW	UNECN											
NE OTHER, F	PROVISIONING ONLY - NO RATE															
				UAL,UCL,UD												
	Unbundled Contact Name, Provisioning Only - no rate			C,UDL,UDN,U EA.UHL.ULC	UNECN	0.00	0.00									
	Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no			UEA,UDN,UC	UNLCIN	0.00	0.00									
	rate			L,UDC	USBFQ	0.00	0.00									
	Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no			UEA,USL,UCL												
	rate			,UDL	USBFR	0.00	0.00									
	Unbundled DS1 Loop - Superframe Format Option - no rate Unbundled DS1 Loop - Expanded Superframe Format option -			USL	CCOSF	0.00	0.00									
	no rate			USL	CCOEF	0.00	0.00									
IGH CAPACI	TY UNBUNDLED LOCAL LOOP															
NOTE:	4 month minimum billing period															
	High Capacity Unbundled Local Loop - DS3 - Per Mile per month			UE3	1L5ND	8.90										
	High Capacity Unbundled Local Loop - DS3 - Facility			UES	ILSIND	6.90										
	Termination per month			UE3	UE3PX	390.34	639.50	426.40	122.31	119.14			37.55	37.55	18.03	18.0
	High Capacity Unbundled Local Loop - STS-1 - Per Mile per															
	month High Capacity Unbundled Local Loop - STS-1 - Facility			UDLSX	1L5ND	8.90				-						
	Termination per month			UDLSX	UDLS1	421.59	639.50	426.40	122.31	119.14			37.55	37.55	18.03	18.03
OOP MAKE-U				00207	00201	121100	000.00	120.10	122.01	110.11			01.00	07.00	10.00	10.00
	Loop Makeup - Preordering Without Reservation, per working or spare facility queried (Manual).			UMK	UMKLW		35.00	35.00								
	Loop Makeup - Preordering With Reservation, per spare facility															
	queried (Manual). Loop MakeupWith or Without Reservation, per working or			UMK	UMKLP		45.00	45.00		 						
	spare facility queried (Mechanized)			UMK	PSUMK		0.075	0.075								
IIGH FREQUE	NCY SPECTRUM															
SPLIT	TERS-CENTRAL OFFICE BASED															
	Line Sharing Splitter, per System 96 Line Capacity	- 1		ULS	ULSDA	131.00	0.00	0.00	0.00	0.00		0.00				
	Line Sharing Splitter, per System 24 Line Capacity Line Sharing Splitter, Per System, 8 Line Capacity	1		ULS	ULSDB ULSD8	32.00 11.00	0.00	0.00	0.00	0.00		0.00				
	Line Sharing Splitter, Per System, 8 Line Capacity Line Sharing-DLEC Owned Splitter in CO-CFA activaton-	- 1		ULO	OLODO	11.00	0.00	0.00	0.00	0.00		0.00				
	deactivation (per LSOD)	1		ULS	ULSDG		0.00	0.00	0.00	0.00						
ENDII	SER ORDERING-CENTRAL OFFICE BASED-HIGH FREQUENCY	SPEC	TRUM								i e	İ				İ

UNBUNDLE	D NETWORK ELEMENTS - Georgia												Attachment:	2		Exhibit: E
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)	I		Submitted Elec	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual Svo Order vs. Electronic
						Rec	Nonrec		Nonrecurring					RATES (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
	Line Sharing - per Line Activation			ULS	ULSDC	0.61	10.51	7.70	7.00	4.20			18.94	8.42	7.00	4.20
	Line Sharing - per Subsequent Activity per Line Rearrangement	1		ULS	ULSDS		36.23	13.23					36.23	13.23		
	Line Splitting - per line activation DLEC owned splitter			UEPSR UEPSB	UREOS	0.61										
				UEPSR												1
	Line Splitting - per line activation BST owned - physical	I		UEPSB	UREBP	0.639	53.48	34.48	16.45	12.75						
	Line Splitting - per line activation BST owned - virtual	-		UEPSR UEPSB	UREBV	0.636	53.48	34.48	16.45	12.75						
UNBUNDLED T	RANSPORT															
	DFFICE CHANNEL - DEDICATED TRANSPORT - VOICE GRADE				1											
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -					†										†
	Per Mile per month			U1TVX	1L5XX	0.0222										ļ
	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - Facility Termination per month			U1TVX	U1TV2	17.07	79.61	36.08					18.94	18.94		
	Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade			UTIVA	UTIVZ	17.07	79.01	30.00					10.94	10.94		+
	Rev Bat Per Mile per month			U1TVX	1L5XX	0.0222										
	Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat Facility Termination per month			U1TVX	U1TR2	17.07	79.61	36.08	0.00	0.00			18.94	18.94		
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile			LIATOV	41.500/	0.0000										
	per month Interoffice Channel - Dedicated Transport - 56 kbps - Facility			U1TDX	1L5XX	0.0222										1
	Termination per month			U1TDX	U1TD5	16.45	79.61	36.08					18.94	18.94		
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month			U1TDX	1L5XX	0.0222										
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination per month			U1TDX	U1TD6	16.45	79.61	36.08	0.00	0.00			18.94	18.94		
INTER	OFFICE CHANNEL - DEDICATED TRANSPORT - DS1															1
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per															
	month Interoffice Channel - Dedicated Tranport - DS1 - Facility			U1TD1	1L5XX	0.4523										
	Termination per month			U1TD1	U1TF1	78.47	147.07	111.75					18.94	18.94		
INTER	OFFICE CHANNEL - DEDICATED TRANSPORT- DS3															
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per															
	month Interoffice Channel - Dedicated Transport - DS3 - Facility			U1TD3	1L5XX	2.72										
	Termination per month			U1TD3	U1TF3	788.00	511.10	330.77	122.31	119.14			37.55	37.55	18.03	18.03
INTER	DFFICE CHANNEL - DEDICATED TRANSPORT- STS-1															
	Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month			U1TS1	1L5XX	2.72										
	Interoffice Channel - Dedicated Transport - STS-1 - Facility Termination per month			U1TS1	U1TFS	783.63	511.10	449.91	122.31	119.14			61.19	61.19	3.17	3.17
LOCAL	. CHANNEL - DEDICATED TRANSPORT			01101	01110	700.00	011.10	440.01	122.01	110.14			01.10	01.10	0.17	0.17
	LOCAL CHANNEL DEDICATED TRANSPORT - minimum billing	g perio	d - belo	w DS3=one n	nonth, DS3 and	above=four mo	onths									
	Local Channel - Dedicated - 2-Wire Voice Grade Per Month			ULDVX	ULDV2	13.91	382.95	62.40					18.94	8.42		
	Local Channel - Dedicated - 2-Wire Voice Grade Rev Bat per			ULDVX	ULDR2	13.91	200.05	00.40					18.94	18.94		
	month Local Channel - Dedicated - 4-Wire Voice Grade per month			UNDVX	ULDR2 ULDV4	13.91 14.99	382.95 368.44	62.40 64.05					18.94 18.94	18.94 8.42		+
	Local Channel - Dedicated - 4-Wife Voice Grade per month			ULDD1	ULDF1	38.36	356.15	312.89	122.31	119.14	1	 	44.22	44.22	18.03	18.03
	Local Channel - Dedicated - DS3 - Per Mile per month			ULDD3	1L5NC	6.92										
	Local Channel - Dedicated - DS3 - Facility Termination per month			ULDD3	ULDF3	515.91	639.50	426.31	122.31	119.14			37.55	37.55	18.03	18.03
	Local Channel - Dedicated - STS-1- Per Mile per month			ULDS1	1L5NC	6.92	553.50	720.01	122.01	110.14		†	31.33	51.55	10.03	10.00
	Local Channel - Dedicated - STS-1 - Facility Termination per month			ULDS1	ULDFS	517.56	639.50	426.31	122.31	119.14			18.94	18.94		
MULTIPLEXER					1322. 3	317.30	300.00	120.01	122.01	110.14			10.04	10.54		
	Channelization - DS1 to DS0 Channel System			UXTD1	MQ1	126.22	198.22	123.59	31.03	19.75			14.75	6.55	10.70	†

UNBUNDLE	D NETWORK ELEMENTS - Georgia											1	Attachment:	2		Exhibit: I
CATEGORY	RATE ELEMENTS	Interi m	Zone	всѕ	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual Svo Order vs.
						Rec	Nonrec		Nonrecurring					RATES (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per															
	month (2.4-64kbs)			UDL	1D1DD	1.86	12.02	8.66								<u> </u>
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per			LIDAL	110404	0.07	40.00	0.00								
	month Voice Grade COCI - DS1 to DS0 Channel System - per month			UDN UEA	UC1CA	3.37	12.02 12.02	8.66								
	DS3 to DS1 Channel System per month			UXTD3	1D1VG MQ3	1.17 182.04	265.91	8.66 188.78	72.50	59.96			14.75	6.55	10.60	+
	STS1 to DS1 Channel System per month			UXTS1	MQ3	182.04	265.91	188.78	72.50	59.96	1	1	18.94	18.94	10.60	+
	DS3 Interface Unit (DS1 COCI) used with Loop per month			USL	UC1D1	11.02	12.02	8.66	12.30	39.90	1	1	10.54	10.54		+
DARK FIBER	Doo interface offit (Do 1 oool) used with Loop per month			OOL	OCIDI	11.02	12.02	0.00								+
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction										1					+
	Thereof per month - Local Channel			UDF	1L5DC	44.22								1	1	
	NRC Dark Fiber - Local Channel			UDF	UDFC4		1,355.29	273.69					18.94	18.94	İ	1
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction					†										1
I	Thereof per month - Interoffice Channel			UDF	1L5DF	44.22					<u></u>	<u></u>	<u> </u>	<u> </u>	<u> </u>	
	NRC Dark Fiber - Interoffice Channel			UDF	UDF14		1,355.29	273.69					18.94	18.94		
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction															
	Thereof per month - Local Loop			UDF	1L5DL	44.22										
	NRC Dark Fiber - Local Loop			UDF	UDFL4		1,355.29	273.69					18.94	18.94		
TRANSPORT																
Option	nal Features & Functions:															<u> </u>
	Clear Channel Capability (B8ZS/ESF) Option - Subsequent -															
	per DS1 Channel			UNC1X	CCOEF		184.62	23.78	2.03	0.79			29.33	3.93		4
	Clear Channel Capability (B8ZS/SF) Option - Subsequent - per			LINIOAN	00005		101.00	00.70	0.00	0.70			00.00	0.00		
OVY ACCESS	DS1 Channel TEN DIGIT SCREENING			UNC1X	CCOSF		184.62	23.78	2.03	0.79		1	29.33	3.93		
OAA ACCESS	8XX Access Ten Digit Screening, Per Call			OHD		0.0004868										+
	8XX Access Ten Digit Screening, Per Call 8XX Access Ten Digit Screening, Reservation Charge Per 8XX			OHD		0.0004666					1	1				+
	Number Reserved			OHD	N8R1X		6.57	0.76					18.94	18.94		
	8XX Access Ten Digit Screening, Per 8XX No. Established W/O			OND	NOICIX		0.57	0.70					10.54	10.54		+
	POTS Translations			OHD			12.81	1.45					18.94	18.94		
	8XX Access Ten Digit Screening, Per 8XX No. Established With			0.12			.2.01				1		10.01	10.01		+
	POTS Translations			OHD	N8FTX		12.81	1.45					18.94	18.94		
	8XX Access Ten Digit Screening, Customized Area of Service			02	1101 171		12.01						10.01	10.01		†
	Per 8XX Number			OHD	N8FCX		4.46	2.23					18.94	18.94		
	8XX Access Ten Digit Screening, Multiple InterLATA CXR															1
	Routing Per CXR Requested Per 8XX No.			OHD	N8FMX		5.22	2.99					18.94	18.94		
	8XX Access Ten Digit Screening, Change Charge Per Request			OHD	N8FAX		7.33	0.76					18.94	18.94		
	8XX Access Ten Digit Screening, Call Handling and Destination															
	Features			OHD	N8FDX		4.72	4.46					18.94	18.94		
LINE INFORM	ATION DATA BASE ACCESS (LIDB)															
	LIDB Common Transport Per Query			OQT		0.0000338										
	LIDB Validation Per Query			OQU	NDDD.	0.0105974	=						10.01	10.01		4
CIONAL INC. (1	LIDB Originating Point Code Establishment or Change			OQT, OQU	NRPBX	1	50.30				ļ	}	18.94	18.94	1	+
SIGNALING (UDB	PT8SX	133.99					<u> </u>			 	 	+
	CCS7 Signaling Termination, Per STP Port CCS7 Signaling Usage, Per TCAP Message	-		UDB	L.109V	0.000087					 	 		-	-	+
	CCS7 Signaling Usage, Per TCAP Message CCS7 Signaling Connection, Per link (A link)	-		UDB	TPP++	17.05	131.96	131.96			 	}	18.94	18.94	1	+
—	CCS7 Signaling Connection, Per link (A link) CCS7 Signaling Connection, Per link (B link) (also known as D			ODB	15577	17.03	131.80	131.90			 	1	10.94	10.94	1	+
	link)			UDB	TPP++	17.05	131.96	131.96					18.94	18.94		
 	CCS7 Signaling Usage, Per ISUP Message			UDB	†····	0.0000354	701.00	101.50				1	10.54	10.54	 	+
	CCS7 Signaling Usage Surrogate, per link per LATA			UDB	STU56	340.67								1	1	1
	CCS7 Signaling Point Code, per Originating Point Code			1	1	3.0.07								İ	İ	1
1	Establishment or Change, per STP affected			UDB	CCAPO	1	40.00	40.00					18.94	18.94	1	
	CCS7 Signaling Point Code, per Destination Point Code															1
	Establishment or Change, Per Stp Affected			UDB	CCAPD		8.00	8.00					18.94	18.94		
CALLING NAM	ME (CNAM) SERVICE															
	CNAM for DB Owners, Per Query			OQV		0.01										
	CNAM for Non DB Owners, Per Query			OQV		0.01										

JNBUNDL	ED NETWORK ELEMENTS - Georgia									•			Attachment:	2		Exhibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)		Subi E	mitted lec	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring Dis					RATES (\$)		
							First	Add'l	First	Add'I SO	MEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	CNAM (Non-Databs Owner), NRC, applies when using the			OQV	CDDCH		595.00	595.00					18.94	40.04		
ODEDATOR (Character Based User Interface (CHUI) CALL PROCESSING		1	OQV	СООСН		595.00	595.00			-		18.94	18.94		
JEERATOR C	Oper. Call Processing - Oper. Provided, Per Min Using BST		+		+	1										
	LIDB					1.20										
	Oper. Call Processing - Oper. Provided, Per Min Using															
	Foreign LIDB					1.24										
	Oper. Call Processing - Fully Automated, per Call - Using BST LIDB					0.20										
	Oper. Call Processing - Fully Automated, per Call - Using															
	Foreign LIDB					0.20										
NWARD OPE	RATOR SERVICES		_			1										
	Inward Operator Svcs - Verification, Per Minute	<u> </u>	<u> </u>	ļ	1	1.15			L							
	Inward Operator Services - Verification and Emergency Interrupt - Per Minute					1.15										
3RANDING -	OPERATOR CALL PROCESSING															
	Recording of Custom Branded OA Announcement				CBAOS		7,000.00	7,000.00					19.99	19.99	19.99	19.99
	Loading of Custom Branded OA Announcement per shelf/NAV		1		CBAOL		500.00	500.00					19.99	19.99		
Unbra	anding via OLNS for UNEP CLEC		-				4 200 00	4 200 00								
DIDECTORY	Loading of OA per OCN (Regional) ASSISTANCE SERVICES		1			1	1,200.00	1,200.00								
	CTORY ASSISTANCE ACCESS SERVICE		1								-					
DIKE	Directory Assistance Access Service Calls, Charge Per Call		1			0.25										
DIRE	CTORY ASSISTANCE CALL COMPLETION ACCESS SERVICE (D	DACC)	1			0.20										
	Directory Assistance Call Completion Access Service (DACC),															
	Per Call Attempt					0.10										
DIREC	CTORY TRANSPORT															
	SWA Common transport per Directory Assistance Access Service Call					0.0003										
	SWA Common Transport per Directory Assistance Access Service Call Mile															
+-	Access Tandem Switching per Directory Assistance Access		1			0.00004										
	Service Call					0.00055										
	Directory Assistance Interconnection per Directory Assistance Access Service Call					0.00										
	DS3 to DS1 Multiplexer per DA Access Service Call					0.00018										
	ASSISTANCE SERVICES		-													
DIKE	CTORY ASSISTANCE DATA BASE SERVICE (DADS) Directory Assistance Data Base Service Charge Per Listing		1			0.04					-					
	Directory Assistance Data Base Service Charge Fer Listing		1		DBSOF	150.00										
BRANDING -	DIRECTORY ASSISTANCE		1		DDOOI	100.00										
	ty Based CLEC		1			1										
	Recording and Provisioning of DA Custom Branded Announcement			AMT	CBADA		6,000.00	6,000.00								
	Loading of Custom Branded Announcement per DRAM Card/Switch			AMT	CBADC		1,170.00	1,170.00								
IINEE	CLEC	 	+	CIVII	OBADO	 	1,170.00	1,170.00								
OITE	Recording of DA Custom Branded Announcement		1	1	1	1	3,000.00	3,000.00	 		1					
	Loading of DA Custom Branded Announcement per DRAM															
1	Card/Switch per OCN		1				1,170.00	1,170.00								
	anding via OLNS for UNEP CLEC		<u> </u>		ļ	1										
Unbra					1	1	420.00	420.00					l			
Unbra	Loading of DA per OCN (1 OCN per Order)		1			 	10									
	Loading of DA per OCN (1 OCN per Order) Loading of DA per Switch per OCN						16.00	16.00								
	Loading of DA per OCN (1 OCN per Order) Loading of DA per Switch per OCN ROUTING						16.00	16.00								
Unbra	Loading of DA per OCN (1 OCN per Order) Loading of DA per Switch per OCN ROUTING Selective Routing Per Unique Line Class Code Per Request Per Switch				USRCR		16.00 180.62	180.62					33.67	7.88		

UNBUNDLE	D NETWORK ELEMENTS - Georgia												Attachment:	2		Exhibit: E
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		I	RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incrementa Charge -
						Rec	Nonrec			g Disconnect				RATES (\$)		
				01.0	50501		First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Virtual Collocation - Cable Installation Cost, per cable	<u> </u>	<u> </u>	CLO	ESPCX		2,750.00	2,750.00								
	Virtual Collocation - Floor Space, per sq. ft.			CLO	ESPVX	3.20										
	Virtual Collocation - Power, per breaker amp			CLO	ESPAX	3.48										
	Virtual Collocation - Cable Support Structure, per entrance			0.0	·	40.00										
	cable	<u> </u>	<u> </u>	CLO	ESPSX	13.35										
				ueanl,uea,udn												
				,udc,ual,uhl,u												40.00
	Virtual Collocation - 2-wire Cross Connects (loop)	<u> </u>	<u> </u>	cl,ueq	UEAC2	0.0283	24.56	23.56	9.20	8.30			19.99	19.99	19.99	19.99
				uea,uhl,ucl,ud			0.4 ===									
	Virtual Collocation - 4-wire Cross Connects (loop)	ļ		l OLO	UEAC4	0.0566	24.75	23.70	9.03	8.10			19.99	19.99	19.99	19.99
	Virtual Collocation - 2-Fiber Cross Connects	<u> </u>	<u> </u>	CLO	CNC2F	2.88	41.72	30.36	10.43	8.36			2.20	2.20		1
	Virtual Collocation - 4-Fiber Cross Connects	<u> </u>	<u> </u>	CLO	CNC4F	5.76	51.03	39.67	13.71	11.65			2.20	2.20		
	L	1	1											I	Ì	
	Virtual Collocatin - DS1 Cross Connects	ļ	 	USL,ULC,CLO	CNC1X	7.50	155.00	14.00						.	ļ	ļ
	Virtual Collocatin - DS3 Cross Connects			USL,ULC,CLO	CND3X	56.25	151.90	11.83								
	Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable															
	Support Structure, per linear foot			AMTFS	PE1ES	0.0023										
	Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax															
	Cable Support Structure, per linear ft			AMTFS	PE1DS	0.0034										
	Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable															
	Support Structure,per cable			AMTFS			553.43									
	Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax															
	Cable Support Structure, per cable			AMTFS			553.43									
	Virtual Collocatin - Security Escort - Basic, per half hour				SPTBX		41.00	25.00								
	Virtual Collocatin - Security Escort - Overtime, per half hour			CLO	SPTOX		48.00	30.00								
	Virtual Collocatin - Security Escort - Premium, per half hour			CLO	SPTPX		55.00	35.00								
	Virtual Collocatin - Maintenance in CO - Basic, per half hour			CLO	CTRLX		30.64	30.64								
	Virtual Collocatin - Maintenance in CO - Overtime, per half hour			CLO	SPTOM		35.77	35.77								
	Virtual Collocatin - Maintenance in CO - Premium per half hour			CLO	SPTPM		40.90	40.90								
VIRTUAL COLI	LOCATION															
	Virtual Collocation - 2-wire Cross Connect, Exchange Port 2-															
	Wire Analog - Res			UEPSR	VE1R2	0.30	12.60	12.60					19.99	19.99	19.99	19.99
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire															
	Voice Grade Res			UEPRX	PE1R2	0.30	12.60	12.60					19.99	19.99	19.99	19.99
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-															
	Wire Line Side PBX Trunk - Bus	<u></u>	<u>L</u>	UEPSP	VE1R2	0.30	12.60	12.60	<u></u>	<u></u>	<u> </u>	<u></u>	19.99	19.99	19.99	19.99
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire															
	Voice Grade PBX Trunk - Res	<u></u>	<u>L</u>	UEPSE	VE1R2	0.30	12.60	12.60		<u> </u>	<u> </u>	<u> </u>	19.99	19.99	19.99	19.99
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire															
	Analog Bus			UEPSB	VE1R2	0.30	12.60	12.60					19.99	19.99	19.99	19.99
	Virtual Collocation 2-Wire Cross Connect, Exchnage Port 2-Wire															
	ISDN	1	1	UEPSX	VE1R2	0.30	12.60	12.60					19.99	19.99	19.99	19.99
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire							_								
	ISDN		1	UEPTX	VE1R2	0.30	12.60	12.60					19.99	19.99	19.99	19.99
	Virtual Collocation 4-Wire Cross Connect, Exchange Port DDITS															
	4-Wire DS1	1	1	UEPDD	VE1R4	0.50	12.60	12.60					19.99	19.99	19.99	19.99
	Virtual Collocation 4-Wire Cross Connect, Exchange Port 4-Wire															
	ISDN DS1		1	UEPEX	VE1R4	0.50	12.60	12.60					19.99	19.99	19.99	19.99
VIRTUAL COLI	LOCATION															
	Virtual Collocation-2 Wire Cross Connects (Loop) for Line			UEPSR,												
1	Splitting	1	1	UEPSB	VE1LS	0.03	24.56	23.56	9.20	8.30			19.99	19.99	19.99	19.99
AIN SELECTIV	E CARRIER ROUTING															
	Regional Service Establishment			SRC	SRCEC		391,788.00						19.99	19.99	19.99	19.99
	End Office Establishment			SRC	SRCEO		320.53	320.53			İ		19.99	19.99	19.99	19.99
l l																10.00
	Line/Port NRC, per end user			SRC	SRCLP		2.06	2.06					19.99	19.99	19.99	19.99

UNBUN	IDLE	NETWORK ELEMENTS - Georgia											Attachment:	2		Exhibit: B
CATEG	ORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Order vs.
							Rec		urring	Nonrecurring Disconnect				RATES (\$)		
AIN DEI	11.601	TH AIN SMS ACCESS SERVICE				1	1	First	Add'l	First Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
AIN - DEL		AIN SMS Access Service - Service Establishment, Per State,		+			1			-						
		Initial Setup			A1N	CAMSE		90.25	90.25				18.94	18.94		
		AIN SMS Access Service - Port Connection - Dial/Shared Access			A1N	CAMDP		29.66	29.66				18.94	18.94		
		AIN SMS Access Service - Port Connection - ISDN Access			A1N	CAM1P		29.66	29.66				18.94	18.94		
		AIN SMS Access Service - User Identification Codes - Per User														
-		ID Code		<u> </u>	A1N	CAMAU		84.43	84.43				18.94	18.94		
		AIN SMS Access Service - Security Card, Per User ID Code, Initial or Replacement			A1N	CAMRC		35.44	35.44				18.94	18.94		
		AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)					0.0023									
		AIN SMS Access Service - Session, Per Minute					0.0795604									
		AIN SMS Access Service - Company Performed Session, Per				1	0.00									
AIN - DEI		Minute TH AIN TOOLKIT SERVICE				1	2.08				-					
AIIN - DEL		AIN Toolkit Service - Service Establishment Charge, Per State,				+	+ +			 	1	1				\vdash
		Initial Setup			CAM	BAPSC		86.74	86.74				18.94	18.94		
		AIN Toolkit Service - Training Session, Per Customer				BAPVX		8,348.00	8,348.00				18.94	18.94		
		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Term. Attempt				BAPTT		19.13	19.13				18.94	18.94		
-		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per		1		BAPTI	+	19.13	19.13	-			18.94	18.94		
		DN, Off-Hook Delay				BAPTD		114.80	114.80				18.94	18.94		
		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per														
		DN, Off-Hook Immediate AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				BAPTM	1	19.13	19.13				18.94	18.94		
		DN, 10-Digit PODP				BAPTO		70.06	70.06				18.94	18.94		
		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN. CDP				BAPTC		70.06	70.06				18.94	18.94		
		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per											18.94			
-		DN, Feature Code AIN Toolkit Service - Query Charge, Per Query		1		BAPTF	0.0209223	70.06	70.06				18.94	18.94		
-		AIN Toolkit Service - Query Charge, Per Query AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit		1		+	0.0209223				1					
		Subscription, Per Node, Per Query					0.0053137									
		AIN Toolkit Service - SCP Storage Charge, Per SMS Access Account, Per 100 Kilobytes					1.46									
		AIN Toolkit Service - Monthly report - Per AIN Toolkit Service														
\vdash		Subscription AIN Toolkit Service - Special Study - Per AIN Toolkit Service		1	CAM	BAPMS	15.96	22.64	22.64				18.94	18.94		
		Subscription			CAM	BAPLS	0.0861109	22.64	22.64				18.94	18.94		<u> </u>
		AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service Subscription			CAM	BAPDS	15.87	22.64	22.64				18.94	18.94		
		AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit														
ENITARIO		Service Subscription TENDED LINK (EELs)		<u> </u>	CAM	BAPES	0.0028704	22.64	22.64		1		18.94	18.94		
		TENDED LINK (EELS) New EELs available in State of Georgia, density zone 1 of foll	owing	SMAc	Orlando El ·	Miami FI·F+ I	auderdale El II	Nashvilla TN	New Orleans	Ι Δ·	1	-				
		Charlotte-Gastonia-Rockhill. NC: Greensboro-Winston Salem							TTOW Officialis,	- n,						+
		, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		,						l l	1	•				•
		n all states, EEL network elements shown below also apply t							ch As Is Charg	ge applies to currently comb	ined facilitie	es converted	to UNEs.(No	n-recurring ra	tes do not ap	oply.)
		n GA, TN, KY, LA & MS, the EEL network elements apply to o					Switch As Is Ch	arge.)								
2		VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport	EKOFF	ICE IR	ANSPORT (E	<u>=L)</u>										
$\vdash \vdash$		Combination - Zone 1		1	UNCVX	UEAL2	16.84	104.14	78.10				18.94	8.42		ļ
		First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 2		2	UNCVX	UEAL2	19.45	104.14	78.10				18.94	8.42		
		First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed				UEAL2	30.92	104.14	78.10				18.94	8.42		
		Transport Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile		3	UNCVX			104.14	78.10				18.94	8.42		
		per month			UNC1X	1L5XX	0.4523									

UNDUNDLE	D NETWORK ELEMENTS - Georgia			1		T					1		Attachment:	2		Exhibit:
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Order vs.	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge Manual So Order vs Electronic Disc Add
						Rec	Nonrec			Disconnect	001150	SOMAN		RATES (\$)	SOMAN	SOMAN
	Interoffice Transport - Dedicated - DS1 combination - Facility				_	-	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Termination per month			UNC1X	U1TF1	78.47	194.63	141.51	132.25	46.16			33.63	27.49	19.88	11.8
	DS1 Channelization System Per Month			UNC1X	MQ1	126.22	104.00	141.01	102.20	40.10			00.00	27.40	10.00	11.0
	Voice Grade COCI - DS1 To Ds0 Interface - Per Month			UNCVX	1D1VG	1.17	12.02	8.66								
	Each Additional 2-Wire VG Loop(SL 2) in the same DS1															
	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL2	16.84	104.14	78.10					18.94	8.42		
	Each Additional 2-Wire VG Loop(SL2) in the same DS1															
	Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL2	19.45	104.14	78.10					18.94	8.42		
	Each Additional 2-Wire VG Loop(SL2) in the same DS1															
	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL2	30.92	104.14	78.10					18.94	8.42		
	Voice Grade COCI - DS1 to DS0 Channel System combination -						40.00									
	per month			UNCVX	1D1VG	1.17	12.02	8.66					-			
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNC1X	UNCCC		12.97	11.27	12.61	12.61			45.46	15.72		
4-WIDE	IS Charge E VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT	FROFE	ICE TR				12.97	11.27	12.01	12.01			45.46	15.72		
4-WIKE	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice	LKOFF	ICL IK	ANSFORT (E												
	Transport Combination - Zone 1		1	UNCVX	UEAL4	22.26	206.95	170.57					18.94	8.42		
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice		<u> </u>	ONOVA	OLAL	22.20	200.00	170.07					10.54	0.42		
	Transport Combination - Zone 2		2	UNCVX	UEAL4	25.70	206.95	170.57					18.94	8.42		
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice															
	Transport Combination - Zone 3		3	UNCVX	UEAL4	40.86	206.95	170.57					18.94	8.42		
	Interoffice Transport - Dedicated - DS1 combination - Per Mile															
	Per Month			UNC1X	1L5XX	0.4523										
	Interoffice Transport - Dedicated - DS1 - Facility Termination Per															
	Month			UNC1X	U1TF1	78.47	194.63	141.51	132.25	46.16			33.63	27.49	19.88	11.8
	Channelization - Channel System DS1 to DS0 combination Per															
	Month			UNC1X	MQ1	126.22										
	Voice Grade COCI - DS1 to DS0 Channel System combination -						40.00									
	per month		<u> </u>	UNCVX	1D1VG	1.17	12.02	8.66								
	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 1			UNCVX	UEAL4	22.26	206.95	170.57					18.94	8.42		
	Additional 4-Wire Analog Voice Grade Loop in same DS1		-	UNCVX	UEAL4	22.20	206.95	170.57					18.94	8.42		1
	Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	25.70	206.95	170.57					18.94	8.42		
	Additional 4-Wire Analog Voice Grade Loop in same DS1			ONOVA	OLALT	23.70	200.33	170.57					10.34	0.42		
	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	40.86	206.95	170.57					18.94	8.42		
	Voice Grade COCI - DS1 to DS0 Channel System combination -															
	per month			UNCVX	1D1VG	1.17	12.02	8.66								
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNC1X	UNCCC		12.97	11.27	12.61	12.61			45.46	15.72		
4-WIRE	56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 I	NTERC	FFICE	TRANSPORT	T (EEL)											
	First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice															
	Transport Combination - Zone 1		1	UNCDX	UDL56	25.75	384.56	241.20					18.94	8.42		
	First 4-wire 56Kbps Digital Grade Loop in a DS1 Interoffice			LINIODY	1101.50	00.74	004.50	044.00					40.04	0.40		
	Transport Combination - Zone 2		2	UNCDX	UDL56	29.74	384.56	241.20					18.94	8.42		
	First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice		2	LINCDY	UDL56	47.27	384.56	241.20					18.94	8.42		
-+	Transport Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile		3	UNCDX	UDL36	41.21	384.56	241.20			}		18.94	8.42	1	1
	Per Month			UNC1X	1L5XX	0.4523							I	1		
	Interoffice Transport - Dedicated - DS1 - combination Facility			0.1017	.20701	0.4020							1			
	Termination Per Month			UNC1X	U1TF1	78.47	194.63	141.51	132.25	46.16			33.63	27.49	19.88	11.8
	Channelization - Channel System DS1 to DS0 combination Per			1	1	1 2							22.30			<u> </u>
	Month			UNC1X	MQ1	126.22							I	1		
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per			1												
	month (2.4-64kbs)			UNCDX	1D1DD	1.86	12.02	8.66			<u> </u>	<u> </u>	<u> </u>	<u> </u>		
	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1															
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	25.75	384.56	241.20					18.94	8.42		
	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1															

UNBUNDLE	D NETWORK ELEMENTS - Georgia												Attachment:	2		Exhibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual Svc Order vs.
						Rec	Nonrec First	urring Add'l	Nonrecurring First	Disconnect Add'l	SOMEC	SOMAN	OSS I	RATES (\$) SOMAN	SOMAN	SOMAN
	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	47.27	384.56	241.20					18.94	8.42		
	OCU-DP COCI (data) - DS1 to DS0 Channel System -		3	UNCDX	UDL56	41.21	384.56	241.20					18.94	8.42		
	combination per month (2.4-64kbs)			UNCDX	1D1DD	1.86	12.02	8.66								
	Nonrecurring Currently Combined Network Elements Switch -As-						40.00		40.04							
4-WIDE	Is Charge 64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1	INTER	DEFICE	UNC1X	UNCCC		12.97	11.27	12.61	12.61			18.94	8.42		
7-WIILE	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice	IIII EIK	JI I IOL	I INANOI OKI	(LLL)											
	Transport Combination - Zone 1		1	UNCDX	UDL64	25.75	348.55	241.20					18.94	8.42		
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice						0.40 ==	044					40 - 1			
 	Transport Combination - Zone 2 First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice	-	2	UNCDX	UDL64	29.74	348.55	241.20			 	 	18.94	8.42		
	Transport Combination - Zone 3		3	UNCDX	UDL64	47.27	348.55	241.20					18.94	8.42		
	Interoffice Transport - Dedicated - DS1 combination - Per Mile		Ť				3.0.00	220			1	1	10.04	52		1
	Per Month			UNC1X	1L5XX	0.4523										
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month			UNC1X	U1TF1	78.47	194.63	141.51	132.25	46.16			33.63	27.49	19.88	11.85
	Channelization - Channel System DS1 to DS0 combination Per			UNCIX	UTIFT	78.47	194.63	141.51	132.25	46.16			33.63	27.49	19.88	11.85
	Month			UNC1X	MQ1	126.22							18.94	8.42		
	OCU-DP COCI (data) - DS1 to DS0 Channel System															
	combination - per month (2.4-64kbs)			UNCDX	1D1DD	1.86	12.02	8.66								
	Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	25.75	348.55	241.20					18.94	8.42		
	Additional 4-Wire 64Kbps Digital Grade Loopin same DS1		-	ONODA	ODLO4	23.73	340.55	241.20					10.54	0.42		
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	29.74	348.55	241.20					18.94	8.42		
	Additional 4-Wire 64Kbps Digital Grade Loopin same DS1															
	Interoffice Transport Combination - Zone 3 OCU-DP COCI (data) - DS1 to DS0 Channel System		3	UNCDX	UDL64	47.27	348.55	241.20					18.94	8.42		
	combination - per month (2.4-64kbs)			UNCDX	1D1DD	1.86	12.02	8.66								
	Nonrecurring Currently Combined Network Elements Switch -As-				1											
	Is Charge			UNC1X	UNCCC		12.97	11.27	12.61	12.61			45.46	15.72		
4-WIRE	DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INTE	EROFFI	CE TRA	ANSPORT (EE	L)											
	Transport - Zone 1		1	UNC1X	USLXX	55.53	443.20	138.69					18.94	8.42		
	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice			CITO IX	002701	33.33	1.0.20	100.00					10.01	0.12		
	Transport - Zone 2		2	UNC1X	USLXX	64.13	443.20	138.69					18.94	8.42		
	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 3		3	UNC1X	USLXX	101.93	443.20	138.69					18.94	8.42		
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0.4523										
	Interoffice Transport - Dedicated - DS1 combination - Facility			UNCIX	ILJAA	0.4323										
	Termination Per Month			UNC1X	U1TF1	78.47	194.63	141.51	132.25	46.16			33.63	27.49	19.88	11.85
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNC1X	UNCCC		12.97	11.27	12.61	12.61			45.46	15.72		
4-WIRE	IN DISTRICT	EROFFI	CE TRA				12.51	11.21	12.01	12.01			45.40	13.72		
	First DS1Loop in DS3 Interoffice Transport Combination - Zone		1	,	Í	55.50	442.20	420.00					40.04	8.42		
 	1 First DS1Loop in DS3 Interoffice Transport Combination - Zone	 	1	UNC1X	USLXX	55.53	443.20	138.69			}	1	18.94	8.42		
	2		2	UNC1X	USLXX	64.13	443.20	138.69					18.94	8.42		
	First DS1Loop in DS3 Interoffice Transport Combination - Zone 3		3	UNC1X	USLXX	101.93	443.20	138.69					18.94	8.42		
	Interoffice Transport - Dedicated - DS3 combination - Per Mile Per Month			UNC3X	1L5XX	2.72										
 	Interoffice Transport - Dedicated - DS3 - Facility Termination per	 	 	UNCOA	ILOAA	2.12					1	 				
	month			UNC3X	U1TF3	788.00	198.45	153.15	95.40	35.99			37.55	37.55	18.03	18.03
	DS3 to DS1 Channel System combination per month			UNC3X	MQ3	137.73	103.24	87.41	0.00	18.12						
	DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	11.02	12.02	8.66			<u> </u>	<u> </u>			<u> </u>	1

NBUNDLE	D NETWORK ELEMENTS - Georgia			,									Attachment:	2		Exhibit:
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic Disc Add'l
						Rec	Nonre		Nonrecurring					RATES (\$)		
	Additional DCAL and in DCA Interesting Transport Combination						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 1		1	UNC1X	USLXX	55.53	443.20	138.69					18.94	8.42		
	Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 2		2	UNC1X	USLXX	64.13	443.20	138.69					18.94	8.42		
	Additional DS1Loop in DS3 Interoffice Transport Combination -															
	Zone 3		3	UNC1X	USLXX	101.93	443.20	138.69					18.94	8.42		
	DS3 Interface Unit (DS1 COCI) combination per month Nonrecurring Currently Combined Network Elements Switch -As-			UNC1X	UC1D1	11.02	12.02	8.66								
	Is Charge			UNC3X	UNCCC		12.97	11.27	12.61	12.61			45.46	15.72		
2-WIRE	VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GRADE INT	EROFF	ICE TR			İ	12.07		12.01	12.01			10.10	.02		
	2-WireVG Loop used with 2-wire VG Interoffice Transport			LINCVV	LIEALO	40.04	404.44	70.40					40.04	8.42		
	Combination - Zone 1 2-WireVG Loop used with 2-wire VG Interoffice Transport		1	UNCVX	UEAL2	16.84	104.14	78.10					18.94	8.42		
	Combination - Zone 2		2	UNCVX	UEAL2	19.45	104.14	78.10					18.94	8.42		
	2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL2	30.92	104.14	78.10					18.94	8.42		
	Interoffice Transport - Dedicated - 2-wire VG combination - Per															
	Mile Per Month Interoffice Transport - Dedicated - 2- Wire Voice Grade			UNCVX	1L5XX	0.0222										
	combination - Facility Termination per month			UNCVX	U1TV2	17.07	79.61	36.08					18.94	18.94		
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNCVX	UNCCC		12.97	11.27	12.61	12.61			45.46	15.72		
4-WIRE	VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRADE INT	EROFF	ICE TR			İ	12.07	11.27	12.01	12.01			40.40	10.72		
	4-WireVG Loop used with 4-wire VG Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	22.26	206.95	170.57					18.94	8.42		
	4-WireVG Loop used with 4-wire VG Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	25.70	206.95	170.57					18.94	8.42		
	4-WireVG Loop used with 4-wire VG Interoffice Transport					İ										
	Combination - Zone 3 Interoffice Transport - Dedicated - 4-wire VG combination - Per		3	UNCVX	UEAL4	40.86	206.95	170.57					18.94	8.42		
	Mile Per Month			UNCVX	1L5XX	0.0222										
	Interoffice Transport - Dedicated - 4- Wire Voice Grade combination - Facility Termination per month			UNCVX	U1TV4	17.07	79.61	36.08					18.94	18.94		
	Nonrecurring Currently Combined Network Elements Switch -As-			UNCVA	01174	17.07	79.01	30.06					10.94	10.94		
	Is Charge			UNCVX	UNCCC		12.97	11.27	12.61	12.61			45.46	15.72		
DS3 DI	GITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFIC	E TRAI	NSPOR	T (EEL)												
	High Capacity Unbundled Local Loop - DS3 combination - Per Mile per month High Capacity Unbundled Local Loop - DS3 combination -			UNC3X	1L5ND	8.90										
	Facility Termination per month			UNC3X	UE3PX	390.34	639.50	426.40	122.31	119.14						
	Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X	1L5XX	2.72										
	Interoffice Transport - Dedicated - DS3 combination - Facility Termination per per month			UNC3X	U1TF3	788.00	198.45	153.15	95.40	35.99			37.55	37.55	18.03	18.0
	Nonrecurring Currently Combined Network Elements Switch -As-					7 00.00									10.00	
	Is Charge			UNC3X	UNCCC		12.97	11.27	12.61	12.61			45.46	15.72		
SISIL	DIGITAL EXTENDED LOOP WITH DEDICATED STS1 INTEROFF High Capacity Unbundled Local Loop - STS1 combination - Per	ICE IF	ANSP	ORI (EEL)	-	-					-					
	Mile per month			UNCSX	1L5ND	8.90										
	High Capacity Unbundled Local Loop - STS1 combination - Facility Termination per month			UNCSX	UDLS1	421.59	639.50	426.40	122.31	119.14						
	Interoffice Transport - Dedicated - STS1 combination - Per Mile per month			UNCSX	1L5XX	2.72										
	Interoffice Transport - Dedicated - STS1 combination - Facility Termination per month			UNCSX	U1TFS	783.63	198.45	449.91	95.40	35.99			37.55	37.55	18.03	18.0
	Nonrecurring Currently Combined Network Elements Switch -As- ls Charge			UNCSX	UNCCC		12.97	11.27	12.61	12.61			45,46	15.72		
O MUDI	IS Charge E ISDN EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPOR	T /FFI		CINOUA	514000	 	12.31	11.4	12.01	12.01	+	 	45.40	15.12		

JNBUNDLE	D NETWORK ELEMENTS - Georgia			ı		T					1	1	Attachment:	2		Exhibit: I
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)	ı			Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonred			g Disconnect	COMEC	SOMAN		RATES (\$)	SOMAN	SOMAN
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination					+	First	Add'l	First	Add'l	SOWIEC	SOWAN	SUMAN	SUMAN	SOWAN	SUMAN
	Transport - Zone 1		1	UNCNX	U1L2X	21.89	233.38	180.38					18.94	8.42		
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination					İ										
	Transport - Zone 2		2	UNCNX	U1L2X	25.27	233.38	180.38					18.94	8.42		
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 3		3	UNCNX	U1L2X	40.17	233.38	180.38					18.94	0.40		
+	Interoffice Transport - Dedicated - DS1 combination - Per Mile		3	UNC1X	1L5XX	0.4523	233.38	180.38					18.94	8.42		
	Termination per month			UNC1X	U1TF1	78.47	194.63	141.51	132.25	46.16			33.63	27.49	19.88	11.85
	Channelization - Channel System DS1 to DS0 combination -															
	per month			UNC1X	MQ1	126.22										
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System combination - per month		1	UNCNX	UC1CA	3.37	12.02	8.66								
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport			UNCIX	UCTCA	3.37	12.02	8.00								
	Combination - Zone 1 Additional 2-wire ISDN Loop in same DS1Interoffice Transport		1	UNCNX	U1L2X	21.89	233.38	180.38					18.94	8.42		
	Combination - Zone 2		2	UNCNX	U1L2X	25.27	233.38	180.38					18.94	8.42		
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport					İ										
	Combination - Zone 3		3	UNCNX	U1L2X	40.17	233.38	180.38					18.94	8.42		
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System combintaion- per month			UNCNX	UC1CA	3.37	12.02	8.66								
	Nonrecurring Currently Combined Network Elements Switch -As-			UNC1X	UNCCC		12.97	11.27	12.61	40.04			45.46	15.72		
4-WIRE	Is Charge DS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 IN	TEROE	FICE T			1	12.97	11.27	12.01	12.61			45.46	15.72		
- WIIVE	First DS1 Loop in STS1 Interoffice Transport Combination -	LIXOI		l included and the	1											
	Zone 1		1	UNC1X	USLXX	55.53	443.20	138.69					18.94	8.42		
	First DS1 Loop in STS1 Interoffice Transport Combination - Zone 2		2	UNC1X	USLXX	64.13	443.20	138.69					18.94	8.42		
	First DS1 Loop in STS1 Interoffice Transport Combination -															
	Zone 3		3	UNC1X	USLXX	101.93	443.20	138.69					18.94	8.42		
	Interoffice Transport - Dedicated - STS1 combination - Per Mile Per Month			UNCSX	1L5XX	2.72										
	Interoffice Transport - Dedicated - STS1 combination - Facility Termination			LINGSY	U1TFS	783.63	198.45	449.91	95.40	35.99			37.55	37.55	18.08	18.0
	STS1 to DS1 Channel System conbination per month			UNCSX	MQ3	182.04	103.24	87.41	0.00	18.12			37.55	37.55	10.00	16.0
	DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	11.02	12.02	8.66	0.00	10.12						
	Additional DS1Loop in STS1 Interoffice Transport Combination -					İ										
	Zone 1		1	UNC1X	USLXX	55.53	443.20	138.69					18.94	8.42		
	Additional DS1Loop in STS1 Interoffice Transport Combination - Zone 2		2	UNC1X	USLXX	64.13	443.20	138.69					18.94	8.42		
	Additional DS1Loop in STS1 Interoffice Transport Combination - Zone 3		3	LINGAY	LICL VV	404.00	443.20	138.69					18.94	8.42		
	DS3 Interface Unit (DS1 COCI) combination per month		3	UNC1X UNC1X	USLXX UC1D1	101.93 11.02	12.02	8.66					10.94	0.42		
	Nonrecurring Currently Combined Network Elements Switch -As-			CHOTA	00151	11.02	12.02	0.00								
	Is Charge			UNCSX	UNCCC		12.97	11.27	12.61	12.61			45.46	15.72		
4-WIRE	56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS INTEROI	FICE T	RANS	PORT (EEL)												
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport Combination - Zone 1		4	UNCDX	LIDLES	25.75	384.56	241.20					18.94	8.42		
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport		1		UDL56	İ										
	Combination - Zone 2 4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport			UNCDX	UDL56	29.74	384.56	241.20					18.94	8.42		
	Combination - Zone 3 Interoffice Transport - Dedicated - 4-wire 56 kbps combination -		3	UNCDX	UDL56	47.27	384.56	241.20					18.94	8.42		
	Per Mile		l	UNCDX	1L5XX	0.0222										
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Facility Termination			UNCDX	U1TD5	16.45	147.07	111.75					33.63	27.49	19.88	11.8
	Nonrecurring Currently Combined Network Elements Switch -As-				1	101.10							55.00	240	.0.00	. 1.0
	Is Charge		L	UNCDX	UNCCC	<u> </u>	12.97	11.27	12.61	12.61	<u> </u>	<u> </u>	45.46	15.72		<u> </u>

LINDII	NDI EI	NETWORK ELEMENTS - Georgia												Attachment:	<u> </u>		Exhibit: B
CATE		RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			Svc Order	Svc Order	Incremental Charge - Manual Svc	Incremental Charge -	Incremental Charge - Manual Svc	Incremental Charge - Manual Svc
CAIL	JOKT	RATE ELEMENTO	m	Zone	603	0300			KATEO(\$)	Г		Submitted Elec per LSR	Manually	Order vs. Electronic- 1st	Order vs. Electronic- Add'l	Order vs. Electronic- Disc 1st	Order vs. Electronic- Disc Add'l
							Rec	Nonred First	urring Add'l	Nonrecurring First	g Disconnect Add'l	SOMEC	SOMAN		RATES (\$)	SOMAN	SOMAN
	4-WIRE	64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTERO	FFICE 1	RANSI	ORT (EEL)												
		4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	25.75	348.55	241.20					18.94	8.42		
		4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	29.74	348.55	241.20					18.94	8.42		
		4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	47.27	348.55	241.20					18.94	8.42		
		Per Mile		3	UNCDX	1L5XX	0.0222	040.00	241.20					10.34	0.42		
		Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Facility Termination			UNCDX	U1TD6	16.45	147.07	111.75					33.63	27.49	19.88	11.85
		Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNCDX	UNCCC		12.97	11.27	12.61	12.61			45.46	15.72		
ADDITI		ETWORK ELEMENTS				t a Conitale Aa											
-		sed as a part of a currently combined facility, the non-recurr sed as ordinarilty combined network elements in Georgia, th															
		SynchroNet)			g onarges app		lon As is onling	e does not.									
		urring Currently Combined Network Elements "Switch As Is"	Charge	(One a	pplies to each	combination)											
		2/4-Wire VG Interoffice Channel used in a COMBINATION - "Switch As Is" Conversion Charge			UNCVX	UNCCC		12.97	11.27	12.61	12.61			18.94	18.94		
		56/64 kbps Interoffice Channel used in a COMBINATION - "Switch As Is" Conversion Charge DS1 Interoffice Channel used in a COMBINATION - "Switch As			UNCDX	UNCCC		12.97	11.27	12.61	12.61			18.94	18.94		
		DS3 Interoffice Channel used in a COMBINATION - "Switch As" DS3 Interoffice Channel used in a COMBINATION - "Switch As"			UNC1X	UNCCC		12.97	11.27	12.61	12.61			18.94	18.94		
		STS1 Interoffice or Local Loop used in a COMBINATION -			UNC3X	UNCCC		12.97	11.27	12.61	12.61			18.94	18.94		
		"Switch As Is" Conversion Charge			UNCSX	UNCCC		12.97	11.27	12.61	12.61			18.94	18.94		
	NOTE:	Local Channel - Dedicated Transport - minimum billing period	d - Belo	w DS3:													
		Local Channel - Dedicated - 2-Wire Voice Grade per month			UNCXV	ULDV2	13.91	272.07	60.43					18.94	18.94		
		Local Channel - Dedicated - 4-Wire Voice Grade per month Local Channel - Dedicated - DS1 Per Month			UNCXV UNC1X	ULDV4 ULDF1	14.99 38.36	272.07 164.99	60.43 113.76					18.94	18.94		
UNRUN	DLEDI	OCAL EXCHANGE SWITCHING(PORTS)			UNCIA	OLDFI	30.30	104.99	113.76								
ONDON		ge Ports															
	NOTE:	Although the Port Rate includes all available features in GA, I	KY, LA	& TN, tl	ne desired fea	tures will need	to be ordered t	ısing retail US	OCs								
	2-WIRE	VOICE GRADE LINE PORT RATES (RES)															
		Exchange Ports - 2-Wire Analog Line Port- Res.			UEPSR	UEPRL	1.85	17.16	17.16					18.94	8.42		
		Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.			UEPSR	UEPRC	1.85	17.16	17.16					18.94	8.42		
		Exchange Ports - 2-Wire Analog Line Port outgoing only - Res. Exchange Ports - 2-Wire VG unbundled res, low usage line port			UEPSR	UEPRO	1.85	17.16	17.16					18.94	8.42		
		with Caller ID (LUM)			UEPSR	UEPAP	1.85		17.16					18.94	8.42		
		Subsequent Activity			UEPSR	USASC	0.00	0.00	0.00								
	FEATU	RES All Available Vertical Features		-	UEPSR	UEPVF	0.00	0.00	0.00					18.94	8.42		
		VOICE GRADE LINE PORT RATES (BUS)		-	ULFOR	OLF VF	0.00	0.00	0.00			 		10.94	0.42		
		Exchange Ports - 2-Wire Analog Line Port without Caller ID - Bus			UEPSB	UEPBL	1.85	17.16	17.16					18.94	8.42		
		Exchange Ports - 2-Wire VG unbundled Line Port with unbundled port with Caller+E484 ID - Bus.			UEPSB	UEPBC	1.85	17.16	17.16					18.94	8.42		
		Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus.			UEPSB	UEPBO	1.85	17.16	17.16				-	18.94	8.42	-	
		Exhange Ports - 2-Wire VG unbundled incoming only port with Caller ID - Bus			UEPSB	UEPB1	1.85	17.16	17.16					18.94	8.42		
	FEATU	Subsequent Activity		-	UEPSB	USASC	0.00	0.00	0.00								
		All Available Vertical Features		<u> </u>	UEPSB	UEPVF	0.00	0.00	0.00					18.94	8.42		
		, iii , trainabio voitioui i outuroo	·	<u> </u>	52, 55	U = 1	0.00	0.00	0.00	·				10.54	0.42		·

UNBUNDLE	D NETWORK ELEMENTS - Georgia												Attachment:	2		Exhibit: E
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
						Rec	Nonre	curring	Nonrecurrin	g Disconnect				RATES (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
EXCH/	ANGE PORT RATES (DID & PBX)						1= 10	1= 10					10.01	2.12		
	2-Wire VG Unbundled 2-Way PBX Trunk - Res			UEPSE	UEPRD UEPPC	1.85	17.16	17.16					18.94	8.42		
	2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus 2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus	-	1	UEPSP UEPSP	UEPPO	1.85 1.85	17.16 17.16	17.16 17.16					18.94 18.94	8.42 8.42		
	2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus			UEPSP	UEPP1	1.85	17.16	17.16					18.94	8.42		
	2-Wire Analog Long Distance Terminal PBX Trunk - Bus			UEPSP	UEPLD	1.85	17.16	17.16			1		18.94	8.42		
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPSP	UEPLD	1.85	17.16	17.16					18.94	8.42		
	2-Wire Vice Unbundled 2-Way PBX Usage Port			UEPSP	UEPXA	1.85	17.16	17.16					18.94	8.42		
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPSP	UEPXB	1.85	17.16	17.16					18.94	8.42		
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPSP	UEPXC	1.85	17.16	17.16					18.94	8.42		
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port	1	<u> </u>	UEPSP	UEPXD	1.85	17.16	17.16			ļ		18.94	8.42		
1	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD		1	HEDOD	LIEDVE	4.05	47.40	47.10					40.04	0.40		
-+	Capable Port 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy	1		UEPSP	UEPXE	1.85	17.16	17.16		+	 		18.94	8.42		
	Administrative Calling Port 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			UEPSP	UEPXL	1.85	17.16	17.16					18.94	8.42		
	Room Calling Port			UEPSP	UEPXM	1.85	17.16	17.16					18.94	8.42		
1	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port		1	UEPSP	UEPXO	1.85	17.16	17.16					18.94	8.42		
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPSP	UEPXS	1.85	17.16	17.16					18.94	8.42		
	Subsequent Activity			UEPSP	USASC	0.00	0.00	0.00					10.01	0.12		
EEAT	JRES					0.00	0.00	0.00								
ILEVI/																
FEAT	All Available Vertical Features			UEPSP UEPSE	UEPVF	0.00	0.00	0.00					18.94	8.42		
	ANGE PORT RATES (COIN)				UEPVF	0.00	0.00	0.00					18.94	8.42 8.42		
EXCH		witched	usage	UEPSE		2.05	17.16	17.16	nsmission by	B-Channels as	sociated wit	h 2-wire ISC	18.94			
EXCH, NOTE:	ANGE PORT RATES (COIN) Exchange Ports - Coin Port Transmission/usage charges associated with POTS circuit so Access to B Channel or D Channel Packet capabilities will be			UEPSE	y to circuit swi	2.05	17.16	17.16					18.94 DN ports.	8.42	Process.	
NOTE:	ANGE PORT RATES (COIN) Exchange Ports - Coin Port Transmission/usage charges associated with POTS circuit statement of the Country of the C			UEPSE	y to circuit swi	2.05	17.16	17.16					18.94 DN ports.	8.42	Process.	
NOTE:	ANGE PORT RATES (COIN) Exchange Ports - Coin Port Transmission/usage charges associated with POTS circuit states and the control of the con			will also appl	y to circuit swi	2.05 tched voice and	17.16 d/or circuit sw ess. Rates for	17.16 itched data trai					18.94 ON ports. est/New Busin	8.42		
NOTE:	ANGE PORT RATES (COIN) Exchange Ports - Coin Port Transmission/usage charges associated with POTS circuit so Access to B Channel or D Channel Packet capabilities will be LOCAL EXCHANGE SWITCHING(PORTS) ANGE PORT RATES (DID & PBX) Exchange Ports - 2-Wire DID Port			UEPSE	y to circuit swi	2.05	17.16	17.16					18.94 DN ports.	8.42	Process.	19.9
NOTE:	ANGE PORT RATES (COIN) Exchange Ports - Coin Port Transmission/usage charges associated with POTS circuit states and the control of the con			will also appl y through BFR UEPEX	y to circuit swi	2.05 tched voice and	17.16 d/or circuit sw ess. Rates for	17.16 itched data trai					18.94 ON ports. est/New Busin	8.42		
NOTE:	ANGE PORT RATES (COIN) Exchange Ports - Coin Port Transmission/usage charges associated with POTS circuit so Access to B Channel or D Channel Packet capabilities will be LOCAL EXCHANGE SWITCHING(PORTS) ACCESS			will also appl y through BFR UEPEX UEPDD UEPTX UEPSX	y to circuit swi	2.05 tched voice and s Request Proc	17.16 d/or circuit sw ess. Rates for 61.91	17.16 itched data trai					18.94 DN ports. est/New Busin	8.42 ness Request	19.99	
NOTE:	ANGE PORT RATES (COIN) Exchange Ports - Coin Port Transmission/usage charges associated with POTS circuit states and the control of the con			will also appl y through BFR UEPEX UEPDD UEPTX	y to circuit swi	2.05 tched voice and s Request Proc 11.35 120.80	17.16 d/or circuit sw ess. Rates for 61.91 108.38	17.16 ttched data trai the packet cap 61.91 60.88					18.94 DN ports. est/New Busin 19.99 19.99	8.42 ness Request 19.99	19.99	
NOTE: NOTE: UNBUNDLED EXCH	ANGE PORT RATES (COIN) Exchange Ports - Coin Port Transmission/usage charges associated with POTS circuit so Access to B Channel or D Channel Packet capabilities will be LOCAL EXCHANGE SWITCHING(PORTS) ANGE PORT RATES (DID & PBX) Exchange Ports - 2-Wire DID Port Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID capability Exchange Ports - 2-Wire ISDN Port (See Notes below.)	e availat	ole onl	v will also appl y through BFR UEPEX UEPDD UEPTX UEPSX UEPTX UEPSX UEPSX	V to circuit swi	2.05 tched voice and 8 Request Proc 11.35 120.80 13.47 0.00	17.16 d/or circuit sw ess. Rates for 61.91 108.38 47.37	17.16 tched data trai the packet cap 61.91 60.88 47.37	abilities will b	e determined	via the Bona	Fide Requ	18.94 DN ports. est/New Busin 19.99 19.99 39.98	8.42 ness Request 19.99	19.99	
EXCH, NOTE: NOTE: UNBUNDLED EXCH,	ANGE PORT RATES (COIN) Exchange Ports - Coin Port Transmission/usage charges associated with POTS circuit state of the control of the contr	e availat	usage	will also appl y through BFR UEPEX UEPDD UEPTX UEPSX UEPSX UEPSX UEPSX UEPSX UEPSX UEPSX UEPSX UEPTX UEPSX UEPTX UEPSX UEPTX UEPSX UEPTX UEPSX UEPTX U	/New Business UEPP2 UEPDD U1PMA UEPVF	2.05 tched voice and 8 Request Proce 11.35 120.80 13.47 0.00 tched voice and	17.16 d/or circuit sw ess. Rates for 61.91 108.38 47.37 0.00	17.16 tched data trai the packet cap 61.91 60.88 47.37 0.00	nabilities will b	be determined	sociated wit	Fide Reque	18.94 DN ports. 19.99 19.99 39.98 DN ports.	19.99 19.99 39.98	19.99	
EXCH, NOTE: NOTE: UNBUNDLED EXCH,	ANGE PORT RATES (COIN) Exchange Ports - Coin Port Transmission/usage charges associated with POTS circuit state of the County	e availat	usage	will also appl y through BFR UEPDD UEPTX UEPTX UEPTX UEPTX UEPTX UEPTX UEPTX UEPTX UEPTX UEPTX UEPTX UEPTX UEPTX UEPTX UEPTX UEPTX UEPTX	y to circuit swi //New Business UEPP2 UEPDD U1PMA UEPVF y to circuit swi	2.05 tched voice and Request Proc 11.35 120.80 13.47 0.00 tched voice and Request Proc	17.16 d/or circuit sw ess. Rates for 61.91 108.38 47.37 0.00 d/or circuit sw ess. Rates for	17.16 tched data trai the packet cap 61.91 60.88 47.37 0.00 tched data trai	nabilities will b	be determined	sociated wit	Fide Reque	18.94 DN ports. 19.99 19.99 39.98 DN ports.	19.99 19.99 39.98	19.99	
EXCH, NOTE: NOTE: UNBUNDLED EXCH,	ANGE PORT RATES (COIN) Exchange Ports - Coin Port Transmission/usage charges associated with POTS circuit states as a constant of the consta	e availat	usage	WILL ALSO APPL Through BFR UEPEX UEPDD UEPTX UEPTX UEPTX UEPSX WILL ALSO APPL WILL AL	y to circuit swi //New Business UEPP2 UEPDD U1PMA UEPVF y to circuit swi //New Business	2.05 tched voice and 8 Request Proc 11.35 120.80 13.47 0.00 tched voice and 8 Request Proc 0.00	17.16 d/or circuit sw ess. Rates for 61.91 108.38 47.37 0.00 d/or circuit sw ess. Rates for 0.00	17.16 tched data trai the packet cap 61.91 60.88 47.37 0.00 tched data trai	nabilities will b	be determined	sociated wit	Fide Reque	18.94 ON ports. est/New Busin 19.99 19.99 39.98 ON ports.	19.99 19.99 39.98	19.99	
NOTE:	ANGE PORT RATES (COIN) Exchange Ports - Coin Port Transmission/usage charges associated with POTS circuit state of the County	e availat	usage	will also appl y through BFR UEPDD UEPTX UEPTX UEPTX UEPTX UEPTX UEPTX UEPTX UEPTX UEPTX UEPTX UEPTX UEPTX UEPTX UEPTX UEPTX UEPTX UEPTX	y to circuit swi //New Business UEPP2 UEPDD U1PMA UEPVF y to circuit swi	2.05 tched voice and Request Proc 11.35 120.80 13.47 0.00 tched voice and Request Proc	17.16 d/or circuit sw ess. Rates for 61.91 108.38 47.37 0.00 d/or circuit sw ess. Rates for	17.16 tched data trai the packet cap 61.91 60.88 47.37 0.00 tched data trai	nabilities will b	be determined	sociated wit	Fide Reque	18.94 DN ports. 19.99 19.99 39.98 DN ports.	19.99 19.99 39.98	19.99	
NOTE: NOTE: NOTE: NOTE: NOTE: NOTE: NOTE: NOTE:	ANGE PORT RATES (COIN) Exchange Ports - Coin Port Transmission/usage charges associated with POTS circuit so Access to B Channel or D Channel Packet capabilities will be LOCAL EXCHANGE SWITCHING(PORTS) ANGE PORT RATES (DID & PBX) Exchange Ports - 2-Wire DID Port Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID capability Exchange Ports - 2-Wire ISDN Port (See Notes below.) All Features Offered Transmission/usage charges associated with POTS circuit so Access to B Channel or D Channel Packet capabilities will be Exchange Ports - 2-Wire ISDN Port - Channel Profiles Exchange Ports - 2-Wire ISDN Port - Channel Profiles Exchange Ports - 4-Wire ISDN DS1 Port	e availat	usage	WILL ALSO APPL Through BFR UEPEX UEPDD UEPTX UEPTX UEPTX UEPSX WILL ALSO APPL WILL AL	y to circuit swi //New Business UEPP2 UEPDD U1PMA UEPVF y to circuit swi //New Business	2.05 tched voice and 8 Request Proc 11.35 120.80 13.47 0.00 tched voice and 8 Request Proc 0.00	17.16 d/or circuit sw ess. Rates for 61.91 108.38 47.37 0.00 d/or circuit sw ess. Rates for 0.00	17.16 tched data trai the packet cap 61.91 60.88 47.37 0.00 tched data trai	nabilities will b	be determined	sociated wit	Fide Reque	18.94 ON ports. est/New Busin 19.99 19.99 39.98 ON ports.	19.99 19.99 39.98	19.99	
NOTE: NOTE: NOTE: NOTE: NOTE: NOTE: NOTE: NOTE:	ANGE PORT RATES (COIN) Exchange Ports - Coin Port Transmission/usage charges associated with POTS circuit so Access to B Channel or D Channel Packet capabilities will be LOCAL EXCHANGE SWITCHING(PORTS) ANGE PORT RATES (DID & PBX) Exchange Ports - 2-Wire DID Port Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID capability Exchange Ports - 2-Wire ISDN Port (See Notes below.) All Features Offered Transmission/usage charges associated with POTS circuit so Access to B Channel or D Channel Packet capabilities will be Exchange Ports - 2-Wire ISDN Port - Channel Profiles Exchange Ports - 4-Wire ISDN DS1 Port LOCAL SWITCHING, PORT USAGE ffice Switching (Port Usage) End Office Switching Function, Per MOU	e availat	usage	WILL ALSO APPL Through BFR UEPEX UEPDD UEPTX UEPTX UEPTX UEPSX WILL ALSO APPL WILL AL	y to circuit swi //New Business UEPP2 UEPDD U1PMA UEPVF y to circuit swi //New Business	2.05 tched voice and 3 Request Proc 11.35 120.80 13.47 0.00 tched voice and 5 Request Proc 10.00 163.16	17.16 d/or circuit sw ess. Rates for 61.91 108.38 47.37 0.00 d/or circuit sw ess. Rates for 0.00	17.16 tched data trai the packet cap 61.91 60.88 47.37 0.00 tched data trai	nabilities will b	be determined	sociated wit	Fide Reque	18.94 ON ports. est/New Busin 19.99 19.99 39.98 ON ports.	19.99 19.99 39.98	19.99	
NOTE: NOTE: NOTE: NOTE: NOTE: NOTE: NOTE: NOTE: NOTE: UNBUNDLED End O	ANGE PORT RATES (COIN) Exchange Ports - Coin Port Transmission/usage charges associated with POTS circuit state of the Coal Exchange Switching (PORTS) Access to B Channel or D Channel Packet capabilities will be LOCAL EXCHANGE SWITCHING (PORTS) ANGE PORT RATES (DID & PBX) Exchange Ports - 2-Wire DID Port Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID capability Exchange Ports - 2-Wire ISDN Port (See Notes below.) All Features Offered Transmission/usage charges associated with POTS circuit states as a company of the Coal Exchange Ports - 2-Wire ISDN Port - Channel Profiles Exchange Ports - 2-Wire ISDN Port - Channel Profiles Exchange Ports - 4-Wire ISDN DS1 Port LOCAL SWITCHING, PORT USAGE ffice Switching (Port Usage) End Office Switching Function, Per MOU End Office Trunk Port - Shared, Per MOU	e availat	usage	WILL ALSO APPL Through BFR UEPEX UEPDD UEPTX UEPTX UEPTX UEPSX WILL ALSO APPL WILL AL	y to circuit swi //New Business UEPP2 UEPDD U1PMA UEPVF y to circuit swi //New Business	2.05 tched voice and 8 Request Proc 11.35 120.80 13.47 0.00 tched voice and 8 Request Proc 0.00 163.16	17.16 d/or circuit sw ess. Rates for 61.91 108.38 47.37 0.00 d/or circuit sw ess. Rates for 0.00	17.16 tched data trai the packet cap 61.91 60.88 47.37 0.00 tched data trai	nabilities will b	be determined	sociated wit	Fide Reque	18.94 ON ports. est/New Busin 19.99 19.99 39.98 ON ports.	19.99 19.99 39.98	19.99	
NOTE: NOTE: NOTE: NOTE: NOTE: NOTE: NOTE: NOTE: NOTE: UNBUNDLED End O	ANGE PORT RATES (COIN) Exchange Ports - Coin Port Transmission/usage charges associated with POTS circuit state of the Color of the C	e availat	usage	WILL ALSO APPL Through BFR UEPEX UEPDD UEPTX UEPTX UEPTX UEPSX WILL ALSO APPL WILL AL	y to circuit swi //New Business UEPP2 UEPDD U1PMA UEPVF y to circuit swi //New Business	2.05 tched voice and 8 Request Proc 11.35 120.80 13.47 0.00 tched voice and 8 Request Proc 0.00 163.16 0.0016333 0.0001564	17.16 d/or circuit sw ess. Rates for 61.91 108.38 47.37 0.00 d/or circuit sw ess. Rates for 0.00	17.16 tched data trai the packet cap 61.91 60.88 47.37 0.00 tched data trai	nabilities will b	be determined	sociated wit	Fide Reque	18.94 ON ports. est/New Busin 19.99 19.99 39.98 ON ports.	19.99 19.99 39.98	19.99	
NOTE: NOTE: NOTE: NOTE: NOTE: NOTE: NOTE: NOTE: NOTE: UNBUNDLED End O	ANGE PORT RATES (COIN) Exchange Ports - Coin Port Transmission/usage charges associated with POTS circuit so Access to B Channel or D Channel Packet capabilities will be LOCAL EXCHANGE SWITCHING(PORTS) ANGE PORT RATES (DID & PBX) Exchange Ports - 2-Wire DID Port Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID capability Exchange Ports - 2-Wire ISDN Port (See Notes below.) All Features Offered Transmission/usage charges associated with POTS circuit so Access to B Channel or D Channel Packet capabilities will be Exchange Ports - 2-Wire ISDN Port - Channel Profiles Exchange Ports - 4-Wire ISDN DS1 Port LOCAL SWITCHING, PORT USAGE ffice Switching (Port Usage) End Office Switching Function, Per MOU End Office Trunk Port - Shared, Per MOU Tandem Switching Function Per MOU Tandem Switching Function Per MOU Tandem Switching Function Per MOU	e availat	usage	WILL ALSO APPL Through BFR UEPEX UEPDD UEPTX UEPTX UEPTX UEPSX WILL ALSO APPL WILL AL	y to circuit swi //New Business UEPP2 UEPDD U1PMA UEPVF y to circuit swi //New Business	2.05 tched voice and 11.35 120.80 13.47 0.00 tched voice and 163.16 0.0016333 0.0001564 0.0006757	17.16 d/or circuit sw ess. Rates for 61.91 108.38 47.37 0.00 d/or circuit sw ess. Rates for 0.00	17.16 tched data trai the packet cap 61.91 60.88 47.37 0.00 tched data trai	nabilities will b	be determined	sociated wit	Fide Reque	18.94 ON ports. est/New Busin 19.99 19.99 39.98 ON ports.	19.99 19.99 39.98	19.99	
NOTE:	ANGE PORT RATES (COIN) Exchange Ports - Coin Port Transmission/usage charges associated with POTS circuit state of the Control of the Contr	e availat	usage	WILL ALSO APPL Through BFR UEPEX UEPDD UEPTX UEPTX UEPTX UEPSX WILL ALSO APPL WILL AL	y to circuit swi //New Business UEPP2 UEPDD U1PMA UEPVF y to circuit swi //New Business	2.05 tched voice and 8 Request Proc 11.35 120.80 13.47 0.00 tched voice and 8 Request Proc 0.00 163.16 0.0016333 0.0001564	17.16 d/or circuit sw ess. Rates for 61.91 108.38 47.37 0.00 d/or circuit sw ess. Rates for 0.00	17.16 tched data trai the packet cap 61.91 60.88 47.37 0.00 tched data trai	nabilities will b	be determined	sociated wit	Fide Reque	18.94 ON ports. est/New Busin 19.99 19.99 39.98 ON ports.	19.99 19.99 39.98	19.99	
NOTE:	ANGE PORT RATES (COIN) Exchange Ports - Coin Port Transmission/usage charges associated with POTS circuit so Access to B Channel or D Channel Packet capabilities will be LOCAL EXCHANGE SWITCHING(PORTS) ANGE PORT RATES (DID & PBX) Exchange Ports - 2-Wire DID Port Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID capability Exchange Ports - 2-Wire ISDN Port (See Notes below.) All Features Offered Transmission/usage charges associated with POTS circuit so Access to B Channel or D Channel Packet capabilities will be Exchange Ports - 2-Wire ISDN Port Channel Profiles Exchange Ports - 2-Wire ISDN DS1 Port Exchange Ports - 4-Wire ISDN DS1 Port LOCAL SWITCHING, PORT USAGE ffice Switching (Port Usage) End Office Trunk Port - Shared, Per MOU m Switching (Port Usage) (Local or Access Tandem) Tandem Switching Function Per MOU Tandem Trunk Port - Shared, Per MOU Tandem Trunk Port - Shared, Per MOU Tandem Trunk Port - Shared, Per MOU Ton Transport	e availat	usage	WILL ALSO APPL Through BFR UEPEX UEPDD UEPTX UEPTX UEPTX UEPSX WILL ALSO APPL WILL AL	y to circuit swi //New Business UEPP2 UEPDD U1PMA UEPVF y to circuit swi //New Business	2.05 tched voice and Request Proc 11.35 120.80 13.47 0.00 tched voice and Request Proc 0.00 163.16 0.0016333 0.0001564 0.0006757 0.0002126	17.16 d/or circuit sw ess. Rates for 61.91 108.38 47.37 0.00 d/or circuit sw ess. Rates for 0.00	17.16 tched data trai the packet cap 61.91 60.88 47.37 0.00 tched data trai	nabilities will b	be determined	sociated wit	Fide Reque	18.94 ON ports. est/New Busin 19.99 19.99 39.98 ON ports.	19.99 19.99 39.98	19.99	
NOTE:	ANGE PORT RATES (COIN) Exchange Ports - Coin Port Transmission/usage charges associated with POTS circuit s' Access to B Channel or D Channel Packet capabilities will be LOCAL EXCHANGE SWITCHING(PORTS) ANGE PORT RATES (DID & PBX) Exchange Ports - 2-Wire DID Port Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID capability Exchange Ports - 2-Wire ISDN Port (See Notes below.) All Features Offered Transmission/usage charges associated with POTS circuit s' Access to B Channel or D Channel Packet capabilities will be Exchange Ports - 2-Wire ISDN Port - Channel Profiles Exchange Ports - 4-Wire ISDN DS1 Port LOCAL SWITCHING, PORT USAGE [Fife Switching (Port Usage)] End Office Switching Function, Per MOU End Office Trunk Port - Shared, Per MOU Tandem Trunk Port - Shared, Per MOU Tandem Switching Function Per MOU Tandem Trunk Port - Shared, Per MOU Tandem Trunk Port - Shared, Per MOU Tansport Common Transport - Per Mile, Per MOU	e availat	usage	WILL ALSO APPL Through BFR UEPEX UEPDD UEPTX UEPTX UEPTX UEPSX WILL ALSO APPL WILL AL	y to circuit swi //New Business UEPP2 UEPDD U1PMA UEPVF y to circuit swi //New Business	2.05 tched voice and 3 Request Proc. 11.35 120.80 13.47 0.00 tched voice and 6 Request Proc. 0.00 163.16 0.0016333 0.0001564 0.0006757 0.0002126 0.000008	17.16 d/or circuit sw ess. Rates for 61.91 108.38 47.37 0.00 d/or circuit sw ess. Rates for 0.00	17.16 tched data trai the packet cap 61.91 60.88 47.37 0.00 tched data trai	nabilities will b	be determined	sociated wit	Fide Reque	18.94 ON ports. est/New Busin 19.99 19.99 39.98 ON ports.	19.99 19.99 39.98	19.99	
NOTE:	ANGE PORT RATES (COIN) Exchange Ports - Coin Port Transmission/usage charges associated with POTS circuit so Access to B Channel or D Channel Packet capabilities will be LOCAL EXCHANGE SWITCHING(PORTS) ANGE PORT RATES (DID & PBX) Exchange Ports - 2-Wire DID Port Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID capability Exchange Ports - 2-Wire ISDN Port (See Notes below.) All Features Offered Transmission/usage charges associated with POTS circuit so Access to B Channel or D Channel Packet capabilities will be Exchange Ports - 2-Wire ISDN Port Channel Profiles Exchange Ports - 2-Wire ISDN DS1 Port Exchange Ports - 4-Wire ISDN DS1 Port LOCAL SWITCHING, PORT USAGE ffice Switching (Port Usage) End Office Trunk Port - Shared, Per MOU m Switching (Port Usage) (Local or Access Tandem) Tandem Switching Function Per MOU Tandem Trunk Port - Shared, Per MOU Tandem Trunk Port - Shared, Per MOU Tandem Trunk Port - Shared, Per MOU Ton Transport	e availat	usage	WILL ALSO APPL Through BFR UEPEX UEPDD UEPTX UEPTX UEPTX UEPSX WILL ALSO APPL WILL AL	y to circuit swi //New Business UEPP2 UEPDD U1PMA UEPVF y to circuit swi //New Business	2.05 tched voice and Request Proc 11.35 120.80 13.47 0.00 tched voice and Request Proc 0.00 163.16 0.0016333 0.0001564 0.0006757 0.0002126	17.16 d/or circuit sw ess. Rates for 61.91 108.38 47.37 0.00 d/or circuit sw ess. Rates for 0.00	17.16 tched data trai the packet cap 61.91 60.88 47.37 0.00 tched data trai	nabilities will b	be determined	sociated wit	Fide Reque	18.94 ON ports. est/New Busin 19.99 19.99 39.98 ON ports.	19.99 19.99 39.98	19.99	19.99

4Q01:12/01/01 PAGE 93 OF 324

UNBUNDLE	D NETWORK ELEMENTS - Georgia												Attachment:	2		Exhibit: E
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic Disc Add'l
						Rec		curring		g Disconnect				RATES (\$)		
Footuu	res shall apply to the Unbundled Port/Loop Combination - Cos	t Bassa	l Doto o	action in the	ama mannar a	o they are engl	First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
reatui	es shall apply to the oribundled Fort/Loop Combination - Cos	l Daset	i Kale S	ection in the s	ame manner a	is they are appli	ied to the Star	id-Alone Onbu	nalea Fort Sec	uon oi uns ka	te Exhibit.			<u>I</u>	<u> </u>	
End O	office and Tandem Switching Usage and Common Transport Us	sage rat	es in th	ne Port section	of this rate ex	hibit shall appl	y to all combi	nations of loop	/port network	elements exce	pt for UNE	Coin Port/L	oop Combina	ations.		
		· .														
	eorgia, Kentucky, Louisiana, MIssissippi and Tennessee, the re ined Combos for all states. In GA, KY, LA, MS and TN these no															
	ined Combos for all states. In GA, KT, EA, MS and TN these no								C these nome	curring charge	s ale want	i Nates and	are listed iii	ille Walket Na	ite section.	or Currently
	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)			initio in the r	lonicouring		Jilica Scotiona	Ī								
	Port/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Zone 1		1			12.59										
	2-Wire VG Loop/Port Combo - Zone 2		2			14.26										
IINE	2-Wire VG Loop/Port Combo - Zone 3 .oop Rates		3		-	21.62		-	-		-	-				
UNEL	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPRX	UEPLX	10.80					 				 	-
	2-Wire Voice Grade Loop (SL1) - Zone 1		2	UEPRX	UEPLX	12.47									†	
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPRX	UEPLX	19.83										
2-Wire	Voice Grade Line Port Rates (Res)															
	2-Wire voice unbundled port - residence			UEPRX	UEPRL	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.9
	2-Wire voice unbundled port with Caller ID - res			UEPRX	UEPRC	1.79	22.14	15.25	8.45	3.91			37.06 33.67	7.88	11.17	3.9
	2-Wire voice unbundled port outgoing only - res			UEPRX	UEPRO	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.9
	2-Wire voice unbundles res, low usage line port with Caller ID (LUM)			UEPRX	UEPAP	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.9
FEAT				OLI IXX	OLI AI	1.75	22.14	15.25	0.43	3.31			33.07	7.00	11.17	5.5
	All Features Offered			UEPRX	UEPVF	0.00	0.00	0.00					33.67	7.88		
LOCA	L NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPRX	LNPCX	0.35										
NONR	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is			UEPRX	USAC2		2.01	0.3108					33.67	7.88	11.17	3.9
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -			OLITOR	00/102		2.01	0.0100					00.07	7.00		0.0
	Switch with change			UEPRX	USACC		2.01	0.3108					33.67	7.88		
ADDIT	TONAL NRCs															
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent															
2 W/ID	Activity			UEPRX	USAS2	0.00	0.00	0.00					33.67	7.88	11.17	3.9
	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS) Port/Loop Combination Rates															
ONL	2-Wire VG Loop/Port Combo - Zone 1		1			12.59										
	2-Wire VG Loop/Port Combo - Zone 2		2			14.26										
	2-Wire VG Loop/Port Combo - Zone 3		3			21.62										
UNE L	oop Rates															
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPBX	UEPLX	10.80					 				-	
_	2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3	<u> </u>	3	UEPBX UEPBX	UEPLX UEPLX	12.47 19.83		-	-		1				 	
2-Wire	e Voice Grade Line Port (Bus)		3	OLFBA	OLFLA	19.03					 				 	
	2-Wire voice unbundled port without Caller ID - bus		†	UEPBX	UEPBL	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.9
	2-Wire voice unbundled port with Caller + E484 ID - bus			UEPBX	UEPBC	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.9
	2-Wire voice unbundled port outgoing only - bus			UEPBX	UEPBO	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.9
1.00	2-Wire voice unbundled incoming only port with Caller ID - Bus		<u> </u>	UEPBX	UPEB1	1.79	22.14	15.25	8.45	3.91	 		33.67	7.88	11.17	3.9
LOCA	L NUMBER PORTABILITY Local Number Portability (1 per port)	<u> </u>	 	UEPBX	LNPCX	0.35					 				 	
FEAT			 	OLFBA	LINEUX	0.35					 				 	
	All Features Offered		†	UEPBX	UEPVF	0.00	0.00	0.00					33.67	7.88	1	
NONR	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
	Switch-as-is		<u> </u>	UEPBX	USAC2		2.01	0.3108			1		33.67	7.88	11.17	3.9
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -			LIEDBY	LIEACC		2.01	0.0400							1	
ADDIT	Switch with change TONAL NRCs		!	UEPBX	USACC	-	2.01	0.3108	-		_			1	 	
ווטטא	TOTAL TINUS	L			l	1		l	l		1	1		l	1	L

4Q01:12/01/01 PAGE 94 OF 324

UNBUNDLE	D NETWORK ELEMENTS - Georgia												Attachment:	2		Exhibit: I
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
						Rec	Nonrec			g Disconnect	COMEC	COMAN	OSS	RATES (\$)	COMAN	COMAN
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent				-		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Activity			UEPBX	USAS2								33.67	7.88	11.17	3.91
2-WIRE	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)			02. B/C	00/102								00.01	7.00		0.0
	ort/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Zone 1		1			12.59										
	2-Wire VG Loop/Port Combo - Zone 2		2			14.26										
	2-Wire VG Loop/Port Combo - Zone 3		3			21.62										
UNE LO	pop Rates		1	LIEDDO	UEPLX	40.00				-						
	2-Wire Voice Grade Loop (SL 1) - Zone 1		2	UEPRG UEPRG	UEPLX	10.80 12.47					-					
	2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3	 	3	UEPRG	UEPLX	19.83				 				 		
2-Wire	Voice Grade Line Port Rates (RES - PBX)	1	J	SEI 110	JLI LA	13.03				†	1			†		†
	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port -					1				1				1		†
	Res			UEPRG	UEPRD	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.9
LOCAL	NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPRG	LNPCP	3.15	0.00	0.00								
FEATU																
	All Features Offered			UEPRG	UEPVF	0.00	0.00	0.00					33.67	7.88		
NONRE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED 2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															-
	Conversion - Switch-As-Is			UEPRG	USAC2		2.01	0.3108					33.67	7.88	11.17	3.9
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -			ULFRG	USACZ		2.01	0.3100					33.07	7.00	11.17	5.5
	Conversion - Switch with Change			UEPRG	USACC		2.01	0.3108					33.67	7.88		
ADDITI	ONAL NRCs															
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
	Subsequent Activity			UEPRG	USAS2	0.00	0.00	0.00					33.67	7.88	11.17	3.9
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt															
- 11/11	Group						14.64	14.64					19.99	19.99	19.99	19.9
	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)															-
UNE PO	prt/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1		1		+	12.59				-	-			-		
	2-Wire VG Loop/Port Combo - Zone 2		2		1	14.26										
	2-Wire VG Loop/Port Combo - Zone 3		3			21.62										
UNE Lo	pop Rates															
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPPX	UEPLX	10.80										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPPX	UEPLX	12.47										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPPX	UEPLX	19.83										
2-Wire	Voice Grade Line Port Rates (BUS - PBX)															
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPPX	UEPPC	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.9
	Line Side Unbundled Outward PBX Trunk Port - Bus			UEPPX	UEPPO	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.9
	Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPPX	UEPP1	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.9
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.9
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	1.79	22.14	15.25	8.45	3.91			37.06	7.88	11.17	3.9
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.9
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.9
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.9
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD	1		LIEDDY	HEDVE	4 70	00.44	45.55	0.7-				00.07	7.00		
	Capable Port	1		UEPPX	UEPXE	1.79	22.14	15.25	8.45	3.91	1		33.67	7.88	11.17	3.9
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port	1		UEPPX	UEPXL	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.9
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy	 		ULFFA	UEFAL	1.79	22.14	15.25	0.45	3.91			33.67	7.88	11.17	3.8
	Room Calling Port	1		UEPPX	UEPXM	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.9
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital				,	9	22	.0.20	5.10	3.31			55.57	7.50	,	5.0
	Discount Room Calling Port	l		UEPPX	UEPXO	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.9
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.9
LOCAL	NUMBER PORTABILITY															
	Local Number Portability (1 per port)	<u> </u>		UEPPX	LNPCP	3.15	0.00	0.00		L						<u> </u>

UNBL	INDLE	NETWORK ELEMENTS - Georgia												Attachment:	2		Exhibit: B
CATE	GORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
							Rec	Nonred First	urring Add'l	Nonrecurring First	Disconnect Add'l	SOMEC	SOMAN	OSS	RATES (\$)	SOMAN	SOMAN
	FEATU	RES						11131	Addi	11131	Auu i	JONILO	JONIAN	JONIAN	JONAN	JONIAN	JOHIAN
		All Features Offered			UEPPX	UEPVF	0.00	0.00	0.00					33.67	7.88		
		CURRING CHARGES (NRCs) - CURRENTLY COMBINED															
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -			LIEDDY	110400		2.04	0.2400					33.67	7.00	11.17	2.04
		Conversion - Switch-As-Is 2-Wire Voice Grade Loop/ Line Port Combination (PBX) -			UEPPX	USAC2	-	2.01	0.3108					33.67	7.88	11.17	3.91
		Conversion - Switch with Change			UEPPX	USACC		2.01	0.3108					33.67	7.88		
	ADDITIO	ONAL NRCs			02.17	00/100		2.01	0.0100					00.01	7.00		
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
		Subsequent Activity			UEPPX	USAS2	0.00	0.00	0.00					33.67	7.88	11.17	3.91
		PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group						14.64	14.64					19.99	19.99	19.99	19.99
		VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POR	RT				 	14.04	14.04					15.55	19.99	19.99	19.99
		rt/Loop Combination Rates															
		2-Wire VG Coin Port/Loop Combo – Zone 1		1			12.69										
		2-Wire VG Coin Port/Loop Combo – Zone 2		2			14.36										
		2-Wire VG Coin Port/Loop Combo – Zone 3		3			21.72										
		op Rates		1	LIEBOO	UEPLX	40.00										
		2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2			UEPCO UEPCO	UEPLX	10.80 12.47							-			
		2-Wire Voice Grade Loop (SL1) - Zone 3			UEPCO	UEPLX	19.83							1			
		/oice Grade Line Ports (COIN)		Ŭ	021 00	OLI EX	10.00										
		2-Wire Coin 2-Way with Operator Screening (GA)			UEPCO	UEPGC	1.89	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.91
		2-Wire Coin 2-Way with Operator Screening and Blocking: 011, 900/976, 1+DDD (GA)			UEPCO	UEP2G	1.89	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.91
		900/976, 1+DDD (GA) 2-Wire Coin 2-Way with Operator Screening and 011 Blocking (GA)			UEPCO	UEPGA	1.89	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.91
		2-Wire Coin 2-Way with Operator Screening and 900/976															
		Blocking (GA) 2-Wire Coin 2-Way with Operator Screening and Blocking:			UEPCO	UEPGB	1.89	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.91
		900/976, 1+DDD, 011+, and Local (GA)			UEPCO	UEPCH	1.89	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.91
		2-Wire Coin Outward with Operator Screening and 011 Blocking (GA, KY, MS)			UEPCO	UEPRJ	1.89	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.91
		2-Wire Coin Outward with Operator Screening and Blocking: 900/976, 1+DDD, 011+, and Local (FL, GA)			UEPCO	UEPCQ	1.89	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.91
		2-Wire 2-Way Smartline with 900/976 (all states except LA)			UEPCO	UEPCK	1.89	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.91
		2-Wire Coin Outward Smartline with 900/976 (all states except															
		LA)		ļ	UEPCO	UEPCR	1.89	22.14	15.25	8.45	3.91		1	33.67	7.88	11.17	3.91
-		DNAL UNE COIN PORT/LOOP (RC) UNE Coin Port/Loop Combo Usage (Flat Rate)		-	UEPCO	URECU	3.59	0.00	0.00			1	1				
-		NUMBER PORTABILITY		-	UEFUU	UKEUU	3.59	0.00	0.00			-	}	-			
		Local Number Portability (1 per port)			UEPCO	LNPCX	0.35										
	FEATU	RES															
		CURRING CHARGES - CURRENTLY COMBINED							-								
		2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is			UEPCO	USAC2		2.01	0.3108					33.67	7.88	11.17	3.91
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
<u> </u>	ADDIT	Switch with change			UEPCO	USACC		2.01	0.31			<u> </u>		33.67	7.88		
<u> </u>		DNAL NRCs 2-Wire Voice Grade Loop/Line Port Combination - Subsequent				+	 							 			
		Activity			UEPCO	USAS2		0.00	0.00					33.67	7.88	11.17	3.91
UNBU		ORT/LOOP COMBINATIONS - COST BASED RATES				37.102		3.00	2.00					55.01			3.51
	2-WIRE	VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	PORT														
		rt/Loop Combination Rates															
		2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1		1			28.19						1				
-		2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3		3		1	30.80 42.27					1	1				
-		op Rates		3		+	42.21						1				
	, J.12 EU	op			·	1	<u> </u>					·	·	1	·	1	

UNBUNDLE	D NETWORK ELEMENTS - Georgia											Attachment:	2		Exhibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Manually per LSR	Order vs.	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual Svc Order vs.
						Rec		urring	Nonrecurring Disconnect				RATES (\$)		
							First	Add'l	First Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1 2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2		1 2	UEPPX	UECD1	16.84 19.45	104.78 104.78	78.10		-		-			
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2 2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3	1		UEPPX UEPPX	UECD1	30.92	104.78	78.10 104.10	+						
UNF P	ort Rate	1	3	OLITA	OLODI	30.32	104.70	104.10	+						
	Exchange Ports - 2-Wire DID Port			UEPPX	UEPD1	11.35	61.91	61.91				33.67	7.88		
NONRI	ECURRING CHARGES - CURRENTLY COMBINED														
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination - Switch-as-is			UEPPX	USAC1		93.38	93.38				33.67	7.88		
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion with BellSouth Allowable Changes			UEPPX	USA1C		93.38	93.38				33.67	7.88		
	IONAL NRCs													<u> </u>	
Teleph	one Number/Trunk Group Establisment Charges														
	DID Trunk Termination (One Per Port)			UEPPX	NDT	0.00	0.00	0.00							ļ
	DID Numbers, Establish Trunk Group and Provide First Group of 20 DID Numbers			UEPPX	NDZ	0.00	0.00	0.00							
	Additional DID Numbers for each Group of 20 DID Numbers			UEPPX	ND4	0.00	0.00	0.00							
	DID Numbers, Non- consecutive DID Numbers , Per Number			UEPPX	ND5	0.00	0.00	0.00							
	Reserve Non-Consecutive DID numbers Reserve DID Numbers			UEPPX UEPPX	ND6 NDV	0.00	0.00	0.00		-		-			
LOCAL	L NUMBER PORTABILITY			UEPPX	NDV	0.00	0.00	0.00							
LOCAL	Local Number Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00							+
2-WIRI	E ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LI	NE SIDE	PORT		2.1. 0.	0.10	0.00	0.00				1			
UNE P	ort/Loop Combination Rates														
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 1		1	UEPPB UEPPR		35.36									
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 2		2	UEPPB UEPPR		38.74									
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 3		3	UEPPB UEPPR		53.64									
UNE L	oop Rates														
	2-Wire ISDN Digital Grade Loop - UNE Zone 1		1	UEPPB UEPPR	USL2X	21.89	252.32	188.77				19.99	19.99		
	2-Wire ISDN Digital Grade Loop - UNE Zone 2		2	UEPPB UEPPR	USL2X	25.27	252.32	188.77				19.99	19.99		
				UEPPB									1	1	
	2-Wire ISDN Digital Grade Loop - UNE Zone 3	ļ	3	UEPPR	USL2X	40.17	252.32	188.77		1		19.99	19.99		<u> </u>
UNE P	ort Rate	1	-	UEPPB	ļ	1				1	ļ	1	 	 	
NOND	Exchange Port - 2-Wire ISDN Line Side Port ECURRING CHARGES - CURRENTLY COMBINED			UEPPB	UEPPB	13.47	47.37					19.99	19.99		
NONKI	2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port	1	-	UEPPB	1	1				1	1	 	1	1	+
ADDIT	Combination - Conversion			UEPPR	USACB	0.00	93.38	93.38				19.99	19.99		
ADDII	IONAL NRCs 2-Wire ISDN Loop / 2-Wire ISDN Port Combination - Sub Actvy	<u> </u>	-	UEPPB	+	-				1	-		 	-	
1.00**	Non Feature/Add Trunk			UEPPR	USASB		165.95					19.99	19.99		
LOCAL	NUMBER PORTABILITY	 		UEPPB	-	1					1	 	-		
D C''	Local Number Portability (1 per port)			UEPPB	LNPCX	0.35	0.00	0.00							
В-СНА	NNEL USER PROFILE ACCESS:	1	<u> </u>	UEPPB	 	-				1	-	-			
	CVS/CSD (DMS/5ESS)			UEPPR	U1UCA	0.00	0.00	0.00							
	CVS (EWSD)			UEPPB UEPPR	U1UCB	0.00	0.00	0.00							
	CSD			UEPPB UEPPR	U1UCC	0.00	0.00	0.00							
	NNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS S	C,MS, 8	TN)							1					↓
USER	TERMINAL PROFILE	<u> </u>	<u> </u>							1		<u> </u>	l	l	Ь

UNBUNDLE	D NETWORK ELEMENTS - Georgia											Attachment:	2		Exhibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Manually per LSR	Incremental Charge -		Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual Svc Order vs.
						Rec	Nonrec		Nonrecurring Disconnec				RATES (\$)		
				UEPPB			First	Add'l	First Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	User Terminal Profile (EWSD only)			UEPPB	U1UMA	0.00	0.00	0.00							
VERTIC	CAL FEATURES			OLI I IX	O TOWER	0.00	0.00	0.00							1
				UEPPB											1
	All Vertical Features - One per Channel B User Profile			UEPPR	UEPVF	0.00	0.00	0.00		_		19.99	19.99		ļ
INTERC	DFFICE CHANNEL MILEAGE Interoffice Channel mileage each, including first mile and			UEPPB											
	facilities termination			UEPPR	M1GNC	16.47	79.61	36.08				19.99	19.99		
	Tabilities to Trimitation			UEPPB		10.11	70.01	00.00				10.00	10.00		
	Interoffice Channel mileage each, additional mile			UEPPR	M1GNM	0.0222	0.00	0.00			0.00				
	DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK	PORT													
UNE Po	ort/Loop Combination Rates 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE				+	+				_					
	Zone 1		1	UEPPP		218.69									
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE		<u> </u>		1	2.0.00									†
	Zone 2		2	UEPPP		227.29									
.	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE														
LINE	Zone 3	ļ	3	UEPPP	1	265.09				-					
UNE LO	4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPPP	USL4P	55.53	448.92	276.60		-		19.99	19.99		
	4-Wire DS1 Digital Loop - UNE Zone 2			UEPPP	USL4P	64.13	448.92	276.60				19.99	19.99		+
	4-Wire DS1 Digital Loop - UNE Zone 3			UEPPP	USL4P	101.93	448.92	276.60		1		19.99	19.99		1
UNE Po	ort Rate														
	Exchange Ports - 4-Wire ISDN DS1 Port			UEPPP	UEPPP	163.16	186.80	186.80				19.99	19.99		
NONRE	CURRING CHARGES - CURRENTLY COMBINED														
.	4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port Combination - Conversion -Switch-as-is			UEPPP	USACP	0.00	269.96	269.96				19.99	19.99		
ADDITI	ONAL NRCs			UEPPP	USACE	0.00	269.96	209.90		+		19.99	19.99		+
7.22	4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy-														
	Inward/two way tel nos within Std Allowance			UEPPP	PR7TF		0.9686								
.	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port -														
	Outward Tel Numbers (All States except NC)			UEPPP	PR7TO		22.75	22.75							
,	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port - Subsequent Inward Tel Nos Above Std Allowance			UEPPP	PR7ZT		45.49	45.49							
LOCAL	NUMBER PORTABILITY			OLFFF	FRIZI		43.45	45.45		+					+
	Local Number Portability (1 per port)			UEPPP	LNPCN	1.75									1
	ACE (Provsioning Only)														
	Voice/Data			UEPPP	PR71V	0.00	0.00	0.00							
	Digital Data Inward Data	<u> </u>		UEPPP UEPPP	PR71D	0.00	0.00	0.00							
Now or	Additional "B" Channel	 	 	UEPPP	PR71E	0.00	0.00	0.00			 				
	New or Additional - Voice/Data B Channel	1	1	UEPPP	PR7BV	0.00	28.71			-	1	19.99	19.99		
	New or Additional - Digital Data B Channel			UEPPP	PR7BF	0.00	28.71					19.99	19.99		†
	New or Additional Inward Data B Channel			UEPPP	PR7BD	0.00	28.71					19.99	19.99		1
	New or Additional Useage Sensitive Voice Data B Channel			UEPPP	PR7BS	0.00	28.71					19.99	19.99		ļ
	New or Additional Useage Sensitive Digital Data B Channel	ļ	ļ	UEPPP	PR7BU	0.00	28.71					19.99	19.99		
CALL T	TYPES Inward	 	-	UEPPP	PR7C1	0.00	0.00	0.00			<u> </u>				
	Outward			UEPPP	PR7C0	0.00	0.00	0.00			1				+
	Two-way	 		UEPPP	PR7CC	0.00	0.00	0.00		-	1			 	†
Interoff	fice Channel Mileage					1	2.20	2.20							1
	Fixed Each Including First Mile			UEPPP	1LN1A	78.9223	147.07	111.75	0.00			19.99	19.99		
	Each Airline-Fractional Additional Mile			UEPPP	1LN1B	0.4523									1
	DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT	<u> </u>													4
UNE Po	ort/Loop Combination Rates 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1		1	UEPDC	+	176.33					 				+
- 	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2		2	UEPDC	+	176.33					 				+
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3	 		UEPDC	+	222.73				+			1		†

UNBUNDLE	D NETWORK ELEMENTS - Georgia											Attachment:	2		Exhibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Manually per LSR	Order vs.	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual Svc Order vs.
						Rec	Nonred First	urring Add'l	Nonrecurring Discor		SOMAN	OSSI	RATES (\$) SOMAN	SOMAN	SOMAN
UNE LO	pop Rates						Filat	Addi	First Au	JI SOWIEC	JOWAN	JOWAN	JOWAN	SOWAN	JOWAN
ONE E	4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPDC	USLDC	55.53	448.92	276.00				19.99	19.99		
	4-Wire DS1 Digital Loop - UNE Zone 2			UEPDC	USLDC	64.13	448.92	276.60				19.99	19.99		
	4-Wire DS1 Digital Loop - UNE Zone 3			UEPDC	USLDC	101.93	448.92	276.60				19.99	19.99		
UNE P	ort Rate														
	4-Wire DDITS Digital Trunk Port			UEPDC	UDD1T	120.80	89.44	52.46				19.99	19.99		
NONRE	CURRING CHARGES - CURRENTLY COMBINED														
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Switch-as-is			UEPDC	USAC4		269.96	269.96				19.99	19.99		
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with DS1 Changes			UEPDC	USAWA		269.96	269.96				19.99	19.99		
1 -	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination				I										
	- Conversion with Change - Trunk		.	UEPDC	USAWB		269.96	269.96			1	19.99	19.99		ļ
ADDIT	ONAL NRCs		1		+										
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent			LIEDDO			4.47	4.47							
	Service Activity Per Service Order 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC -		1	UEPDC	USAS4		147.47	147.47			1				
	Subsequent Channel Activation/Chan - 2-Way Trunk			UEPDC	UDTTA		28.71	28.71				19.99	19.99		
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent Channel Activation/Chan - 1-Way Outward Trunk			UEPDC	UDTTB		28.71	28.71				19.99	19.99		
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel Activation/Chan Inward Trunk w/out DID			UEPDC	UDTTC		28.71	28.71				19.99	19.99		
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan Activation Per Chan - Inward Trunk with DID			UEPDC	UDTTD		28.71	28.71				19.99	19.99		
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan Activation / Chan - 2-Way DID w User Trans			UEPDC	UDTTE		28.71	28.71				19.99	19.99		
BIPOL	AR 8 ZERO SUBSTITUTION				0000=										
	B8ZS - Superframe Format B8ZS - Extended Superframe Format			UEPDC UEPDC	CCOSF CCOEF		0.00	600.00 600.00							
Altorno	te Mark Inversion			UEPDC	CCOEF		0.00	600.00							
Alterna	AMI -Superframe Format			UEPDC	MCOSF		0.00	0.00			+				
	AMI - Superframe Format AMI - Extended SuperFrame Format			UEPDC	MCOPO	-	0.00	0.00							
Telenh	one Number/Trunk Group Establisment Charges			UEPDC	IVICOPO	+	0.00	0.00							
Тетеріі	Telephone Number for 2-Way Trunk Group			UEPDC	UDTGX	0.00					+				
	Telephone Number for 1-Way Outward Trunk Group			UEPDC	UDTGY	0.00				- 	1	1			1
	Telephone Number for 1-Way Inward Trunk Group Without DID			UEPDC	UDTGZ	0.00									
	DID Numbers, Establish Trunk Group and Provide First Group				1	5.55									
	of 20 DID Numbers			UEPDC	NDZ	0.00	0.00	0.00							
	DID Numbers for each Group of 20 DID Numbers			UEPDC	ND4	0.00									
	DID Numbers, Non- consecutive DID Numbers , Per Number			UEPDC	ND5	0.00				· ·					
	Reserve Non-Consecutive DID Nos.			UEPDC	ND6	0.00	0.00	0.00							
	Reserve DID Numbers			UEPDC	NDV	0.00	0.00	0.00							
Dedica	ted DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1	Digita	Loop	with 4-Wire D	DITS Trunk Por	t					1	ļ			ļ
	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities			LIEDDO	41.004	70.4-	4.47.0-		0.00	0.00		10.00	10.00		
	Termination)			UEPDC	1LNO1	78.47	147.07	111.75	0.00	0.00		19.99	19.99		
	Interoffice Channel Mileage - Additional rate per mile - 0-8 miles Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities			UEPDC	1LNOA	0.4523	0.00	0.00							
L	Termination)		1	UEPDC	1LNO2	0.00	0.00	0.00							
	Interoffice Channel Mileage - Additional rate per mile - 9-25 miles			UEPDC	1LNOB	0.4523	0.00	0.00							
	Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities Termination)			UEPDC	1LNO3	0.00	0.00	0.00	0.00						
	Interoffice Channel Mileage - Additional rate per mile - 25+ miles			UEPDC	1LNOC	0.4523	0.00	0.00							
	Local Number Portability, per DS0 Activated			UEPDC	LNPCP	3.15	0.00	0.00	0.00						
	Central Office Termininating Point		.	UEPDC	CTG	0.00					1	ļ			ļ
4-WIRE	DS1 LOOP WITH CHANNELIZATION WITH PORT														L

NBUNDLE	D NETWORK ELEMENTS - Georgia												Attachment:	2		Exhibit: E
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring				OSS F	RATES (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	n is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Activities to 1 particular to 24 combinations of rates depending on		d	h -		<u> </u>										
	ystem can have up to 24 combinations of rates depending on S1 Loop	type an	a num	per or ports u	sea	+										
	4-Wire DS1 Loop - UNE Zone 1		1	UEPMG	USLDC	55.53	0.00	0.00								
	4-Wire DS1 Loop - UNE Zone 2			UEPMG	USLDC	64.13	0.00	0.00								
	4-Wire DS1 Loop - UNE Zone 3		3	UEPMG	USLDC	101.93	0.00	0.00								
	SO Channelization Capacities (D4 Channel Bank Configuration	ns)														
	24 DSO Channel Capacity - 1 per DS1			UEPMG	VUM24	102.64	0.00	0.00					19.99	19.99		
	48 DSO Channel Capacity - 1 per 2 DS1s			UEPMG	VUM48	205.28	0.00	0.00					19.99	19.99		
	96 DSO Channel Capacity -1per 4 DS1s 144 DS0 Channel Capacity - 1 per 6 DS1s	1		UEPMG UEPMG	VUM96 VUM14	410.56 615.84	0.00	0.00				-	19.99 19.99	19.99 19.99		
 -	192 DS0 Channel Capacity - 1 per 8 DS1s			UEPMG	VUM19	821.12	0.00	0.00					19.99	19.99		
	240 DS0 Channel Capacity - 1 per 10 DS1s			UEPMG	VUM20	1,026.40	0.00	0.00			1		19.99	19.99		t
	288 DS0 Channel Capacity - 1 per 12 DS1s			UEPMG	VUM28	1,231.68	0.00	0.00					19.99	19.99		
	384 DS0 Channel Capacity - 1 per 16 DS1s			UEPMG	VUM38	1,642.24	0.00	0.00					19.99	19.99		
	480 DS0 Channel Capacity - 1 per 20 DS1s			UEPMG	VUM40	2,052.80	0.00	0.00					19.99	19.99		
	576 DS0 Channel Capacity -1 per 24 DS1s			UEPMG	VUM57	2,463.36	0.00	0.00					19.99	19.99		
	672 DS0 Channel Capacity - 1 per 28 DS1s	01	.11-11-	UEPMG	VUM67	2,873.92	0.00	0.00					19.99	19.99		
	ecurring Charges (NRC) Associated with 4-Wire DS1 Loop with mum System configuration is One (1) DS1, One (1) D4 Channe						System									
	les of this configuration functioning as one are considered Ac															
- Intuitiple	NRC - Conversion (Currently Combined) with or without	au i aitei	tile ili	iiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiii	Comiguratio	ii is counted.										
	BellSouth Allowed Changes			UEPMG	USAC4	0.00	328.35	16.52					19.99	19.99		
	Additions at End User Locations Where 4-Wire DS1 Loop with	th Chan	nelizat	ion with Port	Combination C	urrently Exists a	ınd									
New (N	lot Currently Combined) In GA, KY, LA, MS & TN Only															
	1 DS1/D4 Channel Bank - Add NRC for each Port and Assoc						=			.=						
	Fea Activation - New GA, LA, KY, MS, &TN Only			UEPMG	VUMD4	0.00	738.61	462.53	144.05	17.09			19.99	19.99		
Bipolar	r 8 Zero Substitution Clear Channel Capability Format, superframe - Subsequent					-										
	Activity Only			UEPMG	CCOSF	0.00	0.00	600.00								
	Clear Channel Capability Format - Extended Superframe -			020	0000.	0.00	0.00	000.00								
	Subsequent Activity Only			UEPMG	CCOEF	0.00	0.00	600.00								
Alterna	te Mark Inversion (AMI)															
	Superframe Format			UEPMG	MCOSF	0.00	0.00	0.00								
	Extended Superframe Format			UEPMG	MCOPO	0.00	0.00	0.00								
	nge Ports Associated with 4-Wire DS1 Loop with Channelization	on with	Port													
Exchan	nge Ports I					+										
	Line Side Combination Channelized PBX Trunk Port - Business			UEPPX	UEPCX	1.79	0.00	0.00	0.00	0.00			33.67	7.88		
	Line Side Outward Channelized PBX Trunk Port - Business			UEPPX	UEPOX	1.79	0.00	0.00	0.00	0.00			33.67	7.88		
					-											
	Line Side Inward Only Channelized PBX Trunk Port without DID			UEPPX	UEP1X	1.79	0.00	0.00	0.00	0.00			33.67	7.88		
	2-Wire Trunk Side Unbundled Channelized DID Trunk Port			UEPPX	UEPDM	11.35	0.00	0.00	0.00	0.00			33.67	7.88		
Feature	Activations - Unbundled Loop Concentration					ļ										
	Feature (Service) Activation for each Line Side Port Terminated			UEPPX	1PQWM	0.00	05.00	10.0=	0.00	3.97			33.67	7.00		
-+-	in D4 Bank Feature (Service) Activation for each Trunk Side Port Terminated	-		UEPPX	IPQWM	0.62	25.09	13.25	3.99	3.97	-		33.67	7.88		-
	in D4 Bank			UEPPX	1PQWU	0.62	77.21	18.20	56.49	11.04			33.67	7.88		
Teleph	one Number/ Group Establishment Charges for DID Service					0.02	,,,_1	10.20	55.48	11.04			55.57	7.50		t
	DID Trunk Termination (1 per Port)			UEPPX	NDT	0.00	0.00	0.00								1
	Estab Trk Grp and Provide 1st 20 DID Nos. (FL,GA, NC,& SC)			UEPPX	NDZ	0.00	0.00	0.00								
	DID Numbers - groups of 20 - Valid all States			UEPPX	ND4	0.00	0.00	0.00								
	Non-Consecutive DID Numbers - per number			UEPPX	ND5	0.00	0.00	0.00								
-	Reserve Non-Consecutive DID Numbers	I		UEPPX	ND6	0.00	0.00	0.00								
				LIEDDY												
	Reserve DID Numbers			UEPPX	NDV	0.00	0.00	0.00								
Local N				UEPPX UEPPX	LNPCP	3.15	0.00	0.00								

UNBUNDLE	D NETWORK ELEMENTS - Georgia												Attachment:	2		Exhibit: E
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Submitted	Svc Order Submitted	Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs.	Incrementa Charge - Manual Svo Order vs.
											Elec per LSR	Manually per LSR	Electronic- 1st	Electronic- Add'l	Electronic- Disc 1st	Electronic Disc Add'
						Rec		curring		g Disconnect				RATES (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Local S	Switching Features Offered with Line Side Ports Only			UEPPX	UEPVF	0.00	0.00	0.00								-
INBLINDI ED E	All Features Available PORT LOOP COMBINATIONS - MARKET RATES			UEPPX	UEPVF	0.00	0.00	0.00		1						
	Rates shall apply where BellSouth is not required to provide u	ınbunc	led lo	cal switching o	r switch ports	per FCC and/o	or State Commi	ssion rules.								
	scenarios include:			Ū		İ										
	undled port/loop combinations that are Not Currently Combine															
	undled port/loop combinations that are Currently Combined o															
	p 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderda uth currently is developing the billing capability to mechanical												NC and SC	In the interim	where ReliSo	outh cannot
	rket Rates, BellSouth shall bill the rates in the Cost-Based sect									ioi not carren	ily combine	u III AL, I L,	no una co.	iii tiic iiitciiii	Wilere Bellet	-attri oarmo
	arket Rate for unbundled ports includes all available features in]									i
End Of	fice and Tandem Switching Usage and Common Transport Usa	age rat	es in th	ne Port section	of this rate ex	hibit shall app	ly to all combi	nations of loop	/port network	elements exce	pt for UNE	Coin Port/L	oop Combina	ations which h	nave a flat rate	usage
	(USOC: URECU).															
	t Currently Combined scenarios where Market Rates apply, the				isted in the Fi	rst and Additio	nal NRC colum	ins for each Po	rt USOC. For	Currently Com	bined scen	arios, the N	onrecurring o	charges are lis	ted in the NR	C - Current
	ned section. Additional NRCs may apply also and are categoric	zed ac	cordin	gly.	1	1	1	T	1	1			1	1	1	
	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)															
UNE PO	2-Wire VG Loop/Port Combo - Zone 1		1			24.80										
	2-Wire VG Loop/Port Combo - Zone 2		2			26.47				1						
	2-Wire VG Loop/Port Combo - Zone 3		3			33.83										<u> </u>
UNE Lo	pop Rates					00.00				İ						1
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPRX	UEPLX	10.80										
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPRX	UEPLX	12.47										
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPRX	UEPLX	19.83										
2-Wire	Voice Grade Line Port (Res)			LIEDDY	LIEDDI	44.00	00.00	00.00					00.07	7.00	44.47	
	2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res			UEPRX UEPRX	UEPRL UEPRC	14.00 14.00	90.00 90.00	90.00 90.00					33.67 33.67	7.88 7.88	11.17 11.17	3.9 3.9
	2-Wire voice unburidled port outgoing only - res			UEPRX	UEPRO	14.00	90.00	90.00		1			33.67	7.88	11.17	3.9
	2-Wire voice unbundles res, low usage line port with Caller ID			OLITO	OLI IKO	14.00	50.00	30.00					00.07	7.00	11.17	0.0
	(LUM)			UEPRX	UEPAP	14.00	90.00	90.00					33.67	7.88	11.17	3.9
LOCAL	NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPRX	LNPCX	0.35										
FEATU				LIEBBY	1155) (5											
	All Features Offered			UEPRX	UEPVF	0.00	0.00	0.00								
	2-Wire Voice Grade Loop / Line Port Combination - Switch-as-is			UEPRX	USAC2		41.50	41.50					33.67	7.88	11.17	3.9
	2-Wire Voice Grade Loop / Line Port Combination - Switch with			OLI TOC	00/102		41.00	41.00					00.07	7.00	11.17	0.0
	change			UEPRX	USACC		41.50	41.50								l
ADDITI	ONAL NRCs															
	NRC - 2-Wire Voice Grade Loop/Line Port Combination -	· <u></u>														
0 14/175	Subsequent Subsequent			UEPRX	USAS2		0.00	0.00					33.67	7.88	11.17	3.9
	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS) ort/Loop Combination Rates															
UNE PO	2-Wire VG Loop/Port Combo - Zone 1		1			24.80	1			 	1	1		1		
	2-Wire VG Loop/Port Combo - Zone 2		2			26.47										ſ
	2-Wire VG Loop/Port Combo - Zone 3		3			33.83										
UNE Lo	pop Rates															
	2-Wire Voice Grade Loop (SL1) - Zone 1			UEPBX	UEPLX	10.80				ļ						<u> </u>
	2-Wire Voice Grade Loop (SL1) - Zone 2			UEPBX	UEPLX	12.47				-						——
2_\Mi==	2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port (Bus)		3	UEPBX	UEPLX	19.83				-				-		
Z-vvire	2-Wire voice unbundled port without Caller ID - bus		<u> </u>	UEPBX	UEPBL	14.00	90.00	90.00		 			33.67	7.88	11.17	3.9
	2-Wire voice unbundled port with Caller + E484 ID - bus			UEPBX	UEPBC	14.00	90.00	90.00		†			33.67	7.88	11.17	3.9
	2-Wire voice unbundled port with carrel 1 2-44 ib 3 bds 2-Wire voice unbundled port outgoing only - bus			UEPBX	UEPBO	14.00	90.00	90.00		1			33.67	7.88	11.17	3.9
LOCAL	NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPBX	LNPCX	0.35										
FEATU																
NONRE	CURRING CHARGES - CURRENTLY COMBINED		1			1	ı	l	l	1			l	1	l	1

4Q01:12/01/01 PAGE 101 OF 324

																Exhibi
TEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge Manual Order v Electror
					1	Rec	Nonrec First	urring Add'l	Nonrecurring First	g Disconnect Add'l	SOMEC	SOMAN	OSS	RATES (\$)	SOMAN	SOMA
	2-Wire Voice Grade Loop / Line Port Combination - Switch-as-is			UEPBX	USAC2		41.50	41.50					33.67	7.88	11.17	1
	2-Wire Voice Grade Loop / Line Port Combination - Switch with change			UEPBX	USACC		41.50	41.50								
	ONAL NRCs			OLI DX	OOACC		41.50	41.50								+
	NRC - 2-Wire Voice Grade Loop/Line Port Combination -										1					
	Subsequent			UEPBX	USAS2		0.00	0.00					33.67	7.88	11.17	
2-WIRE	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)															1
	rt/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Zone 1		1			24.80										
	2-Wire VG Loop/Port Combo - Zone 2		2			26.47										
	2-Wire VG Loop/Port Combo - Zone 3		3			33.83										
	op Rates															
	2-Wire Voice Grade Loop (SL1) - Zone 1			UEPRG	UEPLX	10.80										
	2-Wire Voice Grade Loop (SL1) - Zone 2			UEPRG	UEPLX	12.47										
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPRG	UEPLX	19.83										
	Voice Grade Line Port Rates (RES - PBX)															4
	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port - Res			UEPRG	UEPRD	14.00	90.00	90.00					33.67	7.88	11.17	
	NUMBER PORTABILITY			UEPRG	UEPRD	14.00	90.00	90.00					33.67	7.88	11.17	+
	Local Number Portability (1 per port)			UEPRG	LNPCP	3.15								<u> </u>		+
FEATUR				UEPRG	LINFOR	3.13					1			-		+
	CURRING CHARGES - CURRENTLY COMBINED															+
NONICE	CONNING CHARGES - CONNENTET COMBINED													 		+
	2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is			UEPRG	USAC2		41.50	41.50					33.67	7.88	11.17	
1 1	2-Wire Voice Grade Loop/ Line Port Combination - Switch with				-											+
	Change			UEPRG	USACC		41.50	41.50								
ADDITIO	ONAL NRCs													1		
	2 Wire Loop/Line Side Port Combination - Non feature -															
	Subsequent Activity- Nonrecurring						0.00	0.00								
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt															
	Group						14.64	14.64					19.99	19.99	19.99	1
	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)															
	rt/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Zone 1		1			24.80										
	2-Wire VG Loop/Port Combo - Zone 2		2			26.47										
	2-Wire VG Loop/Port Combo - Zone 3		3			33.83										
	op Rates 2-Wire Voice Grade Loop (SL1) - Zone 1		4	UEPPX	UEPLX	10.80					-			<u> </u>		+
	2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPPX	UEPLX	12.47					-			<u> </u>		+
	2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3			UEPPX	UEPLX	19.83					1					+
	Voice Grade Line Port Rates (BUS - PBX)		3	OLFFX	ULFLX	19.03										+
Z-VVIIC V	Voice Grade Line Fort Nates (BOO - FBX)													 		+
1 1	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPPX	UEPPC	14.00	90.00	90.00					33.67	7.88	11.17	
	Line Side Unbundled Outward PBX Trunk Port - Bus			UEPPX	UEPPO	14.00	90.00	90.00					33.67	7.88	11.17	
	Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPPX	UEPP1	14.00	90.00	90.00					33.67	7.88	11.17	
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	14.00	90.00	90.00					33.67	7.88	11.17	
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	14.00	90.00	90.00					33.67	7.88	11.17	
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	14.00	90.00	90.00					33.67	7.88	11.17	
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	14.00	90.00	90.00					33.67	7.88	11.17	
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	14.00	90.00	90.00					33.67	7.88	11.17	
1 7	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD					Ι Τ							1			
	Capable Port			UEPPX	UEPXE	14.00	90.00	90.00			ļ		33.67	7.88	11.17	
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy				Luena.									'	l	.1
	Administrative Calling Port			UEPPX	UEPXL	14.00	90.00	90.00			ļ		33.67	7.88	11.17	1
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															

UNBUNDLE	ED NETWORK ELEMENTS - Georgia											Attachment:	2		Exhibit: B
CATEGORY		Interi m	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec		curring	Nonrecurring Disconnect				RATES (\$)		
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital				-	+	First	Add'l	First Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Discount Room Calling Port			UEPPX	UEPXO	14.00	90.00	90.00				33.67	7.88	11.17	3.91
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	14.00	90.00	90.00				33.67	7.88	11.17	3.91
LOCA	L NUMBER PORTABILITY														9.0.
	Local Number Portability (1 per port)			UEPPX	LNPCP	3.15									
	URES														
NONR	ECURRING CHARGES - CURRENTLY COMBINED					-									
	2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is			UEPPX	USAC2		41.50	41.50				33.67	7.88	11.17	3.91
	2-Wire Voice Grade Loop/ Line Port Combination - Switch with			LIEDDY	110400		44.50	44.50							
ADDI	Change			UEPPX	USACC	+	41.50	41.50				-	-		
ADDII	TOTAL NICOS					+				+	 				
	2-Wire Voice Grade Loop/ Line Port Combination - Subsequent			UEPPX	USAS2		0.00	0.00				33.67	7.88	11.17	3.91
	2 Wire Loop/Line Side Port Combination - Non feature -					1		. ,,,		1				İ	
	Subsequent Activity- Nonrecurring						0.00	0.00							
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt						44.04	44.04				40.00	40.00	40.00	40.00
2.WID	Group E VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POP	OT.			-	+	14.64	14.64				19.99	19.99	19.99	19.99
	Port/Loop Combination Rates	1				+									
0.12	2-Wire VG Coin Port/Loop Combo – Zone 1		1			24.80									
	2-Wire VG Coin Port/Loop Combo – Zone 2		2			26.47									
	2-Wire VG Coin Port/Loop Combo – Zone 3		3			33.83									
UNE L	oop Rates														
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPCO	UEPLX	10.80									
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPCO	UEPLX UEPLX	12.47									
2 Wir	2-Wire Voice Grade Loop (SL1) - Zone 3 e Voice Grade Line Port Rates (Coin)		3	UEPCO	UEPLX	19.83									
2-99116	2-Wire Coin 2-Way with Operator Screening (GA)			UEPCO	UEPGC	14.00	90.00	90.00				33.67	7.88	11.17	3.91
	2-Wire Coin 2-Way with Operator Screening and Blocking: 011,			02. 00	02. 00		00.00	00.00				00.01	7.00		0.01
	900/976, 1+DDD (GA)			UEPCO	UEP2G	14.00	90.00	90.00				33.67	7.88	11.17	3.91
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking														
	(GA)			UEPCO	UEPGA	14.00	90.00	90.00				33.67	7.88	11.17	3.91
	2-Wire Coin 2-Way with Operator Screening and 900/976			LIEBOO	LIEDOD	44.00	00.00	00.00				22.67	7.00	44.47	2.04
	Blocking (GA) 2-Wire Coin 2-Way with Operator Screening and Blocking:			UEPCO	UEPGB	14.00	90.00	90.00				33.67	7.88	11.17	3.91
	900/976, 1+DDD, 011+, and Local (GA)			UEPCO	UEPCH	14.00	90.00	90.00				33.67	7.88	11.17	3.91
	2-Wire Coin Outward with Operator Screening and 011Blocking				32. 311	14.00	55.56	55.50		1		55.57	7.50	11.17	0.01
	(GA, KY, MS)			UEPCO	UEPRJ	14.00	90.00	90.00				33.67	7.88	11.17	3.91
	2-Wire Coin Outward with Operator Screening and Blocking:														
	900/976, 1+DDD, 011+, and Local (FL, GA)			UEPCO	UEPCQ	14.00	90.00	90.00		1		33.67	7.88	11.17	3.91
LOCA	L NUMBER PORTABILITY			UEPCO	LNPCX	0.35				+		-		-	
NONE	Local Number Portability (1 per port) ECURRING CHARGES - CURRENTLY COMBINED			UEPCU	LINPUX	0.35				+					
NONK	ESSENTING STANGES - GONNENTET GOMBINED					+									
	2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is			UEPCO	USAC2	1	41.50	41.50				33.67	7.88	11.17	3.91
	2-Wire Voice Grade Loop/ Line Port Combination - Switch with														
	Change			UEPCO	USACC		41.50	41.50				ļ			
ADDIT	TIONAL NRCs									1					
	2 Wire Voice Crade Loop/Line Best Combination Culture			UEPCO	116460		0.00	0.00				33.67	7.00	44.47	2.01
LINBLINDI ED	2-Wire Voice Grade Loop/ Line Port Combination - Subsequent CENTREX PORT/LOOP COMBINATIONS			UEPCU	USAS2	+ +	0.00	0.00		+	-	33.67	7.88	11.17	3.91
	NDLED PORT/LOOP COMBINATIONS - COST BASED RATES					+				+	 				
	CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only)				1						İ		İ	
	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo					1				1			1		
UNE F	Port/Loop Combination Rates (Non-Design)														
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -														
<u> </u>	Non-Design	<u> </u>	1	UEP91		12.59				1		l	l	l	<u> </u>

UNBUNDLE	D NETWORK ELEMENTS - Georgia												Attachment:	2		Exhibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual Svc Order vs.
						Rec		urring		g Disconnect				RATES (\$)		
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		<u> </u>		1		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Non-Design		2	UEP91		14.26										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
<u> </u>	Non-Design		3	UEP91		21.62										
UNE P	ort/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															-
	Design		1	UEP91		18.63										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			02.0.		10.00										
	Design		2	UEP91		21.24										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			LIEDO4		00										
LINE	Design oop Rate		3	UEP91	+	32.71					1					
OINE	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP91	UECS1	10.80					1					
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP91	UECS1	12.47										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP91	UECS1	19.83										
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP91	UECS2	16.84										
	2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP91 UEP91	UECS2 UECS2	19.45 30.92					-					
UNE P			3	OLF91	ULC32	30.92										+
	tes (Except North Carolina and Sout Carolina)															
	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP91	UEPYA	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local								0.45							
-	Area 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local			UEP91	UEPYB	1.79	22.14	15.25	8.45	3.91	-		33.67	7.88		
	Area			UEP91	UEPYH	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex from diff Serving Wire								0.10							
	Center)2 Basic Local Area			UEP91	UEPYM	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service								0.45							
—	Term - Basic Local Area 2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP91	UEPYZ	1.79	22.14	15.25	8.45	3.91			33.67	7.88		-
	- Basic Local Area			UEP91	UEPY9	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port Terminated on 800 Service Term -			OLI 01	OLI 10	1.70	22.17	10.20	0.40	0.01			00.07	7.00		1
	Basic Local Area			UEP91	UEPY2	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
Georgi	a and Florida Only															
	2-Wire Voice Grade Port (Centrex) 2-Wire Voice Grade Port (Centrex 800 termination)			UEP91 UEP91	UEPHA UEPHB	1.79 1.79	22.14 22.14	15.25 15.25	8.45 8.45	3.91 3.91			33.67 33.67	7.88 7.88		+
	2-Wire Voice Grade Port (Centrex 800 termination) 2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP91	UEPHH	1.79	22.14	15.25	8.45	3.91			33.67	7.88		+
	2-Wire Voice Grade Port (Centrex from diff Serving Wire			OLI 01	OLITHI	1.70	22.17	10.20	0.40	0.01			00.07	7.00		1
	Center)2			UEP91	UEPHM	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service		1			4.5-		4=								
	Term		!	UEP91	UEPHZ	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP91	UEPH9	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
†	2-Wire Voice Grade Port Terminated in 60 Wegalink of equivalent		1	UEP91	UEPH2	1.79	22.14	15.25	8.45	3.91			33.67	7.88		†
Local	Switching															
ļ	Centrex Intercom Funtionality, per port			UEP91	URECS	0.5554										
Local	Number Portability Local Number Portability (1 per port)		 	UEP91	LNPCC	0.35					1					
Featur			 	OLFSI	LINFOC	0.35					 	 				
, catar	All Standard Features Offered, per port		†	UEP91	UEPVF	0.00										†
	All Select Features Offered, per port			UEP91	UEPVS	0.00	454.69									
	All Centrex Control Features Offered, per port			UEP91	UEPVC	0.00										
NARS	Unbundled Network Access Register - Combination		!	UEP91	UARCX	0.00	0.00	0.00			1	1				
 	Unbundled Network Access Register - Combination Unbundled Network Access Register - Indial		1	UEP91	UARCX UAR1X	0.00	0.00	0.00			1					
	Unbundled Network Access Register - Outdial		1	UEP91	UAROX	0.00	0.00	0.00			†					
	laneous Terminations															
2-Wire	Trunk Side															

UNBUNDLE	D NETWORK ELEMENTS - Georgia												Attachment:	2		Exhibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)	Т			Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonre			g Disconnect				RATES (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
L	Trunk Side Terminations, each			UEP91	CENA6	11.35	61.91	61.91								
Interof	fice Channel Mileage - 2-Wire			LIEDO4	MODO	47.07										
	Interoffice Channel Facilities Termination - Voice Grade Interoffice Channel mileage, per mile or fraction of mile			UEP91 UEP91	MIGBC MIGBM	17.07 0.0222					-					
Featur	e Activations (DS0) Centrex Loops on Channelized DS1 Service	_		UEF91	IVIIGDIVI	0.0222						1				-
	annel Bank Feature Activations															
D4 011	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP91	1PQWS	0.62										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP91	1PQW6	0.62										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP91	1PQW7	0.62										
-	Feature Activation on D-4 Channel Bank Centrex Loop Slot -			UEFUI	IFQVV/	0.62			1		1	1	1	1	1	
	Different Wire Center			UEP91	1PQWP	0.62					<u> </u>					
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP91	1PQWV	0.62										
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop			LIEDO4	10000	0.00										
	Slot Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP91 UEP91	1PQWQ 1PQWA	0.62 0.62					-					
Non-P	ecurring Charges (NRC) Associated with UNE-P Centrex			UEF91	IPQWA	0.62										
NOTIFIC	Conversion - Currently Combined Switch-As-Is with allowed															
	changes, per port			UEP91	USAC2		2.01	0.3108								
	New Centrex Standard Common Block			UEP91	M1ACS	0.00	659.41	0.0100								
	New Centrex Customized Common Block			UEP91	M1ACC	0.00	659.41									
	Secondary Block, per Block			UEP91	M2CC1	0.00	77.10									
	NAR Establishment Charge, Per Occasion			UEP91	URECA	0.00	71.88									
	CENTREX - 5ESS (Valid in All States)															
	VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
UNE P	ort/Loop Combination Rates (Non-Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design		1	UEP95		12.59										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design		2	UEP95		14.26										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design			UEP95		21.62										
LINE P	ort/Loop Combination Rates (Design)		3	OLF 93		21.02										
0.1.2.1	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -				1	+					1		1		1	t
	Design		1	UEP95		18.63							1			
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design		2	UEP95		21.24										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design		3	UEP95		32.71										
UNE L	oop Rate		_		İ	521			Ì				1		İ	1
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP95	UECS1	10.80							İ		<u> </u>	
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP95	UECS1	12.47										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP95	UECS1	19.83										
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP95	UECS2	16.84										
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP95	UECS2	19.45					1	ļ				ļ
1157= =	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP95	UECS2	30.92					1					-
UNE P	ort Rate				-	1			ļ		1	 	 		 	1
All Sta	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP95	UEPYA	1.79	22.14	15.25	8.45	3.91	1	 	33.67	7.88	-	-
1	2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex 800 termination)			UEP95 UEP95	UEPYB	1.79	22.14	15.25	8.45	3.91		1	33.67	7.88	1	1
	2-Wire Voice Grade Port (Centrex 800 termination) 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local			OLF 30	OLFID	1.79	22.14	13.23	0.45	3.91	+		33.67	1.00	 	1
	Area			UEP95	UEPYH	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 Basic Local Area			UEP95	UEPYM	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term - Basic Local Area			UEP95	UEPYZ	1.79	22.14	15.25	8.45	3.91	1		33.67	7.88]

NRONDLE	D NETWORK ELEMENTS - Georgia			,	,	1							Attachment:	2		Exhibit
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge Manual : Order v
						Rec	Nonred First	curring Add'l	Nonrecurring First	g Disconnect Add'l	COMEC	SOMAN		RATES (\$)	SOMAN	SOMA
-	2-Wire Voice Grade Port terminated in on Megalink or equivalent				-		FIISL	Add I	FIISL	Add I	SOMEC	SOWAN	SUMAN	SOWAN	SOWAN	SUMA
	- Basic Local Area			UEP95	UEPY9	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port Terminated on 800 Service Term -			OLI SO	OLI 10	1.70	22.17	10.20	0.40	0.01			00.07	7.00		+
	Basic Local Area			UEP95	UEPY2	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
FL & G	A Only															1
	2-Wire Voice Grade Port (Centrex)			UEP95	UEPHA	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPHB	1.79	22.14	15.25	8.45	3.91			33.67	7.88		Ī
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP95	UEPHH	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex from diff Serving Wire															
	Center)2			UEP95	UEPHM	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
	Term			UEP95	UEPHZ	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	O.W. W. Co. L. Dord to a land to the Manufactor of the state of the st			LIEBOE	LIEDLIA	4.70	00.44	45.05	0.45	0.04			00.07	7.00		
	2-Wire Voice Grade Port terminated in on Megalink or equivalent 2-Wire Voice Grade Port Terminated on 800 Service Term			UEP95	UEPH9	1.79	22.14	15.25 15.25	8.45 8.45	3.91			33.67 33.67	7.88		4
l and C	Switching			UEP95	UEPH2	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	Centrex Intercom Funtionality, per port			UEP95	URECS	0.5554										
	lumber Portability			UEP95	URECS	0.5554										+
	Local Number Portability (1 per port)		-	UEP95	LNPCC	0.35					1					+
Feature	Local Number Fortability (1 per port)		-	OLF 93	LINECO	0.33					1					+
i cature	All Standard Features Offered, per port			UEP95	UEPVF	0.00										+
	All Select Features Offered, per port			UEP95	UEPVS	0.00	454.69									+
	All Centrex Control Features Offered, per port			UEP95	UEPVC	0.00	101.00									1
NARS	7 iii Gorialov Gorialov Galares Grierea, per peri			02. 00	02. 10	0.00										†
	Unbundled Network Access Register - Combination			UEP95	UARCX	0.00	0.00	0.00								†
	Unbundled Network Access Register - Indial			UEP95	UAR1X	0.00	0.00	0.00								†
	Unbundled Network Access Register - Outdial			UEP95	UAROX	0.00	0.00	0.00								1
Miscell	aneous Terminations															
2-Wire	Trunk Side															
	Trunk Side Terminations, each			UEP95	CEND6	11.35	61.91	61.91								
	Digital (1.544 Megabits)															
	DS1 Circuit Terminations, each			UEP95	M1HD1	120.80	89.44	52.46								
	DS0 Channels Activated, each			UEP95	M1HDO	0.00	28.71									
	ice Channel Mileage - 2-Wire															
	Interoffice Channel Facilities Termination			UEP95	MIGBC	17.07										
	Interoffice Channel mileage, per mile or fraction of mile			UEP95	MIGBM	0.0222										
Feature	Activations (DS0) Centrex Loops on Channelized DS1 Service	е	-													4
D4 Cha	nnel Bank Feature Activations Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	1PQWS	0.62					-					+
	realure Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	IPUWS	0.62								-	-	+
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP95	1PQW6	0.62										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop			OLF 33	IFQWO	0.02							1	1	1	+
	Slot		1	UEP95	1PQW7	0.62							1			1
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -			021 00		0.02										†
	Different Wire Center			UEP95	1PQWP	0.62										
					3								1			†
	Feature Activation on D-4 Channel Bank Private Line Loop Slot		1	UEP95	1PQWV	0.62							1			1
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop					****								İ	İ	1
	Slot		1	UEP95	1PQWQ	0.62							1			1
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP95	1PQWA	0.62										1
Non-Re	curring Charges (NRC) Associated with UNE-P Centrex															<u> </u>
	NRC Conversion Currently Combined Switch-As-Is with allowed															1
	changes, per port			UEP95	USAC2		2.01	0.3108								
	New Centrex Standard Common Block			UEP95	M1ACS	0.00	659.41									
	New Centrex Customized Common Block			UEP95	M1ACC	0.00	659.41									
	NAR Establishment Charge, Per Occasion	i .	ı	UEP95	URECA	0.00	71.88			ĺ	1	1	1	i	l	
	CENTREX - DMS100 (Valid in All States)			02. 00	ONLON	0.00	7 1100									

UNBUNDLE	D NETWORK ELEMENTS - Georgia												Attachment:	2		Exhibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual Svc Order vs.
						Rec	Nonre			Disconnect				RATES (\$)		
<u> </u>							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UNE P	ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -				-	 										
	Non-Design		1	UEP9D		12.59										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design		2	UEP9D		14.26										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		_													1
1005 5	Non-Design		3	UEP9D		21.62										
UNE P	ort/Loop Combination Rates (Design)		1		-	-										+
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design		1	UEP9D		18.63										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		Ė													-
	Design		2	UEP9D		21.24										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design		3	UEP9D		32.71										
UNE Lo	pop Rate															
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9D	UECS1	10.80										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP9D	UECS1	12.47										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP9D	UECS1	19.83										
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP9D	UECS2	16.84										
	2-Wire Voice Grade Loop (SL 2) - Zone 2			UEP9D	UECS2	19.45										
LINED	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9D	UECS2	30.92					1					
	ort Rate FATES					+						-			-	
ALL 3	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP9D	UEPYA	1.79	22.14	15.25	8.45	3.91			33.67	7.88		+
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local															
	Area 2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local			UEP9D	UEPYB	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	Area 2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local			UEP9D	UEPYC	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	Area			UEP9D	UEPYD	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local Area			UEP9D	UEPYE	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local Area			UEP9D	UEPYF	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local			OLI OD	OLI II	1.75	22.17	10.20	0.40	0.01			00.01	7.00		+
	Area			UEP9D	UEPYG	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local Area			UEP9D	UEPYT	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local Area			UEP9D	UEPYU	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local Area			UEP9D	UEPYV	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local Area			UEP9D	UEPY3	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local															-
	Area 2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp			UEP9D	UEPYH	1.79	22.14	15.25	8.45	3.91		 	33.67	7.88		
	Indication))3 Basic Local Area 2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))3			UEP9D	UEPYW	1.79	22.14	15.25	8.45	3.91			33.67	7.88		-
	Basic Local Area 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)			UEP9D	UEPYJ	1.79	22.14	15.25	8.45	3.91		-	33.67	7.88		
	2 Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3			UEP9D	UEPYM	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	Basic Local Area			UEP9D	UEPYO	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3 Basic Local Area			UEP9D	UEPYP	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3 Basic Local Area			UEP9D	UEPYQ	1.79	22.14	15.25	8.45	3.91			33.67	7.88		

UNBUNDLE	D NETWORK ELEMENTS - Georgia												Attachment:	2		Exhibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)	Т			Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Order vs.
						Rec	Nonrec			Disconnect			oss i	RATES (\$)		
-	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3					-	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Basic Local Area			UEP9D	UEPYR	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3					ĺ										
	Basic Local Area			UEP9D	UEPYS	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3 Basic Local Area			UEP9D	UEPY4	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3			OLF9D	OLF 14	1.75	22.14	13.23	0.43	3.91			33.07	7.00		†
	Basic Local Area			UEP9D	UEPY5	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3															
	Basic Local Area			UEP9D	UEPY6	1.79	22.14	15.25	8.45	3.91			33.67	7.88		<u> </u>
1 1	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3 Basic Local Area			UEP9D	UEPY7	1.79	22.14	15.25	8.45	3.91			33.67	7.88		ļ
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service				1			.0.20	3.70	0.01				7.50		1
	Term			UEP9D	UEPYZ	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port terminated in on Megalink or equivalent					. ==			0.45					=		
	Basic Local Area 2-Wire Voice Grade Port Terminated on 800 Service Term Basic			UEP9D	UEPY9	1.79	22.14	15.25	8.45	3.91			33.67	7.88		ļ
	Local Area			UEP9D	UEPY2	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
FL & G	A Only								91.10							
	2-Wire Voice Grade Port (Centrex)			UEP9D	UEPHA	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP9D	UEPHB	1.79	22.14	15.25	8.45	3.91			33.67	7.88		<u> </u>
	2-Wire Voice Grade Port (Centrex / EBS-PSET)3 2-Wire Voice Grade Port (Centrex / EBS-M5009)3			UEP9D UEP9D	UEPHC UEPHD	1.79 1.79	22.14 22.14	15.25 15.25	8.45 8.45	3.91 3.91			33.67 33.67	7.88 7.88		
-	2-Wire Voice Grade Port (Centrex / EBS-M5009)3 2-Wire Voice Grade Port (Centrex / EBS-M5209)3			UEP9D UEP9D	UEPHE	1.79	22.14	15.25	8.45	3.91	-		33.67	7.88		
	2-Wire Voice Grade Port (Centrex / EBS-M5112)3			UEP9D	UEPHF	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex / EBS-M5312)3			UEP9D	UEPHG	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex / EBS-M5008)3			UEP9D	UEPHT	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex / EBS-M5208)3			UEP9D	UEPHU	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex / EBS-M5216)3			UEP9D	UEPHV	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex / EBS-M5316)3			UEP9D	UEPH3	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex with Caller ID)			UEP9D	UEPHH	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp			LIEDOD	LIEDLIM/	4.70	22.44	45.05	0.45	2.04			33.67	7.00		
-	Indication)3 2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)3			UEP9D UEP9D	UEPHW UEPHJ	1.79 1.79	22.14 22.14	15.25 15.25	8.45 8.45	3.91 3.91			33.67	7.88 7.88		
+	2-Wire Voice Grade Port (Centrex/Wsg Wtg Lamp Indication)3			OLFBD	OLFID	1.75	22.14	13.23	0.43	3.51			33.07	7.00		
	2			UEP9D	UEPHM	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3			UEP9D	UEPHO	1.79	22.14	15.25	8.45	3.91			33.67	7.88		1
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3			UEP9D	UEPHP	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
-	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3			UEP9D	UEPHQ	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3			UEP9D	UEPHR	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2 Wile Voice Stade For (Certifox affer GWG / EBG WGT 12/2, G			OLI OD	CELTIIC	1.70	22.14	10.20	0.40	0.01			00.07	7.00		1
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3			UEP9D	UEPHS	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3			UEP9D	UEPH4	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3			UEP9D	UEPH5	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2 Wile Voice Glade For (certification every Ebe Miceoo)2, 9			OLI OD	CELTIO	1.70	22.14	10.20	0.40	0.01			00.07	7.00		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3			UEP9D	UEPH6	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
					l											
\vdash	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3			UEP9D	UEPH7	1.79	22.14	15.25	8.45	3.91	-		33.67	7.88		
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term			UEP9D	UEPHZ	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	Tom			021 30	OLI IIZ	1.79	22.14	13.23	0.43	5.51			33.07	7.00		
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9D	UEPH9	1.79	22.14	15.25	8.45	3.91			33.67	7.88		1
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP9D	UEPH2	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
Local	Switching															1

<u>NBUNDLE</u> D N	IETWORK ELEMENTS - Georgia												Attachment:	2		Exhibit:
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Order vs.	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge Manual S Order vs Electroni Disc Add
						Rec	Nonrec	urring	Nonrecurrin	g Disconnect			oss	RATES (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	ntrex Intercom Funtionality, per port			UEP9D	URECS	0.5554										
	ber Portability															
	cal Number Portability (1 per port)			UEP9D	LNPCC	0.35										
Features	0				LIEDVE	0.00										<u> </u>
	Standard Features Offered, per port			UEP9D	UEPVF	0.00	1=1.00									<u> </u>
	Select Features Offered, per port			UEP9D	UEPVS UEPVC	0.00	454.69									ļ
	Centrex Control Features Offered, per port			UEP9D	UEPVC	0.00				-	-					
NARS	bundled Network Access Register - Combination	1	1	UEP9D	UARCX	0.00	0.00	0.00	1	+	1	-	1	1	1	├
	bundled Network Access Register - Inward	-	-	UEP9D	UAR1X	0.00	0.00	0.00			1					
	bundled Network Access Register - Outdial			UEP9D	UAROX	0.00	0.00	0.00			1					
	eous Terminations			OLI 3D	OAROX	0.00	0.00	0.00								
2-Wire Trui											1					
	Ink Side Terminations, each			UEP9D	CEND6	11.35										
	ital (1.544 Megabits)															
	1 Circuit Terminations, each			UEP9D	M1HD1	120.80	89.44	52.46								
	0 Channels Activiated per Channel			UEP9D	M1HDO	0.00	28.71									
Interoffice	Channel Mileage - 2-Wire															
	eroffice Channel Facilities Termination			UEP9D	MIGBC	17.07										
Inte	eroffice Channel mileage, per mile or fraction of mile			UEP9D	MIGBM	0.0222										
Feature Ac	ctivations (DS0) Centrex Loops on Channelized DS1 Service	e														
	el Bank Feature Activations															
Fea	ature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9D	1PQWS	0.62										
	ature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9D	1PQW6	0.62										
	ature Activation on D-4 Channel Bank FX Trunk Side Loop															
Slo				UEP9D	1PQW7	0.62										<u> </u>
	ature Activation on D-4 Channel Bank Centrex Loop Slot - ferent Wire Center			UEP9D	1PQWP	0.62										
₋	oture Activation on D. 4 Channel Beats British Line Law Class	l	l	UEP9D	1DOW()	0.62				1						
	ature Activation on D-4 Channel Bank Private Line Loop Slot ature Activation on D-4 Channel Bank Tjie Line/Trunk Loop			UEP9D	1PQWV	0.62				-	-					
Slo				UEP9D	1PQWQ	0.62										Ì
	ature Activation on D-4 Channel Bank WATS Loop Slot	-	-	UEP9D	1PQWA	0.62					1					
	rring Charges (NRC) Associated with UNE-P Centrex			OLI 3D	II QWA	0.02					1					
	C Conversion Currently Combined Switch-As-Is with allowed															
	anges, per port			UEP9D	USAC2		2.01	0.3108								
	w Centrex Standard Common Block			UEP9D	M1ACS	0.00	659.41	0.0.00								
	w Centrex Customized Common Block			UEP9D	M1ACC	0.00	659.41				1					
	R Establishment Charge, Per Occasion			UEP9D	URECA	0.00	71.88									
	ntrex Intercom Funtionality, per port			UEP9E	URECS											
	ital (1.544 Megabits)															
Note 1 - Re	equired Port for Centrex Control in 1AESS, 5ESS & EWSD															
Note 2 - Re	equres Interoffice Channel Mileage															
Note 3 - Re	equires Specific Customer Premises Equipment															
			L	<u> </u>	1	<u> </u>			L	1	1		<u> </u>	<u> </u>	<u> </u>	<u></u>

																1	
UNBU	NDLE	D NETWORK ELEMENTS - Kentucky			1	1						1		Attachment:	2		Exhibit: E
				1										Incremental	Incremental	Incremental	Incrementa
														Charge -	Charge -	Charge -	Charge -
CATE	GORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			Svc Order	Svc Order	Manual Svc	Manual Svc	Manual Svc	Manual Svo
0,112		NATE ELEMENTO	m	20110	500	0000			==(+)			Submitted	Submitted	Order vs.	Order vs.	Order vs.	Order vs.
												Elec	Manually	Electronic-	Electronic-	Electronic-	Electronic-
												per LSR	per LSR	1st	Add'l	Disc 1st	Disc Add'l
							Rec		curring		Disconnect				RATES (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
				<u> </u>									-				
	The "Z	one" shown in the sections for stand-alone loops or loops as	part of	a com	bination refers to Ge	ographically	Deaveraged U	NE Zones. To	view Geograp	hically Deavera	ged UNE Zone	Designation	ons by Cent	ral Office, refe	er to Internet	Website:	
		www.interconnection.bellsouth.com/become_a_clec/html/inter	connec	tion.ht	m		_			-			-				
OPER#	TIONAL	_ SUPPORT SYSTEMS															
	l																
		(1) Electronic Service Order: CLEC-1 should contact its contr															
		is the BellSouth regional electronic service ordering charge.															
		(2) Any element that can be ordered electronically will be bill- elements that cannot be ordered electronically at present per t															
		grements that cannot be ordered electronically at present per t ng charge, SOMAN, will be applied to a CLECs bill when it sub				in this cate	gory reflects th	e charge that v	voula be billed	to a CLEC on	ce electronic c	rdering cap	Dabilities Co	me on-line to	r that element	. Otherwise,	tne manuai
	orderin	Electronic OSS Charge, per LSR, submitted via BST's OSS	mints ar	LORI	o benouun.									I	1	I	
		interactive interfaces (Regional)				SOMEC		3.50									
UNBUN	IDLED E	EXCHANGE ACCESS LOOP						3.00						1	1		
		ANALOG VOICE GRADE LOOP															
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEAL2	13.54	70.44	44.05	46.93	10.40		19.99				
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		2	UEANL	UEAL2	19.73	70.44	44.05	46.93	10.40		19.99				
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL	UEAL2	28.27	70.44	44.05	46.93	10.40		19.99				
		Loop Testing - Basic 1st Half Hour			UEANL	URET1		78.92	78.92								
		Loop Testing - Basic Additional Half Hour			UEANL	URETA		23.33	23.33								
		Engineering Information Document (EI) Manual Order Coordination for UVL-SL1s (per loop)*		<u> </u>	UEANL UEANL	UEAMC		28.76 16.31	28.76 16.31				-				
-		Order Coordination for Specified Conversion Time for UVL-SL1			UEAINL	UEAIVIC		10.31	10.31				-	-			
		(per LSR) *			UEANL	OCOSL		36.18	36.18								
	2-WIRE	Unbundled COPPER LOOP			OL7111L	CCCCL		00.10	00.10								
		2-Wire Unbundled Copper Loop - Non-Designed Zone 1	- 1	1	UEQ	UEQ2X	11.01	44.69	22.40	25.65	7.06		19.99				
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 2	ı	2	UEQ	UEQ2X	12.67	44.69	22.40	25.65	7.06		19.99				
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 3		3	UEQ	UEQ2X	20.22	44.69	22.40	25.65	7.06		19.99				
		Order Coordination 2 Wire Unbundled Copper Loop - Non-															
		Designed (per loop)			UEQ	USBMC		16.31	16.31								
		Engineering Information Document Loop Testing - Basic 1st Half Hour			UEQ UEQ	URET1		28.76 78.92	28.76 78.92								
		Loop Testing - Basic 1st Hall Hour Loop Testing - Basic Additional Half Hour			UEQ	URETA		23.33	23.33								
UNBUN	IDI FD F	EXCHANGE ACCESS LOOP			OLQ	OKETA		25.55	25.55								
0.120.		ANALOG VOICE GRADE LOOP												1			
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
	<u> </u>	Zone 1		1	UEPSR UEPSB	UEALS	13.54	70.44	44.05	46.93	10.40		19.99				
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
<u> </u>	ļ	Zone 1	ı		UEPSR UEPSB	UEABS	13.54	70.44	44.05	46.93	10.40		19.99	1			
	l	2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-		_	LIEDOD LIEGOS	LIEALO								1			
<u> </u>	1	Zone 2		2	UEPSR UEPSB	UEALS	19.73	70.44	44.05	46.93	10.40		19.99	1	-		
	l	2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting- Zone 2			UEPSR UEPSB	UEABS	19.73	70.44	44.05	46.93	10.40		19.99	1			
—	1	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		1	ULFOR UEFOR	ULADO	19.73	70.44	44.05	40.93	10.40		19.99	+			
	1	Zone 3	1	3	UEPSR UEPSB	UEALS	28.27	70.44	44.05	46.93	10.40		19.99		1		
—	1	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		Ť			20.21	70.74	44.00	40.00	10.40		10.00	1	1		
	1	Zone 3	- 1	1	UEPSR UEPSB	UEABS	28.27	70.44	44.05	46.93	10.40		19.99		1		
UNBUN		XCHANGE ACCESS LOOP															
	2-WIRE	ANALOG VOICE GRADE LOOP					_	-	-								
1	1	CLEC to CLEC Conversion Charge without outside dispatch		1	l	l]		_	1		
<u> </u>	<u> </u>	(UVL-SL1)		ļ	UEANL	UREWO		48.12	22.02				19.99		ļ	ļ	
	l	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		4	UEA	UEAL2	17.27	226 75	177.10				19.99	1			
-	-	Ground Start Signaling - Zone 1 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		1	UEA	UEALZ	17.27	236.75	177.10				19.99	-	-	-	
	1	Ground Start Signaling - Zone 2		2	UEA	UEAL2	32.32	236.75	177.10				19.99		1		
ь	l .	Orbuna otali olgilalilig - Zorie Z			IOLA	ULALZ	32.32	230.75	177.10	l			19.99	1	1	·	·

4Q01:12/01/01 PAGE 110 OF 324

UNBUNDLE	D NETWORK ELEMENTS - Kentucky												Attachment:	2		Exhibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Submitted	Incremental Charge - Manual Svc	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec	curring	Nonrecurring	ı Disconnect			ossi	RATES (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN			SOMAN	SOMAN
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															
	Ground Start Signaling - Zone 3		3	UEA	UEAL2	55.78	236.75	177.10				19.99				
	Order Coordination for Specified Conversion Time (per LSR) 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse			UEA	OCOSL		36.18									
	Battery Signaling - Zone 1		1	UEA	UEAR2	17.27	236.75	177.10				19.99				,
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															
	Battery Signaling - Zone 2		2	UEA	UEAR2	32.32	236.75	177.10				19.99				
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		_					.==								,
-	Battery Signaling - Zone 3 Order Coordination for Specified Conversion Time (per LSR)		3	UEA UEA	UEAR2 OCOSL	55.78	236.75 36.18	177.10				19.99				
h h	CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO	1	131.85	38.28				19.99				
4-WIRE	ANALOG VOICE GRADE LOOP			OLIT	OREWO	İ	101.00	00.20				10.00				
	4-Wire Analog Voice Grade Loop - Zone 1			UEA	UEAL4	20.92	457.14	348.83				19.99				
	4-Wire Analog Voice Grade Loop - Zone 2			UEA	UEAL4	39.14	457.14	348.83				19.99				
	4-Wire Analog Voice Grade Loop - Zone 3		3	UEA UEA	UEAL4 OCOSL	67.57	457.14 36.18	348.83				19.99				
2-WIDE	Order Coordination for Specified Conversion Time (per LSR) ISDN DIGITAL GRADE LOOP	1		UEA	UCUSL		30.18									
Z-WIKL	2-Wire ISDN Digital Grade Loop - Zone 1		1	UDN	U1L2X	23.66	541.28	431.61				19.99				
	2-Wire ISDN Digital Grade Loop - Zone 2		2	UDN	U1L2X	44.28	541.28	431.61				19.99				
	2-Wire ISDN Digital Grade Loop - Zone 3		3		U1L2X	76.42	541.28	431.61				19.99				
	Order Coordination For Specified Conversion Time (per LSR)			UDN	OCOSL		36.18									
2 WIDE	CLEC to CLEC Conversion Charge without outside dispatch Universal Digital Channel (UDC) COMPATIBLE LOOP			UDN	UREWO		121.19	33.09				19.99				
Z-WIKE	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone															
	1		1	UDC	UDC2X	25.73	233.47	158.51	105.49	20.48		19.99				,
	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone															
	2		2	UDC	UDC2X	34.83	233.47	158.51	105.49	20.48		19.99				
	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone	1		LIDO	LIBOOV	45.50	000 47	450.54	405.40	00.40		40.00				,
-	CLEC to CLEC Conversion Charge without outside dispatch		3	UDC	UDC2X UREWO	45.56	233.47 121.019	158.51 33.09	105.49	20.48		19.99 19.99				<u> </u>
2-WIRE	E ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP	PATIBLE	LOOP		OKEWO		121.013	33.03				10.00				
	2 Wire Unbundled ADSL Loop including manual service inquiry															
	& facility reservation - Zone 1		1	UAL	UAL2X	8.79	713.50	609.44				19.99				
	2 Wire Unbundled ADSL Loop including manual service inquiry		_				==									,
	& facility reservation - Zone 2 2 Wire Unbundled ADSL Loop including manual service inquiry		2	UAL	UAL2X	16.46	713.50	609.44				19.99				
	& facility reservation - Zone 3		3	UAL	UAL2X	28.40	713.50	609.44				19.99				
	Order Coordination for Specified Conversion Time (per LSR)		Ü	UAL	OCOSL	20.40	36.18	000.44				10.00				
	2 Wire Unbundled ADSL Loop without manual service inquiry &					İ										
	facility reservaton - Zone 1		1	UAL	UAL2W	8.79	205.25	129.42	100.89	15.88		19.99				
	2 Wire Unbundled ADSL Loop without manual service inquiry &		2	UAL	UAL2W	16.46	205.25	120.40	100.00	15.88		19.99				1
-	facility reservaton - Zone 2 2 Wire Unbundled ADSL Loop without manual service inquiry &			UAL	UALZW	16.46	205.25	129.42	100.89	15.88		19.99				-
	facility reservaton - Zone 3		3	UAL	UAL2W	28.40	205.25	129.42	100.89	15.88		19.99				1
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		36.18									
	CLEC to CLEC Conversion Charge without outside dispatch			UAL	UREWO		137.85	29.34				19.99				
2-WIRE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	ATIBLE	LOOP		1											<u> </u>
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 1		1	UHL	UHL2X	6.29	713.50	609.44				19.99				1
	2 Wire Unbundled HDSL Loop including manual service inquiry	t	- '-	UL	JIILEA	0.29	7 10.00	303.74				10.00				
	& facility reservation - Zone 2		2	UHL	UHL2X	11.78	713.50	609.44			<u> </u>	19.99				<u> </u>
	2 Wire Unbundled HDSL Loop including manual service inquiry									-						
	& facility reservation - Zone 3	1	3	UHL	UHL2X	20.33	713.50	609.44				19.99				 '
	Order Coordination for Specified Conversion Time (per LSR) 2 Wire Unbundled HDSL Loop without manual service inquiry	1	!	UHL	OCOSL		36.18									<u> </u>
	and facility reservation - Zone 1		1	UHL	UHL2W	6.29	222.58	146.75	100.89	15.88		19.99				1
	2 Wire Unbundled HDSL Loop without manual service inquiry		 	UL	JI ILEVV	0.29	£22.00	170.73	100.09	13.00		10.00				
	and facility reservation - Zone 2		2	UHL	UHL2W	11.78	222.58	146.75	100.89	15.88		19.99				

UNBUNDLEI	D NETWORK ELEMENTS - Kentucky												Attachment:	2		Exhibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Submitted	Incremental Charge - Manual Svc	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec	urring	Nonrecurring	g Disconnect			oss i	RATES (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
	2 Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 3		3	UHL	UHL2W	20.33	222.58	146.75	100.89	15.88		19.99				
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		36.18					10.00				
4 WIDE	CLEC to CLEC Conversion Charge without outside dispatch HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	COB	UHL	UREWO		137.79	29.34				19.99				
4-VVIKE	4 Wire Unbundled HDSL Loop including manual service inquiry	TIBLE	LUUF		-											
	and facility reservation - Zone 1		1	UHL	UHL4X	7.68	748.93	646.17				19.99				
	4-Wire Unbundled HDSL Loop including manual service inquiry		-	OTIL	OT IL TAX	7.00	7-10.00	0-10.17				10.00				
	and facility reservation - Zone 2	- 1	2	UHL	UHL4X	14.38	748.93	646.17				19.99				
	4-Wire Unbundled HDSL Loop including manual service inquiry					ĺ										
	and facility reservation - Zone 3	1	3	UHL	UHL4X	24.82	748.93	646.17				19.99				<u> </u>
	Order Coordination for Specified Conversion Time (per LSR)	ļ		UHL	OCOSL		36.18									
	4-Wire Unbundled HDSL Loop without manual service inquiry	1														I
	and facility reservation - Zone 1		1	UHL	UHL4W	7.68	279.79	203.96	109.64	20.64		19.99				
	4-Wire Unbundled HDSL Loop without manual service inquiry		2	UHL		14.38	279.79	203.96	109.64	20.64		19.99				
	and facility reservation - Zone 2 4-Wire Unbundled HDSL Loop without manual service inquiry		2	UHL	UHL4W	14.38	279.79	203.96	109.64	20.64		19.99				
	and facility reservation - Zone 3		3	UHL	UHL4W	24.82	279.79	203.96	109.64	20.64		19.99				
	Order Coordination for Specified Conversion Time (per LSR)	1	- 3	UHL	OCOSL	24.02	36.18	203.30	103.04	20.04		13.33				
	CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		137.79	29.34				19.99				
4-WIRE	DS1 DIGITAL LOOP															
	4-Wire DS1 Digital Loop - Zone 1		1	USL	USLXX	50.26	849.80	523.27				19.99				
	4-Wire DS1 Digital Loop - Zone 2			USL	USLXX	94.06	849.80	523.27				19.99				
	4-Wire DS1 Digital Loop - Zone 3		3	USL	USLXX	162.34	849.80	523.27				19.99				
	Order Coordination for Specified Conversion Time (per LSR)			USL	OCOSL		36.18									
	CLEC to CLEC Conversion Charge without outside dispatch			USL	UREWO		130.27	40.05								
4-WIRE	19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP		1	LIDI	LIDI 40	05.00	050.00	470.00	110.05	07.05		40.00				
	4 Wire Unbundled Digital 19.2 Kbps 4 Wire Unbundled Digital 19.2 Kbps	1		UDL UDL	UDL19 UDL19	35.92 40.32	250.99 250.99	176.03 176.03	116.85 116.85	27.85 27.85		19.99 19.99				-
-	4 Wire Unbundled Digital 19.2 Kbps		3		UDL19	37.90	250.99	176.03	116.85	27.85		19.99				
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1	1		UDL	UDL56	35.92	250.99	176.03	116.85	27.85		19.99				-
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2			UDL	UDL56	40.32	250.99	176.03	116.85	27.85		19.99				
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3			UDL	UDL56	37.90	250.99	176.03	116.85	27.85		19.99				
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		36.18									
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1			UDL	UDL64	35.92	250.99	176.03	116.85	27.85		19.99				
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2			UDL	UDL64	40.32	250.99	176.03	116.85	27.85		19.99				
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3	ļ	3		UDL64	37.90	250.99	176.03	116.85	27.85		19.99				ļ
	Order Coordination for Specified Conversion Time (per LSR) CLEC to CLEC Conversion Charge without outside dispatch	1		UDL UDL	OCOSL		36.18 131.69	38.69				19.99				1
2.WIDE	Unbundled COPPER LOOP			UDL	UREWO		131.69	38.69				19.99				
Z-WIKE	2-Wire Unbundled Copper Loop/Short including manual service	l			1									-	-	
	inquiry & facility reservation - Zone 1	1	1	UCL	UCLPB	14.94	283.77	164.04	120.60	22.45		19.99				
	2-Wire Unbundled Copper Loop/Short including manual service	1			302. 5	14.04	200.11	10-1.0-	120.00	22.40		10.00				
	inquiry & facility reservation - Zone 2		2	UCL	UCLPB	15.15	283.77	164.04	120.60	22.45		19.99				1
İ	2 Wire Unbundled Copper Loop/Short including manual service					ĺ										
	inquiry & facility reservation - Zone 3	1	3	UCL	UCLPB	15.73	283.77	164.04	120.60	22.45		19.99				
	Order Coordination for Unbundled Copper Loops (per loop)	ļ		UCL	UCLMC		16.31	16.31								
	2-Wire Unbundled Copper Loop/Short without manual service				LIOL BW	446.	000.55	407.50	400.00	45.00		40.00				1
 	inquiry and facility reservation - Zone 1	!	1	UCL	UCLPW	14.94	203.39	127.56	100.89	15.88		19.99		1	1	+
	2-Wire Unbundled Copper Loop/Short without manual service inquiry and facility reservation - Zone 2	1	2	UCL	UCLPW	15.15	203.39	127.56	100.89	15.88		19.99				
 	2-Wire Unbundled Copper Loop/Short without manual service	l		UUL	UCLPVV	15.15	203.39	127.30	100.89	15.88		19.99		-	-	
	inquiry and facility reservation - Zone 3	1	3	UCL	UCLPW	15.73	203.39	127.56	100.89	15.88		19.99				
	Order Coordination for Unbundled Copper Loops (per loop)	†	Ŭ	UCL	UCLMC	.5.70	16.31	16.31		.5.66		.0.00				
	2-Wire Unbundled Copper Loop/Long - includes manual srvc.	1														
	inquiry and facility reservation - Zone 1	<u></u>	1	UCL	UCL2L	36.19	270.38	150.65	120.60	22.45		19.99		<u> </u>		<u> </u>
	2-Wire Unbundled Copper Loop/Long - includes manual svc.							· · · · · · · · · · · · · · · · · · ·								
	inquiry and facility reservation - Zone 2	1	2	UCL	UCL2L	49.31	270.38	150.65	120.60	22.45]	19.99			<u> </u>	L

UNBUNDLE	D NETWORK ELEMENTS - Kentucky												Attachment:	2		Exhibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Submitted	Incremental Charge - Manual Svc	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonre	curring	Nonrecurring	Disconnect			oss	RATES (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN		SOMAN	SOMAN
	2-Wire Unbundled Copper Loop/Long - includes manual svc.															
	inquiry and facility reservation - Zone 3 Order Coordination for Unbundled Copper Loops (per loop)		3	UCL UCL	UCL2L UCLMC	80.78	270.38 16.31	150.65 16.31	120.60	22.45		19.99				
	2-Wire Unbundled Copper Loop/Long - without manual service			UCL	UCLIVIC		10.31	10.31								
	inquiry and facility reservation - Zone 1		1	UCL	UCL2W	36.19	190.00	114.17	100.89	15.88		19.99				
	2-Wire Unbundled Copper Loop/Long - without manual service															
	inquiry and facility reservation - Zone 2		2	UCL	UCL2W	49.31	190.00	114.17	100.89	15.88		19.99				
	2-Wire Unbundled Copper Loop/Long - without manual service inquiry and facility reservation - Zone 3		3	UCL	UCL2W	80.78	190.00	114.17	100.89	15.88		19.99				
	Order Coordination for Unbundled Copper Loops (per loop)		3	UCL	UCLMC	00.70	16.31	16.31	100.89	13.00		15.55				
	CLEC to CLEC Conversion Charge without outside dispatch															
	(UCL-Des)			UCL	UREWO		148.88	31.42				19.99				
	CLEC to CLEC Conversion Charge without outside dispatch			1150	LIDEIMO		44.00	00.00				40.00				
4-WIRE	(UCL-ND) E COPPER LOOP			UEQ	UREWO		44.69	22.02				19.99				
4-4411	4-Wire Copper Loop/Short - including manual service inquiry															
	and facility reservation - Zone 1		1	UCL	UCL4S	25.26	332.20	212.46	130.27	27.51		19.99				
	4-Wire Copper Loop/Short - including manual service inquiry															
	and facility reservation - Zone 2	ļ	2	UCL	UCL4S	23.00	332.20	212.46	130.27	27.51		19.99				
	4-Wire Copper Loop/Short - including manual service inquiry and facility reservation - Zone 3		3	UCL	UCL4S	19.08	332.20	212.46	130.27	27.51		19.99				
	Order Coordination for Unbundled Copper Loops (per loop)		3	UCL	UCLMC	19.00	16.31	16.31	130.27	27.51		15.55				
	4-Wire Copper Loop/Short - without manual service inquiry and															
	facility reservation - Zone 1		1	UCL	UCL4W	25.26	251.82	175.99	109.64	20.64		19.99				
	4-Wire Copper Loop/Short - without manual service inquiry and		_			00.00	054.00	475.00	400.04	00.04		40.00				
	facility reservation - Zone 2 4-Wire Copper Loop/Short - without manual service inquiry and		2	UCL	UCL4W	23.00	251.82	175.99	109.64	20.64		19.99				
	facility reservation - Zone 3		3	UCL	UCL4W	19.08	251.82	175.99	109.64	20.64		19.99				
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		16.31	16.31								
	4-Wire Unbundled Copper Loop/Long - includes manual svc.															
	inquiry and facility reservation - Zone 1	ļ	1	UCL	UCL4L	61.02	318.81	199.07	130.27	27.51		19.99				
	4-Wire Unbundled Copper Loop/Long - includes manual svc. inquiry and facility reservation - Zone 2		2	UCL	UCL4L	55.74	318.81	199.07	130.27	27.51		19.99				
	4-Wire Unbundled Copper Loop/Long - includes manual svc.			OOL	OOL4L	33.74	310.01	199.07	130.27	27.51		13.33				
	inquiry and facility reservation - Zone 3		3	UCL	UCL4L	88.97	318.81	199.07	130.27	27.51		19.99				
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		16.31	16.31								
	4-Wire Unbundled Copper Loop/Long - without manual svc. inquiry and facility reservation - Zone 1		1	UCL	UCL4O	61.02	238.42	162.60	109.64	20.64		19.99				
 	4-Wire Unbundled Copper Loop/Long - without manual svc.	 	-	UCL	UUL4U	61.02	238.42	10∠.00	109.64	∠∪.७4	 	19.99				
	inquiry and facility reservation - Zone 2		2	UCL	UCL4O	55.74	238.42	162.60	109.64	20.64		19.99				
	4-Wire Unbundled Copper Loop/Long - without manual svc.															
	inquiry and facility reservation - Zone 3		3	UCL	UCL4O	88.97	238.42	162.60	109.64	20.64	1	19.99				
	Order Coordination for Unbundled Copper Loops (per loop) CLEC to CLEC Conversion Charge without outside dispatch	<u> </u>		UCL	UCLMC		16.31	16.31			 					
	(UCL-Des)			UCL	UREWO		148.88	31.42				19.99				
LOOP MODIFIC					1			<u> </u>								
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire			UAL, UHL, UCL,												
	pair less than or equal to 18k ft			UEQ, ULS	ULM2L		65.20	65.20								
	Unbundled Loop Modification, Removal of Load Coils - 2 wire greater than 18k ft			UCL. ULS	ULM2G		341.64	341.64								
	Unbundled Loop Modification Removal of Load Coils - 4 Wire			J J L, J L J	JEIVIZO	 	371.04	371.04			t					
	less than or equal to 18K ft			UHL, UCL	ULM4L		65.20	65.20								
	Unbundled Loop Modification Removal of Load Coils - 4 Wire															
 	pair greater than 18k ft Unbundled Loop Modification Removal of Bridged Tap Removal,	<u> </u>		UCL UAL, UHL, UCL,	ULM4G		341.64	341.64			-					
	per unbundled loop			UEQ, UEF, ULS	ULMBT		65.24	65.24								
SUB-LOOPS	por ambandos toop			524, 521, 525	CLIVID		00.24	00.24								
Sub-Lo	pop Distribution															

UNBUNDLE	D NETWORK ELEMENTS - Kentucky												Attachment:	2		Exhibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Submitted	Incremental Charge - Manual Svc	Incremental Charge - Manual Svc Order vs. Electronic-	Charge -	Incremental Charge - Manual Svc Order vs. Electronic-
									Π		per LSR	per LSR	1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonrec	curring	Nonrecurrin	g Disconnect			oss i	RATES (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-			UEANL	USBSA		600.03	600.03				19.99				
	Гор			OLANL	USBSA		000.03	000.03				13.33				
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	- 1		UEANL	USBSB		45.28	45.28				19.99				
	Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility Set-Up	1		UEANL	USBSC		379.89	379.89				19.99				
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up	_		UEANL	USBSD		111.55	111.55				19.99				
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -															
	Zone 1	I	1	UEANL	USBN2	9.03	131.64	61.93	90.83	13.44		19.99				
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 2	ı	2	UEANL	USBN2	12.25	131.64	61.93	90.83	13.44		19.99				
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 3	- 1	3	UEANL	USBN2	16.71	131.64	61.93	90.83	13.44		19.99				
	Order Coordination for Habitardlad Cub Lanca and act has a circ			UEANL	USBMC		36.18	20.40								
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -			UEAINL	USDIVIC		30.10	36.18								
	Zone 1		1	UEANL	USBN4	10.18	158.12	88.41	99.10	18.08		19.99				
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 2		2	UEANL	USBN4	9.44	158.12	88.41	99.10	18.08		19.99				
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -															
-	Zone 3		3	UEANL	USBN4	13.38	158.12	88.41	99.10	18.08		19.99				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		36.18	36.18								
	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)			UEANL	USBR2	3.23	106.06	36.35	90.83	13.44		19.99				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		36.18	36.18								
	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)			UEANL	USBR4	6.29	118.54	48.84	99.10	18.08		19.99				
	, , , , , , , , , , , , , , , , , , ,															
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEANL UEF	USBMC	8.01	36.18 131.64	36.18 61.93	90.83	13.44		19.99				
h h	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	H	2		UCS2X UCS2X	9.18	131.64	61.93	90.83	13.44		19.99				
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	i	3		UCS2X	11.02	131.64	61.93	90.83	13.44		19.99				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		1	UEF UEF	USBMC	10.05	36.18	36.18	00.40	40.00		40.00				
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	-	2		UCS4X UCS4X	10.65 9.71	158.12 158.12	88.41 88.41	99.10 99.10	18.08 18.08		19.99 19.99				
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	t i	3		UCS4X	8.45	158.12	88.41	99.10	18.08		19.99				
L	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		36.18	36.18								
Unbun	dled Sub-Loop Modification Unbundled Sub-Loop Modification - 2-W Copper Dist Load				-											
	Coil/Equip Removal per 2-W PR			UEF	ULM2X		355.83	12.27				19.99				
	Unbundled Sub-loop Modification - 4-W Copper Dist Load															
	Coil/Equip Removal per 4-W PR			UEF	ULM4X		355.83	12.27				19.99				
	Unbundled Sub-loop Modification - 2-w/4-w Copper Dist Bridged Tap Removal, per PR unloaded	1		UEF	ULM4T		560.74	14.30				19.99				
Unbun	dled Network Terminating Wire (UNTW)						300.14	14.50				10.00				
	Unbundled Network Terminating Wire (UNTW) per Pair			UENTW	UENPP	0.64	62.83	62.83				19.99				
Netwo	rk Interface Device (NID)			LICATA	LINDAG		00.00	F7.0.				40.00				
 	Network Interface Device (NID) - 1-2 lines Network Interface Device (NID) - 1-6 lines	<u> </u>	-	UENTW UENTW	UND12 UND16		89.66 129.24	57.24 99.52	-		-	19.99 19.99				
	Network Interface Device (ND) - 1-0 lines Network Interface Device Cross Connect - 2 W			UENTW	UNDC2		11.78	11.78				19.99				
	Network Interface Device Cross Connect - 4W			UENTW	UNDC4		11.78	11.78				19.99				
SUB-LOOPS																
Sub-Lo	USL-Feeder, DS0 Set-up per Cross Box location - CLEC	1	-	UEA,	1						-					
	Distribution Facility set-up			UDN,UCL,UDL,UDC	USBFW		600.03									
	,		•——	,,,,,	, , ,	ı .	300.00				4					

UNBUNDLEI	D NETWORK ELEMENTS - Kentucky												Attachment:	2		Exhibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Submitted	Incremental Charge - Manual Svc		Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec			g Disconnect				RATES (\$)		
	LICE France DCO Cat up and Come Bay leasting that Of a six			UEA.			First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	USL Feeder - DS0 Set-up per Cross Box location - per 25 pair set-up			UDN,UCL,UDL,UDC	USBFX		45.28	45.28								
	USL Feeder DS1 Set-up at DSX location, per DS1 termination			USL	USBFZ		527.98	11.32								
	Unbundled Sub-Loop Feeder Loop, 2 Wire Ground Start, Voice															
	Grade - Zone 1		1	UEA	USBFA	10.36	184.97	111.91	108.76	26.76		19.99				
	Unbundled Sub-Loop Feeder Loop, 2 Wire Ground-Start, Voice Grade - Zone 2		2	UEA	USBFA	13.62	184.97	111.91	108.76	26.76		19.99				
	Unbundled Sub-Loop Feeder Loop, Per 2 Wire Ground-Start,			OLA	USBI A	13.02	104.97	111.91	100.70	20.70		13.33				
	Voice Grade - Zone 3		3	UEA	USBFA	19.69	184.97	111.91	108.76	26.76		19.99				
	Order Coordination for Specified Conversion Time, per LSR			UEA	OCOSL		36.18									
	Unbundlde Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice Grade - Zone 1		1	UEA	USBFB	10.36	184.97	111.91	108.76	26.76		19.99				
	Unbundled Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice Grade - Zone 2		2	UEA	USBFB	13.62	184.97	111.91	108.76	26.76		19.99				
	Unbundled Sub-Loop Feeder Loop, 2 Wire Start Loop, Voice															
	Grade - Zone 3		3	UEA	USBFB	19.69	184.97	111.91	108.76	26.76		19.99				
-	Order Coordination for Specified Time Conversion, per LSR Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery,			UEA	OCOSL		36.18									
	Voice Grade - Zone 1		1	UEA	USBFC	10.36	184.97	111.91	108.76	26.76		19.99				
	Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery,		2	UEA	USBFC	13.62	184.97	111.91	108.76	26.76						
h + +	Voice Grade - Zone 2 Unbundled Sub-Loop Feeder Loop, 2 Wire Analog Reverse			UEA	USBFC	13.02	184.97	111.91	108.76	26.76		19.99				
	Battery, Voice Grade - Zone 3		3	UEA	USBFC	19.69	184.97	111.91	108.76	26.76		19.99				
	Order Coordination For Specified Conversion Time, per LSR			UEA	OCOSL		36.18									
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice Grade - Zone 1		1	UEA	USBFD	30.69	213.56	138.60	122.64	33.64		19.99				
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice		2	UEA	USBFD	36.12	213.56	138.60	122.64	33.64		19.99				
	Grade - Zone 2 Unbundled Sub-Loop Feeder Loop, 4 Wire Ground Start, Voice		_													
	Grade - Zone 3		3	UEA	USBFD	22.90	213.56	138.60	122.64	33.64		19.99				
	Order Coordination For Specified Conversion Time, Per LSR Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice	ļ		UEA	OCOSL		36.18									
	Grade - Zone 1		1	UEA	USBFE	30.69	213.56	138.60	122.64	33.64		19.99				
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice Grade - Zone 2		2	UEA	USBFE	36.12	213.56	138.60	122.64	33.64		19.99				
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice															
	Grade - Zone 3		3	UEA	USBFE	22.90	213.56	138.60	122.64	33.64		19.99				
	Order Coordination For Specified Conversion Time, Per LSR Unbundled Sub-Loop Feeder Loop, 2 Wire ISDN BRI - Zone 1			UEA UDN	OCOSL USBFF	17.75	36.18 211.30	136.34	111.02	26.01	1	19.99				
	Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 2			UDN	USBFF	23.67	211.30	136.34	111.02	26.01		19.99				
	Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 3			UDN	USBFF	29.90	211.30	136.34	111.02	26.01		19.99				
	Order Coordination For Specified Conversion Time, Per LSR			UDN	OCOSL		36.18									
\vdash	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)	ļ		UDC	USBFS	17.75	211.30	136.34	111.02	26.01		19.99				
 	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible) Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)	<u> </u>	3	UDC	USBFS USBFS	23.67 29.90	211.30 211.30	136.34 136.34	111.02 111.02	26.01 26.01	 	19.99 19.99				
 	Unbundled Sub-Loop Feeder, 2 Wire ODC (IDSL compatible) Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 1	 		USL	USBFG	75.10	202.14	127.18	122.64	33.64	 	19.99				
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 2			USL	USBFG	104.53	202.14	127.18	122.64	33.64		19.99				
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 3		3	USL	USBFG	152.36	202.14	127.18	122.64	33.64		19.99				
	Order Coordination For Specified Conversion Time, Per LSR			USL	OCOSL	0.00	36.18	00.00	100.10	04 **	1	40.00				
	Unbundled Sub-Loop Feeder, 2-Wire Copper Loop - Zone 1 Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone		1	UCL	USBFH	8.29	167.62	92.66	106.42	21.41		19.99				
	2 Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone		2	UCL	USBFH	7.30	167.62	92.66	106.42	21.41		19.99				
	3		3	UCL	USBFH	6.03	167.62	92.66	106.42	21.41	<u> </u>	19.99	<u></u>			
	Order Coordination For Specified Conversion Time, per LSR			UCL	OCOSL		36.18									
\vdash	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 1	ļ		UCL	USBFJ	16.55	202.05	127.09	115.43	26.43		19.99				
	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 2 Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 3	-	3	UCL	USBFJ USBFJ	15.35 12.52	202.05 202.05	127.09 127.09	115.43 115.43	26.43 26.43		19.99 19.99				
	Sub-Loop reduct - Fet 4-Wile Coppet Loop - Zone 3	l	J	UUL	USDFJ	12.52	202.05	127.09	115.43	20.43	1	19.99		l	l	l .

UNBUNDLE	D NETWORK ELEMENTS - Kentucky												Attachment:	2		Exhibit: B
CATEGORY	RATE ELEMENTS	Interi	7	BCS	USOC			RATES(\$)			Svc Order	Svc Order	Incremental Charge - Manual Svc	Incremental Charge - Manual Svc	Charge -	Incremental Charge - Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	всъ	USUC			KATES(\$)			Submitted Elec	Submitted Manually		Order vs. Electronic- Add'l	Order vs. Electronic-	Order vs. Electronic-
											per LSR	per LSR			Disc 1st	Disc Add'l
					1	Rec	Nonrec First	urring Add'l	Nonrecurring First	g Disconnect Add'l	SOMEC	SOMAN		RATES (\$) SOMAN	SOMAN	SOMAN
	Order Coordination For Specified Conversion Time, per LSR			UCL	OCOSL		36.18	Addi	11100	Auu	COMILO	OOMAN	COMPAR	COMPAR	COMPAR	COMPAR
	Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop			UDL	USBFN	27.38	202.14	127.18	122.64	33.64		19.99				
	Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop			UDL	USBFN	33.41	202.14	127.18	122.64	33.64		19.99				
	Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop		3	UDL	USBFN	24.47	202.14	127.18	122.64	33.64		19.99				
	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop - Zone 1		1	UDL	USBFO	27.38	202.14	127.18	122.64	33.64		19.99				
	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop - Zone 2		2	UDL	USBFO	33.41	202.14	127.18	122.64	33.64		19.99				
	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop - Zone 3		3	UDL	USBFO	24.47	202.14	127.18	122.64	33.64		19.99				
	Order Coordination For Specified Time Conversion, per LSR		J	UDL	OCOSL	24.41	36.18	127.10	122.04	33.04		13.33				
	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop -															
	Zone 1		1	UDL	USBFP	27.38	202.14	127.18	122.64	33.64		19.99				
	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - Zone 2		2	UDL	USBFP	33.41	202.14	127.18	122.64	33.64		19.99				
	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - Zone 3		3	UDL	USBFP	24.47	202.14	127.18	122.64	33.64		19.99				
	Order Coordination For Specified Conversion Time, per LSR			UDL	OCOSL		36.18									
SUB-LOOPS																
Sub-Lo	pop Feeder					15.00										
	Sub Loop Feeder - DS3 - Per Mile Per Month	-		UE3	1L5SL	15.38	2 200 00	407.44	400.00	04.40		40.00				
	Sub Loop Feeder - DS3 - Facility Termination Per Month Sub Loop Feeder – STS-1 – Per Mile Per Month			UE3 UDLSX	USBF1 1L5SL	346.30 15.38	3,386.00	407.14	160.86	91.19		19.99				
	Sub Loop Feeder - STS-1 - Fer Mile Fer Month			UDLSX	USBF7	372.80	3,386.00	407.14	160.86	91.19		19.99				
	Sub Loop Feeder – OC-3 – Per Mile Per Month			UDLO3	1L5SL	11.67	0,000.00	407.14	100.00	31.13		10.00				
	Sub Loop Feeder - OC-3 - Facility Termination Protection Per Month			UDLO3	USBF5	58.27										
	Sub Loop Feeder - OC-3 - Facility Termination Per Month			UDLO3	USBF2	564.68	3,386.00	407.14	160.86	91.19		19.99				
	Sub Loop Feeder - OC-12 - Per Mile Per Month			UDL12	1L5SL	14.36	3,300.00	407.14	100.00	91.19		19.99				
	Sub Loop Feeder - OC-12 - Facility Termination Protection Per			002.2	.2002											
	Month			UDL12	USBF6	658.35										
	Sub Loop Feeder - OC-12 - Facility Termination Per Month			UDL12	USBF3	1,778.00	3,386.00	407.14	160.86	91.19		19.99				
	Sub Loop Feeder - OC-48 - Per Mile Per Month			UDL48	1L5SL	47.11										
	Sub Loop Feeder - OC-48 - Facility Termination Protection Per Month			UDL48	USBF9	330.39										
	Sub Loop Feeder - OC-48 - Facility Termination Per Month			UDL48	USBF4	1,533.00	3,571.00	407.14	160.86	91.19		19.99				
	Sub Loop Feeder - OC-12 Interface On OC-48			UDL48	USBF8	372.76	788.37	407.14	160.86	91.19		19.99				
UNBUNDLED L	OOP CONCENTRATION			•				•								
\vdash	Unbundled Loop Concentration - System A (TR008)	<u> </u>		ULC	UCT8A	522.17	651.04	651.04				19.99				
	Unbundled Loop Concentration - System B (TR008) Unbundled Loop Concentration - System A (TR303)	1		ULC ULC	UCT8B UCT3A	63.59 567.21	271.27 651.04	271.27 651.04	 		1	19.99 19.99				
 	Unbundled Loop Concentration - System A (TR303) Unbundled Loop Concentration - System B (TR303)	1		ULC	UCT3B	107.16	271.27	271.27	1		1	19.99			1	
	Unbundled Loop Concentration - DS1 Loop Interface Card			ULC	UCTCO	6.04	126.61	92.17	33.46	9.37		19.99				
	Unbundled Loop Concentration - ISDN Loop Interface (Brite															
-	Card)			UDN	ULCC1	9.59	21.08	20.96	10.75	10.68		19.99				
	Unbundled Loop Concentration - UDC Loop Interface (Brite Card)			UDC	ULCCU	9.59	21.08	20.96	10.75	10.68		19.99				
	Unbundled Loop Concentration2 Wire Voice-Loop Start or Ground Start Loop Interface (POTS Card)			UEA	ULCC2	2.40	21.08	20.96	10.75	10.68		19.99				
	Unbundled Loop Concentration - 2 Wire Voice - Reverse Battery Loop Interface (SPOTS Card)			UEA	ULCCR	14.26	21.08	20.96	10.75	10.68		19.99				
	Unbundled Loop Concentration - 4 Wire Voice Loop Interface										1					
 	(Specials Card)			UEA ULC	ULCC4	8.51	21.08	20.96	10.75	10.68	-	19.99				
	Unbundled Loop Concentration - TEST CIRCUIT Card Unbundled Loop Concentration - Digital 19.2 Kbps Data Loop				UCTTC	41.58	21.08	20.96	10.75	10.68		19.99				
	Interface Unbundled Loop Concentration - Digital 56 Kbps Data Loop			UDL	ULCC7	12.60	21.08	20.96	10.75	10.68	-	19.99				
	Interface			UDL	ULCC5	12.60	21.08	20.96	10.75	10.68		19.99				

UNBUNDLE	D NETWORK ELEMENTS - Kentucky												Attachment:	2		Exhibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Submitted	Incremental Charge - Manual Svc	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec	urring	Nonrecurring	g Disconnect				RATES (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Loop Concentration - Digital 64 Kbps Data Loop Interface			UDL	ULCC6	12.60	21.08	20.96	10.75	10.68		19.99				
UNE OTHER. P	ROVISIONING ONLY - NO RATE			ODL	ULCCO	12.00	21.06	20.96	10.75	10.66		19.99				
	NID - Dispatch and Service Order for NID installation			UENTW	UNDBX											
	UNTW Circuit Id Establishment, Provisioning Only - No Rate			UENTW	UENCE											
	Habita diad Contrast Name Province in a Colo. No Date			UEANL,UEF,UEQ,U ENTW	LINICAL											
LINE OTHER P	Unbundled Contract Name, Provisioning Only - No Rate ROVISIONING ONLY - NO RATE			ENIW	UNECN											
ONE OTHER, I	ROVIGIONING GREET ING REALE															
				UAL,UCL,UDC,UDL,												
	Unbundled Contact Name, Provisioning Only - no rate			UDN,UEA,UHL,ULC	UNECN	0.00	0.00				1					
	Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no			UEA,UDN,UCL,UDC	USBFQ	0.00	0.00									
	Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no			5L7, GD14, GGL, GDC	CODI Q	0.00	0.00									
	rate			UEA,USL,UCL,UDL	USBFR	0.00	0.00									
	Unbundled DS1 Loop - Superframe Format Option - no rate			USL	CCOSF	0.00	0.00									
	Unbundled DS1 Loop - Expanded Superframe Format option - no rate			USL	CCOEF	0.00	0.00									
HIGH CAPACIT	TY UNBUNDLED LOCAL LOOP			USL	CCOEF	0.00	0.00									
	4 month minimum billing period															
	High Capacity Unbundled Local Loop - DS3 - Per Mile per															
	month			UE3	1L5ND	11.53										
	High Capacity Unbundled Local Loop - DS3 - Facility Termination per month			UE3	UE3PX	379.72	903.34	528.05	238.20	166.62		19.99				
	High Capacity Unbundled Local Loop - STS-1 - Per Mile per month			UDLSX	1L5ND	11.53										
	High Capacity Unbundled Local Loop - STS-1 - Facility			LIDLOV	LIDI 04	004.70	000.04	500.05	000.00	400.00		40.00				
LOOP MAKE-U	Termination per month			UDLSX	UDLS1	394.76	903.34	528.05	238.20	166.62		19.99				
LOOI WARL-O	Loop Makeup - Preordering Without Reservation, per working or															
	spare facility queried (Manual).			UMK	UMKLW		47.98	47.98								
	Loop Makeup - Preordering With Reservation, per spare facility queried (Manual).			UMK	UMKLP		50.88	50.88								
	Loop MakeupWith or Without Reservation, per working or spare facility queried (Mechanized)			UMK	PSUMK		0.6746	0.6746								
	NCY SPECTRUM															
SPLITT	ERS-CENTRAL OFFICE BASED Line Sharing Splitter, per System 96 Line Capacity			ULS	ULSDA	203.33	377.71	0.00	357.29	0.00	1	0.00				
	Line Sharing Splitter, per System 96 Line Capacity Line Sharing Splitter, per System 24 Line Capacity	H		ULS	ULSDA	50.83	377.71	0.00	357.29	0.00		0.00				
	Line Sharing Splitter, Per System, 8 Line Capacity	İ		ULS	ULSD8	16.94	377.71	0.00	357.29	0.00		0.00				
	Line Sharing-DLEC Owned Splitter in CO-CFA activaton-															
END	deactivation (per LSOD) SER ORDERING-CENTRAL OFFICE BASED-HIGH FREQUENC	V CDEC	TOUR :	ULS	ULSDG		57.72		11.43		-					
END U	Line Sharing - per Line Activation	I SPEC		ULS	ULSDC	0.61	37.02	21.20	20.10	9.87	 	19.99				
	<u> </u>	<u> </u>				0.01			20.10	5.51						
	Line Sharing - per Subsequent Activity per Line Rearrangement	<u> </u>		ULS	ULSDS	2.24	32.78	16.38			1	19.99				
	Line Splitting - per line activation DLEC owned splitter Line Splitting - per line activation BST owned - physical	- 1		UEPSR UEPSB UEPSR UEPSB	UREOS UREBP	0.61 0.647	37.02	21.20	21.10	9.87						
	Line Splitting - per line activation BST owned - physical Line Splitting - per line activation BST owned - virtual	i		UEPSR UEPSB	UREBV	0.645	37.02	21.20	21.10	9.87	t					
				-												
UNBUNDLED T		<u> </u>														
INTERC	DFFICE CHANNEL - DEDICATED TRANSPORT - VOICE GRADI Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -	<u> </u>									1					
	Per Mile per month			U1TVX	1L5XX	0.0118										
	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - Facility Termination per month			U1TVX	U1TV2	29.51	81.07	54.84	33.36	13.75		19.99				
	Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade Rev Bat Per Mile per month			U1TVX	1L5XX	0.0118										

UNBUNDLEI	NETWORK ELEMENTS - Kentucky												Attachment:	2		Exhibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Charge -
						Rec	Nonred	curring	Nonrecurrin	Disconnect			oss	RATES (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat Facility Termination per month			U1TVX	U1TR2	29.51	81.07	54.84	33.36	13.75		19.99				
	Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Per Mile per month			U1TVX	1L5XX	0.0118										
	Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade			OTTVA	ILJAA	0.0118										
	- Facility Termination per month			U1TVX	U1TV4	26.22	81.10	54.84	33.36	13.75		19.99				
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month			U1TDX	1L5XX	0.0118										
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination per month			U1TDX	U1TD5	21.26	81.11	54.84	33.36	13.75		19.99				
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile						01.11	54.64	33.30	13.75		19.99				
	per month Interoffice Channel - Dedicated Transport - 64 kbps - Facility			U1TDX	1L5XX	0.0118					 					+
INITED	Termination per month			U1TDX	U1TD6	21.26	81.11	54.84	33.36	13.75		19.99				<u> </u>
INTERC	DFFICE CHANNEL - DEDICATED TRANSPORT - DS1 Interoffice Channel - Dedicated Channel - DS1 - Per Mile per				+	+					1					
	month Interoffice Channel - Dedicated Tranport - DS1 - Facility			U1TD1	1L5XX	0.2407										
	Termination per month			U1TD1	U1TF1	97.38	178.59	163.67	32.59	28.79		19.99				
INTERC	OFFICE CHANNEL - DEDICATED TRANSPORT- DS3															
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month			U1TD3	1L5XX	5.10										
	Interoffice Channel - Dedicated Transport - DS3 - Facility															
	Termination per month			U1TD3	U1TF3	1,191.53	557.69	325.62	120.00	116.54		19.99				ļ
INTERC	DFFICE CHANNEL - DEDICATED TRANSPORT- STS-1 Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per				-	-										
	month			U1TS1	1L5XX	5.10										
	Interoffice Channel - Dedicated Transport - STS-1 - Facility Termination per month			U1TS1	U1TFS	1,165.53	557.69	325.62	120.00	116.54		19.99				
	CHANNEL - DEDICATED TRANSPORT															
NOTE:	LOCAL CHANNEL DEDICATED TRANSPORT - minimum billin Local Channel - Dedicated - 2-Wire Voice Grade Per Month	g perio	d - belo	w DS3=one month, ULDVX	ULDV2	ve=four month 18.81	s 386.33	66.35	73.04	6.37		19.99				<u> </u>
	Local Channel - Dedicated - 2-Wire Voice Grade Per Month Local Channel - Dedicated - 2-Wire Voice Grade Rev Bat per			ULDVX	ULDV2	18.81	386.33	00.33	73.04	6.37		19.99				
	month			ULDVX	ULDR2	18.81	386.33	66.35	73.04	6.37		19.99				
	Local Channel - Dedicated - 4-Wire Voice Grade per month			UNDVX	ULDV4	20.12	387.20	67.22	73.98	7.31		19.99				
	Local Channel - Dedicated - DS1 per month - Zone 1			ULDD1	ULDF1	44.63	355.06	307.53	44.24	30.42		19.99				
-	Local Channel - Dedicated - DS1 per month - Zone 2 Local Channel - Dedicated - DS1 per month - Zone 3			ULDD1 ULDD1	ULDF1 ULDF1	40.74 42.95	355.06 355.06	307.53 307.53	44.24 44.24	30.42 30.42		19.99 19.99				
	Local Channel - Dedicated - DS3 - Per Mile per month		3	ULDD3	1L5NC	8.98	333.00	307.33	44.24	30.42		19.99				†
	Local Channel - Dedicated - DS3 - Facility Termination per															
	month			ULDD3 ULDS1	ULDF3 1L5NC	583.57 8.98	903.34	528.05	238.20	166.62		19.99				
	Local Channel - Dedicated - STS-1- Per Mile per month Local Channel - Dedicated - STS-1 - Facility Termination per			ULDS1	TL5NC	8.98										
	month	L	L	ULDS1	ULDFS	550.34	903.34	528.05	238.20	166.62	<u> </u>	19.99				
MULTIPLEXER																
-	Channelization - DS1 to DS0 Channel System OCU-DP COCI (data) - DS1 to DS0 Channel System - per			UXTD1	MQ1	139.65	182.14	125.19	21.00	19.52		19.99				
	month (2.4-64kbs)			UDL	1D1DD	1.63	13.16	9.43								<u> </u>
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month			UDN	UC1CA	3.50	13.16	9.43								
	Voice Grade COCI - DS1 to DS0 Channel System - per month			UEA	1D1VG	0.7676	13.16	9.43								
	DS3 to DS1 Channel System per month			UXTD3	MQ3	194.82	356.40	188.00	66.30	63.44		19.99				ļ
 	STS1 to DS1 Channel System per month DS3 Interface Unit (DS1 COCI) used with Loop per month		<u> </u>	UXTS1 USL	MQ3 UC1D1	194.82 14.53	356.40 13.16	188.00 9.43	66.30	63.44	1	19.99				-
DARK FIBER	boo interface offit (bot coof) asea with Loop per month			UUL	ועוטטו	14.53	13.10	9.43			-					+
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction				1						1					1
	Thereof per month - Local Channel			UDF	1L5DC	48.00						<u> </u>				ļ
	NRC Dark Fiber - Local Channel	<u> </u>	l	UDF	UDFC4		1,278.61	275.82	632.07	394.05		19.99				

UNBUNDLE	D NETWORK ELEMENTS - Kentucky										•	•	Attachment:	2		Exhibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svo Order vs. Electronic- Disc 1st	Charge - Manual Svc Order vs. Electronic-
						Rec	Nonrec		Nonrecurring					RATES (\$)		
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Thereof per month - Interoffice Channel			UDF	1L5DF	31.51										
	NRC Dark Fiber - Interoffice Channel			UDF	UDF14	0	1,278.61	275.82	632.07	394.05		19.99				
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction															
	Thereof per month - Local Loop			UDF	1L5DL	48.00										
	NRC Dark Fiber - Local Loop			UDF	UDFL4		1,278.61	275.82	632.07	394.05		19.99				
TRANSPORT																1
Option	nal Features & Functions:															
	Clear Channel Capability (B8ZS/ESF) Option - Subsequent -	1	1	LINC1Y	CCOEF		184.91	23.82	1.99	0.78		10.00				1
	per DS1 Channel Clear Channel Capability (B8ZS/SF) Option - Subsequent - per	 	 	UNC1X	CCUEF	1	184.91	23.82	1.99	0.78		19.99	-			+
	DS1 Channel	1	1	UNC1X	CCOSF		184.91	23.82	1.99	0.78		19.99				1
8XX ACCESS	TEN DIGIT SCREENING	†	1	0.101/	00001	1	104.31	20.02	1.35	0.70	1	13.33	1		t	t
	8XX Access Ten Digit Screening, Per Call	1		OHD		0.001										1
	8XX Access Ten Digit Screening, Reservation Charge Per 8XX												1		1	
	Number Reserved			OHD	N8R1X		10.05	1.19				19.99	<u> </u>			<u> </u>
	8XX Access Ten Digit Screening, Per 8XX No. Established W/O															
	POTS Translations			OHD			30.59	3.22				19.99				
	8XX Access Ten Digit Screening, Per 8XX No. Established With			0.15												
	POTS Translations			OHD	N8FTX		30.59	3.22				19.99				
	8XX Access Ten Digit Screening, Customized Area of Service Per 8XX Number			OHD	N8FCX		6.97	3.49				19.99				
	8XX Access Ten Digit Screening, Multiple InterLATA CXR			ОПО	INOFUA	1	0.97	3.49				19.99				
	Routing Per CXR Requested Per 8XX No.			OHD	N8FMX		8.16	4.67				19.99				
	8XX Access Ten Digit Screening, Change Charge Per Request			OHD	N8FAX		11.24	1.19				19.99				
	8XX Access Ten Digit Screening, Call Handling and Destination															
	Features			OHD	N8FDX		6.97					19.99				
	8XX Access Ten Digit Screening, w/ POTS No. Delivery, per															
	query			OHD		0.001										
	8XX Access Ten Digit Screening w/ POTS No. Delivery, with			0.15												
INE INFORM	Optional Complex Features, per query ATION DATA BASE ACCESS (LIDB)			OHD		0.0011										1
LINE INFORM	LIDB Common Transport Per Query			OQT		0.00006										+
	LIDB Common Transport Fer Query LIDB Validation Per Query			OQU		0.00008										+
	LIDB Originating Point Code Establishment or Change			OQT, OQU	NRPBX	0.00330	107.60					19.99				+
SIGNALING (C				04.,040			107.00					10.00				
	CCS7 Signaling Termination, Per STP Port			UDB	PT8SX	174.08							1		1	
	CCS7 Signaling Usage, Per TCAP Message			UDB		0.000102042										
	CCS7 Signaling Connection, Per link (A link)			UDB	TPP++	16.31	354.95	354.95	174.08	174.08		19.99				
	CCS7 Signaling Connection, Per link (B link) (also known as D	1		l	L	1	_ 7									
	link)			UDB	TPP++	16.31	354.95	354.95	174.08	174.08		19.99				
	CCS7 Signaling Usage, Per ISUP Message			UDB	CTUEC	0.000037893										
	CCS7 Signaling Usage Surrogate, per link per LATA CCS7 Signaling Point Code, per Originating Point Code	 	 	UDB	STU56	329.98							1		-	+
	Establishment or Change, per STP affected			UDB	CCAPO		40.00	40.00				19.99				1
	CCS7 Signaling Point Code, per Destination Point Code	 	!		00/110	 	40.00	40.00				13.33				+
	Establishment or Change, Per Stp Affected	1	1	UDB	CCAPD		8.00	8.00				19.99				1
CALLING NAM	ME (CNAM) SERVICE					<u> </u>							<u> </u>			
	CNAM for DB Owners, Per Query			OQV		0.01										
	CNAM for Non DB Owners, Per Query			OQV		0.01		•		•						
	CNAM (Non-Databs Owner), NRC, applies when using the	1				1	_ 7									
00004555	Character Based User Interface (CHUI)	<u> </u>	!	OQV	CDDCH	1	595.00	595.00				19.99	ļ			
UPERATOR C	ALL PROCESSING	 	!		-	 									1	+
	Oper. Call Processing - Oper. Provided, Per Min Using BST LIDB	1	1			1.20										1
	Oper. Call Processing - Oper. Provided, Per Min Using	1	 			1.20									 	+
1	Foreign LIDB	1			1	1.24										

UNBUNDLE	D NETWORK ELEMENTS - Kentucky												Attachment:	2		Exhibit: B
0.1.201.222															1	
													Incremental			Incremental
		Interi									Corn Conden	Cur Ouden	Charge - Manual Svc	Charge -	Charge -	Charge - Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)						Manual Svc		
												Submitted		Order vs.	Order vs.	Order vs.
											Elec		Electronic-	Electronic-	Electronic-	Electronic-
						l i I			1		per LSR	per LSR	1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonrec	urring	Nonrecurring	Disconnect			088	RATES (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Oper. Call Processing - Fully Automated, per Call - Using BST							7.44.		7.00.	0020	00				
	LIDB					0.20										
	Oper. Call Processing - Fully Automated, per Call - Using					0.20										
	Foreign LIDB					0.20										
INWARD OPE	RATOR SERVICES															
	Inward Operator Services - Verification, Per Call					1.00										
	Inward Operator Services - Verification and Emergency Interrupt															
	- Per Call					1.95										
BRANDING - 0	OPERATOR CALL PROCESSING															
	Recording of Custom Branded OA Announcement	1	├		CBAOS		7,000.00	7,000.00				19.99				
I last	Loading of Custom Branded OA Announcement per shelf/NAV	l	 		CBAOL		500.00	500.00	 			19.99	19.99	19.99	-	-
Unbra	nding via OLNS for UNEP CLEC Loading of OA per OCN (Regional)	1	\vdash			 	1,200.00	1,200.00	 						-	-
DIRECTORY A	ASSISTANCE SERVICES	1	1				1,200.00	1,200.00	 		1			1		1
	TORY ASSISTANCE ACCESS SERVICE	1	1			 			 					1	1	1
DINEC	Directory Assistance Access Service Calls, Charge Per Call	1	1			0.275										
DIREC	TORY ASSISTANCE CALL COMPLETION ACCESS SERVICE (I	DACC)				0.2.0										
	Directory Assistance Call Completion Access Service (DACC),	1														
	Per Call Attempt					0.10										
DIREC	TORY TRANSPORT															
	SWA Common transport per Directory Assistance Access															
	Service Call					0.000178										
	SWA Common Transport per Directory Assistance Access															
	Service Call Mile					0.000017										
	Access Tandem Switching per Directory Assistance Access															
	Service Call					0.000287										
	Directory Assistance Interconnection per Directory Assistance					0.00										
-	Access Service Call DS3 to DS1 Multiplexer per DA Access Service Call		-			0.00 0.00018										
DIRECTORY	ASSISTANCE SERVICES					0.00016										
	TORY ASSISTANCE DATA BASE SERVICE (DADS)															
DIREC	Directory Assistance Data Base Service Charge Per Listing					0.04										
	Directory Assistance Data Base Service, per month				DBSOF	150.00										
BRANDING - I	DIRECTORY ASSISTANCE															
	y Based CLEC															
	Recording and Provisioning of DA Custom Branded															
	Announcement		ļ.,	AMT	CBADA		6,000.00	6,000.00								
	Loading of Custom Branded Announcement per DRAM									·			·			
	Card/Switch	ļ	بلسا	AMT	CBADC		1,170.00	1,170.00								ļ
UNEP	CLEC	ļ	$\sqcup \sqcup$													
	Recording of DA Custom Branded Announcement	!	 				3,000.00	3,000.00						1	1	
	Loading of DA Custom Branded Announcement per DRAM Card/Switch per OCN						1,170.00	1,170.00								
Unbra	nding via OLNS for UNEP CLEC	1	1				1,170.00	1,170.00	 		1			1		1
Ulibra	Loading of DA per OCN (1 OCN per Order)	1	1			 	420.00	420.00	 					1	1	1
 	Loading of DA per Oct (1 Oct per Order) Loading of DA per Switch per OCN	1	1				16.00	16.00								
SELECTIVE R		i						. 5.00	1							
	Selective Routing Per Unique Line Class Code Per Request Per	1				i			1					İ	İ	İ
	Switch				USRCR		229.65	229.65				19.99				
VIRTUAL COL						<u> </u>										
	Virtual Collocation - Application Cost			CLO	EAF		2,848.30	2,848.30		•			•			
	Virtual Collocation - Cable Installation Cost, per cable			CLO	ESPCX		2,750.00	2,750.00								
	Virtual Collocation - Floor Space, per sq. ft.	ļ		CLO	ESPVX	3.20										ļ
	Virtual Collocation - Power, per breaker amp	ļ		CLO	ESPAX	3.48			ļ							
1 1	Virtual Collocation - Cable Support Structure, per entrance	1		01.0	ECDCY	10.0-										1
 	cable	 	 	CLO ueanl,uea,udn,udc,	ESPSX	13.35			 							
1 1	Virtual Collocation - 2-wire Cross Connects (loop)	1		ueanı,uea,uan,uac, ual,uhl,ucl,ueq	UEAC2	0.31	54.21	51.07				19.99				1
	VIII CONOCATION - 2-WING CHOSS CONTINECTS (100p)	1	<u> </u>	uai,uiii,uoi,ueq	ULAUZ	0.31	J+.∠ I	31.07			ı	15.55		L	L	1

UNBUNDLE	NETWORK ELEMENTS - Kentucky		_										Attachment:	2		Exhibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)	I			Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec	urring	Nonrecurring	Disconnect				RATES (\$)		
							First	Add'l	First	Add'l	SOMEC		SOMAN	SOMAN	SOMAN	SOMAN
	Virtual Collocation - 4-wire Cross Connects (loop)			uea,uhl,ucl,udl	UEAC4	0.62	54.23	50.96				19.99				
	Virtual Collocation - 2-Fiber Cross Connects			CLO	CNC2F	15.64	41.56	29.82					19.99	19.99	19.99	19.99
	Virtual Collocation - 4-Fiber Cross Connects			CLO	CNC4F CNC1X	28.11 1.50	50.53 44.07	38.78 31.86	12.76	11.53			19.99	19.99	19.99	19.99
	Virtual Collocatin - DS1 Cross Connects Virtual Collocatin - DS3 Cross Connects		<u> </u>	USL,ULC,CLO USL,ULC,CLO	CNC1X CND3X	56.25	151.90	11.83	12.76	11.53						-
	Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable			USL,ULU,ULU	CINDSA	36.23	151.90	11.03							-	
	Support Structure, per linear foot			AMTFS	PE1ES	0.003										
	Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax			AWITO	I LILO	0.003										
	Cable Support Structure, per linear ft			AMTFS	PE1DS	0.0045										
	Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable			741111	. 2.50	0.00.0										
	Support Structure,per cable			AMTFS			535.55									
	Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax															
	Cable Support Structure, per cable			AMTFS			535.55									
	Virtual Collocatin - Security Escort - Basic, per half hour			CLO	SPTBX		41.00	25.00								
	Virtual Collocatin - Security Escort - Overtime, per half hour			CLO	SPTOX		48.00	30.00								
	Virtual Collocatin - Security Escort - Premium, per half hour			CLO	SPTPX		55.00	35.00								
	Virtual Collocatin - Maintenance in CO - Basic, per half hour			CLO	CTRLX		30.64	30.64								
	Virtual Collocatin - Maintenance in CO - Overtime, per half hour			CLO	SPTOM		35.77	35.77								
	Virtual Collocatin - Maintenance in CO - Premium per half hour			CLO	SPTPM		40.90	40.90								
VIRTUAL COLI																
	Virtual Collocation - 2-wire Cross Connect, Exchange Port 2-						= 4.04									
	Wire Analog - Res			UEPSR	VE1R2	0.31	54.21	51.07				19.99				
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire			UEPRX	PE1R2	0.31	54.21	51.07				19.99				
	Voice Grade Res Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-		<u> </u>	UEPKX	PETR2	0.31	54.21	51.07				19.99				
	Wire Line Side PBX Trunk - Bus			UEPSP	VE1R2	0.31	54.21	51.07				19.99				
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire			OLFSF	VLTINZ	0.31	34.21	31.07				19.99				
	Voice Grade PBX Trunk - Res			UEPSE	VE1R2	0.31	54.21	51.07				19.99				
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire			OLI OL	VETILE	0.01	04.21	01.07				10.00				
	Analog Bus			UEPSB	VE1R2	0.31	54.21	51.07				19.99				
	Virtual Collocation 2-Wire Cross Connect, Exchnage Port 2-Wire			<u> </u>	1	0.0.						10100				
	ISDN			UEPSX	VE1R2	0.31	54.21	51.07				19.99				
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire															
	ISDN			UEPTX	VE1R2	0.31	54.21	51.07				19.99				
	Virtual Collocation 4-Wire Cross Connect, Exchange Port DDITS															
	4-Wire DS1			UEPDD	VE1R4	0.62	54.23	50.96				19.99				
	Virtual Collocation 4-Wire Cross Connect, Exchange Port 4-Wire															
	ISDN DS1			UEPEX	VE1R4	0.62	54.23	50.96				19.99				
VIRTUAL COLI																
	Virtual Collocation-2 Wire Cross Connects (Loop) for Line															
	Splitting			UEPSR, UEPSB	VE1LS	0.31	54.21	51.07				19.99				
AIN SELECTIV	E CARRIER ROUTING			ODO	00000		004 700 00					40.00				
	Regional Service Establishment			SRC	SRCEC		391,788.00	220 52				19.99				
	End Office Establishment			SRC	SRCEO SRCLP		320.53	320.53				19.99			-	
	Line/Port NRC, per end user Query NRC, per query			SRC SRC	SRULP	0.000448	2.06	2.06				19.99				
AIN - PELLSOI	JTH AIN SMS ACCESS SERVICE			SKC		0.000446										
	JTH AIN TOOLKIT SERVICE	-			1									 	t	
	TENDED LINK (EELs)				1									1	t	
	New EELs available in State of Georgia, density zone 1 of foll	owing 9	SMAs:	Orlando. FL: Miami	. FL: Ft. Laud	erdale. FLI: Nas	shville. TN: Ne	w Orleans, I A							<u> </u>	
	Charlotte-Gastonia-Rockhill, NC; Greensboro-Winston Salem							Ju.io, LA,						1	1	
	in all states, EEL network elements shown below also apply t							As Is Charge a	pplies to curre	ntly combined	facilities of	onverted to	UNEs.(Non-re	ecurring rates	do not	
apply.)			,		0 00.11					,					•	
	In GA, TN, KY, LA & MS, the EEL network elements apply to o	ordinari	ly comi	oined network elem	ents.(No Swit	tch As Is Charn	ie.)									
	VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT				1	l l l l l l l l l l l l l l l l l l l	,								1	
[First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport		Ī	(İ										1	
1	Combination - Zone 1		1	UNCVX	UEAL2	17.27					İ				1	l l
		•	•		-											-

CATEGORY RATE ELEMENTS Internal Part Internal Part I	UNBUNDLED	NETWORK ELEMENTS - Kentucky												Attachment:	2		Exhibit: B
First April First April First April First April First April First April SOMAN SOMAN SOMAN SOMAN Soman Soma	CATEGORY	RATE ELEMENTS		Zone	BCS	usoc			RATES(\$)			Submitted Elec	Submitted Manually	Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	Charge -
First 2, New York Ender Long (SL2, 2) is a DST Invertibled 2 UNOVX							Rec										
Transport Continuition - Zone 2 DACCYX UREA 2 32.32		First 2 Wire VC Crade Lean(SL2) in a DS1 Interefficad						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Transport Controllation - Zero 2 3 URCVX UFA12 55.79				2	UNCVX	UEAL2	32.32										
Interdiffic Transport Declaration - Per Mile Interdiffic Transport Declaration - Per Mile Interdiffication - Per Mile																	
Description Transport - Description - DST confination - Facility DMCTX LISSX 0,2407				3	UNCVX	UEAL2	55.78										
Termination per rorinh	l l l	per month			UNC1X	1L5XX	0.2407										
OST Commonitation System Par Month UNCIX MGT 138.66					LINC1Y	I I I TE I	07.29										
Each Additional 2-Vive Vol Loop(SL2) in the same DS1																	
Interoffice Transport Continuation - Zone 1					UNCVX	1D1VG	0.7676										
Each Additional 2-Wire VC Loop(E37) in the same DS1 2 UNCVX				1	LINCVX	LIEAL2	17 27										1
Each Additional 2-Wire VIG Loop(ISU2) in the same DS1 3 UNCVX UEAL2 55.78					0140 V A	JLALZ	11.21										
Interesting Transport Combination - Zone 3 NOVX UEAL 55.78				2	UNCVX	UEAL2	32.32										
Victor Grade COCI - DS 10 DSD Channel System combination -				3	UNCVX	UEAL2	55.78										
Nonrecurring Currently Combined Network Elements Switch -4a- s Charge s	,	Voice Grade COCI - DS1 to DS0 Channel System combination -															
Scharge UNCIX UNCCC 11.19 13.91 13					UNCVX	1D1VG	0.7676										
First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 1 1 UNCVX UEAL4 20.92					UNC1X	UNCCC		11.19	11.19	13.91	13.91		19.99				
Transport Combination - Zone 1			EROFF	ICE TR	ANSPORT (EEL)												
First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 2 2 UNCVX				1	LINCVY	LIEALA	20.02										
First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 3 3 UNCVX UEAL4 67.57						OLAL	20.32										
Transport Combination - Zone 3				2	UNCVX	UEAL4	39.14										
Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month Interoffice Transport - Dedicated - DS1 - Facility Termination Per Month Interoffice Transport - Dedicated - DS1 - Facility Termination Per Month Channel System DS1 to DS0 combination Per Month Work - Channel System DS1 to DS0 combination Per Month Voice Grade CDC1 - DS1 to DS0 Channel System combination - per month Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 1 Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport - Dedicated - DS1 - Combination Switch - As- Interoffice Transport - Dedicated - DS1 - Interoffice Internation - Zone 2 INCIX INCI				3	UNCVX	UFAL4	67.57										
Interoffice Transport - Dedicated - DS1 - Facility Termination Per Month Month UNC1X U1TF1 97.38		Interoffice Transport - Dedicated - DS1 combination - Per Mile		Ť													
Month					UNC1X	1L5XX	0.2407										<u> </u>
Channelization - Channel System DS1 to DS0 combination Per UNC1X MQ1 139.65					UNC1X	U1TF1	97.38										
Voice Grade COCI - DS1 to DS0 Channel System combination - UNCVX 1D1VG 0.7676																	
per month Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 1 Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 2 Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 2 Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 3 Nonrecurring Currently Combined Network Elements Switch - As- Is Charge 4-WIRE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL) First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 1 First 4-wire 56Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 2 Erist 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 3 Interoffice Transport Combination - Zone 3 Interoffice Transport Combination - Zone 3 Interoffice Transport Combination - Zone 3 Interoffice Transport Combination - Zone 3 Interoffice Transport Combination - Zone 3 Interoffice Transport Combination - Zone 3 Interoffice Transport Combination - Zone 3 Interoffice Transport Combination - Zone 3 Interoffice Transport Combination - Zone 3 Interoffice Transport Combination - Zone 3 Interoffice Transport Combination - Zone 3 Interoffice Transport Combination - Zone 3 Interoffice Transport Combination - Zone 3 Interoffice Transport Combination - Zone 3 Interoffice Transport Combination Facility Termination Per Month UNC1X UNC					UNC1X	MQ1	139.65										
Interoffice Transport Combination - Zone 1		per month			UNCVX	1D1VG	0.7676										
Additional 4-Wire Analog Voice Grade Loop in same DS1 2 UNCVX UEAL4 39.14				_	LINCVY	LIEAL 4	00.00										
Interoffice Transport Combination - Zone 2 2 UNCVX UEAL4 39.14 Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 3 3 UNCVX UEAL4 67.57 Nonrecurring Currently Combined Network Elements Switch -As- Is Change UNC1X UNCCC 11.19 11.19 13.91 13.91 19.99 4-WIRE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL) First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 1 1 UNCDX UDL56 35.92 First 4-wire 56Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 2 2 UNCDX UDL56 40.32 First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 2 3 UNCDX UDL56 37.90 Interoffice Transport Combination - Per Mile Per Month UNC1X 1L5XX 0.2407 Interoffice Transport - Dedicated - DS1 - combination - Facility Termination Per Month UNC1X UNC1X UTF1 97.38 Channelization - Channel System DS1 to DS0 combination Per Month UNC1X MQ1 139.65			 	1	DINCVX	UEAL4	20.92										
Interoffice Transport Combination - Zone 3 3 UNCVX UEAL4 67.57		Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	39.14										
Nonrecurring Currently Combined Network Elements Switch -As- Is Charge 4-WIRE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL) First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 1 First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 2 First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 3 Interoffice Transport Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month UNC1X UNC1X UDL56 35.92 UNCDX UDL56 37.90 Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month UNC1X U				2	LINCVX	LIEAL 4	67 57										1
4-WIRE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL) First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 1 First 4-wire 56Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 2 UNCDX UDL56 40.32 First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 3 UNCDX UDL56 40.32 First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 3 UNCDX UDL56 37.90 Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month Interoffice Transport - Dedicated - DS1 - combination Facility Termination Per Month UNC1X UNC1X UTF1 97.38 Channelization - Channel System DS1 to DS0 combination Per Month UNC1X UNC1X MQ1 139.65			 	3	0140 V A		01.31										
First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 1 First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 2 UNCDX UDL56 40.32 First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 2 UNCDX UDL56 40.32 First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 3 UNCDX UDL56 37.90 Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month UNC1X U			INITEE				ļ	11.19	11.19	13.91	13.91		19.99				
Transport Combination - Zone 1			INTERC	JEFICE	IKANSPORT (EEL)	1											
Transport Combination - Zone 2 2 UNCDX UDL56 40.32		Transport Combination - Zone 1		1	UNCDX	UDL56	35.92										
First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 3 UNCDX UDL56 37.90 Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month UNC1X UDL56 UNC1X UDL56 37.90 UNC1X UDL56 37.90 UNC1X UDL56 37.90 UNC1X UDL56 37.90 UNC1X UDL56 37.90 UNC1X UDL56 37.90 UNC1X UDL56 37.90 UNC1X UDL56 37.90 UNC1X UDL56 37.90 UNC1X UDL56 37.90 UNC1X UDL56 37.90 UNC1X UDL56 37.90 UNC1X UDL56 37.90 UNC1X UDL56 37.90 UNC1X UDL56 37.90 UNC1X UDL56 37.90 UNC1X UDL56 37.90 UNC1X UDL56 37.90 UNC1X UDL56 37.90 UNC1X UDL56 UNC1X UDL56 37.90 UNC1X UDL56 37.90 UNC1X UDL56 37.90 UNC1X UDL56 UNC1X UDL56 37.90 UNC1X UDL56 37.90 UNC1X UDL56 UNC1X UDL56 UNC1X UDL56 UNC1X UDL56 UNC1X UDL56 UNC1X UDL56 UNC1X UDL56 UNC1X UDL56 UNC1X UDL56 UNC1X UDL56 U				2	LINCDX	LIDL56	40.32										1
Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month UNC1X 1L5XX 0.2407 Interoffice Transport - Dedicated - DS1 - combination Facility Termination Per Month UNC1X U1TF1 97.38 Channelization - Channel System DS1 to DS0 combination Per Month UNC1X MQ1 139.65		First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice															
Per Month			ļ	3	UNCDX	UDL56	37.90										
Interoffice Transport - Dedicated - DS1 - combination Facility Termination Per Month UNC1X U1TF1 97.38 Channelization - Channel System DS1 to DS0 combination Per Month UNC1X MQ1 139.65					UNC1X	1L5XX	0.2407										1
Channelization - Channel System DS1 to DS0 combination Per Month UNC1X MQ1 139.65		Interoffice Transport - Dedicated - DS1 - combination Facility															
			1	1	UNC1X	U1TF1	97.38										
		Month	<u> </u>		UNC1X	MQ1	139.65										<u> </u>
OCU-DP COCI (data) - DS1 to DS0 Channel System - per		OCU-DP COCI (data) - DS1 to DS0 Channel System - per			LINCDY	4D4DD	4.00	_									

UNBUNDLE	D NETWORK ELEMENTS - Kentucky												Attachment:	2		Exhibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrec		Nonrecurring	g Disconnect				RATES (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	35.92										
	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	40.32										
	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1			ONCDX	ODLSO	40.32										
	Interoffice Transport Combination - Zone 3 OCU-DP COCI (data) - DS1 to DS0 Channel System -		3	UNCDX	UDL56	37.90										
	combination per month (2.4-64kbs)			UNCDX	1D1DD	1.63										
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNC1X	UNCCC		11.19	11.19	13.91	13.91		19.99				
4-WIRE	64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1	INTERC	FFICE					11110	10.01	10.01		10.00				
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice		_	UNCDX		25.00										
	Transport Combination - Zone 1 First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice		1	UNCDX	UDL64	35.92										
	Transport Combination - Zone 2		2	UNCDX	UDL64	40.32										
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	37.90										
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month		Ŭ													
	Interoffice Transport - Dedicated - DS1 combination - Facility			UNC1X	1L5XX	0.2407										
	Termination Per Month Channelization - Channel System DS1 to DS0 combination Per			UNC1X	U1TF1	97.38										
	Month			UNC1X	MQ1	139.65										
	OCU-DP COCI (data) - DS1 to DS0 Channel System combination - per month (2.4-64kbs)			UNCDX	1D1DD	1.63										
	Additional 4-Wire 64Kbps Digital Grade Loopin same DS1															
	Interoffice Transport Combination - Zone 1 Additional 4-Wire 64Kbps Digital Grade Loopin same DS1		1	UNCDX	UDL64	35.92										
	Interoffice Transport Combination - Zone 2 Additional 4-Wire 64Kbps Digital Grade Loopin same DS1		2	UNCDX	UDL64	40.32										
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	37.90										
	OCU-DP COCI (data) - DS1 to DS0 Channel System combination - per month (2.4-64kbs)			UNCDX	1D1DD	1.63										
	Nonrecurring Currently Combined Network Elements Switch -As-			UNCDX	טטוטו	1.03										
4 14/15-	Is Charge		OF TO :	UNC1X	UNCCC		11.19	11.19	13.91	13.91		19.99				
4-WIRE	DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INT 4-Wire DS1 Digital Loop in Combination with DS1 Interoffice	EKUFFI	CE IRA	MOPUKI (EEL)	1	 										1
	Transport - Zone 1 4-Wire DS1 Digital Loop in Combination with DS1 Interoffice		1	UNC1X	USLXX	50.26										
	Transport - Zone 2		2	UNC1X	USLXX	94.06										
	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 3		3	UNC1X	USLXX	162.34										
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0.2407										
	Interoffice Transport - Dedicated - DS1 combination - Facility															
	Termination Per Month Nonrecurring Currently Combined Network Elements Switch -As-			UNC1X	U1TF1	97.38										
	Is Charge		<u> </u>	UNC1X	UNCCC		11.19	11.19	13.91	13.91		19.99				
4-WIRE	EDS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTI First DS1Loop in DS3 Interoffice Transport Combination - Zone	EROFFI	CE TRA	NSPORT (EEL)	1											
	1		1	UNC1X	USLXX	50.26										
	First DS1Loop in DS3 Interoffice Transport Combination - Zone 2		2	UNC1X	USLXX	94.06										
	First DS1Loop in DS3 Interoffice Transport Combination - Zone 3		3	UNC1X	USLXX	162.34							_			
	Interoffice Transport - Dedicated - DS3 combination - Per Mile															
	Per Month	<u> </u>	<u> </u>	UNC3X	1L5XX	5.10			l	l	l	l		l		<u> </u>

UNBUNE	DLED	NETWORK ELEMENTS - Kentucky												Attachment:	2		Exhibit: B
CATEGO	DRY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Charge -
							Rec	Nonrec	urring	Nonrecurring	g Disconnect			oss	RATES (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN			SOMAN	SOMAN
		Interoffice Transport - Dedicated - DS3 - Facility Termination per															
		month DS3 to DS1 Channel System combination per month			UNC3X UNC3X	U1TF3 MQ3	1,191.53 194.82										
		DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	14.53						1				
		Additional DS1Loop in DS3 Interoffice Transport Combination -			0.1017	00.5.	1 11.00										
		Zone 1		1	UNC1X	USLXX	50.26										
		Additional DS1Loop in DS3 Interoffice Transport Combination -															
		Zone 2 Additional DS1Loop in DS3 Interoffice Transport Combination -		2	UNC1X	USLXX	94.06										-
		Zone 3		3	UNC1X	USLXX	162.34										
		DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	14.53										
		Nonrecurring Currently Combined Network Elements Switch -As-															
2.1	MIDE	Is Charge	CDOFF	ICE TO	UNC3X	UNCCC		11.19	11.19	13.91	13.91		19.99				-
2-1		VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GRADE INT 2-WireVG Loop used with 2-wire VG Interoffice Transport	EROFF	ICE IK	ANSPORT (EEL)												
		Combination - Zone 1		1	UNCVX	UEAL2	17.27										
		2-WireVG Loop used with 2-wire VG Interoffice Transport															
		Combination - Zone 2		2	UNCVX	UEAL2	32.32										
		2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL2	55.78										
		Interoffice Transport - Dedicated - 2-wire VG combination - Per			ONOVA	OL/ ILE	00.70										<u> </u>
		Mile Per Month			UNCVX	1L5XX	0.0118										
		Interoffice Transport - Dedicated - 2- Wire Voice Grade															
		combination - Facility Termination per month			UNCVX	U1TV2	29.51										
		Nonrecurring Currently Combined Network Elements Switch -As- ls Charge			UNCVX	UNCCC		11.19	11.19	13.91	13.91		19.99				
4-\	WIRE	VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRADE INT	EROFF	ICE TR		UNCCC		11.13	11.19	13.91	15.91		13.33				
		4-WireVG Loop used with 4-wire VG Interoffice Transport															
		Combination - Zone 1		1	UNCVX	UEAL4	20.92										
		4-WireVG Loop used with 4-wire VG Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	39.14										
		4-WireVG Loop used with 4-wire VG Interoffice Transport			UNCVX	UEAL4	39.14										
		Combination - Zone 3		3	UNCVX	UEAL4	67.57										
		Interoffice Transport - Dedicated - 4-wire VG combination - Per															
		Mile Per Month			UNCVX	1L5XX	0.0118										
		Interoffice Transport - Dedicated - 4- Wire Voice Grade combination - Facility Termination per month			UNCVX	U1TV4	26.22										
-		Nonrecurring Currently Combined Network Elements Switch -As-			UNCVA	01174	20.22										+
		ls Charge		<u></u>	UNCVX	UNCCC		11.19	11.19	13.91	13.91		19.99				<u> </u>
DS		SITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFIC	E TRAI	NSPOR	T (EEL)												
		High Capacity Unbundled Local Loop - DS3 combination - Per			LINCOV	1L5ND	44.50										
-		Mile per month High Capacity Unbundled Local Loop - DS3 combination -		-	UNC3X	TLOND	11.53			 							
		Facility Termination per month			UNC3X	UE3PX	379.72										
		Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X	1L5XX	5.10										
		Interoffice Transport - Dedicated - DS3 combination - Facility			<u>-</u>												
\vdash		Termination per per month Nonrecturing Currently Combined Naturals Floments Switch As		-	UNC3X	U1TF3	1,191.53										-
		Nonrecurring Currently Combined Network Elements Switch -As- ls Charge			UNC3X	UNCCC		11.19	11.19	13.91	13.91		19.99				
ST	S1 D	GITAL EXTENDED LOOP WITH DEDICATED STS1 INTEROFF	ICE TR	RANSPO		3550		11.13	11.10	10.01	10.01		10.00				
		High Capacity Unbundled Local Loop - STS1 combination - Per															
		Mile per month			UNCSX	1L5ND	11.53										
		High Capacity Unbundled Local Loop - STS1 combination - Facility Termination per month			UNCSX	UDLS1	394.76										
		Interoffice Transport - Dedicated - STS1 combination - Per Mile		<u> </u>	OIYOOA	JULJI	394.76										
		per month			UNCSX	1L5XX	5.10										
		Interoffice Transport - Dedicated - STS1 combination - Facility			LINCOV	LIATEO	4.405.50										
		Termination per month		<u> </u>	UNCSX	U1TFS	1,165.53			l					l		1

CHOUNDED	D NETWORK ELEMENTS - Kentucky												Attachment:	2		Exhibit: E
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Charge - Manual Svo Order vs.
						Rec	Nonrec	urring	Nonrecurring	g Disconnect				RATES (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Nonrecurring Currently Combined Network Elements Switch -As-	1		UNCSX	UNCCC		11.19	11.19	13.91	13.91		19.99				
2-WIRE	Is Charge SISDN EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPOR	RT (FFI	1	UNCSX	UNCCC	+	11.19	11.19	13.91	13.91		19.99				+
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination	1	ĺ		1											+
	Transport - Zone 1		1	UNCNX	U1L2X	23.66										
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination															
	Transport - Zone 2	ļ	2	UNCNX	U1L2X	44.28										
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 3		3	UNCNX	U1L2X	76.42										
	Interoffice Transport - Dedicated - DS1 combination - Per Mile		3	UNC1X	1L5XX	0.2407										+
-	Interoffice Transport - Dedicated - DS1 combintion - Facility				1-21-1											+
	Termination per month			UNC1X	U1TF1	97.38										
	Channelization - Channel System DS1 to DS0 combination -															
	per month	ļ		UNC1X	MQ1	139.65										
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System combination - per month			UNCNX	UC1CA	3.50										
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport			UNCINA	UCTCA	3.50										+
	Combination - Zone 1		1	UNCNX	U1L2X	23.66										
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport															1
	Combination - Zone 2		2	UNCNX	U1L2X	44.28										
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport					==										
\longrightarrow	Combination - Zone 3 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System		3	UNCNX	U1L2X	76.42										
	combintaion- per month			UNCNX	UC1CA	3.50										
	Nonrecurring Currently Combined Network Elements Switch -As-			0.10101	00.07	0.00										1
	Is Charge			UNC1X	UNCCC		11.19	11.19	13.91	13.91		19.99				
4-WIRE	DS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 IN	ITEROF	FICE TI	RANSPORT (EEL)												
	First DS1 Loop in STS1 Interoffice Transport Combination - Zone 1		1	UNC1X	USLXX	50.26										
-	First DS1 Loop in STS1 Interoffice Transport Combination -		-	UNCIA	USLAA	50.26										+
	Zone 2		2	UNC1X	USLXX	94.06										
	First DS1 Loop in STS1 Interoffice Transport Combination -															
	Zone 3		3	UNC1X	USLXX	162.34										
	Interoffice Transport - Dedicated - STS1 combination - Per Mile				41 =204	= 40										
\longrightarrow	Per Month			UNCSX	1L5XX	5.10										+
	Interoffice Transport - Dedicated - STS1 combination - Facility Termination			UNCSX	U1TFS	1,165.53										
-+	STS1 to DS1 Channel System conbination per month			UNCSX	MQ3	194.82										+
	DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	14.53										
	Additional DS1Loop in STS1 Interoffice Transport Combination -															
	Zone 1		1	UNC1X	USLXX	50.26										
	Additional DS1Loop in STS1 Interoffice Transport Combination -		2	UNC1X	USLXX	94.06										
-+	Zone 2 Additional DS1Loop in STS1 Interoffice Transport Combination -	1		UNCIX	USLAX	94.06				1						+
	Zone 3		3	UNC1X	USLXX	162.34										
	DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	14.53										
	Nonrecurring Currently Combined Network Elements Switch -As-	-														
4 10	Is Charge		DANC	UNCSX	UNCCC		11.19	11.19	13.91	13.91		19.99				
4-WIRE	56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS INTERO 4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport	rrice 1	KANSI	OKI (EEL)	1											
	Combination - Zone 1		1	UNCDX	UDL56	35.92										
- 	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport			S.135/	55200	55.92										†
[Combination - Zone 2		2	UNCDX	UDL56	40.32										
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport	1							,							
	Combination - Zone 3 Interoffice Transport - Dedicated - 4-wire 56 kbps combination -		3	UNCDX	UDL56	37.90										

HINDHIND! F	D NETWORK ELEMENTS Kontucky												Attack ma:: 1	•		Fubible 5
ONBUNDLE	D NETWORK ELEMENTS - Kentucky	ı	1		1	1							Attachment:	2		Exhibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec	curring	Nonrecurring	Disconnect			oss	RATES (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Facility Termination			UNCDX	U1TD5	21.26										
	Nonrecurring Currently Combined Network Elements Switch -As- ls Charge			UNCDX	UNCCC		11.19	11.19	13.91	13.91		19.99				
4-WIRI	64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTERO	FFICE T	RANSI	PORT (EEL)												
	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	35.92										
	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	40.32										
	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	37.90										
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Per Mile			UNCDX	1L5XX	0.0118										
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Facility Termination			UNCDX	U1TD6	21.26										
	Nonrecurring Currently Combined Network Elements Switch -As- ls Charge			UNCDX	UNCCC		11.19	11.19	13.91	13.91		19.99				
	NETWORK ELEMENTS															
	used as a part of a currently combined facility, the non-recurr															
	used as ordinarilty combined network elements in Georgia, th					As Is Charge d	oes not.									
Nonre	curring Currently Combined Network Elements "Switch As Is" 2/4-Wire VG Interoffice Channel used in a COMBINATION -	Charge	(One a	ppiles to each com	pination)						 					
	"Switch As Is" Conversion Charge 56/64 kbps Interoffice Channel used in a COMBINATION -			UNCVX	UNCCC		11.19	11.19	13.91	13.91		19.99				
	"Switch As Is" Conversion Charge			UNCDX	UNCCC		11.19	11.19	13.91	13.91		19.99				
	DS1 Interoffice Channel used in a COMBINATION - "Switch As Is" Conversion Charge			UNC1X	UNCCC		11.19	11.19	13.91	13.91		19.99				
	DS3 Interoffice Channel used in a COMBINATION - "Switch As Is" Conversion Charge			UNC3X	UNCCC		11.19	11.19	13.91	13.91		19.99				
	STS1 Interoffice or Local Loop used in a COMBINATION - "Switch As Is" Conversion Charge			UNCSX	UNCCC		11.19	11.19	13.91	13.91		19.99				
NOTE:	Local Channel - Dedicated Transport - minimum billing period	d - Belo	w DS3=	one month, DS3 an	nd above=fou	r months										
	LOCAL EXCHANGE SWITCHING(PORTS) nge Ports															
	Although the Port Rate includes all available features in GA, I	KY. LA	L S. TN. fl	ne desired features	will need to b	oe ordered usin	g retail USOC	<u> </u>			 					
	E VOICE GRADE LINE PORT RATES (RES)						g : 3 0000	-								
	Exchange Ports - 2-Wire Analog Line Port- Res.			UEPSR	UEPRL	2.61	24.98	24.98				19.99				
	Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.			UEPSR	UEPRC	2.61	24.98	24.98				19.99				
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Res.			UEPSR	UEPRO	2.61	24.98	24.98				19.99				
	Exchange Ports - 2-Wire VG unbundled KY extended local dialing parity Port with Caller ID - Res.			UEPSR	UEPRM	2.61	24.98	24.98				19.99				
	Exchange Ports - 2-Wire VG unbundled res, low usage line port with Caller ID (LUM)			UEPSR	UEPAP	2.61	24.98	24.98				19.99				
	Subsequent Activity			UEPSR	USASC	0.00	0.00	0.00								
FEATU				LIEDOD	LIED\"	0.00	0.00	0.00				40.00				
2-WIDI	All Available Vertical Features VOICE GRADE LINE PORT RATES (BUS)			UEPSR	UEPVF	3.39	0.00	0.00	-		 	19.99				
2-44181	Exchange Ports - 2-Wire Analog Line Port without Caller ID -			UEPSB	UEPBL	2.61	37.55	37.55				19.99				
	Exchange Ports - 2-Wire VG unbundled Line Port with															
	unbundled port with Caller+E484 ID - Bus.			UEPSB	UEPBC	2.61	37.55	37.55				19.99				
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus. Exchange Ports - 2-Wire VG unbundled KY extended local			UEPSB	UEPBO	2.61	37.55	37.55				19.99				
	dialing parity Port with Caller ID - Bus.			UEPSB	UEPBM	2.61	37.78	37.78				19.99				

UNBUNDLE	D NETWORK ELEMENTS - Kentucky												Attachment:	2		Exhibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonred	curring	Nonrecurring	Disconnect			oss	RATES (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN			SOMAN	SOMAN
	Exhange Ports - 2-Wire VG unbundled incoming only port with Caller ID - Bus			UEPSB	LIEDD4	2.61	27.55	27.55				40.00				
	Subsequent Activity			UEPSB	UEPB1 USASC	0.00	37.55 0.00	37.55 0.00				19.99				
FEATU						3.00	0.00	3.00								
	All Available Vertical Features			UEPSB	UEPVF	3.39	0.00	0.00				19.99				
EXCH	NGE PORT RATES (DID & PBX)				1	L										
	2-Wire VG Unbundled 2-Way PBX Trunk - Res			UEPSE	UEPRD UEPPC	2.61 2.61	36.47	36.47				19.99				
-	2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus 2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus			UEPSP UEPSP	UEPPC	2.61	36.47 36.47	36.47 36.47	-			19.99 19.99				
 	2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus	1	 	UEPSP	UEPP1	2.61	36.47	36.47	1			19.99		1		
	2-Wire Analog Long Distance Terminal PBX Trunk - Bus	<u> </u>	1	UEPSP	UEPLD	2.61	36.47	36.47	1		t e	19.99				
	2-Wire Voice Unbundled PBX LD Terminal Ports	1		UEPSP	UEPLD	2.61	36.47	36.47				19.99				
	2-Wire Vice Unbundled 2-Way PBX Usage Port			UEPSP	UEPXA	2.61	36.47	36.47				19.99				
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPSP	UEPXB	2.61	36.47	36.47				19.99				
	2-Wire Voice Unbundled PBX LD DDD Terminals Port 2-Wire Voice Unbundled PBX LD Terminal Switchboard Port	<u> </u>	<u> </u>	UEPSP UEPSP	UEPXD	2.61 2.61	36.47 36.47	36.47 36.47	1		-	19.99 19.99				<u> </u>
-	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD			UEPSP	UEPXD	2.61	36.47	36.47	-			19.99				
	Capable Port			UEPSP	UEPXE	2.61	36.47	36.47				19.99				
	2-Wire Voice Unbundled 2-Way PBX Kentucky Room Area Calling Port Without LUD			UEPSP	UEPXF	2.61	36.47	36.47				19.99				
-	2-Wire Voice Unbundled PBX Kentucky LUD Area Calling Port			UEPSP	UEPXF	2.61	36.47	36.47	-			19.99				
-	2-Wire Voice Unbundled PBX Kentucky Premium Callling Port			UEPSP	UEPXH	2.61	36.47	36.47				19.99				
	2-Wire Voice Unbundled 2-Way PBX Kentucky Area Callling			02. 0.	02.74.	2.01	00.11	00.11				10.00				
	Port Without LUD			UEPSP	UEPXJ	2.61	36.47	36.47				19.99				
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPSP	UEPXL	2.61	36.47	36.47				19.99				
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
	Room Calling Port			UEPSP	UEPXM	2.61	36.47	36.47				19.99				
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port			UEPSP	UEPXO	2.61	36.47	36.47				19.99				
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPSP	UEPXS	2.61	36.47	36.47				19.99				
	Subsequent Activity			UEPSP	USASC	0.00	0.00	0.00								
FEATU																
EVCU	All Available Vertical Features NGE PORT RATES (COIN)			UEPSP UEPSE	UEPVF	3.39	0.00	0.00				19.99				
EXCHA	Exchange Ports - Coin Port	1				3.04	40.71	40.71				19.99				
Local	Switching Features offered with Port					3.04	40.71	40.71				13.33				
	Transmission/usage charges associated with POTS circuit s	witched	usage	will also apply to c	ircuit switche	ed voice and/or	circuit switch	ed data transm	ission by B-Ch	annels associ	ated with 2	-wire ISDN p	orts.			
No	A P. Ol I P. Ol I P. Ol I			. d b. BEDC:	B		Detection:				B -					
NOTE:	Access to B Channel or D Channel Packet capabilities will be	e availa	pie only	tnrough BFR/New	Business Re	quest Process.	kates for the	packet capabi	iities will be de	termined via t	ne Bona Fid	de Request/	New Busines	s Request Pro	cess.	
	Exchange port - 4-wire ISDN trunk port -all available features included				UEPEX	275.48	181.27	116.42	[19.99				
UNBUNDLED	LOCAL EXCHANGE SWITCHING(PORTS)	t	1		J/\	270.40	101.27	110.42	1		t e	10.00				
	NGE PORT RATES (DID & PBX)					<u> </u>										
	Exchange Ports - 2-Wire DID Port			UEPEX	UEPP2	10.97	238.69	37.49	119.40	7.50		19.99				
	Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID capability			UEPDD	UEPDD	83.28	404.18	191.44	144.71	4.90		19.99				
	Exchange Ports - 2-Wire ISDN Port (See Notes below.)		1	UEPTX UEPSX	U1PMA	15.02	145.59	106.01	95.93	21.55		19.99				<u> </u>
	All Features Offered			UEPTX UEPSX	UEPVF	3.39	0.00	0.00								
NOTE:	Transmission/usage charges associated with POTS circuit s	witched	usage	will also apply to c	ircuit switche	ed voice and/or	circuit switch	ed data transm	ission by B-Ch	annels assoc	ated with 2	-wire ISDN p	orts.			
NOTE:	Access to B Channel or D Channel Backet on a biliting will be	o ovoi!-	blo or!	through DED/No	Business D-	augot Broosss	Datas for the	nookot oor -L:	lition will be -l	torminad :: t	ha Bana 🖼	do Dogues-4	Now Businss	- Postuoot P		
NOTE:	Access to B Channel or D Channel Packet capabilities will be Exchange Ports - 2-Wire ISDN Port Channel Profiles	e availa	pie only	V through BFR/New UEPTX UEPSX	U1UMA	quest Process. 0.00	Rates for the	packet capabi 0.00	iities will be de	termined via t	ne Bona Fid	e Kequest/	New Business	s Request Pro	cess.	
 	Exchange Ports - 4-Wire ISDN DS1 Port		 	UEPEX	UEPEX	113.21	407.77	203.18	157.84	39.98	+	19.99				
UNBUNDLED	LOCAL SWITCHING, PORT USAGE		†	0-1 L/	JLI LA	110.21	-101.11	203.10	137.04	55.30		13.33				
	fice Switching (Port Usage)	L														
	End Office Switching Function, Per MOU					0.002562										
Tande	n Switching (Port Usage) (Local or Access Tandem)															

4Q01:12/01/01 PAGE 127 OF 324

	D NETWORK ELEMENTS - Kentucky												Attachment:	2		Exhibit:
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)					Incremental Charge - Manual Svc Order vs. Electronic- 1st		Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
						Rec	Nonrec	urring	Nonrecurring	Disconnect			ossi	RATES (\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
	Tandem Switching Function Per MOU					0.001096										
Commo	on Transport															
	Common Transport - Per Mile, Per MOU Common Transport - Facilities Termination Per MOU				+	0.0000049 0.000426										
JNBUNDLED F	PORT/LOOP COMBINATIONS - COST BASED RATES				+	0.000420										
	ased Rates are applied where BellSouth is required by FCC at	nd/or St	ate Co	mmission rule to pr	rovide Unbun	dled Local Swit	ching or Swite	h Ports.								
	es shall apply to the Unbundled Port/Loop Combination - Cos								d Port section	of this Rate E	xhibit.					
For Ge Combi	ffice and Tandem Switching Usage and Common Transport Usergia, Kentucky, Louisiana, Mississippi and Tennessee, the rest of Combos for all states. In GA, KY, LA, MS and TN these not ned Combos in all other states, the nonrecurring charges shate VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)	ecurrinç onrecuri	UNE ing ch	Port and Loop char arges are commissi	ges listed app ion ordered c	oly to Currently ost based rates	Combined and	d Not Currently	Combined Co	mbos. The th	e first and a	dditional P	ort nonrecuri	ing charges a		
	ort/Loop Combination Rates				+											
	2-Wire VG Loop/Port Combo - Zone 1		1			16.15										
	2-Wire VG Loop/Port Combo - Zone 2		2			22.34										
	2-Wire VG Loop/Port Combo - Zone 3		3			30.88										
UNE Lo	oop Rates	ļ	1	UEPRX	UEPLX	13.54										
	2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPRX	UEPLX	19.73										
	2-Wire Voice Grade Loop (SL1) - Zone 3		_	UEPRX	UEPLX	28.27										
2-Wire	Voice Grade Line Port Rates (Res)															
	2-Wire voice unbundled port - residence			UEPRX	UEPRL	2.61	21.21	15.43	2.84	2.66		19.99				
	2-Wire voice unbundled port with Caller ID - res	ļ		UEPRX	UEPRC	2.61	21.21	15.43	2.84	2.66		19.99				
	2-Wire voice unbundled port outgoing only - res 2-Wire voice Grade unbundled Kentucky extended local dialing			UEPRX	UEPRO	2.61	21.21	15.43	2.84	2.66		19.99				
	parity port with Caller ID - res			UEPRX	UEPRM	2.61	21.21	15.43	2.84	2.66		19.99				
	2-Wire voice unbundles res, low usage line port with Caller ID			LIEDDY	LIEDAD	0.04	24.04	45.40	2.04	2.00		40.00				
FEATU	(LUM)	-		UEPRX	UEPAP	2.61	21.21	15.43	2.84	2.66		19.99				
ILAIO	All Features Offered			UEPRX	UEPVF	3.39	0.00	0.00				19.99				
LOCAL	NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPRX	LNPCX	0.35										
NONRE	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED 2-Wire Voice Grade Loop / Line Port Combination - Conversion -				+											
	Switch-as-is			UEPRX	USAC2		10.00	10.00				19.99				
	Switch-as-is 2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
	Switch-as-is 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change			UEPRX UEPRX	USAC2 USACC		10.00	10.00				19.99 19.99				
	Switch-as-is 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change IONAL NRCs															
	Switch-as-is 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change			UEPRX	USACC	0.00	10.00	10.00				19.99				
ADDITI	Switch-as-is 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change IONAL NRCs 2-Wire Voice Grade Loop/Line Port Combination - Subsequent					0.00										
ADDITI	Switch-as-is 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change IONAL NRCs 2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS) ort/Loop Combination Rates			UEPRX	USACC		10.00	10.00				19.99				
ADDITI	Switch-as-is 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change IONAL NRCs 2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1		1	UEPRX	USACC	16.15	10.00	10.00				19.99				
ADDITI	Switch-as-is 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change IONAL NRCs 2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2		2	UEPRX	USACC	16.15 22.34	10.00	10.00				19.99				
ADDITI	Switch-as-is 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change IONAL NRCs 2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3			UEPRX	USACC	16.15	10.00	10.00				19.99				
ADDITI	Switch-as-is 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change IONAL NRCs 2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 oop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1		3	UEPRX UEPRX UEPBX	USACC USAS2 UEPLX	16.15 22.34 30.88	10.00	10.00				19.99				
ADDITI	Switch-as-is 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change IONAL NRCs 2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity 4 VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS) 6 ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 6 oop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2		3 1 2	UEPRX UEPRX UEPBX UEPBX UEPBX	USAS2 UEPLX UEPLX UEPLX	16.15 22.34 30.88 13.54 19.73	10.00	10.00				19.99				
2-WIRE UNE PO	Switch-as-is 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change IONAL NRCs 2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity 2-Wire Voice Grade Loop WITH 2-WIRE LINE PORT (BUS) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 oop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 2		3	UEPRX UEPRX UEPBX	USACC USAS2 UEPLX	16.15 22.34 30.88	10.00	10.00				19.99				
2-WIRE UNE PO	Switch-as-is 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change IONAL NRCs 2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 oop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port (Bus)		3 1 2	UEPRX UEPRX UEPBX UEPBX UEPBX UEPBX	USAS2 USAS2 UEPLX UEPLX UEPLX UEPLX	16.15 22.34 30.88 13.54 19.73 28.27	0.00	0.00	284	266		19.99				
2-WIRE UNE PO	Switch-as-is 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change IONAL NRCs 2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity 2-Wire Voice Grade Loop WITH 2-WIRE LINE PORT (BUS) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 oop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 2		3 1 2	UEPRX UEPRX UEPBX UEPBX UEPBX	USAS2 UEPLX UEPLX UEPLX	16.15 22.34 30.88 13.54 19.73	10.00	10.00	2.84	2.66 2.66		19.99				
2-WIRE UNE PO	Switch-as-is 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change IONAL NRCs 2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity 2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity 2-Wire Voice Grade Loop WITH 2-WIRE LINE PORT (BUS) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 oop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port (Bus) 2-Wire voice unbundled port without Caller ID - bus 2-Wire voice unbundled port with Caller + E484 ID - bus 2-Wire voice unbundled port outgoing only - bus		3 1 2	UEPRX UEPRX UEPBX UEPBX UEPBX UEPBX UEPBX	USAS2 USAS2 UEPLX UEPLX UEPLX UEPLX	16.15 22.34 30.88 13.54 19.73 28.27	0.00	0.00				19.99				
2-WIRE UNE PO	Switch-as-is 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change IONAL NRCS 2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity 2-Wire Voice Grade Loop WITH 2-WIRE LINE PORT (BUS) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 oop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port (Bus) 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port (Bus) 2-Wire voice unbundled port without Caller ID - bus 2-Wire voice unbundled port with Caller + E484 ID - bus		3 1 2	UEPRX UEPBX UEPBX UEPBX UEPBX UEPBX UEPBX UEPBX UEPBX	USACC USAS2 UEPLX UEPLX UEPLX UEPLX UEPBL UEPBC	16.15 22.34 30.88 13.54 19.73 28.27 2.61 2.61	10.00 0.00 21.21 21.21	10.00 0.00 15.43 15.43	2.84	2.66		19.99 19.99 19.99 19.99				

4Q01:12/01/01 PAGE 128 OF 324

ONRONDLE	D NETWORK ELEMENTS - Kentucky	ı	ı										Attachment:	2		Exhibit:
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
						Rec	Nonrec	urring	Nonrecurring	Disconnect				RATES (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
LOCAL	NUMBER PORTABILITY			UEDDV	LUBOY											
FEATU	Local Number Portability (1 per port)		<u> </u>	UEPBX	LNPCX	0.35										
FEAT	All Features Offered			UEPBX	UEPVF	3.39	0.00	0.00				19.99				
NONRI	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED			02. 5%	02	0.00	0.00	0.00				10.00				
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
	Switch-as-is			UEPBX	USAC2		10.00	10.00				19.99				
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
	Switch with change			UEPBX	USACC		10.00	10.00								
ADDIT	IONAL NRCs															
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity			UEPBX	USAS2		l					19.99				1
2-WIDI	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)			ULPDA	USASZ	1	ł					19.99				
	ort/Loop Combination Rates				-											
	2-Wire VG Loop/Port Combo - Zone 1		1		1	16.15										
	2-Wire VG Loop/Port Combo - Zone 2		2			22.34										
	2-Wire VG Loop/Port Combo - Zone 3		3			30.88										
UNE L	oop Rates															
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPRG	UEPLX	13.54										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPRG	UEPLX	19.73										
0.14/:	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPRG	UEPLX	28.27										
2-Wire	Voice Grade Line Port Rates (RES - PBX) 2-Wire VG Unbundled Combination 2-Way PBX Trunk Port -				-											
	Res			UEPRG	UEPRD	2.61	21.21	15.43	2.84	2.66			19.99	19.99		
LOCAL	NUMBER PORTABILITY			OLI NO	OLITO	2.01	21.21	10.40	2.04	2.00			13.33	15.55		
	Local Number Portability (1 per port)			UEPRG	LNPCP	3.15	0.00	0.00								
FEATU																
	All Features Offered			UEPRG	UEPVF	3.39	0.00	0.00				19.99				
NONRI	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
	Conversion - Switch-As-Is			UEPRG	USAC2	-	10.00	10.00				19.99				
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch with Change			UEPRG	USACC		10.00	10.00				19.99				
ADDIT	IONAL NRCs			OLFING	USACC		10.00	10.00				19.99				
ADDII	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
	Subsequent Activity			UEPRG	USAS2	0.00	0.00	0.00				19.99				
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt															
	Group						14.64	14.64				19.99				
	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)		<u> </u>													ļ
UNE P	ort/Loop Combination Rates		—		1	40.45	-							-	-	
	2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2		1 2		+	16.15 22.34	+							-	-	
-+	2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3		3		+	30.88	t									
UNE L	oop Rates		Ť			55.56										
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPPX	UEPLX	13.54	İ									
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPPX	UEPLX	19.73										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPPX	UEPLX	28.27										
2-Wire	Voice Grade Line Port Rates (BUS - PBX)															
	Line Cide Habandled Combined to CWC DDVT 11.5			LIEDDY	LIEDEO	0.04	24.05	45.40		0.00		40.00				1
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus Line Side Unbundled Outward PBX Trunk Port - Bus			UEPPX UEPPX	UEPPC UEPPO	2.61 2.61	21.21 21.21	15.43 15.43	2.84 2.84	2.66 2.66		19.99 19.99				
	Line Side Unbundled Outward PBX Trunk Port - Bus Line Side Unbundled Incoming PBX Trunk Port - Bus		-	UEPPX	UEPPO UEPP1	2.61	21.21	15.43	2.84	2.66	1	19.99				
	2-Wire Voice Unbundled PBX LD Terminal Ports		1	UEPPX	UEPLD	2.61	21.21	15.43	2.84	2.66		19.99				
-	2-Wire Voice Unbundled 1-BX LB Terminal 1 oris 2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	2.61	21.21	15.43	2.84	2.66		19.99				
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	2.61	21.21	15.43	2.84	2.66		19.99				
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	2.61	21.21	15.43	2.84	2.66		19.99				
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	2.61	21.21	15.43	2.84	2.66		19.99				

UNBUNDLE	D NETWORK ELEMENTS - Kentucky												Attachment:	2		Exhibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Submitted	Incremental Charge - Manual Svc	Incremental Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge -
						Rec	Nonre	curring	Nonrecurrin	g Disconnect			oss	RATES (\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD															
	Capable Port			UEPPX	UEPXE	2.61	21.21	15.43	2.84	2.66		19.99				
	2-Wire Voice Unbundled 2-Way PBX Kentucky Room Area			UEPPX	UEPXF	2.61	21.21	15.43	0.04	0.00			40.00	40.00		
	Calling Port without LUD 2-Wire Voice Unbundled PBX Kentucky LUD Area Calling Port	1		UEPPX	UEPXF	2.61	21.21	15.43	2.84 2.84	2.66 2.66			19.99 19.99	19.99 19.99		ļ
	2-Wire Voice Unbundled PBX Kentucky Premium Calling Port			UEPPX	UEPXH	2.61	21.21	15.43	2.84	2.66			19.99	19.99		
	2-Wire Voice Unbundled 2-Way Kentucky Area Calling Port															
	without LUD			UEPPX	UEPXJ	2.61	21.21	15.43	2.84	2.66			19.99	19.99		
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			LIEDDY	LIEDVI	0.04	04.04	45.40	0.04	0.00		40.00				
	Administrative Calling Port 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			UEPPX	UEPXL	2.61	21.21	15.43	2.84	2.66		19.99				
	Room Calling Port			UEPPX	UEPXM	2.61	21.21	15.43	2.84	2.66		19.99				
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital			CELLX	OLI 70VI	2.01	21.21	10.40	2.04	2.00		10.00				
	Discount Room Calling Port			UEPPX	UEPXO	2.61	21.21	15.43	2.84	2.66		19.99				
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	2.61	21.21	15.43	2.84	2.66			19.99	19.99		
LOCAL	NUMBER PORTABILITY			HEDDY	LNDOD	0.45	0.00	0.00								
FEATU	Local Number Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00								-
FEATO	All Features Offered			UEPPX	UEPVF	3.39	0.00	0.00				19.99				
NONRE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED			02.17	02. 1.	0.00	0.00	0.00				10.00				
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
	Conversion - Switch-As-Is			UEPPX	USAC2		10.00	10.00				19.99				
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -			HEDDY			40.00	40.00				40.00				
ADDIT	Conversion - Switch with Change ONAL NRCs			UEPPX	USACC		10.00	10.00				19.99				
ADDITI	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -				+											
	Subsequent Activity			UEPPX	USAS2	0.00	0.00	0.00				19.99				
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt															
	Group						14.64	14.64				19.99				
	VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POR ort/Loop Combination Rates	RI														ļ
UNE PO	2-Wire VG Coin Port/Loop Combo – Zone 1		1		+	16.15										+
	2-Wire VG Coin Port/Loop Combo – Zone 2		2			22.64										
	2-Wire VG Coin Port/Loop Combo – Zone 3		3			31.09										
UNE Lo	pop Rates															
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPCO	UEPLX	13.54										
	2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPCO UEPCO	UEPLX UEPLX	19.73 28.27										ļ
2-Wire	Voice Grade Line Ports (COIN)		3	UEPCO	UEPLA	20.21										
	2-Wire Coin 2-Way without Operator Screening and without				1											
	Blocking (AL, KY, LA, MS)			UEPCO	UEPRF	2.91	21.21	15.43	2.84	2.66		19.99	19.99			
	2-Wire Coin 2-Way with Operator Screening (AL, KY)			UEPCO	UEPRE	2.91	21.21	15.43	2.84	2.66		19.99				
	2-Wire Coin 2-Way with Operator Screening and Blocking: 011,			LIEDOO	LIEDDA	0.04	04.04	45.40	0.04	0.00		40.00				
	900/976, 1+DDD (AL, KY, LA, MS) 2-Wire Coin 2-Way with Operator Screening and 011 Blocking			UEPCO	UEPRA	2.91	21.21	15.43	2.84	2.66		19.99				<u> </u>
	(KY)			UEPCO	UEPKA	2.91	21.21	15.43	2.84	2.66		19.99				
	2-Wire Coin 2-Way with Operator Screening & Blocking:	t			02.701	2.01	21.21	10.40	2.04	2.50		10.00				
	900/976, 1+DDD, 011+, & Local (AL, KY, LA, MS)	<u> </u>		UEPCO	UEPCD	2.91	21.21	15.43	2.84	2.66		19.99				
	2-Wire Coin Outward without Blocking and without Operator				I											
	Screening (KY, LA, MS)			UEPCO	UEPRN	2.91	21.21	15.43	2.84	2.66		19.99				
	2-Wire Coin Outward with Operator Screening and 011 Blocking (GA, KY, MS)			UEPCO	UEPRJ	2.91	21.21	15.43	2.84	2.66		19.99				
-	2-Wire Coin Outward with Operator Screening and Blocking:	1	<u> </u>	ULPCU	UEFKJ	2.91	21.21	15.43	2.84	∠.06	 	19.99				
	011, 900/976, 1+DDD (AL, KY, LA, MS)			UEPCO	UEPRH	2.91	21.21	15.43	2.84	2.66		19.99				
	2-Wire Coin Outward Operator Screening & Blocking: 900/976,															
	1+DDD, 011+, and Local (AL, KY, LA, MS)	1	ļ	UEPCO	UEPCN	2.91	21.21	15.43	2.84	2.66		19.99				
	2-Wire 2-Way Smartline with 900/976 (all states except LA)	1		UEPCO	UEPCK	2.91						19.99		l		<u> </u>

UNBUNDLE	D NETWORK ELEMENTS - Kentucky													Attachment:	2		Exhibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BC	s	USOC			RATES(\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Charge - Manual Svc Order vs.
							Rec	Nonrec	urrina	Nonrecurring	Disconnect			oss	RATES (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN		SOMAN	SOMAN
	2-Wire Coin Outward Smartline with 900/976 (all states except			LIEDOO		LIEDOD	0.04						40.00				
ADDITI	LA) ONAL UNE COIN PORT/LOOP (RC)			UEPCO		UEPCR	2.91						19.99				
ADDITI	UNE Coin Port/Loop Combo Usage (Flat Rate)			UEPCO		URECU	2.57	0.00	0.00								
LOCAL	NUMBER PORTABILITY																
	Local Number Portability (1 per port)			UEPCO		LNPCX	0.35										<u> </u>
FEATU	IRES ECURRING CHARGES - CURRENTLY COMBINED																
NONKE	2-Wire Voice Grade Loop / Line Port Combination - Conversion -	_															+
	Switch-as-is			UEPCO		USAC2		10.00	10.00				19.99				
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -	-															1
	Switch with change			UEPCO		USACC		10.00	10.00				19.99				
ADDITI	IONAL NRCs																
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity			UEPCO		USAS2		0.00	0.00				19.99				
UNBUNDLED F	PORT/LOOP COMBINATIONS - COST BASED RATES			OLI CO		UUAUZ		0.00	0.00				13.33				
	VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	PORT															
UNE Po	ort/Loop Combination Rates																
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1		1				28.72										<u> </u>
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3		3				34.90 45.90										<u> </u>
	pop Rates		3				45.90										1
10.1.2	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1		1	UEPPX		UECD1	17.78						19.99				†
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2		2	UEPPX		UECD1	23.96						19.99				
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3		3	UEPPX		UECD1	34.96						19.99				
	ort Rate			LIEDDY		LIEDD4	40.04	00400	07.00	404.04	0.00		40.00				
	Exchange Ports - 2-Wire DID Port ECURRING CHARGES - CURRENTLY COMBINED			UEPPX		UEPD1	10.94	334.92	27.66	131.91	9.28		19.99				
NOMA	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion																1
	with BellSouth Allowable Changes			UEPPX		USA1C		14.62	3.73				19.99				
	ONAL NRCs																
	2-Wire DID Subsequent Activity - Add Trunks, Per Trunk			UEPPX		USAS1		53.58	53.58				19.99				.
Teleph	one Number/Trunk Group Establisment Charges DID Trunk Termination (One Per Port)			UEPPX		NDT	0.00	0.00	0.00				19.99				+
	Additional DID Numbers for each Group of 20 DID Numbers			UEPPX		ND4	0.00	0.00	0.00				19.99				+
	DID Numbers, Non- consecutive DID Numbers , Per Number			UEPPX		ND5	0.00	0.00	0.00				19.99				†
	Reserve Non-Consecutive DID numbers			UEPPX		ND6	0.00	0.00	0.00				19.99				
	Reserve DID Numbers			UEPPX		NDV	0.00	0.00	0.00				19.99				
	NUMBER PORTABILITY Local Number Portability (1 per port)		-	UEPPX		LNPCP	3.15	0.00	0.00								
	EISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LI	NE SIDE	PORT			LIVI OI	5.15	0.00	0.00								
	ort/Loop Combination Rates																
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -								· · · · · · · · · · · · · · · · · · ·								
	UNE Zone 1 2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -		1	UEPPB	UEPPR		35.40										
	UNE Zone 2 2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -		2		UEPPR		44.09										
<u> </u>	UNE Zone 3		3	UEPPB	UEPPR	1	55.35										ļ
	pop Rates 2-Wire ISDN Digital Grade Loop - UNE Zone 1		1	UEPPB	UEPPR	USL2X	22.41						19.99				
	2-Wire ISDN Digital Grade Loop - UNE Zone 2		2		UEPPR	USL2X	31.10						19.99				
	2-Wire ISDN Digital Grade Loop - UNE Zone 3		3	UEPPB	UEPPR	USL2X	42.36						19.99				
	ort Rate			HEDDD '	IEDDD	LIEDDD	40.00	240.42	000.44	04.07	47 40		40.00				<u> </u>
	Exchange Port - 2-Wire ISDN Line Side Port ECURRING CHARGES - CURRENTLY COMBINED	 	-	UEPPB (JEPPK	UEPPB	12.99	319.40	288.11	91.87	17.49	-	19.99				
HONKE	2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port	†				<u> </u>	†			1							
	Combination - Conversion			UEPPB (JEPPR	USACB	0.00	77.04	54.04				19.99				

UNBUNDLE	D NETWORK ELEMENTS - Kentucky													Attachment:	2		Exhibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	В	cs	USOC			RATES(\$)				Submitted	Incremental Charge - Manual Svc	Incremental Charge -	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
							Rec	Nonrec	urring	Nonrecurring	g Disconnect				RATES (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	ONAL NRCs																
LOCAL	NUMBER PORTABILITY																
D 0114	Local Number Portability (1 per port)			UEPPB	UEPPR	LNPCX	0.35	0.00	0.00								
B-CHA	NNEL USER PROFILE ACCESS: [CVS/CSD (DMS/5ESS)			UEPPB	UEPPR	U1UCA	0.00	0.00	0.00								
	CVS (EWSD)			UEPPB	UEPPR	U1UCB	0.00	0.00	0.00				-		-		
	CSD			UEPPB	UEPPR	U1UCC	0.00	0.00	0.00								
B-CHA	NNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS S	CMS &	TN)	OLFFB	ULFFR	01000	0.00	0.00	0.00								
D OHA	CVS/CSD (DMS/5ESS)	1	· · · · ·	UEPPB	UEPPR	U1UCD	0.00	0.00	0.00								
	CVS (EWSD)			UEPPB	UEPPR	U1UCE	0.00	0.00	0.00								
	CSD			UEPPB	UEPPR	U1UCF	0.00	0.00	0.00								
	TERMINAL PROFILE																
	User Terminal Profile (EWSD only)			UEPPB	UEPPR	U1UMA	0.00	0.00	0.00					_			
	CAL FEATURES																
	All Vertical Features - One per Channel B User Profile			UEPPB	UEPPR	UEPVF	3.39	0.00	0.00				19.99				
INTER	OFFICE CHANNEL MILEAGE					ļ											
	Interoffice Channel mileage each, including first mile and								== = .								
	facilities termination				UEPPR	M1GNC	26.98	142.31	56.21				19.99				
4 WIDE	Interoffice Channel mileage each, additional mile DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK	/ DODT	-	UEPPB	UEPPR	M1GNM	0.0301	0.00	0.00				19.99				
	ort/Loop Combination Rates	PURI															
UNE PO	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE																
	Zone 1		1	UEPPP			219.25										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE																
	Zone 2		2	UEPPP			248.36										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE																
	Zone 3		3	UEPPP			299.47										
UNE Lo	pop Rates																
	4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPPP		USL4P	106.04						19.99				
	4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPPP		USL4P	135.15						19.99				
	4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPPP		USL4P	186.15						19.99				
	ort Rate		-	UEPPP		UEPPP	113.21	733.57	381.40	158.92	48.65		19.99				
	Exchange Ports - 4-Wire ISDN DS1 Port CURRING CHARGES - CURRENTLY COMBINED			UEPPP		UEPPP	113.21	133.51	381.40	158.92	48.65		19.99		-		
NONKE	4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port					1							-		-		
	Combination - Conversion -Switch-as-is			UEPPP		USACP	0.00	238.22	157.17				19.99				
ADDITI	ONAL NRCs			OLITI		00/10/	0.00	200.22	107.17				10.00				
1 2 111	4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy-	1				İ	†										
	Inward/two way tel nos within Std Allowance		1	UEPPP		PR7TF		0.9804					19.99				
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port -						İ										
	Outward Tel Numbers (All States except NC)			UEPPP		PR7TO		23.02	23.02				19.99				
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port -																
	Subsequent Inward Tel Nos Above Std Allowance			UEPPP		PR7ZT	ļļ	46.05	46.05				19.99		ļ		
LOCAL	NUMBER PORTABILITY	1	<u> </u>	LIEDSS		LNDC											
151777	Local Number Portability (1 per port)	1	<u> </u>	UEPPP		LNPCN	1.75								-		ļ
INTERI	FACE (Provsioning Only)	1	 	UEPPP		PR71V	0.00	0.00	0.00			1	-		1		
 	Voice/Data Digital Data	1	-	UEPPP		PR71D	0.00	0.00	0.00			-			+	-	
 	Inward Data	 		UEPPP		PR71E	0.00	0.00	0.00						 		
New or	Additional "B" Channel	1		J_111		. 137 15	0.00	0.00	0.00						t		
1.5 61	New or Additional - Voice/Data B Channel	1		UEPPP		PR7BV	0.00	29.06					19.99		1		
	New or Additional - Digital Data B Channel			UEPPP		PR7BF	0.00	29.06					19.99		1		
	New or Additional Inward Data B Channel			UEPPP		PR7BD	0.00	29.06					19.99				
	New or Additional Useage Sensitive Voice Data B Channel			UEPPP		PR7BS	0.00	29.06					19.99				
	New or Additional Useage Sensitive Digital Data B Channel			UEPPP		PR7BU	0.00	29.06	•				19.99	_			
CALL 1																	
\vdash	Inward			UEPPP		PR7C1	0.00	0.00	0.00						ļ		
	Outward		l	UEPPP		PR7C0	0.00	0.00	0.00								l

UNBUNDLE	D NETWORK ELEMENTS - Kentucky												Attachment:	2		Exhibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonred	curring	Nonrecurring	n Disconnect			ossi	RATES (\$)		ŀ
+						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN		SOMAN	SOMAN
	Two-way			UEPPP	PR7CC	0.00	0.00	0.00								
Intero	ffice Channel Mileage															
	Fixed Each Including First Mile			UEPPP	1LN1A	55.50	298.18	231.23	0.00			19.99				
	Each Airline-Fractional Additional Mile			UEPPP	1LN1B	0.45										ļ!
	E DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT															
UNE P	Port/Loop Combination Rates 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1		1	UEPDC	-	189.32						19.99				
-	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2		2	UEPDC		218.43						19.99				
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3		3	UEPDC		269.54						19.99				
UNE L	oop Rates		<u> </u>													i
	4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPDC	USLDC	106.04						19.99				<u> </u>
	4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPDC	USLDC	135.15		•				19.99				
<u> </u>	4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPDC	USLDC	186.15						19.99				
UNE P	ort Rate		<u> </u>	HEDDO	LIDDAT	00.00	777.0-	00100	175 5-	10.00		40.00				
NOND	4-Wire DDITS Digital Trunk Port ECURRING CHARGES - CURRENTLY COMBINED			UEPDC	UDD1T	83.28	777.87	384.20	175.57	16.92		19.99				
NONK	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination															
	- Switch-as-is			UEPDC	USAC4		261.15	134.08				19.99				
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with DS1 Changes			UEPDC	USAWA		261.15	134.08				19.99				
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination															ł
ADDIT	- Conversion with Change - Trunk TONAL NRCs			UEPDC	USAWB		261.15	134.08				19.99				
ADDII	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC -															
	Subsequent Channel Activation/Chan - 2-Way Trunk			UEPDC	UDTTA		28.96	28.96				19.99				ł
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent Channel Activation/Chan - 1-Way Outward Trunk			UEPDC	UDTTB		28.96	28.96				19.99				
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel															
	Activation/Chan Inward Trunk w/out DID 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan			UEPDC	UDTTC		28.96	28.96				19.99				
	Activation Per Chan - Inward Trunk with DID 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsgnt Chan			UEPDC	UDTTD		28.96	28.96				19.99				
	Activation / Chan - 2-Way DID w User Trans			UEPDC	UDTTE		28.96	28.96				19.99				ł
BIPOL	AR 8 ZERO SUBSTITUTION															1
	B8ZS -Superframe Format			UEPDC	CCOSF		0.00	730.00				19.99				<u> </u>
<u> </u>	B8ZS - Extended Superframe Format		!	UEPDC	CCOEF		0.00	730.00				19.99				
Altern	ate Mark Inversion AMI -Superframe Format		 	UEPDC	MCOSF		0.00	0.00			-					
 	AMI - Extended SuperFrame Format		 	UEPDC	MCOSF	1	0.00	0.00			H					
Telepi	none Number/Trunk Group Establisment Charges		1	02, 00			0.00	0.00								(
12.36	Telephone Number for 2-Way Trunk Group			UEPDC	UDTGX	0.00						19.99				i
	Telephone Number for 1-Way Outward Trunk Group			UEPDC	UDTGY	0.00						19.99				i
	Telephone Number for 1-Way Inward Trunk Group Without DID			UEPDC	UDTGZ	0.00		•				19.99				
	DID Numbers for each Group of 20 DID Numbers		<u> </u>	UEPDC	ND4	0.00						19.99				1
\vdash	DID Numbers, Non- consecutive DID Numbers , Per Number		<u> </u>	UEPDC	ND5	0.00	0.00	0.00		-		19.99		-		
\vdash	Reserve Non-Consecutive DID Nos. Reserve DID Numbers		 	UEPDC UEPDC	ND6 NDV	0.00	0.00	0.00				19.99 19.99				
Dedic:	ated DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS	l Digita	I I oon			0.00	0.00	0.00			-	19.99				
Dedica	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities Termination)	Digita	СООР	UEPDC	1LNO1	55.05	298.18	231.23	0.00	0.00		19.99				
	Interoffice Channel Mileage - Additional rate per mile - 0-8 miles			UEPDC	1LNOA	0.45	0.00	0.00	2.00	2.00						
	Interoffice Channel Mileage - Roottonal rate per mile - 0-8 miles Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities Termination)			UEPDC	1LNO2	0.45	0.00	0.00								
	Interoffice Channel Mileage - Additional rate per mile - 9-25 miles			UEPDC	1LNOB	0.45	0.00	0.00								
	Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities								0.00							
	Termination)	<u> </u>	<u> </u>	UEPDC	1LNO3	0.00	0.00	0.00	0.00		L	I				

UNBUNDLE	D NETWORK ELEMENTS - Kentucky												Attachment:	2		Exhibit: E
	Romany														In an an a	
													Incremental	Incremental		
		Interi											Charge -	Charge -	Charge -	Charge -
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)					Manual Svc	Manual Svc		
		m										Submitted		Order vs.	Order vs.	Order vs.
											Elec	Manually	Electronic-	Electronic-	Electronic-	Electronic-
											per LSR	per LSR	1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonrec			g Disconnect				RATES (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Channel Mileage - Additional rate per mile - 25+ miles			UEPDC	1LNOC	0.45	0.00	0.00								
	Local Number Portability, per DS0 Activated			UEPDC	LNPCP	3.15	0.00	0.00	0.00							
	Central Office Termininating Point			UEPDC	CTG	0.00										
4-WIRE	DS1 LOOP WITH CHANNELIZATION WITH PORT															
	n is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Act															
	system can have up to 24 combinations of rates depending on	type ar	nd num	ber of ports used												
UNE D	S1 Loop					100.01										
\vdash	4-Wire DS1 Loop - UNE Zone 1		1	UEPMG	USLDC	106.04	0.00	0.00				1				ļ
\vdash	4-Wire DS1 Loop - UNE Zone 2		2	UEPMG	USLDC	135.15	0.00	0.00			<u> </u>	1		1		1
	4-Wire DS1 Loop - UNE Zone 3		3	UEPMG	USLDC	186.15	0.00	0.00	-	-	 	 				ļ
UNE D	SO Channelization Capacities (D4 Channel Bank Configuration	ns)	1	LIEDMO	\/LIMO4	400.00	0.00	0.00	1	1	 	40.00		-		
<u> </u>	24 DSO Channel Capacity - 1 per DS1		1	UEPMG	VUM24	136.99	0.00	0.00	1	1	 	19.99		-		
	48 DSO Channel Capacity - 1 per 2 DS1s			UEPMG	VUM48	273.98	0.00	0.00				19.99				
\vdash	96 DSO Channel Capacity -1per 4 DS1s		 	UEPMG	VUM96	547.96	0.00	0.00			<u> </u>	19.99		1		1
	144 DS0 Channel Capacity - 1 per 6 DS1s		1	UEPMG	VUM14	821.94	0.00	0.00	-	-	 	19.99				
	192 DS0 Channel Capacity -1 per 8 DS1s			UEPMG	VUM19	1,095.92	0.00	0.00				19.99				
-	240 DS0 Channel Capacity - 1 per 10 DS1s			UEPMG	VUM20	1,369.90	0.00	0.00				19.99				
	288 DS0 Channel Capacity - 1 per 12 DS1s			UEPMG	VUM28	1,643.88	0.00	0.00				19.99				
	384 DS0 Channel Capacity - 1 per 16 DS1s			UEPMG	VUM38 VUM40	2,191.84	0.00	0.00				19.99				
-	480 DS0 Channel Capacity - 1 per 20 DS1s			UEPMG		2,739.80	0.00	0.00				19.99				
-	576 DS0 Channel Capacity -1 per 24 DS1s			UEPMG	VUM57	3,287.76	0.00	0.00				19.99				
N 5	672 DS0 Channel Capacity - 1 per 28 DS1s ecurring Charges (NRC) Associated with 4-Wire DS1 Loop with	01		UEPMG	VUM67	3,835.72	0.00	0.00				19.99				
	mum System configuration is One (1) DS1, One (1) D4 Channe						stem				1					
wuitip	les of this configuration functioning as one are considered Ad NRC - Conversion (Currently Combined) with or without	ad i arte	r the m	inimum system cor	inguration is	countea.										
	BellSouth Allowed Changes			UEPMG	USAC4	0.00	301.05	16.72				19.99				
Syston	n Additions at End User Locations Where 4-Wire DS1 Loop with	th Chan	nolizati					10.72			1	19.99				
	lot Currently Combined) In GA, KY, LA, MS & TN Only	lii Gilai	litetizati	ion with Fort Comb	T Curre	IIIIY EXISIS AIIU					1					
ivew (i	1 DS1/D4 Channel Bank - Add NRC for each Port and Assoc															
	Fea Activation - New GA, LA, KY, MS, &TN Only			UEPMG	VUMD4	0.00	716.36	468.20	149.30	17.71		19.99				
Rinola	r 8 Zero Substitution			ULFING	VOIVID4	0.00	710.30	400.20	145.50	17.71	1	15.55				
Біроїа	Clear Channel Capability Format, superframe - Subsequent															
1 1	Activity Only			UEPMG	CCOSF	0.00	0.00	730.00				19.99				
 	Clear Channel Capability Format - Extended Superframe -			01. NO	20001	0.00	0.00	700.00				10.99				1
	Subsequent Activity Only			UEPMG	CCOEF	0.00	0.00	730.00				19.99				
Alterna	ate Mark Inversion (AMI)			0	30021	0.00	0.00	700.00	1	1		10.00				1
7	Superframe Format			UEPMG	MCOSF	0.00	0.00	0.00	1	1		1				1
	Extended Superframe Format			UEPMG	MCOPO	0.00	0.00	0.00	1	1						1
Exchai	nge Ports Associated with 4-Wire DS1 Loop with Channelization	on with	Port		1	2.00	2.00	2.00	1	1		1				l
	nge Ports		1		1					İ		İ				i e
	Line Side Combination Channelized PBX Trunk Port - Business			UEPPX	UEPCX	1.66	0.00	0.00	0.00	0.00		19.99				
	Line Side Outward Channelized PBX Trunk Port - Business			UEPPX	UEPOX	1.66	0.00	0.00	0.00	0.00		19.99		İ		İ
							-									1
	Line Side Inward Only Channelized PBX Trunk Port without DID			UEPPX	UEP1X	1.66	0.00	0.00	0.00	0.00		19.99				
	2-Wire Trunk Side Unbundled Channelized DID Trunk Port			UEPPX	UEPDM	10.97	0.00	0.00	0.00	0.00		19.99				
Featur	Activations - Unbundled Loop Concentration															
	Feature (Service) Activation for each Line Side Port Terminated															
I	in D4 Bank			UEPPX	1PQWM	0.77	25.40	13.41	4.17	4.15	<u> </u>	19.99		<u> </u>		<u> </u>
	Feature (Service) Activation for each Trunk Side Port Terminated															
	in D4 Bank	<u></u>	<u>L</u>	UEPPX	1PQWU	0.77	78.15	19.68	59.05	11.54	<u></u>	19.99		<u> </u>		<u> </u>
Teleph	one Number/ Group Establishment Charges for DID Service															
	DID Trunk Termination (1 per Port)			UEPPX	NDT	0.00	0.00	0.00				19.99				
l												40.00				
	DID Numbers - groups of 20 - Valid all States			UEPPX	ND4	0.00	0.00	0.00			<u> </u>	19.99				<u> </u>
	DID Numbers - groups of 20 - Valid all States Non-Consecutive DID Numbers - per number Reserve Non-Consecutive DID Numbers			UEPPX UEPPX UEPPX	ND4 ND5 ND6	0.00 0.00 0.00	0.00 0.00 0.00	0.00 0.00 0.00				19.99 19.99				

LINDUND	ED NETWORK ELEMENTO, Kanturalia												I			
ONBONDI	LED NETWORK ELEMENTS - Kentucky										1		Attachment:			Exhibit: E
													Incremental	Incremental	Incremental	
		Intan:											Charge -	Charge -	Charge -	Charge -
CATEGOR	Y RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)					Manual Svc			Manual Svc
		m										Submitted		Order vs.	Order vs.	Order vs.
											Elec	Manually		Electronic-	Electronic-	Electronic-
<u> </u>		-					1		1		per LSR	per LSR	1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonred	surring	Nonrecurring	Disconnect			066 E	RATES (\$)		
 						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN			SOMAN	SOMAN
h	Reserve DID Numbers			UEPPX	NDV	0.00	0.00	0.00	11130	Auu	COMILO	19.99	COMPAN	COMPAR	COMPAR	COMPAR
Loc	al Number Portability			02.17	1101	0.00	0.00	0.00				10.00				
	Local Number Portability - 1 per port			UEPPX	LNPCP	3.15	0.00	0.00								
	TURES - Vertical and Optional															
Loc	al Switching Features Offered with Line Side Ports Only															
I INDIANO E	All Features Available			UEPPX	UEPVF	3.39	0.00	0.00				19.99				
	D PORT LOOP COMBINATIONS - MARKET RATES ket Rates shall apply where BellSouth is not required to provide	unhune	dlad lac	al awitahing ar awit	toh norto no	r ECC and/or St	ata Cammiasia	n ruloo								
	se scenarios include:	unbunc	lieu ioc	al Switching or Swi	len ports per	T FCC and/or St	ate Commissio	ni ruies.								
	nbundled port/loop combinations that are Not Currently Combin	ned in A	labama	a. Florida, North Car	olina and So	outh Carolina										
	Inbundled port/loop combinations that are Currently Combined						ellSouth's reai	on for end use	rs with 4 or mo	re DS0 equiva	lent lines.					
	Top 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderd											le).				
	South currently is developing the billing capability to mechanica									not currently o	combined in	n AL, FL, NC	and SC. In the	he interim wh	ere BellSouth	cannot bill
	ket Rates, BellSouth shall bill the rates in the Cost-Based section			lieu of the Market R	ates and res	erves the right	to true-up the	billing differen	ice.							
	Market Rate for unbundled ports includes all available features															
	Office and Tandem Switching Usage and Common Transport Us	sage rat	es in th	e Port section of th	is rate exhib	it shall apply to	all combination	ons of loop/po	rt network elen	nents except	for UNE Co	in Port/Loop	Combination	ns which have	a flat rate	
	ge charge (USOC: URECU).						NDO I		1000 F 0			- 41 - N			' (L - NDO	
	Not Currently Combined scenarios where Market Rates apply, the bined section. Additional NRCs may apply also and are catego				in the First a	and Additional	NKC columns	or each Port C	JSOC. For Curi	rentiy Combin	ed scenario	s, the Nonr	ecurring charg	ges are listed	In the NRC -	Currently
	D CENTREX PORT/LOOP COMBINATIONS	rized ac	coraing	giy.	1	I			1			1	1	ı	ı	ı
	BUNDLED PORT/LOOP COMBINATIONS - COST BASED RATES															
	-P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only	·)														
	ire VG Loop/2-Wire Voice Grade Port (Centrex) Combo	ĺ														
UNE	Port/Loop Combination Rates (Non-Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	-														
	Non-Design		1	UEP91		16.15										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			LIEBO4		00.04										
-	Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		2	UEP91		22.34										
	Non-Design		3	UEP91		30.88										
UNF	Port/Loop Combination Rates (Design)		3	OLI 91		30.00										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo															
	Design		1	UEP91		20.39										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design		2	UEP91		26.57										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			LIEDOA												
1	Design	 	3	UEP91		37.57						1		-	-	
UNE	Loop Rate 2-Wire Voice Grade Loop (SL 1) - Zone 1	 	1	UEP91	UECS1	13.54					-	19.99	-			
 	2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2	1		UEP91	UECS1	19.73						19.99				
	2-Wire Voice Grade Loop (SL 1) - Zone 2	1		UEP91	UECS1	28.27					1	19.99		1	1	
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP91	UECS2	17.78						19.99				
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP91	UECS2	23.96			<u> </u>			19.99			<u> </u>	
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP91	UECS2	34.96		-				19.99				
	Ports															
All S	States (Except North Carolina and Sout Carolina)	ļ	<u> </u>	LIEDOA	LIEDV(1		21.2									
	2-Wire Voice Grade Port (Centrex) Basic Local Area	 	 	UEP91	UEPYA	2.61	21.21	15.43	2.84	2.66		19.99				
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area			UEP91	UEPYB	2.61	21.21	15.43	2.84	2.66		19.99				
 	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local	1	1	OLF91	UEFIB	∠.01	21.27	15.43	∠.84	∠.00	 	19.99	1	1	1	
	Area			UEP91	UEPYH	2.61	21.21	15.43	2.84	2.66		19.99				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire			02. 01	J_1 111	2.01	21.21	10.40	2.04	2.00		10.00				
	Center)2 Basic Local Area			UEP91	UEPYM	2.61	21.21	15.43	2.84	2.66		19.99				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
	Term - Basic Local Area			UEP91	UEPYZ	2.61	21.21	15.43	2.84	2.66		19.99				
	2-Wire Voice Grade Port terminated in on Megalink or equivalent	1			l											
	- Basic Local Area	1		UEP91	UEPY9	2.61	21.21	15.43	2.84	2.66		19.99				L

4Q01:12/01/01 PAGE 135 OF 324

UNBUNDLE	D NETWORK ELEMENTS - Kentucky												Attachment:	2		Exhibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Submitted	Incremental Charge - Manual Svc	Incremental Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge -
						Rec	Nonrec	curring	Nonrecurrin	g Disconnect			ossi	RATES (\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN		SOMAN	SOMAN
	2-Wire Voice Grade Port Terminated on 800 Service Term -															
	Basic Local Area			UEP91	UEPY2	2.61	21.21	15.43	2.84	2.66		19.99				
AL, KY	, LA, MS, & TN Only															
	2-Wire Voice Grade Port (Centrex)			UEP91	UEPQA	2.61	21.21	15.43	2.84	2.66		19.99				
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP91	UEPQB	2.61	21.21	15.43	2.84	2.66		19.99				
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP91	UEPQH	2.61	21.21	15.43	2.84	2.66		19.99				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2			UEP91	UEPQM	2.61	21.21	15.43	2.84	2.66		19.99				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
	Term			UEP91	UEPQZ	2.61	21.21	15.43	2.84	2.66		19.99				
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP91	UEPQ9	2.61	21.21	15.43	2.84	2.66		19.99				
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP91	UEPQ2	2.61	21.21	15.43	2.84	2.66		19.99				
Local S	Switching															
	Centrex Intercom Funtionality, per port			UEP91	URECS	0.8873						19.99				
Local I	Number Portability															
	Local Number Portability (1 per port)			UEP91	LNPCC	0.35										
Feature				LIEDOA	LIED) /E	0.00						40.00				
	All Standard Features Offered, per port		1	UEP91	UEPVF UEPVS	3.39	40E 66					19.99 19.99				
	All Select Features Offered, per port All Centrex Control Features Offered, per port	-	-	UEP91 UEP91	UEPVS	0.00 3.39	405.66					19.99				
NARS	All Centrex Control Features Offered, per port	1		UEP91	UEPVC	3.39						19.99				ļ
IVANO	Unbundled Network Access Register - Combination		1	UEP91	UARCX	0.00	0.00	0.00								
	Unbundled Network Access Register - Indial			UEP91	UAR1X	0.00	0.00	0.00								
	Unbundled Network Access Register - Outdial			UEP91	UAROX	0.00	0.00	0.00								
Miscel	laneous Terminations															
2-Wire	Trunk Side															
	Trunk Side Terminations, each			UEP91	CENA6	10.94						19.99				
Interof	fice Channel Mileage - 2-Wire															
	Interoffice Channel Facilities Termination - Voice Grade			UEP91	MIGBC	29.51						19.99				
	Interoffice Channel mileage, per mile or fraction of mile			UEP91	MIGBM	0.0118						19.99				
	e Activations (DS0) Centrex Loops on Channelized DS1 Service annel Bank Feature Activations	ce	1													
D4 Clia	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP91	1PQWS	0.77						19.99				1
	reature Activation on 5-4 Grianner Bank Gentrex Loop Glot		-	OLI 31	II QWO	0.77						13.33				
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP91	1PQW6	0.77						19.99				
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop					57								Ì		<u> </u>
	Slot			UEP91	1PQW7	0.77						19.99				
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -															
	Different Wire Center			UEP91	1PQWP	0.77						19.99				
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP91	1PQWV	0.77						19.99				
	Feature Activation on D-4 Channel Bank Tijle Line/Trunk Loop			OLI 01		0.77						10.00				
	Slot			UEP91	1PQWQ	0.77						19.99				
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP91	1PQWA	0.77						19.99				
Non-Re	ecurring Charges (NRC) Associated with UNE-P Centrex															
	Conversion - Currently Combined Switch-As-Is with allowed															
	changes, per port			UEP91	USAC2		10.00	10.00				19.99		ļ		ļ
	New Centrex Standard Common Block	1	1	UEP91	M1ACS	0.00	667.47					19.99				
 	New Centrex Customized Common Block	1	_	UEP91	M1ACC	0.00	667.47					19.99	ļ	 		↓
 	Secondary Block, per Block	1	1	UEP91 UEP91	M2CC1 URECA	0.00	78.04 72.75				1	19.99 19.99	-	 		
IINE D	NAR Establishment Charge, Per Occasion CENTREX - 5ESS (Valid in All States)	1	1	OLFSI	URECA	0.00	12.15				-	19.99	1	1		1
	VG Loop/2-Wire Voice Grade Port (Centrex) Combo	 	 		+									<u> </u>		
	ort/Loop Combination Rates (Non-Design)	1	1		1											
1	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	-			1									Ì		
	Non-Design		1	UEP95		16.15								1		

UNBUNDLE	D NETWORK ELEMENTS - Kentucky												Attachment:	2		Exhibit: E
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			Submitted Elec	Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic-		Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svo Order vs. Electronic-
						Do.	Names		Namaaaaaiii	- Di	per LSR	per LSR	1st		Disc 1st	Disc Add'l
						Rec	Nonrec First	Add'l	First	g Disconnect Add'l	SOMEC	SOMAN	SOMAN	RATES (\$)	SOMAN	SOMAN
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -						1.141		11141							
	Non-Design		2	UEP95		22.34										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
LINE D	Non-Design		3	UEP95		30.88										
UNE PO	ort/Loop Combination Rates (Design)					-										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design		1	UEP95		20.39										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		-	OLF 95		20.39										
	Design		2	UEP95		26.57										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	Ì					İ									
	Design		3	UEP95		37.57										
UNE Lo	pop Rate	ļ			1									ļ	ļ	
	2-Wire Voice Grade Loop (SL 1) - Zone 1	ļ	1	UEP95	UECS1	13.54						19.99			-	
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP95 UEP95	UECS1	19.73						19.99 19.99				
	2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 1		3	UEP95 UEP95	UECS1 UECS2	28.27 17.78						19.99				
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP95	UECS2	23.96						19.99				
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP95	UECS2	34.96						19.99				
UNE Po	ort Rate															
All Stat	es															
	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP95	UEPYA	2.61	21.21	15.43	2.84	2.66		19.99				
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPYB	2.61	21.21	15.43	2.84	2.66		19.99				
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local			LIEBOE	LIEDVIII	0.04	04.04	45.40	0.04	0.00		40.00				
	Area			UEP95	UEPYH	2.61	21.21	15.43	2.84	2.66		19.99				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 Basic Local Area			UEP95	UEPYM	2.61	21.21	15.43	2.84	2.66		19.99				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			OLF 93	OLFTW	2.01	21.21	13.43	2.04	2.00		19.99				
	Term - Basic Local Area			UEP95	UEPYZ	2.61	21.21	15.43	2.84	2.66		19.99				
	2-Wire Voice Grade Port terminated in on Megalink or equivalent															
	- Basic Local Area			UEP95	UEPY9	2.61	21.21	15.43	2.84	0.266		19.99				
	2-Wire Voice Grade Port Terminated on 800 Service Term -															
	Basic Local Area			UEP95	UEPY2	2.61	21.21	15.43	2.84	2.66		19.99				
AL, KY,	LA, MS, SC, & TN Only			LIEBOE	LIEBOA	0.04	04.04	45.40	0.04	0.00		40.00				
	2-Wire Voice Grade Port (Centrex)			UEP95 UEP95	UEPQA UEPQB	2.61 2.61	21.21 21.21	15.43	2.84	2.66 2.66		19.99 19.99				
	2-Wire Voice Grade Port (Centrex 800 termination) 2-Wire Voice Grade Port (Centrex with Caller ID)1	1		UEP95	UEPQB	2.61	21.21	15.43 15.43	2.84 2.84	2.66		19.99			+	-
	2-Wire Voice Grade Port (Centrex with Caller ID)1 2-Wire Voice Grade Port (Centrex from diff Serving Wire	-		OLI 33	اللا تادا	2.01	۷۱.۷۱	10.43	2.04	2.00	 	15.55			†	
	Center)2			UEP95	UEPQM	2.61	21.21	15.43	2.84	2.66		19.99				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
	Term			UEP95	UEPQZ	2.61	21.21	15.43	2.84	2.66		19.99				
					LIEBS -	Ι Τ										
	2-Wire Voice Grade Port terminated in on Megalink or equivalent	ļ		UEP95	UEPQ9	2.61	21.21	15.43	0.01	0.00		19.99			1	
	2-Wire Voice Grade Port Terminated on 800 Service Term	1		UEP95	UEPQ2	2.61	21.21	15.43	2.84	2.66		19.99			-	-
Local S	Centrex Intercom Funtionality, per port	 		UEP95	URECS	0.8873	-		-	-	-	19.99		-	 	-
l ocal N	lumber Portability	1		OL1 30	JILLOS	0.0073						15.59		 	 	
Local I	Local Number Portability (1 per port)	<u> </u>		UEP95	LNPCC	0.35									1	
Feature					1	2.00										
	All Standard Features Offered, per port			UEP95	UEPVF	3.39						19.99				
	All Select Features Offered, per port			UEP95	UEPVS	0.00	405.66					19.99				
	All Centrex Control Features Offered, per port	ļ		UEP95	UEPVC	3.39						19.99				ļ
NARS	Habitan diad Matriagle Access Desiring Committee Co.	 		LIEDOE	LIADOY	0.00	0.00	0.00		-				 	1	
	Unbundled Network Access Register - Combination Unbundled Network Access Register - Indial	 		UEP95 UEP95	UARCX UAR1X	0.00	0.00	0.00	-	-	-			-	 	-
	Unbundled Network Access Register - Indial Unbundled Network Access Register - Outdial	1		UEP95	UAROX	0.00	0.00	0.00		1	 	1		1	 	
Miscell	aneous Terminations	†		00	5, 5,	0.00	0.00	0.00			1			1	†	
	Trunk Side	1			1									İ	1	
	Trunk Side Terminations, each			UEP95	CEND6	10.94	238.69	37.43	122.66	7.50		19.99				

CATEGORY RATE ELEMENTS Interior m Zone BCS USOC RATES(\$) RATE SUbmitted Submitted Flect Manual Svc Norder vs. Electronic- per LSR Processing pe	UNBUNDLED	NETWORK ELEMENTS - Kentucky												Attachment:	2		Exhibit: B
Compared National Compared N		,		Zone	BCS	USOC			RATES(\$)			Submitted Elec	Svc Order Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
A-Winn Digital (1244 Megability)							Rec	Nonred	curring	Nonrecurrin	a Disconnect			ossi	RATES (\$)		
DST Closed Terminations, each UEPSS MH101 82.28 404.18 191.44 144.71 193.99							1100					SOMEC	SOMAN			SOMAN	SOMAN
Description of the control of the																	ı
Interoffice Channel Millage - 2-Write									191.44	144.71							
Interoffice Channel Facilities Termination UEPS MIGSC 20.51 19.99					UEP95	M1HDO	0.00	28.96					19.99			ļ	
Pasture Activation CR95 (Pasture Activation (R95) (Pasture Activation (R95) (Pasture Activation (R95) (Pasture Activation (R95) (Pasture Activation Activation (Pasture Activation Activation (Pasture Activ					LIEDOS	MICDO	20.54						10.00			——	
Pesture Activations (1989) Centre Loops on Channelized DSI Service																\vdash	
December 8 Parture Activation on D - Channel Bank Centrina Loop State UEP96 190W 0.77 1999 19			e.		OLF 93	IVIIGBIVI	0.0116						19.99			H	
Feature Activation on D-4 Charmel Bank FX firm Side Loop UEP96 1POW6 0.77 19.99 19			Ĩ										19.99				
Feature Activation on D4 Channel Bank FX Trunk Site Loop UEP96 1POW7 0.77 19.99 19	F	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	1PQWS	0.77						19.99				ĺ .
Feature Activation on D4 Channel Bank FX Trunk Site Loop UEP96 1POW7 0.77 19.99 19																	1
Slot UEP96 190WP 0.77 19.99			ļ		UEP95	1PQW6	0.77			ļ			19.99		ļ	 '	
Feature Activation on D-4 Channel Bank Centrex Loop Sid - Different Wire Center UEP95 IPOWP 0.77 19.99 19.			1		LIEDOE	400147	0.77						40.00		1	1 '	1
Different Winc Center					UEP95	1PQW7	0.77						19.99			 	
Feature Activation on D-4 Channel Bank Tije Line/Trunk Loop 19.99					UEP95	1PQWP	0.77						19.99				
Stot UEP86 HPOWQ 0.77 19.99	F	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP95	1PQWV	0.77						19.99				<u> </u>
Feature Activation on 0-4 Channel Bank WATS Loop Stot UEP9S IPDWA 0.77																1	l
Non-Recurring Charges (NRC) Associated with UNEP-Centrex NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port UEP96 USAC2 10.00 10.00 19.99 New Centrex Standard Common Block UEP96 MIACC 0.00 667.47 19.99 New Centrex Customized Common Block UEP96 MIACC 0.00 667.47 19.99 NRAC Common Block UEP96 MIACC 0.00 667.47 19.99 NRAC Common Block UEP96 MIACC 0.00 667.47 19.99 NRAC Common Block UEP96 MIACC 0.00 667.47 19.99 NRAC Common Block UEP96 URECA 0.00 72.75 19.99 NRAC Common Block UEP96 URECA 0.00 72.75 19.99 NRAC Common Block UEP96 URECA 0.00 72.75 19.99 NRAC Common Block UEP96																Ļ'	
NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port					UEP95	1PQWA	0.77						19.99			$\vdash \!$	
Changes, per port																\vdash	
New Centrex Standard Common Block					LIEP95	LISAC2		10.00	10.00				19 99			1 '	ł
New Centrax Customized Common Block							0.00		10.00								
UNE-P CENTREX - DMS100 (Valid in All States)																	
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo					UEP95	URECA	0.00	72.75					19.99				
UNE Port/Loop Combination Rates (Non-Design)																	
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design																 	
Non-Design			1	-												├ ──	
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design				1	LIEDOD		16 15									1 '	ł
Non-Design				- '-	OLF3D		10.13									H	
2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 3 UEP9D 30.88				2	UEP9D		22.34									1 '	ł
UNE Port/Loop Combination Rates (Design)																	i
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design				3	UEP9D		30.88									<u> </u>	<u> </u>
Design																	
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2 UEP9D 26.57			-	١.												1 '	ł
Design				1	UEP9D		20.39									\vdash	
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design 37.57				2	LIEPAD		26 57									1 '	ł
Design 3 UEP9D 37.57				-	OLI OD		20.07										ſ
UNE Loop Rate				3	UEP9D		37.57									1 '	1
2-Wire Voice Grade Loop (SL 1) - Zone 2 2 UEP9D UECS1 19.73	UNE Loc	op Rate															
2-Wire Voice Grade Loop (SL 1) - Zone 3 3 UEP9D UECS1 28.27																igsquare	
2-Wire Voice Grade Loop (SL 2) - Zone 1			ļ													 '	
2-Wire Voice Grade Loop (SL 2) - Zone 2 UEP9D UECS2 23.96			 								1	-	1			\vdash	
2-Wire Voice Grade Loop (SL 2) - Zone 3 3 UEP9D UECS2 34.96										1	1						
UNE Port Rate																$\overline{}$	
ALL STATES	UNE Por	rt Rate		Ť			225			İ							
2-Wire Voice Grade Port (Centrex 800 termination)Basic Local	ALL STA	ATES															
Area UEP9D UEPYB 2.61 21.21 15.43 2.84 2.66 19.99					UEP9D	UEPYA	2.61	21.21	15.43	2.84	2.66		19.99			\vdash	<u> </u>
					LIEDOD	LIEDVD	2.04	04.04	45.40	0.04	0.00		40.00			1 '	l
		100	 	1	UEP9D	UEPYB	2.61	21.21	15.43	2.84	2.66	-	19.99			\vdash	
Area UEP9D UEPYC 2.61 21.21 15.43 2.84 2.66 19.99	P	Area			UEP9D	UEPYC	2.61	21.21	15.43	2.84	2.66		19.99			ļ	<u> </u>
2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local					UEP9D	UEPYD	2.61	21.21	15.43	2.84	2.66		19.99				l

UNBUNDLE	D NETWORK ELEMENTS - Kentucky												Attachment:	2		Exhibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec			g Disconnect				RATES (\$)		
	2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Area			UEP9D	UEPYE	2.61	21.21	15.43	2.84	2.66		19.99				
	2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local Area			UEP9D	UEPYF	2.61	21.21	15.43	2.84	2.66		19.99				
	2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local															
	Area 2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local			UEP9D	UEPYG	2.61	21.21	15.43	2.84	2.66		19.99				
	Area			UEP9D	UEPYT	2.61	21.21	15.43	2.84	2.66		19.99				
	2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local Area			UEP9D	UEPYU	2.61	21.21	15.43	2.84	2.66		19.99				
	2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local															
	Area 2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local			UEP9D	UEPYV	2.61	21.21	15.43	2.84	2.66		19.99				
	Area			UEP9D	UEPY3	2.61	21.21	15.43	2.84	2.66		19.99				
	2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local Area			UEP9D	UEPYH	2.61	21.21	15.43	2.84	0.266		19.99				
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp															
	Indication))3 Basic Local Area 2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))3			UEP9D	UEPYW	2.61	21.21	15.43	2.84	2.66		19.99				
	Basic Local Area			UEP9D	UEPYJ	2.61	21.21	15.43	2.84	2.66		19.99				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) 2 Basic Local Area			UEP9D	UEPYM	2.61	21.21	15.43	2.84	2.66		19.99				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3															
	Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3			UEP9D	UEPYO	2.61	21.21	15.43	2.84	2.66		19.99				
	Basic Local Area			UEP9D	UEPYP	2.61	21.21	15.43	2.84	2.66		19.99				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3 Basic Local Area			UEP9D	UEPYQ	2.61	21.21	15.43	2.84	2.66		19.99				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3 Basic Local Area			LIEDOD	UEPYR	0.04	24.24	45.40	2.04	0.00		19.99				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3			UEP9D	UEPTK	2.61	21.21	15.43	2.84	2.66		19.99				
	Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3			UEP9D	UEPYS	2.61	21.21	15.43	2.84	2.66		19.99				
	Basic Local Area			UEP9D	UEPY4	2.61	21.21	15.43	2.84	2.66		19.99				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 Basic Local Area			UEP9D	UEPY5	2.61	21.21	15.43	2.84	2.66		19.99				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3															
	Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3			UEP9D	UEPY6	2.61	21.21	15.43	2.84	2.66		19.99				-
	Basic Local Area			UEP9D	UEPY7	2.61	21.21	15.43	2.84	2.66		19.99				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term			UEP9D	UEPYZ	2.61	21.21	15.43	2.84	2.66		19.99				
	2-Wire Voice Grade Port terminated in on Megalink or equivalent										1					
	Basic Local Area 2-Wire Voice Grade Port Terminated on 800 Service Term Basic			UEP9D	UEPY9	2.61	21.21	15.43	2.84	2.66	-	19.99				
<u> </u>	Local Area			UEP9D	UEPY2	2.61	21.21	15.43	2.84	2.66		19.99				
AL, KY	, LA, MS, SC, & TN Only 2-Wire Voice Grade Port (Centrex)			UEP9D	UEPQA	2.61	21.21	15.43	2.84	2.66	-	19.99				
	2-Wire Voice Grade Fort (Centrex) 2-Wire Voice Grade Port (Centrex 800 termination)			UEP9D	UEPQB	2.61	21.21	15.43	2.84	2.66		19.99				<u> </u>
	2-Wire Voice Grade Port (Centrex / EBS-PSET)3			UEP9D	UEPQC	2.61	21.21	15.43	2.84	2.66		19.99				
	2-Wire Voice Grade Port (Centrex / EBS-M5009)3			UEP9D	UEPQD	2.61	21.21	15.43	2.84	2.66		19.99				
	2-Wire Voice Grade Port (Centrex / EBS-M5209)3	ļ		UEP9D	UEPQE	2.61	21.21	15.43	2.84	2.66		19.99				
	2-Wire Voice Grade Port (Centrex / EBS-M5112)3 2-Wire Voice Grade Port (Centrex / EBS-M5312)3			UEP9D UEP9D	UEPQF UEPQG	2.61 2.61	21.21 21.21	15.43 15.43	2.84 2.84	2.66 2.66	-	19.99 19.99				
 	2-Wire Voice Grade Port (Centrex / EBS-M5312)3 2-Wire Voice Grade Port (Centrex / EBS-M5008)3	1	\vdash	UEP9D	UEPQT	2.61	21.21	15.43	2.84	2.66		19.99				
	2-Wire Voice Grade Port (Centrex / EBS-M5008)3	 		UEP9D	UEPQU	2.61	21.21	15.43	2.84	2.66		19.99				
	2-Wire Voice Grade Port (Centrex / EBS-M5216)3			UEP9D	UEPQV	2.61	21.21	15.43	2.84	2.66		19.99				
	2-Wire Voice Grade Port (Centrex / EBS-M5316)3			UEP9D	UEPQ3	2.61	21.21	15.43	2.84	2.66		19.99				

JNBUNDLE	D NETWORK ELEMENTS - Kentucky												Attachment:	2		Exhibit: E
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Submitted	Incremental Charge - Manual Svc	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec	urrina	Nonrecurring	g Disconnect			ossi	RATES (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex with Caller ID)			UEP9D	UEPQH	2.61	21.21	15.43	2.84	2.66		19.99				
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp															
	Indication)3 2-Wire Voice Grade Port (Centrex/Msq Wtq Lamp Indication)3	-		UEP9D UEP9D	UEPQW UEPQJ	2.61 2.61	21.21 21.21	15.43 15.43	2.84 2.84	2.66 2.66		19.99 19.99				
-+	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)			OLI 9D	OLI Q3	2.01	21.21	10.40	2.04	2.00		13.33				
	2			UEP9D	UEPQM	2.61	21.21	15.43	2.84	2.66		19.99				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3			UEP9D	UEPQO	2.61	21.21	15.43	2.84	2.66		19.99				
	O Miles Miles One In Prod (October / Fifter ONIO /FDO MESSON)			LIEDOD	LIEDOD	0.04	04.04	45.40	0.04	0.00		40.00				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3			UEP9D UEP9D	UEPQP UEPQQ	2.61 2.61	21.21 21.21	15.43 15.43	2.84 2.84	2.66 2.66		19.99 19.99				
	2-Wile Voice Grade Fort (Centrex differ SWC /EBS-5209)2, 3			OLF 9D	ULFQQ	2.01	21.21	15.45	2.04	2.00		13.33				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3			UEP9D	UEPQR	2.61	21.21	15.43	2.84	2.66		19.99				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3			UEP9D	UEPQS	2.61	21.21	15.43	2.84	2.66		19.99				
	2 Mine Vaine Conda Book (Contravidiffer CNIC /EDC MECCO) 2			LIEDOD	LIEDO4	0.04	24.24	45.40	2.04	0.00		40.00				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3			UEP9D	UEPQ4	2.61	21.21	15.43	2.84	2.66		19.99				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3			UEP9D	UEPQ5	2.61	21.21	15.43	2.84	2.66		19.99				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3			UEP9D	UEPQ6	2.61	21.21	15.43	2.84	2.66		19.99				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3			UEP9D	UEPQ7	2.61	21.21	15.43	2.84	2.66		19.99				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term			UEP9D	UEPQZ	2.61	21.21	15.43	2.84	2.66		19.99				
-+	Tem			OLI 9D	OLI QZ	2.01	21.21	10.40	2.04	2.00		13.33				
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9D	UEPQ9	2.61	21.21	15.43	2.84	2.66		19.99				
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP9D	UEPQ2	2.61	21.21	15.43	2.84	2.66		19.99				
Local	Switching			LIEDAD								10.00				
Local	Centrex Intercom Funtionality, per port Number Portability			UEP9D	URECS	0.8873						19.99				
Local	Local Number Portability (1 per port)			UEP9D	LNPCC	0.35						19.99				
Featur				OLI OD	LIVI CO	0.00						10.00				
	All Standard Features Offered, per port			UEP9D	UEPVF	3.39						19.99				
	All Select Features Offered, per port			UEP9D	UEPVS	0.00	405.66					19.99				
	All Centrex Control Features Offered, per port			UEP9D	UEPVC	3.39						19.99				
NARS	Habita diad National Access Designation Combination			UEP9D	UARCX	0.00	0.00	0.00								
-+-	Unbundled Network Access Register - Combination Unbundled Network Access Register - Inward	1		UEP9D	UARCX UAR1X	0.00	0.00	0.00			<u> </u>					
-	Unbundled Network Access Register - Outdial	t -		UEP9D	UAROX	0.00	0.00	0.00			1					
	laneous Terminations															
2-Wire	Trunk Side															
4.180	Trunk Side Terminations, each			UEP9D	CEND6	10.94	238.69	37.49	122.40	7.50		19.99				
4-wire	Digital (1.544 Megabits) DS1 Circuit Terminations, each			UEP9D	M1HD1	83.28	404.18	191.44	144.71	4.90		19.99				
-+	DS0 Channels Activiated per Channel			UEP9D	M1HDO	0.00	28.96	131.44	144.71	4.30		19.99				
Interof	fice Channel Mileage - 2-Wire															
	Interoffice Channel Facilities Termination			UEP9D	MIGBC	29.51						19.99				
	Interoffice Channel mileage, per mile or fraction of mile			UEP9D	MIGBM	0.0118						19.99				
	e Activations (DS0) Centrex Loops on Channelized DS1 Service annel Bank Feature Activations	ce	 		+ +						1					1
D4 Cha	Feature Activation on D-4 Channel Bank Centrex Loop Slot	1		UEP9D	1PQWS	0.77					-	19.99				
-	- Salara , Salaranon on D - Charmer Dank Centrex Loop Slot			J = 1 J D	11 9770	0.77						13.33				
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9D	1PQW6	0.77					<u></u>	19.99				
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop									· · · · · ·						
1	Slot	1	1	UEP9D	1PQW7	0.77			i l	ı	1	19.99				1
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -		-	OLI OD	11 (417)	0.77										

JNBUNDLE	D NETWORK ELEMENTS - Kentucky												Attachment:	2		Exhibit: E
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc	ı		RATES(\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Charge - Manual Sv Order vs.
						Rec	Nonrec	urring	Nonrecurring	g Disconnect				RATES (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9D	1PQWV	0.77						19.99				
	Feature Activation on D-4 Channel Bank Tije Line/Trunk Loop	+		UEP9D	IFQWV	0.77						19.99				+
	Slot			UEP9D	1PQWQ	0.77						19.99				
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9D	1PQWA	0.77						19.99				1
Non-R	ecurring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed															
	changes, per port New Centrex Standard Common Block			UEP9D UEP9D	USAC2 M1ACS	0.00	10.00 667.47	10.00				19.99 19.99				
	New Centrex Standard Common Block	1		UEP9D	M1ACC	0.00	667.47					19.99				+
<u> </u>	NAR Establishment Charge, Per Occasion	1	†	UEP9D	URECA	0.00	72.75				1	19.99		1		
UNE-P	CENTREX - EWSD (Valid in AL, FL, KY, LA, MS & TN)	1		1	55,	0.00										<u> </u>
2-Wire	VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
UNE P	ort/Loop Combination Rates (Non-Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	1	l	l	1 7]										
	Non-Design		1	UEP9E		16.15										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		2	UEP9E		22.34										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			UEF9E		22.34										+
	Non-Design		3	UEP9E		30.88										
UNE P	ort/Loop Combination Rates (Design)			02. 02		00.00										†
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	-														
	Design		1	UEP9E		20.39										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design		2	UEP9E		26.57										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	1		LIEBOE		07.57										
LINE	Design oop Rate	-	3	UEP9E		37.57										+
UNE L	2-Wire Voice Grade Loop (SL 1) - Zone 1	1	1	UEP9E	UECS1	13.54						19.99				+
	2-Wire Voice Grade Loop (SL 1) - Zone 2	-		UEP9E	UECS1	19.73						19.99				+
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP9E	UECS1	28.27						19.99				1
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP9E	UECS2	17.78						19.99				
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP9E	UECS2	23.96						19.99				
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9E	UECS2	34.96						19.99				
	ort Rate															<u> </u>
AL, FL	, KY, LA, MS, & TN only			LIEDOE	LIED)/A	0.04	04.04	45.40	0.04	0.00		40.00				
	2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local	1	 	UEP9E	UEPYA	2.61	21.21	15.43	2.84	2.66		19.99				+
	Area			UEP9E	UEPYB	2.61	21.21	15.43	2.84	2.66		19.99				
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local	1		İ	1					_:50						†
	Area			UEP9E	UEPYH	2.61	21.21	15.43	2.84	2.66		19.99				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire															
	Center)2 Basic Local Area	1	<u> </u>	UEP9E	UEPYM	2.61	21.21	15.43	2.84	2.66		19.99				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			LIEDOE	LIEDV7	0.04	04.04	45.40	0.04	0.00		40.00				
	Term - Basic Local Area 2-Wire Voice Grade Port terminated in on Megalink or equivalent		!	UEP9E	UEPYZ	2.61	21.21	15.43	2.84	2.66	-	19.99				
	- Basic Local Area	1	1	UEP9E	UEPY9	2.61	21.21	15.43	2.84	2.66		19.99				
<u> </u>	2-Wire Voice Grade Port Terminated on 800 Service Term -	1		OL: 3L	JLI 13	2.01	21.21	10.40	2.04	2.00		10.00				†
	Basic Local Area		1	UEP9E	UEPY2	2.61	21.21	15.43	2.84	2.66		19.99				
AL, KY	, LA, MS, & TN Only															
	2-Wire Voice Grade Port (Centrex)			UEP9E	UEPQA	2.61	21.21	15.43	2.84	2.66		19.99				
	2-Wire Voice Grade Port (Centrex 800 termination)	ļ		UEP9E	UEPQB	2.61	21.21	15.43	2.84	2.66		19.99				
	2-Wire Voice Grade Port (Centrex with Caller ID)1	ļ	<u> </u>	UEP9E	UEPQH	2.61	21.21	15.43	2.84	2.66		19.99				├
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2		1	UEP9E	UEPQM	2.61	21.21	15.43	2.84	2.66		19.99				
1		1	<u> </u>	OLIBE	UEPQIVI	ان.2	21.21	15.43	∠.84	∠.00	1	19.99				+
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															

UNBUNDLEI	NETWORK ELEMENTS - Kentucky												Attachment:	2		Exhibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec	urring	Nonrecurring	Disconnect			oss i	RATES (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	O Mire Vaire Conda Dout torrain stad in an Manalinh an annivelent			LIEDOE	LIEDOO	2.04	24.24	45.40	2.04	0.00		40.00				Ĭ
	2-Wire Voice Grade Port terminated in on Megalink or equivalent 2-Wire Voice Grade Port Terminated on 800 Service Term			UEP9E UEP9E	UEPQ9 UEPQ2	2.61 2.61	21.21 21.21	15.43 15.43	2.84 2.84	2.66 2.66		19.99 19.99			 	
Local S	witching			OLI 3L	OLI QZ	2.01	21.21	13.43	2.04	2.00		13.33				
	Centrex Intercom Funtionality, per port			UEP9E	URECS	0.8873						19.99				
Local N	umber Portability															
	Local Number Portability (1 per port)			UEP9E	LNPCC	0.35						19.99			├ ──	
Feature	All Standard Features Offered, per port			UEP9E	UEPVF	3.39						19.99			\vdash	
	All Select Features Offered, per port			UEP9E	UEPVS	0.00	405.66					19.99			 	
	All Centrex Control Features Offered, per port			UEP9E	UEPVC	3.39	400.00					19.99				
NARS	· · ·					5.55										
	Unbundled Network Access Register - Combination			UEP9E	UARCX	0.00	0.00	0.00								
	Unbundled Network Access Register - Indial			UEP9E	UAR1X	0.00	0.00	0.00		•						
	Unbundled Network Access Register - Outdial			UEP9E	UAROX	0.00	0.00	0.00								1
	aneous Terminations														├	-
	Trunk Side Trunk Side Terminations, each			UEP9E	CEND6	10.94	238.69	37.49	119.40	7.50		19.99			\vdash	
	Digital (1.544 Megabits)			UEP9E	CENDO	10.94	230.09	37.49	119.40	7.50		19.99			 	
	DS1 Circuit Terminations, each			UEP9E	M1HD1	83.28	404.18	191.44	144.71	4.90		19.99			 	<u> </u>
	DS0 Channel Activated Per Channel			UEP9E	M1HDO	0.00	28.96			1.00		19.99				
	ice Channel Mileage - 2-Wire															
	Interoffice Channel Facilities Termination			UEP9E	MIGBC	29.51						19.99				
	Interoffice Channel mileage, per mile or fraction of mile			UEP9E	MIGBM	0.0118						19.99				
	Activations (DS0) Centrex Loops on Channelized DS1 Service	e													├	
D4 Cha	nnel Bank Feature Activations			UEP9E	1PQWS	0.77						40.00			 	
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9E	1PQWS	0.77						19.99			\vdash	
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9E	1PQW6	0.77						19.99			ĺ	İ
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop			02. 02		0						10.00				
	Slot			UEP9E	1PQW7	0.77						19.99			ĺ	İ
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -															
	Different Wire Center			UEP9E	1PQWP	0.77						19.99				1
				LIEBAE	450111										i	İ
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9E	1PQWV	0.77						19.99			 	
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot			UEP9E	1PQWQ	0.77						19.99			İ	
	Feature Activation on D-4 Channel Bank WATS Loop Slot	1		UEP9E	1PQWQ	0.77						19.99			 	†
Non-Re	curring Charges (NRC) Associated with UNE-P Centrex					57										
	NRC Conversion Currently Combined Switch-As-Is with allowed														ſ	
	changes, per port	<u> </u>		UEP9E	USAC2		10.00	10.00				19.99		ļ		1
	New Centrex Standard Common Block			UEP9E	M1ACS	0.00	667.47					19.99			├	
 	New Centrex Customized Common Block NAR Establishment Charge, Per Occasion	 	-	UEP9E UEP9E	M1ACC URECA	0.00	667.47 72.75				-	19.99 19.99				
	CENTREX - DCO - Valid in AL, KY, LA, MS, & TN)			UEP9E	URECA	0.00	12.15					19.99			\vdash	
	VG Loop/2-Wire Voice Grade Port (Centrex) Combo														 	
	ort/Loop Combination Rates (Non-Design)	1												1		
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	•														
	Non-Design		1	UEP93		16.15									1	<u> </u>
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	1													1	1
 	Non-Design	ļ	2	UEP93		22.34									├	
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		3	UEP93		30.88									1	1
LINE D	non-Design ort/Loop Combination Rates (Design)	1	3	UEF93	+	30.88									 	
ONE FO	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo				+	 									 	
	Design	1	1	UEP93		20.39								1	1	1
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -						İ									
	Design	l .	2	UEP93		26.57									<u> </u>	<u> </u>

UNBUNDLEI	D NETWORK ELEMENTS - Kentucky												Attachment:	2		Exhibit: I
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Submitted	Incremental Charge - Manual Svc	Incremental Charge -	Charge -	Incrementa Charge - Manual Sv Order vs.
						Rec	Nonrec	curring	Nonrecurring	g Disconnect			oss i	RATES (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo		3	LIEDOS		27.57										
LINE L	Design pop Rate	1	3	UEP93		37.57										
ONE EC	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP93	UECS1	13.54										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP93	UECS1	19.73										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP93	UECS1	28.27										
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP93	UECS2	17.78										
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP93	UECS2	23.96										
UNIE D	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP93	UECS2	34.96										
	ort Rate , LA, MS, & TN only	1			-											-
AL, KY	2-Wire Voice Grade Port (Centrex) Basic Local Area	1	-	UEP93	UEPYA	2.61	21.21	15.43	2.84	2.66	1	19.99		1		
	2-Wire Voice Grade Port (Centrex) Basic Local Area Area			UEP93	UEPYB	2.61	21.21	15.43	2.84	2.66		19.99				
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local															
	Area 2-Wire Voice Grade Port (Centrex from diff Serving Wire			UEP93	UEPYH	2.61	21.21	15.43	2.84	2.66		19.99				
	Center)2 Basic Local Area 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			UEP93	UEPYM	2.61	21.21	15.43	2.84	2.66		19.99				
	Term - Basic Local Area 2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP93	UEPYZ	2.61	21.21	15.43	2.84	2.66		19.99				
	- Basic Local Area 2-Wire Voice Grade Port Terminated on 800 Service Term -			UEP93	UEPY9	2.61	21.21	15.43	2.84	2.66		19.99				
	Basic Local Area			UEP93	UEPY2	2.61	21.21	15.43	2.84	2.66		19.99				
	2-Wire Voice Grade Port (Centrex)			UEP93	UEPQA	2.61	21.21	15.43	2.84	2.66		19.99				
	2-Wire Voice Grade Port (Centrex 800 termination) 2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP93 UEP93	UEPQB UEPQH	2.61 2.61	21.21 21.21	15.43 15.43	2.84 2.84	2.66 2.66		19.99 19.99				
	2-Wire Voice Grade Port (Centrex with Carlet ID)1 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2			UEP93	UEPQM	2.61	21.21	15.43	2.84	2.66		19.99				
	Ze-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term			UEP93	UEPQZ	2.61	21.21	15.43	2.84	2.66		19.99				
	Tem			UEF93	UEPQZ	2.01	21.21	15.43	2.04	2.00		19.99				1
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP93	UEPQ9	2.61	21.21	15.43	2.84	2.66		19.99				
l ocal S	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP93	UEPQ2	2.61	21.21	15.43	2.84	2.66		19.99				
	Centrex Intercom Funtionality, per port			UEP93	URECS	0.8873						19.99				
Local N	lumber Portability															
	Local Number Portability (1 per port)			UEP93	LNCCC	0.35		•								
Feature		<u> </u>	<u> </u>	LIEBOO	LIED) (E	2.00						10.0-				<u> </u>
	All Standard Features Offered, per port	!	<u> </u>	UEP93	UEPVF	3.39				-		19.99		-		
NARS	All Centrex Control Features Offered, per port	!	-	UEP93	UEPVC	3.39						19.99		-		
CARK	Unbundled Network Access Register - Combination	 	 	UEP93	UARCX	0.00	0.00	0.00			-					
	Unbundled Network Access Register - Indial	1		UEP93	UAR1X	0.00	0.00	0.00								
	Unbundled Network Access Register - Outdial			UEP93	UAROX	0.00	0.00	0.00								
	aneous Terminations							-								
2-Wire	Trunk Side															ļ
A 140°.	Trunk Side Terminations, each	<u> </u>		UEP93	CEND6	10.94				-		19.99				
	Digital (1.544 Megabits) DS1 Circuit Terminations, each	1		UEP93	M1HD1	83.28	404.18	191.44	144.71	4.90		19.99				-
+	DS0 Channels Activated, Per Channel	1	-	UEP93	M1HD0	0.00	28.96	191.44	144.71	4.90	1	19.99		1		
Interoff	ice Channel Mileage - 2-Wire	1		OLI 90	WILLDO	0.00	20.90					13.33				<u> </u>
	Interoffice Channel Facilities Termination			UEP93	MIGBC	29.51						19.99				
	Interoffice Channel mileage, per mile or fraction of mile			UEP93	MIGBM	0.0118						19.99				
	Activations (DS0) Centrex Loops on Channelized DS1 Service	се														
	nnel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot		<u> </u>	UEP93	1PQWS	0.77						19.99				<u> </u>

UNBUNDLE	D NETWORK ELEMENTS - Kentucky												Attachment:	2		Exhibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			Submitted Elec	Submitted Manually	Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-		Order vs. Electronic-
											per LSR	per LSR	1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonrec			g Disconnect	001150	001441		RATES (\$)		001111
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Feature Activation on D-4 Channel Bank FX Line Side Loop Slot			UEP93	1PQW6	0.77						19.99				
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP93	1PQW7	0.77						19.99				
	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center			UEP93	1PQWP	0.77						19.99				
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP93	1PQWV	0.77						19.99				
	Feature Activation on D-4 Channel Bank Tie Line/Trunk Loop Slot			UEP93	1PQWQ	0.77						19.99				
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP93	1PQWA	0.77						19.99				
Non-R	ecurring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port			UEP93	USAC2		10.00	10.00				19.99				
	New Centrex Standard Common Block			UEP93	M1ACS	0.00	667.47					19.99				
	New Centrex Customized Common Block			UEP93	M1ACC	0.00	667.47					19.99				
	NAR Establishment Charge, Per Occasion			UEP93	URECA	0.00	72.75					19.99				
Note 1	- Required Port for Centrex Control in 1AESS, 5ESS & EWSD															
Note 2	2 - Requres Interoffice Channel Mileage															
Note 3	- Requires Specific Customer Premises Equipment															
					1											
			1		1					-					-	
			1			1				1	ļ					
			<u> </u>								l					L

UNBU	NDLE	NETWORK ELEMENTS - Louisiana												Attachment:	2		Exhibit: B
CATE	GORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Charge -	Incremental Charge - Manual Svc Order vs. Electronic-
												per LSR	per LSR	1st	Add'l	Disc 1st	Disc Add'l
												por zore	po: 20:1		7144	2.00 .01	
							Rec	Nonrec		Nonrecurring					RATES (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	The "7	one" shown in the sections for stand-alone loops or loops as	nort of	0.00	ningtion refere to Co	o aronhi o olly	Degraraged II	NE Zonos. To	viou Coogran	sically Degrees	and LINE 7and	Docimenti	ana hu Cant	rol Office rofe	or to Internet	Mahaita	<u> </u>
		ww.interconnection.bellsouth.com/become_a_clec/html/inter				ograpilically	Deaveraged O	NE Zones. 10	view Geograpi	ilically Deaver	iged ONE Zone	Designation	ons by Cent	iai Oilice, iei	er to internet	website.	
		SUPPORT SYSTEMS															
		1) Electronic Service Order: CLEC-1 should contact its contr															
		is the BellSouth regional electronic service ordering charge.															
		(2) Any element that can be ordered electronically will be bill lements that cannot be ordered electronically at present per t															
		g charge, SOMAN, will be applied to a CLECs bill when it sub				iii tiiis cateç	gory renects th	e charge that v	rould be billed	I to a CLLC OII	ce electronic c	ruering cap	Jabilities CO	ille oli-illie io	tilat elemen	i. Otherwise,	ine manuai
		Electronic OSS Charge, per LSR, submitted via BST's OSS															
LIMBUL	חוביי -	interactive interfaces (Regional) XCHANGE ACCESS LOOP				SOMEC		3.50									
		ANALOG VOICE GRADE LOOP															
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEAL2	12.90	36.54	16.87				15.20				
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		2	UEANL	UEAL2	23.33	36.54	16.87				15.20				
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 Loop Testing - Basic 1st Half Hour		3	UEANL UEANL	UEAL2 URET1	48.43	36.54 33.17	16.87 33.17				15.20				
-		Loop Testing - Basic Additional Half Hour			UEANL	URETA		19.28	19.28								
		Engineering Information Document (EI)			UEANL			13.04	13.04								
		Manual Order Coordination for UVL-SL1s (per loop)*			UEANL	UEAMC		7.92	7.92								
		Order Coordination for Specified Conversion Time for UVL-SL1 (per LSR) *			UEANL	OCOSL		17.56	17.56								
	2-WIRE	Unbundled COPPER LOOP															
		2-Wire Unbundled Copper Loop - Non-Designed Zone 1		1	UEQ	UEQ2X	12.40	35.27	15.60				15.20				
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 2 2 Wire Unbundled Copper Loop - Non-Designed - Zone 3	-		UEQ UEQ	UEQ2X UEQ2X	14.32 16.87	35.27 35.27	15.60 15.60				15.20 15.20				
		Order Coordination 2 Wire Unbundled Copper Loop - Non-	-		OLQ	OLGEN	10.07	00.27	10.00				10.20				
		Designed (per loop)			UEQ	USBMC		7.92	7.92								
		Engineering Information Document Loop Testing - Basic 1st Half Hour			UEQ UEQ	URET1		13.04 33.17	13.04 33.17								
		Loop Testing - Basic Additional Half Hour			UEQ	URETA		19.28	19.28								
		XCHANGE ACCESS LOOP															
	2-WIRE	ANALOG VOICE GRADE LOOP															
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 1	1	1	UEPSR UEPSB	UEALS	12.90	36.54	16.87	0.00	0.00		15.20				İ
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		Ė													
<u> </u>		Zone 1	- 1		UEPSR UEPSB	UEABS	12.90	36.54	16.87	0.00	0.00		15.20				
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting- Zone 2	1	2	UEPSR UEPSB	UEALS	23.33	36.54	16.87	0.00	0.00		15.20				İ
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-	<u> </u>	<u> </u>													
\sqcup		Zone 2	1		UEPSR UEPSB	UEABS	23.33	36.54	16.87	0.00	0.00		15.20				
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 3		3	UEPSR UEPSB	UEALS	48.43	36.54	16.87	0.00	0.00		15.20				İ
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-	<u> </u>	٦													
		Zone 3	- 1		UEPSR UEPSB	UEABS	48.43	36.54	16.87	0.00	0.00		15.20				<u> </u>
		XCHANGE ACCESS LOOP ANALOG VOICE GRADE LOOP															
	Z-WIKE	CLEC to CLEC Conversion Charge without outside dispatch											-				
		(UVL-SL1)			UEANL	UREWO		36.54	16.87				15.20				
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		_ ا	LIEA	LIEALO	44.00	400.40	05.70								1
+		Ground Start Signaling - Zone 1 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		1	UEA	UEAL2	14.93	102.10	65.72				1		-	-	
		Ground Start Signaling - Zone 2		2	UEA	UEAL2	25.35	102.10	65.72				15.20				1

4Q01:12/01/01 PAGE 145 OF 324

UNBUNDLE	D NETWORK ELEMENTS - Louisiana											Attachment:	2		Exhibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring Disconne				RATES (\$)		
							First	Add'l	First Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		3	UEA	UEAL2	50.46	102.10	CE 70			45.00				
	Ground Start Signaling - Zone 3 Order Coordination for Specified Conversion Time (per LSR)	1	3	UEA	OCOSL	50.46	17.56	65.72			15.20				
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse			OLA	CCCGE		17.50								
	Battery Signaling - Zone 1		1	UEA	UEAR2	14.93	102.10	65.72			15.20				
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse														
	Battery Signaling - Zone 2		2	UEA	UEAR2	25.35	102.10	65.72			15.20				
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse			UEA	LIEADO	50.40	100.10	05.70			45.00				
	Battery Signaling - Zone 3 Order Coordination for Specified Conversion Time (per LSR)	1	3	UEA	UEAR2 OCOSL	50.46	102.10 17.56	65.72			15.20				
 	CLEC to CLEC Conversion Charge without outside dispatch	 	1	UEA	UREWO		102.10	38.22			15.20				
4-WIRE	E ANALOG VOICE GRADE LOOP			U-/ \	SILLANO		102.10	30.22			10.20				
	4-Wire Analog Voice Grade Loop - Zone 1		1	UEA	UEAL4	30.81	127.40	91.02			15.20				
	4-Wire Analog Voice Grade Loop - Zone 2			UEA	UEAL4	38.32	127.40	91.02			15.20				
	4-Wire Analog Voice Grade Loop - Zone 3		3	UEA	UEAL4	60.39	127.40	91.02			15.20				
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		17.56								
2-WIRE	ISDN DIGITAL GRADE LOOP 2-Wire ISDN Digital Grade Loop - Zone 1		1	UDN	U1L2X	22.09	113.34	76.96			15.20				
	2-Wire ISDN Digital Grade Loop - Zone 1 2-Wire ISDN Digital Grade Loop - Zone 2	1		UDN	U1L2X	35.28	113.34	76.96			15.20				
	2-Wire ISDN Digital Grade Loop - Zone 3			UDN	U1L2X	65.18	113.34	76.96			15.20				
	Order Coordination For Specified Conversion Time (per LSR)		Ť	UDN	OCOSL	00.10	17.56	70.00			.0.20				
	CLEC to CLEC Conversion Charge without outside dispatch			UDN	UREWO		113.34	33.04			15.20				
2-WIRE	Universal Digital Channel (UDC) COMPATIBLE LOOP														
	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone														
	1		1	UDC	UDC2X	22.09	113.34	76.96			15.20				
	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone		2	UDC	UDC2X	35.28	113.34	76.96			15.20				
	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone			UDC	UDCZX	33.20	113.34	76.96			15.20				
	3		3	UDC	UDC2X	65.18	113.34	76.96			15.20				
	CLEC to CLEC Conversion Charge without outside dispatch			UDC	UREWO		113.34	33.04			15.20				
2-WIRE	ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMF	ATIBLE	LOOP												
	2 Wire Unbundled ADSL Loop including manual service inquiry														
	& facility reservation - Zone 1		1	UAL	UAL2X	12.29	117.08	68.36			15.20				
	2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 2		2	UAL	UAL2X	14.09	117.08	68.36			15.20				
 	2 Wire Unbundled ADSL Loop including manual service inquiry			U/ 1L	JALZA	14.03	117.00	00.30			13.20				
1 1	& facility reservation - Zone 3		3	UAL	UAL2X	15.75	117.08	68.36			15.20				
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		17.56								
	2 Wire Unbundled ADSL Loop without manual service inquiry &														
\vdash	facility reservaton - Zone 1	ļ	1	UAL	UAL2W	12.29	92.83	56.02			15.20				
1 1	2 Wire Unbundled ADSL Loop without manual service inquiry &		2	UAL	UAL2W	14.09	92.83	EG 00			15 00				
 	facility reservaton - Zone 2 2 Wire Unbundled ADSL Loop without manual service inquiry &			UAL	UALZW	14.09	92.83	56.02			15.20				
	facility reservaton - Zone 3	1	3	UAL	UAL2W	15.75	92.83	56.02			15.20				
	Order Coordination for Specified Conversion Time (per LSR)	1	Ť	UAL	OCOSL		17.56				1.5.50				
	CLEC to CLEC Conversion Charge without outside dispatch			UAL	UREWO		92.83	29.29			15.20				
2-WIRE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP												
	2 Wire Unbundled HDSL Loop including manual service inquiry				11111 024	0.70	405.50	70.7-			45.00				
	& facility reservation - Zone 1 2 Wire Unbundled HDSL Loop including manual service inquiry	ļ	1	UHL	UHL2X	9.79	125.50	76.77			15.20				
1 1	& facility reservation - Zone 2		2	UHL	UHL2X	11.52	125.50	76.77			15.20				
	2 Wire Unbundled HDSL Loop including manual service inquiry	1		UL	JIILZA	11.02	120.00	10.11		_	10.20	1	1		1
	& facility reservation - Zone 3		3	UHL	UHL2X	12.74	125.50	76.77			15.20				
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		17.56								
	2 Wire Unbundled HDSL Loop without manual service inquiry	1													
\vdash	and facility reservation - Zone 1	ļ	1	UHL	UHL2W	9.79	101.24	64.43			15.20				
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2	1	2	UHL	UHL2W	11.52	101.24	64.43			15.20				
	and racinty reservation - Zone Z			UI IL	IOI ILZVV	11.52	101.24	04.43	L	L	15.20	L	L		L

UNBUNDLE	D NETWORK ELEMENTS - Louisiana											Attachment:	2		Exhibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			Submitted	Incremental Charge - Manual Svc	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring Disconnect				RATES (\$)		
							First	Add'l	First Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2 Wire Unbundled HDSL Loop without manual service inquiry														
	and facility reservation - Zone 3		3	UHL	UHL2W	12.74	101.24	64.43			15.20				
-	Order Coordination for Specified Conversion Time (per LSR)			UHL UHL	OCOSL UREWO		17.56 101.24	29.29			15.20				
4-WIDE	CLEC to CLEC Conversion Charge without outside dispatch HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIDIE	OOB	UHL	UREWU		101.24	29.29		-	15.20				
4-4411	4 Wire Unbundled HDSL Loop including manual service inquiry	TIBLE	LOOF						+	1					
	and facility reservation - Zone 1		1	UHL	UHL4X	16.24	153.26	104.54			15.20				
	4-Wire Unbundled HDSL Loop including manual service inquiry			OTIL	OTILAX	10.24	100.20	104.04		1	10.20				
	and facility reservation - Zone 2		2	UHL	UHL4X	16.65	153.26	104.54			15.20				
	4-Wire Unbundled HDSL Loop including manual service inquiry	1			1					1			1		
	and facility reservation - Zone 3	<u></u>	3	UHL	UHL4X	17.34	153.26	104.54			15.20		<u></u>		
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		17.56	•							
	4-Wire Unbundled HDSL Loop without manual service inquiry	1			L										1
<u> </u>	and facility reservation - Zone 1	ļ	1	UHL	UHL4W	16.24	129.00	92.20			15.20				
	4-Wire Unbundled HDSL Loop without manual service inquiry		_												
	and facility reservation - Zone 2		2	UHL	UHL4W	16.65	129.00	92.20			15.20				
	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3		3	UHL	UHL4W	17.34	129.00	92.20			15.20				
	Order Coordination for Specified Conversion Time (per LSR)		3	UHL	OCOSL	17.34	17.56	92.20	+	1	15.20				
	CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		101.24	29.29	+	1	15.20				
4-WIRE	E DS1 DIGITAL LOOP			OTIL	OKEVVO		101.24	23.23			13.20				
4 111112	4-Wire DS1 Digital Loop - Zone 1		1	USL	USLXX	85.70	245.16	152.98			15.20				
	4-Wire DS1 Digital Loop - Zone 2			USL	USLXX	194.96	245.16	152.98			15.20				
	4-Wire DS1 Digital Loop - Zone 3			USL	USLXX	491.94	245.16	152.98			15.20				
	Order Coordination for Specified Conversion Time (per LSR)			USL	OCOSL		17.56								
	CLEC to CLEC Conversion Charge without outside dispatch			USL	UREWO		130.07	39.99			15.20				
4-WIRE	19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP														
	4 Wire Unbundled Digital 19.2 Kbps			UDL	UDL19	30.99	121.86	85.48			15.20				
	4 Wire Unbundled Digital 19.2 Kbps			UDL	UDL19	36.78	121.86	85.48			15.20				
	4 Wire Unbundled Digital 19.2 Kbps		3		UDL19	38.92	121.86	85.48			15.20				
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1			UDL UDL	UDL56 UDL56	30.99 36.78	121.86 121.86	85.48 85.48		-	15.20				
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2 4 Wire Unbundled Digital Loop 56 Kbps - Zone 3			UDL	UDL56	38.92	121.86	85.48	+	1	15.20 15.20				
	Order Coordination for Specified Conversion Time (per LSR)		3	UDL	OCOSL	30.92	17.56	00.40	+	1	15.20				
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1		1	UDL	UDL64	30.99	121.86	85.48			15.20				
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2	1		UDL	UDL64	36.78	121.86	85.48			15.20				1
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3	1	3		UDL64	38.92	121.86	85.48		1	15.20				Ì
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		17.56								
	CLEC to CLEC Conversion Charge without outside dispatch			UDL	UREWO		121.86	38.63			15.20				
2-WIRE	Unbundled COPPER LOOP														
	2-Wire Unbundled Copper Loop/Short including manual service				1										
\vdash	inquiry & facility reservation - Zone 1	<u> </u>	1	UCL	UCLPB	12.29	116.18	67.46		<u> </u>	15.20		ļ		ļ
	2-Wire Unbundled Copper Loop/Short including manual service	1		1101	LICLED	14.00	440.40	67.40			45.00				1
 	inquiry & facility reservation - Zone 2	1	2	UCL	UCLPB	14.09	116.18	67.46		1	15.20				
	2 Wire Unbundled Copper Loop/Short including manual service inquiry & facility reservation - Zone 3	1	3	UCL	UCLPB	15.75	116.18	67.46			15.20				1
 	Order Coordination for Unbundled Copper Loops (per loop)	l	J	UCL	UCLPB	15.75	7.92	7.92		+	15.20		-		
 	2-Wire Unbundled Copper Loop/Short without manual service	1			JOLIVIO		1.02	1.32		1					
	inquiry and facility reservation - Zone 1	1	1	UCL	UCLPW	12.29	91.92	55.12			15.20				1
	2-Wire Unbundled Copper Loop/Short without manual service	1													
	inquiry and facility reservation - Zone 2	<u>L</u>	2	UCL	UCLPW	14.09	91.92	55.12		<u> </u>	15.20		<u> </u>		<u></u>
	2-Wire Unbundled Copper Loop/Short without manual service											_			
	inquiry and facility reservation - Zone 3	1	3	UCL	UCLPW	15.75	91.92	55.12			15.20				
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		7.92	7.92							ļ
	2-Wire Unbundled Copper Loop/Long - includes manual srvc.	1													1
\vdash	inquiry and facility reservation - Zone 1	!	1	UCL	UCL2L	17.21	116.18	67.46		1	15.20		1		
1 1	2-Wire Unbundled Copper Loop/Long - includes manual svc. inquiry and facility reservation - Zone 2	1	2	UCL	UCL2L	24.98	116.18	67.46			15.20				1
	Jiriquiry and racility reservation - Zone Z	1		UUL	UCLZL	24.98	110.18	07.46	L L	<u> </u>	15.20		l		l

UNBUNDLE	D NETWORK ELEMENTS - Louisiana											Attachment:	2		Exhibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			Submitted Manually	Incremental Charge - Manual Svc	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring Discon				RATES (\$)		
	2 Wire Hebundled Copper Leap/Leap includes manual ave						First	Add'l	First Add	'I SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Unbundled Copper Loop/Long - includes manual svc. inquiry and facility reservation - Zone 3		3	UCL	UCL2L	39.57	116.18	67.46			15.20				
	Order Coordination for Unbundled Copper Loops (per loop)		3	UCL	UCLMC	33.51	7.92	7.92			15.20				
	2-Wire Unbundled Copper Loop/Long - without manual service														
	inquiry and facility reservation - Zone 1		1	UCL	UCL2W	17.21	91.92	55.12			15.20				
	2-Wire Unbundled Copper Loop/Long - without manual service														
-	inquiry and facility reservation - Zone 2		2	UCL	UCL2W	24.98	91.92	55.12			15.20				
	2-Wire Unbundled Copper Loop/Long - without manual service inquiry and facility reservation - Zone 3		3	UCL	UCL2W	39.57	91.92	55.12			15.20				
	Order Coordination for Unbundled Copper Loops (per loop)		3	UCL	UCLMC	33.51	7.92	7.92			15.20				
	CLEC to CLEC Conversion Charge without outside dispatch										1				
	(UCL-Des)			UCL	UREWO		91.92	31.37			15.20				
	CLEC to CLEC Conversion Charge without outside dispatch							· · · · · · · · · · · · · · · · · · ·							
4 1407-	(UCL-ND)	ļ		UEQ	UREWO		36.53	16.16			15.20				ļ
4-WIRE	COPPER LOOP 4-Wire Copper Loop/Short - including manual service inquiry														
	and facility reservation - Zone 1		1	UCL	UCL4S	22.27	139.69	90.96			15.20				
	4-Wire Copper Loop/Short - including manual service inquiry		-	002	OOLHO	22.21	100.00	50.50			10.20				
	and facility reservation - Zone 2		2	UCL	UCL4S	18.95	139.69	90.96			15.20				
	4-Wire Copper Loop/Short - including manual service inquiry														
	and facility reservation - Zone 3		3	UCL	UCL4S	10.99	139.69	90.96			15.20				
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		7.92	7.92							
	4-Wire Copper Loop/Short - without manual service inquiry and facility reservation - Zone 1		1	UCL	UCL4W	22.27	115.43	78.63			15.20				
	4-Wire Copper Loop/Short - without manual service inquiry and		-	OCL	OCL4VV	22.21	115.45	76.03			13.20				
	facility reservation - Zone 2		2	UCL	UCL4W	18.95	115.43	78.63			15.20				
	4-Wire Copper Loop/Short - without manual service inquiry and														
	facility reservation - Zone 3		3	UCL	UCL4W	10.99	115.43	78.63			15.20				
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		7.92	7.92							
	4-Wire Unbundled Copper Loop/Long - includes manual svc. inquiry and facility reservation - Zone 1		1	UCL	UCL4L	26.17	139.69	90.96			15.20				
	4-Wire Unbundled Copper Loop/Long - includes manual svc.		-	UCL	UCL4L	20.17	139.69	90.96			15.20				
	inquiry and facility reservation - Zone 2		2	UCL	UCL4L	28.47	139.69	90.96			15.20				
	4-Wire Unbundled Copper Loop/Long - includes manual svc.														
	inquiry and facility reservation - Zone 3		3	UCL	UCL4L	62.93	139.69	90.96			15.20				
-	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		7.92	7.92							
	4-Wire Unbundled Copper Loop/Long - without manual svc. inquiry and facility reservation - Zone 1		1	UCL	UCL4O	26.17	115.43	78.63			15.20				
	4-Wire Unbundled Copper Loop/Long - without manual svc.		_	JOL	JULTU	20.17	110.43	10.03			15.20				
1 1	inquiry and facility reservation - Zone 2		2	UCL	UCL4O	28.47	115.43	78.63			15.20				
	4-Wire Unbundled Copper Loop/Long - without manual svc.					İ									
	inquiry and facility reservation - Zone 3	<u> </u>	3	UCL	UCL4O	62.93	115.43	78.63			15.20				
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		7.92	7.92			+				
	CLEC to CLEC Conversion Charge without outside dispatch (UCL-Des)			UCL	UREWO		91.92	31.37			15.20				
LOOP MODIFIC		 			3112170	+	31.32	31.37			13.20				
1	Unbundled Loop Modification, Removal of Load Coils - 2 Wire			UAL, UHL, UCL,							1				
	pair less than or equal to 18k ft			UEQ, ULS	ULM2L		0.00	0.00							
	Unbundled Loop Modification, Removal of Load Coils - 2 wire					Π									
	greater than 18k ft			UCL, ULS	ULM2G		0.00	0.00			+				
	Unbundled Loop Modification Removal of Load Coils - 4 Wire less than or equal to 18K ft			UHL. UCL	ULM4L		0.00	0.00							
	Unbundled Loop Modification Removal of Load Coils - 4 Wire	1		OI IL, UOL	OLIVIAL		0.00	0.00			+				
	pair greater than 18k ft			UCL	ULM4G		0.00	0.00							
	Unbundled Loop Modification Removal of Bridged Tap Removal,			UAL, UHL, UCL,											
	per unbundled loop	ļ		UEQ, UEF, ULS	ULMBT		12.15	12.15							
SUB-LOOPS	on Distribution				1						+				
Sub-LC	op Distribution		I		1						·	l	l	l	1

UNBUNDLE	D NETWORK ELEMENTS - Louisiana											Attachment:	2		Exhibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Submitted Manually	Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonred	urring	Nonrecurring Disconn		per Lor	•	RATES (\$)	DISC 1St	DISC Add I
						Rec	First	Add'l	First Add'l		SOMAN		SOMAN	SOMAN	SOMAN
	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-														
	Up	I		UEANL	USBSA		144.09	144.09			15.20				
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up			UEANL	USBSB		10.99	10.99			15.20				
-	Sub-Loop - Per Building Equipment Room - CLEC Feeder	<u> </u>		OLANE	ООВОВ		10.55	10.55			13.20				
	Facility Set-Up	1		UEANL	USBSC		86.16	86.16			15.20				
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel	١.									4=00				
+	Set-Up Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -		-	UEANL	USBSD		27.13	27.13		+	15.20				
	Zone 1	- 1	1	UEANL	USBN2	7.57	63.89	30.06			15.20				
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -														
-	Zone 2	l I	2	UEANL	USBN2	12.75	63.89	30.06		-	15.20				
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 3	l ,	3	UEANL	USBN2	21.45	63.89	30.06			15.20				
	25110 0	<u> </u>		02,412	002.12	211.10	00.00	00.00			10.20				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		7.92	7.92							
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -		١.		1100114	44.70	70.75	40.00			45.00				
+	Zone 1 Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -		1	UEANL	USBN4	11.76	76.75	42.92		+	15.20				
	Zone 2		2	UEANL	USBN4	16.84	76.75	42.92			15.20				
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -														
	Zone 3		3	UEANL	USBN4	19.27	76.75	42.92			15.20				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		7.92	7.92							
	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)	ı		UEANL	USBR2	2.91	51.48	17.65			15.20				
-	Order Coordination for Unbundled Sub-Loops, per sub-loop pair Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	<u> </u>		UEANL UEANL	USBMC USBR4	6.58	7.92 57.54	7.92 23.71		-	45.00				
+	Sub-Loop 4-wire intrabuilding Network Cable (INC)	<u> </u>		UEANL	USBR4	6.58	57.54	23.71		+	15.20				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		7.92	7.92							
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	I	1	UEF	UCS2X	6.26	63.89	30.06			15.20				
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	<u> </u>	2		UCS2X	10.07	63.89	30.06			15.20				
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	I	3	UEF	UCS2X	12.70	63.89	30.06		+	15.20				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		7.92	7.92							
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	1		UEF	UCS4X	8.03	76.75	42.92			15.20				
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	1	2		UCS4X	10.71	76.75	42.92			15.20				
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	- 1	3	UEF	UCS4X	6.08	76.75	42.92			15.20				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		7.92	7.92							
Unbun	dled Sub-Loop Modification			-			-								
	Unbundled Sub-Loop Modification - 2-W Copper Dist Load														
-	Coil/Equip Removal per 2-W PR Unbundled Sub-loop Modification - 4-W Copper Dist Load		ļ	UEF	ULM2X		0.00	0.00		-	15.20				
	Coil/Equip Removal per 4-W PR			UEF	ULM4X		0.00	0.00			15.20				
	Unbundled Sub-loop Modification - 2-w/4-w Copper Dist Bridged		1	-											
<u> </u>	Tap Removal, per PR unloaded	<u> </u>	<u> </u>	UEF	ULM4T		224.55	4.29			15.20				
Unbun	dled Network Terminating Wire (UNTW) Unbundled Network Terminating Wire (UNTW) per Pair			UENTW	UENPP	0.3454	14.72	14.72		_	15.20				
Networ	rk Interface Device (NID)	 	 	OLIVIV	OLINE	0.3434	14.72	14.12			15.20				
	Network Interface Device (NID) - 1-2 lines			UENTW	UND12		42.26	27.83			15.20				
	Network Interface Device (NID) - 1-6 lines			UENTW	UND16		62.86	48.43			15.20				
	Network Interface Device Cross Connect - 2 W	<u> </u>	<u> </u>	UENTW	UNDC2		5.73 5.73	5.73 5.73			15.20				
SUB-LOOPS	Network Interface Device Cross Connect - 4W		 	UENTW	UNDC4	 	5./3	5./3			15.20				
	Dop Feeder		†												
	USL-Feeder, DS0 Set-up per Cross Box location - CLEC			UEA,											
	Distribution Facility set-up		<u> </u>	UDN,UCL,UDL,UDC	USBFW		144.09					l			

UNBUNDLE	D NETWORK ELEMENTS - Louisiana											Attachment:	2		Exhibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Submitted Manually	Incremental Charge - Manual Svc Order vs.	Incremental Charge -	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring Disconn		Looman		RATES (\$)	001111	
	USL Feeder - DS0 Set-up per Cross Box location - per 25 pair			UEA.			First	Add'l	First Add'	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	set-up			UDN,UCL,UDL,UDC	USBFX		10.99	10.99							
	USL Feeder DS1 Set-up at DSX location, per DS1 termination			USL	USBFZ		568.98	11.30							
	Unbundled Sub-Loop Feeder Loop, 2 Wire Ground Start, Voice														
	Grade - Zone 1		1	UEA	USBFA	8.71	89.81	54.35			15.20				
	Unbundled Sub-Loop Feeder Loop, 2 Wire Ground-Start, Voice Grade - Zone 2		2	UEA	USBFA	13.64	89.81	54.35			15.20				
	Unbundled Sub-Loop Feeder Loop, Per 2 Wire Ground-Start,			UEA	USBFA	13.04	09.01	54.55			13.20				
	Voice Grade - Zone 3		3	UEA	USBFA	30.21	89.81	54.35			15.20				
	Order Coordination for Specified Conversion Time, per LSR			UEA	OCOSL		17.56								
	Unbundlde Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice		1	UEA	USBFB	8.71	89.81	54.35			15.20				
 	Grade - Zone 1 Unbundled Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice	1		UEA	USBFB	8./1	89.81	54.35			15.20				
	Grade - Zone 2		2	UEA	USBFB	13.64	89.81	54.35			15.20				
	Unbundled Sub-Loop Feeder Loop, 2 Wire Start Loop, Voice														
	Grade - Zone 3		3	UEA	USBFB	30.21	89.81	54.35			15.20				
	Order Coordination for Specified Time Conversion, per LSR Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery,			UEA	OCOSL		17.56								
	Voice Grade - Zone 1		1	UEA	USBFC	8.71	89.81	54.35			15.20				
	Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery,			02,1	005.0	5	00.01	0 1.00			10.20				
	Voice Grade - Zone 2		2	UEA	USBFC	13.64	89.81	54.35			15.20				
	Unbundled Sub-Loop Feeder Loop, 2 Wire Analog Reverse														
-	Battery, Voice Grade - Zone 3		3	UEA UEA	USBFC	30.21	89.81 17.56	54.35			15.20				
-	Order Coordination For Specified Conversion Time, per LSR Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice			UEA	OCOSL		17.56								
	Grade - Zone 1		1	UEA	USBFD	21.44	103.69	67.31			15.20				
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice														
	Grade - Zone 2		2	UEA	USBFD	24.66	103.69	67.31			15.20				
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground Start, Voice Grade - Zone 3		3	UEA	USBFD	42.84	103.69	67.31			15.20				
-	Order Coordination For Specified Conversion Time, Per LSR		3	UEA	OCOSL	42.04	17.56	67.31			13.20				
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice			OLA	CCCCL		17.00								
	Grade - Zone 1		1	UEA	USBFE	21.44	103.69	67.31			15.20				
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice		_												
 	Grade - Zone 2 Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice	1	2	UEA	USBFE	24.66	103.69	67.31		-	15.20	1	1		
	Grade - Zone 3		3	UEA	USBFE	42.84	103.69	67.31			15.20				
	Order Coordination For Specified Conversion Time, Per LSR		Ť	UEA	OCOSL	72.04	17.56	07.01			10.20				
	Unbundled Sub-Loop Feeder Loop, 2 Wire ISDN BRI - Zone 1			UDN	USBFF	15.44	102.58	66.20			15.20				
	Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 2			UDN	USBFF	23.32	102.58	66.20			15.20				
 	Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 3 Order Coordination For Specified Conversion Time, Per LSR	 	3	UDN UDN	USBFF OCOSL	44.57	102.58 17.56	66.20			15.20				
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)	 	1	UDC	USBFS	15.44	102.58	66.20			15.20				
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)		2	UDC	USBFS	23.32	102.58	66.20			15.20				
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)		3		USBFS	44.57	102.58	66.20			15.20				
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 1			USL	USBFG	55.38	98.15	61.77			15.20				
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 2 Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 3	1	3	USL USL	USBFG USBFG	167.83 469.87	98.15 98.15	61.77 61.77			15.20 15.20				
	Order Coordination For Specified Conversion Time, Per LSR		3	USL	OCOSL	+05.07	17.56	01.77		-	15.20	1	1		
	Unbundled Sub-Loop Feeder, 2-Wire Copper Loop - Zone 1	1	1	UCL	USBFH	6.96	81.36	44.98			15.20				
	Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone														
	2		2	UCL	USBFH	4.97	81.36	44.98			15.20				
	Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone		3	UCL	USBFH	3.99	81.36	44.98			15.20				
	Order Coordination For Specified Conversion Time, per LSR	 	3	UCL	OCOSL	3.55	17.56	44.30			13.20				
	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 1		1	UCL	USBFJ	15.68	98.07	61.69			15.20				
	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 2			UCL	USBFJ	9.68	98.07	61.69			15.20				
	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 3		3	UCL	USBFJ	6.39	98.07	61.69			15.20			<u> </u>	l

UNBUNDLE	D NETWORK ELEMENTS - Louisiana											Attachment:	2		Exhibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)		Submitted	Submitted	Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs.	Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs.
										Elec per LSR		Electronic- 1st	Electronic- Add'l	Electronic- Disc 1st	Electronic- Disc Add'l
						B			N			000	0.4.TEQ (A)		
						Rec	Nonrec First	Add'l	Nonrecurring Disconne First Add'l	SOMEC	SOMAN		RATES (\$)	SOMAN	SOMAN
	Order Coordination For Specified Conversion Time, per LSR			UCL	OCOSL		17.56								
	Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop			UDL	USBFN	22.61	98.15	61.77			15.20				
	Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop			UDL	USBFN	22.87	98.15	61.77			15.20				
—	Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop -	<u> </u>	3	UDL	USBFN	24.25	98.15	61.77		_	15.20				
	Zone 1		1	UDL	USBFO	22.61	98.15	61.77			15.20				
	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop -		2	UDL	USBFO	22.87	98.15	61.77			45.00				
	Zone 2 Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop -			UDL	USBFU	22.87	98.15	61.77			15.20				
	Zone 3		3	UDL	USBFO	24.25	98.15	61.77			15.20				
	Order Coordination For Specified Time Conversion, per LSR			UDL	OCOSL		17.56								
	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop -		4	LIDI	USBFP	22.04	09.45	64 77			15.00				
	Zone 1 Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop -	-	1	UDL	USBER	22.61	98.15	61.77			15.20				
	Zone 2		2	UDL	USBFP	22.87	98.15	61.77			15.20				
	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - Zone 3		3	UDL	USBFP	24.25	98.15	61.77			15.20				
	Order Coordination For Specified Conversion Time, per LSR		3	UDL	OCOSL	24.25	17.56	01.77			15.20				
SUB-LOOPS	order coordination for opcomica conversion films, per conv			ODE	CCCCL		17.00								
Sub-Lo	op Feeder														
	Sub Loop Feeder - DS3 - Per Mile Per Month			UE3	1L5SL	17.00									
	Sub Loop Feeder - DS3 - Facility Termination Per Month			UE3	USBF1	368.44	3,381.00	406.56			15.20				
	Sub Loop Feeder – STS-1 – Per Mile Per Month Sub Loop Feeder - STS-1 - Facility Termination Per Month	<u> </u>		UDLSX UDLSX	1L5SL USBF7	17.00 395.92	3,381.00	406.56		_	15.20				
	Sub Loop Feeder - OC-3 - Per Mile Per Month	1		UDLO3	1L5SL	12.90	3,361.00	406.56			15.20				
	Sub Loop Feeder - OC-3 - Facility Termination Protection Per			ODLOG	TESSE	12.30									
	Month			UDLO3	USBF5	60.45									
	Sub Loop Feeder - OC-3 - Facility Termination Per Month			UDLO3	USBF2	594.77	3,381.00	406.56			15.20				
	Sub Loop Feeder - OC-12 - Per Mile Per Month			UDL12	1L5SL	15.87									
	Sub Loop Feeder - OC-12 - Facility Termination Protection Per			1101.40	110050	000 00									
	Month Sub Loop Feeder - OC-12 - Facility Termination Per Month	<u> </u>		UDL12 UDL12	USBF6 USBF3	683.03 1,922.00	3,381.00	406.56		_	15.20				
	Sub Loop Feeder - OC-12 - Facility Termination Fer Worlth Sub Loop Feeder - OC-48 - Per Mile Per Month			UDL48	1L5SL	52.07	3,361.00	406.56			15.20				
	Sub Loop Feeder - OC-48 - Facility Termination Protection Per			00240	TEOOL	02.07									
	Month			UDL48	USBF9	341.64									
	Sub Loop Feeder - OC-48 - Facility Termination Per Month			UDL48	USBF4	1,663.00	3,566.00	406.56			15.20				
I I I I I I I I I I I I I I I I I I I	Sub Loop Feeder - OC-12 Interface On OC-48	ļ		UDL48	USBF8	385.45	787.24	406.56			15.20				
ONRONDLED I	OOP CONCENTRATION Unbundled Loop Concentration - System A (TR008)	 		ULC	UCT8A	374.26	316.00	316.00			15.20				
 	Unbundled Loop Concentration - System A (TR008) Unbundled Loop Concentration - System B (TR008)	 		ULC	UCT8B	53.40	131.67	131.67			15.20				
	Unbundled Loop Concentration - System A (TR303)	1		ULC	UCT3A	412.08	316.00	316.00			15.20				
	Unbundled Loop Concentration - System B (TR303)	<u> </u>		ULC	UCT3B	89.98	131.67	131.67			15.20				
	Unbundled Loop Concentration - DS1 Loop Interface Card			ULC	UCTCO	5.12	61.46	44.74			15.20				
	Unbundled Loop Concentration - ISDN Loop Interface (Brite			LIDNI	111.004	0.40	40.00	10.10			45.00				
	Card) Unbundled Loop Concentration - UDC Loop Interface (Brite	<u> </u>		UDN	ULCC1	8.12	10.23	10.18		_	15.20				
	Card)			UDC	ULCCU	8.12	10.23	10.18			15.20				
	Unbundled Loop Concentration2 Wire Voice-Loop Start or Ground Start Loop Interface (POTS Card)			UEA	ULCC2	2.03	10.23	10.18			15.20				
	Unbundled Loop Concentration - 2 Wire Voice - Reverse Battery					40	40				4=				
	Loop Interface (SPOTS Card) Unbundled Loop Concentration - 4 Wire Voice Loop Interface			UEA	ULCCR	12.07	10.23	10.18			15.20				
	(Specials Card)			UEA	ULCC4	7.20	10.23	10.18			15.20				
	Unbundled Loop Concentration - TEST CIRCUIT Card			ULC	UCTTC	35.19	10.23	10.18			15.20				
	Unbundled Loop Concentration - Digital 19.2 Kbps Data Loop Interface			UDL	ULCC7	10.67	10.23	10.18			15.20				
	Unbundled Loop Concentration - Digital 56 Kbps Data Loop Interface			UDL	ULCC5	10.67	10.23	10.18			15.20				

UNBUNDLE	D NETWORK ELEMENTS - Louisiana												Attachment:	2		Exhibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Submitted	Incremental Charge - Manual Svc	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec	rring	Nonroourrin	g Disconnect	per LOIX	per Lor		RATES (\$)	DISC 1St	Disc Add I
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Loop Concentration - Digital 64 Kbps Data Loop															
	Interface			UDL	ULCC6	10.67	10.23	10.18				15.20				
UNE OTHER, I	PROVISIONING ONLY - NO RATE NID - Dispatch and Service Order for NID installation			UENTW	UNDBX	-										
	UNTW Circuit Id Establishment, Provisioning Only - No Rate			UENTW	UENCE											
	, , , , , , , , , , , , , , , , , , , ,			UEANL,UEF,UEQ,U												
	Unbundled Contract Name, Provisioning Only - No Rate			ENTW	UNECN											
UNE OTHER, I	PROVISIONING ONLY - NO RATE															
				UAL,UCL,UDC,UDL,												
	Unbundled Contact Name, Provisioning Only - no rate			UDN,UEA,UHL,ULC	UNECN	0.00	0.00									
	Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no															
	rate	ļ		UEA,UDN,UCL,UDC	USBFQ	0.00	0.00									
	Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no rate			HEVITEL HOLLIDI	USBFR	0.00	0.00									
	Unbundled DS1 Loop - Superframe Format Option - no rate			UEA,USL,UCL,UDL USL	CCOSF	0.00	0.00									
	Unbundled DS1 Loop - Expanded Superframe Format option -			OOL	00001	0.00	0.00									
	no rate			USL	CCOEF	0.00	0.00									
	TY UNBUNDLED LOCAL LOOP															
NOTE:	4 month minimum billing period															
	High Capacity Unbundled Local Loop - DS3 - Per Mile per month			UE3	1L5ND	10.04										
	High Capacity Unbundled Local Loop - DS3 - Facility			OLS	ILSIND	10.04										
	Termination per month			UE3	UE3PX	362.34	438.46	256.30				15.20				
	High Capacity Unbundled Local Loop - STS-1 - Per Mile per															
	month			UDLSX	1L5ND	10.04										
	High Capacity Unbundled Local Loop - STS-1 - Facility Termination per month			UDLSX	UDLS1	374.56	438.46	256.30				15.20				
LOOP MAKE-				UDLOX	UDLST	374.56	430.40	236.30				13.20				
1	Loop Makeup - Preordering Without Reservation, per working or															
	spare facility queried (Manual).			UMK	UMKLW		23.29	23.29								
	Loop Makeup - Preordering With Reservation, per spare facility queried (Manual).			UMK	UMKLP		24.70	24.70								
	Loop MakeupWith or Without Reservation, per working or			UIVIK	UIVIKLP		24.70	24.70								
	spare facility queried (Mechanized)			UMK	PSUMK		0.19	0.19								
	NCY SPECTRUM															
SPLIT	FERS-CENTRAL OFFICE BASED															
 	Line Sharing Splitter, per System 96 Line Capacity	<u> </u>		ULS	ULSDA ULSDB	187.17	183.33	0.00	0.00	0.00		0.00				
\vdash	Line Sharing Splitter, per System 24 Line Capacity Line Sharing Splitter, Per System, 8 Line Capacity	H		ULS ULS	ULSDB ULSD8	46.79 15.59	183.33 183.33	0.00	0.00	0.00	-	0.00				
	Line Sharing Opinter, 1 et dystern, 6 Line Capacity Line Sharing-DLEC Owned Splitter in CO-CFA activaton-					10.09	,00.00	0.00	0.50	0.00		0.00				
	deactivation (per LSOD)			ULS	ULSDG		83.98		0.00							
END U	SER ORDERING-CENTRAL OFFICE BASED-HIGH FREQUENC	Y SPEC														
 	Line Sharing - per Line Activation		 	ULS	ULSDC	0.61	17.97	10.29	0.00	0.00	-	15.20				
	Line Sharing - per Subsequent Activity per Line Rearrangement	1		ULS	ULSDS		15.91	7.95				15.20				
	Line Splitting - per line activation DLEC owned splitter	i		UEPSR UEPSB	UREOS	0.61	10.91	7.95				10.20				
	Line Splitting - per line activation BST owned - physical	I		UEPSR UEPSB	UREBP	0.642	17.97	10.29								
	Line Splitting - per line activation BST owned - virtual	ı		UEPSR UEPSB	UREBV	0.64	17.97	10.29								
LINDUNDI 55	FRANCRORT															
UNBUNDLED	I RANSPORT OFFICE CHANNEL - DEDICATED TRANSPORT - VOICE GRADI	<u> </u>							1		1	1				
I III	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -	Ī							1			†				
	Per Mile per month	<u></u>		U1TVX	1L5XX	0.013						<u> </u>			<u> </u>	
	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -				l											
 	Facility Termination per month Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade	<u> </u>	 	U1TVX	U1TV2	22.60	39.36	26.62	1		-	15.20				
	Rev Bat Per Mile per month			U1TVX	1L5XX	0.013										
	The Ball of this per month			U.14/	. 20/01	0.013			1	ı	1	1		·		

UNBUNDLE	D NETWORK ELEMENTS - Louisiana												Attachment:	2		Exhibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Submitted Manually	Incremental Charge - Manual Svc		Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec	curring	Nonrecurrin	g Disconnect			ossi	RATES (\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN		SOMAN	SOMAN
	Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat. Facility Termination per month	-		U1TVX	U1TR2	22.60	39.36	26.62	0.00	0.00		15.20				
	Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade	-								0.00						
	Per Mile per month			U1TVX	1L5XX	0.013										
	Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade - Facility Termination per month			U1TVX	U1TV4	19.81	39.36	26.62				15.20				
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month			U1TDX	1L5XX	0.013										
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility			U1TDX	U1TD5	15.61	39.37	26.62				15.20				
	Termination per month Interoffice Channel - Dedicated Transport - 64 kbps - per mile						39.37	20.02				15.20				
	per month Interoffice Channel - Dedicated Transport - 64 kbps - Facility			U1TDX	1L5XX	0.013						 				
INTER	Termination per month OFFICE CHANNEL - DEDICATED TRANSPORT - DS1			U1TDX	U1TD6	15.61	39.37	26.62	0.00	0.00		15.20				
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month			U1TD1	1L5XX	0.2652										
	Interoffice Channel - Dedicated Tranport - DS1 - Facility Termination per month			U1TD1	U1TF1	70.47	86.69	79.44				15.20				
INTER	OFFICE CHANNEL - DEDICATED TRANSPORT- DS3			0		70.17	00.00	70				10.20				
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per			LIATEDO	41.5007	0.04										
	month Interoffice Channel - Dedicated Transport - DS3 - Facility			U1TD3	1L5XX	6.04										
INITED	Termination per month			U1TD3	U1TF3	850.45	270.69	158.05				15.20				
INTER	OFFICE CHANNEL - DEDICATED TRANSPORT- STS-1 Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per															
	month Interoffice Channel - Dedicated Transport - STS-1 - Facility			U1TS1	1L5XX	6.04										
	Termination per month			U1TS1	U1TFS	830.19	270.69	158.05				15.20				
	. CHANNEL - DEDICATED TRANSPORT															
NOTE:	LOCAL CHANNEL DEDICATED TRANSPORT - minimum billin	g perio	d - belo			ve=four month										
	Local Channel - Dedicated - 2-Wire Voice Grade Per Month			ULDVX	ULDV2	18.32	187.51	32.21				15.20				
	Local Channel - Dedicated - 2-Wire Voice Grade Rev Bat per month			ULDVX	ULDR2	18.32	187.51	32.21	0.00	0.00		15.20				
	Local Channel - Dedicated - 4-Wire Voice Grade per month	1		UNDVX	ULDV4	19.41	187.94	32.63	1.30	2.50		15.20				İ
	Local Channel - Dedicated - DS1 per month - Zone 1		1	ULDD1	ULDF1	39.18	172.34	149.27				15.20				
	Local Channel - Dedicated - DS1 per month - Zone 2		2	ULDD1	ULDF1	121.58	172.34	149.27				15.20				
	Local Channel - Dedicated - DS1 per month - Zone 3		3	ULDD1	ULDF1	70.02	172.34	149.27				15.20				
	Local Channel - Dedicated - DS3 - Per Mile per month	ļ		ULDD3	1L5NC	7.82			ļ	ļ						ļ
	Local Channel - Dedicated - DS3 - Facility Termination per month			ULDD3	ULDF3	469.44	438.46	256.30				15.20				
	Local Channel - Dedicated - STS-1- Per Mile per month			ULDS1	1L5NC	7.82	430.40	230.30				13.20				
	Local Channel - Dedicated - STS-1 - Facility Termination per month			ULDS1	ULDFS	457.22	438.46	256.30				15.20				
MULTIPLEXE	RS															
	Channelization - DS1 to DS0 Channel System OCU-DP COCI (data) - DS1 to DS0 Channel System - per	<u> </u>		UXTD1	MQ1	105.09	88.41	60.76				15.20				
	month (2.4-64kbs)			UDL	1D1DD	1.38	6.39	4.58				15.20				
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month			UDN	UC1CA	2.96	6.39	4.58				15.20				
	Voice Grade COCI - DS1 to DS0 Channel System - per month	1		UEA	1D1VG	0.6497	6.39	4.58	1	İ		15.20		İ	İ	İ
	DS3 to DS1 Channel System per month			UXTD3	MQ3	201.48	172.99	91.25				15.20				
	STS1 to DS1 Channel System per month	ļ		UXTS1	MQ3	201.48	172.99	91.25				15.20				
DARK FIBER	DS3 Interface Unit (DS1 COCI) used with Loop per month			USL	UC1D1	11.78	6.39	4.58	 			15.20				
PARK FIBER	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction	 			1							 				
	Thereof per month - Local Channel			UDF	1L5DC	52.23										
	NRC Dark Fiber - Local Channel			UDF	UDFC4		620.60	133.88	1	l		15.20]

UNBUN	IDLEI	D NETWORK ELEMENTS - Louisiana												Attachment:	2		Exhibit: B
CATEG		RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted	Incremental Charge - Manual Svc	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
							Rec	Nonrec	urring	Nonrecurring Disco	nnect			oss i	RATES (\$)		
								First	Add'l		l'bb	SOMEC	SOMAN			SOMAN	SOMAN
		Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction															
		Thereof per month - Interoffice Channel			UDF	1L5DF	25.28										
		NRC Dark Fiber - Interoffice Channel			UDF	UDF14		620.60	133.88				15.20				
		Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Local Loop			UDF	1L5DL	52.23										
		NRC Dark Fiber - Local Loop			UDF	UDFL4	32.23	620.60	133.88				15.20				
TRANSP					ODI	ODI L4		020.00	100.00				10.20				
		al Features & Functions:															
		Clear Channel Capability (B8ZS/ESF) Option - Subsequent -															
		per DS1 Channel			UNC1X	CCOEF		184.65	23.70				15.20				
		Clear Channel Capability (B8ZS/SF) Option - Subsequent - per			LINGAV	00005		404.0=	20.72				45.00				
SXX VCC	FGG T	DS1 Channel FEN DIGIT SCREENING			UNC1X	CCOSF	 	184.65	23.70	 			15.20				
OAA ACC	,E33 I	8XX Access Ten Digit Screening, Per Call			OHD		0.0006387										
		8XX Access Ten Digit Screening, Reservation Charge Per 8XX			0.15		0.000000										
		Number Reserved			OHD	N8R1X		2.51	0.43				15.20				
		8XX Access Ten Digit Screening, Per 8XX No. Established W/O															
		POTS Translations			OHD			5.77	0.78				15.20				
		8XX Access Ten Digit Screening, Per 8XX No. Established With															
		POTS Translations			OHD	N8FTX		5.77	0.78				15.20				
		8XX Access Ten Digit Screening, Customized Area of Service Per 8XX Number			OHD	N8FCX		2.51	1.26				15.20				
-		8XX Access Ten Digit Screening, Multiple InterLATA CXR			OLID	INOI CX		2.31	1.20				13.20				
		Routing Per CXR Requested Per 8XX No.			OHD	N8FMX		2.93	1.68				15.20				
		8XX Access Ten Digit Screening, Change Charge Per Request			OHD	N8FAX		2.93	0.43				15.20				
		8XX Access Ten Digit Screening, Call Handling and Destination															
		Features			OHD	N8FDX		2.51					15.20				
					0.15												
		8XX Access Ten Digit Screening, w/ 8XX No. Delivery, per query 8XX Access Ten Digit Screening, w/ POTS No. Delivery, per			OHD		0.0006387										
		query			OHD		0.0006387										
LINE INF	ORMA	ATION DATA BASE ACCESS (LIDB)			OHD		0.0000307										
		LIDB Common Transport Per Query			OQT		0.0000221										
		LIDB Validation Per Query			OQU		0.0135077										
		LIDB Originating Point Code Establishment or Change			OQT, OQU	NRPBX		33.33					15.20				
SIGNALI	NG (C				LIDD	DTOCY	4.70										
\vdash		CCS7 Signaling Termination, Per STP Port CCS7 Signaling Usage, Per TCAP Message		-	UDB UDB	PT8SX	147.60 0.000064										
 		CCS7 Signaling Usage, Per TCAP Message CCS7 Signaling Connection, Per link (A link)			UDB	TPP++	15.77	34.50			-		15.20				
 		CCS7 Signaling Connection, Per link (A link) CCS7 Signaling Connection, Per link (B link) (also known as D				A 1 1 1 T	15.77	34.50		 	+		10.20			 	
		link)			UDB	TPP++	15.77	34.50	34.50				15.20				
		CCS7 Signaling Usage, Per ISUP Message			UDB		0.000016										
		CCS7 Signaling Usage Surrogate, per link per LATA			UDB	STU56	732.10										
		CCS7 Signaling Point Code, per Originating Point Code			LIDD	00450			aa				,				
\vdash		Establishment or Change, per STP affected			UDB	CCAPO		28.17	28.17				15.20				
		CCS7 Signaling Point Code, per Destination Point Code Establishment or Change, Per Stp Affected			UDB	CCAPD		28.17	28.17				15.20				
E911 SE	RVICE	Establishment of Change, Fer Stp Affected			ODB	CCAFD		20.17	20.17				13.20				
		Local Channel - Dedicated - 2-wr Voice Grade - Zone 1					18.32	187.51	32.21		1		15.20				
		Local Channel - Dedicated - 2-wr Voice Grade - Zone 2					18.32	187.51	32.21				15.20				
		Local Channel - Dedicated - 2-wr Voice Grade - Zone 3			•		18.32	187.51	32.21				15.20				
\sqcup		Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile					0.013	, in the second second									
		Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility					20.00	70.01	36.08				45.00				
\vdash		Termination Local Channel - Dedicated - DS1 - Zone 1	1			+	22.60 39.18	79.61 172.34	36.08 149.27				15.20 15.20				-
+		Local Channel - Dedicated - DS1 - Zone 1	1			+	121.58	172.34	149.27				15.20				
		Local Channel - Dedicated - DS1 - Zone 3				t	70.02	172.34	149.27				15.20				
		Interoffice Transport - Dedicated - DS1 Per Mile					0.2652										

LINDI	INDI E	D NETWORK ELEMENTS - Louisiana												Attack mant	•		Exhibit: B
UNDU	INDLE	D NETWORK ELEMENTS - Louisiana	1				ı					1	1	Attachment:	2		EXNIBIT: B
														Incremental	Incremental	Incremental	Incremental
														Charge -	Charge -	Charge -	Charge -
CATE	GORY	RATE ELEMENTS	Interi	7	BCS	usoc			RATES(\$)			Svc Order	Svc Order	Manual Svc			Manual Svc
CATE	GURT	RATE ELEMENTS	m	Zone	BCS	USOC			KAIES(\$)				Submitted		Order vs.	Order vs.	Order vs.
												Elec		Electronic-	Electronic-	Electronic-	Electronic-
										ı		per LSR	per LSR	1st	Add'l	Disc 1st	Disc Add'l
							_										
							Rec	Nonrec		Nonrecurring I					RATES (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Interoffice Transport - Dedicated - DS1 Per Facility Termination					70.47	147.07	111.75				15.20				
CALLI	NG NAM	IE (CNAM) SERVICE															
		CNAM for DB Owners, Per Query			OQV		0.0010217										
		CNAM for Non DB Owners, Per Query			OQV		0.0010217										
		CNAM For DB Owners - Service Establishment			OQV			22.29					15.20				
		CNAM For Non DB Owners - Service Establishment			OQV			22.29					15.20				
		CNAM For DB Owners - Service Provisioning With Point Code			OUV			22.20					10.20				
		Establishment			oqv			962.22	711.64				15.20				
-	-	CNAM For Non DB Owners - Service Provisioning With Point	1	 	UUV	_		302.22	/11.04	 		-	15.20				
				1	001/			000 10	000.0=			1	45.00		1		
		Code Establishment	1		OQV	_		332.43	238.05				15.20				
LNP Q	uery Ser		ļ							ļ							
		LNP Charge Per query			OQV		0.0008559										
		LNP Service Establishment Manual						12.16					15.20				
		LNP Service Provisioning with Point Code Establishment						576.33	294.43				15.20				
OPER#	TOR CA	ALL PROCESSING															
		Oper. Call Processing - Oper. Provided, Per Min Using BST															
		LIDB					1.20										
		Oper. Call Processing - Oper. Provided, Per Min Using					-										
		Foreign LIDB					1.24										
		Oper. Call Processing - Fully Automated, per Call - Using BST															
		LIDB					0.20										
		Oper. Call Processing - Fully Automated, per Call - Using		-			0.20										
		Foreign LIDB					0.20										
INDA/AD	D ODE	RATOR SERVICES					0.20										
INWAR	DUPER																
		Inward Operator Services - Verification, Per Minute					1.15										
		Inward Operator Services - Verification and Emergency Interrupt															
		- Per Minute					1.15										
BRANE		PERATOR CALL PROCESSING															
		Recording of Custom Branded OA Announcement				CBAOS		7,000.00	7,000.00				15.20				
		Loading of Custom Branded OA Announcement per shelf/NAV				CBAOL		500.00	500.00				15.20				
	Unbran	nding via OLNS for UNEP CLEC															
		Loading of OA per OCN (Regional)						1,200.00	1,200.00				15.20				
DIREC	TORY A	SSISTANCE SERVICES															
		TORY ASSISTANCE ACCESS SERVICE											l				
		Directory Assistance Access Service Calls, Charge Per Call	1				0.25					i	i				
		TORY ASSISTANCE CALL COMPLETION ACCESS SERVICE (I	DACC)									i	i				
		Directory Assistance Call Completion Access Service (DACC),	T							†			1				
		Per Call Attempt	1	1			0.10					1	1				
—	DIREC	TORY TRANSPORT	†	-			5.10			 							
—	JLO	SWA Common transport per Directory Assistance Access	 	1						 			l		1		
		Service Call	1	1			0.0003					1	1				
\vdash	-		1	 		_	0.0003			 		-	-				
		SWA Common Transport per Directory Assistance Access					0.0000.					l	l				
		Service Call Mile	<u> </u>				0.00004			 			ļ				
		Access Tandem Switching per Directory Assistance Access															
		Service Call					0.00055										ļ
		Directory Assistance Interconnection per Directory Assistance															
		Access Service Call					0.00										
		DS3 to DS1 Multiplexer per DA Access Service Call					0.00018										
DIREC	TORY A	SSISTANCE SERVICES															
	DIREC	TORY ASSISTANCE DATA BASE SERVICE (DADS)															
		Directory Assistance Data Base Service Charge Per Listing					0.04						l				
		Directory Assistance Data Base Service, per month	1			DBSOF	150.00			† †			İ		İ		
BRAND	ING - D	IRECTORY ASSISTANCE	t				.55.56			1			1				
		Based CLEC	1	†						 			1				
—	. asmty	Recording and Provisioning of DA Custom Branded	 	-						+							
		Announcement			AMT	CBADA		6,000.00	6,000.00			l	l				
	1	Announcement	1		CUVII	CDADA	l .	0,000.00	0,000.00	1		l	l		l		

UNBUN	DLE	NETWORK ELEMENTS - Louisiana												Attachment:	2		Exhibit: B
CATEGO		RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Submitted	Incremental Charge - Manual Svc		Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
							Rec	Nonred	curring	Nonrecurring	Disconnect			ossi	RATES (\$)		•
							1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN		SOMAN	SOMAN
		Loading of Custom Branded Announcement per DRAM															
		Card/Switch			AMT	CBADC		1,170.00	1,170.00								
U	NEP C																
		Recording of DA Custom Branded Announcement						3,000.00	3,000.00								
		Loading of DA Custom Branded Announcement per DRAM Card/Switch per OCN						1,170.00	1,170.00								
U	nbran	ding via OLNS for UNEP CLEC						1,170.00	1,170.00								
		Loading of DA per OCN (1 OCN per Order)						420.00	420.00								
		Loading of DA per Switch per OCN						16.00	16.00								
SELECTI	VE RC																
		Selective Routing Per Unique Line Class Code Per Request Per				HODOD		82.25	82.25				45.00				
VIDTUAL	COLI	Switch OCATION		<u> </u>		USRCR		82.25	82.25				15.20				
VIKTUAL	COLL	Virtual Collocation - Application Cost			CLO	EAF		1,770.40									
		Virtual Collocation - Cable Installation Cost, per cable			CLO	ESPCX		841.54									
		Virtual Collocation - Floor Space, per sq. ft.			CLO	ESPVX	3.20	011.01									
		Virtual Collocation - Power, per breaker amp			CLO	ESPAX	8.32										
		Virtual Collocation - Cable Support Structure, per entrance															
		cable			CLO	ESPSX	16.02										
					ueanl,uea,udn,udc,												
		Virtual Collocation - 2-wire Cross Connects (loop)			ual,uhl,ucl,ueq	UEAC2	0.0296	11.94	11.46				15.20				
		Virtual Collocation - 4-wire Cross Connects (loop)			uea,uhl,ucl,udl CLO	UEAC4 CNC2F	0.0591	12.04 20.29	11.53 14.76				15.20 15.20				
		Virtual Collocation - 2-Fiber Cross Connects Virtual Collocation - 4-Fiber Cross Connects			CLO	CNC2F CNC4F	2.65 5.31	24.81	19.29				15.20				
		Virtual Collocation - DS1 Cross Connects			USL,ULC,CLO	CNC1X	1.04	21.39	15.47				15.20				
		Virtual Collocatin - DS3 Cross Connects			USL,ULC,CLO	CND3X	13.21	20.28	14.76				15.20				
		Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable															
		Support Structure, per linear foot			AMTFS	PE1ES	0.0024										
		Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax															
		Cable Support Structure, per linear ft			AMTFS	PE1DS	0.0036										
		Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable															
		Support Structure,per cable Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax			AMTFS			534.79									
		Cable Support Structure, per cable			AMTFS			534.79									
 		Virtual Collocatin - Security Escort - Basic, per half hour	1	 	CLO	SPTBX		16.44	10.42								
		Virtual Collocatin - Security Escort - Overtime, per half hour			CLO	SPTOX		21.41	13.45								
		Virtual Collocatin - Security Escort - Premium, per half hour			CLO	SPTPX		26.38	16.49								
		Virtual Collocatin - Maintenance in CO - Basic, per half hour			CLO	CTRLX		27.12	10.42								
		Virtual Collocatin - Maintenance in CO - Overtime, per half hour		<u> </u>	CLO	SPTOM		35.42	13.45						ļ		
VIDTIIAI		Virtual Collocatin - Maintenance in CO - Premium per half hour OCATION		-	CLO	SPTPM	1	43.72	16.49								
VIKTUAL	COLL	Virtual Collocation - 2-wire Cross Connect, Exchange Port 2-					1										
		Wire Analog - Res			UEPSR	VE1R2	0.0296	11.94	11.46				15.20				
		Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire				· · · -	3.3230						.0.20				
		Voice Grade Res		L	UEPRX	PE1R2	0.0296	11.94	11.46	<u> </u>		<u> </u>	15.20		<u> </u>		<u> </u>
		Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-															
		Wire Line Side PBX Trunk - Bus			UEPSP	VE1R2	0.0296	11.94	11.46				15.20				
		Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire			LIEDOE	\/E4D2											
-		Voice Grade PBX Trunk - Res		<u> </u>	UEPSE	VE1R2	0.0296	11.94	11.46				15.20				
		Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Analog Bus			UEPSB	VE1R2	0.0296	11.94	11.46				15.20				
 		Virtual Collocation 2-Wire Cross Connect, Exchnage Port 2-Wire	1	-	ULFOD	VEIRZ	0.0296	11.94	11.46			1	15.∠0		1		
		ISDN			UEPSX	VE1R2	0.0296	11.94	11.46				15.20				
		Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire	1				5.5250						.0.20				
		ISDN		<u></u>	UEPTX	VE1R2	0.0296	11.94	11.46				15.20				<u> </u>
		Virtual Collocation 4-Wire Cross Connect, Exchange Port DDITS						_									
		4-Wire DS1		<u> </u>	UEPDD	VE1R4	0.0591	12.04	11.53				15.20				

ISDN /IRTUAL COLLOCA Virtua Splitt	TION al Collocation-2 Wire Cross Connects (Loop) for Line	Interi m	Zone	BCS	usoc			RATES(\$)			Sua Ondan		Charge -	Charge -	Incremental Charge -	Incremental Charge -
ISDN /IRTUAL COLLOCA Virtua Splitt	TION al Collocation-2 Wire Cross Connects (Loop) for Line							π. 20(ψ)			Submitted Elec per LSR	Submitted	Manual Svc Order vs. Electronic- 1st	Order vs. Electronic- Add'l	Manual Svc Order vs. Electronic- Disc 1st	Manual Svo Order vs. Electronic- Disc Add'l
ISDN /IRTUAL COLLOCA Virtua Splitt	TION al Collocation-2 Wire Cross Connects (Loop) for Line					Rec	Nonrec	urring	Nonrecurring	Disconnect			OSS F	ATES (\$)		
ISDN /IRTUAL COLLOCA Virtua Splitt	TION al Collocation-2 Wire Cross Connects (Loop) for Line						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN		SOMAN	SOMAN
VIRTUAL COLLOCA Virtua Splitt	TION al Collocation-2 Wire Cross Connects (Loop) for Line															
Virtu: Splitt	al Collocation-2 Wire Cross Connects (Loop) for Line			UEPEX	VE1R4	0.0591	12.04	11.53				15.20				
Splitt																
	ing			UEPSR, UEPSB	VE1LS	0.0296	11.94	11.46	0.00	0.00		15.20				İ
	RRIER ROUTING	-		OLI OK, OLI OD	VETEO	0.0230	11.54	11.40	0.00	0.00		13.20				<u> </u>
	onal Service Establishment			UEBIB	SRCEC		100,209.33					15.20				
	Office Establishment			UEBIB	SRCEO		164.29	164.29				15.20				
	y NRC, per query			UEBIB		0.0030293										
	IN SMS ACCESS SERVICE															
	SMS Access Service - Service Establishment, Per State, Setup			A1N	CAMSE		38.30	38.30				15.20				
AINI C	PMS Accord Service Port Connection Dial/Chared Access			A1N	CAMDP		7.60	7.60				15.20				1
	SMS Access Service - Port Connection - Dial/Shared Access SMS Access Service - Port Connection - ISDN Access			A1N	CAM1P		7.60	7.60				15.20				
	SMS Access Service - Port Confidentification Codes - Per User				J/ WVIII		7.00	7.00				10.20				-
ID Co				A1N	CAMAU		33.99	33.99				15.20				İ
	SMS Access Service - Security Card, Per User ID Code,															
	or Replacement			A1N	CAMRC		41.39	41.39				15.20				
	SMS Access Service - Storage, Per Unit (100 Kilobytes)					0.0022										
	SMS Access Service - Session, Per Minute					0.5795										
	SMS Access Service - Company Performed Session, Per					0.0404										İ
Minu	IN TOOLKIT SERVICE					0.8104										
	oolkit Service - Service Establishment Charge, Per State,															<u> </u>
	Setup			CAM	BAPSC		38.30	38.30				15.20				İ
	oolkit Service - Training Session, Per Customer				BAPVX		4,175.10	4,175.10				15.20				
	Toolkit Service - Trigger Access Charge, Per Trigger, Per															
	Term. Attempt				BAPTT		7.60	7.60				15.20				
	Toolkit Service - Trigger Access Charge, Per Trigger, Per				DADTD		7.00	7.00				45.00				İ
	Off-Hook Delay Toolkit Service - Trigger Access Charge, Per Trigger, Per				BAPTD		7.60	7.60				15.20				-
DN, (Off-Hook Immediate Toolkit Service - Trigger Access Charge, Per Trigger, Per				BAPTM		7.60	7.60				15.20				
	10-Digit PODP				BAPTO		33.47	33.47				15.20				
	Toolkit Service - Trigger Access Charge, Per Trigger, Per															
DN, (CDP				BAPTC		33.47	33.47				15.20				
DN, I	Foolkit Service - Trigger Access Charge, Per Trigger, Per Feature Code				BAPTF		33.47	33.47				15.20				
	Toolkit Service - Query Charge, Per Query		ļ			0.0536446									ļ	
Subs	Coolkit Service - Type 1 Node Charge, Per AIN Toolkit cription, Per Node, Per Query					0.006569										
Acco	Foolkit Service - SCP Storage Charge, Per SMS Access unt, Per 100 Kilobytes Foolkit Service - Monthly report - Per AIN Toolkit Service					0.06										
Subs	cription			CAM	BAPMS	10.90	7.60	7.60				15.20				1
Subs	Toolkit Service - Special Study - Per AIN Toolkit Service cription			CAM	BAPLS	2.80	8.41	8.41				15.20				
Subs	Coolkit Service - Call Event Report - Per AIN Toolkit Service cription			CAM	BAPDS	8.20	7.60	7.60				15.20				ļ
Servi	Foolkit Service - Call Event Special Study - Per AIN Toolkit ce Subscription			CAM	BAPES	0.09	8.41	8.41				15.20				<u> </u>
NOTE: New I	DED LINK (EELS) EELs available in State of Georgia, density zone 1 of follo	owing 9	SMAc	Orlando El Mismi	FI: Ft I and	erdale El I: No	shville TN: No.	v Orleane I A								
	otte-Gastonia-Rockhill, NC; Greensboro-Winston Salem-							· Jilealis, LA,								
	states, EEL network elements shown below also apply to							As Is Charge a	pplies to curren	ntly combined	facilities co	nverted to I	JNEs.(Non-re	curring rates	do not	
apply.)	, TN, KY, LA & MS, the EEL network elements apply to o							Onlarge a		, combined				caing rates	101	

4Q01:12/01/01 PAGE 157 OF 324

UNBUNDLE	D NETWORK ELEMENTS - Louisiana												Attachment:	2		Exhibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)	I			Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual Svc Order vs.
						Rec	Nonrec		Nonrecurring					RATES (\$)		
0.14/15	E VOICE OR ARE EXTENDED LOOP WITH REPLOATER ROLLING	FEDOLE	IOE TO	ANODODT (EEL)	ļ		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
2-WIR	E VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport	IEROFF	ICE IR	ANSPORT (EEL)	-	-										
	Combination - Zone 1		1	UNCVX	UEAL2	14.93	94.21	45.09				15.20				
	First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 2		2	UNCVX	UEAL2	25.35	94.21	45.09				15.20				
	First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed		3	LINICAL	UEAL2	FO 40	04.04	45.00				45.00				
	Transport Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile		3	UNCVX	UEALZ	50.46	94.21	45.09				15.20				
	per month			UNC1X	1L5XX	0.2652										
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month			UNC1X	U1TF1	70.47	143.58	103.88				15.20				
	DS1 Channelization System Per Month			UNC1X	MQ1	105.09	59.97	12.96				15.20				
	Voice Grade COCI - DS1 To Ds0 Interface - Per Month			UNCVX	1D1VG	0.6497	5.91	4.26								
	Each Additional 2-Wire VG Loop(SL 2) in the same DS1 Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL2	14.93	94.21	45.09				15.20				
	Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL2	25.35	94.21	45.09				15.20				
	Each Additional 2-Wire VG Loop(SL2) in the same DS1															
	Interoffice Transport Combination - Zone 3 Voice Grade COCI - DS1 to DS0 Channel System combination -		3	UNCVX	UEAL2	50.46	94.21	45.09				15.20				1
	per month			UNCVX	1D1VG	0.6497	5.91	4.26								
	Nonrecurring Currently Combined Network Elements Switch -As-	-		LINIOAY	LINIOOO		5.40	5.40				45.00				
4-WIR	Is Charge VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT	TEROFE	ICF TR	UNC1X	UNCCC		5.43	5.43				15.20				
7 70110	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice	I		ANOI OITI (EEE)												
	Transport Combination - Zone 1		1	UNCVX	UEAL4	30.81	94.21	45.09				15.20				
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	38.32	94.21	45.09				15.20				
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	60.39	94.21	45.09				15.20				
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0.2652	04.21	40.00				10.20				
	Interoffice Transport - Dedicated - DS1 - Facility Termination Per Month	•		UNC1X	U1TF1	70.47	143.58	103.88				15.20				
	Channelization - Channel System DS1 to DS0 combination Per	1		ONOTA	01111	70.47	143.30	100.00				13.20				
	Month			UNC1X	MQ1	105.09	59.97	12.96								
	Voice Grade COCI - DS1 to DS0 Channel System combination - per month			UNCVX	1D1VG	0.6497	5.91	4.26								
	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	30.81	94.21	45.09				15.20				
	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	38.32	94.21	45.09				15.20				
	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	60.39	94.21	45.09				15.20				
	Voice Grade COCI - DS1 to DS0 Channel System combination - per month			UNCVX	1D1VG	0.6497	5.91	4.26								
	Nonrecurring Currently Combined Network Elements Switch -As-	-				0.0401										
4 14/15	Is Charge E 56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1	INITES	LEIOE	UNC1X	UNCCC		5.43	5.43				15.20				ļ
4-VVIK	First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice	INTERC)CFILE	INANOFURI (EEL)	'											-
	Transport Combination - Zone 1		1	UNCDX	UDL56	30.99	94.21	45.09				15.20				
	First 4-wire 56Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	36.78	94.21	45.09				15.20				
	First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	38.92	94.21	45.09				15.20				
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0.2652										
1	I o monu		1	OHOIX	TLOAK	0.2002			<u> </u>		<u> </u>		1		1	

UNBUNDLE	D NETWORK ELEMENTS - Louisiana												Attachment:	2		Exhibit: E
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrec		Nonrecurring					RATES (\$)		
	Interoffice Transport - Dedicated - DS1 - combination Facility						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Termination Per Month			UNC1X	U1TF1	70.47	143.58	103.88				15.20				
	Channelization - Channel System DS1 to DS0 combination Per															
	Month			UNC1X	MQ1	105.09	59.97	12.96								
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs)			UNCDX	1D1DD	1.38	5.91	4.26								
	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1			CHODA	10100	1.00	0.01	4.20								
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	30.99	94.21	45.09				15.20				
	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1		2	LINCDY	UDL56	36.78	94.21	45.09				45.00				
	Interoffice Transport Combination - Zone 2 Additional 4-Wire 56Kbps Digital Grade Loopin same DS1			UNCDX	UDLS6	36.78	94.21	45.09				15.20				-
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	38.92	94.21	45.09				15.20				
İ	OCU-DP COCI (data) - DS1 to DS0 Channel System -															
	combination per month (2.4-64kbs)		<u> </u>	UNCDX	1D1DD	1.38	5.91	4.26								
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNC1X	UNCCC		5.43	5.43				15.20				
4-WIRE	64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1	INTERC	FFICE				3.43	3.43				13.20				
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice			,												
	Transport Combination - Zone 1		1	UNCDX	UDL64	30.99	94.21	45.09				15.20				
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	36.78	94.21	45.09				15.20				
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice			ONODX	ODLO4	30.70	34.21	40.00				13.20				
	Transport Combination - Zone 3		3	UNCDX	UDL64	38.92	94.21	45.09				15.20				
	Interoffice Transport - Dedicated - DS1 combination - Per Mile			LINGAY	41.5007	0.0050										
	Per Month Interoffice Transport - Dedicated - DS1 combination - Facility			UNC1X	1L5XX	0.2652										_
	Termination Per Month			UNC1X	U1TF1	70.47	143.58	103.88				15.20				
	Channelization - Channel System DS1 to DS0 combination Per															
	Month OCU-DP COCI (data) - DS1 to DS0 Channel System			UNC1X	MQ1	105.09	59.97	12.96								_
	combination - per month (2.4-64kbs)			UNCDX	1D1DD	1.38	5.91	4.26								
	Additional 4-Wire 64Kbps Digital Grade Loopin same DS1			011027	10.00	1.00	0.01									
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	30.99	94.21	45.09				15.20				
	Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	36.78	94.21	45.09				15.20				
	Additional 4-Wire 64Kbps Digital Grade Loopin same DS1			UNCDA	UDL64	30.76	94.21	45.09				15.20				
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	38.92	94.21	45.09				15.20				
	OCU-DP COCI (data) - DS1 to DS0 Channel System				1											
	combination - per month (2.4-64kbs) Nonrecurring Currently Combined Network Elements Switch -As-		ļ	UNCDX	1D1DD	1.38	5.91	4.26								
	Is Charge			UNC1X	UNCCC		5.43	5.43				15.20				
4-WIRE	DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INT	EROFFI	CE TRA				2.10									
	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice						100	400				4.5.5				
	Transport - Zone 1 4-Wire DS1 Digital Loop in Combination with DS1 Interoffice		1	UNC1X	USLXX	85.70	169.22	100.89				15.20				
	Transport - Zone 2		2	UNC1X	USLXX	194.96	169.22	100.89				15.20				
	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice															
	Transport - Zone 3	1	3	UNC1X	USLXX	491.94	169.22	100.89				15.20				
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0.2652										
	Interoffice Transport - Dedicated - DS1 combination - Facility		 	5.1017	TEON	3.2032			+							
	Termination Per Month			UNC1X	U1TF1	70.47	143.58	103.88				15.20				
	Nonrecurring Currently Combined Network Elements Switch -As-	1		LINICAY	LINICCO		E 40	F 40				45.00				
4-WIRF	Is Charge DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INT	<u>I</u> EROFFI	CE TRA	UNC1X ANSPORT (EEL)	UNCCC		5.43	5.43	+			15.20				
	First DS1Loop in DS3 Interoffice Transport Combination - Zone		1	` ′												
	1		1	UNC1X	USLXX	85.70	169.22	100.89				15.20				

UNBUNDLE	D NETWORK ELEMENTS - Louisiana												Attachment:	2		Exhibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring Disco					RATES (\$)		
	First DS1Loop in DS3 Interoffice Transport Combination - Zone						First	Add'l	First A	\dd'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2		2	UNC1X	USLXX	194.96	169.22	100.89				15.20				
	First DS1Loop in DS3 Interoffice Transport Combination - Zone															
	3 Interoffice Transport - Dedicated - DS3 combination - Per Mile		3	UNC1X	USLXX	491.94	169.22	100.89				15.20				
	Per Month			UNC3X	1L5XX	6.04										
	Interoffice Transport - Dedicated - DS3 - Facility Termination per															
	month			UNC3X	U1TF3 MQ3	850.45	296.68	121.16				15.20				
	DS3 to DS1 Channel System combination per month DS3 Interface Unit (DS1 COCI) combination per month		<u> </u>	UNC3X UNC1X	UC1D1	201.48 11.78	107.05 5.91	48.07 4.26								
-	Additional DS1Loop in DS3 Interoffice Transport Combination -			ONOIA	JUIDI	11.78	0.81	4.20	 							
	Zone 1		_1	UNC1X	USLXX	85.70	169.22	100.89				15.20				
	Additional DS1Loop in DS3 Interoffice Transport Combination -						,					,				
	Zone 2 Additional DS1Loop in DS3 Interoffice Transport Combination -	-	2	UNC1X	USLXX	194.96	169.22	100.89				15.20				
	Zone 3		3	UNC1X	USLXX	491.94	169.22	100.89				15.20				
	DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	11.78	5.91	4.26								
	Nonrecurring Currently Combined Network Elements Switch -As-	•														
2 WIDE	Is Charge VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GRADE INT	FEBOE	ICE TO	UNC3X	UNCCC		5.43	5.43				15.20				
Z-WIRE	2-WireVG Loop used with 2-wire VG Interoffice Transport	EKOFF	ICE IK	ANSPORT (EEL)												
	Combination - Zone 1		1	UNCVX	UEAL2	14.93	94.21	45.09				15.20				
	2-WireVG Loop used with 2-wire VG Interoffice Transport															
	Combination - Zone 2		2	UNCVX	UEAL2	25.35	94.21	45.09				15.20				
	2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL2	50.46	94.21	45.09				15.20				
	Interoffice Transport - Dedicated - 2-wire VG combination - Per		Ü	ONOVA	OLALL	00.40	J4.21	40.00				10.20				
	Mile Per Month			UNCVX	1L5XX	0.013										
	Interoffice Transport - Dedicated - 2- Wire Voice Grade combination - Facility Termination per month			UNCVX	U1TV2	22.60	72.60	41.75				15.20				
	Nonrecurring Currently Combined Network Elements Switch -As-			UNCVA	01172	22.60	72.00	41.75				15.20				
	Is Charge			UNCVX	UNCCC		5.43	5.43				15.20				
4-WIRE	VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRADE IN	TEROFF	ICE TR	ANSPORT (EEL)												
	4-WireVG Loop used with 4-wire VG Interoffice Transport			111000		00.04	04.04	45.00				45.00				
+	Combination - Zone 1 4-WireVG Loop used with 4-wire VG Interoffice Transport	-	1	UNCVX	UEAL4	30.81	94.21	45.09	 	+		15.20				
	Combination - Zone 2		2	UNCVX	UEAL4	38.32	94.21	45.09				15.20				
	4-WireVG Loop used with 4-wire VG Interoffice Transport															
	Combination - Zone 3 Interoffice Transport - Dedicated - 4-wire VG combination - Per		3	UNCVX	UEAL4	60.39	94.21	45.09				15.20				
	Mile Per Month			UNCVX	1L5XX	0.013										
	Interoffice Transport - Dedicated - 4- Wire Voice Grade															
	combination - Facility Termination per month			UNCVX	U1TV4	19.81	72.60	41.75				15.20				
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge	1		UNCVX	UNCCC		5.43	5.43				15.20				
DS3 DI	JIS CHARGE GITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFIC	E TRA	NSPOR		JINCOU	1	ე.43	5.43				13.20				
200 01	High Capacity Unbundled Local Loop - DS3 combination - Per			. ,/	1											
	Mile per month			UNC3X	1L5ND	10.04										
	High Capacity Unbundled Local Loop - DS3 combination - Facility Termination per month			UNC3X	UE3PX	362.34	188.45	125.51								
	Interoffice Transport - Dedicated - DS3 - Per Mile per month	-	-	UNC3X	1L5XX	362.34 6.04	188.45	125.51								
	Interoffice Transport - Dedicated - DS3 combination - Facility					0.04										
	Termination per per month			UNC3X	U1TF3	850.45	296.68	121.16				15.20				
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge	1		UNC3X	UNCCC		5.43	5.43				15.20				
STS1 D	IS Charge DIGITAL EXTENDED LOOP WITH DEDICATED STS1 INTEROF	FICE TE	RANSPO		JINCOU		5.43	5.43				13.20				
	High Capacity Unbundled Local Loop - STS1 combination - Per		1	` '												
	Mile per month]	UNCSX	1L5ND	10.04										

UNBUNDLE	NETWORK ELEMENTS - Louisiana												Attachment:	2		Exhibit: E
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge -	Charge -	Charge - Manual Svo Order vs.
						Rec	Nonrec		Nonrecurring Dis					RATES (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	High Capacity Unbundled Local Loop - STS1 combination - Facility Termination per month			UNCSX	UDLS1	374.56	188.45	125.51								
	Interoffice Transport - Dedicated - STS1 combination - Per Mile			ONCOX	CDECT	074.00	100.40	120.01								
	per month			UNCSX	1L5XX	6.04										
	Interoffice Transport - Dedicated - STS1 combination - Facility Termination per month			UNCSX	U1TFS	830.19	296.68	121.16				15.20				
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNCSX	UNCCC		5.43	5.43				15.20				
2-WIRE	ISON EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPOR	RT (EEL)	UNCOX	UNCCC		5.43	5.43				15.20				1
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination	, <u></u>	ĺ		1											1
	Transport - Zone 1		1	UNCNX	U1L2X	22.09	94.21	45.09				15.20				ļ
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 2		2	UNCNX	U1L2X	35.28	94.21	45.09				15.20				
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination			UNCINA	UTLZX	33.26	94.21	43.09				13.20				
	Transport - Zone 3		3	UNCNX	U1L2X	65.18	94.21	45.09				15.20				
	Interoffice Transport - Dedicated - DS1 combination - Per Mile			UNC1X	1L5XX	0.2652										
	Interoffice Transport - Dedicated - DS1 combintion - Facility Termination per month			UNC1X	U1TF1	70.47	143.58	103.88				15.20				
	Channelization - Channel System DS1 to DS0 combination - per month			UNC1X	MQ1	105.09	59.97	12.96								
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System combination - per month			UNCNX	UC1CA	2.96	5.91	4.26								
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 1		1	UNCNX	U1L2X	22.09	94.21	45.09				15.20				
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport			OHOHA	OTLEX	22.00	54.21	40.00				10.20				
	Combination - Zone 2		2	UNCNX	U1L2X	35.28	94.21	45.09				15.20				
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 3		3	UNCNX	U1L2X	65.18	94.21	45.09				15.20				
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System combintaion- per month			UNCNX	UC1CA	2.96	5.91	4.26								
	Nonrecurring Currently Combined Network Elements Switch -As-															
4-WIDE	Is Charge DS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 IN	ITEDAE	EICE TI	UNC1X	UNCCC		5.43	5.43				15.20				-
4-WIKE	First DS1 Loop in STS1 Interoffice Transport Combination -	ILEKOF	FICE II	KANSFORT (EEL)												+
	Zone 1 First DS1 Loop in STS1 Interoffice Transport Combination -		1	UNC1X	USLXX	85.70	169.22	100.89				15.20				
	Zone 2		2	UNC1X	USLXX	194.96	169.22	100.89				15.20				
	First DS1 Loop in STS1 Interoffice Transport Combination - Zone 3		3	UNC1X	USLXX	491.94	169.22	100.89				15.20				
	Interoffice Transport - Dedicated - STS1 combination - Per Mile Per Month			UNCSX	1L5XX	6.04										
	Interoffice Transport - Dedicated - STS1 combination - Facility															
	Termination			UNCSX UNCSX	U1TFS MQ3	830.19 201.48	296.68	121.16				15.20				ļ
	STS1 to DS1 Channel System conbination per month DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	11.78	107.05 5.91	48.07 4.26								
	Additional DS1Loop in STS1 Interoffice Transport Combination - Zone 1		1	UNC1X	USLXX	85.70	169.22	100.89				15.20				
	Additional DS1Loop in STS1 Interoffice Transport Combination - Zone 2		2	UNC1X	USLXX	194.96	169.22	100.89				15.20				
	Additional DS1Loop in STS1 Interoffice Transport Combination - Zone 3		3	UNC1X	USLXX	491.94	169.22	100.89				15.20				
	DS3 Interface Unit (DS1 COCI) combination per month		3	UNC1X UNC1X	UC1D1	491.94 11.78	5.91	4.26				15.20				+
	Nonrecurring Currently Combined Network Elements Switch -As-	1		- 		5	0.01	20								1
	Is Charge		D 4 ***	UNCSX	UNCCC		5.43	5.43				15.20				ļ
4-WIRE	56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS INTERO 4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport	FFICE 1	KANSI	OKI (EEL)												
	Combination - Zone 1		1	UNCDX	UDL56	30.99	94.21	45.09				15.20				

UNBUNDLE	ED NETWORK ELEMENTS - Louisiana											Attachment:	2		Exhibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Submitted Manually		Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring Disconnect				ATES (\$)		
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport						First	Add'l	First Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Combination - Zone 2		2	UNCDX	UDL56	36.78	94.21	45.09			15.20				
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport						24.24	4.5.00			4=00				
	Combination - Zone 3 Interoffice Transport - Dedicated - 4-wire 56 kbps combination -		3	UNCDX	UDL56	38.92	94.21	45.09			15.20				
	Per Mile			UNCDX	1L5XX	0.013									
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -														
	Facility Termination Nonrecurring Currently Combined Network Elements Switch -As-			UNCDX	U1TD5	15.61	72.60	41.75			15.20				-
	Is Charge			UNCDX	UNCCC		5.43	5.43			15.20				1
4-WIR	E 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTERO	FFICE T	RANS												
	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport		1	UNCDX	UDL64	30.99	94.21	45.09			15.20				
	Combination - Zone 1 4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport		1	UNCDX	UDL64	30.99	94.21	45.09			15.20				
	Combination - Zone 2		2	UNCDX	UDL64	36.78	94.21	45.09			15.20				<u></u>
	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport														
	Combination - Zone 3 Interoffice Transport - Dedicated - 4-wire 64 kbps combination -		3	UNCDX	UDL64	38.92	94.21	45.09			15.20				
	Per Mile			UNCDX	1L5XX	0.013									1
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -														
	Facility Termination			UNCDX	U1TD6	15.61	72.60	41.75			15.20				
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNCDX	UNCCC		5.43	5.43			15.20				1
ADDITIONAL	NETWORK ELEMENTS			ONODA	ONCCC		3.43	3.43			13.20				
	used as a part of a currently combined facility, the non-recurr														
	used as ordinarilty combined network elements in Georgia, th	e non-r	ecurrin	g charges apply and	the Switch	As Is Charge of	oes not.								
	s to DCS - Customer Reconfiguration (FlexServ) (SynchroNet)									1					
	curring Currently Combined Network Elements "Switch As Is"	Charge	(One a	pplies to each comb	ination)										
	2/4-Wire VG Interoffice Channel used in a COMBINATION -														
	"Switch As Is" Conversion Charge 56/64 kbps Interoffice Channel used in a COMBINATION -			UNCVX	UNCCC		5.43	5.43			15.20				-
	"Switch As Is" Conversion Charge			UNCDX	UNCCC		5.43	5.43			15.20				1
	DS1 Interoffice Channel used in a COMBINATION - "Switch As			0.1027	0.1000		0.10	0.10			10.20				
	Is" Conversion Charge			UNC1X	UNCCC		5.43	5.43		ļ	15.20				ļ
	DS3 Interoffice Channel used in a COMBINATION - "Switch As Is" Conversion Charge			UNC3X	UNCCC		5.43	5.43			15.20				1
	STS1 Interoffice or Local Loop used in a COMBINATION -			OIACOV	UNCCC		5.43	5.43		1	15.20				
	"Switch As Is" Conversion Charge			UNCSX	UNCCC		5.43	5.43			15.20		_		
	: Local Channel - Dedicated Transport - minimum billing period	d - Belo	w DS3:	one month, DS3 an	d above=fou	r months									
	LOCAL EXCHANGE SWITCHING(PORTS) inge Ports				-					-	-				
	: Although the Port Rate includes all available features in GA, I	KY, LA	& TN, t	he desired features v	will need to I	be ordered usi	ng retail USOCs	;		1					
	E VOICE GRADE LINE PORT RATES (RES)														
	Exchange Ports - 2-Wire Analog Line Port- Res.			UEPSR	UEPRL	1.52	2.31	2.21			15.20				
	Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.			UEPSR	UEPRC	1.52	2.31	2.21			15.20				
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Res.			UEPSR	UEPRO	1.52	2.31	2.21			15.20				
	Exchange Ports - 2-Wire VG unbundled LA extended local														
	dialing parity Port with Caller ID - Res.			UEPSR	UEPAS	1.52	2.31	2.21		-	15.20				-
	Exchange Ports - 2-Wire VG unbundled Louisiana Area Plus with Caller ID - Res (RUL)			UEPSR	UEPAG	1.52	2.31	2.21			15.20				
	Exchange Ports - 2-Wire VG unbundled res, low usage line port with Caller ID (LUM)			UEPSR	UEPAP	1.52	2.31	2.21			15.20				1
	Subsequent Activity			UEPSR	USASC	0.00	0.00	0.00		<u> </u>	10.20				
FEAT	URES														
	All Available Vertical Features		<u> </u>	UEPSR	UEPVF	0.00	0.00	0.00			15.20				<u> </u>

<u>BUNDLE</u>	D NETWORK ELEMENTS - Louisiana												Attachment:	2		Exhib
regory	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Order vs.	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Increm Char Manua Order Electro Disc A
						Rec	Nonrec			g Disconnect				RATES (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOM
2-WIRE	VOICE GRADE LINE PORT RATES (BUS)															
	Exchange Ports - 2-Wire Analog Line Port without Caller ID -															
	Bus Exchange Ports - 2-Wire VG unbundled Line Port with	-		UEPSB	UEPBL	1.52	2.31	2.21				15.20				
	unbundled port with Caller+E484 ID - Bus.			UEPSB	UEPBC	1.52	2.31	2.21				15.20				
_	unbundied port with Caller+E404 ib - bus.			OLI OD	OLI DO	1.02	2.01	2.21				13.20				
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus.			UEPSB	UEPBO	1.52	2.31	2.21				15.20				
	Exchange Ports - 2-Wire VG unbundled LA extended local															
	dialing parity Port with Caller ID - Bus.			UEPSB	UEPAX	1.52	2.31	2.21				15.20				
	Exhange Ports - 2-Wire VG unbundled incoming only port with															
	Caller ID - Bus			UEPSB	UEPB1	1.52	2.31	2.21				15.20				
	Exchange Ports - 2-Wire VG unbundled Louisiana Bus Area				1		_	_								
	Calling Port with Caller ID - Bus (BUC)			UEPSB	UEPAA	1.52	2.31	2.21				15.20				
FEATU	Subsequent Activity			UEPSB	USASC	0.00	0.00	0.00								
	All Available Vertical Features	-		UEPSB	UEPVF	0.00	0.00	0.00				15.20				
	NGE PORT RATES (DID & PBX)	1		UEFOB	UEPVF	0.00	0.00	0.00				15.20				
LACITA	2-Wire VG Unbundled 2-Way PBX Trunk - Res			UEPSE	UEPRD	1.52	30.37	14.42				15.20				
	2-Wire VG Glibdridied 2-Way FBX Trunk - Rus			UEPSP	UEPPC	1.52	30.37	14.42				15.20				
	2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus			UEPSP	UEPPO	1.52	30.37	14.42				15.20				
	2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus			UEPSP	UEPP1	1.52	30.37	14.42				15.20				
	2-Wire Analog Long Distance Terminal PBX Trunk - Bus			UEPSP	UEPLD	1.52	30.37	14.42				15.20				
	2-Wire Voice Unbundled 2-Way PBX Louisiana Calling Port			UEPSP	UEPL2	1.52	30.37	14.42				15.20				
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPSP	UEPLD	1.52	30.37	14.42				15.20				
	2-Wire Vice Unbundled 2-Way PBX Usage Port			UEPSP	UEPXA	1.52	30.37	14.42				15.20				
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPSP	UEPXB	1.52	30.37	14.42				15.20				
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPSP	UEPXC	1.52	30.37	14.42				15.20				
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPSP	UEPXD	1.52	30.37	14.42				15.20				
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPSP	UEPXE	1.52	30.37	14.42				15.20				
-	2-Wire Voice Unbundled 2-Way PBX Louisiana Local Optional			UEFSF	UEPAE	1.52	30.37	14.42				15.20				
	Callling Port			UEPSP	UEPXK	1.52	30.37	14.42				15.20				
_	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			OLF 3F	OLFAR	1.32	30.37	14.42				13.20				
	Administrative Calling Port			UEPSP	UEPXL	1.52	30.37	14.42				15.20				
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy					02	22.01									1
	Room Calling Port			UEPSP	UEPXM	1.52	30.37	14.42				15.20		1		
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital															
	Discount Room Calling Port			UEPSP	UEPXO	1.52	30.37	14.42				15.20				
	2-Wire Voice Unbundled 1-Way Outgoing PBX Louisiana Local															
	Discount Calling Port			UEPSP	UEPXP	1.52	30.37	14.42				15.20		ļ		
-	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port	1		UEPSP	UEPXS	1.52	30.37	14.42								
EE A T.	Subsequent Activity			UEPSP	USASC	0.00	0.00	0.00						ļ		1
FEATU	All Available Vertical Features	1		UEPSP UEPSE	UEPVF	0.00	0.00	0.00				15.20				1
	NGE PORT RATES (COIN)			OLI OF OLF OE	OLF VI	0.00	0.00	0.00				13.20	-			
- LXOII	Exchange Ports - Coin Port				+	1.52	2.31	2.21				15.20				1
NOTE:	Transmission/usage charges associated with POTS circuit s	witched	usage	will also apply to o	ircuit switche				ission by B-CI	hannels associ	ated with 2		orts.	1		1
	Access to B Channel or D Channel Packet capabilities will be													s Request Pro	cess.	
INDLED L	OCAL EXCHANGE SWITCHING(PORTS)															
EXCHA	NGE PORT RATES (DID & PBX)															
	Exchange Ports - 2-Wire DID Port			UEPEX	UEPP2	8.29	115.85	18.20		_		15.20				
	Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID															
	capability			UEPDD	UEPDD	68.47	196.18	92.92				15.20				<u> </u>
	Exchange Ports - 2-Wire ISDN Port (See Notes below.)	1	1	UEPTX UEPSX	U1PMA	10.07	70.76	51.46		i		15.20	l			<u></u>
+	All Features Offered	1		UEPTX UEPSX	UEPVF	0.00	0.00	0.00								

LINDLINDLED NETWORK ELEMENTS. Louisions												A 44 I			
UNBUNDLED NETWORK ELEMENTS - Louisiana	1				1				- 1		ı	Attachment:	2		Exhibit:
				1							1	Incremental	Incremental	Incremental	Incrementa
												Charge -	Charge -	Charge -	Charge -
CATEGORY RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			Svc Order	Svc Order	Manual Svc	Manual Svc	Manual Svc	Manual Sv
	m		200	5555						Submitted	Submitted	Order vs.	Order vs.	Order vs.	Order vs.
										Elec	Manually	Electronic-	Electronic-	Electronic-	Electronic
					ļ					per LSR	per LSR	1st	Add'l	Disc 1st	Disc Add'l
					_			l <u>-</u>							
					Rec	Nonrec First	urring Add'l	Nonrecurring D First		COMEC	COMAN	SOMAN	RATES (\$)	COMAN	SOMAN
		1			Į.	FIRST	Add I	FIRST	Add'l	SUMEC	SUMAN	SUMAN	SUMAN	SOMAN	SUMAN
NOTE: Access to B Channel or D Channel Packet capabilities will b	a availal	blo onl	v through BED/Nov	v Business De	auget Process	Pates for the	nackot canabi	litios will be deter	rminad via th	o Bona Eid	lo Doguest/	Now Business	Poguact Pro	0000	
Exchange Ports - 2-Wire ISDN Port Channel Profiles	Je avaliai	Die Oili	UEPTX UEPSX	U1UMA	0.00	0.00	0.00	lities will be deter	illilleu via ti	ie Bolla Fio	le Requesti	New Dusiliess	Request FIO	cess.	
Exchange Ports - 4-Wire ISDN DS1 Port			UEPEX	UEPEX	94.82	197.92	98.62				15.20				
UNBUNDLED LOCAL SWITCHING, PORT USAGE															
End Office Switching (Port Usage)															
End Office Switching Function, Per MOU					0.001868										
End Office Trunk Port - Shared, Per MOU					0.00018										
Tandem Switching (Port Usage) (Local or Access Tandem)	1														
Tandem Switching Function Per MOU	-	1		+	0.0001067										
Tandem Trunk Port - Shared, Per MOU Common Transport	-			+	0.000222			 							
Common Transport - Per Mile, Per MOU	1	1		+	0.0000032						-				
Common Transport - Fer Mile, Fer MOO Common Transport - Facilities Termination Per MOU	+	1		+	0.0003748										
UNBUNDLED PORT/LOOP COMBINATIONS - COST BASED RATES				1	3.3333.40										
Cost Based Rates are applied where BellSouth is required by FCC a	and/or St	tate Co	mmission rule to p	rovide Unbun	dled Local Swit	tching or Swite	h Ports.								
Features shall apply to the Unbundled Port/Loop Combination - Co	st Based	Rates	section in the same	manner as th	ey are applied	to the Stand-A	one Unbundle	ed Port section of	this Rate Ex	khibit.					
	leagn rat	tes in tl	he Port section of t	his rate exhib	it shall apply to	all combination	ons of loop/po	rt network elemer	nts except for	or UNE Coi	n Port/Loop	Combination	ıs.		
End Office and Tandem Switching Usage and Common Transport U	Joaye Tal														
For Georgia, Kentucky, Louisiana, MIssissippi and Tennessee, the	recurring														
For Georgia, Kentucky, Louisiana, MIssissippi and Tennessee, the Combined Combos for all states. In GA, KY, LA, MS and TN these n	recurring	ring ch	narges are commiss	ion ordered c	ost based rates	and in AL, FL									
For Georgia, Kentucky, Louisiana, MIssissippi and Tennessee, the Combined Combos for all states. In GA, KY, LA, MS and TN these n Combined Combos in all other states, the nonrecurring charges sh	recurring	ring ch	narges are commiss	ion ordered c	ost based rates	and in AL, FL									
For Georgia, Kentucky, Louisiana, Mississippi and Tennessee, the Combined Combos for all states. In GA, KY, LA, MS and TN these n Combined Combos in all other states, the nonrecurring charges sh: 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)	recurring	ring ch	narges are commiss	ion ordered c	ost based rates	and in AL, FL									
For Georgia, Kentucky, Louisiana, Mississippi and Tennessee, the Combined Combos for all states. In GA, KY, LA, MS and TN these n Combined Combos in all other states, the nonrecurring charges shing 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) UNE Port/Loop Combination Rates	recurring	ring ch	narges are commiss	ion ordered c	ost based rates rently Combine	and in AL, FL									
For Georgia, Kentucky, Louisiana, MIssissippi and Tennessee, the Combined Combos for all states. In GA, KY, LA, MS and TN these n Combined Combos in all other states, the nonrecurring charges sh: 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) UNE Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1	recurring	ring ch ose ide	narges are commiss	ion ordered c	ost based rates rently Combine	and in AL, FL									
For Georgia, Kentucky, Louisiana, MIssissippi and Tennessee, the Combined Combos for all states. In GA, KY, LA, MS and TN these n Combined Combos in all other states, the nonrecurring charges shit 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) UNE Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2	recurring	ring ch ose ide	narges are commiss	ion ordered c	ost based rates rently Combine	and in AL, FL									
For Georgia, Kentucky, Louisiana, MIssissippi and Tennessee, the Combined Combos for all states. In GA, KY, LA, MS and TN these n Combined Combos in all other states, the nonrecurring charges sh: 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) UNE Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1	recurring	ring ch ose ide	narges are commiss	ion ordered c	ost based rates rently Combine 13.13 23.75	and in AL, FL									
For Georgia, Kentucky, Louisiana, MIssissippi and Tennessee, the Combined Combos for all states. In GA, KY, LA, MS and TN these in Combined Combos in all other states, the nonrecurring charges shide 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) UNE POrt/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1	recurring	ring ch ose ide	arges are commissentified in the Nonn	sion ordered c ecurring - Cur	ost based rates rently Combine 13.13 23.75 49.62 11.77	and in AL, FL									
For Georgia, Kentucky, Louisiana, MIssissippi and Tennessee, the Combined Combos for all states. In GA, KY, LA, MS and TN these in Combined Combos in all other states, the nonrecurring charges shad to the combined Combos in all other states, the nonrecurring charges shad to the combined Combos in all other states, the nonrecurring charges shad to the combos in all other states, the nonrecurring charges shad to the combos in all combos in all charges shad to the combos in all combos in al	recurring	ting choose ide	arges are commissentified in the Nonroll	UEPLX UEPLX UEPLX	13.13 23.75 49.62 11.77 22.39	and in AL, FL									
For Georgia, Kentucky, Louisiana, MIssissippi and Tennessee, the Combined Combos for all states. In GA, KY, LA, MS and TN these in Combined Combos in all other states, the nonrecurring charges shis 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) UNE POrt/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1	recurring	ring ch ose ide	arges are commissentified in the Nonn	sion ordered c ecurring - Cur	ost based rates rently Combine 13.13 23.75 49.62 11.77	and in AL, FL									
For Georgia, Kentucky, Louisiana, MIssissippi and Tennessee, the Combined Combos for all states. In GA, KY, LA, MS and TN these in Combined Combos in all other states, the nonrecurring charges sh: 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) UNE POrt/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 UNE Loop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire Voice Grade Loop (SL1) - Zone 3	recurring	ting choose ide	ueperx Ueperx Ueperx Ueperx Ueperx Ueperx	UEPLX UEPLX UEPLX UEPLX	13.13 23.75 49.62 11.77 22.39 48.26	and in AL, FL	, NC and SC th				ates and are				
For Georgia, Kentucky, Louisiana, MIssissippi and Tennessee, the Combined Combos for all states. In GA, KY, LA, MS and TN these in Combined Combos in all other states, the nonrecurring charges sh: 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) UNE Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 UNE Loop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence	recurring	ting choose ide	ueperx UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX	13.13 23.75 49.62 11.77 22.39 48.26	and in AL, FL d sections.	19.08				tes and are				
For Georgia, Kentucky, Louisiana, MIssissippi and Tennessee, the Combined Combos for all states. In GA, KY, LA, MS and TN these in Combined Combos in all other states, the nonrecurring charges shis 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) UNE POrt/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 UNE Loop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire Voice Grade Line Port Rates (Res) 2-Wire Voice unbundled port - residence 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res	recurring	ting choose ide	ueperx Ueprx	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX	13.13 23.75 49.62 11.77 22.39 48.26 1.36	s and in AL, FL d sections.	19.08 19.08				15.20 15.20				
For Georgia, Kentucky, Louisiana, MIssissippi and Tennessee, the Combined Combos for all states. In GA, KY, LA, MS and TN these in Combined Combos in all other states, the nonrecurring charges shi 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) UNE POrt/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 UNE Loop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res	recurring	ting choose ide	ueperx UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX	13.13 23.75 49.62 11.77 22.39 48.26	and in AL, FL d sections.	19.08				tes and are				
For Georgia, Kentucky, Louisiana, MIssissippi and Tennessee, the Combined Combos for all states. In GA, KY, LA, MS and TN these in Combined Combos in all other states, the nonrecurring charges sh: 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) UNE POrt/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 UNE Loop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire Voice Grade Loop of SL1) - Zone 3 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice Grade unbundled Louisiana extended local dialing	recurring	ting choose ide	UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC	13.13 23.75 49.62 11.77 22.39 48.26 1.36 1.36	38.85 38.85 38.85	19.08 19.08 19.08				15.20 15.20 15.20				
For Georgia, Kentucky, Louisiana, MIssissippi and Tennessee, the Combined Combos for all states. In GA, KY, LA, MS and TN these in Combined Combos in all other states, the nonrecurring charges shi 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) UNE Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1	recurring	ting choose ide	ueperx Ueprx	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX	13.13 23.75 49.62 11.77 22.39 48.26 1.36	s and in AL, FL d sections.	19.08 19.08				15.20 15.20				
For Georgia, Kentucky, Louisiana, MIssissippi and Tennessee, the Combined Combos for all states. In GA, KY, LA, MS and TN these in Combined Combos in all other states, the nonrecurring charges shi 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) UNE Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1	recurring	ting choose ide	UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC	13.13 23.75 49.62 11.77 22.39 48.26 1.36 1.36	38.85 38.85 38.85	19.08 19.08 19.08				15.20 15.20 15.20				
For Georgia, Kentucky, Louisiana, MIssissippi and Tennessee, the Combined Combos for all states. In GA, KY, LA, MS and TN these in Combined Combos in all other states, the nonrecurring charges sh: 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) UNE Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 UNE Loop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire voice Grade Loop (SL1) - Zone 3 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice Grade unbundled Louisiana extended local dialing parity port with Caller ID - res 2-Wire voice unbundled Louisiana Area Plus with Caller ID - res (RUL) 2-Wire voice unbundles res, low usage line port with Caller ID	recurring	ting choose ide	UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRO UEPAS UEPAG	13.13 23.75 49.62 11.77 22.39 48.26 1.36 1.36	38.85 38.85 38.85	19.08 19.08 19.08 19.08				15.20 15.20 15.20				
For Georgia, Kentucky, Louisiana, MIssissippi and Tennessee, the Combined Combos for all states. In GA, KY, LA, MS and TN these in Combined Combos in all other states, the nonrecurring charges shis 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) UNE PORT LOOP Combination Rates 2-Wire VG Loop/Port Combo - Zone 1	recurring	ting choose ide	UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRO	13.13 23.75 49.62 11.77 22.39 48.26 1.36 1.36	38.85 38.85	19.08 19.08				15.20 15.20				
For Georgia, Kentucky, Louisiana, MIssissippi and Tennessee, the Combined Combos for all states. In GA, KY, LA, MS and TN these in Combined Combos in all other states, the nonrecurring charges shi 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) UNE POrt/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 UNE Loop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled Louisiana extended local dialing parity port with Caller ID - res 2-Wire voice unbundled Louisiana Area Plus with Caller ID - res (RUL) 2-Wire voice unbundles res, low usage line port with Caller ID (LUM) FEATURES	recurring	ting choose ide	UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO UEPAS UEPAG	13.13 23.75 49.62 11.77 22.39 48.26 1.36 1.36 1.36	38.85 38.85 38.85 38.85	19.08 19.08 19.08				15.20 15.20 15.20				
For Georgia, Kentucky, Louisiana, MIssissippi and Tennessee, the Combined Combos for all states. In GA, KY, LA, MS and TN these in Combined Combos in all other states, the nonrecurring charges sh: 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) UNE POrt/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 UNE Loop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port with Caller ID - res 2-Wire voice Grade Loop (SL1) - Zone 2 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled Louisiana Area Plus with Caller ID - res (RUL) 2-Wire voice unbundles res, low usage line port with Caller ID (LUM) FEATURES All Features Offered	recurring	ting choose ide	UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRO UEPAS UEPAG	13.13 23.75 49.62 11.77 22.39 48.26 1.36 1.36	38.85 38.85 38.85	19.08 19.08 19.08 19.08				15.20 15.20 15.20				
For Georgia, Kentucky, Louisiana, MIssissippi and Tennessee, the Combined Combos for all states. In GA, KY, LA, MS and TN these in Combined Combos in all other states, the nonrecurring charges shi 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) UNE Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1	recurring	ting choose ide	UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRO UEPAG UEPAG UEPAF	13.13 23.75 49.62 11.77 22.39 48.26 1.36 1.36 1.36 1.36	38.85 38.85 38.85 38.85	19.08 19.08 19.08				15.20 15.20 15.20				
For Georgia, Kentucky, Louisiana, MIssissippi and Tennessee, the Combined Combos for all states. In GA, KY, LA, MS and TN these in Combined Combos in all other states, the nonrecurring charges shit 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) UNE POrt/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 UNE Loop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled Louisiana extended local dialing parity port with Caller ID - res (RUL) 2-Wire voice unbundled Louisiana Area Plus with Caller ID - res (RUL) 1	recurring	ting choose ide	UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO UEPAS UEPAG	13.13 23.75 49.62 11.77 22.39 48.26 1.36 1.36 1.36	38.85 38.85 38.85 38.85	19.08 19.08 19.08				15.20 15.20 15.20				
For Georgia, Kentucky, Louisiana, MIssissippi and Tennessee, the Combined Combos for all states. In GA, KY, LA, MS and TN these in Combined Combos in all other states, the nonrecurring charges shi 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) UNE POrt/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 UNE Loop Rates 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled Louisiana extended local dialing parity port with Caller ID - res 2-Wire voice unbundled Louisiana Area Plus with Caller ID - res (RUL) 2-Wire voice unbundles res, low usage line port with Caller ID (LUM) FEATURES All Features Offered LOCAL NUMBER PORTABILITY Local Number Portability (1 per port) NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED	recurring to the total content of the total content	ting choose ide	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRO UEPAG UEPAG UEPAF	13.13 23.75 49.62 11.77 22.39 48.26 1.36 1.36 1.36 1.36	38.85 38.85 38.85 38.85	19.08 19.08 19.08				15.20 15.20 15.20				
For Georgia, Kentucky, Louisiana, MIssissippi and Tennessee, the Combined Combos for all states. In GA, KY, LA, MS and TN these in Combined Combos in all other states, the nonrecurring charges shi 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) UNE Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1	recurring to the total content of the total content	ting choose ide	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRO UEPAG UEPAG UEPAG UEPAF	13.13 23.75 49.62 11.77 22.39 48.26 1.36 1.36 1.36 1.36	38.85 38.85 38.85 38.85 38.85	19.08 19.08 19.08 19.08 19.08 19.08				15.20 15.20 15.20 15.20 15.20				
For Georgia, Kentucky, Louisiana, MIssissippi and Tennessee, the Combined Combos for all states. In GA, KY, LA, MS and TN these in Combined Combos in all other states, the nonrecurring charges shi 2-Wire VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) UNE POrt/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 UNE Loop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire voice Grade Line Port Rates (Res) 2-Wire voice unbundled port vith Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice Grade unbundled Louisiana extended local dialing parity port with Caller ID - res 2-Wire voice unbundled Louisiana Area Plus with Caller ID - res (RUL) 2-Wire voice unbundled see, low usage line port with Caller ID (LUM) FEATURES All Features Offered LOCAL NUMBER PORTABILITY Local Number Portability (1 per port) NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is	recurring nonrecurring to the	ting choose ide	UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRO UEPAG UEPAG UEPAF	13.13 23.75 49.62 11.77 22.39 48.26 1.36 1.36 1.36 1.36	38.85 38.85 38.85 38.85	19.08 19.08 19.08				15.20 15.20 15.20				
For Georgia, Kentucky, Louisiana, MIssissippi and Tennessee, the Combined Combos for all states. In GA, KY, LA, MS and TN these in Combined Combos in all other states, the nonrecurring charges shi 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) UNE Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1	recurring nonrecurring to the	ting choose ide	UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRO UEPAG UEPAG UEPAG UEPAF	13.13 23.75 49.62 11.77 22.39 48.26 1.36 1.36 1.36 1.36	38.85 38.85 38.85 38.85 38.85	19.08 19.08 19.08 19.08 19.08 19.08				15.20 15.20 15.20 15.20 15.20				
For Georgia, Kentucky, Louisiana, MIssissippi and Tennessee, the Combined Combos for all states. In GA, KY, LA, MS and TN these in Combined Combos in all other states, the nonrecurring charges shi 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) UNE Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1	recurring nonrecurring to the	ting choose ide	JUEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO UEPAS UEPAG UEPAG UEPAF UEPAF UEPAF UEPAF UEPAF UEPAF UEPAF UEPAF UEPAF UEPAF UEPAF UEPAF UEPAF UEPAF	13.13 23.75 49.62 11.77 22.39 48.26 1.36 1.36 1.36 1.36	38.85 38.85 38.85 38.85 0.00	19.08 19.08 19.08 19.08 19.08 19.08 0.00				15.20 15.20 15.20 15.20				
For Georgia, Kentucky, Louisiana, MIssissippi and Tennessee, the Combined Combos for all states. In GA, KY, LA, MS and TN these in Combined Combos in all other states, the nonrecurring charges shi 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) UNE POrt/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 UNE Loop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled Louisiana extended local dialing parity port with Caller ID - res 2-Wire voice unbundled Louisiana Area Plus with Caller ID - res (RUL) 2-Wire voice unbundles res, low usage line port with Caller ID (LUM) FEATURES All Features Offered LOCAL NUMBER PORTABILITY Local Number Portability (1 per port) NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is	recurring nonrecurring to the	ting choose ide	JUEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO UEPAS UEPAG UEPAG UEPAF UEPAF UEPAF UEPAF UEPAF UEPAF UEPAF UEPAF UEPAF UEPAF UEPAF UEPAF UEPAF UEPAF	13.13 23.75 49.62 11.77 22.39 48.26 1.36 1.36 1.36 1.36	38.85 38.85 38.85 38.85 0.00	19.08 19.08 19.08 19.08 19.08 19.08 0.00				15.20 15.20 15.20 15.20				
For Georgia, Kentucky, Louisiana, MIssissippi and Tennessee, the Combined Combos for all states. In GA, KY, LA, MS and TN these in Combined Combos in all other states, the nonrecurring charges shi 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) UNE Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1	recurring nonrecurring to the	ting choose ide	JUEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO UEPAS UEPAG UEPAG UEPAF UEPAF UEPAF UEPAF UEPAF UEPAF UEPAF UEPAF UEPAF UEPAF UEPAF UEPAF UEPAF UEPAF	13.13 23.75 49.62 11.77 22.39 48.26 1.36 1.36 1.36 1.36	38.85 38.85 38.85 38.85 0.00	19.08 19.08 19.08 19.08 19.08 19.08 0.00				15.20 15.20 15.20 15.20				
For Georgia, Kentucky, Louisiana, MIssissippi and Tennessee, the Combined Combos for all states. In GA, KY, LA, MS and TN these in Combined Combos in all other states, the nonrecurring charges shi 2-Wire VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) UNE POrt/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1	recurring nonrecurring to the	ting choose ide	ueprx ueprx ueprx ueprx ueprx ueprx ueprx ueprx ueprx ueprx ueprx ueprx	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRO UEPRO UEPAS UEPAG UEPAG UEPAG UEPAC	13.13 23.75 49.62 11.77 22.39 48.26 1.36 1.36 1.36 1.36 0.00 0.35	38.85 38.85 38.85 38.85 0.00	19.08 19.08 19.08 19.08 0.00				15.20 15.20 15.20 15.20 15.20 15.20				
For Georgia, Kentucky, Louisiana, MIssissippi and Tennessee, the Combined Combos for all states. In GA, KY, LA, MS and TN these in Combined Combos in all other states, the nonrecurring charges shi 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) UNE POrt/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 UNE Loop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice Grade unbundled Louisiana extended local dialing parity port with Caller ID - res (RUL) 2-Wire voice unbundled Louisiana Area Plus with Caller ID - res (RUL) 2-Wire voice unbundled sers, low usage line port with Caller ID (LUM) FEATURES All Features Offered LOCAL NUMBER PORTABILITY Local Number Portability (1 per port) NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED 2-Wire Voice Grade Loop / Line Port Combination - Conversion Switch-as-is 2-Wire Voice Grade Loop / Line Port Combination - Conversion Switch with change ADDITIONAL NRCS 2-Wire Voice Grade Loop WITH 2-WIRE LINE PORT (BUS) UNE Port/Loop Combination Rates	recurring nonrecurring to the	ting choose ide	ueprx ueprx ueprx ueprx ueprx ueprx ueprx ueprx ueprx ueprx ueprx ueprx	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRO UEPRO UEPAS UEPAG UEPAG UEPAG UEPAC	13.13 23.75 49.62 11.77 22.39 48.26 1.36 1.36 1.36 1.36 0.00	38.85 38.85 38.85 38.85 0.00	19.08 19.08 19.08 19.08 0.00				15.20 15.20 15.20 15.20 15.20 15.20				
For Georgia, Kentucky, Louisiana, MIssissippi and Tennessee, the Combined Combos for all states. In GA, KY, LA, MS and TN these in Combined Combos in all other states, the nonrecurring charges shi 2-Wire VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) UNE POrt/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1	recurring nonrecurring to the	ting choose ide	ueprx ueprx ueprx ueprx ueprx ueprx ueprx ueprx ueprx ueprx ueprx ueprx	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRO UEPRO UEPAS UEPAG UEPAG UEPAG UEPAC	13.13 23.75 49.62 11.77 22.39 48.26 1.36 1.36 1.36 1.36 0.00 0.35	38.85 38.85 38.85 38.85 0.00	19.08 19.08 19.08 19.08 0.00				15.20 15.20 15.20 15.20 15.20 15.20				

4Q01:12/01/01 PAGE 164 OF 324

UNBUNDLE	D NETWORK ELEMENTS - Louisiana												Attachment:	2		Exhibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Submitted	Incremental Charge - Manual Svc	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incremental Charge -
						Rec	Nonrec			g Disconnect				RATES (\$)		
	2 Mins VC Leas / Dest Comba - Zone 2		3			40.00	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UNEL	2-Wire VG Loop/Port Combo - Zone 3	1	3			49.62										
UNE LO	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPBX	UEPLX	11.77						-				
	2-Wire Voice Grade Loop (SL1) - Zone 2			UEPBX	UEPLX	22.39										
	2-Wire Voice Grade Loop (SL1) - Zone 3	1		UEPBX	UEPLX	48.26										
2-Wire	Voice Grade Line Port (Bus)															
	2-Wire voice unbundled port without Caller ID - bus			UEPBX	UEPBL	1.36	38.85	19.08				15.20				
	2-Wire voice unbundled port with Caller + E484 ID - bus			UEPBX	UEPBC	1.36	38.85	19.08				15.20				
	2-Wire voice unbundled port outgoing only - bus			UEPBX	UEPBO	1.36	38.85	19.08				15.20				
	2-Wire voice Grade unbundled Louisiana extended local dialing	1]		
ļļ	parity port with Caller ID - bus	ļ		UEPBX	UEPAX	1.36	38.85	19.08				15.20		ļ	ļ	
	2-Wire voice unbundled incoming only port with Caller ID - Bus	ļ	<u> </u>	UEPBX	UPEB1	1.36	38.85	19.08				15.20				ļ
	2-Wire voice unbundled Louisiana Bus Area Calling Port with	1		HEDDY	LIEDAA	1	20.0-	10.00				45.00		1		
1.004	Caller ID (BUC) NUMBER PORTABILITY	!	 	UEPBX	UEPAA	1.36	38.85	19.08		-		15.20	1	 	 	1
LOCAL	Local Number Portability (1 per port)	 		UEPBX	LNPCX	0.35						-				-
FEATU		l		ULFDA	LINEUX	0.35							-	1	1	1
ILATO	All Features Offered	1		UEPBX	UEPVF	0.00	0.00	0.00				15.20				
NONRE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED			OLI DX	OLI VI	0.00	0.00	0.00				10.20				
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -					İ										
	Switch-as-is			UEPBX	USAC2		0.10	0.10				15.20				
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -	•														
	Switch with change			UEPBX	USACC		0.10	0.10								
ADDIT	ONAL NRCs															
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity			UEPBX	USAS2								31.92	7.32		
2-WIRE	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)															
UNE P	ort/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Zone 1		1			13.13										
	2-Wire VG Loop/Port Combo - Zone 2		2			23.75										
	2-Wire VG Loop/Port Combo - Zone 3		3			49.62										
UNE Lo	pop Rates															
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPRG	UEPLX	11.77										
 	2-Wire Voice Grade Loop (SL 1) - Zone 2	!	3	UEPRG UEPRG	UEPLX UEPLX	22.39 48.26				-			1	 	 	1
2 M:	2-Wire Voice Grade Loop (SL 1) - Zone 3 Voice Grade Line Port Rates (RES - PBX)	1	3	UEFKG	UEPLA	48.26							-			-
Z-wire	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port -	1			+	 				1	 	1	1	1	1	1
	Res	1		UEPRG	UEPRD	1.36	66.91	31.29				15.20		1		
LOCAL	NUMBER PORTABILITY	†				50	55.51	320								
1 2 2 1 1	Local Number Portability (1 per port)	1		UEPRG	LNPCP	3.15	0.00	0.00								
FEATU	RES															
	All Features Offered			UEPRG	UEPVF	0.00	0.00	0.00				15.20				
NONRE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -	1												1		
\vdash	Conversion - Switch-As-Is	ļ	1	UEPRG	USAC2		7.68	1.85				15.20				
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch with Change	1		UEPRG	USACC		7.68	1.85					31.92	7.32	1	
ADDIT	ONAL NRCs	1		ULPRU	USACC	 	80.1	1.85		1	 	1	31.92	1.32	1	1
ADDITI	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -	1			1	 										1
	Subsequent Activity			UEPRG	USAS2	0.00	0.00	0.00					31.92	7.32		
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt	1												1		
	Group	<u>L</u>				<u> </u>	7.11	7.11		<u></u>	<u> </u>	<u> </u>	19.99	19.99	19.99	19.99
	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)															
UNE P	ort/Loop Combination Rates															
ļļ_	2-Wire VG Loop/Port Combo - Zone 1	ļ	1		1	13.13								ļ		
	2-Wire VG Loop/Port Combo - Zone 2	ļ	2			23.75										ļ
	2-Wire VG Loop/Port Combo - Zone 3	ļ	3		1	49.62										
UNE LO	pop Rates	1	1		1	i			l	l	1	1	l	ı	ı	<u> </u>

UNBUNDLE	D NETWORK ELEMENTS - Louisiana												Attachment:	2		Exhibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Submitted	Incremental Charge - Manual Svc		Charge -	Incremental Charge -
						Rec	Nonrec	curring	Nonrecurring	Disconnect				RATES (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPPX	UEPLX	11.77										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPPX	UEPLX	22.39										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPPX	UEPLX	48.26										
2-Wire	Voice Grade Line Port Rates (BUS - PBX)															
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPPX	UEPPC	1.36	66.91	31.29				15.20				
	Line Side Unbundled Combination 2-way PBX Trunk Port - Bus Line Side Unbundled Outward PBX Trunk Port - Bus			UEPPX	UEPPC	1.36	66.91	31.29				15.20		-		-
	Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPPX	UEPP1	1.36	66.91	31.29				15.20				
 	2-Wire Voice Unbundled 2-Way Combination PBX Louisiana	1		52. TX	J	1.50	00.91	01.20				10.20		1		1
	Calling Port			UEPPX	UEPL2	1.36	66.91	31.29				15.20				1
	2-Wire Voice Unbundled PBX LD Terminal Ports	1		UEPPX	UEPLD	1.36	66.91	31.29				15.20				
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	1.36	66.91	31.29				15.20				
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	1.36	66.91	31.29				15.20				
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	1.36	66.91	31.29			ļ	15.20		1		1
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	1.36	66.91	31.29				15.20				
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD			UEPPX	UEPXE	4.00	00.04	24.20				45.00				
	Capable Port 2-Wire Voice Unbundled 2-Way PBX Louisiana Local Optional		1	UEPPX	UEPXE	1.36	66.91	31.29				15.20				
	Calling Port			UEPPX	UEPXK	1.36	66.91	31.29				15.20				
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			OLITA	OLI AIX	1.50	00.31	31.23				13.20				
	Administrative Calling Port			UEPPX	UEPXL	1.36	66.91	31.29				15.20				
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			OZ X	OL: AL		00.01	01.20				10.20				
	Room Calling Port			UEPPX	UEPXM	1.36	66.91	31.29				15.20				
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital															
	Discount Room Calling Port			UEPPX	UEPXO	1.36	66.91	31.29				15.20				
	2-Wire Voice Unbundled 1-Way Outgoing PBX Louisiana Local															
	Discount Calling Port			UEPPX	UEPXP	1.36	66.91	31.29				15.20				
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	1.36	66.91	31.29				15.20	31.92	7.32		
LOCAL	. NUMBER PORTABILITY Local Number Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00						-		
FEATU				UEPFA	LINFCF	3.15	0.00	0.00						-		-
	All Features Offered			UEPPX	UEPVF	0.00	0.00	0.00				15.20				
	CURRING CHARGES (NRCs) - CURRENTLY COMBINED			OLI I X	OLI VI	0.00	0.00	0.00				10.20				
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
	Conversion - Switch-As-Is			UEPPX	USAC2		7.68	1.85				15.20				
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
	Conversion - Switch with Change			UEPPX	USACC		7.68	1.85			ļ		31.92	7.32		1
ADDITI	ONAL NRCs	1	 		1						<u> </u>					
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -			UEPPX	USAS2	0.00	0.00	0.00					31.92	7.32		
\vdash	Subsequent Activity PBX Subsequent Activity - Change/Rearrange Multiline Hunt	1	-	UEPPA	USAS2	0.00	0.00	0.00			 	-	31.92	1.32		-
	Group						7.11	7.11					19.99	19.99	19.99	19.99
2-WIRF	EVOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POI	RT				1	7.11	7.11			1		10.05	13.35	13.33	13.35
	ort/Loop Combination Rates	Ī												1		1
	2-Wire VG Coin Port/Loop Combo – Zone 1		1			13.13										
	2-Wire VG Coin Port/Loop Combo – Zone 2		2			23.75										
	2-Wire VG Coin Port/Loop Combo – Zone 3		3			49.62										
UNE Lo	pop Rates	1	<u> </u>	LIEBOO							1			ļ		
\vdash	2-Wire Voice Grade Loop (SL1) - Zone 1	1	1	UEPCO	UEPLX	11.77					<u> </u>			-		-
\vdash	2-Wire Voice Grade Loop (SL1) - Zone 2	1	3	UEPCO	UEPLX	22.39					1	1	-	 	 	
2-14/:	2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Ports (COIN)	1	3	UEPCO	UEPLX	48.26					1	-	-			
Z-vvire	2-Wire Coin 2-Way without Operator Screening and without	1			+						1	1		t		t
	Blocking (AL, KY, LA, MS)			UEPCO	UEPRF	1.36	38.85	19.08				15.20				
	2-Wire Coin 2-Way with Operator Screening and Blocking: 011,	1					55.55					.0.20		1		1
	900/976, 1+DDD (AL, KY, LA, MS)			UEPCO	UEPRA	1.36	38.85	19.08				15.20		1		1
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking												_			
	(AL, LA, MS)			UEPCO	UEPRB	1.36	38.85	19.08			1	15.20		I	l	l .

UNBUNDLE	D NETWORK ELEMENTS - Louisiana													Attachment:	2		Exhibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	вс	s	USOC			RATES(\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
							Rec	Nonred	urring	Nonrecurring Dis	sconnect				RATES (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Coin 2-Way with Operator Screening & Blocking: 900/976, 1+DDD, 011+, & Local (AL, KY, LA, MS)			UEPCO		UEPCD	1.36	38.85	19.08				15.20				
	2-Wire Coin Outward without Blocking and without Operator			OLI CO		OLI OD	1.50	30.03	19.00				13.20				
	Screening (KY, LA, MS)			UEPCO		UEPRN	1.36	38.85	19.08				15.20				
	2-Wire Coin Outward with Operator Screening and 011 Blocking (LA)			UEPCO		UEPLA	1.36	38.85	19.08				15.20				
	2-Wire Coin Outward with Operator Screening and Blocking: 011, 900/976, 1+DDD (AL, KY, LA, MS)			UEPCO		UEPRH	1.36	38.85	19.08				15.20				
	2-Wire Coin Outward Operator Screening & Blocking: 900/976,			UEPCO		UEPKH	1.30	30.03	19.06				15.20				-
	1+DDD, 011+, and Local (AL, KY, LA, MS)			UEPCO		UEPCN	1.36	38.85	19.08				15.20				<u>[</u>
	2-Wire Coin 2-Way Smartline with 900/976 (Louisiana only)			UEPCO		UEPNA	1.36	38.85	19.08				15.20				
ADDITI	2-Wire Coin Outward Smartline with 900/976 (Louisiana only) ONAL UNE COIN PORT/LOOP (RC)	ļ		UEPCO		UEPCB	1.36	38.85	19.08				15.20				
ADDITI	UNE Coin Port/Loop Combo Usage (Flat Rate)			UEPCO		URECU	1.81	0.00	0.00								
LOCAL	NUMBER PORTABILITY																
	Local Number Portability (1 per port)			UEPCO		LNPCX	0.35										
FEATU	RES ECURRING CHARGES - CURRENTLY COMBINED																
NONKE	2-Wire Voice Grade Loop / Line Port Combination - Conversion -																-
	Switch-as-is 2-Wire Voice Grade Loop / Line Port Combination - Conversion -			UEPCO		USAC2		0.10	0.10				15.20				ļ
	Switch with change			UEPCO		USACC		0.10	0.10					31.92	7.32		ĺ
ADDITI	ONAL NRCs													•			
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent																
LINDUNDI ED E	Activity PORT/LOOP COMBINATIONS - COST BASED RATES			UEPCO		USAS2		0.00	0.00					31.92	7.32		!
	VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	PORT					+										
	ort/Loop Combination Rates	T															
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1		1				23.20										
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2		2				33.62										
LINE L	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3		3				58.73										
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1		1	UEPPX		UECD1	14.93						15.20				—
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2		2	UEPPX		UECD1	25.35						15.20				
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3		3	UEPPX		UECD1	50.46						15.20				
UNE Po	ort Rate			LIEDDY		HEDD4	0.07	047.05	20.00				45.00				
NONDE	Exchange Ports - 2-Wire DID Port CURRING CHARGES - CURRENTLY COMBINED			UEPPX		UEPD1	8.27	217.95	83.92				15.20				
HOMA	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination -																
	Switch-as-is			UEPPX		USAC1		7.10	1.81				15.20				
_	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion			HEDDY		110440	\Box	7.10	4.0.		T		45.00				
ADDITI	with BellSouth Allowable Changes ONAL NRCs	1		UEPPX		USA1C	+	7.10	1.81		+		15.20				
	2-Wire DID Subsequent Activity - Add Trunks, Per Trunk			UEPPX		USAS1		26.01	26.01				15.20				
	one Number/Trunk Group Establisment Charges																
	DID Trunk Termination (One Per Port)			UEPPX		NDT	0.00	0.00	0.00				15.20				
	Additional DID Numbers for each Group of 20 DID Numbers DID Numbers, Non- consecutive DID Numbers, Per Number			UEPPX UEPPX		ND4	0.00	0.00	0.00				15.20				
 	Reserve Non-Consecutive DID numbers	-		UEPPX		ND5 ND6	0.00	0.00	0.00		1		15.20 15.20				
	Reserve DID Numbers			UEPPX		NDV	0.00	0.00	0.00		i		15.20				
	NUMBER PORTABILITY																
	Local Number Portability (1 per port)	NE C:		UEPPX		LNPCP	3.15	0.00	0.00								
	EISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LI	NE SIDE	PORT														
ONE PO	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -																
	UNE Zone 1 2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -		1	UEPPB	UEPPR		27.48										
	UNE Zone 2		2	UEPPB	UEPPR		40.34										<u> </u>

CATEGORY PLATE LEMENTS 1600 9CS USGC RATEAS) 2000 0CS USGC RATEAS) 2000 0CS USGC Chappe	UNBUNDLE	ED NETWORK ELEMENTS - Louisiana													Attachment:	2		Exhibit: B
Part				Zone	E	BCS	usoc			RATES(\$)					Incremental Charge - Manual Svc	Incremental Charge - Manual Svc	Charge - Manual Svc	Incremental Charge - Manual Svc
Pirel Apri													Elec	Manually	Electronic-	Electronic-	Electronic-	Electronic-
W. SSD Optid Grant Long-XI SSD Optid Line Side Prof. S. LEPPS LE								Rec	Nonrec	curring	Nonrecurrin	g Disconnect						
District District									First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Division SOFT Digital Grade Loss - LNR Zeros 1				_	LIEDDD	LIEDDD		70.00										
2-Wine SON Digital Grade Logo - LINE Zone 3	LINE			3	UEPPB	UEPPR		70.99										
2 VVVS SSEN Updat Grade Love - UNR 7466 2	UNE			1	LIEPPR	LIEPPR	LISL2X	19.09				1		15.20				
2-Wes SSN Digital Content Long. 1887-20m 3 3																		
UEPPR UEPP	_											1						
Exchange Port - 2 Were SDIV Line Stop Port UPPR UPPR UPPR U	UNE F				OLITE	OLITIK	OOLEX	02.00						10.20				
2-WWW SEND RIGIAL Gross Loop / 2-WWW SEND LIVE SIDE PORT USPPS U					UEPPB	UEPPR	UEPPB	8.39	184.10	128.42				15.20				
Continuation Conversion	NONR																	
COL HUNDER PROFILE ACCESS:					UEPPB	UEPPR	USACB	0.00	37.40	26.23				15.20				
Deconversion Depth																		
B-CHANNEL USER PROFILE ACCESS: UPPPB UEPPR UTUCA 0.00 0.00 0.00	LOCA																	
CysCSD (MSRSSSS)					UEPPB	UEPPR	LNPCX	0.35	0.00	0.00								
CVS (EWSD) UEPPB UEPPR UIUCC 0.00 0.	B-CH/				LIEDDD	LIEDDD	1141104	0.00	0.00	0.00								
SSD USPR PROFILE ACCESS: (ALKY,LAMS SC,MS, & TM)																		
SCHANNEL AREA PLUS USER PROFILE ACCESS: (ALKYLA,MS SC,MS, & TN)	-		1															
CVSCSD (CMSVESS)	B-CH/		C.MS. 8	: TN)	OLITE	OLITIK	01000	0.00	0.00	0.00								
CVS (EWSC)	D 0117		1	Ι,	UEPPB	UEPPR	U1UCD	0.00	0.00	0.00								
USER TERMINAL PROFILE USER TREMINAL PROFILE USER																		
User Terminal Profile (EWSD only)		CSD			UEPPB	UEPPR	U1UCF	0.00	0.00	0.00								
VERTICAL FEATURES	USER																	
All Vertical Features - One per Channel B User Profile UEPPB UEPVF UEP					UEPPB	UEPPR	U1UMA	0.00	0.00	0.00								
INTEROFFICE CHANREL MILEAGE	VERT							2.22						4= 00				
Interoffice Channel mileage each, including rist mile and facilities termination UEPPB UEPPR MTGNC 22.613 39.36 28.62 15.20 15	INTER				UEPPB	UEPPR	UEPVF	0.00	0.00	0.00				15.20				
Interdifice Channel mileage each, additional mile	INTER											1						
Interoffice Channel mileage sach, additional mile					UEPPB	UEPPR	M1GNC	22.613	39.36	26.62				15.20				
#WIRE DST DIGITAL LOOP WITH 4-WIRE ISDN DST IDIGITAL TRUNK PORT UNE POPUL oop Combination Rates #WI DST Digital Loop/AW ISDN DST Digital Trunk Port - UNE Zone 1 #WI DST Digital Loop/AW ISDN DST Digital Trunk Port - UNE Zone 2 #WI DST Digital Loop/AW ISDN DST Digital Trunk Port - UNE Zone 3 #WI DST Digital Loop/AW ISDN DST Digital Trunk Port - UNE Zone 3 #WI DST Digital Loop AW ISDN DST Digital Trunk Port - UNE Zone 3 #WI DST Digital Loop - UNE Zone 1 #WIRE DST Digital Loop - UNE Zone 1 #WIRE DST Digital Loop - UNE Zone 1 #WIRE DST Digital Loop - UNE Zone 2 #WIRE DST Digital Loop - UNE Zone 2 #WIRE DST Digital Loop - UNE Zone 3 #WIRE DST Digital Loop - UNE Zone 3 #WIRE DST Digital Loop - UNE Zone 3 #WIRE DST Digital Loop - UNE Zone 3 #WIRE DST Digital Loop - UNE Zone 3 #WIRE DST Digital Loop - UNE ZONE 3 #WIRE DST Digital Loop - UNE ZONE 3 #WIRE DST DIGITAL LOOP TRUNK DST DIGITAL TRUNK PORT - UNE ZONE 3 #WIRE DST DIGITAL LOOP - UNE ZONE 3 #WIRE DST DIGITAL LOOP - UNE ZONE 3 #WIRE DST DIGITAL LOOP - UNE ZONE 3 #WIRE DST DIGITAL LOOP - UNE ZONE 3 #WIRE DST DIGITAL LOOP - UNE ZONE 3 #WIRE DST DIGITAL LOOP - UNE ZONE 3 #WIRE DST DIGITAL LOOP - UNE ZONE 3 #WIRE DST DIGITAL LOOP - UNE ZONE 3 #WIRE DST DIGITAL LOOP - UNE ZONE 3 #WIRE DST LOOP - WIRE LOOP - UNE ZONE 3 #WIRE DST LOOP - WIRE LOOP - UNE ZONE 3 #WIRE DST LOOP - WIRE LOOP - WIRE LOOP - UNE ZONE 3 #WIRE DST DIGITAL PORT - SUDSEQL ACLEY- INVAIL DST LOOP - WIRE LOOP																		
AW DS1 Digital Loop/AW ISDN DS1 Digital Trunk Port - UNE	4-WIR		K PORT															
Zone 1	UNE F																	
Zone 2				1	UEPPP			180.52										
AWY DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE 20					LIEDDD			200.70										
UNE Loop Rates		4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE										1	 					
4-Wire DS1 Digital Loop - UNE Zone 1				3	UEPPP			586.76										
A-Wire DS1 Digital Loop - UNE Zone 2 2 UEPPP USL4P 194.96 15.20	UNE L		1	<u> </u>	====													
A-Wire DS1 Digital Loop - UNE Zone 3 3 UEPPP USL4P 491.94 15.20	 		1									 						-
UNE Port Rate Exchange Ports - 4-Wire ISDN DS1 Port UEPPP UEPPP UEPPP 94.82 443.08 251.60 15.20	 		1									+						
Exchange Ports - 4-Wire ISDN DS1 Port	UNF F		+	-	OLI'FF'		JULTE	+31.34				†		10.20				
NONRECURRING CHARGES - CURRENTLY COMBINED 4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port Combination - Conversion - Switch-as-is 4-Wire DS1 Loop/4-W ISDN Digit Trk Port - Subsqt Actvy-Inward/two way tel nos within Std Allowance 4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - Outward Tel Numbers (All States except NC) 4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port - Subsqt Actvy-Inward/two way tel nos within Std Allowance 4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port - Outward Tel Numbers (All States except NC) 4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port - Subsqt Actvy-Invard Tel Numbers (All States except NC) 4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port - Subsqt Actvy-Invard Tel Nos Above Std Allowance 4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port - Subsqt Actvy-Invard Tel Nos Above Std Allowance 4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port - Subsqt Actvy-Invard Tel Nos Above Std Allowance 4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port - Subsqt Actvy-Invard Tel Nos Above Std Allowance 4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port - Subsqt Actvy-Invard Tel Nos Above Std Allowance 4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port - Subsqt Actvy-Invard Tel Nos Above Std Allowance 4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port - Subsqt Actvy-Invard Tel Nos Above Std Allowance 4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port - Subsqt Actvy-Invard Tel Nos Above Std Allowance 4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port - Subsqt Actvy-Invard Tel Nos Above Std Allowance 4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port - Subsqt Actvy-Invard Tel Nos Above Std Allowance 4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - Subsqt Actvy-Invard Trk Port - Subsqt Actvy-Invard Trk Port - Subsqt Actvy-Invard Trk Port - Subsqt Actvy-Invard Trk Port - Subsqt Actvy-Invard Trk Port - Subsqt Actvy-Invard Trk Port - Subsqt Actvy-Invard Trk Port - Subsqt Actvy-Invard Trk Port - Subsqt Actvy-Invard Trk Port - Subsqt Actvy-Invard Trk Port -	15.421		1	<u> </u>	UEPPP		UEPPP	94.82	443.08	251.60		1		15.20				
4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port UEPPP USACP 0.00 115.63 76.29 15.20	NONR	ECURRING CHARGES - CURRENTLY COMBINED	1		1											1		
ADDITIONAL NRCs 4-Wire DS1 Loop/4-W ISDN Digit Trk Port - Subsqt Actvy-		4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port																
4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy-			<u> </u>	<u> </u>	UEPPP		USACP	0.00	115.63	76.29				15.20				
Inward/two way tel nos within Std Allowance	ADDIT		<u> </u>	<u> </u>			ļ					ļ						
4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - UEPPP PRTO 11.18 11.18 15.20					LIEBBE		DDZTC		2.42			1		45.00				
Outward Tel Numbers (All States except NC)	\vdash		1	!	UEPPP		PK/IF		0.48			-	-	15.20				
4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port -		Outward Tel Numbers (All States except NC)		L	UEPPP		PR7TO		11.18	11.18			<u> </u>	15.20				
LOCAL NUMBER PORTABILITY Local Number Portability (1 per port) UEPPP LNPCN 1.75 Local Number Portability (1 per port) LNPCN LN		4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port -			LIEDDD		DD77T		22.25	22.25				15.20				
Local Number Portability (1 per port) UEPPP LNPCN 1.75	LOCA		1	 	OLI FF		111121		22.33	22.35		 	-	10.20				1
	LOGA		1	1	UEPPP		LNPCN	1,75				†	1			1		1
	INTER			1														

INBUNDLE	D NETWORK ELEMENTS - Louisiana											Attachment:	2		Exhibit:
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Submitted Manually		Charge -	Charge -	Charge - Manual Sy Order vs.
						Rec	Nonrec		Nonrecurring Disconn				RATES (\$)		
					<u> </u>		First	Add'l	First Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Voice/Data			UEPPP	PR71V	0.00	0.00	0.00						ļ	
	Digital Data			UEPPP UEPPP	PR71D PR71E	0.00	0.00	0.00			+		<u> </u>		
Now or	Inward Data Additional "B" Channel			UEFFF	PR/IE	0.00	0.00	0.00			1		-	-	
INCW OI	New or Additional - Voice/Data B Channel			UEPPP	PR7BV	0.00	14.11				15.20				
	New or Additional - Digital Data B Channel			UEPPP	PR7BF	0.00	14.11				15.20				
	New or Additional Inward Data B Channel			UEPPP	PR7BD	0.00	14.11				15.20		·		
	New or Additional Useage Sensitive Voice Data B Channel			UEPPP	PR7BS	0.00	14.11				15.20				1
	New or Additional Useage Sensitive Digital Data B Channel			UEPPP	PR7BU	0.00	14.11				15.20		1		
CALL 1	TYPES														1
	Inward			UEPPP	PR7C1	0.00	0.00	0.00							
	Outward			UEPPP	PR7C0	0.00	0.00	0.00					<u> </u>	<u> </u>	<u> </u>
	Two-way			UEPPP	PR7CC	0.00	0.00	0.00							
Interof	fice Channel Mileage			UEDDD.			22.22	=0.11			15.00				
	Fixed Each Including First Mile			UEPPP	1LN1A	70.7532	86.69	79.44			15.20			.	
4 14/105	Each Airline-Fractional Additional Mile DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT			UEPPP	1LN1B	0.2652					+		<u> </u>		
	ort/Loop Combination Rates				+								<u> </u>	 	
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1		1	UEPDC	1	154.17					15.20			-	
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2		2	UEPDC	+	263.43					15.20				
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3			UEPDC		560.41					15.20		 	 	
	pop Rates		Ŭ	OLI DO		000.41					10.20				
	4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPDC	USLDC	85.70					15.20		·		
	4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPDC	USLDC	194.96					15.20				
	4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPDC	USLDC	491.94					15.20				1
UNE Po	ort Rate														
	4-Wire DDITS Digital Trunk Port			UEPDC	UDD1T	68.47	441.34	245.90			15.20				
NONRE	CURRING CHARGES - CURRENTLY COMBINED														
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Switch-as-is			UEPDC	USAC4		125.75	65.08			15.20				
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with DS1 Changes			UEPDC	USAWA		125.75	65.08			15.20				
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with Change - Trunk			UEPDC	USAWB	1	125.75	65.08			15.20		,		
ADDITI	ONAL NRCs			02. 50	00/11/2		120.10	00.00			10.20				
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC -												·		
	Subsequent Channel Activation/Chan - 2-Way Trunk			UEPDC	UDTTA	1	14.06	14.06			15.20		1		
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent														
	Channel Activation/Chan - 1-Way Outward Trunk			UEPDC	UDTTB		14.06	14.06			15.20		<u> </u>	<u> </u>	ļ
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel Activation/Chan Inward Trunk w/out DID			UEPDC	UDTTC	i l	14.06	14.06			15.20				
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan Activation Per Chan - Inward Trunk with DID			UEPDC	UDTTD		14.06	14.06			15.20		<u> </u>		
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan														†
B.B.S.	Activation / Chan - 2-Way DID w User Trans			UEPDC	UDTTE	,	14.06	14.06			15.20		<u> </u>		
RIPOL	AR 8 ZERO SUBSTITUTION	 	1	UEPDC	CCOSF		0.00	605.00		_	15.00	-	<u> </u>	 	
-	B8ZS - Superframe Format B8ZS - Extended Superframe Format	-		UEPDC	CCOSF		0.00	605.00	+		15.20 15.20		 	 	
Alterna	nte Mark Inversion		 	OLI DO	CCOLI		0.00	005.00		_	13.20		 	 	
Alterille	AMI -Superframe Format	-	 	UEPDC	MCOSF	 	0.00	0.00		_	1		 		+
	AMI - Extended SuperFrame Format			UEPDC	MCOPO	 	0.00	0.00							
Teleph	one Number/Trunk Group Establisment Charges				1		5.50	2.00			1				
	Telephone Number for 2-Way Trunk Group			UEPDC	UDTGX	0.00					15.20				
	Telephone Number for 1-Way Outward Trunk Group			UEPDC	UDTGY	0.00					15.20				
	Telephone Number for 1-Way Inward Trunk Group Without DID			UEPDC	UDTGZ	0.00					15.20				
	DID Numbers for each Group of 20 DID Numbers DID Numbers, Non- consecutive DID Numbers, Per Number			UEPDC UEPDC	ND4 ND5	0.00					15.20 15.20				

UNBUNDLE	D NETWORK ELEMENTS - Louisiana				-	-							Attachment:	2		Exhibit: I
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge -	Charge -	Charge - Manual Svo Order vs.
						Rec	Nonrec	urring	Nonrecurring	g Disconnect				RATES (\$)		
		1			1		First	Add'l	First	Add'l	SOMEC		SOMAN	SOMAN	SOMAN	SOMAN
	Reserve DID Numbers		<u> </u>	UEPDC	NDV	0.00	0.00	0.00	 '			15.20		└		
Dedica	ated DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1	1 Digital	Loop	with 4-Wire DDITS T	runk Port	ļ										
	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities Termination)			UEPDC	1LNO1	70.47	86.69	79.44	1 '	İ		15.20		İ	ĺ	
	Termination)	+-	+	UEPDC	ILINOT	70.47	00.09	79.44	$\vdash \vdash \vdash$			13.20				
	Interoffice Channel Mileage - Additional rate per mile - 0-8 miles			UEPDC	1LNOA	0.2652	0.00	0.00	1	ĺ				ĺ	ĺ	
	Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities		t	OLI DO	TENON	0.2002	0.00	0.00								
	Termination)			UEPDC	1LNO2	0.00	0.00	0.00	1 '	İ				İ	ĺ	
	Interoffice Channel Mileage - Additional rate per mile - 9-25	1	1													
	miles	<u> </u>	<u> </u>	UEPDC	1LNOB	0.2652	0.00	0.00	<u> </u>	<u> </u>				<u> </u>	L	
	Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities								1	1				1	1	
	Termination)	+-	₩	UEPDC	1LNO3	0.00	0.00	0.00	0.00	↓				↓	↓	1
	Later Control Miles Additional Additional Control Control			LIEBBO	41 1100	0.00=0	0.00	0.00	1 '	1				1	1	
	Interoffice Channel Mileage - Additional rate per mile - 25+ miles		₩	UEPDC	1LNOC	0.2652	0.00	0.00	0.00	├					⊢	
-+	Local Number Portability, per DS0 Activated Central Office Termininating Point	+	₩	UEPDC UEPDC	LNPCP	3.15 0.00	0.00	0.00	0.00	⊢				⊢	⊢	+
4-WIDE	E DS1 LOOP WITH CHANNELIZATION WITH PORT	+	+	UEPDC	CIG	0.00			$\vdash \vdash \vdash$							
	n is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Acti	tivations			+	† †										
	System can have up to 24 combinations of rates depending on			ber of ports used	+	†										
	S1 Loop	T			1	†		-								
	4-Wire DS1 Loop - UNE Zone 1	1	1	UEPMG	USLDC	85.70	0.00	0.00				15.20				
	4-Wire DS1 Loop - UNE Zone 2		2	UEPMG	USLDC	194.96	0.00	0.00				15.20				
	4-Wire DS1 Loop - UNE Zone 3		3	UEPMG	USLDC	491.94	0.00	0.00				15.20				
UNE D	SO Channelization Capacities (D4 Channel Bank Configuration	ns)	↓		1				 '					└		
	24 DSO Channel Capacity - 1 per DS1		↓	UEPMG	VUM24	97.35	0.00	0.00				15.20				
	48 DSO Channel Capacity - 1 per 2 DS1s	₩	₩	UEPMG	VUM48	194.70	0.00	0.00	igwdot	├		15.20			⊢	
	96 DSO Channel Capacity -1per 4 DS1s 144 DS0 Channel Capacity - 1 per 6 DS1s	+	┼	UEPMG UEPMG	VUM96 VUM14	389.40 584.10	0.00	0.00				15.20 15.20				-
	192 DS0 Channel Capacity - 1 per 8 DS1s	+	+	UEPMG	VUM19	778.80	0.00	0.00	$\vdash \vdash \vdash$			15.20				
	240 DS0 Channel Capacity - 1 per 10 DS1s	+	+	UEPMG	VUM20	973.50	0.00	0.00				15.20		-		
	288 DS0 Channel Capacity - 1 per 12 DS1s	+	+	UEPMG	VUM28	1.168.20	0.00	0.00				15.20				-
	384 DS0 Channel Capacity - 1 per 16 DS1s	+	†	UEPMG	VUM38	1,557.60	0.00	0.00				15.20				
	480 DS0 Channel Capacity - 1 per 20 DS1s	1	t	UEPMG	VUM40	1,947.00	0.00	0.00				15.20				
	576 DS0 Channel Capacity -1 per 24 DS1s			UEPMG	VUM57	2,336.40	0.00	0.00				15.20				
	672 DS0 Channel Capacity - 1 per 28 DS1s			UEPMG	VUM67	2,725.80	0.00	0.00				15.20				
	ecurring Charges (NRC) Associated with 4-Wire DS1 Loop with						stem									
	mum System configuration is One (1) DS1, One (1) D4 Channe															
Multipl	les of this configuration functioning as one are considered Ac	ad'i afte	tne m	inimum system con	riguration is	counted.			\vdash	├		-				+
1	NRC - Conversion (Currently Combined) with or without BellSouth Allowed Changes		1	UEPMG	USAC4	0.00	146.13	8.12	1 '	1		15.20		1	1	
System	n Additions at End User Locations Where 4-Wire DS1 Loop wit	ith Char	nelizat					0.12	\vdash			13.20		 		+
	Not Currently Combined) In GA, KY, LA, MS & TN Only	T	T	man i on combi	Tanon oune	y Exists and			\vdash	—	1			†	 	†
	1 DS1/D4 Channel Bank - Add NRC for each Port and Assoc	†	t		1	†										
1	Fea Activation - New GA, LA, KY, MS, &TN Only		1	UEPMG	VUMD4	0.00	715.54	467.54	1 '	1		15.20		1	1	
Bipola	r 8 Zero Substitution															
	Clear Channel Capability Format, superframe - Subsequent															
	Activity Only	\bot	↓	UEPMG	CCOSF	0.00	0.00	605.00	 '			15.20		└	└	
1	Clear Channel Capability Format - Extended Superframe -								1 '	1				1	1	
	Subsequent Activity Only	+	₩	UEPMG	CCOEF	0.00	0.00	605.00	 '	ــــــ		15.20		├	└	
Alterna	ate Mark Inversion (AMI) Superframe Format	+	+	UEPMG	MCOSF	0.00	0.00	0.00	 '		1	1				+
\longrightarrow	Superframe Format Extended Superframe Format	+	+	UEPMG UEPMG	MCOSF	0.00	0.00	0.00	$\vdash \!$		-					+
Exchar	nge Ports Associated with 4-Wire DS1 Loop with Channelization	ion with	Port	OLI IVIO	WICOI- O	0.00	0.00	0.00	\vdash					 	 	+
	nge Ports	T *******	1	—	+	† †			\vdash	—	1			†	 	†
	T	+	+		+	 			\vdash		1	1		t		†
						1										
	Line Side Combination Channelized PBX Trunk Port - Business			UEPPX	UEPCX	1.52	0.00	0.00	0.00	0.00		15.20		ļ	ļ	

UNBUN	DLEI	NETWORK ELEMENTS - Louisiana												Attachment:	2		Exhibit: B
CATEGO	ORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR		Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
							Rec	Nonre	curring	Nonrecurring	a Disconnect			ossi	RATES (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN			SOMAN	SOMAN
		Live Oille Level Oille Olever Fred DDV Tevel Day Willer DD			LIEDDY	LIEDAY	4.50	0.00	0.00	0.00	0.00		45.00				
		Line Side Inward Only Channelized PBX Trunk Port without DID 2-Wire Trunk Side Unbundled Channelized DID Trunk Port			UEPPX UEPPX	UEP1X UEPDM	1.52 8.29	0.00	0.00	0.00	0.00		15.20 15.20				
F		Activations - Unbundled Loop Concentration			OLI I X	02. 5	0.20	0.00	0.00	0.00	0.00		10.20				
		Feature (Service) Activation for each Line Side Port Terminated															
		in D4 Bank Feature (Service) Activation for each Trunk Side Port Terminated			UEPPX	1PQWM	0.6497	25.36	13.40				15.20			-	-
		in D4 Bank			UEPPX	1PQWU	0.6497	78.05	18.40				15.20				
T,		one Number/ Group Establishment Charges for DID Service															
		DID Trunk Termination (1 per Port)			UEPPX	NDT	0.00	0.00	0.00				15.20				
$\vdash \vdash$		DID Numbers - groups of 20 - Valid all States Non-Consecutive DID Numbers - per number		1	UEPPX UEPPX	ND4 ND5	0.00	0.00	0.00				15.20 15.20			 	
-		Reserve Non-Consecutive DID Numbers			UEPPX	ND6	0.00	0.00	0.00				15.20				
		Reserve DID Numbers			UEPPX	NDV	0.00	0.00	0.00				15.20				
L		lumber Portability															
		Local Number Portability - 1 per port			UEPPX	LNPCP	3.15	0.00	0.00								
		RES - Vertical and Optional switching Features Offered with Line Side Ports Only				+										1	
		All Features Available			UEPPX	UEPVF	0.00	0.00	0.00				15.20				
UNBUND		ORT LOOP COMBINATIONS - MARKET RATES			02	02	0.00	0.00	0.00				10.20				
		Rates shall apply where BellSouth is not required to provide	unbun	dled lo	cal switching or swi	tch ports pe	r FCC and/or St	ate Commissio	on rules.								
		scenarios include:															
		undled port/loop combinations that are Not Currently Combin						UCthla			DC0 amuius	lant lines					
		undled port/loop combinations that are Currently Combined on p 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderda											le)			-	
		ith currently is developing the billing capability to mechanica												and SC. In t	he interim wh	nere BellSouti	n cannot bill
		Rates, BellSouth shall bill the rates in the Cost-Based section				Rates and res	erves the right	to true-up the	billing differen	ice.							
		rket Rate for unbundled ports includes all available features i															
		fice and Tandem Switching Usage and Common Transport Us	sage rat	tes in t	ne Port section of th	is rate exhib	it shall apply to	all combinati	ons of loop/po	rt network eler	ments except	for UNE Coi	in Port/Loop	o Combination	ns which have	e a flat rate	
		charge (USOC: URECU). Currently Combined scenarios where Market Rates apply, the	a Nonre	ocurrin	n charnes are listed	in the First :	and Additional I	MPC columns	for each Port I	ISOC For Cur	rently Combin	ad scanario	s the Nonr	ecurring char	nae ara lietad	in the NPC -	Currently
		ned section. Additional NRCs may apply also and are categor				III tile Filot d	and Additional i	AKC COlumns	ioi eacii Foit c	300. For Cur	rentry Combin	eu scenano	s, the Noni	ecuiring chan	ges are risteu	III tile NKC -	Currently
		VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)			j.,.												
U		ort/Loop Combination Rates															
		2-Wire VG Loop/Port Combo - Zone 1		1			25.77										
		2-Wire VG Loop/Port Combo - Zone 2		3		1	36.39										
U		2-Wire VG Loop/Port Combo - Zone 3		3		+	62.26									1	
0.		2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPRX	UEPLX	11.77										
		2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPRX	UEPLX	22.39										
		2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPRX	UEPLX	48.26										
2-		Voice Grade Line Port (Res)		-	UEPRX	UEPRL	14.00	90.00	90.00		 	1	1	31.92	7.00		
$\vdash \vdash \vdash$		2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res		-	UEPRX	UEPRC	14.00	90.00	90.00	-				31.92 31.92	7.32 7.32	-	-
\vdash		2-Wire voice unbundled port outgoing only - res		1	UEPRX	UEPRO	14.00	90.00	90.00					31.92	7.32	†	†
		2-Wire voice Grade unbundled Louisiana extended local dialing parity port with Caller ID - res			UEPRX	UEPAS	14.00	90.00	90.00					31.92	7.32		
		2-Wire voice unbundled Louisiana Area Plus with Caller ID - res (RUL) 2-Wire voice unbundled Louisiana Area Plus with Caller ID - res			UEPRX	UEPAG	14.00	90.00	90.00					31.92	7.32		
		2-wire voice unbundled Louisiana Area Pius with Caller ID - res (AC7) 2-Wire voice unbundles res, low usage line port with Caller ID			UEPRX	UEPAH	14.00	90.00	90.00					31.92	7.32		
		(LUM)			UEPRX	UEPAP	14.00	90.00	90.00					31.92	7.32		
L,	OCAL	NUMBER PORTABILITY															
\Box		Local Number Portability (1 per port)		1	UEPRX	LNPCX	0.35										
F	EATU	RES All Features Offered		1	UEPRX	UEPVF	0.00	0.00	0.00				1			1	1
		All I Calure's Offered	1	<u> </u>	ULFKA	UEFVF	0.00	0.00	0.00	l	1	<u> </u>	<u> </u>	l	l	L	L

4Q01:12/01/01 PAGE 171 OF 324

UNBUNDLE	D NETWORK ELEMENTS - Louisiana												Attachment:	2		Exhibit: B
													Incremental		Incremental	Incremental
													Charge -	Charge -	Charge -	Charge -
04750000		Interi	l_					D.4.TEO(6)			Svc Order	Svc Order	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)				Submitted		Order vs.	Order vs.	Order vs.
											Elec		Electronic-	Electronic-	Electronic-	Electronic-
											per LSR		1st	Add'l	Disc 1st	Disc Add'l
			1								per Lon	percon	151	Auu i	DISC 1St	DISC Add I
						Rec	Nonrec	urrina	Nonrecurring	Disconnect			ossi	RATES (\$)		
							First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Loop / Line Port Combination - Switch-as-is			UEPRX	USAC2		41.50	41.50					31.92	7.32		
	2-Wire Voice Grade Loop / Line Port Combination - Switch with															
	change			UEPRX	USACC		41.50	41.50								
ADDIT	IONAL NRCs															
	NRC - 2-Wire Voice Grade Loop/Line Port Combination -															
2 14/10/	Subsequent E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)		1	UEPRX	USAS2	+ +	0.00	0.00					31.92	7.32		
	ort/Loop Combination Rates		-													
ONE P	2-Wire VG Loop/Port Combo - Zone 1	l	1		+	25.77								-		-
	2-Wire VG Loop/Port Combo - Zone 2	1	2		+	36.39			 							
	2-Wire VG Loop/Port Combo - Zone 3		3		1	62.26										
UNE L	oop Rates	1				5=:20			†							
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPBX	UEPLX	11.77			i i							
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPBX	UEPLX	22.39			<u> </u>							
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPBX	UEPLX	48.26										
2-Wire	Voice Grade Line Port (Bus)															
	2-Wire voice unbundled port without Caller ID - bus			UEPBX	UEPBL	14.00	90.00	90.00					31.92	7.32		
	2-Wire voice unbundled port with Caller + E484 ID - bus			UEPBX	UEPBC	14.00	90.00	90.00					31.92	7.32		
	2-Wire voice unbundled port outgoing only - bus			UEPBX	UEPBO	14.00	90.00	90.00					31.92	7.32		
	2-Wire voice Grade unbundled Louisiana extended local dialing			LIEDDY	LIEDAY	44.00	00.00	00.00					04.00	7.00		
	parity port with Caller ID - bus 2-Wire voice unbundled Louisiana Bus Area Calling Port with			UEPBX	UEPAX	14.00	90.00	90.00					31.92	7.32		
	Caller ID (BUC)			UEPBX	UEPAA	14.00							31.92	7.32		
LOCAL	NUMBER PORTABILITY		-	OLI DX	OLI AA	14.00							31.32	7.52		
LOGAL	Local Number Portability (1 per port)	1		UEPBX	LNPCX	0.35										
FEATU				02. 5%	Litti Oxt	0.00										
	ECURRING CHARGES - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop / Line Port Combination - Switch-as-is			UEPBX	USAC2		41.50	41.50					31.92	7.32		
	2-Wire Voice Grade Loop / Line Port Combination - Switch with															
	change			UEPBX	USACC		41.50	41.50								
ADDIT	IONAL NRCs															
	NRC - 2-Wire Voice Grade Loop/Line Port Combination -	1		LIEDBY	LIGAGO		0.00	0.00			1		24.00	7.00		
2 14/10/	Subsequent VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)	 	1	UEPBX	USAS2	 	0.00	0.00	 			-	31.92	7.32		-
	ert/Loop Combination Rates	1	1		+	 					-	1		1		1
ONEF	2-Wire VG Loop/Port Combo - Zone 1	1	1		+	25.77			 							
	2-Wire VG Loop/Port Combo - Zone 2	i	2			36.39										
	2-Wire VG Loop/Port Combo - Zone 3	1	3			62.26			i							
UNE L	oop Rates								<u> </u>					<u> </u>		
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPRG	UEPLX	11.77										
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPRG	UEPLX	22.39										
	2-Wire Voice Grade Loop (SL1) - Zone 3	ļ	3	UEPRG	UEPLX	48.26			ļ <u>l</u>							
2-Wire	Voice Grade Line Port Rates (RES - PBX)	ļ	1			ļ										
	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port -			LIEDDO	LIEDOS	1100	00.00	20.00					04.00	7.00		
LOCAL	Res NUMBER PORTABILITY	1	+	UEPRG	UEPRD	14.00	90.00	90.00	 		-		31.92	7.32		
LOCAL	Local Number Portability (1 per port)	 	1	UEPRG	LNPCP	3.15			 			-				
FEATU		1	t -	021110	1111 51	5.15			 							
	ECURRING CHARGES - CURRENTLY COMBINED	1			1	†										
		1				† †			i i					İ		İ
	2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is	<u>L</u>	<u> </u>	UEPRG	USAC2	<u> </u>	41.50	41.50	<u> </u>		<u> </u>	<u> </u>	31.92	7.32		<u> </u>
	2-Wire Voice Grade Loop/ Line Port Combination - Switch with									-						
	Change		1	UEPRG	USACC		41.50	41.50								
ADDIT	IONAL NRCs	<u> </u>				ļ										
	2 Wire Loop/Line Side Port Combination - Non feature -	1			1						1					
	Subsequent Activity- Nonrecurring	<u> </u>	1		1	<u> </u>	0.00	0.00	i l		l	1		l		l

UNBUNDLE	D NETWORK ELEMENTS - Louisiana												Attachment:	2		Exhibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Submitted	Incremental Charge - Manual Svc	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incremental Charge -
						Rec	Nonrec			g Disconnect				RATES (\$)		
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt	1					First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Group						14.64	14.64					19.99	19.99	19.99	19.99
2-WIRE	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)												10.00	10.00	10.00	10.00
UNE P	ort/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Zone 1		1			25.77										
	2-Wire VG Loop/Port Combo - Zone 2		2			36.39										
l	2-Wire VG Loop/Port Combo - Zone 3		3			62.26										
UNE Lo	pop Rates	-	4	LIEDDY	LIEDLY	44.77										
-	2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2	-	2	UEPPX UEPPX	UEPLX	11.77 22.39										
	2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3	1	3	UEPPX	UEPLX	48.26				1	 	1		1	1	1
2-Wire	Voice Grade Line Port Rates (BUS - PBX)	+	- 3	OLI I A	JLI LA	40.20					-					
1 1		1	1		1									İ	İ	
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus		1	UEPPX	UEPPC	14.00	90.00	90.00					31.92	7.32		
	Line Side Unbundled Outward PBX Trunk Port - Bus			UEPPX	UEPPO	14.00	90.00	90.00					31.92	7.32		
	Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPPX	UEPP1	14.00	90.00	90.00					31.92	7.32		
	2-Wire Voice Unbundled 2-Way Combination PBX Louisiana															
	Calling Port			UEPPX	UEPL2	14.00							31.92	7.32		
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	14.00	90.00	90.00					31.92	7.32		
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	14.00	90.00	90.00					31.92	7.32		
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	14.00	90.00	90.00					31.92	7.32		
—	2-Wire Voice Unbundled PBX LD DDD Terminals Port 2-Wire Voice Unbundled PBX LD Terminal Switchboard Port	-		UEPPX UEPPX	UEPXD	14.00 14.00	90.00 90.00	90.00					31.92 31.92	7.32 7.32		
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD	1		UEPPA	UEPAD	14.00	90.00	90.00			1		31.92	1.32		
	Capable Port			UEPPX	UEPXE	14.00	90.00	90.00					31.92	7.32		
	2-Wire Voice Unbundled 2-Way PBX Louisiana Local Optional	-		OLITA	OLI AL	14.00	30.00	30.00					31.32	7.52		
	Calling Port			UEPPX	UEPXK	14.00	90.00	90.00					31.92	7.32		
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			OL: IX	02.7	1 1100	00.00	00.00					01.02	7.02		
	Administrative Calling Port			UEPPX	UEPXL	14.00	90.00	90.00					31.92	7.32		
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
	Room Calling Port			UEPPX	UEPXM	14.00	90.00	90.00					31.92	7.32		
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital															
	Discount Room Calling Port			UEPPX	UEPXO	14.00	90.00	90.00					31.92	7.32		
	2-Wire Voice Unbundled 1-Way Outgoing PBX Louisiana Local															
	Discount Calling Port			UEPPX	UEPXP	14.00	90.00	90.00					31.92	7.32		
1.004	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port NUMBER PORTABILITY	1	}	UEPPX	UEPXS	14.00	90.00	90.00			1	1	31.92	7.32	 	
LUCAL	Local Number Portability (1 per port)	1	1	UEPPX	LNPCP	3.15					-					
FEATU		1	1	OLIFA	LINE OF	3.15										
	CURRING CHARGES - CURRENTLY COMBINED	1	<u> </u>		1									1		
	2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is	<u> </u>	L	UEPPX	USAC2		41.50	41.50	<u> </u>	<u></u>		<u> </u>	31.92	7.32		
	2-Wire Voice Grade Loop/ Line Port Combination - Switch with												_		_	
	Change	1	<u> </u>	UEPPX	USACC		41.50	41.50						ļ		
ADDIT	ONAL NRCs	ļ	<u> </u>		1											
	OMEN MAN OF THE PROPERTY OF TH		1	LIEDDY												
 	2-Wire Voice Grade Loop/ Line Port Combination - Subsequent 2 Wire Loop/Line Side Port Combination - Non feature -	1	}	UEPPX	USAS2		0.00	0.00			1	1	31.92	7.32	 	
	2 Wire Loop/Line Side Port Combination - Non feature - Subsequent Activity- Nonrecurring		1		1		0.00	0.00						1	1	
 	PBX Subsequent Activity - Change/Rearrange Multiline Hunt	1	1		+	+	0.00	0.00			-					
	Group		1		1		14.64	14.64					19.99	19.99	19.99	19.99
2-WIRE	EVOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN PO	RT	†		+	-	17.04	17.04			1		13.35	13.35	13.35	13.39
	ort/Loop Combination Rates	T	<u> </u>			1										
	2-Wire VG Coin Port/Loop Combo – Zone 1	1	1		1	25.77								1	1	
	2-Wire VG Coin Port/Loop Combo – Zone 2		2			36.39										
	2-Wire VG Coin Port/Loop Combo – Zone 3		3			62.26	_	•					_			
	pop Rates															
	2-Wire Voice Grade Loop (SL1) - Zone 1	<u> </u>	1	UEPCO	UEPLX	11.77				l		l		l	l	

UNBUNDLE	D NETWORK ELEMENTS - Louisiana												Attachment:	2		Exhibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Submitted	Incremental Charge - Manual Svc	Incremental Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs.
						Rec	Nonre		Nonrecurring					RATES (\$)		
	0.Win Main One In Lang (014) - 7			LIEBOO	LIEDLY	00.00	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3			UEPCO UEPCO	UEPLX	22.39 48.26										
2-Wire	Voice Grade Line Port Rates (Coin)	1	3	UEPCO	UEPLX	48.26										
Z-Wile	2-Wire Coin 2-Way without Operator Screening and without															
	Blocking (AL, KY, LA, MS)			UEPCO	UEPRF	14.00	90.00	90.00					31.92	7.32		
	2-Wire Coin 2-Way with Operator Screening and Blocking: 011,															
	900/976, 1+DDD (AL, KY, LA, MS, SC)			UEPCO	UEPRA	14.00	90.00	90.00					31.92	7.32		
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking					44.00								= 00		
	(AL, LA, MS)			UEPCO	UEPRB	14.00	90.00	90.00					31.92	7.32		
	2-Wire Coin 2-Way with Operator Screening & Blocking: 900/976, 1+DDD, 011+, & Local (AL, KY, LA, MS)			UEPCO	UEPCD	14.00	90.00	90.00					31.92	7.32		
 	2-Wire Coin Outward without Blocking and without Operator			0L1 00	OLFOD	14.00	90.00	50.00	-				31.92	1.32		†
	Screening (KY, LA, MS)			UEPCO	UEPRN	14.00	90.00	90.00					31.92	7.32		
	2-Wire Coin Outward with Operator Screening and 011 Blocking				1		22.20	22.30								1
	(LA)	<u> </u>		UEPCO	UEPLA	14.00	90.00	90.00					31.92	7.32		
	2-Wire Coin Outward with Operator Screening and Blocking:															
	011, 900/976, 1+DDD (AL, KY, LA, MS)			UEPCO	UEPRH	14.00	90.00	90.00					31.92	7.32		<u> </u>
	2-Wire Coin Outward Operator Screening & Blocking: 900/976,			LIEDOO	LIEDON	44.00	00.00	00.00					24.00	7.00		
LOCAL	1+DDD, 011+, & Local (AL, KY, LA, MS) NUMBER PORTABILITY			UEPCO	UEPCN	14.00	90.00	90.00	-				31.92	7.32		
LOCAL	Local Number Portability (1 per port)			UEPCO	LNPCX	0.35										1
NONRE	CURRING CHARGES - CURRENTLY COMBINED			021 00	EN OX	0.00										
	2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is			UEPCO	USAC2		41.50	41.50					31.92	7.32		
	2-Wire Voice Grade Loop/ Line Port Combination - Switch with															
	Change			UEPCO	USACC		41.50	41.50								<u> </u>
ADDITI	ONAL NRCs															
	2-Wire Voice Grade Loop/ Line Port Combination - Subsequent			UEPCO	USAS2		0.00	0.00					31.92	7.32		
UNBUNDLED C	CENTREX PORT/LOOP COMBINATIONS			OLI GO	OOAOZ		0.00	0.00	-				31.32	1.02		+
	IDLED PORT/LOOP COMBINATIONS - COST BASED RATES															
UNE-P	CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only	<i>i</i>)														
2-Wire	VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
UNE Po	ort/Loop Combination Rates (Non-Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design	-		UEP91		13.13										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	1	-	UEP91		13.13										1
	Non-Design		2	UEP91	1	23.75										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		T-		1	200										1
	Non-Design		3	UEP91		49.62							<u> </u>			<u> </u>
UNE Po	ort/Loop Combination Rates (Design)															ļ <u> </u>
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	1		LIEDO4	1											
 	Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	1	1	UEP91	+	16.29								 		
	2-wire vG Loop/2-wire voice Grade Port (Centrex)Port Combo - Design		2	UEP91	1	26.71										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	1		02101	+	20.71										
	Design		3	UEP91	1	48.26										
UNE Lo	pop Rate															
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP91	UECS1	11.77										
\vdash	2-Wire Voice Grade Loop (SL 1) - Zone 2	1		UEP91	UECS1	22.39										_
 	2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 1	1	3	UEP91 UEP91	UECS1	48.26								 		
 	2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 2	1	2	UEP91 UEP91	UECS2 UECS2	14.93 25.35					1					+
	2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3	1	3	UEP91	UECS2	50.46										†
UNE Po		1	Ť			33.40								1		
	es (Except North Carolina and Sout Carolina)	1														
	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP91	UEPYA	1.36	38.85	19.08				15.20				
	<u> </u>															

UNBUNDLEI	D NETWORK ELEMENTS - Louisiana												Attachment:	2		Exhibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)		Su	ubmitted	Svc Order Submitted	Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs.
											Elec per LSR	Manually per LSR	Electronic- 1st	Electronic- Add'l	Electronic- Disc 1st	Electronic- Disc Add'l
						Rec	Names		Names of Bisses				000.1	RATES (\$)		
						Rec	Nonrec First	Add'l	Nonrecurring Discor		SOMEC	SOMAN	SOMAN		SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local			LIEDO4	LIEDVD	4.00	00.05	40.00				45.00				
	Area 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local			UEP91	UEPYB	1.36	28.85	18.08				15.20				
	Area			UEP91	UEPYH	1.36	38.85	19.08				15.20				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 Basic Local Area			UEP91	UEPYM	1.36	104.41	67.93				15.20				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
	Term - Basic Local Area 2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP91	UEPYZ	1.36	104.41	67.93				15.20				
	- Basic Local Area			UEP91	UEPY9	1.36	38.85	19.08				15.20				
	2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area			UEP91	UEPY2	1.36	28.85	19.08				15.20	·			
AL, KY	LA, MS, & TN Only		L	OLI 91	OLF 12	1.30	20.00	13.00				13.20				
	2-Wire Voice Grade Port (Centrex)			UEP91	UEPQA	1.36	38.85	19.08				15.20				
	2-Wire Voice Grade Port (Centrex 800 termination) 2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP91 UEP91	UEPQB UEPQH	1.36 1.36	38.85	19.08 19.08				15.20 15.20				
	2-Wire Voice Grade Port (Centrex with Caller ID) I 2-Wire Voice Grade Port (Centrex from diff Serving Wire			DEP91	UEPQH	1.36	38.85	19.08				15.20				
	Center)2			UEP91	UEPQM	1.36	104.41	67.93				15.20				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term			UEP91	UEPQZ	13.60	104.41	67.93				15.20				
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP91	UEPQ9	1.36	38.85	19.08				15.20				
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP91	UEPQ2	1.36	38.85	19.08				15.20				
	Switching			LIEDOA	LIDECC	0.8577										
	Centrex Intercom Funtionality, per port			UEP91	URECS	0.8577										
Eoodi N	Local Number Portability (1 per port)			UEP91	LNPCC	0.35										
Feature																
	All Standard Features Offered, per port All Select Features Offered, per port			UEP91 UEP91	UEPVF UEPVS	0.00	412.25					15.20				
	All Centrex Control Features Offered, per port			UEP91	UEPVC	0.00	412.25					13.20				
NARS																
	Unbundled Network Access Register - Combination			UEP91	UARCX	0.00	0.00	0.00								
	Unbundled Network Access Register - Indial Unbundled Network Access Register - Outdial			UEP91 UEP91	UAR1X UAROX	0.00	0.00	0.00								
Miscell	aneous Terminations			OLF91	UAROX	0.00	0.00	0.00								
2-Wire	Trunk Side															
	Trunk Side Terminations, each			UEP91	CENA6	8.29	115.85	18.20				15.20				
Interoff	ice Channel Mileage - 2-Wire Interoffice Channel Facilities Termination - Voice Grade			UEP91	MIGBC	22.60	39.36	26.62				15.20				
	Interoffice Channel mileage, per mile or fraction of mile			UEP91	MIGBM	0.13	00.00	20.02				10.20				
	Activations (DS0) Centrex Loops on Channelized DS1 Service	се														
D4 Cha	nnel Bank Feature Activations Feature Activation on D-4 Channel Bank Centrex Loop Slot	 	<u> </u>	UEP91	1PQWS	0.6497						15.20				
	·															
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop		-	UEP91	1PQW6	0.6497						15.20				
	Slot			UEP91	1PQW7	0.6497						15.20				
	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center			UEP91	1PQWP	0.6497						15.20				
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP91	1PQWV	0.6497						15.20				
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot			UEP91	1PQWQ	0.6497						15.20				
	Feature Activation on D-4 Channel Bank WATS Loop Slot	1		UEP91	1PQWQ	0.6497						15.20				
Non-Re	curring Charges (NRC) Associated with UNE-P Centrex															
	Conversion - Currently Combined Switch-As-Is with allowed changes, per port			UEP91	USAC2		0.10	0.10				15.20				

INBUNDLE	D NETWORK ELEMENTS - Louisiana				_							Attachment:	2		Exhibit: E
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrec		Nonrecurring Discor				RATES (\$)		
				LIEDA			First	Add'I	First Ad	d'I SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Conversion of Existing Centrex Common Block			UEP91	USACN	0.00	36.66	16.10			45.00				
	New Centrex Standard Common Block New Centrex Customized Common Block			UEP91 UEP91	M1ACS M1ACC	0.00	680.40 680.40				15.20 15.20				
	Secondary Block, per Block			UEP91	M2CC1	0.00	79.31				15.20				
	NAR Establishment Charge, Per Occasion			UEP91	URECA	0.00	73.93				15.20				
UNF-P	CENTREX - 5ESS (Valid in All States)			02. 0.	0112071	0.00	7 0.00				10.20				
	VG Loop/2-Wire Voice Grade Port (Centrex) Combo														
	ort/Loop Combination Rates (Non-Design)														
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -														
	Non-Design		1	UEP95		13.13									
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -														
	Non-Design	<u></u>	2	UEP95	1	23.75					1				<u></u>
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -														
	Non-Design		3	UEP95		49.62									
UNE P	ort/Loop Combination Rates (Design)														
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	ł													
	Design		1	UEP95		16.29									
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -														
	Design		2	UEP95		26.71									
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -														
	Design		3	UEP95		51.82									
UNE L	pop Rate		<u> </u>								15.00				
	2-Wire Voice Grade Loop (SL 1) - Zone 1			UEP95	UECS1	11.77					15.20				
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP95	UECS1	22.39 48.26					15.20				
	2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 1		3	UEP95 UEP95	UECS1 UECS2	14.93					-				
	2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP95	UECS2	25.35	102.10	65.72			15.20				
	2-Wire Voice Grade Loop (SL 2) - Zone 2		3	UEP95	UECS2	50.46	102.10	65.72			15.20				
LINE P	ort Rate		3	OLI 33	OLCOZ	30.40	102.10	05.72			13.20				
All Sta															
Airota	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP95	UEPYA	1.36	38.85	19.08			15.20				
	2-Wire Voice Grade Port (Centrex) Basic Edeal Field 2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPYB	1.36	38.85	19.08			15.20				
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local			02.00	02	1.00	00.00	10.00			10.20				
	Area			UEP95	UEPYH	1.36	38.85	19.08			15.20				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire														
	Center)2 Basic Local Area			UEP95	UEPYM	1.36	104.41	67.93			15.20				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service														
	Term - Basic Local Area	l		UEP95	UEPYZ	1.36	104.41	67.93			15.20		1		
	2-Wire Voice Grade Port terminated in on Megalink or equivalent														
	- Basic Local Area			UEP95	UEPY9	1.36	38.85	19.08			15.20				
	2-Wire Voice Grade Port Terminated on 800 Service Term -														
	Basic Local Area			UEP95	UEPY2	1.36	38.85	19.08			15.20				
AL, KY	, LA, MS, SC, & TN Only														
	2-Wire Voice Grade Port (Centrex)			UEP95	UEPQA	13.60	38.85	19.08			15.20				
	2-Wire Voice Grade Port (Centrex 800 termination)		<u> </u>	UEP95	UEPQB	1.36	38.85	19.08			15.20				
	2-Wire Voice Grade Port (Centrex with Caller ID)1	ļ		UEP95	UEPQH	1.36	38.85	19.08			15.20		ļ		
	2-Wire Voice Grade Port (Centrex from diff Serving Wire	l		LIEDOS	LIEDC:		,						1		
	Center)2		<u> </u>	UEP95	UEPQM	1.36	104.41	67.93			15.20				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term			UEP95	UEPQZ	1.36	104.41	67.93			15.20				
	-														
1	2-Wire Voice Grade Port terminated in on Megalink or equivalent	 	<u> </u>	UEP95	UEPQ9	1.36	38.85	19.08			15.20	-			1
	2-Wire Voice Grade Port Terminated on 800 Service Term		<u> </u>	UEP95	UEPQ2	1.36	38.85	19.08			15.20				1
<u> </u>	Secretaria de Comos			i	1							1			1
Local	Switching		1	LIEDOE	LIDECO	0.0577	+				1 1				
	Centrex Intercom Funtionality, per port			UEP95	URECS	0.8577					15.20				
				UEP95 UEP95	URECS	0.8577					15.20				

UNBUNDLE	D NETWORK ELEMENTS - Louisiana												Attachment:	2		Exhibit: B
													Incremental	Incremental	Incremental	Incremental
													Charge -	Charge -	Charge -	Charge -
OATE OODY		Interi	l_					DATEO(6)			Svc Order	Svc Order	Manual Svc	Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)				Submitted		Order vs.	Order vs.	Order vs.
											Elec		Electronic-	Electronic-	Electronic-	Electronic-
											per LSR	per LSR	1st	Add'l	Disc 1st	Disc Add'l
						t 1			ı		per Lok	per Lok	151	Auu i	DISC ISI	DISC Add I
						Rec	Nonrec	urring	Nonrecurring	g Disconnect			ossi	RATES (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN		SOMAN	SOMAN
	All Standard Features Offered, per port			UEP95	UEPVF	0.00						15.20				
	All Select Features Offered, per port			UEP95	UEPVS	0.00	412.25					15.20				
	All Centrex Control Features Offered, per port			UEP95	UEPVC	0.00						15.20				
NARS																
	Unbundled Network Access Register - Combination			UEP95	UARCX	0.00	0.00	0.00								
	Unbundled Network Access Register - Indial			UEP95	UAR1X	0.00	0.00	0.00								
	Unbundled Network Access Register - Outdial			UEP95	UAROX	0.00	0.00	0.00								
	laneous Terminations															
2-Wire	Trunk Side	 	1	LIEDOF	CENIDO	0.00	445.05	40.00				45.00		ļ		
4 150	Trunk Side Terminations, each	 	1	UEP95	CEND6	8.29	115.85	18.20		-		15.20		1	1	
4-Wire	Digital (1.544 Megabits) DS1 Circuit Terminations, each	 	1	UEP95	M1HD1	68.47	196.18	92.92	4.90			15.20		-	-	
 	DS1 Circuit Terminations, each DS0 Channels Activated, each	 	1	UEP95 UEP95	M1HD1 M1HDO	0.00	196.18	92.92	4.90		-	15.20		1	1	1
Interof	ffice Channel Mileage - 2-Wire	+	l -	OLF 30	טטוווא	0.00	14.00					15.20		1	1	1
Intero	Interoffice Channel Facilities Termination	1		UEP95	MIGBC	22.60	39.36	26.62				15.20				
	Interoffice Channel mileage, per mile or fraction of mile	1		UEP95	MIGBM	0.013	00.00	20.02				10.20				
Featur	re Activations (DS0) Centrex Loops on Channelized DS1 Service	ce		OLI 50	IVIIODIVI	0.010										
	annel Bank Feature Activations	T														
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	1PQWS	0.6497						15.20				
	· ·															
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP95	1PQW6	0.6497						15.20				
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop															
	Slot			UEP95	1PQW7	0.6497						15.20				
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -															
	Different Wire Center			UEP95	1PQWP	0.6497						15.20				
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP95	1PQWV	0.6497						15.20				
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop			LIEDOE	400000	0.0407						45.00				
	Slot Feature Activation on D-4 Channel Bank WATS Loop Slot	-		UEP95	1PQWQ	0.6497 0.06497						15.20				
Non D	ecurring Charges (NRC) Associated with UNE-P Centrex	 		UEP95	1PQWA	0.06497						15.20				
NOII-R	NRC Conversion Currently Combined Switch-As-Is with allowed					1										
	changes, per port			UEP95	USAC2		0.10	0.10				15.20				
	Conversion of Existing Centrex Common Block, each			UEP95	USACN		36.66	16.10				10.20				
	New Centrex Standard Common Block			UEP95	M1ACS	0.00	680.40					15.20				
	New Centrex Customized Common Block	1		UEP95	M1ACC	0.00	680.40					15.20				1
	NAR Establishment Charge, Per Occasion	1	1	UEP95	URECA	0.00	73.93					15.20				
	CENTREX - DMS100 (Valid in All States)															
	VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
UNE P	ort/Loop Combination Rates (Non-Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	1			1]	l									1
\vdash	Non-Design	 	1	UEP9D		13.13										
1 1	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	1	_	LIEDOD	1		l									
	Non-Design	<u> </u>	2	UEP9D	+	23.75										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	1	_	UEP9D	1	40.00	l									1
LIME	Non-Design ort/Loop Combination Rates (Design)	+	3	UEPSD	+	49.62									-	-
UNE P	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo] 	1		+	+	+								-	
1 1	Design	1	1	UEP9D	1	16.29	l									1
 	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	.+	- '-	J_1 0D	+	10.23	+									
	Design	1	2	UEP9D	1	26.71	l									1
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	1	ΙĒ		1		İ									1
	Design		3	UEP9D	1	51.82	l									
UNE L	oop Rate															
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9D	UECS1	11.77										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP9D	UECS1	22.39							_			
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP9D	UECS1	48.26										
	2-Wire Voice Grade Loop (SL 2) - Zone 1	<u> </u>	1	UEP9D	UECS2	14.93]

UNBUNDLE	D NETWORK ELEMENTS - Louisiana											Attachment:	2		Exhibit: E
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Submitted Manually		Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrec		Nonrecurring Disconnect				RATES (\$)		
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP9D	UECS2	25.35	First	Add'l	First Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3			UEP9D	UECS2	50.46									
	ort Rate			02.02	02002	00.10									
ALL S	TATES														
	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP9D	UEPYA	1.36	38.85	19.08			15.20				
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local			UEP9D	UEPYB	1.36	38.85	19.08			15 20				l
	Area 2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local			UEP9D	DEPAR	1.36	38.85	19.08			15.20				
	Area			UEP9D	UEPYC	1.36	38.85	19.08			15.20				ł
1	2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local														Ī
	Area			UEP9D	UEPYD	1.36	38.85	19.08			15.20				
	2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local			LIEDOD	UEPYE	4.00	20.05	40.00			45.00				i
	Area 2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local			UEP9D	UEPYE	1.36	38.85	19.08			15.20				———
	Area			UEP9D	UEPYF	1.36	38.85	19.08			15.20				ł
	2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local			02. 02	02		00.00	10.00			10.20				
	Area			UEP9D	UEPYG	1.36	38.85	19.08			15.20				i .
	2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local														i
	Area			UEP9D	UEPYT	1.36	38.85	19.08			15.20				—
	2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local Area			UEP9D	UEPYU	1.36	38.85	19.08			15.20				ł
-+	2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local			OLF 9D	OLFIO	1.30	30.03	19.00			13.20				
	Area			UEP9D	UEPYV	1.36	38.85	19.08			15.20				ł
	2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local														ĺ .
	Area			UEP9D	UEPY3	1.36	38.85	19.08			15.20				
	2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local										4= 00				ł
-+-	Area 2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp			UEP9D	UEPYH	1.36	38.85	19.08			15.20				—
	Indication))3 Basic Local Area			UEP9D	UEPYW	1.36	38.85	19.08			15.20				ł
_	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))3			OLI OD	OLI IW	1.00	00.00	10.00			10.20				
	Basic Local Area			UEP9D	UEPYJ	1.36	38.85	19.08			15.20				ł
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)														1
	2 Basic Local Area			UEP9D	UEPYM	1.36	104.41	67.93			15.20				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3 Basic Local Area			UEP9D	UEPYO	1.36	104.41	67.93			15.20				ł
-+	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3			OLI 3D	OLI 10	1.50	104.41	07.55			13.20				1
	Basic Local Area			UEP9D	UEPYP	1.36	104.41	67.93			15.20				ł
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3														1
	Basic Local Area			UEP9D	UEPYQ	1.36	104.41	67.93			15.20				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3 Basic Local Area			UEP9D	UEPYR	1.36	104.41	67.93			15.20				i
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3			OLFSD	UEPIK	1.30	104.41	67.93			15.20				ſ
	Basic Local Area			UEP9D	UEPYS	1.36	104.41	67.93			15.20				l
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3														i
	Basic Local Area			UEP9D	UEPY4	1.36	104.41	67.93			15.20				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3			LIEDOD	LIEDVE	4.00	404.44	67.00			45.00				l
-+	Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3			UEP9D	UEPY5	1.36	104.41	67.93			15.20				1
	Basic Local Area			UEP9D	UEPY6	1.36	104.41	67.93			15.20				l
- 	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3							200							i
	Basic Local Area			UEP9D	UEPY7	1.36	104.41	67.93			15.20				1
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service				l										
-+	Term 2 Wire Voice Grade Port terminated in an Magalink or equivalent			UEP9D	UEPYZ	1.36	104.41	67.93			15.20				
1	2-Wire Voice Grade Port terminated in on Megalink or equivalent Basic Local Area			UEP9D	UEPY9	1.36	38.85	19.08			15.20				l
	2-Wire Voice Grade Port Terminated on 800 Service Term Basic			021 00	JE1 13	1.50	30.03	13.00		1	10.20				
[Local Area			UEP9D	UEPY2	1.36	38.85	19.08			15.20				<u></u>
AL, KY	Y, LA, MS, SC, & TN Only														i

CATEGORY RATE ELEMENTS Interi m Zone BCS USOC RATES(\$) RATE SUBMITTED Svc Order Submitted Elec Manually per LSR PER LSR PE	INBUNDLED	NETWORK ELEMENTS - Louisiana											Attachment:	2		Exhibit: B
Record R				Zone	BCS	usoc			RATES(\$)		Submitted Elec	Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
Committee Comm							Rec	Nonrec	urring	Nonrecurring Disconnec			ossi	RATES (\$)		
2-Wire Votes Group Part (Centres 80) Emmaters 15,00 15,0							1.00					SOMAN			SOMAN	SOMAN
2-Wee Was Grant Part (Central / 1865 / 1867) UPPO	2	2-Wire Voice Grade Port (Centrex)					1.36									
2-Wive Vices Grafe Prot (Centres / ES-845093) UEPPO UEPO 1-30 38.85 19.08 15.20																
2-Wins Vaco Grade Part (Centers / FES-MEDIS)																
2-Wire Vises Grade Part Centrex (FES-MS192)																
2-WWW Voxo Grade Port Central x ESE-MSSI203 UEPSQ UPPSQ 1 36 36.65 10.06 15.00										-						
2-Wire Visco Grante Pert (Centrary LESS-MASSOR) UFPND UFPCT 1.36 38.85 10.08 15.20																
2-Wine Votes Grade Prof (Central SES MASONS)										 						
2-Wire Voice Grade Port Centre (Centre (Centre (Centre (Centre) Centre) UPPO UPP																
2.Wire Votice Grade Port (Centre width Caller (D) UEPOD UEPOD UEPOD 1.58 38.85 19.08 15.20	1	2-Wire Voice Grade Port (Centrex / EBS-M5216)3			UEP9D	UEPQV	1.36	38.85	19.08			15.20				
2-Wise Votor Grade Port Centres/May Wg Lamp Indication UEPDD UEP	2	2-Wire Voice Grade Port (Centrex / EBS-M5316)3														
Indication			ļ		UEP9D	UEPQH	1.36	38.85	19.08			15.20				
SWINE Vision Grade Port (Centres/Griffe SWC (EBS-AND) (15.00 UEPO					LIEDOD	LIEDOM	4.00	00.0=	10.00			45.00				
2-Wire Votes Grade Port (Centrex/differ SWC FEBS-P6ET)2, 3																
2					UEF9D	UEPQJ	1.30	30.00	19.06			15.20				
2-Wire Voice Grade Port (Centreviditer SWC /EBS-MS09)2, 3		2			UFP9D	UEPOM	1.36	104 41	67 93			15 20				
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-8209)2, 3		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3														
2-Wire Voice Grade Port (Centrevidifier SWC /EBS-8209)2, 3		, , , , , , , , , , , , , , , , , , , ,														
2-Wire Voice Grade Port (Centrevidiffer SWC /EBS-M512)2, 3 UEP9D UEP0S 1.36 104.41 67.93 15.20 15.20 2-Wire Voice Grade Port (Centrevidiffer SWC /EBS-M5218)2, 3 UEP9D UEP05 1.36 104.41 67.93 15.20 2-Wire Voice Grade Port (Centrevidiffer SWC /EBS-M5218)2, 3 UEP9D UEP05 1.36 104.41 67.93 15.20 2-Wire Voice Grade Port (Centrevidiffer SWC /EBS-M5218)2, 3 UEP9D UEP05 1.36 104.41 67.93 15.20 2-Wire Voice Grade Port (Centrevidiffer SWC /EBS-M5218)2, 3 UEP9D UEP06 1.36 104.41 67.93 15.20 2-Wire Voice Grade Port (Centrevidiffer SWC /EBS-M5218)2, 3 UEP9D UEP07 1.36 104.41 67.93 15.20 2-Wire Voice Grade Port (Centrevidiffer SWC /EBS-M5218)2, 3 UEP9D UEP07 1.36 104.41 67.93 15.20 2-Wire Voice Grade Port Centre v800 Service Term UEP9D UEP02 1.36 104.41 67.93 15.20 2-Wire Voice Grade Port terminated in on Megalink or equivalent UEP9D UEP02 1.36 104.41 67.93 15.20 2-Wire Voice Grade Port terminated in on Megalink or equivalent UEP9D UEP03 1.36 38.85 19.08 15.20 2-Wire Voice Grade Port terminated in on Megalink or equivalent UEP9D UEP03 1.36 38.85 19.08 15.20 2-Wire Voice Grade Port terminated in One Service Term UEP9D UEP03 1.36 38.85 19.08 15.20 2-Wire Voice Grade Port terminated in One Service Term UEP9D UEP03 1.36 38.85 19.08 15.20 2-Wire Voice Grade Port Terminated in One Megalink or equivalent UEP9D UEP03 1.36 38.85 19.08 15.20 2-Wire Voice Grade Port Terminated in One Megalink or equivalent UEP9D UEP03 1.36 38.85 19.08 15.20 2-Wire Voice Grade Port Terminated in One Megalink or equivalent UEP9D UEP03 1.36 38.85 19.08 15.20 2-Wire Voice Grade Port Terminated in One Megalink or equivalent UEP9D UEP03 1.36 38.85 19.08 15.20 2-Wire Voice Grade Port Terminated in One Megalink or equivalent UEP9D UEP03 1.36 38.85 19.08 15.20 2-Wire Voice Grade Port Terminated in One Megalink or equivalent UEP9D UEP03 1.36 38.85 19.08 15.20 2-Wire Voice Grade Port Terminated in One Megalink or equivalent UEP9D UEP03 1.36 38.85 19.08 15.20 2-Wire Voice Grade Port Terminated in One Megalink or equivalent UEP9D UEP03 1.36 38.85 19.08 15.20 2-Wire	2	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3			UEP9D				67.93							
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 UEP9D UEPQS 1,36 104.41 67.93 15.20 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 UEP9D UEPQS 1,36 104.41 67.93 15.20 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 UEP9D UEPQS 1,36 104.41 67.93 15.20 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3 UEP9D UEPQS 1,36 104.41 67.93 15.20 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3 UEP9D UEPQC 1,36 104.41 67.93 15.20 2-Wire Voice Grade Port (Entrex/differ SWC /EBS-M5216)2, 3 UEP9D UEPQC 1,36 104.41 67.93 15.20 2-Wire Voice Grade Port (Entrex/differ SWC /EBS-M5216)2, 3 UEP9D UEPQC 1,36 104.41 67.93 15.20 2-Wire Voice Grade Port terminated in on Megalink or equivalent 12-Wire Voice Grade Port terminated on 800 Service Term UEP9D UEPQS 1,36 1,3	2	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3			UEP9D	UEPQQ	1.36	104.41	67.93			15.20				
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 UEP9D UEPQS 1,36 104.41 67.93 15.20 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 UEP9D UEPQS 1,36 104.41 67.93 15.20 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 UEP9D UEPQS 1,36 104.41 67.93 15.20 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3 UEP9D UEPQS 1,36 104.41 67.93 15.20 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3 UEP9D UEPQC 1,36 104.41 67.93 15.20 2-Wire Voice Grade Port (Entrex/differ SWC /EBS-M5216)2, 3 UEP9D UEPQC 1,36 104.41 67.93 15.20 2-Wire Voice Grade Port (Entrex/differ SWC /EBS-M5216)2, 3 UEP9D UEPQC 1,36 104.41 67.93 15.20 2-Wire Voice Grade Port terminated in on Megalink or equivalent 12-Wire Voice Grade Port terminated on 800 Service Term UEP9D UEPQS 1,36 1,3																
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3			UEP9D	UEPQR	1.36	104.41	67.93			15.20				
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3 UEPD UEPQ4 1.36 104.41 67.93 15.20		2 Wire Voice Crade Bort (Centroy/differ SWC /EBS ME212)2 2			LIEDOD	LIEDOS	1.26	104.41	67.02			15 20				
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 UEP9D UEP05 1.36 104.41 67.93 15.20		2-wire voice Grade Port (Centrexidiner SWC /EBS-W5312)2, 3			UEP9D	UEPQS	1.36	104.41	67.93			15.20				
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 UEP9D UEP05 1.36 104.41 67.93 15.20		2-Wire Voice Grade Port (Centrey/differ SWC /FRS-M5008)2 3			I IEP9D	LIEPO4	1 36	104 41	67 93			15 20				
2-Wire Voice Grade Port (Centrevidiffer SWC /EBS-M5216)2, 3	f	E WITE VOICE CHARCE FOR (CENTREWAITER CWC/EBC MICCOO)2, C			OLI OD	OLI Q+	1.00	104.41	07.50			10.20				
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3			UEP9D	UEPQ5	1.36	104.41	67.93			15.20				
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3		, ,														
2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service UEP9D UEPQZ 1.36 104.41 67.93 15.20 15.20	2	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3			UEP9D	UEPQ6	1.36	104.41	67.93			15.20				
2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service UEP9D UEPQZ 1.36 104.41 67.93 15.20																
Term					UEP9D	UEPQ7	1.36	104.41	67.93			15.20				
2-Wire Voice Grade Port terminated in on Megalink or equivalent UEP9D UEPQ9 1.36 38.85 19.08 15.20					LIEDOD	LIEDOZ	4.00	404.44	67.00			45.00				
Carlier Voice Grade Port Terminated on 800 Service Term		Term			UEP9D	UEPQZ	1.36	104.41	67.93		_	15.20				
Carlier Voice Grade Port Terminated on 800 Service Term		2-Wire Voice Grade Port terminated in an Megalink or equivalent			I IEDOD	I IEPO9	1 36	38.85	10.08			15 20				
Local Switching											+					
Centrex Intercom Funtionality, per port								55.55	.0.50			1				
Local Number Portability (1 per port)	(Centrex Intercom Funtionality, per port			UEP9D	URECS	0.8577				<u> </u>					
Features									· · · · ·							
All Standard Features Offered, per port			1		UEP9D	LNPCC	0.35					1				
All Select Features Offered, per port			1		LIEDOD	HEDVE	0.00				+	45.00				
All Centrex Control Features Offered, per port			<u> </u>					/12 2E			+					
NARS Unbundled Network Access Register - Combination UEP9D UARCX 0.00			1	\vdash				+12.25		 	+		1	1		1
Unbundled Network Access Register - Combination		THE CONTROL CONTROL FEBRUAGE CHOICE, PER POR	 		OLI 3D	JLI VO	0.00					13.20				
Unbundled Network Access Register - Inward		Unbundled Network Access Register - Combination	l		UEP9D	UARCX	0.00	0.00	0.00							
Unbundled Network Access Register - Outdial			Ì		UEP9D	UAR1X										
2-Wire Trunk Side	l	Unbundled Network Access Register - Outdial			UEP9D	UAROX	0.00	0.00	0.00							
Trunk Side Terminations, each									•							
4-Wire Digital (1.544 Megabits) UEP9D M1HD1 68.47 196.18 98.62 15.20 DS0 Channels Activiated per Channel UEP9D M1HDO 0.00 14.06 15.20 15.20																
DS1 Circuit Terminations, each UEP9D M1HD1 68.47 196.18 98.62 15.20			ļ		UEP9D	CEND6	8.29	115.85	18.20			15.20				
DS0 Channels Activiated per Channel UEP9D M1HDO 0.00 14.06 15.20			 	\vdash	LIEDOD	M1HD1	60 47	106.10	00.60		+	15.00				
			 						98.62	 	-		1	1		1
			 		OLI JU	IVITIDO	0.00	14.00			+	13.20				
Interoffice Channel Facilities Termination UEP9D MIGBC 22.60 39.36 26.62 15.20			†		UEP9D	MIGBC	22.60	39.36	26.62		+	15.20	1	1		1

UNBUNDLE	D NETWORK ELEMENTS - Louisiana												Attachment:	2		Exhibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Submitted	Incremental Charge - Manual Svc		Charge -	Incremental Charge - Manual Svc Order vs. Electronic-
											per LSR	per LSR	1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonred First	curring Add'l	Nonrecurring First	g Disconnect Add'l	SOMEC	SOMAN	OSS F	RATES (\$)	SOMAN	SOMAN
	Interoffice Channel mileage, per mile or fraction of mile			UEP9D	MIGBM	0.013		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		7.44	0020					
Feature	Activations (DS0) Centrex Loops on Channelized DS1 Service	e				0.0.0										
	nnel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9D	1PQWS	0.6497						15.20				
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9D	1PQW6	0.6497						15.20				
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP9D	1PQW7	0.6497						15.20				
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -															
	Different Wire Center			UEP9D	1PQWP	0.6497						15.20				
	Feature Activation on D-4 Channel Bank Private Line Loop Slot Feature Activation on D-4 Channel Bank Tije Line/Trunk Loop			UEP9D	1PQWV	0.6497						15.20				
	Slot			UEP9D	1PQWQ	0.6497						15.20				
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9D	1PQWA	0.6497						15.20				
Non-Re	ecurring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed															
	changes, per port			UEP9D	USAC2		0.10	0.10				15.20				
	Conversion of existing Centrex Common Block, each			UEP9D	USACN		36.66	16.10								
	New Centrex Standard Common Block			UEP9D	M1ACS	0.00	680.40					15.20				
	New Centrex Customized Common Block			UEP9D	M1ACC	0.00	680.40					15.20				
	NAR Establishment Charge, Per Occasion			UEP9D	URECA	0.00	73.93					15.20				
	CENTREX - EWSD (Valid in AL, FL, KY, LA, MS & TN)															
	VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design)															
UNE PO	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
	Non-Design		1	UEP9E		13.13										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		2	UEP9E		23.75										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Non-Design		3	UEP9E		49.62										
UNE Po	ort/Loop Combination Rates (Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design		1	UEP9E		16.29										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -					Π										
ļ	Design	ļ	2	UEP9E	4	26.71										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design		3	UEP9E		51.82										
UNE Lo	pop Rate															
igwdow	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9E	UECS1	11.77										
 	2-Wire Voice Grade Loop (SL 1) - Zone 2	ļ	2	UEP9E	UECS1	22.39										
 	2-Wire Voice Grade Loop (SL 1) - Zone 3	 	3	UEP9E	UECS1	48.26				ļ				-	-	-
 	2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 2	-	2	UEP9E UEP9E	UECS2 UECS2	14.93 25.35									-	-
 	2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9E	UECS2	50.46				1	1			1		
LINE PA	ort Rate		-	J_1 J_	02002	30.40										
	, KY, LA, MS, & TN only		i –													
1, , , =,	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP9E	UEPYA	1.36	38.85	19.08				15.20		1		1
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area			UEP9E	UEPYB	1.36	38.85	19.08				15.20				
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area			UEP9E	UEPYH	1.36	38.85	19.08				15.20				
 	2-Wire Voice Grade Port (Centrex from diff Serving Wire	 	l -	OLFBL	OLFIR	1.30	აი.ინ	19.08		1		15.20		1	1	1
	Center)2 Basic Local Area			UEP9E	UEPYM	1.36	104.41	67.93				15.20				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term - Basic Local Area			UEP9E	UEPYZ	1.36	104.41	67.93				15.20				
	2-Wire Voice Grade Port terminated in on Megalink or equivalent - Basic Local Area			UEP9E	UEPY9	1.36	38.85	19.08				15.20				

UNBUNDLE	D NETWORK ELEMENTS - Louisiana												Attachment:	2		Exhibit: B
													Incremental	Incremental		Incremental
CATEGORY	RATE ELEMENTS	Interi	7	BCS	USOC			RATES(\$)			Svc Order	Svc Order	Charge - Manual Svc	Charge - Manual Svc	Charge - Manual Svc	Charge - Manual Svc
CATEGORT	RATE ELEMENTS	m	Zone	всъ	USUC			KATES(\$)				Submitted	Order vs.	Order vs.	Order vs.	Order vs.
											Elec		Electronic-	Electronic-	Electronic-	Electronic-
									I		per LSR	per LSR	1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonrec	urring	Nonrecurring	Disconnect				RATES (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area			UEP9E	UEPY2	1.36	38.85	19.08				15.20				
AL. K	/, LA, MS, & TN Only	1		OLF9L	OLF 12	1.30	38.83	19.00				13.20				
	2-Wire Voice Grade Port (Centrex)			UEP9E	UEPQA	1.36	38.85	19.08				15.20				
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP9E	UEPQB	1.36	38.85	19.08				15.20				
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP9E	UEPQH	1.36	38.85	19.08				15.20				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2			UEP9E	UEPQM	1.36	104.41	67.93				15.20				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			021 02	OLI QIVI	1.00	104.41	07.00				10.20				
	Term			UEP9E	UEPQZ	1.36	104.41	67.93				15.20				
								40				4.5.5				
\vdash	2-Wire Voice Grade Port terminated in on Megalink or equivalent 2-Wire Voice Grade Port Terminated on 800 Service Term	-	1	UEP9E UEP9E	UEPQ9 UEPQ2	1.36 1.36	38.85 38.85	19.08 19.08	 		1	15.20 15.20				
Local	Switching	-	1	OLFAE	UEFQZ	1.30	38.85	19.08	 		 	15.20				
Locui	Centrex Intercom Funtionality, per port			UEP9E	URECS	0.8577										
Local	Number Portability															
	Local Number Portability (1 per port)			UEP9E	LNPCC	0.35										
Featur			-	LIEDOE	LIED\/E	0.00			1			45.00				
-	All Standard Features Offered, per port All Select Features Offered, per port		-	UEP9E UEP9E	UEPVF UEPVS	0.00	412.25					15.20 15.20				
	All Centrex Control Features Offered, per port		1	UEP9E	UEPVC	0.00	412.25					15.20				
NARS				02. 02	02. 70	0.00						10.20				
	Unbundled Network Access Register - Combination			UEP9E	UARCX	0.00	0.00	0.00								
	Unbundled Network Access Register - Indial			UEP9E	UAR1X	0.00	0.00	0.00								
	Unbundled Network Access Register - Outdial			UEP9E	UAROX	0.00	0.00	0.00								
	Ianeous Terminations Trunk Side	1	1													
2-11116	Trunk Side Terminations, each			UEP9E	CEND6	8.29	115.85	18.20				15.20				
4-Wire	Digital (1.544 Megabits)															
	DS1 Circuit Terminations, each			UEP9E	M1HD1	68.47	196.18	92.92				15.20				
	DS0 Channel Activated Per Channel			UEP9E	M1HDO	0.00	14.06					15.20				
Intero	fice Channel Mileage - 2-Wire Interoffice Channel Facilities Termination			UEP9E	MIGBC	22.60	39.36	26.62				15.20				
	Interoffice Channel mileage, per mile or fraction of mile			UEP9E UEP9E	MIGBM	0.013	39.36	20.02	1			15.20				
Featur	e Activations (DS0) Centrex Loops on Channelized DS1 Service	e		02. 02		0.010										
	annel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9E	1PQWS	0.6497						15.20				
	Feature Astination on D.4 Channel Bank EV line Cide Lear Class			UEP9E	1PQW6	0.6497						15.20				
 	Feature Activation on D-4 Channel Bank FX line Side Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop	1	1	OLFSE	IFUVVO	0.6497			 		-	15.20				
	Slot			UEP9E	1PQW7	0.6497						15.20				
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -															
	Different Wire Center	ļ		UEP9E	1PQWP	0.6497						15.20				
	Facture Activation on D.4 Changel Beels British Line Law City			LIEDOE	10014/17	0.0407						45.00				
\vdash	Feature Activation on D-4 Channel Bank Private Line Loop Slot Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop	 	<u> </u>	UEP9E	1PQWV	0.6497			 		-	15.20				
	Slot			UEP9E	1PQWQ	0.6497						15.20				
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9E	1PQWA	0.6497						15.20				
Non-R	ecurring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed			LIEDOE	110466			A / -								
\vdash	changes, per port Conversion of Existing Centrex Common Block, each	 	1	UEP9E UEP9E	USAC2 USACN	 	0.10 36.66	0.10 16.10	 		-	15.20				
 	New Centrex Standard Common Block	1	<u> </u>	UEP9E UEP9E	M1ACS	0.00	680.40	10.10			-	15.20				
	New Centrex Customized Common Block			UEP9E	M1ACC	0.00	680.40					15.20				
	NAR Establishment Charge, Per Occasion			UEP9E	URECA	0.00	73.93					15.20				
	CENTREX - DCO - Valid in AL, KY, LA, MS, & TN)															
	VG Loop/2-Wire Voice Grade Port (Centrex) Combo	 	<u> </u>		1						-					
UNE P	ort/Loop Combination Rates (Non-Design)	1	1		1	11			<u> </u>		l	l	I	I	I	l

UNBUNDLE	D NETWORK ELEMENTS - Louisiana												Attachment:	2		Exhibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec	urring	Nonrecurrin	g Disconnect				RATES (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design	1	1	UEP93		13.13										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			OLF 93		13.13										
	Non-Design		2	UEP93		23.75										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
LINE D	Non-Design ort/Loop Combination Rates (Design)		3	UEP93	-	49.62										
UNE P	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -				1											-
	Design		1	UEP93		16.29										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design		2	UEP93		26.71										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design		3	UEP93		51.82										
UNE Lo	pop Rate			OLI SO		01.02										
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP93	UECS1	11.77										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP93	UECS1	22.36										
	2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 1	ļ	3	UEP93 UEP93	UECS1 UECS2	48.26 14.93										_
	2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP93	UECS2	25.35										
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP93	UECS2	50.46										
	ort Rate															
AL, KY	, LA, MS, & TN only															
	2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local			UEP93	UEPYA	1.36	38.85	19.08				15.20				
	Area			UEP93	UEPYB	1.36	38.85	19.08				15.20				
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area			UEP93	UEPYH	1.36	38.85	19.08				15.20				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 Basic Local Area			UEP93	UEPYM	1.36	104.41	67.93				15.20				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term - Basic Local Area			UEP93	UEPYZ	1.36	104.41	67.93				15.20				
	2-Wire Voice Grade Port terminated in on Megalink or equivalent															
	- Basic Local Area			UEP93	UEPY9	1.36	38.85	19.08				15.20				
	2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area			UEP93	UEPY2	1.36	38.85	19.08				15.20				
	2-Wire Voice Grade Port (Centrex)			UEP93	UEPQA	1.36	38.85	19.08				15.20				
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP93	UEPQB	1.36	38.85	19.08				15.20				
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP93	UEPQH	1.36	38.85	19.08				15.20				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2			UEP93	UEPQM	1.36	104.41	67.93				15.20				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term			UEP93	UEPQZ	1.36	104.41	67.93				15.20				
	2-Wire Voice Grade Port terminated in on Megalink or equivalent 2-Wire Voice Grade Port Terminated on 800 Service Term			UEP93 UEP93	UEPQ9 UEPQ2	1.36 1.36	38.85 38.85	19.08 19.08		1		15.20 15.20				
Local S	Switching			021 00	JL1 42	1.50	30.03	19.00		1	1	10.20				-
	Centrex Intercom Funtionality, per port			UEP93	URECS	0.8577										
Local I	Number Portability															<u> </u>
Feature	Local Number Portability (1 per port)	 		UEP93	LNCCC	0.35				1	1	1				
reature	All Standard Features Offered, per port			UEP93	UEPVF	0.00					1	15.20				
	All Centrex Control Features Offered, per port			UEP93	UEPVC	0.00				İ		15.20				
NARS																
	Unbundled Network Access Register - Combination			UEP93	UARCX	0.00	0.00	0.00		ļ	ļ	1				
	Unbundled Network Access Register - Indial Unbundled Network Access Register - Outdial			UEP93 UEP93	UAR1X UAROX	0.00	0.00	0.00		1	1	 				
Miscel	aneous Terminations			OLI 90	JANOA	0.00	0.00	0.00		1	1	†				-
	Trunk Side					<u> </u>				<u> </u>						

NBUNDLE	NETWORK ELEMENTS - Louisiana												Attachment:	2		Exhibit:
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Submitted Manually	Charge - Manual Svc Order vs.	Order vs.	Charge - Manual Svc Order vs.	Order vs.
						Rec	Nonrec	urring	Nonrecurring	g Disconnect	P 41 - 411	P		RATES (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Trunk Side Terminations, each			UEP93	CEND6	8.27	115.85	18.20				15.20				
	Digital (1.544 Megabits)															
	DS1 Circuit Terminations, each			UEP93	M1HD1	68.47	196.18	92.92				15.20				
	DS0 Channels Activated, Per Channel			UEP93	M1HDO	0.00	14.01					15.20				
	ice Channel Mileage - 2-Wire															
	Interoffice Channel Facilities Termination			UEP93	MIGBC	22.60	39.36	26.62				15.20				
	Interoffice Channel mileage, per mile or fraction of mile			UEP93	MIGBM	0.013										
	Activations (DS0) Centrex Loops on Channelized DS1 Service	e														
	nnel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP93	1PQWS	0.6497						15.20				
	Feature Activation on D-4 Channel Bank FX Line Side Loop Slot			UEP93	1PQW6	0.6497						15.20				
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP93	1PQW7	0.6497						15.20				
	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center			UEP93	1PQWP	0.6497						15.20				
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP93	1PQWV	0.6497						15.20				
	Feature Activation on D-4 Channel Bank Tie Line/Trunk Loop Slot			UEP93	1PQWQ	0.6497						15.20				
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP93	1PQWA	0.6497						15.20				
Non-Re	curring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port			UEP93	USAC2		0.10	0.10				15.20				
	Conversion of Existing Centrex Common Block, each			UEP93	USACN		36.66	16.10				15.20				
	New Centrex Standard Common Block			UEP93	M1ACS	0.00	680.40					15.20				
	New Centrex Customized Common Block			UEP93	M1ACC	0.00	680.40					15.20				
	NAR Establishment Charge, Per Occasion			UEP93	URECA	0.00	73.93					15.20				
	Required Port for Centrex Control in 1AESS, 5ESS & EWSD															
	- Requres Interoffice Channel Mileage							-								
Note 3	Requires Specific Customer Premises Equipment															
			1	1	+					ļ	 				 	\vdash

LINIE	NIDI T	D NETWORK ELEMENTO Missississis												I			
UNBL	INDLE	D NETWORK ELEMENTS - Mississippi	1	1								ı	1	Attachment:	2		Exhibit: E
														Incremental	Incremental	Incremental	Incremental
														Charge -	Charge -	Charge -	Charge -
CATE	GORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order		Manual Svc	Manual Svc	
			""										Submitted		Order vs.	Order vs.	Order vs.
												Elec	Manually		Electronic-	Electronic-	Electronic-
										I		per LSR	per LSR	1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonred	curring	Nonrecurrin	g Disconnect			OSS F	RATES (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
	The "7	 one" shown in the sections for stand-alone loops or loops as	nart of	a comi	nination refers to Ge	ographically	Deaveraged II	NE Zones To	view Geograp	hically Deaver	aged LINE Zone	Designation	one by Cent	ral Office refe	r to Internet \	Naheita:	
		www.interconnection.bellsouth.com/become_a_clec/html/inter				ograpinicany	Deaveraged O	NL Zones. 10	view Geograp	incany beaver	aged ONE ZOIN	Designation	ons by Cent	rai Oilice, reie	i to internet	reporte.	
OPER/		SUPPORT SYSTEMS		1													
	NOTE	(4) Floring 1- 0 and 1- 0 along 01 F0 4 about 1 and 1 and 1 and 1			16 14 6 4b at at a							The street					
		(1) Electronic Service Order: CLEC-1 should contact its contr															
-		is the BellSouth regional electronic service ordering charge.															
		(2) Any element that can be ordered electronically will be bill															
		elements that cannot be ordered electronically at present per t ig charge, SOMAN, will be applied to a CLECs bill when it sub				in this cateo	gory reflects the	e charge that v	vould be billed	to a CLEC on	ce electronic o	rdering cap	pabilities co	me on-line fo	r tnat element	. Otherwise,	tne manual
	orderin	Manual Service Order Charge, Disconnect Only (MS)	minis ar	LORT	ບ ລອກວບແກ.	SOMAN		1.97		1							
		Electronic OSS Charge, per LSR, submitted via BST's OSS						1.57									
L		interactive interfaces (Regional)				SOMEC		3.50				<u> </u>	<u> </u>	<u> </u>			
UNBU		XCHANGE ACCESS LOOP															
	2-WIRE	ANALOG VOICE GRADE LOOP															
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEAL2	12.03	37.92	17.55	23.48	5.25		15.75				
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL UEANL	UEAL2 UEAL2	16.87 25.68	37.92 37.92	17.55 17.55	23.48 23.48	5.25 5.25		15.75 15.75				
		2-Wire Analog Voice Grade Loop - Service Level 1-Zone 3 2-Wire Analog Voice Grade Loop - Service Level 1-Zone 4		4	UEANL	UEAL2	43.85	37.92	17.55	23.48	5.25		15.75				
		Loop Testing - Basic 1st Half Hour		-	UEANL	URET1	43.03	34.36	17.55	25.40	5.25		10.70				
		Loop Testing - Basic Additional Half Hour			UEANL	URETA		19.97									
		Engineering Information Document (EI)			UEANL			13.51	13.51								
		Manual Order Coordination for UVL-SL1s (per loop)*			UEANL	UEAMC		50.29	50.29								
		Order Coordination for Specified Conversion Time for UVL-SL1				00001		45.07	45.27								
	2-WIDE	(per LSR) * E Unbundled COPPER LOOP			UEANL	OCOSL		45.27	45.27								
-	Z-VVIIXL	2-Wire Unbundled Copper Loop - Non-Designed Zone 1		1	UEQ	UEQ2X	11.01	36.53	16.16	22.66	4.42		15.75				
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 2	i		UEQ	UEQ2X	11.51	36.53	16.16	22.66	4.42		15.75				
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 3	ı		UEQ	UEQ2X	11.57	36.53	16.16	22.66	4.42		15.75				
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 4	- 1	4	UEQ	UEQ2X	13.10	36.53	16.16	22.66	4.42		15.75				
1		Order Coordination 2 Wire Unbundled Copper Loop - Non-			LIEO	1100110		45.00	45.00								
		Designed (per loop) Engineering Information Document			UEQ UEQ	USBMC		45.27 13.51	45.27 13.51								
—		Loop Testing - Basic 1st Half Hour			UEQ	URET1		34.36	13.51								
		Loop Testing - Basic 1st Hair Hour		1	UEQ	URETA		19.97									
UNBU		XCHANGE ACCESS LOOP															
	2-WIRE	ANALOG VOICE GRADE LOOP															
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-			LIEDOD LIEDOD	LIEALO	40.00	07.00	47.5-	00.10				05.50	44.01	10.00	10.00
<u> </u>		Zone 1 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		1	UEPSR UEPSB	UEALS	12.03	37.92	17.55	23.48	5.25		-	25.52	11.34	16.06	16.06
		Zone 1	1		UEPSR UEPSB	UEABS	12.03	37.92	17.55	23.48	5.25			25.52	11.34	16.06	16.06
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-	<u> </u>		52. 5K 6EI 6B	02/100	12.00	07.92	17.55	20.40	0.20			20.02	11.54	10.00	10.00
L		Zone 2	L_I	2	UEPSR UEPSB	UEALS,	16.87	37.92	17.55	23.48	5.25	<u> </u>	<u> </u>	25.52	11.34	16.06	16.06
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-															
		Zone 2	I		UEPSR UEPSB	UEABS	16.87	37.92	17.55	23.48	5.25			25.52	11.34	16.06	16.06
1		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-	١	_	LIEDOD LIEDOD	LIEALO	05.00	27.22	47.55	00.40	5.05			05.50	44.04	40.00	40.00
\vdash		Zone 3 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		3	UEPSR UEPSB	UEALS,	25.68	37.92	17.55	23.48	5.25	-	 	25.52	11.34	16.06	16.06
1		Zone 3	l ,		UEPSR UEPSB	UEABS	25.68	37.92	17.55	23.48	5.25			25.52	11.34	16.06	16.06
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-	<u> </u>				20.00	002	50	20.10	5.20			20.02			
		Zone 4	1	4	UEPSR UEPSB	UEALS,	43.85	37.92	17.55	23.48	5.25		<u></u>	25.52	11.34	16.06	16.06
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
	 	Zone 4		ļ	UEPSR UEPSB	UEABS	43.85	37.92	17.55	23.48	5.25			25.52	11.34	16.06	16.06
UNBUI		EXCHANGE ACCESS LOOP		-						1			-	-			
	Z-WIRE	ANALOG VOICE GRADE LOOP		1							ĺ	ı	1				I

4Q01:12/01/01 PAGE 184 OF 324

UNBUNDLE!	NETWORK ELEMENTS - Mississippi												Attachment:	2		Exhibit: B
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			Svc Order	Svc Order	Incremental Charge - Manual Svc	Incremental Charge - Manual Svc	Charge -	Incremental Charge - Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	воз	0300			KATES(\$)				Submitted		Order vs. Electronic- Add'l	Order vs. Electronic- Disc 1st	Order vs. Electronic- Disc Add'l
						Rec	Nonrec	curring	Nonrecurring	g Disconnect			099.1	RATES (\$)		
					+	Nec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
	CLEC to CLEC Conversion Charge without outside dispatch															
	(UVL-SL1)			UEANL	UREWO		37.92	17.55				15.75				
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		_													
	Ground Start Signaling - Zone 1	ļ	1	UEA	UEAL2	13.89	105.96	68.28	52.82	10.37		15.75				
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 2		2	UEA	UEAL2	18.75	105.96	68.28	52.82	10.37		15.75				
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	1		UEA	UEALZ	10.75	105.96	00.20	52.62	10.37		15.75				
	Ground Start Signaling - Zone 3		3	UEA	UEAL2	27.55	105.96	68.28	52.82	10.37		15.75				
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															
	Ground Start Signaling - Zone 4		4	UEA	UEAL2	45.72	105.96	68.28	52.82	10.37		15.75				
\vdash	Order Coordination for Specified Conversion Time (per LSR)	ļ		UEA	OCOSL		18.19									
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		,	LIEA	LIEADO	10.00	405.00	20.00	50.00	10.0-		45.35				
	Battery Signaling - Zone 1	<u> </u>	1	UEA	UEAR2	13.89	105.96	68.28	52.82	10.37		15.75				
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 2		2	UEA	UEAR2	18.75	105.96	68.28	52.82	10.37		15.75				
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 3		3	UEA	UEAR2	27.55	105.96	68.28	52.82	10.37		15.75				
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse					4= =0										
	Battery Signaling - Zone 4	ļ	4	UEA	UEAR2	45.72	105.96	68.28	52.82	10.37		15.75				
	Order Coordination for Specified Conversion Time (per LSR) CLEC to CLEC Conversion Charge without outside dispatch	<u> </u>		UEA UEA	OCOSL UREWO		18.19 105.96	38.21				15.75				
4-WIRE	ANALOG VOICE GRADE LOOP	1		UEA	UKEWO		105.96	30.21				15.75				
4 11111	4-Wire Analog Voice Grade Loop - Zone 1		1	UEA	UEAL4	27.47	132.27	94.59	60.68	14.64		15.75				
	4-Wire Analog Voice Grade Loop - Zone 2			UEA	UEAL4	38.26	132.27	94.59	60.68	14.64		15.75				
	4-Wire Analog Voice Grade Loop - Zone 3		3	UEA	UEAL4	50.03	132.27	94.59	60.68	14.64		15.75				
	4-Wire Analog Voice Grade Loop - Zone 4		4	UEA	UEAL4	50.03	132.27	94.59	60.68	14.64		15.75				
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		18.19									
2-WIRE	ISDN DIGITAL GRADE LOOP		1	LIDA	1141.07/	21.01	117.61	70.00	52.82	10.37		15.75				
	2-Wire ISDN Digital Grade Loop - Zone 1 2-Wire ISDN Digital Grade Loop - Zone 2	<u> </u>		UDN UDN	U1L2X U1L2X	27.59	117.61	79.92 79.92	52.82	10.37		15.75				
 	2-Wire ISDN Digital Grade Loop - Zone 2			UDN	U1L2X	37.34	117.61	79.92	52.82	10.37		15.75				
	2-Wire ISDN Digital Grade Loop - Zone 4		4	UDN	U1L2X	59.18	117.61	79.92	52.82	10.37		15.75				
	Order Coordination For Specified Conversion Time (per LSR)			UDN	OCOSL		18.19									
	CLEC to CLEC Conversion Charge without outside dispatch			UDN	UREWO		117.61	33.03				15.75				
2-WIRE	Universal Digital Channel (UDC) COMPATIBLE LOOP															
	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone				LIBOS::											
 	1 2 Wire Universal Digital Channel (UDC) Commetities I am 7	1	1	UDC	UDC2X	21.01	117.61	79.92	52.82	10.37		15.75				
	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone	1	2	UDC	UDC2X	27.59	117.61	79.92	52.82	10.37		15.75				
\vdash	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone	1			SDOLK	27.00	117.01	70.02	02.02	10.07		10.70				
	3		3	UDC	UDC2X	37.34	117.61	79.92	52.82	10.37		15.75				
	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone															
$oxed{oxed}$	4	<u> </u>	4	UDC	UDC2X	59.18	117.61	79.92	52.82	10.37		15.75				
- 11//	CLEC to CLEC Conversion Charge without outside dispatch *	<u> </u>		UDC	UREWO		117.61	33.03				15.75				
2-WIRE	ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP	'A HBLE	LUOP		+				1							
	2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 1		1	UAL	UAL2X	11.11	121.27	70.81	50.38	7.93		15.75				
	2 Wire Unbundled ADSL Loop including manual service inquiry	1	<u> </u>													
	& facility reservation - Zone 2 Wire Unbundled ADSL Loop including manual service inquiry	ļ	2	UAL	UAL2X	11.47	121.27	70.81	50.38	7.93		15.75				
	& facility reservation - Zone 3		3	UAL	UAL2X	11.74	121.27	70.81	50.38	7.93		15.75				
	2 Wire Unbundled ADSL Loop including manual service inquiry	†	_		J	11.7-4	121.21	70.01	55.56	7.95		10.70				
	& facility reservation - Zone 4	<u> </u>	4	UAL	UAL2X	12.69	121.27	70.81	50.38	7.93	<u> </u>	15.75		<u> </u>	<u> </u>	
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		18.19									
	2 Wire Unbundled ADSL Loop without manual service inquiry &	1	1	UAL	UAL2W	11.11	96.15	58.03	50.38	7.93		15.75				
\vdash	facility reservaton - Zone 1 2 Wire Unbundled ADSL Loop without manual service inquiry &	1	1	UAL	UALZVV	11.11	90.15	58.03	50.38	7.93	1	15./5				
	facility reservaton - Zone 2		2	UAL	UAL2W	11.47	96.15	58.03	50.38	7.93		15.75				

UNBUNDLE	D NETWORK ELEMENTS - Mississippi												Attachment:	2		Exhibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)	Γ			Submitted Manually	Incremental Charge - Manual Svc		Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec			g Disconnect				RATES (\$)		
	OMES HALL BOOK IN A POLICY OF THE PROPERTY OF						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 3		3	UAL	UAL2W	11.74	96.15	58.03	50.38	7.93		15.75				
	2 Wire Unbundled ADSL Loop without manual service inquiry &		Ü	O/ IL	O/ KLEVV	11.74	50.10	00.00	00.00	7.50		10.70				
	facility reservaton - Zone 4		4	UAL	UAL2W	12.69	96.15	58.03	50.38	7.93		15.75				
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		18.19									
2 WIDE	CLEC to CLEC Conversion Charge without outside dispatch HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIDLE	LOOP	UAL	UREWO		96.15	29.28				15.75				
Z-VVIRE	2 Wire Unbundled HDSL Loop including manual service inquiry	ATIBLE	I													
	& facility reservation - Zone 1		1	UHL	UHL2X	8.75	129.98	79.52	50.38	7.93		15.75				
	2 Wire Unbundled HDSL Loop including manual service inquiry															
	& facility reservation - Zone 2		2	UHL	UHL2X	9.22	129.98	79.52	50.38	7.93		15.75				
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 3		3	UHL	UHL2X	9.87	129.98	79.52	50.38	7.93		15.75				
	2 Wire Unbundled HDSL Loop including manual service inquiry			OI IL	Of ILZA	3.87	123.30	10.02	50.56	1.93		15.75				
	& facility reservation - Zone 4		4	UHL	UHL2X	10.46	129.98	79.52	50.38	7.93	<u> </u>	15.75	<u> </u>	<u> </u>		<u> </u>
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		18.19									
	2 Wire Unbundled HDSL Loop without manual service inquiry			UHL		0.75	404.00	00.74	50.00	7.00		45.35				
\vdash	and facility reservation - Zone 1 2 Wire Unbundled HDSL Loop without manual service inquiry	<u> </u>	1	UIL	UHL2W	8.75	104.86	66.74	50.38	7.93	-	15.75				
	and facility reservation - Zone 2		2	UHL	UHL2W	9.22	104.86	66.74	50.38	7.93		15.75				
	2 Wire Unbundled HDSL Loop without manual service inquiry			-												
	and facility reservation - Zone 3		3	UHL	UHL2W	9.87	104.86	66.74	50.38	7.93		15.75				
	2 Wire Unbundled HDSL Loop without manual service inquiry		4	UHL	11111 0144	10.10	404.00	00.71	50.00	7.00		45.35				
 	and facility reservation - Zone 4 Order Coordination for Specified Conversion Time (per LSR)	<u> </u>	4	UHL	UHL2W OCOSL	10.46	104.86 18.19	66.74	50.38	7.93	1	15.75				
	CLEC to CLEC Conversion Charge without outside dispatch	1	l	UHL	UREWO		104.86	29.28				15.75				
4-WIRE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP													
	4 Wire Unbundled HDSL Loop including manual service inquiry															
	and facility reservation - Zone 1		1	UHL	UHL4X	13.78	158.74	108.28	56.72	10.68		15.75				
	4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 2		2	UHL	UHL4X	13.43	158.74	108.28	56.72	10.68		15.75				
	4-Wire Unbundled HDSL Loop including manual service inquiry		 	OI IL	OT ILTA	10.40	130.74	100.20	30.72	10.00		15.75				
	and facility reservation - Zone 3	<u></u>	3	UHL	UHL4X	15.59	158.74	108.28	56.72	10.68		15.75				
	4-Wire Unbundled HDSL Loop including manual service inquiry		1 -													
	and facility reservation - Zone 4 Order Coordination for Specified Conversion Time (per LSR)		4	UHL UHL	UHL4X OCOSL	14.46	158.74 18.19	108.28	56.72	10.68	-	15.75				
 	4-Wire Unbundled HDSL Loop without manual service inquiry	1	 	UNL	OCOSL	-	18.19				 	 				
	and facility reservation - Zone 1		1	UHL	UHL4W	13.78	133.62	95.50	56.72	10.68		15.75				
	4-Wire Unbundled HDSL Loop without manual service inquiry															
\vdash	and facility reservation - Zone 2	1	2	UHL	UHL4W	13.43	133.62	95.50	56.72	10.68	-	15.75				
	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3		3	UHL	UHL4W	15.59	133.62	95.50	56.72	10.68		15.75				
	4-Wire Unbundled HDSL Loop without manual service inquiry		3	OT IL	OI ILTV	13.39	133.02	55.50	30.72	10.00	t	15.75				
	and facility reservation - Zone 4		4	UHL	UHL4W	14.46	133.62	95.50	56.72	10.68	<u> </u>	15.75	<u> </u>	<u> </u>		<u> </u>
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		18.19									
4 14/15	CLEC to CLEC Conversion Charge without outside dispatch		<u> </u>	UHL	UREWO		104.86	29.28				15.75				
4-WIRE	DS1 DIGITAL LOOP 4-Wire DS1 Digital Loop - Zone 1	1	1	USL	USLXX	79.08	253.93	158.45	46.10	12.07	1	15.75				
	4-Wire DS1 Digital Loop - Zone 2	†		USL	USLXX	129.38	253.93	158.45	46.10	12.07		15.75				
	4-Wire DS1 Digital Loop - Zone 3		3	USL	USLXX	206.74	253.93	158.45	46.10	12.07		15.75				
	4-Wire DS1 Digital Loop - Zone 4		4	USL	USLXX	458.46	253.93	158.45	46.10	12.07		15.75				
 	Order Coordination for Specified Conversion Time (per LSR) CLEC to CLEC Conversion Charge without outside dispatch	1	1	USL USL	OCOSL UREWO		18.19 130.03	39.98			-	15.75				
4-WIRF	19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP	 	1	UGL	UKEWU		130.03	39.98				15.75				
1	4 Wire Unbundled Digital 19.2 Kbps		1	UDL	UDL19	27.44	126.53	88.85	60.68	14.64		15.75				
	4 Wire Unbundled Digital 19.2 Kbps			UDL	UDL19	34.55	126.53	88.85	60.68	14.64		15.75				
	4 Wire Unbundled Digital 19.2 Kbps		3		UDL19	40.76	126.53	88.85	60.68	14.64		15.75				
	4 Wire Unbundled Digital 19.2 Kbps	1	4	UDL	UDL19	32.25	126.53	88.85	60.68	14.64		15.75	l	l	l	L

UNBUNDLE	NETWORK ELEMENTS - Mississippi												Attachment:	2		Exhibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec First	urring Add'l	Nonrecurring First	Disconnect Add'l	SOMEC	SOMAN	OSS I	RATES (\$)	SOMAN	SOMAN
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1	1	1	LIDI	UDL56	27.44	126.53	88.85	60.68	14.64	SOMEC	15.75	SUMAN	SOWAN	SOWAN	SOWAN
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2			UDL	UDL56	34.55	126.53	88.85	60.68	14.64		15.75				
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3			UDL	UDL56	40.76	126.53	88.85	60.68	14.64		15.75				
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 4			UDL	UDL56	32.25	126.53	88.85	60.68	14.64		15.75				
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		18.19									
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1		1	UDL	UDL64	27.44	126.53	88.85	60.68	14.64		15.75				
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2		2	UDL	UDL64	34.55	126.53	88.85	60.68	14.64		15.75				
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3			UDL	UDL64	40.76	126.53	88.85	60.68	14.64		15.75				
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 4		4	UDL	UDL64	32.25	126.53	88.85	60.68	14.64		15.75				
	Order Coordination for Specified Conversion Time (per LSR)	<u> </u>		UDL	OCOSL		18.19									└
	CLEC to CLEC Conversion Charge without outside dispatch	ļ		UDL	UREWO		126.53	38.62				15.75				
2-WIRE	Unbundled COPPER LOOP	!			+											+
	2-Wire Unbundled Copper Loop/Short including manual service inquiry & facility reservation - Zone 1		1	UCL	UCLPB	11.11	120.34	69.87	50.38	7.93		15.75				
	2-Wire Unbundled Copper Loop/Short including manual service inquiry & facility reservation - Zone 2		2	UCL	UCLPB	11.47	120.34	69.87	50.38	7.93		15.75				
	2 Wire Unbundled Copper Loop/Short including manual service inquiry & facility reservation - Zone 3		3	UCL	UCLPB	11.74	120.34	69.87	50.38	7.93		15.75				
	2 Wire Unbundled Copper Loop/Short including manual service inquiry & facility reservation - Zone 4		4	UCL	UCLPB	12.69	120.34	69.87	50.38	7.93		15.75				
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8.20	8.20								
	2-Wire Unbundled Copper Loop/Short without manual service															
	inquiry and facility reservation - Zone 1		1	UCL	UCLPW	11.11	95.21	57.09	50.38	7.93		15.75				
	2-Wire Unbundled Copper Loop/Short without manual service inquiry and facility reservation - Zone 2		2	UCL	UCLPW	11.47	95.21	57.09	50.38	7.93		15.75				
	2-Wire Unbundled Copper Loop/Short without manual service inquiry and facility reservation - Zone 3		3	UCL	UCLPW	11.74	95.21	57.09	50.38	7.93		15.75				
	Wire Unbundled Copper Loop/Short without manual service inquiry and facility reservation - Zone 4		4	UCL	UCLPW	12.69	95.21	57.09	50.38	7.93		15.75				
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8.20	8.20								
	Wire Unbundled Copper Loop/Long - includes manual srvc. inquiry and facility reservation - Zone 1		1	UCL	UCL2L	29.29	120.34	69.87	50.38	7.93		15.75				
	2-Wire Unbundled Copper Loop/Long - includes manual svc. inquiry and facility reservation - Zone 2		2	UCL	UCL2L	43.46	120.34	69.87	50.38	7.93		15.75				
	2-Wire Unbundled Copper Loop/Long - includes manual svc.						400.01	00.07	50.00	7.00		45				
	inquiry and facility reservation - Zone 3 2-Wire Unbundled Copper Loop/Long - includes manual svc.		3	UCL	UCL2L	64.44	120.34	69.87	50.38	7.93		15.75				
	inquiry and facility reservation - Zone 4		4	UCL	UCL2L	87.60	120.34	69.87	50.38	7.93		15.75				
	Order Coordination for Unbundled Copper Loops (per loop)	!		UCL	UCLMC		8.20	8.20								<u> </u>
	2-Wire Unbundled Copper Loop/Long - without manual service inquiry and facility reservation - Zone 1		1	UCL	UCL2W	29.29	95.21	57.09	50.38	7.93		15.75				
	2-Wire Unbundled Copper Loop/Long - without manual service inquiry and facility reservation - Zone 2		2	UCL	UCL2W	43.46	95.21	57.09	50.38	7.93		15.75				
	2-Wire Unbundled Copper Loop/Long - without manual service inquiry and facility reservation - Zone 3		3	UCL	UCL2W	64.44	95.21	57.09	50.38	7.93		15.75				
	2-Wire Unbundled Copper Loop/Long - without manual service inquiry and facility reservation - Zone 4		4	UCL	UCL2W	87.60	95.21	57.09	50.38	7.93		15.75				
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8.20	8.20		•						
	CLEC to CLEC Conversion Charge without outside dispatch (UCL-Des)			UCL	UREWO		95.21	31.36				15.75				
	CLEC to CLEC Conversion Charge without outside dispatch (UCL-ND)			UEQ	UREWO		36.53	16.16				15.75				
4-WIRE	COPPER LOOP	ļ														└
	4-Wire Copper Loop/Short - including manual service inquiry and facility reservation - Zone 1		1	UCL	UCL4S	17.30	144.68	94.22	56.72	10.68		15.75				
	4-Wire Copper Loop/Short - including manual service inquiry and facility reservation - Zone 2		2	UCL	UCL4S	18.84	144.68	94.22	56.72	10.68		15.75				<u> </u>

UNBUNDLE	D NETWORK ELEMENTS - Mississippi												Attachment:	2		Exhibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec First	urring Add'l	Nonrecurring First	g Disconnect Add'l	SOMEC	SOMAN	OSS I	RATES (\$)	SOMAN	SOMAN
	4-Wire Copper Loop/Short - including manual service inquiry and facility reservation - Zone 3		3	UCL	UCL4S	21.33	144.68	94.22	56.72	10.68		15.75				
	4-Wire Copper Loop/Short - including manual service inquiry and facility reservation - Zone 4		4	UCL	UCL4S	21.33	144.68	94.22	56.72	10.68		15.75				
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8.20	8.20								
	4-Wire Copper Loop/Short - without manual service inquiry and		١.			47.00										Ĭ
	facility reservation - Zone 1 4-Wire Copper Loop/Short - without manual service inquiry and		1	UCL	UCL4W	17.30	119.56	81.44	56.72	10.68		15.75				
	facility reservation - Zone 2 4-Wire Copper Loop/Short - without manual service inquiry and		2	UCL	UCL4W	18.84	119.56	81.44	56.72	10.68		15.75				
	facility reservation - Zone 3	-	3	UCL	UCL4W	21.33	119.56	81.44	56.72	10.68		15.75				!
	4-Wire Copper Loop/Short - without manual service inquiry and facility reservation - Zone 4		4	UCL	UCL4W	21.33	119.56	81.44	56.72	10.68		15.75				1
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8.20	8.20								
	4-Wire Unbundled Copper Loop/Long - includes manual svc. inquiry and facility reservation - Zone 1		1	UCL	UCL4L	54.72	144.68	94.22	56.72	10.68		15.75				
	4-Wire Unbundled Copper Loop/Long - includes manual svc. inquiry and facility reservation - Zone 2		2	UCL	UCL4L	97.47	144.68	94.22	56.72	10.68		15.75				
	4-Wire Unbundled Copper Loop/Long - includes manual svc. inquiry and facility reservation - Zone 3		3	UCL	UCL4L	106.06	144.68	94.22	56.72	10.68		15.75				
	4-Wire Unbundled Copper Loop/Long - includes manual svc. inquiry and facility reservation - Zone 4		4	UCL	UCL4L	106.06	144.68	94.22	56.72	10.68		15.75				
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8.20	8.20								
	4-Wire Unbundled Copper Loop/Long - without manual svc. inquiry and facility reservation - Zone 1		1	UCL	UCL4O	54.72	119.56	81.44	56.72	10.68		15.75				
	4-Wire Unbundled Copper Loop/Long - without manual svc. inquiry and facility reservation - Zone 2		2	UCL	UCL4O	97.47	119.56	81.44	56.72	10.68		15.75				
	4-Wire Unbundled Copper Loop/Long - without manual svc. inquiry and facility reservation - Zone 3		3	UCL	UCL4O	106.06	119.56	81.44	56.72	10.68		15.75				
	4-Wire Unbundled Copper Loop/Long - without manual service inquiry and facility reservation - Zone 4		4	UCL	UCL4O	106.06	119.56	81.44	56.72	10.68		15.75				
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC	100,00	8.20	8.20	99=							
	CLEC to CLEC Conversion Charge without outside dispatch (UCL-Des)			UCL	UREWO		95.21	31.36				15.75				
LOOP MODIFIC																
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft			UAL, UHL, UCL, UEQ, ULS	ULM2L		32.57	32.57								
	Unbundled Loop Modification, Removal of Load Coils - 2 wire greater than 18k ft			UCL, ULS	ULM2G		171.49	171.49								
	Unbundled Loop Modification Removal of Load Coils - 4 Wire less than or equal to 18K ft			UHL, UCL	ULM4L		32.57	32.57								
	Unbundled Loop Modification Removal of Load Coils - 4 Wire															
	pair greater than 18k ft Unbundled Loop Modification Removal of Bridged Tap Removal,			UCL UAL, UHL, UCL,	ULM4G		171.49	171.49								
SUB-LOOPS	per unbundled loop	<u> </u>		UEQ, UEF, ULS	ULMBT		32.59	32.59								
	l pop Distribution															
Out Lo	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-			UEANL	USBSA		259.69					15.75				
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	<u> </u>		UEANL	USBSB		22.77					15.75				
	Sub-Loop - Per Building Equipment Room - CLEC Feeder	 														
	Facility Set-Up Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel			UEANL	USBSC		178.47					15.75				<u> </u>
	Set-Up Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -	+ '		UEANL	USBSD		56.39				-	15.75				
	Zone 1		1	UEANL	USBN2	7.15	66.18	31.14	45.36	6.71	<u> </u>	15.75				

UNBUNDLE	D NETWORK ELEMENTS - Mississippi												Attachment:	2		Exhibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Submitted	Incremental Charge - Manual Svc	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incremental Charge -
						Rec	Nonrec		Nonrecurrin	g Disconnect				RATES (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 2	ı	2	UEANL	USBN2	9.51	66.18	31.14	45.36	6.71		15.75				
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 3	1	3	UEANL	USBN2	12.45	66.18	31.14	45.36	6.71		15.75				
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 4		4	UEANL	USBN2	18.26	66.18	31.14	45.36	6.71		15.75				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		45.27	45.27								
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -			CEAINE	OODIVIC		43.27	40.21								
	Zone 1 Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -		1	UEANL	USBN4	7.30	79.49	44.45	51.27	9.35		15.75				
	Zone 2		2	UEANL	USBN4	13.92	79.49	44.45	51.27	9.35		15.75				
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3		3	UEANL	USBN4	16.73	79.49	44.45	51.27	9.35		15.75				
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 4		4	UEANL	USBN4	16.73	79.49	44.45	51.27	9.35		15.75				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		45.27	45.27				15.75				
	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)	I		UEANL	USBR2	2.29	53.32	18.28	45.36	6.71		15.75				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	I		UEANL UEANL	USBMC USBR4	4.40	45.27 59.60	45.27 24.55	51.27	9.35		15.75				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair	<u> </u>	4	UEANL	USBMC	0.00	45.27	45.27	45.00	C 74		45.75				↓
	Wire Copper Unbundled Sub-Loop Distribution - Zone 1 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	H	2	UEF UEF	UCS2X UCS2X	6.06 7.09	66.18 66.18	31.14 31.14	45.36 45.36	6.71 6.71		15.75 15.75				+
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	i	3	UEF	UCS2X	8.16	66.18	31.14	45.36	6.71		15.75				†
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 4		4	UEF	UCS2X	9.90	66.18	31.14	45.36	6.71		15.75				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		45.27	45.27								
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF	UCS4X	5.10	79.49	44.45	51.27	9.35		15.75				
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	I	2	UEF	UCS4X	9.11	79.49	44.45	51.27	9.35		15.75				
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	- 1		UEF	UCS4X	14.00	79.49	44.45	51.27	9.35		15.75				
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 4		4	UEF	UCS4X	14.00	79.49	44.45	51.27	9.35		15.75				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		45.27	45.27								
Unbun	dled Sub-Loop Modification															ļ <u> </u>
	Unbundled Sub-Loop Modification - 2-W Copper Dist Load Coil/Equip Removal per 2-W PR			UEF	ULM2X		176.80	5.13				15.75				
	Unbundled Sub-loop Modification - 4-W Copper Dist Load Coil/Equip Removal per 4-W PR			UEF	ULM4X		176.80	5.13				15.75				
	Unbundled Sub-loop Modification - 2-w/4-w Copper Dist Bridged															
Unbun	Tap Removal, per PR unloaded dled Network Terminating Wire (UNTW)			UEF	ULM4T		279.81	6.15				15.75				ļ
-	Unbundled Network Terminating Wire (UNTW) per Pair			UENTW	UENPP	0.34	30.55					15.75				1
Networ	k Interface Device (NID)															
	Network Interface Device (NID) - 1-2 lines			UENTW	UND12		43.84	28.90				15.75				
	Network Interface Device (NID) - 1-6 lines			UENTW	UND16		65.30	50.36				15.75				ļ
\vdash	Network Interface Device Cross Connect - 2 W	<u> </u>		UENTW	UNDC2		5.94	5.94				15.75	ļ	ļ		
SUB-LOOPS	Network Interface Device Cross Connect - 4W	 		UENTW	UNDC4		5.94	5.94	-	-	-	15.75				+
	op Feeder	1														†
223 20	USL-Feeder, DS0 Set-up per Cross Box location - CLEC Distribution Facility set-up			UEA, UDN,UCL,UDL,UDC	LISREW		259.69					15.75				
	USL Feeder - DS0 Set-up per Cross Box location - per 25 pair			UEA,												
	set-up USL Feeder DS1 Set-up at DSX location, per DS1 termination	-		UDN,UCL,UDL,UDC USL	USBFX USBFZ		22.77 534.46	22.77 11.30				15.75 15.75				_
	USL Feeder UST Set-up at USA location, per UST termination	<u> </u>		UOL	OSBLZ		534.46	11.30	l	l	1	15.75	<u> </u>	I.		J

UNBUNDLE	NETWORK ELEMENTS - Mississippi												Attachment:	2		Exhibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonre	curring	Nonrecurrin	g Disconnect			ossi	RATES (\$)		
					1	1100	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
	Unbundled Sub-Loop Feeder Loop, 2 Wire Ground Start, Voice				Ì										1	
	Grade - Zone 1		1	UEA	USBFA	7.98	93.23	56.50	54.45	13.51		15.75			ļ	
	Unbundled Sub-Loop Feeder Loop, 2 Wire Ground-Start, Voice Grade - Zone 2		2	UEA	USBFA	10.39	93.23	56.50	54.45	13.51		15.75				1
	Unbundled Sub-Loop Feeder Loop, Per 2 Wire Ground-Start,			OL/ C	COBIA	10.00	56.20	00.00	04.40	10.01		10.70				
	Voice Grade - Zone 3		3	UEA	USBFA	16.11	93.23	56.50	54.45	13.51		15.75				
	Unbundled Sub-Loop Feeder Loop, 2 Wire Ground-Start Loop,		١.		LIODEA	00.07	00.00	50.50	54.45	40.54		45.75				i l
-	Voice Grade - Zone 4 Order Coordination for Specified Conversion Time, per LSR		4	UEA UEA	USBFA OCOSL	28.37	93.23 18.19	56.50	54.45	13.51		15.75			 	
	Unbundlde Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice			OLA	OCCOL		10.13								\vdash	
	Grade - Zone 1		1	UEA	USBFB	7.98	93.23	56.50	54.45	13.51		15.75				ı
	Unbundled Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice															ı l
	Grade - Zone 2 Unbundled Sub-Loop Feeder Loop, 2 Wire Start Loop, Voice		2	UEA	USBFB	10.39	93.23	56.50	54.45	13.51		15.75			 	
	Grade - Zone 3		3	UEA	USBFB	16.11	93.23	56.50	54.45	13.51		15.75				ı .
	Unbundled Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice														1	
	Grade - Zone 4		4	UEA	USBFB	28.37	93.23	56.50	54.45	13.51		15.75				
	Order Coordination for Specified Time Conversion, per LSR			UEA	OCOSL		18.19			-					 	
	Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery, Voice Grade - Zone 1		1	UEA	USBFC	7.98	93.23	56.50	54.45	13.51		15.75				ı l
	Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery,		<u> </u>	0271	002. 0	7.00	00.20	00.00	011.10	10.01		10.70				
	Voice Grade - Zone 2		2	UEA	USBFC	10.39	93.23	56.50	54.45	13.51		15.75				i
	Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery,															i
	Voice Grade - Zone 3 Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery,		3	UEA	USBFC	16.11	93.23	56.50	54.45	13.51		15.75				
	Voice Grade - Zone 4		4	UEA	USBFC	28.37	93.23	56.50	54.45	13.51		15.75				ı .
	Order Coordination For Specified Conversion Time, per LSR			UEA	OCOSL	20.01	18.19	00.00	0 11 10	10.01		10.70				
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice														Ī	
	Grade - Zone 1		1	UEA	USBFD	21.69	107.71	70.03	63.68	17.64		15.75			ļ	
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice Grade - Zone 2		2	UEA	USBFD	26.06	107.71	70.03	63.68	17.64		15.75				ı .
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground Start, Voice			OLIT	COBIE	20.00	107.71	70.00	00.00	17.04		10.70				
	Grade - Zone 3		3	UEA	USBFD	34.77	107.71	70.03	63.68	17.64		15.75				
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice		4	UEA	USBFD	34.77	407.74	70.00	62.60	47.04		45.75				i
+	Grade - Zone 4 Order Coordination For Specified Conversion Time, Per LSR		4	UEA	OCOSL	34.77	107.71 18.19	70.03	63.68	17.64		15.75				
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice			OLIT	CCCCE		10.10									
	Grade - Zone 1		1	UEA	USBFE	21.69	107.71	70.03	63.68	17.64		15.75				
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice		_	LIFA	HODEE	20.00	407.74	70.00	62.60	47.04		45.75				i
+	Grade - Zone 2 Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice		2	UEA	USBFE	26.06	107.71	70.03	63.68	17.64		15.75				
	Grade - Zone 3		3	UEA	USBFE	34.77	107.71	70.03	63.68	17.64		15.75				i
	Sub-Loop Feeder - Per 4-Wire Analog Voice Grade Loop-Start														l l	í
	Loop - Zone 4		4	UEA	USBFE	34.77	107.71	70.03	63.68	17.64		15.75				
	Order Coordination For Specified Conversion Time, Per LSR Unbundled Sub-Loop Feeder Loop, 2 Wire ISDN BRI - Zone 1		1	UEA UDN	OCOSL USBFF	14.60	18.19 106.46	68.78	55.58	131.13		15.75			 	
	Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 2		2	UDN	USBFF	18.78	106.46	68.78	55.58	131.13		15.75			\vdash	
	Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 3			UDN	USBFF	25.47	106.46	68.78	55.58	131.13		15.75				
	Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 4		4	UDN	USBFF	41.41	106.46	68.78	55.58	131.13		15.75				
	Order Coordination For Specified Conversion Time, Per LSR Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)		1	UDN UDC	OCOSL USBFS	14.60	18.19 106.46	68.78	55.58	131.13		15.75				
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)			UDC	USBFS	18.78	106.46	68.78	55.58	131.13		15.75				
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)		3	UDC	USBFS	25.47	106.46	68.78	55.58	131.13		15.75				
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)			UDC	USBFS	41.41	106.46	68.78	55.58	131.13		15.75				
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 1		1	USL	USBFG	55.19	101.97	64.29	63.68	17.64		15.75				
 	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 2 Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 3	-	3	USL USL	USBFG USBFG	100.03 183.66	101.97 101.97	64.29 64.29	63.68 63.68	17.64 17.64		15.75 15.75				
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 4			USL	USBFG	430.04	101.97	64.29	63.68	17.64		15.75				
	11/										•					

UNBUNDLEI	NETWORK ELEMENTS - Mississippi															
]						1							Attachment:	2		Exhibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec	Submitted	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-
											per LSR	per LSR	1st	Add'l	Disc 1st	Disc Add'l
\vdash						Rec	Nonrec First	urring Add'l	Nonrecurring First	Disconnect Add'l	SOMEC	SOMAN		RATES (\$) SOMAN	SOMAN	SOMAN
	Order Coordination For Specified Conversion Time, Per LSR			JSL	OCOSL	1	18.19	Add I	FIISL	Add I	SOMEC	SOWAN	SOWAN	SOWAN	SOWAN	SOWAN
	Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone			JOL	00005		10.19									
	1		1	JCL	USBFH	5.88	84.27	46.59	53.14	10.70		15.75				
	Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone 2		2	JCL	USBFH	5.21	84.27	46.59	53.14	10.70		15.75				
	Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone															
\vdash	3		3	JCL	USBFH	4.40	84.27	46.59	53.14	10.70		15.75				
	Unbundled Sub-Loop Feeder, 2-Wire Copper Loop - Zone 4			JCL JCL	USBFH OCOSL	3.63	84.27	46.59	53.14	10.70		15.75				
	Order Coordination For Specified Conversion Time, per LSR Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 1			JCL JCL	USBFJ	13.49	18.19 101.58	63.90	59.71	13.67		15.75				
	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 1			JCL	USBFJ	10.96	101.58	63.90	59.71	13.67		15.75				
 	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 3			JCL	USBFJ	8.59	101.58	63.90	59.71	13.67		15.75				
	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 4			JCL	USBFJ	8.59	101.58	63.90	59.71	13.67		15.75				
	Order Coordination For Specified Conversion Time, per LSR			JCL	OCOSL		18.19									
	Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop			JDL	USBFN	22.89	101.97	64.29	63.68	17.64		15.75				
	Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop			JDL	USBFN	25.11	101.97	64.29	63.68	17.64		15.75				ļ
	Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop			JDL	USBFN	30.84	101.97	64.29	63.68	17.64		15.75				
	Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop		4	JDL	USBFN	41.05	101.97	64.29	63.68	17.64		15.75				
	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop - Zone 1		1	JDL	USBFO	22.89	101.97	64.29	63.68	17.64		15.75				
	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop - Zone 2		2	JDL	USBFO	25.11	101.97	64.29	63.68	17.64		15.75				
	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop - Zone 3		3	JDL	USBFO	30.84	101.97	64.29	63.68	17.64		15.75				
	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop - Zone 4		4	JDL	USBFO	41.05	101.97	64.29	63.68	17.64		15.75				
	Order Coordination For Specified Time Conversion, per LSR			JDL	OCOSL		18.19									
	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - Zone 1		1	JDL	USBFP	22.89	101.97	64.29	63.68	17.64		15.75				
	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - Zone 2		2	JDL	USBFP	25.11	101.97	64.29	63.68	17.64		15.75				
	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop -								55.55							
	Zone 3 Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop -		3	JDL	USBFP	30.84	101.97	64.29	63.68	17.64		15.75				
	Zone 4		4	JDL	USBFP	41.05	101.97	64.29	63.68	17.64		15.75				
	Order Coordination For Specified Conversion Time, per LSR			JDL	OCOSL		18.19									
SUB-LOOPS	on Foodor					1					-					<u> </u>
	op Feeder OOP CONCENTRATION					1					-			1		
CHECHELED L	Unbundled Loop Concentration - System A (TR008)			JLC	UCT8A	36367	327.30	327.30				15.75				
	Unbundled Loop Concentration - System B (TR008)			JLC	UCT8B	47.56	136.37	136.37				15.75				
	Unbundled Loop Concentration - System A (TR303)			JLC	UCT3A	397.35	327.30	327.30				15.75				
	Unbundled Loop Concentration - System B (TR303)			JLC	UCT3B	80.15	136.37	136.37				15.75				
	Unbundled Loop Concentration - DS1 Loop Interface Card			JLC	UCTCO	4.52	63.65	46.34	17.31	4.85		15.75				
	Unbundled Loop Concentration - ISDN Loop Interface (Brite Card)			JDN	ULCC1	7.17	10.60	10.54	5.56	5.53		15.75				
	Unbundled Loop Concentration - UDC Loop Interface (Brite Card)			JDC	ULCCU	7.17	10.60	10.54	5.56	5.53		15.75				
	Unbundled Loop Concentration2 Wire Voice-Loop Start or															
	Ground Start Loop Interface (POTS Card) Unbundled Loop Concentration - 2 Wire Voice - Reverse Battery			JEA	ULCC2	1.80	10.60	10.54	5.56	5.53		15.75				
	Loop Interface (SPOTS Card) Unbundled Loop Concentration - 4 Wire Voice Loop Interface			JEA	ULCCR	10.66	10.60	10.54	5.56	5.53		15.75				-
1 1 1	(Specials Card)			JEA	ULCC4	6.36	10.60	10.54	5.56	5.53		15.75				
	Unbundled Loop Concentration - TEST CIRCUIT Card			JLC	UCTTC	31.07	10.60	10.54	5.56	5.53		15.75				
	Unbundled Loop Concentration - Digital 19.2 Kbps Data Loop Interface			JDL	ULCC7	9.42	10.60	10.54	5.56	5.53		15.75				

UNBUNDLE	D NETWORK ELEMENTS - Mississippi												Attachment:	2		Exhibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Submitted	Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs. Electronic-	Charge -	
											per LSR	per LSR	1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonrec First	urring Add'l	Nonrecurring First	g Disconnect Add'l	SOMEC	SOMAN		RATES (\$)	SOMAN	SOMAN
	Unbundled Loop Concentration - Digital 56 Kbps Data Loop						riisi	Add I	FIISL	Addi	SOMEC	SOWAN	SOWAN	SOWAN	SOWAN	SOWAN
	Interface			UDL	ULCC5	9.42	10.60	10.54	5.56	5.53		15.75				
	Unbundled Loop Concentration - Digital 64 Kbps Data Loop Interface			UDL	ULCC6	9.42	10.60	10.54	5.56	5.53		15.75				
UNE OTHER, P	PROVISIONING ONLY - NO RATE															
	NID - Dispatch and Service Order for NID installation			UENTW	UNDBX											
-	UNTW Circuit Id Establishment, Provisioning Only - No Rate			UENTW UEANL,UEF,UEQ,U	UENCE											
	Unbundled Contract Name, Provisioning Only - No Rate			ENTW	UNECN											
UNE OTHER, P	PROVISIONING ONLY - NO RATE															
				UAL,UCL,UDC,UDL,												
—	Unbundled Contact Name, Provisioning Only - no rate Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no			UDN,UEA,UHL,ULC	UNECN	0.00	0.00									-
	rate			UEA,UDN,UCL,UDC	USBFQ	0.00	0.00									
	Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no			, , , , , , , , , , , , , , , , , , , ,												
	rate			UEA,USL,UCL,UDL	USBFR	0.00	0.00									
	Unbundled DS1 Loop - Superframe Format Option - no rate			USL	CCOSF	0.00	0.00									
	Unbundled DS1 Loop - Expanded Superframe Format option - no rate			USL	CCOEF	0.00	0.00									
HIGH CAPACIT	TY UNBUNDLED LOCAL LOOP			USL	CCOLI	0.00	0.00									
	4 month minimum billing period															
	High Capacity Unbundled Local Loop - DS3 - Per Mile per															
	month			UE3	1L5ND	11.20										
	High Capacity Unbundled Local Loop - DS3 - Facility Termination per month			UE3	UE3PX	326.15	454.13	265.47	123.23	86.19		15.75				
	High Capacity Unbundled Local Loop - STS-1 - Per Mile per			OLO	OLSI X	320.13	434.13	203.47	123.23	00.13		10.70				
	month			UDLSX	1L5ND	11.20										
	High Capacity Unbundled Local Loop - STS-1 - Facility															
LOOP MAKE	Termination per month			UDLSX	UDLS1	338.55	454.13	265.47	123.23	86.19		15.75				
LOOP MAKE-U	Loop Makeup - Preordering Without Reservation, per working or															
	spare facility queried (Manual).			UMK	UMKLW		24.12	24.12								
	Loop Makeup - Preordering With Reservation, per spare facility				-											
	queried (Manual).			UMK	UMKLP		25.58	25.58								
	Loop MakeupWith or Without Reservation, per working or			UMK	DOLINAIA		0.6652	0.6652								
HIGH ERECUE	spare facility queried (Mechanized) NCY SPECTRUM	-	-	UIVIK	PSUMK		0.6652	0.6652			-	-				-
	TERS-CENTRAL OFFICE BASED										t	†				+
	Line Sharing Splitter, per System 96 Line Capacity	Τ		ULS	ULSDA	186.67	189.89	0.00	178.41	0.00		0.00				
	Line Sharing Splitter, per System 24 Line Capacity	ı		ULS	ULSDB	46.67	189.89	0.00	178.41	0.00		0.00				
	Line Sharing Splitter, Per System, 8 Line Capacity			ULS	ULSD8	15.55	189.89	0.00	178.41	0.00		0.00				
END U	SER ORDERING-CENTRAL OFFICE BASED-HIGH FREQUENC Line Sharing - per Line Activation	Y SPEC		AKA LINE SHARING ULS	ULSDC	0.61	18.62	10.66	10.04	4.93	1	1	25.52	11.34	16.06	16.06
	Line Shaning - per Line Activation	- '-	<u> </u>	OLO	OLODO	0.01	10.02	10.00	10.04	4.93	 	 	20.02	11.34	10.06	10.06
	Line Sharing - per Subsequent Activity per Line Rearrangement	L_ı	<u>L</u>	ULS	ULSDS	<u> </u>	16.48	8.24			<u> </u>	<u> </u>	25.52	11.34	<u> </u>	<u> </u>
	Line Splitting - per line activation DLEC owned splitter	- 1		UEPSR UEPSB	UREOS	0.61										
	Line Splitting - per line activation BST owned - physical	1		UEPSR UEPSB	UREBP	0.639	18.62	10.66	10.04	4.93						
	Line Splitting - per line activation BST owned - virtual	<u> </u>	-	UEPSR UEPSB	UREBV	0.637	18.62	10.66	10.04	4.93						
UNBUNDLED 1	FRANSPORT															
	OFFICE CHANNEL - DEDICATED TRANSPORT - VOICE GRADI	<u> </u>														
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -															
	Per Mile per month			U1TVX	1L5XX	0.0098					1	1				ļl
	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - Facility Termination per month			U1TVX	U1TV2	22.52	40.77	27.57	17.26	7.11		15.75				
	Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade			5.1VA	U11142	22.02	70.77	21.01	11.20	7.11	t	10.73				
	Rev Bat Per Mile per month	<u> </u>		U1TVX	1L5XX	0.0098										

UNBUNDL	ED NETWORK ELEMENTS - Mississippi												Attachment:	2		Exhibit: B
32011521	The state of the s				1							1				
													Incremental			Incremental
		Interi									Cura Oudan	Cur Onden	Charge -	Charge -	Charge -	Charge -
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)					Manual Svc	Manual Svc		Manual Svc
											l l	Submitted		Order vs.	Order vs.	Order vs.
											Elec		Electronic-	Electronic-	Electronic-	Electronic-
									1		per LSR	per LSR	1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonros		Monroourrin	a Dissennest			000	RATES (\$)		
-					-	Rec	Nonrec First	Add'l	First	g Disconnect Add'l	SOMEC	SOMAN	SOMAN		SOMAN	SOMAN
	Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat						riist	Auu i	FIISt	Addi	SOWIEC	JOWAN	JOWAN	JOWAN	SOWAN	JOWAN
	Facility Termination per month			U1TVX	U1TR2	22.52	40.77	27.57	17.26	7.11		15.75				
	Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade -			OTTVX	OTTIVE	22.02	40.77	21.01	17.20	7.11		13.73				
	Per Mile per month			U1TVX	1L5XX	0.0098										
	Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade															
	- Facility Termination per month			U1TVX	U1TV4	19.79	40.77	27.57	17.26	7.11		15.75				
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile															
	per month			U1TDX	1L5XX	0.0098										
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility															
	Termination per month			U1TDX	U1TD5	15.68	40.77	27.57	17.26	7.11		15.75				
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile															
	per month			U1TDX	1L5XX	0.0098										
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility															
	Termination per month	<u> </u>		U1TDX	U1TD6	15.68	40.77	27.57	17.26	7.11	<u> </u>	15.75				
INTER	ROFFICE CHANNEL - DEDICATED TRANSPORT - DS1	ļ			1	ļ			ļ	ļ						
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per	1														
	month			U1TD1	1L5XX	0.201										
	Interoffice Channel - Dedicated Tranport - DS1 - Facility			LIATEA		57.00	00.70	00.00	40.00	44.00		45.75				
INITE	Termination per month			U1TD1	U1TF1	57.33	89.79	82.28	16.86	14.90		15.75				
INTE	ROFFICE CHANNEL - DEDICATED TRANSPORT- DS3															
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per			U1TD3	1L5XX	4.76										
-	month Interoffice Channel - Dedicated Transport - DS3 - Facility			01103	ILOXX	4.76					1					
	Termination per month			U1TD3	U1TF3	641.90	280.37	163.70	62.08	60.29		15.75				
INTE	ROFFICE CHANNEL - DEDICATED TRANSPORT- STS-1			01103	01113	041.30	200.57	103.70	02.00	00.23	1	13.73				
	Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per				+						1					
	month			U1TS1	1L5XX	4.76										
	Interoffice Channel - Dedicated Transport - STS-1 - Facility			01101	120701	0										
	Termination per month			U1TS1	U1TFS	644.21	280.37	163.70	62.08	60.29		15.75				
LOCA	L CHANNEL - DEDICATED TRANSPORT															
NOTE	: LOCAL CHANNEL DEDICATED TRANSPORT - minimum billin	g perio	d - belo	w DS3=one month,	DS3 and abo	ove=four month	s									
	Local Channel - Dedicated - 2-Wire Voice Grade Per Month			ULDVX	ULDV2	14.91	194.22	33.36	37.79	3.30		15.75				
	Local Channel - Dedicated - 2-Wire Voice Grade Rev Bat per															
	month			ULDVX	ULDR2	14.91	194.22	33.36	37.79	3.30		15.75				
	Local Channel - Dedicated - 4-Wire Voice Grade per month			UNDVX	ULDV4	15.99	194.66	33.80	38.27	3.78		15.75				
	Local Channel - Dedicated - DS1 per month - Zone 1	ļ		ULDD1	ULDF1	36.83	178.50	154.61	22.89	15.74		15.75				
\vdash	Local Channel - Dedicated - DS1 per month - Zone 2	ļ		ULDD1	ULDF1	35.99	178.50	154.61	22.89	15.74	ļ	15.75				
 	Local Channel - Dedicated - DS1 per month - Zone 3	 		ULDD1	ULDF1	221.63	178.50	154.61	22.89	15.74	}	15.75	1	1	1	1
 	Local Channel - Dedicated - DS1 per month - Zone 4	 	4	ULDD1 ULDD3	ULDF1 1L5NC	221.63	178.50	154.61	22.89	15.74	}		1	1	1	1
\vdash	Local Channel - Dedicated - DS3 - Per Mile per month	 		いしいいろ	ILDING	9.66			 	 	1	-	-	-	-	
	Local Channel - Dedicated - DS3 - Facility Termination per month	1		ULDD3	ULDF3	413.87	454.13	265.47	123.23	06.40		15 75				
\vdash	Local Channel - Dedicated - STS-1- Per Mile per month	 		ULDD3 ULDS1	1L5NC	9.66	454.13	∠05.47	123.23	86.19	}	15.75	1	1	1	1
 	Local Channel - Dedicated - STS-1 - Per Mile per month Local Channel - Dedicated - STS-1 - Facility Termination per	 		וטעוט	ILUINO	9.00			1	1	1		1	1	1	1
	month	1		ULDS1	ULDFS	408.02	454.13	265.47	123.23	86.19		15.75				
MULTIPLEXE		 		02001	320, 0	-100.02	-10-1.10	200.47	120.23	00.19	 	10.70				
J LLXL	Channelization - DS1 to DS0 Channel System			UXTD1	MQ1	102.85	91.57	62.94	10.87	10.10		15.75				
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per	1				102.00	01.07	02.04	10.07	10.10		10.70				
	month (2.4-64kbs)	1		UDL	1D1DD	1.22	6.62	4.74				15.75				
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per					i - i			İ	İ			İ	İ	İ	l
	month	1		UDN	UC1CA	2.62	6.62	4.74				15.75				
	Voice Grade COCI - DS1 to DS0 Channel System - per month			UEA	1D1VG	0.5737	6.62	4.74	<u> </u>	<u> </u>		15.75				
	DS3 to DS1 Channel System per month			UXTD3	MQ3	170.63	179.17	94.52	34.30	32.82		15.75				
	STS1 to DS1 Channel System per month			UXTS1	MQ3	170.63	179.17	94.52	34.30	32.82		15.75				
	DS3 Interface Unit (DS1 COCI) used with Loop per month			USL	UC1D1	12.96	6.62	4.74				15.75				
DARK FIBER																
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction	1]										
	Thereof per month - Local Channel	<u> </u>		UDF	1L5DC	59.95			l	l]	l	<u> </u>	<u> </u>	<u> </u>	<u> </u>

UNBUNDLE	D NETWORK ELEMENTS - Mississippi												Attachment:	2		Exhibit: E
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Charge -
						Rec	Nonreci	urring	Nonrecurring	g Disconnect			oss i	RATES (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	NRC Dark Fiber - Local Channel			UDF	UDFC4		642.79	138.67	326.97	203.85		15.75				
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Interoffice Channel			UDF	1L5DF	28.27										
	NRC Dark Fiber - Interoffice Channel			UDF	UDF14		642.79	138.67	326.97	203.85		15.75				
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction															
	Thereof per month - Local Loop			UDF	1L5DL	59.95										
	NRC Dark Fiber - Local Loop			UDF	UDFL4		642.79	138.67	326.97	203.85		15.75				
TRANSPORT O																
Option	al Features & Functions:															
	Clear Channel Capability (B8ZS/ESF) Option - Subsequent - per DS1 Channel			UNC1X	CCOEF		184.60	23.78	1.96	0.76		15.75				
	Clear Channel Capability (B8ZS/SF) Option - Subsequent - per															
2004 1 6 2 = 2 2	DS1 Channel		<u> </u>	UNC1X	CCOSF	ļ	184.60	23.78	1.96	0.76		15.75				
8XX ACCESS	TEN DIGIT SCREENING	<u> </u>	!	OLID	-	0.0000010					<u> </u>		ļ			
	8XX Access Ten Digit Screening, Per Call		<u> </u>	OHD	1	0.0006216										
	8XX Access Ten Digit Screening, Reservation Charge Per 8XX Number Reserved			OHD	N8R1X		2.60	0.44				15.75				
	8XX Access Ten Digit Screening, Per 8XX No. Established W/O POTS Translations			OHD			5.97	0.81	4.60	0.54		15.75				
	8XX Access Ten Digit Screening, Per 8XX No. Established With			0.15			0.07	0.01		0.01		10.70				
	POTS Translations			OHD	N8FTX		5.97	0.81	4.60	0.54		15.75				
	8XX Access Ten Digit Screening, Customized Area of Service Per 8XX Number			OHD	N8FCX		2.60	1.30				15.75				
	8XX Access Ten Digit Screening, Multiple InterLATA CXR															
	Routing Per CXR Requested Per 8XX No.			OHD	N8FMX		3.04	1.74				15.75				
	8XX Access Ten Digit Screening, Change Charge Per Request			OHD	N8FAX	-	3.04	0.44				15.75				
	8XX Access Ten Digit Screening, Call Handling and Destination			OHD	N8FDX		2.60					45.75				İ
LINE INCORM	Features ATION DATA BASE ACCESS (LIDB)			OHD	N8FDX	-	2.60					15.75				
LINE INFORM	LIDB Common Transport Per Query			OQT		0.0000197										
	LIDB Validation Per Query			OQU		0.0137053										-
+	LIDB Originating Point Code Establishment or Change			OQT, OQU	NRPBX	0.0137033	34.52	34.52	42.33	42.33		15.75				
SIGNALING (C				04.,040	11111 271	† †	002	0 1.02	12.00	12.00		10.10				
,	CCS7 Signaling Termination, Per STP Port			UDB	PT8SX	132.21										
	CCS7 Signaling Usage, Per TCAP Message		i –	UDB	1	0.0000597					İ					
	CCS7 Signaling Connection, Per link (A link)			UDB	TPP++	16.55	35.74	35.74	16.53	16.53		15.75				
	CCS7 Signaling Connection, Per link (B link) (also known as D							<u> </u>							_	
	link)		<u> </u>	UDB	TPP++	16.55	35.74	35.74	16.53	16.53		15.75			ļ	
	CCS7 Signaling Usage, Per ISUP Message	ļ	<u> </u>	UDB	071150	0.0000149										1
	CCS7 Signaling Usage Surrogate, per link per LATA		<u> </u>	UDB	STU56	683.55					1	1	-	-	1	
	CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, per STP affected		1	UDB	CCAPO		29.18	20.40	35.78	35.78		15.75				1
E911 SERVICE		l -	1	מטט	CCAPO		29.18	29.18	33.78	33.78		15.75	-	-	1	
LOTT GERVICE	Local Channel - Dedicated - 2-wr Voice Grade	 	1		+	14.91	194.22	33.36	37.79	3.30	1	15.75				-
	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile		†		1	0.0098	.04.22	55.56	57.79	3.30	1	10.70	1		1	
	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility		1		1										İ	
	Termination	L	L		<u> </u>	22.52	40.77	27.57	17.26	7.11	<u> </u>	15.75	<u> </u>	<u></u>	<u> </u>	<u> </u>
	Local Channel - Dedicated - DS1 - Zone 1					36.83	178.50	154.61	22.89	15.74		15.75				
	Local Channel - Dedicated - DS1 - Zone 2					35.99	178.50	154.61	22.89	15.74		15.75				
	Local Channel - Dedicated - DS1 - Zone 3					221.63	178.50	154.61	22.89	15.74		15.75				
	Local Channel - Dedicated - DS1 - Zone 4	<u> </u>	<u> </u>		ļ	221.63	178.50	154.61	22.89	15.74		15.75				1
	Interoffice Transport - Dedicated - DS1 Per Mile		<u> </u>		1	0.2010										
	Interoffice Transport - Dedicated - DS1 Per Facility Termination					57.33	89.79	82.28	16.86	14.90		15.75				1
	•											15.75				
CALLING NAM	E (CNAM) SERVICE															
	CNAM for DB Owners, Per Query			OQV	1	0.0010231						<u> </u>				
	CNAM for Non DB Owners, Per Query	<u> </u>		OQV		0.0010231]	1				1

UNBUNDLE	D NETWORK ELEMENTS - Mississippi				1	1							Attachment:	2		Exhibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec	urrina	Nonrecurring	Disconnect			ossi	RATES (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN		SOMAN	SOMAN
	CNAM For DB Owners - Service Establishment			OQV			23.09	23.09	21.23	21.23		15.75				
	CNAM For Non DB Owners - Service Establishment			OQV			23.09	23.09	21.23	21.23		15.75				
	CNAM For DB Owners - Service Provisioning With Point Code															
	Establishment			OQV			996.62	737.08	270.49	198.89		15.75				ļ
	CNAM For Non DB Owners - Service Provisioning With Point			001/												
I ND Ouem Cor	Code Establishment			OQV			344.32	246.56	276.85	198.89		15.75				
LNP Query Ser	LNP Charge Per query			OQV	_	0.0008477						-				
	LNP Service Establishment Manual	1		OQV		0.0000477	12.59	12.59	11.58	11.58		15.75				
	LNP Service Provisioning with Point Code Establishment						596.94	304.96	270.49	198.89		15.75				
OPERATOR CA	ALL PROCESSING															
	Oper. Call Processing - Oper. Provided, Per Min Using BST															1
	LIDB					1.20										
	Oper. Call Processing - Oper. Provided, Per Min Using Foreign LIDB					1.24										
	Oper. Call Processing - Fully Automated, per Call - Using BST LIDB					0.20										
	Oper. Call Processing - Fully Automated, per Call - Using Foreign LIDB					0.20										
INWARD OPER	ATOR SERVICES															
	Inward Operator Services - Verification, Per Minute					1.15										
	Inward Operator Services - Verification and Emergency Interrupt - Per Minute					1.15										
BRANDING - O	PERATOR CALL PROCESSING															
	Recording of Custom Branded OA Announcement				CBAOS		7,000.00	7,000.00				15.75				
L	Loading of Custom Branded OA Announcement per shelf/NAV				CBAOL		500.00	500.00				15.75				
	Iding via OLNS for UNEP CLEC						4 000 00	4 000 00				45.75				
	Loading of OA per OCN (Regional) SSISTANCE SERVICES		<u> </u>		_		1,200.00	1,200.00	-			15.75				
	TORY ASSISTANCE ACCESS SERVICE				_							-				+
DINEC	Directory Assistance Access Service Calls, Charge Per Call					0.271744										+
DIREC	TORY ASSISTANCE CALL COMPLETION ACCESS SERVICE (I	DACC)				0.27 17 11										
	Directory Assistance Call Completion Access Service (DACC),	1														
	Per Call Attempt					0.10										
DIREC	TORY TRANSPORT															
	SWA Common transport per Directory Assistance Access															
	Service Call					0.000178										
	SWA Common Transport per Directory Assistance Access Service Call Mile					0.000017										
	Access Tandem Switching per Directory Assistance Access Service Call					0.000287										
	Directory Assistance Interconnection per Directory Assistance Access Service Call					0.00										
	DS3 to DS1 Multiplexer per DA Access Service Call			-		0.00018										
	SSISTANCE SERVICES	<u> </u>														ļ
DIREC	TORY ASSISTANCE DATA BASE SERVICE (DADS)	<u> </u>	ļ									<u> </u>			ļ	4
 	Directory Assistance Data Base Service Charge Per Listing Directory Assistance Data Base Service, per month	1			DBSOF	0.04 150.00					1					
BRANDING D	IDIRECTORY ASSISTANCE	1	-		DROOL	150.00	-		-		-				 	1
	Based CLEC	1	-		+				-		1				1	+
i acility	Recording and Provisioning of DA Custom Branded Announcement			AMT	CBADA		6,000.00	6,000.00								
	Loading of Custom Branded Announcement per DRAM															
UNEP (Card/Switch	1		AMT	CBADC		1,170.00	1,170.00			1					
UNEP	Recording of DA Custom Branded Announcement	1	<u> </u>		+	-	3,000.00	3,000.00						-	-	
 	Loading of DA Custom Branded Announcement per DRAM	1	1		+		3,000.00	3,000.00								+
	Card/Switch per OCN						1,170.00	1,170.00								

ONRONDER	D NETWORK ELEMENTS - Mississippi												Attachment:	2		Exhibit: E
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)	I			Svc Order Submitted Manually per LSR	Order vs.	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					RATES (\$)		
Unbro	nding via OLNS for UNEP CLEC						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Ulibrai	Loading of DA per OCN (1 OCN per Order)						420.00	420.00								
	Loading of DA per Switch per OCN						16.00	16.00								
SELECTIVE R							79.00									
	Selective Routing Per Unique Line Class Code Per Request Per Switch				USRCR		85.19	85.19	14.19	14.19		15.75				
VIRTUAL COL																
	Virtual Collocation - Application Cost			CLO	EAF		1,212.25		0.51							
	Virtual Collocation - Cable Installation Cost, per cable			CLO	ESPCX		926.27		22.62							
	Virtual Collocation - Floor Space, per sq. ft.			CLO	ESPVX	5.74										
$-\!\!\!\!-\!\!\!\!\!-$	Virtual Collocation - Power, per breaker amp	 		CLO	ESPAX	7.33					1				1	
1	Virtual Collocation - Cable Support Structure, per entrance cable	1		CLO	ESPSX	15.24										
				ueanl,uea,udn,udc,			40.07		0.04							
	Virtual Collocation - 2-wire Cross Connects (loop) Virtual Collocation - 4-wire Cross Connects (loop)			ual,uhl,ucl,ueq	UEAC2 UEAC4	0.0268	12.37	11.87 11.94	6.04	5.45	1	15.75				
	Virtual Collocation - 4-wire Cross Connects (100p) Virtual Collocation - 2-Fiber Cross Connects			uea,uhl,ucl,udl CLO	CNC2F	0.0536 2.91	12.47 21.01	11.94	6.59 7.61	5.91 6.10		15.75 15.75				
+	Virtual Collocation - 2-Fiber Cross Connects Virtual Collocation - 4-Fiber Cross Connects			CLO	CNC2F CNC4F	5.82	25.70	19.97	10.01	8.50		15.75				
-+	Virtual Collocation - 4-1 iber Cross Connects			USL,ULC,CLO	CNC1X	1.14	22.16	16.02	6.60	5.97		15.75				
	Virtual Collocatin - DS3 Cross Connects			USL,ULC,CLO	CND3X	14.49	21.01	15.29	7.61	6.10		15.75				
	Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable			//-			_									
	Support Structure, per linear foot			AMTFS	PE1ES	0.0025										
	Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per linear ft			AMTFS	PE1DS	0.0037										
	Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure,per cable			AMTFS			534.65									
	Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax															
$\longrightarrow \longmapsto$	Cable Support Structure, per cable			AMTFS	SPTBX		534.65 17.02	10.79								
	Virtual Collocatin - Security Escort - Basic, per half hour Virtual Collocatin - Security Escort - Overtime, per half hour			CLO CLO	SPTOX		22.17	13.94								
+	Virtual Collocatin - Security Escort - Overtime, per half hour			CLO	SPTPX		27.32	17.08								
	Virtual Collocatin - Security Escott - Premium, per hair nour			CLO	CTRLX		28.09	10.79								
	Virtual Conocatin Maintenance in Co Basic, per main neur			OLO	OTTLEX		20.00	10.70								
	Virtual Collocatin - Maintenance in CO - Overtime, per half hour			CLO	SPTOM		36.69	13.94								
	Virtual Collocatin - Maintenance in CO - Premium per half hour			CLO	SPTPM		45.28	17.08								
VIRTUAL COL				-				•		•						
	Virtual Collocation - 2-wire Cross Connect, Exchange Port 2- Wire Analog - Res			UEPSR	VE1R2	0.0268	12.37	11.87	6.04	5.45		15.75				
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Voice Grade Res			UEPRX	PE1R2	0.0268	12.37	11.87	6.04	5.45		15.75				
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2- Wire Line Side PBX Trunk - Bus			UEPSP	VE1R2	0.0268	12.37	11.87	6.04	5.45		15.75				
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Voice Grade PBX Trunk - Res			UEPSE	VE1R2	0.0268	12.37	11.87	6.04	5.45		15.75				
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Analog Bus			UEPSB	VE1R2	0.0268	12.37	11.87	6.04	5.45		15.75				
	Virtual Collocation 2-Wire Cross Connect, Exchnage Port 2-Wire ISDN			UEPSX	VE1R2	0.0268	12.37	11.87	6.04	5.45		15.75				
	ISDN Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire ISDN			UEPTX	VE1R2	0.0268	12.37	11.87	6.04	5.45		15.75				
	Virtual Collocation 4-Wire Cross Connect, Exchange Port DDITS 4-Wire DS1			UEPDD	VE1R2 VE1R4	0.0268	12.37	11.87	6.59	5.45		15.75				
	Virtual Collocation 4-Wire Cross Connect, Exchange Port 4-Wire ISDN DS1			UEPEX	VE1R4	0.0536	12.47	11.94	6.59	5.91		15.75				
VIRTUAL COL				OLI LX	V = 1117	0.0000	12.47	11.34	0.55	3.91	 	13.73			 	
	Virtual Collocation-2 Wire Cross Connects (Loop) for Line Splitting			UEPSR, UEPSB	VE1LS	0.0268	12.37	11.87	6.04	5.45			19.99	19.99	19.99	19.99
	/E CARRIER ROUTING	<u> </u>	1	5 LI 513, 5 LI 5 D		0.0200	12.01	11.07	0.04	5.45	1		10.00	10.00	10.00	13.33

UNBUNDLE	D NETWORK ELEMENTS - Mississippi			1									Attachment:	2		Exhibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	всѕ	usoc			RATES(\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual Svc Order vs. Electronic-
						Rec	Nonrec	curring	Nonrecurring	Disconnect				RATES (\$)		
							First	Add'l	First	Add'l	SOMEC		SOMAN	SOMAN	SOMAN	SOMAN
	Regional Service Establishment			SRC SRC	SRCEC SRCEO		101,685.12	107.10	8,640.51 1.71	171		15.75				
	End Office Establishment Query NRC, per query			SRC	SRCEO	0.0030502	167.49	167.49	1.71	1.71		15.75				
	JTH AIN SMS ACCESS SERVICE			ORO		0.0030302										
	AIN SMS Access Service - Service Establishment, Per State, Initial Setup			A1N	CAMSE		39.67	39.67	40.92	40.92		15.75				
,	AIN SMS Access Service - Port Connection - Dial/Shared Access			A1N	CAMDP		7.87	7.87	9.14	9.14		15.75				
	AIN SMS Access Service - Port Connection - ISDN Access			A1N	CAM1P		7.87	7.87	9.14	9.14		15.75				
	AIN SMS Access Service - User Identification Codes - Per User				-											
	ID Code			A1N	CAMAU		35.21	35.21	27.21	27.21		15.75				
	AIN SMS Access Service - Security Card, Per User ID Code,															
	Initial or Replacement AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)			A1N	CAMRC	0.0021	42.13	42.13	11.78	11.78		15.75				
	AIN SMS Access Service - Storage, Per Unit (100 Kilobytes) AIN SMS Access Service - Session, Per Minute		1			0.5649										
	AIN SMS Access Service - Company Performed Session, Per					0.3043										
	Minute					0.8393										
	JTH AIN TOOLKIT SERVICE															
	AIN Toolkit Service - Service Establishment Charge, Per State,															
	Initial Setup			CAM	BAPSC		39.67 4.226.54	39.67	40.92	40.92		15.75				
	AIN Toolkit Service - Training Session, Per Customer AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				BAPVX		4,226.54	4,226.54				15.75				
	DN, Term. Attempt				BAPTT		7.87	7.87	9.14	9.14		15.75				
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per									****						
	DN, Off-Hook Delay				BAPTD		7.87	7.87	9.14	9.14		15.75				
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
	DN, Off-Hook Immediate				BAPTM		7.87	7.87	9.14	9.14		15.75				
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, 10-Digit PODP				BAPTO		34.67	34.67	14.44	14.44		15.75				
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				BALTO		54.07	34.07	14.44	17.77		10.73				
	DN, CDP				BAPTC		34.67	34.67	14.44	14.44		15.75				
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
	DN, Feature Code				BAPTF		34.67	34.67	14.44	14.44		15.75				
	AIN Toolkit Service - Query Charge, Per Query AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit					0.0535577										
	Subscription, Per Node, Per Query					0.0063509										
	AIN Toolkit Service - SCP Storage Charge, Per SMS Access					0.0003303										
	Account, Per 100 Kilobytes					0.06										
	AIN Toolkit Service - Monthly report - Per AIN Toolkit Service															
	Subscription		1	CAM	BAPMS	11.11	7.87	7.87	5.54	5.54	ļ	15.75				ļ
	AIN Toolkit Service - Special Study - Per AIN Toolkit Service Subscription			CAM	BAPLS	2.71	8.71	8.71				15.75				
	AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service			OFIIVI	DAFLO	2.71	0.71	0.71				13.75				
	Subscription			CAM	BAPDS	8.48	7.87	7.87	5.54	5.54		15.75				
	AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit															
	Service Subscription			CAM	BAPES	0.09	8.71	8.71				15.75				
	(TENDED LINK (EELs)		CMA:	Orlanda 5' **	 	andele Fil N	desidite The At	Oulson: - 1.5								1
	New EELs available in State of Georgia, density zone 1 of foll Charlotte-Gastonia-Rockhill, NC; Greensboro-Winston Salem							w Orieans, LA;			 					1
	In all states, EEL network elements shown below also apply t							As Is Charge a	nnlies to curre	ntly combined	l I facilities c	onverted to	IINEs (Non-re	Curring rates	do not	1
apply.)		Juile			on are conv	to OHE IA	A Switch	io Griange a	PPIICO IO CUITEI	, combined			J. 125.(11011-16	.canning rates	t	
	In GA, TN, KY, LA & MS, the EEL network elements apply to o	ordinari	ly com	bined network elen	nents.(No Swit	ch As Is Chard	e.)									1
2-WIRE	VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT	EROFF	ICE TR	ANSPORT (EEL)			•									İ
	First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport															
																1
	Combination - Zone 1 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed		1	UNCVX	UEAL2	13.89	105.96	68.28	52.82	10.37		15.75				

UNBUNDLE	D NETWORK ELEMENTS - Mississippi												Attachment:	2		Exhibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec			g Disconnect				RATES (\$)		
	First 0 M/rs 1/0 0 m to Love (01.0) in a POA Live (first 1						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 3		3	UNCVX	UEAL2	27.55	105.96	68.28	52.82	10.37		15.75				
	First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport															
	Combination - Zone 4 Interoffice Transport - Dedicated - DS1 combination - Per Mile		4	UNCVX	UEAL2	45.72	105.96	68.28	52.82	10.37		15.75				
	per month			UNC1X	1L5XX	0.1813										
	Interoffice Transport - Dedicated - DS1 combination - Facility															
	Termination per month DS1 Channelization System Per Month			UNC1X UNC1X	U1TF1 MQ1	51.72 102.85	89.79 91.57	82.28 62.94	16.86 10.87	14.90 10.10		15.75 15.75				
	Voice Grade COCI - DS1 To Ds0 Interface - Per Month			UNCVX	1D1VG	0.5737	6.62	4.74	10.67	10.10		13.73				
	Each Additional 2-Wire VG Loop(SL 2) in the same DS1															
	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL2	13.89	105.96	68.28	52.82	10.37		15.75				
	Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL2	18.75	105.96	68.28	52.82	10.37		15.75				
	Each Additional 2-Wire VG Loop(SL2) in the same DS1		_	ONOVA	OL7 (LZ	10.70	100.00	00.20	02.02	10.01		10.70				
	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL2	27.55	105.96	68.28	52.82	10.37		15.75				
	Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 4		4	UNCVX	UEAL2	45.72	105.96	68.28	52.82	10.37		15.75				
	Voice Grade COCI - DS1 to DS0 Channel System combination -		_	ONOVA	OLALZ	45.72	105.90	00.20	32.02	10.57		13.73				
	per month			UNCVX	1D1VG	0.5737	6.62	4.74				15.75				
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNC1X	UNCCC		5.63	5.63	7.20	7.20		15.75				
4-WIRE	E VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT	EROFF	ICE TR		UNCCC		3.03	3.03	7.20	7.20		13.73				
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice			(
	Transport Combination - Zone 1		1	UNCVX	UEAL4	27.47	132.27	94.59	60.68	14.64		15.75				
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	38.26	132.27	94.59	60.68	14.64		15.75				
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice			ONCVX	ULAL4	38.20	132.21	94.59	00.08	14.04		13.73				
	Transport Combination - Zone 3		3	UNCVX	UEAL4	50.03	132.27	94.59	60.68	14.64		15.75				
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 4		4	UNCVX	UEAL4	50.03	132.27	94.59	60.68	14.64		15.75				
	Interoffice Transport - Dedicated - DS1 combination - Per Mile		4	UNCVA	UEAL4	50.03	132.21	94.59	60.66	14.64		13.73				
	Per Month			UNC1X	1L5XX	0.1813										
	Interoffice Transport - Dedicated - DS1 - Facility Termination Per			LINGAY		54.70	00.70	00.00	40.00	44.00		45.75				
	Month Channelization - Channel System DS1 to DS0 combination Per			UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90		15.75				
	Month			UNC1X	MQ1	102.85	91.57	62.94	10.87	10.10		15.75				
	Voice Grade COCI - DS1 to DS0 Channel System combination -			LINCVO	4D4\/C	0.570-	0.00	4.7.				45.75				
 	per month Additional 4-Wire Analog Voice Grade Loop in same DS1			UNCVX	1D1VG	0.5737	6.62	4.74			-	15.75				-
	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	27.47	132.27	94.59	60.68	14.64		15.75				
	Additional 4-Wire Analog Voice Grade Loop in same DS1		_	1110101	11541	20.00										
\vdash	Interoffice Transport Combination - Zone 2 Additional 4-Wire Analog Voice Grade Loop in same DS1		2	UNCVX	UEAL4	38.26	132.27	94.59	60.68	14.64	-	15.75				-
	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	50.03	132.27	94.59	60.68	14.64		15.75				
	Additional 4-Wire Analog Voice Grade Loop in same DS1						,									
 	Interoffice Transport Combination - Zone 4 Voice Grade COCI - DS1 to DS0 Channel System combination -		4	UNCVX	UEAL4	50.03	132.27	94.59	60.68	14.64	1	15.75				
	per month			UNCVX	1D1VG	0.5737	6.62	4.74				15.75				
	Nonrecurring Currently Combined Network Elements Switch -As-															
A-WIDE	Is Charge 56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1	INTER	FFICE	UNC1X TRANSPORT (FFL)	UNCCC		5.63	5.63	7.20	7.20	-	15.75				
4-VVIKE	First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice	ENC		ANOI ONI (EEL)							1	†				
	Transport Combination - Zone 1		1	UNCDX	UDL56	27.44	126.53	88.85	60.68	14.64		15.75				
	First 4-wire 56Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	34.55	126.53	88.85	60.68	14.64		15.75				
	First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice			ONCDA	JULJO	34.33	120.33	00.00	00.08	14.04	†	15.75				
	Transport Combination - Zone 3		3	UNCDX	UDL56	40.76	126.53	88.85	60.68	14.64		15.75				

UNBUNDLE	D NETWORK ELEMENTS - Mississippi												Attachment:	2		Exhibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec			g Disconnect				RATES (\$)		
	First AW're FOR Private On to Leave the BOA beautiful						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 4		4	UNCDX	UDL56	32.25	126.53	88.85	60.68	14.64		15.75				L
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0.1813						15.75				
	Interoffice Transport - Dedicated - DS1 - combination Facility Termination Per Month			UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90		15.75				
	Channelization - Channel System DS1 to DS0 combination Per Month			UNC1X	MQ1	102.85	91.57	62.94	10.87	10.10		15.75				
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs)			UNCDX	1D1DD	1.22	6.62	4.74				15.75				
	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1															
	Interoffice Transport Combination - Zone 1 Additional 4-Wire 56Kbps Digital Grade Loopin same DS1		1	UNCDX	UDL56	27.44	126.53	88.85	60.68	14.64		15.75				
	Interoffice Transport Combination - Zone 2 Additional 4-Wire 56Kbps Digital Grade Loopin same DS1		2	UNCDX	UDL56	34.55	126.53	88.85	60.68	14.64		15.75				<u> </u>
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	40.76	126.53	88.85	60.68	14.64		15.75				
	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 4		4	UNCDX	UDL56	32.25	126.53	88.85	60.68	14.64		15.75				
	OCU-DP COCI (data) - DS1 to DS0 Channel System - combination per month (2.4-64kbs)			UNCDX	1D1DD	1.22	6.62	4.74				15.75				
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNC1X	UNCCC		5.63	5.63	7.20	7.20		15.75				
4-WIRE	64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1	INTERC	FFICE				0.00	0.00	7.20	7.20		10.70				
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice			` '												
	Transport Combination - Zone 1 First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice		1	UNCDX	UDL64	27.44	126.53	88.85	60.68	14.64		15.75				
	Transport Combination - Zone 2 First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice		2	UNCDX	UDL64	34.55	126.53	88.85	60.68	14.64	-	15.75				-
	Transport Combination - Zone 3 First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice		3	UNCDX	UDL64	40.76	126.53	88.85	60.68	14.64		15.75				
	Transport Combination - Zone 4		4	UNCDX	UND64	32.25	126.53	88.85	60.68	14.64		15.75				
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0.1813										
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month			UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90		15.75				
	Channelization - Channel System DS1 to DS0 combination Per Month			UNC1X	MQ1	102.85	91.57	62.94	10.87	10.10		15.75				
	OCU-DP COCI (data) - DS1 to DS0 Channel System								10.67	10.10						
	combination - per month (2.4-64kbs) Additional 4-Wire 64Kbps Digital Grade Loopin same DS1			UNCDX	1D1DD	1.22	6.62	4.74				15.75				
	Interoffice Transport Combination - Zone 1 Additional 4-Wire 64Kbps Digital Grade Loopin same DS1		1	UNCDX	UDL64	27.44	126.53	88.85	60.68	14.64	-	15.75				
	Interoffice Transport Combination - Zone 2 Additional 4-Wire 64Kbps Digital Grade Loopin same DS1		2	UNCDX	UDL64	34.55	126.53	88.85	60.68	14.64		15.75				<u> </u>
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	40.76	126.53	88.85	60.68	14.64		15.75				<u> </u>
	Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 4		4	UNCDX	UDL64	32.25	126.53	88.85	60.68	14.64		15.75				
	OCU-DP COCI (data) - DS1 to DS0 Channel System combination - per month (2.4-64kbs)			UNCDX	1D1DD	1.22	6.62	4.74				15.75				
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNC1X	UNCCC		5.63	5.63	7.20	7.20		15.75				
4-WIRE	EDS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INT	EROFFI	CE TRA		311000		5.05	5.05	1.20	1.20	t	10.73				
	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice															
	Transport - Zone 1 4-Wire DS1 Digital Loop in Combination with DS1 Interoffice	-	1	UNC1X	USLXX	79.08	253.93	158.45	46.10	12.07		15.75				
	Transport - Zone 2 4-Wire DS1 Digital Loop in Combination with DS1 Interoffice	-	2	UNC1X	USLXX	129.38	253.93	158.45	46.10	12.07		15.75				
	Transport - Zone 3		3	UNC1X	USLXX	206.74	253.93	158.45	46.10	12.07		15.75				<u> </u>

UNBUNDLE	D NETWORK ELEMENTS - Mississippi												Attachment:	2		Exhibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec			g Disconnect				RATES (\$)		
	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice				1		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Transport - Zone 4		4	UNC1X	USLXX	458.46	253.93	158.45	46.10	12.07		15.75				
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0.1813										
	Interoffice Transport - Dedicated - DS1 combination - Facility			UNCIX	ILOAA	0.1613										
	Termination Per Month			UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90		15.75				
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNC1X	UNCCC		5.63	5.63	7.20	7.20		15.75				
4-WIRE	DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTI	EROFFI	CE TRA	NSPORT (EEL)												
	First DS1Loop in DS3 Interoffice Transport Combination - Zone		1	UNC1X	USLXX	79.08	253.93	158.45	46.10	12.07		15.75				
	First DS1Loop in DS3 Interoffice Transport Combination - Zone										1					
	2 First DS1Loop in DS3 Interoffice Transport Combination - Zone		2	UNC1X	USLXX	129.38	253.93	158.45	46.10	12.07	-	15.75				1
	3		3	UNC1X	USLXX	206.74	253.93	158.45	46.10	12.07		15.75				
	First DS1Loop in DS3 Interoffice Transport Combination - Zone		4	UNC1X	USLXX	458.46	253.93	158.45	46.10	12.07		15.75				
	Interoffice Transport - Dedicated - DS3 combination - Per Mile		_				200.00	100.40	40.10	12.01		10.70				
	Per Month Interoffice Transport - Dedicated - DS3 - Facility Termination per			UNC3X	1L5XX	4.29										
	month			UNC3X	U1TF3	641.90	280.37	163.70	62.08	60.29		15.75				
	DS3 to DS1 Channel System combination per month			UNC3X	MQ3	107.85	179.17	94.52	34.30	32.82		15.75				
	DS3 Interface Unit (DS1 COCI) combination per month Additional DS1Loop in DS3 Interoffice Transport Combination -			UNC1X	UC1D1	12.96	6.62	4.74				15.75				
	Zone 1		1	UNC1X	USLXX	79.08	253.93	158.45	46.10	12.07		15.75				
	Additional DS1Loop in DS3 Interoffice Transport Combination -		2	UNC1X	USLXX	129.38	253.93	450.45	40.40	40.07		45.75				
	Zone 2 Additional DS1Loop in DS3 Interoffice Transport Combination -		2	UNCTX	USLXX	129.38	253.93	158.45	46.10	12.07		15.75				
	Zone 3		3	UNC1X	USLXX	206.74	253.93	158.45	46.10	12.07		15.75				
	Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 4		4	UNC1X	USLXX	458.46	253.93	158.45	46.10	12.07		15.75				
	DS3 Interface Unit (DS1 COCI) combination per month		_	UNC1X	UC1D1	12.96	6.62	4.74	40.10	12.07		15.75				
	Nonrecurring Currently Combined Network Elements Switch -As-															
2.WIDE	Is Charge VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GRADE IN	EDOE	ICE TO	UNC3X	UNCCC	 	5.63	5.63	7.20	7.20		15.75				
Z-VVIRE	2-WireVG Loop used with 2-wire VG Interoffice Transport	LKUFF	ICE IK	ANGPURI (EEL)	1	 										
	Combination - Zone 1		1	UNCVX	UEAL2	13.89	105.96	68.28	52.82	10.37		15.75				
	2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL2	18.75	105.96	68.28	52.82	10.37		15.75				
	2-WireVG Loop used with 2-wire VG Interoffice Transport															
	Combination - Zone 3 A.1.2 2-WireVG Loop used with 2-wire VG Interoffice Transport	-	3	UNCVX	UEAL2	27.55	105.96	68.28	52.82	10.37		15.75				
	Combination - Zone 4		4	UNCVX	UEAL2	45.72	105.96	68.28	52.82	10.37		15.75				
	Interoffice Transport - Dedicated - 2-wire VG combination - Per Mile Per Month			UNCVX	1L5XX	0.00088										
	Interoffice Transport - Dedicated - 2- Wire Voice Grade	-		OINCVA	ILOAA	0.00088										-
	combination - Facility Termination per month			UNCVX	U1TV2	20.32	40.77	27.57	17.26	7.11		15.75				
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge	1		UNCVX	UNCCC		5.63	5.63	7.20	7.20		15.75				
4-WIRE	VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRADE IN	TEROFF	ICE TR				0.00	3.30	0	20						
	4-WireVG Loop used with 4-wire VG Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	27.47	132.27	94.59	60.68	14.64		15.75				
	4-WireVG Loop used with 4-wire VG Interoffice Transport															
	Combination - Zone 2 4-WireVG Loop used with 4-wire VG Interoffice Transport		2	UNCVX	UEAL4	38.26	132.27	94.59	60.68	14.64		15.75				
	Combination - Zone 3		3	UNCVX	UEAL4	50.03	132.27	94.59	60.68	14.64		15.75				
	4-WireVG Loop used with 4-wire VG Interoffice Transport		4	LINCVO	LIE AL 4	50.03	400.07	04.50	00.00	44.04		45.75				
	Combination - Zone 4	<u> </u>	4	UNCVX	UEAL4	50.03	132.27	94.59	60.68	14.64	1	15.75	l	L	L	

Part Part	UNBUNDLE	D NETWORK ELEMENTS - Mississippi												Attachment:	2		Exhibit: B
Marchine Transport Descente 4-we VG combnutors Park March Sout	CATEGORY	RATE ELEMENTS		Zone	BCS	usoc			RATES(\$)			Submitted Elec	Submitted Manually	Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs.
March Marc							Rec										
Max Per Mann		Interoffice Transport - Dedicated - 4-wire VG combination - Per						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Description of Figure 1 Section Description Descri		Mile Per Month			UNCVX	1L5XX	0.00088										
Noncouring Currently Combined Network Elements South - No. No.					LINCVY	1147\/4	17.06	40.77	27.57	17.26	7 11		15.75				
Sept Operation Extraction Logor with DEFOCATOR STATE COPPER Logor with Libraria class class post of the permitted Logor with Libraria class Logor with Librari			-				17.00	40.77	21.01	17.20	7.11		13.73				
High Capacity Unbrounded Load Loap - DSS combination - Per UNCSX LEND 11.20	Des Di		CE TDA	NEDOD		UNCCC		5.63	5.63	7.20	7.20		15.75				<u> </u>
Mile per mouth Mile	D33 Di		LEIKA	NOPUR	1 (EEL)												+
Factor Termination per month UNGSX USPX 45413 28647 12322 86.19 15.75		Mile per month			UNC3X	1L5ND	11.20										
Interdiffice Transport - Decideration - Pacifity National Pacific					UNC3X	UE3PX	252 17	454 13	265 47	123 23	86 10		15.75				
Termination par per month		Interoffice Transport - Dedicated - DS3 - Per Mile per month						-101.10	200.47	120.20	00.19		15.75				
Nonceuring Currenty Combined Network Elements Switch Aspect Sist Diod TAL EXTENDED LOOP WITH DEDICATED STS INTEROPFICE TRANSPORT (EEL)					TINC3X	111TE2	641.00	200 27	162 70	62.00	60.20		15 75				
STST-DIGITAL EXTENDED LOOP WITH DEDICATED STST INTEROPPICE TRANSPORT (EEL)	+		-		UNCSA	UTIF3	641.90	200.37	103.70	02.00	00.29		15.75				1
High Capacity Unburded Local Loop - STS1 combination - Per Mile DuNCSX 1LSND 11.20			<u> </u>			UNCCC		5.63	5.63	7.20	7.20		15.75				
Mile per month	STS1 I		FICE TI	RANSPO	ORT (EEL)												
Facility Temination per month NINCSX UNLSX 26.45 44.13 26.47 123.23 86.19 16.76		Mile per month			UNCSX	1L5ND	11.20										
Interfrice Transport - Dedicated - STS1 combination - Per Mile per month Interfrice Transport - Dedicated - STS1 combination - Facility Interfrice Transport - Dedicated - STS1 combination - Facility Interfrice Transport - Dedicated - STS1 combination - Per Mile UNCSX					LINCOV	LIDI 64	264.25	454.13	265 47	100.00	96 10		15 75				
Interdirec Transport - Dedicated - STS1 combination - Facility UNCSX					ONCOX	UDLST	204.33	404.10	200.47	123.23	00.19		13.73				
Termination per month UNCSX UTFS 64421 289.37 163.70 62.08 60.29 15.75					UNCSX	1L5XX	4.29										
Nonrecuring Currently Combined Network Elements Switch -As- S Charge UNCSX					UNCSX	U1TFS	644.21	280.37	163.70	62.08	60.29		15.75				
### AWRE ESION EXTENDED LOOP WITH DSI INTEROFFICE TRANSPORT (EEL) First 2-Wire ISDN Loop in a DSI Interoffice Combination 1 UNCNX		Nonrecurring Currently Combined Network Elements Switch -As-															
First 2-Wire ISDN Loop in a DS1 Interoffice Combination 1 UNCNX U1L2X 21.01 117.61 79.92 52.82 10.37 15.75	2-WIRE		RT (FFI	<u> </u>	UNCSX	UNCCC		5.63	5.63	7.20	7.20		15.75				
First 2-Wire ISDN Loop in a DSI Interoffice Combination 2 UNCNX UIL2X 27.59 117.61 79.92 52.82 10.37 15.75	1	First 2-Wire ISDN Loop in a DS1 Interoffice Combination	1														
Transport - Zone 2 UNCNX	-			1	UNCNX	U1L2X	21.01	117.61	79.92	52.82	10.37		15.75				-
Transport - Zone 3				2	UNCNX	U1L2X	27.59	117.61	79.92	52.82	10.37		15.75				
First 2-Wire ISDN Loop in a DS1 Interoffice Combination 4 UNCNX U1L2X 59.18 117.61 79.92 52.82 10.37 15.75 15.75					LINONIN	1141.07/	07.04	447.04	70.00	50.00	40.07		45.75				
Transport - Zone 4	 			3	UNCNX	U1L2X	37.34	117.61	79.92	52.82	10.37		15.75				
Interoffice Transport - Dedicated - DS1 combination - Facility UNC1X		Transport - Zone 4		4				117.61	79.92	52.82	10.37		15.75				
Termination per month					UNC1X	1L5XX	0.1813										-
Der month UNC1X MQ1 102.85 91.57 62.94 10.87 10.10 15.75		Termination per month			UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90		15.75				
2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System combination - per month UNCNX					LINGAV	MO4	400.05	04.57	CO 04	40.07	40.40		45.75				
Combination - Per month	+				UNCIX	MQT	102.85	91.57	62.94	10.87	10.10		15.75				1
Combination - Zone 1		combination - per month		<u> </u>	UNCNX	UC1CA	2.62	6.62	4.74				15.75				
Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 2 UNCNX U1L2X 27.59 117.61 79.92 52.82 10.37 15.75 Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 3 UNCNX U1L2X 37.34 117.61 79.92 52.82 10.37 15.75 Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 3 UNCNX U1L2X 37.34 117.61 79.92 52.82 10.37 15.75 Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 4 UNCNX U1L2X 59.18 117.61 79.92 52.82 10.37 15.75 15.75 15.75 UNCNX U1L2X 59.18 117.61 79.92 52.82 10.37 15.75 15.75 15.75 UNCNX U1L2X 15.75 UNCNX U1L2X 15.75 UNCNX U1L2X 15.75 UNCNX U1L2X 15.75 UNCNX UNCCC 15.63 5.63 7.20 7.20 15.75 INTEROFFICE TRANSPORT (EEL) First DS1 Loop in STS1 Interoffice Transport UNCNX UNCNX UNCCC 5.63 5.63 7.20 7.20 15.75				1	UNCNX	U1L2X	21.01	117.61	79.92	52.82	10.37		15.75				
Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 3 3 UNCNX U1L2X 37.34 117.61 79.92 52.82 10.37 15.75 Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 4 UNCNX U1L2X 59.18 117.61 79.92 52.82 10.37 15.75 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System combination- per month Nonrecurring Currently Combined Network Elements Switch -As- Is Charge UNCNX UNCCC 5.63 5.63 7.20 7.20 15.75 First DS1 Loop in STS1 Interoffice Transport VINCIX UNCCC VINCIX V		Additional 2-wire ISDN Loop in same DS1Interoffice Transport		Ė													
Combination - Zone 3 3 UNCNX U1L2X 37.34 117.61 79.92 52.82 10.37 15.75				2	UNCNX	U1L2X	27.59	117.61	79.92	52.82	10.37		15.75				
Combination - Zone 4		Combination - Zone 3	<u> </u>	3	UNCNX	U1L2X	37.34	117.61	79.92	52.82	10.37	<u> </u>	15.75				
2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System combintaion- per month UNCNX UC1CA 2.62 6.62 4.74 15.75 Nonrecurring Currently Combined Network Elements Switch -As- Is Charge UNC1X UNCCC 5.63 5.63 7.20 7.20 15.75 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 INTEROFFICE TRANSPORT (EEL) First DS1 Loop in STS1 Interoffice Transport Combination -				4	LINCNIV	1141.07	50.40	447.04	70.00	F0.00	40.07		45.75				
combintaion- per month Nonrecurring Currently Combined Network Elements Switch -As- Is Charge WNC1X UNCC UNCC 5.63 5.63 7.20 7.20 15.75 15.75 15.75 15.75 15.75			1	4	UNCINA	UILZX	59.18	117.61	79.92	5∠.82	10.37	-	15./5				
Is Charge		combintaion- per month			UNCNX	UC1CA	2.62	6.62	4.74				15.75				<u> </u>
4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 INTEROFFICE TRANSPORT (EEL) First DS1 Loop in STS1 Interoffice Transport Combination -			1		UNC1X	UNCCC		5.63	5.63	7.20	7.20		15.75				
	4-WIRE	DS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 IN	ITEROF	FICE TI				3.30	5.50	20	20						
		First DS1 Loop in STS1 Interoffice Transport Combination - Zone 1		1	UNC1X	USLXX	79.08	253.93	158.45	46.10	12.07		15.75				

UNBUNDLE	D NETWORK ELEMENTS - Mississippi												Attachment:	2		Exhibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec First	urring Add'l	Nonrecurring First	Disconnect Add'l	SOMEC	SOMAN	OSS I	RATES (\$)	SOMAN	SOMAN
	First DS1 Loop in STS1 Interoffice Transport Combination - Zone 2		2	UNC1X	USLXX	129.38	253.93			12.07	0020	15.75			00	
	First DS1 Loop in STS1 Interoffice Transport Combination -							158.45	46.10							
	Zone 3 First DS1 Loop in STS1 Interoffice Transport Combination -		3	UNC1X	USLXX	206.74	253.93	158.45	46.10	12.07		15.75				
	Zone 4		4	UNC1X	USLXX	458.46	253.93	158.45	46.10	12.07		15.75				
	Interoffice Transport - Dedicated - STS1 combination - Per Mile Per Month			UNCSX	1L5XX	4.29										
	Interoffice Transport - Dedicated - STS1 combination - Facility Termination			UNCSX	U1TFS	644.21	280.37	163.70	62.08	60.29		15.75				
1	STS1 to DS1 Channel System conbination per month			UNCSX	MQ3	107.63	179.17	94.52	34.30	32.82		15.75				
	DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	12.96	6.62	4.74		·		15.75				
	Additional DS1Loop in STS1 Interoffice Transport Combination - Zone 1		1	UNC1X	USLXX	79.08	253.93	158.45	46.10	12.07		15.75				
	Additional DS1Loop in STS1 Interoffice Transport Combination - Zone 2		2	UNC1X	USLXX	129.38	253.93	158.45	46.10	12.07		15.75				
	Additional DS1Loop in STS1 Interoffice Transport Combination -		_													
	Zone 3 Additional DS1Loop in STS1 Interoffice Transport Combination -		3	UNC1X	USLXX	206.74	253.93	158.45	46.10	12.07		15.75				
	Zone 4		4	UNC1X	USLXX	458.46	253.93	158.45	46.10	12.07		15.75				
	DS3 Interface Unit (DS1 COCI) combination per month Nonrecurring Currently Combined Network Elements Switch -As-			UNC1X	UC1D1	12.96	6.62	4.74				15.75				
	Is Charge			UNCSX	UNCCC		5.63	5.63	7.20	7.20		15.75				
4-WIRE	56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS INTERO	FFICE T	RANS	PORT (EEL)												
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	27.44	126.53	88.85	60.68	14.64		15.75				
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	34.55	126.53	88.85	60.68	14.64		15.75				
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport			ONODA	ODLOG	34.33	120.55	00.03	00.00	14.04		13.73				
	Combination - Zone 3 4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport		3	UNCDX	UDL56	40.76	126.53	88.85	60.68	14.64		15.75				
	Combination - Zone 4		4	UNCDX	UDL56	32.25	126.53	88.85	60.68	14.64		15.75				
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Per Mile			UNCDX	1L5XX	0.00088										
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -															
	Facility Termination Nonrecurring Currently Combined Network Elements Switch -As-			UNCDX	U1TD5	14.14	40.78	27.57	17.26	7.11		15.75				
	Is Charge			UNCDX	UNCCC		5.63	5.63	7.20	7.20		15.75				
4-WIRE	64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTERO	FFICE T	RANSE	PORT (EEL)												<u> </u>
	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	27.44	126.53	88.85	60.68	14.64		15.75				
	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	34.55	126.53	88.85	60.68	14.64		15.75				
	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport		3	UNCDX	UDL64	40.76										
	Combination - Zone 3 4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport						126.53	88.85	60.68	14.64		15.75				
	Combination - Zone 4 Interoffice Transport - Dedicated - 4-wire 64 kbps combination -		4	UNCDX	UDL64	32.25	126.53	88.85	60.68	14.64		15.75				
	Per Mile			UNCDX	1L5XX	0.00088										
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Facility Termination			UNCDX	U1TD6	14.14	40.78	27.57	17.26	7.11		15.75				
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNCDX	UNCCC		5.63	5.63	7.20	7.20		15.75				
	IETWORK ELEMENTS							5.00	20	20		.5.76				
	used as a part of a currently combined facility, the non-recurr															
	used as ordinarilty combined network elements in Georgia, th					As Is Charge d	oes not.									
Nonrec	curring Currently Combined Network Elements "Switch As Is"	Charge	(One a	pplies to each com	pination)						<u> </u>	l			l	<u> </u>

HINBLIND	ED NETWORK ELEMENTS - Mississippi											1	Attackment:	2		Exhibit: B
ONDONDL	LD NET WORK ELEMENTS - MISSISSIPPI	l									1	1	Attachment:			
													Incremental	Incremental	Incremental	Incremental
													Charge -	Charge -	Charge -	Charge -
CATEGOR	Y RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)					Manual Svc	Manual Svc	Manual Svc	
		m										Submitted	Order vs.	Order vs.	Order vs.	Order vs.
											Elec	Manually	Electronic-	Electronic-	Electronic-	Electronic-
											per LSR	per LSR	1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonrec		Nameaumin	g Disconnect			222	RATES (\$)		
-						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN		SOMAN	SOMAN
	2/4-Wire VG Interoffice Channel used in a COMBINATION -						11131	Auu i	11130	Addi	JOINEO	JONAN	JOWAN	JOWAN	JOHIAN	JOMAN
	"Switch As Is" Conversion Charge			UNCVX	UNCCC		5.63	5.63	7.20	7.20		15.75				
	56/64 kbps Interoffice Channel used in a COMBINATION -															
	"Switch As Is" Conversion Charge			UNCDX	UNCCC		5.63	5.63	7.20	7.20		15.75				
	DS1 Interoffice Channel used in a COMBINATION - "Switch As															
	Is" Conversion Charge			UNC1X	UNCCC		5.63	5.63	7.20	7.20		15.75				
	DS3 Interoffice Channel used in a COMBINATION - "Switch As															
	Is" Conversion Charge			UNC3X	UNCCC		5.63	5.63	7.20	7.20		15.75				
	STS1 Interoffice or Local Loop used in a COMBINATION -			UNCSX	UNCCC		5.63	5.63	7.20	7.20		45.75				
NOT	"Switch As Is" Conversion Charge E: Local Channel - Dedicated Transport - minimum billing perio	d Dala	DC2				5.03	5.03	7.20	7.20		15.75				
	D LOCAL EXCHANGE SWITCHING(PORTS)	u - Belo	w D33:	one month, DSS an	d above=iou	months										-
	nange Ports	 			<u> </u>				1							
	E: Although the Port Rate includes all available features in GA,	KY. LA	& TN. ti	ne desired features	will need to b	e ordered usin	a retail USOCs	5								
	RE VOICE GRADE LINE PORT RATES (RES)	1	.,							Ì						
	Exchange Ports - 2-Wire Analog Line Port- Res.			UEPSR	UEPRL	1.41	2.39	2.29	1.42	1.33		15.75				
	Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.			UEPSR	UEPRC	1.41	2.39	2.29	1.42	1.33		15.75				
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Res.			UEPSR	UEPRO	1.41	2.39	2.29	1.42	1.33		15.75				
	Exchange Ports - 2-Wire VG unbundled MS extended local				l											
	dialing parity Port with Caller ID - Res.			UEPSR	UEPAT	1.41	2.39	2.29	1.42	1.33		15.75				
	Exchange Ports - 2-Wire VG unbundled res, low usage line port with Caller ID (LUM)			UEPSR	UEPAP	1.41	2.39	2.29	1.42	4.00		45.75				
	Subsequent Activity	1		UEPSR	USASC	0.00	0.00	0.00	1.42	1.33	-	15.75				-
EE A	TURES			OLFOR	USASC	0.00	0.00	0.00								-
1.27	All Available Vertical Features			UEPSR	UEPVF	2.56	0.00	0.00				15.75				
2-WI	RE VOICE GRADE LINE PORT RATES (BUS)															
	Exchange Ports - 2-Wire Analog Line Port without Caller ID -															
	Bus			UEPSB	UEPBL	1.41	2.39	2.29	1.42	1.33		15.75				
	Exchange Ports - 2-Wire VG unbundled Line Port with															
	unbundled port with Caller+E484 ID - Bus.			UEPSB	UEPBC	1.41	2.39	2.29	1.42	1.33		15.75				
<u> </u>	Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus.			UEPSB	UEPBO	1.41	2.39	2.29	1.42	1.33		15.75				
	Exchange Ports - 2-Wire VG unbundled MS extended local dialing parity Port with Caller ID - Bus.	1		UEPSB	UEPAY	1.41	2.39	2.29	1.42	1.33		15.75				
 	Exhange Ports - 2-Wire VG unbundled incoming only port with	!		טבו טט	OLFAI	1.41	2.39	2.29	1.42	1.33		13.73				
	Caller ID - Bus	1		UEPSB	UEPB1	1.41	2.39	2.29	1.42	1.33		15.75				
	Subsequent Activity	1		UEPSB	USASC	0.00	0.00	0.00		50				1		
FEA	TURES															
	All Available Vertical Features			UEPSB	UEPVF	2.56	0.00	0.00				15.75				
EXC	HANGE PORT RATES (DID & PBX)															
	2-Wire VG Unbundled 2-Way PBX Trunk - Res	ļ		UEPSE	UEPRD	1.41	31.45	14.93	14.38	0.92		15.75				ļ
 	2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus	ļ		UEPSP	UEPPC	1.41	31.45	14.93	14.38	0.92		15.75				
	2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus	ļ		UEPSP	UEPPO UEPP1	1.41	31.45	14.93	14.38	0.92 0.92		15.75				
\vdash	2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus 2-Wire Analog Long Distance Terminal PBX Trunk - Bus	 		UEPSP UEPSP	UEPP1 UEPLD	1.41 1.41	31.45 31.45	14.93 14.93	14.38 14.38	0.92		15.75 15.75				
 	2-Wire Voice Unbundled PBX LD Terminal Ports	l		UEPSP	UEPLD	1.41	31.45	14.93	14.38	0.92		15.75		-		+
	2-Wire Vice Unbundled 2-Way PBX Usage Port	1		UEPSP	UEPXA	1.41	31.45	14.93	14.38	0.92		15.75				
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports	1		UEPSP	UEPXB	1.41	31.45	14.93	14.38	0.92	<u> </u>	15.75				
	2-Wire Voice Unbundled PBX LD DDD Terminals Port	1		UEPSP	UEPXC	1.41	31.45	14.93	14.38	0.92		15.75				
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPSP	UEPXD	1.41	31.45	14.93	14.38	0.92		15.75				
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD															
	Capable Port	1		UEPSP	UEPXE	1.41	31.45	14.93	14.38	0.92		15.75				
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
	Administrative Calling Port	ļ		UEPSP	UEPXL	1.41	31.45	14.93	14.38	0.92		15.75				
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy	1		LIEDOD	LIEDVAA	ا ا	04	44.00	44.00	0.55		45				
L	Room Calling Port	l		UEPSP	UEPXM	1.41	31.45	14.93	14.38	0.92	1	15.75		I		1

UNBUND	LED NETWORK ELEMEN	ITS - Mississippi												Attachment:	2		Exhibit: B
CATEGOR		E ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incremental Charge -
							Rec	Nonred	rrina	Nonrocurrin	g Disconnect			088	RATES (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Unbundled 1-	Way Outgoing PBX Hotel/Hospital							7144		7.44	0020					
	Discount Room Calling Por				UEPSP	UEPXO	1.41	31.45	14.93	14.38	0.92		15.75				
	2-Wire Voice Unbundled 2-	Way PBX Mississippi Local Economy															
	Calling Port				UEPSP	UEPXQ	1.41	31.45	14.93	14.38	0.92		15.75				
		Way PBX Mississippi Local Optional			LIEDOD	LIEDVD	4.44	04.45	1100	44.00	0.00		45.75				
-	Calling Port	Way Outgoing PBX Measured Port	-		UEPSP UEPSP	UEPXR UEPXS	1.41 1.41	31.45 31.45	14.93 14.93	14.38 14.38	0.92 0.92		15.75 15.75				
-	Subsequent Activity	way Outgoing PBA Measured Port			UEPSP	USASC	0.00	0.00	0.00	14.30	0.92		13.73				
FE/	ATURES				OLI GI	00/100	0.00	0.00	0.00								
	All Available Vertical Featur	res	1		UEPSP UEPSE	UEPVF	2.56	0.00	0.00	1	1		15.75				
EX	CHANGE PORT RATES (COIN)																
	Exchange Ports - Coin Port				L	L	1.41	2.39	2.29	1.42	1.33		15.75		1		1
NO	TE: Transmission/usage char	ges associated with POTS circuit s	witched	usage	will also apply to ci	ircuit switche	ed voice and/or	circuit switch	ed data transm	nission by B-Cl	hannels associ	iated with 2	-wire ISDN p	orts.			
	TE: Access to B Channel or D ED LOCAL EXCHANGE SWITC	Channel Packet capabilities will be	e availal	ore only	y tnrough BFR/New	Business Re	quest Process.	kates for the	packet capabi	uties will be de	etermined via t	ne Bona Fid	de Request/	New Busines:	s Request Pro	cess.	1
	CHANGE PORT RATES (DID &																
	Exchange Ports - 2-Wire D				UEPEX	UEPP2	8.25	120.00	18.85	61.77	3.88		15.75			1.97	
		ort - 4-Wire DS1 Port with DID			02.12%	022	0.20	120.00	10.00	0	0.00		10.10				
	capability				UEPDD	UEPDD	58.41	203.19	96.25	74.86	2.54		15.75			1.97	
		DN Port (See Notes below.)			UEPTX UEPSX	U1PMA	13.69	73.19	53.30	47.90	10.76		15.75			1.97	
	All Features Offered				UEPTX UEPSX	UEPVF	2.56	0.00	0.00				15.75			1.97	
NO	TE: Transmission/usage char	ges associated with POTS circuit s	witched	usage	will also apply to ci	ircuit switche	ed voice and/or	circuit switch	ed data transm	nission by B-Cl	hannels associ	iated with 2	-wire ISDN p	orts.			
NO		Channel Packet capabilities will be	e availal	ole only						lities will be de	etermined via t	he Bona Fi	de Request/	New Busines:	s Request Pro	cess.	
-	Exchange Ports - 2-Wire IS Exchange Ports - 4-Wire IS	DN Port Channel Profiles			UEPTX UEPSX UEPEX	U1UMA UEPEX	0.00 84.63	0.00 205.00	0.00 102.14	81.65	20.69		15.75			1.97	
UNBUNDLE	ED LOCAL SWITCHING, PORT				OLFLX	OLFLX	04.03	203.00	102.14	81.03	20.09		13.73		1	1.97	1
	d Office Switching (Port Usage																
	End Office Switching Func						0.0010269										
	End Office Trunk Port - Sha						0.000161										
Tar	ndem Switching (Port Usage) (
	Tandem Switching Function						0.0001723										
Co	Tandem Trunk Port - Share	ed, Per MOU				-	0.0001828								-		-
Col	mmon Transport Common Transport - Per M	ile Per MOLI					0.0000026										
	Common Transport - Facilit						0.0004541										
UNBUNDLE	ED PORT/LOOP COMBINATION																
		ere BellSouth is required by FCC a															
Fea	atures shall apply to the Unbu	ndled Port/Loop Combination - Cos	st Based	I Rate s	section in the same	manner as th	ey are applied	to the Stand-A	lone Unbundle	ed Port section	of this Rate E	xhibit.					
End	d Office and Tandem Switchin	g Usage and Common Transport U	sage rat	es in th	ne Port section of th	is rate exhibi	it shall apply to	all combination	ons of loop/po	ort network ele	ments except	for UNE Coi	in Port/Loor	Combination	ns.		
											•						
		a, MIssissippi and Tennessee, the r															
		In GA, KY, LA, MS and TN these no							, NC and SC tl	hese nonrecuri	ring charges ar	re Market Ra	ates and are	listed in the	Market Rate s	ection. For	Currently
		ates, the nonrecurring charges sha	ll be the	se ide	ntified in the Nonre	curring - Curi	rently Combine	d sections.				1					
	VIRE VOICE GRADE LOOP WIT		<u> </u>			-				-	-	<u> </u>					
UN	2-Wire VG Loop/Port Comb		1	1		<u> </u>	12.22			_	_	1	-		 		
\vdash	2-Wire VG Loop/Port Comb		 	2			17.13								 		
	2-Wire VG Loop/Port Comb		1	3			26.26			1	1				1		1
	2-Wire VG Loop/Port Comb		1	4			44.91										
UN	E Loop Rates																
	2-Wire Voice Grade Loop (S			1	UEPRX	UEPLX	10.98										
	2-Wire Voice Grade Loop (\$		1	2	UEPRX	UEPLX	15.91										
\vdash	2-Wire Voice Grade Loop (S		1	3	UEPRX	UEPLX	25.04					1	<u> </u>		ļ		
1 1						LIEDLY	40.00						1				
2-M	2-Wire Voice Grade Loop (S Vire Voice Grade Line Port Rat			4	UEPRX	UEPLX	43.68										

4Q01:12/01/01 PAGE 204 OF 324

INBUNDLE	D NETWORK ELEMENTS - Mississippi												Attachment:	2		Exhibit:
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrec		Nonrecurring					ATES (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire voice unbundled port - residence			UEPRX	UEPRL	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire voice unbundled port with Caller ID - res			UEPRX	UEPRC	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire voice unbundled port outgoing only - res			UEPRX	UEPRO	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire voice Grade unbundled Mississippi extended local dialing parity port with Caller ID - res			UEPRX	UEPAT	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire voice unbundles res, low usage line port with Caller ID (LUM)			UEPRX	UEPAP	1.23	40.31	19.84	24.90	6.58		15.75				
FEATU																1
	All Features Offered	ļ	<u> </u>	UEPRX	UEPVF	2.56	0.00	0.00				15.75				<u> </u>
LOCAL	NUMBER PORTABILITY	ļ		LUEDOV	Lunav											
None	Local Number Portability (1 per port)	 	<u> </u>	UEPRX	LNPCX	0.35					1				-	
NONRE	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED 2-Wire Voice Grade Loop / Line Port Combination - Conversion -	1			+		-				ļ					
	Switch-as-is			UEPRX	USAC2		0.0988	0.0988				15.75				
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change			UEPRX	USACC		0.0988	0.0988				15.75				
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Subsequent Database Update						0.00	0.00				15.75				
ADDITI	IONAL NRCs															1
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity			UEPRX	USAS2	0.00	0.00	0.00				15.75				
2-WIRE	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)															
UNE Po	ort/Loop Combination Rates															1
	2-Wire VG Loop/Port Combo - Zone 1		1			12.22										
	2-Wire VG Loop/Port Combo - Zone 2		2			17.13										
	2-Wire VG Loop/Port Combo - Zone 3		3			26.26										
UNE Lo	oop Rates															
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPBX	UEPLX UEPLX	10.98 15.91										
	2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPBX UEPBX	UEPLX	25.04										
	2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire Voice Grade Loop (SL1) - Zone 4		4	UEPBX	UEPLX	43.68										
2-Wire	Voice Grade Line Port (Bus)		7	OLI DX	OLI LX	43.00										
2 11110	2-Wire voice unbundled port without Caller ID - bus			UEPBX	UEPBL	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire voice unbundled port with Caller + E484 ID - bus			UEPBX	UEPBC	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire voice unbundled port outgoing only - bus			UEPBX	UEPBO	1.23	40.31	19.84	24.90	6.58		15.75			1	
	2-Wire voice Grade unbundled Mississippi extended local												İ			
	dialing parity port with Caller ID - bus			UEPBX	UEPAY	1.23	40.31	19.84	24.90	6.58		15.75			<u> </u>	
	2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPBX	UPEB1	1.23	40.31	19.84	24.90	6.58		15.75				
LOCAL	NUMBER PORTABILITY			LUEDOV	Lunge											ļ
	Local Number Portability (1 per port)	ļ	ļ	UEPBX	LNPCX	0.35										
FEATU	All Features Offered	 		UEPBX	UEPVF	2.56	0.00	0.00			1	15.75				
	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED	1		OLFDA	UEFVF	∠.50	0.00	0.00			}	15.75			1	
NONKE	2-Wire Voice Grade Loop / Line Port Combination - Conversion -	 	 		+	ł	ł				1					
	Switch-as-is			UEPBX	USAC2		0.0988	0.0988				15.75				
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change			UEPBX	USACC		0.0988	0.0988								
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Subsequent Database Update						0.00	0.00				15.75				
ADDITI	IONAL NRCs	ļ			1											<u> </u>
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity			UEPBX	USAS2							15.75				
	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)										<u> </u>					<u> </u>
UNE Po	ort/Loop Combination Rates															<u> </u>
_	2-Wire VG Loop/Port Combo - Zone 1	<u> </u>	1			12.22									ļ	
	2-Wire VG Loop/Port Combo - Zone 2	I	2			17.13					<u> </u>					1
	2-Wire VG Loop/Port Combo - Zone 3		3			26.26										

CATEGORY BATE FLEMENTS Mind Row BCS USOC BATE FLEMENTS Bate Company	UNBUNDLE	NETWORK ELEMENTS - Mississippi												Attachment:	2		Exhibit: B
New Local Control Co				Zone	BCS	usoc			RATES(\$)			Submitted Elec	Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs.
UNIFOCATION 1.00							Rec										
Divine visco classes Loop (St. 1) - Zoor 1								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
SWING VISIO CORRECTION DOTS 1.0 MPN 1.0						LIEBLY	10.00										
SWIN Vivos Cinida Loco (S. 1) - Zon 9 3 UEPRO UEPLX 2501																	
2-Win Vote Contract Long (St. 1) - Zone 4																	
2 2 2 2 2 2 2 2 2 2													-				+
Deptile Continue	2-Wire \			7	OLI NO	OLILX	43.00										+
Res																	†
Local Number Potability per port UPPRG UMPCP 3.15 0.00 0.00					UEPRG	UEPRD	1.23	69.37	32.48	37.86	6.17		15.75				
FEATURES	LOCAL	NUMBER PORTABILITY															
MP relatives Offited UEPRG					UEPRG	LNPCP	3.15	0.00	0.00								
NONNECURRING CHARGES (NRCs) - CURRENTLY COMBINED 2-Wire Victor Grades Lorg / In Port Combination (PBS) - Currention - Switch Axis U.E.PRG																	
2-Wire Valor Grade Loop Line Port Combristion (PBX) - UEPRG USAC2			ļ		UEPRG	UEPVF	2.56	0.00	0.00				15.75				
Conversion - Switch-As-ig UEPRG USACC 7.66 1.91 1.75 1.75			 			-					-			-	 	1	+
2-Wire Voce Grade Loop / Line Port Combination (PSX)					LIEDDG	LIGACO		7.00	1.04				45 75				
Conversion - Substantial Change UPPRG USACC 7,96 1.91 15,75 15,7					UEPRG	USACZ		7.96	1.91				15.75				
2-Wire Vote Grade Loop / Line Port Combination - Conversion -					LIEDRO	LISACC		7.96	1 01				15 75				
Subsequent Database Update					OLITIO	OOACC		7.30	1.31				13.73				+
ADDITIONAL INCS								0.00	0.00				15.75				
Salvier Voice Grade Loop/ Line Port Combination (PBV)								0.00	0.00				10.70				1
Subsequent Activity - Change/Rearrange Multiline Hunt Group T.36																	
Composition Combination Rates Combinatio					UEPRG	USAS2	0.00	0.00	0.00				15.75				
2-Wire Voic Grade Loop (St.1) - Zone 1		PBX Subsequent Activity - Change/Rearrange Multiline Hunt															
Net Port/Logo/Combination Rates								7.36	7.36				15.75				
2-Wire VG Loop/Port Combo - Zone 1																	
2-Wire VG Loop/Port Combo - Zone 2 2 17.13																	
2-Wire Vol LoopPort Combo - Zone 3 3 26.26																	
2-Wire Voice Grade Loop (SL 1) - Zone 1																	
Wile Loop Rates																	+
2-Wire Voice Grade Loop (SL 1) - Zone 1				4		-	44.91						-				+
2-Wire Voice Grade Loop (SL 1) - Zone 2 2 UEPPX UEPLX 15.91				1	HEDDY	LIEDLY	10.08										+
2-Wire Voice Grade Loop (St. 1) - Zone 3 3 UEPPX UEPLX 25.04																	+
2-Wire Voice Grade Line Port Rates (BUS - PBX)																	+
2-Wire Voice Grade Line Port Rates (BUS - PBX)																	+
Line Side Unbundled Outward PBX Trunk Port - Bus UEPPX UEPPO 1.23 69.37 32.48 37.86 6.17 15.75																	1
Line Side Unbundled Outward PBX Trunk Port - Bus UEPPX UEPPO 1.23 69.37 32.48 37.86 6.17 15.75		·															
Line Side Unbundled Incoming PBX Trunk Port - Bus																	
2-Wire Voice Unbundled PBX LD Terminal Ports UEPPX UEPLD 1.23 69.37 32.48 37.86 6.17 15.75																	<u> </u>
2-Wire Voice Unbundled 2-Way Combination PBX Usage Port UEPPX UEPXA 1.23 69.37 32.48 37.86 6.17 15.75																	↓
2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports UEPPX UEPX			 									1			 	 	+
2-Wire Voice Unbundled PBX LD DDD Terminals Port UEPPX UEPX			 											-			+
2-Wire Voice Unbundled PBX LD Terminal Switchboard Port UEPPX UEPX UEPX 1.23 69.37 32.48 37.86 6.17 15.75			1	\vdash								1		1	1	1	+
2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD UEPPX UEPX			1									-			 	1	+
Capable Port						22.7.2	20	55.07	32.40	300	5.17						
2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port UEPX UEPX UEPX UEPX UEPX UEPX UEPX UEP			1		UEPPX	UEPXE	1.23	69.37	32.48	37.86	6.17		15.75		1	1	1
Administrative Calling Port UEPPX UEPX UEPX 1.23 69.37 32.48 37.86 6.17 15.75			l												1	1	1
Room Calling Port		Administrative Calling Port	<u> </u>	<u> </u>	UEPPX	UEPXL	1.23	69.37	32.48	37.86	6.17	<u> </u>	15.75		<u> </u>	<u> </u>	<u> </u>
2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port UEPX UEPX UEPX UEPX UEPX 1.23 69.37 32.48 37.86 6.17 15.75															1	1	
Discount Room Calling Port UEPPX UEPX			<u> </u>		UEPPX	UEPXM	1.23	69.37	32.48	37.86	6.17		15.75				<u> </u>
2-Wire Voice Unbundled 2-Way PBX Mississippi Local Economy UEPX UEPX UEPX 1.23 69.37 32.48 37.86 6.17 15.75 15.7											_						
Calling Port UEPPX UEPX 1.23 69.37 32.48 37.86 6.17 15.75 15.75 2-Wire Voice Unbundled 2-Way PBX Mississippi Local Optional Calling Port UEPPX UEPX 1.23 69.37 32.48 37.86 6.17 15.75			 		UEPPX	UEPXO	1.23	69.37	32.48	37.86	6.17		15.75				+
2-Wire Voice Unbundled 2-Way PBX Mississippi Local Optional Calling Port UEPPX UEPX 1.23 69.37 32.48 37.86 6.17 15.75			1		LIEDDY	LIEDYO	1 22	60.27	22.40	27.06	6 17		15.75		1	1	1
Calling Port UEPPX UEPXR 1.23 69.37 32.48 37.86 6.17 15.75			 		ULFFA	UEFAQ	1.23	09.37	32.48	31.80	0.17		15.75				+
			1		LIEPPX	LIEPYR	1 22	69 37	32 49	37 86	6 17		15.75		1	1	1
2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port UEPPX UEPXS 1.23 69.37 32.48 37.86 6.17 15.75			†									<u> </u>			 	 	

UNBUNDLE	D NETWORK ELEMENTS - Mississippi												Attachment:	2		Exhibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Submitted Manually	Incremental Charge - Manual Svc		Charge -	Incremental Charge -
						Rec	Nonrec			g Disconnect				RATES (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
LOCAL	NUMBER PORTABILITY Local Number Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00								
FEATU				UEPPA	LINECE	3.15	0.00	0.00								
LATO	All Features Offered			UEPPX	UEPVF	2.56	0.00	0.00				15.75				
NONRE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED			-												
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
	Conversion - Switch-As-Is			UEPPX	USAC2		7.96	1.91				15.75				
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch with Change			UEPPX	USACC		7.96	1.91				15.75				
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -	1					0.00	0.00				45.75				İ
ADDITI	Subsequent Database Update ONAL NRCs	-			+	 	0.00	0.00			 	15.75				⊢—
ADDITI	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -				+						 					
	Subsequent Activity			UEPPX	USAS2	0.00	0.00	0.00				15.75				
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt										1					
	Group						7.36	7.36				15.75				
	VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POR	RT														
UNE Po	ort/Loop Combination Rates	1	1			40.00										├
	2-Wire VG Coin Port/Loop Combo – Zone 1 2-Wire VG Coin Port/Loop Combo – Zone 2		2		-	12.22 17.13										
	2-Wire VG Coin Port/Loop Combo – Zone 3		3			26.26										
	2-Wire VG Coin Port/Loop Combo – Zone 4		4		1	44.91										
UNE Lo	pop Rates															
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPCO	UEPLX	10.98										
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPCO	UEPLX	15.91										
	2-Wire Voice Grade Loop (SL1) - Zone 3	1	3	UEPCO	UEPLX	25.04										
2-Wire	2-Wire Voice Grade Loop (SL1) - Zone 4 Voice Grade Line Ports (COIN)		4	UEPCO	UEPLX	43.68										
2 ******	2-Wire Coin 2-Way without Operator Screening and without															
	Blocking (AL, KY, LA, MS)			UEPCO	UEPRF	1.23	40.31	19.84	24.90	6.58		15.75				ĺ
	2-Wire Coin 2-Way without Operator Screening and without															
	Blocking; with Dialing Parity (Note 3) (MS)			UEPCO	UEPMC	1.23	40.31	19.84	24.90	6.58		15.75				1
	2-Wire Coin 2-Way with Operator Screening and Blocking: 011, 900/976, 1+DDD (AL, KY, LA, MS)			UEPCO	UEPRA	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire Coin 2-W with Operator Screening and Blocking: 011,				1											İ
	900/976, 1+DDD; with Dialing Parity (MS) 2-Wire Coin 2-Way with Operator Screening and 011 Blocking			UEPCO	UEPMA	1.23	40.31	19.84	24.90	6.58		15.75				
	(AL, LA, MS)			UEPCO	UEPRB	1.23	40.31	19.84	24.90	6.58		15.75				
<u> </u>	2-Wire Coin 2-Way with Operator Screening and 011 Blocking; with Dialing Parity (MS)			UEPCO	UEPMB	1.23	40.31	19.84	24.90	6.58		15.75				<u> </u>
	2-Wire Coin 2-Way with Operator Screening & Blocking:			115000	LIEDOD	4.00	40.01	40.01	04.00	0.50		45				1
	900/976, 1+DDD, 011+, & Local (AL, KY, LA, MS) 2-Wire Coin 2-W Operator Screening: 900 Block: 900/976,	1		UEPCO	UEPCD	1.23	40.31	19.84	24.90	6.58	1	15.75				
	1+DDD, 011+, Local; with Dialing Parity (MS)			UEPCO	UEPCJ	1.23	40.31	19.84	24.90	6.58		15.75				1
	2-Wire Coin Outward without Blocking and without Operator Screening (KY, LA, MS)			UEPCO	UEPRN	1.23	40.31	19.84	24.90	6.58		15.75				<u> </u>
	2-Wire Coin Outward without Blocking and without Operator Screening; With Dailing Parity (MS)			UEPCO	UEPME	1.23	40.31	19.84	24.90	6.58		15.75				1
	2-Wire Coin Outward with Operator Screening and 011 Blocking	1		0L1 00	OLFIVIL	1.23	40.31	13.04	24.90	0.56		15.75				
	(GA, KY, MS)			UEPCO	UEPRJ	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire Coin Outward with Operator Screening and 011 Blocking; with Dialing Parity (MS)			UEPCO	UEPMD	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire Coin Outward with Operator Screening and Blocking: 011, 900/976, 1+DDD (AL, KY, LA, MS)			UEPCO	UEPRH	1.23	40.31	19.84	24.90	6.58		15.75				1
	2-Wire Coin Outward Operator Screening & Blocking: 900/976, 1+DDD, 011+, and Local (AL, KY, LA, MS)			UEPCO	UEPCN	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire Coin Out Operator Screen & Block: 900/976, 1+DDD,	1		OLFCO	UEPUN	1.23	40.31	19.84	24.90	86.0	 	15.75				<u> </u>
	011+, and Local; with Dialing Parity (MS)			UEPCO	UEPCS	1.23	40.31	19.84	24.90	6.58		15.75				<u> </u>

UNBUNDLE	ED NETWORK ELEMENTS - Mississippi			1	1						1		Attachment:	2		Exhibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Order vs. Electronic-
						Rec	Nonrec		Nonrecurring					RATES (\$)		
-	2-Wire 2-Way Smartline with 900/976 (all states except LA)			UEPCO	UEPCK	1.23	First 40.31	Add'l 19.84	First 24.90	Add'I 6.58	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Coin Outward Smartline with 900/976 (all states except			UEPCO	UEFCK	1.23	40.31	19.04	24.90	6.36						
	LA)			UEPCO	UEPCR	1,23	40.31	19.84	24.90	6.58						
ADDIT	TIONAL UNE COIN PORT/LOOP (RC)															
	UNE Coin Port/Loop Combo Usage (Flat Rate)			UEPCO	URECU	4.62	0.00	0.00								
LOCA	L NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPCO	LNPCX	0.35										
FEAT																
NONR	RECURRING CHARGES - CURRENTLY COMBINED			1	1										 	
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is			UEPCO	USAC2		0.0988	0.0988				15.75				
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -									-						
	Switch with change			UEPCO	USACC		0.0988	0.0988				15.75				
ADDIT	TIONAL NRCs															
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent		1	LIEDOO	110465						1					
LINDUNDLED	Activity BORT OOR COMPINATIONS COST BASED BATES			UEPCO	USAS2	1	0.00	0.00				15.75			 	
	PORT/LOOP COMBINATIONS - COST BASED RATES RE VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	PORT	-	1		1			-		-			-	-	
	Port/Loop Combination Rates	PURI														
ONE I	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1		1			21.32										
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2		2			26.16										
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3		3			34.98										
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 4		4			53.15										
UNE L	Loop Rates															
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1		1	UEPPX	UECD1	13.89										
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2		2	UEPPX	UECD1	18.75										1
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3 2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 4		3	UEPPX UEPPX	UECD1 UECD1	27.55 45.72										-
LINE	Port Rate		4	UEPPX	DECDI	45.72										
ONL	Exchange Ports - 2-Wire DID Port			UEPPX	UEPD1	7.43	225.96	87.13	114.59	14.25		15.75			1.97	
NONR	RECURRING CHARGES - CURRENTLY COMBINED			OLI I X	OLIDI	7.40	220.00	07.10	114.00	14.20		10.70			1.07	
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination -															
	Switch-as-is			UEPPX	USAC1		7.35	1.88				15.75			1.97	
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion															
	with BellSouth Allowable Changes			UEPPX	USA1C		7.35	1.88				15.75			1.97	
ADDIT	TIONAL NRCs			ļ. <u></u>											ļ	
	2-Wire DID Subsequent Activity - Add Trunks, Per Trunk		ļ	UEPPX	USAS1		26.94	26.94				15.75			1.97	
I elepi	hone Number/Trunk Group Establisment Charges DID Trunk Termination (One Per Port)			UEPPX	NDT	0.00	0.00	0.00				15.75			1.97	
	Additional DID Numbers for each Group of 20 DID Numbers			UEPPX	ND4	0.00	0.00	0.00	-			15.75		-	1.97	
	DID Numbers, Non- consecutive DID Numbers , Per Number		 	UEPPX	ND5	0.00	0.00	0.00				15.75			1.97	
	Reserve Non-Consecutive DID numbers			UEPPX	ND6	0.00	0.00	0.00				15.75			1.97	
	Reserve DID Numbers			UEPPX	NDV	0.00	0.00	0.00				15.75			1.97	
LOCA	L NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00								
	E ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LII	NE SIDE	PORT													
UNE F	Port/Loop Combination Rates															
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 1		1	UEPPB UEPPR		28.59										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 2		2	UEPPB UEPPR		35.00										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -															
	UNE Zone 3		3	UEPPB UEPPR		45.18										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 4		4			67.61										
UNE L	_oop Rates															
	2-Wire ISDN Digital Grade Loop - UNE Zone 1		1	UEPPB UEPPR	USL2X	18.26						15.75			1.97	

CITUCITULE	D NETWORK ELEMENTS - Mississippi													Attachment:	2		Exhibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	E	acs	USOC			RATES(\$)				Submitted	Incremental Charge - Manual Svc	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
							Rec	Nonred	currina	Nonrecurring	g Disconnect	P			RATES (\$)		
							1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN		SOMAN	SOMAN
\vdash	2-Wire ISDN Digital Grade Loop - UNE Zone 2 2-Wire ISDN Digital Grade Loop - UNE Zone 3		3	UEPPB UEPPB	UEPPR UEPPR	USL2X USL2X	24.67 34.85						15.75 15.75			1.97 1.97	
	2-Wire ISDN Digital Grade Loop - UNE Zone 3			UEPPB	UEPPR	USL2X	57.28						15.75			1.97	
UNE Po																	
	Exchange Port - 2-Wire ISDN Line Side Port			UEPPB	UEPPR	UEPPB	10.33	190.80	133.22	100.72	21.13		15.75			1.97	
	CURRING CHARGES - CURRENTLY COMBINED																
	2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port Combination - Conversion			UEPPB	UEPPR	USACB	0.00	38.73	27.17				15.75			1.97	
	ONAL NRCs			OLFFB	ULFFR	USACD	0.00	30.73	21.11				13.73			1.97	
LOCAL	NUMBER PORTABILITY																
	Local Number Portability (1 per port)			UEPPB	UEPPR	LNPCX	0.35	0.00	0.00								
	NNEL USER PROFILE ACCESS:																
	CVS/CSD (DMS/5ESS) CVS (EWSD)			UEPPB UEPPB	UEPPR UEPPR	U1UCA U1UCB	0.00	0.00	0.00								
	CSD (EWSD)			UEPPB	UEPPR	U1UCC	0.00	0.00	0.00								
	NNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS S	C.MS. &	TN)	OLITE	OLITIK	01000	0.00	0.00	0.00								
	CVS/CSD (DMS/5ESS)	Ĺ		UEPPB	UEPPR	U1UCD	0.00	0.00	0.00								
	CVS (EWSD)			UEPPB	UEPPR	U1UCE	0.00	0.00	0.00								
	CSD			UEPPB	UEPPR	U1UCF	0.00	0.00	0.00								
	ERMINAL PROFILE User Terminal Profile (EWSD only)			UEPPB	UEPPR	U1UMA	0.00	0.00	0.00								
	CAL FEATURES			UEFFB	UEFFR	UTUMA	0.00	0.00	0.00								
	All Vertical Features - One per Channel B User Profile			UEPPB	UEPPR	UEPVF	2.56	0.00	0.00				15.75			1.97	
	OFFICE CHANNEL MILEAGE																
	Interoffice Channel mileage each, including first mile and																
	facilities termination				UEPPR	M1GNC	22.5298	40.77	27.57	17.26	7.11		15.75			1.97	
4-WIDE	Interoffice Channel mileage each, additional mile DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK	C DODT		UEPPB	UEPPR	M1GNM	0.0098	0.00	0.00								
	ort/Loop Combination Rates	TOKI															
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE																
	Zone 1		1	UEPPP			155.43										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE		_														
	Zone 2		2	UEPPP			205.74										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 3		3	UEPPP			283.10										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE		3	JLI FF		1	203.10										
	Zone 4	1	4	UEPPP		<u> </u>	534.81										
	op Rates																
	4-Wire DS1 Digital Loop - UNE Zone 1	-	1	UEPPP		USL4P	79.08						15.75			1.97	
	4-Wire DS1 Digital Loop - UNE Zone 2 4-Wire DS1 Digital Loop - UNE Zone 3	 	3	UEPPP		USL4P USL4P	129.38 206.74				-		15.75 15.75			1.97 1.97	
	4-Wire DS1 Digital Loop - UNE Zone 3	1	4	UEPPP		USL4P	458.46						15.75			1.97	
UNE Po																	
	Exchange Ports - 4-Wire ISDN DS1 Port			UEPPP		UEPPP	76.35	458.93	260.59	127.75	32.76		15.75			1.97	
	CURRING CHARGES - CURRENTLY COMBINED																
i	4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port			LIEDDD		110400	0.00	440.70	70.04				45.75			4.07	
ADDITI	Combination - Conversion -Switch-as-is ONAL NRCs	1		UEPPP		USACP	0.00	119.76	79.01				15.75			1.97	
	4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy-	t				+	1										
	Inward/two way tel nos within Std Allowance			UEPPP		PR7TF		0.49					15.75			1.97	
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port -																
	Outward Tel Numbers (All States except NC)			UEPPP		PR7TO		11.58	11.58				15.75			1.97	
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port -	1		LIEDOD		DDZZT		00.45	00.45				45.75			4.07	
	Subsequent Inward Tel Nos Above Std Allowance NUMBER PORTABILITY	 		UEPPP		PR7ZT	+	23.15	23.15		-		15.75			1.97	
	Local Number Portability (1 per port)	1		UEPPP		LNPCN	1.75										
	FACE (Provsioning Only)	1					0										İ

JNBUNDLED	NETWORK ELEMENTS - Mississippi												Attachment:	2		Exhibit:
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Order vs.	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrec		Nonrecurring					RATES (\$)		
					1		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Voice/Data			UEPPP UEPPP	PR71V	0.00	0.00	0.00								├
	Digital Data Inward Data			UEPPP	PR71D PR71E	0.00	0.00	0.00			1					
	Additional "B" Channel			OLFFF	FRIIL	0.00	0.00	0.00								—
	New or Additional - Voice/Data B Channel			UEPPP	PR7BV	0.00	14.61					15.75			1.97	
	New or Additional - Digital Data B Channel			UEPPP	PR7BF	0.00	14.61					15.75			1.97	
	New or Additional Inward Data B Channel			UEPPP	PR7BD	0.00	14.61					15.75			1.97	
	New or Additional Useage Sensitive Voice Data B Channel			UEPPP	PR7BS	0.00	14.61					15.75			1.97	
	New or Additional Useage Sensitive Digital Data B Channel			UEPPP	PR7BU	0.00	14.61					15.75			1.97	
CALL TY			<u> </u>	LIEDDD	DD7C:	2.00	2.25				<u> </u>					
	nward Dutungd		 	UEPPP UEPPP	PR7C1 PR7C0	0.00	0.00	0.00								
	Outward Two-way			UEPPP	PR7CC	0.00	0.00	0.00			1					
	rwo-way ce Channel Mileage	1	 	OLFFF	FRIOU	0.00	0.00	0.00			<u> </u>	1				
	Fixed Each Including First Mile		1	UEPPP	1LN1A	57.53	89.79	82.28	16.66	14.90		15.75			1.97	
	Each Airline-Fractional Additional Mile			UEPPP	1LN1B	0.20	55.75	02.20				.0.70				
	DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT		1			5.20	İ									
UNE Por	rt/Loop Combination Rates															
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1			UEPDC		131.78						15.75			1.97	
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2			UEPDC		182.07						15.75			1.97	
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3			UEPDC		259.44						15.75			1.97	
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 4		4	UEPDC		511.15						15.75			1.97	
	op Rates					== ==										
	4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPDC UEPDC	USLDC	79.08 129.38						15.75 15.75			1.97 1.97	-
	4-Wire DS1 Digital Loop - UNE Zone 2 4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPDC	USLDC	206.74						15.75			1.97	-
	4-Wire DS1 Digital Loop - UNE Zone 4		4	UEPDC	USLDC	458.46						15.75			1.97	
UNE Por			-	OLI DO	OOLDO	430.40						13.73			1.07	
	4-Wire DDITS Digital Trunk Port			UEPDC	UDD1T	52.70	457.12	254.70	120.96	14.61		15.75			1.97	
	CURRING CHARGES - CURRENTLY COMBINED						_			-					_	
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination															
	- Switch-as-is			UEPDC	USAC4		130.24	67.41				15.75			1.97	
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination Conversion with DS1 Changes			UEPDC	USAWA		130.24	67.41				15.75			1.97	Ì
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination															
	Conversion with Change - Trunk		<u> </u>	UEPDC	USAWB		130.24	67.41			ļ	15.75			1.97	
	DNAL NRCs		1		+											1
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC - Subsequent Channel Activation/Chan - 2-Way Trunk			UEPDC	UDTTA		14.56	14.56				15.75			1.97	i
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent		 	ULFDC	ODTTA	-	14.50	14.56			 	15.75			1.97	
	Channel Activation/Chan - 1-Way Outward Trunk			UEPDC	UDTTB		14.56	14.56				15.75			1.97	i
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel	1	†	J., DO	55175		17.50	14.30			1	10.70			1.37	
	Activation/Chan Inward Trunk w/out DID			UEPDC	UDTTC		14.56	14.56				15.75			1.97	1
4	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan															
	Activation Per Chan - Inward Trunk with DID			UEPDC	UDTTD		14.56	14.56				15.75			1.97	
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan							·								1
	Activation / Chan - 2-Way DID w User Trans		ļ	UEPDC	UDTTE		14.56	14.56			ļ	15.75			1.97	
	R 8 ZERO SUBSTITUTION	1	}	LIEDDC	CCOSE		0.00	600.00			<u> </u>	45.75			4.07	
	B8ZS -Superframe Format B8ZS - Extended Superframe Format	1	 	UEPDC UEPDC	CCOSF		0.00	600.00			 	15.75 15.75			1.97 1.97	
	e Mark Inversion	-	 	ULFDC	COOEF		0.00	600.00				15.75			1.97	—
	AMI -Superframe Format		1	UEPDC	MCOSF	 	0.00	0.00			1					
	AMI - Extended SuperFrame Format		1	UEPDC	MCOPO		0.00	0.00			 					—
	ne Number/Trunk Group Establisment Charges	1	†				0.00	0.00								
	Telephone Number for 2-Way Trunk Group			UEPDC	UDTGX	0.00	t t					15.75	İ		1.97	
	Telephone Number for 1-Way Outward Trunk Group			UEPDC	UDTGY	0.00						15.75			1.97	
	Telephone Number for 1-Way Inward Trunk Group Without DID			UEPDC	UDTGZ	0.00						15.75			1.97	
	DID Numbers for each Group of 20 DID Numbers			UEPDC	ND4	0.00	j					15.75			1.97	

NRONDLEI	NETWORK ELEMENTS - Mississippi	1				ı							Attachment:	2		Exhibit:
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual Sv Order vs. Electronic Disc Add
						Rec	Nonrec		Nonrecurring					RATES (\$)		
							First	Add'l	First	Add'l	SOMEC		SOMAN	SOMAN	SOMAN	SOMAN
	DID Numbers, Non- consecutive DID Numbers , Per Number			UEPDC	ND5	0.00						15.75			1.97	
	Reserve Non-Consecutive DID Nos.			UEPDC	ND6	0.00	0.00	0.00				15.75			1.97	
	Reserve DID Numbers ed DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1	Digita	Loon	UEPDC	NDV	0.00	0.00	0.00				15.75			1.97	-
	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities	Digita	Loop	WILL 4-WILE DOLLS	Tunk Fort											
	Termination)			UEPDC	1LNO1	57.33	89.79	82.28	16.86	14.90		15.75			1.97	
	Interoffice Channel Mileage - Additional rate per mile - 0-8 miles			UEPDC	1LNOA	0.20	0.00	0.00								
	Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities															
	Termination)			UEPDC	1LNO2	0.00	0.00	0.00								
	Interoffice Channel Mileage - Additional rate per mile - 9-25			LIEDDO	41 NOD	0.00	0.00	0.00					-	-		
	miles Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities	<u> </u>		UEPDC	1LNOB	0.20	0.00	0.00								-
	Termination)			UEPDC	1LNO3	0.00	0.00	0.00	0.00							
	Interoffice Channel Mileage - Additional rate per mile - 25+ miles			UEPDC	1LNOC	0.20	0.00	0.00								
	Local Number Portability, per DS0 Activated			UEPDC	LNPCP	3.15	0.00	0.00	0.00							
	Central Office Termininating Point			UEPDC	CTG	0.00										
4-WIRE	DS1 LOOP WITH CHANNELIZATION WITH PORT															
	is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Acti															
	ystem can have up to 24 combinations of rates depending on	type ar	nd num	ber of ports used												
	S1 Loop															
	4-Wire DS1 Loop - UNE Zone 1			UEPMG	USLDC	79.08	0.00	0.00								
	4-Wire DS1 Loop - UNE Zone 2		2	UEPMG	USLDC	129.38	0.00	0.00								
	4-Wire DS1 Loop - UNE Zone 3		3	UEPMG	USLDC	206.74	0.00	0.00								
	4-Wire DS1 Loop - UNE Zone 4		4	UEPMG	USLDC	458.46	0.00	0.00				15.75			1.97	
	60 Channelization Capacities (D4 Channel Bank Configuration 24 DSO Channel Capacity - 1 per DS1	ns)		UEPMG	VUM24	95.06	0.00	0.00				15.75			1.97	
	48 DSO Channel Capacity - 1 per 2 DS1s			UEPMG	VUM48	190.12	0.00	0.00				15.75			1.97	
	96 DSO Channel Capacity -1per 4 DS1s			UEPMG	VUM96	380.24	0.00	0.00				15.75			1.97	
	144 DS0 Channel Capacity - 1 per 6 DS1s			UEPMG	VUM14	570.36	0.00	0.00				15.75			1.97	
	192 DS0 Channel Capacity -1 per 8 DS1s			UEPMG	VUM19	760.48	0.00	0.00				15.75			1.97	
	240 DS0 Channel Capacity - 1 per 10 DS1s			UEPMG	VUM20	950.60	0.00	0.00				15.75			1.97	
	288 DS0 Channel Capacity - 1 per 12 DS1s			UEPMG	VUM28	1,140.72	0.00	0.00				15.75			1.97	
	384 DS0 Channel Capacity - 1 per 16 DS1s			UEPMG	VUM38	1,520.96	0.00	0.00				15.75			1.97	
	480 DS0 Channel Capacity - 1 per 20 DS1s			UEPMG	VUM40	1,901.20	0.00	0.00				15.75			1.97	
	576 DS0 Channel Capacity -1 per 24 DS1s			UEPMG	VUM57	2,281.44	0.00	0.00				15.75			1.97	
	672 DS0 Channel Capacity - 1 per 28 DS1s			UEPMG	VUM67	2,661.68	0.00	0.00				15.75			1.97	
	curring Charges (NRC) Associated with 4-Wire DS1 Loop with						stem									
	num System configuration is One (1) DS1, One (1) D4 Channe															
	es of this configuration functioning as one are considered Ad	id'i afte	r the m	inimum system cor	ifiguration is	counted.										
	NRC - Conversion (Currently Combined) with or without BellSouth Allowed Changes			UEPMG	USAC4	0.00	151.35	8.41				15.75			1.97	
	Additions at End User Locations Where 4-Wire DS1 Loop wit	th Chan	nelizat				101.35	0.41	+			15.75			1.97	
	ot Currently Combined) In GA, KY, LA, MS & TN Only	Onal	. renzal	ion with Fort Comb	auon culle	LAISIS AIIU									1	
	1 DS1/D4 Channel Bank - Add NRC for each Port and Assoc	1			1	 	+		-		 				1	1
	Fea Activation - New GA, LA, KY, MS, &TN Only	l		UEPMG	VUMD4	0.00	715.15	327.39	148.05	17.56		15.75			1.97	
	8 Zero Substitution			-				3-1.10		50						
	Clear Channel Capability Format, superframe - Subsequent Activity Only			UEPMG	CCOSF	0.00	0.00	600.00				15.75			1.97	
	Clear Channel Capability Format - Extended Superframe -															
	Subsequent Activity Only	ļ		UEPMG	CCOEF	0.00	0.00	600.00				15.75			1.97	
	te Mark Inversion (AMI)	 		UEPMG	MCOSF	0.00	0.00	0.00								1
	Superframe Format Extended Superframe Format	l		UEPMG UEPMG	MCOSF	0.00	0.00	0.00								
	Extended Superifame Format	ı		OLFIVIG	WOOFU	0.00	0.00	0.00			ļ					
	ge Ports Associated with 4-Wire DS1 Loop with Channelization	on with	Port.													

	D NETWORK ELEMENTS - Mississippi											j	Attachment:	2		Exhibit: E
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec			g Disconnect			oss i	RATES (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Line Side Combination Channelized PBX Trunk Port - Business			UEPPX	UEPCX	1.23	0.00	0.00	0.00	0.00		15.75			1.97	
	Line Side Outward Channelized PBX Trunk Port - Business			UEPPX	UEPOX	1.23	0.00	0.00	0.00	0.00		15.75			1.97	
	Line Side Inward Only Channelized PBX Trunk Port without DID 2-Wire Trunk Side Unbundled Channelized DID Trunk Port			UEPPX UEPPX	UEP1X UEPDM	1.23 7.40	0.00	0.00	0.00	0.00		15.75 15.75			1.97 1.97	
Featur	re Activations - Unbundled Loop Concentration			UEPPX	UEPDINI	7.40	0.00	0.00	0.00	0.00	+	15.75			1.97	
- Toului	Feature (Service) Activation for each Line Side Port Terminated															
	in D4 Bank			UEPPX	1PQWM	0.61	25.36	13.39	4.29	4.26		15.75			1.97	
	Feature (Service) Activation for each Trunk Side Port Terminated in D4 Bank			UEPPX	1PQWU	0.61	78.03	18.39	60.66	11.85		15.75			1.97	
Teleni	none Number/ Group Establishment Charges for DID Service		1	UEPPA	IPQWU	0.61	78.03	18.39	00.00	11.85	+	15./5			1.97	
. слорі	DID Trunk Termination (1 per Port)		L	UEPPX	NDT	0.00	0.00	0.00				15.75			1.97	
	DID Numbers - groups of 20 - Valid all States			UEPPX	ND4	0.00	0.00	0.00				15.75			1.97	
	Non-Consecutive DID Numbers - per number			UEPPX	ND5	0.00	0.00	0.00			↓	15.75			1.97	
	Reserve Non-Consecutive DID Numbers Reserve DID Numbers	<u> </u>	+	UEPPX UEPPX	ND6 NDV	0.00	0.00	0.00			+	15.75 15.75			1.97 1.97	
Local	Number Portability			OLFFX	NDV	0.00	0.00	0.00			+	13.73			1.57	
	Local Number Portability - 1 per port			UEPPX	LNPCP	3.15	0.00	0.00								
	JRES - Vertical and Optional															
Local	Switching Features Offered with Line Side Ports Only		<u> </u>	LIEDDY	LIEDVE	0.50	0.00	2.22				45.75			1.07	
INBUNDI ED	All Features Available PORT LOOP COMBINATIONS - MARKET RATES		1	UEPPX	UEPVF	2.56	0.00	0.00			+	15.75			1.97	
	t Rates shall apply where BellSouth is not required to provide	unbun	dled lo	cal switching or s	witch ports pe	r FCC and/or St	ate Commissio	n rules.								
liviai Ke																
These	scenarios include:															
These 1. Unl	scenarios include: bundled port/loop combinations that are Not Currently Combin	ned in A	Alabama		Carolina and So	outh Carolina.				D00						
These 1. Unl 2. Unl	scenarios include: bundled port/loop combinations that are Not Currently Combin bundled port/loop combinations that are Currently Combined of	ned in A or Not (Alabama Current	ly Combined in Zo	Carolina and So	outh Carolina. p 8 MSAS in Be	llSouth's regio	on for end use				9)				
These 1. Unl 2. Unl	scenarios include: bundled port/loop combinations that are Not Currently Combin	ned in A or Not (Alabama Current	ly Combined in Zo	Carolina and So	outh Carolina. p 8 MSAS in Be	llSouth's regio	on for end use				e).				
These 1. Unl 2. Unl The To	scenarios include: bundled port/loop combinations that are Not Currently Combin bundled port/loop combinations that are Currently Combined o op 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderda outh currently is developing the billing capability to mechanica	ned in A or Not (ale, Mia	Alabama Current ami); GA the rec	ly Combined in Zo A (Atlanta); LA (No urring and non-re	Carolina and So one 1 of the To ew Orleans); NO curring Market	puth Carolina. p 8 MSAS in Be C (Greensboro-V	IlSouth's regio	on for end use -Highpoint/Ch or nonrecurrin	arlotte-Gaston	nia-Rock Hill);	TN (Nashvill		and SC. In t	he interim wh	ere BellSouth	cannot bil
These 1. Unl 2. Unl The To BellSo Marke	scenarios include: bundled port/loop combinations that are Not Currently Combin bundled port/loop combinations that are Currently Combined of op 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderde outh currently is developing the billing capability to mechanica t Rates, BellSouth shall bill the rates in the Cost-Based section	ned in A or Not (ale, Mia ally bill n prece	Alabama Current ami); GA the rec ding in	ly Combined in Zo A (Atlanta); LA (No urring and non-re	Carolina and So one 1 of the To ew Orleans); NO curring Market	puth Carolina. p 8 MSAS in Be C (Greensboro-V	IlSouth's regio	on for end use -Highpoint/Ch or nonrecurrin	arlotte-Gaston	nia-Rock Hill);	TN (Nashvill		and SC. In t	he interim wh	ere BellSouth	cannot bill
These 1. Uni 2. Uni The To BellSo Marke The M	scenarios include: bundled port/loop combinations that are Not Currently Combin bundled port/loop combinations that are Currently Combined of the part	ned in A or Not (ale, Mia ally bill n preced in all st	Alabama Current ami); GA the rec ding in ates.	ly Combined in Zo A (Atlanta); LA (No urring and non-re lieu of the Market	Carolina and So one 1 of the To ow Orleans); No curring Market t Rates and res	outh Carolina. p 8 MSAS in Be C (Greensboro-V Rates in this se	IllSouth's regic Winston Salem ection except for true-up the l	on for end use -Highpoint/Ch or nonrecurrir billing differen	arlotte-Gaston ng charges for nce.	nia-Rock Hill);	TN (Nashvill	AL, FL, NC				cannot bill
These 1. Unl 2. Unl The To BellSc Marke The M End O	scenarios include: bundled port/loop combinations that are Not Currently Combin bundled port/loop combinations that are Currently Combined of the SAS in BellSouth's region are: FL (Orlando, Ft. Lauderde the Currently is developing the billing capability to mechanica the Rates, BellSouth shall bill the rates in the Cost-Based section arket Rate for unbundled ports includes all available features i ffice and Tandem Switching Usage and Common Transport Us	ned in A or Not (ale, Mia ally bill n preced in all st	Alabama Current ami); GA the rec ding in ates.	ly Combined in Zo A (Atlanta); LA (No urring and non-re lieu of the Market	Carolina and So one 1 of the To ow Orleans); No curring Market t Rates and res	outh Carolina. p 8 MSAS in Be C (Greensboro-V Rates in this se	IllSouth's regic Winston Salem ection except for true-up the l	on for end use -Highpoint/Ch or nonrecurrir billing differen	arlotte-Gaston ng charges for nce.	nia-Rock Hill);	TN (Nashvill	AL, FL, NC				cannot bill
These 1. Unl 2. Unl The To BellSc Marke The M End O usage	scenarios include: bundled port/loop combinations that are Not Currently Combin bundled port/loop combinations that are Currently Combined of the part	ned in A or Not (ale, Mia ally bill n preced in all st sage rat	Alabama Current ami); GA the rec ding in cates. tes in the	ly Combined in Zo A (Atlanta); LA (Ne urring and non-re lieu of the Market ne Port section of	Carolina and So one 1 of the To ew Orleans); No curring Market t Rates and res this rate exhib	buth Carolina. p 8 MSAS in Be C (Greensboro-N Rates in this se erves the right it shall apply to	ellSouth's region Winston Salem ection except for true-up the land all combination all combination will be regionally all combination and the sale of	on for end use -Highpoint/Ch or nonrecurrin billing differen ons of loop/po	arlotte-Gaston ng charges for nce. triangle of the control of the	not currently of	TN (Nashvill combined in for UNE Coi	n AL, FL, NC	Combination	ns which have	a flat rate	
These 1. Uni 2. Uni The To BellSc Marke The M End O usage For Nc Combi	scenarios include: bundled port/loop combinations that are Not Currently Combin bundled port/loop combinations that are Currently Combined of the States of	ned in A or Not (ale, Mia ally bill n preced in all st sage rate	Alabama Current ami); G/ the rec ding in ates. tes in the	ly Combined in Zo A (Atlanta); LA (Ne urring and non-re lieu of the Market ne Port section of g charges are liste	Carolina and So one 1 of the To ew Orleans); No curring Market t Rates and res this rate exhib	buth Carolina. p 8 MSAS in Be C (Greensboro-N Rates in this se erves the right it shall apply to	ellSouth's region Winston Salem ection except for true-up the land all combination all combination will be regionally all combination and the sale of	on for end use -Highpoint/Ch or nonrecurrin billing differen ons of loop/po	arlotte-Gaston ng charges for nce. triangle of the control of the	not currently of	TN (Nashvill combined in for UNE Coi	n AL, FL, NC	Combination	ns which have	a flat rate	
These 1. Unl 2. Unl The Tr BellSc Marke The M End O usage For Nc Combi UNBUNDLED	scenarios include: bundled port/loop combinations that are Not Currently Combin bundled port/loop combinations that are Currently Combined op 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderda buth currently is developing the billing capability to mechanica t Rates, BellSouth shall bill the rates in the Cost-Based section arket Rate for unbundled ports includes all available features i ffice and Tandem Switching Usage and Common Transport Us charge (USOC: URECU). bt Currently Combined scenarios where Market Rates apply, the ined section. Additional NRCs may apply also and are categor CENTREX PORT/LOOP COMBINATIONS	ned in A or Not (ale, Mia ally bill n preced in all st sage rate	Alabama Current ami); G/ the rec ding in ates. tes in the	ly Combined in Zo A (Atlanta); LA (Ne urring and non-re lieu of the Market ne Port section of g charges are liste	Carolina and So one 1 of the To ew Orleans); No curring Market t Rates and res this rate exhib	buth Carolina. p 8 MSAS in Be C (Greensboro-N Rates in this se erves the right it shall apply to	ellSouth's region Winston Salem ection except for true-up the land all combination all combination will be regionally all combination and the sale of	on for end use -Highpoint/Ch or nonrecurrin billing differen ons of loop/po	arlotte-Gaston ng charges for nce. triangle of the control of the	not currently of	TN (Nashvill combined in for UNE Coi	n AL, FL, NC	Combination	ns which have	a flat rate	
These 1. Unl 2. Unl The To BellSc Marke The M End O usage For Nc Combi	scenarios include: bundled port/loop combinations that are Not Currently Combin bundled port/loop combinations that are Currently Combined op 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderde buth currently is developing the billing capability to mechanica t Rates, BellSouth shall bill the rates in the Cost-Based section arket Rate for unbundled ports includes all available features i office and Tandem Switching Usage and Common Transport Us charge (USOC: URECU). Det Currently Combined scenarios where Market Rates apply, the ined section. Additional NRCs may apply also and are categor CENTREX PORT/LOOP COMBINATIONS NDLED PORT/LOOP COMBINATIONS - COST BASED RATES	ned in A or Not (ale, Mia ally bill n preced in all st sage rate e Nonre	Alabama Current ami); G/ the rec ding in ates. tes in the	ly Combined in Zo A (Atlanta); LA (Ne urring and non-re lieu of the Market ne Port section of g charges are liste	Carolina and So one 1 of the To ew Orleans); No curring Market t Rates and res this rate exhib	buth Carolina. p 8 MSAS in Be C (Greensboro-N Rates in this se erves the right it shall apply to	ellSouth's region Winston Salem ection except for true-up the land all combination all combination will be regionally all combination and the sale of	on for end use -Highpoint/Ch or nonrecurrin billing differen ons of loop/po	arlotte-Gaston ng charges for nce. triangle of the control of the	not currently of	TN (Nashvill combined in for UNE Coi	n AL, FL, NC	Combination	ns which have	a flat rate	
These 1. Unl 2. Unl The To BellSc Marke The M End O usage For Nc Combi UNBUNDLED UNBUL UNE-P	scenarios include: bundled port/loop combinations that are Not Currently Combin bundled port/loop combinations that are Currently Combined of bundled port/loop combinations that are Currently Combined of bundled port/loop combinations that are Currently Combined of buth currently is developing the billing capability to mechanica t Rates, BellSouth shall bill the rates in the Cost-Based section arket Rate for unbundled ports includes all available features i ffice and Tandem Switching Usage and Common Transport Us charge (USOC: URECU). but Currently Combined scenarios where Market Rates apply, the ined section. Additional NRCs may apply also and are categor CENTREX PORT/LOOP COMBINATIONS NDLED PORT/LOOP COMBINATIONS - COST BASED RATES CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only)	ned in A or Not (ale, Mia ally bill n preced in all st sage rate e Nonre	Alabama Current ami); G/ the rec ding in ates. tes in the	ly Combined in Zo A (Atlanta); LA (Ne urring and non-re lieu of the Market ne Port section of g charges are liste	Carolina and So one 1 of the To ew Orleans); No curring Market t Rates and res this rate exhib	buth Carolina. p 8 MSAS in Be C (Greensboro-N Rates in this se erves the right it shall apply to	ellSouth's region Winston Salem ection except for true-up the land all combination all combination will be regionally all combination and the sale of	on for end use -Highpoint/Ch or nonrecurrin billing differen ons of loop/po	arlotte-Gaston ng charges for nce. triangle of the control of the	not currently of	TN (Nashvill combined in for UNE Coi	n AL, FL, NC	Combination	ns which have	a flat rate	
These 1. Unl 2. Unl The Tr BellSc Marke The M End O usage For Nc Combi UNBUNDLED UNBU- 2. Wire	scenarios include: bundled port/loop combinations that are Not Currently Combin bundled port/loop combinations that are Currently Combined op 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderda buth currently is developing the billing capability to mechanica t Rates, BellSouth shall bill the rates in the Cost-Based section arket Rate for unbundled ports includes all available features i ffice and Tandem Switching Usage and Common Transport Us charge (USOC: URECU). Det Currently Combined scenarios where Market Rates apply, the ined section. Additional NRCs may apply also and are categor CENTREX PORT/LOOP COMBINATIONS NDLED PORT/LOOP COMBINATIONS - COST BASED RATES CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only) VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design)	ned in A or Not (ale, Mia ally bill n preced in all st sage rate e Nonre	Alabama Current ami); G/ the rec ding in ates. tes in the	ly Combined in Zo A (Atlanta); LA (Ne urring and non-re lieu of the Market ne Port section of g charges are liste	Carolina and So one 1 of the To ew Orleans); No curring Market t Rates and res this rate exhib	buth Carolina. p 8 MSAS in Be C (Greensboro-N Rates in this se erves the right it shall apply to	ellSouth's region Winston Salem ection except for true-up the land all combination all combination will be regionally all combination and the sale of	on for end use -Highpoint/Ch or nonrecurrin billing differen ons of loop/po	arlotte-Gaston ng charges for nce. triangle of the control of the	not currently of	TN (Nashvill combined in for UNE Coi	n AL, FL, NC	Combination	ns which have	a flat rate	
These 1. Unl 2. Unl The Tr BellSc Marke The M End O usage For Nc Combi UNBUNDLED UNBU- 2. Wire	scenarios include: bundled port/loop combinations that are Not Currently Combin bundled port/loop combinations that are Currently Combined of bundled port/loop combinations that are Currently Combined of bundled port/loop combinations that are Currently Combined of buth currently is developing the billing capability to mechanica t Rates, BellSouth shall bill the rates in the Cost-Based section arket Rate for unbundled ports includes all available features i ffice and Tandem Switching Usage and Common Transport Us charge (USOC: URECU). buth Currently Combined scenarios where Market Rates apply, the ined section. Additional NRCs may apply also and are categor CENTREX PORT/LOOP COMBINATIONS NDLED PORT/LOOP COMBINATIONS - COST BASED RATES CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only) US Loop/2-Wire Voice Grade Port (Centrex) Combo- tort/Loop Combination Rates (Non-Design)	ned in A or Not (ale, Mia ally bill n preced in all st sage rate e Nonre	Alabama Current ami); G/ the rec ding in ates. tes in the	ly Combined in Zo A (Atlanta); LA (Ne urring and non-re lieu of the Market ne Port section of g charges are liste gly.	Carolina and So one 1 of the To ew Orleans); No curring Market t Rates and res this rate exhib	buth Carolina. p 8 MSAS in Be C (Greensboro-\ Rates in this so erves the right i it shall apply to and Additional f	ellSouth's region Winston Salem ection except for true-up the land all combination all combination will be regionally all combination and the sale of	on for end use -Highpoint/Ch or nonrecurrin billing differen ons of loop/po	arlotte-Gaston ng charges for nce. triangle of the control of the	not currently of	TN (Nashvill combined in for UNE Coi	n AL, FL, NC	Combination	ns which have	a flat rate	
These 1. Unl 2. Unl The Tr BellSc Marke The M End O usage For Nc Combi UNBUNDLED UNBU- 2. Wire	scenarios include: bundled port/loop combinations that are Not Currently Combin bundled port/loop combinations that are Currently Combined of bundled port/loop combinations that are Currently Combined of bundled port/loop combinations that are Currently Combined of buth currently is developing the billing capability to mechanica th Rates, BellSouth shall bill the rates in the Cost-Based section arket Rate for unbundled ports includes all available features i office and Tandem Switching Usage and Common Transport Us charge (USOC: URECU). To Currently Combined scenarios where Market Rates apply, the ined section. Additional NRCs may apply also and are categor CENTREX PORT/LOOP COMBINATIONS CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Combo- loor/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design	ned in A or Not (ale, Mia ally bill n preced in all st sage rate e Nonre	Alabama Current ami); G/ the rec ding in ates. tes in the	ly Combined in Zo A (Atlanta); LA (Ne urring and non-re lieu of the Market ne Port section of g charges are liste	Carolina and So one 1 of the To ew Orleans); No curring Market t Rates and res this rate exhib	buth Carolina. p 8 MSAS in Be C (Greensboro-N Rates in this se erves the right it shall apply to	ellSouth's region Winston Salem ection except for true-up the land all combination all combination will be regionally all combination and the sale of	on for end use -Highpoint/Ch or nonrecurrin billing differen ons of loop/po	arlotte-Gaston ng charges for nce. triangle of the control of the	not currently of	TN (Nashvill combined in for UNE Coi	n AL, FL, NC	Combination	ns which have	a flat rate	
These 1. Unl 2. Unl The Tr BellSc Marke The M End O usage For Nc Combi UNBUNDLED UNBU- 2. Wire	scenarios include: bundled port/loop combinations that are Not Currently Combin bundled port/loop combinations that are Currently Combined op 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderdo buth currently is developing the billing capability to mechanical that Rates, BellSouth shall bill the rates in the Cost-Based section arket Rate for unbundled ports includes all available features i ffice and Tandem Switching Usage and Common Transport Us charge (USOC: URECU). DIC CUrrently Combined scenarios where Market Rates apply, the ined section. Additional NRCs may apply also and are categor CENTREX PORT/LOOP COMBINATIONS NDLED PORT/LOOP COMBINATIONS NDLED PORT/LOOP COMBINATIONS CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only y VG Loop/2-Wire Voice Grade Port (Centrex) Combo Ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design	ned in A or Not (ale, Mia ally bill n preced in all st sage rate e Nonre	Alabama Current ami); G/ the rec ding in ates. tes in the ecurring coording	ly Combined in Zo A (Atlanta); LA (Ne urring and non-re lieu of the Market ne Port section of g charges are liste gly. UEP91	Carolina and So one 1 of the To ew Orleans); No curring Market t Rates and res this rate exhib	buth Carolina. p 8 MSAS in Be C (Greensboro-\ Rates in this serves the right in the serves that apply to and Additional I	ellSouth's region Winston Salem ection except for true-up the land all combination all combination will be regionally all combination and the sale of	on for end use -Highpoint/Ch or nonrecurrin billing differen ons of loop/po	arlotte-Gaston ng charges for nce. triangle of the control of the	not currently of	TN (Nashvill combined in for UNE Coi	n AL, FL, NC	Combination	ns which have	a flat rate	
These 1. Unl 2. Unl The Tr BellSc Marke The M End O usage For Nc Combi UNBUNDLED UNBU- 2. Wire	scenarios include: bundled port/loop combinations that are Not Currently Combin bundled port/loop combinations that are Currently Combined of the States of States of States of States of States buth currently is developing the billing capability to mechanical that Rates, BellSouth shall bill the rates in the Cost-Based section arket Rate for unbundled ports includes all available features i defice and Tandem Switching Usage and Common Transport Use charge (USOC: URECU). To Currently Combined scenarios where Market Rates apply, the ined section. Additional NRCs may apply also and are categor CENTREX PORT/LOOP COMBINATIONS NDLED PORT/LOOP COMBINATIONS - COST BASED RATES TO CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only) TO US COMBINATIONS 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design	ned in A or Not (ale, Mia ally bill n preced in all st sage rate e Nonre	Alabama Current ami); G/ the rec ding in ates. tes in the	ly Combined in Zo A (Atlanta); LA (Ne urring and non-re lieu of the Market ne Port section of g charges are liste gly.	Carolina and So one 1 of the To ew Orleans); No curring Market t Rates and res this rate exhib	buth Carolina. p 8 MSAS in Be C (Greensboro-\ Rates in this so erves the right i it shall apply to and Additional f	ellSouth's region Winston Salem ection except for true-up the land all combination all combination will be regionally all combination and the sale of	on for end use -Highpoint/Ch or nonrecurrin billing differen ons of loop/po	arlotte-Gaston ng charges for nce. triangle of the control of the	not currently of	TN (Nashvill combined in for UNE Coi	n AL, FL, NC	Combination	ns which have	a flat rate	
These 1. Unl 2. Unl The Tr BellSc Marke The M End O usage For Nc Combi UNBUNDLED UNBU- 2. Wire	scenarios include: bundled port/loop combinations that are Not Currently Combination bundled port/loop combinations that are Currently Combined cop 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderda buth currently is developing the billing capability to mechanical traces. BellSouth shall bill the rates in the Cost-Based section arket Rate for unbundled ports includes all available features in ffice and Tandem Switching Usage and Common Transport Uscharge (USOC: URECU). DIC Currently Combined scenarios where Market Rates apply, the ined section. Additional NRCs may apply also and are categor CENTREX PORT/LOOP COMBINATIONS NDLED PORT/LOOP COMBINATIONS NDLED PORT/LOOP COMBINATIONS - COST BASED RATES CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only, by G Loop/2-Wire Voice Grade Port (Centrex) Comboort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design	ned in A or Not (ale, Mia ally bill n preced in all st sage rate e Nonre	Alabama Current ami); G/ the rec ding in ates. tes in the ecurring coording	ly Combined in Zo A (Atlanta); LA (Ne urring and non-re lieu of the Market ne Port section of g charges are liste gly. UEP91	Carolina and So one 1 of the To ew Orleans); No curring Market t Rates and res this rate exhib	buth Carolina. p 8 MSAS in Be C (Greensboro-\ Rates in this serves the right in the serves that apply to and Additional I	ellSouth's region Winston Salem ection except for true-up the land all combination all combination will be regionally all combination and the sale of	on for end use -Highpoint/Ch or nonrecurrin billing differen ons of loop/po	arlotte-Gaston ng charges for nce. triangle of the control of the	not currently of	TN (Nashvill combined in for UNE Coi	n AL, FL, NC	Combination	ns which have	a flat rate	
These 1. Unl 2. Unl The Tr BellSc Marke The M End O usage For Nc Combi UNBUNDLED UNBU- 2. Wire	scenarios include: bundled port/loop combinations that are Not Currently Combinations that are Not Currently Combinations that are Currently Combinations that are Currently Combinations that are Currently Combined cop 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderda Del March Combinations that are Currently is developing the billing capability to mechanical that the currently is developing the billing capability to mechanical that the cost-Based section arket Rate for unbundled ports includes all available features in ffice and Tandem Switching Usage and Common Transport Uscharge (USOC: URECU). Det Currently Combined scenarios where Market Rates apply, the ined section. Additional NRCs may apply also and are categor CENTREX PORT/LOOP COMBINATIONS - COST BASED RATES OF CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only) ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port ComboNon-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port ComboNon-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port ComboNon-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port ComboNon-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port ComboNon-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port ComboNon-Design	ned in A or Not (ale, Mia ally bill n preced in all st sage rate e Nonre	Alabama Current ami); G/ the rec ding in ates. tes in the ecurring coording	y Combined in Zo A (Atlanta); LA (Ne urring and non-re lieu of the Market ne Port section of g charges are liste gly. UEP91 UEP91	Carolina and So one 1 of the To ew Orleans); No curring Market t Rates and res this rate exhib	puth Carolina. p 8 MSAS in Be C (Greensboro-V Rates in this serves the right is it shall apply to and Additional I 12.22 17.13	ellSouth's region Winston Salem ection except for true-up the land all combination all combination will be regionally all combination and the sale of	on for end use -Highpoint/Ch or nonrecurrin billing differen ons of loop/po	arlotte-Gaston ng charges for nce. triangle of the control of the	not currently of	TN (Nashvill combined in for UNE Coi	n AL, FL, NC	Combination	ns which have	a flat rate	
These 1. Unl 2. Unl The To BellSc Marke The M End O Usage For Nc Combi UNBUNDLED UNBU UNE-P 2-Wire UNE P	scenarios include: bundled port/loop combinations that are Not Currently Combinbundled port/loop combinations that are Currently Combined of the North Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combonon Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combonon Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combonon Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combonon Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combonon Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combonon Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combonon Design	ned in A or Not (ale, Mia ally bill n preced in all st sage rate e Nonre	Alabama Current ami); G/ the rec ding in ates. tes in the ecurring coording	ly Combined in Zo A (Atlanta); LA (No urring and non-re lieu of the Market he Port section of g charges are liste gly. UEP91 UEP91	Carolina and So one 1 of the To ew Orleans); No curring Market t Rates and res this rate exhib	puth Carolina. p 8 MSAS in Be c (Greensboro-\ Rates in this serves the right i it shall apply to and Additional N	ellSouth's region Winston Salem ection except for true-up the land all combination all combination will be regionally all combination and the sale of	on for end use -Highpoint/Ch or nonrecurrin billing differen ons of loop/po	arlotte-Gaston ng charges for nce. triangle of the control of the	not currently of	TN (Nashvill combined in for UNE Coi	n AL, FL, NC	Combination	ns which have	a flat rate	
These 1. Unl 2. Unl The To BellSc Marke The M End O Usage For Nc Combi UNBUNDLED UNBU UNE-P 2-Wire UNE P	scenarios include: bundled port/loop combinations that are Not Currently Combination bundled port/loop combinations that are Currently Combined on the State of State	ned in A or Not (ale, Mia ally bill n preced in all st sage rate e Nonre	Alabama Current ami); G/ the rec ding in ates. tes in the ecurring coording	y Combined in Zo A (Atlanta); LA (Ne urring and non-re lieu of the Market ne Port section of g charges are liste gly. UEP91 UEP91	Carolina and So one 1 of the To ew Orleans); No curring Market t Rates and res this rate exhib	puth Carolina. p 8 MSAS in Be C (Greensboro-V Rates in this serves the right if it shall apply to and Additional I 12.22 17.13	ellSouth's region Winston Salem ection except for true-up the land all combination all combination will be regionally all combination and the sale of	on for end use -Highpoint/Ch or nonrecurrin billing differen ons of loop/po	arlotte-Gaston ng charges for nce. triangle of the control of the	not currently of	TN (Nashvill combined in for UNE Coi	n AL, FL, NC	Combination	ns which have	a flat rate	
These 1. Unl 2. Unl The To BellSc Marke The M End O Usage For Nc Combi UNBUNDLED UNBU UNE-P 2-Wire UNE P	scenarios include: bundled port/loop combinations that are Not Currently Combinbundled port/loop combinations that are Currently Combined of the North Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combonon Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combonon Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combonon Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combonon Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combonon Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combonon Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combonon Design	ned in A or Not (ale, Mia ally bill n preced in all st sage rate e Nonre	Alabama Current ami); G/ the rec ding in ates. tes in the ecurring coording	y Combined in Zo A (Atlanta); LA (Ne urring and non-re lieu of the Market ne Port section of g charges are liste gly. UEP91 UEP91	Carolina and So one 1 of the To ew Orleans); No curring Market t Rates and res this rate exhib	puth Carolina. p 8 MSAS in Be C (Greensboro-V Rates in this serves the right if it shall apply to and Additional I 12.22 17.13	ellSouth's region Winston Salem ection except for true-up the land all combination all combination will be regionally all combination and the sale of	on for end use -Highpoint/Ch or nonrecurrin billing differen ons of loop/po	arlotte-Gaston ng charges for nce. triangle of the control of the	not currently of	TN (Nashvill combined in for UNE Coi	n AL, FL, NC	Combination	ns which have	a flat rate	
These 1. Unl 2. Unl The To BellSc Marke The M End O Usage For Nc Combi UNBUNDLED UNBU UNE-P 2-Wire UNE P	scenarios include: bundled port/loop combinations that are Not Currently Combinations that are Not Currently Combinations that are Currently Combined cop 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderda Duth Currently is developing the billing capability to mechanical traces. BellSouth shall bill the rates in the Cost-Based section arket Rate for unbundled ports includes all available features in ffice and Tandem Switching Usage and Common Transport Uscharge (USOC: URECU). Det Currently Combined scenarios where Market Rates apply, the ined section. Additional NRCs may apply also and are categor CENTREX PORT/LOOP COMBINATIONS NDLED PORT/LOOP COMBINATIONS - COST BASED RATES CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only) VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design	ned in A or Not (ale, Mia ally bill n preced in all st sage rate e Nonre	Alabama Current ami); G/ the rec ding in ates. tes in the ecurring coording	y Combined in Zo A (Atlanta); LA (Ne urring and non-re lieu of the Market ne Port section of g charges are liste gly. UEP91 UEP91 UEP91 UEP91	Carolina and So one 1 of the To ew Orleans); No curring Market t Rates and res this rate exhib	puth Carolina. p 8 MSAS in Be C (Greensboro-\ Rates in this serves the right is it shall apply to and Additional F 12.22 17.13 26.26 44.91	ellSouth's region Winston Salem ection except for true-up the land all combination all combination will be regionally all combination and the sale of	on for end use -Highpoint/Ch or nonrecurrin billing differen ons of loop/po	arlotte-Gaston ng charges for nce. triangle of the control of the	not currently of	TN (Nashvill combined in for UNE Coi	n AL, FL, NC	Combination	ns which have	a flat rate	
These 1. Unl 2. Unl The To BellSc Marke The M End O Usage For Nc Combi UNBUNDLED UNBU UNE-P 2-Wire UNE P	scenarios include: bundled port/loop combinations that are Not Currently Combination bundled port/loop combinations that are Currently Combined cop 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderda Day 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderda Day 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderda Day 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderda Day 9 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderda Day 9 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderda Day 9 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderda Day 9 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderda Day 9 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderda Day 9 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderda Day 9 MSAs in BellSouth's Region are: FL (Orla	ned in A or Not (ale, Mia ally bill n preced in all st sage rate e Nonre	Alabama Current ami); G/ the rec ding in ates. tes in the ecurring coording	y Combined in Zo A (Atlanta); LA (Ne urring and non-re lieu of the Market ne Port section of g charges are liste gly. UEP91 UEP91 UEP91 UEP91	Carolina and So one 1 of the To ew Orleans); No curring Market t Rates and res this rate exhib	puth Carolina. p 8 MSAS in Be C (Greensboro-\ Rates in this serves the right is it shall apply to and Additional F 12.22 17.13 26.26 44.91	ellSouth's region Winston Salem ection except for true-up the land all combination all combination will be regionally all combination and the sale of	on for end use -Highpoint/Ch or nonrecurrin billing differen ons of loop/po	arlotte-Gaston ng charges for nce. triangle of the control of the	not currently of	TN (Nashvill combined in for UNE Coi	n AL, FL, NC	Combination	ns which have	a flat rate	
These 1. Unl 2. Unl 2. Unl The To BellSc Marke The M End O Usage For Nc Combi UNBUNDLED UNBU UNE-P 2-Wire UNE P	scenarios include: bundled port/loop combinations that are Not Currently Combinations that are Not Currently Combination provided port/loop combinations that are Currently Combined cop 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderda puth currently is developing the billing capability to mechanical traces. BellSouth shall bill the rates in the Cost-Based section arket Rate for unbundled ports includes all available features in ffice and Tandem Switching Usage and Common Transport Usaharge (USOC: URECU). Det Currently Combined scenarios where Market Rates apply, the ined section. Additional NRCs may apply also and are categor CENTREX PORT/LOOP COMBINATIONS NDLED PORT/LOOP COMBINATIONS - COST BASED RATES DESTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only) 12-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combonon-Design 12-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combonon-Design 12-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combonon-Design 12-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combonon-Design 12-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combonon-Design 12-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combonon-Design 12-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combonon-Design 12-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combonon-Design 12-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combonon-Design 12-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combonon-Design 12-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combonon-Design	ned in A or Not (ale, Mia ally bill n preced in all st sage rate e Nonre	Alabam Al	ly Combined in Zo A (Atlanta): LA (No urring and non-re lieu of the Market ne Port section of g charges are liste gly. UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	Carolina and So one 1 of the To ew Orleans); No curring Market t Rates and res this rate exhib	puth Carolina. p 8 MSAS in Be C (Greensboro-\ Rates in this serves the right is it shall apply to and Additional I 12.22 17.13 26.26 44.91 15.12	ellSouth's region Winston Salem ection except for true-up the land all combination all combination will be regionally all combination and the sale of	on for end use -Highpoint/Ch or nonrecurrin billing differen ons of loop/po	arlotte-Gaston ng charges for nce. triangle of the control of the	not currently of	TN (Nashvill combined in for UNE Coi	n AL, FL, NC	Combination	ns which have	a flat rate	
These 1. Unl 2. Unl 2. Unl The To BellSc Marke The M End O Usage For Nc Combi UNBUNDLED UNBU UNE-P 2-Wire UNE P	scenarios include: bundled port/loop combinations that are Not Currently Combination bundled port/loop combinations that are Currently Combined cop 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderda Day 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderda Day 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderda Day 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderda Day 9 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderda Day 9 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderda Day 9 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderda Day 9 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderda Day 9 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderda Day 9 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderda Day 9 MSAs in BellSouth's Region are: FL (Orla	ned in A or Not (ale, Mia ally bill n preced in all st sage rate e Nonre	Alabam Al	ly Combined in Zo A (Atlanta): LA (No urring and non-re lieu of the Market he Port section of g charges are liste gly. UEP91 UEP91 UEP91 UEP91 UEP91	Carolina and So one 1 of the To ew Orleans); No curring Market t Rates and res this rate exhib	buth Carolina. p 8 MSAS in Be C (Greensboro-) Rates in this serves the right is shall apply to and Additional P 12.22 17.13 26.26 44.91	ellSouth's region Winston Salem ection except for true-up the land all combination all combination will be regionally all combination and the sale of	on for end use -Highpoint/Ch or nonrecurrin billing differen ons of loop/po	arlotte-Gaston ng charges for nce. triangle of the control of the	not currently of	TN (Nashvill combined in for UNE Coi	n AL, FL, NC	Combination	ns which have	a flat rate	

4Q01:12/01/01 PAGE 212 OF 324

NBUNDLED NETWORK ELEMENTS - Mississippi			1	•	1							Attachment:	2		Exhibit
ATEGORY RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR		Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Charge
					Rec	Nonre		Nonrecurring				OSSI	RATES (\$)		
UNIT I are Date	_					First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
UNE Loop Rate	-	1	LIEDO4	UECS1	40.00										
2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2	-	2	UEP91 UEP91	UECS1	10.98 15.91										
2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3	-		UEP91	UECS1	25.04					1					
2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 1) - Zone 4	-	4	UEP91	UECS1	43.68					1					-
2-Wire Voice Grade Loop (SL 2) - Zone 1	1	1	UEP91	UECS2	13.89										
2-Wire Voice Grade Loop (SL 2) - Zone 2	-	2	UEP91	UECS2	18.75										
2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3	-	3	UEP91	UECS2	27.55										
2-Wire Voice Grade Loop (SL 2) - Zone 4		4	UEP91	UECS2	45.72										†
UNE Ports	1	t i		1										1	—
All States (Except North Carolina and Sout Carolina)	1		İ	1								İ	İ	İ	1
2-Wire Voice Grade Port (Centrex) Basic Local Area	1		UEP91	UEPYA	1.23	40.31	19.84	24.90	6.58	Ì	15.75			1.97	
2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area			UEP91	UEPYB	1.23	40.31	19.84	24.90	6.58		15.75			1.97	
2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area			UEP91	UEPYH	1.23	40.31	19.84	24.90	6.58		15.75			1.97	
2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 Basic Local Area			UEP91	UEPYM	1.23	108.35	70.57	54.24	11.70		15.75			1.97	
2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term - Basic Local Area			UEP91	UEPYZ	1.23	108.35	70.57	54.24	11.70		15.75			1.97	
2-Wire Voice Grade Port terminated in on Megalink or equivalen Basic Local Area	t		UEP91	UEPY9	1.23	40.31	19.84	24.90	6.58		15.75			1.97	
2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area			UEP91	UEPY2	1.23	40.31	19.84	24.90	6.58		15.75			1.97	
AL, KY, LA, MS, & TN Only	-		LIEDO4	UEPQA	4.00	40.04	40.04	04.00	0.50		15.75			1.97	
2-Wire Voice Grade Port (Centrex) 2-Wire Voice Grade Port (Centrex 800 termination)	-		UEP91 UEP91	UEPQA	1.23 1.23	40.31 40.31	19.84 19.84	24.90 24.90	6.58 6.58		15.75 15.75			1.97 1.97	
2-Wire Voice Grade Port (Centrex 800 termination) 2-Wire Voice Grade Port (Centrex with Caller ID)1	+	_	UEP91	UEPQH	1.23	40.31	19.84	24.90	6.58	1	15.75			1.97	-
2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2			UEP91	UEPQM	1.23	108.35	70.57	54.24	11.70		15.75			1.97	
2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term			UEP91	UEPQZ	1.23	108.35	70.57	54.24	11.70		15.75			1.97	
2-Wire Voice Grade Port terminated in on Megalink or equivalen	t		UEP91	UEPQ9	1.23	40.31	19.84	24.90	6.58		15.75			1.97	
2-Wire Voice Grade Port Terminated on 800 Service Term			UEP91	UEPQ2	1.23	40.31	19.84	24.90	6.58		15.75			1.97	
Local Switching															
Centrex Intercom Funtionality, per port			UEP91	URECS	0.7947										
Local Number Portability	1		L	 										ļ	<u> </u>
Local Number Portability (1 per port)	1		UEP91	LNPCC	0.35					ļ					<u> </u>
Features Office Indiana Control of Control o	1		LIEDOA	LIEDVE	0.50					<u> </u>	45	ļ	ļ	4	1
All Standard Features Offered, per port All Select Features Offered, per port	+	1	UEP91 UEP91	UEPVF UEPVS	2.56 0.00	404.98				-	15.75 15.75	-	-	1.97 1.97	-
All Centrex Control Features Offered, per port	+		UEP91	UEPVS	2.56	404.98					15.75	-	-	1.97	
NARS	+		OE1 31	OLI VO	2.50					 	10.73			1.97	
Unbundled Network Access Register - Combination	1		UEP91	UARCX	0.00	0.00	0.00			1			1	 	t
Unbundled Network Access Register - Indial	1	1	UEP91	UAR1X	0.00	0.00	0.00								t
Unbundled Network Access Register - Outdial	1		UEP91	UAROX	0.00	0.00	0.00					İ	İ		1
Miscellaneous Terminations	1									Ì					
2-Wire Trunk Side															
Trunk Side Terminations, each			UEP91	CENA6	8.25	120.00	18.85	61.77	3.88		15.75			1.97	
Interoffice Channel Mileage - 2-Wire															
Interoffice Channel Facilities Termination - Voice Grade			UEP91	MIGBC	22.52	40.77	27.57	17.26	7.11		15.75			1.97	
Interoffice Channel mileage, per mile or fraction of mile	1		UEP91	MIGBM	0.0098										ļ
Feature Activations (DS0) Centrex Loops on Channelized DS1 Servi	ce									<u> </u>					
D4 Channel Bank Feature Activations	1		L	 										ļ	<u> </u>
Feature Activation on D-4 Channel Bank Centrex Loop Slot	1		UEP91	1PQWS	0.57										—
Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP91	1PQW6	0.57										

UNBUNICED NETWORK ELEMENTS - Miscainsteps 1944 1945	
Part	Zone BCS USOC
Fedural Pickenson of Def Channel Bank Pickens Lipp Stu-	
Stot	
Plantar Activation on D-4 Channel Bank Contract Logo Side UEP91 1PQWV 0.57	LIEP91 1POW7
Posture Activation on D-4 Chainmed Bank Photose Limit Loop UEPP1 IPDWW 0.57	
Feature Activation on D-A Channel Sear Tiple Leaf Trust Loop UEPS1 TPUVID 0.57	UEP91 1PQWP
State	UEP91 1PQWV
Resture Activation on D 4 Channel Bank WATS Loop Size	LIEBO LEGINO
Non-Recurring Charges (RRC) Associated with UNEP Centrex	
Convertion - Currently Combined Switch A-st with allowed plants of the property of the prope	CEI 31 II GWA
Changes, per port	
New Centree Standard Common Block	
New Centres Customized Common Block UEPP1 MACC 0.00 666.32 15.75 1.97	
Secondary Block, per Block, per Block UEP91 MACCC1 0.00 77.81 15.75 1.97 NNR Establishment Charge, Per Occasion UEP91 URECA 0.00 72.63 15.75 1.97 UNLEP CENTREX - SESS (Valid in All States) 15.75 1.97 UNLEP CENTREX - SESS (Valid in All States) 15.75 1.97 UNLEP CENTREX - SESS (Valid in All States) 1.97 UNLEP CENTREX	
NAME Establishment Charge, Per Occasion UEP91 URECA 0.00 72.63 15.75 1.97	
UNEP CENTREX SESS (Valid in All States)	
2-Wire Vol Loop/2-Wire Volce Grade Port (Centres) Port Combo 1	UEF91 URECA
UNR PortILog Combination Rates (Non-Design)	
2.Wire VG Loop/2-Wire Voice Grade Port (Centrey) Port Combo	
Non-Design 1 UEP96 12.22	
Non-Design 2 UEP95 17.13	1 UEP95
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design Vive VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design Vive VG Loop/2-Wire VG	
Non-Design 2-Wire Volice Grade Port (Centrex) Port Combo 4 UEP95 44.91	2 UEP95
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design	3 LIEDOS
UNE Port/Log/ Combination Rates (Design)	3 0EF93
Design	4 UEP95
Design 2-Wire Volce Grade Port (Centrex)Port Combo - Design 2-Wire Volce Grade Port (Centrex)Port Combo - Design 2-Wire VG Loop/2-Wire Volce Grade Port (Centrex)Port Combo - Design 3 UEP95 28.78	
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo 2	
Design 2 UEP95 19.98	1 UEP95
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 3 UEP95 28.78	
Design 2-Wire Voice Grade Port (Centrex) Port Combo Design 4 UEP95 46.95	2 UEP95
Design	3 UEP95
UNE Loop Rate	
2-Wire Voice Grade Loop (St. 1) - Zone 1	4 UEP95
2-Wire Voice Grade Loop (SL 1) - Zone 2 2 UEP95 UECS1 15.91	
2-Wire Voice Grade Loop (SL 1) - Zone 3 3 UEP95 UECS1 25.04	
2-Wire Voice Grade Loop (SL 1) - Zone 4	
2-Wire Voice Grade Loop (SL 2) - Zone 1	
2-Wire Voice Grade Loop (SL 2) - Zone 2 2 UEP95 UECS2 18.75	
2-Wire Voice Grade Loop (SL 2) - Zone 3 3 UEP95 UECS2 27.55	
2-Wire Voice Grade Loop (SL 2) - Zone 4	
UNE Port Rate All States UEP95 UEPYA 1.23 40.31 19.84 24.90 6.58 15.75 1.97	
2-Wire Voice Grade Port (Centrex) Basic Local Area UEP95 UEPYA 1.23 40.31 19.84 24.90 6.58 15.75 1.97	
2-Wire Voice Grade Port (Centrex 800 termination)	
2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local UEP95 UEPYH 1.23 40.31 19.84 24.90 6.58 15.75 1.97	
Area	UEP95 UEPYB
2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) Basic Local Area UEP95 UEPYM 1.23 108.35 70.57 54.24 11.70 15.75 1.97 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term - Basic Local Area UEP95 UEPYZ 1.23 108.35 70.57 54.24 11.70 15.75 1.97	UEP95 UEPYH
Center)2 Basic Local Area	
Term - Basic Local Area UEP95 UEPYZ 1.23 108.35 70.57 54.24 11.70 15.75 1.97	UEP95 UEPYM
	UEP95 UEPYZ
2-Wire Voice Grade Port terminated in on Megalink or equivalent UEP95	

INBUNDLE	D NETWORK ELEMENTS - Mississippi							·					Attachment:	2		Exhibit: E
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrec		Nonrecurring					RATES (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port Terminated on 800 Service Term -			UEP95	UEPY2	1.23	40.31	19.84	24.90	6.58		15.75			4.07	
AI K	Basic Local Area (, LA, MS, SC, & TN Only			UEP95	UEP12	1.23	40.31	19.84	24.90	6.58		15.75			1.97	
AL, K	2-Wire Voice Grade Port (Centrex)			UEP95	UEPQA	1.23	40.31	19.84	24.90	6.58		15.75			1.97	
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPQB	1.23	40.31	19.84	24.90	6.58		15.75			1.97	
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP95	UEPQH	1.23	40.31	19.84	24.90	6.58		15.75			1.97	
	2-Wire Voice Grade Port (Centrex from diff Serving Wire															
	Center)2			UEP95	UEPQM	1.23	108.35	70.57	54.24	11.70		15.75			1.97	
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
	Term		<u> </u>	UEP95	UEPQZ	1.23	108.35	70.57	54.24	11.70	1	15.75			1.97	
	O Wire Vales Condo Dort torreinstad in an Manalist and a sixty			LIEDOS	LIEBOO	4.00	40.04	40.04	24.00	0.50		45.75	I		4.07	
	2-Wire Voice Grade Port terminated in on Megalink or equivalent 2-Wire Voice Grade Port Terminated on 800 Service Term	<u> </u>	<u> </u>	UEP95 UEP95	UEPQ9 UEPQ2	1.23 1.23	40.31 40.31	19.84 19.84	24.90 24.90	6.58 6.58	 	15.75 15.75	-		1.97 1.97	
FI & (GA Only			UEP95	UEPQZ	1.23	40.31	19.84	24.90	6.58		15.75			1.97	
	Switching		 		1						+	13.73	 		1.37	
	Centrex Intercom Funtionality, per port			UEP95	URECS	0.7947							†			
Local	Number Portability			- **							1					
	Local Number Portability (1 per port)			UEP95	LNPCC	0.35										
Featu																
	All Standard Features Offered, per port			UEP95	UEPVF	2.56						15.75			1.97	
	All Select Features Offered, per port			UEP95	UEPVS	0.00	404.98					15.75			1.97	
	All Centrex Control Features Offered, per port			UEP95	UEPVC	2.56						15.75			1.97	
NARS						2.22										
	Unbundled Network Access Register - Combination			UEP95 UEP95	UARCX UAR1X	0.00	0.00	0.00								
	Unbundled Network Access Register - Indial Unbundled Network Access Register - Outdial		<u> </u>	UEP95	UAROX	0.00	0.00	0.00			-	-				
Misco	llaneous Terminations			UEF95	UARUX	0.00	0.00	0.00			1					
	Trunk Side															
2 11	Trunk Side Terminations, each			UEP95	CEND6	8.25	120.00	18.85	61.77	3.88		15.75			1.97	
4-Wire	Digital (1.544 Megabits)								-							
	DS1 Circuit Terminations, each			UEP95	M1HD1	58.41	203.19	96.25	74.86	2.54		15.75			1.97	
	DS0 Channels Activated, each			UEP95	M1HDO	0.00	14.56									
Intero	fice Channel Mileage - 2-Wire															
	Interoffice Channel Facilities Termination			UEP95	MIGBC	22.52	40.77	27.57	17.26	7.11		15.75			1.97	
	Interoffice Channel mileage, per mile or fraction of mile			UEP95	MIGBM	0.0098										
	e Activations (DS0) Centrex Loops on Channelized DS1 Service	e									1					
D4 Ch	annel Bank Feature Activations Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	1PQWS	0.57					+	-	-			
	1 eature Activation on 5-4 Ghanner Bank Centrex 2009 Glot			OLI 93	II QWO	0.57										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP95	1PQW6	0.57							I			
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop				1								1			
	Slot	<u> </u>		UEP95	1PQW7	0.57					<u> </u>		<u> </u>			<u> </u>
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -						İ	-								
	Different Wire Center			UEP95	1PQWP	0.57										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot	ļ		UEP95	1PQWV	0.57					1		ļ			
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop			LIEDOS	400000	0.5-							I			
	Slot Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP95 UEP95	1PQWQ 1PQWA	0.57 0.57					1	-	 			
Non-P	ecurring Charges (NRC) Associated with UNE-P Centrex	-		OLF 90	IFQWA	0.57					 		+			
INOIT-IN	NRC Conversion Currently Combined Switch-As-Is with allowed		1		+						 		 			
	changes, per port	l		UEP95	USAC2		0.10	0.10				15.75	1		1.97	
	Conversion of Existing Centrex Common Block, each			UEP95	USACN		37.97	16.68					1			
İ	New Centrex Standard Common Block			UEP95	M1ACS	0.00	666.32				İ	15.75			1.97	
	New Centrex Customized Common Block			UEP95	M1ACC	0.00	666.32					15.75			1.97	
	NAR Establishment Charge, Per Occasion			UEP95	URECA	0.00	72.63					15.75			1.97	
	CENTREX - DMS100 (Valid in All States)															
2-Wire	VG Loop/2-Wire Voice Grade Port (Centrex) Combo															

2-Wire VG Loop Non-Design 2-Wire VG Loop Non-Design 2-Wire VG Loop Non-Design 2-Wire VG Loop Non-Design 2-Wire VG Loop Non-Design UNE Port/Loop Combil 2-Wire VG Loop	RATE ELEMENTS nation Rates (Non-Design) /2-Wire Voice Grade Port (Centrex) Port Combo- /2-Wire Voice Grade Port (Centrex)Port Combo- /2-Wire Voice Grade Port (Centrex)Port Combo-	Interi m	Zone	BCS	USOC	Rec	Nonrec	RATES(\$)			Submitted Elec	Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-
2-Wire VG Loop Non-Design 2-Wire VG Loop Non-Design 2-Wire VG Loop Non-Design 2-Wire VG Loop Non-Design UNE Port/Loop Combil 2-Wire VG Loop	/2-Wire Voice Grade Port (Centrex) Port Combo- /2-Wire Voice Grade Port (Centrex)Port Combo- /2-Wire Voice Grade Port (Centrex)Port Combo- /2-Wire Voice Grade Port (Centrex) Port Combo-	-	1			Rec	Nonroc				per LSR	per LSR	1st	Auu		Disc Add'l
2-Wire VG Loop Non-Design 2-Wire VG Loop Non-Design 2-Wire VG Loop Non-Design 2-Wire VG Loop Non-Design UNE Port/Loop Combil 2-Wire VG Loop	/2-Wire Voice Grade Port (Centrex) Port Combo- /2-Wire Voice Grade Port (Centrex)Port Combo- /2-Wire Voice Grade Port (Centrex)Port Combo- /2-Wire Voice Grade Port (Centrex) Port Combo-	-	1			1100		urring	Nonrecurring	Disconnect			OSS F	RATES (\$)		
2-Wire VG Loop Non-Design 2-Wire VG Loop Non-Design 2-Wire VG Loop Non-Design 2-Wire VG Loop Non-Design UNE Port/Loop Combil 2-Wire VG Loop	/2-Wire Voice Grade Port (Centrex) Port Combo- /2-Wire Voice Grade Port (Centrex)Port Combo- /2-Wire Voice Grade Port (Centrex)Port Combo- /2-Wire Voice Grade Port (Centrex) Port Combo-	-	1				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN		SOMAN	SOMAN
Non-Design 2-Wire VG Loop Non-Design 2-Wire VG Loop Non-Design 2-Wire VG Loop Non-Design 2-Wire VG Loop Non-Design 2-Wire VG Loop Von-Design UNE Port/Loop Combin 2-Wire VG Loop	/2-Wire Voice Grade Port (Centrex)Port Combo - /2-Wire Voice Grade Port (Centrex)Port Combo - /2-Wire Voice Grade Port (Centrex) Port Combo -		1													
2-Wire VG Loop Non-Design 2-Wire VG Loop Non-Design 2-Wire VG Loop Non-Design Von-Design UNE Port/Loop Combit 2-Wire VG Loop	/2-Wire Voice Grade Port (Centrex)Port Combo - /2-Wire Voice Grade Port (Centrex) Port Combo -		<u> </u>	UEP9D		12.22										
2-Wire VG Loop Non-Design 2-Wire VG Loop Non-Design UNE Port/Loop Combin 2-Wire VG Loop	/2-Wire Voice Grade Port (Centrex) Port Combo -			OLI OD		12.22										
Non-Design 2-Wire VG Loop Non-Design UNE Port/Loop Combin 2-Wire VG Loop	/2-Wire Voice Grade Port (Centrex) Port Combo -		2	UEP9D		17.13										
2-Wire VG Loop Non-Design UNE Port/Loop Combin 2-Wire VG Loop			3	UEP9D		26.26										
UNE Port/Loop Combine 2-Wire VG Loop		-				ĺ										
2-Wire VG Loop	nation Patos (Dosign)		4	UEP9D		44.91										
	/2-Wire Voice Grade Port (Centrex) Port Combo -															
Design			1	UEP9D		15.12										
2-Wire VG Loop Design	/2-Wire Voice Grade Port (Centrex)Port Combo -		2	UEP9D		19.98										ļ
	/2-Wire Voice Grade Port (Centrex)Port Combo -			OLI OD		10.00										
Design	(2) (2) (3) (4) (5) (6)		3	UEP9D		28.78										
2-Wire VG Loop Design	/2-Wire Voice Grade Port (Centrex) Port Combo -		4	UEP9D		46.95										
UNE Loop Rate						10.00										
	ade Loop (SL 1) - Zone 1			UEP9D	UECS1	10.98										
	ade Loop (SL 1) - Zone 2 ade Loop (SL 1) - Zone 3		3	UEP9D UEP9D	UECS1 UECS1	15.91 25.04										
	ade Loop (SL 1) - Zone 3		4	UEP9D	UECS1	43.68										
2-Wire Voice Gr	ade Loop (SL 2) - Zone 1		1	UEP9D	UECS2	13.89										
	ade Loop (SL 2) - Zone 2		2	UEP9D	UECS2	18.75										
	ade Loop (SL 2) - Zone 3 ade Loop (SL21) - Zone 4	1		UEP9D UEP9D	UECS2 UECS2	27.55 45.72										
UNE Port Rate	200 2000 (0221) 2010 4			OLI OD	02002	40.72										
ALL STATES				LIEBAR	LIEDVA	1.00	10.01		21.22							
	ade Port (Centrex) Basic Local Area ade Port (Centrex 800 termination)Basic Local	-		UEP9D	UEPYA	1.23	40.31	19.84	24.90	6.58		15.75			1.97	
Area	ade i oit (centrex ooo termination) basic bocai			UEP9D	UEPYB	1.23	40.31	19.84	24.90	6.58		15.75			1.97	i
	ade Port (Centrex / EBS-PSET)3Basic Local			LIEDOD	LIEDVO	4.00	40.04	40.04	04.00	0.50		45.75			4.07	
Area 2-Wire Voice Gr	ade Port (Centrex / EBS-M5009)3Basic Local			UEP9D	UEPYC	1.23	40.31	19.84	24.90	6.58		15.75			1.97	
Area	ado : or (comiox / 250 mosso/obasic 250al			UEP9D	UEPYD	1.23	40.31	19.84	24.90	6.58		15.75			1.97	1
	ade Port (Centrex / EBS-M5209))3 Basic Local			LIEDOD	UEPYE	4.00	40.04	40.04	24.00	0.50		45.75			1.97	i
Area 2-Wire Voice Gr	ade Port (Centrex / EBS-M5112))3 Basic Local			UEP9D	UEPTE	1.23	40.31	19.84	24.90	6.58		15.75			1.97	
Area				UEP9D	UEPYF	1.23	40.31	19.84	24.90	6.58		15.75			1.97	
2-Wire Voice Gra	ade Port (Centrex / EBS-M5312))3Basic Local			UEP9D	UEPYG	1.23	40.31	19.84	24.90	6.58		15.75			1.97	i
	ade Port (Centrex / EBS-M5008))3 Basic Local			OLF 9D	OLFIG	1.23	40.31	15.04	24.90	0.30		13.73			1.97	
Area				UEP9D	UEPYT	1.23	40.31	19.84	24.90	6.58		15.75			1.97	
2-Wire Voice Gra	ade Port (Centrex / EBS-M5208))3 Basic Local			UEP9D	UEPYU	1.23	40.31	19.84	24.90	6.58		15.75			1.97	i
	ade Port (Centrex / EBS-M5216))3 Basic Local	<u> </u>		OL: 3D	OLI 10	1.23	TU.31	13.04	24.30	0.30		13.73			1.31	-
Area		<u> </u>		UEP9D	UEPYV	1.23	40.31	19.84	24.90	6.58		15.75			1.97	
2-Wire Voice Gr	ade Port (Centrex / EBS-M5316))3 Basic Local			UEP9D	UEPY3	1.23	40.31	19.84	24.90	6.58		15.75			1.97	•
2-Wire Voice Gr	ade Port (Centrex with Caller ID) Basic Local															
Area	ada Part (Cantray/Callar ID/Max M/ta Lass-	<u> </u>		UEP9D	UEPYH	1.23	40.31	19.84	24.90	6.58		15.75			1.97	
Indication))3 Ba	ade Port (Centrex/Caller ID/Msg Wtg Lamp sic Local Area			UEP9D	UEPYW	1.23	40.31	19.84	24.90	6.58		15.75			1.97	•
2-Wire Voice Gr	ade Port (Centrex/Msg Wtg Lamp Indication))3															
Basic Local Area	ade Port (Centrex from diff Serving Wire Center)	1		UEP9D	UEPYJ	1.23	40.31	19.84	24.90	6.58		15.75			1.97	
2 Basic Local Ar				UEP9D	UEPYM	1.23	108.35	70.57	54.24	11.70		15.75			1.97	

UNBUNDLE	D NETWORK ELEMENTS - Mississippi												Attachment:	2		Exhibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurrin	g Disconnect				RATES (\$)		
	OWEN ACTION OF THE BOOK OF THE PROPERTY OF THE						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3 Basic Local Area			UEP9D	UEPYO	1.23	108.35	70.57	54.24	11.70		15.75			1.97	
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3															
	Basic Local Area			UEP9D	UEPYP	1.23	108.35	70.57	54.24	11.70		15.75			1.97	
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3 Basic Local Area			UEP9D	UEPYQ	1.23	108.35	70.57	54.24	11.70		15.75			1.97	
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3															
	Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3			UEP9D	UEPYR	1.23	108.35	70.57	54.24	11.70		15.75			1.97	├──
	Basic Local Area			UEP9D	UEPYS	1.23	108.35	70.57	54.24	11.70		15.75			1.97	
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3				UEPY4	1.23	108.35	70.57		11.70		15.75			1.97	
	Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3			UEP9D	UEPY4	1.23	108.35	70.57	54.24	11.70		15.75			1.97	
	Basic Local Area			UEP9D	UEPY5	1.23	108.35	70.57	54.24	11.70		15.75			1.97	
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3 Basic Local Area			UEP9D	UEPY6	1.23	108.35	70.57	54.24	11.70		15.75			1.97	1
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3 Basic Local Area			UEP9D	UEPY7	1.23	108.35	70.57	54.24	11.70		15.75			1.97	
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
-	Term 2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9D	UEPYZ	1.23	108.35	70.57	54.24	11.70		15.75			1.97	
	Basic Local Area			UEP9D	UEPY9	1.23	40.31	19.84	24.90	6.58		15.75			1.97	
	2-Wire Voice Grade Port Terminated on 800 Service Term Basic Local Area			UEP9D	UEPY2	1.23	40.31	19.84	24.90	6.58		15.75			1.97	
AL, KY	, LA, MS, SC, & TN Only															
	2-Wire Voice Grade Port (Centrex)			UEP9D	UEPQA	1.23	40.31	19.84	24.90	6.58		15.75			1.97	
	2-Wire Voice Grade Port (Centrex 800 termination) 2-Wire Voice Grade Port (Centrex / EBS-PSET)3			UEP9D UEP9D	UEPQB UEPQC	1.23 1.23	40.31 40.31	19.84 19.84	24.90 24.90	6.58 6.58		15.75 15.75			1.97 1.97	
	2-Wire Voice Grade Port (Centrex / EBS-P3E1)3			UEP9D	UEPQD	1.23	40.31	19.84	24.90	6.58		15.75			1.97	
	2-Wire Voice Grade Port (Centrex / EBS-M5209)3			UEP9D	UEPQE	1.23	40.31	19.84	24.90	6.58		15.75			1.97	
	2-Wire Voice Grade Port (Centrex / EBS-M5112)3			UEP9D	UEPQF	1.23	40.31	19.84	24.90	6.58		15.75			1.97	
	2-Wire Voice Grade Port (Centrex / EBS-M5312)3			UEP9D	UEPQG	1.23	40.31	19.84	24.90	6.58		15.75			1.97	
	2-Wire Voice Grade Port (Centrex / EBS-M5008)3			UEP9D	UEPQT	1.23	40.31	19.84	24.90	6.58		15.75			1.97	
	2-Wire Voice Grade Port (Centrex / EBS-M5208)3			UEP9D	UEPQU	1.23	40.31	19.84	24.90	6.58		15.75			1.97	-
	2-Wire Voice Grade Port (Centrex / EBS-M5216)3 2-Wire Voice Grade Port (Centrex / EBS-M5316)3		1	UEP9D UEP9D	UEPQV UEPQ3	1.23 1.23	40.31 40.31	19.84 19.84	24.90 24.90	6.58 6.58		15.75 15.75			1.97 1.97	
	2-Wire Voice Grade Port (Centrex / EBS-W5516)3 2-Wire Voice Grade Port (Centrex with Caller ID)			UEP9D	UEPQH	1.23	40.31	19.84	24.90	6.58		15.75			1.97	
	2-Wire Voice Grade Fort (Centrex With Caller ID/Msg Wtg Lamp			OLI 3D	OLI QII	1.23	40.51	13.04	24.30	0.30		10.70			1.57	
	Indication)3			UEP9D	UEPQW	1.23	40.31	19.84	24.90	6.58		15.75			1.97	İ
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)3			UEP9D	UEPQJ	1.23	40.31	19.84	24.90	6.58		15.75			1.97	
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)															İ
	2			UEP9D	UEPQM	1.23	108.35	70.57	54.24	11.70		15.75			1.97	
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3			UEP9D	UEPQO	1.23	108.35	70.57	54.24	11.70		15.75			1.97	<u> </u>
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3			UEP9D	UEPQP	1.23	108.35	70.57	54.24	11.70		15.75			1.97	İ
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-N3009)2, 3			UEP9D	UEPQQ	1.23	108.35	70.57	54.24	11.70		15.75			1.97	
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3			UEP9D	UEPQR	1.23	108.35	70.57	54.24	11.70		15.75			1.97	
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3			UEP9D	UEPQS	1.23	108.35	70.57	54.24	11.70		15.75			1.97	
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3			UEP9D	UEPQ4	1.23	108.35	70.57	54.24	11.70		15.75			1.97	1
											1					
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3			UEP9D	UEPQ5	1.23	108.35	70.57	54.24	11.70		15.75			1.97	
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3			UEP9D	UEPQ6	1.23	108.35	70.57	54.24	11.70		15.75			1.97	<u> </u>
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3			UEP9D	UEPQ7	1.23	108.35	70.57	54.24	11.70		15.75			1.97	<u> </u>

UNBUNDLE	D NETWORK ELEMENTS - Mississippi												Attachment:	2		Exhibit: B
													Incremental	Incremental	Incremental	Incremental
													Charge -	Charge -	Charge -	Charge -
		Interi	_								Svc Order	Svc Order	Manual Svc	Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)				Submitted		Order vs.	Order vs.	Order vs.
											Elec		Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	
					+	1			I		per LSR	per LSR	ist	Addi	DISC 1St	Disc Add'l
						Rec	Nonrec	urring	Nonrecurrin	g Disconnect			ossi	RATES (\$)		
						1.00	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN		SOMAN	SOMAN
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
	Term			UEP9D	UEPQZ	1.23	108.35	70.57	54.24	11.70		15.75			1.97	
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9D	UEPQ9	1.23	40.31	19.84	24.90	6.58		15.75			1.97	
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP9D	UEPQ2	1.23	40.31	19.84	24.90	6.58		15.75			1.97	
Local	Switching															
	Centrex Intercom Funtionality, per port			UEP9D	URECS	0.7947										
Local	Number Portability			LIEBAB												
Faction	Local Number Portability (1 per port)			UEP9D	LNPCC	0.35										
Featur		 	1	UEP9D	UEPVF	2.50					1	15 75		 	1.97	-
	All Standard Features Offered, per port All Select Features Offered, per port	 		UEP9D UEP9D	UEPVF	2.56 0.00	404.98				-	15.75 15.75			1.97	
 	All Centrex Control Features Offered, per port			UEP9D	UEPVS	2.56	404.98					15.75			1.97	-
NARS	7 al Control Control Leatures Offered, per port	 		JL1 3D	OLI VO	2.30						10.73			1.97	
HARO	Unbundled Network Access Register - Combination			UEP9D	UARCX	0.00	0.00	0.00								
	Unbundled Network Access Register - Inward			UEP9D	UAR1X	0.00	0.00	0.00								
	Unbundled Network Access Register - Outdial			UEP9D	UAROX	0.00	0.00	0.00								
Miscel	laneous Terminations															
	Trunk Side															
	Trunk Side Terminations, each			UEP9D	CEND6	8.25	120.00	18.85	61.77	3.88		15.75			1.97	
4-Wire	Digital (1.544 Megabits)															
	DS1 Circuit Terminations, each			UEP9D	M1HD1	58.41	203.19	96.25	74.86	2.54		15.75			1.97	
	DS0 Channels Activiated per Channel			UEP9D	M1HDO	0.00	14.56									
Interof	fice Channel Mileage - 2-Wire			LIEDAD	111000	00.50	40.00									
	Interoffice Channel Facilities Termination			UEP9D	MIGBC	22.52	40.77	27.57	17.26	7.11		15.75			1.97	
Faction	Interoffice Channel mileage, per mile or fraction of mile e Activations (DS0) Centrex Loops on Channelized DS1 Service			UEP9D	MIGBM	0.0098										
	e Activations (DSU) Centrex Loops on Channelized DST Service	e			+											
D4 Cite	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9D	1PQWS	0.57										
	Todatio Fictivation on B 4 Onarmor Bank Controx Edop Clot			OLI OD	11 0110	0.07										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9D	1PQW6	0.57										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop															
	Slot			UEP9D	1PQW7	0.57										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -															
	Different Wire Center			UEP9D	1PQWP	0.57										
								-								
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9D	1PQWV	0.57										
1 1	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop	1			1]								1		
	Slot	ļ		UEP9D	1PQWQ	0.57						ļ				
 	Feature Activation on D-4 Channel Bank WATS Loop Slot	 	ļ	UEP9D	1PQWA	0.57			-	-		1		 	1	1
Non-Re	ecurring Charges (NRC) Associated with UNE-P Centrex NRC Conversion Currently Combined Switch-As-Is with allowed	 	 		+										-	
	changes, per port	1		UEP9D	USAC2]	0.10	0.10				15.75		1	1.97	
 	Conversion of existing Centrex Common Block, each	 	 	UEP9D	USACN		37.97	16.68				10.73		 	1.97	
 	New Centrex Standard Common Block	†		UEP9D	M1ACS	0.00	666.32	10.00			t	15.75		 	1.97	1
	New Centrex Customized Common Block			UEP9D	M1ACC	0.00	666.32					15.75			1.97	
	NAR Establishment Charge, Per Occasion			UEP9D	URECA	0.00	72.63			l		15.75			1.97	İ
UNE-P	CENTREX - EWSD (Valid in AL, FL, KY, LA, MS & TN)															
2-Wire	VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
UNE P	ort/Loop Combination Rates (Non-Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	1]		<u> </u>
	Non-Design	<u> </u>	1	UEP9E	1	12.22										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	1			1									1		
\vdash	Non-Design		2	UEP9E		17.13										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	1		LIEBOE	1	00.00								1		
	Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	 	3	UEP9E	+	26.26				-	1	1		 	-	-
		1	4	LIEDOE	İ	44.91								Ì		
	Non-Design	1	4	UEP9E		44.91			l .	l	1	l		l	l .	l

UNBUNDLE	D NETWORK ELEMENTS - Mississippi												Attachment:	2		Exhibit: E
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Submitted	Incremental Charge - Manual Svc	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec			g Disconnect				RATES (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UNE PO	ort/Loop Combination Rates (Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design		1	UEP9E		15.12										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design		2	UEP9E		19.98										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			OLI OL		10.00										
	Design		3	UEP9E		28.78										
1 '	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -			LIEDOE		40.05										
TIME 1	Design op Rate	ļ	4	UEP9E	 	46.95										-
UNE LO	2-Wire Voice Grade Loop (SL 1) - Zone 1	1	1	UEP9E	UECS1	10.98									-	
 	2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2	 	2	UEP9E UEP9E	UECS1	15.91								-	-	1
 	2-Wire Voice Grade Loop (SL 1) - Zone 2		3	UEP9E	UECS1	25.04										1
	2-Wire Voice Grade Loop (SL 1) - Zone 4		4	UEP9E	UECS1	43.68										
	2-Wire Voice Grade Loop (SL 2) - Zone 1	1	1	UEP9E	UECS2	13.89					<u> </u>				1	I
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP9E	UECS2	18.75										
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9E	UECS2	27.55										
	2-Wire Voice Grade Loop (SL21) - Zone 4		4	UEP9E	UECS2	45.72										
UNE Po	ort Rate															
AL, FL,	KY, LA, MS, & TN only															
	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP9E	UEPYA	1.23	40.31	19.84	24.90	6.58		15.75			1.97	
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area			UEP9E	UEPYB	1.23	40.31	19.84	24.90	6.58		15.75			1.97	
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local															
	Area 2-Wire Voice Grade Port (Centrex from diff Serving Wire			UEP9E	UEPYH	1.23	40.31	19.84	24.90	6.58		15.75			1.97	
	Center)2 Basic Local Area 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			UEP9E	UEPYM	1.23	108.35	70.57	54.24	11.70		15.75			1.97	
	Term - Basic Local Area			UEP9E	UEPYZ	1.23	108.35	70.57	54.24	11.70		15.75			1.97	
	2-Wire Voice Grade Port terminated in on Megalink or equivalent - Basic Local Area			UEP9E	UEPY9	1.23	40.31	19.84	24.90	6.58		15.75			1.97	
	2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area			UEP9E	UEPY2	1.23	40.31	19.84	24.90	6.58		15.75			1.97	
AI KV	LA, MS, & TN Only			UEF9E	UEF12	1.23	40.31	19.04	24.90	0.30		15.75			1.97	
AL, KI,	2-Wire Voice Grade Port (Centrex)			UEP9E	UEPQA	1.23	40.31	19.84	24.90	6.58		15.75			1.97	
	2-Wire Voice Grade Fort (Centrex) 2-Wire Voice Grade Port (Centrex 800 termination)	1		UEP9E	UEPQB	1.23	40.31	19.84	24.90	6.58		15.75			1.97	
	2-Wire Voice Grade Port (Centrex with Caller ID)1	1		UEP9E	UEPQH	1.23	40.31	19.84	24.90	6.58		15.75			1.97	1
	2-Wire Voice Grade Port (Centrex from diff Serving Wire			-	1					5.30				1		1
	Center)2 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service		1	UEP9E	UEPQM	1.23	108.35	70.57	54.24	11.70	ļ	15.75			1.97	ļ
	Z-wire voice Grade Port, Dill Serving wire Center - 800 Service Term			UEP9E	UEPQZ	1.23	108.35	70.57	54.24	11.70		15.75			1.97	
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9E	UEPQ9	1.23	40.31	19.84	24.90	6.58		15.75			1.97	
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP9E	UEPQ2	1.23	40.31	19.84	24.90	6.58		15.75		İ	1.97	
Local §	Switching															
	Centrex Intercom Funtionality, per port			UEP9E	URECS	0.7947										
Local N	lumber Portability			•												
	Local Number Portability (1 per port)			UEP9E	LNPCC	0.35										
Feature					1											
<u> </u>	All Standard Features Offered, per port	ļ		UEP9E	UEPVF	2.56						15.75			1.97	
	All Select Features Offered, per port	ļ	<u> </u>	UEP9E	UEPVS	0.00	404.98									-
	All Centrex Control Features Offered, per port		-	UEP9E	UEPVC	2.56						15.75			1.97	1
NARS	Unbundled Network Access Bogister, Combinetics	 	-	UEP9E	LIABOV	0.00	0.00	0.00			1	-		-	-	
	Unbundled Network Access Register - Combination Unbundled Network Access Register - Indial	<u> </u>	<u> </u>	UEP9E UEP9E	UARCX UAR1X	0.00	0.00	0.00						-	-	-
 	Unbundled Network Access Register - Indial Unbundled Network Access Register - Outdial	1		UEP9E UEP9E	UAROX	0.00	0.00	0.00			-			1	1	
\vdash	aneous Terminations	1		OLI JL	JANUA	0.00	0.00	0.00								t
Miscell																

UNBUNDLE	D NETWORK ELEMENTS - Mississippi												Attachment:	2		Exhibit: B
<u> </u>																
													Incremental	Incremental		Incremental
		Interi									Cur Ouden	Cur Onden	Charge - Manual Svc	Charge - Manual Svc	Charge - Manual Svc	Charge - Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)								
		l										Submitted		Order vs.	Order vs.	Order vs. Electronic-
											Elec		Electronic-	Electronic-	Electronic-	
						<u> </u>					per LSR	per LSR	1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonrec	ina	Monroourrin	g Disconnect			000	RATES (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN			SOMAN	SOMAN
	Trunk Side Terminations, each			UEP9E	CEND6	8.25	120.00	18.85	61.77	3.88	COMILO	15.75	COMPAR	COMPAR	1.97	COMPAR
4-Wire	Digital (1.544 Megabits)			021 02	OLINDO	0.20	120.00	10.00	01.77	0.00		10.70			1.07	
1 111110	DS1 Circuit Terminations, each			UEP9E	M1HD1	58.41	203.19	96.25	74.86	2.54		15.75			1.97	
	DS0 Channel Activated Per Channel			UEP9E	M1HDO	0.00	14.56					15.75			1.97	
Interof	fice Channel Mileage - 2-Wire															
	Interoffice Channel Facilities Termination			UEP9E	MIGBC	22.52	40.77	27.57	17.26	7.11		15.75			1.97	
	Interoffice Channel mileage, per mile or fraction of mile			UEP9E	MIGBM	0.0098										
	e Activations (DS0) Centrex Loops on Channelized DS1 Servic	ce														
D4 Cha	annel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot	ļ		UEP9E	1PQWS	0.57				ļ		15.75			1.97	
	Francisco Autorio de B.4.0km de B.4.5km de C. C. C. C. C. C. C. C. C. C. C. C. C.	1		LIEBOE	4001110					I						
\vdash	Feature Activation on D-4 Channel Bank FX line Side Loop Slot	l		UEP9E	1PQW6	0.57				 		15.75			1.97	
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop			UEP9E	1PQW7	0.57				1		15.75			1.97	
—	Feature Activation on D-4 Channel Bank Centrex Loop Slot -			UEP9E	TPQW7	0.57				-		15.75			1.97	
	Different Wire Center			UEP9E	1PQWP	0.57				1		15.75			1.97	
	Different wife Center			UEP9E	IFQWF	0.57						15.75			1.97	
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9E	1PQWV	0.57						15.75			1.97	
	Feature Activation on D-4 Channel Bank Tijle Line/Trunk Loop			021 02		0.07						10.70			1.07	
	Slot			UEP9E	1PQWQ	0.57						15.75			1.97	
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9E	1PQWA	0.57						15.75			1.97	
Non-Re	ecurring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed															
	changes, per port			UEP9E	USAC2		0.10	0.10				15.75			1.97	
	Conversion of Existing Centrex Common Block, each			UEP9E	USACN		37.97	16.68				15.75			1.97	
	New Centrex Standard Common Block			UEP9E	M1ACS							15.75			1.97	
	New Centrex Customized Common Block			UEP9E	M1ACC							15.75			1.97	
	NAR Establishment Charge, Per Occasion			UEP9E	URECA							15.75			1.97	
	CENTREX - DCO - Valid in AL, KY, LA, MS, & TN)															
	VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
UNE P	ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -				-											
	Non-Design		1	UEP93		12.22										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			OLF 93		12.22										
	Non-Design		2	UEP93		17.13										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	1				0				1						
	Non-Design		3	UEP93		26.26				1						
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	-														
	Non-Design	<u></u>	4	UEP93		44.91				<u> </u>			<u> </u>	<u> </u>	<u> </u>	<u> </u>
UNE P	ort/Loop Combination Rates (Design)							•								
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	-						·	·							
	Design	ļ	1	UEP93	1	15.12				ļ						
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			LIEBOO						1						
 	Design	<u> </u>	2	UEP93		19.98				-			ļ	ļ	ļ	ļ
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	1	3	UEP93		00.70				I						
	Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	1	3	UEP93	+	28.78				-			-	-	-	
	Design	1	4	UEP93		46.95				I						
UNF	oop Rate	1	-	OL1 33	+	40.93				-						
ONE E	2-Wire Voice Grade Loop (SL 1) - Zone 1	1	1	UEP93	UECS1	10.98				-	<u> </u>					
	2-Wire Voice Grade Loop (SL 1) - Zone 2	†	2	UEP93	UECS1	15.91				1						
	2-Wire Voice Grade Loop (SL 1) - Zone 3	1	3	UEP93	UECS1	25.04				1			İ	İ	İ	İ
	2-Wire Voice Grade Loop (SL 1) - Zone 4		4	UEP93	UECS1	43.68										
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP93	UECS2	13.89										
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP93	UECS2	18.75										
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP93	UECS2	27.55		•								
	2-Wire Voice Grade Loop (SL21) - Zone 4	<u> </u>	4	UEP93	UECS2	45.72										
UNE P	ort Rate	l														

UNBUNDLE	NETWORK ELEMENTS - Mississippi												Attachment:	2		Exhibit: E
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)	I			Submitted Manually	Incremental Charge - Manual Svc	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonre			g Disconnect	SOMEC		OSS	RATES (\$)		
AL KY	, LA, MS, & TN only						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
AL, KI,	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP93	UEPYA	1.23	40.31	19.84	24.90	6.58	1	15.75			1.97	
	2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local			OLI 33	OLI IX	1.20	40.51	13.04	24.30	0.30		13.73			1.57	
	Area			UEP93	UEPYB	1.23	40.31	19.84	24.90	6.58		15.75			1.97	
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area			UEP93	UEPYH	1.23	40.31	19.84	24.90	6.58		15.75			1.97	
	2-Wire Voice Grade Port (Centrex from diff Serving Wire															
	Center)2 Basic Local Area 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			UEP93	UEPYM	1.23	108.35	7.57	54.24	11.70		15.75			1.97	
'	Term - Basic Local Area			UEP93	UEPYZ	1.23	108.35	7.57	54.24	11.70		15.75			1.97	
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP93	UEPY9	1.23	40.31	19.84	24.90	6.58		15.75			1.97	
	- Basic Local Area 2-Wire Voice Grade Port Terminated on 800 Service Term -			UEP93	UEPY9	1.23	40.31	19.84	24.90	6.58		15.75			1.97	
	Basic Local Area			UEP93	UEPY2	1.23	40.31	19.84	24.90	6.58		15.75			1.97	
	2-Wire Voice Grade Port (Centrex)			UEP93	UEPQA	1.23	40.31	19.84	24.90	6.58		15.75			1.97	
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP93	UEPQB	1.23	40.31	19.84	24.90	6.58		15.75			1.97	
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP93	UEPQH	1.23	40.31	19.84	24.90	6.58		15.75			1.97	
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2			UEP93	UEPQM	1.23	108.35	7.57	54.24	11.70		15.75			1.97	
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term			UEP93	UEPQZ	1.23	108.35	7.57	54.24	11.70		15.75			1.97	
,																
-	2-Wire Voice Grade Port terminated in on Megalink or equivalent 2-Wire Voice Grade Port Terminated on 800 Service Term			UEP93 UEP93	UEPQ9 UEPQ2	1.23 1.23	40.31 40.31	19.84 19.84	24.90 24.90	6.58 6.58		15.75 15.75			1.97 1.97	
Local S	Switching			UEP93	UEPQ2	1.23	40.31	19.84	24.90	6.58		15.75			1.97	
Local S	Centrex Intercom Funtionality, per port			UEP93	URECS	0.7947						1			1	
Local N	lumber Portability			OL1 30	OREGO	0.7547										
	Local Number Portability (1 per port)			UEP93	LNCCC	0.35										
Feature																
	All Standard Features Offered, per port			UEP93	UEPVF	2.56						15.75			1.97	
	All Centrex Control Features Offered, per port			UEP93	UEPVC	2.56						15.75			1.97	
NARS	Halanda National Assess Barbara Conditions			LIEDOO	LIABOV	0.00	0.00	0.00								
	Unbundled Network Access Register - Combination Unbundled Network Access Register - Indial			UEP93 UEP93	UARCX UAR1X	0.00	0.00	0.00				-				
	Unbundled Network Access Register - Outdial			UEP93	UAROX	0.00	0.00	0.00				1				
Miscell	aneous Terminations	1	1	021 00	5/11/5/	0.00	0.00	0.00							t	-
	Trunk Side				†				1	1	1	1				
	Trunk Side Terminations, each			UEP93	CEND6	8.25	120.00	18.85	61.77	3.88		15.75			1.97	
	Digital (1.544 Megabits)						· · · · · ·									
	DS1 Circuit Terminations, each			UEP93	M1HD1	58.41	203.19	96.25	74.86	2.54		15.75			1.97	
	DS0 Channels Activated, Per Channel	ļ		UEP93	M1HDO	0.00	14.56					15.75			1.97	
	ice Channel Mileage - 2-Wire	1	 	LIEDOS	MIGBC	00.50	40.77	27.57	17.26	7.44	<u> </u>	45.75	 	 	1.97	1
	Interoffice Channel Facilities Termination Interoffice Channel mileage, per mile or fraction of mile	-		UEP93 UEP93	MIGBC	22.52 0.0098	40.77	27.57	17.26	7.11	_	15.75	1	-	1.97	-
Feature	Activations (DS0) Centrex Loops on Channelized DS1 Service	e	 	OLF 33	IVIIGOIVI	0.0098			1	1	1	1	1	1	 	
	nnel Bank Feature Activations	ĭ			 							1			—	
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP93	1PQWS	0.57										
	Feature Activation on D-4 Channel Bank FX Line Side Loop Slot			UEP93	1PQW6	0.57										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP93	1PQW7	0.57										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -															
	Different Wire Center			UEP93	1PQWP	0.57										
 	Feature Activation on D-4 Channel Bank Private Line Loop Slot Feature Activation on D-4 Channel Bank Tie Line/Trunk Loop	1	 	UEP93	1PQWV	0.57			 	 	<u> </u>	1	 	 	1	
	Slot			UEP93	1PQWQ	0.57										
	Feature Activation on D-4 Channel Bank WATS Loop Slot	1		UEP93	1PQWA	0.57			1	1	1	1	1	1	†	†

UNBL	INDLE	NETWORK ELEMENTS - Mississippi												Attachment:	2		Exhibit: B
CATE	GORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Submitted	Submitted Manually	Charge -	Charge - Manual Svc Order vs.	Electronic-	Charge -
							Rec	Nonrec	urring	Nonrecurring	Disconnect			oss i	RATES (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Non-Re	curring Charges (NRC) Associated with UNE-P Centrex															
		NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port			UEP93	USAC2		0.10	0.10				15.75			1.97	
		Conversion of Existing Centrex Common Block, each			UEP93	USACN		37.97	16.68								
		New Centrex Standard Common Block			UEP93	M1ACS	0.00	666.32					15.75			1.97	
		New Centrex Customized Common Block			UEP93	M1ACC	0.00	666.32					15.75			1.97	
		NAR Establishment Charge, Per Occasion			UEP93	URECA	0.00	72.63					15.75			1.97	
	Note 1	Required Port for Centrex Control in 1AESS, 5ESS & EWSD															
	Note 2	- Requres Interoffice Channel Mileage															
	Note 3	Requires Specific Customer Premises Equipment															

UNRUN	DI F	D NETWORK ELEMENTS - North Carolina												Attachment:	2		Exhibit:
3.4001		- HOILII GAIGIIIIA		l	l		ı										
														Incremental	Incremental	Incremental	Incrementa
														Charge -	Charge -	Charge -	Charge -
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			Svc Order	Svc Order	Manual Svc	Manual Svc	Manual Svc	Manual Sv
			m						- (1)			Submitted	Submitted	Order vs.	Order vs.	Order vs.	Order vs.
												Elec	Manually	Electronic-	Electronic-	Electronic-	Electronic
												per LSR	per LSR	1st	Add'l	Disc 1st	Disc Add'
														•	•	•	•
							Rec	Nonre	curring	Nonrecurring	g Disconnect				RATES (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
						1				l		l		L			
		one" shown in the sections for stand-alone loops or loops as				eographically	Deaveraged U	NE Zones. To	view Geograp	hically Deaver	aged UNE Zone	e Designati	ons by Cent	tral Office, refe	er to Internet	Website:	
		www.interconnection.bellsouth.com/become_a_clec/html/inter	rconnec	tion.ht	m	1	1	1		1	1			1			т
OPERAT	IONAL	SUPPORT SYSTEMS	<u> </u>			1											<u> </u>
١.		(4) Electronic Comits Codes Of EQ. 4 december 11 and 11 and 12 an									.	T 1 1					
		(1) Electronic Service Order: CLEC-1 should contact its cont															
		is the BellSouth regional electronic service ordering charge.															
		(2) Any element that can be ordered electronically will be bill															
		elements that cannot be ordered electronically at present per				e in this cate	gory reflects th	e charge that v	would be billed	to a CLEC on	ice electronic o	ordering cap	pabilities co	me on-line fo	r that element	. Otherwise,	the manua
0	rderin	g charge, SOMAN, will be applied to a CLECs bill when it sul	mits ar	LSR t	o BellSouth.	1		1			1		1	1	1	1	т
		Electronic OSS Charge, per LSR, submitted via BST's OSS	1	1			1										
I IN IPS : TO CO		interactive interfaces (Regional)	ļ	<u> </u>		SOMEC		3.50			ļ		ļ	ļ			ļ
		XCHANGE ACCESS LOOP															
2	-WIRE	ANALOG VOICE GRADE LOOP			LIFANII	LIEALO	45.00	57.00	40.07					00.04	40.70		
-		2-Wire Analog Voice Grade Loop - Service Level 1- Statewide		sw	UEANL	UEAL2	15.88	57.99	42.37					26.94	12.76		
		Loop Testing - Basic 1st Half Hour			UEANL UEANL	URET1 URETA		78.92 23.33	78.92 23.33								
		Loop Testing - Basic Additional Half Hour Engineering Information Document (EI)			UEANL	UKETA		28.74	28.74								
		Manual Order Coordination for UVL-SL1s (per loop)*			UEANL	UEAMC		61.38	61.38			-					+
		Order Coordination for Specified Conversion Time for UVL-SL1			UEAINL	UEAIVIC		01.30	01.30								
		(per LSR) *			UEANL	ocosl		45.34	45.34								
2	-WIRE	Unbundled COPPER LOOP			OL7 II VL	CCCCL		40.04	40.04								1
		2-Wire Unbundled Copper Loop Non-Designed - SW		SW	UEQ	UEQ2X	15.88	57.99	42.37					26.94	26.94	26.94	26.9
		Order Coordination 2 Wire Unbundled Copper Loop - Non-															
		Designed (per loop)			UEQ	USBMC		61.38	61.38								
		Engineering Information Document			UEQ			28.74	28.74								1
		Loop Testing - Basic 1st Half Hour			UEQ	URET1		78.92	78.92								
		Loop Testing - Basic Additional Half Hour			UEQ	URETA		23.33	23.33								
UNBUND		XCHANGE ACCESS LOOP															
2	-WIRE	ANALOG VOICE GRADE LOOP															
		2 Wire Analog Voice Grade Loop -Service Level 1-Statewide-															
		Line Splitting	- 1		UEPSR UEPSB	UEALS	15.88	57.99	42.37					26.94	12.76		
		2 Wire Analog Voice Grade Loop -Service Level 1-Statewide-															
		Line Splitting	I		UEPSR UEPSB	UEABS	15.88	57.99	42.37					26.94	12.76		
L		pop Rates for Line Splitting				L											ļ
<u> </u>		2-Wire Voice Grade Loop (SL1) for Line Splitting- Statewide		SW	UEPRX	UEPLX	14.18										ļ
		XCHANGE ACCESS LOOP															
2	-WIKE	ANALOG VOICE GRADE LOOP															
		CLEC to CLEC Conversion Charge without outside dispatch (UVL-SL1)			UEANL	UREWO		48.07	22.00					26.94	12.76		
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or			UEANL	UREWU		48.07	22.00			-		26.94	12.76		+
		Ground Start Signaling - Statewide		sw	UEA	UEAL2	19.50	142.97	106.56					26.94	12.76		
		Order Coordination for Specified Conversion Time (per LSR)		SW	UEA	OCOSL	19.50	45.34	100.50				1	20.94	12.70		+
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	 	†	0-/1	30000	 	75.54			1	-	 	1			
		Battery Signaling-Statewide	1	sw	UEA	UEAR2	19.50	142.97	106.56					26.94	12.76		
 		Order Coordination for Specified Conversion Time (per LSR)	1	3,,,	UEA	OCOSL	10.00	45.34	100.00	1				20.04	12.70		
		CLEC to CLEC Conversion Charge without outside dispatch		1	UEA	UREWO	1	131.73	38.24	1				26.94	12.76		t
 		ANALOG VOICE GRADE LOOP		1		1	1			1							t
14		4-Wire Analog Voice Grade Loop - Statewide		SW	UEA	UEAL4	27.49	288.47	237.45	1				26.94	12.76		t
4			1		UEA	OCOSL		45.34									
4		Order Coordination for Specified Conversion Time (per LSR)															
		Order Coordination for Specified Conversion Time (per LSR) SISDN DIGITAL GRADE LOOP			OLA												
				sw	UDN	U1L2X	24.98	325.91	251.31					26.94	12.76		
	-WIRE	ISDN DIGITAL GRADE LOOP 2-Wire ISDN Digital Grade Loop - Statewide Order Coordination For Specified Conversion Time (per LSR)		sw	UDN UDN	U1L2X OCOSL	24.98	325.91 45.34							-		
2	-WIRE	ISDN DIGITAL GRADE LOOP 2-Wire ISDN Digital Grade Loop - Statewide		SW	UDN	U1L2X	24.98	325.91	251.31 33.06					26.94 26.94	12.76 12.76		

4Q01:12/01/01 PAGE 223 OF 324

UNBUNDLE	ED NETWORK ELEMENTS - North Carolina											Attachment:	2		Exhibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			Submitted Manually	Incremental Charge - Manual Svc	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec First	urring Add'l	Nonrecurring Disconnect First Add'l	SOMEC	SOMAN	OSS I	RATES (\$)	SOMAN	SOMAN
	2-Wire Universal Digital Channel (UDC) Compatible Loop -				+		FIISL	Add I	Filst Auu I	SOWIEC	JOWAN	JOWAN	JOWAN	JOWAN	JOWAN
	Statewide		sw	UDC	UDC2X	24.98	325.91	251.31				26.94	12.76		İ
	CLEC to CLEC Conversion Charge without outside dispatch			UDC	UREWO		121.08	33.06				26.94	12.76		
2-WIR	E ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMF	PATIBLE	LOOP												
	2 Wire Unbundled ADSL Loop including manual service inquiry														
	& facility reservation - Statewide		SW	UAL	UAL2X	14.60	504.90	456.17				26.94	12.76		
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		45.34								
	2 Wire Unbundled ADSL Loop without manual service inquiry												40.00		
 	and facility reservation - Statewide	!	SW	UAL	UAL2W	14.60	203.85	128.42		1		26.94	12.76		+
 	Order Coordination for Specified Conversion Time (per LSR) CLEC to CLEC Conversion Charge without outside dispatch	1		UAL	OCOSL UREWO		45.34 137.72	29.31		+		26.94	12.76		
2-11/10	E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIB! E	OOP	UAL	UKEWU		131.12	29.31	 	+	1	∠6.94	12.76		
Z-9VIR	2 Wire Unbundled HDSL Loop including manual service inquiry	I			+	+				+			 		
	and facility reservation - Statewide	1	sw	UHL	UHL2X	11.98	504.90	456.17				26.94	12.76		1
	Order Coordination for Specified Conversion Time (per LSR)		0	UHL	OCOSL	11.00	45.34	100.11		1		20.01	12.10		
	2 Wire Unbundled HDSL Loop without manual service inquiry														
	and facility reservation - Statewide		sw	UHL	UHL2W	11.98	221.08	145.65				26.94	12.76		
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		45.34								
	CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		137.66	29.31				26.94	12.76		
4-WIR	E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP												
	4 Wire Unbundled HDSL Loop including manual service inquiry														
	and facility reservation - Statewide		SW	UHL	UHL4X	13.97	531.35	482.62				26.94	12.76		
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		45.34								
	4-Wire Unbundled HDSL Loop without manual service inquiry					40.00	.==						40.00		İ
	and facility reservation - Statewide		SW	UHL	UHL4W	13.97	277.99	202.56				26.94	12.76		
-	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		45.34 137.66	29.31		-		20.04	12.76		
4 WID	CLEC to CLEC Conversion Charge without outside dispatch E DS1 DIGITAL LOOP			UHL	UREWO		137.00	29.31				26.94	12.76		-
4-9918	4-Wire DS1 Digital Loop - Statewide		SW	USL	USLXX	62.78	714.84	421.47	+	1		42.19	12.76		
 	Order Coordination for Specified Conversion Time (per LSR)		344	USL	OCOSL	02.70	45.34	721.77		1		42.13	12.70		
	CLEC to CLEC Conversion Charge without outside dispatch	1		USL	UREWO		130.15	40.01	<u> </u>	1		26.94	12.76		
4-WIR	E 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP			002	O.K.E.W.O		100.10					20.0 .	12.70		
	4 Wire Unbundled Digital 19.2 Kbps		sw	UDL	UDL19	32.67	489.04	337.51				19.99	19.99	19.99	19.99
	4 Wire Unbundled Digital Loop 56 Kbps		SW	UDL	UDL56	32.67	489.04	337.51				26.94	12.76		
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		45.34								
	4 Wire Unbundled Digital Loop 64 Kbps - Statewide		SW	UDL	UDL64	32.67	489.04	337.51				26.94	12.76		
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		45.34								
	CLEC to CLEC Conversion Charge without outside dispatch	ļ		UDL	UREWO		131.57	38.65				26.94	12.76		
2-WIR	E Unbundled COPPER LOOP														
	2-Wire Unbundled Copper Loop/Short including manual service		,	LICI	LICE DO	10.10	004.05	400.0=				10.00	10.00	10.00	10.00
	inquiry & facility reservation - Zone 1		1	UCL	UCLPB	13.40	281.95	162.85		-		19.99	19.99	19.99	19.99
	2-Wire Unbundled Copper Loop/Short including manual service inquiry & facility reservation - Zone 2		2	UCL	UCLPB	21.76	281.95	162.85				19.99	19.99	19.99	19.99
	2 Wire Unbundled Copper Loop/Short including manual service			UCL	UCLPB	21.70	201.93	162.63	+	1		19.99	19.99	19.99	19.99
	inquiry & facility reservation - Zone 3		3	UCL	UCLPB	25.01	281.95	162.85				19.99	19.99	19.99	19.99
	Order Coordination for Unbundled Copper Loops (per loop)		-	UCL	UCLMC	20.01	61.38	61.38				10.00	10.00	10.00	10.00
	2-Wire Unbundled Copper Loop/Short without manual service			002	CCLING		01.00	01.00		1					
] [inquiry and facility reservation - Zone 1	1	1	UCL	UCLPW	13.40	250.17	174.74				19.99	19.99	19.99	19.99
	2-Wire Unbundled Copper Loop/Short without manual service														
	inquiry and facility reservation - Zone 2	1	2	UCL	UCLPW	21.76	250.17	174.74				19.99	19.99	19.99	19.99
	2-Wire Unbundled Copper Loop/Short without manual service					j									
	inquiry and facility reservation - Zone 3	<u></u>	3	UCL	UCLPW	25.01	250.17	174.74		<u> </u>		19.99	19.99	19.99	19.99
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		61.38	61.38							
	2-Wire Unbundled Copper Loop/Long - includes manual srvc.				1										1
	inquiry and facility reservation - Zone 1	ļ	1	UCL	UCL2L	37.79	268.96	149.86				19.99	19.99	19.99	19.99
1 1	2-Wire Unbundled Copper Loop/Long - includes manual svc.		_	LICI	110101	00.46	000.00	440.00				10.00	10.00	10.00	10.00
LL	inquiry and facility reservation - Zone 2	1	2	UCL	UCL2L	63.16	268.96	149.86	l l		l	19.99	19.99	19.99	19.99

UNBUNDLE	D NETWORK ELEMENTS - North Carolina												Attachment:	2		Exhibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Submitted	Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring I					RATES (\$)		
	2-Wire Unbundled Copper Loop/Long - includes manual svc.						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	inquiry and facility reservation - Zone 3		3	UCL	UCL2L	73.02	268.96	149.86					19.99	19.99	19.99	19.99
	Order Coordination for Unbundled Copper Loops (per loop)		_	UCL	UCLMC		61.38	61.38								
	2-Wire Unbundled Copper Loop/Long - without manual service															
	inquiry and facility reservation - Zone 1		1	UCL	UCL2W	37.79	189.00	113.57					19.99	19.99	19.99	19.99
	2-Wire Unbundled Copper Loop/Long - without manual service inquiry and facility reservation - Zone 2		2	UCL	UCL2W	63.16	189.00	113.57					19.99	19.99	19.99	19.99
	2-Wire Unbundled Copper Loop/Long - without manual service			OCL	UCLZVV	03.10	109.00	113.57					19.99	19.99	19.99	15.55
	inquiry and facility reservation - Zone 3		3	UCL	UCL2W	73.02	189.00	113.57					19.99	19.99	19.99	19.99
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		61.38	61.38								
	CLEC to CLEC Conversion Charge without outside dispatch			UCL	UREWO	[148.74	04.00					40.00	40.00	40.00	40.00
	(UCL-Des) CLEC to CLEC Conversion Charge without outside dispatch	1		UCL	UKEWU	+	148.74	31.39	 			1	19.99	19.99	19.99	19.99
	(UCL-ND)			UEQ	UREWO		48.07	22.00					19.99	19.99	19.99	19.99
4-WIRE	COPPER LOOP															
	4-Wire Copper Loop/Short - including manual service inquiry															
-	and facility reservation - Zone 1		1	UCL	UCL4S	17.63	330.13	211.02					19.99	19.99	19.99	19.99
	4-Wire Copper Loop/Short - including manual service inquiry and facility reservation - Zone 2		2	UCL	UCL4S	28.89	330.13	211.02					19.99	19.99	19.99	19.99
	4-Wire Copper Loop/Short - including manual service inquiry		_	002	OOLAG	20.00	000.10	211.02					10.00	10.00	10.00	10.00
	and facility reservation - Zone 3		3	UCL	UCL4S	33.28	330.13	211.02					19.99	19.99	19.99	19.99
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		61.38	61.38								
	4-Wire Copper Loop/Short - without manual service inquiry and		1	UCL	1101 414	17.63	250.47	474.74					19.99	19.99	19.99	19.99
-	facility reservation - Zone 1 4-Wire Copper Loop/Short - without manual service inquiry and		1	UCL	UCL4W	17.63	250.17	174.74					19.99	19.99	19.99	19.99
	facility reservation - Zone 2		2	UCL	UCL4W	28.89	250.17	174.74					19.99	19.99	19.99	19.99
	4-Wire Copper Loop/Short - without manual service inquiry and															
	facility reservation - Zone 3		3	UCL	UCL4W	33.28	250.17	174.74					19.99	19.99	19.99	19.99
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		61.38	61.38								
	4-Wire Unbundled Copper Loop/Long - includes manual svc. inquiry and facility reservation - Zone 1		1	UCL	UCL4L	53.68	317.14	198.03					19.99	19.99	19.99	19.99
	4-Wire Unbundled Copper Loop/Long - includes manual svc.		-	OOL	OCLAL	33.00	317.14	190.03					19.99	19.93	19.55	19.99
	inquiry and facility reservation - Zone 2		2	UCL	UCL4L	90.07	317.14	198.03					19.99	19.99	19.99	19.99
	4-Wire Unbundled Copper Loop/Long - includes manual svc.															
	inquiry and facility reservation - Zone 3		3	UCL UCL	UCL4L UCLMC	104.23	317.14	198.03					19.99	19.99	19.99	19.99
	Order Coordination for Unbundled Copper Loops (per loop) 4-Wire Unbundled Copper Loop/Long - without manual svc.			UCL	UCLINC		61.38	61.38								-
	inquiry and facility reservation - Zone 1		1	UCL	UCL4O	53.68	237.18	161.75					19.99	19.99	19.99	19.99
	4-Wire Unbundled Copper Loop/Long - without manual svc.															
	inquiry and facility reservation - Zone 2	<u> </u>	2	UCL	UCL4O	90.07	237.18	161.75					19.99	19.99	19.99	19.99
	4-Wire Unbundled Copper Loop/Long - without manual svc. inquiry and facility reservation - Zone 3		3	UCL	UCL4O	104.23	237.18	161.75					19.99	19.99	19.99	19.99
	Order Coordination for Unbundled Copper Loops (per loop)		3	UCL	UCL40 UCLMC	104.23	61.38	61.38	 			 	19.99	19.99	19.99	19.99
	CLEC to CLEC Conversion Charge without outside dispatch				302.70	1	01.00	01.00								
	(UCL-Des)			UCL	UREWO		148.74	31.39					19.99	19.99	19.99	19.99
LOOP MODIFIC																
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft			UAL, UHL, UCL, UEQ, ULS	ULM2L		64.85	64.85								
	Unbundled Loop Modification, Removal of Load Coils - 2 wire	 		OLW, ULO	ULIVIZL		04.00	04.00	 							
	greater than 18k ft			UCL, ULS	ULM2G	[339.84	339.84								
	Unbundled Loop Modification Removal of Load Coils - 4 Wire															
	less than or equal to 18K ft	ļ		UHL, UCL	ULM4L		64.85	64.85				<u> </u>				<u> </u>
	Unbundled Loop Modification Removal of Load Coils - 4 Wire pair greater than 18k ft			UCL	ULM4G		339.84	339.84								
	Unbundled Loop Modification Removal of Bridged Tap Removal,	 		UAL, UHL, UCL,	JLIVI - G		333.04	333.04	 							
	per unbundled loop			UEQ, UEF, ULS	ULMBT		64.90	64.90								<u> </u>
SUB-LOOPS																
Sub-Lo	pop Distribution	<u> </u>										l				L

UNBUNDLE	D NETWORK ELEMENTS - North Carolina												Attachment:	2		Exhibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec			g Disconnect				RATES (\$)		
-	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Up	ı		UEANL	USBSA		498.09	498.09					26.94	12.76		
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up			UEANL	USBSB		45.04	45.04					26.94	12.76		
	Sub-Loop - Per Building Equipment Room - CLEC Feeder	<u>'</u>		OLANL	OODOD		45.04	43.04					20.94	12.70		
	Facility Set-Up	I		UEANL	USBSC		313.01	313.01					26.94	12.76		
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up	1		UEANL	USBSD		108.06	108.06					26.94	12.76		
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -															
	Zone 1 Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -	I	1	UEANL	USBN2	7.99	126.03	54.54	71.13	10.16			26.94	12.76	15.12	15.12
	Zone 2	- 1	2	UEANL	USBN2	12.63	126.03	54.54	71.13	10.16			26.94	12.76	15.12	15.12
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -		3	UEANL	USBN2	14.43	400.00	54.54	71.13	10.16			26.94	12.76	15.12	45.40
	Zone 3	-	3	UEANL	USBNZ	14.43	126.03	54.54	71.13	10.16			26.94	12.76	15.12	15.12
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		45.34	45.34								
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 1		1	UEANL	USBN4	9.23	156.52	79.66	78.56	13.53			26.94	12.76		
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -		<u> </u>													
	Zone 2	ļ	2	UEANL	USBN4	14.63	156.52	79.66	78.56	13.53			26.94	12.76		
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3		3	UEANL	USBN4	16.73	156.52	79.66	78.56	13.53			26.94	12.76		
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair Sub-Loop 2-Wire Intrabuilding Network Cable (INC)	1		UEANL UEANL	USBMC USBR2	3.50	45.34 114.05	45.34 37.20	76.58	10.81			26.94	12.76		
	Cub 200p 2 vine intrabaliantly retwork Cubic (into)	<u> </u>				0.00			70.00	10.01			20.04	12.70		
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair Sub-Loop 4-Wire Intrabuilding Network Cable (INC)			UEANL UEANL	USBMC USBR4	3.75	45.34 127.67	45.34 50.82	78.71	10.69			26.94	12.76		
	Sub-Loop 4-Wile intrabuliding Network Cable (INC)			UEANL	USBR4	3.75	127.07	50.62	70.71	10.09			20.94	12.70		
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		45.34	45.34								
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2		1 2	UEF	UCS2X UCS2X	7.33 10.95	137.10 137.10	60.24 60.24	76.58 76.58	10.81 10.81			26.94 26.94	12.76 12.76		
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	i i		UEF	UCS2X	12.36	137.10	60.24	76.58	10.81			26.94	12.76		
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair	1	1	UEF UEF	USBMC UCS4X	7.11	45.34 162.24	45.34	70.50	13.53			26.94	10.70		
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	H		UEF	UCS4X	7.14 11.09	162.24	85.38 85.38	78.56 78.56	13.53			26.94	12.76 12.76		1
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	i		UEF	UCS4X	12.63	162.24	85.38	78.56	13.53			26.94	12.76		
				UEF	LIODAGO		45.04	45.04								
Unbun	Order Coordination for Unbundled Sub-Loops, per sub-loop pair dled Sub-Loop Modification	}		UEF	USBMC		45.34	45.34								
0.1.54.1.	Unbundled Sub-Loop Modification - 2-W Copper Dist Load															
	Coil/Equip Removal per 2-W PR Unbundled Sub-loop Modification - 4-W Copper Dist Load		<u> </u>	UEF	ULM2X		353.95	12.20					26.94	12.76		
	Coil/Equip Removal per 4-W PR			UEF	ULM4X		353.95	12.20					26.94	12.76		
	Unbundled Sub-loop Modification - 2-w/4-w Copper Dist Bridged	ı														
Unbun	Tap Removal, per PR unloaded dled Network Terminating Wire (UNTW)	1	 	UEF	ULM4T		557.78	14.23			-		26.94	12.76		
O.I.buil	Unbundled Network Terminating Wire (UNTW) per Pair	1	1	UENTW	UENPP	0.44	64.98	64.98					26.94	12.76		
Netwo	k Interface Device (NID)															
	Network Interface Device (NID) - 1-2 lines	1	<u> </u>	UENTW	UND12		86.37	56.69					26.94	12.76		
	Network Interface Device (NID) - 1-6 lines Network Interface Device Cross Connect - 2 W		1	UENTW UENTW	UND16 UNDC2		127.93 11.68	98.21 11.68			-		26.94 26.94	12.76 12.76		+
	Network Interface Device Cross Connect - 2 W	1	†	UENTW	UNDC4		11.68	11.68					26.94	12.76		
SUB-LOOPS																
Sub-Le	pop Feeder			LIEA		ļ										
	USL-Feeder, DS0 Set-up per Cross Box location - CLEC Distribution Facility set-up			UEA, UDN,UCL,UDL,UDC	USBFW		498.09									
<u> </u>			1	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	, 555. **		100.00									1

UNBUNDLEI	NETWORK ELEMENTS - North Carolina				1	ı					1		Attachment:	2		Exhibit: E
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Order vs.	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrec		Nonrecurring					RATES (\$)		
	HOLE To the DOO Out and Out By Louding of the			1154			First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	USL Feeder - DS0 Set-up per Cross Box location - per 25 pair set-up			UEA, UDN,UCL,UDL,UDC	USBEX		45.04	45.04								
	USL Feeder DS1 Set-up at DSX location, per DS1 termination			USL	USBFZ		523.51	11.31								1
	Unbundled Sub-Loop Feeder Loop, 2 Wire Ground Start, Voice															
	Grade - Zone 1		1	UEA	USBFA	11.43	122.52	46.61	149.46	59.37			19.99	19.99	19.99	19.99
	Unbundled Sub-Loop Feeder Loop, 2 Wire Ground-Start, Voice Grade - Zone 2		2	UEA	USBFA	18.35	122.52	46.61	149.46	59.37			19.99	19.99	19.99	19.99
	Unbundled Sub-Loop Feeder Loop, Per 2 Wire Ground-Start,									33.0.						
	Voice Grade - Zone 3		3	UEA	USBFA	21.04	122.52	46.61	149.46	59.37			19.99	19.99	19.99	19.99
	Order Coordination for Specified Conversion Time, per LSR			UEA	OCOSL		45.34									+
	Unbundlde Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice Grade - Zone 1		1	UEA	USBFB	11.43	122.52	46.61	149.46	59.37			19.99	19.99	19.99	19.99
	Unbundled Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice Grade - Zone 2		2	UEA	USBFB	18.35	122.52	46.61	149.46	59.37			19.99	19.99	19.99	19.99
	Unbundled Sub-Loop Feeder Loop, 2 Wire Start Loop, Voice															
	Grade - Zone 3 Order Coordination for Specified Time Conversion, per LSR		3	UEA UEA	USBFB OCOSL	21.04	122.52 45.34	46.61	149.46	59.37			19.99	19.99	19.99	19.99
	Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery,			OLA	OCOSL		45.54									†
	Voice Grade - Zone 1		1	UEA	USBFC	11.43	122.52	46.61	149.46	59.37			19.99	19.99	19.99	19.99
	Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery, Voice Grade - Zone 2		2	UEA	USBFC	18.35	122.52	46.61	149.46	59.37			19.99	19.99	19.99	19.99
	Unbundled Sub-Loop Feeder Loop, 2 Wire Analog Reverse															
	Battery, Voice Grade - Zone 3		3	UEA	USBFC	21.04	122.52	46.61	149.46	59.37			19.99	19.99	19.99	19.99
	Order Coordination For Specified Conversion Time, per LSR Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice			UEA	OCOSL		45.34									
	Grade - Zone 1		1	UEA	USBFD	21.91	226.36	144.28					19.99	19.99	19.99	19.99
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice Grade - Zone 2		2	UEA	USBFD	35.92	226.36	144.28					19.99	19.99	19.99	19.99
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground Start, Voice Grade - Zone 3		3	UEA	USBFD	41.37	226.36	144.28					19.99	19.99	19.99	19.99
	Order Coordination For Specified Conversion Time, Per LSR		3	UEA	OCOSL	41.57	45.34	144.20					19.99	19.99	13.33	13.33
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice															
	Grade - Zone 1		1	UEA	USBFE	21.91	226.36	144.28					19.99	19.99	19.99	19.99
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice Grade - Zone 2		2	UEA	USBFE	35.92	226.36	144.28					19.99	19.99	19.99	19.99
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice		_											40.00	40.00	40.0
	Grade - Zone 3 Order Coordination For Specified Conversion Time, Per LSR			UEA UEA	USBFE OCOSL	41.37	226.36 45.34	144.28					19.99	19.99	19.99	19.99
	Unbundled Sub-Loop Feeder Loop, 2 Wire ISDN BRI - Zone 1			UDN	USBFF	19.63	202.01	105.88					19.99	19.99	19.99	19.99
	Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 2			UDN	USBFF	31.61	202.01	105.88					19.99	19.99	19.99	19.99
	Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 3			UDN	USBFF	36.27	202.01	105.88					19.99	19.99	19.99	19.99
	Order Coordination For Specified Conversion Time, Per LSR Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)			UDN UDC	OCOSL USBFS	19.63	45.34 202.01	105.88					19.99	19.99	19.99	19.99
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)			UDC	USBFS	31.61	202.01	105.88					19.99	19.99	19.99	19.99
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)			UDC	USBFS	36.27	202.01	105.88					19.99	19.99	19.99	19.99
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 1			USL	USBFG	39.69	393.01	153.37					42.19	12.76		
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 2			USL	USBFG	67.36	393.01	153.37					42.19	12.76		
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 3			USL	USBFG	78.12	393.01	153.37					42.19	12.76		<u> </u>
	Order Coordination For Specified Conversion Time, Per LSR Unbundled Sub-Loop Feeder, 2-Wire Copper Loop - Zone 1			USL UCL	OCOSL USBFH	10.66	45.34 172.89	90.81			-	1	19.99	19.99	19.99	19.99
	Unbundled Sub-Loop Feeder, 2-Wile Copper Loop - Zone Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone															
	2 Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone		2	UCL	USBFH	16.44	172.89	90.81			-	-	19.99	19.99	19.99	19.99
	3			UCL	USBFH	18.69	172.89	90.81				<u> </u>	19.99	19.99	19.99	19.99
	Order Coordination For Specified Conversion Time, per LSR			UCL	OCOSL		45.34									
	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 1		1	UCL	USBFJ	14.68	207.14	134.77			ļ	-	19.99 19.99	19.99 19.99	19.99 19.99	
	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 2 Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 3	-	3		USBFJ USBFJ	23.74 27.26	207.14 207.14	134.77 134.77	-		 	-	19.99	19.99	19.99	19.99

UNBUNDLE	D NETWORK ELEMENTS - North Carolina												Attachment:	2		Exhibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Submitted	Incremental Charge - Manual Svc	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec	urrina	Nonrecurring	g Disconnect			oss	RATES (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN			SOMAN	SOMAN
	Order Coordination For Specified Conversion Time, per LSR			UCL	OCOSL		45.34									
	Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop	ļ	1	UDL	USBFN	26.71	215.00	132.92					19.99	19.99	19.99	19.99
-	Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop		3	UDL UDL	USBFN USBFN	44.07 50.83	215.00 215.00	132.92 132.92					19.99 19.99	19.99 19.99	19.99 19.99	19.99 19.99
	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop -		3	ODL	OODI IV	30.03	213.00	102.32					19.55	15.55	13.33	19.55
	Zone 1		1	UDL	USBFO	26.71	215.00	132.92					19.99	19.99	19.99	19.99
	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop -															
	Zone 2		2	UDL	USBFO	44.07	215.00	132.92					19.99	19.99	19.99	19.99
	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop -		_	LIDI	LICREO	50.00	245.00	422.02					40.00	40.00	40.00	40.00
-	Zone 3 Order Coordination For Specified Time Conversion, per LSR		3	UDL UDL	USBFO OCOSL	50.83	215.00 45.34	132.92					19.99	19.99	19.99	19.99
-	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop -			ODL	OCCOL		40.04									
	Zone 1		1	UDL	USBFP	26.71	215.00	132.92					19.99	19.99	19.99	19.99
	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop -															
	Zone 2		2	UDL	USBFP	44.07	215.00	132.92					19.99	19.99	19.99	19.99
	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop -		_	LIBI	LIODED	50.00	045.00	400.00					40.00	40.00	40.00	40.00
-	Zone 3 Order Coordination For Specified Conversion Time, per LSR		3	UDL UDL	USBFP OCOSL	50.83	215.00 45.34	132.92					19.99	19.99	19.99	19.99
SUB-LOOPS	Order Coordination For Specified Conversion Filme, per LSK			ODL	OCOGL		45.54									
	op Feeder															
	Sub Loop Feeder - DS3 - Per Mile Per Month			UE3	1L5SL	16.03										
	Sub Loop Feeder - DS3 - Facility Termination Per Month			UE3	USBF1	350.32	3,383.00	406.81	164.08	93.01			26.94	12.76		
	Sub Loop Feeder – STS-1 – Per Mile Per Month			UDLSX	1L5SL	16.03										
	Sub Loop Feeder - STS-1 - Facility Termination Per Month			UDLSX	USBF7	376.06	3,383.00	406.81	164.08	93.01			26.94	12.76		
	Sub Loop Feeder – OC-3 – Per Mile Per Month	1		UDLO3	1L5SL	12.16										ļļ
	Sub Loop Feeder - OC-3 - Facility Termination Protection Per			UDLO3	USBF5	56.60										
	Sub Loop Feeder - OC-3 - Facility Termination Per Month			UDLO3	USBF2	564.14	3,383.00	406.81	164.08	93.01			26.94	12.76		
	Sub Loop Feeder - OC-12 - Per Mile Per Month			UDL12	1L5SL	14.97	0,000.00	100.01	101.00	00.01			20.01	12.70		
	Sub Loop Feeder - OC-12 - Facility Termination Protection Per															
	Month			UDL12	USBF6	639.50										
	Sub Loop Feeder - OC-12 - Facility Termination Per Month			UDL12	USBF3	1,841.00	3,383.00	406.81	164.08	93.01			26.94	12.76		
	Sub Loop Feeder - OC-48 - Per Mile Per Month			UDL48	1L5SL	49.10										
	Sub Loop Feeder - OC-48 - Facility Termination Protection Per Month			UDL48	USBF9	319.92										
	Sub Loop Feeder - OC-48 - Facility Termination Per Month	1		UDL48	USBF4	1,603.00	3,569.00	406.81	160.39	90.92			26.94	12.76		-
-	Sub Loop Feeder - OC-12 Interface On OC-48			UDL48	USBF8	360.95	787.73	406.81	160.39	90.92			26.94	12.76		
UNBUNDLED L	OOP CONCENTRATION	1			1	500.00	700	.00.01		55.52			20.07			
	Unbundled Loop Concentration - System A (TR008)			ULC	UCT8A	398.41	652.26	652.26					19.99	19.99	19.99	19.99
	Unbundled Loop Concentration - System B (TR008)			ULC	UCT8B	58.36	271.78	271.78					19.99	19.99	19.99	19.99
	Unbundled Loop Concentration - System A (TR303)	 		ULC	UCT3A	439.73	652.25	652.26				1	19.99	19.99	19.99	19.99
	Unbundled Loop Concentration - System B (TR303) Unbundled Loop Concentration - DS1 Loop Interface Card	 		ULC ULC	UCTCO	98.34 5.52	271.78 126.85	271.78 92.35	33.65	9.42	-	1	19.99 19.99	19.99 19.99	19.99 19.99	19.99 19.99
	Unbundled Loop Concentration - DST Loop Interface Card Unbundled Loop Concentration - ISDN Loop Interface (Brite	 		OLC	JULICO	ე.52	120.85	92.35	33.05	9.42			19.99	19.99	19.99	19.99
	Card)			UDN	ULCC1	8.77	21.11	21.00	10.81	10.74			19.99	19.99	19.99	19.99
	Unbundled Loop Concentration - UDC Loop Interface (Brite	1						50		1.2.7.				12.30		12.20
	Card)			UDC	ULCCU	8.77	21.11	21.00	10.81	10.74			19.99	19.99	19.99	19.99
	Unbundled Loop Concentration2 Wire Voice-Loop Start or															
	Ground Start Loop Interface (POTS Card)	ļ		UEA	ULCC2	2.19	21.11	21.00	10.81	10.74			19.99	19.99	19.99	19.99
	Unbundled Loop Concentration - 2 Wire Voice - Reverse Battery	1		LIEA	LII CCD	40.00	04.44	04.00	40.04	40.74			40.00	40.00	40.00	40.00
\vdash	Loop Interface (SPOTS Card) Unbundled Loop Concentration - 4 Wire Voice Loop Interface	 		UEA	ULCCR	13.03	21.11	21.00	10.81	10.74			19.99	19.99	19.99	19.99
	(Specials Card)	1		UEA	ULCC4	7.77	21.11	21.00	10.81	10.74			19.99	19.99	19.99	19.99
	Unbundled Loop Concentration - TEST CIRCUIT Card	†		ULC	UCTTC	37.98	21.11	21.00	10.81	10.74			19.99	19.99	19.99	19.99
	Unbundled Loop Concentration - Digital 19.2 Kbps Data Loop	Ì														
	Interface	<u> </u>		UDL	ULCC7	11.51	21.11	21.00	10.81	10.74			19.99	19.99	19.99	19.99
	Unbundled Loop Concentration - Digital 56 Kbps Data Loop			LIBI												
	Interface	1		UDL	ULCC5	11.51	21.11	21.00	10.81	10.74	1	l	19.99	19.99	19.99	19.99

IINBUNDI E	D NETWORK ELEMENTS - North Carolina												Attachmanti	<u> </u>		Exhibit: B
UNBUNDLE						1							Attachment:			
													Incremental	Incremental	Incremental	Incremental
													Charge -	Charge -	Charge -	Charge -
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)					Manual Svc	Manual Svc	Manual Svc	Manual Svc
		m										Submitted		Order vs.	Order vs.	Order vs.
											Elec	Manually	Electronic-	Electronic-	Electronic-	Electronic-
											per LSR	per LSR	1st	Add'l	Disc 1st	Disc Add'l
						l _ l										
						Rec	Nonred First		First	g Disconnect Add'l	SOMEC	SOMAN	SOMAN	RATES (\$)	SOMAN	SOMAN
	Unbundled Loop Concentration - Digital 64 Kbps Data Loop		1				FIRST	Add'l	FIRST	Addi	SUMEC	SUMAN	SUMAN	SOWAN	SUMAN	SUMAN
	Interface			UDL	ULCC6	11.51	21.11	21.00	10.81	10.74			19.99	19.99	19.99	19.99
LINE OTHER	PROVISIONING ONLY - NO RATE			ODL	ULCCO	11.51	21.11	21.00	10.01	10.74			19.99	15.55	19.99	15.55
ONE OTHER, I	NID - Dispatch and Service Order for NID installation			UENTW	UNDBX											
	UNTW Circuit Id Establishment, Provisioning Only - No Rate			UENTW	UENCE											
				UEANL,UEF,UEQ,U												
	Unbundled Contract Name, Provisioning Only - No Rate			ENTW	UNECN											
UNE OTHER, F	PROVISIONING ONLY - NO RATE															
				UAL,UCL,UDC,UDL,												
	Unbundled Contact Name, Provisioning Only - no rate	ļ		UDN,UEA,UHL,ULC	UNECN	0.00	0.00							ļ		ļ
	Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no	1			LIODEO	0.00	0.00							1		1
	rate			UEA,UDN,UCL,UDC	USBFQ	0.00	0.00									
	Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no rate	1		UEA,USL,UCL,UDL	USBFR	0.00	0.00							1		1
h	Unbundled DS1 Loop - Superframe Format Option - no rate			USL	CCOSF	0.00	0.00									
	Unbundled DS1 Loop - Superfiame Format Option -			USL	CCOSI	0.00	0.00									
	no rate			USL	CCOEF	0.00	0.00									
HIGH CAPACI	TY UNBUNDLED LOCAL LOOP			002	0002.	0.00	0.00									
	4 month minimum billing period															
	High Capacity Unbundled Local Loop - DS3 - Per Mile per															
	month			UE3	1L5ND	11.12										
	High Capacity Unbundled Local Loop - DS3 - Facility															
	Termination per month			UE3	UE3PX	404.98	1,124.48	699.60					53.48	53.48		
	High Capacity Unbundled Local Loop - STS-1 - Per Mile per															
	month			UDLSX	1L5ND	11.12										
	High Capacity Unbundled Local Loop - STS-1 - Facility Termination per month			UDLSX	UDLS1	417.70	4 404 40	699.60					50.40	53.48		
LOOP MAKE-U				UDLSX	UDLST	417.70	1,124.48	699.60					53.48	53.48		
LOOF MAKE-C	Loop Makeup - Preordering Without Reservation, per working or															
	Ispare facility queried (Manual).			UMK	UMKLW		56.34	56.34								
	Loop Makeup - Preordering With Reservation, per spare facility			Olviit	CIVIIXEVV		00.04	00.04								
	queried (Manual).			UMK	UMKLP		58.56	58.56								
	Loop MakeupWith or Without Reservation, per working or															
	spare facility queried (Mechanized)			UMK	PSUMK		1.04	1.04								
	NCY SPECTRUM							_								
SPLIT	ERS-CENTRAL OFFICE BASED															
\vdash	Line Sharing Splitter, per System 96 Line Capacity	!	<u> </u>	ULS	ULSDA	152.73	424.61	0.00	ļ			0.00				
—	Line Sharing Splitter, per System 24 Line Capacity	1		ULS	ULSDB ULSD8	38.18	424.61	0.00	1	-		0.00	-	 		
END	Line Sharing Splitter, Per System, 8 Line Capacity SER ORDERING-CENTRAL OFFICE BASED-HIGH FREQUENCY	A SBEC.		ULS	ULODO	12.73	424.61	0.00	-			0.00	-			
ENDU	Line Sharing - per Line Activation	Y SPEC	I KUWI /	ULS	ULSDC	0.61	56.92	28.59	+	1	1	1	26.94	12.76		1
 	Line Chang - per Line Activation	- '-	 	OLO .	JEODO	0.01	30.32	20.39	1				20.94	12.70		
	Line Sharing - per Subsequent Activity per Line Rearrangement	l ı		ULS	ULSDS		35.14	16.29					26.94	12.76		
	Line Splitting - per line activation DLEC owned splitter	i i		UEPSR UEPSB	UREOS	0.61	55.14	.0.20	1				20.04	.20		1
	Line Splitting - per line activation BST owned - physical	- 1		UEPSR UEPSB	UREBP	0.641	56.92	28.59								
	Line Splitting - per line activation BST owned - virtual	I		UEPSR UEPSB	UREBV	0.639	56.92	28.59								
]
UNBUNDLED		<u> </u>							1					ļ		ļ
INTER	OFFICE CHANNEL - DEDICATED TRANSPORT - VOICE GRADE					.								ļ		ļ
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -	1		114700/	41.500									1		1
\vdash	Per Mile per month	-		U1TVX	1L5XX	0.0282			1					-		
	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - Facility Termination per month	1		U1TVX	U1TV2	18.00	137.48	52.58					38.07	38.07		1
 	Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade	1		01117	UTIVZ	10.00	137.48	52.58	+	1	1	1	30.07	30.07		
	Rev Bat Per Mile per month	1		U1TVX	1L5XX	0.0282								1		1
	Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat.			· · · · · ·	.20///	0.0202										
	Facility Termination per month			U1TVX	U1TR2	18.00	137.48	52.58	0.00	0.00			38.07	38.07		
					•						•	•				•

UNBUNDI	ED NETWORK ELEMENTS - North Carolina												Attachment:	2		Exhibit: B
CATEGOR	Y RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec			g Disconnect				RATES (\$)		
	Liver (for Observed De Frank LT Transport A William Vicine Oracle						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade Per Mile per month			U1TVX	1L5XX	0.0282										
	Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade - Facility Termination per month			U1TVX	U1TV4	22.16	106.11	65.95					38.07	38.07		
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile				1L5XX	0.0282										
	per month Interoffice Channel - Dedicated Transport - 56 kbps - Facility			U1TDX												
	Termination per month Interoffice Channel - Dedicated Transport - 64 kbps - per mile			U1TDX	U1TD5	17.40	137.48	52.58					38.07	38.07		
	per month Interoffice Channel - Dedicated Transport - 64 kbps - Facility			U1TDX	1L5XX	0.0282										
	Termination per month			U1TDX	U1TD6	17.40	137.48	52.58	0.00	0.00			38.07	38.07		
INT	EROFFICE CHANNEL - DEDICATED TRANSPORT - DS1 Interoffice Channel - Dedicated Channel - DS1 - Per Mile per															
	month			U1TD1	1L5XX	0.5753										
	Interoffice Channel - Dedicated Tranport - DS1 - Facility Termination per month			U1TD1	U1TF1	71.29	217.17	163.75					38.07	38.07		
INTI	EROFFICE CHANNEL - DEDICATED TRANSPORT- DS3															
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month			U1TD3	1L5XX	12.98										
	Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month			U1TD3	U1TF3	720.38	794.94	579.55					91.26	91.26		
INT	EROFFICE CHANNEL - DEDICATED TRANSPORT- STS-1			01103	01113	720.50	734.34	379.55					31.20	31.20		
	Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per															
	month Interoffice Channel - Dedicated Transport - STS-1 - Facility			U1TS1	1L5XX	6.14										
	Termination per month			U1TS1	U1TFS	790.37	642.23	408.89					53.48	53.48		
LOC	CAL CHANNEL - DEDICATED TRANSPORT E: LOCAL CHANNEL DEDICATED TRANSPORT - minimum billin	na porio	d - bolo	w Dez-one month	DS2 and abo	wo-four month										
INO	Local Channel - Dedicated - 2-Wire Voice Grade Per Month	ig perio	u - Deic	ULDVX	ULDV2	ve=lour month	ıs						42.17	12.76		
	Local Channel - Dedicated - 2-Wire Voice Grade per month -															
	Zone 1 Local Channel - Dedicated - 2-Wire Voice Grade per month -		1	ULDVX	ULDV2	12.51	553.80	89.69								
	Zone 2		2	ULDVX	ULDV2	21.23	553.80	89.69								
	Local Channel - Dedicated - 2-Wire Voice Grade per month - Zone 3		3	UNDVX	ULDV2	24.62	553.80	89.69								
	Local Channel - Dedicated - 4-Wire Voice Grade per month - Zone 1		1	UNDVX	ULDV4	13.40	562.23	92.67								
	Local Channel - Dedicated - 4-Wire Voice Grade per month -		2	UNDVX	ULDV4	22.73	562.23	92.67								
 	Zone 2 Local Channel - Dedicated - 4-Wire Voice Grade per month -	1		OIADAV	ULD V4		302.23	92.07			 					
	Zone 3		3	UNDVX	ULDV4	26.37	562.23	92.67								
	Local Channel - Dedicated - DS1 per month - Zone 1		1	ULDD1	ULDF1	30.12	534.48	462.69					42.17	12.76		
	Local Channel - Dedicated - DS1 per month - Zone 2 Local Channel - Dedicated - DS1 per month - Zone 3		3	ULDD1 ULDD1	ULDF1 ULDF1	51.11 59.28	534.48 534.48	462.69 462.69					42.17 42.17	12.76 12.76		
	Local Channel - Dedicated - DS3 - Per Mile per month		3	ULDD3	1L5NC	8.66	334.40	402.03					72.17	12.70		
	Local Channel - Dedicated - DS3 - Facility Termination per			02000	120110	0.00										
	month			ULDD3	ULDF3	496.76	562.25	527.88					56.25	56.25		
 	Local Channel - Dedicated - STS-1- Per Mile per month Local Channel - Dedicated - STS-1 - Facility Termination per	1		ULDS1	1L5NC	8.66					1	 				
	month			ULDS1	ULDFS	484.06	1,071.00	646.12					38.07	38.07		
MULTIPLEX				LIVED 4	1104								2.2-			
	Channelization - DS1 to DS0 Channel System OCU-DP COCI (data) - DS1 to DS0 Channel System - per	<u> </u>	 	UXTD1	MQ1	146.69	197.78	140.06			-	 	24.85	8.16		
	month (2.4-64kbs)			UDL	1D1DD	2.00	13.09	9.38								
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month			UDN	UC1CA	3.59	13.09	9.38								
	Voice Grade COCI - DS1 to DS0 Channel System - per month			UEA	1D1VG	1.27	13.09	9.38								

UNBUNDLE	NETWORK ELEMENTS - North Carolina												Attachment:	2		Exhibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Submitted	Incremental Charge - Manual Svc Order vs.		Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonred	urrina	Nonrecurrin	g Disconnect			oss	RATES (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
	DS3 to DS1 Channel System per month			UXTD3	MQ3	233.10	403.97	234.40					24.78	7.42		
	STS1 to DS1 Channel System per month			UXTS1	MQ3	233.10	403.97	234.40					38.07	38.07		
DARK FIRED	DS3 Interface Unit (DS1 COCI) used with Loop per month			USL	UC1D1	16.07	13.09	9.38								
DARK FIBER	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction															
	Thereof per month - Local Channel			UDF	1L5DC	53.86										
	NRC Dark Fiber - Local Channel			UDF	UDFC4	00.00	1,807.00	562.96					38.07	38.07		
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction						,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,									
	Thereof per month - Interoffice Channel			UDF	1L5DF	27.71										
	NRC Dark Fiber - Interoffice Channel			UDF	UDF14		1,807.00	562.96					38.07	38.07		
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction			LIDE	1L5DL	50.00										
	Thereof per month - Local Loop NRC Dark Fiber - Local Loop	1		UDF UDF	UDFL4	53.86	1,807.00	562.96					38.07	38.07		
TRANSPORT O				ODI	ODI L4		1,007.00	302.90					36.07	36.07		
	al Features & Functions:															
	Clear Channel Capability (B8ZS/ESF) Option - Subsequent -															
	per DS1 Channel			UNC1X	CCOEF		184.76	23.60	1.99	0.78			29.33	3.93		
	Clear Channel Capability (B8ZS/SF) Option - Subsequent - per									. =-						
	DS1 Channel EN DIGIT SCREENING			UNC1X	CCOSF		184.76	23.60	1.99	0.78			29.33	3.93		
	8XX Access Ten Digit Screening, Per Call			OHD		0.0005										
	8XX Access Ten Digit Screening, Per Can 8XX Access Ten Digit Screening, Reservation Charge Per 8XX			OHD		0.0003										
	Number Reserved			OHD	N8R1X		7.05	0.96					26.94	26.94		
	8XX Access Ten Digit Screening, Per 8XX No. Established W/O															
	POTS Translations			OHD			23.82	2.73					26.94	26.94		
	8XX Access Ten Digit Screening, Per 8XX No. Established With															
	POTS Translations 8XX Access Ten Digit Screening, Customized Area of Service			OHD	N8FTX		23.82	2.73					26.94	26.94		
	Per 8XX Number			OHD	N8FCX		5.63	2.82					26.94	26.94		
	8XX Access Ten Digit Screening, Multiple InterLATA CXR			OND	1401 070		0.00	2.02					20.04	20.04		
	Routing Per CXR Requested Per 8XX No.			OHD	N8FMX		6.59	3.77					26.94	26.94		
	8XX Access Ten Digit Screening, Change Charge Per Request			OHD	N8FAX		8.01	0.96					26.94	26.94		
	8XX Access Ten Digit Screening, Call Handling and Destination															
LINE INCORNA	Features			OHD	N8FDX		5.63						26.94	26.94		
LINE INFORMA	TION DATA BASE ACCESS (LIDB) LIDB Common Transport Per Query			OQT		0.0003										
	LIDB Validation Per Query			OQU		0.0003										
	LIDB Originating Point Code Establishment or Change	1		OQT, OQU	NRPBX	3.010-4	62.26		1			62.26	26.94	26.94		
SIGNALING (CO	CS7)															
	CCS7 Signaling Termination, Per STP Port			UDB	PT8SX	132.83										
	CCS7 Signaling Usage, Per TCAP Message			UDB	700	0.00009							10.00	40.00	10.00	10.00
\vdash	CCS7 Signaling Connection, Per link (A link) CCS7 Signaling Connection, Per link (B link) (also known as D	 		UDB	TPP++	18.22	278.02	278.02	-	1	-		19.99	19.99	19.99	19.99
	link)			UDB	TPP++	18.22	278.02	278.02					19.99	19.99	19.99	19.99
	CCS7 Signaling Usage, Per ISUP Message			UDB		0.00004	270.02	2.0.02					10.00	10.00	10.00	10.00
	CCS7 Signaling Usage Surrogate, per link per LATA			UDB	STU56	338.98										
	CCS7 Signaling Point Code, per Originating Point Code							_								
	Establishment or Change, per STP affected	1		UDB	CCAPO		40.00	40.00					19.99	19.99	19.99	19.99
	CCS7 Signaling Point Code, per Destination Point Code			UDB	CCAPD		0.00	0.00					19.99	40.00	19.99	40.00
CALLING NAM	Establishment or Change, Per Stp Affected E (CNAM) SERVICE	1	-	UDD	CCAPD	-	8.00	8.00					19.99	19.99	19.99	19.99
CALLING NAM	CNAM for DB Owners, Per Query	1		OQV		0.01										
	CNAM for Non DB Owners, Per Query			OQV	1	0.01			İ					İ		
	CNAM (Non-Databs Owner), NRC, applies when using the	1			1											
	Character Based User Interface (CHUI)			OQV	CDDCH		595.00	595.00					26.94	26.94		
OPERATOR CA	LL PROCESSING	1														ļ
	Oper. Call Processing - Oper. Provided, Per Min Using BST LIDB				1	1.20										
\square	טטו		1			1.20			i	<u> </u>	L	I	L	I		

UNBUNDLE	ED NETWORK ELEMENTS - North Carolina												Attachment:	2		Exhibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Order vs.	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					RATES (\$)		
	One Oall December One Decided Death and the						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Oper. Call Processing - Oper. Provided, Per Min Using Foreign LIDB					1.24										
	Oper. Call Processing - Fully Automated, per Call - Using BST															
	LIDB					0.20										
	Oper. Call Processing - Fully Automated, per Call - Using Foreign LIDB					0.20										
INWARD OPE	FATOR SERVICES				+	0.20										
IIIIII OI E	Inward Operator Services - Verification, Per Call					0.80										1
	Inward Operator Services - Verification, Per Minute					1.15										
	Inward Operator Services - Verification and Emergency Interrupt															
	- Per Call		<u> </u>	ļ		0.85										ļ
	Inward Operator Services - Verification and Emergency Interrupt				1											
BRANDING	- Per Minute OPERATOR CALL PROCESSING		 	_	+	1.15					+				 	
BRANDING -	Recording of Custom Branded OA Announcement	-	1	1	CBAOS		7.000.00	7,000.00					19.99	19.99	19.99	19.99
	Loading of Custom Branded OA Announcement per shelf/NAV				CBAOL		500.00	500.00			1		19.99	19.99	10.00	10.00
Unbra	anding via OLNS for UNEP CLEC				02/102		000.00	000.00					10.00	10.00		
	Loading of OA per OCN (Regional)						1,200.00	1,200.00								
	ASSISTANCE SERVICES															
DIREC	CTORY ASSISTANCE ACCESS SERVICE															
	Directory Assistance Access Service Calls, Charge Per Call					0.25										<u> </u>
DIREC	CTORY ASSISTANCE CALL COMPLETION ACCESS SERVICE (I	DACC)														<u> </u>
	Directory Assistance Call Completion Access Service (DACC), Per Call Attempt					0.062										
DIREC	CTORY TRANSPORT				_	0.062					-					
DIKE	SWA Common transport per Directory Assistance Access				+						+					+
	Service Call					0.0003										
	SWA Common Transport per Directory Assistance Access															
	Service Call Mile					0.00004										
	Access Tandem Switching per Directory Assistance Access															
	Service Call					0.00055										
	Directory Assistance Interconnection per Directory Assistance															
	Access Service Call					0.00269										
DIDECTORY	DS3 to DS1 Multiplexer per DA Access Service Call ASSISTANCE SERVICES					0.00018					-					<u> </u>
	CTORY ASSISTANCE DATA BASE SERVICE (DADS)															1
DIKE	Directory Assistance Data Base Service Charge Per Listing				+	0.04					+					
	Directory Assistance Data Base Service, per month				DBSOF	150.00									İ	
	DIRECTORY ASSISTANCE															
Facili	ty Based CLEC															
	Recording and Provisioning of DA Custom Branded															
	Announcement			AMT	CBADA		6,000.00	6,000.00								
	Loading of Custom Branded Announcement per DRAM			AMT	CBADC		1,170.00	4 470 00								
LINED	Card/Switch			AIVII	CBADC	-	1,170.00	1,170.00			-					
UNEF	Recording of DA Custom Branded Announcement					1	3,000.00	3,000.00			1				1	
 	Loading of DA Custom Branded Announcement per DRAM	1	1	1	+	 	3,300.00	0,000.00			1			1	†	†
1 1	Card/Switch per OCN		1	1	1		1,170.00	1,170.00								
Unbra	anding via OLNS for UNEP CLEC	1												1		1
	Loading of DA per OCN (1 OCN per Order)						420.00	420.00								
	Loading of DA per Switch per OCN						16.00	16.00								
SELECTIVE F			<u> </u>													
	Selective Routing Per Unique Line Class Code Per Request Per				LIGROD		220.05	220.05					40.40	0.45		
VIRTUAL COI	Switch				USRCR		229.65	229.65					40.18	9.45	 	
VIKTOAL COI	Virtual Collocation - Application Cost	1	 	CLO	EAF	 	2,848.30	2,848.30			1			1	 	+
 	Virtual Collocation - Application Cost Virtual Collocation - Cable Installation Cost, per cable			CLO	ESPCX	 	2,750.00	2,750.00							<u> </u>	†
-	Virtual Collocation - Floor Space, per sq. ft.			CLO	ESPVX	3.20	_,. 00.00	_,. 00.00			1			1	t	

UNBUNDLE	D NETWORK ELEMENTS - North Carolina												Attachment:	2		Exhibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonred		Nonrecurring	g Disconnect				RATES (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Virtual Collocation - Power, per breaker amp	ļ	(CLO	ESPAX	3.48										
	Virtual Collocation - Cable Support Structure, per entrance cable			CLO	ESPSX	13.35										
				ueanl,uea,udn,udc,												
	Virtual Collocation - 2-wire Cross Connects (loop)			ual,uhl,ucl,ueq	UEAC2	0.09	41.78	39.23	4.75	4.75			19.99	19.99	19.99	19.99
	Virtual Collocation - 4-wire Cross Connects (loop)			uea,uhl,ucl,udl	UEAC4	0.18	41.91	39.25	4.73	4.73			19.99	19.99	19.99	19.99
-	Virtual Collocation - 2-Fiber Cross Connects			CLO CLO	CNC2F CNC4F	15.99 28.74	67.34 82.35	48.55 63.56			1	1	19.99 19.99	19.99 19.99	19.99 19.99	19.99 19.99
—	Virtual Collocation - 4-Fiber Cross Connects Virtual Collocatin - DS1 Cross Connects	1		JSL,ULC,CLO	CNC4F CNC1X	28.74	71.02	51.08			-		19.99	19.99	19.99	19.99
-	Virtual Collocatin - DS3 Cross Connects			JSL,ULC,CLO JSL,ULC,CLO	CND3X	56.25	151.90	11.83			-					
-	Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable			JSL,ULU,ULU	CINDSX	30.23	131.90	11.03				1				
	Support Structure, per linear foot		A	AMTFS	PE1ES	0.0028										
	Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per linear ft			AMTFS	PE1DS	0.0041										
	Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable					0.00										
	Support Structure,per cable	ļ	P	AMTFS			532.72				ļ					
	Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per cable		1	AMTFS			532.72									
	Virtual Collocatin - Security Escort - Basic, per half hour			CLO	SPTBX		41.00	25.00								
	Virtual Collocatin - Security Escort - Overtime, per half hour		(CLO	SPTOX		48.00	30.00								
	Virtual Collocatin - Security Escort - Premium, per half hour		(CLO	SPTPX		55.00	35.00								
	Virtual Collocatin - Maintenance in CO - Basic, per half hour		(CLO	CTRLX		30.64	30.64								
	Virtual Collocatin - Maintenance in CO - Overtime, per half hour			CLO	SPTOM		35.77	35.77								
	Virtual Collocatin - Maintenance in CO - Premium per half hour			CLO	SPTPM		40.90	40.90								
VIRTUAL COL											1					
	Virtual Collocation - 2-wire Cross Connect, Exchange Port 2-															
	Wire Analog - Res		ι	JEPSR	VE1R2	0.09	41.78	39.23					19.99	19.99	19.99	19.99
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Voice Grade Res			JEPRX	PE1R2	0.09	41.78	39.23					19.99	19.99	19.99	19.99
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-			JEI IOX	I LIIVE	0.03	41.70	33.23					19.55	13.33	13.33	13.33
	Wire Line Side PBX Trunk - Bus		ι	JEPSP	VE1R2	0.09	41.78	39.23					19.99	19.99	19.99	19.99
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Voice Grade PBX Trunk - Res		ι	JEPSE	VE1R2	0.09	41.78	39.23					19.99	19.99	19.99	19.99
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire															
	Analog Bus Virtual Collocation 2-Wire Cross Connect, Exchnage Port 2-Wire	ļ	L	JEPSB	VE1R2	0.09	41.78	39.23			1		19.99	19.99	19.99	19.99
	ISDN		ι	JEPSX	VE1R2	0.09	41.78	39.23					19.99	19.99	19.99	19.99
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire ISDN			JEPTX	VE1R2	0.09	41.78	39.23					19.99	19.99	19.99	19.99
	Virtual Collocation 4-Wire Cross Connect, Exchange Port DDITS															
	4-Wire DS1		ļ	JEPDD	VE1R4	0.18	41.91	39.25			1		19.99	19.99	19.99	19.99
	Virtual Collocation 4-Wire Cross Connect, Exchange Port 4-Wire ISDN DS1		l l	JEPEX	VE1R4	0.18	41.91	39.25					19.99	19.99	19.99	19.99
VIRTUAL COL	LOCATION						-									
	Virtual Collocation-2 Wire Cross Connects (Loop) for Line Splitting			JEPSR, UEPSB	VE1LS	0.09	41.78	39.23	4.75	4.75			19.99	19.99	19.99	19.99
AIN SELECTIV	E CARRIER ROUTING	l		JLF JR, UEFJB	VL ILO	0.09	41.78	39.23	4./5	4.75	1	1	19.99	19.99	19.99	19.99
AIN OLLEGIIV	Regional Service Establishment	1	ç	SRC	SRCEC		391,788.00				1	 	19.99	19.99	19.99	19.99
	End Office Establishment	<u> </u>		SRC	SRCEO		320.53	320.53					19.99	19.99	19.99	19.99
	Line/Port NRC, per end user	1		SRC	SRCLP		2.06	2.06			1		19.99	19.99	19.99	19.99
	Query NRC, per query			SRC		0.000448								L		
AIN - BELLSO	UTH AIN SMS ACCESS SERVICE			•				•								
	AIN SMS Access Service - Service Establishment, Per State, Initial Setup			A1N	CAMSE		294.77	294.77					26.94	26.94		
	annua Gotup			****	C/ NVIOL		234.11	234.11					20.54	20.34		
	AIN SMS Access Service - Port Connection - Dial/Shared Access			A1N	CAMDP		86.94	86.94					26.94	26.94		
	AIN SMS Access Service - Port Connection - ISDN Access		P	A1N	CAM1P		86.94	86.94					26.94	26.94		

UNBUNDLE	D NETWORK ELEMENTS - North Carolina											Attachment:	2		Exhibit: E
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Submitted Manually	Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual Svo Order vs.
						Rec	Nonrec	urring	Nonrecurring Disconnec	:		OSS F	RATES (\$)		
							First	Add'l	First Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
	AIN SMS Access Service - User Identification Codes - Per User				0.000.0		202.22	000.00				00.04	00.04		
	ID Code AIN SMS Access Service - Security Card, Per User ID Code,			A1N	CAMAU		200.83	200.83				26.94	26.94		+
	Initial or Replacement			A1N	CAMRC		172.05	172.05				26.94	26.94		
	AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)					0.0023									
	AIN SMS Access Service - Session, Per Minute AIN SMS Access Service - Company Performed Session, Per				-	0.0791									+
	Minute					2.08									
AIN - BELLSO	UTH AIN TOOLKIT SERVICE														
	AIN Toolkit Service - Service Establishment Charge, Per State,			CAM	DADCC	Т	000.0=	000.0=				20.01	00.01		
	Initial Setup AIN Toolkit Service - Training Session, Per Customer		 	CAM	BAPSC BAPVX		290.05 8,363.00	290.05 8,363.00		+		26.94 26.94	26.94 26.94		+
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per		1				0,000.00	0,000.00				20.04	20.04		†
	DN, Term. Attempt	ļ	<u> </u>		BAPTT		72.76	72.76				26.94	26.94		
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Delay				BAPTD		72.76	72.76				26.94	26.94		
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				BAPID		12.16	12.16				26.94	26.94		+
	DN, Off-Hook Immediate				BAPTM		72.76	72.76				26.94	26.94		
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per														
	DN, 10-Digit PODP AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				BAPTO		149.95	149.95				26.94	26.94		
	DN, CDP				BAPTC		149.95	149.95				26.94	26.94		
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				27.11.10		1 10.00	1 10.00				20.01	20.01		†
	DN, Feature Code				BAPTF		149.95	149.95				26.94	26.94		
	AIN Toolkit Service - Query Charge, Per Query AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit					0.02									+
	Subscription, Per Node, Per Query					0.005									
	AIN Toolkit Service - SCP Storage Charge, Per SMS Access														
	Account, Per 100 Kilobytes		<u> </u>			1.45									
	AIN Toolkit Service - Monthly report - Per AIN Toolkit Service Subscription			CAM	BAPMS	15.98	71.80	71.80				26.94	26.94		
	AIN Toolkit Service - Special Study - Per AIN Toolkit Service			CAIVI	DAFIVIO	13.90	71.00	71.80				20.94	20.94		
	Subscription			CAM	BAPLS	0.08	47.20	47.20				26.94	26.94		
	AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service			0444	DADDO	45.00	74.00	74.00				00.04	00.04		
	Subscription AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit			CAM	BAPDS	15.90	71.80	71.80				26.94	26.94		
	Service Subscription			CAM	BAPES	0.003	47.20	47.20				26.94	26.94		
ENHANCED EX	(TENDED LINK (EELs)														
NOTE:	New EELs available in State of Georgia, density zone 1 of foll	owing :	SMAs:	Orlando, FL; Miami	, FL; Ft. Laud	erdale, FLI; Nas	hville, TN; Ne	w Orleans, LA;							
	Charlotte-Gastonia-Rockhill, NC; Greensboro-Winston Salem In all states, EEL network elements shown below also apply t							As Is Chargo a	nnlies to currently combine	nd facilities o	onverted to	LINEs (Non-ro	curring rates	do not	+
apply.)		o curre	iiliy co	ilibilieu lacilities wi	ilicii are conv	erted to ONE rat	es. A Switch	as is cliarge a	pplies to currently combine	u iaciiilles c	onverted to	UNES.(NOII-16	curring rates	do not	
NOTE:	In GA, TN, KY, LA & MS, the EEL network elements apply to c	ordinari	ly com	bined network elem	ents.(No Swit	ch As Is Charge	e.)								
2-WIRE	VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT	EROFF	ICE TR	ANSPORT (EEL)											
	First 2-Wire VG Loop - Service Level 2/DS1 Interofficed Transport Combination - Statewide		sw	UNCVX	UEAL2	19.50	142.97	106.56				38.07	38.07		
	Interoffice Transport - Dedicated - DS1 combination - Per Mile		SW	ONOVA	ULALZ	15.30	142.97	100.00		1		30.07	30.07		
	per month .		<u></u>	UNC1X	1L5XX	0.5753									<u> </u>
	Interoffice Transport - Dedicated - DS1 combination - Facility			LINGAY	LIATE :		6:= :-					22.2			
	Termination per month DS1 Channelization System Per Month	<u> </u>	<u> </u>	UNC1X UNC1X	U1TF1 MQ1	71.29 146.69	217.17 197.78	163.75 140.06		+	-	38.07	38.07		+
1	Voice Grade COCI - DS1 To Ds0 Interface - Per Month	†	1	UNCVX	1D1VG	1.27	13.09	9.38							
	Each Additional 2-Wire Vg Loop(SI2) In The Same Ds1														
	Interoffice Transport Combination Per Month		ļ	UNCVX	UEAL2	19.50	142.97	108.56				38.07	38.07		
	Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL2										
	Voice Grade COCI - DS1 to DS0 Channel System combination -			5.10 17	JL/1L2					1					†
	per month	•	1	UNCVX	1D1VG	1.27	13.09	9.38		1	İ	1		Ì	1

4Q01:12/01/01 PAGE 234 OF 324

UNBUNDLE	NETWORK ELEMENTS - North Carolina												Attachment:	2		Exhibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonred	curring	Nonrecurring	g Disconnect			oss	RATES (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Nonrecurring Currently Combined Network Elements Switch -As- ls Charge			UNC1X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
4-WIRE	VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT	EROFF	ICE TR	ANSPORT (EEL)												
	First 4-Wire Analog Voice Grade Loop/DS1 Interoffice Transport Combination - Statewide		sw	UNCVX	UEAL4	27.49	288.47	237.45					38.07	38.07		
	Interoffice Transport - Dedicated - DS1 combination - Per Mile															
	Per Month Interoffice Transport - Dedicated - DS1 - Facility Termination Per			UNC1X	1L5XX	0.5753										
	Month			UNC1X	U1TF1	71.29	217.17	163.75					38.07	38.07		
	Channelization - Channel System DS1 to DS0 combination Per Month			UNC1X	MQ1	146.69	197.78	140.06								
	Voice Grade COCI - DS1 to DS0 Channel System combination -															
	per month Additional 4-Wire Analog Voice Grade Loop in same DS1	ļ		UNCVX	1D1VG	1.27	13.09	9.38								
	Interoffice Transport Combination - Statewide		sw	UNCVX	UEAL4	27.49	288.47	237.45					38.07	38.07		
	Voice Grade COCI - DS1 to DS0 Channel System combination - per month			UNCVX	1D1VG	1.27	13.09	9.38								
	Nonrecurring Currently Combined Network Elements Switch -As-															
4-WIRE	Is Charge 56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1	INTERC	FFICE	UNC1X TRANSPORT (FFI.)	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		-
4-1111	First 4-Wire 56Kbps Digital Grade Loop/DS1 Interoffice	INTERC	11101	TRANSFORT (EEE)	1											
	Transport Combination - Statewide Interoffice Transport - Dedicated - DS1 combination - Per Mile		SW	UNCDX	UDL56	37.67	489.04	337.51					38.07	38.07		-
	Per Month			UNC1X	1L5XX	0.5753										
	Interoffice Transport - Dedicated - DS1 - combination Facility Termination Per Month			UNC1X	U1TF1	71,29	217.17	163.75					38.07	38.07		
	Channelization - Channel System DS1 to DS0 combination Per												36.07	36.07		
	Month OCU-DP COCI (data) - DS1 to DS0 Channel System - per			UNC1X	MQ1	146.69	197.78	140.06				1				
	month (2.4-64kbs)			UNCDX	1D1DD	2.00	15.76	11.28								
	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Statewide		sw	UNCDX	UDL56	37.67	489.04	337.51					38.07	38.07		
	OCU-DP COCI (data) - DS1 to DS0 Channel System -		SW	ONCDA	ODLSO	37.07	403.04	337.31					30.07	30.07		
	combination per month (2.4-64kbs) Nonrecurring Currently Combined Network Elements Switch -As-			UNCDX	1D1DD	2.00	15.76	11.28								
	Is Charge			UNC1X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
4-WIRE	64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1	INTERC	FFICE													
	First 4-Wire 64Kbps Digital Grade Loop/DS1 Interoffice Transport Combination - Statewide		sw	UNCDX	UDL64	37.67	489.04	337.51					38.07	38.07		
	Interoffice Transport - Dedicated - DS1 combination - Per Mile						100.04	307.01					55.57	55.51		
	Per Month Interoffice Transport - Dedicated - DS1 combination - Facility			UNC1X	1L5XX	0.5753										+
	Termination Per Month			UNC1X	U1TF1	71.29	217.17	163.75					38.07	38.07		
	Channelization - Channel System DS1 to DS0 combination Per Month			UNC1X	MQ1	146.69	197.78	140.06								
	OCU-DP COCI (data) - DS1 to DS0 Channel System															
	combination - per month (2.4-64kbs) Additional 4-Wire 64Kbps Digital Grade Loopin same DS1			UNCDX	1D1DD	2.00	15.76	11.28				-				
	Interoffice Transport Combination - Statewide		sw	UNCDX	UDL64	37.67	489.04	337.51					38.07	38.07		
	OCU-DP COCI (data) - DS1 to DS0 Channel System combination - per month (2.4-64kbs)			UNCDX	1D1DD	2.00	15.76	11.28								
	Nonrecurring Currently Combined Network Elements Switch -As-					2.00										
A-WIDE	Is Charge DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INTE	FROFE	CE TRA	UNC1X INSPORT (FFL)	UNCCC		21.75	21.75	32.28	10.96		 	38.07	38.07		
4-441KE	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice	LIVOFFI	LIKA	` '	1											
	Transport - Statewide Interoffice Transport - Dedicated - DS1 combination - Per Mile		sw	UNC1X	USLXX	62.78	714.84	421.47					38.07	38.07		
	Per Month			UNC1X	1L5XX	0.5753										

CATEGORY RATE ELEMENTS Interim m Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month Nonrecurring Currently Combined Network Elements Switch -Asls Charge 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFI First DS1Loop in DS3 Interoffice Transport Combination - Statewide Interoffice Transport - Dedicated - DS3 combination - Per Mile Per Month Interoffice Transport - Dedicated - DS3 - Facility Termination per month DS3 to DS1 Channel System combination per month DS3 Interface Unit (DS1 COCI) combination per month Additional DS1Loop in DS3 Interoffice Transport Combination - Statewide DS3 Interface Unit (DS1 COCI) combination per month Nonrecurring Currently Combined Network Elements Switch -Asls Charge	Zone Zone ICE TRA SW	UNC1X UNC1X UNC1X UNC1X UNC1X UNC3X UNC3X UNC3X	USOC U1TF1 UNCCC USLXX 1L5XX	71.29 62.78	Nonrec First 217.17 21.75	RATES(\$) urring Add'I 163.75 21.75	Nonrecurring First	g Disconnect Add'l	Submitted Elec per LSR	Submitted	Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l RATES (\$) SOMAN	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
Termination Per Month Nonrecurring Currently Combined Network Elements Switch -As- Is Charge 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFF! First DS1Loop in DS3 Interoffice Transport Combination - Statewide Interoffice Transport - Dedicated - DS3 combination - Per Mile Per Month Interoffice Transport - Dedicated - DS3 - Facility Termination per month DS3 to DS1 Channel System combination per month DS3 Interface Unit (DS1 COCI) combination per month Additional DS1Loop in DS3 Interoffice Transport Combination - Statewide DS3 Interface Unit (DS1 COCI) combination per month Nonrecurring Currently Combined Network Elements Switch -As-	sw	UNC1X ANSPORT (EEL) UNC1X UNC3X UNC3X	UNCCC	71.29	217.17	Add'I 163.75			SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Termination Per Month Nonrecurring Currently Combined Network Elements Switch -As- Is Charge 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFF! First DS1Loop in DS3 Interoffice Transport Combination - Statewide Interoffice Transport - Dedicated - DS3 combination - Per Mile Per Month Interoffice Transport - Dedicated - DS3 - Facility Termination per month DS3 to DS1 Channel System combination per month DS3 Interface Unit (DS1 COCI) combination per month Additional DS1Loop in DS3 Interoffice Transport Combination - Statewide DS3 Interface Unit (DS1 COCI) combination per month Nonrecurring Currently Combined Network Elements Switch -As-	sw	UNC1X ANSPORT (EEL) UNC1X UNC3X UNC3X	UNCCC		217.17	163.75	Filst	Auu	JOINEC	JOWAN			SOWAN	JOWAN
Nonrecurring Currently Combined Network Elements Switch -As- Is Charge	sw	UNC1X ANSPORT (EEL) UNC1X UNC3X UNC3X	UNCCC								38.07	38.07		•
Is Charge 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFF	sw	UNC1X UNC3X UNC3X	USLXX	62.78	21.75	04.75					55.07	30.07		
4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFF First DS1Loop in DS3 Interoffice Transport Combination - Statewide Interoffice Transport - Dedicated - DS3 combination - Per Mile Per Month Interoffice Transport - Dedicated - DS3 - Facility Termination per month DS3 to DS1 Channel System combination per month DS3 Interface Unit (DS1 COCI) combination per month Additional DS1Loop in DS3 Interoffice Transport Combination - Statewide DS3 Interface Unit (DS1 COCI) combination per month Nonrecurring Currently Combined Network Elements Switch -As-	sw	UNC1X UNC3X UNC3X	USLXX	62.78	210	21 /5	32.28	10.96			38.07	38.07		İ
Statewide Interoffice Transport - Dedicated - DS3 combination - Per Mile Per Month Interoffice Transport - Dedicated - DS3 - Facility Termination per month DS3 to DS1 Channel System combination per month DS3 Interface Unit (DS1 COCI) combination per month Additional DS1Loop in DS3 Interoffice Transport Combination - Statewide DS3 Interface Unit (DS1 COCI) combination per month Nonrecurring Currently Combined Network Elements Switch -As-		UNC3X UNC3X		62.78										i
Interoffice Transport - Dedicated - DS3 combination - Per Mile Per Month Interoffice Transport - Dedicated - DS3 - Facility Termination per month DS3 to DS1 Channel System combination per month DS3 Interface Unit (DS1 COCI) combination per month Additional DS1Loop in DS3 Interoffice Transport Combination - Statewide DS3 Interface Unit (DS1 COCI) combination per month Nonrecurring Currently Combined Network Elements Switch -As-		UNC3X UNC3X		62.78										1
Per Month Interoffice Transport - Dedicated - DS3 - Facility Termination per month DS3 to DS1 Channel System combination per month DS3 Interface Unit (DS1 COCI) combination per month Additional DS1Loop in DS3 Interoffice Transport Combination - Statewide DS3 Interface Unit (DS1 COCI) combination per month Nonrecurring Currently Combined Network Elements Switch -As-	CW	UNC3X	1L5XX		714.84	421.47					38.07	38.07		
month DS3 to DS1 Channel System combination per month DS3 Interface Unit (DS1 COCI) combination per month Additional DS1Loop in DS3 Interoffice Transport Combination - Statewide DS3 Interface Unit (DS1 COCI) combination per month Nonrecurring Currently Combined Network Elements Switch -As-	CW			12.98										
DS3 to DS1 Channel System combination per month DS3 Interface Unit (DS1 COCI) combination per month Additional DS1Loop in DS3 Interoffice Transport Combination - Statewide DS3 Interface Unit (DS1 COCI) combination per month Nonrecurring Currently Combined Network Elements Switch -As-	CW		U1TF3	720.38	794.94	579.55					38.07	38.07		1
DS3 Interface Unit (DS1 COCI) combination per month Additional DS1Loop in DS3 Interoffice Transport Combination - Statewide DS3 Interface Unit (DS1 COCI) combination per month Nonrecurring Currently Combined Network Elements Switch -As-	CW		MQ3	233.10	403.97	234.40					36.07	36.07		
Statewide DS3 Interface Unit (DS1 COCI) combination per month Nonrecurring Currently Combined Network Elements Switch -As-	CW	UNC1X	UC1D1	16.07	13.09	9.38								
DS3 Interface Unit (DS1 COCI) combination per month Nonrecurring Currently Combined Network Elements Switch -As-	CW			İ	_									
Nonrecurring Currently Combined Network Elements Switch -As-	SW	UNC1X	USLXX	62.78	714.84	421.47					38.07	38.07		
	-	UNC1X	UC1D1	16.07	13.09	9.38								
		UNC3X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		1
2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GRADE INTEROF	FICE TR											33.31		
2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Statewide	SW	UNCVX	UEAL2	19.50	142.97	106.56								
Interoffice Transport - Dedicated - 2-wire VG combination - Per														1
Mile Per Month Interoffice Transport - Dedicated - 2- Wire Voice Grade	+	UNCVX	1L5XX	0.0282										
combination - Facility Termination per month		UNCVX	U1TV2	18.00	137.48	52.58					38.07	38.07		ł
Nonrecurring Currently Combined Network Elements Switch -As-		ONOVA	011172	10.00	107.40	02.00					00.01	00.07		
Is Charge		UNCVX	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRADE INTEROF	FICE TR	RANSPORT (EEL)												
4-WireVG Loop used with 4-wire VG Interoffice Transport Combination - Statewide	sw	UNCVX	UEAL4	27.49	288.47	237.45								1
Interoffice Transport - Dedicated - 4-wire VG combination - Per	3**	ONOVA	OL/ L	27.40	200.47	201.40								
Mile Per Month		UNCVX	1L5XX	0.0282										1
Interoffice Transport - Dedicated - 4- Wire Voice Grade														ł
combination - Facility Termination per month Nonrecurring Currently Combined Network Elements Switch -As-	+	UNCVX	U1TV4	22.16	106.11	65.95					38.07	38.07		
Is Charge		UNCVX	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		ł
DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFICE TRA	NSPOR		0.1000		21.10	20	02.20	10.00			00.07	30.01		
High Capacity Unbundled Local Loop - DS3 combination - Per														1
Mile per month High Capacity Unbundled Local Loop - DS3 combination -	1	UNC3X	1L5ND	11.12										
Facility Termination per month		UNC3X	UE3PX	404.98	1,071.00	646.12								l
Interoffice Transport - Dedicated - DS3 - Per Mile per month		UNC3X	1L5XX	12.98	1,071.00	040.12								
Interoffice Transport - Dedicated - DS3 combination - Facility														i
Termination per per month	1	UNC3X	U1TF3	720.38	794.94	579.55					38.07	38.07		
Nonrecurring Currently Combined Network Elements Switch -As- Is Charge	1	UNC3X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		i
STS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS1 INTEROFFICE TO	RANSP		514000	+	21.13	21.13	32.20	10.90			30.07	30.07		ĺ
High Capacity Unbundled Local Loop - STS1 combination - Per	T]												i
Mile per month		UNCSX	1L5ND	11.12										
High Capacity Unbundled Local Loop - STS1 combination -	1	LINCSY	LIDI 64	417.70	1 071 00	646 40								i
Facility Termination per month Interoffice Transport - Dedicated - STS1 combination - Per Mile	1	UNCSX	UDLS1	417.70	1,071.00	646.12								
per month		UNCSX	1L5XX	6.14										
Interoffice Transport - Dedicated - STS1 combination - Facility Termination per month		UNCSX	U1TFS	790.37	794.94	679.55					38.07	38.07		<u></u>
Nonrecurring Currently Combined Network Elements Switch -As-														
Is Charge 2-WIRE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPORT (EEI		UNCSX	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		

JNBUNDL F	D NETWORK ELEMENTS - North Carolina												Attachment:	2		Exhibit: E
	- IIII CAN LELINEITO HOIGI CAIOINA														In a service of the	
													Incremental	Incremental	Incremental	
		Interi									Core Corden	Cur Ouden	Charge - Manual Svc	Charge -	Charge -	Charge - Manual Sve
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)				Submitted	Order vs.	Manual Svc	Manual Svc Order vs.	Order vs.
											Elec	Manually	Electronic-	Order vs. Electronic-	Electronic-	
											per LSR	per LSR	1st	Add'l	Disc 1st	Disc Add'l
											per Lore	per Lore	100	Auu	DISC 1St	DISC Add I
						Rec	Nonrec		Nonrecurring					RATES (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	First 2-Wire ISDN Loop/DS1 Interoffice Combination Transport -			LINIONIN	1141.07/	04.00	325.91	054.04					00.07	00.07		
-+	Statewide Interoffice Transport - Dedicated - DS1 combination - Per Mile		SW	UNCNX UNC1X	U1L2X 1L5XX	24.98 0.5753	325.91	251.31					38.07	38.07		
-+	Interoffice Transport - Dedicated - DS1 combination - Facility			ONOTA	TESTON	0.5755										1
	Termination per month			UNC1X	U1TF1	71.29	217.17	163.75					38.07	38.07		
	Channelization - Channel System DS1 to DS0 combination -															
	per month			UNC1X	MQ1	146.69	197.78	140.06								
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System			LINIONIN	110404	0.50	45.70	44.00								
	combination - per month Additional 2-wire ISDN Loop in same DS1Interoffice Transport	<u> </u>		UNCNX	UC1CA	3.59	15.76	11.28								
	Combination - Statewide	1	sw	UNCNX	U1L2X	24.98	325.91	251.31					38.07	38.07		
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System	1	· · · ·		- 1111	250	020.01	2001					33.07	33.07		†
	combintaion- per month	<u></u>		UNCNX	UC1CA	3.59	15.76	11.28			<u> </u>					
	Nonrecurring Currently Combined Network Elements Switch -As-	1						· · · · · · · · · · · · · · · · · · ·								
	Is Charge	<u></u>		UNC1X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
4-WIRE	E DS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 IN First DS1 Loop in STS1 Interoffice Transport Combination -	IFEROF	FICE TI	KANSPORT (EEL)	1						-					
	Istatewide		sw	UNCIX	USLXX	62.78	714.84	421.47					38.07	38.07		
	Interoffice Transport - Dedicated - STS1 combination - Per Mile		SW	UNCIA	USLAA	02.76	714.04	421.47					36.07	36.07		
	Per Month			UNCSX	1L5XX	6.14										
	Interoffice Transport - Dedicated - STS1 combination - Facility															
	Termination			UNCSX	U1TFS	790.37	794.94	679.55					38.07	38.07		
	STS1 to DS1 Channel System conbination per month			UNCSX	MQ3	233.10	403.90	234.40								
	DS3 Interface Unit (DS1 COCI) combination per month Additional DS1Loop in STS1 Interoffice Transport Combination -	1		UNC1X	UC1D1	16.07	13.09	9.38								1
	Statewide		sw	UNC1X	USLXX	62.78	714.84	421.47					38.07	38.07		
	DS3 Interface Unit (DS1 COCI) combination per month		344	UNC1X	UC1D1	16.07	13.09	9.38					00.07	00.07		
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNCSX	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
4-WIRE	56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS INTERO	FFICE T	RANSI	PORT (EEL)												
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport Combination - Statewide		sw	UNCDX	UDL56	37.67	489.04	337.51								
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -		SW	UNCDA	UDL36	37.07	409.04	337.31								-
	Per Mile			UNCDX	1L5XX	0.0282										
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -															
	Facility Termination			UNCDX	U1TD5	17.40	137.48	52.58					38.07	38.07		
	Nonrecurring Currently Combined Network Elements Switch -As-	1		LINODY	LINGOO		04 ==	04 ==	00.00	40.00			00.07	00.07		
/-WIDE	Is Charge 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTERO	FEICE T	BVNC	UNCDX PORT (FEL)	UNCCC		21.75	21.75	32.28	10.96	-		38.07	38.07		
4-VVIKE	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport	I	KANOI	ONT (EEL)	+											
	Combination - Statewide	1	sw	UNCDX	UDL64	37.67	489.04	337.51								
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -															
	Per Mile	ļ		UNCDX	1L5XX	0.0282										ļ
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -	1		LINCDY	LIATEC	47.40	407.40	50.50					20.07	20.07		
+-	Facility Termination Nonrecurring Currently Combined Network Elements Switch -As-	<u> </u>		UNCDX	U1TD6	17.40	137.48	52.58			-		38.07	38.07		
	Is Charge	1		UNCDX	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
ADDITIONAL N	NETWORK ELEMENTS	1			2		270	20	32.20				33.07	33.07		†
When t	used as a part of a currently combined facility, the non-recur															
	used as ordinarilty combined network elements in Georgia, th	ne non-r	ecurrin	g charges apply an	d the Switch	As Is Charge do	oes not.	· · · · · ·								
Node (SynchroNet)	Charrie	/O:	mulias ta contro	himatia :: \											
Nonrec	curring Currently Combined Network Elements "Switch As Is" 2/4-Wire VG Interoffice Channel used in a COMBINATION -	unarge	(One a	ppiles to each com	pination)					-	 					
	"Switch As Is" Conversion Charge			UNCVX	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
	56/64 kbps Interoffice Channel used in a COMBINATION -	1			5550		21.70	21.73	52.20	10.90			55.57	55.57		
	"Switch As Is" Conversion Charge	<u> </u>		UNCDX	UNCCC		21.75	21.75	32.28	10.96	<u> </u>	<u></u>	38.07	38.07		
	DS1 Interoffice Channel used in a COMBINATION - "Switch As															
	Is" Conversion Charge	1	ı	UNC1X	UNCCC		21.75	21.75	32.28	10.96	1		38.07	38.07	l	1

UNBUNDLE	D NETWORK ELEMENTS - North Carolina												Attachment:	2		Exhibit: B
ONDONDEL	NOTAL CALCULATION OF THE PARTY		1													
													Incremental	Incremental		Incremental
		Intori											Charge -	Charge -	Charge -	Charge -
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)					Manual Svc	Manual Svc		Manual Svc
		m										Submitted		Order vs.	Order vs.	Order vs.
											Elec	Manually	Electronic-	Electronic-	Electronic-	Electronic-
											per LSR	per LSR	1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonre			g Disconnect				RATES (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	DS3 Interoffice Channel used in a COMBINATION - "Switch As															
	Is" Conversion Charge			UNC3X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
	STS1 Interoffice or Local Loop used in a COMBINATION -															
	"Switch As Is" Conversion Charge			UNCSX	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
NOTE:	Local Channel - Dedicated Transport - minimum billing perio	d - Belo	w DS3:	one month, DS3 an	id above=fou	ir months										
UNBUNDLED I	LOCAL EXCHANGE SWITCHING(PORTS)															
	nge Ports															
	Although the Port Rate includes all available features in GA,	KY, LA	& TN, tl	he desired features	will need to I	be ordered usin	g retail USOC:	S								
2-WIRE	E VOICE GRADE LINE PORT RATES (RES)															
	Exchange Ports - 2-Wire Analog Line Port- Res.			UEPSR	UEPRL	2.19	21.60	21.60					26.94	12.76		
	Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.			UEPSR	UEPRC	2.19	21.60	21.60	1	Ì			26.94	12.76		1
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Res.			UEPSR	UEPRO	2.19	21.60	21.60	I				26.94	12.76		1
	Exchange Ports - 2-Wire VG unbundled res, low usage line port															
	with Caller ID (LUM)			UEPSR	UEPAP	2.19	21.60	21.60	I				26.94	12.76		1
	Subsequent Activity			UEPSR	USASC	0.00	0.00	0.00								
FEATU																
	All Available Vertical Features			UEPSR	UEPVF	3.40	0.00	0.00					26.94	12.76		
2-WIRE	E VOICE GRADE LINE PORT RATES (BUS)															
	Exchange Ports - 2-Wire Analog Line Port without Caller ID -															
	Bus			UEPSB	UEPBL	2.19	21.60	21.60					26.94	12.76		
	Exchange Ports - 2-Wire VG unbundled Line Port with															
	unbundled port with Caller+E484 ID - Bus.			UEPSB	UEPBC	2.19	21.60	21.60					26.94	12.76		
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus.			UEPSB	UEPBO	2.19	21.60	21.60					26.94	12.76		
	Exhange Ports - 2-Wire VG unbundled incoming only port with															
	Caller ID - Bus			UEPSB	UEPB1	2.19	21.60	21.60					26.94	12.76		
	Subsequent Activity			UEPSB	USASC	0.00	0.00	0.00								
FEATU																
	All Available Vertical Features			UEPSB	UEPVF	3.40	0.00	0.00					26.94	12.76		
EXCHA	ANGE PORT RATES (DID & PBX)							0.00								
	2-Wire VG Unbundled 2-Way PBX Trunk - Res			UEPSE	UEPRD	2.18	21.60	21.60					26.94	12.76		
	2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus		İ	UEPSP	UEPPC	2.18	21.60	21.60	İ	İ			26.94	12.76		
	2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus			UEPSP	UEPPO	2.18	21.60	21.60	t	1			26.94	12.76		
	2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus			UEPSP	UEPP1	2.18	21.60	21.60	t	1			26.94	12.76		
	2-Wire Analog Long Distance Terminal PBX Trunk - Bus			UEPSP	UEPLD	2.18	21.60	21.60	t	1			26.94	12.76		
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPSP	UEPLD	2.18	21.60	21.60	t	1			26.94	12.76		
	2-Wire Vice Unbundled 2-Way PBX Usage Port			UEPSP	UEPXA	2.18	21.60	21.60	t	1			26.94	12.76		
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports	1	1	UEPSP	UEPXB	2.18	21.60	21.60	t	1			26.94	12.76		t
	2-Wire Voice Unbundled PBX LD DDD Terminals Port		i e	UEPSP	UEPXC	2.18	21.60	21.60	1	1		1	26.94	12.76		
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port		i e	UEPSP	UEPXD	2.18	21.60	21.60	1	1		1	26.94	12.76		
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD		i e			2.10	200	200	1	1		1	20.04	.2.70		
	Capable Port			UEPSP	UEPXE	2.18	21.60	21.60	1				26.94	12.76		1
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy	1	1		1		200	250	†	†		1	20.04	.20		<u> </u>
	Administrative Calling Port			UEPSP	UEPXL	2.18	21.60	21.60	1				26.94	12.76		1
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy		i e			2.10	200	200	1	1		1	20.04	.2.70		
	Room Calling Port			UEPSP	UEPXM	2.18	21.60	21.60	1				26.94	12.76		1
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital				7=::::::	20	250	250	t	1			20.04	.20		
	Discount Room Calling Port			UEPSP	UEPXO	2.18	21.60	21.60	1				26.94	12.76		1
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port		i e	UEPSP	UEPXS	2.18	21.60	21.60	1	1		1	26.94	12.76		
	Subsequent Activity		i e	UEPSP	USASC	0.00	0.00	0.00	1	1		1	20.04	.2.70		
FEATU					1	3.50	0.00	0.30	t	1				1		
1.2.10	All Available Vertical Features			UEPSP UEPSE	UEPVF	3.40	0.00	0.00	t	1			26.94	12.76		
EXCH	ANGE PORT RATES (COIN)	1	1		† -: ··	50	3.30	0.30	t	1			20.04	.20		t
	Exchange Ports - Coin Port	1	1		t	2.59	21.60	21.60	t	1			26.94	12.76		t
NOTF:	Transmission/usage charges associated with POTS circuit s	witched	usage	will also apply to ci	rcuit switche				nission by B-C	hannels assoc	iated with 2	-wire ISDN r		.20		
															•	

UNBUNDLE	D NETWORK ELEMENTS - North Carolina												Attachment:	2		Exhibit: B
		1														
													Incremental	Incremental		Incremental
		Interi									Cora Constan	Core Conden	Charge - Manual Svc	Charge -	Charge - Manual Svc	Charge - Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)						Manual Svc		
		"									Elec	Submitted	Order vs. Electronic-	Order vs. Electronic-	Order vs.	Order vs. Electronic-
															Electronic-	
		-	-			ı			ı		per LSR	per LSR	1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonrec	urring	Nonrecurrir	ng Disconnect			0881	RATES (\$)		
		1				1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN		SOMAN	SOMAN
		1	1	l		1		7.44.		7.00.	,					
NOTE:	Access to B Channel or D Channel Packet capabilities will be	e availal	ble only	v through BFR/Nev	v Business Re	quest Process.	Rates for the	nacket canabi	lities will be o	determined via	the Bona Fi	de Request/	New Busines	s Request Pro	cess	
	LOCAL EXCHANGE SWITCHING(PORTS)	1	1	, oug.: 2: :::::::	1		110100 101 1110	paonor supus.		1	T	100000				
EXCHA	ANGE PORT RATES (DID & PBX)															
	Exchange Ports - 2-Wire DID Port			UEPEX	UEPP2	12.36	108.78	84.60					26.94	12.76		
	Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID															
	capability			UEPDD	UEPDD	123.65	143.53	82.68					19.99	19.99	19.99	19.99
	Exchange Ports - 2-Wire ISDN Port (See Notes below.)			UEPTX UEPSX	U1PMA	24.50	117.59	117.59					55.30	55.30		
	All Features Offered			UEPTX UEPSX	UEPVF	3.40	0.00	0.00								
NOTE:	Transmission/usage charges associated with POTS circuit s	witched	l usage	will also apply to	circuit switche	ed voice and/or	circuit switche	ed data transm	ission by B-C	Channels assoc	iated with 2	-wire ISDN	orts.			
NOTE:	Access to B Channel or D Channel Packet capabilities will be	e availa	ble only						lities will be o	determined via	the Bona Fi	de Request/	New Busines:	s Request Pro	cess.	
	Exchange Ports - 2-Wire ISDN Port Channel Profiles			UEPTX UEPSX	U1UMA	0.00	0.00	0.00								
	Exchange Ports - 4-Wire ISDN DS1 Port	ļ	ļ	UEPEX	UEPEX	179.75	241.63	241.63		ļ	ļ		53.89	53.89		
	LOCAL SWITCHING, PORT USAGE	 	1							-	1					
End Of	ffice Switching (Port Usage)					0.0045										
	End Office Switching Function, Per MOU					0.0015										
	End Office Trunk Port - Shared, Per MOU	1	1			0.00023					-					
rander	m Switching (Port Usage) (Local or Access Tandem) Tandem Switching Function Per MOU				_	0.0006										
						0.0003						1				
Commo	Tandem Trunk Port - Shared, Per MOU					0.0003				+						
Commo	Tandem Trunk Port - Shared, Per MOU on Transport															
Commo	Tandem Trunk Port - Shared, Per MOU on Transport Common Transport - Per Mile, Per MOU					0.00001										
	Tandem Trunk Port - Shared, Per MOU on Transport Common Transport - Per Mile, Per MOU Common Transport - Facilities Termination Per MOU															
UNBUNDLED F	Tandem Trunk Port - Shared, Per MOU on Transport Common Transport - Per Mile, Per MOU	ind/or St	tate Coi	mmission rule to p	rovide Unbun	0.00001 0.00034	tching or Switc	ch Ports.								
UNBUNDLED F	Tandem Trunk Port - Shared, Per MOU on Transport Common Transport - Per Mile, Per MOU Common Transport - Facilities Termination Per MOU PORT/LOOP COMBINATIONS - COST BASED RATES					0.00001 0.00034 dled Local Swit			ed Port sectio	n of this Rate I	Exhibit.					
UNBUNDLED F	Tandem Trunk Port - Shared, Per MOU on Transport Common Transport - Per Mile, Per MOU Common Transport - Facilities Termination Per MOU PORT/LOOP COMBINATIONS - COST BASED RATES Based Rates are applied where BellSouth is required by FCC ar					0.00001 0.00034 dled Local Swit			ed Port sectio	n of this Rate I	Exhibit.					
UNBUNDLED F Cost B Feature	Tandem Trunk Port - Shared, Per MOU on Transport Common Transport - Per Mile, Per MOU Common Transport - Facilities Termination Per MOU PORT/LOOP COMBINATIONS - COST BASED RATES Based Rates are applied where BellSouth is required by FCC ar	st Based	d Rate s	section in the same	manner as th	0.00001 0.00034 dled Local Switey are applied	to the Stand-A	one Unbundle				n Port/Loop	o Combination	ns.		
UNBUNDLED F Cost B Feature	Tandem Trunk Port - Shared, Per MOU on Transport Common Transport - Per Mile, Per MOU Common Transport - Facilities Termination Per MOU PORT/LOOP COMBINATIONS - COST BASED RATES lased Rates are applied where BellSouth is required by FCC at each shall apply to the Unbundled Port/Loop Combination - Cos	st Based	d Rate s	section in the same	manner as th	0.00001 0.00034 dled Local Switey are applied	to the Stand-A	one Unbundle				n Port/Loop	o Combination	ns.		
UNBUNDLED F Cost B Feature	Tandem Trunk Port - Shared, Per MOU on Transport [Common Transport - Per Mile, Per MOU [Common Transport - Facilities Termination Per MOU PORT/LOOP COMBINATIONS - COST BASED RATES lased Rates are applied where BellSouth is required by FCC ar es shall apply to the Unbundled Port/Loop Combination - Cost ffice and Tandem Switching Usage and Common Transport Us	st Based sage rat	d Rate s	section in the same	manner as th	0.00001 0.00034 dled Local Swit ey are applied to	to the Stand-Al	one Unbundle	rt network ele	ements except	for UNE Co				apply to Not C	urrentiv
UNBUNDLED F Cost B Feature End Of	Tandem Trunk Port - Shared, Per MOU on Transport Common Transport - Per Mile, Per MOU Common Transport - Facilities Termination Per MOU Common Transport - Facilities Termination Per MOU PORT/LOOP COMBINATIONS - COST BASED RATES tased Rates are applied where BellSouth is required by FCC at ess shall apply to the Unbundled Port/Loop Combination - Cost ffice and Tandem Switching Usage and Common Transport Usergia, Kentucky, Louisiana, MIssissippi and Tennessee, the r	st Based sage rat	d Rate s tes in th g UNE I	section in the same ne Port section of t	manner as the his rate exhib rges listed ap	0.00001 0.00034 dled Local Swite ey are applied to it shall apply to by to Currently	to the Stand-Al	one Unbundle ons of loop/po	rt network ele	ements except	for UNE Co	additional F	ort nonrecuri	ing charges a		
UNBUNDLED F Cost B Feature End Of For Ge Combin	Tandem Trunk Port - Shared, Per MOU on Transport [Common Transport - Per Mile, Per MOU [Common Transport - Facilities Termination Per MOU PORT/LOOP COMBINATIONS - COST BASED RATES lased Rates are applied where BellSouth is required by FCC ar es shall apply to the Unbundled Port/Loop Combination - Cost ffice and Tandem Switching Usage and Common Transport Us	st Based sage rat recurring onrecur	d Rate s tes in th g UNE I ring ch	section in the same ne Port section of the Port and Loop cha arges are commiss	manner as the his rate exhib rges listed application ordered c	0.00001 0.00034 dled Local Switey are applied to it shall apply to oly to Currently ost based rates	to the Stand-All combination Combined and and in AL, FL	one Unbundle ons of loop/po	rt network ele	ements except	for UNE Co	additional F	ort nonrecuri	ing charges a		
UNBUNDLED F Cost B Feature End Of For Ge Combin Combin	Tandem Trunk Port - Shared, Per MOU on Transport Common Transport - Per Mile, Per MOU Common Transport - Facilities Termination Per MOU Common Transport - Facilities Termination Per MOU PORT/LOOP COMBINATIONS - COST BASED RATES lased Rates are applied where BellSouth is required by FCC at es shall apply to the Unbundled Port/Loop Combination - Cos ffice and Tandem Switching Usage and Common Transport Use porgia, Kentucky, Louisiana, MIssissippi and Tennessee, the r ined Combos for all states. In GA, KY, LA, MS and TN these no	st Based sage rat recurring onrecur	d Rate s tes in th g UNE I ring ch	section in the same ne Port section of the Port and Loop cha arges are commiss	manner as the his rate exhib rges listed application ordered c	0.00001 0.00034 dled Local Switey are applied to it shall apply to oly to Currently ost based rates	to the Stand-All combination Combined and and in AL, FL	one Unbundle ons of loop/po	rt network ele	ements except	for UNE Co	additional F	ort nonrecuri	ing charges a		
UNBUNDLED F Cost B Feature End Of For Ge Combin Combin 2-WIRE	Tandem Trunk Port - Shared, Per MOU on Transport Common Transport - Per Mile, Per MOU Common Transport - Facilities Termination Per MOU PORT/LOOP COMBINATIONS - COST BASED RATES lased Rates are applied where BellSouth is required by FCC at es shall apply to the Unbundled Port/Loop Combination - Cos ffice and Tandem Switching Usage and Common Transport Use pergia, Kentucky, Louisiana, Mississippi and Tennessee, the r ined Combos for all states. In GA, KY, LA, MS and TN these not med Combos in all other states, the nonrecurring charges sha	st Based sage rat recurring onrecur	d Rate s tes in th g UNE I ring ch	section in the same ne Port section of the Port and Loop cha arges are commiss	manner as the his rate exhib rges listed application ordered c	0.00001 0.00034 dled Local Switey are applied to it shall apply to oly to Currently ost based rates	to the Stand-All combination Combined and and in AL, FL	one Unbundle ons of loop/po	rt network ele	ements except	for UNE Co	additional F	ort nonrecuri	ing charges a		
UNBUNDLED F Cost B Feature End Of For Ge Combin Combin 2-WIRE UNE PO	Tandem Trunk Port - Shared, Per MOU on Transport Common Transport - Per Mile, Per MOU Common Transport - Facilities Termination Per MOU Common Transport - Facilities Termination Per MOU PORT/LOOP COMBINATIONS - COST BASED RATES lased Rates are applied where BellSouth is required by FCC at es shall apply to the Unbundled Port/Loop Combination - Cos ffice and Tandem Switching Usage and Common Transport Use pergia, Kentucky, Louisiana, Mississippi and Tennessee, the r ned Combos for all states. In GA, KY, LA, MS and TN these not ined Combos in all other states, the nonrecurring charges sha E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates [2-Wire VG Loop/Port Combo - Statewide]	st Based sage rat recurring onrecur	d Rate s tes in th g UNE I ring ch	section in the same ne Port section of the Port and Loop cha arges are commiss	manner as the his rate exhib rges listed application ordered c	0.00001 0.00034 dled Local Switey are applied to it shall apply to oly to Currently ost based rates	to the Stand-All combination Combined and and in AL, FL	one Unbundle ons of loop/po	rt network ele	ements except	for UNE Co	additional F	ort nonrecuri	ing charges a		
UNBUNDLED F Cost B Feature End Of For Ge Combin Combin 2-WIRE UNE Po	Tandem Trunk Port - Shared, Per MOU on Transport Common Transport - Per Mile, Per MOU Common Transport - Facilities Termination Per MOU Common Transport - Facilities Termination Per MOU PORT/LOOP COMBINATIONS - COST BASED RATES lased Rates are applied where BellSouth is required by FCC at es shall apply to the Unbundled Port/Loop Combination - Cos ffice and Tandem Switching Usage and Common Transport Use porgia, Kentucky, Louisiana, Mississippi and Tennessee, the r ined Combos for all states. In GA, KY, LA, MS and TN these not ned Combos in all other states, the nonrecurring charges sha E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates [2-Wire VG Loop/Port Combo - Statewide oop Rates	st Based sage rat recurring onrecur	d Rate s tes in th g UNE I ring choose ide	section in the same ne Port section of the Port and Loop chata arges are commiss ntified in the Nonr	manner as the his rate exhibiting a sisted application ordered cecurring - Cur	0.00001 0.00034 dled Local Swite ey are applied to the stall apply to by to Currently cost based rates rently Combine	to the Stand-All combination Combined and and in AL, FL	one Unbundle ons of loop/po	rt network ele	ements except	for UNE Co	additional F	ort nonrecuri	ing charges a		
UNBUNDLED F Cost B Feature End Of For Ge Combin 2-WiRE UNE PC	Tandem Trunk Port - Shared, Per MOU on Transport Common Transport - Per Mile, Per MOU Common Transport - Facilities Termination Per MOU Common Transport - Facilities Termination Per MOU PORT/LOOP COMBINATIONS - COST BASED RATES assed Rates are applied where BellSouth is required by FCC at ses shall apply to the Unbundled Port/Loop Combination - Cos ffice and Tandem Switching Usage and Common Transport Use regia, Kentucky, Louisiana, MIssissippi and Tennessee, the r ined Combos for all states. In GA, KY, LA, MS and TN these no med Combos in all other states, the nonrecurring charges sha te Volice GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Statewide oop Rates 2-Wire Volice Grade Loop (SL1) - Statewide	st Based sage rat recurring onrecur	d Rate s tes in th g UNE I ring ch ose ide	section in the same ne Port section of the Port and Loop cha arges are commiss	manner as the his rate exhib rges listed application ordered c	0.00001 0.00034 dled Local Switey are applied to the shall apply to both to the shall apply to currently ost based rates rently Combine	to the Stand-All combination Combined and and in AL, FL	one Unbundle ons of loop/po	rt network ele	ements except	for UNE Co	additional F	ort nonrecuri	ing charges a		
UNBUNDLED F Cost B Feature End Of For Ge Combin 2-WIRE UNE PC	Tandem Trunk Port - Shared, Per MOU on Transport Common Transport - Per Mile, Per MOU Common Transport - Facilities Termination Per MOU Common Transport - Facilities Termination Per MOU PORT/LOOP COMBINATIONS - COST BASED RATES lased Rates are applied where BellSouth is required by FCC at less shall apply to the Unbundled Port/Loop Combination - Cost ffice and Tandem Switching Usage and Common Transport Use lased Rates are applied where BellSouth is required by FCC at less shall apply to the Unbundled Port/Loop Combination - Cost ffice and Tandem Switching Usage and Common Transport Use lased Combos for all states. In GA, KY, LA, MS and TN these not lined Combos in all other states, the nonrecurring charges shale Volice GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Statewide oop Rates [2-Wire Voice Grade Loop (SL1) - Statewide Voice Grade Line Port Rates (Res)	st Based sage rat recurring onrecur	d Rate s tes in th g UNE I ring choose ide	ne Port section of the Port and Loop cha arges are commiss ntified in the Nonr	e manner as th his rate exhib rges listed ap ion ordered c ecurring - Cur	0.00001 0.00034 dled Local Swite ey are applied to the stand apply to currently ost based rates rently Combine 16.46	to the Stand-Al all combinatio Combined and and in AL, FL d sections.	ons of loop/pc	rt network ele	ements except	for UNE Co	additional F	ort nonrecuri	ring charges a		
UNBUNDLED F Cost B Feature End Of For Ge Combin 2-WIRE UNE PC	Tandem Trunk Port - Shared, Per MOU on Transport Common Transport - Per Mile, Per MOU Common Transport - Facilities Termination Per MOU Common Transport - Facilities Termination Per MOU PORT/LOOP COMBINATIONS - COST BASED RATES lased Rates are applied where BellSouth is required by FCC at es shall apply to the Unbundled Port/Loop Combination - Cos ffice and Tandem Switching Usage and Common Transport Use eorgia, Kentucky, Louisiana, MIssissippi and Tennessee, the r ened Combos for all states. In GA, KY, LA, MS and TN these not ened Combos in all other states, the nonrecurring charges sha E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Statewide oop Rates 2-Wire VG Loop Grade Loop (SL1) - Statewide Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence	st Based sage rat recurring onrecur	d Rate s tes in th g UNE I ring choose ide	Port and Loop cha arges are commiss ntified in the Nonr	e manner as the his rate exhibit rate exhibit rges listed application ordered control of the courting - Curring - Cu	0.00001 0.00034 dled Local Swite ey are applied to be the standard apply to currently ost based rates rently Combine 16.46 14.18 2.28	to the Stand-Al all combination Combined and and in AL, FL d sections.	ons of loop/pc d Not Currentl , NC and SC tt	rt network ele	ements except	for UNE Co	additional F	Port nonrecurrilisted in the	ing charges a Market Rate s		
UNBUNDLED F Cost B Feature End Of For Ge Combin 2-WiRE UNE PC	Tandem Trunk Port - Shared, Per MOU on Transport Common Transport - Per Mile, Per MOU Common Transport - Facilities Termination Per MOU Common Transport - Facilities Termination Per MOU PORTI/LOOP COMBINATIONS - COST BASED RATES lased Rates are applied where BellSouth is required by FCC at less shall apply to the Unbundled Port/Loop Combination - Cost ess shall apply to the Unbundled Port/Loop Combination - Cost ffice and Tandem Switching Usage and Common Transport Use longia, Kentucky, Louisiana, MIssissippi and Tennessee, the r lined Combos for all states. In GA, KY, LA, MS and TN these not lined Combos in all other states, the nonrecurring charges sha E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates [2-Wire VG Loop/Port Combo - Statewide oop Rates [2-Wire Voice Grade Loop (SL1) - Statewide Voice Grade Line Port Rates (Res) [2-Wire voice unbundled port - residence [2-Wire voice unbundled port with Caller ID - res	st Based sage rat recurring onrecur	d Rate s tes in th g UNE I ring choose ide	per tand Loop cha arges are commiss ntified in the Nonr UEPRX UEPRX UEPRX	e manner as the his rate exhibiting a sisted application ordered a courring - Cur	0.00001 0.00034 dled Local Swite ey are applied to obly to Currently oost based rates rently Combine 16.46 14.18 2.28 2.28	to the Stand-Al all combinatio Combined and and in AL, FL d sections. 90.00 90.00	ons of loop/pc d Not Currenti , NC and SC ti	rt network ele	ements except	for UNE Co	additional F	Port nonrecurrilisted in the	Market Rate s		
UNBUNDLED F Cost B Feature End Of For Ge Combin 2-WiRE UNE PC	Tandem Trunk Port - Shared, Per MOU on Transport Common Transport - Per Mile, Per MOU Common Transport - Facilities Termination Per MOU Common Transport - Facilities Termination Per MOU PORT/LOOP COMBINATIONS - COST BASED RATES lased Rates are applied where BellSouth is required by FCC at less shall apply to the Unbundled Port/Loop Combination - Cost ffice and Tandem Switching Usage and Common Transport Use less of the Common	st Based sage rat recurring onrecur	d Rate s tes in th g UNE I ring choose ide	Port and Loop cha arges are commiss ntified in the Nonr	e manner as the his rate exhibit rate exhibit rges listed application ordered control of the courting - Curring - Cu	0.00001 0.00034 dled Local Swite ey are applied to be the standard apply to currently ost based rates rently Combine 16.46 14.18 2.28	to the Stand-Al all combination Combined and and in AL, FL d sections.	ons of loop/pc d Not Currentl , NC and SC tt	rt network ele	ements except	for UNE Co	additional F	Port nonrecurrilisted in the	ing charges a Market Rate s		
UNBUNDLED F Cost B Feature End Of For Ge Combin 2-WIRE UNE PC	Tandem Trunk Port - Shared, Per MOU on Transport Common Transport - Per Mile, Per MOU Common Transport - Facilities Termination Per MOU Common Transport - Facilities Termination Per MOU PORT/LOOP COMBINATIONS - COST BASED RATES lased Rates are applied where BellSouth is required by FCC at es shall apply to the Unbundled Port/Loop Combination - Cost ffice and Tandem Switching Usage and Common Transport Use eorgia, Kentucky, Louisiana, MIssissippi and Tennessee, the r ened Combos for all states. In GA, KY, LA, MS and TN these not ened Combos in all other states, the nonrecurring charges sha E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Statewide oop Rates 2-Wire Voice Grade Loop (SL1) - Statewide Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res	st Based sage rat recurring onrecur	d Rate s tes in th g UNE I ring choose ide	Port and Loop cha arges are commiss ntified in the Nonr UEPRX UEPRX UEPRX UEPRX UEPRX	e manner as the his rate exhibit rate exhibit rate exhibit rate application ordered control of the control of t	0.00001 0.00034 dled Local Swite ey are applied to the stand apply to currently ost based rates rently Combine 16.46 14.18 2.28 2.28 2.28	to the Stand-Al all combination Combined and and in AL, FL d sections. 90.00 90.00 90.00	90.00 90.00	rt network ele	ements except	for UNE Co	additional F	40.18 40.18 40.18	9.45 9.45		
UNBUNDLED F Cost B Feature End Of For Ge Combin Combin 2-WIRE UNE PC UNE LC	Tandem Trunk Port - Shared, Per MOU on Transport Common Transport - Per Mile, Per MOU Common Transport - Facilities Termination Per MOU Common Transport - Facilities Termination Per MOU PORTI/LOOP COMBINATIONS - COST BASED RATES lased Rates are applied where BellSouth is required by FCC at less shall apply to the Unbundled Port/Loop Combination - Cost ess shall apply to the Unbundled Port/Loop Combination - Cost ffice and Tandem Switching Usage and Common Transport Use less shall apply to the Unbundled Port/Loop Combination - Cost est shall apply to the Unbundled Port/Loop Combination - Cost est shall apply to the Unbundled Port/Loop Common Transport Use less shall apply to the Unbundled Port States, the nonrecurring charges shall evolute GradDE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire Voice Grade Loop (SL1) - Statewide Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res	st Based sage rat recurring onrecur	d Rate s tes in th g UNE I ring choose ide	per tand Loop cha arges are commiss ntified in the Nonr UEPRX UEPRX UEPRX	e manner as the his rate exhibiting a sisted application ordered a courring - Cur	0.00001 0.00034 dled Local Swite ey are applied to obly to Currently oost based rates rently Combine 16.46 14.18 2.28 2.28	to the Stand-Al all combinatio Combined and and in AL, FL d sections. 90.00 90.00	ons of loop/pc d Not Currentl , NC and SC tt	rt network ele	ements except	for UNE Co	additional F	Port nonrecurrilisted in the	Market Rate s		
UNBUNDLED F Cost B Feature End Of For Ge Combin 2-WiRE UNE PC	Tandem Trunk Port - Shared, Per MOU on Transport Common Transport - Per Mile, Per MOU Common Transport - Facilities Termination Per MOU Common Transport - Facilities Termination Per MOU PORT/LOOP COMBINATIONS - COST BASED RATES lased Rates are applied where BellSouth is required by FCC at les shall apply to the Unbundled Port/Loop Combination - Cost ffice and Tandem Switching Usage and Common Transport Use les orgia, Kentucky, Louisiana, MIssissippi and Tennessee, the re land Combos for all states. In GA, KY, LA, MS and TN these note and Combos in all other states, the nonrecurring charges shale EVOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire Voice Grade Loop (SL1) - Statewide loop Rates 2-Wire Voice Grade Loop (SL1) - Statewide Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled sers, low usage line port with Caller ID (LUM) IRES	st Based sage rat recurring onrecur	d Rate s tes in th g UNE I ring choose ide	Port section in the same ne Port section of the Port and Loop chater are commissed in the Nonrelative C	e manner as the his rate exhibit rate exhibit rate exhibit rate application ordered decurring - Cur UEPLX UEPRL UEPRC UEPRO UEPAP	0.00001 0.00034 died Local Swite ey are applied to it shall apply to Oly to Currently ost based rates rently Combine 16.46 14.18 2.28 2.28 2.28	to the Stand-Al all combinatio Combined and and in AL, FL d sections. 90.00 90.00 90.00	ons of loop/pc d Not Currentl , NC and SC ti 90.00 90.00 90.00	rt network ele	ements except	for UNE Co	additional F	40.18 40.18 40.18	9.45 9.45		
UNBUNDLED F Cost B Feature End Of For Ge Combin Combin 2-WIRE UNE Pc UNE LC 2-Wire	Tandem Trunk Port - Shared, Per MOU on Transport Common Transport - Per Mile, Per MOU Common Transport - Facilities Termination Per MOU Common Transport - Facilities Termination Per MOU PORT/LOOP COMBINATIONS - COST BASED RATES lased Rates are applied where BellSouth is required by FCC at es shall apply to the Unbundled Port/Loop Combination - Cos ffice and Tandem Switching Usage and Common Transport Use eorgia, Kentucky, Louisiana, MIssissippi and Tennessee, the r ned Combos for all states. In GA, KY, LA, MS and TN these not ned Combos in all other states, the nonrecurring charges sha e VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Statewide oop Rates 2-Wire Voice Grade Loop (SL1) - Statewide Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundles res, low usage line port with Caller ID (ILUM) JRES All Features Offered	st Based sage rat recurring onrecur	d Rate s tes in th g UNE I ring choose ide	Port and Loop cha arges are commiss ntified in the Nonr UEPRX UEPRX UEPRX UEPRX UEPRX	e manner as the his rate exhibit rate exhibit rate exhibit rate application ordered control of the control of t	0.00001 0.00034 dled Local Swite ey are applied to the stand apply to currently ost based rates rently Combine 16.46 14.18 2.28 2.28 2.28	to the Stand-Al all combination Combined and and in AL, FL d sections. 90.00 90.00 90.00	90.00 90.00	rt network ele	ements except	for UNE Co	additional F	40.18 40.18 40.18	9.45 9.45		
UNBUNDLED F Cost B Feature End Of For Ge Combin Combin 2-WIRE UNE Po UNE Lo	Tandem Trunk Port - Shared, Per MOU on Transport Common Transport - Per Mile, Per MOU Common Transport - Facilities Termination Per MOU Common Transport - Facilities Termination Per MOU PORT/LOOP COMBINATIONS - COST BASED RATES lased Rates are applied where BellSouth is required by FCC at es shall apply to the Unbundled Port/Loop Combination - Cost ffice and Tandem Switching Usage and Common Transport Use eorgia, Kentucky, Louisiana, MIssissippi and Tennessee, the r ened Combos for all states. In GA, KY, LA, MS and TN these not ened Combos in all other states, the nonrecurring charges sha E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Statewide oop Rates 2-Wire Voice Grade Loop (SL1) - Statewide Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled sers, low usage line port with Caller ID (LUM) IRES NUMBER PORTABILITY	st Based sage rat recurring onrecur	d Rate s tes in th g UNE I ring choose ide	per tand Loop cha arges are commiss ntified in the Nonr UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	e manner as the his rate exhibiting a sisted application ordered concurring - Curring	0.00001 0.00034 dled Local Swite ey are applied to the stand apply to currently ost based rates rently Combine 16.46 14.18 2.28 2.28 2.28 3.40	to the Stand-Al all combinatio Combined and and in AL, FL d sections. 90.00 90.00 90.00	ons of loop/pc d Not Currentl , NC and SC ti 90.00 90.00 90.00	rt network ele	ements except	for UNE Co	additional F	40.18 40.18 40.18	9.45 9.45		
UNBUNDLED F Cost B Feature End Of For Ge Combin 2-WIRE UNE PC UNE LC 2-Wire FEATU	Tandem Trunk Port - Shared, Per MOU on Transport Common Transport - Per Mile, Per MOU Common Transport - Facilities Termination Per MOU Common Transport - Facilities Termination Per MOU PORT/LOOP COMBINATIONS - COST BASED RATES lased Rates are applied where BellSouth is required by FCC at es shall apply to the Unbundled Port/Loop Combination - Cos ffice and Tandem Switching Usage and Common Transport Use eorgia, Kentucky, Louisiana, MIssissippi and Tennessee, the r ned Combos for all states. In GA, KY, LA, MS and TN these not ned Combos in all other states, the nonrecurring charges sha e VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Statewide oop Rates 2-Wire Voice Grade Loop (SL1) - Statewide Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundles res, low usage line port with Caller ID (ILUM) JRES All Features Offered	st Based sage rat recurring onrecur	d Rate s tes in th g UNE I ring choose ide	Port section in the same ne Port section of the Port and Loop chater are commissed in the Nonrelative C	e manner as the his rate exhibit rate exhibit rate exhibit rate application ordered decurring - Cur UEPLX UEPRL UEPRC UEPRO UEPAP	0.00001 0.00034 died Local Swite ey are applied to it shall apply to Oly to Currently ost based rates rently Combine 16.46 14.18 2.28 2.28 2.28	to the Stand-Al all combinatio Combined and and in AL, FL d sections. 90.00 90.00 90.00	ons of loop/pc d Not Currentl , NC and SC ti 90.00 90.00 90.00	rt network ele	ements except	for UNE Co	additional F	40.18 40.18 40.18	9.45 9.45		
UNBUNDLED F Cost B Feature End Of For Ge Combin 2-WIRE UNE PC UNE LC 2-Wire FEATU	Tandem Trunk Port - Shared, Per MOU on Transport Common Transport - Per Mile, Per MOU Common Transport - Facilities Termination Per MOU Common Transport - Facilities Termination Per MOU PORT/LOOP COMBINATIONS - COST BASED RATES lased Rates are applied where BellSouth is required by FCC at less shall apply to the Unbundled Port/Loop Combination - Cost ffice and Tandem Switching Usage and Common Transport Use longia, Kentucky, Louisiana, MIssissippi and Tennessee, the relation of the Combos for all states. In GA, KY, LA, MS and TN these not ned Combos in all other states, the nonrecurring charges shale Volice GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Statewide oop Rates 2-Wire Voice Grade Loop (SL1) - Statewide Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port with Caller ID res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port with Caller ID res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res	st Based sage rat recurring onrecur	d Rate s tes in th g UNE I ring choose ide	per tand Loop cha arges are commiss ntified in the Nonr UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	e manner as the his rate exhibiting a sisted application ordered concurring - Curring	0.00001 0.00034 dled Local Swite ey are applied to the stand apply to currently ost based rates rently Combine 16.46 14.18 2.28 2.28 2.28 3.40	to the Stand-Al all combinatio Combined and and in AL, FL d sections. 90.00 90.00 90.00	ons of loop/pc d Not Currentl , NC and SC ti 90.00 90.00 90.00	rt network ele	ements except	for UNE Co	additional F	40.18 40.18 40.18	9.45 9.45		
UNBUNDLED F Cost B Feature End Of For Ge Combin 2-WIRE UNE PC UNE LC 2-Wire FEATU	Tandem Trunk Port - Shared, Per MOU on Transport Common Transport - Per Mile, Per MOU Common Transport - Facilities Termination Per MOU Common Transport - Facilities Termination Per MOU PORT/LOOP COMBINATIONS - COST BASED RATES assed Rates are applied where BellSouth is required by FCC at ses shall apply to the Unbundled Port/Loop Combination - Cos ffice and Tandem Switching Usage and Common Transport Use regia, Kentucky, Louisiana, MIssissippi and Tennessee, the r sined Combos for all states. In GA, KY, LA, MS and TN these no med Combos in all other states, the nonrecurring charges sha te Voice GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire Voice Grade Loop (SL1) - Statewide oop Rates 2-Wire Voice Grade Loop (SL1) - Statewide Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port with Caller ID (ILUM) RES All Features Offered - NUMBER PORTABILITY Local Number Portability (1 per port)	st Based sage rat recurring onrecur	d Rate s tes in th g UNE I ring choose ide	per tand Loop cha arges are commiss ntified in the Nonr UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	e manner as the his rate exhibiting a sisted application ordered concurring - Curring	0.00001 0.00034 dled Local Swite ey are applied to the stand apply to currently ost based rates rently Combine 16.46 14.18 2.28 2.28 2.28 3.40	to the Stand-Al all combinatio Combined and and in AL, FL d sections. 90.00 90.00 90.00	ons of loop/pc d Not Currentl , NC and SC ti 90.00 90.00 90.00	rt network ele	ements except	for UNE Co	additional F	40.18 40.18 40.18	9.45 9.45		
UNBUNDLED F Cost B Feature End Of For Ge Combin 2-WIRE UNE PC UNE LC 2-Wire FEATU	Tandem Trunk Port - Shared, Per MOU on Transport Common Transport - Per Mile, Per MOU Common Transport - Facilities Termination Per MOU Common Transport - Facilities Termination Per MOU PORT/LOOP COMBINATIONS - COST BASED RATES lased Rates are applied where BellSouth is required by FCC at es shall apply to the Unbundled Port/Loop Combination - Cos ffice and Tandem Switching Usage and Common Transport Use eorgia, Kentucky, Louisiana, MIssissippi and Tennessee, the r ned Combos for all states. In GA, KY, LA, MS and TN these not ned Combos in all other states, the nonrecurring charges sha e VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Statewide oop Rates 2-Wire Voice Grade Loop (SL1) - Statewide Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice Undundled port outgoing only - res 2-Wire voice Undundled port outgoing only - res 2-Wire voice Undundled port outgoing only - res 2-Wire voice Undundled port outgoing only - res 2-Wire voice Undundled port outgoing only - res 2-Wire voice Undundled port outgoing only - res 2-Wire voice Undundled port outgoing only - res 2-Wire voice Undundled port outgoing - voice undundled port outgoing - voice undundled port outgoing - voice undundled port - voice undundled port outgoing - voice - voice - voice - voice - voice - voice	st Based sage rat recurring onrecur	d Rate s tes in th g UNE I ring choose ide	Port and Loop cha arges are commiss ntified in the Nonr UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	umanner as the his rate exhibits rate exhibits rate exhibits rate application ordered concurring - Curum UEPLX UEPRC UEPRC UEPRO UEPAP UEPVF	0.00001 0.00034 dled Local Swite ey are applied to the stand apply to currently ost based rates rently Combine 16.46 14.18 2.28 2.28 2.28 3.40	to the Stand-Al all combinatio Combined and and in AL, FL d sections. 90.00 90.00 90.00 90.00 0.00	90.00 90.00 90.00	rt network ele	ements except	for UNE Co	additional F	40.18 40.18 40.18 40.18 40.18	9.45 9.45 9.45		
UNBUNDLED F Cost B Feature End Of For Ge Combin 2-WIRE UNE PC 2-Wire FEATU	Tandem Trunk Port - Shared, Per MOU on Transport Common Transport - Per Mile, Per MOU Common Transport - Facilities Termination Per MOU Common Transport - Facilities Termination Per MOU PORT/LOOP COMBINATIONS - COST BASED RATES lased Rates are applied where BellSouth is required by FCC at es shall apply to the Unbundled Port/Loop Combination - Cos ffice and Tandem Switching Usage and Common Transport Use eorgia, Kentucky, Louisiana, MIssissippi and Tennessee, the r ned Combos for all states. In GA, KY, LA, MS and TN these not ned Combos in all other states, the nonrecurring charges sha e VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Statewide oop Rates 2-Wire Voice Grade Loop (SL1) - Statewide Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundles res, low usage line port with Caller ID (LUM) JRES All Features Offered NUMBER PORTABILITY Local Number Portability (1 per port) ECURRING CHARGES (NRCs) - CURRENTLY COMBINED 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change	st Based sage rat recurring onrecur	d Rate s tes in th g UNE I ring choose ide	Port and Loop cha arges are commiss ntified in the Nonr UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	umanner as the his rate exhibits rate exhibits rate exhibits rate application ordered concurring - Curum UEPLX UEPRC UEPRC UEPRO UEPAP UEPVF	0.00001 0.00034 dled Local Swite ey are applied to the stand apply to currently ost based rates rently Combine 16.46 14.18 2.28 2.28 2.28 3.40	to the Stand-Al all combinatio Combined and and in AL, FL d sections. 90.00 90.00 90.00 90.00 0.00	90.00 90.00 90.00	rt network ele	ements except	for UNE Co	additional F	40.18 40.18 40.18 40.18 40.18	9.45 9.45 9.45		
UNBUNDLED F Cost B Feature End Of For Ge Combin 2-WIRE UNE PC 2-Wire FEATU	Tandem Trunk Port - Shared, Per MOU on Transport Common Transport - Per Mile, Per MOU Common Transport - Facilities Termination Per MOU Common Transport - Facilities Termination Per MOU PORT/LOOP COMBINATIONS - COST BASED RATES lased Rates are applied where BellSouth is required by FCC at less shall apply to the Unbundled Port/Loop Combination - Cost ffice and Tandem Switching Usage and Common Transport Usergia, Kentucky, Louisiana, Mississippi and Tennessee, the r lined Combos for all states. In GA, KY, LA, MS and TN these noted Combos in all other states, the nonrecurring charges shale Voice GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire Voice Grade Loop (SL1) - Statewide Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice Unbundled Port Outgoing only - res 2-Wire voice Unbundled Port Outgoing Only - res 2-Wire voice Unbundled Port Outgoing Only - res CURRING CHARGES (NRCs) - CURRENTLY COMBINED 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch -as-is 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change	st Based sage rat recurring onrecur	d Rate s tes in th g UNE I ring choose ide	DEPRX UEPRX UEPRX	manner as the his rate exhibit	0.00001 0.00034 dled Local Swite ey are applied to the stand apply to currently ost based rates rently Combine 16.46 14.18 2.28 2.28 2.28 3.40	90.00 90.00 90.00 90.00 2.77	90.00 90.00 90.00	rt network ele	ements except	for UNE Co	additional F	40.18 40.18 40.18 40.18 40.18	9.45 9.45 9.45		
UNBUNDLED F Cost B Feature End Of For Ge Combin 2-WIRE UNE PC UNE LC 2-Wire FEATU	Tandem Trunk Port - Shared, Per MOU on Transport Common Transport - Per Mile, Per MOU Common Transport - Facilities Termination Per MOU Common Transport - Facilities Termination Per MOU PORT/LOOP COMBINATIONS - COST BASED RATES lased Rates are applied where BellSouth is required by FCC at es shall apply to the Unbundled Port/Loop Combination - Cos ffice and Tandem Switching Usage and Common Transport Use eorgia, Kentucky, Louisiana, MIssissippi and Tennessee, the r ned Combos for all states. In GA, KY, LA, MS and TN these not ned Combos in all other states, the nonrecurring charges sha e VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Statewide oop Rates 2-Wire Voice Grade Loop (SL1) - Statewide Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundles res, low usage line port with Caller ID (LUM) JRES All Features Offered NUMBER PORTABILITY Local Number Portability (1 per port) ECURRING CHARGES (NRCs) - CURRENTLY COMBINED 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change	st Based sage rat recurring onrecur	d Rate s tes in th g UNE I ring choose ide	DEPRX UEPRX UEPRX	manner as the his rate exhibit	0.00001 0.00034 dled Local Swite ey are applied to the stand apply to currently ost based rates rently Combine 16.46 14.18 2.28 2.28 2.28 3.40	to the Stand-Al all combinatio Combined and and in AL, FL d sections. 90.00 90.00 90.00 90.00 2.77	90.00 90.00 90.00	rt network ele	ements except	for UNE Co	additional F	40.18 40.18 40.18 40.18	9.45 9.45 9.45		

4Q01:12/01/01 PAGE 239 OF 324

CATEGORY RATE ELEMENTS Interior m Zone BCS USOC RATES(\$) Sv. Order Submitted Elect Manual Sv. Order vs. Electronic- Electronic	UNBUNDLE	D NETWORK ELEMENTS - North Carolina												Attachment:	2		Exhibit: B
Pirel April SOME SOMAN				Zone	BCS	USOC			RATES(\$)			Submitted Elec	Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs.
Description Description Prof Combination - Subsequent USPAX							Rec										
Central Cent		O Wise Vales Conds Loop / in a Dark Combination Cube and a						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
A					LIEPRX	USAS2	0.00	0.00	0.00					40 18	9 45		
NEP POPULO CONTINUES CON	2-WIRE				OLI TOX	00/102	0.00	0.00	0.00					40.10	3.40		
Declaration Proceedings Procedure	UNE P																
Parties Vision Control Log (SEL) Statements Sec (SPER) Sec (SP				SW			16.46										
Advise Vacio Carde Lunis Prof. (Bigs)	UNE LO			CW	LIEDDV	LIEDLY	1/ 10										
SWine vace unbundled port with Caller E Debt UEPEX UEPEX 228 90.00 90.00 40.10 9.45	2-Wire			SW	UEPBA	UEPLA	14.10										
2-Vive voice unbundled port outgoing only on visit Caller ID- Bus UEPBX UEPBX VPCB1 2.28 90.00 90.00 40.18 9.45					UEPBX	UEPBL	2.28	90.00	90.00					40.18	9.45		
2-Vivre votor unbunded excerning only port with Caller ID - Bus UEPRX UPPS 2.28 0.00 0.00 4.018 9.45																	
LOCAL NUMBER PORTABLITY LOCAL NUMBER POR																	
Lized Number Portability (1 per port)	LOCAL		1	1	UEPBX	UPEB1	2.28	90.00	90.00	-			 	40.18	9.45		
FEATURES	LOCAL		<u> </u>	-	UEPBX	LNPCX	0.35										
NONECURRING CHARGES (NRCs) - CURRENTLY COMBINED 2-Wire Voor Grade Loop / Line Prot Combination - Conversion - UEPBX USACC 2.77	FEATU				02. 57.	2.1. 0/1	0.00										
2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change UEPRX					UEPBX	UEPVF	3.40	0.00	0.00					40.18	9.45		
Switch-asis UEPRX	NONRE																
2-Wire Voice Grade Loop / Line Port Combination - Conversion Switch with change UEPBX USACC 2.77 0.40					LIEDDY	LICACO		0.77	0.40					40.40	0.45		
Switch with change USACC 2.77 0.40					UEPBX	USAC2		2.11	0.40	-				40.18	9.45		
2-Wire Voice Grade Loop / Line Port Combination - Conversion - Subsequent Database Update 1.42 10.27 1					UEPBX	USACC		2.77	0.40								
ADDITIONAL INFG 2-Wire Votice Grade Loop Line Port Combination - Subsequent Activity UEPBX USAS2			-		02. 57.	00/100		2	0.10								
2-Wire Voice Grade Loop/Line Port Combination - Subsequent Lope								1.42						10.27			
Activity USAS2	ADDITI																
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)					LIEDDY	LICACO								40.40	0.45		
UNE Port/Loop Combination Rates	2-WIRE				UEPBX	USAS2								40.18	9.45		
2-Wire Volce Grade Loop (St. 1) - Statewide Sw LEPRG LEPLX 14.18																	
2-Wire Voice Grade Loop (St. 1) - Statewide				SW			16.46										
2-Wire Volue Grade Line Port Rates (RES - PBX)	UNE Lo																
2-Wire Volce Grade Loop / Line Port Combination PBX - Conversion - Switch Ash Subsequent Patrioty (PBX) - Subsequent Activity - Change/Rearrange Multiline Hunt (Group - 2-Wire Volce Grade Loop / Line Port (BUS - PBX) UEPRG USAC2 UEPRG	0.145			SW	UEPRG	UEPLX	14.18										
Res	2-Wire		1	-													
LOCAL NUMBER PORTABILITY Local Number Portability (1 per port) UEPRG LNPCP 3.15 0.00 0.00					UEPRG	UEPRD	2.28	90.00	90.00					40.18	9.45		
FEATURES	LOCAL																
All Features Offered		Local Number Portability (1 per port)			UEPRG	LNPCP	3.15	0.00	0.00								
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - COnversion - Switch-As-1s UEPRG USAC2 2.77 0.40 40.18 9.45	FEATU				LIEDDO									40 :-			
2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch-As-Is UEPRG USAC2 2.77 0.40 40.18 9.45	NOND				UEPRG	UEPVF	3.40	0.00	0.00				 	40.18	9.45		
Conversion - Switch-As-Is	INONRE		1	1		+	1						 				
2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch with Change 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Subsequent Database Update 1.42 ADDITIONAL NRCs 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Subsequent Activity - Change/Rearrange Multiline Hunt Group Group 40.18 9.45 UEPRG USAS2 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.					UEPRG	USAC2		2.77	0.40					40.18	9.45		
2-Wire Voice Grade Loop / Line Port Combination - Conversion - Subsequent Database Update 1.42 10.27 10.27		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
Subsequent Database Úpdate 1.42 10.27					UEPRG	USACC		2.77	0.40					40.18	9.45		
ADDITIONAL NRCs			1					4 40						10.07			
2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Subsequent Activity - Change/Rearrange Multiline Hunt Group 14.64 14.64 14.64 19.99	ADDIT		1	1				1.42						10.27			
Subsequent Activity UEPRG USAS2 0.00	ADDITI					1											
Group 14.64 14.64 19.99 19.9		Subsequent Activity			UEPRG	USAS2	0.00	0.00	0.00					40.18	9.45		
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX) UNE Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Statewide																	
UNE Port/Loop Combination Rates			1					14.64	14.64					19.99	19.99	19.99	19.99
2-Wire VG Loop/Port Combo - Statewide			1	1		-	-			-							
UNE Loop Rates [2-Wire Voice Grade Loop (SL 1) - Statewide	ONEF		t	SW		+	16,46						 				-
2-Wire Voice Grade Line Port Rates (BUS - PBX)	UNE Lo	oop Rates															
				SW	UEPPX	UEPLX	14.18		_								
Line Side Unbundled Combination 2-Way PRX Trunk Port - Bus LIEPPX LIEPPC 2.28 90.00 90.00	2-Wire	Voice Grade Line Port Rates (BUS - PBX)	1	1		<u> </u>	1										
		Line Side Unbundled Combination 2-Way PRY Trunk Port Pug			LIEPPX	LIEPPC	2 20	90.00	مم مه					<i>I</i> O 10	0.45		

JNBUNDLE	D NETWORK ELEMENTS - North Carolina											Attachment:	2		Exhibit: I
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Manually per LSR	Order vs.	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incrementa Charge - Manual Svo Order vs. Electronic Disc Add'l
						Rec	Nonrec		Nonrecurring Disconnect	COMEC	SOMAN		RATES (\$)	SOMAN	SOMAN
	Line Side Unbundled Outward PBX Trunk Port - Bus			UEPPX	UEPPO	2.28	First 90.00	Add'I 90.00	First Add'l	SOMEC	SUMAN	40.18	9.45	SUMAN	SOWAN
	Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPPX	UEPP1	2.28	90.00	90.00				40.18	9.45		
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	2.28	90.00	90.00				40.18	9.45		1
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	2.28	90.00	90.00				40.18	9.45		
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	2.28	90.00	90.00				40.18	9.45		
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	2.28	90.00	90.00				40.18	9.45		
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	2.28	90.00	90.00				40.18	9.45		
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPPX	UEPXE	2.28	90.00	90.00				40.18	9.45		
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPPX	UEPXL	2.28	90.00	90.00				40.18	9.45		
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			LIEDDY	LIEDYA	0.00	00.00	00.00				40.40	0.45		
-	Room Calling Port 2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital		1	UEPPX	UEPXM	2.28	90.00	90.00		-	}	40.18	9.45		+
	Discount Room Calling Port 2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX UEPPX	UEPXO UEPXS	2.28 2.28	90.00 90.00	90.00				40.18 40.18	9.45 9.45		
LOCAL	NUMBER PORTABILITY			ULFFX	ULFAS	2.20	90.00	90.00				40.16	9.43		
2007.1	Local Number Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00							
FEATU															
	All Features Offered			UEPPX	UEPVF	3.40	0.00	0.00				40.18	9.45		
NONRE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED														
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch-As-Is			UEPPX	USAC2		2.77	0.40				40.18	9.45		_
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch with Change			UEPPX	USACC		2.77	0.40				40.18	9.45		
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Subsequent Database Update						1.42					10.27			
ADDITI	IONAL NRCs 2-Wire Voice Grade Loop/ Line Port Combination (PBX) -					-									
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt			UEPPX	USAS2	0.00	0.00	0.00				40.18	9.45		
2 WIDE	Group E VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POR))T					14.64	14.64				19.99	19.99	19.99	19.9
	ort/Loop Combination Rates	K I													
ONLIV	2-Wire VG Coin Port/Loop Combo – Statewide		SW		+	16.80									+
UNE Lo	oop Rates		"			10.00									
	2-Wire Voice Grade Loop (SL1) - Statewide		SW	UEPCO	UEPLX	14.18									
2-Wire	Voice Grade Line Ports (COIN)							•							
	2-Wire Coin 2-Way without Operator Screening and without Blocking (NC)			UEPCO	UEPND	2.62	90.00	90.00				40.18	9.45		
	2-Wire Coin 2-Way with Operator Screening (NC) 2-Wire Coin 2-Way with Operator Screening and Blocking: 011,			UEPCO	UEPNC	2.62	90.00	90.00				40.18	9.45		
	900/976, 1+DDD (NC, TN) 2-Wire Coin 2-Way with Operator Screening and 011 Blocking			UEPCO	UEPRP	2.62	90.00	90.00				40.18	9.45		
	(NC) 2-Wire Coin 2-Way with Operator Screening: 900 Blocking:			UEPCO	UEPNB	2.62	90.00	90.00				40.18	9.45		
	900/976, 1+DDD, 011+, and Local (NC, TN) 2-Wire Coin Outward with Operator Screening and 011 Blocking			UEPCO	UEPCA	2.62	90.00	90.00				40.18	9.45		
	(NC) 2-Wire Coin Outward with Operator Screening and Blocking:			UEPCO	UEPNE	2.62	90.00	90.00				40.18	9.45		
	900/976, 1+DDD, 011+, and Local (NC)		<u> </u>	UEPCO	UEPCL	2.62	90.00	90.00				40.18	9.45		ļ
	2-Wire 2-Way Smartline with 900/976 (all states except LA) 2-Wire Coin Outward Smartline with 900/976 (all states except			UEPCO	UEPCK	2.62	90.00	90.00				40.18	9.45		
ADDITI	LA) IONAL UNE COIN PORT/LOOP (RC)			UEPCO	UEPCR	2.62	90.00	90.00				40.18	9.45		
	UNE Coin Port/Loop Combo Usage (Flat Rate)			UEPCO	URECU	3.70	90.00	90.00							ļ
LOCAL	NUMBER PORTABILITY Local Number Portability (1 per port)			UEPCO	LNPCX	0.35									

UNBUN	DLE	NETWORK ELEMENTS - North Carolina													Attachment:	2		Exhibit: B
CATEG		RATE ELEMENTS	Interi m	Zone	В	cs	USOC			RATES(\$)				Submitted	Incremental Charge - Manual Svc		Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge -
											1		per LSR	per LSR	1st	Add'l	Disc 1st	Disc Add'l
								Rec	Nonrec	urring	Nonrecurrin	g Disconnect			oss	RATES (\$)		
									First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN		SOMAN	SOMAN
	EATU																	
	UNKE	CURRING CHARGES - CURRENTLY COMBINED 2-Wire Voice Grade Loop / Line Port Combination - Conversion -																
		Switch-as-is			UEPCO		USAC2		2.77	0.40					40.18	9.45		
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -																
<u> </u>	DDIT	Switch with change			UEPCO		USACC		2.77	0.40					40.18	9.45		
-		DNAL NRCs 2-Wire Voice Grade Loop/Line Port Combination - Subsequent																
		Activity			UEPCO		USAS2		0.00	0.00					40.18	9.45		
		ORT/LOOP COMBINATIONS - COST BASED RATES																
		VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	PORT															
\vdash		rt/Loop Combination Rates 2-Wire VG Loop/2-Wire DID Trunk Port Combo - Statewide	1	SW			 	31.07					1	1				
L		op Rates		5**				51.07			1							
		2-Wire Analog Voice Grade Loop - (SL2) - Statewide		SW				19.50	142.97	106.56					40.18	9.45		
L		rt Rate			LIEDDY		LIEDD4	40.00							40.40	0.45		
		Exchange Ports - 2-Wire DID Port CURRING CHARGES - CURRENTLY COMBINED			UEPPX		UEPD1	12.36							40.18	9.45		
		2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination -																
		Switch-as-is			UEPPX		USAC1		13.26	8.39					40.18	9.45		
		2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion																
<u> </u>	DDIT	with BellSouth Allowable Changes			UEPPX		USA1C		13.26	8.39					40.71	9.45		
-		DNAL NRCs 2-Wire DID Subsequent Activity - Add Trunks, Per Trunk			UEPPX		USAS1		53.49			-			40.18	9.45		
—		one Number/Trunk Group Establisment Charges			ULFFA		USAST		33.49						40.10	5.45		
		DID Trunk Termination (One Per Port)			UEPPX		NDT	0.00	0.00	0.00								
		DID Numbers, Establish Trunk Group and Provide First Group																
		of 20 DID Numbers	ļ		UEPPX		NDZ	0.00	0.00	0.00								
-		Additional DID Numbers for each Group of 20 DID Numbers DID Numbers, Non- consecutive DID Numbers, Per Number			UEPPX		ND4 ND5	0.00	0.00	0.00		-						
+		Reserve Non-Consecutive DID numbers			UEPPX		ND6	0.00	0.00	0.00								
		Reserve DID Numbers			UEPPX		NDV	0.00	0.00	0.00								
L		NUMBER PORTABILITY																
		Local Number Portability (1 per port)	NE OID	DODT	UEPPX		LNPCP	3.15	0.00	0.00								
		ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LII rt/Loop Combination Rates	NE SIDE	PORT														
	, NE I C	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -			UEPPB													
		Statewide		SW	UEPPR			44.49										
L	NE Lo	op Rates																
		2-Wire ISDN Digital Grade Loop - Statewide		sw	UEPPB	UEPPR	USL2X	20.12	325.91	251.31					19.99	19.99		
<u> </u>	INE Po	rt Rate		JW	OLIFB	OLFFR	JULEN	20.12	323.31	201.31	-		t	t	13.33	13.33		<u> </u>
		Exchange Port - 2-Wire ISDN Line Side Port			UEPPB	UEPPR	UEPPB	24.37							19.99	19.99		
N		CURRING CHARGES - CURRENTLY COMBINED																
		2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port			UEPPB	HEDDD	LIGACE	0.00	174 25	474.95					10.00	10.00		
	DDITI	Combination - Conversion DNAL NRCs	 		UEPPB	UEPPR	USACB	0.00	174.35	174.35	 		 	 	19.99	19.99		
		NUMBER PORTABILITY						1			1							
		Local Number Portability (1 per port)			UEPPB	UEPPR	LNPCX	0.35	0.00	0.00								
E		INEL USER PROFILE ACCESS:			LIEDDD	HEDDE	1141104	0.00	0.00	0.00				1				
\vdash		CVS/CSD (DMS/5ESS) CVS (EWSD)	-		UEPPB UEPPB	UEPPR UEPPR	U1UCA U1UCB	0.00	0.00	0.00	-	-						-
\vdash		CSD (EWSD)				UEPPR	U1UCC	0.00	0.00	0.00	-		t	t				1
	-CHA	INEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS S	C,MS, 8	TN)														
	ISER T	ERMINAL PROFILE																
<u> </u>		User Terminal Profile (EWSD only)			UEPPB	UEPPR	U1UMA	0.00	0.00	0.00								
v		AL FEATURES All Vertical Features - One per Channel B User Profile			UEPPB	UEPPR	LIEP\/F	3.40	0.00	0.00	-		-		19.99	19.99		
-		Aut Aortion Legities - Otto hot Ottallilei D Oset Linile	1	l .	OLIFD	OLITE	OLI VI	3.40	0.00	0.00	1	1	1	L	15.55	13.33	1	1

UNBUNDLE	D NETWORK ELEMENTS - North Carolina												Attachment:	2		Exhibit: B
															Incremental	
													Incremental Charge -			Incremental Charge -
		Interi	_								Svc Order	Svc Order	Manual Svc	Charge - Manual Svc	Charge - Manual Svc	_
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)				Submitted		Order vs.	Order vs.	Order vs.
											Elec		Electronic-	Electronic-	Electronic-	Electronic-
											per LSR	per LSR	1st	Add'l	Disc 1st	Disc Add'l
						I					per Lon	per Lon	151	Auu	DISC 1St	DISC Add I
						Rec	Nonrec	urrina	Nonrecurring	Disconnect			ossi	RATES (\$)		ŀ
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
INTER	OFFICE CHANNEL MILEAGE															
	Interoffice Channel mileage each, including first mile and															
	facilities termination			UEPPB UEPPR	M1GNC	17.42	137.48	52.58					19.99	19.99		
	Interoffice Channel mileage each, additional mile	<u> </u>		UEPPB UEPPR	M1GNM	0.0282	0.00	0.00				0.00				
	DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK	PORT														-
UNE PO	ort/Loop Combination Rates 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port -	1	1						-							
	Statewide		sw	UEPPP		241.72										
UNE La	pop Rates		300	OLITI		241.72										
	4-Wire DS1 Digital Loop - UNE Zone 3	†	3	UEPPP	USL4P											
	ort Rate															
	Exchange Ports - 4-Wire ISDN DS1 Port			UEPPP	UEPPP	179.01							19.99	19.99		
NONRE	CURRING CHARGES - CURRENTLY COMBINED															
	4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port	1									1					I
	Combination - Conversion -Switch-as-is			UEPPP	USACP	0.00	481.51	481.51					19.99	19.99		
ADDITI	ONAL NRCs															
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - Subsequent Inward/2-Way Tel Nos - (NC Only)			UEPPP	PR7TG		1.17	1.17					19.99	19.99		
	4-Wire DS1 Loop/4-Wire ISDN Digital Trunk Port - Subsequent			UEPPP	PR/IG		1.17	1.17					19.99	19.99		
	Activity Outward tel nos. (NC only)			UEPPP	PR7TP		28.17	28.17					19.99	19.99		
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port -	1		OLITT	1 107 11		20.17	20.17					10.00	10.00		-
	Subsequent Inward Tel Nos Above Std Allowance			UEPPP	PR7ZT		56.33	56.33					19.99	19.99		
LOCAL	NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPPP	LNPCN	1.75										
INTER	ACE (Provsioning Only)															
	Voice/Data			UEPPP	PR71V	0.00	0.00	0.00								
	Digital Data			UEPPP UEPPP	PR71D	0.00	0.00	0.00								-
Now or	Inward Data Additional "B" Channel			UEPPP	PR71E	0.00	0.00	0.00								
New Oi	New or Additional - Voice/Data B Channel			UEPPP	PR7BV	0.00	36.92						19.99	19.99		
	New or Additional - Digital Data B Channel	1		UEPPP	PR7BF	0.00	36.92						19.99	19.99		-
	New or Additional Inward Data B Channel			UEPPP	PR7BD	0.00	36.92						19.99	19.99		
	New or Additional Useage Sensitive Voice Data B Channel			UEPPP	PR7BS	0.00	36.92						19.99	19.99		
	New or Additional Useage Sensitive Digital Data B Channel			UEPPP	PR7BU	0.00	36.92						19.99	19.99		
CALL 1								•								
	Inward	ļ		UEPPP	PR7C1	0.00	0.00	0.00								1
\vdash	Outward	!		UEPPP	PR7C0	0.00	0.00	0.00						-		
	Two-way ice Channel Mileage	 		UEPPP	PR7CC	0.00	0.00	0.00								
interon	Fixed Each Including First Mile	1		UEPPP	1LN1A	71.3683	217.17	163.75	0.00				19.99	19.99		
	Each Airline-Fractional Additional Mile	1		UEPPP	1LN1B	0.0783	211.11	103.73	0.00				13.39	13.39		
4-WIRE	DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT	1				3.0700										
	ort/Loop Combination Rates					İ										
	4W DS1 Digital Loop/4W DDITS Trunk Port - Statewide		SW	UEPDC		186.23							19.99	19.99		
	pop Rates															
	4-Wire DS1 Digital Loop - Statewide	ļ	SW	UEPDC	USLDC	62.71	714.84	482.62					19.99	19.99		<u> </u>
UNE Po	ort Rate	<u> </u>	 	LIEDDO	LIDD47	400.05							10.0-			
NONDE	4-Wire DDITS Digital Trunk Port	l		UEPDC	UDD1T	123.65							19.99	19.99		
NONRE	CURRING CHARGES - CURRENTLY COMBINED 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination	 			 				-							
	- Switch-as-is	1		UEPDC	USAC4		288.86	133.87			1		19.99	19.99		I
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination	1		0L1 D0	00/104	 	200.00	133.07	 				10.55	13.33		
	- Conversion with DS1 Changes	1		UEPDC	USAWA		288.86	133.37			1		19.99	19.99		
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination															
	- Conversion with Change - Trunk	<u></u>		UEPDC	USAWB		288.86	133.37					19.99	19.99		<u> </u>
ADDITI	ONAL NRCs															
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent															1
	Service Activity Per Service Order	<u> </u>		UEPDC	USAS4		127.63	127.63								

UNBUNDLE	D NETWORK ELEMENTS - North Carolina												Attachment:	2		Exhibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order	Incremental Charge - Manual Svc	Incremental Charge - Manual Svc Order vs.	Charge -	Incremental Charge - Manual Svc Order vs.
											Elec per LSR	Manually	Electronic- 1st	Electronic- Add'l	Electronic- Disc 1st	Electronic- Disc Add'l
						Rec	Nonrec	urring	Nonrecurring	g Disconnect			oss i	RATES (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC - Subsequent Channel Activation/Chan - 2-Way Trunk			UEPDC	UDTTA		28.81	28.81					19.99	19.99		
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent			OLI DO	OBTIN		20.01	20.01					10.00	10.00		
	Channel Activation/Chan - 1-Way Outward Trunk			UEPDC	UDTTB		28.81	28.81					19.99	19.99		
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel Activation/Chan Inward Trunk w/out DID			UEPDC	UDTTC		28.81	28.81					19.99	19.99		
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan			02. 00	05110		20.01	20.01					10.00	10.00		
	Activation Per Chan - Inward Trunk with DID			UEPDC	UDTTD		28.81	28.81					19.99	19.99		
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan			UEPDC	UDTTE		28.81	28.81					19.99	19.99		
RIPOL	Activation / Chan - 2-Way DID w User Trans AR 8 ZERO SUBSTITUTION			UEPDC	ODITE		28.81	28.81					19.99	19.99		
Bii OL	B8ZS -Superframe Format			UEPDC	CCOSF		0.00	615.00					19.99	19.99		
	B8ZS - Extended Superframe Format			UEPDC	CCOEF		0.00	615.00					19.99	19.99		
Alterna	ate Mark Inversion															
	AMI -Superframe Format			UEPDC	MCOSF		0.00	0.00								
7.1	AMI - Extended SuperFrame Format			UEPDC	MCOPO		0.00	0.00								
Leleph	none Number/Trunk Group Establisment Charges Telephone Number for 2-Way Trunk Group			UEPDC	UDTGX	0.00							19.99	19.99		-
	Telephone Number for 1-Way Outward Trunk Group			UEPDC	UDTGY	0.00							19.99	19.99		
	Telephone Number for 1-Way Inward Trunk Group Without DID			UEPDC	UDTGZ	0.00							19.99	19.99		
	DID Numbers, Establish Trunk Group and Provide First Group															İ
	of 20 DID Numbers			UEPDC	NDZ	0.00	0.00	0.00								
	DID Numbers for each Group of 20 DID Numbers			UEPDC	ND4	0.00										
	DID Numbers, Non- consecutive DID Numbers , Per Number			UEPDC	ND5	0.00										
	Reserve Non-Consecutive DID Nos.			UEPDC	ND6	0.00	0.00	0.00								
B	Reserve DID Numbers	. D::	<u> </u>	UEPDC	NDV	0.00	0.00	0.00								
Dedica	ted DS1 (Interoffice Channel Mileage) - FX/FC0 for 4-Wire DS1 Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities	Digita	Loop	with 4-wire DDI15	Trunk Port											
	Termination)			UEPDC	1LNO1	71.29	217.17	163.75	0.00	0.00			19.99	19.99		
	Interoffice Channel Mileage - Additional rate per mile - 0-8 miles			UEPDC	1LNOA	0.0783	0.00	0.00								
	Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities															
	Termination)			UEPDC	1LNO2	0.00	0.00	0.00								
	Interoffice Channel Mileage - Additional rate per mile - 9-25 miles			UEPDC	1LNOB	0.0783	0.00	0.00								
	Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities Termination)			UEPDC	1LNO3	0.00	0.00	0.00	0.00							
	,						2.00	2.00	2.00							
	Interoffice Channel Mileage - Additional rate per mile - 25+ miles			UEPDC	1LNOC	0.0783	0.00	0.00		<u> </u>		<u> </u>	<u> </u>	<u> </u>		<u></u>
	Local Number Portability, per DS0 Activated			UEPDC	LNPCP	3.15	0.00	0.00	0.00							
	Central Office Termininating Point		<u> </u>	UEPDC	CTG	0.00					ļ	ļ				
	E DS1 LOOP WITH CHANNELIZATION WITH PORT	ivetie = =	}		+					-				-		1
	n is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Acti System can have up to 24 combinations of rates depending on			her of norte used	+											+
	S1 Loop	.ype ai	.a mum	or porta dadd	+						 	1			 	†
	4-wire DS1 Loop UNE - Statewide		SW	UEPMG	USLDC	62.71				İ	1		19.99			
UNE D	SO Channelization Capacities (D4 Channel Bank Configuration	ns)								<u> </u>						
	24 DSO Channel Capacity - 1 per DS1			UEPMG	VUM24	123.06	0.00	0.00					19.99	19.99		
	48 DSO Channel Capacity - 1 per 2 DS1s			UEPMG	VUM48	246.12	0.00	0.00					19.99	19.99		1
	96 DSO Channel Capacity -1per 4 DS1s		<u> </u>	UEPMG	VUM96	492.24	0.00	0.00			<u> </u>		19.99	19.99		1
\vdash	144 DS0 Channel Capacity - 1 per 6 DS1s 192 DS0 Channel Capacity -1 per 8 DS1s			UEPMG UEPMG	VUM14 VUM19	738.36 984.48	0.00	0.00			<u> </u>		19.99 19.99	19.99 19.99		
 	240 DS0 Channel Capacity -1 per 8 DS1s	1	-	UEPMG UEPMG	VUM20	1,230.60	0.00	0.00		1	1	1	19.99	19.99		
	288 DS0 Channel Capacity - 1 per 10 DS1s		-	UEPMG	VUM28	1,476.72	0.00	0.00				 	19.99	19.99		t
	384 DS0 Channel Capacity - 1 per 16 DS1s	1		UEPMG	VUM38	1,968.96	0.00	0.00		1			19.99	19.99		1
	480 DS0 Channel Capacity - 1 per 20 DS1s			UEPMG	VUM40	2,461.20	0.00	0.00					19.99	19.99		
	576 DS0 Channel Capacity -1 per 24 DS1s			UEPMG	VUM57	2,953.44	0.00	0.00					19.99	19.99		
	672 DS0 Channel Capacity - 1 per 28 DS1s			UEPMG	VUM67	3,445.68	0.00	0.00		l			19.99	19.99		l

JNBUNDLE	D NETWORK ELEMENTS - North Carolina												Attachment:	2		Exhibit: E
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonre	curring	Nonrecurring	Disconnect			oss i	RATES (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Non-F	ecurring Charges (NRC) Associated with 4-Wire DS1 Loop with	h Chanr	eliztio	n with Port - Conver	rsion Charge	Based on a Sv										
	imum System configuration is One (1) DS1, One (1) D4 Channe															
Multip	oles of this configuration functioning as one are considered Ac	ld'I afte	r the m	inimum system con	figuration is	counted.										
	NRC - Conversion (Currently Combined) with or without															
	BellSouth Allowed Changes			UEPMG	USAC4	0.00	330.61	16.64					19.99	19.99		
	m Additions at End User Locations Where 4-Wire DS1 Loop wit	th Chan	nelizat	ion with Port Combi	ination Curre	ently Exists and										
New (Not Currently Combined) In GA, KY, LA, MS & TN Only															
	1 DS1/D4 Channel Bank - Add NRC for each Port and Assoc			UEPMG	VUMD4	0.00	743.74	200.00	149.02	47.00			19.99			
Pinal	Fea Activation - New GA, LA, KY, MS, &TN Only ar 8 Zero Substitution			UEPIVIG	VUIVID4	0.00	743.74	326.22	149.02	17.68			19.99			
Біроі	Clear Channel Capability Format, superframe - Subsequent															
	Activity Only	l		UEPMG	CCOSF	0.00	0.00	615.00								
	Clear Channel Capability Format - Extended Superframe -	1		0	3000.	5.50	3.30	010.00								1
	Subsequent Activity Only	1	1	UEPMG	CCOEF	0.00	0.00	615.00			1					
Altern	ate Mark Inversion (AMI)								†						1	1
İ	Superframe Format			UEPMG	MCOSF	0.00	0.00	0.00								
	Extended Superframe Format			UEPMG	MCOPO	0.00	0.00	0.00								
	nge Ports Associated with 4-Wire DS1 Loop with Channelization	on with	Port													
Excha	nge Ports															
	Line Side Combination Channelized PBX Trunk Port - Business			UEPPX	UEPCX	2.28	0.00	0.00	0.00	0.00			40.18	9.45		
	Line Side Outward Channelized PBX Trunk Port - Business			UEPPX	UEPOX	2.28	0.00	0.00	0.00	0.00			40.18	9.45		
	Line Side Inward Only Channelized PBX Trunk Port without DID			UEPPX	UEP1X	2.28	0.00	0.00	0.00	0.00			40.18	9.45		
	2-Wire Trunk Side Unbundled Channelized DID Trunk Port			UEPPX	UEPDM	13.26	0.00	0.00	0.00	0.00			40.18	9.45		
Featu	re Activations - Unbundled Loop Concentration			OLFFX	OLFDIVI	13.20	0.00	0.00	0.00	0.00			40.16	5.40		
1 catu	Feature (Service) Activation for each Line Side Port Terminated		1													
	in D4 Bank			UEPPX	1PQWM	0.65	25.27	13.34	4.15	4.12			40.18	9.45		
	Feature (Service) Activation for each Trunk Side Port Terminated					0.00										
	in D4 Bank			UEPPX	1PQWU	0.65	77.75	18.33	58.74	11.48			40.18	9.45		
Telep	none Number/ Group Establishment Charges for DID Service															
	DID Trunk Termination (1 per Port)			UEPPX	NDT	0.00	0.00	0.00								
	Estab Trk Grp and Provide 1st 20 DID Nos. (FL,GA, NC,& SC)			UEPPX	NDZ	0.00	0.00	0.00								
	DID Numbers - groups of 20 - Valid all States			UEPPX	ND4	0.00	0.00	0.00								
	Non-Consecutive DID Numbers - per number	ļ		UEPPX	ND5	0.00	0.00	0.00	ļ							-
	Reserve Non-Consecutive DID Numbers	1	 	UEPPX	ND6	0.00	0.00	0.00								
Local	Reserve DID Numbers Number Portability	 	<u> </u>	UEPPX	NDV	0.00	0.00	0.00	 		-					
Local	Local Number Portability - 1 per port	 	 	UEPPX	LNPCP	3.15	0.00	0.00	+							\vdash
FEAT	URES - Vertical and Optional			0=11 <i>X</i>		5.15	0.00	0.00	1		 					
	Switching Features Offered with Line Side Ports Only				1											
	All Features Available			UEPPX	UEPVF	3.40	0.00	0.00	1				40.18	9.45		
	PORT LOOP COMBINATIONS - MARKET RATES								1							
	t Rates shall apply where BellSouth is not required to provide	unbund	lled lo	cal switching or swit	tch ports per	FCC and/or St	ate Commission	on rules.								
These	scenarios include:															
	bundled port/loop combinations that are Not Currently Combin															
	bundled port/loop combinations that are Currently Combined of the SMSAs in BellSouth's region are: FL (Orlando, Ft. Lauderda											٥)				
BellSo Marke	outh currently is developing the billing capability to mechanica t Rates, BellSouth shall bill the rates in the Cost-Based section	ally bill t	the rec	urring and non-recu	rring Market	Rates in this s	ection except	for nonrecurrir	ng charges for I				and SC. In t	he interim wh	ere BellSouth	n cannot bill
End C usage	arket Rate for unbundled ports includes all available features i iffice and Tandem Switching Usage and Common Transport Us- charge (USOC: URECU). ot Currently Combined scenarios where Market Rates apply, th	sage rat	es in th							•						Currently
FOI N			'	and the second s												
Comb	ined section. Additional NRCs may apply also and are categor	rized ac	cording	giy.												
Comb 2-WIR	ined section. Additional NRCs may apply also and are categor E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates	rized ac	cording	giy.												

4Q01:12/01/01 PAGE 245 OF 324

2-Wire Voice Grade Line Po 2-Wire voice unbundi 2-Wire voice unbundi 2-Wire voice unbundi 2-Wire voice unbundi (LUM) LOCAL NUMBER PORTABIL Local Number Portabi FEATURES All Features Offered 2-Wire Voice Grade L 2-Wire Voice Grade L change ADDITIONAL NRCS NRC - 2-Wire Voice G Subsequent 2-WIRE VOICE GRADE LOO UNE Port/Loop Combination [2-Wire VG Loop/Port] UNE Loop Rates	Loop (SL1) - Statewide ort (Res) Iled port - residence Iled port with Caller ID - res Iled port outgoing only - res Iles res, low usage line port with Caller ID ILITY bility (1 per port)	Interi	Zone sw sw	BCS UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	USOC UEPLX UEPRL UEPRC	Rec 28.18 14.18	Nonrec First	RATES(\$) urring Add'l	Nonrecurring Dis	sconnect	Submitted Elec per LSR	Submitted Manually per LSR	Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I RATES (\$) SOMAN	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
UNE Loop Rates 2-Wire Voice Grade L 2-Wire voice Grade Line Po 2-Wire voice unbundl 2-Wire voice unbundl 2-Wire voice unbundl 2-Wire voice unbundl (LUM) LOCAL NUMBER PORTABIL Local Number Portab FEATURES All Features Offered 2-Wire Voice Grade L 2-Wire Voice Grade L change ADDITIONAL NRCS NRC - 2-Wire Voice G Subsequent 2-WIRE VOICE GRADE LOO UNE Port/Loop Combination [2-Wire VG Loop/Port] UNE Loop Rates	Loop (SL1) - Statewide ort (Res) Iled port - residence Iled port with Caller ID - res Iled port outgoing only - res Iles res, low usage line port with Caller ID ILITY Dility (1 per port) Loop / Line Port Combination - Switch-as-is			UEPRX UEPRX UEPRX	UEPRL UEPRC	28.18					SOMEC	SOMAN			SOMAN	SOMAN
UNE Loop Rates 2-Wire Voice Grade L. 2-Wire Voice Grade Line Po 2-Wire voice unbundl. 2-Wire voice unbundl. 2-Wire voice unbundl. 2-Wire voice unbundl. (LUM) LOCAL NUMBER PORTABIL Local Number Portabi FEATURES All Features Offered 2-Wire Voice Grade L. 2-Wire Voice Grade L. change ADDITIONAL NRCS NRC - 2-Wire Voice G Subsequent 2-WIRE VOICE GRADE LOO UNE Port/Loop Combination [2-Wire VG Loop/Port] UNE Loop Rates	Loop (SL1) - Statewide ort (Res) Iled port - residence Iled port with Caller ID - res Iled port outgoing only - res Iles res, low usage line port with Caller ID ILITY Dility (1 per port) Loop / Line Port Combination - Switch-as-is			UEPRX UEPRX UEPRX	UEPRL UEPRC	14.18	First	AddʻI	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UNE Loop Rates 2-Wire Voice Grade L 2-Wire Voice Grade Line Po 2-Wire voice unbundl 2-Wire voice unbundl 2-Wire voice unbundl 2-Wire voice unbundl (LUM) LOCAL NUMBER PORTABIL Local Number Portabi FEATURES All Features Offered 2-Wire Voice Grade L 2-Wire Voice Grade L change ADDITIONAL NRCS NRC - 2-Wire Voice G Subsequent 2-WIRE VOICE GRADE LOO UNE Port/Loop Combination [2-Wire VG Loop/Port] UNE Loop Rates	Loop (SL1) - Statewide ort (Res) Iled port - residence Iled port with Caller ID - res Iled port outgoing only - res Iles res, low usage line port with Caller ID ILITY Dility (1 per port) Loop / Line Port Combination - Switch-as-is			UEPRX UEPRX UEPRX	UEPRL UEPRC	14.18										
2-Wire Voice Grade L 2-Wire Voice Grade Line Po 2-Wire voice unbundl 2-Wire voice unbundl 2-Wire voice unbundl 2-Wire voice unbundl (LUM) LOCAL NUMBER PORTABIL Local Number Portab FEATURES All Features Offered 2-Wire Voice Grade L 2-Wire Voice Grade L change ADDITIONAL NRCS NRC - 2-Wire Voice G Subsequent 2-WIRE VOICE GRADE LOO UNE Port/Loop Combination 12-Wire VG Loop/Port UNE Loop Rates	ort (Res) lled port - residence lled port with Caller ID - res lled port outgoing only - res lles res, low usage line port with Caller ID iLITY bility (1 per port) Loop / Line Port Combination - Switch-as-is		sw	UEPRX UEPRX UEPRX	UEPRL UEPRC		•									
2-Wire voice unbundle 2-Wire voice unbundle 2-Wire voice unbundle 2-Wire voice unbundle (LUM) LOCAL NUMBER PORTABILE Local Number Portable Elocal Number Po	Illed port - residence Illed port with Caller ID - res Illed port outgoing only - res Illes res, low usage line port with Caller ID ILITY Dility (1 per port) Loop / Line Port Combination - Switch-as-is			UEPRX UEPRX	UEPRC											
2-Wire voice unbundle 2-Wire voice unbundle 2-Wire voice unbundle (LUM) LOCAL NUMBER PORTABIL Local Number Portab FEATURES All Features Offered 2-Wire Voice Grade Le change ADDITIONAL NRCs NRC - 2-Wire Voice G Subsequent 2-WIRE VOICE GRADE LOO UNE Port/Loop Combination [2-Wire VG Loop/Port] UNE Loop Rates	Illed port with Caller ID - res Illed port outgoing only - res Illes res, low usage line port with Caller ID ILITY bility (1 per port) Loop / Line Port Combination - Switch-as-is			UEPRX UEPRX	UEPRC											
2-Wire voice unbundle 2-Wire voice unbundle (LUM) LOCAL NUMBER PORTABIL Local Number Portabile FEATURES All Features Offered 2-Wire Voice Grade Le 2-Wire Voice Grade Le change ADDITIONAL NRCS NRC - 2-Wire Voice G Subsequent 2-WIRE VOICE GRADE LOO UNE Port/Loop Combination 2-Wire VG Loop/Port UNE Loop Rates	Iled port outgoing only - res Illes res, low usage line port with Caller ID ILITY bility (1 per port) Loop / Line Port Combination - Switch-as-is			UEPRX		14.00	90.00	90.00					40.18	9.45		
2-Wire voice unbundle (LUM) LOCAL NUMBER PORTABIL Local Number Portabi FEATURES All Features Offered 2-Wire Voice Grade L 2-Wire Voice Grade L change ADDITIONAL NRCS NRC - 2-Wire Voice G Subsequent 2-WIRE VOICE GRADE LOO UNE Port/Loop Combination 12-Wire VG Loop/Port UNE Loop Rates	Iles res, low usage line port with Caller ID ILITY bility (1 per port) Loop / Line Port Combination - Switch-as-is				UEPRO	14.00 14.00	90.00 90.00	90.00					40.18 40.18	9.45 9.45		
LOCAL NUMBER PORTABIL Local Number Portabil FEATURES All Features Offered 2-Wire Voice Grade L. 2-Wire Voice Grade L. change ADDITIONAL NRCS NRC - 2-Wire Voice G. Subsequent 2-WIRE VOICE GRADE LOO UNE Port/Loop Combination 2-Wire VG Loop/Port UNE Loop Rates	bility (1 per port) Loop / Line Port Combination - Switch-as-is			UEPRA	UEPAP	14.00	90.00	90.00					40.18	9.45		
Local Number Portabine FEATURES All Features Offered 2-Wire Voice Grade Lour Loange ADDITIONAL NRCS NRC - 2-Wire Voice Gusbasquent 2-WIRE VOICE GRADE LOO UNE Port/Loop Combination 12-Wire VG Loop/Port UNE Loop Rates	bility (1 per port) Loop / Line Port Combination - Switch-as-is				UEPAP	14.00	90.00	90.00					40.16	9.45		
FEATURES All Features Offered 2-Wire Voice Grade L 2-Wire Voice Grade L change ADDITIONAL NRCs NRC - 2-Wire Voice G Subsequent 2-WIRE VOICE GRADE LOO UNE Port/Loop Combination 2-Wire VG Loop/Port UNE Loop Rates	Loop / Line Port Combination - Switch-as-is			UEPRX	LNPCX	0.35										
2-Wire Voice Grade L 2-Wire Voice Grade L change ADDITIONAL NRCs NRC - 2-Wire Voice G Subsequent 2-WIRE VOICE GRADE LOO UNE Port/Loop Combination 2-Wire VG Loop/Port UNE Loop Rates	Loop / Line Port Combination - Switch-as-is															
2-Wire Voice Grade L change ADDITIONAL NRCs NRC - 2-Wire Voice G Subsequent 2-WIRE VOICE GRADE LOO UNE Port/Loop Combination 2-Wire VG Loop/Port UNE Loop Rates				UEPRX	UEPVF	0.00	0.00	0.00								
change ADDITIONAL NRCs NRC - 2-Wire Voice G Subsequent 2-WIRE VOICE GRADE LOO UNE Port/Loop Combination 2-Wire VG Loop/Port UNE Loop Rates	Loop / Line Port Combination - Switch with			UEPRX	USAC2		41.50	41.50					40.18	9.45		
ADDITIONAL NRCs NRC - 2-Wire Voice G Subsequent 2-WIRE VOICE GRADE LOO UNE Port/Loop Combination 2-Wire VG Loop/Port UNE Loop Rates																
NRC - 2-Wire Voice G Subsequent 2-WIRE VOICE GRADE LOO UNE Port/Loop Combination 2-Wire VG Loop/Port UNE Loop Rates				UEPRX	USACC		41.50	41.50								
Subsequent 2-WIRE VOICE GRADE LOO UNE Port/Loop Combination 2-Wire VG Loop/Port UNE Loop Rates	Grade Loop/Line Port Combination -				+											1
UNE Port/Loop Combination 2-Wire VG Loop/Port UNE Loop Rates	Orace Ecop/Eine Fort Combination			UEPRX	USAS2		0.00	0.00					40.18	9.45		
2-Wire VG Loop/Port UNE Loop Rates	OP WITH 2-WIRE LINE PORT (BUS)															
UNE Loop Rates																
	t Combo - Statewide		SW			28.18										
	Loop (SL1) - Statewide	1	SW	UEPBX	UEPLX	14.18										_
2-Wire Voice Grade Line Po		1	SW	OLI DX	OLILX	14.10										
	lled port without Caller ID - bus			UEPBX	UEPBL	14.00	90.00	90.00					40.18	9.45		
	fled port with Caller + E484 ID - bus			UEPBX	UEPBC	14.00	90.00	90.00					40.18	9.45		
	lled port outgoing only - bus			UEPBX	UEPBO	14.00	90.00	90.00					40.18	9.45		L
LOCAL NUMBER PORTABIL Local Number Portabi				UEPBX	LNPCX	0.35										.
FEATURES	bility (1 per port)			UEPBX	LINPCX	0.35										
	S - CURRENTLY COMBINED				+											
	Loop / Line Port Combination - Switch-as-is			UEPBX	USAC2		41.50	41.50					40.18	9.45		
	Loop / Line Port Combination - Switch with	1 1			1					<u> </u>				50		
change				UEPBX	USACC		41.50	41.50								
ADDITIONAL NRCs																
Subsequent	Grade Loop/Line Port Combination -			UEPBX	USAS2		0.00	0.00					40.18	9.45		
	OP WITH 2-WIRE LINE PORT (RES - PBX)				+ +								40.40	9.45	20.00	20.00
2-Wire VG Loop/Port		+ +	SW		+ +	28.18				+			40.18	9.45	20.00	20.00
UNE Loop Rates	Julie Gratewide		JW		+	20.10										
2-Wire Voice Grade L	Loop (SL1) - Statewide		SW	UEPRG	UEPLX	14.18										
2-Wire Voice Grade Line Po																
	ed Combination 2-Way PBX Trunk Port -	1 1		LIEBBO	LIEDES											1
Res LOCAL NUMBER PORTABIL	II ITV			UEPRG	UEPRD	14.00	90.00	90.00					40.18	9.45		1
Local Number Portable				UEPRG	LNPCP	3.15										
FEATURES	, (· F ko.v)	t 1			1	5.10										
	S - CURRENTLY COMBINED				<u> </u>											
2 145 14 2	Laan/Line Best Combined to Combined			LIEDDO	LICACO		44.50	44.50					10.10	0.45		
	Loop/ Line Port Combination - Switch-As-Is Loop/ Line Port Combination - Switch with			UEPRG	USAC2		41.50	41.50					40.18	9.45		-
Change	LOOP, LINE I OIL COMBINATION - SWITCH WITH			UEPRG	USACC		41.50	41.50								1
ADDITIONAL NRCs		1						00								

UNBUNDLE	NETWORK ELEMENTS - North Carolina												Attachment:	2		Exhibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)		Subr E	nitted S ec I	Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonred	curring	Nonrecurring Disco					RATES (\$)		
							First	Add'l	First A	id'i SOI	/IEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2 Wire Loop/Line Side Port Combination - Non feature -						0.00	0.00								
-	Subsequent Activity- Nonrecurring PBX Subsequent Activity - Change/Rearrange Multiline Hunt						0.00	0.00								
	Group						14.64	14.64					19.99	19.99	19.99	19.99
	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)															
UNE Po	ort/Loop Combination Rates															
LINE	2-Wire VG Loop/Port Combo - Statewide		SW			28.18										
	2-Wire Voice Grade Loop (SL1) - Statewide		SW	UEPPX	UEPLX	14.18										
	Voice Grade Line Port Rates (BUS - PBX)		344	OLI I X	OLI EX	14.10										
	·					ĺ										
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPPX	UEPPC	14.00	90.00	90.00					40.18	9.45		
—	Line Side Unbundled Outward PBX Trunk Port - Bus Line Side Unbundled Incoming PBX Trunk Port - Bus	<u> </u>		UEPPX UEPPX	UEPPO UEPP1	14.00 14.00	90.00	90.00 90.00					40.18 40.18	9.45 9.45		
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	14.00	90.00	90.00					40.18	9.45		
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	14.00	90.00	90.00					40.18	9.45		
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	14.00	90.00	90.00					40.18	9.45		
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	14.00	90.00	90.00					40.18	9.45		
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port 2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD			UEPPX	UEPXD	14.00	90.00	90.00					40.18	9.45		
	Capable Port			UEPPX	UEPXE	14.00	90.00	90.00					40.18	9.45		
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			CELLX	OLI AL	14.00	50.00	50.00					40.10	0.40		
	Administrative Calling Port			UEPPX	UEPXL	14.00	90.00	90.00					40.18	9.45		
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
	Room Calling Port 2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital			UEPPX	UEPXM	14.00	90.00	90.00					40.18	9.45		
	Discount Room Calling Port			UEPPX	UEPXO	14.00	90.00	90.00					40.18	9.45		
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	14.00	90.00	90.00					40.18	9.45		
LOCAL	NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPPX	LNPCP	3.15										
FEATU	RES CURRING CHARGES - CURRENTLY COMBINED															
NONKE	CORRING CHARGES - CORRENTLY COMBINED															
	2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is			UEPPX	USAC2		41.50	41.50					40.18	9.45		
	2-Wire Voice Grade Loop/ Line Port Combination - Switch with															
	Change			UEPPX	USACC		41.50	41.50								
ADDITI	ONAL NRCs				_	-										
	2-Wire Voice Grade Loop/ Line Port Combination - Subsequent			UEPPX	USAS2		0.00	0.00					40.18	9.45		
	2 Wire Loop/Line Side Port Combination - Non feature -															
	Subsequent Activity- Nonrecurring						0.00	0.00								
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt						44.04	44.64					40.00	40.00	40.00	10.00
2-WIRE	Group VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POI	RT.					14.64	14.64					19.99	19.99	19.99	19.99
	ort/Loop Combination Rates	1														
	2-Wire VG Coin Port/Loop Combo – Statewide		SW			28.18										
UNE Lo	op Rates															
2-161:20	2-Wire Voice Grade Loop (SL1) - Statewide Voice Grade Line Port Rates (Coin)	1	SW	UEPCO	UEPLX	14.18										
Z-vvire	2-Wire Coin 2-Way without Operator Screening and without				+											
	Blocking (NC)			UEPCO	UEPND	14.00	90.00	90.00					40.18	9.45		
	2-Wire Coin 2-Way with Operator Screening (NC)			UEPCO	UEPNC	14.00	90.00	90.00					40.18	9.45		
	2-Wire Coin 2-Way with Operator Screening and Blocking: 011,			LIEBOO	HEDGE									a		
 	900/976, 1+DDD (NC, TN) 2-Wire Coin 2-Way with Operator Screening and 011 Blocking	1		UEPCO	UEPRP	14.00							40.18	9.45		
	(NC)			UEPCO	UEPNB	14.00	90.00	90.00					40.18	9.45		
	2-Wire Coin 2-Way with Operator Screening and Blocking:					155	55.50	22.30						3.70		<u> </u>
	900/976, 1+DDD, 011+, and Local (NC, TN)			UEPCO	UEPCA	14.00	90.00	90.00					40.18	9.45		

UNBUNDLE	D NETWORK ELEMENTS - North Carolina												Attachment:	2		Exhibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Submitted	Incremental Charge - Manual Svc	Incremental Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	
						Rec	Nonrec		Nonrecurring					RATES (\$)		
	OME OF OUR PROPERTY OF THE PRO						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Coin Outward with Operator Screening and 011 Blocking (NC)			UEPCO	UEPNE	14.00	90.00	90.00					40.18	9.45		
-+	2-Wire Coin Outward with Operator Screening and Blocking:			ULFCO	OLFINE	14.00	90.00	90.00					40.10	9.43		
	900/976, 1+DDD, 011+, and Local (NC)			UEPCO	UEPCL	14.00	90.00	90.00					40.18	9.45		
	NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPCO	LNPCX	0.35										
NONRE	ECURRING CHARGES - CURRENTLY COMBINED				+	 										
	2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is			UEPCO	USAC2		41.50	41.50					40.18	9.45		
	2-Wire Voice Grade Loop/ Line Port Combination - Switch with			OLI OO	00/102		41.00	41.00					40.10	0.40		
	Change			UEPCO	USACC		41.50	41.50								
ADDITI	ONAL NRCs															
	OMEN MAN OF THE CONTRACT OF TH			LIEBOO	110465											
IINDIINDI ED C	2-Wire Voice Grade Loop/ Line Port Combination - Subsequent			UEPCO	USAS2		0.00	0.00					40.18	9.45		
	NDLED PORT/LOOP COMBINATIONS - COST BASED RATES															
	New Centrex Customized Common Block			UEP91	M1ACC											
	CENTREX - 5ESS (Valid in All States)			02.0.		† †										
	VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
UNE Po	ort/Loop Combination Rates (Non-Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo -															
	Non-Design ort/Loop Combination Rates (Design)		SW	UEP95		16.46										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo -															
	Design		sw	UEP95		21.78										
UNE Lo	pop Rate				1											
	2-Wire Voice Grade Loop (SL 1) - Statewide		sw	UEP95	UECS1	14.18										
	2-Wire Voice Grade Loop (SL 2) - Statewide		sw	UEP95	UECS2	19.50										
	ort Rate					-										
All Stat	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP95	UEPYA	2.28							40.18	9.45		
-	2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPYA	2.28							40.18	9.45		
	2-Wire Voice Grade Port (Centrex 800 termination) 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local			OLF 93	OLFIB	2.20							40.10	9.43		
	Area			UEP95	UEPYH	2.28							40.18	9.45		
	2-Wire Voice Grade Port (Centrex from diff Serving Wire															
	Center)2 Basic Local Area			UEP95	UEPYM	2.28							40.18	9.45		
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			LIEDOE	LIEDY 7								40.40	2.4-		
-+	Term - Basic Local Area 2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP95	UEPYZ	2.28							40.18	9.45		
	- Basic Local Area			UEP95	UEPY9	2.28							40.18	9.45		
	2-Wire Voice Grade Port Terminated on 800 Service Term -				1									2.10		
	Basic Local Area			UEP95	UEPY2	2.28							40.18	9.45		
NC Only																
	2-Wire Voice Grade Port (Centrex)			UEP95	UEPUA	2.28							40.18	9.45		
\longrightarrow	2-Wire Voice Grade Port (Centrex 800 termination) 2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP95 UEP95	UEPUB UEPUH	2.28							40.18 40.18	9.45 9.45		
	2-Wire Voice Grade Port (Centrex with Caller ID) 1 2-Wire Voice Grade Port (Centrex from diff Serving Wire			ULF 90	UEPUR	2.28							40.18	9.45		1
	Center)2			UEP95	UEPUM	2.28							40.18	9.45		
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			UEP95	UEPUZ	2.28							40.18	9.45		
-	Term															<u> </u>
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP95	UEPU9	2.28							40.18	9.45		
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP95	UEPU2	2.28							40.18	9.45		
	Switching Centrex Intercom Funtionality, per port			UEP95	URECS	0.903			 							
	Number Portability	1		OLI 30	JILOS	0.503										
						1						1				
	Local Number Portability (1 per port)			UEP95	LNPCC	0.35										

UNBUNDLE	D NETWORK ELEMENTS - North Carolina												Attachment:	2		Exhibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Submitted	Incremental Charge - Manual Svc		Charge -	Incremental Charge -
						Rec	Nonrec	urrina	Nonrecurring	g Disconnect	•		ossi	RATES (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN		SOMAN	SOMAN
	All Standard Features Offered, per port			UEP95	UEPVF	3.40										
	All Select Features Offered, per port			UEP95	UEPVS	0.00	457.83									
	All Centrex Control Features Offered, per port			UEP95	UEPVC	3.40										
NARS																
	Unbundled Network Access Register - Combination			UEP95	UARCX	0.00	0.00	0.00								
	Unbundled Network Access Register - Indial			UEP95	UAR1X	0.00	0.00	0.00								
	Unbundled Network Access Register - Outdial			UEP95	UAROX	0.00	0.00	0.00								
	laneous Terminations	-														
2-wire	Trunk Side Trunk Side Terminations, each	1		UEP95	CEND6	12.36						-				
4-10/: =0	Digital (1.544 Megabits)	1	1	ULF 90	CENDO	12.30										+
4-vvire	DS1 Circuit Terminations, each	+		UEP95	M1HD1	186.23			1	1			1	1	1	t
	DS0 Channels Activated, each	1		UEP95	M1HDO	0.00	28.81				<u> </u>	<u> </u>		 	 	I
Interof	fice Channel Mileage - 2-Wire			OLI 50	WITTE	0.00	20.01									
	Interoffice Channel Facilities Termination			UEP95	MIGBC	18.00										
	Interoffice Channel mileage, per mile or fraction of mile			UEP95	MIGBM	0.0282										
Featur	e Activations (DS0) Centrex Loops on Channelized DS1 Service	ce														
D4 Cha	annel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	1PQWS	0.65										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP95	1PQW6	0.65										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP95	1PQW7	0.65										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center			UEP95	1PQWP	0.65										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP95	1PQWV	0.65										
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot			UEP95	1PQWQ	0.65										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP95	1PQWA	0.65										
Non-R	ecurring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port			UEP95	USAC2		2.77	0.40								
	New Centrex Standard Common Block			UEP95	M1ACS	0.00	695.11									
	New Centrex Customized Common Block	ļ		UEP95	M1ACC	0.00	695.11		ļ	ļ				ļ	ļ	ļ
<u> </u>	NAR Establishment Charge, Per Occasion	ļ	ļ	UEP95	URECA	0.00	72.73		ļ	ļ				ļ	ļ	1
	CENTREX - DMS100 (Valid in All States)	 	1							 			ļ	 	ļ	-
	VG Loop/2-Wire Voice Grade Port (Centrex) Combo	+	I		+				ļ	 	1	-	-	 	 	
UNE P	ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo -	+	-		+	1			-	-			1	-	-	
	Non-Design		sw	UEP9D		16.46								1	1	I
LINE P	ort/Loop Combination Rates (Design)	+	OW	OLI 3D	1	10.40										
ONE P	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo -	1			1	1				1	1		1	1	1	†
	Design		sw	UEP9D		21.78								1	1	I
UNE L	oop Rate			-												
	2-Wire Voice Grade Loop (SL 1) - Statewide	1	sw	UEP9D	UECS1	14.18										
	2-Wire Voice Grade Loop (SL 2) - Statewide		sw	UEP9D	UECS2	19.50										
	ort Rate							•								
ALL S	TATES															
	2-Wire Voice Grade Port (Centrex) Basic Local Area	<u> </u>		UEP9D	UEPYA	2.28							40.18	9.45		1
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area			UEP9D	UEPYB	2.28							40.18	9.45		
	2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local															1
	Area 2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local			UEP9D	UEPYC	2.28							40.18	9.45		
	Area 2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local	1		UEP9D	UEPYD	2.28					 	 	40.18	9.45		-
	Area	<u> </u>		UEP9D	UEPYE	2.28					<u> </u>		40.18	9.45		

UNBUNDLE	D NETWORK ELEMENTS - North Carolina												Attachment:	2		Exhibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)	1			Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Charge - Manual Svc Order vs.
						Rec	Nonre			g Disconnect				RATES (\$)		
	2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Area			UEP9D	UEPYF	2.28							40.18	9.45		
	2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local Area			UEP9D	UEPYG	2.28							40.18	9.45		
	2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local			OLI OD		2.20							40.10	0.40		
	Area			UEP9D	UEPYT	2.28							40.18	9.45		
	2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local Area			UEP9D	UEPYU	2.28							40.18	9.45		
	2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local															
	Area 2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local	 	-	UEP9D	UEPYV	2.28							40.18	9.45		
	Area			UEP9D	UEPY3	2.28							40.18	9.45		
	2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local Area			UEP9D	UEPYH	2.28							40.18	9.45		
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp			OEP9D	UEFTH	2.20							40.10	9.45		1
	Indication))3 Basic Local Area			UEP9D	UEPYW	2.28							40.18	9.45		
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))3 Basic Local Area			UEP9D	UEPYJ	2.28							40.18	9.45		
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)			OLI OD									40.10			
	2 Basic Local Area			UEP9D	UEPYM	2.28							40.18	9.45		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3 Basic Local Area			UEP9D	UEPYO	2.28							40.18	9.45		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3															
	Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3			UEP9D	UEPYP	2.28							40.18	9.45		-
	Basic Local Area			UEP9D	UEPYQ	2.28							40.18	9.45		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3 Basic Local Area			UEP9D	UEPYR	2.28							40.18	9.45		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3			OEP9D	UEFTR	2.20							40.10	9.45		
	Basic Local Area			UEP9D	UEPYS	2.28							40.18	9.45		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3 Basic Local Area			UEP9D	UEPY4	2.28							40.18	9.45		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3															
	Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3			UEP9D	UEPY5	2.28							40.18	9.45		-
	Basic Local Area			UEP9D	UEPY6	2.28							40.18	9.45		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3			LIEBAR									10.10			
	Basic Local Area 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			UEP9D	UEPY7	2.28							40.18	9.45		
	Term			UEP9D	UEPYZ	2.28							40.18	9.45		
	2-Wire Voice Grade Port terminated in on Megalink or equivalent Basic Local Area			UEP9D	UEPY9	2.28							40.18	9.45		
	2-Wire Voice Grade Port Terminated on 800 Service Term Basic			OEP9D	UEPT9	2.20							40.10	9.45		
	Local Area			UEP9D	UEPY2	2.28							40.18	9.45		
NC Onl	2-Wire Voice Grade Port (Centrex)			UEP9D	UEPUA	2.28							40.18	9.45		
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP9D	UEPUB	2.28							40.18	9.45		
	2-Wire Voice Grade Port (Centrex / EBS-PSET)3			UEP9D	UEPUC	2.28							40.18	9.45		
 	2-Wire Voice Grade Port (Centrex / EBS-M5009)3 2-Wire Voice Grade Port (Centrex / EBS-M5209)3	1	!	UEP9D UEP9D	UEPUD UEPUE	2.28 2.28			 	<u> </u>			40.18 40.18	9.45 9.45		
	2-Wire Voice Grade Port (Centrex / EBS-M5112)3			UEP9D	UEPUF	2.28							40.18	9.45		+
	2-Wire Voice Grade Port (Centrex / EBS-M5312)3		†	UEP9D	UEPUG	2.28			1				40.18	9.45		
	2-Wire Voice Grade Port (Centrex / EBS-M5008)3	1		UEP9D	UEPUT	2.28			1				40.18	9.45		1
	2-Wire Voice Grade Port (Centrex / EBS-M5208)3			UEP9D	UEPUU	2.28							40.18	9.45		
	2-Wire Voice Grade Port (Centrex / EBS-M5216)3			UEP9D	UEPUV	2.28		_		_			40.18	9.45		
	2-Wire Voice Grade Port (Centrex / EBS-M5316)3			UEP9D	UEPU3	2.28			[40.18	9.45		ļ
<u> </u>	2-Wire Voice Grade Port (Centrex with Caller ID)	<u> </u>	l	UEP9D	UEPUH	2.28				l			40.18	9.45		<u> </u>

	I												Attachment:	2		Exhibit: E
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec			g Disconnect				RATES (\$)		
	DANGE VICE OF LEBERT (OF THE IDANGE WITH LEBERT						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
,	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp Indication)3			UEP9D	UEPUW	2.28							40.18	9.45		
-+-	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)3			UEP9D	UEPUJ	2.28							40.18	9.45		
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)			OLI OD	021 00	2.20							40.10	0.40		
	2			UEP9D	UEPUM	2.28							40.18	9.45		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3			UEP9D	UEPUO	2.28							40.18	9.45		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3			UEP9D UEP9D	UEPUP UEPUQ	2.28 2.28							40.18 40.18	9.45 9.45		-
 '	2-vviie voice Grade Fort (Centrex/differ SVVC /EBS-5209)2, 3	-		OLFAD	UEFUU	2.28			1	1			40.18	9.45		-
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3			UEP9D	UEPUR	2.28							40.18	9.45		
	(21					2.23			İ	İ				00		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3			UEP9D	UEPUS	2.28							40.18	9.45		
								· · · · · · · · · · · · · · · · · · ·								
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3	<u> </u>		UEP9D	UEPU4	2.28							40.18	9.45		
	2 Miro Voice Crade Bort (Centre Ville CMC /EBC Mcccc)			LIEDOD	HEDITE	2.28							40.40	0.45		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3			UEP9D	UEPU5	2.28							40.18	9.45		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3			UEP9D	UEPU6	2.28							40.18	9.45		
	2 1110 10100 01440 1 01 (001110) 4 mile 0110 / 250 moz 10/2, 0			02. 03	02.00	2.20							10.10	0.10		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3			UEP9D	UEPU7	2.28							40.18	9.45		
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
	Term			UEP9D	UEPUZ	2.28							40.18	9.45		
	OWE VILL OUT BUILDING			LIEDOD	LIEDUO	0.00							40.40	0.45		
 '	2-Wire Voice Grade Port terminated in on Megalink or equivalent 2-Wire Voice Grade Port Terminated on 800 Service Term			UEP9D UEP9D	UEPU9 UEPU2	2.28							40.18 40.18	9.45 9.45		
l ocal s	Switching			UEP9D	UEPU2	2.20							40.16	9.45		
	Centrex Intercom Funtionality, per port			UEP9D	URECS	0.903										
Local N	lumber Portability															
	Local Number Portability (1 per port)			UEP9D	LNPCC	0.35										
Feature																
	All Standard Features Offered, per port			UEP9D	UEPVF	3.40	455.00									
 '	All Select Features Offered, per port All Centrex Control Features Offered, per port			UEP9D UEP9D	UEPVS UEPVC	0.00 3.40	457.83									
NARS	All Centrex Control Features Offered, per port			UEP9D	UEFVC	3.40										
IIANO	Unbundled Network Access Register - Combination			UEP9D	UARCX	0.00	0.00	0.00								
	Unbundled Network Access Register - Inward			UEP9D	UAR1X	0.00	0.00	0.00								
	Unbundled Network Access Register - Outdial			UEP9D	UAROX	0.00	0.00	0.00								
	aneous Terminations															
2-Wire	Trunk Side	ļ		LIEDOD	CENIDO	40.00										
/_\Miro	Trunk Side Terminations, each Digital (1.544 Megabits)	 		UEP9D	CEND6	12.36			-	-						
	DS1 Circuit Terminations, each			UEP9D	M1HD1	186.23										
	DS0 Channels Activiated per Channel			UEP9D	M1HDO	0.00	28.81		1	1						t e
	fice Channel Mileage - 2-Wire															
	Interoffice Channel Facilities Termination			UEP9D	MIGBC	18.00		•								
	Interoffice Channel mileage, per mile or fraction of mile			UEP9D	MIGBM	0.0282										
	Activations (DS0) Centrex Loops on Channelized DS1 Service	e														
D4 Cha	Innel Bank Feature Activations Feature Activation on D-4 Channel Bank Centrex Loop Slot	<u> </u>		UEP9D	1PQWS	0.65										-
-+-	ocacare / Survacion on 5-4 Chamiler Bank Centrex Loop Side			OL1 3D	11 4440	0.03										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9D	1PQW6	0.65										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop															1
1	Slot			UEP9D	1PQW7	0.65										
-	Feature Activation on D-4 Channel Bank Centrex Loop Slot -	i .	1		1				1	1	I			1		1
				LIEBOD	400000											
	Different Wire Center			UEP9D	1PQWP	0.65										

UNBUNDLE	D NETWORK ELEMENTS - North Carolina												Attachment:	2		Exhibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Submitted Manually	Charge - Manual Svc Order vs.	Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrec		Nonrecurring					RATES (\$)		
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Slot			UEP9D	1PQWQ	0.65										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9D	1PQWA	0.65										
	ecurring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed															
	changes, per port			UEP9D	USAC2		2.77	0.40								
	New Centrex Standard Common Block			UEP9D	M1ACS	0.00	695.11									
	New Centrex Customized Common Block			UEP9D	M1ACC	0.00	695.11									
	NAR Establishment Charge, Per Occasion			UEP9D	URECA	0.00	72.73									
	Digital (1.544 Megabits)															
	- Required Port for Centrex Control in 1AESS, 5ESS & EWSD															
	- Requres Interoffice Channel Mileage															
Note 3	- Requires Specific Customer Premises Equipment															
				·												
				·												

LINDLING	ED NETWORK ELEMENTS Court Core												A44 1	•		F. 4. 9. 9.
UNBUNDL	ED NETWORK ELEMENTS - South Carolina	1		1	1	Ī					1		Attachment:	2		Exhibit:
1			1										Incremental	Incremental	Incremental	Incrementa
													Charge -	Charge -	Charge -	Charge -
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)				1	Manual Svc	Manual Svc	Manual Svc	Manual Sv
		m									Submitted			Order vs.	Order vs.	Order vs.
											Elec		Electronic-	Electronic-	Electronic-	Electronic
											per LSR	per LSR	1st	Add'l	Disc 1st	Disc Add'l
						ъ			N	. B'			000	DATEO (A)		
			1			Rec	Nonred First	urring Add'l	Nonrecurring First	Add'l	SOMEC	SOMAN		RATES (\$)	SOMAN	SOMAN
 							Filst	Add I	FIISL	Auu i	SOMEC	JOWAN	JOWAN	JOWAN	JOWAN	SOWAN
	Zone" shown in the sections for stand-alone loops or loops as				eographically	Deaveraged U	NE Zones. To	view Geograpl	nically Deavera	iged UNE Zone	e Designation	ons by Cent	ral Office, refe	er to Internet \	Website:	
	//www.interconnection.bellsouth.com/become_a_clec/html/inte	rconnec	tion.ht	tm	1						1					
OPERATION	AL SUPPORT SYSTEMS															
NOT	E: (1) Electronic Service Order: CLEC-1 should contact its conti	ract ned	otiator	if it prefers the state	e specific ele	ctronic service	ordering char	ges as ordered	by the State 0	Commissions.	The electro	nic service	ordering cha	rae currently	contained in t	this rate
	it is the BellSouth regional electronic service ordering charge.															
	: (2) Any element that can be ordered electronically will be bill															
	e elements that cannot be ordered electronically at present per															
order	ing charge, SOMAN, will be applied to a CLECs bill when it sul	bmits ar	LSR t	to BellSouth.												
	Electronic OSS Charge, per LSR, submitted via BST's OSS															
	interactive interfaces (Regional)				SOMEC		3.50									
	EXCHANGE ACCESS LOOP	1														
2-WIF	RE ANALOG VOICE GRADE LOOP			LIEANII	LIEALO	10.10	70.44	11.05					44.00	10.55		
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		1 2	UEANL UEANL	UEAL2 UEAL2	18.48 27.87	70.44 70.44	44.05 44.05					44.22 44.22	13.55 13.55		
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL	UEAL2	36.91	70.44	44.05					44.22	13.55		
	Loop Testing - Basic 1st Half Hour		3	UEANL	URET1	30.91	78.92	78.92					44.22	13.33		
	Loop Testing - Basic Additional Half Hour			UEANL	URETA		23.33	23.33								
	Engineering Information Document (EI)			UEANL			28.82	28.82								
	Manual Order Coordination for UVL-SL1s (per loop)*			UEANL	UEAMC		62.10	62.10								
	Order Coordination for Specified Conversion Time for UVL-SL1 (per LSR) *			UEANL	OCOSL		45.43	45.43								
2-WI	RE Unbundled COPPER LOOP			02,412	00002		10.10	10.10								
	2-Wire Unbundled Copper Loop - Non-Designed Zone 1	I	1	UEQ	UEQ2X	11.01	44.69	22.40	25.65	7.06			44.22	13.55		
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 2	- 1	2	UEQ	UEQ2X	12.67	44.69	22.40	25.65	7.06			44.22	13.55		
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 3		3	UEQ	UEQ2X	20.22	44.69	22.40	25.65	7.06			44.22	13.55		
	Order Coordination 2 Wire Unbundled Copper Loop - Non-															
	Designed (per loop)			UEQ	USBMC		62.10	62.10								
	Engineering Information Document Loop Testing - Basic 1st Half Hour		1	UEQ UEQ	URET1		28.82 78.92	28.82								
	Loop Testing - Basic 1st Half Hour			UEQ	URETA		23.33	78.92 23.33				-				
UNBUNDI FI	EXCHANGE ACCESS LOOP			OLQ	OKLIA		23.33	20.00								
	RE ANALOG VOICE GRADE LOOP	1		1										1		
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-	İ														
	Zone 1	L	1	UEPSR UEPSB	UEALS	18.48	70.44	44.05					44.22	13.55		
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
\vdash	Zone 1			UEPSR UEPSB	UEABS	18.48	70.44	44.05					44.22	13.55		
	2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-		_	HEDOD HEDOD	LIEALO	07.0-	70.41	44.0-					44.00	10.55		
\vdash	Zone 2 2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-		2	UEPSR UEPSB	UEALS	27.87	70.44	44.05				-	44.22	13.55		
	Zone 2	1	1	UEPSR UEPSB	UEABS	27.87	70.44	44.05					44.22	13.55		
\vdash	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		 	021 01 021 02	32,100	21.01	70.74	44.03					77.22	15.55		
	Zone 3	1	3	UEPSR UEPSB	UEALS	36.91	70.44	44.05					44.22	13.55		
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-	1														
	Zone 3	L		UEPSR UEPSB	UEABS	36.91	70.44	44.05					44.22	13.55		
	EXCHANGE ACCESS LOOP															
2-WII	RE ANALOG VOICE GRADE LOOP													ļ		
	CLEC to CLEC Conversion Charge without outside dispatch			LIFANII	LIDEWO		10.00	20.22					44.40	10.55		
1 1	(UVL-SL1)		<u> </u>	UEANL	UREWO		48.22	22.06					44.42	13.55		
	2 Wire Angles Voice Crede Loop Contine Love 2//														i i	
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		1	IΕΔ	LIEAL 2	21 57	178 12	128 90					44 42	13.55		
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 1 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		1	UEA	UEAL2	21.57	178.12	128.80					44.42	13.55		

4Q01:12/01/01 PAGE 253 OF 324

UNBUNDLE	D NETWORK ELEMENTS - South Carolina												Attachment:	2		Exhibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					RATES (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 3		3	UEA	UEAL2	43.08	178.12	128.80					44.42	13.55		j '
	Order Coordination for Specified Conversion Time (per LSR)		3	UEA	OCOSL	43.06	45.43	120.00					44.42	13.55		
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse			CEA	CCCCE		40.40									
	Battery Signaling - Zone 1		1	UEA	UEAR2	21.57	178.12	128.80					44.42	13.55		
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															
	Battery Signaling - Zone 2 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		2	UEA	UEAR2	32.53	178.12	128.80					44.42	13.55		!
	Battery Signaling - Zone 3		3	UEA	UEAR2	43.08	178.12	128.80					44.42	13.55		Ĭ
	Order Coordination for Specified Conversion Time (per LSR)		-	UEA	OCOSL	43.00	45.43	120.00					77.72	13.33		—
	CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		132.12	38.36					44.42	13.55		
4-WIRE	ANALOG VOICE GRADE LOOP															
	4-Wire Analog Voice Grade Loop - Zone 1			UEA	UEAL4	29.47	383.39	286.77					44.06	13.55		
\vdash	4-Wire Analog Voice Grade Loop - Zone 2	<u> </u>		UEA	UEAL4 UEAL4	44.44	383.39	286.77					44.06 44.06	13.55		├
	4-Wire Analog Voice Grade Loop - Zone 3 Order Coordination for Specified Conversion Time (per LSR)		3	UEA UEA	OCOSL	58.85	383.39 45.43	286.77					44.06	13.55		
2-WIRE	E ISDN DIGITAL GRADE LOOP			UEA	OCOSL		45.45									
	2-Wire ISDN Digital Grade Loop - Zone 1		1	UDN	U1L2X	26.68	423.04	301.75					44.42	13.55		
	2-Wire ISDN Digital Grade Loop - Zone 2		2	UDN	U1L2X	40.24	423.04	301.75					44.42	13.55		
	2-Wire ISDN Digital Grade Loop - Zone 3		3	UDN	U1L2X	53.85	423.04	301.75					44.42	13.55		
	Order Coordination For Specified Conversion Time (per LSR)			UDN	OCOSL		45.43									
0.14/1707	CLEC to CLEC Conversion Charge without outside dispatch			UDN	UREWO		121.44	33.16					44.42	13.55		
2-WIRE	Universal Digital Channel (UDC) COMPATIBLE LOOP 2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone				_											-
	12-vvire Oniversal Digital Channel (ODC) Compatible Loop - Zone		1	UDC	UDC2X	31.51	235.15	160.05	106.09	21.21			44.42	13.55		İ
	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone		2	UDC	UDC2X	40.95	235.15	160.05	106.09	21.21			44.42	13.55		
	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone		3	UDC	UDC2X	47.12	235.15	160.05	106.09	21.21			44.42	13.55		
	CLEC to CLEC Conversion Charge without outside dispatch		_	UDC	UREWO		121.44	33.16					44.42	13.55		
2-WIRE	ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMF	ATIBLE	LOOP													
	2 Wire Unbundled ADSL Loop including manual service inquiry															
	& facility reservation - Zone 1		1	UAL	UAL2X	17.10	600.61	507.33					44.42	13.55		
	2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 2		2	UAL	UAL2X	25.79	600.61	507.33					44.42	13.55		
	2 Wire Unbundled ADSL Loop including manual service inquiry															
	& facility reservation - Zone 3	1	3	UAL	UAL2X	34.15	600.61	507.33					44.42	13.55		
	Order Coordination for Specified Conversion Time (per LSR) 2 Wire Unbundled ADSL Loop without manual service inquiry &	1	!	UAL	OCOSL	 	45.43									
	facility reservaton - Zone 1		1	UAL	UAL2W	17.10	205.28	129.32	100.74	15.86	<u> </u>		44.42	13.55		<u> </u>
	2 Wire Unbundled ADSL Loop without manual service inquiry &						_						_			
	facility reservaton - Zone 2		2	UAL	UAL2W	25.79	205.25	129.32	100.74	15.86			44.42	13.55		1
	2 Wire Unbundled ADSL Loop without manual service inquiry &		3	UAL	UAL2W	24.45	205.00	400.00	100.71	45.00			44.42	40.55		1
 	facility reservaton - Zone 3 Order Coordination for Specified Conversion Time (per LSR)	1	3	UAL	OCOSL	34.15	205.28 45.43	129.32	100.74	15.86			44.42	13.55		
	CLEC to CLEC Conversion Charge without outside dispatch		1	UAL	UREWO	 	138.14	29.40					44.42	13.55		
2-WIRE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP		1	1		20.70					2	.0.50		
	2 Wire Unbundled HDSL Loop including manual service inquiry															
	& facility reservation - Zone 1	<u> </u>	1	UHL	UHL2X	12.21	600.61	507.33					44.06	13.55		
	2 Wire Unbundled HDSL Loop including manual service inquiry		2	UHL	LILLI OV	40.44	600.01	F07.00					44.00	40.55		1
\vdash	& facility reservation - Zone 2 2 Wire Unbundled HDSL Loop including manual service inquiry	1	- 2	UIL	UHL2X	18.41	600.61	507.33				-	44.06	13.55		
	& facility reservation - Zone 3		3	UHL	UHL2X	24.39	600.61	507.33					44.06	13.55		
	Order Coordination for Specified Conversion Time (per LSR)	<u> </u>	Ť	UHL	OCOSL	24.00	45.43	307.33					77.00	10.00		
	2 Wire Unbundled HDSL Loop without manual service inquiry			-		1										
	and facility reservation - Zone 1		1	UHL	UHL2W	12.21	222.65	146.68	100.74	15.86			44.06	13.55		
	2 Wire Unbundled HDSL Loop without manual service inquiry		_				600.0-									1
<u> </u>	and facility reservation - Zone 2	1	2	UHL	UHL2W	18.41	222.65	146.68	100.74	15.86	1	l .	44.06	13.55		

CATEGORY RATE ELEMENTS Interi m Zone BCS USOC RATES(\$) RATE SUbmitted Submitted Electronic- Electro	BUNDLED I	NETWORK ELEMENTS - South Carolina												Attachment:	2		Exhibit: B
Proceedings Proceeding Processor P				Zone	BCS	USOC			RATES(\$)			Submitted Elec	Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
Proceedings Proceeding Processor P							Rec	Nonred	curring	Nonrecurring	Disconnect			oss	RATES (\$)		
Sept Sept												SOMEC	SOMAN			SOMAN	SOMAN
Outstand Conference for the Special Conference (Time for LSS)	2 \	Wire Unbundled HDSL Loop without manual service inquiry															
CLEC to CLEC Conversion Turger ethologous biguages JULEAN JULEAN 13.00				3			24.39		146.68	100.74	15.86			44.06	13.55		
A Wile Ridder Branz Express (Defended) promote incidency 1																	
A Wile Disburded FOSE_Loop including manual service requiry and looking viewerwise 1. 2017 and offing manual service requiry and looking viewerwise 1. 2018 and			TID: F :	000	UHL	UREWO		138.07	29.40					44.06	13.55		
Index Inde			IIBLE	-000		+											
### Unburned HOSE. Loop including manual service requiry and feeling treasments. To 200 June 1 (1) 156 June 1 (1	I ILII	11111 47	16 21	625 11	522.70					44.06	12.55		
Bert faulty reservation - Zown 2				'	UNL	UHL4X	10.21	025.11	552.76					44.00	13.33		
A-Witer Unbounded HTSL Loop including manual service inquiry and indextry searchins. Journal of June 1895 UHL				2	UHL	UHL4X	24.45	625.11	532.78					44.06	13.55		
Source S					-	1	0							1.700	12.00		
Order Coordination for Sporcified Commercian Time (per LSR)	an	nd facility reservation - Zone 3	<u></u>	3			32.38		532.78	<u> </u>		<u> </u>	<u> </u>	44.06	13.55		
and facility reservation - Zime 1					UHL	OCOSL											
### Unbundled HDSL. Loop without manual service inquiry and includes reportation. Zone 2 ### Unbundled HDSL. Loop without manual service inquiry and includes reportation. Zone 2 ### Life Loop without manual service inquiry 3 ### Life Loop without manual servic																	
And facility regeration - Zone 2 2 UHL UHLAW 24.45 279.96 20.999 110.24 20.75 44.06 13.55				1	UHL	UHL4W	16.21	279.96	203.99	110.24	20.75			44.06	13.55		
Advite Unbunded HOSL, Loop without manual service inquiry and facility regeneration. Zone 3 UHL UHL URCOSL 43,43 UHL OCCOSL 45,43 UHL OCCOSL 45,43 UHL OCCOSL 45,43 UHL OCCOSL 45,43 UHL OCCOSL 45,43 UHL URCEVO UHL UHL URCEVO UHL UHL URCEVO UHL UHL URCEVO UHL UHL URCEVO UHL]					1	<u> </u>	
International Content				2	UHL	UHL4W	24.45	279.96	203.99	110.24	20.75			44.06	13.55		
Order Contribution for Specified Conversion Time (per LSR)																	
CLEC to CLEC Conversion Charge without outside dispatch UHL UREWO 138.07 29.40 44.06 13.56				3			32.38		203.99	110.24	20.75			44.06	13.55		
### WIRE DST Digital Loop - Zone 1									20.40					44.06	12.55		
4-Wire CST Digital Loop - Zone 1					OFIL	UKLVVO		130.07	25.40					44.00	13.33		
4-Wire DS1 Digital Logo - Zone 2				1	LISI	LISL XX	59.61	715 77	421 50					43.77	13.55		
4-Wire DS 10gliat Loop - Zone 3																	
Order Coordination for Specified Conversion Time (per LSR)																	
CLEC to CLEC Conversion Charge without outside depatch USL USEWO 13.554 40.13 43.77 13.55														-			
A Wire Unbundled Digital 19.2 Ktbps					USL	UREWO		130.54	40.13					43.77	13.55		
4 Wire Unbundled Digital 19.2 Kbps																	
4 Wire Unbundled Digital 192 Kbps																	
4 Wire Unbundled Digital Loop 56 Kbps - Zone 1																	
4 Wire Unbundled Digital Loop 56 Kbps - Zone 2 2 UDL UDL56 51.67 602.73 393.50 44.06 13.55 4.06 13.55 4.07 4.07 4.06 13.55 4.07 4.07 4.06 13.55 4.07 4.07 4.06 13.55 4.07 4																	
4 Wire Unbundled Digital Loop 56 Kbps - Zone 3 3 UDL UDL56 68.43 602.73 393.50 44.06 13.55																	
Order Coordination for Specified Conversion Time (per LSR)																	
A Wire Unbundled Digital Loop 64 Kbps - Zone 1				3			68.43		393.50					44.06	13.55		
4 Wire Unbundled Digital Loop 64 Kbps - Zone 2				1			34.26		393 50					44.06	13.55		
4 Wire Unbundled Digital Loop 64 Kbps - Zone 3 JUDL UDL64 68.47 602.73 393.50 44.06 13.55																	
Order Coordination for Specified Conversion Time (per LSR)																	
CLEC to CLEC Conversion Charge without outside dispatch UDL UREWO 131.96 38.77 44.06 13.55														130	13.30		
2-Wire Unbundled Copper Loop/Short including manual service inquiry & facility reservation - Zone 1	CL	CLEC to CLEC Conversion Charge without outside dispatch						131.96	38.77					44.06	13.55		
Inquiry & facility reservation - Zone 1									_					_			
2-Wire Unbundled Copper Loop/Short including manual service inquiry & facility reservation - Zone 2 2 UCL UCLPB 17.14 283.95 163.99 120.42 22.42 19.99							Ι Τ	. 7]					1		
Inquiry & facility reservation - Zone 2 2 UCL UCLPB 17.14 283.95 163.99 120.42 22.42 19.99 19.99 19.99 19.99 19.99 2 Wire Unbundled Copper Loop/Short including manual service inquiry & facility reservation - Zone 3 3 UCL UCLPB 17.68 283.95 163.99 120.42 22.42 19.99				1	UCL	UCLPB	15.24	283.95	163.99	120.42	22.42			19.99	19.99	19.99	19.99
2 Wire Unbundled Copper Loop/Short including manual service inquiry & facility reservation - Zone 3					LICI	LICLED	47.44	202.25	400.00	400.40	20.40			40.00	40.00	40.00	19.99
Inquiry & facility reservation - Zone 3 3 UCL UCLPB 17.68 283.95 163.99 120.42 22.42 19.99				2	UCL	UCLPB	17.14	283.95	163.99	120.42	22.42			19.99	19.99	19.99	19.99
Order Coordination for Unbundled Copper Loops (per loop)				ا ء	LICI	LICLER	17.60	202.05	162.00	120.42	22.42			10.00	10.00	10.00	19.99
2-Wire Unbundled Copper Loop/Short without manual service inquiry and facility reservation - Zone 1				٦			17.08			120.42	22.42	-		19.99	19.99	19.99	19.99
Inquiry and facility reservation - Zone 1						JOLIVIO	 	02.10	02.10			<u> </u>		1	 	 	1
2-Wire Unbundled Copper Loop/Short without manual service inquiry and facility reservation - Zone 2				1	UCL	UCLPW	15.24	203.42	127.45	100.74	15.86			19.99	19.99	19.99	19.99
Inquiry and facility reservation - Zone 2															1		1
Inquiry and facility reservation - Zone 3 3 UCL UCLPW 17.68 203.42 127.45 100.74 15.86 19.99 19.			<u></u>	2	UCL	UCLPW	17.14	203.42	127.45	100.74	15.86	<u> </u>	<u> </u>	19.99	19.99	19.99	19.99
Order Coordination for Unbundled Copper Loops (per loop)			-											_			_
2-Wire Unbundled Copper Loop/Long - includes manual srvc. inquiry and facility reservation - Zone 1 1 UCL UCL2L 47.77 270.89 150.93 120.42 22.42 19.99 19.99 19.99				3			17.68			100.74	15.86			19.99	19.99	19.99	19.99
inquiry and facility reservation - Zone 1 1 UCL UCL2L 47.77 270.89 150.93 120.42 22.42 19.99 19.99 19.99					UCL	UCLMC		62.10	62.10						ļ		
				1	UCL	UCL2L	47.77	270.89	150.93	120.42	22.42			19.99	19.99	19.99	19.99
				2	LICI	LICI 3I	60.16	270.00	150.02	120 42	22.42			10.00	10.00	10.00	19.99

UNBUNDLE	D NETWORK ELEMENTS - South Carolina												Attachment:	2		Exhibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Charge - Manual Svc Order vs.
						Rec	Nonre	curring	Nonrecurring	Disconnect			oss	RATES (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Unbundled Copper Loop/Long - includes manual svc. inquiry and facility reservation - Zone 3		3	UCL	UCL2L	84.94	270.89	150.93	120.42	22.42			19.99	19.99	19.99	19.99
	Order Coordination for Unbundled Copper Loops (per loop)		3	UCL	UCLMC	04.94	62.10	62.10	120.42	22.42			19.99	19.99	19.99	19.99
	2-Wire Unbundled Copper Loop/Long - without manual service															
	inquiry and facility reservation - Zone 1		1	UCL	UCL2W	47.77	190.36	114.39	100.74	15.86			19.99	19.99	19.99	19.99
	2-Wire Unbundled Copper Loop/Long - without manual service inquiry and facility reservation - Zone 2		2	UCL	UCL2W	69.16	190.36	114.39	100.74	15.86			19.99	19.99	19.99	19.99
	2-Wire Unbundled Copper Loop/Long - without manual service			OOL	OCLZVV	03.10	190.30	114.55	100.74	15.00			13.33	19.99	13.33	19.99
	inquiry and facility reservation - Zone 3		3	UCL	UCL2W	84.94	190.36	114.39	100.74	15.86			19.99	19.99	19.99	19.99
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		62.10	62.10								
	CLEC to CLEC Conversion Charge without outside dispatch (UCL-Des)			UCL	UREWO		149.19	31.48					19.99	19.99	19.99	19.99
	CLEC to CLEC Conversion Charge without outside dispatch				3		170.10	01.40					10.00	10.00	10.00	10.00
	(UCL-ND)			UEQ	UREWO		44.69	22.06					19.99	19.99	19.99	19.99
4-WIRE	COPPER LOOP															+
	4-Wire Copper Loop/Short - including manual service inquiry and facility reservation - Zone 1		1	UCL	UCL4S	24.55	332.47	212.51	130.98	27.68			19.99	19.99	19.99	19.99
	4-Wire Copper Loop/Short - including manual service inquiry															
	and facility reservation - Zone 2		2	UCL	UCL4S	26.13	332.47	212.51	130.98	27.68			19.99	19.99	19.99	19.99
	4-Wire Copper Loop/Short - including manual service inquiry and facility reservation - Zone 3		3	UCL	UCL4S	24.17	332.47	212.51	130.98	27.68			19.99	19.99	19.99	19.99
	Order Coordination for Unbundled Copper Loops (per loop)		3	UCL	UCLMC	24.17	62.10	62.10	130.98	27.00			13.33	19.99	19.99	19.99
	4-Wire Copper Loop/Short - without manual service inquiry and															
	facility reservation - Zone 1		1	UCL	UCL4W	24.55	251.94	175.94	110.24	20.75			19.99	19.99	19.99	19.99
	4-Wire Copper Loop/Short - without manual service inquiry and facility reservation - Zone 2		2	UCL	UCL4W	26.13	251.94	175.94	110.24	20.75			19.99	19.99	19.99	19.99
	4-Wire Copper Loop/Short - without manual service inquiry and			OOL	OCLAVV	20.13	251.54	175.54	110.24	20.73			13.33	10.00	13.33	19.99
	facility reservation - Zone 3		3	UCL	UCL4W	24.17	251.94	175.94	110.24	20.75			19.99	19.99	19.99	19.99
-	Order Coordination for Unbundled Copper Loops (per loop) 4-Wire Unbundled Copper Loop/Long - includes manual svc.			UCL	UCLMC		62.10	62.10								
	inquiry and facility reservation - Zone 1		1	UCL	UCL4L	96.61	319.41	199.45	130.98	27.66			19.99	19.99	19.99	19.99
	4-Wire Unbundled Copper Loop/Long - includes manual svc.			002	002.2	00.01	0.0	100.10	100.00	27.00			10.00	10.00	10.00	10.00
	inquiry and facility reservation - Zone 2		2	UCL	UCL4L	148.48	319.41	199.45	130.98	27.66			19.99	19.99	19.99	19.99
	4-Wire Unbundled Copper Loop/Long - includes manual svc. inquiry and facility reservation - Zone 3		3	UCL	UCL4L	180.12	319.41	199.45	130.98	27.66			19.99	19.99	19.99	19.99
	Order Coordination for Unbundled Copper Loops (per loop)		3	UCL	UCLMC	100.12	62.10	62.10	130.96	27.00			19.55	19.99	13.33	19.99
	4-Wire Unbundled Copper Loop/Long - without manual svc.															
	inquiry and facility reservation - Zone 1		1	UCL	UCL4O	96.61	238.87	162.90	110.24	20.75			19.99	19.99	19.99	19.99
	4-Wire Unbundled Copper Loop/Long - without manual svc. inquiry and facility reservation - Zone 2		2	UCL	UCL4O	148.48	238.87	162.90	110.24	20.75			19.99	19.99	19.99	19.99
	4-Wire Unbundled Copper Loop/Long - without manual svc.				302-70	170.70	200.07	102.30	110.24	20.73	1	1	10.00	10.00	13.33	10.00
	inquiry and facility reservation - Zone 3		3	UCL	UCL4O	180.12	238.87	162.90	110.24	20.75			19.99	19.99	19.99	19.99
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		62.10	62.10								
	CLEC to CLEC Conversion Charge without outside dispatch (UCL-Des)			UCL	UREWO		149.19	31.48					19.99	19.99	19.99	19.99
LOOP MODIFIC				002	O.L.			01.10					10.00	10.00	10.00	10.00
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire			UAL, UHL, UCL,												
	pair less than or equal to 18k ft Unbundled Loop Modification, Removal of Load Coils - 2 wire			UEQ, ULS	ULM2L		65.32	65.32								+
	greater than 18k ft			UCL, ULS	ULM2G		342.29	342.29								
	Unbundled Loop Modification Removal of Load Coils - 4 Wire			,										İ		1
	less than or equal to 18K ft	<u> </u>		UHL, UCL	ULM4L		65.32	65.32			1	1				
	Unbundled Loop Modification Removal of Load Coils - 4 Wire pair greater than 18k ft			UCL	ULM4G	[342.29	342.29								
	Unbundled Loop Modification Removal of Bridged Tap Removal,			UAL, UHL, UCL,	CLIVITO	1	0-12.23	U-12.20			t	t		t		†
	per unbundled loop	<u> </u>		UEQ, UEF, ULS	ULMBT		65.37	65.37								<u> </u>
SUB-LOOPS	pop Distribution				1											+
Sub-Lo	ווסוווטמווופוע קטי	I	<u> </u>		1						1	1		1	l	

UNBUNDLE	D NETWORK ELEMENTS - South Carolina												Attachment:	2		Exhibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Charge -
						Rec	Nonre			g Disconnect				RATES (\$)		
	0.1-1						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-	1		UEANL	USBSA		507.75	507.75					44.22	13.55	1	
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up Sub-Loop - Per Building Equipment Room - CLEC Feeder	I		UEANL	USBSB		45.37	45.37					44.22	13.55		<u> </u>
	Facility Set-Up	1		UEANL	USBSC		380.60	380.60					44.22	13.55		
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel															
	Set-Up Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -			UEANL	USBSD		111.15	111.15					44.22	13.55		1
	Zone 1	- 1	1	UEANL	USBN2	11.09	131.88	62.05	90.69	13.42			44.22	13.55		
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 2	١,	2	UEANL	USBN2	15.72	131.88	62.05	90.69	13.42			44.22	13.55		
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -	<u>'</u>		UEANL	USDINZ	15.72	131.00	62.05	90.09	13.42			44.22	13.33		
	Zone 3	- 1	3	UEANL	USBN2	18.49	131.88	62.05	90.69	13.42			44.22	13.55	L	
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		45.43	45.43								
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -															
	Zone 1 Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -		1	UEANL	USBN4	17.64	158.41	88.58	99.64	18.17			44.22	13.55	 	-
	Zone 2		2	UEANL	USBN4	24.25	158.41	88.58	99.64	18.17			44.22	13.55		
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -															
	Zone 3		3	UEANL	USBN4	23.63	158.41	88.58	99.64	18.17			44.22	13.55	 	
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		45.43	45.43							1	
	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)	I		UEANL	USBR2	3.01	106.26	36.42	90.69	13.42			44.22	13.55		
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		45.43	45.43								
	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	I		UEANL	USBR4	6.70	118.76	48.93	99.64	18.17			44.22	13.55		
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		45.43	45.43							1	
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	ı	1	UEF	UCS2X	8.59	131.88	62.05	90.69	13.42			44.22	13.55		†
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	I	2	UEF	UCS2X	12.29	131.88	62.05	90.69	13.42			44.22	13.55		
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	I	3	UEF	UCS2X	13.10	131.88	62.05	90.69	13.42			44.22	13.55		
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		45.43	45.43								
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF	UCS4X	9.81	158.41	88.58	99.64	18.17			44.22	13.55		
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	- 1		UEF	UCS4X	17.71	158.41	88.58	99.64	18.17			44.22	13.55		
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	I	3	UEF	UCS4X	15.80	158.41	88.58	99.64	18.17			44.22	13.55		
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		45.43	45.43								
Unhun	dled Sub-Loop Modification			OLI	USBIVIC		45.45	40.40							 	
Cinduit	Unbundled Sub-Loop Modification - 2-W Copper Dist Load															
	Coil/Equip Removal per 2-W PR			UEF	ULM2X		356.50	12.29					44.22	13.55		
	Unbundled Sub-loop Modification - 4-W Copper Dist Load Coil/Equip Removal per 4-W PR			UEF	ULM4X		356.50	12.29					44.22	13.55		
	Unbundled Sub-loop Modification - 2-w/4-w Copper Dist Bridged			OLI	OLIVIAX		330.30	12.23					77.22	10.00		
	Tap Removal, per PR unloaded			UEF	ULM4T		561.80	14.33					44.22	13.55	<u> </u>	
Unbun	dled Network Terminating Wire (UNTW)			LIENTAL	LIENDD	0.44	CO 74	CO 74					44.00	40.55	 	
Networ	Unbundled Network Terminating Wire (UNTW) per Pair k Interface Device (NID)			UENTW	UENPP	0.41	62.71	62.71			-	-	44.22	13.55	 	1
Italwoi	Network Interface Device (NID) - 1-2 lines	1		UENTW	UND12		87.36	57.58					44.22	13.55		†
	Network Interface Device (NID) - 1-6 lines	1		UENTW	UND16		128.84	99.06					44.22	13.55		1
	Network Interface Device Cross Connect - 2 W	1		UENTW	UNDC2		11.83	11.83					44.22	13.55	ſ	1
	Network Interface Device Cross Connect - 4W			UENTW	UNDC4		11.83	11.83					44.22	13.55	ſ	
SUB-LOOPS																
Sub-Lo	oop Feeder															ļ
1 1	USL-Feeder, DS0 Set-up per Cross Box location - CLEC	1		UEA,	LIODE									1	1	
	Distribution Facility set-up	1		UDN,UCL,UDL,UDC	USBEW		507.75				1	l	l		<u> </u>	<u> </u>

UNBUNDLE	D NETWORK ELEMENTS - South Carolina												Attachment:	2		Exhibit: E
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)	ı			Svc Order Submitted Manually per LSR		Charge -	Charge -	Charge -
						Rec		curring		g Disconnect				RATES (\$)		
	LICE Fooder DC0 Cet up per Cross Box location per 25 pair			UEA.			First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	USL Feeder - DS0 Set-up per Cross Box location - per 25 pair set-up			UDN,UCL,UDL,UDC	USBFX		45.37	45.37								
	USL Feeder DS1 Set-up at DSX location, per DS1 termination			USL	USBFZ		523.87	11.34								
	Unbundled Sub-Loop Feeder Loop, 2 Wire Ground Start, Voice															
	Grade - Zone 1		1	UEA	USBFA	11.16	186.56	113.37	109.36	27.48			19.99	19.99	19.99	19.99
	Unbundled Sub-Loop Feeder Loop, 2 Wire Ground-Start, Voice Grade - Zone 2		2	UEA	USBFA	14.67	186.56	113.37	109.36	27.48			19.99	19.99	19.99	19.99
	Unbundled Sub-Loop Feeder Loop, Per 2 Wire Ground-Start,															
	Voice Grade - Zone 3	ļ	3	UEA	USBFA	18.43	186.56	113.37	109.36	27.48			19.99	19.99	19.99	19.99
	Order Coordination for Specified Conversion Time, per LSR	-		UEA	OCOSL		45.43									
	Unbundlde Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice Grade - Zone 1		1	UEA	USBFB	11.16	186.56	113.37	109.36	27.48			19.99	19.99	19.99	19.99
	Unbundled Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice															
	Grade - Zone 2		2	UEA	USBFB	14.67	186.56	113.37	109.36	27.48			19.99	19.99	19.99	19.99
	Unbundled Sub-Loop Feeder Loop, 2 Wire Start Loop, Voice Grade - Zone 3		3	UEA	USBFB	18.43	186.56	113.37	109.36	27.48			19.99	19.99	19.99	19.99
	Order Coordination for Specified Time Conversion, per LSR		3	UEA	OCOSL	10.43	45.43	113.37	109.30	27.40			19.99	19.99	19.99	19.99
	Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery,															
	Voice Grade - Zone 1		1	UEA	USBFC	11.16	186.56	113.37	109.36	27.48			19.99	19.99	19.99	19.99
	Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery, Voice Grade - Zone 2		2	UEA	USBFC	14.67	186.56	113.37	109.36	27.48			19.99	19.99	19.99	19.99
	Unbundled Sub-Loop Feeder Loop, 2 Wire Analog Reverse			UEA	USBFC	14.67	100.30	113.37	109.36	21.40			19.99	19.99	19.99	19.99
	Battery, Voice Grade - Zone 3		3	UEA	USBFC	18.43	186.56	113.37	109.36	27.48			19.99	19.99	19.99	19.99
	Order Coordination For Specified Conversion Time, per LSR			UEA	OCOSL		45.43									
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice Grade - Zone 1		4	UEA	USBFD	27.04	215.82	140.72	124.52	35.03			19.99	19.99	19.99	19.99
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice		1	UEA	USBFD	27.04	215.82	140.72	124.52	35.03			19.99	19.99	19.99	19.99
	Grade - Zone 2		2	UEA	USBFD	34.46	215.82	140.72	124.52	35.03			19.99	19.99	19.99	19.99
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground Start, Voice															
	Grade - Zone 3 Order Coordination For Specified Conversion Time, Per LSR		3	UEA UEA	USBFD OCOSL	32.55	215.82 45.43	140.72	124.52	35.03			19.99	19.99	19.99	19.99
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice			UEA	UCUSL		45.43									
	Grade - Zone 1		1	UEA	USBFE	27.04	215.82	140.72	124.52	35.03			19.99	19.99	19.99	19.99
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice															
	Grade - Zone 2		2	UEA	USBFE	34.46	215.82	140.72	124.52	35.03			19.99	19.99	19.99	19.99
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice Grade - Zone 3		3	UEA	USBFE	32.55	215.82	140.72	124.52	35.03			19.99	19.99	19.99	19.99
	Order Coordination For Specified Conversion Time, Per LSR		_	UEA	OCOSL	5	45.43			33.55						
	Unbundled Sub-Loop Feeder Loop, 2 Wire ISDN BRI - Zone 1			UDN	USBFF	21.31	212.94	137.84	111.61	26.73			19.99	19.99	19.99	
	Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 2			UDN	USBFF	26.15	212.94	137.84	111.61	26.73			19.99	19.99 19.99	19.99	
 	Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 3 Order Coordination For Specified Conversion Time, Per LSR		3	UDN UDN	USBFF OCOSL	29.36	212.94 45.43	137.84	111.61	26.73			19.99	19.99	19.99	19.99
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)		1	UDC	USBFS	21.31	212.94	137.84	111.61	26.73			19.99	19.99	19.99	19.99
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)			UDC	USBFS	26.15	212.94	137.84	111.61	26.73			19.99	19.99	19.99	
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)		3		USBFS	29.36	212.94	137.84	111.61	26.73			19.99	19.99	19.99	
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 1			USL	USBFG	79.79	204.38	129.38	124.52	35.03			19.99	19.99	19.99	
-	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 2	-		USL	USBFG	155.94	204.38	129.38	124.52	35.03			19.99		19.99	
 	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 3 Order Coordination For Specified Conversion Time, Per LSR		3	USL USL	USBFG OCOSL	290.50	204.38 45.43	129.38	124.52	35.03			19.99	19.99	19.99	19.99
	Unbundled Sub-Loop Feeder, 2-Wire Copper Loop - Zone 1		1	UCL	USBFH	7.47	167.94	92.84	106.27	21.38			19.99	19.99	19.99	19.99
	Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone															
	2		2	UCL	USBFH	6.00	167.94	92.84	106.27	21.38			19.99	19.99	19.99	19.99
	Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone		3	UCL	USBFH	5.74	167.94	92.84	106.27	21.38			19.99	19.99	19.99	19.99
	Order Coordination For Specified Conversion Time, per LSR		3	UCL	OCOSL	5.74	45.43	92.64	100.27	21.38			19.99	19.99	19.99	19.99
	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 1	1	1	UCL	USBFJ	16.51	202.43	127.33	116.06	26.57			19.99	19.99	19.99	19.99
	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 2			UCL	USBFJ	10.35	202.43	127.33	116.06	26.57			19.99	19.99	19.99	19.99
	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 3		3	UCL	USBFJ	10.52	202.43	127.33	116.06	26.57			19.99	19.99	19.99	19.99

UNBUNDLI	ED NETWORK ELEMENTS - South Carolina												Attachment:	2		Exhibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)	I			Svc Order Submitted Manually per LSR	Order vs.	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrecu			g Disconnect				RATES (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Order Coordination For Specified Conversion Time, per LSR Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop		1	UCL UDL	OCOSL USBFN	26.27	45.43 204.38	129.28	124.52	35.03			19.99	19.99	19.99	19.99
	Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop			UDL	USBFN	26.62	204.38	129.20	124.52	35.03			19.99	19.99	19.99	19.99
	Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop			UDL	USBFN	25.21	204.38	129.28	124.52	35.03			19.99	19.99	19.99	19.99
	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop - Zone 1		1	UDL	USBFO	26.27	204.38	129.28	124.52	35.03			19.99	19.99	19.99	19.99
	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop - Zone 2		2	UDL	USBFO	26.62	204.38	129.29	124.52	35.03			19.99	19.99	19.99	19.99
	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop - Zone 3		3	UDL	USBFO	25.21	204.38	129.28	124.52	35.03			19.99	19.99	19.99	19.99
	Order Coordination For Specified Time Conversion, per LSR			UDL	OCOSL	20.21	45.43	120.20	124.02	55.05			10.00	10.00	10.00	10.00
	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop -															
	Zone 1		1	UDL	USBFP	26.27	204.38	129.28	124.52	35.03			19.99	19.99	19.99	19.99
	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - Zone 2		2	UDL	USBFP	26.62	204.38	129.29	124.52	35.03			19.99	19.99	19.99	19.99
	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - Zone 3 Order Coordination For Specified Conversion Time, per LSR		3	UDL UDL	USBFP	25.21	204.38 45.43	129.28	124.52	35.03			19.99	19.99	19.99	19.99
SUB-LOOPS	Order Coordination For Specified Conversion Time, per LSK			ODL	UCUSL		45.45									
	oop Feeder															
	Sub Loop Feeder - DS3 - Per Mile Per Month			UE3	1L5SL	20.44										
	Sub Loop Feeder - DS3 - Facility Termination Per Month			UE3	USBF1	348.12	3,392.00	407.90	160.83	91.17			31.38	31.38	3.94	3.94
	Sub Loop Feeder – STS-1 – Per Mile Per Month	ļ		UDLSX	1L5SL	20.44	2 202 00	407.00	400.00	04.47			24.20	24.20	3.94	3.94
-	Sub Loop Feeder - STS-1 - Facility Termination Per Month Sub Loop Feeder - OC-3 - Per Mile Per Month			UDLSX UDLO3	USBF7 1L5SL	369.07 15.51	3,392.00	407.90	160.83	91.17			31.38	31.38	3.94	3.94
	Sub Loop Feeder - OC-3 - Facility Termination Protection Per Month			UDLO3	USBF5	56.04										
	Sub Loop Feeder - OC-3 - Facility Termination Per Month			UDLO3	USBF2	565.50	3,392.00	407.90	160.83	91.17			31.38	31.38	3.94	3.94
	Sub Loop Feeder - OC-12 - Per Mile Per Month			UDL12	1L5SL	19.08										
	Sub Loop Feeder - OC-12 - Facility Termination Protection Per Month			UDL12	USBF6	669.82										
-	Sub Loop Feeder - OC-12 - Facility Termination Per Month	ļ		UDL12	USBF3	1,840.00	3,392.00	407.90	160.83	91.17			31.38	31.38	3.94	3.94
	Sub Loop Feeder - OC-48 - Per Mile Per Month Sub Loop Feeder - OC-48 - Facility Termination Protection Per Month			UDL48 UDL48	1L5SL USBF9	62.60 326.16										
	Sub Loop Feeder - OC-48 - Facility Termination Per Month			UDL48	USBF4	1,560.00	3,578.00	407.90	160.83	91.17			31.38	31.38	3.94	3.94
	Sub Loop Feeder - OC-12 Interface On OC-48			UDL48	USBF8	366.86	789.85	407.90	160.83	91.17			31.38	31.38	3.94	
UNBUNDLED	LOOP CONCENTRATION															
	Unbundled Loop Concentration - System A (TR008)	ļ		ULC	UCT8A	398.41	652.26	652.26					19.99	19.99	19.99	19.99 19.99
	Unbundled Loop Concentration - System B (TR008) Unbundled Loop Concentration - System A (TR303)			ULC	UCT8B UCT3A	58.36 439.73	271.78 652.26	271.78 652.26	-				19.99 19.99	19.99 19.99	19.99 19.99	19.99
	Unbundled Loop Concentration - System A (TR303)			ULC	UCT3B	98.34	271.78	271.78					19.99	19.99	19.99	19.99
	Unbundled Loop Concentration - DS1 Loop Interface Card			ULC	UCTCO	5.52	126.85	92.35	33.65	9.42			19.99	19.99	19.99	19.99
	Unbundled Loop Concentration - ISDN Loop Interface (Brite Card)			UDN	ULCC1	8.77	21.11	21.00	10.81	10.74			19.99	19.99	19.99	19.99
	Unbundled Loop Concentration - UDC Loop Interface (Brite Card)			UDC	ULCCU	8.77	21.11	21.00	10.81	10.74			19.99	19.99	19.99	19.99
	Unbundled Loop Concentration2 Wire Voice-Loop Start or Ground Start Loop Interface (POTS Card)			UEA	ULCC2	2.19	21.11	21.00	10.81	10.74			19.99	19.99	19.99	19.99
	Unbundled Loop Concentration - 2 Wire Voice - Reverse Battery Loop Interface (SPOTS Card)			UEA	ULCCR	13.03	21.11	21.00	10.81	10.74			19.99	19.99	19.99	19.99
	Unbundled Loop Concentration - 4 Wire Voice Loop Interface (Specials Card)			UEA	ULCC4	7.77	21.11	21.00	10.81	10.74			19.99	19.99	19.99	19.99
	Unbundled Loop Concentration - TEST CIRCUIT Card Unbundled Loop Concentration - Digital 19.2 Kbps Data Loop Interface			UDL	UCTTC ULCC7	37.98 11.51	21.11	21.00	10.81	10.74			19.99	19.99	19.99	19.99
	Unbundled Loop Concentration - Digital 56 Kbps Data Loop Interface			UDL	ULCC5	11.51	21.11	21.00	10.81	10.74			19.99	19.99	19.99	19.99

UNBUNDL	ED NETWORK ELEMENTS - South Carolina												Attachment:	2		Exhibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Order vs.	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrec		Nonrecurring					RATES (\$)		
	Unbundled Loop Concentration - Digital 64 Kbps Data Loop						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interface			UDL	ULCC6	11.51	21.11	21.00	10.81	10.74			19.99	19.99	19.99	19.99
UNE OTHER,	PROVISIONING ONLY - NO RATE															
	NID - Dispatch and Service Order for NID installation			UENTW	UNDBX											
	UNTW Circuit Id Establishment, Provisioning Only - No Rate			UENTW	UENCE											
	Unbundled Contract Name, Provisioning Only - No Rate			UEANL,UEF,UEQ,U ENTW	UNECN											
UNE OTHER.	PROVISIONING ONLY - NO RATE			LINIV	UNLCIN											
				UAL,UCL,UDC,UDL,												1
	Unbundled Contact Name, Provisioning Only - no rate		<u> </u>	UDN,UEA,UHL,ULC	UNECN	0.00	0.00									
	Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no rate			UEA,UDN,UCL,UDC	LISBEO	0.00	0.00									
	Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no		†	3L71,0D11,0OL,0DC	טטטו ע	0.00	0.00									
	rate			UEA,USL,UCL,UDL	USBFR	0.00	0.00									İ
	Unbundled DS1 Loop - Superframe Format Option - no rate			USL	CCOSF	0.00	0.00									
	Unbundled DS1 Loop - Expanded Superframe Format option -															İ
HICH CABAC	no rate CITY UNBUNDLED LOCAL LOOP			USL	CCOEF	0.00	0.00									
	:: 4 month minimum billing period															
1.0.1	High Capacity Unbundled Local Loop - DS3 - Per Mile per															
	month			UE3	1L5ND	15.33										
	High Capacity Unbundled Local Loop - DS3 - Facility															
	Termination per month High Capacity Unbundled Local Loop - STS-1 - Per Mile per			UE3	UE3PX	382.95	905.04	529.05	239.50	167.53			31.38	31.38	3.94	3.94
	month			UDLSX	1L5ND	15.33										ĺ
	High Capacity Unbundled Local Loop - STS-1 - Facility			00207	120.12	10.00										
	Termination per month			UDLSX	UDLS1	391.86	905.04	529.05	239.50	167.53			31.38	31.38	3.94	3.94
LOOP MAKE																
	Loop Makeup - Preordering Without Reservation, per working or spare facility queried (Manual).			UMK	UMKLW		48.07	48.07								İ
	Loop Makeup - Preordering With Reservation, per spare facility			UIVIK	UIVIKLVV		48.07	48.07								
	queried (Manual).			UMK	UMKLP		50.97	50.97								İ
	Loop MakeupWith or Without Reservation, per working or															
	spare facility queried (Mechanized)			UMK	PSUMK		0.6873	0.6873								
	ENCY SPECTRUM ITERS-CENTRAL OFFICE BASED															
SPLI	Line Sharing Splitter, per System 96 Line Capacity			ULS	ULSDA	216.22	378.42	0.00	356.76	0.00		0.00				
	Line Sharing Splitter, per System 24 Line Capacity	i			ULSDB	54.05	378.42	0.00	356.76	0.00		0.00				
	Line Sharing Splitter, Per System, 8 Line Capacity	ı		ULS	ULSD8	18.02	378.42	0.00	356.76	0.00		0.00				
	Line Sharing-DLEC Owned Splitter in CO-CFA activaton-			_												
END	deactivation (per LSOD) USER ORDERING-CENTRAL OFFICE BASED-HIGH FREQUENCY	(CDEC	TDUM	ULS	ULSDG		57.83		11.41							
END	Line Sharing - per Line Activation	SPEC	I KUNI		ULSDC	0.61	37.09	21.24	20.07	9.85			44.22	13.55		
	por Enter tourestori		†			0.01	01.00	21.27	20.07	0.00		†	77.22	10.00		
	Line Sharing - per Subsequent Activity per Line Rearrangement	I		ULS	ULSDS		32.84	16.41					44.22	13.56		
	Line Splitting - per line activation DLEC owned splitter	<u> </u>			UREOS	0.61			20.0-			1				
	Line Splitting - per line activation BST owned - physical Line Splitting - per line activation BST owned - virtual		 	UEPSR UEPSB UEPSR UEPSB	UREBP UREBV	0.644 0.642	37.09 37.09	21.24 21.24	20.07 20.07	9.85 9.85		 				
1	Line opiituing - per nine activation DOT Owned - viitual		 	OLFON UEFOD	OKEBV	0.042	37.09	21.24	20.07	9.85						
UNBUNDLED	TRANSPORT															
	ROFFICE CHANNEL - DEDICATED TRANSPORT - VOICE GRADI															
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -			1470/	41.5307	0.046=										1
	Per Mile per month Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -		!	U1TVX	1L5XX	0.0167						1				1
	Facility Termination per month			U1TVX	U1TV2	24.30	81.25	54.94	33.54	13.82			31.38	31.38	9.80	9.80
	Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade		†				020	0	33.54	.0.02			000	350	0.50	3.30
	Rev Bat Per Mile per month			U1TVX	1L5XX	0.0167										1

UNBUI	NDLE	NETWORK ELEMENTS - South Carolina												Attachment:	2		Exhibit: B
CATEG		RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs.	Incremental Charge -	Charge -	Charge - Manual Svc Order vs.
							Rec	Nonrec			g Disconnect				RATES (\$)		
-		Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat Facility Termination per month Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade -			U1TVX	U1TR2	24.30	81.25	54.94	33.54	13.82			31.38	31.38	9.80	9.80
		Per Mile per month			U1TVX	1L5XX	0.0167										
		Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade - Facility Termination per month			U1TVX	U1TV4	21.29	81.25	54.94	33.54	13.82			31.38	31.38	3.94	3.94
		Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month			U1TDX	1L5XX	0.0167										
		Interoffice Channel - Dedicated Transport - 56 kbps - Facility															
		Termination per month Interoffice Channel - Dedicated Transport - 64 kbps - per mile			U1TDX	U1TD5	16.76	81.26	54.94	33.54	13.82			31.38	31.38	3.94	3.94
		per month			U1TDX	1L5XX	0.0282										
		Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination per month			U1TDX	U1TD6	16.76	81.26	54.94	33.54	13.82			31.38	31.38	9.80	9.80
-	NTERC	PFICE CHANNEL - DEDICATED TRANSPORT - DS1 Interoffice Channel - Dedicated Channel - DS1 - Per Mile per															
		month			U1TD1	1L5XX	0.3415										
		Interoffice Channel - Dedicated Tranport - DS1 - Facility Termination per month			U1TD1	U1TF1	77.14	178.93	163.98	32.77	28.95			31.38	31.38	3.94	3.94
		PFFICE CHANNEL - DEDICATED TRANSPORT- DS3															
		Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month			U1TD3	1L5XX	8.02										
		Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month			U1TD3	U1TF3	880.65	558.74	326.23	120.66	117.17			31.38	31.38	3.94	3.94
	INTERC	FFICE CHANNEL - DEDICATED TRANSPORT- STS-1															
		Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month			U1TS1	1L5XX	8.02										
		Interoffice Channel - Dedicated Transport - STS-1 - Facility Termination per month			U1TS1	U1TFS	880.55	558.74	326.26	120.66	117.17			31.38	31.38	3.94	3.94
		CHANNEL - DEDICATED TRANSPORT															
	NOTE:	LOCAL CHANNEL DEDICATED TRANSPORT - minimum billin	g perio	d - belo							L						
-		Local Channel - Dedicated - 2-Wire Voice Grade Per Month Local Channel - Dedicated - 2-Wire Voice Grade Rev Bat per			ULDVX	ULDV2	15.33	387.05	66.48	73.44	6.41			31.38	31.38	3.94	3.94
		month			ULDVX	ULDR2	15.33	387.05	66.48	73.44	6.41			31.38	31.38	3.94	3.94
		Local Channel - Dedicated - 4-Wire Voice Grade per month			UNDVX	ULDV4	16.54	387.93	67.35	74.38	7.35			31.38	31.38	3.94	3.94
		Local Channel - Dedicated - DS1 per month - Zone 1		1	ULDD1	ULDF1	42.62	355.73	308.11	44.48	30.59			31.38	31.38	3.94	
		Local Channel - Dedicated - DS1 per month - Zone 2			ULDD1	ULDF1	70.32	355.73	308.11	44.48	30.59			31.38		3.94	
		Local Channel - Dedicated - DS1 per month - Zone 3	ļ	3	ULDD1	ULDF1	190.68	355.73	308.11	44.48	30.59		ļ	31.38	31.38	3.94	3.94
		Local Channel - Dedicated - DS3 - Per Mile per month			ULDD3	1L5NC	11.93										
		Local Channel - Dedicated - DS3 - Facility Termination per month			ULDD3	ULDF3	446.00	905.04	529.05	239.50	167.53			31.38	31.38	3.94	3.94
		Local Channel - Dedicated - STS-1- Per Mile per month			ULDS1	1L5NC	11.93	000.01	020.00	200.00	107.00			01.00	01.00	0.01	0.01
		Local Channel - Dedicated - STS-1 - Facility Termination per month			ULDS1	ULDFS	435.10	905.04	529.05	239.50	167.53			31.38	31.38	3.94	3.94
MULTIP	LEXER																
		Channelization - DS1 to DS0 Channel System OCU-DP COCI (data) - DS1 to DS0 Channel System - per			UXTD1	MQ1	134.46	182.48	125.42	21.12	19.62			31.38	31.38	3.947	3.94
		month (2.4-64kbs)			UDL	1D1DD	1.49	13.18	9.45								
		2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month			UDN	UC1CA	3.20	13.18	9.45								
		Voice Grade COCI - DS1 to DS0 Channel System - per month			UEA	1D1VG	0.7012	13.18	9.45		†						
		DS3 to DS1 Channel System per month			UXTD3	MQ3	180.03	357.07	188.36	66.66	63.79			31.38	31.38	3.94	3.94
		STS1 to DS1 Channel System per month			UXTS1	MQ3	180.03	357.07	188.36	66.66	63.79			31.38	31.38	3.94	3.94
DARK	IDED	DS3 Interface Unit (DS1 COCI) used with Loop per month			USL	UC1D1	10.80	13.18	9.45			ļ	ļ			ļ	ļ
DARK F	IRFK	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction	<u> </u>			 	 					1	-	_		 	
		Thereof per month - Local Channel			UDF	1L5DC	97.65										
		NRC Dark Fiber - Local Channel			UDF	UDFC4		1,281.02	276.34	635.52	396.21			31.26	31.26	3.94	3.94

UNBUNDLE	NETWORK ELEMENTS - South Carolina												Attachment:	2		Exhibit: E
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			1	Svc Order Submitted Manually per LSR	Order vs.	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incrementa Charge - Manual Svo Order vs. Electronic Disc Add'l
						Rec	Nonred	urring	Nonrecurrin	g Disconnect				RATES (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction			UDE	41.505	20.44										
	Thereof per month - Interoffice Channel NRC Dark Fiber - Interoffice Channel			UDF UDF	1L5DF UDF14	36.41	1,281,02	276.34	635.52	396.21			31.38	31.38	3.94	3.94
	Dark Fiber - Interoffice Chairles Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction			ODI	00114		1,201.02	270.54	033.32	330.21			31.30	31.30	5.54	3.34
	Thereof per month - Local Loop			UDF	1L5DL	97.65										
	NRC Dark Fiber - Local Loop			UDF	UDFL4		1,281.02	276.34	635.52	396.21			31.38	31.38	3.94	3.94
TRANSPORT C					+											!
Option	al Features & Functions: Clear Channel Capability (B8ZS/ESF) Option - Subsequent -															
	per DS1 Channel			UNC1X	CCOEF		185.26	23.86	1.99	0.78			29.33	3.93		l
	Clear Channel Capability (B8ZS/SF) Option - Subsequent - per															
OVY ACCESS T	DS1 Channel EN DIGIT SCREENING	<u> </u>	<u> </u>	UNC1X	CCOSF		185.26	23.86	1.99	0.78	ļ	-	29.33	3.93		-
BAX ACCESS I	8XX Access Ten Digit Screening, Per Call			OHD	+	0.0005227				1						
 	8XX Access Ten Digit Screening, Per Call 8XX Access Ten Digit Screening, Reservation Charge Per 8XX		1	J. ID	1	0.0000221					1	t				
	Number Reserved			OHD	N8R1X		6.38	0.9583					27.84	27.84		İ
	8XX Access Ten Digit Screening, Per 8XX No. Established W/O POTS Translations			OHD			22.63	2.73					27.84	27.84		
	8XX Access Ten Digit Screening, Per 8XX No. Established With POTS Translations			OHD	N8FTX		22.63	2.73					27.84	27.84		
	8XX Access Ten Digit Screening, Customized Area of Service Per 8XX Number			OHD	N8FCX		5.64	2.82					27.84	27.84		
	8XX Access Ten Digit Screening, Multiple InterLATA CXR Routing Per CXR Requested Per 8XX No.			OHD	N8FMX		6.60	3.78					27.84	27.84		
	8XX Access Ten Digit Screening, Change Charge Per Request			OHD	N8FAX		7.34	0.9583					27.84	27.84		
	8XX Access Ten Digit Screening, Call Handling and Destination Features			OHD	N8FDX		5.64						27.84	27.84		
LINE INFORMA	TION DATA BASE ACCESS (LIDB)															
	LIDB Common Transport Per Query			OQT		0.0000442										
	LIDB Validation Per Query			OQU	NDDDV	0.0145288	64.60						07.04	07.04		!
SIGNALING (C	LIDB Originating Point Code Establishment or Change			OQT, OQU	NRPBX		61.62			1			27.84	27.84		
SIGNALING (C	CCS7 Signaling Termination, Per STP Port			UDB	PT8SX	156.33										
	CCS7 Signaling Usage, Per TCAP Message			UDB		0.0001108										
	CCS7 Signaling Connection, Per link (A link)			UDB	TPP++	21.79	277.07	277.07					19.99	19.99	19.99	19.99
	CCS7 Signaling Connection, Per link (B link) (also known as D			LIDD	TDD	04.70	077.07	077.07					40.00	40.00	40.00	40.00
 	link) CCS7 Signaling Usage, Per ISUP Message		1	UDB UDB	TPP++	21.79 0.0000452	277.07	277.07		-	 	-	19.99	19.99	19.99	19.99
	CCS7 Signaling Usage Surrogate, per link per LATA		1	UDB	STU56	396.55				1						
	CCS7 Signaling Point Code, per Originating Point Code															
	Establishment or Change, per STP affected		<u> </u>	UDB	CCAPO		40.00	40.00					19.99	19.99	19.99	19.99
	CCS7 Signaling Point Code, per Destination Point Code Establishment or Change, Per Stp Affected			UDB	CCAPD		8.00	8.00					19.99	19.99	19.99	19.99
CALLING NAM	E (CNAM) SERVICE															
	CNAM for DB Owners, Per Query			OQV		0.01										
 	CNAM for Non DB Owners, Per Query CNAM (Non-Databs Owner), NRC, applies when using the		!	OQV	1	0.01			-		-	 				-
	Character Based User Interface (CHUI)			oqv	CDDCH		595.00	595.00					27.84	27.84		
OPERATOR CA	ALL PROCESSING															
	Oper. Call Processing - Oper. Provided, Per Min Using BST LIDB					1.20										
	Oper. Call Processing - Oper. Provided, Per Min Using Foreign LIDB					1.24										
	Oper. Call Processing - Fully Automated, per Call - Using BST LIDB					0.20										
	Oper. Call Processing - Fully Automated, per Call - Using Foreign LIDB					0.20										
INWARD OPER	ATOR SERVICES							-								

UNBU	NDLE	NETWORK ELEMENTS - South Carolina											Attachment:	2		Exhibit: B
CATEG	GORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
							Rec	Nonrec		Nonrecurring Disco				RATES (\$)		
		Inward Operator Services - Verification, Per Minute					1.15	First	Add'l	First Ac	d'I SOME	C SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Inward Operator Services - Verification, Per Minute Inward Operator Services - Verification and Emergency Interrupt - Per Minute					1.15									
BRANDI	NG - O	PERATOR CALL PROCESSING					1.13									
		Recording of Custom Branded OA Announcement				CBAOS		7,000.00	7,000.00				19.99	19.99	19.99	19.99
		Loading of Custom Branded OA Announcement per shelf/NAV				CBAOL		500.00	500.00				19.99	19.99		
		ding via OLNS for UNEP CLEC										_				
DIDECT		Loading of OA per OCN (Regional) SSISTANCE SERVICES						1,200.00	1,200.00			_				
		TORY ASSISTANCE ACCESS SERVICE													1	
ľ		Directory Assistance Access Service Calls, Charge Per Call					0.25									
		TORY ASSISTANCE CALL COMPLETION ACCESS SERVICE (DACC)													
		Directory Assistance Call Completion Access Service (DACC),														
	DIDEC	Per Call Attempt					0.10									
		FORY TRANSPORT SWA Common transport per Directory Assistance Access														
		Service Call					0.0003									
		SWA Common Transport per Directory Assistance Access Service Call Mile					0.00004									
		Access Tandem Switching per Directory Assistance Access Service Call					0.00055									
		Directory Assistance Interconnection per Directory Assistance Access Service Call					0.00									
		DS3 to DS1 Multiplexer per DA Access Service Call					0.00018								İ	
DIRECT		SSISTANCE SERVICES														
	DIRECT	ORY ASSISTANCE DATA BASE SERVICE (DADS)														
		Directory Assistance Data Base Service Charge Per Listing				2222	0.04					_				
BRANDI	NG - D	Directory Assistance Data Base Service, per month IRECTORY ASSISTANCE				DBSOF	150.00					+			-	+
		Based CLEC										_				+
	,	Recording and Provisioning of DA Custom Branded Announcement			AMT	CBADA		6,000.00	6,000.00							
		Loading of Custom Branded Announcement per DRAM Card/Switch			AMT	CBADC		1,170.00	1,170.00							
1	UNEP (
		Recording of DA Custom Branded Announcement						3,000.00	3,000.00							
		Loading of DA Custom Branded Announcement per DRAM Card/Switch per OCN						1,170.00	1,170.00							
-	Unbran	ding via OLNS for UNEP CLEC							-							
		Loading of DA per OCN (1 OCN per Order)		<u> </u>				420.00	420.00							
SELECT	IVE P	Loading of DA per Switch per OCN		!				16.00	16.00				1			
SELECT		Selective Routing Per Unique Line Class Code Per Request Per Switch				USRCR		226.22	226.22				43.19	9.91		
VIRTUA		LOCATION		1		UORUK		220.22	220.22		-		43.19	9.91	-	+
1		Virtual Collocation - Application Cost		-	CLO	EAF		2,848.30	2,848.30		1					
		Virtual Collocation - Cable Installation Cost, per cable			CLO	ESPCX		2,750.00	2,750.00							
		Virtual Collocation - Floor Space, per sq. ft.			CLO	ESPVX	3.20									
		Virtual Collocation - Power, per breaker amp		<u> </u>	CLO	ESPAX	3.48						ļ			
		Virtual Collocation - Cable Support Structure, per entrance cable			CLO	ESPSX	13.35									
		Virtual Collocation - 2-wire Cross Connects (loop)			ueanl,uea,udn,udc, ual,uhl,ucl,ueq	UEAC2	0.3648	41.50	38.94				19.99	19.99	19.99	19.99
		Virtual Collocation - 4-wire Cross Connects (loop)			uea,uhl,ucl,udl	UEAC4	0.7297	41.56	38.90				19.99	19.99	19.99	19.99
		Virtual Collocation - 2-Fiber Cross Connects		<u> </u>	CLO	CNC2F	15.06	69.28	48.89				19.99	19.99	19.99	19.99
-		Virtual Collocation - 4-Fiber Cross Connects Virtual Collocatin - DS1 Cross Connects		-	CLO USL,ULC,CLO	CNC4F CNC1X	27.08 7.50	84.07 155.00	63.68 14.00				19.99	19.99	19.99	19.99
		Virtual Collocatin - DS3 Cross Connects	1	 	USL,ULC,CLO	CNC1X CND3X	56.25	151.90	11.83		- 		 		 	+

Mark Mark	UNBUNDLE	NETWORK ELEMENTS - South Carolina											Attachment:	2		Exhibit: B
Minist Collocation - Co-Current Cross Corrences - Figer Colde Maries Description - Co-Current Cross Corrences - CopperCoase Code Seption Structure, per letters Code Seption Structure, per letters Code Seption Structure, per letters Code Seption Structure, per code Code Seption Stru	CATEGORY	RATE ELEMENTS	 Zone	BCS	USOC			RATES(\$)			Submitted Elec	Submitted Manually	Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
Virtual Coliscorers - Co-Carrier Cross - Convents - Febru Cable AMTES PETES 0.0023						Rec	Nonrec	urring	Nonrecurring	g Disconnect						
Support Structure, per loser tool Virtual Collocation: Co-Carter Cross Connects: CoppenCox							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Winter Coloroger Co-Camer Consecution (CopportCosts) AMTES DE TIDE 0.0003				AMTES	DE1EQ	0.0022										!
Cable Support Structure per linear IT With Confession - Co-Camer Create Create AMFT'S PETCS 0.0000				AIVITS	PEIES	0.0022										
Support Structurage realises MATTES \$50.66		Cable Support Structure, per linear ft		AMTFS	PE1DS	0.0033										
Virtual Collocation - Security Reconstructions of the Internal Collocation - Security Reconstruction - Security Reconstr				AMTEC			E36 E6									
Cable Support Siturcture, per cable				AIVITS			556.56									
Virtual Collocation - Security Escort - Overhine, per half hour CLO SPTOX 46,00 30.00				AMTFS			536.56									
Virtual Collocation - Security Essort - Permitting per half flour CLO SPTPK \$5.00 \$3.064																
Virtual Collocation - Maintenance in CO - Chestine, per half hour CLO SPTPM More College CLO																
Virtual Collocatin - Maintenance in CO - Overtime, per half hour CLO SPTOM 38.77 36.77						-										
With Colicionary - National Accidence in CO - Promising per half flour CLO SPTPM 40.90 40.90		virtual Conocatin - Maintenance in CO - Basic, per haif nour	<u> </u>	OLO	CIRLX		30.04	30.04	1	1		 				-
With all Collocation - Numer Park Individual COLO SPITEM 40.90 4		Virtual Collocatin - Maintenance in CO - Overtime, per half hour		CLO	SPTOM		35.77	35.77								
Virtual Collocation - X-wire Cross Connect, Exchange Port 2-Wire UEPSR VE1R2 0.3648 41.50 38.94 19.99		Virtual Collocatin - Maintenance in CO - Premium per half hour		CLO	SPTPM		40.90	40.90								
Wite Analog - Res	VIRTUAL COLL															
Vote Grade Res		Wire Analog - Res		UEPSR	VE1R2	0.3648	41.50	38.94					19.99	19.99	19.99	19.99
Wire Line Side PBX Trunk - Bus				UEPRX	PE1R2	0.3648	41.50	38.94					19.99	19.99	19.99	19.99
Vicia Grade PRX Trunk - Res		Wire Line Side PBX Trunk - Bus		UEPSP	VE1R2	0.3648	41.50	38.94					19.99	19.99	19.99	19.99
Analog Bus				UEPSE	VE1R2	0.3648	41.50	38.94					19.99	19.99	19.99	19.99
Nitrual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire UEPSX VETR2 0.3848 41.50 38.94 19.99 19.99 19.9				UEPSB	VE1R2	0.3648	41.50	38.94					19.99	19.99	19.99	19.99
Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire ISDN UEPTX VE1R2 0.3648 41.50 38.94 19.99 1				UEPSX	VE1R2	0.3648	41.50	38.94					19.99	19.99	19.99	19.99
Virtual Collocation 4-Wire Cross Connect, Exchange Port DDITS UEPDD VE1R4 0.7297 41.56 38.90 19.99 19.																
A-Wire DS1				UEPTX	VE1R2	0.3648	41.50	38.94					19.99	19.99	19.99	19.99
ISDN DS1		4-Wire DS1		UEPDD	VE1R4	0.7297	41.56	38.90					19.99	19.99	19.99	19.99
Virtual Collocation-2 Wire Cross Connects (Loop) for Line Splitting		ISDN DS1		UEPEX	VE1R4	0.7297	41.56	38.90					19.99	19.99	19.99	19.99
Splitting	VIRTUAL COLL															
Regional Service Establishment				UEPSR, UEPSB	VE1LS	0.3648	41.50	38.94					19.99	19.99	19.99	19.99
End Office Establishment	AIN SELECTIVE	E CARRIER ROUTING														
Line/Port NRC, per end user																19.99
Query NRC, per query																19.99
AIN - BELLSOUTH AIN SMS ACCESS SERVICE AIN SMS Access Service - Service Establishment, Per State, Initial Setup AIN CAMSE 296.16 296.16 27.84					SRCLP	0.000440	2.06	2.06					19.99	19.99	19.99	19.99
AIN SMS Access Service - Service Establishment, Per State, Initial Setup AIN SMS Access Service - Port Connection - Dial/Shared Access A1N CAMDP 87.29 87.29 27.84 27.84 AIN SMS Access Service - Port Connection - ISDN Access A1N CAMIP 87.29 87.29 27.84 27.84 AIN SMS Access Service - User Identification Codes - Per User ID Code AIN SMS Access Service - Security Card, Per User ID Code, Initial or Replacement A1N CAMRC 172.26 172.26 27.84 27.84 AIN SMS Access Service - Storage, Per Unit (100 Kilobytes) 0.0028 AIN SMS Access Service - Session, Per Minute 0.00942966 AIN SMS Access Service - Company Performed Session, Per				SKC		0.000448										
Initial Setup	AIN BELLOOG															
AIN SMS Access Service - Port Connection - ISDN Access				A1N	CAMSE		296.16	296.16					27.84	27.84		
AIN SMS Access Service - Port Connection - ISDN Access		AIN SMS Access Service - Port Connection - Dial/Shared Access		A1N	CAMDP		87.29	87.29					27.84	27.84		
ID Code				A1N	CAM1P		87.29	87.29					27.84	27.84		
Initial or Replacement		ID Code		A1N	CAMAU		202.08	202.08					27.84	27.84		
AIN SMS Access Service - Storage, Per Unit (100 Kilobytes) AIN SMS Access Service - Session, Per Minute AIN SMS Access Service - Company Performed Session, Per AIN SMS Access Service - Company Performed Session, Per				A1N	CAMRC		172.26	172.26					27.84	27.84		
AIN SMS Access Service - Company Performed Session, Per		AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)														
						0.0942966										
						2.07										
AIN - BELLSOUTH AIN TOOLKIT SERVICE	AIN - RELI SOL				1	2.07							-			

	ED NETWORK ELEMENTS - South Carolina												Attachment:	2		Exhibit: E
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)	I			Svc Order Submitted Manually per LSR	Order vs.	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonred First	urring Add'l	Nonrecurring D		COMEC	SOMAN		RATES (\$) SOMAN	SOMAN	SOMAN
	AIN Toolkit Service - Service Establishment Charge, Per State,		1				FIRST	Add I	First	Add'l	SOWIEC	SOWAN	SUMAN	SUMAN	SOWAN	SUMAN
	Initial Setup			CAM	BAPSC		291.41	291.41					27.84	27.84		
	AIN Toolkit Service - Training Session, Per Customer				BAPVX		8,333.00	8,333.00					27.84	27.84		
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				DADTT		72.00	72.00					27.04	07.04		
	DN, Term. Attempt AlN Toolkit Service - Trigger Access Charge, Per Trigger, Per		1		BAPTT		73.02	73.02					27.84	27.84		
	DN, Off-Hook Delay				BAPTD		73.02	73.02					27.84	27.84		
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Immediate				BAPTM		73.02	73.02					27.84	27.84		
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, 10-Digit PODP				ВАРТО		150.25	150.25					27.84	27.84		
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
	DN, CDP AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				BAPTC		150.25	150.25					27.84	27.84		
	DN, Feature Code		L		BAPTF	<u> </u>	150.25	150.25				<u></u>	27.84	27.84		
	AIN Toolkit Service - Query Charge, Per Query					0.0250662										
	AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit Subscription, Per Node, Per Query					0.0062979										
	AIN Toolkit Service - SCP Storage Charge, Per SMS Access Account, Per 100 Kilobytes					1.73										
	AIN Toolkit Service - Monthly report - Per AIN Toolkit Service Subscription			CAM	BAPMS	15.93	72.15	72.15					27.84	27.84		
	AIN Toolkit Service - Special Study - Per AIN Toolkit Service Subscription			CAM	BAPLS	0.0872769	47.35	47.35					27.84	27.84		
	AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service Subscription			CAM	BAPDS	15.84	72.15	72.15					27.84	27.84		
	AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit Service Subscription			CAM	BAPES	0.0029092	47.35	47.35					27.84	27.84		
ENITARIOED =	EXTENDED LINK (EELs)			CAW	DAFLO	0.0029092	47.33	47.33					27.04	21.04		
ENHANCED E	:XIENDED LINK (EELS)															
NOTE:	: New EELs available in State of Georgia, density zone 1 of foll							v Orleans, LA;								
NOTE:	: New EELs available in State of Georgia, density zone 1 of foll : Charlotte-Gastonia-Rockhill, NC; Greensboro-Winston Salem	-High P	oint, N	C. Use all rates belo	w except Sw	ritch As Is Charg	ge.									
NOTE: NOTE: NOTE:	: New EELs available in State of Georgia, density zone 1 of foll : Charlotte-Gastonia-Rockhill, NC; Greensboro-Winston Salem : In all states, EEL network elements shown below also apply t	-High P	oint, N	C. Use all rates belo	w except Sw	ritch As Is Charg	ge.			y combined	facilities co	onverted to	UNEs.(Non-re	curring rates	do not	
NOTE: NOTE: NOTE: apply.	: New EELs available in State of Georgia, density zone 1 of foll : Charlotte-Gastonia-Rockhill, NC; Greensboro-Winston Salem : In all states, EEL network elements shown below also apply t	-High P	oint, N ntly co	C. Use all rates belo mbined facilities wh	w except Sw nich are conv	ritch As Is Charger rerted to UNE ra	ge. tes. A Switch			y combined	facilities co	onverted to	UNEs.(Non-re	curring rates	do not	
NOTE: NOTE: NOTE: apply.] NOTE:	: New EELs available in State of Georgia, density zone 1 of foll : Charlotte-Gastonia-Rockhill, NC; Greensboro-Winston Salem : In all states, EEL network elements shown below also apply t	High Po	oint, Nonth	C. Use all rates belo mbined facilities wh bined network elem	w except Sw nich are conv	ritch As Is Charger rerted to UNE ra	ge. tes. A Switch			y combined	facilities co	onverted to	UNEs.(Non-re	curring rates	do not	
NOTE: NOTE: NOTE: apply.] NOTE:	: New EELs available in State of Georgia, density zone 1 of foll : Charlotte-Gastonia-Rockhill, NC; Greensboro-Winston Salem : In all states, EEL network elements shown below also apply to :) : In GA, TN, KY, LA & MS, the EEL network elements apply to or E VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 1	High Po	oint, Nonth	C. Use all rates belo mbined facilities wh bined network elem	w except Sw nich are conv	ritch As Is Charger rerted to UNE ra	ge. tes. A Switch			y combined	facilities co	onverted to	UNEs.(Non-re	curring rates	do not	
NOTE: NOTE: NOTE: apply.] NOTE:	: New EELs available in State of Georgia, density zone 1 of foll : Charlotte-Gastonia-Rockhill, NC; Greensboro-Winston Salem : In all states, EEL network elements shown below also apply to .) : In GA, TN, KY, LA & MS, the EEL network elements apply to of E VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 1 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed	High Po	oint, Nontly com	C. Use all rates belombined facilities who bined network elem ANSPORT (EEL) UNCVX	ew except Sw nich are conv ents.(No Swi	ritch As Is Charg rerted to UNE ra tch As Is Charg 21.57	ge. tes. A Switch			y combined	facilities co	onverted to	UNEs.(Non-re	curring rates	do not	
NOTE: NOTE: NOTE: apply.] NOTE:	: New EELs available in State of Georgia, density zone 1 of foll : Charlotte-Gastonia-Rockhill, NC; Greensboro-Winston Salem : In all states, EEL network elements shown below also apply to one of the control of the c	High Po	oint, Nontly com	C. Use all rates belombined facilities who bined network elem ANSPORT (EEL)	ow except Sw nich are conv ents.(No Swi	vitch As Is Chargerted to UNE ra	ge. tes. A Switch			y combined	facilities co	onverted to	UNEs.(Non-re	curring rates	do not	
NOTE: NOTE: NOTE: apply.] NOTE:	: New EELs available in State of Georgia, density zone 1 of foll : Charlotte-Gastonia-Rockhill, NC; Greensboro-Winston Salem : In all states, EEL network elements shown below also apply to .) : In GA, TN, KY, LA & MS, the EEL network elements apply to of E VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 1 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed	High Po	oint, Nonthly com	C. Use all rates belombined facilities who bined network elem ANSPORT (EEL) UNCVX	ew except Sw nich are conv ents.(No Swi	ritch As Is Charg rerted to UNE ra tch As Is Charg 21.57	ge. tes. A Switch			y combined	facilities co	onverted to	UNEs.(Non-re	curring rates	do not	
NOTE: NOTE: NOTE: apply.] NOTE:	: New EELs available in State of Georgia, density zone 1 of foll : Charlotte-Gastonia-Rockhill, NC; Greensboro-Winston Salem : In all states, EEL network elements shown below also apply to .) : In GA, TN, KY, LA & MS, the EEL network elements apply to o E VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 1 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 2 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed	High Po	oint, Nonthly com	C. Use all rates belombined facilities who bined network elem ANSPORT (EEL) UNCVX UNCVX	ents.(No Swi	ritch As Is Chargerted to UNE ratch As Is Chargerted 21.57	ge. tes. A Switch			y combined	facilities co	onverted to	UNEs.(Non-re	curring rates	do not	
NOTE: NOTE: NOTE: apply.] NOTE:	: New EELs available in State of Georgia, density zone 1 of foll : Charlotte-Gastonia-Rockhill, NC; Greensboro-Winston Salem : In all states, EEL network elements shown below also apply to a constant of the state	High Po	oint, Nonthly com	C. Use all rates belombined facilities who bined network elem ANSPORT (EEL) UNCVX UNCVX UNCVX UNCVX UNCVX	we except Switch are convents.(No Switch Swi	erted to UNE ratech As Is Chargerted to UNE ratech As Is Charger 21.57 32.53 43.08 0.3415	ge. tes. A Switch			y combined	facilities co	onverted to	UNEs.(Non-re	curring rates	do not	
NOTE: NOTE: NOTE: apply.] NOTE:	: New EELs available in State of Georgia, density zone 1 of foll : Charlotte-Gastonia-Rockhill, NC; Greensboro-Winston Salem : In all states, EEL network elements shown below also apply to one of the control of the c	High Po	oint, Nonthly com	C. Use all rates belombined facilities who bined network elem ANSPORT (EEL) UNCVX UNCVX UNCVX UNCVX UNCVX UNC1X	we except Swinich are convents.(No Swinich are convents.(No Swinich are convents) UEAL2 UEAL2 UEAL2 1L5XX U1TF1	eritch As Is Chargereted to UNE ratch As Is Chargereted to UNE ratch As Is Chargerete 21.57 32.53 43.08 0.3415	ge. tes. A Switch			y combined	facilities co	onverted to	UNEs.(Non-re	curring rates	do not	
NOTE: NOTE: NOTE: apply.] NOTE:	: New EELs available in State of Georgia, density zone 1 of foll : Charlotte-Gastonia-Rockhill, NC; Greensboro-Winston Salem In all states, EEL network elements shown below also apply to a .) : In GA, TN, KY, LA & MS, the EEL network elements apply to a EVOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 1 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 2 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile per month Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month DS1 Channelization System Per Month	High Po	oint, Nonthly com	C. Use all rates belombined facilities who bined network elem ANSPORT (EEL) UNCVX UNCVX UNCVX UNCVX UNCIX UNCIX UNCIX UNCIX	we except Swinich are convents.(No Swinich are convents.(No Swinich are convents.) UEAL2 UEAL2 UEAL2 1L5XX U1TF1	eritch As Is Chargereted to UNE ratch As Is Chargereted to UNE ratch As Is Chargerete 21.57 21.57 32.53 43.08 0.3415 77.14 134.46	ge. tes. A Switch			y combined	facilities co	onverted to	UNEs.(Non-re	curring rates	do not	
NOTE: NOTE: NOTE: apply.] NOTE:	: New EELs available in State of Georgia, density zone 1 of foll : Charlotte-Gastonia-Rockhill, NC; Greensboro-Winston Salem : In all states, EEL network elements shown below also apply to a constant of the state	High Po	oint, Nonthly com	C. Use all rates belombined facilities who bined network elem ANSPORT (EEL) UNCVX UNCVX UNCVX UNCVX UNCVX UNC1X	we except Swinich are convents.(No Swinich are convents.(No Swinich are convents) UEAL2 UEAL2 UEAL2 1L5XX U1TF1	eritch As Is Chargereted to UNE ratch As Is Chargereted to UNE ratch As Is Chargerete 21.57 32.53 43.08 0.3415	ge. tes. A Switch			y combined	facilities co	onverted to	UNEs.(Non-re	curring rates	do not	
NOTE: NOTE: NOTE: apply.] NOTE:	: New EELs available in State of Georgia, density zone 1 of foll : Charlotte-Gastonia-Rockhill, NC; Greensboro-Winston Salem In all states, EEL network elements shown below also apply 1 .) : In GA, TN, KY, LA & MS, the EEL network elements apply to 0 E VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 1 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 2 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile per month Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month DS1 Channelization System Per Month Voice Grade COCI - DS1 To Ds0 Interface - Per Month Each Additional 2-Wire VG Loop(SL 2) in the same DS1 Interoffice Transport Combination - Zone 1 Each Additional 2-Wire VG Loop(SL2) in the same DS1	High Po	oint, Nontly com	C. Use all rates belombined facilities who bined network elem ANSPORT (EEL) UNCVX UNCVX UNCVX UNCVX UNC1X UNC1X UNC1X UNC1X UNCVX UNCVX	ue except Switch are convents. (No Switch are convents.) (No Switch are convents) (No Switch are	21.57 21.57 21.57 21.57 21.57 22.53	ge. tes. A Switch			y combined	facilities co	onverted to	UNEs.(Non-re	curring rates	do not	
NOTE: NOTE: NOTE: apply.] NOTE:	: New EELs available in State of Georgia, density zone 1 of foll : Charlotte-Gastonia-Rockhill, NC; Greensboro-Winston Salem In all states, EEL network elements shown below also apply to a constant of the c	High Po	oint, Nontly complete the compl	C. Use all rates belombined facilities who bined network elem ANSPORT (EEL) UNCVX UNCVX UNCVX UNCVX UNC1X UNC1X UNC1X UNC1X UNC1X UNCVX UNCVX UNCVX UNCVX UNCVX	ue except Switch are convents. (No Switch are convents.) (No Switch are convents) (No Switch are	21.57 21.57 21.57 21.57 21.57 22.53 2.53 2.53 2.53 2.53 2.53 2.53 2.5	ge. tes. A Switch			y combined	facilities co	onverted to	UNEs.(Non-re	curring rates	do not	
NOTE: NOTE: NOTE: apply.] NOTE:	: New EELs available in State of Georgia, density zone 1 of foll : Charlotte-Gastonia-Rockhill, NC; Greensboro-Winston Salem : In all states, EEL network elements shown below also apply to a comparison of the c	High Po	oint, Nontly complete the compl	C. Use all rates belombined facilities who bined network elem ANSPORT (EEL) UNCVX UNCVX UNCVX UNCVX UNC1X UNC1X UNC1X UNC1X UNCVX UNCVX	UEAL2 UEAL2 UITF1 MQ1 IDIVG UEAL2 UEAL2 UEAL2 UEAL2 UEAL2	21.57 21.57 21.57 21.57 21.57 22.53	ge. tes. A Switch			y combined	facilities co	onverted to	UNEs.(Non-re	curring rates	do not	
NOTE: NOTE: NOTE: apply.] NOTE:	: New EELs available in State of Georgia, density zone 1 of foll : Charlotte-Gastonia-Rockhill, NC; Greensboro-Winston Salem In all states, EEL network elements shown below also apply to a constant of the c	High Po curre	oint, Nontly complete the compl	C. Use all rates belombined facilities who bined network elem ANSPORT (EEL) UNCVX UNCVX UNCVX UNCVX UNC1X UNC1X UNC1X UNC1X UNC1X UNCVX UNCVX UNCVX UNCVX UNCVX	ue except Switch are convents. (No Switch are convents.) (No Switch are convents) (No Switch are	21.57 21.57 21.57 21.57 21.57 22.53 2.53 2.53 2.53 2.53 2.53 2.53 2.5	ge. tes. A Switch			y combined	facilities co	onverted to	UNEs.(Non-re	curring rates	do not	

UNBUNDLE	D NETWORK ELEMENTS - South Carolina												Attachment:	2		Exhibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonred		Nonrecurrin	g Disconnect				RATES (\$)		
	First AWG And Law Veins Contact and in a BOA law off and						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	29.47										
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	44.44										
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	58.85										
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0.3415										
	Interoffice Transport - Dedicated - DS1 - Facility Termination Per															
	Month Channelization - Channel System DS1 to DS0 combination Per			UNC1X	U1TF1	77.14										
	Month Voice Grade COCI - DS1 to DS0 Channel System combination -			UNC1X	MQ1	134.46										
	per month Additional 4-Wire Analog Voice Grade Loop in same DS1			UNCVX	1D1VG	0.7012				1		ļ				
	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	29.47										
	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	44.44										
	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	58.85										
	Nonrecurring Currently Combined Network Elements Switch -As- ls Charge			UNC1X	UNCCC		11.21	11.21	13.99	13.99			31.38	31.38	3.94	3.94
4-WIRE	5 56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1	INTERC	FFICE				11.21	11.21	13.99	13.99			31.30	31.30	3.94	3.94
	First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice			` '												
	Transport Combination - Zone 1 First 4-wire 56Kbps Digital Grade Loop in a DS1 Interoffice		1	UNCDX	UDL56	34.26										
	Transport Combination - Zone 2 First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice		2	UNCDX	UDL56	51.67					-					
	Transport Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile		3	UNCDX	UDL56	68.43										
	Per Month			UNC1X	1L5XX	0.3415										
	Interoffice Transport - Dedicated - DS1 - combination Facility Termination Per Month			UNC1X	U1TF1	77.14										
	Channelization - Channel System DS1 to DS0 combination Per Month			UNC1X	MQ1	134.46										
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs)			UNCDX	1D1DD	1.49										
	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	34.26										
	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	51.67				İ		1				
	Interoffice Transport Combination - Zone 2 Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	68.43										
	OCU-DP COCI (data) - DS1 to DS0 Channel System -		3	UNCDX	1D1DD											
	combination per month (2.4-64kbs) Nonrecurring Currently Combined Network Elements Switch -As-					1.49										
4-WIPE	Is Charge 64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1	INTER	FFICE	UNC1X TRANSPORT (FFL)	UNCCC	 	11.21	11.21	13.99	13.99	-	-	31.38	31.38	3.94	3.94
7 771111	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice		4	` '		24.00										
	Transport Combination - Zone 1 First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice		1	UNCDX	UDL64	34.26										
	Transport Combination - Zone 2 First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice		2	UNCDX	UDL64	51.67										
	Transport Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile		3	UNCDX	UDL64	68.43										
	Per Month Interoffice Transport - Dedicated - DS1 combination - Facility		-	UNC1X	1L5XX	0.3415				1	-	 				
	Termination Per Month			UNC1X	U1TF1	77.14										

CATEGORY	RATE ELEMENTS	Interi											Incremental	Incremental		1
Ich		m	Zone	BCS	usoc			RATES(\$)				Submitted	Charge - Manual Svc	Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Charge -
Ch						Rec	Nonrec		Nonrecurring					RATES (\$)		
	Channelization - Channel System DS1 to DS0 combination Per						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Inamenzation - Chairner System DS1 to DS0 combination Fer			UNC1X	MQ1	134.46										
	OCU-DP COCI (data) - DS1 to DS0 Channel System			LINODY	4D4DD	4.40										
	ombination - per month (2.4-64kbs) dditional 4-Wire 64Kbps Digital Grade Loopin same DS1			UNCDX	1D1DD	1.49										
Int	nteroffice Transport Combination - Zone 1		1	UNCDX	UDL64	34.26										
	dditional 4-Wire 64Kbps Digital Grade Loopin same DS1		2	UNCDX	UDL64	51.67										
	dditional 4-Wire 64Kbps Digital Grade Loopin same DS1			ONCDX	ODL04	31.07										
	nteroffice Transport Combination - Zone 3		3	UNCDX	UDL64	68.43										
	OCU-DP COCI (data) - DS1 to DS0 Channel System ombination - per month (2.4-64kbs)			UNCDX	1D1DD	1.49										
No	Ionrecurring Currently Combined Network Elements Switch -As-															
	s Charge DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INTE	EROFE!	CE TRA	UNC1X	UNCCC		11.21	11.21	13.99	13.99			31.38	31.38	3.94	3.94
	-Wire DS1 Digital Loop in Combination with DS1 Interoffice	I	I INA	(INDI OILI (EEE)												
	ransport - Zone 1		1	UNC1X	USLXX	59.61										
	-Wire DS1 Digital Loop in Combination with DS1 Interoffice ransport - Zone 2		2	UNC1X	USLXX	89.90										
	-Wire DS1 Digital Loop in Combination with DS1 Interoffice															
	ransport - Zone 3 hteroffice Transport - Dedicated - DS1 combination - Per Mile		3	UNC1X	USLXX	119.06										<u> </u>
	reronice Transport - Dedicated - DST combination - Per Mile er Month			UNC1X	1L5XX	0.3415										
	nteroffice Transport - Dedicated - DS1 combination - Facility															
	ermination Per Month Ionrecurring Currently Combined Network Elements Switch -As-			UNC1X	U1TF1	77.14										
Is	s Charge			UNC1X	UNCCC		11.21	11.21	13.99	13.99			31.38	31.38	3.94	3.94
	OS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTE	ROFFI	CE TRA	NSPORT (EEL)												
1 1	irst DS1Loop in DS3 Interoffice Transport Combination - Zone		1	UNC1X	USLXX	59.61										
Fir	irst DS1Loop in DS3 Interoffice Transport Combination - Zone															
<u> 2</u>	irst DS1Loop in DS3 Interoffice Transport Combination - Zone		2	UNC1X	USLXX	89.90										
3	inst DOTEOOP III DOS interonice Transport Combination - Zone		3	UNC1X	USLXX	119.06										
	nteroffice Transport - Dedicated - DS3 combination - Per Mile				41.504											
	er Month hteroffice Transport - Dedicated - DS3 - Facility Termination per			UNC3X	1L5XX	8.02										
mo	nonth			UNC3X	U1TF3	880.65										
	S3 to DS1 Channel System combination per month			UNC3X UNC1X	MQ3 UC1D1	180.03 10.80										
	dditional DS1Loop in DS3 Interoffice Transport Combination -			UNCIA	OCIDI	10.80										
Zo	one 1		1	UNC1X	USLXX	59.61										<u> </u>
	dditional DS1Loop in DS3 Interoffice Transport Combination - one 2		2	UNC1X	USLXX	89.90										
	dditional DS1Loop in DS3 Interoffice Transport Combination -					09.30										
	one 3		3	UNC1X	USLXX	119.06										
	IS3 Interface Unit (DS1 COCI) combination per month lonrecurring Currently Combined Network Elements Switch -As-			UNC1X	UC1D1	10.80										
Is	S Charge			UNC3X	UNCCC		11.21	11.21	13.99	13.99			31.38	31.38	3.94	3.94
	/OICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GRADE INT -WireVG Loop used with 2-wire VG Interoffice Transport	EROFF	ICE TR	ANSPORT (EEL)												
	combination - Zone 1		1	UNCVX	UEAL2	21.57										
2-\	-WireVG Loop used with 2-wire VG Interoffice Transport															
	combination - Zone 2 -WireVG Loop used with 2-wire VG Interoffice Transport		2	UNCVX	UEAL2	32.53										
Co	Combination - Zone 3		3	UNCVX	UEAL2	43.08										
	nteroffice Transport - Dedicated - 2-wire VG combination - Per file Per Month			UNCVX	1L5XX	0.0167										

UNBUNDLE	D NETWORK ELEMENTS - South Carolina												Attachment:	2		Exhibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)	ı			Submitted	Incremental Charge - Manual Svc		Charge -	Charge -
						Rec	Nonred	curring	Nonrecurrin	g Disconnect			oss	RATES (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN			SOMAN	SOMAN
	Interoffice Transport - Dedicated - 2- Wire Voice Grade															
	combination - Facility Termination per month			UNCVX	U1TV2	24.30										
	Nonrecurring Currently Combined Network Elements Switch -As-															
4 WIDE	Is Charge VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRADE INT	FROFE	ICE TO	UNCVX	UNCCC		11.21	11.21	13.99	13.99			31.38	31.38	3.94	3.94
4-WIKE	4-WireVG Loop used with 4-wire VG Interoffice Transport	EROFF	ICE IK	ANSPORT (EEL)		-										-
	Combination - Zone 1		1	UNCVX	UEAL4	29.47										
	4-WireVG Loop used with 4-wire VG Interoffice Transport		-	ONOVA	OL/IL-I	20.47										
	Combination - Zone 2		2	UNCVX	UEAL4	44.44										
	4-WireVG Loop used with 4-wire VG Interoffice Transport															
	Combination - Zone 3		3	UNCVX	UEAL4	58.85										
	Interoffice Transport - Dedicated - 4-wire VG combination - Per															
	Mile Per Month Interoffice Transport - Dedicated - 4- Wire Voice Grade	 		UNCVX	1L5XX	0.0167			 	 	1			 		
	combination - Facility Termination per month			UNCVX	U1TV4	21.29										
	Nonrecurring Currently Combined Network Elements Switch -As-			ONOVA	01114	21.23										
	Is Charge			UNCVX	UNCCC		11.21	11.21	13.99	13.99			31.38	31.38	3.94	3.94
DS3 DI	GITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFIC	E TRA	NSPOR	T (EEL)												
	High Capacity Unbundled Local Loop - DS3 combination - Per															
	Mile per month			UNC3X	1L5ND	15.33										
	High Capacity Unbundled Local Loop - DS3 combination -															
	Facility Termination per month Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X UNC3X	UE3PX 1L5XX	382.95 8.02										
	Interoffice Transport - Dedicated - DS3 - Fer Mile per month Interoffice Transport - Dedicated - DS3 combination - Facility			UNCSA	ILSAA	0.02			1							
	Termination per per month			UNC3X	U1TF3	880.65										
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNC3X	UNCCC		11.21	11.21	13.99	13.99			31.38	31.38	3.94	3.94
STS1 D	DIGITAL EXTENDED LOOP WITH DEDICATED STS1 INTEROF	FICE TF	RANSPO	ORT (EEL)												
	High Capacity Unbundled Local Loop - STS1 combination - Per Mile per month			UNCSX	1L5ND	15.33										
	High Capacity Unbundled Local Loop - STS1 combination - Facility Termination per month			UNCSX	UDLS1	391.86										
	Interoffice Transport - Dedicated - STS1 combination - Per Mile															
\longrightarrow	per month Interoffice Transport - Dedicated - STS1 combination - Facility			UNCSX	1L5XX	8.02										
	Termination per month			UNCSX	U1TFS	880.55										
_	Nonrecurring Currently Combined Network Elements Switch -As-			ONCOX	01110	000.00										1
	Is Charge			UNCSX	UNCCC		11.21	11.21	13.99	13.99			31.38	31.38	3.94	3.94
2-WIRE	ISDN EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPOR	RT (EEL)													
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination		Ι.]						_]						
	Transport - Zone 1		1	UNCNX	U1L2X	26.68			 	-	 					
1	First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 2		2	UNCNX	U1L2X	40.24			1					1		
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination			OI TOITA	UILEA	40.24			-		 					
	Transport - Zone 3		3	UNCNX	U1L2X	53.85										
	Interoffice Transport - Dedicated - DS1 combination - Per Mile			UNC1X	1L5XX	0.3415				<u> </u>						
	Interoffice Transport - Dedicated - DS1 combintion - Facility															
	Termination per month			UNC1X	U1TF1	77.14										
	Channelization - Channel System DS1 to DS0 combination - per month			UNC1X	MQ1	134.46										
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System combination - per month			UNCNX	UC1CA	3.20										
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport			LINONIN	1141 074	00.00										
	Combination - Zone 1 Additional 2-wire ISDN Loop in same DS1Interoffice Transport	-	1	UNCNX	U1L2X	26.68			 	-				-		
	Combination - Zone 2		2	UNCNX	U1L2X	40.24										
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport															
	Combination - Zone 3		3	UNCNX	U1L2X	53.85			L]		

UNBUNDLE	NETWORK ELEMENTS - South Carolina					•							Attachment:	2		Exhibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Order vs.
						Rec	Nonrec			g Disconnect				RATES (\$)		
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	combintaion- per month			UNCNX	UC1CA	3.20										
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge	1		UNC1X	UNCCC		11.21	11.21	13.99	13.99			31.38	31.38	3.94	3.94
4-WIRE	DS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 IN	ITEROF	FICE T		0.1000				10.00	10.00			01.00	01.00	0.01	0.01
	First DS1 Loop in STS1 Interoffice Transport Combination -															
	Zone 1 First DS1 Loop in STS1 Interoffice Transport Combination -		1	UNC1X	USLXX	59.61										
	Zone 2		2	UNC1X	USLXX	89.90										
	First DS1 Loop in STS1 Interoffice Transport Combination - Zone 3		3	UNC1X	USLXX	119.06										
	Interoffice Transport - Dedicated - STS1 combination - Per Mile Per Month			UNCSX	1L5XX	8.02										
	Interoffice Transport - Dedicated - STS1 combination - Facility Termination			UNCSX	U1TFS	880.55										
	STS1 to DS1 Channel System conbination per month			UNCSX	MQ3	180.03										
	DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	10.80										
	Additional DS1Loop in STS1 Interoffice Transport Combination - Zone 1		1	UNC1X	USLXX	59.61										
	Additional DS1Loop in STS1 Interoffice Transport Combination - Zone 2		2	UNC1X	USLXX	89.90										
	Additional DS1Loop in STS1 Interoffice Transport Combination - Zone 3		3	UNC1X	USLXX	119.06										
	DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	10.80										
	Nonrecurring Currently Combined Network Elements Switch -As- ls Charge			UNCSX	UNCCC		11.21	11.21	13.99	13.99			31.38	31.38	3.94	3.94
	56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS INTERO	FFICE 1	RANS	PORT (EEL)												
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	34.26										
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	51.67										
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport		_													
	Combination - Zone 3 Interoffice Transport - Dedicated - 4-wire 56 kbps combination -		3	UNCDX	UDL56	68.43										
	Per Mile Interoffice Transport - Dedicated - 4-wire 56 kbps combination -			UNCDX	1L5XX	0.0167										
	Facility Termination Nonrecurring Currently Combined Network Elements Switch -As-			UNCDX	U1TD5	16.76										
	Is Charge			UNCDX	UNCCC		11.21	11.21	13.99	13.99			31.38	31.38	3.94	3.94
	64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTERO	FFICE 1	RANS	PORT (EEL)												
	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	34.26										
	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	51.67										
	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	68.43										
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Per Mile		Ĭ	UNCDX	1L5XX	0.0167										
	Fell wille Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Facility Termination			UNCDX	U1TD6	16.76										
	Nonrecurring Currently Combined Network Elements Switch -As- ls Charge			UNCDX	UNCCC	10.70	11.21	11.21	13.99	13.99			31.38	31.38	3.94	3.94
	ETWORK ELEMENTS			5.10DA	311000	†	11.21	11.21	10.00	10.33			31.30	31.30	5.34	5.54
	ised as a part of a currently combined facility, the non-recurr															
	used as ordinarilty combined network elements in Georgia, th	e non-r	ecurrin	g charges apply an	d the Switch	As Is Charge de	oes not.									
	SynchroNet) urring Currently Combined Network Elements "Switch As Is"	Charge	(One 6	nnlies to each com	hingtion)	1								 		-

UNBUNDLE	D NETWORK ELEMENTS - South Carolina												Attachment:	2		Exhibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)	I			Submitted	Incremental Charge - Manual Svc	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonred First	curring Add'l		g Disconnect Add'l	COMEC	COMAN	OSS I	RATES (\$)	SOMAN	SOMAN
	2/4-Wire VG Interoffice Channel used in a COMBINATION -						FIRSt	Addi	First	Addi	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	"Switch As Is" Conversion Charge			UNCVX	UNCCC		11.21	11.21	13.99	13.99			31.38	31.38	3.94	3.94
	56/64 kbps Interoffice Channel used in a COMBINATION - "Switch As Is" Conversion Charge			UNCDX	UNCCC		11.21	11.21	13.99	13.99			31.38	31.38	3.94	3.94
	DS1 Interoffice Channel used in a COMBINATION - "Switch As															
	Is" Conversion Charge DS3 Interoffice Channel used in a COMBINATION - "Switch As			UNC1X	UNCCC		11.21	11.21	13.99	13.99			31.38	31.38	3.94	3.94
	Is" Conversion Charge			UNC3X	UNCCC		11.21	11.21	13.99	13.99			31.38	31.38	3.94	3.94
	STS1 Interoffice or Local Loop used in a COMBINATION -			LINGOV	LINIOOO		44.04	44.04	40.00	40.00			04.00	04.00	0.04	0.04
NOTE:	"Switch As Is" Conversion Charge Local Channel - Dedicated Transport - minimum billing perio	d - Belo	w DS3:	UNCSX	UNCCC	r months	11.21	11.21	13.99	13.99			31.38	31.38	3.94	3.94
UNBUNDLED I	OCAL EXCHANGE SWITCHING(PORTS)			,												
	nge Ports Although the Port Rate includes all available features in GA,	KY I A	<u> </u> & TN +1	ne desired features	will need to !	he ordered usin	a retail HSOC				ļ	-				-
	VOICE GRADE LINE PORT RATES (RES)	KI, LA	Q 114, ti	ie desired realures	Will fleed to i	De Ordered usin	g retail 0300	•								
	Exchange Ports - 2-Wire Analog Line Port- Res.			UEPSR	UEPRL	2.35	24.98	24.98					44.42	14.63		
	Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.			UEPSR	UEPRC	2.35	24.98	24.98					44.42	14.63		
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Res.			UEPSR	UEPRO	2.35	24.98	24.98					44.42	14.63		
	Exchange Ports - 2-Wire VG unbundled SC extended local															
	dialing parity Port with Caller ID - Res. Exchange Ports - 2-Wire VG unbundled South Carolina Area			UEPSR	UEPAU	2.35	24.98	24.98					44.42	14.63		
	Calling port with Caller ID - Res (LW8)			UEPSR	UEPAJ	2.35	24.98	24.98					44.42	14.63		
	Exchange Ports - 2-Wire VG unbundled res, low usage line port			LIEDOD	LIEDAD	0.05	04.00	04.00					44.40	44.00		
	with Caller ID (LUM) Subsequent Activity			UEPSR UEPSR	UEPAP USASC	2.35 0.00	24.98 0.00	24.98 0.00					44.42	14.63		
FEATU	RES															
2 WIDE	All Available Vertical Features VOICE GRADE LINE PORT RATES (BUS)			UEPSR	UEPVF	6.29	0.00	0.00					44.42	14.63		
2-WIRE	Exchange Ports - 2-Wire Analog Line Port without Caller ID -															
	Bus			UEPSB	UEPBL	2.35	24.98	24.98					44.42	14.63		
	Exchange Ports - 2-Wire VG unbundled Line Port with unbundled port with Caller+E484 ID - Bus.			UEPSB	UEPBC	2.35	24.98	24.98					44.42	14.63		
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus.			UEPSB	UEPBO	2.35	24.98	24.98					44.42	14.63		
	Exchange Ports - 2-Wire VG unbundled SC extended local			HEDED	LIEDAZ	0.05	04.00	04.00					44.40	11.00		
	dialing parity Port with Caller ID - Bus. Exhange Ports - 2-Wire VG unbundled incoming only port with	-	1	UEPSB	UEPAZ	2.35	24.98	24.98			1	 	44.42	14.63		
	Caller ID - Bus			UEPSB	UEPB1	2.35	24.98	24.98					44.42	14.63		
	Exchange Ports - 2-Wire VG unbundled South Carolina Bus Area Calling Port with Caller ID - Bus (LMB)			UEPSB	UEPAB	2.35	24.98	24.98					44.42	14.63		
	Subsequent Activity			UEPSB	USASC	0.00	0.00	0.00					77.72	14.00		
FEATU																
EVCU	All Available Vertical Features NGE PORT RATES (DID & PBX)			UEPSB	UEPVF	6.29	0.00	0.00					44.42	14.63		
EACHA	2-Wire VG Unbundled 2-Way PBX Trunk - Res	1	†	UEPSE	UEPRD	2.35	24.36	24.36			1	 	41.86	14.46		
	2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus			UEPSP	UEPPC	2.35	24.36	24.36					41.86	14.46		
	2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus			UEPSP	UEPPO	2.35	24.36	24.36					41.86	14.46		
	2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus	<u> </u>		UEPSP	UEPP1	2.35	24.36	24.36	.		ļ	<u> </u>	41.86	14.46		
-	2-Wire Analog Long Distance Terminal PBX Trunk - Bus 2-Wire Voice Unbundled PBX LD Terminal Ports			UEPSP UEPSP	UEPLD UEPLD	2.35 2.35	24.36 24.36	24.36 24.36	-		 		41.86 41.86	14.46 14.46		
	2-Wire Voice Unbundled 2-Way PBX Usage Port			UEPSP	UEPXA	2.35	24.36	24.36					41.86	14.46		
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPSP	UEPXB	2.35	24.36	24.36					41.86	14.46		
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPSP	UEPXC	2.35	24.36	24.36					41.86	14.46		
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port 2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD	1	-	UEPSP	UEPXD	2.35	24.36	24.36			-	-	41.86	14.46		
	Capable Port			UEPSP	UEPXE	2.35	24.36	24.36					41.86	14.46		

	LED NETWORK ELEMENTS - South Carolina												Attachment:	2		Exhibit: B
CATEGOR	Y RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring		COMEC	COMAN		RATES (\$)	COMAN	COMAN
\vdash	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Administrative Calling Port			UEPSP	UEPXL	2.35	24.36	24.36					41.86	14.46		
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPSP	UEPXM	2.35	24.36	24.36					41.86	14.46		
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port			UEPSP	UEPXO	2.35	24.36	24.36					41.86	14.46		
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port		1	UEPSP	UEPXS	2.35	24.36	24.36					41.86	14.46		
	2-Wire Voice Unbundled 2-Way PBX South Carolina Area Plus															
	Calling Port			UEPSP	UEPXT	2.35	24.36	24.36					41.86	14.46		
	Subsequent Activity			UEPSP	USASC	0.00	0.00	0.00								
FEA	TURES All Available Vertical Features	1		UEPSP UEPSE	UEPVF	6.29	0.00	0.00					41.86	14.46		
EXC	HANGE PORT RATES (COIN)			OLI OF OLF OL	OLF VI	0.29	0.00	0.00					41.00	14.40		
	Exchange Ports - Coin Port					2.77	24.75	24.75					43.48	14.57		
	al Switching Features offered with Port															
NOT	E: Transmission/usage charges associated with POTS circuit sv	witched	usage	will also apply to c	ircuit switche	ed voice and/or	circuit switche	ed data transm	nission by B-Ch	annels associ	ated with 2-	wire ISDN p	orts.			
NOT	E: Access to B Channel or D Channel Packet capabilities will be Exchange port - 4-wire ISDN trunk port -all available features	e availal	ble only	y through BFR/New	Business Re	quest Process.	Rates for the	packet capabi	lities will be det	ermined via t	he Bona Fic	le Request/l	New Business	Request Pro	cess.	
	included				UEPEX	251.00	311.73	311.73					65.48	65.48		
	Exchange Port - 2-wire ISDN digital line side port with three features included				U1PMA	36.01	70.32	70.32					67.52	67.52		
	D LOCAL EXCHANGE SWITCHING(PORTS)															
			-													
	HANGE PORT RATES (DID & PBX)			LIEDEV	LIEDDO	0.00	220.44	27.50	420.05	7.54			67.50	67.50		
	HANGE PORT RATES (DID & PBX) Exchange Ports - 2-Wire DID Port			UEPEX	UEPP2	8.86	239.14	37.56	120.05	7.54			67.52	67.52		
	HANGE PORT RATES (DID & PBX) Exchange Ports - 2-Wire DID Port Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID capability			UEPDD	UEPDD	73.62	404.94	191.80	145.50	4.93			19.99	19.99	19.99	19.99
	HANGE PORT RATES (DID & PBX) Exchange Ports - 2-Wire DID Port Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID capability Exchange Ports - 2-Wire ISDN Port (See Notes below.)			UEPDD UEPTX UEPSX	UEPDD U1PMA	73.62 13.38	404.94 145.86	191.80 106.21							19.99	19.99
EXC	HANGE PORT RATES (DID & PBX) Exchange Ports - 2-Wire DID Port Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID capability Exchange Ports - 2-Wire ISDN Port (See Notes below.) All Features Offered	witched	Lucago	UEPDD UEPTX UEPSX UEPTX UEPSX	UEPDD U1PMA UEPVF	73.62 13.38 6.29	404.94 145.86 0.00	191.80 106.21 0.00	145.50 95.79	4.93 21.52	atod with 2	wire ISDN r	19.99 67.52	19.99	19.99	19.99
EXC	HANGE PORT RATES (DID & PBX) Exchange Ports - 2-Wire DID Port Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID capability Exchange Ports - 2-Wire ISDN Port (See Notes below.)	witched	usage	UEPDD UEPTX UEPSX UEPTX UEPSX	UEPDD U1PMA UEPVF	73.62 13.38 6.29	404.94 145.86 0.00	191.80 106.21 0.00	145.50 95.79	4.93 21.52	ated with 2-	wire ISDN p	19.99 67.52	19.99	19.99	19.99
NOT	HANGE PORT RATES (DID & PBX) Exchange Ports - 2-Wire DID Port Exchange Ports - DITS Port - 4-Wire DS1 Port with DID capability Exchange Ports - 2-Wire ISDN Port (See Notes below.) All Features Offered E: Transmission/usage charges associated with POTS circuit so			UEPDD UEPTX UEPSX UEPTX UEPSX will also apply to c	UEPDD U1PMA UEPVF ircuit switche	73.62 13.38 6.29 ed voice and/or	404.94 145.86 0.00 circuit switche	191.80 106.21 0.00 ed data transm	145.50 95.79 hission by B-Cha	4.93 21.52 annels associ			19.99 67.52 ports.	19.99 67.52		19.99
NOT	HANGE PORT RATES (DID & PBX) Exchange Ports - 2-Wire DID Port Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID capability Exchange Ports - 2-Wire ISDN Port (See Notes below.) All Features Offered			UEPDD UEPTX UEPSX UEPTX UEPSX will also apply to c	UEPDD U1PMA UEPVF ircuit switche	73.62 13.38 6.29 ed voice and/or	404.94 145.86 0.00 circuit switche	191.80 106.21 0.00 ed data transm	145.50 95.79 hission by B-Chalities will be det	4.93 21.52 annels associ			19.99 67.52 ports.	19.99 67.52		19.99
NOT NOT	HANGE PORT RATES (DID & PBX) Exchange Ports - 2-Wire DID Port Exchange Ports - DITS Port - 4-Wire DS1 Port with DID capability Exchange Ports - 2-Wire ISDN Port (See Notes below.) All Features Offered E: Transmission/usage charges associated with POTS circuit sv E: Access to B Channel or D Channel Packet capabilities will be Exchange Ports - 2-Wire ISDN Port - Channel Profiles Exchange Ports - 4-Wire ISDN DS1 Port			UEPDD UEPTX UEPSX UEPTX UEPSX will also apply to c	UEPDD U1PMA UEPVF ircuit switche	73.62 13.38 6.29 ed voice and/or quest Process.	404.94 145.86 0.00 circuit switche	191.80 106.21 0.00 ed data transm	145.50 95.79 hission by B-Chalities will be det	4.93 21.52 annels associ			19.99 67.52 ports.	19.99 67.52		19.99
NOT NOT UNBUNDLE	HANGE PORT RATES (DID & PBX) Exchange Ports - 2-Wire DID Port Exchange Ports - DITS Port - 4-Wire DS1 Port with DID capability Exchange Ports - 2-Wire ISDN Port (See Notes below.) All Features Offered E: Transmission/usage charges associated with POTS circuit so E: Access to B Channel or D Channel Packet capabilities will be Exchange Ports - 2-Wire ISDN Port - Channel Profiles Exchange Ports - 4-Wire ISDN DS1 Port D LOCAL SWITCHING, PORT USAGE			UEPDD UEPTX UEPSX UEPTX UEPSX will also apply to c y through BFR/New UEPTX UEPSX	UEPDD U1PMA UEPVF ircuit switche Business Re	73.62 13.38 6.29 ed voice and/or equest Process.	404.94 145.86 0.00 circuit switche Rates for the	191.80 106.21 0.00 ed data transm packet capabi 0.00	145.50 95.79 hission by B-Challities will be def	4.93 21.52 annels associ			19.99 67.52 ports.	19.99 67.52		19.99
NOT NOT UNBUNDLE	HANGE PORT RATES (DID & PBX) Exchange Ports - 2-Wire DID Port Exchange Ports - DITS Port - 4-Wire DS1 Port with DID capability Exchange Ports - 2-Wire ISDN Port (See Notes below.) All Features Offered E: Transmission/usage charges associated with POTS circuit sv E: Access to B Channel or D Channel Packet capabilities will be Exchange Ports - 2-Wire ISDN Port - Channel Profiles Exchange Ports - 4-Wire ISDN DS1 Port D LOCAL SWITCHING, PORT USAGE Office Switching (Port Usage)			UEPDD UEPTX UEPSX UEPTX UEPSX will also apply to c y through BFR/New UEPTX UEPSX	UEPDD U1PMA UEPVF ircuit switche Business Re	73.62 13.38 6.29 ed voice and/or equest Process. 0.00 107.44	404.94 145.86 0.00 circuit switche Rates for the	191.80 106.21 0.00 ed data transm packet capabi 0.00	145.50 95.79 hission by B-Challities will be def	4.93 21.52 annels associ			19.99 67.52 ports.	19.99 67.52		19.99
NOT NOT UNBUNDLE	HANGE PORT RATES (DID & PBX) Exchange Ports - 2-Wire DID Port Exchange Ports - 2-Wire DID Port Exchange Ports - DITS Port - 4-Wire DS1 Port with DID capability Exchange Ports - 2-Wire ISDN Port (See Notes below.) All Features Offered E: Transmission/usage charges associated with POTS circuit sv E: Access to B Channel or D Channel Packet capabilities will be Exchange Ports - 2-Wire ISDN Port - Channel Profiles Exchange Ports - 4-Wire ISDN DS1 Port D LOCAL SWITCHING, PORT USAGE Office Switching (Port Usage) End Office Switching Function, Per MOU			UEPDD UEPTX UEPSX UEPTX UEPSX will also apply to c y through BFR/New UEPTX UEPSX	UEPDD U1PMA UEPVF ircuit switche Business Re	73.62 13.38 6.29 ed voice and/or equest Process. 0.00 107.44	404.94 145.86 0.00 circuit switche Rates for the	191.80 106.21 0.00 ed data transm packet capabi 0.00	145.50 95.79 hission by B-Challities will be def	4.93 21.52 annels associ			19.99 67.52 ports.	19.99 67.52		19.99
NOT NOT UNBUNDLE	HANGE PORT RATES (DID & PBX) Exchange Ports - 2-Wire DID Port Exchange Ports - DITS Port - 4-Wire DS1 Port with DID capability Exchange Ports - 2-Wire ISDN Port (See Notes below.) All Features Offered E: Transmission/usage charges associated with POTS circuit sv E: Access to B Channel or D Channel Packet capabilities will be Exchange Ports - 2-Wire ISDN Port - Channel Profiles Exchange Ports - 4-Wire ISDN DS1 Port D LOCAL SWITCHING, PORT USAGE Office Switching (Port Usage)			UEPDD UEPTX UEPSX UEPTX UEPSX will also apply to c y through BFR/New UEPTX UEPSX	UEPDD U1PMA UEPVF ircuit switche Business Re	73.62 13.38 6.29 ed voice and/or equest Process. 0.00 107.44	404.94 145.86 0.00 circuit switche Rates for the	191.80 106.21 0.00 ed data transm packet capabi 0.00	145.50 95.79 hission by B-Challities will be def	4.93 21.52 annels associ			19.99 67.52 ports.	19.99 67.52		19.99
NOT NOT UNBUNDLE	HANGE PORT RATES (DID & PBX) Exchange Ports - 2-Wire DID Port Exchange Ports - 2-Wire DID Port Exchange Ports - DITS Port - 4-Wire DS1 Port with DID capability Exchange Ports - 2-Wire ISDN Port (See Notes below.) All Features Offered E: Transmission/usage charges associated with POTS circuit sv E: Access to B Channel or D Channel Packet capabilities will be Exchange Ports - 2-Wire ISDN Port - Channel Profiles Exchange Ports - 4-Wire ISDN DS1 Port D LOCAL SWITCHING, PORT USAGE Office Switching (Port Usage) End Office Switching Function, Per MOU End Office Trunk Port - Shared, Per MOU dem Switching (Port Usage) (Local or Access Tandem) Tandem Switching Function Per MOU			UEPDD UEPTX UEPSX UEPTX UEPSX will also apply to c y through BFR/New UEPTX UEPSX	UEPDD U1PMA UEPVF ircuit switche Business Re	73.62 13.38 6.29 ad voice and/or quest Process. 0.00 107.44 0.0019295 0.0002581	404.94 145.86 0.00 circuit switche Rates for the	191.80 106.21 0.00 ed data transm packet capabi 0.00	145.50 95.79 hission by B-Challities will be def	4.93 21.52 annels associ			19.99 67.52 ports.	19.99 67.52		19.99
NOT NOT UNBUNDLE End	HANGE PORT RATES (DID & PBX) Exchange Ports - 2-Wire DID Port Exchange Ports - DITS Port - 4-Wire DS1 Port with DID capability Exchange Ports - 2-Wire ISDN Port (See Notes below.) All Features Offered E: Transmission/usage charges associated with POTS circuit sv E: Access to B Channel or D Channel Packet capabilities will be Exchange Ports - 2-Wire ISDN Port - Channel Profiles Exchange Ports - 4-Wire ISDN DS1 Port D LOCAL SWITCHING, PORT USAGE Office Switching (Port Usage) End Office Switching Function, Per MOU End Office Trunk Port - Shared, Per MOU Tandem Switching Function Per MOU Tandem Switching Function Per MOU Tandem Trunk Port - Shared, Per MOU			UEPDD UEPTX UEPSX UEPTX UEPSX will also apply to c y through BFR/New UEPTX UEPSX	UEPDD U1PMA UEPVF ircuit switche Business Re	73.62 13.38 6.29 ad voice and/or equest Process. 0.00 107.44 0.0019295 0.0002581	404.94 145.86 0.00 circuit switche Rates for the	191.80 106.21 0.00 ed data transm packet capabi 0.00	145.50 95.79 hission by B-Challities will be def	4.93 21.52 annels associ			19.99 67.52 ports.	19.99 67.52		19.99
NOT NOT UNBUNDLE End	HANGE PORT RATES (DID & PBX) Exchange Ports - 2-Wire DID Port Exchange Ports - DITS Port - 4-Wire DS1 Port with DID capability Exchange Ports - 2-Wire ISDN Port (See Notes below.) All Features Offered E: Transmission/usage charges associated with POTS circuit so E: Access to B Channel or D Channel Packet capabilities will be Exchange Ports - 2-Wire ISDN Port - Channel Profiles Exchange Ports - 4-Wire ISDN DS1 Port D LOCAL SWITCHING, PORT USAGE Office Switching (Port Usage) End Office Switching Function, Per MOU End Office Trunk Port - Shared, Per MOU Tandem Switching Function Per MOU Tandem Switching Function Per MOU Tandem Trunk Port - Shared, Per MOU Tandem			UEPDD UEPTX UEPSX UEPTX UEPSX will also apply to c y through BFR/New UEPTX UEPSX	UEPDD U1PMA UEPVF ircuit switche Business Re	73.62 13.38 6.29 ed voice and/or equest Process. 0.00 107.44 0.0019295 0.0002581 0.0006843 0.0004034	404.94 145.86 0.00 circuit switche Rates for the	191.80 106.21 0.00 ed data transm packet capabi 0.00	145.50 95.79 hission by B-Challities will be def	4.93 21.52 annels associ			19.99 67.52 ports.	19.99 67.52		19.99
NOT NOT UNBUNDLE End	HANGE PORT RATES (DID & PBX) Exchange Ports - 2-Wire DID Port Exchange Ports - DITS Port - 4-Wire DS1 Port with DID capability Exchange Ports - 2-Wire ISDN Port (See Notes below.) All Features Offered E: Transmission/usage charges associated with POTS circuit sv E: Access to B Channel or D Channel Packet capabilities will be Exchange Ports - 2-Wire ISDN Port - Channel Profiles Exchange Ports - 4-Wire ISDN DS1 Port D LOCAL SWITCHING, PORT USAGE Office Switching (Port Usage) End Office Switching Function, Per MOU End Office Trunk Port - Shared, Per MOU dem Switching (Port Usage) (Local or Access Tandem) Tandem Trunk Port - Shared, Per MOU mon Transport Common Transport - Per Mile, Per MOU			UEPDD UEPTX UEPSX UEPTX UEPSX will also apply to c y through BFR/New UEPTX UEPSX	UEPDD U1PMA UEPVF ircuit switche Business Re	73.62 13.38 6.29 ed voice and/or quest Process. 0.00 107.44 0.0019295 0.0002581 0.0006843 0.0004034	404.94 145.86 0.00 circuit switche Rates for the	191.80 106.21 0.00 ed data transm packet capabi 0.00	145.50 95.79 hission by B-Challities will be def	4.93 21.52 annels associ			19.99 67.52 ports.	19.99 67.52		19.99
NOT NOT UNBUNDLE End Tan-	HANGE PORT RATES (DID & PBX) Exchange Ports - 2-Wire DID Port Exchange Ports - DITS Port - 4-Wire DS1 Port with DID capability Exchange Ports - 2-Wire ISDN Port (See Notes below.) All Features Offered E: Transmission/usage charges associated with POTS circuit so E: Access to B Channel or D Channel Packet capabilities will be Exchange Ports - 2-Wire ISDN Port - Channel Profiles Exchange Ports - 4-Wire ISDN DS1 Port D LOCAL SWITCHING, PORT USAGE Office Switching (Port Usage) End Office Switching Function, Per MOU End Office Trunk Port - Shared, Per MOU Tandem Switching Function Per MOU Tandem Switching Function Per MOU Tandem Trunk Port - Shared, Per MOU Tandem			UEPDD UEPTX UEPSX UEPTX UEPSX will also apply to c y through BFR/New UEPTX UEPSX	UEPDD U1PMA UEPVF ircuit switche Business Re	73.62 13.38 6.29 ed voice and/or equest Process. 0.00 107.44 0.0019295 0.0002581 0.0006843 0.0004034	404.94 145.86 0.00 circuit switche Rates for the	191.80 106.21 0.00 ed data transm packet capabi 0.00	145.50 95.79 hission by B-Challities will be def	4.93 21.52 annels associ			19.99 67.52 ports.	19.99 67.52		19.99
NOT NOT UNBUNDLE Tan Con UNBUNDLE Cos	HANGE PORT RATES (DID & PBX) Exchange Ports - 2-Wire DID Port Exchange Ports - 2-Wire DID Port Exchange Ports - DITS Port - 4-Wire DS1 Port with DID capability Exchange Ports - 2-Wire ISDN Port (See Notes below.) All Features Offered E: Transmission/usage charges associated with POTS circuit sv E: Access to B Channel or D Channel Packet capabilities will be Exchange Ports - 2-Wire ISDN Port - Channel Profiles Exchange Ports - 4-Wire ISDN DS1 Port D LOCAL SWITCHING, PORT USAGE Office Switching (Port Usage) End Office Switching Function, Per MOU End Office Switching Function, Per MOU dem Switching (Port Usage) (Local or Access Tandem) Tandem Trunk Port - Shared, Per MOU Tandem Trunk Port - Shared, Per MOU Tandem Trunk Port - Shared, Per MOU Common Transport - Per Mile, Per MOU Common Transport - Per Mile, Per MOU D PORT/LOOP COMBINATIONS - COST BASED RATES Based Rates are applied where BellSouth is required by FCC ar	e availal	ble only	UEPDD UEPTX UEPSX UEPTX UEPSX will also apply to c y through BFR/New UEPTX UEPSX UEPEX UEPEX	UEPDD U1PMA UEPVF ircuit switch Business Re U1UMA UEPEX	73.62 13.38 6.29 ad voice and/or quest Process. 0.00 107.44 0.0019295 0.0002581 0.0006843 0.0004034 0.0000121 0.0004672 dled Local Swit	404.94 145.86 0.00 circuit switch Rates for the 0.00 408.53	191.80 106.21 0.00 ed data transm packet capabi 0.00 203.56	145.50 95.79 hission by B-Chi lities will be det	4.93 21.52 annels associ termined via t	he Bona Fid		19.99 67.52 ports.	19.99 67.52		19.99
NOT NOT UNBUNDLE Tan Con UNBUNDLE Cos	HANGE PORT RATES (DID & PBX) Exchange Ports - 2-Wire DID Port Exchange Ports - DITS Port - 4-Wire DS1 Port with DID capability Exchange Ports - 2-Wire ISDN Port (See Notes below.) All Features Offered E: Transmission/usage charges associated with POTS circuit su E: Access to B Channel or D Channel Packet capabilities will be Exchange Ports - 2-Wire ISDN Port - Channel Profiles Exchange Ports - 4-Wire ISDN DS1 Port D LOCAL SWITCHING, PORT USAGE Office Switching (Port Usage) End Office Switching Function, Per MOU End Office Trunk Port - Shared, Per MOU dem Switching (Port Usage) (Local or Access Tandem) Tandem Switching Function Per MOU Tandem Trunk Port - Shared, Per MOU Tandem Trunk Port - Shared, Per MOU Common Transport - Per Mile, Per MOU Common Transport - Per Mile, Per MOU Common Transport - Per Mile, Per MOU Common Transport - Per Mile, Per MOU Common Transport - Per Mile, Per MOU Common Transport - Per Mile, Per MOU Common Transport - Per Mile, Per MOU Common Transport - Per Mile, Per MOU Common Transport - Facilities Termination Per MOU	e availal	ble only	UEPDD UEPTX UEPSX UEPTX UEPSX will also apply to c y through BFR/New UEPTX UEPSX UEPEX UEPEX	UEPDD U1PMA UEPVF ircuit switch Business Re U1UMA UEPEX	73.62 13.38 6.29 ad voice and/or quest Process. 0.00 107.44 0.0019295 0.0002581 0.0006843 0.0004034 0.0000121 0.0004672 dled Local Swit	404.94 145.86 0.00 circuit switch Rates for the 0.00 408.53	191.80 106.21 0.00 ed data transm packet capabi 0.00 203.56	145.50 95.79 hission by B-Chi lities will be det	4.93 21.52 annels associ termined via t	he Bona Fid		19.99 67.52 ports.	19.99 67.52		19.99
NOT NOT UNBUNDLE End Tan Con UNBUNDLE Cos Feat	HANGE PORT RATES (DID & PBX) Exchange Ports - 2-Wire DID Port Exchange Ports - 2-Wire DID Port Exchange Ports - DITS Port - 4-Wire DS1 Port with DID capability Exchange Ports - 2-Wire ISDN Port (See Notes below.) All Features Offered E: Transmission/usage charges associated with POTS circuit sv E: Access to B Channel or D Channel Packet capabilities will be Exchange Ports - 2-Wire ISDN Port - Channel Profiles Exchange Ports - 4-Wire ISDN DS1 Port D LOCAL SWITCHING, PORT USAGE Office Switching (Port Usage) End Office Switching Function, Per MOU End Office Switching Function, Per MOU dem Switching (Port Usage) (Local or Access Tandem) Tandem Trunk Port - Shared, Per MOU Tandem Trunk Port - Shared, Per MOU Tandem Trunk Port - Shared, Per MOU Common Transport - Per Mile, Per MOU Common Transport - Per Mile, Per MOU D PORT/LOOP COMBINATIONS - COST BASED RATES Based Rates are applied where BellSouth is required by FCC ar	e availal	ble only	UEPDD UEPTX UEPSX UEPTX UEPSX will also apply to c y through BFR/New UEPTX UEPSX UEPEX mmission rule to precion in the same	UEPDD U1PMA UEPVF ircuit switche Business Re U1UMA UEPEX	73.62 13.38 6.29 ad voice and/or quest Process. 0.00 107.44 0.0019295 0.0002581 0.0006843 0.0004034 0.0000121 0.0004672 dled Local Swittey are applied to	404.94 145.86 0.00 circuit switche 0.00 408.53	191.80 106.21 0.00 ed data transm packet capabi 0.00 203.56	145.50 95.79 hission by B-Chilities will be del 158.70	4.93 21.52 annels associ termined via t 21.52	he Bona Fic	le Request/l	19.99 67.52 ports.	19.99 67.52 Request Pro 65.48		19.99
NOT NOT UNBUNDLE End Tan Con UNBUNDLE Cos Feat	HANGE PORT RATES (DID & PBX) Exchange Ports - 2-Wire DID Port Exchange Ports - 2-Wire DID Port Exchange Ports - 2-Wire IDD Port (See Notes below.) All Features Offered E: Transmission/usage charges associated with POTS circuit so E: Access to B Channel or D Channel Packet capabilities will be Exchange Ports - 2-Wire ISDN Port - Channel Profiles Exchange Ports - 2-Wire ISDN Port - Channel Profiles Exchange Ports - 4-Wire ISDN DS1 Port D LOCAL SWITCHING, PORT USAGE Office Switching (Port Usage) End Office Switching Function, Per MOU End Office Trunk Port - Shared, Per MOU dem Switching (Port Usage) (Local or Access Tandem) Tandem Switching Function Per MOU Tandem Trunk Port - Shared, Per MOU Tandem Trunk Port - Shared, Per MOU Common Transport Common Transport - Per Mile, Per MOU D PORT/LOOP COMBINATIONS - COST BASED RATES Based Rates are applied where BellSouth is required by FCC ar ures shall apply to the Unbundled Port/Loop Combination - Cos Office and Tandem Switching Usage and Common Transport Us Georgia, Kentucky, Louisiana, MIssissippi and Tennessee, the re	availal	tate Cool Rate s	UEPDD UEPTX UEPSX UEPTX UEPSX will also apply to c y through BFR/New UEPTX UEPSX UEPEX mmission rule to precion in the same the Port section of the	UEPDD U1PMA UEPVF ircuit switche Business Re U1UMA UEPEX UEPEX Ovide Unbun manner as the his rate exhib- ges listed app	73.62 13.38 6.29 ad voice and/or quest Process. 0.00 107.44 0.0019295 0.0002581 0.0006843 0.0004034 0.0000121 0.0004672 dled Local Swittey are applied to the shall apply to only to Currently	404.94 145.86 0.00 circuit switche 0.00 408.53 ching or Switte to the Stand-A all combined and	191.80 106.21 0.00 ad data transm packet capabi 0.00 203.56 ch Ports. lone Unbundle	145.50 95.79 sission by B-Chilities will be det 158.70 add Port section ort network elem y Combined Co	4.93 21.52 annels associ termined via t 21.52 of this Rate E tents except f	he Bona Fic	n Port/Loop	19.99 67.52 ports. New Business 65.48 0 Combination ort nonrecurr	19.99 67.52 Request Pro 65.48	pply to Not C	Currently
NOT NOT UNBUNDLE End Tan Con UNBUNDLE Cos Feat End	Exchange Ports - 2-Wire DID Port	nd/or State Basecuring	ble only	UEPDD UEPTX UEPSX UEPTX UEPSX will also apply to c y through BFR/New UEPTX UEPSX UEPEX mmission rule to precion in the same ne Port section of the Port and Loop chargarges are commission	UEPDD U1PMA UEPVF ircuit switche Business Re U1UMA UEPEX Ovide Unbun manner as the sis rate exhibits rate exhibits and ordered controlled to the sisted applied to the sisted a	73.62 13.38 6.29 ad voice and/or quest Process. 0.00 107.44 0.0019295 0.0002581 0.0006843 0.0004034 0.0000121 0.0004672 dled Local Swittey are applied to it shall apply to boly to Currently ost based rates	404.94 145.86 0.00 circuit switcher 0.00 408.53 cching or Switcher to the Stand-A all combination	191.80 106.21 0.00 ad data transm packet capabi 0.00 203.56 ch Ports. lone Unbundle	145.50 95.79 sission by B-Chilities will be det 158.70 add Port section ort network elem y Combined Co	4.93 21.52 annels associ termined via t 21.52 of this Rate E tents except f	he Bona Fic	n Port/Loop	19.99 67.52 ports. New Business 65.48 0 Combination ort nonrecurr	19.99 67.52 Request Pro 65.48	pply to Not C	Currently
NOT NOT UNBUNDLE End Con UNBUNDLE Cos Feat End For Con Con	HANGE PORT RATES (DID & PBX) Exchange Ports - 2-Wire DID Port Exchange Ports - 2-Wire DID Port Exchange Ports - 2-Wire ISDN Port - 4-Wire DS1 Port with DID capability Exchange Ports - 2-Wire ISDN Port (See Notes below.) All Features Offered E: Transmission/usage charges associated with POTS circuit su Exchange Ports - 2-Wire ISDN Port - Channel Profiles will be Exchange Ports - 2-Wire ISDN DS1 Port D LOCAL SWITCHING, PORT USAGE Office Switching (Port Usage) End Office Switching Function, Per MOU End Office Switching Function, Per MOU End Office Trunk Port - Shared, Per MOU Tandem Switching Function Per MOU Tandem Trunk Port - Shared, Per MOU Common Transport Common Transport - Per Mile, Per MOU Common Transport - Per Mile, Per MOU E Based Rates are applied where BellSouth is required by FCC ar ures shall apply to the Unbundled Port/Loop Combination - Cos Office and Tandem Switching Usage and Common Transport Usage Georgia, Kentucky, Louisiana, Mississippi and Tennessee, the recibined Combos in all other states, the nonrecurring charges shall beined Combos in all other states, the nonrecurring charges shall beined Combos in all other states, the nonrecurring charges shall beined Combos in all other states, the nonrecurring charges shall	nd/or State Basecuring	ble only	UEPDD UEPTX UEPSX UEPTX UEPSX will also apply to c y through BFR/New UEPTX UEPSX UEPEX mmission rule to precion in the same ne Port section of the Port and Loop chargarges are commission	UEPDD U1PMA UEPVF ircuit switche Business Re U1UMA UEPEX Ovide Unbun manner as the sis rate exhibits rate exhibits and ordered controlled to the sisted applied to the sisted a	73.62 13.38 6.29 ad voice and/or quest Process. 0.00 107.44 0.0019295 0.0002581 0.0006843 0.0004034 0.0000121 0.0004672 dled Local Swittey are applied to it shall apply to boly to Currently ost based rates	404.94 145.86 0.00 circuit switcher 0.00 408.53 cching or Switcher to the Stand-A all combination	191.80 106.21 0.00 ad data transm packet capabi 0.00 203.56 ch Ports. lone Unbundle	145.50 95.79 sission by B-Chilities will be det 158.70 add Port section ort network elem y Combined Co	4.93 21.52 annels associ termined via t 21.52 of this Rate E tents except f	he Bona Fic	n Port/Loop	19.99 67.52 ports. New Business 65.48 0 Combination ort nonrecurr	19.99 67.52 Request Pro 65.48	pply to Not C	Currently
NOT NOT UNBUNDLE End Tan: Con UNBUNDLE Cos Feat End For Con Con 2-W	HANGE PORT RATES (DID & PBX) Exchange Ports - 2-Wire DID Port Exchange Ports - 2-Wire DID Port Exchange Ports - DITS Port - 4-Wire DS1 Port with DID capability Exchange Ports - 2-Wire ISDN Port (See Notes below.) All Features Offered E: Transmission/usage charges associated with POTS circuit sv E: Access to B Channel or D Channel Packet capabilities will be Exchange Ports - 2-Wire ISDN Port - Channel Profiles Exchange Ports - 2-Wire ISDN DS1 Port D LOCAL SWITCHING, PORT USAGE Office Switching (Port Usage) End Office Switching Function, Per MOU End Office Trunk Port - Shared, Per MOU Tandem Switching Function Per MOU Tandem Trunk Port - Shared, Per MOU Tandem Trunk Port - Shared, Per MOU Common Transport Common Transport - Per Mile, Per MOU D PORT/LOOP COMBINATIONS - COST BASED RATES Based Rates are applied where BellSouth is required by FCC ar ures shall apply to the Unbundled Port/Loop Combination - Cost Office and Tandem Switching Usage and Common Transport Us Georgia, Kentucky, Louisiana, MIssissippi and Tennessee, the relative Combos for all states. In GA, KY, LA, MS and TN these no libined Combos for all states, the nonrecurring charges shaller Volce GRADE LOOP WITH 2-WIRE LINE PORT (RES)	nd/or State Basecuring	ble only	UEPDD UEPTX UEPSX UEPTX UEPSX will also apply to c y through BFR/New UEPTX UEPSX UEPEX mmission rule to precion in the same ne Port section of the Port and Loop chargarges are commission	UEPDD U1PMA UEPVF ircuit switche Business Re U1UMA UEPEX Ovide Unbun manner as the sis rate exhibits rate exhibits and ordered controlled to the sisted applied to the sisted a	73.62 13.38 6.29 ad voice and/or quest Process. 0.00 107.44 0.0019295 0.0002581 0.0006843 0.0004034 0.0000121 0.0004672 dled Local Swittey are applied to it shall apply to both to Currently ost based rates	404.94 145.86 0.00 circuit switcher 0.00 408.53 cching or Switcher to the Stand-A all combination	191.80 106.21 0.00 ad data transm packet capabi 0.00 203.56 ch Ports. lone Unbundle	145.50 95.79 sission by B-Chilities will be det 158.70 add Port section ort network elem y Combined Co	4.93 21.52 annels associ termined via t 21.52 of this Rate E tents except f	he Bona Fic	n Port/Loop	19.99 67.52 ports. New Business 65.48 0 Combination ort nonrecurr	19.99 67.52 Request Pro 65.48	pply to Not C	Currently
NOT NOT UNBUNDLE End Tan: Con UNBUNDLE Cos Feat	Exchange Ports - 2-Wire DID Port	nd/or State Basecuring	ble only	UEPDD UEPTX UEPSX UEPTX UEPSX will also apply to c y through BFR/New UEPTX UEPSX UEPEX mmission rule to precion in the same ne Port section of the Port and Loop chargarges are commission	UEPDD U1PMA UEPVF ircuit switche Business Re U1UMA UEPEX Ovide Unbun manner as the sis rate exhibits rate exhibits and ordered controlled to the sisted applied to the sisted a	73.62 13.38 6.29 ad voice and/or quest Process. 0.00 107.44 0.0019295 0.0002581 0.0006843 0.0004034 0.0000121 0.0004672 dled Local Swittey are applied to it shall apply to both to Currently ost based rates	404.94 145.86 0.00 circuit switcher 0.00 408.53	191.80 106.21 0.00 ad data transm packet capabi 0.00 203.56 ch Ports. lone Unbundle	145.50 95.79 sission by B-Chilities will be det 158.70 add Port section ort network elem y Combined Co	4.93 21.52 annels associ termined via t 21.52 of this Rate E tents except f	he Bona Fic	n Port/Loop	19.99 67.52 ports. New Business 65.48 0 Combination ort nonrecurr	19.99 67.52 Request Pro 65.48	pply to Not C	Currently
NOT NOT UNBUNDLE End Tan: Con UNBUNDLE Cos Feat End For Con Con 2-W	HANGE PORT RATES (DID & PBX) Exchange Ports - 2-Wire DID Port Exchange Ports - 2-Wire DID Port Exchange Ports - DITS Port - 4-Wire DS1 Port with DID capability Exchange Ports - 2-Wire ISDN Port (See Notes below.) All Features Offered E: Transmission/usage charges associated with POTS circuit sv E: Access to B Channel or D Channel Packet capabilities will be Exchange Ports - 2-Wire ISDN Port - Channel Profiles Exchange Ports - 2-Wire ISDN DS1 Port D LOCAL SWITCHING, PORT USAGE Office Switching (Port Usage) End Office Switching Function, Per MOU End Office Trunk Port - Shared, Per MOU Tandem Switching Function Per MOU Tandem Trunk Port - Shared, Per MOU Tandem Trunk Port - Shared, Per MOU Common Transport Common Transport - Per Mile, Per MOU D PORT/LOOP COMBINATIONS - COST BASED RATES Based Rates are applied where BellSouth is required by FCC ar ures shall apply to the Unbundled Port/Loop Combination - Cost Office and Tandem Switching Usage and Common Transport Us Georgia, Kentucky, Louisiana, MIssissippi and Tennessee, the relative Combos for all states. In GA, KY, LA, MS and TN these no libined Combos for all states, the nonrecurring charges shaller Volce GRADE LOOP WITH 2-WIRE LINE PORT (RES)	nd/or State Basecuring	tate Cooling and the cooling a	UEPDD UEPTX UEPSX UEPTX UEPSX will also apply to c y through BFR/New UEPTX UEPSX UEPEX mmission rule to precion in the same ne Port section of the Port and Loop chargarges are commission	UEPDD U1PMA UEPVF ircuit switche Business Re U1UMA UEPEX Ovide Unbun manner as the sis rate exhibits rate exhibits and ordered controlled to the sisted applied to the sisted a	73.62 13.38 6.29 ad voice and/or quest Process. 0.00 107.44 0.0019295 0.0002581 0.0004034 0.0004034 0.0004672 dled Local Switely are applied to the standard service of the st	404.94 145.86 0.00 circuit switcher 0.00 408.53	191.80 106.21 0.00 ad data transm packet capabi 0.00 203.56 ch Ports. lone Unbundle	145.50 95.79 sission by B-Chilities will be det 158.70 add Port section ort network elem y Combined Co	4.93 21.52 annels associ termined via t 21.52 of this Rate E tents except f	he Bona Fic	n Port/Loop	19.99 67.52 ports. New Business 65.48 0 Combination ort nonrecurr	19.99 67.52 Request Pro 65.48	pply to Not C	

4Q01:12/01/01 PAGE 271 OF 324

UNBUNDLE	D NETWORK ELEMENTS - South Carolina												Attachment:	2		Exhibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Submitted	Incremental Charge - Manual Svc		Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec			g Disconnect				RATES (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UNE Lo	pop Rates	ļ														
-	2-Wire Voice Grade Loop (SL1) - Zone 1		1 2	UEPRX	UEPLX	17.02										
-	2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3			UEPRX UEPRX	UEPLX	25.66 33.99										
2-Wire	Voice Grade Line Port Rates (Res)		3	UEPKA	UEPLX	33.99						-				
2-11116	2-Wire voice unbundled port - residence			UEPRX	UEPRL	3.69	90.00	90.00					43.19	9.91		
	2-Wire voice unbundled port with Caller ID - res			UEPRX	UEPRC	3.69	90.00	90.00					43.19	9.91		
	2-Wire voice unbundled port outgoing only - res			UEPRX	UEPRO	3.69	90.00	90.00					43.19	9.91		
	2-Wire voice Grade unbundled South Carolina extended local															
	dialing parity port with Caller ID - res			UEPRX	UEPAU	3.69	90.00	90.00					43.19	9.91	<u> </u>	<u> </u>
	2-Wire voice unbundled South Carolina Area Calling port with Caller ID - res (LW8)			UEPRX	UEPAJ	3.69	90.00	90.00					43.19	9.91		
	2-Wire voice unbundles res, low usage line port with Caller ID															
FEATU	(LUM) RES			UEPRX	UEPAP	3.69	90.00	90.00					43.19	9.91		
	All Features Offered			UEPRX	UEPVF	6.29	0.00	0.00					43.19	9.91		
LOCAL	NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPRX	LNPCX	0.35										
NONRE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is			UEPRX	USAC2		1.59	0.40					43.19	9.91		
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change			UEPRX	USACC		1.59	0.40					43.19	9.91		
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Subsequent Database Update						0.71						8.91			
ADDITI	ONAL NRCs															
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity			UEPRX	USAS2	0.00	0.00	0.00					43.19	9.91		
2-WIRE	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)			UEPKA	USASZ	0.00	0.00	0.00					43.19	9.91		
	ort/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Zone 1		1			20.71										
	2-Wire VG Loop/Port Combo - Zone 2		2			29.35										
	2-Wire VG Loop/Port Combo - Zone 3		3			37.68										
UNE Lo	oop Rates															
	2-Wire Voice Grade Loop (SL1) - Zone 1			UEPBX	UEPLX	17.02										
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPBX	UEPLX	25.66										
2 Wire	2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port (Bus)		3	UEPBX	UEPLX	33.99										
Z-wire	2-Wire voice unbundled port without Caller ID - bus	1		UEPBX	UEPBL	3.69	90.00	90.00				-	43.19	9.91		
 	2-Wire voice unbundled port without Caller ID - bus 2-Wire voice unbundled port with Caller + E484 ID - bus	!		UEPBX	UEPBC	3.69	90.00	90.00			-		43.19	9.91		
	2-Wire voice unbundled port outgoing only - bus			UEPBX	UEPBO	3.69	90.00	90.00					43.19	9.91		
	2-Wire voice Grade unbundled South Carolina extended local	1			1	1		22.30								1
	dialing parity port with Caller ID - bus			UEPBX	UEPAZ	3.69	90.00	90.00					43.19	9.91		<u> </u>
	2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPBX	UPEB1	3.69	90.00	90.00					43.19	9.91		
	2-Wire voice unbundled South Carolina Bus Area Calling Port with Caller ID (LMB)			UEPBX	UEPAB	3.69	90.00	90.00					43.19	9.91		
LOCAL	NUMBER PORTABILITY							•								
	Local Number Portability (1 per port)			UEPBX	LNPCX	0.35										
FEATU		1		LIEDDY	LIEDY'S											
	All Features Offered	1		UEPBX	UEPVF	6.29	0.00	0.00		-			43.19	9.91		-
NONRE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED 2-Wire Voice Grade Loop / Line Port Combination - Conversion -	1			+	+			-	-	-			-		1
	Switch-as-is			UEPBX	USAC2		1.59	0.40					43.19	9.91		
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change]		UEPBX	USACC		1.59	0.40								
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Subsequent Database Update						71.00						8.91			
ADDITI	ONAL NRCs															

UNBUNDLE	D NETWORK ELEMENTS - South Carolina												Attachment:	2		Exhibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Submitted	Incremental Charge - Manual Svc		Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec	curring	Nonrecurrin	g Disconnect				RATES (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent															
0.14/1707	Activity			UEPBX	USAS2								43.19	9.91		
	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX) ort/Loop Combination Rates															
ONL	2-Wire VG Loop/Port Combo - Zone 1		1			20.71				1						
1	2-Wire VG Loop/Port Combo - Zone 2		2			29.35										
	2-Wire VG Loop/Port Combo - Zone 3		3			37.68										
UNE L	oop Rates															
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPRG	UEPLX	17.02										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPRG	UEPLX	25.66										
<u> </u>	2-Wire Voice Grade Loop (SL 1) - Zone 3	1	3	UEPRG	UEPLX	33.99					<u> </u>			ļ		ļ
2-Wire	Voice Grade Line Port Rates (RES - PBX)	1	}		+					 	1	-		 		
	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port -			UEPRG	UEPRD	3.69				1			43.19	9.91		
LOCAL	NUMBER PORTABILITY			OLFKG	OLFKD	3.09							45.19	9.91		
LOGAL	Local Number Portability (1 per port)			UEPRG	LNPCP	3.15	0.00	0.00								
FEATU				02.110	2.1. 0.	0.10	0.00	0.00								
	All Features Offered			UEPRG	UEPVF	6.29	0.00	0.00					43.19	9.91		
NONRE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
	Conversion - Switch-As-Is			UEPRG	USAC2		1.59	0.40					43.19	9.91		
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
-	Conversion - Switch with Change			UEPRG	USACC		1.59	0.40		-			43.19	9.91		
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Subsequent Database Update	1					0.71						8.91			
ADDIT	IONAL NRCs						0.71			-		-	0.91			
ADDIT	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -				+											
	Subsequent Activity			UEPRG	USAS2	0.00	0.00	0.00					43.19	9.91		
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt						0.00									
	Group						14.64	14.64					19.99	19.99	19.99	19.99
	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)															
UNE P	ort/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Zone 1		1			20.71										
	2-Wire VG Loop/Port Combo - Zone 2		2			29.35										
UNIT	2-Wire VG Loop/Port Combo - Zone 3		3			37.68										
UNE L	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPPX	UEPLX	17.02				-		-				
 	2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2	1		UEPPX	UEPLX	25.66				 	 			 		
	2-Wire Voice Grade Loop (SL 1) - Zone 3	1	3	UEPPX	UEPLX	33.99				1				1		
2-Wire	Voice Grade Line Port Rates (BUS - PBX)		<u> </u>													
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPPX	UEPPC	3.69	90.00	90.00					43.19	9.91		
	Line Side Unbundled Outward PBX Trunk Port - Bus			UEPPX	UEPPO	3.69	90.00	90.00					43.19	9.91		
	Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPPX	UEPP1	3.69	90.00	90.00					43.19	9.91		
\vdash	2-Wire Voice Unbundled PBX LD Terminal Ports	1	<u> </u>	UEPPX	UEPLD	3.69	90.00	90.00			ļ		43.19	9.91		
\vdash	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port	1	<u> </u>	UEPPX	UEPXA	3.69	90.00	90.00	-	1	1		43.19	9.91	-	-
\vdash	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports 2-Wire Voice Unbundled PBX LD DDD Terminals Port	1	1	UEPPX UEPPX	UEPXB	3.69 3.69	90.00	90.00		-	 		43.19 43.19	9.91 9.91	-	-
 	2-Wire Voice Unbundled PBX LD DDD Terminals Port 2-Wire Voice Unbundled PBX LD Terminal Switchboard Port	1	 	UEPPX	UEPXC	3.69	90.00	90.00	1	 	1	1	43.19	9.91	1	1
 	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD	1	1	OLI I X	OLI AD	5.09	30.00	30.00		 	 		70.13	5.91		
	Capable Port			UEPPX	UEPXE	3.69	90.00	90.00		1			43.19	9.91		
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy		i –		32.7.2	5.50	22.00	22.00		1			.0.10	3.01		
1 1	Administrative Calling Port			UEPPX	UEPXL	3.69	90.00	90.00		I			43.19	9.91		
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
	Room Calling Port			UEPPX	UEPXM	3.69	90.00	90.00					43.19	9.91		
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital				Ī					_				1		
	Discount Room Calling Port	1	<u> </u>	UEPPX	UEPXO	3.69	90.00	90.00			<u> </u>		43.19	9.91		ļ
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port	1	1	UEPPX	UEPXS	3.69	90.00	90.00	l	I	1	l	43.19	9.91	L	L

UNBUNDLE	NETWORK ELEMENTS - South Carolina											Attachment:	2		Exhibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring Disconnec				RATES (\$)		
							First	Add'l	First Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Unbundled 2-Way PBX South Carolina Area Plus Calling Port			UEPPX	UEPXT	3.69	90.00	90.00				43.19	9.91		
LOCAL	NUMBER PORTABILITY			OLITA	OLI XI	3.03	90.00	30.00				45.15	3.31		
	Local Number Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00							
FEATU															
	All Features Offered CURRING CHARGES (NRCs) - CURRENTLY COMBINED			UEPPX	UEPVF	6.29	0.00	0.00				43.19	9.91		_
NONKE	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -									-					1
	Conversion - Switch-As-Is			UEPPX	USAC2		1.59	0.40				43.19	9.91		
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -														
	Conversion - Switch with Change		ļ	UEPPX	USACC		1.59	0.40				43.19	9.91		
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Subsequent Database Update	1	1				0.71					8.91			
ADDITI	ONAL NRCs						0.71			-		8.91			1
ADDITI	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -														
	Subsequent Activity			UEPPX	USAS2	0.00	0.00	0.00				43.19	9.91		
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt														
o MUDE	Group						14.64	14.64				19.99	19.99	19.99	19.99
	VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POR ort/Loop Combination Rates	K I			+					+					-
ONLF	2-Wire VG Coin Port/Loop Combo – Zone 1		1			21.06									
	2-Wire VG Coin Port/Loop Combo – Zone 2		2			29.70									
	2-Wire VG Coin Port/Loop Combo – Zone 3		3			28.03									
UNE Lo	oop Rates														
	2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPCO UEPCO	UEPLX	17.02 25.66									_
	2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3	1	3	UEPCO	UEPLX	33.99									
2-Wire	Voice Grade Line Ports (COIN)		-	OLI OO	OLI LX	55.99									
	2-Wire Coin 2-Way without Operator Screening and without														
	Blocking (SC)			UEPCO	UEPSD	4.04	90.00	90.00				43.19	9.91		
	2-Wire Coin 2-Way with Operator Screening and Blocking: 011,														
	900/976, 1+DDD (SC) 2-Wire Coin 2-Way with Operator Screening and 011 Blocking			UEPCO	UEPSA	4.04	90.00	90.00		+		43.19	9.91		-
	(SC)			UEPCO	UEPSH	4.04	90.00	90.00				43.19	9.91		
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking;			02. 00	02. 0		00.00	00.00				10.10	0.01		
	with Dialing Parity (SC)			UEPCO	UEPSC	4.04	90.00	90.00				43.19	9.91		
	2-Wire Coin 2-Way with Operator Screening and: 900 Blocking:														
	900/976, 1+DDD, 011+, and Local (SC) 2-Wire Coin 2-W Operator Screen: 900 Block: 900/976, 1+DDD,			UEPCO	UEPCC	4.04	90.00	90.00				43.19	9.91		
	011+, Local; Enhanced Call OPT 3YV (SC)			UEPCO	UEPCE	4.04	90.00	90.00				43.19	9.91		
	2-Wire Coin 2-W Operator Screen: 900 Block: 900/976, 1+DDD,			02. 00	02. 02		00.00	00.00				10.10	0.01		
	011+, Local; Enhanced Call OPT AP7 (SC)			UEPCO	UEPCF	4.04	90.00	90.00				43.19	9.91		
	2-Wire Coin Outward without Blocking and without Operator		1												
	Screening (SC)			UEPCO	UEPSG	4.04	90.00	90.00				43.19	9.91		_
	2-Wire Coin Outward with Operator Screening and 011 Blocking (SC)			UEPCO	UEPSF	4.04	90.00	90.00				43.19	9.91		
 	2-Wire Coin Outward with Operator Screening and Blocking:		1	021 00	OLI OI	4.04	50.00	50.00		1	1	40.18	5.51		
	011, 900/976, 1+DDD (SC)		<u></u>	UEPCO	UEPSJ	4.04	90.00	90.00			<u> </u>	43.19	9.91		
	2-Wire Coin Outward with Operator Screening and Blocking:														
	900/976, 1+DDD, 011+, and Local (SC)	<u> </u>	<u> </u>	UEPCO	UEPCM	4.04	90.00	90.00				43.19	9.91		
	2-Wire Coin Out Operator Screen & Block: 900/976, 1+DDD, 011+, Local; Enhanced Calling OPT 3YW (SC)		1	UEPCO	UEPCP	4.04	90.00	90.00				43.19	9.91		
	2-Wire 2-Way Smartline with 900/976 (all states except LA)		1	UEPCO	UEPCK	4.04	90.00	90.00				43.19	9.91		
	2-Wire Coin Outward Smartline with 900/976 (all states except		1	52. 00	JEI OIL	4.04	55.00	33.00				70.10	5.51		
	LA)			UEPCO	UEPCR	4.04	90.00	90.00				43.19	9.91		
ADDITI	ONAL UNE COIN PORT/LOOP (RC)														
1.004	UNE Coin Port/Loop Combo Usage (Flat Rate) NUMBER PORTABILITY		<u> </u>	UEPCO	URECU	4.05	90.00	90.00		-					
LOCAL	NUMBER PORTABILITY	<u> </u>	1	l	I	l l			l l	l	L		l		<u> </u>

UNBUNDL	ED NETWORK ELEMENTS - South Carolina													Attachment:	2		Exhibit: B
CATEGORY		Interi m	Zone	BCS		usoc			RATES(\$)				Submitted	Incremental Charge - Manual Svc	Incremental Charge -	Charge -	
							Rec	Nonrec	urrina	Nonrecurring	a Disconnect			oss	RATES (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN		SOMAN	SOMAN
	Local Number Portability (1 per port)			UEPCO	L	NPCX	0.35										
	URES																
NON	RECURRING CHARGES - CURRENTLY COMBINED																
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -	1		LIEDOO		10.4.00		4.50	0.40					10.10	0.04		
-	Switch-as-is 2-Wire Voice Grade Loop / Line Port Combination - Conversion -		1	UEPCO	U	JSAC2		1.59	0.40					43.19	9.91		ļ
	Switch with change			UEPCO		JSACC		1.59	0.40					43.19	9.91		
ADDI	TIONAL NRCs			ULFCO		JOACC		1.55	0.40					43.19	9.91		
7,551	2-Wire Voice Grade Loop/Line Port Combination - Subsequent																
	Activity			UEPCO	U	JSAS2		0.00	0.00					43.19	9.91		
UNBUNDLED	PORT/LOOP COMBINATIONS - COST BASED RATES																
	RE VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	(PORT					İ										
UNE	Port/Loop Combination Rates																ldot
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1		1				29.68										
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2		2				37.74										
L	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3		3				44.40										
UNE	Loop Rates		<u> </u>	LIEDDY.		IEOD (
-	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1		1	UEPPX UEPPX		JECD1	20.85										
-	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2 2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3		3	UEPPX		JECD1 JECD1	28.91 35.57										
LINE	Port Rate	-	3	UEFFA	U	JECDI	33.37										
UNE	Exchange Ports - 2-Wire DID Port	1	1	UEPPX		JEPD1	8.83						1	43.19	9.91		
NON	RECURRING CHARGES - CURRENTLY COMBINED			OLITA		JEI DI	0.00							40.10	3.31		
NON	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination -						1										
	Switch-as-is			UEPPX	U	JSAC1		14.62	3.73					43.19	9.91		
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion			02	Ť	, , , , ,			00					10.10	0.01		
	with BellSouth Allowable Changes			UEPPX	u	JSA1C		14.62	3.73					43.19	9.91		
ADDI	TIONAL NRCs																
	2-Wire DID Subsequent Activity - Add Trunks, Per Trunk			UEPPX	U	JSAS1		53.68						43.19	9.91		
Telep	hone Number/Trunk Group Establisment Charges																
	DID Trunk Termination (One Per Port)			UEPPX	N	NDT	0.00	0.00	0.00								
	DID Numbers, Establish Trunk Group and Provide First Group																
	of 20 DID Numbers			UEPPX		NDZ	0.00	0.00	0.00								
	Additional DID Numbers for each Group of 20 DID Numbers			UEPPX		ND4	0.00	0.00	0.00								
	DID Numbers, Non- consecutive DID Numbers , Per Number	1	1	UEPPX		ND5	0.00	0.00	0.00								<u> </u>
\vdash	Reserve Non-Consecutive DID numbers	1	_	UEPPX		ND6	0.00	0.00	0.00					 	 		
1.00	Reserve DID Numbers	1	1	UEPPX	N	NDV	0.00	0.00	0.00			1	-	 	 		-
LOCA	Local Number Portability (1 per port)	1	1	UEPPX	-	NPCP	3.15	0.00	0.00								
2-W/II	RE ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LI	NE SIDI	F PORT			INI OF	3.15	0.00	0.00								
	Port/Loop Combination Rates	5151	J.(1	1	-+		1							 	 		
OILE	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 1		1	UEPPB UE	PPR		38.58										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -	1	<u> </u>	CEATE OF			30.36										
	UNE Zone 2		2	UEPPB UEF	PPR		48.25										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 3		3	UEPPB UEF	PPR		55.29										
UNE	Loop Rates																
	2-Wire ISDN Digital Grade Loop - UNE Zone 1	1	1	UEPPB UEP	PR U	JSL2X	27.38							19.99	19.99		<u> </u>
	O Miles IODNI Bisitel Ose Is I associated as a					101.01/	07.0-							40.00	40.00		
	2-Wire ISDN Digital Grade Loop - UNE Zone 2	1	2	UEPPB UEF		JSL2X	37.05			ļ				19.99	19.99		
LINE	2-Wire ISDN Digital Grade Loop - UNE Zone 3	1	3	UEPPB UEP	PR U	JSL2X	44.09					-		19.99	19.99		
UNE	Port Rate Exchange Port - 2-Wire ISDN Line Side Port	1	+	UEPPB UEPI	DD III	JEPPB	11.20							19.99	19.99		
NON	RECURRING CHARGES - CURRENTLY COMBINED	1	+	UEPP UEP	rk U	JEFFB	11.20							19.99	19.99		
NON	2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port	1	1	1	-+		1			1		-		1	1		
	Combination - Conversion			UEPPB UEPI	PR III	JSACB	0.00	77.18	54.15					19.99	19.99		
ADDI	TIONAL NRCs	1	1	JEITE OLF		, 5, 105	0.00	77.10	J 4 .13					13.35	10.00		
וטטאן		1	1	L			<u> </u>			l		1	1	l	1		

UNBUNDLE	D NETWORK ELEMENTS - South Carolina													Attachment:	2		Exhibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	В	cs	USOC			RATES(\$)				Submitted	Incremental Charge - Manual Svc	Incremental Charge - Manual Svc Order vs. Electronic-	Charge -	Incremental Charge - Manual Svc Order vs. Electronic-
1										1		per LSR	per LSR	1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonrec			g Disconnect				RATES (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
LOCAL	NUMBER PORTABILITY	1		UEPPB	UEPPR	LNPCX	0.05	0.00	0.00								
D CITA	Local Number Portability (1 per port) NNEL USER PROFILE ACCESS:	1		UEPPB	UEPPR	LNPCX	0.35	0.00	0.00			1					
В-СПА	CVS/CSD (DMS/5ESS)	-		UEPPB	UEPPR	U1UCA	0.00	0.00	0.00			1	-				
	CVS (EWSD)	1		UEPPB	UEPPR	U1UCB	0.00	0.00	0.00			1					
	CSD	-		UEPPB	UEPPR	U1UCC	0.00	0.00	0.00								
B-CHA	NNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS S	C.MS. 8	TN)	OLITE	OLITIK	01000	0.00	0.00	0.00								
	CVS/CSD (DMS/5ESS)	1	,	UEPPB	UEPPR	U1UCD	0.00	0.00	0.00								
	CVS (EWSD)			UEPPB	UEPPR	U1UCE	0.00	0.00	0.00								
	CSD			UEPPB	UEPPR	U1UCF	0.00	0.00	0.00								
USER	TERMINAL PROFILE																
	User Terminal Profile (EWSD only)			UEPPB	UEPPR	U1UMA	0.00	0.00	0.00	ļ	ļ				ļ		
	CAL FEATURES	ļ										ļ			10		
INTER	All Vertical Features - One per Channel B User Profile DFFICE CHANNEL MILEAGE			UEPPB	UEPPR	UEPVF	6.29	0.00	0.00					19.99	19.99		
	Interoffice Channel mileage each, including first mile and														40.00		
	facilities termination	 	<u> </u>		UEPPR	M1GNC	20.74 0.0373	136.44	51.37	 	 	ļ	0.00	19.99	19.99		1
4 14/105	Interoffice Channel mileage each, additional mile	K DODT		UEPPB	UEPPR	M1GNM	0.0373	0.00	0.00				0.00				
	EDS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNI ort/Loop Combination Rates	K PORT															
UNE PO	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE	<u> </u>															
	Zone 1		1	UEPPP			221.03										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE	-	- '-	OLFFF			221.03										
	Zone 2		2	UEPPP			301.73										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE			OLI I I			001.70										
	Zone 3		3	UEPPP			434.80										
UNE Lo	pop Rates																
	4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPPP		USL4P	113.59							19.99	19.99		
	4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPPP		USL4P	194.29							19.99	19.99		
	4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPPP		USL4P	327.36							19.99	19.99		
	ort Rate																
	Exchange Ports - 4-Wire ISDN DS1 Port			UEPPP		UEPPP	107.44							19.99	19.99		
NONRE	CURRING CHARGES - CURRENTLY COMBINED																
	4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port			LIEDDD		110400	0.00	000.07	457.40					40.00	40.00		
ADDIT	Combination - Conversion -Switch-as-is ONAL NRCs	1	-	UEPPP		USACP	0.00	238.67	157.46	ļ	 	 	-	19.99	19.99		-
ADDITI	4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy-	 	-							-	-	_		1	-		
	Inward/two way tel nos within Std Allowance			UEPPP		PR7TF		0.9822						19.99	19.99		
-	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port -	1		J_: ! !		. 137 11		J.3022			1	1		15.35	19.99		
	Outward Tel Numbers (All States except NC)	1	ļ	UEPPP		PR7TO		23.02	23.02					19.99	19.99		
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port -			UEPPP		DDZZT		40.05	40.05					40.00	40.00		
1.0041	Subsequent Inward Tel Nos Above Std Allowance NUMBER PORTABILITY	+	<u> </u>	UEPPP		PR7ZT	 	46.05	46.05			ļ		19.99	19.99		-
LOCAL	Local Number Portability (1 per port)	1	-	UEPPP		LNPCN	1.75			1	1	1	1	1	1		
	Voice/Data	1		UEPPP		PR71V	0.00	0.00	0.00			<u> </u>		-			-
	Digital Data	+		UEPPP		PR71D	0.00	0.00	0.00								
	Inward Data	1		UEPPP		PR71E	0.00	0.00	0.00	1	1				1		
New or	Additional "B" Channel	1				T	5.50	0.00	3.30	Ì	Ì				Ì		
	New or Additional - Voice/Data B Channel			UEPPP		PR7BV	0.00	29.11						19.99	19.99		
	New or Additional - Digital Data B Channel			UEPPP		PR7BF	0.00	29.11						19.99	19.99		
	New or Additional Inward Data B Channel			UEPPP		PR7BD	0.00	29.11						19.99	19.99		
	New or Additional Useage Sensitive Voice Data B Channel			UEPPP		PR7BS	0.00	29.11						19.99	19.99		
	New or Additional Useage Sensitive Digital Data B Channel	ļ		UEPPP		PR7BU	0.00	29.11				ļ		19.99	19.99		
CALL 1		ļ		LIEDSS		DD7C:	2.2-					ļ					
	Inward	<u> </u>		UEPPP		PR7C1	0.00	0.00	0.00		 	<u> </u>		ļ	 		
 	Outward Two-way	1	-	UEPPP		PR7C0 PR7CC	0.00	0.00	0.00	ļ	 	 	-	-	 		
Interes		 	-	UEPPP		PR/CC	0.00	0.00	0.00	-	-	_		1	-		-
interof	fice Channel Mileage	<u> </u>	<u> </u>			1	i			1	1	1	1	l	l		l

Fixed Each Including F Each Airline-Fractional 4-WIRE DS1 DIGITAL LOOP W UNE Port/Loop Combination 4W DS1 Digital Loop/4\) 4W DS1 Digital Loop/4\) 4W DS1 Digital Loop/4\) 4W DS1 Digital Loop/4\) 4Wire DS1 Digital Loop 4-Wire DS1 Digital Loop 4-Wire DS1 Digital Loop 4-Wire DS1 Digital Loop 4-Wire DS1 Digital Loop 4-Wire DS1 Digital Tor NONRECURRING CHARGES - 4-Wire DS1 Digital Loop - Switch-as-is 4-Wire DS1 Digital Loop - Conversion with DS1	RATE ELEMENTS First Mile Additional Mile WITH 4-WIRE DDITS TRUNK PORT Rates W DDITS Trunk Port - UNE Zone 1 W DDITS Trunk Port - UNE Zone 2 W DDITS Trunk Port - UNE Zone 3 p - UNE Zone 1 p - UNE Zone 1 p - UNE Zone 2	Interi m	Zone	BCS UEPPP UEPPP	USOC	Rec	Nonrec	RATES(\$)				Svc Order Submitted Manually	Charge - Manual Svc	Incremental Charge -	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
Each Airline-Fractional 4-WIRE DS1 DIGITAL LOOP W UNE Port/Loop Combination 4W DS1 Digital Loop/4\) 4W DS1 Digital Loop/4\) 4W DS1 Digital Loop/4\) 4W DS1 Digital Loop/4\) UNE Loop Rates 4-Wire DS1 Digital Loop 4-Wire DS1 Digital Loop 4-Wire DS1 Digital Loop 4-Wire DS1 Digital Loop UNE Port Rate 4-Wire DS1 Digital Tor NONRECURRING CHARGES 4-Wire DS1 Digital Loop - Switch-as-is 4-Wire DS1 Digital Loop - Conversion with DS1	Additional Mile WITH 4-WIRE DDITS TRUNK PORT Rates W DDITS Trunk Port - UNE Zone 1 W DDITS Trunk Port - UNE Zone 2 W DDITS Trunk Port - UNE Zone 3 p - UNE Zone 1 p - UNE Zone 2		1		1LN1A	Rec	Nonrec									
Each Airline-Fractional 4-WIRE DS1 DIGITAL LOOP W UNE Port/Loop Combination 4W DS1 Digital Loop/4V 4W DS1 Digital Loop/4V 4W DS1 Digital Loop/4V UNE Loop Rates 4-Wire DS1 Digital Loop 4-Wire DS1 Digital Loop 4-Wire DS1 Digital Loop 4-Wire DS1 Digital Loop 4-Wire DS1 Digital Loop UNE Port Rate 4-Wire DS1 Digital To NONRECURRING CHARGES 4-Wire DS1 Digital Loop - Switch-as-is 4-Wire DS1 Digital Loop - Conversion with DS1	Additional Mile WITH 4-WIRE DDITS TRUNK PORT Rates W DDITS Trunk Port - UNE Zone 1 W DDITS Trunk Port - UNE Zone 2 W DDITS Trunk Port - UNE Zone 3 p - UNE Zone 1 p - UNE Zone 2		1		1LN1A	H		urring	Nonrecurring	Disconnect			OSS F	RATES (\$)		
Each Airline-Fractional 4-WIRE DS1 DIGITAL LOOP W UNE Port/Loop Combination 4W DS1 Digital Loop/4\) 4W DS1 Digital Loop/4\) 4W DS1 Digital Loop/4\) 4W DS1 Digital Loop/4\) UNE Loop Rates 4-Wire DS1 Digital Loop 4-Wire DS1 Digital Loop 4-Wire DS1 Digital Loop 4-Wire DS1 Digital Loop UNE Port Rate 4-Wire DS1 Digital To NONRECURRING CHARGES 4-Wire DS1 Digital Loop - Switch-as-is 4-Wire DS1 Digital Loop - Conversion with DS1 of the Conv	Additional Mile WITH 4-WIRE DDITS TRUNK PORT Rates W DDITS Trunk Port - UNE Zone 1 W DDITS Trunk Port - UNE Zone 2 W DDITS Trunk Port - UNE Zone 3 p - UNE Zone 1 p - UNE Zone 2		1		1LN1A		First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
4-WIRE DS1 DIGITAL LOOP W UNE Port/Loop Combination 4W DS1 Digital Loop/4\ 4W DS1 Digital Loop/4\ 4W DS1 Digital Loop/4\ 4W DS1 Digital Loop/4\ UNE Loop Rates 4-Wire DS1 Digital Loop 4-Wire DS1 Digital Loop 4-Wire DS1 Digital Loop UNE Port Rate 4-Wire DDITS Digital Tr NONRECURRING CHARGES 4-Wire DS1 Digital Loop - Switch-as-is 4-Wire DS1 Digital Loop - Conversion with DS1 of the DS1 Digital Loop - Conversion with DS1 of the DS1 DS1 Digital Loop - Conversion with DS1 of the DS1 DS1 DS1 DS1 DS1 DS1 DS1 DS1 DS1 DS1	WITH 4-WIRE DDITS TRUNK PORT Rates W DDITS Trunk Port - UNE Zone 1 W DDITS Trunk Port - UNE Zone 2 W DDITS Trunk Port - UNE Zone 3 p - UNE Zone 1 p - UNE Zone 2		1	UEPPP		95.7398	216.27	162.70	0.00				19.99	19.99		
UNE Port/Loop Combination 4W DS1 Digital Loop/4\ 4W DS1 Digital Loop/4\ 4W DS1 Digital Loop/4\ 4W DS1 Digital Loop/4\ UNE Loop Rates 4-Wire DS1 Digital Loop 4-Wire DS1 Digital Loop 4-Wire DS1 Digital Loop UNE Port Rate 4-Wire DDITS Digital Tor NONRECURRING CHARGES 4-Wire DS1 Digital Loop - Switch-as-is 4-Wire DS1 Digital Loop - Conversion with DS1 \(\)	Rates W DDITS Trunk Port - UNE Zone 1 W DDITS Trunk Port - UNE Zone 2 W DDITS Trunk Port - UNE Zone 3 p - UNE Zone 1 p - UNE Zone 2		1		1LN1B	0.7598										
AW DS1 Digital Loop/4\	W DDITS Trunk Port - UNE Zone 1 W DDITS Trunk Port - UNE Zone 2 W DDITS Trunk Port - UNE Zone 3 p - UNE Zone 1 p - UNE Zone 2		1			i							i			
4W DS1 Digital Loop/4\ 4W DS1 Digital Loop/4\ UNE Loop Rates	W DDITS Trunk Port - UNE Zone 2 W DDITS Trunk Port - UNE Zone 3 p - UNE Zone 1 p - UNE Zone 2		1 1													
AW DS1 Digital Loop/4\ UNE Loop Rates	W DDITS Trunk Port - UNE Zone 3 p - UNE Zone 1 p - UNE Zone 2			UEPDC		187.21							19.99	19.99		
UNE Loop Rates 4-Wire DS1 Digital Loop 4-Wire DS1 Digital Loop 4-Wire DS1 Digital Loop UNE Port Rate 4-Wire DDITS Digital TO NONRECURRING CHARGES 4-Wire DS1 Digital Loop - Switch-as-is 4-Wire DS1 Digital Loop - Conversion with DS1	p - UNE Zone 1 p - UNE Zone 2		2	UEPDC		267.91							19.99	19.99		
4-Wire DS1 Digital Loop 4-Wire DS1 Digital Loop 4-Wire DS1 Digital Loop 4-Wire DS1 Digital Loop UNE Port Rate 4-Wire DDITS Digital To NONRECURRING CHARGES- 4-Wire DS1 Digital Loop - Switch-as-is 4-Wire DS1 Digital Loop - Conversion with DS1 to	p - UNE Zone 2		3	UEPDC		400.98							19.99	19.99		
4-Wire DS1 Digital Loop 4-Wire DS1 Digital Loop UNE PORT Rate 4-Wire DDITS Digital Tr NONRECURRING CHARGES 4-Wire DS1 Digital Loop - Switch-as-is 4-Wire DS1 Digital Loop - Conversion with DS1	p - UNE Zone 2		<u> </u>			110 =0										
4-Wire DS1 Digital Loop UNE Port Rate		 	1	UEPDC	USLDC	113.59							19.99	19.99	├	├
UNE Port Rate 4-Wire DDITS Digital Tr NONRECURRING CHARGES 4-Wire DS1 Digital Loop - Switch-as-is 4-Wire DS1 Digital Loop - Conversion with DS1	p - UNE Zone 3	1	2	UEPDC	USLDC	194.29						\vdash	19.99	19.99	+	+
4-Wire DDITS Digital Tr NONRECURRING CHARGES - 4-Wire DS1 Digital Loop - Switch-as-is 4-Wire DS1 Digital Loop - Conversion with DS1		1	3	UEPDC	USLDC	327.36						\vdash	19.99	19.99		
NONRECURRING CHARGES - 4-Wire DS1 Digital Loop - Switch-as-is 4-Wire DS1 Digital Loop - Conversion with DS1 (runk Port	1	+	UEPDC	UDD1T	73.62	 					 	19.99	19.99	⊢—	
4-Wire DS1 Digital Loop - Switch-as-is 4-Wire DS1 Digital Loop - Conversion with DS1		+	1	UEPUC	ווטטט	/3.02	\longrightarrow					\longmapsto	19.99	19.99		
- Switch-as-is 4-Wire DS1 Digital Loop - Conversion with DS1	p / 4-Wire DDITS Trunk Port Combination		1		+		\longrightarrow					\longmapsto		\vdash		
4-Wire DS1 Digital Loop - Conversion with DS1 (P / 4-WIIE DOITS TRUIK FOR COMBINATION	' [UEPDC	USAC4	ı l	259.56	134.33					19.99	19.99	1	1
- Conversion with DS1	p / 4-Wire DDITS Trunk Port Combination		1	UEPDC	USAC4		259.56	134.33				\longmapsto	19.99	19.99		
		'		UEPDC	USAWA	i l	259.56	134.33				1	19.99	19.99		
	p / 4-Wire DDITS Trunk Port Combination		1	OLI DO	OOAWA		255.50	104.00					13.33	15.55		
- Conversion with Chan		'		UEPDC	USAWB	i l	259.56	134.33				1	19.99	19.99		
ADDITIONAL NRCs	igo Trank			OLI DO	00/11/15		200.00	104.00					10.00	10.00		
	rire DDITS Trunk Port - Subsequent															
	an - 1-Way Outward Trunk			UEPDC	UDTTB	i l	29.01	29.01				1	19.99	19.99		
4-Wire DS1 Loop / 4-W	rire DDITS Trunk Port - Subsqnt Channel			02. 50	05115		20.01	20.01					10.00	10.00		
Activation/Chan Inward				UEPDC	UDTTC	i l	29.01	29.01				1	19.99	19.99		
	rire DDITS Trunk Port - Subsqnt Chan															
Activation Per Chan - In				UEPDC	UDTTD	i l	29.01	29.01				1	19.99	19.99		
	ire DDITS Trunk Port - Subsqnt Chan															
Activation / Chan - 2-Wa	ay DID w User Trans			UEPDC	UDTTE	i l	29.01	29.01				1	19.99	19.99		
BIPOLAR 8 ZERO SUBSTITUT	TION					i i										
B8ZS -Superframe For				UEPDC	CCOSF	i	0.00	605.00					19.99	19.99		
B8ZS - Extended Supe	erframe Format			UEPDC	CCOEF	i	0.00	605.00					19.99	19.99		
Alternate Mark Inversion																
AMI -Superframe Forma				UEPDC	MCOSF		0.00	0.00								
AMI - Extended SuperF		ļ	<u> </u>	UEPDC	MCOPO		0.00	0.00				ullet			└	└
Telephone Number/Trunk Gro			ļ		1							igspace	لسيبسا		└	
Telephone Number for		 	1	UEPDC	UDTGX	0.00						\vdash	19.99	19.99	↓	├
	1-Way Outward Trunk Group	 	<u> </u>	UEPDC	UDTGY	0.00							19.99	19.99	├	├
	1-Way Inward Trunk Group Without DID	1	1	UEPDC	UDTGZ	0.00						\vdash	19.99	19.99	+	+
	h Trunk Group and Provide First Group	1		UEPDC	ND7	0.00	0.00	0.00					19.99	40.00	1	1
of 20 DID Numbers	Group of 20 DID Numbers	1	+	UEPDC	NDZ ND4	0.00	0.00	0.00				\vdash	19.99 19.99	19.99 19.99	⊢—	
	nsecutive DID Numbers , Per Number	1	1	UEPDC	ND4 ND5	0.00	0.00	0.00				\vdash	19.99	19.99		
Reserve Non-Consecut		1	1	UEPDC	ND6	0.00	0.00	0.00				\vdash	19.99	19.99		
Reserve DID Numbers		1	1	UEPDC	NDV	0.00	0.00	0.00				\vdash	19.99	19.99		
	nannel Mileage) - FX/FCO for 4-Wire DS	1 Dinita	Hoon			0.00	0.00	0.00				\vdash	13.33	10.09	 	
	eage - Fixed rate 0-8 miles (Facilities	Jugita	. <u></u>		uiik / Oit							\vdash			—	—
Termination)		1		UEPDC	1LNO1	94.98	216.27	162.70	0.00	0.00		1 1	19.99	19.99	1	1
,	eage - Additional rate per mile - 0-8 miles			UEPDC	1LNOA	0.7598	0.00	0.00	0.00	3.30			10.00	10.00		
	page - Fixed rate 9-25 miles (Facilities			UEPDC	1LNO2	0.00	0.00	0.00								
	eage - Additional rate per mile - 9-25	1	1	-				2.20					, 			
miles	3	1		UEPDC	1LNOB	0.7598	0.00	0.00				1 1	, ,	1 !	1	1
	eage - Fixed rate 25+ miles (Facilities			UEPDC	1LNO3	0.00							 			
Interoffice Channel Mile						0.00	0.00	0.00	0.00			į l	^լ յ	Į i	1	l

UNBUNDLE	ED NETWORK ELEMENTS - South Carolina												Attachment:	2		Exhibit: B
CHECHEL	Oddin odromia					1										
													Incremental	Incremental	Incremental	
													Charge -	Charge -	Charge -	Charge -
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)				1	Manual Svc	Manual Svc	Manual Svc	
		m										Submitted		Order vs.	Order vs.	Order vs.
											Elec			Electronic-	Electronic-	
											per LSR	per LSR	1st	Add'l	Disc 1st	Disc Add'l
						_										
						Rec	Nonrec		Nonrecurring					RATES (\$)		
	Level New Joseph Control Title and POOR And Server J			LIEBBO	LNDOD	0.45	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
-	Local Number Portability, per DS0 Activated			UEPDC	LNPCP	3.15	0.00	0.00	0.00							
4 14/15	Central Office Termininating Point E DS1 LOOP WITH CHANNELIZATION WITH PORT			UEPDC	CTG	0.00										
	m is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Act	ivations														
	System can have up to 24 combinations of rates depending on			her of norts used												
	OS1 Loop	type a	la mam	ber or ports useu	+											+
O.K.E.	4-Wire DS1 Loop - UNE Zone 1		1	UEPMG	USLDC	113.59	0.00	0.00								
	4-Wire DS1 Loop - UNE Zone 2		2	UEPMG	USLDC	194.29	0.00	0.00								
	4-Wire DS1 Loop - UNE Zone 3		3	UEPMG	USLDC	327.36	0.00	0.00								
UNE I	OSO Channelization Capacities (D4 Channel Bank Configuratio	ns)					-									1
	24 DSO Channel Capacity - 1 per DS1			UEPMG	VUM24	103.47	0.00	0.00					19.99	19.99		
	48 DSO Channel Capacity - 1 per 2 DS1s			UEPMG	VUM48	206.94	0.00	0.00					19.99	19.99		
	96 DSO Channel Capacity -1per 4 DS1s			UEPMG	VUM96	413.88	0.00	0.00					19.99	19.99		
	144 DS0 Channel Capacity - 1 per 6 DS1s			UEPMG	VUM14	620.82	0.00	0.00					19.99	19.99		1
	192 DS0 Channel Capacity -1 per 8 DS1s	<u> </u>		UEPMG	VUM19	827.76	0.00	0.00					19.99	19.99		<u> </u>
	240 DS0 Channel Capacity - 1 per 10 DS1s	ļ		UEPMG	VUM20	1,034.70	0.00	0.00					19.99	19.99		
	288 DS0 Channel Capacity - 1 per 12 DS1s			UEPMG	VUM28	1,241.64	0.00	0.00					19.99	19.99		
	384 DS0 Channel Capacity - 1 per 16 DS1s			UEPMG	VUM38	1,655.52	0.00	0.00					19.99	19.99		.
	480 DS0 Channel Capacity - 1 per 20 DS1s 576 DS0 Channel Capacity -1 per 24 DS1s			UEPMG UEPMG	VUM40 VUM57	2,069.40 2,483.28	0.00	0.00					19.99 19.99	19.99 19.99		
—	672 DS0 Channel Capacity - 1 per 24 DS1s			UEPMG	VUM67	2,483.28	0.00	0.00					19.99	19.99		
Non-F	Recurring Charges (NRC) Associated with 4-Wire DS1 Loop wit	h Chani						0.00				-	19.99	19.99		
	imum System configuration is One (1) DS1, One (1) D4 Channe						Stelli									
	ples of this configuration functioning as one are considered Ac															
	NRC - Conversion (Currently Combined) with or without				J											
	BellSouth Allowed Changes			UEPMG	USAC4	0.00	301.62	16.76					19.99	19.99		
Syste	m Additions at End User Locations Where 4-Wire DS1 Loop wi	th Chan	nelizat	ion with Port Comb	ination Curre	ently Exists and										
New (Not Currently Combined) In GA, KY, LA, MS & TN Only															
	1 DS1/D4 Channel Bank - Add NRC for each Port and Assoc															
	Fea Activation - New GA, LA, KY, MS, &TN Only			UEPMG	VUMD4	0.00	717.71	425.81	149.08	17.69			19.99			
Bipol	ar 8 Zero Substitution															ļ
	Clear Channel Capability Format, superframe - Subsequent															
	Activity Only			UEPMG	CCOSF	0.00	0.00	605.00								
	Clear Channel Capability Format - Extended Superframe -															
L	Subsequent Activity Only	<u> </u>		UEPMG	CCOEF	0.00	0.00	605.00					ļ	 		4
Alterr	ate Mark Inversion (AMI)	 		UEPMG	MOOOF	0.00	0.00	0.00					1	 		
\vdash	Superframe Format Extended Superframe Format	 		UEPMG UEPMG	MCOSF MCOPO	0.00	0.00	0.00					-			
Evolv	nge Ports Associated with 4-Wire DS1 Loop with Channelizati	on with	Port	ULFIVIG	IVICOPO	0.00	0.00	0.00					-			+
	inge Ports Associated with 4-wire DST Loop with Channelizati	Un with	· Ort		+						-	-		 		+
Exolic		†			1						<u> </u>			 		†
	Line Side Combination Channelized PBX Trunk Port - Business			UEPPX	UEPCX	1.65	0.00	0.00	0.00	0.00			43.19	9.91		
	Line Side Outward Channelized PBX Trunk Port - Business			UEPPX	UEPOX	1.65	0.00	0.00	0.00	0.00			43.19	9.91		1
	Line Side Inward Only Channelized PBX Trunk Port without DID			UEPPX	UEP1X	1.65	0.00	0.00	0.00	0.00			43.19	9.91		
	2-Wire Trunk Side Unbundled Channelized DID Trunk Port			UEPPX	UEPDM	8.86	0.00	0.00	0.00	0.00			43.19	9.91		
Featu	re Activations - Unbundled Loop Concentration															
	Feature (Service) Activation for each Line Side Port Terminated							·								
	in D4 Bank			UEPPX	1PQWM	0.70	25.45	13.44	4.20	4.17			43.19	9.91		ļ
	Feature (Service) Activation for each Trunk Side Port Terminated															
<u> </u>	in D4 Bank	ļ		UEPPX	1PQWU	0.70	78.31	18.46	59.37	11.60			43.19	9.91		↓
Telep	hone Number/ Group Establishment Charges for DID Service	 		UEPPX	NDT	0.00	0.00	0.00								
	DID Trunk Termination (1 per Port)	 			NDT	0.00	0.00	0.00			-	-	-	 		
\vdash	Estab Trk Grp and Provide 1st 20 DID Nos. (FL,GA, NC,& SC) DID Numbers - groups of 20 - Valid all States	 		UEPPX UEPPX	NDZ ND4	0.00	0.00	0.00					-			
\vdash	Non-Consecutive DID Numbers - per number	 		UEPPX	ND5	0.00	0.00	0.00								+
 	Reserve Non-Consecutive DID Numbers	 		UEPPX	ND6	0.00	0.00	0.00					1	1		
 	Reserve DID Numbers	 		UEPPX	NDV	0.00	0.00	0.00						 		+
	TOOOTTO DID ITUIIDOIS		1	OLI I A	140 V	0.00	0.00	0.00			1	L	l	1		

UNBUNDLE	D NETWORK ELEMENTS - South Carolina												Attachment:	2		Exhibit: B
CHECHEL																
													Incremental	Incremental		Incremental
		Interi											Charge -	Charge -	Charge -	Charge -
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)					Manual Svc	Manual Svc		Manual Svc
												Submitted		Order vs.	Order vs.	Order vs.
											Elec		Electronic-	Electronic-	Electronic-	Electronic-
							1		1		per LSR	per LSR	1st	Add'l	Disc 1st	Disc Add'l
						_			l							
						Rec	Nonrec			Disconnect	001150	001111	SOMAN	RATES (\$)	001111	001141
	 Number Portability						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Local	Local Number Portability - 1 per port			UEPPX	LNPCP	3.15	0.00	0.00								
EEATI	JRES - Vertical and Optional	1		UEPPA	LINECE	3.13	0.00	0.00								
	Switching Features Offered with Line Side Ports Only															
Locuit	All Features Available			UEPPX	UEPVF	6.29	0.00	0.00					43.19	9.91		
UNBUNDLED I	PORT LOOP COMBINATIONS - MARKET RATES					0.20										
	Rates shall apply where BellSouth is not required to provide	unbund	lled loc	al switching or swit	ch ports per	FCC and/or St	tate Commissio	n rules.								
	scenarios include:															
1. Unb	oundled port/loop combinations that are Not Currently Combin	ned in A	labama	a, Florida, North Care	olina and So	uth Carolina.										
	oundled port/loop combinations that are Currently Combined															
The To	pp 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderd	lale, Mia	mi); G <i>A</i>	(Atlanta); LA (New	Orleans); NC	(Greensboro-	Winston Salem	-Highpoint/Ch	arlotte-Gaston	ia-Rock Hill);	N (Nashvill	e).				
	and a commandada da companya d					B-4										
	uth currently is developing the billing capability to mechanica									not currently of	ombined ir	AL, FL, NC	and SC. In t	ne interim wh	ere BellSouth	n cannot bill
	Rates, BellSouth shall bill the rates in the Cost-Based section			lieu of the Market Ra	ates and res	erves the right	to true-up the	billing differer	ice.	1	1	1	1	1		1
	arket Rate for unbundled ports includes all available features					<u> </u>	l		L	L	<u> </u>	L	L	L	L	ļ
	ffice and Tandem Switching Usage and Common Transport Us	sage rat	es in th	e Port section of thi	s rate exhib	it shall apply to	o all combination	ons of loop/po	rt network eler	ments except	or UNE Coi	n Port/Loop	Combination	ns which have	a flat rate	
	charge (USOC: URECU).	- M		b			NDC!		1000 F 0			- 4h- N			in the NDC	C
	t Currently Combined scenarios where Market Rates apply, th				n the First a	ind Additional	NKC columns	or each Port U	ISOC. For Cur	rently Combin	ed scenario	s, the Nonr	ecurring char	ges are listed	in the NRC -	Currently
	ned section. Additional NRCs may apply also and are categor	rized ac	cording	gıy.		1	1		T	T			1	1	ı	1
	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)	1				 	ļ			-				 	1	
UNE P	ort/Loop Combination Rates	1	4			04.00								ļ		
\vdash	2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2	1	1			31.02 39.66									-	
 	2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3	1	3			39.66 47.99	1				1			1	1	1
LINE !	oop Rates	1	J			41.99	1				1			1	1	1
O.AL L	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPRX	UEPLX	17.02										
	2-Wire Voice Grade Loop (SL1) - Zone 1		2	UEPRX	UEPLX	25.66										
	2-Wire Voice Grade Loop (SL1) - Zone 3			UEPRX	UEPLX	33.99										
2-Wire	Voice Grade Line Port (Res)		Ŭ	02.100	02.27	00.00										
	2-Wire voice unbundled port - residence			UEPRX	UEPRL	14.00	90.00	90.00					43.19	9.91		
	2-Wire voice unbundled port with Caller ID - res			UEPRX	UEPRC	14.00	90.00	90.00					43.19	9.91		
	2-Wire voice unbundled port outgoing only - res			UEPRX	UEPRO	14.00	90.00	90.00					43.19	9.91		
	2-Wire voice unbundles res, low usage line port with Caller ID															
	(LUM)	<u> </u>		UEPRX	UEPAP	14.00	90.00	90.00			<u> </u>		43.19	9.91	<u> </u>	<u> </u>
LOCAL	NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPRX	LNPCX	0.35										
FEATU																
	All Features Offered			UEPRX	UEPVF	0.00	0.00	0.00								
ADDIT	IONAL NRCs					ļ	ļ							ļ		
	NRC - 2-Wire Voice Grade Loop/Line Port Combination -					1										1
0 1477	Subsequent	1		UEPRX	USAS2		0.00	0.00					43.19	9.91		
	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)	1				 								 	-	
UNE P	ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1	1	1			31.02										
\vdash	2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2	1	2			31.02								-		-
	2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3	1	3			47.99	1				1			1	1	1
UNE	oop Rates	1	J			41.99	 							 		
OIAE E	2-Wire Voice Grade Loop (SL1) - Zone 1	†	1	UEPBX	UEPLX	17.02										
	2-Wire Voice Grade Loop (SL1) - Zone 1	1	2	UEPBX	UEPLX	25.66								1		1
	2-Wire Voice Grade Loop (SL1) - Zone 3	1	3	UEPBX	UEPLX	33.99								1		1
2-Wire	Voice Grade Line Port (Bus)	1												İ		İ
	2-Wire voice unbundled port without Caller ID - bus			UEPBX	UEPBL	14.00	90.00	90.00					43.19	9.91		
	2-Wire voice unbundled port with Caller + E484 ID - bus	1		UEPBX	UEPBC	14.00	90.00	90.00					43.19	9.91		1
	2-Wire voice unbundled port outgoing only - bus			UEPBX	UEPBO	14.00	90.00	90.00					43.19	9.91		
	2-Wire voice Grade unbundled South Carolina extended local															
	dialing parity port with Caller ID - bus			UEPBX	UEPAZ	14.00	90.00	90.00		<u></u>			43.19	9.91	<u></u>	
	2-Wire voice unbundled South Carolina Bus Area Calling Port					1]		
	with Caller ID (LMB)			UEPBX	UEPAB	14.00	90.00	90.00					43.19	9.91		

4Q01:12/01/01 PAGE 279 OF 324

UNBUNDLE	D NETWORK ELEMENTS - South Carolina												Attachment:	2		Exhibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Submitted	Incremental Charge - Manual Svc		Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonre	curring	Nonrecurring	g Disconnect	po: 2011	po. 20.t		RATES (\$)	2.00 .01	2.007.00
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN		SOMAN	SOMAN
LOCAL	NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPBX	LNPCX	0.35										
FEATU						-										
	CURRING CHARGES - CURRENTLY COMBINED															
ADDITI	NRC - 2-Wire Voice Grade Loop/Line Port Combination -				-											
	Subsequent			UEPBX	USAS2		0.00	0.00					43.19	9.91		
2-WIRE	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)			OLI DX	OOAOZ		0.00	0.00					40.19	3.31		
	ort/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Zone 1		1			31.02										
	2-Wire VG Loop/Port Combo - Zone 2		2	-		39.66										
	2-Wire VG Loop/Port Combo - Zone 3		3		1	47.99			ļ							
	Dop Rates	ļ	_	LIEDDO	LIEDLY	17.00										
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPRG UEPRG	UEPLX	17.02 25.66										
	2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPRG	UEPLX	33.99										
2-Wire	Voice Grade Line Port Rates (RES - PBX)		3	UEPRG	UEPLA	33.99										
Z-Wile	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port -															
	Res			UEPRG	UEPRD	14.00	90.00	90.00					43.19	9.91		
LOCAL	NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPRG	LNPCP	3.15										
FEATU																
	ECURRING CHARGES - CURRENTLY COMBINED					L										
ADDITI	ONAL NRCs															
	2 Wire Loop/Line Side Port Combination - Non feature - Subsequent Activity- Nonrecurring						0.00	0.00								
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt					+	0.00	0.00								
	Group						14.64	14.64					19.99	19.99	19.99	19.99
2-WIRE	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)				1	† †							10.00	10.00	10.00	10.00
UNE Po	ort/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Zone 1		1			31.02										
	2-Wire VG Loop/Port Combo - Zone 2		2			39.66										
	2-Wire VG Loop/Port Combo - Zone 3		3			47.99										
UNE LO	pop Rates		1	HEDDY	LIEDLY	47.00										
	2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2	 	2	UEPPX UEPPX	UEPLX	17.02 25.66			-	-	-			-	-	-
 	2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3	 		UEPPX	UEPLX	33.99			 			-				
2-Wire	Voice Grade Line Port Rates (BUS - PBX)	<u> </u>	Ť		1 22. 27.	55.59			1							
		l														
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPPX	UEPPC	14.00	90.00	90.00					43.19	9.91		
	Line Side Unbundled Outward PBX Trunk Port - Bus			UEPPX	UEPPO	14.00	90.00	90.00					43.19	9.91		
\vdash	Line Side Unbundled Incoming PBX Trunk Port - Bus	<u> </u>	<u> </u>	UEPPX	UEPP1	14.00	90.00	90.00					43.19	9.91		
	2-Wire Voice Unbundled PBX LD Terminal Ports	 	-	UEPPX UEPPX	UEPLD UEPXA	14.00 14.00	90.00	90.00	 		1	1	43.19 43.19	9.91 9.91		
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port 2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports	 		UEPPX UEPPX	UEPXA	14.00 14.00	90.00	90.00				-	43.19	9.91		
 	2-Wire Voice Unbundled PBX Toli Terminal Hotel Ports 2-Wire Voice Unbundled PBX LD DDD Terminals Port	 	 	UEPPX	UEPXC	14.00	90.00	90.00	 			-	43.19	9.91		
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port	<u> </u>		UEPPX	UEPXD	14.00	90.00	90.00					43.19	9.91		
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD	1			1	155	22.30	20.30	Ì					5.51		
	Capable Port	<u></u>	L	UEPPX	UEPXE	14.00	90.00	90.00	<u> </u>	<u></u>	<u> </u>	<u> </u>	43.19	9.91	<u></u>	<u> </u>
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
	Administrative Calling Port	<u> </u>		UEPPX	UEPXL	14.00	90.00	90.00					43.19	9.91		
1 1	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy	1			l=s.=.	[l										
	Room Calling Port	ļ	-	UEPPX	UEPXM	14.00	90.00	90.00					43.19	9.91		
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port			UEPPX	UEPXO	14.00	90.00	90.00					43.19	9.91		
 	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port	1	-	UEPPX	UEPXS	14.00	90.00	90.00	1	1	 	1	43.19	9.91	1	1
LOCAL	. NUMBER PORTABILITY	 		OLI I A	JLI AG	14.00	90.00	90.00			-		40.19	9.91		
	Local Number Portability (1 per port)			UEPPX	LNPCP	3.15										
	, , (. p p)	•	•		,	00						·				·

UNBUNDLE	D NETWORK ELEMENTS - South Carolina												Attachment:	2		Exhibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Submitted	Incremental Charge - Manual Svc		Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Names		Namaaaaai	- Diagona	per Lok	perLSK		RATES (\$)	DISC 1St	DISC Add I
+						Rec	Nonrec First	Add'l	First	g Disconnect Add'l	SOMEC	SOMAN	SOMAN		SOMAN	SOMAN
FEATU	RES							,,,,,,		7144	0020				00	00/
	CURRING CHARGES - CURRENTLY COMBINED															
ADDITI	ONAL NRCs															
	O.W. Ville O. I. I. a. Ville Bart O. a. Ville O. A. A. A. A.			HEDDY	110 4 00		0.00	0.00					40.40	0.04		
-	2-Wire Voice Grade Loop/ Line Port Combination - Subsequent 2 Wire Loop/Line Side Port Combination - Non feature -			UEPPX	USAS2		0.00	0.00					43.19	9.91		
	Subsequent Activity- Nonrecurring						0.00	0.00								
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt						0.00	0.00								
	Group						14.64	14.64					19.99	19.99	19.99	19.99
	VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN PO	RT						· · · · ·								
UNE Po	ort/Loop Combination Rates	<u> </u>	1			04.00							ļ	ļ		
-	2-Wire VG Coin Port/Loop Combo – Zone 1					31.02										
	2-Wire VG Coin Port/Loop Combo – Zone 2 2-Wire VG Coin Port/Loop Combo – Zone 3	1	3		+	39.66 47.99			-	 	-		1	1		
UNFI	pop Rates		3			47.55				1						
10.112.21	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPCO	UEPLX	17.02										
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPCO	UEPLX	25.66										
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPCO	UEPLX	33.99										
2-Wire	Voice Grade Line Port Rates (Coin)															
	2-Wire Coin 2-Way without Operator Screening and without Blocking (SC)			UEPCO	UEPSD	14.00	90.00	90.00					43.19	9.91		
	2-Wire Coin 2-Way with Operator Screening and Blocking: 011, 900/976, 1+DDD (AL, KY, LA, MS, SC)			UEPCO	UEPRA	14.00	90.00	90.00					43.19	9.91		
	2-Wire Coin 2-Way with Operator Screening and Blocking: 011, 900/976, 1+DDD (SC) 2-Wire Coin 2-Way with Operator Screening and 011 Blocking			UEPCO	UEPSA	14.00	90.00	90.00					43.19	9.91		
	(SC) 2-Wire Coin 2-Way with Operator Screening and 011 Blocking [SC) 2-Wire Coin 2-Way with Operator Screening and 011 Blocking;			UEPCO	UEPSH	14.00	90.00	90.00					43.19	9.91		
	with Dialing Parity (SC) 2-Wire Coin 2-Way with Operator Screening and Blocking:			UEPCO	UEPSC	14.00	90.00	90.00					43.19	9.91		
	900/976, 1+DDD, 011+, and Local (SC) 2-Wire Coin 2-W Oper Screen & Blocking: 900/976, 1+DDD,			UEPCO	UEPCC	14.00	90.00	90.00					43.19	9.91		
	011+ & Local; Enhanced Calling OPT 3YV (SC) 2-Wire Coin 2-W Oper Screen & Block: 900/976, 1+DDD, 011+,			UEPCO	UEPCE	14.00	90.00	90.00					43.19	9.91		
	& Local; Enhanced Calling OPT AP7 (SC)			UEPCO	UEPCF	14.00	90.00	90.00					43.19	9.91		
	2-Wire Coin Outward without Blocking and without Operator Screening (SC)			UEPCO	UEPSG	14.00	90.00	90.00					43.19	9.91		
	2-Wire Coin Outward with Operator Screening and 011 Blocking (SC)			UEPCO	UEPSF	14.00	90.00	90.00					43.19	9.91		
	2-Wire Coin Outward with Operator Screening and Blocking: 011, 900/976, 1+DDD (SC)			UEPCO	UEPSJ	14.00	90.00	90.00					43.19	9.91		
	2-Wire Coin Outward with Operator Screening and Blocking: 900/976, 1+DDD, 011+, and Local (SC)			UEPCO	UEPCM	14.00	90.00	90.00					43.19	9.91		
	2-Wire Coin Out Oper Screen & Block: 900/976, 1+DDD, 011+, & Local ; w/ Enhanced Call OPT 3YW (SC)			UEPCO	UEPCP	14.00	90.00	90.00					43.19	9.91		
	NUMBER PORTABILITY															
	Local Number Portability (1 per port)	!		UEPCO	LNPCX	0.35				-						
	CURRING CHARGES - CURRENTLY COMBINED ONAL NRCs	 			+					-			-	-		
ADDITI	ONAL NIVOS				+	1			1	 	+					
	2-Wire Voice Grade Loop/ Line Port Combination - Subsequent			UEPCO	USAS2		0.00	0.00		1			43.19	9.91		
	CENTREX PORT/LOOP COMBINATIONS															
	IDLED PORT/LOOP COMBINATIONS - COST BASED RATES															
	CENTREX - 5ESS (Valid in All States)	ļ														
	VG Loop/2-Wire Voice Grade Port (Centrex) Combo				+					-						
UNE Po	ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo				+	-			-	 	 					
	Non-Design		1	UEP95		14.89										

UNBUNDLE	NETWORK ELEMENTS - South Carolina												Attachment:	2		Exhibit: I
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Submitted	Incremental Charge - Manual Svc		Charge -	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec	curring	Nonrecurrin	g Disconnect			oss	RATES (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN		SOMAN	SOMAN
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Non-Design		2	UEP95		21.52										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		3	LIEBOE		07.47										
	Non-Design rt/Loop Combination Rates (Design)		3	UEP95	_	27.17										
ONLFO	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo															
	Design		1	UEP95		17.81										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design		2	UEP95		24.26										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design	1	3	UEP95		29.59										
UNE Lo		1	1	LIEDOE	LIECC1	10.70					1	-		 	 	1
	2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2	1	2	UEP95 UEP95	UECS1 UECS1	13.76 20.38			-	-	-			 	 	
	2-Wire Voice Grade Loop (SL 1) - Zone 2		3	UEP95	UECS1	26.04										
	2-Wire Voice Grade Loop (SL 2) - Zone 1	1	1	UEP95	UECS2	16.68									—	
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP95	UECS2	23.13										
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP95	UECS2	28.46										
UNE Po																
All Stat																
	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP95	UEPYA	1.13	40.30	19.90	24.98	6.65		15.69			1.97	
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPYB	1.13	40.30	19.90	24.98	6.65		15.69			1.97	
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area			UEP95	UEPYH	1.13	40.30	19.90	24.98	6.65		15.69			1.97	
	2-Wire Voice Grade Port (Centrex from diff Serving Wire			UEF95	UEPTH	1.13	40.30	19.90	24.90	0.03		15.69			1.97	
	Center)2 Basic Local Area			UEP95	UEPYM	1.13	108.36	70.71	54.47	11.94		15.69			1.97	
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			OLI SO	OLI TIVI	1.10	100.00	70.71	04.47	11.54		10.00			1.07	
	Term - Basic Local Area			UEP95	UEPYZ	1.13	108.36	70.71	54.47	11.94		15.69			1.97	
	2-Wire Voice Grade Port terminated in on Megalink or equivalent															
	- Basic Local Area			UEP95	UEPY9	1.13	40.30	19.90	24.98	6.65		15.69			1.97	
	2-Wire Voice Grade Port Terminated on 800 Service Term -															
	Basic Local Area			UEP95	UEPY2	1.13	40.30	19.90	24.98	6.65		15.69			1.97	
	LA, MS, SC, & TN Only			LIEDOE	LIEDOA	4.42	40.30	19.90	24.98	6.65		15.69			1.97 1.97	
	2-Wire Voice Grade Port (Centrex) 2-Wire Voice Grade Port (Centrex 800 termination)			UEP95 UEP95	UEPQA UEPQB	1.13 1.13	40.30 40.30	19.90 19.90	24.98 24.98	6.65 6.65		15.69 15.69			1.97	
	2-Wire Voice Grade Fort (Centrex with Caller ID)1			UEP95	UEPQH	1.13	40.30	19.90	24.98	6.65		15.69			1.97	
	2-Wire Voice Grade Port (Centrex with Caller ID)1 2-Wire Voice Grade Port (Centrex from diff Serving Wire	1	†	J_1 00	JE1 3(1)	1.13	70.50	13.30	24.30	0.00	1	13.03		1	1.37	
	Center)2			UEP95	UEPQM	1.13	108.36	70.71	54.47	11.94		15.69		1	1.97	
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
	Term			UEP95	UEPQZ	1.13	108.36	70.71	54.47	11.94		15.69			1.97	
							40	40				4.5.5		1		
	2-Wire Voice Grade Port terminated in on Megalink or equivalent	1	<u> </u>	UEP95	UEPQ9	1.13	40.30	19.90	24.98	6.65		15.69		 	1.97	
	2-Wire Voice Grade Port Terminated on 800 Service Term witching	1	 	UEP95	UEPQ2	1.13	40.30	19.90	24.98	6.65	-	15.69		1	1.97	
Local 5	Centrex Intercom Funtionality, per port		 	UEP95	URECS	0.7996				1	-				 	
Local N	umber Portability	1		02. 00	CINEOU	0.7000									—	
	Local Number Portability (1 per port)	1		UEP95	LNPCC	0.35										
Feature	s															
	All Standard Features Offered, per port			UEP95	UEPVF	3.04						15.69			1.97	
	All Select Features Offered, per port			UEP95	UEPVS	0.00	406.42					15.69		ļ	1.97	
	All Centrex Control Features Offered, per port	1	<u> </u>	UEP95	UEPVC	3.04						15.69		ļ	1.97	
NARS	Linkundlad Naturaly Access Bogistes Combination	1	}	LIEDOE	LIABOY	0.00	0.00	0.00			1	45.00		 	4.07	1
	Unbundled Network Access Register - Combination Unbundled Network Access Register - Indial	1	 	UEP95 UEP95	UARCX UAR1X	0.00	0.00	0.00	-	-	-	15.69 15.69		1	1.97 1.97	
	Unbundled Network Access Register - Indial Unbundled Network Access Register - Outdial	1	 	UEP95	UAROX	0.00	0.00	0.00		1	 	15.69		1	1.97	1
Miscella	aneous Terminations	1	1	02.00	C/IIIO/I	0.00	5.00	0.00				10.00			1.57	
	Frunk Side													İ	1	
	Trunk Side Terminations, each			UEP95	CEND6	8.86	239.14	37.56	120.05	7.54		15.69			1.97	

UNBUNDLEI	D NETWORK ELEMENTS - South Carolina												Attachment:	2		Exhibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Submitted	Incremental Charge - Manual Svc		Charge -	Incremental Charge -
						Rec	Nonrec			g Disconnect				RATES (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
4-Wire	Digital (1.544 Megabits)			LIEDOE	MALIDA	70.00	404.04	101.00	445.50	4.00		45.00			4.07	-
	DS1 Circuit Terminations, each DS0 Channels Activated, each			UEP95 UEP95	M1HD1 M1HDO	73.62 0.00	404.94 14.51	191.90	145.50	4.93		15.69			1.97	
Intereff	fice Channel Mileage - 2-Wire			UEF95	WITHDO	0.00	14.51									
Interon	Interoffice Channel Facilities Termination			UEP95	MIGBC	24.30	81.25	54.94	33.54	13.82		15.69			1.97	
	Interoffice Channel mileage, per mile or fraction of mile			UEP95	MIGBM	0.0167	01.20	0	00.01	10.02		10.00				
Feature	Activations (DS0) Centrex Loops on Channelized DS1 Service	ce				0.0.0										
	nnel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	1PQWS	0.56						15.69			1.97	
								· · · · · · · · · · · · · · · · · · ·					-			
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot	1		UEP95	1PQW6	0.56						15.69			1.97	1
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop			LIEDOS	4000											
 	Slot	1	 	UEP95	1PQW7	0.56					1	15.69			1.97	1
	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center			UEP95	1PQWP	0.56						15.69			1.97	
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP95	1PQWV	0.56						15.69			1.97	
	Feature Activation on D-4 Channel Bank Title Line/Trunk Loop			UEF95	IPQVVV	0.56						15.69			1.97	
	Slot			UEP95	1PQWQ	0.56						15.69			1.97	
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP95	1PQWA	0.56						15.69			1.97	
	ecurring Charges (NRC) Associated with UNE-P Centrex			OLI SO	11 Q 11/1	0.00						10.00			1.07	
1.0	NRC Conversion Currently Combined Switch-As-Is with allowed					İ										
	changes, per port			UEP95	USAC2		37.93	16.72				15.69			1.97	
	New Centrex Standard Common Block			UEP95	M1ACS	0.00	668.70					15.69			1.97	
	New Centrex Customized Common Block			UEP95	M1ACC	0.00	668.70					15.69			1.97	
	NAR Establishment Charge, Per Occasion			UEP95	URECA	0.00	72.89					15.69			1.97	
	CENTREX - DMS100 (Valid in All States)															
	VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
UNE Po	ort/Loop Combination Rates (Non-Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo			LIEDOD		44.00										
	Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	-		UEP9D		14.89										
	Non-Design 2-Wire VG Loop/2-Wire Voice Grade Fort (Centrex)Fort Combo - 12-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - 13-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - 14-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - 15-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - 15-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - 16-Wire VG Loop/2-W		2	UEP9D		21.52										
	Non-Design		3	UEP9D		27.17										
UNF Pa	ort/Loop Combination Rates (Design)	1	-	OL: 3D	+	21.11										1
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo				1											t
	Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		1	UEP9D		17.81										-
	Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		2	UEP9D		24.26										
	Design		3	UEP9D		29.59										
	pop Rate	1														
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9D	UECS1	13.76										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP9D	UECS1	20.38										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP9D	UECS1	26.04	, The state of the									
	2-Wire Voice Grade Loop (SL 2) - Zone 1	1	1	UEP9D	UECS2	16.68										-
	2-Wire Voice Grade Loop (SL 2) - Zone 2	1	2	UEP9D	UECS2	23.13					1	1				1
LIME D	2-Wire Voice Grade Loop (SL 2) - Zone 3 ort Rate	1	3	UEP9D	UECS2	28.46						-				
ALL ST					+	 								-	-	1
ALL SI	2-Wire Voice Grade Port (Centrex) Basic Local Area	1		UEP9D	UEPYA	1.13	40.30	19.90	24.98	6.65		15.69			1.97	t
	2-Wire Voice Grade Port (Centrex / Basic Local Area 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local	1		00	J 1/1	1.13	40.00	10.00	24.50	0.00		10.00			1.57	t
	Area 2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local			UEP9D	UEPYB	1.13	40.30	19.90	24.98	6.65		15.69			1.97	
	Area	ļ		UEP9D	UEPYC	1.13	40.30	19.90	24.98	6.65		15.69			1.97	
	2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local Area			UEP9D	UEPYD	1.13	40.30	19.90	24.98	6.65		15.69			1.97	

UNBUNDLE	D NETWORK ELEMENTS - South Carolina												Attachment:	2		Exhibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonre	curring	Nonrecurrin	g Disconnect			OSS F	RATES (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN		SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local															
	Area			UEP9D	UEPYE	1.13	40.30	19.90	24.98	6.65		15.69			1.97	
	2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local Area			UEP9D	UEPYF	1.13	40.30	19.90	24.98	6.65		15.69			1.97	ı .
	2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local															
	Area			UEP9D	UEPYG	1.13	40.30	19.90	24.98	6.65		15.69			1.97	
	2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local Area			UEP9D	UEPYT	1.13	40.30	19.90	24.98	6.65		15.69			1.97	ı
	2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local															
	Area			UEP9D	UEPYU	1.13	40.30	19.90	24.98	6.65		15.69			1.97	
	2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local Area			UEP9D	UEPYV	1.13	40.30	19.90	24.98	6.65		15.69			1.97	1
	2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local			OLI OD	OLI IV	1.10	40.00	10.00	24.00	0.00		10.00			1.07	
	Area			UEP9D	UEPY3	1.13	40.30	19.90	24.98	6.65		15.69			1.97	
	2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local Area			UEP9D	UEPYH	1.13	40.30	19.90	24.98	6.65		15.69			1.97	l
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp			OLI 9D	OLI III	1.15	40.50	19.90	24.90	0.03		15.05			1.37	
	Indication))3 Basic Local Area			UEP9D	UEPYW	1.13	40.30	19.90	24.98	6.65		15.69			1.97	
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))3 Basic Local Area			UEP9D	UEPYJ	1.13	40.30	19.90	24.98	6.65		15.69			1.97	1
 	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)			OLF9D	OLFIJ	1.13	40.30	19.90	24.90	0.03		13.09			1.37	
	2 Basic Local Area			UEP9D	UEPYM	1.13	108.36	70.71	54.47	11.94		15.69			1.97	
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3			UEP9D	UEPYO	4.40	400.00	70.74	54.47	11.94		45.00			1.97	l
	Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3			UEP9D	UEPYU	1.13	108.36	70.71	54.47	11.94		15.69			1.97	
	Basic Local Area			UEP9D	UEPYP	1.13	108.36	70.71	54.47	11.94		15.69			1.97	1
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3							=0.=4				4.5.00				
-	Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3			UEP9D	UEPYQ	1.13	108.36	70.71	54.47	11.94		15.69			1.97	
	Basic Local Area			UEP9D	UEPYR	1.13	108.36	70.71	54.47	11.94		15.69			1.97	l
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3															
	Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3			UEP9D	UEPYS	1.13	108.36	70.71	54.47	11.94		15.69			1.97	
	Basic Local Area			UEP9D	UEPY4	1.13	108.36	70.71	54.47	11.94		15.69			1.97	l
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3															
	Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3			UEP9D	UEPY5	1.13	108.36	70.71	54.47	11.94		15.69			1.97	
	Basic Local Area			UEP9D	UEPY6	1.13	108.36	70.71	54.47	11.94		15.69			1.97	l
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3															
	Basic Local Area 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			UEP9D	UEPY7	1.13	108.36	70.71	54.47	11.94		15.69			1.97	
	Term			UEP9D	UEPYZ	1.13	108.36	70.71	54.47	11.94		15.69			1.97	l
	2-Wire Voice Grade Port terminated in on Megalink or equivalent															
	Basic Local Area 2-Wire Voice Grade Port Terminated on 800 Service Term Basic			UEP9D	UEPY9	1.13	40.30	19.90	24.98	6.65		15.69			1.97	
	Local Area			UEP9D	UEPY2	1.13	40.30	19.90	24.98	6.65		15.69			1.97	l
AL, KY	, LA, MS, SC, & TN Only						40.30	19.90	24.98	6.65						
	2-Wire Voice Grade Port (Centrex)			UEP9D	UEPQA	1.13	40.30	19.90	24.98	6.65		15.69			1.97	
 	2-Wire Voice Grade Port (Centrex 800 termination) 2-Wire Voice Grade Port (Centrex / EBS-PSET)3		1	UEP9D UEP9D	UEPQB UEPQC	1.13 1.13	40.30 40.30	19.90 19.90	24.98 24.98	6.65 6.65	1	15.69 15.69			1.97 1.97	
	2-Wire Voice Grade Port (Centrex / EBS-M5009)3			UEP9D	UEPQD	1.13	40.30	19.90	24.98	6.65		15.69			1.97	<u> </u>
	2-Wire Voice Grade Port (Centrex / EBS-M5209)3			UEP9D	UEPQE	1.13	40.30	19.90	24.98	6.65		15.69			1.97	<u> </u>
	2-Wire Voice Grade Port (Centrex / EBS-M5112)3 2-Wire Voice Grade Port (Centrex / EBS-M5312)3		 	UEP9D UEP9D	UEPQF UEPQG	1.13 1.13	40.30 40.30	19.90 19.90	24.98 24.98	6.65 6.65	1	15.69 15.69			1.97 1.97	
	2-Wire Voice Grade Fort (Centrex / EBS-M5008)3			UEP9D	UEPQT	1.13	40.30	19.90	24.98	6.65	t	15.69			1.97	
	2-Wire Voice Grade Port (Centrex / EBS-M5208)3			UEP9D	UEPQU	1.13	40.30	19.90	24.98	6.65		15.69			1.97	
 	2-Wire Voice Grade Port (Centrex / EBS-M5216)3 2-Wire Voice Grade Port (Centrex / EBS-M5316)3		1	UEP9D UEP9D	UEPQV UEPQ3	1.13 1.13	40.30 40.30	19.90 19.90	24.98 24.98	6.65 6.65	1	15.69 15.69			1.97 1.97	
1 1	Z-VVIIG VOICE GIAUE FUIT (CEITHEX / EDO-IVIDO 10)3	1	<u> </u>	OLF3D	ULFUJ	1.13	40.30	19.90	24.98	0.00	1	15.69		I	1.97	

UNBUNDLE	D NETWORK ELEMENTS - South Carolina												Attachment:	2		Exhibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec	urring	Nonrecurring	g Disconnect			220	RATES (\$)		
-+					+	Nec	First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN		SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex with Caller ID)			UEP9D	UEPQH	1.13	40.30	19.90	24.98	6.65		15.69			1.97	
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp															
-+-	Indication)3			UEP9D	UEPQW	1.13	40.30	19.90	24.98	6.65		15.69			1.97	
-+-	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)3 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)	-		UEP9D	UEPQJ	1.13	40.30	19.90	24.98	6.65		15.69			1.97	
	2			UEP9D	UEPQM	1.13	108.36	70.71	54.47	11.94		15.69			1.97	
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3			UEP9D	UEPQO	1.13	108.36	70.71	54.47	11.94		15.69			1.97	
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3			UEP9D UEP9D	UEPQP UEPQQ	1.13 1.13	108.36 108.36	70.71 70.71	54.47 54.47	11.94 11.94		15.69 15.69			1.97 1.97	
-+-	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3			UEP9D	UEFQQ	1.13	100.36	70.71	54.47	11.94		15.09			1.97	
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3			UEP9D	UEPQR	1.13	108.36	70.71	54.47	11.94		15.69			1.97	
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3			UEP9D	UEPQS	1.13	108.36	70.71	54.47	11.94		15.69			1.97	
	2 Wire Voice Crade Bort (Centroy/differ SWC /EBS ME009)2 2			UEP9D	UEPQ4	1.13	108.36	70.71	54.47	11.94		15.60			1.97	
-+-	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3	1		UEF9D	UEPQ4	1.13	100.36	70.71	54.47	11.94		15.69			1.97	
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3			UEP9D	UEPQ5	1.13	108.36	70.71	54.47	11.94		15.69			1.97	
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3			UEP9D	UEPQ6	1.13	108.36	70.71	54.47	11.94		15.69			1.97	
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3			UEP9D	UEPQ7	1.13	108.36	70.71	54.47	11.94		15.69			1.97	
-+-	2-Wire Voice Grade Port (Centrex/diller SWC /EBS-N5316)2, 3 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			UEP9D	UEPQ7	1.13	108.36	70.71	54.47	11.94		15.69			1.97	
	Term			UEP9D	UEPQZ	1.13	108.36	70.71	54.47	11.94		15.69			1.97	
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9D	UEPQ9	1.13	40.30	19.90	24.98	6.65		15.69			1.97	
Local	2-Wire Voice Grade Port Terminated on 800 Service Term Switching			UEP9D	UEPQ2	1.13	40.30	19.90	24.98	6.65		15.69			1.97	
Local	Centrex Intercom Funtionality, per port			UEP9D	URECS	0.7996						15.69			1.97	
Local	Number Portability															
	Local Number Portability (1 per port)			UEP9D	LNPCC	0.35										
Feature				LIEBAR								04.00				
-+	All Standard Features Offered, per port All Select Features Offered, per port			UEP9D UEP9D	UEPVF UEPVS	3.04 0.00	406.42					31.38 31.38			3.94 3.94	
	All Centrex Control Features Offered, per port	1		UEP9D	UEPVC	3.04	400.42					31.38			3.94	
						5.51						31.38			3.94	
NARS																
$-\!$	Unbundled Network Access Register - Combination			UEP9D	UARCX	0.00	0.00	0.00				31.38			3.94	
\longrightarrow	Unbundled Network Access Register - Inward Unbundled Network Access Register - Outdial	1		UEP9D UEP9D	UAR1X UAROX	0.00	0.00	0.00	-	-	-	31.38 31.38			3.94 3.94	
Miscel	laneous Terminations	1 1		021 00	5,1107	0.00	0.00	0.00			t	31.30			5.54	
	Trunk Side															
	Trunk Side Terminations, each			UEP9D	CEND6	8.86	239.14	37.56	120.05	7.54		15.69			1.97	
4-Wire	Digital (1.544 Megabits)			UEP9D	M1HD1	73.62	404.94	101.00	145 50	4.00	-	15.69			1.97	
$\overline{}$	DS1 Circuit Terminations, each DS0 Channels Activiated per Channel	+ +		UEP9D UEP9D	M1HD0 M1HD0	0.00	14.51	191.80	145.50	4.93	1	15.69			1.97	
Interof	fice Channel Mileage - 2-Wire			01 00		0.00	17.51			1		10.08			1.31	
	Interoffice Channel Facilities Termination			UEP9D	MIGBC	24.30	81.25	54.94	33.54	13.82		15.69			1.97	
	Interoffice Channel mileage, per mile or fraction of mile			UEP9D	MIGBM	0.0167										
	e Activations (DS0) Centrex Loops on Channelized DS1 Service annel Bank Feature Activations	e			+					<u> </u>	1					
D4 Cha	Feature Activation on D-4 Channel Bank Centrex Loop Slot	+ +		UEP9D	1PQWS	0.56				1	 	15.69			1.97	
$\overline{}$	- Constitution on D 1 Charling Bank Control Loop Clot					0.00				1		10.00			1.07	
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9D	1PQW6	0.56						15.69			1.97	
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop				120V											
-+-	Slot Feature Activation on D-4 Channel Bank Centrex Loop Slot -			UEP9D	1PQW7	0.56						15.69			1.97	
1	Different Wire Center	1 1		UEP9D	1PQWP	0.56			1	I	1	15.69			1.97	

UNBUNDLE	D NETWORK ELEMENTS - South Carolina												Attachment:	2		Exhibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Submitted Manually	Charge -	Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrec	urring	Nonrecurring	g Disconnect			oss i	RATES (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9D	1PQWV	0.56						15.69			1.97	
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot			UEP9D	1PQWQ	0.56						15.69			1.97	
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9D	1PQWA	0.56						15.69			1.97	
Non-Re	curring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port			UEP9D	USAC2		37.93	16.72				15.69			1.97	
	New Centrex Standard Common Block			UEP9D	M1ACS	0.00	668.70					15.69			1.97	
	New Centrex Customized Common Block			UEP9D	M1ACC	0.00	668.70					15.69			1.97	
	NAR Establishment Charge, Per Occasion			UEP9D	URECA	0.00	72.89					15.69			1.97	
	- Required Port for Centrex Control in 1AESS, 5ESS & EWSD															
	- Requres Interoffice Channel Mileage															
Note 3	- Requires Specific Customer Premises Equipment		<u> </u>													
					-											
+					1											
 			!		+											
					1											
					†	1										

																T.	
UNBU	NDLE	NETWORK ELEMENTS - Tennessee	1		Т		ı						1	Attachment:	2		Exhibit: I
														Incremental	Incremental	Incremental	Incrementa
														Charge -	Charge -	Charge -	Charge -
CATE	GORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			Svc Order	Svc Order	Manual Svc	Manual Svc	Manual Svc	Manual Sv
0,		KATE ELEMENTO	m	20110	500	0000						Submitted	Submitted	Order vs.	Order vs.	Order vs.	Order vs.
												Elec	Manually	Electronic-	Electronic-	Electronic-	Electronic
												per LSR	per LSR	1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonrecurring			g Disconnect				RATES (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
																	
																	+
\vdash			<u> </u>														
-	The "70	one" shown in the sections for stand-alone loops or loops as	nart of	a com	hination refers to Ge	ographically	Deaveraged I	NF Zones To	view Geograp	hically Deavers	aged LINE Zone	- Designati	one by Cont	ral Office refe	er to Internet	Nobeito:	L
		ww.interconnection.bellsouth.com/become_a_clec/html/inter				ograpincany	Deaverageu C	NAL ZONES. 10	view Geograp	incany beaver	aged ONL ZON	e Designati	ons by cen	irai Oilice, reit	or to internet	reporte.	
OPERA		SUPPORT SYSTEMS	Comine	1			1	1		1	1		1			1	
0				1										1			
	NOTE:	(1) Electronic Service Order: CLEC-1 should contact its contr	ract neg	jotiato	r if it prefers the state	e specific ele	ctronic service	ordering char	ges as ordered	by the State (Commissions.	The electro	onic service	ordering cha	rge currently	contained in t	his rate
	exhibit	is the BellSouth regional electronic service ordering charge.	CLEC-	1 may	elect either the state	specific Con	nmission orde	red rates for th	e electronic se	rvice ordering	charges, or Cl	LEC-1 may	elect the reg	jional electror	nic service or	dering charge	
	NOTE:	(2) Any element that can be ordered electronically will be bill	ed acco	ording	to the SOMEC rate li	sted in this o	category. Plea	se refer to Bell	South's Busine	ess Rules for L	ocal Ordering	(BBR-LO) t	o determine	if a product of	can be ordere	d electronical	ly. For
,	those e	lements that cannot be ordered electronically at present per t	the BBF	R-LO, ti	ne listed SOMEC rate	in this cate	gory reflects th	e charge that	would be billed	to a CLEC on	ce electronic o	ordering ca	pabilities co	me on-line fo	r that element	. Otherwise,	the manual
		g charge, SOMAN, will be applied to a CLECs bill when it sub						-									
		Electronic OSS Charge, per LSR, submitted via BST's OSS															
		interactive interfaces (Regional)				SOMEC		3.50									1
		XCHANGE ACCESS LOOP															
	2-WIRE	ANALOG VOICE GRADE LOOP															1
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEAL2	13.19	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.3
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		2	UEANL	UEAL2	17.23	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.3
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL	UEAL2	22.53	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.3
		Loop Testing - Basic 1st Half Hour			UEANL UEANL	URET1		78.92 23.33	78.92 23.33								+
		Loop Testing - Basic Additional Half Hour Engineering Information Document (EI)		1	UEANL	URETA		28.80	28.80				1				+
\vdash		Manual Order Coordination for UVL-SL1s (per loop)*		1	UEANL	UEAMC		36.46	36.46				1				-
\vdash		Order Coordination for Specified Conversion Time for UVL-SL1		1	ULANL	OLAIVIC		30.40	30.40								
] ,		(per LSR) *			UEANL	OCOSL		36.52	36.52								i
	2-WIRE	Unbundled COPPER LOOP															
		2-Wire Unbundled Copper Loop - Non-Designed Zone 1	ı	1	UEQ	UEQ2X	13.19	31.99	20.02	10.65	1.41			19.99	19.99	19.99	19.9
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 2	- 1	2	UEQ	UEQ2X	17.23	31.99	20.02	10.65	1.41			19.99	19.99	19.99	19.9
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 3	- 1	3	UEQ	UEQ2X	22.53	31.99	20.02	10.65	1.41			19.99	19.99	19.99	19.9
		Order Coordination 2 Wire Unbundled Copper Loop - Non-															ĺ
		Designed (per loop)			UEQ	USBMC		36.52	36.52								1
		Engineering Information Document			UEQ			28.80	28.80								
		Loop Testing - Basic 1st Half Hour		1	UEQ	URET1		78.92	78.92								
LINIDLIN		Loop Testing - Basic Additional Half Hour		1	UEQ	URETA		23.33	23.33						-		
		XCHANGE ACCESS LOOP ANALOG VOICE GRADE LOOP		1											-		
\longmapsto	Z-WIKE	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		1		-							1		-		
		Zone 1	1	1	UEPSR UEPSB	UEALS	13.19	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.3
\vdash		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-	- '-	 '	521 OK 521 65	J L / 1LU	15.19	51.35	20.02	10.00	1.41	†	1	20.33	10.54	10.02	10.0
		Zone 1	1		UEPSR UEPSB	UEABS	13.19	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.3
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-						,		,,,,							
		Zone 2	1	2	UEPSR UEPSB	UEALS	17.23	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.3
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-															
		Zone 2	I		UEPSR UEPSB	UEABS	17.23	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.3
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															1
igsquare		Zone 3		3	UEPSR UEPSB	UEALS	22.53	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.3
1 1		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-	1			l		l			l .				l	l	1 .
1 1		Zone 3		1	UEPSR UEPSB	UEABS	22.53	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.3
LINIE	DI E	XCHANGE ACCESS LOOP	1	-	1		 	 		 	 	ļ	ļ	1	!	1	
					•	1							!				
		ANALOG VOICE GRADE LOOP															
		ANALOG VOICE GRADE LOOP CLEC to CLEC Conversion Charge without outside dispatch			LIEANI	LIDEWO		24.00	20.00					20.25	10.54	40 00	400
		ANALOG VOICE GRADE LOOP CLEC to CLEC Conversion Charge without outside dispatch (UVL-SL1)			UEANL	UREWO		31.99	20.02					20.35	10.54	13.32	13.3
		ANALOG VOICE GRADE LOOP CLEC to CLEC Conversion Charge without outside dispatch (UVL-SL1) 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		1			16.56			28 70	17.64						
		ANALOG VOICE GRADE LOOP CLEC to CLEC Conversion Charge without outside dispatch (UVL-SL1)		1	UEANL UEA	UREWO UEAL2	16.56	31.99 75.06	20.02	28.70	17.64			20.35	10.54	13.32 13.32	13.3

4Q01:12/01/01 PAGE 287 OF 324

UNBUNDLE	D NETWORK ELEMENTS - Tennessee												Attachment:	2		Exhibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR		Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Charge -
						Rec	Nonrecurring			g Disconnect				RATES (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		3	UEA	UEAL2	20.20	75.00	40.00	20.70	47.04			20.35	10.54	13.32	40.00
h + +	Ground Start Signaling - Zone 3 Order Coordination for Specified Conversion Time (per LSR)		3	UEA	OCOSL	28.28	75.06 34.29	48.20	28.70	17.64			20.33	10.54	13.32	13.32
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse			OLI	CCCCE		04.20									
	Battery Signaling - Zone 1		1	UEA	UEAR2	16.56	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse				1											
—	Battery Signaling - Zone 2 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		2	UEA	UEAR2	21.63	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32
	Battery Signaling - Zone 3		3	UEA	UEAR2	28.28	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL	20:20	34.29	10.20	20.70				20.00	10.01	10.02	10.02
	CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		75.06	38.34					20.35	10.54	13.32	13.32
4-WIR	E ANALOG VOICE GRADE LOOP			1154	115 41 4	04.70	100 70	05	70.00	00.10			00.05	40 = 1	40.00	40.00
 	4-Wire Analog Voice Grade Loop - Zone 1 4-Wire Analog Voice Grade Loop - Zone 2	<u> </u>		UEA UEA	UEAL4 UEAL4	24.70 32.25	122.76 122.76	85.57 85.57	76.35 76.35	39.16 39.16		 	20.35 20.35	10.54 10.54	13.32 13.32	
h + + + + + + + + + + + + + + + + + + +	4-Wire Analog Voice Grade Loop - Zone 2			UEA	UEAL4	42.17	122.76	85.57	76.35	39.16			20.35	10.54	13.32	
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL	12.17	34.29	00.07	7 0.00	33.10			20.00	10.01	10.02	10.02
2-WIR	E ISDN DIGITAL GRADE LOOP															
	2-Wire ISDN Digital Grade Loop - Zone 1		1	UDN	U1L2X	22.00	142.76	88.88	76.35	39.16			20.35	10.54	13.32	
	2-Wire ISDN Digital Grade Loop - Zone 2			UDN UDN	U1L2X U1L2X	29.02 37.95	142.76 142.76	88.88 88.88	76.35 76.35	39.16 39.16			20.35 20.35	10.54 10.54		
—	2-Wire ISDN Digital Grade Loop - Zone 3 Order Coordination For Specified Conversion Time (per LSR)		3	UDN	OCOSL	37.95	34.29	88.88	76.35	39.16			20.35	10.54	13.32	13.32
	CLEC to CLEC Conversion Charge without outside dispatch			UDN	UREWO		121.37	33.14					20.35	10.54	13.32	13.32
2-WIR	E Universal Digital Channel (UDC) COMPATIBLE LOOP															
	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone															
-	1	ļ	1	UDC	UDC2X	21.15	228.92	152.42	110.01	21.63			20.35	10.54	13.32	13.32
	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone		2	UDC	UDC2X	27.62	228.92	152.42	110.01	21.63			20.35	10.54	13.32	13.32
	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone			ODC	ODCZA	21.02	220.92	132.42	110.01	21.03			20.33	10.54	13.32	13.32
	3		3	UDC	UDC2X	36.12	228.92	152.42	110.01	21.63			20.35	10.54	13.32	13.32
	CLEC to CLEC Conversion Charge without outside dispatch			UDC	UREWO		121.37	33.14					20.35	10.54	13.32	13.32
2-WIR	E ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP	ATIBLE	LOOP													
	2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 1		4	UAL	UAL2X	13.82	270.01	234.63	74.54	39.14			20.35	10.54	13.32	13.32
h + +	2 Wire Unbundled ADSL Loop including manual service inquiry		-	UAL	UALZA	13.02	270.01	234.03	74.54	39.14			20.33	10.54	13.32	13.32
	& facility reservation - Zone 2		2	UAL	UAL2X	18.05	270.01	234.63	74.54	39.14			20.35	10.54	13.32	13.32
	2 Wire Unbundled ADSL Loop including manual service inquiry															
	& facility reservation - Zone 3		3	UAL	UAL2X	23.60	270.01	234.63	74.54	39.14			20.35	10.54	13.32	13.32
 	Order Coordination for Specified Conversion Time (per LSR) 2 Wire Unbundled ADSL Loop without manual service inquiry &	<u> </u>		UAL	OCOSL	-	34.29		-			 				
	facility reservaton - Zone 1	1	1	UAL	UAL2W	13.82	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	2 Wire Unbundled ADSL Loop without manual service inquiry &		<u> </u>	- =	1	.5.52	355	20.02					20.00	10.04	.0.02	.0.02
	facility reservaton - Zone 2	I	2	UAL	UAL2W	18.05	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	2 Wire Unbundled ADSL Loop without manual service inquiry &	١					2.2-									10.5-
 	facility reservaton - Zone 3 Order Coordination for Specified Conversion Time (per LSR)		3	UAL UAL	UAL2W OCOSL	23.60	31.99 34.29	20.02	10.65	1.41	1	-	20.35	10.54	13.32	13.32
 	CLEC to CLEC Conversion Charge without outside dispatch		-	UAL	UREWO	 	34.29	20.02	 			1	20.35	10.54	13.32	13.32
2-WIR	E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP	J. L	SILLYVO	<u> </u>	31.99	20.02	<u> </u>			†	20.33	10.34	10.02	10.02
	2 Wire Unbundled HDSL Loop including manual service inquiry															
	& facility reservation - Zone 1		1	UHL	UHL2X	10.83	270.01	234.63	74.54	39.14			20.35	10.54	13.32	13.32
	2 Wire Unbundled HDSL Loop including manual service inquiry		_		11111 027		070.01	004.00					00.0=	10.51	10.00	10.00
 	& facility reservation - Zone 2 2 Wire Unbundled HDSL Loop including manual service inquiry		2	UHL	UHL2X	14.15	270.01	234.63	74.54	39.14		-	20.35	10.54	13.32	13.32
	& facility reservation - Zone 3		3	UHL	UHL2X	18.50	270.01	234.63	74.54	39.14			20.35	10.54	13.32	13.32
	Order Coordination for Specified Conversion Time (per LSR)		Ť	UHL	OCOSL	. 5.00	34.29		1.01						. 5.02	
	2 Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 1		1	UHL	UHL2W	10.83	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	2 Wire Unbundled HDSL Loop without manual service inquiry		2	UHL	11111 2141	14.15	31.99	20.00	10.05	4 44			20.25	10.54	12.20	42.00
L	and facility reservation - Zone 2		2	UIL	UHL2W	14.15	31.99	20.02	10.65	1.41	<u> </u>	1	20.35	10.54	13.32	13.32

JNBUNDLE	D NETWORK ELEMENTS - Tennessee												Attachment:	2		Exhibit: E
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)	ı			Submitted Manually	Incremental Charge - Manual Svc	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring First	Add'l	Nonrecurring First	g Disconnect Add'l	SOMEC	SOMAN	OSS F	RATES (\$) SOMAN	SOMAN	SOMAN
	2 Wire Unbundled HDSL Loop without manual service inquiry						24.22								40.00	40.00
-+	and facility reservation - Zone 3 Order Coordination for Specified Conversion Time (per LSR)		3	UHL UHL	UHL2W OCOSL	18.50	31.99 34.29	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	CLEC to CLEC Conversion Charge without outside dispatch	ı		UHL	UREWO		31.99	20.02					20.35	10.54	13.32	13.32
	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP													
	4 Wire Unbundled HDSL Loop including manual service inquiry					10.00	070.00	044.00	74.54	00.44			00.05	40.54	40.00	40.00
\longrightarrow	and facility reservation - Zone 1 4-Wire Unbundled HDSL Loop including manual service inquiry		1	UHL	UHL4X	13.93	279.60	244.22	74.54	39.14			20.35	10.54	13.32	13.32
	and facility reservation - Zone 2		2	UHL	UHL4X	18.20	279.60	244.22	74.54	39.14			20.35	10.54	13.32	13.32
	4-Wire Unbundled HDSL Loop including manual service inquiry															
	and facility reservation - Zone 3		3	UHL	UHL4X	23.80	279.60	244.22	74.54	39.14			20.35	10.54	13.32	13.32
	Order Coordination for Specified Conversion Time (per LSR) 4-Wire Unbundled HDSL Loop without manual service inquiry			UHL	OCOSL		34.29									
	and facility reservation - Zone 1	- 1	1	UHL	UHL4W	13.93	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	4-Wire Unbundled HDSL Loop without manual service inquiry						0.100									
	and facility reservation - Zone 2	I	2	UHL	UHL4W	18.20	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3		3	UHL	UHL4W	23.80	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	Order Coordination for Specified Conversion Time (per LSR)		3	UHL	OCOSL	23.80	34.29	20.02	10.05	1.41			20.35	10.54	13.32	13.32
	CLEC to CLEC Conversion Charge without outside dispatch	- 1		UHL	UREWO		31.99	20.02					20.35	10.54	13.32	13.32
4-WIRE	DS1 DIGITAL LOOP															
	4-Wire DS1 Digital Loop - Zone 1			USL	USLXX	57.73	313.08	219.72	96.86	40.45			18.98	8.43	11.95	11.95
	4-Wire DS1 Digital Loop - Zone 2		2		USLXX	75.40	313.08	219.72	96.86	40.45			18.98	8.43	11.95	11.95
	4-Wire DS1 Digital Loop - Zone 3 Order Coordination for Specified Conversion Time (per LSR)		3	USL USL	USLXX	98.59	313.08 34.29	219.72	96.86	40.45			18.98	8.43	11.95	11.95
-+	CLEC to CLEC Conversion Charge without outside dispatch			USL	UREWO		130.47	40.11					20.35	10.54	13.32	13.32
	19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP															
	4 Wire Unbundled Digital 19.2 Kbps		1	UDL	UDL19	31.10	207.01	141.38	90.70				20.35	10.54	13.32	13.32
	4 Wire Unbundled Digital 19.2 Kbps			UDL	UDL19	40.61	207.01	141.38	90.70	44.18			20.35	10.54	13.32	13.32
\longrightarrow	4 Wire Unbundled Digital 19.2 Kbps 4 Wire Unbundled Digital Loop 56 Kbps - Zone 1		3	UDL	UDL19 UDL56	53.11 31.10	207.01 207.01	141.38 141.38	90.70 90.70	44.18 44.18			20.35 20.35	10.54 10.54	13.32 13.32	13.32 13.32
-+	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2			UDL	UDL56	40.61	207.01	141.38	90.70	44.18			20.35	10.54	13.32	13.32
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3		3		UDL56	53.11	207.01	141.38	90.70	44.18			20.35	10.54	13.32	13.32
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		34.29									
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1		1	UDL	UDL64	31.10	207.01	141.38	90.70	44.18			20.35	10.54	13.32	13.32
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2 4 Wire Unbundled Digital Loop 64 Kbps - Zone 3		3	UDL	UDL64 UDL64	40.61 53.11	207.01 207.01	141.38 141.38	90.70 90.70	44.18 44.18			20.35 20.35	10.54 10.54	13.32 13.32	13.32 13.32
\longrightarrow	Order Coordination for Specified Conversion Time (per LSR)	<u> </u>	3	UDL	OCOSL	33.11	34.29	141.38	90.70	44.18	-		20.33	10.54	13.32	13.32
	CLEC to CLEC Conversion Charge without outside dispatch			UDL	UREWO		131.89	38.75					20.35	10.54	13.32	13.32
	Unbundled COPPER LOOP															
	2 Wire Unbundled Copper Loop/Short including manual service	Ι.		1101	HOLDS	10.10	404.00	100.00	10.0=				00.0=	10.51	10.00	10.00
\longrightarrow	inquiry & fac. reservation - Statewide Order Coordination for Unbundled Copper Loops (per loop)	\vdash	SW	UCL UCL	UCLPB	12.16	131.99 36.52	120.02 36.52	10.65	1.41	-	-	20.35	10.54	13.32	13.32
	2-Wire Unbundled Copper Loop/Short without manual svc.	<u> </u>	1	OOL	JULIVIU		30.32	30.32			-					
	inquiry and facility reservation - Statewide	- 1	sw	UCL	UCLPW	12.16	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		36.52	36.52								
	2-Wire Unbundled Copper Loop/Long - includes manual svc	١.			1101 6:											
	inquiry and facility reservation - Statewide Order Coordination for Unbundled Copper Loops (per loop)		SW	UCL UCL	UCL2L UCLMC	12.16	131.99 36.52	120.02 36.52	10.65	1.41			20.35	10.54	13.32	13.32
	2-Wire Unbundled Copper Loop/Long - without manual svc.	 	-	OOL	CCLIVIC		30.52	30.52								
	inquiry and facility reservation - Statewide	1	sw	UCL	UCL2W	12.16	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		36.52	36.52								
	CLEC to CLEC Conversion Charge without outside dispatch	Ι.		1101	LIDEWO		04.00	20.00					00.0=	10.51	10.00	10.00
\longrightarrow	(UCL-Des) CLEC to CLEC Conversion Charge without outside dispatch	<u> </u>	 	UCL	UREWO		31.99	20.02			 	 	20.35	10.54	13.32	13.32
, ,		1 .		UEQ	UREWO		31.99	20.02	1				20.35	10.54	13.32	13.32
	(UCL-ND)				IUKEWO		31.99	20.02				1	ZU.35	10.54		

UNBUNDLE	D NETWORK ELEMENTS - Tennessee												Attachment:	2		Exhibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			1	Svc Order Submitted Manually per LSR	Order vs.	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrecurring	Add'l	Nonrecurring	g Disconnect Add'l	SOMEC	SOMAN		RATES (\$)	SOMAN	SOMAN
	4-Wire Copper Loop/Short - including manual service inquiry						First	Add I	First	Addi	SOWIEC	SUMAN	SOWAN	SOWAN	SUMAN	SUMAN
	and facility reservation - Statewide	- 1	sw	UCL	UCL4S	12.16	131.99	120.02	10.65	1.41			20.35	10.54	13.32	13.32
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		36.52	36.52								
	4-Wire Copper Loop/Short - without manual service inquiry and				1101 414	10.10	04.00	00.00	40.05				22.05	40.54	40.00	40.00
	facility reservation - Statewide Order Coordination for Unbundled Copper Loops (per loop)		SW	UCL UCL	UCL4W UCLMC	12.16	31.99 36.52	20.02 36.52	10.65	1.41			20.35	10.54	13.32	13.32
	4-Wire Unbundled Copper Loop/Long - includes manual svc			UCL	UCLIVIC		36.52	30.32								
	inquiry and facility reservation - Statewide	- 1	sw	UCL	UCL4L	12.15	131.99	120.02	10.65	1.41			20.35	10.54	13.32	13.32
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		36.52	36.52								
	4-Wire Unbundled Copper Loop/Long - without manual svc.															
	inquiry and facility reservation - Statewide	ı	SW	UCL UCL	UCL4O UCLMC	12.16	31.99 36.52	20.02 36.52	10.65	1.41			20.35	10.54	13.32	13.32
	Order Coordination for Unbundled Copper Loops (per loop) CLEC to CLEC Conversion Charge without outside dispatch			UCL	UCLMC		36.52	36.52								
	(UCL-Des)	1		UCL	UREWO		31.99	20.02					20.35	10.54	13.32	13.32
LOOP MODIFI							0.100									
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire			UAL, UHL, UCL,												
	pair less than or equal to 18k ft	I		UEQ, ULS	ULM2L		65.40	65.40								
	Unbundled Loop Modification, Removal of Load Coils - 2 wire greater than 18k ft			UCL, ULS	ULM2G		740 74	22.77								İ
	Unbundled Loop Modification Removal of Load Coils - 4 Wire	-		UCL, ULS	ULIVIZG		710.71	23.77								
	less than or equal to 18K ft	1		UHL, UCL	ULM4L		65.40	65.40								İ
	Unbundled Loop Modification Removal of Load Coils - 4 Wire						331.13									
	pair greater than 18k ft	- 1		UCL	ULM4G		710.71	23.77								
	Unbundled Loop Modification Removal of Bridged Tap Removal,			UAL, UHL, UCL,	l											İ
SUB-LOOPS	per unbundled loop			UEQ, UEF, ULS	ULMBT		65.44	65.44								.
	Loop Distribution															
OUD E	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-															
	Up	- 1		UEANL	USBSA		517.25	517.25					20.35	10.54	13.32	13.32
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	I		UEANL	USBSB		42.68	42.68					20.35	10.54	13.32	13.32
	Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility Set-Up			UEANL	USBSC		313.01	313.01					20.35	10.54	13.32	13.32
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel	-		OLANL	USBSC		313.01	313.01					20.33	10.34	13.32	13.32
	Set-Up	- 1		UEANL	USBSD		108.06	108.06					20.35	10.54	13.32	13.32
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -															
	Statewide		SW	UEANL	USBN2	10.02	148.84	112.34	73.14	36.65			20.35	10.54	13.32	13.32
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		34.29	34.29								İ
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -			UEAINL	USBIVIC		34.29	34.29								
	Zone 1		1	UEANL	USBN4	7.30	147.93	75.11	99.96	16.98			20.35	10.54	13.32	13.32
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -															
	Zone 2		2	UEANL	USBN4	9.54	147.93	75.11	99.96	16.98	ļ		20.35	10.54	13.32	13.32
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -		2	UEANL	USBN4	12.47	4.47.00	75 44	00.00	40.00			20.25	40.54	13.32	40.00
	Zone 3		3	UEANL	USBN4	12.47	147.93	75.11	99.96	16.98	-	 	20.35	10.54	13.32	13.32
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		34.29	34.29								1
	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)	I		UEANL	USBR2	1.35	94.56	29.35	94.41	13.09			20.35	10.54	13.32	13.32
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		34.29	34.29								L
	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	\vdash		UEANL	USBR4	2.26	116.14	37.10	99.96	16.98	 	-	20.35	10.54	13.32	13.32
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		34.29	34.29								
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF	UCS2X	5.16	110.71	37.89	94.41	13.09			20.35	10.54	13.32	13.32
1	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	i		UEF	UCS2X	6.74	110.71	37.89	94.41	13.09			20.35	10.54	13.32	13.32
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3			UEF	UCS2X	8.81	110.71	37.89	94.41	13.09			20.35	10.54	13.32	13.32
. [l	l											1
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		34.29	34.29	l		<u> </u>		<u> </u>			<u> </u>

UNBUNDLE	D NETWORK ELEMENTS - Tennessee												Attachment:	2		Exhibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)	ı			Svc Order Submitted Manually per LSR	Order vs.	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrecurring		Nonrecurring					RATES (\$)		
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	.	1	UEF	UCS4X	6.52	First 117.12	Add'I 44.30	First 99.96	Add'l 16.98	SOMEC	SOMAN	SOMAN 20.35	SOMAN 10.54	SOMAN 13.32	SOMAN 13.32
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	 		UEF	UCS4X UCS4X	8.52	117.12	44.30	99.96	16.98			20.35	10.54	13.32	13.32
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	H		UEF	UCS4X	11.14	117.12	44.30	99.96	16.98			20.35	10.54	13.32	13.32
	THE COPPER CHEMICALCULAR CONTROL CONTR	·	Ŭ	02.	000				00.00	10.00			20.00	10.01	10.02	10.02
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		34.29	34.29								
Unbun	dled Sub-Loop Modification															
	Unbundled Sub-Loop Modification - 2-W Copper Dist Load															
	Coil/Equip Removal per 2-W PR			UEF	ULM2X		335.35	7.82					20.34	10.54	13.32	13.32
	Unbundled Sub-loop Modification - 4-W Copper Dist Load			uee	111 14437		005.00	7.00					00.05	40.54	40.00	40.00
	Coil/Equip Removal per 4-W PR Unbundled Sub-loop Modification - 2-w/4-w Copper Dist Bridged			UEF	ULM4X		335.36	7.82					20.35	10.54	13.32	13.32
	Tap Removal, per PR unloaded	l		UEF	ULM4T		528.48	9.74					20.35	10.54	13.32	13.32
Unbun	dled Network Terminating Wire (UNTW)			0=1	O LIVIT'I		320.70	3.14					20.00	10.54	10.02	10.02
	Unbundled Network Terminating Wire (UNTW) per Pair	ı		UENTW	UENPP	0.45	2.48	2.48					20.35	10.54	13.32	13.32
Netwo	k Interface Device (NID)															
	Network Interface Device (NID) - 1-2 lines			UENTW	UND12		89.69	54.56					20.35	10.54	13.32	13.32
	Network Interface Device (NID) - 1-6 lines			UENTW	UND16		129.65	94.51					20.35	10.54	13.32	13.32
	Network Interface Device Cross Connect - 2 W			UENTW	UNDC2		0.74	0.74					20.35	10.54	13.32	13.32
SUB-LOOPS	Network Interface Device Cross Connect - 4W			UENTW	UNDC4		0.74	0.74					20.35	10.54	13.32	13.32
	l pop Feeder															
Sub-LC	USL-Feeder, DS0 Set-up per Cross Box location - CLEC			UEA,		1			1							
	Distribution Facility set-up			UDN,UCL,UDL,UDC	USBFW		517.25									
	USL Feeder - DS0 Set-up per Cross Box location - per 25 pair			UEA,			2									
	set-up			UDN,UCL,UDL,UDC	USBFX		42.68	42.68								
	USL Feeder DS1 Set-up at DSX location, per DS1 termination			USL	USBFZ		531.04	11.34								
	Unbundled Sub-Loop Feeder Loop, 2 Wire Ground-Start, Voice															
	Grade- Statewide		SW	UEA	USBFA	12.05	122.24	85.05	76.35	39.16			20.35	10.54	13.32	13.32
	Order Coordination for Specified Conversion Time, per LSR			UEA	OCOSL		34.29									
	Unbundled Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice Grade - Statewide		sw	UEA	USBFB	12.05	122.24	85.05	76.35	39.16			20.35	10.54	13.32	13.32
	Order Coordination for Specified Time Conversion, per LSR		SW	UEA	OCOSL	12.05	34.29	85.05	76.35	39.16			20.35	10.54	13.32	13.32
	Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery,			UEA	UCUSL	1	34.29		1							
	Voice Grade Loop - Statewide		sw	UEA	USBFC	12.05	122.24	85.05	76.35	39.16			20.35	10.54	13.32	13.32
	Order Coordination For Specified Conversion Time, per LSR			UEA	OCOSL		34.29									
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice															
	Grade - Zone 1		1	UEA	USBFD	21.52	137.31	61.93	118.04	30.13			20.35	10.54	13.32	13.32
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice	l	_													
	Grade - Zone 2	ļ	2	UEA	USBFD	28.11	137.31	61.93	118.04	30.13			20.35	10.54	13.32	13.32
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground Start, Voice Grade - Zone 3	l	3	UEA	USBFD	36.76	137.31	61.93	118.04	30.13			20.35	10.54	13.32	13.32
	Order Coordination For Specified Conversion Time, Per LSR	1	3	UEA	OCOSL	30.76	137.31 34.29	61.93	118.04	30.13	1	1	∠0.35	10.54	13.32	13.32
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice	1		OLA	JUUGL	+	34.29				1					
	Grade - Zone 1	l	1	UEA	USBFE	21.52	137.31	61.93	118.04	30.13			20.35	10.54	13.32	13.32
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice															1.02
	Grade - Zone 2	<u> </u>	2	UEA	USBFE	28.11	137.31	61.93	118.04	30.13			20.35	10.54	13.32	13.32
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice							· · · · · · · · · · · · · · · · · · ·					1			
	Grade - Zone 3			UEA	USBFE	36.76	137.31	61.93	118.04	30.13			20.35	10.54	13.32	13.32
	Order Coordination For Specified Conversion Time, Per LSR			UEA	OCOSL		34.29		1010-				10.0-	10.0-		10.55
	Unbundled Sub-Loop Feeder Loop, 2 Wire ISDN BRI - Zone 1	ļ		UDN	USBFF	16.11	142.83	67.45	104.67	18.53			19.99	19.99 19.99	19.99 19.99	
	Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 2 Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 3	-		UDN UDN	USBFF USBFF	21.04 27.51	142.83 142.83	67.45 67.45	104.67 104.64	18.53 18.53	1	-	19.99 19.99	19.99	19.99	
	Order Coordination For Specified Conversion Time, Per LSR	 		UDN	OCOSL	21.51	34.29	67.45	104.64	10.53			19.99	19.99	19.99	19.99
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)	1		UDC	USBFS	16.11	142.83	67.45	104.67	18.53	1		19.99	19.99	19.99	19.99
- 1	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)			UDC	USBFS	21.04	142.83	67.45	104.67	18.53			19.99	19.99	19.99	19.99
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)			UDC	USBFS	27.51	142.83	67.45		18.53			19.99	19.99	19.99	19.99
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 1		1	USL	USBFG	39.74	116.00	40.62	106.82	18.91			19.99	19.99	19.99	19.99
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 2		2	USL	USBFG	51.90	116.00	40.62	106.82	18.91			19.99	19.99	19.99	19.99

UNBUNDLE	D NETWORK ELEMENTS - Tennessee												Attachment:	2		Exhibit: E
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Order vs.	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrecurring	A 1 III	Nonrecurring		001150	SOMAN		RATES (\$)	SOMAN	SOMAN
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 3		3	USL	USBFG	67.86	First 116.00	Add'l 40.62	First 106.82	Add'l 18.91	SOWIEC	SUMAN	19.99	19.99	19.99	19.99
	Order Coordination For Specified Conversion Time, Per LSR		3	USL	OCOSL	07.00	34.29	40.02	100.02	10.91			19.99	19.99	19.99	19.99
	Unbundled Sub-Loop Feeder, 2-Wire Copper Loop - Zone 1		1	UCL	USBFH	9.52	114.27	38.89	104.64	18.53			19.99	19.99	19.99	19.99
	Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone															
	2		2	UCL	USBFH	12.43	114.27	38.89	104.64	18.53			19.99	19.99	19.99	19.99
	Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone		3	UCL	USBFH	16.26	114.27	38.89	104.64	18.53			19.99	19.99	19.99	19.99
	Order Coordination For Specified Conversion Time, per LSR		3	UCL	OCOSL	10.20	34.29	30.09	104.04	16.55			19.99	19.99	19.99	19.99
	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 1		1	UCL	USBFJ	14.37	123.41	48.03	110.44	22.53			19.99	19.99	19.99	19.99
	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 2			UCL	USBFJ	18.76	123.41	48.03	110.44	22.53			19.99	19.99	19.99	19.99
	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 3		3	UCL	USBFJ OCOSL	24.53	123.41 34.29	48.03	110.44	22.53	ļ		19.99	19.99	19.99	19.99
	Order Coordination For Specified Conversion Time, per LSR Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop		1	UDL	USBFN	26.06	34.29 116.00	40.62	106.82	18.91			19.99	19.99	19.99	19.99
	Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop			UDL	USBFN	34.03	116.00	40.62	106.82	18.91			19.99	19.99	19.99	
	Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop			UDL	USBFN	44.50	116.00	40.62	106.82	18.91			19.99	19.99	19.99	
	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop -															
	Zone 1		1	UDL	USBFO	26.06	116.00	40.62	106.82	18.91			19.99	19.99	19.99	19.99
	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop - Zone 2		2	UDL	USBFO	34.03	116.00	40.62	106.82	18.91			19.99	19.99	19.99	19.99
-	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop -			ODL	USBFU	34.03	116.00	40.62	100.02	10.91			19.99	19.99	19.99	19.99
	Zone 3		3	UDL	USBFO	44.50	116.00	40.62	106.82	18.91			19.99	19.99	19.99	19.99
	Order Coordination For Specified Time Conversion, per LSR			UDL	OCOSL		34.29									
	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop -															
	Zone 1		1	UDL	USBFP	26.06	116.00	40.62	106.82	18.91			19.99	19.99	19.99	19.99
	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - Zone 2		2	UDL	USBFP	34.03	116.00	40.62	106.82	18.91			19.99	19.99	19.99	19.99
	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop -			ODL	USBFF	34.03	116.00	40.62	100.02	10.91			19.99	19.99	19.99	19.99
	Zone 3		3	UDL	USBFP	44.50	116.00	40.62	106.82	18.91			19.99	19.99	19.99	19.99
	Order Coordination For Specified Conversion Time, per LSR			UDL	OCOSL		34.29									
SUB-LOOPS																
Sub-Le	oop Feeder			LIEO	41.501	44.44										
	Sub Loop Feeder - DS3 - Per Mile Per Month Sub Loop Feeder - DS3 - Facility Termination Per Month			UE3 UE3	1L5SL USBF1	14.11 333.26	3,390.00	407.68	165.17	501.31			20.35	10.54	13.32	
	Sub Loop Feeder - STS-1 - Per Mile Per Month			UDLSX	1L5SL	14.11	3,390.00	407.00	103.17	301.31			20.33	10.54	13.32	
	Sub Loop Feeder - STS-1 - Facility Termination Per Month			UDLSX	USBF7	359.02	3,390.00	407.68	165.17	501.31			20.35	10.54	13.32	
	Sub Loop Feeder – OC-3 – Per Mile Per Month			UDLO3	1L5SL	10.71										
	Sub Loop Feeder - OC-3 - Facility Termination Protection Per															
	Month Sub Loop Feeder - OC-3 - Facility Termination Per Month			UDLO3 UDLO3	USBF5 USBF2	56.64 546.31	3,390.00	407.68	165.17	501.31			20.35	10.54	13.32	
-	Sub Loop Feeder - OC-12 - Per Mile Per Month			UDL03	1L5SL	13.18	3,390.00	407.00	105.17	501.51			20.33	10.54	13.32	1
	Sub Loop Feeder - OC-12 - Facility Termination Protection Per			ODLIZ	TEGGE	10.10										
	Month			UDL12	USBF6	639.98										
	Sub Loop Feeder - OC-12 - Facility Termination Per Month			UDL12	USBF3	1,697.00	3,390.00	407.68	165.17	501.31			20.35	10.54	13.32	
	Sub Loop Feeder - OC-48 - Per Mile Per Month			UDL48	1L5SL	43.22										
	Sub Loop Feeder - OC-48 - Facility Termination Protection Per Month			UDL48	USBF9	320.36										
+	Sub Loop Feeder - OC-48 - Facility Termination Per Month			UDL48	USBF4	1,457.00	3,576.00	407.68	165.17	501.31	1	t	20.35	10.54	13.32	1
	Sub Loop Feeder - OC-12 Interface On OC-48			UDL48	USBF8	361.44	789.41	407.68	165.17	501.31						
UNBUNDLED	LOOP CONCENTRATION															
	Loop Channelization System			ULC	ULCCS	307.07	307.34	74.37	4.18				20.35	10.54	13.32	
	CO Channel Interface - 2-Wire Voice Grade Unbundled Loop Concentration - System A (TR008)			ULC ULC	ULCC2 UCT8A	1.20 500.18	9.57 613.60	9.52 613.60	8.66	8.60	 	-	20.35 20.35	10.54 10.54	13.32 13.32	
	Unbundled Loop Concentration - System A (TR008) Unbundled Loop Concentration - System B (TR008)			ULC	UCT8B	500.18	255.67	255.67	1		 	+	20.35	10.54	13.32	
	Unbundled Loop Concentration - System B (TR303)			ULC	UCT3A	539.00	613.60	613.60					20.35	10.54	13.32	
	Unbundled Loop Concentration - System B (TR303)			ULC	UCT3B	92.37	255.67	255.67					20.35	10.54	13.32	13.32
	Unbundled Loop Concentration - DS1 Loop Interface Card			ULC	UCTCO	6.23	74.39	53.07	30.23	8.46			20.35	10.54	13.32	13.32
	Unbundled Loop Concentration - ISDN Loop Interface (Brite											i				1

RATE LEMENTS NOT BOOK 1800 NOT	UNBUNDLE	D NETWORK ELEMENTS - Tennessee												Attachment:	2		Exhibit: B
Pirel April Pirel April Pirel April Pirel April SOME SOMA	CATEGORY	RATE ELEMENTS		Zone	BCS	usoc			RATES(\$)	I		Submitted Elec	Submitted Manually	Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs.
Procuration Log Concommentary LIDC Long Interface (Reference Control State Log Log Log Control Log Control State Log Log Control Log Control State Log Log Log Control Log Control State Log Log Log Log Log Log Log Log Log Log							Rec		Add'l			SOMEC	SOMAN			SOMAN	SOMAN
Gooded Staff Loop Interface (POTS Carell) UEA U.CCQ 2.28 8.66 9.71 9.65 9.35 10.56 13.32 13.32 13.32 13.32 13.32 13.32 13.33 13.34		Card)			UDC	ULCCU	8.46					COMEC	COMPAR				13.32
Uniformidate Logo Concentration - 2º Were Vision - Reviews Billatery Logo Interest BEACHT Care Logo Interest BEACHT Care Logo Interest BEACHT Care Logo Interest BEACHT Care Logo Interest BEACHT Care Logo Interest BEACHT Care Logo Interest BEACHT Care Logo Interest					UEA	ULCC2	2.32	8.69	8.65	9.71	9.65			20.35	10.54	13.32	13.32
Abbunded Long Conventions - 4 Wer Viole Loop Interface U.C. U.C. U.C.C. U.C.C. U.C.C. U.C.C. U.C.C. U.C.C. U.C.C. U.C.C. U.C.C. U.C.C. U.C.C. U.C.C. U.C.C. U.C.C. U.C.C. U.C.C. U.C. U.C.C. U.C.C. U.C.C. U.C.C. U.C.C. U.C.C. U.C.C. U.C.C. U.C.C. U.C.C. U.C.C. U.C.C. U.C.C. U.C.C. U.C.C. U.C.C. U.C. U.C.C. U.C.C. U.C.C. U.C.C. U.C.C. U.C. U.C.C. U.C.C. U.C. U.C.C. U.C.C. U.C.C. U.C. U.C.C. U.C.C. U.C.C. U.C.C. U.C.C. U.C.C.		Unbundled Loop Concentration - 2 Wire Voice - Reverse Battery			UEA	ULCCR	12.45	8.69	8.65	9.71	9.65			20.35	10.54	13.32	13.32
Unbounded Coop Concentration - TEST DROUT Card U.C.		Unbundled Loop Concentration - 4 Wire Voice Loop Interface			UEA		7.53	8.69	8.65	9.71	9.65				10.54		13.332
Interface UDL ULCCT 1103 8.069 8.65 9.71 9.66 20.35 10.54 13.32		Unbundled Loop Concentration - TEST CIRCUIT Card															13.32
Interface Light		Interface			UDL	ULCC7	11.03	8.069	8.65	9.71	9.65			20.35	10.54	13.32	13.32
Interface		Interface			UDL	ULCC5	11.03	8.69	8.65	9.71	9.65			20.35	10.54	13.32	13.32
NBO - Departs and Sented Octer for NDI installation					UDL	ULCC6	11.03	8.69	8.65	9.71	9.65			20.35	10.54	13.32	13.32
UNITY Circuit Is Establishment, Provisioning Only- No Rate UENTW UNECN UNIT UNECN UNIT UN	UNE OTHER, I																
Unitounded Contract Name, Provisioning Only - No Rate Name																	
Unburdied Contact Name, Provisioning Only - no rate Unburdied Sub-Loop Feeder-4 Wire Cross Box Jumper - no Unburdied Sub-Loop Feeder-4 Wire					UEANL,UEF,UEQ,U												
Unbundled Contact Name, Provisioning Only - no rate	LINE OTHER I				ENTW	UNECN											
Unbundled Sub-Cop Feeder-4 Wire Cross Box Jumper - no rate	UNE OTHER, I	PROVISIONING ONLY - NO RATE		-													
Inste						UNECN	0.00	0.00									
Irate		rate			UEA,UDN,UCL,UDC	USBFQ	0.00	0.00									
Unbundled DST Loop - Expanded Superframe Format option - no rate USL CCOEF 0.00 0.0		rate															
No rate USL CCOEF 0.00					USL	CCOSF	0.00	0.00									
NOTE: 4 month minimum billing period UE3 1L5ND 9.19					USL	CCOEF	0.00	0.00									
High Capacity Unbundled Local Loop - DS3 - Per Mile per month																	
month	NOTE:																
Termination per month		month			UE3	1L5ND	9.19										
month UDLSX 1L5ND 9.19		Termination per month			UE3	UE3PX	374.24	595.67	304.50	234.83	170.16			36.84	36.84	19.01	19.01
Termination per month		month			UDLSX	1L5ND	9.19										
Loop Makeup - Preordering Without Reservation, per working or spare facility queried (Manual).					UDLSX	UDLS1	389.35	595.37	304.50	215.82	151.15			36.84	36.84	19.01	19.01
Spare facility queried (Manual).	LOOP MAKE-U	JP															
Loop Makeup - Preordering With Reservation, per spare facility queried (Manual).			ı		UMK	UMKLW		100.00	100.00								
Loop MakeupWith or Without Reservation, per working or spare facility queried (Mechanized) UMK PSUMK 0.6888 0.6888		Loop Makeup - Preordering With Reservation, per spare facility			UMK												
HIGH FREQUENCY SPECTRUM SPLITTERS-CENTRAL OFFICE BASED ULS ULSDA 100.00 150.00 0.00 150.00 0.00		Loop MakeupWith or Without Reservation, per working or				-											
SPLITTERS-CENTRAL OFFICE BASED	HIGH FREQUE		- '-		J	. COIVIIX		0.0008	0.0000			1					
Line Sharing Splitter, per System 24 Line Capacity				L													
Line Sharing Splitter, Per System, 8 Line Capacity I ULS ULSD8 8.33 150.00 0.00 150.00 0.00 0.00 0.00																	
END USER ORDERING-CENTRAL OFFICE BASED-HIGH FREQUENCY SPECTRUM AKA LINE SHARING																	
Line Sharing - per Line Activation	Exie ·		(0000			ULSD8	8.33	150.00	0.00	150.00	0.00		0.00				
Line Sharing - per Subsequent Activity per Line Rearrangement I ULS ULSDS 30.00 15.00 20.35 10.54	END U		SPEC	IRUM		LILEDC	0.64	40.00	21 20	25.00	10.70	1		20.25	10 54	12 22	12 22
			'				0.61			33.06	10.79					13.32	13.32
		Line Sharing - per Subsequent Activity per Line Rearrangement Line Splitting - per line activation DLEC owned splitter	I	1		ULSDS UREOS	0.61	30.00	15.00				1	20.35	10.54		

UNBUNDLE	NETWORK ELEMENTS - Tennessee												Attachment:	2		Exhibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)	I			Submitted Manually	Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring First	Add'l	Nonrecurring First	g Disconnect	SOMEC	SOMAN		RATES (\$)	SOMAN	SOMAN
	Line Splitting - per line activation BST owned - physical			UEPSR UEPSB	UREBP	0.97	48.96	21.39	35.06	10.79	SOMEC	SUMAN	SOWAN	SOWAN	SOWAN	SOWAN
	Line Splitting - per line activation BST owned - physical	l i		UEPSR UEPSB	UREBV	0.91	48.96	21.39	35.06	10.79						
,																
UNBUNDLED T																
INTER	OFFICE CHANNEL - DEDICATED TRANSPORT - VOICE GRADE	-														
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month			U1TVX	1L5XX	0.0054										
	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -			UTIVA	ILJAA	0.0054										
	Facility Termination per month			U1TVX	U1TV2	18.58	55.39	17.37	27.96	3.51			20.35	21.09	9.80	10.54
	Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade															
	Rev Bat Per Mile per month			U1TVX	1L5XX	0.0054										
	Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat Facility Termination per month			U1TVX	U1TR2	18.58	55.39	17.37	27.96	3.51			20.35	21.09	9.80	10.54
	Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade -			UTIVA	UTIKZ	10.30	55.59	17.37	21.90	3.31			20.35	21.09	9.60	10.54
	Per Mile per month			U1TVX	1L5XX	0.0054										
	Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade															
	- Facility Termination per month			U1TVX	U1TV4	24.09	37.87	26.02	30.78	13.07			15.08	15.08	8.66	8.66
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile			LIATOV	41.577	0.0474										
	per month Interoffice Channel - Dedicated Transport - 56 kbps - Facility			U1TDX	1L5XX	0.0174										
	Termination per month			U1TDX	U1TD5	17.98	55.39	17.37	27.96	3.51			20.35	21.09	9.80	10.54
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile			01127	050	11.00	00.00	17.01	27.00	0.01			20.00	21100	0.00	10.01
	per month			U1TDX	1L5XX	0.0174										
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility															
INITED	Termination per month			U1TDX	U1TD6	17.98	55.39	17.37	27.96	3.51			20.35	21.09	9.80	10.54
INTER	DFFICE CHANNEL - DEDICATED TRANSPORT - DS1 Interoffice Channel - Dedicated Channel - DS1 - Per Mile per															
	month			U1TD1	1L5XX	0.3525										
	Interoffice Channel - Dedicated Tranport - DS1 - Facility															
	Termination per month			U1TD1	U1TF1	77.86	112.40	76.27	19.55	14.99			20.35	21.09	9.80	10.54
INTER	OFFICE CHANNEL - DEDICATED TRANSPORT- DS3															
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month			U1TD3	1L5XX	2.34										
	Interoffice Channel - Dedicated Transport - DS3 - Facility			UTIDS	ILSAA	2.34										
	Termination per month			U1TD3	U1TF3	848.99	395.29	176.56	109.04	105.91			36.84	36.84	19.01	19.01
INTER	OFFICE CHANNEL - DEDICATED TRANSPORT- STS-1															
	Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per															
	month Interoffice Channel - Dedicated Transport - STS-1 - Facility			U1TS1	1L5XX	2.34			 							
	Termination per month			U1TS1	U1TFS	849.30	395.29	176.56	109.04	105.91			36.84	36.84	19.01	19.01
LOCAL	CHANNEL - DEDICATED TRANSPORT			31.01	00	0.0.00	000.20	170.00	100.01	100.01			00.01	00.01	10.01	10.01
	LOCAL CHANNEL DEDICATED TRANSPORT - minimum billin	g perio	d - belo													
	Local Channel - Dedicated - 2-Wire Voice Grade Per Month			ULDVX	ULDV2	19.43	199.33	24.16	54.81	4.80			20.35	10.54	13.32	13.32
	Local Channel - Dedicated - 2-Wire Voice Grade Rev Bat per			ULDVX	ULDR2	19.43	199.33	24.16	54.81	4.80			00.05	21.09	9.80	10.54
	month Local Channel - Dedicated - 4-Wire Voice Grade per month			UNDVX	ULDK2 ULDV4	20.56	201.53	24.16	55.52	4.80 5.51			20.35 20.35	21.09	13.32	10.54
	Local Channel - Dedicated - 4-Wire Voice Grade per month			ULDD1	ULDF1	40.99	277.35	233.26	33.18	22.30			45.68	1.76	21.75	1.76
	Local Channel - Dedicated - DS3 - Per Mile per month			ULDD3	1L5NC	7.15								0		
	Local Channel - Dedicated - DS3 - Facility Termination per							· · · · · · · · · · · · · · · · · · ·								
	month			ULDD3	ULDF3	611.30	595.37	304.50	215.82	151.15			36.84	36.84	19.01	19.01
 	Local Channel - Dedicated - STS-1- Per Mile per month Local Channel - Dedicated - STS-1 - Facility Termination per			ULDS1	1L5NC	7.15			-							
	month			ULDS1	ULDFS	599.59	588.07	297.20	215.82	151.15			20.35	21.09	9.80	10.54
MULTIPLEXER					322.0	333.33	300.01	207.20	210.02	101.10			20.00	21.00	0.00	10.04
	Channelization - DS1 to DS0 Channel System			UXTD1	MQ1	80.77	141.67	77.11	44.47	42.62			20.35	9.80	11.49	1.18
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per															
	month (2.4-64kbs)	<u> </u>		UDL	1D1DD	1.82	6.07	4.66	I	l			1	1		

UNBUNDLE	D NETWORK ELEMENTS - Tennessee				_	ı					1		Attachment:	2		Exhibit:
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		ı	RATES(\$)	ı			Svc Order Submitted Manually per LSR		Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Charge - Manual Sv Order vs.
						Rec	Nonrecurring			g Disconnect			OSS I	RATES (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per															
	month			UDN	UC1CA	3.10	6.07	4.66								
	Voice Grade COCI - DS1 to DS0 Channel System - per month			UEA	1D1VG	0.91	6.07	4.66	0.04	4.00			00.05	0.00	44.40	4.44
	DS3 to DS1 Channel System per month			UXTD3	MQ3 MQ3	222.98 222.98	308.03	108.47 108.47	6.34	4.23 4.23			20.35 20.35	9.80 21.09	11.49 9.80	
	STS1 to DS1 Channel System per month DS3 Interface Unit (DS1 COCI) used with Loop per month			UXTS1 USL	UC1D1	17.58	308.03 6.07	4.66	6.34	4.23	-	-	20.35	21.09	9.80	9.80
DARK FIBER	D33 interface offit (D31 COCI) used with Loop per month		-	USL	OCIDI	17.30	6.07	4.00			1	1				
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction										+					
	Thereof per month - Local Channel			UDF	1L5DC	53.23										
	NRC Dark Fiber - Local Channel			UDF	UDFC4	00.20	1,219.22	169.75	453.22	339.34	1		20.35	21.09	9.80	10.54
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction				1	1	,		1	122.01					1.30	1
	Thereof per month - Interoffice Channel		1	UDF	1L5DF	53.23			I]				1	1	1
	NRC Dark Fiber - Interoffice Channel			UDF	UDF14		1,219.22	169.75	453.22	339.34			20.35	21.09	9.80	10.54
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction															
	Thereof per month - Local Loop			UDF	1L5DL	53.23										
	NRC Dark Fiber - Local Loop			UDF	UDFL4		1,219.22	169.75	453.22	339.34			20.35	21.09	9.80	10.54
TRANSPORT O	THER															
	Clear Channel Capability (B8ZS/ESF) Option - Subsequent -															
	per DS1 Channel			UNC1X	CCOEF		185.16	23.85	2.03	0.79			20.35	21.09	9.80	10.54
	Clear Channel Capability (B8ZS/SF) Option - Subsequent - per															
	DS1 Channel			UNC1X	CCOSF		185.16	23.85	2.03	0.79			20.35	21.09	9.80	10.54
	EN DIGIT SCREENING															
	8XX Access Ten Digit Screening, Per Call			OHD		0.0005192										
	8XX Access Ten Digit Screening, Reservation Charge Per 8XX			OUD	NODAY		5.04	0.70					00.05	00.05	40.00	40.00
	Number Reserved			OHD	N8R1X		5.21	0.76					20.35	20.35	13.28	13.28
	8XX Access Ten Digit Screening, Per 8XX No. Established W/O			OLID			44.47	4.40	7.04	0.7000			20.25	20.25	40.00	40.00
	POTS Translations 8XX Access Ten Digit Screening, Per 8XX No. Established With			OHD	+		11.47	1.46	7.34	0.7602	-	-	20.35	20.35	13.28	13.28
	POTS Translations			OHD	N8FTX		11.47	1.46	7.34	0.7602			20.35	20.35	13.28	13.28
	8XX Access Ten Digit Screening, Customized Area of Service			OHD	INOF I A		11.47	1.40	7.34	0.7602	-		20.33	20.33	13.20	13.20
	Per 8XX Number			OHD	N8FCX		4.47	2.24					20.35	20.35	13.28	13.28
	8XX Access Ten Digit Screening, Multiple InterLATA CXR			OHD	INOI CX		4.47	2.24	1		1		20.33	20.33	13.20	13.20
	Routing Per CXR Requested Per 8XX No.			OHD	N8FMX		5.23	3.00					20.35	20.35	13.28	13.28
	8XX Access Ten Digit Screening, Change Charge Per Request			OHD	N8FAX		5.97	0.76					20.35	20.35	13.28	
	8XX Access Ten Digit Screening, Call Handling and Destination						0.01									
	Features			OHD	N8FDX		4.47						20.35	20.35	13.28	13.28
	ATION DATA BASE ACCESS (LIDB)															
	LIDB Common Transport Per Query			OQT		0.0000354										
	LIDB Validation Per Query			OQU		0.0117403										
	LIDB Originating Point Code Establishment or Change			OQT, OQU	NRPBX		49.03						20.35	20.35	13.28	13.28
SIGNALING (CO																
	CCS7 Signaling Termination, Per STP Port	<u> </u>		UDB	PT8SX	138.41					<u> </u>					1
	CCS7 Signaling Usage, Per TCAP Message	ļ		UDB	1	0.0000916	ļ <u> </u>		ļ							1
	CCS7 Signaling Connection, Per link (A link)	ļ		UDB	TPP++	17.84	130.84	130.84	ļ	ļ	1		20.35	20.35	13.32	13.32
	CCS7 Signaling Connection, Per link (B link) (also known as D		1						I]						
	link)	<u> </u>	<u> </u>	UDB	TPP++	17.84	130.84	130.84	_	 	 		20.35	20.35	13.32	13.32
	CCS7 Signaling Usage, Per ISUP Message	-	-	UDB	OTUE?	0.0000373	 		 	-	1			 	 	+
	CCS7 Signaling Usage Surrogate, per link per LATA	 		UDB	STU56	352.30			-		 		-			+
	CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, per STP affected		1	UDB	CCAPO		40.00	40.00	I]			20.35	20.35	13.32	13.32
	CCS7 Signaling Point Code, per Destination Point Code	}	1	טטט	COAFO	1	40.00	40.00	+	1	+	-	20.35	20.35	13.32	13.3
	Establishment or Change, Per Stp Affected			UDB	CCAPD		8.00	8.00	1				20.35	20.35	13.32	13.3
CALLING NAM	E (CNAM) SERVICE	1		טטט	COAPD	1	0.00	6.00	 	1	1		20.35	20.35	13.32	13.3
CALLING IVAIVI	CNAM for DB Owners, Per Query	 		OQV	+	0.01	 		 	 	1			 	 	+
	CNAM for Non DB Owners, Per Query	 		OQV	+	0.01	 		 	 	1			 	 	+
	CNAM (Non-Databs Owner), NRC, applies when using the	†	l		+	0.01	 		-		†	<u> </u>		 	 	1
1	Character Based User Interface (CHUI)		1	OQV	CDDCH	Ì	595.00	595.00	I]			20.35	20.35	13.28	13.2

UNBUNDLE	D NETWORK ELEMENTS - Tennessee												Attachment:	2		Exhibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Submitted Manually		Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring		Nonrecurring				OSSI	RATES (\$)		
	Oper. Call Processing - Oper. Provided, Per Min Using BST						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	LIDB					1.20										
	Oper. Call Processing - Oper. Provided, Per Min Using					1.20										
	Foreign LIDB					1.24										
	Oper. Call Processing - Fully Automated, per Call - Using BST LIDB					0.20										
	Oper. Call Processing - Fully Automated, per Call - Using															
INDA A DD ODED	Foreign LIDB					0.20										
INWARD OPER	INVARIANT INVARIANT				-	1.00										-
	Inward Operator Services - Verification, 1 et Gan Inward Operator Services - Verification and Emergency Interrupt - Per Call					1.95										
BRANDING - O	PERATOR CALL PROCESSING				1	1.90			-		†					-
	Recording of Custom Branded OA Announcement				CBAOS		7,000.00	7,000.00					19.99	19.99	19.99	19.99
	Loading of Custom Branded OA Announcement per shelf/NAV				CBAOL		500.00	500.00					19.99	19.99		
	ding via OLNS for UNEP CLEC						4 000 00									
	Loading of OA per OCN (Regional) SSISTANCE SERVICES						1,200.00	1,200.00								
	FORY ASSISTANCE ACCESS SERVICE															
J25	Directory Assistance Access Service Calls, Charge Per Call					0.25										
DIRECT	TORY ASSISTANCE CALL COMPLETION ACCESS SERVICE (D	ACC)														
	Directory Assistance Call Completion Access Service (DACC),															
DIDEO	Per Call Attempt TORY TRANSPORT					0.10										
DIREC	SWA Common transport per Directory Assistance Access				-											
	SWA Common Transport per Directory Assistance Access					0.0003										
	Service Call Mile					0.00004										
	Access Tandem Switching per Directory Assistance Access					0.00004										
	Service Call					0.00055										
	DS3 to DS1 Multiplexer per DA Access Service Call					0.00018										
DIRECTORY A	SSISTANCE SERVICES															
	FORY ASSISTANCE DATA BASE SERVICE (DADS) Directory Assistance Data Base Service Charge Per Listing				-	0.04										-
	Directory Assistance Data Base Service, per month				DBSOF	150.00										
	IRECTORY ASSISTANCE				2200.	100.00										
	Based CLEC															
	Recording and Provisioning of DA Custom Branded Announcement			AMT	CBADA		6,000.00	6,000.00								
	Loading of Custom Branded Announcement per DRAM Card/Switch			AMT	CBADC		1,170.00	1,170.00								
UNEP (
	Recording of DA Custom Branded Announcement						3,000.00	3,000.00			1					
	Loading of DA Custom Branded Announcement per DRAM Card/Switch per OCN						1 170 00	1 170 00	1							
Unbran	Iding via OLNS for UNEP CLEC						1,170.00	1,170.00			1					
Olibrai	Loading of DA per OCN (1 OCN per Order)						420.00	420.00		1						
	Loading of DA per Switch per OCN						16.00	16.00								
SELECTIVE RO																
	Selective Routing Per Unique Line Class Code Per Request Per				HODGE		.=	.=0.5-								
VIRTUAL COLI	Switch				USRCR		179.60	179.60	 		+	1	30.89	7.03		
VIKTUAL COLI	Virtual Collocation - Application Cost			CLO	EAF		2,848.30	2,848.30	 		+	 				
	Virtual Collocation - Cable Installation Cost, per cable			CLO	ESPCX		2,750.00	2,750.00	1		T					
	Virtual Collocation - Floor Space, per sq. ft.			CLO	ESPVX	3.20										
	Virtual Collocation - Power, per breaker amp			CLO	ESPAX	3.48		· · · · ·								
	Virtual Collocation - Cable Support Structure, per entrance cable			CLO	ESPSX	13.35										

UNBUNDLE	D NETWORK ELEMENTS - Tennessee												Attachment:	2		Exhibit: E
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Submitted Manually		Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrecurring			g Disconnect			oss r	RATES (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Virtual Collocation - 2-Fiber Cross Connects	-		CLO CLO	CNC2F CNC4F	15.64	41.56	29.82 38.78								1
	Virtual Collocation - 4-Fiber Cross Connects Virtual Collocatin - DS1 Cross Connects			USL,ULC,CLO	CNC4F CNC1X	28.11 1.319	50.53 32.22	17.76	10.46	8.75						1
	Virtual Collocatin - DS1 Cross Connects			USL,ULC,CLO	CND3X	56.25	151.90	11.83	10.40	0.73						
	Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure, per linear foot			AMTFS	PE1ES	0.0031										
	Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per linear ft			AMTFS	PE1DS	0.0045										
	Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable															
	Support Structure,per cable	ļ		AMTFS			555.03				 					
	Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per cable			AMTFS			555.03									
	Virtual Collocatin - Security Escort - Basic, per half hour			CLO	SPTBX		41.00	25.00								
	Virtual Collocatin - Security Escort - Overtime, per half hour			CLO	SPTOX		48.00	30.00								
	Virtual Collocatin - Security Escort - Premium, per half hour			CLO	SPTPX		55.00	35.00								
	Virtual Collocatin - Maintenance in CO - Basic, per half hour			CLO	CTRLX		30.64	30.64								
	Virtual Collocatin - Maintenance in CO - Overtime, per half hour Virtual Collocatin - Maintenance in CO - Premium per half hour			CLO CLO	SPTOM SPTPM		35.77 40.90	35.77 40.90								
VIRTUAL COL				CLO	SFIFIVI		40.90	40.90								
VIKTOAL COL	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Voice Grade Res			UEPRX	PE1R2	0.30	19.20	19.20					19.99	19.99	19.99	19.99
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2- Wire Line Side PBX Trunk - Bus			UEPSP	VE1R2	0.30	19.20	19.20					19.99	19.99	19.99	19.99
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Voice Grade PBX Trunk - Res			UEPSE	VE1R2	0.30	19.20	19.20					19.99	19.99	19.99	19.99
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Analog Bus			UEPSB	VE1R2	0.30	19.20	19.20					19.99	19.99	19.99	19.99
	Virtual Collocation 2-Wire Cross Connect, Exchnage Port 2-Wire ISDN			UEPSX	VE1R2	0.30	19.20	19.20					19.99	19.99	19.99	19.99
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire ISDN			UEPTX	VE1R2	0.30	19.20	19.20					19.99	19.99	19.99	19.99
	Virtual Collocation 4-Wire Cross Connect, Exchange Port DDITS 4-Wire DS1			UEPDD	VE1R4	0.50	19.20	19.20					19.99	19.99	19.99	19.99
	Virtual Collocation 4-Wire Cross Connect, Exchange Port 4-Wire															
VIRTUAL COL	ISDN DS1			UEPEX	VE1R4	0.50	19.20	19.20	-				19.99	19.99	19.99	19.9
	/E CARRIER ROUTING	1	1		+		+		 				1			
T	Regional Service Establishment			SRC	SRCEC	1	391,788.00		1				19.99	19.99	19.99	19.99
	End Office Establishment			SRC	SRCEO		320.53	320.53					19.99	19.99	19.99	19.99
	Line/Port NRC, per end user			SRC	SRCLP		2.06	2.06					19.99	19.99	19.99	19.99
	Query NRC, per query			SRC		0.000448										
AIN - BELLSO	UTH AIN SMS ACCESS SERVICE						-									
	AIN SMS Access Service - Service Establishment, Per State, Initial Setup			A1N	CAMSE		135.56	135.56					20.35	20.35	13.28	13.28
	AIN SMS Access Service - Port Connection - Dial/Shared Access			A1N	CAMDP		41.75	41.75					20.35	20.35	13.28	13.28
	AIN SMS Access Service - Port Connection - ISDN Access			A1N	CAM1P		41.75	41.75					20.35	20.35	13.28	13.28
	AIN SMS Access Service - User Identification Codes - Per User ID Code			A1N	CAMAU		96.63	96.63					20.35	20.35	13.28	13.28
	AIN SMS Access Service - Security Card, Per User ID Code, Initial or Replacement			A1N	CAMRC		113.67	113.67					20.35	20.35	13.28	13.28
	AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)				1	0.0024										ļ
	AIN SMS Access Service - Session, Per Minute AIN SMS Access Service - Company Performed Session, Per					0.0820123										
<u> </u>	Minute	ļ				2.27	ļ		ļ		1					
AIN - BELLSO	UTH AIN TOOLKIT SERVICE	<u> </u>			1	l			L		1	<u> </u>	l	l	I	

UNBUNDLE	ED NETWORK ELEMENTS - Tennessee												Attachment:	2		Exhibit: E
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring		Nonrecurring	Disconnect			OSS R	RATES (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
	AIN Toolkit Service - Service Establishment Charge, Per State, Initial Setup			CAM	BAPSC		132.04	132.04					20.35	20.35	13.28	13.28
	AIN Toolkit Service - Training Session, Per Customer			CAW	BAPVX		7,915.00	7,915.00					20.35	20.35	13.28	13.28
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
	DN, Term. Attempt				BAPTT		31.21	31.21					20.35	20.35	13.28	13.28
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Delay				BAPTD		31.21	31.21					20.35	20.35	13.28	13.28
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				D/11 1D		01.21	01.21					20.00	20.00	10.20	10.20
	DN, Off-Hook Immediate				BAPTM		31.21	31.21					20.35	20.35	13.28	13.28
	AlN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN. 10-Digit PODP				ВАРТО		05.04	05.04					20.25	20.25	13.28	40.00
	AlN Toolkit Service - Trigger Access Charge, Per Trigger, Per				BAPTO		85.24	85.24					20.35	20.35	13.28	13.28
	DN, CDP				BAPTC		85.24	85.24					20.35	20.35	13.28	13.28
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
	DN, Feature Code AlN Toolkit Service - Query Charge, Per Query				BAPTF	0.0211882	85.24	85.24					20.35	20.35	13.28	13.28
+	AlN Toolkit Service - Query Charge, Per Query AlN Toolkit Service - Type 1 Node Charge, Per AlN Toolkit				+	0.0211882										
	Subscription, Per Node, Per Query					0.0054774										
	AIN Toolkit Service - SCP Storage Charge, Per SMS Access															
-	Account, Per 100 Kilobytes					1.50										
	AIN Toolkit Service - Monthly report - Per AIN Toolkit Service Subscription			CAM	BAPMS	17.43	33.52	33.52					20.35	20.35	13.28	13.28
	AIN Toolkit Service - Special Study - Per AIN Toolkit Service			0, 111	D7 11 1110		00.02	00.02					20.00	20.00	10.20	10.20
	Subscription			CAM	BAPLS	0.1321116	36.23	36.23					20.35	20.35	13.28	13.28
	AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service Subscription			CAM	BAPDS	17.35	33.52	33.52					20.35	20.35	13.28	13.28
	AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit			CAIVI	DAPUS	17.35	33.32	33.32					20.35	20.35	13.20	13.20
	Service Subscription			CAM	BAPES	0.0511435	36.23	36.23					20.35	20.35	13.28	13.28
	XTENDED LINK (EELs)															
	: New EELs available in State of Georgia, density zone 1 of foll : Charlotte-Gastonia-Rockhill, NC; Greensboro-Winston Salem-					ierdale. El I. Na		w Orleans, I A:								
NOIL	. Chanotte-Gastoma-Nockhill, NC, Greensbord-Willston Salem		aint N	C Hea all rates hale	ow ovcont Su			00, =/ .,								
		-nigii F	oint, N	C. Use all rates belo	ow except Sw			0								
NOTE	: In all states, EEL network elements shown below also apply t					ritch As Is Char	ge.		pplies to curre	ntly combined	facilities co	onverted to	UNEs.(Non-re	curring rates	do not apply	.)
NOTE	: In GA, TN, KY, LA & MS, the EEL network elements apply to o	o curre	ntly co	mbined facilities wl	hich are conv	ritch As Is Char	ge. ates. A Switch		pplies to curre	ntly combined	facilities co	onverted to	UNEs.(Non-re	curring rates	do not apply	.)
NOTE	IN GA, TN, KY, LA & MS, the EEL network elements apply to c EVOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT	o curre	ntly co	mbined facilities wl	hich are conv	ritch As Is Char	ge. ates. A Switch		pplies to curre	ntly combined	facilities co	onverted to	UNEs.(Non-re	curring rates	do not apply	.)
NOTE	: In GA, TN, KY, LA & MS, the EEL network elements apply to c E VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport	o curre	ntly co	mbined facilities who had network elem (ANSPORT (EEL)	hich are conv nents.(No Swi	ritch As Is Char rerted to UNE ratch As Is Charg	ge. ates. A Switch / e.)	As Is Charge a		-	facilities co	enverted to				
NOTE	: In GA, TN, KY, LA & MS, the EEL network elements apply to or E VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 1 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed	o curre	ntly co ly comi ICE TR	mbined facilities who bined network elem (ANSPORT (EEL)	hich are convents.(No Swi	rerted to UNE rettch As Is Chargerted to UNE rettch As Is Chargerted	ge. ates. A Switch / e.)	As Is Charge a	72.94	10.86	facilities co	enverted to	20.35	21.09	9.80	10.54
NOTE	: In GA, TN, KY, LA & MS, the EEL network elements apply to or E VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 1 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 2	o curre	ntly co ly comi ICE TR	mbined facilities who had network elem (ANSPORT (EEL)	hich are conv nents.(No Swi	ritch As Is Char rerted to UNE ratch As Is Charg	ge. ates. A Switch / e.)	As Is Charge a		-	facilities co	enverted to				10.54
NOTE	: In GA, TN, KY, LA & MS, the EEL network elements apply to c E VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 1 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 2 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed	o curre	ntly co ly com ICE TR	mbined facilities who bined network elem (ANSPORT (EEL) UNCVX	hich are convents.(No Swi	verted to UNE ratch As Is Charge 16.56	ge. ates. A Switch A. e.) 108.76	35.47	72.94 72.94	10.86	facilities co	enverted to	20.35	21.09	9.80	10.54
NOTE	: In GA, TN, KY, LA & MS, the EEL network elements apply to of EVOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT First 2-Wire VG Loop (SL2) in a DS1 Interofficed Transport Combination - Zone 1 First 2-Wire VG Grade Loop (SL2) in a DS1 Interofficed Transport Combination - Zone 2 First 2-Wire VG Grade Loop (SL2) in a DS1 Interofficed Transport Combination - Zone 3	o curre	ntly co ly com ICE TR	mbined facilities who bined network elem (ANSPORT (EEL)	hich are convents.(No Swi	rerted to UNE rettch As Is Chargerted to UNE rettch As Is Chargerted	ge. ates. A Switch / e.)	As Is Charge a	72.94	10.86	facilities co	enverted to	20.35	21.09	9.80	10.54
NOTE	: In GA, TN, KY, LA & MS, the EEL network elements apply to c E VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 1 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 2 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile per month	o curre	ntly co ly com ICE TR	mbined facilities who bined network elem (ANSPORT (EEL) UNCVX	hich are convents.(No Swi	verted to UNE ratch As Is Charge 16.56	ge. ates. A Switch A. e.) 108.76	35.47	72.94 72.94	10.86	facilities co	onverted to	20.35	21.09	9.80	10.54
NOTE	: In GA, TN, KY, LA & MS, the EEL network elements apply to c E VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 1 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 2 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile per month Interoffice Transport - Dedicated - DS1 combination - Facility	o curre	ntly co ly com ICE TR	mbined facilities which the street of the st	UEAL2 UEAL2 UEAL2 UEAL2	reted to UNE reted to UNE reted to UNE reted to UNE reted to Section 16.56 21.63 28.28 0.3525	ge. 108.76 108.76	35.47 35.47	72.94 72.94 72.94	10.86 10.86 10.86	facilities co	onverted to	20.35 20.35 20.35	21.09 21.09 21.09	9.80 9.80 9.80	10.54 10.54
NOTE	: In GA, TN, KY, LA & MS, the EEL network elements apply to c E VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 1 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 2 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile per month Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month	o curre	ntly co ly com ICE TR	mbined facilities which includes the bined network elem (ANSPORT (EEL)) UNCVX UNCVX UNCVX UNCVX UNC1X	UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2	reted to UNE r. tch As Is Charge 16.56 21.63 28.28 0.3525 77.86	ge. 108.76 108.76 171.24	35.47 35.47 35.47	72.94 72.94 72.94 70.07	10.86 10.86 10.86	facilities co	enverted to	20.35	21.09	9.80	10.54 10.54
NOTE	: In GA, TN, KY, LA & MS, the EEL network elements apply to c E VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 1 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 2 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile per month Interoffice Transport - Dedicated - DS1 combination - Facility	o curre	ntly co ly com ICE TR	mbined facilities which the street of the st	UEAL2 UEAL2 UEAL2 UEAL2	reted to UNE reted to UNE reted to UNE reted to UNE reted to Section 16.56 21.63 28.28 0.3525	ge. 108.76 108.76	35.47 35.47	72.94 72.94 72.94	10.86 10.86 10.86	facilities co	onverted to	20.35 20.35 20.35	21.09 21.09 21.09	9.80 9.80 9.80	10.54 10.54
NOTE	: In GA, TN, KY, LA & MS, the EEL network elements apply to c E VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 1 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 2 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile per month Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month DS1 Channelization System Per Month Voice Grade COCI - DS1 To DS0 Interface - Per Month Each Additional 2-Wire VG Loop(SL 2) in the same DS1	o curre	ntly co ly comi ICE TR	mbined facilities which independent in the control of the control	uEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 IL5XX U1TF1 MQ1 ID1VG	reted to UNE r. tch As Is Charge 16.56 21.63 28.28 0.3525 77.86 80.77 0.91	108.76 108.76 108.76 171.24 214.52 5.70	35.47 35.47 35.47 113.12 49.95 4.42	72.94 72.94 72.94 70.07 75.98	10.86 10.86 10.86 30.90 13.60	facilities co	onverted to	20.35 20.35 20.35 20.35	21.09 21.09 21.09	9.80 9.80 9.80	10.54 10.54
NOTE	: In GA, TN, KY, LA & MS, the EEL network elements apply to c E VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 1 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 2 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile per month Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month DS1 Channelization System Per Month Voice Grade COCI - DS1 To Ds0 Interface - Per Month Each Additional 2-Wire VG Loop(SL 2) in the same DS1 Interoffice Transport Combination - Zone 1	o curre	ntly co ly com ICE TR	mbined facilities who bined network elem (ANSPORT (EEL)) UNCVX UNCVX UNCVX UNCVX UNCVX UNC1X UNC1X	UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 IL5XX	reted to UNE ritch As Is Charge to UNE ritch As Is Charge 16.56 21.63 28.28 0.3525 77.86 80.77	ge. 108.76 108.76 108.76 171.24 214.52	35.47 35.47 35.47 35.47 113.12 49.95	72.94 72.94 72.94 70.07	10.86 10.86 10.86	facilities co	onverted to	20.35 20.35 20.35	21.09 21.09 21.09	9.80 9.80 9.80	10.54 10.54
NOTE	: In GA, TN, KY, LA & MS, the EEL network elements apply to c E VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 1 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 2 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile per month Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month DS1 Channelization System Per Month Voice Grade COCI - DS1 To Ds0 Interface - Per Month Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 1 Each Additional 2-Wire VG Loop(SL2) in the same DS1	o curre	ntly co ly coml ICE TR	mbined facilities who bined network elem (ANSPORT (EEL)) UNCVX UNCVX UNCVX UNCVX UNC1X UNC1X UNC1X UNC1X UNC1X UNC1X UNCVX	UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UIDITED UIDI	reted to UNE note to As Is Charge 16.56 21.63 28.28 0.3525 77.86 80.77 0.91 16.56	108.76 108.76 108.76 108.76 108.76	35.47 35.47 35.47 35.47 113.12 49.95 4.42 35.47	72.94 72.94 72.94 70.07 75.98	10.86 10.86 10.86 30.90 13.60	facilities co	onverted to	20.35 20.35 20.35 20.35	21.09 21.09 21.09 21.09	9.80 9.80 9.80 9.80	10.54 10.54 10.54 10.54
NOTE	: In GA, TN, KY, LA & MS, the EEL network elements apply to c E VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 1 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 2 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile per month Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month DS1 Channelization System Per Month Voice Grade COCI - DS1 To Ds0 Interface - Per Month Each Additional 2-Wire VG Loop(SL 2) in the same DS1 Interoffice Transport Combination - Zone 1	o curre	ntly co ly comi ICE TR	mbined facilities which independent in the control of the control	uEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 IL5XX U1TF1 MQ1 ID1VG	reted to UNE r. tch As Is Charge 16.56 21.63 28.28 0.3525 77.86 80.77 0.91	108.76 108.76 108.76 171.24 214.52 5.70	35.47 35.47 35.47 113.12 49.95 4.42	72.94 72.94 72.94 70.07 75.98	10.86 10.86 10.86 30.90 13.60	facilities or	onverted to	20.35 20.35 20.35 20.35	21.09 21.09 21.09	9.80 9.80 9.80	10.54 10.54 10.54
NOTE	: In GA, TN, KY, LA & MS, the EEL network elements apply to c E VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 1 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 2 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile per month Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month DS1 Channelization System Per Month Voice Grade COCI - DS1 To Ds0 Interface - Per Month Each Additional 2-Wire VG Loop(SL 2) in the same DS1 Interoffice Transport Combination - Zone 1 Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 2 Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 2	o curre	ntly co ly coml ICE TR 1 2 3	mbined facilities who bined network elem (ANSPORT (EEL)) UNCVX UNCVX UNCVX UNCVX UNC1X UNC1X UNC1X UNC1X UNC1X UNC1X UNCVX	UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UIDITED UIDI	reted to UNE note to As Is Charge 16.56 21.63 28.28 0.3525 77.86 80.77 0.91 16.56	108.76 108.76 108.76 108.76 108.76	35.47 35.47 35.47 35.47 113.12 49.95 4.42 35.47	72.94 72.94 72.94 70.07 75.98	10.86 10.86 10.86 30.90 13.60	facilities co	onverted to	20.35 20.35 20.35 20.35	21.09 21.09 21.09 21.09	9.80 9.80 9.80 9.80	10.54 10.54 10.54 10.54
NOTE	: In GA, TN, KY, LA & MS, the EEL network elements apply to c E VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 1 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 2 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile per month Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month DS1 Channelization System Per Month Voice Grade COCI - DS1 To Ds0 Interface - Per Month Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 1 Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 2 Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 2 Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 2 Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 3 Voice Grade COCI - DS1 to DS0 Channel System combination -	o curre	ntly co ly coml ICE TR 1 2 3	mbined facilities which independent in the control of the control	Hich are convenients.(No Swinen	reted to UNE reted to UNE reted to UNE reted to UNE reted to Section 16.56 21.63 28.28 0.3525 77.86 80.77 0.91 16.56 21.63 28.28	108.76 108.76 108.76 108.76 108.76 171.24 214.52 5.70 108.76 108.76	35.47 35.47 35.47 35.47 113.12 49.95 4.42 35.47 35.47	72.94 72.94 72.94 70.07 75.98 72.94	10.86 10.86 10.86 30.90 13.60	facilities co	onverted to	20.35 20.35 20.35 20.35 20.35	21.09 21.09 21.09 21.09 21.09	9.80 9.80 9.80 9.80 9.80	10.54 10.54 10.54 10.54
NOTE	: In GA, TN, KY, LA & MS, the EEL network elements apply to c E VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 1 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 2 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile per month Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month DS1 Channelization System Per Month Voice Grade COCI - DS1 To DS0 Interface - Per Month Each Additional 2-Wire VG Loop(SL 2) in the same DS1 Interoffice Transport Combination - Zone 1 Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 2 Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 3 Voice Grade COCI - DS1 to DS0 Channel System combination - per month	o curre ordinari EROFF	ntly co ly coml ICE TR 1 2 3	mbined facilities which independ network elem ANSPORT (EEL) UNCVX UNCVX UNCVX UNCVX UNC1X UNC1X UNC1X UNC1X UNCVX UNCVX UNCVX	uEAL2	reted to UNE r. tch As Is Charge 16.56 21.63 28.28 0.3525 77.86 80.77 0.91 16.56 21.63	108.76 108.76 108.76 108.76 108.76 108.76 108.76 108.76	35.47 35.47 35.47 113.12 49.95 4.42 35.47	72.94 72.94 72.94 70.07 75.98 72.94	10.86 10.86 10.86 30.90 13.60	facilities co	onverted to	20.35 20.35 20.35 20.35 20.35	21.09 21.09 21.09 21.09 21.09	9.80 9.80 9.80 9.80 9.80	10.54 10.54 10.54 10.54
NOTE 2-WIR	: In GA, TN, KY, LA & MS, the EEL network elements apply to c E VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 1 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 2 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile per month Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month DS1 Channelization System Per Month Voice Grade COCI - DS1 To Ds0 Interface - Per Month Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 1 Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 2 Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 2 Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 2 Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 3 Voice Grade COCI - DS1 to DS0 Channel System combination -	co currer FROFF	ntily cooling committee in the control of the contr	mbined facilities which independent in the control of the control	Hich are convenients.(No Swinen	reted to UNE reted to UNE reted to UNE reted to UNE reted to Section 16.56 21.63 28.28 0.3525 77.86 80.77 0.91 16.56 21.63 28.28	108.76 108.76 108.76 108.76 108.76 171.24 214.52 5.70 108.76 108.76	35.47 35.47 35.47 35.47 113.12 49.95 4.42 35.47 35.47	72.94 72.94 72.94 70.07 75.98 72.94	10.86 10.86 10.86 30.90 13.60	facilities co	onverted to	20.35 20.35 20.35 20.35 20.35	21.09 21.09 21.09 21.09 21.09	9.80 9.80 9.80 9.80 9.80	10.54 10.54 10.54 10.54 10.54 10.54

UNBUNDLE	D NETWORK ELEMENTS - Tennessee												Attachment:	2		Exhibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring	Add'l		g Disconnect	001150	SOMAN		RATES (\$)	001441	SOMAN
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice						First	Addi	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Transport Combination - Zone 1 First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice		1	UNCVX	UEAL4	24.70	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
	Transport Combination - Zone 2		2	UNCVX	UEAL4	32.25	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	42.17	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
	Interoffice Transport - Dedicated - DS1 combination - Per Mile		3				100.76	33.47	72.94	10.00			20.33	21.09	9.00	10.54
	Per Month Interoffice Transport - Dedicated - DS1 - Facility Termination Per			UNC1X	1L5XX	0.3525										
	Month			UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09	9.80	10.54
	Channelization - Channel System DS1 to DS0 combination Per Month			UNC1X	MQ1	80.77	214.52	49.95	75.98	13.60						
	Voice Grade COCI - DS1 to DS0 Channel System combination -								. 0.50	.5.50	1	1				
	per month Additional 4-Wire Analog Voice Grade Loop in same DS1			UNCVX	1D1VG	0.91	5.70	4.42								
	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	24.70	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	32.25	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	42.17	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
	Voice Grade COCI - DS1 to DS0 Channel System combination -		3						72.94	10.00			20.33	21.09	9.00	10.54
	per month Nonrecurring Currently Combined Network Elements Switch -As-			UNCVX	1D1VG	0.91	5.70	4.42								
	Is Charge			UNC1X	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09	9.80	10.54
4-WIRE	56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice	INTERC	FFICE	TRANSPORT (EEL)												
	Transport Combination - Zone 1		1	UNCDX	UDL56	31.10	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
	First 4-wire 56Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	40.61	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
	First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice															
	Transport Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile		3	UNCDX	UDL56	53.11	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
	Per Month			UNC1X	1L5XX	0.3525										
	Interoffice Transport - Dedicated - DS1 - combination Facility Termination Per Month			UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09	9.80	10.54
	Channelization - Channel System DS1 to DS0 combination Per Month			UNC1X	MQ1	80.77	214.52	49.95	75.98	13.60						
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per								73.90	13.00						
	month (2.4-64kbs) Additional 4-Wire 56Kbps Digital Grade Loopin same DS1			UNCDX	1D1DD	1.82	5.70	4.42								
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	31.10	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	40.61	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1		3	UNCDX										21.09		
	Interoffice Transport Combination - Zone 3 OCU-DP COCI (data) - DS1 to DS0 Channel System -		3	UNCDX	UDL56	53.11	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
	combination per month (2.4-64kbs) Nonrecurring Currently Combined Network Elements Switch -As-	ļ		UNCDX	1D1DD	1.82	5.70	4.42								
	Is Charge			UNC1X	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09	9.80	10.54
4-WIRE	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice	INTERC	FFICE	TRANSPORT (EEL)												
	Transport Combination - Zone 1		1	UNCDX	UDL64	31.10	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
_	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	40.61	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice															
	Transport Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile		3	UNCDX	UDL64	53.11	108.76	35.47	72.94	10.86	 	 	20.35	21.09	9.80	10.54
	Per Month			UNC1X	1L5XX	0.3525										

UNBUNDLE	D NETWORK ELEMENTS - Tennessee												Attachment:	2		Exhibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Submitted Manually		Charge -	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring First	Add'l	Nonrecurrin First	g Disconnect Add'l	SOMEC	SOMAN		RATES (\$)	SOMAN	SOMAN
	Interoffice Transport - Dedicated - DS1 combination - Facility						FIISL	Add I	FIISL	Auu i	SOIVIEC	SOWAN	SOMAN	SOWAN	SOWAN	SOWAN
	Termination Per Month Channelization - Channel System DS1 to DS0 combination Per			UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09	9.80	10.54
	Month			UNC1X	MQ1	80.77	214.52	49.95	75.98	13.60			20.35	21.09	9.80	10.54
	OCU-DP COCI (data) - DS1 to DS0 Channel System combination - per month (2.4-64kbs)			UNCDX	1D1DD	1.82	5.70	4.42								
	Additional 4-Wire 64Kbps Digital Grade Loopin same DS1			UNCDX	טטוטו	1.02	5.70	4.42								
	Interoffice Transport Combination - Zone 1 Additional 4-Wire 64Kbps Digital Grade Loopin same DS1		1	UNCDX	UDL64	31.10	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	40.61	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
	Additional 4-Wire 64Kbps Digital Grade Loopin same DS1		2		UDL64	53.11	108.76	35.47		10.86			20.35	21.09	9.80	10.54
	Interoffice Transport Combination - Zone 3 OCU-DP COCI (data) - DS1 to DS0 Channel System		3	UNCDX	UDL64	53.11	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
	combination - per month (2.4-64kbs)			UNCDX	1D1DD	1.82	5.70	4.42								
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNC1X	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09	9.80	10.54
4-WIRI	E DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INT	EROFFI	CE TRA				<u> </u>									
	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 1		1	UNC1X	USLXX	57.73	228.40	161.74	79.87	24.88			20.35	21.09	9.80	10.54
	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice															
	Transport - Zone 2 4-Wire DS1 Digital Loop in Combination with DS1 Interoffice		2	UNC1X	USLXX	75.40	228.40	161.74	79.87	24.88			20.35	21.09	9.80	10.54
	Transport - Zone 3		3	UNC1X	USLXX	98.59	228.40	161.74	79.87	24.88			20.35	21.09	9.80	10.54
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0.3525										
	Interoffice Transport - Dedicated - DS1 combination - Facility															
	Termination Per Month Nonrecurring Currently Combined Network Elements Switch -As-			UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09	9.80	10.54
	Is Charge			UNC1X	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09	9.80	10.54
4-WIR	E DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTI First DS1Loop in DS3 Interoffice Transport Combination - Zone	EROFFI	CE TRA	ANSPORT (EEL)												
	1		1	UNC1X	USLXX	57.73	228.40	161.74	79.87	24.88			20.35	21.09	9.80	10.54
	First DS1Loop in DS3 Interoffice Transport Combination - Zone		2	UNC1X	USLXX	75.40	228.40	161.74	79.87	24.88			20.35	21.09	9.80	10.54
	First DS1Loop in DS3 Interoffice Transport Combination - Zone			ONCIX	USLAA	73.40	220.40	101.74	19.01	24.00			20.33	21.09	9.00	10.54
	3		3	UNC1X	USLXX	98.59	228.40	161.74	79.87	24.88			20.35	21.09	9.80	10.54
	Interoffice Transport - Dedicated - DS3 combination - Per Mile Per Month			UNC3X	1L5XX	2.34										
	Interoffice Transport - Dedicated - DS3 - Facility Termination per month			UNC3X	U1TF3	848.99	400.04	450.04	04.40	25 42			00.05	21.09	9.80	40.54
	DS3 to DS1 Channel System combination per month	 		UNC3X UNC3X	MQ3	848.99 222.98	428.01 319.48	153.81 126.63	64.43 45.53	35.43 17.05			20.35	21.09	9.80	10.54
	DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	17.58	6.52	2.58								
	Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 1		1	UNC1X	USLXX	57.73	228.40	161.74	79.87	24.88			20.35	21.09	9.80	10.54
	Additional DS1Loop in DS3 Interoffice Transport Combination -															
	Zone 2 Additional DS1Loop in DS3 Interoffice Transport Combination -		2	UNC1X	USLXX	75.40	228.40	161.74	79.87	24.88			20.35	21.09	9.80	10.54
	Zone 3		3	UNC1X	USLXX	98.59	228.40	161.74	79.87	24.88			20.35	21.09	9.80	10.54
	DS3 Interface Unit (DS1 COCI) combination per month Nonrecurring Currently Combined Network Elements Switch -As-			UNC1X	UC1D1	17.58	6.52	2.58				-				
	Is Charge			UNC3X	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09	9.80	10.54
2-WIRI	E VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GRADE IN 2-WireVG Loop used with 2-wire VG Interoffice Transport	TEROFF	ICE TR	ANSPORT (EEL)	+					1			1	1		1
	Combination - Zone 1		1	UNCVX	UEAL2	16.56	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
	2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL2	21.63	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
	2-WireVG Loop used with 2-wire VG Interoffice Transport		_													
	Combination - Zone 3	ļ	3	UNCVX	UEAL2	28.28	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54

UNBUNDLE	NETWORK ELEMENTS - Tennessee												Attachment:	2		Exhibit: E
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual Svo
						Rec	Nonrecurring First	Add'l	Nonrecurring First	g Disconnect Add'l	SOMEC	SOMAN	OSS	RATES (\$)	SOMAN	SOMAN
	Interoffice Transport - Dedicated - 2-wire VG combination - Per Mile Per Month			UNCVX	1L5XX	0.0174		7144	161	7,00	0020	00		00		
	Interoffice Transport - Dedicated - 2- Wire Voice Grade combination - Facility Termination per month			UNCVX	U1TV2	18.58	79.86	44.06	69.32	31.00			20.35	21.09	9.80	10.54
	Nonrecurring Currently Combined Network Elements Switch -As- ls Charge			UNCVX	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09	9.80	
4-WIRE	VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRADE IN	TEROFF	ICE TR		011000		32.73	24.02	3.12	9.12			20.55	21.03	3.00	10.54
	4-WireVG Loop used with 4-wire VG Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	24.70	108.75	35.47	72.94	10.85			20.35	21.09	9.80	10.54
	4-WireVG Loop used with 4-wire VG Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	32.25	108.75	35.47	72.94	10.85			20.35	21.09	9.80	10.54
	4-WireVG Loop used with 4-wire VG Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	42.17	108.75	35.47	72.94	10.85			20.35	21.09	9.80	10.54
	Interoffice Transport - Dedicated - 4-wire VG combination - Per Mile Per Month			UNCVX	1L5XX	0.0174										
	Interoffice Transport - Dedicated - 4- Wire Voice Grade combination - Facility Termination per month			UNCVX	U1TV4	24.09	79.83	44.08	69.32	31.00			20.35	21.09	9.80	10.54
	Nonrecurring Currently Combined Network Elements Switch -As- ls Charge			UNCVX	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09	9.80	10.54
DS3 DI	GITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFIC	CE TRA	NSPOR					-		-						
	High Capacity Unbundled Local Loop - DS3 combination - Per Mile per month			UNC3X	1L5ND	9.19										
	High Capacity Unbundled Local Loop - DS3 combination - Facility Termination per month			UNC3X	UE3PX	374.24	240.23	180.87	106.78	45.24						
	Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X	1L5XX	2.34										
	Interoffice Transport - Dedicated - DS3 combination - Facility Termination per per month			UNC3X	U1TF3	848.99	428.01	153.81	64.43	35.43			20.35	21.09	9.80	10.54
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNC3X	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09	9.80	10.54
STS1 D	IGITAL EXTENDED LOOP WITH DEDICATED STS1 INTEROF	FICE TF	RANSPO	ORT (EEL)												
	High Capacity Unbundled Local Loop - STS1 combination - Per Mile per month High Capacity Unbundled Local Loop - STS1 combination -			UNCSX	1L5ND	9.19										
	Facility Termination per month			UNCSX	UDLS1	389.35	240.23	180.87	106.78	45.24						
	Interoffice Transport - Dedicated - STS1 combination - Per Mile per month			UNCSX	1L5XX	2.34										
	Interoffice Transport - Dedicated - STS1 combination - Facility Termination per month			UNCSX	U1TFS	849.30	428.01	153.61	64.43	35.43			20.35	21.09	9.80	10.54
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNCSX	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09	9.80	10.54
2-WIRE	ISDN EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPOR	RT (EEL)		 	-			1	-	<u> </u>					
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 1 First 2-Wire ISDN Loop in a DS1 Interoffice Combination		1	UNCNX	U1L2X	22.00	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
	Transport - Zone 2		2	UNCNX	U1L2X	29.02	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 3		3	UNCNX	U1L2X	37.95	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Interoffice Transport - Dedicated - DS1 combination - Facility			UNC1X	1L5XX	0.3525										
	Termination per month Channelization - Channel System DS1 to DS0 combination -			UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09	9.80	10.54
	per month 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System			UNC1X	MQ1	80.77	214.52	49.95	75.98	13.60						1
	combination - per month Additional 2-wire ISDN Loop in same DS1Interoffice Transport			UNCNX	UC1CA	3.10	6.16	0.60	=0.5:	10.55			22.2-	24.5-	2.5	10 -
	Combination - Zone 1 Additional 2-wire ISDN Loop in same DS1Interoffice Transport		1	UNCNX	U1L2X	22.00	108.76	35.47	72.94	10.86			20.35	21.09	9.80	
	Combination - Zone 2	<u> </u>	2	UNCNX	U1L2X	29.02	108.76	35.47	72.94	10.86		<u> </u>	20.35	21.09	9.80	10.54

UNBUNDLE	D NETWORK ELEMENTS - Tennessee												Attachment:	2		Exhibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc		Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring First	Add'l	Nonrecurring First	g Disconnect Add'l	SOMEC	SOMAN		RATES (\$)	SOMAN	SOMAN
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 3		3	UNCNX	U1L2X	37.95	108.76	35.47	72.94	10.86	JOINIEC	JOWAN	20.35	21.09	9.80	10.54
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System combintaion- per month			UNCNX	UC1CA	3.10	6.16	0.60								
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNC1X	UNCCC	0.10	52.73	24.62	9.12	9.12			20.35	21.09	9.80	10.54
4-WIRE	EDS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 IN	TEROF	FICE TI		ONOCC		32.13	24.02	3.12	9.12			20.55	21.03	9.00	10.54
	First DS1 Loop in STS1 Interoffice Transport Combination -		1		LICLYY	F7 70	220.40	404.74	70.07	24.00			20.25	24.00	0.00	40.54
	Zone 1 First DS1 Loop in STS1 Interoffice Transport Combination - Zone 2		2	UNC1X UNC1X	USLXX	57.73 75.40	228.40 228.40	161.74 161.74	79.87 79.87	24.88			20.35	21.09	9.80	10.54
	First DS1 Loop in STS1 Interoffice Transport Combination -			UNCIX	USLAA	75.40	220.40	101.74	19.01	24.00			20.33	21.09	9.00	10.54
	Zone 3 Interoffice Transport - Dedicated - STS1 combination - Per Mile		3	UNC1X	USLXX	98.59	228.40	161.74	79.87	24.88			20.35	21.09	9.80	10.54
	Per Month			UNCSX	1L5XX	2.34										
	Interoffice Transport - Dedicated - STS1 combination - Facility Termination			UNCSX	U1TFS	849.30	428.01	153.61	64.43	35.43			20.35	21.09	9.80	10.54
	STS1 to DS1 Channel System conbination per month			UNCSX	MQ3	222.98	319.48	126.63	45.53	17.05						
	DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	17.58	6.52	2.58								
	Additional DS1Loop in STS1 Interoffice Transport Combination - Zone 1		1	UNC1X	USLXX	57.73	228.40	161.74	79.87	24.88			20.35	21.09	9.80	10.54
	Additional DS1Loop in STS1 Interoffice Transport Combination - Zone 2		2	UNC1X	USLXX	75.40	228.40	161.74	79.87	24.88			20.35	21.09	9.80	10.54
	Additional DS1Loop in STS1 Interoffice Transport Combination - Zone 3		3	UNC1X	USLXX	98.59	228.40	161.74	79.87	24.88			20.35	21.09	9.80	10.54
	DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	17.58	6.52	2.58								
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNCSX	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09	9.80	10.54
4-WIRE	56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS INTERO	FFICE 1	RANS	PORT (EEL)												
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	31.10	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	40.61	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	53.11	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Per Mile			UNCDX	1L5XX	0.174			, , ,							
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Facility Termination			UNCDX	U1TD5	22.10	58.54	38.32	13.98	8.59			20.35	21.09	9.80	10.54
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNCDX	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09	9.80	10.54
4-WIRE	is charge 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTERO	FFICE 1	RANSE		UNCCC		52.13	24.02	9.12	9.12	-	1	20.35	21.09	9.60	10.34
11770	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	31.10	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	40.61	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	53.11	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Per Mile		J	UNCDX	1L5XX	0.174	100.76	33.47	12.34	10.00			20.35	21.09	9.00	10.34
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Facility Termination			UNCDX	U1TD6	22.10	58.54	38.32	13.98	8.59			20.35	21.09	9.80	10.54
	Nonrecurring Currently Combined Network Elements Switch -As-					22.10										
ADDITIONAL N	Is Charge IETWORK ELEMENTS	<u> </u>	-	UNCDX	UNCCC		52.73	24.62	9.12	9.12	-	-	20.35	21.09	9.80	10.54
	used as a part of a currently combined facility, the non-recurr	rng cha	rges do	not apply, but a S	witch As Is c	harge does an	ply.									
	used as ordinarilty combined network elements in Georgia, th															
Node (SynchroNet)															

UNBUNDI F	D NETWORK ELEMENTS - Tennessee												Attachment:	2		Exhibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge -
						Rec	Nonrecurring First	Add'l	Nonrecurring First	g Disconnect Add'l	SOMEC	COMAN	OSS	RATES (\$)	SOMAN	SOMAN
Nonrec	I curring Currently Combined Network Elements "Switch As Is"	Charge	(One a	nnlies to each com	hination)		FIISL	Add I	FIISL	Add I	SOIVIEC	SUMAN	SOWAN	SOWAN	SOWAN	SOWAN
Nomes	2/4-Wire VG Interoffice Channel used in a COMBINATION -	l	(One a													
	"Switch As Is" Conversion Charge			UNCVX	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09	9.80	10.54
	56/64 kbps Interoffice Channel used in a COMBINATION - "Switch As Is" Conversion Charge			UNCDX	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09	9.80	10.54
	DS1 Interoffice Channel used in a COMBINATION - "Switch As Is" Conversion Charge			UNC1X	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09	9.80	10.54
	DS3 Interoffice Channel used in a COMBINATION - "Switch As Is" Conversion Charge			UNC3X	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09	9.80	10.54
	STS1 Interoffice or Local Loop used in a COMBINATION -			ONCOX	011000		02.70	24.02	5.12	0.12			20.00	21.00	0.00	10.04
	"Switch As Is" Conversion Charge			UNCSX	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09	9.80	10.54
NOTE:	Local Channel - Dedicated Transport - minimum billing period	d - Belo	w DS3=													
—	Local Channel - Dedicated - 2-Wire Voice Grade per month Local Channel - Dedicated - 4-Wire Voice Grade per month			UNCXV UNCXV	ULDV2 ULDV4	19.43 20.56										
 	Local Channel - Dedicated - 4-Wife Voice Grade per month			UNC1X	ULDF1	40.00										1
UNBUNDLED I	OCAL EXCHANGE SWITCHING(PORTS)				525.1	40.00										
	nge Ports															
	Although the Port Rate includes all available features in GA, I	KY, LA	& TN, th	ne desired features	will need to b	oe ordered usir	ng retail USOCs	i .								
2-WIRE	VOICE GRADE LINE PORT RATES (RES)				1											
	Exchange Ports - 2-Wire Analog Line Port- Res.			UEPSR	UEPRL	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.			UEPSR	UEPRC	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Res.			UEPSR	UEPRO	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Exchange Ports - 2-Wire VG unbundled TN extended local dialing parity Port with Caller ID - Res. Exchange Ports - 2-Wire VG unbundled Tennessee Area Plus			UEPSR	UEPAQ	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	with Caller ID - Res (AC7) Exchange Ports - 2-Wire VG unbundled Tennessee Area Prus Exchange Ports - 2-Wire VG unbundled Tennessee Area Calling			UEPSR	UEPAH	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	port with Caller ID - Res (F2R)			UEPSR	UEPAK	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Exchange Ports - 2-Wire VG unbundled Tennessee Area Calling port with Caller ID - Res (TACER)			UEPSR	UEPAL	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Exchange Ports - 2-Wire VG unbundled Tennessee Area Calling port with Caller ID - Res (TACSR)			UEPSR	UEPAM	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Exchange Ports - 2-Wire VG unbundled Tennessee Area Calling port with Caller ID - Res (1MF2X)			UEPSR	UEPAN	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Exchange Ports - 2-Wire VG unbundled Tennessee Area Calling port with Caller ID - Res (2MR)			UEPSR	UEPAO	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Exchange Ports - 2-Wire VG unbundled res, low usage line port with Caller ID (LUM)			UEPSR	UEPAP	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Subsequent Activity			UEPSR	USASC	0.00	0.00	0.00								
FEATU	All Available Vertical Features	 		UEPSR	UEPVF	0.00	0.00	0.00			1		20.35	10.54	13.32	1.40
2-WIDE	VOICE GRADE LINE PORT RATES (BUS)	 		ULFOR	DEFVF	0.00	0.00	0.00					20.35	10.54	13.32	1.40
2-44181	Exchange Ports - 2-Wire Analog Line Port without Caller ID -			UEPSB	UEPBL	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Exchange Ports - 2-Wire VG unbundled Line Port with															
	unbundled port with Caller+E484 ID - Bus.			UEPSB	UEPBC	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus.			UEPSB	UEPBO	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Exchange Ports - 2-Wire VG unbundled TN extended local dialing parity Port with Caller ID - Bus.			UEPSB	UEPAV	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Exhange Ports - 2-Wire VG unbundled incoming only port with Caller ID - Bus			UEPSB	UEPB1	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Exchange Ports - 2-Wire VG unbundled TN Bus 2-Way Area Calling Port Economy Option - Bus (TACC1)			UEPSB	UEPAC	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Exchange Ports - 2-Wire VG unbundled TN Bus 2-Way Area Calling Port Standard Option - Bus (TACC2)			UEPSB	UEPAD	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40

UNBUNDLE	D NETWORK ELEMENTS - Tennessee												Attachment:	2		Exhibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring			g Disconnect				RATES (\$)		
	Exchange Ports - 2-W VG unbundled TN Bus 2-Way Collierville						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	& Memphis Local Calling Port - Bus (B2F)			UEPSB	UEPAE	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Subsequent Activity			UEPSB	USASC	0.00	0.00	0.00								
FEATU	All Available Vertical Features	-		UEPSB	UEPVF	0.00	0.00	0.00					20.35	10.54	13.32	1.40
EXCH	ANGE PORT RATES (DID & PBX)	1		UEFSB	UEPVF	0.00	0.00	0.00					20.35	10.54	13.32	1.40
EXCIT	2-Wire VG Unbundled 2-Way PBX Trunk - Res			UEPSE	UEPRD	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus			UEPSP	UEPPC	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus			UEPSP	UEPPO	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus			UEPSP	UEPP1	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
\vdash	2-Wire Analog Long Distance Terminal PBX Trunk - Bus	<u> </u>		UEPSP	UEPLD	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
 	2-Wire Analog TN 2-Way Calling Plan PBX Trunk - Bus 2-Wire TN Outward Calling Plan PBX Trunk - Bus	1	1	UEPSP UEPSP	UEPT2 UEPTO	1.79 1.79	9.93 9.93	9.19 9.19	3.66 3.66	2.92 2.92	 		20.35 20.35	10.54 10.54	13.32 13.32	1.40 1.40
	2-Wire Voice Unbundled PBX LD Terminal Ports	 		UEPSP	UEPLD	1.79	9.93	9.19	3.66	2.92	 		20.35	10.54	13.32	1.40
	2-Wire Voice Unbundled 2-Way PBX Tennessee Calling Port			UEPSP	UEPT2	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	2-Wire Voice Unbundled 1-Way Outgoing PBX Tennessee									1						
	Calling Port			UEPSP	UEPTO	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	2-Wire Vice Unbundled 2-Way PBX Usage Port			UEPSP	UEPXA	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
B.1.7	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports 2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPSP UEPSP	UEPXB	1.79	9.93	9.19	3.66	2.92			20.35	10.54 10.54	13.32	1.40 1.40
B.1.7 B.1.7	2-Wire Voice Unbundled PBX LD DDD Terminals Port 2-Wire Voice Unbundled PBX LD Terminal Switchboard Port	-		UEPSP	UEPXC	1.79 1.79	9.93 9.93	9.19 9.19	3.66 3.66	2.92 2.92			20.35 20.35	10.54	13.32 13.32	1.40
B.1.7	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD			ULFSF	OLFAD	1.79	9.93	5.15	3.00	2.92			20.33	10.54	13.32	1.40
B.1.7	Capable Port 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			UEPSP	UEPXE	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
B.1.7	Administrative Calling Port			UEPSP	UEPXL	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
B.1.7	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPSP	UEPXM	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
B.1.7	2-W Voice Unbundled 1-Way Out PBX Hotel/Hospital Economy Administrative Calling Port TN Calling Port			UEPSP	UEPXN	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital					. =0										
B.1.7 B.1.7	Discount Room Calling Port 2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPSP UEPSP	UEPXO UEPXS	1.79 1.79	9.93 9.93	9.19 9.19	3.66 3.66	2.92 2.92			20.35 20.35	10.54 10.54	13.32 13.32	1.40 1.40
B.1.7	2-Wire Voice Unbundled 1-Way Odigoling PBX Measured Polit 2-Wire Voice Unbundled PBX Collierville and Memphis Calling			UEFSF	UEFAS	1.79	9.93	9.19	3.00	2.92			20.35	10.54	13.32	1.40
B.1.7	Port			UEPSP	UEPXU	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
B.1.7	2-Wire Voice Unbundled 2-Way PBX Tennessee RegionServ Calling Port			UEPSP	UEPXV	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
B.1.7	Subsequent Activity			UEPSP	USASC	0.00	0.00	0.00	3.00	2.92			20.35	10.54	13.32	1.40
FEATU				OLI OI	00/100	0.00	0.00	0.00								
	All Available Vertical Features			UEPSP UEPSE	UEPVF	0.00	0.00	0.00					20.35	10.54	13.32	1.40
EXCH	ANGE PORT RATES (COIN)															
	Exchange Ports - Coin Port	1				2.11	9.93	9.19	3.66	2.92	L	L	20.35	10.54	13.32	1.40
NOTE:	Transmission/usage charges associated with POTS circuit s	witched	usage	will also apply to c	ircuit switche	ed voice and/or	circuit switch	ed data transm	ission by B-C	nannels assoc	iated with 2	wire ISDN	oorts.	l		
NOTE	A			d DEDAL	B		B-4 6 4					I. B	N	. B B		
	Access to B Channel or D Channel Packet capabilities will be LOCAL EXCHANGE SWITCHING(PORTS)	e availa	DIE ONLY	through BFK/New	business Re	quest Process.	. Rates for the	раскет сараы	IITIES WIII DE D	eterminea via t	ne Bona Fi	ie Kequest/	New Business	s Request Pro	cess.	
	ANGE PORT RATES (DID & PBX)	 			+						 			 		1
EXOID	Exchange Ports - 2-Wire DID Port			UEPEX	UEPP2	8.97	47.75	47.01	9.21	8.47			20.35	10.54	13.32	1.40
	Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID										1					
	capability			UEPDD	UEPDD	35.74	75.93	38.15	8.77	8.04			19.99	19.99	19.99	19.99
<u> </u>	Exchange Ports - 2-Wire ISDN Port (See Notes below.)	L		UEPTX UEPSX	U1PMA	16.26	30.23	29.49	4.10	4.10			41.43	42.17	9.80	9.80
NOTE:	Transmission/usage charges associated with POTS circuit s	witched	usage	will also apply to c	ircuit switche	ed voice and/or	circuit switch	ea data transm	iission by B-Cl	nannels assoc	ated with 2	-wire ISDN p	oorts.	L	l	1
NOTE:	Access to B Channel or D Channel Packet capabilities will be	o availa	hlo orl	through BED/No	Bueinage Da	auget Brosses	Dates for the	nacket canabi	litios will be d	storminad via t	ho Bona Ei	lo Boguest/	Now Business	e Dogwood Dra	2000	
NOTE	Exchange Ports - 2-Wire ISDN Port Channel Profiles	e availa	Die Oilly	UEPTX UEPSX	U1UMA	0.00	0.00	0.00	inies will be di	stermineu via t	ile Dulla Fil	ie Kequest/	ivew busines:	s nequest Pro		
	Exchange Ports - 4-Wire ISDN Port			UEPEX	UEPEX	75.04	148.66	147.18	38.46	36.98			40.69	42.17	9.07	10.54
UNBUNDLED	LOCAL SWITCHING, PORT USAGE	L					1 12/00		22.10	23.00			.5.00		2.07	
	ffice Switching (Port Usage)															
	End Office Switching Function, Per MOU					0.0008041										

4Q01:12/01/01 PAGE 304 OF 324

UNBU	NDLED	NETWORK ELEMENTS - Tennessee												Attachment:	2		Exhibit:
CATE		RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Submitted Elec	Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incrementa Charge - Manual Sv Order vs. Electronic
								I				per LSR	per LSR	1st	Add'l	Disc 1st	Disc Add'
1							Rec	Nonrecurring		Nonrecurring	Disconnect				RATES (\$)		
-								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Switching (Port Usage) (Local or Access Tandem)					0.0009778										
		Tandem Switching Function Per MOU Transport					0.0009778										
\rightarrow		Common Transport - Per Mile, Per MOU					0.0000064										+
		Common Transport - Facilities Termination Per MOU					0.0003871										+
UNBUN		ORT/LOOP COMBINATIONS - COST BASED RATES															
		sed Rates are applied where BellSouth is required by FCC ar															
	Features	shall apply to the Unbundled Port/Loop Combination - Cos	t Based	Rate s	section in the same r	nanner as th	ey are applied	to the Stand-A	lone Unbundle	ed Port section	of this Rate E	xhibit.					
	Combine Combine	ce and Tandem Switching Usage and Common Transport Us rgia, Kentucky, Louisiana, MIssissippi and Tennessee, the re ad Combos for all states. In GA, KY, LA, MS and TN these no ad Combos in all other states, the nonrecurring charges shal	nrecur	ring ch	arges are commission	on ordered c	ost based rate	s and in AL, FL	ons of loop/po d Not Currentl , NC and SC th	rt network eler y Combined Co nese nonrecurr	nents except ombos. The th ing charges a	for UNE Coine first and re Market Ra	in Port/Loo additional F ates and are	Combinatio Port nonrecur listed in the	ns. ring charges a Market Rate s	apply to Not (ection. For	Surrently Currently
		VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) t/Loop Combination Rates				-		1				1	-				
		2-Wire VG Loop/Port Combo - Zone 1		1			14.18										+
\rightarrow		P-Wire VG Loop/Port Combo - Zone 1		2			18.01										+
		2-Wire VG Loop/Port Combo - Zone 3		3			23.02										1
		pp Rates															
		2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPRX	UEPLX	12.48										
		2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPRX	UEPLX	16.31										
		2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPRX	UEPLX	21.32										
		oice Grade Line Port Rates (Res)			LIEDDY	LIEDDI	4.70	00.44	45.05	0.45	2.04			20.00	7.00		
		2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res			UEPRX UEPRX	UEPRL UEPRC	1.70 1.70	22.14 22.14	15.25 15.25	8.45 8.45	3.91 3.91			30.89 30.89	7.03 7.03		
		2-Wire voice unbundled port outgoing only - res			UEPRX	UEPRO	1.70	22.14	15.25	8.45	3.91			30.89	7.03		+
		2-Wire voice Grade unbundled Tennessee extended local			02.100	020			10.20	0.10	0.01			00.00	7.00		
		fialing parity port with Caller ID - res			UEPRX	UEPAQ	1.70	22.14	15.25	8.45	3.91			30.89	7.03		
		2-Wire voice unbundled Tennessee Area Plus with Caller ID -															
		es (AC7) 2-Wire voice unbundled Tennessee Area Calling port with Caller			UEPRX	UEPAH	1.70	22.14	15.25	8.45	3.91			30.89	7.03		
	I	D - res (F2R)			UEPRX	UEPAK	1.70	22.14	15.25	8.45	3.91			30.89	7.03		
	I	2-Wire voice unbundled Tennessee Area Calling port with Caller D - res (TACER)			UEPRX	UEPAL	1.70	22.14	15.25	8.45	3.91			30.89	7.03		
		P-Wire voice unbundled Tennessee Area Calling port with Caller D - res (TACSR)			UEPRX	UEPAM	1.70	22.14	15.25	8.45	3.91			30.89	7.03		
	2	- Vivre voice unbundled Tennessee Area Calling port with Caller D - res (1MF2X)			UEPRX	UEPAN	1.70	22.14	15.25	8.45	3.91			30.89	7.03		
	2	the Court of the Caller of the Caller of the Caller of the Caller of the Caller of the Caller of the Caller of the Caller of the Caller of the Caller of the Caller of the Caller of the Caller of the Caller of the Caller			UEPRX	UEPAO	1.70	22.14	15.25	8.45	3.91			30.89	7.03		
	2	t-Wire voice unbundles res, low usage line port with Caller ID LUM)			UEPRX	UEPAP	1.70	22.14	15.25	8.45	3.91			30.89	7.03		
	FEATUR					T	70		.0.20	5.70	0.01			00.00			<u> </u>
	P	All Features Offered			UEPRX	UEPVF	0.00	0.00	0.00					30.89	7.03		
		NUMBER PORTABILITY															
		ocal Number Portability (1 per port)			UEPRX	LNPCX	0.35										
		CURRING CHARGES (NRCs) - CURRENTLY COMBINED													1		
	5	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is			UEPRX	USAC2		1.03	0.29					30.89	7.03		
, ,		P-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change			UEPRX	USACC		1.03	0.29					30.89	7.03		
	2	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Subsequent Database Update						0.76						7.97			
\rightarrow		NAL NRCs						5.70						7.37			†
	2	2-Wire Voice Grade Loop/Line Port Combination - Subsequent			UEPRX	USAS2	0.00	0.00	0.00					30.89	7.03		
, ,		VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)				+		2.00	2.00			1	 			-	

4Q01:12/01/01 PAGE 305 OF 324

NBUNDLE	D NETWORK ELEMENTS - Tennessee												Attachment:	2		Exhibit: I
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Submitted	Incremental Charge - Manual Svc	Incremental Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge -
						Rec	Nonrecurring			g Disconnect				RATES (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire VG Loop/Port Combo - Zone 1		1			14.18										
	2-Wire VG Loop/Port Combo - Zone 2		2			18.01										
	2-Wire VG Loop/Port Combo - Zone 3		3			23.02										
UNE Lo	oop Rates		<u> </u>	LIEBBY/	LIEBLY.	10.10										
	2-Wire Voice Grade Loop (SL1) - Zone 1	1	1	UEPBX	UEPLX	12.48										
	2-Wire Voice Grade Loop (SL1) - Zone 2	1	2	UEPBX	UEPLX	16.31										
0.145	2-Wire Voice Grade Loop (SL1) - Zone 3	-	3	UEPBX	UEPLX	21.32										
2-Wire	Voice Grade Line Port (Bus)	-		HEDDY	UEPBL	4.70	00.44	45.05	0.45	0.04			00.00	7.00		
	2-Wire voice unbundled port without Caller ID - bus	-		UEPBX	UEPBC	1.70	22.14 22.14	15.25	8.45	3.91			30.89	7.03		
\longrightarrow	2-Wire voice unbundled port with Caller + E484 ID - bus	+	1	UEPBX		1.70		15.25	8.45	3.91	-	1	30.89	7.03		-
\longrightarrow	2-Wire voice unbundled port outgoing only - bus	+	1	UEPBX	UEPBO	1.70	22.14	15.25	8.45	3.91	-	1	30.89	7.03		-
	2-Wire voice Grade unbundled Tennessee extended local dialing parity port with Caller ID - bus	1		UEPBX	UEPAV	1.70	22.14	15.25	8.45	3.91			30.89	7.03		
+	2-Wire voice unbundled incoming only port with Caller ID - Bus	 	-	UEPBX	UPEB1	1.70	22.14	15.25	8.45	3.91			30.89	7.03		
$-\!\!+\!\!-\!\!\!-$	2-Wire voice unbundled incoming only port with Caller ID - Bus 2-Wire voice unbundled Tennessee Bus 2-Way Area Calling	1	-	UEPBA	UPEDI	1.70	22.14	15.25	0.40	3.91			30.69	7.03		
	Port Economy Option (TACC1)			UEPBX	UEPAC	1.70	22.14	15.25	8.45	3.91			30.89	7.03		
	2-Wire voice unbundled Tennessee Bus 2-Way Area Calling Port Standard Option (TACC2)			UEPBX	UEPAD	1.70	22.14	15.25	8.45	3.91			30.89	7.03		
	2-Wire voice unbundled Tennessee Bus 2-Way Collierville and															
LOCAL	Memphis Local Calling Port (B2F) NUMBER PORTABILITY			UEPBX	UEPAE	1.70	22.14	15.25	8.45	3.91			30.89	7.03		
	Local Number Portability (1 per port)	1	1	UEPBX	LNPCX	0.35					1					
FEATU		1	-	ULFBA	LINEUX	0.33										
	All Features Offered	1		UEPBX	UEPVF	0.00	0.00	0.00					30.89	7.03		
	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED	1		OLI DA	OLI VI	0.00	0.00	0.00					00.00	7.00		
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -	1														
	Switch-as-is			UEPBX	USAC2		1.03	0.29					30.89	7.03		
-	2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
	Switch with change			UEPBX	USACC		1.03	0.29								
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -	-														
	Subsequent Database Update						0.76						7.97			
ADDIT	IONAL NRCs															
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent															
	Activity			UEPBX	USAS2								30.89	7.03		
	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)															
UNE P	ort/Loop Combination Rates															
\longrightarrow	2-Wire VG Loop/Port Combo - Zone 1	<u> </u>	1	ļ		14.18				ļ				ļ		
	2-Wire VG Loop/Port Combo - Zone 2	 	2			18.01										
	2-Wire VG Loop/Port Combo - Zone 3	1	3	LIEDDO	LIEDLY	23.02										
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPRG	UEPLX	12.48										
$-\!\!+\!\!-\!\!\!-$	2-Wire Voice Grade Loop (SL 1) - Zone 2	 	2	UEPRG	UEPLX	16.31				 				 		
2 14/:	2-Wire Voice Grade Loop (SL 1) - Zone 3 Voice Grade Line Port Rates (RES - PBX)	-	3	UEPRG	UEPLX	21.32										-
2-wire	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port -	+	+	-	+		 				-	 		-		
	Res			UEPRG	UEPRD	1.70	22.14	15.25	8.45	3.91			30.89	7.03		
LOCAL	NUMBER PORTABILITY	+	 	021110	OLI NO	1.70	22.14	10.20	0.40	5.91		 	30.09	7.03		-
	Local Number Portability (1 per port)	1	1	UEPRG	LNPCP	3.15	0.00	0.00								
FEATU		 	t			3.10	5.00	3.00		1				1		
	All Features Offered			UEPRG	UEPVF	0.00	0.00	0.00					30.89	7.03		
	CURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -	1														
1	Conversion - Switch-As-Is	<u> </u>	<u> </u>	UEPRG	USAC2		1.03	0.29					30.89	7.03		
									1		1	l				
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
	Conversion - Switch with Change			UEPRG	USACC		1.03	0.29					30.89	7.03		
		-		UEPRG	USACC		1.03 0.76	0.29					30.89 7.97	7.03		

CATEONY RATE ELEMENTS Initial Zone BCS USOC RATE(6) Both of the pic Owner Months of the Country Charge	SUNDLED N	IETWORK ELEMENTS - Tennessee											Attachment:	2		Exhibit: B
Description Description			Zone	BCS	USOC			RATES(\$)	T		Submitted Elec	Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs.
Service Vision Grade Local File PMC Controllation PRSG -						Rec										
Subsequent Activity - Charge-Reservance Multime Hunt 14-96 105-52 0.00 0.00 0.00 0.00 0.00 7.00		W. W. D. d. H. W. D. d. H. W. (200)					First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
PRX_substagroat Antaly_Change/Repropried (16.95 - PRX) 16.95 16.				LIEPRG	LISAS2	0.00	0.00	0.00					30.89	7 03		
Company Comp				OLI NO	00/102	0.00	0.00	0.00					00.00	7.00		1
UNE Port Compos Combination Rates	Gro	oup					14.64	14.64					19.99	19.99	19.99	19.99
2-WW VGL LoopPtC (2mbz - 2ma 2 3 1 1 1 1 1 1 1 1 1																<u></u>
2-Wine VG Long/Perf Combon 2-Ron 3			- 1			14.10										
Device Not comprised contained and service services are serviced as a service servic									-							+
UNEL Loop Rates																+
S.Wire Votos Grade Loss (St. 1) - Zone 1			Ŭ			20.02										†
2-Wire Voice Grade Loce (St. 1) - Zone 3			1	UEPPX	UEPLX	12.48										1
2-Wire Vote Grande Line Port Rates (BUS - PBX)	2-W	Vire Voice Grade Loop (SL 1) - Zone 2	2		UEPLX	16.31										
Line Sale Unburdled Combination 2-Way PEX Trunk Port - Bus UEPPX UEPPC 1,70 22,14 16,25 8,45 3,91 30,88 7,03	2-W	Vire Voice Grade Loop (SL 1) - Zone 3	3	UEPPX	UEPLX	21.32		-								
Line Side Unburded Outward PDX Turk Port - Bus UEPPX UEP	2-Wire Voic	ce Grade Line Port Rates (BUS - PBX)														
Line Side Unburded Outward PDX Turk Port - Bus UEPPX UEP	1 1]			_]			1	1		1
Line Side Unfundied Incoming PBx Trunk Port - Bus																
2-Wire Voice Unbundled 2-Wig Combination PRX Tennessee UEPPX UEPX																
2-Wire Voice Unbundled 2-Wig PBX Tennessee UEPPX UEPT2 1.70 22.14 15.25 8.45 3.91 30.89 7.03																
Calling Port				UEPPA	UEPLD	1.70	22.14	15.25	0.40	3.91			30.09	7.03		+
Calling Port UEPPX UEPTO 1.70 22.14 15.25 8.45 3.91 30.88 7.03				UEPPX	UEPT2	1.70	22.14	15.25	8.45	3.91			30.89	7.03		
2-Wire Voice Unbundled 2-Way Combination PBX Usage Port UEPPX UEPXA 1.70 22.14 15.25 8.45 3.91 30.89 7.03	2-W	Vire Voice Unbundled 1-Way Outgoing PBX Tennessee														1
2-Wire Voice Unbundled PRX Toll Terminal Hotel Ports																
2-Wife Volce Unbundled PRIX D DDT Terminals Port UEPPX UEPX																
2-Wife Voice Unbundled PBX LD Terminal Switchboard PDT																
Capable Port Capa																
Capable Port				UEPPX	UEPXD	1.70	22.14	15.25	8.45	3.91			30.89	7.03		+
2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy UEPPX UEPX UEPX 1.70 22.14 15.25 8.45 3.91 30.89 7.03 2.20 2				LIEPPX	LIEPXE	1 70	22 14	15 25	8 45	3 91			30.89	7.03		
Administrative Calling Port UEPX UEEX UEPX UEPX UEEX UEPX UEEX UEPX UEEX UEEX UEEX				OLITA	OLI AL	1.70	22.14	13.23	0.40	5.51			30.03	7.03		+
2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port Note Unbundled 1-Way Dut PBX Hotel/Hospital Economy Administrative Calling Port TN Calling Port UEPX UEPX UEPX 1.70 22.14 15.25 8.46 3.91 30.89 7.03				UEPPX	UEPXL	1.70	22.14	15.25	8.45	3.91			30.89	7.03		
2-Wire Voice Unbundled 1-Wo Qut PBX Hotel/Hospital Economy Administrative Calling Port Not Calling Port UEPPX UEX																1
Administrative Calling Port TN Calling Port UEPX UEP				UEPPX	UEPXM	1.70	22.14	15.25	8.45	3.91			30.89	7.03		
2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital UEPPX UEEPX UEEPX													1	1		1
Discount Room Calling Port				UEPPX	UEPXN	1.70	22.14	15.25	8.45	3.91			30.89	7.03		
2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port UEPPX UEEPX UEEPX				LIEDDY	LIEDVO	4.70	20.44	45.05	0.45				20.00	7.00		
2-Wire Voice Unbundled PBX Collierville and Memphis Calling UEPPX										2.04		-				+
Port UEPX UEPX UEPX UEPX 1.70 22.14 15.25 8.45 3.91 30.89 7.03				OLFFA	ULFAO	1.70	22.14	15.25	0.45	3.91		1	30.89	7.03		+
2-Wire Voice Unbundled 2-Way PBX Tennessee RegionServ UEPX UEPX UEPX 1.70 22.14 15.25 8.45 3.91 30.89 7.03 Calliling Port UEPX U				UEPPX	UEPXU	1.70	22.14	15.25	8.45	3,91			30.89	7.03		
Callling Port					Ī	İ							1			1
Local Number Portability (1 per port)	Call	Illing Port		UEPPX	UEPXV	1.70	22.14	15.25	8.45	3.91			30.89	7.03		<u> </u>
FEATURES								_								
All Features Offered				UEPPX	LNPCP	3.15	0.00	0.00				ļ				<u> </u>
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED				LIEBBY .												
2-Wire Voice Grade Loop/ Line Port Combination (PBX) - UEPPX				UEPPX	UEPVF	0.00	0.00	0.00	 	 	1	ļ	30.89	7.03		+
Conversion - Switch-As-Is	NONRECUI	Virg Voice Crade Lean / Line Bort Combination (DDV)														
2-Wire Voice Grade Loop/ Line Port Combination (PBX) - UEPPX USACC 1.03 0.29 30.89 7.03				LIEPPX	USAC2		1.03	0.20	1				30.80	7.03		1
Conversion - Switch with Change				OLI I A	30,102		1.03	0.29	+				30.09	7.03		
2-Wire Voice Grade Loop / Line Port Combination - Conversion -				UEPPX	USACC		1.03	0.29	1				30.89	7.03		1
Subsequent Database Úpdate 0.76 7.97	2-W	Vire Voice Grade Loop / Line Port Combination - Conversion -														†
2-Wire Voice Grade Loop/ Line Port Combination (PBX) -	Sub	bsequent Database Update					0.76						7.97			
																1
									_]						
				UEPPX	USAS2	0.00	0.00	0.00	 	-	-		30.89	7.03		
PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group 14.64 14.64 14.64 19.99 19.99 19.99							14.64	1/16/	1				10 00	10 00	10.00	19.99

UNBUNDLE	D NETWORK ELEMENTS - Tennessee						-						Attachment:	2		Exhibit: E
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Order vs.	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'I
						Rec	Nonrecurring First	Add'l	Nonrecurring First	g Disconnect Add'l	SOMEC	SOMAN		RATES (\$)	SOMAN	SOMAN
LINE P	I ort/Loop Combination Rates					1	FIISL	Auu i	Filst	Auu i	JOINILO	JOWIAN	JOWAN	JOWAN	JOWAN	SOMAN
ONE I	2-Wire VG Coin Port/Loop Combo – Zone 1		1			14.18										
	2-Wire VG Coin Port/Loop Combo – Zone 2		2			18.01										
	2-Wire VG Coin Port/Loop Combo – Zone 3		3			23.02										
UNE L	oop Rates															
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPCO	UEPLX	12.48										
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPCO	UEPLX	16.31										
0.180	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPCO	UEPLX	21.32										
2-wire	Voice Grade Line Ports (COIN) 2-Wire Coin 2-Way without Operator Screening and without															
	Blocking (TN)			UEPCO	UEPTB	1.70	22.14	15.25	8.45	3.91			30.89	7.03		
	2-Wire Coin 2-Way with Operator Screening and Blocking: 011, 900/976, 1+DDD (NC, TN)			UEPCO	UEPRP	1.70	20.44	15.25	8.45	3.91			30.89	7.03		
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking						22.14									
	(TN) 2-Wire Coin 2-Way with Operator Screening: 900 Blocking:			UEPCO	UEPTA	1.70		15.25	8.45	3.91			30.89	7.03		
	900/976, 1+DDD, 011+, and Local (NC, TN) 2-Wire Coin Outward with Operator Screening and 011 Blocking			UEPCO	UEPCA	1.70	22.14	15.25	8.45	3.91			30.89	7.03		
	(TN) 2-Wire Coin Outward with Operator Screening and Blocking:			UEPCO	UEPTC	1.70	22.14	15.25	8.45	3.91			30.89	7.03		
	900/976, 1+DDD, 011+, and Local (TN)			UEPCO	UEPOT	1.70	22.14	15.25	8.45	3.91			30.89	7.03		
	2-Wire 2-Way Smartline with 900/976 (all states except LA)			UEPCO	UEPCK	1.88							30.89	7.03		
	2-Wire Coin Outward Smartline with 900/976 (all states except LA)			UEPCO	UEPCR	1.88							30.89	7.03		
ADDIT	IONAL UNE COIN PORT/LOOP (RC)															
	UNE Coin Port/Loop Combo Usage (Flat Rate)			UEPCO	URECU	3.45		0.00								
FEATU	Local Number Portability (1 per port)			UEPCO	LNPCX	0.35										
FEAT	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is			UEPCO	USAC2		1.03	0,29					30.89	7.03		
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
	Switch with change 2-Wire Voice Grade Loop/Line Port Combination - Subsequent			UEPCO	USACC		1.03	0.29					30.89	7.03		
INDIAN ED	Activity			UEPCO	USAS2		0.00	0.00					30.89	7.03		
	PORT/LOOP COMBINATIONS - COST BASED RATES E VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	POPT			+	_	 				 	1				
	ervoice Grade Loop- Bus ONLY - WITH 2-WIRE DID TRUNK ort/Loop Combination Rates	FORI	 		+	 	1				<u> </u>	1	 			
J	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1		1			18.38							İ			†
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2		2			19.87										
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3		3			24.78		•								
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1		1	UEPPX	UECD1	9.60						1				<u> </u>
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2		2	UEPPX	UECD1	11.09				-	<u> </u>					
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3 Exchange Ports - 2-Wire DID Port		3	UEPPX UEPPX	UECD1 UEPD1	16.00 8.78	45,44	29.94	8.45	3.91			30.89	7.03		-
NONE	ECURRING CHARGES - CURRENTLY COMBINED		-	ULFFA	OEPUI	8.78	45.44	29.94	8.45	3.91	 	-	30.89	7.03	-	
NONK	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination -				+	 	+			 	 	 				+
	Switch-as-is 2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion			UEPPX	USAC1	ļ	8.76	5.75					30.89	7.03		
7.1.	with BellSouth Allowable Changes			UEPPX	USA1C		8.76	5.75					30.89	7.03		
I eleph	none Number/Trunk Group Establisment Charges	1		LIEDDY	NDT	0.00	0.00	0.00			<u> </u>	ļ	 			
	DID Trunk Termination (One Per Port) Additional DID Numbers for each Group of 20 DID Numbers		-	UEPPX UEPPX	NDT ND4	0.00		0.00	-	-	 					
	DID Numbers, Non- consecutive DID Numbers, Per Number		1	UEPPX	ND4 ND5	0.00		0.00					1			-
1	Reserve Non-Consecutive DID numbers			UEPPX	ND6	0.00		0.00								
	Reserve DID Numbers			UEPPX	NDV	0.00	0.00	0.00					İ			†
LOCAI	NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00								ļ <u> </u>
2-WIRI	ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LI	NE SIDE	PORT	•			1									<u> </u>

CATEGORY	UNBUNDLE	D NETWORK ELEMENTS - Tennessee													Attachment:	2		Exhibit: B
RATE ELEMENTS Name 2006 BCS USOC RATES(S) Section Control Manual Section Section	3																Increment-1	Incremental
CATEGORY PART ELEMENTS Interference Company Co																		
Note Color			Interi										Cura Oudan	Cora Cordon				Charge -
New York Company New York Co	CATEGORY	RATE ELEMENTS		Zone	E	BCS	USOC			RATES(\$)								
Part Str. Part Str. Part Str. April Disc			""															Order vs.
Non-Proceedings Non-Procee																		Electronic-
Use Part Company Company (1977) Company Company (1977) Company Company (1977) Company Company (1977) Company Company (1977) Company Company (1977) Company Company (1977) Company									1				per LSR	per LSR	1st	Add'l	Disc 1st	Disc Add'l
Use Part Company Company (1977) Company Company (1977) Company Company (1977) Company Company (1977) Company Company (1977) Company Company (1977) Company Company (1977) Company								Dan	Name and a second to a		Namaaaaa	Dianamant			222	DATEC (A)		
Unif Provided Control Long/CVM (SDN Option Line Side Provided Control Long/C	-							Kec		A alalli			COMEC	COMAN			COMAN	SOMAN
Description Description	LINE D	pyt/Lean Combination Rates							FIISL	Auu i	FIISL	Add I	SOIVIEC	SUMAN	SOMAN	SOWAN	SOWAN	SOWAN
Dec 2016 1	UNE PO												1					
2015 1925				1	LIEDDR	HEDDR		32 27										
MRC Zone 2				<u> </u>	OLITB	OLITIK		32.21					1					
2V/SDN Grad Consist Load Collections 3 UEPPR U				2	UEPPB	UEPPR		34.78										
UNE Zone 5																		
Description Description				3	UEPPB	UEPPR		44.32										
2-Wise SION Digital Grades Loop - UNIC Zone 3 3 UEPPB UEPPR (USA) 22.5 16.07 42.70 42.20 19.90 10.00				1	UEPPB	UEPPR	USL2X	16.20										
2-Wine SEXN Digital Grases Loop - UNE Zone 3 3 UEPPB UEPPR UEPPR UEPPB 16.07 14.75 19.27 49.26 43.26 19.99 1																		
Eschange Port 2-Wer ISDN Lipe Side Port			<u> </u>															
NONECURRING CHARGES - CURRENITY COMBINED				3														
SWING SDN Digital Crade Loop / 2-Wins SDN Line Side Port UEPPB UEPPR USAGB 0.00 117.23 117.23 19.90 19.9			<u> </u>		UEPPB	UEPPR	UEPPB	16.07	141.75	118.37	49.20	43.26	<u> </u>	<u> </u>	19.99	19.99		
Combination - Conversion	NONRE		ļ										ļ			ļ		ļ
Dept. Dept																40.00		
SAME ISON Log / 24/Win SION POR Combination - Sub Acty UEPPB U				<u> </u>	OEPPB	UEPPR	USACB	0.00	117.23	117.23					19.99	19.99		
Non Feature/Add Trunk	ADDITI							1			1							
COCAL NUMBER PORTABILITY			1		LIEDDD	LIEDDD	LICACD		040.00						40.00	40.00		
Local Number Portability (1 per port)	LOCAL				UEPPB	UEPPR	USASB		212.88				1		19.99	19.99		
B-CHANNEL USER PROFILE ACCESS: UEPPB UEPPR UTUCA					HEDDR	HEDDR	LNDCX	0.35	0.00	0.00	-							
CSSCSD (MSSESS)					OLFFB	ULFFR	LINFOX	0.33	0.00	0.00								
CYS (EWSD)	B-OITAI				HEPPR	LIEPPR	LITLICA	0.00	0.00	0.00			1					
CSD																		
B-CHANNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS SC,MS, & TN)																		
CVS (EWSC)	B-CHAI		C,MS, 8	TN)														
USP TERMINAL PROFILE		CVS/CSD (DMS/5ESS)			UEPPB	UEPPR	U1UCD	0.00	0.00	0.00								
USER TERMINAL PROFILE USER TERMINAL PROFILE USER TERMINAL PROFITE USER																		
User Terminal Profile (EWSD only)					UEPPB	UEPPR	U1UCF	0.00	0.00	0.00								
VERTICAL FEATURES																		
All Vertical Features - One per Channel Bluser Profile UEPPB UEPPR UEPPR					UEPPB	UEPPR	U1UMA	0.00	0.00	0.00								
Interoffice Channel mileage each, including first mile and UEPPB UEPPR MIGNC 17.91 53.99 17.37 19.99 1																		
facilities termination ULPPB UEPPR MIGNC 17.91 53.99 17.37 19.99	-				UEPPB	UEPPR	UEPVF	0.00	0.00	0.00								
Interoffice Channel mileage each, additional mile					LIEDDD	LIEDDD	MACNIC	47.04	52.00	47.07					40.00	10.00		
AWIRE DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK PORT UNE Port/Loop Combination Rates UNE Port/Loop Rates UNE Port/Loop R	\vdash		1	<u> </u>							-		 	-	19.99	19.99		-
UNE Port/Loop Combination Rates	4-WIDE		CPOPT		OLFFD	ULPPK	IVITIGINIVI	0.173	0.00	0.00	+	1	1	}	1		1	
AW DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 1 1 UEPPP 132.58 150.25 2 UEPPP			I				1	 			 	1	1	1	1	1	1	1
Zone 1	ONE PO		1					+			+		1			<u> </u>		1
AW DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2				1	UEPPP			132.58			1							
Zone 2			1					1 22.30			1	Ì					Ì	
AW DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE 2			1	2	UEPPP			150.25			I						1	
Zone 3 UEPPP 173.44		4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE																
4-Wire DS1 Digital Loop - UNE Zone 2 2 UEPPP USL4P 75.40																		
A-Wire DS1 Digital Loop - UNE Zone 3 3 UEPPP USL4P 98.59																		
Exchange Ports - 4-Wire ISDN DS1 Port																		
NONRECURRING CHARGES - CURRENTLY COMBINED			ļ	3							1							
4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port UEPPP	<u> </u>		ļ		UEPPP		UEPPP	74.85	415.53	366.90	89.28	77.43	ļ		19.99	19.99		ļ
Combination - Conversion - Switch-as-is	NONRE		ļ					.			.					1		1
ADDITIONAL NRCS 4-Wire DS1 Loop/4-W ISDN Digit Trk Port - Subsqt Actvy-			1		HEDDD		LICACD	0.00	200.50	200 50	I				40.00	40.00	1	
4-Wire DS1 Loop/4-W ISDN Digitl Trk Port - Subsqt Actvy- Inward/two way tel nos within Std Allowance	ADDITI		 	 	UEPPP		USACP	0.00	3∠8.53	328.53	-	-	 	 	19.99	19.99	-	1
Inward/two way tel nos within Std Allowance	ADDITI		1	1				-			-							
4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - UEPPP PR7TO 22.36 22.36 19.99		Inward/two way tel nos within Std Allowance			HEPPP		PR7TF	1	0.94		1				10 00	10 00		
Outward Tel Numbers (All States except NC)	 		1	 	OLFFF		1 187 11	 	0.94		 	 			15.99	15.99	 	1
4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port - Subsequent Inward Tel Nos Above Std Allowance UEPPP PR7ZT 44.71 44.70 19.99 19.99			1	1	LIFPPP		PR7TO	1	22.36	22 36	1				19 99	19 99		
Subsequent Inward Tel Nos Above Std Allowance UEPPP PR7ZT 44.71 44.70 19.99 19.99			 		J_111		. 10.10	 	22.00	22.30	 	<u> </u>	 	 	13.35	13.35	 	
LOOP NUMBER PROPERTY.			1		UEPPP		PR7ZT	I	44.71	44.70	I				19.99	19.99	1	
I ILOGAL NUMBER PORTABILITY	LOCAL	NUMBER PORTABILITY	1	1	52111			<u> </u>	77.71	77.70	<u> </u>		1		10.00	10.99		

UNBUNDLE	NETWORK ELEMENTS - Tennessee												Attachment:	2		Exhibit: B
0.1.201.222															1	
													Incremental			Incremental
		Interi											Charge -	Charge -	Charge -	Charge -
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)					Manual Svc	Manual Svc		
												Submitted		Order vs.	Order vs.	Order vs.
											Elec		Electronic-	Electronic-	Electronic-	Electronic-
		ļ							ı		per LSR	per LSR	1st	Add'l	Disc 1st	Disc Add'l
						B							000	ATEO (6)		
					-	Rec	Nonrecurring First	Add'l	First	g Disconnect Add'l	COMEC	COMAN	SOMAN	RATES (\$)	SOMAN	SOMAN
	Local Number Portability (1 per port)	-		UEPPP	LNPCN	1.75		Auu i	FIISL	Add I	SOMEC	SUMAN	SOMAN	SOWAN	SOWAN	SUMAN
INTEDE	FACE (Provsioning Only)	1		UEPPP	LINECIN	1.75					1					
INTERI	Voice/Data			UEPPP	PR71V	0.00	0.00	0.00			1	1				
	Digital Data			UEPPP	PR71D	0.00		0.00								
	Inward Data			UEPPP	PR71E	0.00		0.00								
New or	Additional "B" Channel															
	New or Additional - Voice/Data B Channel			UEPPP	PR7BV	0.00	28.39						19.99	19.99		
	New or Additional - Digital Data B Channel			UEPPP	PR7BF	0.00	29.11						19.99	19.99		
	New or Additional Inward Data B Channel			UEPPP	PR7BD	0.00	29.39						19.99	19.99		
	New or Additional Useage Sensitive Voice Data B Channel			UEPPP	PR7BS	0.00	28.39						19.99	19.99		
	New or Additional Useage Sensitive Digital Data B Channel	1		UEPPP	PR7BU	0.00	28.39						19.99	19.99		
CALL 1		1	.								ļ	ļ				
\vdash	Inward	1	1	UEPPP	PR7C1	0.00	0.00	0.00		 	<u> </u>	ļ	-	ļ		
\vdash	Outward	1	1	UEPPP	PR7C0	0.00		0.00	 	 	ļ	 	!	1	1	├
Inter-1	Two-way	1	.	UEPPP	PR7CC	0.00	0.00	0.00	ļ	 	 	 	 	-	-	
	ice Channel Mileage Fixed Each Including First Mile	1	1	UEPPP	1LN1A	76.1825	145.98	109.85	19.55		 		19.99	19.99	-	
h + +	Each Airline-Fractional Additional Mile			UEPPP	1LN1B	0.3525	145.96	109.65	19.55			1	19.99	19.99		
4-WIRE	DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT			OLITI	ILIVID	0.3323										
	ort/Loop Combination Rates										1					•
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1		1	UEPDC		93.28							19.99	19.99		
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2		2	UEPDC		110.95							19.99	19.99		
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3		3	UEPDC		134.14							19.99	19.99		
	4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPDC	USLDC	57.53										
	4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPDC	USLDC	75.40										
	4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPDC	USLDC	98.59										
	4-Wire DDITS Digital Trunk Port			UEPDC	UDD1T	35.55	342.80	257.87	61.41	48.49			19.99	19.99		
NONRE	CURRING CHARGES - CURRENTLY COMBINED															ļ
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination			UEPDC	USAC4		242.04	240.04					19.99	19.99		
-	- Switch-as-is 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination			UEPDC	USAC4		312.91	312.91			1		19.99	19.99		
	- Conversion with DS1 Changes			UEPDC	USAWA		312.91	312.91					19.99	19.99		
 	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination			OLFDC	USAWA		312.91	312.91			1	1	19.99	19.99		
	- Conversion with Change - Trunk			UEPDC	USAWB		312.91	312.91					19.99	19.99		
ADDITI	ONAL NRCs			02. 00	00/11/2		0.2.0.	0.2.0.					10.00	10.00		
1	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent				Ì		1		Ì	Ì			1			
1 1	Service Activity Per Service Order			UEPDC	USAS4		94.88	94.88					I			
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC -															
	Subsequent Channel Activation/Chan - 2-Way Trunk			UEPDC	UDTTA		108.67	108.67					19.99	19.99		
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent															
<u> </u>	Channel Activation/Chan - 1-Way Outward Trunk			UEPDC	UDTTB		108.67	108.67	ļ	ļ	ļ	ļ	19.99	19.99		<u> </u>
1 1	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel			LIEBBO	LIDETC											
\vdash	Activation/Chan Inward Trunk w/out DID	1	1	UEPDC	UDTTC	-	108.67	108.67	1	 	ļ	 	19.99	19.99	1	
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan			UEPDC	UDTTD		100.67	100 67					19.99	19.99		
\vdash	Activation Per Chan - Inward Trunk with DID 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan	1	1	ULPDU	טווטט		108.67	108.67		-	!	1	19.99	19.99		
	Activation / Chan - 2-Way DID w User Trans			UEPDC	UDTTE		108.67	108.67					19.99	19.99		
BIPOL A	AR 8 ZERO SUBSTITUTION	1		סבו טט	JUITE		100.07	100.07		<u> </u>	-	 	15.55	19.99		
	B8ZS -Superframe Format	1		UEPDC	CCOSF		0.00	590.00	1	1			19.99	19.99		
	B8ZS - Extended Superframe Format			UEPDC	CCOEF		0.00	590.00	1	1			19.99	19.99		
Alterna	te Mark Inversion															
	AMI -Superframe Format			UEPDC	MCOSF		0.00	0.00								
	AMI - Extended SuperFrame Format			UEPDC	MCOPO		0.00	0.00								
Teleph	one Number/Trunk Group Establisment Charges															
	Telephone Number for 2-Way Trunk Group	1		UEPDC	UDTGX	0.00							19.99	19.99		1
	Telephone Number for 1-Way Outward Trunk Group			UEPDC	UDTGY	0.00			ļ	ļ	ļ	ļ	19.99	19.99		<u> </u>
\vdash	Telephone Number for 1-Way Inward Trunk Group Without DID	1		UEPDC	UDTGZ	0.00							19.99	19.99		_
	DID Numbers for each Group of 20 DID Numbers	1	1	UEPDC	ND4	0.00	ı		l	i .	L	1	19.99	19.99	l	L

	D NETWORK ELEMENTS - Tennessee												Attachment:	2		Exhibit: E
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Order vs.	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrecurring		Nonrecurring					RATES (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
	DID Numbers, Non- consecutive DID Numbers , Per Number			UEPDC	ND5	0.00	2.22						19.99	19.99		_
	Reserve Non-Consecutive DID Nos.			UEPDC	ND6	0.00	0.00	0.00								
	Reserve DID Numbers ted DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1	Digital		UEPDC	NDV	0.00	0.00	0.00								
Dedical	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities	Digital	Loop	WILLI 4-WIFE DOLLS I	Tunk Port											
	Termination)			UEPDC	1LNO1	75.83	145.98	109.85	19.66	14.99						
	Interoffice Channel Mileage - Additional rate per mile - 0-8 miles			UEPDC	1LNOA	0.3525	0.00	0.00								
	Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities					0.00=0	0.00									
	Termination)			UEPDC	1LNO2	0.00	0.00	0.00								
	Interoffice Channel Mileage - Additional rate per mile - 9-25 miles			UEPDC	1LNOB	0.3525	0.00	0.00								
_	Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities			OLPDO	ILINOB	0.3525	0.00	0.00			1	1	1		1	
	Termination)			UEPDC	1LNO3	0.00	0.00	0.00	0.00							
]							[1	
	Interoffice Channel Mileage - Additional rate per mile - 25+ miles			UEPDC	1LNOC	0.3525	0.00	0.00								ļ
	Local Number Portability, per DS0 Activated			UEPDC	LNPCP	3.15	0.00	0.00	0.00							
	Central Office Termininating Point			UEPDC	CTG	0.00										
	E DS1 LOOP WITH CHANNELIZATION WITH PORT n is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Acti	4!														
				har of narta used												
	system can have up to 24 combinations of rates depending on S1 Loop	type ar	a num	per or ports used												
	4-Wire DS1 Loop - UNE Zone 1		1	UEPMG	USLDC	57.73	0.00	0.00			1					
	4-Wire DS1 Loop - UNE Zone 2			UEPMG	USLDC	75.40	0.00	0.00								
	4-Wire DS1 Loop - UNE Zone 3			UEPMG	USLDC	98.59	0.00	0.00								
	SO Channelization Capacities (D4 Channel Bank Configuration	ns)														
	24 DSO Channel Capacity - 1 per DS1	,		UEPMG	VUM24	131.87	0.00	0.00					19.99	19.99		
	48 DSO Channel Capacity - 1 per 2 DS1s			UEPMG	VUM48	263.74	0.00	0.00					19.99	19.99		
	96 DSO Channel Capacity -1per 4 DS1s			UEPMG	VUM96	527.48	0.00	0.00					19.99	19.99		
	144 DS0 Channel Capacity - 1 per 6 DS1s			UEPMG	VUM14	791.42	0.00	0.00					19.99	19.99		1
	192 DS0 Channel Capacity -1 per 8 DS1s			UEPMG	VUM19	827.76	0.00	0.00					19.99	19.99		
	240 DS0 Channel Capacity - 1 per 10 DS1s			UEPMG	VUM20	1,318.70	0.00	0.00					19.99	19.99		
	288 DS0 Channel Capacity - 1 per 12 DS1s			UEPMG	VUM28	1,582.44	0.00	0.00					19.99	19.99		
	384 DS0 Channel Capacity - 1 per 16 DS1s			UEPMG	VUM38	2,109.92	0.00	0.00					19.99	19.99		
	480 DS0 Channel Capacity - 1 per 20 DS1s			UEPMG	VUM40	2,637.40	0.00	0.00					19.99	19.99		
	576 DS0 Channel Capacity -1 per 24 DS1s			UEPMG	VUM57	3,164.88	0.00	0.00					19.99	19.99		
	672 DS0 Channel Capacity - 1 per 28 DS1s			UEPMG	VUM67	3,692.36	0.00	0.00					19.99	19.99	ļ	ļ
	ecurring Charges (NRC) Associated with 4-Wire DS1 Loop with						stem									
	mum System configuration is One (1) DS1, One (1) D4 Channel															
	es of this configuration functioning as one are considered Ad	u i arte	tne m	mmum system con	iguration is	counted.					1				 	
	NRC - Conversion (Currently Combined) with or without BellSouth Allowed Changes			UEPMG	USAC4	0.00	303.61	15.74					19.99	19.99		
	Additions at End User Locations Where 4-Wire DS1 Loop wit	h Chan	nelizat	ion with Port Combi	nation Curre	ently Exists and	k									
New (N	lot Currently Combined) In GA, KY, LA, MS & TN Only															
	1 DS1/D4 Channel Bank - Add NRC for each Port and Assoc			UEPMG	VUMD4	0.00	704.00	444.40	400.00	40.44			40.00			
Rinolar	Fea Activation - New GA, LA, KY, MS, &TN Only r 8 Zero Substitution			UEPING	v UIVID4	0.00	704.68	441.48	138.36	16.41	-		19.99			
ырогаг	Clear Channel Capability Format, superframe - Subsequent															
	Activity Only Clear Channel Capability Format - Extended Superframe -			UEPMG	CCOSF	0.00	0.00	590.00			-					-
	Subsequent Activity Only			UEPMG	CCOEF	0.00	0.00	590.00							1	
	ate Mark Inversion (AMI)			-		2.30							İ			1
	Superframe Format			UEPMG	MCOSF	0.00	0.00	0.00			İ					
	Extended Superframe Format			UEPMG	MCOPO	0.00	0.00	0.00								
	nge Ports Associated with 4-Wire DS1 Loop with Channelization	n with	Port													
	nge Ports										1					
Exchan	ige i oits															

UNBU	NDLE	D NETWORK ELEMENTS - Tennessee												Attachment:	2		Exhibit: B
														Incremental	Incremental	Incremental	Incremental
			Interi									Core Corden	Cura Curdan	Charge -	Charge - Manual Svc	Charge - Manual Svc	Charge - Manual Svc
CATE	GORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)					Manual Svc	Order vs.	Order vs.	Order vs.
												Elec	Submitted	Order vs. Electronic-	Electronic-	Electronic-	Electronic-
												per LSR	per LSR	1st	Add'l	Disc 1st	Disc Add'l
-	1						1	1		I		per Lak	per Lok	151	Add I	DISC 1St	DISC Add I
							Rec	Nonrecurring		Nonrecurring	Disconnect			ossi	RATES (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN			SOMAN	SOMAN
		Line Side Outward Channelized PBX Trunk Port - Business			UEPPX	UEPOX	1.79	0.00	0.00	0.00	0.00			30.89	7.03		
		Line Side Inward Only Channelized PBX Trunk Port without DID			UEPPX	UEP1X	1.79	0.00	0.00	0.00	0.00			30.89	7.03		ı
		2-Wire Trunk Side Unbundled Channelized DID Trunk Port			UEPPX	UEPDM	8.97	0.00	0.00	0.00	0.00			30.89	7.03		
	Feature	Activations - Unbundled Loop Concentration															
		Feature (Service) Activation for each Line Side Port Terminated															ı
		in D4 Bank			UEPPX	1PQWM	0.66	23.94	12.64	3.82	3.80			30.89	7.03		,
		Feature (Service) Activation for each Trunk Side Port Terminated in D4 Bank			UEPPX	1PQWU	0.66	73.67	17.37	54.09	10.57			30.89	7.03		1
	Tolonh	one Number/ Group Establishment Charges for DID Service			UEPPX	IPQWU	0.00	73.67	17.37	54.09	10.57			30.89	7.03		
-	reiehu	DID Trunk Termination (1 per Port)			UEPPX	NDT	0.00	0.00	0.00				 				
-		DID Numbers - groups of 20 - Valid all States			UEPPX	ND4	0.00	0.00	0.00				 				
		Non-Consecutive DID Numbers - per number			UEPPX	ND5	0.00		0.00								
		Reserve Non-Consecutive DID Numbers			UEPPX	ND6	0.00	0.00	0.00								
		Reserve DID Numbers			UEPPX	NDV	0.00	0.00	0.00								
	Local N	Number Portability															
		Local Number Portability - 1 per port			UEPPX	LNPCP	3.15	0.00	0.00								1
		RES - Vertical and Optional															
		Switching Features Offered with Line Side Ports Only															
		All Features Available			UEPPX	UEPVF	0.00	0.00	0.00								
UNBUN		PORT LOOP COMBINATIONS - MARKET RATES			.1		F00 1/ 0										
		Rates shall apply where BellSouth is not required to provide scenarios include:	unbunc	ilea loc	cal switching or swit	ton ports per	FCC and/or S	tate Commissio	n ruies.								
		undled port/loop combinations that are Not Currently Combin	ed in A	laham	Florida North Car	olina and So	uth Carolina										
		undled port/loop combinations that are Currently Combined of						ellSouth's regio	on for end use	rs with 4 or mo	re DS0 equiva	lent lines.					
		p 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderda											e).				
		,		-,, -		,	•				,		-				
	BellSo	uth currently is developing the billing capability to mechanica	lly bill	the rec	urring and non-recu	rring Market	Rates in this s	section except f	or nonrecurrin	ng charges for	not currently o	ombined in	AL, FL, NC	and SC. In t	he interim wh	ere BellSouth	cannot bill
		Rates, BellSouth shall bill the rates in the Cost-Based section									-						
		arket Rate for unbundled ports includes all available features i															1
	End Of	fice and Tandem Switching Usage and Common Transport Us	age rat	es in th	e Port section of the	is rate exhibi	it shall apply to	o all combination	ons of loop/po	rt network elen	nents except 1	for UNE Coi	n Port/Loop	Combination	ns which have	a flat rate	1
		charge (USOC: URECU).															ı
		t Currently Combined scenarios where Market Rates apply, the				in the First a	and Additional	NRC columns f	or each Port L	ISOC. For Curi	rently Combin	ed scenario	s, the Nonre	ecurring char	ges are listed	in the NRC -	Surrently
		ned section. Additional NRCs may apply also and are categor	ized ac	cording	gly.	1				1		1	1		1		
		VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)															
	UNE P	ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1		1			26.48										
-	 	2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2		2			30.31	 					-		1		
-		2-Wire VG Loop/Port Combo - Zone 2		3		1	35.32	 					 				
	UNE L	pop Rates		J			55.52										
		2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPRX	UEPLX	12.48										
		2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPRX	UEPLX	16.31										
		2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPRX	UEPLX	21.32										
	2-Wire	Voice Grade Line Port (Res)															
		2-Wire voice unbundled port - residence			UEPRX	UEPRL	14.00	90.00	90.00					30.89	7.03		
	ļ	2-Wire voice unbundled port with Caller ID - res		<u> </u>	UEPRX	UEPRC	14.00	90.00	90.00					30.89	7.03		
	<u> </u>	2-Wire voice unbundled port outgoing only - res		<u> </u>	UEPRX	UEPRO	14.00	90.00	90.00					30.89	7.03		
	1	2-Wire voice Grade unbundled Tennessee extended local			LIEDBY	UEPAQ	44.00	00.00	00.00				1	20.00	7.00		,
-	 	dialing parity port with Caller ID - res 2-Wire voice unbundled Tennessee Area Calling port with Caller		-	UEPRX	UEPAQ	14.00	90.00	90.00				-	30.89	7.03		
	1	ID - res (F2R)			UEPRX	UEPAK	14.00	90.00	90.00				1	30.89	7.03		,
		2-Wire voice unbundled Tennessee Area Calling port with Caller			02.700	021741	14.00	33.00	33.00					30.09	7.00		
	1	ID - res (TACER)			UEPRX	UEPAL	14.00	90.00	90.00				1	30.89	7.03		
		2-Wire voice unbundled Tennessee Area Calling port with Caller					1										
L	<u> </u>	ID - res (TACSR)		L	UEPRX	UEPAM	14.00	90.00	90.00			<u> </u>	<u> </u>	30.89	7.03		<u>. </u>
		2-Wire voice unbundled Tennessee Area Calling port with Caller															
		ID - res (1MF2X)			UEPRX	UEPAN	14.00	90.00	90.00					30.89	7.03		

4Q01:12/01/01 PAGE 312 OF 324

UNBUNDLE	D NETWORK ELEMENTS - Tennessee												Attachment:	2		Exhibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Submitted	Incremental Charge - Manual Svc	Incremental Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge -
						Rec	Nonrecurring			g Disconnect				RATES (\$)		
L							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire voice unbundled Tennessee Area Calling port with Caller ID - res (2MR)			UEPRX	UEPAO	14.00	90.00	90.00					30.89	7.03		
	2-Wire voice unbundles res, low usage line port with Caller ID (LUM)			UEPRX	UEPAP	14.00	90.00	90.00					30.89	7.03		
LOCAL	NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPRX	LNPCX	0.35										
FEATU																
	All Features Offered			UEPRX	UEPVF	0.00	0.00	0.00								
	2-Wire Voice Grade Loop / Line Port Combination - Switch-as-is			UEPRX	USAC2		41.50	41.50					30.89	7.03		
,	2-Wire Voice Grade Loop / Line Port Combination - Switch with			UEPRX	LICACC		41.50	44 50								
Δηριτι	change ONAL NRCs	l		ULFKA	USACC	 	41.50	41.50					-			+
	NRC - 2-Wire Voice Grade Loop/Line Port Combination -															
	Subsequent			UEPRX	USAS2		0.00	0.00					30.89	7.03		
2-WIRE	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)															
UNE Po	ort/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Zone 1		1			26.48										
	2-Wire VG Loop/Port Combo - Zone 2		2			30.31										
	2-Wire VG Loop/Port Combo - Zone 3		3			35.32										
	pop Rates															
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPBX	UEPLX	12.48										ļ
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPBX	UEPLX	16.31										<u> </u>
2 Wire	2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port (Bus)		3	UEPBX	UEPLX	21.32										<u> </u>
2-vviie	2-Wire voice unbundled port without Caller ID - bus			UEPBX	UEPBL	14.00	90.00	90.00				-	30.89	7.03		
	2-Wire voice unbundled port with Caller 1D - bus 2-Wire voice unbundled port with Caller + E484 ID - bus			UEPBX	UEPBC	14.00	90.00	90.00					30.89	7.03		-
	2-Wire voice unbundled port with Galler + E-404 ib - bus			UEPBX	UEPBO	14.00	90.00	90.00			1		30.89	7.03		+
	2-Wire voice Grade unbundled Tennessee extended local			02. 5%	02. 20	1 1.00	00.00	00.00					00.00	7.00		
	dialing parity port with Caller ID - bus			UEPBX	UEPAV	14.00	90.00	90.00					30.89	7.03		
	2-Wire voice unbundled Tennessee Bus 2-Way Area Calling															
	Port Economy Option (TACC1)			UEPBX	UEPAC	14.00							30.89	7.03		
	2-Wire voice unbundled Tennessee Bus 2-Way Area Calling Port Standard Option (TACC2)			UEPBX	UEPAD	14.00	90.00	90.00					30.89	7.03		
,	2-Wire voice unbundled Tennessee Bus 2-Way Collierville and															
	Memphis Local Calling Port (B2F)			UEPBX	UEPAE	14.00							30.89	7.03		
	NUMBER PORTABILITY	<u> </u>		HEDDY	LNDOV	0.00				 	<u> </u>		ļ	 		↓
FEATU	Local Number Portability (1 per port)	1		UEPBX	LNPCX	0.35				 	1	-	-	 		
	CURRING CHARGES - CURRENTLY COMBINED	 			+	 				-	 			-		
NONKE	CONTINUO GIARGES - CORRENTET COMBINED	l			1	 							-			+
	2-Wire Voice Grade Loop / Line Port Combination - Switch-as-is			UEPBX	USAC2		41.50	41.50					30.89	7.03		
,	2-Wire Voice Grade Loop / Line Port Combination - Switch with change			UEPBX	USACC		41.50	41.50								
ADDITI	ONAL NRCs			OLI DX	00/100		41.00	41.00			1					+
	NRC - 2-Wire Voice Grade Loop/Line Port Combination - Subsequent			UEPBX	USAS2		0.00	0.00					30.89	7.03		
2-WIRF	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)	1		OLI DA	30,102	I	0.00	0.00			1		30.09	7.03		
	ort/Loop Combination Rates	†				1				1				1		
	2-Wire VG Loop/Port Combo - Zone 1	1	1			26.48				İ			İ			
	2-Wire VG Loop/Port Combo - Zone 2		2			30.31					İ					
	2-Wire VG Loop/Port Combo - Zone 3		3			35.32										
	pop Rates															
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPRG	UEPLX	12.48										
	2-Wire Voice Grade Loop (SL1) - Zone 2	ļ	2	UEPRG	UEPLX	16.31										ļ
	2-Wire Voice Grade Loop (SL1) - Zone 3	ļ	3	UEPRG	UEPLX	21.32										
2-Wire	Voice Grade Line Port Rates (RES - PBX)	1			1	1			l .	l		l	l	1		

UNBUNDLEI	NETWORK ELEMENTS - Tennessee												Attachment:	2		Exhibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Submitted	Incremental Charge - Manual Svc	Incremental Charge -	Charge -	Incremental Charge -
						Rec	Nonrecurring		Nonrecurrin	g Disconnect			oss	RATES (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port - Res			UEPRG	UEPRD	14.00	90.00	00.00					20.90	7.03		
LOCAL	NUMBER PORTABILITY			UEPRG	UEPRD	14.00	90.00	90.00					30.89	7.03		
100/12	Local Number Portability (1 per port)			UEPRG	LNPCP	3.15										
FEATU																
NONRE	CURRING CHARGES - CURRENTLY COMBINED															
	O.W. Co. Velos Co. La Lacar/Lline Book Co. altiration - O. Salt Andr.			LIEDDO	110400		44.50	44.50					00.00	7.00		
—	2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is 2-Wire Voice Grade Loop/ Line Port Combination - Switch with			UEPRG	USAC2		41.50	41.50					30.89	7.03		
	Change			UEPRG	USACC		41.50	41.50								
ADDITI	ONAL NRCs			02.110	007.00											
	2 Wire Loop/Line Side Port Combination - Non feature -															
	Subsequent Activity- Nonrecurring						0.00	0.00								
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt															
	Group						14.64	14.64					19.99	19.99	19.99	19.99
	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)		1		-											
UNE PO	ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1	1	1			26.48										
	2-Wire VG Loop/Port Combo - Zone 2		2			30.31										
	2-Wire VG Loop/Port Combo - Zone 3		3			35.32										
	oop Rates															
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPPX	UEPLX	12.48										
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPPX	UEPLX	16.31										
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPPX	UEPLX	21.32										
2-Wire	Voice Grade Line Port Rates (BUS - PBX)															ļ
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPPX	UEPPC	14.00	90.00	90.00					30.89	7.03		
	Line Side Unbundled Combination 2-way PBA Trunk Port - Bus			UEPPX	UEPPO	14.00	90.00	90.00					30.89	7.03		
	Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPPX	UEPP1	14.00	90.00	90.00					30.89	7.03		
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	14.00	90.00	90.00					30.89	7.03		
	2-Wire Voice Unbundled 2-Way Combination PBX Tennessee															
	Calling Port			UEPPX	UEPT2	14.00							30.89	7.03		
	2-Wire Voice Unbundled 1-Way Outgoing PBX Tennessee															
	Calling Port			UEPPX	UEPTO	14.00	00.00	00.00					30.89	7.03		
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port 2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX UEPPX	UEPXA UEPXB	14.00	90.00	90.00					30.89	7.03 7.03		
-	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports 2-Wire Voice Unbundled PBX LD DDD Terminals Port		1	UEPPX	UEPXB	14.00 14.00	90.00 90.00	90.00	1	 	 	1	30.89 30.89	7.03		
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	14.00	90.00	90.00		1			30.89	7.03		
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD	İ														
	Capable Port			UEPPX	UEPXE	14.00	90.00	90.00					30.89	7.03		
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
	Administrative Calling Port			UEPPX	UEPXL	14.00	90.00	90.00					30.89	7.03		
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			UEPPX	UEPXM	14.00	90.00	00.00					30.89	7.03		
	Room Calling Port 2-Wire Voice Unbundled 1-W Out PBX Hotel/Hospital Economy			UEPPX	UEPAIVI	14.00	90.00	90.00		<u> </u>			30.89	7.03		ļ
	Administrative Calling Port TN			UEPPX	UEPXN	14.00	90.00	90.00					30.89	7.03		
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital			OLITA	OLI AIT	14.00	50.00	30.00					00.00	7.00		
	Discount Room Calling Port	<u>L</u>		UEPPX	UEPXO	14.00	90.00	90.00	<u> </u>	<u> </u>	<u></u>		30.89	7.03		
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	14.00	90.00	90.00					30.89	7.03		
	2-Wire Voice Unbundled PBX Collierville and Memphis Calling															
	Port	ļ		UEPPX	UEPXU	14.00	90.00	90.00			ļ		30.89	7.03		
	2-Wire Voice Unbundled 2-Way PBX Tennessee RegionServ	1		UEPPX	UEPXV	44.00	00.00	00.00					20.00	7.00		
LOCAL	Callling Port NUMBER PORTABILITY	1		UEPPA	UEPAV	14.00	90.00	90.00		+			30.89	7.03		
LOCAL	Local Number Portability (1 per port)	 	1	UEPPX	LNPCP	3.15			1	†	 	1		 		
FEATU		1				5.10										
	CURRING CHARGES - CURRENTLY COMBINED	1			İ	İ			İ	1			İ			
•			•	•	•					•	•					

UNBUNDLE	D NETWORK ELEMENTS - Tennessee												Attachment:	2		Exhibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Submitted	Incremental Charge - Manual Svc	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	
						Rec	Nonrecurring			g Disconnect				RATES (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2 Miles Veine Conda Lean / Line Bort Combinedian Conidab As In			UEPPX	USAC2		41.50	41.50					30.89	7.03	i	,
	2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is 2-Wire Voice Grade Loop/ Line Port Combination - Switch with	1	1	UEPPX	USACZ		41.50	41.50					30.89	7.03	 	
	Change			UEPPX	USACC		41.50	41.50							ĺ	
ADDIT	ONAL NRCs			02.17	00/100			11.00							20.00	20.00
	2-Wire Voice Grade Loop/ Line Port Combination - Subsequent			UEPPX	USAS2		0.00	0.00					30.89	7.03	<u> </u>	
	2 Wire Loop/Line Side Port Combination - Non feature -														ĺ	
	Subsequent Activity- Nonrecurring						0.00	0.00								
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt															
0.1277	Group		1			1	14.64	14.64	1	1			19.99	19.99	19.99	19.99
	VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN PORTY/Loop Combination Rates	KI			-										 	-
UNE P	2-Wire VG Coin Port/Loop Combo – Zone 1	1	1		1	26.48			1	1	 	1	1	1		1
	2-Wire VG Coin Port/Loop Combo – Zone 2		2			30.31										1
	2-Wire VG Coin Port/Loop Combo – Zone 3		3			35.32									 	
UNE L	pop Rates					00.02										
3	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPCO	UEPLX	12.48										
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPCO	UEPLX	16.31										
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPCO	UEPLX	21.32										
2-Wire	Voice Grade Line Port Rates (Coin)															
	2-Wire Coin 2-Way without Operator Screening and without														ĺ	
	Blocking (TN)			UEPCO	UEPTB	14.00	90.00	90.00					30.89	7.03		
	2-Wire Coin 2-Way with Operator Screening and Blocking: 011,														ĺ	
	900/976, 1+DDD (NC, TN)			UEPCO	UEPRP	14.00							30.89	7.03	├ ──	
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking			LIEBCO	UEPTA	44.00	00.00	00.00					20.00	7.03	1	
	(TN) 2-Wire Coin 2-Way with Operator Screening and Blocking:		-	UEPCO	UEPTA	14.00	90.00	90.00					30.89	7.03	\vdash	-
	900/976, 1+DDD, 011+, and Local (NC, TN)			UEPCO	UEPCA	14.00	90.00	90.00					30.89	7.03	1	
	2-Wire Coin Outward with Operator Screening and 011 Blocking		-	OLI CO	OLI OA	14.00	30.00	30.00					30.03	7.03		
	(TN)			UEPCO	UEPTC	14.00	90.00	90.00					30.89	7.03	1	
	2-Wire Coin Outward with Operator Screening and Blocking:			02. 00	020	1 1.00	00.00	00.00					00.00	7.00		
	900/976, 1+DDD, 011+, and Local (TN)			UEPCO	UEPOT	14.00	90.00	90.00					30.89	7.03	i .	
LOCAL	NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPCO	LNPCX	0.35										
NONRE	CURRING CHARGES - CURRENTLY COMBINED															
					l]								1	1	
\vdash	2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is	1	_	UEPCO	USAC2		41.50	41.50	 				30.89	7.03	←——	
	2-Wire Voice Grade Loop/ Line Port Combination - Switch with Change			UEPCO	USACC		41.50	41.50						1	1	
ADDIT	ONAL NRCs			UEPCU	USACC		41.50	41.50								
ADDITI	I I I I I I I I I I I I I I I I I I I	1	1								1					
	2-Wire Voice Grade Loop/ Line Port Combination - Subsequent			UEPCO	USAS2		0.00	0.00					30.89	7.03	i .	
UNBUNDLED (CENTREX PORT/LOOP COMBINATIONS			OLI OO	00/102		0.00	0.00					00.00	7.00		
	IDLED PORT/LOOP COMBINATIONS - COST BASED RATES															
	CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only	/)													ſ	
2-Wire	VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
UNE P	ort/Loop Combination Rates (Non-Design)															
1 1	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	-	1	l											1	
\vdash	Non-Design		1	UEP91		14.18									⊢—	_
]]	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		2	LIEDOA		40.01									1	
 	Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	1	2	UEP91	+	18.01			 	1	-	-	-	 		
1 1	Non-Design		3	UEP91		23.02								1	1	
LINE D	pron-pesign ort/Loop Combination Rates (Design)	1	3	OFLAI	1	23.02			1	1	 	1	1	1		1
0.1.	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	_	1		1											
	Design		1	UEP91		18.26									1	
	1 *** 3												ı			

CATEGORY RATE ELEMENTS Interim m Zone BCS USOC RATES(\$) RATE SLEMENTS BCS USOC RATES(\$) RATE SLEMENTS BCS USOC RATES(\$) RATES(\$) RATES(\$) RATES(\$) RATES(\$) Svc Order Submitted Submitted Electronic- E	UNBUNDLEI	NETWORK ELEMENTS - Tennessee												Attachment:	2		Exhibit: E
April Apri				Zone	BCS	usoc			RATES(\$)			Submitted Elec	Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svo Order vs. Electronic-
AMERICAN Comparation Com							_					per LSR	per LSR			Disc 1st	Disc Add'l
2-We VI LOQUE/We Vivo Gride Port Certain/Port Corbo-							Rec		l'hhΔ			SOMEC	SOMAN			SOMAN	SOMAN
2-Wine VPC Loops/2-Wine Vote Grade Port Combons 3 UPP91 2008 200		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -							7144		71441	0020					
Design				2	UEP91		23.33										
UPEP UPP				2	LIED01		20.09										
SWIN Vices Grade Loop (St. 1) - Zone 1	UNE Lo			3	OLF91		29.90										
SWIN Vicks Grafe Log (St. 17-Zere 2 2 UFP91 UFC51 16.31	0.12.20			1	UEP91	UECS1	12.48										
2-West Vexes Granted Loop (St. 1) - Zevers 3 3 UFP91 UECS3 21.32																	
2-Wire Voca Grade to 16, 12, 7-Zero 2 2 UPP91 UECS2 28.28				3	UEP91												
E-Virre Vetor Grade Loog (St. 27 - Zone 3 3 UPP91 UECS2 28.28		2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP91	UECS2	16.56										
UEP of the Price UEP of the																	
All States (Except North Carolina and Sout Carolina)				3	UEP91	UECS2	28.28										
2-Wive Vision Grade Port (Centrex) Biasc Local Avea UEP91 UEPVA 1.70 22.14 15.26 8.45 3.91 30.89 7.03			1	<u> </u>		ļ		ļ				ļ	ļ				
2-Wire Visice Grade Port (Centrex with Caller (Dil Basic Local Area 2-Wire Visice Grade Port (Centrex with Caller (Dil Basic Local 2-Wire Visice Grade Port (Centrex with Caller (Dil Basic Local 2-Wire Visice Grade Port, Centrex from diff Swring Wire Centrer 1900 Service Centre Visice Grade Port, Drif Serving Wire Centrer 1900 Service Centre Visice Grade Port (Dil Serving Wire Centrer 1900 Service Centre Visice Grade Port (Dil Serving Wire Centrer 1900 Service Centrer Visice Centre Port (Dil Serving Wire Centrer 1900 Service Centrer Visice Centre Port, Drif Serving Wire Centrer 1900 Service Centrer Visice Centrer V			1	<u> </u>	LIEDO4	LIEDVA	4.70	20.11	45.05	0.45	0.01	ļ	20.22	7.00	 	!	1
Area			1	<u> </u>	UEP91	UEPYA	1.70	22.14	15.25	8.45	3.91	ļ	30.89	7.03	 	!	1
Ansa		Area			UEP91	UEPYB	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
Center/2 Basis Local Area		Area			UEP91	UEPYH	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
Term - Basic Local Area		Center)2 Basic Local Area			UEP91	UEPYM	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
- Basic Local Area		Term - Basic Local Area			UEP91	UEPYZ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
Basic Local Area		- Basic Local Area			UEP91	UEPY9	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
2-Wire Voice Grade Port (Centrex 800 termination) UEP91 UEPOB 1.70 22.14 15.25 8.45 3.91 30.89 7.03		Basic Local Area			UEP91	UEPY2	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
2-Wire Voice Grade Port (Centrex 800 termination)	AL, KY																
2-Wire Voice Grade Port (Centrex with Caller ID)1																	
2-Wire Voice Grade Port (Centrex from diff Serving Wire UEP91 UEPQM 1.70 22.14 15.25 8.45 3.91 30.89 7.03																	
Center 2					UEP91	UEPQH	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
Term		Center)2			UEP91	UEPQM	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
2-Wire Voice Grade Port Terminated on 800 Service Term					UEP91	UEPQZ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
Local Switching			<u></u>														
Centrex Intercom Funtionality, per port UEP91 URECS 0.6381					UEP91	UEPQ2	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
Local Number Portability Local Number Portab	Local S																
Local Number Portability (1 per port)				<u> </u>	UEP91	URECS	0.6381										
Features			1	<u> </u>	LIEBO.	LUBGS						ļ	ļ				ļ
All Standard Features Offered, per port			1	<u> </u>	UEP91	LNPCC	0.35	1		.	 	ļ	 	 	 	!	1
All Select Features Offered, per port UEP91 UEPVS 0.00 433.78 30.89 7.03			1	 	LIED01	LIED\/E	0.00	-		-		<u> </u>	20.00	7.00		 	-
All Centrex Control Features Offered, per port UEP91 UEPVC 0.00 30.89 7.03			1	 						+	1	 			1	+	
NARS Unbundled Network Access Register - Combination UEP91 UARCX 0.00 0.00 0.00 0.00 Unbundled Network Access Register - Indial UEP91 UARX 0.00 0.00 0.00 Unbundled Network Access Register - Outdial UEP91 UARX 0.00 0.00 0.00 Unbundled Network Access Register - Outdial UEP91 UARX 0.00 0.00 0.00 Unbundled Network Access Register - Outdial UEP91 UARX 0.00 0.00 Unbundled Network Access Register - Outdial UEP91 UARX 0.00 0.00 Unbundled Network Access Register - Outdial UEP91 UARX 0.00 0.00 Unbundled Network Access Register - Outdial UEP91 UARX 0.00 0.00 Unbundled Network Access Register - Outdial UEP91 UARX 0.00 0.00 Unbundled Network Access Register - Outdial UEP91 UARX 0.00 0.00 Unbundled Network Access Register - Outdial UEP91 UARX 0.00 0.00 Unbundled Network Access Register - Outdial UEP91 UARX 0.00 0.00 Unbundled Network Access Register - Outdial UEP91 UARX 0.00 0.00 Unbundled Network Access Register - Outdial UEP91 UARX 0.00 0.00 Unbundled Network Access Register - Outdial UEP91 UARX 0.00 0.00 Unbundled Network Access Register - Outdial UEP91 UARX 0.00 0.00 Unbundled Network Access Register - Outdial UEP91 UARX 0.00 0.00 Unbundled Network Access Register - Outdial UEP91 UARX 0.00 0.00 Unbundled Network Access Register - Outdial UEP91 UARX 0.00 0.00 Unbundled Network Access Register - Outdial UEP91 UARX 0.00 0.00 Unbundled Network Access Register - Outdial UEP91 UARX 0.00 0.00 Unbundled Network Access Register - Outdial UEP91 UARX 0.00 0.00 Unbundled Network Access Register - Outdial UEP91 UARX 0.00 0.00 Unbundled Network Access Register - Outdial UEP91 UARX 0.00 0.00 Unbundled Network Access Register - Outdial UEP91 UARX 0.00 0.00 Unbundled Network 0.00 Unbundled Network 0.00 Unbundled Network 0.00 Unbundled Network 0.00 Unbundled Netwo			1	!				400.10		 	1	 			1	t	1
Unbundled Network Access Register - Combination	NARS	Control Control Control Control on Port	1	1	<u> </u>	32.1 70	0.00	+		+			30.03	7.03		†	
Unbundled Network Access Register - Indial UEP91	147.110	Unbundled Network Access Register - Combination	1	†	UEP91	UARCX	0.00	0,00	0.00	1	1			1	1	1	
Unbundled Network Access Register - Outdial			1	<u> </u>													
Miscellaneous Terminations			1	i –													
Trunk Side Terminations, each UEP91 CENA6 8.78 22.14 15.25 8.45 3.91 30.89 7.03	Miscell																
Interoffice Channel Mileage - 2-Wire Interoffice Channel Facilities Termination - Voice Grade UEP91 MIGBC 18.58 22.14 15.25 8.45 3.91 30.89 7.03 Interoffice Channel mileage, per mile or fraction of mile Feature Activations (DS0) Centrex Loops on Channelized DS1 Service																	
Interoffice Channel Facilities Termination - Voice Grade UEP91 MIGBC 18.58 22.14 15.25 8.45 3.91 30.89 7.03 Interoffice Channel mileage, per mile or fraction of mile UEP91 MIGBM 0.0174 Interoffice Channel mileage, per mile or fraction of mile UEP91 MIGBM 0.0174 Interoffice Channel mileage, per mile or fraction of mile UEP91 MIGBM 0.0174 Interoffice Channel mileage, per mile or fraction of mile UEP91 MIGBM 0.0174 Interoffice Channel mileage, per mile or fraction of mile UEP91 MIGBM 0.0174 Interoffice Channel mileage, per mile or fraction of mile UEP91 MIGBM 0.0174 Interoffice Channel mileage, per mile or fraction of mile UEP91 MIGBM 0.0174 Interoffice Channel mileage, per mile or fraction of mile UEP91 MIGBM 0.0174 Interoffice Channel mileage, per mile or fraction of mile UEP91 MIGBM 0.0174 Interoffice Channel mileage, per mile or fraction of mile UEP91 MIGBM 0.0174 Interoffice Channel mileage, per mile or fraction of mile UEP91 MIGBM 0.0174 Interoffice Channel mileage, per mile or fraction of mile UEP91 MIGBM 0.0174 Interoffice Channel mileage, per mile or fraction of mile UEP91 MIGBM 0.0174 Interoffice Channel mileage, per mile or fraction of mile UEP91 MIGBM 0.0174 Interoffice Channel mileage, per mile or fraction of mile UEP91 MIGBM 0.0174 Interoffice Channel mileage, per mile or fraction of mile UEP91 MIGBM 0.0174 Interoffice Channel mileage, per mile or fraction of mile UEP91 MIGBM 0.0174 Interoffice Channel mileage, per mile or fraction of mileage, per mile					UEP91	CENA6	8.78	22.14	15.25	8.45	3.91		30.89	7.03			
Interoffice Channel mileage, per mile or fraction of mile UEP91 MIGBM 0.0174 Feature Activations (DS0) Centrex Loops on Channelized DS1 Service	Interoff									1						1	
Feature Activations (DS0) Centrex Loops on Channelized DS1 Service				<u> </u>				22.14	15.25	8.45	3.91	ļ	30.89	7.03	ļ	ļ	
			1	<u> </u>	UEP91	MIGBM	0.0174									-	
			ce	<u> </u>		1	 	1		.	 	ļ	 	 	 	!	1
Feature Activation on D-4 Channel Bank Centrex Loop Slot UEP91 1PQWS 0.66			1	 	LIED01	100146	0.00	1		-	-	!	1	-	-		1

UNBUNDLI	ED NETWORK ELEMENTS - Tennessee												Attachment:	2		Exhibit: E
															Increment-1	
													Incremental			
		Interi										0	Charge -	Charge -	Charge -	Charge -
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)					Manual Svc	Manual Svc		
												Submitted		Order vs.	Order vs.	Order vs.
											Elec		Electronic-	Electronic-	Electronic-	
							1				per LSR	per LSR	1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonrecurring		Monroourrin	g Disconnect			000	RATES (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN		SOMAN	SOMAN
\vdash							1 1134	Auu	11130	Auu	COMILO	COMPAN	COMPAR	COMPAR	COMPAR	COMPAR
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP91	1PQW6	0.66										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop			02. 0.		0.00										
	Slot			UEP91	1PQW7	0.66										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -															
	Different Wire Center			UEP91	1PQWP	0.66										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP91	1PQWV	0.66										
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop															
$\sqsubseteq \sqsubseteq$	Slot			UEP91	1PQWQ	0.66										
oxdot	Feature Activation on D-4 Channel Bank WATS Loop Slot	<u> </u>		UEP91	1PQWA	0.66					<u> </u>	<u> </u>				
Non-F	Recurring Charges (NRC) Associated with UNE-P Centrex	ļ				ļ	ļl		ļ	ļ				ļ	ļ	ļ
1 1	Conversion - Currently Combined Switch-As-Is with allowed	1							I	I				1	1	
	changes, per port			UEP91	USAC2		1.03	0.29				30.89	7.03			
$\vdash \vdash \vdash$	New Centrex Standard Common Block	ļ		UEP91	M1ACS	0.00	658.60				ļ	30.89	7.03			ļ
\vdash	New Centrex Customized Common Block	!	<u> </u>	UEP91	M1ACC	0.00	658.60		-	-		30.89	7.03			ļ
$\vdash \vdash \vdash$	Secondary Block, per Block	!	<u> </u>	UEP91	M2CC1	0.00	73.55		.	!	1	30.89	7.03	 	1	ļ
LINIE	NAR Establishment Charge, Per Occasion			UEP91	URECA		68.57		-	-			30.89			
	P CENTREX - 5ESS (Valid in All States) e VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
	Port/Loop Combination Rates (Non-Design)										1					
UNE	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -										1					
	Non-Design		1	UEP95		14.18										
 	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		- ' -	OLF 95		14.10			1	1	1					
	Non-Design		2	UEP95		18.01										
 	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			OLI SO		10.01					1					
	Non-Design		3	UEP95		23.02										
UNE F	Port/Loop Combination Rates (Design)		Ť	02.00		20.02			1							
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
	Design		1	UEP95		18.26										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design		2	UEP95		23.33										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design		3	UEP95		29.98										
UNE I	Loop Rate															
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP95	UECS1	12.48										
	2-Wire Voice Grade Loop (SL 1) - Zone 2			UEP95	UECS1	16.31										
\vdash	2-Wire Voice Grade Loop (SL 1) - Zone 3	ļ		UEP95	UECS1	21.32	ļl		ļ	ļ				ļ	ļ	ļ
$\vdash \vdash \vdash$	2-Wire Voice Grade Loop (SL 2) - Zone 1	ļ	1	UEP95	UECS2	16.56					ļ					ļ
$\vdash \vdash \vdash$	2-Wire Voice Grade Loop (SL 2) - Zone 2	ļ	2	UEP95	UECS2	21.63										ļ
<u>-</u>	2-Wire Voice Grade Loop (SL 2) - Zone 3	ļ	3	UEP95	UECS2	28.28			.	.						1
	Port Rate	1	1		+	-			1	1	1	1		-	-	ļ
All Sta		 	-	UEP95	UEPYA	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex 800 termination)	 	-	UEP95 UEP95	UEPYA	1.70	22.14	15.25	8.45 8.45	3.91		30.89	7.03			
$\vdash \vdash \vdash$	2-Wire Voice Grade Port (Centrex 800 termination) 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local	 	 	OLF90	UEFTB	1.70	22.14	15.25	8.45	3.91	 	30.89	7.03	-	-	1
] [2-wire voice Grade Port (Centrex with Caller ID)1Basic Local	1		UEP95	UEPYH	1.70	22.14	15.25	8.45	3.91		30.89	7.03	1	1	
 	2-Wire Voice Grade Port (Centrex from diff Serving Wire	 		OFL 20	ULFIN	1.70	22.14	15.25	0.45	3.91	1	30.09	7.03	1	1	1
1 1	Center)2 Basic Local Area	1		UEP95	UEPYM	1.70	22.14	15.25	8.45	3.91		30.89	7.03	1	1	
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service	 		021 00	OLI TIVI	1.70	22.14	10.20	0.43	5.91	 	30.09	7.03	 	 	
1 1	Term - Basic Local Area	1		UEP95	UEPYZ	1.70	22.14	15.25	8.45	3.91		30.89	7.03	1	1	
\vdash	2-Wire Voice Grade Port terminated in on Megalink or equivalent	1		0_1 00	OL: 12	1.70	22.14	10.20	0.43	5.91	1	30.09	7.03	 	 	1
1 1	- Basic Local Area			UEP95	UEPY9	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port Terminated on 800 Service Term -	1			1				5.10	5.01		22.00		İ	İ	i e
	Basic Local Area	1		UEP95	UEPY2	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
AL. K	(Y, LA, MS, SC, & TN Only	1			1		22.14	15.25	8.45	3.91				İ	İ	i e
	2-Wire Voice Grade Port (Centrex)			UEP95	UEPQA	1.70	22.14	15.25	8.45	3.91	İ	30.89	7.03			1
	2-Wire Voice Grade Port (Centrex 800 termination)		1	UEP95	UEPQB	1.70		15.25	8.45	3.91		30.89	7.03			

UNBUNDLE	D NETWORK ELEMENTS - Tennessee												Attachment:	2		Exhibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		ı	RATES(\$)				Submitted Manually	Incremental Charge - Manual Svc	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring First	Add'l	Nonrecurring First	g Disconnect Add'l	SOMEC	SOMAN		RATES (\$)	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP95	UEPQH	1.70	22.14	15.25	8.45	3.91	SOWIEC	30.89	7.03	JOWAN	JOWAN	JOWAN
	2-Wire Voice Grade Port (Centrex from diff Serving Wire	1		OLI 93	OLI QII	1.70	22.14	10.20	0.43	3.91		30.03	7.03			
	Center)2			UEP95	UEPQM	1.70	22.14	15.25	8.45	3.91		30.89	7.03			İ
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
	Term			UEP95	UEPQZ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
																ĺ
	2-Wire Voice Grade Port terminated in on Megalink or equivalent 2-Wire Voice Grade Port Terminated on 800 Service Term		-	UEP95 UEP95	UEPQ9 UEPQ2	1.70 1.70	22.14 22.14	15.25 15.25	8.45 8.45	3.91 3.91		30.89 30.89	7.03 7.03			
EI 8 C	A Only			UEP95	UEPQ2	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	Switching		 		+		 				-					
20041	Centrex Intercom Funtionality, per port	1		UEP95	URECS	0.6381										
Local I	Number Portability															
	Local Number Portability (1 per port)			UEP95	LNPCC	0.35										
Featur																
	All Standard Features Offered, per port			UEP95	UEPVF	0.00						30.89	7.03			
	All Select Features Offered, per port			UEP95	UEPVS	0.00						30.89	7.03			
NARS	All Centrex Control Features Offered, per port			UEP95	UEPVC	0.00	-					30.89	7.03			-
INAKS	Unbundled Network Access Register - Combination			UEP95	UARCX	0.00	0.00	0.00								
	Unbundled Network Access Register - Indial			UEP95	UAR1X	0.00	0.00	0.00								
	Unbundled Network Access Register - Outdial			UEP95	UAROX	0.00		0.00								
Miscel	laneous Terminations															
2-Wire	Trunk Side															
	Trunk Side Terminations, each			UEP95	CEND6	8.78	47.75	47.01	9.21	8.47		30.89	7.03			
4-Wire	Digital (1.544 Megabits)						== 00						=			
	DS1 Circuit Terminations, each DS0 Channels Activated, each		-	UEP95 UEP95	M1HD1 M1HDO	35.55 0.00	75.93 108.67	38.15				30.89	7.03			
Interef	fice Channel Mileage - 2-Wire	1	1	UEP95	MIHDO	0.00	108.67									
interor	Interoffice Channel Facilities Termination			UEP95	MIGBC	18.58	22.14	15.25	8.45	3.91		30.89	7.03			
	Interoffice Channel mileage, per mile or fraction of mile			UEP95	MIGBM	0.0174										
	e Activations (DS0) Centrex Loops on Channelized DS1 Service	e														
D4 Cha	annel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	1PQWS	0.66										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP95	1PQW6	0.66										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop															İ
	Slot Feature Activation on D-4 Channel Bank Centrex Loop Slot -	1	-	UEP95	1PQW7	0.66										
	Different Wire Center			UEP95	1PQWP	0.66										Ï
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP95	1PQWV	0.66										İ
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop					· · · · · · · · · · · · · · · · · · ·		· · · · · · · · · · · · · · · · · · ·								1
	Slot	ļ		UEP95	1PQWQ	0.66										
Non 5	Feature Activation on D-4 Channel Bank WATS Loop Slot	<u> </u>	<u> </u>	UEP95	1PQWA	0.66				-	<u> </u>					
Non-Re	ecurring Charges (NRC) Associated with UNE-P Centrex NRC Conversion Currently Combined Switch-As-Is with allowed	 			-		 				1	-				
	changes, per port			UEP95	USAC2		1.03	0.29				30.89	7.03			1
	New Centrex Standard Common Block			UEP95	M1ACS	0.00	658.60	0.23				30.89	7.03			
İ	New Centrex Customized Common Block	İ		UEP95	M1ACC	0.00	658.60					30.89	7.03			
	NAR Establishment Charge, Per Occasion			UEP95	URECA	0.00	68.57					30.89	7.03			
	CENTREX - DMS100 (Valid in All States)					· · · · ·										
	VG Loop/2-Wire Voice Grade Port (Centrex) Combo	ļ	1		1											
UNE P	ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	 	1		+		 				-					
	Non-Design	1	1	UEP9D		14.18										1
 	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	1	+-	OL1 3D	+	17.10										
	Non-Design		2	UEP9D		18.01										1
											•					

UNBUNDLE	D NETWORK ELEMENTS - Tennessee												Attachment:	2		Exhibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge -	Charge -	Charge - Manual Svc Order vs.
						Rec	Nonrecurring		Nonrecurrin	g Disconnect			oss	RATES (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			LIEDOD		00.00										
LINE D	Non-Design ort/Loop Combination Rates (Design)		3	UEP9D		23.02										
UNE P	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -													1		
	Design		1	UEP9D		18.26										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design		2	UEP9D		23.33										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
<u> </u>	Design		3	UEP9D		29.98										<u> </u>
UNE L	oop Rate			LIEDOD	LIEGOA	10.10										
-	2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP9D UEP9D	UECS1 UECS1	12.48 16.31										
	2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP9D	UECS1	21.32										+
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP9D	UECS2	16.56										
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP9D	UECS2	21.63								1		
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9D	UECS2	28.28										
	ort Rate															
ALL S																<u> </u>
	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP9D	UEPYA	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local			LIEDOD	LIEDVD	4.70	22.44	45.05	0.45	2.04		20.00	7.00			
-	Area 2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local			UEP9D	UEPYB	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	Area			UEP9D	UEPYC	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
-	2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local			OLI 3D	OLI 10	1.70	22.14	15.25	0.43	5.51		30.03	7.03			
	Area			UEP9D	UEPYD	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local															
	Area			UEP9D	UEPYE	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local															
	Area			UEP9D	UEPYF	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local			LIEDOD	LIEDVO	4.70	22.44	45.05	0.45	2.04		20.00	7.00			
-	Area 2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local			UEP9D	UEPYG	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	Area			UEP9D	UEPYT	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local			OLI OD	OLI II	1.70	22.14	10.20	0.40	0.01		00.00	7.00			1
	Area			UEP9D	UEPYU	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local															
	Area			UEP9D	UEPYV	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local				l											
	Area			UEP9D	UEPY3	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local			LIEDOD	LIEDVII	4.70	22.44	45.05	0.45	2.04		20.00	7.00			
-	Area 2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp			UEP9D	UEPYH	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	Indication))3 Basic Local Area			UEP9D	UEPYW	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
1	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))3			OLI OB	OLI IW	1.70	22.14	10.20	0.40	0.01		00.00	7.00			
	Basic Local Area			UEP9D	UEPYJ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)													1		
	2 Basic Local Area			UEP9D	UEPYM	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3			l										1		
\vdash	Basic Local Area	<u> </u>	!	UEP9D	UEPYO	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3 Basic Local Area			UEP9D	UEPYP	1.70	22.44	15.05	8.45	3.91		30.89	7.03	1		
 	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3	1	 	OFLAD	UEFIF	1.70	22.14	15.25	8.45	3.91	 	30.89	7.03	 		+
	Basic Local Area			UEP9D	UEPYQ	1.70	22.14	15.25	8.45	3.91		30.89	7.03	1		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3	1			1	1			50	2.01			1.30			1
	Basic Local Area	<u> </u>	<u>L</u>	UEP9D	UEPYR	1.70	22.14	15.25	8.45	3.91		30.89	7.03			<u> </u>
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3	1														
	Basic Local Area	l	ĺ	UEP9D	UEPYS	1.70	22.14	15.25	8.45	3.91		30.89	7.03	1		<u> </u>

Subr	c Order Svc Order omitted Submitted Elec Manually er LSR per LSR	Order vs. Electronic-	I Incremental Charge -	Charge -	Exhibit: B Incremental Charge -
		1st	Electronic- Add'l	Order vs. Electronic- Disc 1st	Manual Svc Order vs. Electronic- Disc Add'l
Rec Nonrecurring Nonrecurring Disconnect		oss	RATES (\$)		
	OMEC SOMAN			SOMAN	SOMAN
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3					
Basic Local Area UEP9D UEPY4 1.70 22.14 15.25 8.45 3.91 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3	30.89	7.03	<u> </u>		
2-vite voice Grade For (Centrex differ Swc / 253-w5200)2, 3	30.89	7.03			Ĭ
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3					
Basic Local Area UEP9D UEPY6 1.70 22.14 15.25 8.45 3.91	30.89	7.03			
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3	30.89	7.03			Ĭ
Dasic Local Area 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service	30.89	7.03	<u>'</u>	1	
Term UEP9D UEPYZ 1.70 22.14 15.25 8.45 3.91	30.89	7.03	1		
2-Wire Voice Grade Port terminated in on Megalink or equivalent					
Basic Local Area UEP9D UEPY9 1.70 22.14 15.25 8.45 3.91 2-Wire Voice Grade Port Terminated on 800 Service Term Basic UEPY9 1.70 22.14 15.25 8.45 3.91	30.89	7.03	<u> </u>		
Local Area UEP9D UEPY2 1.70 22.14 15.25 8.45 3.91	30.89	7.03			Ĭ
AL, KY, LA, MS, SC, & TN Only 22.14 15.25 8.45 3.91					
2-Wire Voice Grade Port (Centrex) UEP9D UEPQA 1.70 22.14 15.25 8.45 3.91	30.89				
2-Wire Voice Grade Port (Centrex 800 termination) UEP9D UEP0B 1.70 22.14 15.25 8.45 3.91	30.89				!
2-Wire Voice Grade Port (Centrex / EBS-PSET)3 UEP9D UEPQC 1.70 22.14 15.25 8.45 3.91 2-Wire Voice Grade Port (Centrex / EBS-M5009)3 UEP9D UEPQD 1.70 22.14 15.25 8.45 3.91	30.89 30.89				
2-Wire Voice Grade Port (Centrex / EBS-MS209)3 UEP9D UEPQE 1.70 22.14 15.25 8.45 3.91	30.89			1	—
2-Wire Voice Grade Port (Centrex / EBS-M5112)3 UEP9D UEPQF 1.70 22.14 15.25 8.45 3.91	30.89				
2-Wire Voice Grade Port (Centrex / EBS-M5312)3 UEP9D UEPQG 1.70 22.14 15.25 8.45 3.91	30.89				
2-Wire Voice Grade Port (Centrex / EBS-M5008)3 UEP9D UEPQT 1.70 22.14 15.25 8.45 3.91	30.89				
2-Wire Voice Grade Port (Centrex / EBS-M5208)3 UEP9D UEPQU 1.70 22.14 15.25 8.45 3.91	30.89 30.89				
2-Wire voice Grade Port (Centrex / EBS-Wis216)3 UEP9D UEPQ3 1.70 22.14 15.25 8.45 3.91 2-Wire Voice Grade Port (Centrex / EBS-Wis216)3 UEP9D UEPQ3 1.70 22.14 15.25 8.45 3.91	30.89				
2-Wire Voice Grade Port (Centrex with Caller ID) UEP9D UEPQH 1.70 22.14 15.25 8.45 3.91	30.89				
2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp					
Indication)3	30.89				
2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)3 UEP9D UEPQJ 1.70 22.14 15.25 8.45 3.91	30.89	7.03	<u> </u>		!
2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) UEP9D UEPQM 1.70 22.14 15.25 8.45 3.91	30.89	7.03			ĺ
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3 UEP9D UEPQO 1.70 22.14 15.25 8.45 3.91	30.89				
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3 UEP9D UEPQP 1.70 22.14 15.25 8.45 3.91	30.89				
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3 UEP9D UEPQQ 1.70 22.14 15.25 8.45 3.91	30.89	7.03	-	<u> </u>	
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3 UEP9D UEPQR 1.70 22.14 15.25 8.45 3.91	30.89	7.03			1
	55.09	7.00			
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3 UEP9D UEPQS 1.70 22.14 15.25 8.45 3.91	30.89	7.03			
	00.00				
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3 UEP9D UEPQ4 1.70 22.14 15.25 8.45 3.91	30.89	7.03	·	<u> </u>	
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 UEP9D UEPQ5 1.70 22.14 15.25 8.45 3.91	30.89	7.03			1
	30.00				
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3 UEP9D UEPQ6 1.70 22.14 15.25 8.45 3.91	30.89	7.03			
A Wise Vision Conde Book (Control/differ SWC /EDC ME346/3 2	20.22	7.00			
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3 UEP9D UEPQ7 1.70 22.14 15.25 8.45 3.91 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service	30.89	7.03	+		
Vivine Volce Grade Folit, Bill Serving Wile Certical - 300 Service UEP9D UEPQZ 1.70 22.14 15.25 8.45 3.91	30.89	7.03			
2-Wire Voice Grade Port terminated in on Megalink or equivalent UEP9D UEPQ9 1.70 22.14 15.25 8.45 3.91	30.89				
2-Wire Voice Grade Port Terminated on 800 Service Term UEP9D UEPQ2 1.70 22.14 15.25 8.45 3.91	30.89	7.03	+	-	
Local switching					
Local Number Portability					
Local Number Portability (1 per port) UEP9D LNPCC 0.35					
Features					<u> </u>

CATEORY BATE REMENTS Hard Section Se	UNBUNDLE	D NETWORK ELEMENTS - Tennessee												Attachment:	2		Exhibit: B
ATTEMPT Part																	
Part																	Incremental
March Marc			Interi									0	00				Charge -
Second Content	CATEGORY	RATE ELEMENTS		Zone	BCS	USOC			RATES(\$)								
Noncepting Non			""														Order vs.
Add Statement Content of the Con																	Electronic-
Print												per LSR	per LSR	1st	Add'l	Disc 1st	Disc Add'l
Print							Boo	Monroourring		Monroourring	n Dissennest			000	DATES (\$)		
All Standard Features (Princed, part port 1,000	-						Rec		Add'l			SOMEC	SOMAN			SOMAN	SOMAN
All Select Features Christed part port	h + +	All Standard Features Offered, per port			HEDAD	I IED\/E	0.00		Auu i	FIISt	Addi	SOWIEC			SOWAN	SOWAN	JOWAN
ACCITATE CATURE PROJECT CONTINUED SEPTIO S			1														
NASS NO NO NO NO NO NO NO	+		1					400.70									
Unbounded Network Access Register - Howard UPSID UNFIX 0.00	NARS																
Distriction Network Acress Register - Outstal DIPPID DARROX D. D. D. D. D. D. D. D. D. D. D. D. D.		Unbundled Network Access Register - Combination			UEP9D	UARCX	0.00	0.00	0.00								
Miscellaneous Terminations		Unbundled Network Access Register - Inward			UEP9D	UAR1X	0.00	0.00	0.00								
2 NWW Trank Side 1		Unbundled Network Access Register - Outdial			UEP9D	UAROX	0.00	0.00	0.00								
Trank Sels Terminations, each UEPPID CENSS 8-78 22-14 15-25 8-85 391 30-89 7.00																	
Average Control Formations on Control Control Formations on Control Control Formations on Control Control Formations on Control Control Formations on Control Control Formations on Control Control Formations on Control Control Formation Control Fo	2-Wire																
DS1 Closal Terminations, each UEP90 MH101 35.65 75.98 38.15 30.88 7.03 1.00			<u> </u>		UEP9D	CEND6	8.78	22.14	15.25	8.45	3.91		30.89	7.03			
DSC Channels Activated per Channel UEPSD MHTGC 0.00 108.07	4-Wire		<u> </u>	ļ		4	 _	<u> </u>		ļ				<u> </u>	ļ	ļ	
Interoffice Channel Milledge - 2-Wire			 	.					38.15				30.89	7.03			ļ
Intereditice Channel Facilities Termination UEPPO MIGGE 15.58 22.14 15.25 8.45 3.91 30.89 7.03			 	1	UEP9D	M1HDO	0.00	108.67		.				ļ	 	ļ	
Elescontice Channel milesege, per mile or fraction of miles UEPBD MIGBM O.0174	Interofi		1	ļ	LIEDOD	MICEC	40.50	00.44	45.05	0.45	2.01		20.00	7.00			1
Feature Activations (S80) Centres Loops on Channellized BSI Service								22.14	15.25	8.45	3.91		30.89	7.03			
OA Channel Bank Fasture Activations De Channel Bank Centres Loop Sist DEPBD 1POWS 0.66	Footure				UEP9D	MIGBIN	0.0174										
Feature Activation on D-4 Channel Bank Exhi Ire Side Loop Stot UEP9D 1POWB 0.66			ce				-			-							
Feature Activation on D-4 Channel Bank FX Truns Side Loop Side Side Side Side Side Side Side Side	D4 Cila		1		HEDAD	1POWS	0.66			†							
Feature Activation on D-4 Channel Bank FX Trunk Side Loop IPOW7 0.66 IPOW7	 	realtire Activation on 5-4 channel Bank Centrex Loop Glot			OLI 3D	II QWO	0.00										
Feature Activation on D-4 Channel Bank FX Trunk Side Loop Stot UEP9D 1POW7 0.66		Feature Activation on D-4 Channel Bank FX line Side Loop Slot			LIFP9D	1PQW6	0.66										
Stot					OLI OD	11 Q 110	0.00										
Feature Activation on D-4 Channel Bank Centrex Loop Stot					UEP9D	1PQW7	0.66										
Different Vive Center		Feature Activation on D-4 Channel Bank Centrex Loop Slot -															
Feature Activation on D-4 Channel Bank Tijl LinefTrunk Loop UEPBD					UEP9D	1PQWP	0.66										
Feature Activation on D-4 Channel Bank Tijl LinefTrunk Loop UEPBD 1PQWQ 0.66																	
Stot					UEP9D	1PQWV	0.66										
Feature Activation on D-4 Channel Bank WATS Loop Slot UEPBD 1POWA 0.66																	
Non-Recurring Charges (NRC) Associated with UNE-P Centrex UEP9D USAC2 1.03 0.29 30.88 7.03 0.29 30.88 7.03 0.29 0.20 0																	
NRC Conversion Currently Combined Switch-As-is with allowed changes, per port UEP9D					UEP9D	1PQWA	0.66										
Changes, per port	Non-Re																
New Centrex Standard Common Block					LIEDOD	110400		4.00	0.00				00.00	7.00			
New Centrex Customized Common Block							0.00		0.29	1							
NAR Establishment Charge, Per Ocasion UEP9D URECA 68.57 30.89 7.03			1							-							
UNE-P CENTREX - EWSD (Valid in AL, FL, KY, LA, MS & TN)	 		1	-			0.00								-	-	
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo	IINE D		+		OLF3D	UNLUA	 	00.07		t			30.09	7.03	1	1	1
UNE Port/Loop Combination Rates (Non-Design 1 UEP9E 14.18			1			+	-	 		-							1
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design 1 UEP9E 14.18			1			1	1			1							
Non-Design			-1			İ	1			1					İ	İ	
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design			1	1	UEP9E		14.18			I					1	1	
Non-Design																	
Non-Design 3 UEP9E 23.02		Non-Design	<u> </u>	2	UEP9E		18.01			<u> </u>			<u> </u>	<u></u>	<u> </u>	<u> </u>	
UNE Port/Loop Combination Rates (Design)			-														
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design				3	UEP9E		23.02										
Design	UNE Po		<u> </u>							ļ			<u> </u>				
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2 UEP9E 23.33 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 3 UEP9E 29.98 29.98 3 UEP9E 29.98			-				1			1							
Design 2 UEP9E 23.33				1	UEP9E		18.26										
2-Wire Voice Grade Port (Centrex)Port Combo - 3			1		LIEDOE		22.22			1							
Design 3 UEP9E 29.98	 		-	2	UEP9E	-	23.33			 		-	1		-	-	
UNE Loop Rate			1	2	LIEDOE		20.00			1							
2-Wire Voice Grade Loop (SL 1) - Zone 1	LINE		+	3	UEPSE	-	29.98	 		 		-	 		-	-	1
2-Wire Voice Grade Loop (SL 1) - Zone 2 2 UEP9E UECS1 16.31	UNE LO		+	1	I IEP9E	LIECS1	12 /10	1		t			1	1	1	1	1
2-Wire Voice Grade Loop (SL 1) - Zone 3 3 UEP9E UECS1 21.32			+					1		 					 	 	1
2-Wire Voice Grade Loop (SL 2) - Zone 1 1 UEP9E UECS2 16.56			+					1		t			 		 	 	1
			1					 		I		t	1		 	 	1
1 12-Wille Voice Grade Loop (5L Z) - ZOTE Z Z IDEPSE IDEC5Z Z 1.63		2-Wire Voice Grade Loop (SL 2) - Zone 2	 		UEP9E	UECS2	21.63			t					1	1	

ONDUNDLED N	ETWORK ELEMENTS - Tennessee	1			1								Attachment:		-	Exhibit:
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual Sv Order vs. Electronic Disc Add
						Rec	Nonrecurring		Nonrecurring	Disconnect				RATES (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	/ire Voice Grade Loop (SL 2) - Zone 3		3	UEP9E	UECS2	28.28										
UNE Port R																
	, LA, MS, & TN only /ire Voice Grade Port (Centrex) Basic Local Area		<u> </u>	UEP9E	UEPYA	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	/ire Voice Grade Port (Centrex) Basic Local Area /ire Voice Grade Port (Centrex 800 termination)Basic Local			OLF9L	OLFTA	1.70	22.14	13.23	0.43	3.91		30.09	7.03			
Area	,			UEP9E	UEPYB	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	/ire Voice Grade Port (Centrex with Caller ID)1Basic Local								0.10							
Area				UEP9E	UEPYH	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
2-W	/ire Voice Grade Port (Centrex from diff Serving Wire															
	nter)2 Basic Local Area			UEP9E	UEPYM	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	/ire Voice Grade Port, Diff Serving Wire Center - 800 Service			LIEDOE	LIED C			.= -				00.0-				
	m - Basic Local Area /ire Voice Grade Port terminated in on Megalink or equivalent			UEP9E	UEPYZ	1.70	22.14	15.25	8.45	3.91		30.89	7.03		 	
	asic Local Area			UEP9E	UEPY9	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	/ire Voice Grade Port Terminated on 800 Service Term -		 	OLI 9L	OLI 19	1.70	22.14	13.23	0.40	3.91	-	30.09	1.03	1	t	
	sic Local Area			UEP9E	UEPY2	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	, MS, & TN Only															
	/ire Voice Grade Port (Centrex)			UEP9E	UEPQA	1.70		15.25	8.45	3.91		30.89	7.03			
	/ire Voice Grade Port (Centrex 800 termination)			UEP9E	UEPQB	1.70		15.25	8.45	3.91		30.89	7.03			
	/ire Voice Grade Port (Centrex with Caller ID)1			UEP9E	UEPQH	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	/ire Voice Grade Port (Centrex from diff Serving Wire					. ==							= 00			
	nter)2 /ire Voice Grade Port, Diff Serving Wire Center - 800 Service			UEP9E	UEPQM	1.70	22.14	15.25	8.45	3.91		30.89	7.03		-	
Z-vv Teri				UEP9E	UEPQZ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
1611	III			OLF9L	ULFQZ	1.70	22.14	13.23	0.43	3.91		30.09	7.03		1	
2-W	/ire Voice Grade Port terminated in on Megalink or equivalent			UEP9E	UEPQ9	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	/ire Voice Grade Port Terminated on 800 Service Term			UEP9E	UEPQ2	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
Local Swite	ching															
	ntrex Intercom Funtionality, per port			UEP9E	URECS	0.6381										
	ber Portability															
	al Number Portability (1 per port)			UEP9E	LNPCC	0.35										
Features	Standard Features Offered, per port		<u> </u>	UEP9E	UEPVF	0.00						30.89	7.03			
	Select Features Offered, per port			UEP9E	UEPVS	0.00	433.78					30.89	7.03		1	
	Centrex Control Features Offered, per port			UEP9E	UEPVC	0.00	400.70					30.89	7.03			
NARS					1	5.50	†					50.00		1	1	
	bundled Network Access Register - Combination			UEP9E	UARCX	0.00	0.00	0.00								
	oundled Network Access Register - Indial			UEP9E	UAR1X	0.00	0.00	0.00								
	oundled Network Access Register - Outdial			UEP9E	UAROX	0.00	0.00	0.00								
	ous Terminations															
2-Wire Trur				LIEDOE	CEND6	0.70	00.44	45.05	0.45	0.04		00.00	7.00			
	nk Side Terminations, each tal (1.544 Megabits)		<u> </u>	UEP9E	CEND6	8.78	22.14	15.25	8.45	3.91		30.89	7.03			
	1 Circuit Terminations, each		1	UEP9E	M1HD1	35.55	75.93	38.15				30.89	7.03	1	 	
	Channel Activated Per Channel			UEP9E	M1HDO	0.00	108.67	30.13				30.03	7.03		t	
	Channel Mileage - 2-Wire			-	1	2.30	1.22.27							Ì	1	
Inte	roffice Channel Facilities Termination			UEP9E	MIGBC	18.58	22.14	15.25	8.45	3.91		30.89	7.03			
	roffice Channel mileage, per mile or fraction of mile			UEP9E	MIGBM	0.0174										
	tivations (DS0) Centrex Loops on Channelized DS1 Service	e														
	I Bank Feature Activations		-	LIEDOE	100140	0.00					-	1				
Fea	ature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9E	1PQWS	0.66	 					1			 	
Fee	ature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9E	1PQW6	0.66	1									
	ature Activation on D-4 Channel Bank FX Trunk Side Loop			OLI JL	11 4440	0.00									t	
Slot				UEP9E	1PQW7	0.66									1	
Fea	ature Activation on D-4 Channel Bank Centrex Loop Slot -				İ	. , , ,	1								1	
	erent Wire Center	l		UEP9E	1PQWP	0.66									1	

UNBUNDLE	D NETWORK ELEMENTS - Tennessee												Attachment:	2		Exhibit: E
													Incremental		Incremental	
1																
1		Interi									Core Conde	C O	Charge -	Charge -	Charge -	Charge -
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)					Manual Svc			
ĺ		""										Submitted		Order vs.	Order vs.	Order vs.
1											Elec		Electronic-		Electronic-	
							1		1		per LSR	per LSR	1st	Add'l	Disc 1st	Disc Add'l
i l						Rec	Nonrecurring		Nonrocurrin	g Disconnect			088	RATES (\$)		
\vdash						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
-							11100	Auu	11134	Auui	COMILO	COMPAR	COMPAR	COMPAN	COMPAR	- COMPAR
1	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9E	1PQWV	0.66										
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop			02. 02		0.00										1
1	Slot			UEP9E	1PQWQ	0.66										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9E	1PQWA	0.66										1
Non-R	ecurring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed															
	changes, per port			UEP9E	USAC2		1.03	0.29				30.89	7.03			
	New Centrex Standard Common Block			UEP9E	M1ACS	0.00	658.60					30.89	7.03			
	New Centrex Customized Common Block			UEP9E	M1ACC	0.00	658.60					30.89	7.03			
	NAR Establishment Charge, Per Occasion			UEP9E	URECA	0.00	68.57					30.89	7.03			
	P CENTREX - DCO - Valid in AL, KY, LA, MS, & TN)															1
	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo	<u> </u>							[
UNE P	Port/Loop Combination Rates (Non-Design)	<u> </u>			1				[ļ	↓
1	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	-														
	Non-Design		1	UEP93		14.18										
1	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		_													
\vdash	Non-Design		2	UEP93		18.01										
1	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		3	LIEDOO		00.00										
H	Non-Design		3	UEP93		23.02										
UNE P	Port/Loop Combination Rates (Design)										1					
1	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo		1	UEP93		18.26										
\vdash	Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		-	UEP93		10.20					1					+
1	Design		2	UEP93		23.33										
 	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			OLF 93		23.33						1				+
i l	Design		3	UEP93		29.98										
UNFI	oop Rate	1	3	OLI 93		29.90										+
JOINE E	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP93	UECS1	12.48					1					+
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP93	UECS1	16.31										†
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP93	UECS1	21.32										1
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP93	UECS2	16.56										1
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP93	UECS2	21.63										
ĺ	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP93	UECS2	28.28										
UNE P	Port Rate															
AL, KY	Y, LA, MS, & TN only															
	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP93	UEPYA	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
i	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local	1														
igsquare	Area			UEP93	UEPYB	1.70	22.14	15.25	8.45	3.91	ļ	30.89	7.03			1
ı l =	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local	1]]			_			
 	Area	ļ		UEP93	UEPYH	1.70	22.14	15.25	8.45	3.91	ļ	30.89	7.03	ļ		1
1	2-Wire Voice Grade Port (Centrex from diff Serving Wire	1							_							
\longmapsto	Center)2 Basic Local Area	ļ	<u> </u>	UEP93	UEPYM	1.70	22.14	15.25	8.45	3.91	ļ	30.89	7.03	ļ	ļ	4
1	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service	1		LIEBOO	LIEDY C			.=								
$\vdash \vdash \vdash$	Term - Basic Local Area	<u> </u>	 	UEP93	UEPYZ	1.70	22.14	15.25	8.45	3.91	<u> </u>	30.89	7.03	ļ		+
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			LIEDOS	LIEDYO	4.70	00.44	45.05	0.45	0.04		20.22	7.00			
	- Basic Local Area	 		UEP93	UEPY9	1.70	22.14	15.25	8.45	3.91	<u> </u>	30.89	7.03	 		+
1 1	2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area	1		UEP93	UEPY2	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
\vdash	2-Wire Voice Grade Port (Centrex)	 	 	UEP93 UEP93	UEPY2	1.70	22.14	15.25	8.45 8.45	3.91		30.89	7.03	1	1	+
	2-Wire Voice Grade Port (Centrex) 2-Wire Voice Grade Port (Centrex 800 termination)	1	1	UEP93	UEPQA	1.70		15.25	8.45	3.91	 	30.89	7.03	1		+
	2-Wire Voice Grade Port (Centrex 800 termination) 2-Wire Voice Grade Port (Centrex with Caller ID)1	1		UEP93	UEPQB	1.70		15.25	8.45	3.91	<u> </u>	30.89	7.03	1	1	+
	2-Wire Voice Grade Port (Centrex with Caller ID) 1 2-Wire Voice Grade Port (Centrex from diff Serving Wire	 	 	OL1 30	OLI VII	1.70	22.14	10.20	0.43	3.91	 	30.09	7.03	 	+	+
1	Center)2	1		UEP93	UEPQM	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service	 	 	021 00	OLI GIVI	1.70	22.14	10.20	0.40	3.91	 	30.03	7.03	 	+	+
1 1	Term			UEP93	UEPQZ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
		1		00	J XL	1.70	22.14	10.20	5.45	3.91		55.55	7.55	1		
1	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP93	UEPQ9	1.70	22.14	15.25	8.45	3.91		30.89	7.03			

INBUNDLE	D NETWORK ELEMENTS - Tennessee												Attachment:	2		Exhibit:
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual Sv Order vs Electronic Disc Add
						Rec	Nonrecurring		Nonrecurring	Disconnect			ossi	RATES (\$)		
					1		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP93	UEPQ2	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
Local	Switching															
	Centrex Intercom Funtionality, per port			UEP93	URECS	0.6381										
Local	Number Portability															
	Local Number Portability (1 per port)			UEP93	LNCCC	0.35										
Featur																
	All Standard Features Offered, per port			UEP93	UEPVF	0.00						30.89				
	All Centrex Control Features Offered, per port			UEP93	UEPVC	0.00						30.89				
NARS																
	Unbundled Network Access Register - Combination			UEP93	UARCX	0.00	0.00	0.00			ļ					
	Unbundled Network Access Register - Indial			UEP93	UAR1X	0.00	0.00	0.00								
	Unbundled Network Access Register - Outdial			UEP93	UAROX	0.00	0.00	0.00								
	laneous Terminations															
2-Wire	Trunk Side															
	Trunk Side Terminations, each			UEP93	CEND6	8.78	22.14	15.25	8.45	3.91		30.89	7.03			
4-Wire	Digital (1.544 Megabits)															
	DS1 Circuit Terminations, each			UEP93	M1HD1	35.55	75.93	38.15				30.89	7.03			
	DS0 Channels Activated, Per Channel			UEP93	M1HDO	0.00	108.67									
Intero	fice Channel Mileage - 2-Wire															
	Interoffice Channel Facilities Termination			UEP93	MIGBC	18.58	22.14	15.25	8.45	3.91		30.89	7.03			
	Interoffice Channel mileage, per mile or fraction of mile			UEP93	MIGBM	0.0174										
	e Activations (DS0) Centrex Loops on Channelized DS1 Service	e														
D4 Ch	annel Bank Feature Activations		<u> </u>		450140											
	Feature Activation on D-4 Channel Bank Centrex Loop Slot		<u> </u>	UEP93	1PQWS	0.66										
	Feature Activation on D-4 Channel Bank FX Line Side Loop Slot			UEP93	1PQW6	0.66										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP93	1PQW7	0.66										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center			UEP93	1PQWP	0.66										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP93	1PQWV	0.66										
	Feature Activation on D-4 Channel Bank Tie Line/Trunk Loop Slot			UEP93	1PQWQ	0.66										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP93	1PQWA	0.66										
Non-R	ecurring Charges (NRC) Associated with UNE-P Centrex			OL1 30	11 000070	0.00										
Non it	NRC Conversion Currently Combined Switch-As-Is with allowed				-											
	changes, per port			UEP93	USAC2		1.03	0.29				30.89	7.03			
	New Centrex Standard Common Block			UEP93	M1ACS	0.00	658.60	0.20				30.89	7.03			
	New Centrex Customized Common Block			UEP93	M1ACC	0.00	658.60					30.89	7.03			
	NAR Establishment Charge, Per Occasion	l		UEP93	URECA	2.00	68.57					30.89	7.03			
Note 1	- Required Port for Centrex Control in 1AESS, 5ESS & EWSD	1		1	55,		55.57		İ			30.00				
	2 - Requires Interoffice Channel Mileage				1											
	- Requires Specific Customer Premises Equipment						i i		İ		İ					
					1											
							i i		İ		İ					
							i i		İ							
							i i		İ							
							i i		i i							
							i i		İ		İ					
-				İ	1		i i		i		İ				i	

AMENDMENT TO THE

AGREEMENT BETWEEN GLOBAL CONNECTION INC. OF AMERICA

AND

BELLSOUTH TELECOMMUNICATIONS, INC. DATED JANUARY 23, 2002

Pursuant to this Amendment, (the "Amendment"), Global Connection Inc. of America ("Global Connection"), and BellSouth Telecommunications, Inc. ("BellSouth"), hereinafter referred to collectively as the "Parties," hereby agree to amend that certain Interconnection Agreement between the Parties dated January 23, 2002 ("Agreement").

WHEREAS, BellSouth and Global Connection entered into the Agreement on January 23, 2002, and;

WHEREAS, Global Connection has requested revised rates be reflected for Unbundled Network Elements, and;

NOW THEREFORE, in consideration of the mutual provisions contained herein and other good and valuable consideration, the receipt and sufficiency of which are hereby acknowledged, the Parties hereby covenant and agree as follows:

- 1. Delete rates shown in Attachment 2, Exhibit C, for Kentucky and South Carolina and replace with those shown in Exhibit 1, attached hereto and by reference made a part of this agreement.
- 2. All of the other provisions of the Agreement, dated January 23, 2002, shall remain in full force and effect.
- 3. Either or both of the Parties is authorized to submit this Amendment to the respective state regulatory authorities for approval subject to Section 252(e) of the Federal Telecommunications Act of 1996.

IN WITNESS WHEREOF, the Parties hereto have caused this Amendment to be executed by their respective duly authorized representatives on the date indicated below. The effective date of this amendment shall be thirty (30) calendar days following the last signature.

Global Connection Inc. of America	BellSouth Telecommunications, Inc.
By: Original Signature on File	By: Original Signature on File
Name:Bassam Abdallah	Name: C. W. Boltz
Title:Director of Operations	Title: Managing Director
Date: May 31, 2002	Date: May 31, 2002

EXHIBIT 1

UNBL	JNDLEI	NETWORK ELEMENTS - Kentucky												Attachment:	2	Exhibit: B	
<u> </u>		NET TO THE TENTO THE TENTO TO THE TENTO TO THE TENTO TO THE TENTO TO THE TENTO THE TENTO TO THE TENTO TO THE TENTO TO THE TENTO TO THE TENTO TO THE TENTO TO THE TENTO THE TENTO TO THE TENTO TO THE TENTO TO THE TENTO TO THE TENTO THE TENTO TO THE TENTO TO THE TENTO TO THE TENTO TO THE TENTO TO THE TENTO TO THE TENTO TO THE TENTO TO THE TENTO TO THE TENTO TO THE TENTO THE TENTO TO TENTO THE TENTO T	1									Svc Order	Svc Order		Incremental	Incremental	Incrementa
													Submitted		Charge -	Charge -	Charge -
												Elec					
CATE	OPV	RATE ELEMENTS	Interi	Zone	BCS	USOC		DV.	TES(\$)				Manually		Manual Svc	Manual Svc	
OAIL	JOICI	KATE EEEMENTO	m	20116	500	0000		NA.	i Ε Ο (Ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic
														1st	Add'l	Disc 1st	Disc Add'l
								Nonre	rurring	Nonrecurring	Disconnect		l .	088	Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
								FIISL	Auu i	FIISL	Auu i	SOMEC	JOWAN	JOWAN	SOWAN	SOWAN	SOWAN
ODED	TIONAL	SUPPORT SYSTEMS															-
OFER		(1) Electronic Service Order: CLEC should contact its contract	t negot	iator if	it nrefers the state	specific elect	tronic service o	rdering charge	s as ordered l	ov the State Co	mmissions T	he electron	ic service o	rdering charg	e currently co	ntained in th	is rate
		is the BellSouth regional electronic service ordering charge.															io rate
		(2) Any element that can be ordered electronically will be billed															ly For
		lements that cannot be ordered electronically at present per t															
		g charge, SOMAN, will be applied to a CLECs bill when it sub				e iii tiiis cate	gory reflects th	e charge that v	vould be billed	to a CLLC on	ce electronic (ruering cap	abilities co	ine on-mie io	i tilat elelileli	t. Otherwise,	tile illalitual
		Manual Service Order Charge, per LSR, Disconnect Only (KY)	illits at	LOK	o bellooutii.	SOMAN				0.99		1	1		1		т
		Electronic OSS Charge, per LSR, submitted via BST's OSS				SOIVIAIN				0.99							+
		interactive interfaces (Regional)				SOMEC		3.50									
LIMBIII		XCHANGE ACCESS LOOP	-			SOIVIEC		3.30				-		-		-	-
UNDUI		ANALOG VOICE GRADE LOOP	1			1						1		1		1	+
	Z-WIKE	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1	-	4	UEANL	UEAL2	10.56	46.66	22.57	26.65	7.65		7.86		 		+
	-	2-Wire Analog Voice Grade Loop - Service Level 1-Zone 1 2-Wire Analog Voice Grade Loop - Service Level 1-Zone 2	-	1	UEANL	UEAL2	10.56	46.66		26.65	7.65		7.86	 		 	
	-		-	2					22.57					 		 	
	 	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3	 	3	UEANL	UEAL2	31.11	46.66	22.57	26.65	7.65		7.86	 		 	
	 	Loop Testing - Basic 1st Half Hour Loop Testing - Basic Additional Half Hour	 		UEANL UEANL	URET1 URETA		46.88 24.16	46.88 24.16				7.86 7.86	 		 	
				-	UEANL	URETA		24.16	24.16				7.86				
		CLEC to CLEC Conversion Charge Without Outside Dispatch (UVL-SL1)			UEANL	UREWO		15.78	8.94				7.86				
				-		UKEWU		13.49	13.49				7.00				
		Engineering Information Document (EI)		-	UEANL	LIEANAC		9.00	9.00								
		Manual Order Coordination for UVL-SL1s (per loop) Order Coordination for Specified Conversion Time for UVL-SL1		-	UEANL	UEAMC		9.00	9.00								
		(per LSR)			UEANL	OCOSL		23.01	23.01								
-		Unbundled COPPER LOOP	-		UEANL	UCUSL		23.01	23.01								
				1	UEO	LIEONY	40.50	44.97	20.00	05.04	0.05		7.00				
		2-Wire Unbundled Copper Loop - Non-Designed Zone 1 2 Wire Unbundled Copper Loop - Non-Designed - Zone 2	- 	2	UEQ UEQ	UEQ2X UEQ2X	10.58 11.51	44.97	20.89 20.89	25.64 25.64	6.65 6.65		7.86 7.86				
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 2 2 Wire Unbundled Copper Loop - Non-Designed - Zone 3		3	UEQ	UEQ2X UEQ2X	13.19	44.97	20.89	25.64	6.65		7.86				-
		Order Coordination 2 Wire Unbundled Copper Loop - Non-	-	3	UEQ	UEQZX	13.19	44.97	20.09	25.04	0.03	-	7.00	-		-	
		Designed (per loop)			UEQ	USBMC		9.00	9.00								
		Engineering Information Document			UEQ	USDIVIC		13.49	13.49								+
		Loop Testing - Basic 1st Half Hour	-		UEQ	URET1		46.88	46.88			-	7.86	-		-	
		Loop Testing - Basic Tst Hall Hour Loop Testing - Basic Additional Half Hour	-		UEQ	URETA		24.16	24.16			-	7.86	-		-	-
		CLEC to CLEC Conversion Charge Without Outside Dispatch			UEQ	UKETA		24.10	24.10			1	7.00				
		(UCL-ND)			UEQ	UREWO		14.27	7.43				7.86				
LIMBLE	IDI ED E	XCHANGE ACCESS LOOP	-		ULQ	UKLWO		14.27	7.40			-	7.00	-		-	-
UNDUI		ANALOG VOICE GRADE LOOP				1						1					
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															-
		Zone 1		1	UEPSR UEPSB	UEALS	10.56	46.66	22.57	26.65	7.65		7.86				
	1	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-	1		OLI OK OLFOD	JEALO	10.30	40.00	22.31	20.03	1.00	 	7.00	 	1	 	
1		Zone 1	1	1	UEPSR UEPSB	UEABS	10.56	46.66	22.57	26.65	7.65		7.86	I	Ì	I	
	 	2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-	1	<u> </u>	OLI ON OLFOD	JEADO	10.30	40.00	22.31	20.03	1.00		7.00	 	 	t	
		Zone 2	l	2	UEPSR UEPSB	UEALS	15.34	46.66	22.57	26.65	7.65		7.86	1		1	
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-	1		OLI OK OLI OD	JE/ILO	13.34	40.00	22.31	20.03	7.00		7.00	 		 	
		Zone 2	l	2	UEPSR UEPSB	UEABS	15.34	46.66	22.57	26.65	7.65		7.86	1		1	
-		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-	1		OLI OK OLI OD	32,100	10.04	40.00	22.31	20.03	7.00		7.00	 	 	t	
1		Zone 3	1	3	UEPSR UEPSB	UEALS	31.11	46.66	22.57	26.65	7.65		7.86	I	Ì	I	
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		J	OLI OK OLI OD	OLALO	31.11	40.00	22.01	20.03	7.00		7.00				
		Zone 3	1	3	UEPSR UEPSB	UEABS	31.11	46.66	22.57	26.65	7.65		7.86	I	Ì	I	
UNBI		XCHANGE ACCESS LOOP	1	,	OLI OK OLI OD	32,100	31.11	40.00	22.31	20.03	7.00		7.00	 	 	t	
2,1201		ANALOG VOICE GRADE LOOP	1			1								-		-	
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	1			1								 		 	
		Ground Start Signaling - Zone 1	1	1	UEA	UEAL2	12.67	134.89	81.87	73.65	14.88		7.86	I	Ì	I	
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	1	<u> </u>	0-/1	JL/1LL	12.07	134.03	01.07	75.05	17.00		7.00	 		 	
		Ground Start Signaling - Zone 2	l	2	UEA	UEAL2	17.45	134.89	81.87	73.65	14.88		7.86	1		1	
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	1		02/1	J L / 1L L	17.43	134.05	01.07	75.05	17.00		7.00	 	 	t	
		Ground Start Signaling - Zone 3	1	3	UEA	UEAL2	33.22	134.89	81.87	73.65	14.88		7.86	I	1	I	
	 	Order Coordination for Specified Conversion Time (per LSR)	1	- 3	UEA	OCOSL	33.22	23.01	01.07	13.05	14.00		7.00	 	 	t	
	+	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse			OLA	JUUGL		23.01					 	t	 	t	
		Battery Signaling - Zone 1	1	1	UEA	UEAR2	12.67	134.89	81.87	73.65	14.88		7.86	I	Ì	I	
	1	Dattory Orginaling - 2016 1			OL/ (OLAIN	12.07	104.03	01.07	75.05	17.00	<u> </u>	1.00	1			1

04/12/02 Page 1 of 74

UNBUNDI	ED NETWORK ELEMENTS - Kentucky												Attachment:	2	Exhibit: B	
CATEGORY		Interi m	Zone	BCS	USOC			FES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I		Order vs.
						Rec	Nonrec		Nonrecurring					Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
1	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 2		2	UEA	UEAR2	17.45	134.89	81.87	73.65	14.88		7.86				
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 3		3	UEA	UEAR2	33.22	134.89	81.87	73.65	14.88		7.86				
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		23.01									1
	CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.72	36.36				7.86				1
4-Wi	RE ANALOG VOICE GRADE LOOP															1
	4-Wire Analog Voice Grade Loop - Zone 1		1	UEA	UEAL4	29.26	164.11	112.36	78.91	18.66		7.86				+
	4-Wire Analog Voice Grade Loop - Zone 2			UEA	UEAL4	34.25	164.11	112.36	78.91	18.66		7.86				+
	4-Wire Analog Voice Grade Loop - Zone 3			UEA	UEAL4	85.06	164.11	112.36	78.91	18.66		7.86				1
	Order Coordination for Specified Conversion Time (per LSR)		Ŭ	UEA	OCOSL	00.00	23.01	112.00	7 0.0 1	10.00		7.00				1
	CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.72	36.36	† †			7.86	1		1	1
2-WI	RE ISDN DIGITAL GRADE LOOP															1
, - - '''	2-Wire ISDN Digital Grade Loop - Zone 1	1	1	UDN	U1L2X	18.44	146.77	95.02	71.38	13.83		7.86	1	1	 	
	2-Wire ISDN Digital Grade Loop - Zone 2			UDN	U1L2X	25.08	146.77	95.02	71.38	13.83		7.86				+
	2-Wire ISDN Digital Grade Loop - Zone 3			UDN	U1L2X	42.87	146.77	95.02	71.38	13.83		7.86				+
	Order Coordination For Specified Conversion Time (per LSR)		-	UDN	OCOSL	72.07	23.01	30.02	71.00	10.00		7.00				+
	CLEC to CLEC Conversion Charge without outside dispatch			UDN	UREWO		91.63	44.16				7.86				+
2-W	RE Universal Digital Channel (UDC) COMPATIBLE LOOP			ODIT	OIKEWO		01.00	77.10				7.00				+
	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone		1	UDC	UDC2X	18.44	146.77	95.02	71.38	13.83		7.86				
	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone								ĺ							1
	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone	1	2	UDC	UDC2X	25.08	146.77	95.02	71.38	13.83		7.86				
	3		3	UDC	UDC2X	42.87	146.77	95.02	71.38	13.83		7.86				
	CLEC to CLEC Conversion Charge without outside dispatch			UDC	UREWO		91.63	44.16				7.86				
2-WI	RE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP	PATIBLE	LOOP)												
,	2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 1		1	UAL	UAL2X	10.82	141.98	79.73	69.02	11.47		7.86				
	Wire Unbundled ADSL Loop including manual service inquiry facility reservation - Zone 2		2	UAL	UAL2X	11.79	141.98	79.73	69.02	11.47		7.86				
	2 Wire Unbundled ADSL Loop including manual service inquiry			0,12	O/ ILL/ I			70.70	00.02			7.00				1
	& facility reservation - Zone 3		3	UAL	UAL2X	12.87	141.98	79.73	69.02	11.47		7.86				
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL	12.07	23.01	70.70	00.02	1117		7.00				+
	2 Wire Unbundled ADSL Loop without manual service inquiry &		l .			40.00										1
	facility reservaton - Zone 1		1	UAL	UAL2W	10.82	121.18	69.00	69.09	11.54		7.86				
	2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 2		2	UAL	UAL2W	11.79	121.18	69.00	69.09	11.54		7.86				
. _	2 Wire Unbundled ADSL Loop without manual service inquiry &				1 7]		<u> </u>	
	facility reservaton - Zone 3		3	UAL	UAL2W	12.87	121.18	69.00	69.09	11.54		7.86				
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		23.01									
	CLEC to CLEC Conversion Charge without outside dispatch			UAL	UREWO		86.20	40.40				7.86				
2-WI	RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	ATIBLE	LOOP													
1	2 Wire Unbundled HDSL Loop including manual service inquiry															
	& facility reservation - Zone 1 2 Wire Unbundled HDSL Loop including manual service inquiry		1	UHL	UHL2X	8.75	151.54	89.29	69.09	11.54		7.86				+
	& facility reservation - Zone 2 2 Wire Unbundled HDSL Loop including manual service inquiry		2	UHL	UHL2X	9.56	151.54	89.29	69.09	11.54		7.86				
. 1	& facility reservation - Zone 3		3	UHL	UHL2X	10.61	151.54	89.29	69.09	11.54		7.86				
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		23.01									
	Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1		1	UHL	UHL2W	8.75	130.74	78.56	69.09	11.54		7.86				
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2			UHL	UHL2W	9.56	130.74	78.56	69.09	11.54		7.86				
-+	2 Wire Unbundled HDSL Loop without manual service inquiry		3			10.61	130.74		ĺ							<u> </u>
۱		1	1 3	UHL	UHL2W	10 61	130 /4	78.56	69.09	11.54	1	7.86	I	i	1	<u> </u>
	and facility reservation - Zone 3		Ť	l IIII	OCOSI	10.01										
	and racinty reservation - 2 one 3 Order Coordination for Specified Conversion Time (per LSR) CLEC to CLEC Conversion Charge without outside dispatch		Ľ	UHL UHL	OCOSL UREWO	10.01	23.01 86.14	40.40	-			7.86				

UNBUNDLE	ED NETWORK ELEMENTS - Kentucky		1	ı							0	06	Attachment:		Exhibit: B	I
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		RAT	TES(\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4 Wire Unbundled HDSL Loop including manual service inquiry															
	and facility reservation - Zone 1		1	UHL	UHL4X	13.95	185.75	123.50	74.95	14.69		7.86				
	4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 2		2	UHL	UHL4X	15.68	185.75	123.50	74.95	14.69		7.86				
	4-Wire Unbundled HDSL Loop including manual service inquiry			OTIL	OTIL4X	15.00	105.75	123.30	74.93	14.09		7.00			1	
	and facility reservation - Zone 3		3	UHL	UHL4X	16.98	185.75	123.50	74.95	14.69		7.86				
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		23.01									
	4-Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 1		1	UHL	UHL4W	13.95	164.95	114.04	77.32	15.80		7.86				
	4-Wire Unbundled HDSL Loop without manual service inquiry			l		4= 00										
	and facility reservation - Zone 2		2	UHL	UHL4W	15.68	164.95	114.04	77.32	15.80		7.86			-	
	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3		3	UHL	UHL4W	16.98	164.95	114.04	77.32	15.80		7.86				
	Order Coordination for Specified Conversion Time (per LSR)		3	UHL	OCOSL OCOSL	10.98	23.01	114.04	11.32	15.60		1.00				
	CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		86.14	40.40				7.86				
4-WIR	RE DS1 DIGITAL LOOP				9112119											
	4-Wire DS1 Digital Loop - Zone 1		1	USL	USLXX	86.47	306.69	174.44	65.83	14.55		7.86				
	4-Wire DS1 Digital Loop - Zone 2		2	USL	USLXX	114.10	306.69	174.44	65.83	14.55		7.86				
	4-Wire DS1 Digital Loop - Zone 3		3	USL	USLXX	297.76	306.69	174.44	65.83	14.55		7.86				
	Order Coordination for Specified Conversion Time (per LSR)			USL	OCOSL		23.01									
	CLEC to CLEC Conversion Charge without outside dispatch			USL	UREWO		101.09	43.04								
4-WIR	RE 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP 4 Wire Unbundled Digital 19.2 Kbps		1	UDL	UDL19	27.59	157.81	106.06	78.91	18.66		7.86				
	4 Wire Unbundled Digital 19.2 Kbps		2	UDL	UDL19	32.48	157.81	106.06	78.91	18.66		7.86			-	
	4 Wire Unbundled Digital 19.2 Kbps		3	UDL	UDL19	36.37	157.81	106.06	78.91	18.66		7.86				
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1			UDL	UDL56	27.59	157.81	106.06	78.91	18.66		7.86				
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2			UDL	UDL56	32.48	157.81	106.06	78.91	18.66		7.86				
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3		3	UDL	UDL56	36.37	157.81	106.06	78.91	18.66		7.86				
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		23.01									
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1			UDL	UDL64	27.59	157.81	106.06	78.91	18.66		7.86				
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2		2	UDL	UDL64	32.48	157.81	106.06	78.91	18.66		7.86				
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3 Order Coordination for Specified Conversion Time (per LSR)		3	UDL UDL	UDL64 OCOSL	36.37	157.81 23.01	106.06	78.91	18.66		7.86			-	
	CLEC to CLEC Conversion Charge without outside dispatch			UDL	UREWO		102.13	49.75				7.86				
2-WIR	RE Unbundled COPPER LOOP			ODL	OKEWO		102.10	40.70				7.00				
	2-Wire Unbundled Copper Loop/Short including manual service															
	inquiry & facility reservation - Zone 1		1	UCL	UCLPB	10.82	140.95	78.70	69.09	11.54		7.86				
	2-Wire Unbundled Copper Loop/Short including manual service															
	inquiry & facility reservation - Zone 2		2	UCL	UCLPB	11.79	140.95	78.70	69.09	11.54		7.86				
	2 Wire Unbundled Copper Loop/Short including manual service					40.00										
	inquiry & facility reservation - Zone 3		3	UCL	UCLPB UCLMC	12.87	140.95 9.00	78.70 9.00	69.09	11.54		7.86			-	
	Order Coordination for Unbundled Copper Loops (per loop) 2-Wire Unbundled Copper Loop/Short without manual service			UCL	UCLIVIC		9.00	9.00								ļ
	inquiry and facility reservation - Zone 1		1	UCL	UCLPW	10.82	120.15	67.97	69.09	11.54		7.86				
	2-Wire Unbundled Copper Loop/Short without manual service			002	002. 11	10.02	120110	07.07	00.00			7.00				
	inquiry and facility reservation - Zone 2		2	UCL	UCLPW	11.79	120.15	67.97	69.09	11.54		7.86				
Ì	2-Wire Unbundled Copper Loop/Short without manual service															
	inquiry and facility reservation - Zone 3		3	UCL	UCLPW	12.87	120.15	67.97	69.09	11.54		7.86				
	Order Coordination for Unbundled Copper Loops (per loop)		<u> </u>	UCL	UCLMC		9.00	9.00							ļ	<u> </u>
1	2-Wire Unbundled Copper Loop/Long - includes manual srvc.			UCL	UCL2L	04.04	440.05	70.70	00.00	44.54		7.00			1	
	inquiry and facility reservation - Zone 1 2-Wire Unbundled Copper Loop/Long - includes manual svc.		1	UCL	UCLZL	24.91	140.95	78.70	69.09	11.54		7.86				
1	inquiry and facility reservation - Zone 2		2	UCL	UCL2L	36.94	140.95	78.70	69.09	11.54		7.86				
	2-Wire Unbundled Copper Loop/Long - includes manual svc.				3322	55.54	140.00	70.70	00.00	11.54	1	7.00			†	t
	inquiry and facility reservation - Zone 3		3	UCL	UCL2L	69.95	140.95	78.70	69.09	11.54		7.86				
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		9.00	9.00								
	2-Wire Unbundled Copper Loop/Long - without manual service							· · · · · · · · · · · · · · · · · · ·		· · · · · · · · · · · · · · · · · · ·						
	inquiry and facility reservation - Zone 1	<u> </u>	1	UCL	UCL2W	24.91	120.15	67.97	69.09	11.54		7.86				

UNBUNDL	ED NETWORK ELEMENTS - Kentucky												Attachment:	2	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			ΓES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrec		Nonrecurring		001150	001111		Rates(\$)	0014411	001111
-	2-Wire Unbundled Copper Loop/Long - without manual service				-		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	inquiry and facility reservation - Zone 2 2-Wire Unbundled Copper Loop/Long - without manual service		2	UCL	UCL2W	36.94	120.15	67.97	69.09	11.54		7.86				
	inquiry and facility reservation - Zone 3		3	UCL	UCL2W	69.95	120.15	67.97	69.09	11.54		7.86				
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		9.00	9.00								
	CLEC to CLEC Conversion Charge without outside dispatch															
L	(UCL-Des)			UCL	UREWO		97.23	42.48				7.86				
4-WIF	RE COPPER LOOP 4-Wire Copper Loop/Short - including manual service inquiry															
	and facility reservation - Zone 1		1	UCL	UCL4S	16.92	170.31	108.06	74.95	14.69		7.86				
	4-Wire Copper Loop/Short - including manual service inquiry and facility reservation - Zone 2		2	UCL	UCL4S	17.36	170.31	108.06	74.95	14.69		7.86				
	4-Wire Copper Loop/Short - including manual service inquiry and facility reservation - Zone 3		3	UCL	UCL4S	28.10	170.31	108.06	74.95	14.69		7.86				
	Order Coordination for Unbundled Copper Loops (per loop)		- 3	UCL	UCL4S UCLMC	20.10	9.00	9.00	74.95	14.09		1.00				
	4-Wire Copper Loop/Short - without manual service inquiry and facility reservation - Zone 1		1	UCL	UCL4W	16.92	149.52	97.33	74.95	14.69		7.86				
	4-Wire Copper Loop/Short - without manual service inquiry and															
	facility reservation - Zone 2 4-Wire Copper Loop/Short - without manual service inquiry and		2	UCL	UCL4W	17.36	149.52	97.33	74.95	14.69		7.86				
	facility reservation - Zone 3		3	UCL	UCL4W	28.10	149.52	97.33	74.95	14.69		7.86				
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		9.00	9.00								
	4-Wire Unbundled Copper Loop/Long - includes manual svc. inquiry and facility reservation - Zone 1		1	UCL	UCL4L	46.91	170.31	108.06	74.95	14.69		7.86				
	4-Wire Unbundled Copper Loop/Long - includes manual svc. inquiry and facility reservation - Zone 2		2	UCL	UCL4L	45.78	170.31	108.06	74.95	14.69		7.86				
	4-Wire Unbundled Copper Loop/Long - includes manual svc. inquiry and facility reservation - Zone 3		3	UCL	UCL4L	171.34	170.31	108.06	74.95	14.69		7.86				
	Order Coordination for Unbundled Copper Loops (per loop)		3	UCL	UCLMC	171.54	9.00	9.00	14.55	14.03		7.00				
	4-Wire Unbundled Copper Loop/Long - without manual svc.															
	inquiry and facility reservation - Zone 1		1	UCL	UCL4O	46.91	149.52	97.33	74.95	14.69		7.86				
	4-Wire Unbundled Copper Loop/Long - without manual svc. inquiry and facility reservation - Zone 2		2	UCL	UCL4O	45.78	149.52	97.33	74.95	14.69		7.86				
	4-Wire Unbundled Copper Loop/Long - without manual svc.		_		1101.40	474.04	440.50	07.00	74.05	44.00		7.00				
	inquiry and facility reservation - Zone 3 Order Coordination for Unbundled Copper Loops (per loop)		3	UCL UCL	UCL4O UCLMC	171.34	149.52 9.00	97.33 9.00	74.95	14.69		7.86				1
	CLEC to CLEC Conversion Charge without outside dispatch		†		JOLIVIO		3.00	3.00								
	(UCL-Des)		<u> </u>	UCL	UREWO		97.23	42.48				7.86				
LOOP MODIF	CATION															
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft			UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UDL, UDC, UDN, UDL, USL	ULM2L		9.24	9.24				7.86				
	Unbundled Loop Modification, Removal of Load Coils - 2 wire		<u> </u>	5514, 55L, 55L				3.24				7.00				
	greater than 18k ft		ļ	UCL, ULS	ULM2G		342.24	342.24				7.86				
	Unbundled Loop Modification Removal of Load Coils - 4 Wire less than or equal to 18K ft			UHL, UCL	ULM4L		9.24	9.24				7.86				
	Unbundled Loop Modification Removal of Load Coils - 4 Wire pair greater than 18k ft			UCL	ULM4G	\Box	342.24	342.24				7.86				
	Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop			UAL, UHL, UCL, UEQ, UEF, ULS, UEA, UEANL, UDL, UDC, UDN, UDL, USL	ULMBT		10.47	10.47				7.86				
SUB-LOOPS																
Sub-l	_oop Distribution Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-		 		 											
	Up	ı		UEANL	USBSA		207.91	207.91				7.86				

ONBONDLE	D NETWORK ELEMENTS - Kentucky			•									Attachment:		Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		RAT	ΓES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
						I	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)	l .	
			1			Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
 							11131	Addi	11130	Addi	COMILO	COMPAR	COMPAR	COMPAN	COMPAR	COMPAR
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	1		UEANL	USBSB		12.50	12.50				7.86				
	Sub-Loop - Per Building Equipment Room - CLEC Feeder															
	Facility Set-Up	- 1		UEANL	USBSC		80.87	80.87				7.86				
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel															
	Set-Up	I		UEANL	USBSD		45.04	45.04				7.86				
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -	١.			LIODNIO	0.04	05.00	00.05	50.04	7.00		7.00				
	Zone 1 Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -	ı	1	UEANL	USBN2	6.34	85.03	39.05	59.81	7.90		7.86				
	Zone 2		2	UEANL	USBN2	9.06	85.03	39.05	59.81	7.90		7.86				
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -	-		ULAINL	USBINZ	9.00	05.05	39.03	39.01	7.90		7.00				
	Zone 3	1	3	UEANL	USBN2	14.82	85.03	39.05	59.81	7.90		7.86				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		9.00	9.00	<u> </u>						<u></u>	
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -							· · · · · · · · · · · · · · · · · · ·		· · · · · · · · · · · · · · · · · · ·						
	Zone 1		1	UEANL	USBN4	8.14	102.31	56.32	65.24	10.88		7.86			1	
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -		_	LIFANII	LICDALA	2.00	400.01	50.00	25.01	10.00		7.00			1	
	Zone 2 Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -		2	UEANL	USBN4	8.63	102.31	56.32	65.24	10.88		7.86				
	Zone 3		3	UEANL	USBN4	25.60	102.31	56.32	65.24	10.88		7.86				
	Zone 3		3	UEAINL	USBIN4	25.60	102.31	30.32	65.24	10.00		7.00				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		9.00	9.00								
	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)	1		UEANL	USBR2	2.57	68.35	22.36	59.81	7.90		7.86				
	3					_										
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		9.00	9.00								
	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	-		UEANL	USBR4	4.98	76.49	30.51	65.24	10.88		7.86				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		L .	UEANL	USBMC		9.00	9.00	====							
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF UEF	UCS2X	5.45	85.03 85.03	39.05 39.05	59.81 59.81	7.90 7.90		7.86				
-	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	H	3	UEF	UCS2X UCS2X	7.06 9.67	85.03	39.05	59.81	7.90		7.86 7.86			-	
	2 Wife Copper Oribunaled Sub-Loop Distribution - Zone 3		3	OLI	0032X	9.07	05.05	39.03	39.01	7.50		7.00				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		9.00	9.00								
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	ı	1	UEF	UCS4X	7.09	102.31	56.32	65.24	10.88		7.86				
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	ı	2	UEF	UCS4X	8.66	102.31	56.32	65.24	10.88		7.86				
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	-	3	UEF	UCS4X	19.40	102.31	56.32	65.24	10.88		7.86				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		<u> </u>	UEF	USBMC		9.00	9.00								
Unbur	Indled Sub-Loop Modification Unbundled Sub-Loop Modification - 2-W Copper Dist Load		-	1											1	1
1	Coil/Equip Removal per 2-W PR		1	UEF	ULM2X		5.23	5.23				7.86				
	Unbundled Sub-loop Modification - 4-W Copper Dist Load		1	OL1	OLIVIZA		5.25	5.23				1.00			 	
1	Coil/Equip Removal per 4-W PR			UEF	ULM4X		5.23	5.23				7.86			1	
	Unbundled Sub-loop Modification - 2-w/4-w Copper Dist Bridged			1			5.20	2.20							1	
	Tap Removal, per PR unloaded			UEF	ULM4T		7.97	7.97	<u> </u>			7.86				
Unbur	ndled Network Terminating Wire (UNTW)															
	Unbundled Network Terminating Wire (UNTW) per Pair			UENTW	UENPP	0.53	23.51	23.51				7.86				
Netwo	ork Interface Device (NID)		<u> </u>	LIENTA	LINIDAG		70.50	10.1=				7.00				
	Network Interface Device (NID) - 1-2 lines Network Interface Device (NID) - 1-6 lines			UENTW UENTW	UND12 UND16		73.53 115.96	49.47 91.91				7.86 7.86			 	
-	Network Interface Device (NID) - 1-6 lines Network Interface Device Cross Connect - 2 W		1	UENTW	UNDC2		8.56	8.56				7.86			+	
	Network Interface Device Cross Connect - 2 W		1	UENTW	UNDC4		8.56	8.56				7.86			t	
SUB-LOOPS	The state of the s				3.1237		0.00	0.00				7.00			†	
	oop Feeder			1											1	
İ	USL-Feeder, DS0 Set-up per Cross Box location - CLEC			UEA,												
	Distribution Facility set-up			UDN,UCL,UDL,UDC	USBFW		207.91					7.86				
	USL Feeder - DS0 Set-up per Cross Box location - per 25 pair	l		UEA,				12.50				7.86			1	
	set-up			UDN,UCL,UDL,UDC			12.50									

ONBONDLE	D NETWORK ELEMENTS - Kentucky												Attachment:		Exhibit: B	<u> </u>
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			ΓES(\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Sub-Loop Feeder Loop, 2 Wire Ground Start, Voice		١.,		LIODEA	7.07	444.00	04.04	70.04	47.04		7.00				
	Grade - Zone 1 Unbundled Sub-Loop Feeder Loop, 2 Wire Ground-Start, Voice		1	UEA	USBFA	7.67	114.83	64.61	72.34	17.21		7.86			-	
	Grade - Zone 2		2	UEA	USBFA	9.70	114.83	64.61	72.34	17.21		7.86				
	Unbundled Sub-Loop Feeder Loop, Per 2 Wire Ground-Start,			CLA	OOD! /	3.10	114.00	04.01	72.04	17.21		7.00				
	Voice Grade - Zone 3		3	UEA	USBFA	19.53	114.83	64.61	72.34	17.21		7.86				
	Order Coordination for Specified Conversion Time, per LSR			UEA	OCOSL		23.01									
	Unbundlde Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice															
	Grade - Zone 1		1	UEA	USBFB	7.67	114.83	64.61	72.34	17.21		7.86				ļ
	Unbundled Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice		_		HODED	9.70	444.00	04.04	70.04	47.04		7.00				
-	Grade - Zone 2		2	UEA	USBFB	9.70	114.83	64.61	72.34	17.21		7.86				
	Unbundled Sub-Loop Feeder Loop, 2 Wire Start Loop, Voice Grade - Zone 3	l	3	UEA	USBFB	19.53	114.83	64.61	72.34	17.21		7.86				
	Order Coordination for Specified Time Conversion, per LSR	1		UEA	OCOSL	13.33	23.01	04.01	12.34	17.21		7.00			t	†
	Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery,			1	1		20.01		1							
	Voice Grade - Zone 1	L	_1	UEA	USBFC	7.67	114.83	64.61	72.34	17.21	<u></u>	7.86	<u> </u>	<u> </u>	<u> </u>	
	Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery,															
	Voice Grade - Zone 2		2	UEA	USBFC	9.70	114.83	64.61	72.34	17.21		7.86				
	Unbundled Sub-Loop Feeder Loop, 2 Wire Analog Reverse															
-	Battery, Voice Grade - Zone 3		3	UEA	USBFC	19.53	114.83	64.61	72.34	17.21		7.86				ļ
	Order Coordination For Specified Conversion Time, per LSR Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice			UEA	OCOSL		23.01									<u> </u>
	Grade - Zone 1		1	UEA	USBFD	22.82	131.73	79.98	81.82	51.56		7.86				
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice		- '-	OLA	OODI D	22.02	131.73	73.30	01.02	31.30		7.00				+
	Grade - Zone 2		2	UEA	USBFD	27.24	131.73	79.98	81.82	51.56		7.86				
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground Start, Voice															
	Grade - Zone 3		3	UEA	USBFD	61.41	131.73	79.98	81.82	51.56		7.86				
	Order Coordination For Specified Conversion Time, Per LSR			UEA	OCOSL		23.01									
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice															
-	Grade - Zone 1		1	UEA	USBFE	22.82	131.73	79.98	81.82	51.56		7.86				
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice Grade - Zone 2		2	UEA	USBFE	27.24	131.73	79.98	81.82	51.56		7.86				
-	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice			UEA	USBFE	21.24	131./3	79.98	81.82	51.56		7.80				
	Grade - Zone 3		3	UEA	USBFE	61.41	131.73	79.98	81.82	51.56		7.86				
	Order Coordination For Specified Conversion Time, Per LSR			UEA	OCOSL	0	23.01	7 0.00	01.02	01.00		7.00				
	Unbundled Sub-Loop Feeder Loop, 2 Wire ISDN BRI - Zone 1		1	UDN	USBFF	13.00	131.79	80.04	74.16	16.60		7.86				
	Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 2		2	UDN	USBFF	16.95	131.79	80.04	74.16	16.60		7.86				
	Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 3		3	UDN	USBFF	28.95	131.79	80.04	74.16	16.60		7.86				
	Order Coordination For Specified Conversion Time, Per LSR			UDN	OCOSL		23.01									
-	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)		1	UDC	USBFS	13.00	131.79	80.04	74.16	16.60		7.86				
\vdash	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible) Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)	ļ	2	UDC UDC	USBFS USBFS	16.95 28.95	131.79 131.79	80.04 80.04	74.16 74.16	16.60 16.60		7.86 7.86			 	
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible) Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 1	-		USL	USBFG	62.57	131.79	73.68	74.16 81.82	21.56	1	7.86	1	-		+
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 2	-		USL	USBFG	87.71	125.43	73.68	81.82	21.56		7.86			 	†
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 3	1	3	USL	USBFG	273.33	125.43	73.68	81.82	21.56		7.86	1	1	†	†
	Order Coordination For Specified Conversion Time, Per LSR		Ť	USL	OCOSL		23.01			30			1			1
	Unbundled Sub-Loop Feeder, 2-Wire Copper Loop - Zone 1		1	UCL	USBFH	6.44	105.31	53.57	71.16	13.61		7.86				
	Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone			1				· · · · · · · · · · · · · · · · · · ·						1		
	2	ļ	2	UCL	USBFH	5.78	105.31	53.57	71.16	13.61		7.86		ļ	1	
	Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone		_		LICDELL	4.0-	405.01	50.55	74.40	10.01		7.00				
\vdash	Order Coordination For Specified Conversion Time, not LCD	 	3	UCL	USBFH OCOSL	4.25	105.31 23.01	53.57	71.16	13.61	1	7.86			 	
	Order Coordination For Specified Conversion Time, per LSR Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 1	-	1	UCL	USBFJ	11.33	125.55	73.80	77.12	16.86	-	7.86	1	-		1
 	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 2	 		UCL	USBFJ	10.18	125.55	73.80	77.12	16.86		7.86		1	t	
	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 3	1	3	UCL	USBFJ	10.32	125.55	73.80	77.12	16.86		7.86			1	
	Order Coordination For Specified Conversion Time, per LSR		Ť	UCL	OCOSL		23.01						1			1
	Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop			UDL	USBFN	20.78	125.43	73.68	81.82	21.56		7.86				
	Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop		2	UDL	USBFN	26.41	125.43	73.68	81.82	21.56		7.86				
	Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop		3	UDL	USBFN	23.10	125.43	73.68	81.82	21.56		7.86				

UNBUI	NDLE	D NETWORK ELEMENTS - Kentucky												Attachment:	2	Exhibit: B	
CATEGO		RATE ELEMENTS	Interi m	Zone	BCS	usoc		RAT	res(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I		Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
							Rec	Nonrec		Nonrecurring					Rates(\$)		
							1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop -															
		Zone 1		1	UDL	USBFO	20.78	125.43	73.68	81.82	21.56		7.86				
		Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop -		2	UDL	USBFO	26.41	405.40	73.68	81.82	21.56		7.86				
		Zone 2 Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop -			UDL	USBFU	26.41	125.43	73.08	81.82	21.56		7.80				
		Zone 3		3	UDL	USBFO	23.10	125.43	73.68	81.82	21.56		7.86				
		Order Coordination For Specified Time Conversion, per LSR		Ŭ	UDL	OCOSL	20.10	23.01	70.00	01.02	21.00		7.00				
		Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop -															
		Zone 1		1	UDL	USBFP	20.78	125.43	73.68	81.82	21.56		7.86				
		Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop -															
		Zone 2		2	UDL	USBFP	26.41	125.43	73.68	81.82	21.56		7.86				
		Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop -		_	LIDI	HODES			=0.5-	2.2-							
		Zone 3 Order Coordination For Specified Conversion Time, per LSP		3	UDL UDL	USBFP OCOSL	23.10	125.43	73.68	81.82	21.56		7.86				
SUB-LO	nope	Order Coordination For Specified Conversion Time, per LSR		 	UDL	JUUSL		23.01		 		-		1	1	-	
		op Feeder															
	Oub Lo	Sub Loop Feeder - DS3 - Per Mile Per Month	1		UE3	1L5SL	15.38										
		Sub Loop Feeder - DS3 - Facility Termination Per Month	i		UE3	USBF1	346.30	3,386.00	407.14	160.86	91.19		7.86				
		Sub Loop Feeder – STS-1 – Per Mile Per Month	ı		UDLSX	1L5SL	15.38	-,									
		Sub Loop Feeder - STS-1 - Facility Termination Per Month	ı		UDLSX	USBF7	372.80	3,386.00	407.14	160.86	91.19		7.86				
		Sub Loop Feeder – OC-3 – Per Mile Per Month	- 1		UDLO3	1L5SL	11.67										
		Sub Loop Feeder - OC-3 - Facility Termination Protection Per															
		Month	!		UDLO3	USBF5	58.27			100.00							
		Sub Loop Feeder - OC-3 - Facility Termination Per Month	-		UDLO3	USBF2	564.68	3,386.00	407.14	160.86	91.19		7.86				
		Sub Loop Feeder - OC-12 - Per Mile Per Month Sub Loop Feeder - OC-12 - Facility Termination Protection Per			UDL12	1L5SL	14.36										
		Month	1		UDL12	USBF6	658.35										
		Sub Loop Feeder - OC-12 - Facility Termination Per Month	i i		UDL12	USBF3	1,778.00	3,386.00	407.14	160.86	91.19		7.86				
		Sub Loop Feeder - OC-48 - Per Mile Per Month	i	1	UDL48	1L5SL	47.11	0,000.00		100.00	00		7.00				
		Sub Loop Feeder - OC-48 - Facility Termination Protection Per															
		Month	- 1		UDL48	USBF9	330.39										
		Sub Loop Feeder - OC-48 - Facility Termination Per Month	- 1		UDL48	USBF4	1,533.00	3,571.00	407.14	160.86	91.19		7.86				
		Sub Loop Feeder - OC-12 Interface On OC-48	I		UDL48	USBF8	372.76	788.37	407.14	160.86	91.19		7.86				
UNBUNI	DLED L	OOP CONCENTRATION				LIOTOA	423.72	050.04	050.04				7.00				
		Unbundled Loop Concentration - System A (TR008) Unbundled Loop Concentration - System B (TR008)			ULC	UCT8A UCT8B	423.72 51.60	359.34 149.72	359.34 149.72				7.86 7.86				
		Unbundled Loop Concentration - System A (TR303)			ULC	UCT3A	460.27	359.34	359.34	1			7.86				
		Unbundled Loop Concentration - System B (TR303)			ULC	UCT3B	86.95	149.72	149.72				7.86				
		Unbundled Loop Concentration - DS1 Loop Interface Card			ULC	UCTCO	4.90	71.69	51.51	22.99	6.00		7.86				
		Unbundled Loop Concentration - ISDN Loop Interface (Brite															
		Card)			UDN	ULCC1	7.78	16.59	16.50	8.42	8.37		7.86				
I		Unbundled Loop Concentration - UDC Loop Interface (Brite			l	1					_						
		Card)		ļ	UDC	ULCCU	7.78	16.59	16.50	8.42	8.37		7.86				
		Unbundled Loop Concentration2 Wire Voice-Loop Start or			LIEA	ULCC2	1.95	16 50	16 50	8.42	8.37		7.86				
		Ground Start Loop Interface (POTS Card) Unbundled Loop Concentration - 2 Wire Voice - Reverse Battery		 	UEA	ULCC2	1.95	16.59	16.50	8.42	8.37	-	7.86	1	1	-	
		Loop Interface (SPOTS Card)			UEA	ULCCR	11.58	16.59	16.50	8.42	8.37		7.86				
+		Unbundled Loop Concentration - 4 Wire Voice Loop Interface		1		020011	11.55	10.00	10.00		0.07		7.50	1	1		
		(Specials Card)		1	UEA	ULCC4	6.90	16.59	16.50	8.42	8.37		7.86				
		Unbundled Loop Concentration - TEST CIRCUIT Card			ULC	UCTTC	33.74	16.59	16.50	8.42	8.37		7.86				
		Unbundled Loop Concentration - Digital 19.2 Kbps Data Loop															
		Interface		<u> </u>	UDL	ULCC7	10.23	16.59	16.50	8.42	8.37		7.86				
		Unbundled Loop Concentration - Digital 56 Kbps Data Loop			LIDI	111.005	40.00	40.50	10.50	0.40	0.07		7.00				
		Interface Unbundled Loop Concentration - Digital 64 Kbps Data Loop			UDL	ULCC5	10.23	16.59	16.50	8.42	8.37		7.86				
		Unbundled Loop Concentration - Digital 64 Kbps Data Loop Interface		1	UDL	ULCC6	10.23	16.59	16.50	8.42	8.37		7.86				
UNE OT	HER. P	ROVISIONING ONLY - NO RATE		l -	UDL.	01000	10.23	10.59	10.30	0.42	0.37	1	1.00				
	, .	NID - Dispatch and Service Order for NID installation		<u> </u>	UENTW	UNDBX											
		UNTW Circuit Id Establishment, Provisioning Only - No Rate		t	UENTW	UENCE						1		l			1

LINRII	INDI E	NETWORK ELEMENTS - Kentucky												Attachment:	2	Exhibit: B	
CIABO	MULCI	HEI WORK ELEMENTS - Rentucky								1		Svc Order	Svc Order	Incremental			Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
												Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC		RA ⁻	ΓES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
1		-	m						,			per Lok	hei rok	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																וסט וסנ	וסר Auu I
							Rec	Nonrec		Nonrecurring					Rates(\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
					UEANL,UEF,UEQ,U												
IINE O	THER R	Unbundled Contract Name, Provisioning Only - No Rate ROVISIONING ONLY - NO RATE			ENTW	UNECN											
UNE U	I HEK, P	ROVISIONING ONLY - NO RATE															
					UAL,UCL,UDC,UDL,												
		Unbundled Contact Name, Provisioning Only - no rate			UDN,UEA,UHL,ULC	LINECN	0.00	0.00									
		Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no			0011,027,0112,020	ONLON	0.00	0.00									
		rate			UEA,UDN,UCL,UDC	USBFQ	0.00	0.00									
		Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no													1		
	<u> </u>	rate			UEA,USL,UCL,UDL	USBFR	0.00	0.00		<u> </u>					<u> </u>		
		Unbundled DS1 Loop - Superframe Format Option - no rate			USL	CCOSF	0.00	0.00									
		Unbundled DS1 Loop - Expanded Superframe Format option -									-						
	<u> </u>	no rate			USL	CCOEF	0.00	0.00									
HIGH C	APACIT	Y UNBUNDLED LOCAL LOOP															
		High Capacity Unbundled Local Loop - DS3 - Per Mile per			LIES	41 END	0.05										
-	-	month High Capacity Unbundled Local Loop - DS3 - Facility	1		UE3	1L5ND	9.25										
		High Capacity Unbundled Local Loop - DS3 - Facility Termination per month			UE3	UE3PX	308.31	551.38	338.08	173.00	120.42		7.86				
-		High Capacity Unbundled Local Loop - STS-1 - Per Mile per			ULJ	ULSEA	300.31	331.38	330.08	173.00	120.42		1.00				
		month			UDLSX	1L5ND	9.25										
-		High Capacity Unbundled Local Loop - STS-1 - Facility			ODLOA	ILUIND	9.23										
		Termination per month			UDLSX	UDLS1	320.51	551.38	338.08	173.00	120.42		7.86				
LOOP I	MAKE-U						320.01	3000	300.00		.20.72						
		Loop Makeup - Preordering Without Reservation, per working or															
<u></u>	<u> </u>	spare facility queried (Manual).	<u></u>	<u> </u>	UMK	UMKLW	<u> </u>	23.40	23.40								
		Loop Makeup - Preordering With Reservation, per spare facility					İ										
		queried (Manual).			UMK	UMKLP		24.85	24.85								
1		Loop MakeupWith or Without Reservation, per working or									-						
L	<u> </u>	spare facility queried (Mechanized)			UMK	PSUMK	ļļ	0.67	0.67	ļ							
		NCY SPECTRUM															
-	SPLITT	ERS-CENTRAL OFFICE BASED	1		111.0	III CD4	400.00	270.05	0.00	250.55	0.00		7.00				
1		Line Sharing Splitter, per System 96 Line Capacity Line Sharing Splitter, per System 24 Line Capacity		-	ULS ULS	ULSDA ULSDB	198.83 49.71	379.05 379.05	0.00	358.55 358.55	0.00		7.86 7.86				
-		Line Sharing Splitter, per System 24 Line Capacity Line Sharing Splitter, Per System, 8 Line Capacity	-		ULS	ULSDB ULSD8	16.94	379.05	0.00	357.29	0.00		7.86				
-		Line Sharing Splitter, Fer System, 6 Line Capacity Line Sharing-DLEC Owned Splitter in CO-CFA activaton-	-		OLO	OLODO	10.94	311.11	0.00	331.29	0.00		1.00		-		
		deactivation (per LSOD)			ULS	ULSDG		173.62		100.40			7.86				
	END US	SER ORDERING-CENTRAL OFFICE BASED-HIGH FREQUENCY	Y SPEC	TRUM A			†	170.02		100.70			7.00				
		Line Sharing - per Line Activation (BST Owned Splitter)	<u> </u>		ULS	ULSDC	0.61	37.16	21.28	20.17	9.90		7.86				
		Line Sharing - per Subsequent Activity per Line					1	-									
		Rearrangement(BST Owned Splitter)			ULS	ULSDS		32.90	16.43				7.86				
		Line Sharing - per Subsequent Activity per Line							· · · · · · · · · · · · · · · · · · ·					-			
		Rearrangement(DLEC Owned Splitter)			ULS	ULSCS		32.90	16.43				7.86				
		Line Sharing - per Line Activation (DLEC owned Splitter)	l l		ULS	ULSCC	0.61	47.44	19.31	20.67	12.74		7.86				
		Line Splitting - per line activation DLEC owned splitter				UREOS	0.61			21.1-	2.5-				ļ		
-		Line Splitting - per line activation BST owned - physical		-	UEPSR UEPSB	UREBP	0.647	37.02	21.20	21.10	9.87		7.86		-		
LINIDAN	IDI ED 5	Line Splitting - per line activation BST owned - virtual EDICATED TRANSPORT		-	UEPSR UEPSB	UREBV	0.645	37.02	21.20	21.10	9.87		7.86		-		
UNBUN		INTEROFFICE CHANNEL DEDICATED TRANSPORT - minimu	m hillin	a norio	d - helow De2-ono	month Deal	STS-1-four man	nthe							-		
-		INTEROFFICE CHANNEL DEDICATED TRANSPORT - MINIMU OFFICE CHANNEL - DEDICATED TRANSPORT	MIIIIU	a helio	a - neiow D33=0116	nonui, Dos/	J.J-1=IUUI INOI	iiul3							1		
1		Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -															
1		Per Mile per month			U1TVX	1L5XX	0.01										
		Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -					2.01										
		Facility Termination per month			U1TVX	U1TV2	29.11	47.34	31.78	22.77	8.75		7.86				
		Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade						-									
L	<u></u>	Rev Bat Per Mile per month	<u></u>		U1TVX	1L5XX	0.01			<u> </u>					<u> </u>		
		Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat	-														
		Facility Termination per month			U1TVX	U1TR2	29.11	47.34	31.78	22.77	8.75		7.86				
1		Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade -	1														
L		Per Mile per month			U1TVX	1L5XX	0.01										

UNBUN	IDLE	NETWORK ELEMENTS - Kentucky												Attachment:	2	Exhibit: B	
CATEGO	ORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			ΓES(\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
							Rec	Nonrec		Nonrecurring					Rates(\$)		
							1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade - Facility Termination per month			U1TVX	U1TV4	25.86	47.34	31.78	22.77	8.75		7.86				
		Interoffice Channel - Dedicated Transport - 56 kbps - per mile						47.04	01.70	22.11	0.70		7.00				
		per month Interoffice Channel - Dedicated Transport - 56 kbps - Facility			U1TDX	1L5XX	0.0115										
		Termination per month Interoffice Channel - Dedicated Transport - 64 kbps - per mile			U1TDX	U1TD5	20.97	47.35	31.78	22.77	8.75		7.86				
		per month			U1TDX	1L5XX	0.0115										
		Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination per month			U1TDX	U1TD6	20.97	47.35	31.78	22.77	8.75		7.86				
		Interoffice Channel - Dedicated Channel - DS1 - Per Mile per						47.55	51.70	22.11	0.73		7.00				
		month Interoffice Channel - Dedicated Tranport - DS1 - Facility			U1TD1	1L5XX	0.23										
		Termination per month			U1TD1	U1TF1	96.04	105.52	98.46	23.09	20.49		7.86				
		Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month			U1TD3	1L5XX	4.97										
		Interoffice Channel - Dedicated Transport - DS3 - Facility			LIATEDO	114750	4 475 45	005.40	040.04	00.57	07.75		7.00				
		Termination per month Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per			U1TD3	U1TF3	1,175.15	335.40	219.24	89.57	87.75		7.86				
		month Interoffice Channel - Dedicated Transport - STS-1 - Facility			U1TS1	1L5XX	4.97										<u> </u>
		Termination per month			U1TS1	U1TFS	1,149.51	335.40	219.24	89.57	87.75		7.86				
		CHANNEL - DEDICATED TRANSPORT															
N		LOCAL CHANNEL DEDICATED TRANSPORT - minimum billin	g perio	d - belo													
		Local Channel - Dedicated - 2-Wire Voice Grade Per Month			ULDVX	ULDV2	18.57	265.78	46.96	46.79	4.98		7.86				
		Local Channel - Dedicated - 2-Wire Voice Grade Rev Bat per month			ULDVX	ULDR2	18.57	265.78	46.96	46.79	4.98		7.86				
		Local Channel - Dedicated - 4-Wire Voice Grade per month			UNDVX	ULDV4	19.86	266.48	47.65	47.54	5.73		7.86				
		Local Channel - Dedicated - DS1 per month - Zone 1		1	ULDD1	ULDF1	40.46	209.60	176.51	30.21	21.07		7.86				
		Local Channel - Dedicated - DS1 per month - Zone 2		2	ULDD1	ULDF1	43.39	209.60	176.51	30.21	21.07		7.86				
		Local Channel - Dedicated - DS1 per month - Zone 3		3	ULDD1	ULDF1	164.50	209.60	176.51	30.21	21.07		7.86				
		Local Channel - Dedicated - DS3 - Per Mile per month			ULDD3	1L5NC	8.74										
		Local Channel - Dedicated - DS3 - Facility Termination per															
		month			ULDD3	ULDF3	576.05	551.38	338.08	173.00	120.42		7.86				
		Local Channel - Dedicated - STS-1- Per Mile per month			ULDS1	1L5NC	8.74										
		Local Channel - Dedicated - STS-1 - Facility Termination per month			ULDS1	ULDFS	543.24	551.38	338.08	173.00	120.42		7.86				
MULTIPL	EXER	S															
		Channelization - DS1 to DS0 Channel System			UXTD1	MQ1	113.33	101.40	71.60	13.79	13.04		7.86				
		OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs)			UDL	1D1DD	1.32	10.07	7.08				7.86				
		2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month			UDN	UC1CA	2.84	10.07	7.08				7.86				
		Voice Grade COCI - DS1 to DS0 Channel System - per month			UEA	1D1VG	0.6228	10.07	7.08				7.86				
		DS3 to DS1 Channel System per month			UXTD3	MQ3	158.20	199.23	118.62	50.16	48.59		7.86				
		STS1 to DS1 Channel System per month			UXTS1	MQ3	158.20	199.23	118.62	50.16	48.59		7.86				
		DS3 Interface Unit (DS1 COCI) used with Loop per month			USL	UC1D1	11.80	10.07	7.08				7.86				
		DS3 Interface Unit (DS1 COCI) used with Local Channel per			III DD4	LICADA	44.00	40.07	7.00				7.00				
		month DS3 Interface Unit (DS1 COCI) used with Interoffice Channel			ULDD1	UC1D1	11.80	10.07	7.08				7.86				
DABY E	DED	per month			U1TD1	UC1D1	11.80	10.07	7.08				7.86				
DARK FII	BEK	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction				+											
		Thereof per month - Local Channel			UDF	1L5DC	47.01]						1	
		NRC Dark Fiber - Local Channel			UDF	UDFC4		732.53	192.67	377.27	241.67		7.86				
		Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction															
		Thereof per month - Interoffice Channel			UDF	1L5DF	30.74										<u> </u>
1		NRC Dark Fiber - Interoffice Channel			UDF	UDF14		732.53	192.67	377.27	241.67		7.86				

ONBONDLE	D NETWORK ELEMENTS - Kentucky			•									Attachment:		Exhibit: B	<u> </u>
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			TES(\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrec		Nonrecurring					Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction															
	Thereof per month - Local Loop			UDF	1L5DL	47.01										
	NRC Dark Fiber - Local Loop			UDF	UDFL4		732.53	192.67	377.27	241.67		7.86				
TRANSPORT (
8XX ACCESS	TEN DIGIT SCREENING															
	8XX Access Ten Digit Screening, Per Call			OHD		0.0006478										
	8XX Access Ten Digit Screening, Reservation Charge Per 8XX															
	Number Reserved			OHD	N8R1X		4.14	0.70				7.86				
	8XX Access Ten Digit Screening, Per 8XX No. Established W/O															
	POTS Translations		 	OHD	<u> </u>		8.78	1.18	7.08	0.86		7.86				
	8XX Access Ten Digit Screening, Per 8XX No. Established With	1	1	0.15												
	POTS Translations		ļ	OHD	N8FTX		8.78	1.18	7.08	0.86		7.86				
	8XX Access Ten Digit Screening, Customized Area of Service			CLID	NOTOY			~								
	Per 8XX Number			OHD	N8FCX		4.14	2.07				7.86				
	8XX Access Ten Digit Screening, Multiple InterLATA CXR			CLID	NOTAN											
	Routing Per CXR Requested Per 8XX No.		<u> </u>	OHD	N8FMX		4.85	2.78				7.86				ļ
	8XX Access Ten Digit Screening, Change Charge Per Request			OHD	N8FAX		4.85	0.70				7.86				<u> </u>
	8XX Access Ten Digit Screening, Call Handling and Destination			0.10												
	Features		<u> </u>	OHD	N8FDX		4.14	4.14				7.86				ļ
	8XX Access Ten Digit Screening w/ 8FL No. Delivery,			OHD		0.0006478										ļ
	8XX Access Ten Digit Screening, w/ POTS No. Delivery,		<u> </u>	OHD		0.0006478										ļ
LINE INFORMA	ATION DATA BASE ACCESS (LIDB)			007												
	LIDB Common Transport Per Query		<u> </u>	OQT		0.000023										ļ
	LIDB Validation Per Query			OQU	NIDDD.	0.0137322	== 10					=				ļ
0.00.00	LIDB Originating Point Code Establishment or Change		<u> </u>	OQT, OQU	NRPBX		55.12		67.59			7.86				ļ
SIGNALING (C				LIDD	TDD	00.74	40.50	40.50	00.45	00.45						
	CCS7 Signaling Connection, Per 56 Kbps Facility			UDB	TPP++	20.71	43.56	43.56	22.45	22.45						ļ
	CCS7 Signaling Termination, Per STP Port CCS7 Signaling Usage, Per TCAP Message			UDB	PT8SX	151.39 0.0000656										
			-	UDB	TDD		40.50	40.50	00.45	00.45		7.00				ļ
	CCS7 Signaling Connection, Per link (A link)		-	UDB	TPP++	20.71	43.56	43.56	22.45	22.45		7.86				ļ
	CCS7 Signaling Connection, Per link (B link) (also known as D link)			UDB	TPP++	20.71	43.56	43.56	22.45	22.45		7.86				
			-	UDB	IPP++	0.0000164	43.56	43.56	22.45	22.45		7.86				
	CCS7 Signaling Usage, Per ISUP Message CCS7 Signaling Usage Surrogate, per link per LATA			UDB	STU56	751.08										
			<u> </u>	UDB	31036	751.06										
	CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, per STP affected			UDB	CCAPO		46.02	46.02	56.43	56.43		7.86				
	CCS7 Signaling Point Code, per Destination Point Code			UDB	CCAPO		46.02	40.02	36.43	36.43	1	7.00				
	Establishment or Change, Per Stp Affected			UDB	CCAPD		46.02	46.02	56.43	56.43		7.86				
E911 SERVICE		-	 	220	00/11 D		70.02	70.02	30.43	50.45	1	1.00				
	Local Channel - Dedicated - 2-wr Voice Grade		l		+	18.57	265.78	46.96	46.79	4.98			18.94	18.94		
	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile				1	0.0115	200.70	40.50	40.73	4.90			10.54	10.04		†
1	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility				1	0.0110										†
	Termination					29.11	47.34	31.78	22.77	8.75		1	18.94	18.94		
	Local Channel - Dedicated - DS1 - Zone 1		1		1	40.46	209.60	176.51	30.21	21.07			18.94	18.94		1
	Local Channel - Dedicated - DS1 - Zone 2		 			43.39	209.60	176.51	30.21	21.07			18.94	18.94		
	Local Channel - Dedicated - DS1 - Zone 3					164.50	209.60	176.51	30.21	21.07			18.94	18.94		
	Interoffice Transport - Dedicated - DS1 Per Mile				1	0.23										
			†		1	5.20										1
	Interoffice Transport - Dedicated - DS1 Per Facility Termination					96.04	105.52	98.46	23.09	20.49		1	18.94	18.94		
CALLING NAM	IE (CNAM) SERVICE															
I	CNAM For DB Owners - Service Establishment			OQV			25.34	25.34	23.30	23.30		7.86				
	CNAM For Non DB Owners - Service Establishment			OQV			25.34	25.34	23.30	23.30		7.86				
	CNAM For DB Owners - Service Provisioning With Point Code		1													
	Establishment	1	1	OQV			1,591.54	1,177.08	431.95	317.61		7.86				
İ	CNAM For Non DB Owners - Service Provisioning With Point															
	Code Establishment		Ш.	OQV			546.40	393.74	438.93	317.61	<u></u>	7.86				
	CNAM for DB Owners, Per Query			OQV		0.0010348										
	CNAM for Non DB Owners, Per Query			OQV		0.0010348										

UNBUNDLE	D NETWORK ELEMENTS - Kentucky												Attachment:	2	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			FES(\$)				,	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
	ONAM (New Portal of County NIDO continue Incoming the Incoming Inc						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	CNAM (Non-Databs Owner), NRC, applies when using the Character Based User Interface (CHUI)			oqv	CDDCH		595.00	595.00				7.86				
LNP Query Se				OQV	CDDCIT		393.00	393.00	1			7.00				
	LNP Charge Per query					0.0008695										
	LNP Service Establishment Manual						13.82	13.82	12.71	12.71		7.86				
	LNP Service Provisioning with Point Code Establishment						953.27	487.00	431.95	317.61		7.86				
OPERATOR C	ALL PROCESSING															
	Oper. Call Processing - Oper. Provided, Per Min Using BST LIDB					1.20										
	Oper. Call Processing - Oper. Provided, Per Min Using Foreign LIDB					1.24										
	Oper. Call Processing - Fully Automated, per Call - Using BST LIDB					0.20										
	Oper. Call Processing - Fully Automated, per Call - Using Foreign LIDB					0.20										
INWARD OPE	RATOR SERVICES					0.20										
	Inward Operator Services - Verification, Per Call					1.00										
	Inward Operator Services - Verification and Emergency Interrupt - Per Call					1.95										
BRANDING - 0	PERATOR CALL PROCESSING															
	Recording of Custom Branded OA Announcement				CBAOS		7,000.00	7,000.00				7.86				
	Loading of Custom Branded OA Announcement per shelf/NAV				CBAOL		500.00	500.00				7.86				
Unbra	nding via OLNS for UNEP CLEC Loading of OA per OCN (Regional)						1,200.00	1,200.00				7.86				\longmapsto
DIRECTORY	SSISTANCE SERVICES						1,200.00	1,200.00				7.00				\vdash
	TORY ASSISTANCE ACCESS SERVICE															
	Directory Assistance Access Service Calls, Charge Per Call					0.275										
DIREC	TORY ASSISTANCE CALL COMPLETION ACCESS SERVICE (D	DACC)														
	Directory Assistance Call Completion Access Service (DACC), Per Call Attempt					0.10										
	TORY TRANSPORT															
	SSISTANCE SERVICES															
DIREC	TORY ASSISTANCE DATA BASE SERVICE (DADS)					0.04										
	Directory Assistance Data Base Service Charge Per Listing Directory Assistance Data Base Service, per month				DBSOF	0.04 150.00			+							-
BRANDING - I	DIRECTORY ASSISTANCE				DBSOI	130.00			1							
	y Based CLEC		1		1	1			† †							
	Recording and Provisioning of DA Custom Branded Announcement			AMT	CBADA		6,000.00	6,000.00								
	Loading of Custom Branded Announcement per DRAM Card/Switch			AMT	CBADC		1,170.00	1,170.00								
UNEP	CLEC															
	Recording of DA Custom Branded Announcement						3,000.00	3,000.00		· · · · ·						
	Loading of DA Custom Branded Announcement per DRAM Card/Switch per OCN						1,170.00	1,170.00								
Unbra	nding via OLNS for UNEP CLEC															lacksquare
	Loading of DA per OCN (1 OCN per Order)	<u> </u>	!		-		420.00	420.00	ļ						ļ	\vdash
SELECTIVE R	Loading of DA per Switch per OCN	<u> </u>	!		+		16.00	16.00								\vdash
OLLEGIVE R	Selective Routing Per Unique Line Class Code Per Request Per Switch				USRCR		93.53	93.53	15.58	15.58		7.00				
VIRTUAL COL			 		USRCR		93.53	93.53	15.58	15.58		7.86			1	
I COL	Virtual Collocation - Application Cost		†	AMTFS	EAF		2,419.86	2,419.86	1.01	1.01						
	Virtual Collocation - Cable Installation Cost, per cable		1	AMTFS	ESPCX		1,729.11	1,729.11	45.16	45.16					İ	
	Virtual Collocation - Floor Space, per sq. ft.			AMTFS	ESPVX	7.99										
	Virtual Collocation - Power, per breaker amp			AMTFS	ESPAX	8.06										
	Virtual Collocation - Cable Support Structure, per entrance	ĺ														1
	cable	l	ĺ	AMTFS	ESPSX	17.38										

LINDIINI) E	NETWORK ELEMENTS - Kentucky												Attachment:	2	Exhibit: B	
UNDUNI	JLEL	O NETWORK ELEMENTS - Kentucky	1	1						1	1	Syc Order	Svc Order		Incremental		Incremental
												Submitted			Charge -	Charge -	Charge -
			1									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGOR	ŀΥ	RATE ELEMENTS	Interi	Zone	BCS	USOC		RAT	TES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						- (.,,			per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																DISC 1St	DISC Add I
							Rec	Nonrec		Nonrecurring					Rates(\$)		
							rico -	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
					UEANL,UEA,UDN,U												
					DC,UAL,UHL,UCL,U												
					EQ, AMTFS, UDL,												
		Martine I College of the Court Court (Incom)			UNCVX, UNCDX,	UEAC2	0.0309	04.00	23.68	40.44	40.05		40.00				
		Virtual Collocation - 2-wire Cross Connects (loop)		<u> </u>	UNCNX	UEAC2	0.0309	24.68	23.68	12.14	10.95		19.99				
					UEA,UHL,UCL,UDL,												
					AMTFS, UAL, UDN,												
		Virtual Collocation - 4-wire Cross Connects (loop)			UNCVX, UNCDX	UEAC4	0.0619	24.88	23.82	12.77	11.46		19.99				
		virtual conocation 4 wite cross connects (100p)			AMTFS,UDL12,	OL/104	0.0010	24.00	20.02	12.77	11.40		10.00				
					UDLO3, U1T48,												
					U1T12, U1T03,												
					ULDO3, ULD12,												
		Virtual Collocation - 2-Fiber Cross Connects			ULD48, UDF	CNC2F	3.80	41.94	30.51	14.76	11.84			19.99	19.99	19.99	19.99
					AMTFS,UDL12,												
					UDLO3, U1T48,												
					U1T12, U1T03,												
					ULDO3, ULD12,												
		Virtual Collocation - 4-Fiber Cross Connects			ULD48, UDF	CNC4F	7.59	51.29	39.87	19.41	16.49			19.99	19.99	19.99	19.99
					USL,ULC,AMTFS,												
					ULR, UXTD1,												
					UNC1X, ULDD1,												
		Material college (Co. 1904 October 1904 Octo			U1TD1, USLEL,	ONIO4)/	4.40	44.00	04.00	40.04	44.57						
		Virtual collocation - DS1 Cross Connects			UNLD1 USL,ULC,AMTFS,U	CNC1X	1.48	44.23	31.98	12.81	11.57						
					E3, U1TD3, UXTS1,												
					UXTD3, UNC3X,												
					UNCSX, ULDD3,												
					U1TS1, ULDS1,												
		Virtual collocation - DS3 Cross Connects			UDLSX, UNLD3	CND3X	18.89	41.93	30.51	14.75	11.83						
		Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable					10.00										
		Support Structure, per linear foot			AMTFS	VE1CB	0.003										
		Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax															
		Cable Support Structure, per linear ft			AMTFS	VE1CD	0.0045										
		Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable															
		Support Structure,per cable			AMTFS	VE1CC		535.55									
		Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax	1							I					1		
\vdash		Cable Support Structure, per cable	ļ	<u> </u>	AMTES	VE1CE		535.55	01.50	-							
\vdash		Virtual collocation - Security Escort - Basic, per half hour	 	<u> </u>	AMTFS AMTFS	SPTBX SPTOX		33.98 44.26	21.53 27.81	!				1	 		
\vdash		Virtual collocation - Security Escort - Overtime, per half hour	 	 	AMTES	SPTDX	 	44.26 54.54	34.09	 					-		
\vdash		Virtual collocation - Security Escort - Premium, per half hour Virtual collocation - Maintenance in CO - Basic, per half hour	1		AMTES	CTRLX		54.54	21.53	 				1	1		
\vdash		virtual conocation - Maintenance III CO - Dasic, per Hall Hour	 		, 114111 0	OTINEA		30.07	21.33	t				1	1		
		Virtual collocation - Maintenance in CO - Overtime, per half hour	l		AMTFS	SPTOM		73.23	27.81								
		The state of the s	1					. 5.25	251	1					1		
		Virtual collocation - Maintenance in CO - Premium per half hour	1		AMTFS	SPTPM		90.39	34.09	I					1		
VIRTUAL	COLL	OCATION															
		Virtual Collocation - 2-wire Cross Connect, Exchange Port 2-															
		Wire Analog - Res			UEPSR	VE1R2	0.0309	24.68	23.68	12.14	10.95		7.86				
		Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-	1			L				_					1		
\vdash		Wire Line Side PBX Trunk - Bus	ļ	<u> </u>	UEPSP	VE1R2	0.0309	24.68	23.68	12.14	10.95		7.86				
		Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire	l		LIEDOE	VE4D0											
\vdash		Voice Grade PBX Trunk - Res	ļ	<u> </u>	UEPSE	VE1R2	0.0309	24.68	23.68	12.14	10.95		7.86				
		Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire	1		UEPSB	VE1R2	0.0309	24.68	23.68	12.14	10.95		7.86		1		
\vdash		Analog Bus Virtual Collocation 2-Wire Cross Connect, Exchnage Port 2-Wire	 	 	UEPOB	vETK2	0.0309	24.68	23.68	12.14	10.95		7.86		-		
		ISDN	l		UEPSX	VE1R2	0.0309	24.68	23.68	12.14	10.95		7.86				
+		Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire		1	OLI OX	V = 11\Z	0.0309	24.00	25.00	12.14	10.93		7.00		<u> </u>		
		ISDN	l		UEPTX	VE1R2	0.0309	24.68	23.68	12.14	10.95		7.86				
					ı											1	ı

UNBUNDLE	D NETWORK ELEMENTS - Kentucky			1		T					_	I -	Attachment:		Exhibit: B	ļ
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		RAT	res(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svo Order vs. Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
	Virtual Collocation 4-Wire Cross Connect, Exchange Port 4-Wire						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	ISDN DS1			UEPEX	VE1R4	1.48	44.23	31.98	12.81	11.57		7.86				
VIRTUAL COL				OLFLX	VL IIX4	1.40	44.23	31.50	12.01	11.57		7.00				
VIICTOAL COL	Virtual Collocation-2 Wire Cross Connects (Loop) for Line		1													
	Splitting			UEPSR, UEPSB	VE1LS	0.309	24.68	23.68	12.14	10.95		7.86				
AIN SELECTIV	VE CARRIER ROUTING					0.000										
	Regional Service Establishment			SRC	SRCEC		193,401.00	193,401.00	9,483.34	9,483.34		7.86				
	End Office Establishment			SRC	SRCEO		194.09	194.09	0.85	0.85		7.86				
	Line/Port NRC, per end user			SRC	SRCLP		2.06	2.06				7.86				
	Query NRC, per query			SRC		0.0037502										
AIN - BELLSO	OUTH AIN SMS ACCESS SERVICE		1													
	AIN SMS Access Service - Service Establishment, Per State,			AAN	CAMOE		40.55	40.55	44.00	44.00		7.00				
 	Initial Setup		1	A1N	CAMSE		43.55	43.55	44.93	44.93		7.86				1
	AIN SMS Access Service - Port Connection - Dial/Shared Access			A1N	CAMDP		8.64	8.64	10.03	10.03		7.86				
 	AIN SMS Access Service - Port Connection - Dial/Shared Access AIN SMS Access Service - Port Connection - ISDN Access			A1N	CAM1P		8.64	8.64	10.03	10.03		7.86		1	1	1
	AIN SMS Access Service - Port Connection - ISBN Access AIN SMS Access Service - User Identification Codes - Per User			73114	CAWIII		0.04	0.04	10.03	10.03		1.00			1	1
	ID Code			A1N	CAMAU		38.65	38.65	29.88	29.88		7.86				
	AIN SMS Access Service - Security Card, Per User ID Code,															
	Initial or Replacement			A1N	CAMRC		75.08	75.08	12.93	12.93		7.86				
	AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)					0.0025										
	AIN SMS Access Service - Session, Per Minute					0.666										
	AIN SMS Access Service - Company Performed Session, Per															
	Minute					0.4608										
AIN - BELLSO	OUTH AIN TOOLKIT SERVICE															
	AIN Toolkit Service - Service Establishment Charge, Per State,			0444	D 4 DOO		40.55	40.55	44.00	44.00		7.00				
	Initial Setup AIN Toolkit Service - Training Session, Per Customer			CAM	BAPSC BAPVX		43.55 8,436.93	43.55 8,436.93	44.93	44.93		7.86 7.86				
	AIN Toolkit Service - Training Session, Per Customer AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per		-		BAPVX		8,436.93	8,436.93				7.86				
	DN, Term. Attempt				BAPTT		8.64	8.64	10.03	10.03		7.86				
 	AlN Toolkit Service - Trigger Access Charge, Per Trigger, Per		1		DAFII		0.04	0.04	10.03	10.03		7.00				
	DN, Off-Hook Delay				BAPTD		8.64	8.64	10.03	10.03		7.86				
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
	DN, Off-Hook Immediate				BAPTM		8.64	8.64	10.03	10.03		7.86				
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
	DN, 10-Digit PODP				BAPTO		51.01	51.01	18.50	18.50		7.86				
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
\vdash	DN, CDP				BAPTC		51.01	51.01	18.50	18.50		7.86				ļ
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				DARTE		F4 04	E4 0.	40.50	40 =0		7.00				
\vdash	DN, Feature Code		1		BAPTF	0.0549207	51.01	51.01	18.50	18.50		7.86			1	
	AIN Toolkit Service - Query Charge, Per Query AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit				+	0.0549207								-		1
	Subscription, Per Node, Per Query					0.0066492										
	AIN Toolkit Service - SCP Storage Charge, Per SMS Access		1		+	0.0000432									<u> </u>	†
	Account, Per 100 Kilobytes					0.07										
	AIN Toolkit Service - Monthly report - Per AIN Toolkit Service					5.57										1
	Subscription			CAM	BAPMS	7.87	8.64	8.64	6.08	6.08		7.86				
	AIN Toolkit Service - Special Study - Per AIN Toolkit Service								ĺ							
	Subscription			CAM	BAPLS	3.26	9.56	9.56				7.86				
	AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service			L	L				Π							
	Subscription			CAM	BAPDS	4.72	8.64	8.64	6.08	6.08		7.86			ļ	ļ
	AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit			CAM	DADEO	244	0.50	0.50				7.00				
ENHANCES	Service Subscription EXTENDED LINK (EELs)		_	CAM	BAPES	0.11	9.56	9.56				7.86			ļ.	1
	: New EELs available in GA, TN, KY, LA, MS, & SC and density	. 7000 1	of fall	lowing MCAs, Orlan	do El · Mic	EliEt Laurda	rdalo El ·							-	-	
	: New EELS available in GA, TN, KY, LA, MS, & SC and density : Charlotte-Gastonia-Rockhill, NC; Greensboro-Winston Salem														1	1
	: In all states, EEL network elements shown below also apply t							As Is Charge a	pplies to currer	ntly combined	facilities co	onverted to	UNEs.(Non-re	curring rates	do not apply	r.)
								ununge a	ouilei	,					upply	Ť
NOTE:	: In GA, TN, KY, LA, MS & SC the EEL network elements apply	to ordii	nariiv c	combinea network e	Herrients.tho	SWITCH AS IS Cr	iarge.)									

ONBONDEL	D NETWORK ELEMENTS - Kentucky			I							Cup Carle	Cup Cada	Attachment:		Exhibit: B	In oromania
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		RAT	ES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		•
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport															
	Combination - Zone 1		1	UNCVX	UEAL2	12.67	125.22	60.48	59.69	7.84		7.86				
	First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 2		2	UNCVX	UEAL2	17.45	125.22	60.48	59.69	7.84		7.86				
	First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed			UNCVA	ULALZ	17.45	123.22	00.40	39.09	7.04		7.00				
	Transport Combination - Zone 3		3	UNCVX	UEAL2	33.22	125.22	60.48	59.69	7.84		7.86				
	Interoffice Transport - Dedicated - DS1 combination - Per Mile															
	per month			UNC1X	1L5XX	0.19										
	Interoffice Transport - Dedicated - DS1 combination - Facility															
	Termination per month			UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32		7.86				
	DS1 Channelization System Per Month Voice Grade COCI - DS1 To Ds0 Interface - Per Month			UNC1X UNCVX	MQ1 1D1VG	113.33 0.62	57.26 6.71	14.74 4.84	1.86	1.67		7.86 7.86				
	Each Additional 2-Wire VG Loop(SL 2) in the same DS1			UNCVA	IDIVG	0.62	0.71	4.04				7.00				
	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL2	12.67	125.22	60.48	59.69	7.84		7.86				
	Each Additional 2-Wire VG Loop(SL2) in the same DS1			0.10171	02/122	12.01	120.22	00.10	00.00	7.01		7.00				
	Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL2	17.45	125.22	60.48	59.69	7.84		7.86				
	Each Additional 2-Wire VG Loop(SL2) in the same DS1															
	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL2	33.22	125.22	60.48	59.69	7.84		7.86				
	Voice Grade COCI - DS1 to DS0 Channel System combination -															
	per month Nonrecurring Currently Combined Network Elements Switch -As-			UNCVX	1D1VG	0.62	6.71	4.84				7.86				
	Is Charge			UNC1X	UNCCC		8.98	8.98	11.17	11.17		7.86				
4-WIR	E VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT	FROFE	ICF TR		UNCCC		0.90	0.50	11.17	11.17		7.00				
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice	<u> </u>														
	Transport Combination - Zone 1		1	UNCVX	UEAL4	29.26	125.22	60.48	59.69	7.84		7.86				
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice															
	Transport Combination - Zone 2		2	UNCVX	UEAL4	34.25	125.22	60.48	59.69	7.84		7.86				
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice		_	1110101		05.00	405.00	00.40	50.00	7.04		7.00				
	Transport Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile		3	UNCVX	UEAL4	85.06	125.22	60.48	59.69	7.84		7.86				
	Per Month			UNC1X	1L5XX	0.19										
	Interoffice Transport - Dedicated - DS1 - Facility Termination Per			ONOTA	TEOAX	0.13										
	Month			UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32		7.86				
	Channelization - Channel System DS1 to DS0 combination Per															
	Month			UNC1X	MQ1	113.33	57.26	14.74	1.86	1.67		7.86				
	Voice Grade COCI - DS1 to DS0 Channel System combination -															
	per month			UNCVX	1D1VG	0.62	6.71	4.84				7.86				
	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	29.26	125.22	60.48	59.69	7.84		7.86				
	Additional 4-Wire Analog Voice Grade Loop in same DS1			UNCVA	ULAL4	29.20	123.22	00.40	39.09	7.04		7.00				
	Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	34.25	125.22	60.48	59.69	7.84		7.86				
	Additional 4-Wire Analog Voice Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	85.06	125.22	60.48	59.69	7.84		7.86				
	Voice Grade COCI - DS1 to DS0 Channel System combination -															
	per month			UNCVX	1D1VG	0.62	6.71	4.84				7.86				
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNC1X	UNCCC		8.98	8.98	11.17	11.17		7.86				
4-WIR	E 56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1	INTERC	FFICE				0.90	0.90	11.17	11.17		7.00				
	First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice															
	Transport Combination - Zone 1		1	UNCDX	UDL56	27.59	125.22	60.48	59.69	7.84		7.86				
	First 4-wire 56Kbps Digital Grade Loop in a DS1 Interoffice															
	Transport Combination - Zone 2		2	UNCDX	UDL56	32.48	125.22	60.48	59.69	7.84		7.86				
	First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	36.37	125.22	60.48	59.69	7.84		7.86				
	Interoffice Transport - Dedicated - DS1 combination - Per Mile		3	ONCDV	UDLOB	30.37	125.22	60.48	59.69	7.84		7.80			-	
	Per Month			UNC1X	1L5XX	0.19										
	Interoffice Transport - Dedicated - DS1 - combination Facility			55.	. 20, 0 (3.10										İ
1	Termination Per Month	l	1	UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32		7.86				İ

CATEGORY RATE ELEMENTS Interim Zone Channelization - Channel System DS1 to DS0 combination Per Month OCUDP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) Additional 4-Wire 56Ktps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 1 Interior Transport Combination - Zone 1 Additional 4-Wire 56Ktps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 2 Additional 4-Wire 56Ktps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 2 Additional 4-Wire 56Ktps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 2 Additional 4-Wire 56Ktps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 3 OCU-DP COCI (data) - DS1 to DS0 Channel System - combination per month (2.4-64kbs) Nonrecurring Currently Combined Network Elements Switch -As- Is charge 4-WIRE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL) First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 2 First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 2 First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 2 First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month Channelization - Channel System DS1 to DS0 combination Per Month Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month Channelization - Channel System DS1 to DS0 combination Per Month Channelization - Channel System DS1 to DS0 combination Per Month Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month Channelization - Channel System DS1 to DS0 combination Per Month DS1 Interoffice Transport Combination - Zone 1 Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 2 Additional 4-Wire 64Kbps Digital Grade Loopin same	Rec 113.33 1.32 27.59 32.48 36.37 1.32	Nonrec First 3 57.26 2 6.71 9 125.22 8 125.22 7 125.22	surring Add'I 14.74 4.84 60.48 60.48 60.48	Nonrecurring First 1.86	Disconnect Add'l 1.67	Submitted Elec	Svc Order Submitted	Attachment: Incremental Charge - Manual Svc Order vs. Electronic- 1st OSS SOMAN		Exhibit: B Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
Channelization - Channel System DS1 to DS0 combination Per Month Channelization - Channel System DS1 to DS0 combination Per Month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) Additional 4-Wire 65fkbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 1 Additional 4-Wire 65fkbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 2 Additional 4-Wire 65fkbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 3 OCU-DP COCI (data) - DS1 to DS0 Channel System - combination Per month (2.4-64kbs) Nonrecurring Currently Combined Network Elements Switch - As- Is Charge 4-Wire 64fkpps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 3 First 4-Wire 64fkpps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 3 Interoffice Transport Combination - Zone 3 Interoffice Transport Combination - Zone 3 Interoffice Transport Combination - Zone 3 Interoffice Transport Combination - Zone 3 Interoffice Transport Combination - Zone 1 Interoffice Transport Combination - Zone 1 Interoffice Transport Combination - Zone 1 Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month Channelization - Channel System DS1 to DS0 Combination Per Mile Per Month Channelization - Channel System DS1 to DS0 Combination Per Mile Interoffice Transport Combination - Zone 1 Additional 4-Wire 64fkbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 1 Interoffice Transport Combination - Zone 1 Interoffice Transport Combination - Zone 2 Additional 4-Wire 64fkbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 3 OCU-DP COCI (data) - DS1 to DS0 Channel System Combination - Combination - Zone 3 OCU-DP COCI (data) - DS1 to DS0 Channel System Combination - Combination - Zone 3 OCU-DP COCI (data) - DS1 to DS0 Channel System Combination - Zone 3 OCU-DP COCI (data) - DS1 to DS0 Channel System Combination - Zone 3 OCU-DP COCI (data) - DS1 to DS0 Channel System C	113.33 1.32 27.59 32.48 36.37 1.32	Nonrec First 3 57.26 2 6.71 9 125.22 8 125.22 7 125.22	24.74 4.84 60.48	First 1.86	Add'l	Submitted Elec per LSR	Submitted Manually per LSR SOMAN	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I Rates(\$)	Charge - Manual Svc Order vs. Electronic- Disc 1st	Manual Svc Order vs. Electronic- Disc Add'l
Charlegory RATE ELEMENTS M Zone Channelization - Channel System DS1 to DS0 combination Per Month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) Additional 4-Wire 65kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 1 Additional 4-Wire 65kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 2 Additional 4-Wire 65kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 3 OCU-DP COCI (data) - DS1 to DS0 Channel System - combination per month (2.4-64kbs) Nonrecurring Currently Combined Network Elements Switch -As- Is Charge 4-Wire 64kbps Digital Grade Loop in a DS1 Interoffice Transport Combination Fore 2 First 4-Wire 64kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 3 Interoffice Transport Combination - Zone 3 Interoffice Transport Combination - Zone 3 Interoffice Transport Combination - Zone 3 Interoffice Transport Combination - Zone 3 Interoffice Transport Combination - Zone 3 Interoffice Transport Combination - Zone 1 Interoffice Transport Combination - Zone 1 Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month Channelization - Channel System DS1 Interoffice Transport Combination - Per Mile Per Month Channelization - Channel System DS1 to DS0 combination Per Mile Per Month Channelization - Channel System DS1 to DS0 combination Per Mile Per Month Channelization - Channel System DS1 to DS0 combination Per Mile Per Month Channelization - Channel System DS1 to DS0 combination - Per Mile Per Month Channelization - Channel System DS1 to DS0 combination - Per Mile Per Month Channelization - Channel System DS1 to DS0 combination Per Mile Per Month Channelization - Channel System DS1 to DS0 combination Per Mile Per Month UNCIX UDCIX U	113.33 1.32 27.59 32.48 36.37 1.32	Nonrec First 3 57.26 2 6.71 9 125.22 8 125.22 7 125.22	24.74 4.84 60.48	First 1.86	Add'l	Elec per LSR	Manually per LSR SOMAN	Manual Svc Order vs. Electronic- 1st	Manual Svc Order vs. Electronic- Add'I Rates(\$)	Manual Svc Order vs. Electronic- Disc 1st	Manual Svc Order vs. Electronic- Disc Add'l
Channelization - Channel System DS1 to DS0 combination Per Month Channelization - Channel System DS1 to DS0 combination Per Month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) Additional 4-Wire 65fkbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 1 Additional 4-Wire 65fkbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 2 Additional 4-Wire 65fkbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 3 OCU-DP COCI (data) - DS1 to DS0 Channel System - combination Per month (2.4-64kbs) Nonrecurring Currently Combined Network Elements Switch - As- Is Charge 4-Wire 64fkpps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 3 First 4-Wire 64fkpps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 3 Interoffice Transport Combination - Zone 3 Interoffice Transport Combination - Zone 3 Interoffice Transport Combination - Zone 3 Interoffice Transport Combination - Zone 3 Interoffice Transport Combination - Zone 1 Interoffice Transport Combination - Zone 1 Interoffice Transport Combination - Zone 1 Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month Channelization - Channel System DS1 to DS0 Combination Per Mile Per Month Channelization - Channel System DS1 to DS0 Combination Per Mile Interoffice Transport Combination - Zone 1 Additional 4-Wire 64fkbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 1 Interoffice Transport Combination - Zone 1 Interoffice Transport Combination - Zone 2 Additional 4-Wire 64fkbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 3 OCU-DP COCI (data) - DS1 to DS0 Channel System Combination - Combination - Zone 3 OCU-DP COCI (data) - DS1 to DS0 Channel System Combination - Combination - Zone 3 OCU-DP COCI (data) - DS1 to DS0 Channel System Combination - Zone 3 OCU-DP COCI (data) - DS1 to DS0 Channel System Combination - Zone 3 OCU-DP COCI (data) - DS1 to DS0 Channel System C	113.33 1.32 27.59 32.48 36.37 1.32	Nonrec First 3 57.26 2 6.71 9 125.22 8 125.22 7 125.22	24.74 4.84 60.48	First 1.86	Add'l	per LSR	per LSR	Order vs. Electronic- 1st	Order vs. Electronic- Add'I Rates(\$)	Order vs. Electronic- Disc 1st	Order vs. Electronic- Disc Add'l
Channelization - Channel System DS1 to DS0 combination Per Month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) Additional 4-Wire 66Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 1 1 UNCDX UDL56 Additional 4-Wire 66Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 2 2 UNCDX UDL56 Additional 4-Wire 66Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 2 3 3 UNCDX UDL56 Additional 4-Wire 66Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 3 3 UNCDX UDL56 Additional 4-Wire 66Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 3 3 UNCDX UDL56 Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - DS1 to DS0 Channel System - UNCDX UDL56 Interoffice Transport Combined Network Elements Switch -As-Is Charge 4-Wire 64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL) First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 3 1 UNCDX UDL64 First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 3 1 UNCDX UDL64 Interoffice Transport Dedicated - DS1 combination - Per Mile Per Month Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month Channelization - Channel System DS1 to DS0 combination Per Month OCU-DP COCI (data) - DS1 to DS0 Channel System Combination - Per month (2.4-64kbs) Interoffice Transport Combination - Zone 1 1 UNCDX UDL64 Interoffice Transport - Dedicated - DS1 combination Per Month OCU-DP COCI (data) - DS1 to DS0 Channel System Combination - Per month (2.4-64kbs) Interoffice Transport Combination - Zone 1 1 UNCDX UDL64 Interoffice Transport Ombination - Zone 1 1 UNCDX UDL64 Interoffice Transport Ombination - Zone 1 1 UNCDX UDL64 Interoffice Transport Combination - Zone 1 1 UNCDX UDL64 Interoffice Transport Combination - Zone 2 2 UNC	113.33 1.32 27.59 32.48 36.37 1.32	First 3 57.26 2 6.71 9 125.22 8 125.22 7 125.22	Add'I 14.74 4.84 60.48	First 1.86	Add'l	•	SOMAN	Electronic- 1st OSS	Electronic- Add'l Rates(\$)	Electronic- Disc 1st	Electronic- Disc Add'l
Month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) UNCDX 1D1DD	113.33 1.32 27.59 32.48 36.37 1.32	First 3 57.26 2 6.71 9 125.22 8 125.22 7 125.22	Add'I 14.74 4.84 60.48	First 1.86	Add'l	SOMEC		1st OSS	Add'I Rates(\$)	Disc 1st	Disc Add'l
Month	113.33 1.32 27.59 32.48 36.37 1.32	First 3 57.26 2 6.71 9 125.22 8 125.22 7 125.22	Add'I 14.74 4.84 60.48	First 1.86	Add'l	SOMEC		oss	Rates(\$)		
Month	113.33 1.32 27.59 32.48 36.37 1.32	First 3 57.26 2 6.71 9 125.22 8 125.22 7 125.22	Add'I 14.74 4.84 60.48	First 1.86	Add'l	SOMEC				SOMAN	
Month	113.33 1.32 27.59 32.48 36.37 1.32	3 57.26 2 6.71 9 125.22 8 125.22 7 125.22	14.74 4.84 60.48 60.48	1.86		SOMEC		SOMAN	SOMAN	SOMAN	
Month	1.32 27.59 32.48 36.37 1.32	2 6.71 9 125.22 8 125.22 7 125.22	4.84 60.48 60.48		1.67		7.86				SOMAN
CCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-84kbs)	1.32 27.59 32.48 36.37 1.32	2 6.71 9 125.22 8 125.22 7 125.22	4.84 60.48 60.48		1.67		7.86			i l	ı
month (2.4-64kbs)	27.59 32.48 36.37 1.32	9 125.22 8 125.22 7 125.22	60.48	59.69							<u></u>
Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 1 Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 2 Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 2 Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 3 OCU-DP COCI (data) - DS1 to DS0 Channel System - combination per month (2.4-64kbs) Nonrecurring Currently Combined Network Elements Switch -As- Is Charge 4-WIRE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL) First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 1 First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 2 Interoffice Transport Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month UNC1X UNC1X Interoffice Transport - Dedicated - DS1 combination - Per Mile Channelization - Channel System DS1 to DS0 combination Per Month Channelization - Channel System DS1 to DS0 combination Per Month Channelization - Channel System DS1 to DS0 combination Per Month UNC1X UNC1A UNC1X UNC1X UNC1A UNC1X UNC1A	27.59 32.48 36.37 1.32	9 125.22 8 125.22 7 125.22	60.48	59.69						i l	ı
Interoffice Transport Combination - Zone 1 Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 2 Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 3 Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 3 UNCDX UDL56 CCU-DP COCI (data) - DS1 to DS0 Channel System - combination per month (2.4-64kbs) Nonrecurring Currently Combined Network Elements Switch -As- Is Charge 4-WIRE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL) First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 1 First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 2 2 UNCDX UDL64 First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 2 2 UNCDX UDL64 First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month Channelization - Channel System DS1 to DS0 combination Per Month COL-DP COCI (data) - DS1 to DS0 Channel System combination - per month (2.4-64kbs) Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 1 Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 2 2 UNCDX UDL64 Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 2 2 UNCDX UDL64 Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 2 2 UNCDX UDL64 Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 2 2 UNCDX UDL64 Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 2 2 UNCDX UDL64 AURIC DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 3	32.48 36.37 1.32	8 125.22 7 125.22	60.48	59.69			7.86				
Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 2 2 UNCDX UDL56	32.48 36.37 1.32	8 125.22 7 125.22	60.48	59.69						i l	1
Interoffice Transport Combination - Zone 2 Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 3 OCU-DP COCI (data) - DS1 to DS0 Channel System - combination per month (2.4-64kbs) Nonrecurring Currently Combined Network Elements Switch - As- Is Charge 4-WIRE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL) First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 1 First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 2 Interoffice Transport Combination - Zone 3 Interoffice Transport Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month UNC1X UNC1X UDL64 Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month Channelization - Channel System DS1 to DS0 combination Per Month OCU-DP COCI (data) - DS1 to DS0 Channel System combination - per month (2.4-64kbs) Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 1 Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 1 Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 2 UNCDX UDL64 Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 2 UNCDX UDL64 Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 2 UNCDX UDL64 Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 2 UNCDX UDL64 Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 2 UNCDX UDL64 Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 2 UNCDX UDL64 Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 2 UNCDX UDL64 UNCDX UDL64 4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 2 UNCDX USLXX 4-	36.37 1.32	7 125.22			7.84		7.86				
Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 3 UNCDX UDL56 UDL56 COU-DP COCI (data) - DS1 to DS0 Channel System - combination per month (2.4-64kbs) UNCDX 1D1DD Nonrecurring Currently Combined Network Elements Switch -As- Is Charge UNCDX UDL64 UNCCC 4-WIRE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL) First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 1 1 UNCDX UDL64 First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 2 2 UNCDX UDL64 First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 3 3 UNCDX UDL64 Interoffice Transport Combination - Zone 3 3 UNCDX UDL64 Interoffice Transport Combination - Zone 3 3 UNCDX UDL64 Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month UNC1X USL5X UNC1X UDL64 UNC1X USL5X UNC1X UDL64 UNC1X USL5X UNC1X UDL64 UNC1X USL5X UNC1X UDL64 UNC1X USL5X UNC1X UDL64 UNC1X USL5X UNC1X UDL64 UNC1X USL5X UNC1X UDL64 UNC1X USL5X UNC1X UDL64 UNC1X USL5X UNC1X UDL64 UNC1X UD	36.37 1.32	7 125.22		50.00	7.04		7.00			i l	1
Interoffice Transport Combination - Zone 3 3 UNCDX UDL66 OCU-DP COCI (data) - DS1 to DS0 Channel System - combination per month (2.4-64kbs) UNCDX 1D1DD Nonrecurring Currently Combined Network Elements Switch -As-ls Charge UNC1X UNCCC 4-WIRE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL) First 4-Wire 64 Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 1 1 UNCDX UDL64 First 4-Wire 64 Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 2 2 UNCDX UDL64 First 4-Wire 64 Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 3 3 UNCDX UDL64 Interoffice Transport Combination - Zone 3 3 UNCDX UDL64 Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month UNC1X 1L5XX Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month UNC1X U1TF1 Channelization - Channel System DS1 to DS0 combination Per Month UNC1X U1TF1 Channelization - Channel System DS1 to DS0 combination Per Month UNC1X U1TF1 Channelization - Per month (2.4-64kbs) UNCDX UDL64 Additional 4-Wire 64 Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 1 1 UNCDX UDL64 Additional 4-Wire 64 Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 2 2 UNCDX UDL64 Additional 4-Wire 64 Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 2 2 UNCDX UDL64 Additional 4-Wire 64 Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 3 3 UNCDX UDL64 ADDEA	1.32		60.48	59.69	7.84		7.86				
CCU-DP COCI (data) - DS1 to DS0 Channel System - combination per month (2.4-64kbs) UNCDX UNCDX UNCDX ID1DD	1.32			59.69	7.84		7.86			i l	1
Combination per month (2.4-64kbs) Nonrecurring Currently Combined Network Elements Switch -As- Is Charge UNC1X UNCCC		2 6.71	00.40	59.69	7.04		7.00			\longrightarrow	
Nonrecurring Currently Combined Network Elements Switch -As- Is Charge UNC1X UNCCC		2 0.71	4.84				7.86			i l	ı
Scharge UNCCX UNCCC	27.50		7.07				7.00			$\overline{}$	
4-WIRE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL.) First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 1	27.50	8.98	8.98	11.17	11.17		7.86			i l	ı
First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 1 First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 2 First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 3 Transport Combination - Zone 3 Interoffice Transport Combination - Der Mile Per Month Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month UNC1X Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month UNC1X U1TF1 Channelization - Channel System DS1 to DS0 combination Per Month OCU-DP COCI (data) - DS1 to DS0 Channel System combination - per month (2.4-64kbs) Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 1 Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 2 Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 3 UNCDX UDL64 Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 3 UNCDX UDL64 OCU-DP COCI (data) - DS1 to DS0 Channel System combination - per month (2.4-64kbs) UNCDX UDL64 OCU-DP COCI (data) - DS1 to DS0 Channel System combination - per month (2.4-64kbs) UNCDX UDL64 UDL64 OCU-DP COCI (data) - DS1 to DS0 Channel System combination - per month (2.4-64kbs) UNCDX UDL64 UNCDX UDL64 UNCDX UDL64 OCU-DP COCI (data) - DS1 to DS0 Channel System combination - per month (2.4-64kbs) UNCDX UDL64 UNCDX UDL	27.50										
Transport Combination - Zone 1 First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 2 First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 3 Interoffice Transport Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month Per Month UNC1X IL5XX Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month UNC1X UNC1X UNC1X UNC1X UNC1X UNC1X UNC1X UNC1X UNC1X UNC1X UNC1X UNC1X UNC1X UNC1X MQ1 OCU-DP COCI (data) - DS1 to DS0 Channel System combination - per month (2.4-64kbs) UNCDX Interoffice Transport Combination - Zone 1 Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 2 Interoffice Transport Combination - Zone 2 Interoffice Transport Combination - Zone 2 UNCDX UDL64 Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 2 Interoffice Transport Combination - Zone 3 UNCDX UDL64 Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 2 UNCDX UDL64 Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 3 UNCDX UDL64 Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 3 UNCDX UDL64 OCU-DP COCI (data) - DS1 to DS0 Channel System combination - per month (2.4-64kbs) UNCDX UDL64 UNC	27.50										
Transport Combination - Zone 2 First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month UNC1X U1TF1 Channelization - Channel System DS1 to DS0 combination Per Month OCU-DP COCI (data) - DS1 to DS0 Channel System combination - per month (2.4-64kbs) UNC1X MQ1 OCU-DP COCI (data) - DS1 to DS0 Channel System combination - Per month (2.4-64kbs) UNCDX ID1DD Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 1 Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 2 Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 3 UNCDX UDL64 OCU-DP COCI (data) - DS1 to DS0 Channel System combination - per month (2.4-64kbs) UNCDX UDL64 OCU-DP COCI (data) - DS1 to DS0 Channel System combination - per month (2.4-64kbs) UNCDX UDL64 OCU-DP COCI (data) - DS1 to DS0 Channel System combination - per month (2.4-64kbs) UNCDX UDL64 Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination Valve Belments Switch - As- Is Charge UNCDX UNCDX UDL64 4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	21.59	9 125.22	60.48	59.69	7.84		7.86			i l	1
First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month UNC1X Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month UNC1X UNC1X UNC1X UNC1X UNC1X UNC1X UNC1X UNC1X UNC1X UNC1X MQ1 OCU-DP COCI (data) - DS1 to DS0 Channel System combination - per month (2.4-64kbs) Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 1 Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 2 Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 2 Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 2 Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 3 UNCDX UDL64 OCU-DP COCI (data) - DS1 to DS0 Channel System combination - per month (2.4-64kbs) Nonrecurring Currently Combined Network Elements Switch -As- Is Charge UNC1X UNC2X UNC2X UNC3 UNC3X UNC4X UNC4X UNC5X UNC5X UNC6C UNC1X UNC7X UNC7X UNC7X UNC7X UNC7X UNC7X UNC7X UNC7X UNC7X USLXX 4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 2 2 UNC1X USLXX 4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 3 3 UNC1X USLXX											
Transport Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month UNC1X Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month UNC1X U1TF1 Channelization - Channel System DS1 to DS0 combination Per Month UNC1X MQ1 OCU-DP COCI (data) - DS1 to DS0 Channel System combination - per month (2.4-64kbs) Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 1 Interoffice Transport Combination - Zone 2 Interoffice Transport Combination - Zone 2 Interoffice Transport Combination - Zone 3 Interoffice Transport Combination - Zone 3 Interoffice Transport Combination - Zone 3 Interoffice Transport Combination - Zone 3 Interoffice Transport Combination - Zone 3 Interoffice Transport Combination - Zone 3 Interoffice Transport Combination - Zone 3 Interoffice Transport Combination - Zone 3 Interoffice Transport Combination - Zone 3 Interoffice Transport Combination - Zone 3 INCDX UDL64 OCU-DP COCI (data) - DS1 to DS0 Channel System combination - per month (2.4-64kbs) Nonrecurring Currently Combined Network Elements Switch -As- Is Charge UNC1X UNCCC 4-WIRE DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 2 INC1X USLXX 4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 3 INC1X USLXX	32.48	8 125.22	60.48	59.69	7.84		7.86			i	
Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month UNC1X U1TF1 Channelization - Channel System DS1 to DS0 combination Per Month UNC1X U1TF1 UNC1X UNC1X U1TF1 UNC1X MQ1 OCU-DP COCI (data) - DS1 to DS0 Channel System combination - per month (2.4-64kbs) UNCDX ID1DD Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 1 Interoffice Transport Combination - Zone 2 Interoffice Transport Combination - Zone 2 Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 2 Interoffice Transport Combination - Zone 3 UNCDX UDL64 OCU-DP COCI (data) - DS1 to DS0 Channel System combination - per month (2.4-64kbs) Nonrecurring Currently Combined Network Elements Switch -As- Is Charge UNC1X UNCDX UNCDX UNCDX UDL64 UNCDX UDL64 UNCDX UDL64 UNCDX UDL64 UNCDX UDL64 UNCDX UDL64 UNCDX UNCDX UDL64 UNCDX UNCDX UDL64 UNCDX UNCDX UDL64 UNCDX UNCDX UDL64 UNCDX UNCDX UDL64 UNCDX UNCDX UDL64 UNCDX UNCDX UDL64 UNCDX UNCDX UDL64 UNCDX UNCDX UDL64 UNCDX UNCDX UDL64 UNCDX UNC										i	1
Per Month UNC1X 1L5XX Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month UNC1X U1TF1 Channelization - Channel System DS1 to DS0 combination Per Month UNC1X MQ1 OCU-DP COCI (data) - DS1 to DS0 Channel System UNC1X MQ1 OCU-DP COCI (data) - DS1 to DS0 Channel System UNCDX 1D1DD Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 1 1 UNCDX UDL64 Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 2 2 UNCDX UDL64 Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 3 3 UNCDX UDL64 OCU-DP COCI (data) - DS1 to DS0 Channel System Combination - Per month (2.4-64kbs) UNCDX UDL64 OCU-DP COCI (data) - DS1 to DS0 Channel System UNCDX 1D1DD Nonrecurring Currently Combined Network Elements Switch - As- Is Charge UNC1X UNCCC 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL) 4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 2 2 UNC1X USLXX 4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 3 3 UNC1X USLXX 4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 3 3 UNC1X USLXX 4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 3 3 UNC1X USLXX 4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 3 3 UNC1X USLXX 4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 3 3 UNC1X USLXX	36.37	7 125.22	60.48	59.69	7.84		7.86				
Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month Channelization - Channel System DS1 to DS0 combination Per Month OCU-DP COCI (data) - DS1 to DS0 Channel System combination - per month (2.4-64kbs) Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 1 Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 2 Interoffice Transport Combination - Zone 2 Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 2 Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 3 Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 3 ADDITIONAL UDL64 OCU-DP COCI (data) - DS1 to DS0 Channel System combination - per month (2.4-64kbs) Nonrecurring Currently Combined Network Elements Switch -As- Is Charge UNCDX UNCDX UDL64 4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 2 2 UNC1X USLXX 4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 2 2 UNC1X USLXX										i l	1
Termination Per Month Channelization - Channel System DS1 to DS0 combination Per Month OCU-DP COCI (data) - DS1 to DS0 Channel System combination - per month (2.4-64kbs) Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 1 1 UNCDX UDL64 Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 2 2 UNCDX UDL64 Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 2 2 UNCDX UDL64 Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 3 3 UNCDX UDL64 OCU-DP COCI (data) - DS1 to DS0 Channel System combination - per month (2.4-64kbs) Nonrecurring Currently Combined Network Elements Switch -As-Is Charge UNC1X UNCCC 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL) 4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 2 2 UNC1X USLXX 4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 2 3 UNC1X USLXX 4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 3 3 UNC1X USLXX	0.19	9									
Channelization - Channel System DS1 to DS0 combination Per Month OCU-DP COCI (data) - DS1 to DS0 Channel System combination - per month (2.4-64kbs) Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 1 Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 2 Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 2 Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 3 Interoffice Transport Combination - Zone 3 OCU-DP COCI (data) - DS1 to DS0 Channel System combination - per month (2.4-64kbs) Nonrecurring Currently Combined Network Elements Switch -As- Is Charge UNCDX UNCDX UDL64 UNCDX UDL64 UNCDX UDL64 UNCDX UDL64 UNCDX UDL64 UNCDX UDL64 UNCDX UDL64 UNCDX UDL64 UNCDX UDL64 UNCDX UDL64 UNCDX UDL64 UNCDX UDL64 UNCDX										i l	1
Month	79.02	2 181.24	123.53	56.72	22.32		7.86			\longmapsto	
OCU-DP COCI (data) - DS1 to DS0 Channel System combination - per month (2.4-64kbs) UNCDX 1D1DD Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 1 1 UNCDX UDL64 Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 2 2 UNCDX UDL64 Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 3 3 UNCDX UDL64 OCU-DP COCI (data) - DS1 to DS0 Channel System combination - per month (2.4-64kbs) UNCDX UDL64 Nonrecurring Currently Combined Network Elements Switch -As-Is Charge UNC1X UNCCC 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL) 4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 1 1 UNC1X USLXX 4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 2 2 UNC1X USLXX 4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 3 3 UNC1X USLXX	113.33	3 57.26	14.74	1.86	1.67		7.86			i l	1
combination - per month (2.4-64kbs) Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 1 Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 2 Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 2 Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 2 Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 3 UNCDX UDL64 OCU-DP COCI (data) - DS1 to DS0 Channel System combination - per month (2.4-64kbs) Nonrecurring Currently Combined Network Elements Switch -As- Is Charge UNCDX	113.33	3 37.20	14.74	1.00	1.07		7.00				
Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 1 Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 2 Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 2 Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 3 OCU-DP COCI (data) - DS1 to DS0 Channel System combination - per month (2.4-64kbs) Nonrecurring Currently Combined Network Elements Switch -As- Is Charge 4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 2 4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 2 4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 2 3 UNC1X UNC1X UNC1X USLXX 4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 2 3 UNC1X USLXX	1.32	2 6.71	4.84				7.86			i l	1
Interoffice Transport Combination - Zone 1 Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 2 Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 2 Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 3 OCU-DP COCI (data) - DS1 to DS0 Channel System combination - per month (2.4-64kbs) Nonrecurring Currently Combined Network Elements Switch -As- Is Charge 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL) 4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 1 1 UNC1X USLXX 4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 2 2 UNC1X USLXX 4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 3 3 UNC1X USLXX USLXX	1.02	2 0.71	7.07				7.00			$\overline{}$	
Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 2 2 UNCDX UDL64 Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 3 3 UNCDX UDL64 OCU-DP COCI (data) - DS1 to DS0 Channel System combination - per month (2.4-64kbs) Nonrecurring Currently Combined Network Elements Switch -As- Is Charge 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL) 4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 1 1 UNC1X USLXX 4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 2 2 UNC1X USLXX 4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 2 3 UNC1X USLXX	27.59	9 125.22	60.48	59.69	7.84		7.86			i l	1
Interoffice Transport Combination - Zone 2 Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 3 OCU-DP COCI (data) - DS1 to DS0 Channel System combination - per month (2.4-64kbs) Nonrecurring Currently Combined Network Elements Switch -As- Is Charge UNCDX UNCDX 1D1DD Nonrecurring Currently Combined Network Elements Switch -As- Is Charge UNC1X UNCCC 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL) 4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 2 1 UNC1X USLXX 4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 2 2 UNC1X USLXX 4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 3 3 UNC1X USLXX				00.00							
Interoffice Transport Combination - Zone 3 OCU-DP COCI (data) - DS1 to DS0 Channel System combination - per month (2.4-64kbs) Nonrecurring Currently Combined Network Elements Switch -As- Is Charge 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL) 4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 1 1 UNC1X USLXX 4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 2 2 UNC1X USLXX 4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 2 3 UNC1X USLXX 4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 3 3 UNC1X USLXX	32.48	8 125.22	60.48	59.69	7.84		7.86			i l	1
OCU-DP COCI (data) - DS1 to DS0 Channel System combination - per month (2.4-64kbs) Nonrecurring Currently Combined Network Elements Switch -As- Is Charge 4-WIRE DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 1 4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 2 4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 2 4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 2 4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 3 4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 3 4-Wire DS1 Digital Loop in Combination with DS1 Interoffice										1	i
Combination - per month (2.4-64kbs) UNCDX 1D1DD	36.37	7 125.22	60.48	59.69	7.84		7.86			i	
Nonrecurring Currently Combined Network Elements Switch -As- s Charge										i	1
Is Charge UNC1X UNCCC 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL) 4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 1 1 UNC1X USLXX 4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 2 2 UNC1X USLXX 4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 3 3 UNC1X USLXX	1.32	2 6.71	4.84				7.86				
4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL) 4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 1 4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 2 4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 2 3 UNC1X USLXX 4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 3 3 UNC1X USLXX				=						, ,	I
4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 1 4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 2 4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 3 3 UNC1X USLXX		8.98	8.98	11.17	11.17		7.86				
Transport - Zone 1		+									
4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 2 4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 3 3 UNC1X USLXX USLXX	86.47	7 210.70	114.60	63.96	17.97		7.86			, ,	I
Transport - Zone 2	00.47	210.70	114.00	03.90	17.97		7.00			\longrightarrow	
4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 3 UNC1X USLXX	114.10	0 210.70	114.60	63.96	17.97		7.86			, ,	i
Transport - Zone 3 3 UNC1X USLXX	114.10	210.70	114.00	55.90	17.57		7.50			$\overline{}$	
	297.76	6 210.70	114.60	63.96	17.97		7.86			, ,	I
Interoffice Transport - Dedicated - DS1 combination - Per Mile											·
Per Month UNC1X 1L5XX	0.19	9								, ,	I
Interoffice Transport - Dedicated - DS1 combination - Facility											
Termination Per Month UNC1X U1TF1		2 181.24	123.53	56.72	22.32		7.86				<u>. </u>
Nonrecurring Currently Combined Network Elements Switch -As-	79.02									, — —	
Is Charge UNC1X UNCCC	79.02	8.98	8.98	11.17	11.17		7.86				
4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORT (EEL)	79.02	_									
First DS1Loop in DS3 Interoffice Transport Combination - Zone	79.02				.= -					, ,	I
1 UNC1X USLXX		7 210.70	114.60	63.96	17.97		7.86			\vdash	
First DS1Loop in DS3 Interoffice Transport Combination - Zone 2 UNC1X USLXX	79.02 86.47	İ	114.60	62.00	17.07		7.86			, ,	i
	86.47	0.10.70	114.60	63.96	17.97		7.86				
First DS (Loop in DS3 interoffice Transport Combination - Zone 3 UNC1X USLXX		0 210.70		ı II	17.97		7.86			, ,	I

UNBUNDLE	D NETWORK ELEMENTS - Kentucky												Attachment:	2	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		RAT	ΓES(\$)			Svc Order Submitted Elec per LSR	Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - DS3 combination - Per Mile Per Month			UNC3X	1L5XX	4.09										
	Interoffice Transport - Dedicated - DS3 - Facility Termination per month			UNC3X	U1TF3	966.89	350.56	141.58	48.00	23.39		7.86				
	DS3 to DS1 Channel System combination per month DS3 Interface Unit (DS1 COCI) combination per month			UNC3X UNC1X	MQ3 UC1D1	158.20 11.80	115.48 6.71	56.53 4.84	15.12	5.30		7.86 7.86				
 	Additional DS1Loop in DS3 Interoffice Transport Combination -			UNCIX	OCIDI	11.00	0.71	4.04				7.00				
	Zone 1 Additional DS1Loop in DS3 Interoffice Transport Combination -		1	UNC1X	USLXX	86.47	210.70	114.60	63.96	17.97		7.86				
	Zone 2		2	UNC1X	USLXX	114.10	210.70	114.60	63.96	17.97		7.86				
	Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 3		3	UNC1X	USLXX	297.76	210.70	114.60	63.96	17.97		7.86				
	DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	11.80	6.71	4.84				7.86				
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNC3X	UNCCC		8.98	8.98	11.17	11.17		7.86				
2-WIRE	IN CHAIGE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GRADE INT	FROFE	ICF TR		UNCCC		0.90	0.90	11.17	11.17		7.00				
2	2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL2	12.67	125.22	60.48	59.69	7.84	1	7.86				
	2-WireVG Loop used with 2-wire VG Interoffice Transport		1													
	Combination - Zone 2 2-WireVG Loop used with 2-wire VG Interoffice Transport		2	UNCVX	UEAL2	17.45	125.22	60.48	59.69	7.84		7.86				1
	Combination - Zone 3 Interoffice Transport - Dedicated - 2-wire VG combination - Per		3	UNCVX	UEAL2	33.22	125.22	60.48	59.69	7.84		7.86				
	Mile Per Month Interoffice Transport - Dedicated - 2- Wire Voice Grade			UNCVX	1L5XX	0.01										
	combination - Facility Termination per month			UNCVX	U1TV2	23.95	98.09	53.67	56.31	22.42		7.86				
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNCVX	UNCCC		8.98	8.98	11.17	11.17		7.86				
4-WIRE	VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRADE IN	TEROFF	ICE TR	ANSPORT (EEL)												
	4-WireVG Loop used with 4-wire VG Interoffice Transport Combination - Zone 1			UNCVX	UEAL4	29.26	125.22	60.48	59.69	7.84		7.86				
	4-WireVG Loop used with 4-wire VG Interoffice Transport		-													
	Combination - Zone 2 4-WireVG Loop used with 4-wire VG Interoffice Transport		2	UNCVX	UEAL4	34.25	125.22	60.48	59.69	7.84		7.86				
	Combination - Zone 3 Interoffice Transport - Dedicated - 4-wire VG combination - Per		3	UNCVX	UEAL4	85.06	125.22	60.48	59.69	7.84		7.86				
	Mile Per Month			UNCVX	1L5XX	0.01										
	Interoffice Transport - Dedicated - 4- Wire Voice Grade combination - Facility Termination per month			UNCVX	U1TV4	21.28	98.09	53.67	56.31	22.42		7.86				
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNCVX	UNCCC		8.98	8.98	11.17	11.17		7.86				
DS3 DI	GITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFIC	E TRA	NSPOR		1		2.00	2.00				50				
	High Capacity Unbundled Local Loop - DS3 combination - Per Mile per month			UNC3X	1L5ND	9.25										
	High Capacity Unbundled Local Loop - DS3 combination -						007.00	447.00	00.10	00.07		7.00				
 	Facility Termination per month Interoffice Transport - Dedicated - DS3 - Per Mile per month	-		UNC3X UNC3X	UE3PX 1L5XX	308.31 4.09	237.36	147.69	83.43	32.67	1	7.86				
	Interoffice Transport - Dedicated - DS3 - Per Mile per Month Interoffice Transport - Dedicated - DS3 combination - Facility			01100/	ILUAA	4.08					†					
	Termination per per month Nonrecurring Currently Combined Network Elements Switch -As-			UNC3X	U1TF3	966.89	350.56	141.58	48.00	23.39		7.86				1
	Is Charge	-		UNC3X	UNCCC		8.98	8.98	11.17	11.17		7.86				<u> </u>
STS1 D	DIGITAL EXTENDED LOOP WITH DEDICATED STS1 INTEROF	FICE TE	(ANSP	JKI (EEL)	1						-					<u> </u>
	High Capacity Unbundled Local Loop - STS1 combination - Per Mile per month			UNCSX	1L5ND	9.25										
	High Capacity Unbundled Local Loop - STS1 combination - Facility Termination per month			UNCSX	UDLS1	320.51	237.36	147.69	83.43	32.67		7.86				
	Interoffice Transport - Dedicated - STS1 combination - Per Mile per month			UNCSX	1L5XX	4.09										1

LINDLIN	IDI EI	D NETWORK ELEMENTS - Kentucky												Attachment:	<u> </u>	Exhibit: B	
ONDON	IDLL	NETWORK ELEMENTS - Remucky										Svc Order	Svc Order	Incremental			Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
												Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGO	RY	RATE ELEMENTS	Interi	Zone	BCS	USOC		RAT	TES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						- (1)			per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																DISC 1St	DISC Add I
							Rec	Nonrec	urring	Nonrecurring	g Disconnect				Rates(\$)		
							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Interoffice Transport - Dedicated - STS1 combination - Facility															
		Termination per month			UNCSX	U1TFS	945.79	350.56	141.58	48.00	23.39		7.86				
		Nonrecurring Currently Combined Network Elements Switch -As-															
	MANDE	Is Charge	T (FF)		UNCSX	UNCCC		8.98	8.98	11.17	11.17		7.86				
	-WIKE	ISDN EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPOR First 2-Wire ISDN Loop in a DS1 Interoffice Combination	KI (EEL	1		+											
		Transport - Zone 1		1	UNCNX	U1L2X	18.44	125.22	60.48	59.69	7.84		7.86				
		First 2-Wire ISDN Loop in a DS1 Interoffice Combination		<u> </u>	CHOIN	UTLEX	10.44	120.22	00.40	00.00	7.04		7.00				
		Transport - Zone 2		2	UNCNX	U1L2X	25.08	125.22	60.48	59.69	7.84		7.86				
		First 2-Wire ISDN Loop in a DS1 Interoffice Combination															
		Transport - Zone 3		3	UNCNX	U1L2X	42.87	125.22	60.48	59.69	7.84		7.86	<u> </u>	<u> </u>		
		Interoffice Transport - Dedicated - DS1 combination - Per Mile			UNC1X	1L5XX	0.19										
		Interoffice Transport - Dedicated - DS1 combintion - Facility															
		Termination per month			UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32		7.86				
		Channelization - Channel System DS1 to DS0 combination -															
\vdash		per month		<u> </u>	UNC1X	MQ1	113.33	57.26	14.74	1.86	1.67		7.86	-	 		
		2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System			LINICNIV	UC1CA	2.04	6 71	4.04				7.06				
		combination - per month Additional 2-wire ISDN Loop in same DS1Interoffice Transport		<u> </u>	UNCNX	UCTCA	2.84	6.71	4.84				7.86				
		Combination - Zone 1		4	UNCNX	U1L2X	18.44	125.22	60.48	59.69	7.84		7.86				
		Additional 2-wire ISDN Loop in same DS1Interoffice Transport		- '-	UNCINA	UTLZX	10.44	125.22	00.40	39.09	7.04		7.00				
		Combination - Zone 2		2	UNCNX	U1L2X	25.08	125.22	60.48	59.69	7.84		7.86				
		Additional 2-wire ISDN Loop in same DS1Interoffice Transport		<u> </u>	0.10.01	O I EE /	20.00	120.22	00.10	00.00	7.01		7.00				
		Combination - Zone 3		3	UNCNX	U1L2X	42.87	125.22	60.48	59.69	7.84		7.86				
		2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System															
		combintaion- per month			UNCNX	UC1CA	2.84	6.71	4.84				7.86				
		Nonrecurring Currently Combined Network Elements Switch -As-															
		Is Charge		<u> </u>	UNC1X	UNCCC		8.98	8.98	11.17	11.17		7.86				
4	-WIRE	DS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 IN	TEROF	FICE T	RANSPORT (EEL)												
		First DS1 Loop in STS1 Interoffice Transport Combination -		1	UNC1X	USLXX	86.47	210.70	114.60	63.96	17.97		7.86				
		Zone 1 First DS1 Loop in STS1 Interoffice Transport Combination -		1	UNCIX	USLXX	86.47	210.70	114.60	63.96	17.97		7.86				
		Zone 2		2	UNC1X	USLXX	114.10	210.70	114.60	63.96	17.97		7.86				
		First DS1 Loop in STS1 Interoffice Transport Combination -			ONOTA	OOLAC	114.10	210.70	114.00	00.00	17.07		7.00				
		Zone 3		3	UNC1X	USLXX	297.76	210.70	114.60	63.96	17.97		7.86				
		Interoffice Transport - Dedicated - STS1 combination - Per Mile															
		Per Month			UNCSX	1L5XX	4.09						1		1		
		Interoffice Transport - Dedicated - STS1 combination - Facility															
		Termination			UNCSX	U1TFS	945.79	350.56	141.58	48.00	23.39		7.86				
\vdash		STS1 to DS1 Channel System conbination per month		<u> </u>	UNCSX	MQ3	158.20	115.48	56.53	15.12	5.30		7.86				
\vdash		DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	11.80	6.71	4.84				7.86	ļ	 		
		Additional DS1Loop in STS1 Interoffice Transport Combination -		4	UNC1X	USLXX	86.47	210.70	114.60	63.96	17.07		7.86		1		
\vdash		Zone 1 Additional DS1Loop in STS1 Interoffice Transport Combination -	-	1	OINO IA	USLAA	80.47	210.70	114.00	63.96	17.97		7.86		-		
		Zone 2		2	UNC1X	USLXX	114.10	210.70	114.60	63.96	17.97		7.86				
 		Additional DS1Loop in STS1 Interoffice Transport Combination -			014017	JOLAA	114.10	210.70	114.00	05.90	11.91		1.00				
		Zone 3		3	UNC1X	USLXX	297.76	210.70	114.60	63.96	17.97		7.86		1		
		DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	11.80	6.71	4.84	22.00			7.86				
		Nonrecurring Currently Combined Network Elements Switch -As-												1			
		Is Charge			UNCSX	UNCCC		8.98	8.98	11.17	11.17		7.86	<u> </u>	<u> </u>		
4	-WIRE	56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS INTERO	FFICE 1	RANS	PORT (EEL)				•								
T		4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport				I]]		1		
		Combination - Zone 1		1	UNCDX	UDL56	27.59	125.22	60.48	59.69	7.84		7.86				
		4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport		_	LINODY	LIDI 50				==					1		
\vdash		Combination - Zone 2	1	2	UNCDX	UDL56	32.48	125.22	60.48	59.69	7.84		7.86		 		
		4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	36.37	125.22	60.48	59.69	7.84		7.86		1		
\vdash		Interoffice Transport - Dedicated - 4-wire 56 kbps combination -	1	3	OIACDV	UDLUB	30.37	125.22	00.48	59.69	7.64	1	7.00	1	1		
		Per Mile			UNCDX	1L5XX	0.01						1		1		
					U.10DA	. 20/01	0.01			1	l	1	l	l	l		

ATECOPY RATE ELEMENTS Uses BCS USOC RATE(S)	HINDHIND! F	D NETWORK ELEMENTS - Kontucky												Attack	<u> </u>	Evhibit: D	
ATECHORY RATE ELEMENTS Manual Manua	ONBONDLE	D NETWORK ELEWIENTS - Kentucky	1	ı						I	1	Svo Orde-	Suc Orde-			Exhibit: B	Increment-
## CAPPED ON THE PRINCIPLE STATE OF THE PRINC																	
CATEGORY RATE REMERTS Marie Rose RCS USOC RATE(Q) Well-Continued Section Sec																	
Beautiful Beau	CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC		RΔ	TES(\$)				,				
	CATEGORI	NATE ELEMENTO	m	20116	500	0000		IVA.	LO(4)			per LSR	per LSR				
Non-control Non-control																	
March Marc														1st	Add'l	Disc 1st	Disc Add'l
Part							_ 1	Nonred	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
Facility Tomoration							Rec					SOMEC	SOMAN			SOMAN	SOMAN
Noncourting Controlled Network Enternals Sentich Duction		Interoffice Transport - Dedicated - 4-wire 56 kbps combination -															
SCRINGE Control Cont		Facility Termination			UNCDX	U1TD5	17.25	98.09	53.67	56.31	22.42		7.86				
A WANG EA KREW SURFALL PATENDOED LOOP WITH AL KREW INTERPORTED TRANSPORT EELS)		Nonrecurring Currently Combined Network Elements Switch -As-															
Sevent of Happe Locycle was of Happe Locycle was placed before the property of the Commission of Locycle and Commission						UNCCC		8.98	8.98	11.17	11.17		7.86				
Contribution - Zone 1	4-WIR		FFICE 1	RANS	PORT (EEL)												
Autor of Alops Long-very 64 stops Interoffice Transport 2 IACDX UDL64 30.48 195.22 10.48 50.69 7.84 7.86 1																	
Contribution - Zou 2				1	UNCDX	UDL64	27.59	125.22	60.48	59.69	7.84		7.86				
Assertion Asse																	
Combination 7-24m 3				2	UNCDX	UDL64	32.48	125.22	60.48	59.69	7.84		7.86				
Interface Transport - Cedeciated - 4-wire 64 Algos combination - UNCDX				_						==							
Per Mile				3	UNCDX	UDL64	36.37	125.22	60.48	59.69	7.84		7.86				
Interfice Trainaport - Declarated				1	LINCDY	11 5 7 7	0.04										
Facility Termination	 		 	-	UNCDX	ILOXX	0.01							-	 		
Namescuring Currenty Combined Network Elements Switch -64- NAMES					LINCDV	LIATOR	17.05	00.00	F2 67	EC 21	22.42		7.06				
In Charge Approximate Charge Ch			<u> </u>	1	OINCDA	UTIDO	17.25	90.09	33.67	30.31	22.42	1	1.00				
Approved Net Network Elements Switch as a part of a currently combined facility, the non-recurring charges apply and the Switch As Is charge does apply.			1		LINCDY	LINCCC		8 08	8 08	11 17	11 17		7.86				
When used as a part of a currently combined facility, the non-recurring charges apply and the Switch As Is Charge does apply.	ADDITIONAL			1	ONODA	ONCCC		0.30	0.30	11.17	11.17		7.00				
When used as ordinarity combined network elements is Neinh Ast Charge (one spit) and the Switch Ast Charge (one spit) and the Swi			rng cha	raes do	not apply, but a S	witch As Is c	harge does and	ilv.									
Nonrecurring Currently Combined Network Elements Switch As Is Charge 2 weed-Wire VG																	
Nortrecurring Currently Combined Network Elements Switch -As- Is Charge - 2 Waref-African Currently Combined Network Elements Switch -As- Scharge - 100							ge										
S. Charge - 2 wired-Wire VG Noncouring Currently Combined Network Elements Switch - As- In Charge - 5604 Mpg Noncouring Currently Combined Network Elements Switch - As- In Charge - 1504 Noncouring Currently Combined Network Elements Switch - As- In Charge - 1504 Noncouring Currently Combined Network Elements Switch - As- In Charge - 1504 Noncouring Currently Combined Network Elements Switch - As- In Charge - 1504 Noncouring Currently Combined Network Elements Switch - As- In Charge - 1504 Noncouring Currently Combined Network Elements Switch - As- In Charge - 1504 Noncouring Currently Combined Network Elements Switch - As- In Charge - 1504 Noncouring Currently Combined Network Elements Switch - As- In Charge - 1504 Noncouring Currently Combined Network Elements Switch - As- In Charge - 1504 Noncouring Currently Combined Network Elements Switch - As- In Charge - 1504 Noncouring Currently Combined Network Elements Switch - As- In Charge - 1504 Noncouring Currently Combined Network Elements Switch - As- In Charge - 1504 Noncouring Currently Combined Network Elements Switch - As- In Charge - 1504 Noncouring Currently Combined Network Elements Switch - As- In Charge - 1504 Noncouring Currently Combined Network Elements Switch - As- In Charge - 1504 Noncouring Currently Combined Network Elements Switch - As- In Charge - 1504 Noncouring Currently Combined Network Elements Switch - As- In Charge - 1504 Noncouring Currently Combined Network Elements Switch - As- In Charge - 1504 Noncouring Currently Combined Network Elements Switch - As- In Charge - 1504 Noncouring Currently Combined Network Elements Switch - As- In Charge - 1504 Noncouring Currently Currently Combined Network Elements Switch - As- In Charge - 1504 Noncouring Currently Cur				ľ		1											
S Charge - 5694 kbps UNCDX UNCCC 8.98 8.98 11.17 11.17 7.96					UNCVX	UNCCC		8.98	8.98	11.17	11.17		7.86				
Nonrecuring Currently Combined Network Elements Switch -As- Is Charge - DSI Nonrecuring Currently Combined Network Elements Switch -As- Is Charge - DSI Nonrecuring Currently Combined Network Elements Switch -As- Is Charge - DSI Nonrecuring Currently Combined Network Elements Switch -As- Is Charge - DSI Nonrecuring Currently Combined Network Elements Switch -As- Is Charge - DSI Nonrecuring Currently Combined Network Elements Switch -As- Is Charge - DSI Nonrecuring Currently Combined Network Elements Switch -As- Is Charge - DSI Nonrecuring Currently Combined Network Elements Switch -As- Is Charge - DSI Nonrecuring Currently Combined Network Elements Switch -As- Is Charge - DSI Nonrecuring Currently Combined Network Elements Switch -As- Is Charge - DSI Nonrecuring Currently Combined Network Elements Switch -As- Is Charge - DSI Nonrecuring Currently Combined Network Elements Switch -As- Is Charge - DSI Nonrecuring Currently Combined Network Elements Switch -As- Is Charge - DSI Nonrecuring Currently Combined Network Elements Switch -As- Is Charge - DSI Nonrecuring Currently Combined Network Elements Switch -As- Is Charge - DSI Nonrecuring Currently Combined Network Elements Switch -As- Is Charge - DSI Nonrecuring Currently Combined Network Elements Switch -As- Is Charge - DSI Nonrecuring Currently Combined Network Elements Switch -As- Is Charge - DSI Nonrecuring Currently Currently - Nonrecuring Currently Combined Network Elements Switch -As- Is Charge - DSI Nonrecuring Currently Combined Network Elements Switch -As- Is Charge - DSI Nonrecuring Currently Currently Currently - Nonrecuring Currently Currently - Nonrecuring Currently Currently - Nonrecuring Currently Currently - Nonrecuring Currently - Nonrecuring Currently - Nonrecuring Currently - Nonrecuring Currently - Nonrecuring Currently - Nonrecuring Currently - Nonrecuring Currently - Nonrecuring Currently - Nonrecuring Currently - Nonrecuring Currently - Nonrecuring Currently -		Nonrecurring Currently Combined Network Elements Switch -As-	-														
Scharge - DST		Is Charge - 56/64 kbps			UNCDX	UNCCC		8.98	8.98	11.17	11.17		7.86				
Nonrecurring Currently Combined Network Elements Switch -As- is Charge - DS3 Nonrecurring Currently Combined Network Elements Switch -As- is Charge - STS1 UNCSX UNCCC 8.98 8.98 11.17 11.17 7.86 11.17 11.17			-														
S. Charge - DS3					UNC1X	UNCCC		8.98	8.98	11.17	11.17		7.86				
Nonrecurring Currently Combined Network Elements Switch -A8- Sunce Sunce Still			-														
NOTE: Local Channel - Dedicated - 2-Wire Voice Grade per month UNCXV ULDV2 18.57 265.78 46.96 46.79 4.98 7.66					UNC3X	UNCCC		8.98	8.98	11.17	11.17		7.86				
NOTE: Local Channel - Dedicated Transport - Inhimum billing period - Below DS3-one month, DS3 and abovedrour months Local Channel - Dedicated - 4-Wire Voice Grade per month LOCXV LUDV2 18.57 265.78 46.96 46.79 4.98 7.86 Local Channel - Dedicated - 4-Wire Voice Grade per month LOCXV LUDV4 19.86 266.48 47.65 47.54 5.73 7.86 Local Channel - Dedicated - DS1 per month Zone 1 1 LOCAL VILDF1 40.46 20.96.60 176.51 30.21 21.07 7.86 Local Channel - Dedicated - DS1 per month Zone 2 2 LOCAL VILDF1 43.39 20.96.60 176.51 30.21 21.07 7.86 Local Channel - Dedicated - DS1 per Month Zone 3 3 LOCAL VILDF1 41.40 20.96.60 176.51 30.21 21.07 7.86 Local Channel - Dedicated - DS3 - Per Mile per month LOCAL VILDF1 41.40 20.96.60 176.51 30.21 21.07 7.86 Local Channel - Dedicated - DS3 - Per Mile per month LOCAL VILDF1 41.40 20.96.60 176.51 30.21 21.07 7.86 Local Channel - Dedicated - DS3 - Per Mile per month LOCAL VILDF1 41.40 20.96.60 176.51 30.21 21.07 7.86 Local Channel - Dedicated - DS3 - Per Mile per month LOCAL VILDF3 576.05 551.38 338.08 173.00 120.42 7.86 Local Channel - Dedicated - ST5-1 - Per Mile per month LOCAL VILDF3 576.05 551.38 338.08 173.00 120.42 7.86 Local Channel - Dedicated - ST5-1 - Per Mile per month LOCAL VILDF3 576.05 551.38 338.08 173.00 120.42 7.86 Local Channel - Dedicated - ST5-1 - Facility Termination per month LOCAL VILDF3 576.05 551.38 338.08 173.00 120.42 7.86 Local Channel - Dedicated - ST5-1 - Facility Termination per month LOCAL EXCHANGE SWITCHING(PORTS) LOCAL EXCHANGE SWITCHING(PORTS) LOCAL EXCHANGE SWITCHING(PORTS) LOCAL EXCHANGE SWITCHING(PORTS) LOCAL EXCHANGE SWITCHING(PORTS) LOCAL EXCHANGE SWITCHING(PORTS) LOCAL EXCHANGE SWITCHING(PORTS) LOCAL EXCHANGE SWITCHING(PORTS) LOCAL EXCHANGE SWITCHING(PORTS) LOCAL EXCHANGE SWITCHING(PORTS) LOCAL EXCHANGE SWITCHING(PORTS) LOCAL EXCHANG			-														
Local Channel - Dedicated - 2-Wire Volice Grade per month UNCXV ULDV4 18.57 265.78 46.96 46.79 4.98 7.86	NOTE		l Bala	D00				8.98	8.98	11.17	11.17		7.86				
Local Channel - Dedicated - 4-Wire Voice Grade per month UNCXV ULDV4 19.88 266.48 47.65 47.54 5.73 7.86	NOTE		a - Belo	W D53:				005.70	40.00	40.70	4.00		7.00				
Local Channel - Dedicated - DS1 per month Zone 1																	
Local Channel - Dedicated - DS1 - Per Month Zone 2 2 UNC1X ULDF1 43.39 209.60 176.51 30.21 21.07 7.86				1													
Local Channel - Dedicated - DS3 - Per Month Zone 3 3 UNC1X ULDF1 164.50 209.60 176.51 30.21 21.07 7.86	 		1											1	1		
Local Channel - Dedicated - DS3 - Facility Termination per	 		 												 		
Local Channel - Dedicated - DS3 - Facility Termination per	 		 	-				203.00	170.51	30.21	21.07		7.00		 		
Month							5.14										
Local Channel - Dedicated - STS-1 - Per Mile per month UNCSX 1.5NC 8.74			1		UNC3X	ULDF3	576.05	551.38	338.08	173.00	120.42		7.86		1		
Local Channel - Dedicated - STS-1 - Facility Termination per month UNCSX ULDFS 543.24 551.38 338.08 173.00 120.42 7.86 UNBUNDLED LOCAL EXCHANGE SWITCHING(PORTS)			1					2200	222.00				50				
MOTE: Although the Port Rate includes all available features in GA, KY, LA & TN, the desired features will need to be ordered using retail USOCs																	
Exchange Ports NOTE: Although the Port Rate includes all available features in GA, KY, LA & TN, the desired features will need to be ordered using retail USOCs Subsequent Activity NOTE: Although the Port Rate includes all available features in GA, KY, LA & TN, the desired features will need to be ordered using retail USOCs Subsequent Activity Subsequent Activi		month	1		UNCSX	ULDFS	543.24	551.38	338.08	173.00	120.42		7.86		1		
NOTE: Although the Port Rate includes all available features in GA, KY, LA & TN, the desired features will need to be ordered using retail USOCS	UNBUNDLED	LOCAL EXCHANGE SWITCHING(PORTS)	<u> </u>														
2-WIRE VOICE GRADE LINE PORT RATES (RES)																	
Exchange Ports - 2-Wire Analog Line Port- Res.			KY, LA	& TN, t	ne desired features	will need to I	be ordered usin	g retail USOC	3								
Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.	2-WIR																
Exchange Ports - 2-Wire Analog Line Port outgoing only - Res. UEPSR UEPRO 1.49 3.74 3.63 2.23 2.13 7.86		Exchange Ports - 2-Wire Analog Line Port- Res.	<u> </u>		UEPSR	UEPRL	1.49	3.74	3.63	2.23	2.13		7.86				
Exchange Ports - 2-Wire Analog Line Port outgoing only - Res. UEPSR UEPRO 1.49 3.74 3.63 2.23 2.13 7.86			1												1		
Exchange Ports - 2-Wire VG unbundled KY extended local dialing parity Port with Caller ID - Res.	\vdash	Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.	<u> </u>	<u> </u>	UEPSR	UEPRC	1.49	3.74	3.63	2.23	2.13		7.86				
Exchange Ports - 2-Wire VG unbundled KY extended local dialing parity Port with Caller ID - Res.		Evolungo Porto - 2 Wiro Angles Line Port evitaria e est.			LIEDOD	LIEDDO	4 40	0.74	2.00	0.00	0.40		7.00				
dialing parity Port with Caller ID - Res.			ļ	1	UEPSK	UEPRU	1.49	3.74	3.63	2.23	2.13		7.86		-		
Exchange Ports - 2-Wire VG unbundled res, low usage line port UEPSR				1	LIEDOD	HEDDM	1 40	274	2.62	2.22	2 42		7.96				
with Caller ID (LUM)	\vdash		1	1	ULFOR	UEPRIVI	1.49	3.74	3.03	2.23	2.13		7.80				
Subsequent Activity					LIEPSR	LIEPAD	1 /0	3 74	3 63	2 22	2 12		7 96				
FEATURES	 		!							2.23	2.13				 		
	FFAT		 		0_1 OIX	30,100	0.00	0.00	0.00				7.00		 		
		All Available Vertical Features	1	1	UEPSR	UEPVF	0.00	0.00	0.00				7.86				

INBUNDLE	D NETWORK ELEMENTS - Kentucky		1	ı	1								Attachment:		Exhibit: B	
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		RAT	ΓES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Charge Manual S Order vs Electroni Disc Add
							Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		<u> </u>
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
2-WIRI	E VOICE GRADE LINE PORT RATES (BUS)															
	Exchange Ports - 2-Wire Analog Line Port without Caller ID -															
	Bus			UEPSB	UEPBL	1.49	3.74	3.63	2.23	2.13		7.86				
	Exchange Ports - 2-Wire VG unbundled Line Port with															Ī
	unbundled port with Caller+E484 ID - Bus.			UEPSB	UEPBC	1.49	3.74	3.63	2.23	2.13		7.86				
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus.			UEPSB	UEPBO	1.49	3.74	3.63	2.23	2.13		7.86				
	Exchange Ports - 2-Wire VG unbundled KY extended local dialing parity Port with Caller ID - Bus.			UEPSB	UEPBM	1.49	3.74	3.63	2.23	2.13		7.86				
	Exhange Ports - 2-Wire VG unbundled incoming only port with			UEFOB	UEPBIVI	1.49	3.74	3.03	2.23	2.13		7.00				
	Caller ID - Bus			UEPSB	UEPB1	1.49	3.74	3.63	2.23	2.13		7.86				
	Subsequent Activity			UEPSB	USASC	0.00	0.00	0.00	2.20	2.10		7.86				
FEATL				-	1	2.20	2.20	2.30								
	All Available Vertical Features			UEPSB	UEPVF	0.00	0.00	0.00				7.86			<u> </u>	
EXCH	ANGE PORT RATES (DID & PBX)															
	2-Wire VG Unbundled 2-Way PBX Trunk - Res			UEPSE	UEPRD	1.49	39.05	18.17	15.38	0.89		7.86				
	2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus			UEPSP	UEPPC	1.49	39.05	18.17	15.38	0.89		7.86				
	2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus			UEPSP	UEPPO	1.49	39.05	18.17	15.38	0.89		7.86				
	2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus			UEPSP	UEPP1	1.49	39.05	18.17	15.38	0.89		7.86				
	2-Wire Analog Long Distance Terminal PBX Trunk - Bus			UEPSP	UEPLD UEPLD	1.49	39.05	18.17	15.38	0.89		7.86				
	2-Wire Voice Unbundled PBX LD Terminal Ports 2-Wire Vice Unbundled 2-Way PBX Usage Port			UEPSP UEPSP	UEPLD	1.49 1.49	39.05 39.05	18.17 18.17	15.38 15.38	0.89		7.86 7.86				
	2-Wire Voice Unbundled 2-Way PBX Usage Port 2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPSP	UEPXA	1.49	39.05	18.17	15.38	0.89		7.86				
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPSP	UEPXC	1.49	39.05	18.17	15.38	0.89		7.86				
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPSP	UEPXD	1.49	39.05	18.17	15.38	0.89		7.86				
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD			OLI OI	OLI AD	1.40	00.00	10.17	10.00	0.00		7.00				
	Capable Port			UEPSP	UEPXE	1.49	39.05	18.17	15.38	0.89		7.86				
	2-Wire Voice Unbundled 2-Way PBX Kentucky Room Area															
	Calling Port Without LUD			UEPSP	UEPXF	1.49	39.05	18.17	15.38	0.89		7.86				
	2-Wire Voice Unbundled PBX Kentucky LUD Area Calling Port			UEPSP	UEPXG	1.49	39.05	18.17	15.38	0.89		7.86				
	2-Wire Voice Unbundled PBX Kentucky Premium Callling Port			UEPSP	UEPXH	1.49	39.05	18.17	15.38	0.89		7.86				
	2-Wire Voice Unbundled 2-Way PBX Kentucky Area Callling															
	Port Without LUD			UEPSP	UEPXJ	1.49	39.05	18.17	15.38	0.89		7.86				
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			LIEDOD	LIEDVI	4.40	00.05	10.17	45.00	0.00		7.00				
	Administrative Calling Port			UEPSP	UEPXL	1.49	39.05	18.17	15.38	0.89		7.86				
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port	l	l	UEPSP	UEPXM	1.49	39.05	18.17	15.38	0.89		7.86				
-	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital	1	 	OLFOF	OLFAIVI	1.49	აყ.სე	10.17	15.38	0.69		1.00			1	
	Discount Room Calling Port	l	l	UEPSP	UEPXO	1.49	39.05	18.17	15.38	0.89		7.86				
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPSP	UEPXS	1.49	39.05	18.17	15.38	0.89		7.86				
	Subsequent Activity			UEPSP	USASC	0.00	0.00	0.00				7.86				
FEATU	JRES															
	All Available Vertical Features			UEPSP UEPSE	UEPVF	0.00	0.00	0.00				7.86				
EXCH	ANGE PORT RATES (COIN)															
	Exchange Ports - Coin Port	ļ	<u> </u>			1.49	3.74	3.63	2.23	2.13		7.86				ļ
	Switching Features offered with Port										-1-1	- IODN				
	: Transmission/usage charges associated with POTS circuit so : Access to B Channel or D Channel Packet capabilities will be													Paguast Pra	ncess	
NOTE	Exchange port - 4-wire ISDN trunk port -all available features	avandi	, e 0111	y anough brk/New	Lusiness Re	4uesi F100ess.	nates for the	Packer capabi	iiies will be de	termineu via ti	ie bolla fic	e nequest/i	vew business	nequest Pro	, , , , , , , , , , , , , , , , , , ,	
	included	l	l		UEPEX	101.60	188.36	95.15	61.92	22.67		7.86				
BUNDLED	LOCAL EXCHANGE SWITCHING(PORTS)	1			52. ZX	101.00	100.00	55.15	01.02	22.01		7.00			1	
	ANGE PORT RATES (DID & PBX)															1
	Exchange Ports - 2-Wire DID Port			UEPEX	UEPP2	10.51	92.18	15.82	52.16	5.30		7.86				
	Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID															
	capability			UEPDD	UEPDD	74.77	164.86	77.74	60.69	3.86		7.86				ļ
	Exchange Ports - 2-Wire ISDN Port (See Notes below.)	ļ		UEPTX UEPSX	U1PMA	13.46	60.60	50.67	32.83	14.17		7.86				
	All Features Offered Transmission/usage charges associated with POTS circuit so	L		UEPTX UEPSX	UEPVF	0.00	0.00	0.00			L					↓
		witched	HESTA	will also apply to d	urcuit ewitchs			ad data tranem	uccion by B.Ch		atod with 2	wire ISDN n	orte		1	1

LIND	UDI E	D NETWORK ELEMENTS - Kantualar													•	E-1-2-2 E	I
ONBO	NULEL	D NETWORK ELEMENTS - Kentucky	1			1	ı					Sun Carde	Sun Carde	Attachment:		Exhibit: B	In orom and -!
			1									Svc Order					Incremental
												Submitted	Submitted	_	Charge -	Charge -	Charge -
CATEGO	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC		RΔ	TES(\$)			Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CAILO	OIX I	KATE EEEMERTO	m	20116	500	0000		IVA	ι Ευ(ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Do-	Nonrec	curring	Nonrecurring	Disconnect			oss	Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Exchange Ports - 2-Wire ISDN Port Channel Profiles			UEPTX UEPSX	U1UMA	0.00	0.00	0.00								
		Exchange Ports - 4-Wire ISDN DS1 Port			UEPEX	UEPEX	101.60	188.36	95.15	61.92	22.67		7.86				
		OCAL SWITCHING, PORT USAGE															
	End Off	fice Switching (Port Usage)															
		End Office Switching Function, Per MOU					0.0011971										
	Tandan	End Office Trunk Port - Shared, Per MOU					0.0002112										
	randen	n Switching (Port Usage) (Local or Access Tandem) Tandem Switching Function Per MOU	<u> </u>				0.000194										
-		Tandem Trunk Port - Shared, Per MOU	1				0.000194										
-	Commo	on Transport	1				0.0002410										
+	55111110	Common Transport - Per Mile, Per MOU	1				0.000003										
\vdash		Common Transport - Facilities Termination Per MOU	t				0.0007466							1			
UNBUN	DLED P	PORT/LOOP COMBINATIONS - COST BASED RATES	t				2.23000							1			
		ased Rates are applied where BellSouth is required by FCC ar	nd/or St	ate Cor	mmission rule to pro	vide Unbun	dled Local Swi	tching or Swite	ch Ports.					İ			İ
		es shall apply to the Unbundled Port/Loop Combination - Cos								ed Port section	of this Rate E	xhibit.			İ		İ
	End Off	fice and Tandem Switching Usage and Common Transport Us	sage rat	es in th	ne Port section of thi	s rate exhibi	it shall apply to	all combination	ons of loop/po	rt network eler	ments except 1	or UNE Coi	n Port/Loop	Combinatio	ns.		
		orgia, Kentucky, Louisiana, MIssissippi, South Carolina and T															
		tly Combined Combos for all states. In GA, KY, LA, MS, SC ar								and NC these	nonrecurring	charges are	Market Rat	tes and are al	so listed in th	e Market Rate	section.
		rrently Combined Combos in all other states, the nonrecurring	g charg	es shal	Il be those identified	in the Nonre	ecurring - Curre	ently Combine	d sections.								
		VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)															
	UNE Po	ort/Loop Combination Rates															
		2-Wire VG Loop/Port Combo - Zone 1		1			10.79										
		2-Wire VG Loop/Port Combo - Zone 2		2			15.52										
		2-Wire VG Loop/Port Combo - Zone 3		3			31.74										
	UNE LO	pop Rates		_	LIEDDY	LIEDLY	0.04										
\vdash		2-Wire Voice Grade Loop (SL1) - Zone 1		2	UEPRX	UEPLX	9.64										
\vdash		2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPRX UEPRX	UEPLX UEPLX	14.37 30.59										
\vdash	2 Wire	Voice Grade Line Port Rates (Res)		3	UEPRA	UEPLA	30.59										
	Z-VVIIE	2-Wire voice unbundled port - residence			UEPRX	UEPRL	1.15	21.29	15.49	2.85	2.67		7.86				
-		2-Wire voice unbundled port with Caller ID - res			UEPRX	UEPRC	1.15	21.29	15.49	2.85	2.67		7.86				
		2-Wire voice unbundled port with earler is res			UEPRX	UEPRO	1.15	21.29	15.49	2.85	2.67		7.86				
		2-Wire voice Grade unbundled Kentucky extended local dialing			02.100	020	0	21.20	10.10	2.00	2.01		7.00				
		parity port with Caller ID - res			UEPRX	UEPRM	1.15	21.29	15.49	2.85	2.67		7.86				
		2-Wire voice unbundles res, low usage line port with Caller ID					_	-			-						
		(LUM)	1		UEPRX	UEPAP	1.15	21.29	15.49	2.85	2.67		7.86	1			
	FEATU																
		All Features Offered	<u> </u>		UEPRX	UEPVF	0.00	0.00	0.00				7.86				
	LOCAL	NUMBER PORTABILITY															
		Local Number Portability (1 per port)			UEPRX	LNPCX	0.35										
igsquare	NONRE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED	<u> </u>														
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -	1		l	l <u></u>		_	_				_				
		Switch-as-is	ļ		UEPRX	USAC2		0.10	0.10				7.86	ļ			
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -	1														
\vdash	ADDIT:	Switch with change	!		UEPRX	USACC		0.10	0.10	ļ			7.86	 	1		
\vdash	AUUIT	ONAL NRCs	1											 	-		-
		2-Wire Voice Grade Loop/Line Port Combination - Subsequent	1		UEPRX	USAS2	0.00	0.00	0.00				7.86	1			
\vdash	2-WIDE	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)	1		OLFIVA	UUNUZ	0.00	0.00	0.00	1			1.00	1	1		1
		ort/Loop Combination Rates	 			l				 				 			
+		2-Wire VG Loop/Port Combo - Zone 1	1	1		1	10.79							 			
\vdash		2-Wire VG Loop/Port Combo - Zone 2	1	2		1	15.52							1			
\vdash		2-Wire VG Loop/Port Combo - Zone 3	1	3			31.74							1			
	UNE Lo	pop Rates	†											İ			
		2-Wire Voice Grade Loop (SL1) - Zone 1	1	1	UEPBX	UEPLX	9.64								İ		
		2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPBX	UEPLX	14.37										
			-							1				1			
		2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPBX	UEPLX	30.59										
	2-Wire	2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port (Bus)		3	UEPBX UEPBX	UEPLX	30.59										

NRONDF	ED NETWORK ELEMENTS - Kentucky			1							_		Attachment:		Exhibit: B	ļ
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		RAT	ES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
							Nonroce		Nonrecurring	Dissennest				Rates(\$)	D130 131	DISC Add I
\longrightarrow	+		1			Rec	Nonrec First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
-+	2-Wire voice unbundled port with Caller + E484 ID - bus		1	UEPBX	UEPBC	1.15	21.29	15.49	2.85	2.67	CONILC	7.86	JOMAN	JONIAN	JOHAN	JONAN
	2-Wire voice unbundled port with eating 1 2-0-18 bus			UEPBX	UEPBO	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire voice Grade unbundled Kentucky extended local dialing parity port with Caller ID - bus			UEPBX	UEPBM	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPBX	UPEB1	1.15	21.29	15.49	2.85	2.67		7.86				
LOC/	AL NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPBX	LNPCX	0.35										
FEAT	URES															
	All Features Offered			UEPBX	UEPVF	0.00	0.00	0.00				7.86				
NON	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is	-		UEPBX	USAC2		0.10	0.10				7.86				
	2-Wire Voice Grade Loop / Line Port Combination - Conversion	-														
	Switch with change			UEPBX	USACC		0.10	0.10				7.86				
ADDI	TIONAL NRCs															
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent															
	Activity		1	UEPBX	USAS2		0.00	0.00				7.86				
	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)															
UNE	Port/Loop Combination Rates					10.70										
	2-Wire VG Loop/Port Combo - Zone 1		1			10.79 15.52										
	2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3	-	3			31.74										
LINE	Loop Rates	-	3			31.74										
ONE	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPRG	UEPLX	9.64										
-	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPRG	UEPLX	14.37										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPRG	UEPLX	30.59										
2-Wi	e Voice Grade Line Port Rates (RES - PBX)															
	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port - Res			UEPRG	UEPRD	1.15	21.29	15.49	2.85	2.67		7.86				
LOC	AL NUMBER PORTABILITY			02.110	OZ. NO	0	21120	10.10	2.00	2.0.		7.00				
	Local Number Portability (1 per port)			UEPRG	LNPCP	3.15	0.00	0.00				7.86				
FEA?	URES															
	All Features Offered			UEPRG	UEPVF	0.00	0.00	0.00				7.86				
NON	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch-As-Is			UEPRG	USAC2		8.45	1.91				7.86				
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -									·			·		1	
	Conversion - Switch with Change	1		UEPRG	USACC		8.45	1.91				7.86				
ADDI	TIONAL NRCs															
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Subsequent Activity			UEPRG	USAS2	0.00	0.00	0.00				7.86				
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt						7.00	7.00				7.00			I	
0 1511	Group RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)		-	1	1		7.86	7.86				7.86			!	1
		+	1	-	+										 	ļ
UNE	Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1	+	1	-	+	10.79			 							
	2-Wire VG Loop/Port Combo - Zone 1	1	2	1	+	15.52									t	1
	2-Wire VG Loop/Port Combo - Zone 2	+	3		+	31.74									 	
UNF	Loop Rates	1			+	01.74			1						-	
U.1L	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPPX	UEPLX	9.64									1	
	2-Wire Voice Grade Loop (SL 1) - Zone 2	1	2	UEPPX	UEPLX	14.37									1	
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPPX	UEPLX	30.59										
2-Wir	e Voice Grade Line Port Rates (BUS - PBX)															
													_			
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus	1	1	UEPPX	UEPPC	1.15	21.29	15.49	2.85	2.67		7.86				
	Line Side Unbundled Outward PBX Trunk Port - Bus			UEPPX	UEPPO	1.15	21.29	15.49	2.85	2.67		7.86				
				UEPPX UEPPX UEPPX	UEPPO UEPP1 UEPLD	1.15 1.15 1.15	21.29 21.29 21.29	15.49 15.49 15.49	2.85 2.85 2.85	2.67 2.67 2.67		7.86 7.86 7.86				

UNBUNDLE	D NETWORK ELEMENTS - Kentucky												Attachment:	2	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		RAT	ES(\$)				Submitted	Incremental			Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
 		1	-		+		Nonrec	urring	Nonrecurring	n Disconnect			oss	Rates(\$)	l	
 			1		-	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	1.15	21.29	15.49	2.85	2.67		7.86				
i	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD															
\vdash	Capable Port			UEPPX	UEPXE	1.15	21.29	15.49	2.85	2.67		7.86				
1	2-Wire Voice Unbundled 2-Way PBX Kentucky Room Area Calling Port without LUD			UEPPX	UEPXF	1.15	21.29	15.49	2.85	2.67		7.86				
 	2-Wire Voice Unbundled PBX Kentucky LUD Area Calling Port	1	1	UEPPX	UEPXG	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Unbundled PBX Kentucky Premium Calling Port			UEPPX	UEPXH	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Unbundled 2-Way Kentucky Area Calling Port			-												
	without LUD			UEPPX	UEPXJ	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPPX	UEPXL	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy				J	1.10	21.23	10.73	2.00	2.07		7.00				
i l	Room Calling Port			UEPPX	UEPXM	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital															
	Discount Room Calling Port			UEPPX	UEPXO	1.15	21.29	15.49	2.85	2.67		7.86				
H-1-004	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	1.15	21.29	15.49	2.85	2.67		7.86				
LOCAL	L NUMBER PORTABILITY Local Number Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00								
FEATU				UEPPA	LINFCP	3.13	0.00	0.00								
	All Features Offered			UEPPX	UEPVF	0.00	0.00	0.00				7.86				
	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED				1											
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
	Conversion - Switch-As-Is			UEPPX	USAC2		8.45	1.91				7.86				
1	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
ADDIT	Conversion - Switch with Change			UEPPX	USACC		8.45	1.91				7.86				
ADDITI	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -				+		-									
1	Subsequent Activity			UEPPX	USAS2	0.00	0.00	0.00				7.86				
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt			02.17	00/102	0.00	0.00	0.00				7.00				
1	Group						7.86	7.86				7.86				
	VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN PO	RT														
UNE Po	ort/Loop Combination Rates															
	2-Wire VG Coin Port/Loop Combo – Zone 1		1			10.79										
	2-Wire VG Coin Port/Loop Combo – Zone 2 2-Wire VG Coin Port/Loop Combo – Zone 3		3		+	15.52 31.74	-									
UNF L	oop Rates		3		+	31.74										
0.1.2.2.0	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPCO	UEPLX	9.64										
	2-Wire Voice Grade Loop (SL1) - Zone 2	L	2	UEPCO	UEPLX	14.37										
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPCO	UEPLX	30.59		•								
2-Wire	Voice Grade Line Ports (COIN)				1											
	2-Wire Coin 2-Way without Operator Screening and without			LIEDOO	LIEDDE		24.00	45.40	0.0-	0.5-		7.00				
	Blocking (AL, KY, LA, MS) 2-Wire Coin 2-Way with Operator Screening (AL, KY)	1		UEPCO UEPCO	UEPRF	1.15 1.15	21.29 21.29	15.49 15.49	2.85 2.85	2.67 2.67		7.86 7.86				
	2-Wire Coin 2-Way with Operator Screening (AL, KY) 2-Wire Coin 2-Way with Operator Screening and Blocking: 011,	1	1	OLFCO	UEFRE	1.15	21.29	15.49	2.85	2.07		1.00				
	900/976, 1+DDD (AL, KY, LA, MS)			UEPCO	UEPRA	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking	1														
<u> </u>	(KY)			UEPCO	UEPKA	1.15	21.29	15.49	2.85	2.67		7.86				
i I -	2-Wire Coin 2-Way with Operator Screening & Blocking:															
 	900/976, 1+DDD, 011+, & Local (AL, KY, LA, MS)	<u> </u>	<u> </u>	UEPCO	UEPCD	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Coin Outward without Blocking and without Operator Screening (KY, LA, MS)			UEPCO	UEPRN	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Coin Outward with Operator Screening and 011 Blocking															
	(GA, KY, MS)			UEPCO	UEPRJ	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Coin Outward with Operator Screening and Blocking:			LIEDOO	LIEDDII		04.65	45.0	0.00	0.00		7.00				
\vdash	011, 900/976, 1+DDD (AL, KY, LA, MS) 2-Wire Coin Outward Operator Screening & Blocking: 900/976,	1	1	UEPCO	UEPRH	1.15	21.29	15.49	2.85	2.67		7.86				
	12-14 The Cont Cutward Operator Screening & Blocking. 900/976,	1	1	UEPCO	UEPCN	1.15	21.29	15.49	2.85	2.67	l	7.86		l	l	

UNBUNDLI	ED NETWORK ELEMENTS - Kentucky											I -	Attachment:		Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		RA	ΓES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
1							Nonro		Nonroourring	Disconnect				Rates(\$)		
						Rec	Nonred First	Add'l	Nonrecurring First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire 2-Way Smartline with 900/976 (all states except LA)			UEPCO	UEPCK	2.91	11130	Auu	11130	Addi	JOHILO	7.86	JOMAN	JONIAN	JOHIAN	JONAN
	2-Wire Coin Outward Smartline with 900/976 (all states except			02. 00	02. 0.0	2.01			†			7.00			İ	
	LA)			UEPCO	UEPCR	2.91						7.86				
ADDI	TIONAL UNE COIN PORT/LOOP (RC)															
	UNE Coin Port/Loop Combo Usage (Flat Rate)			UEPCO	URECU	2.57	21.29	15.49	2.85	2.67						
LOCA	L NUMBER PORTABILITY			LIEBOO	LNBOY											
NONE	Local Number Portability (1 per port) RECURRING CHARGES - CURRENTLY COMBINED			UEPCO	LNPCX	0.35										ļ
NONF	2-Wire Voice Grade Loop / Line Port Combination - Conversion -								-							
	Switch-as-is			UEPCO	USAC2		0.10	0.10				7.86				
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -		<u> </u>	02.00	23/102		5.10	0.10				7.50			1	
	Switch with change		1	UEPCO	USACC		0.10	0.10	j			7.86				
ADDI	TIONAL NRCs															
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent															
	Activity			UEPCO	USAS2		0.00	0.00				7.86				
	INDLED REMOTE CALL FORWARDING - RES															
	Recurring															
UNBC	INDLED REMOTE CALL FORWARDING - Bus Unbundled Remote Call Forwarding, InterState/Intra LATA-Bus			UEPVB	UEPVJ	1.49	3.74	3.63				7.86				
Non-F	Recurring			OLF VB	OLF V3	1.43	3.74	3.03				7.00				1
	RE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE	PORT (RES)												
	RE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE								†						İ	
	PORT/LOOP COMBINATIONS - COST BASED RATES		,	1												
	RE VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	PORT														
UNE	Port/Loop Combination Rates															
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1		1			21.30										
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2		2			26.08										
LINE	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3		3			41.85										
UNE	Loop Rates		1	UEPPX	UECD1	12.67						7.86				
+	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1 2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2		2	UEPPX	UECD1	17.45						7.86				1
+	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3		3	UEPPX	UECD1	33.22						7.86				1
UNE	Port Rate		Ŭ	02 X	0202.	00.22						7.00				
	Exchange Ports - 2-Wire DID Port			UEPPX	UEPD1	8.63	336.11	27.75	132.37	9.31		7.86				
NONE	RECURRING CHARGES - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion															
	with BellSouth Allowable Changes			UEPPX	USA1C		7.85	1.87				7.86				
ADDI	TIONAL NRCs			LIEBBY			20.05									
Talan	2-Wire DID Subsequent Activity - Add Trunks, Per Trunk			UEPPX	USAS1		32.25	32.25				7.86				1
reiep	hone Number/Trunk Group Establisment Charges DID Trunk Termination (One Per Port)			UEPPX	NDT	0.00	0.00	0.00			-	7.86			-	
	Additional DID Numbers for each Group of 20 DID Numbers			UEPPX	ND4	0.00	0.00	0.00				7.86				
+	DID Numbers, Non- consecutive DID Numbers , Per Number			UEPPX	ND5	0.00	0.00	0.00				7.86				1
	Reserve Non-Consecutive DID numbers			UEPPX	ND6	0.00	0.00	0.00	İ			7.86			1	
	Reserve DID Numbers			UEPPX	NDV	0.00	0.00	0.00				7.86				
LOCA	L NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00								
	RE ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LI	NE SIDE	PORT	<u> </u>					ļ						1	ļ
UNE	Port/Loop Combination Rates		<u> </u>	1	<u> </u>	1									1	
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 1		1	UEPPB UEPPR		25.69										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 2		2	UEPPB UEPPR		31.92										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port		_						1							
	UNE Zone 3		3	UEPPB UEPPR	<u> </u>	50.21									1	
UNE	_oop Rates 2-Wire ISDN Digital Grade Loop - UNE Zone 1		1	UEPPB UEPPR	USL2X	16.10						7.86			 	-
	2-vviile IODIN DIGITAL GIAUE LOOP - UNE ZONE I			ULTED UEPPK	USLZX	10.10			 		1	7.80			 	+
	2-Wire ISDN Digital Grade Loop - UNE Zone 2		2	UEPPB UEPPR	USL2X	22.33						7.86				

LIND	IINDI E	D NETWORK ELEMENTS - Kentucky													Attachment:	1	Exhibit: B	
UND	UNDLL	NETWORK ELEMENTS - Rentucky	T				I	1				I	Svc Order		Incremental		Incremental	Incremental
													Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
													Elec		Manual Svc		Manual Svc	Manual Svc
CATE	GORY	RATE ELEMENTS	Interi	Zone		scs	USOC		PΔT	TES(\$)				,				
CAIL	GONT	RATE ELEMENTS	m	Zone	_	303	0300		NA.	i L3(ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
															Electronic-	Electronic-	Electronic-	Electronic-
															1st	Add'l	Disc 1st	Disc Add'l
-	1		+				+	1	Nonrec	urrina	Nonrecurring	Disconnect		l	066	Rates(\$)	l	
-			 	-				Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
-		O Mine ICON Digital Conde Lang. LINE 7-2-2	<u> </u>	2	LIEDDD	UEPPR	LICLOV	40.00	FIIST	Add I	FIRST	Addi	SOWIEC		SOWAN	SUMAN	SUMAN	SUMAN
-	LINE D	2-Wire ISDN Digital Grade Loop - UNE Zone 3	-	3	UEPPB	UEPPR	USLZX	40.63						7.86				
	UNE P	ort Rate						0.50		202.12	20.10							
		Exchange Port - 2-Wire ISDN Line Side Port	1		UEPPB	UEPPR	UEPPB	9.59	320.53	289.13	92.19	17.56		7.86				
	NONR	ECURRING CHARGES - CURRENTLY COMBINED																
		2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port																
		Combination - Conversion			UEPPB	UEPPR	USACB	0.00	22.77	17.00				7.86				
		IONAL NRCs																
	LOCAL	NUMBER PORTABILITY																
		Local Number Portability (1 per port)			UEPPB	UEPPR	LNPCX	0.35	0.00	0.00								
	B-CHA	NNEL USER PROFILE ACCESS:																
		CVS/CSD (DMS/5ESS)			UEPPB	UEPPR	U1UCA	0.00	0.00	0.00								
		CVS (EWSD)			UEPPB	UEPPR	U1UCB	0.00	0.00	0.00								
		CSD			UEPPB	UEPPR	U1UCC	0.00	0.00	0.00								
	B-CHA	NNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS S	C,MS, 8	· TN)														
	1	CVS/CSD (DMS/5ESS)			UEPPB	UEPPR	U1UCD	0.00	0.00	0.00								
		CVS (EWSD)			UEPPB	UEPPR	U1UCE	0.00	0.00	0.00				l				
	1	CSD	1	1	UEPPB	UEPPR		0.00	0.00	0.00						İ	İ	
	USER	TERMINAL PROFILE	1															
	002.1	User Terminal Profile (EWSD only)	1		UEPPB	LIFPPR	U1UMA	0.00	0.00	0.00								
	VERTI	CAL FEATURES	1		02	OL. III	0.10.11.1	0.00	0.00	0.00								
	V =	All Vertical Features - One per Channel B User Profile	1		UEPPB	UEPPR	UEPVF	0.00	0.00	0.00								
	INTER	OFFICE CHANNEL MILEAGE			OLITE	OLITIK	OLI VI	0.00	0.00	0.00								
-	IIVILIN	Interoffice Channel mileage each, including first mile and	+															
		facilities termination			UEPPB	UEPPR	M1GNC	29.12	47.34	31.78	22.77	8.75		7.86				
-	+	Interoffice Channel mileage each, additional mile	+		UEPPB	UEPPR	M1GNM	0.01	0.00	0.00	22.11	0.73		7.86				
-	4 WIDI	E DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNI	V DODT		UEPPB	UEPPK	IVITGINIVI	0.01	0.00	0.00				7.00		-		
		ort/Loop Combination Rates	KFOKI															
-	UNEF	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE	<u> </u>				-											
		Zone 1		4	UEPPP			170.06										
-			<u> </u>	<u> </u>	UEFFF		-	170.06										
		4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE		2	UEPPP			197.70										
-	-	Zone 2	-	2	UEPPP		-	197.70										
		4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE			LIEDDD			004.05										
		Zone 3		3	UEPPP			381.35										
	UNE L	oop Rates	1															
		4-Wire DS1 Digital Loop - UNE Zone 1	1	1	UEPPP		USL4P	86.47						7.86				
	1	4-Wire DS1 Digital Loop - UNE Zone 2	1	2	UEPPP		USL4P	114.10					ļ	7.86				
<u> </u>	1	4-Wire DS1 Digital Loop - UNE Zone 3	<u> </u>	3	UEPPP		USL4P	297.76						7.86		ļ		
<u> </u>	UNE P	ort Rate	ļ	 	====		LIEBE -									.		
<u> </u>		Exchange Ports - 4-Wire ISDN DS1 Port	<u> </u>	<u> </u>	UEPPP		UEPPP	83.59	736.16	382.74	159.48	48.82		7.86		ļ		
<u> </u>	NONRI	ECURRING CHARGES - CURRENTLY COMBINED	ļ	 			1									.		
1		4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port	1	1									l	1		I		
		Combination - Conversion -Switch-as-is			UEPPP		USACP	0.00	81.70	1.37				7.86				
	ADDIT	IONAL NRCs											ļ	<u> </u>				
		4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy-		1									<u> </u>	1		_		
		Inward/two way tel nos within Std Allowance (except NC)			UEPPP		PR7TF		0.54					7.86				
		4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port -		1									<u> </u>	1		_		
		Outward Tel Numbers (All States except NC)	<u> </u>	<u></u>	UEPPP		PR7TO		12.71	12.71				7.86				
		4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port -																
L		Subsequent Inward Tel Nos Above Std Allowance	<u> </u>	<u>L</u>	UEPPP		PR7ZT	<u> </u>	25.41	25.41	<u> </u>		<u> </u>	7.86		<u> </u>	<u> </u>	
	LOCAL	NUMBER PORTABILITY																
		Local Number Portability (1 per port)			UEPPP		LNPCN	1.75										
	INTER	FACE (Provsioning Only)																
		Voice/Data			UEPPP		PR71V	0.00	0.00	0.00				l				
		Digital Data	1		UEPPP		PR71D	0.00	0.00	0.00								
	1	Inward Data			UEPPP		PR71E	0.00	0.00	0.00								
	New o	r Additional "B" Channel	1															
	1	New or Additional - Voice/Data B Channel	1	1	UEPPP		PR7BV	0.00	15.48					7.86		İ	İ	
-		New or Additional - Digital Data B Channel	1	1	UEPPP		PR7BF	0.00	15.48				1	7.86		1		
\vdash	1	New or Additional Inward Data B Channel	1	1	UEPPP		PR7BD	0.00	15.48				 	7.86		†		
	1			·			1 50	0.00	10.40				1	7.00		1	·	

NBUNDLE	D NETWORK ELEMENTS - Kentucky				1	1					06	06	Attachment:		Exhibit: B	
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			ES(\$)				Submitted	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual Sv Order vs Electronic Disc Add
						Rec	Nonrec		Nonrecurring					Rates(\$)		
CALL	 TYPES						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
CALL	Inward			UEPPP	PR7C1	0.00	0.00	0.00								+
+	Outward			UEPPP	PR7C0	0.00	0.00	0.00								
-	Two-way			UEPPP	PR7CC	0.00	0.00	0.00								-
Intero	fice Channel Mileage			02		0.00	0.00	0.00								1
	Fixed Each Including First Mile			UEPPP	1LN1A	96.27	105.52	98.46	23.09	20.49		7.86				
	Each Airline-Fractional Additional Mile			UEPPP	1LN1B	0.23										
4-WIR	E DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT															
UNE P	ort/Loop Combination Rates															
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1		1	UEPDC		147.99										
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2		2	UEPDC		175.62										
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3	ļ	3	UEPDC		359.28										ļ
UNE L	oop Rates	<u> </u>		HEDDO	LICL DO	00.47						7.00				
	4-Wire DS1 Digital Loop - UNE Zone 1	 	2	UEPDC	USLDC	86.47	+					7.86			1	↓
_	4-Wire DS1 Digital Loop - UNE Zone 2 4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPDC UEPDC	USLDC	114.10 297.76						7.86 7.86				
LINE	ort Rate		3	UEPDC	USLDC	297.76						7.86				
ONL	4-Wire DDITS Digital Trunk Port			UEPDC	UDD1T	61.52	780.61	375.52	176.19	16.98		7.86				
NONR	ECURRING CHARGES - CURRENTLY COMBINED			OLI DO	ODDII	01.02	700.01	373.32	170.13	10.30		7.00				-
- ItOItil	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination															
	- Switch-as-is			UEPDC	USAC4		92.84	46.70				7.86				
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination			02. 50	007101		02.01	100				7.00				
	- Conversion with DS1 Changes			UEPDC	USAWA		92.84	46.70				7.86				
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination															
	- Conversion with Change - Trunk			UEPDC	USAWB		92.84	46.70				7.86				
ADDIT	IONAL NRCs															
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC -			LIEDDO	LIDTTA		45.00	45.00				7.00				
	Subsequent Channel Activation/Chan - 2-Way Trunk			UEPDC	UDTTA		15.09	15.09				7.86				
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent Channel Activation/Chan - 1-Way Outward Trunk			UEPDC	UDTTB		15.09	15.09				7.86				
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel			UEPDC	UDITE		15.09	15.09				7.00				
	Activation/Chan Inward Trunk w/out DID			UEPDC	UDTTC		15.09	15.09				7.86				
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsgnt Chan			OLI DO	00110		10.00	10.00				7.00				
	Activation Per Chan - Inward Trunk with DID			UEPDC	UDTTD		15.09	15.09				7.86				
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan															
	Activation / Chan - 2-Way DID w User Trans			UEPDC	UDTTE		15.09	15.09				7.86				
BIPOL	AR 8 ZERO SUBSTITUTION															
	B8ZS -Superframe Format			UEPDC	CCOSF		0.00	730.00				7.86				
	B8ZS - Extended Superframe Format			UEPDC	CCOEF		0.00	730.00				7.86				
Altern	ate Mark Inversion															
	AMI -Superframe Format			UEPDC	MCOSF		0.00	0.00								-
Talant	AMI - Extended SuperFrame Format			UEPDC	MCOPO		0.00	0.00								-
i elepr	none Number/Trunk Group Establisment Charges Telephone Number for 2-Way Trunk Group			UEPDC	UDTGX	0.00	0.00	0.00				7.86				
_	Telephone Number for 1-Way Outward Trunk Group			UEPDC	UDTGX	0.00	0.00	0.00				7.86				<u> </u>
	Telephone Number for 1-Way Jouward Trunk Group Without DID	 		UEPDC	UDTGZ	0.00	0.00	0.00				7.86			-	
	DID Numbers for each Group of 20 DID Numbers	1		UEPDC	ND4	0.00	0.00	0.00				7.86			1	
-+	DID Numbers, Non- consecutive DID Numbers, Per Number	1		UEPDC	ND5	0.00	0.00	0.00	-			7.86			1	
	Reserve Non-Consecutive DID Nos.			UEPDC	ND6	0.00	0.00	0.00				7.86				
1	Reserve DID Numbers			UEPDC	NDV	0.00	0.00	0.00				7.86			İ	
Dedica	ated DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1	Digital	Loop	with 4-Wire DDITS	Trunk Port											
	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities Termination)			UEPDC	1LNO1	96.04	105.52	98.46	23.09	20.49		7.86				
	,				1LNOA				20.00	20.70						
	Interoffice Channel Mileage - Additional rate per mile - 0-8 miles Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities			UEPDC		0.23	0.00	0.00								
	Termination) Interoffice Channel Mileage - Additional rate per mile - 9-25			UEPDC	1LNO2	0.00	0.00	0.00								
	miles			UEPDC	1LNOB	0.45	0.00	0.00								

LINIDLIN	IDI E	D NETWORK ELEMENTS - Ventucial												I * * * * · · · · · · · · ·		E	
UNBUN	NULE	D NETWORK ELEMENTS - Kentucky				1	1			1	1	Core Conden	Cur Onden	Attachment:		Exhibit: B	la cacasa catal
														Incremental			Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
			Interi	l_								Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGO	DRY	RATE ELEMENTS	m	Zone	BCS	USOC		RAT	TES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonrec		Nonrecurring					Rates(\$)		
							1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities															
		Termination)			UEPDC	1LNO3	0.00	0.00	0.00								
		Interoffice Channel Mileage - Additional rate per mile - 25+ miles			UEPDC	1LNOC	0.45	0.00	0.00								
		Local Number Portability, per DS0 Activated			UEPDC	LNPCP	3.15	0.00	0.00								
		Central Office Termininating Point			UEPDC	CTG	0.00										
	1-WIRE	DS1 LOOP WITH CHANNELIZATION WITH PORT					0.00										
		n is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Act	ivations	<u> </u>													
		ystem can have up to 24 combinations of rates depending on			her of norts used												
		S1 Loop	i type ai	l	ber or ports asea												
- '	JIVE D	4-Wire DS1 Loop - UNE Zone 1	1	1	UEPMG	USLDC	86.47	0.00	0.00			1	 	1			
$\vdash \vdash$			1	2	UEPMG UEPMG	USLDC		0.00				 	-				
-		4-Wire DS1 Loop - UNE Zone 2	1				114.10		0.00			1	1				
	INIE E	4-Wire DS1 Loop - UNE Zone 3		3	UEPMG	USLDC	297.76	0.00	0.00			.					
ι		SO Channelization Capacities (D4 Channel Bank Configuration	ns)	<u> </u>) # IP 45 :							<u> </u>				
		24 DSO Channel Capacity - 1 per DS1	ļ	 	UEPMG	VUM24	111.16	0.00	0.00				7.86				
		48 DSO Channel Capacity - 1 per 2 DS1s	<u> </u>	<u> </u>	UEPMG	VUM48	222.32	0.00	0.00	ļ		1	7.86				
		96 DSO Channel Capacity -1per 4 DS1s			UEPMG	VUM96	444.64	0.00	0.00				7.86				
		144 DS0 Channel Capacity - 1 per 6 DS1s			UEPMG	VUM14	666.96	0.00	0.00				7.86				
		192 DS0 Channel Capacity -1 per 8 DS1s			UEPMG	VUM19	889.28	0.00	0.00				7.86				
		240 DS0 Channel Capacity - 1 per 10 DS1s			UEPMG	VUM20	1,111.60	0.00	0.00				7.86				
		288 DS0 Channel Capacity - 1 per 12 DS1s			UEPMG	VUM28	1,333.92	0.00	0.00				7.86				
		384 DS0 Channel Capacity - 1 per 16 DS1s			UEPMG	VUM38	1,778.56	0.00	0.00				7.86				
		480 DS0 Channel Capacity - 1 per 20 DS1s			UEPMG	VUM40	2,223.20	0.00	0.00				7.86				
		576 DS0 Channel Capacity -1 per 24 DS1s			UEPMG	VUM57	2,667.84	0.00	0.00				7.86				
		672 DS0 Channel Capacity - 1 per 28 DS1s			UEPMG	VUM67	3,112,48	0.00	0.00				7.86				
—	Von-Re	ecurring Charges (NRC) Associated with 4-Wire DS1 Loop wit	h Chani	eliztio					0.00				1.00				
		mum System configuration is One (1) DS1, One (1) D4 Channel															
		es of this configuration functioning as one are considered A															
 -	nannpi	NRC - Conversion (Currently Combined) with or without	I are	1	miniam system con	Inguration is	oounica.										
		BellSouth Allowed Changes			UEPMG	USAC4	0.00	94.30	4.24				7.86				
	Syctom	n Additions at End User Locations Where 4-Wire DS1 Loop wi	th Chan	nolizat					4.24				7.00				
		ot Currently Combined) In GA, KY, LA, MS & TN Only	lii Ciiai	literizat	IOII WILLI FOIL COILID	Tination Curre	TILLY EXISTS ALL										
	AGM (14	1 DS1/D4 Channel Bank - Add NRC for each Port and Assoc		 													
		Fea Activation - New GA, LA, KY, MS, &TN Only			UEPMG	VUMD4	0.00	718.89	469.86	149.83	17.77		7.86				
					UEFIVIG	VUIVID4	0.00	7 10.09	409.00	149.03	17.77		7.00				
t	sipoiai	8 Zero Substitution															
		Clear Channel Capability Format, superframe - Subsequent	1		LIEDMO	00005			=00.6								
 		Activity Only	ļ	 	UEPMG	CCOSF	0.00	0.00	730.00				7.86				
		Clear Channel Capability Format - Extended Superframe -	1	1	l	1	_	_					l _	Ì			
		Subsequent Activity Only			UEPMG	CCOEF	0.00	0.00	730.00				7.86				
- 4	Alterna	te Mark Inversion (AMI)	<u> </u>										ļ				
		Superframe Format	<u> </u>		UEPMG	MCOSF	0.00	0.00	0.00				ļ				
<u> </u>		Extended Superframe Format			UEPMG	MCOPO	0.00	0.00	0.00								
		nge Ports Associated with 4-Wire DS1 Loop with Channelizati	on with	Port					-								
E	xchar	nge Ports															
		Line Side Combination Channelized PBX Trunk Port - Business	1	1	UEPPX	UEPCX	1.15	0.00	0.00	0.00	0.00		7.86	Ì			
		Line Side Outward Channelized PBX Trunk Port - Business			UEPPX	UEPOX	1.15	0.00	0.00	0.00	0.00		7.86				
			1														
		Line Side Inward Only Channelized PBX Trunk Port without DID			UEPPX	UEP1X	1.15	0.00	0.00	0.00	0.00		7.86				
		2-Wire Trunk Side Unbundled Channelized DID Trunk Port	†	1	UEPPX	UEPDM	8.65	0.00	0.00	0.00	0.00	1	7.86	1			
	eature	Activations - Unbundled Loop Concentration	†	1			5.55	0.00	0.50	5.50	3.30	1	1.50	1			
	Juluit	Feature (Service) Activation for each Line Side Port Terminated	1	 		1	 					I	 	†			
		in D4 Bank	1	1	UEPPX	1PQWM	0.62	25.40	13.41	4.17	4.15	1	7.86	Ì			
 		Feature (Service) Activation for each Trunk Side Port Terminated	1	 	OLITA	11 (2 7 7 1 7 1	0.02	25.40	10.41	7.17	7.13	1	7.80				
		in D4 Bank	1	1	UEPPX	1PQWU	0.62	78.15	19.68	59.05	11.54	1	7.86	Ì			
 	Tolon'-	one Number/ Group Establishment Charges for DID Service	1	├	ULFFA	IFUVU	0.62	78.15	19.08	59.05	11.54	 	7.86				
├ ──┼	elepn		1	├	HEDDY	NDT	0.00	0.00	0.00			 	7.00				
$\vdash \!$		DID Trunk Termination (1 per Port)	!	<u> </u>	UEPPX	NDT ND4	0.00	0.00	0.00		1	-	7.86		1		
 _		DID Numbers - groups of 20 - Valid all States	1	<u> </u>	UEPPX	ND4	0.00	0.00	0.00			.	7.86				
1 1		Non-Consecutive DID Numbers - per number		1	UEPPX	ND5	0.00	0.00	0.00		l	1	7.86				

LINBLINDI	ED NETWORK ELEMENTS - Kentucky												Attachment:	2	Exhibit: B	
CIADOIADE	LED NET WORK ELEMENTS - Remacky		1								Cua Ordar			Incremental		Incremental
		1				Ì						Submitted		Charge -		Charge -
											Elec				Charge -	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC		RΔ	TES(\$)					Manual Svc			
OAT LOOK!	NATE ELEMENTO	m	20.10	500	0000		10.4	- Ευ(ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-		Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						_	Nonrec	urrina	Nonrecurring	Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Reserve Non-Consecutive DID Numbers			UEPPX	ND6	0.00	0.00	0.00				7.86				
	Reserve DID Numbers			UEPPX	NDV	0.00	0.00	0.00				7.86				
Loca	Number Portability															
	Local Number Portability - 1 per port			UEPPX	LNPCP	3.15	0.00	0.00								
FEA ⁻	TURES - Vertical and Optional															
Loca	al Switching Features Offered with Line Side Ports Only															
	All Features Available			UEPPX	UEPVF	0.00	0.00	0.00								
	ket Rates shall apply where BellSouth is not required to provide	unbund	dled lo	cal switching or swit	ch ports per	FCC and/or St	ate Commission	n rules.								
Thes	se scenarios include:															
	nbundled port/loop combinations that are Not Currently Combin															
	nbundled port/loop combinations that are Currently Combined															
	Top 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderd															
	South currently is developing the billing capability to mechanica									not currently	combined in	AL, FL and	NC. In the ir	nterim where	BellSouth can	not bill
	ket Rates, BellSouth shall bill the rates in the Cost-Based section			lieu of the Market R	ates and res	erves the right	to true-up the	billing differen	ice.							
The	Market Rate for unbundled ports includes all available features	in all st	ates.													
End	Office and Tandem Switching Usage and Common Transport Us	sage rat	es in th	ne Port section of the	s rate exhib	it shall apply to	all combination	ons of loop/po	rt network elei	ments except	for UNE Coi	n Port/Loop	Combination	ns which have	e a flat rate us	age charge
(USC	DC: URECU).															
For I	Not Currently Combined scenarios where Market Rates apply, th	e Nonre	curring	g charges are listed	n the First a	nd Additional	NRC columns t	or each Port L	JSOC. For Cur	rently Combin	ed scenario	s, the Nonre	curring charg	ges are listed	in the NRC - 0	Currently
Com	bined section. Additional NRCs may apply also and are categor	rized ac	cordin	gly.												
	-Recurring Charges (NRC) Associated with 4-Wire DS1 Loop with				sion Charge	Based on a Sy	stem									
A Mi	nimum System configuration is One (1) DS1, One (1) D4 Channe	l Bank,	and Up	To 24 DSO Ports w	ith Feature A	Activations.										
Mult	iples of this configuration functioning as one are considered Ad	dd'l afte	r the m	inimum system con	iguration is	counted.										
UNBUNDLE	D CENTREX PORT/LOOP COMBINATIONS - COST BASED RATE:	S														
1. Co	ost Based Rates are applied where BellSouth is required by FCC	and/or	State C	Commission rule to I	rovide Unb	undled Local S	witching or Su	itah Darta								
								nich Ports.								
2. Fe	eatures shall apply to the Unbundled Port/Loop Combination - C		ed Rat	e section in the sam					l dled Port secti	on of this Rate	Exhibit.					
	eatures shall apply to the Unbundled Port/Loop Combination - C nd Office and Tandem Switching Usage and Common Transport	ost Bas			e manner as	they are applie	ed to the Stand	-Alone Unbun				oin Port/Lo	op Combinat	ions.		
3. Er		ost Bas Usage	rates in	the Port section of	e manner as this rate exh	they are application	ed to the Stand to all combina	-Alone Unbunations of loop/	port network e	lements excep	t for UNE C				apply to Not C	urrently
3. Er For (nd Office and Tandem Switching Usage and Common Transport	ost Bas Usage ecurring	rates in	the Port section of Port and Loop charg	e manner as this rate exh es listed app	they are applications in the state of the shall apply oly to Currently	ed to the Stand to all combina Combined an	-Alone Unbunations of loop/ d Not Currently	port network e y Combined Co	lements exception on the	t for UNE C	additional P	ort nonrecurr	ring charges a		
3. Er For Com Com	nd Office and Tandem Switching Usage and Common Transport Georgia, Kentucky, Louisiana, Mississippi and Tennessee, the r bibined Combos for all states. In GA, KY, LA, MS and TN these no bibined Combos in all other states, the nonrecurring charges sha	Usage ecurring onrecur	rates in g UNE f ring ch ose ide	the Port section of Port and Loop charg arges are commission ntified in the Nonrec	e manner as this rate exh es listed app on ordered c urring - Cur	they are application in the standard standard specifically to Currently ost based rates rently Combine specifically combined the standard specifical speci	ed to the Stand to all combinate Combined and and in AL, FL ed sections.	-Alone Unbunations of loop/ d Not Currently	port network e y Combined Co	lements exception on the the the the the the the the the the	t for UNE C	additional P	ort nonrecurr	ring charges a		
3. Er For 0 Com Com	nd Office and Tandem Switching Usage and Common Transport Georgia, Kentucky, Louisiana, Mississippi and Tennessee, the ribined Combos for all states. In GA, KY, LA, MS and TN these no bined Combos in all other states, the nonrecurring charges shatlarket Rates for Unbundled Centrex Port/Loop Combination will	Ost Bas Usage ecurring onrecurring II be the be neg	rates in g UNE f ring ch ose ide	the Port section of Port and Loop charg arges are commission ntified in the Nonrec	e manner as this rate exh es listed app on ordered c urring - Cur	they are application in the standard standard specifically to Currently ost based rates rently Combine specifically combined the standard specifical speci	ed to the Stand to all combinate Combined and and in AL, FL ed sections.	-Alone Unbunations of loop/ d Not Currently	port network e y Combined Co	lements exception on the the the the the the the the the the	t for UNE C	additional P	ort nonrecurr	ring charges a		
3. Er For (Com Com 5. M	nd Office and Tandem Switching Usage and Common Transport Georgia, Kentucky, Louisiana, Mississippi and Tennessee, the ribined Combos for all states. In GA, KY, LA, MS and TN these no beined Combos in all other states, the nonrecurring charges shalarket Rates for Unbundled Centrex Port/Loop Combination will -P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only	Ost Bas Usage ecurring onrecurring II be the be neg	rates in g UNE f ring ch ose ide	the Port section of Port and Loop charg arges are commission ntified in the Nonrec	e manner as this rate exh es listed app on ordered c urring - Cur	they are application in the standard standard specifically to Currently ost based rates rently Combine specifically combined the standard specifical speci	ed to the Stand to all combinate Combined and and in AL, FL ed sections.	-Alone Unbunations of loop/ d Not Currently	port network e y Combined Co	lements exception on the the	t for UNE C	additional P	ort nonrecurr	ring charges a		
3. Er For Com Com 5. M UNE 2-Wi	nd Office and Tandem Switching Usage and Common Transport Georgia, Kentucky, Louisiana, Mississippi and Tennessee, the ribined Combos for all states. In GA, KY, LA, MS and TN these no bined Combos in all other states, the nonrecurring charges sha larket Rates for Unbundled Centrex Port/Loop Combination will -P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only re VG Loop/2-Wire Voice Grade Port (Centrex) Combo	Ost Bas Usage ecurring onrecurring II be the be neg	rates in g UNE f ring ch ose ide	the Port section of Port and Loop charg arges are commission ntified in the Nonrec	e manner as this rate exh es listed app on ordered c urring - Cur	they are application in the standard standard specifically to Currently ost based rates rently Combine specifically combined the standard specifical speci	ed to the Stand to all combinate Combined and and in AL, FL ed sections.	-Alone Unbunations of loop/ d Not Currently	port network e y Combined Co	lements exception on the the	t for UNE C	additional P	ort nonrecurr	ring charges a		
3. Er For Com Com 5. M UNE 2-Wi	nd Office and Tandem Switching Usage and Common Transport Georgia, Kentucky, Louisiana, Mississippi and Tennessee, the ribined Combos for all states. In GA, KY, LA, MS and TN these no bined Combos in all other states, the nonrecurring charges sha larket Rates for Unbundled Centrex Port/Loop Combination will -P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only re VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design)	Ost Bas Usage ecurring onrecurring II be the be neg	rates in g UNE f ring ch ose ide	the Port section of Port and Loop charg arges are commission ntified in the Nonrec	e manner as this rate exh es listed app on ordered c urring - Cur	they are application in the standard standard specifically to Currently ost based rates rently Combine specifically combined the standard specifical speci	ed to the Stand to all combinate Combined and and in AL, FL ed sections.	-Alone Unbunations of loop/ d Not Currently	port network e y Combined Co	lements exception on the the	t for UNE C	additional P	ort nonrecurr	ring charges a		
3. Er For Com Com 5. M UNE 2-Wi	nd Office and Tandem Switching Usage and Common Transport Georgia, Kentucky, Louisiana, Mississippi and Tennessee, the ribined Combos for all states. In GA, KY, LA, MS and TN these no bined Combos in all other states, the nonrecurring charges sha larket Rates for Unbundled Centrex Port/Loop Combination will -P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only re VG Loop/2-Wire Voice Grade Port (Centrex) Combo	Ost Bas Usage ecurring onrecurring II be the be neg	rates in g UNE f ring ch ose ide	the Port section of Port and Loop charg arges are commission ntified in the Nonrec on an Individual Ca	e manner as this rate exh es listed app on ordered c urring - Cur	they are applied ibit shall apply only to Currently ost based rates rently Combined till further notice.	ed to the Stand to all combinate Combined and and in AL, FL ed sections.	-Alone Unbunations of loop/ d Not Currently	port network e y Combined Co	lements exception on the the	t for UNE C	additional P	ort nonrecurr	ring charges a		
3. Er For Com Com 5. M UNE 2-Wi	nd Office and Tandem Switching Usage and Common Transport Georgia, Kentucky, Louisiana, Mississippi and Tennessee, the ribbined Combos for all states. In GA, KY, LA, MS and TN these no bined Combos in all other states, the nonrecurring charges shalarket Rates for Unbundled Centrex Port/Loop Combination will -P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only re VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design	Ost Bas Usage ecurring onrecurring II be the be neg	rates in g UNE f ring ch ose ide	the Port section of Port and Loop charg arges are commission ntified in the Nonrec	e manner as this rate exh es listed app on ordered c urring - Cur	they are application in the standard standard specifically to Currently ost based rates rently Combine specifically combined the standard specifical speci	ed to the Stand to all combinate Combined and and in AL, FL ed sections.	-Alone Unbun ations of loop/ d Not Currentl	port network e y Combined Co	lements exception on the the	t for UNE C	additional P	ort nonrecurr	ring charges a		
3. Er For Com Com 5. M UNE 2-Wi	nd Office and Tandem Switching Usage and Common Transport Georgia, Kentucky, Louisiana, Mississippi and Tennessee, the r bibined Combos for all states. In GA, KY, LA, MS and TN these no bibined Combos in all other states, the nonrecurring charges sha larket Rates for Unbundled Centrex Port/Loop Combination will -P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only re VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	Ost Bas Usage ecurring onrecurring II be the be neg	rates in g UNE f ring ch ose ide	the Port section of Port and Loop charg arges are commission ntified in the Nonrec on an Individual Ca	e manner as this rate exh es listed app on ordered c urring - Cur	they are applied ibit shall apply only to Currently ost based rates rently Combined till further notice.	ed to the Stand to all combinate Combined and and in AL, FL ed sections.	-Alone Unbun ations of loop/ d Not Currentl	port network e y Combined Co	lements exception on the the	t for UNE C	additional P	ort nonrecurr	ring charges a		
3. Er For Com Com 5. M UNE 2-Wi	nd Office and Tandem Switching Usage and Common Transport Georgia, Kentucky, Louisiana, Mississippi and Tennessee, the ribbined Combos for all states. In GA, KY, LA, MS and TN these no bined Combos in all other states, the nonrecurring charges shalarket Rates for Unbundled Centrex Port/Loop Combination will -P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only re VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design	Ost Bas Usage ecurring onrecurring II be the be neg	rates in g UNE f ring ch ose ide	the Port section of Port and Loop charg arges are commission ntified in the Nonrec on an Individual Ca	e manner as this rate exh es listed app on ordered c urring - Cur	they are applied ibit shall apply only to Currently ost based rates rently Combined till further notice.	ed to the Stand to all combinate Combined and and in AL, FL ed sections.	-Alone Unbun ations of loop/ d Not Currentl	port network e y Combined Co	lements exception on the the	t for UNE C	additional P	ort nonrecurr	ring charges a		
3. Er For Com Com 5. M UNE 2-Wi	nd Office and Tandem Switching Usage and Common Transport Georgia, Kentucky, Louisiana, Mississippi and Tennessee, the ribbined Combos for all states. In GA, KY, LA, MS and TN these not beined Combos in all other states, the nonrecurring charges sha larket Rates for Unbundled Centrex Port/Loop Combination will -P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only re VG Loop/2-Wire Voice Grade Port (Centrex) Combo -Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Service VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	Ost Bas Usage ecurring onrecurring II be the be neg	rates in g UNE I ring choose ide otiated	the Port section of Port and Loop charg arges are commission intified in the Nonrec on an Individual Ca	e manner as this rate exh es listed app on ordered c urring - Cur	they are applied ibit shall apply by to Currently ost based rates rently Combined it further notice to the state of the st	ed to the Stand to all combinate Combined and and in AL, FL ed sections.	-Alone Unbun ations of loop/ d Not Currentl	port network e y Combined Co	lements exception on the the	t for UNE C	additional P	ort nonrecurr	ring charges a		
3. Er For t Com Com 5. M UNE 2-Wi UNE	nd Office and Tandem Switching Usage and Common Transport Georgia, Kentucky, Louisiana, Mississippi and Tennessee, the ribbined Combos for all states. In GA, KY, LA, MS and TN these no bined Combos in all other states, the nonrecurring charges sha larket Rates for Unbundled Centrex Port/Loop Combination will -P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only re VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design	Ost Bas Usage ecurring onrecurring II be the be neg	rates in g UNE I ring choose ide otiated	the Port section of Port and Loop charg arges are commission intified in the Nonrec on an Individual Ca	e manner as this rate exh es listed app on ordered c urring - Cur	they are applied ibit shall apply by to Currently ost based rates rently Combined it further notice to the state of the st	ed to the Stand to all combinate Combined and and in AL, FL ed sections.	-Alone Unbun ations of loop/ d Not Currentl	port network e y Combined Co	lements exception on the the	t for UNE C	additional P	ort nonrecurr	ring charges a		
3. Er For t Com Com 5. M UNE 2-Wi UNE	nd Office and Tandem Switching Usage and Common Transport Georgia, Kentucky, Louisiana, Mississippi and Tennessee, the r bined Combos for all states. In GA, KY, LA, MS and TN these no bined Combos in all other states, the nonrecurring charges sha larket Rates for Unbundled Centrex Port/Loop Combination will P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only re vG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design Port/Loop Combination Rates (Design)	Ost Bas Usage ecurring onrecurring II be the be neg	rates in g UNE I ring ch ose ide otiated	the Port section of Port and Loop charg arges are commission intified in the Nonrec on an Individual Ca-	e manner as this rate exh es listed app on ordered c urring - Cur	they are applie ibit shall apply by to Currently ost based rates rently Combine till further notice 10.79	ed to the Stand to all combinate Combined and and in AL, FL ed sections.	-Alone Unbun ations of loop/ d Not Currentl	port network e y Combined Co	lements exception on the the	t for UNE C	additional P	ort nonrecurr	ring charges a		
3. Er For t Com Com 5. M UNE 2-Wi UNE	nd Office and Tandem Switching Usage and Common Transport Georgia, Kentucky, Louisiana, Mississippi and Tennessee, the ribbined Combos for all states. In GA, KY, LA, MS and TN these no bined Combos in all other states, the nonrecurring charges sha larket Rates for Unbundled Centrex Port/Loop Combination will -P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only re VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design	Ost Bas Usage ecurring onrecurring II be the be neg	rates in g UNE I ring ch ose ide otiated	the Port section of Port and Loop charg arges are commission intified in the Nonrec on an Individual Ca	e manner as this rate exh es listed app on ordered c urring - Cur	they are applied they are applied to the standard to the stand	ed to the Stand to all combinate Combined and and in AL, FL ed sections.	-Alone Unbun ations of loop/ d Not Currentl	port network e y Combined Co	lements exception on the the	t for UNE C	additional P	ort nonrecurr	ring charges a		
3. Er For t Com Com 5. M UNE 2-Wi UNE	nd Office and Tandem Switching Usage and Common Transport Georgia, Kentucky, Louisiana, Mississippi and Tennessee, the ribbined Combos for all states. In GA, KY, LA, MS and TN these no bbined Combos in all other states, the nonrecurring charges sha larket Rates for Unbundled Centrex Port/Loop Combination will -P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only re VG Loop/2-Wire Voice Grade Port (Centrex) Combo - Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design Port/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design	Ost Bas Usage ecurring onrecurring II be the be neg	rates in g UNE I ring ch ose ide otiated	the Port section of Port and Loop charg arges are commission intified in the Nonrec on an Individual Ca-	e manner as this rate exh es listed app on ordered c urring - Cur	they are applied they are applied to the standard to the stand	ed to the Stand to all combinate Combined and and in AL, FL ed sections.	-Alone Unbun ations of loop/ d Not Currentl	port network e y Combined Co	lements exception on the the	t for UNE C	additional P	ort nonrecurr	ring charges a		
3. Er For t Com Com 5. M UNE 2-Wi UNE	nd Office and Tandem Switching Usage and Common Transport Georgia, Kentucky, Louisiana, Mississippi and Tennessee, the r bibined Combos for all states. In GA, KY, LA, MS and TN these no bibined Combos in all other states, the nonrecurring charges sha larket Rates for Unbundled Centrex Port/Loop Combination will -P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only re VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design	Ost Bas Usage ecurring onrecurring II be the be neg	rates in g UNE I ring choose ide otiated	the Port section of Port and Loop charg arges are commission intified in the Nonrec on an Individual Ca UEP91 UEP91 UEP91	e manner as this rate exh es listed app on ordered c urring - Cur	they are applied they are applied to the standard to the stand	ed to the Stand to all combinate Combined and and in AL, FL ed sections.	-Alone Unbun ations of loop/ d Not Currentl	port network e y Combined Co	lements exception on the the the the the the the the the the	t for UNE C	additional P	ort nonrecurr	ring charges a		
3. Er For t Com Com 5. M UNE 2-Wi UNE	nd Office and Tandem Switching Usage and Common Transport Georgia, Kentucky, Louisiana, Mississippi and Tennessee, the r bibined Combos for all states. In GA, KY, LA, MS and TN these no bibined Combos in all other states, the nonrecurring charges sha larket Rates for Unbundled Centrex Port/Loop Combination will -P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only re VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design Port/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design	Ost Bas Usage ecurring onrecurring II be the be neg	rates in g UNE I ring ch ose ide otiated	the Port section of Port and Loop charg arges are commission intified in the Nonrec on an Individual Ca	e manner as this rate exh es listed app on ordered c urring - Cur	they are applied they are applied to the standard to the stand	ed to the Stand to all combinate Combined and and in AL, FL ed sections.	-Alone Unbun ations of loop/ d Not Currentl	port network e y Combined Co	lements exception on the the the the the the the the the the	t for UNE C	additional P	ort nonrecurr	ring charges a		
3. Er For t Com Com 5. M UNE 2-Wi UNE	nd Office and Tandem Switching Usage and Common Transport Georgia, Kentucky, Louisiana, Mississippi and Tennessee, the ribbined Combos for all states. In GA, KY, LA, MS and TN these not beined Combos in all other states, the nonrecurring charges sha larket Rates for Unbundled Centrex Port/Loop Combination will PC ENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only re VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design Port/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design	Ost Bas Usage ecurring onrecurring II be the be neg	rates in g UNE i ring choose ide otiated	the Port section of Port and Loop charg arges are commission tiffied in the Nonrecon an Individual Carlon UEP91 UEP91 UEP91 UEP91 UEP91	e manner as this rate exh es listed app on ordered c urring - Cur	they are applied they are applied by to Currently ost based rates rently Combine till further notice 10.79 15.52 31.74 13.82 18.60	ed to the Stand to all combinate Combined and and in AL, FL ed sections.	-Alone Unbun ations of loop/ d Not Currentl	port network e y Combined Co	lements exception on the	t for UNE C	additional P	ort nonrecurr	ring charges a		
3. Er For t Com Com 5. M UNE 2-Wi UNE	nd Office and Tandem Switching Usage and Common Transport Georgia, Kentucky, Louisiana, Mississippi and Tennessee, the ribbined Combos for all states. In GA, KY, LA, MS and TN these not beined Combos in all other states, the nonrecurring charges sha larket Rates for Unbundled Centrex Port/Loop Combination will P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only re VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design	Ost Bas Usage ecurring onrecurring II be the be neg	rates in g UNE I ring choose ide otiated	the Port section of Port and Loop charg arges are commission intified in the Nonrec on an Individual Ca UEP91 UEP91 UEP91	e manner as this rate exh es listed app on ordered c urring - Cur	they are applied they are applied by the Currently ost based rates rently Combined they are the are they are the they are hey are they are they are they are they are they are they are they are they are they are they are they are they are they are they are they are they are they are the are the are they are they are they are the are the are the are the are the are the ar	ed to the Stand to all combinate Combined and and in AL, FL ed sections.	-Alone Unbun ations of loop/ d Not Currentl	port network e y Combined Co	lements exception on the the the the the the the the the the	t for UNE C	additional P	ort nonrecurr	ring charges a		
3. Er For t Com Com 5. M UNE 2-Wi UNE	nd Office and Tandem Switching Usage and Common Transport Georgia, Kentucky, Louisiana, Mississippi and Tennessee, the ribined Combos for all states. In GA, KY, LA, MS and TN these no bined Combos in all other states, the nonrecurring charges sha larket Rates for Unbundled Centrex Port/Loop Combination will P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only re VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design Port/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design Loop Rate	Ost Bas Usage ecurring onrecurring II be the be neg	rates in g UNE i ring choose ide otiated	the Port section of Port and Loop charg arges are commission tiffed in the Nonrec on an Individual Carlon UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	e manner as this rate exh es listed app on ordered c urring - Cur se Basis, un	they are applied they are applied to the state of the sta	ed to the Stand to all combinate Combined and and in AL, FL ed sections.	-Alone Unbun ations of loop/ d Not Currentl	port network e y Combined Co	lements exception on the the the the the the the the the the	t for UNE C	additional P	ort nonrecurr	ring charges a		
3. Er For t Com Com 5. M UNE 2-Wi UNE	nd Office and Tandem Switching Usage and Common Transport Georgia, Kentucky, Louisiana, Mississippi and Tennessee, the ribbined Combos for all states. In GA, KY, LA, MS and TN these no bbined Combos in all other states, the nonrecurring charges sha larket Rates for Unbundled Centrex Port/Loop Combination will PC ENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only re VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design Port/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design	Ost Bas Usage ecurring onrecurring II be the be neg	rates in g UNE i ring choose ide otiated	the Port section of Port and Loop charg arges are commission tiffied in the Nonrecon an Individual Carlon UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	e manner as this rate exh tes listed app on ordered c urring - Cur se Basis, un	they are applie they are applie ibit shall apply to Currently ost based rates rently Combine till further notice 10.79 15.52 31.74 13.82 18.60 34.37 9.64	ed to the Stand to all combinate Combined and and in AL, FL ed sections.	-Alone Unbun ations of loop/ d Not Currentl	port network e y Combined Co	lements exception on the	t for UNE C	additional Pates and are	ort nonrecurr	ring charges a		
3. Er For t Com Com 5. M UNE 2-Wi UNE	nd Office and Tandem Switching Usage and Common Transport Georgia, Kentucky, Louisiana, Mississippi and Tennessee, the ribined Combos for all states. In GA, KY, LA, MS and TN these no bined Combos in all other states, the nonrecurring charges sha larket Rates for Unbundled Centrex Port/Loop Combination will P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only re VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design Port/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design Loop Rate	Ost Bas Usage ecurring onrecurring II be the be neg	rates in g UNE I g UNE I ring choose ideotiated	the Port section of Port and Loop charg arges are commission intified in the Nonrec on an Individual Car UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	e manner as this rate exh tes listed app n ordered c urring - Cur se Basis, un UECS1 UECS1	they are applied they are applied to the state of the sta	ed to the Stand to all combinate Combined and and in AL, FL ed sections.	-Alone Unbun ations of loop/ d Not Currentl	port network e y Combined Co	lements exception on the the the the the the the the the the	t for UNE C	7.86	ort nonrecurr	ring charges a		
3. Er For t Com Com 5. M UNE 2-Wi UNE	nd Office and Tandem Switching Usage and Common Transport Georgia, Kentucky, Louisiana, Mississippi and Tennessee, the ribined Combos for all states. In GA, KY, LA, MS and TN these no bined Combos in all other states, the nonrecurring charges sha larket Rates for Unbundled Centrex Port/Loop Combination will -P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only re VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo	Ost Bas Usage ecurring onrecurring II be the be neg	rates in g UNE I ring chrose idee ottated	the Port section of Port and Loop charg arges are commission tiffed in the Nonrec on an Individual Case of the Port of the Por	e manner as this rate exh tes listed app on ordered c urring - Cur se Basis, un UECS1 UECS1 UECS1	they are applied they are applied to the state of the sta	ed to the Stand to all combinate Combined and and in AL, FL ed sections.	-Alone Unbun ations of loop/ d Not Currentl	port network e y Combined Co	lements exception on the the the the the the the the the the	t for UNE C	7.86 7.86 7.86	ort nonrecurr	ring charges a		
3. Er For t Com Com 5. M UNE 2-Wi UNE	nd Office and Tandem Switching Usage and Common Transport Georgia, Kentucky, Louisiana, Mississippi and Tennessee, the ribbined Combos for all states. In GA, KY, LA, MS and TN these no bbined Combos in all other states, the nonrecurring charges sha larket Rates for Unbundled Centrex Port/Loop Combination will PC EENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only re VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 1) - Zone 3	Ost Bas Usage ecurring onrecurring II be the be neg	rates ing UNE I ring choose idee otiated	uthe Port section of Port and Loop chargarges are commission tiffied in the Nonrecon an Individual Carlon Lepsi UEP91	e manner as this rate exh this rate exh tes listed app on ordered c urring - Cur se Basis, un UECS1 UECS1 UECS1 UECS2	they are applied they are applied to the state of the sta	ed to the Stand to all combinate Combined and and in AL, FL ed sections.	-Alone Unbun ations of loop/ d Not Currentl	port network e y Combined Co	lements exception on the the the the the the the the the the	t for UNE C	7.86 7.86 7.86	ort nonrecurr	ring charges a		
3. Er For t Com Com 5. M UNE 2-Wi UNE	nd Office and Tandem Switching Usage and Common Transport Georgia, Kentucky, Louisiana, Mississippi and Tennessee, the ribbined Combos for all states. In GA, KY, LA, MS and TN these not believed Combos in all other states, the nonrecurring charges shalarket Rates for Unbundled Centrex Port/Loop Combination will -P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only re VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 1	Ost Bas Usage ecurring onrecurring II be the be neg	g UNET 1 1 2 3 3 1 1 2 3 3 3 3 3 3 3 3 3 3 3 3	uthe Port section of Port and Loop charg arges are commission tiffied in the Nonrecon an Individual Carlon UEP91	UECS1 UECS1 UECS1 UECS2 UECS2 UECS2 UECS2	they are applie they are applie ibit shall apply to Currently ost based rates rently Combine till further notice 10.79 15.52 31.74 13.82 18.60 34.37 9.64 14.37 30.59 12.67 17.45	ed to the Stand to all combinate Combined and and in AL, FL ed sections.	-Alone Unbun ations of loop/ d Not Currentl	port network e y Combined Co	lements exception on the	t for UNE C	7.86 7.86 7.86 7.86	ort nonrecurr	ring charges a		
3. Er For t Com Com 5. M UNE 2-Wi UNE	nd Office and Tandem Switching Usage and Common Transport Georgia, Kentucky, Louisiana, Mississippi and Tennessee, the ribbined Combos for all states. In GA, KY, LA, MS and TN these no bbined Combos in all other states, the nonrecurring charges sha larket Rates for Unbundled Centrex Port/Loop Combination will PC EENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only re VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 1) - Zone 3	Ost Bas Usage ecurring onrecurring II be the be neg	g UNET: g UNET: g UNET: a	uthe Port section of Port and Loop chargarges are commission tiffied in the Nonrecon an Individual Carlon Lepsi UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	e manner as this rate exh this rate exh tes listed app on ordered c urring - Cur se Basis, un UECS1 UECS1 UECS1 UECS2	they are applied they are applied to the state of the sta	ed to the Stand to all combinate Combined and and in AL, FL ed sections.	-Alone Unbunations of loop/ d Not Currently	port network e y Combined Co	lements exception on the the the the the the the the the the	t for UNE C	7.86 7.86 7.86	ort nonrecurr	ring charges a		
3. Er For a Com Com Com 5. M UNE 2-Wi UNE	nd Office and Tandem Switching Usage and Common Transport Georgia, Kentucky, Louisiana, Mississippi and Tennessee, the ribbined Combos for all states. In GA, KY, LA, MS and TN these not believed Combos in all other states, the nonrecurring charges shalarket Rates for Unbundled Centrex Port/Loop Combination will -P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only re VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 1	Ost Bas Usage ecurring onrecurring II be the be neg	g UNET : ing ch sose ide ottated 1	uthe Port section of Port and Loop charg arges are commission tiffied in the Nonrecon an Individual Carlon UEP91	UECS1 UECS1 UECS1 UECS2 UECS2 UECS2 UECS2	they are applie they are applie ibit shall apply to Currently ost based rates rently Combine till further notice 10.79 15.52 31.74 13.82 18.60 34.37 9.64 14.37 30.59 12.67 17.45	ed to the Stand to all combinate Combined and and in AL, FL ed sections.	-Alone Unbunations of loop/ d Not Currently	port network e y Combined Co	lements exception on the the	t for UNE C	7.86 7.86 7.86 7.86	ort nonrecurr	ring charges a		
3. Er Ford Com Com S. M UNE 2-Wi UNE UNE UNE	nd Office and Tandem Switching Usage and Common Transport Georgia, Kentucky, Louisiana, Mississippi and Tennessee, the ribined Combos for all states. In GA, KY, LA, MS and TN these not belined Combos in all other states, the nonrecurring charges sha larket Rates for Unbundled Centrex Port/Loop Combination will P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only re VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design Loop Rate 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 2	Ost Bas Usage ecurring onrecurring II be the be neg	g UNET : ing ch sose ide ottated 1	uthe Port section of Port and Loop charg arges are commission tiffied in the Nonrecon an Individual Carlon UEP91	UECS1 UECS1 UECS1 UECS2 UECS2 UECS2 UECS2	they are applie they are applie ibit shall apply to Currently ost based rates rently Combine till further notice 10.79 15.52 31.74 13.82 18.60 34.37 9.64 14.37 30.59 12.67 17.45	ed to the Stand to all combinate Combined and and in AL, FL ed sections.	-Alone Unbunations of loop/ d Not Currently	port network e y Combined Co	lements exception on the the	t for UNE C	7.86 7.86 7.86 7.86	ort nonrecurr	ring charges a		
3. Er Ford Com Com S. M UNE 2-Wi UNE UNE UNE	nd Office and Tandem Switching Usage and Common Transport Georgia, Kentucky, Louisiana, Mississippi and Tennessee, the ribbined Combos for all states. In GA, KY, LA, MS and TN these no bbined Combos in all other states, the nonrecurring charges sha larket Rates for Unbundled Centrex Port/Loop Combination will PF CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only re VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3 Ports	Ost Bas Usage ecurring onrecurring II be the be neg	g UNET : ing ch sose ide ottated 1	uthe Port section of Port and Loop charg arges are commission tiffied in the Nonrecon an Individual Carlon UEP91	UECS1 UECS1 UECS1 UECS2 UECS2 UECS2 UECS2	they are applie they are applie ibit shall apply to Currently ost based rates rently Combine till further notice 10.79 15.52 31.74 13.82 18.60 34.37 9.64 14.37 30.59 12.67 17.45	ed to the Stand to all combinate Combined and and in AL, FL ed sections.	-Alone Unbunations of loop/ d Not Currently	port network e y Combined Co	lements exception on the the	t for UNE C	7.86 7.86 7.86 7.86	ort nonrecurr	ring charges a		
3. Er Ford Com Com S. M UNE 2-Wi UNE UNE UNE	nd Office and Tandem Switching Usage and Common Transport Georgia, Kentucky, Louisiana, Mississippi and Tennessee, the ribbined Combos for all states. In GA, KY, LA, MS and TN these not believed Combos in all other states, the nonrecurring charges shalarket Rates for Unbundled Centrex Port/Loop Combination will -P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only re VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design Loop Rate 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 3 Ports Rates (Except North Carolina and Sout Carolina)	Ost Bas Usage ecurring onrecurring II be the be neg	g UNET : ing ch sose ide ottated 1	uthe Port section of Port and Loop chargarges are commission tiffied in the Nonrecon an Individual Carlon UEP91	UECS1 UECS1 UECS2 UECS2 UECS2	they are applie they are applie ibit shall apply to Currently ost based rates rently Combine till further notice 10.79 15.52 31.74 13.82 18.60 34.37 9.64 14.37 30.59 12.67 17.45 33.22	ed to the Stand to all combin- Combined an s and in AL, FL ad sections. e.	-Alone Unbun titions of loop/ d Not Currently , NC and SC th	port network e y Combined Co nese nonrecurr	lements excepmbos. The triing charges at	t for UNE C	7.86 7.86 7.86 7.86 7.86	ort nonrecurr	ring charges a		
3. Er Ford Com Com 5. M UNE 2-Wi UNE UNE	nd Office and Tandem Switching Usage and Common Transport Georgia, Kentucky, Louisiana, Mississippi and Tennessee, the ribined Combos for all states. In GA, KY, LA, MS and TN these not beined Combos in all other states, the nonrecurring charges sha larket Rates for Unbundled Centrex Port/Loop Combination will P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only re VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3 Ports States (Except North Carolina and Sout Carolina) 2-Wire Voice Grade Port (Centrex) Basic Local Area	Ost Bas Usage ecurring onrecurring II be the be neg	g UNET : ing ch sose ide ottated 1	uthe Port section of Port and Loop chargarges are commission tiffied in the Nonrecon an Individual Carlon UEP91	UECS1 UECS1 UECS2 UECS2 UECS2	they are applie they are applie ibit shall apply to Currently ost based rates rently Combine till further notice 10.79 15.52 31.74 13.82 18.60 34.37 9.64 14.37 30.59 12.67 17.45 33.22	ed to the Stand to all combin- Combined an s and in AL, FL ad sections. e.	-Alone Unbun titions of loop/ d Not Currently , NC and SC th	port network e y Combined Co nese nonrecurr	lements excepmbos. The triing charges at	t for UNE C	7.86 7.86 7.86 7.86 7.86	ort nonrecurr	ring charges a		

04/12/02 Page 27 of 74

LINDLINDI	ED NETWORK ELEMENTS - Kontucky												A44b	•	Fubible D	
UNBUNDL	ED NETWORK ELEMENTS - Kentucky			l	1						Core Conden		Attachment:		Exhibit: B	Incremental
													Incremental			
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi	l_								Elec	,	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC		RA	TES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonrec			g Disconnect				Rates(\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local															
	Area			UEP91	UEPYH	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire															
	Center)2 Basic Local Area			UEP91	UEPYM	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
	Term - Basic Local Area			UEP91	UEPYZ	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port terminated in on Megalink or equivalent															
	- Basic Local Area			UEP91	UEPY9	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port Terminated on 800 Service Term -															
	Basic Local Area			UEP91	UEPY2	1.15	21.29	15.49	2.85	2.67		7.86				
AL. F	(Y, LA, MS, & TN Only											7.86				
	2-Wire Voice Grade Port (Centrex)			UEP91	UEPQA	1.15	21.29	15.49	2.85	2.67		7.86				
l	2-Wire Voice Grade Port (Centrex 800 termination)	i -		UEP91	UEPQB	1.15	21.29	15.49	2.85	2.67	1	7.86		İ		
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP91	UEPQH	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire	1				0	0				1	1				
l	Center)2	1	1	UEP91	UEPQM	1.15	21.29	15.49	2.85	2.67	1	7.86				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			- ·· • ·		0	220	.5.76	2.50	2.57						
	Term			UEP91	UEPQZ	1.15	21.29	15.49	2.85	2.67		7.86				
+	10		1	02. 0.	02. Q2		21120	10.10	2.00	2.01	1	7.00				
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP91	UEPQ9	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port Terminated in 61 Megamin of Squitation			UEP91	UEPQ2	1.15	21.29	15.49	2.85	2.67		7.86				
Loca	I Switching			02. 0.	02. Q2	0	21120	101.10	2.00	2.01		7.00				
	Centrex Intercom Funtionality, per port		1	UEP91	URECS	0.8873					1	7.86				
Loca	I Number Portability		1	02. 0.	0.1200	0.007.0					1	7.00				
	Local Number Portability (1 per port)		1	UEP91	LNPCC	0.35					1					
Featu			1	OLI OI	LIVI OO	0.00					1					
- Cutt	All Standard Features Offered, per port		1	UEP91	UEPVF	0.00					1	7.86				
+	All Select Features Offered, per port		1	UEP91	UEPVS	0.00	405.66				1	7.86				
	All Centrex Control Features Offered, per port		1	UEP91	UEPVC	0.00	400.00					7.86				
NAR			1	02. 0.	02. 10	0.00					1	7.00				
- INFAIR	Unbundled Network Access Register - Combination		1	UEP91	UARCX	0.00	0.00	0.00			1	7.86				
1	Unbundled Network Access Register - Indial			UEP91	UAR1X	0.00	0.00	0.00				7.86				
	Unbundled Network Access Register - Outdial		1	UEP91	UAROX	0.00	0.00	0.00				7.86				
Misc	ellaneous Terminations		1	02. 0.	07111071	0.00	0.00	0.00			1	7.00				
	re Trunk Side		1		+						1					
	Trunk Side Terminations, each	1	 	UEP91	CENA6	10.51	92.18	15.82	52.16	5.30	-	7.86				
Inter	office Channel Mileage - 2-Wire	1	1	02101	JE11/10	10.51	32.10	13.02	52.10	5.50		7.00				
l linter	Interoffice Channel Facilities Termination - Voice Grade	-	 	UEP91	MIGBC	29.11			 			7.86				
 	Interoffice Channel mileage, per mile or fraction of mile	1	1	UEP91	MIGBM	0.01			†	†	t	7.86				
Feati	ure Activations (DS0) Centrex Loops on Channelized DS1 Service	e	1			0.01			t	1				1		
	hannel Bank Feature Activations	ĩ	 		+				—	 	-	1				
15.0	Feature Activation on D-4 Channel Bank Centrex Loop Slot	1	1	UEP91	1PQWS	0.62			t	1		7.86		1		
 	- I I I I I I I I I I I I I I I I I I I	1	 			3.02			—	 	-	50				
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP91	1PQW6	0.62			I			7.86				
 	Feature Activation on D-4 Channel Bank FX Trunk Side Loop	 	 			0.02			t	 	1	7.00				
	Slot			UEP91	1PQW7	0.62			1			7.86				
 	Feature Activation on D-4 Channel Bank Centrex Loop Slot -	 	 	02101	11 04 44 1	0.02			t	 	1	7.00				
	Different Wire Center			UEP91	1PQWP	0.62			I			7.86				
 	S. T. T. T. CONTO	1	1	02101	11 04 441	0.02			 	 		1.00				
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP91	1PQWV	0.62			I			7.86				
 	Feature Activation on D-4 Channel Bank Frivate Line Loop Siot	-	 	OL: 01	11 00 00 0	0.02			 			7.00				
	Slot			UEP91	1PQWQ	0.62			I			7.86				
 	Feature Activation on D-4 Channel Bank WATS Loop Slot	1	1	UEP91	1PQWQ	0.62			 	1	 	7.86		1		
Non	Recurring Charges (NRC) Associated with UNE-P Centrex	 	-	OLF91	IF QVVA	0.02				-		1.00				
NON-	Conversion - Currently Combined Switch-As-Is with allowed	 	-		+					-						
		1		UEP91	USAC2		0.102	0.102	I			7.86				
 	changes, per port Conversion of Existing Centrex Common Block	 	-	UEP91	USAC2 USACN		18.95	8.32		-		7.86				
 -	New Centrex Standard Common Block	1	+	UEP91	M1ACS	0.00	669.80	78.32	111.05	13.27	-	7.86				
 	New Centrex Standard Common Block New Centrex Customized Common Block	1	+	UEP91	M1ACC	0.00	669.80	78.32	111.05	13.27	 	7.86				
	New Centrex Customized Common Block			UEF91	IVITACC	0.00	08.80	18.32	111.05	13.27	<u> </u>	7.86		l		

None-curring None	Submitted Elec per LSR	Add'l		Submitted Elec	Svc Order d Submitted Manually per LSR	Charge -	I Incrementa Charge -	Charge -	Incremental Charge -
CATEGORY RATE ELEMENTS Interigue Ros USOC RATES(\$) Submitted Submitted Electric E	Submitted Elec per LSR ct SOMEC	Add'l		Submitted Elec	Manually per LSR	Charge - Manual Svo	Charge -	Charge -	
CATEGORY RATE ELEMENTS Intering Zone BCS USOC RATES(\$) Elec Dept LSR Manually per LSR	Elec per LSR	Add'l		Elec	Manually per LSR	Manual Svc			(haraa
CATEGORY RATE ELEMENTS Min Zone BCS USOC RATES(\$5) per LSR per LSR	per LSR	Add'l			per LSR		Manual Svo		
Non-contain Block, per Block Block	ct SOMEC	Add'l		per LSR		Order vs.			
Nonrecurring Nonrecurring Disconnect	SOMEC	Add'l					Order vs.	Order vs.	Order vs.
Secondary Block, per Block	SOMEC	Add'l				Electronic-	Electronic-	Electronic-	Electronic-
Secondary Block, per Block	SOMEC	Add'l				1st	Add'l	Disc 1st	Disc Add'l
Secondary Block, per Block	SOMEC	Add'l							
New Port Name Nam			Add'l				S Rates(\$)		
NAR Establishment Charge, Per Occasion UEP91 URECA 0.00 72.75 7.86	27	13.27				SOMAN	SOMAN	SOMAN	SOMAN
UNEP CENTREX - SESS (Valid in All States)			13.27						ļ
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo					7.86				
UNE Port/Loop Combination Rates (Non-Design 1 UEP95 10.79 10.7									
2-Wire VI Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design 1 UEP95 10.79 1									
Non-Design									
2. Wire Vis Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design 2 UEP95 15.52	+								
Non-Design 2 UEP95 15.52									
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design 1 UEP95 13.82	1 1								
Non-Design									
UNE Port/Lop Combination Rates (Design)									
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo 1 UEP95 13.82				L	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>
2-Wire VG Lopp/2-Wire Voice Grade Port (Centrex) Port Combo 1 UEP95 13.82									
Design									1
Design						1	İ		
Design					1 1				1
2-Wire VGLoop/2-Wire Voice Grade Port (Centrex)Port Combo - Design 3 UEP95 34.37						I	İ		
Design									1
UNE Loop Rate									
2-Wire Voice Grade Loop (SL 1) - Zone 1									
2-Wire Voice Grade Loop (SL 1) - Zone 2					7.86				
2-Wire Voice Grade Loop (SL 1) - Zone 3 3 UEP95 UECS1 30.59 7.86									
2-Wire Voice Grade Loop (SL 2) - Zone 1	\neg								
2-Wire Voice Grade Loop (SL 2) - Zone 2 2 UEP95 UECS2 17.45	-			1		-	+		
2-Wire Voice Grade Loop (SL 2) - Zone 3 3 UEP95 UECS2 33.22	-			1		-	+		
UNE Port Rate All States	\rightarrow							+	
All States	\rightarrow				7.00			+	
2-Wire Voice Grade Port (Centrex) Basic Local Area UEP95 UEPYA 1.15 21.29 15.49 2.85 2.67 7.86	\rightarrow							+	
2-Wire Voice Grade Port (Centrex 800 termination)	67	2.67	2.67		7.86				
2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area UEP95 UEPYH 1.15 21.29 15.49 2.85 2.67 7.86 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 Basic Local Area UEP95 UEPYM 1.15 21.29 15.49 2.85 2.67 7.86 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term - Basic Local Area UEP95 UEPYZ 1.15 21.29 15.49 2.85 2.67 7.86 2-Wire Voice Grade Port terminated in on Megalink or equivalent - Basic Local Area UEP95 UEPYZ 1.15 21.29 15.49 2.85 2.67 7.86 2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area UEP95 UEPY2 1.15 21.29 15.49 2.85 2.67 7.86 2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area UEP95 UEPY2 1.15 21.29 15.49 2.85 2.67 7.86						-	+		
Area	51	2.07	2.07		7.00				
2-Wire Voice Grade Port (Centrex from diff Serving Wire UEP95 UEPYM 1.15 21.29 15.49 2.85 2.67 7.86	67	2.67	2.67		7.06				
Center)2 Basic Local Area	57	2.07	2.07	+	7.00	-	+		
2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service UEP95	67	2.67	2.67		7.06				
Term - Basic Local Area	51	2.07	2.07		7.00		-		
2-Wire Voice Grade Port terminated in on Megalink or equivalent Basic Local Area UEP95 UEPY9 1.15 21.29 15.49 2.85 2.67 7.86 2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area UEP95 UEPY2 1.15 21.29 15.49 2.85 2.67 7.86 7.86 2.67 7.86 2.67 2.85 2.85 2.67 2.85 2.67 2.85 2.85 2.67 2.85 2.85 2.67 2.85 2.85 2.67 2.85 2.85 2.67 2.85 2.85 2.85 2.67 2.85	07	0.07	0.07		7.00				
- Basic Local Area UEP95 UEPY9 1.15 21.29 15.49 2.85 2.67 7.86 2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area UEP95 UEPY2 1.15 21.29 15.49 2.85 2.67 7.86	0/	2.67	2.67		7.86				
2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area UEP95 UEPY2 1.15 21.29 15.49 2.85 2.67 7.86	67	0.07	0.07		7.00	I	İ		
Basic Local Area UEP95 UEPY2 1.15 21.29 15.49 2.85 2.67 7.86	0/	2.67	2.67		7.86		1	-	
	07						1		
11 17/11 110 00 0 7110	0/	2.67	2.67	ļ	7.86			-	↓
AL, KY, LA, MS, SC, & TN Only				ļ		ļ		ļ	
2-Wire Voice Grade Port (Centrex) UEP95 UEPQA 1.15 21.29 15.49 2.85 2.67 7.86								ļ	
2-Wire Voice Grade Port (Centrex 800 termination) UEP95 UEPQB 1.15 21.29 15.49 2.85 2.67 7.86						1	1		
2-Wire Voice Grade Port (Centrex with Caller ID)1 UEP95 UEPQH 1.15 21.29 15.49 2.85 2.67 7.86	ö7	2.67	2.67		7.86		1	Į	
2-Wire Voice Grade Port (Centrex from diff Serving Wire							1		
Center)2 UEP95 UEPQM 1.15 21.29 15.49 2.85 2.67 7.86	67	2.67	2.67		7.86		1		
2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service	1 7		· <u> </u>		1	_	1		
Term UEP95 UEPQZ 1.15 21.29 15.49 2.85 2.67 7.86	67	2.67	2.67		7.86			<u> </u>	<u> </u>
2-Wire Voice Grade Port terminated in on Megalink or equivalent UEP95 UEPQ9 1.15 21.29 15.49 2.85 2.67 7.86	67	2.67	2.67	L		<u> </u>	<u> </u>	<u> </u>	<u> </u>
2-Wire Voice Grade Port Terminated on 800 Service Term UEP95 UEPQ2 1.15 21.29 15.49 2.85 2.67 7.86	67	2.67	2.67		7.86				
Local Switching									
Centrex Intercom Funtionality, per port UEP95 URECS 0.8873 7.86					7.86				
Local Number Portability									1
Local Number Portability (1 per port) UEP95 LNPCC 0.35									1
Features									1
All Standard Features Offered, per port UEP95 UEPVF 0.00 7.86					7.86			1	1
All Select Features Offered, per port UEP95 UEPVS 0.00 405.66 7.86	_					1	1		1
All Centrex Control Features Offered, per port UEP95 UEPVC 0.00						1	1	1	
NARS Self-out-to-control Call C				<u> </u>		-	+	1	

UNBUNDL	ED NETWORK ELEMENTS - Kentucky												Attachment:		Exhibit: B	
						· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·			Svc Order	Svc Order	Incremental	Incremental	Incremental	Incrementa
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
											Elec		Manual Svc	Manual Svc		Manual Svo
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC		RA1	TES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						- (- ,			per Lon	per LSK				Electronic-
													Electronic-	Electronic-	Electronic-	
													1st	Add'l	Disc 1st	Disc Add'l
					+ +		Nonrec	urring	Nonrecurring	Disconnect		lI	oss	Rates(\$)		I
			-		-	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOM AN	SOMAN	SOMAN
	Unbundled Network Access Register - Combination			UEP95	UARCX	0.00	0.00	0.00	FIISL	Auu i	SOWIEC	7.86	JOWAN	JOWAN	SOWAN	JOWAN
	Unbundled Network Access Register - Combination Unbundled Network Access Register - Indial			UEP95	UAR1X	0.00	0.00	0.00				7.86				
	Unbundled Network Access Register - Outdial			UEP95	UAROX	0.00	0.00	0.00				7.86				
	ellaneous Terminations															
2-Wir	e Trunk Side															
	Trunk Side Terminations, each			UEP95	CEND6	10.51	92.18	15.82	52.16	5.30		7.86				
4-Wir	e Digital (1.544 Megabits)															
	DS1 Circuit Terminations, each			UEP95	M1HD1	74.77	164.86	77.74	60.69	3.86		7.86				
	DS0 Channels Activated, each			UEP95	M1HDO	0.00	15.09					7.86				
Interd	office Channel Mileage - 2-Wire															
	Interoffice Channel Facilities Termination			UEP95	MIGBC	29.11						7.86				
	Interoffice Channel mileage, per mile or fraction of mile			UEP95	MIGBM	0.01						7.86				
Featu	re Activations (DS0) Centrex Loops on Channelized DS1 Service	e				. •						,,,				
	hannel Bank Feature Activations				1							7.86			1	1
1240	Feature Activation on D-4 Channel Bank Centrex Loop Slot	1	1	UEP95	1PQWS	0.62						7.86				1
	- Salara Antivation on D - Chainlet Bank Centrex Loop Slot			021 00	11 9,110	0.02						7.00			t	
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot	l		UEP95	1PQW6	0.62						7.86				
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Feature Activation on D-4 Channel Bank FX Trunk Side Loop	-		OFL,89	ורעייט	0.02						7.00			-	
				LIEBOE	400147	0.00						7.00				
	Slot			UEP95	1PQW7	0.62						7.86				
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -															
	Different Wire Center			UEP95	1PQWP	0.62						7.86				
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP95	1PQWV	0.62						7.86				
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop															
	Slot			UEP95	1PQWQ	0.62						7.86				
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP95	1PQWA	0.62						7.86				
Non-	Recurring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed															
	changes, per port			UEP95	USAC2		0.102	0.102				7.86				
	Conversion of Existing Centrex Common Block, each		-	UEP95	USACN		18.95	8.32				7.86				
	New Centrex Standard Common Block			UEP95	M1ACS	0.00	669.80	78.32	111.05	13.27		7.86				
			-													
	New Centrex Customized Common Block			UEP95	M1ACC	0.00	669.80	78.32	111.05	13.27		7.86				
	NAR Establishment Charge, Per Occasion			UEP95	URECA	0.00	72.75					7.86				
	P CENTREX - DMS100 (Valid in All States)															
	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
UNE	Port/Loop Combination Rates (Non-Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	ł														
	Non-Design	L	1	UEP9D	1	10.79										
T	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
1	Non-Design	1	2	UEP9D		15.52									I	
1	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Non-Design	l	3	UEP9D		31.74										
UNF	Port/Loop Combination Rates (Design)	1	1		1										1	1
- 10/42	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	1	1		+ +											1
	Design	l	1	UEP9D		13.82										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		- -	OLI 3D	+	13.02										
1	Design	1	2	UEP9D		18.60									I	
+		 		OFL 2D	+	10.00									 	-
1	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	1	2	LIEDOD		24.27									I	
	Design	.	3	UEP9D	+	34.37									1	1
UNE	Loop Rate	<u> </u>		LIEBAR	1,1505											
	2-Wire Voice Grade Loop (SL 1) - Zone 1	 	1	UEP9D	UECS1	9.64						7.86				
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP9D	UECS1	14.37						7.86				
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP9D	UECS1	30.59						7.86				
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP9D	UECS2	12.67						7.86				
Ì	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP9D	UECS2	17.45						7.86				
	2-Wire Voice Grade Loop (SL 2) - Zone 3			UEP9D	UECS2	33.22						7.86				
UNF	Port Rate	1	Ť	1		30.22									1	i -
	STATES	 	 	 	+ +						 				1	
	UIAILU	ı		UEP9D	UEPYA	1.15	21.29	15.49	2.85	2.67		7.86				<u> </u>

CATEGORY RATE ELEMENTS Manual Cone BCS USC RATE(8) Sec Coder Schoolsteel Code Section Communication Code vis. Both Section Code vis. Code vis. Both Section Code vis. Both Section Code vis. Cod	LINBUNDI E	D NETWORK ELEMENTS - Kentucky												Attachment:	2	Exhibit: B	
AATE ELEMENTS Share Shar	ONBONDEE											Svc Order	Svc Order				Incremental
Note Color Part Color Part Color Part Color Part Color Part Color Part Part Color Part																	Charge -
### DOC USOC RATES(8) per LSR Port SR Contex vs. Contex vs																	Manual Svc
Note Part	CATEGORY	RATE ELEMENTS		Zone	BCS	USOC		RA ⁻	TES(\$)								Order vs.
Text			m						,			per Lor	per Lor				Electronic-
Note																	Disc Add'l
Service Clase For Common Action Service																DISC 1St	DISC Add I
SYMEN VINCE CLOSE PRO (CENTRE ACCOUNTS) SYMEN SY							Poc	Nonred	curring	Nonrecurring	g Disconnect						
March Marc							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
2-We Visco Grade Port Commer. (ESS-PECTSSMIC.Local UEPPO UEPVC 1.15 21.28 15.49 2.85 2.67 7.86																	1
Meas		7 100			UEP9D	UEPYB	1.15	21.29	15.49	2.85	2.67		7.86				
E-Wile Vice Grade Prix (Centre / EBS-M05/99)Sees Local LePhD LeP																	ı
Amail					UEP9D	UEPYC	1.15	21.29	15.49	2.85	2.67		7.86				
2-Vivo Voco Grade Pert (Centres / EBS-M0509)3 Sests Local LEPRID LEPVE 1,15 21,29 15,40 2,86 2,67 7,86		,															i
Area					UEP9D	UEPYD	1.15	21.29	15.49	2.85	2.67		7.86				
2-Wire Voice Grade Port Centres / EBS-MSD1(3)) Basic Local UEPIO UEPIG 1.15 21.29 15.40 2.85 2.67 7.86		, , , , , , , , , , , , , , , , , , , ,			LIEDOD	LIEDVE	4.45	04.00	45.40	0.05	0.07		7.00				ı
Avea Avea					UEP9D	UEPYE	1.15	21.29	15.49	2.85	2.67		7.86				
2-Wire Yours Grade Prof (Centrex / EBS-M030(8)) Basic Local UEPPO UEPYG 1.15 21.20 15.40 2.65 2.67 7.56					LIEDOD	LIEDVE	4.45	04.00	45.40	0.05	0.07		7.00				i
Avea Avea	\vdash		├	 	UEP9D	UEPYF	1.15	21.29	15.49	2.85	2.67		7.86				
2-Wive Voice Grade Port (Centres / EBS-M5008))		, , , , , , , , , , , , , , , , , , , ,	1		LIEDOD	LIEDVO	4 4 5	24.20	15 40	2.05	2.67		7 00	I			1
Area	 	7 100	├	 	OLFAD	UEFTG	1.15	21.29	15.49	∠.85	2.07		7.86				
2-Wire Voce Grade Port (Centrex / EBS-MS219)] Basic Local			1		LIEP9D	HEPYT	1 15	21 20	15 /0	2 95	267		7 96	I			1
Area	 		 	1	OLFBD	ULFII	1.15	21.29	15.49	2.65	2.07		1.00	+	1		
2-Vive Voice Grade Port (Centrex (EBS-MSS16)) Basic Local LEPYD LEPYY 1.15 21.20 15.40 2.85 2.67 7.86 LEPSD LEPYG LEPY					LIEDOD	HEDVII	1 15	21 20	15.40	2.95	2.67		7 96				1
Area UEP9D UEPY9 1.15 2.129 15.49 2.86 2.67 7.86	 		 	\vdash	OLI 3D	JL1 10	1.10	21.29	15.49	2.05	2.07		7.00	 			
2-Vitro Voice Grade Port (Centrex Verb Caster ID) Basic Local Vie Pob Vie Pri 1.15 21.29 15.49 2.88 2.67 7.66					LIEPAD	LIEPY\/	1 15	21 29	15 49	2.85	2 67		7.86				i
Ansa	 				OLI 3D	OLITV	1.10	21.23	13.43	2.00	2.07		7.00				
2-Wire Votice Grade Port (CentrevCaller ID)Nass Local UEPBD UEPVH 1.15 21.29 15.49 2.85 2.67 7.86		,			LIEPOD	HEPY3	1 15	21 29	15 49	2.85	2 67		7.86				ı
Area					OLI 3D	OLI 13	1.13	21.23	13.43	2.00	2.01		7.00				
2-Wire Voice Grade Port (Centrex/Galler IDMsg Wig Lamp Indication))3 Basic Local Area UEP90 UEP70 1.15 21.29 15.49 2.85 2.67 7.86 UEP90 UEP70 UEP70 1.15 21.29 15.49 2.85 2.67 7.86 UEP90 UEP70 UEP70 UEP70 UEP70 UEP70 1.15 21.29 15.49 2.85 2.67 7.86 UEP90 UEP7					LIFP9D	UEPYH	1 15	21 29	15 49	2.85	2 67		7.86				ı
Indication(s) Basic Local Area UEP90 UEPVW 1.15 21.29 15.49 2.85 2.67 7.86					02.05	02	0	220	10.10	2.00	2.01		7.00				
Description Description					UEP9D	UEPYW	1.15	21.29	15.49	2.85	2.67		7.86				i
Basic Local Area UEPD UEPV 1.15 21.29 15.49 2.85 2.67 7.86																	
2-Wire Voice Grade Port Centrex driff er SWC /EBS-MS208) 2, 3 UEP9D UEPYD 1.15 21.29 15.49 2.85 2.67 7.86					UEP9D	UEPYJ	1.15	21.29	15.49	2.85	2.67		7.86				1
2 Basic Local Area UEPPD UEPYM 1.15 21.29 15.49 2.85 2.67 7.86																	
Sales Local Area Centrevdiffer SWC /EBS-RSET)2, 3 UEP9D UEPYO 1.15 21.29 15.49 2.85 2.67 7.86 3					UEP9D	UEPYM	1.15	21.29	15.49	2.85	2.67		7.86				1
2-Wire Voice Grade Port (Centrevdiffer SWC/EBS-M6009)2, 3 UEP9D UEPYP		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3															
Element Elem		Basic Local Area			UEP9D	UEPYO	1.15	21.29	15.49	2.85	2.67		7.86				i
2-Wire Voice Grade Port (Centrev/differ SWC /EBS-5209)2, 3 UEP9D UEPYQ 1.15 21.29 15.49 2.85 2.67 7.86		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3															
Basic Local Area UEP9D UEPYQ 1.15 21.29 15.49 2.85 2.67 7.86		Basic Local Area			UEP9D	UEPYP	1.15	21.29	15.49	2.85	2.67		7.86				ı
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3 UEP9D UEPYR		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3															i
Basic Local Area		Basic Local Area			UEP9D	UEPYQ	1.15	21.29	15.49	2.85	2.67		7.86				
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3 UEP9D UEPYS 1.15 21.29 15.49 2.85 2.67 7.86		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3															1
Basic Local Area					UEP9D	UEPYR	1.15	21.29	15.49	2.85	2.67		7.86				.
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3 UEP9D UEPY4			1											_			
Basic Local Area			<u> </u>		UEP9D	UEPYS	1.15	21.29	15.49	2.85	2.67		7.86				
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 UEP9D UEPY5			1			1								I			1
Basic Local Area					UEP9D	UEPY4	1.15	21.29	15.49	2.85	2.67		7.86	.			
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3 UEP9D UEPY6 1.15 21.29 15.49 2.85 2.67 7.86														1			1
Basic Local Area					UEP9D	UEPY5	1.15	21.29	15.49	2.85	2.67		7.86				
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3 UEP9D UEPY7 1.15 21.29 15.49 2.85 2.67 7.86 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service UEP9D UEPYZ 1.15 21.29 15.49 2.85 2.67 7.86					LIEDOD	LIEDYC	4.45	04.00	45.40	0.05	0.07		7.00	1			1
Basic Local Area			 	ļ	UEP9D	UEPY6	1.15	21.29	15.49	2.85	2.67		7.86	!	1		
2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service UEP9D UEPYZ 1.15 21.29 15.49 2.85 2.67 7.86			1		LIEDOD	LIEDV7	4.45	04.00	45.40	0.05	0.07		7.00	I			i
Term			 	1	UEP9D	UEPY/	1.15	21.29	15.49	2.85	2.67		7.86	 	-		
2-Wire Voice Grade Port terminated in on Megalink or equivalent Basic Local Area UEP9D UEPY9 1.15 21.29 15.49 2.85 2.67 7.86					LIEDOD	I IEDV7	4 45	24.20	15 40	2.05	2.67		7 00	1			1
Basic Local Area	 		 		OLFSD	UEFIL	1.15	21.29	15.49	2.85	2.07		1.80	-	-		
2-Wire Voice Grade Port Terminated on 800 Service Term Basic UEP9D UEPY2 1.15 21.29 15.49 2.85 2.67 7.86					LIEDOD	LIEDVO	1 15	24.20	15.40	2 05	267		7 00	1			1
Llocal Area	 		1	 	טבו שט	OLFIS	1.15	21.29	15.49	2.00	2.07		1.00	 			
AL, KY, LA, MS, SC, & TN Only					LIEP9D	LIEPY2	1 15	21 20	15 40	2.85	2.67		7 86	1			1
2-Wire Voice Grade Port (Centrex)	AI. KY		1		J. JD	0=112	1.10	21.20	10.40	2.00	2.07			-			
2-Wire Voice Grade Port (Centrex 800 termination)	, . <u></u> ,				UEP9D	UEPQA	1.15	21.29	15.49	2.85	2.67			<u> </u>			
2-Wire Voice Grade Port (Centrex / EBS-PSET)3 UEP9D UEPQC 1.15 21.29 15.49 2.85 2.67 7.86 2-Wire Voice Grade Port (Centrex / EBS-M5009)3 UEP9D UEPQD 1.15 21.29 15.49 2.85 2.67 7.86 2-Wire Voice Grade Port (Centrex / EBS-M5209)3 UEP9D UEPQE 1.15 21.29 15.49 2.85 2.67 7.86 2.85 2.67 7.86 2.85 2.67 7.86 2.85 2.67 2.85 2.67 2.85 2.67 2.85 2.67 2.85 2.67 2.85 2.67 2.85 2.67 2.85 2.67 2.85 2.67 2.85 2.67 2.85 2.67 2.85 2.67 2.85 2.67 2.85			†											t			i
2-Wire Voice Grade Port (Centrex / EBS-M5009)3														İ			
2-Wire Voice Grade Port (Centrex / EBS-M5209)3 UEP9D UEPQE 1.15 21.29 15.49 2.85 2.67 7.86																	
		2-Wire Voice Grade Port (Centrex / EBS-M5112)3			UEP9D	UEPQF	1.15	21.29	15.49	2.85	2.67		7.86				

DONDEL	D NETWORK ELEMENTS - Kentucky			1							_		Attachment:		Exhibit: B	
TEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		RAT	FES(\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
						Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex / EBS-M5312)3			UEP9D	UEPQG	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port (Centrex / EBS-M5008)3			UEP9D	UEPQT	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port (Centrex / EBS-M5208)3			UEP9D	UEPQU	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port (Centrex / EBS-M5216)3			UEP9D	UEPQV	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port (Centrex / EBS-M5316)3			UEP9D	UEPQ3	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port (Centrex with Caller ID)			UEP9D	UEPQH	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp															
	Indication)3			UEP9D	UEPQW	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)3			UEP9D	UEPQJ	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)															
	2			UEP9D	UEPQM	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3			UEP9D	UEPQO	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3			UEP9D	UEPQP	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3			UEP9D	UEPQQ	1.15	21.29	15.49	2.85	2.67		7.86				
															1	
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3			UEP9D	UEPQR	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3			UEP9D	UEPQS	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3			UEP9D	UEPQ4	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3			UEP9D	UEPQ5	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3			UEP9D	UEPQ6	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3			UEP9D	UEPQ7	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
	Term			UEP9D	UEPQZ	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9D	UEPQ9	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP9D	UEPQ2	1.15	21.29	15.49	2.85	2.67		7.86				
Local S	Switching															
	Centrex Intercom Funtionality, per port			UEP9D	URECS	0.8873						7.86				
Local N	lumber Portability															
	Local Number Portability (1 per port)			UEP9D	LNPCC	0.35										
Feature																
	All Standard Features Offered, per port			UEP9D	UEPVF	0.00						7.86				
	All Select Features Offered, per port			UEP9D	UEPVS	0.00	405.66					7.86				ļ
	All Centrex Control Features Offered, per port			UEP9D	UEPVC	0.00						7.86				ļ
NARS																ļ
	Unbundled Network Access Register - Combination			UEP9D	UARCX	0.00	0.00	0.00				7.86				ļ
	Unbundled Network Access Register - Inward			UEP9D	UAR1X	0.00	0.00	0.00				7.86				ļ
	Unbundled Network Access Register - Outdial			UEP9D	UAROX	0.00	0.00	0.00				7.86				ļ
	aneous Terminations															ļ
2-Wire	Trunk Side	<u> </u>	<u> </u>	LIEDOD	OFNES		20.15		=						-	
4 147	Trunk Side Terminations, each	<u> </u>	<u> </u>	UEP9D	CEND6	10.51	92.18	15.82	52.16	5.30		7.86			-	
4-wire	Digital (1.544 Megabits)	1	-	LIEDOD	M4 UD4	74 77	404.00	77 74	00.00	2.02		7.00			1	
_	DS1 Circuit Terminations, each	1	-	UEP9D	M1HD1	74.77	164.86	77.74	60.69	3.86		7.86			 	ļ
Interes	DS0 Channels Activiated per Channel	 	-	UEP9D	M1HDO	0.00	15.09		 			7.86			 	
interof	ice Channel Mileage - 2-Wire	 	-	LIEDOD	MIGBC	00.44			 			7.00			 	
	Interoffice Channel Facilities Termination	1	-	UEP9D		29.11			 			7.86			 	
Foot	Interoffice Channel mileage, per mile or fraction of mile		-	UEP9D	MIGBM	0.01			 			7.86			 	
	Activations (DS0) Centrex Loops on Channelized DS1 Service	e	-		+ +				 						 	
D4 Cha	nnel Bank Feature Activations	 	-	UEP9D	1PQWS	0.62			 			7.86			 	
_	Feature Activation on D-4 Channel Bank Centrex Loop Slot	 	-	UEP9D	IPQW5	0.62			 			7.86			 	
	Footing Astington on D.4 Ohang J. Book EV. 1990 October 201	l	1	LIEDOD	4000440	0.00					1	7.00			I	
1	Feature Activation on D-4 Channel Bank FX line Side Loop Slot		l	UEP9D	1PQW6	0.62						7.86				<u> </u>

	LED NETWORK ELEMENTS - Kentucky	_		1							Cura Cura	Cura Curt	Attachment:		Exhibit: B	<u> </u>
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		RAT	ΓES(\$)					Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
						Rec	Nonrec		Nonrecurring					Rates(\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop															
	Slot			UEP9D	1PQW7	0.62						7.86				ļ
	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center			UEP9D	1PQWP	0.62						7.00				
-	Different wire Center			UEP9D	TPQWP	0.62						7.86				
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9D	1PQWV	0.62						7.86				
	Feature Activation on D-4 Channel Bank Tivate Line Loop Slot	+		OLI 3D	II QVVV	0.02						7.00				
	Slot			UEP9D	1PQWQ	0.62						7.86				
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9D	1PQWA	0.62						7.86				
Non	-Recurring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed									-						
	changes, per port			UEP9D	USAC2		0.102	0.102				7.86				
	Conversion of existing Centrex Common Block, each			UEP9D	USACN		18.95	8.32				7.86				
	New Centrex Standard Common Block	_		UEP9D	M1ACS	0.00	669.80	78.32	111.05	13.27		7.86			1	ļ
	New Centrex Customized Common Block	1		UEP9D	M1ACC	0.00	669.80	78.32	111.05	13.27		7.86				<u> </u>
	NAR Establishment Charge, Per Occasion			UEP9D	URECA	0.00	72.75					7.86				
	E-P CENTREX - EWSD (Valid in AL, FL, KY, LA, MS & TN)															
	ire VG Loop/2-Wire Voice Grade Port (Centrex) Combo		1												-	
UNE	Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo															
	Non-Design		1	UEP9E		10.79										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo	-		ULFBL		10.79										
	Non-Design		2	UEP9E		15.52										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo	-														
	Non-Design		3	UEP9E		31.74										
UNE	Port/Loop Combination Rates (Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	-														
	Design		1	UEP9E		13.82										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo	-														
	Design		2	UEP9E		18.60										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo	-														
	Design		3	UEP9E		34.37										
UNE	Loop Rate		1	UEP9E	UECS1	0.04						7.00				
	2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP9E UEP9E	UECS1	9.64 14.37						7.86 7.86				
	2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP9E	UECS1	30.59						7.86				1
	2-Wire Voice Grade Loop (SL 2) - Zone 3		1	UEP9E	UECS2	12.67						7.86				+
	2-Wire Voice Grade Loop (SL 2) - Zone 2	+	2	UEP9E	UECS2	17.45						7.86				
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9E	UECS2	33.22						7.86			1	
UNE	Port Rate															
AL,	FL, KY, LA, MS, & TN only															
	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP9E	UEPYA	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local															ĺ
	Area			UEP9E	UEPYB	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local										1					
	Area	-		UEP9E	UEPYH	1.15	21.29	15.49	2.85	2.67		7.86			1	
	2-Wire Voice Grade Port (Centrex from diff Serving Wire			UEP9E	UEPYM	4 45	21.29	15.49	2.85	2.67		7.86			1	
	Center)2 Basic Local Area 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service	+	1	OEFSE	UEFYIVI	1.15	21.29	15.49	∠.ŏ5	2.07	 	7.80				
	Term - Basic Local Area			UEP9E	UEPYZ	1.15	21.29	15.49	2.85	2.67	1	7.86			I	
	2-Wire Voice Grade Port terminated in on Megalink or equivalen	t	1	OLI OL	OLI IZ	1.13	21.29	15.49	2.00	2.07		1.00			t	
	- Basic Local Area	``		UEP9E	UEPY9	1.15	21.29	15.49	2.85	2.67		7.86			1	
	2-Wire Voice Grade Port Terminated on 800 Service Term -	1				5	220	.0.70	2.00	2.51					1	
	Basic Local Area			UEP9E	UEPY2	1.15	21.29	15.49	2.85	2.67	1	7.86				
AL,	KY, LA, MS, & TN Only							-		-						
	2-Wire Voice Grade Port (Centrex)			UEP9E	UEPQA	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP9E	UEPQB	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP9E	UEPQH	1.15	21.29	15.49	2.85	2.67		7.86				

UNBL	JNDLE	D NETWORK ELEMENTS - Kentucky								•				Attachment:	2	Exhibit: B	
CATE		RATE ELEMENTS	Interi m	Zone	BCS	usoc			FES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I		Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
							Rec	Nonrec		Nonrecurring					Rates(\$)		
							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2			UEP9E	UEPQM	1.15	21.29	15.49	2.85	2.67		7.86				
		2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term			UEP9E	UEPQZ	1.15	21.29	15.49	2.85	2.67		7.86				
		2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9E	UEPQ9	1.15	21.29	15.49	2.85	2.67		7.86				
		2-Wire Voice Grade Port Terminated in on Negamir of equivalent		1	UEP9E	UEPQ2	1.15	21.29	15.49	2.85	2.67		7.86				
	Local S	Switching			OLI OL	OLI QZ	1.10	21.25	10.40	2.00	2.07		7.00				
		Centrex Intercom Funtionality, per port			UEP9E	URECS	0.8873						7.86				
	Local I	Number Portability															
		Local Number Portability (1 per port)			UEP9E	LNPCC	0.35						7.86				1
	Feature	es			_	1											
		All Standard Features Offered, per port			UEP9E	UEPVF	0.00						7.86				
		All Select Features Offered, per port			UEP9E	UEPVS	0.00	405.66	•		•		7.86				1
		All Centrex Control Features Offered, per port			UEP9E	UEPVC	0.00						7.86				1
	NARS				LIEBAE	luane:							ļ				_
		Unbundled Network Access Register - Combination			UEP9E	UARCX	0.00	0.00	0.00								
		Unbundled Network Access Register - Indial			UEP9E	UAR1X	0.00	0.00	0.00								
	84'	Unbundled Network Access Register - Outdial			UEP9E	UAROX	0.00	0.00	0.00								
		laneous Terminations		1		_				-							
	2-wire	Trunk Side Trunk Side Terminations, each			UEP9E	CEND6	10.51	92.18	15.82	52.16	5.30		7.86				
	4 Wiro	Digital (1.544 Megabits)			UEP9E	CENDO	10.51	92.18	15.82	52.16	5.30		7.86				
	4-44116	DS1 Circuit Terminations, each		1	UEP9E	M1HD1	74.77	164.86	77.74	60.69	3.86		7.86				<u> </u>
		DS0 Channel Activated Per Channel		_	UEP9E	M1HDO	0.00	15.09	77.74	00.03	3.00		7.86				
	Interof	fice Channel Mileage - 2-Wire			OLI SL	WITIDO	0.00	13.03					7.00				
		Interoffice Channel Facilities Termination			UEP9E	MIGBC	29.11						7.86				
		Interoffice Channel mileage, per mile or fraction of mile			UEP9E	MIGBM	0.01						7.86				
	Feature	Activations (DS0) Centrex Loops on Channelized DS1 Service	e														
	D4 Cha	nnel Bank Feature Activations															
		Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9E	1PQWS	0.62						7.86				
		Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9E	1PQW6	0.62						7.86				
		Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP9E	1PQW7	0.62						7.86				
	1	Feature Activation on D-4 Channel Bank Centrex Loop Slot -											1				
	<u> </u>	Different Wire Center			UEP9E	1PQWP	0.62						7.86				ļ
		Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9E	1PQWV	0.62						7.86				
		Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop			LIEDOE	4001110											
	1	Slot		1	UEP9E	1PQWQ	0.62					ļ	7.86				
	Non-B	Feature Activation on D-4 Channel Bank WATS Loop Slot ecurring Charges (NRC) Associated with UNE-P Centrex	-	1	UEP9E	1PQWA	0.62			 		1	7.86			-	
	NOII-RE	INRC Conversion Currently Combined Switch-As-Is with allowed				+											
	1	changes, per port			UEP9E	USAC2		0.102	0.102				7.86				
	1	Conversion of Existing Centrex Common Block, each		1	UEP9E	USACN		18.95	8.32				7.00				†
	1	New Centrex Standard Common Block			UEP9E	M1ACS	0.00	669.80	78.32	111.05	13.27		7.86				1
	1	New Centrex Customized Common Block			UEP9E	M1ACC	0.00	669.80	78.32		13.27		7.86				
	1	NAR Establishment Charge, Per Occasion			UEP9E	URECA	0.00	72.75					7.86	1			1
	UNE-P	CENTREX - DCO - Valid in AL, KY, LA, MS, & TN)															
		VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
	UNE P	ort/Loop Combination Rates (Non-Design)															
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design		1	UEP93		10.79										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		2	UEP93		15.52										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	<u> </u>	Non-Design		3	UEP93	1	31.74					ļ					1
	UNE P	ort/Loop Combination Rates (Design)															

CATEGORY	D NETWORK ELEMENTS - Kentucky															
CATEGORY										I	Svc Order		Attachment: Incremental		Exhibit: B Incremental	Incremental
CATEGORY														Charge -		
CATEGORY											Submitted Elec	Submitted Manually	Charge - Manual Svc	Manual Svc	Charge - Manual Svc	Charge - Manual Svc
	RATE ELEMENTS	Interi	Zone	BCS	usoc		RΔ	TES(\$)								
1	NATE ELEMENTS	m	20116	500	0000		IVA.	LO(4)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
i													Electronic-	Electronic-	Electronic-	Electronic-
i													1st	Add'l	Disc 1st	Disc Add'l
					+		Nonrec	urring	Nonrecurring	Disconnect		1	oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -							7.00.		71441	0020				00	
i l	Design		1	UEP93		13.82										f
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															·
i l	Design		2	UEP93		18.60										f
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															í
i l	Design		3	UEP93		34.37										f
UNE L	oop Rate															í
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP93	UECS1	9.64										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP93	UECS1	14.37										í
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP93	UECS1	30.59										i
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP93	UECS2	12.67										
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP93	UECS2	17.45										
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP93	UECS2	33.22										
	ort Rate							·								
AL, KY	Y, LA, MS, & TN only				1		Ť									
	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP93	UEPYA	1.15	21.29	15.49	2.85	2.67		7.86				
i l	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local															f
\longrightarrow	Area			UEP93	UEPYB	1.15	21.29	15.49	2.85	2.67		7.86				
i l	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local															í
	Area			UEP93	UEPYH	1.15	21.29	15.49	2.85	2.67		7.86				
i I	2-Wire Voice Grade Port (Centrex from diff Serving Wire															ł
	Center)2 Basic Local Area			UEP93	UEPYM	1.15	21.29	15.49	2.85	2.67		7.86				
i I	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															ł
$\vdash \vdash \vdash$	Term - Basic Local Area			UEP93	UEPYZ	1.15	21.29	15.49	2.85	2.67		7.86				
i I	2-Wire Voice Grade Port terminated in on Megalink or equivalent															ł
	- Basic Local Area			UEP93	UEPY9	1.15	21.29	15.49	2.85	2.67		7.86				
i I	2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area			UEP93	UEPY2	1.15	21.29	15.49	2.85	2.67		7.86				ł
	2-Wire Voice Grade Port (Centrex)			UEP93	UEPQA	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port (Centrex) 2-Wire Voice Grade Port (Centrex 800 termination)			UEP93	UEPQB	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port (Centrex vith Caller ID)1			UEP93	UEPQH	1.15	21.29	15.49	2.85	2.67		7.86				
$\overline{}$	2-Wire Voice Grade Port (Centrex from diff Serving Wire			OLI 33	OLI QII	1.13	21.23	10.40	2.00	2.07		7.00				ſ
i I	Center)2			UEP93	UEPQM	1.15	21.29	15.49	2.85	2.67		7.86				ł
$\overline{}$	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			02. 00	02. Q	0	220	10.10	2.00	2.01		7.00				ſ
i I	Term			UEP93	UEPQZ	1.15	21.29	15.49	2.85	2.67		7.86				ł
																·
ı l	2-Wire Voice Grade Port terminated in on Megalink or equivalent	l		UEP93	UEPQ9	1.15	21.29	15.49	2.85	2.67		7.86				ł
- 	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP93	UEPQ2	1.15	21.29	15.49	2.85	2.67		7.86		İ		i Total
Local	Switching				1					-			İ	İ		í
1	Centrex Intercom Funtionality, per port			UEP93	URECS	0.8873						7.86				í
Local	Number Portability															í
	Local Number Portability (1 per port)			UEP93	LNCCC	0.35										i
Featur																
	All Standard Features Offered, per port			UEP93	UEPVF	0.00						7.86				
	All Centrex Control Features Offered, per port			UEP93	UEPVC	0.00						7.86				
NARS					1		Ť									
	Unbundled Network Access Register - Combination			UEP93	UARCX	0.00	0.00	0.00								
	Unbundled Network Access Register - Indial	ļ		UEP93	UAR1X	0.00	0.00	0.00	ļ					ļ		
	Unbundled Network Access Register - Outdial	ļ		UEP93	UAROX	0.00	0.00	0.00								
	Ilaneous Terminations	<u> </u>	_		+											
2-Wire	Trunk Side	 	-	LIEDOS	CENIDO	10.51	00.40	45.00	50.40	F 00		7.00		ļ		
4 187	Trunk Side Terminations, each	 		UEP93	CEND6	10.51	92.18	15.82	52.16	5.30		7.86	1	 		
4-vvire	Digital (1.544 Megabits)	 		UEP93	M1HD1	74.77	164.00	77.74	60.60	3.86		7.86	-	 		
	DS1 Circuit Terminations, each DS0 Channels Activated, Per Channel	 		UEP93 UEP93	M1HD1 M1HDO	0.00	164.86 15.09	11.14	60.69	3.86		7.86		-		
Interes	ffice Channel Mileage - 2-Wire	1	1	OFL 99	INITIDO	0.00	15.09				1	1.00				
Intero	Interoffice Channel Facilities Termination	<u> </u>	1	UEP93	MIGBC	29.11			 			7.86		 		
$\overline{}$	Interoffice Channel mileage, per mile or fraction of mile	 	 	UEP93	MIGBM	0.01			 			7.86		 		
	re Activations (DS0) Centrex Loops on Channelized DS1 Service	e	-	02. 00		0.01					1	7.50		 		

INBUNDLE	D NETWORK ELEMENTS - Kentucky		-										Attachment:		Exhibit: B	
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		RAT	FES(\$)				Submitted Manually	Charge -	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						B	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)	•	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
D4 Cha	annel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP93	1PQWS	0.62						7.86				
	Feature Activation on D-4 Channel Bank FX Line Side Loop Slot			UEP93	1PQW6	0.62						7.86				
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP93	1PQW7	0.62						7.86				
	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center			UEP93	1PQWP	0.62						7.86				
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP93	1PQWV	0.62						7.86				
	Feature Activation on D-4 Channel Bank Tie Line/Trunk Loop Slot			UEP93	1PQWQ	0.62						7.86				
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP93	1PQWA	0.62						7.86				
Non-Re	ecurring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port			UEP93	USAC2		0.102	0.102				7.86				
	Conversion of Existing Centrex Common Block, each			UEP93	USACN		18.95	8.32				7.86				
	New Centrex Standard Common Block			UEP93	M1ACS	0.00	669.80	78.32	111.05	13.27		7.86				
	New Centrex Customized Common Block			UEP93	M1ACC	0.00	669.80	78.32	111.05	13.27		7.86				
	NAR Establishment Charge, Per Occasion			UEP93	URECA	0.00	72.75					7.86				
Note 1	- Required Port for Centrex Control in 1AESS, 5ESS & EWSD															
Note 2	2 - Requres Interoffice Channel Mileage															
Note 3	- Requires Specific Customer Premises Equipment					ĺ										
NOTE:	Rates displaying an "R" in Interim column are interim and su	hiect to	rate tr	ue-un as set forth it	n General Ter	me and Condit	one				1					İ

UNBUI	VDI F	NETWORK ELEMENTS - South Carolina												Attachment:	2	Exhibit: B	
CIADOI	IDELL	NETWORK ELEMENTO South Garonna										Cua Ordar	Svc Order		Incremental	Incremental	Incrementa
													Submitted		Charge -	Charge -	Charge -
	201	DATE EL EMENTO	Interi	-	500	11000			(A)			Elec	Manually			Manual Svc	
CATEG	ORY	RATE ELEMENTS	m	Zone	BCS	USOC		RA	TES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonred	curring	Nonrecurring	Disconnect			oss	Rates(\$)		
							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
OPERA	TIONAL	SUPPORT SYSTEMS															
	NOTE: (1) Electronic Service Order: CLEC should contact its contract	t negot	iator if	it prefers the state	specific elect	ronic service o	rdering charge	es as ordered l	by the State Co	mmissions. T	he electron	ic service o	rdering charg	e currently co	ntained in th	is rate
	exhibit	is the BellSouth regional electronic service ordering charge.	CLEC I	mav ele	ect either the state s	specific Comr	nission ordered	I rates for the	electronic serv	ice orderina ch	arges, or CLE	C may elect	the region	al electronic s	service orderi	ng charge.	
		2) Any element that can be ordered electronically will be bille		_		•											ly For
		lements that cannot be ordered electronically at present per t				e in this cate	gory reflects the	e charge that v	voula de bille	to a CLEC one	ce electronic d	ordering cap	papilities co	me on-line to	r that elemen	. Otherwise,	tne manuai
	orderin	g charge, SOMAN, will be applied to a CLECs bill when it sub	mits an	LSR	o BellSouth.		, ,						•				•
		Manual Service Order Charge, per LSR, Disconnect Only (SC)				SOMAN				1.97							
		Electronic OSS Charge, per LSR, submitted via BST's OSS															
		interactive interfaces (Regional)				SOMEC		3.50									
		XCHANGE ACCESS LOOP															
	2-WIRE	ANALOG VOICE GRADE LOOP									-						
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEAL2	14.94	37.92	17.62	23.56	5.32		15.69				1
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		2	UEANL	UEAL2	21.39	37.92	17.62	23.56	5.32		15.69				
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL	UEAL2	26.72	37.92	17.62	23.56	5.32	1	15.69	1	İ	İ	İ
		Loop Testing - Basic 1st Half Hour		Ť	UEANL	URET1	202	34.23	34.23	20.00	3.32	1	15.69	1	1		i
		Loop Testing - Basic Additional Half Hour			UEANL	URETA		19.90	19.90				15.69				
		CLEC to CLEC Conversion Charge Without Outside Dispatch			OLANL	OKLIA		13.30	13.30				15.05				
		(UVL-SL1)			UEANL	UREWO		15.81	8.96				15.69				
				-		UKEWU		13.47	13.47				15.09				
		Engineering Information Document (EI)			UEANL	1154440											
		Manual Order Coordination for UVL-SL1s (per loop)			UEANL	UEAMC		8.17	8.17								
		Order Coordination for Specified Conversion Time for UVL-SL1															
		(per LSR)			UEANL	OCOSL		18.13	18.13								
	2-WIRE	Unbundled COPPER LOOP															
		2-Wire Unbundled Copper Loop - Non-Designed Zone 1	- 1	1	UEQ	UEQ2X	12.94	36.40	16.10	22.66	4.42		15.69				
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 2			UEQ	UEQ2X	14.51	36.40	16.10	22.66	4.42		15.69				
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 3		3	UEQ	UEQ2X	15.02	36.40	16.10	22.66	4.42		15.69				
		Order Coordination 2 Wire Unbundled Copper Loop - Non-															
		Designed (per loop)			UEQ	USBMC		8.17	8.17				15.69				
		Engineering Information Document			UEQ			13.47	13.47				15.69				
		Loop Testing - Basic 1st Half Hour			UEQ	URET1		34.23	34.23				15.69				
		Loop Testing - Basic Additional Half Hour			UEQ	URETA		19.90	19.90				15.69				
		CLEC to CLEC Conversion Charge Without Outside Dispatch		-	OLG	OILLIN		10.00	10.00				10.00				
		(UCL-ND)			UEQ	UREWO		14.30	7.45				15.69				
LINIDIINI	N ED E	XCHANGE ACCESS LOOP			ULQ	UKLWO		14.30	7.45				13.09				
		ANALOG VOICE GRADE LOOP				1											
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-	l	١.,	HEDOD HEDOD	Lucaro		07.00	47.00	00 =0			45.00		I		İ
		Zone 1		1	UEPSR UEPSB	UEALS	14.94	37.92	17.62	23.56	5.32		15.69				ļ
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-	l	1		L]]			l		I		İ
		Zone 1		1	UEPSR UEPSB	UEABS	14.94	37.92	17.62	23.56	5.32	1	15.69	1	ļ		
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-	l	1		1]]			l		I		İ
		Zone 2		2	UEPSR UEPSB	UEALS	21.39	37.92	17.62	23.56	5.32		15.69				
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-									-						
		Zone 2	l	2	UEPSR UEPSB	UEABS	21.39	37.92	17.62	23.56	5.32		15.69		I		İ
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
		Zone 3	l	3	UEPSR UEPSB	UEALS	26.72	37.92	17.62	23.56	5.32		15.69		I		İ
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-				1			32			1	1	1	İ	İ	İ
		Zone 3	l	3	UEPSR UEPSB	UEABS	26.72	37.92	17.62	23.56	5.32		15.69		I		İ
UNRUM		XCHANGE ACCESS LOOP		Ĕ		3200	20.72	07.02	17.02	20.00	0.02	1	10.00	1	t		
		ANALOG VOICE GRADE LOOP		1		1				1		1	1	1	t	1	l .
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		1		1						1	1	1	t	1	l .
			l	1	UEA	UEAL2	16.68	105.98	68.43	53.05	10.61	1	15.69		I		I
		Ground Start Signaling - Zone 1		1	UEA	UEAL2	16.68	105.98	68.43	53.05	10.61	-	15.69	-	1	1	1
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	l	١ ـ		l					40	1			I		I
		Ground Start Signaling - Zone 2		2	UEA	UEAL2	23.13	105.98	68.43	53.05	10.61		15.69				ļ
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	l	1	l	l]]		1	l		I		İ
		Ground Start Signaling - Zone 3		3	UEA	UEAL2	28.46	105.98	68.43	53.05	10.61	1	15.69	1	ļ		
		Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		18.13									
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse				1							l			I	
		Battery Signaling - Zone 1		1	UEA	UEAR2	16.68	105.98	68.43	53.05	10.61	1	15.69			l	ĺ

04/12/02 Page 37 of 74

HINDHIN	חו בי	NETWORK ELEMENTS - South Carolina												Attackment:	2	Evhibit: D	
ONDUNI	ULEL	NETWORK ELEMENTS - SOUTH CAROLINA	T .				T				1	Svo Order	Sup Orde-	Attachment: Incremental		Exhibit: B Incremental	Incremental
			1		I		I										
												Submitted	Submitted		Charge -	Charge -	Charge -
0.75005		DATE EL EMENTO	Interi	-	500	11000			FF0(A)			Elec	Manually		Manual Svc	Manual Svc	Manual Svc
CATEGOR	₹Y	RATE ELEMENTS	m	Zone	BCS	USOC		RA	TES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
										<u> </u>	<u></u>						
							Rec	Nonrec		Nonrecurring					Rates(\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															ł '
		Battery Signaling - Zone 2		2	UEA	UEAR2	23.13	105.98	68.43	53.05	10.61		15.69				<u> </u>
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															ł
		Battery Signaling - Zone 3		3	UEA	UEAR2	28.46	105.98	68.43	53.05	10.61		15.69				<u> </u>
		Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		18.13									<u> </u>
		CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.90	36.44				15.69				1
4-1	WIRE	ANALOG VOICE GRADE LOOP															l
		4-Wire Analog Voice Grade Loop - Zone 1		1	UEA	UEAL4	32.59	132.38	94.83	59.35	14.61		15.69				1
		4-Wire Analog Voice Grade Loop - Zone 2		2	UEA	UEAL4	43.89	132.38	94.83	59.35	14.61		15.69				1
		4-Wire Analog Voice Grade Loop - Zone 3		3	UEA	UEAL4	43.38	132.38	94.83	59.35	14.61		15.69				1
		Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		18.13									í
		CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.90	36.44				15.69				í
2-1	WIRE	ISDN DIGITAL GRADE LOOP															i
		2-Wire ISDN Digital Grade Loop - Zone 1	1	1	UDN	U1L2X	25.21	117.58	80.03	53.05	10.61		15.69	İ	İ		i Total
		2-Wire ISDN Digital Grade Loop - Zone 2	1	2	UDN	U1L2X	32.76	117.58	80.03	53.05	10.61		15.69	İ	İ		i Total
		2-Wire ISDN Digital Grade Loop - Zone 3	1	3	UDN	U1L2X	37.70	117.58	80.03	53.05	10.61		15.69	İ	İ		i Total
		Order Coordination For Specified Conversion Time (per LSR)			UDN	OCOSL		18.13									
		CLEC to CLEC Conversion Charge without outside dispatch			UDN	UREWO		91.82	44.25				15.69				
2-1	WIRF	Universal Digital Channel (UDC) COMPATIBLE LOOP			05.1	0.1.2.1.0		01.02	20			1	10.00				
		2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone															
		1		1	UDC	UDC2X	25.21	117.58	80.03	53.05	10.61		15.69				ł
-		2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone		-	ODO	ODOZA	20.21	117.00	00.00	00.00	10.01	1	10.00				
		2 Ville Offiversali Digital Offarmer (ODO) Compatible 2009 2016		2	UDC	UDC2X	32.76	117.58	80.03	53.05	10.61		15.69				ł '
-		2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone		-	ODO	ODOZA	02.70	117.00	00.00	00.00	10.01		10.00				
		2 VIII Oniversal Digital Charmer (ODO) Compatible 2009 2011		3	UDC	UDC2X	37.70	117.58	80.03	53.05	10.61		15.69				ł
-		CLEC to CLEC Conversion Charge without outside dispatch			UDC	UREWO	37.70	91.82	44.25	33.03	10.01		15.69				
2-1		ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP	ATIRI F	LOOF		OKLWO		31.02	44.25				13.03				
	WIIKE	2 Wire Unbundled ADSL Loop including manual service inquiry	T	LOUI													
		& facility reservation - Zone 1		1	UAL	UAL2X	12.19	120.84	70.56	50.37	7.93		15.69				ł
		2 Wire Unbundled ADSL Loop including manual service inquiry		-	OAL	UALZA	12.13	120.04	70.50	30.37	7.33		13.03				
		& facility reservation - Zone 2		2	UAL	UAL2X	13.71	120.84	70.56	50.37	7.93		15.69				ł
		2 Wire Unbundled ADSL Loop including manual service inquiry			UAL	UALZA	13.71	120.04	70.50	30.37	7.93		13.09				
		& facility reservation - Zone 3		3	UAL	UAL2X	14.14	120.84	70.56	50.37	7.93		15.69				ł
-		Order Coordination for Specified Conversion Time (per LSR)		3	UAL	OCOSL	14.14	18.13	70.30	30.37	7.93	-	13.09				
				-	UAL	UCUSL		10.13									
		2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 1	1	1	UAL	UAL2W	12.19	95.81	57.82	50.37	7.93		15.69	Ì			1
+		2 Wire Unbundled ADSL Loop without manual service inquiry &	 	1	UAL	UALZW	12.19	95.61	57.82	50.37	7.93		15.69	 	-		
		facility reservaton - Zone 2	1	2	UAL	UAL2W	13.71	95.81	57.82	50.37	7.93		15.69				1
\vdash		2 Wire Unbundled ADSL Loop without manual service inquiry &	 		UAL	UALZW	13./1	95.61	57.82	50.37	7.93		15.69				
		facility reservaton - Zone 3	1	3	UAL	UAL2W	14.14	95.81	F7 00	50.37	7.93		45.00				1
\vdash		Order Coordination for Specified Conversion Time (per LSR)	1	3	UAL		14.14		57.82	50.37	7.93	 	15.69				
\vdash			1		-· ·-	OCOSL		18.13	40.40	-		-	45.00				
0.1		CLEC to CLEC Conversion Charge without outside dispatch HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIDIE	OOB	UAL	UREWO	-	86.38	40.48	 			15.69				
	VVIKE	2 Wire Unbundled HDSL Loop including manual service inquiry	TIDLE	LOUP	 					 							 '
			1	1	l	LILII OV	0.50	400.50	70.04	50.07	7.00		45.00	Ì			1
\vdash		& facility reservation - Zone 1	 	1	UHL	UHL2X	9.58	129.52	79.24	50.37	7.93		15.69				
		2 Wire Unbundled HDSL Loop including manual service inquiry	1	0	UHL	11111 07	10.92	400.50	70.04	50.07	7.00		45.00				1
\vdash		& facility reservation - Zone 2	1	2	UHL	UHL2X	10.92	129.52	79.24	50.37	7.93	1	15.69	1	-		
		2 Wire Unbundled HDSL Loop including manual service inquiry	1	3	UHL	UHL2X	11.40	400.50	70.04	50.07	7.00		45.00	Ì			ł
\vdash		& facility reservation - Zone 3	!	3	-		11.40	129.52	79.24	50.37	7.93	1	15.69				
\vdash		Order Coordination for Specified Conversion Time (per LSR)	1		UHL	OCOSL	1	18.13		 	-	1		1	-		
		2 Wire Unbundled HDSL Loop without manual service inquiry	1	١.,	l		0 ==	404 10	00.50	50.00	7.00		45.00				1
		and facility reservation - Zone 1	!	1	UHL	UHL2W	9.58	104.49	66.50	50.37	7.93		15.69		1		
		2 Wire Unbundled HDSL Loop without manual service inquiry	1		l		40.00	404 10	00.50	50.00	7.00		45.00				1
		and facility reservation - Zone 2	!	2	UHL	UHL2W	10.92	104.49	66.50	50.37	7.93		15.69		1		
		2 Wire Unbundled HDSL Loop without manual service inquiry	1		l								4				1
		and facility reservation - Zone 3	!	3	UHL	UHL2W	11.40	104.49	66.50	50.37	7.93		15.69		1		
		Order Coordination for Specified Conversion Time (per LSR)	ļ		UHL	OCOSL		18.13									
<u> </u>		CLEC to CLEC Conversion Charge without outside dispatch	L		UHL	UREWO		86.32	40.48				15.69				
4-\	WIRE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	HIBLE	LOOP	<u> </u>					<u> </u>			<u> </u>				

UNBUNDE	ED NETWORK ELEMENTS - South Carolina		ı	1							C C1	Cura Curt	Attachment:		Exhibit: B	In anarra :
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		RAT	ΓES(\$)				Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
						D	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4 Wire Unbundled HDSL Loop including manual service inquiry															
	and facility reservation - Zone 1		1	UHL	UHL4X	16.02	158.18	107.89	55.12	10.38		15.69				
	4-Wire Unbundled HDSL Loop including manual service inquiry		_		I I											
	and facility reservation - Zone 2		2	UHL	UHL4X	14.33	158.18	107.89	55.12	10.38		15.69				
	4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 3		3	UHL	UHL4X	16.84	158.18	107.89	55.12	10.38		15.69				
	Order Coordination for Specified Conversion Time (per LSR)		3	UHL	OCOSL	10.64	18.13	107.09	33.12	10.36		13.09				
-	4-Wire Unbundled HDSL Loop without manual service inquiry			OTIL	00002		10.10									
	and facility reservation - Zone 1		1	UHL	UHL4W	16.02	133.14	95.16	55.12	10.38		15.69				
	4-Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 2		2	UHL	UHL4W	14.33	133.14	95.16	55.12	10.38		15.69				
	4-Wire Unbundled HDSL Loop without manual service inquiry		_		I I											
	and facility reservation - Zone 3		3	UHL	UHL4W	16.84	133.14	95.16	55.12	10.38		15.69				
	Order Coordination for Specified Conversion Time (per LSR)			UHL UHL	OCOSL UREWO		18.13 86.32	40.48				15.69			-	
4-WID	CLEC to CLEC Conversion Charge without outside dispatch E DS1 DIGITAL LOOP		 	UIIL	UKEWU		86.32	40.48			-	15.09			 	1
7-1111	4-Wire DS1 Digital Loop - Zone 1		1	USL	USLXX	79.51	253.03	157.89	44.80	11.73		15.69				
	4-Wire DS1 Digital Loop - Zone 2			USL	USLXX	136.00	253.03	157.89	44.80	11.73		15.69				
	4-Wire DS1 Digital Loop - Zone 3			USL	USLXX	229.15	253.03	157.89	44.80	11.73		15.69				
	Order Coordination for Specified Conversion Time (per LSR)			USL	OCOSL		18.13									
	CLEC to CLEC Conversion Charge without outside dispatch			USL	UREWO		101.30	43.13				15.69				
4-WIR	E 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP															
	4 Wire Unbundled Digital 19.2 Kbps			UDL	UDL19	29.93	126.66	89.12	59.35	14.61		15.69				
	4 Wire Unbundled Digital 19.2 Kbps		2	UDL UDL	UDL19 UDL19	33.99 34.74	126.66	89.12	59.35	14.61		15.69				
	4 Wire Unbundled Digital 19.2 Kbps 4 Wire Unbundled Digital Loop 56 Kbps - Zone 1		3 1	UDL	UDL19 UDL56	29.93	126.66 126.66	89.12 89.12	59.35 59.35	14.61 14.61		15.69 15.69				
-	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2			UDL	UDL56	33.99	126.66	89.12	59.35	14.61		15.69				
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3			UDL	UDL56	34.74	126.66	89.12	59.35	14.61		15.69				
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL	-	18.13									
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1		1	UDL	UDL64	29.93	126.66	89.12	59.35	14.61		15.69				
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2		2	UDL	UDL64	33.99	126.66	89.12	59.35	14.61		15.69				
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3		3	UDL	UDL64	34.74	126.66	89.12	59.35	14.61		15.69				
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		18.13	40.05				45.00				
2 WID	CLEC to CLEC Conversion Charge without outside dispatch E Unbundled COPPER LOOP			UDL	UREWO		102.34	49.85				15.69			-	
Z-VVIR	2-Wire Unbundled Copper Loop/Short including manual service				+ +										1	
	inquiry & facility reservation - Zone 1		1	UCL	UCLPB	12.19	119.91	69.62	50.37	7.93		15.69				
	2-Wire Unbundled Copper Loop/Short including manual service				1										1	
	inquiry & facility reservation - Zone 2		2	UCL	UCLPB	13.71	119.91	69.62	50.37	7.93		15.69				
	2 Wire Unbundled Copper Loop/Short including manual service															
	inquiry & facility reservation - Zone 3		3	UCL	UCLPB	14.14	119.91	69.62	50.37	7.93		15.69				
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8.17	8.17								
	2-Wire Unbundled Copper Loop/Short without manual service		1	UCL	UCLPW	12.19	94.87	56.89	50.37	7.93		15.69				
-	inquiry and facility reservation - Zone 1 2-Wire Unbundled Copper Loop/Short without manual service		-	UCL	UCLPW	12.19	94.07	30.09	50.57	7.93		15.69			-	
	inquiry and facility reservation - Zone 2		2	UCL	UCLPW	13.71	94.87	56.89	50.37	7.93		15.69				
	2-Wire Unbundled Copper Loop/Short without manual service			002	002. 11	10.7 1	0 1.07	00.00	00.01	7.00		10.00			1	
	inquiry and facility reservation - Zone 3		3	UCL	UCLPW	14.14	94.87	56.89	50.37	7.93		15.69				
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8.17	8.17								
	2-Wire Unbundled Copper Loop/Long - includes manual srvc.							·		·					1	
	inquiry and facility reservation - Zone 1		1	UCL	UCL2L	38.22	119.91	69.62	50.37	7.93		15.69				
	2-Wire Unbundled Copper Loop/Long - includes manual svc.		2	LICI	LICI 3I	EE 00	110.04	60.00	E0 27	7.00		15.00			1	
	inquiry and facility reservation - Zone 2 2-Wire Unbundled Copper Loop/Long - includes manual svc.			UCL	UCL2L	55.33	119.91	69.62	50.37	7.93		15.69			-	
	inquiry and facility reservation - Zone 3		3	UCL	UCL2L	67.95	119.91	69.62	50.37	7.93		15.69			1	
- 	Order Coordination for Unbundled Copper Loops (per loop)		5	UCL	UCLMC	07.93	8.17	8.17	50.57	1.93		10.09			-	†
İ	2-Wire Unbundled Copper Loop/Long - without manual service				3020		3.17	0.17							1	
	inquiry and facility reservation - Zone 1	1	1	UCL	UCL2W	38.22	94.87	56.89	50.37	7.93	1	15.69			I	

UNBUNDL	ED NETWORK ELEMENTS - South Carolina												Attachment:	2	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			ES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
		ļ				Rec	Nonrec		Nonrecurring		SOMEC	001111		Rates(\$)	SOMAN	0014411
	2-Wire Unbundled Copper Loop/Long - without manual service				-		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	inquiry and facility reservation - Zone 2 2-Wire Unbundled Copper Loop/Long - without manual service		2	UCL	UCL2W	55.33	94.87	56.89	50.37	7.93		15.69				
	inquiry and facility reservation - Zone 3		3	UCL	UCL2W	67.95	94.87	56.89	50.37	7.93		15.69				
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8.17	8.17								
	CLEC to CLEC Conversion Charge without outside dispatch															
	(UCL-Des)			UCL	UREWO		94.87	42.57				15.69				
4-WI	RE COPPER LOOP						1									_
	4-Wire Copper Loop/Short - including manual service inquiry and facility reservation - Zone 1		1	UCL	UCL4S	19.64	144.17	93.88	55.12	10.38		15.69				
	4-Wire Copper Loop/Short - including manual service inquiry and facility reservation - Zone 2		2	UCL	UCL4S	20.90	144.17	93.88	55.12	10.38		15.69				
	4-Wire Copper Loop/Short - including manual service inquiry and facility reservation - Zone 3		3	UCL	UCL4S	19.34	144.17	93.88	55.12	10.38		15.69				
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8.17	8.17								
	4-Wire Copper Loop/Short - without manual service inquiry and facility reservation - Zone 1		1	UCL	UCL4W	19.64	119.13	81.15	55.12	10.38		15.69				
	4-Wire Copper Loop/Short - without manual service inquiry and facility reservation - Zone 2		2	UCL	UCL4W	20.90	119.13	81.15	55.12	10.38		15.69				
	4-Wire Copper Loop/Short - without manual service inquiry and facility reservation - Zone 3			UCL	UCL4W	19.34	119.13	81.15	55.12	10.38		15.69				
	Order Coordination for Unbundled Copper Loops (per loop)		3	UCL	UCLMC	19.54	8.17	8.17	33.12	10.30		15.05				
	4-Wire Unbundled Copper Loop/Long - includes manual svc. inquiry and facility reservation - Zone 1		1	UCL	UCL4L	77.29	144.17	93.88	55.12	10.38		15.69				
	4-Wire Unbundled Copper Loop/Long - includes manual svc. inquiry and facility reservation - Zone 2			UCL	UCL4L	118.78	144.17	93.88	55.12	10.38		15.69				
	4-Wire Unbundled Copper Loop/Long - includes manual svc. inquiry and facility reservation - Zone 3			UCL	UCL4L	144.10	144.17	93.88	55.12	10.38		15.69				
-	Order Coordination for Unbundled Copper Loops (per loop)	1	3	UCL	UCLMC	144.10	8.17	8.17	55.12	10.36		15.09				
	4-Wire Unbundled Copper Loop/Long - without manual svc.			002	0020		0	0.11								
	inquiry and facility reservation - Zone 1 4-Wire Unbundled Copper Loop/Long - without manual svc.		1	UCL	UCL4O	77.29	119.44	81.45	55.12	10.38		15.69				
	inquiry and facility reservation - Zone 2 4-Wire Unbundled Copper Loop/Long - without manual svc.		2	UCL	UCL4O	118.78	119.44	81.45	55.12	10.38		15.69				
	inquiry and facility reservation - Zone 3		3	UCL	UCL4O	144.10	119.44	81.45	55.12	10.38		15.69				
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8.17	8.17								ļ
	CLEC to CLEC Conversion Charge without outside dispatch (UCL-Des)			UCL	UREWO		94.87	42.57				15.69				
LOOP MODI	FICATION															
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft			UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UDL, UDC, UDN, UDL, USL	ULM2L		32.46	32.46				15.69				
	Unbundled Loop Modification, Removal of Load Coils - 2 wire greater than 18k ft			UCL, ULS	ULM2G		170.89	170.89				15.69				
	Unbundled Loop Modification Removal of Load Coils - 4 Wire			UHL, UCL	ULM4L			32.46				15.69				
	less than or equal to 18K ft Unbundled Loop Modification Removal of Load Coils - 4 Wire				_		32.46									
	pair greater than 18k ft Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop			UCL UAL, UHL, UCL, UEQ, UEF, ULS, UEA, UEANL, UDL, UDC, UDN, UDL, USL	ULM4G ULMBT		170.89 32.48	170.89 32.48				15.69 15.69				
SUB-LOOPS																
Sub-	Loop Distribution	<u> </u>	<u> </u>				-				ļ					
	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set- Up	1		UEANL	USBSA		241.42	241.42				15.69				

UNBUNDL	ED NETWORK ELEMENTS - South Carolina												Attachment:	2	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			TES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonred		Nonrecurring					Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up			UEANL	USBSB		22.69	22.69				15.69				
	Sub-Loop - Per Building Equipment Room - CLEC Feeder	- '		ULANL	USBSB		22.09	22.09				13.09				
	Facility Set-Up	- 1		UEANL	USBSC		177.84	177.84				15.69				
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel															
	Set-Up	I		UEANL	USBSD		55.58	55.58				15.69				
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 1		1	UEANL	USBN2	8.87	65.94	31.03	45.35	6.71		15.69				
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -	-	'	UEAINL	USDINZ	0.01	65.94	31.03	45.35	0.71		15.69				1
	Zone 2	1	2	UEANL	USBN2	12.58	65.94	31.03	45.35	6.71		15.69				
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -															
	Zone 3	ı	3	UEANL	USBN2	14.79	65.94	31.03	45.35	6.71		15.69				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8.17	8.17								
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -			ULANL	USDIVIC		0.17	0.17								
	Zone 1		1	UEANL	USBN4	14.11	79.21	44.29	49.82	9.09		15.69				
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -															
	Zone 2		2	UEANL	USBN4	19.40	79.21	44.29	49.82	9.09		15.69				
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3		3	UEANL	USBN4	18.90	79.21	44.29	49.82	9.09		15.69				
	Zone 3		3	UEANL	USBIN4	18.90	79.21	44.29	49.82	9.09		15.69				1
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8.17	8.17								
	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)	-		UEANL	USBR2	2.41	53.13	18.21	45.35	6.71		15.69				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL UEANL	USBMC USBR4	5.36	8.17 59.38	8.17 24.47	49.82	9.09		45.00				
	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	-		UEANL	USBR4	5.30	59.38	24.47	49.82	9.09		15.69				1
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8.17	8.17								
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	-	1	UEF	UCS2X	7.11	65.94	31.03	45.35	6.71		15.69				
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	-	2	UEF	UCS2X	9.83	65.94	31.03	45.35	6.71		15.69				
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	ı	3	UEF	UCS2X	10.48	65.94	31.03	45.35	6.71		15.69				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		8.17	8.17								
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF	UCS4X	7.85	79.21	44.29	49.82	9.09		15.69				
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	i	2	UEF	UCS4X	14.17	79.21	44.29	49.82	9.09		15.69				
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	ı	3	UEF	UCS4X	12.64	79.21	44.29	49.82	9.09		15.69				
				l												
I lab.	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		8.17	8.17								
Unbu	Indled Sub-Loop Modification Unbundled Sub-Loop Modification - 2-W Copper Dist Load															
	Coil/Equip Removal per 2-W PR			UEF	ULM2X		176.17	5.11				15.69				
	Unbundled Sub-loop Modification - 4-W Copper Dist Load															
	Coil/Equip Removal per 4-W PR			UEF	ULM4X		176.17	5.11				15.69				
	Unbundled Sub-loop Modification - 2-w/4-w Copper Dist Bridged															
Unhi	Tap Removal, per PR unloaded indled Network Terminating Wire (UNTW)			UEF	ULM4T		278.82	6.13				15.69				
Olibu	Unbundled Network Terminating Wire (UNTW) per Pair			UENTW	UENPP	0.3303	30.20	30.20				15.69				
Netw	ork Interface Device (NID)			CLITITY	OLIVI I	0.0000	00.20	00.20				10.00				
	Network Interface Device (NID) - 1-2 lines			UENTW	UND12		43.68	28.79				15.69				
	Network Interface Device (NID) - 1-6 lines			UENTW	UND16		64.42	49.53				15.69		_		
	Network Interface Device Cross Connect - 2 W			UENTW	UNDC2		5.92	5.92				15.69				
SUB-LOOPS	Network Interface Device Cross Connect - 4W		-	UENTW	UNDC4		5.92	5.92			 	15.69				-
	Loop Feeder															-
- Cub-i	USL-Feeder, DS0 Set-up per Cross Box location - CLEC			UEA,												<u> </u>
	Distribution Facility set-up			UDN,UCL,UDL,UDC	USBFW		241.42					15.69				
	USL Feeder - DS0 Set-up per Cross Box location - per 25 pair			UEA,	l											
	set-up			UDN,UCL,UDL,UDC			22.69	22.69				15.69				

ONBONDLE	D NETWORK ELEMENTS - South Carolina												Attachment:		Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		RAT	ΓES(\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring			•		Rates(\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Sub-Loop Feeder Loop, 2 Wire Ground Start, Voice							====	=							
	Grade - Zone 1 Unbundled Sub-Loop Feeder Loop, 2 Wire Ground-Start, Voice		1	UEA	USBFA	8.93	93.28	56.69	54.68	13.74		15.69				
	Grade - Zone 2		2	UEA	USBFA	11.74	93.28	56.69	54.68	13.74		15.69				
	Unbundled Sub-Loop Feeder Loop, Per 2 Wire Ground-Start,		_	027.	002.71		00.20	00.00	000	10.11		10.00				
	Voice Grade - Zone 3		3	UEA	USBFA	14.74	93.28	56.69	54.68	13.74		15.69				
	Order Coordination for Specified Conversion Time, per LSR			UEA	OCOSL		18.13									
	Unbundlde Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice							====	=							
	Grade - Zone 1		1	UEA	USBFB	8.93	93.28	56.69	54.68	13.74		15.69				<u> </u>
	Unbundled Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice Grade - Zone 2		2	UEA	USBFB	11.74	93.28	56.69	54.68	13.74		15.69				
	Unbundled Sub-Loop Feeder Loop, 2 Wire Start Loop, Voice			ULA	03616	11.74	93.20	30.09	34.00	13.74		13.03				+
	Grade - Zone 3		3	UEA	USBFB	14.74	93.28	56.69	54.68	13.74		15.69				
	Order Coordination for Specified Time Conversion, per LSR			UEA	OCOSL		18.13			-						
	Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery,															
	Voice Grade - Zone 1		1	UEA	USBFC	8.93	93.28	56.69	54.68	13.74		15.69				<u> </u>
	Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery,		_		HODEO	44.74	00.00	50.00	54.00	10.71		45.00				
	Voice Grade - Zone 2 Unbundled Sub-Loop Feeder Loop, 2 Wire Analog Reverse		2	UEA	USBFC	11.74	93.28	56.69	54.68	13.74		15.69				
	Battery, Voice Grade - Zone 3		3	UEA	USBFC	14.74	93.28	56.69	54.68	13.74		15.69				
	Order Coordination For Specified Conversion Time, per LSR		3	UEA	OCOSL	14.74	18.13	30.03	34.00	13.74		10.00				
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice															
	Grade - Zone 1		1	UEA	USBFD	21.63	107.91	70.36	62.26	17.52		15.69				
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice															
	Grade - Zone 2		2	UEA	USBFD	27.57	107.91	70.36	62.26	17.52		15.69				<u> </u>
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground Start, Voice		3	UEA	USBFD	20.04	407.04	70.00	60.00	47.50		45.00				
-	Grade - Zone 3 Order Coordination For Specified Conversion Time, Per LSR		3	UEA	OCOSL	26.04	107.91 18.13	70.36	62.26	17.52		15.69				
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice			OLA	OCCOL		10.13									+
	Grade - Zone 1		1	UEA	USBFE	21.63	107.91	70.36	62.26	17.52		15.69				
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice															
	Grade - Zone 2		2	UEA	USBFE	27.57	107.91	70.36	62.26	17.52		15.69				
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice		_					=								
	Grade - Zone 3		3	UEA	USBFE	26.04	107.91	70.36	62.26	17.52		15.69				
-	Order Coordination For Specified Conversion Time, Per LSR Unbundled Sub-Loop Feeder Loop, 2 Wire ISDN BRI - Zone 1		1	UEA UDN	OCOSL USBFF	17.05	18.13 106.47	68.92	55.81	13.37		15.69				
	Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 2		2	UDN	USBFF	20.92	106.47	68.92	55.81	13.37		15.69				+
	Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 3		3	UDN	USBFF	23.49	106.47	68.92	55.81	13.37		15.69				
	Order Coordination For Specified Conversion Time, Per LSR			UDN	OCOSL		18.13								İ	<u> </u>
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)		1	UDC	USBFS	17.05	106.47	68.92	55.81	13.37		15.69				
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)		2	UDC	USBFS	20.92	106.47	68.92	55.81	13.37		15.69				.
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)	ļ		UDC	USBFS USBFG	23.49 55.85	106.47	68.92 64.64	55.81 62.26	13.37 17.52		15.69				
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 1 Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 2	-		USL	USBFG	109.16	102.19 102.19	64.64	62.26	17.52		15.69 15.69	-	-		+
 	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 2		3	USL	USBFG	203.35	102.19	64.64	62.26	17.52		15.69				+
	Order Coordination For Specified Conversion Time, Per LSR		J	USL	OCOSL	200.00	18.13	04.04	52.20	17.02		10.00				1
	Unbundled Sub-Loop Feeder, 2-Wire Copper Loop - Zone 1		1	UCL	USBFH	5.98	83.97	46.42	53.14	10.69		15.69			1	1
	Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone							_								
	2		2	UCL	USBFH	4.80	83.97	46.42	53.14	10.69		15.69				<u> </u>
	Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone		_		LICDELL		20.0-	40.40	50.4.	10.00		45.00				
	Order Coordination For Specified Conversion Time, per LSR		3	UCL	USBFH OCOSL	4.59	83.97 18.13	46.42	53.14	10.69		15.69				+
 	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 1		1	UCL	USBFJ	13.21	101.22	63.67	58.03	13.29		15.69				+
	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 2	1		UCL	USBFJ	8.28	101.22	63.67	58.03	13.29		15.69				†
	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 3		3	UCL	USBFJ	8.42	101.22	63.67	58.03	13.29		15.69				1
	Order Coordination For Specified Conversion Time, per LSR			UCL	OCOSL		18.13									
	Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop			UDL	USBFN	21.02	102.19	64.64	62.26	17.52		15.69				
	Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop		2	UDL	USBFN	21.30	102.19	64.64	62.26	17.52		15.69				
	Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop	l	3	UDL	USBFN	20.17	102.19	64.64	62.26	17.52		15.69			l	

UNBUI	NDLE	D NETWORK ELEMENTS - South Carolina												Attachment:	2	Exhibit: B	
CATEGO		RATE ELEMENTS	Interi m	Zone	BCS	usoc			FES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I		Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
							Rec	Nonrec		Nonrecurring					Rates(\$)		
							1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop -															
		Zone 1		1	UDL	USBFO	21.02	102.19	64.64	62.26	17.52		15.69				
		Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop -		2	UDL	USBFO	21.30	102.19	64.64	62.26	17.52		15.69				
		Zone 2 Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop -			UDL	USBFU	21.30	102.19	64.64	62.26	17.52		15.69				
		Zone 3		3	UDL	USBFO	20.17	102.19	64.64	62.26	17.52		15.69				
		Order Coordination For Specified Time Conversion, per LSR		Ŭ	UDL	OCOSL	20.17	18.13	04.04	02.20	17.02		10.00				
		Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop -													1		
		Zone 1		1	UDL	USBFP	21.02	102.19	64.64	62.26	17.52		15.69				
		Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop -															
		Zone 2	<u> </u>	2	UDL	USBFP	21.30	102.19	64.64	62.26	17.52		15.69	ļ	1		
		Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop -		_	LIDI	HODES				20.0-					1		
		Zone 3	1	3	UDL UDL	USBFP OCOSL	20.17	102.19	64.64	62.26	17.52		15.69	-	1	-	
SUB-LO	OPS	Order Coordination For Specified Conversion Time, per LSR	 	 	UDL	JUUSL		18.13		 		-		-		-	
		l op Feeder															
	Oub Lo	Sub Loop Feeder - DS3 - Per Mile Per Month	1		UE3	1L5SL	20.44										
		Sub Loop Feeder - DS3 - Facility Termination Per Month	i		UE3	USBF1	348.12	3,392.00	407.90	160.83	91.17		15.69		1		
		Sub Loop Feeder – STS-1 – Per Mile Per Month	T		UDLSX	1L5SL	20.44	-,									
		Sub Loop Feeder - STS-1 - Facility Termination Per Month	ı		UDLSX	USBF7	369.07	3,392.00	407.90	160.83	91.17		15.69				
		Sub Loop Feeder – OC-3 – Per Mile Per Month	ı		UDLO3	1L5SL	15.51										
		Sub Loop Feeder - OC-3 - Facility Termination Protection Per															
		Month	<u> </u>		UDLO3	USBF5	56.04		10= 00	100.00			45.00				
		Sub Loop Feeder - OC-3 - Facility Termination Per Month	-		UDLO3	USBF2	565.50	3,392.00	407.90	160.83	91.17		15.69				
		Sub Loop Feeder - OC-12 - Per Mile Per Month Sub Loop Feeder - OC-12 - Facility Termination Protection Per	<u> </u>		UDL12	1L5SL	19.08										
		Month	1		UDL12	USBF6	669.82										
		Sub Loop Feeder - OC-12 - Facility Termination Per Month	l i		UDL12	USBF3	1,840.00	3,392.00	407.90	160.83	91.17		15.69				
		Sub Loop Feeder - OC-48 - Per Mile Per Month	i	1	UDL48	1L5SL	62.60	0,002.00	107.00	100.00	0		10.00				
		Sub Loop Feeder - OC-48 - Facility Termination Protection Per															
		Month	- 1		UDL48	USBF9	326.16										
		Sub Loop Feeder - OC-48 - Facility Termination Per Month	- 1		UDL48	USBF4	1,560.00	3,578.00	407.90	160.83	91.17		15.69				
		Sub Loop Feeder - OC-12 Interface On OC-48	I		UDL48	USBF8	366.86	789.85	407.90	160.83	91.17		15.69				
UNBUNI	DLED L	OOP CONCENTRATION					010 =0	222.12					4= 00				
		Unbundled Loop Concentration - System A (TR008) Unbundled Loop Concentration - System B (TR008)			ULC	UCT8A UCT8B	318.73 46.69	326.13 135.89	326.13 135.89				15.69 15.69				
1		Unbundled Loop Concentration - System B (TR008) Unbundled Loop Concentration - System A (TR303)	1	-	ULC	UCT3A	351.78	326.13	326.13			1	15.69	 	t	1	
		Unbundled Loop Concentration - System A (TR303)	 	 	ULC	UCT3B	78.67	135.89	135.89				15.69		t		
		Unbundled Loop Concentration - DS1 Loop Interface Card	l		ULC	UCTCO	4.42	63.43	46.18	16.83	4.71		15.69	İ	1	İ	
		Unbundled Loop Concentration - ISDN Loop Interface (Brite															
		Card)			UDN	ULCC1	7.02	10.56	10.50	5.41	5.37		15.69				
I		Unbundled Loop Concentration - UDC Loop Interface (Brite	1		l	1								1	_		
		Card)	<u> </u>	ļ	UDC	ULCCU	7.02	10.56	10.50	5.41	5.37		15.69				
		Unbundled Loop Concentration2 Wire Voice-Loop Start or			LIEA	ULCC2	1.75	10.50	10.50	E 14	5.37		45.60		1		
		Ground Start Loop Interface (POTS Card) Unbundled Loop Concentration - 2 Wire Voice - Reverse Battery	 	 	UEA	ULCC2	1./5	10.56	10.50	5.41	5.37	-	15.69	1		-	
		Loop Interface (SPOTS Card)			UEA	ULCCR	10.42	10.56	10.50	5.41	5.37		15.69		1		
+		Unbundled Loop Concentration - 4 Wire Voice Loop Interface	†	1		020011	10.42	10.00	10.00	5.41	0.07		10.00	1	†	1	
		(Specials Card)	1	1	UEA	ULCC4	6.22	10.56	10.50	5.41	5.37		15.69	1			
		Unbundled Loop Concentration - TEST CIRCUIT Card			ULC	UCTTC	30.38	10.56	10.50	5.41	5.37		15.69				
		Unbundled Loop Concentration - Digital 19.2 Kbps Data Loop															
		Interface	<u> </u>	<u> </u>	UDL	ULCC7	9.21	10.56	10.50	5.41	5.37		15.69	ļ	1		
		Unbundled Loop Concentration - Digital 56 Kbps Data Loop			LIDI	111.005	20.	40.50	10.50				45.00		1		
		Interface Unbundled Loop Concentration - Digital 64 Kbps Data Loop	<u> </u>		UDL	ULCC5	9.21	10.56	10.50	5.41	5.37		15.69		 		
		Unbundled Loop Concentration - Digital 64 Kbps Data Loop Interface	1	1	UDL	ULCC6	9.21	10.56	10.50	5.41	5.37		15.69	1			
UNE OT	HER. P	ROVISIONING ONLY - NO RATE	-	l -	UDL.	01000	3.21	10.36	10.30	5.41	5.37	1	15.09		†		
1	, .	NID - Dispatch and Service Order for NID installation	<u> </u>	<u> </u>	UENTW	UNDBX									1		
		UNTW Circuit Id Establishment, Provisioning Only - No Rate	1		UENTW	UENCE				1				İ	İ		

													Attachment:		Exhibit: B	<u> </u>
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		RA	TES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st		Incremental Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						<u> </u>	Nonred	curring	Nonrecurring	Disconnect			220	Rates(\$)		
+-						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
				UEANL,UEF,UEQ,U			11131	Auu	11131	Addi	COME	JOINIAN	COMPAR	COMPAR	COMPAR	COMPAR
ı l	Unbundled Contract Name, Provisioning Only - No Rate			ENTW	UNECN											
UNE OTHER,	PROVISIONING ONLY - NO RATE															
ı l																
i l	Unbundled Contact Name, Provisioning Only - no rate			UAL,UCL,UDC,UDL, UDN,UEA,UHL,ULC	LINECN	0.00	0.00									
	Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no			ODIN,OLA,OHL,OLC	UNLCIN	0.00	0.00									
i l	rate			UEA,UDN,UCL,UDC	USBFQ	0.00	0.00									
	Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no															
	rate			UEA,USL,UCL,UDL	USBFR	0.00	0.00									
	Unbundled DS1 Loop - Superframe Format Option - no rate			USL	CCOSF	0.00	0.00									
i l	Unbundled DS1 Loop - Expanded Superframe Format option - no rate			USL	CCOEF	0.00	0.00									
HIGH CAPAC	Ino rate			USL	COUEF	0.00	0.00		 						-	1
	High Capacity Unbundled Local Loop - DS3 - Per Mile per								 							
i l	month			UE3	1L5ND	12.26										
i	High Capacity Unbundled Local Loop - DS3 - Facility															
	Termination per month			UE3	UE3PX	306.36	452.52	264.53	119.75	83.77		15.69				
ı l	High Capacity Unbundled Local Loop - STS-1 - Per Mile per											4= 00				
	month High Capacity Unbundled Local Loop - STS-1 - Facility			UDLSX	1L5ND	12.26						15.69				
ı l	Termination per month			UDLSX	UDLS1	313.49	452.52	264.53	119.75	83.77		15.69				
LOOP MAKE-				ODLOX	ODLOT	313.43	402.02	204.55	119.73	03.11		13.03				
	Loop Makeup - Preordering Without Reservation, per working or															
	spare facility queried (Manual).			UMK	UMKLW		24.04	24.04								
ı l	Loop Makeup - Preordering With Reservation, per spare facility															
	queried (Manual).			UMK	UMKLP		25.49	25.49								
ı l	Loop MakeupWith or Without Reservation, per working or spare facility queried (Mechanized)			UMK	PSUMK		0.34	0.34								
HIGH EREOU	ENCY SPECTRUM			UIVIK	FSUIVIK		0.34	0.34								
	TERS-CENTRAL OFFICE BASED															
i	Line Sharing Splitter, per System 96 Line Capacity			ULS	ULSDA	216.22	189.21	0.00	178.38	0.00		15.69				
	Line Sharing Splitter, per System 24 Line Capacity			ULS	ULSDB	54.05	189.21	0.00	178.38	0.00		15.69				
ullet	Line Sharing Splitter, Per System, 8 Line Capacity	ı		ULS	ULSD8	18.02	189.21	0.00	178.38	0.00		15.69				
ı l	Line Sharing-DLEC Owned Splitter in CO-CFA activaton-											4= 00				
END	deactivation (per LSOD) USER ORDERING-CENTRAL OFFICE BASED-HIGH FREQUENC	CDEC.	TDIIM	ULS	ULSDG		86.67		49.95			15.69				
END	Line Sharing - per Line Activation (BST owned Splitter)	JPEC	I KUWI	ULS	ULSDC	0.61	18.55	10.62	10.04	4.93		15.69				
	Line Sharing - per Subsequent Activity per Line				32000	0.01	10.00	10.02	10.04	7.55		70.00				
	Rearrangement(BST Owned Splitter)	<u> </u>		ULS	ULSDS	<u> </u>	16.42	8.21	l			15.69				
ı T	Line Sharing - per Subsequent Activity per Line						· · · · ·			· · · · · · · · · · · · · · · · · · ·						
	Rearrangement(DLEC Owned Splitter)	<u> </u>		ULS	ULSCS		16.42	8.21	22.25	10.5		15.69				
	Line Sharing - per Line Activation (DLEC owned Splitter) Line Splitting - per line activation DLEC owned splitter	<u> </u>		ULS UEPSR UEPSB	ULSCC	0.61 0.61	47.44	19.31	20.67	12.74		15.69				1
	Line Splitting - per line activation DLEC owned splitter Line Splitting - per line activation BST owned - physical	-		UEPSR UEPSB	UREBP	0.61	37.09	21.24	20.07	9.85		15.69			-	
\leftarrow	Line Splitting - per line activation BST owned - physical Line Splitting - per line activation BST owned - virtual	H		UEPSR UEPSB	UREBV	0.642	37.09	21.24	20.07	9.85		15.69			 	
UNBUNDLED	DEDICATED TRANSPORT	<u> </u>						224	20.07	3.30		70.00				
NOTE	: INTEROFFICE CHANNEL DEDICATED TRANSPORT - minimu	m billin	g perio	d - below DS3=one	month, DS3/	STS-1=four mo	nths									
INTER	ROFFICE CHANNEL - DEDICATED TRANSPORT															
i l	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -			LIATON	41.5727	0.040=										
	Per Mile per month Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -			U1TVX	1L5XX	0.0167			 						 	
i l	Facility Termination per month			U1TVX	U1TV2	24.30	40.63	27.47	16.77	6.91		15.69				
-+-	Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade			5.14/	J11 VZ	24.50	40.03	21.41	10.77	0.91		13.03			†	1
, l	Rev Bat Per Mile per month			U1TVX	1L5XX	0.0167										
•																
 	Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat.															
	Tacility Termination per month Tacility Termination per month Tacility Termination per month Tacility Termination Tacility Term			U1TVX	U1TR2	24.30	40.63	27.47	16.77	6.91		15.69				

UNBU	INDLE	D NETWORK ELEMENTS - South Carolina												Attachment:	2	Exhibit: B	
•												Svc Order	Svc Order			Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
												Elec	Manually	Manual Svc	Manual Svc		Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC		RAT	TES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						(+)			per LSK	per LSK				
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							_ 1	Nonrec	curring	Nonrecurring	Disconnect			oss	Rates(\$)	1	
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade							71441		71441	0020				00/	
		- Facility Termination per month			U1TVX	U1TV4	21.29	40.63	27.47	16.77	6.91		15.69				
		Interoffice Channel - Dedicated Transport - 56 kbps - per mile			011177	0	21.20	10.00	2	10.11	0.01		10.00				
		per month			U1TDX	1L5XX	0.0167										
		Interoffice Channel - Dedicated Transport - 56 kbps - Facility			01127	120701	0.0107										
		Termination per month			U1TDX	U1TD5	16.76	40.63	27.47	16.77	6.91		15.69				
		Interoffice Channel - Dedicated Transport - 64 kbps - per mile			OTIEX	01100	10.70	40.00	21.41	10.77	0.01		10.00				
		per month			U1TDX	1L5XX	0.0167										
		Interoffice Channel - Dedicated Transport - 64 kbps - Facility			OTIDA	TESTA	0.0107										
		Termination per month			U1TDX	U1TD6	16.76	40.63	27.47	16.77	6.91		15.69				
		Interoffice Channel - Dedicated Channel - DS1 - Per Mile per			UTIDA	UTIDO	10.70	40.03	21.41	10.77	0.91		13.09				
		month			U1TD1	1L5XX	0.3415										
		Interoffice Channel - Dedicated Tranport - DS1 - Facility		<u> </u>	וטווטו	ILSAA	0.3413										
			1	1	U1TD1	U1TF1	77.14	89.47	81.99	16.39	14.48	1	15.69		l		1
 		Termination per month		 	וטווט	UIIFI	77.14	89.47	81.99	16.39	14.48		15.69		 	1	
		Interoffice Channel - Dedicated Transport - DS3 - Per Mile per															
		month		<u> </u>	U1TD3	1L5XX	8.02										
		Interoffice Channel - Dedicated Transport - DS3 - Facility				==							4= 00				
		Termination per month			U1TD3	U1TF3	880.65	279.37	163.12	60.33	58.59		15.69				
		Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per															
		month			U1TS1	1L5XX	8.02										
		Interoffice Channel - Dedicated Transport - STS-1 - Facility															
		Termination per month			U1TS1	U1TFS	880.55	279.37	163.12	60.33	58.59		15.69				
		. CHANNEL - DEDICATED TRANSPORT															
	NOTE:	LOCAL CHANNEL DEDICATED TRANSPORT - minimum billin	g perio	d - bel													
		Local Channel - Dedicated - 2-Wire Voice Grade Per Month			ULDVX	ULDV2	15.33	193.53	33.24	36.72	3.21		15.69				
		Local Channel - Dedicated - 2-Wire Voice Grade Rev Bat per															
		month			ULDVX	ULDR2	15.33	193.53	33.24	36.72	3.21		15.69				
		Local Channel - Dedicated - 4-Wire Voice Grade per month			UNDVX	ULDV4	16.54	193.97	33.68	37.19	3.68		15.69				
		Local Channel - Dedicated - DS1 per month - Zone 1		1	ULDD1	ULDF1	42.62	177.87	154.06	22.24	15.30		15.69				
		Local Channel - Dedicated - DS1 per month - Zone 2		2	ULDD1	ULDF1	70.32	177.87	154.06	22.24	15.30		15.69				
		Local Channel - Dedicated - DS1 per month - Zone 3		3	ULDD1	ULDF1	190.68	177.87	154.06	22.24	15.30		15.69				
		Local Channel - Dedicated - DS3 - Per Mile per month			ULDD3	1L5NC	11.93										
		Interoffice Channel - Dedicated Transport - DS3 - Facility															
		Termination per month			U1TD3	U1TF3	446.00	452.52	264.53	119.75	83.77		15.69				
		Local Channel - Dedicated - STS-1- Per Mile per month			ULDS1	1L5NC	11.93										
		Local Channel - Dedicated - STS-1 - Facility Termination per															
		month			ULDS1	ULDFS	435.10	452.52	264.53	119.75	83.77		15.69				
MULTII	PLEXER	RS															
		Channelization - DS1 to DS0 Channel System			UXTD1	MQ1	107.57	91.24	62.71	10.56	9.81		15.69				
		OCU-DP COCI (data) - DS1 to DS0 Channel System - per															
1		month (2.4-64kbs)	1	1	UDL	1D1DD	1.19	6.59	4.73			1	15.69		l		1
		2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per					<u> </u>										
		month		1	UDN	UC1CA	2.56	6.59	4.73				15.69				1
		Voice Grade COCI - DS1 to DS0 Channel System - per month			UEA	1D1VG	0.56	6.59	4.73				15.69		İ		
		DS3 to DS1 Channel System per month			UXTD3	MQ3	144.02	178.54	94.18	33.33	31.90		15.69		İ		
		STS1 to DS1 Channel System per month			UXTS1	MQ3	144.02	178.54	94.18	33.33	31.90		15.69		İ		
		DS3 Interface Unit (DS1 COCI) used with Loop per month			USL	UC1D1	8.64	6.59	4.73				15.69				
		DS3 Interface Unit (DS1 COCI) used with Local Channel per													İ		
		month	1	1	ULDD1	UC1D1	8.64	6.59	4.73			1	15.69		l		1
		DS3 Interface Unit (DS1 COCI) used with Interoffice Channel				1			0						1		
1		per month	1	1	U1TD1	UC1D1	8.64	6.59	4.73			1	15.69		l		1
DARK	FIBER						2.01	2.00					12.30		İ		
2.3333		Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction		1		+	 									<u> </u>	—
l		Thereof per month - Local Channel		1	UDF	1L5DC	97.65										1
-		NRC Dark Fiber - Local Channel		1	UDF	UDFC4	57.00	640.51	138.17	317.76	198.11		15.69			<u> </u>	—
 		Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction		1	331	351 34	 	040.01	130.17	317.70	130.11		10.03			<u> </u>	—
1		Thereof per month - Interoffice Channel	1	1	UDF	1L5DF	36.41					1			l		1
	-	NRC Dark Fiber - Interoffice Channel		 	UDF	UDF14	30.41	640.51	138.17	317.76	198.11		15.69		1	1	
	<u> </u>	INIVO DAILY I IDAI - IIITEIOIIICE CHAIIIIEI	l	<u> </u>	וטטו	ODI 14	<u> </u>	16.040	130.17	311.70	130.11	L	15.09		i	<u> </u>	<u> </u>

UNBUNDLE	D NETWORK ELEMENTS - South Carolina												Attachment:		Exhibit: B	1
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		14									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC		RAT	TES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						- (17)			per LSK	per Lon				Electronic-
													Electronic-	Electronic-	Electronic-	
													1st	Add'l	Disc 1st	Disc Add'l
ı		 	 		-		Nonrec	urring	Nonrecurring	Disconnect			220	Rates(\$)	1	1
					+	Rec	First	Add'l	First	Add'l	SOMEC	COMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Darly File of Face File of Channelle Day Davids Mile of Freeties		 		_		FIISL	Auu i	FIISL	Auu i	SOMEC	SUMAN	SUMAN	SUMAN	SOWAN	SUMAN
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction			LIDE	41.501	07.05										
	Thereof per month - Local Loop			UDF	1L5DL	97.65	212 =1	100.17	0.17.70	100.11		4= 00				
	NRC Dark Fiber - Local Loop			UDF	UDFL4		640.51	138.17	317.76	198.11		15.69				
TRANSPORT																
	nal Features & Functions:															
8XX ACCESS	TEN DIGIT SCREENING															
	8XX Access Ten Digit Screening, Per Call			OHD		0.0006673										
	8XX Access Ten Digit Screening, Reservation Charge Per 8XX															
	Number Reserved			OHD	N8R1X		2.59	0.44				15.69				
	8XX Access Ten Digit Screening, Per 8XX No. Established W/O															
]	POTS Translations	1	1	OHD	I		5.95	0.81	4.58	0.54		15.69		İ		1
	8XX Access Ten Digit Screening, Per 8XX No. Established With						2.00	2.01		2.01					1	1
1	POTS Translations		1	OHD	N8FTX		5.95	0.81	4.58	0.54		15.69		1		1
 	8XX Access Ten Digit Screening, Customized Area of Service	 	 	J. 1D	1101 17		5.55	0.01	7.50	0.34	1	10.03		1	1	1
]	Per 8XX Number	1	1	OHD	N8FCX		2.59	1.30]			15.69		İ		1
 		 	 	טווט	INOFUX		∠.59	1.30	-		 	15.69			1	_
1	8XX Access Ten Digit Screening, Multiple InterLATA CXR		1	OUD	NOTAN/		0.00		1			45.60		1		1
	Routing Per CXR Requested Per 8XX No.			OHD	N8FMX		3.03	1.74				15.69				
	8XX Access Ten Digit Screening, Change Charge Per Request			OHD	N8FAX		3.03	0.44				15.69				
	8XX Access Ten Digit Screening, Call Handling and Destination															
	Features			OHD	N8FDX		2.59	2.59				15.69				
	8XX Access Ten Digit Screening, w/ 8XX No. Delivery			OHD		0.0006673										
	8XX Access Ten Digit Screening, w/ POTS No. Delivery			OHD		0.0006673										
LINE INFORM	ATION DATA BASE ACCESS (LIDB)															
	LIDB Common Transport Per Query			OQT		0.0000246										
	LIDB Validation Per Query			OQU		0.0138158										
	LIDB Originating Point Code Establishment or Change			OQT, OQU	NRPBX	0.0.00.00	34.40		42.18			15.69				1
SIGNALING (1	1	04.,040	57		00		12.10			10.00				
J DIGITALITY	CCS7 Signaling Connection, Per 56 Kbps Facility	 	 	UDB	TPP++	16.93	35.61	35.61	16.48	16.48						+
	CCS7 Signaling Termination, Per STP Port			UDB	PT8SX	163.49	33.01	33.01	10.40	10.40	1					+
			 	UDB	FIOOX	0.0000692										
	CCS7 Signaling Usage, Per TCAP Message				TDD		05.04	05.04	40.40	40.40		45.00				+
	CCS7 Signaling Connection, Per link (A link)			UDB	TPP++	16.93	35.61	35.61	16.48	16.48	ļ	15.69				
	CCS7 Signaling Connection, Per link (B link) (also known as D															
	link)			UDB	TPP++	16.93	35.61	35.61	16.48	16.48		15.69				
	CCS7 Signaling Usage, Per ISUP Message			UDB		0.0000173										
	CCS7 Signaling Usage Surrogate, per link per LATA			UDB	STU56	791.37										
	CCS7 Signaling Point Code, per Originating Point Code															
	Establishment or Change, per STP affected			UDB	CCAPO		29.08	29.08	35.65	35.65		15.69				
	CCS7 Signaling Point Code, per Destination Point Code															
]	Establishment or Change, Per Stp Affected	1	1	UDB	CCAPD		29.08	29.08	35.65	35.65		15.69		İ		1
E911 SERVICI															1	
T	Local Channel - Dedicated - 2-wr Voice Grade		1		İ	15.33	193.53	33.24	36.72	3.21	1	15.69		İ	İ	İ
	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile		1		İ	0.0167					1			İ	İ	İ
 	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility		1		+	0.0.01					1			 	1	
]	Termination	1	1		I	24.30	40.63	27.47	16.77	6.91		15.69		İ		1
 	Local Channel - Dedicated - DS1 - Zone 1	 	1	1	+	42.62	177.87	154.06	22.24	15.30	 	15.69		 	1	+
 	Local Channel - Dedicated - DS1 - Zone 1 Local Channel - Dedicated - DS1 - Zone 2	 	 		-	70.32	177.87	154.06	22.24	15.30	 				1	_
 		 	1		+						1	15.69		 	 	
 	Local Channel - Dedicated - DS1 - Zone 3	<u> </u>	<u> </u>			190.68	177.87	154.06	22.24	15.30	ļ	15.69			ļ	_
igwdow	Interoffice Transport - Dedicated - DS1 Per Mile	ļ	1			0.3415					ļ				<u> </u>	
]		1	1		I]					İ		1
	Interoffice Transport - Dedicated - DS1 Per Facility Termination		<u> </u>		1	77.14	89.47	81.99	16.39	14.48	1	15.69			1	1
CALLING NAM	ME (CNAM) SERVICE		<u> </u>		1						1				1	1
	CNAM For DB Owners - Service Establishment	<u> </u>		OQV			23.00	23.00	21.15	21.15		15.69				
	CNAM For Non DB Owners - Service Establishment			OQV			23.00	23.00	21.15	21.15		15.69				
	CNAM For DB Owners - Service Provisioning With Point Code															
]	Establishment	1	1	oqv	I		993.09	734.47	269.53	198.18		15.69		İ		1
	CNAM For Non DB Owners - Service Provisioning With Point						222.00								1	1
]	Code Establishment	1	1	oqv	I		343.09	245.69	275.87	198.18		15.69		1		1
 	CNAM for DB Owners, Per Query	 	 	OQV	+	0.0010433	5-10.00	2-10.00	2,0.07	100.70	1	10.00		 	 	†
	POLY IN TOLD DWINGS, LOL QUOLY	1	1	OQV		0.0010433										

UNBUNDLE	D NETWORK ELEMENTS - South Carolina												Attachment:	2	Exhibit: B	
											Svc Order	Svc Order				Incremental
												Submitted	Charge -	Charge -	Charge -	Charge -
		l									Elec	Manually	Manual Svc	Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC		RA1	TES(\$)				per LSR	Order vs.	Order vs.	Order vs.	Order vs.
OATEOORT	TOTAL ELEMENTO	m		500	0000		TVA.	ΕΟ(ψ)			per LSR	per LSR				
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						1	Nonrec	urrina	Nonrecurring	Disconnect			220	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
LNP Query Se	ervice					İ		7.44.		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		00				
	LNP Charge Per query					0.0008837										
	LNP Service Establishment Manual						25.09	25.09	23.07	23.07		15.69				
	LNP Service Provisioning with Point Code Establishment						594.82	303.88	269.53	198.18		15.69				
OPERATOR C	ALL PROCESSING															
	Oper. Call Processing - Oper. Provided, Per Min Using BST															
	LIDB					1.20										
	Oper. Call Processing - Oper. Provided, Per Min Using															
	Foreign LIDB					1.24										
	Oper. Call Processing - Fully Automated, per Call - Using BST															1
	LIDB				ļ	0.20										
	Oper. Call Processing - Fully Automated, per Call - Using	l														1 1
	Foreign LIDB				1	0.20										igspace
INWARD OPE	RATOR SERVICES															
	Inward Operator Services - Verification, Per Minute					1.15										
	Inward Operator Services - Verification and Emergency Interrupt															
	- Per Minute					1.15										
BRANDING - 0	OPERATOR CALL PROCESSING															
	Recording of Custom Branded OA Announcement				CBAOS		7,000.00	7,000.00				15.69				
L	Loading of Custom Branded OA Announcement per shelf/NAV				CBAOL		500.00	500.00				15.69				
Unbra	nding via OLNS for UNEP CLEC						4 000 00					1= 00				
	Loading of OA per OCN (Regional)						1,200.00	1,200.00				15.69				
	ASSISTANCE SERVICES															
DIREC	CTORY ASSISTANCE ACCESS SERVICE					0.075										
DIDEC	Directory Assistance Access Service Calls, Charge Per Call CTORY ASSISTANCE CALL COMPLETION ACCESS SERVICE (D	1400)				0.275										├
DIKEC	Directory Assistance Call Completion Access Service (DACC),	JACC)														
	Per Call Attempt					0.10										
DIDEC	CTORY TRANSPORT	-			1	0.10										
	ASSISTANCE SERVICES					+										
	CTORY ASSISTANCE DATA BASE SERVICE (DADS)															
DIKE	Directory Assistance Data Base Service Charge Per Listing					0.04										
	Directory Assistance Data Base Service, per month				DBSOF	150.00										
BRANDING - I	DIRECTORY ASSISTANCE				DDCC1	100.00										
	y Based CLEC															
i domi	Recording and Provisioning of DA Custom Branded															
	Announcement			AMT	CBADA		6,000.00	6,000.00								
	Loading of Custom Branded Announcement per DRAM						0,000.00	-,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,								
	Card/Switch			AMT	CBADC		1,170.00	1,170.00								
UNEP	CLEC						·	·								
	Recording of DA Custom Branded Announcement						3,000.00	3,000.00								
	Loading of DA Custom Branded Announcement per DRAM							·								
	Card/Switch per OCN						1,170.00	1,170.00								
Unbra	nding via OLNS for UNEP CLEC															
	Loading of DA per OCN (1 OCN per Order)						420.00	420.00								
	Loading of DA per Switch per OCN						16.00	16.00								
SELECTIVE R																
	Selective Routing Per Unique Line Class Code Per Request Per															
	Switch				USRCR		84.89	84.89	14.14	14.14		15.69				
VIRTUAL COL																
	Virtual Collocation - Application Cost			AMTFS	EAF		1,207.95	1,207.95	0.51	0.51						
	Virtual Collocation - Cable Installation Cost, per cable			AMTFS	ESPCX		794.22	794.22	22.54	22.54						
	Virtual Collocation - Floor Space, per sq. ft.	ļ		AMTES	ESPVX	3.95			ļl					ļ		1
ullet	Virtual Collocation - Power, per breaker amp			AMTFS	ESPAX	9.19			ļļ							
	Virtual Collocation - Cable Support Structure, per entrance	1]		1					1 1
I I	cable			AMTFS	ESPSX	18.66					l					

CATEGORY RATE ELEMENTS Initial Zoos BCS USOC RATE(6) Security Company	INDINDI E	O NETWORK ELEMENTS - South Carolina												Attachment	1	Evhibit. D	
CATEGORY RATE ELEMENTS Intel® one BCS BSOG RATES(\$) Category	UNBUNDLEI	O NETWORK ELEMENTS - South Carolina	1			1						Cua Ordar	Cua Ordar	Attachment:		Exhibit: B	Incremental
CATEGORY RATE ELEMENTS Data D																	
CATEGORY RATE LEMBATS In 200c SCS USCC RATE(S)																	Charge -
Records	CATECORY	DATE ELEMENTO	Interi	7000	DCC	HEOC		DAT	TEC(¢)								Manual Svc
Name	CATEGORY	RATE ELEMENTS	m	Zone	всэ	0500		KA	E9(\$)			per LSR	per LSR				Order vs.
Part Part														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
										N	B'				D-((A)		
Part Part							Rec										
OCUAL PURCEY Country								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Sc. Auffres LOD, DROWN D																	
Vehical Collocation - 2-wise Cross Connects (long)																	
Virtual Collocation - 2-wire Cross Cerements (soop)																	
Virtual Collocation - 4-wite Cross Connects (100p)					UNCVX, UNCDX,												
Virtual Collocation - 4-wine Cross Comments (Index)		Virtual Collocation - 2-wire Cross Connects (Ioop)			UNCNX	UEAC2	0.0317	12.32	11.83	6.04	5.45		15.69				
Virtual Collocation - 4-wine Cross Comments (Index)																	
Minute Collocation - 4-were Closs Connects (loop)					UEA,UHL,UCL,UDL,												
Main Substitute					AMTFS, UAL, UDN,												
UPTS UPTS		Virtual Collocation - 4-wire Cross Connects (loop)			UNCVX, UNCDX	UEAC4	0.0634	12.42	11.90	6.40	5.74		15.69				
UPCGS UTF46, UTFCC UTF																	
UFFIXE U			1			1				I	Ì	İ	İ		I	Ì	
Virtual Collocation - 2-Fiber Cross Connects										1							
Virtual Collocation - 2-Fiber Cross Connects			1							1		1	1		1		
ARTES UDL12, UDL02, UTR6, UTR2, UTR3, UTR6, UTR2, UTR3, UDL02, UDC, CAC4F		Virtual Collocation - 2-Fiber Cross Connects	1			CNC2F	2 86	20 94	15 23	7 40	5.93	1	15 69		1		
URLOS, UTTAB, UTTO, UTTAB, U		Titodi Schoodilon 2 i iboi Orosa Outilicota	 			511021	2.00	20.34	10.20	7.40	5.55		10.09		 	 	
Virtual Collocation - 4-Fiber Cross Connects			1			1				1	Ì	İ	İ		I	Ì	
Virtual Collocation - 4-Fiber Cross Connects			1							1		1	1		1		
Wrust Collocation - 4-Piber Cross Connects																	
USL, UCAMTS, ULR, DATE, ULR, DA		Virtual Callagation A Films Comm Comments				CNICAE	F 74	05.04	40.00	0.70	0.00		45.00				
URL DUTCH UNCLY, ULDPI UNCLY,		Virtual Collocation - 4-Fiber Cross Connects				CNC4F	5.71	25.61	19.90	9.73	8.26		15.69				
UNICH, LIDOT, UNICH UNICH																	
Virtual collocation - DS1 Cross Connects																	
Virtual collocation - DS1 Cross Connects																	
USLULCAMTFS,U E3, UTTDS, UNCSX, UNDS, UNTS1, UNTS1, UNTS1, UNTS1, UNCSX, UNDS3, UTS1, UNDS3, UNTS1, UNDS3, UND																	
E. D. UTIDS, LUCRS, L		Virtual collocation - DS1 Cross Connects				CNC1X	1.12	22.08	15.96	6.42	5.80		15.69				
Virtual colicocation - DS3 Cross Connects																	
Virtual collocation - DS3 Cross Connects																	
UTTST, ULDST, UD																	
Virtual Collocation - DS3 Cross Connects VIRTUAL COLLOCATION					UNCSX, ULDD3,												
Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure, per linear for tool carrier Cross Connects - Copper/Coax Cable Support Structure, per linear for tool carrier Cross Connects - Copper/Coax Cable Support Structure, per linear for tool carrier Cross Connects - Fiber Cable Support Structure, per cable AMTFS VE1CD 0.0033					U1TS1, ULDS1,												
Support Structure, per linear foot		Virtual collocation - DS3 Cross Connects			UDLSX, UNLD3	CND3X	14.21	20.94	15.23	7.39	5.93		15.69				
Support Structure, per linear foot		Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable															
Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax					AMTFS	VE1CB	0.0022										
Cable Support Structure, per linear ft																	
Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure, per cable Support Structure, per cable AMTFS VE1CC 536.56					AMTES	VE1CD	0.0033										
Support Structure, per cable AMTES VE1CC 536.56			†							1		i	i		1	1	
Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per cable			1		AMTFS	VE1CC		536.56		I					I	Ì	
Cable Support Structure, per cable AMTFS VE1CE 536.56			1		0			300.00		†	†	 	 		†	 	
Virtual collocation - Security Escort - Basic, per half hour AMTFS SPTOX 10.75			1		AMTES	VF1CF		536 56		1	Ì	l	l		I	Ì	
Virtual collocation - Security Escort - Overtime, per half hour AMTFS SPTOX 22.10 13.89			†						10.75	 		 	 		 	-	
Virtual collocation - Security Escort - Premium, per half hour AMTES SPTPX 27.23 17.02			 							 	 				 	 	
Virtual collocation - Maintenance in CO - Basic, per half hour AMTFS CTRLX 27.99 10.75			 						17.09	t	1	1	1	1	t	1	
Virtual collocation - Maintenance in CO - Overtime, per half hour AMTFS SPTOM 36.56 13.89			 							t		1	1		 	1	
Virtual collocation - Maintenance in CO - Premium per half hour AMTFS SPTPM 45.12 17.02		virtual conocation - Maintenance III CO - Dasic, per Half flour	 		MINIT O	OTNEA		21.99	10.75		-					 	
Virtual collocation - Maintenance in CO - Premium per half hour AMTFS SPTPM 45.12 17.02		Virtual collecation Maintenance in CO Overtime per helf hour	1		AMTEC	SDTOM		26 56	12 00	1	Ì	İ	İ		I	Ì	
Virtual Collocation - 2-wire Cross Connect, Exchange Port 2-		virtual conocation - Maintenance in CO - Overtime, per nair nour	 	-	AIVITE'S	Or I UIVI		30.36	13.89	-					-		
Virtual Collocation - 2-wire Cross Connect, Exchange Port 2-		Virtual collegation Maintenance in CO. Promises and helf have	1		AMTEC	CDTD*4		45.40	47.00	1		1	1		1		
Virtual Collocation - 2-wire Cross Connect, Exchange Port 2- UEPSR VE1R2 0.0317 12.32 11.83 6.04 5.45 15.69	(IDTIIAL COLL		 	\vdash	AIVITO	SPIPM		45.12	17.02	 	 	 	 	-	 	 	
Wire Analog - Res	VIKTUAL COLL		!			-				1		1	1		1	1	
Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Line Side PBX Trunk - Bus			1		LIEDOD	VE4D0	0.004=	40.00	44.00			1	45.00		1		
Wire Line Side PBX Trunk - Bus			 		UEPSK	vE1K2	0.0317	12.32	11.83	6.04	5.45	ļ	15.69			ļ	
Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Voice Grade PBX Trunk - Res			1								_	1			1		
Voice Grade PBX Trunk - Res			!		UEPSP	VE1R2	0.0317	12.32	11.83	6.04	5.45	ļ	15.69				
Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Analog Bus UEPSB VE1R2 0.0317 12.32 11.83 6.04 5.45 15.69 Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire ISDN UEPSX VE1R2 0.0317 12.32 11.83 6.04 5.45 15.69 Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire UEPSX VE1R2 0.0317 12.32 11.83 6.04 5.45 15.69 Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire VIrtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire VE1R2 0.0317 12.32 11.83 6.04 5.45 VE1R2			1							1		1	1		1		
Analog Bus			ļ		UEPSE	VE1R2	0.0317	12.32	11.83	6.04	5.45		15.69				
Virtual Collocation 2-Wire Cross Connect, Exchnage Port 2-Wire ISDN UEPSX VE1R2 0.0317 12.32 11.83 6.04 5.45 15.69 Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire			1									i	i				
ISDN			<u> </u>		UEPSB	VE1R2	0.0317	12.32	11.83	6.04	5.45		15.69	<u> </u>	<u> </u>		
Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire		Virtual Collocation 2-Wire Cross Connect, Exchnage Port 2-Wire															
Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire			1		UEPSX	VE1R2	0.0317	12.32	11.83	6.04	5.45	1	15.69		1		
		ISDN			UEPTX	VE1R2	0.0317	12.32	11.83	6.04	5.45	I	15.69	1	1	1	

ONRONDLE	D NETWORK ELEMENTS - South Carolina	_	1	ı	1	ı			,				Attachment:		Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			ΓES(\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
	Marie 10 dilection 4 Miles Occasion 5 di accesso Berli 4 Miles						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Virtual Collocation 4-Wire Cross Connect, Exchange Port 4-Wire ISDN DS1			UEPEX	VE1R4	1.12	22.08	15.96	6.42	5.80		15.69				
VIRTUAL COL				UEPEX	VE IK4	1.12	22.00	15.96	0.42	5.60		15.69			-	
VIKTOAL COL	Virtual Collocation-2 Wire Cross Connects (Loop) for Line															
	Splitting			UEPSR, UEPSB	VE1LS	0.0317	12.32	11.83	6.04	5.45		15.69				
AIN SELECTIV	E CARRIER ROUTING			,												
	Regional Service Establishment			SRC	SRCEC		101,324.34	101,324.34	8,609.85	8,609.85		15.69				
	End Office Establishment			SRC	SRCEO		175.66	175.66	1.70	1.70		15.69				
	Query NRC, per query			SRC		0.0035036										
AIN - BELLSO	UTH AIN SMS ACCESS SERVICE															
	AIN SMS Access Service - Service Establishment, Per State, Initial Setup			A1N	CAMSE		39.53	39.53	40.78	40.78		15.69				
	AIN CMC Assess Consists Deat Constitute District			AANI	CAMDP		7.0-	7.0-		0.41		45.00			1	
	AIN SMS Access Service - Port Connection - Dial/Shared Access AIN SMS Access Service - Port Connection - ISDN Access			A1N A1N	CAM1P		7.85 7.85	7.85 7.85	9.11 9.11	9.11 9.11		15.69 15.69			-	
	AIN SMS Access Service - Port Connection - ISDN Access AIN SMS Access Service - User Identification Codes - Per User			AIN	CAMIP		7.85	7.85	9.11	9.11		15.69			-	
	ID Code AIN SMS Access Service - Security Card, Per User ID Code,			A1N	CAMAU		35.08	35.08	27.12	27.12		15.69				
	Initial or Replacement			A1N	CAMRC		41.98	41.98	11.74	11.74		15.69				
	AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)			AIN	CAWING	0.0027	41.30	41.30	111.74	11.74		13.03				
	AIN SMS Access Service - Session, Per Minute					0.7121									1	
	AIN SMS Access Service - Company Performed Session, Per															
	Minute					0.8364										
AIN - BELLSO	UTH AIN TOOLKIT SERVICE															
	AIN Toolkit Service - Service Establishment Charge, Per State,															
	Initial Setup			CAM	BAPSC		39.53	39.53	40.78	40.78		15.69				ļ
	AIN Toolkit Service - Training Session, Per Customer AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				BAPVX		4,211.54	4,211.54	0.00	0.00		15.69			-	<u> </u>
	DN, Term. Attempt				BAPTT		7.85	7.85	9.11	9.11		15.69				
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				DALII		7.05	7.00	3.11	3.11		15.05				+
	DN, Off-Hook Delay				BAPTD		7.85	7.85	9.11	9.11		15.69				
	AlN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Immediate				BAPTM		7.85	7.85	9.11	9.11		15.69				
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
	DN, 10-Digit PODP				BAPTO		34.54	34.54	14.39	14.39		15.69				
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per											4= 00				
	DN, CDP AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				BAPTC		34.54	34.54	14.39	14.39		15.69				
	DN, Feature Code				BAPTF		34.54	34.54	14.39	14.39		15.69				
	AIN Toolkit Service - Query Charge, Per Query					0.0558238										
	AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit															
	Subscription, Per Node, Per Query					0.0069214										<u> </u>
	AIN Toolkit Service - SCP Storage Charge, Per SMS Access Account, Per 100 Kilobytes					0.07										
	AIN Toolkit Service - Monthly report - Per AIN Toolkit Service Subscription			CAM	BAPMS	11.87	7.85	7.85	5.52	5.52		15.69				
	AIN Toolkit Service - Special Study - Per AIN Toolkit Service Subscription			CAM	BAPLS	3.51	8.68	8.68				15.69				
	AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service Subscription			CAM	BAPDS	8.48	7.85	7.85	5.52	5.52		15.69				
	AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit			CAM					5.52	5.52						
ENHANCED E	Service Subscription XTENDED LINK (EELs)		!	CAIVI	BAPES	0.12	8.68	8.68				15.69			 	
	New EELs available in GA, TN, KY, LA, MS, & SC and density	/ 70na 1	of foll	owing MSAs: Orlan	do Fl · Mism	i FI: Et Laudo	rdale FI ·		 							1
	Charlotte-Gastonia-Rockhill, NC; Greensboro-Winston Salem-														 	†
	In all states, EEL network elements shown below also apply t							As Is Charge a	pplies to currer	ntly combined	facilities co	onverted to	UNEs.(Non-re	curring rates	do not apply	(-)
NOTE:	In GA, TN, KY, LA, MS & SC the EEL network elements apply	to ordi	narily c	ombined network e	lements.(No	Switch As Is Ch	arge.)			,			. ,	3.2.00		Í
2-WIRI	VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT	EROFF	ICE TR	ANSPORT (EEL)	1											1

ONDONDEL	D NETWORK ELEMENTS - South Carolina	ı ———		I	1						Sua Ord	Cua Orden	Attachment:		Exhibit: B	Ingramactal
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		RAT	TES(\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Charge -
						Rec	Nonrec		Nonrecurring					Rates(\$)	•	•
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport															
	Combination - Zone 1		1	UNCVX	UEAL2	16.68	105.98	68.43	53.05	10.61		15.69				-
	First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 2		2	UNCVX	UEAL2	23.13	105.98	68.43	53.05	10.61		15.69				
	First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed			ONOVA	OLALZ	20.10	105.50	00.43	33.03	10.01		13.03				+
	Transport Combination - Zone 3		3	UNCVX	UEAL2	28.46	105.98	68.43	53.05	10.61		15.69				
	Interoffice Transport - Dedicated - DS1 combination - Per Mile															
	per month			UNC1X	1L5XX	0.27										
	Interoffice Transport - Dedicated - DS1 combination - Facility															
	Termination per month DS1 Channelization System Per Month			UNC1X UNC1X	U1TF1 MQ1	61.71 107.57	89.47 91.24	81.99 62.71	16.39 10.56	14.48 9.81		15.69 15.69				+
	Voice Grade COCI - DS1 To Ds0 Interface - Per Month			UNCVX	1D1VG	0.56	6.59	4.73	10.56	9.81		15.69				+
	Each Additional 2-Wire VG Loop(SL 2) in the same DS1			UNCVX	IDIVG	0.30	0.59	4.73				13.09			1	+
	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL2	16.68	105.98	68.43	53.05	10.61		15.69				
	Each Additional 2-Wire VG Loop(SL2) in the same DS1															1
	Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL2	23.13	105.98	68.43	53.05	10.61		15.69				
	Each Additional 2-Wire VG Loop(SL2) in the same DS1															
	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL2	28.46	105.98	68.43	53.05	10.61		15.69				
	Voice Grade COCI - DS1 to DS0 Channel System combination -			1110101	1041/0	0.50	0.50	4.70				45.00				
	per month Nonrecurring Currently Combined Network Elements Switch -As-			UNCVX	1D1VG	0.56	6.59	4.73				15.69				+
	Is Charge			UNC1X	UNCCC		5.61	5.61	7.00	7.00		15.69				
4-WIR	E VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT	EROFF	ICE TR		011000		0.01	0.01	7.00	7.00		10.00				+
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice			' '												
	Transport Combination - Zone 1		1	UNCVX	UEAL4	32.59	132.38	94.83	59.35	14.61		15.69				
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice															
	Transport Combination - Zone 2		2	UNCVX	UEAL4	43.89	132.38	94.83	59.35	14.61		15.69				
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	43.38	132.38	94.83	59.35	14.61		15.69				
	Interoffice Transport - Dedicated - DS1 combination - Per Mile		3	UNCVA	UEAL4	43.30	132.30	94.03	59.55	14.01		13.69				+
	Per Month			UNC1X	1L5XX	0.27										
	Interoffice Transport - Dedicated - DS1 - Facility Termination Per															
	Month			UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48		15.69				
	Channelization - Channel System DS1 to DS0 combination Per															
	Month			UNC1X	MQ1	107.57	91.24	62.71	10.56	9.81		15.69				
	Voice Grade COCI - DS1 to DS0 Channel System combination - per month			LINOVA	4041/0	0.56	6.59	4.73				45.00				
	Additional 4-Wire Analog Voice Grade Loop in same DS1			UNCVX	1D1VG	0.56	6.59	4.73				15.69				+
	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	32.59	132.38	94.83	59.35	14.61		15.69				
	Additional 4-Wire Analog Voice Grade Loop in same DS1														İ	†
	Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	43.89	132.38	94.83	59.35	14.61		15.69				
	Additional 4-Wire Analog Voice Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	43.38	132.38	94.83	59.35	14.61		15.69				
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNC1X	UNCCC		5.61	5.61	7.00	7.00		15.69				
4-WIRI	E 56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1	INTERC	FFICE		UNCCC		5.61	5.61	7.00	7.00		13.69			1	+
7-11110	First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice	I	11100	TRANSFORT (EEE)												+
	Transport Combination - Zone 1		1	UNCDX	UDL56	29.93	126.66	89.12	59.35	14.61		15.69				
	First 4-wire 56Kbps Digital Grade Loop in a DS1 Interoffice						İ									
	Transport Combination - Zone 2		2	UNCDX	UDL56	33.99	126.66	89.12	59.35	14.61		15.69				
	First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice	1	_	LINCDY	LIDLEC	24.74	400.00	00.10	50.05	44.04	1	45.00				
	Transport Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile	ļ	3	UNCDX	UDL56	34.74	126.66	89.12	59.35	14.61		15.69			 	
	Per Month			UNC1X	1L5XX	0.27										
	Interoffice Transport - Dedicated - DS1 - combination Facility	1			. 20,01	0.21									†	†
	Termination Per Month	l		UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48		15.69			1	
	Channelization - Channel System DS1 to DS0 combination Per															
1	Month	<u></u>		UNC1X	MQ1	107.57	91.24	62.71	10.56	9.81	<u></u>	15.69			<u> </u>	<u> </u>

ONBONDLE	D NETWORK ELEMENTS - South Carolina			1	1						1_		Attachment:		Exhibit: B	1
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		RAT	ΓES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
						D	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)	l.	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per															
	month (2.4-64kbs)			UNCDX	1D1DD	1.19	6.59	4.73				15.69				
	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1															
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	29.93	126.66	89.12	59.35	14.61		15.69				
	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	33.99	126.66	89.12	59.35	14.61		15.69				
	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1			UNCDX	UDLS6	33.99	120.00	09.12	59.55	14.01		15.69				
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	34.74	126.66	89.12	59.35	14.61		15.69				
	OCU-DP COCI (data) - DS1 to DS0 Channel System -			0.105/	02200	0	120.00	00.12	00.00			10.00				
	combination per month (2.4-64kbs)			UNCDX	1D1DD	1.19	6.59	4.73				15.69				
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNC1X	UNCCC		5.61	5.61	7.00	7.00		15.69				
4-WIR	E 64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1	INTERC	FFICE	TRANSPORT (EEL)											ļ	
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice								== ==							
	Transport Combination - Zone 1 First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice		1	UNCDX	UDL64	29.93	126.66	89.12	59.35	14.61		15.69				
	Transport Combination - Zone 2		2	UNCDX	UDL64	33.99	126.66	89.12	59.35	14.61		15.69				
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice			ONODA	ODLO4	55.55	120.00	03.12	33.33	14.01		13.03				
	Transport Combination - Zone 3		3	UNCDX	UDL64	34.74	126.66	89.12	59.35	14.61		15.69				
	Interoffice Transport - Dedicated - DS1 combination - Per Mile					_				-						
	Per Month			UNC1X	1L5XX	0.27										
	Interoffice Transport - Dedicated - DS1 combination - Facility															
	Termination Per Month			UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48		15.69				
	Channelization - Channel System DS1 to DS0 combination Per															
	Month			UNC1X	MQ1	107.57	91.24	62.71	10.56	9.81		15.69				
	OCU-DP COCI (data) - DS1 to DS0 Channel System combination - per month (2.4-64kbs)			UNCDX	1D1DD	1.19	6.59	4.73				15.69				
	Additional 4-Wire 64Kbps Digital Grade Loopin same DS1			UNCDA	טטוטו	1.19	6.59	4.73				15.69			-	-
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	29.93	126.66	89.12	59.35	14.61		15.69				
	Additional 4-Wire 64Kbps Digital Grade Loopin same DS1			0.105/	05201	20.00	120.00	00.12	00.00			10.00				
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	33.99	126.66	89.12	59.35	14.61		15.69				
	Additional 4-Wire 64Kbps Digital Grade Loopin same DS1															
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	34.74	126.66	89.12	59.35	14.61		15.69				
	OCU-DP COCI (data) - DS1 to DS0 Channel System															
	combination - per month (2.4-64kbs)			UNCDX	1D1DD	1.19	6.59	4.73				15.69				
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNC1X	UNCCC		5.61	5.61	7.00	7.00		15.69				
4-WIB	E DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INTE	POEE	CE TR		UNCCC		5.01	5.61	7.00	7.00		15.69			-	-
17.11.11	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice	1	<u> </u>	I												
	Transport - Zone 1		1	UNC1X	USLXX	90.87	253.03	157.89	44.80	11.73		15.69				
	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice															
	Transport - Zone 2		2	UNC1X	USLXX	155.43	253.03	157.89	44.80	11.73		15.69				
	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice															
	Transport - Zone 3		3	UNC1X	USLXX	261.89	253.03	157.89	44.80	11.73		15.69				
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0.27										
	Interoffice Transport - Dedicated - DS1 combination - Facility			UNCIX	ILSXX	0.27									-	-
	Termination Per Month	1		UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48		15.69				
	Nonrecurring Currently Combined Network Elements Switch -As-	1			J	01.71	00.41	01.00	10.09	1-1-10		10.00			†	†
	Is Charge	l		UNC1X	UNCCC		5.61	5.61	7.00	7.00		15.69			1	
4-WIR	E DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTE	ROFFI	CE TR	ANSPORT (EEL)												
	First DS1Loop in DS3 Interoffice Transport Combination - Zone]			<u> </u>	· · · · · · · · · · · · · · · · · · ·								
	1		1	UNC1X	USLXX	90.87	253.03	157.89	44.80	11.73		15.69			1	
1	First DS1Loop in DS3 Interoffice Transport Combination - Zone	1		l												
 	Eirot DC4L con in DC2 Intereffice Transport Combination 7	1	2	UNC1X	USLXX	155.43	253.03	157.89	44.80	11.73		15.69			1	
	First DS1Loop in DS3 Interoffice Transport Combination - Zone	1	3	UNC1X	USLXX	261.89	253.03	157.89	44.80	11.73		15.69				
 	Interoffice Transport - Dedicated - DS3 combination - Per Mile	 	J	OINO IA	USLAA	201.09	200.00	157.09	44.00	11.73		13.09			 	
1 1	Per Month	l		UNC3X	1L5XX	6.42					I				I	

CATEGORY RATE REMOTE Intel Zone BCS USOC RATER() West	UNBUNDI E	D NETWORK ELEMENTS - South Carolina												Attachment:	2	Exhibit: B	
ATT ELEMENTS Part	ONBONDEE											Svc Order	Svc Order				Incremental
## CATE PLEMENTS Interest Print April Print																	
Marie Control Marie Co			Interi														Manual Svc
Bestronce Best	CATEGORY	RATE ELEMENTS		Zone	BCS	USOC		RAT	TES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
No. No.			""											Electronic-	Electronic-	Electronic-	Electronic-
Mode Mode														1st	Add'l	Disc 1st	Disc Add'l
Mode Mode	-					-	1	Nonrec	urring	Nonrecurring	Disconnect			220	Pates(\$)		
Internative Transport - Decision - Decisio							Rec					SOMEC	SOMAN			SOMAN	SOMAN
MICHAEL MICH		Interoffice Transport - Dedicated - DS3 - Facility Termination per						1 1130	Addi	11130	Auu	COME	COMPAN	COMPAR	COMPAR	COMPAR	COMPAR
Dist Interface List (Dist COC) exemination per month DICTIX					UNC3X	U1TF3	704.52	279.37	163.12	60.33	58.59		15.69				
Additional DSI Loop in DSS Intervilles Transport Combination 1 UNCTX					UNC3X		144.02	178.54	94.18	33.33	31.90		15.69				
2mm 1					UNC1X	UC1D1	8.64	6.59	4.73				15.69				
Additional DST Logo in DSS Internition Transport Combination - 2				١.	LINGAY	1101.307	00.07	050.00	457.00	44.00	44.70		45.00				
Zowa 2	-			1	UNC1X	USLXX	90.87	253.03	157.89	44.80	11./3		15.69				
Assistance Text T				2	LINC1X	LISLXX	155 43	253.03	157.89	44 80	11 73		15 69				
Second Contention 1					ONOTA	COLFOR	100.40	200.00	107.00	44.00	11.70		10.00				
Nonecuring Currenty Combined New York Commission Season, Apr. UNCX URAL 16.88 10.58 88.49 53.06 10.61 15.69		·		3	UNC1X	USLXX	261.89	253.03	157.89	44.80	11.73		15.69				
Is Charge UNICOX					UNC1X	UC1D1	8.64	6.59	4.73				15.69				
2 2 2 2 2 2 2 2 2 2			•														
SWINVEX Logs used with 2-were VS Interoffice Transport LONCVX UEAL2 16.68 105.99 68.43 53.05 10.61 15.69						UNCCC		5.61	5.61	7.00	7.00		15.69				
Combination - Zone 1	2-WIRI		EROFF	ICE IN	ANSPORT (EEL)												
2-Wire/VG Logo used with 2-wire VG Interoffice Transport 2 UNCVX UEAL2 23.13 106.98 68.43 53.05 10.61 15.69				1	LINCVX	LIEAL 2	16.69	105 09	68 43	53.05	10.61		15.60				
Combination - Zone 2				<u> </u>	ONCVA	ULALZ	10.00	103.96	00.43	33.03	10.01		13.03				
Combination - Zone 3				2	UNCVX	UEAL2	23.13	105.98	68.43	53.05	10.61		15.69				
Interdifice Transport - Dedicated - 2-wire Viscoe Grade UNCVX 1LSX 0.0134		2-WireVG Loop used with 2-wire VG Interoffice Transport															
Mile For Month Intereffice Transport - Dedicated - 2- Wire Voice Grade UNCVX U1TV2 19.44 40.63 27.47 16.77 6.01 15.69 15.69				3	UNCVX	UEAL2	28.46	105.98	68.43	53.05	10.61		15.69				
Interoffice Transport - Dedicated -2- Wire Voice Grade																	
Combination - Facility Termination per month UNCVX UTTV2 19.44 40.63 27.47 16.77 6.91 15.69					UNCVX	1L5XX	0.0134										
Nonrecurring Currently Combination - Page UNCVX UNCVX UNCVX UNCVX UNCVX UEAL4 32.59 132.38 94.83 59.35 14.61 15.69					LINCVY	114T\/2	10.44	40.63	27.47	16 77	6.01		15.60				
NCVCX					UNCVA	UTIVZ	19.44	40.63	21.41	10.77	0.91		15.09				
A-WIRE VOICE GRADE EXTENDED LOOP! A WIRE VOICE GRADE INTEROFFICE TRANSPORT (EEL)					UNCVX	UNCCC		5.61	5.61	7.00	7.00		15.69				
Combination - Zone 1	4-WIRI		TEROFF	ICE TR				9.0.									
A-WireVG Loop used with -wire VG Interoffice Transport 2 UNCX UEAL4 43.89 132.38 94.83 59.35 14.61 15.69																	
Combination - Zone 2				1	UNCVX	UEAL4	32.59	132.38	94.83	59.35	14.61		15.69				
4-WireVG Loop used with 4-wire VG Interoffice Transport Combination - Zone 3 3 UNCVX UEAL4 43.38 132.38 94.83 59.35 14.61 15.69				_			40.00	400.00		== ==			4= 00				
Combination - Zone 3 3 UNCVX UEAL4 43.38 132.38 94.83 59.35 14.61 15.69				2	UNCVX	UEAL4	43.89	132.38	94.83	59.35	14.61		15.69				
Interoffice Transport - Dedicated - 4-Wire Vide combination - Per Mile Per Month UNCVX 1L5XX 0.0134				3	LINCVX	LIEAL4	43 38	132 38	94.83	59 35	14 61		15 69				
Mile Per Month					ONOVA	OL/IL-I	40.00	102.00	04.00	00.00	14.01		10.00				
Combination - Facility Termination per month	1 1		1		UNCVX	1L5XX	0.0134					1					
Nonrecurring Currently Combined Network Elements Switch -As- Is Charge UNCVX UNCCC 5.61 5.61 7.00 7.00 15.69																	
Sc Charge					UNCVX	U1TV4	17.03	40.63	27.47	16.77	6.91		15.69				
DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORT (EEL)			1		1110000	1111000		5.04	5.04	7.00	7.00		45.00				
High Capacity Unbundled Local Loop - DS3 combination - Per Mile per month High Capacity Unbundled Local Loop - DS3 combination - Facility Termination per month UNC3X US3X	Des D		E TDA	NEDOD		UNCCC		5.61	5.61	7.00	7.00		15.69				
Mile per month	D33 D		JE IKA	13PUR	· (EEL)	+				 							
High Capacity Unbundled Local Loop - DS3 combination -					UNC3X	1L5ND	12.26										
Interoffice Transport - Dedicated - DS3 - Per Mile per month Interoffice Transport - Dedicated - DS3 combination - Facility Interoffice Transport - Dedicated - DS3 combination - Facility Termination per per month INC3X INCCX INC		High Capacity Unbundled Local Loop - DS3 combination -			-												
Interoffice Transport - Dedicated - DS3 combination - Facility Termination per per month Nonrecurring Currently Combined Network Elements Switch - Aslis Charge UNC3X UNCCC Stantage UNC3X UNCCC Stantage UNC3X UNCCC Stantage UNC3X UNCCC Stantage UNC3X UNCCC Stantage UNC3X UNCCC Stantage UNC3X UNCCC Stantage UNC3X UNCCC Stantage UNC3X UNCCC Stantage UNC3X UNCCC Stantage UNC3X UNCCC Stantage UNC3X UNCCC Stantage UNC3X UNCCC Stantage UNC3X UNCCC Stantage UNC3X UNCCC Stantage UNCSX IL5ND IL5ND IL226 UNCSX IL5ND IL5ND IL226 Interoffice Transport - Dedicated - STS1 combination - Per Mile per month Interoffice Transport - Dedicated - STS1 combination - Per Mile per month Interoffice Transport - Dedicated - STS1 combination - Facility UNCSX IL5NX Stantage UNCSX IL5NX Stantage UNCSX IL5NX Stantage UNCSX IL5NX Stantage UNCSX IL5NX Stantage UNCSX IL5NX Stantage UNCSX IL5NX Stantage UNCSX IL5NX Stantage UNCSX IL5NX Stantage UNCSX IL5NX Stantage UNCSX IL5NX Stantage UNCSX IL5NX Stantage UNCSX IL5NX Stantage UNCSX IL5NX Stantage UNCSX IL5NX IL5NX Stantage UNCSX IL5NX IL5NX Stantage UNCSX IL5NX I								452.52	264.53	119.75	83.77		15.69				
Termination per per month					UNC3X	1L5XX	6.42										
Nonrecurring Currently Combined Network Elements Switch -As- UNC3X UNCCC 5.61 5.61 7.00 7.00 15.69	1 1				LINICOV	LIATES	704.50	070.07	100.10	00.00	50.50		45.00				
Is Charge	 		<u> </u>		UNU3X	UTIF3	704.52	2/9.3/	163.12	60.33	58.59		15.69				
STS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS1 INTEROFFICE TRANSPORT (EEL) High Capacity Unbundled Local Loop - STS1 combination - Per Mile per month High Capacity Unbundled Local Loop - STS1 combination - Facility Termination per month UNCSX UDLS1 313.49 452.52 264.53 119.75 83.77 15.69 UNCSX UDLS1 313.49 452.52 264.53 119.75 83.77 15.69 Interoffice Transport - Dedicated - STS1 combination - Per Mile per month Interoffice Transport - Dedicated - STS1 combination - Facility			1		UNC3X	UNCCC		5.61	5.61	7.00	7 00		15 69				
High Capacity Unbundled Local Loop - STS1 combination - Per Mile per month High Capacity Unbundled Local Loop - STS1 combination - Per Mile per month UNCSX 1L5ND 12.26	STS1 I		FICE TE	RANSP				3.51	3.01	7.00			.0.00				
Mile per month UNCSX 1L5ND 12.26 High Capacity Unbundled Local Loop - STS1 combination - Facility Termination per month UNCSX UDLS1 313.49 452.52 264.53 119.75 83.77 15.69 UNCSX UDLS1 313.49 452.52 6.42		High Capacity Unbundled Local Loop - STS1 combination - Per			,												
Facility Termination per month UNCSX UDLS1 313.49 452.52 264.53 119.75 83.77 15.69 Interoffice Transport - Dedicated - STS1 combination - Per Mile per month UNCSX 1L5XX 6.42 Interoffice Transport - Dedicated - STS1 combination - Facility		Mile per month			UNCSX	1L5ND	12.26										
Interoffice Transport - Dedicated - STS1 combination - Per Mile per month UNCSX 1L5XX 6.42 Interoffice Transport - Dedicated - STS1 combination - Facility									· · · · · · · · · · · · · · · · · · ·								
per month UNCSX 1L5XX 6.42 Interoffice Transport - Dedicated - STS1 combination - Facility	\vdash		ļ	1	UNCSX	UDLS1	313.49	452.52	264.53	119.75	83.77		15.69				
Interoffice Transport - Dedicated - STS1 combination - Facility	1 1				LINICSY	11.577	6.40										
	 				OIYOOA	ILUAA	0.42			 							
		Termination per month	1		UNCSX	U1TFS	704.44	279.37	163.12	60.33	58.59	1	15.69				

LINBLINDL	D NETWORK ELEMENTS - South Carolina												Attachment:	2	Exhibit: B	
CINDONDE	Out WORK ELEMENTS - South Carolina	I									Svc Order	Svc Order	Incremental			Incremental
											Submitted	Submitted		Charge -	Charge -	Charge -
											Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC		RAT	TES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						***			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															Disc 1st	Diac Add I
						Rec	Nonrec		Nonrecurring					Rates(\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Nonrecurring Currently Combined Network Elements Switch -As-	-														
	Is Charge			UNCSX	UNCCC		5.61	5.61	7.00	7.00		15.69				
2-WIF	E ISDN EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPOR	RT (EEL)													
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination															
	Transport - Zone 1		1	UNCNX	U1L2X	25.21	117.58	80.03	53.05	10.61		15.69				
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination		_													
	Transport - Zone 2		2	UNCNX	U1L2X	32.76	117.58	80.03	53.05	10.61		15.69				
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination			LINIONIV	1141.00/	07.70	447.50	00.00	50.05	40.04		45.00				
 	Transport - Zone 3	 	3	UNCNX	U1L2X	37.70	117.58	80.03	53.05	10.61		15.69				
	Interoffice Transport - Dedicated - DS1 combination - Per Mile	 		UNC1X	1L5XX	0.27										
	Interoffice Transport - Dedicated - DS1 combintion - Facility Termination per month			UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48		15.69				
	Channelization - Channel System DS1 to DS0 combination -	 		OINCIA	UIIFI	01.71	09.47	01.99	10.39	14.48		15.69				
	per month	1		UNC1X	MQ1	107.57	91.24	62.71	10.56	9.81		15.69				
 	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System	 		5.101/	.vice i	107.57	31.24	02.71	10.30	3.01		10.03				
	combination - per month			UNCNX	UC1CA	2.56	6.59	4.73				15.69				
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport	†		5.1011/1	3010A	2.50	0.03	4.73				10.08				
	Combination - Zone 1		1	UNCNX	U1L2X	25.21	117.58	80.03	53.05	10.61		15.69				
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport															
	Combination - Zone 2		2	UNCNX	U1L2X	32.76	117.58	80.03	53.05	10.61		15.69				
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport															
	Combination - Zone 3		3	UNCNX	U1L2X	37.70	117.58	80.03	53.05	10.61		15.69				
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System															
	combintaion- per month			UNCNX	UC1CA	2.56	6.59	4.73				15.69				
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNC1X	UNCCC		5.61	5.61	7.00	7.00		15.69				
4-WIF	E DS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 IN	TEROF	FICE T	RANSPORT (EEL)												
	First DS1 Loop in STS1 Interoffice Transport Combination -															
	Zone 1		1	UNC1X	USLXX	90.87	253.03	157.89	44.80	11.73		15.69				
	First DS1 Loop in STS1 Interoffice Transport Combination -		2	LINIOAN	1101.307	455.40	050.00	457.00	44.00	44.70		45.00				
	Zone 2		2	UNC1X	USLXX	155.43	253.03	157.89	44.80	11.73		15.69				
	First DS1 Loop in STS1 Interoffice Transport Combination - Zone 3		3	UNC1X	LICL VV	261.90	252.02	157.00	44.80	11 72		15 60				
	Interoffice Transport - Dedicated - STS1 combination - Per Mile		3	UNCIX	USLXX	261.89	253.03	157.89	44.60	11.73		15.69				
	Per Month			UNCSX	1L5XX	6.42										
 	Interoffice Transport - Dedicated - STS1 combination - Facility	 		0.1007	ILUAA	0.42										
	Termination	1		UNCSX	U1TFS	704.44	279.37	163.12	60.33	58.59		15.69				
	STS1 to DS1 Channel System conbination per month	†		UNCSX	MQ3	144.02	178.54	94.18	33.33	31.90		15.69				
	DS3 Interface Unit (DS1 COCI) combination per month	1		UNC1X	UC1D1	8.64	6.59	4.73	33.30	350		15.69				
	Additional DS1Loop in STS1 Interoffice Transport Combination -															
	Zone 1	1	1	UNC1X	USLXX	90.87	253.03	157.89	44.80	11.73		15.69				
	Additional DS1Loop in STS1 Interoffice Transport Combination -															
	Zone 2	<u> </u>	2	UNC1X	USLXX	155.43	253.03	157.89	44.80	11.73		15.69				
	Additional DS1Loop in STS1 Interoffice Transport Combination -							<u> </u>								
	Zone 3	<u> </u>	3	UNC1X	USLXX	261.89	253.03	157.89	44.80	11.73		15.69				
	DS3 Interface Unit (DS1 COCI) combination per month	ļ		UNC1X	UC1D1	8.64	6.59	4.73				15.69				
	Nonrecurring Currently Combined Network Elements Switch -As-	1		LINIOOV	111000							4= 00				
4 14/15	Is Charge	FEIGE 3	DANC	UNCSX	UNCCC		5.61	5.61	7.00	7.00		15.69				
4-1/11	E 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS INTERO	FFICE	KANS	OKI (EEL)	+											
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport Combination - Zone 1	1	4	UNCDX	UDL56	29.93	126.66	89.12	59.35	14.61		15.69				
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport	1	-	OINODA	UDLUU	23.33	120.00	05.12	39.33	14.01		13.09				
	Combination - Zone 2	1	2	UNCDX	UDL56	33.99	126.66	89.12	59.35	14.61		15.69				
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport	 		000/	32200	55.55	120.00	00.12	55.55	17.01		10.00				
	Combination - Zone 3		3	UNCDX	UDL56	34.74	126.66	89.12	59.35	14.61		15.69				
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -					J T	.20.00	332	55.50	51		.0.00				
	Per Mile	1		UNCDX	1L5XX	0.0134										
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -															
	Facility Termination	<u> </u>		UNCDX	U1TD5	13.41	40.63	27.47	16.77	6.91		15.69				

UNB	BUNDLE	D NETWORK ELEMENTS - South Carolina					1							Attachment:		Exhibit: B	<u> </u>
CATE	EGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		RAT	FES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
				1			_	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)	1	
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Nonrecurring Currently Combined Network Elements Switch -As-															
		Is Charge			UNCDX	UNCCC		5.61	5.61	7.00	7.00		15.69				
	4-WIRE	64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTERO	FFICE 1	TRANS	PORT (EEL)												
		4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport															
		Combination - Zone 1		1	UNCDX	UDL64	29.93	126.66	89.12	59.35	14.61		15.69				
		4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport		_						== ==			4= 00				
		Combination - Zone 2		2	UNCDX	UDL64	33.99	126.66	89.12	59.35	14.61		15.69				_
		4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport		3	LINCDY	LIDLCA	34.74	400.00	00.40	50.05	44.04		45.00				
		Combination - Zone 3 Interoffice Transport - Dedicated - 4-wire 64 kbps combination -		3	UNCDX	UDL64	34.74	126.66	89.12	59.35	14.61		15.69				
		Per Mile			UNCDX	1L5XX	0.0134										
		Interoffice Transport - Dedicated - 4-wire 64 kbps combination -			UNCDA	ILJAA	0.0134										
		Facility Termination			UNCDX	U1TD6	13.41	40.63	27.47	16.77	6.91		15.69				
		Nonrecurring Currently Combined Network Elements Switch -As-		<u> </u>			.5.41	.0.00	2		3.01		.0.00				†
		Is Charge			UNCDX	UNCCC		5.61	5.61	7.00	7.00		15.69				
ADDI	ITIONAL N	NETWORK ELEMENTS		İ									. , , ,				1
	When	used as a part of a currently combined facility, the non-recurr	ng cha	rges de	not apply, but a S	witch As Is c	harge does app	oly.									
	When	used as ordinarilty combined network elements in South Caro	lina, th	e non-	recurring charges a	pply and the	Switch As Is Ch	narge does not									
		SynchroNet)															
	Nonred	curring Currently Combined Network Elements "Switch As Is"		(One a	applies to each com	bination)											
		Nonrecurring Currently Combined Network Elements Switch -As-															
		Is Charge - 2 wire/4-Wire VG			UNCVX	UNCCC		5.61	5.61	7.00	7.00		15.69				
		Nonrecurring Currently Combined Network Elements Switch -As-															
		Is Charge - 56/64 kbps			UNCDX	UNCCC		5.61	5.61	7.00	7.00		15.69				
		Nonrecurring Currently Combined Network Elements Switch -As-															
		Is Charge - DS1			UNC1X	UNCCC		5.61	5.61	7.00	7.00		15.69				
		Nonrecurring Currently Combined Network Elements Switch -As-			UNC3X	UNCCC		5.61	5.61	7.00	7.00		45.00				
		Is Charge - DS3 Nonrecurring Currently Combined Network Elements Switch -As-			UNC3X	UNCCC		5.01	5.61	7.00	7.00		15.69				
		Is Charge - STS1			UNCSX	UNCCC		5.61	5.61	7.00	7.00		15.69				
	NOTE:	Local Channel - Dedicated Transport - minimum billing period	d - Belo	w DS3			r months	5.61	5.61	7.00	7.00		15.69				1
	INOTE.	Local Channel - Dedicated - 2-Wire Voice Grade per month	u - Delo	1 000	UNCXV	ULDV2	15.33	193.53	33.24	36.72	3.21		15.69				
		Local Channel - Dedicated - 4-Wire Voice Grade per month			UNCXV	ULDV4	16.54	193.97	33.68	37.19	3.68		15.69				1
		Local Channel - Dedicated - DS1 per month Zone 1		1	UNC1X	ULDF1	42.62	177.87	154.06	22.24	15.30		15.69				1
		Local Channel - Dedicated -DS1 Per Month Zone 2		2	UNC1X	ULDF1	70.32	177.87	154.06	22.24	15.30		15.69				
	1	Local Channel - Dedicated - DS1- Per Month Zone 3	1	3	UNC1X	ULDF1	190.68	177.87	154.06	22.24	15.30		15.69		İ		1
		Local Channel - Dedicated - DS3 - Per Mile per month			UNC3X	1L5NC	11.93										
		Local Channel - Dedicated - DS3 - Facility Termination per															
		month			UNC3X	ULDF3	446.00	452.52	264.53	119.75	83.77		15.69				
		Local Channel - Dedicated - STS-1- Per Mile per month			UNCSX	1L5NC	11.93										ļ
		Local Channel - Dedicated - STS-1 - Facility Termination per			l	l											
L		month		<u> </u>	UNCSX	ULDFS	435.10	452.52	264.53	119.75	83.77		15.69				
UNB		LOCAL EXCHANGE SWITCHING(PORTS)		<u> </u>		ļ											.
<u> </u>		nge Ports		1												ļ	4
<u> </u>		Although the Port Rate includes all available features in GA, I	KY, LA	& IN,t	ne desired features	will need to I	oe ordered usin	g retail USOCs	3							ļ.	
<u> </u>	2-WIRE	E VOICE GRADE LINE PORT RATES (RES) Exchange Ports - 2-Wire Analog Line Port- Res.	-	 	UEPSR	UEPRL	4.05	0.00	2.28	4 40	4.00		15.69		-	1	
<u> </u>		Lacriange Forts - 2-vviile Arianog Line Port- Res.	-	!	ULFOR	UEPKL	1.65	2.38	2.28	1.42	1.33		15.09		-	1	+
		Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.			UEPSR	UEPRC	1.65	2.38	2.28	1.42	1.33		15.69				
-	+	Zachange Forto 2 Will Fallang Line Fort With Galler ID - Nes.	-	 	021 010	321.10	1.00	2.50	2.20	1.72	1.33		10.03			1	+
		Exchange Ports - 2-Wire Analog Line Port outgoing only - Res.			UEPSR	UEPRO	1.65	2.38	2.28	1.42	1.33		15.69				
		Exchange Ports - 2-Wire VG unbundled SC extended local				1		00	_,						İ		1
		dialing parity Port with Caller ID - Res.			UEPSR	UEPAU	1.65	2.38	2.28	1.42	1.33		15.69				
		Exchange Ports - 2-Wire VG unbundled South Carolina Area		1													1
L		Calling port with Caller ID - Res (LW8)			UEPSR	UEPAJ	1.65	2.38	2.28	1.42	1.33		15.69		<u> </u>		
		Exchange Ports - 2-Wire VG unbundled res, low usage line port															
L		with Caller ID (LUM)			UEPSR	UEPAP	1.65	2.38	2.28	1.42	1.33		15.69		<u> </u>		<u> </u>
		Subsequent Activity			UEPSR	USASC	0.00	0.00	0.00				15.69				
	CEATI	IRES							·						· ·	1	

NRONDLE	D NETWORK ELEMENTS - South Carolina			1	1						1 -		Attachment:		Exhibit: B	ļ
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		RAT	ΓES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
$\overline{}$							Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		1
-+-						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	All Available Vertical Features			UEPSR	UEPVF	3.04	0.00	0.00		,,,,,,	0020	15.69				
2-WIR	E VOICE GRADE LINE PORT RATES (BUS)															
	Exchange Ports - 2-Wire Analog Line Port without Caller ID - Bus			UEPSB	UEPBL	1.65	2.38	2.28	1.42	1.33		15.69				
	Exchange Ports - 2-Wire VG unbundled Line Port with unbundled port with Caller+E484 ID - Bus.			UEPSB	UEPBC	1.65	2.38	2.28	1.42	1.33		15.69				
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus.			UEPSB	UEPBO	1.65	2.38	2.28	1.42	1.33		15.69				
	Exchange Ports - 2-Wire VG unbundled SC extended local dialing parity Port with Caller ID - Bus.			UEPSB	UEPAZ	1.65	2.38	2.28	1.42	1.33		15.69				
	Exhange Ports - 2-Wire VG unbundled incoming only port with Caller ID - Bus			UEPSB	UEPB1	1.65	2.38	2.28	1.42	1.33		15.69				
	Exchange Ports - 2-Wire VG unbundled South Carolina Bus Area Calling Port with Caller ID - Bus (LMB)			UEPSB	UEPAB	1.65	2.38	2.28	1.42	1.33		15.69				
FEATL	Subsequent Activity	ļ		UEPSB	USASC	0.00	0.00	0.00				15.69			-	
rEAIL	All Available Vertical Features	1		UEPSB	UEPVF	3.04	0.00	0.00				15.69			1	
-+-	All Available Vertical Features All Available Vertical Features			OLI 0D	UEPVF	3.04	0.00	0.00				15.69				
EXCH/	ANGE PORT RATES (DID & PBX)				02	0.01	0.00	0.00				10.00				
	2-Wire VG Unbundled 2-Way PBX Trunk - Res			UEPSE	UEPRD	1.65	31.34	14.88	13.97	0.90		15.69				
	2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus			UEPSP	UEPPC	1.65	31.34	14.88	13.97	0.90		15.69				
	2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus			UEPSP	UEPPO	1.65	31.34	14.88	13.97	0.90		15.69				
	2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus			UEPSP	UEPP1	1.65	31.34	14.88	13.97	0.90		15.69				
	2-Wire Analog Long Distance Terminal PBX Trunk - Bus			UEPSP	UEPLD	1.65	31.34	14.88	13.97	0.90		15.69				
	2-Wire Voice Unbundled PBX LD Terminal Ports 2-Wire Vice Unbundled 2-Way PBX Usage Port			UEPSP UEPSP	UEPLD UEPXA	1.65 1.65	31.34 31.34	14.88 14.88	13.97 13.97	0.90		15.69 15.69				
_	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPSP	UEPXB	1.65	31.34	14.88	13.97	0.90		15.69				
_	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPSP	UEPXC	1.65	31.34	14.88	13.97	0.90		15.69				
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPSP	UEPXD	1.65	31.34	14.88	13.97	0.90		15.69				
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPSP	UEPXE	1.65	31.34	14.88	13.97	0.90		15.69				
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPSP	UEPXL	1.65	31.34	14.88	13.97	0.90		15.69				
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPSP	UEPXM	1.65	31.34	14.88	13.97	0.90		15.69				
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital															
	Discount Room Calling Port			UEPSP	UEPXO	1.65	31.34	14.88	13.97	0.90		15.69				
$-\!\!\!\!+\!\!\!\!-$	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port 2-Wire Voice Unbundled 2-Way PBX South Carolina Area Plus			UEPSP	UEPXS	1.65	31.34	14.88	13.97	0.90		15.69				-
	Calling Port			UEPSP	UEPXT	1.65	31.34	14.88	13.97	0.90		15.69				
	Subsequent Activity			UEPSP	USASC	0.00	0.00	0.00	10.07	0.00		15.69				
FEATU	URES															
	All Available Vertical Features			UEPSP UEPSE	UEPVF	3.04	0.00	0.00		-		15.69				
EXCH/	ANGE PORT RATES (COIN)															
1	Exchange Ports - Coin Port	 			1	1.65	2.38	2.28	1.42	1.33		15.69			ļ.	1
	Switching Features offered with Port : Transmission/usage charges associated with POTS circuit sv	witchod	Heada	will also apply to a	ircuit switchs	d voice and/a-	circuit ewitch	ad data trans	ission by B-Ch	annele secoi	ated with a	wire ISDN -	orte		†	1
	: Access to B Channel or D Channel Packet capabilities will be													Request Pro	ocess.	1
	LOCAL EXCHANGE SWITCHING(PORTS)			,				, capabi					3030		1	
	ANGE PORT RATES (DID & PBX)															
	Exchange Ports - 2-Wire DID Port			UEPEX	UEPP2	8.86	119.57	18.78	60.03	3.77		15.69				
	Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID capability			UEPDD	UEPDD	73.62	202.47	95.90	72.75	2.47		15.69				
	Exchange Ports - 2-Wire ISDN Port (See Notes below.)			UEPTX UEPSX	U1PMA	13.38	72.93	53.11	47.90	10.76		15.69				
	All Features Offered			UEPTX UEPSX	UEPVF	3.04	0.00	0.00		•						
	: Transmission/usage charges associated with POTS circuit sv													L		
NOTE:	: Access to B Channel or D Channel Packet capabilities will be	availal	ole onl	y through BFR/New UEPTX UEPSX	Business Re IU1UMA			packet capabi 0.00	lities will be de	termined via t	ne Bona Fic	ie Request/l	New Business	Request Pro	ocess.	
_	Exchange Ports - 2-Wire ISDN Port Channel Profiles					0.00	0.00									

UNBUN	NDLF	NETWORK ELEMENTS - South Carolina												Attachment:	2	Exhibit: B	
0.100.		NETWORK ELEMENTO GOURT GAROLINA				1	1					Svc Order	Svc Order	Incremental	Incremental		Incrementa
												Submitted		Charge -	Charge -	Charge -	Charge -
												Elec		Manual Svc	Manual Svc		Manual Svo
CATEGO	DRY	RATE ELEMENTS	Interi	Zone	BCS	USOC		RA ⁻	TES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		····	m						(+)			per LSK	per LSK		Electronic-	Electronic-	Electronic-
														Electronic-			
														1st	Add'l	Disc 1st	Disc Add'l
							_	Nonred	urring	Nonrecurrin	g Disconnect			oss	Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UNBUNI	DLED L	OCAL SWITCHING, PORT USAGE															
		fice Switching (Port Usage)															
		End Office Switching Function, Per MOU					0.0010519										
		End Office Trunk Port - Shared, Per MOU					0.0002136										
-	Tanden	n Switching (Port Usage) (Local or Access Tandem)															
		Tandem Switching Function Per MOU					0.0001634										
		Tandem Trunk Port - Shared, Per MOU					0.0002863										
(Commo	on Transport															
		Common Transport - Per Mile, Per MOU					0.0000045										
		Common Transport - Facilities Termination Per MOU					0.0004095										
		ORT/LOOP COMBINATIONS - COST BASED RATES															
		ased Rates are applied where BellSouth is required by FCC ar								1							
		es shall apply to the Unbundled Port/Loop Combination - Cos															
		fice and Tandem Switching Usage and Common Transport Us															L
		orgia, Kentucky, Louisiana, MIssissippi, South Carolina and 1															
		tly Combined Combos for all states. In GA, KY, LA, MS, SC an								and NC these	nonrecurring	charges are	Market Rat	es and are al	so listed in th	e Market Rate	e section.
		rrently Combined Combos in all other states, the nonrecurring	g charg	es shal	I be those identified	in the Nonr	ecurring - Curre	ently Combine	d sections.								
		VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)															
	JNE Po	ort/Loop Combination Rates															
		2-Wire VG Loop/Port Combo - Zone 1		1			14.89										
		2-Wire VG Loop/Port Combo - Zone 2		2			21.52										
		2-Wire VG Loop/Port Combo - Zone 3		3			27.17										
	JNE LO	pop Rates			LIEBBY/	LIEBLY.	40.70										
-		2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPRX	UEPLX	13.76										
		2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPRX	UEPLX	20.38										
		2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPRX	UEPLX	26.04										
	2-wire	Voice Grade Line Port Rates (Res)			LIEDDY	HEDDI	4.40	27.02	40.70				45.00				
-		2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res			UEPRX UEPRX	UEPRL UEPRC	1.13 1.13	37.93 37.93	16.72 16.72	-			15.69 15.69				
-					UEPRX	UEPRO	1.13	37.93		-			15.69				
		2-Wire voice unbundled port outgoing only - res		<u> </u>	UEPRX	UEPRU	1.13	37.93	16.72				15.69				
		2-Wire voice Grade unbundled South Carolina extended local dialing parity port with Caller ID - res			UEPRX	UEPAU	1.13	37.93	16.72				15.69				
		2-Wire voice unbundled South Carolina Area Calling port with			UEFRA	UEPAU	1.13	37.93	10.72				15.69				
		Caller ID - res (LW8)			UEPRX	UEPAJ	1.13	37.93	16.72				15.69				
+		2-Wire voice unbundles res, low usage line port with Caller ID			ULFIX	ULFAU	1.13	31.93	10.72				13.09				
		(LUM)			UEPRX	UEPAP	1.13	37.93	16.72	I		1	15.69		1	1	
 	FEATU				ULFKA	ULFAF	1.13	31.93	10.72	1			13.09				
H		All Features Offered			UEPRX	UEPVF	3.04	0.00	0.00	1			15.69				
 		NUMBER PORTABILITY		l	02.100	1021 11	5.04	3.00	0.00	-			10.00				
H		Local Number Portability (1 per port)			UEPRX	LNPCX	0.35			<u> </u>							1
<u> </u>		CURRING CHARGES (NRCs) - CURRENTLY COMBINED		†			3.30			t					1	1	i
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -		1		1	İ			1					İ	İ	İ
		Switch-as-is		1	UEPRX	USAC2		0.10	0.10	1		1	15.69		l	Ì	l
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -				1				İ					İ	İ	İ
		Switch with change			UEPRX	USACC		0.10	0.10	1			15.69				
	ADDITI	ONAL NRCs															
		2-Wire Voice Grade Loop/Line Port Combination - Subsequent															
		Activity		1	UEPRX	USAS2	0.00	0.00	0.00	1		1	15.69		l	Ì	l
1	2-WIRE	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)															
	JNE Po	ort/Loop Combination Rates															
		2-Wire VG Loop/Port Combo - Zone 1		1			14.89										
		2-Wire VG Loop/Port Combo - Zone 2		2			21.52										
		2-Wire VG Loop/Port Combo - Zone 3		3			27.17										
		pop Rates															
		2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPBX	UEPLX	13.76										
					LUEDOV												1
		2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPBX	UEPLX	20.38										
		2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPBX	UEPLX	20.38 26.04										
	2-Wire			_				37.93	16.72				15.69				

ONRONDI	LED NETWORK ELEMENTS - South Carolina			1							1 -		Attachment:		Exhibit: B	
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		RAT	ES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Charge -	Incrementa Charge - Manual Sv Order vs. Electronic
													1st	Add'l	Disc 1st	Disc Add'l
		+					Nonrec	urrina	Nonrecurring	Disconnect			oss	Rates(\$)	l	<u> </u>
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire voice unbundled port with Caller + E484 ID - bus			UEPBX	UEPBC	1.13	37.93	16.72				15.69				
	2-Wire voice unbundled port outgoing only - bus			UEPBX	UEPBO	1.13	37.93	16.72				15.69				
	2-Wire voice Grade unbundled South Carolina extended local															
	dialing parity port with Caller ID - bus			UEPBX	UEPAZ	1.13	37.93	16.72				15.69				
	2-Wire voice unbundled incoming only port with Caller ID - Bus	_		UEPBX	UPEB1	1.13	37.93	16.72				15.69				
	2-Wire voice unbundled South Carolina Bus Area Calling Port											4= 00				
1.00	with Caller ID (LMB) CAL NUMBER PORTABILITY			UEPBX	UEPAB	1.13	37.93	16.72				15.69				
LOC	Local Number Portability (1 per port)		1	UEPBX	LNPCX	0.35										
EEA	TURES	-	+	UEPBA	LINPUA	0.35					-				-	
FLA	All Features Offered	+		UEPBX	UEPVF	3.04	0.00	0.00				15.69				
NON	NRECURRING CHARGES (NRCs) - CURRENTLY COMBINED		t		J VI	0.04	0.00	0.00				10.00			1	
	2-Wire Voice Grade Loop / Line Port Combination - Conversion	-	1		1										1	
	Switch-as-is		1	UEPBX	USAC2		0.10	0.10				15.69				
	2-Wire Voice Grade Loop / Line Port Combination - Conversion	-														
	Switch with change			UEPBX	USACC		0.10	0.10				15.69				
ADE	DITIONAL NRCs															
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent															
	Activity			UEPBX	USAS2		0.00	0.00				15.69				
	IRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)														
UNE	E Port/Loop Combination Rates					11.00										
	2-Wire VG Loop/Port Combo - Zone 1		1			14.89										
	2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3		3			21.52 27.17										
LINE	E Loop Rates		3			21.11										1
ONL	2-Wire Voice Grade Loop (SL 1) - Zone 1	+	1	UEPRG	UEPLX	13.76										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPRG	UEPLX	20.38									1	
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPRG	UEPLX	26.04										
2-W	ire Voice Grade Line Port Rates (RES - PBX)															1
	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port -															
	Res			UEPRG	UEPRD	1.13	37.93	16.72				15.69				
LOC	CAL NUMBER PORTABILITY															
	Local Number Portability (1 per port)	_		UEPRG	LNPCP	3.15	0.00	0.00				15.69				
FEA	ATURES			UEPRG	UEPVF	0.04	0.00	0.00				45.00				
NO	All Features Offered	-	1	UEPRG	UEPVF	3.04	0.00	0.00				15.69			-	
NO	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED 2-Wire Voice Grade Loop/ Line Port Combination (PBX) -	-	+		-						-				-	
	Conversion - Switch-As-Is			UEPRG	USAC2		7.93	1.91				15.69				
-	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -	+	1		33.352		7.55	1.51	†		<u> </u>	10.00			I	†
	Conversion - Switch with Change		1	UEPRG	USACC		7.93	1.91				15.69				
ADE	DITIONAL NRCs								1							
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -				İ		İ									
	Subsequent Activity			UEPRG	USAS2	0.00	0.00	0.00				15.69				
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt															
	Group	+-	<u> </u>				7.34	7.34				15.69			ļ	<u> </u>
	IRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)	 												1	
UNE	E Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1	+	1			14.89	-				1				1	
	2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2	+	2		+ +	21.52	+								+	
	2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3	1	3		+	27.17	ł				-				t	
UNF	E Loop Rates		Ť		1	21.11									1	
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPPX	UEPLX	13.76	İ								1	
1	2-Wire Voice Grade Loop (SL 1) - Zone 2	1	2	UEPPX	UEPLX	20.38										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPPX	UEPLX	26.04										
2-W	ire Voice Grade Line Port Rates (BUS - PBX)															
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus	3		UEPPX	UEPPC	1.13	37.93	16.72				15.69				
	Line Side Unbundled Outward PBX Trunk Port - Bus			UEPPX	UEPPO	1.13	37.93	16.72				15.69				
	Line Side Unbundled Incoming PBX Trunk Port - Bus		1	UEPPX	UEPP1	1.13	37.93	16.72				15.69				

UNBUNDLE	ED NETWORK ELEMENTS - South Carolina												Attachment:	2	Exhibit: B	
											Svc Order	Svc Order	Incremental			Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC		RAT	'ES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		""											Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															2.00 .00	
						Rec	Nonrec		Nonrecurring					Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	1.13	37.93	16.72				15.69				
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	1.13	37.93	16.72				15.69				<u> </u>
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	1.13	37.93	16.72				15.69				
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	1.13	37.93	16.72				15.69				
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	1.13	37.93	16.72				15.69				
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD															i
	Capable Port			UEPPX	UEPXE	1.13	37.93	16.72				15.69				
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy											4= 00				i
	Administrative Calling Port	1		UEPPX	UEPXL	1.13	37.93	16.72				15.69				
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			HEDDY	LIEDVA		07.00	40 =0			1	45.00				1
$-\!\!\!\!\!+\!\!\!\!\!-$	Room Calling Port	 	<u> </u>	UEPPX	UEPXM	1.13	37.93	16.72				15.69		1		⊢
1	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital			LIEDDY	LIEDYO		07.00	10.70				45.00				1
\longrightarrow	Discount Room Calling Port	<u> </u>	<u> </u>	UEPPX	UEPXO	1.13	37.93	16.72				15.69				⊢
$-\!\!\!\!\!+\!\!\!\!\!-$	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port	 	<u> </u>	UEPPX	UEPXS	1.13	37.93	16.72				15.69		1		
1	2-Wire Voice Unbundled 2-Way PBX South Carolina Area Plus			LIEDDY	HEDVE		07.00	10.70				45.00				1
	Calling Port	 	1	UEPPX	UEPXT	1.13	37.93	16.72			ļ	15.69		-		
LOCA	L NUMBER PORTABILITY	 		LIEDDY	LNDOD	0.45	0.00	0.00				45.00				
	Local Number Portability (1 per port)	 		UEPPX	LNPCP	3.15	0.00	0.00				15.69				└
FEAT		1		LIEDDY	LIED) (E	0.04	0.00	0.00				45.00				+
NONE	All Features Offered	-		UEPPX	UEPVF	3.04	0.00	0.00				15.69				
NONK	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED	-														
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -			UEPPX	USAC2		7.93	4.04				15.69				ĺ
\longrightarrow	Conversion - Switch-As-Is 2-Wire Voice Grade Loop/ Line Port Combination (PBX) -	1		UEPPX	USAC2		7.93	1.91				15.69				
	Conversion - Switch with Change			UEPPX	USACC		7.93	1.01				15.60				i
ADDIT	FIONAL NRCs	<u> </u>		UEPPX	USACC		7.93	1.91				15.69				├──
ADDII	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -	+			+		-									
	Subsequent Activity			UEPPX	USAS2	0.00	0.00	0.00				15.69				i
-+-	PBX Subsequent Activity - Change/Rearrange Multiline Hunt	+		ULFFA	USASZ	0.00	0.00	0.00				13.09				
	Group						7.34	7.34				15.69				i
2-WIR	E VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN PO	PT					7.54	7.04				13.03				
	Port/Loop Combination Rates	ì			+											
	2-Wire VG Coin Port/Loop Combo – Zone 1	1	1		+	14.89										
	2-Wire VG Coin Port/Loop Combo – Zone 2	1	2			21.52										
	2-Wire VG Coin Port/Loop Combo – Zone 3		3			27.17										
UNE I	oop Rates															
	2-Wire Voice Grade Loop (SL1) - Zone 1	1	1	UEPCO	UEPLX	13.76								İ		ſ
	2-Wire Voice Grade Loop (SL1) - Zone 2	1	2	UEPCO	UEPLX	20.38								İ		ſ
	2-Wire Voice Grade Loop (SL1) - Zone 3	1	3	UEPCO	UEPLX	26.04										ſ
2-Wire	e Voice Grade Line Ports (COIN)															ſ
	2-Wire Coin 2-Way without Operator Screening and without															
	Blocking (SC)			UEPCO	UEPSD	1.13	37.93	16.72				15.69				i
	2-Wire Coin 2-Way with Operator Screening and Blocking: 011,															
	900/976, 1+DDD (SC)			UEPCO	UEPSA	1.13	37.93	16.72			1	15.69				1
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking															
	(SC)	<u> </u>		UEPCO	UEPSH	1.13	37.93	16.72				15.69		<u></u>		L
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking;															1
	with Dialing Parity (SC)			UEPCO	UEPSC	1.13	37.93	16.72				15.69				<u> </u>
	2-Wire Coin 2-Way with Operator Screening and: 900 Blocking:															1
	900/976, 1+DDD, 011+, and Local (SC)	1		UEPCO	UEPCC	1.13	37.93	16.72				15.69				
	2-Wire Coin 2-W Operator Screen: 900 Block: 900/976, 1+DDD,										1					1
	011+, Local; Enhanced Call OPT 3YV (SC)	1		UEPCO	UEPCE	1.13	37.93	16.72				15.69				
	2-Wire Coin 2-W Operator Screen: 900 Block: 900/976, 1+DDD,										1					1
	011+, Local; Enhanced Call OPT AP7 (SC)		<u> </u>	UEPCO	UEPCF	1.13	37.93	16.72				15.69				
1	2-Wire Coin Outward without Blocking and without Operator															1
	Screening (SC)	<u> </u>		UEPCO	UEPSG	1.13	37.93	16.72				15.69				
	2-Wire Coin Outward with Operator Screening and 011 Blocking (SC)				l l						1					1
			1	UEPCO	UEPSF	1.13	37.93	16.72	1	Ī	i	15.69		i	l	1

UNBU	NULE	NETWORK ELEMENTS - South Carolina			1									Attachment:		Exhibit: B	
CATEG	ORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		RAT	ΓES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Charge -
							_	Nonrec	urrina	Nonrecurring	Disconnect			oss	Rates(\$)	1	
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Coin Outward with Operator Screening and Blocking:															
		011, 900/976, 1+DDD (SC)			UEPCO	UEPSJ	1.13	37.93	16.72				15.69				
		2-Wire Coin Outward with Operator Screening and Blocking:															
		900/976, 1+DDD, 011+, and Local (SC)			UEPCO	UEPCM	1.13	37.93	16.72				15.69				
		2-Wire Coin Out Operator Screen & Block: 900/976, 1+DDD,															
		011+, Local; Enhanced Calling OPT 3YW (SC)			UEPCO	UEPCP	1.13	37.93	16.72				15.69				
		2-Wire 2-Way Smartline with 900/976 (all states except LA) 2-Wire Coin Outward Smartline with 900/976 (all states except			UEPCO	UEPCK	1.13	37.93	16.72				15.69				
		LA)			UEPCO	UEPCR	1.13	37.93	16.72				15.69				
	ADDITI	ONAL UNE COIN PORT/LOOP (RC)			OLI CO	OLI OIX	1.13	37.93	10.72				15.05				+
		UNE Coin Port/Loop Combo Usage (Flat Rate)			UEPCO	URECU	4.05	37.93	16.72				15.69			1	1
		NUMBER PORTABILITY															1
		Local Number Portability (1 per port)			UEPCO	LNPCX	0.35										
	NONRE	CURRING CHARGES - CURRENTLY COMBINED									•						
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -														1	
		Switch-as-is		-	UEPCO	USAC2		0.10	0.10				15.69			1	+
		2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change			UEPCO	USACC		0.10	0.10				15.69				
		ONAL NRCs			UEPCO	USACC		0.10	0.10			-	15.69			-	+
		2-Wire Voice Grade Loop/Line Port Combination - Subsequent															+
		Activity			UEPCO	USAS2		0.00	0.00				15.69				
	UNBUN	DLED REMOTE CALL FORWARDING - RES															
		curring															
		DLED REMOTE CALL FORWARDING - Bus															
		Unbundled Remote Call Forwarding, InterState/Intra LATA-Bus			UEPVB	UEPVJ	1.65	2.38	2.28	1.42	1.33		15.69				
		curring															
		VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE															<u> </u>
		VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE PORT/LOOP COMBINATIONS - COST BASED RATES	LINE	OKI (B02)												
		VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	DODT									-				-	+
		ort/Loop Combination Rates	IOKI														+
		2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1		1			23.75									İ	+
		2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2		2			30.20										
		2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3		3			35.52										
		oop Rates															
		2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1		1	UEPPX	UECD1	16.68										
		2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2		2	UEPPX	UECD1	23.13										
	LINE D	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3 ort Rate		3	UEPPX	UECD1	28.46									-	+
		Exchange Ports - 2-Wire DID Port			UEPPX	UEPD1	7.06	225.55	87.21	113.08	14.38			15.69			+
		CURRING CHARGES - CURRENTLY COMBINED			OLFFX	OLFDI	7.00	223.33	07.21	113.00	14.30			13.09			+
		2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination -														1	1
		Switch-as-is			UEPPX	USAC1		7.32	1.87					15.69			
		2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion															1
		with BellSouth Allowable Changes			UEPPX	USA1C		7.32	1.87					15.69			
		ONAL NRCs															
		2-Wire DID Subsequent Activity - Add Trunks, Per Trunk			UEPPX	USAS1		26.84						15.69			
	elepn	one Number/Trunk Group Establisment Charges DID Trunk Termination (One Per Port)			UEPPX	NDT	0.00	0.00	0.00			-		15.69		 	+
-		DID Trunk Termination (One Per Port) DID Numbers, Establish Trunk Group and Provide First Group			OLPFA	וטויו	0.00	0.00	0.00					15.09		+	+
		of 20 DID Numbers			UEPPX	NDZ	0.00	0.00	0.00					15.69			1
		Additional DID Numbers for each Group of 20 DID Numbers			UEPPX	ND4	0.00	0.00	0.00					15.69		1	1
		DID Numbers, Non- consecutive DID Numbers , Per Number			UEPPX	ND5	0.00	0.00	0.00					15.69		1	†
		Reserve Non-Consecutive DID numbers			UEPPX	ND6	0.00	0.00	0.00					15.69			
		Reserve DID Numbers			UEPPX	NDV	0.00	0.00	0.00					15.69			
	LOCAL	NUMBER PORTABILITY					,										
		Local Number Portability (1 per port)	l		UEPPX	LNPCP	3.15	0.00	0.00			1				ļ	
	0 14/15-	ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LIN	IE OIL														

ONBON	NDLE	D NETWORK ELEMENTS - South Carolina													Attachment:		Exhibit: B	
CATEGO	DRY	RATE ELEMENTS	Interi m	Zone	E	scs	usoc		RAT	FES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
									Nonros		Nonrocurring	Disconnect				Rates(\$)		
							+	Rec	Nonrec First	Add'l	Nonrecurring First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -					1		11131	Auu	11130	Auu i	JOINEC	JONAN	JONAN	JOMAN	JOHIAN	JONAN
		UNE Zone 1		1	UEPPB	UEPPR		30.86										
		2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -		<u> </u>	02	02	1	00.00										1
		UNE Zone 2		2	UEPPB	UEPPR		38.60										
		2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -																
		UNE Zone 3		3	UEPPB	UEPPR		44.23										
ι	JNE Lo	pop Rates																
		2-Wire ISDN Digital Grade Loop - UNE Zone 1		1	UEPPB	UEPPR	USL2X	21.90							15.69			
		2-Wire ISDN Digital Grade Loop - UNE Zone 2		2	UEPPB	UEPPR	USL2X	29.64							15.69			
		2-Wire ISDN Digital Grade Loop - UNE Zone 3		3	UEPPB	UEPPR	USL2X	35.27							15.69			
U		ort Rate																
<u> </u>		Exchange Port - 2-Wire ISDN Line Side Port		<u> </u>	UEPPB	UEPPR	UEPPB	8.96	190.51	133.14	100.95	21.37			15.69			ļ
1	NONRE	CURRING CHARGES - CURRENTLY COMBINED																
		2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port			LIEBES	LIEBSS									.= -	1		
L .		Combination - Conversion			UEPPB	UEPPR	USACB	0.00	38.59	27.08					15.69			
		ONAL NRCs																
L	LOCAL	NUMBER PORTABILITY			LIEDDD	HEDDD	LNDOV	0.05	0.00	0.00								
<u> </u>		Local Number Portability (1 per port)			UEPPB	UEPPR	LNPCX	0.35	0.00	0.00								
- 1		NNEL USER PROFILE ACCESS:			LIEDDD	HEDDD	1141104	0.00	0.00	0.00								
		CVS/CSD (DMS/5ESS)			UEPPB UEPPB	UEPPR	U1UCA	0.00	0.00	0.00								
		CVS (EWSD)			UEPPB	UEPPR UEPPR	U1UCB	0.00	0.00	0.00								
-		CSD NNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS S	C MC O	TAIN	UEPPB	UEPPR	U1UCC	0.00	0.00	0.00								
	3-СПА	NNEL AREA PLUS USER PROFILE ACCESS: (AL, KT, LA, MS S CVS/CSD (DMS/5ESS)	C,IVIO, 6	(IN)	UEPPB	UEPPR	U1UCD	0.00	0.00	0.00								
-		CVS (EWSD)		-	UEPPB	UEPPR	U1UCE	0.00	0.00	0.00								
-		CSD (EWSD)			UEPPB	UEPPR	U1UCF	0.00	0.00	0.00								
—		FERMINAL PROFILE			UEFFB	UEFFR	UTUCF	0.00	0.00	0.00								
-		User Terminal Profile (EWSD only)			UEPPB	UEPPR	U1UMA	0.00	0.00	0.00								
		CAL FEATURES			OLFFB	ULFFR	OTOWA	0.00	0.00	0.00	-		-					
		All Vertical Features - One per Channel B User Profile		1	UEPPB	UEPPR	UEPVF	3.04	0.00	0.00			1		15.69			-
_		OFFICE CHANNEL MILEAGE		1	UEFFB	UEFFR	UEPVF	3.04	0.00	0.00			1		15.09			1
		Interoffice Channel mileage each, including first mile and					+				-		-					
		facilities termination			LIEDDR	UEPPR	M1GNC	24.30	40.63	27.47	16.77	6.91			15.69			
		Interoffice Channel mileage each, additional mile		1		UEPPR	M1GNM	0.0167	0.00	0.00	10.77	0.91	1		13.09			1
		EDS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK	POPT		OLFFB	ULFFR	IVITGINIVI	0.0107	0.00	0.00								
		ort/Loop Combination Rates	I				-											†
 		4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE																+
		Zone 1		1	UEPPP			176.82										
		4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE																
		Zone 2		2	UEPPP			241.38										
		4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE		1	02			211.00										
		Zone 3		3	UEPPP			347.84										
U		pop Rates																
		4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPPP		USL4P	90.87							15.69			
		4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPPP		USL4P	155.43							15.69			
		4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPPP		USL4P	261.89							15.69			
ι		ort Rate														1		
		Exchange Ports - 4-Wire ISDN DS1 Port			UEPPP		UEPPP	85.95	457.30	259.67	124.15	31.83			15.69			
1		CURRING CHARGES - CURRENTLY COMBINED																
		4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port																
L		Combination - Conversion -Switch-as-is	<u></u>	L	UEPPP		USACP	0.00	119.34	78.73	<u> </u>		<u></u>		15.69	<u> </u>		<u></u>
	ADDITI	ONAL NRCs																
		4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy-																
		Inward/two way tel nos within Std Allowance (except NC)		L	UEPPP		PR7TF	<u> </u>	0.49	0.49	<u> </u>		<u> </u>		15.69	<u> </u>		<u></u>
		4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port -																
		Outward Tel Numbers (All States except NC)	<u></u>	L	UEPPP		PR7TO	<u> </u>	11.54	11.54	<u> </u>		<u></u>		15.69	<u> </u>		<u></u>
		4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port -																
1 1		Subsequent Inward Tel Nos Above Std Allowance			UEPPP		PR7ZT		23.07	23.07	1				15.69	1		

UNB	JNULE	D NETWORK ELEMENTS - South Carolina	,		,								,	Attachment:		Exhibit: B	
CATE	GORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		RAT	ES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Charge -	Incrementa Charge - Manual Sv Order vs. Electronic
														1st	Add'l	Disc 1st	Disc Add'l
								Nonrec	urrina	Nonrecurring	Disconnect			oss	Rates(\$)	l	
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	LOCAL	NUMBER PORTABILITY															
		Local Number Portability (1 per port)			UEPPP	LNPCN	1.75										
		Voice/Data			UEPPP	PR71V	0.00	0.00	0.00								
		Digital Data			UEPPP	PR71D	0.00	0.00	0.00								
		Inward Data			UEPPP	PR71E	0.00	0.00	0.00								
	New or	Additional "B" Channel															
		New or Additional - Voice/Data B Channel			UEPPP	PR7BV	0.00	14.56						15.69			
		New or Additional - Digital Data B Channel			UEPPP UEPPP	PR7BF	0.00	14.56						15.69			
	CALL	New or Additional Inward Data B Channel		1	UEPPP	PR7BD	0.00	14.56						15.69		-	
	CALL 1	Inward	-	-	UEPPP	PR7C1	0.00	0.00	0.00	 					-		
	1	Outward	 		UEPPP	PR7C1	0.00	0.00	0.00	 					1	t	
	+	Two-way	 	 	UEPPP	PR7CC	0.00	0.00	0.00	 					1	t	-
		fice Channel Mileage	1		02.11	. 117.00	0.00	5.00	0.00	 						-	
		Fixed Each Including First Mile			UEPPP	1LN1A	77.4815	89.47	81.99	16.39	14.48			15.69		1	
		Each Airline-Fractional Additional Mile			UEPPP	1LN1B	0.3415		230	1 1						1	
	4-WIRE	DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT						İ		1					1		
	UNE Po	ort/Loop Combination Rates															
		4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1		1	UEPDC		149.77										
		4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2		2	UEPDC		214.33										
		4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3		3	UEPDC		320.78										
		pop Rates															
		4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPDC	USLDC	90.87							15.69			
		4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPDC	USLDC	155.43							15.69			
		4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPDC	USLDC	261.89							15.69			
		ort Rate			LIEDDO	LIDDAT	50.00	455.50	050.70	447.55	14.20			45.00			
		4-Wire DDITS Digital Trunk Port CURRING CHARGES - CURRENTLY COMBINED		1	UEPDC	UDD1T	58.90	455.50	253.79	117.55	14.20			15.69		-	
	NONKE	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination		<u> </u>		_											
		- Switch-as-is			UEPDC	USAC4		129.78	67.17					15.69			
		4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination			OLI DO	00/104		123.70	07.17					13.03			
		- Conversion with DS1 Changes			UEPDC	USAWA		129.78	67.17					15.69			
		4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination			02. 50	00/11/1		120110	0					10.00			
		- Conversion with Change - Trunk			UEPDC	USAWB		129.78	67.17					15.69			
	ADDITI	ONAL NRCs															
		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent								İ							
		Channel Activation/Chan - 1-Way Outward Trunk	<u> </u>	<u></u>	UEPDC	UDTTB		14.51	14.51					15.69	<u> </u>	<u></u>	<u></u>
		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel															
		Activation/Chan Inward Trunk w/out DID			UEPDC	UDTTC		14.51	14.51					15.69			
		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan															
	 	Activation Per Chan - Inward Trunk with DID	<u> </u>	<u> </u>	UEPDC	UDTTD		14.51	14.51	 				15.69	ļ	-	
		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan			LIEDDO	LIDTTE		44.54	44.54					45.00			
		Activation / Chan - 2-Way DID w User Trans AR 8 ZERO SUBSTITUTION	 	 	UEPDC	UDTTE		14.51	14.51	 				15.69 15.69	 	!	ļ
			 	-	LIEDDC	CCOSF		0.00	605.00	 					 	 	1
		B8ZS - Superframe Format B8ZS - Extended Superframe Format	 	 	UEPDC UEPDC	CCOSF		0.00	605.00	 				15.69 15.69	-		-
		te Mark Inversion	 		OLPDO	COUEF		0.00	003.00	 				15.69	1	 	
		AMI -Superframe Format	 	 	UEPDC	MCOSF		0.00	0.00	 					1	t	-
		AMI - Extended SuperFrame Format	1	 	UEPDC	MCOPO		0.00	0.00							t	
		one Number/Trunk Group Establisment Charges	1					3.30	3.30						1	1	
	1.2,0011	Telephone Number for 2-Way Trunk Group			UEPDC	UDTGX	0.00			†				15.69	İ	1	
		Telephone Number for 1-Way Outward Trunk Group			UEPDC	UDTGY	0.00			1				15.69			
		Telephone Number for 1-Way Inward Trunk Group Without DID			UEPDC	UDTGZ	0.00			1				15.69			
		DID Numbers, Establish Trunk Group and Provide First Group															
	<u></u>	of 20 DID Numbers	<u> </u>	<u></u>	UEPDC	NDZ	0.00	0.00	0.00	<u> </u>				15.69	<u> </u>	<u></u>	
		DID Numbers for each Group of 20 DID Numbers			UEPDC	ND4	0.00				· · · · · · · · · · · · · · · · · · ·			15.69			
		DID Numbers, Non- consecutive DID Numbers, Per Number			UEPDC	ND5	0.00	0.00	0.00		-			15.69			
		Reserve Non-Consecutive DID Nos.			UEPDC	ND6	0.00	0.00	0.00		-			15.69			
		Reserve DID Numbers	l	1	UEPDC	NDV	0.00	0.00	0.00					15.69			

INDIND	ED NETWORK ELEMENTS Courth Corolina												I		E	
UNBUNDI	LED NETWORK ELEMENTS - South Carolina	1			T	1				ı	00	00	Attachment:		Exhibit: B	
													Incremental			Incrementa
											Submitted	Submitted		Charge -	Charge -	Charge -
		Interi	l_								Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svo
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC		RA	TES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		l											Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
										l						
						Rec	Nonred		Nonrecurring					Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Ded	icated DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS	1 Digita	Loop	with 4-Wire DDITS T	Trunk Port											<u> </u>
	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities															1
	Termination)			UEPDC	1LNO1	77.14	89.47	81.99	16.39	14.48			15.69			<u> </u>
																1
	Interoffice Channel Mileage - Additional rate per mile - 0-8 miles			UEPDC	1LNOA	0.3415	0.00	0.00								Ļ
	Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities															ł
	Termination)			UEPDC	1LNO2	0.00	0.00	0.00								ı
	Interoffice Channel Mileage - Additional rate per mile - 9-25															1
	miles			UEPDC	1LNOB	0.3415	0.00	0.00								1
	Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities															Í
	Termination)			UEPDC	1LNO3	0.00	0.00	0.00								1
																1
	Interoffice Channel Mileage - Additional rate per mile - 25+ miles			UEPDC	1LNOC	0.3415	0.00	0.00								1
	Local Number Portability, per DS0 Activated			UEPDC	LNPCP	3.15	0.00	0.00								í
	Central Office Termininating Point			UEPDC	CTG	0.00										1
4-W	IRE DS1 LOOP WITH CHANNELIZATION WITH PORT															
Syst	tem is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Act	tivations														
	h System can have up to 24 combinations of rates depending or			ber of ports used												í T
UNE	D\$1 Loop	T														
	4-Wire DS1 Loop - UNE Zone 1		1	UEPMG	USLDC	90.87	0.00	0.00								í T
	4-Wire DS1 Loop - UNE Zone 2		2	UEPMG	USLDC	155.43	0.00	0.00								í T
	4-Wire DS1 Loop - UNE Zone 3		3	UEPMG	USLDC	261.89	0.00	0.00								í T
UNE	DSO Channelization Capacities (D4 Channel Bank Configuration	ns)														
	24 DSO Channel Capacity - 1 per DS1	1		UEPMG	VUM24	82.78	0.00	0.00					15.69			
	48 DSO Channel Capacity - 1 per 2 DS1s			UEPMG	VUM48	165.56	0.00	0.00					15.69			
	96 DSO Channel Capacity -1per 4 DS1s			UEPMG	VUM96	331.12	0.00	0.00					15.69			í T
	144 DS0 Channel Capacity - 1 per 6 DS1s			UEPMG	VUM14	496.68	0.00	0.00					15.69			
	192 DS0 Channel Capacity -1 per 8 DS1s	1		UEPMG	VUM19	662.24	0.00	0.00					15.69			ſ
	240 DS0 Channel Capacity - 1 per 10 DS1s	1		UEPMG	VUM20	827.80	0.00	0.00					15.69			ſ
	288 DS0 Channel Capacity - 1 per 12 DS1s	1		UEPMG	VUM28	993.36	0.00	0.00					15.69			ſ
	384 DS0 Channel Capacity - 1 per 16 DS1s	1		UEPMG	VUM38	1,324.48	0.00	0.00					15.69			ſ
	480 DS0 Channel Capacity - 1 per 20 DS1s	1		UEPMG	VUM40	1,655.60	0.00	0.00					15.69			ſ
	576 DS0 Channel Capacity -1 per 24 DS1s	1		UEPMG	VUM57	1,986.72	0.00	0.00			1		15.69			ſ
	672 DS0 Channel Capacity - 1 per 28 DS1s	1		UEPMG	VUM67	2,317.84	0.00	0.00					15.69			
Non	-Recurring Charges (NRC) Associated with 4-Wire DS1 Loop wit	h Chani	aliztio					0.00					10.00			
	inimum System configuration is One (1) DS1, One (1) D4 Channe															ſ
	tiples of this configuration functioning as one are considered A															ſ
- Intuit	NRC - Conversion (Currently Combined) with or without	aa r arte		am oyotom con		Countou.										
	BellSouth Allowed Changes			UEPMG	USAC4	0.00	150.81	8.38					15.69			1
Svet	tem Additions at End User Locations Where 4-Wire DS1 Loop wi	ith Char	nelizat					3.30	1				.5.55	1		1
	(Not Currently Combined) In GA, KY, LA, MS & TN Only	Jan	ciizat				•						1	1		(
INGW	1 DS1/D4 Channel Bank - Add NRC for each Port and Assoc	1	1		†											ſ
	Fea Activation - New GA, LA, KY, MS, &TN Only	1	1	UEPMG	VUMD4	0.00	717.71	425.81	149.08	17.69		l	15.69	Ì		ł
Ring	plar 8 Zero Substitution	+	 	51. MO	. SIVID	5.00	717.71	720.01	140.00	17.03		 	10.00	-		ſ
- Dipe	Clear Channel Capability Format, superframe - Subsequent	+	 		+				 		1	 	 	 		ſ
	Activity Only			UEPMG	CCOSF	0.00	0.00	605.00								1
	Clear Channel Capability Format - Extended Superframe -	+	 	021 WIO	30001	0.00	0.00	000.00	 		1	 	 	 		ſ
	Subsequent Activity Only		1	UEPMG	CCOEF	0.00	0.00	605.00	Ì				Ì	Ì		1
Δlto	rnate Mark Inversion (AMI)	+	 	321 110	30021	0.00	0.00	000.00	1		1	1	1	1		
Aile	Superframe Format	+	 	UEPMG	MCOSF	0.00	0.00	0.00	 				 	 		
	Extended Superframe Format	+	 	UEPMG	MCOPO	0.00	0.00	0.00				 	-	-		ſ
Fyel	hange Ports Associated with 4-Wire DS1 Loop with Channelizati	ion with	Port	021 WIO		0.00	0.00	0.00								ſ
	hange Ports		. 511		1				 				 	 		
LACI		+	 		1				 				 	 		
	Line Side Combination Channelized PBX Trunk Port - Business			UEPPX	UEPCX	1.13	0.00	0.00	0.00	0.00		1	15.69			1
	Line Side Combination Channelized PBX Trunk Port - Business Line Side Outward Channelized PBX Trunk Port - Business	+	1	UEPPX	UEPOX	1.13	0.00	0.00	0.00	0.00	 	1	15.69	1		
	Line Gide Outward Charmenzed FDA Hurik Fort - DuSMess	+	1	OLFFA	JLFUA	1.13	0.00	0.00	0.00	0.00	 	1	15.09	1		
	Line Side Inward Only Channelized PBX Trunk Port without DID		1	UEPPX	UEP1X	1.13	0.00	0.00	0.00	0.00			15.69	Ì		1
	2-Wire Trunk Side Unbundled Channelized DID Trunk Port	+	├	UEPPX	UEPDM	7.09	0.00	0.00	0.00	0.00	 	-	15.69			
	2-11116 Trunk Side Oribundied Channelized DID Trunk POR	1	1	OLFFA	OLFDIVI	7.09	0.00	0.00	0.00	0.00	<u> </u>	1	15.69	1		

UNDUNDLE	D NETWORK ELEMENTS - South Carolina			,		1					•		Attachment:		Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			TES(\$)	Name	Diagon		Submitted	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add
					+	Rec	Nonrec		Nonrecurring		COMEC	COMAN		Rates(\$)	COMAN	COMAN
Footur	Activations Unbundled Lean Concentration				-		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
reature	e Activations - Unbundled Loop Concentration Feature (Service) Activation for each Line Side Port Terminated				+											
	in D4 Bank			UEPPX	1PQWM	0.56	25.45	13.44	4.20	4.17			15.69			
-+-	Feature (Service) Activation for each Trunk Side Port Terminated	1		OLITA	II QVVIVI	0.50	25.45	13.44	4.20	7.17			13.03			
	in D4 Bank			UEPPX	1PQWU	0.56	78.31	18.46	59.37	11.60			15.69			
Teleph	one Number/ Group Establishment Charges for DID Service			02.17		0.00	10.01	10.10	00.01				10.00			
	DID Trunk Termination (1 per Port)			UEPPX	NDT	0.00	0.00	0.00								
	Estab Trk Grp and Provide 1st 20 DID Nos. (FL,GA, NC,& SC)			UEPPX	NDZ	0.00	0.00	0.00								
	DID Numbers - groups of 20 - Valid all States			UEPPX	ND4	0.00	0.00	0.00								
	Non-Consecutive DID Numbers - per number			UEPPX	ND5	0.00	0.00	0.00								
	Reserve Non-Consecutive DID Numbers			UEPPX	ND6	0.00	0.00	0.00								
	Reserve DID Numbers			UEPPX	NDV	0.00	0.00	0.00								
	Number Portability							<u> </u>								
	Local Number Portability - 1 per port			UEPPX	LNPCP	3.15	0.00	0.00								
	RES - Vertical and Optional															
Local S	Switching Features Offered with Line Side Ports Only															
	All Features Available			UEPPX	UEPVF	3.04	0.00	0.00					15.69			
	PORT LOOP COMBINATIONS - MARKET RATES		ļ.,,,													
	Rates shall apply where BellSouth is not required to provide	unbun	dled lo	cal switching or sw	itch ports per	FCC and/or St	ate Commissio	n rules.								
	scenarios include:	<u> </u>	<u></u>	<u> </u>	<u> </u>											
	oundled port/loop combinations that are Not Currently Combinations								L							
		Or NOt (Current	ly Combined in Zor	ne 1 of the To	P 8 MSAS IN Be	ellSouth's regio	on for end use	rs with 4 or mo	re DS0 equiva	lent lines.					
The To BellSo Market	nundled port/loop combinations that are Currently Combined ip 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderd tht currently is developing the billing capability to mechanica Rates, BellSouth shall bill the rates in the Cost-Based section arket Rate for unbundled ports includes all available features	lale, Mia ally bill n prece	ami); Ga the rec ding in	urring and non-reco	urring Market	Rates in this se	ection except f	or nonrecurrir	ng charges for	ia-Rock Hill); 1 not currently o	ombined in	e). AL, FL and	NC. In the in	terim where	BellSouth car	not bill
The To BellSo Market The Ma End Of (USOC	p 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderd uth currently is developing the billing capability to mechanic: Rates, BellSouth shall bill the rates in the Cost-Based section raket Rate for unbundled ports includes all available features fice and Tandem Switching Usage and Common Transport Us. URECU).	lale, Mia ally bill n precedin all st sage rat	ami); Ga the rec ding in tates. tes in th	urring and non-rect lieu of the Market F ne Port section of the	urring Market Rates and res I nis rate exhib	Rates in this so erves the right to it shall apply to	ection except fo to true-up the l	or nonrecurrir billing differen	ng charges for nce. rt network elei	not currently o	combined in	AL, FL and	Combination	ns which have	a flat rate us	age charge
The To BellSo Market The Ma End Of (USOC	p 8 MSAs in BellSouth's region are: Ft. (Orlando, Ft. Lauderd uth currently is developing the billing capability to mechanica Rates, BellSouth shall bill the rates in the Cost-Based section arket Rate for unbundled ports includes all available features fice and Tandem Switching Usage and Common Transport Us: URECU). t Currently Combined scenarios where Market Rates apply, the	lale, Mia ally bill n prece in all st sage rat	ami); Gami); Gami); the recording in the tates. tes in the tates.	urring and non-reco lieu of the Market F ne Port section of the g charges are listed	urring Market Rates and res I nis rate exhib	Rates in this so erves the right to it shall apply to	ection except fo to true-up the l	or nonrecurrir billing differen	ng charges for nce. rt network elei	not currently o	combined in	AL, FL and	Combination	ns which have	a flat rate us	age charge
The To BellSon Market The Ma End Of (USOC For No Combin	p 8 MSAs in BellSouth's region are: Ft (Orlando, Ft. Lauderd uth currently is developing the billing capability to mechanica Rates, BellSouth shall bill the rates in the Cost-Based section arket Rate for unbundled ports includes all available features fice and Tandem Switching Usage and Common Transport Us : URECU). t Currently Combined scenarios where Market Rates apply, the ned section. Additional NRCs may apply also and are categore.	lale, Mia ally bill n prece in all st sage rat	ami); Gami); Gami); the recording in the tates. tes in the tates.	urring and non-reco lieu of the Market F ne Port section of the g charges are listed	urring Market Rates and res I nis rate exhib	Rates in this so erves the right to it shall apply to	ection except fo to true-up the l	or nonrecurrir billing differen	ng charges for nce. rt network elei	not currently o	combined in	AL, FL and	Combination	ns which have	a flat rate us	age charge
The To BellSo Market The Ma End Of (USOC For No Combin 2-WIRE	up 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderd uth currently is developing the billing capability to mechanica Rates, BellSouth shall bill the rates in the Cost-Based section arket Rate for unbundled ports includes all available features fice and Tandem Switching Usage and Common Transport Us: URECU). t Currently Combined scenarios where Market Rates apply, the section. Additional NRCs may apply also and are categore VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)	lale, Mia ally bill n prece in all st sage rat	ami); Gami); Gami); the recording in the tates. tes in the tates.	urring and non-reco lieu of the Market F ne Port section of the g charges are listed	urring Market Rates and res I nis rate exhib	Rates in this so erves the right to it shall apply to	ection except fo to true-up the l	or nonrecurrir billing differen	ng charges for nce. rt network elei	not currently o	combined in	AL, FL and	Combination	ns which have	a flat rate us	age charge
The To BellSo Market The Ma End Of (USOC For No Combin 2-WIRE	p 8 MSAs in BellSouth's region are: Ft. (Orlando, Ft. Lauderd uth currently is developing the billing capability to mechanica Rates, BellSouth shall bill the rates in the Cost-Based section arket Rate for unbundled ports includes all available features fice and Tandem Switching Usage and Common Transport Us- URECU). It Currently Combined scenarios where Market Rates apply, the ned section. Additional NRCs may apply also and are categore E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates	lale, Mia ally bill n prece in all st sage rat	ami); Gami); Gami); the recording in the same tes in the coordinates.	urring and non-reco lieu of the Market F ne Port section of the g charges are listed	urring Market Rates and res I nis rate exhib	Rates in this serves the right in this serves the right in the right it shall apply to and Additional I	ection except fo to true-up the l	or nonrecurrir billing differen	ng charges for nce. rt network elei	not currently o	combined in	AL, FL and	Combination	ns which have	a flat rate us	age charge
The To BellSo Market The Ma End Of (USOC For No Combin 2-WIRE	p 8 MSAs in BellSouth's region are: Ft. (Orlando, Ft. Lauderd uth currently is developing the billing capability to mechanica Rates, BellSouth shall bill the rates in the Cost-Based section arket Rate for unbundled ports includes all available features fice and Tandem Switching Usage and Common Transport Usage and Tandem Switching Usage and Common Transport Usage and Co	lale, Mia ally bill n prece in all st sage rat	ami); Gam	urring and non-reco lieu of the Market F ne Port section of the g charges are listed	urring Market Rates and res I nis rate exhib	Rates in this serves the right in this serves the right if the shall apply to and Additional I	ection except fo to true-up the l	or nonrecurrir billing differen	ng charges for nce. rt network elei	not currently o	combined in	AL, FL and	Combination	ns which have	a flat rate us	age charge
The To BellSo Market The Ma End Of (USOC For No Combin 2-WIRE	p 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderd uth currently is developing the billing capability to mechanic: Rates, BellSouth shall bill the rates in the Cost-Based section arket Rate for unbundled ports includes all available features fice and Tandem Switching Usage and Common Transport Us: URECU). t Currently Combined scenarios where Market Rates apply, the description. Additional NRCs may apply also and are categore VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2	lale, Mia ally bill n prece in all st sage rat	ami); Gam	urring and non-reco lieu of the Market F ne Port section of the g charges are listed	urring Market Rates and res I nis rate exhib	Rates in this so erves the right to it shall apply to and Additional I	ection except fo to true-up the l	or nonrecurrir billing differen	ng charges for nce. rt network elei	not currently o	combined in	AL, FL and	Combination	ns which have	a flat rate us	age charge
The To BellSo Market The Ma End Of (USOC For No Combin 2-WIRE	p 8 MSAs in BellSouth's region are: Ft. (Orlando, Ft. Lauderd uth currently is developing the billing capability to mechanica Rates, BellSouth shall bill the rates in the Cost-Based section arket Rate for unbundled ports includes all available features fice and Tandem Switching Usage and Common Transport Usage and Tandem Switching Usage and Common Transport Usage and Co	lale, Mia ally bill n prece in all st sage rat	ami); Gam	urring and non-reco lieu of the Market F ne Port section of the g charges are listed	urring Market Rates and res I nis rate exhib	Rates in this serves the right in this serves the right if the shall apply to and Additional I	ection except fo to true-up the l	or nonrecurrir billing differen	ng charges for nce. rt network elei	not currently o	combined in	AL, FL and	Combination	ns which have	a flat rate us	age charge
The To BellSoi Market The Ma End Of (USOC For No Combin 2-WIRE	p 8 MSAs in BellSouth's region are: Ft. (Orlando, Ft. Lauderd tuth currently is developing the billing capability to mechanica Rates, BellSouth shall bill the rates in the Cost-Based section arket Rate for unbundled ports includes all available features fice and Tandem Switching Usage and Common Transport Usage and Tandem Switching Usage and Common Transport Usage and Tandem Switching Usage and Rates apply, the Currently Combined scenarios where Market Rates apply, the section. Additional NRCs may apply also and are categore Volce GRADE LOOP WITH 2-WIRE LINE PORT (RES) cort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 2-Opp Rates	lale, Mia ally bill n prece in all st sage rat	ami); Gam	urring and non-reco lieu of the Market F ne Port section of the g charges are listed	urring Market Rates and res I nis rate exhib	Rates in this so erves the right to it shall apply to and Additional I	ection except fo to true-up the l	or nonrecurrir billing differen	ng charges for nce. rt network elei	not currently o	combined in	AL, FL and	Combination	ns which have	a flat rate us	age charge
The To BellSo Market The Ma End Of (USOC For No Combin 2-WIRE	p 8 MSAs in BellSouth's region are: Ft. (Orlando, Ft. Lauderd uth currently is developing the billing capability to mechanica Rates, BellSouth shall bill the rates in the Cost-Based section arket Rate for unbundled ports includes all available features fice and Tandem Switching Usage and Common Transport Usage and Tommon Transport Usage and Tommon Transport Usage and Tommon Transport Usage and Tommon Transport Usage and Tommon Transport Usage and Tommon Transport Usage and Tommon Transport Usage and Tommon Transport Usage and Tommon Transport Usage and Tommon Transport Usage and Tommon Transport Usage and Tommon Transport Usage and Transport Usage and Transport Usage and Transport Usage and Transport Transp	lale, Mia ally bill n prece in all st sage rat	ami); Gam	urring and non-rect lieu of the Market f ne Port section of the g charges are listed gly.	urring Market Rates and res Inis rate exhib I in the First a	Rates in this serves the right to the right	ection except fo to true-up the l	or nonrecurrir billing differen	ng charges for nce. rt network elei	not currently o	combined in	AL, FL and	Combination	ns which have	a flat rate us	age charge
The To BellSo Market The Ma End Of (USOC For No Combin 2-WIRE	p 8 MSAs in BellSouth's region are: Ft. (Orlando, Ft. Lauderd tuth currently is developing the billing capability to mechanica Rates, BellSouth shall bill the rates in the Cost-Based section arket Rate for unbundled ports includes all available features fice and Tandem Switching Usage and Common Transport Usage and Tandem Switching Usage and Common Transport Usage and Tandem Switching Usage and Common Transport Usage and Tandem Switching Usage and Common Transport Usage Touried Common Transport Usage and Tandem Switching Usage and Common Transport Usage and Tandem Switching Usage and Tandem Switching Usage and Tandem Switching Usage and Tandem Switching Usage Touried Touried Tandem Switching Usage Touried Tou	lale, Mia ally bill n prece in all st sage rat	ami); Gam	urring and non-reci lieu of the Market F he Port section of the g charges are listed gly.	urring Market Rates and res Inis rate exhib I in the First a	Rates in this serves the right in the serves the right in the serves of the right in the serves of t	ection except fo to true-up the l	or nonrecurrir billing differen	ng charges for nce. rt network elei	not currently o	combined in	AL, FL and	Combination	ns which have	a flat rate us	age charge
The To BellSo Market The Ma End Of (USOC For No Combin 2-WIRE UNE Po	p 8 MSAs in BellSouth's region are: Ft. (Orlando, Ft. Lauderd uth currently is developing the billing capability to mechanica Rates, BellSouth shall bill the rates in the Cost-Based section arket Rate for unbundled ports includes all available features ffice and Tandem Switching Usage and Common Transport Us. URECU). t Currently Combined scenarios where Market Rates apply, the ned section. Additional NRCs may apply also and are categor CVOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) OVICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 3-OP Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 1	lale, Mia ally bill n prece in all st sage rat	ami); Gam	urring and non-reci lieu of the Market F lee Port section of the g charges are listed gly.	UEPLX UIFILX UEPLX UEPLX UEPLX	Rates in this serves the right to the right	ection except fo to true-up the l	or nonrecurrir billing differen	ng charges for nce. rt network elei	not currently o	combined in	AL, FL and	Combination	ns which have	a flat rate us	age charge
The To BellSo Market The Ma End Of (USOC For No Combin 2-WIRE UNE Po	ps MSAs in BellSouth's region are: Ft. (Orlando, Ft. Lauderd tuth currently is developing the billing capability to mechanica Rates, BellSouth shall bill the rates in the Cost-Based section arket Rate for unbundled ports includes all available features fice and Tandem Switching Usage and Common Transport Use URECU). It Currently Combined scenarios where Market Rates apply, the section. Additional NRCs may apply also and are categore Voice GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 DOP Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 2	lale, Mia ally bill n prece in all st sage rat	ami); Gam	urring and non-reci lieu of the Market F lee Port section of the g charges are listed gly.	UEPLX UIFILX UEPLX UEPLX UEPLX	Rates in this serves the right to the right	ection except fo to true-up the l	or nonrecurrir billing differen	ng charges for nce. rt network elei	not currently o	combined in	AL, FL and	Combination	ns which have	a flat rate us	age charge
The To BellSo Market The Ma End Of (USOC For No Combin 2-WIRE UNE Po	p 8 MSAs in BellSouth's region are: Ft. (Orlando, Ft. Lauderd tuth currently is developing the billing capability to mechanica Rates, BellSouth shall bill the rates in the Cost-Based section arket Rate for unbundled ports includes all available features fice and Tandem Switching Usage and Common Transport Usage and Tandem Switching Usage and Common Transport Usage and Tandem Switching Usage and Common Transport Usage and Tandem Switching Usage and Common Transport Usage Tra	lale, Mia ally bill n prece in all st sage rat	ami); Gam	urring and non-reci lieu of the Market F ne Port section of the g charges are listed gly.	urring Market Rates and res his rate exhib I in the First a UEPLX UEPLX UEPLX UEPLX	Rates in this serves the right in the erves at the serves	ection except f to true-up the l all combination	or nonrecurring of the control of th	ng charges for nce. rt network elei	not currently o	combined in	n AL, FL and	Combination	ns which have	a flat rate us	age charge
The To BellSo Market The Ma End Of (USOC For No Combin 2-WIRE UNE Po	ps MSAs in BellSouth's region are: Ft. (Orlando, Ft. Lauderd uth currently is developing the billing capability to mechanica Rates, BellSouth shall bill the rates in the Cost-Based section arket Rate for unbundled ports includes all available features fice and Tandem Switching Usage and Common Transport Usage and Tandem Switching Usage and Common Transport Usage and Tandem Switching Usage and Common Transport Usage and Tandem Switching Usage and Common Transport Usage Trans	lale, Mia ally bill n prece in all st sage rat	ami); Gam	urring and non-reci lieu of the Market F he Port section of the g charges are listed gly. UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX	Rates in this serves the right to the right	ection except f to true-up the l all combination NRC columns f	or nonrecurring of the property of the propert	ng charges for nce. rt network elei	not currently o	combined in	n AL, FL and n Port/Loop s, the Nonre	Combination	ns which have	a flat rate us	age charge
The To BellSo Market The Ma End Of (USOC For No Combin 2-WIRE UNE Po	p 8 MSAs in BellSouth's region are: Ft. (Orlando, Ft. Lauderd the currently is developing the billing capability to mechanica Rates, BellSouth shall bill the rates in the Cost-Based section arket Rate for unbundled ports includes all available features fice and Tandem Switching Usage and Common Transport Use URECU). It Currently Combined scenarios where Market Rates apply, the section. Additional NRCs may apply also and are categore Volce GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 2-Wire VG Loop/Port Combo - Zone 3 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res	lale, Mia ally bill n prece in all st sage rat	ami); Gam	urring and non-recilieu of the Market File of the Market File Port section of the grand gly. UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX	Rates in this serves the right to the right	ection except f to true-up the l all combination NRC columns f	or nonrecurrir billing different ons of loop/po or each Port U	ng charges for nce. rt network elei	not currently o	combined in	n AL, FL and n Port/Loop s, the Nonre	Combination	ns which have	a flat rate us	age charge
The To BellSo Market The Ma End Of (USOC For No Combin 2-WIRE UNE Po	ps MSAs in BellSouth's region are: Ft. (Orlando, Ft. Lauderd the currently is developing the billing capability to mechanica Rates, BellSouth shall bill the rates in the Cost-Based section arket Rate for unbundled ports includes all available features fice and Tandem Switching Usage and Common Transport Usage and Tandem Switching Usage and Common Transport Usage and Common Transport Usage and Common Transport Usage and Common Transport Usage	lale, Mia ally bill n prece in all st sage rat	ami); Gam	urring and non-recilieu of the Market File of the Market File Port section of the grand gly. UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX	Rates in this serves the right to the right	ection except f to true-up the l all combination NRC columns f	or nonrecurrir billing different ons of loop/po or each Port U	ng charges for nce. rt network elei	not currently o	combined in	n AL, FL and n Port/Loop s, the Nonre	Combination	ns which have	a flat rate us	age charge
The To BellSo Market The Ma End Of (USOC For No Combin 2-WIRE UNE Po UNE Lo	pa MSAs in BellSouth's region are: Ft. (Orlando, Ft. Lauderd the currently is developing the billing capability to mechanica Rates, BellSouth shall bill the rates in the Cost-Based section arket Rate for unbundled ports includes all available features fice and Tandem Switching Usage and Common Transport Usage and Tandem Switching Usage and Common Transport Usage and Tandem Switching Usage and Common Transport Usage and Tandem Switching Usage and Common Transport Usage Trans	lale, Mia ally bill n prece in all st sage rat	ami); Gam	urring and non-recilieu of the Market Fine Port section of the grant o	UEPLX UEPLX UEPLX UEPLX UEPRC UEPRO	Rates in this serves the right ' it shall apply to 27.76 34.38 40.04 13.76 20.38 26.04 14.00 14.00 14.00	90.00 90.00	90.00 90.00	ng charges for nce. rt network elei	not currently o	combined in	15.69	Combination	ns which have	a flat rate us	age charge
The To BellSo Market The Ma End Of (USOC For No Combin 2-WIRE UNE Po UNE Lo	p 8 MSAs in BellSouth's region are: Ft. (Orlando, Ft. Lauderd th currently is developing the billing capability to mechanica Rates, BellSouth shall bill the rates in the Cost-Based section arket Rate for unbundled ports includes all available features fice and Tandem Switching Usage and Common Transport Usage and Tandem Switching Usage and Common Transport Usage and Tandem Switching Usage and Common Transport Usage Includes all available features fice and Tandem Switching Usage and Common Transport Usage Transport Usage Includes Included Includes Included Includes Included Includes Included Includes Included Includes Included Includes Included Includes Included Includes Included Includes Includes Included Includes Included Includes Included Includes Includes Includes Included Includes	lale, Mia ally bill n prece in all st sage rat	ami); Gam	urring and non-recilieu of the Market Fine Port section of the grant o	UEPLX UEPLX UEPLX UEPLX UEPRC UEPRO	Rates in this serves the right ' it shall apply to 27.76 34.38 40.04 13.76 20.38 26.04 14.00 14.00 14.00	90.00 90.00	90.00 90.00	ng charges for nce. rt network elei	not currently o	combined in	15.69	Combination	ns which have	a flat rate us	age charge
The To BellSon Market The Ma End Of (USOC For No Combin 2-WIRE UNE Po UNE Lo 2-Wire LOCAL	ps MSAs in BellSouth's region are: Ft. (Orlando, Ft. Lauderd the currently is developing the billing capability to mechanica Rates, BellSouth shall bill the rates in the Cost-Based section arket Rate for unbundled ports includes all available features fice and Tandem Switching Usage and Common Transport Usage and Common Transport Usage and Common Transport Usage and Common Transport Usage and Common Transport Usage and Common Transport Usage and Common Transport Usage Trans	lale, Mia ally bill n prece in all st sage rat	ami); Gam	urring and non-recilieu of the Market Fine Port section of the grant o	UEPLX UEPRO UEPRO UEPRO	Rates in this serves the right ' it shall apply to 27.76 34.38 40.04 13.76 20.38 26.04 14.00 14.00 14.00 14.00 0.35	90.00 90.00 90.00	90.00 90.00	ng charges for nce. rt network elei	not currently o	combined in	15.69 15.69	Combination	ns which have	a flat rate us	age charge
The To BellSo Market The Ma End Of (USOC For No Combin 2-WIRE UNE Po UNE Lo 2-Wire LOCAL	ps MSAs in BellSouth's region are: Ft. (Orlando, Ft. Lauderd the currently is developing the billing capability to mechanica Rates, BellSouth shall bill the rates in the Cost-Based section arket Rate for unbundled ports includes all available features fice and Tandem Switching Usage and Common Transport User URECU). It Currently Combined scenarios where Market Rates apply, the section. Additional NRCs may apply also and are categore Voice GRADE LOOP WITH 2-WIRE LINE PORT (RES) or Voice GRADE LOOP WITH 2-WIRE LINE PORT (RES) or Voice Grade LOOP WITH 2-WIRE LINE PORT (RES) or Voice Grade Loop (Sunder States). So the Voice Grade Loop (Sunder States). So the Voice Grade Loop (Sunder States). So the Voice Grade Loop (Sunder States). So the Voice Grade Loop (Sunder States). So the Voice Grade Loop (Sunder States). So the Voice Grade Loop (Sunder States). So the Voice Grade Line Port (Res). So the Voice Unbundled port residence. So the Voice Unbundled port outgoing only - res. So the Voice Unbundled port outgoing only - res. So the Voice Unbundled Port Outgoing only - res. So the Voice Unbundled Port Outgoing only - res. So the Voice Unbundled Port Outgoing only - res. So the Voice Portability (LUM). NUMBER PORTABILITY. Local Number Portability (1 per port). RES.	lale, Mia ally bill n prece in all st sage rat	ami); Gam	urring and non-recilieu of the Market Fine Port section of the grant charges are listed gly. UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX	90.00 90.00	90.00 90.00	ng charges for nce. rt network elei	not currently o	combined in	15.69	Combination	ns which have	a flat rate us	age charge	
The To BellSo Market The Ma End Of (USOC For No Combin 2-WIRE UNE Po UNE Lo 2-Wire LOCAL	ps MSAs in BellSouth's region are: Ft. (Orlando, Ft. Lauderd uth currently is developing the billing capability to mechanica Rates, BellSouth shall bill the rates in the Cost-Based section arket Rate for unbundled ports includes all available features fice and Tandem Switching Usage and Common Transport Usage and Tandem Switching Usage and Common Transport Usage and Common Transport Usage and Common Transport Usage and Common Transport Usage	lale, Mia ally bill n prece in all st sage rat	ami); Gam	urring and non-recilieu of the Market Fine Port section of the grant o	UEPLX UEPRO UEPRO UEPRO	Rates in this serves the right ' it shall apply to 27.76 34.38 40.04 13.76 20.38 26.04 14.00 14.00 14.00 14.00 0.35	90.00 90.00 90.00	90.00 90.00	ng charges for nce. rt network elei	not currently o	combined in	15.69 15.69	Combination	ns which have	a flat rate us	age charge
The To BellSo Market The Ma End Of (USOC For No Combin 2-WIRE UNE Po UNE Lo 2-Wire LOCAL	ps MSAs in BellSouth's region are: Ft. (Orlando, Ft. Lauderd the currently is developing the billing capability to mechanica Rates, BellSouth shall bill the rates in the Cost-Based section arket Rate for unbundled ports includes all available features fice and Tandem Switching Usage and Common Transport Usage and Common Transport Usage and Technology. It Currently Combined scenarios where Market Rates apply, the section. Additional NRCs may apply also and are categore. Volice GRADE LOOP WITH 2-WIRE LINE PORT (RES) cort/Loop Combination Rates. 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundles pres, low usage line port with Caller ID (LUM) NUMBER PORTABILITY Local Number Portability (1 per port) RES All Features Offered ONAL NRCs NRC - 2-Wire Voice Grade Loop/Line Port Combination -	lale, Mia ally bill n prece in all st sage rat	ami); Gam	urring and non-recilieu of the Market File Port section of the grapes are listed gly. UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO UEPAP	Rates in this serves the right ' it shall apply to 27.76 34.38 40.04 13.76 20.38 26.04 14.00 14.00 14.00 14.00 0.35	90.00 90.00 90.00	90.00 90.00	ng charges for nce. rt network elei	not currently o	combined in	15.69 15.69	Combination	ns which have	a flat rate us	age charge
The To BellSo BellSo Market The Ma End Of (USOC For No Combin 2-Wire UNE Po UNE Lo 2-Wire LOCAL FEATU ADDITI	ps MSAs in BellSouth's region are: Ft. (Orlando, Ft. Lauderd the currently is developing the billing capability to mechanica Rates, BellSouth shall bill the rates in the Cost-Based section arket Rate for unbundled ports includes all available features fice and Tandem Switching Usage and Common Transport Use URECU). It Currently Combined scenarios where Market Rates apply, the section. Additional NRCs may apply also and are categore Voice GRADE LOOP WITH 2-WIRE LINE PORT (RES) or Voice GRADE LOOP WITH 2-WIRE LINE PORT (RES) or Voice Grade LOOP WITH 2-WIRE LINE PORT (RES) or Voice Grade LOOP Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire voice unbundled port residence 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port with Caller ID res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port with Caller ID res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 3-Wire voice unbundled port outgoing only - res 3-Wire voice unbundled port with Caller ID res 3-Wire voice unbundled port outgoing only - res 3-Wire voice unbundled port outgoing only - res 3-Wire voice unbundled port outgoing only - res 3-Wire voice unbundled port outgoing only - res 3-Wire voice unbundled port outgoing only - res 3-Wire voice unbundled port outgoing only - res 3-Wire voice unbundled port outgoing only - res 3-Wire voice unbundled port outgoing only - res 3-Wire voice unbundled port outgoing only - res 3-Wire voice unbundled port outgoing only - res 3-Wire voice unbundled port outgoing only - res 3-Wire voice unbundled port outgoing only - res 3-Wire voice unbundled port outgoing only - res 3-Wire voice unbund	lale, Mia ally bill n prece in all st sage rat	ami); Gam	urring and non-recilieu of the Market Fine Port section of the grant o	UEPLX UEPRO UEPRO UEPRO	Rates in this serves the right ' it shall apply to 27.76 34.38 40.04 13.76 20.38 26.04 14.00 14.00 14.00 14.00 0.35	90.00 90.00 90.00	90.00 90.00	ng charges for nce. rt network elei	not currently o	combined in	15.69 15.69	Combination	ns which have	a flat rate us	age charge
The To BellSo Market The Ma End Of (USOC For No Combin 2-WIRE UNE Po UNE Lo 2-Wire LOCAL FEATU ADDITI 2-WIRE	ps MSAs in BellSouth's region are: Ft. (Orlando, Ft. Lauderd uth currently is developing the billing capability to mechanica Rates, BellSouth shall bill the rates in the Cost-Based section arket Rate for unbundled ports includes all available features fice and Tandem Switching Usage and Common Transport Usage and Tandem Switching Usage and Common Transport Usage and Common Transport Usage and Common Transport Usage and Common Transport Usage and Common Transport Usage and Common Transport Usage Transport	lale, Mia ally bill n prece in all st sage rat	ami); Gam	urring and non-recilieu of the Market File Port section of the grapes are listed gly. UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO UEPAP	Rates in this serves the right ' it shall apply to 27.76 34.38 40.04 13.76 20.38 26.04 14.00 14.00 14.00 14.00 0.35	90.00 90.00 90.00	90.00 90.00	ng charges for nce. rt network elei	not currently o	combined in	15.69 15.69	Combination	ns which have	a flat rate us	age charge
The To BellSo Market The Ma End Of (USOC For No Combin 2-WIRE UNE Po UNE Lo 2-Wire LOCAL FEATU ADDITI 2-WIRE	pa MSAs in BellSouth's region are: Ft. (Orlando, Ft. Lauderd uth currently is developing the billing capability to mechanica Rates, BellSouth shall bill the rates in the Cost-Based section arket Rate for unbundled ports includes all available features fice and Tandem Switching Usage and Common Transport Usage and Tandem Switching Usage and Common Transport Usage and Common Transport Usage and Common Transport Usage and Common Transport Usage and Common Transport Usage and Common Transport Usage Transport	lale, Mia ally bill n prece in all st sage rat	ami); Gam	urring and non-recilieu of the Market File Port section of the grapes are listed gly. UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO UEPAP	Rates in this serves the right is the right in this serves the right in the right i	90.00 90.00 90.00	90.00 90.00	ng charges for nce. rt network elei	not currently o	combined in	15.69 15.69	Combination	ns which have	a flat rate us	age charge
The To BellSo Market The Ma End Of (USOC For No Combin 2-WIRE UNE Po UNE Lo 2-Wire LOCAL FEATU ADDITI 2-WIRE	ps MSAs in BellSouth's region are: Ft. (Orlando, Ft. Lauderd the currently is developing the billing capability to mechanica Rates, BellSouth shall bill the rates in the Cost-Based section arket Rate for unbundled ports includes all available features fice and Tandem Switching Usage and Common Transport Usage and Tandem Switching Usage and Common Transport Usage and Tandem Switching Usage and Common Transport Usage and Tandem Switching Usage and Common Transport Usage Trans	lale, Mia ally bill n prece in all st sage rat	ami); 6 the rectified in the rectified i	urring and non-recilieu of the Market File Port section of the grapes are listed gly. UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO UEPAP	Rates in this serves the right to the right	90.00 90.00 90.00	90.00 90.00	ng charges for nce. rt network elei	not currently o	combined in	15.69 15.69	Combination	ns which have	a flat rate us	age charge
The To BellSo Market The Ma End Of (USOC For No Combin 2-WIRE UNE Po UNE Lo 2-Wire LOCAL FEATU ADDITI 2-WIRE	ps MSAs in BellSouth's region are: Ft. (Orlando, Ft. Lauderd the currently is developing the billing capability to mechanica Rates, BellSouth shall bill the rates in the Cost-Based section arket Rate for unbundled ports includes all available features fice and Tandem Switching Usage and Common Transport Usage and Tandem Switching Usage and Common Transport Usage and Tandem Switching Usage and Common Transport Usage and Tandem Switching Usage and Common Transport Usage and Tandem Switching Usage and Common Transport Usage	lale, Mia ally bill n prece in all st sage rat	ami); 6 the rectified in the rectified i	urring and non-recilieu of the Market File Port section of the grapes are listed gly. UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO UEPAP	Rates in this serves the right in this serves the right in the right i	90.00 90.00 90.00	90.00 90.00	ng charges for nce. rt network elei	not currently o	combined in	15.69 15.69	Combination	ns which have	a flat rate us	age charge
The To BellSo Market The Ma End Of (USOC For No Combin 2-WIRE UNE Po UNE Lo 2-Wire LOCAL FEATU ADDITI 2-WIRE UNE Po LOCAL FEATU	ps MSAs in BellSouth's region are: Ft. (Orlando, Ft. Lauderd uth currently is developing the billing capability to mechanica Rates, BellSouth shall bill the rates in the Cost-Based section arket Rate for unbundled ports includes all available features fice and Tandem Switching Usage and Common Transport Usage and Tandem Switching Usage and Common Transport Usage and Common Transport Usage and Common Transport Usage and Common Transport Usage and Common Transport Usage and Common Transport Usage Transport Transport Usage	lale, Mia ally bill n prece in all st sage rat	ami); 6 the rectified in the rectified i	urring and non-recilieu of the Market File Port section of the grapes are listed gly. UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO UEPAP	Rates in this serves the right to the right	90.00 90.00 90.00	90.00 90.00	ng charges for nce. rt network elei	not currently o	combined in	15.69 15.69	Combination	ns which have	a flat rate us	age charge
The To BellSo Market The Ma End Of (USOC For No Combin 2-WIRE UNE Po UNE Lo 2-Wire LOCAL FEATU ADDITI 2-WIRE UNE Po LOCAL FEATU	ps MSAs in BellSouth's region are: Ft. (Orlando, Ft. Lauderd the currently is developing the billing capability to mechanica Rates, BellSouth shall bill the rates in the Cost-Based section arket Rate for unbundled ports includes all available features fice and Tandem Switching Usage and Common Transport Usage and Tandem Switching Usage and Common Transport Usage and Tandem Switching Usage and Common Transport Usage and Tandem Switching Usage and Common Transport Usage and Tandem Switching Usage and Common Transport Usage	lale, Mia ally bill n prece in all st sage rat	ami); 6 the rectified in the rectified i	urring and non-recilieu of the Market File Port section of the grapes are listed gly. UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO UEPAP	Rates in this serves the right in this serves the right in the right i	90.00 90.00 90.00	90.00 90.00	ng charges for nce. rt network elei	not currently o	combined in	15.69 15.69	Combination	ns which have	a flat rate us	age charge

04/12/02 Page 63 of 74

UNBUNDE	ED NETWORK ELEMENTS - South Carolina			1								0	Attachment:		Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		RAT	ES(\$)				Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
						5	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPBX	UEPLX	20.38										
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPBX	UEPLX	26.04										
2-Wire	Voice Grade Line Port (Bus)															
	2-Wire voice unbundled port without Caller ID - bus			UEPBX	UEPBL	14.00	90.00	90.00				15.69				
	2-Wire voice unbundled port with Caller + E484 ID - bus			UEPBX	UEPBC	14.00	90.00	90.00				15.69				
	2-Wire voice unbundled port outgoing only - bus 2-Wire voice Grade unbundled South Carolina extended local			UEPBX	UEPBO	14.00	90.00	90.00				15.69				
	dialing parity port with Caller ID - bus			UEPBX	UEPAZ	14.00	90.00	90.00				15.69				İ
	2-Wire voice unbundled South Carolina Bus Area Calling Port			OLFBX	ULFAZ	14.00	90.00	90.00				13.09				
	with Caller ID (LMB)			UEPBX	UEPAB	14.00	90.00	90.00				15.69				İ
LOCA	L NUMBER PORTABILITY			OLI DX	OLI AD	14.00	50.00	50.00				10.00				
1-2-37.	Local Number Portability (1 per port)			UEPBX	LNPCX	0.35			i i							
FEAT	URES								i i							
	All Features Offered			UEPBX	UEPVF	0.00	0.00	0.00				15.69				
ADDIT	FIONAL NRCs															
	NRC - 2-Wire Voice Grade Loop/Line Port Combination -									·						1
	Subsequent			UEPBX	USAS2		0.00	0.00				15.69				
	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)															
UNE	Port/Loop Combination Rates	<u> </u>	<u> </u>													
-	2-Wire VG Loop/Port Combo - Zone 1		1	-	-	27.76										
	2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3		3			34.38 40.04										
LINE I	Loop Rates		3			40.04										
ONL	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPRG	UEPLX	13.76										
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPRG	UEPLX	20.38										
	2-Wire Voice Grade Loop (SL1) - Zone 3			UEPRG	UEPLX	26.04										
2-Wire	e Voice Grade Line Port Rates (RES - PBX)				1											
	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port -															
	Res			UEPRG	UEPRD	14.00	90.00	90.00				15.69				
LOCA	L NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPRG	LNPCP	3.15	0.00	0.00								
FEAT	URES															
	All Features Offered			UEPRG	UEPVF	0.00	0.00	0.00				15.69				
	ECURRING CHARGES - CURRENTLY COMBINED															
ADDII	FIONAL NRCs		<u> </u>													
	2 Wire Loop/Line Side Port Combination - Non feature - Subsequent Activity- Nonrecurring						0.00	0.00				15.69				İ
+	PBX Subsequent Activity - Nonrecurring PBX Subsequent Activity - Change/Rearrange Multiline Hunt	1	 	 			0.00	0.00	+			13.08			 	
	Group			ĺ			14.64	14.64				15.69				1
2-WIR	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)			1								.5.50				
	Port/Loop Combination Rates				1				i i							
	2-Wire VG Loop/Port Combo - Zone 1		1			27.76										
	2-Wire VG Loop/Port Combo - Zone 2		2			34.38										
	2-Wire VG Loop/Port Combo - Zone 3		3			40.04	_	•		•			•	_		
UNE L	oop Rates	<u> </u>														
	2-Wire Voice Grade Loop (SL1) - Zone 1	<u> </u>	1	UEPPX	UEPLX	13.76									ļ	└
	2-Wire Voice Grade Loop (SL1) - Zone 2	 	2	UEPPX	UEPLX UEPLX	20.38									 	├
2-101:	2-Wire Voice Grade Loop (SL1) - Zone 3 e Voice Grade Line Port Rates (BUS - PBX)	<u> </u>	3	UEPPX	UEPLX	26.04									-	
Z-WIFE	Voice Grade Little Fort Rates (DUS - FDA)	 	1	-	+				-							
1	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPPX	UEPPC	14.00	90.00	90.00				15.69				1
	Line Side Unbundled Outward PBX Trunk Port - Bus	†	<u> </u>	UEPPX	UEPPO	14.00	90.00	90.00			 	15.69			 	—
- 	Line Side Unbundled Incoming PBX Trunk Port - Bus	1		UEPPX	UEPP1	14.00	90.00	90.00	 			15.69			1	
İ	2-Wire Voice Unbundled PBX LD Terminal Ports	1		UEPPX	UEPLD	14.00	90.00	90.00	†			15.69			Ì	
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	14.00	90.00	90.00	i i			15.69				
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	14.00	90.00	90.00				15.69			İ	
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	14.00	90.00	90.00				15.69				
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	14.00	90.00	90.00				15.69				

ONROND	DLED NETWORK ELEMENTS - South Carolina			1									Attachment:		Exhibit: B	<u> </u>
CATEGORY	Y RATE ELEMENTS	Interi m	Zone	BCS	USOC		RAT	ΓES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
					+		Nonrec		Nonrecurring	, Diagonnost				Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD		1				11131	Auu	11130	Auu i	JOHILO	JOINAIN	JOMAN	JONAN	JONIAN	JONIAN
	Capable Port			UEPPX	UEPXE	14.00	90.00	90.00				15.69				
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPPX	UEPXL	14.00	90.00	90.00				15.69				
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
	Room Calling Port 2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital			UEPPX	UEPXM	14.00	90.00	90.00				15.69				
	Discount Room Calling Port			UEPPX	UEPXO	14.00	90.00	90.00				15.69				
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port		1	UEPPX	UEPXS	14.00	90.00	90.00				15.69				-
LOC	CAL NUMBER PORTABILITY			OZ. T. X	02.70		00.00	00.00				10.00				
	Local Number Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00								
FE.	ATURES														1	
	All Features Offered			UEPPX	UEPVF	0.00	0.00	0.00				15.69				
	NRECURRING CHARGES - CURRENTLY COMBINED															
ADI	DITIONAL NRCs															
	2-Wire Voice Grade Loop/ Line Port Combination - Subsequent			UEPPX	USAS2		0.00	0.00				15.69				
	2 Wire Loop/Line Side Port Combination - Non feature -															
	Subsequent Activity- Nonrecurring PBX Subsequent Activity - Change/Rearrange Multiline Hunt						0.00	0.00				15.69				
0.14	Group WIRE VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN PO	NDT.					7.34	7.34				15.69				
	IE Port/Loop Combination Rates	JKI			-											
ON	2-Wire VG Coin Port/Loop Combo – Zone 1		1			27.76										
	2-Wire VG Coin Port/Loop Combo – Zone 2		2			34.38										-
	2-Wire VG Coin Port/Loop Combo – Zone 2		3			40.04										
UNE	IE Loop Rates		Ť			10.01										
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPCO	UEPLX	13.76										
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPCO	UEPLX	20.38										
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPCO	UEPLX	26.04										
2-W	Nire Voice Grade Line Port Rates (Coin)															
	2-Wire Coin 2-Way without Operator Screening and without Blocking (SC)			UEPCO	UEPSD	14.00	90.00	90.00				15.69				
	2-Wire Coin 2-Way with Operator Screening and Blocking: 011 900/976, 1+DDD (AL, KY, LA, MS, SC)	,		UEPCO	UEPRA	14.00	90.00	90.00				15.69				
	2-Wire Coin 2-Way with Operator Screening and Blocking: 011	,														
	900/976, 1+DDD (SC) 2-Wire Coin 2-Way with Operator Screening and 011 Blocking			UEPCO	UEPSA	14.00	90.00	90.00				15.69				
	(SC)			UEPCO	UEPSH	14.00	90.00	90.00				15.69				
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking with Dialing Parity (SC)			UEPCO	UEPSC	14.00	90.00	90.00				15.69				
	2-Wire Coin 2-Way with Operator Screening and Blocking: 900/976, 1+DDD, 011+, and Local (SC)			UEPCO	UEPCC	14.00	90.00	90.00				15.69				
	2-Wire Coin 2-W Oper Screen & Blocking: 900/976, 1+DDD,															
	011+ & Local; Enhanced Calling OPT 3YV (SC) 2-Wire Coin 2-W Oper Screen & Block: 900/976, 1+DDD, 011+	,		UEPCO	UEPCE	14.00	90.00	90.00				15.69				
	& Local; Enhanced Calling OPT AP7 (SC) 2-Wire Coin Outward without Blocking and without Operator	-	-	UEPCO	UEPCF	14.00	90.00	90.00				15.69				
	Screening (SC)			UEPCO	UEPSG	14.00	90.00	90.00				15.69				
	2-Wire Coin Outward with Operator Screening and 011 Blockin (SC)	У		UEPCO	UEPSF	14.00	90.00	90.00				15.69				
	2-Wire Coin Outward with Operator Screening and Blocking: 011, 900/976, 1+DDD (SC)			UEPCO	UEPSJ	14.00	90.00	90.00				15.69				<u> </u>
	2-Wire Coin Outward with Operator Screening and Blocking: 900/976, 1+DDD, 011+, and Local (SC)			UEPCO	UEPCM	14.00	90.00	90.00				15.69				1
	2-Wire Coin Out Oper Screen & Block: 900/976, 1+DDD, 011+, & Local ; w/ Enhanced Call OPT 3YW (SC)			UEPCO	UEPCP	14.00	90.00	90.00				15.69				
1.00	DCAL NUMBER PORTABILITY	+	1	021 00	OLI OF	14.00	90.00	50.00				13.03			1	
- 1-50	Local Number Portability (1 per port)	-	+	UEPCO	LNPCX	0.35									 	

CATEGORY RATE REMEMTS Mint Command C	UNRUN	IDI FI	NETWORK ELEMENTS - South Carolina													Attachment:	2	Exhibit: B	
ATE CLEMENTS 16th 1	CIVECIA		THE INDICATE LEE MENTO GOULD GALORING											Svc Order	Svc Order				Incremental
ARTE REMEMPTS March															1				
ATTEMPS				Intori											1				Manual Svc
Recommon Recommon	CATEGO	RY	RATE ELEMENTS		Zone	B	CS	USOC		RAT	'ES(\$)			per LSR					
No. No.				""															
AGDITIONAL NICE 120																			
AGDITIONAL NICE 120												ļ., .	<u></u>						
Description Description									Rec										
Description Description	<u> </u>	DDITI	ONAL NIDO-							First	Addi	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Dispublic De Fort FLOOP COMBINATIONS - MARKET BASED NATES	-	וווטטו	UNAL NRCS											1					
Dispublic De Fort FLOOP COMBINATIONS - MARKET BASED NATES			2 Mire Voice Crade Lean/Line Bort Combination - Subanguent			LIEDCO		116465		0.00	0.00				15.60				
Description of the Company of the	LINBLIND	I EN P				UEPCO		U3A32		0.00	0.00	-	+		15.69				
Description Description				PORT	1									1					
2-Wei VC Logon/Wei DIT Druik Per Cornection - URC Zone 2 2 80.13				I					73.68										
Service Vol. Long/Park Politic Control - UNE Zone 3 3 55.66																			
UNE Loop Rates																			
2-Wee Analog Vices Grante Lusp - (\$12) - UNE Zame 1																			
2-Wiew Analog Vote Grade Logo (SL2) - URF Zeno 2 2 UEPPX UECO1 23.13			2-Wire Analog Voice Grade Loop - (SL2) - Statewide		SW														
2-Wee Analog Votes Grade Logs (182) - URE Zone 3 3 UREPPX URCD1 28.46					1	UEPPX		UECD1	16.68										
UNE FOR Rate																			
Exchange Priors 2-Wine DID Prior UEPPX UEPD1 \$7.00 690.00 75.00 15.60					3	UEPPX		UECD1	28.46		· · · · · · · · · · · · · · · · · · ·								
NONNECURRING CHARGES - QURRENTLY COMBINED	L																		
SWINE-Visit Original Loop / 2-Wire DID Trunk Port Combination UEPPX USAC1 125.00 75.00 15.60						UEPPX		UEPD1	57.00	600.00	75.00				15.69				
Switch-Aes Trop & MSAs only UEPPX USACL 125.00 75.00 15.69	N			ļ									_	ļ					
2-Wire Votor Grade Loop / 2-Wire IDI Trunk Port Convention Nath Bullsouth Allowage Changes Top 8 Masks cen'y UEPPX USA1C 125,00 75,00 15,69										40= 00	== 00								
With BallSouth Allwords Changes Top 8 MSAs only	<u> </u>				<u> </u>	UEPPX		USAC1		125.00	75.00				15.69				
ADOTTOMAL NRGs						LIEDDY		110440		405.00	75.00				45.00				
E-Wirk DID Subsequent Activity - Add Trunks, Per Trunk Telephone number/Trunk (progregated) S. 68 S. 68	—					UEPPX		USATC		125.00	75.00			1	15.69				
Telephone Numbers, Establish Trunk Group and Provide First Group UEPPX NDT 0.00 0.0						LIEDDY		LICAC1		E2 60					15.60				
DID Trunk Termination (One Per Port)	-					UEFFX		USAST		33.00					15.69				
DID Numbers, Stabilish Trunk Group and Provide First Group UEPPX NDZ 0.00 0.					1	LIEPPX		NDT	0.00	0.00	0.00			1					
Of 20 DID Numbers ULEPPX NDZ 0.00						OLITA		IND.	0.00	0.00	0.00								
Additional DID Numbers (or each Group of 20 DID Numbers (or consecutive DID Numbers (or consecutive DID Numbers (or consecutive DID Numbers (or consecutive DID Numbers (or consecutive DID Numbers (or consecutive DID Numbers (or consecutive DID Numbers (or consecutive DID Numbers (or consecutive DID Numbers (or consecutive DID Numbers (or consecutive DID Numbers (or consecutive DID Numbers (or consecutive DID Numbers (or consecutive DID Numbers (or consecutive DID Number (or						LIFPPX		ND7	0.00	0.00	0.00								
DID Numbers, Non- consecutive DID Numbers UEPPX NDS 0.00													1						
Reserve DID Numbers								ND5											
LOCAL NUMBER PORTABILITY UEPPX			Reserve Non-Consecutive DID numbers			UEPPX		ND6	0.00	0.00	0.00								
Lical Number Portability (1 per port)			Reserve DID Numbers			UEPPX		NDV	0.00	0.00	0.00								
2-WIRE ISDN Digital GRADE LOOP WITH 2-WIRE ISDN DIGITAL LINE SIDE PORT	L	OCAL.	NUMBER PORTABILITY																
UNE Port/Loop Combination Rates								LNPCP	3.15	0.00	0.00								
ZW ISDN Digital Grade Loop/ZW ISDN Digital Line Side Port -				NE SIDE	PORT														
UNE Zone 1	L																		
2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 2																			
UNE Zone 2	<u> </u>				1	UEPPB	UEPPR		76.90										
2Wi SDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 3						LIEDDD	HEDDD		04.04										
UNE Zone 3	\vdash			 	2	UEPPB	UEPPR	 	84.64			 	+	1	-	-	 		
UNE Loop Rates				1	2	LIEDDD	HEDDE	I	00.27			I	1				1		
2-Wire ISDN Digital Grade Loop - Statewide	 			 	3	ULFFD	ULPPR	t	90.27			t	1	1		1	1		
2-Wire ISDN Digital Grade Loop - UNE Zone 1	 			†	<u> </u>	1		I	-			I	t	1	<u> </u>		 		
2-Wire ISDN Digital Grade Loop - UNE Zone 1			2-Wire ISDN Digital Grade Loop - Statewide		sw	UEPPB	UEPPR	USL2X				1	1						
2-Wire ISDN Digital Grade Loop - UNE Zone 2 2 UEPPB UEPPR USL2X 29.64 2-Wire ISDN Digital Grade Loop - UNE Zone 3 3 UEPPB UEPPR USL2X 35.27									21.90			1	1				1		
2-Wire ISDN Digital Grade Loop - UNE Zone 3 3 UEPPB UEPPR USL2X 35.27			• • • • • • • • • • • • • • • • • • • •					1				1	1			İ			
2-Wire ISDN Digital Grade Loop - UNE Zone 3 3 UEPPB UEPPR USL2X 35.27				<u> </u>	2	UEPPB		USL2X	29.64			<u> </u>	1	<u> </u>	<u> </u>	<u> </u>			
Exchange Port - 2-Wire ISDN Line Side Port			2-Wire ISDN Digital Grade Loop - UNE Zone 3		3	UEPPB		USL2X	35.27										
NONRECURRING CHARGES - CURRENTLY COMBINED 2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port Combination - Conversion - Top 8 MSAs only UEPPB UEPPR USACB 0.00 225.00 225.00 15.69	L																		
2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port Combination - Conversion - Top 8 MSAs only UEPPB UEPPR USACB 0.00 225.00 225.00 15.69 15.69						UEPPB	UEPPR	UEPPB	55.00	525.00	400.00				15.69				
Combination - Conversion - Top 8 MSAs only	N			ļ				1				ļ	1				ļ		
ADDITIONAL NRCs												1	1		4= 65				
LOCAL NUMBER PORTABILITY UEPPB UEPPR LNPCX 0.35 0.00 0.00 UEPPB UEPPR LNPCX 0.35 0.00 0.00 UEPPB UEPPR UTUCA 0.00 0.00 UEPPB UTUCA 0.00 0.00 UEPPB UTUCA 0.00	⊢ ↓			ļ		UEPPB	UEPPR	USACB	0.00	225.00	225.00		_	ļ	15.69				
Local Number Portability (1 per port)				 	 			!				!	+	}		1	 		
CVS/CSD (DMS/5ESS)	├── ぱ			<u> </u>		LIEDDD	HEDDD	LNDCV	0.35	0.00	0.00	 	1	1	-		-		
CVS/CSD (DMS/5ESS) UEPPB UEPPR U1UCA 0.00 0.00 0.00 CVS (EWSD) UEPPB UEPPR U1UCB 0.00 0.00 0.00				├	 	UEPPB	UEPPK	LINPUX	0.35	0.00	0.00	 	+	 			-		
CVS (EWSD) UEPPB UEPPR U1UCB				 	-	LIEDDR	LIEDDD	LITLICA	0.00	0.00	0.00	+	+	}		1	1		
	\vdash			 	-							+	+	}		1	1		
	\vdash		CSD (EWSD)	 		UEPPB	UEPPR	U1UCC	0.00	0.00	0.00	t	1	1		1	1		

UNDUNDEL	D NETWORK ELEMENTS - South Carolina						1					1 -	1 -	Attachment:		Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	E	scs	USOC			FES(\$)				Submitted Manually	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
							Rec	Nonrec		Nonrecurring					Rates(\$)		
							1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
B-CHA	NNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS S	C,MS, &	TN)														
	CVS/CSD (DMS/5ESS)			UEPPB	UEPPR	U1UCD	0.00	0.00	0.00								
	CVS (EWSD)			UEPPB			0.00	0.00	0.00								
	CSD TERMINAL PROFILE			UEPPB	UEPPR	U1UCF	0.00	0.00	0.00								
USER	User Terminal Profile (EWSD only)			UEPPB	UEPPR	U1UMA	0.00	0.00	0.00								
VEDTI	CAL FEATURES			UEPPB	UEPPR	UTUMA	0.00	0.00	0.00								
VERT	All Vertical Features - One per Channel B User Profile		-	UEPPB	UEPPR	UEPVF	3.04	0.00	0.00								
INTER	OFFICE CHANNEL MILEAGE			OLFFB	ULFFR	OLF VI	3.04	0.00	0.00								
INTER	Interoffice Channel mileage each, including first mile and							1									
	facilities termination			UEPPB	UEPPR	M1GNC	24.30	60.00	40.00	25.00	10.00		15.69				
	Interoffice Channel mileage each, additional mile			UEPPB		M1GNM	0.0167	0.00	0.00	20.00	10.00		10.00				
4-WIR	E DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK	PORT															
	ort/Loop Combination Rates																
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE						i										
1	Zone 1		1	UEPPP			940.87									1	
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE																
	Zone 2		2	UEPPP			1,005.43										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE																
	Zone 3		3	UEPPP			1,111.89										
UNE L	oop Rates																
	4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPPP		USL4P	90.87						15.69				
	4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPPP		USL4P	155.43						15.69				
	4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPPP		USL4P	261.89						15.69				
UNE P	ort Rate																
	Exchange Ports - 4-Wire ISDN DS1 Port	<u> </u>		UEPPP		UEPPP	850.00	1,150.00	1,150.00				15.69				
NONR	ECURRING CHARGES - CURRENTLY COMBINED	<u> </u>		<u> </u>													
	4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port Combination - Conversion -Switch-As-Is Top 8 MSAs only			UEPPP		USACP	0.00	950.00	950.00				15.69				
ADDIT	TONAL NRCs			UEPPP		USACP	0.00	950.00	950.00				15.69				
ADDIT	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port -																
	Subsequent Inward/2-Way Tel Nos - (NC Only)			UEPPP		PR7TG							15.69				
	4-Wire DS1 Loop/4-Wire ISDN Digital Trunk Port - Subsequent			OLITI		110		1					13.03				
	Activity Outward tel nos. (NC only)			UEPPP		PR7TP							15.69				
	4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy-			OL: II		110711							10.00				
	Inward/two way tel nos within Std Allowance (except NC)			UEPPP		PR7TF		0.9822					15.69				
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port -			02				0.0022					10.00				
	Outward Tel Numbers (All States except NC)			UEPPP		PR7TO		23.02	23.02				15.69				
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port -						i										
1	Subsequent Inward Tel Nos Above Std Allowance	<u></u>		UEPPP		PR7ZT	<u> </u>	46.05	46.05			<u> </u>	15.69			<u> </u>	
LOCA	L NUMBER PORTABILITY																
	Local Number Portability (1 per port)			UEPPP		LNPCN	1.75										
INTER	FACE (Provsioning Only)																
	Voice/Data			UEPPP		PR71V	0.00	0.00	0.00								
	Digital Data			UEPPP		PR71D	0.00	0.00	0.00								
-	Inward Data	<u> </u>		UEPPP		PR71E	0.00	0.00	0.00								
New o	r Additional "B" Channel	ļ					ļ									ļ	
	New or Additional - Voice/Data B Channel			UEPPP		PR7BV	0.00	40.00									
$\!\!\!+\!\!\!-$	New or Additional - Digital Data B Channel	<u> </u>		UEPPP		PR7BF	0.00	40.00								 	
	New or Additional Inward Data B Channel	 		UEPPP		PR7BD	0.00	40.00								 	ļ.
CALL	TYPES	 	-	HEDDD		DD7C4	0.00	0.00	0.00							 	1
	Inward	 		UEPPP		PR7C1 PR7C0	0.00	0.00	0.00							-	1
\longrightarrow	Outward Two-way	 	-	UEPPP		PR7C0 PR7CC	0.00	0.00	0.00							 	1
	ffice Channel Mileage	}		ULPPP		1. K/CC	0.00	0.00	0.00							1	
Interes			i	1		l .	1									1	
Interof				LIEDDD		11 N11 A	77 /015	80 47	21 00	16 20	1/1/0		15 60				
Intero	Fixed Each Including First Mile			UEPPP		1LN1A 1LN1B	77.4815 0.3415	89.47	81.99	16.39	14.48		15.69				
				UEPPP UEPPP		1LN1A 1LN1B	77.4815 0.3415	89.47	81.99	16.39	14.48		15.69				

ONBONDLE	ED NETWORK ELEMENTS - South Carolina			1									Attachment:		Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		RA ⁻	ΓES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs.	Charge - Manual Svc Order vs.	Charge - Manual Svc Order vs.	Charge - Manual Sv Order vs.
													Electronic- 1st	Electronic- Add'l	Electronic- Disc 1st	Electronic Disc Add
						_	Nonre	urring	Nonrecurring	Disconnect			oss	Rates(\$)	1	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4W DS1 Digital Loop/4W DDITS Trunk Port - Statewide		sw	UEPDC												
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1		1	UEPDC		840.87										
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2		2	UEPDC		905.43										
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3		3	UEPDC		1,011.89										+
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 4		4	UEPDC		1,011.00										+
LINE	Loop Rates			OLI DO												†
ONL I	4-Wire DS1 Digital Loop - Statewide		SW	UEPDC	USLDC											†
	4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPDC	USLDC	90.87										
	4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPDC	USLDC	155.43										
	4-Wire DS1 Digital Loop - UNE Zone 3		3		USLDC											
			_	UEPDC		261.89										
11117-	4-Wire DS1 Digital Loop - UNE Zone 4	 	4	UEPDC	USLDC				1		 				1	
UNE	Port Rate		<u> </u>	LIEDDO	LIDDAT	750.00	4.005.07	170.00	040.50	20.61		45.00			1	├
No.	4-Wire DDITS Digital Trunk Port	<u> </u>	<u> </u>	UEPDC	UDD1T	750.00	1,005.07	478.99	213.53	20.94	ļ	15.69			ļ	
NONR	ECURRING CHARGES - CURRENTLY COMBINED	<u> </u>	<u> </u>								ļ				ļ	
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination	1	1													
	- Switch-As-Is Top 8 MSAs only			UEPDC	USAC4		259.56	134.33				15.69				
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination															
	- Conversion with DS1 Changes Top 8 MSAs only			UEPDC	USAWA		259.56	134.33				15.69				
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination															
	- Conversion with Change - Trunk Top 8 MSAs only			UEPDC	USAWB		259.56	134.33				15.69				
ADDIT	FIONAL NRCs															1
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent															1
	Service Activity Per Service Order			UEPDC	USAS4							15.69				
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC -															
	Subsequent Channel Activation/Chan - 2-Way Trunk			UEPDC	UDTTA		29.01	29.01				15.69				
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent			02. 50	051111		20.01	20.01				10.00				
	Channel Activation/Chan - 1-Way Outward Trunk			UEPDC	UDTTB		29.01	29.01				15.69				
-	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel		1	OLI DO	ODITO		23.01	23.01				13.03				+
	Activation/Chan Inward Trunk w/out DID			UEPDC	UDTTC		29.01	29.01				15.69				
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan		-	UEFDC	UDITO		29.01	29.01				15.69				
				LIEDDO	LIDTTD		20.04	20.04				45.00				
	Activation Per Chan - Inward Trunk with DID			UEPDC	UDTTD		29.01	29.01				15.69				
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan															
	Activation / Chan - 2-Way DID w User Trans			UEPDC	UDTTE		29.01	29.01				15.69				
BIPOL	AR 8 ZERO SUBSTITUTION															
	B8ZS -Superframe Format			UEPDC	CCOSF		0.00	605.00								1
	B8ZS - Extended Superframe Format		<u> </u>	UEPDC	CCOEF		0.00	605.00								ļ
Altern	ate Mark Inversion	<u> </u>		ļ												
	AMI -Superframe Format			UEPDC	MCOSF		0.00	0.00			<u> </u>					<u> </u>
	AMI - Extended SuperFrame Format			UEPDC	MCOPO		0.00	0.00								ļ
Telep	hone Number/Trunk Group Establisment Charges															
	Telephone Number for 2-Way Trunk Group			UEPDC	UDTGX	0.00		-				15.69				
	Telephone Number for 1-Way Outward Trunk Group			UEPDC	UDTGY	0.00						15.69				
	Telephone Number for 1-Way Inward Trunk Group Without DID			UEPDC	UDTGZ	0.00						15.69				
	DID Numbers, Establish Trunk Group and Provide First Group															
	of 20 DID Numbers			UEPDC	NDZ	0.00	0.00	0.00				15.69				
	DID Numbers for each Group of 20 DID Numbers			UEPDC	ND4	0.00						15.69				
	DID Numbers, Non- consecutive DID Numbers , Per Number			UEPDC	ND5	0.00	0.00	0.00				15.69				1
	Reserve Non-Consecutive DID Nos.			UEPDC	ND6	0.00	0.00	0.00			İ	15.69			Ì	
	Reserve DID Numbers			UEPDC	NDV	0.00	0.00	0.00			İ	15.69				<u> </u>
Dedic	ated DS1 (Interoffice Channel Mileage) -	1			1.5.	0.00	0.00	3.00			i	.0.55				
	CO for 4-Wire DS1 Digital Loop with 4-Wire DDITS Trunk Port	 	 	†	+						ł – – – –				 	†
1,7010	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities	 	 	†	+						ł – – – –				 	
	Termination)			UEPDC	1LNO1	77.14	89.47	81.99	16.39	14.48		15.69				
-	TommauUH)	 	1	OLFDO	ILINOI	11.14	09.47	01.99	10.39	14.48	1	15.69			1	
	Interoffice Channel Mileage - Additional rate per mile - 0-8 miles	1	1	UEPDC	1LNOA	0.3415	0.00	0.00								
	Interoffice Channel Mileage - Additional rate per mile - 0-8 miles Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities	 	 	OLFDO	ILINUM	0.3415	0.00	0.00	-		-				 	
	Termination)	1	1	UEPDC	1LNO2	0.00	0.00	0.00			I	1			1	

CATEGORY RATE ELEMENTS Interoffice Channel Mileage - Additional rate per miles Interoffice Channel Mileage - Fixed rate 25+ mile Termination) Interoffice Channel Mileage - Additional rate per Local Number Portability, per DS0 Activated Central Office Termininating Point 4-WIRE DS1 LOOP WITH CHANNELIZATION WITH PC System is 1 DS1 Loop, 1 D4 Channel Bank, and up to A system can have various rate combinations based UNE DS1 Loop 4-Wire DS1 Loop - UNE Zone 1 4-Wire DS1 Loop - UNE Zone 1 4-Wire DS1 Loop - UNE Zone 3 UNE DS0 Channel Capacity - 1 per DS1 48 DS0 Channel Capacity - 1 per DS1 48 DS0 Channel Capacity - 1 per DS1s 96 DS0 Channel Capacity - 1 per B DS1s 144 DS0 Channel Capacity - 1 per 8 DS1s 144 DS0 Channel Capacity - 1 per 10 DS1s 240 DS0 Channel Capacity - 1 per 10 DS1s 288 DS0 Channel Capacity - 1 per 10 DS1s 288 DS0 Channel Capacity - 1 per 10 DS1s 288 DS0 Channel Capacity - 1 per 10 DS1s 288 DS0 Channel Capacity - 1 per 2 DS1s 384 DS0 Channel Capacity - 1 per 10 DS1s 288 DS0 Channel Capacity - 1 per 20 DS1s 576 DS0 Channel Capacity - 1 per 20 DS1s 576 DS0 Channel Capacity - 1 per 20 DS1s 576 DS0 Channel Capacity - 1 per 20 DS1s 576 DS0 Channel Capacity - 1 per 20 DS1s 576 DS0 Channel Capacity - 1 per 20 DS1s 576 DS0 Channel Capacity - 1 per 20 DS1s 576 DS0 Channel Capacity - 1 per 20 DS1s 576 DS0 Channel Capacity - 1 per 30 DS1s Non-Recurring Charges (NRC) Associated with 4-Wire DS1 Loop with or BellSouth Allowed Changes - Top 8 MSAs Only System Additions Where Currently Combined and N In Top 8 MSAs and AL, FL, and NC Only 1 DS1/D4 Channel Bank - Add NRC for each Pc Fea Activation - Bipolar 8 Zero Substitution Clear Channel Capability Format - Extended Su Subsequent Activity Only Alternate Mark Inversion (AMI) Superframe Format Exchange Ports Associated with 4-Wire DS1 Loop we Exchange Ports Line Side Combination Channelized PBX Trunk		Interi m	Zone								Svc Order Submitted				Exhibit: B Incremental Charge -	Incrementa
Interoffice Channel Mileage - Additional rate per miles Interoffice Channel Mileage - Fixed rate 25+ mile Termination) Interoffice Channel Mileage - Additional rate per Local Number Portability, per DS0 Activated Central Office Termininating Point 4-WIRE DS1 LOOP WITH CHANNELIZATION WITH PC System is 1 DS1 Loop, 1 D4 Channel Bank, and up to A system can have various rate combinations based UNE DS1 Loop 4-Wire DS1 Loop - UNE Zone 1 4-Wire DS1 Loop - UNE Zone 2 4-Wire DS1 Loop - UNE Zone 3 UNE DS0 Channelization Capacities (D4 Channel Bank) and UNE DS0 Channel Capacity - 1 per DS1 Loop - UNE Zone 3 UNE DS0 Channel Capacity - 1 per DS1 Loop - UNE Zone 3 UNE DS0 Channel Capacity - 1 per 1 DS1s Loop - UNE Zone 3 UNE DS0 Channel Capacity - 1 per 1 DS1s Loop - UNE Zone 3 UNE DS0 Channel Capacity - 1 per 1 DS1s Loop - UNE Zone 3 UNE DS0 Channel Capacity - 1 per 1 DS1s Loop - UNE Zone 3 UNE DS0 Channel Capacity - 1 per 1 DS1s Loop - UNE Zone 3 UNE DS0 Channel Capacity - 1 per 1 DS1s Loop - UNE Zone 3 UNE DS0 Channel Capacity - 1 per 1 DS1s Loop - UNE Zone 3 UNE DS0 Channel Capacity - 1 per 1 DS1s Loop - UNE Zone 3 UNE DS0 Channel Capacity - 1 per 1 DS1s Loop - UNE Zone 3 WINE Conversion (Currently Combined) with or DS1s Loop - UNE Zone 3 Non-Recurring Charges (NRC) Associated with 4-Wine A Minimum System configuration is One (1) DS1, On Multiples of this configuration functioning as one at NRC - Conversion (Currently Combined) with or BellSouth Allowed Changes - Top 8 MSAs Only System Additions Where Currently Combined and NI In Top 8 MSAs and AL, FL, and NC Only 1 DS1/D4 Channel Bank - Add NRC for each Pore Activation - United Capacity - United Capacity - United Capacity - United Capacity - United Capacity - United Capacity - Lear Channel Capacity - United Capacity - United Capacity - United Capacity - United Capacity - United Capacity - United Capacity - United Capacity - United Capacity - United Capacity - United Capacity - United Capacity - United Capacity - United Capacity - United Capacity - Unit	er mile - 9-25		Zone													Incrementa
Interoffice Channel Mileage - Additional rate per miles Interoffice Channel Mileage - Fixed rate 25+ mile Termination) Interoffice Channel Mileage - Additional rate per Local Number Portability, per DS0 Activated Central Office Termininating Point 4-WIRE DS1 LOOP WITH CHANNELIZATION WITH PC System is 1 DS1 Loop, 1 D4 Channel Bank, and up to A system can have various rate combinations based UNE DS1 Loop 4-Wire DS1 Loop - UNE Zone 1 4-Wire DS1 Loop - UNE Zone 2 4-Wire DS1 Loop - UNE Zone 3 UNE DS0 Channelization Capacities (D4 Channel Bank, 20 Loop - UNE Zone 3 UNE DS0 Channel Capacity - 1 per DS1 Loop - UNE Zone 3 4-Wire DS1 Loop - UNE Zone 3 UNE DS0 Channel Capacity - 1 per DS1 Loop - UNE Zone 3 UNE DS0 Channel Capacity - 1 per DS1 Loop - UNE Zone 3 4-Wire DS1 Loop - UNE Zone 3 UNE DS0 Channel Capacity - 1 per DS1 Loop - UNE Zone 3 UNE DS0 Channel Capacity - 1 per 10 DS1s Loop Channel Capacity - 1 per 10 DS1s Loop - UNE Zone 3 4-Wire DS1 Loop - UNE Zone 3 UNE DS0 Channel Capacity - 1 per 10 DS1s Loop Channel Capacity - 1 per 10 DS1s Loop - UNE Zone 3 4-Wire DS1 Loop - UNE Zone 3 UNE DS0 Channel Capacity - 1 per 10 DS1s Loop Channel Capacity - 1 per 10 DS1s Loop Channel Capacity - 1 per 20 DS1s Loop Channel Capacity - 1 per 20 DS1s Loop Channel Capacity - 1 per 20 DS1s Loop Channel Capacity - 1 per 20 DS1s Loop Channel Capacity - 1 per 20 DS1s Loop Channel Capacity - 1 per 20 DS1s Loop Channel Capacity - 1 per 20 DS1s Loop Channel Capacity - 1 per 20 DS1s Loop Channel Capacity - 1 per 20 DS1s Loop Channel Capacity - 1 per 20 DS1s Loop Channel Capacity - 1 per 20 DS1s Loop Loop Channel Capacity - 1 per 20 DS1s Loop Loop Channel Capacity - 1 per 20 DS1s Loop Loop Channel Capacity - 1 per 20 DS1s Loop Loop Channel Capacity - 1 per 20 DS1s Loop Loop Channel Capacity - 1 per 20 DS1s Loop Loop Channel Capacity - 1 per 20 DS1s Loop Loop Channel Capacity - 1 per 20 DS1s Loop Loop Channel Capacity - 1 per 20 DS1s Loop Loop Channel Capacity - 1 per 20 DS1s Loop Loop Channel Capacity - 1 per 20 DS1s Loop L	er mile - 9-25		Zone					l l			Submitted	Submitted.	Charge -	Charge -	Charge -	
Interoffice Channel Mileage - Additional rate per miles Interoffice Channel Mileage - Fixed rate 25+ mile Termination) Interoffice Channel Mileage - Additional rate per Local Number Portability, per DS0 Activated Central Office Termininating Point 4-WIRE DS1 LOOP WITH CHANNELIZATION WITH PC System is 1 DS1 Loop, 1 D4 Channel Bank, and up to A system can have various rate combinations based UNE DS1 Loop 4-Wire DS1 Loop - UNE Zone 1 4-Wire DS1 Loop - UNE Zone 2 4-Wire DS1 Loop - UNE Zone 3 UNE DS0 Channelization Capacities (D4 Channel Bank) and UNE DS0 Channel Capacity - 1 per DS1 Loop - UNE Zone 3 UNE DS0 Channel Capacity - 1 per DS1 Loop - UNE Zone 3 UNE DS0 Channel Capacity - 1 per 1 DS1s Loop - UNE Zone 3 UNE DS0 Channel Capacity - 1 per 1 DS1s Loop - UNE Zone 3 UNE DS0 Channel Capacity - 1 per 1 DS1s Loop - UNE Zone 3 UNE DS0 Channel Capacity - 1 per 1 DS1s Loop - UNE Zone 3 UNE DS0 Channel Capacity - 1 per 1 DS1s Loop - UNE Zone 3 UNE DS0 Channel Capacity - 1 per 1 DS1s Loop - UNE Zone 3 UNE DS0 Channel Capacity - 1 per 1 DS1s Loop - UNE Zone 3 UNE DS0 Channel Capacity - 1 per 1 DS1s Loop - UNE Zone 3 UNE DS0 Channel Capacity - 1 per 1 DS1s Loop - UNE Zone 3 WINE Conversion (Currently Combined) with or DS1s Loop - UNE Zone 3 Non-Recurring Charges (NRC) Associated with 4-Wine A Minimum System configuration is One (1) DS1, On Multiples of this configuration functioning as one at NRC - Conversion (Currently Combined) with or BellSouth Allowed Changes - Top 8 MSAs Only System Additions Where Currently Combined and NI In Top 8 MSAs and AL, FL, and NC Only 1 DS1/D4 Channel Bank - Add NRC for each Pore Activation - United Capacity - United Capacity - United Capacity - United Capacity - United Capacity - United Capacity - Lear Channel Capacity - United Capacity - United Capacity - United Capacity - United Capacity - United Capacity - United Capacity - United Capacity - United Capacity - United Capacity - United Capacity - United Capacity - United Capacity - United Capacity - United Capacity - Unit	ner mile - 9-25		Zone	Į.												Charge -
Interoffice Channel Mileage - Additional rate per miles Interoffice Channel Mileage - Fixed rate 25+ mile Termination) Interoffice Channel Mileage - Additional rate per Local Number Portability, per DS0 Activated Central Office Termininating Point 4-WIRE DS1 LOOP WITH CHANNELIZATION WITH PC System is 1 DS1 Loop, 1 D4 Channel Bank, and up to A system can have various rate combinations based UNE DS1 Loop 4-Wire DS1 Loop - UNE Zone 1 4-Wire DS1 Loop - UNE Zone 2 4-Wire DS1 Loop - UNE Zone 3 UNE DS0 Channelization Capacities (D4 Channel Ba 24 DS0 Channel Capacity - 1 per DS1 48 DS0 Channel Capacity - 1 per DS1 59 DS0 Channel Capacity - 1 per 1 DS1s 144 DS0 Channel Capacity - 1 per 8 DS1s 192 DS0 Channel Capacity - 1 per 10 DS1s 288 DS0 Channel Capacity - 1 per 10 DS1s 288 DS0 Channel Capacity - 1 per 10 DS1s 288 DS0 Channel Capacity - 1 per 10 DS1s 288 DS0 Channel Capacity - 1 per 10 DS1s 288 DS0 Channel Capacity - 1 per 2 DS1s 576 DS0 Channel Capacity - 1 per 20 DS1s 576 DS0 Channel Capacity - 1 per 28 DS1s Non-Recurring Charges (NRC) Associated with 4-Wir A Minimum System configuration is One (1) DS1, On Multiples of this configuration functioning as one at NRC - Conversion (Currently Combined) with or BellSouth Allowed Changes - Top 8 MSAs Only System Additions Where Currently Combined with or BellSouth Allowed Changes - Top 8 MSAs Only System Additions Where Currently Combined with Or Fea Activation - Bipolar 8 Zero Substitution Clear Channel Capability Format - Extended Su Subsequent Activity Only Alternate Mark Inversion (AMI) Superframe Format Extended Superframe Format Extended Superframe Format Extended Superframe Format Extended Ports Associated with 4-Wire DS1 Loop we Exchange Ports Line Side Combination Channelized PBX Trunk	ver mile - 9-25		Zone			l					Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svo
miles Interoffice Channel Mileage - Fixed rate 25+ mile Termination) Interoffice Channel Mileage - Additional rate per Local Number Portability, per DS0 Activated Central Office Termininating Point 4-WIRE DS1 LOOP WITH CHANNELIZATION WITH PV System is 1 DS1 Loop, 1 D4 Channel Bank, and up to A system can have various rate combinations based UNE DS1 Loop 4-Wire DS1 Loop - UNE Zone 1 4-Wire DS1 Loop - UNE Zone 2 4-Wire DS1 Loop - UNE Zone 2 4-Wire DS1 Loop - UNE Zone 3 UNE DS0 Channel Capacity - 1 per DS1 48 DS0 Channel Capacity - 1 per DS1 48 DS0 Channel Capacity - 1 per 4 DS1s 96 DS0 Channel Capacity - 1 per 6 DS1s 192 DS0 Channel Capacity - 1 per 8 DS1s 240 DS0 Channel Capacity - 1 per 10 DS1s 288 DS0 Channel Capacity - 1 per 10 DS1s 288 DS0 Channel Capacity - 1 per 10 DS1s 384 DS0 Channel Capacity - 1 per 10 DS1s 480 DS0 Channel Capacity - 1 per 20 DS1s 576 DS0 Channel Capacity - 1 per 20 DS1s 576 DS0 Channel Capacity - 1 per 28 DS1s Non-Recurring Charges (NRC) Associated with 4-Wir A Minimum System configuration is One (1) DS1, On Multiples of this configuration functioning as one ar NRC - Conversion (Currently Combined) with or BellSouth Allowed Changes - Top 8 MSAs Only System Additions Where Currently Combined with or BellSouth Allowed Changes - Top 8 MSAs Only System Additions Where Currently Combined with or BellSouth Allowed Changes - Top 8 MSAs Only System Additions Where Currently Combined and N In Top 8 MSAs and AL, FL, and NC Only 1 DS1/D4 Channel Bank - Add NRC for each Pore a Activation - Bipolar 8 Zero Substitution Clear Channel Capability Format - Extended Su Subsequent Activity Only Alternate Mark Inversion (AMI) Superframe Format Extended Superframe Format Extended Superframe Format Extended Superframe Format Extended Superframe Format Extended Superframe Format Extended Superframe Format	per mile - 9-25			BCS	USOC		RAT	TES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
miles Interoffice Channel Mileage - Fixed rate 25+ mile Termination) Interoffice Channel Mileage - Additional rate per Local Number Portability, per DS0 Activated Central Office Termininating Point 4-WIRE DS1 LOOP WITH CHANNELIZATION WITH PV System is 1 DS1 Loop, 1 D4 Channel Bank, and up to A system can have various rate combinations based UNE DS1 Loop 4-Wire DS1 Loop - UNE Zone 1 4-Wire DS1 Loop - UNE Zone 2 4-Wire DS1 Loop - UNE Zone 3 UNE DS0 Channel Capacities (D4 Channel Ba 24 DS0 Channel Capacity - 1 per DS1 48 DS0 Channel Capacity - 1 per 2 DS1s 96 DS0 Channel Capacity - 1 per 6 DS1s 144 DS0 Channel Capacity - 1 per 6 DS1s 192 DS0 Channel Capacity - 1 per 6 DS1s 288 DS0 Channel Capacity - 1 per 10 DS1s 288 DS0 Channel Capacity - 1 per 10 DS1s 288 DS0 Channel Capacity - 1 per 10 DS1s 384 DS0 Channel Capacity - 1 per 10 DS1s 480 DS0 Channel Capacity - 1 per 10 DS1s 576 DS0 Channel Capacity - 1 per 20 DS1s 576 DS0 Channel Capacity - 1 per 20 DS1s 576 DS0 Channel Capacity - 1 per 28 DS1s Non-Recurring Charges (NRC) Associated with 4-Wir A Minimum System configuration is One (1) DS1, On Multiples of this configuration functioning as one ar NRC - Conversion (Currently Combined) with or BellSouth Allowed Changes - Top 8 MSAs Only System Additions Where Currently Combined with or BellSouth Allowed Changes - Top 8 MSAs Only System Additions Where Currently Combined with or BellSouth Allowed Changes - Top 8 MSAs Only System Additions Where Currently Combined Superframe Format Extended Superframe Format Extended Superframe Format Extended Superframe Format Extended Superframe Format Extended Superframe Format Extended Superframe Format Extended Superframe Format Extended Superframe Format Exchange Ports Associated with 4-Wire DS1 Loop w Exchange Ports Line Side Combination Channelized PBX Trunk	er mile - 9-25										_	, ' '	Electronic-	Electronic-	Electronic-	Electronic-
miles Interoffice Channel Mileage - Fixed rate 25+ mile Termination) Interoffice Channel Mileage - Additional rate per Local Number Portability, per DS0 Activated Central Office Termininating Point 4-WIRE DS1 LOOP WITH CHANNELIZATION WITH PV System is 1 DS1 Loop, 1 D4 Channel Bank, and up to A system can have various rate combinations based UNE DS1 Loop 4-Wire DS1 Loop - UNE Zone 1 4-Wire DS1 Loop - UNE Zone 2 4-Wire DS1 Loop - UNE Zone 3 UNE DS0 Channel Capacities (D4 Channel Ba 24 DS0 Channel Capacity - 1 per DS1 48 DS0 Channel Capacity - 1 per 2 DS1s 96 DS0 Channel Capacity - 1 per 6 DS1s 144 DS0 Channel Capacity - 1 per 6 DS1s 192 DS0 Channel Capacity - 1 per 6 DS1s 288 DS0 Channel Capacity - 1 per 10 DS1s 288 DS0 Channel Capacity - 1 per 10 DS1s 288 DS0 Channel Capacity - 1 per 10 DS1s 384 DS0 Channel Capacity - 1 per 10 DS1s 480 DS0 Channel Capacity - 1 per 10 DS1s 576 DS0 Channel Capacity - 1 per 20 DS1s 576 DS0 Channel Capacity - 1 per 20 DS1s 576 DS0 Channel Capacity - 1 per 28 DS1s Non-Recurring Charges (NRC) Associated with 4-Wir A Minimum System configuration is One (1) DS1, On Multiples of this configuration functioning as one ar NRC - Conversion (Currently Combined) with or BellSouth Allowed Changes - Top 8 MSAs Only System Additions Where Currently Combined with or BellSouth Allowed Changes - Top 8 MSAs Only System Additions Where Currently Combined with or BellSouth Allowed Changes - Top 8 MSAs Only System Additions Where Currently Combined Superframe Format Extended Superframe Format Extended Superframe Format Extended Superframe Format Extended Superframe Format Extended Superframe Format Extended Superframe Format Extended Superframe Format Extended Superframe Format Exchange Ports Associated with 4-Wire DS1 Loop w Exchange Ports Line Side Combination Channelized PBX Trunk	er mile - 9-25											, '	1st	Add'l	Disc 1st	Disc Add'l
miles Interoffice Channel Mileage - Fixed rate 25+ mile Termination) Interoffice Channel Mileage - Additional rate per Local Number Portability, per DS0 Activated Central Office Termininating Point 4-WIRE DS1 LOOP WITH CHANNELIZATION WITH PV System is 1 DS1 Loop, 1 D4 Channel Bank, and up to A system can have various rate combinations based UNE DS1 Loop 4-Wire DS1 Loop - UNE Zone 1 4-Wire DS1 Loop - UNE Zone 2 4-Wire DS1 Loop - UNE Zone 3 UNE DS0 Channel Capacities (D4 Channel Ba 24 DS0 Channel Capacity - 1 per DS1 48 DS0 Channel Capacity - 1 per 2 DS1s 96 DS0 Channel Capacity - 1 per 6 DS1s 144 DS0 Channel Capacity - 1 per 6 DS1s 192 DS0 Channel Capacity - 1 per 6 DS1s 288 DS0 Channel Capacity - 1 per 10 DS1s 288 DS0 Channel Capacity - 1 per 10 DS1s 288 DS0 Channel Capacity - 1 per 10 DS1s 384 DS0 Channel Capacity - 1 per 10 DS1s 480 DS0 Channel Capacity - 1 per 10 DS1s 576 DS0 Channel Capacity - 1 per 20 DS1s 576 DS0 Channel Capacity - 1 per 20 DS1s 576 DS0 Channel Capacity - 1 per 28 DS1s Non-Recurring Charges (NRC) Associated with 4-Wir A Minimum System configuration is One (1) DS1, On Multiples of this configuration functioning as one ar NRC - Conversion (Currently Combined) with or BellSouth Allowed Changes - Top 8 MSAs Only System Additions Where Currently Combined with or BellSouth Allowed Changes - Top 8 MSAs Only System Additions Where Currently Combined with or BellSouth Allowed Changes - Top 8 MSAs Only System Additions Where Currently Combined Superframe - Activity Only Clear Channel Capability Format - Extended Su Subsequent Activity Only Alternate Mark Inversion (AMI) Superframe Format Extended Superframe Format Exchange Ports Associated with 4-Wire DS1 Loop w Exchange Ports Line Side Combination Channelized PBX Trunk	er mile - 9-25											, '	130	Auu	Diac 1at	DISC Add I
miles Interoffice Channel Mileage - Fixed rate 25+ mile Termination) Interoffice Channel Mileage - Additional rate per Local Number Portability, per DS0 Activated Central Office Termininating Point 4-WIRE DS1 LOOP WITH CHANNELIZATION WITH PV System is 1 DS1 Loop, 1 D4 Channel Bank, and up to A system can have various rate combinations based UNE DS1 Loop 4-Wire DS1 Loop - UNE Zone 1 4-Wire DS1 Loop - UNE Zone 2 4-Wire DS1 Loop - UNE Zone 3 UNE DS0 Channel Capacities (D4 Channel Ba 24 DS0 Channel Capacity - 1 per DS1 48 DS0 Channel Capacity - 1 per 2 DS1s 96 DS0 Channel Capacity - 1 per 6 DS1s 144 DS0 Channel Capacity - 1 per 6 DS1s 192 DS0 Channel Capacity - 1 per 6 DS1s 288 DS0 Channel Capacity - 1 per 10 DS1s 288 DS0 Channel Capacity - 1 per 10 DS1s 288 DS0 Channel Capacity - 1 per 10 DS1s 384 DS0 Channel Capacity - 1 per 10 DS1s 480 DS0 Channel Capacity - 1 per 10 DS1s 576 DS0 Channel Capacity - 1 per 20 DS1s 576 DS0 Channel Capacity - 1 per 20 DS1s 576 DS0 Channel Capacity - 1 per 28 DS1s Non-Recurring Charges (NRC) Associated with 4-Wir A Minimum System configuration is One (1) DS1, On Multiples of this configuration functioning as one ar NRC - Conversion (Currently Combined) with or BellSouth Allowed Changes - Top 8 MSAs Only System Additions Where Currently Combined with or BellSouth Allowed Changes - Top 8 MSAs Only System Additions Where Currently Combined with or BellSouth Allowed Changes - Top 8 MSAs Only System Additions Where Currently Combined Superframe - Activity Only Clear Channel Capability Format - Extended Su Subsequent Activity Only Alternate Mark Inversion (AMI) Superframe Format Extended Superframe Format Exchange Ports Associated with 4-Wire DS1 Loop w Exchange Ports Line Side Combination Channelized PBX Trunk	per mile - 9-25					_	Nonrec	urring	Nonrecurring	Disconnect		•	OSS	Rates(\$)		
miles Interoffice Channel Mileage - Fixed rate 25+ mile Termination) Interoffice Channel Mileage - Additional rate per Local Number Portability, per DS0 Activated Central Office Termininating Point 4-WIRE DS1 LOOP WITH CHANNELIZATION WITH PV System is 1 DS1 Loop, 1 D4 Channel Bank, and up to A system can have various rate combinations based UNE DS1 Loop 4-Wire DS1 Loop - UNE Zone 1 4-Wire DS1 Loop - UNE Zone 2 4-Wire DS1 Loop - UNE Zone 3 UNE DS0 Channel Capacities (D4 Channel Ba 24 DS0 Channel Capacity - 1 per DS1 48 DS0 Channel Capacity - 1 per 2 DS1s 96 DS0 Channel Capacity - 1 per 6 DS1s 144 DS0 Channel Capacity - 1 per 6 DS1s 192 DS0 Channel Capacity - 1 per 6 DS1s 288 DS0 Channel Capacity - 1 per 10 DS1s 288 DS0 Channel Capacity - 1 per 10 DS1s 288 DS0 Channel Capacity - 1 per 10 DS1s 384 DS0 Channel Capacity - 1 per 10 DS1s 480 DS0 Channel Capacity - 1 per 10 DS1s 576 DS0 Channel Capacity - 1 per 20 DS1s 576 DS0 Channel Capacity - 1 per 20 DS1s 576 DS0 Channel Capacity - 1 per 28 DS1s Non-Recurring Charges (NRC) Associated with 4-Wir A Minimum System configuration is One (1) DS1, On Multiples of this configuration functioning as one ar NRC - Conversion (Currently Combined) with or BellSouth Allowed Changes - Top 8 MSAs Only System Additions Where Currently Combined with or BellSouth Allowed Changes - Top 8 MSAs Only System Additions Where Currently Combined with or BellSouth Allowed Changes - Top 8 MSAs Only System Additions Where Currently Combined Superframe Format Extended Superframe Format Extended Superframe Format Extended Superframe Format Extended Superframe Format Extended Superframe Format Extended Superframe Format Extended Superframe Format Extended Superframe Format Exchange Ports Associated with 4-Wire DS1 Loop w Exchange Ports Line Side Combination Channelized PBX Trunk	per mile - 9-25					Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
miles Interoffice Channel Mileage - Fixed rate 25+ mile Termination) Interoffice Channel Mileage - Additional rate per Local Number Portability, per DS0 Activated Central Office Termininating Point 4-WIRE DS1 LOOP WITH CHANNELIZATION WITH PV System is 1 DS1 Loop, 1 D4 Channel Bank, and up to A system can have various rate combinations based UNE DS1 Loop 4-Wire DS1 Loop - UNE Zone 1 4-Wire DS1 Loop - UNE Zone 2 4-Wire DS1 Loop - UNE Zone 2 4-Wire DS1 Loop - UNE Zone 3 UNE DS0 Channel Capacity - 1 per DS1 48 DS0 Channel Capacity - 1 per 2 DS1s 96 DS0 Channel Capacity - 1 per 4 DS1s 144 DS0 Channel Capacity - 1 per 6 DS1s 192 DS0 Channel Capacity - 1 per 6 DS1s 288 DS0 Channel Capacity - 1 per 10 DS1s 288 DS0 Channel Capacity - 1 per 10 DS1s 288 DS0 Channel Capacity - 1 per 10 DS1s 384 DS0 Channel Capacity - 1 per 10 DS1s 480 DS0 Channel Capacity - 1 per 10 DS1s 576 DS0 Channel Capacity - 1 per 20 DS1s 576 DS0 Channel Capacity - 1 per 20 DS1s 576 DS0 Channel Capacity - 1 per 28 DS1s Non-Recurring Charges (NRC) Associated with 4-Wir A Minimum System configuration is One (1) DS1, On Multiples of this configuration functioning as one ar NRC - Conversion (Currently Combined) with or BellSouth Allowed Changes - Top 8 MSAs Only System Additions Where Currently Combined with or BellSouth Allowed Changes - Top 8 MSAs Only System Additions Where Currently Combined with or BellSouth Allowed Changes - Top 8 MSAs Only System Additions Where Currently Combined Son and NI In Top 8 MSAs and AL, FL, and NC Only 1 DS1/D4 Channel Bank - Add NRC for each Por Fea Activation - Bipolar 8 Zero Substitution Clear Channel Capability Format - Extended Su Subsequent Activity Only Alternate Mark Inversion (AMI) Superframe Format Extended Superframe Format Extended Superframe Format Extended Superframe Format Extended Superframe Format Extended Superframe Format Extended Superframe Format	000		+													
Interoffice Channel Mileage - Fixed rate 25+ mile Termination) Interoffice Channel Mileage - Additional rate per Local Number Portability, per DSO Activated Central Office Termininating Point 4-WIRE DS1 LOOP WITH CHANNELIZATION WITH PC System is 1 DS1 Loop, 1 D4 Channel Bank, and up to A system can have various rate combinations based UNE DS1 Loop 4-Wire DS1 Loop - UNE Zone 1 4-Wire DS1 Loop - UNE Zone 2 4-Wire DS1 Loop - UNE Zone 3 UNE DSO Channel DS1 Loop - UNE Zone 3 UNE DS0 Channel Capacity - 1 per DS1 48 DS0 Channel Capacity - 1 per DS1 96 DS0 Channel Capacity - 1 per B DS1s 194 DS0 Channel Capacity - 1 per 6 DS1s 192 DS0 Channel Capacity - 1 per 8 DS1s 240 DS0 Channel Capacity - 1 per 10 DS1s 288 DS0 Channel Capacity - 1 per 10 DS1s 288 DS0 Channel Capacity - 1 per 16 DS1s 480 DS0 Channel Capacity - 1 per 16 DS1s 480 DS0 Channel Capacity - 1 per 16 DS1s 576 DS0 Channel Capacity - 1 per 20 DS1s 576 DS0 Channel Capacity - 1 per 20 DS1s 576 DS0 Channel Capacity - 1 per 20 DS1s 672 DS0 Channel Capacity - 1 per 28 DS1s Non-Recurring Charges (NRC) Associated with 4-Wil A Minimum System configuration is One (1) DS1, On Multiples of this configuration functioning as one at NRC - Conversion (Currently Combined) with or BellSouth Allowed Changes - Top 8 MSAs Only System Additions Where Currently Combined and N In Top 8 MSAs and AL, FL, and NC Only 1 DS1/D4 Channel Bank - Add NRC for each Pc Fea Activation - Bipolar 8 Zero Substitution Clear Channel Capability Format - Extended Su Subsequent Activity Only Alternate Mark Inversion (AMI) Superframe Format Extended Superframe Format Extended Superframe Format Extended Superframe Format Extended Superframe Format Exchange Ports Line Side Combination Channelized PBX Trunk			'	UEPDC	1LNOB	0.7598	0.00	0.00				,				
Termination	miles (Essilities		+	OLI DO	ILINOD	0.7550	0.00	0.00								
Interoffice Channel Mileage - Additional rate per Local Number Portability, per DS0 Activated Central Office Termininating Point 4-WIRE DS1 LOOP WITH CHANNELIZATION WITH PC System is 1 DS1 LOOP, 1 D4 ANNELIZATION WITH PC A system can have various rate combinations based UNE DS1 Loop 4-Wire DS1 Loop - UNE Zone 1 4-Wire DS1 Loop - UNE Zone 2 4-Wire DS1 Loop - UNE Zone 2 4-Wire DS1 Loop - UNE Zone 3 UNE DS0 Channelization Capacities (D4 Channel Ba 24 DS0 Channel Capacity - 1 per DS1 48 DS0 Channel Capacity - 1 per DS1 56 DS0 Channel Capacity - 1 per 4 DS1s 144 DS0 Channel Capacity - 1 per 4 DS1s 152 DS0 Channel Capacity - 1 per 10 DS1s 288 DS0 Channel Capacity - 1 per 10 DS1s 288 DS0 Channel Capacity - 1 per 10 DS1s 288 DS0 Channel Capacity - 1 per 10 DS1s 384 DS0 Channel Capacity - 1 per 10 DS1s 576 DS0 Channel Capacity - 1 per 20 DS1s 576 DS0 Channel Capacity - 1 per 20 DS1s 576 DS0 Channel Capacity - 1 per 28 DS1s Non-Recurring Charges (NRC) Associated with 4-Wir A Minimum System configuration is One (1) DS1, On Multiples of this configuration functioning as one ar NRC - Conversion (Currently Combined) with or BellSouth Allowed Changes - Top 8 MSAS Only System Additions Where Currently Combined with or BellSouth Allowed Changes - Top 8 MSAS Only System Additions Where Currently Combined with or BellSouth Allowed Changes - Top 8 MSAS Only Alternate Mark Inversion (AMI) Superframe Format Extended Superframe Format Extended Superframe Format Extended Superframe Format Extended Superframe Format Extended Superframe Format Extended Superframe Format Extended Superframe Format Extended Superframe Format Line Side Combination Channelized PBX Trunk	illes (Facilities		'	LIEDDO	41.000	0.00	0.00	0.00				,				
Local Number Portability, per DS0 Activated Central Office Termininating Point 4-WIRE DS1 LOOP WITH CHANNELIZATION WITH PC System is 1 DS1 Loop, 1 D4 Channel Bank, and up to A system can have various rate combinations based UNE DS1 Loop 4-Wire DS1 Loop - UNE Zone 1 4-Wire DS1 Loop - UNE Zone 2 4-Wire DS1 Loop - UNE Zone 3 UNE DS0 Channel Capacity - 1 per DS1 48 DS0 Channel Capacity - 1 per DS1 48 DS0 Channel Capacity - 1 per DS1 59 DS0 Channel Capacity - 1 per B DS1 50 Channel Capacity - 1 per B DS1 51 DS0 Channel Capacity - 1 per 8 DS1 51 DS0 Channel Capacity - 1 per 8 DS1 51 DS0 Channel Capacity - 1 per 10 DS1 51 DS0 Channel Capacity - 1 per 10 DS1 52 DS0 Channel Capacity - 1 per 10 DS1 53 DS0 Channel Capacity - 1 per 10 DS1 54 DS0 Channel Capacity - 1 per 10 DS1 55 DS0 Channel Capacity - 1 per 10 DS1 56 DS0 Channel Capacity - 1 per 20 DS1 576 DS0 Channel Capacity - 1 per 20 DS1 576 DS0 Channel Capacity - 1 per 20 DS1 576 DS0 Channel Capacity - 1 per 20 DS1 576 DS0 Channel Capacity - 1 per 20 DS1 576 DS0 Channel Capacity - 1 per 20 DS1 576 DS0 Channel Capacity - 1 per 20 DS1 576 DS0 Channel Capacity - 1 per 20 DS1 576 DS0 Channel Capacity - 1 per 20 DS1 576 DS0 Channel Capacity - 1 per 20 DS1 576 DS0 Channel Capacity - 1 per 20 DS1 576 DS0 Channel Capacity - 1 per 20 DS1 576 DS0 Channel Capacity - 1 per 20 DS1 576 DS0 Channel Capacity - 1 per 20 DS1 576 DS0 Channel Capacity - 1 per 30 DS1 576 DS0 Channel Capacity - 1 per 30 DS1 576 DS0 Channel Capacity - 1 per 30 DS1 576 DS0 Channel Capacity - 1 per 30 DS1 576 DS0 Channel Capacity - 1 per 30 DS1 576 DS0 Channel Capacity - 1 per 30 DS1 576 DS0 Channel Capacity - 1 per 30 DS1 576 DS0 Channel Capacity - 1 per 30 DS1 576 DS0 Channel Capacity - 1 per 30 DS1 576 DS0 Channel Capacity - 1 per 30 DS1 576 DS0 Channel Capacity - 1 per 30 DS1 576 DS0 Channel Capacity - 1 per 30 DS1 576 DS0 Channel Capacity - 1 per 30 DS1 576 DS0 Channel Capacity - 1 per 30 DS1 576 DS0 Channel Capacity - 1 per 30 DS1 576 DS0 Channel Capacity - 1 per 30 DS1 576 DS0 Channel Capacity - 1 pe				UEPDC	1LNO3	0.00	0.00	0.00								
Local Number Portability, per DS0 Activated Central Office Termininating Point 4-WIRE DS1 LOOP WITH CHANNELIZATION WITH PC System is 1 DS1 Loop, 1 D4 Channel Bank, and up to A system can have various rate combinations based UNE DS1 Loop 4-Wire DS1 Loop - UNE Zone 1 4-Wire DS1 Loop - UNE Zone 2 4-Wire DS1 Loop - UNE Zone 3 UNE DS0 Channel Capacities (D4 Channel Bank) 24 DS0 Channel Capacities (D4 Channel Bank) 24 DS0 Channel Capacities (D4 Channel Bank) 25 DS0 Channel Capacities (D4 Channel Bank) 26 DS0 Channel Capacities (D4 Channel Bank) 27 DS0 Channel Capacities (D4 Channel Bank) 28 DS0 Channel Capacities (D4 Channel Bank) 29 DS0 Channel Capacities (D4 Channel Bank) 20 DS0 Channel Capacities (D4 Channel Bank) 20 DS0 Channel Capacities (D4 Channel Bank) 20 DS0 Channel Capacities (D5 DS1s) 20 DS0 Channel Capacities (D5 DS1s) 20 DS0 Channel Capacities (D6 DS1s) 20 DS0 Channel Capacities (D6 DS1s) 384 DS0 Channel Capacities (D6 DS1s) 480 DS0 Channel Capacities (D6 DS1s) 576 DS0 Channel Capacities (D6 DS1s) 576 DS0 Channel Capacities (D7 D6 DS1s) 577 DS1 DS1s DS1s DS							i					, '				
Central Office Termininating Point 4-WIRE DS1 LOOP WITH CHANNELIZATION WITH PC System is 1 DS1 Loop, 1 D4 Channel Bank, and up to A system can have various rate combinations based UNE DS1 Loop 4-Wire DS1 Loop - UNE Zone 1 4-Wire DS1 Loop - UNE Zone 2 4-Wire DS1 Loop - UNE Zone 3 UNE DSO Channelization Capacities (D4 Channel Ba 24 DSO Channel Capacity - 1 per DS1 48 DSO Channel Capacity - 1 per DS1 48 DSO Channel Capacity - 1 per 6 DS1s 96 DSO Channel Capacity - 1 per 6 DS1s 192 DS0 Channel Capacity - 1 per 10 DS1s 240 DS0 Channel Capacity - 1 per 10 DS1s 240 DS0 Channel Capacity - 1 per 10 DS1s 288 DS0 Channel Capacity - 1 per 10 DS1s 384 DS0 Channel Capacity - 1 per 12 DS1s 384 DS0 Channel Capacity - 1 per 12 DS1s 576 DS0 Channel Capacity - 1 per 20 DS1s 576 DS0 Channel Capacity - 1 per 20 DS1s 672 DS0 Channel Capacity - 1 per 20 DS1s Non-Recurring Charges (NRC) Associated with 4-Wir A Minimum System configuration is One (1) DS1, On Multiples of this configuration in One (1) DS1, On Multiples of this configuration functioning as one at NRC - Conversion (Currently Combined) with or BellSouth Allowed Changes - Top 8 MSAs Only System Additions Where Currently Combined with or BellSouth Allowed Changes - Top 8 MSAs Only System Additions Where Currently Combined with or BellSouth Allowed Changes - Top 8 MSAs Only System Additions Where Currently Combined and N In Top 8 MSAs and AL, FL, and NC Only 1 DS1/D4 Channel Bank - Add NRC for each Pc Fea Activation - Bipolar 8 Zero Substitution Clear Channel Capability Format - Extended Su Subsequent Activity Only Alternate Mark Inversion (AMI) Superframe Format Extended Superframe Format Extended Superframe Format Extended Superframe Format Extended Superframe Format Extended Superframe Format	oer mile - 25+ miles	3		UEPDC	1LNOC	0.7598	0.00	0.00								
4-WIRE DS1 LOOP WITH CHANNELIZATION WITH PC System is 1 DS1 Loop, 1 D4 Channel Bank, and up to A system can have various rate combinations based UNE DS1 Loop 4-Wire DS1 Loop - UNE Zone 1 4-Wire DS1 Loop - UNE Zone 2 4-Wire DS1 Loop - UNE Zone 3 UNE DSO Channelization Capacities (D4 Channel Bank) 24 DSO Channel Capacity - 1 per DS1 48 DSO Channel Capacity - 1 per DS1 48 DSO Channel Capacity - 1 per 2 DS1s 96 DSO Channel Capacity - 1 per 6 DS1s 144 DS0 Channel Capacity - 1 per 10 DS1s 280 Channel Capacity - 1 per 10 DS1s 280 DS0 Channel Capacity - 1 per 10 DS1s 280 DS0 Channel Capacity - 1 per 10 DS1s 280 DS0 Channel Capacity - 1 per 10 DS1s 384 DS0 Channel Capacity - 1 per 10 DS1s 576 DS0 Channel Capacity - 1 per 20 DS1s 576 DS0 Channel Capacity - 1 per 20 DS1s 576 DS0 Channel Capacity - 1 per 20 DS1s 576 DS0 Channel Capacity - 1 per 20 DS1s Non-Recurring Charges (NRC) Associated with 4-Wir A Minimum System configuration is One (1) DS1, On Multiples of this configuration functioning as one at NRC - Conversion (Currently Combined) with or BellSouth Allowed Changes - Top 8 MSAs Only System Additions Where Currently Combined with or BellSouth Allowed Changes - Top 8 MSAs Only System Additions Where Currently Combined and N In Top 8 MSAs and AL, FL, and NC Only 1 DS1/D4 Channel Bank - Add NRC for each Pc Fea Activation - Bipolar Szero Substitution Clear Channel Capability Format - Extended Su Subsequent Activity Only Alternate Mark Inversion (AMI) Superframe Format Extended Superframe Format Extended Superframe Format Extended Superframe Format Extended Superframe Format Exchange Ports Associated with 4-Wire DS1 Loop w Exchange Ports			'	UEPDC	LNPCP	3.15	0.00	0.00				,				
System is 1 DS1 Loop, 1 D4 Channel Bank, and up to A system can have various rate combinations based UNE DS1 Loop 4-Wire DS1 Loop - UNE Zone 1 4-Wire DS1 Loop - UNE Zone 2 4-Wire DS1 Loop - UNE Zone 3 UNE DS0 Channel DS1 Loop - UNE Zone 3 UNE DS0 Channel Capacity - 1 per DS1 48 DS0 Channel Capacity - 1 per DS1 48 DS0 Channel Capacity - 1 per DS1s 96 DS0 Channel Capacity - 1 per 4 DS1s 192 DS0 Channel Capacity - 1 per 6 DS1s 192 DS0 Channel Capacity - 1 per 8 DS1s 240 DS0 Channel Capacity - 1 per 10 DS1s 288 DS0 Channel Capacity - 1 per 10 DS1s 288 DS0 Channel Capacity - 1 per 10 DS1s 384 DS0 Channel Capacity - 1 per 10 DS1s 576 DS0 Channel Capacity - 1 per 20 DS1s 672 DS0 Channel Capacity - 1 per 20 DS1s 576 DS0 Channel Capacity - 1 per 20 DS1s 672 DS0 Channel Capacity - 1 per 20 DS1s Non-Recurring Charges (NRC) Associated with 4-Wir A Minimum System configuration is One (1) DS1, On Multiples of this configuration functioning as one at NRC - Conversion (Currently Combined) with or BellSouth Allowed Changes - Top 8 MSAs Only System Additions Where Currently Combined and N In Top 8 MSAs and AL, FL, and NC Only 1 DS1/D4 Channel Capability Format, superframe - Activity Only Clear Channel Capability Format - Extended Su Subsequent Activity Only Alternate Mark Inversion (AMI) Superframe Format Exchange Ports Associated with 4-Wire DS1 Loop we Exchange Ports Line Side Combination Channelized PBX Trunk				UEPDC	CTG	0.00		-				í ,				
System is 1 DS1 Loop, 1 D4 Channel Bank, and up to A system can have various rate combinations based UNE DS1 Loop 4-Wire DS1 Loop - UNE Zone 1 4-Wire DS1 Loop - UNE Zone 2 4-Wire DS1 Loop - UNE Zone 3 UNE DS0 Channel DS1 Loop - UNE Zone 3 UNE DS0 Channel Capacity - 1 per DS1 48 DS0 Channel Capacity - 1 per DS1 48 DS0 Channel Capacity - 1 per DS1s 96 DS0 Channel Capacity - 1 per 6 DS1s 192 DS0 Channel Capacity - 1 per 6 DS1s 240 DS0 Channel Capacity - 1 per 6 DS1s 250 DS0 Channel Capacity - 1 per 10 DS1s 280 DS0 Channel Capacity - 1 per 10 DS1s 280 DS0 Channel Capacity - 1 per 10 DS1s 281 DS0 Channel Capacity - 1 per 10 DS1s 384 DS0 Channel Capacity - 1 per 10 DS1s 576 DS0 Channel Capacity - 1 per 20 DS1s 576 DS0 Channel Capacity - 1 per 20 DS1s 576 DS0 Channel Capacity - 1 per 20 DS1s 672 DS0 Channel Capacity - 1 per 20 DS1s Non-Recurring Charges (NRC) Associated with 4-Will A Minimum System configuration is One (1) DS1, On Multiples of this configuration functioning as one at NRC - Conversion (Currently Combined) with or BellSouth Allowed Changes - Top 8 MSAs Only System Additions Where Currently Combined and N In Top 8 MSAs and AL, FL, and NC Only 1 DS1/D4 Channel Capability Format, superframe - Activity Only Clear Channel Capability Format - Extended Su Subsequent Activity Only Alternate Mark Inversion (AMI) Superframe Format Exchange Ports Associated with 4-Wire DS1 Loop we Exchange Ports Line Side Combination Channelized PBX Trunk	PORT											· ·				
A system can have various rate combinations based UNE DS1 Loop 4-Wire DS1 Loop - UNE Zone 1 4-Wire DS1 Loop - UNE Zone 2 4-Wire DS1 Loop - UNE Zone 3 UNE DS0 Channelization Capacities (D4 Channel Ba 24 DS0 Channel Capacity - 1 per DS1 48 DS0 Channel Capacity - 1 per DS1 48 DS0 Channel Capacity - 1 per 2 DS1s 96 DS0 Channel Capacity - 1 per 6 DS1s 144 DS0 Channel Capacity - 1 per 6 DS1s 192 DS0 Channel Capacity - 1 per 10 DS1s 240 DS0 Channel Capacity - 1 per 10 DS1s 288 DS0 Channel Capacity - 1 per 12 DS1s 384 DS0 Channel Capacity - 1 per 16 DS1s 480 DS0 Channel Capacity - 1 per 16 DS1s 480 DS0 Channel Capacity - 1 per 20 DS1s 576 DS0 Channel Capacity - 1 per 24 DS1s 672 DS0 Channel Capacity - 1 per 28 DS1s Non-Recurring Charges (NRC) Associated with 4-Wir A Minimum System configuration is One (1) DS1, OM Multiples of this configuration is One (1) DS1, OM Multiples of this configuration functioning as one and NRC - Conversion (Currently Combined) with or BellSouth Allowed Changes - Top 8 MSAs Only System Additions Where Currently Combined and N In Top 8 MSAs and AL, FL, and NC Only 1 DS1/D4 Channel Bank - Add NRC for each Pope a Activation - Bipolar 8 Zero Substitution Clear Channel Capability Format - Extended Su Subsequent Activity Only Alternate Mark Inversion (AMI) Superframe Format Extended Superframe Format Extended Superframe Format Extended Ports Line Side Combination Channelized PBX Trunk		tivations	s									[
UNÊ DS1 Loop 4-Wire DS1 Loop - UNE Zone 1 4-Wire DS1 Loop - UNE Zone 2 4-Wire DS1 Loop - UNE Zone 2 4-Wire DS1 Loop - UNE Zone 3 UNE DS0 Channelization Capacities (D4 Channel Ba 24 DS0 Channel Capacity - 1 per 2 DS1s 96 DS0 Channel Capacity - 1 per 2 DS1s 96 DS0 Channel Capacity - 1 per 6 DS1s 192 DS0 Channel Capacity - 1 per 6 DS1s 240 DS0 Channel Capacity - 1 per 8 DS1s 240 DS0 Channel Capacity - 1 per 10 DS1s 288 DS0 Channel Capacity - 1 per 10 DS1s 384 DS0 Channel Capacity - 1 per 12 DS1s 480 DS0 Channel Capacity - 1 per 12 DS1s 576 DS0 Channel Capacity - 1 per 20 DS1s 576 DS0 Channel Capacity - 1 per 20 DS1s Non-Recurring Charges (NRC) Associated with 4-Wir A Minimum System configuration is One (1) DS1, On Multiples of this configuration functioning as one at NRC - Conversion (Currently Combined) with or BellSouth Allowed Changes - Top 8 MSAs Only System Additions Where Currently Combined and NI In Top 8 MSAs and AL, FL, and NC Only 1 DS1/D4 Channel Bank - Add NRC for each Pore a Activation - Biplar 8 Zero Substitution Clear Channel Capability Format - Extended Su Subsequent Activity Only Alternate Mark Inversion (AMI) Superframe Format Extended Superframe Format Extended Ports Associated with 4-Wire DS1 Loop we Exchange Ports Line Side Combination Channelized PBX Trunk				usad										†		
4-Wire DS1 Loop - UNE Zone 1 4-Wire DS1 Loop - UNE Zone 2 4-Wire DS1 Loop - UNE Zone 3 UNE DS0 Channel DS1 Loop - UNE Zone 3 UNE DS0 Channel Capacities (D4 Channel Ba 24 DS0 Channel Capacity - 1 per DS1 48 DS0 Channel Capacity - 1 per DS1 96 DS0 Channel Capacity - 1 per DS1s 144 DS0 Channel Capacity - 1 per 6 DS1s 192 DS0 Channel Capacity - 1 per 8 DS1s 240 DS0 Channel Capacity - 1 per 10 DS1s 288 DS0 Channel Capacity - 1 per 10 DS1s 288 DS0 Channel Capacity - 1 per 10 DS1s 384 DS0 Channel Capacity - 1 per 10 DS1s 576 DS0 Channel Capacity - 1 per 20 DS1s 576 DS0 Channel Capacity - 1 per 20 DS1s 576 DS0 Channel Capacity - 1 per 28 DS1s Non-Recurring Charges (NRC) Associated with 4-Will A Minimum System configuration is One (1) DS1, On Multiples of this configuration functioning as one at NRC - Conversion (Currently Combined) with or BellSouth Allowed Changes - Top 8 MSAs Only System Additions Where Currently Combined and N In Top 8 MSAs and AL, FL, and NC Only 1 DS1/D4 Channel Capability Format, superframe - Activity Only Clear Channel Capability Format - Extended Su Subsequent Activity Only Alternate Mark Inversion (AMI) Superframe Format Exchange Ports Line Side Combination Channelized PBX Trunk Line Side Combination Channelized PBX Trunk Line Side Combination Channelized PBX Trunk	- on type and m		Jones		+									 		
4-Wire DS1 Loop - UNE Zone 2 4-Wire DS1 Loop - UNE Zone 3 UNE DS0 Channelization Capacities (D4 Channel Ba 24 DS0 Channel Capacity - 1 per DS1 48 DS0 Channel Capacity - 1 per DS1 48 DS0 Channel Capacity - 1 per 2 DS1s 96 DS0 Channel Capacity - 1 per 6 DS1s 144 DS0 Channel Capacity - 1 per 6 DS1s 192 DS0 Channel Capacity - 1 per 10 DS1s 240 DS0 Channel Capacity - 1 per 10 DS1s 288 DS0 Channel Capacity - 1 per 10 DS1s 384 DS0 Channel Capacity - 1 per 12 DS1s 384 DS0 Channel Capacity - 1 per 12 DS1s 576 DS0 Channel Capacity - 1 per 20 DS1s 576 DS0 Channel Capacity - 1 per 20 DS1s 672 DS0 Channel Capacity - 1 per 28 DS1s Non-Recurring Charges (NRC) Associated with 4-Wir A Minimum System configuration is One (1) DS1, on Multiples of this configuration is One (1) DS1, on BellSouth Allowed Changes - Top 8 MSAs Only System Additions Where Currently Combined with or BellSouth Allowed Changes - Top 8 MSAs Only 1 DS1/D4 Channel Bank - Add NRC for each Pote a Capacity on the Control of the Control of Clear Channel Capability Format, superframe - Activity Only Clear Channel Capability Format - Extended Su Subsequent Activity Only Alternate Mark Inversion (AMI) Superframe Format Extended Superframe Format Extended Superframe Format Extended Superframe Format Extended Superframe Format Extended Superframe Format Extended Superframe Format Line Side Combination Channelized PBX Trunk		+	+	UEPMG	USLDC	90.87	0.00	0.00						 		
4-Wire DS1 Loop - UNE Zone 3 UNE DSO Channelization Capacities (D4 Channel Ba 24 DS0 Channel Capacity - 1 per DS1 48 DS0 Channel Capacity - 1 per DS1s 96 DS0 Channel Capacity - 1 per 4 DS1s 144 DS0 Channel Capacity - 1 per 6 DS1s 192 DS0 Channel Capacity - 1 per 6 DS1s 240 DS0 Channel Capacity - 1 per 10 DS1s 288 DS0 Channel Capacity - 1 per 10 DS1s 288 DS0 Channel Capacity - 1 per 12 DS1s 384 DS0 Channel Capacity - 1 per 16 DS1s 480 DS0 Channel Capacity - 1 per 12 DS1s 576 DS0 Channel Capacity - 1 per 20 DS1s 576 DS0 Channel Capacity - 1 per 20 DS1s 672 DS0 Channel Capacity - 1 per 28 DS1s Non-Recurring Charges (NRC) Associated with 4-Wir A Minimum System configuration is One (1) DS1, On Multiples of this configuration is One (1) DS1, On BellSouth Allowed Changes - Top 8 MSAs Only System Additions Where Currently Combined with or BellSouth Allowed Changes - Top 8 MSAs Only 1 DS1/D4 Channel Bank - Add NRC for each Pore a Activation - Bipolar 8 Zero Substitution Clear Channel Capability Format , superframe - Activity Only Clear Channel Capability Format - Extended Su Subsequent Activity Only Alternate Mark Inversion (AMI) Superframe Format Extended Superframe Format Extended Superframe Format Extended Superframe Format Extended Ports Line Side Combination Channelized PBX Trunk		1	1									'				
UNE DSO Channelization Capacities (D4 Channel Ba 24 DSO Channel Capacity - 1 per DS1 48 DSO Channel Capacity - 1 per 2 DS1s 96 DSO Channel Capacity - 1 per 2 DS1s 96 DSO Channel Capacity - 1 per 4 DS1s 144 DS0 Channel Capacity - 1 per 6 DS1s 192 DS0 Channel Capacity - 1 per 8 DS1s 240 DS0 Channel Capacity - 1 per 10 DS1s 288 DS0 Channel Capacity - 1 per 10 DS1s 384 DS0 Channel Capacity - 1 per 16 DS1s 480 DS0 Channel Capacity - 1 per 16 DS1s 576 DS0 Channel Capacity - 1 per 20 DS1s 576 DS0 Channel Capacity - 1 per 28 DS1s Non-Recurring Channel Capacity - 1 per 28 DS1s Non-Recurring Charges (NRC) Associated with 4-Win A Minimum System configuration is One (1) DS1, On Multiples of this configuration functioning as one at NRC - Conversion (Currently Combined) with or BellSouth Allowed Changes - Top 8 MSAs Only System Additions Where Currently Combined and N In Top 8 MSAs and AL, FL, and NC Only 1 DS1/D4 Channel Bank - Add NRC for each Pore a Activation - Biplolar 8 Zero Substitution Clear Channel Capability Format , superframe - Activity Only Clear Channel Capability Format - Extended Su Subsequent Activity Only Alternate Mark Inversion (AMI) Superframe Format Extended Superframe Format Extended Superframe Format Extended Superframe Format Extended Superframe Format Line Side Combination Channelized PBX Trunk		1	2	UEPMG	USLDC	155.43	0.00	0.00				<u>'</u>				
24 DSO Channel Capacity - 1 per DS1 48 DSO Channel Capacity - 1 per 2 DS1s 96 DSO Channel Capacity - 1 per 4 DS1s 144 DSO Channel Capacity - 1 per 6 DS1s 144 DSO Channel Capacity - 1 per 6 DS1s 192 DSO Channel Capacity - 1 per 8 DS1s 240 DSO Channel Capacity - 1 per 10 DS1s 288 DSO Channel Capacity - 1 per 10 DS1s 384 DSO Channel Capacity - 1 per 10 DS1s 576 DSO Channel Capacity - 1 per 12 DS1s 576 DSO Channel Capacity - 1 per 20 DS1s 576 DSO Channel Capacity - 1 per 20 DS1s 672 DSO Channel Capacity - 1 per 28 DS1s Non-Recurring Charges (NRC) Associated with 4-Wir A Minimum System configuration is One (1) DS1, On Multiples of this configuration functioning as one ar NRC - Conversion (Currently Combined) with or BellSouth Allowed Changes - Top 8 MSAs Only System Additions Where Currently Combined and N in Top 8 MSAs and AL, FL, and NC Only 1 DS1/D4 Channel Bank - Add NRC for each Pores Activation Bipolar 8 Zero Substitution Clear Channel Capability Format, superframe - Activity Only Clear Channel Capability Format - Extended Su Subsequent Activity Only Alternate Mark Inversion (AMI) Superframe Format Exchange Ports Associated with 4-Wire DS1 Loop w Exchange Ports Line Side Combination Channelized PBX Trunk			3	UEPMG	USLDC	261.89	0.00	0.00				'		L		
48 DSO Channel Capacity - 1 per 2 DS1s 96 DSO Channel Capacity - 1 per 6 DS1s 144 DS0 Channel Capacity - 1 per 6 DS1s 192 DS0 Channel Capacity - 1 per 8 DS1s 240 DS0 Channel Capacity - 1 per 8 DS1s 240 DS0 Channel Capacity - 1 per 10 DS1s 288 DS0 Channel Capacity - 1 per 12 DS1s 384 DS0 Channel Capacity - 1 per 16 DS1s 480 DS0 Channel Capacity - 1 per 20 DS1s 576 DS0 Channel Capacity - 1 per 20 DS1s 672 DS0 Channel Capacity - 1 per 28 DS1s Non-Recurring Charges (NRC) Associated with 4-Wir A Minimum System configuration is One (1) DS1, On Multiples of this configuration is One (1) DS1, On Multiples of this configuration functioning as one at NRC - Conversion (Currently Combined) with or BellSouth Allowed Changes - Top 8 MSAs Only System Additions Where Currently Combined and N In Top 8 MSAs and AL, FL, and NC Only 1 DS1/D4 Channel Bank - Add NRC for each Poper Activation - Bipolar 8 Zero Substitution Clear Channel Capability Format , superframe - Activity Only Clear Channel Capability Format - Extended Su Subsequent Activity Only Alternate Mark Inversion (AMI) Superframe Format Extended Superframe Format Extended Superframe Format Extended Ports Line Side Combination Channelized PBX Trunk	Bank Configuration	ons)	7				<u>. </u>									
48 DSO Channel Capacity - 1 per 2 DS1s 96 DSO Channel Capacity - 1 per 4 DS1s 144 DS0 Channel Capacity - 1 per 6 DS1s 192 DS0 Channel Capacity - 1 per 8 DS1s 240 DS0 Channel Capacity - 1 per 8 DS1s 240 DS0 Channel Capacity - 1 per 10 DS1s 288 DS0 Channel Capacity - 1 per 12 DS1s 384 DS0 Channel Capacity - 1 per 16 DS1s 480 DS0 Channel Capacity - 1 per 20 DS1s 576 DS0 Channel Capacity - 1 per 24 DS1s 672 DS0 Channel Capacity - 1 per 28 DS1s Non-Recurring Charges (NRC) Associated with 4-Wir A Minimum System configuration is One (1) DS1, On Multiples of this configuration is One (1) DS1, On BellSouth Allowed Changes - Top 8 MSAs Only System Additions Where Currently Combined with or BellSouth Allowed Changes - Top 8 MSAs Only System Additions Where Currently Combined and N In Top 8 MSAs and AL, FL, and NC Only 1 DS1/D4 Channel Bank - Add NRC for each Poper Activation - Bipolar 8 Zero Substitution Clear Channel Capability Format , superframe - Activity Only Clear Channel Capability Format - Extended Su Subsequent Activity Only Alternate Mark Inversion (AMI) Superframe Format Extended Superframe Format Extended Superframe Format Extended Superframe Format Extended Ports Line Side Combination Channelized PBX Trunk		1	1 -7	UEPMG	VUM24	103.47	0.00	0.00		-		15.69	1			
96 DSO Channel Capacity -1per 4 DS1s 144 DS0 Channel Capacity -1 per 6 DS1s 192 DS0 Channel Capacity - 1 per 8 DS1s 240 DS0 Channel Capacity - 1 per 8 DS1s 240 DS0 Channel Capacity - 1 per 10 DS1s 288 DS0 Channel Capacity - 1 per 12 DS1s 384 DS0 Channel Capacity - 1 per 16 DS1s 480 DS0 Channel Capacity - 1 per 20 DS1s 576 DS0 Channel Capacity - 1 per 20 DS1s 576 DS0 Channel Capacity - 1 per 28 DS1s Non-Recurring Charges (NRC) Associated with 4-Wir A Minimum System configuration is One (1) DS1, On Multiples of this configuration functioning as one at NRC - Conversion (Currently Combined) with or BellSouth Allowed Changes - Top 8 MSAs Only System Additions Where Currently Combined and N In Top 8 MSAs and AL, FL, and NC Only 1 DS1/D4 Channel Bank - Add NRC for each Pore a Activation - Bipolar 8 Zero Substitution Clear Channel Capability Format, superframe - Activity Only Clear Channel Capability Format - Extended Su Subsequent Activity Only Alternate Mark Inversion (AMI) Superframe Format Exchange Ports Associated with 4-Wire DS1 Loop w Exchange Ports Line Side Combination Channelized PBX Trunk				UEPMG	VUM48	206.94	0.00	0.00				15.69				
144 DS0 Channel Capacity - 1 per 6 DS1s 192 DS0 Channel Capacity - 1 per 8 DS1s 240 DS0 Channel Capacity - 1 per 10 DS1s 288 DS0 Channel Capacity - 1 per 10 DS1s 384 DS0 Channel Capacity - 1 per 10 DS1s 384 DS0 Channel Capacity - 1 per 16 DS1s 480 DS0 Channel Capacity - 1 per 20 DS1s 576 DS0 Channel Capacity - 1 per 20 DS1s 672 DS0 Channel Capacity - 1 per 28 DS1s 672 DS0 Channel Capacity - 1 per 28 DS1s Non-Recurring Charges (NRC) Associated with 4-Wir A Minimum System configuration is One (1) DS1, on Multiples of this configuration functioning as one ar NRC - Conversion (Currently Combined) with or BellSouth Allowed Changes - Top 8 MSAs Only System Additions Where Currently Combined and N In Top 8 MSAs and AL, FL, and NC Only 1 DS1/D4 Channel Bank - Add NRC for each Porea Activation Bipolar 8 Zero Substitution Clear Channel Capability Format, superframe - Activity Only Clear Channel Capability Format - Extended Su Subsequent Activity Only Alternate Mark Inversion (AMI) Superframe Format Extended Superframe Format Extended Superframe Format Extended Ports Associated with 4-Wire DS1 Loop w Exchange Ports Line Side Combination Channelized PBX Trunk		1	\vdash	UEPMG	VUM96	413.88	0.00	0.00				15.69				
192 DS0 Channel Capacity -1 per 8 DS1s 240 DS0 Channel Capacity -1 per 10 DS1s 288 DS0 Channel Capacity -1 per 10 DS1s 384 DS0 Channel Capacity -1 per 16 DS1s 480 DS0 Channel Capacity -1 per 16 DS1s 480 DS0 Channel Capacity -1 per 20 DS1s 576 DS0 Channel Capacity -1 per 24 DS1s 672 DS0 Channel Capacity -1 per 28 DS1s Non-Recurring Charges (NRC) Associated with 4-Wir A Minimum System configuration is One (1) DS1, On Multiples of this configuration is One (1) DS1, On Multiples of this configuration functioning as one ar NRC - Conversion (Currently Combined) with or BellSouth Allowed Changes - Top 8 MSAs Only System Additions Where Currently Combined and N In Top 8 MSAs and AL, FL, and NC Only 1 DS1/D4 Channel Bank - Add NRC for each Pofea Activation - Bipolar 8 Zero Substitution Clear Channel Capability Format, superframe - Activity Only Clear Channel Capability Format - Extended Su Subsequent Activity Only Alternate Mark Inversion (AMI) Superframe Format Extended Superframe Format Extended Superframe Format Extended Superframe Format Exchange Ports Associated with 4-Wire DS1 Loop w Exchange Ports Line Side Combination Channelized PBX Trunk			+-	UEPMG	VUM14	620.82	0.00	0.00				15.69		†		
240 DS0 Channel Capacity - 1 per 10 DS1s 288 DS0 Channel Capacity - 1 per 12 DS1s 384 DS0 Channel Capacity - 1 per 16 DS1s 480 DS0 Channel Capacity - 1 per 20 DS1s 576 DS0 Channel Capacity - 1 per 20 DS1s 576 DS0 Channel Capacity - 1 per 28 DS1s Non-Recurring Charges (NRC) Associated with 4-Wir A Minimum System configuration is One (1) DS1, On Multiples of this configuration functioning as one at NRC - Conversion (Currently Combined) with or BellSouth Allowed Changes - Top 8 MSAs Only System Additions Where Currently Combined and N In Top 8 MSAs and AL, FL, and NC Only 1 DS1/D4 Channel Bank - Add NRC for each Pc Fea Activation - Bipolar 8 Zero Substitution Clear Channel Capability Format, superframe - Activity Only Clear Channel Capability Format - Extended Su Subsequent Activity Only Alternate Mark Inversion (AMI) Superframe Format Extended Superframe Format Exchange Ports Associated with 4-Wire DS1 Loop w Exchange Ports Line Side Combination Channelized PBX Trunk		+	+-	UEPMG	VUM19	827.76	0.00	0.00				15.69				
288 DS0 Channel Capacity - 1 per 12 DS1s 384 DS0 Channel Capacity - 1 per 16 DS1s 480 DS0 Channel Capacity - 1 per 20 DS1s 576 DS0 Channel Capacity - 1 per 20 DS1s 672 DS0 Channel Capacity - 1 per 28 DS1s Non-Recurring Charges (NRC) Associated with 4-Wit A Minimum System configuration is One (1) DS1, On Multiples of this configuration functioning as one at NRC - Conversion (Currently Combined) with or BellSouth Allowed Changes - Top 8 MSAs Only System Additions Where Currently Combined and N In Top 8 MSAs and AL, FL, and NC Only 1 DS1/D4 Channel Bank - Add NRC for each Pofea Activation - Bipolar 8 Zero Substitution Clear Channel Capability Format, superframe - Activity Only Clear Channel Capability Format - Extended Su Subsequent Activity Only Alternate Mark Inversion (AMI) Superframe Format Exchange Ports Associated with 4-Wire DS1 Loop w Exchange Ports Line Side Combination Channelized PBX Trunk			+	UEPMG	VUM20	1,034.70	0.00	0.00				15.69				
384 DS0 Channel Capacity - 1 per 16 DS1s 480 DS0 Channel Capacity - 1 per 20 DS1s 576 DS0 Channel Capacity - 1 per 24 DS1s 672 DS0 Channel Capacity - 1 per 28 DS1s Non-Recurring Charges (NRC) Associated with 4-Wii A Minimum System configuration is One (1) DS1, On Multiples of this configuration functioning as one at NRC - Conversion (Currently Combined) with or BellSouth Allowed Changes - Top 8 MSAs Only System Additions Where Currently Combined and N In Top 8 MSAs and AL, FL, and NC Only 1 DS1/D4 Channel Bank - Add NRC for each Pofea Activation - Bipolar 8 Zero Substitution Clear Channel Capability Format, superframe - Activity Only Clear Channel Capability Format - Extended Su Subsequent Activity Only Alternate Mark Inversion (AMI) Superframe Format Extended Superframe Format Exchange Ports Associated with 4-Wire DS1 Loop w Exchange Ports Line Side Combination Channelized PBX Trunk		_	+		VUM28											
480 DS0 Channel Capacity - 1 per 20 DS1s 576 DS0 Channel Capacity - 1 per 24 DS1s 672 DS0 Channel Capacity - 1 per 28 DS1s Non-Recurring Charges (NRC) Associated with 4-Wir A Minimum System configuration is One (1) DS1, On Multiples of this configuration functioning as one at NRC - Conversion (Currently Combined) with or BellSouth Allowed Changes - Top 8 MSAs Only System Additions Where Currently Combined and N In Top 8 MSAs and AL, FL, and NC Only 1 DS1/D4 Channel Bank - Add NRC for each Pore a Activation - Bipolar 8 Zero Substitution Clear Channel Capability Format, superframe - Activity Only Clear Channel Capability Format - Extended Su Subsequent Activity Only Alternate Mark Inversion (AMI) Superframe Format Extended Superframe Format Exchange Ports Associated with 4-Wire DS1 Loop w Exchange Ports Line Side Combination Channelized PBX Trunk				UEPMG		1,241.64	0.00	0.00				15.69				
576 DS0 Channel Capacity -1 per 24 DS1s 672 DS0 Channel Capacity - 1 per 28 DS1s Non-Recurring Charges (NRC) Associated with 4-Win A Minimum System configuration is One (1) DS1, On Multiples of this configuration functioning as one an NRC - Conversion (Currently Combined) with or BellSouth Allowed Changes - Top 8 MSAs Only System Additions Where Currently Combined and N In Top 8 MSAs and AL, FL, and NC Only 1 DS1/D4 Channel Bank - Add NRC for each Pore and the street of the				UEPMG	VUM38	1,655.52	0.00	0.00				15.69				
Royal Channel Capacity - 1 per 28 DS1s				UEPMG	VUM40	2,069.40	0.00	0.00				15.69				
Non-Recurring Charges (NRC) Associated with 4-Wii A Minimum System configuration is One (1) DS1, On Multiples of this configuration functioning as one at NRC - Conversion (Currently Combined) with or BellSouth Allowed Changes - Top 8 MSAs Only System Additions Where Currently Combined and N In Top 8 MSAs and AL, FL, and NC Only 1 DS1/D4 Channel Bank - Add NRC for each Pofea Activation - Bipolar 8 Zero Substitution Clear Channel Capability Format, superframe - Activity Only Clear Channel Capability Format - Extended Su Subsequent Activity Only Alternate Mark Inversion (AMI) Superframe Format Extended Superframe Format Exchange Ports Associated with 4-Wire DS1 Loop w Exchange Ports Line Side Combination Channelized PBX Trunk				UEPMG	VUM57	2,483.28	0.00	0.00				15.69				
A Minimum System configuration is One (1) DS1, On Multiples of this configuration functioning as one at NRC - Conversion (Currently Combined) with or BellSouth Allowed Changes - Top 8 MSAs Only System Additions Where Currently Combined and NI In Top 8 MSAs and AL, FL, and NC Only 1 DS1/D4 Channel Bank - Add NRC for each Portion of the Step Step Step Step Step Step Step Ste				UEPMG	VUM67	2,897.16	0.00	0.00				15.69				
A Minimum System configuration is One (1) DS1, On Multiples of this configuration functioning as one at NRC - Conversion (Currently Combined) with or BellSouth Allowed Changes - Top 8 MSAs Only System Additions Where Currently Combined and NI In Top 8 MSAs and AL, FL, and NC Only 1 DS1/D4 Channel Bank - Add NRC for each Portion of the Step Step Step Step Step Step Step Ste	Nire DS1 Loop wi	th Chani	neliztio	n with Port - Conve	ersion Charge	Based on a Sy	stem									
Multiples of this configuration functioning as one at NRC - Conversion (Currently Combined) with or BellSouth Allowed Changes - Top 8 MSAS Only) System Additions Where Currently Combined and NI In Top 8 MSAs and AL, FL, and NC Only 1 DS1/D4 Channel Bank - Add NRC for each Pose Fea Activation Bipolar 8 Zero Substitution Clear Channel Capability Format, superframe - Activity Only Clear Channel Capability Format - Extended Susubsequent Activity Only Alternate Mark Inversion (AMI) Superframe Format Extended Superframe Format Exchange Ports Associated with 4-Wire DS1 Loop we Exchange Ports Line Side Combination Channelized PBX Trunk												[
NRC - Conversion (Currently Combined) with or BellSouth Allowed Changes - Top 8 MSAS Only System Additions Where Currently Combined and N In Top 8 MSAs and AL, FL, and NC Only 1 DS1/D4 Channel Bank - Add NRC for each Pose Fea Activation - Bipolar 8 Zero Substitution Clear Channel Capability Format, superframe - Activity Only Clear Channel Capability Format - Extended Susubsequent Activity Only Alternate Mark Inversion (AMI) Superframe Format Extended Superframe Format Exchange Ports Associated with 4-Wire DS1 Loop we Exchange Ports Line Side Combination Channelized PBX Trunk												$\overline{}$				
BellSouth Allowed Changes - Top 8 MSAs Only System Additions Where Currently Combined and N In Top 8 MSAs and AL, FL, and NC Only 1 DS1/D4 Channel Bank - Add NRC for each Pore Activation - Bipolar 8 Zero Substitution Clear Channel Capability Format, superframe - Activity Only Clear Channel Capability Format - Extended Su Subsequent Activity Only Alternate Mark Inversion (AMI) Superframe Format Extended Superframe Format Extended Superframe Format Exchange Ports Associated with 4-Wire DS1 Loop w Exchange Ports Line Side Combination Channelized PBX Trunk		T unto	T	I System oo	IIII garation 15	l l										
System Additions Where Currently Combined and N In Top 8 MSAs and AL, FL, and NC Only 1 DS1/D4 Channel Bank - Add NRC for each Policy Fea Activation - Bipolar 8 Zero Substitution Clear Channel Capability Format, superframe - Activity Only Clear Channel Capability Format - Extended Su Subsequent Activity Only Alternate Mark Inversion (AMI) Superframe Format Extended Superframe Format Exchange Ports Associated with 4-Wire DS1 Loop w Exchange Ports Line Side Combination Channelized PBX Trunk				UEPMG	USAC4	0.00	450.04	0.00				45.00				
In Top 8 MSAs and AL, FL, and NC Only 1 DS1/D4 Channel Bank - Add NRC for each Pore Fea Activation - Bipolar 8 Zero Substitution Clear Channel Capability Format, superframe - Activity Only Clear Channel Capability Format - Extended Su Subsequent Activity Only Alternate Mark Inversion (AMI) Superframe Format Extended Superframe Format Exchange Ports Associated with 4-Wire DS1 Loop we Exchange Ports Line Side Combination Channelized PBX Trunk		11			USAC4	0.00	150.81	8.38				15.69				
1 DS1/D4 Channel Bank - Add NRC for each Porea Activation - Bipolar 8 Zero Substitution Clear Channel Capability Format, superframe - Activity Only Clear Channel Capability Format - Extended Su Subsequent Activity Only Alternate Mark Inversion (AMI) Superframe Format Extended Superframe Format Extended Superframe Format Exchange Ports Associated with 4-Wire DS1 Loop w Exchange Ports Line Side Combination Channelized PBX Trunk	New (Not Curren	tly Comi	oined)		_							<u>'</u>		<u> </u>		
Fea Activation - Bipolar 8 Zero Substitution Clear Channel Capability Format, superframe - Activity Only Clear Channel Capability Format - Extended Su Subsequent Activity Only Alternate Mark Inversion (AMI) Superframe Format Extended Superframe Format Exchange Ports Associated with 4-Wire DS1 Loop w Exchange Ports Line Side Combination Channelized PBX Trunk							Į.									
Bipolar 8 Zero Substitution Clear Channel Capability Format, superframe - Activity Only Clear Channel Capability Format - Extended Su Subsequent Activity Only Alternate Mark Inversion (AMI) Superframe Format Extended Superframe Format Exchange Ports Associated with 4-Wire DS1 Loop w Exchange Ports Line Side Combination Channelized PBX Trunk	Port and Assoc	1	1 '	1				. !				, '	1	1		
Clear Channel Capability Format, superframe - Activity Only Clear Channel Capability Format - Extended Su Subsequent Activity Only Alternate Mark Inversion (AMI) Superframe Format Extended Superframe Format Exchange Ports Associated with 4-Wire DS1 Loop w Exchange Ports Line Side Combination Channelized PBX Trunk			'	UEPMG	VUMD4	0.00	717.71	425.81	149.08	17.69		15.69	1	<u> </u>		
Clear Channel Capability Format, superframe - Activity Only Clear Channel Capability Format - Extended Su Subsequent Activity Only Alternate Mark Inversion (AMI) Superframe Format Extended Superframe Format Exchange Ports Associated with 4-Wire DS1 Loop w Exchange Ports Line Side Combination Channelized PBX Trunk												,				•
Activity Only Clear Channel Capability Format - Extended Su Subsequent Activity Only Alternate Mark Inversion (AMI) Superframe Format Extended Superframe Format Exchange Ports Associated with 4-Wire DS1 Loop w Exchange Ports Line Side Combination Channelized PBX Trunk	- Subsequent	1	1 -				i - 1							T		
Clear Channel Capability Format - Extended Su Subsequent Activity Only Alternate Mark Inversion (AMI) Superframe Format Extended Superframe Format Exchange Ports Associated with 4-Wire DS1 Loop w Exchange Ports Line Side Combination Channelized PBX Trunk		1	1 '	UEPMG	CCOSF	0.00	0.00	605.00				, '	1	1		
Subsequent Activity Only Alternate Mark Inversion (AMI) Superframe Format Extended Superframe Format Exchange Ports Associated with 4-Wire DS1 Loop w Exchange Ports Line Side Combination Channelized PBX Trunk	Superframe -	1 -	+	F		0.00	0.00	300.00					—			
Alternate Mark Inversion (AMI) Superframe Format Extended Superframe Format Exchange Ports Associated with 4-Wire DS1 Loop w Exchange Ports Line Side Combination Channelized PBX Trunk	Sapemanie -	1	1 '	UEPMG	CCOEF	0.00	0.00	605.00				, '	1			
Superframe Format Extended Superframe Format Exchange Ports Associated with 4-Wire DS1 Loop w Exchange Ports Line Side Combination Channelized PBX Trunk		+	+	ULFIVIG	COUEF	0.00	0.00	000.00						 		
Extended Superframe Format Exchange Ports Associated with 4-Wire DS1 Loop w Exchange Ports Line Side Combination Channelized PBX Trunk			+	LIEDMO	140000							'	└			
Exchange Ports Associated with 4-Wire DS1 Loop w Exchange Ports Line Side Combination Channelized PBX Trunk		1		UEPMG	MCOSF	0.00	0.00	0.00				'		ļ		
Exchange Ports Line Side Combination Channelized PBX Trunk		1		UEPMG	MCOPO	0.00	0.00	0.00				<u> </u>	<u> </u>	<u> </u>		
Line Side Combination Channelized PBX Trunk	with Channelizat	ion with	Port				<u>. </u>									
Line Side Combination Channelized PBX Trunk				1								, ——	1			
		İ					i					,				
	nk Port - Business	1	1 '	UEPPX	UEPCX	14.00	0.00	0.00	0.00	0.00		15.69	1	1		
Line Side Outward Channelized PBX Trunk Por		1 -	+	UEPPX	UEPOX	14.00	0.00	0.00	0.00	0.00		15.69	—	—		
Line Side Odtward Charmenzed FBX Hullk For	on Dualifeaa	+	+-	OLI I A	JLI UX	17.00	0.00	0.00	0.00	0.00		15.55				
Line Cide lowerd Only Channelined DDV Total	ak Doet with and Dir.	. 1	1 '	LIEDDY	LIED4V	44.00	0.00	0.00	0.00	0.00		45.00	1	1		
Line Side Inward Only Channelized PBX Trunk		' 	+	UEPPX	UEP1X	14.00	0.00	0.00	0.00	0.00		15.69	+			
2-Wire Trunk Side Unbundled Channelized DID		1	↓ —'	UEPPX	UEPDM	57.00	0.00	0.00	0.00	0.00		15.69	↓	<u> </u>		
2-Wire Channelized PBX Area Calling Service C	Combination Port	: [1 '	1				. !				, '	1	1		
(AL Only)		<u> </u>	┸_ '	UEPPX	UEPA4		<u>. </u>					'	<u> </u>	<u> </u>		
2 Wire Channelized PBX Area Calling Service C				1			, — —					, -	1			
Port (AL Only)	Outgoing Only	1	1 '	UEPPX	UEPA3			. !				, '	1	1		
Feature Activations - Unbundled Loop Concentration	Outgoing Only	1	1 7													
Feature (Service) Activation for each Line Side F		+				. '			l l			١,	Į.			
in D4 Bank	tion		+		+		'					L		 		

1	ED NETWORK ELEMENTS - South Carolina		_		1								Attachment:		Exhibit: B	_
1			1									Svc Order		Incremental	Incremental	Incrementa
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
04750000	DATE EL EMENTO	Interi	-	200							Elec	Manually	Manual Svc	Manual Svc		Manual Svo
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC		KA	ES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
1							Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)	1	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Feature (Service) Activation for each Trunk Side Port Terminated							,,,,,,		7.44.						
	in D4 Bank			UEPPX	1PQWU	0.70	110.00	30.00	65.00	20.00		15.69				
Telep	phone Number/ Group Establishment Charges for DID Service															
	DID Trunk Termination (1 per Port)			UEPPX	NDT	0.00	0.00	0.00				15.69				
	Estab Trk Grp and Provide 1st 20 DID Nos. (FL,GA, NC,& SC)			UEPPX	NDZ	0.00	0.00	0.00				15.69				
	DID Numbers - groups of 20 - Valid all States			UEPPX	ND4	0.00	0.00	0.00				15.69				
	Non-Consecutive DID Numbers - per number			UEPPX	ND5	0.00	0.00	0.00				15.69				
	Reserve Non-Consecutive DID Numbers			UEPPX	ND6	0.00	0.00	0.00				15.69				
	Reserve DID Numbers			UEPPX	NDV	0.00	0.00	0.00				15.69				
Local	Number Portability															
	Local Number Portability - 1 per port			UEPPX	LNPCP	3.15	0.00	0.00								
	URES - Vertical and Optional															
Local	Switching Features Offered with Line Side Ports Only			LIEDD\/								1= 00				
	All Features Available	<u></u>		UEPPX	UEPVF	3.04	0.00	0.00				15.69				
	CENTREX PORT/LOOP COMBINATIONS - COST BASED RATE:		01-1-1					art Bran								
	st Based Rates are applied where BellSouth is required by FCC								diad Daw asati	an af this Data	Full-libit					
	atures shall apply to the Unbundled Port/Loop Combination - C											ain Dant/La	C			
S. EIIC	d Office and Tandem Switching Usage and Common Transport Seorgia, Kentucky, Louisiana, MIssissippi and Tennessee, the re	osage	Tales II	Port and Loop char	nee lieted an	nly to Currently	Combined and	Not Currently	Combined Co	mhos The th	e first and	additional P	ort nonrecurr	ing charges	annly to Not C	urrently
	bined Combos for all states. In GA, KY, LA, MS and TN these no															
	bined Combos in all other states, the nonrecurring charges sha							, NO and SO ii	iese nomecum	ing charges ar	e market ive	ites and are	nated in the i	warket itale s	ection. Tork	Julientry
	arket Rates for Unbundled Centrex Port/Loop Combination will										ı	1				
	P CENTREX - 5ESS (Valid in All States)	De nege	Tiateu	Ton an marvidual oc	l Dasis, un	di furtilei fiotic	c.									
	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
	Port/Loop Combination Rates (Non-Design)															
10.12	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
	Non-Design		1	UEP95		14.89										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Non-Design		2	UEP95		21.52										
1 1	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		3	UEP95		27.17										
UNE F			3	UEP95		27.17										
UNE F	Non-Design		3			27.17										
UNE F	Non-Design Port/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design		3	UEP95		27.17 17.81										
UNE F	Non-Design Port/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo		1	UEP95		17.81										
UNE F	Non-Design		1 2													
UNE F	Non-Design Port/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-		1 2	UEP95		17.81 24.26										
	Non-Design		1	UEP95		17.81										
	Non-Design		1 2	UEP95 UEP95 UEP95		17.81 24.26 29.59										
	Non-Design		1 2 3	UEP95 UEP95 UEP95 UEP95	UECS1	17.81 24.26 29.59										
	Non-Design		1 2 3	UEP95 UEP95 UEP95 UEP95 UEP95	UECS1	17.81 24.26 29.59 13.76 20.38										
	Non-Design		1 2 3	UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95	UECS1 UECS1	17.81 24.26 29.59 13.76 20.38 26.04										
	Non-Design Port/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design Loop Rate 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 1		1 2 3 1 2 3 1	UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95	UECS1 UECS1 UECS2	17.81 24.26 29.59 13.76 20.38 26.04 16.68										
	Non-Design		1 2 3 1 2 3 1 2 2	UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95	UECS1 UECS1 UECS2 UECS2	17.81 24.26 29.59 13.76 20.38 26.04 16.68 23.13										
UNE L	Non-Design		1 2 3 1 2 3 1	UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95	UECS1 UECS1 UECS2	17.81 24.26 29.59 13.76 20.38 26.04 16.68										
UNE L	Non-Design		1 2 3 1 2 3 1 2 2	UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95	UECS1 UECS1 UECS2 UECS2	17.81 24.26 29.59 13.76 20.38 26.04 16.68 23.13										
UNE L	Non-Design Port/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design Loop Rate 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3		1 2 3 1 2 3 1 2 2	UEP95 UEP95 UEP96 UEP96 UEP96 UEP96 UEP95 UEP95 UEP95 UEP95	UECS1 UECS1 UECS2 UECS2 UECS2	17.81 24.26 29.59 13.76 20.38 26.04 16.68 23.13	40.30	19.90	24 98	6.65		15.60				
UNE L	Non-Design		1 2 3 1 2 3 1 2 2	UEP95	24.98	6.65		15.69								
UNE L	Non-Design		1 2 3 1 2 3 1 2 2	UEP95 UEP95 UEP96 UEP96 UEP96 UEP96 UEP95 UEP95 UEP95 UEP95	UECS1 UECS1 UECS2 UECS2 UECS2	17.81 24.26 29.59 13.76 20.38 26.04 16.68 23.13 28.46	40.30	19.90	24.98	6.65		15.69 15.69				
UNE L	Non-Design		1 2 3 1 2 3 1 2 2	UEP95	24.98			15.69								
UNE L	Non-Design		1 2 3 1 2 3 1 2 2	UEP95		6.65										
UNE L	Non-Design		1 2 3 1 2 3 1 2 2	UEP95	24.98	6.65		15.69								
UNE L	Non-Design		1 2 3 1 2 3 1 2 2	UEP95	24.98	6.65		15.69 15.69								
UNE I	Non-Design Port/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design Loop Rate 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3 Port Rate 2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area		1 2 3 1 2 3 1 2 2	UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95	UECS1 UECS1 UECS2 UECS2 UECS2 UECS2 UECY2 UEPYA UEPYA UEPYH	17.81 24.26 29.59 13.76 20.38 26.04 16.68 23.13 28.46 1.13 1.13	40.30	19.90	24.98	6.65		15.69 15.69				
UNE L	Non-Design		1 2 3 1 2 3 1 2 2	UEP95 19.90 70.71	24.98 24.98 54.47	6.65 6.65 11.94		15.69 15.69								
UNE L	Non-Design		1 2 3 1 2 3 1 2 2	UEP95 19.90 70.71	24.98 24.98 54.47	6.65 6.65 11.94		15.69 15.69								
UNE L	Non-Design		1 2 3 1 2 3 1 2 2	UEP95 19.90 70.71 70.71	24.98 24.98 54.47 54.47	6.65 6.65 11.94 11.94		15.69 15.69 15.69								

UNBUND)LE[NETWORK ELEMENTS - South Carolina			,									Attachment:		Exhibit: B	
]							Svc Order	Svc Order	Incremental	Incremental	Incremental	Incrementa
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Intori									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Sv
CATEGOR	ĽΥ	RATE ELEMENTS	Interi	Zone	BCS	USOC		RAT	ΓES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						,			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic
														1st	Add'l	Disc 1st	Disc Add'l
						+		Nonrec	urring	Nonrecurring	Disconnect		l l	oss	Rates(\$)	l.	I
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ΔΙ	ΚV	LA, MS, SC, & TN Only						11130	Auu i	11130	Auu i	JOHILO	JONIAN	JOINAIN	JONAN	JOHAN	JOINAIN
AL		2-Wire Voice Grade Port (Centrex)			UEP95	UEPQA	1.13	40.30	19.90	24.98	6.65		15.69				1
					UEP95	UEPQB				24.98							1
		2-Wire Voice Grade Port (Centrex 800 termination)					1.13	40.30	19.90		6.65		15.69				
		2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP95	UEPQH	1.13	40.30	19.90	24.98	6.65		15.69				
		2-Wire Voice Grade Port (Centrex from diff Serving Wire															
		Center)2			UEP95	UEPQM	1.13	108.36	70.71	54.47	11.94		15.69				
		2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
		Term			UEP95	UEPQZ	1.13	108.36	70.71	54.47	11.94		15.69				
		2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP95	UEPQ9	1.13	40.30	19.90	24.98	6.65	1	15.69				
		2-Wire Voice Grade Port Terminated on 800 Service Term			UEP95	UEPQ2	1.13	40.30	19.90	24.98	6.65		15.69				
Lo		witching		1		1	<u> </u>					l					1
1-0		Centrex Intercom Funtionality, per port		1	UEP95	URECS	0.7996					1				Ì	İ
1 ^		umber Portability		I		5200	3.7 000									 	
1_0		Local Number Portability (1 per port)		1	UEP95	LNPCC	0.35					l				1	1
F-	ature			1	OFL 20	LINFOU	0.35					1				1	}
re			-	1	LIEDOE	UEPVF	3.04					-	45.00			 	-
		All Standard Features Offered, per port		<u> </u>	UEP95			100.10				ļ	15.69			1	1
		All Select Features Offered, per port			UEP95	UEPVS	0.00	406.42					15.69				<u> </u>
		All Centrex Control Features Offered, per port			UEP95	UEPVC	3.04						15.69				
NA	ARS																
		Unbundled Network Access Register - Combination			UEP95	UARCX	0.00	0.00	0.00				15.69				
		Unbundled Network Access Register - Indial			UEP95	UAR1X	0.00	0.00	0.00				15.69				
		Unbundled Network Access Register - Outdial			UEP95	UAROX	0.00	0.00	0.00				15.69				
Mi	scella	aneous Terminations															
2-V	Nire 7	Frunk Side															
		Trunk Side Terminations, each			UEP95	CEND6	8.86	119.57	18.78	60.03	3.77		15.69				
4-1		Digital (1.544 Megabits)											10.00				
		DS1 Circuit Terminations, each		1	UEP95	M1HD1	73.62	202.47	95.90	72.75	2.47		15.69				
		DS0 Channels Activated, each		1	UEP95	M1HDO	0.00	14.51	00.00	12.10	2.47		15.69				
les 4					ULF 93	WITIDO	0.00	14.51					13.09				1
Int		ce Channel Mileage - 2-Wire			LIEDOE	MODO	04.00	40.00	07.47	40.77	0.04		45.00				1
		Interoffice Channel Facilities Termination			UEP95	MIGBC	24.30	40.63	27.47	16.77	6.91		15.69				
		Interoffice Channel mileage, per mile or fraction of mile			UEP95	MIGBM	0.0167										
		Activations (DS0) Centrex Loops on Channelized DS1 Service	e														
D4		nnel Bank Feature Activations															
		Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	1PQWS	0.56						15.69				
		Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP95	1PQW6	0.56						15.69				
		Feature Activation on D-4 Channel Bank FX Trunk Side Loop		1		1						l					1
		Slot			UEP95	1PQW7	0.56					1	15.69				
		Feature Activation on D-4 Channel Bank Centrex Loop Slot -		1								1				Ì	İ
		Different Wire Center			UEP95	1PQWP	0.56					1	15.69				
		Sind of the Contol		I	021 00	11 02 771	0.50						15.05			 	
		Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP95	1PQWV	0.56					1	15.69				
		Feature Activation on D-4 Channel Bank Tile Line/Trunk Loop		1	05,99	IFUVVV	0.00						15.69			 	
					LIEDOS	400000	0 =0					l	45.60				
		Slot		1	UEP95	1PQWQ	0.56						15.69				1
		Feature Activation on D-4 Channel Bank WATS Loop Slot		ļ	UEP95	1PQWA	0.56						15.69				
No		curring Charges (NRC) Associated with UNE-P Centrex															
		NRC Conversion Currently Combined Switch-As-Is with allowed			1	1						l					
		changes, per port			UEP95	USAC2		37.93	16.72				15.69				<u> </u>
		New Centrex Standard Common Block			UEP95	M1ACS	0.00	668.70					15.69				
		New Centrex Customized Common Block			UEP95	M1ACC	0.00	668.70					15.69				
		NAR Establishment Charge, Per Occasion			UEP95	URECA	0.00	72.89					15.69				
UN		CENTREX - DMS100 (Valid in All States)		1		1	2.20					1				Ì	l
		/G Loop/2-Wire Voice Grade Port (Centrex) Combo		1	 	1 1						1				1	1
		rt/Loop Combination Rates (Non-Design)		I	†	+ +										 	
UN		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -		1	 	+ +										†	1
		z-wire vG Loop/z-wire voice Grade Port (Centrex) Port Combo - Non-Design		1	UEP9D	1	14.89]					
				1	OEFSD		14.89					ļ				ļ	
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															

UNBUNDL	ED NETWORK ELEMENTS - South Carolina												Attachment:	2	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		RAT	TES(\$)				Submitted		Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						D	Nonrec	curring	Nonrecurring	Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			LIEDOD		07.47										Ĭ
UNE	Non-Design Port/Loop Combination Rates (Design)		3	UEP9D	-	27.17										
- OILE	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	-			1											
	Design		1	UEP9D		17.81										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design		2	UEP9D		24.26										Ĭ
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			UEP9D	-	24.20										
	Design		3	UEP9D		29.59										
UNE	Loop Rate															
	2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP9D UEP9D	UECS1 UECS1	13.76 20.38										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP9D	UECS1	26.04										—
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP9D	UECS2	16.68										
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP9D	UECS2	23.13										
LINE	2-Wire Voice Grade Loop (SL 2) - Zone 3 Port Rate		3	UEP9D	UECS2	28.46										
	STATES				+											
	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP9D	UEPYA	1.13	40.30	19.90	24.98	6.65		15.69				
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area			UEP9D	UEPYB	1.13	40.30	19.90	24.98	6.65		15.69				
	2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local Area			UEP9D	UEPYC	1.13	40.30	19.90	24.98	6.65		15.69				
	2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local Area			UEP9D	UEPYD	1.13	40.30	19.90	24.98	6.65		15.69				
	2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local Area			UEP9D	UEPYE	1.13	40.30	19.90	24.98	6.65		15.69				
	2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local Area			UEP9D	UEPYF	1.13	40.30	19.90	24.98	6.65		15.69				
	2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local Area			UEP9D	UEPYG	1.13	40.30	19.90	24.98	6.65		15.69				
	2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local Area			UEP9D	UEPYT	1.13	40.30	19.90	24.98	6.65		15.69				
	2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local Area			UEP9D	UEPYU	1.13	40.30	19.90	24.98	6.65		15.69				
	2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local Area			UEP9D	UEPYV	1.13	40.30	19.90	24.98	6.65		15.69				
	2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local															
	Area 2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local			UEP9D	UEPY3	1.13	40.30	19.90	24.98	6.65		15.69				
	Area 2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp			UEP9D	UEPYH	1.13	40.30	19.90	24.98	6.65		15.69				
	Indication))3 Basic Local Area			UEP9D	UEPYW	1.13	40.30	19.90	24.98	6.65		15.69				
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))3 Basic Local Area			UEP9D	UEPYJ	1.13	40.30	19.90	24.98	6.65		15.69				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) 2 Basic Local Area			UEP9D	UEPYM	1.13	108.36	70.71	54.47	11.94		15.69				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3 Basic Local Area			UEP9D	UEPYO	1.13	108.36	70.71	54.47	11.94		15.69				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3 Basic Local Area			UEP9D	UEPYP	1.13	108.36	70.71	54.47	11.94		15.69				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3 Basic Local Area			UEP9D	UEPYQ	1.13	108.36	70.71	54.47	11.94		15.69				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3 Basic Local Area			UEP9D	UEPYR	1.13	108.36	70.71	54.47	11.94		15.69				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3 Basic Local Area			UEP9D	UEPYS	1.13	108.36	70.71	54.47	11.94		15.69				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3 Basic Local Area			UEP9D	UEPY4	1.13	108.36	70.71	54.47	11.94		15.69				

CATEGORY RATE ELEMENTS Interign Zone BCS	1 54.47 1 54.47 1 54.47 1 54.47 1 54.47 1 54.47 10 24.98 10 24.98 10 24.98 10 24.98 10 24.98 10 24.98 10 24.98 10 24.98 10 24.98 10 24.98	Submitted Elec per LSR Donnect ddd'l SOMEC 11.94 11.94 11.94 6.65	SOMAN SOMA	Charge - Manual Svc Order vs. Electronic- 1st OSS Rate	Charge - anual Svc M Order vs. (ectronic- Add'I tes(\$)	Charge - lanual Svc Order vs.	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l SOMAN
Nec First Add'1	First Add 1	11.94 11.94 11.94 11.94 11.94 6.65 6.65 6.65 6.65 6.65 6.65 6.65 6.6	15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69			SOMAN	SOMAN
2-Wire Voice Grade Port (Centrew/differ SWC /EBS-M5208)2, 3 UEP9D UEP95 1.13 108.36 70.7	1 54.47 1 54.47 1 54.47 1 54.47 1 54.47 1 54.47 10 24.98 10 24.98 10 24.98 10 24.98 10 24.98 10 24.98 10 24.98 10 24.98 10 24.98 10 24.98	11.94 11.94 11.94 11.94 6.65 6.65 6.65 6.65 6.65 6.65 6.65 6.65 6.65 6.65 6.65 6.65 6.65 6.65 6.65 6.65 6.65	15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69	SOMAN S	SOMAN	SOMAN	SOMAN
Basic Local Area	1 54.47 1 54.47 1 54.47 1 54.47 10 24.98 10	11.94 11.94 11.94 6.65 6.65 6.65 6.65 6.65 6.65 6.65 6.6	15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69				
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3 UEP9D UEPY6	1 54.47 1 54.47 1 54.47 1 54.47 10 24.98 10	11.94 11.94 11.94 6.65 6.65 6.65 6.65 6.65 6.65 6.65 6.6	15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69				
Basic Local Area	1 54.47 1 54.47 10 24.98 10	11.94 11.94 6.65 6.65 6.65 6.65 6.65 6.65 6.65 6.6	15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69				
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3 UEP9D UEPYZ	1 54.47 1 54.47 10 24.98 10	11.94 11.94 6.65 6.65 6.65 6.65 6.65 6.65 6.65 6.6	15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69				
Basic Local Area	1 54.47 10 24.98 10	11.94 6.65 6.65 6.65 6.65 6.65 6.65 6.65 6.6	15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69				
Term	00 24.98 00	6.65 6.65 6.65 6.65 6.65 6.65 6.65 6.65	15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69				
2-Wire Voice Grade Port terminated in on Megalink or equivalent Basic Local Area UEP9D UEPY9 1.13 40.30 19.9	00 24.98 00	6.65 6.65 6.65 6.65 6.65 6.65 6.65 6.65	15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69				
Basic Local Area UEP9D UEPY9 1.13 40.30 19.9	00 24.98 00	6.65 6.65 6.65 6.65 6.65 6.65 6.65 6.65	15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69				
2-Wire Voice Grade Port Terminated on 800 Service Term Basic UEPPD UEPY2 1.13 40.30 19.9	00 24.98 00	6.65 6.65 6.65 6.65 6.65 6.65 6.65 6.65	15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69				
AL, KY, LA, MS, SC, & TN Only	00 24.98 00	6.65 6.65 6.65 6.65 6.65 6.65 6.65 6.65	15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69				
2-Wire Voice Grade Port (Centrex 800 termination)	00 24.98 00 24.98 00 24.98 00 24.98 00 24.98 00 24.98 00 24.98 00 24.98 00 24.98 00 24.98	6.65 6.65 6.65 6.65 6.65 6.65 6.65 6.65	15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69				
2-Wire Voice Grade Port (Centrex 800 termination)	00 24.98 00 24.98 00 24.98 00 24.98 00 24.98 00 24.98 00 24.98 00 24.98 00 24.98 00 24.98	6.65 6.65 6.65 6.65 6.65 6.65 6.65 6.65	15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69				
2-Wire Voice Grade Port (Centrex / EBS-PSET)3	00 24.98 00 24.98 00 24.98 00 24.98 00 24.98 00 24.98 00 24.98 00 24.98 00 24.98	6.65 6.65 6.65 6.65 6.65 6.65 6.65 6.65	15.69 15.69 15.69 15.69 15.69 15.69 15.69				
2-Wire Voice Grade Port (Centrex / EBS-M5009)3	00 24.98 00 24.98 00 24.98 00 24.98 00 24.98 00 24.98 00 24.98 00 24.98	6.65 6.65 6.65 6.65 6.65 6.65 6.65 6.65	15.69 15.69 15.69 15.69 15.69				
2-Wire Voice Grade Port (Centrex / EBS-M5112)3	0 24.98 0 24.98 0 24.98 0 24.98 0 24.98 0 24.98	6.65 6.65 6.65 6.65 6.65	15.69 15.69 15.69				
2-Wire Voice Grade Port (Centrex / EBS-M5312)3 UEP9D UEPQG 1.13 40.30 19.9	0 24.98 0 24.98 0 24.98 0 24.98	6.65 6.65 6.65 6.65	15.69 15.69 15.69				
2-Wire Voice Grade Port (Centrex / EBS-M5008)3	0 24.98 0 24.98 0 24.98	6.65 6.65 6.65	15.69 15.69				
2-Wire Voice Grade Port (Centrex / EBS-M5208)3	0 24.98 0 24.98	6.65 6.65	15.69				
2-Wire Voice Grade Port (Centrex / EBS-M5216)3	0 24.98	6.65					
2-Wire Voice Grade Port (Centrex / EBS-M5316)3	0.1.00		15.69				
2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp Indication)3		6.65	15.69				
Indication)3	0 24.98	6.65	15.69				
2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)3		0.05	45.00				
2-Wire Voice Grade Port (Centrex/from diff Serving Wire Center) UEP9D UEPQM 1.13 108.36 70.7		6.65 6.65	15.69 15.69				
2 UEP9D UEPQM 1.13 108.36 70.7 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3 UEP9D UEPQO 1.13 108.36 70.7 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3 UEP9D UEPQP 1.13 108.36 70.7 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3 UEP9D UEPQQ 1.13 108.36 70.7	24.30	0.00	13.03				
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3 UEP9D UEPQP 1.13 108.36 70.7 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3 UEP9D UEPQQ 1.113 108.36 70.7	1 54.47	11.94	15.69				
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3 UEP9D UEPQQ 1.13 108.36 70.7	1 54.47	11.94	15.69				
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3 UEP9D UEPQQ 1.13 108.36 70.7		11.94	45.00				
		11.94	15.69 15.69				
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3 UEP9D UEPQR 1.13 108.36 70.7	1 34.47	11.54	13.03				
	1 54.47	11.94	15.69				
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3 UEP9D UEPQS 1.13 108.36 70.7	1 54.47	11.94	15.69				
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3 UEP9D UEPQ4 1.13 108.36 70.7	1 54.47	11.94	15.69				
10.1 100.30 Total Control Cont	. 57.77	. 1.04	13.03				
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 UEP9D UEPQ5 1.13 108.36 70.7	1 54.47	11.94	15.69				
		44.04	45.00				
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3 UEP9D UEPQ6 1.13 108.36 70.7	1 54.47	11.94	15.69				
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3 UEP9D UEPQ7 1.13 108.36 70.7	1 54.47	11.94	15.69				
2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			13.00			-	-
Term UEP9D UEPQZ 1.13 108.36 70.7	1 54.47	11.94	15.69				
			45.55				
2-Wire Voice Grade Port terminated in on Megalink or equivalent UEP9D UEPQ9 1.13 40.30 19.9 2-Wire Voice Grade Port Terminated on 800 Service Term UEP9D UEPQ2 1.13 40.30 19.9		6.65 6.65	15.69 15.69				
Local Switching DEPGD DEPGZ 1.13 40.30 19.9	24.90	0.03	13.09	<u> </u>			
Centrex Intercom Funtionality, per port UEP9D URECS 0.7996			15.69	<u> </u>			
Local Number Portability							
Local Number Portability (1 per port) UEP9D LNPCC 0.35			_				
Features			15.69				
All Standard readures Oriered, per port UEP9D UEPVF 3.04 All Select Features Offered, per port UEP9D UEPVS 0.00 406.42			15.69	-			
All Centrex Control Features Offered, per port UEP9D UEPVC 3.04			15.69	+	—— —	-	

IBUNDLED	NETWORK ELEMENTS - South Carolina												Attachment:	2	Exhibit: B	
				_							Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremen
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge
		Indan:									Elec	Manually			Manual Svc	Manual
TEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC		RAT	ES(\$)				per LSR	Order vs.	Order vs.	Order vs.	Order v
		m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electron
													1st	Add'l	Disc 1st	Disc Ad
													151	Add I	DISC ISL	DISC AU
						Rec	Nonrecu		Nonrecurring					Rates(\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
												15.69				ļ
NARS																
	nbundled Network Access Register - Combination			UEP9D	UARCX	0.00	0.00	0.00				15.69				
	nbundled Network Access Register - Inward			UEP9D	UAR1X	0.00	0.00	0.00				15.69				
	nbundled Network Access Register - Outdial			UEP9D	UAROX	0.00	0.00	0.00				15.69				
	neous Terminations															
2-Wire Tr																
	runk Side Terminations, each			UEP9D	CEND6	8.86	119.57	18.78	60.03	3.77		15.69				
	gital (1.544 Megabits)															
	S1 Circuit Terminations, each			UEP9D	M1HD1	73.62	202.47	95.90	72.75	2.47		15.69				
	S0 Channels Activiated per Channel			UEP9D	M1HDO	0.00	14.51					15.69				
	e Channel Mileage - 2-Wire															
	teroffice Channel Facilities Termination			UEP9D	MIGBC	24.30	40.63	27.47	16.77	6.91		15.69				
In	teroffice Channel mileage, per mile or fraction of mile			UEP9D	MIGBM	0.0167										
Feature A	Activations (DS0) Centrex Loops on Channelized DS1 Service	e														
	nel Bank Feature Activations															
F	eature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9D	1PQWS	0.56						15.69				
	eature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9D	1PQW6	0.56						15.69				
F	eature Activation on D-4 Channel Bank FX Trunk Side Loop															
S	lot			UEP9D	1PQW7	0.56						15.69				
F	eature Activation on D-4 Channel Bank Centrex Loop Slot -															
D	ifferent Wire Center			UEP9D	1PQWP	0.56						15.69				
	eature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9D	1PQWV	0.56						15.69				
F	eature Activation on D-4 Channel Bank Tjie Line/Trunk Loop															
s	lot			UEP9D	1PQWQ	0.56						15.69				
F	eature Activation on D-4 Channel Bank WATS Loop Slot			UEP9D	1PQWA	0.56						15.69				
Non-Recu	urring Charges (NRC) Associated with UNE-P Centrex															
	RC Conversion Currently Combined Switch-As-Is with allowed															
	hanges, per port			UEP9D	USAC2		37.93	16.72				15.69				
	ew Centrex Standard Common Block			UEP9D	M1ACS	0.00	668.70					15.69				
	ew Centrex Customized Common Block			UEP9D	M1ACC	0.00	668.70				1	15.69				
	AR Establishment Charge, Per Occasion			UEP9D	URECA	0.00	72.89				1	15.69				
	Required Port for Centrex Control in 1AESS, 5ESS & EWSD			05	320,.	3.50	. 2.33				†	.5.55		1		†
	Regures Interoffice Channel Mileage															
	Requires Specific Customer Premises Equipment	1					-				 					1
	ates displaying an "R" in Interim column are interim and su	<u> </u>	1								ļ			ļ	ļ	