# BELLSOUTH® / CLEC Agreement

## Customer Name: Madison River Communications, LLC

Madison River COmmunications, LLC	2
Table_of_Contents	3
General_Terms_and_Conditions	5
Signature Page	24
Att_1Resale	25
Att 1 - Resale Discounts and Rates	49
Att_2UNEs	58
Att 2 - UNE Rates	130
Att_3Network_Interconnection	532
Att_3Local_Interconnection_Rates	561
Att_4CollocationCentral_Office	570
Att_4CollocationRemote_Site	607
Att 4 - Collocation Rates	641
Att_5Access_to_Numbers_and_Number_Portability	681
Att_6Ordering	685
Att_7Billing	692
Att_7ODUF_ADUF_EODUF_CMDS_Rates	709
Att_8Rights_of_Way	718
Att9 - PerfMeas	720
Att_9Performance_Measurements	722
Att_10Disaster_Recovery_Plan	897
Att 11 - RER and NRR Process	905

## **Interconnection Agreement**

By and Between

BellSouth Telecommunications, Inc.

And

**Madison River Communications, LLC** 

## **TABLE OF CONTENTS**

#### **General Terms and Conditions**

_		~	• .	•	
	10	+++	٦ıt	10	ns
	,,			1( )	

- 1. CLEC Certification
- 2. Term of the Agreement
- 3. Operational Support Systems
- 4. Parity
- 5. White Pages Listings
- 6. Court Ordered Requests for Call Detail Records and Other Subscriber Information
- 7. Liability and Indemnification
- 8. Intellectual Property Rights and Indemnification
- 9. Proprietary and Confidential Information
- 10. Resolution of Disputes
- 11. Taxes
- 12. Force Majeure
- 13. Adoption of Agreements
- 14. Modification of Agreement
- 15. Non-waiver of Legal Rights
- 16. Indivisibility
- 17. Waivers
- 18. Governing Law
- 19. Assignments
- 20. Notices
- 21. Rule of Construction
- 22. Headings of No Force or Effect
- 23. Multiple Counterparts
- 24. Filing of Agreement
- 25. Compliance with Applicable Law
- 26. Necessary Approvals
- 27. Good Faith Performance
- 28. Nonexclusive Dealings
- 29. Rate True-Up
- 30. Survival
- 31. Entire Agreement

## **TABLE OF CONTENTS (cont'd)**

- **Attachment 1 Resale**
- **Attachment 2 Network Elements and Other Services**
- **Attachment 3 Network Interconnection**
- **Attachment 4 Physical Collocation**
- **Attachment 5 Access to Numbers and Number Portability**
- Attachment 6 Pre-Ordering, Ordering, Provisioning, Maintenance and Repair
- **Attachment 7 Billing**
- Attachment 8 Rights-of-Way, Conduits and Pole Attachments
- **Attachment 9 Performance Measurements**
- **Attachment 10- BellSouth Disaster Recovery Plan**
- **Attachment 11–Bona Fide Request/New Business Request Process**

## AGREEMENT GENERAL TERMS AND CONDITIONS

**THIS AGREEMENT** is made by and between BellSouth Telecommunications, Inc., (BellSouth), a Georgia corporation, and Madison River Communications, LLC (MRC), a Delaware corporation, and shall be effective on the Effective Date, as defined herein. This Agreement may refer to either BellSouth or MRC or both as a "Party" or "Parties."

#### WITNESSETH

WHEREAS, BellSouth is a local exchange telecommunications company authorized to provide telecommunications services in the states of Alabama, Florida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, South Carolina and Tennessee; and

WHEREAS, MRC is or seeks to become a CLEC authorized to provide telecommunications services in the states of Alabama, Florida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, South Carolina, and Tennessee; and

WHEREAS, MRC wishes to resell BellSouth's telecommunications services and purchase network elements and other services, and, solely in connection therewith, may wish to utilize collocation space as set forth in Attachment 4 of this Agreement); and

**WHEREAS**, the Parties wish to interconnect their facilities and exchange traffic pursuant to Sections 251 and 252 of the Act.

**NOW THEREFORE**, in consideration of the mutual agreements contained herein, BellSouth and MRC agree as follows:

#### **Definitions**

**Affiliate** is defined as a person that (directly or indirectly) owns or controls, is owned or controlled by, or is under common ownership or control with, another person. For purposes of this paragraph, the term "own" means to own an equity interest (or equivalent thereof) of more than 10 percent.

**Commission** is defined as the appropriate regulatory agency in each state of BellSouth's nine-state region (Alabama, Florida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, South Carolina, and Tennessee).

Competitive Local Exchange Carrier (CLEC) means a telephone company certificated by the Commission to provide local exchange service within BellSouth's franchised area.

**Effective Date** is defined as the date that the Agreement is effective for purposes of rates, terms and conditions and shall be thirty (30) days after the date of the last signature executing the Agreement. Future amendments for rate changes will also be effective thirty (30) days after the date of the last signature executing the amendment.

**End User** means the ultimate user of the Telecommunications Service.

FCC means the Federal Communications Commission.

**General Terms and Conditions** means this document including all of the terms, provisions and conditions set forth herein.

**Telecommunications** means the transmission, between or among points specified by the user, of information of the user's choosing, without change in the form or content of the information as sent and received.

**Telecommunications Service** means the offering of telecommunications for a fee directly to the public, or to such classes of users as to be effectively available directly to the public, regardless of the facilities used.

**Telecommunications Act of 1996 (Act)** means Public Law 104-104 of the United States Congress effective February 8, 1996. The Act amended the Communications Act of 1934 (47 U.S.C. Section 1 et. seq.).

#### 1. CLEC Certification

- Prior to execution of this Agreement, MRC agrees to provide BellSouth in writing MRC's CLEC certification for all states covered by this Agreement except Kentucky prior to BellSouth filing this Agreement with the appropriate Commission for approval.
- 1.2 To the extent MRC is not certified as a CLEC in each state covered by this Agreement as of the execution hereof, MRC will notify BellSouth in writing and provide CLEC certification when it becomes certified to operate in any other state covered by this Agreement. Upon notification, BellSouth will file this Agreement with the appropriate Commission for approval.

#### 2. Term of the Agreement

2.1 The term of this Agreement shall be three years, beginning on the Effective Date and shall apply to the BellSouth territory in the state(s) of Alabama, Florida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, South Carolina and Tennessee. Notwithstanding any prior agreement of the Parties, the rates, terms and conditions of this Agreement shall not be applied retroactively prior to the Effective Date.

- 2.2 The Parties agree that by no earlier than two hundred seventy (270) days and no later than one hundred and eighty (180) days prior to the expiration of this Agreement, they shall commence negotiations for a new agreement to be effective beginning on the expiration date of this Agreement (Subsequent Agreement).
- If, within one hundred and thirty-five (135) days of commencing the negotiation referred to in Section 2.2 above, the Parties are unable to negotiate new terms, conditions and prices for a Subsequent Agreement, either Party may petition the Commission to establish appropriate terms, conditions and prices for the Subsequent Agreement pursuant to 47 U.S.C. 252.
- If, as of the expiration of this Agreement, a Subsequent Agreement has not been executed by the Parties, this Agreement shall terminate. Upon termination of this Agreement, BellSouth shall continue to offer services to MRC pursuant to the terms, conditions and rates set forth in BellSouth's then current standard interconnection agreement. In the event that BellSouth's standard interconnection agreement becomes effective as between the Parties, the Parties may continue to negotiate a Subsequent Agreement or arbitrate disputed issues to reach a Subsequent Agreement as set forth in Section 2.3 above, and the terms of such Subsequent Agreement shall be effective as of the effective date as stated in the Subsequent Agreement.

## 3. Operational Support Systems

MRC shall pay charges for Operational Support Systems (OSS) as set forth in this Agreement in Attachment 1 and/or in Attachments 2, 3 and 5, as applicable.

#### 4. Parity

When MRC purchases Telecommunications Services from BellSouth pursuant to Attachment 1 of this Agreement for the purposes of resale to End Users, such services shall be equal in quality, subject to the same conditions, and provided within the same provisioning time intervals that BellSouth provides to its Affiliates, subsidiaries and End Users. To the extent technically feasible, the quality of a Network Element, as well as the quality of the access to such Network Element provided by BellSouth to MRC shall be at least equal in quality to that which BellSouth provides to itself, its Affiliates or any other Telecommunications carrier. The quality of the interconnection between the network of BellSouth and the network of MRC shall be at a level that is equal to that which BellSouth provides itself, a subsidiary, an Affiliate, or any other party. The interconnection facilities shall be designed to meet the same technical criteria and service standards that are used within BellSouth's network and shall extend to a consideration of service quality as perceived by BellSouth's End Users and service quality as perceived by MRC.

#### 5. White Pages Listings

5.1 BellSouth shall provide MRC and its customers access to white pages directory listings under the following terms:

- 5.2 <u>Listings</u>. MRC shall provide all new, changed and deleted listings on a timely basis and BellSouth or its agent will include MRC residential and business customer listings in the appropriate White Pages (residential and business) or alphabetical directories in the geographic areas covered by this Interconnection Agreement. Directory listings will make no distinction between MRC and BellSouth subscribers.
- 5.2.1 <u>Rates.</u> So long as MRC provides subscriber listing information (SLI) to BellSouth in accordance with Section 5.3 below, BellSouth shall provide to MRC one (1) primary White Pages listing per MRC subscriber at no charge other than applicable service order charges as set forth in BellSouth's tariffs.
- 5.3 Procedures for Submitting MRC SLI are found in The BellSouth Business Rules for Local Ordering.
- MRC authorizes BellSouth to release all MRC SLI provided to BellSouth by MRC to qualifying third parties via either license agreement or BellSouth's Directory Publishers Database Service (DPDS), General Subscriber Services Tariff (GSST), Section A38.2, as the same may be amended from time to time. Such MRC SLI shall be intermingled with BellSouth's own customer listings and listings of any other CLEC that has authorized a similar release of SLI.
- 5.4.1 No compensation shall be paid to MRC for BellSouth's receipt of MRC SLI, or for the subsequent release to third parties of such SLI. In addition, to the extent BellSouth incurs costs to modify its systems to enable the release of MRC's SLI, or costs on an ongoing basis to administer the release of MRC SLI, MRC shall pay to BellSouth its proportionate share of the reasonable costs associated therewith. At any time that costs may be incurred to administer the release of MRC's SLI, MRC will be notified. If MRC does not wish to pay its proportionate share of these reasonable costs, MRC may instruct BellSouth that it does not wish to release its SLI to independent publishers, and MRC shall amend this Agreement accordingly. MRC will be liable for all costs incurred until the effective date of the amendment.
- Neither BellSouth nor any agent shall be liable for the content or accuracy of any SLI provided by MRC under this Agreement. MRC shall indemnify, hold harmless and defend BellSouth and its agents from and against any damages, losses, liabilities, demands, claims, suits, judgments, costs and expenses (including but not limited to reasonable attorneys' fees and expenses) arising from BellSouth's tariff obligations or otherwise and resulting from or arising out of any third party's claim of inaccurate MRC listings or use of the SLI provided pursuant to this Agreement. BellSouth may forward to MRC any complaints received by BellSouth relating to the accuracy or quality of MRC listings.
- 5.4.3 Listings and subsequent updates will be released consistent with BellSouth system changes and/or update scheduling requirements.

- 5.5 <u>Unlisted/Non-Published Subscribers</u>. MRC will be required to provide to BellSouth the names, addresses and telephone numbers of all MRC customers who wish to be omitted from directories. Unlisted/Non-Published SLI will be subject to the rates as set forth in BellSouth's GSST.
- 5.6 <u>Inclusion of MRC End Users in Directory Assistance Database</u>. BellSouth will include and maintain MRC subscriber listings in BellSouth's Directory Assistance databases at no recurring charge and MRC shall provide such Directory Assistance listings to BellSouth at no recurring charge.
- 5.7 <u>Listing Information Confidentiality</u>. BellSouth will afford MRC's directory listing information the same level of confidentiality that BellSouth affords its own directory listing information.
- 5.8 <u>Additional and Designer Listings</u>. Additional and designer listings will be offered by BellSouth at tariffed rates as set forth in the GSST.
- 5.9 <u>Directories</u>. BellSouth or its agent shall make available White Pages directories to MRC subscribers at no charge or as specified in a separate agreement with BellSouth's agent.

# 6. Court Ordered Requests for Call Detail Records and Other Subscriber Information

- 6.1 Subpoenas Directed to BellSouth. Where BellSouth provides resold services or local switching for MRC, BellSouth shall respond to subpoenas and court ordered requests delivered directly to BellSouth for the purpose of providing call detail records when the targeted telephone numbers belong to MRC End Users. Billing for such requests will be generated by BellSouth and directed to the law enforcement agency initiating the request. BellSouth shall maintain such information for MRC End Users for the same length of time it maintains such information for its own End Users.
- 6.2 <u>Subpoenas Directed to MRC</u>. Where BellSouth is providing to MRC Telecommunications Services for resale or providing to MRC the local switching function, then MRC agrees that in those cases where MRC receives subpoenas or court ordered requests regarding targeted telephone numbers belonging to MRC End Users, and where MRC does not have the requested information, MRC will advise the law enforcement agency initiating the request to redirect the subpoena or court ordered request to BellSouth for handling in accordance with 6.1 above.
- In all other instances, where either Party receives a request for information involving the other Party's End User, the Party receiving the request will advise the law enforcement agency initiating the request to redirect such request to the other Party.

## 7. Liability and Indemnification

- 7.1 MRC Liability. In the event that MRC consists of two (2) or more separate entities as set forth in this Agreement and/or any Amendments hereto, all such entities shall be jointly and severally liable for the obligations of MRC under this Agreement.
- 7.2 <u>Liability for Acts or Omissions of Third Parties</u>. BellSouth shall not be liable to MRC for any act or omission of another Telecommunications company providing services to MRC.

## 7.3 <u>Limitation of Liability</u>

- 7.3.1 Except for any indemnification obligations of the Parties hereunder, each Party's liability to the other for any loss, cost, claim, injury, liability or expense, including reasonable attorneys' fees relating to or arising out of any negligent act or omission in its performance of this Agreement, whether in contract or in tort, shall be limited to a credit for the actual cost of the services or functions not performed or improperly performed.
- Limitations in Tariffs. A Party may, in its sole discretion, provide in its tariffs and contracts with its End Users and third parties that relate to any service, product or function provided or contemplated under this Agreement, that to the maximum extent permitted by Applicable Law, such Party shall not be liable to the End User or third party for (i) any loss relating to or arising out of this Agreement, whether in contract, tort or otherwise, that exceeds the amount such Party would have charged that applicable person for the service, product or function that gave rise to such loss and (ii) consequential damages. To the extent that a Party elects not to place in its tariffs or contracts such limitations of liability, and the other Party incurs a loss as a result thereof, such Party shall indemnify and reimburse the other Party for that portion of the loss that would have been limited had the first Party included in its tariffs and contracts the limitations of liability that such other Party included in its own tariffs at the time of such loss.
- 7.3.3 Neither BellSouth nor MRC shall be liable for damages to the other Party's terminal location, equipment or End User premises resulting from the furnishing of a service, including, but not limited to, the installation and removal of equipment or associated wiring, except to the extent caused by a Party's negligence or willful misconduct or by a Party's failure to ground properly a local loop after disconnection.
- 7.3.4 Under no circumstance shall a Party be responsible or liable for indirect, incidental, or consequential damages, including, but not limited to, economic loss or lost business or profits, damages arising from the use or performance of equipment or software, or the loss of use of software or equipment, or accessories attached thereto, delay, error, or loss of data. In connection with this limitation of liability, each Party recognizes that the other Party may, from time to time, provide advice,

make recommendations, or supply other analyses related to the services or facilities described in this Agreement, and, while each Party shall use diligent efforts in this regard, the Parties acknowledge and agree that this limitation of liability shall apply to provision of such advice, recommendations, and analyses.

- 7.3.5 To the extent any specific provision of this Agreement purports to impose liability, or limitation of liability, on either Party different from or in conflict with the liability or limitation of liability set forth in this Section, then with respect to any facts or circumstances covered by such specific provisions, the liability or limitation of liability contained in such specific provision shall apply.
- Indemnification for Certain Claims. The Party providing services hereunder, its Affiliates and its parent company, shall be indemnified, defended and held harmless by the Party receiving services hereunder against any claim, loss or damage arising from the receiving Party's use of the services provided under this Agreement pertaining to (1) claims for libel, slander or invasion of privacy arising from the content of the receiving Party's own communications, or (2) any claim, loss or damage claimed by the End User of the Party receiving services arising from such company's use or reliance on the providing Party's services, actions, duties, or obligations arising out of this Agreement.
- 7.5 <u>Disclaimer</u>. EXCEPT AS SPECIFICALLY PROVIDED TO THE CONTRARY IN THIS AGREEMENT, NEITHER PARTY MAKES ANY REPRESENTATIONS OR WARRANTIES TO THE OTHER PARTY CONCERNING THE SPECIFIC QUALITY OF ANY SERVICES, OR FACILITIES PROVIDED UNDER THIS AGREEMENT. THE PARTIES DISCLAIM, WITHOUT LIMITATION, ANY WARRANTY OR GUARANTEE OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARISING FROM COURSE OF PERFORMANCE, COURSE OF DEALING, OR FROM USAGES OF TRADE.

#### 8. Intellectual Property Rights and Indemnification

8.1 No License. No patent, copyright, trademark or other proprietary right is licensed, granted or otherwise transferred by this Agreement. The Parties are strictly prohibited from any use, including but not limited to, in the selling, marketing, promoting or advertising of telecommunications services, of any name, service mark, logo or trademark (collectively, the "Marks") of the Other Party. The Marks include those Marks owned directly by a Party or its Affiliate(s) and those Marks that a Party has a legal and valid license to use. The Parties acknowledge that they are separate and distinct and that each provides a separate and distinct service and agree that neither Party may, expressly or impliedly, state, advertise or market that it is or offers the same service as the Other Party or engage in any other activity that may result in a likelihood of confusion between its own service and the service of the Other Party.

- 8.2 Ownership of Intellectual Property. Any intellectual property that originates from or is developed by a Party shall remain the exclusive property of that Party. Except for a limited, non-assignable, non-exclusive, non-transferable license to use patents or copyrights to the extent necessary for the Parties to use any facilities or equipment (including software) or to receive any service solely as provided under this Agreement, no license in patent, copyright, trademark or trade secret, or other proprietary or intellectual property right, now or hereafter owned, controlled or licensable by a Party, is granted to the other Party. Neither shall it be implied nor arise by estoppel. Any trademark, copyright or other proprietary notices appearing in association with the use of any facilities or equipment (including software) shall remain on the documentation, material, product, service, equipment or software. It is the responsibility of each Party to ensure at no additional cost to the other Party that it has obtained any necessary licenses in relation to intellectual property of third Parties used in its network that may be required to enable the other Party to use any facilities or equipment (including software), to receive any service, or to perform its respective obligations under this Agreement.
- 8.3 Intellectual Property Remedies
- 8.3.1 <u>Indemnification</u>. The Party providing a service pursuant to this Agreement will defend the Party receiving such service or data provided as a result of such service against claims of infringement arising solely from the use by the receiving Party of such service in the manner contemplated under this Agreement and will indemnify the receiving Party for any damages awarded based solely on such claims in accordance with Section 7 preceding.
- 8.3.2 <u>Claim of Infringement</u>. In the event that use of any facilities or equipment (including software), becomes, or in the reasonable judgment of the Party who owns the affected network is likely to become, the subject of a claim, action, suit, or proceeding based on intellectual property infringement, then said Party shall promptly and at its sole expense and sole option, but subject to the limitations of liability set forth below:
- 8.3.2.1 modify or replace the applicable facilities or equipment (including software) while maintaining form and function, or
- 8.3.2.2 obtain a license sufficient to allow such use to continue.
- 8.3.2.3 In the event Section 8.3.2.1 or 8.3.2.2 are commercially unreasonable, then said Party may terminate, upon reasonable notice, this contract with respect to use of, or services provided through use of, the affected facilities or equipment (including software), but solely to the extent required to avoid the infringement claim.
- 8.3.3 <u>Exception to Obligations</u>. Neither Party's obligations under this Section shall apply to the extent the infringement is caused by: (i) modification of the facilities or equipment (including software) by the indemnitee; (ii) use by the indemnitee of the facilities or equipment (including software) in combination with equipment or

facilities (including software) not provided or authorized by the indemnitor, provided the facilities or equipment (including software) would not be infringing if used alone; (iii) conformance to specifications of the indemnitee which would necessarily result in infringement; or (iv) continued use by the indemnitee of the affected facilities or equipment (including software) after being placed on notice to discontinue use as set forth herein.

- 8.3.4 <u>Exclusive Remedy</u>. The foregoing shall constitute the Parties' sole and exclusive remedies and obligations with respect to a third party claim of intellectual property infringement arising out of the conduct of business under this Agreement.
- 8.4 <u>Dispute Resolution.</u> Any claim arising under this Section 8 shall be excluded from the dispute resolution procedures set forth in Section 10 and shall be brought in a court of competent jurisdiction.

## 9. Proprietary and Confidential Information

- 9.1 Proprietary and Confidential Information. It may be necessary for BellSouth and MRC, each as the "Discloser," to provide to the other Party, as "Recipient," certain proprietary and confidential information (including trade secret information) including but not limited to technical, financial, marketing, staffing and business plans and information, strategic information, proposals, request for proposals, specifications, drawings, maps, prices, costs, costing methodologies, procedures, processes, business systems, software programs, techniques, customer account data, call detail records and like information (collectively the "Information"). All such Information conveyed in writing or other tangible form shall be clearly marked with a confidential or proprietary legend. Information conveyed orally by the Discloser to Recipient shall be designated as proprietary and confidential at the time of such oral conveyance, shall be reduced to writing by the Discloser within forty-five (45) days thereafter, and shall be clearly marked with a confidential or proprietary legend.
- 9.2 <u>Use and Protection of Information.</u> Recipient agrees to protect such Information of the Discloser provided to Recipient from whatever source from distribution, disclosure or dissemination to anyone except employees of Recipient with a need to know such Information solely in conjunction with Recipient's analysis of the Information and for no other purpose except as authorized herein or as otherwise authorized in writing by the Discloser. Recipient will not make any copies of the Information inspected by it.
- 9.3 <u>Exceptions</u>. Recipient will not have an obligation to protect any portion of the Information which:
- 9.3.1 (a) is made publicly available by the Discloser or lawfully by a nonparty to this Agreement; (b) is lawfully obtained by Recipient from any source other than Discloser; (c) is previously known to Recipient without an obligation to keep it

confidential; or (d) is released from the terms of this Agreement by Discloser upon written notice to Recipient.

- 9.4 Recipient agrees to use the Information solely for the purposes of negotiations pursuant to 47 U.S.C. 251 or in performing its obligations under this Agreement and for no other entity or purpose, except as may be otherwise agreed to in writing by the Parties. Nothing herein shall prohibit Recipient from providing information requested by the FCC or a state regulatory agency with jurisdiction over this matter, or to support a request for arbitration or an allegation of failure to negotiate in good faith.
- 9.5 Recipient agrees not to publish or use the Information for any advertising, sales or marketing promotions, press releases, or publicity matters that refer either directly or indirectly to the Information or to the Discloser or any of its affiliated companies.
- 9.6 The disclosure of Information neither grants nor implies any license to the Recipient under any trademark, patent, copyright, application or other intellectual property right that is now or may hereafter be owned by the Discloser.
- 9.7 <u>Survival of Confidentiality Obligations.</u> The Parties' rights and obligations under this Section 9 shall survive and continue in effect until two (2) years after the expiration or termination date of this Agreement with regard to all Information exchanged during the term of this Agreement. Thereafter, the Parties' rights and obligations hereunder survive and continue in effect with respect to any Information that is a trade secret under applicable law.

#### 10. Resolution of Disputes

Except as otherwise stated in this Agreement, if any dispute arises as to the interpretation of any provision of this Agreement or as to the proper implementation of this Agreement, the aggrieved Party shall petition the Commission for a resolution of the dispute. However, each Party reserves any rights it may have to seek judicial review of any ruling made by the Commission concerning this Agreement.

#### 11. Taxes

- 11.1 <u>Definition</u>. For purposes of this Section, the terms "taxes" and "fees" shall include but not be limited to federal, state or local sales, use, excise, gross receipts or other taxes or tax-like fees of whatever nature and however designated (including tariff surcharges and any fees, charges or other payments, contractual or otherwise, for the use of public streets or rights of way, whether designated as franchise fees or otherwise) imposed, or sought to be imposed, on or with respect to the services furnished hereunder or measured by the charges or payments therefore, excluding any taxes levied on income.
- 11.2 Taxes and Fees Imposed Directly On Either Providing Party or Purchasing Party.

- Taxes and fees imposed on the providing Party, which are not permitted or required to be passed on by the providing Party to its customer, shall be borne and paid by the providing Party.
- Taxes and fees imposed on the purchasing Party, which are not required to be collected and/or remitted by the providing Party, shall be borne and paid by the purchasing Party.
- 11.3 <u>Taxes and Fees Imposed on Purchasing Party But Collected And Remitted By Providing Party.</u>
- 11.3.1 Taxes and fees imposed on the purchasing Party shall be borne by the purchasing Party, even if the obligation to collect and/or remit such taxes or fees is placed on the providing Party.
- To the extent permitted by applicable law, any such taxes and/or fees shall be shown as separate items on applicable billing documents between the Parties. Notwithstanding the foregoing, the purchasing Party shall remain liable for any such taxes and fees regardless of whether they are actually billed by the providing Party at the time that the respective service is billed.
- 11.3.3 If the purchasing Party determines that in its opinion any such taxes or fees are not payable, the providing Party shall not bill such taxes or fees to the purchasing Party if the purchasing Party provides written certification, reasonably satisfactory to the providing Party, stating that it is exempt or otherwise not subject to the tax or fee, setting forth the basis therefor, and satisfying any other requirements under applicable law. If any authority seeks to collect any such tax or fee that the purchasing Party has determined and certified not to be payable, or any such tax or fee that was not billed by the providing Party, the purchasing Party may contest the same in good faith, at its own expense. In any such contest, the purchasing Party shall promptly furnish the providing Party with copies of all filings in any proceeding, protest, or legal challenge, all rulings issued in connection therewith, and all correspondence between the purchasing Party and the taxing authority.
- In the event that all or any portion of an amount sought to be collected must be paid in order to contest the imposition of any such tax or fee, or to avoid the existence of a lien on the assets of the providing Party during the pendency of such contest, the purchasing Party shall be responsible for such payment and shall be entitled to the benefit of any refund or recovery.
- 11.3.5 If it is ultimately determined that any additional amount of such a tax or fee is due to the imposing authority, the purchasing Party shall pay such additional amount, including any interest and penalties thereon.
- 11.3.6 Notwithstanding any provision to the contrary, the purchasing Party shall protect, indemnify and hold harmless (and defend at the purchasing Party's expense) the providing Party from and against any such tax or fee, interest or penalties thereon, or other charges or payable expenses (including reasonable attorney fees) with

respect thereto, which are incurred by the providing Party in connection with any claim for or contest of any such tax or fee.

- 11.3.7 Each Party shall notify the other Party in writing of any assessment, proposed assessment or other claim for any additional amount of such a tax or fee by a taxing authority; such notice to be provided, if possible, at least ten (10) days prior to the date by which a response, protest or other appeal must be filed, but in no event later than thirty (30) days after receipt of such assessment, proposed assessment or claim.
- 11.4 Taxes and Fees Imposed on Providing Party But Passed On To Purchasing Party.
- 11.4.1 Taxes and fees imposed on the providing Party, which are permitted or required to be passed on by the providing Party to its customer, shall be borne by the purchasing Party.
- To the extent permitted by applicable law, any such taxes and/or fees shall be shown as separate items on applicable billing documents between the Parties. Notwithstanding the foregoing, the purchasing Party shall remain liable for any such taxes and fees regardless of whether they are actually billed by the providing Party at the time that the respective service is billed.
- If the purchasing Party disagrees with the providing Party's determination as to the application or basis for any such tax or fee, the Parties shall consult with respect to the imposition and billing of such tax or fee. Notwithstanding the foregoing, the providing Party shall retain ultimate responsibility for determining whether and to what extent any such taxes or fees are applicable, and the purchasing Party shall abide by such determination and pay such taxes or fees to the providing Party. The providing Party shall further retain ultimate responsibility for determining whether and how to contest the imposition of such taxes and fees; provided, however, that any such contest undertaken at the request of the purchasing Party shall be at the purchasing Party's expense.
- In the event that all or any portion of an amount sought to be collected must be paid in order to contest the imposition of any such tax or fee, or to avoid the existence of a lien on the assets of the providing Party during the pendency of such contest, the purchasing Party shall be responsible for such payment and shall be entitled to the benefit of any refund or recovery.
- 11.4.5 If it is ultimately determined that any additional amount of such a tax or fee is due to the imposing authority, the purchasing Party shall pay such additional amount, including any interest and penalties thereon.
- 11.4.6 Notwithstanding any provision to the contrary, the purchasing Party shall protect, indemnify and hold harmless (and defend at the purchasing Party's expense) the providing Party from and against any such tax or fee, interest or penalties thereon, or other reasonable charges or payable expenses (including reasonable attorneys'

fees) with respect thereto, which are incurred by the providing Party in connection with any claim for or contest of any such tax or fee.

- 11.4.7 Each Party shall notify the other Party in writing of any assessment, proposed assessment or other claim for any additional amount of such a tax or fee by a taxing authority; such notice to be provided, if possible, at least ten (10) days prior to the date by which a response, protest or other appeal must be filed, but in no event later than thirty (30) days after receipt of such assessment, proposed assessment or claim.
- Mutual Cooperation. In any contest of a tax or fee by one Party, the other Party shall cooperate fully by providing records, testimony and such additional information or assistance as may reasonably be necessary to pursue the contest. Further, the other Party shall be reimbursed for any reasonable and necessary out-of-pocket copying and travel expenses incurred in assisting in such contest.

## 12. Force Majeure

In the event performance of this Agreement, or any obligation hereunder, is either directly or indirectly prevented, restricted, or interfered with by reason of fire, flood, earthquake or like acts of God, wars, revolution, civil commotion, explosion, acts of public enemy, embargo, acts of the government in its sovereign capacity, labor difficulties, including without limitation, strikes, slowdowns, picketing, or boycotts, unavailability of equipment from vendor, changes requested by MRC, or any other circumstances beyond the reasonable control and without the fault or negligence of the Party affected, the Party affected, upon giving prompt notice to the other Party, shall be excused from such performance on a day-to-day basis to the extent of such prevention, restriction, or interference (and the other Party shall likewise be excused from performance of its obligations on a day-to-day basis until the delay, restriction or interference has ceased); provided, however, that the Party so affected shall use diligent efforts to avoid or remove such causes of non-performance and both Parties shall proceed whenever such causes are removed or cease.

#### 13. Adoption of Agreements

BellSouth shall make available, pursuant to 47 USC § 252 and the FCC rules and regulations regarding such availability, to MRC any interconnection, service, or network element provided under any other agreement filed and approved pursuant to 47 USC § 252, provided a minimum of six months remains on the term of such agreement. The Parties shall adopt all rates, terms and conditions concerning such other interconnection, service or network element and any other rates, terms and conditions that are legitimately related to or were negotiated in exchange for or in conjunction with the interconnection, service or network element being adopted. The adopted interconnection, service, or network element and agreement shall apply to the same states as such other agreement. The term of the adopted agreement or provisions shall expire on the same date as set forth in the agreement that was adopted.

## 14. Modification of Agreement

- 14.1 If MRC changes its name or makes changes to its company structure or identity due to a merger, acquisition, transfer or any other reason, it is the responsibility of MRC to notify BellSouth of said change and request that an amendment to this Agreement, if necessary, be executed to reflect said change.
- 14.2 No modification, amendment, supplement to, or waiver of the Agreement or any of its provisions shall be effective and binding upon the Parties unless it is made in writing and duly signed by the Parties.
- In the event that any effective legislative, regulatory, judicial or other legal action materially affects any material terms of this Agreement, or the ability of MRC or BellSouth to perform any material terms of this Agreement, MRC or BellSouth may, on thirty (30) days' written notice, require that such terms be renegotiated, and the Parties shall renegotiate in good faith such mutually acceptable new terms as may be required. In the event that such new terms are not renegotiated within ninety (90) days after such notice, the Dispute shall be referred to the Dispute Resolution procedure set forth in this Agreement.

## 15. Non-waiver of Legal Rights

Execution of this Agreement by either Party does not confirm or imply that the executing Party agrees with any decision(s) issued pursuant to the Telecommunications Act of 1996 and the consequences of those decisions on specific language in this Agreement. Neither Party waives its rights to appeal or otherwise challenge any such decision(s) and each Party reserves all of its rights to pursue any and all legal and/or equitable remedies, including appeals of any such decision(s).

## 16. Indivisibility

The Parties intend that this Agreement be indivisible and nonseverable, and each of the Parties acknowledges that it has assented to all of the covenants and promises in this Agreement as a single whole and that all of such covenants and promises, taken as a whole, constitute the essence of the contract. Without limiting the generality of the foregoing, each of the Parties acknowledges that any provision by BellSouth of collocation space under this Agreement is solely for the purpose of facilitating the provision of other services under this Agreement and that neither Party would have contracted with respect to the provisioning of collocation space under this Agreement if the covenants and promises of the other Party with respect to the other services provided under this Agreement had not been made. The Parties further acknowledge that this Agreement is intended to constitute a single transaction, that the obligations of the Parties under this Agreement are intended to be recouped against other payment obligations under this Agreement.

#### 17. Waivers

A failure or delay of either Party to enforce any of the provisions hereof, to exercise any option which is herein provided, or to require performance of any of the provisions hereof shall in no way be construed to be a waiver of such provisions or options, and each Party, notwithstanding such failure, shall have the right thereafter to insist upon the performance of any and all of the provisions of this Agreement.

## 18. Governing Law

Where applicable, this Agreement shall be governed by and construed in accordance with federal and state substantive telecommunications law, including rules and regulations of the FCC and appropriate Commission. In all other respects, this Agreement shall be governed by and construed and enforced in accordance with the laws of the State of Georgia without regard to its conflict of laws principles.

## 19. Assignments

Any assignment by either Party to any non-affiliated entity of any right, obligation or duty, or of any other interest hereunder, in whole or in part, without the prior written consent of the other Party shall be void. A Party may assign this Agreement in its entirety to an Affiliate of the Party without the consent of the other Party; provided, however, that the assigning Party shall notify the other Party in writing of such assignment thirty (30) days prior to the Effective Date thereof and, provided further, if the assignee is an assignee of MRC, the assignee must provide evidence of Commission CLEC certification. The Parties shall amend this Agreement to reflect such assignments and shall work cooperatively to implement any changes required due to such assignment. All obligations and duties of any Party under this Agreement shall be binding on all successors in interest and assigns of such Party. No assignment or delegation hereof shall relieve the assignor of its obligations under this Agreement in the event that the assignee fails to perform such obligations. Notwithstanding anything to the contrary in this Section, MRC shall not assign this Agreement to any Affiliate or non-affiliated entity unless either (1) MRC pays all bills, past due and current, under this Agreement, or (2) MRC's assignee expressly assumes liability for payment of such bills.

#### 20. Notices

20.1 Every notice, consent, approval, or other communications required or contemplated by this Agreement shall be in writing and shall be delivered by hand, by overnight courier or by US mail postage prepaid, address to:

#### **BellSouth Telecommunications, Inc.**

BellSouth Local Contract Manager 600 North 19<sup>th</sup> Street, 8<sup>th</sup> floor

Birmingham, Alabama 35203

and

ICS Attorney Suite 4300 675 W. Peachtree St. Atlanta, GA 30375

#### **Madison River Communications, LLC**

Vice President/General Counsel 103 South Fifth St. P. O. Box 430 Mebane, NC 27302

And

Director Regulatory Affairs 103 South Fifth St. P. O. Box 430 Mebane, NC 27302

or at such other address as the intended recipient previously shall have designated by written notice to the other Party.

- Unless otherwise provided in this Agreement, notice by mail shall be effective on the date it is officially recorded as delivered by return receipt or equivalent, and in the absence of such record of delivery, it shall be presumed to have been delivered the fifth day, or next business day after the fifth day, after it was deposited in the mails.
- Notwithstanding the foregoing, BellSouth may provide MRC notice via Internet posting of price changes and changes to the terms and conditions of services available for resale per Commission Orders. BellSouth will post changes to business processes and policies, notices of new service offerings, and changes to service offerings not requiring an amendment to this Agreement, notices required to be posted to BellSouth's website, and any other information of general applicability to CLECs.

#### 21. Rule of Construction

No rule of construction requiring interpretation against the drafting Party hereof shall apply in the interpretation of this Agreement.

## 22. Headings of No Force or Effect

The headings of Articles and Sections of this Agreement are for convenience of reference only, and shall in no way define, modify or restrict the meaning or interpretation of the terms or provisions of this Agreement.

## 23. Multiple Counterparts

This Agreement may be executed in multiple counterparts, each of which shall be deemed an original, but all of which shall together constitute but one and the same document.

## 24. Filing of Agreement

Upon execution of this Agreement it shall be filed with the appropriate state regulatory agency pursuant to the requirements of Section 252 of the Act, and the Parties shall share equally any filing fees therefor. If the regulatory agency imposes any filing or public interest notice fees regarding the filing or approval of the Agreement, MRC shall be responsible for publishing the required notice and the publication and/or notice costs shall be borne by MRC. Notwithstanding the foregoing, this Agreement shall not be submitted for approval by the appropriate state regulatory agency unless and until such time as MRC is duly certified as a local exchange carrier in such state, except as otherwise required by a Commission.

#### 25. Compliance with Applicable Law

Each Party shall comply at its own expense with Applicable Law.

#### 26. Necessary Approvals

Each Party shall be responsible for obtaining and keeping in effect all approvals from, and rights granted by, governmental authorities, building and property owners, other carriers, and any other persons that may be required in connection with the performance of its obligations under this Agreement. Each Party shall reasonably cooperate with the other Party in obtaining and maintaining any required approvals and rights for which such Party is responsible.

## 27. Good Faith Performance

Each Party shall act in good faith in its performance under this Agreement and, in each case in which a Party's consent or agreement is required or requested hereunder, such Party shall not unreasonably withhold or delay such consent or agreement.

## 28. Nonexclusive Dealings

This Agreement does not prevent either Party from providing or purchasing services to or from any other person nor, except as provided in Section 252(i) of the Act, does it obligate either Party to provide or purchase any services (except insofar as the Parties are obligated to provide access to Interconnection, services and Network Elements to MRC as a requesting carrier under the Act).

## 29. Rate True-Up

- 29.1 This section applies to Network Interconnection and/or Unbundled Network Elements and Other Services rates that are expressly subject to true-up under this Agreement.
- 29.2 The designated true-up rates shall be trued-up, either up or down, based on final prices determined either by further agreement between the Parties, or by a final order (including any appeals) of the Commission. The Parties shall implement the true-up by comparing the actual volumes and demand for each item, together with the designated true-up rates for each item, with the final prices determined for each item. Each Party shall keep its own records upon which the true-up can be based, and any final payment from one Party to the other shall be in an amount agreed upon by the Parties based on such records. In the event of any disagreement as between the records or the Parties regarding the amount of such true-up, the Parties shall submit the matter to the Dispute Resolution process in accordance with the provisions of Section 10 of the General Terms and Conditions of this Agreement.
- An effective order of the Commission that forms the basis of a true-up shall be based upon cost studies submitted by either or both Parties to the Commission and shall be binding upon BellSouth and MRC specifically or upon all carriers generally, such as a generic cost proceeding.

#### 30. Survival

The Parties' obligations under this Agreement which by their nature are intended to continue beyond the termination or expiration of this Agreement shall survive the termination or expiration of this Agreement.

## 31. Entire Agreement

This Agreement means the General Terms and Conditions, the Attachments identified in Section 31.2 below, and all documents identified therein, as such may be amended from time to time and which are incorporated herein by reference, all of which, when taken together, are intended to constitute one indivisible agreement. This Agreement sets forth the entire understanding and supersedes prior agreements between the Parties relating to the subject matter contained in this Agreement and merges all prior discussions between them. Any orders placed under prior agreements between the Parties shall be governed by the terms of this Agreement and MRC acknowledges and agrees that any and all amounts and

obligations owed for services provisioned or orders placed under prior agreements between the Parties, related to the subject matter hereof, shall be due and owing under this Agreement and be governed by the terms and conditions of this Agreement as if such services or orders were provisioned or placed under this Agreement. Neither Party shall be bound by any definition, condition, provision, representation, warranty, covenant or promise other than as expressly stated in this Agreement or as is contemporaneously or subsequently set forth in writing and executed by a duly authorized officer or representative of the Party to be bound thereby.

This Agreement includes Attachments with provisions for the following:

Resale

Network Elements and Other Services

Network Interconnection

Collocation

Access to Numbers and Number Portability

Pre-Ordering, Ordering, Provisioning, Maintenance and Repair

**Billing** 

Rights-of-Way, Conduits and Pole Attachments

Performance Measurements

BellSouth Disaster Recovery Plan

Bona Fide Request/New Business Request Process

The following services are included as options for purchase by MRC pursuant to the terms and conditions set forth in this Agreement. MRC may elect to purchase said services by written request to its Local Contract Manager if applicable:

Optional Daily Usage File (ODUF)

Enhanced Optional Daily Usage File (EODUF)

Access Daily Usage File (ADUF)

Line Information Database (LIDB) Storage

Centralized Message Distribution Service (CMDS)

Calling Name (CNAM)

LNP Data Base Query Service

IN WITNESS WHEREOF, the Parties have executed this Agreement the day and year written below.

BellSouth Telecommunications, Inc.

Bull of A

Name: LATINICA C. FINICA

Title: Ass. DIRECTOR

Date: 7/30/03

Madison River Communications, LLC

By: Michael T Shura

Name: Michael T Skrivan

Title: VP Revenue

Date: July 25, 2003

Version 1Q03: 05/09/03

A 1 .	
Attachment	

Page 1

## **Attachment 1**

Resale

## **Table of Contents**

1.	Discount Rates	3
2.	Definition of Terms	3
3.	General Provisions	3
4.	BellSouth's Provision of Services to MRC	7
5.	Maintenance of Services	9
6.	Establishment of Service	9
7.	Discontinuance of Service	10
8.	Operator Services (Operator Call Processing and Directory Assistance)	10
9.	Line Information Database (LIDB)	14
10.	RAO Hosting	14
11.	Optional Daily Usage File (ODUF)	14
12.	Enhanced Optional Daily Usage File (EODUF)	14
Res	sale RestrictionsExhib	it A
Lin	e Information Database (LIDB) Storage AgreemtExhib	it B
Opt	tional Daily Usage File (ODUF)Exhibi	it C
Enl	nanced Option Daily Usage File (EODUF)Exhibit	it D
Doc	rala Disagunts and Datas Evhih	it E

#### **RESALE**

#### 1. Discount Rates

- 1.1 The discount rates applied to MRC purchases of BellSouth Telecommunications Services for the purpose of resale shall be as set forth in Exhibit E. Such discounts have been determined by the applicable Commission to reflect the costs avoided by BellSouth when selling a service for wholesale purposes.
- 1.2 The telecommunications services available for purchase by MRC for the purposes of resale to MRC's End Users shall be available at BellSouth's tariffed rates less the discount set forth in Exhibit E to this Agreement and subject to the exclusions and limitations set forth in Exhibit A to this Agreement.

#### 2. Definition of Terms

- 2.1 COMPETITIVE LOCAL EXCHANGE COMPANY (CLEC) means a telephone company certificated by the Commission to provide local exchange service within BellSouth's franchised area.
- 2.2 CUSTOMER OF RECORD means the entity responsible for placing application for service; requesting additions, rearrangements, maintenance or discontinuance of service; payment in full of charges incurred such as non-recurring, monthly recurring, toll, directory assistance, etc.
- 2.3 DEPOSIT means assurance provided by a customer in the form of cash, surety bond or bank letter of credit to be held by BellSouth.
- 2.4 END USER means the ultimate user of the Telecommunications Service.
- 2.5 END USER CUSTOMER LOCATION means the physical location of the premises where an End User makes use of the telecommunications services.
- 2.6 NEW SERVICES means functions, features or capabilities that are not currently offered by BellSouth. This includes packaging of existing services or combining a new function, feature or capability with an existing service.
- 2.7 RESALE means an activity wherein a certificated CLEC, such as MRC, subscribes to the telecommunications services of BellSouth and then offers those telecommunications services to the public.

#### 3. General Provisions

3.1 All of the negotiated rates, terms and conditions set forth in this Attachment pertain to the resale of BellSouth's retail telecommunications services and other services specified in this Attachment. Subject to effective and applicable FCC and

Commission rules and orders, BellSouth shall make available to MRC for resale those telecommunications services BellSouth makes available, pursuant to its General Subscriber Services Tariff (GSST) and Private Line Services Tariff (PLST), to customers who are not telecommunications carriers.

- 3.1.1 When MRC provides Resale service in a cross boundary area (areas that are part of the local serving area of another state's exchange) the rates, regulations and discounts for the tariffing state will apply. Billing will be from the serving state.
- 3.1.2 In Tennessee, if MRC does not resell Lifeline service to any end users, and if MRC agrees to order an appropriate Operator Services/Directory Assistance block as set forth in BellSouth's GSST, the discount shall be 21.56%.
- 3.1.2.1 In the event MRC resells Lifeline service to any end user in Tennessee, BellSouth will begin applying the 16% discount rate to all services. Upon MRC and BellSouth's implementation of a billing arrangement whereby a separate Master Account (Q-account) associated with a separate Operating Customer Number (OCN) is established for billing of Lifeline service end users, the discount shall be applied as set forth in 3.1.2 preceding for the non-Lifeline affected Master Account (Q-account).
- 3.1.2.2 MRC must provide written notification to BellSouth within 30 days prior to either providing its own operator services/ directory services or orders the appropriate operator services/directory assistance blocking, to qualify for the higher discount rate of 21.56%.
- 3.2 MRC may purchase resale services from BellSouth for its own use in operating its business. The resale discount will apply to those services under the following conditions:
- 3.2.1 MRC must resell services to other End Users.
- 3.2.2 MRC cannot be a CLEC for the single purpose of selling to itself.
- 3.3 MRC will be the customer of record for all services purchased from BellSouth. Except as specified herein, BellSouth will take orders from, bill and receive payment from MRC for said services.
- MRC will be BellSouth's single point of contact for all services purchased pursuant to this Agreement. BellSouth shall have no contact with the End User except to the extent provided for herein. Each Party shall provide to the other a nation wide (50 states) toll-free contact number for purposes of repair and maintenance.
- 3.5 BellSouth will continue to bill the End User for any services that the End User specifies it wishes to receive directly from BellSouth. BellSouth maintains the right to serve directly any End User within the service area of MRC. BellSouth will continue to market directly its own telecommunications products and services and

in doing so may establish independent relationships with End Users of MRC. Neither Party shall interfere with the right of any person or entity to obtain service directly from the other Party.

- 3.5.1 When an End User of MRC or BellSouth elects to change his/her carrier to the other Party, both Parties agree to release the End User's service to the other Party concurrent with the due date of the service order, which shall be established based on the standard interval for the End User's requested service as set forth in the BellSouth Product and Services Interval Guide.
- 3.5.2 BellSouth and MRC will refrain from contacting an End User who has placed or whose selected carrier has placed on the End User's behalf an order to change the End User's service provider from BellSouth or MRC to the other Party until such time that the order for service has been completed.
- 3.6 Current telephone numbers may normally be retained by the End User and are assigned to the service furnished. However, neither Party nor the End User has a property right to the telephone number or any other call number designation associated with services furnished by BellSouth, and no right to the continuance of service through any particular central office. BellSouth reserves the right to change such numbers, or the central office designation associated with such numbers, or both, whenever BellSouth deems it necessary to do so in the conduct of its business and in accordance with BellSouth practices and procedures on a nondiscriminatory basis.
- 3.7 Where BellSouth provides resold services to MRC, BellSouth will provide MRC with on line access to intermediate telephone numbers as defined by applicable FCC rules and regulations on a first come first served basis. MRC acknowledges that such access to numbers shall be in accordance with the appropriate FCC rules and regulations. MRC acknowledges that there may be instances where there is a shortage of telephone numbers in a particular Common Language Location Identifier (CLLI) code; and in such instances, MRC shall return unused intermediate telephone numbers to BellSouth upon BellSouth's request. BellSouth shall make all such requests on a nondiscriminatory basis.
- 3.8 BellSouth will allow MRC to designate up to 100 intermediate telephone numbers per CLLI code, for MRC's sole use. Assignment, reservation and use of telephone numbers shall be governed by applicable FCC rules and regulations. MRC acknowledges that there may be instances where there is a shortage of telephone numbers in a particular CLLI code and BellSouth has the right to limit access to blocks of intermediate telephone numbers. These instances include: 1) where jeopardy status has been declared by the North American Numbering Plan (NANP) for a particular Numbering Plan Area (NPA); or 2) where a rate center has less than six months supply of numbering resources.

- 3.9 Service is furnished subject to the condition that it will not be used for any unlawful purpose.
- 3.10 Service will be discontinued if any law enforcement agency advises that the service being used is in violation of the law.
- 3.11 BellSouth can refuse service when it has grounds to believe that service will be used in violation of the law.
- 3.12 BellSouth will cooperate with law enforcement agencies with subpoenas and court orders relating to MRC's End Users, pursuant to Section 6 of the General Terms and Conditions.
- 3.13 If MRC or its End Users utilize a BellSouth resold telecommunications service in a manner other than that for which the service was originally intended as described in BellSouth's retail tariffs, MRC has the responsibility to notify BellSouth. BellSouth will only provision and maintain said service consistent with the terms and conditions of the tariff describing said service.
- Facilities and/or equipment utilized by BellSouth to provide service to MRC remain the property of BellSouth.
- White page directory listings for MRC End Users will be provided in accordance with Section 5 of the General Terms and Conditions.
- 3.16 Service Ordering and Operational Support Systems (OSS)
- 3.16.1 MRC must order services through resale interfaces, i.e., the Local Carrier Service Center (LCSC) and/or appropriate Complex Resale Support Group (CRSG) pursuant to this Agreement. BellSouth has developed and made available the interactive interfaces by which MRC may submit a Local Service Request (LSR) electronically as set forth in Attachment 6 of this Agreement. Service orders will be in a standard format designated by BellSouth.
- 3.16.2 LSRs submitted by means of one of these interactive interfaces will incur an OSS electronic charge as set forth in Exhibit E to this Attachment. An individual LSR will be identified for billing purposes by its Purchase Order Number (PON). LSRs submitted by means other than one of these interactive interfaces (Mail, fax, courier, etc.) will incur a manual order charge as set forth in Exhibit E to this Attachment. Supplements or clarifications to a previously billed LSR will not incur another OSS charge.
- 3.16.3 <u>Denial/Restoral OSS Charge</u>. In the event MRC provides a list of customers to be denied and restored, rather than an LSR, each location on the list will require a separate PON and therefore will be billed as one LSR per location.

- 3.16.4 <u>Cancellation OSS Charge.</u> MRC will incur an OSS charge for an accepted LSR that is later canceled.
- 3.17 Where available to BellSouth's End Users, BellSouth shall provide the following telecommunications services at a discount to allow for voice mail services:
  - Message Waiting Indicator (MWI), stutter dialtone and message waiting light feature capabilities
  - Call Forward Busy Line (CF/B)
  - Call Forward Don't Answer (CF/DA)

Further, BellSouth messaging services set forth in BellSouth's Messaging Service Information Package shall be made available for resale without the wholesale discount.

- 3.18 BellSouth shall provide branding for, or shall unbrand, voice mail services for MRC per the BFR/NBR process as set forth in Attachment 11 of this Agreement.
- 3.19 BellSouth's Inside Wire Maintenance Service Plan is available for resale at rates, terms and conditions as set forth by BellSouth and without the wholesale discount.
- 3.20 In the event MRC acquires an end user whose service is provided pursuant to a BellSouth Special Assembly, BellSouth shall make available to MRC that Special Assembly at the wholesale discount at MRC's option. MRC shall be responsible for all terms and conditions of such Special Assembly including but not limited to termination liability if applicable.
- 3.21 BellSouth shall provide 911/E911 for MRC customers in the same manner that it is provided to BellSouth customers. BellSouth shall provide and validate MRC customer information to the PSAP. BellSouth shall use its service order process to update and maintain, on the same schedule that it uses for its customers, the MRC customer service information in the ALI/DMS (Automatic Location Identification/Location Information) databases used to support 911/E911 services.
- 3.22 BellSouth shall bill, and MRC shall pay, the End User line charge associated with implementing Number Portability as set forth in BellSouth's FCC No. 1 tariff. This charge is not subject to the wholesale discount.
- 3.23 Pursuant to 47 CFR Section 51.617, BellSouth shall bill to MRC, and MRC shall pay, the End User common line charges identical to the End User common line charges BellSouth bills its End Users.

#### 4. BellSouth's Provision of Services to MRC

- 4.1 Resale of BellSouth services shall be as follows:
- 4.1.1 The resale of telecommunications services shall be limited to users and uses conforming to the class of service restrictions.

- 4.1.2 Hotel and Hospital PBX services are the only telecommunications services available for resale to Hotel/Motel and Hospital End Users, respectively. Similarly, Access Line Service for Customer Provided Coin Telephones is the only local service available for resale to Payphone Service Provider (PSP) customers. Shared Tenant Service customers can only be sold those local exchange access services available in BellSouth's A23 Shared Tenant Service Tariff in the states of Florida, Georgia, North Carolina and South Carolina, and in A27 in the states of Alabama, Kentucky, Louisiana, Mississippi and Tennessee.
- 4.1.3 BellSouth reserves the right to periodically audit services purchased by MRC to establish authenticity of use. Such audit shall not occur more than once in a calendar year. MRC shall make any and all records and data available to BellSouth or BellSouth's auditors on a reasonable basis. BellSouth shall bear the cost of said audit. Any information provided by MRC for purposes of such audit shall be deemed Confidential Information pursuant to the General Terms and Conditions of this Agreement.
- 4.2 Subject to Exhibit A hereto, resold services can only be used in the same manner as specified in BellSouth's Tariffs. Resold services are subject to the same terms and conditions as are specified for such services when furnished to an individual End User of BellSouth in the appropriate section of BellSouth's Tariffs. Specific tariff features (e.g. a usage allowance per month) shall not be aggregated across multiple resold services.
- 4.3 MRC may resell services only within the specific service area as defined in its certificate of operation approved by the Commission.
- 4.4 If MRC cancels an order for resold services, any costs incurred by BellSouth in conjunction with provisioning of such order will be recovered in accordance with BellSouth's GSST and PLST.
- 4.5 <u>Service Jointly Provisioned with an Independent Company or Competitive Local Exchange Company Areas</u>
- 4.5.1 BellSouth will in some instances provision resold services in accordance with the GSST and PLST jointly with an Independent Company or other CLEC.
- 4.5.2 When MRC assumes responsibility for such service, all terms and conditions defined in the Tariff will apply for services provided within the BellSouth service area only.
- 4.5.3 Service terminating in an Independent Company or other CLEC area will be provisioned and billed by the Independent Company or other CLEC directly to MRC.
- 4.5.4 MRC must establish a billing arrangement with the Independent Company or other CLEC prior to assuming an end user account where such circumstances apply.

4.5.5 Specific guidelines regarding such services are available on BellSouth's website @ www.interconnection.bellsouth.com.

#### 5. Maintenance of Services

- 5.1 Services resold pursuant to this Attachment and BellSouth's GSST and PLST and facilities and equipment provided by BellSouth shall be maintained by BellSouth.
- 5.2 MRC or its End Users may not rearrange, move, disconnect, remove or attempt to repair any facilities owned by BellSouth except with the written consent of BellSouth.
- 5.3 MRC accepts responsibility to notify BellSouth of situations that arise that may result in a service problem.
- 5.4 MRC will contact the appropriate repair centers in accordance with procedures established by BellSouth.
- For all repair requests, MRC shall adhere to BellSouth's prescreening guidelines prior to referring the trouble to BellSouth.
- BellSouth will bill MRC for handling troubles that are found not to be in BellSouth's network pursuant to its standard time and material charges. The standard time and material charges will be no more than what BellSouth charges to its retail customers for the same services.
- 5.7 BellSouth reserves the right to contact MRC's End Users, if deemed necessary, for maintenance purposes.

#### 6. Establishment of Service

- After receiving certification as a local exchange carrier from the applicable regulatory agency, MRC will provide the appropriate BellSouth account manager the necessary documentation to enable BellSouth to establish accounts for resold services (master account). MRC is required to provide the following before a master account is established: proof of PSC/PUC certification, the Application for Master Account, an OCN assigned by NECA and a tax exemption certificate, if applicable.
- 6.1.1 If MRC needs to change its OCN(s) under which it operates when MRC has already been conducting business utilizing those OCN(s), MRC shall bear all costs incurred by BellSouth to convert MRC to the new OCN(s). OCN conversion charges include all time required to make system updates to all of MRC's end user customer records. Appropriate charges will appear in the OC&C section of MRC's bill.

- MRC shall provide to BellSouth a blanket letter of authorization (LOA) certifying that MRC will have End User authorization prior to viewing the End User's customer service record or switching the End User's service. BellSouth will not require End User confirmation prior to establishing service for MRC's End User customer.
- BellSouth will accept a request directly from the End User for conversion of the End User's service from MRC to BellSouth or will accept a request from another CLEC for conversion of the End User's service from MRC to such other CLEC. Upon completion of the conversion BellSouth will notify MRC that such conversion has been completed.

#### 7. Discontinuance of Service

- 7.1 The procedures for discontinuing service to an End User are as follows:
- 7.1.1 BellSouth will deny service to MRC's End User on behalf of, and at the request of, MRC. Upon restoration of the End User's service, restoral charges will apply and will be the responsibility of MRC.
- 7.1.2 At the request of MRC, BellSouth will disconnect a MRC End User customer.
- 7.1.3 All requests by MRC for denial or disconnection of an End User for nonpayment must be in writing.
- 7.1.4 MRC will be made solely responsible for notifying the End User of the proposed disconnection of the service.
- 7.1.5 BellSouth will continue to process calls made to the Annoyance Call Center and will advise MRC when it is determined that annoyance calls are originated from one of its End User's locations. BellSouth shall be indemnified, defended and held harmless by MRC and/or the End User against any claim, loss or damage arising from providing this information to MRC. It is the responsibility of MRC to take the corrective action necessary with its End Users who make annoying calls. (Failure to do so will result in BellSouth's disconnecting the End User's service.)

#### 8. Operator Services (Operator Call Processing and Directory Assistance)

- 8.1 Call Processing provides: (1) operator handling for call completion (for example, collect, third number billing, and manual calling-card calls). (2) operator or automated assistance for billing after the end user has dialed the called number (for example, calling card calls); and (3) special services including but not limited to Busy Line Verification and Emergency Line Interrupt (ELI), Emergency Agency Call and Operator-assisted Directory Assistance.
- Upon request for BellSouth Operator Call Processing, BellSouth shall:

8.2.1	Process 0+ and 0- dialed local calls
8.2.2	Process 0+ and 0- intraLATA toll calls.
8.2.3	Process calls that are billed to MRC end user's calling card that can be validated by BellSouth.
8.2.4	Process person-to-person calls.
8.2.5	Process collect calls.
8.2.6	Provide the capability for callers to bill a third party and shall also process such calls.
8.2.7	Process station-to-station calls.
8.2.8	Process Busy Line Verify and Emergency Line Interrupt requests.
8.2.9	Process emergency call trace originated by Public Safety Answering Points.
8.2.10	Process operator-assisted directory assistance calls.
8.2.11	Adhere to equal access requirements, providing MRC local end users the same IXC access that BellSouth provides its own operator service.
8.2.12	Exercise at least the same level of fraud control in providing Operator Service to MRC that BellSouth provides for its own operator service.
8.2.13	Perform Billed Number Screening when handling Collect, Person-to-Person, and Billed-To-Third-Party calls.
8.2.14	Direct customer account and other similar inquiries to the customer service center designated by MRC.
8.2.15	Provide call records to MRC in accordance with ODUF standards.
8.2.16	The interface requirements shall conform to the interface specifications for the platform used to provide Operator Services as long as the interface conforms to industry standards.
8.3	Directory Assistance Service
8.3.1	Directory Assistance Service provides local and non-local end user telephone number listings with the option to complete the call at the caller's direction separate and distinct from local switching.
8.3.2	Directory Assistance Service shall provide up to two listing requests per call, if available and if requested by MRC's end user. BellSouth shall provide caller-

optional directory assistance call completion service at rates set forth in BellSouth's GSST to one of the provided listings.

- 8.3.3 <u>Directory Assistance Service Updates</u>
- 8.3.3.1 BellSouth shall update end user listings changes daily. These changes include:
- 8.3.3.1.1 New end user connections
- 8.3.3.1.2 End user disconnections
- 8.3.3.1.3 End user address changes
- 8.3.3.2 These updates shall also be provided for non-listed and non-published numbers for use in emergencies.
- 8.4 <u>Branding for Operator Call Processing and Directory Assistance</u>
- 8.4.1 BellSouth's branding feature provides a definable announcement to MRC end users using Directory Assistance (DA)/Operator Call Processing (OCP) prior to placing such end users in queue or connecting them to an available operator or automated operator system. This feature allows MRC's name on whose behalf BellSouth is providing DA and/or OCP. Rates for the branding features are set forth in Exhibit E of this Attachment.
- 8.4.2 BellSouth offers three branding offering options to MRC when ordering BellSouth's DA and OCP: BellSouth Branding, Unbranding and Custom Branding.
- 8.4.3 Upon receipt of the branding order from MRC, the order is considered firm after ten (10) business days. Should MRC decide to cancel the order, written notification to MRC's BellSouth Account Executive is required. If MRC decides to cancel after ten (10) business days from receipt of the branding order, MRC shall pay all charges per the order.
- 8.4.4 <u>Selective Call Routing using Line Class Codes (SCR-LCC)</u>
- 8.4.4.1 Where MRC resells BellSouth's services and utilizes an operator services provider other than BellSouth, BellSouth will route MRC's end user calls to that provider through Selective Call Routing.
- 8.4.4.2 Selective Call Routing using Line Class Codes (SCR-LCC) provides the capability for MRC to have its OCP/DA calls routed to BellSouth's OCP/DA platform for BellSouth provided Custom Branded or Unbranded OCP/DA or to its own or an alternate OCP/DA platform for Self-Branded OCP/DA. SCR-LCC is only available if line class code capacity is available in the requested BellSouth end office switches.
- 8.4.4.3 Custom Branding for DA is not available for certain classes of service, including but not limited to Hotel/Motel services, WATS service and certain PBX services.

- 8.4.4.4 Where available, MRC specific and unique line class codes are programmed in each BellSouth end office switch were MRC intends to service end users with customized OCP/DA branding. The line class codes specifically identify MRC's end users so OCP/DA calls can be routed over the appropriate trunk group to the request OCP/DA platform. Additional line class codes are required in each end office if the end office serves multiple NPAs (i.e., a unique LCC is required per NPA), and/or if the end office switch serves multiple rate areas and MRC intends to provide MRC-branded OCP/DA to its end users in these multiple rate areas.
- 8.4.4.5 SCR-LCC supporting Custom Branding and Self Branding require MRC to order dedicated transport and trunking from each BellSouth end office identified by MRC, either to the BellSouth Traffic Operator Position System (TOPS) for Custom Branding or to the MRC Operator Service Provider for Self Branding. Separate trunk groups are required for Operator Services and for DA. Rates for transport and trunks are set forth in applicable BellSouth Tariffs.
- 8.4.4.6 The rates for SCR-LCC are as set forth in Exhibit E of this Attachment. There is a nonrecurring charge for the establishment of each Line Class Code in each BellSouth central office.
- 8.4.4.7 Unbranded DA and/or OCP calls ride common trunk groups provisioned by BellSouth from those end offices identified by MRC to the BellSouth TOPS. The calls are routed to "No Announcement."
- 8.4.5 <u>Branding via Originating Line Number Screening (OLNS)</u>
- 8.4.5.1 BellSouth Branding, Unbranding and Custom Branding are also available for DA, OCP or both via OLNS software. When utilizing this method of Unbranding or Custom Branding MRC shall not be required to purchase direct trunking.
- 8.4.5.2 For BellSouth to provide Unbranding or Custom Branding via OLNS software for OCP or for DA, MRC must have its OCN(s) and telephone numbers reside in BellSouth's LIDB; however, a BellSouth LIDB Storage Agreement is not required. To implement Unbranding and Custom Branding via OLNS software, MRC must submit a manual order form which requires, among other things, MRC's OCN and a forecast for the traffic volume anticipated for each BellSouth TOPS during the peak busy hour. MRC shall provide updates to such forecast on a quarterly basis and at any time such forecasted traffic volumes are expected to change significantly. Upon MRC's purchase of Unbranding and Custom Branding using OLNS software for any particular TOPS, all MRC end users served by that TOPS will receive the Unbranded "no announcement" or the Custom Branded announcement.
- 8.4.5.3 Rates for Unbranding and Custom Branding via OLNS software for DA and for OCP are as set forth in Exhibit E of this Attachment. Notwithstanding anything to the contrary in this Agreement, to the extent BellSouth is unable to bill MRC

applicable charges currently, BellSouth shall track such charges and will bill the same retroactively at such time as a billing process is implemented. In addition to the charges for Unbranding and Custom Branding via OLNS software, MRC shall continue to pay BellSouth applicable labor and other charges for the use of BellSouth's DA and OCP platforms as set forth in Exhibit E of this Attachment.

- 8.4.5.4 Customized Branding includes charges for the recording of the branding announcement and the loading of the audio units in each TOPS Switch and Network Applications Vehicle (NAV) equipment for which MRC requires service.
- 8.4.5.5 Directory Assistance customized branding uses:
- 8.4.5.5.1 the recording of MRC
- 8.4.5.5.2 the loading of the recording in each switch.
- 8.4.5.6 Operator Call Processing customized branding uses:
- 8.4.5.6.1 the recording of MRC
- 8.4.5.6.2 the loading of the recording in each switch.
- 8.4.5.6.3 the loading on the NAV. All NAV shelves within the region where the customer is offering service must be loaded.

## 9. Line Information Database (LIDB)

- 9.1 BellSouth will store in its Line Information Database (LIDB) records relating to service only in the BellSouth region. The LIDB Storage Agreement is included in this Attachment as Exhibit B.
- 9.2 BellSouth will provide LIDB Storage upon written request to MRC's Account Manager stating a requested activation date.

# 10. RAO Hosting

10.1 RAO Hosting is not required for resale in the BellSouth region.

### 11. Optional Daily Usage File (ODUF)

- 11.1 The Optional Daily Usage File (ODUF) Agreement with terms and conditions is included in this Attachment as Exhibit C. Rates for ODUF are as set forth in Exhibit E of this Attachment.
- 11.2. BellSouth will provide ODUF service upon written request to its Account Manager stating a requested activation date.

### 12. Enhanced Optional Daily Usage File (EODUF)

12.1 The Enhanced Optional Daily Usage File (EODUF) service Agreement with terms and conditions is included in this Attachment as Exhibit D. Rates for EODUF are as set forth in Exhibit E of this Attachment.

BellSouth will provide EODUF service upon written request to its Account Manager stating a requested activation date.

# **EXCLUSIONS AND LIMITATIONS ON SERVICES AVAILABLE FOR RESALE (Note 3)**

Type of Couries		AL		FL	(	GA	]	KY	]	LA	]	MS	]	NC		SC	,	TN
Type of Service	Resale	Discount	Resale	Discount	Resale	Discount	Resale	Discount	Resale	Discount	Resale	Discount	Resale	Discount	Resale	Discount	Resale	Discount
1 Grandfathered Services (Note 1)	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
2 Promotions - > 90 Days (Note 2)	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
3 Promotions $- \le 90$ Days (Note 2)	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No
4 Lifeline/Link Up Services	Yes	Yes	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
5 911/E911 Services	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
6 N11 Services	Yes	Yes	Yes	Yes	Yes	Yes	No	No	No	No	Yes	Yes	Yes	Yes	No	No	Yes	Yes
7 MemoryCall®Service	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No
8 Mobile Services	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No
9 Federal Subscriber Line Charges	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No
10 Non-RecurCharges	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No
11 End User Line Chg- Number Portability	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No
12 Public Telephone Access Svc (PTAS)	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes
13 Inside Wire Maint Service Plan	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No
Applicable No	otes:																	
1. Grandfathere	d servic	es can be	resold o	nly to exis	ting sul	oscribers o	f the gra	andfathere	d servic	e.								
2. Where availab	le for res	sale, <b>prom</b>	otions	will be ma	de avail	able only	to End U	Jsers who	would h	nave quali	fied for	the promo	tion had	l it been p	rovided	by BellSo	uth dire	ctly.
3. Some of BellSo	outh's lo	cal exchar	nge and	toll teleco	mmunio	cations ser	vices ar	e not avail	able in	certain cei	ntral off	ices and a	reas.					

Version 4Q02: 12/18/02

#### LINE INFORMATION DATA BASE (LIDB)

#### RESALE STORAGE AGREEMENT

#### I. Definitions

- A. Billing number a number used by BellSouth for the purpose of identifying an account liable for charges. This number may be a line or a special billing number.
- B. Line number a ten-digit number assigned by BellSouth that identifies a telephone line associated with a resold local exchange service.
- C. Special billing number a ten-digit number that identifies a billing account established by BellSouth in connection with a resold local exchange service.
- D. Calling Card number a billing number plus PIN number assigned by BellSouth.
- E. PIN number a four-digit security code assigned by BellSouth that is added to a billing number to compose a fourteen-digit calling card number.
- F. Toll billing exception indicator associated with a billing number to indicate that it is considered invalid for billing of collect calls or third number calls or both, by MRC.
- G. Billed Number Screening refers to the query service used to determine whether a toll billing exception indicator is present for a particular billing number.
- H. Calling Card Validation refers to the query service used to determine whether a particular calling card number exists as stated or otherwise provided by a caller.
- I. Billing number information information about billing number or Calling Card number as assigned by BellSouth and toll billing exception indicator provided to BellSouth by MRC.
- J. Get-Data refers to the query service used to determine, at a minimum, the Account Owner and/or Regional Accounting Office for a line number. This query service may be modified to provide additional information in the future.
- K. Originating Line Number Screening (OLNS) refers to the query service used to determine the billing, screening and call handling indicators, station type and Account Owner provided to BellSouth by MRC for originating line numbers.
- L. Account Owner name of the local exchange telecommunications company that is providing dialtone on a subscriber line.

### II. General

- A. This Agreement sets forth the terms and conditions pursuant to which BellSouth agrees to store in its LIDB certain information at the request of MRC and pursuant to which BellSouth, its LIDB customers and MRC shall have access to such information. In addition, this Agreement sets forth the terms and conditions for MRC's provision of billing number information to BellSouth for inclusion in BellSouth's LIDB. MRC understands that BellSouth provides access to information in its LIDB to various telecommunications service providers pursuant to applicable tariffs and agrees that information stored at the request of MRC, pursuant to this Agreement, shall be available to those telecommunications service providers. The terms and conditions contained herein shall hereby be made a part of this Agreement upon notice to MRC's account team and/or Local Contract Manager activate this LIDB Storage Agreement. The General Terms and Conditions of the Agreement shall govern this LIDB Storage Agreement.
- B. BellSouth will provide responses to on-line, call-by-call queries to billing number information for the following purposes:

#### 1. Billed Number Screening

BellSouth is authorized to use the billing number information to determine whether MRC has identified the billing number as one that should not be billed for collect or third number calls.

#### 2. Calling Card Validation

BellSouth is authorized to validate a 14-digit Calling Card number where the first 10 digits are a line number or special billing number assigned by BellSouth, and where the last four digits (PIN) are a security code assigned by BellSouth.

#### 3. OLNS

BellSouth is authorized to provide originating line screening information for billing services restrictions, station type, call handling indicators, presubscribed interLATA and local carrier and account owner on the lines of MRC from which a call originates.

## 4. GetData

BellSouth is authorized to provide, at a minimum, the account owner and/or Regional Accounting Office information on the lines of MRC indicating the local service provider and where billing records are to be sent for settlement purposes. This query service may be modified to provide additional information in the future.

#### 5. Fraud Control

BellSouth will provide seven days per week, 24-hours per day, fraud monitoring on Calling Cards, bill-to-third and collect calls made to numbers in BellSouth's LIDB, provided that such information is included in the LIDB query. BellSouth will establish fraud alert thresholds and will notify MRC of fraud alerts so that MRC may take action it deems appropriate.

# III. Responsibilities of the Parties

A. BellSouth will administer all data stored in the LIDB, including the data provided by MRC pursuant to this Agreement, in the same manner as BellSouth's data for BellSouth's End User customers. BellSouth shall not be responsible to MRC for any lost revenue which may result from BellSouth's administration of the LIDB pursuant to its established practices and procedures as they exist and as they may be changed by BellSouth in its sole discretion from time to time.

## B. Billing and Collection Customers

BellSouth currently has in effect numerous billing and collection agreements with various interexchange carriers and billing clearing houses and as such these billing and collection customers (B&C Customers) query BellSouth's LIDB to determine whether to accept various billing options from End Users. Until such time as BellSouth implements in its LIDB and its supporting systems the means to differentiate MRC's data from BellSouth's data, the following shall apply:

- (1) BellSouth will identify MRC end user originated long distance charges and will return those charges to the interexchange carrier as not covered by the existing B&C agreement. MRC is responsible for entering into the appropriate agreement with interexchange carriers for handling of long distance charges by their end users.
- BellSouth shall have no obligation to become involved in any disputes between MRC and B&C Customers. BellSouth will not issue adjustments for charges billed on behalf of any B&C Customer to MRC. It shall be the responsibility of MRC and the B&C Customers to negotiate and arrange for any appropriate adjustments.

#### IV. Fees for Service and Taxes

- A. MRC will not be charged a fee for storage services provided by BellSouth to MRC, as described in this LIDB Storage Agreement.
- B. Sales, use and all other taxes (excluding taxes on BellSouth's income) determined by BellSouth or any taxing authority to be due to any federal, state or local taxing jurisdiction with respect to the provision of the service set forth herein will be paid by MRC in accordance with the tax provisions set forth in the General Terms and Conditions of this Agreement.

### **Optional Daily Usage File**

- 1. Upon written request from MRC, BellSouth will provide the Optional Daily Usage File (ODUF) service to MRC pursuant to the terms and conditions set forth in this section.
- 2. MRC shall furnish all relevant information required by BellSouth for the provision of ODUF.
- 3. The ODUF feed will contain billable messages that were carried over the BellSouth Network and processed in the BellSouth Billing System, but billed to a MRC customer.
- 4. Charges for ODUF will appear on MRC's monthly bills. The charges are as set forth in Exhibit E to this Attachment. ODUF charges are billed once a month for the previous month's usage. MRC will be billed at the ODUF rates that are in effect at the end of the previous month.
- 5. The ODUF feed will contain both rated and unrated messages. All messages will be in the standard Alliance for Telecommunications Industry Solutions (ATIS) EMI record format.
- 6. Messages that error in MRC's billing system will be the responsibility of MRC. If, however, MRC should encounter significant volumes of errored messages that prevent processing by MRC within its systems, BellSouth will work with MRC to determine the source of the errors and the appropriate resolution.
- 7. The following specifications shall apply to the ODUF feed.
- 7.1 ODUF Message to be Transmitted
- 7.1.1 The following messages recorded by BellSouth will be transmitted to MRC:
  - Message recording for per use/per activation type services (examples: Three Way Calling, Verify, Interrupt, Call Return, etc.)
  - Measured billable Local
  - Directory Assistance messages
  - IntraLATA Toll
  - WATS and 800 Service
  - N11
  - Information Service Provider Messages
  - Operator Services Messages
  - Credit/Cancel Records
  - Usage for Voice Mail Message Service

- 7.1.2 Rated Incollects (originated in BellSouth and from other companies) can also be on ODUF. Rated Incollects will be intermingled with BellSouth recorded rated and unrated usage. Rated Incollects will not be packed separately.
- 7.1.3 BellSouth will perform duplicate record checks on records processed to ODUF. Any duplicate messages detected will be deleted and not sent to MRC.
- 7.1.4 In the event that MRC detects a duplicate on ODUF they receive from BellSouth, MRC will drop the duplicate message and will not return the duplicate to BellSouth).

## 7.2 ODUF Physical File Characteristics

- 7.2.1 ODUF will be distributed to MRC via CONNECT:Direct, Connect: Enterprise Client or another mutually agreed medium. The ODUF feed will be a variable block format. The data on the ODUF feed will be in a non-compacted EMI format (175 byte format plus modules). It will be created on a daily basis Monday through Friday except holidays. Details such as dataset name and delivery schedule will be addressed during negotiations of the distribution medium. There will be a maximum of one dataset per workday per OCN.
- 7.2.2 Data circuits (private line or dial-up) will be required between BellSouth and MRC for the purpose of data transmission when utilizing CONNECT:Direct. Where a dedicated line is required, MRC will be responsible for ordering the circuit, overseeing its installation and coordinating the installation with BellSouth. MRC will also be responsible for any charges associated with this line. Equipment required on the BellSouth end to attach the line to the mainframe computer and to transmit data will be negotiated on an individual case basis. Where a dial-up facility is required, dial circuits will be installed in the BellSouth data center by BellSouth and the associated charges assessed to MRC. Additionally, all message toll charges associated with the use of the dial circuit by MRC will be the responsibility of MRC. Associated equipment on the BellSouth end, including a modem, will be negotiated on an individual case basis between the Parties. All equipment, including modems and software, that is required on MRC's end for the purpose of data transmission will be the responsibility of MRC.
- 7.2.3 If MRC utilizes CONNECT:Enterprise Client for data file transmission, purchase of the CONNECT:Enterprise Client software will be the responsibility of MRC.

### 7.3 ODUF Packing Specifications

- 7.3.1 A pack will contain a minimum of one message record or a maximum of 99,999 message records plus a pack header record and a pack trailer record. One transmission can contain a maximum of 99 packs and a minimum of one pack.
- 7.3.2 The OCN, From RAO, and Invoice Number will control the invoice sequencing. The From RAO will be used to identify to MRC which BellSouth RAO is sending the

message. BellSouth and MRC will use the invoice sequencing to control data exchange. BellSouth will be notified of sequence failures identified by MRC and resend the data as appropriate.

The data will be packed using ATIS EMI records.

- 7.4 ODUF Pack Rejection. MRC will notify BellSouth within one business day of rejected packs (via the mutually agreed medium). Packs could be rejected because of pack sequencing discrepancies or a critical edit failure on the Pack Header or Pack Trailer records (i.e. out-of-balance condition on grand totals, invalid data populated). Standard ATIS EMI Error Codes will be used. MRC will not be required to return the actual rejected data to BellSouth. Rejected packs will be corrected and retransmitted to MRC by BellSouth.
- 7.5 ODUF Control Data. MRC will send one confirmation record per pack that is received from BellSouth. This confirmation record will indicate MRC received the pack and the acceptance or rejection of the pack. Pack Status Code(s) will be populated using standard ATIS EMI error codes for packs that were rejected by MRC for reasons stated in the above section.
- ODUF Testing. Upon request from MRC, BellSouth shall send test files to MRC for ODUF. The Parties agree to review and discuss the file's content and/or format. For testing of usage results, BellSouth shall request that MRC set up a production (live) file. The live test may consist of MRC's employees making test calls for the types of services MRC requests on ODUF. These test calls are logged by MRC, and the logs are provided to BellSouth. These logs will be used to verify the files. Testing will be completed within 30 calendar days from the date on which the initial test file was sent.

## **Enhanced Optional Daily Usage File**

- 1. Upon written request from MRC, BellSouth will provide the Enhanced Optional Daily Usage File (EODUF) service to MRC pursuant to the terms and conditions set forth in this section. EODUF will only be sent to existing ODUF subscribers who request the EODUF option.
- 2. MRC shall furnish all relevant information required by BellSouth for the provision of EODUF.
- 3. EODUF will provide usage data for local calls originating from resold Flat Rate Business and Residential Lines.
- 4. Charges for delivery of EODUF will appear on MRC's monthly bills. EODUF charges are billed at the EODUF rates that are in effect at the end of the previous month. The charges are as set forth in Exhibit E to this Attachment.
- 5. All messages will be in the standard ATIS EMI record format.
- 6. Messages that error in the billing system of MRC will be the responsibility of MRC. If, however, MRC should encounter significant volumes of errored messages that prevent processing by MRC within its systems, BellSouth will work with MRC to determine the source of the errors and the appropriate resolution.
- 7. The following specifications shall apply to the EODUF feed.
- 7.1 Usage To Be Transmitted
- 7.1.1 The following messages recorded by BellSouth will be transmitted to MRC:

Customer usage data for flat rated local call originating from MRC's End User lines (1FB or 1FR). The EODUF record for flat rate messages will include:

Date of Call

From Number

To Number

Connect Time

**Conversation Time** 

Method of Recording

From RAO

Rate Class

Message Type

**Billing Indicators** 

Bill to Number

Version 4Q02: 12/18/02

- 7.1.2 BellSouth will perform duplicate record checks on EODUF records processed to ODUF. Any duplicate messages detected will be deleted and not sent to MRC.
- 7.1.3 In the event that MRC detects a duplicate on EODUF they receive from BellSouth, MRC will drop the duplicate message (MRC will not return the duplicate to BellSouth).
- 7.2 <u>Physical File Characteristics</u>
- 7.2.1 The EODUF feed will be distributed to MRC via CONNECT: Direct, CONNECT: Enterprise Client or another mutually agreed medium. EODUF messages will be intermingled among MRC's ODUF messages. EODUF will be a variable block format. The data on EODUF will be in a non-compacted EMI format (175 byte format plus modules). It will be created on a daily basis Monday through Friday except holiday.
- 7.2.2 Data circuits (private line or dial-up) may be required between BellSouth and MRC for the purpose of data transmission as set forth in Section 7.2.2 in Exhibit C above.
- 7.2.3 If MRC utilizes CONNECT: Enterprise Client for data file transmission, purchase of the CONNECT: Enterprise Client software will be the responsibility of MRC.
- 7.3 <u>Packing Specifications</u>
- 7.3.1 A pack will contain a minimum of one message record or a maximum of 99,999 message records plus a pack header record and a pack trailer record. One transmission can contain a maximum of 99 packs and a minimum of one pack.
- 7.3.2 The OCN, From (RAO), and Invoice Number will control the invoice sequencing. The From RAO will be used to identify to MRC which BellSouth RAO is sending the message. BellSouth and MRC will use the invoice sequencing to control data exchange. BellSouth will be notified of sequence failures identified by MRC and resend the data as appropriate.

The data will be packed using ATIS EMI Records.

RESALE DISC	OUNTS AND RATES - Alabama												Attachr	nent: 1	Exhib	oit: E
													Incremental	Incrementa	Incrementa	Increment
											Submitted	Submitted	Charge -	I Charge -	I Charge -	I Charge -
											Elec	Manually	Manual Svc	Manual	Manual Svc	Manual
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC		RA	TES(\$)			per LSR	per LSR	Order vs.	Svc Order	Order vs.	Svc Order
		m						.,			•		Electronic-	vs.	Electronic-	vs.
													1st	Electronic-	Disc 1st	Electronic
														Add'l		Disc Add'
						Recurring	Nonre	curring	NRC D	isconnec		1	OSS	Rates(\$)	I	
						Recuiring	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
APPLICABLE DIS																
	esidence %					16.30										
	usiness %					16.30										
	SAs %					16.30										
	SUPPORT SYSTEMS (OSS) RATES															
	lectronic LSR				SOMEC		3.50	3.50								
	lanual LSR				SOMAN		19.99	19.99	19.99	19.99						
	L ROUTING USING LINE CLASS CODES (SCR-LCC)															
Se	elective Routing Per Unique Line Class Code Per Request Per Switch						84.70	84.70	14.11	14.11						
DIRECTORY ASS	SISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS SOFTWARI	E														
Re	ecording of DA Custom Branded Announcement						3,000.00	3,000.00								
Lo	oading of DA Custom Branded Anouncement per Switch per OCN						1,170.00	1,170.00								
DIRECTORY ASS	SISTANCE UNBRANDING via OLNS SOFTWARE															
Lo	oading of DA per OCN (1 OCN per Order)						420.00	420.00								
Lo	oading of DA per Switch per OCN						16.00	16.00								
OPERATOR ASSI	SISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS SOFTWARE															
	ecording of Custom Branded OA Announcement						7,000.00	7,000.00								
Lo	oading of Custom Branded OA Announcement per shelf/NAV per OCN						500.00	500.00								
Lo	oading of OA Custom Branded Announcement per Switch per OCN						1,170.00	1,170.00								
OPERATOR ASSI	SISTANCE UNBRANDING via OLNS SOFTWARE															
Lo	oading of OA per OCN (Regional)						1,200.00	1,200.00								
ODUF/EODUF SE	RVICES															
OPTIONA	AL DAILY USAGE FILE (ODUF)															
OI	DUF: Recording, per message					0.000011										
OI	DUF: Message Processing, per message					0.004101						_				
OI	DUF: Message Processing, per Magnetic Tape provisioned					42.67										
OI	DUF: Data Transmission (CONNECT:DIRECT), per message					0.000094										
ENHANCI	ED OPTIONAL DAILY USAGE FILE (EODUF)															
IFO	ODUF: Message Processing, per message					0.22										

Version 4Q02: 01/08/03

<b>RESALE DI</b>	SCOUNTS AND RATES - Florida												Attachi	ment: 1	Exhi	ibit: E
												Svc Order Submitted Manually	Incremental Charge - Manual Svc	Incremental Charge -	Charge -	Incremental Charge - Manual Svo
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC		RAT	TES(\$)			per LSR	per LSR	Order vs. Electronic- 1st	Order vs. Electronic-	Order vs. Electronic-	Order vs.
ı															D100 10t	Disc Add 1
		-			1	Recurring	Nonrec First	urring Add'l	First	sconnect Add'l	SOMEC	SOMAN	SOMAN	Rates(\$) SOMAN	SOMAN	SOMAN
				-	1		FIISL	Auu i	FIISL	Auu i	SOMEC	SOWAN	SOWAN	SOWAN	SOWAN	SOWAN
APPLICABLE	DISCOUNTS															†
	Residence %					21.83										1
	Business %					16.81										1
	CSAs %					16.81										
<b>OPERATIONA</b>	L SUPPORT SYSTEMS (OSS) RATES															
	Electronic LSR				SOMEC		3.50	3.50	3.50	3.50						
	Manual LSR				SOMAN		19.99	19.99	19.99	19.99						
SELECTIVE C	ALL ROUTING USING LINE CLASS CODES (SCR-LCC)															
	Selective Routing Per Unique Line Class Code Per Request Per Switch						93.55	93.55	11.46	11.46						
DIRECTORY A	SSISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS SOFTWARE															
	Recording of DA Custom Branded Announcement						3,000.00	3,000.00								
	Loading of DA Custom Branded Anouncement per Switch per OCN						1,170.00	1,170.00								
DIRECTORY A	SSISTANCE UNBRANDING via OLNS SOFTWARE															
	Loading of DA per OCN (1 OCN per Order)						420.00	420.00								
	Loading of DA per Switch per OCN						16.00	16.00								
OPERATOR A	SSISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS SOFTWARE															
	Recording of Custom Branded OA Announcement						7,000.00	7,000.00								
	Loading of Custom Branded OA Announcement per shelf/NAV per OCN						500.00	500.00								
	Loading of OA Custom Branded Announcement per Switch per OCN						1,170.00	1,170.00								
OPERATOR A	SSISTANCE UNBRANDING via OLNS SOFTWARE															
	Loading of OA per OCN (Regional)						1,200.00	1,200.00								
ODUF/EODUF	SERVICES															
OPTIC	NAL DAILY USAGE FILE (ODUF)															
	ODUF: Recording, per message					0.0000071		-								
	ODUF: Message Processing, per message					0.002146		•								
	ODUF: Message Processing, per Magnetic Tape provisioned					35.91										
	ODUF: Data Transmission (CONNECT:DIRECT), per message					0.00010375										
ENHA	NCED OPTIONAL DAILY USAGE FILE (EODUF)															
	EODUF: Message Processing, per message					0.080698										

RESALE DIS	SCOUNTS AND RATES - Georgia													ment: 1		bit: E
													Incremental	Incremental		
												Submitted		Charge -	I Charge -	Charge -
											Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Sv
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		RA	TES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m											Electronic-	Electronic-	Electronic-	Electronic
													1st	Add'l	Disc 1st	Disc Add
							Nonrec	urring	NRC D	isconnec			oss	Rates(\$)		1
						Recurring	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
APPLICABLE																
	Residence %					20.30										
	Business %					17.30										
	CSAs %					17.30										
OPERATIONA	L SUPPORT SYSTEMS (OSS) RATES															
	Electronic LSR				SOMEC		3.50	3.50	3.50							
	Manual LSR				SOMAN		19.99	19.99	19.99	19.99						
SELECTIVE C	ALL ROUTING USING LINE CLASS CODES (SCR-LCC)															
	Selective Routing Per Unique Line Class Code Per Request Per Switch						199.56	199.56								
DIRECTORY A	ASSISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS SOFTWAR	E														
	Recording of DA Custom Branded Announcement						3,000.00	3,000.00								
	Loading of DA Custom Branded Anouncement per Switch per OCN						1,170.00	1,170.00								
DIRECTORY A	ASSISTANCE UNBRANDING via OLNS SOFTWARE															
	Loading of DA per OCN (1 OCN per Order)						420.00	420.00								
	Loading of DA per Switch per OCN						16.00	16.00								
OPERATOR A	SSISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS SOFTWARE															
	Recording of Custom Branded OA Announcement						7,000.00	7,000.00								
	Loading of Custom Branded OA Announcement per shelf/NAV per OCN						500.00	500.00								
	Loading of OA Custom Branded Announcement per Switch per OCN						1,170.00	1,170.00								
OPERATOR A	SSISTANCE UNBRANDING via OLNS SOFTWARE															
1	Loading of OA per OCN (Regional)						1,200.00	1,200.00								
ODUF/EODUF	SERVICES															
OPTIO	NAL DAILY USAGE FILE (ODUF)															
	ODUF: Recording, per message					0.0001275										
	ODUF: Message Processing, per message					0.0082548										
	ODUF: Message Processing, per Magnetic Tape provisioned					28.85										
	ODUF: Data Transmission (CONNECT:DIRECT), per message					0.0000434										
ENHA	NCED OPTIONAL DAILY USAGE FILE (EODUF)															
	EODUF: Message Processing, per message		Ì			0.0034555						1	İ			

RESALE DIS	COUNTS AND RATES - Kentucky												Attachr	ment: 1	Exhi	ibit: E
	-										Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
											Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC		RA	ΓES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
											<b>,</b>	<b>,</b>	Electronic-	Electronic-	Electronic-	
													1st	Add'l	Disc 1st	Disc Add'l
															D130 131	DISC Add I
						Recurring	Nonrec			sconnect				Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ADDI IOADI E DI	OOOLINTO															<del></del>
APPLICABLE DI				1		40.70									-	
	Residence %					16.79										
	Business %					15.54										
	CSAs %			<u> </u>		15.54										
	SUPPORT SYSTEMS (OSS) RATES			<u> </u>												
	Electronic LSR				SOMEC		3.50	3.50	3.50	3.50						
	Manual LSR				SOMAN		19.99	19.99	19.99	19.99						
	LL ROUTING USING LINE CLASS CODES (SCR-LCC)			<u> </u>												4
	Selective Routing Per Unique Line Class Code Per Request Per Switch			ļ			93.53	93.53	15.58	15.58						
	SISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS SOFTWARE			ļ												
	Recording of DA Custom Branded Announcement						3,000.00	3,000.00								
	Loading of DA Custom Branded Anouncement per Switch per OCN			<u> </u>			1,170.00	1,170.00								4
	SISTANCE UNBRANDING via OLNS SOFTWARE			ļ												
	Loading of DA per OCN (1 OCN per Order)			ļ			420.00	420.00								
	Loading of DA per Switch per OCN						16.00	16.00								
	SISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS SOFTWARE															
	Recording of Custom Branded OA Announcement						7,000.00	7,000.00								
	Loading of Custom Branded OA Announcement per shelf/NAV per OCN						500.00	500.00								
	Loading of OA Custom Branded Announcement per Switch per OCN						1,170.00	1,170.00								
	SISTANCE UNBRANDING via OLNS SOFTWARE															
	Loading of OA per OCN (Regional)						1,200.00	1,200.00								
ODUF/EODUF S																
	AL DAILY USAGE FILE (ODUF)															_
	ODUF: Recording, per message			ļ		0.0000136										
	ODUF: Message Processing, per message	<u> </u>		ļ	1	0.002506									1	
	ODUF: Message Processing, per Magnetic Tape provisioned			ļ		35.90										1
	ODUF: Data Transmission (CONNECT:DIRECT), per message					0.00010372										
	CED OPTIONAL DAILY USAGE FILE (EODUF)															
	EODUF: Message Processing, per message					0.235889										

RESALE DISC	COUNTS AND RATES - Louisiana												Attachi	ment: 1	Exhi	bit: E
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted			Charge -	Charge -	Charge -
											Elec	Manually				
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC		RA	TES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
											po. 20.1	poo	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															Disc 1st	Disc Aud I
						Recurring	Nonrec			isconnect				Rates(\$)		
						Recuiring	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
																<b></b>
APPLICABLE DIS																
	Residence %					20.72										<b></b>
	Business %					20.72										<u> </u>
	CSAs %					9.05										
	SUPPORT SYSTEMS (OSS) RATES															ļ
	Electronic LSR				SOMEC		3.50	3.50								
	Manual LSR				SOMAN		19.99	19.99	19.99	19.99						
	L ROUTING USING LINE CLASS CODES (SCR-LCC)															
	Selective Routing Per Unique Line Class Code Per Request Per Switch						82.25	82.25								
	SISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS SOFTWARE															
	Recording of DA Custom Branded Announcement						3,000.00	3,000.00								
	oading of DA Custom Branded Anouncement per Switch per OCN						1,170.00	1,170.00	)							
	SISTANCE UNBRANDING via OLNS SOFTWARE															
	oading of DA per OCN (1 OCN per Order)						420.00	420.00								
	oading of DA per Switch per OCN						16.00	16.00	)							
	ISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS SOFTWARE															
	Recording of Custom Branded OA Announcement						7,000.00	7,000.00								
	oading of Custom Branded OA Announcement per shelf/NAV per OCN						500.00	500.00								
	oading of OA Custom Branded Announcement per Switch per OCN						1,170.00	1,170.00	)							
	ISTANCE UNBRANDING via OLNS SOFTWARE															
	oading of OA per OCN (Regional)						1,200.00	1,200.00	)							
ODUF/EODUF SE																
	AL DAILY USAGE FILE (ODUF)															
	DDUF: Recording, per message					0.0000117										
	DDUF: Message Processing, per message					0.004641										
	DDUF: Message Processing, per Magnetic Tape provisioned					48.45										
	DDUF: Data Transmission (CONNECT:DIRECT), per message					0.00010568										
	ED OPTIONAL DAILY USAGE FILE (EODUF)						-									
E	EODUF: Message Processing, per message					0.250015		•								

RESALE DIS	SCOUNTS AND RATES - Mississippi												Attachr	nent: 1	Exhil	bit: E
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted			Charge -	Charge -	Charge -
											Elec			Manual Svc	Manual Svc	
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC		RA <sup>-</sup>	TES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
								- (.,			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
														Add'l		Disc Add'l
													1st	Add I	Disc 1st	DISC Add I
						Recurring	Nonred	curring	NRC D	isconnect			oss	Rates(\$)	•	
						Recurring	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
																<b></b>
APPLICABLE [		1														
	Residence %					15.75										
	Business %	1	1	ļ		15.75										
	CSAs %					15.75										
OPERATIONAL	SUPPORT SYSTEMS (OSS) RATES															
	Electronic LSR				SOMEC		3.50		3.50	3.50						
	Manual LSR				SOMAN		19.99	19.99	19.99	19.99						
SELECTIVE CA	ALL ROUTING USING LINE CLASS CODES (SCR-LCC)															
	Selective Routing Per Unique Line Class Code Per Request Per Switch						85.19	85.19	14.19	14.19						
DIRECTORY A	SSISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS SOFTWARE															
	Recording of DA Custom Branded Announcement						3,000.00									
	Loading of DA Custom Branded Anouncement per Switch per OCN						1,170.00	1,170.00								
DIRECTORY A	SSISTANCE UNBRANDING via OLNS SOFTWARE															
	Loading of DA per OCN (1 OCN per Order)						420.00	420.00								
	Loading of DA per Switch per OCN						16.00	16.00								
OPERATOR AS	SSISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS SOFTWARE															
	Recording of Custom Branded OA Announcement						7,000.00									
	Loading of Custom Branded OA Announcement per shelf/NAV per OCN						500.00									
	Loading of OA Custom Branded Announcement per Switch per OCN						1,170.00	1,170.00								
OPERATOR AS	SSISTANCE UNBRANDING via OLNS SOFTWARE															
	Loading of OA per OCN (Regional)						1,200.00	1,200.00								
ODUF/EODUF																
OPTIO	NAL DAILY USAGE FILE (ODUF)															
	ODUF: Recording, per message					0.0000063										
	ODUF: Message Processing, per message					0.004707										
	ODUF: Message Processing, per Magnetic Tape provisioned					49.04										
	ODUF: Data Transmission (CONNECT:DIRECT), per message					0.00010669										
ENHAN	ICED OPTIONAL DAILY USAGE FILE (EODUF)															
	EODUF: Message Processing, per message					0.250424										

RESALE	DISCOUNTS AND RATES - North Carolina												Attachi	ment: 1	Exhi	ibit: E
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
											Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGOR	RATE ELEMENTS	Interim	Zone	BCS	USOC		RA <sup>-</sup>	ΓES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
											<b>,</b>	<b>,</b>	Electronic-	Electronic-	Electronic-	
													1st	Add'l	Disc 1st	Disc Add'l
															D130 131	DISC Add I
						Recurring	Nonrec			sconnect				Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ADDLICAD	LE DISCOUNTS	-	1													
APPLICAB			<del>                                     </del>			21.50										+
-	Residence %		1			17.60									-	
<b></b>	Business % CSAs %	-	<b>.</b>	-												<del>                                     </del>
00504510			-			17.60										
OPERATIO	NAL SUPPORT SYSTEMS (OSS) RATES	-	<b>.</b>	-	001450		0.50	0.50	0.50	0.50						<del>                                     </del>
	Electronic LSR Manual LSR		1		SOMEC		3.50 19.99	3.50		3.50 19.99					-	<del> </del>
OFI FOTIV			1		SOMAN		19.99	19.99	19.99	19.99					-	<del> </del>
SELECTIV	E CALL ROUTING USING LINE CLASS CODES (SCR-LCC)		-				82.25		4444							
DIDECTOR	Selective Routing Per Unique Line Class Code Per Request Per Switch		-				82.25	82.25	14.14	14.14						
DIRECTOR	Y ASSISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS SOFTWARE		-				0.000.00									
	Recording of DA Custom Branded Announcement		-				3,000.00	3,000.00								
DIDECTOR	Loading of DA Custom Branded Anouncement per Switch per OCN	-	1				1,170.00	1,170.00							-	
DIRECTOR	Y ASSISTANCE UNBRANDING via OLNS SOFTWARE		-				400.00	400.00								
	Loading of DA per OCN (1 OCN per Order)		<u> </u>	-			420.00	420.00	<b> </b>							4
	Loading of DA per Switch per OCN		1				16.00	16.00								
OPERATO	R ASSISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS SOFTWARE															
	Recording of Custom Branded OA Announcement						7,000.00	7,000.00								
	Loading of Custom Branded OA Announcement per shelf/NAV per OCN						500.00	500.00								
	Loading of OA Custom Branded Announcement per Switch per OCN						1,170.00	1,170.00								
OPERATO	R ASSISTANCE UNBRANDING via OLNS SOFTWARE															
	Loading of OA per OCN (Regional)						1,200.00	1,200.00								
	UF SERVICES															<u> </u>
OF	TIONAL DAILY USAGE FILE (ODUF)															
	ODUF: Recording, per message	<u> </u>		<u> </u>	1	0.0003									1	
	ODUF: Message Processing, per message		ļ	ļ	1	0.0032					ļ				ļ	
	ODUF: Message Processing, per Magnetic Tape provisioned	<u> </u>				54.61										_
	ODUF: Data Transmission (CONNECT:DIRECT), per message					0.00004										1
EN	HANCED OPTIONAL DAILY USAGE FILE (EODUF)															
	EODUF: Message Processing, per message			1		0.2285406										

RES	ALE I	DISCOUNTS AND RATES - South Carolina												Attachi	ment: 1	Exhi	bit: E
												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incrementa
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
												Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svo
CATE	GORY	RATE ELEMENTS	Interin	Zone	BCS	USOC		RAT	TES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
												<b>,</b>	p = = = = = = =	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'I	Disc 1st	Disc Add'l
																Disc 1st	Disc Add I
							Recurring	Nonred			isconnect				Rates(\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
4881		E DIOCOLINITO		_													<b>.</b>
APPL	ICABL	E DISCOUNTS		-			4400										<b> </b>
		Residence %	<u> </u>		-		14.80										ļ
		Business %	<u> </u>				14.80										ļ
		CSAs %	<u> </u>				8.98										ļ
OPER	ATION	IAL SUPPORT SYSTEMS (OSS) RATES		1													
		Electronic LSR	<u> </u>			SOMEC		3.50	3.50		3.50						<b>.</b>
		Manual LSR	<u> </u>			SOMAN		19.99	19.99	19.99	19.99						<b>.</b>
SELE	CTIVE	CALL ROUTING USING LINE CLASS CODES (SCR-LCC)	<u> </u>														
		Selective Routing Per Unique Line Class Code Per Request Per Switch		1				84.89	84.89	14.14	14.14						
DIRE	CTORY	ASSISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS SOFTWARE		1													
		Recording of DA Custom Branded Announcement		1				3,000.00	3,000.00								
		Loading of DA Custom Branded Anouncement per Switch per OCN		1				1,170.00	1,170.00								
DIRE	CTORY	ASSISTANCE UNBRANDING via OLNS SOFTWARE		1													
		Loading of DA per OCN (1 OCN per Order)						420.00	420.00								
		Loading of DA per Switch per OCN						16.00	16.00								
OPER	ATOR	ASSISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS SOFTWARE															
		Recording of Custom Branded OA Announcement						7,000.00	7,000.00								
		Loading of Custom Branded OA Announcement per shelf/NAV per OCN						500.00	500.00								
		Loading of OA Custom Branded Announcement per Switch per OCN						1,170.00	1,170.00								
OPER	ATOR	ASSISTANCE UNBRANDING via OLNS SOFTWARE															
		Loading of OA per OCN (Regional)						1,200.00	1,200.00								
ODUF		JF SERVICES															
	OP1	IONAL DAILY USAGE FILE (ODUF)															
		ODUF: Recording, per message					0.0000216										
		ODUF: Message Processing, per message					0.004704										
		ODUF: Message Processing, per Magnetic Tape provisioned					48.87										
		ODUF: Data Transmission (CONNECT:DIRECT), per message					0.00010863										
	EN	IANCED OPTIONAL DAILY USAGE FILE (EODUF)															
		EODUF: Message Processing, per message					0.258301		•								

RES/	ALE DIS	SCOUNTS AND RATES - Tennessee												Attachr	nent: 1	Exhil	bit: E
CATE	GORY	RATE ELEMENTS	Interi	Zone .	BCS	USOC		RA.	TES(\$)				Submitted		Charge -	Charge -	Charge - Manual Svo
			m						(•,					Electronic- 1st	Electronic- Add'l	Electronic- Disc 1st	
							Recurring	Nonrec	urring	NRC D	isconnec			oss	Rates(\$)		
							Recuiring	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
																	<u> </u>
APPL	CABLE	DISCOUNTS															ļ
		Residence %					16.00										<u> </u>
		Business %					16.00										<u> </u>
		CSAs %					16.00										<u> </u>
OPER	ATIONA	L SUPPORT SYSTEMS (OSS) RATES															<u> </u>
		Electronic LSR				SOMEC		3.50	3.50	3.50	3.50						
		Manual LSR				SOMAN		19.99	19.99	19.99	19.99						
SELEC	CTIVE C	ALL ROUTING USING LINE CLASS CODES (SCR-LCC)															
		Selective Routing Per Unique Line Class Code Per Request Per Switch						179.60	179.60								
DIREC	TORY A	ASSISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS SOFTWAR	E														
		Recording of DA Custom Branded Announcement						1,555.00	1,553.00	7.03	7.03						
		Loading of DA Custom Branded Anouncement per Switch per OCN						240.71	240.71								
DIREC	TORY A	ASSISTANCE UNBRANDING via OLNS SOFTWARE															
		Loading of DA per OCN (1 OCN per Order)						420.00	420.00								
		Loading of DA per Switch per OCN						16.00	16.00								
OPER	ATOR A	SSISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS SOFTWARE															
		Recording of Custom Branded OA Announcement						1,555.00	1,555.00								
		Loading of Custom Branded OA Announcement per shelf/NAV per OCN						240.71	240.71								
		Loading of OA Custom Branded Announcement per Switch per OCN						240.71	240.71								
OPER	ATOR A	SSISTANCE UNBRANDING via OLNS SOFTWARE															1
		Loading of OA per OCN (Regional)						1,200.00	1,200.00								
ODUF	/EODUF	SERVICES						,									
	OPTIO	NAL DAILY USAGE FILE (ODUF)															
		ODUF: Recording, per message					0.0000044										
		ODUF: Message Processing, per message					0.0027366										
		ODUF: Message Processing, per Magnetic Tape provisioned					52.75										1
		ODUF: Data Transmission (CONNECT:DIRECT), per message					0.0000339										1
	ENHA	NCED OPTIONAL DAILY USAGE FILE (EODUF)		1													1
		EODUF: Message Processing, per message		İ			0.004					İ					

Version 4Q02: 01/08/03

# **Attachment 2**

**Network Elements and Other Services** 

# **TABLE OF CONTENTS**

1	INTRODUCTION	3
2	UNBUNDLED LOOPS	4
3	HIGH FREQUENCY SPECTRUM NETWORK ELEMENT	25
4	LOCAL SWITCHING	34
5	UNBUNDLED NETWORK ELEMENT COMBINATIONS	41
6	TRANSPORT, CHANNELIZATION AND DARK FIBER	47
7	BELLSOUTH SWITCHED ACCESS (SWA) 8XX TOLL FREE DIALING TEN DIGIT SCREEN SERVICE	
8	LINE INFORMATION DATABASE (LIDB)	51
9	SIGNALING	54
10	OPERATOR SERVICES (OPERATOR CALL PROCESSING AND DIRECTORY ASSISTANCE)	E).60
11	AUTOMATIC LOCATION IDENTIFICATION/DATA MANAGEMENT SYSTEM (ALI/DMS).	65
12	CALLING NAME (CNAM) DATABASE SERVICE	66
13	SERVICE CREATION ENVIRONMENT AND SERVICE MANAGEMENT SYSTEM (SCE/SM ADVANCED INTELLIGENT NETWORK (AIN) ACCESS	
14	BASIC 911 AND E911	68
15	OPERATIONAL SUPPORT SYSTEMS (OSS)	69
LII	DB Storage Agreement Exhi	bit A
Rai	tes Exhi	bit B

#### ACCESS TO NETWORK ELEMENTS AND OTHER SERVICES

#### 1 Introduction

- 1.1 This Attachment sets forth rates, terms and conditions for Network Elements and combinations of Network Elements that BellSouth agrees to offer to MRC in accordance with its obligations under Section 251(c)(3) of the Act. Additionally, this Attachment sets forth the rates, terms and conditions for other services BellSouth makes available to MRC. The rates for each Network Element and combination of Network Elements and other services are set forth in Exhibit B of this Attachment. Additionally, the provision of a particular Network Element or service may require MRC to purchase other Network Elements or services.
- 1.2 For purposes of this Agreement, "Network Element" is defined to mean a facility or equipment MRC used in the provision of a telecommunications service. For purposes of this Agreement, combinations of Network Elements shall be referred to as "Combinations."
- 1.3 BellSouth shall, upon request of MRC, and to the extent technically feasible, provide to MRC access to its Network Elements for the provision of MRC's telecommunications services. If no rate is identified in this Agreement, the rate for the specific service or function will be as set forth in the applicable BellSouth tariff or as negotiated by the Parties upon request by either Party.
- 1.4 MRC may purchase Network Elements and other services from BellSouth for the purpose of combining such network elements in any manner MRC chooses to provide telecommunication services to its intended users, including recreating existing BellSouth services. With the exception of the sub-loop Network Elements which are located outside of the central office, BellSouth shall deliver the Network Elements purchased by MRC to the demarcation point associated with MRC's collocation arrangement.
- 1.5 BellSouth shall comply with the requirements as set forth in the technical references within this Attachment 2.
- 1.6 MRC may not purchase unbundled network elements (UNEs) or convert special access circuits to UNEs if such network elements will be used to provide wireless telecommunications services.
- 1.7 BellSouth shall not connect individual UNEs or combinations of UNEs to BellSouth tariffed services.
- 1.8 If MRC reports a trouble on a UNE and no trouble actually exists on the BellSouth portion, BellSouth will charge MRC for any dispatching and testing (both inside and outside the CO) required by BellSouth in order to confirm the UNE's working status.

- 1.9 Rates
- 1.9.1 The prices that MRC shall pay to BellSouth for Network Elements and Other Services are set forth in Exhibit B to this Attachment. If MRC purchases a service(s) from a tariff, all terms and conditions and rates as set forth in such tariff shall apply.
- 1.9.2 Rates, terms and conditions for order cancellation charges and Service Date Advancement Charges will apply in accordance with Attachment 6 and are incorporated herein by this reference.
- 1.9.3 If MRC modifies an order (Order Modification Charge (OMC)) after being sent a Firm Order Confirmation (FOC) from BellSouth, any costs incurred by BellSouth to accommodate the modification will be paid by MRC in accordance with FCC No. 1 Tariff, Section 5.
- 1.9.4 A one-month minimum billing period shall apply to all UNE conversions or new installations.

# 2 Unbundled Loops

- 2.1 General
- 2.1.1 The local loop Network Element (Loop) is defined as a transmission facility between a distribution frame (or its equivalent) in BellSouth's central office and the Loop demarcation point at an end user customer premises, including inside wire owned by BellSouth. The local Loop Network Element includes all features, functions, and capabilities of the transmission facilities, including dark fiber and attached electronics (except those used for the provision of advanced services, such as Digital Subscriber Line Access Multiplexers) and line conditioning.
- 2.1.2 The provisioning of a Loop to MRC's collocation space will require cross-office cabling and cross-connections within the central office to connect the Loop to a local switch or to other transmission equipment. These cross-connects are separate components that are not considered a part of the Loop, and thus, have a separate charge.
- 2.1.3 To the extent available within BellSouth's network at a particular location, BellSouth will offer Loops capable of supporting telecommunications services. If a requested Loop type is not available and cannot be made available through BellSouth's Unbundled Loop Modification (ULM) process, then MRC can use the Special Construction (SC) process to request that BellSouth place facilities in order to meet MRC's Loop requirements. Standard Loop intervals shall not apply to the SC process.
- 2.1.4 Where facilities are available, BellSouth will install Loops in compliance with BellSouth's Products and Services Interval Guide available at the website at

http://www.interconnection.bellsouth.com. For orders of 15 or more Loops, the installation and any applicable Order Coordination as described below will be handled on a project basis, and the intervals will be set by the BellSouth project manager for that order. When Loops require a Service Inquiry (SI) prior to issuing the order to determine if facilities are available, the interval for the SI process is separate from the installation interval.

- 2.1.5 The Loop shall be provided to MRC in accordance with BellSouth's TR73600 Unbundled Local Loop Technical Specification and applicable industry standard technical references.
- 2.1.6 MRC may utilize the unbundled Loops to provide telecommunications services as long as such services are consistent with industry standards and BellSouth's TR73600.
- 2.1.7 BellSouth will only provision, maintain and repair the Loops to the standards that are consistent with the type of Loop ordered. In those cases where MRC has requested that BellSouth modify a Loop so that it no longer meets the technical parameters of the original Loop type (e.g., voice grade, ISDN, ADSL, etc.), the resulting Loop will be maintained as an unbundled copper Loop (UCL), and MRC shall pay the recurring and nonrecurring charges for a UCL. For non-service specific Loops (e.g. UCL, Loops modified by MRC using the ULM process), BellSouth will only support that the Loop has copper continuity and balanced tip-and-ring.
- 2.1.7.1 When a BellSouth technician is required to be dispatched to provision the Loop, BellSouth will tag the Loop with the Circuit ID number and the name of the ordering CLEC. When a dispatch is not required to provision the Loop, BellSouth will tag the Loop on the next required visit to the end user's location. If MRC wants to ensure the Loop is tagged during the provisioning process for Loops that may not require a dispatch (e.g. UVL-SL1, UVL-SL2, UCL-ND, MRC may order Loop Tagging. Rates for Loop Tagging are as set forth in Exhibit B of this Attachment.

# 2.1.8 <u>Loop Testing/Trouble Reporting</u>

- 2.1.8.1 MRC will be responsible for testing and isolating troubles on the Loops. MRC must test and isolate trouble to the BellSouth portion of a designed/non-designed unbundled Loop (e.g., UVL-SL2, UCL-D, UVL-SL1, UCL-ND, etc.) before reporting repair to the UNE Customer Wholesale Interconnection Network Services (CWINS) Center. At the time of the trouble report, MRC will be required to provide the results of the MRC tests which indicate a problem on the BellSouth provided Loop.
- 2.1.8.2 Once MRC has isolated a trouble to the BellSouth provided Loop, and has issued a trouble report to BellSouth on the Loop, BellSouth will take the actions

necessary to repair the Loop if a trouble actually exists. BellSouth will repair these Loops in the same time frames that BellSouth repairs similarly situated Loops to its end users.

2.1.8.3 If MRC reports a trouble on a non-designed or designed Loop and no trouble actually exists, BellSouth will charge MRC for any dispatching and testing (both inside and outside the CO) required by BellSouth in order to confirm the Loop's working status.

## 2.1.9 <u>Order Coordination and Order Coordination-Time Specific</u>

- 2.1.9.1 Order Coordination (OC) allows BellSouth and MRC to coordinate the installation of the SL2 Loops, Unbundled Digital Loops (UDL) and other Loops where OC may be purchased as an option, to MRC's facilities to limit end user service outage. OC is available when the Loop is provisioned over an existing circuit that is currently providing service to the end user. OC for physical conversions will be scheduled at BellSouth's discretion during normal working hours on the committed due date. OC shall be provided in accordance with the chart set forth below.
- 2.1.9.2 Order Coordination – Time Specific (OC-TS) allows MRC to order a specific time for OC to take place. BellSouth will make every effort to accommodate MRC's specific conversion time request. However, BellSouth reserves the right to negotiate with MRC a conversion time based on load and appointment control when necessary. This OC-TS is a chargeable option for all Loops except Unbundled Copper Loops (UCL) and Universal Digital Channel (UDC), and is billed in addition to the OC charge. MRC may specify a time between 9:00 a.m. and 4:00 p.m. (location time) Monday through Friday (excluding holidays). If MRC specifies a time outside this window, or selects a time or quantity of Loops that requires BellSouth technicians to work outside normal work hours, overtime charges will apply in addition to the OC and OC-TS charges. Overtime charges will be applied based on the amount of overtime worked and in accordance with the rates established in the Access Services Tariff, Section E13.2, for each state. The OC-TS charges for an order due on the same day at the same location will be applied on a per LSR basis.

#### 2.1.10 **CLEC to CLEC Conversions for Unbundled Loops**

- 2.1.10.1 The CLEC to CLEC conversion process for unbundled Loops may be used by MRC when converting an existing unbundled Loop from another CLEC for the same end user. The Loop type being converted must be included in MRC's Interconnection Agreement before requesting a conversion.
- 2.1.10.2 To utilize the CLEC to CLEC conversion process, the Loop being converted must be the same Loop type with no requested changes to the Loop, must serve the

same end user location from the same serving wire center, and must not require an outside dispatch to provision.

2.1.10.3 The Loops converted to MRC pursuant to the CLEC to CLEC conversion process shall be provisioned in the same manner and with the same functionality and options as described in this Attachment for the specific Loop type.

	Order Coordination (OC)	Order Coordination  - Time Specific (OC-TS)	Test Points	DLR	Charge for Dispatch and Testing if No Trouble Found
SL-1 (Non- Designed)	Chargeable Option	Chargeable Option	Not available	Chargeable Option – ordered as Engineering Information Document	Charged for Dispatch inside and outside Central Office
UCL-ND (Non- Designed)	Chargeable Option	Not Available	Not Available	Chargeable Option – ordered as Engineering Information Document	Charged for Dispatch inside and outside Central Office
Unbundled Voice Loops - SL-2 (including 2- and 4-wire UVL) (Designed)	Included	Chargeable Option	Included	Included	Charged for Dispatch outside Central Office
Unbundled Digital Loop (Designed)	Included	Chargeable Option (except on Universal Digital Channel)	Included (where appropriate)	Included	Charged for Dispatch outside Central Office
Unbundled Copper Loop (Designed)	Chargeable in accordance with Section 2	Not available	Included	Included	Charged for Dispatch outside Central Office

For UVL-SL1 and UCLs, MRC must order and will be billed for both OC and OC-TS if requesting OC-TS.

# 2.2 <u>Unbundled Voice Loops (UVLs)</u>

- 2.2.1 BellSouth shall make available the following UVLs:
- 2.2.1.1 2-wire Analog Voice Grade Loop SL1 (Non-Designed)
- 2.2.1.2 2-wire Analog Voice Grade Loop SL2 (Designed)
- 2.2.1.3 4-wire Analog Voice Grade Loop (Designed)

- Unbundled Voice Loops (UVL) may be provisioned using any type of facility that will support voice grade services. This may include loaded copper, non-loaded copper, digital loop carrier systems, fiber or a combination of any of these facilities. BellSouth, in the normal course of maintaining, repairing, and configuring its network, may also change the facilities that are used to provide any given voice grade circuit. This change may occur at any time. In these situations, BellSouth will only ensure that the newly provided facility will support voice grade services. BellSouth will not guarantee that MRC will be able to continue to provide any advanced services over the new facility. BellSouth will offer UVL in two different service levels Service Level One (SL1) and Service Level Two (SL2).
- 2.2.3 Unbundled Voice Loop SL1 (UVL-SL1) Loops are 2-wire Loop start circuits, will be non-designed, and will not have remote access test points. OC will be offered as a chargeable option on SLI Loops when reuse of existing facilities has been requested by MRC. MRC may also order OC-TS when a specified conversion time is requested. OC-TS is a chargeable option for any coordinated order and is billed in addition to the OC charge. An Engineering Information (EI) document can be ordered as a chargeable option. The EI document provides Loop Make-Up information which is similar to the information normally provided in a Design Layout Record (DLR). Upon issuance of a non-coordinated order in the service order system, SL1 Loops will be activated on the due date in the same manner and time frames that BellSouth normally activates POTS-type Loops for its end users.
- 2.2.4 For an additional charge BellSouth will make available Loop Testing so that MRC may request further testing on new UVL-SL1 Loops. Rates for Loop Testing are as set forth in Exhibit B of this Attachment.
- 2.2.5 Unbundled Voice Loop SL2 (UVL-SL2) Loops may be 2-wire or 4-wire circuits, shall have remote access test points, and will be designed with a DLR provided to MRC. SL2 circuits can be provisioned with loop start, ground start or reverse battery signaling. OC is provided as a standard feature on SL2 Loops. The OC feature will allow MRC to coordinate the installation of the Loop with the disconnect of an existing customer's service and/or number portability service. In these cases, BellSouth will perform the order conversion with standard OC at its discretion during normal work hours.

# 2.3 <u>Unbundled Digital Loops</u>

- 2.3.1 BellSouth will offer Unbundled Digital Loops (UDL). UDLs are service specific, will be designed, will be provisioned with test points (where appropriate), and will come standard with OC and a DLR. The various UDLs are intended to support a specific digital transmission scheme or service.
- 2.3.2 BellSouth shall make available the following UDLs:

- 2.3.2.1 2-wire Unbundled ISDN Digital Loop 2.3.2.2 2-wire Universal Digital Channel (IDSL Compatible) 2.3.2.3 2-wire Unbundled ADSL Compatible Loop 2.3.2.4 2-wire Unbundled HDSL Compatible Loop 2.3.2.5 4-wire Unbundled HDSL Compatible Loop 2.3.2.6 4-wire Unbundled DS1 Digital Loop 2.3.2.7 4-wire Unbundled Digital Loop/DS0 – 64 kbps, 56 kbps and below 2.3.2.8 DS3 Loop 2.3.2.9 STS-1 Loop 2.3.2.10 OC-3 Loop 2.3.2.11 OC-12 Loop
- 2.3.3 2-Wire Unbundled ISDN Digital Loops will be provisioned according to industry standards for 2-Wire Basic Rate ISDN services and will come standard with a test point, OC, and a DLR. MRC will be responsible for providing BellSouth with a Service Profile Identifier (SPID) associated with a particular ISDN-capable Loop and end user. With the SPID, BellSouth will be able to adequately test the circuit and ensure that it properly supports ISDN service. BellSouth will not reconfigure its ISDN-capable Loop to support IDSL service.
- 2.3.3.1 The Universal Digital Channel (UDC) (also known as IDSL-compatible Loop) is intended to be compatible with IDSL service and has the same physical characteristics and transmission specifications as BellSouth's ISDN-capable Loop. These specifications are listed in BellSouth's TR73600.
- 2.3.3.2 The UDC may be provisioned on copper or through a Digital Loop Carrier (DLC) system. When UDC Loops are provisioned using a DLC system, the Loops will be provisioned on time slots that are compatible with data-only services such as IDSL.
- 2.3.4 2-Wire ADSL-Compatible Loop. This is a designed Loop that is provisioned according to Revised Resistance Design (RRD) criteria and may be up to 18kft long and may have up to 6kft of bridged tap (inclusive of Loop length). The Loop is a 2-wire circuit and will come standard with a test point, OC, and a DLR.
- 2.3.5 2-Wire or 4-Wire HDSL-Compatible Loop. This is a designed Loop that is provisioned according to Carrier Serving Area (CSA) criteria and may be up to 12kft long and may have up to 2,500 feet of bridged tap (inclusive of Loop length). It may be a 2-wire or 4-wire circuit and will come standard with a test point, OC, and a DLR.
- 4-Wire Unbundled DS1 Digital Loop. This is a designed 4-wire Loop that is provisioned according to industry standards for DS1 or Primary Rate ISDN services and will come standard with a test point, OC, and a DLR. A DS1 Loop may be provisioned over a variety of loop transmission technologies including

2.3.2.12

OC-48 Loop

copper, HDSL-based technology or fiber optic transport systems. It will include a 4-Wire DS1 Network Interface at the end-user's location.

- 4-Wire Unbundled Digital/DS0 Loop. These are designed 4-wire Loops that may be configured as 64kbps, 56kbps, 19kbps, and other sub-rate speeds associated with digital data services and will come standard with a test point, OC, and DLR.
- 2.3.8 DS3 Loop. This is a two-point digital transmission path which provides for simultaneous two-way transmission of serial, bipolar, return-to-zero isochronous digital electrical signals at a transmission rate of 44.736 megabits per second (Mbps) that is dedicated to the use of MRC in its provisioning of local exchange and associated exchange access services. It may provide transport for twenty-eight (28) DS1 channels, each of which provides the digital equivalent of twenty-four analog voice grade channels. The interface to unbundled dedicated DS3 transport is a metallic-based electrical interface.
- 2.3.9 STS-1 Loop. This is a high-capacity digital transmission path with SONET VT1.5 mapping that is dedicated for the use of MRC for the purpose of provisioning local exchange and associated exchange access services. It is a two-point digital transmission path which provides for simultaneous two-way transmission of serial bipolar return-to-zero synchronous digital electrical signals at a transmission rate of 51.84 megabits per second (Mbps). It may provide transport for twenty-eight (28) DS1 channels, each of which provides the digital equivalent of twenty-four analog voice grade channels. The interface to unbundled dedicated STS-1 transport is a metallic-based electrical interface.
- 2.3.10 OC-3 Loop/OC-12 Loop/OC-48 Loop. These are optical two-point transmission paths that are dedicated to the use of the ordering CLEC in its provisioning of local exchange and associated exchange access services. The physical interface for all optical transport is optical fiber. This interface standard allows for transport of many different digital signals using a basic building block or base transmission rate of 51.84 megabits per second (Mbps). Higher rates are direct multiples of the base rate. The following rates are applicable: OC-3 -155.52 Mbps; OC-12 622.08 Mbps; and OC-48 2488 Mbps.
- 2.3.11 DS3 and above services come with a test point and a DLR. Mileage is airline miles, rounded up and a minimum of one mile applies. BellSouth TR 73501 LightGate<sup>®</sup> Service Interface and Performance Specifications, Issue D, June 1995 applies to DS3 and above services.

# 2.4 <u>Unbundled Copper Loops (UCL)</u>

2.4.1 BellSouth shall make available Unbundled Copper Loops (UCLs). The UCL is a copper twisted pair Loop that is unencumbered by any intervening equipment (e.g., filters, load coils, range extenders, digital loop carrier, or repeaters) and is not

intended to support any particular telecommunications service. The UCL will be offered in two types – Designed and Non-Designed.

## 2.4.2 <u>Unbundled Copper Loop – Designed (UCL-D)</u>

- 2.4.2.1 The UCL-D will be provisioned as a dry copper twisted pair Loop that is unencumbered by any intervening equipment (e.g., filters, load coils, range extenders, digital loop carrier, or repeaters). The UCL-D will be offered in two versions Short and Long.
- 2.4.2.2 A short UCL-D (18kft or less) is provisioned according to Resistance Design parameters, may have up to 6kft of bridged tap and will have up to 1300 Ohms of resistance.
- 2.4.2.3 The long UCL-D (beyond 18kft) is provisioned as a dry copper twisted pair longer than 18kft and may have up to 12kft of bridged tap and up to 2800 Ohms of resistance.
- 2.4.2.4 The UCL-D is a designed circuit, is provisioned with a test point, and comes standard with a DLR. OC is a chargeable option for a UCL-D; however, OC is always required on UCLs where a reuse of existing facilities has been requested by MRC.
- 2.4.2.5 These Loops are not intended to support any particular services and may be utilized by MRC to provide a wide-range of telecommunications services as long as those services do not adversely affect BellSouth's network. This facility will include a Network Interface Device (NID) at the customer's location for the purpose of connecting the Loop to the customer's inside wire.
- 2.4.2.6 BellSouth will make available the following UCL-Ds:
- 2.4.2.6.1 2-Wire UCL-D/short
- 2.4.2.6.2 2-Wire UCL-D/long
- 2.4.2.6.3 4-Wire UCL-D/short
- 2.4.2.6.4 4-Wire UCL-D/long

# 2.4.3 **Unbundled Copper Loop – Non-Designed (UCL-ND)**

2.4.3.1 The UCL–ND is provisioned as a dedicated 2-wire metallic transmission facility from BellSouth's Main Distribution Frame to a customer's premises (including the NID). The UCL-ND will be a "dry copper" facility in that it will not have any intervening equipment such as load coils, repeaters, or digital access main lines (DAMLs), and may have up to 6kft of bridged tap between the end user's premises and the serving wire center. The UCL-ND typically will be 1300 Ohms resistance and in most cases will not exceed 18kft in length, although the UCL-ND will not have a specific length limitation. For Loops less than 18kft and with less than 1300 Ohms resistance, the Loop will provide a voice grade transmission channel suitable for Loop start signaling and the transport of analog voice grade signals.

The UCL-ND will not be designed and will not be provisioned with either a DLR or a test point.

- 2.4.3.2 The UCL-ND facilities may be mechanically assigned using BellSouth's assignment systems. Therefore, the Loop Make Up process is not required to order and provision the UCL-ND. However, MRC can request Loop Make Up for which additional charges would apply.
- 2.4.3.3 For an additional charge, BellSouth also will make available Loop Testing so that MRC may request further testing on the UCL-ND. Rates for Loop Testing are as set forth in Exhibit B of this Attachment.
- 2.4.3.4 UCL-ND Loops are not intended to support any particular service and may be utilized by MRC to provide a wide-range of telecommunications services as long as those services do not adversely affect BellSouth's network. The UCL-ND will include a NID at the customer's location for the purpose of connecting the Loop to the customer's inside wire.
- 2.4.3.5 OC will be provided as a chargeable option and may be utilized when the UCL-ND provisioning is associated with the reuse of BellSouth facilities. OC-TS does not apply to this product.
- 2.4.3.6 MRC may use BellSouth's ULM offering to remove bridged tap and/or load coils from any Loop within the BellSouth network. Therefore, some Loops that would not qualify as UCL-ND could be transformed into Loops that do qualify, using the ULM process.

#### 2.5 Unbundled Loop Modifications (Line Conditioning)

- 2.5.1 Line Conditioning is defined as the removal from the Loop of any devices that may diminish the capability of the Loop to deliver high-speed switched wireline telecommunications capability, including xDSL service. Such devices include, but are not limited to, load coils, bridged taps, low pass filters, and range extenders.
- 2.5.2 BellSouth shall condition Loops, as requested by MRC, whether or not BellSouth offers advanced services to the End User on that Loop.
- 2.5.3 In some instances, MRC will require access to a copper twisted pair Loop unfettered by any intervening equipment (e.g., filters, load coils, range extenders, etc.), so that MRC can use the Loop for a variety of services by attaching appropriate terminal equipment at the ends. MRC will determine the type of service that will be provided over the Loop. BellSouth's ULM process will be used to determine the costs and feasibility of conditioning the Loops as requested. Rates for ULM are as set forth in Exhibit B of this Attachment.
- 2.5.4 In those cases where MRC has requested that BellSouth modify a Loop so that it no longer meets the technical parameters of the original Loop type (e.g., voice

grade, ISDN, ADSL, etc.), the resulting modified Loop will be ordered and maintained as a UCL.

- 2.5.5 ULM includes the following: 1) removal of devices on 2-wire or 4-wire Loops equal to or less than 18kft; 2) removal of devices on 2-wire or 4-wire Loops longer than 18kft; and 3) removal of bridged taps on Loops of any length.
- 2.5.6 MRC shall request Loop make up information pursuant to this Attachment prior to submitting a service inquiry and/or a LSR for the Loop type that MRC desires BellSouth to condition.
- 2.5.7 When requesting ULM for a Loop that BellSouth has previously provisioned for MRC, MRC will submit a service inquiry to BellSouth. If a spare Loop facility that meets the loop modification specifications requested by MRC is available at the location for which the ULM was requested, MRC will have the option to change the Loop facility to the qualifying spare facility rather than to provide ULM. In the event that BellSouth changes the Loop facility in lieu of providing ULM, MRC will not be charged for ULM but will only be charged the service order charges for submitting an order.

## 2.6 <u>Loop Provisioning Involving Integrated Digital Loop Carriers</u>

- 2.6.1 Where MRC has requested an Unbundled Loop and BellSouth uses Integrated Digital Loop Carrier (IDLC) systems to provide the local service to the end user and BellSouth has a suitable alternate facility available, BellSouth will make such alternative facilities available to MRC. If a suitable alternative facility is not available, then to the extent it is technically feasible, BellSouth will implement one of the following alternative arrangements for MRC (e.g. hairpinning):
  - 1. Roll the circuit(s) from the IDLC to any spare copper that exists to the customer premises.
  - 2. Roll the circuit(s) from the IDLC to an existing DLC that is not integrated.
  - 3. If capacity exists, provide "side-door" porting through the switch.
  - 4. If capacity exists, provide "DACS-door" porting (if the IDLC routes through a DACS prior to integration into the switch).
- 2.6.2 Arrangements 3 and 4 above require the use of a designed circuit. Therefore, non-designed Loops such as the SL1 voice grade and UCL-ND may not be ordered in these cases.
- 2.6.3 If no alternate facility is available, BellSouth will utilize its Special Construction (SC) process to determine the additional costs required to provision the Loop facilities. MRC will then have the option of paying the one-time SC rates to place the Loop.

# 2.7 **Network Interface Device (NID)**

- 2.7.1 The NID is defined as any means of interconnection of end-user customer premises wiring to BellSouth's distribution plant, such as a cross-connect device used for that purpose. The NID is a single-line termination device or that portion of a multiple-line termination device required to terminate a single line or circuit at the premises. The NID features two independent chambers or divisions that separate the service provider's network from the end user's customer-premises wiring. Each chamber or division contains the appropriate connection points or posts to which the service provider and the end user each make their connections. The NID provides a protective ground connection and is capable of terminating cables such as twisted pair cable.
- 2.7.2 BellSouth shall permit MRC to connect MRC's Loop facilities to the end-user's customer-premises wiring through the BellSouth NID or at any other technically feasible point.

# 2.7.3 Access to NID

- 2.7.3.1 MRC may access the end user's customer-premises wiring by any of the following means and MRC shall not disturb the existing form of electrical protection and shall maintain the physical integrity of the NID:
- 2.7.3.1.1 BellSouth shall allow MRC to connect its Loops directly to BellSouth's multi-line residential NID enclosures that have additional space and are not used by BellSouth or any other telecommunications carriers to provide service to the premises.
- 2.7.3.1.2 Where an adequate length of the end user's customer premises wiring is present and environmental conditions permit, either Party may remove the customer premises wiring from the other Party's NID and connect such wiring to that Party's own NID;
- 2.7.3.1.3 Either Party may enter the subscriber access chamber or dual chamber NID enclosures for the purpose of extending a connect divisioned or spliced jumper wire from the customer premises wiring through a suitable "punch-out" hole of such NID enclosures; or
- 2.7.3.1.4 MRC may request BellSouth to make other rearrangements to the end user customer premises wiring terminations or terminal enclosure on a time and materials cost basis.
- 2.7.3.2 In no case shall either Party remove or disconnect the other Party's Loop facilities from either Party's NIDs, enclosures, or protectors unless the applicable Commission has expressly permitted the same and the disconnecting Party provides prior notice to the other Party. In such cases, it shall be the responsibility of the Party disconnecting Loop facilities to leave undisturbed the existing form of electrical protection and to maintain the physical integrity of the NID. It will be

MRC's responsibility to ensure there is no safety hazard, and MRC will hold BellSouth harmless for any liability associated with the removal of the BellSouth Loop from the BellSouth NID. Furthermore, it shall be the responsibility of the disconnecting Party, once the other Party's Loop has been disconnected from the NID, to reconnect the disconnected Loop to a nationally recognized testing laboratory listed station protector, which has been grounded as per Article 800 of the National Electrical Code. If no spare station protector exists in the NID, the disconnected Loop must be appropriately cleared, capped and stored.

- 2.7.3.3 MRC shall not remove or disconnect ground wires from BellSouth's NIDs, enclosures, or protectors.
- 2.7.3.4 MRC shall not remove or disconnect NID modules, protectors, or terminals from BellSouth's NID enclosures.
- 2.7.3.5 Due to the wide variety of NID enclosures and outside plant environments, BellSouth will work with MRC to develop specific procedures to establish the most effective means of implementing this section if the procedures set forth herein do not apply to the NID in question.
- 2.7.4 Technical Requirements
- 2.7.4.1 The NID shall provide an accessible point of interconnection and shall maintain a connection to ground.
- 2.7.4.2 If an existing NID is accessed, it shall be capable of transferring electrical analog or digital signals between the end user's customer premises and the distribution media and/or cross connect to MRC's NID.
- 2.7.4.3 Existing BellSouth NIDs will be provided in "as is" condition. MRC may request BellSouth to do additional work to the NID on a time and material basis. When MRC deploys its own local Loops in a multiple-line termination device, MRC shall specify the quantity of NIDs connections that it requires within such device.
- 2.8 **Sub-loop Elements**
- 2.8.1 Where facilities permit, BellSouth shall offer access to its Unbundled Sub-Loop (USL) and Unbundled Sub-loop Concentration (USLC) System.
- 2.8.2 <u>Unbundled Sub-Loop Distribution</u>
- 2.8.2.1 The unbundled sub-loop distribution facility is a dedicated transmission facility that BellSouth provides from an end user's point of demarcation to a BellSouth crossconnect device. The BellSouth cross-connect device may be located within a remote terminal (RT) or a stand-alone cross-box in the field or in the equipment room of a building. The unbundled sub-loop distribution media is a copper twisted

pair that can be provisioned as a 2-Wire or 4-Wire facility. BellSouth will make available the following sub-loop distribution offerings where facilities exist:

Unbundled Sub-Loop Distribution – Voice Grade
Unbundled Copper Sub-Loop
Unbundled Sub-Loop Distribution – Intrabuilding Network Cable (aka riser cable)

- 2.8.2.2 Unbundled Sub-Loop Distribution Voice Grade (USLD-VG) is a sub-loop facility from the cross-box in the field up to and including the point of demarcation at the end user's premises and may have load coils.
- 2.8.2.3 Unbundled Copper Sub-Loop (UCSL) is a copper facility of any length provided from the cross-box in the field up to and including the end-user's point of demarcation. If available, this facility will not have any intervening equipment such as load coils between the end-user and the cross-box.
- 2.8.2.3.1 If MRC requests a UCSL and it is not available, MRC may request the Sub-Loop facility be modified pursuant to the ULM process to remove load coils and/or bridged taps. If load coils and/or bridged taps are removed, the facility will be classified as a UCSL.
- 2.8.2.4 Unbundled Sub-Loop Distribution Intrabuilding Network Cable (USLD-INC) is the distribution facility inside a building or between buildings on the same property that is not separated by a public street or road. USLD-INC includes the facility from the cross-connect device in the building equipment room up to and including the point of demarcation at the end user's premises.
- 2.8.2.4.1 BellSouth will install a cross connect panel in the building equipment room for the purpose of accessing USLD-INC pairs from a building equipment room. The cross-connect panel will function as a single point of interconnection (SPOI) for USLD-INC and will be accessible by multiple carriers as space permits. BellSouth will place cross-connect blocks in 25-pair increments for MRC's use on this cross-connect panel. MRC will be responsible for connecting its facilities to the 25-pair cross-connect block(s).
- 2.8.2.5 For access to Voice Grade USLD and UCSL, MRC shall install a cable to the BellSouth cross-box pursuant to the terms and conditions for physical collocation for remote sites set forth in this Agreement. This cable would be connected by a BellSouth technician within the BellSouth cross-box during the set-up process. MRC's cable pairs can then be connected to BellSouth's USL within the BellSouth cross-box by the BellSouth technician.
- 2.8.2.6 Through the Service Inquiry (SI) process, BellSouth will determine whether access to Unbundled Sub-Loops at the location requested by MRC is technically feasible and whether sufficient capacity exists in the cross-box. If existing capacity is sufficient to meet MRC's request, then BellSouth will perform the site set-up as

described in the CLEC Information Package, located at the Website address: http://www.interconnection.bellsouth.com/products/html/unes.html. If any work must be done to modify existing BellSouth facilities or add new facilities (other than adding the cross-connect panel in a building equipment room to accommodate MRC's request for Unbundled Sub-Loops, MRC may request BellSouth's Special Construction (SC) process to determine additional costs required to provision the Unbundled Sub-Loops. MRC will have the option to proceed under the SC process to modify the BellSouth facilities.

- 2.8.2.7 The site set-up must be completed before MRC can order sub-loop pairs. For the site set-up in a BellSouth cross-connect box in the field, BellSouth will perform the necessary work to splice MRC's cable into the cross-connect box. For the site set-up inside a building equipment room, BellSouth will perform the necessary work to install the cross-connect panel and the connecting block(s) that will be used to provide access to the requested USLs.
- 2.8.2.8 Once the site set-up is complete, MRC will request sub-loop pairs through submission of a LSR form to the LCSC. OC is required with USL pair provisioning when MRC requests reuse of an existing facility, and the OC charge shall be billed in addition to the USL pair rate. For expedite requests by MRC for sub-loop pairs, expedite charges will apply for intervals less than 5 days.
- 2.8.2.9 Unbundled Sub-Loops will be provided in accordance with technical reference TR73600.

### 2.8.3 Unbundled Network Terminating Wire (UNTW)

- 2.8.3.1 Unbundled Network Terminating Wire (UNTW) is unshielded twisted copper wiring that is used to extend circuits from an intra-building network cable terminal or from a building entrance terminal to an individual end user's point of demarcation. It is the final portion of the Loop that in multi-subscriber configurations represents the point at which the network branches out to serve individual subscribers.
- This element will be provided in Multi-Dwelling Units (MDUs) and/or Multi-Tenants Units (MTUs) where either Party owns wiring all the way to the enduser's premises. Neither Party will provide this element in locations where the property owner provides its own wiring to the end-user's premises, where a third party owns the wiring to the end-user's premises or where the property owner will not allow the other Party to place its facilities to the end user.
- 2.8.3.3 Requirements
- 2.8.3.3.1 On a multi-unit premises, upon request of the other Party (Requesting Party), the Party owning the network terminating wire (Provisioning Party) will provide

- access to UNTW pairs on an Access Terminal that is suitable for use by multiple carriers at each Garden Terminal or Wiring Closet.
- 2.8.3.3.2 The Provisioning Party shall not be required to install new or additional NTW beyond existing NTW to provision the services of the Requesting Party.
- 2.8.3.3.3 In existing MDUs and/or MTUs in which BellSouth does not own or control wiring (INC/NTW) to the end users premises, MRC will install UNTW Access Terminals for BellSouth at no additional charge.
- 2.8.3.3.4 In situations in which BellSouth activates a UNTW pair, BellSouth will compensate MRC for each pair activated commensurate to the price specified in MRC's Agreement.
- 2.8.3.3.5 Upon receipt of the UNTW Service Inquiry (SI) requesting access to the Provisioning Party's UNTW pairs at a multi-unit premise, representatives of both Parties will participate in a meeting at the site of the requested access. The purpose of the site visit will include discussion of the procedures for installation and location of the Access Terminals. By request of the Requesting Party, an Access Terminal will be installed either adjacent to each of the Provisioning Party's Garden Terminal or inside each Wiring Closet. The Requesting Party will deliver and connect its central office facilities to the UNTW pairs within the Access Terminal. The Requesting Party may access any available pair on an Access Terminal. A pair is available when a pair is not being utilized to provide service or where the end user has requested a change in its local service provider to the Requesting Party. Prior to connecting the Requesting Party's service on a pair previously used by the Provisioning Party, the Requesting Party is responsible for ensuring the end-user is no longer using the Provisioning Party's service or another CLEC's service before accessing UNTW pairs.
- 2.8.3.3.6 Access Terminal installation intervals will be established on an individual case basis.
- 2.8.3.3.7 The Requesting Party is responsible for obtaining the property owner's permission for the Provisioning Party to install an Access Terminal(s) on behalf of the Requesting Party. The submission of the SI by the Requesting Party will serve as certification by the Requesting Party that such permission has been obtained. If the property owner objects to Access Terminal installations that are in progress or subsequent to completion and demands removal of Access Terminals, the Requesting Party will be responsible for costs associated with removing Access Terminals and restoring the property to its original state prior to Access Terminals being installed.
- 2.8.3.3.8 The Requesting Party shall indemnify and hold harmless the Provisioning Party against any claims of any kind that may arise out of the Requesting Party's failure to obtain the property owner's permission. The Requesting Party will be billed for

non-recurring and recurring charges for accessing UNTW pairs at the time the Requesting Party activates the pair(s). The Requesting Party will notify the Provisioning Party each time it activates UNTW pairs using the LSR form.

- 2.8.3.3.9 The Requesting Party will isolate and report troubles in the manner specified by the Provisioning Party. The Requesting Party must tag the UNTW pair that requires repair. If the Provisioning Party dispatches a technician on a reported trouble call and no UNTW trouble is found, the Provisioning Party will charge Requesting Party for time spent on the dispatch and testing the UNTW pair(s).
- 2.8.3.3.10 If the Requesting Party initiates the Access Terminal installation and the Requesting Party has not activated at least one pair on the Access Terminal installed pursuant to the Requesting Party's request for an Access Terminal within 6 months of installation of the Access Terminal, the Provisioning Party will bill the Requesting Party a non-recurring charge equal to the actual cost of provisioning the Access Terminal.
- 2.8.3.3.11 If the Provisioning Party determines that the Requesting Party is using the UNTW pairs without reporting the activation of the pairs, the following charges shall apply:
- 2.8.3.3.11.1 If the Requesting Party issued a LSR to disconnect an end-user from the Provisioning Party in order to use a UNTW pair, the Requesting Party will be billed for the use of the pair back to the disconnect order date.
- 2.8.3.3.11.2 If the Requesting Party activated a UNTW pair on which the Provisioning Party was not previously providing service, the Requesting Party will be billed for the use of that pair back to the date the end-user began receiving service using that pair. Upon request, the Requesting Party will provide copies of its billing record to substantiate such date. If the Requesting Party fails to provide such records, then the Provisioning Party will bill the Requesting Party back to the date of the Access Terminal installation.

# 2.8.4 <u>Unbundled Sub-Loop Feeder</u>

- 2.8.4.1 Unbundled Sub-Loop Feeder (USLF) provides connectivity between BellSouth's central office and cross-box (or other access point) that serves one or more end user locations.
- 2.8.4.2 USLF utilized for voice traffic can be configured as 2-wire voice (USLF-2W/V) or 4-wire voice (USLF-4W/V).
- 2.8.4.3 USLF utilized for digital traffic can be configured as 2-wire ISDN (USLF-2W/I); 2-wire Copper (USLF-2W/C); 4-wire Copper (USLF-4W/C); 4-wire DS0 level Loop (USLF-4W/D0); or 4-wire DS1 and ISDN (USLF-4W/DI).

- 2.8.4.4 USLF will provide access to both the equipment and the features in the BellSouth central office and BellSouth cross box necessary to provide a 2-wire or 4-wire communications pathway from the BellSouth central office to the BellSouth cross-box. This element will allow for the connection of MRC's loop distribution elements onto BellSouth's feeder system.
- 2.8.4.5 Requirements
- 2.8.4.5.1 MRC will extend a compatible cable to BellSouth's cross-box. BellSouth will connect the cable to a cross-connect panel inside the BellSouth cross-box to the requested level of feeder element. In those cases in which there is no room in the BellSouth cross-box to accommodate the additional cross-connect panels mentioned above, MRC may request, through the BellSouth SC process, a determination of costs to provide the sub-loop feeder element to MRC. MRC will then have the option of paying the SC charges or canceling the order.
- 2.8.4.5.2 USLF will be a designed circuit and BellSouth will provide a DLR for this element.
- 2.8.4.5.3 BellSouth will provide USLF elements in accordance with applicable industry standards for these types of facilities. Where industry standards do not exist, BellSouth's TR73600 will be used to determine performance parameters.
- 2.8.4.6 Unbundled Sub-Loop Feeder DS3 and above
- 2.8.4.6.1 USLF DS3 and above provides connectivity between a BellSouth Serving Wire Center (SWC) collocation arrangement and the Remote Terminal (RT) associated with the SWC that serves an end user location.
- 2.8.4.6.2 The sub-loop feeder shall be utilized for voice and digital traffic. It may be configured at DS3, STS-1, OC-3, OC-12, or OC-48 transmission capacities and shall require a Service Inquiry.
- 2.8.4.6.3 The OC-48 Sub-Loop Feeder will consist of four (4) OC12 interfaces.
- 2.8.4.6.4 Both 2-fiber and 4-fiber-protect applications will be supported for OC-3 level and higher.
- 2.8.4.6.5 Requirements
- 2.8.4.6.5.1 Access in the SWC and RT will be via a Collocation cross-connect.
- 2.8.4.6.5.2 USLF DS3 and above will be a designed circuit. BellSouth will provide a DLR for this network element.
- 2.8.4.6.6 Rates for these services are as set forth in Exhibit B of this Attachment. Mileage is based on airline miles.

2.8.4.6.7 BellSouth will provide USLF DS3 and above elements in accordance with applicable industry standards.

## 2.8.5 <u>Unbundled Loop Concentration (ULC)</u>

- 2.8.5.1 BellSouth will provide to MRC Unbundled Loop Concentration (ULC). Loop concentration systems in the central office concentrate the signals transmitted over local Loops onto a digital loop carrier system. The concentration device is placed inside a BellSouth central office. BellSouth will offer ULC with a TR008 interface or a TR303 interface.
- 2.8.5.2 ULC will be offered in two system options. System A will allow up to 96
  BellSouth Loops to be concentrated onto two or more DS1s. The high-speed
  connection from the concentrator will be at the electrical DS1 level and will
  connect to MRC at MRC's collocation site. System B will allow up to 192
  BellSouth Loops to be concentrated onto 4 or more DS1s. System A may be
  upgraded to a System B. A minimum of two DS1s is required for each system
  (i.e., System A requires two DS1s and System B would require an additional two
  DS1s or four in total). All DS1 interfaces will terminate to MRC's collocation
  space. ULC service is offered with concentration (2 DS1s for 96 channels) or
  without concentration (4 DS1s for 96 channels) and with or without protection. A
  Loop Interface element will be required for each Loop that is terminated onto the
  ULC system.

# 2.8.6 <u>Unbundled Sub-Loop Concentration (USLC)</u>

- 2.8.6.1 Where facilities permit, MRC may concentrate its sub-loops onto multiple DS1s back to the BellSouth Central Office.
- USLC, using the Lucent Series 5 equipment, will be offered in two system options. System A will allow up to 96 of MRC's sub-loops to be concentrated onto two or more DS1s. System B will allow an additional 96 of MRC's sub-loops to be concentrated onto two or more additional DS1s. One System A may be supplemented with one System B and they both must be physically located in a single Series 5 dual channel bank. A minimum of two DS1s is required for each system (i.e., System A requires two DS1s and System B would require an additional two DS1s or four in total). The DS1 level facility that connects the Remote Terminal (RT) site with the serving wire center (SWC) is known as a Feeder Interface. All DS1 Feeder Interfaces will terminate to MRC's demarcation point associated with MRC's collocation space within the SWC that serves the RT. USLC service is offered with or without concentration and with or without a protection DS1.
- 2.8.6.3 MRC is required to deliver its sub-loops to its own cross-box, RT, or other similar device and deliver a single cable to the BellSouth RT. This cable shall be connected by a BellSouth technician to a cross-connect panel within the BellSouth

RT/cross-box and shall allow MRC's sub-loops to be placed on the USLC and transported to MRC's collocation space at a DS1 level.

### 2.8.7 **Dark Fiber Loop**

2.8.7.1 Dark Fiber Loop is an unused optical transmission facility, without attached signal regeneration, multiplexing, aggregation or other electronics, from an end user's premises connected via a cross connect to the demarcation point associated with MRC's collocation space in the end user's serving wire center. Dark Fiber Loops may be strands of optical fiber existing in aerial or underground structure. BellSouth will not provide line terminating elements, regeneration or other electronics necessary for MRC to utilize Dark Fiber Loops.

### 2.8.7.2 Requirements

- 2.8.7.2.1 BellSouth shall make available Dark Fiber Loop where it exists in BellSouth's network and where, as a result of future building or deployment, it becomes available. Dark Fiber Loop will not be deemed available if: (1) it is used by BellSouth for maintenance and repair purposes; (2) it is designated for use pursuant to a firm order placed by another customer; (3) it is restricted for use by all carriers, including BellSouth, because of transmission problems or because it is scheduled for removal due to documented changes to roads and infrastructure; or (4) BellSouth has plans to use the fiber within a two-year planning period. BellSouth is not required to place the fiber for Dark Fiber Loop if none is available.
- 2.8.7.2.2 MRC is solely responsible for testing the quality of the Dark Fiber to determine its usability and performance specifications.
- 2.8.7.2.3 BellSouth shall use its commercially reasonable efforts to provide to MRC information regarding the location, availability and performance of Dark Fiber Loop within ten (10) business days after receiving a Service Inquiry (SI) from MRC.
- 2.8.7.2.4 If the requested Dark Fiber Loop is available, BellSouth shall use commercially reasonable efforts to provision the Dark Fiber Loop to MRC within twenty (20) business days after MRC submits a valid, error free LSR. Provisioning includes identification of appropriate connection points (e.g., Light Guide Interconnection (LGX)) to enable MRC to connect MRC provided transmission media (e.g., optical fiber) or equipment to the Dark Fiber Loop.

### 2.9 **Loop Makeup (LMU)**

- 2.9.1 Description of Service
- 2.9.1.1 BellSouth shall make available to MRC LMU information so that MRC can make an independent judgment about whether the Loop is capable of supporting the

advanced services equipment MRC intends to install and the services MRC wishes to provide. This section addresses LMU as a preordering transaction, distinct from MRC ordering any other service(s). Loop Makeup Service Inquiries (LMUSI) for preordering Loop Make-Up are likewise unique from other preordering functions with associated service inquiries (SI) as described in this Agreement.

- 2.9.1.2 BellSouth will provide MRC LMU information consisting of the composition of the Loop material (copper/fiber); the existence, location and type of equipment on the Loop, including but not limited to digital loop carrier or other remote concentration devices, feeder/distribution interfaces, bridged taps, load coils, pairgain devices; the Loop length; the wire gauge and electrical parameters.
- 2.9.1.3 BellSouth's LMU information is provided to MRC as it exists either in BellSouth's databases or in its hard copy facility records. BellSouth does not guarantee accuracy or reliability of the LMU information provided.
- 2.9.1.4 BellSouth's provisioning of LMU information to MRC on facilities is contingent upon either BellSouth or MRC controlling the Loop(s) that serve the service location for which LMU information has been requested by MRC. MRC is not authorized to receive LMU information on a facility used or controlled by another CLEC unless BellSouth receives a Letter of Authorization (LOA) from the voice CLEC (owner) or its authorized agent on the LMUSI submitted by MRC.
- 2.9.1.5 MRC may choose to use equipment that it deems will enable it to provide a certain type and level of service over a particular BellSouth Loop as long as that equipment does not disrupt other services on the BellSouth network. The determination shall be made solely by MRC and BellSouth shall not be liable in any way for the performance of the advanced data services provisioned over said Loop. The specific Loop type (ADSL, HDSL, or otherwise) ordered on the LSR must match the LMU of the Loop reserved taking into consideration any requisite line conditioning. The LMU data is provided for informational purposes only and does not guarantee MRC's ability to provide advanced data services over the ordered Loop type. Further, if MRC orders Loops that do not require a specific facility medium (i.e. copper only) or Loops that are not intended to support advanced services (such as UV-SL1, UV-SL2, or ISDN compatible Loops) and that are not inventoried as advanced services Loops, the LMU information for such Loops is subject to change at any time due to modifications and/or upgrades to BellSouth's network. MRC is fully responsible for any of its service configurations that may differ from BellSouth's technical standard for the Loop type ordered.

## 2.9.2 <u>Submitting Loop Makeup Service Inquiries</u>

2.9.2.1 MRC may obtain LMU information by submitting a LMUSI mechanically or manually. Mechanized LMUSIs should be submitted through BellSouth's OSS

interfaces. After obtaining the Loop information from the mechanized LMUSI process, if MRC needs further Loop information in order to determine Loop service capability, MRC may initiate a separate Manual Service Inquiry for a separate nonrecurring charge as set forth in Exhibit B of this Attachment.

2.9.2.2 Manual LMUSIs shall be submitted by electronic mail to BellSouth's CRSG utilizing the Preordering Loop Makeup Service Inquiry form. The service interval for the return of a Manual LMUSI is three business days. Manual LMUSIs are not subject to expedite requests. This service interval is distinct from the interval applied to the subsequent service order.

# 2.9.3 **Loop Reservations**

- 2.9.3.1 For a Mechanized LMUSI, MRC may reserve up to ten Loop facilities. For a Manual LMUSI, MRC may reserve up to three Loop facilities.
- 2.9.3.2 MRC may reserve facilities for up to four (4) business days for each facility requested on a LMUSI from the time the LMU information is returned to MRC. During and prior to MRC placing an LSR, the reserved facilities are rendered unavailable to other customers, including BellSouth. If MRC does not submit an LSR for a UNE service on a reserved facility within the four-day reservation timeframe, the reservation of that spare facility will become invalid and the facility will be released.
- 2.9.3.3 Charges for preordering LMUSI are separate from any charges associated with ordering other services from BellSouth.

### 2.9.4 **Ordering of Other UNE Services**

- 2.9.4.1 All LSRs issued for reserved facilities shall reference the facility reservation number as provided by BellSouth. MRC will not be billed any additional LMU charges for the Loop ordered on such LSR. If, however, MRC does not reserve facilities upon an initial LMUSI, MRC's placement of an order for an advanced data service type facility will incur the appropriate billing charges to include service inquiry and reservation per Exhibit B of this Attachment.
- 2.9.4.2 Where MRC has reserved multiple Loop facilities on a single reservation, MRC may not specify which facility shall be provisioned when submitting the LSR. For those occasions, BellSouth will assign to MRC, subject to availability, a facility that meets the BellSouth technical standards of the BellSouth type Loop as ordered by MRC. If the ordered Loop type is not available, MRC may utilize the ULM process or the SC process, as applicable, to obtain the Loop type ordered.

## 3 High Frequency Spectrum Network Element

- 3.1 General
- 3.1.1 BellSouth shall provide MRC access to the high frequency spectrum of the local Loop as a UNE only where BellSouth is the voice service provider to the end user at the rates set forth in this Attachment.
- 3.1.2 The High Frequency Spectrum is defined as the frequency range above the voiceband on a copper Loop facility carrying analog circuit-switched voiceband transmissions. Access to the High Frequency Spectrum is intended to allow MRC the ability to provide Digital Subscriber Line (xDSL) data services to the end user for which BellSouth provides voice services. The High Frequency Spectrum shall be available for any version of xDSL complying with Spectrum Management Class 5 of ANSI T1.417, American National Standard for Telecommunications, Spectrum Management for Loop Transmission Systems. BellSouth will continue to have access to the low frequency portion of the Loop spectrum (from 300 Hertz to at least 3000 Hertz, and potentially up to 3400 Hertz, depending on equipment and facilities) for the purposes of providing voice service. MRC shall only use xDSL technology that is within the PSD mask for Spectrum Management Class 5 as found in the above-mentioned document.
- 3.1.3 Access to the High Frequency Spectrum requires an unloaded, 2-wire copper Loop. An unloaded Loop is a copper Loop with no load coils, low-pass filters, range extenders, DAMLs, or similar devices and minimal bridged taps consistent with ANSI T1.413 and T1.601.
- 3.1.4 BellSouth will provide Loop Modification to MRC on an existing Loop in accordance with procedures developed in the Line Sharing Collaborative. High Frequency Spectrum (Central Office Based) Unbundled Loop Modification is a separate distinct service from ULM set forth in Section 2.5 of this Attachment. Procedures for High Frequency Spectrum (Central Office Based) Unbundled Loop Modification were developed in the Line Sharing Collaborative and may be found posted to the web at <a href="http://www.interconnection.bellsouth.com/html/unes.html">http://www.interconnection.bellsouth.com/html/unes.html</a>. Nonrecurring rates for this UNE offering are as set forth in Exhibit B of this Attachment. BellSouth is not required to modify a Loop for access to the High Frequency spectrum if modification of that Loop significantly degrades BellSouth's voice service. If MRC requests that BellSouth modify a Loop longer than 18kft and such modification significantly degrades the voice services on the Loop, MRC shall pay for the Loop to be restored to its original state.
- 3.1.5 The High Frequency Spectrum shall only be available on Loops on which BellSouth is also providing, and continues to provide, analog voice service directly to the end user. In the event the end user terminates its BellSouth provided voice service for any reason, or in the event BellSouth disconnects the end user's voice service pursuant to its tariffs or applicable law, and MRC desires to continue

providing xDSL service on such Loop, MRC shall be required to purchase a full stand-alone Loop UNE. To the extent commercially practicable, BellSouth shall give MRC notice in a reasonable time prior to disconnect, which notice shall give MRC an adequate opportunity to notify BellSouth of its intent to purchase such Loop. In those cases in which BellSouth no longer provides voice service to the end user and MRC purchases the full stand-alone Loop, MRC may elect the type of Loop it will purchase. MRC will pay the appropriate recurring and nonrecurring rates for such Loop as set forth in Exhibit B to this Attachment. In the event MRC purchases a voice grade Loop, MRC acknowledges that such Loop may not remain xDSL compatible.

Only one CLEC shall be permitted access to the High Frequency Spectrum of any particular Loop.

# 3.2 <u>Provisioning of High Frequency Spectrum and Splitter Space</u>

- 3.2.1 BellSouth will provide MRC with access to the High Frequency Spectrum as follows:
- 3.2.1.1 To order High Frequency Spectrum on a particular Loop, MRC must have a Digital Subscriber Line Access Multiplexer (DSLAM) collocated in the central office that serves the end user of such Loop.
- 3.2.1.2 MRC may provide its own splitters or may order splitters in a central office once it has installed its DSLAM in that central office. BellSouth will install splitters within thirty-six (36) calendar days of MRC's submission of an error free Line Splitter Ordering Document (LSOD) to the BellSouth CRSG.
- 3.2.1.3 Once a splitter is installed on behalf of MRC in a central office in which MRC is located, MRC shall be entitled to order the High Frequency Spectrum on lines served out of that central office. BellSouth will bill and MRC shall pay the electronic or manual ordering charges as applicable when MRC orders High Frequency Spectrum for end user service.
- 3.2.1.4 BellSouth shall test the data portion of the Loop to ensure the continuity of the wiring for MRC's data.

### 3.3 **BellSouth Provided Splitter**

3.3.1 BellSouth will select, purchase, install, and maintain a central office POTS splitter and provide MRC access to data ports on the splitter. The splitter will route the High Frequency Spectrum on the circuit to MRC's xDSL equipment in MRC's collocation space. At least 30 days before making a change in splitter suppliers, BellSouth will provide MRC with a carrier notification letter, informing MRC of change. MRC shall purchase ports on the splitter in increments of 8, 24, or 96 ports in Alabama, Florida, Georgia, Kentucky, Louisiana, Mississippi, North

Carolina and South Carolina. MRC shall purchase ports on the splitter in increments of 24 or 96 ports in Tennessee.

3.3.2 BellSouth will install the splitter in (i) a common area close to MRC's collocation area, if possible; or (ii) in a BellSouth relay rack as close to MRC's DS0 termination point as possible. MRC shall have access to the splitter for test purposes, regardless of where the splitter is placed in the BellSouth premises. For purposes of this section, a common area is defined as an area in the central office in which both Parties have access to a common test access point. A Termination Point is defined as the point of termination for MRC on the main distributing frame in the central office and is not the demarcation point set forth in Attachment 4 of this Agreement. BellSouth will cross-connect the splitter data ports to a specified MRC DS0 at such time that a MRC end user's service is established.

### 3.4 **CLEC Provided Splitter**

- 3.4.1 MRC may at its option purchase, install and maintain central office POTS splitters in its collocation arrangements. MRC may use such splitters for access to its customers and to provide xDSL services to its customers using the High Frequency Spectrum. Existing Collocation rules and procedures and the terms and conditions relating to Collocation set forth in Attachment 4-Central Office shall apply.
- Any splitters installed by MRC in its collocation arrangement shall comply with ANSI T1.413, Annex E, or any future ANSI splitter Standards. MRC may install any splitters that BellSouth deploys or permits to be deployed for itself or any BellSouth affiliate.

#### 3.5 **Ordering**

- 3.5.1 MRC shall use BellSouth's LSOD to order splitters from BellSouth and to activate and deactivate DS0 Collocation Connecting Facility Assignments (CFA) for use with High Frequency Spectrum.
- 3.5.2 BellSouth will provide MRC the LSR format to be used when ordering the High Frequency Spectrum.
- 3.5.3 BellSouth will provision High Frequency Spectrum in compliance with BellSouth's Products and Services Interval Guide available at the website at <a href="http://www.interconnection.bellsouth.com">http://www.interconnection.bellsouth.com</a>.
- 3.5.4 BellSouth will provide MRC access to Preordering Loop Makeup (LMU) in accordance with the terms of this Agreement. BellSouth shall bill and MRC shall pay the rates for such services, as described in Exhibit B.

#### 3.6 **Maintenance and Repair**

- 3.6.1 MRC shall have access for repair and maintenance purposes to any Loop for which it has access to the High Frequency Spectrum. If MRC is using a BellSouth owned splitter, MRC may access the Loop at the point where the combined voice and data signal exits the central office splitter via a bantam test jack. If MRC provides its own splitter, it may test from the collocation space or the Termination Point.
- 3.6.2 BellSouth will be responsible for repairing voice services and the physical line between the NID at the customer's premises and the Termination Point. MRC will be responsible for repairing data services. Each Party will be responsible for maintaining its own equipment.
- 3.6.3 MRC shall inform its end users to direct data problems to MRC, unless both voice and data services are impaired, in which event the end users should call BellSouth.
- Once a Party has isolated a trouble to the other Party's portion of the Loop, the Party isolating the trouble shall notify the end user that the trouble is on the other Party's portion of the Loop.
- 3.6.5 Notwithstanding anything else to the contrary in this Agreement, when BellSouth receives a voice trouble and isolates the trouble to the physical collocation arrangement belonging to MRC, BellSouth will notify MRC. MRC will provide at least one but no more than two (2) verbal CFA pair changes to BellSouth in an attempt to resolve the voice trouble. In the event a CFA pair change resolves the voice trouble, MRC will provide BellSouth an LSR with the new CFA pair information within 24 hours. If the owner of the collocation space fails to resolve the trouble by providing BellSouth with the verbal CFA pair changes, BellSouth may discontinue MRC's access to the High Frequency Spectrum on such Loop. BellSouth will not be responsible for any loss of data as a result of this action.

### 3.7 Line Splitting

#### 3.7.1 General

- 3.7.1.1 Line splitting allows a provider of data services (Data LEC) and a provider of voice services (Voice CLEC) to deliver voice and data service to end users over the same Loop. The Voice CLEC and Data LEC may be the same or different carriers. MRC shall provide BellSouth with a signed LOA between it and the Data LEC or Voice CLEC with which it desires to provision Line Splitting services, if MRC will not provide voice and data services.
- 3.7.1.2 End Users currently receiving voice service from a Voice CLEC through a UNE platform (UNE-P) may be converted to Line Splitting arrangements by MRC or its authorized agent ordering Line Splitting Service. If the CLEC wishes to provide the splitter, the UNE-P arrangement will be converted to a stand-alone UNE

Loop, a UNE port, two collocation cross connects and the high frequency spectrum line activation. If BellSouth owns the splitter, the UNE-P arrangement will be converted to a stand-alone UNE Loop, port, and one collocation cross connection.

3.7.1.3 When end users on Loops using High Frequency Spectrum CO Based line sharing service are converted to Line Splitting, BellSouth will discontinue billing MRC for the High Frequency Spectrum. BellSouth will continue to bill the Data LEC for all associated splitter charges if the Data LEC continues to use a BellSouth splitter. It is the responsibility of MRC or its authorized agent to determine if the Loop is compatible for Line Splitting Service. MRC or its authorized agent may use the existing Loop unless it is not compatible with the Data LEC's data service and MRC or its authorized agent submits an LSR to BellSouth to change the Loop.

### 3.7.2 **Provisioning Line Splitting and Splitter Space**

- 3.7.2.1 The Data LEC, Voice CLEC or BellSouth may provide the splitter. When MRC or its authorized agent owns the splitter, Line Splitting requires the following: a non-designed analog Loop from the serving wire center to the NID at the end user's location; a collocation cross connection connecting the Loop to the collocation space; a second collocation cross connection from the collocation space connected to a voice port; the high frequency spectrum line activation, and a splitter. The Loop and port cannot be a Loop and port combination (i.e. UNE-P), but must be individual stand-alone network elements. When BellSouth owns the splitter, Line Splitting requires the following: a non designed analog Loop from the serving wire center to the NID at the end user's location with CFA and splitter port assignments, and a collocation cross connection from the collocation space connected to a voice port.
- 3.7.2.2 An unloaded 2-wire copper Loop must serve the end user. The meet point for the Voice CLEC and the Data LEC is the point of termination on the MDF for the Data LEC's cable and pairs.
- 3.7.2.3 The foregoing procedures are applicable to migration to Line Splitting Service from a UNE-P arrangement, BellSouth Retail Voice Service, BellSouth High Frequency Spectrum (CO Based) Line Sharing.
- 3.7.2.4 For other migration scenarios to line splitting, BellSouth will work cooperatively with CLECs to develop methods and procedures to develop a process whereby a Voice CLEC and a Data LEC may provide services over the same Loop.

### 3.7.3 **Ordering**

3.7.3.1 MRC shall use BellSouth's LSOD to order splitters from BellSouth and to activate and deactivate DS0 Collocation CFA for use with Line Splitting.

- 3.7.3.2 BellSouth shall provide MRC the LSR format to be used when ordering Line Splitting service.
- 3.7.3.3 BellSouth will provision Line Splitting service in compliance with BellSouth's Products and Services Interval Guide available at the website at http://www.interconnection.bellsouth.com.
- 3.7.3.4 BellSouth will provide MRC access to Preordering Loop Makeup (LMU) in accordance with the terms of this Agreement. BellSouth shall bill and MRC shall pay the rates for such services as described in Exhibit B.
- 3.7.3.5 BellSouth will provide Loop modification to MRC on an existing Loop in accordance with procedures developed in the Line Sharing Collaborative. High Frequency Spectrum (CO Based) Unbundled Loop Modification is a separate distinct service from ULM set forth in Section 2.5 of this Attachment. Procedures for High Frequency Spectrum (CO Based) Unbundled Loop Modification may be found on the web at: <a href="https://www.interconnection.bellsouth.com/html/unes.html">https://www.interconnection.bellsouth.com/html/unes.html</a>. Nonrecurring rates for this UNE offering are as set forth in Exhibit B of this Attachment.

#### 3.7.4 **Maintenance**

- 3.7.4.1 BellSouth will be responsible for repairing voice services and the physical line between the NID at the customer's premises and the Termination Point. MRC will be responsible for repairing data services. Each Party will be responsible for maintaining its own equipment.
- 3.7.4.2 MRC shall inform its end users to direct data problems to MRC, unless both voice and data services are impaired, in which event the end users should call BellSouth.
- 3.7.4.3 Once a Party has isolated a trouble to the other Party's portion of the Loop, the Party isolating the trouble shall notify the end user that the trouble is on the other Party's portion of the Loop.
- 3.7.4.4 When BellSouth receives a voice trouble and isolates the trouble to the physical collocation arrangement belonging to owner of the collocation space, BellSouth will notify the owner of the collocation space. The owner of the collocation space will provide at least one but no more than two (2) verbal CFA pair changes to BellSouth in an attempt to resolve the voice trouble. In the event the CFA pair is changed, the owner of the collocation space will provide BellSouth an LSR with the new CFA pair information within 24 hours. If the owner of the collocation space fails to resolve the trouble by providing BellSouth with the verbal CFA pair changes, BellSouth may discontinue the owner of the collocation space access to the High Frequency Spectrum on such Loop.
- 3.7.4.5 If MRC is not the data provider, MRC shall indemnify, defend and hold harmless BellSouth from and against any claims, losses, actions, causes of action, suits,

demands, damages, injury, and costs including reasonable attorney fees, which arise out of actions related to the data provider.

## 3.8 Remote Site High Frequency Spectrum

- 3.8.1 General
- 3.8.1.1 BellSouth shall provide MRC access to the high frequency spectrum of the local sub-loop as a UNE only where BellSouth is the voice service provider to the end user at the rates set forth in this Attachment.
- 3.8.1.2 The High Frequency Spectrum is defined as the frequency range above the voiceband on a copper sub-loop facility carrying analog circuit-switched voiceband transmissions. Access to the High Frequency Spectrum is intended to allow MRC the ability to provide xDSL data services to the end user for whom BellSouth provides voice services. The High Frequency Spectrum shall be available for any version of xDSL complying with Spectrum Management Class 5 of ANSI T1.417, American National Standard for Telecommunications, Spectrum Management for Loop Transmission Systems. BellSouth will continue to have access to the low frequency portion of the sub-loop spectrum (from 300 Hertz to at least 3000 Hertz, and potentially up to 3400 Hertz, depending on equipment and facilities) for the purposes of providing voice service. MRC shall only use xDSL technology that is within the PSD mask for Spectrum Management Class 5 as found in the above-mentioned document.
- 3.8.1.3 Access to the High Frequency Spectrum requires an unloaded, 2-wire (Non-Designed) copper sub-loop. An unloaded copper sub-loop has no load coils, low-pass filters, range extenders, DAMLs, or similar devices and minimal bridged taps consistent with ANSI T1.413 and T1.601.
- 3.8.1.4 BellSouth will provide Loop Modification to MRC on an existing sub-loop in accordance with procedures developed in the Line Sharing Collaborative. Procedures for High Frequency Spectrum (Remote Site) Unbundled Loop Modification were developed in the Line Sharing Collaborative and may be found posted to the web at <a href="http://www.interconnection.bellsouth.com/html/unes.html">http://www.interconnection.bellsouth.com/html/unes.html</a>. Nonrecurring rates for this UNE offering are as set forth in Exhibit B of this Attachment. BellSouth is not required to modify a Loop for access to the High Frequency spectrum if modification of that Loop significantly degrades BellSouth's voice service. If MRC requests modifications on a sub-loop longer than 18kft and requested modifications significantly degrades the voice services on the Loop, MRC shall pay for the Loop to be restored to its original state.
- 3.8.1.5 The High Frequency Spectrum shall only be available on sub-loops provided by BellSouth that continues to provide analog voice service directly to the end user. In the event the end-user terminates its BellSouth provided voice service for any reason, or in the event BellSouth disconnects the end user's voice service pursuant

to its tariffs or applicable law, and MRC desires to continue providing xDSL service on such sub-loop, MRC shall be required to purchase a full stand-alone sub-loop. To the extent commercially practicable, BellSouth shall give MRC notice in a reasonable time prior to disconnect, which notice shall give MRC an adequate opportunity to notify BellSouth of its intent to purchase such sub-loop. In those cases where BellSouth no longer provides voice service to the end user and MRC purchases the full stand-alone sub-loop, MRC may elect the type of sub-loop it will purchase. MRC will pay the appropriate recurring and nonrecurring rates for such sub-loop as set forth in Exhibit B to this Attachment. In the event MRC purchases a voice grade Loop, MRC acknowledges that such sub-loop may not remain xDSL compatible.

- 3.8.1.6 Only one CLEC shall be permitted access to the High Frequency Spectrum of any particular sub-loop.
- 3.8.2 Provisioning of High Frequency Spectrum and Splitter Space
- 3.8.2.1 BellSouth will provide MRC with access to the High Frequency Spectrum as follows:
- 3.8.2.1.1 To order High Frequency Spectrum on a particular sub-loop, MRC must have a DSLAM collocated at the remote site that serves the end user of such sub-loop.
- 3.8.2.1.2 MRC may provide its own splitters or may order splitters in a remote site once the MRC has installed its DSLAM at that remote site. BellSouth will install splitters within thirty-six (36) calendar days of MRC's submission of an error free LSOD to the BellSouth CRSG.
- 3.8.2.1.3 Once a splitter is installed on behalf of MRC in a remote site in which MRC is located, MRC shall be entitled to order the High Frequency Spectrum on lines served out of that remote site. BellSouth will bill and MRC shall pay applicable rates for High Frequency Spectrum end-user activation.

### 3.8.3 **BellSouth Owned Splitter**

- 3.8.3.1 BellSouth will select, purchase, install and maintain a splitter at the remote site. MRC's meet point is at the BellSouth "cross connect" point located at the Feeder Distribution Interface (FDI). MRC will provide a cable facility to the BellSouth FDI. BellSouth will splice MRC's cable to BellSouth's spare binding post in the FDI and use "cross connects" to connect MRC's cable facility to the BellSouth splitter. The splitter will route the high frequency portion of the circuit to MRC's xDSL equipment in their collocation space. Access to the high frequency spectrum is not compatible with foreign exchange (FX) lines, ISDN, and other services listed in the technical section of this document.
- 3.8.3.2 The BellSouth splitter bifurcates the digital and voice band signals. The low frequency voice band portion of the circuit is routed back to the BellSouth switch.

The high frequency digital traffic portion of the circuit is routed to the xDSL equipment in MRC's Remote Terminal (RT) collocation space and routed back to MRC's network. At least 30 business days before making a change in splitter suppliers, BellSouth will provide MRC with a carrier notification letter informing MRC of change. MRC shall purchase ports on the splitter in increments of 24 ports.

3.8.3.3 BellSouth will install the splitter in (i) a common area close to MRC's collocation area, if possible; or (ii) in a BellSouth relay rack as close to MRC's DS0 termination point as possible. MRC shall have access to the splitter for test purposes regardless of where the splitter is placed in the BellSouth premises. For purposes of this section, a common area is defined as an area in the remote site in which both Parties have access to a common test access point. BellSouth will cross-connect the splitter data ports to a specified MRC DS0 at such time that a MRC end user's service is established.

### 3.8.4 **CLEC Owned Splitter**

- 3.8.4.1 MRC may, at its option, purchase, install and maintain splitters in its collocation arrangements. MRC may use such splitters for access to its customers and to provide xDSL services to its customers using the High Frequency Spectrum. Existing Collocation rules and procedures shall apply. MRC will be required to activate cable pairs in no less than 8 (eight) pair increments.
- 3.8.4.2 Any splitters installed by MRC in its collocation arrangement shall comply with ANSI T1.413, Annex E, or any future ANSI splitter Standards. MRC may install any splitters that BellSouth deploys or permits to be deployed for itself or any BellSouth affiliate.

### 3.8.5 **Ordering**

- 3.8.5.1 MRC shall use BellSouth's Remote Splitter Ordering Document (RSOD) to order and activate splitters from BellSouth or to activate CLEC owned splitters at an RT for use with High Frequency Spectrum.
- 3.8.5.2 BellSouth will provide MRC the LSR format to be used when ordering the High Frequency Spectrum.
- 3.8.5.3 BellSouth will provision High Frequency Spectrum in compliance with BellSouth's Products and Services Interval Guide available at the website at <a href="http://www.interconnection.bellsouth.com">http://www.interconnection.bellsouth.com</a>.
- 3.8.5.4 BellSouth will provide MRC access to Preordering Loop Makeup (LMU) in accordance with the terms of this Agreement. BellSouth shall bill and MRC shall pay the rates for such services as described in Exhibit B.

3.8.5.5 BellSouth shall test the data portion of the sub-loop to ensure the continuity of the wiring for MRC's data.

### 3.8.6 **Maintenance and Repair**

- 3.8.6.1 MRC shall have access for repair and maintenance purposes to any sub-loop for which it has access to the High Frequency Spectrum. If MRC is using a BellSouth owned splitter, MRC may access the sub-loop at the point where the data signal exits. If MRC provides its own splitter, it may test from the collocation space or the Termination Point.
- 3.8.6.2 BellSouth will be responsible for repairing voice services and the physical line between the NID at the customer's premises and the Termination Point. MRC will be responsible for repairing data services. Each Party will be responsible for maintaining its own equipment.
- 3.8.6.3 MRC shall inform its end users to direct data problems to MRC, unless both voice and data services are impaired, in which event the end users should call BellSouth.
- 3.8.6.4 Once a Party has isolated a trouble to the other Party's portion of the sub-loop, the Party isolating the trouble shall notify the end user that the trouble is on the other Party's portion of the sub-loop.
- 3.8.6.5 Notwithstanding anything else to the contrary in this Agreement, when BellSouth receives a voice trouble and isolates the trouble to the physical collocation arrangement belonging to MRC, BellSouth will notify MRC. MRC will provide at least one but no more than two (2) verbal CFA pair changes to BellSouth in an attempt to resolve the voice trouble. In the event a CFA pair change resolves the voice trouble, MRC will provide BellSouth an LSR with the new CFA pair information within 24 hours. If the owner of the collocation space fails to resolve the trouble by providing BellSouth with the verbal CFA pair changes, BellSouth may discontinue MRC's access to the High Frequency Spectrum on such sub-loop. BellSouth will not be responsible for any loss of data as a result of this action.

### 4 Local Switching

4.1 BellSouth shall provide non-discriminatory access to local circuit switching capability and local tandem switching capability on an unbundled basis, except as set forth in the Sections below to MRC for the provision of a telecommunications service. BellSouth shall provide non-discriminatory access to packet switching capability on an unbundled basis to MRC for the provision of a telecommunications service only in the limited circumstance described below in Section 4.5.

### 4.2 Local Circuit Switching Capability, including Tandem Switching Capability

- 4.2.1 Local circuit switching capability is defined as: (A) line-side facilities, which include but are not limited to the connection between a Loop termination at a main distribution frame and a switch line card; (B) trunk-side facilities, which include but are not limited to the connection between trunk termination at a trunk-side cross-connect panel and a switch trunk card; (C) switching provided by remote switching modules; and (D) all features, functions, and capabilities of the switch, which include but are not limited to: (1) the basic switching function of connecting lines to lines, line to trunks, trunks to lines, and trunks to trunks, as well as the same basic capabilities made available to BellSouth's customers, such as a telephone number, white page listings, and dial tone; and (2) all other features that the switch is capable of providing, including but not limited to customer calling, customer local area signaling service features, and Centrex, as well as any technically feasible customized routing functions provided by the switch. Any features that are not currently available but are technically feasible through the switch can be requested through the BFR/NBR process.
- 4.2.2 Notwithstanding BellSouth's general duty to unbundle local circuit switching, BellSouth shall not be required to unbundle local circuit switching for MRC when MRC serves an end user with four (4) or more voice-grade (DS0) equivalents or lines served by BellSouth in one of the following MSAs: Atlanta, GA; Miami, FL; Orlando, FL; Ft. Lauderdale, FL; Charlotte-Gastonia-Rock Hill, NC; Greensboro-Winston Salem-High Point, NC; Nashville, TN; and New Orleans, LA, and BellSouth has provided non-discriminatory cost based access to the Enhanced Extended Link (EEL) throughout Density Zone 1 as determined by NECA Tariff No. 4 as in effect on January 1, 1999.
- 4.2.3 In the event that MRC orders local circuit switching for an end user with four (4) or more DS0 equivalent lines within Density Zone 1 in an MSA listed above, BellSouth shall charge MRC the market based rates in Exhibit B for use of the local circuit switching functionality for the affected facilities. If a market rate is not set forth in Exhibit B, such rate shall be negotiated by the Parties.
- 4.2.4 Unbundled Local Switching consists of three separate unbundled elements:
  Unbundled Ports, End Office Switching Functionality, and End Office Interoffice
  Trunk Ports.
- 4.2.5 Unbundled Local Switching combined with Common Transport and, if necessary, Tandem Switching provides to MRC's end user local calling and the ability to presubscribe to a primary carrier for intraLATA and/or to presubscribe to a primary carrier for interLATA toll service.
- 4.2.6 Provided that MRC purchases unbundled local switching from BellSouth and uses the BellSouth CIC for its end users' LPIC or if a BellSouth local end user selects BellSouth as its LPIC, then the Parties will consider as local any calls originated by a MRC local end user, or originated by a BellSouth local end user and terminated to a MRC local end user, where such calls originate and terminate in the same

LATA, except for those calls originated and terminated through switched access arrangements (i.e., calls that are transported by a Party other than BellSouth). For such calls, BellSouth will charge MRC the UNE elements for the BellSouth facilities utilized. Neither Party shall bill the other originating or terminating switched access charges for such calls. Intercarrier compensation for local calls between BellSouth and MRC shall be as described in BellSouth's UNE Local Call Flows set forth on BellSouth's web site.

- 4.2.7 Where MRC purchases unbundled local switching from BellSouth but does not use the BellSouth CIC for its end users' LPIC, BellSouth will consider as local those direct dialed telephone calls that originate from a MRC end user and terminate within the basic local calling area or within the extended local calling areas and that are dialed using 7 or 10 digits as defined and specified in Section A3 of BellSouth's GSST. For such local calls, BellSouth will charge MRC the UNE elements for the BellSouth facilities utilized. Intercarrier compensation for local calls between BellSouth and MRC shall be as described in BellSouth's UNE Local Call Flows set forth on BellSouth's web site.
- 4.2.8 For any calls that originate and terminate through switched access arrangements (i.e., calls that are transported by a party other than BellSouth), BellSouth shall bill MRC the UNE elements for the BellSouth facilities utilized. Each Party may bill the toll provider originating or terminating switched access charges as appropriate.

# 4.2.9 **Unbundled Port Features**

- 4.2.9.1 Charges for Unbundled Port are as set forth in Exhibit B, and as specified in such exhibit, may or may not include individual features.
- 4.2.9.2 Where applicable and available, non-switch-based services may be ordered with the Unbundled Port at BellSouth's retail rates.
- 4.2.9.3 Any features that are not currently available but are technically feasible through the switch can be requested through the BFR/NBR process.
- 4.2.9.4 BellSouth will provide to MRC selective routing of calls to a requested Operator System platform pursuant to Section 10 of Attachment 2. Any other routing requests by MRC will be made pursuant to the BFR/NBR Process as set forth in Attachment 11.

#### 4.2.10 **Remote Call Forwarding**

4.2.10.1 As an option, BellSouth shall make available to MRC an unbundled port with Remote Call Forwarding capability (URCF service). URCF service combines the functionality of unbundled local switching, tandem switching and common transport to forward calls from the URCF service telephone number (the number dialed by the calling party) to another telephone number selected by the URCF

- service subscriber. When ordering URCF service, MRC will ensure that the following conditions are satisfied:
- 4.2.10.1.1 That the end user of the forward-to number (service) agrees to receive calls forwarded using the URCF service (if such end user is different from the URCF service end user);
- 4.2.10.1.2 That the forward-to number (service) is equipped with sufficient capacity to receive the volume of calls that will be generated from the URCF service;
- 4.2.10.1.3 That the URCF service will not be utilized to forward calls to another URCF or similar service; and
- 4.2.10.1.4 That the forward-to number (service) is not a public safety number (e.g. 911, fire or police number).
- 4.2.10.2 In addition to the charge for the URCF service port, BellSouth shall charge MRC the rates set forth in Exhibit B for unbundled local switching, tandem switching, and common transport, including all associated usage incurred for calls from the URCF service telephone number (the number dialed by the calling party) to the forward- to number (service).

## 4.2.11 **Provision for Local Switching**

- 4.2.11.1 BellSouth shall perform routine testing (e.g., Mechanized Loop Tests (MLT) and test calls such as 105, 107 and 108 type calls) and fault isolation on a mutually agreed upon schedule.
- 4.2.11.2 BellSouth shall control congestion points such as those caused by radio station call-ins and network routing abnormalities. All traffic shall be restricted in a non-discriminatory manner.
- 4.2.11.3 BellSouth shall perform manual call trace and permit customer originated call trace. BellSouth shall provide Switching Service Point (SSP) capabilities and signaling software to interconnect the signaling links destined to the Signaling Transfer Point Switch (STPS). These capabilities shall adhere to the technical specifications set forth in the applicable industry standard technical references.
- 4.2.11.4 BellSouth shall provide interfaces to adjuncts through Telcordia standard interfaces. These adjuncts can include, but are not limited to, the Service Circuit Node and Automatic Call Distributors. BellSouth shall offer to MRC all AIN triggers in connection with its SMS/SCE offering.
- 4.2.11.5 BellSouth shall provide access to SS7 Signaling Network or Multi-Frequency trunking if requested by MRC.

### 4.2.12 <u>Local Switching Interfaces.</u>

- 4.2.12.1 MRC shall order ports and associated interfaces compatible with the services it wishes to provide as listed in Exhibit B. BellSouth shall provide the following local switching interfaces:
- 4.2.12.1.1 Standard Tip/Ring interface including loopstart or groundstart, on-hook signaling (e.g., for calling number, calling name and message waiting lamp);
- 4.2.12.1.2 Coin phone signaling;
- 4.2.12.1.3 Basic Rate Interface ISDN adhering to appropriate Telcordia Technical Requirements;
- 4.2.12.1.4 Two-wire analog interface to PBX;
- 4.2.12.1.5 Four-wire analog interface to PBX;
- 4.2.12.1.6 Four-wire DS1 interface to PBX or customer provided equipment (e.g. computers and voice response systems);
- 4.2.12.1.7 Primary Rate ISDN to PBX adhering to ANSI standards Q.931, Q.932 and appropriate Telcordia Technical Requirements;
- 4.2.12.1.8 Switched Fractional DS1 with capabilities to configure Nx64 channels (where N = 1 to 24); and
- 4.2.12.1.9 Loops adhering to Telcordia TR-NWT-08 and TR-NWT-303 specifications to interconnect Digital Loop Carriers.

### 4.3 **Tandem Switching**

4.3.1 The Tandem Switching capability Network Element is defined as: (i) trunk-connect facilities, which include, but are not limited to, the connection between trunk termination at a cross connect panel and switch trunk card; (ii) the basic switch trunk function of connecting trunks to trunks; and (iii) the functions that are centralized in the Tandem Switches (as distinguished from separate end office switches), including but not limited to call recording, the routing of calls to operator services and signaling conversion features.

### 4.3.2 Technical Requirements

- 4.3.2.1 Tandem Switching shall have the same capabilities or equivalent capabilities as those described in Telcordia TR-TSY-000540 Issue 2R2, Tandem Supplement, 6/1/90. The requirements for Tandem Switching include but are not limited to the following:
- 4.3.2.1.1 Tandem Switching shall provide signaling to establish a tandem connection;

4.3.2.1.2 Tandem Switching will provide screening as jointly agreed to by MRC and BellSouth; 4.3.2.1.3 Tandem Switching shall provide Advanced Intelligent Network triggers supporting AIN features where such routing is not available from the originating end office switch, to the extent such Tandem switch has such capability; 4.3.2.1.4 Tandem Switching shall provide access to Toll Free number database; 4.3.2.1.5 Tandem Switching shall provide connectivity to PSAPs where 911 solutions are deployed and the tandem is used for 911; and 4.3.2.1.6 Where appropriate, Tandem Switching shall provide connectivity for the purpose of routing transit traffic to and from other carriers. 4.3.2.2 BellSouth may perform testing and fault isolation on the underlying switch that is providing Tandem Switching. Such testing shall be testing routinely performed by BellSouth. The results and reports of the testing shall be made available to MRC. 4.3.2.3 BellSouth shall control congestion points and network abnormalities. All traffic will be restricted in a non-discriminatory manner. 4.3.2.4 Tandem Switching shall process originating toll-free traffic received from MRC's local switch. 4.3.2.5 In support of AIN triggers and features, Tandem Switching shall provide SSP capabilities when these capabilities are not available from the Local Switching Network Element to the extent such Tandem Switch has such capability. 4.3.3 Upon MRC's purchase of overflow trunk groups, Tandem Switching shall provide an alternate routing pattern for MRC's traffic overflowing from direct end office high usage trunk groups. 4.4 **AIN Selective Carrier Routing for Operator Services, Directory Assistance** and Repair Centers 4.4.1 BellSouth will provide AIN Selective Carrier Routing at the request of MRC. AIN Selective Carrier Routing will provide MRC with the capability of routing operator calls, 0+ and 0- and 0+ NPA (LNPA) 555-1212 directory assistance, 1+411 directory assistance and 611 repair center calls to pre-selected destinations. 4.4.2 MRC shall order AIN Selective Carrier Routing through its Account Team and/or

4.4.3

AIN Selective Carrier Routing is not available in DMS 10 switches.

regionally and then on a per central office per state basis.

Local Contract Manager. AIN Selective Carrier Routing must first be established

- 4.4.4 Where AIN Selective Carrier Routing is utilized by MRC, the routing of MRC's end user calls shall be pursuant to information provided by MRC and stored in BellSouth's AIN Selective Carrier Routing Service Control Point database. AIN Selective Carrier Routing shall utilize a set of Line Class Codes (LCCs) unique to a basic class of service assigned on an "as needed" basis. The same LCCs will be assigned in each central office where AIN Selective Carrier Routing is established.
- 4.4.5 Upon ordering AIN Selective Carrier Routing Regional Service, MRC shall remit to BellSouth the Regional Service Order nonrecurring charges set forth in Exhibit B of this Attachment. There shall be a nonrecurring End Office Establishment Charge per office due at the addition of each central office where AIN Selective Carrier Routing will be utilized. Said nonrecurring charge shall be as set forth in Exhibit B of this Attachment. For each MRC end user activated, there shall be a nonrecurring End User Establishment charge as set forth in Exhibit B of this Attachment. MRC shall pay the AIN Selective Carrier Routing Per Query Charge set forth in Exhibit B of this Attachment.
- 4.4.6 This Regional Service Order nonrecurring charge will be non-refundable and will be paid with 1/2 due up-front with the submission of all fully completed required forms including: Regional Selective Carrier Routing (SCR) Order Request-Form A, Central Office AIN Selective Carrier Routing (SCR) Order Request Form B, AIN\_SCR Central Office Identification Form Form C, AIN\_SCR Routing Options Selection Form Form D, and Routing Combinations Table Form E. BellSouth has 30 days to respond to MRC's fully completed firm order as a Regional Service Order. With the delivery of this firm order response to MRC, BellSouth considers that the delivery schedule of this service commences. The remaining 1/2 of the Regional Service Order payment must be paid when at least 90% of the Central Offices listed on the original order have been turned up for the service.
- 4.4.7 The nonrecurring End Office Establishment Charge will be billed to MRC following BellSouth's normal monthly billing cycle for this type of order.
- 4.4.8 End-User Establishment Orders will not be turned-up until the second payment is received for the Regional Service Order. The nonrecurring End-User Establishment Charges will be billed to MRC following BellSouth's normal monthly billing cycle for this type of order.
- 4.4.9 Additionally, the AIN Selective Carrier Routing Per Query Charge will be billed to MRC following the normal billing cycle for per query charges.
- 4.4.10 All other network components needed, for example, unbundled switching, unbundled local transport, etc., will be billed per contracted rates.

## 4.5 **Packet Switching Capability**

- 4.5.1 The packet switching capability network element is defined as the function of routing or forwarding packets, frames, cells or other data units based on address or other routing information contained in the packets, frames, cells or other data units.
- 4.5.2 BellSouth shall be required to provide non-discriminatory access to unbundled packet switching capability only where each of the following conditions are satisfied:
- 4.5.2.1 BellSouth has deployed digital loop carrier systems, including but not limited to, integrated digital loop carrier or universal digital loop carrier systems; or has deployed any other system in which fiber optic facilities replace copper facilities in the feeder section (e.g., end office to remote terminal, pedestal or environmentally controlled vault);
- 4.5.2.2 There are no spare copper Loops capable of supporting the xDSL services MRC seeks to offer;
- 4.5.2.3 BellSouth has not permitted MRC to deploy a DSLAM at the remote terminal, pedestal or environmentally controlled vault or other interconnection point, nor has MRC obtained a virtual collocation arrangement at these sub-loop interconnection points as defined by 47 CFR § 51.319 (b); and
- 4.5.2.4 BellSouth has deployed packet switching capability for its own use.
- 4.5.3 If there is a dispute as to whether BellSouth must provide Packet Switching, such dispute will be resolved according to the dispute resolution process set forth in Section 10 of the General Terms and Conditions of this Agreement incorporated herein by this reference.

### 5 Unbundled Network Element Combinations

For purposes of this Section, references to "Currently Combined" network elements shall mean that the particular network elements requested by MRC are in fact already combined by BellSouth in the BellSouth network. References to "Ordinarily Combined" network elements shall mean that the particular network elements requested by MRC are not already combined by BellSouth in the location requested by MRC but are elements that are typically combined in BellSouth's network. References to "Not Typically Combined" network elements shall mean that the particular network elements requested by MRC are not elements that BellSouth combines for its use in its network.

## **5.2** Enhanced Extended Links (EELs)

- 5.2.1 EELs are combinations of unbundled Loops as defined in Section 2 and unbundled dedicated transport as defined in Section 6. BellSouth shall provide MRC with EELs where they are available.
- 5.2.2 EELs are intended to provide service connectivity from an end user's location through that end user's SWC to MRC's collocation space in a BellSouth central office. The circuit must be connected to MRC's switch for the purpose of provisioning circuit telephone exchange service to MRC's end-user customers. MRC may connect EELs within MRC's collocation space to other transport terminating into MRC's switch. MRC may connect the local loops to an unbundled local channel to form an EEL provided that the entire EEL circuit meets the criteria set forth in Section 5.3.1.3 below. Provided that the entire EEL circuit meets the criteria set forth in Section 5.3.1.3 below, the circuit may, upon MRC's request, terminate to a CLEC's Point of Presence (POP). MRC will provide a significant amount of local exchange service over the requested combination, as described in Section 5.3.1 et seg. below. Upon BellSouth's request, MRC shall indicate under what local usage option MRC seeks to qualify. MRC shall be deemed to be providing a significant amount of local exchange service over the requested combination if one of the options listed in Section 5.3.1.1 through 5.3.1.3 is met. BellSouth shall have the right to audit MRC's EELs as specified in Section 5.3.3 below.

# 5.3 Conversions from Special Access Service to EELs

- 5.3.1 MRC may convert existing (Currently Combined) special access services to combinations of Loop and transport network elements, whether or not MRC self-provides its entrance facilities (or obtains entrance facilities from a third party), unless MRC does not use the combination to provide a significant amount of local exchange service, in addition to exchange access service, to a particular customer. To the extent MRC requests to convert any special access services to combinations of Loop and transport network elements at UNE prices, MRC shall provide to BellSouth a certification that MRC is providing a significant amount of local exchange service (as described in this Section) over such combinations. The certification shall also indicate under what local usage option MRC seeks to qualify for conversion of special access circuits. MRC shall be deemed to be providing a significant amount of local exchange service over such combinations if one of the following options is met:
- 5.3.1.1 **Option 1:** MRC certifies that it is the exclusive provider of an end user's local exchange service. The Loop-transport combinations must terminate at MRC's collocation arrangement in at least one BellSouth central office. This option does not allow Loop-transport combinations to be connected to BellSouth's tariffed services. Under this option, MRC is the end user's only local service provider, and thus is providing more than a significant amount of local exchange service. MRC can then use the Loop-transport combinations that serve the end user to

carry any type of traffic, including using them to carry 100 percent interstate access traffic; or

- 5.3.1.2 **Option 2:** MRC certifies that it provides local exchange and exchange access service to the end user customer's premises and handles at least one third of the end user customer's local traffic measured as a percent of total end user customer local dial tone lines; and for DS1 circuits and above, at least 50 percent of the activated channels on the Loop portion of the Loop-transport combination have at least 5 percent local voice traffic individually, and the entire Loop facility has at least 10 percent local voice traffic. When a Loop-transport combination includes multiplexing, each of the individual DS1 circuits must meet this criterion. The Loop-transport combination must terminate at MRC's collocation arrangement in at least one BellSouth central office. This option does not allow Loop-transport combinations to be connected to BellSouth tariffed services; or
- Option 3: MRC certifies that at least 50 percent of the activated channels on a circuit are used to provide originating and terminating local dial tone service and at least 50 percent of the traffic on each of these local dial tone channels is local voice traffic, and that the entire Loop facility has at least 33 percent local voice traffic. When a Loop-transport combination includes multiplexing, each of the individual DS1 circuits must meet this criterion. This option does not allow Loop-transport combinations to be connected to BellSouth's tariffed services. Under this option, collocation is not required. MRC does not need to provide a defined portion of the end user's local service, but the active channels on any Loop-transport combination, and the entire facility, must carry the amount of local exchange traffic specified in this option.
- 5.3.2 In addition, there may be extraordinary circumstances where MRC is providing a significant amount of local exchange service but does not qualify under any of the three options set forth in Section 5.3.1 et seq. In such case, MRC may petition the FCC for a waiver of the local usage options set forth above. If a waiver is granted, then upon either Party's request the Parties shall amend this Agreement to the extent necessary to incorporate the terms of such waiver for such extraordinary circumstance.
- 5.3.3 BellSouth may, at its sole discretion, audit MRC's records in order to verify compliance with the local usage option provided by MRC pursuant to Section 5.3.1. The audit shall be conducted by a third party independent auditor, and MRC shall be given thirty days written notice of BellSouth's intent to audit. Such audit shall occur no more than one time in a calendar year unless results of an audit find noncompliance with the significant amount of local exchange service requirement. In the event of noncompliance, MRC shall reimburse BellSouth for the cost of the audit. If, based on the audit, MRC is not providing a significant amount of local exchange traffic over the combinations of Loop and transport network elements, BellSouth will convert such combinations of Loop and transport network elements to special access services in accordance with

BellSouth's tariffs and will bill MRC for appropriate retroactive reimbursement. If the Parties disagree as to whether the audits indicate that MRC is not providing a significant amount of local exchange traffic, the dispute will be resolved according to the dispute resolution process set forth in Section 10 of the General Terms and Conditions of this Agreement. In the event MRC converts special access circuits to combinations of Loop and transport UNEs pursuant to the terms of this Section, MRC shall be subject to the termination liability provisions in the applicable special access tariffs, if any.

#### 5.4 Rates

- 5.4.1 Currently Combined EELs listed below in Sections 5.4.1.1-5.4.1.14 shall be billed at the nonrecurring switch-as-is charge and recurring charges for that combination as set forth in Exhibit B of this Attachment. Currently Combined EELs not listed below shall be billed at the sum of the nonrecurring and recurring charges for the individual network elements that comprise the combination as set forth in Exhibit B of this Attachment.
- 5.4.1.1 DS1 Interoffice Channel + DS1 Channelization + 2-wire VG Local Loop
- 5.4.1.2 DS1 Interoffice Channel + DS1 Channelization + 4-wire VG Local Loop
- 5.4.1.3 DS1 Interoffice Channel + DS1 Channelization + 2-wire ISDN Local Loop
- 5.4.1.4 DS1 Interoffice Channel + DS1 Channelization + 4-wire 56 kbps Local Loop
- 5.4.1.5 DS1 Interoffice Channel + DS1 Channelization + 4-wire 64 kbps Local Loop
- 5.4.1.6 DS1 Interoffice Channel + DS1 Local Loop
- 5.4.1.7 DS3 Interoffice Channel + DS3 Local Loop
- 5.4.1.8 STS-1 Interoffice Channel + STS-1 Local Loop
- 5.4.1.9 DS3 Interoffice Channel + DS3 Channelization + DS1 Local Loop
- 5.4.1.10 STS-1 Interoffice Channel + DS3 Channelization + DS1 Local Loop
- 5.4.1.11 2-wire VG Interoffice Channel + 2-wire VG Local Loop
- 5.4.1.12 4-wire VG Interoffice Channel + 4-wire VG Local Loop
- 5.4.1.13 4-wire 56 kbps Interoffice Channel + 4-wire 56 kbps Local Loop
- 5.4.1.14 4-wire 64 kbps Interoffice Channel + 4-wire 64 kbps Local Loop
- Ordinarily Combined EELs listed above shall be billed the sum of the nonrecurring and recurring charges for that combination as set forth in Exhibit B of this Attachment. Ordinarily combined EELs not listed in Sections 5.4.1.1-5.4.1.14 shall be billed the sum of the nonrecurring charges and recurring charges for the individual network elements that comprise the combination as set forth in Exhibit B of this Attachment.
- 5.4.3 To the extent that MRC requests an EEL combination Not Typically Combined in the BellSouth network, the rates, terms and conditions shall be determined pursuant to the BFR/NBR Process.

### 5.5 UNE Port/Loop Combinations

- 5.5.1 Combinations of port and Loop UNEs along with switching and transport UNEs provide local exchange service for the origination or termination of calls. Port/Loop combinations support the same local calling and feature requirements as described in the Unbundled Local Switching or Port section of this Attachment and the ability to presubscribe to a primary carrier for intraLATA toll service and/or to presubscribe to a primary carrier for interLATA toll service.
- 5.5.2 Except as set forth in Section 5.5.3 below, BellSouth shall provide UNE port/Loop combinations described in Section 5.5.5 below that are Currently Combined or Ordinarily Combined in BellSouth's network at the cost-based rates in Exhibit B. Except as set forth in Section 5.5.3 below, BellSouth shall provide UNE port/Loop combinations not described in Section 5.5.5 below or Not Typically Combined Combinations in accordance with the BFR/NBR process.
- 5.5.3 BellSouth is not required to provide combinations of port and Loop network elements on an unbundled basis in locations where, pursuant to FCC rules, BellSouth is not required to provide circuit switching as a UNE.
- 5.5.3.1 BellSouth shall not be required to provide local circuit switching as a UNE in density Zone 1, as defined in 47 CFR 69.123 as of January 1, 1999 of the Atlanta, GA; Miami, FL; Orlando, FL; Ft. Lauderdale, FL; Charlotte-Gastonia-Rock Hill, NC; Greensboro-Winston Salem-High Point, NC; Nashville, TN; and New Orleans, LA, MSAs to MRC if MRC's customer has 4 or more DS0 equivalent lines.
- 5.5.3.2 Notwithstanding the foregoing, BellSouth shall provide combinations of port and Loop network elements on an unbundled basis where, pursuant to FCC rules, BellSouth is not required to provide local circuit switching as a UNE and shall do so at the market rates in Exhibit B. If a market rate is not set forth in Exhibit B for a UNE port/Loop combination, such rate shall be negotiated by the Parties.
- 5.5.4 BellSouth shall make 911 updates in the BellSouth 911 database for MRC's UNE port/Loop combinations. BellSouth will not bill MRC for 911 surcharges. MRC is responsible for paying all 911 surcharges to the applicable governmental agency.
- 5.5.5 Combination Offerings
- 5.5.5.1 2-wire voice grade port, voice grade Loop, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.
- 5.5.5.2 2-wire voice grade Coin port, voice grade Loop, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.

- 5.5.5.3 2-wire voice grade DID port, voice grade Loop, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.
- 5.5.5.4 2-wire CENTREX port, voice grade Loop, CENTREX intercom functionality, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.
- 5.5.5.5 2-wire ISDN Basic Rate Interface, voice grade Loop, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.
- 5.5.5.6 4-wire ISDN Primary Rate Interface, DS1 Loop, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.
- 5.5.5.7 4-wire DS1 Trunk port, DS1 Loop, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.
- 5.5.5.8 4-wire DS1 Loop with normal serving wire center channelization interface, 2-wire voice grade ports (PBX), 2-wire DID ports, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.

### 5.6 Other UNE Combinations

- 5.6.1 BellSouth shall provide other Currently Combined and Ordinarily Combined and Not Typically Combined UNE Combinations to MRC in addition to those specifically referenced in this Section 5 above, where available. Such combinations shall not be connected to BellSouth tariffed services. To the extent MRC requests a combination for which BellSouth does not have methods and procedures in place to provide such combination, rates and/or methods and procedures for such combination will be developed pursuant to the BFR/NBR process.
- Rates. The rates for Ordinarily Combined UNE Combinations provisioned pursuant to this Section 5.6 shall be the sum of the recurring rates and nonrecurring rates for the individual network elements as set forth in Exhibit B of this Attachment. The rates for Currently Combined UNE Combinations provisioned pursuant to this Section 5.6 shall be the sum of the recurring rates for the individual network elements as set forth in Exhibit B, in addition to a nonrecurring charge set forth in Exhibit B. To the extent MRC requests a Not Typically Combined Combination pursuant to this Section 5.6, or to the extent MRC requests any combination for which BellSouth has not developed methods

and procedures to provide such combination, rates and/or methods and procedures for such combination shall be established pursuant to the BFR/NBR process.

### 6 Transport, Channelization and Dark Fiber

### 6.1 <u>Transport</u>

- 6.1.1 BellSouth shall provide nondiscriminatory access, in accordance with FCC Rule 51.311 and Section 251(c)(3) of the Act, to interoffice transmission facilities on an unbundled basis to MRC for the provision of a telecommunications service. Interoffice transmission facility network elements include:
- 6.1.1.1 Dedicated transport, defined as BellSouth's transmission facilities, is dedicated to a particular customer or carrier that provides telecommunications between wire centers or switches owned by BellSouth, or between wire centers and switches owned by BellSouth and MRC.
- Dark Fiber transport, defined as BellSouth's optical transmission facilities without attached signal regeneration, multiplexing, aggregation or other electronics;
- 6.1.1.3 Common (Shared) transport, defined as transmission facilities shared by more than one carrier, including BellSouth, between end office switches, between end office switches and tandem switches, and between tandem switches, in BellSouth's network. Where BellSouth Network Elements are connected by intraoffice wiring, such wiring is provided as part of the Network Element and is not Common (Shared) Transport.
- 6.1.2 BellSouth shall:
- 6.1.2.1 Provide MRC exclusive use of interoffice transmission facilities dedicated to a particular customer or carrier, or shared use of the features, functions, and capabilities of interoffice transmission facilities shared by more than one customer or carrier;
- 6.1.2.2 Provide all technically feasible transmission facilities, features, functions, and capabilities of the transport facility for the provision of telecommunications services;
- 6.1.2.3 Permit, to the extent technically feasible, MRC to connect such interoffice facilities to equipment designated by MRC, including but not limited to, MRC's collocated facilities; and
- Permit, to the extent technically feasible, MRC to obtain the functionality provided by BellSouth's digital cross-connect systems.
- 6.1.3 Technical Requirements of Common (Shared) Transport

- 6.1.3.1 Common (Shared) Transport provided on DS1 or VT1.5 circuits shall at a minimum meet the performance, availability, jitter, and delay requirements specified for Central Office to Central Office (CO to CO) connections in the applicable industry standards.
- 6.1.3.2 Common (Shared) Transport provided on DS3 circuits, STS-1 circuits, and higher transmission bit rate circuits shall at a minimum meet the performance, availability, jitter, and delay requirements specified for CO to CO connections in the applicable industry standards.
- 6.1.3.3 BellSouth shall be responsible for the engineering, provisioning, and maintenance of the underlying equipment and facilities that are used to provide Common (Shared) Transport.
- 6.1.3.4 At a minimum, Common (Shared) Transport shall meet all of the requirements set forth in the applicable industry standards.

## 6.2 **Dedicated Transport**

- 6.2.1 Dedicated Transport is composed of the following Unbundled Network Elements:
- 6.2.1.1 Unbundled Local Channel, defined as the dedicated transmission path between MRC's Point of Presence (POP) and MRC's collocation space in the BellSouth Serving Wire Center for MRC's POP, and
- 6.2.1.2 Unbundled Interoffice Channel, defined as the dedicated transmission path that provides telecommunication between BellSouth's Serving Wire Centers' collocations.
- 6.2.1.3 BellSouth shall offer Dedicated Transport in each of the following ways:
- 6.2.1.3.1 As capacity on a shared UNE facility.
- 6.2.1.3.2 As a circuit (e.g., DS0, DS1, DS3) dedicated to MRC.
- 6.2.1.4 Dedicated Transport may be provided over facilities such as optical fiber, copper twisted pair, and coaxial cable, and shall include transmission equipment such as line terminating equipment, amplifiers, and regenerators.
- 6.2.2 Technical Requirements
- The entire designated transmission service (e.g., DS0, DS1, DS3) shall be dedicated to MRC designated traffic.
- For DS1 or VT1.5 circuits, Dedicated Transport shall at a minimum meet the performance, availability, jitter, and delay requirements specified for Customer Interface to Central Office (CI to CO) connections in the applicable industry standards.

- 6.2.2.3 For DS3 circuits, Dedicated Transport shall at a minimum meet the performance, availability, jitter, and delay requirements specified for CI to CO connections in the applicable industry standards.
- 6.2.2.4 BellSouth shall offer the following interface transmission rates for Dedicated Transport:
- 6.2.2.4.1 DS0 Equivalent;
- 6.2.2.4.2 DS1;
- 6.2.2.4.3 DS3; and
- 6.2.2.4.4 SDH (Synchronous Digital Hierarchy) Standard interface rates in accordance with International Telecommunications Union (ITU) Recommendation G.707 and Plesiochronous Digital Hierarchy (PDH) rates per ITU Recommendation G.704.
- 6.2.2.5 BellSouth shall design Dedicated Transport according to its network infrastructure. MRC shall specify the termination points for Dedicated Transport.
- 6.2.2.6 At a minimum, Dedicated Transport shall meet each of the requirements set forth in the applicable industry technical references.
- 6.2.2.7 BellSouth Technical References:
- 6.2.2.7.1 TR-TSY-000191 Alarm Indication Signals Requirements and Objectives, Issue 1, May 1986.
- 6.2.2.7.2 TR 73501 LightGate<sup>®</sup> Service Interface and Performance Specifications, Issue D, June 1995.
- 6.2.2.7.3 TR 73525 MegaLink® Service, MegaLink Channel Service and MegaLink Plus Service Interface and Performance Specifications, Issue C, May 1996.

## 6.3 **Unbundled Channelization (Multiplexing)**

- Unbundled Channelization (UC) provides the optional multiplexing capability that will allow a DS1 (1.544 Mbps) or DS3 (44.736 Mbps) or STS-1 (51.84 Mbps)

  UNE or collocation cross-connect to be multiplexed or channelized at a BellSouth central office. Channelization can be accomplished through the use of a multiplexer or a digital cross-connect system at the discretion of BellSouth. Once UC has been installed, MRC may request channel activation on an as-needed basis and BellSouth shall connect the requested facilities via Central Office Channel Interfaces (COCIs). The COCI must be compatible with the lower capacity facility and ordered with the lower capacity facility.
- 6.3.2 BellSouth shall make available the following channelization systems and COCIs:
- 6.3.2.1 DS3/STS-1 Channelization System: channelizes a DS3 signal into 28 DS1s.
- 6.3.2.2 DS1 COCI, which can be activated on a DS3 Channelization System.

- 6.3.2.3 DS1 Channelization System: channelizes a DS1 signal into 24 DS0s.
- Voice Grade, Digital Data and ISDN can be activated on a DS1 Channelization System through the use of a COCI.
- 6.3.2.5 Data COCI, which can be activated on a DS1 Channelization System.
- 6.3.2.6 AMI and B8ZS line coding with either Super Frame (SF) and Extended Super Frame (ESF) framing formats will be supported as an optional feature on DS1 facilities.
- 6.3.3 Technical Requirements
- 6.3.3.1 In order to assure proper operation with BellSouth provided central office multiplexing functionality, MRC's channelization equipment must adhere strictly to form and protocol standards. MRC must also adhere to such applicable industry standards for the multiplex channel bank, for voice frequency encoding, for various signaling schemes, and for sub rate digital access.
- 6.3.3.2 DS0 to DS1 Channelization. The DS1 signal must be framed utilizing the framing structure defined in ANSI T1.107, Digital Hierarchy Formats Specifications and ANSI T1.403.02, DS1 Robbed-bit Signaling State Definitions.
- 6.3.3.3 DS1 to DS3 Channelization. The DS3 signal must be framed utilizing the framing structure define in ANSI T1.107, Digital Hierarchy Formats Specifications. The asynchronous M13 multiplex format (combination of M12 and M23 formats) is specified for terminal equipment that multiplexes 28 DS1s into a DS3.
- DS1 to STS Channelization. The STS-1 signal must be framed utilizing the framing structure define in ANSI T1.105, Synchronous Optical Network (SONET)
   Basic Description Including Multiplex Structure, Rates and Formats and T1.105.02, Synchronous Optical Network (SONET) Payload Mappings.

## 6.4 **Dark Fiber Transport**

Dark Fiber Transport is an unused optical transmission facility without attached signal regeneration, multiplexing, aggregation or other electronics. Dark Fiber Transport is offered in two configurations: Interoffice Channel, between MRC's collocation arrangement within the POP serving wire center and the end user service wire center and Local Channel, from MRC's POP to MRC's collocation arrangement in the POP serving wire center. It may be strands of optical fiber existing in aerial or underground structure. BellSouth will not provide line terminating elements, regeneration or other electronics necessary for MRC to utilize Dark Fiber Transport.

### 6.4.2 Requirements

- BellSouth shall make available Dark Fiber Transport where it exists in BellSouth's network and where, as a result of future building or deployment, it becomes available. Dark Fiber Transport will not be deemed available if (1) it is used by BellSouth for maintenance and repair purposes, (2) it is designated for use pursuant to a firm order placed by another customer, (3) it is restricted for use by all carriers, including BellSouth, because of transmission problems or because it is scheduled for removal due to documented changes to roads and infrastructure, or (4) BellSouth has plans to use the fiber within a two-year planning period. BellSouth is not required to place fibers for Dark Fiber Transport if there are none available.
- 6.4.2.2 MRC is solely responsible for testing the quality of the Dark Fiber Transport to determine its usability and performance specifications.
- 6.4.2.3 BellSouth shall use its best efforts to provide to MRC information regarding the location, availability and performance of Dark Fiber Transport within ten (10) business days after receiving a request from MRC. Within such time period, BellSouth shall send written confirmation of availability of the Dark Fiber Transport.
- 6.4.2.4 If the requested Dark Fiber Transport is available, BellSouth shall use its commercially reasonable efforts to provision the Dark Fiber Transport to MRC within twenty (20) business days after MRC submits a valid, error free LSR. Provisioning includes identification of appropriate connection points (e.g., Light Guide Interconnection (LGX)) to enable MRC to connect MRC provided transmission media (e.g., optical fiber) or equipment to the Dark Fiber Transport.

# 7 <u>BellSouth Switched Access (SWA) 8XX Toll Free Dialing Ten Digit</u> <u>Screening Service</u>

- 7.1 The BellSouth SWA 8XX Toll Free Dialing Ten Digit Screening Service database (8XX SCP Database) is a Signaling Control Point (SCP) that contains customer record information and the functionality to provide call-handling instructions for 8XX calls. The 8XX SCP IN software stores data downloaded from the national SMS/8XX database and provides the routing instructions in response to queries from the Switching Service Point (SSP) or tandem. The BellSouth SWA 8XX Toll Free Dialing Ten Digit Screening Service (8XX TFD Service) utilizes the 8XX SCP Database to provide identification and routing of the 8XX calls, based on the ten digits dialed. At MRC's option, 8XX TFD Service is provided with or without POTS number delivery, dialing number delivery, and other optional complex features as selected by MRC.
- 7.2 The 8XX SCP Database is designated to receive and respond to queries using the ANSI Specification of Signaling System Seven (SS7) protocol.

### 8 <u>Line Information Database (LIDB)</u>

- 8.1 The Line Information Database (LIDB) is a transaction-oriented database accessible through Common Channel Signaling (CCS) networks. For access to LIDB, MRC must purchase appropriate signaling links pursuant to Section 9 of this Attachment. LIDB contains records associated with end user Line Numbers and Special Billing Numbers. LIDB accepts queries from other Network Elements and provides appropriate responses. The query originator need not be the owner of LIDB data. LIDB queries include functions such as screening billed numbers that provides the ability to accept Collect or Third Number Billing calls and validation of Telephone Line Number based non-proprietary calling cards. The interface for the LIDB functionality is the interface between BellSouth's CCS network and other CCS networks. LIDB also interfaces to administrative systems.
- 8.2 Technical Requirements
- 8.2.1 BellSouth will offer to MRC any additional capabilities that are developed for LIDB during the life of this Agreement.
- 8.2.2 BellSouth shall process MRC's customer records in LIDB at least at parity with BellSouth customer records, with respect to other LIDB functions. BellSouth shall indicate to MRC what additional functions (if any) are performed by LIDB in the BellSouth network.
- 8.2.3 Within two (2) weeks after a request by MRC, BellSouth shall provide MRC with a list of the customer data items, which MRC would have to provide in order to support each required LIDB function. The list shall indicate which data items are essential to LIDB function and which are required only to support certain services. For each data item, the list shall show the data formats, the acceptable values of the data item and the meaning of those values.
- 8.2.4 BellSouth shall provide LIDB systems for which operating deficiencies that would result in calls being blocked shall not exceed 30 minutes per year.
- 8.2.5 BellSouth shall provide LIDB systems for which operating deficiencies that would not result in calls being blocked shall not exceed 12 hours per year.
- 8.2.6 BellSouth shall provide LIDB systems for which the LIDB function shall be in overload no more than 12 hours per year.
- 8.2.7 All additions, updates and deletions of MRC data to the LIDB shall be solely at the direction of MRC. Such direction from MRC will not be required where the addition, update or deletion is necessary to perform standard fraud control measures (e.g., calling card auto-deactivation).
- 8.2.8 BellSouth shall provide priority updates to LIDB for MRC data upon MRC's request (e.g., to support fraud detection), via password-protected telephone card, facsimile, or electronic mail within one hour of notice from the established BellSouth contact.

- 8.2.9 BellSouth shall provide LIDB systems such that no more than 0.01% of MRC customer records will be missing from LIDB, as measured by MRC audits. BellSouth will audit MRC records in LIDB against DBAS to identify record mismatches and provide this data to a designated MRC contact person to resolve the status of the records and BellSouth will update system appropriately. BellSouth will refer record of mismatches to MRC within one business day of audit. Once reconciled records are received back from MRC, BellSouth will update LIDB the same business day if less than 500 records are received before 1:00PM Central Time. If more than 500 records are received, BellSouth will contact MRC to negotiate a time frame for the updates, not to exceed three business days.
- 8.2.10 BellSouth shall perform backup and recovery of all of MRC's data in LIDB including sending to LIDB all changes made since the date of the most recent backup copy, in at least the same time frame BellSouth performs backup and recovery of BellSouth data in LIDB for itself. Currently, BellSouth performs backups of the LIDB for itself on a weekly basis; and when a new software release is scheduled, a backup is performed prior to loading the new release.
- 8.2.11 BellSouth shall provide MRC with LIDB reports of data which are missing or contain errors, as well as any misrouted errors, within a reasonable time period as negotiated between MRC and BellSouth.
- 8.2.12 BellSouth shall prevent any access to or use of MRC data in LIDB by BellSouth personnel that are outside of established administrative and fraud control personnel, or by any other Party that is not authorized by MRC in writing.
- 8.2.13 BellSouth shall provide MRC performance of the LIDB Data Screening function, which allows a LIDB to completely or partially deny specific query originators access to LIDB data owned by specific data owners, for Customer Data that is part of an NPA-NXX or RAO-0/1XX wholly or partially owned by MRC at least at parity with BellSouth Customer Data. BellSouth shall obtain from MRC the screening information associated with LIDB Data Screening of MRC data in accordance with this requirement. BellSouth currently does not have LIDB Data Screening capabilities. When such capability is available, BellSouth shall offer it to MRC under the BFR/NBR process as set forth in Attachment 11.
- 8.2.14 BellSouth shall accept queries to LIDB associated with MRC customer records and shall return responses in accordance with industry standards.
- 8.2.15 BellSouth shall provide mean processing time at the LIDB within 0.50 seconds under normal conditions as defined in industry standards.
- 8.2.16 BellSouth shall provide processing time at the LIDB within 1 second for 99% of all messages under normal conditions as defined in industry standards.

- 8.3 Interface Requirements
- 8.3.1 BellSouth shall offer LIDB in accordance with the requirements of this subsection.
- 8.3.2 The interface to LIDB shall be in accordance with the technical references contained within.
- 8.3.3 The CCS interface to LIDB shall be the standard interface described herein.
- 8.3.4 The LIDB Data Base interpretation of the ANSI-TCAP messages shall comply with the technical reference herein. Global Title Translation shall be maintained in the signaling network in order to support signaling network routing to the LIDB.
- 8.3.5 The application of the LIDB rates contained in Exhibit B to this Attachment will be based on a Percent CLEC LIDB Usage (PCLU) factor. MRC shall provide BellSouth a PCLU. The PCLU will be applied to determine the percentage of total LIDB usage to be billed to the other Party at local rates. MRC shall update its PCLU on the first of January, April, July and October and shall send it to BellSouth to be received no later than thirty (30) calendar days after the first of each such month based on local usage for the past three months ending the last day of December, March, June and September, respectively. Requirements associated with PCLU calculation and reporting shall be as set forth in BellSouth's Jurisdictional Factors Reporting Guide, as it is amended from time to time.

# 9 Signaling

9.1 BellSouth shall offer access to signaling and access to BellSouth's signaling databases subject to compatibility testing and at the rates set forth in this Attachment. BellSouth may provide mediated access to BellSouth signaling systems and databases. Available signaling elements include signaling links, signal transfer points and service control points. Signaling functionality will be available with both A-link and B-link connectivity.

## 9.2 **Signaling Link Transport**

- 9.2.1 Signaling Link Transport is a set of two or four dedicated 56 kbps transmission paths between MRC-designated Signaling Points of Interconnection that provide appropriate physical diversity.
- 9.2.2 Technical Requirements
- 9.2.2.1 Signaling Link Transport shall consist of full duplex mode 56 kbps transmission paths and shall perform in the following two ways:

- 9.2.2.1.1 As an "A-link" Signaling Link Transport is a connection between a switch or SCP and a home Signaling Transfer Point switch pair; and
- 9.2.2.1.2 As a "B-link" Signaling Link Transport is a connection between two Signaling Transfer Point switch pairs in different company networks (e.g., between two Signaling Transfer Point switch pairs for two CLECs).
- 9.2.2.2 Signaling Link Transport shall consist of two or more signaling link layers as follows:
- 9.2.2.2.1 An A-link layer shall consist of two links.
- 9.2.2.2.2 A B-link layer shall consist of four links.
- 9.2.2.3 A signaling link layer shall satisfy interoffice and intraoffice diversity of facilities and equipment, such that:
- 9.2.2.3.1 No single failure of facilities or equipment causes the failure of both links in an A-link layer (i.e., the links should be provided on a minimum of two separate physical paths end-to-end); and
- 9.2.2.3.2 No two concurrent failures of facilities or equipment shall cause the failure of all four links in a B-link layer (i.e., the links should be provided on a minimum of three separate physical paths end-to-end).
- 9.2.3 Interface Requirements
- 9.2.3.1 There shall be a DS1 (1.544 Mbps) interface at MRC's designated SPOIs. Each 56 kbps transmission path shall appear as a DS0 channel within the DS1 interface.
- 9.3 **Signaling Transfer Points (STPs)**
- 9.3.1 A Signaling Transfer Point is a signaling network function that includes all of the capabilities provided by the signaling transfer point switches (STPs) and their associated signaling links that enables the exchange of SS7 messages among and between switching elements, database elements and signaling transfer point switches.
- 9.3.2 Technical Requirements
- 9.3.2.1 Signaling Transfer Point s shall provide access to BellSouth Local Switching or Tandem Switching and to BellSouth Service Control Points/Databases connected to BellSouth SS7 network. Signaling Transfer Point also provide access to third-party local or tandem switching and Third-party-provided Signaling Transfer Points.
- 9.3.2.2 The connectivity provided by Signaling Transfer Points shall fully support the functions of all other Network Elements connected to the BellSouth SS7 network. This includes the use of the BellSouth SS7 network to convey messages that

neither originate nor terminate at a signaling end point directly connected to the BellSouth SS7 network (i.e., transit messages). When the BellSouth SS7 network is used to convey transit messages, there shall be no alteration of the Integrated Services Digital Network User Part or Transaction Capabilities Application Part (TCAP) user data that constitutes the content of the message.

- 9.3.2.3 If a BellSouth tandem switch routes traffic, based on dialed or translated digits, on SS7 trunks between a MRC local switch and third party local switch, the BellSouth SS7 network shall convey the TCAP messages that are necessary to provide Call Management features (Automatic Callback, Automatic Recall, and Screening List Editing) between MRC local STPs and the STPs that provide connectivity with the third party local switch, even if the third party local switch is not directly connected to BellSouth STPs.
- 9.3.2.4 STPs shall provide all functions of the SCCP necessary for Class 0 (basic connectionless) service as defined in Telcordia ANSI Interconnection Requirements. This includes Global Title Translation (GTT) and SCCP Management procedures, as specified in ANSI T1.112.4. Where the destination signaling point is a MRC or third party local or tandem switching system directly connected to BellSouth SS7 network, BellSouth shall perform final GTT of messages to the destination and SCCP Subsystem Management of the destination. In all other cases, BellSouth shall perform intermediate GTT of messages to a gateway pair of STPs in an SS7 network connected with BellSouth SS7 network and shall not perform SCCP Subsystem Management of the destination. If BellSouth performs final GTT to a MRC database, then MRC agrees to provide BellSouth with the Destination Point Code for MRC database.
- 9.3.2.5 STPs shall provide all functions of the OMAP as specified in applicable industry standard technical references, which may include, where available in BellSouth's network, MTP Routing Verification Test (MRVT) and SCCP Routing Verification Test (SRVT).
- 9.3.2.6 Where the destination signaling point is a BellSouth local or tandem switching system or database, or is a MRC or third party local or tandem switching system directly connected to the BellSouth SS7 network, STPs shall perform MRVT and SRVT to the destination signaling point. In all other cases, STPs shall perform MRVT and SRVT to a gateway pair of STPs in an SS7 network connected with the BellSouth SS7 network. This requirement may be superseded by the specifications for Internetwork MRVT and SRVT when these become approved ANSI standards and available capabilities of BellSouth STPs.

## 9.4 SS7 Advanced Intelligent Network (AIN) Access

9.4.1 When technically feasible and upon request by MRC, SS7 AIN Access shall be made available in association with switching. SS7 AIN Access is the provisioning of AIN 0.1 triggers in an equipped BellSouth local switch and interconnection of

the BellSouth SS7 network with MRC's SS7 network to exchange TCAP queries and responses with a MRC SCP.

- 9.4.2 SS7 AIN Access shall provide MRC SCP access to an equipped BellSouth local switch via interconnection of BellSouth's SS7 and MRC SS7 Networks. BellSouth shall offer SS7 AIN Access through its STPs. If BellSouth requires a mediation device on any part of its network specific to this form of access, BellSouth must route its messages in the same manner. The interconnection arrangement shall result in the BellSouth local switch recognizing the MRC SCP as at least at parity with BellSouth's SCPs in terms of interfaces, performance and capabilities.
- 9.4.3 Interface Requirements
- 9.4.3.1 BellSouth shall provide the following STP options to connect MRC or MRC-designated local switching systems to the BellSouth SS7 network:
- 9.4.3.1.1 An A-link interface from MRC local switching systems; and,
- 9.4.3.1.2 A B-link interface from MRC local STPs.
- 9.4.3.2 Each type of interface shall be provided by one or more layers of signaling links.
- 9.4.3.3 The Signaling Point of Interconnection for each link shall be located at a cross-connect element in the Central Office (CO) where the BellSouth STP is located. There shall be a DS1 or higher rate transport interface at each of the SPOIs. Each signaling link shall appear as a DS0 channel within the DS1 or higher rate interface.
- 9.4.3.4 BellSouth shall provide intraoffice diversity between the Signaling Point of Interconnection and BellSouth STPs so that no single failure of intraoffice facilities or equipment shall cause the failure of both B-links in a layer connecting to a BellSouth STP.
- 9.4.3.5 STPs shall provide all functions of the MTP as defined in the applicable industry standard technical references.
- 9.4.4 Message Screening
- 9.4.4.1 BellSouth shall set message screening parameters so as to accept valid messages from MRC local or tandem switching systems destined to any signaling point within BellSouth's SS7 network where the MRC switching system has a valid signaling relationship.
- 9.4.4.2 BellSouth shall set message screening parameters so as to pass valid messages from MRC local or tandem switching systems destined to any signaling point or network accessed through BellSouth's SS7 network where the MRC switching system has a valid signaling relationship.

9.4.4.3 BellSouth shall set message screening parameters so as to accept and pass/send valid messages destined to and from MRC from any signaling point or network interconnected through BellSouth's SS7 network where the MRC SCP has a valid signaling relationship.

# 9.5 <u>Service Control Points/Databases</u>

- 9.5.1 Call Related Databases provide the storage of, access to, and manipulation of information required to offer a particular service and/or capability. BellSouth shall provide access to the following Databases: Local Number Portability, LIDB, Toll Free Number Database, Automatic Location Identification/Data Management System, and Calling Name Database. BellSouth also provides access to Service Creation Environment and Service Management System (SCE/SMS) application databases and Directory Assistance.
- 9.5.2 A Service Control Point (SCP) is deployed in a SS7 network that executes service application logic in response to SS7 queries sent to it by a switching system also connected to the SS7 network. Service Management Systems provide operational interfaces to allow for provisioning, administration and maintenance of subscriber data and service application data stored in SCPs.
- 9.5.3 Technical Requirements for SCPs/Databases
- 9.5.3.1 BellSouth shall provide physical access to SCPs through the SS7 network and protocols with TCAP as the application layer protocol.
- 9.5.3.2 BellSouth shall provide physical interconnection to databases via industry standard interfaces and protocols (e.g. SS7, ISDN and X.25).
- 9.5.3.3 The reliability of interconnection options shall be consistent with requirements for diversity and survivability.

## 9.6 <u>Local Number Portability Database</u>

9.6.1 The Permanent Number Portability (PNP) database supplies routing numbers for calls involving numbers that have been ported from one local service provider to another. BellSouth agrees to provide access to the PNP database at rates, terms and conditions as set forth by BellSouth and in accordance with an effective FCC or Commission directive.

## 9.7 **SS7 Network Interconnection**

9.7.1 SS7 Network Interconnection is the interconnection of MRC local signaling transfer point switches or MRC local or tandem switching systems with BellSouth signaling transfer point switches. This interconnection provides connectivity that

enables the exchange of SS7 messages among BellSouth switching systems and databases, MRC local or tandem switching systems, and other third-party switching systems directly connected to the BellSouth SS7 network.

- 9.7.2 The connectivity provided by SS7 Network Interconnection shall fully support the functions of BellSouth switching systems and databases and MRC or other third-party switching systems with A-link access to the BellSouth SS7 network.
- 9.7.3 If traffic is routed based on dialed or translated digits between a MRC local switching system and a BellSouth or other third-party local switching system, either directly or via a BellSouth tandem switching system, then it is a requirement that the BellSouth SS7 network convey via SS7 Network Interconnection the TCAP messages that are necessary to provide Call Management services (Automatic Callback, Automatic Recall, and Screening List Editing) between the MRC local signaling transfer point switches and BellSouth or other third-party local switch.
- 9.7.4 SS7 Network Interconnection shall provide:
- 9.7.4.1 Signaling Data Link functions, as specified in ANSI T1.111.2;
- 9.7.4.2 Signaling Link functions, as specified in ANSI T1.111.3; and
- 9.7.4.3 Signaling Network Management functions, as specified in ANSI T1.111.4.
- 9.7.5 SS7 Network Interconnection shall provide all functions of the SCCP necessary for Class 0 (basic connectionless) service as specified in ANSI T1.112. This includes GTT and SCCP Management procedures as specified in ANSI T1.112.4. Where the destination signaling point is a BellSouth switching system or DB, or is another third-party local or tandem switching system directly connected to the BellSouth SS7 network, SS7 Network Interconnection shall include final GTT of messages to the destination and SCCP Subsystem Management of the destination. Where the destination signaling point is a MRC local or tandem switching system, SS7 Network Interconnection shall include intermediate GTT of messages to a gateway pair of MRC local STPs and shall not include SCCP Subsystem Management of the destination.
- 9.7.6 SS7 Network Interconnection shall provide all functions of the Integrated Services Digital Network User Part as specified in ANSI T1.113.
- 9.7.7 SS7 Network Interconnection shall provide all functions of the TCAP as specified in ANSI T1.114.
- 9.7.8 If Internetwork MRVT and SRVT become approved ANSI standards and available capabilities of BellSouth STPs, SS7 Network Interconnection may provide these functions of the OMAP.
- 9.7.9 Interface Requirements

- 9.7.9.1 The following SS7 Network Interconnection interface options are available to connect MRC or MRC-designated local or tandem switching systems or signaling transfer point switches to the BellSouth SS7 network:
- 9.7.9.1.1 A-link interface from MRC local or tandem switching systems; and
- 9.7.9.1.2 B-link interface from MRC STPs.
- 9.7.9.2 The Signaling Point of Interconnection for each link shall be located at a cross-connect element in the central office where the BellSouth STP is located. There shall be a DS1 or higher rate transport interface at each of the Signaling Points of interconnection. Each signaling link shall appear as a DS0 channel within the DS1 or higher rate interface.
- 9.7.9.3 BellSouth shall provide intraoffice diversity between the Signaling Points of Interconnection and the BellSouth STP, so that no single failure of intraoffice facilities or equipment shall cause the failure of both B-links in a layer connecting to a BellSouth STP.
- 9.7.9.4 The protocol interface requirements for SS7 Network Interconnection include the MTP, ISDNUP, SCCP, and TCAP. These protocol interfaces shall conform to the applicable industry standard technical references.
- 9.7.9.5 BellSouth shall set message screening parameters to accept messages from MRC local or tandem switching systems destined to any signaling point in the BellSouth SS7 network with which the MRC switching system has a valid signaling relationship.

## 10 Operator Services (Operator Call Processing and Directory Assistance)

- Operator Call Processing provides: (1) operator handling for call completion (for example, collect, third number billing, and manual calling-card calls); (2) operator or automated assistance for billing after the end user has dialed the called number (for example, calling card calls); and (3) special services including but not limited to Busy Line Verification and Emergency Line Interrupt (ELI), Emergency Agency Call, and Operator-assisted Directory Assistance.
- 10.2 Upon request for BellSouth Operator Call Processing, BellSouth shall:
- 10.2.1 Process 0+ and 0- dialed local calls.
- 10.2.2 Process 0+ and 0- intraLATA toll calls.
- 10.2.3 Process calls that are billed to MRC end user's calling card that can be validated by BellSouth.
- 10.2.4 Process person-to-person calls.
- 10.2.5 Process collect calls.

10.2.6 Provide the capability for callers to bill to a third party and shall also process such calls. 10.2.7 Process station-to-station calls. 10.2.8 Process Busy Line Verify and Emergency Line Interrupt requests. 10.2.9 Process emergency call trace originated by Public Safety Answering Points. 10.2.10 Process operator-assisted directory assistance calls. 10.2.11 Adhere to equal access requirements, providing MRC local end users the same IXC access as provided to BellSouth end users. 10.2.12 Exercise at least the same level of fraud control in providing Operator Service to MRC that BellSouth provides for its own operator service. 10.2.13 Perform Billed Number Screening when handling Collect, Person-to-Person, and Billed-to-Third-Party calls. 10.2.14 Direct customer account and other similar inquiries to the customer service center designated by MRC. 10.2.15 Provide call records to MRC in accordance with ODUF standards specified in Attachment 7. 10.2.16 The interface requirements shall conform to the interface specifications for the platform used to provide Operator Services as long as the interface conforms to industry standards. 10.3 **Directory Assistance Service** 10.3.1 Directory Assistance Service provides local and non-local end user telephone number listings with the option to complete the call at the caller's direction separate and distinct from local switching. 10.3.2 Directory Assistance Service shall provide up to two listing requests per call. If available and if requested by MRC's end user, BellSouth shall provide calleroptional directory assistance call completion service at rates contained in this Attachment to one of the provided listings. 10.3.3 **Directory Assistance Service Updates** 10.3.3.1 BellSouth shall update end user listings changes daily. These changes include: 10.3.3.1.1 New end user connections; 10.3.3.1.2 End user disconnections; 10.3.3.1.3 End user address changes.

These updates shall also be provided for non-listed and non-published numbers for use in emergencies.

# 10.4 **Branding for Operator Call Processing and Directory Assistance**

- 10.4.1 BellSouth's branding feature provides a definable announcement to MRC end users using Directory Assistance (DA)/Operator Call Processing (OCP) prior to placing such end users in queue or connecting them to an available operator or automated operator system. This feature allows MRC to have its calls custom branded with MRC's name on whose behalf BellSouth is providing DA and/or OCP. Rates for the branding features are set forth in this Attachment.
- 10.4.2 BellSouth offers three branding offering options to MRC when ordering BellSouth's DA and OCP: BellSouth Branding, Unbranding and Custom Branding.
- 10.4.3 Upon receipt of the custom branding order from MRC, the order is considered firm after ten business days. Should MRC decide to cancel the order, written notification to MRC's Local Contract Manager is required. If MRC decides to cancel after ten business days from receipt of the custom branding order, MRC shall pay all charges per the order.

# 10.4.4 Selective Call Routing Using Line Class Codes (SCR-LCC)

- 10.4.4.1 Where MRC purchases unbundled local switching from BellSouth and utilizes an Operator Services Provider other than BellSouth, BellSouth will route MRC's end user calls to that provider through Selective Call Routing.
- 10.4.4.2 Selective Call Routing using Line Class Codes (SCR-LCC) provides the capability for MRC to have its OCP/DA calls routed to BellSouth's OCP/DA platform for BellSouth provided Custom Branded or Unbranded OCP/DA or to its own or an alternate OCP/DA platform for Self-Branded OCP/DA. SCR-LCC is only available if line class code capacity is available in the requested BellSouth end office switches.
- 10.4.4.3 Custom Branding for DA is not available for certain classes of service, including but not limited to Hotel/Motel services, WATS service, and certain PBX services.
- 10.4.4.4 Where available, MRC specific and unique line class codes are programmed in each BellSouth end office switch where MRC intends to serve end users with customized OCP/DA branding. The line class codes specifically identify MRC's end users so OCP/DA calls can be routed over the appropriate trunk group to the requested OCP/DA platform. Additional line class codes are required in each end office if the end office serves multiple NPAs (i.e., a unique LCC is required per NPA), and/or if the end office switch serves multiple rate areas and MRC intends to provide MRC-branded OCP/DA to its end users in these multiple rate areas.

- 10.4.4.5 BellSouth Branding is the default branding offering.
- 10.4.4.6 SCR-LCC supporting Custom Branding and Self Branding require MRC to order dedicated trunking from each BellSouth end office identified by MRC, either to the BellSouth Traffic Operator Position System (TOPS) for Custom Branding or to the MRC Operator Service Provider for Self Branding. Separate trunk groups are required for Operator Services and for DA. Rates for trunks are set forth in applicable BellSouth tariffs.
- 10.4.4.7 Unbranding Unbranded DA and/or OCP calls ride common trunk groups provisioned by BellSouth from those end offices identified by MRC to the BellSouth TOPS. These calls are routed to "No Announcement."
- 10.4.4.8 The rates for SCR-LCC are as set forth in this Attachment. There is a nonrecurring charge for the establishment of each Line Class Code in each BellSouth central office. Furthermore, for Unbranded and Custom Branded OCP/DA provided by BellSouth Operator Services with unbundled ports and unbundled port/Loop switch combinations, monthly recurring usage charges shall apply for the UNEs necessary to provide the service, such as end office and tandem switching and common transport. A flat rated end office switching charge shall apply to Self-Branded OCP/DA when used in conjunction with unbundled ports and unbundled port/Loop switch combinations.
- 10.4.4.9 UNE Provider Branding via Originating Line Number Screening (OLNS)
- 10.4.4.9.1 BellSouth Branding, Unbranding and Custom Branding are also available for DA, OCP or both via Originating Line Number Screening (OLNS) software. When utilizing this method of Unbranding or Custom Branding, MRC shall not be required to purchase dedicated trunking.
- 10.4.4.9.2 For BellSouth to provide Unbranding or Custom Branding via OLNS software for OCP or for DA, MRC must have its OCN(s) and telephone numbers reside in BellSouth's LIDB; however, a BellSouth LIDB Storage Agreement is not required. To implement Unbranding and Custom Branding via OLNS software, MRC must submit a manual order form which requires, among other things, MRC's OCN and a forecast for the traffic volume anticipated for each BellSouth TOPS during the peak busy hour. MRC shall provide updates to such forecast on a quarterly basis and at any time such forecasted traffic volumes are expected to change significantly. Upon MRC's purchase of Unbranding or Custom Branding using OLNS software for any particular TOPS, all MRC end users served by that TOPS will receive the Unbranded "no announcement" or the Custom Branded announcement.
- 10.4.4.9.3 BellSouth Branding is the default branding offering.

10.4.4.9.4 Rates for Unbranding and Custom Branding via OLNS software for DA and for OCP are as set forth in this Attachment. Notwithstanding anything to the contrary in this Agreement, to the extent BellSouth is unable to bill MRC applicable charges currently, BellSouth shall track such charges and will bill the same retroactively at such time as a billing process is implemented. In addition to the charges for Unbranding and Custom Branding via OLNS software, MRC shall continue to pay BellSouth applicable labor and other charges for the use of BellSouth's DA and OCP platforms as set forth in this Attachment. Further, where MRC is purchasing unbundled local switching from BellSouth, UNE usage charges for end office switching, tandem switching and transport, as applicable, shall continue to apply.

# 10.4.5 Facilities Based Carrier Branding

- 10.4.5.1 All Service Levels require MRC to order dedicated trunking from their end office(s) point of interface to the BellSouth TOPS Switches. Rates for trunks are set forth in applicable BellSouth tariffs.
- 10.4.5.2 Unbranding is the default branding offering.
- 10.4.5.3 Rates for Custom Branded OCP/DA are set forth in this Attachment.
- 10.4.5.4 Customized Branding includes charges for the recording of the branding announcement and the loading of the audio units in each TOPS Switch and Network Applications Vehicle (NAV) equipment for which MRC requires service.
- 10.4.5.5 Directory Assistance customized branding uses:
- 10.4.5.5.1 the recording of MRC;
- 10.4.5.5.2 the loading of the recording in each switch.
- 10.4.5.6 Operator Call Processing customized branding uses:
- 10.4.5.6.1 the recording of MRC;
- 10.4.5.6.2 the loading of the recording in each switch (North Carolina);
- 10.4.5.6.3 the loading on the NAV. All NAV shelves within the region where the customer is offering service must be loaded.

## 10.5 **Directory Assistance Database Service (DADS)**

10.5.1 BellSouth shall make its Directory Assistance Database Service (DADS) available at the rates set forth in this Attachment solely for the expressed purpose of providing Directory Assistance type services to MRC end users. The term "end user" denotes any entity that obtains Directory Assistance type services for its own use from a DADS customer. Directory Assistance type service is defined as Voice Directory Assistance (DA Operator assisted) and Electronic Directory Assistance (Data System assisted). MRC agrees that DADS will not be used for any purpose that violates federal or state laws, statutes, regulatory orders or tariffs. For the purposes of provisioning a Directory Assistance type service, all terms and conditions of GSST A38 apply and are incorporated by reference herein. Except

for the permitted uses, MRC agrees not to disclose DADS to others and shall provide due care in providing for the security and confidentiality of DADS.

- 10.5.2 BellSouth shall initially provide MRC with a Base File of subscriber listings via magnetic tape. DADS is available and may be ordered on a Business, Residence or combined Business and Residence listings basis for each central office requested. BellSouth will require approximately 30-45 days after receiving an order from MRC to prepare the Base File.
- 10.5.3 BellSouth will provide updates on either a daily or weekly basis reflecting all listing change activity occurring since MRC's previous update. Delivery of updates will commence immediately after MRC receives the Base File. Updates will be provided via magnetic tape unless BellSouth and MRC mutually develop CONNECT: Direct TM electronic connectivity. MRC will pay all costs associated with CONNECT: Direct TM connectivity, which will vary depending upon volume and mileage.
- 10.5.4 MRC authorizes the inclusion of MRC Directory Assistance listings in the BellSouth Directory Assistance products including but not limited to DADS. Any other use is not authorized.

## 10.6 **Direct Access to Directory Assistance Service**

- 10.6.1 Direct Access to Directory Assistance Service (DADAS) will provide MRC's directory assistance operators with the ability to search, using a standard directory assistance search format, the same listing information that is available to BellSouth operators including all available BellSouth subscriber listings, all available listings associated with lines resold by competitive local exchange carriers, and all available listings associated with lines provisioned by local exchange carriers that provide their listings to BellSouth. DADAS will also provide MRC with the ability to search all listings BellSouth obtains from sources other than the provider of the local exchange lines associated with the listings. The search format will be provided to MRC by BellSouth upon subscription to the service. Subscription to DADAS requires that MRC utilize its own switch, operator workstations, directory assistance operators, transport facilities, and optional audio subsystems.
- 10.6.2 Rates, terms and conditions for provisioning DADAS are as set forth in the FCC Tariff No. 1.

## 11 Automatic Location Identification/Data Management System (ALI/DMS)

The ALI/DMS Database contains end user information (including name, address, telephone information, and sometimes special information from the local service provider or end user) used to determine to which Public Safety Answering Point (PSAP) to route the call. The ALI/DMS database is used to provide enhanced routing flexibility for E911.

- 11.2 Technical Requirements
- BellSouth shall provide MRC access to the ALI/DMS database. BellSouth shall provide error reports from the ALI/DMS database to MRC after MRC provides end user information for input into the ALI/DMS database.
- When BellSouth is responsible for administering the ALI/DMS database in its entirety, ported number NXXs entries for the ported numbers should be maintained unless MRC requests otherwise and shall be updated if MRC requests, provided MRC supplies BellSouth with the updates.
- When Remote Call Forwarding (RCF) is used to provide number portability to the local end user and a remark or other appropriate field information is available in the database, the shadow or "forwarded-to" number and an indication that the number is ported shall be added to the customer record.
- 11.3 Interface Requirements
- 11.3.1 The interface between the E911 Switch or Tandem and the ALI/DMS database for MRC end users shall meet industry standards.

# 12 Calling Name (CNAM) Database Service

- 12.1 CNAM is the ability to associate a name with the calling party number, allowing the end user (to which a call is being terminated) to view the calling party's name before the call is answered. This service also provides MRC the opportunity to load and store its subscriber names in the BellSouth CNAM SCPs.
- MRC shall submit to BellSouth a notice of its intent to access and utilize BellSouth CNAM Database Services. Said notice shall be in writing no less than 60 days prior to MRC's access to BellSouth's CNAM Database Services and shall be addressed to MRC's Local Contract Manager.
- BellSouth's provision of CNAM Database Services to MRC requires interconnection from MRC to BellSouth CNAM Service Control Points (SCPs). Such interconnections shall be established pursuant to Attachment 3 of this Agreement, incorporated herein by this reference.
- 12.4 In order to formulate a CNAM query to be sent to the BellSouth CNAM SCP, MRC shall provide its own CNAM SSP. MRC's CNAM SSPs must be compliant with TR-NWT-001188, "CLASS Calling Name Delivery Generic Requirements".
- 12.5 If MRC elects to access the BellSouth CNAM SCP via a third party CCS7 transport provider, the third party CCS7 provider shall interconnect with the BellSouth CCS7 network according to BellSouth's Common Channel Signaling Interconnection Guidelines and Telcordia's CCS Network Interface Specification document, TR-TSV-000905. In addition, the third party provider shall establish

CCS7 interconnection at the BellSouth Local Signal Transfer Points (LSTPs) serving the BellSouth CNAM SCPs that MRC desires to query.

- 12.6 If MRC queries the BellSouth CNAM SCP via a third party national SS7 transport provider, the third party SS7 provider shall interconnect with the BellSouth CCS7 network according to BellSouth's Common Channel Signaling Interconnection Guidelines and Telcordia's CCS Network Interface Specification document, TR-TSV-000905. In addition, the third party provider shall establish SS7 interconnection at one or more of the BellSouth Gateway Signal Transfer Points (STPs). The payment of all costs associated with the transport of SS7 signals via a third party will be established by mutual agreement of the Parties and this Agreement shall be amended in accordance with modification of the General Terms and Conditions incorporated herein by this reference.
- 12.7 The mechanism to be used by MRC for initial CNAM record load and/or updates shall be determined by mutual agreement. The initial load and all updates shall be provided by MRC in the BellSouth specified format and shall contain records for every working telephone number that can originate phone calls. It is the responsibility of MRC to provide accurate information to BellSouth on a current basis.
- 12.8 Updates to the SMS shall occur no less than once a week, reflect service order activity affecting either name or telephone number, and involve only record additions, deletions or changes.
- MRC CNAM records provided for storage in the BellSouth CNAM SCP shall be available, on a SCP query basis only, to all Parties querying the BellSouth CNAM SCP. Further, CNAM service shall be provided by each Party consistent with state and/or federal regulation.
- Service Creation Environment and Service Management System (SCE/SMS)
  Advanced Intelligent Network (AIN) Access
- BellSouth's Service Creation Environment and Service Management System (SCE/SMS) Advanced Intelligent Network (AIN) Access shall provide MRC the capability to create service applications in a BellSouth SCE and deploy those applications in a BellSouth SMS to a BellSouth SCP.
- BellSouth's SCE/SMS AIN Access shall provide access to SCE hardware, software, testing and technical support (e.g., help desk, system administrator) resources available to MRC. Training, documentation, and technical support will address use of SCE and SMS access and administrative functions but will not include support for the creation of a specific service application.
- BellSouth SCP shall partition and protect MRC service logic and data from unauthorized access.

- When MRC selects SCE/SMS AIN Access, BellSouth shall provide training, documentation, and technical support to enable MRC to use BellSouth's SCE/SMS AIN Access to create and administer applications.
- 13.5 MRC access will be provided via remote data connection (e.g., dial-in, ISDN).
- BellSouth shall allow MRC to download data forms and/or tables to BellSouth SCP via BellSouth SMS without intervention from BellSouth.

#### 14 Basic 911 and E911

- 14.1 Basic 911 and E911 provides a caller access to the applicable emergency service bureau by dialing 911.
- 14.2 <u>Basic 911 Service Provisioning.</u> BellSouth will provide to MRC a list consisting of each municipality that subscribes to Basic 911 service. The list will also provide, if known, the E911 conversion date for each municipality and, for network routing purposes, a ten-digit directory number representing the appropriate emergency answering position for each municipality subscribing to 911. MRC will be required to arrange to accept 911 calls from its end users in municipalities that subscribe to Basic 911 service and translate the 911 call to the appropriate 10-digit directory number as stated on the list provided by BellSouth. MRC will be required to route that call to BellSouth at the appropriate tandem or end office. When a municipality converts to E911 service, MRC will be required to begin using E911 procedures.
- 14.3 E911 Service Provisioning. MRC shall install a minimum of two dedicated trunks originating from the MRC serving wire center and terminating to the appropriate E911 tandem. The dedicated trunks shall be, at a minimum, DS0 level trunks configured either as a 2-wire analog interface or as part of a digital (1.544 Mb/s) interface. Either configuration shall use CAMA-type signaling with multifrequency (MF) pulsing that will deliver automatic number identification (ANI) with the voice portion of the call. If the user interface is digital, MF pulses as well as other AC signals shall be encoded per the u-255 Law convention. MRC will be required to provide BellSouth daily updates to the E911 database. MRC will be required to forward 911 calls to the appropriate E911 tandem along with ANI based upon the current E911 end office to tandem homing arrangement as provided by BellSouth. If the E911 tandem trunks are not available, MRC will be required to route the call to a designated 7-digit local number residing in the appropriate PSAP. This call will be transported over BellSouth's interoffice network and will not carry the ANI of the calling party. MRC shall be responsible for providing BellSouth with complete and accurate data for submission to the 911/E911 database for the purpose of providing 911/E911 to its end users.

- 14.4 <u>Rates.</u> Charges for 911/E911 service are borne by the municipality purchasing the service. BellSouth will impose no charge on MRC beyond applicable charges for BellSouth trunking arrangements.
- 14.5 Basic 911 and E911 functions provided to MRC shall be at least at parity with the support and services that BellSouth provides to its end users for such similar functionality.
- 14.6 The detailed practices and procedures for 911/E911 services are contained in the E911 Local Exchange Carrier Guide For Facility-Based Providers as amended from time to time during the term of this Agreement.

# 15 Operational Support Systems (OSS)

BellSouth has developed and made available the following electronic interfaces by which MRC may submit LSRs electronically.

LENS Local Exchange Navigation System EDI Electronic Data Interchange

TAG Telecommunications Access Gateway

- LSRs submitted by means of one of these electronic interfaces will incur an OSS electronic ordering charge. An individual LSR will be identified for billing purposes by its Purchase Order Number (PON). LSRs submitted by means other than one of these interactive interfaces (mail, fax, courier, etc.) will incur a manual order charge. All OSS charges are specified in Exhibit B of this Attachment.
- Denial/Restoral OSS Charge. In the event MRC provides a list of customers to be denied and restored, rather than an LSR, each location on the list will require a separate PON and therefore will be billed as one LSR per location.
- 15.4 Cancellation OSS Charge. MRC will incur an OSS charge for an accepted LSR that is later canceled.
- 15.5 Supplements or clarifications to a previously billed LSR will not incur another OSS charge.
- 15.6 Network Elements and Other Services Manual Additive. The Commissions in some states have ordered per-element manual additive nonrecurring charges (NRC) for Network Elements and Other Services ordered by means other than one of the interactive interfaces. These ordered Network Elements and Other Services manual additive NRCs will apply in these states, rather than the charge per LSR. The per-element charges are listed in Exhibit B.

#### **EXHIBIT A**

# LINE INFORMATION DATA BASE (LIDB) FACILITIES BASED STORAGE AGREEMENT

#### I. Definitions

- A. Billing number a number that MRC creates for the purpose of identifying an account liable for charges. This number may be a line or a special billing number.
- B. Line number a ten-digit number that identifies a telephone line administered by MRC.
- C. Special billing number a ten-digit number that identifies a billing account established by MRC.
- D. Calling Card number a billing number plus PIN number.
- E. PIN number a four-digit security code assigned by MRC that is added to a billing number to compose a fourteen-digit calling card number.
- F. Toll billing exception indicator associated with a billing number to indicate that it is considered invalid for billing of collect calls or third number calls or both, by MRC.
- G. Billed Number Screening refers to the query service used to determine whether a toll billing exception indicator is present for a particular billing number.
- H. Calling Card Validation refers to the query service used to determine whether a particular calling card number exists as stated or otherwise provided by a caller.
- I. Billing number information information about billing number, Calling Card number and toll billing exception indicator provided to BellSouth by MRC.
- J. Account Owner name of the local exchange telecommunications company that is providing dialtone on a subscriber line.
- K. GetData refers to the query service used to determine, at a minimum, the Account Owner and/or Regional Accounting Office for a line number. This query service may be modified to provide additional information in the future.
- L. Originating Line Number Screening (OLNS) refers to the query service used to determine the billing, screening and call handling indicators, station type, and Account Owner provided to BellSouth by MRC for originating line numbers.

## II. General

A. This Agreement sets forth the terms and conditions pursuant to which BellSouth agrees to store in its LIDB certain information at the request of MRC and pursuant to which BellSouth, its LIDB customers and MRC shall have access to such information.

Version 4Q02: 12/18/02

In addition, this Agreement sets forth the terms and conditions for MRC's provision of billing number information to BellSouth for inclusion in BellSouth's LIDB. MRC understands that BellSouth provides access to information in its LIDB to various telecommunications service providers pursuant to applicable tariffs and agrees that information stored at the request of MRC, pursuant to this Agreement, shall be available to those telecommunications service providers. The terms and conditions contained herein shall hereby be made a part of this Interconnection Agreement upon notice to MRC's account team and/or Local Contract Manager to activate this LIDB Storage Agreement. The General Terms and Conditions of the Interconnection Agreement shall govern this LIDB Storage Agreement.

B. BellSouth will provide responses to on-line, call-by-call queries to local exchange line and/or billing number information for the following purposes:

## 1. Billed Number Screening

BellSouth is authorized to use the billing number information to determine whether MRC has identified the billing number as one that should not be billed for collect or third number calls.

## 2. Calling Card Validation

BellSouth is authorized to validate a 14-digit Calling Card number where the first 10 digits are a line number or special billing number assigned by BellSouth and where the last four digits (PIN) are a security code assigned by BellSouth.

## 3. OLNS

BellSouth is authorized to provide originating line screening information for billing and services restrictions, station type, and Account Owner on the lines of MRC from which a call originates.

## 4. GetData

BellSouth is authorized to provide, at a minimum, the Account Owner and/or Regional Accounting Office information on the lines of MRC indicating the local service provider and where billing records are to be sent for settlement purposes. This query service may be modified to provide additional information in the future.

#### 5. Fraud Control

BellSouth will provide seven days per week, 24-hours per day, fraud monitoring on Calling Cards, bill-to-third and collect calls made to numbers in BellSouth's LIDB, provided that such information is included in the LIDB query. BellSouth will establish fraud alert thresholds and will notify MRC of fraud alerts so that MRC may take action it deems appropriate.

# III. Responsibilities of the Parties

A. BellSouth will administer all data stored in the LIDB, including the data provided by MRC pursuant to this Agreement, in the same manner as BellSouth's data for BellSouth's end user customers. BellSouth shall not be responsible to MRC for any lost revenue which may result from BellSouth's administration of the LIDB pursuant to its established practices and procedures as they exist and as they may be changed by BellSouth in its sole discretion from time to time.

## B. Billing and Collection Customers

BellSouth currently has in effect numerous billing and collection agreements with various interexchange carriers and billing clearinghouses and as such these billing and collection customers (B&C Customers) query BellSouth's LIDB to determine whether to accept various billing options from end users. Until such time as BellSouth implements in its LIDB and its supporting systems the means to differentiate MRC's data from BellSouth's data, the following terms and conditions shall apply:

- 1. BellSouth will identify MRC's end user originated long distance charges and will return those charges to the interexchange carrier as not covered by the existing B&C agreement with interexchange carriers for handling of long distance charges by their end users.
- 2. BellSouth shall have no obligation to become involved in any disputes between MRC and B&C Customers. BellSouth will not issue adjustments for charges billed on behalf of any B&C Customer to MRC. It shall be the responsibility of MRC and the B&C Customers to negotiate and arrange for any appropriate adjustments.

## IV. Fees for Service and Taxes

- A. MRC will not be charged a fee for storage services provided by BellSouth to MRC as described in this LIDB Facilities Based Storage Agreement.
- B. Sales, use and all other taxes (excluding taxes on BellSouth's income) determined by BellSouth or any taxing authority to be due to any federal, state or local taxing jurisdiction with respect to the provision of the service set forth herein will be paid by MRC in accordance with the tax provisions set forth in the General Terms and Conditions of this Agreement.

UNBUNDI F	D NETWORK ELEMENTS - Alabama											Attach	ment: 2	Fxhil	oit: B
ONDONDEL	DIVERNORINE ELEMENTO Alabama			1	1					Svc	Svc		Incrementa		
										Order	Order	I Charge -		I Charge -	
										Submitt	Submitte	Manual	Manual	Manual	Manua
CATEGORY	RATE ELEMENTS	Inter Z	n BCS	USOC		R/	ATES (\$)			ed Elec	d	Svc Order		Svc Order	
CATEGORI	NATE ELEMENTS	im (	.	0300		IX.	(1L3 (φ)				Manually	VS.	VS.	vs.	vs.
										por Lore			Electronic-	-	
											por Lore	1st	Add'l	Disc 1st	c-Disc
		-		+	I	Nonrec		NRC Disc					Rates (\$)	2.00 .01	0 2.00
					Rec	First	Add'l			COMEC	COMAN		SOMAN	COMAN	COMA
The "Zo	one" shown in the sections for stand-alone loops or loops as part o	f a comb	ination refers to Good	vranhically	Deaveraged III										
	e: http://www.interconnection.bellsouth.com/become a clec/html			jiapilicaliy	Deaverageu Or	VL Zones. 10	view deby	парпісану	Deaveray	eu ONL Z	Jile Desigi	iations by C	entrai Office	, refer to in	.emet
	AL SUPPORT SYSTEMS	I III CI COII	TICCHOILITEIN		1			1				1		ı	
	(1) Electronic Service Order: CLEC should contact its contract neg	otiotor i	it profess the state s	onific alon	tronio convice d	rdoring obor	anc no ordo	rod by the	Commiss	ione The	olootronio	. corvino oro	laring abarg	ourrontly	ontoine
	Exhibit is the BellSouth regional electronic service ordering charge														
	(2) Any element that can be ordered electronically will be billed ac														
	nically. For those elements that cannot be ordered electronically at														
	element. Otherwise, the manual ordering charge, SOMAN, will be						cots the one	inge that we	ulu be bi	iica to a c	LLO OIICE	CICCLIOINC C	rucing cap	abilities coi	10 011-111
	Electronic OSS Charge, per LSR, submitted via BST's OSS interactive	аррпса	O & OLLOS DIII WIICII	Jubilita	I LOIK TO DEIIG	outii.		1				1	1	I	Т
	nterfaces (Regional)			SOMEC		3.50									
	Manual Service Order Charge, per LSR, Disconnect Only (AL)			SOMAN		3.30		1.97							+
	E DATE ADVANCEMENT CHARGE			JOIVIAIN				1.51							+
	The Expedite charge will be maintained commensurate with BellSe	outh's E	C No 1 Tariff Saction	. E ac annli	aabla										+
NOTE.	The Expedite charge will be maintained commensurate with Bensi	Julii S F	ALL UNE EXCEPT		cable.										+
	JNE Expedite Charge per Circuit or Line Assignable USOC, per Day		UNE-P	SDASP		200.00									
	EXCHANGE ACCESS LOOP	-	UNE-F	SDASF		200.00									+
	ANALOG VOICE GRADE LOOP														+
	W Analog VG Loop-SL1-Zone 1	<del></del>	UEANL	UEAL2	12.58	37.81	17.56	23.49	5.30		15.66				+
			2 UEANL	UEAL2	21.05	37.81	17.56	23.49	5.30		15.66				+
	W Analog VG Loop-SL1-Zone 2				34.34										
	W Analog VG Loop-SL1-Zone 3	-	UEANL UEANL	UEAL2 URETL	34.34	37.81	17.56 0.83	23.49	5.30		15.66				<del> </del>
	Unbundled Misc Rate Element, Tag Loop at End User Premise					8.33	0.83				15.66				+
	oop Testing-Basic 1st Half Hour		UEANL	URET1		34.16					15.66				
	oop Testing-Basic Add'l Half Hour		UEANL	URETA		19.85	0.04				15.66				<del> </del>
	CLEC to CLEC Conversion Charge w/o Outside Dispatch (UVL-SL1)		UEANL	UREWO		15.78	8.94				15.66				<del> </del>
	Inbundled Voice Loop, Non-Design Voice Loop, billing for BST														
	roviding make-up (Engineering Information-E.I.)		UEANL	UEANM		13.44									<del> </del>
	Manual Order Coordination for UVL-SL1s (per loop)		UEANL	UEAMC		8.15									
	Order Coordination for Specified Conversion Time for UVL-SL1 (per		UEANL	OCOSL		18.09									
	Unbundled COPPER LOOP														
	W Unbundled Copper Loop-Non-Designed Zone 1		UEQ	UEQ2X	11.20	34.14	15.10	21.25	4.15		15.66				
	W Unbundled Copper Loop-Non-Designed-Zone 2		2 UEQ	UEQ2X	13.27	34.14	15.10	21.25	4.15		15.66				
	W Unbundled Copper Loop-Non-Designed-Zone 3	1 :	UEQ.	UEQ2X	15.07	34.14	15.10	21.25	4.15		15.66				
	Inbundled Misc Rate Element, Tag Loop at End User Premise		UEQ	URETL		8.33	0.83				15.66				
	Order Coordination 2W Unbundled Copper Loop-Non-Designed (per														
	pop)		UEQ	USBMC		8.15									
	Inbundled Copper Loop, Non-Design Copper Loop, billing for BST														
	roviding make-up (Engineering Information-E.I.)		UEQ	UEQMU		13.44					15.66				
	oop Testing-Basic 1st Half Hour		UEQ	URET1		34.16					15.66				
	oop Testing-Basic Add'l Half Hour		UEQ	URETA		19.85					15.66				
	CLEC to CLEC Conversion Charge w/o Outside Dispatch (UCL-ND)		UEQ	UREWO		14.27	7.43				15.66				
	EXCHANGE ACCESS LOOP														
	ANALOG VOICE GRADE LOOP														
	W Analog VG Loop-SL1-Line Splitting-Zone 1		UEPSR UEPSB	UEALS	12.58	37.81	17.56	23.49	5.30		15.66				
	W Analog VG Loop-SL1-Line Splitting-Zone 1		UEPSR UEPSB	UEABS	12.58	37.81	17.56	23.49	5.30		15.66				
	W Analog VG Loop-SL1-Line Splitting-Zone 2		2 UEPSR UEPSB	UEALS	21.05	37.81	17.56	23.49	5.30		15.66				
2'	W Analog VG Loop-SL1-Line Splitting-Zone 2		2 UEPSR UEPSB	UEABS	21.05	37.81	17.56	23.49	5.30		15.66				
2'	W Analog VG Loop-SL1-Line Splitting-Zone 3		UEPSR UEPSB	UEALS	34.34	37.81	17.56	23.49	5.30		15.66				
2'	W Analog VG Loop-SL1-Line Splitting-Zone 3		UEPSR UEPSB	UEABS	34.34	37.81	17.56	23.49	5.30		15.66				
UNBUNDLED	EXCHANGE ACCESS LOOP														
2-WIRE	ANALOG VOICE GRADE LOOP														
1 10	W Analog VG Loop-SL2 w/Loop or Ground Start Signaling-Zone 1		UEA	UEAL2	14.38	88.00	55.00	47.24	7.44		15.66				1

Version 4Q02: 01/21/03 Page 1 of 402

NBUNDL	ED NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhib	oit: B
											Svc	Svc	Incrementa	Incrementa	Incrementa	Increme
											Order	Order	I Charge -	I Charge -	I Charge -	
											Submitt	Submitte	Manual	Manual	Manual	Manua
TEGORY	RATE ELEMENTS	Inter	Zon	BCS	USOC		В.	TES (\$)			ed Elec	d	Svc Order	Svc Order	Svc Order	
IEGURI	KATE ELEMENTS	im	е	всэ	0300		K.A	(4)			per LSR		VS.	VS.	VS.	vs.
											per LSR		_	_		_
												per LSR	Electronic-		Electronic-	
													1st	Add'l	Disc 1st	c-Disc
						Rec	Nonrec	,	NRC Disc					Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2W Analog VG Loop-SL2 w/Loop or Ground Start Signaling-Zone 2		2	UEA	UEAL2	22.85	88.00	55.00	47.24	7.44		15.66				
	2W Analog VG Loop-SL2 w/Loop or Ground Start Signaling-Zone 3		3	UEA	UEAL2	36.14	88.00	55.00	47.24	7.44		15.66				
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		18.09									1
	2W Analog VG Loop-SL2 w/Rev Bat Signaling-Zone 1		1	UEA	UEAR2	14.38	88.00	55.00	47.24	7.44		15.66				
	2W Analog VG Loop-SL2 w/Rev Bat Signaling-Zone 2		2	UEA	UEAR2	22.85	88.00	55.00	47.24	7.44		15.66				1
	2W Analog VG Loop-SL2 w/Rev Bat Signaling-Zone 3		3	UEA	UEAR2	36.14	88.00	55.00	47.24	7.44		15.66				+
	Order Coordination for Specified Conversion Time (per LSR)		J	UEA	OCOSL	30.14	18.09	33.00	77.27	7.77		13.00				+
	CLEC to CLEC Conversion Charge w/o outside dispatch			UEA	UREWO		87.72	36.36				15.66				+
-	· ·															<del> </del>
4 1	Loop Tagging-SL2 (SL2)			UEA	URETL		10.45	1.03				15.66		1	1	+
	E ANALOG VOICE GRADE LOOP													ļ		
	4W Analog VG Loop-Zone 1		1	UEA	UEAL4	25.34	131.97	94.51	59.14	14.50		15.66				
	4W Analog VG Loop-Zone 2		2	UEA	UEAL4	38.58	131.97	94.51	59.14	14.50		15.66				
	4W Analog VG Loop-Zone 3		3	UEA	UEAL4	60.02	131.97	94.51	59.14	14.50		15.66				
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		18.09									
	CLEC to CLEC Conversion Charge w/o outside dispatch			UEA	UREWO		87.72	36.36				15.66				1
	E ISDN DIGITAL GRADE LOOP															1
	2W ISDN Digital Grade Loop-Zone 1		1	UDN	U1L2X	21.88	117.24	79.77	52.88	10.54		15.66				+
	2W ISDN Digital Grade Loop-Zone 2		2	UDN	U1L2X	32.85	117.24	79.77	52.88	10.54		15.66				†
	2W ISDN Digital Grade Loop-Zone 3		3	UDN	U1L2X	48.55	117.24	79.77	52.88	10.54		15.66				+
	Ü		J			46.33		19.11	52.00	10.54		15.00				
	Order Coordination For Specified Conversion Time (per LSR)			UDN	OCOSL		18.09									
	CLEC to CLEC Conversion Charge w/o outside dispatch			UDN	UREWO		91.63	44.16				15.66				
	E Universal Digital Channel (UDC) COMPATIBLE LOOP															
	2W Universal Digital Channel (UDC) Compatible Loop-Zone 1	ı	1	UDC	UDC2X	21.88	117.24	79.77	52.88	10.54		15.66				
	2W Universal Digital Channel (UDC) Compatible Loop-Zone 2	- 1	2	UDC	UDC2X	32.85	117.24	79.77	52.88	10.54		15.66				
	2W Universal Digital Channel (UDC) Compatible Loop-Zone 3	ı	3	UDC	UDC2X	48.55	117.24	79.77	52.88	10.54		15.66				
	CLEC to CLEC Conversion Charge w/o outside dispatch			UDC	UREWO		91.63	44.16				15.66				
2-WIR	E ASYMMETRICAL DIGITAL SÜBSCRIBER LINE (ADSL) COMPATIBI	LE LO	OP													1
	2W Unbundled ADSL Loop including manl svc ing & facility reservation-															1
	Zone 1		1	UAL	UAL2X	11.01	110.00	68.00	47.24	7.44		15.66				
	2W Unbundled ADSL Loop including manl svc ing & facility reservation-		- 1	UAL	UALZA	11.01	110.00	00.00	77.27	7.77		13.00				†
			2	UAL	UAL2X	12.73	110.00	68.00	47.24	7.44		15.66				
	Zone 2		2	UAL	UALZA	12.73	110.00	00.00	47.24	7.44		15.00				
	2W Unbundled ADSL Loop including manl svc inq & facility reservation-		_													
	Zone 3		3	UAL	UAL2X	14.30	110.00	68.00	47.24	7.44		15.66				<del>                                     </del>
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		18.09									
	2W Unbundled ADSL Loop w/o manl svc inq & facility reservaton-Zone 1		1	UAL	UAL2W	11.01	90.00	57.00	47.24	7.44		15.66				
	2W Unbundled ADSL Loop w/o manl svc inq & facility reservaton-Zone 2		2	UAL	UAL2W	12.73	90.00	57.00	47.24	7.44		15.66				
	2W Unbundled ADSL Loop w/o manl svc inq & facility reservaton-Zone 3		3	UAL	UAL2W	14.30	90.00	57.00	47.24	7.44		15.66				
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		18.09									
	CLEC to CLEC Conversion Charge w/o outside dispatch			UAL	UREWO		86.20	40.40				15.66				1
	E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE	LOO	Р													
	2W Unbundled HDSL Loop including manl svc ing & facility reservation-	1														<b>†</b>
	Zone 1		4	UHL	UHL2X	8.74	110.00	68.00	47.24	7.44		15.66				
	2W Unbundled HDSL Loop including manl svc ing & facility reservation-			OTIL	UTILZX	0.74	110.00	00.00	47.24	7.44		13.00				+
			_		11111 01/	40.47	440.00	00.00	47.04	7.44		45.00				
	Zone 2		2	UHL	UHL2X	10.17	110.00	68.00	47.24	7.44		15.66		1	1	4
	2W Unbundled HDSL Loop including manl svc inq & facility reservation-		ايا		1						1	l .				
	Zone 3		3	UHL	UHL2X	11.44	110.00	68.00	47.24	7.44		15.66		ļ		1
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		18.09									
	2W Unbundled HDSL Loop w/o manl svc inq & facility reservation-Zone 1		1	UHL	UHL2W	8.74	90.00	57.00	47.24	7.44		15.66				<b>↓</b>
1 -																

Version 4Q02: 01/21/03

UNBUNDL	ED NETWORK ELEMENTS - Alabama												Attachr	ment: 2	Exhib	it: B
											Svc	Svc	Incrementa	Incrementa	Incrementa	Increment
											Order	Order	I Charge -	I Charge -	I Charge -	al Charge
		Inter	7								Submitt	Submitte	Manual	Manual	Manual	Manual
CATEGORY	RATE ELEMENTS	imter		BCS	USOC		R.A	ATES (\$)			ed Elec	d	Svc Order	Svc Order	Svc Order	Svc Order
		1111	е								per LSR	Manually	vs.	vs.	vs.	vs.
												per LSR	Electronic-	Electronic-	Electronic-	Electroni
													1st	Add'l	Disc 1st	c-Disc
						Rec	Nonrec	urring	NRC Disc	onnect			OSSI	Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2W Unbundled HDSL Loop w/o manl svc inq & facility reservation-Zone 3		3	UHL	UHL2W	11.44	90.00	57.00	47.24	7.44		15.66				
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		18.09									
	CLEC to CLEC Conversion Charge w/o outside dispatch			UHL	UREWO		86.14	40.40				15.66				

<u>NROND</u>	LED NETWORK ELEMENTS - Alabama												Attachi	ment: 2	Exhib	it: B
ATEGOR	Y RATE ELEMENTS	Inter im	Zon e	BCS	usoc		R.A	ATES (\$)			Svc Order Submitt ed Elec per LSR	Svc Order Submitte d Manually per LSR	Incrementa I Charge - Manual Svc Order vs. Electronic- 1st	Incrementa I Charge - Manual Svc Order vs. Electronic- Add'I	Incrementa I Charge - Manual Svc Order vs. Electronic- Disc 1st	Increme al Charg Manua Svc Ord vs. Electroi c-Disc
						Rec	Nonrec	urring	NRC Disc	onnect			OSS	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMÁN	SOMAN	SOMAN
4-WI	RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE	LOC	OP													
	4W Unbundled HDSL Loop including manl svc ing & facility reservation-															
	Zone 1		1	UHL	UHL4X	13.95	148.36	68.00	51.70	9.73		15.66				
	4W Unbundled HDSL Loop including manl svc ing & facility reservation-															
	Zone 2		2	UHL	UHL4X	15.56	148.36	68.00	51.70	9.73		15.66				
	4W Unbundled HDSL Loop including manl svc ing & facility reservation-															1
	Zone 3		3	UHL	UHL4X	15.25	148.36	68.00	51.70	9.73		15.66				
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		18.09									
				-												
	4W Unbundled HDSL Loop w/o manl svc ing & facility reservation-Zone 1		1	UHL	UHL4W	13.95	94.00	57.00	51.70	9.73		15.66				
					1											
	4W Unbundled HDSL Loop w/o manl svc ing & facility reservation-Zone 2		2	UHL	UHL4W	15.56	94.00	57.00	51.70	9.73		15.66				
	TVV Oribunated Fib OE 2000 W/O main ove ind a lability reservation 2016 2			OTIL	OT IL-TVV	10.00	04.00	07.00	01.70	0.70		10.00				
	4W Unbundled HDSL Loop w/o manl svc ing & facility reservation-Zone 3		3	UHL	UHL4W	15.25	94.00	57.00	51.70	9.73		15.66				
-	Order Coordination for Specified Conversion Time (per LSR)		3	UHL	OCOSL	13.23	18.09	37.00	31.70	3.13		13.00				-
+	CLEC to CLEC Conversion Charge w/o outside dispatch			UHL	UREWO		86.14	40.40				15.66				
4 10/1	RE DS1 DIGITAL LOOP			UHL	UKEWO		00.14	40.40				13.00				<del></del>
4-441	4W DS1 Digital Loop-Zone 1		1	USL	USLXX	82.55	252.47	157.54	44.70	11.71		15.66				-
-	4W DS1 Digital Loop-Zone 1 4W DS1 Digital Loop-Zone 2		2	USL	USLXX	154.18	252.47	157.54	44.70	11.71		15.66				-
+	Ü		3	USL	USLXX	314.52	252.47	157.54	44.70	11.71		15.66				
-	4W DS1 Digital Loop-Zone 3		3			314.52		157.54	44.70	11.71		15.66				
-	Order Coordination for Specified Conversion Time (per LSR)			USL	OCOSL		18.09					4= 00				
4 140	CLEC to CLEC Conversion Charge w/o outside dispatch			USL	UREWO		101.09	43.05				15.66				-
4-WI	RE 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP															
	4W Unbundled Digital 19.2 Kbps		1	UDL	UDL19	26.09	126.27	88.80	59.14	14.50		15.66				
	4W Unbundled Digital 19.2 Kbps		2	UDL	UDL19	35.95	126.27	88.80	59.14	14.50		15.66				
	4W Unbundled Digital 19.2 Kbps		3	UDL	UDL19	37.88	126.27	88.80	59.14	14.50		15.66				
	4W Unbundled Digital Loop 56 Kbps-Zone 1		1	UDL	UDL56	26.09	126.27	88.80	59.14	14.50		15.66				
	4W Unbundled Digital Loop 56 Kbps-Zone 2		2	UDL	UDL56	35.95	126.27	88.80	59.14	14.50		15.66				
	4W Unbundled Digital Loop 56 Kbps-Zone 3		3	UDL	UDL56	37.88	126.27	88.80	59.14	14.50		15.66				
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		18.09									
	4W Unbundled Digital Loop 64 Kbps-Zone 1		1	UDL	UDL64	26.09	126.27	88.80	59.14	14.50		15.66				
	4W Unbundled Digital Loop 64 Kbps-Zone 2		2	UDL	UDL64	35.95	126.27	88.80	59.14	14.50		15.66				
	4W Unbundled Digital Loop 64 Kbps-Zone 3		3	UDL	UDL64	37.88	126.27	88.80	59.14	14.50		15.66				
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		18.09									
	CLEC to CLEC Conversion Charge w/o outside dispatch			UDL	UREWO		102.13	49.75				15.66				
2-WI	RE Unbundled COPPER LOOP															
	2W Unbundled Copper Loop/Short including manl svc inq & facility															
	reservation-Zone 1		1	UCL	UCLPB	11.01	112.46	65.30	47.24	7.44		15.66				
	2W Unbundled Copper Loop/Short including manl svc inq & facility															
	reservation-Zone 2		2	UCL	UCLPB	12.73	112.46	65.30	47.24	7.44		15.66				
	2W Unbundled Copper Loop/Short including manl svc inq & facility															
1	reservation-Zone 3		3	UCL	UCLPB	14.30	112.46	65.30	47.24	7.44		15.66				
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8.15	8.15								
	2W Unbundled Copper Loop/Short w/o manl svc inq & facility reservation-															
	Zone 1	1	1	UCL	UCLPW	11.01	91.46	54.30	47.24	7.44		15.66				
1	2W Unbundled Copper Loop/Short w/o manl svc ing & facility reservation-						20					1				<b>†</b>
	Zone 2	1	2	UCL	UCLPW	12.73	91.46	54.30	47.24	7.44		15.66				
	2W Unbundled Copper Loop/Short w/o manl svc ing & facility reservation-					.20	÷	300		T		.0.00				<b>†</b>
	Zone 3	1	3	UCL	UCLPW	14.30	91.46	54.30	47.24	7.44		15.66				
+	Order Coordination for Unbundled Copper Loops (per loop)		<del>                                     </del>	UCL	UCLMC	14.00	8.15	8.15	17.27	7		.0.00	<b> </b>			<del>                                     </del>

Version 4Q02: 01/21/03 Page 4 of 402

<u>UNBUN</u> DI	LED NETWORK ELEMENTS - Alabama													ment: 2	Exhib	
											Svc	Svc	Incrementa	Incrementa	Incrementa	Incremen
											Order	Order	I Charge -	I Charge -	I Charge -	al Charge
											Submitt	Submitte	Manual	Manual	Manual	Manual
CATEGORY	RATE ELEMENTS		Zon	BCS	USOC		RΔ	TES (\$)			ed Elec	d	Svc Order	Svc Order		Svc Order
OA I LOOK	NATE ELEMENTO	im	е	500	0000		107	11 ΕΘ (ψ)				Manually	vs.	VS.	vs.	vs.
											per Lor		Electronic-		Electronic-	Electroni
												per LSK		Add'l	Disc 1st	c-Disc
									1				1st		DISC 1St	C-DISC
						Rec	Nonrec		NRC Disc					Rates (\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2W Unbundled Copper Loop/Long-includes manl svc inq & facility															
	reservation-Zone 1		1	UCL	UCL2L	31.42	112.46	65.30	47.24	7.44		15.66				
	2W Unbundled Copper Loop/Long-includes manl svc ing & facility															
	reservation-Zone 2		2	UCL	UCL2L	55.01	112.46	65.30	47.24	7.44		15.66				
	2W Unbundled Copper Loop/Long-includes manl svc ing & facility		† <del>-</del>	502	OULL	00.01		00.00				10.00				
	reservation-Zone 3		3	UCL	UCL2L	80.00	112.46	65.30	47.24	7.44		15.66				
			3	UCL	UCLMC	60.00	8.15	8.15	41.24	7.44		15.00				
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLINIC		8.15	8.15								
	2W Unbundled Copper Loop/Long-w/o manl svc inq & facility reservation-				_											
	Zone 1		1	UCL	UCL2W	31.42	91.46	54.30	47.24	7.44		15.66				
	2W Unbundled Copper Loop/Long-w/o manl svc inq & facility reservation-															
	Zone 2	- 1	2	UCL	UCL2W	55.01	91.46	54.30	47.24	7.44		15.66				
	2W Unbundled Copper Loop/Long-w/o manl svc ing & facility reservation-															
	Zone 3	1	3	UCL	UCL2W	80.00	91.46	54.30	47.24	7.44		15.66				
	Order Coordination for Unbundled Copper Loops (per loop)		Ť	UCL	UCLMC	00.00	8.15	8.15				10.00				
	CLEC to CLEC Conversion Charge w/o outside dispatch (UCL-Des)			UCL	UREWO		97.23	42.48				15.66				
4 18/15	RE COPPER LOOP			UCL	UKEWO	1	91.23	42.40				15.00				
4-7/11																
	4W Copper Loop/Short-including manl svc inq & facility reservation-Zone															
	1		1	UCL	UCL4S	17.36	135.21	88.05	51.70	9.73		15.66				
	4W Copper Loop/Short-including manl svc inq & facility reservation-Zone															
	2		2	UCL	UCL4S	20.76	135.21	88.05	51.70	9.73		15.66				
	4W Copper Loop/Short-including manl svc ing & facility reservation-Zone															
	3		3	UCL	UCL4S	28.21	135.21	88.05	51.70	9.73		15.66				
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8.15	8.15								
+	4W Copper Loop/Short-w/o manl svc ing & facility reservation-Zone 1	_	1	UCL	UCL4W	17.36	114.21	67.05	51.70	9.73		15.66				
+	4W Copper Loop/Short-w/o mail svc ing & facility reservation-Zone 2	÷	2	UCL	UCL4W	20.76	114.21	67.05	51.70	9.73		15.66				
	4W Copper Loop/Short-w/o mail svc ind & facility reservation-Zone 3	<u> </u>	3	UCL	UCL4W	28.21	114.21	67.05	51.70	9.73		15.66				
			J			20.21			51.70	9.73		15.00				
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8.15	8.15								
	4W Unbundled Copper Loop/Long-includes manl svc inq & facility															
	reservation-Zone 1		1	UCL	UCL4L	49.35	135.21	88.05	51.70	9.73		15.66				
	4W Unbundled Copper Loop/Long-includes manl svc inq & facility															
	reservation-Zone 2		2	UCL	UCL4L	92.45	135.21	88.05	51.70	9.73		15.66				
	4W Unbundled Copper Loop/Long-includes manl svc inq & facility															
	reservation-Zone 3		3	UCL	UCL4L	127.39	135.21	88.05	51.70	9.73		15.66	I		1	
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8.15	8.15								
	4W Unbundled Copper Loop/Long-w/o manl svc ing & facility reservation-				COLIVIO		0.10	0.10								
	Zone 1		1	UCL	UCL4O	49.35	114.21	67.05	51.70	9.73		15.66				
				UCL	UCL4U	49.33	114.21	07.03	31.70	9.73		15.00				
	4W Unbundled Copper Loop/Long-w/o manl svc inq & facility reservation-	١.	_	110:	1107.10		4	c= c=				,	1			
	Zone 2		2	UCL	UCL4O	92.45	114.21	67.05	51.70	9.73		15.66				
	4W Unbundled Copper Loop/Long-w/o manl svc inq & facility reservation-															
	Zone 3		3	UCL	UCL4O	127.39	114.21	67.05	51.70	9.73		15.66				
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8.15	8.15								
	CLEC to CLEC conversion Charge w/o outside dispatch			UCL	UREWO		97.23	42.48				15.66				
OOP MOD	IFICATION							-								
				UAL,UHL,UCL,UEQ,												
				ULS.UEA.UEANL.U									1			
	Unbundled Loop Modification, Removal of Load Coils-2W pr < or = 18kft			EPSR.UEPSB	ULM2L		0.00	0.00				15.66	I		l	
	Unbundled Loop Modification, Removal of Load Coils-2W pf < of = Tokit  Unbundled Loop Modification, Removal of Load Coils-2W > 18kft	-	1	UCL,ULS,UEQ	ULM2G	+	170.51	170.51				15.66	t		1	1
		+	1							<b> </b>	-		<del></del>		-	<del>                                     </del>
	Unbundled Loop Modification Removal of Load Coils-4W < or = 18kft	1	<b>!</b>	UHL,UCL	ULM4L		0.00	0.00				15.66	<b></b>			
	Unbundled Loop Modification Removal of Load Coils-4W pr > 18kft	ш		UCL	ULM4G		170.51	170.51			<u> </u>	15.66				<u></u>

<u> </u>	ED NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhib	oit: B
											Svc	Svc	Incrementa	Incrementa		
											Order	Order	I Charge -	I Charge -	I Charge -	al Charg
											Submitt	Submitte	Manual	Manual	Manual	Manua
ATEGORY	RATE ELEMENTS	Inter Z	'on	BCS	USOC		P.	TES (\$)			ed Elec	d	Svc Order	Svc Order	Svc Order	
AILGORI	KATE ELEMENTS	im	е	BC3	0300		IX.	(1Ε3 (φ)			per LSR		VS.	VS.	vs.	vs.
											per Lor	per LSR	Electronic-	_	Electronic-	_
												per Lak	1st	Add'l	Disc 1st	c-Disc
									•						DISC 1St	C-DISC
						Rec	Nonrec		NRC Disc					Rates (\$)		-
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
				UAL,UHL,UCL,UEQ,												
	Unbundled Loop Modification Removal of Bridged Tap Removal, per			ULS,UEA,UEANL,U												
	unbundled loop	1		EPSR,UEPSB	ULMBT		32.41	32.41				15.66				
UB-LOOPS																
Sub-L	oop Distribution															
	Sub-Loop-Per Cross Box Location-CLEC Feeder Facility Set-Up			UEANL	USBSA		244.42					15.66				1
	Sub-Loop-Per Cross Box Location-Per 25 pr Panel Set-Up	i i		UEANL	USBSB		22.64					15.66				
	Sub-Loop-Per Building Equipment Room-CLEC Feeder Facility Set-Up	<del>                                     </del>		UEANL	USBSC		177.45					15.66				+
			-													+
	Sub-Loop-Per Building Equipment Room-Per 25 pr Panel Set-Up		_	UEANL	USBSD	44.04	55.15	20.00	45.05	0.70		15.66			-	+
	Sub-Loop Distribution Per 2W Analog VG Loop-Zone 1		1	UEANL	USBN2	11.21	65.80	30.96	45.25	6.70		15.66			-	
	Sub-Loop Distribution Per 2W Analog VG Loop-Zone 2		2	UEANL	USBN2	11.94	65.80	30.96	45.25	6.70		15.66				
	Sub-Loop Distribution Per 2W Analog VG Loop-Zone 3		3	UEANL	USBN2	16.86	65.80	30.96	45.25	6.70		15.66			1	
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr			UEANL	USBMC		8.15	8.15								
	Sub-Loop Distribution Per 4W Analog VG Loop -Zone 1		1	UEANL	USBN4	8.46	79.03	44.19	49.71	9.07		15.66				
	Sub-Loop Distribution Per 4W Analog VG Loop -Zone 2		2	UEANL	USBN4	16.67	79.03	44.19	49.71	9.07		15.66				
	Sub-Loop Distribution Per 4W Analog VG Loop -Zone 3		3	UEANL	USBN4	32.57	79.03	44.19	49.71	9.07		15.66				1
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr			UEANL	USBMC		8.15	8.15								1
	Sub-Loop 2W Intrabuilding Network Cable (INC)			UEANL	USBR2	2.27	53.01	18.17	45.25	6.70		15.66				<b>†</b>
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr	<del></del>		UEANL	USBMC	2.21	8.15	8.15	10.20	0.70		10.00				+
	Sub-Loop 4W Intrabuilding Network Cable (INC)		-	UEANL	USBR4	5.16	59.25	24.41	49.71	9.07		15.66				+
				UEANL	USBMC	5.10	8.15	8.15	49.71	9.07		13.00			-	+
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr		_													
	2W Copper Unbundled Sub-Loop Distribution-Zone 1		1	UEF	UCS2X	6.22	65.80	30.96	45.25	6.70		15.66				
	2W Copper Unbundled Sub-Loop Distribution-Zone 2		2	UEF	UCS2X	8.76	65.80	30.96	45.25	6.70		15.66				<del>                                     </del>
	2W Copper Unbundled Sub-Loop Distribution-Zone 3		3	UEF	UCS2X	11.27	65.80	30.96	45.25	6.70		15.66				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr			UEF	USBMC		8.15	8.15								
	4W Copper Unbundled Sub-Loop Distribution-Zone 1		1	UEF	UCS4X	6.11	79.03	44.19	49.71	9.07		15.66				
	4W Copper Unbundled Sub-Loop Distribution-Zone 2		2	UEF	UCS4X	12.61	79.03	44.19	49.71	9.07		15.66				
	4W Copper Unbundled Sub-Loop Distribution-Zone 3		3	UEF	UCS4X	15.36	79.03	44.19	49.71	9.07		15.66				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr			UEF	USBMC		8.15	8.15								1
Unbur	ndled Sub-Loop Modification			-												
	Unbundled Sub-Loop Modification-2-W Copper Dist Load Coil/Equip															†
	Removal per 2-W PR			UEF	ULM2X		175.78	5.10				15.66				
	Unbundled Sub-loop Modification-4-W Copper Dist Load Coil/Equip			OLI	OLIVIZA		175.70	3.10				13.00				+
	· · · · · · · · · · · · · · · · · · ·			UEF	LILMAN		475.70	5.40				45.00				
	Removal per 4-W PR		-	UEF	ULM4X		175.78	5.10				15.66				
	Unbundled Sub-loop Modification-2-w/4-w Copper Dist Bridged Tap															
	Removal, per PR unloaded			UEF	ULM4T		278.20	6.11				15.66				
	ndled Network Terminating Wire (UNTW)															
	Unbundled Network Terminating Wire (UNTW) per pr			UENTW	UENPP	0.40	30.01					15.66				
Netwo	ork Interface Device (NID)															
	Network Interface Device (NID)-1-2 lines			UENTW	UND12		43.23	28.38				15.66				
	Network Interface Device (NID)-1-6 lines			UENTW	UND16		63.97	49.11				15.66				1
	Network Interface Device Cross Connect-2 W			UENTW	UNDC2		5.87	5.87				15.66				
	Network Interface Device Cross Connect-4W			UENTW	UNDC4		5.87	5.87				15.66				
JB-LOOPS				02	3.1201		5.57	3.31							1	<b>†</b>
	oop Feeder										<b> </b>	1		1	<b>I</b>	<del>                                     </del>
Jub-L	USL-Feeder, DS0 Set-up per Cross Box location-CLEC Distribution	$\vdash$		UEA,UDN,UCL,UDL							<b> </b>	}	1		<del> </del>	+
					HODEV		044.40				1	45.00			I	
	Facility set-up	$\vdash$		,UDC	USBFW		244.42					15.66	-	1	<del>                                     </del>	+
	 			UEA,UDN,UCL,UDL							1				I	
	USL Feeder-DS0 Set-up per Cross Box location-per 25 pr set-up			,UDC	USBFX		22.64	22.64				15.66			1	
	USL Feeder DS1 Set-up at DSX location, per DS1 Term			USL	USBFZ		519.95	11.32				15.66				
	Unbundled Sub-Loop Feeder Loop, 2W Ground Start, VG-Zone 1		1	UEA	USBFA	8.03	93.00	56.48	54.51	13.67		15.66				T

Version 4Q02: 01/21/03

INBUNDL	ED NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhib	bit: B
											Svc	Svc	Incrementa	Incrementa	Incrementa	Increme
											Order	Order	I Charge -	I Charge -	I Charge -	
											Submitt	Submitte	Manual	Manual	Manual	Manua
ATEGORY	RATE ELEMENTS	Inter	Zon	BCS	usoc		В/	TES (\$)			ed Elec	d	Svc Order	Svc Order	Svc Order	
AIEGURI	RATE ELEMENTS	im	е	ьсэ	USUC		K.	(1E9 (\$)			per LSR		VS.	VS.	VS.	vs.
											per Lak	per LSR	Vs. Electronic-	_	Vs. Electronic-	
												per LSR		Add'l	Disc 1st	c-Disc
													1st		DISC 1St	C-DISC
						Rec	Nonrec		NRC Disc					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Sub-Loop Feeder Loop, 2W Ground-Start, VG-Zone 2		2	UEA	USBFA	12.00	93.00	56.48	54.51	13.67		15.66				
	Unbundled Sub-Loop Feeder Loop, 2W Ground-Start, VG-Zone 3		3	UEA	USBFA	20.39	93.00	56.48	54.51	13.67		15.66				
	Order Coordination for Specified Conversion Time, per LSR			UEA	OCOSL		18.09									Ī
	Unbundlde Sub-Loop Feeder Loop, 2W Loop-Start, VG-Zone 1		1	UEA	USBFB	8.03	93.00	56.48	54.51	13.67		15.66				
	Unbundled Sub-Loop Feeder Loop, 2W Loop-Start, VG-Zone 2		2	UEA	USBFB	12.00	93.00	56.48	54.51	13.67		15.66				1
	Unbundled Sub-Loop Feeder Loop, 2W Start Loop, VG-Zone 3		3	UEA	USBFB	20.39	93.00	56.48	54.51	13.67		15.66				1
	Order Coordination for Specified Time Conversion, per LSR			UEA	OCOSL		18.09									
	Unbundled Sub-Loop Feeder Loop, 2W Rev Bat, VG-Zone 1		1	UEA	USBFC	8.03	93.00	56.48	54.51	13.67		15.66				+
+	Unbundled Sub-Loop Feeder Loop, 2W Rev Bat, VG-Zone 2	+	2	UEA	USBFC	12.00	93.00	56.48	54.51	13.67		15.66		<del>                                     </del>		+
-	Unbundled Sub-Loop Feeder Loop, 2W Rev Bat, VG-Zone 2 Unbundled Sub-Loop Feeder Loop, 2W Rev Bat, VG-Zone 3	-	3	UEA	USBFC	20.39	93.00	56.48	54.51	13.67	<b> </b>	15.66	1	+		+
+	1 1		3			20.39		20.48	34.51	13.67		15.06	-	<del>                                     </del>		+
	Order Coordination For Specified Conversion Time, per LSR			UEA	OCOSL		18.09									
	Unbundled Sub-Loop Feeder Loop, 4W Ground-Start, VG-Zone 1	_	1	UEA	USBFD	19.21	107.56	70.09	62.05	17.40		15.66				
	Unbundled Sub-Loop Feeder Loop, 4W Ground-Start, VG-Zone 2		2	UEA	USBFD	23.47	107.56	70.09	62.05	17.40		15.66				
	Unbundled Sub-Loop Feeder Loop, 4W Ground Start, VG-Zone 3		3	UEA	USBFD	39.63	107.56	70.09	62.05	17.40		15.66				
	Order Coordination For Specified Conversion Time, Per LSR			UEA	OCOSL		18.09									
	Unbundled Sub-Loop Feeder Loop, 4W Loop-Start, VG-Zone 1		1	UEA	USBFE	19.21	107.56	70.09	62.05	17.40		15.66				
	Unbundled Sub-Loop Feeder Loop, 4W Loop-Start, VG-Zone 2		2	UEA	USBFE	23.47	107.56	70.09	62.05	17.40		15.66				1
	Unbundled Sub-Loop Feeder Loop, 4W Loop-Start, VG-Zone 3		3	UEA	USBFE	39.63	107.56	70.09	62.05	17.40		15.66				
	Order Coordination For Specified Conversion Time, Per LSR		Ŭ	UEA	OCOSL	00.00	18.09	7 0.00	02.00			10.00				1
	Unbundled Sub-Loop Feeder Loop, 2W ISDN BRI-Zone 1		1	UDN	USBFF	14.87	106.16	68.69	55.64	13.29		15.66				+
	Unbundled Sub-Loop Feeder Loop, 2W ISDN BRI-Zone 2		2	UDN	USBFF	21.69	106.16	68.69	55.64	13.29		15.66				+
		-		UDN	USBFF	32.51								-		+
	Unbundled Sub-Loop Feeder Loop, 2W ISDN BRI-Zone 3	_	3			32.51	106.16	68.69	55.64	13.29		15.66				+
	Order Coordination For Specified Conversion Time, Per LSR			UDN	OCOSL		18.09									
	Unbundled Sub-Loop Feeder, 2W UDC (IDSL compatible)		1	UDC	USBFS	14.87	106.16	68.69	55.64	13.29		15.66				
	Unbundled Sub-Loop Feeder, 2W UDC (IDSL compatible)		2	UDC	USBFS	21.69	106.16	68.69	55.64	13.29		15.66				
	Unbundled Sub-Loop Feeder, 2W UDC (IDSL compatible)		3	UDC	USBFS	32.51	106.16	68.69	55.64	13.29		15.66				
	Unbundled Sub-Loop Feeder Loop, 4W DS1-Zone 1		1	USL	USBFG	55.09	101.85	64.38	62.05	17.40		15.66				
	Unbundled Sub-Loop Feeder Loop, 4W DS1-Zone 2		2	USL	USBFG	124.69	101.85	64.38	62.05	17.40		15.66				
	Unbundled Sub-Loop Feeder Loop, 4W DS1-Zone 3		3	USL	USBFG	294.62	101.85	64.38	62.05	17.40		15.66				
	Order Coordination For Specified Conversion Time, Per LSR			USL	OCOSL		18.09									
	Unbundled Sub-Loop Feeder, 2W Copper Loop-Zone 1		1	UCL	USBFH	5.75	83.78	46.32	53.02	10.67		15.66				
	Unbundled Sub-Loop Feeder Loop, 2W Copper Loop-Zone 2		2	UCL	USBFH	4.93	83.78	46.32	53.02	10.67		15.66				
	Unbundled Sub-Loop Feeder Loop, 2W Copper Loop-Zone 3		3	UCL	USBFH	3.96	83.78	46.32	53.02	10.67		15.66				
	Order Coordination For Specified Conversion Time, per LSR		Ŭ	UCL	OCOSL	0.00	18.09	10.02	00.02	10.07		10.00				
	Sub-Loop Feeder-Per 4W Copper Loop-Zone 1		1	UCL	USBFJ	12.71	100.99	63.53	57.90	13.26		15.66				+
-	Sub-Loop Feeder-Per 4W Copper Loop-Zone 2	+	2	UCL	USBFJ	9.69	100.99	63.53	57.90	13.26		15.66				+
				UCL												
	Sub-Loop Feeder-Per 4W Copper Loop-Zone 3		3		USBFJ	14.37	100.99	63.53	57.90	13.26		15.66				-
	Order Coordination For Specified Conversion Time, per LSR			UCL	OCOSL		18.09									
	Sub-Loop Feeder-Per 4W 19.2 Kbps Digital Grade Loop		1	UDL	USBFN	19.20	101.85	64.38	62.05	17.40		15.66				
	Sub-Loop Feeder-Per 4W 19.2 Kbps Digital Grade Loop		2	UDL	USBFN	21.64	101.85	64.38	62.05	17.40		15.66				
	Sub-Loop Feeder-Per 4W 19.2 Kbps Digital Grade Loop		3	UDL	USBFN	23.75	101.85	64.38	62.05	17.40		15.66				
	Sub-Loop Feeder-Per 4W 56 Kbps Digital Grade Loop-Zone 1		1	UDL	USBFO	19.20	101.85	64.38	62.05	17.40		15.66				
	Sub-Loop Feeder-Per 4W 56 Kbps Digital Grade Loop-Zone 2		2	UDL	USBFO	21.64	101.85	64.38	62.05	17.40		15.66				
	Sub-Loop Feeder-Per 4W 56 Kbps Digital Grade Loop-Zone 3		3	UDL	USBFO	23.75	101.85	64.38	62.05	17.40		15.66				T
	Order Coordination For Specified Time Conversion, per LSR			UDL	OCOSL		18.09			<u> </u>			İ			1
	Sub-Loop Feeder-Per 4W 64 Kbps Digital Grade Loop-Zone 1		1	UDL	USBFP	19.20	101.85	64.38	62.05	17.40		15.66		1		1
-	Sub-Loop Feeder-Per 4W 64 Kbps Digital Grade Loop-Zone 2	1	2	UDL	USBFP	21.64	101.85	64.38	62.05	17.40	<b> </b>	15.66		<b>I</b>		<del>+</del>
	Sub-Loop Feeder-Per 4W 64 Kbps Digital Grade Loop-Zone 2 Sub-Loop Feeder-Per 4W 64 Kbps Digital Grade Loop-Zone 3		3	UDL	USBFP	23.75	101.85	64.38	62.05	17.40		15.66		<del>                                     </del>		+
		-	J	UDL	OCOSL	23.13	18.09	04.30	02.03	17.40	<b> </b>	10.00	1	<del> </del>		+
ID 1 6655	Order Coordination For Specified Conversion Time, per LSR			UDL	UCUSL		16.09							<del>                                     </del>		+
JB-LOOPS	oop Feeder									ļ		ļ				

Version 4Q02: 01/21/03 Page 7 of 402

UNBUNDL	ED NETWORK ELEMENTS - Alabama												Attachi	ment: 2	Exhib	it: B
CATEGORY	RATE ELEMENTS	Inter im	Zon e	BCS	usoc		RA	TES (\$)			ed Elec	Svc Order Submitte d Manually per LSR	I Charge - Manual Svc Order vs.	I Charge - Manual Svc Order vs.	Incrementa I Charge - Manual Svc Order vs. Electronic- Disc 1st	al Charge Manual Svc Order vs.
						Rec	Nonrec	urring	NRC Disc	onnect		•	oss	Rates (\$)	•	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Sub Loop Feeder-DS3-Per mi Per mo	I		UE3	1L5SL	13.55										
	Sub Loop Feeder-DS3-Facility Term Per mo	ı		UE3	USBF1	332.40	3,400.58	407.00	160.47	90.97		15.66				
	Sub Loop Feeder – STS-1 – Per mi Per mo	ı		UDLSX	1L5SL	13.55										
	Sub Loop Feeder-STS-1-Facility Term Per mo	I		UDLSX	USBF7	357.36	3,400.58	407.00	160.47	90.97		15.66				
	Sub Loop Feeder – OC-3 – Per mi Per mo	I		UDLO3	1L5SL	10.28										
	Sub Loop Feeder-OC-3-Facility Term Protection Per mo	I		UDLO3	USBF5	54.89										
	Sub Loop Feeder-OC-3-Facility Term Per mo	I		UDLO3	USBF2	538.69	3,400.58	407.00	160.47	90.97		15.66				
	Sub Loop Feeder-OC-12-Per mi Per mo	I		UDL12	1L5SL	12.66										
	Sub Loop Feeder-OC-12-Facility Term Protection Per mo	I		UDL12	USBF6	620.18										
	Sub Loop Feeder-OC-12-Facility Term Per mo	I		UDL12	USBF3	1,729.00	3,400.58	407.00	160.47	90.97		15.66				
	Sub Loop Feeder-OC-48-Per mi Per mo	I		UDL48	1L5SL	41.51										
	Sub Loop Feeder-OC-48-Facility Term Protection Per mo	I		UDL48	USBF9	310.30										
	Sub Loop Feeder-OC-48-Facility Term Per mo	I		UDL48	USBF4	1,495.00	3,586.58	407.00	160.47	90.97		15.66				
	Sub Loop Feeder-OC-12 Interface On OC-48	- 1		UDL48	USBF8	350.09	804.67	407.00	160.47	90.97		15.66				

JNBUNDL	ED NETWORK ELEMENTS - Alabama													ment: 2		bit: B
											Svc	Svc		Incrementa		
											Order	Order	I Charge -	I Charge -	I Charge -	al Charg
			_								Submitt	Submitte	Manual	Manual	Manual	Manua
ATEGORY	RATE ELEMENTS	nter Z		BCS	USOC		R.A	TES (\$)			ed Elec	d	Svc Order	Svc Order	Svc Order	Svc Orde
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	NATE ELEMENTO	im	е	500	0000		10	Ευ (ψ)				Manually	vs.	vs.	vs.	vs.
											por Lore	per LSR		Electronic-	Electronic-	-
												por Lor	1st	Add'l	Disc 1st	c-Disc
			_			1			NDO D			l			D100 100	0 2.00
						Rec	Nonrec		NRC Disc					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
<u>INBUNDLE</u>	D LOOP CONCENTRATION															
	Unbundled Loop Concentration-System A (TR008)			ULC	UCT8A	364.17	325.41	325.41				15.66				
	Unbundled Loop Concentration-System B (TR008)			ULC	UCT8B	43.70	135.59	135.59				15.66				
	Unbundled Loop Concentration-System A (TR303)			ULC	UCT3A	395.12	325.41	325.41								
	Unbundled Loop Concentration-System B (TR303)			ULC	UCT3B	73.64	135.59	135.59				15.66				
	Unbundled Loop Concentration-DS1 Loop Interface Card			ULC	UCTCO	4.16	63.29	46.07	16.79	4.70		15.66				
	Unbundled Loop Concentration-ISDN Loop Interface (Brite Card)			UDN	ULCC1	6.60	10.54	10.48	5.39	5.36		15.66				
	Unbundled Loop Concentration-UDC Loop Interface (Brite Card)			UDC	ULCCU	6.60	10.54	10.48	5.39	5.36		15.66				
	Unbundled Loop Concentration2W Voice-Loop Start or Ground Start	-+		550	2_300	0.00	10.04	10.40	0.00	5.00		10.00	1			
	Loop Interface (POTS Card)			UEA	ULCC2	1.65	10.54	10.48	5.39	5.36		15.66				
	Unbundled Loop Concentration-2W Voice-Rev Bat Loop Interface															
	(SPOTS Card)			UEA	ULCCR	9.81	10.54	10.48	5.39	5.36		15.66				
	Unbundled Loop Concentration-4W Voice Loop Interface (Specials Card)			UEA	ULCC4	5.85	10.54	10.48	5.39	5.36		15.66				
	Unbundled Loop Concentration-TEST CIRCUIT Card			ULC	UCTTC	28.60	10.54	10.48	5.39	5.36		15.66				
	Unbundled Loop Concentration-Digital 19.2 Kbps Data Loop Interface			UDL	ULCC7	8.67	10.54	10.48	5.39	5.36		15.66				
	Unbundled Loop Concentration-Digital 56 Kbps Data Loop Interface			UDL	ULCC5	8.67	10.54	10.48	5.39	5.36		15.66				
	Unbundled Loop Concentration-Digital 64 Kbps Data Loop Interface			UDL	ULCC6	8.67	10.54	10.48	5.39	5.36		15.66				
NE OTHER	R, PROVISIONING ONLY - NO RATE					0.01						10.00				
THE CTITLE	NID-Dispatch & Service Order for NID installation	-		UENTW	UNDBX	0.00	0.00									
-	UNTW Circuit Id Establishment, Provisioning Only-No Rate			UENTW	UENCE	0.00	0.00					1				
	ONTW Circuit to Establishment, Provisioning Only-No Rate	-			UENCE	0.00	0.00									
				UEANL,UEF,UEQ,U												
	Unbundled Contract Name, Provisioning Only-No Rate			ENTW	UNECN	0.00	0.00									
NE OTHER	R, PROVISIONING ONLY - NO RATE															
				UAL,UCL,UDC,UDL,												
	Unbundled Contact Name, Provisioning Only-no rate			UDN,UEA,UHL,ULC		0.00	0.00									
	Unbundled Sub-Loop Feeder-2W Cross Box Jumper-no rate			UEA,UDN,UCL,UDC		0.00	0.00									
	Unbundled Sub-Loop Feeder-4W Cross Box Jumper-no rate			UEA,USL,UCL,UDL	USBFR	0.00	0.00									
	Unbundled DS1 Loop-Superframe Format Option-no rate			USL	CCOSF	0.00	0.00									
	Unbundled DS1 Loop-Expanded Superframe Format option-no rate			USL	CCOEF	0.00	0.00									
IIGH CAPA	ACITY UNBUNDLED LOCAL LOOP															
	: minimum billing period of three months for DS3 and above Local Lo	op														
	High Capacity Unbundled Local Loop-DS3-Per mi per mo	- 1		UE3	1L5ND	8.38										
	High Capacity Unbundled Local Loop-DS3-Facility Term per mo			UE3	UE3PX	308.98	451.52	263.94	119.49	83.58		15.66				
	High Capacity Unbundled Local Loop-STS-1-Per mi per mo			UDLSX	1L5ND	8.38	401.02	203.94	113.43	00.00		13.00				
	High Capacity Unbundled Local Loop-STS-1-Fei IIII pei III0  High Capacity Unbundled Local Loop-STS-1-Facility Term per mo	-		UDLSX	UDLS1	319.83	451.52	263.94	119.49	83.58		15.66				
000.000			_	UDLSX	UDLST	319.03	451.52	203.94	119.49	03.30		15.00				
OOP MAK		-														
	Loop Makeup-Preordering w/o Reservation, per working or spare facility															
	queried (Manual).			UMK	UMKLW		20.00	20.00								
	Loop Makeup-Preordering With Reservation, per spare facility queried															
	(Manual).			UMK	UMKLP		21.00	21.00								
	Loop MakeupWith or w/o Reservation, per working or spare facility															
	queried (Mechanized)			UMK	<b>PSUMK</b>		0.59	0.59								
IGH FREQ	UENCY SPECTRUM															
LINE	SHARING											İ	1			
	TTERS-CENTRAL OFFICE BASED												İ	Ì	Ì	1
O. E.I.	Line Sharing Splitter, per System 96 Line Capacity	-+		ULS	ULSDA	155.97	188.79	0.00	177.98	0.00		15.66				
-	Line Sharing Splitter, per System 96 Line Capacity  Line Sharing Splitter, per System 24 Line Capacity	-	-	ULS	ULSDB	38.99	188.79	0.00	177.98	0.00		15.66	<del> </del>	1	1	1
1	Line Sharing Splitter, per System 24 Line Capacity  Line Sharing Splitter, Per System, 8 Line Capacity	+	-	ULS	ULSD8	12.73	377.58	0.00	355.96	0.00	-	15.66	-	1	1	+
									เรากษณ์			15 66			1	1
		-		ULS	ULSDO	12.73	311.30	0.00	333.30	0.00		13.00			1	
	Line Sharing Splitter, Fer System, a Line Capacity Line Sharing-DLEC Owned Splitter in CO-CFA activation-deactivation (per LSOD)	-		ULS	ULSDG	12.73	86.47	0.00	49.84	0.00		15.66				

Version 4Q02: 01/21/03 Page 9 of 402

<u>JNBUN</u> DI	LED NETWORK ELEMENTS - Alabama												Attachi	ment: 2	Exhib	it: B
ATEGORY	RATE ELEMENTS	Inter im	Zon e	BCS	usoc		RA	TES (\$)			Svc Order Submitt ed Elec per LSR	Svc Order Submitte d Manually per LSR	Incrementa I Charge - Manual Svc Order vs. Electronic- 1st	Incrementa I Charge - Manual Svc Order vs. Electronic- Add'I	Incrementa I Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremei al Charg Manual Svc Ordo vs. Electror c-Disc
						Rec	Nonrec First	urring Add'l	NRC Disc		COMEO	COMAN		Rates (\$)	COMAN	COMAN
	Line Objection and time Astination (DOT Owned and Man)			LILO	ULSDC	0.61		10.60	First 10.01	<b>Add'l</b> 4.92	SOMEC	<b>SOMAN</b> 15.66	SOMAN	SOMAN	SOMAN	SOMAN
	Line Sharing -per Line Activation (BST Owned splitter) Line Sharing-per Subsqnt Activity per Line Rearrangement(BST Owned			ULS	ULSDC	0.61	18.51	10.60	10.01	4.92		15.66				
	Splitter			ULS	ULSDS		16.39	8.19				15.66				
	Line Sharing-per Subsqnt Activity per Line Rearrangement(DLEC Owned			ULS	ULSDS	+	10.39	0.19				13.00				
	Splitter			ULS	ULSCS		16.39	8.19				15.66				
	Line Sharing-per Line Activation (DLEC owned Splitter)	_		ULS	ULSCC	0.61	47.44	19.31	20.02	9.83		15.66				
LINE	SPLITTING			ULS	ULSCC	0.01	47.44	19.31	20.02	9.03		13.00				<del></del>
	USER ORDERING-CENTRAL OFFICE BASED				1											<del>                                     </del>
END	Line Splitting-per line activation DLEC owned splitter	_	$\vdash$	UEPSR UEPSB	UREOS	0.61					-	1				<del>                                     </del>
-	Line Splitting-per line activation DLEC owned splitter  Line Splitting-per line activation BST owned-physical	H		UEPSR UEPSB	UREBP	0.61	37.01	21.19	20.02	9.83	-	15.66			-	<del>                                     </del>
	Line Splitting-per line activation BST owned-physical	÷		UEPSR UEPSB	UREBV	0.61	37.01	21.19	20.02	9.83		15.66				
DEM	1 01			DEPSK DEPSB	UKEBV	0.61	37.01	21.19	20.02	9.83		15.66				
	OTE SITE HIGH FREQUENCY SPECTRUM				+	-										
SPLI	TERS-REMOTE SITE				ULSRB	40.04	444.00	0.00	05.00	0.00		45.00				
	Remote Site Line Share BST Owned Splitter, 24 Port	- 1		ULS	ULSRB	40.01	114.83	0.00	85.03	0.00		15.66				
	Remote Site Line Share Cable pr Activation CLEC Owned at RS &				0		05.00	0.00	00.05	0.00		45.00				
	Deactivation		<u> </u>	ULS	ULSTG		95.66	0.00	68.25	0.00		15.66				
END	USER ORDERING-REMOTE SITE HIGH FREQUENCY SPECTRUM AK	AREN	NOIE	SITE LINE SHARIN	G											
	Remote Site Line Share Line Activationfor End User Served at RS, BST															
	Splitter			ULS	ULSRC	0.61	37.01	21.19	20.02	9.83		15.66				
	RS Line Share Line Activation for End User served at RS, CLEC Splitter			ULS	ULSTC	0.61	37.01	21.19	20.02	9.83		15.66				
	Remote Site Line Share Subsqnt Activity-RS BST Owned Splitter			ULS	ULSRS		49.16	17.83				15.66				
	Remote Site Line Share Subsqnt Activity-RS CLEC Owned Splitter			ULS	ULSTS		49.16	17.83				15.66				
	D DEDICATED TRANSPORT		<u> </u>													
	: INTEROFFICE CHANNEL DEDICATED TRANSPORT - minimum bil	ling p	eriod	- below DS3=one m	onth, abov	DS3=four mo	onths									
INTE	ROFFICE CHANNEL - DEDICATED TRANSPORT															
	Interoffice Channel-Dedicated Transport-2W VG-Per mi per mo			U1TVX	1L5XX	0.008838		.=								
	Interoffice Channel-Dedicated Transport-2W VG-Facility Term			U1TVX	U1TV2	21.13	40.54	27.41	16.74	6.90		15.66				
	Interoffice Channel-Dedicated Transport-2W VG Rev Bat-Per mi per mo			U1TVX	1L5XX	0.008838										
	Interoffice Channel-Dedicated Transport-2W VG Rev BatFacility Term			U1TVX	U1TR2	21.13	40.54	27.41	16.74	6.90		15.66				
	Interoffice Channel -Dedicated Transport-4W VG-Per mi per mo			U1TVX	1L5XX	0.008838										
	Interoffice Channel -Dedicated Transport-4W VG-Facility Term			U1TVX	U1TV4	18.73	40.54	27.41	16.74	6.90		15.66				
	Interoffice Channel-Dedicated Transport-56 kbps-per mi per mo			U1TDX	1L5XX	0.008838										
	Interoffice Channel-Dedicated Transport-56 kbps-Facility Term			U1TDX	U1TD5	15.12	40.54	27.41	16.74	6.90		15.66				
	Interoffice Channel-Dedicated Transport-64 kbps-per mi per mo			U1TDX	1L5XX	0.008838										
	Interoffice Channel-Dedicated Transport-64 kbps-Facility Term			U1TDX	U1TD6	15.12	40.54	27.41	16.74	6.90		15.66				
	Interoffice Channel-Dedicated Channel-DS1-Per mi per mo			U1TD1	1L5XX	0.18										
	Interoffice Channel-Dedicated Tranport-DS1-Facility Term			U1TD1	U1TF1	60.16	89.27	81.81	16.35	14.44		15.66				
	Interoffice Channel -Dedicated Transport-DS3-Per mi per mo			U1TD3	1L5XX	4.09										
	Interoffice Channel-Dedicated Transport-DS3-Facility Term per mo			U1TD3	U1TF3	703.52	278.75	162.76	60.20	58.46		15.66				
	Interoffice Channel-Dedicated Transport-STS-1-Per mi per mo			U1TS1	1L5XX	4.09										<u> </u>
	Interoffice Channel-Dedicated Transport-STS-1-Facility Term			U1TS1	U1TFS	701.37	278.75	162.76	60.20	58.46		15.66				
	AL CHANNEL - DEDICATED TRANSPORT															<u> </u>
NOTE	: LOCAL CHANNEL DEDICATED TRANSPORT - minimum billing pe	riod =	belo													<u> </u>
	Local Channel-Dedicated-2W VG			ULDVX	ULDV2	13.97	193.10	33.17	36.64	3.20		15.66				<u> </u>
	Local Channel-Dedicated-2W VG Rev Bat		Ш	ULDVX	ULDR2	13.97	193.10	33.17	36.64	3.20		15.66				
	Local Channel-Dedicated-4W VG			ULDVX	ULDV4	14.93	193.53	33.60	27.11	3.67		15.66				
	Local Channel-Dedicated-DS1-Zone 1		1	ULDD1	ULDF1	35.76	177.47	153.72	22.19	15.26		15.66				
	Local Channel-Dedicated-DS1 -Zone 2		2	ULDD1	ULDF1	49.98	177.47	153.72	22.19	15.26		15.66				<u> </u>
	Local Channel-Dedicated-DS1 -Zone 3		3	ULDD1	ULDF1	107.63	177.47	153.72	22.19	15.26		15.66				<u> </u>
	Local Channel-Dedicated-DS3-Per mi per mo			ULDD3	1L5NC	6.92										
	Local Channel-Dedicated-DS3-Facility Term			ULDD3	ULDF3	416.54	451.52	263.94	119.49	83.58	I	15.66	l		l	

Version 4Q02: 01/21/03

UNBUND	LED NETWORK ELEMENTS - Alabama												Attachi	ment: 2	Exhib	oit: B
CATEGOR		Inter im	Zon e	BCS	usoc		RA	TES (\$)			Svc Order Submitt ed Elec per LSR	d Manually	Incrementa I Charge - Manual Svc Order	Incrementa I Charge - Manual Svc Order vs.		
												per Lore	1st	Add'I	Disc 1st	c-Disc
						Rec	Nonrec	urring	NRC Disc	onnect			oss	Rates (\$)	-	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Local Channel-Dedicated-STS-1-Per mi per mo			ULDS1	1L5NC	6.92										
	Local Channel-Dedicated-STS-1 -Facility Term			ULDS1	ULDFS	408.49	451.52	263.94	119.49	83.58		15.66				
DARK FIBE	ER															
	Dark Fiber, Four Fiber Strands, Per Route mi or Fraction Thereof per mo-															
	Local Channel			UDF	1L5DC	60.32										
	NRC Dark Fiber-Local Channel			UDF	UDFC4		639.09	137.87	317.06	197.66		15.66				
	Dark Fiber, Four Fiber Strands, Per Route mi or Fraction Thereof per mo-															
	Interoffice Channel			UDF	1L5DF	22.34										
	NRC Dark Fiber-Interoffice Channel			UDF	UDF14		639.09	137.87	317.06	197.66		15.66				
	Dark Fiber, Four Fiber Strands, Per Route mi or Fraction Thereof per mo-	1														
	Local Loop			UDF	1L5DL	60.32										
	NRC Dark Fiber-Local Loop			UDF	UDFL4		639.09	137.87	317.06	197.66		15.66				
8XX ACCES	SS TEN DIGIT SCREENING															
	8XX Access Ten Digit Screening, Per Call			OHD		0.00056										
	8XX Access Ten Digit Screening, Reservation Charge Per 8XX No															
	Reserved			OHD	N8R1X		2.58	0.44				15.66				
	8XX Access Ten Digit Screening, Per 8XX No. Established W/O POTS															
	Translations			OHD			5.94	0.81	4.57	0.54		15.66				
	8XX Access Ten Digit Screening, Per 8XX No. Established With POTS															
	Translations			OHD	N8FTX		5.94	0.81	4.57	0.54		15.66				
	8XX Access Ten Digit Screening, Customized Area of Service Per 8XX															
	No			OHD	N8FCX		2.58	1.29				15.66				
	8XX Access Ten Digit Screening, Multiple InterLATA CXR Routing Per															
	CXR Requested Per 8XX No.			OHD	N8FMX		3.02	1.73				15.66				
	8XX Access Ten Digit Screening, Change Charge Per Request			OHD	N8FAX		3.02	0.44				15.66				
	8XX Access Ten Digit Screening, Call Handling & Destination Features			OHD	N8FDX		2.58					15.66				
	8XX Access Ten Digit Screening, w/ 8FL No. Delivery			OHD		0.000565										
	8XX Access Ten Digit Screening, w/ POTS No. Delivery			OHD		0.000565										
LINE INFO	RMATION DATA BASE ACCESS (LIDB)															
	LIDB Common Transport Per Query			OQT		0.00002										
	LIDB Validation Per Query			OQU	NRPBX	0.012002	34.32		40.00			45.00				
0100141101	LIDB Originating Point Code Establishment or Change			OQT,OQU	NRPBX		34.32		42.08			15.66				
SIGNALING					-	45.40	35.53	35.53	40.44	16.44		45.00				
	CCS7 Signaling Connection, Per 56Kbps Facility CCS7 Signaling Term, Per STP Port			LIDD	PT8SX	15.46 130.83	35.53	35.53	16.44	16.44		15.66				
				UDB	PIOSA	0.0000142										
	CCS7 Signaling Usage, Per Call Setup Message CCS7 Signaling Usage, Per TCAP Message			UDB		0.0000142										
	CCS7 Signaling Osage, Per TCAP Message  CCS7 Signaling Connection, Per link (A link)			UDB	TPP++	15.46	35.53	35.53	16.44	16.44		15.66				
	CCS7 Signaling Connection, Per link (A link)  CCS7 Signaling Connection, Per link (B link) (also known as D link)			UDB	TPP++	15.46	35.53	35.53	16.44	16.44		15.66				
	CCS7 Signaling Connection, Per link (B link) (also known as D link)  CCS7 Signaling Usage, Per ISUP Message			UDB	IPP++	0.0000142	33.33	33.33	10.44	10.44		15.00				
	CCS7 Signaling Usage, Per ISOP Message  CCS7 Signaling Usage Surrogate, per link per LATA	<b>-</b>	1	UDB	STU56	650.33										1
	CCS7 Signaling Osage Surrogate, per link per LATA  CCS7 Signaling Point Code, per Originating Point Code Establishment or	1	+	סטס	31000	000.33				1	1	1	1			}
	Change, per STP affected			UDB	CCAPO		29.01	29.01	35.57	35.57		15.66				
E911 SERV				ODD	COAFU		29.01	29.01	33.37	33.37		15.00				<del>                                     </del>
LUTTUCKY	Local Channel-Dedicated-2W VG		$\vdash$			13.97	193.10	33.17	36.64	3.20		15.66	1			
	Interoffice Transport-Dedicated-2W VG Per mi	<b>-</b>	1		+	0.008838	183.10	33.17	30.04	3.20		15.00				1
	Interoffice Transport-Dedicated-2W VG Per Ini  Interoffice Transport-Dedicated-2W VG Per Facility Term		$\vdash$			21.13	40.54	27.41	16.74	6.90		15.66	1			
	Local Channel-Dedicated-DS1-Zone 1		$\vdash$			35.76	177.47	153.72	22.19	15.26		15.66	1			
	Local Channel-Dedicated-DS1-Zone 2				+	49.98	177.47	153.72	22.19	15.26		15.66				<del>                                     </del>
	Local Channel-Dedicated-DS1-Zone 3				+	107.63	177.47	153.72	22.19	15.26		15.66				<del>                                     </del>
	Interoffice Transport-Dedicated-DS1 Per mi		-		+	0.18	111.41	100.12	22.19	10.20	<b></b>	13.00	+		<del>                                     </del>	<del>                                     </del>

Version 4Q02: 01/21/03 Page 11 of 402

UNBUNDLE	ED NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhib	oit: B
											Svc	Svc	Incrementa	Incrementa	Incrementa	Increme
											Order	Order	I Charge -	I Charge -	I Charge -	al Charg
		l l.	_								Submitt	Submitte	Manual	Manual	Manual	Manual
CATEGORY	RATE ELEMENTS	Inter		BCS	USOC		R/	ATES (\$)			ed Elec	d	Svc Order	Svc Order	Svc Order	Svc Orde
		im	е		5555			0 (4)				Manually	vs.	vs.	vs.	vs.
											<b>F</b> • • • • • • • • • • • • • • • • • • •		_	Electronic-	Electronic-	_
												po. 20.1	1st	Add'I	Disc 1st	c-Disc
					+		Nonrec		NRC Disc					Rates (\$)	2.00 .00	1 0 2.00
		-			+	Rec	First	Add'l		Add'l	SOMEC	COMAN		SOMAN	COMAN	SOMAN
<del></del>		-			+	00.40			First		SOMEC		SOWAN	SOMAN	SOMAN	SOMAN
	nteroffice Transport-Dedicated-DS1 Per Facility Term					60.16	89.27	81.81	16.35	14.44		15.66				-
	ME (CNAM) SERVICE															
	CNAM For DB Owners-Service Establishment			OQV			22.95		21.11							
	CNAM For Non DB Owners-Service Establishment			OQV			22.95		21.11							
	CNAM For DB Owners-Service Provisioning With Point Code															
	Establishment			OQV			990.88	732.84	268.93	197.74						
C	CNAM For Non DB Owners-Service Provisioning With Point Code															
E	Establishment			OQV			342.33	245.14	275.25	197.74						
C	CNAM for DB Owners, Per Query			OQV		0.000902										
C	CNAM for Non DB Owners, Per Query			OQV		0.000902										
LNP Query Se	ervice															
L	NP Charge Per guery					0.000757										
	NP Service Establishment Manual						12.52		11.51			15.66				1
	.NP Service Provisioning with Point Code Establishment						593.49	303.20	268.93	197.74		15.66				1
	CALL PROCESSING						000.40	000.20	200.00	107.74		10.00				1
	Oper Call Processing-Oper Provided, Per min-Using BST LIDB					1.20										+
	Oper Call Processing-Oper Provided, Per min-Using Bot Libb				1	1.24										+
	Oper Call Processing-Oper Provided, Per Mili-Osing Poreign Libb				1	0.20										+
		-			_							1				+
	Oper Call Processing-Fully Automated, per Call-Using Foreign LIDB				-	0.20										+
	ERATOR SERVICES				_											
	nward Oper Services-Verification, Per min					1.15										
	nward Oper Services-Verification & Emergency Interrupt-Per min					1.15										
	OPERATOR CALL PROCESSING															
	based CLEC															
	Recording of Custom Branded OA Announcement				CBAOS		7,000.00					15.66				
	oading of Custom Branded OA Announcement per shelf/NAV per OCN				CBAOL		500.00	500.00				15.66				
UNEP C																
	Recording of Custom Branded OA Announcement						7,000.00					15.66				
L	oading of Custom Branded OA Announcement per shelf/NAV per OCN						500.00	500.00				15.66				
Unbran	ding via OLNS for UNEP CLEC															
L	oading of OA per OCN (Regional)						1,200.00	1,200.00				15.66				
DIRECTORY	ASSISTANCE SERVICES															
DIRECT	FORY ASSISTANCE ACCESS SERVICE															
	Directory Assistance Access Service Calls, Charge Per Call					0.275										
	FORY ASSISTANCE CALL COMPLETION ACCESS SERVICE (DACC	:)														
	Directory Assistance Call Completion Access Service (DACC), Per Call															1
	Attempt					0.10										
	ER SERVICES INTERCEPT ACCESS SERVICE					00										1
	ASSISTANCE SERVICES															1
	TORY ASSISTANCE DATA BASE SERVICE (DADS)									<b></b>	-	1		1		+
	Directory Assistance Data Base Service (DADS)	<del>                                     </del>			+	0.04				1		1			<del>                                     </del>	+
	Directory Assistance Data Base Service Charge Per Listing  Directory Assistance Data Base Service, per mo	$\vdash$			DBSOF	150.00		1		1	-	}	1		<del> </del>	+
		$\vdash$			DBOOL	150.00		-		1	-		-		<del> </del>	+
	DIRECTORY ASSISTANCE	$\vdash$			1			-		-		<b> </b>	-	-	-	+
	Based CLEC	$\vdash$		A A 4TT	00457		0.000.00	0.000.00		1	1	45.00			1	+
	Recording & Provisioning of DA Custom Branded Announcement	<b>                                     </b>		AMT	CBADA		3,000.00					15.66		1	<b></b>	
	oading of Custom Branded Announcement per Switch per OCN			AMT	CBADC		1,170.00	1,170.00		ļ		15.66		ļ		—
UNEP C																
	Recording of DA Custom Branded Announcement						3,000.00	-,				15.66				
	oading of DA Custom Branded Announcement per Switch per OCN						1,170.00	1,170.00				15.66				
Unbran	ding via OLNS for UNEP CLEC															
	oading of DA per OCN (1 OCN per Order)						420.00	420.00				15.66				

Version 4Q02: 01/21/03 Page 12 of 402

UNBUNI	DLED NETWORK ELEMENTS - Alabama												Attachi	ment: 2	Exhib	oit: B
CATEGOR	Y RATE ELEMENTS	Inter 2	Zon e	BCS	USOC		RATES (\$)				ed Elec	Manually	I Charge - Manual Svc Order	I Charge - Manual Svc Order vs.	Manual Svc Order vs.	al Charge · Manual Svc Order vs.
						Rec	Nonrecurring		NRC Disconnect					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Loading of DA per Switch per OCN						16.00	16.00				15.66				
SELECTIV	E ROUTING															
	Selective Routing Per Unique Line Class Code Per Request Per Switch				USRCR		84.70	84.70	14.11	14.11		15.66				
VIRTUAL	COLLOCATION															
	Virtual Collocation-2W Cross Connects (Loop) for Line Splitting			UEPSR,UEPSB	VE1LS	0.03	12.30	11.80	6.03	5.44		15.66				
PHYSICA	COLLOCATION			·												
	Physical Collocation-2W Cross Connects (Loop) for Line Splitting			UEPSR,UEPSB	PE1LS	0.03	12.30	11.80	6.03	5.44		15.66				
AIN SELE	CTIVE CARRIER ROUTING															
	Regional Service Establishment			SRC	SRCEC		101,098.91		8,590.70			15.66				
	End Office Establishment			SRC	SRCEO		169.88	169.88	1.70	1.70		15.66				
	Query NRC, per query			SRC		0.002749										

JNBUNDL	ED NETWORK ELEMENTS - Alabama												Attachi	Exhibit: B		
											Svc Order Submitt	Svc Order Submitte		Incrementa I Charge - Manual	Incrementa I Charge - Manual	
CATEGORY		Inter Z	Zon e	BCS	USOC	RATES (\$)					ed Elec	d Manually	Svc Order vs.		Svc Order vs.	Svc Orde vs.
						Rec	Nonrec	urring	NRC Disc	onnect			OSS Rates (\$)			
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
IN - BELLS	SOUTH AIN SMS ACCESS SERVICE															
	AIN SMS Access Service-Service Establishment, Per State, Initial Setup			A1N	CAMSE		39.44	39.44	40.69	40.69		15.66				
	AIN SMS Access Service-Port Connection-Dial/Shared Access			A1N	CAMDP		7.83	7.83	9.09	9.09		15.66				
	AIN SMS Access Service-Port Connection-ISDN Access			A1N	CAM1P		7.83	7.83	9.09	9.09		15.66				
	AIN SMS Access Service-User Identification Codes-Per User ID Code			A1N	CAMAU		35.00	35.00	27.06	27.06		15.66				
	AIN SMS Access Service-Security Card, Per User ID Code, Initial or Replacement			A1N	CAMRC		41.88	41.88	11.71	11.71		15.66				
	AIN SMS Access Service-Storage, Per Unit (100 Kilobytes)					0.002188										
	AIN SMS Access Service-Session, Per min					0.59										
	AIN SMS Access Service-Company Performed Session, Per min					0.73										
N - BELLS	SOUTH AIN TOOLKIT SERVICE															
	AIN Toolkit Service-Service Establishment Charge, Per State, Initial			CAM	BAPSC		39.44	39.44	40.69	40.69		15.66				
	AIN Toolkit Service-Training Session, Per Customer			07.111	BAPVX		4.202.17	4.202.17	10.00	10.00		15.66				
	Alln Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, Term. Attempt				BAPTT		7.83	7.83	9.09	9.09		15.66				
	Alin Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, Off- Hook Delav				BAPTD		7.83	7.83	9.09	9.09		15.66				
	AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, Off-				DAFID		7.03	7.03	9.09	9.09		13.00		1		
	Hook Immediate				BAPTM		7.83	7.83	9.09	9.09		15.66				
	AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, 10- Digit PODP				BAPTO		34.47	04.47	44.00	44.00		45.00				
_	3	-						34.47	14.36	14.36		15.66				-
	AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, CDP				BAPTC		34.47	34.47	14.36	14.36		15.66				1
	AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, Feature Code				BAPTF		34.47	34.47	14.36	14.36		15.66				
	AIN Toolkit Service-Query Charge, Per Query					0.05										
	AIN Toolkit Service-Type 1 Node Charge, Per AIN Toolkit Subscription, Per Node, Per Query					0.00582										
	AIN Toolkit Service-SCP Storage Charge, Per SMS Access Account, Per 100 Kilobytes					0.05										
	AIN Toolkit Service-moly report-Per AIN Toolkit Service Subscription			CAM	BAPMS	10.17	7.83	7.83	5.50	5.50		15.66				
	AIN Toolkit Service-Special Study-Per AIN Toolkit Service Subscription			CAM	BAPLS	2.87	8.66	8.66				15.66				
	AIN Toolkit Service-Call Event Report-Per AIN Toolkit Service Subscription			CAM	BAPDS	7.39	7.83	7.83	5.50	5.50		15.66				
	AIN Toolkit Service-Call Event Special Study-Per AIN Toolkit Service Subscription			CAM	BAPES	0.10	8.66	8.66				15.66				
NHANCED	EXTENDED LINK (EELs)															
NOTE	: The monthly recurring and non-recurring charges below will apply	and the	e Sw	itch-As-Is Charge w	ill not app	ly for EELs pro	visioned as	' Ordinarily	Combined'	Network	Elements	i.				
	: The monthly recurring and the Switch-As-Is Charge and not the no													1		
NOTE	: Minimum billing is one month for DS1 and below and three months E VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROF	above	DS1	services.												
	First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone		1	UNCVX	UEAL2	14.38	88.00	55.00	47.24	7.44		15.66				
	First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone		2	UNCVX	UEAL2	22.85	88.00	55.00	47.24	7.44		15.66				
	First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone		3	UNCVX	UEAL2	36.14	88.00	55.00	47.24	7.44		15.66				
	Interoffice Transport-Dedicated-DS1 combination-Per mi per mo		-	UNC1X	1L5XX	0.18	20.00	30.00		<u> </u>		.0.00		1		1
	Interoffice Transport-Dedicated-DS1 combination-Facility Term per mo			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44		15.66		1		1
	DS1 Channelization System Per mo			UNC1X	MQ1	101.06	91.04	62.57	10.54	9.79		15.66		<b>†</b>		1
_	VG COCI-DS1 To Ds0 Interface-Per mo		_	UNCVX	1D1VG	0.53	6.58	4.72		3.73	<b> </b>	15.66		+	<b></b>	<del>                                     </del>

NDUNDL	ED NETWORK ELEMENTS - Alabama	-												ment: 2	Exhib	
ATEGORY	RATE ELEMENTS	Inter 2	Zon e	BCS	USOC									I Charge - Manual Svc Order vs. Electronic- Add'l	I Charge - Manual Svc Order vs.	al Charge Manual Svc Orde vs. Electron
						Rec	Nonrec	urring	NRC Disc	onnect			oss	Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAI
	Each Add'l 2W VG Loop(SL 2) in the same DS1 Interoffice Transport															
	Combination-Zone 1		1	UNCVX	UEAL2	14.38	88.00	55.00	47.24	7.44		15.66				
	Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport															
	Combination-Zone 2		2	UNCVX	UEAL2	22.85	88.00	55.00	47.24	7.44		15.66				
	Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport															
	Combination-Zone 3		3	UNCVX	UEAL2	36.14	88.00	55.00	47.24	7.44		15.66				
	VG COCI-DS1 to DS0 Channel System combination-per mo			UNCVX	1D1VG	0.53	6.58	4.72				15.66				1
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		5.59	5.59	6.98	6.98		15.66				
4-WIR	E VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROF	FICE T	RAN	ISPORT (EEL)												
	First 4W Analog VG Loop in a DS1 Interoffice Transport Combination -															
	Zone 1		1	UNCVX	UEAL4	25.34	131.97	94.51	59.14	14.50		15.66				
	First 4W Analog VG Loop in a DS1 Interoffice Transport Combination -	-		0110177	OLAL	20.04	101.07	04.01	00.14	14.00		10.00				<del>                                     </del>
	Zone 2		2	UNCVX	UEAL4	38.58	131.97	94.51	59.14	14.50		15.66				
	First 4W Analog VG Loop in a DS1 Interoffice Transport Combination -			UNCVA	OLAL4	30.30	131.31	34.31	33.14	14.50		13.00				<del>                                     </del>
	ů i		3	UNCVX	UEAL4	60.02	131.97	94.51	59.14	14.50		15.66				
	Zone 3		3				131.97	94.51	59.14	14.50						
	Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo			UNC1X	1L5XX	0.18						15.66				
	Interoffice Transport-Dedicated-DS1-Facility Term Per mo			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44		15.66				
	Channelization-Channel System DS1 to DS0 combination Per mo			UNC1X	MQ1	101.06	91.04	62.57	10.54	9.79		15.66				
	VG COCI-DS1 to DS0 Channel System combination-per mo			UNCVX	1D1VG	0.53	6.58	4.72				15.66				
	Add'l 4W Analog VG Loop in same DS1 Interoffice Transport															
	Combination-Zone 1		1	UNCVX	UEAL4	25.34	131.97	94.51	59.14	14.50		15.66				
	Add'l 4W Analog VG Loop in same DS1 Interoffice Transport															
	Combination-Zone 2		2	UNCVX	UEAL4	38.58	131.97	94.51	59.14	14.50		15.66				
	Add'l 4W Analog VG Loop in same DS1 Interoffice Transport															
	Combination-Zone 3		3	UNCVX	UEAL4	60.02	131.97	94.51	59.14	14.50		15.66				
	VG COCI-DS1 to DS0 Channel System combination-per mo			UNCVX	1D1VG	0.53	6.58	4.72				15.66				
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		5.59	5.59	6.98	6.98		15.66				1
4-WIR	E 56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTER	OFFIC	ETF	RANSPORT (EEL)												
	First 4W 56Kbps Digital Grade Loop in a DS1 Interoffice Transport															
	Combination-Zone 1		1	UNCDX	UDL56	26.09	126.27	88.80	59.14	14.50		15.66				
1	First 4W 56Kbps Digital Grade Loop in a DS1 Interoffice Transport		-	55DA	02100	20.00	.20.21	30.00	30.17	. 1.00		.0.00				<b>†</b>
	Combination-Zone 2		2	UNCDX	UDL56	35.95	126.27	88.80	59.14	14.50		15.66				
	First 4W 56Kbps Digital Grade Loop in a DS1 Interoffice Transport			ONODA	ODLOO	55.55	120.21	00.00	33.14	14.50		13.00				<del></del>
	Combination-Zone 3		3	UNCDX	UDL56	37.88	126.27	88.80	59.14	14.50		15.66				
	Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo	-	3	UNC1X	1L5XX	0.18	120.27	00.00	59.14	14.50		15.00				-
	Interoffice Transport-Dedicated-DS1-combination-Per fili Per filo Interoffice Transport-Dedicated-DS1-combination Facility Term Per mo				U1TF1	60.16	89.27	81.81	16.35	14.44		15.66				
				UNC1X												
	Channelization-Channel System DS1 to DS0 combination Per mo			UNC1X	MQ1	101.06	91.04	62.57	10.54	9.79		15.66				
	OCU-DP COCI (data)-DS1 to DS0 Channel System-per mo (2.4-64kbs)			UNCDX	1D1DD	1.12	6.58	4.72				15.66				
	Add'l 4W 56Kbps Digital Grade loop in same DS1 Interoffice Transport															
	Combination-Zone 1		1	UNCDX	UDL56	26.09	126.27	88.80	59.14	14.50		15.66				
	Add'l 4W 56Kbps Digital Grade loop in same DS1 Interoffice Transport															
_	Combination-Zone 2		2	UNCDX	UDL56	35.95	126.27	88.80	59.14	14.50		15.66				
1	Add'l 4W 56Kbps Digital Grade loop in same DS1 Interoffice Transport															
	Combination-Zone 3		3	UNCDX	UDL56	37.88	126.27	88.80	59.14	14.50		15.66				
	OCU-DP COCI (data)-DS1 to DS0 Channel System-combination per mo		Т											<u> </u>	]	
	(2.4-64kbs)			UNCDX	1D1DD	1.12	6.58	4.72			<u> </u>	15.66		<u> </u>	<u> </u>	1
	NRC Currently Combined Network Elements Switch -As-Is Charge		T	UNC1X	UNCCC		5.59	5.59	6.98	6.98		15.66				
4-WIR	E 64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTER	OFFIC	ETR	RANSPORT (EEL)			_								_	
																1
	First 4W 64Kbps Digital Grade Loop in a DS1 Interoffice Transport	I				1										

IRONDL	ED NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhil	bit: B
											Svc	Svc	Incrementa	Incrementa	Incrementa	Increm
											Order	Order	I Charge -	I Charge -	I Charge -	
											Submitt	Submitte	Manual	Manual	Manual	Manu
		Inter 2	Zon													
TEGORY	RATE ELEMENTS	im	е	BCS	USOC		R.A	ATES (\$)			ed Elec	d	Svc Order	Svc Order	Svc Order	
			١								per LSR	Manually	vs.	vs.	vs.	vs.
												per LSR	Electronic-	Electronic-	Electronic-	- Electro
												Ī	1st	Add'l	Disc 1st	c-Dis
						1	Nonrec	urring	NRC Disc	onnoot		I	220	Rates (\$)	1	
_						Rec					001150	001111			001111	
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
	First 4W 64Kbps Digital Grade Loop in a DS1 Interoffice Transport															
	Combination-Zone 2		2	UNCDX	UDL64	35.95	126.27	88.80	59.14	14.50		15.66				
	First 4W 64Kbps Digital Grade Loop in a DS1 Interoffice Transport															
	Combination-Zone 3		3	UNCDX	UDL64	37.88	126.27	88.80	59.14	14.50		15.66				
	Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo			UNC1X	1L5XX	0.18										1
	Interoffice Transport-Dedicated-DS1 combination-Facility Term Per mo			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44		15.66				+
														-	1	+
	Channelization-Channel System DS1 to DS0 combination Per mo			UNC1X	MQ1	101.06	91.04	62.57	10.54	9.79		15.66				
	OCU-DP COCI (data)-DS1 to DS0 Channel System combination-per mo															
	(2.4-64kbs)			UNCDX	1D1DD	1.12	6.58	4.72	<u> </u>			15.66	<u> </u>		<u> </u>	<u> </u>
	Add'l 4W 64Kbps Digital Grade loop in same DS1 Interoffice Transport		$\Box$													
	Combination-Zone 1		1	UNCDX	UDL64	26.09	126.27	88.80	59.14	14.50		15.66		I		1
	Add'l 4W 64Kbps Digital Grade loop in same DS1 Interoffice Transport		-+	OHODA	ODLOT	20.00	120.27	00.00	00.14	14.00		10.00				+
			2	LINIODY	1101.04	05.05	400.07	00.00	50.44	4450		45.00				
	Combination-Zone 2		2	UNCDX	UDL64	35.95	126.27	88.80	59.14	14.50		15.66				
	Add'l 4W 64Kbps Digital Grade loop in same DS1 Interoffice Transport															
	Combination-Zone 3		3	UNCDX	UDL64	37.88	126.27	88.80	59.14	14.50		15.66				
	OCU-DP COCI (data)-DS1 to DS0 Channel System combination-per mo															
	(2.4-64kbs)			UNCDX	1D1DD	1.12	6.58	4.72				15.66				
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		5.59	5.59	6.98	6.98		15.66				+
	E DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INTEROFF	ICE TI	DANC		UNCCC		5.55	3.39	0.90	0.90		13.00				+
		ICE II	KANS	PORT (EEL)												
	4W DS1 Digital Loop in Combination with DS1 Interoffice Transport-Zone															
	1		1	UNC1X	USLXX	82.55	252.47	157.54	44.70	11.71		15.66				
	4W DS1 Digital Loop in Combination with DS1 Interoffice Transport-Zone															
	2		2	UNC1X	USLXX	154.18	252.47	157.54	44.70	11.71		15.66				
	4W DS1 Digital Loop in Combination with DS1 Interoffice Transport-Zone															1
	2		3	UNC1X	USLXX	314.52	252.47	157.54	44.70	11.71		15.66				
	5		3				232.41	137.34	44.70	11.71		15.00		-	1	+
	Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo			UNC1X	1L5XX	0.18										
	Interoffice Transport-Dedicated-DS1 combination-Facility Term Per mo			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44		15.66				
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		5.59	5.59	6.98	6.98		15.66				
4-WIR	E DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFF	ICE T	RANS	PORT (EEL)												T
	First DS1Loop in DS3 Interoffice Transport Combination-Zone 1		1	UNC1X	USLXX	82.55	252.47	157.54	44.70	11.71		15.66				1
	First DS1Loop in DS3 Interoffice Transport Combination-Zone 2		2	UNC1X	USLXX	154.18	252.47	157.54	44.70	11.71		15.66				+
+	First DS1Loop in DS3 Interoffice Transport Combination-Zone 3		3	UNC1X	USLXX	314.52	252.47	157.54	44.70	11.71		15.66		-		+
			3				252.47	157.54	44.70	11.71		15.66				+
	Interoffice Transport-Dedicated-DS3 combination-Per mi Per mo			UNC3X	1L5XX	4.09										
	Interoffice Transport-Dedicated-DS3-Facility Term per mo			UNC3X	U1TF3	703.52	278.75	162.76	60.20	58.46		15.66				
	DS3 to DS1 Channel System combination per mo		$\Box$	UNC3X	MQ3	166.10	178.14	93.97	33.26	31.83		15.66				
	DS3 Interface Unit (DS1 COCI) combination per mo			UNC1X	UC1D1	12.70	6.58	4.72				15.66				1
	Add'l DS1Loop in DS3 Interoffice Transport Combination-Zone 1		1	UNC1X	USLXX	82.55	252.47	157.54	44.70	11.71		15.66				+
			2	UNC1X	USLXX	154.18	252.47	157.54	44.70	11.71		15.66				+
	Add'l DS1Loop in DS3 Interoffice Transport Combination-Zone 2		_													+
	Add'l DS1Loop in DS3 Interoffice Transport Combination-Zone 3		3	UNC1X	USLXX	314.52	252.47	157.54	44.70	11.71	ļ	15.66			<b>!</b>	+
	DS3 Interface Unit (DS1 COCI) combination per mo			UNC1X	UC1D1	12.70	6.58	4.72								
	NRC Currently Combined Network Elements Switch -As-Is Charge	Ţ		UNC3X	UNCCC		5.59	5.59	6.98	6.98		15.66				
	E VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GRADE INTEROF	FICE 1	TRAN	SPORT (EEL)		ĺ										
	2WVG Loop used with 2W VG Interoffice Transport Combination-Zone 1		1	UNCVX	UEAL2	14.38	88.00	55.00	47.24	7.44		15.66	İ	1	İ	1
	2WVG Loop used with 2W VG Interoffice Transport Combination-Zone 2		2	UNCVX	UEAL2	22.85	88.00	55.00	47.24	7.44		15.66		<u> </u>	1	+-
														<b>-</b>	<b> </b>	+
	2WVG Loop used with 2W VG Interoffice Transport Combination-Zone 3		3	UNCVX	UEAL2	36.14	88.00	55.00	47.24	7.44		15.66			ļ	4
	Interoffice Transport-Dedicated-2W VG combination-Per mi Per mo			UNCVX	1L5XX	0.008838			]						]	
	Interoffice Transport-Dedicated-2W VG combination-Facility Term per	[	[	UNCVX	U1TV2	21.13	40.54	27.41	16.74	6.90	L	15.66	<u> </u>			
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNCVX	UNCCC		5.59	5.59	6.98	6.98		15.66				T
	E VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRADE INTEROF	FICF 1	TRAN			t t						1	İ	1	İ	1
- 7711	- 10.01 GRADE EXTENDED EGGL/ 4 WIRE VOICE GRADE INTEROI	<u>~</u> _		J. J. (LLL)	+ -	1			l			1	1	t	1	+-
		1	- 1						i	1	Ī	i .	1	1	1	1

NBUNDL	ED NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhil	bit: B
											Svc	Svc	Incrementa	Incrementa	Incrementa	Increme
											Order	Order	I Charge -	I Charge -	I Charge -	
											Submitt	Submitte	Manual	Manual	Manual	Manua
TEGORY	RATE ELEMENTS	Inter	Zon	BCS	USOC		В.	TES (\$)			ed Elec	d	Svc Order		Svc Order	
IEGURI	RATE ELEMENTS	im	е	всэ	USUC		K.F	(1E9 (\$)					VS.	VS.	VS.	vs.
											per LSR	Manually	_	_		
												per LSR		Electronic-		
													1st	Add'l	Disc 1st	c-Disc
						Rec	Nonrec	urring	NRC Disc					Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
T																1
	4WVG Loop used with 4W VG Interoffice Transport Combination-Zone 2		2	UNCVX	UEAL4	38.58	131.97	94.51	59.14	14.50		15.66				
	,															
	4WVG Loop used with 4W VG Interoffice Transport Combination-Zone 3		3	UNCVX	UEAL4	60.02	131.97	94.51	59.14	14.50		15.66				
	Interoffice Transport-Dedicated-4W VG combination-Per mi Per mo			UNCVX	1L5XX	0.008838		0	00	1 1100		10.00				†
	Interoffice Transport-Dedicated-4W VG combination-Facility Term per			UNCVX	U1TV4	18.73	40.54	27.41	16.74	6.90		15.66				+
				UNCVX	UNCCC	10.73	5.59	5.59								+
	NRC Currently Combined Network Elements Switch -As-Is Charge				UNCCC		5.59	5.59	6.98	6.98		15.66				<del></del>
DS3 D	IGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFICE TR	ANSP	ORT (													
	High Capacity Unbundled Local Loop-DS3 combination-Per mi per mo			UNC3X	1L5ND	8.38										
	High Capacity Unbundled Local Loop-DS3 combination-Facility Term per															
	mo			UNC3X	UE3PX	308.98	451.52	263.94	119.49	83.58		15.66				
	Interoffice Transport-Dedicated-DS3-Per mi per mo			UNC3X	1L5XX	4.09										1
	Interoffice Transport-Dedicated-DS3 combination-Facility Term per mo			UNC3X	U1TF3	703.52	278.75	162.76	60.20	58.46		15.66				1
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC3X	UNCCC	700.02	5.59	5.59	6.98	6.98		15.66				1
CTC4	DIGITAL EXTENDED LOOP WITH DEDICATED STS1 INTEROFFICE 1	DANIC	POB		UNCCC		5.55	5.55	0.90	0.90		13.00				+
3131		KAN	SPUR													+
	High Capacity Unbundled Local Loop-STS1 combination-Per mi per mo			UNCSX	1L5ND	8.38										
	High Capacity Unbundled Local Loop-STS1 combination-Facility Term															
	per mo			UNCSX	UDLS1	319.83	451.52	263.94	119.49	83.58		15.66				
	Interoffice Transport-Dedicated-STS1 combination-Per mi per mo			UNCSX	1L5XX	4.09										
	Interoffice Transport-Dedicated-STS1 combination-Facility Term per mo			UNCSX	U1TFS	701.37	278.75	162.76	60.20	58.46		15.66				
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNCSX	UNCCC		5.59	5.59	6.98	6.98		15.66				†
2-WID	E ISDN EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPORT (EE	:1\		0.100/1	0.1000		0.00	0.00	0.00	0.00		10.00				+
Z-VVIIN	First 2W ISDN Loop in a DS1 Interoffice Combination Transport-Zone 1	.L,	1	UNCNX	U1L2X	21.88	117.24	79.77	52.88	10.54		15.66				+
-																+
	First 2W ISDN Loop in a DS1 Interoffice Combination Transport-Zone 2		2	UNCNX	U1L2X	32.85	117.24	79.77	52.88	10.54		15.66				
	First 2W ISDN Loop in a DS1 Interoffice Combination Transport-Zone 3		3	UNCNX	U1L2X	48.55	117.24	79.77	52.88	10.54		15.66				
	Interoffice Transport-Dedicated-DS1 combination-Per mi			UNC1X	1L5XX	0.18										
	Interoffice Transport-Dedicated-DS1 combintion-Facility Term per mo			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44		15.66				
	Channelization-Channel System DS1 to DS0 combination-per mo			UNC1X	MQ1	101.06	91.04	62.57	10.54	9.79		15.66				Ī
	2W ISDN COCI (BRITE)-DS1 to DS0 Channel System combination-per															1
	mo			UNCNX	UC1CA	2.41	6.58	4.72				15.66				
	Add'l 2W ISDN Loop in same DS1 interoffice Transport Combination-			0.10.0.	00.07		0.00	2				10.00				†
	Zone 1		1	UNCNX	U1L2X	21.88	117.24	79.77	52.88	10.54		15.66				
-	Add'l 2W ISDN Loop in same DS1 interoffice Transport Combination-			UNCINA	UILZA	21.00	117.24	19.11	32.00	10.54		13.00				+
	· · · · · · · · · · · · · · · · · · ·															
	Zone 2		2	UNCNX	U1L2X	32.85	117.24	79.77	52.88	10.54		15.66				
	Add'l 2W ISDN Loop in same DS1 interoffice Transport Combination-															
	Zone 3		3	UNCNX	U1L2X	48.55	117.24	79.77	52.88	10.54		15.66				
	2W ISDN COCI (BRITE)-DS1 to DS0 Channel System combintaion-per															
	mo			UNCNX	UC1CA	2.41	6.58	4.72								
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		5.59	5.59	6.98	6.98		15.66				1
4-WIR	E DS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 INTERO	FFICE	TRA													†
7 *****	First DS1 Loop in STS1 Interoffice Transport Combination-Zone 1		1	UNC1X	USLXX	82.55	252.47	157.54	44.70	11.71		15.66				+
+	First DS1 Loop in STS1 Interoffice Transport Combination-Zone 2		2	UNC1X	USLXX	154.18	252.47	157.54	44.70	11.71	-	15.66	-	1	1	+
+			3										-	<b> </b>	<b> </b>	+
-	First DS1 Loop in STS1 Interoffice Transport Combination-Zone 3		3	UNC1X	USLXX	314.52	252.47	157.54	44.70	11.71		15.66	-	1	1	4
1	Interoffice Transport-Dedicated-STS1 combination-Per mi Per mo			UNCSX	1L5XX	4.09								ļ	ļ	4
	Interoffice Transport-Dedicated-STS1 combination-Facility Term			UNCSX	U1TFS	701.37	278.75	162.76	60.20	58.46		15.66				
	STS1 to DS1 Channel System conbination per mo			UNCSX	MQ3	166.13	178.14	93.97	33.26	31.83		15.66				
	DS3 Interface Unit (DS1 COCI) combination per mo			UNC1X	UC1D1	12.70	6.58	4.72								1
	Add'l DS1Loop in STS1 Interoffice Transport Combination-Zone 1		1	UNC1X	USLXX	82.55	252.47	157.54	44.70	11.71		15.66				1
1	Add'l DS1Loop in STS1 Interoffice Transport Combination-Zone 2		2	UNC1X	USLXX	154.18	252.47	157.54	44.70	11.71		15.66	1		1	1
+	Add'l DS1Loop in STS1 Interoffice Transport Combination-Zone 3		3	UNC1X	USLXX	314.52	252.47	157.54	44.70	11.71		15.66	1	1	1	+
				UNCIA	USLAX	314.02	202.47	107.04	44./0	11.71	ı	10.00			1	1

IADOIAL	DLED NETWORK ELEMENTS - Alabama												Attachr	nent: 2	Exhib	it: B
											Svc Order Submitt	Svc Order Submitte	Incrementa I Charge - Manual	Incrementa I Charge - Manual	Incrementa I Charge - Manual	Incremer al Charge Manual
ATEGOR	RY RATE ELEMENTS	Inter im	Zon e	BCS	USOC		RA	TES (\$)			ed Elec	d Manually	Svc Order vs. Electronic-	Svc Order vs. Electronic-	Svc Order vs. Electronic-	Svc Orde vs. Electron
													1st	Add'l	Disc 1st	c-Disc
						Rec	Nonrec	,	NRC Disc					Rates (\$)	_	-
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
4 100	NRC Currently Combined Network Elements Switch -As-Is Charge			UNCSX	UNCCC	+	5.59	5.59	6.98	6.98		15.66				
4-vv	IRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS INTEROFFICE	IKA	NSPO		UDL56	00.00	126.27	00.00	50.44	14.50		45.00				
	4W 56 kbps Loop/4W 56 kbps Interoffice Transport Combination-Zone 1		1	UNCDX	UDL56	26.09 35.95		88.80 88.80	59.14 59.14	14.50		15.66 15.66				
_	4W 56 kbps Loop/4W 56 kbps Interoffice Transport Combination-Zone 2		2	UNCDX			126.27									
_	4W 56 kbps Loop/4W 56 kbps Interoffice Transport Combination-Zone 3		3	UNCDX UNCDX	UDL56 1L5XX	37.88 0.008838	126.27	88.80	59.14	14.50		15.66				
	Interoffice Transport-Dedicated-4W 56 kbps combination-Per mi Interoffice Transport-Dedicated-4W 56 kbps combination-Facility Term			UNCDX	U1TD5	15.12	40.54	27.41	16.74	6.90		15.66				
_	NRC Currently Combined Network Elements Switch -As-Is Charge			UNCDX	UNCCC	15.12	5.59	5.59	6.98	6.98		15.66				
4 197					UNCCC		5.59	5.59	6.98	6.98		15.66				
4-VV	IRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTEROFFICE	IKA	NSPO	RI (EEL)	+											
	4W 64 kbps Loop/4W 64 kbps Interoffice Transport Combination-Zone 1		1	UNCDX	UDL64	26.09	126.27	88.80	59.14	14.50		15.66				
	4W 64 kbps Loop/4W 64 kbps Interoffice Transport Combination-Zone 2		2	UNCDX	UDL64	35.95	126.27	88.80	59.14	14.50		15.66				
	4W 64 kbps Loop/4W 64 kbps Interoffice Transport Combination-Zone 3		3	UNCDX	UDL64	37.88	126.27	88.80	59.14	14.50		15.66				
	Interoffice Transport-Dedicated-4W 64 kbps combination-Per mi			UNCDX	1L5XX U1TD6	0.008838	40.54	27.41	40.74	6.90		45.00				
	Interoffice Transport-Dedicated-4W 64 kbps combination-Facility Term			UNCDX		15.12			16.74			15.66				
VITION	NRC Currently Combined Network Elements Switch -As-Is Charge			UNCDX	UNCCC		5.59	5.59	6.98	6.98		15.66				
_	IAL NETWORK ELEMENTS		Ļ!													
	en used as a part of a currently combined facility, the non-recurring cha															
	en used as ordinarily combined network elements in All States, the nor recurring Currently Combined Network Elements "Switch As Is" Charc					AS IS Charge o	oes not.									
Non	NRC Currently Combined Network Elements "Switch As Is" Charge-	je (Ur	ie app	nies to each combi	nation)											
	2W/4W VG			UNCVX	UNCCC		5.59	5.59	6.98	6.98		15.66				
	NRC Currently Combined Network Elements Switch -As-Is Charge-56/64 kbps			UNCDX	UNCCC		5.59	5.59	6.98	6.98		15.66				
	NRC Currently Combined Network Elements Switch -As-Is Charge-DS1			UNC1X	UNCCC		5.59	5.59	6.98	6.98		15.66				
	NRC Currently Combined Network Elements Switch -As-Is Charge-DS3			UNC3X	UNCCC		5.59	5.59	6.98	6.98		15.66				
+	NRC Currently Combined Network Elements Switch -As-Is Charge-STS1			UNCSX	UNCCC		5.59	5.59	6.98	6.98		15.66				
NOT	FE: Local Channel - Dedicated Transport - minimum billing period - Be	low D	63-0			months	3.33	5.55	0.50	0.50		13.00				
NOI	Local Channel-Dedicated -2W VG	OW D	33=0	UNCVX	ULDV2	13.97	193.10	33.17	36.64	3.20		15.66				
-	Local Channel-Dedicated 2VV VG			UNCVX	ULDV4	14.93	193.53	33.60	37.11	3.67		15.66				
	Local Channel-Dedicated-4W VG  Local Channel-Dedicated-DS1 per mo Zone 1		1	UNC1X	ULDF1	35.76	177.47	153.72	22.19	15.26		15.66				
	Local Channel-Dedicated -DS1 Per mo Zone 2		_					153.72	22.19	15.26		15.66				
-				LINIC1Y		40.08	177 /7		22.13							
			2	UNC1X	ULDF1	49.98 107.63	177.47		22 10	15 26		15.66				
	Local Channel-Dedicated-DS1-Per mo Zone 3		3	UNC1X	ULDF1	107.63	177.47 177.47	153.72	22.19	15.26		15.66				
	Local Channel-Dedicated-DS1-Per mo Zone 3 Local Channel-Dedicated-DS3-Per mi per mo			UNC1X UNC3X	ULDF1 1L5NC	107.63 6.92	177.47	153.72								
	Local Channel-Dedicated-DS1-Per mo Zone 3 Local Channel-Dedicated-DS3-Per mi per mo Local Channel-Dedicated-DS3-Facility Term			UNC1X UNC3X UNC3X	ULDF1 1L5NC ULDF3	107.63 6.92 416.54			22.19 119.49	15.26 83.58		15.66 15.66				
	Local Channel-Dedicated-DS1-Per mo Zone 3 Local Channel-Dedicated-DS3-Per mi per mo Local Channel-Dedicated-DS3-Facility Term Local Channel-Dedicated-STS-1-Per mi per mo			UNC1X UNC3X UNC3X UNCSX	ULDF1 1L5NC ULDF3 1L5NC	107.63 6.92 416.54 6.92	177.47 451.52	153.72 263.94	119.49	83.58		15.66				
Min	Local Channel-Dedicated-DS1-Per mo Zone 3 Local Channel-Dedicated-DS3-Per mi per mo Local Channel-Dedicated-DS3-Facility Term Local Channel-Dedicated-STS-1-Per mi per mo Local Channel-Dedicated-STS-1-Facility Term			UNC1X UNC3X UNC3X	ULDF1 1L5NC ULDF3	107.63 6.92 416.54	177.47	153.72								
	Local Channel-Dedicated-DS1-Per mo Zone 3 Local Channel-Dedicated-DS3-Per mi per mo Local Channel-Dedicated-DS3-Facility Term Local Channel-Dedicated-STS-1-Per mi per mo Local Channel-Dedicated-STS-1-Facility Term	am am	3	UNC1X UNC3X UNC3X UNCSX UNCSX	ULDF1 1L5NC ULDF3 1L5NC	107.63 6.92 416.54 6.92	177.47 451.52	153.72 263.94	119.49	83.58		15.66				
NOT	Local Channel-Dedicated-DS1-Per mo Zone 3 Local Channel-Dedicated-DS3-Per mi per mo Local Channel-Dedicated-DS3-Facility Term Local Channel-Dedicated-STS-1-Per mi per mo Local Channel-Dedicated-STS-1 -Facility Term TIPLEXERS TE: minimum billing period is one month for DS1 to DS0 Channel Syste		3 and inte	UNC1X UNC3X UNC3X UNCSX UNCSX UNCSX	ULDF1 1L5NC ULDF3 1L5NC ULDFS	107.63 6.92 416.54 6.92	177.47 451.52	153.72 263.94	119.49	83.58		15.66				
NOT	Local Channel-Dedicated-DS1-Per mo Zone 3 Local Channel-Dedicated-DS3-Per mi per mo Local Channel-Dedicated-DS3-Facility Term Local Channel-Dedicated-STS-1-Per mi per mo Local Channel-Dedicated-STS-1 -Facility Term LTIPLEXERS TE: minimum billing period is one month for DS1 to DS0 Channel Systems with the control of the		3 and inte	UNC1X UNC3X UNC3X UNCSX UNCSX UNCSX erfaces extern and interface	ULDF1 1L5NC ULDF3 1L5NC ULDFS	107.63 6.92 416.54 6.92 408.49	177.47 451.52 451.52	153.72 263.94 263.94	119.49	83.58		15.66				
NOT	Local Channel-Dedicated-DS1-Per mo Zone 3 Local Channel-Dedicated-DS3-Per mi per mo Local Channel-Dedicated-DS3-Facility Term Local Channel-Dedicated-STS-1-Per mi per mo Local Channel-Dedicated-STS-1-Facility Term LTIPLEXERS  TE: minimum billing period is one month for DS1 to DS0 Channel System TE: minimum billing period is three months for DS3 to DS1 and above to Channelization-DS1 to DS0 Channel System		3 and inte	UNC1X UNC3X UNC3X UNCSX UNCSX UNCSX erfaces stem and interface UXTD1	ULDF1 1L5NC ULDF3 1L5NC ULDFS ULDFS	107.63 6.92 416.54 6.92 408.49	177.47 451.52 451.52 91.04	153.72 263.94 263.94 62.57	119.49	83.58		15.66 15.66				
NOT	Local Channel-Dedicated-DS1-Per mo Zone 3 Local Channel-Dedicated-DS3-Per mi per mo Local Channel-Dedicated-DS3-Facility Term Local Channel-Dedicated-STS-1-Per mi per mo Local Channel-Dedicated-STS-1-Facility Term Local Channel-Dedicated-STS-1-Facility Term LTIPLEXERS TE: minimum billing period is one month for DS1 to DS0 Channel System Channelization-DS1 to DS0 Channel System OCU-DP COCI (data)-DS1 to DS0 Channel System-per mo (2.4-64kbs)		3 and inte	UNC1X UNC3X UNC3X UNCSX UNCSX UNCSX UNCSX UNCSX UNCSX UNCSX UNCSX UNCSX UNCSX UNCSX UNCDI UNCDI UNTD1 UDL	ULDF1 1L5NC ULDF3 1L5NC ULDFS ULDFS  MQ1 1D1DD	107.63 6.92 416.54 6.92 408.49 101.06 1.12	451.52 451.52 451.52 91.04 6.58	153.72 263.94 263.94 62.57 4.72	119.49	83.58		15.66 15.66 15.66				
NOT	Local Channel-Dedicated-DS1-Per mo Zone 3 Local Channel-Dedicated-DS3-Per mi per mo Local Channel-Dedicated-DS3-Facility Term Local Channel-Dedicated-STS-1-Per mi per mo Local Channel-Dedicated-STS-1-Per mi per mo Local Channel-Dedicated-STS-1-Facility Term LTIPLEXERS TE: minimum billing period is one month for DS1 to DS0 Channel Syste TE: minimum billing period is three months for DS3 to DS1 and above ( Channelization-DS1 to DS0 Channel System OCU-DP COCI (data)-DS1 to DS0 Channel System-per mo (2.4-64kbs) 2W ISDN COCI (BRITE)-DS1 to DS0 Channel Systsem-per mo		3 and inte	UNC1X UNC3X UNC3X UNCSX UNCSX UNCSX erfaces stem and interface UXTD1 UDL UDN	ULDF1 1L5NC ULDF3 1L5NC ULDFS  1L5NC ULDFS  MQ1 1D1DD UC1CA	107.63 6.92 416.54 6.92 408.49 101.06 1.12 2.41	177.47 451.52 451.52 91.04 6.58 6.58	153.72 263.94 263.94 62.57 4.72 4.72	119.49	83.58		15.66 15.66 15.66 15.66 15.66				
NOT	Local Channel-Dedicated-DS1-Per mo Zone 3 Local Channel-Dedicated-DS3-Per mi per mo Local Channel-Dedicated-DS3-Facility Term Local Channel-Dedicated-STS-1-Per mi per mo Local Channel-Dedicated-STS-1-Per mi per mo Local Channel-Dedicated-STS-1-Facility Term  TIPLEXERS  TE: minimum billing period is one month for DS1 to DS0 Channel Syste TE: minimum billing period is three months for DS3 to DS1 and above to Channelization-DS1 to DS0 Channel System OCU-DP COCI (data)-DS1 to DS0 Channel System-per mo (2.4-64kbs)  ZW ISDN COCI (BRITE)-DS1 to DS0 Channel Systsem-per mo VG COCI-DS1 to DS0 Channel System-per mo		3 and inte	UNC1X UNC3X UNC3X UNCSX UNCSX UNCSX  Prfaces Stem and interface UXTD1 UDL UDN UEA	ULDF1 1L5NC ULDF3 1L5NC ULDFS  ULDFS  MQ1 1D1DD UC1CA 1D1VG	107.63 6.92 416.54 6.92 408.49 101.06 1.12 2.41 0.53	177.47 451.52 451.52 451.52 91.04 6.58 6.58 6.58	153.72 263.94 263.94 62.57 4.72 4.72 4.72	119.49 119.49 10.54	83.58 83.58 9.79		15.66 15.66 15.66 15.66 15.66				
NOT	Local Channel-Dedicated-DS1-Per mo Zone 3 Local Channel-Dedicated-DS3-Per mi per mo Local Channel-Dedicated-DS3-Facility Term Local Channel-Dedicated-STS-1-Per mi per mo Local Channel-Dedicated-STS-1-Per mi per mo Local Channel-Dedicated-STS-1 -Facility Term LTIPLEXERS TE: minimum billing period is one month for DS1 to DS0 Channel Syste TE: minimum billing period is three months for DS3 to DS1 and above to Channelization-DS1 to DS0 Channel System OCU-DP COCI (data)-DS1 to DS0 Channel System-per mo (2.4-64kbs) 2W ISDN COCI (BRITE)-DS1 to DS0 Channel System-per mo USG COCI-DS1 to DS0 Channel System-per mo DS3 to DS1 Channel System per mo		3 and inte	UNC1X UNC3X UNC3X UNCSX UNCSX UNCSX erfaces stem and interface UXTD1 UDL UDN UEA UXTD3	ULDF1 1L5NC ULDF3 1L5NC ULDFS  MQ1 1D1DD UC1CA 1D1VG MQ3	107.63 6.92 416.54 6.92 408.49 101.06 1.12 2.41 0.53 166.13	177.47 451.52 451.52 451.52 91.04 6.58 6.58 6.58 178.14	153.72 263.94 263.94 62.57 4.72 4.72 4.72 93.97	119.49 119.49 10.54	83.58 83.58 9.79		15.66 15.66 15.66 15.66 15.66 15.66				
NOT	Local Channel-Dedicated-DS1-Per mo Zone 3 Local Channel-Dedicated-DS3-Per mi per mo Local Channel-Dedicated-DS3-Facility Term Local Channel-Dedicated-STS-1-Per mi per mo Local Channel-Dedicated-STS-1-Per mi per mo Local Channel-Dedicated-STS-1 -Facility Term TIPLEXERS  TE: minimum billing period is one month for DS1 to DS0 Channel Syster E: minimum billing period is three months for DS3 to DS1 and above Channelization-DS1 to DS0 Channel System OCU-DP COCI (data)-DS1 to DS0 Channel System-per mo (2.4-64kbs) 2W ISDN COCI (BRITE)-DS1 to DS0 Channel System-per mo UG COCI-DS1 to DS0 Channel System-per mo DS3 to DS1 Channel System per mo STS1 to DS1 Channel System per mo		3 and inte	UNC1X UNC3X UNC3X UNCSX UNCSX UNCSX erfaces Extern and interface UXTD1 UDL UDN UEA UXTD3 UXTS1	ULDF1 1L5NC ULDF3 1L5NC ULDFS  MQ1 1D1DD UC1CA 1D1VG MQ3 MQ3	107.63 6.92 416.54 6.92 408.49 101.06 1.12 2.41 0.53 166.13	177.47 451.52 451.52 451.52 91.04 6.58 6.58 6.58 178.14 178.14	153.72 263.94 263.94 62.57 4.72 4.72 93.97 93.97	119.49 119.49 10.54	83.58 83.58 9.79		15.66 15.66 15.66 15.66 15.66 15.66 15.66				
NOT	Local Channel-Dedicated-DS1-Per mo Zone 3 Local Channel-Dedicated-DS3-Per mi per mo Local Channel-Dedicated-DS3-Facility Term Local Channel-Dedicated-STS-1-Per mi per mo Local Channel-Dedicated-STS-1-Per mi per mo Local Channel-Dedicated-STS-1 -Facility Term LTIPLEXERS TE: minimum billing period is one month for DS1 to DS0 Channel Syste TE: minimum billing period is three months for DS3 to DS1 and above to Channelization-DS1 to DS0 Channel System OCU-DP COCI (data)-DS1 to DS0 Channel System-per mo (2.4-64kbs) 2W ISDN COCI (BRITE)-DS1 to DS0 Channel System-per mo USG COCI-DS1 to DS0 Channel System-per mo DS3 to DS1 Channel System per mo		3 and inte	UNC1X UNC3X UNC3X UNCSX UNCSX UNCSX erfaces stem and interface UXTD1 UDL UDN UEA UXTD3	ULDF1 1L5NC ULDF3 1L5NC ULDFS  MQ1 1D1DD UC1CA 1D1VG MQ3	107.63 6.92 416.54 6.92 408.49 101.06 1.12 2.41 0.53 166.13	177.47 451.52 451.52 451.52 91.04 6.58 6.58 6.58 178.14	153.72 263.94 263.94 62.57 4.72 4.72 4.72 93.97	119.49 119.49 10.54	83.58 83.58 9.79		15.66 15.66 15.66 15.66 15.66 15.66				

NBONDL	ED NETWORK ELEMENTS - Alabama		-			1					_			ment: 2	Exhib	
CATEGORY	RATE ELEMENTS	Inter im	Zon e	BCS	USOC		R/	ATES (\$)			Svc Order Submitt ed Elec per LSR	Svc Order Submitte d Manually per LSR	I Charge - Manual Svc Order vs.	Incrementa I Charge - Manual Svc Order vs. Electronic- Add'I	I Charge - Manual Svc Order vs.	al Charge Manual Svc Orde vs.
						Rec	Nonrec	urring	NRC Disc	onnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Sub-L	oop Feeder															
	Unbundled Sub-Loop Feeder Loop, 4W DS1-Zone 1		1	UNC1X	USBFG	55.09	101.85	64.38	62.05	17.40						
	Unbundled Sub-Loop Feeder Loop, 4W DS1-Zone 2		2	UNC1X	USBFG	124.69	101.85	64.38	62.05	17.40						
	Unbundled Sub-Loop Feeder Loop, 4W DS1-Zone 3		3	UNC1X	USBFG	294.62	101.85	64.38	62.05	17.40						
INBLINDI E	D LOCAL EXCHANGE SWITCHING(PORTS)		Ť	ONOTA	CODIC	201.02	101.00	04.00	02.00	17.40						
	ange Ports					1										+
	inge Forts :: Although the Port Rate includes all available features in GA, KY, LA	O TAI	46.0	desired feetures wil	   naad ta b									-		+
		C IIV	, the	desired reatures wil	i need to b	e ordered usin	g retail 050	US .								
2-WIR	RE VOICE GRADE LINE PORT RATES (RES)			LIEDOD	HEDD:	1.55	0.00	0.0-	4 10	4.00		45.60	-	<del>                                     </del>	-	+
	Exchange Ports-2W Analog Line Port-Res.			UEPSR	UEPRL	1.38	2.38	2.27	1.42	1.33		15.66		1		₩
	Exchange Ports-2W Analog Line Port with Caller ID-Res.			UEPSR	UEPRC	1.38	2.38	2.27	1.42	1.33		15.66				
	Exchange Ports-2W Analog Line Port outgoing only-Res.			UEPSR	UEPRO	1.38	2.38	2.27	1.42	1.33		15.66				
	Exchange Ports-2W VG unbundled AL extended local dialing parity Port															
	with Caller ID-Res.			UEPSR	UEPAR	1.38	2.38	2.27	1.42	1.33		15.66				
	Exchange Ports-2W VG unbundled res, low usage line port with Caller ID															
	(LUM)			UEPSR	UEPAP	1.38	2.38	2.27	1.42	1.33		15.66				
	Exchange Ports-2W VG AL Res Dialing Plan w/o Caller Id			UEPSR	UEPWA	1.38	2.38	2.27	1.42	1.33		15.66				
	2W voice unbundled Low Usage Line Port w/o Caller ID Capability			UEPSR	UEPRT	1.38	2.38	2.27	1.42	1.33		15.66				1
	Subsgnt Activity			UEPSR	USASC	0.00	0.00	0.00		1.00		15.66				
EEAT	URES			OLI OIL	OUAGO	0.00	0.00	0.00				13.00				+
ILAI	All Available Vertical Features			UEPSR	UEPVF	1.98	0.00	0.00				15.66				+
0.14/15	RE VOICE GRADE LINE PORT RATES (BUS)			UEFSK	UEFVF	1.90	0.00	0.00				15.00				+
Z-WIR				LIEDOD	LIEDDI	1.38	0.00	0.07	1 10	4.00		45.00				+
	Exchange Ports-2W Analog Line Port w/o Caller ID-Bus			UEPSB	UEPBL	1.38	2.38	2.27	1.42	1.33		15.66				
	Exchange Ports-2W VG unbundled Line Port with unbundled port with															
	Caller+E484 ID-Bus.			UEPSB	UEPBC	1.38	2.38	2.27	1.42	1.33		15.66				
	Exchange Ports-2W Analog Line Port outgoing only-Bus.			UEPSB	UEPBO	1.38	2.38	2.27	1.42	1.33		15.66				
	Exchange Ports-2W VG unbundled AL extended local dialing parity Port															
	with Caller ID-Bus.			UEPSB	UEPAW	1.38	2.38	2.27	1.42	1.33		15.66				
	Exhange Ports-2W VG unbundled incoming only port with Caller ID-Bus			UEPSB	UEPB1	1.38	2.38	2.27	1.42	1.33		15.66				
	Exchange Ports-2W Voice AL bus Dialing Plan w/o Caller ID			UEPSB	UEPWB	1.38	2.38	2.27	1.42	1.33		15.66				
	2W voice unbundled Incoming Only Port w/o Caller ID Capability			UEPSB	UEPBE	1.38	2.38	2.27	1.42	1.33		15.66				
	Subsqnt Activity			UEPSB	USASC	0.00	0.00	0.00				15.66				
FEAT	URES															
	All Available Vertical Features			UEPSB	UEPVF	1.98	0.00	0.00				15.66				1
EXCH	ANGE PORT RATES (DID & PBX)			OLI OD	OL: VI	1.00	0.00	0.00				10.00				
LAGII	2W VG Unbundled 2-Way PBX Trunk-Res			UEPSE	UEPRD	1.38	31.27	14.85	13.94	0.90		15.66				+
	2W VG Line Side Unbundled 2-Way PBX Trunk-Res			UEPSP	UEPPC	1.38	31.27	14.85	13.94	0.90		15.66		-		+
-	2W VG Line Side Unbundled Outward PBX Trunk-Bus			UEPSP	UEPPO	1.38	31.27	14.85	13.94	0.90		15.66	-	<del>                                     </del>	-	+
	2W VG Line Side Unbundled Incoming PBX Trunk-Bus			UEPSP	UEPP1	1.38	31.27	14.85	13.94	0.90	<b></b>	15.66		-		<b>├</b>
	2W Analog Long Distance Terminal PBX Trunk-Bus			UEPSP	UEPLD	1.38	31.27	14.85	13.94	0.90		15.66				
	2W Voice Unbundled 2-Way PBX AL Calling Port			UEPSP	UEPA2	1.38	31.27	14.85	13.94	0.90		15.66				
	2W Voice Unbundled PBX LD Terminal Ports			UEPSP	UEPLD	1.38	31.27	14.85	13.94	0.90		15.66				
	2W Vice Unbundled 2-Way PBX Usage Port			UEPSP	UEPXA	1.38	31.27	14.85	13.94	0.90		15.66				
	2W Voice Unbundled PBX Toll Terminal Hotel Ports			UEPSP	UEPXB	1.38	31.27	14.85	13.94	0.90		15.66	<u> </u>		<u> </u>	<u></u>
	2W Voice Unbundled PBX LD DDD Terminals Port			UEPSP	UEPXC	1.38	31.27	14.85	13.94	0.90		15.66				
	2W Voice Unbundled PBX LD Terminal Switchboard Port			UEPSP	UEPXD	1.38	31.27	14.85	13.94	0.90		15.66				
	2W Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPSP	UEPXE	1.38	31.27	14.85	13.94	0.90		15.66	1		1	
$\neg$	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative												İ	1	İ	1
	Calling Port			UEPSP	UEPXL	1.38	31.27	14.85	13.94	0.90		15.66		1		
-	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling			J 0i	0 L 1 / L	1.00	01.27	14.00	10.04	3.00	1	10.00		<b>I</b>		<del></del>
1	Port			UEPSP	UEPXM	1.38	31.27	14.85	13.94	0.90		15.66	1	1	1	1

Version 4Q02: 01/21/03 Page 19 of 402

UNE	UNDL	ED NETWORK ELEMENTS - Alabama												Attachi	ment: 2	Exhib	it: B
												Svc Order	Svc Order		Incrementa I Charge -	Incrementa	Increment al Charge
													Submitte	I Charge - Manual	Manual	I Charge - Manual	Manual
CATI	GORY	RATE ELEMENTS	Inter		BCS	USOC		R.A	ATES (\$)			ed Elec	d			Svc Order	Svc Order
			ım	е								per LSR	Manually		vs.	vs.	vs.
													per LSR			Electronic-	
														1st	Add'l	Disc 1st	c-Disc
				-			Rec	Nonrec		NRC Disc		COMEC	COMAN		Rates (\$)	COMAN	COMAN
-		2W Vaice Unbundled 1 Way Outgoing DDV Hetal/Heapital Discount	+	1				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2W Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port			UEPSP	UEPXO	1.38	31.27	14.85	13.94	0.90		15.66				
		2W Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPSP	UEPXS	1.38	31.27	14.85	13.94	0.90		15.66				
		Subsqnt Activity			UEPSP	USASC	0.00	0.00	0.00	10.01	0.00		15.66				
	FEAT				9 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -		3.55	5.00									
		All Available Vertical Features			UEPSP UEPSE	UEPVF	1.98	0.00	0.00				15.66				
	EXCH.	ANGE PORT RATES (COIN)															
		Exchange Ports-Coin Port					1.38	2.38	2.27	1.42	1.33		15.66				
		Transmission/usage charges associated with POTS circuit switch												ith 2W ISDN	ports.		
		Access to B Channel or D Channel Packet capabilities will be available	ilable	only t	hrough BFR/NBR Pr	ocess. Ra	tes for the pac	ket capabiliti	es will be d	etermined v	ia the BF	R/NBR Pi	ocess.				
UNB		D LOCAL EXCHANGE SWITCHING(PORTS)															
		ANGE PORT RATES															
		Exchange Ports-2W DID Port			UEPEX	UEPP2	8.05	119.31	18.74	59.90	3.76		15.66				
		Exchange Ports-DDITS Port-4W DS1 Port with DID capability		1	UEPDD	UEPDD	60.09	202.02	95.69	72.59	2.46		15.66				
		Exchange Ports-2W ISDN Port (See Notes below.)			UEPTX UEPSX	U1PMA	9.79	72.77	52.99	47.79	10.74		15.66				
		All Features Offered			UEPTX UEPSX	UEPVF	1.98	0.00	0.00								

JNBUNDI	LED NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhib	oit: B
											Svc	Svc	Incrementa	Incrementa	Incrementa	Increme
											Order	Order	I Charge -	I Charge -	I Charge -	
											Submitt	Submitte	Manual	Manual	Manual	Manua
	, DATE EL EMENTO	Inter 2	Zon	500				TEO (A)								
CATEGORY	RATE ELEMENTS		e	BCS	USOC		RA	ATES (\$)			ed Elec	d	Svc Order	Svc Order	Svc Order	
			•								per LSR	Manually	vs.	vs.	vs.	vs.
												per LSR	Electronic-	Electronic-	Electronic-	
													1st	Add'l	Disc 1st	c-Disc
							Nonrec	urring	NRC Disc	onnect			220	Rates (\$)		
			-			Rec	First	Add'l			SOMEC	SOMAN	SOMAN		SOMAN	SOMAN
NOT	. Tiii			II alaa amulu ta alaa		-l!									SOWAN	SOWA
	: Transmission/usage charges associated with POTS circuit switche												Ith ZW ISDN	ports.		<del> </del>
NOTE	: Access to B Channel or D Channel Packet capabilities will be avail	able on	11y tr						eterminea v	ia the Bi	K/NBK P	rocess.				
	Exchange Ports-2W ISDN Port Channel Profiles			UEPTX UEPSX	U1UMA	0.00	0.00	0.00								
	Exchange Ports-4W ISDN DS1 Port			UEPEX	UEPEX	84.32	203.81	101.56	79.18	20.06		15.66				
UNB	JNDLED PORT with REMOTE CALL FORWARDING CAPABILITY															
	JNDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE															†
UND.	Unbundled Remote Call Forwarding Service, Area Calling, Res		-	UEPVR	UERAC	1.38	2.38	2.27	1.42	1.33		15.66				+
		-														
	Unbundled Remote Call Forwarding Service, Local Calling-Res	1		UEPVR	UERLC	1.38	2.38	2.27	1.42	1.33		15.66	-	-	ļ	<del></del>
	Unbundled Remote Call Forwarding Service, InterLATA-Res			UEPVR	UERTE	1.38	2.38	2.27	1.42	1.33		15.66			ļ	<u> </u>
	Unbundled Remote Call Forwarding Service, IntraLATA-Res			UEPVR	UERTR	1.38	2.38	2.27	1.42	1.33		15.66	<u> </u>	<u> </u>	<u> </u>	<u> </u>
Non-	Recurring															T
	Unbundled Remote Call Forwarding Service -Conversion-Switch-as-is			UEPVR	USAC2		0.10	0.10	İ			15.66	1	1	İ	
	Unbundled Remote Call Forwarding Service -Conversion with allowed			02. 7.1	00,102		0.10	0.10				10.00				1
	· ·			LIEDVO			0.40	0.40				45.00				
	change (PIC & LPIC)	<b></b>		UEPVR	USACC		0.10	0.10				15.66				
UNB	JNDLED REMOTE CALL FORWARDING - Bus															
	Unbundled Remote Call Forwarding Service, Area Calling-Bus			UEPVB	UERAC	1.38	2.38	2.27	1.42	1.33		15.66				
	Unbundled Remote Call Forwarding Service, Local Calling-Bus			UEPVB	UERLC	1.38	2.38	2.27	1.42	1.33		15.66				
	Unbundled Remote Call Forwarding Service, InterLATA-Bus			UEPVB	UERTE	1.38	2.38	2.27	1.42	1.33		15.66				
-	Unbundled Remote Call Forwarding Service, IntraLATA-Bus			UEPVB	UERTR	1.38	2.38	2.27	1.42	1.33		15.66	-	-		+
	ů ,	-		OLFVD	OLIVIN	1.50	2.30	2.21	1.42	1.00		13.00	-	-		+
	Unbundled Remote Call Forwarding Service Expanded & Exception															
	Local Calling			UEPVB	UERVJ	1.38	2.38	2.27	1.42	1.33		15.66				
Non-	Recurring															
	Unbundled Remote Call Forwarding Service-Conversion-Switch-as-is			UEPVB	USAC2		0.10	0.10				15.66				
	Unbundled Remote Call Forwarding Service -Conversion with allowed															
	change (PIC & LPIC)			UEPVB	USACC		0.10	0.10				15.66				
INBLINDLE	ED LOCAL SWITCHING, PORT USAGE			02. 12	00/100		0.10	0.10				10.00				<del></del>
		<del>                                     </del>														+
Ena	Office Switching (Port Usage)	-														<del> </del>
	End Office Switching Function, Per MOU					0.0007025										
	End Office Trunk Port-Shared, Per MOU					0.0001638										
Tand	em Switching (Port Usage) (Local or Access Tandem)															
	Tandem Switching Function Per MOU					0.000095										
	Tandem Trunk Port-Shared, Per MOU					0.0002015										
Com	mon Transport					0.00020.0							-			+
Com		-				0.0000000							-	-		+
	Common Transport-Per mi, Per MOU	<b></b>				0.0000023										
	Common Transport-Facilities Term Per MOU					0.0003224										
INBUNDLE	ED PORT/LOOP COMBINATIONS - COST BASED RATES															
Cost	Based Rates are applied where BellSouth is required by FCC and/or (	Commis	ssio	n rule to provide Un	bundled L	ocal Switching	or Switch P	orts.								
	res shall apply to the Unbundled Port/Loop Combination - Cost Base								ndled Port	section o	f this Exh	ibit.				
	Office & Tandem Switching Usage & Common Transport Usage rates												rt/Loon Con	hinations		<del></del>
														ibiliations.		+
	irst & add'I Port NRC charges apply to Not Currently Combined Com	JUS. FO	ır Cü	mentry combined C	UTIDOS THE	INKO CHarges	siiaii be tho	se luentified	in the NRC	- curren	uy comb	meu sectio	JIIS.	<del>                                     </del>	1	+
	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)	$\sqcup$														4
UNE	Port/Loop Combination Rates								]						ļ	1
	2W VG Loop/Port Combo-Zone 1		1			12.70								<u> </u>		<u> </u>
	2W VG Loop/Port Combo-Zone 2		2			21.19										T
	2W VG Loop/Port Combo-Zone 3		3			34.80			İ				1	1	İ	
LIMIT	Loop Rates	<del>     </del>	Ŭ			54.00			<del> </del>				t	t	<del>                                     </del>	+
UNE		<del>     </del>	_	HEDDY	LIEDLY	44.55			-				-	<del></del>	-	+
	2W VG Loop (SL1)-Zone 1		1	UEPRX	UEPLX	11.55										
	2W VG Loop (SL1)-Zone 2		2	UEPRX	UEPLX	20.04										
	2W VG Loop (SL1)-Zone 3		3	UEPRX	UEPLX	33.65			<u> </u>					<u></u>	L	<u> </u>
2-Wir	e Voice Grade Line Port Rates (Res)						•									
1	2W voice unbundled port-Res			UEPRX	UEPRL	1.15	40.19	19.83	24.91	6.63		15.66			İ	1

<u>NBO</u> NDL	ED NETWORK ELEMENTS - Alabama												Attachi	ment: 2	Exhib	it: B
											Svc Order Submitt	Svc Order Submitte	I Charge -	Incrementa I Charge - Manual	Incrementa I Charge - Manual	Increme al Charç Manua
TEGORY	RATE ELEMENTS	Inter im	Zon e	BCS	usoc		RA	TES (\$)			ed Elec per LSR	d Manually per LSR	Svc Order vs. Electronic- 1st	Svc Order vs. Electronic- Add'l	Svc Order vs. Electronic- Disc 1st	Svc Ord vs. Electron c-Disc
			t t				Nonrec	urring	NRC Disc	onnect		1	oss	Rates (\$)	l	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAI
	2W voice unbundled port with Caller ID-res			UEPRX	UEPRC	1.15	40.19	19.83	24.91	6.63		15.66				1
	2W voice unbundled port outgoing only-res			UEPRX	UEPRO	1.15	40.19	19.83	24.91	6.63		15.66				
	2W VG unbundled AL extended local dialing parity port with Caller ID-res			UEPRX	UEPAR	1.15	40.19	19.83	24.91	6.63		15.66				
	2W voice unbundles res, low usage line port with Caller ID (LUM)			UEPRX	UEPAP	1.15	40.19	19.83	24.91	6.63		15.66				
	2W Voice Unbundled AL Res Dialing Plan w/o Caller ID			UEPRX	UEPWA	1.15	40.19	19.83	24.91	6.63		15.66				
	2W voice unbundled Low Usage Line Port w/o Caller ID Capability			UEPRX	UEPRT	1.15	40.19	19.83	24.91	6.63		15.66				
FEAT	URES															
	All Features Offered			UEPRX	UEPVF	1.98	0.00	0.00				15.66				1
LOCA	L NUMBER PORTABILITY															
	Local No Portability (1 per port)			UEPRX	LNPCX	0.35						Ì				
NONF	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2W VG Loop/Line Port Combination-Conversion-Switch-as-is		t	UEPRX	USAC2		0.10	0.10				15.66				1
	2W VG Loop/Line Port Combination -Conversion-Switch with change			UEPRX	USACC		0.10	0.10				15.66				
ADDI	TIONAL NRCs															
	2W VG Loop/Line Port Combination-Subsqnt Activity			UEPRX	USAS2	0.00	0.00	0.00				15.66				1
2-WIR	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)												1			-
	Port/Loop Combination Rates				1 1											
0.1.2.	2W VG Loop/Port Combo-Zone 1		1		1 1	12.70										
	2W VG Loop/Port Combo-Zone 2		2		1	21.19										
	2W VG Loop/Port Combo-Zone 3		3		1	34.80										
UNF	Loop Rates		<u> </u>		+	04.00										
UITE I	2W VG Loop (SL1)-Zone 1		1	UEPBX	UEPLX	11.55										
	2W VG Loop (SL1)-Zone 2		2	UEPBX	UEPLX	20.04										
+	2W VG Loop (SL1)-Zone 3	1	3	UEPBX	UEPLX	33.65										
2-Wir	e Voice Grade Line Port (Bus)		-	OLI DA	OLILA	55.05										+
2-7711	2W voice unbundled port w/o Caller ID-bus	1	t - t	UEPBX	UEPBL	1.15	40.19	19.83	24.91	6.63		15.66				
	2W voice unburidled port with Caller + E484 ID-bus		-	UEPBX	UEPBC	1.15	40.19	19.83	24.91	6.63		15.66				
	2W voice unbundled port with Caller + E464 ID-bus  2W voice unbundled port outgoing only-bus			UEPBX	UEPBO	1.15	40.19	19.83	24.91	6.63		15.66				-
	2W VG unbundled AL extended local dialing parity port with Caller ID-	1	<del>                                     </del>	UEPBX	UEPAW	1.15	40.19	19.83	24.91	6.63		15.66				+
	2W voice unbundled incoming only port with Caller ID-Bus			UEPBX	UPEB1	1.15	40.19	19.83	24.91	6.63		15.66				-
	2W Voice Unbundled AL bus Dialing Plan w/o Caller ID			UEPBX	UEPWB	1.15	40.19	19.83	24.91	6.63		15.66				-
	2W voice unbundled Incoming Only Port w/o Caller ID Capability	1	<del>                                     </del>	UEPBX	UEPBE	1.15	40.19	19.83	24.91	6.63		15.66				+
1.004	L NUMBER PORTABILITY		<del>                                     </del>	UEFBA	UEFBE	1.13	40.19	19.03	24.91	0.03		15.00				
LUCA	Local No Portability (1 per port)			UEPBX	LNPCX	0.35										-
EEAT	URES	1	<del>                                     </del>	UEFBA	LINFUX	0.33										+
FEAT	All Features Offered		<del>                                     </del>	UEPBX	UEPVF	1.98	0.00	0.00				15.66				
NONE	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED	1	<del>                                     </del>	UEFBA	OEFVE	1.90	0.00	0.00				15.00	-			+
NONE	2W VG Loop/Line Port Combination-Conversion-Switch-as-is		-	UEPBX	USAC2		0.10	0.10				45.00				
ADDI		1	<del>                                     </del>	UEPBA	USACZ		0.10	0.10				15.66	-			+
ADDI	TIONAL NRCs  2W VG Loop/Line Port Combination-Subsqnt Activity		-	UEPBX	USAS2		0.00	0.00				15.66				
2 14/10	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)		-	UEPBA	USA52		0.00	0.00				15.00				
	, ,		-		-											<del>                                     </del>
UNE	Port/Loop Combination Rates	-	1		+ +	40.70							-			<del> </del>
-	2W VG Loop/Port Combo-Zone 1 2W VG Loop/Port Combo-Zone 2	<del>                                     </del>	2		+	12.70 21.19				<b> </b>		1	<del>                                     </del>		-	<del>                                     </del>
-					+								-			<del> </del>
	2W VG Loop/Port Combo-Zone 3	-	3		+ +	34.80				-	1	1	<del>                                     </del>			+
UNE	Loop Rates	1		LIEDDO	LIEDLY	44.55					-	1	<del>                                     </del>			+
-	2W VG Loop (SL 1)-Zone 1	-	1	UEPRG	UEPLX	11.55				-	1	1	<del>                                     </del>			+
+	2W VG Loop (SL 1)-Zone 2	-	2	UEPRG	UEPLX	20.04				-	1	1	<del>                                     </del>			+
	2W VG Loop (SL 1)-Zone 3	<u> </u>	3	UEPRG	UEPLX	33.65					<b></b>	<u> </u>	-		ļ	<del>                                     </del>
12-Wir	e Voice Grade Line Port Rates (RES - PBX)	Ì	1		1							l				1

NRONDL	ED NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhib	bit: B
											Svc	Svc	Incrementa	Incrementa	Incrementa	Increme
											Order	Order	I Charge -	I Charge -	I Charge -	al Char
											Submitt	Submitte	Manual	Manual	Manual	Manua
TEGORY	RATE ELEMENTS	Inter 2	2on	BCS	USOC		R/	ATES (\$)			ed Elec	d	Svc Order	Svc Order	Svc Order	
LOOKI	KATE ELEMENTO	im	е	500	0000		107	( i LO (ψ)				Manually	VS.	vs.	vs.	vs.
											per Lor	per LSR	_	Electronic-	Electronic-	
												per Loix	1st	Add'l	Disc 1st	c-Disc
_															DISC 1St	C-Disc
						Rec	Nonrec		NRC Disc					Rates (\$)		_
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
LOCA	L NUMBER PORTABILITY															
	Local No Portability (1 per port)			UEPRG	LNPCP	3.15	0.00	0.00				15.66				
FEAT																
	All Features Offered			UEPRG	UEPVF	1.98	0.00	0.00				15.66				
NONR	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2W VG Loop/ Line Port Combination (PBX)-Conversion-Switch-As-Is			UEPRG	USAC2		7.91	1.90				15.66				Ī
ADDIT	IONAL NRCs															1
	2W VG Loop/ Line Port Combination (PBX)-Subsqnt Activity			UEPRG	USAS2	0.00	0.00	0.00				15.66				
1	PBX Subsqnt Activity-Change/Rearrange Multiline Hunt Group				2 27 102	0.00	7.32	7.32				15.66	İ	Ì	1	<b>†</b>
2-WIR	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)		$\dashv$		1		1.02	7.02				10.00			t	<b>†</b>
	ort/Loop Combination Rates	-+	$\dashv$		+ -				<b> </b>		<b> </b>	<del>                                     </del>		<del> </del>	t	+
ONL	2W VG Loop/Port Combo-Zone 1		1			12.70						1				+
_												1				+
	2W VG Loop/Port Combo-Zone 2		2			21.19						ļ				
	2W VG Loop/Port Combo-Zone 3		3			34.80										
UNE L	oop Rates															
	2W VG Loop (SL 1)-Zone 1		1	UEPPX	UEPLX	11.55										
	2W VG Loop (SL 1)-Zone 2		2	UEPPX	UEPLX	20.04										
	2W VG Loop (SL 1)-Zone 3		3	UEPPX	UEPLX	33.65										
2-Wire	Voice Grade Line Port Rates (BUS - PBX)															
	Line Side Unbundled Combination 2-Way PBX Trunk Port-Bus			UEPPX	UEPPC	1.15	69.08	32.41	37.43	6.20		15.66				
	Line Side Unbundled Outward PBX Trunk Port-Bus			UEPPX	UEPPO	1.15	69.08	32.41	37.43	6.20		15.66				1
	Line Side Unbundled Incoming PBX Trunk Port-Bus			UEPPX	UEPP1	1.15	69.08	32.41	37.43	6.20		15.66				1
	2W Voice Unbundled 2-Way Combination PBX AL Calling Port			UEPPX	UEPA2	1.15	69.08	32.41	37.43	6.20		15.66				1
	2W Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	1.15	69.08	32.41	37.43	6.20		15.66				<del>†                                      </del>
	2W Voice Unbundled 2-Way Combination PBX Usage Port		-	UEPPX	UEPXA	1.15	69.08	32.41	37.43	6.20		15.66				+
	2W Voice Unbundled PBX Toll Terminal Hotel Ports	-		UEPPX	UEPXB	1.15	69.08	32.41	37.43	6.20		15.66				+
+	2W Voice Unbundled PBX LD DDD Terminals Port		-	UEPPX	UEPXC	1.15	69.08	32.41	37.43	6.20		15.66				+
-					UEPXD											
_	2W Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX		1.15	69.08	32.41	37.43	6.20		15.66				+
	2W Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPPX	UEPXE	1.15	69.08	32.41	37.43	6.20		15.66				
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative															
1	Calling Port			UEPPX	UEPXL	1.15	69.08	32.41	37.43	6.20		15.66				1
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling															
	Port			UEPPX	UEPXM	1.15	69.08	32.41	37.43	6.20		15.66				
	2W Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount															Ī
	Room Calling Port			UEPPX	UEPXO	1.15	69.08	32.41	37.43	6.20		15.66				
	2W Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	1.15	69.08	32.41	37.43	6.20		15.66				1
LOCA	L NUMBER PORTABILITY			02.17	02.70		00.00	02	01110	0.20		10.00				1
LOUA	Local No Portability (1 per port)		-	UEPPX	LNPCP	3.15	0.00	0.00				15.66				+
FEAT		-		ULFFX	LINEGE	3.13	0.00	0.00				13.00				+
FEAT	All Features Offered			UEPPX	UEPVF	1.98	0.00	0.00				15.66				+
NONE				UEPPX	UEPVF	1.98	0.00	0.00				15.66				
NONR	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
1	2W VG Loop/ Line Port Combination (PBX)-Conversion-Switch-As-Is			UEPPX	USAC2		7.91	1.90			ļ	15.66			-	₩
	IONAL NRCs												ļ		1	<b></b>
1	2W VG Loop/ Line Port Combination (PBX)-Subsqnt Activity			UEPPX	USAS2	0.00	0.00	0.00				15.66		ļ	1	<u> </u>
	PBX Subsqnt Activity-Change/Rearrange Multiline Hunt Group						7.32	7.32				15.66				<u> </u>
2-WIR	E VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN PORT															
UNE P	ort/Loop Combination Rates		T													
	2W VG Coin Port/Loop Combo – Zone 1		1			12.70	_									
1	2W VG Coin Port/Loop Combo – Zone 2		2			21.19						İ	1			1
+	2W VG Coin Port/Loop Combo – Zone 3		3		1	34.80			l				l	Ì	1	t
LIME !	oop Rates	-				04.00						1		1		+

ATEGORY											Svc	0	1		i	
l	RATE ELEMENTS	Inter im	Zon e	BCS	usoc		R.A	ATES (\$)			Order Submitt ed Elec	Svc Order Submitte d Manually per LSR	I Charge - Manual Svc Order vs.	I Charge - Manual Svc Order vs. Electronic-	I Charge - Manual Svc Order vs. Electronic-	Manua Svc Ord vs. Electro
									Lunon				1st	Add'l	Disc 1st	c-Disc
_						Rec	Nonrec		NRC Disc		201150	001111		Rates (\$)	001111	
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2W VG Loop (SL1)-Zone 1		1	UEPCO	UEPLX	11.55										
	2W VG Loop (SL1)-Zone 2		2	UEPCO	UEPLX	20.04										
	2W VG Loop (SL1)-Zone 3		3	UEPCO	UEPLX	33.65										
	Voice Grade Line Ports (COIN)															
	2W Coin 2-Way w/o Oper Screening & w/o Blocking			UEPCO	UEPRF	1.15	40.19	19.83	24.91	6.63		15.66				
	2W Coin 2-Way with Oper Screening (AL, KY)			UEPCO	UEPRE	1.15	40.19	19.83	24.91	6.63		15.66				
	2W Coin 2-Way w Oper Screening & Blocking: 011, 900/976, 1+DDD			UEPCO	UEPRA	1.15	40.19	19.83	24.91	6.63		15.66				
	2W Coin 2-Way with Oper Screening & 011 Blocking (AL, LA, MS)			UEPCO	UEPRB	1.15	40.19	19.83	24.91	6.63		15.66				
	2W Coin 2-Way with Oper Screening & Blocking: 900/976, 1+DDD, 011+,															
	& Local (AL, KY, LA, MS)			UEPCO	UEPCD	1.15	40.19	19.83	24.91	6.63		15.66		1		
	2W Coin Outward with Oper Screening & 011 Blocking (AL, FL)			UEPCO	UEPRK	1.15	40.19	19.83	24.91	6.63		15.66	İ	1		1
	2W Coin Outward w Oper Screening & Blocking: 011, 900/976, 1+DDD			UEPCO	UEPRH	1.15	40.19	19.83	24.91	6.63		15.66		1		<b>†</b>
	2W Coin Outward Oper Screening & Blocking: 900/976, 1+DDD, 011+, &			02. 00	02	0	10110	10.00	2	0.00		10.00				<b>†</b>
	Local (AL. KY. LA. MS)			UEPCO	UEPCN	1.15	40.19	19.83	24.91	6.63		15.66				
	2W 2-Way Smartline with 900/976 (all states except LA)			UEPCO	UEPCK	1.15	40.19	19.83	24.91	6.63		15.66				+
					UEPCR		40.19									+
	2W Coin Outward Smartline with 900/976 (all states except LA)			UEPCO	UEPCR	1.15	40.19	19.83	24.91	6.63		15.66				<del></del>
	TONAL UNE COIN PORT/LOOP (RC)															<del> </del>
	UNE Coin Port/Loop Combo Usage (Flat Rate)			UEPCO	URECU	1.56	0.00	0.00	0.00	0.00		15.66				
LOCA	L NUMBER PORTABILITY															
	Local No Portability (1 per port)			UEPCO	LNPCX	0.35										
NONR	ECURRING CHARGES - CURRENTLY COMBINED															
	2W VG Loop/Line Port Combination -Conversion-Switch-as-is			UEPCO	USAC2		0.10	0.10				15.66				
ADDIT	IONAL NRCs															
	2W VG Loop/Line Port Combination-Subsqnt Activity			UEPCO	USAS2		0.00	0.00				15.66				
2-WIR	E VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE LINE	POR	T (RE	S)												1
	ort/Loop Combination Rates		Ò	•												1
	2W VG Loop/IO Tranport/Port Combo-Zone 1		1			15.76										
	2W VG Loop/IO Tranport/Port Combo-Zone 2		2			24.23										1
	2W VG Loop/IO Tranport/Port Combo-Zone 3		3			37.52										†
	oop Rates		Ŭ			07.02										+
	2W VG Loop (SL2)-Zone 1		1	UEPFR	UECF2	14.38										+
	2W VG Loop (SL2)-Zone 1		2	UEPFR	UECF2	22.85			-					-		+
			3	UEPFR	UECF2	36.14										+
	2W VG Loop (SL2)-Zone 3		3	UEPFR	UECF2	36.14										+
	Voice Grade Line Port Rates (Res)			LIEDED	UEPRL	4.00	00.00	57.07	40.00	0.77		45.00		-		
	2W voice unbundled port-Res			UEPFR		1.38	90.38	57.27	48.66	8.77		15.66				
	2W voice unbundled port with Caller ID-res			UEPFR	UEPRC	1.38	90.38	57.27	48.66	8.77		15.66		-		<del>                                     </del>
_	2W voice unbundled port outgoing only-res			UEPFR	UEPRO	1.38	90.38	57.27	48.66	8.77		15.66				<del>                        _     _   _     _   _   _   _     _  </del>
	2W VG unbundled AL extended local dialing parity port with Caller ID-res			UEPFR	UEPAR	1.38	90.38	57.27	48.66	8.77		15.66		1		<del>                _       _  </del>
	2W voice unbundles res, low usage line port with Caller ID (LUM)			UEPFR	UEPAP	1.38	90.38	57.27	48.66	8.77		15.66				1
	2W Voice Unbundled AL Res Dialing Plan w/o Caller ID			UEPFR	UEPWA	1.38	90.38	57.27	48.66	8.77		15.66				
INTER	OFFICE TRANSPORT															
	Interoffice Transport-Dedicated-2W VG-Facility Term			UEPFR	U1TV2	21.13	40.54	27.41	16.74	6.90						
	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi			UEPFR	1L5XX	0.008838										
FEAT													1			
	All Features Offered	İ		UEPFR	UEPVF	1.98	0.00	0.00				15.66	İ			1
	L NUMBER PORTABILITY						3.50	0.00				.0.00		1		1
	Local No Portability (1 per port)			UEPFR	LNPCX	0.35								1		†
	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED			OLFIN	LINEUX	0.33			<b>-</b>		<b> </b>			t		<del>+</del>
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-		-		1				<b>-</b>				1	t		-
	Switch-as-is			UEPFR	USAC2		8.48	1.87				15.66		1		

UNI	BUNDL	ED NETWORK ELEMENTS - Alabama												Attachi	nent: 2	Exhib	oit: B
CAT	EGORY	RATE ELEMENTS	Inter im	Zon e	BCS	USOC		RA	ATES (\$)			ed Elec	Svc Order Submitte d Manually per LSR	I Charge - Manual Svc Order	I Charge - Manual Svc Order vs.	I Charge - Manual Svc Order vs.	Manual Svc Order vs.
							Rec	Nonrec		NRC Disco					Rates (\$)	I	T
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion- Switch-With-Change			UEPFR	USACC		8.48	1.87				15.66				
	2-WIR	E VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE LINE	POR	RT (BU	JS)												
	UNE P	ort/Loop Combination Rates															
		2W VG Loop/IO Tranport/Port Combo-Zone 1		1			15.76										
		2W VG Loop/IO Tranport/Port Combo-Zone 2		2			24.23										
		2W VG Loop/IO Tranport/Port Combo-Zone 3		3			37.52										
	UNE L	oop Rates								İ							
		2W VG Loop (SL2)-Zone 1		1	UEPFB	UECF2	14.38										
		2W VG Loop (SL2)-Zone 2		2	UEPFB	UECF2	22.85										
		2W VG Loop (SL2)-Zone 3		3	UEPFB	UECF2	36.14										

NRONDL	ED NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhib	bit: B
											Svc	Svc	Incrementa	Incrementa	Incrementa	Increme
											Order	Order	I Charge -	I Charge -	I Charge -	
											Submitt	Submitte	Manual	Manual	Manual	Manua
TEGORY	RATE ELEMENTS	Inter Z	Zon	BCS	USOC		В.	ATES (\$)			ed Elec	d	Svc Order	Svc Order	Svc Order	
IEGURI	RATE ELEMENTS	im	е	ьсэ	0300		K.A	A I Ε Θ (ֆ)				Manually	VS.	VS.	VS.	vs.
											per LSR		_		_	
												per LSR		Electronic-	Electronic-	
													1st	Add'l	Disc 1st	c-Disc
						Rec	Nonrec		NRC Disc					Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
2-Wire	e Voice Grade Line Port (Bus)															
	2W voice unbundled port w/o Caller ID-bus			UEPFB	UEPBL	1.38	90.38	57.27	48.66	8.77		15.66				1
	2W voice unbundled port with Caller + E484 ID-bus			UEPFB	UEPBC	1.38	90.38	57.27	48.66	8.77		15.66				
	2W voice unbundled port outgoing only-bus			UEPFB	UEPBO	1.38	90.38	57.27	48.66	8.77		15.66				<b>†</b>
	2W VG unbundled AL extended local dialing parity port with Caller ID-		<u>_</u>	UEPFB	UEPAW	1.38	90.38	57.27	48.66	8.77		15.66				+
-			<del></del>	UEPFB	UEPB1	1.38	90.38	57.27	48.66	8.77		15.66				+
	2W voice unbundled incoming only port with Caller ID-Bus															
	2W Voice Unbundled AL bus Dialing Plan w/o Caller ID			UEPFB	UEPWB	1.38	90.38	57.27	48.66	8.77		15.66				
LOCA	L NUMBER PORTABILITY															
	Local No Portability (1 per port)			UEPFB	LNPCX	0.35										
INTER	OFFICE TRANSPORT												<u> </u>			
	Interoffice Transport-Dedicated-2W VG-Facility Term			UEPFB	U1TV2	21.13	40.54	27.41	16.74	6.90						Ī .
	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi			UEPFB	1L5XX	0.008838										1
FEAT				<u> </u>	1											†
	All Features Offered		<u>_</u>	UEPFB	UEPVF	1.98	0.00	0.00				15.66				<del>†                                      </del>
NONE	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED		<del></del>	OLFID	OLFVI	1.50	0.00	0.00				13.00				+
NON	, ,				+											+
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-															
ļ	Switch-as-is			UEPFB	USAC2		8.48	1.87				15.66				
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-															
	Switch with change			UEPFB	USACC		8.48	1.87				15.66				
2-WIR	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)															
UNE F	Port/Loop Combination Rates															
	2W VG Loop/IO Tranport/Port Combo-Zone 1		1			15.76										
	2W VG Loop/IO Tranport/Port Combo-Zone 2		2			24.23										†
	2W VG Loop/IO Tranport/Port Combo-Zone 3		3		+	37.52										<del>†                                      </del>
LINE	Loop Rates		-		+	37.32										+
ONE			1	UEPFP	UECF2	14.38										+
	2W VG Loop (SL2)-Zone 1															
	2W VG Loop (SL2)-Zone 2		2	UEPFP	UECF2	22.85										
	2W VG Loop (SL2)-Zone 3		3	UEPFP	UECF2	36.14										
2-Wire	Voice Grade Line Port Rates (BUS - PBX)															
	Line Side Unbundled Combination 2-Way PBX Trunk Port-Bus			UEPFP	UEPPC	1.38	119.27	69.85	61.18	8.34		15.66				
	Line Side Unbundled Outward PBX Trunk Port-Bus			UEPFP	UEPPO	1.38	119.27	69.85	61.18	8.34		15.66				
	Line Side Unbundled Incoming PBX Trunk Port-Bus			UEPFP	UEPP1	1.38	119.27	69.85	61.18	8.34		15.66				1
1	2W Voice Unbundled 2-Way Combination PBX AL Calling Port			UEPFP	UEPA2	1.38	119.27	69.85	61.18	8.34		15.66	İ			1
	2W Voice Unbundled PBX LD Terminal Ports			UEPFP	UEPLD	1.38	119.27	69.85	61.18	8.34		15.66				†
	2W Voice Unbundled 2-Way Combination PBX Usage Port		<u>_</u>	UEPFP	UEPXA	1.38	119.27	69.85	61.18	8.34		15.66				+
	2W Voice Unbundled PBX Toll Terminal Hotel Ports		<del></del>	UEPFP	UEPXB	1.38	119.27	69.85	61.18	8.34		15.66				+
-				UEPFP	UEPXC	1.38	119.27					15.66				+
	2W Voice Unbundled PBX LD DDD Terminals Port							69.85	61.18	8.34						4
	2W Voice Unbundled PBX LD Terminal Switchboard Port			UEPFP	UEPXD	1.38	119.27	69.85	61.18	8.34		15.66				
	2W Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPFP	UEPXE	1.38	119.27	69.85	61.18	8.34		15.66				
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative															
	Calling Port			UEPFP	UEPXL	1.38	119.27	69.85	61.18	8.34		15.66				
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling															
	Port			UEPFP	UEPXM	1.38	119.27	69.85	61.18	8.34		15.66				
1	2W Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount			<del></del>	1	50		22.50	20	2.31						1
	Room Calling Port			UEPFP	UEPXO	1.38	119.27	69.85	61.18	8.34	1	15.66				
+		-+											-	1	-	+
1.55	2W Voice Unbundled 1-Way Outgoing PBX Measured Port		-	UEPFP	UEPXS	1.38	119.27	69.85	61.18	8.34		15.66	-	1	<del>                                     </del>	+
LOCA	L NUMBER PORTABILITY			====	1							L		ļ	-	<del>                                     </del>
1	Local No Portability (1 per port)			UEPFP	LNPCP	3.15	0.00	0.00				15.66			1	<u> </u>
INTER	OFFICE TRANSPORT															
	Interoffice Transport-Dedicated-2W VG-Facility Term		T	UEPFP	U1TV2	21.13	40.54	27.41	16.74	6.90						
	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi			UEPFP	1L5XX	0.008838										

Version 4Q02: 01/21/03 Page 26 of 402

UNB	UNDL	ED NETWORK ELEMENTS - Alabama											Attachi	ment: 2	Exhib	it: B
											Svc	Svc	Incrementa	Incrementa	Incrementa	Increment
											Order	Order	I Charge -	I Charge -	I Charge -	al Charge ·
			14	<b>-</b>							Submit	Submitte	Manual	Manual	Manual	Manual
CATE	GORY	RATE ELEMENTS	Inter	Zon	BCS	USOC		R/	ATES (\$)		ed Elec	d	Svc Order	Svc Order	Svc Order	Svc Order
			im	е							per LSI	Manually	vs.	vs.	vs.	vs.
												per LSR	Electronic-	Electronic-	Electronic-	Electroni
	}												1st	Add'l	Disc 1st	c-Disc
							Rec	Nonrec	urring	NRC Disconne	ct		oss	Rates (\$)		
							Rec	First	Add'l	First Ad	d'I SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	FEATU	IRES														
		All Features Offered			UEPFP	UEPVF	1.98	0.00	0.00			15.66				

<u> </u>	ED NETWORK ELEMENTS - Alabama		_											ment: 2		oit: B
											Svc	Svc	Incrementa	Incrementa	Incrementa	Increme
											Order	Order	I Charge -	I Charge -	I Charge -	al Charg
											Submitt	Submitte	Manual	Manual	Manual	Manua
ATEGORY	RATE ELEMENTS	nter Z		BCS	USOC		R.A	ATES (\$)			ed Elec	d	Svc Order		Svc Order	
AILGONI	KATE ELEMENTS	im	е	ВСЗ	0300		IX.	ATES (ψ)				Manually	VS.	VS.	vs.	vs.
											per Lor		_	Electronic-	Electronic-	_
												per Lak	1st	Add'l	Disc 1st	c-Disc
															DISC 1St	C-DISC
						Rec	Nonrec		NRC Disc					Rates (\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
NONR	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-															
	Switch-as-is			UEPFP	USAC2		8.48	1.87				15.66				
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-															
	Switch with change			UEPFP	USACC		8.48	1.87				15.66				
BUNDLE	D PORT/LOOP COMBINATIONS - COST BASED RATES															
	E VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK PORT															
	Port/Loop Combination Rates		t													<b>†</b>
J.1.	2W VG Loop/2W DID Trunk Port Combo-UNE Zone 1	<u> </u>	1			22.40									1	
-	2W VG Loop/2W DID Trunk Port Combo-UNE Zone 2		2			30.88								1		<del>                                     </del>
-	2W VG Loop/2W DID Trunk Port Combo-UNE Zone 3		3			44.17							-	1	1	+
LINIE :			3			44.17				<del>                                     </del>	-	-	-	1	<del>                                     </del>	+
UNEL	Loop Rates		-	LIEBBY /												
	2W Analog VG Loop-(SL2)-UNE Zone 1		1	UEPPX	UECD1	14.38										
	2W Analog VG Loop-(SL2)-UNE Zone 2		2	UEPPX	UECD1	22.85										
	2W Analog VG Loop-(SL2)-UNE Zone 3		3	UEPPX	UECD1	36.14										
	Port Rate															
	Exchange Ports-2W DID Port			UEPPX	UEPD1	8.02	207.31	73.74	107.14	11.20		15.66				
NONR	RECURRING CHARGES - CURRENTLY COMBINED															
	2W VG Loop/2W DID Trunk Port Combination -Switch-as-is			UEPPX	USAC1		7.31	1.87								1
	2W VG Loop/2W DID Trunk Port Conversion with BST Allowable			UEPPX	USA1C		7.31	1.87								
ΔΠΠΙ	TIONAL NRCs		t	OZ X	00/110											+
	2W DID Subsgnt Activity-Add Trunks, Per Trunk			UEPPX	USAS1		26.78	26.78								†
	hone Number/Trunk Group Establisment Charges			UEFFX	USAST		20.76	20.76								+
reiepi				LIEDDY	NDT	0.00	0.00	0.00								+
	DID Trunk Term (One Per Port)			UEPPX	NDT	0.00	0.00	0.00								
	Add'l DID Nos for each Group of 20 DID Nos			UEPPX	ND4	0.00	0.00	0.00								
	DID Nos, Non-consecutive DID Nos , Per No			UEPPX	ND5	0.00	0.00	0.00								
	Reserve Non-Consecutive DID Nos			UEPPX	ND6	0.00	0.00	0.00								
	Reserve DID Nos			UEPPX	NDV	0.00	0.00	0.00								
LOCA	L NUMBER PORTABILITY															
	Local No Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00								
2-WIR	E ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LINE SID	E POR	₹T													1
	Port/Loop Combination Rates															1
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -UNE Zone		t													
	1		4	UEPPB UEPPR		27.28										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -UNE Zone		-	OLFFB OLFFR		21.20										+
	2011 Digital Grade Loop/200 ISDIN Digital Line Side Fort -ONE Zone		2	UEPPB UEPPR		37.86										
	Z		2	UEPPB UEPPR		37.00										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -UNE Zone		_													
	[3		3	UEPPB UEPPR		53.84										
UNE L	oop Rates		1													
	2W ISDN Digital Grade Loop-UNE Zone 1		1	UEPPB UEPPR		19.03										1
	2W ISDN Digital Grade Loop-UNE Zone 2			UEPPB UEPPR	USL2X	29.62							<u> </u>			
	2W ISDN Digital Grade Loop-UNE Zone 3		3	UEPPB UEPPR	USL2X	45.60										
UNE F	Port Rate		П													
	Exchange Port-2W ISDN Line Side Port			UEPPB UEPPR	UEPPB	8.24	190.01	132.76	100.67	21.28		15.66				
	RECURRING CHARGES - CURRENTLY COMBINED		<u> </u>										İ			1
	2W ISDN Digital Grade Loop/2W ISDN Line Side Port Combination-	-	<del>-  </del>												1	<del>                                     </del>
	Conversion		ļ	UEPPB UEPPR	USACB	0.00	38.51	27.02				15.66				
VDDia	TIONAL NRCs		<del></del>	OLFFB UEPPK	USACE	0.00	30.31	21.02				10.00	-	1	1	+
			<del></del>			<del>                                     </del>				<del>                                     </del>	-	-	-	1	<del>                                     </del>	$\leftarrow$
LOCA	L NUMBER PORTABILITY				LNESS					ļ				1		<del>                                     </del>
	Local No Portability (1 per port)			UEPPB UEPPR	LNPCX	0.35	0.00	0.00						ļ		<b>↓</b>
B-CH/	ANNEL USER PROFILE ACCESS:	l			L	<u> </u>			L	<u></u>	<u></u>	<u> </u>	L	<u> </u>	<u> </u>	<u> </u>

Version 4Q02: 01/21/03 Page 28 of 402

<u>NBUN</u> DL	ED NETWORK ELEMENTS - Alabama													Attachi	ment: 2	Exhib	it: B
TEGORY	RATE ELEMENTS	Inter im	Zon e	вс	:s	usoc		RA	TES (\$)			Svc Order Submitt ed Elec per LSR	Svc Order Submitte d Manually per LSR	Incrementa I Charge - Manual Svc Order vs. Electronic- 1st	Incrementa I Charge - Manual Svc Order vs. Electronic- Add'I	Incrementa I Charge - Manual Svc Order vs. Electronic- Disc 1st	Increme al Charg Manua Svc Ord vs. Electroi c-Disc
							Rec	Nonrecu	,	NRC Disc		201150			Rates (\$)	001111	
	0.40.000 (0.40.000)							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	CVS/CSD (DMS/5ESS)			UEPPB	UEPPR	U1UCA	0.00	0.00	0.00								ļ
	CVS (EWSD)				UEPPR	U1UCB	0.00	0.00	0.00								
	CSD			UEPPB	UEPPR	U1UCC	0.00	0.00	0.00								
В-СН	ANNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS SC,MS,	& TN	)														
	CVS/CSD (DMS/5ESS)				UEPPR	U1UCD	0.00	0.00	0.00								<u> </u>
	CVS (EWSD)			UEPPB	UEPPR	U1UCE	0.00	0.00	0.00								
	CSD			UEPPB	UEPPR	U1UCF	0.00	0.00	0.00								
USER	TERMINAL PROFILE																
	User Terminal Profile (EWSD only)			UEPPB	UEPPR	U1UMA	0.00	0.00	0.00							<u></u>	
VERT	ICAL FEATURES																
	All Vertical Features-One per Channel B User Profile			UEPPB	UEPPR	UEPVF	1.98	0.00	0.00								
INTER	ROFFICE CHANNEL MILEAGE						İ	ĺ									
1	Interoffice Channel miage each, including first mi & facilities Term			UEPPB	UEPPR	M1GNC	21.14	40.54	27.41	16.74	6.90						
	Interoffice Channel miage each, Add'l mi				UEPPR	M1GNM	0.008838	0.00	0.00				0.00				
4-WIF	E DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK POR	Т		02.12	02		0.000000	0.00	0.00				0.00				
	Port/Loop Combination Rates	•				1											
OIVE !	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port -UNE Zone 1		1	UEP	DD		166.87										<del>                                     </del>
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port -UNE Zone 2		2	UEP		1	238.50										
1			3	UEP		+	398.85										<del> </del>
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port -UNE Zone 3		3	UEP	'PP	<del>                                     </del>	398.85										<del>                                     </del>
UNE	oop Rates																<u> </u>
	4W DS1 Digital Loop-UNE Zone 1		1	UEP		USL4P	82.55										
	4W DS1 Digital Loop-UNE Zone 2		2	UEP		USL4P	154.18										<u> </u>
	4W DS1 Digital Loop-UNE Zone 3		3	UEP	PP	USL4P	314.52										
UNE	Port Rate																
	Exchange Ports-4W ISDN DS1 Port			UEP	PP	UEPPP	84.32	456.28	259.10	123.88	31.77		15.66				
NONF	RECURRING CHARGES - CURRENTLY COMBINED																
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port Combination-																
	Conversion -Switch-as-is			UEP	PP	USACP	0.00	119.07	78.56				15.66				
ADDI:	TIONAL NRCs																
	4W DS1 Loop/4-W ISDN Digtl Trk Port-Subsqt Actvy-Inward/two way Tel																
	Nos. (except NC)			UEP	PP	PR7TF		0.49									
	4W DS1 Loop/4W ISDN DS1 Digital Trunk Port-Outward Tel Nos			UEP	PP	PR7TO		11.51									
	4W DS1 Loop/4W ISDN DS1 Digital Trk Port-Subsgnt Inward Tel Nos			UEP	PP	PR7ZT		23.02									
LOCA	L NUMBER PORTABILITY																
	Local No Portability (1 per port)			UEP	PP	LNPCN	1.75										
INTER	RFACE (Provsioning Only)			02.		2.1. 0.1	0										
	Voice/Data			UEP	PP	PR71V	0.00	0.00	0.00								<del>                                     </del>
	Digital Data			UEP		PR71D	0.00	0.00	0.00								<del> </del>
	Inward Data			UEP		PR71E	0.00	0.00	0.00								
NI	privard Data			UEP	'PP	PR/TE	0.00	0.00	0.00								
New c				HED		DD 70\ (	0.00	1150									<del>                                     </del>
	New or Add'l-Voice/Data B Channel			UEP		PR7BV	0.00	14.53									ļ
-	New or Add'l-Digital Data B Channel			UEP		PR7BF	0.00	14.53									<del> </del>
	New or Add'l Inward Data B Channel			UEP	'PP	PR7BD	0.00	14.53									
CALL	TYPES																<u> </u>
	Inward			UEP		PR7C1	0.00	0.00	0.00								<u> </u>
	Outward			UEP		PR7C0	0.00	0.00	0.00								
	Two-way			UEP	PP	PR7CC	0.00	0.00	0.00								
Interd	ffice Channel Mileage																1
	Fixed Each Including First mi			UEP	PP	1LN1A	60.34	89.27	81.81	16.35	14.44		15.66				
	Each Airline-Fractional Add'l mi			UEP	PP	1LN1B	0.18	İ									
	E DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT					1						i	Ì			İ	i e

INBUNDL	LED NETWORK ELEMENTS - Alabama												Attachi	ment: 2	Exhib	it: B
ATEGORY	RATE ELEMENTS	Inter im	Zon e	BCS	usoc		RA	TES (\$)			Svc Order Submitt ed Elec per LSR	Svc Order Submitte d Manually per LSR	Incrementa I Charge - Manual Svc Order vs. Electronic- 1st	Incrementa I Charge - Manual Svc Order vs. Electronic- Add'I	Incrementa I Charge - Manual Svc Order vs. Electronic- Disc 1st	Increme al Charg Manua Svc Ord vs. Electroi c-Disc
					1		Nonrec	urring	NRC Disc	onnect		l	oss	Rates (\$)	l	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN		SOMAN	SOMAN
UNF	Port/Loop Combination Rates															
	4W DS1 Digital Loop/4W DDITS Trunk Port -UNE Zone 1		1	UEPDC	1	142.64										1
	4W DS1 Digital Loop/4W DDITS Trunk Port -UNE Zone 2		2	UEPDC		214.26										
	4W DS1 Digital Loop/4W DDITS Trunk Port -UNE Zone 3		3	UEPDC		374.61										
LINE	Loop Rates		"	OLI DO	1	374.01										
ONL	4W DS1 Digital Loop-UNE Zone 1		1	UEPDC	USLDC	82.55										<del>                                     </del>
	4W DS1 Digital Loop-UNE Zone 2		2	UEPDC	USLDC	154.18										<del></del>
	4W DS1 Digital Loop-UNE Zone 3		3	UEPDC	USLDC	314.52										
LINIE -		-	3	UEPDC	USLDC	314.52				<b> </b>	-	-			-	+
UNE	Port Rate	-	₩	LIEDDO	LIDDAT	20.00	45.4.6	050.00	447.00	44.4-	-	45.00				<del></del>
110::-	4W DDITS Digital Trunk Port		$\vdash$	UEPDC	UDD1T	60.09	454.49	253.23	117.29	14.17		15.66				<b></b>
NONE	RECURRING CHARGES - CURRENTLY COMBINED															<u> </u>
	4W DS1 Digital Loop/4W DDITS Trunk Port Combination-Switch-as-is			UEPDC	USAC4		129.49	67.02				15.66				
	4W DS1 Digital Loop/4W DDITS Trunk Port Combination-Conversion															
	with DS1 Changes			UEPDC	USAWA		129.49	67.02				15.66				
	4W DS1 Digital Loop/4W DDITS Trunk Port Combination-Conversion															
	with Change-Trunk			UEPDC	USAWB		129.49	67.02				15.66				
ADDI	TIONAL NRCs															
	4W DS1 Loop/4W DDITS Trunk Port-NRC-Subsqnt Channel															
	Activation/Chan-2-Way Trunk			UEPDC	UDTTA		14.48	14.48				15.66				
	4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Channel Activation/Chan-1															
	Way Outward Trunk			UEPDC	UDTTB		14.48	14.48				15.66				
	4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Channel Activation/Chan															
	Inward Trunk w/out DID			UEPDC	UDTTC		14.48	14.48				15.66				
	4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Chan Activation Per Chan-			02. 50	02.10			0				10.00				
	Inward Trunk with DID			UEPDC	UDTTD		14.48	14.48				15.66				
	4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Chan Activation/Chan-2-			OLI DO	OBTIE		1-110	14.40				10.00				
	Way DID w User Trans			UEPDC	UDTTE		14.48	14.48				15.66				
BIDO	LAR 8 ZERO SUBSTITUTION			OLI DO	ODITE		14.40	17.70				10.00				<del>                                     </del>
ыго	B8ZS -Superframe Format			UEPDC	CCOSF		0.00	600.00								<b>-</b>
	B8ZS-Extended Superframe Format			UEPDC	CCOEF		0.00	600.00								-
Altore	nate Mark Inversion			UEPDC	CCOEF		0.00	600.00								-
Aiteri	AMI -Superframe Format		1	UEPDC	MCOSF		0.00	0.00								
				UEPDC	MCOPO		0.00	0.00								
	AMI-Extended SuperFrame Format			UEPDC	MCOPO		0.00	0.00								
гегер	hone Number/Trunk Group Establisment Charges			UEPDC	UDTGX	0.00										
	Telephone No for 2-Way Trunk Group					0.00										-
	Telephone No for 1-Way Outward Trunk Group			UEPDC	UDTGY	0.00										<u> </u>
-	Telephone No for 1-Way Inward Trunk Group w/o DID	ļ	$\sqcup$	UEPDC	UDTGZ	0.00										<del>                                     </del>
	DID Nos for each Group of 20 DID Nos		$\sqcup$	UEPDC	ND4	0.00	0.00			ļ						<b></b>
	DID Nos, Non-consecutive DID Nos , Per No		$oxed{oxed}$	UEPDC	ND5	0.00										<b></b>
	Reserve Non-Consecutive DID Nos.			UEPDC	ND6	0.00	0.00	0.00								<u> </u>
	Reserve DID Nos			UEPDC	NDV	0.00	0.00	0.00								1
Dedic	ated DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1 Digit	al Lo	op wit													
	Interoffice Channel miage-Fixed rate 0-8 mis (Facilities Term)			UEPDC	1LNO1	60.16	89.27	81.81	16.35	14.44		15.66				
	Interoffice Channel miage-Add'l rate per mi-0-8 mis			UEPDC	1LNOA	0.18	0.00	0.00								
	Interoffice Channel miage-Fixed rate 9-25 mis (Facilities Term)		LT	UEPDC	1LNO2	0.00	0.00	0.00								
	Interoffice Channel miage-Add'l rate per mi-9-25 mis			UEPDC	1LNOB	0.18	0.00	0.00								
	Interoffice Channel miage-Fixed rate 25+ mis (Facilities Term)			UEPDC	1LNO3	0.00	0.00	0.00	0.00							
	Interoffice Channel miage-Add'l rate per mi-25+ mis			UEPDC	1LNOC	0.18	0.00	0.00								
	Local No Portability, per DS0 Activated			UEPDC	LNPCP	3.15	0.00	0.00	0.00							
	Central Office Termininating Point			UEPDC	CTG	0.00							İ	İ	İ	
<del></del>	RE DS1 LOOP WITH CHANNELIZATION WITH PORT		t		1	0.00					l	l	1	<b> </b>	1	<b></b>

Version 4Q02: 01/21/03 Page 30 of 402

	ED NETWORK ELEMENTS - Alabama													ment: 2	Exhib	
EGORY	RATE ELEMENTS	Inter im	Zon e	BCS	USOC		RA	TES (\$)			Svc Order Submitt ed Elec per LSR	Svc Order Submitte d Manually per LSR	Incrementa I Charge - Manual Svc Order vs. Electronic- 1st	Incrementa I Charge - Manual Svc Order vs. Electronic- Add'I	I Charge - Manual	Increme al Charg Manua Svc Orc vs. Electro c-Disc
$\overline{}$							Nonrec	urring	NRC Disc	onnoct				Rates (\$)	DISC 1St	C-DISC
+						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN		SOMAN	SOMA
Syster	m is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Activation	s						,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		71001						
	System can have up to 24 combinations of rates depending on type a		umbe	r of ports used												
UNE D	OS1 Loop															
	4W DS1 Loop-UNE Zone 1		1	UEPMG	USLDC	82.55	0.00	0.00								
	4W DS1 Loop-UNE Zone 2		2	UEPMG	USLDC	154.18	0.00	0.00								
	4W DS1 Loop-UNE Zone 3		3	UEPMG	USLDC	314.52	0.00	0.00								
UNE D	OSO Channelization Capacities (D4 Channel Bank Configurations)															
1	24 DSO Channel Capacity-1 per DS1			UEPMG	VUM24	101.40	0.00	0.00					1			İ
	48 DSO Channel Capacity-1 per 2 DS1s			UEPMG	VUM48	202.80	0.00	0.00								
	96 DSO Channel Capacity -1per 4 DS1s			UEPMG	VUM96	405.60	0.00	0.00					1			İ
	144 DS0 Channel Capacity-1 per 6 DS1s			UEPMG	VUM14	608.40	0.00	0.00								
$\top$	192 DS0 Channel Capacity -1 per 8 DS1s			UEPMG	VUM19	811.20	0.00	0.00								
	240 DS0 Channel Capacity-1 per 10 DS1s			UEPMG	VUM20	1,014.00	0.00	0.00								
$\top$	288 DS0 Channel Capacity-1 per 12 DS1s			UEPMG	VUM28	1,216.80	0.00	0.00								
	384 DS0 Channel Capacity-1 per 16 DS1s			UEPMG	VUM38	1,622.40	0.00	0.00								
+ +	480 DS0 Channel Capacity-1 per 20 DS1s			UEPMG	VUM40	2,028.00	0.00	0.00								
+ +	576 DS0 Channel Capacity -1 per 24 DS1s			UEPMG	VUM57	2,433,60	0.00	0.00								
1 1	672 DS0 Channel Capacity-1 per 28 DS1s			UEPMG	VUM67	2,839.20	0.00	0.00								
Non-R	ecurring Charges (NRC) Associated with 4-Wire DS1 Loop with Char	nelia	rtion v					0.00								
	imum System configuration is One (1) DS1, One (1) D4 Channel Banl															
	oles of this configuration functioning as one are considered Add'l aft															
mannp	NRC-Conversion (Currently Combined) with or w/o BST Allowed		,	mam system com	Junation	ounteu.										
	Changes			UEPMG	USAC4	0.00	150.48	8.36				15.66				
	m Additions at End User Locations Where 4-Wire DS1 Loop with Cha	nneli	zation					0.00				10.00				
	Not Currently Combined) in all states, except in Density Zone 1 of To															
11011 (1	1 DS1/D4 Channel Bank-Add'lly Add NRC for each Port & Assoc Fea	<b>P</b> U														
,	Activation			LIEBMO												
1 1					VHMD4	0.00	716 11	468 N4	148 75	17 65		15 66				
Binola				UEPMG	VUMD4	0.00	716.11	468.04	148.75	17.65		15.66				
Bipola	ar 8 Zero Substitution								148.75	17.65		15.66				
Bipola	ar 8 Zero Substitution Clear Channel Capability Format, superframe-Subsqnt Activity Only			UEPMG	VUMD4 CCOSF	0.00	716.11	468.04 600.00	148.75	17.65		15.66				
	ar 8 Zero Substitution Clear Channel Capability Format, superframe-Subsqnt Activity Only Clear Channel Capability Format-Extended Superframe-Subsqnt Activity			UEPMG	CCOSF	0.00	0.00	600.00	148.75	17.65		15.66				
	ar 8 Zero Substitution Clear Channel Capability Format, superframe-Subsqnt Activity Only Clear Channel Capability Format-Extended Superframe-Subsqnt Activity Only								148.75	17.65		15.66				
	ar 8 Zero Substitution Clear Channel Capability Format, superframe-Subsqnt Activity Only Clear Channel Capability Format-Extended Superframe-Subsqnt Activity Only ate Mark Inversion (AMI)			UEPMG UEPMG	CCOSF	0.00	0.00	600.00	148.75	17.65		15.66				
Altern	ar 8 Zero Substitution Clear Channel Capability Format, superframe-Subsqnt Activity Only Clear Channel Capability Format-Extended Superframe-Subsqnt Activity Only ate Mark Inversion (AMI) Superframe Format			UEPMG UEPMG UEPMG	CCOSF CCOEF MCOSF	0.00 0.00	0.00	600.00	148.75	17.65		15.66				
Altern	ar 8 Zero Substitution Clear Channel Capability Format, superframe-Subsqnt Activity Only Clear Channel Capability Format-Extended Superframe-Subsqnt Activity Only ate Mark Inversion (AMI) Superframe Format Extended Superframe Format	h Por	•	UEPMG UEPMG	CCOSF	0.00	0.00	600.00	148.75	17.65		15.66				
Altern	ar 8 Zero Substitution Clear Channel Capability Format, superframe-Subsqnt Activity Only Clear Channel Capability Format-Extended Superframe-Subsqnt Activity Only atte Mark Inversion (AMI) Superframe Format Extended Superframe Format nge Ports Associated with 4-Wire DS1 Loop with Channelization wit	h Por	t	UEPMG UEPMG UEPMG	CCOSF CCOEF MCOSF	0.00 0.00	0.00	600.00	148.75	17.65		15.66				
Altern	ar 8 Zero Substitution Clear Channel Capability Format, superframe-Subsqnt Activity Only Clear Channel Capability Format-Extended Superframe-Subsqnt Activity Only ate Mark Inversion (AMI) Superframe Format Extended Superframe Format nge Ports Associated with 4-Wire DS1 Loop with Channelization with	h Por	t	UEPMG UEPMG UEPMG UEPMG	CCOSF  CCOEF  MCOSF  MCOPO	0.00 0.00 0.00 0.00	0.00 0.00 0.00 0.00	600.00 600.00 0.00 0.00								
Altern	ar 8 Zero Substitution Clear Channel Capability Format, superframe-Subsqnt Activity Only Clear Channel Capability Format-Extended Superframe-Subsqnt Activity Only ate Mark Inversion (AMI) Superframe Format Extended Superframe Format nge Ports Associated with 4-Wire DS1 Loop with Channelization with nge Ports Line Side Combination Channelized PBX Trunk Port-bus	h Por	t	UEPMG UEPMG UEPMG UEPMG UEPPMG	CCOSF  CCOEF  MCOSF  MCOPO  UEPCX	0.00 0.00 0.00 0.00	0.00 0.00 0.00 0.00 0.00	600.00 600.00 0.00 0.00	0.00	0.00		15.66				
Altern	ar 8 Zero Substitution Clear Channel Capability Format, superframe-Subsqnt Activity Only Clear Channel Capability Format-Extended Superframe-Subsqnt Activity Only ate Mark Inversion (AMI) Superframe Format Extended Superframe Format Extended Superframe Format nge Ports Associated with 4-Wire DS1 Loop with Channelization with nge Ports Line Side Combination Channelized PBX Trunk Port-bus Line Side Outward Channelized PBX Trunk Port-bus	h Por	t	UEPMG  UEPMG  UEPMG  UEPMG  UEPPX  UEPPX  UEPPX	CCOSF  CCOEF  MCOSF  MCOPO  UEPCX UEPOX	0.00 0.00 0.00 0.00 1.15 1.15	0.00 0.00 0.00 0.00 0.00	600.00 600.00 0.00 0.00 0.00	0.00	0.00		15.66 15.66				
Altern	ar 8 Zero Substitution Clear Channel Capability Format, superframe-Subsqnt Activity Only Clear Channel Capability Format-Extended Superframe-Subsqnt Activity Only ate Mark Inversion (AMI) Superframe Format Extended Superframe Format Extended Superframe Format nge Ports Associated with 4-Wire DS1 Loop with Channelization with nge Ports Line Side Combination Channelized PBX Trunk Port-bus Line Side Outward Channelized PBX Trunk Port-bus Line Side Inward Only Channelized PBX Trunk Port w/o DID	h Por	t	UEPMG  UEPMG  UEPMG  UEPMG  UEPPX  UEPPX  UEPPX  UEPPX	CCOSF  CCOEF  MCOSF  MCOPO  UEPCX UEPOX UEP1X	0.00 0.00 0.00 0.00 0.00 1.15 1.15	0.00 0.00 0.00 0.00 0.00 0.00 0.00	600.00 600.00 0.00 0.00 0.00 0.00	0.00	0.00 0.00 0.00		15.66 15.66 15.66				
Altern	ar 8 Zero Substitution Clear Channel Capability Format, superframe-Subsqnt Activity Only Clear Channel Capability Format-Extended Superframe-Subsqnt Activity Only ate Mark Inversion (AMI) Superframe Format Extended Superframe Format Extended Superframe Format nge Ports Associated with 4-Wire DS1 Loop with Channelization wit nge Ports Line Side Combination Channelized PBX Trunk Port-bus Line Side Outward Channelized PBX Trunk Port-bus Line Side Inward Only Channelized PBX Trunk Port w/o DID 2W Trunk Side Unbundled Channelized DID Trunk Port	h Por	t	UEPMG  UEPMG  UEPMG  UEPMG  UEPPX  UEPPX  UEPPX	CCOSF  CCOEF  MCOSF  MCOPO  UEPCX UEPOX	0.00 0.00 0.00 0.00 1.15 1.15	0.00 0.00 0.00 0.00 0.00	600.00 600.00 0.00 0.00 0.00	0.00	0.00		15.66 15.66				
Altern	ar 8 Zero Substitution Clear Channel Capability Format, superframe-Subsqnt Activity Only Clear Channel Capability Format-Extended Superframe-Subsqnt Activity Only atte Mark Inversion (AMI) Superframe Format Extended Superframe Format Extended Superframe Format nge Ports Associated with 4-Wire DS1 Loop with Channelization wit nge Ports Line Side Combination Channelized PBX Trunk Port-bus Line Side Outward Channelized PBX Trunk Port-bus Line Side Inward Only Channelized PBX Trunk Port w/o DID 2W Trunk Side Unbundled Channelized DID Trunk Port Unbundled Exchange Ports, 2W Channelized – Outdial – (AL, KY, LA,	h Por	t	UEPMG  UEPMG  UEPMG  UEPMG  UEPPX  UEPPX  UEPPX  UEPPX  UEPPX  UEPPX	CCOSF  CCOEF  MCOSF MCOPO  UEPCX UEPOX UEP1X UEPDM	0.00 0.00 0.00 0.00 1.15 1.15 1.15 8.05	0.00 0.00 0.00 0.00 0.00 0.00 0.00	600.00 600.00 0.00 0.00 0.00 0.00	0.00	0.00 0.00 0.00		15.66 15.66 15.66 15.66				
Altern	ar 8 Zero Substitution Clear Channel Capability Format, superframe-Subsqnt Activity Only Clear Channel Capability Format-Extended Superframe-Subsqnt Activity Only ate Mark Inversion (AMI) Superframe Format Extended Superframe Format nge Ports Associated with 4-Wire DS1 Loop with Channelization wit nge Ports Line Side Combination Channelized PBX Trunk Port-bus Line Side Outward Channelized PBX Trunk Port-bus Line Side Inward Only Channelized PBX Trunk Port w/o DID 2W Trunk Side Unbundled Channelized DID Trunk Port Unbundled Exchange Ports, 2W Channelized - Outdial - (AL, KY, LA, MS, & TN)(Conversion from Network Access Service)	h Por	t	UEPMG  UEPMG  UEPMG  UEPMG  UEPPX  UEPPX  UEPPX  UEPPX	CCOSF  CCOEF  MCOSF  MCOPO  UEPCX UEPOX UEP1X	0.00 0.00 0.00 0.00 0.00 1.15 1.15	0.00 0.00 0.00 0.00 0.00 0.00 0.00	600.00 600.00 0.00 0.00 0.00 0.00	0.00	0.00 0.00 0.00		15.66 15.66 15.66				
Altern	ar 8 Zero Substitution Clear Channel Capability Format, superframe-Subsqnt Activity Only Clear Channel Capability Format-Extended Superframe-Subsqnt Activity Only Olear Channel Capability Format-Extended Superframe-Subsqnt Activity Only ate Mark Inversion (AMI) Superframe Format Extended Superframe Format Extended Superframe Format nge Ports Associated with 4-Wire DS1 Loop with Channelization wit nge Ports Line Side Combination Channelized PBX Trunk Port-bus Line Side Outward Channelized PBX Trunk Port-bus Line Side Inward Only Channelized PBX Trunk Port w/o DID 2W Trunk Side Unbundled Channelized DID Trunk Port Unbundled Exchange Ports, 2W Channelized – Outdial – (AL, KY, LA, MS, & TN)(Conversion from Network Access Service) Unbundled Exchange Ports, 2W Channelized – Combination (AL, KY,	h Por	t	UEPMG  UEPMG  UEPMG  UEPMG  UEPPX  UEPPX  UEPPX  UEPPX  UEPPX  UEPPX  UEPPX	CCOSF  CCOEF  MCOSF MCOPO  UEPCX UEPOX UEP1X UEPDM  UEPCY	0.00 0.00 0.00 0.00 1.15 1.15 1.15 1.15 1.15	0.00 0.00 0.00 0.00 0.00 0.00 0.00	600.00 600.00 0.00 0.00 0.00 0.00	0.00	0.00 0.00 0.00		15.66 15.66 15.66 15.66				
Altern	ar 8 Zero Substitution Clear Channel Capability Format, superframe-Subsqnt Activity Only Clear Channel Capability Format-Extended Superframe-Subsqnt Activity Only ate Mark Inversion (AMI) Superframe Format Extended Superframe Format Extended Superframe Format nge Ports Associated with 4-Wire DS1 Loop with Channelization wit nge Ports Line Side Combination Channelized PBX Trunk Port-bus Line Side Outward Channelized PBX Trunk Port-bus Line Side Inward Only Channelized PBX Trunk Port w/o DID 2W Trunk Side Unbundled Channelized DID Trunk Port Unbundled Exchange Ports, 2W Channelized - Outdial - (AL, KY, LA, MS, & TN)(Conversion from Network Access Service) Unbundled Exchange Ports, 2W Channelized - Combination (AL, KY, LA, MS, & TN) (Conversion from Network Access Service)	h Por	t	UEPMG  UEPMG  UEPMG  UEPMG  UEPPX  UEPPX  UEPPX  UEPPX  UEPPX  UEPPX  UEPPX	CCOSF  CCOEF  MCOSF MCOPO  UEPCX UEPOX UEP1X UEPDM  UEPCY  UEPCY	0.00 0.00 0.00 0.00 0.00 1.15 1.15 1.15 1.15 1.15 1.15	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00	600.00 600.00 0.00 0.00 0.00 0.00 0.00 0.00	0.00	0.00 0.00 0.00		15.66 15.66 15.66 15.66 15.66				
Altern	ar 8 Zero Substitution Clear Channel Capability Format, superframe-Subsqnt Activity Only Clear Channel Capability Format-Extended Superframe-Subsqnt Activity Only ate Mark Inversion (AMI) Superframe Format Extended Superframe Format Extended Superframe Format nge Ports Associated with 4-Wire DS1 Loop with Channelization wit nge Ports Line Side Combination Channelized PBX Trunk Port-bus Line Side Outward Channelized PBX Trunk Port-bus Line Side Inward Only Channelized PBX Trunk Port w/o DID 2W Trunk Side Unbundled Channelized DID Trunk Port Unbundled Exchange Ports, 2W Channelized – Outdial – (AL, KY, LA, MS, & TN)(Conversion from Network Access Service) Unbundled Exchange Ports, 2W Channelized – Combination (AL, KY, LA, MS, & TN) (Conversion from Network Access Service) 2W Channelized PBX Area Calling Service Combination Port (AL Only)	h Por	t	UEPMG  UEPMG  UEPMG  UEPMG  UEPPX  UEPPX  UEPPX  UEPPX  UEPPX  UEPPX  UEPPX  UEPPX	CCOSF  CCOEF  MCOSF  MCOPO  UEPCX  UEPCX  UEPDM  UEPCY  UEPCY  UEPCT  UEPA4	0.00 0.00 0.00 0.00 1.15 1.15 1.15 1.15 1.15 1.15	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00	600.00 600.00 0.00 0.00 0.00 0.00 0.00 0.00	0.00	0.00 0.00 0.00		15.66 15.66 15.66 15.66 15.66				
Alterna Exchal Exchal	ar 8 Zero Substitution Clear Channel Capability Format, superframe-Subsqnt Activity Only Clear Channel Capability Format-Extended Superframe-Subsqnt Activity Only atte Mark Inversion (AMI) Superframe Format Extended Superframe Format Extended Superframe Format Inge Ports Associated with 4-Wire DS1 Loop with Channelization with nge Ports Line Side Combination Channelized PBX Trunk Port-bus Line Side Outward Channelized PBX Trunk Port-bus Line Side Inward Only Channelized PBX Trunk Port w/o DID 2W Trunk Side Unbundled Channelized DID Trunk Port Unbundled Exchange Ports, 2W Channelized – Outdial – (AL, KY, LA, MS, & TN)(Conversion from Network Access Service) Unbundled Exchange Ports, 2W Channelized – Combination (AL, KY, LA, MS, & TN) (Conversion from Network Access Service) 2W Channelized PBX Area Calling Service Outgoing Only Port (AL Only)	h Por	t	UEPMG  UEPMG  UEPMG  UEPMG  UEPPX  UEPPX  UEPPX  UEPPX  UEPPX  UEPPX  UEPPX	CCOSF  CCOEF  MCOSF MCOPO  UEPCX UEPOX UEP1X UEPDM  UEPCY  UEPCY	0.00 0.00 0.00 0.00 0.00 1.15 1.15 1.15 1.15 1.15 1.15	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00	600.00 600.00 0.00 0.00 0.00 0.00 0.00 0.00	0.00	0.00 0.00 0.00		15.66 15.66 15.66 15.66 15.66				
Altern.  Excha	ar 8 Zero Substitution Clear Channel Capability Format, superframe-Subsqnt Activity Only Clear Channel Capability Format, superframe-Subsqnt Activity Only Olear Channel Capability Format-Extended Superframe-Subsqnt Activity Only ate Mark Inversion (AMI) Superframe Format Extended Superframe Format nge Ports Associated with 4-Wire DS1 Loop with Channelization wit nge Ports Line Side Combination Channelized PBX Trunk Port-bus Line Side Outward Channelized PBX Trunk Port-bus Line Side Inward Only Channelized PBX Trunk Port w/o DID 2W Trunk Side Unbundled Channelized DID Trunk Port Unbundled Exchange Ports, 2W Channelized - Outdial - (AL, KY, LA, MS, & TN)(Conversion from Network Access Service) Unbundled Exchange Ports, 2W Channelized - Combination (AL, KY, LA, MS, & TN) (Conversion from Network Access Service) 2W Channelized PBX Area Calling Service Outgoing Only Port (AL Only) 2W Channelized PBX Area Calling Service Outgoing Only Port (AL Only) e Activations - Unbundled Loop Concentration	h Por	t	UEPMG  UEPMG  UEPMG  UEPMG  UEPPX  UEPPX  UEPPX  UEPPX  UEPPX  UEPPX  UEPPX  UEPPX  UEPPX  UEPPX	CCOSF  CCOEF  MCOSF  MCOPO  UEPCX UEPOX UEP1X UEPDM  UEPCY  UEPCT UEPA4 UEPA3	0.00 0.00 0.00 0.00 1.15 1.15 1.15 1.15 1.15 1.15	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0	600.00 600.00 0.00 0.00 0.00 0.00 0.00 0.00	0.00	0.00 0.00 0.00		15.66 15.66 15.66 15.66 15.66 15.66 15.66				
Altern.  Excha  Excha	ar 8 Zero Substitution Clear Channel Capability Format, superframe-Subsqnt Activity Only Clear Channel Capability Format, superframe-Subsqnt Activity Only Clear Channel Capability Format-Extended Superframe-Subsqnt Activity Only ate Mark Inversion (AMI) Superframe Format Extended Superframe Format Extended Superframe Format Inge Ports Associated with 4-Wire DS1 Loop with Channelization with Inge Ports Line Side Combination Channelized PBX Trunk Port-bus Line Side Outward Channelized PBX Trunk Port-bus Line Side Inward Only Channelized PBX Trunk Port w/o DID 2W Trunk Side Unbundled Channelized DID Trunk Port Unbundled Exchange Ports, 2W Channelized – Outdial – (AL, KY, LA, MS, & TN)(Conversion from Network Access Service) Unbundled Exchange Ports, 2W Channelized – Combination (AL, KY, LA, MS, & TN) (Conversion from Network Access Service) 2W Channelized PBX Area Calling Service Combination Port (AL Only) 2w Channelized PBX Area Calling Service Outgoing Only Port (AL Only) 2w Activations - Unbundled Loop Concentration Feature (Service) Activation for each Line Port Terminated in D4 Bank	h Por	t	UEPMG  UEPMG  UEPMG  UEPMG  UEPPX  UEPPX  UEPPX  UEPPX  UEPPX  UEPPX  UEPPX  UEPPX  UEPPX  UEPPX  UEPPX  UEPPX  UEPPX  UEPPX  UEPPX  UEPPX	CCOSF  CCOEF  MCOSF MCOPO  UEPCX UEPOX UEP1X UEPDM  UEPCY  UEPCT UEPA4 UEPA3  1PQWM	0.00 0.00 0.00 0.00 0.00 1.15 1.15 1.15 1.15 1.15 1.15 1.15 1.15 1.15	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0	600.00 600.00 0.00 0.00 0.00 0.00 0.00 0.00	0.00	0.00 0.00 0.00		15.66 15.66 15.66 15.66 15.66 15.66 15.66				
Excha Excha Excha	ar 8 Zero Substitution Clear Channel Capability Format, superframe-Subsqnt Activity Only Clear Channel Capability Format, superframe-Subsqnt Activity Only Olear Channel Capability Format-Extended Superframe-Subsqnt Activity Only ate Mark Inversion (AMI) Superframe Format Extended Superframe Format nge Ports Associated with 4-Wire DS1 Loop with Channelization wit nge Ports Line Side Combination Channelized PBX Trunk Port-bus Line Side Outward Channelized PBX Trunk Port-bus Line Side Inward Only Channelized PBX Trunk Port w/o DID 2W Trunk Side Unbundled Channelized DID Trunk Port Unbundled Exchange Ports, 2W Channelized - Outdial - (AL, KY, LA, MS, & TN)(Conversion from Network Access Service) Unbundled Exchange Ports, 2W Channelized - Combination (AL, KY, LA, MS, & TN) (Conversion from Network Access Service) 2W Channelized PBX Area Calling Service Outgoing Only Port (AL Only) 2W Channelized PBX Area Calling Service Outgoing Only Port (AL Only) e Activations - Unbundled Loop Concentration	h Por	t	UEPMG  UEPMG  UEPMG  UEPMG  UEPPX  UEPPX  UEPPX  UEPPX  UEPPX  UEPPX  UEPPX  UEPPX  UEPPX  UEPPX	CCOSF  CCOEF  MCOSF  MCOPO  UEPCX UEPOX UEP1X UEPDM  UEPCY  UEPCT UEPA4 UEPA3	0.00 0.00 0.00 0.00 1.15 1.15 1.15 1.15 1.15 1.15	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0	600.00 600.00 0.00 0.00 0.00 0.00 0.00 0.00	0.00	0.00 0.00 0.00		15.66 15.66 15.66 15.66 15.66 15.66 15.66				

UNBUND	DLED NETWORK ELEMENTS - Alabama											Attachi	nent: 2	Exhib	it: B
CATEGOR	RATE ELEMENTS	Inter im	Zon e	BCS	usoc		RA	TES (\$)		ed Elec	Manually	I Charge - Manual Svc Order	Incrementa I Charge - Manual Svc Order vs. Electronic- Add'I	I Charge - Manual Svc Order vs.	al Charge Manual Svc Order vs.
						Rec	Nonrec	urring	NRC Disconnect		1	oss	Rates (\$)	ı	
						Rec	First	Add'l	First Add'	SOMEC	SOMAN	SOMAN	SOMÁN	SOMAN	SOMAN
	DID Nos-groups of 20-Valid all States			UEPPX	ND4	0.00	0.00	0.00							
	Non-Consecutive DID Nos-per No			UEPPX	ND5	0.00	0.00	0.00							
	Reserve Non-Consecutive DID Nos			UEPPX	ND6	0.00	0.00	0.00							
	Reserve DID Nos			UEPPX	NDV	0.00	0.00	0.00							
Loca	al Number Portability														
	Local No Portability-1 per port			UEPPX	LNPCP	3.15	0.00	0.00							
FEA	TURES - Vertical and Optional														
Loca	al Switching Features Offered with Line Side Ports Only														
	All Features Available			UEPPX	UEPVF	1.98	0.00	0.00							
	2W Voice Unbundled AL bus Dialing Plan w/o Caller ID			UEPBX	UEPWB	14.00	90.00	90.00			15.66				

RONDE	.ED NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhib	bit: B
											Svc	Svc	Incrementa	Incrementa	Incrementa	Increm
											Order	Order	I Charge -	I Charge -	I Charge -	al Cha
											Submitt	Submitte	Manual	Manual	Manual	Manu
TEGORY	RATE ELEMENTS	Inter	Zon	BCS	USOC		R/	ATES (\$)			ed Elec	d	Svc Order		Svc Order	
ILGUNI	KATE EELMENTS	im	е	BC3	0300		IXA	ATES (ψ)				Manually	vs.	VS.	vs.	vs
											per Lak			Vs. Electronic-		
												per LSR				
													1st	Add'l	Disc 1st	c-Di
						Rec	Nonrec	urring	NRC Disc	onnect			oss	Rates (\$)		
						Kec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOM
BUNDI F	D CENTREX PORT/LOOP COMBINATIONS - COST BASED RATES															1
	st Based Rates are applied where BellSouth is required by FCC and/o	r Com	miss	sion rule to provide	Unbundled	I Local Switchi	ng or Switch	Ports								+
	tures shall apply to the Unbundled Port/Loop Combination - Cost Ba								hundled De	rt coction	of this E	vhihit				+
													) }			+
	d Office & Tandem Switching Usage & Common Transport Usage rate															ــــــــــــــــــــــــــــــــــــــ
	first & add'l Port NRC charges apply to Not Currently Combined Co	mbos.	For	Currently Combined	d Combos,	the NRC charg	es shall be t	hose identif	ied in the N	RC - Cur	rently Co	mbined se	ctions. Add	'I NRCs may	apply also	and ar
	orized accordingly.															
5. Ma	rket Rates for Unbundled Centrex Port/Loop Combination will be ne	gotiate	d on	an Individual Case	Basis, unt	il further notice	Э.									
UNE-I	P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only)															
2-Wire	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo															T
	Port/Loop Combination Rates (Non-Design)					1		İ	İ				İ	1	1	1
U.112 I	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design		1	UEP91	1	12.70			<b> </b>			1	1	<u> </u>	1	+
-					-										-	+
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design	1	2	UEP91		21.19										+
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		3	UEP91		34.80										
UNE F	Port/Loop Combination Rates (Design)															
	2W VG Loop/2W VG Port (Centrex) Port Combo-Design		1	UEP91		15.53										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		2	UEP91		24.00										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		3	UEP91		37.29										1
LINE	Loop Rate	1		02.0.		07.20										+
ONL	2W VG Loop (SL 1)-Zone 1		1	UEP91	UECS1	11.55						1				+
_		1										-				+
	2W VG Loop (SL 1)-Zone 2		2	UEP91	UECS1	20.04										+
	2W VG Loop (SL 1)-Zone 3		3	UEP91	UECS1	33.65										
	2W VG Loop (SL 2)-Zone 1		1	UEP91	UECS2	14.38										
	2W VG Loop (SL 2)-Zone 2		2	UEP91	UECS2	22.85										
	2W VG Loop (SL 2)-Zone 3		3	UEP91	UECS2	36.14										T
UNE																1
	ates (Except North Carolina and Sout Carolina)	1														+
All Ot	2W VG Port (Centrex ) Basic Local Area			UEP91	UEPYA	1.15	40.19	19.83	24.91	6.63		15.66				+
	` '															+-
	2W VG Port (Centrex 800 Term)Basic Local Area			UEP91	UEPYB	1.15	40.19	19.83	24.91	6.63		15.66				+
	2W VG Port (Centrex with Caller ID)1Basic Local Area			UEP91	UEPYH	1.15	40.19	19.83	24.91	6.63		15.66				
	2W VG Port (Centrex from diff SWC)2 Basic Local Area			UEP91	UEPYM	1.15	90.38	57.27	48.66	8.77		15.66				
	2W VG Port, Diff SWC-800 Service Term-Basic Local Area			UEP91	UEPYZ	1.15	90.38	57.27	48.66	8.77		15.66				
	2W VG Port terminated in on Megalink or equivalent-Basic Local Area			UEP91	UEPY9	1.15	40.19	19.83	24.91	6.63		15.66				
	2W VG Port Terminated on 800 Service Term-Basic Local Area			UEP91	UEPY2	1.15	40.19	19.83	24.91	6.63		15.66				1
ΔIK	Y, LA, MS, & TN Only			<u> </u>								10.00				+
д.,	2W VG Port (Centrex )			UEP91	UEPQA	1.15	40.19	19.83	24.91	6.63		15.66				+-
+	` '	1														+
	2W VG Port (Centrex 800 Term)			UEP91	UEPQB	1.15	40.19	19.83	24.91	6.63		15.66				+
	2W VG Port (Centrex with Caller ID)1			UEP91	UEPQH	1.15	40.19		24.91	6.63		15.66				
	2W VG Port (Centrex from diff SWC)2			UEP91	UEPQM	1.15	90.38	57.27	48.66	8.77		15.66				
	2W VG Port, Diff SWC-800 Service Term	Щ Т		UEP91	UEPQZ	1.15	90.38	57.27	48.66	8.77		15.66	l			$\perp$
	2W VG Port terminated in on Megalink or equivalent			UEP91	UEPQ9	1.15	40.19	19.83	24.91	6.63		15.66				T
	2W VG Port Terminated on 800 Service Term			UEP91	UEPQ2	1.15	40.19	19.83	24.91	6.63		15.66				1
Local	Switching			<u> </u>								10.00				+
Local	Centrex Intercom Funtionality, per port	$\vdash$		UEP91	URECS	0.5488			<del>l</del>			1	-	1	1	+-
	7.1	$\vdash$		UEFSI	UNECS	0.0400						-	-	-	-	+-
Local	Number Portability	$\longmapsto$		=				1	<b>.</b>			<u> </u>			-	+-
1	Local No Portability (1 per port)			UEP91	LNPCC	0.35						<u> </u>			1	4
Featu																
	All Standard Features Offered, per port			UEP91	UEPVF	1.98										
	All Select Features Offered, per port			UEP91	UEPVS	0.00	405.52						1			1
1	All Centrex Control Features Offered, per port			UEP91	UEPVC	1.98	.00.02	1	<del>l</del>			1	1		t	+
NARS		$\vdash$		OLFSI	OLF VO	1.30		1	l .			1	l	1	1	+-
NAKS	и				1	1		i	ĺ	1	1	1	i	i	l	i

Version 4Q02: 01/21/03 Page 33 of 402

UNBUNE	DLED NETWORK ELEMENTS - Alabama												Attachi	nent: 2	Exhib	it: B
											Svc	Svc	Incrementa	Incrementa	Incrementa	Increment
											Order	Order	I Charge -	I Charge -	I Charge -	al Charge -
											Submitt	Submitte	Manual	Manual	Manual	Manual
CATEGOR	RY RATE ELEMENTS	Inter	Zon	BCS	USOC		RA	TES (\$)			ed Elec	d	Svc Order	Svc Order	Svc Order	Svc Order
		im	е								per LSR	Manually	vs.	vs.	vs.	vs.
												per LSR	Electronic-	Electronic-	Electronic-	Electroni
											1st	Add'l	Disc 1st	c-Disc		
						Rec	Nonrec	urring	NRC Disc	onnect			oss	Rates (\$)		
						Kec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Network Access Register-Indial			UEP91	UAR1X	0.00	0.00	0.00								
	Unbundled Network Access Register-Outdial			UEP91	UAROX	0.00	0.00	0.00								

<u>IRNNDI</u>	LED NETWORK ELEMENTS - Alabama													ment: 2	Exhib	
TEGORY	RATE ELEMENTS	Inter im	Zon e	BCS	USOC		R <i>A</i>	ATES (\$)			Svc Order Submitt ed Elec per LSR	Svc Order Submitte d Manually per LSR	Incrementa I Charge - Manual Svc Order vs. Electronic- 1st	Incrementa I Charge - Manual Svc Order vs. Electronic- Add'I	I Charge - Manual	Increme al Charg Manua Svc Ord vs. Electros c-Disc
						Rec	Nonrec	urring	NRC Disc	onnect			OSS	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMÁN	SOMAN	SOMAN
Misce	ellaneous Terminations															
	e Trunk Side															
	Trunk Side Terms, each			UEP91	CENA6	8.05	119.31	18.74	59.90	3.76		15.66				
Interd	office Channel Mileage - 2-Wire				0 - 1 1 1 0											1
	Interoffice Channel Facilities Term-VG			UEP91	M1GBC	21.13	40.54	27.41	16.74	6.90		15.66				1
	Interoffice Channel miage, per mi or fraction of mi			UEP91	M1GBM	0.008838	10.01	27.41	10.74	0.00		10.00				
Foatu	re Activations (DS0) Centrex Loops on Channelized DS1 Service		1	OLI OI	WITCEWI	0.000000										<del> </del>
	nannel Bank Feature Activations				+											-
D4 C1	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP91	1PQWS	0.56										-
+			H	UEP91	1PQWS	0.56				-	-	1	1	1	1	<del>                                     </del>
-	Feature Activation on D-4 Channel Bank FX line Side Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot		$\vdash$	UEP91 UEP91	1PQW6	0.56										<del>                                     </del>
																ļ
	Feature Activation on D-4 Channel Bank Centrex Loop Slot-Diff WC			UEP91	1PQWP	0.56										ļ
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP91	1PQWV	0.56										1
_	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot			UEP91	1PQWQ	0.56										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP91	1PQWA	0.56										
Non-l	Recurring Charges (NRC) Associated with UNE-P Centrex															
	Conversion-Currently Combined Switch-As-Is with allowed changes, per port			UEP91	USAC2		0.10	0.10				15.66				
	Conversion of Existing Centrex Common Block			UEP91	USACN		37.75	16.58				15.66				
	New Centrex Standard Common Block			UEP91	M1ACS	0.00	667.21					15.66				
	New Centrex Customized Common Block			UEP91	M1ACC	0.00	667.21					15.66				
	Secondary Block, per Block			UEP91	M2CC1	0.00	78.02					15.66				
	NAR Establishment Charge, Per Occasion			UEP91	URECA	0.00	72.73					15.66				
UNE-	P CENTREX - 5ESS (Valid in All States)															
	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
	Port/Loop Combination Rates (Non-Design)															1
<u> </u>	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design		1	UEP95	1	12.70										1
+	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		2	UEP95	+	21.19										<del>                                     </del>
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		3	UEP95	+	34.80										<del>                                     </del>
LINE	Port/Loop Combination Rates (Design)		3	OLF 95	+	34.00										<del>                                     </del>
ONL	2W VG Loop/2W VG Port (Centrex) Port Combo-Design		1	UEP95	+	15.53										<del>                                     </del>
-	2W VG Loop/2W VG Port (Centrex) Port Combo-Design		2	UEP95	+	24.00										-
_	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		3	UEP95		37.29										-
LINE			J	UEP95	+	37.29										-
UNE	Loop Rate			UEP95	UECS1	11.55										-
_	2W VG Loop (SL 1)-Zone 1		1													
	2W VG Loop (SL 1)-Zone 2	-	2	UEP95	UECS1	20.04				ļ	-					₩
_	2W VG Loop (SL 1)-Zone 3	-	3	UEP95	UECS1	33.65				ļ	-					₩
_	2W VG Loop (SL 2)-Zone 1		1	UEP95	UECS2	14.38										<del>                                     </del>
_	2W VG Loop (SL 2)-Zone 2		2	UEP95	UECS2	22.85										<u> </u>
	2W VG Loop (SL 2)-Zone 3		3	UEP95	UECS2	36.14										ļ
	Port Rate				1											<u> </u>
All St					1											<u> </u>
	2W VG Port (Centrex ) Basic Local Area			UEP95	UEPYA	1.15	40.19	19.83	24.91	6.63		15.66				ļ
	2W VG Port (Centrex 800 Term)			UEP95	UEPYB	1.15	40.19	19.83	24.91	6.63		15.66				
	2W VG Port (Centrex with Caller ID)1Basic Local Area		LI	UEP95	UEPYH	1.15	40.19	19.83	24.91	6.63		15.66				
	2W VG Port (Centrex from diff SWC)2 Basic Local Area			UEP95	UEPYM	1.15	90.38	57.27	48.66	8.77		15.66				
	2W VG Port, Diff SWC-800 Service Term-Basic Local Area			UEP95	UEPYZ	1.15	90.38	57.27	48.66	8.77		15.66				
	2W VG Port terminated in on Megalink or equivalent-Basic Local Area			UEP95	UEPY9	1.15	40.19	19.83	24.91	6.63		15.66				
	2W VG Port Terminated on 800 Service Term-Basic Local Area			UEP95	UEPY2	1.15	40.19	19.83	24.91	6.63		15.66				
AL. K	Y, LA, MS, SC, & TN Only				1 1								İ	İ	İ	
	2W VG Port (Centrex )		† †	UEP95	UEPQA	1.15	40.19	19.83	24.91	6.63		15.66				<b>†</b>

Version 4Q02: 01/21/03 Page 35 of 402

NBUNDL	ED NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhib	bit: B
											Svc	Svc	Incrementa	Incrementa	Incrementa	Increm
											Order	Order	I Charge -	I Charge -	I Charge -	al Cha
											Submitt	Submitte	Manual	Manual	Manual	Manu
TEGORY	RATE ELEMENTS	Inter	Zon	BCS	USOC		R/	ATES (\$)			ed Elec	d	Svc Order	Svc Order	Svc Order	
(ILGOILI	KAIL ELEMENIS	im	е	ВСЗ	0300		IX.	( I LO (ψ)				Manually	VS.	VS.	vs.	vs.
											per Lak		_	vs. Electronic-	Vs. Electronic-	
												per LSR				
													1st	Add'l	Disc 1st	c-Disc
						Rec	Nonrec		NRC Disc					Rates (\$)		
						1,00	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAI
	2W VG Port (Centrex 800 Term)			UEP95	UEPQB	1.15	40.19	19.83	24.91	6.63		15.66				
	2W VG Port (Centrex with Caller ID)1			UEP95	UEPQH	1.15	40.19	19.83	24.91	6.63		15.66				
	2W VG Port (Centrex from diff SWC)2			UEP95	UEPQM	1.15	90.38	57.27	48.66	8.77		15.66				
	2W VG Port, Diff SWC-800 Service Term			UEP95	UEPQZ	1.15	90.38	57.27	48.66	8.77		15.66				1
	2W VG Port terminated in on Megalink or equivalent			UEP95	UEPQ9	1.15	40.19	19.83	24.91	6.63		15.66				<b>†</b>
	2W VG Port Terminated in 6th Migdalink of equivarient	+ +		UEP95	UEPQ2	1.15	40.19	19.83	24.91	6.63		15.66				+
Local	Switching	+ +		OLI 33	OLI QZ	1.15	40.13	13.03	24.01	0.00		13.00				+
LUCAI	Centrex Intercom Funtionality, per port	+		UEP95	URECS	0.5488						1				+
<del>-</del>	271	+	-	UEP95	URECS	0.5488						ļ				+
Local	Number Portability	+		11555-	LNESS				ļ		-	}		1	1	+
	Local No Portability (1 per port)	1 1		UEP95	LNPCC	0.35				ļ		ļ		ļ		<del>                                     </del>
Featu		$oldsymbol{\downarrow}$										<u> </u>		ļ		<u> </u>
	All Standard Features Offered, per port			UEP95	UEPVF	1.98										
	All Select Features Offered, per port			UEP95	UEPVS	0.00	405.52									
	All Centrex Control Features Offered, per port			UEP95	UEPVC	1.98										
NARS																
	Unbundled Network Access Register-Combination			UEP95	UARCX	0.00	0.00	0.00								<b>†</b>
	Unbundled Network Access Register-Indial			UEP95	UAR1X	0.00	0.00	0.00								†
	Unbundled Network Access Register-Outdial			UEP95	UAROX	0.00	0.00	0.00								<b>†</b>
Misco	Illaneous Terminations	+ +	-	OLI 33	OAROX	0.00	0.00	0.00								+
	e Trunk Side	+	-									1				+
Z-VVIITE		+	-	LIEDOS	OFNE	0.05	440.04	10.71	50.00	0.70		45.00				+
	Trunk Side Terms, each			UEP95	CEND6	8.05	119.31	18.74	59.90	3.76		15.66				+
	e Digital (1.544 Megabits)															
	DS1 Circuit Terms, each			UEP95	M1HD1	60.09	202.02	95.69	72.59	2.46		15.66				
	DS0 Channels Activated, each			UEP95	M1HDO	0.00	14.46					15.66				
Intero	ffice Channel Mileage - 2-Wire															
	Interoffice Channel Facilities Term			UEP95	MIGBC	21.13	40.54	27.41	16.74	6.90		15.66				
	Interoffice Channel miage, per mi or fraction of mi			UEP95	MIGBM	0.008838										
Featu	re Activations (DS0) Centrex Loops on Channelized DS1 Service															
	annel Bank Feature Activations															1
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	1PQWS	0.56										†
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot	+ +		UEP95	1PQW6	0.56										1
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot	+ +		UEP95	1PQW7	0.56						1				+
	Feature Activation on D-4 Channel Bank Centrex Loop Slot-Diff WC	+ +		UEP95	1PQWP	0.56										+
_		+														+
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP95	1PQWV	0.56										
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot			UEP95	1PQWQ	0.56										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP95	1PQWA	0.56										
Non-R	Recurring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed															
	changes, per port			UEP95	USAC2		0.10	0.10				15.66				
	Conversion of Existing Centrex Common Block, each			UEP95	USACN		37.75	16.58				15.66				
	New Centrex Standard Common Block			UEP95	M1ACS	0.00	667.21					15.66				1
	New Centrex Customized Common Block	1 1		UEP95	M1ACC	0.00	667.21					15.66	İ			1
	NAR Establishment Charge, Per Occasion	1 1		UEP95	URECA	0.00	72.73					15.66	İ			1
UNF-F	P CENTREX - DMS100 (Valid in All States)	+ +		02100	5	0.00	12.10					10.00				<b>†</b>
	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo	+ +			1				1		t	1		1	1	<del>                                     </del>
	. ,	+ +			1				-	-	-	}	1			+
UNE	Port/Loop Combination Rates (Non-Design)	+		LIEDOD	+	40.70			-	<b> </b>	-	<del>                                     </del>	-	1	1	+
-	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design	+ +	1	UEP9D	1	12.70				-	1	1			1	+
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design	+	2	UEP9D		21.19										₩
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		3	UEP9D		34.80						<u> </u>				<u> </u>
IUNE E	Port/Loop Combination Rates (Design)	1							I	l	1	1	l	1	1	

Version 4Q02: 01/21/03 Page 36 of 402

INBUNDL	ED NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhib	bit: B
											Svc	Svc	Incrementa	Incrementa	Incrementa	Increme
											Order	Order	I Charge -	I Charge -	I Charge -	al Char
											Submitt	Submitte	Manual	Manual	Manual	Manu
ATEGORY	RATE ELEMENTS	Inter	Zon	BCS	USOC		R/	ATES (\$)			ed Elec	d	Svc Order	Svc Order	Svc Order	
AILOOKI	NATE ELLINEITO	im	е	500	0000		11.7	(Ψ)				Manually	VS.	vs.	vs.	vs.
											per Lor	per LSR	_	Electronic-	Electronic-	
												per Lor	1st	Add'l	Disc 1st	c-Dis
															DISC 1St	C-DIS
						Rec	Nonrec		NRC Disc			1		Rates (\$)		T
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		2	UEP9D		24.00										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		3	UEP9D		37.29										
UNE L	oop Rate															
	2W VG Loop (SL 1)-Zone 1		1	UEP9D	UECS1	11.55										
	2W VG Loop (SL 1)-Zone 2		2	UEP9D	UECS1	20.04										
	2W VG Loop (SL 1)-Zone 3		3	UEP9D	UECS1	33.65										
	2W VG Loop (SL 2)-Zone 1		1	UEP9D	UECS2	14.38										
	2W VG Loop (SL 2)-Zone 2		2	UEP9D	UECS2	22.85										1
1	2W VG Loop (SL 2)-Zone 3		3	UEP9D	UECS2	36.14				1			İ		İ	1
UNF F	Port Rate					00							İ	Ì	i e	1
	TATES									t	1	<u> </u>		1	1	1
ALL	2W VG Port (Centrex ) Basic Local Area			UEP9D	UEPYA	1.15	40.19	19.83	24.91	6.63		15.66				+
	2W VG Port (Centrex 800 Term)Basic Local Area			UEP9D	UEPYB	1.15	40.19	19.83	24.91	6.63		15.66				+
-					UEPYC	1.15									1	+
_	2W VG Port (Centrex/EBS-PSET)3Basic Local Area			UEP9D			40.19	19.83	24.91	6.63		15.66				+
	2W VG Port (Centrex /EBS-M5009)3Basic Local Area			UEP9D	UEPYD	1.15	40.19	19.83	24.91	6.63		15.66				
	2W VG Port (Centrex /EBS-M5209)3 Basic Local Area			UEP9D	UEPYE	1.15	40.19	19.83	24.91	6.63		15.66				
	2W VG Port (Centrex /EBS-M5112)3 Basic Local Area			UEP9D	UEPYF	1.15	40.19	19.83	24.91	6.63		15.66				
	2W VG Port (Centrex /EBS-M5312)3Basic Local Area			UEP9D	UEPYG	1.15	40.19	19.83	24.91	6.63		15.66				
	2W VG Port (Centrex /EBS-M5008)3 Basic Local Area			UEP9D	UEPYT	1.15	40.19	19.83	24.91	6.63		15.66				
	2W VG Port (Centrex/EBS-M5208)3 Basic Local Area			UEP9D	UEPYU	1.15	40.19	19.83	24.91	6.63		15.66				
	2W VG Port (Centrex/EBS-M5216)3 Basic Local Area			UEP9D	UEPYV	1.15	40.19	19.83	24.91	6.63		15.66				
	2W VG Port (Centrex/EBS-M5316)3 Basic Local Area			UEP9D	UEPY3	1.15	40.19	19.83	24.91	6.63		15.66				
	2W VG Port (Centrex with Caller ID) Basic Local Area			UEP9D	UEPYH	1.15	40.19	19.83	24.91	6.63		15.66				
	2W VG Port (Centrex/Caller ID/Msg Wtg Lamp Indication)3 Basic Local															1
	Area			UEP9D	UEPYW	1.15	40.19	19.83	24.91	6.63		15.66				
	2W VG Port (Centrex/Msg Wtg Lamp Indication)3 Basic Local Area			UEP9D	UEPYJ	1.15	40.19	19.83	24.91	6.63		15.66				1
	2W VG Port (Centrex from diff SWC) 2 Basic Local Area			UEP9D	UEPYM	1.15	90.38	57.27	48.66	8.77		15.66				+
+	2W VG Port (Centrex/differ SWC /EBS-PSET)2, 3 Basic Local Area	1		UEP9D	UEPYO	1.15	90.38	57.27	48.66	8.77		15.66				+
_	2W VG Port (Centrex/differ SWC /EBS-M5009)2, 3 Basic Local Area			UEP9D	UEPYP	1.15	90.38	57.27	48.66	8.77		15.66				+
	2W VG Port (Centrex/differ SWC /EBS-5209)2, 3 Basic Local Area			UEP9D	UEPYQ	1.15	90.38	57.27	48.66	8.77		15.66				+
_	2W VG Port (Centrex/differ SWC /EBS-95209)2, 3 Basic Local Area		-	UEP9D	UEPYR	1.15	90.38	57.27	48.66	8.77		15.66				+
_				UEP9D	UEPYS	1.15	90.38	57.27	48.66	8.77		15.66				+
	2W VG Port (Centrex/differ SWC /EBS-M5312)2, 3 Basic Local Area															
	2W VG Port (Centrex/differ SWC /EBS-M5008)2, 3 Basic Local Area			UEP9D	UEPY4	1.15	90.38	57.27	48.66	8.77		15.66				
	2W VG Port (Centrex/differ SWC /EBS-M5208)2, 3 Basic Local Area			UEP9D	UEPY5	1.15	90.38	57.27	48.66	8.77		15.66				
	2W VG Port (Centrex/differ SWC /EBS-M5216)2, 3 Basic Local Area			UEP9D	UEPY6	1.15	90.38	57.27	48.66	8.77		15.66				
	2W VG Port (Centrex/differ SWC /EBS-M5316)2, 3 Basic Local Area			UEP9D	UEPY7	1.15	90.38	57.27	48.66	8.77		15.66				
	2W VG Port, Diff SWC-800 Service Term			UEP9D	UEPYZ	1.15	90.38	57.27	48.66	8.77		15.66				
	2W VG Port terminated in on Megalink or equivalent Basic Local Area			UEP9D	UEPY9	1.15	40.19	19.83	24.91	6.63		15.66				
	2W VG Port Terminated on 800 Service Term Basic Local Area			UEP9D	UEPY2	1.15	40.19	19.83	24.91	6.63		15.66				
AL, K	Y, LA, MS, SC, & TN Only															
	2W VG Port (Centrex)			UEP9D	UEPQA	1.15	40.19	19.83	24.91	6.63		15.66				
	2W VG Port (Centrex 800 Term)			UEP9D	UEPQB	1.15	40.19	19.83	24.91	6.63		15.66				
	2W VG Port (Centrex/EBS-PSET)3			UEP9D	UEPQC	1.15	40.19	19.83	24.91	6.63		15.66				
	2W VG Port (Centrex /EBS-M5009)3			UEP9D	UEPQD	1.15	40.19	19.83	24.91	6.63		15.66	İ		İ	†
	2W VG Port (Centrex /EBS-M5209)3			UEP9D	UEPQE	1.15	40.19	19.83	24.91	6.63		15.66			1	<del>†                                      </del>
-	2W VG Port (Centrex /EBS-M5112)3			UEP9D	UEPQF	1.15	40.19	19.83	24.91	6.63		15.66		+	<u> </u>	+
-	2W VG Port (Centrex /EBS-M5112)3 2W VG Port (Centrex /EBS-M5312)3	$\vdash$		UEP9D	UEPQF	1.15	40.19	19.83	24.91	6.63		15.66			<del>                                     </del>	+
-	2W VG Port (Centrex /EBS-M5312)3 2W VG Port (Centrex /EBS-M5008)3	$\vdash$		UEP9D UEP9D	UEPQG	1.15	40.19	19.83	24.91	6.63	1	15.66	1		1	+
_											-		-	-	<b> </b>	+
_	2W VG Port (Centrex/EBS-M5208)3			UEP9D	UEPQU	1.15	40.19	19.83	24.91	6.63	<b></b>	15.66			<b> </b>	<del>  </del>
	2W VG Port (Centrex/EBS-M5216)3 2W VG Port (Centrex/EBS-M5316)3			UEP9D UEP9D	UEPQV UEPQ3	1.15 1.15	40.19 40.19	19.83 19.83	24.91 24.91	6.63 6.63		15.66 15.66			ļ	

Version 4Q02: 01/21/03 Page 37 of 402

IBUNDL	ED NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhib	bit: B
											Svc	Svc	Incrementa	Incrementa	Incrementa	Increme
											Order	Order	I Charge -	I Charge -	I Charge -	al Char
											Submitt	Submitte	Manual	Manual	Manual	Manua
TEGORY	RATE ELEMENTS	Inter Z	on	BCS	USOC		P.	ATES (\$)			ed Elec	d	Svc Order	Svc Order	Svc Order	
ILOOKI	NATE ELEMENTO	im	е	500	0000		107	( i LO (ψ)			per LSR		vs.	vs.	vs.	vs.
											per Lor	per LSR	-	_	Electronic-	_
												per Lor	1st	Add'l	Disc 1st	c-Disc
												l .			DISC 1St	C-Disc
						Rec	Nonred		NRC Disc					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC		SOMAN	SOMAN	SOMAN	SOMA
	2W VG Port (Centrex with Caller ID)			UEP9D	UEPQH	1.15	40.19	19.83	24.91	6.63		15.66				
	2W VG Port (Centrex/Caller ID/Msg Wtg Lamp Indication)3			UEP9D	UEPQW	1.15	40.19	19.83	24.91	6.63		15.66				
	2W VG Port (Centrex/Msg Wtg Lamp Indication)3			UEP9D	UEPQJ	1.15	40.19	19.83	24.91	6.63		15.66				
	2W VG Port (Centrex from diff SWC) 2			UEP9D	UEPQM	1.15	90.38	57.27	48.66	8.77		15.66				Ī
	2W VG Port (Centrex/differ SWC /EBS-PSET)2, 3			UEP9D	UEPQO	1.15	90.38	57.27	48.66	8.77		15.66				
	2W VG Port (Centrex/differ SWC /EBS-M5009)2, 3			UEP9D	UEPQP	1.15	90.38	57.27	48.66	8.77		15.66				1
	2W VG Port (Centrex/differ SWC /EBS-5209)2, 3			UEP9D	UEPQQ	1.15	90.38	57.27	48.66	8.77		15.66				†
	2W VG Port (Centrex/differ SWC /EBS-M5112)2, 3	- t		UEP9D	UEPQR	1.15	90.38	57.27	48.66	8.77		15.66				+
	2W VG Port (Centrex/differ SWC /EBS-M5312)2, 3	+		UEP9D	UEPQS	1.15	90.38	57.27	48.66	8.77		15.66	1	<del> </del>	<del>                                     </del>	+
	2W VG Port (Centrex/differ SWC /EBS-M5312)2, 3 2W VG Port (Centrex/differ SWC /EBS-M5008)2, 3	+-+		UEP9D UEP9D	UEPQS UEPQ4	1.15	90.38	57.27	48.66	8.77	-	15.66	<del> </del>	1	<del> </del>	+
		+	-+								1		<del>                                     </del>	<del>                                     </del>	<del>                                     </del>	+
	2W VG Port (Centrex/differ SWC /EBS-M5208)2, 3			UEP9D	UEPQ5	1.15	90.38	57.27	48.66	8.77		15.66				
	2W VG Port (Centrex/differ SWC /EBS-M5216)2, 3			UEP9D	UEPQ6	1.15	90.38	57.27	48.66	8.77		15.66				
	2W VG Port (Centrex/differ SWC /EBS-M5316)2, 3			UEP9D	UEPQ7	1.15	90.38	57.27	48.66	8.77		15.66				
	2W VG Port, Diff SWC-800 Service Term			UEP9D	UEPQZ	1.15	90.38	57.27	48.66	8.77		15.66				
	2W VG Port terminated in on Megalink or equivalent			UEP9D	UEPQ9	1.15	40.19	19.83	24.91	6.63		15.66				
	2W VG Port Terminated on 800 Service Term			UEP9D	UEPQ2	1.15	40.19	19.83	24.91	6.63		15.66				
Local	Switching															1
	Centrex Intercom Funtionality, per port			UEP9D	URECS	0.5488										1
	Number Portability			02.05	0.1200	0.0.00										†
	Local No Portability (1 per port)			UEP9D	LNPCC	0.35						1				1
Featur	, , , ,	+ +		OLF9D	LINECC	0.55										+
		+ +		UEP9D	UEPVF	1.98							-		-	+
	All Standard Features Offered, per port	+	_				405.50					1				
	All Select Features Offered, per port			UEP9D	UEPVS	0.00	405.52									
	All Centrex Control Features Offered, per port			UEP9D	UEPVC	1.98										
NARS																
	Unbundled Network Access Register-Combination			UEP9D	UARCX	0.00	0.00	0.00								
	Unbundled Network Access Register-Inward			UEP9D	UAR1X	0.00	0.00	0.00								
	Unbundled Network Access Register-Outdial			UEP9D	UAROX	0.00	0.00	0.00								
Miscel	laneous Terminations															Ī
2-Wire	Trunk Side															
	Trunk Side Terms, each			UEP9D	CEND6	8.05	119.31	18.74	59.90	3.76		15.66				<b>†</b>
	Digital (1.544 Megabits)							-								†
	DS1 Circuit Terms, each			UEP9D	M1HD1	60.09	202.02	95.69	72.59	2.46		15.66				+
	DS0 Channels Activiated per Channel	- t		UEP9D	M1HDO	0.00	14.46	33.03	12.00	2.40		15.66				†
	fice Channel Mileage - 2-Wire	+ +		UEF9D	WITHDO	0.00	14.40					15.00				+
	Interoffice Channel Facilities Term	+		UEP9D	MIGBC	21.13	40.54	27.41	16.74	6.90		15.66				+
							40.54	27.41	16.74	6.90		15.66				+
	Interoffice Channel miage, per mi or fraction of mi			UEP9D	MIGBM	0.008838										<del></del>
	e Activations (DS0) Centrex Loops on Channelized DS1 Service															
	annel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9D	1PQWS	0.56										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9D	1PQW6	0.56										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP9D	1PQW7	0.56										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot-Diff WC			UEP9D	1PQWP	0.56	_									I
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9D	1PQWV	0.56										1
	Feature Activation on D-4 Channel Bank Tijle Line/Trunk Loop Slot	+		UEP9D	1PQWQ	0.56							1	İ	1	<b>†</b>
1 1	Feature Activation on D-4 Channel Bank WATS Loop Slot	1 -		UEP9D	1PQWA	0.56			1		t		<b>I</b>	<b> </b>	<b>I</b>	<del>                                     </del>
	ecurring Charges (NRC) Associated with UNE-P Centrex	+		OLIBU	11 4777	0.50			<b> </b>	<b> </b>	-	<b> </b>	t	<del>                                     </del>	t	+
INOII-R	NRC Conversion Currently Combined Switch-As-Is with allowed	+ +	-+		1					<del>                                     </del>	<b>-</b>	<b> </b>	t	1	t	+-
	·			LIEDOD	110400		0.40	0.40	1	1		45.00		1	I	1
	changes, per port Conversion of existing Centrex Common Block, each	+		UEP9D UEP9D	USAC2 USACN		0.10 37.75	0.10 16.58		ļ		15.66 15.66	-	ļ	-	₩

T			1 -													
											Svc	Svc		Incrementa		
											Order	Order	I Charge -	I Charge -	I Charge -	
		Inter 70	_								Submitt	Submitte	Manual	Manual	Manual	Manua
TEGORY	RATE ELEMENTS	Inter Zor		BCS	USOC		R.A	ATES (\$)			ed Elec	d	Svc Order	Svc Order	Svc Order	Svc Ord
		im e	'								per LSR	Manually	vs.	vs.	vs.	vs.
												per LSR	Electronic-	Electronic-	Electronic-	- Electro
												-	1st	Add'l	Disc 1st	c-Disc
						_	Nonrec	urrina	NRC Disc	onnect		1	oss	Rates (\$)		
+						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN		SOMAN	SOMAN
N	New Centrex Customized Common Block			UEP9D	M1ACC	0.00	667.21					15.66				
	NAR Establishment Charge, Per Occasion			UEP9D	URECA	0.00	72.73					15.66				
	CENTREX - EWSD (Valid in AL, FL, KY, LA, MS & TN)			02.02	0112071	0.00	. 2 0					10.00				
	VG Loop/2-Wire Voice Grade Port (Centrex) Combo		+			İ										+
	ort/Loop Combination Rates (Non-Design)															
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design	1		UEP9E	+	12.70										+
	2W VG Loop/2W VG Fort (Centrex) Fort Combo-Non-Design	2		UEP9E		21.19										+
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design	3		UEP9E	+	34.80										+
	ort/Loop Combination Rates (Design)	<del>    3</del>	+	OLFBE	+	34.00			<del>                                     </del>		1	1		<del>                                     </del>		+
	2W VG Loop/2W VG Port (Centrex) Port Combo-Design	1	+	UEP9E	+	15.53			-		1	1		<del>                                     </del>		+
	2W VG Loop/2W VG Port (Centrex) Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design	2		UEP9E UEP9E	+	15.53 24.00			<del>                                     </del>		1	1		<del>                                     </del>		+
			_		-											+
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design	3	-	UEP9E	+	37.29										+
	pop Rate		_													
	2W VG Loop (SL 1)-Zone 1	1	_	UEP9E	UECS1	11.55										
	2W VG Loop (SL 1)-Zone 2	2		UEP9E	UECS1	20.04										
	2W VG Loop (SL 1)-Zone 3	3	_	UEP9E	UECS1	33.65										
	2W VG Loop (SL 2)-Zone 1	1		UEP9E	UECS2	14.38										
	2W VG Loop (SL 2)-Zone 2	2		UEP9E	UECS2	22.85										
2	2W VG Loop (SL 2)-Zone 3	3		UEP9E	UECS2	36.14										
UNE Po	ort Rate															
AL, FL,	KY, LA, MS, & TN only															
2	2W VG Port (Centrex ) Basic Local Area			UEP9E	UEPYA	1.15	40.19	19.83	24.91	6.63		15.66				
2	2W VG Port (Centrex 800 Term)Basic Local Area			UEP9E	UEPYB	1.15	40.19	19.83	24.91	6.63		15.66				
2	2W VG Port (Centrex with Caller ID)1Basic Local Area			UEP9E	UEPYH	1.15	40.19	19.83	24.91	6.63		15.66				
2	2W VG Port (Centrex from diff SWC)2 Basic Local Area			UEP9E	UEPYM	1.15	90.38	57.27	48.66	8.77		15.66				1
2	2W VG Port, Diff SWC-800 Service Term-Basic Local Area			UEP9E	UEPYZ	1.15	90.38	57.27	48.66	8.77		15.66				1
	2W VG Port terminated in on Megalink or equivalent-Basic Local Area			UEP9E	UEPY9	1.15	40.19	19.83	24.91	6.63		15.66				1
	2W VG Port Terminated on 800 Service Term-Basic Local Area			UEP9E	UEPY2	1.15	40.19	19.83	24.91	6.63		15.66				1
	, LA, MS, & TN Only									0.00						_
	2W VG Port (Centrex )			UEP9E	UEPQA	1.15	40.19	19.83	24.91	6.63		15.66				_
	2W VG Port (Centrex 800 Term)			UEP9E	UEPQB	1.15	40.19	19.83	24.91	6.63		15.66				_
	2W VG Port (Centrex with Caller ID)1			UEP9E	UEPQH	1.15	40.19	19.83	24.91	6.63		15.66				
	2W VG Port (Centrex from diff SWC)2	+ +		UEP9E	UEPQM	1.15	90.38	57.27	48.66	8.77		15.66				+
	2W VG Port, Diff SWC-800 Service Term			UEP9E	UEPQZ	1.15	90.38	57.27	48.66	8.77		15.66				_
	2W VG Port terminated in on Megalink or equivalent	+ +		UEP9E	UEPQ9	1.15	40.19	19.83	24.91	6.63		15.66				+
	2W VG Port Terminated in 800 Service Term			UEP9E	UEPQ2	1.15	40.19	19.83	24.91	6.63		15.66				+
	Switching	+ +		OLFBL	ULFQZ	1.13	40.19	19.03	24.51	0.03		13.00				+
	Centrex Intercom Funtionality, per port	+ +		UEP9E	URECS	0.5488										+
		+ +	-	UEP9E	URECS	0.5466			-					-		+
	lumber Portability		-	LIEBOE	LNDOO	0.05										+
	Local No Portability (1 per port)		-	UEP9E	LNPCC	0.35										+
Feature																
	All Standard Features Offered, per port	+	+	UEP9E	UEPVF	1.98	40==-		-		1	1		<del>                                     </del>		+
	All Select Features Offered, per port	+-+	-	UEP9E	UEPVS	0.00	405.52				<u> </u>	<u> </u>		-		-
	All Centrex Control Features Offered, per port	+	$\perp$	UEP9E	UEPVC	1.98					ļ	1				<b>_</b>
NARS		$\downarrow$			<del>                                     </del>							ļ		1		ــــــ
	Inbundled Network Access Register-Combination			UEP9E	UARCX	0.00	0.00	0.00								
	Jnbundled Network Access Register-Indial			UEP9E	UAR1X	0.00	0.00	0.00			<u> </u>	<u> </u>		L		<u> </u>
	Jnbundled Network Access Register-Outdial			UEP9E	UAROX	0.00	0.00	0.00								
Miscell	aneous Terminations															
	Trunk Side											1 -		1		

Version 4Q02: 01/21/03 Page 39 of 402

וטאוטפו	LED NETWORK ELEMENTS - Alabama													ment: 2	Exhib	
TEGORY	RATE ELEMENTS	Inter im	Zon e	BCS	usoc		RA	TES (\$)			Svc Order Submitt ed Elec per LSR	Svc Order Submitte d Manually per LSR	I Charge - Manual Svc Order vs. Electronic-		Incrementa I Charge - Manual Svc Order vs. Electronic- Disc 1st	al Charg Manua Svc Ord vs. Electro
													1st	Add'l	DISC 1St	c-Dis
						Rec	Nonrec		NRC Disc		201150	001111		Rates (\$)		
4 180	D: 2014 F44 M - 124 A				-		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
4-Wir	e Digital (1.544 Megabits)			LIEDOE	MALIDA	00.00	202.02	05.00	70.50	0.40		45.00				
	DS1 Circuit Terms, each DS0 Channel Activated Per Channel			UEP9E UEP9E	M1HD1 M1HDO	60.09 0.00	202.02 14.46	95.69	72.59	2.46		15.66 15.66				-
1	office Channel Mileage - 2-Wire	+	+	UEP9E	MILLIPO	0.00	14.46					15.00				
interd		-		LIEDOE	MICDO	04.40	40.54	07.44	40.74	6.90		45.00				+
_	Interoffice Channel Facilities Term			UEP9E	MIGBC	21.13	40.54	27.41	16.74	6.90		15.66				-
	Interoffice Channel miage, per mi or fraction of mi	-		UEP9E	MIGBM	0.008838										
	re Activations (DS0) Centrex Loops on Channelized DS1 Service	-														
D4 CI	nannel Bank Feature Activations	-	$\vdash$	LIEDOE	40014/2	0.50				-	-	1				+
1	Feature Activation on D-4 Channel Bank Centrex Loop Slot	-	$\vdash$	UEP9E	1PQWS	0.56										<del>                                     </del>
+	Feature Activation on D-4 Channel Bank FX line Side Loop Slot	-	$\vdash$	UEP9E	1PQW6	0.56					ļ					<b>├</b>
1	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot		1	UEP9E	1PQW7	0.56										<del></del>
-	Feature Activation on D-4 Channel Bank Centrex Loop Slot-Diff WC	1	+	UEP9E	1PQWP	0.56				ļ	-					₩
1	Feature Activation on D-4 Channel Bank Private Line Loop Slot		1	UEP9E	1PQWV	0.56										<del></del>
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot			UEP9E	1PQWQ	0.56										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9E	1PQWA	0.56										4
Non-l	Recurring Charges (NRC) Associated with UNE-P Centrex															4
	NRC Conversion Currently Combined Switch-As-Is with allowed															
	changes, per port			UEP9E	USAC2		0.10	0.10				15.66				<u> </u>
	Conversion of Existing Centrex Common Block, each			UEP9E	USACN		37.75	16.58				15.66				
	New Centrex Standard Common Block			UEP9E	M1ACS	0.00	667.21					15.66				
	New Centrex Customized Common Block			UEP9E	M1ACC	0.00	667.21					15.66				
	NAR Establishment Charge, Per Occasion			UEP9E	URECA	0.00	72.73					15.66				
	P CENTREX - DCO - Valid in AL, KY, LA, MS, & TN)															
	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
UNE	Port/Loop Combination Rates (Non-Design)															
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design		1	UEP93		12.70										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		2	UEP93		21.19										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		3	UEP93		34.80										
UNE	Port/Loop Combination Rates (Design)															
	2W VG Loop/2W VG Port (Centrex) Port Combo-Design		1	UEP93		15.53										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		2	UEP93		24.00										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		3	UEP93		37.29										
UNE	Loop Rate															1
	2W VG Loop (SL 1)-Zone 1		1	UEP93	UECS1	11.55										
	2W VG Loop (SL 1)-Zone 2		2	UEP93	UECS1	20.04										
	2W VG Loop (SL 1)-Zone 3		3	UEP93	UECS1	33.65										
	2W VG Loop (SL 2)-Zone 1		1	UEP93	UECS2	14.38										1
	2W VG Loop (SL 2)-Zone 2		2	UEP93	UECS2	22.85										
	2W VG Loop (SL 2)-Zone 3		3	UEP93	UECS2	36.14										
UNE	Port Rate															1
AL, K	Y, LA, MS, & TN only															1
	2W VG Port (Centrex ) Basic Local Area			UEP93	UEPYA	1.15	40.19	19.83	24.91	6.63		15.66				
	2W VG Port (Centrex 800 Term)Basic Local Area			UEP93	UEPYB	1.15	40.19	19.83	24.91	6.63		15.66				
	2W VG Port (Centrex with Caller ID)1Basic Local Area			UEP93	UEPYH	1.15	40.19	19.83	24.91	6.63		15.66				
1	2W VG Port (Centrex from diff SWC)2 Basic Local Area			UEP93	UEPYM	1.15	90.38	57.27	48.66	8.77		15.66				<b>—</b>
1	2W VG Port, Diff SWC-800 Service Term-Basic Local Area			UEP93	UEPYZ	1.15	90.38	57.27	48.66	8.77		15.66				<b>†</b>
1	2W VG Port terminated in on Megalink or equivalent-Basic Local Area			UEP93	UEPY9	1.15	40.19	19.83	24.91	6.63		15.66				<u> </u>
	2W VG Port Terminated in 6th Wegamin of equivalent Basic Local Area		1 1	UEP93	UEPY2	1.15	40.19	19.83	24.91	6.63		15.66				1
1	2W VG Port (Centrex )	1	$\vdash$	UEP93	UEPQA	1.15	40.19	19.83	24.91	6.63		15.66				<del>                                     </del>
+	2W VG Port (Centrex 800 Term)	1	$\vdash$	UEP93	UEPQB	1.15	40.19	19.83	24.91	6.63		15.66				$\vdash$
+-	2W VG Port (Centrex 666 Fellin) 2W VG Port (Centrex with Caller ID)1	+	1	UEP93	UEPQH	1.15	40.19	19.83	24.91	6.63		15.66	<b> </b>	<b> </b>	1	-

DONDL	ED NETWORK ELEMENTS - Alabama													ment: 2		bit: B
TEGORY	RATE ELEMENTS	Inter im	Zon e	BCS	usoc		RA	TES (\$)			Svc Order Submitt ed Elec per LSR	d Manually	I Charge -	Incrementa I Charge - Manual Svc Order vs. Electronic- Add'I	Incrementa I Charge - Manual Svc Order vs. Electronic- Disc 1st	al Charg Manua Svc Ord vs.
						Rec	Nonrec	urring	NRC Disc	onnect			oss	Rates (\$)	1	.1
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2W VG Port (Centrex from diff SWC)2			UEP93	UEPQM	1.15	90.38	57.27	48.66	8.77		15.66				
	2W VG Port, Diff SWC-800 Service Term			UEP93	UEPQZ	1.15	90.38	57.27	48.66	8.77		15.66				
	2W VG Port terminated in on Megalink or equivalent			UEP93	UEPQ9	1.15	40.19	19.83	24.91	6.63		15.66				
	2W VG Port Terminated on 800 Service Term			UEP93	UEPQ2	1.15	40.19	19.83	24.91	6.63		15.66				
Local	Switching															
	Centrex Intercom Funtionality, per port			UEP93	URECS	0.5488										
Local	Number Portability															
	Local No Portability (1 per port)			UEP93	LNPCC	0.35										I
Featu	res															
	All Standard Features Offered, per port			UEP93	UEPVF	1.98										
	All Centrex Control Features Offered, per port			UEP93	UEPVC	1.98										T .
NARS	· ·															
	Unbundled Network Access Register-Combination			UEP93	UARCX	0.00	0.00	0.00								1
	Unbundled Network Access Register-Indial			UEP93	UAR1X	0.00	0.00	0.00								
	Unbundled Network Access Register-Outdial			UEP93	UAROX	0.00	0.00	0.00								1
Misce	Ilaneous Terminations															1
2-Wire	Trunk Side															1
	Trunk Side Terms, each			UEP93	CEND6	8.05	119.31	18.74	59.90	3.76		15.66				1
4-Wire	Digital (1.544 Megabits)															1
	DS1 Circuit Terms, each			UEP93	M1HD1	60.09	202.02	95.69	72.59	2.46		15.66				1
	DS0 Channels Activated, Per Channel			UEP93	M1HDO	0.00	14.46					15.66				1
Intero	ffice Channel Mileage - 2-Wire															
	Interoffice Channel Facilities Term			UEP93	MIGBC	21.13	40.54	27.41	16.74	6.90		15.66				1
	Interoffice Channel miage, per mi or fraction of mi			UEP93	MIGBM	0.008838										1
Featur	e Activations (DS0) Centrex Loops on Channelized DS1 Service															1
	annel Bank Feature Activations															1
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP93	1PQWS	0.56										1
	Feature Activation on D-4 Channel Bank FX Line Side Loop Slot			UEP93	1PQW6	0.56										1
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP93	1PQW7	0.56										1
	Feature Activation on D-4 Channel Bank Centrex Loop Slot-Diff WC			UEP93	1PQWP	0.56										1
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP93	1PQWV	0.56										
	Feature Activation on D-4 Channel Bank Tie Line/Trunk Loop Slot			UEP93	1PQWQ	0.56										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP93	1PQWA	0.56										
Non-R	ecurring Charges (NRC) Associated with UNE-P Centrex															1
	NRC Conversion Currently Combined Switch-As-Is with allowed															
	changes, per port	1		UEP93	USAC2		0.10	0.10				15.66				
	Conversion of Existing Centrex Common Block, each	1		UEP93	USACN		37.75	16.58				15.66				1
	New Centrex Standard Common Block	1		UEP93	M1ACS	0.00	667.21					15.66	1			1
	New Centrex Customized Common Block	1	1 1	UEP93	M1ACC	0.00	667.21					15.66				1
	NAR Establishment Charge, Per Occasion	1	t	UEP93	URECA	0.00	72.73					15.66	1			<b>†</b>
Note 1	- Required Port for Centrex Control in 1AESS, 5ESS & EWSD	1	t	02.00	5.12571	3.30	0					.0.50				+
	2 - Required 1 of the Gentley Control in 1A200, 3200 & 2W0B	1	1 1		+											<del>                                     </del>
																+

וטאטסאנ	ED NETWORK ELEMENTS - Florida							·					Attach	ment: 2	Exhil	bit: B
											Svc	Svc		Incrementa		
											Order	Order		I Charge -	al Charge	
											Submitt	Submitte	Manual	Manual	Manual	Manua
CATEGORY	RATE ELEMENTS	Inter	Zon	BCS	USOC		D.A	TES (\$)			ed Elec	d		Svc Order	Svc Order	
AIEGURT	RATE ELEMENTS	im	е	BCS	0500		K.A	(1E9 (\$)				Manually	vs.	vs.	vs.	vs.
											per Lak	per LSR		Vs. Electronic-		
												per LSR	1st	Add'l		Disc Add
															DISC 1St	DISC AGO
						Rec	Nonrec		NRC Disc					Rates (\$)		
							First	Add'l	First					SOMAN		
	Zone" shown in the sections for stand-alone loops or loops as part				raphically	Deaveraged U	NE Zones. To	view Geog	raphically [	Deaverage	ed UNE Zo	ne Designa	tions by C	entral Office	, refer to Int	ernet
	ite: http://www.interconnection.bellsouth.com/become_a_clec/htm	I/inte	rconn	ection.htm												
	NAL SUPPORT SYSTEMS															
NOTE	: (1) Electronic Service Order: CLEC should contact its contract ne	gotia	tor if i	t prefers the state sp	ecific elec	tronic service	ordering char	ges as order	ed by the C	commissi	ons. The	electronic	service ord	ering charge	currently c	ontained
	xhibit is the BellSouth regional electronic service ordering charge.															
NOTE	: (2) Any element that can be ordered electronically will be billed a	ccord	ing to	the SOMEC rate list	ed in this	category. Plea	se refer to Be	IISouth's Bu	siness Rul	es for Loc	cal Orderin	ig (BBR-LC	) to determ	ine if a proc	luct can be	ordered
electr	onically. For those elements that cannot be ordered electronically a	at pre	sent p	er the BBR-LO, the I	isted SOM	EC rate in this	category refle	ects the cha	rge that wo	uld be bil	led to a CI	_EC once e	lectronic o	rdering capa	bilities com	ne on-line
for th	at element. Otherwise, the manual ordering charge, SOMAN, will be	appl	ied to	a CLECs bill when i	t submits a	an LSR to Bell	South.									
	Manual Service Order Charge, per LSR, Disconnect Only (FL)				SOMAN				1.83							
	Electronic OSS Charge, per LSR, submitted via BST's OSS interactive															
	interfaces (Regional)				SOMEC		3.50									
INF SERVI	CE DATE ADVANCEMENT CHARGE															
	: The Expedite charge will be maintained commensurate with Bells	South	's FC(	No 1 Tariff Section	5 as annli	cable										
	The Expedite charge will be maintained commencatate with Bene	Journ	<del></del>	ALL UNE EXCEPT	I о из иррп	oubic.										+
	UNE Expedite Charge per Circuit or Line Assignable USOC, per Day			UNE-P	SDASP		200.00									
INDIADIE	ED EXCHANGE ACCESS LOOP			UNE-F	SDASF		200.00								-	+
																+
2-WIR	RE ANALOG VOICE GRADE LOOP		<u> </u>			10.00										+
	2W Analog VG Loop-SL1-Zone 1		1	UEANL	UEAL2	10.69	49.57	22.83	25.62	6.57		11.90				
	2W Analog VG Loop-SL1-Zone 2		2	UEANL	UEAL2	15.20	49.57	22.83	25.62	6.57		11.90				
	2W Analog VG Loop-SL1-Zone 3		3	UEANL	UEAL2	26.97	49.57	22.83	25.62	6.57		11.90				
	Unbundled Misc Rate Element, Tag Loop at End User Premise			UEANL	URETL		8.33	0.83				11.90				
	Loop Testing-Basic 1st Half Hour			UEANL	URET1		48.65					11.90				
	Loop Testing-Basic Add'l Half Hour			UEANL	URETA		23.95					11.90				
	CLEC to CLEC Conversion Charge w/o Outside Dispatch (UVL-SL1)			UEANL	UREWO		15.78	8.94				11.90				
	Unbundled Voice Loop, Non-Design, billing for BST providing make-up															
	(Engineering Information-EI)			UEANL	UEANM		13.49									
	Manual Order Coordination for UVL-SL1s (per loop)			UEANL	UEAMC		9.00									
	Order Coordination for Specified Conversion Time for UVL-SL1 (per															
	LSR)			UEANL	OCOSL		23.02									
2-WIF	RE Unbundled COPPER LOOP			· · · · · · · · · · · · · · · · · · ·												1
	2W Unbundled Copper Loop-Non-Designed Zone 1	1	1	UEQ	UEQ2X	7.69	44.98	20.90	19.65	5.09		11.90				
_	2W Unbundled Copper Loop-Non-Designed-Zone 2	i	2	UEQ	UEQ2X	10.92	44.98	20.90	19.65	5.09		11.90				
-+-	2W Unbundled Copper Loop-Non-Designed-Zone 3	i	3	UEQ	UEQ2X	19.38	44.98	20.90	19.65	5.09		11.90				+
-+	Unbundled Misc Rate Element, Tag Loop at End User Premise			UEQ	URETL	13.30	8.33	0.83	13.03	5.05		11.90				+
-+-	Order Coordination 2W Unbundled Copper Loop-Non-Designed (per			OLG	OKETE		0.00	0.00				11.00				+
	loop)			UEQ	USBMC		9.00									
-+-	Unbundled Copper Loop, Non-Design Cooper Loop, billing for BST			UEQ	USBIVIC		9.00									+
				UEQ	UEQMU		13.49					11.90				
	providing make-up (Engineering Information-E.I.)															+
	Loop Testing-Basic 1st Half Hour			UEQ	URET1		48.65					11.90				
	Loop Testing-Basic Add'l Half Hour			UEQ	URETA		23.95					11.90				
	CLEC to CLEC Conversion Charge w/o Outside Dispatch (UCL-ND)			UEQ	UREWO		14.27	7.43				11.90				
	D EXCHANGE ACCESS LOOP										<u> </u>					<del>                                     </del>
2-WIR	RE ANALOG VOICE GRADE LOOP		<u> </u>													1
	2W Analog VG Loop-SL1-Line Splitting-Zone 1		1	UEPSR UEPSB	UEALS	10.69	49.57	22.83	25.62	6.57	<u> </u>	11.90		ļ		<u> </u>
	2W Analog VG Loop-SL1-Line Splitting-Zone 1		1	UEPSR UEPSB	UEABS	10.69	49.57	22.83	25.62	6.57	]	11.90				ļ
	2W Analog VG Loop-SL1-Line Splitting-Zone 2		2	UEPSR UEPSB	UEALS	15.20	49.57	22.83	25.62	6.57		11.90				
	2W Analog VG Loop-SL1-Line Splitting-Zone 2		2	UEPSR UEPSB	UEABS	15.20	49.57	22.83	25.62	6.57		11.90				
	2W Analog VG Loop-SL1-Line Splitting-Zone 3		3	UEPSR UEPSB	UEALS	26.97	49.57	22.83	25.62	6.57		11.90				
-+	2W Analog VG Loop-SL1-Line Splitting-Zone 3		3	UEPSR UEPSB	UEABS	26.97	49.57	22.83	25.62	6.57		11.90				

Version 4Q02: 01/21/03 Page 42 of 402

J. 1. 2 C. 1. 2 E	ED NETWORK ELEMENTS - Florida													ment: 2		bit: B
ATEGORY	RATE ELEMENTS	Inter im	Zon e	BCS	usoc		RA	TES (\$)			Svc Order Submitt ed Elec per LSR			vs.	al Charge Manual Svc Order vs. Electronic	al Charg Manua Svc Ord vs. Electron
						_	Nonrecu	ırrina	NRC Disc	onnect			OSS	Rates (\$)	l	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
	2W Analog VG Loop-SL2 w/Loop or Ground Start Signaling-Zone 1		1	UEA	UEAL2	12.24	135.75	82.47	63.53	12.01		11.90				
	2W Analog VG Loop-SL2 w/Loop or Ground Start Signaling-Zone 2		2	UEA	UEAL2	17.40	135.75	82.47	63.53	12.01		11.90				
	2W Analog VG Loop-SL2 w/Loop or Ground Start Signaling-Zone 3		3	UEA	UEAL2	30.87	135.75	82.47	63.53	12.01		11.90				1
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		23.02									1
	2W Analog VG Loop-SL2 w/Rev Bat Signaling-Zone 1		1	UEA	UEAR2	12.24	135.75	82.47	63.53	12.01		11.90				
	2W Analog VG Loop-SL2 w/Rev Bat Signaling-Zone 2		2	UEA	UEAR2	17.40	135.75	82.47	63.53	12.01		11.90				
	2W Analog VG Loop-SL2 w/Rev Bat Signaling-Zone 3		3	UEA	UEAR2	30.87	135.75	82.47	63.53	12.01		11.90				
	Order Coordination for Specified Conversion Time (per LSR)		_	UEA	OCOSL		23.02									
	CLEC to CLEC Conversion Charge w/o outside dispatch			UEA	UREWO	<u> </u>	87.71	36.35				11.90		1		
-	Loop Tagging-SL2 (SL2)			UEA	URETL	+	10.45	1.03			1	11.90		<b>†</b>		<b>†</b>
4-WIE	E ANALOG VOICE GRADE LOOP	1		ULA	OINLIL	-	10.43	1.03				11.90		<b>†</b>		<del>                                     </del>
7-1111	4W Analog VG Loop-Zone 1		1	UEA	UEAL4	18.89	167.86	115.15	67.08	15.56		11.90				<del>                                     </del>
	4W Analog VG Loop-Zone 1		2	UEA	UEAL4	26.84	167.86	115.15	67.08	15.56		11.90				
	4W Analog VG Loop-Zone 3		3	UEA	UEAL4	47.62	167.86	115.15	67.08	15.56		11.90				
			3	UEA	OCOSL	47.62	23.02	115.15	67.08	15.56		11.90				
	Order Coordination for Specified Conversion Time (per LSR)							00.05				44.00				
	CLEC to CLEC Conversion Charge w/o outside dispatch			UEA	UREWO		87.71	36.35				11.90				
2-WIR	E ISDN DIGITAL GRADE LOOP															
	2W ISDN Digital Grade Loop-Zone 1		1	UDN	U1L2X	19.28	147.69	94.41	62.23	10.71		11.90				
	2W ISDN Digital Grade Loop-Zone 2		2	UDN	U1L2X	27.40	147.69	94.41	62.23	10.71		11.90				
	2W ISDN Digital Grade Loop-Zone 3		3	UDN	U1L2X	48.62	147.69	94.41	62.23	10.71		11.90				
	Order Coordination For Specified Conversion Time (per LSR)			UDN	OCOSL		23.02									
	CLEC to CLEC Conversion Charge w/o outside dispatch			UDN	UREWO		91.61	44.15				11.90				
2-WIR	E Universal Digital Channel (UDC) COMPATIBLE LOOP															
	2W Universal Digital Channel (UDC) Compatible Loop-Zone 1		1	UDC	UDC2X	19.28	147.69	94.41	62.23	10.71		11.90				
	2W Universal Digital Channel (UDC) Compatible Loop-Zone 2		2	UDC	UDC2X	27.40	147.69	94.41	62.23	10.71		11.90				
,	2W Universal Digital Channel (UDC) Compatible Loop-Zone 3		3	UDC	UDC2X	48.62	147.69	94.41	62.23	10.71		11.90				
,	CLEC to CLEC Conversion Charge w/o outside dispatch			UDC	UREWO		91.61	44.15				11.90				
2-WIR	E ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPATI	BLE I	OOP													
	2W Unbundled ADSL Loop including manl svc ing & facility reservation-															1
	Zone 1		1	UAL	UAL2X	8.30	149.53	103.85	75.05	15.63		11.90				
	2W Unbundled ADSL Loop including manl svc ing & facility reservation-															
	Zone 2		2	UAL	UAL2X	11.80	149.53	103.85	75.05	15.63		11.90				
-	2W Unbundled ADSL Loop including manl svc ing & facility reservation-															
	Zone 3		3	UAL	UAL2X	20.94	149.53	103.85	75.05	15.63		11.90				
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL	20.04	23.02	100.00	70.00	10.00		11.00				
_	2W Unbundled ADSL Loop w/o manl svc ing & facility reservaton-Zone		1	UAL	UAL2W	8.30	124.83	71.12	60.64	9.12		11.90				<del></del>
	2W Unbundled ADSL Loop w/o mail svc inq & facility reservator-Zone		2	UAL	UAL2W	11.80	124.83	71.12	60.64	9.12		11.90				<del></del>
	2W Unbundled ADSL Loop w/o mail svc inq & facility reservation-Zone		3	UAL	UAL2W	20.94	124.83	71.12	60.64	9.12		11.90				<del>                                     </del>
_	Order Coordination for Specified Conversion Time (per LSR)		_	UAL	OCOSL	20.04	23.02	, , , , , ,	00.01	0.12		11.00				<del>                                     </del>
_	CLEC to CLEC Conversion Charge w/o outside dispatch			UAL	UREWO		86.19	40.39				11.90				<del>                                     </del>
2-W/IE	E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIB	IFIC	OP	UAL	CINEVVO	-	00.19	+0.03				11.90		<b>†</b>		<b>†</b>
Z-VVIIX	2W Unbundled HDSL Loop including manl svc ing & facility reservation-		101													
1 '	Zone 1	l	1	UHL	UHL2X	7.22	159.09	113.41	75.05	15.63		11.90		I		
	2W Unbundled HDSL Loop including manl svc ing & facility reservation-	-		UNL	UNLZX	1.22	159.09	113.41	15.05	10.03		11.90		+		<del>                                     </del>
[ '	, ,	l		1	1111.634	40.00	450.00	440.44	75.05	45.00		44.00		I		
	Zone 2		2	UHL	UHL2X	10.26	159.09	113.41	75.05	15.63		11.90		1		₩
	2W Unbundled HDSL Loop including manl svc inq & facility reservation-		_				.=							1		
	Zone 3		3	UHL	UHL2X	18.21	159.09	113.41	75.05	15.63		11.90		-		<b></b>
																i
	Order Coordination for Specified Conversion Time (per LSR)  2W Unbundled HDSL Loop w/o manl svc ing & facility reservation-Zone			UHL	OCOSL		23.02									+

U	NBUNDL	ED NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhib	oit: B
												Svc	Svc	Increment	Incrementa	Increment	Increment
												Order		-	I Charge -	•	
			Intor	Zon									Submitte		Manual	Manual	Manual
C	TEGORY	RATE ELEMENTS	im	2011	BCS	USOC		RA	TES (\$)			ed Elec			Svc Order	Svc Order	
				٠								per LSR	Manually		vs.	vs.	vs.
													per LSR		Electronic-		
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonrecu	ırring	NRC Disc	onnect			OSS	Rates (\$)		
							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2W Unbundled HDSL Loop w/o manl svc inq & facility reservation-Zone															1
		2		2	UHL	UHL2W	10.26	134.40	80.69	60.64	9.12		11.90				
		2W Unbundled HDSL Loop w/o manl svc inq & facility reservation-Zone															
		3		3	UHL	UHL2W	18.21	134.40	80.69	60.64	9.12		11.90				
		Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		23.02									
		CLEC to CLEC Conversion Charge w/o outside dispatch			UHL	UREWO		86.12	40.39				11.90				

UNBUND	LED NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhil	bit: B
CATEGORY	RATE ELEMENTS	Inter im	Zon e	BCS	USOC			TES (\$)			Svc Order Submitt ed Elec per LSR	Svc Order Submitte d Manually per LSR	al Charge - Manual Svc Order vs. Electronic- 1st	Manual Svc Order vs. Electronic- Add'l	al Charge Manual Svc Order vs. Electronic	- al Charge Manual Svc Order vs.
						Rec	Nonrecu		NRC Disc					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
4-WII	RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIB	LE LC	OP													
	4W Unbundled HDSL Loop including manl svc inq & facility reservation-															
	Zone 1		1	UHL	UHL4X	10.86	193.31	138.98	77.15	12.61		11.90				
	4W Unbundled HDSL Loop including manl svc inq & facility reservation-															
	Zone 2		2	UHL	UHL4X	15.44	193.31	138.98	77.15	12.61		11.90				
	4W Unbundled HDSL Loop including manl svc inq & facility reservation-															
	Zone 3		3	UHL	UHL4X	27.39	193.31	138.98	77.15	12.61		11.90				
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		23.02									4
	4W Unbundled HDSL Loop w/o manl svc inq & facility reservation-Zone															
	1		1	UHL	UHL4W	10.86	168.62	115.47	62.74	11.22		11.90				
	4W Unbundled HDSL Loop w/o manl svc inq & facility reservation-Zone															
	2		2	UHL	UHL4W	15.44	168.62	115.47	62.74	11.22		11.90				
	4W Unbundled HDSL Loop w/o manl svc inq & facility reservation-Zone															
	3		3	UHL	UHL4W	27.39	168.62	115.47	62.74	11.22		11.90				1
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		23.02									
	CLEC to CLEC Conversion Charge w/o outside dispatch			UHL	UREWO		86.12	40.39				11.90				
4-WIF	RE DS1 DIGITAL LOOP															
	4W DS1 Digital Loop-Zone 1		1	USL	USLXX	70.74	313.75	181.48	61.22	13.53		11.90				
	4W DS1 Digital Loop-Zone 2		2	USL	USLXX	100.54	313.75	181.48	61.22	13.53		11.90				
	4W DS1 Digital Loop-Zone 3		3	USL	USLXX	178.39	313.75	181.48	61.22	13.53		11.90				
	Order Coordination for Specified Conversion Time (per LSR)			USL	OCOSL		23.02									
	CLEC to CLEC Conversion Charge w/o outside dispatch			USL	UREWO		101.07	43.04				11.90				
4-WII	RE 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP															
	4W Unbundled Digital 19.2 Kbps		1	UDL	UDL19	22.20	161.56	108.85	67.08	15.56		11.90				
	4W Unbundled Digital 19.2 Kbps		2	UDL	UDL19	31.56	161.56	108.85	67.08	15.56		11.90				
	4W Unbundled Digital 19.2 Kbps		3	UDL	UDL19	55.99	161.56	108.85	67.08	15.56		11.90				
	4W Unbundled Digital Loop 56 Kbps-Zone 1		1	UDL	UDL56	22.20	161.56	108.85	67.08	15.56		11.90				
	4W Unbundled Digital Loop 56 Kbps-Zone 2		2	UDL	UDL56	31.56	161.56	108.85	67.08	15.56		11.90				
	4W Unbundled Digital Loop 56 Kbps-Zone 3		3	UDL	UDL56	55.99	161.56	108.85	67.08	15.56		11.90				
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		23.02									
	4W Unbundled Digital Loop 64 Kbps-Zone 1		1	UDL	UDL64	22.20	161.56	108.85	67.08	15.56		11.90				
	4W Unbundled Digital Loop 64 Kbps-Zone 2		2	UDL	UDL64	31.56	161.56	108.85	67.08	15.56		11.90				
	4W Unbundled Digital Loop 64 Kbps-Zone 3		3	UDL	UDL64	55.99	161.56	108.85	67.08	15.56		11.90				
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		23.02									<del> </del>
	CLEC to CLEC Conversion Charge w/o outside dispatch			UDL	UREWO		102.11	49.74		ļ	1	11.90				
2-WII	RE Unbundled COPPER LOOP															1
	2W Unbundled Copper Loop/Short including manl svc inq & facility			,												
	reservation-Zone 1		1	UCL	UCLPB	8.30	148.50	102.82	75.05	15.63	<u> </u>	11.90	<u> </u>		<u> </u>	<del></del>
	2W Unbundled Copper Loop/Short including manl svc inq & facility		_													
	reservation-Zone 2		2	UCL	UCLPB	11.80	148.50	102.82	75.05	15.63	<u> </u>	11.90	<u> </u>		<u> </u>	
	2W Unbundled Copper Loop/Short including manl svc inq & facility															
	reservation-Zone 3		3	UCL	UCLPB	20.94	148.50	102.82	75.05	15.63		11.90				
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		9.00	9.00			<u> </u>		<u> </u>		<u> </u>	<del></del>
	2W Unbundled Copper Loop/Short w/o manl svc inq & facility	l	١.													
	reservation-Zone 1		1	UCL	UCLPW	8.30	123.81	70.09	60.64	9.12		11.90				<del> </del>
	2W Unbundled Copper Loop/Short w/o manl svc inq & facility	l	_													
	reservation-Zone 2		2	UCL	UCLPW	11.80	123.81	70.09	60.64	9.12		11.90				
. 1	2W Unbundled Copper Loop/Short w/o manl svc inq & facility		_	1.0.			,					,				
	reservation-Zone 3		3	UCL	UCLPW	20.94	123.81	70.09	60.64	9.12	<u> </u>	11.90	<u> </u>		<u> </u>	
	Order Coordination for Unbundled Copper Loops (per loop)		<u> </u>	UCL	UCLMC		9.00	9.00	l	<b> </b>	l	L		l		

Version 4Q02: 01/21/03 Page 45 of 402

ONBOND	LED NETWORK ELEMENTS - Florida													ment: 2		bit: B
CATEGOR	Y RATE ELEMENTS	Inter im	Zon e	BCS	usoc		RA	TES (\$)			Svc Order Submitt ed Elec per LSR	Svc Order Submitte d Manually per LSR	al Charge - Manual Svc Order vs.	Incrementa I Charge - Manual Svc Order vs. Electronic- Add'I	al Charge Manual Svc Order vs. Electronic	Increment - al Charge - Manual - Svc Order - vs Electronic
						Rec	Nonrecu	ırring	NRC Disc	onnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2W Unbundled Copper Loop/Long-includes manl svc inq & facility reservation-Zone 1		1	UCL	UCL2L	17.42	148.50	102.82	75.05	15.63		11.90				
	2W Unbundled Copper Loop/Long-includes manl svc inq & facility reservation-Zone 2		2	UCL	UCL2L	24.76	148.50	102.82	75.05	15.63		11.90				
	2W Unbundled Copper Loop/Long-includes manl svc inq & facility reservation-Zone 3		3	UCL	UCL2L	43.94	148.50	102.82	75.05	15.63		11.90				
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		9.00	9.00								
	2W Unbundled Copper Loop/Long-w/o manl svc inq & facility reservation-Zone 1		1	UCL	UCL2W	17.42	123.81	70.09	60.64	9.12		11.90				
	2W Unbundled Copper Loop/Long-w/o manl svc inq & facility reservation-Zone 2		2	UCL	UCL2W	24.76	123.81	70.09	60.64	9.12		11.90				
	2W Unbundled Copper Loop/Long-w/o manl svc inq & facility reservation-Zone 3		3	UCL	UCL2W	43.94	123.81	70.09	60.64	9.12		11.90				
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		9.00	9.00								
	CLEC to CLEC Conversion Charge w/o outside dispatch (UCL -Des)			UCL	UREWO		97.21	42.47				11.90				<b></b>
4-WI	RE COPPER LOOP															<b></b>
	4W Copper Loop/Short-including manl svc inq & facility reservation- Zone 1		1	UCL	UCL4S	11.83	177.87	132.76	77.15	17.73		11.90				
	4W Copper Loop/Short-including manl svc inq & facility reservation- Zone 2		2	UCL	UCL4S	16.81	177.87	132.76	77.15	17.73		11.90				
	4W Copper Loop/Short-including manl svc inq & facility reservation- Zone 3		3	UCL	UCL4S	29.82	177.87	132.76	77.15	17.73		11.90				
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		9.00	9.00								
	4W Copper Loop/Short-w/o manl svc inq & facility reservation-Zone 1		1	UCL	UCL4W	11.83	153.18	100.03	62.74	11.22		11.90				
	4W Copper Loop/Short-w/o manl svc inq & facility reservation-Zone 2		2	UCL	UCL4W	16.81	153.18	100.03	62.74	11.22		11.90				
	4W Copper Loop/Short-w/o manl svc inq & facility reservation-Zone 3	1	3	UCL	UCL4W	29.82	153.18	100.03	62.74	11.22		11.90				<del>                                     </del>
	Order Coordination for Unbundled Copper Loops (per loop) 4W Unbundled Copper Loop/Long-includes manl svc inq & facility		1	UCL	UCLMC	04.40	9.00	9.00	77.45	47.70		44.00				<del>                                     </del>
	reservation-Zone 1 4W Unbundled Copper Loop/Long-includes manl svc inq & facility			UCL	UCL4L	31.10	177.87	132.76	77.15	17.73		11.90				
	reservation-Zone 2 4W Unbundled Copper Loop/Long-includes manl svc inq & facility		2	UCL	UCL4L	44.20	177.87	132.76	77.15	17.73		11.90				1
	reservation-Zone 3	1	3	UCL	UCL4L	78.42	177.87	132.76	77.15	17.73		11.90				
	Order Coordination for Unbundled Copper Loops (per loop) 4W Unbundled Copper Loop/Long-w/o manl svc inq & facility		1	UCL	UCLMC UCL4O	31.10	9.00	9.00	00.74	11.22		11.90				<del>                                     </del>
	reservation-Zone 1 4W Unbundled Copper Loop/Long-w/o manl svc inq & facility						153.18	100.03	62.74							-
	reservation-Zone 2 4W Unbundled Copper Loop/Long-w/o manl svc inq & facility		2	UCL	UCL40	44.20	153.18	100.03	62.74	11.22		11.90				
$-\!$	reservation-Zone 3	-	3	UCL	UCL40	78.42	153.18	100.03	62.74	11.22	-	11.90	-			
$-\!\!\!+\!\!\!\!-$	Order Coordination for Unbundled Copper Loops (per loop)	-		UCL	UCLMC	-	9.00	9.00				11.00				+
LOOP MOI	CLEC to CLEC Conversion Charge w/o outside dispatch DIFICATION	1	<u> </u>	UCL	UREWO		97.21	42.47			-	11.90	<del>                                     </del>			+
LOOP MICE	Unbundled Loop Modification, Removal of Load Coils-2W pr < or = 18kft			UAL,UHL,UCL,UEQ, ULS,UEA,UEANL,U EPSR,UEPSB	ULM2L		0.00	0.00				11.90				
	Unbundled Loop Modification, Removal of Load Coils-2W > 18kft			UCL,ULS,UEQ	ULM2G		343.12	343.12				11.90				
	Unbundled Loop Modification Removal of Load Coils-4W < or = 18kft			UHL.UCL	ULM4L		0.00	0.00				11.90				

UNBUNDL	.ED NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	bit: B
CATEGORY	RATE ELEMENTS	Inter im	Zon e	BCS	USOC			TES (\$)			Svc Order Submitt ed Elec per LSR	Svc Order Submitte d Manually per LSR	al Charge - Manual Svc Order vs. Electronic- 1st	Manual Svc Order vs. Electronic- Add'l	al Charge Manual Svc Order vs.	- al Charge Manual Svc Order vs. - Electronic
						Rec	Nonrecu	ırring	NRC Disc	connect			oss	Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop			UAL,UHL,UCL,UEQ, ULS,UEA,UEANL,U EPSR,UEPSB	ULMBT		10.52	10.52				11.90				
SUB-LOOP:																†
	oop Distribution															1
Oub L	Sub-Loop-Per Cross Box Location-CLEC Feeder Facility Set-Up	<u> </u>		UEANL	USBSA		487.23					11.90				1
	Sub-Loop-Per Cross Box Location-Per 25 pr Panel Set-Up	i		UEANL	USBSB		6.25					11.90				1
	Sub-Loop-Per Building Equipment Room-CLEC Feeder Facility Set-Up			UEANL	USBSC		169.25					11.90				
	Sub-Loop-Per Building Equipment Room-Per 25 pr Panel Set-Up	Ħ		UEANL	USBSD		38.65					11.90				+
	Sub-Loop Distribution Per 2W Analog VG Loop-Zone 1	<u> </u>	1	UEANL	USBN2	6.46	60.19	21.78	47.50	5.26		11.90				1
	Sub-Loop Distribution Per 2W Analog VG Loop-Zone 2		2	UEANL	USBN2	9.18	60.19	21.78	47.50	5.26		11.90				1
	Sub-Loop Distribution Per 2W Analog VG Loop-Zone 3	<u> </u>	3	UEANL	USBN2	16.29	60.19	21.78	47.50	5.26		11.90				+
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr	1	Ť	UEANL	USBMC	. 5.20	9.00		50	3.20		50				+
	Sub-Loop Distribution Per 4W Analog VG Loop -Zone 1		1	UEANL	USBN4	7.37	68.83	30.42	49.71	6.60		11.90				
	Sub-Loop Distribution Per 4W Analog VG Loop -Zone 2		2	UEANL	USBN4	10.47	68.83	30.42	49.71	6.60		11.90				1
	Sub-Loop Distribution Per 4W Analog VG Loop -Zone 3		3	UEANL	USBN4	18.58	68.83	30.42	49.71	6.60		11.90				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr		-	UEANL	USBMC	10.50	9.00	30.42	73.71	0.00		11.50				+
	Sub-Loop 2W Intrabuilding Network Cable (INC)			UEANL	USBR2	3.96	51.84	13.44	47.50	5.26		11.90				+
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr	-		UEANL	USBMC	3.90	9.00	13.44	47.30	3.20		11.30				+
	Sub-Loop 4W Intrabuilding Network Cable (INC)	Н		UEANL	USBR4	9.37	55.91	17.51	49.71	6.60		11.90				+
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr	<u>'</u>		UEANL	USBMC	9.31	9.00	17.51	45.71	0.00		11.50				+
	2W Copper Unbundled Sub-Loop Distribution-Zone 1	_	1	UEF	UCS2X	5.15	60.19	21.78	47.50	5.26		11.90				+
-	2W Copper Unbundled Sub-Loop Distribution-Zone 2	H	2	UEF	UCS2X	7.31	60.19	21.78	47.50	5.26		11.90				+
	2W Copper Unbundled Sub-Loop Distribution-Zone 3	Η̈́	3	UEF	UCS2X	12.98	60.19	21.78	47.50	5.26		11.90				+
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr	-	3	UEF	USBMC	12.90	9.00	21.70	47.30	3.20		11.90				+
	4W Copper Unbundled Sub-Loop Distribution-Zone 1		1	UEF	UCS4X	5.36	68.83	30.42	49.71	6.60		11.90				+
	4W Copper Unbundled Sub-Loop Distribution-Zone 1 4W Copper Unbundled Sub-Loop Distribution-Zone 2	H	2	UEF	UCS4X	7.61	68.83	30.42	49.71	6.60		11.90				+
		H		UEF	UCS4X	13.51	68.83	30.42	49.71	6.60		11.90				+
	4W Copper Unbundled Sub-Loop Distribution-Zone 3	<u> </u>	3	UEF	USBMC	13.51	9.00	30.42	49.71	0.00		11.90				+
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr			UEF	USBIVIC		9.00									
Unbu	ndled Sub-Loop Modification															+
	Unbundled Sub-Loop Modification-2-W Copper Dist Load Coil/Equip			uee	ULM2X		10.11					44.00				
	Removal per 2-W PR		-	UEF	ULIVIZX		10.11					11.90				+
	Unbundled Sub-loop Modification-4-W Copper Dist Load Coil/Equip Removal per 4-W PR			UEF	ULM4X		10.11					11.90				
	Unbundled Sub-loop Modification-2-w/4-w Copper Dist Bridged Tap Removal, per PR unloaded			UEF	ULM4T		15.58					11.90				
Unbu	ndled Network Terminating Wire (UNTW)	1	-	LIENTEN	LIENDS	0.4570	10.00				1	44.00				+
	Unbundled Network Terminating Wire (UNTW) per pr	<u> </u>	1	UENTW	UENPP	0.4572	18.02			1	1	11.90			1	+
Netwo	ork Interface Device (NID)	<u> </u>	1	LIENTEN	LINIDAG		74.40	10.0=			1	44.00			1	+
	Network Interface Device (NID)-1-2 lines	<u> </u>	<del>                                     </del>	UENTW	UND12		71.49	48.87			<u> </u>	11.90				
	Network Interface Device (NID)-1-6 lines	1	<u> </u>	UENTW	UND16		113.89	89.07				11.90				
	Network Interface Device Cross Connect-2 W	<u> </u>	<del>                                     </del>	UENTW	UNDC2		7.63	7.63			<u> </u>	11.90				
0110 1 0 6 5	Network Interface Device Cross Connect-4W	<u> </u>	<del>                                     </del>	UENTW	UNDC4		7.63	7.63			<u> </u>	11.90				
SUB-LOOP:		<u> </u>	<del>                                     </del>	1							<u> </u>					
Sub-L	oop Feeder	<u> </u>	<u> </u>								<u> </u>					1
	USL-Feeder, DS0 Set-up per Cross Box location-CLEC Distribution Facility set-up			UEA,UDN,UCL,UDL ,UDC	USBFW		487.23					11.90				
			1	UEA,UDN,UCL,UDL												
	USL Feeder-DS0 Set-up per Cross Box location-per 25 pr set-up	<u> </u>	<u> </u>	,UDC	USBFX		6.25	6.25			<u> </u>	11.90				1
	USL Feeder DS1 Set-up at DSX location, per DS1 Term	<u> </u>	<u> </u>	USL	USBFZ		522.41	11.32			ļ	11.90		ļ		
	Unbundled Sub-Loop Feeder Loop, 2W Ground Start, VG-Zone 1		1	UEA	USBFA	6.41	92.75	51.24	58.45	13.07	1	11.90	l		1	

Version 4Q02: 01/21/03 Page 47 of 402

NOUNDL	ED NETWORK ELEMENTS - Florida				-,									ment: 2		oit: B
ATEGORY	RATE ELEMENTS	Inter im	Zon e	BCS	USOC		RA	TES (\$)		Svc Order Submitt ed Elec per LSR		Increment al Charge - Manual Svc Order vs. Electronic- 1st	Manual Svc Order vs.		al Charg Manua Svc Ord vs. Electro	
						D	Nonrecu	ırring	NRC Disc	onnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
	Unbundled Sub-Loop Feeder Loop, 2W Ground-Start, VG-Zone 2		2	UEA	USBFA	9.10	92.75	51.24	58.45	13.07		11.90				
	Unbundled Sub-Loop Feeder Loop, 2W Ground-Start, VG-Zone 3		3	UEA	USBFA	16.15	92.75	51.24	58.45	13.07		11.90				
	Order Coordination for Specified Conversion Time, per LSR			UEA	OCOSL		23.02									
	Unbundlde Sub-Loop Feeder Loop, 2W Loop-Start, VG-Zone 1		1	UEA	USBFB	6.41	92.75	51.24	58.45	13.07		11.90				
	Unbundled Sub-Loop Feeder Loop, 2W Loop-Start, VG-Zone 2		2	UEA	USBFB	9.10	92.75	51.24	58.45	13.07		11.90				ļ
	Unbundled Sub-Loop Feeder Loop, 2W Start Loop, VG-Zone 3		3	UEA	USBFB	16.15	92.75	51.24	58.45	13.07		11.90				<u> </u>
	Order Coordination for Specified Time Conversion, per LSR			UEA	OCOSL		23.02									ļ
	Unbundled Sub-Loop Feeder Loop, 2W Rev Bat, VG-Zone 1		1	UEA	USBFC	6.41	92.75	51.24	58.45	13.07		11.90				ļ
	Unbundled Sub-Loop Feeder Loop, 2W Rev Bat, VG-Zone 2	-	2	UEA	USBFC	9.10	92.75	51.24	58.45	13.07		11.90				
	Unbundled Sub-Loop Feeder Loop, 2W Rev Bat, VG-Zone 3	-	3	UEA	USBFC	16.15	92.75	51.24	58.45	13.07		11.90				<del>                                     </del>
-	Order Coordination For Specified Conversion Time, per LSR	+	1	UEA UEA	OCOSL USBFD	12.47	23.02 106.92	64.46	63.54	14.83	-	11.90				<del>                                     </del>
	Unbundled Sub-Loop Feeder Loop, 4W Ground-Start, VG-Zone 1		2	UEA	USBFD	17.73	106.92	64.46	63.54	14.83		11.90				<del>                                     </del>
	Unbundled Sub-Loop Feeder Loop, 4W Ground-Start, VG-Zone 2 Unbundled Sub-Loop Feeder Loop, 4W Ground Start, VG-Zone 3	-	3	UEA	USBFD	31.45	106.92	64.46	63.54	14.83		11.90				<del>                                     </del>
	Order Coordination For Specified Conversion Time, Per LSR	-	3	UEA	OCOSL	31.40	23.02	04.40	03.34	14.03		11.30				<del>                                     </del>
	Unbundled Sub-Loop Feeder Loop, 4W Loop-Start, VG-Zone 1	-	1	UEA	USBFE	12.47	106.92	64.46	63.54	14.83		11.90				<del>                                     </del>
	Unbundled Sub-Loop Feeder Loop, 4W Loop-Start, VG-Zone 2	-	2	UEA	USBFE	17.73	106.92	64.46	63.54	14.83		11.90				<del>                                     </del>
	Unbundled Sub-Loop Feeder Loop, 4W Loop-Start, VG-Zone 3		3	UEA	USBFE	31.45	106.92	64.46	63.54	14.83		11.90				
	Order Coordination For Specified Conversion Time, Per LSR		Ŭ	UEA	OCOSL	00	23.02	0.1.10	00.01	1 1100		11100				
	Unbundled Sub-Loop Feeder Loop, 2W ISDN BRI-Zone 1		1	UDN	USBFF	14.83	109.71	66.68	60.21	12.49		11.90				
	Unbundled Sub-Loop Feeder Loop, 2W ISDN BRI-Zone 2		2	UDN	USBFF	21.07	109.71	66.68	60.21	12.49		11.90				
	Unbundled Sub-Loop Feeder Loop, 2W ISDN BRI-Zone 3		3	UDN	USBFF	37.39	109.71	66.68	60.21	12.49		11.90				
	Order Coordination For Specified Conversion Time, Per LSR		_	UDN	OCOSL		23.02									
	Unbundled Sub-Loop Feeder, 2W UDC (IDSL compatible)		1	UDC	USBFS	14.83	109.71	66.68	60.21	12.49		11.90				
	Unbundled Sub-Loop Feeder, 2W UDC (IDSL compatible)		2	UDC	USBFS	21.07	109.71	66.68	60.21	12.49		11.90				
	Unbundled Sub-Loop Feeder, 2W UDC (IDSL compatible)		3	UDC	USBFS	37.39	109.71	66.68	60.21	12.49		11.90				
	Unbundled Sub-Loop Feeder Loop, 4W DS1-Zone 1		1	USL	USBFG	42.59	133.77	78.02	85.16	21.21		11.90				
	Unbundled Sub-Loop Feeder Loop, 4W DS1-Zone 2		2	USL	USBFG	60.53	133.77	78.02	85.16	21.21		11.90				
	Unbundled Sub-Loop Feeder Loop, 4W DS1-Zone 3		3	USL	USBFG	107.39	133.77	78.02	85.16	21.21		11.90				
	Order Coordination For Specified Conversion Time, Per LSR			USL	OCOSL		23.02		-							
	Unbundled Sub-Loop Feeder, 2W Copper Loop-Zone 1		1	UCL	USBFH	3.76	85.27	42.24	58.54	10.82		11.90				
	Unbundled Sub-Loop Feeder Loop, 2W Copper Loop-Zone 2		2	UCL	USBFH	5.35	85.27	42.24	58.54	10.82		11.90				
	Unbundled Sub-Loop Feeder Loop, 2W Copper Loop-Zone 3		3	UCL	USBFH	9.49	85.27	42.24	58.54	10.82		11.90				
	Order Coordination For Specified Conversion Time, per LSR			UCL	OCOSL		23.02					1				
	Sub-Loop Feeder-Per 4W Copper Loop-Zone 1		1	UCL	USBFJ	7.32	99.66	57.20	60.98	12.28		11.90				
	Sub-Loop Feeder-Per 4W Copper Loop-Zone 2		2	UCL	USBFJ	10.40	99.66	57.20	60.98	12.28		11.90				
	Sub-Loop Feeder-Per 4W Copper Loop-Zone 3		3	UCL	USBFJ	18.46	99.66	57.20	60.98	12.28		11.90				
	Order Coordination For Specified Conversion Time, per LSR			UCL	OCOSL		23.02									
	Sub-Loop Feeder-Per 4W 19.2 Kbps Digital Grade Loop		1	UDL	USBFN	14.48	100.62	58.16	63.54	14.83		11.90				
	Sub-Loop Feeder-Per 4W 19.2 Kbps Digital Grade Loop		2	UDL	USBFN	20.59	100.62	58.16	63.54	14.83		11.90				
	Sub-Loop Feeder-Per 4W 19.2 Kbps Digital Grade Loop		3	UDL	USBFN	36.53	100.62	58.16	63.54	14.83		11.90				
	Sub-Loop Feeder-Per 4W 56 Kbps Digital Grade Loop-Zone 1		1	UDL	USBFO	14.48	100.62	58.16	63.54	14.83		11.90				
	Sub-Loop Feeder-Per 4W 56 Kbps Digital Grade Loop-Zone 2		2	UDL	USBFO	20.59	100.62	58.16	63.54	14.83		11.90				
	Sub-Loop Feeder-Per 4W 56 Kbps Digital Grade Loop-Zone 3		3	UDL	USBFO	36.53	100.62	58.16	63.54	14.83		11.90				
	Order Coordination For Specified Time Conversion, per LSR			UDL	OCOSL		23.02									
	Sub-Loop Feeder-Per 4W 64 Kbps Digital Grade Loop-Zone 1		1	UDL	USBFP	14.48	100.62	58.16	63.54	14.83		11.90				
	Sub-Loop Feeder-Per 4W 64 Kbps Digital Grade Loop-Zone 2		2	UDL	USBFP	20.59	100.62	58.16	63.54	14.83		11.90				
	Sub-Loop Feeder-Per 4W 64 Kbps Digital Grade Loop-Zone 3	L	3	UDL	USBFP	36.53	100.62	58.16	63.54	14.83		11.90				
	Order Coordination For Specified Conversion Time, per LSR			UDL	OCOSL	İ	23.02									
B-LOOPS																
Sub-L	oop Feeder					ĺ										
	Sub Loop Feeder-DS3-Per mi Per mo	1		UE3	1L5SL	15.69										

UNBUN	DLED NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhil	oit: B
CATEGO	PRY RATE ELEMENTS	Inter im	Zon e	BCS	usoc		RA	TES (\$)			ed Elec	Manually	al Charge - Manual Svc Order vs.	Incrementa I Charge - Manual Svc Order vs. Electronic- Add'I	al Charge Manual Svc Order vs. Electronic	al Charge - Manual Svc Order vs.
						Rec	Nonrecu		NRC Disc					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC		SOMAN	SOMAN	SOMAN	SOMAN
	Sub Loop Feeder-DS3-Facility Term Per mo	- 1		UE3	USBF1	347.59	3,402.59	407.15	166.83	94.58		11.90				
	Sub Loop Feeder – STS-1 – Per mi Per mo	- 1		UDLSX	1L5SL	15.69										
	Sub Loop Feeder-STS-1-Facility Term Per mo	1		UDLSX	USBF7	402.09	3,402.59	407.15	166.83	94.58		11.90				
	Sub Loop Feeder – OC-3 – Per mi Per mo	I		UDLO3	1L5SL	11.90										
	Sub Loop Feeder-OC-3-Facility Term Protection Per mo	I		UDLO3	USBF5	62.98										
	Sub Loop Feeder-OC-3-Facility Term Per mo	- 1		UDLO3	USBF2	547.22	3,402.59	407.15	166.83	94.58		11.90				
	Sub Loop Feeder-OC-12-Per mi Per mo	I		UDL12	1L5SL	14.65										
	Sub Loop Feeder-OC-12-Facility Term Protection Per mo	I		UDL12	USBF6	502.47										
	Sub Loop Feeder-OC-12-Facility Term Per mo	I		UDL12	USBF3	1,577.00	3,402.59	407.15	166.83	94.58		11.90				
	Sub Loop Feeder-OC-48-Per mi Per mo	ı		UDL48	1L5SL	48.06										
	Sub Loop Feeder-OC-48-Facility Term Protection Per mo	ı		UDL48	USBF9	251.80										
	Sub Loop Feeder-OC-48-Facility Term Per mo	ı		UDL48	USBF4	1,589.00	3,588.59	407.15	168.35	95.43		11.90				
	Sub Loop Feeder-OC-12 Interface On OC-48	I		UDL48	USBF8	331.15	804.98	407.15	168.35	95.43		11.90				

<u>UNBUND</u>	LED NETWORK ELEMENTS - Florida													ment: 2		oit: B
CATEGOR	Y RATE ELEMENTS	Inter im	Zon e	BCS	usoc		RA	TES (\$)			Svc Order Submitt ed Elec per LSR	Svc Order Submitte d Manually per LSR	al Charge - Manual Svc Order vs.	Incrementa I Charge - Manual Svc Order vs. Electronic- Add'I	al Charge Manual Svc Order vs. Electronic	al Charg Manua Svc Ord vs.
							Nonrecu	ırring	NRC Disc	onnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN		SOMAN	SOMAN
JNBUNDL	ED LOOP CONCENTRATION															
	Unbundled Loop Concentration-System A (TR008)			ULC	UCT8A	449.49	359.42	359.42				11.90				
	Unbundled Loop Concentration-System B (TR008)			ULC	UCT8B	53.44	149.76	149.76				11.90				
	Unbundled Loop Concentration-System A (TR303)			ULC	UCT3A	487.33	359.42	359.42				11.90				
	Unbundled Loop Concentration-System B (TR303)			ULC	UCT3B	90.05	149.76	149.76				11.90				
	Unbundled Loop Concentration-DS1 Loop Interface Card			ULC	UCTCO	5.04	71.70	51.52	18.49	4.82		11.90				
	Unbundled Loop Concentration-ISDN Loop Interface (Brite Card)	1	-	UDN	ULCC1	8.00	16.59	16.50	6.77	6.73		11.90				
	Unbundled Loop Concentration-ISDN Loop Interface (Brite Card)	1	-	UDC	ULCCU	8.00	16.59	16.50	6.77	6.73		11.90				
		1	1	UDC	ULCCU	6.00	10.59	06.01	0.77	0.73		11.90	<b>-</b>	-	-	
	Unbundled Loop Concentration2W Voice-Loop Start or Ground Start							, <del></del> .					1			
	Loop Interface (POTS Card)	<u> </u>	<u> </u>	UEA	ULCC2	2.00	16.59	16.50	6.77	6.73		11.90				
	Unbundled Loop Concentration-2W Voice-Rev Bat Loop Interface															
	(SPOTS Card)			UEA	ULCCR	11.90	16.59	16.50	6.77	6.73		11.90				
	Unbundled Loop Concentration-4W Voice Loop Interface (Specials															
	Card)			UEA	ULCC4	7.10	16.59	16.50	6.77	6.73		11.90				
	Unbundled Loop Concentration-TEST CIRCUIT Card			ULC	UCTTC	34.68	16.59	16.50	6.77	6.73		11.90				
	Unbundled Loop Concentration-Digital 19.2 Kbps Data Loop Interface			UDL	ULCC7	10.51	16.59	16.50	6.77	6.73		11.90				
	Unbundled Loop Concentration-Digital 56 Kbps Data Loop Interface			UDL	ULCC5	10.51	16.59	16.50	6.77	6.73		11.90				
	Unbundled Loop Concentration-Digital 64 Kbps Data Loop Interface			UDL	ULCC6	10.51	16.59	16.50	6.77	6.73		11.90				
INE OTHE	R, PROVISIONING ONLY - NO RATE	1		052	02000		10.00	.0.00	0	00						
JINE OTTIL	NID-Dispatch & Service Order for NID installation	1		UENTW	UNDBX	0.00	0.00									
	UNTW Circuit Id Establishment, Provisioning Only-No Rate	+	1	UENTW	UENCE	0.00	0.00									
	UNITY CIrcuit id Establishment, Provisioning Only-No Rate		-		UENCE	0.00	0.00									
				UEANL,UEF,UEQ,U												
	Unbundled Contract Name, Provisioning Only-No Rate		ļ	ENTW	UNECN	0.00	0.00									
INE OTHE	R, PROVISIONING ONLY - NO RATE															
				UAL,UCL,UDC,UDL,												
	Unbundled Contact Name, Provisioning Only-no rate			UDN,UEA,UHL,ULC	UNECN	0.00	0.00									
	Unbundled Sub-Loop Feeder-2W Cross Box Jumper-no rate			UEA,UDN,UCL,UDC		0.00	0.00									
	Unbundled Sub-Loop Feeder-4W Cross Box Jumper-no rate			UEA,USL,UCL,UDL	USBFR	0.00	0.00									
	Unbundled DS1 Loop-Superframe Format Option-no rate			USL	CCOSF	0.00	0.00									
	Unbundled DS1 Loop-Expanded Superframe Format option-no rate			USL	CCOEF	0.00	0.00									
IIGH CAP	ACITY UNBUNDLED LOCAL LOOP															
	E: minimum billing period of three months for DS3 and above Local	Loon	,													
	High Capacity Unbundled Local Loop-DS3-Per mi per mo		1	UE3	1L5ND	10.92										
	High Capacity Unbundled Local Loop-DS3-Facility Term per mo	1		UE3	UE3PX	386.88	556.37	343.01	139.13	96.84		11.90				
	High Capacity Unbundled Local Loop-STS-1-Per mi per mo	1	_	UDLSX	1L5ND	10.92	330.37	3-3.01	100.10	30.04		11.50				
-	High Capacity Unbundled Local Loop-STS-1-Fei Hill per Hid	+	1	UDLSX	UDLS1	426.60	556.37	343.01	139.13	96.84		11.90			1.83	
OOP MAI				UDLSA	UDLST	420.00	550.57	343.01	139.13	90.04		11.90	-		1.03	
JOP WAI		1	1										-		-	
	Loop Makeup-Preordering w/o Reservation, per working or spare															
	facility queried (Manual).		ļ	UMK	UMKLW		52.17	52.17								
	Loop Makeup-Preordering With Reservation, per spare facility queried		1								1		I			1
	(Manual).			UMK	UMKLP		55.07	55.07								
	Loop MakeupWith or w/o Reservation, per working or spare facility															
	queried (Mechanized)	<u>L</u>	L	UMK	PSUMK		0.6784	0.6784			<u></u>	<u></u>	<u> </u>			<u></u>
IIGH FRE	QUENCY SPECTRUM															
	SHARING															
	TTERS-CENTRAL OFFICE BASED		1												1	
J	Line Sharing Splitter, per System 96 Line Capacity -True up pending												t			
	approval by PSC	R	1	ULS	ULSDA	119.72	379.13	0.00	347.90	0.00	1	11.90	I			1
-+	Line Sharing Splitter, per System 24 Line Capacity -True up pending	Γ.	1	ULO	OLODA	118.12	318.13	0.00	J41.3U	0.00		11.80	t	1	1	<del>                                     </del>
	TEITE STATITU SPILLET, DEL SYSLETT 24 EITE CADACILY - ITUE UD DEMUNU	1	1						1	1	i	1		1	1	l
	approval by PSC	R		ULS	ULSDB	29.93	379.13	0.00	347.90	0.00		11.90				

Version 4Q02: 01/21/03 Page 50 of 402

UNBUNDL	ED NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhil	oit: B
CATEGORY	RATE ELEMENTS	Inter im	Zon e	BCS	USOC			ed Elec	Submitte d Manually	al Charge - Manual Svc Order vs.	I Charge - Manual Svc Order vs.	al Charge Manual Svc Order vs. Electronic	Manual			
						Rec	Nonrecu		NRC Disc					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Line Sharing-DLEC Owned Splitter in CO-CFA activation-deactivation (per LSOD)			ULS	ULSDG		173.66	0.00	97.42	0.00		11.90				

וחאחסאור	LED NETWORK ELEMENTS - Florida		_	1										ment: 2		bit: B
CATEGORY	RATE ELEMENTS	Inter im	Zon e	BCS	USOC		RA	TES (\$)			Svc Order Submitt ed Elec per LSR		al Charge - Manual Svc Order vs.	Incrementa I Charge - Manual Svc Order vs. Electronic- Add'I		al Charg Manual Svc Ordo vs. Electron
						Rec	Nonrecu	ırring	NRC Disc	onnect				Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
END	USER ORDERING-CENTRAL OFFICE BASED-HIGH FREQUENCY SE	PECTI	RUM A	KA LINE SHARING												
	Line Sharing -per Line Activation -(BST Owned Splitter)			ULS	ULSDC	0.61	29.68	21.28	19.57	9.61		11.90				
	Line Sharing-per Subsqnt Activity per Line Rearrangement -True up															
	pending approval by PSC(BST Owned Splitter)	R		ULS	ULSDS		21.68	16.44				11.90				
	Line Sharing-per Subsqnt Activity per Line Rearrangement -True up															
	pending approval by PSC(DLEC Owned Splitter)	R		ULS	ULSCS		21.68	16.44				11.90				
	Line Sharing-per Line Activation (DLEC owned Splitter)	Τ̈́		ULS	ULSCC	0.61	47.44	19.31	20.67	12.74		11.90				
LINE	SPLITTING	†	1	010	OLOGO	0.01	-771-7	10.01	20.07	12.77		11.00				<del>                                     </del>
	USER ORDERING-CENTRAL OFFICE BASED	<del>                                     </del>	1			+			1		t			1		<b>†</b>
END!	Line Splitting-per line activation DLEC owned splitter	+ -	+-	UEPSR UEPSB	UREOS	0.61					-	<del>                                     </del>				<del></del>
-	Line Splitting-per line activation BEEC owned splitter  Line Splitting-per line activation BST owned-physical	i i	+	UEPSR UEPSB	UREBP	0.61	29.68	21.28	19.57	9.61	1	11.90				<del>                                     </del>
		<del>                                     </del>					29.68					11.90				
	Line Splitting-per line activation BST owned-virtual		1	UEPSR UEPSB	UREBV	1.134	29.68	21.28	19.57	9.61		11.90				
	OTE SITE HIGH FREQUENCY SPECTRUM	<u> </u>														<del> </del>
SPLI	TTERS-REMOTE SITE	<u> </u>														<u> </u>
	Remote Site Line Share BST Owned Splitter, 24 Port	1		ULS	ULSRB	46.07	114.81	0.00	86.20	0.00		11.90				ļ
	Remote Site Line Share Cable pr Activation CLEC Owned at RS &															
	deactivation			ULS	ULSTG		95.64	0.00	69.19	0.00		11.90				
END	USER ORDERING-REMOTE SITE HIGH FREQUENCY SPECTRUM A	KA RI	EMOT	E SITE LINE SHARIN	G											
	Remote Site Line Share Line Activationfor End User Served at RS, BST															
	Splitter	- 1		ULS	ULSRC	0.61	40.00	22.00	19.57	9.61		11.90				
	RS Line Share Line Activation for End User served at RS, CLEC Splitter	-		ULS	ULSTC	0.61	40.00	22.00	19.57	9.61		11.90				
	Remote Site Line Share Subsqnt Activity-RS BST Owned Splitter	-		ULS	ULSRS		49.15	17.83				11.90				
	Remote Site Line Share Subsqnt Activity-RS CLEC Owned Splitter		1	ULS	ULSTS		49.15	17.83				11.90				
NBUNDLE	ED DEDICATED TRANSPORT															
NOTE	: INTEROFFICE CHANNEL DEDICATED TRANSPORT - minimum b	illing	perio	d - below DS3=one n	nonth, abo	ve DS3=four m	onths									
INTE	ROFFICE CHANNEL - DEDICATED TRANSPORT		Ť													
	Interoffice Channel-Dedicated Transport-2W VG-Per mi per mo			U1TVX	1L5XX	0.0091										
	Interoffice Channel-Dedicated Transport-2W VG-Facility Term			U1TVX	U1TV2	25.32	47.35	31.78	18.31	7.03		11.90				
	Interoffice Channel-Dedicated Transport-2W VG Rev Bat-Per mi per			U1TVX	1L5XX	0.0091										1
	Interoffice Channel-Dedicated Transport-2W VG Rev BatFacility Term			U1TVX	U1TR2	25.32	47.35	31.78	18.31	7.03		11.90				
	Interoffice Channel -Dedicated Transport-4W VG-Per mi per mo			U1TVX	1L5XX	0.0091										
	Interoffice Channel -Dedicated Transport-4W VG-Facility Term			U1TVX	U1TV4	22.58	47.35	31.78	18.31	7.03		11.90				
	Interoffice Channel-Dedicated Transport-56 kbps-per mi per mo			U1TDX	1L5XX	0.0091										
	Interoffice Channel-Dedicated Transport-56 kbps-Facility Term			U1TDX	U1TD5	18.44	47.35	31.78	18.31	7.03		11.90		1		
	Interoffice Channel-Dedicated Transport-64 kbps-per mi per mo	<u> </u>		U1TDX	1L5XX	0.0091								İ		
	Interoffice Channel-Dedicated Transport-64 kbps-Facility Term			U1TDX	U1TD6	18.44	47.35	31.78	18.31	7.03		11.90				
	Interoffice Channel-Dedicated Channel-DS1-Per mi per mo		1	U1TD1	1L5XX	0.1856										1
	Interoffice Channel-Dedicated Tranport-DS1-Facility Term			U1TD1	U1TF1	88.44	105.54	98.47	21.47	19.05		11.90				
	Interoffice Channel -Dedicated Transport-DS3-Per mi per mo		1	U1TD3	1L5XX	3.87	105.54	30.41	21.77	13.03		11.50				<del>                                     </del>
	Interoffice Channel-Dedicated Transport-DS3-Fer Init per Info	<b>†</b>	<del>                                     </del>	U1TD3	U1TF3	1,071.00	335.46	219.28	72.03	70.56		11.90				<del>                                     </del>
	Interoffice Channel-Dedicated Transport-DS3-racing Term per mo	<del>                                     </del>	+	U1TS1	1L5XX	3.87	333.40	213.20	12.03	10.00		11.50		1		$\vdash$
-	Interoffice Channel-Dedicated Transport-STS-1-Per mi per mo	<del>                                     </del>	+	U1TS1	U1TFS	1,056.00	335.46	219.28	72.03	70.56		11.90		1		$\vdash$
1004	AL CHANNEL - DEDICATED TRANSPORT	1	+	01101	UIIFO	1,000.00	333.46	∠19.∠8	12.03	10.00	-	11.90	-	1		<del>                                     </del>
		<u> </u>	1 1	DC2	ahav- DCC	fa						1		-		<del>                                     </del>
NOTE	E: LOCAL CHANNEL DEDICATED TRANSPORT - minimum billing p	erioc	_				005.01	10.0=	07.00	100		44.00		-		<b>├</b>
	Local Channel-Dedicated-2W VG-Zone 1	1	1	ULDVX	ULDV2	19.66	265.84	46.97	37.63	4.00	1	11.90				<del>                                     </del>
	Local Channel-Dedicated-2W VG -Zone 2	<u> </u>	2	ULDVX	ULDV2	27.94	265.84	46.97	37.63	4.00		11.90				<del>                                     </del>
	Local Channel-Dedicated-2W VG-Zone 3	<u> </u>	3	UNDVX	ULDV2	49.58	265.84	46.97	37.63	4.00		11.90				<b></b>
	Local Channel-Dedicated-2W VG Rev. BatZone 1		1	ULDVX	ULDR2	19.66	265.84	46.97	37.63	4.00		11.90				ļ
	Local Channel-Dedicated-2W VG Rev. BatZone 2		2	ULDVX	ULDR2	27.94	265.84	46.97	37.63	4.00		11.90				
	Local Channel-Dedicated-2W VG Rev. BatZone 3		3	ULDVX	ULDR2	49.58	265.84	46.97	37.63	4.00		11.90				
	Local Channel-Dedicated-4W VG -Zone 1		1	ULDVX	ULDV4	20.45	266.54	47.67	44.22	5.33		11.90				
	Local Channel-Dedicated-4W VG -Zone 2	1	2	ULDVX	ULDV4	29.06	266.54	47.67	44.22	5.33	1	11.90	1	1		1

UNDUNDL	ED NETWORK ELEMENTS - Florida													ment: 2		bit: B
CATEGORY	RATE ELEMENTS	Inter im	Zon e	BCS	USOC			TES (\$)			Svc Order Submitt ed Elec per LSR		al Charge - Manual Svc Order vs. Electronic- 1st	Incrementa I Charge - Manual Svc Order vs. Electronic- Add'I		al Charge Manual Svc Orde vs. Electroni
						Rec	Nonrecu		NRC Disc					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Local Channel-Dedicated-4W VG-Zone 3		3	ULDVX	ULDV4	51.56	266.54	47.67	44.22	5.33		11.90				
	Local Channel-Dedicated-DS1-Zone 1		1	ULDD1	ULDF1	36.49	216.65	183.54	24.30	16.95		11.90				
	Local Channel-Dedicated-DS1 -Zone 2		2	ULDD1	ULDF1	51.85	216.65	183.54	24.30	16.95		11.90				
	Local Channel-Dedicated-DS1 -Zone 3		3	ULDD1	ULDF1	92.00	216.65	183.54	24.30	16.95		11.90				
	Local Channel-Dedicated-DS3-Per mi per mo			ULDD3	1L5NC	8.50										
	Local Channel-Dedicated-DS3-Facility Term			ULDD3	ULDF3	531.91	556.37	343.01	139.13	96.84		11.90				
	Local Channel-Dedicated-STS-1-Per mi per mo			ULDS1	1L5NC	8.50										
	Local Channel-Dedicated-STS-1 -Facility Term			ULDS1	ULDFS	540.69	556.37	343.01	139.13	96.84		11.90				
DARK FIBE						0.000										
	Dark Fiber, Four Fiber Strands, Per Route mi or Fraction Thereof per															
	mo-Local Channel			UDF	1L5DC	55.04										
	NRC Dark Fiber-Local Channel			UDF	UDFC4	00.04	751.34	193.88				11.90				
	Dark Fiber, Four Fiber Strands, Per Route mi or Fraction Thereof per			ODI	00104		701.04	133.00				11.50				
	mo-Interoffice Channel			UDF	1L5DF	26.85										
-	NRC Dark Fiber-Interoffice Channel		1	UDF	UDF14	20.03	751.34	193.88				11.90				
			1	UDF	UDF 14		751.34	193.00				11.90				
	Dark Fiber, Four Fiber Strands, Per Route mi or Fraction Thereof per															
	mo-Local Loop		1	UDF	1L5DL	55.04										-
	NRC Dark Fiber-Local Loop		1	UDF	UDFL4		751.34	193.88				11.90				
8XX ACCES	S TEN DIGIT SCREENING															ļ
	8XX Access Ten Digit Screening, Per Call			OHD		0.0006252										
	8XX Access Ten Digit Screening, Reservation Charge Per 8XX No															
	Reserved			OHD	N8R1X		4.15	0.70				11.90				
	8XX Access Ten Digit Screening, Per 8XX No. Established W/O POTS															
	Translations			OHD			8.78	1.18	5.77	0.70		11.90				
	8XX Access Ten Digit Screening, Per 8XX No. Established With POTS															
	Translations			OHD	N8FTX		8.78	1.18	5.77	0.70		11.90				
	8XX Access Ten Digit Screening, Customized Area of Service Per 8XX															
	No			OHD	N8FCX		4.15	2.07				11.90				
	8XX Access Ten Digit Screening, Multiple InterLATA CXR Routing Per			0.15	110. 071		0	2.01								
	CXR Requested Per 8XX No.			OHD	N8FMX		4.85	2.78				11.90				
	8XX Access Ten Digit Screening, Change Charge Per Request			OHD	N8FAX		4.85	0.70				11.90				
	8XX Access Ten Digit Screening, Call Handling & Destination Features		1	OHD	N8FDX		4.15	4.15				11.90				<del>                                     </del>
	8XX Access Ten Digit Screening, w/ 8FL No. Delivery, per query			OHD	NOI BX	0.0006252	4.10	4.10				11.50				
	8XX Access Ten Digit Screening, w/ POTS No. Delivery, per query			OHD		0.0006252										
LINE INFOR	RMATION DATA BASE ACCESS (LIDB)			0.15		0.0000202										
	LIDB Common Transport Per Query			OQT		0.0000203										
	LIDB Validation Per Query			OQU	+	0.0136959										
	LIDB Originating Point Code Establishment or Change		<del>                                     </del>	OQT,OQU	NRPBX	0.0130333	55.13	55.13	55.13	55.13		11.90				<b></b>
SIGNALING			1	OQ1,OQ0	INNEDA		55.15	55.15	33.13	33.13		11.90				
SIGNALING	CCS7 Signaling Term, Per STP Port	1		UDB	PT8SX	135.05						1				
			1	UDB	P105A	0.0000607										
	CCS7 Signaling Usage, Per TCAP Message		1		TDD		10.57	10.57	10.01	40.04		44.00				
	CCS7 Signaling Connection, Per link (A link)	1	<del>                                     </del>	UDB	TPP++	17.93	43.57 43.57	43.57 43.57	18.31	18.31	1	11.90 11.90	<del>                                     </del>	<del>                                     </del>		<del>                                     </del>
<b></b>	CCS7 Signaling Connection, Per link (B link) (also known as D link)	1	<del>                                     </del>	UDB	TPP++	17.93	43.57	43.57	18.31	18.31		11.90	-	<b> </b>		
	CCS7 Signaling Usage, Per ISUP Message	-	<del>                                     </del>	UDB	07::	0.0000152				1	1	<u> </u>				1
	CCS7 Signaling Usage Surrogate, per link per LATA	<u> </u>	<b>├</b>	UDB	STU56	694.32				<b></b>		<u> </u>	<b> </b>	ļ		<b></b>
	CCS7 Signaling Point Code, per Originating Point Code Establishment		1 1										1	1		1
	or Change, per STP affected		<u>                                     </u>	UDB	CCAPO		46.03	46.03	46.03	46.03		11.90				ļ
E911 SERVI			<b>                                     </b>													ļ
	Local Channel-Dedicated-2W VG-Zone 1					21.94	265.84	46.97	37.63	4.00		11.90				
	Local Channel-Dedicated-2W VG-Zone 2		<u></u> ]			29.62	265.84	46.97	37.63	4.00		11.90				
	Local Channel-Dedicated-2W VG-Zone 3		1 T			57.22	265.84	46.97	37.63	4.00		11.90				1

Version 4Q02: 01/21/03 Page 53 of 402

ONDOND	PLED NETWORK ELEMENTS - Florida			ı										ment: 2		oit: B
CATEGOR	Y RATE ELEMENTS	Inter im	Zon e	BCS	usoc		RA	TES (\$)			Svc Order Submitt ed Elec per LSR		al Charge - Manual Svc Order vs. Electronic-	Incrementa I Charge - Manual Svc Order vs. Electronic-	al Charge - Manual Svc Order vs. Electronic-	al Charg Manual Svc Orde vs. Electron
													1st	Add'l	Disc 1st	Disc Add
						Rec	Nonreci		NRC Disc					Rates (\$)		
	-						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport-Dedicated-2W VG Per mi					0.0091										L
	Interoffice Transport-Dedicated-2W VG Per Facility Term					25.32	47.35	31.78	18.31	7.03		11.90				
	Local Channel-Dedicated-DS1-Zone 1					35.28	216.65	183.54	21.47	19.05		11.90				
	Local Channel-Dedicated-DS1-Zone 2					47.63	216.65	183.54	21.47	19.05		11.90				
	Local Channel-Dedicated-DS1-Zone 3					92.01	216.65	183.54	21.47	19.05		11.90				
	Interoffice Transport-Dedicated-DS1 Per mi					0.1856										
	Interoffice Transport-Dedicated-DS1 Per Facility Term					88.44	105.54	98.47	21.47	19.05		11.90				
CALLING	NAME (CNAM) SERVICE															
	CNAM For DB Owners-Service Establishment			OQV			25.35	25.35	19.01	19.01		11.90				
	CNAM For Non DB Owners-Service Establishment			OQV			25.35	25.35	19.01	19.01		11.90				
	CNAM For DB Owners-Service Provisioning With Point Code															
	Establishment			OQV			1,592.00	1,177.00	352.36	259.09		11.90				
	CNAM For Non DB Owners-Service Provisioning With Point Code			OQV			1,002.00	1,177.00	002.00	200.00		11.00				
	Establishment			OQV			546.51	393.82	358.06	259.09		11.90				
	CNAM for DB Owners, Per Query			OQV		0.001024	340.31	393.02	330.00	239.09		11.90				
	CNAM for Non DB Owners, Per Query		1	OQV		0.001024			-			+		-		-
LNDO				OQV		0.001024					-	-				
LNP Query				001/		0.000050					-	-				
	LNP Charge Per query		1	OQV		0.000852	10.00	10.00	10.71	40.74		44.00				-
	LNP Service Establishment Manual						13.83	13.83	12.71	12.71		11.90				
	LNP Service Provisioning with Point Code Establishment						655.50	334.88	297.03	218.40		11.90				
<u>OPERATO</u>	R CALL PROCESSING															
	Oper Call Processing-Oper Provided, Per min-Using BST LIDB					1.20										
	Oper Call Processing-Oper Provided, Per min-Using Foreign LIDB					1.24										
	Oper Call Processing-Fully Automated, per Call-Using BST LIDB					0.20										
	Oper Call Processing-Fully Automated, per Call-Using Foreign LIDB					0.20										
INWARD C	DPERATOR SERVICES															
	Inward Oper Services-Verification, Per Call					1.00										
	Inward Oper Services-Verification & Emergency Interrupt-Per Call					1.95										
	G - OPERATOR CALL PROCESSING															
Faci	lity based CLEC															
	Recording of Custom Branded OA Announcement				CBAOS		7,000.00					11.90				
	Loading of Custom Branded OA Announcement per shelf/NAV per OCN				CBAOL		500.00	500.00				11.90				
UNE	PCLEC															
	Recording of Custom Branded OA Announcement						7,000.00	7,000.00				11.90				
	Loading of Custom Branded OA Announcement per shelf/NAV per OCN						500.00	500.00				11.90				
Unb	randing via OLNS for UNEP CLEC															
	Loading of OA per OCN (Regional)						1,200.00	1,200.00				11.90				
DIRECTOR	RY ASSISTANCE SERVICES															
DIRE	ECTORY ASSISTANCE ACCESS SERVICE															
	Directory Assistance Access Service Calls, Charge Per Call					0.275										
DIRE	ECTORY ASSISTANCE CALL COMPLETION ACCESS SERVICE (DAC	(C)														
	Directory Assistance Call Completion Access Service (DACC), Per Call															
	Attempt					0.10										
DIRECTOR	RY ASSISTANCE SERVICES															
	ECTORY ASSISTANCE DATA BASE SERVICE (DADS)					1								1		
	Directory Assistance Data Base Service Charge Per Listing					0.04								1		
	Directory Assistance Data Base Service, per mo				DBSOF	150.00								1		
BRANDINA	G - DIRECTORY ASSISTANCE	1	1		DBOOF	130.00				<b></b>	1	-		<b>†</b>		<b>—</b>
	lity Based CLEC		1			+			<del>                                     </del>		1	+		<del>                                     </del>		<del>                                     </del>
гасі	Recording & Provisioning of DA Custom Branded Announcement		1	AMT	CBADA	+	3,000.00	3,000.00	<b>+</b>	<del>                                     </del>	1	11.90		<del> </del>		<del>                                     </del>
	Loading of Custom Branded Announcement per Switch per OCN		1	AMT	CBADA	+	1,170.00	1,170.00		1	1	11.90		t		<del>                                     </del>
	P CLEC		1	AIVII	CDADC		1,170.00	1,170.00	ļ	<del>                                     </del>	<b>!</b>	11.90		1		1

UNDUND	LED NETWORK ELEMENTS - Florida			1										ment: 2		oit: B
CATEGOR	RATE ELEMENTS	Inter im	Zon e	BCS	USOC		RA	TES (\$)			Svc Order Submitt ed Elec per LSR		al Charge - Manual Svc Order vs.	Manual Svc Order vs.	Increment al Charge - Manual Svc Order vs. Electronic- Disc 1st	al Charg Manual Svc Orde vs. Electron
						Rec	Nonrecu	urring	NRC Disc	onnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Recording of DA Custom Branded Announcement						3,000.00	3,000.00				11.90				<u> </u>
	Loading of DA Custom Branded Announcement per Switch per OCN						1,170.00	1,170.00				11.90				
Unbr	anding via OLNS for UNEP CLEC						,	·								
	Loading of DA per OCN (1 OCN per Order)						420.00	420.00				11.90				
	Loading of DA per Switch per OCN						16.00	16.00				11.90				
SELECTIVE																
	Selective Routing Per Unique Line Class Code Per Request Per Switch				USRCR		93.55	93.55	11.46	11.46		11.90				
VIRTUAL C	OLLOCATION				CONTON		00.00	00.00								
1	Virtual Collocation-2W Cross Connects (Loop) for Line Splitting	<u> </u>		UEPSR,UEPSB	VE1LS	0.0502	11.57					11.90				
PHYSICAL	COLLOCATION	<u> </u>		52. 5. 1,52. 55		3.0002	11.07					. 1.00				i
I	Physical Collocation-2W Cross Connects (Loop) for Line Splitting			UEPSR,UEPSB	PE1LS	0.0276	8.22	7.22	5.74	4.58	1	11.90				(
AIN SELEC	TIVE CARRIER ROUTING			52. 5.1,52. 55		3.02.10	0.22	1.22	0.74	1.00	1	. 1.00				(
1 7	Regional Service Establishment			SRC	SRCEC		193,444.00		7,737.00		1	11.90				(
	End Office Establishment			SRC	SRCEO		187.36	187.36	0.69	0.69		11.90				ſ
+	Query NRC, per query			SRC	SINCLO	0.0031868	107.30	107.50	0.09	0.03		11.50				
AINI DELL	SOUTH AIN SMS ACCESS SERVICE			SRC		0.0031606										<del></del>
AIN - BELL				AAN	CAMSE		43.56	43.56	44.93	44.93		11.90				<b>——</b>
	AIN SMS Access Service-Service Establishment, Per State, Initial Setup	<b> </b>		A1N								11.90				<b>——</b>
-	AIN SMS Access Service-Port Connection-Dial/Shared Access			A1N	CAMDP CAM1P		8.64	8.64	10.03	10.03						<del></del>
-	AIN SMS Access Service-Port Connection-ISDN Access			A1N			8.64	8.64	10.03	10.03		11.90				
-	AIN SMS Access Service-User Identification Codes-Per User ID Code			A1N	CAMAU		38.66	38.66	29.88	29.88		11.90				
	AIN SMS Access Service-Security Card, Per User ID Code, Initial or															1
	Replacement			A1N	CAMRC		75.10	75.10	12.93	12.93		11.90				<b> </b>
	AIN SMS Access Service-Storage, Per Unit (100 Kilobytes)					0.0028										<b></b>
	AIN SMS Access Service-Session, Per min					0.7809										
	AIN SMS Access Service-Company Performed Session, Per min					0.4609										<b></b>
AIN - BELL	SOUTH AIN TOOLKIT SERVICE															1
	AIN Toolkit Service-Service Establishment Charge, Per State, Initial			CAM	BAPSC		43.56	43.56	44.93	44.93		11.90				
	AIN Toolkit Service-Training Session, Per Customer				BAPVX		8,439.00	8,439.00				11.90				
	AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, Term.															1
	Attempt				BAPTT		8.64	8.64	10.03	10.03		11.90				l
	AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, Off-															
	Hook Delay				BAPTD		8.64	8.64	10.03	10.03		11.90				1
	AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, Off-															<u> </u>
	Hook Immediate				BAPTM		8.64	8.64	10.03	10.03		11.90				Í
	AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, 10-															
	Digit PODP				BAPTO		38.06	38.06	15.86	15.86		11.90				1
	AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, CDP				BAPTC		38.06	38.06	15.86	15.86		11.90				ſ
	AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN,				D/ 11 10		00.00	00.00	10.00	10.00		11.00				ſ
	Feature Code				BAPTF		38.06	38.06	15.86	15.86		11.90				l
<del>                                     </del>	AIN Toolkit Service-Query Charge, Per Query	<b>-</b>	$\vdash$		PVLIL	0.0535927	30.00	30.00	10.00	13.00		11.90				
<del>                                     </del>	AIN Toolkit Service-Query Charge, Per Query  AIN Toolkit Service-Type 1 Node Charge, Per AIN Toolkit Subscription,	<b>!</b>	<del>                                     </del>		1	0.0000827					1	1				
						0.0000000										i
$\vdash$	Per Node, Per Query	1	<u> </u>			0.0063698							-			<del></del>
	AIN Toolkit Service-SCP Storage Charge, Per SMS Access Account,															i
$\vdash$	Per 100 Kilobytes	<u> </u>	<del>                                     </del>	0.114	DARMO	0.06	201	201	2.22	0.00		44.00				<b>——</b>
<del></del>	AIN Toolkit Service-moly report-Per AIN Toolkit Service Subscription	<u> </u>	1	CAM	BAPMS	8.34	8.64	8.64	6.08	6.08		11.90				
$\vdash$	AIN Toolkit Service-Special Study-Per AIN Toolkit Service Subscription	<u> </u>	<del>                                     </del>	CAM	BAPLS	3.73	9.56	9.56				11.90				<b>——</b>
	AIN Toolkit Service-Call Event Report-Per AIN Toolkit Service															i
igwdown	Subscription	<u> </u>	<u> </u>	CAM	BAPDS	4.73	8.64	8.64	6.08	6.08		11.90				<del></del>
	AIN Toolkit Service-Call Event Special Study-Per AIN Toolkit Service															i
	Subscription			CAM	BAPES	0.12	9.56	9.56				11.90				
	DEXTENDED LINK (EELs)	<u>L</u>														<u> </u>
NOT	: The monthly recurring and non-recurring charges below will appl	v and	the S	witch-As-Is Charge	will not ann	dy for FELs pr	ovisioned as	Ordinarily	Combined'	Network	Flements.					,

UNBUND	LED NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	bit: B
											Svc	Svc		Incrementa		
											Order	Order	al Charge -			- al Charge
											Submitt	Submitte		Manual	Manual	Manual
CATEGOR	Y RATE ELEMENTS	Inter	Zon	BCS	USOC		D.A	TEC (¢)			ed Elec	d		Svc Order		Svc Order
CATEGOR	KATE ELEMENTS	im	е	BCS	0500		KA	TES (\$)							vs.	vs.
											per LSR	Manually	VS.	VS.		
												per LSR		Electronic-		- Electronic
													1st	Add'l	Disc 1st	Disc Add'l
						D	Nonreci	urring	NRC Disc	onnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
NOT	E: The monthly recurring and the Switch-As-Is Charge and not the n	on-rec	urrin	n charges below will	annly for	FFI s provisio										1
	E: Minimum billing is one month for DS1 and below and three month				парріў ісі		nea ao Garre	nay combi	lea Hetwel	Lioinon						+
	RE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTERC															+
2-441		JE FIC	LIKA	MOPORT (EEL)							<b> </b>					+
	First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-															
	Zone 1		1	UNCVX	UEAL2	12.24	127.59	60.54	42.79	2.81		11.90				<del></del>
	First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-															
	Zone 2		2	UNCVX	UEAL2	17.40	127.59	60.54	42.79	2.81		11.90				
	First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-															
	Zone 3		3	UNCVX	UEAL2	30.87	127.59	60.54	42.79	2.81		11.90				
	Interoffice Transport-Dedicated-DS1 combination-Per mi per mo			UNC1X	1L5XX	0.1856	.200	30.04			<b>†</b>	700	1	1	Ì	1
	Interoffice Transport-Dedicated-DS1 combination-Facility Term per mo			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95	1	11.90	<u> </u>	<u> </u>		†
	DS1 Channelization System Per mo			UNC1X	MQ1	146.77	51.83	10.75	43.01	17.55		11.90				+
	VG COCI-DS1 To Ds0 Interface-Per mo				1D1VG				6.74	4.84		11.90				+
				UNCVX	IDIVG	1.38	12.16	8.77	6.71	4.04		11.90				<del> </del>
	Each Add'l 2W VG Loop(SL 2) in the same DS1 Interoffice Transport															
	Combination-Zone 1		1	UNCVX	UEAL2	12.24	127.59	60.54	42.79	2.81		11.90				↓
	Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport															
	Combination-Zone 2		2	UNCVX	UEAL2	17.40	127.59	60.54	42.79	2.81		11.90				
	Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport															
	Combination-Zone 3		3	UNCVX	UEAL2	30.87	127.59	60.54	42.79	2.81		11.90				
	VG COCI-DS1 to DS0 Channel System combination-per mo			UNCVX	1D1VG	1.38	12.16	8.77	6.71	4.84	Ì	11.90				1
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC	1.30	8.98	8.98	8.98	8.98		11.90				+
4 10/1	RE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTERC	VEE IC	E TD A		UNCCC		0.90	0.90	0.90	0.30		11.50				+
4-771		FFIC	LIKA	INSPORT (EEL)												+
	First 4W Analog VG Loop in a DS1 Interoffice Transport Combination -															
	Zone 1		1	UNCVX	UEAL4	18.89	127.59	60.54	42.79	2.81		11.90				↓
	First 4W Analog VG Loop in a DS1 Interoffice Transport Combination -															
	Zone 2		2	UNCVX	UEAL4	26.84	127.59	60.54	42.79	2.81		11.90				
	First 4W Analog VG Loop in a DS1 Interoffice Transport Combination -															
	Zone 3		3	UNCVX	UEAL4	47.62	127.59	60.54	42.79	2.81		11.90				
	Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo			UNC1X	1L5XX	0.1856			_							†
	Interoffice Transport-Dedicated-DS1-Facility Term Per mo			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95		11.90				†
	Channelization-Channel System DS1 to DS0 combination Per mo			UNC1X	MQ1	146.77	51.83	10.75	10.01	17.00		11.90				+
	VG COCI-DS1 to DS0 Channel System combination-per mo			UNCVX	1D1VG	1.38	12.16	8.77	6.71	4.84		11.90				+
	Add'I 4W Analog VG Loop in same DS1 Interoffice Transport			ONOVA	IDIVO	1.50	12.10	0.77	0.71	7.07	-	11.50				+
			1	LINOVA	115414	40.00	127.59	00.54	42.79	0.04		44.00				
	Combination-Zone 1			UNCVX	UEAL4	18.89	127.59	60.54	42.79	2.81	ļ	11.90				
	Add'l 4W Analog VG Loop in same DS1 Interoffice Transport															
	Combination-Zone 2		2	UNCVX	UEAL4	26.84	127.59	60.54	42.79	2.81		11.90				<u> </u>
	Add'l 4W Analog VG Loop in same DS1 Interoffice Transport															
	Combination-Zone 3		3	UNCVX	UEAL4	47.62	127.59	60.54	42.79	2.81		11.90				
	VG COCI-DS1 to DS0 Channel System combination-per mo			UNCVX	1D1VG	1.38	12.16	8.77	6.71	4.84		11.90				T .
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		8.98	8.98	8.98	8.98		11.90				1
4-WI	RE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTE	ROF	ICE T								Ì					1
<del>-  </del>	First 4W 56Kbps Digital Grade Loop in a DS1 Interoffice Transport			(===)									1	1	1	1
	Combination-Zone 1		1	UNCDX	UDL56	22.20	127.59	60.54	42.79	2.81		11.90				
			-	UNCDA	UDLJO	22.20	121.39	00.34	42.19	2.01	1	11.90	1	1	1	+
	First 4W 56Kbps Digital Grade Loop in a DS1 Interoffice Transport			LINGSY	LIDLES	04.50	407.50	00.5:	40.70		1	44.00		1		
	Combination-Zone 2		2	UNCDX	UDL56	31.56	127.59	60.54	42.79	2.81	<b> </b>	11.90	-	-		<del>                                     </del>
	First 4W 56Kbps Digital Grade Loop in a DS1 Interoffice Transport															1
	Combination-Zone 3		3	UNCDX	UDL56	55.99	127.59	60.54	42.79	2.81		11.90				
	Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo			UNC1X	1L5XX	0.1856										
	Interoffice Transport-Dedicated-DS1-combination Facility Term Per mo			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95		11.90				
	Channelization-Channel System DS1 to DS0 combination Per mo			UNC1X	MQ1	146.77	51.83	10.75				11.90				
				UNCDX	1D1DD	2.10	12.16	8.77	6.71	4.84		11.90				

INBUNDI	LED NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	bit: B
ATEGORY	RATE ELEMENTS	Inter im	Zon e	BCS	usoc		RA	TES (\$)			Svc Order Submitt ed Elec per LSR	Svc Order Submitte d Manually per LSR	al Charge - Manual Svc Order vs.	Incrementa I Charge - Manual Svc Order vs. Electronic- Add'I	Increment al Charge Manual Svc Order vs. Electronic Disc 1st	al Charge Manual Svc Orde vs.
						Rec	Nonrecu	ırring	NRC Disc	onnect				Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Add'l 4W 56Kbps Digital Grade loop in same DS1 Interoffice Transport Combination-Zone 1		1	UNCDX	UDL56	22.20	127.59	60.54	42.79	2.81		11.90				
	Add'l 4W 56Kbps Digital Grade loop in same DS1 Interoffice Transport Combination-Zone 2		2	UNCDX	UDL56	31.56	127.59	60.54	42.79	2.81		11.90				
	Add'l 4W 56Kbps Digital Grade loop in same DS1 Interoffice Transport Combination-Zone 3		3	UNCDX	UDL56	55.99	127.59	60.54	42.79	2.81		11.90				
	OCU-DP COCI (data)-DS1 to DS0 Channel System-combination per mo (2.4-64kbs)			UNCDX	1D1DD	2.10	12.16	8.77	6.71	4.84		11.90				
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		8.98	8.98	8.98	8.98		11.90				
4-WIF	RE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INT	EROFI	ICE 1	TRANSPORT (EEL)												
	First 4W 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination-Zone 1		1	UNCDX	UDL64	22.20	127.59	60.54	42.79	2.81		11.90				
	First 4W 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination-Zone 2		2	UNCDX	UDL64	31.56	127.59	60.54	42.79	2.81		11.90				
	First 4W 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination-Zone 3		3	UNCDX	UDL64	55.99	127.59	60.54	42.79	2.81		11.90				
	Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo			UNC1X	1L5XX	0.1856										
	Interoffice Transport-Dedicated-DS1 combination-Facility Term Per mo			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95		11.90				
	Channelization-Channel System DS1 to DS0 combination Per mo			UNC1X	MQ1	146.77	51.83	10.75				11.90				
	OCU-DP COCI (data)-DS1 to DS0 Channel System combination-per mo (2.4-64kbs)			UNCDX	1D1DD	2.10	12.16	8.77	6.71	4.84		11.90				
	Add'l 4W 64Kbps Digital Grade loop in same DS1 Interoffice Transport Combination-Zone 1		1	UNCDX	UDL64	22.20	127.59	60.54	42.79	2.81		11.90				
	Add'l 4W 64Kbps Digital Grade loop in same DS1 Interoffice Transport Combination-Zone 2		2	UNCDX	UDL64	31.56	127.59	60.54	42.79	2.81		11.90				
	Add'l 4W 64Kbps Digital Grade loop in same DS1 Interoffice Transport Combination-Zone 3		3	UNCDX	UDL64	55.99	127.59	60.54	42.79	2.81		11.90				
	OCU-DP COCI (data)-DS1 to DS0 Channel System combination-per mo (2.4-64kbs)			UNCDX	1D1DD	2.10	12.16	8.77	6.71	4.84		11.90				
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		8.98	8.98	8.98	8.98		11.90				
4-WIF	RE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INTERO	FFICE	TRAI	NSPORT (EEL)												
	4W DS1 Digital Loop in Combination with DS1 Interoffice Transport- Zone 1		1	UNC1X	USLXX	70.74	217.75	121.62	51.44	14.45		11.90				
	4W DS1 Digital Loop in Combination with DS1 Interoffice Transport- Zone 2		2	UNC1X	USLXX	100.54	217.75	121.62	51.44	14.45		11.90				
	4W DS1 Digital Loop in Combination with DS1 Interoffice Transport- Zone 3		3	UNC1X	USLXX	178.39	217.75	121.62	51.44	14.45		11.90				
	Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo Interoffice Transport-Dedicated-DS1 combination-Facility Term Per mo			UNC1X UNC1X	1L5XX U1TF1	0.1856 88.44	174.46	122.46	45.61	17.95		11.90				
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		8.98	8.98	8.98	8.98		11.90				
4-WIF	RE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTERO	FFICE				====		101.5-			ļ					ļ
	First DS1Loop in DS3 Interoffice Transport Combination-Zone 1	<u> </u>	1	UNC1X	USLXX	70.74	217.75	121.62	51.44	14.45	<b> </b>	11.90				<del>                                     </del>
	First DS1Loop in DS3 Interoffice Transport Combination-Zone 2 First DS1Loop in DS3 Interoffice Transport Combination-Zone 3	<del>                                     </del>	2	UNC1X UNC1X	USLXX	100.54 178.39	217.75 217.75	121.62 121.62	51.44 51.44	14.45 14.45	<b> </b>	11.90 11.90				<del>                                     </del>
-	Interoffice Transport-Dedicated-DS3 combination-Per mi Per mo	1	3	UNC3X	1L5XX	3.87	211.15	121.02	J1.44	14.45	1	11.90		-		<del>                                     </del>
-	Interoffice Transport-Dedicated-DS3-Combination-Fer file Fer file  Interoffice Transport-Dedicated-DS3-Facility Term per mo			UNC3X	U1TF3	1,071.00	314.45	130.88	38.60	18.23	1	11.90				<b>†</b>
	DS3 to DS1 Channel System combination per mo			UNC3X	MQ3	211.19	115.60	59.93	5.45	0.00	1	11.90				<del>                                     </del>
	DS3 Interface Unit (DS1 COCI) combination per mo			UNC1X	UC1D1	13.76	12.16	8.77	6.71	4.84	<u> </u>	11.90				
	Add'l DS1Loop in DS3 Interoffice Transport Combination-Zone 1		1	UNC1X	USLXX	70.74	217.75	121.62	51.44	14.45		11.90				
	Add'l DS1Loop in DS3 Interoffice Transport Combination-Zone 2		2	UNC1X	USLXX	100.54	217.75	121.62	51.44	14.45		11.90				
	Add'l DS1Loop in DS3 Interoffice Transport Combination-Zone 3		3	UNC1X	USLXX	178.39	217.75	121.62	51.44	14.45		11.90				
	DS3 Interface Unit (DS1 COCI) combination per mo			UNC1X	UC1D1	13.76	12.16	8.77	6.71	4.84		11.90				

NOUNDL	ED NETWORK ELEMENTS - Florida													ment: 2		bit: B
ATEGORY	RATE ELEMENTS	Inter		BCS	usoc		RA	TES (\$)			Svc Order Submitt ed Elec	Svc Order Submitte d	al Charge - Manual	Incrementa I Charge - Manual Svc Order	Increment al Charge Manual Svc Order	- al Charg Manua
		im	е					- (.,			per LSR	Manually per LSR	vs. Electronic- 1st	vs. Electronic- Add'l	vs. Electronic Disc 1st	vs. Electron Disc Ad
						Rec	Nonrecu		NRC Disc					Rates (\$)		T
_	NDO C			LINIOOV	LINIOOO		First	Add'l	First	Add'l	SOMEC		SOMAN	SOMAN	SOMAN	SOMAN
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC3X	UNCCC		8.98	8.98	8.98	8.98		11.90				
2-WIR	E VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GRADE INTERC	FFIC	E IKA	NSPORT (EEL)												
	2WVG Loop used with 2W VG Interoffice Transport Combination-Zone 1		1	UNCVX	UEAL2	12.24	127.59	60.54	42.79	2.81		11.90				
	2WVG Loop used with 2W VG Interoffice Transport Combination-Zone 2		2	UNCVX	UEAL2	17.40	127.59	60.54	42.79	2.81		11.90				
	2WVG Loop used with 2W VG Interoffice Transport Combination-Zone															
	3		3	UNCVX	UEAL2	30.87	127.59	60.54	42.79	2.81		11.90				
	Interoffice Transport-Dedicated-2W VG combination-Per mi Per mo			UNCVX	1L5XX	0.0091					ļ					
	Interoffice Transport-Dedicated-2W VG combination-Facility Term per			UNCVX	U1TV2	25.32	94.70	52.59	50.49	21.53	<u> </u>	11.90				
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNCVX	UNCCC		8.98	8.98	8.98	8.98		11.90				
4-WIR	E VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRADE INTERC	FFIC	E TRA	NSPORT (EEL)												
	4WVG Loop used with 4W VG Interoffice Transport Combination-Zone 1		1	UNCVX	UEAL4	18.89	127.59	60.54	42.79	2.81		11.90				
	4WVG Loop used with 4W VG Interoffice Transport Combination-Zone 2		2	UNCVX	UEAL4	26.84	127.59	60.54	42.79	2.81		11.90				
	4WVG Loop used with 4W VG Interoffice Transport Combination-Zone 3		3	UNCVX	UEAL4	47.62	127.59	60.54	42.79	2.81		11.90				
	Interoffice Transport-Dedicated-4W VG combination-Per mi Per mo			UNCVX	1L5XX	0.0091										1
	Interoffice Transport-Dedicated-4W VG combination-Facility Term per			UNCVX	U1TV4	22.58	94.70	52.59	50.49	21.53		11.90				
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNCVX	UNCCC		8.98	8.98	8.98	8.98		11.90				
DS3 D	IGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFICE T	RANS	PORT	(EEL)												
	High Capacity Unbundled Local Loop-DS3 combination-Per mi per mo			UNC3X	1L5ND	10.92										
	High Capacity Unbundled Local Loop-DS3 combination-Facility Term per mo			UNC3X	UE3PX	386.88	249.97	162.05	67.10	26.82		11.90				
	Interoffice Transport-Dedicated-DS3-Per mi per mo			UNC3X	1L5XX	3.87										
	Interoffice Transport-Dedicated-DS3 combination-Facility Term per mo			UNC3X	U1TF3	1,071.00	314.45	130.88	38.60	18.23		11.90				1
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC3X	UNCCC	,	8.98	8.98	8.98	8.98		11.90				1
STS1	DIGITAL EXTENDED LOOP WITH DEDICATED STS1 INTEROFFICE	TRAI	ISPO	RT (EEL)												1
	High Capacity Unbundled Local Loop-STS1 combination-Per mi per mo High Capacity Unbundled Local Loop-STS1 combination-Facility Term			ÚNCSX	1L5ND	10.92										
	per mo			UNCSX	UDLS1	426.60	249.97	162.05	67.10	26.82		11.90				
	Interoffice Transport-Dedicated-STS1 combination-Per mi per mo			UNCSX	1L5XX	3.87	210.01	.02.00	00	20.02						
	Interoffice Transport-Dedicated-STS1 combination-Facility Term per mo			UNCSX	U1TFS	1,056.00	314.45	130.88	38.60	18.23		11.90				<b>†</b>
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNCSX	UNCCC	,	8.98	8.98	8.98	8.98		11.90				
2-WIR	E ISDN EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPORT (	EL)														
	First 2W ISDN Loop in a DS1 Interoffice Combination Transport-Zone 1		1	UNCNX	U1L2X	19.28	127.59	60.60	42.79	2.81		11.90				
	First 2W ISDN Loop in a DS1 Interoffice Combination Transport-Zone 2		2	UNCNX	U1L2X	27.40	127.59	60.60	42.79	2.81		11.90				
	First 2W ISDN Loop in a DS1 Interoffice Combination Transport-Zone 3		3	UNCNX	U1L2X	48.62	127.59	60.60	42.79	2.81		11.90				
	Interoffice Transport-Dedicated-DS1 combination-Per mi			UNC1X	1L5XX	0.1856										
	Interoffice Transport-Dedicated-DS1 combintion-Facility Term per mo			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95		11.90				
	Channelization-Channel System DS1 to DS0 combination-per mo			UNC1X	MQ1	146.77	51.83	10.75				11.90				
	2W ISDN COCI (BRITE)-DS1 to DS0 Channel System combination-per mo			UNCNX	UC1CA	3.66	12.16	8.77	6.71	4.84		11.90				
	Add'l 2W ISDN Loop in same DS1 interoffice Transport Combination- Zone 1		1	UNCNX	U1L2X	19.28	127.59	60.60	42.79	2.81		11.90				
	Add'l 2W ISDN Loop in same DS1 interoffice Transport Combination-		2													
	Zone 2 Add'l 2W ISDN Loop in same DS1 interoffice Transport Combination-			UNCNX	U1L2X	27.40	127.59	60.60	42.79	2.81		11.90				
	Zone 3 2W ISDN COCI (BRITE)-DS1 to DS0 Channel System combintaion-per		3	UNCNX	U1L2X	48.62	127.59	60.60	42.79	2.81		11.90				

UNBUND	LED NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhil	bit: B
											Svc	Svc	Increment	Incrementa	Increment	Incremen
											Order	Order	al Charge -	I Charge -	al Charge	al Charge
											Submitt	Submitte	Manual	Manual	Manual	Manual
CATEGOR	Y RATE ELEMENTS	Inter	Zon	BCS	USOC		RΔ	TES (\$)			ed Elec	d		Svc Order		Svc Order
OATEGON	NATE ELLINEITO	im	е	500	0000		IVA.	1 ΕΟ (Ψ)			per LSR		vs.	VS.	vs.	vs.
											per Lor	per LSR	_	Electronic-	_	- Electronic
												per Lor	1st	Add'l	Disc 1st	Disc Add'l
					1	-									Disc 1st	DISC Add
						Rec	Nonrecu		NRC Disc					Rates (\$)		T
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		8.98	8.98	8.98	8.98		11.90				
4-WI	RE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 INTER	OFFIC														
	First DS1 Loop in STS1 Interoffice Transport Combination-Zone 1		1	UNC1X	USLXX	70.74	217.75	121.62	51.44	14.45		11.90				
	First DS1 Loop in STS1 Interoffice Transport Combination-Zone 2		2	UNC1X	USLXX	100.54	217.75	121.62	51.44	14.45		11.90				
	First DS1 Loop in STS1 Interoffice Transport Combination-Zone 3		3	UNC1X	USLXX	178.39	217.75	121.62	51.44	14.45		11.90				
	Interoffice Transport-Dedicated-STS1 combination-Per mi Per mo			UNCSX	1L5XX	3.87										
	Interoffice Transport-Dedicated-STS1 combination-Facility Term			UNCSX	U1TFS	1,056.00	314.45	130.88	38.60	18.23		11.90				
	STS1 to DS1 Channel System conbination per mo			UNCSX	MQ3	211.19	20.06	31.66	5.45	0.00						
	DS3 Interface Unit (DS1 COCI) combination per mo			UNC1X	UC1D1	13.76	12.16	8.77	6.71	4.84		11.90				
	Add'l DS1Loop in STS1 Interoffice Transport Combination-Zone 1		1	UNC1X	USLXX	70.74	217.75	121.62	51.44	14.45		11.90				
	Add'l DS1Loop in STS1 Interoffice Transport Combination-Zone 2		2	UNC1X	USLXX	100.54	217.75	121.62	51.44	14.45		11.90				
	Add'l DS1Loop in STS1 Interoffice Transport Combination-Zone 3		3	UNC1X	USLXX	178.39	217.75	121.62	51.44	14.45		11.90				
	DS3 Interface Unit (DS1 COCI) combination per mo			UNC1X	UC1D1	13.76	12.16	8.77	6.71	4.84		11.90				1
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNCSX	UNCCC		8.98	8.98	8.98	8.98		11.90				
4-WI	RE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS INTEROFFIC	FTR	ANSP		0.1000		0.00	0.00	0.00	0.00						
	4W 56 kbps Loop/4W 56 kbps Interoffice Transport Combination-Zone		1.10.		1											
	4		1	UNCDX	UDL56	22.20	127.59	60.54	42.79	2.81		11.90				
	1			UNCDA	UDLS6	22.20	127.59	60.54	42.79	2.01		11.90			-	
	4W 56 kbps Loop/4W 56 kbps Interoffice Transport Combination-Zone		_													
	2		2	UNCDX	UDL56	31.56	127.59	60.54	42.79	2.81		11.90				
	4W 56 kbps Loop/4W 56 kbps Interoffice Transport Combination-Zone															
	3		3	UNCDX	UDL56	55.99	127.59	60.54	42.79	2.81		11.90				
	Interoffice Transport-Dedicated-4W 56 kbps combination-Per mi			UNCDX	1L5XX	0.0091										
	Interoffice Transport-Dedicated-4W 56 kbps combination-Facility Term			UNCDX	U1TD5	18.44	94.70	52.59	50.49	21.53		11.90				
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNCDX	UNCCC		8.98	8.98	8.98	8.98		11.90				
4-WI	RE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTEROFFIC	E TR	ANSP	ORT (EEL)												
	4W 64 kbps Loop/4W 64 kbps Interoffice Transport Combination-Zone															
	1		1	UNCDX	UDL64	22.20	127.59	60.54	42.79	2.81		11.90				
	4W 64 kbps Loop/4W 64 kbps Interoffice Transport Combination-Zone															Ì
	2		2	UNCDX	UDL64	31.56	127.59	60.54	42.79	2.81		11.90				
	4W 64 kbps Loop/4W 64 kbps Interoffice Transport Combination-Zone		_													
	3		3	UNCDX	UDL64	55.99	127.59	60.54	42.79	2.81		11.90				
	Interoffice Transport-Dedicated-4W 64 kbps combination-Per mi			UNCDX	1L5XX	0.0091	127.00	00.04	72.73	2.01		11.50				+
	Interoffice Transport-Dedicated-4W 64 kbps combination-Facility Term			UNCDX	U1TD6	18.44	94.70	52.59	50.49	21.53	1	11.90				
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNCDX	UNCCC	10.44	8.98	8.98	8.98	8.98		11.90				
ADDITION	AL NETWORK ELEMENTS			ONODA	011000		0.50	0.50	0.50	0.30	1	11.50				1
	n used as a part of a currently combined facility, the non-recurring c	 		at anniu but a Cui	1 A A A A A A A A A A A A A A A A A A A		ls.				1					1
												-			-	
	n used as ordinarily combined network elements in All States, the no					AS IS CHARGE (	ioes not.				1			-	<del>                                     </del>	<del>                                     </del>
Non	recurring Currently Combined Network Elements "Switch As Is" Cha	rge (C	ne ap	plies to each comb	mation)						ļ			<b> </b>		₩
	NRC Currently Combined Network Elements Switch -As-Is Charge-	l	l	l <u>-</u>	1	l	_							1		
	2W/4W VG			UNCVX	UNCCC		8.98	8.98	8.98	8.98	ļ	11.90		ļ		Ļ
	NRC Currently Combined Network Elements Switch -As-Is Charge-															
	56/64 kbps			UNCDX	UNCCC		8.98	8.98	8.98	8.98		11.90				
	NRC Currently Combined Network Elements Switch -As-Is Charge-DS1			UNC1X	UNCCC		8.98	8.98	8.98	8.98		11.90				
	NRC Currently Combined Network Elements Switch -As-Is Charge-DS3			UNC3X	UNCCC		8.98	8.98	8.98	8.98		11.90				
	NRC Currently Combined Network Elements Switch -As-Is Charge-			UNCSX	UNCCC		8.98	8.98	8.98	8.98		11.90				
NOT	E: Local Channel - Dedicated Transport - minimum billing period - B	elow	DS3=	one month, DS3 and	l above=foui	months				-						
	Local Channel-Dedicated-2W VG Zone 1		1	UNCVX	ULDV2	19.66	265.84	46.97	37.63	4.00		11.90		1		
	Local Channel-Dedicated-2W VG Zone 2		2	UNCVX	ULDV2	27.94	265.84	46.97	37.63	4.00		11.90		İ		1
	Local Channel-Dedicated-2W VG Zone 3		3	UNCVX	ULDV2	49.58	265.84	46.97	37.63	4.00		11.90		1		
	Local Channel-Dedicated-4W VG Zone 1		1	UNCVX	ULDV4	20.45	266.54	47.67	44.22	5.33	<u> </u>	11.90				<b>†</b>
-	Local Channel-Dedicated-4W VG Zone 1  Local Channel-Dedicated-4W VG Zone 2		2	UNCVX	ULDV4	29.06	266.54	47.67	44.22	5.33		11.90		1		<del>                                     </del>
													<b></b>	-	<del>                                     </del>	<del>                                     </del>
	Local Channel-Dedicated-4W VG Zone3	ı	3	UNCVX	ULDV4	51.56	266.54	47.67	44.22	5.33	1	11.90	1		I	1

Version 4Q02: 01/21/03 Page 59 of 402

UNB	UNDL	ED NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	ibit: B
CATE	EGORY	RATE ELEMENTS	Inter im	Zon e	BCS	usoc		RA	TES (\$)			ed Elec	Submitte d Manually	al Charge Manual Svc Order vs.	Incrementa I Charge - Manual Svc Order vs. Electronic- Add'I	al Charge Manual Svc Order vs. Electronic	- al Charge - Manual
							Rec	Nonrec		NRC Disc					Rates (\$)		
								First	Add'l	First	Add'l	SOMEC		SOMAN	SOMAN	SOMAN	SOMAN
		Local Channel-Dedicated-DS1 per mo Zone 1		1	UNC1X	ULDF1	36.49	216.65	183.54	24.30	16.95		11.90				
		Local Channel-Dedicated -DS1 Per mo Zone 2		2	UNC1X	ULDF1	51.85	216.65	183.54	24.30	16.95		11.90				
		Local Channel-Dedicated-DS1-Per mo Zone 3		3	UNC1X	ULDF1	92.00	216.65	183.54	24.30	16.95		11.90				
		Local Channel-Dedicated-DS3-Per mi per mo			UNC3X	1L5NC	8.50										1
		Local Channel-Dedicated-DS3-Facility Term			UNC3X	ULDF3	531.91	556.37	343.01	139.13	96.84		11.90				
		Local Channel-Dedicated-STS-1-Per mi per mo			UNCSX	1L5NC	8.50										
		Local Channel-Dedicated-STS-1 -Facility Term			UNCSX	ULDFS	540.69	556.37	343.01	139.13	96.84		11.90				
	MULT	IPLEXERS															
	NOTE	: minimum billing period is one month for DS1 to DS0 Channel Sys	stem a	and in	terfaces												
	NOTE	: minimum billing period is three months for DS3 to DS1 and abov	e Chai	nnel S	system and interface	es											
		Channelization-DS1 to DS0 Channel System			UXTD1	MQ1	146.77	101.42	71.62	11.09	10.49		11.90				
		OCU-DP COCI (data)-DS1 to DS0 Channel System-per mo (2.4-64kbs)			UDL	1D1DD	2.10	10.07	7.08				11.90				
		2W ISDN COCI (BRITE)-DS1 to DS0 Channel Systsem-per mo			UDN	UC1CA	3.66	10.07	7.08				11.90				
		VG COCI-DS1 to DS0 Channel System-per mo			UEA	1D1VG	1.38	10.07	7.08				11.90				
		DS3 to DS1 Channel System per mo			UXTD3	MQ3	211.19	199.28	118.64	40.34	39.07		11.90				
		STS1 to DS1 Channel System per mo			UXTS1	MQ3	211.19	199.28	118.64	40.34	39.07		11.90				
		DS3 Interface Unit (DS1 COCI) used with Loop per mo			USL	UC1D1	13.76	10.07	7.08				11.90				
		DS3 Interface Unit (DS1 COCI) used with Local Channel per mo			ULDD1	UC1D1	13.76	10.07	7.08				11.90				
		DS3 Interface Unit (DS1 COCI) used with Interoffice Channel per mo			U1TD1	UC1D1	13.76	10.07	7.08				11.90				

ONBONDE	LED NETWORK ELEMENTS - Florida													ment: 2		oit: B
CATEGORY	RATE ELEMENTS	Inter im	Zon e	BCS	usoc		RA	TES (\$)			Svc Order Submitt ed Elec per LSR		al Charge - Manual Svc Order vs.	Manual	al Charge Manual Svc Order vs. Electronic	al Charge Manual Svc Orde vs.
							Nonrecu	urring	NRC Disc	onnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN			SOMAN	SOMAN
Sub-I	Loop Feeder							71447		71441	0020					
	Unbundled Sub-Loop Feeder Loop, 4W DS1-Zone 1		1	UNC1X	USBFG	42.59	133.77	78.02	85.16	21.21						
	Unbundled Sub-Loop Feeder Loop, 4W DS1-Zone 2		2	UNC1X	USBFG	60.53	133.77	78.02	85.16	21.21						
	Unbundled Sub-Loop Feeder Loop, 4W DS1-Zone 3		3	UNC1X	USBFG	107.39	133.77	78.02	85.16	21.21						<del>                                     </del>
INBLINDIE	ED LOCAL EXCHANGE SWITCHING(PORTS)		-	ONOTA	OODI O	107.55	100.77	70.02	00.10	21.21						<del>                                     </del>
	ange Ports				+											
			TAL 41	desired features			: LICO									<u> </u>
	: Although the Port Rate includes all available features in GA, KY,	LA &	IN, the	desired features v	viii need to b	e oraerea usii	ng retail USU	JS .								<u> </u>
2-WIF	RE VOICE GRADE LINE PORT RATES (RES)		1		1				1.55			44.55	<del> </del>	<b>!</b>		<del>                                     </del>
	Exchange Ports-2W Analog Line Port-Res.	<u> </u>	<b>↓</b>	UEPSR	UEPRL	1.40	3.74	3.63	1.88	1.80		11.90				
	Exchange Ports-2W Analog Line Port with Caller ID-Res.		1	UEPSR	UEPRC	1.40	3.74	3.63	1.88	1.80		11.90				
	Exchange Ports-2W Analog Line Port outgoing only-Res.			UEPSR	UEPRO	1.40	3.74	3.63	1.88	1.80		11.90				
	Exchange Ports-2W VG unbundled FL area calling with Caller ID-Res.			UEPSR	UEPAF	1.40	3.74	3.63	1.88	1.80		11.90				
	Exchange Ports-2W VG unbundled FL Res Area Calling Plan, w/o															
	Caller ID capability			UEPSR	UEPA9	1.40	3.74	3.63	1.88	1.80		11.90				
	Exchange Ports-2W VG unbundled FL extended dialing port for use															
	with CREX7 & Caller ID			UEPSR	UEPA1	1.40	3.74	3.63	1.88	1.80		11.90				
	Exchange Ports-2W VG unbundled FL extended dialing port for use	1														
	with CREX7, w/o Caller ID capability			UEPSR	UEPA8	1.40	3.74	3.63	1.88	1.80		11.90				
	Exchange Ports-2W VG unbundled res, low usage line port with Caller			02. 0.1	02.7.0	11.10	0	0.00	1.00	1.00						
	ID (LUM)			UEPSR	UEPAP	1.40	3.74	3.63	1.88	1.80		11.90				
	2W voice unbundled Low Usage Line Port w/o Caller ID Capability			UEPSR	UEPRT	1.40	3.74	3.63	1.88	1.80		11.90				<del>                                     </del>
	Subsant Activity			UEPSR	USASC	0.00	0.00	0.00	1.00	1.00		11.90				<del>                                     </del>
EEAT	TURES			UEFSK	USASC	0.00	0.00	0.00				11.90				
FEAT	All Available Vertical Features		1	UEPSR	UEPVF	2.26	0.00	0.00				11.90		-		ļ
0.14/15				UEPSR	UEPVF	2.26	0.00	0.00				11.90				<del> </del>
2-WIR	RE VOICE GRADE LINE PORT RATES (BUS)															<del> </del>
	Exchange Ports-2W Analog Line Port w/o Caller ID-Bus			UEPSB	UEPBL	1.40	3.74	3.63	1.88	1.80		11.90				
	Exchange Ports-2W VG unbundled Line Port with unbundled port with															
	Caller+E484 ID-Bus.			UEPSB	UEPBC	1.40	3.74	3.63	1.88	1.80		11.90				
	Exchange Ports-2W Analog Line Port outgoing only-Bus.			UEPSB	UEPBO	1.40	3.74	3.63	1.88	1.80		11.90				
	Exhange Ports-2W VG unbundled incoming only port with Caller ID-Bus			UEPSB	UEPB1	1.40	3.74	3.63	1.88	1.80		11.90				
	2W voice unbundled Incoming Only Port w/o Caller ID Capability			UEPSB	UEPBE	1.40	3.74	3.63	1.88	1.80		11.90				
	Subsqnt Activity			UEPSB	USASC	0.00	0.00	0.00				11.90				
FEAT	URES															
	All Available Vertical Features			UEPSB	UEPVF	2.26	0.00	0.00				11.90				
EXCH	IANGE PORT RATES (DID & PBX)															
	2W VG Unbundled 2-Way PBX Trunk-Res			UEPSE	UEPRD	1.40	39.06	18.18	12.35	0.7187		11.90				
	2W VG Line Side Unbundled 2-Way PBX Trunk-Bus			UEPSP	UEPPC	1.40	39.06	18.18	12.35	0.7187		11.90				
	2W VG Line Side Unbundled Outward PBX Trunk-Bus			UEPSP	UEPPO	1.40	39.06	18.18	12.35	0.7187		11.90				
	2W VG Line Side Unbundled Incoming PBX Trunk-Bus	1		UEPSP	UEPP1	1.40	39.06	18.18	12.35	0.7187		11.90		1		
	2W Analog Long Distance Terminal PBX Trunk-Bus	<u> </u>	1	UEPSP	UEPLD	1.40	39.06	18.18	12.35	0.7187		11.90		1		
	2W Voice Unbundled PBX LD Terminal Ports	<u> </u>	1	UEPSP	UEPLD	1.40	39.06	18.18	12.35	0.7187		11.90	<del> </del>	t	<b> </b>	<del></del>
	2W Vice Unbundled 2-Way PBX Usage Port		<del>                                     </del>	UEPSP	UEPXA	1.40	39.06	18.18	12.35	0.7187		11.90	1	<del> </del>		
	2W Voice Unbundled 2-Way PBX Usage Port  2W Voice Unbundled PBX Toll Terminal Hotel Ports		<del>                                     </del>	UEPSP	UEPXA	1.40	39.06	18.18	12.35	0.7187		11.90	1	<del> </del>		
	2W Voice Unbundled PBX LD IT I Terminal Hotel Ports  2W Voice Unbundled PBX LD DDD Terminals Port	<u> </u>	1	UEPSP	UEPXB	1.40	39.06	18.18 18.18	12.35	0.7187	-	11.90		<del>                                     </del>		<del>                                     </del>
		1	1										-	<del>                                     </del>		-
	2W Voice Unbundled PBX LD Terminal Switchboard Port		<b>↓</b>	UEPSP	UEPXD	1.40	39.06	18.18	12.35	0.7187		11.90	<b> </b>	-		<del></del>
	2W Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port	1	1	UEPSP	UEPXE	1.40	39.06	18.18	12.35	0.7187		11.90		1		<del> </del>
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy				1 1	_								1		
	Administrative Calling Port		<b>!</b>	UEPSP	UEPXL	1.40	39.06	18.18	12.35	0.7187		11.90	ļ	ļ		
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room													1		
	Calling Port		L l	UEPSP	UEPXM	1.40	39.06	18.18	12.35	0.7187	<u> </u>	11.90	<u> </u>		<u> </u>	<u> </u>

Version 4Q02: 01/21/03 Page 61 of 402

UNBUND	LED NETWORK ELEMENTS - Florida													ment: 2		bit: B
CATEGOR	Y RATE ELEMENTS	Inter im	Zon e	BCS	usoc		RA	TES (\$)			Svc Order Submitt ed Elec per LSR		al Charge - Manual Svc Order vs.	Manual Svc Order vs.	al Charge Manual Svc Order vs.	- al Charge Manual Svc Order vs.
												per LSR	Electronic- 1st	Electronic- Add'l		Electronic Disc Add'l
							Nonreci	ırring	NRC Disc	onnect				Rates (\$)		1
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
	2W Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount						11130	Auui	11130	Addi	COMILO	OOMAN	COMAN	COMAN	COMAN	OOMAN
	Room Calling Port			UEPSP	UEPXO	1.40	39.06	18.18	12.35	0.7187		11.90				
	2W Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPSP	UEPXS	1.40	39.06	18.18	12.35	0.7187		11.90				+
	Subsqnt Activity			UEPSP	USASC	0.00	0.00	0.00	12.00	0.7 107		11.90				+
FFΔ	TURES			OLI OI	00/100	0.00	0.00	0.00				11.00				<b>†</b>
	All Available Vertical Features			UEPSP UEPSE	UEPVF	2.26	0.00	0.00				11.90				1
FXC	HANGE PORT RATES (COIN)			02. 0. 02. 02	02	2.20	0.00	0.00				11.00				1
	Exchange Ports-Coin Port					1.40	3.74	3.63	1.88	1.80		11.90				1
NOT	E: Transmission/usage charges associated with POTS circuit switch	hed us	sage v	vill also annly to circ	uit switche								h 2W ISDN	norts		1
	E: Access to B Channel or D Channel Packet capabilities will be ava												l zw iodic	0.10.		1
	ED LOCAL EXCHANGE SWITCHING(PORTS)		· · · · ·			put		20 GC		T	1					<b>†</b>
	HANGE PORT RATES	<b>t</b>	1	1												<b>†</b>
	Exchange Ports-2W DID Port			UEPEX	UEPP2	8.73	78.41	15.82	41.94	4.26		11.90			1.83	<b>†</b>
	Exchange Ports-DDITS Port-4W DS1 Port with DID capability			UEPDD	UEPDD	54.95	151.11	77.75	48.81	3.10		11.90			1.83	†
	Exchange Ports-2W ISDN Port (See Notes below.)			UEPTX UEPSX	U1PMA	8.83	46.83	50.68	27.64	11.93		11.90			1.83	1
	All Features Offered			UEPTX UEPSX	UEPVF	2.26	0.00	0.00	21.01	11100		11.90			1.83	1
NOT	E: Transmission/usage charges associated with POTS circuit switch	hed us	sage v						nsmission	by B-Cha	nnels ass		h 2W ISDN	ports.		1
	E: Access to B Channel or D Channel Packet capabilities will be ava												I			†
	Exchange Ports-2W ISDN Port Channel Profiles		, U,	UEPTX UEPSX	U1UMA	0.00	0.00	0.00			1					†
	Exchange Ports-4W ISDN DS1 Port			UEPEX	UEPEX	82.74	174.61	95.17	49.80	18.23		11.90			1.83	1
UNE	UNDLED PORT with REMOTE CALL FORWARDING CAPABILITY			02.2/	02.27	02.7.1		00	.0.00	10.20		11.00				1
	UNDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE															†
	Unbundled Remote Call Forwarding Service, Area Calling, Res			UEPVR	UERAC	1.40	3.74	3.63	1.88	1.80		11.90				†
	Unbundled Remote Call Forwarding Service, Local Calling-Res			UEPVR	UERLC	1.40	3.74	3.63	1.88	1.80		11.90				1
	Unbundled Remote Call Forwarding Service, InterLATA-Res			UEPVR	UERTE	1.40	3.74	3.63	1.88	1.80		11.90				1
	Unbundled Remote Call Forwarding Service, IntraLATA-Res			UEPVR	UERTR	1.40	3.74	3.63	1.88	1.80		11.90				†
Non	Recurring			02. 7.1	OZIVIIV		0	0.00	1.00	1.00						†
	Unbundled Remote Call Forwarding Service -Conversion-Switch-as-is			UEPVR	USAC2		0.102	0.102				11.90				†
	Unbundled Remote Call Forwarding Service -Conversion with allowed															†
	change (PIC & LPIC)			UEPVR	USACC		0.102	0.102								
UNE	UNDLED REMOTE CALL FORWARDING - Bus						01.10=									
	Unbundled Remote Call Forwarding Service, Area Calling-Bus			UEPVB	UERAC	1.40	3.74	3.63	1.88	1.80		11.90				
	Unbundled Remote Call Forwarding Service, Local Calling-Bus			UEPVB	UERLC	1.40	3.74	3.63	1.88	1.80		11.90				
	Unbundled Remote Call Forwarding Service, InterLATA-Bus			UEPVB	UERTE	1.40	3.74	3.63	1.88	1.80		11.90				
	Unbundled Remote Call Forwarding Service, IntraLATA-Bus			UEPVB	UERTR	1.40	3.74	3.63	1.88	1.80		11.90				
	Unbundled Remote Call Forwarding Service Expanded & Exception															1
	Local Calling			UEPVB	UERVJ	1.40	3.74	3.63	1.88	1.80		11.90				
Non	Recurring															
	Unbundled Remote Call Forwarding Service-Conversion-Switch-as-is			UEPVB	USAC2		0.102	0.102				11.90				
	Unbundled Remote Call Forwarding Service -Conversion with allowed															
	change (PIC & LPIC)			UEPVB	USACC		0.102	0.102								
UNBUNDL	ED LOCAL SWITCHING, PORT USAGE															1
End	Office Switching (Port Usage)															
	End Office Switching Function, Per MOU					0.0007662										
	End Office Trunk Port-Shared, Per MOU					0.000164										
Tand	lem Switching (Port Usage) (Local or Access Tandem)															
	Tandem Switching Function Per MOU					0.0001319										
	Tandem Trunk Port-Shared, Per MOU					0.000235										
Con	mon Transport															
	Common Transport-Per mi, Per MOU					0.0000035										
	Common Transport-Facilities Term Per MOU					0.0004372										

Version 4Q02: 01/21/03 Page 62 of 402

U	NBUNDL	ED NETWORK ELEMENTS - Florida												Attachi	ment: 2	Exhib	oit: B
												Svc	Svc	Increment	Incrementa	Increment	Increment
												Order	Order	al Charge -	I Charge -	al Charge -	al Charge -
			Inter	7								Submitt	Submitte	Manual	Manual	Manual	Manual
C	ATEGORY	RATE ELEMENTS		Zon	BCS	USOC		RA	TES (\$)			ed Elec	d	Svc Order	Svc Order	Svc Order	Svc Order
			im	е								per LSR	Manually	vs.	vs.	vs.	vs.
													per LSR	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec Nonrecurring NRC Disconnect OSS Rates (\$)										
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UI	NBUNDLE	D PORT/LOOP COMBINATIONS - COST BASED RATES															
	Cost	Based Rates are applied where BellSouth is required by FCC and/o	r Comi	missi	on rule to provide Ur	bundled L	ocal Switching	or Switch Po	orts.								
	Features shall apply to the Unbundled Port/Loop Combination - Cost Based Rate section in the same manner as they are applied to the Stand-Alone Unbundled Port section of this Exhibit.																
	End C	Office & Tandem Switching Usage & Common Transport Usage rate	s in th	e Port	section of this Exhi	bit shall ap	ply to all com	binations of le	oop/port net	work elem	ents exce	pt for UNE	Coin Port	Loop Comb	oinations.		
	The fi	rst & additional Port NRC charges apply to Not Currently Combine	d Com	bos. I	or Currently Combi	ned Comb	os the NRC ch	arges shall be	those iden	tified in the	NRC - C	urrently Co	ombined se	ections.			

NBUNDL	ED NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhil	bit: B
ATEGORY	RATE ELEMENTS	Inter im	Zon e	BCS	usoc		RA	TES (\$)			Svc Order Submitt ed Elec per LSR		al Charge - Manual Svc Order vs.	Incrementa I Charge - Manual Svc Order vs. Electronic- Add'I	Increment al Charge Manual Svc Order vs. Electronic Disc 1st	- al Charg Manua Svc Ord vs. - Electro
						_	Nonrecu	ırrina	NRC Disc	onnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN		SOMAN	SOMA
2-WIR	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)							,,,,,,		71441						
	Port/Loop Combination Rates															1
	2W VG Loop/Port Combo-Zone 1		1			10.94										
	2W VG Loop/Port Combo-Zone 2		2			15.05										
	2W VG Loop/Port Combo-Zone 3		3			25.80										
UNFI	oop Rates		Ŭ			20.00										
ONL	2W VG Loop (SL1)-Zone 1		1	UEPRX	UEPLX	9.77										+
	2W VG Loop (SL1)-Zone 2		2	UEPRX	UEPLX	13.88										+
-	2W VG Loop (SL1)-Zone 3	t	3	UEPRX	UEPLX	24.63										<del>                                     </del>
2-Wire	e Voice Grade Line Port Rates (Res)		3	OLFIX	OLFLX	24.03										+
Z-VV116	2W voice unbundled port-Res	<b>-</b>	$\vdash$	UEPRX	UEPRL	1.17	53.31	26.46	27.50	8.37		11.90			<del>                                     </del>	+
	2W voice unbundled port-kes 2W voice unbundled port with Caller ID-res	<b>!</b>		UEPRX	UEPRC	1.17	53.31	26.46	27.50	8.37		11.90			<b>+</b>	<del></del>
	2W voice unbundled port outgoing only-res	1	<del>                                     </del>	UEPRX	UEPRO	1.17	53.31	26.46	27.50	8.37		11.90			<del>                                     </del>	+
	2W voice unbundled FL Area Calling with Caller ID-res			UEPRX	UEPAF	1.17	53.31	26.46	27.50	8.37		11.90				+
	2W voice unbundled FL Area Calling with Caller ID-res  2W voice unbundles res, low usage line port with Caller ID (LUM)			UEPRX	UEPAP	1.17	53.31	26.46	27.50	8.37		11.90			-	+
				UEPKA	UEPAP	1.17	53.31	20.40	27.50	0.37		11.90				+
	2W voice unbundled FL extended dialing port for use with CREX7 &			UEPRX	UEPA1	4.47	50.04	00.40	07.50	8.37		11.90				
	Caller ID			UEPRX	UEPA1	1.17	53.31	26.46	27.50	8.37		11.90				<del>                                     </del>
	2W voice unbundled FL extended dialing port for use with CREX7, w/o				==											
	Caller ID capability			UEPRX	UEPA8	1.17	53.31	26.46	27.50	8.37		11.90				
	2W voice unbundled FL Area Calling Port w/o Caller ID Capability			UEPRX	UEPA9	1.17	53.31	26.46	27.50	8.37		11.90				
	2W voice unbundled Low Usage Line Port w/o Caller ID Capability			UEPRX	UEPRT	1.17	53.31	26.46	27.50	8.37		11.90				
FEAT																
	All Features Offered			UEPRX	UEPVF	2.26	0.00	0.00				11.90				
LOCA	L NUMBER PORTABILITY															
	Local No Portability (1 per port)			UEPRX	LNPCX	0.35										
NONR	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2W VG Loop/Line Port Combination-Conversion-Switch-as-is			UEPRX	USAC2		0.102	0.102				11.90				
	2W VG Loop/Line Port Combination -Conversion-Switch with change			UEPRX	USACC		0.102	0.102				11.90				
ADDI	TIONAL NRCs															
	2W VG Loop/Line Port Combination-Subsqnt Activity			UEPRX	USAS2	0.00	0.00	0.00				11.90				
	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)															
UNE F	ort/Loop Combination Rates															
	2W VG Loop/Port Combo-Zone 1		1			10.94										
	2W VG Loop/Port Combo-Zone 2		2			15.05										
	2W VG Loop/Port Combo-Zone 3		3			25.80										
UNE L	oop Rates															
	2W VG Loop (SL1)-Zone 1		1	UEPBX	UEPLX	9.77										
	2W VG Loop (SL1)-Zone 2		2	UEPBX	UEPLX	13.88										
	2W VG Loop (SL1)-Zone 3		3	UEPBX	UEPLX	24.63										
2-Wire	Voice Grade Line Port (Bus)															
	2W voice unbundled port w/o Caller ID-bus			UEPBX	UEPBL	1.17	53.31	26.46	27.50	8.37		11.90				1
	2W voice unbundled port with Caller + E484 ID-bus			UEPBX	UEPBC	1.17	53.31	26.46	27.50	8.37		11.90				
	2W voice unbundled port outgoing only-bus			UEPBX	UEPBO	1.17	53.31	26.46	27.50	8.37		11.90				1
	2W voice unbundled incoming only port with Caller ID-Bus			UEPBX	UPEB1	1.17	53.31	26.46	27.50	8.37		11.90				
	2W voice unbundled Incoming Only Port w/o Caller ID Capability			UEPBX	UEPBE	1.17	53.31	26.46	27.50	8.37		11.90				
	L NUMBER PORTABILITY															
	Local No Portability (1 per port)			UEPBX	LNPCX	0.35										
FEAT	JRES															
	All Features Offered			UEPBX	UEPVF	2.26	0.00	0.00				11.90				
NOND	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED															

Version 4Q02: 01/21/03 Page 64 of 402

<u> </u>	ED NETWORK ELEMENTS - Florida													ment: 2		bit: B
CATEGORY	RATE ELEMENTS	Inter im	Zon e	BCS	USOC			TES (\$)			Svc Order Submitt ed Elec per LSR	Svc Order Submitte d Manually per LSR	al Charge - Manual Svc Order vs. Electronic- 1st	Manual Svc Order vs. Electronic- Add'l	al Charge Manual Svc Order vs. Electronic	Incremen - al Charge - Manual - Svc Order - vs Electronic - Disc Add
						Rec	Nonrecu	urring	NRC Disc	connect			oss	Rates (\$)		
						Kec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2W VG Loop/Line Port Combination -Conversion-Switch with change			UEPBX	USACC		0.102	0.102				11.90				
	FIONAL NRCs															
	2W VG Loop/Line Port Combination-Subsqnt Activity			UEPBX	USAS2		0.00	0.00				11.90				
2-WIF	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)															
	Port/Loop Combination Rates															
	2W VG Loop/Port Combo-Zone 1		1			10.94										
	2W VG Loop/Port Combo-Zone 2		2		İ	15.05										
	2W VG Loop/Port Combo-Zone 3		3			25.80										
	Loop Rates				<u> </u>	25.00				1						1
	2W VG Loop (SL 1)-Zone 1		1	UEPRG	UEPLX	9.77				1						1
-+-	2W VG Loop (SL 1)-Zone 2	<del>                                     </del>	2	UEPRG	UEPLX	13.88					<b> </b>					<b> </b>
<del>-  </del>	2W VG Loop (SL 1)-Zone 2 2W VG Loop (SL 1)-Zone 3	<del>                                     </del>	3	UEPRG	UEPLX	24.63					<del>                                     </del>					<u> </u>
	e Voice Grade Line Port Rates (RES - PBX)	<del>                                     </del>	٦	JEFRG	JEFLA	24.03					<del>                                     </del>					<u> </u>
2-44114				UEPRG	UEPRD	1.17	174.81	100.65	75.88	12.73		11.90				1
1.004	2W VG Unbundled Combination 2-Way PBX Trunk Port-Res L NUMBER PORTABILITY	<u> </u>		UEPRG	UEPRD	1.17	174.81	100.65	75.88	12.73		11.90				
LUCA		1		LIEDDO	LNDOD	0.45	0.00	0.00				44.00				1
	Local No Portability (1 per port)			UEPRG	LNPCP	3.15	0.00	0.00				11.90				
	URES															
	All Features Offered			UEPRG	UEPVF	2.26	0.00	0.00				11.90				
	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2W VG Loop/ Line Port Combination (PBX)-Conversion-Switch-As-Is			UEPRG	USAC2		8.45	1.91				11.90				
	2W VG Loop/ Line Port Combination (PBX)-Conversion-Switch with															
	Change			UEPRG	USACC		8.45	1.91				11.90				
ADDI	FIONAL NRCs															
	2W VG Loop/ Line Port Combination (PBX)-Subsqnt Activity			UEPRG	USAS2	0.00	0.00	0.00				11.90				
	PBX Subsqnt Activity-Change/Rearrange Multiline Hunt Group						7.86	7.86				11.90				
2-WIF	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)															
UNE F	Port/Loop Combination Rates															
	2W VG Loop/Port Combo-Zone 1		1			10.94										
	2W VG Loop/Port Combo-Zone 2		2			15.05										
	2W VG Loop/Port Combo-Zone 3		3			25.80										
	oop Rates															
	2W VG Loop (SL 1)-Zone 1		1	UEPPX	UEPLX	9.77										
	2W VG Loop (SL 1)-Zone 2		2	UEPPX	UEPLX	13.88										
	2W VG Loop (SL 1)-Zone 3		3	UEPPX	UEPLX	24.63										
2-Wir	e Voice Grade Line Port Rates (BUS - PBX)															
	Line Side Unbundled Combination 2-Way PBX Trunk Port-Bus			UEPPX	UEPPC	1.17	174.81	100.65	75.88	12.73		11.90				
	Line Side Unbundled Outward PBX Trunk Port-Bus			UEPPX	UEPPO	1.17	174.81	100.65	75.88	12.73		11.90				
	Line Side Unbundled Incoming PBX Trunk Port-Bus			UEPPX	UEPP1	1.17	174.81	100.65	75.88	12.73		11.90				
	2W Voice Unbundled PBX LD Terminal Ports		<u> </u>	UEPPX	UEPLD	1.17	174.81	100.65	75.88	12.73		11.90				
	2W Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	1.17	174.81	100.65	75.88	12.73		11.90				1
_	2W Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	1.17	174.81	100.65	75.88	12.73	<u> </u>	11.90				
	2W Voice Unbundled PBX LD DDD Terminals Port	<del>                                     </del>	1	UEPPX	UEPXC	1.17	174.81	100.65	75.88	12.73	<b> </b>	11.90				
	2W Voice Unbundled PBX LD Terminal Switchboard Port	<del>                                     </del>	1	UEPPX	UEPXD	1.17	174.81	100.65	75.88	12.73	<b> </b>	11.90				
	2W Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPPX	UEPXE	1.17	174.81	100.65	75.88	12.73		11.90			<del>                                     </del>	
_	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy	<del>                                     </del>	<del>                                     </del>	JLFFA	GLEAE	1.17	174.01	100.03	7 3.00	12.13	<del>                                     </del>	11.50				<u> </u>
				UEPPX	UEPXL	1.17	174.81	100.65	75.88	12.72		11.90				
$+\!\!-$	Administrative Calling Port  2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room	-	<u> </u>	UEPPX	UEPAL	1.17	1/4.81	100.65	75.88	12.73	<b> </b>	11.90	-			<b>_</b>
				UEPPX	UEPXM	4 47	174.04	100.05	75.00	10.70		11.00				
	Calling Port	1		UEPPX	UEPAM	1.17	174.81	100.65	75.88	12.73	<b>!</b>	11.90		1		<del>                                     </del>
-	OW Voice Hebundled 4 Way Outreit - DDV Het-1/Her-it-I D'															1
	2W Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port			UEPPX	UEPXO	1.17	174.81	100.65	75.88	12.73		11.90				

Version 4Q02: 01/21/03 Page 65 of 402

SUNDL	ED NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhil	bit: B
EGORY	RATE ELEMENTS	Inter im	Zon e	BCS	usoc		RA	TES (\$)			Svc Order Submitt ed Elec per LSR	Svc Order Submitte d Manually per LSR	al Charge - Manual Svc Order vs.	Incrementa I Charge - Manual Svc Order vs. Electronic- Add'I	Increment al Charge Manual Svc Order vs. Electronic Disc 1st	- al Charg Manua Svc Ord vs.
						_	Nonrecu	ırrina	NRC Disc	onnect		1	oss	Rates (\$)	1	1
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMA
LOCA	L NUMBER PORTABILITY															
	Local No Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00				11.90				
FEAT	JRES															
	All Features Offered			UEPPX	UEPVF	2.26	0.00	0.00				11.90				
NONR	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2W VG Loop/ Line Port Combination (PBX)-Conversion-Switch-As-Is			UEPPX	USAC2		8.45	1.91				11.90				
	2W VG Loop/ Line Port Combination (PBX)-Conversion-Switch with															
	Change			UEPPX	USACC		8.45	1.91				11.90				
	TONAL NRCs															
	2W VG Loop/ Line Port Combination (PBX)-Subsqnt Activity			UEPPX	USAS2	0.00	0.00	0.00				11.90	1			
	PBX Subsqnt Activity-Change/Rearrange Multiline Hunt Group						7.86	7.86				11.90				
	E VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN PORT											1	1			1
	ort/Loop Combination Rates												İ		İ	
	2W VG Coin Port/Loop Combo – Zone 1		1			10.94										
	2W VG Coin Port/Loop Combo – Zone 2		2			15.05										
	2W VG Coin Port/Loop Combo – Zone 3		3			25.80										
	oop Rates		Ť			20.00										
	2W VG Loop (SL1)-Zone 1		1	UEPCO	UEPLX	9.77										
	2W VG Loop (SL1)-Zone 2		2	UEPCO	UEPLX	13.88										
	2W VG Loop (SL1)-Zone 3		3	UEPCO	UEPLX	24.63										
	Voice Grade Line Ports (COIN)		<u> </u>	021 00	OLI LX	24.00									-	
	2W Coin 2-Way with Oper Screening & Blocking: 011, 900/976,														-	1
	1+DDD (FL)			UEPCO	UEP2F	1.17	53.31	26.46	27.50	8.37		11.90				
	2W Coin 2-Way with Oper Screening & 011 Blocking (FL)			UEPCO	UEPFA	1.17	53.31	26.46	27.50	8.37		11.90				
1	2W Coin 2-Way with Oper Screening & Blocking: 900/976, 1+DDD,			OLI CO	OLITA	1.17	33.31	20.40	27.50	0.07		11.50				
	011+. & Local (FL)			UEPCO	UEPCG	1.17	53.31	26.46	27.50	8.37		11.90				
1	2W Coin Outward with Oper Screening & 011 Blocking (AL, FL)			UEPCO	UEPRK	1.17	53.31	26.46	27.50	8.37		11.90				
1	2W Coin Outward with Oper Screening & 811 Blocking: 900/976, 1+DDD,			OLFCO	OLFIN	1.17	33.31	20.40	27.50	0.51		11.50				
	011+ (FL)			UEPCO	UEPOF	1.17	53.31	26.46	27.50	8.37		11.90				
1	2W Coin Outward with Oper Screening & Blocking: 900/976, 1+DDD,			UEFCO	UEFOR	1.17	33.31	20.40	21.50	6.37		11.90				
	2011+, & Local (FL, GA)			UEPCO	UEPCQ	1.17	53.31	26.46	27.50	8.37		11.90				
1	2W 2-Way Smartline with 900/976 (all states except LA)			UEPCO	UEPCK	1.17	53.31	26.46	27.50	8.37		11.90				1
	2W Coin Outward Smartline with 900/976 (all states except LA)			UEPCO	UEPCR	1.17	53.31	26.46	27.50	8.37		11.90	-		-	
	TONAL UNE COIN PORT/LOOP (RC)			UEPCU	UEPCR	1.17	55.51	20.40	27.50	0.37		11.90				1
	UNE Coin Port/Loop Combo Usage (Flat Rate)			UEPCO	URECU	1.86	0.00	0.00	0.00	0.00		11.90				1
	L NUMBER PORTABILITY			UEFCO	UNECU	1.00	0.00	0.00	0.00	0.00		11.90	-		-	1
	Local No Portability (1 per port)			UEPCO	LNPCX	0.35							-		-	-
	ECURRING CHARGES - CURRENTLY COMBINED			UEPCO	LNPCX	0.35									-	
				UEPCO	USAC2		0.102	0.102				11.90	-		-	-
	2W VG Loop/Line Port Combination -Conversion-Switch-as-is 2W VG Loop/Line Port Combination -Conversion-Switch with change			UEPCO	USACZ		0.102	0.102				11.90			-	
	·			UEPCU	USACC		0.102	0.102				11.90				-
	TONAL NRCs		-	LIEBOO	110400		0.00	0.00				44.00				
	2W VG Loop/Line Port Combination-Subsqnt Activity	UE DO	L /2	UEPCO	USAS2		0.00	0.00			-	11.90	<del>                                     </del>		<del>                                     </del>	1
	E VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE LII	NE PO	KT (R	(ES)							-		-		-	1
	Port/Loop Combination Rates	1	<b>-</b>	1		10.01					1		1		1	1
	2W VG Loop/IO Tranport/Port Combo-Zone 1	<u> </u>	1	1		13.64										1
	2W VG Loop/IO Tranport/Port Combo-Zone 2	<u> </u>	2	1		18.80										<del> </del>
	2W VG Loop/IO Tranport/Port Combo-Zone 3	<u> </u>	3	1		32.27										<del> </del>
	oop Rates	1														1
	0111101 (010) 7			1:	17-0-0						1					
	2W VG Loop (SL2)-Zone 1 2W VG Loop (SL2)-Zone 2		1 2	UEPFR UEPFR	UECF2	12.24 17.40										

Version 4Q02: 01/21/03 Page 66 of 402

INBUNDL	.ED NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhil	bit: B
ATEGORY	RATE ELEMENTS	Inter im	Zon e	BCS	usoc		RA	TES (\$)			Svc Order Submitt ed Elec per LSR		al Charge - Manual Svc Order vs.	Incrementa I Charge - Manual Svc Order vs. Electronic- Add'I	Increment al Charge Manual Svc Order vs. Electronic Disc 1st	- al Charg Manua Svc Ord vs. - Electro
							Nonreci	urring	NRC Disc	onnect		1	oss	Rates (\$)		
		-	1			Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN		SOMAN	SOMAI
2-Wir	e Voice Grade Line Port Rates (Res)						11130	Auu	11130	Auu	COMILO	COMAN	COMAN	COMAN	OOMAN	CONIA
2-9911	2W voice unbundled port-Res			UEPFR	UEPRL	1.40	174.81	100.65	75.88	12.73		11.90				<del>                                     </del>
	2W voice unbundled port with Caller ID-res			UEPFR	UEPRC	1.40	174.81	100.65	75.88	12.73		11.90				
	2W voice unbundled port with carier in-res			UEPFR	UEPRO	1.40	174.81	100.65	75.88	12.73		11.90				+
	2W voice unbundled FL Area Calling with Caller ID-res			UEPFR	UEPAF	1.40	174.81	100.65	75.88	12.73		11.90				+
		-			UEPAP	1.40	174.81	100.65				11.90	-		-	+
INITEE	2W voice unbundles res, low usage line port with Caller ID (LUM)	_	1	UEPFR	UEPAP	1.40	174.01	100.05	75.88	12.73	-	11.90				
INTER				LIEDED	1147710	05.00	47.05	04.70				1				
-	Interoffice Transport-Dedicated-2W VG-Facility Term	-	1	UEPFR	U1TV2	25.32	47.35	31.78	-	-	1	1	<del>                                     </del>		<del>                                     </del>	<del> </del>
FF 4 T	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi	-	1	UEPFR	1L5XX	0.0091			1	1	}	1	1		1	₩
FEAT		-	1	LIEBES	1,155,75	0.00	2.22	0.00	1	1	}	44.00	1		1	₩
	All Features Offered			UEPFR	UEPVF	2.26	0.00	0.00				11.90				
LOCA	L NUMBER PORTABILITY	-			111501/											-
	Local No Portability (1 per port)			UEPFR	LNPCX	0.35										
	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2W Loop/Dedicated IO Transport/2W Line Port Combination-															
	Conversion-Switch-as-is			UEPFR	USAC2		16.97	3.73				11.90				
	2W Loop/Dedicated IO Transport/2W Line Port Combination-															
	Conversion-Switch-With-Change			UEPFR	USACC		16.97	3.73				11.90				
	E VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE L	INE PO	ORT (E	BUS)												
UNE F	Port/Loop Combination Rates															
	2W VG Loop/IO Tranport/Port Combo-Zone 1		1			13.64										
	2W VG Loop/IO Tranport/Port Combo-Zone 2		2			18.80										
	2W VG Loop/IO Tranport/Port Combo-Zone 3		3			32.27										
UNE L	Loop Rates															
	2W VG Loop (SL2)-Zone 1		1	UEPFB	UECF2	12.24										
	2W VG Loop (SL2)-Zone 2		2	UEPFB	UECF2	17.40										
	2W VG Loop (SL2)-Zone 3		3	UEPFB	UECF2	30.87										
2-Wire	e Voice Grade Line Port (Bus)															
	2W voice unbundled port w/o Caller ID-bus			UEPFB	UEPBL	1.40	174.81	100.65	75.88	12.73		11.90				
	2W voice unbundled port with Caller + E484 ID-bus			UEPFB	UEPBC	1.40	174.81	100.65	75.88	12.73		11.90				
	2W voice unbundled port outgoing only-bus			UEPFB	UEPBO	1.40	174.81	100.65	75.88	12.73		11.90				
	2W voice unbundled incoming only port with Caller ID-Bus			UEPFB	UEPB1	1.40	174.81	100.65	75.88	12.73		11.90				
LOCA	L NUMBER PORTABILITY															
	Local No Portability (1 per port)			UEPFB	LNPCX	0.35										
INTER	ROFFICE TRANSPORT															
	Interoffice Transport-Dedicated-2W VG-Facility Term			UEPFB	U1TV2	25.32	47.35	31.78								1
	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi			UEPFB	1L5XX	0.0091										
FEAT	URES															1
_	All Features Offered			UEPFB	UEPVF	2.26	0.00	0.00				11.90				
	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2W Loop/Dedicated IO Transport/2W Line Port Combination-															
	Conversion-Switch-as-is		1	UEPFB	USAC2		16.97	3.73				11.90				
	2W Loop/Dedicated IO Transport/2W Line Port Combination-				12::02			20								
	Conversion-Switch with change		1	UEPFB	USACC		16.97	3.73				11.90				
2-WIR	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)	1		325	30,.00			50					t		t e	<b>—</b>
	Port/Loop Combination Rates	1			<u> </u>				<b>†</b>	1	1	1	t		t	<del>                                     </del>
0.12	2W VG Loop/IO Tranport/Port Combo-Zone 1		1			13.64										<del>                                     </del>
-	2W VG Loop/IO Tranport/Port Combo-Zone 2	-	2			18.80									-	<del></del>
	2W VG Loop/IO Tranport/Port Combo-Zone 3		3			32.27										<del>                                     </del>
LINE	Loop Rates	-	٦			52.21					<b> </b>	<b> </b>	<del>                                     </del>	<del> </del>		<del>                                     </del>
	2W VG Loop (SL2)-Zone 1	-	1	UEPFP	UECF2	12.24		1	<del>                                     </del>		1	}	+	<del> </del>	+	+

Version 4Q02: 01/21/03 Page 67 of 402

IDONDL	ED NETWORK ELEMENTS - Florida													ment: 2		bit: B
TEGORY	RATE ELEMENTS	Inter		BCS	usoo		RA	TES (\$)			Svc Order Submitt ed Elec	Svc Order Submitte d	al Charge - Manual	Incrementa I Charge - Manual Svc Order	Increment al Charge Manual Svc Order	al Charg Manual
		im	е								per LSR	Manually per LSR	vs.	vs. Electronic- Add'l	vs. Electronic Disc 1st	vs. - Electron Disc Add
						Rec	Nonreci First	urring Add'l	NRC Disc	onnect Add'l	COMEC	SOMAN		Rates (\$)	SOMAN	SOMAN
+	2W VG Loop (SL2)-Zone 2		2	UEPFP	UECF	2 17.40	FIISt	Addi	FIISt	Add I	SOMEC	SUMAN	SUMAN	SUMAN	SUMAN	SUMAN
	2W VG Loop (SL2)-Zone 2 2W VG Loop (SL2)-Zone 3		3	UEPFP												
	e Voice Grade Line Port Rates (BUS - PBX)		3	OLFIF	OLCI A	30.07										
2-77116	Line Side Unbundled Combination 2-Way PBX Trunk Port-Bus			UEPFP	UEPPO	1.40	174.81	100.65	75.88	12.73		11.90				
+	Line Side Unbundled Outward PBX Trunk Port-Bus			UEPFP			174.81	100.65	75.88	12.73		11.90			1	
+	Line Side Unbundled Incoming PBX Trunk Port-Bus			UEPFP			174.81	100.65	75.88	12.73		11.90				
	2W Voice Unbundled PBX LD Terminal Ports			UEPFP			174.81	100.65	75.88	12.73		11.90				
	2W Voice Unbundled 2-Way Combination PBX Usage Port			UEPFP			174.81	100.65	75.88	12.73		11.90				
	2W Voice Unbundled PBX Toll Terminal Hotel Ports			UEPFP	UEPX		174.81	100.65	75.88	12.73		11.90				
+	2W Voice Unbundled PBX LD DDD Terminals Port			UEPFP			174.81	100.65	75.88	12.73		11.90				
	2W Voice Unbundled PBX LD Terminal Switchboard Port			UEPFP			174.81	100.65	75.88	12.73		11.90				
+	2W Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPFP			174.81	100.65	75.88	12.73		11.90			1	
+	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy			UEPFP	UEPAI	1.40	174.01	100.65	75.00	12.73		11.90				
	Administrative Calling Port			UEPFP	UEPXI	1.40	174.81	100.65	75.88	12.73		11.90				
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room			UEPFP	UEPXI	1.40	174.81	100.65	75.88	12.73		11.90				
	, , , , , , , , , , , , , , , , , , , ,			HEDED	LIEDVA	4.40	474.04	400.05	75.00	40.70		44.00				
+	Calling Port			UEPFP	UEPXN	1 1.40	174.81	100.65	75.88	12.73		11.90				
	2W Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount			HEDED	LIED.		474.04	400.05	75.00	40.70		44.00				
	Room Calling Port			UEPFP			174.81	100.65	75.88	12.73		11.90				
	2W Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPFP	UEPXS	1.40	174.81	100.65	75.88	12.73		11.90				
	L NUMBER PORTABILITY															
	Local No Portability (1 per port)			UEPFP	LNPCI	3.15	0.00	0.00				11.90				
	OFFICE TRANSPORT															
	Interoffice Transport-Dedicated-2W VG-Facility Term			UEPFP			47.35	31.78								
	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi			UEPFP	1L5XX	0.0091										
FEAT																
	All Features Offered			UEPFP	UEPVI	2.26	0.00	0.00				11.90				
	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED															ļ
	2W Loop/Dedicated IO Transport/2W Line Port Combination-															
	Conversion-Switch-as-is			UEPFP	USAC	2	16.97	3.73				11.90				
	2W Loop/Dedicated IO Transport/2W Line Port Combination-															
	Conversion-Switch with change			UEPFP	USAC		16.97	3.73				11.90				
	D PORT/LOOP COMBINATIONS - COST BASED RATES															
	E VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK PO	RT														
	ort/Loop Combination Rates															
	2W VG Loop/2W DID Trunk Port Combo-UNE Zone 1		1			20.95										
	2W VG Loop/2W DID Trunk Port Combo-UNE Zone 2		2			26.11										
	2W VG Loop/2W DID Trunk Port Combo-UNE Zone 3		3			39.58										
	oop Rates															
	2W Analog VG Loop-(SL2)-UNE Zone 1		1	UEPPX								11.90			1.83	
	2W Analog VG Loop-(SL2)-UNE Zone 2		2	UEPPX								11.90			1.83	1
	2W Analog VG Loop-(SL2)-UNE Zone 3		3	UEPPX	UECD	30.87						11.90			1.83	
	ort Rate															
	Exchange Ports-2W DID Port			UEPPX	UEPD <sup>-</sup>	8.71	214.16	98.29				11.90			1.83	
	ECURRING CHARGES - CURRENTLY COMBINED															
	2W VG Loop/2W DID Trunk Port Combination -Switch-as-is			UEPPX	USAC		7.85	1.87				11.90				
	2W VG Loop/2W DID Trunk Port Conversion with BST Allowable															
	Changes			UEPPX	USA10	;	7.85	1.87				11.90				
IADDIT	TONAL NRCs			ļ		1									ļ	
	2W DID Subsqnt Activity-Add Trunks, Per Trunk none Number/Trunk Group Establisment Charges			UEPPX	USAS		32.26	32.26				11.90				

NDUNDL	LED NETWORK ELEMENTS - Florida													ment: 2		bit: B
TEGORY	RATE ELEMENTS	Inter	Zon e	BCS	USOC		RA	TES (\$)			Svc Order Submitt ed Elec per LSR		al Charge - Manual Svc Order vs.	Incrementa I Charge - Manual Svc Order vs. Electronic- Add'I	Increment al Charge Manual Svc Order vs. Electronic Disc 1st	al Chai Manu Svc Or vs. Electro
						Rec	Nonrecu	ırring	NRC Disc	connect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOM
	DID Nos, Establish Trunk Group & Provide First Group of 20 DID Nos			UEPPX	NDZ	0.00	0.00	0.00				11.90			1.83	
	Add'l DID Nos for each Group of 20 DID Nos			UEPPX	ND4	0.00	0.00	0.00				11.90			1.83	
	DID Nos, Non-consecutive DID Nos , Per No			UEPPX	ND5	0.00	0.00	0.00				11.90			1.83	
	Reserve Non-Consecutive DID Nos			UEPPX	ND6	0.00	0.00	0.00				11.90			1.83	
	Reserve DID Nos			UEPPX	NDV	0.00	0.00	0.00				11.90			1.83	
LOCA	L NUMBER PORTABILITY															
	Local No Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00								
2-WIR	RE ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LINE	SIDE F	ORT													
UNE F	Port/Loop Combination Rates															
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -UNE															
	Zone 1		1	UEPPB UEPPR		22.63										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -UNE															
	Zone 2		2	UEPPB UEPPR		29.05										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -UNE															1
	Zone 3		3	UEPPB UEPPR		45.84										
UNE	Loop Rates															
	2W ISDN Digital Grade Loop-UNE Zone 1		1	UEPPB UEPPR	USL2X	15.25						11.90			1.83	
	2W ISDN Digital Grade Loop-UNE Zone 2		2	UEPPB UEPPR	USL2X	21.67						11.90			1.83	
	2W ISDN Digital Grade Loop-UNE Zone 3		3	UEPPB UEPPR	USL2X	38.46						11.90			1.83	
UNE	Port Rate															
	Exchange Port-2W ISDN Line Side Port			UEPPB UEPPR	UEPPB	7.38	194.52	145.09				11.09			1.83	
NONE	RECURRING CHARGES - CURRENTLY COMBINED															
	2W ISDN Digital Grade Loop/2W ISDN Line Side Port Combination-															
	Conversion			UEPPB UEPPR	USACB	0.00	25.22	17.00				11.90			1.83	
ADDI	TIONAL NRCs															
	L NUMBER PORTABILITY															
	Local No Portability (1 per port)			UEPPB UEPPR	LNPCX	0.35	0.00	0.00								1
B-CH	ANNEL USER PROFILE ACCESS:											1				1
	CVS/CSD (DMS/5ESS)			UEPPB UEPPR	U1UCA	0.00	0.00	0.00								1
	CVS (EWSD)			UEPPB UEPPR	U1UCB	0.00	0.00	0.00				1				1
	CSD			UEPPB UEPPR	U1UCC	0.00	0.00	0.00								
B-CH	ANNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS SC,M	IS. & T	N)	02.112 02.111	0.000	0.00	0.00	0.00								
	TERMINAL PROFILE	1	Ϊ,													1
	User Terminal Profile (EWSD only)			UEPPB UEPPR	U1UMA	0.00	0.00	0.00				1				1
VFRT	ICAL FEATURES			02.13	0.1011111	0.00	0.00	0.00								
	All Vertical Features-One per Channel B User Profile			UEPPB UEPPR	UEPVF	2.26	0.00	0.00				11.90				
	ROFFICE CHANNEL MILEAGE			OLITE OLITIC	OLI VI	2.20	0.00	0.00				11.00				
	Interoffice Channel miage each, including first mi & facilities Term	†		UEPPB UEPPR	M1GNC	25.3291	47.35	31.78	18.31	7.03		11.90			1.83	<u> </u>
+	Interoffice Channel miage each, Add'l mi	+		UEPPB UEPPR	M1GNM	0.0091	0.00	0.00	10.51	7.00		11.90			1.83	
4-WIR	RE DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK PO	)PT		OLITB OLITIC	IVITOIVIVI	0.0031	0.00	0.00				11.50			1.00	<del></del>
	Port/Loop Combination Rates	1														
ONE I	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port -UNE Zone 1	1	1	UEPPP		153.48				<b></b>		<b> </b>				<del>                                     </del>
-	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port -UNE Zone 2	1	2			183.28										<del>                                     </del>
+	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port -UNE Zone 3	1	3			261.12			1	<del>                                     </del>	1	1				├
IINE I	Loop Rates	+	٥	UEFFF		201.12				1						<del>                                     </del>
ONE	4W DS1 Digital Loop-UNE Zone 1	1	1	UEPPP	USL4P	70.74			1	<del>                                     </del>	1	11.90			1.83	<del>                                     </del>
+	4W DS1 Digital Loop-UNE Zone 1	1	2	UEPPP	USL4P USL4P	100.54			1	<del>                                     </del>	1	11.90			1.83	<del>                                     </del>
	4W DS1 Digital Loop-UNE Zone 3	+	3	UEPPP	USL4P USL4P	178.38				1		11.90			1.83	<del>                                     </del>
LINE	Port Rate	+	٥	UEFFF	USL4P	170.30				1	<del> </del>	11.90			1.03	├
ONE	Exchange Ports-4W ISDN DS1 Port	1	<u> </u>	UEPPP	UEPPP	82.74	488.36	276.65	<del>                                     </del>	<b> </b>	1	11.90	<del>                                     </del>	<del>                                     </del>	1.83	—

NRONDL	.ED NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhil	bit: B
ATEGORY	RATE ELEMENTS	Inter im	Zon e	BCS	usoc		RA	TES (\$)			Svc Order Submitt ed Elec per LSR	Svc Order Submitte d Manually per LSR	al Charge - Manual Svc Order vs.	Incrementa I Charge - Manual Svc Order vs. Electronic- Add'I	Increment al Charge Manual Svc Order vs. Electronic Disc 1st	al Charg Manua Svc Orc vs. Electroi
						Rec	Nonrecu	ırring	NRC Disc	onnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
NONE	ECURRING CHARGES - CURRENTLY COMBINED															
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port Combination-															
	Conversion -Switch-as-is			UEPPP	USACP	0.00	84.17	61.38				11.90			1.83	
ADDI	TIONAL NRCs			-			-									
	4W DS1 Loop/4-W ISDN Digtl Trk Port-Subsqt Actvy-Inward/two way															
	Tel Nos. (except NC)			UEPPP	PR7TF		0.5412					11.90			1.83	
	4W DS1 Loop/4W ISDN DS1 Digital Trunk Port-Outward Tel Nos			UEPPP	PR7TO		12.71	12.71				11.90			1.83	
	4W DS1 Loop/4W ISDN DS1 Digital Trk Port-Subsqnt Inward Tel Nos	1	1	UEPPP	PR7ZT		25.42	25.42				11.90		<b>-</b>	1.83	1
1.00^	L NUMBER PORTABILITY	1	1	OLFFF	1 1/1/21		20.42	20.42			-	11.30			1.03	1
LUCA	Local No Portability (1 per port)			UEPPP	LNPCN	1.75								<del> </del>	<u> </u>	$\vdash$
INTER	RFACE (Provsioning Only)			ULFFF	LINE CIN	1.75						<u> </u>	1	1		<del>                                     </del>
INTER	Voice/Data	<del>                                     </del>	<del>                                     </del>	UEPPP	PR71V	0.00	0.00	0.00	-	-	-	<b>_</b>		-		<del>                                     </del>
		<del>                                     </del>	<del>                                     </del>	UEPPP	PR71V PR71D	0.00	0.00	0.00	-	-	-	<b>_</b>		-		<del>                                     </del>
_	Digital Data	-	1									1				
	Inward Data			UEPPP	PR71E	0.00	0.00	0.00								
New o	r Additional "B" Channel															
	New or Add'I-Voice/Data B Channel			UEPPP	PR7BV	0.00	15.48					11.90			1.83	
	New or Add'l-Digital Data B Channel			UEPPP	PR7BF	0.00	15.48					11.90			1.83	
	New or Add'l Inward Data B Channel			UEPPP	PR7BD	0.00	15.48					11.90			1.83	
CALL	TYPES															
	Inward			UEPPP	PR7C1	0.00	0.00	0.00								
	Outward			UEPPP	PR7C0	0.00	0.00	0.00								
	Two-way			UEPPP	PR7CC	0.00	0.00	0.00								
Intero	ffice Channel Mileage															
	Fixed Each Including First mi			UEPPP	1LN1A	88.6256	105.54	98.47	21.47	19.05		11.90			1.93	
	Each Airline-Fractional Add'l mi			UEPPP	1LN1B	0.1856										
4-WIR	E DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT															
	Port/Loop Combination Rates															
	4W DS1 Digital Loop/4W DDITS Trunk Port -UNE Zone 1		1	UEPDC		125.69						11.90			1.83	
	4W DS1 Digital Loop/4W DDITS Trunk Port -UNE Zone 2		2	UEPDC		155.49						11.90			1.83	
	4W DS1 Digital Loop/4W DDITS Trunk Port -UNE Zone 3		3	UEPDC		233.33						11.90			1.83	
UNF	Loop Rates		Ĭ	52, 50		200.00			t e			11.00		t	1.00	<u> </u>
	4W DS1 Digital Loop-UNE Zone 1		1	UEPDC	USLDC	70.74			t		1	11.90		<b>†</b>	1.83	<b>1</b>
+	4W DS1 Digital Loop-UNE Zone 2		2	UEPDC	USLDC	100.54						11.90		<del> </del>	1.83	<del>                                     </del>
-	4W DS1 Digital Loop-UNE Zone 3	1	3	UEPDC	USLDC	178.38					-	11.90			1.83	<del> </del>
LINE	Port Rate	+	3	UEFDC	USLDC	170.30			-			11.90		<del>                                     </del>	1.03	<del>                                     </del>
UNE	4W DDITS Digital Trunk Port	1	1	UEPDC	UDD1T	54.95	464.86	259.23			-	11.90		+	1.83	1
NONE	ECURRING CHARGES - CURRENTLY COMBINED		1	UEFDC	UDDII	54.95	404.00	259.25	-			11.90		-	1.03	
NONE				LIEDDO	110404		05.04	10.71				44.00			4.00	
	4W DS1 Digital Loop/4W DDITS Trunk Port Combination-Switch-as-is	1	1	UEPDC	USAC4		95.31	46.71	<del>                                     </del>		-	11.90		<del>                                     </del>	1.83	<del>                                     </del>
	4W DS1 Digital Loop/4W DDITS Trunk Port Combination-Conversion			LIEDDO	110000		25.01	40.71		1		44.00			4.00	
	with DS1 Changes			UEPDC	USAWA		95.31	46.71				11.90			1.83	
	4W DS1 Digital Loop/4W DDITS Trunk Port Combination-Conversion															
_	with Change-Trunk			UEPDC	USAWB		95.31	46.71				11.90		ļ	1.83	<u> </u>
ADDI	TIONAL NRCs		<u> </u>													<u> </u>
	4W DS1 Loop/4W DDITS Trunk Port-NRC-Subsqnt Channel									1			1	1		
	Activation/Chan-2-Way Trunk			UEPDC	UDTTA		15.69	15.69				11.90			1.83	
	4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Channel Activation/Chan-									1						
	1-Way Outward Trunk	L	<u>L</u>	UEPDC	UDTTB		15.69	15.69				11.90		<u></u>	1.83	<u>L</u>
	4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Channel Activation/Chan															
	Inward Trunk w/out DID			UEPDC	UDTTC		15.69	15.69		1		11.90			1.83	
İ	4W DS1 Loop/4W DDITS Trunk Port-Subsent Chan Activation Per								İ					İ		
1	Chan-Inward Trunk with DID	1		UEPDC	UDTTD		15.69	15.69				11.90	1		1.83	

<u> ARONDI</u>	LED NETWORK ELEMENTS - Florida													ment: 2		bit: B
ATEGORY	RATE ELEMENTS	Inter im	Zon e	BCS	usoc		RA	TES (\$)			Svc Order Submitt ed Elec per LSR		al Charge - Manual Svc Order vs.	Manual Svc Order vs.	al Charge Manual Svc Order vs.	al Charg Manua Svc Ord vs.
												per LSR	Electronic- 1st	Electronic- Add'l	Electronic Disc 1st	- Electron Disc Add
						_	Nonrecu	ırring	NRC Disc	onnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Chan Activation/Chan-2-															
	Way DID w User Trans			UEPDC	UDTTE		15.69	15.69				11.90			1.83	
BIPO	LAR 8 ZERO SUBSTITUTION															
	B8ZS -Superframe Format			UEPDC	CCOSF		0.00	655.00				11.90			1.83	
	B8ZS-Extended Superframe Format			UEPDC	CCOEF		0.00	655.00				11.90			1.83	
Alteri	nate Mark Inversion															
	AMI -Superframe Format			UEPDC	MCOSF		0.00	0.00								
	AMI-Extended SuperFrame Format			UEPDC	MCOPO		0.00	0.00								
Telep	hone Number/Trunk Group Establisment Charges															
	Telephone No for 2-Way Trunk Group			UEPDC	UDTGX	0.00						11.90			1.83	
	Telephone No for 1-Way Outward Trunk Group			UEPDC	UDTGY	0.00						11.90			1.83	
	Telephone No for 1-Way Inward Trunk Group w/o DID			UEPDC	UDTGZ	0.00						11.90			1.83	
	DID Nos, Establish Trunk Group & Provide First Group of 20 DID Nos			UEPDC	NDZ	0.00	0.00	0.00				11.90			1.83	
	DID Nos for each Group of 20 DID Nos			UEPDC	ND4	0.00						11.90			1.83	
	DID Nos, Non-consecutive DID Nos , Per No			UEPDC	ND5	0.00						11.90			1.83	
	Reserve Non-Consecutive DID Nos.			UEPDC	ND6	0.00	0.00	0.00				11.90			1.83	
	Reserve DID Nos			UEPDC	NDV	0.00	0.00	0.00				11.90			1.83	
Dedic	ated DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1 Dig	jital L	оор и	ith 4-Wire DDITS Tr	unk Port											
	Interoffice Channel miage-Fixed rate 0-8 mis (Facilities Term)			UEPDC	1LNO1	88.44	105.54	98.47	21.47	19.05		11.90			1.83	1
	Interoffice Channel miage-Add'l rate per mi-0-8 mis			UEPDC	1LNOA	0.1856	0.00	0.00								
	Interoffice Channel miage-Fixed rate 9-25 mis (Facilities Term)			UEPDC	1LNO2	0.00	0.00	0.00								
	Interoffice Channel miage-Add'l rate per mi-9-25 mis			UEPDC	1LNOB	0.1856	0.00	0.00								
	Interoffice Channel miage-Fixed rate 25+ mis (Facilities Term)			UEPDC	1LNO3	0.00	0.00	0.00	0.00							1
	Interoffice Channel miage-Add'l rate per mi-25+ mis			UEPDC	1LNOC	0.1856	0.00	0.00								
	Local No Portability, per DS0 Activated			UEPDC	LNPCP	3.15	0.00	0.00	0.00							1
	Central Office Termininating Point			UEPDC	CTG	0.00										
4-WIF	RE DS1 LOOP WITH CHANNELIZATION WITH PORT															
Syste	m is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Activation	ons														1
	System can have up to 24 combinations of rates depending on type		numb	er of ports used												
UNE	DS1 Loop															
	4W DS1 Loop-UNE Zone 1		1	UEPMG	USLDC	70.74	0.00	0.00								
	4W DS1 Loop-UNE Zone 2		2	UEPMG	USLDC	100.54	0.00	0.00								1
	4W DS1 Loop-UNE Zone 3		3	UEPMG	USLDC	178.38	0.00	0.00								1
UNE	DSO Channelization Capacities (D4 Channel Bank Configurations)															
	24 DSO Channel Capacity-1 per DS1			UEPMG	VUM24	118.06	0.00	0.00				11.90			1.83	
	48 DSO Channel Capacity-1 per 2 DS1s			UEPMG	VUM48	236.12	0.00	0.00				11.90			1.83	1
	96 DSO Channel Capacity -1per 4 DS1s			UEPMG	VUM96	472.24	0.00	0.00				11.90			1.83	1
	144 DS0 Channel Capacity-1 per 6 DS1s			UEPMG	VUM14	708.36	0.00	0.00				11.90			1.83	
	192 DS0 Channel Capacity -1 per 8 DS1s			UEPMG	VUM19	944.48	0.00	0.00				11.90			1.83	1
	240 DS0 Channel Capacity-1 per 10 DS1s			UEPMG	VUM20	1,180.60	0.00	0.00				11.90			1.83	
	288 DS0 Channel Capacity-1 per 12 DS1s			UEPMG	VUM28	1,416.72	0.00	0.00				11.90			1.83	1
	384 DS0 Channel Capacity-1 per 16 DS1s			UEPMG	VUM38	1,888.96	0.00	0.00				11.90			1.83	1
	480 DS0 Channel Capacity-1 per 20 DS1s			UEPMG	VUM40	2,361.20	0.00	0.00				11.90			1.83	
	576 DS0 Channel Capacity -1 per 24 DS1s			UEPMG	VUM57	2,833.44	0.00	0.00				11.90			1.83	
	672 DS0 Channel Capacity-1 per 28 DS1s			UEPMG	VUM67	3,305.68	0.00	0.00				11.90			1.83	1
Non-	Recurring Charges (NRC) Associated with 4-Wire DS1 Loop with Ch	annel	iztion			-,										1
	nimum System configuration is One (1) DS1, One (1) D4 Channel Ba															1
	ples of this configuration functioning as one are considered Add'l a									İ	1					<b>†</b>
	NRC-Conversion (Currently Combined) with or w/o BST Allowed	T	Ī	,	1					İ	1					
	Changes	1		UEPMG	USAC4	0.00	96.77	4.24				11.90				
	m Additions at End User Locations Where 4-Wire DS1 Loop with Cl		lizatio						1		1				1	<del>                                     </del>

Version 4Q02: 01/21/03 Page 71 of 402

UNBUND	LED NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhil	bit: B
											Svc	Svc		Incrementa		
											Order	Order	al Charge -	I Charge -	al Charge	al Charge
											Submitt	Submitte		Manual	Manual	Manual
CATEGORY	RATE ELEMENTS		Zon	BCS	USOC		RΔ	ATES (\$)			ed Elec	d		Svc Order		Svc Order
OATEGOIT.	NATE ELEMENTO	im	е	200	0000		10	(1) (ψ)				Manually	vs.	vs.	vs.	vs.
											poo	per LSR		Electronic-	_	Electronic
												por Lore	1st	Add'l		Disc Add'l
<del></del>			1			1		-	L NDO D						Disc 1st	Disc Add I
$\longrightarrow$			1			Rec	Nonrec		NRC Disc					Rates (\$)		
<b>—</b>				<u>.</u>			First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
New	(Not Currently Combined) in all states, except in Density Zone 1 of	l op 8	MSA	:s												
	1 DS1/D4 Channel Bank-Add'lly Add NRC for each Port & Assoc Fea															
	Activation		1	UEPMG	VUMD4	0.00	726.11	468.21	145.32	17.24		11.90				
Bipol	lar 8 Zero Substitution		1													
	Clear Channel Capability Format, superframe-Subsqnt Activity Only			UEPMG	CCOSF	0.00	0.00	655.00				11.90				
	Clear Channel Capability Format-Extended Superframe-Subsqnt															
	Activity Only			UEPMG	CCOEF	0.00	0.00	655.00				11.90				
Alter	nate Mark Inversion (AMI)															
	Superframe Format			UEPMG	MCOSF	0.00	0.00	0.00								
	Extended Superframe Format			UEPMG	MCOPO	0.00	0.00	0.00								
	ange Ports Associated with 4-Wire DS1 Loop with Channelization w	ith Po	ort													
Exch	ange Ports						-									
	Line Side Combination Channelized PBX Trunk Port-bus		L	UEPPX	UEPCX	1.38	0.00	0.00	0.00	0.00		11.90			1.83	
	Line Side Outward Channelized PBX Trunk Port-bus			UEPPX	UEPOX	1.38	0.00	0.00	0.00	0.00		11.90			1.83	
	Line Side Inward Only Channelized PBX Trunk Port w/o DID			UEPPX	UEP1X	1.38	0.00	0.00	0.00	0.00		11.90			1.83	
	2W Trunk Side Unbundled Channelized DID Trunk Port			UEPPX	UEPDM	8.71	0.00	0.00	0.00	0.00		11.90			1.83	
Featu	ure Activations - Unbundled Loop Concentration															
	Feature (Service) Activation for each Line Port Terminated in D4 Bank			UEPPX	1PQWM	0.66	25.40	13.41	3.96	3.93		11.90			1.83	
	Feature (Service) Activation for each Trunk Port Terminated in D4 Bank			UEPPX	1PQWU	0.66	78.16	18.42		10.95		11.90			1.83	
Teler	phone Number/ Group Establishment Charges for DID Service															
1.0.00	DID Trunk Term (1 per Port)			UEPPX	NDT	0.00	0.00	0.00				11.90				
	Estab Trk Grp & Provide 1st 20 DID Nos. (FL,GA, NC,& SC)		1	UEPPX	NDZ	0.00	0.00	0.00				11.90				
	DID Nos-groups of 20-Valid all States			UEPPX	ND4	0.00	0.00	0.00				11.90				
	Non-Consecutive DID Nos-per No		1	UEPPX	ND5	0.00	0.00	0.00				11.90			-	
	Reserve Non-Consecutive DID Nos			UEPPX	ND6	0.00	0.00	0.00				11.90				
	Reserve DID Nos			UEPPX	NDV	0.00	0.00					11.90				
Loca	I Number Portability			ULFFX	NDV	0.00	0.00	0.00				11.30				
Local	Local No Portability-1 per port		1	UEPPX	LNPCP	3.15	0.00	0.00								
FEAT	TURES - Vertical and Optional		1	UEFFX	LINECE	3.13	0.00	0.00							-	-
	I Switching Features Offered with Line Side Ports Only		1		+			-							-	-
Local	All Features Available		1	UEPPX	UEPVF	2.26	0.00	0.00				11.90			1.83	
LINDUNDU	ED PORT LOOP COMBINATIONS - MARKET RATES		1	UEPPA	UEPVF	2.20	0.00	0.00				11.90			1.03	
				-1		F00 1/ 0		L								
	et Rates shall apply where BellSouth is not required to provide unb	undle	u ioc	ai switching or switch	n ports per	FUU and/or Co	onimission ru	nes.	<del>                                     </del>						<del>                                     </del>	-
	includes:		-41. ~	 	- f 41 T	MC40: 2 ::	Na41-1-	<u> </u>			<u> </u>				-	<del>                                     </del>
	andled port/loop combinations that are Currently Combined or Not												L			
	Top 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderdale, P													L		<u> </u>
	currently is developing the billing capability to mechanically bill the									nbined in	FL and N	ບ. In the ir	nterim where	e BellSouth	cannot bill	Market
	s, BellSouth shall bill the rates in the Cost-Based section preceding			he Market Rates and	reserves th	e right to true-	up the billing	difference.	, ,		1	1	1	1		
The N	Market Rate for unbundled ports includes all available features in all	state	S	1		<u> </u>		L	<u> </u>		<u> </u>		D 45	<u> </u>	L	L
	Office and Tandem Switching Usage and Common Transport Usage	rates	ın th	e Port section of this	s ⊨xnibit sh	an appry to all	combinations	s ot 100p/po	rt network e	ements	except to	UNE Coin	Port/Loop	Compinatio	ns wnich ha	ive a flat
Irato i	usage charge (USOC: URECU). Not Currently Combined scenarios the Nonrecurring charges are list	adir '	Abo F	ivot on al Addition - I N	IDC aalumm	o for each D	LICOC F	Courantly O	binad		ha Nance			ما استامه الم	C C	
					IKC COIUMN	s for each Por	USUC. FOR	Currently Co	ombinea sc	enarios, t	ne Nonfec	urring cha	rges are list	eu in the NE	C - Current	ıy
For N			raina	arv.		1			1		1			1		
For N Comi	bined section. Additional NRCs may apply also and are categorized	acco	I	, <u>,                                    </u>							1		1		1	
For N Comi 2-Wif	bined section. Additional NRCs may apply also and are categorized RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)	acco	l					-								
For N Comi 2-Wif	bined section. Additional NRCs may apply also and are categorized RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates	acco														
For N Comi 2-Wif	bined section. Additional NRCs may apply also and are categorized RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)  Port/Loop Combination Rates  2W VG Loop/Port Combo-Zone 1	acco	1			23.77										
For N Comi 2-Wif	bined section. Additional NRCs may apply also and are categorized RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)  Port/Loop Combination Rates  2W VG Loop/Port Combo-Zone 1  2W VG Loop/Port Combo-Zone 2	acco	1 2			27.88										
For N Coml 2-WIF UNE	bined section. Additional NRCs may apply also and are categorized RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)  Port/Loop Combination Rates  2W VG Loop/Port Combo-Zone 1  2W VG Loop/Port Combo-Zone 2  2W VG Loop/Port Combo-Zone 3	acco	1													
For N Coml 2-WIF UNE	bined section. Additional NRCs may apply also and are categorized RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)  Port/Loop Combination Rates  2W VG Loop/Port Combo-Zone 1  2W VG Loop/Port Combo-Zone 2  2W VG Loop/Port Combo-Zone 3  Loop Rates	acco	1 2 3			27.88 38.63										
For N Coml 2-WIF UNE	bined section. Additional NRCs may apply also and are categorized RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)  Port/Loop Combination Rates  2W VG Loop/Port Combo-Zone 1  2W VG Loop/Port Combo-Zone 2  2W VG Loop/Port Combo-Zone 3	acco	1 2	UEPRX	UEPLX UEPLX	27.88										

NDUNDL	ED NETWORK ELEMENTS - Florida													ment: 2		bit: B
ATEGORY	RATE ELEMENTS	Inter im	Zon e	BCS	USOC		RA	TES (\$)			Svc Order Submitt ed Elec per LSR		al Charge - Manual Svc Order vs. Electronic- 1st	Manual Svc Order vs. Electronic- Add'l		al Charg Manua Svc Ord vs. Electron
						Rec	Nonrecu		NRC Disc					Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2W VG Loop (SL1)-Zone 3		3	UEPRX	UEPLX	24.63										
2-Wire	e Voice Grade Line Port (Res)															
	2W voice unbundled port-Res			UEPRX	UEPRL	14.00	90.00	90.00				11.90				
	2W voice unbundled port with Caller ID-res			UEPRX	UEPRC	14.00	90.00	90.00				11.90				
	2W voice unbundled port outgoing only-res			UEPRX	UEPRO	14.00	90.00	90.00				11.90				
	2W voice unbundled FL Area Calling with Caller ID-res			UEPRX	UEPAF	14.00	90.00	90.00				11.90				
	2W voice unbundles res, low usage line port with Caller ID (LUM)			UEPRX	UEPAP	14.00	90.00	90.00				11.90				
	2W voice unbundled Low Usage Line Port w/o Caller ID Capability			UEPRX	UEPRT	14.00	90.00	90.00				11.90				
	2W voice unbundled FL extended dialing port for use with CREX7 &															
	Caller ID	1		UEPRX	UEPA1	14.00	90.00	90.00	1			11.90				
	2W voice unbundled FL extended dialing port for use with CREX7, w/o															
	Caller ID capability			UEPRX	UEPA8	14.00	90.00	90.00				11.90				
	2W voice unbundled FL Area Calling Port w/o Caller ID Capability			UEPRX	UEPA9	14.00	90.00	90.00				11.90				
LOCA	L NUMBER PORTABILITY															
	Local No Portability (1 per port)			UEPRX	LNPCX	0.35										
FEAT																
	All Features Offered			UEPRX	UEPVF	0.00	0.00	0.00				11.90				
	ECURRING CHARGES - CURRENTLY COMBINED			<del></del>	1		3.00									
	2W VG Loop/Line Port Combination -Switch-as-is			UEPRX	USAC2		41.50	41.50				11.90				
	2W VG Loop/Line Port Combination -Switch with change			UEPRX	USACC		41.50	41.50				11.90				
ADDIT	TIONAL NRCs			02.100	00/100	İ	11.00	11.00				11100				<u> </u>
	NRC-2W VG Loop/Line Port Combination-Subsqnt			UEPRX	USAS2	İ	0.00	0.00				11.90				<u> </u>
	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)			02.100	00/102	İ	0.00	0.00				11100				1
	Port/Loop Combination Rates															
	2W VG Loop/Port Combo-Zone 1		1		+	23.77					1					<del>                                     </del>
	2W VG Loop/Port Combo-Zone 2		2		+	27.88										
	2W VG Loop/Port Combo-Zone 3		3		+	38.63					1					<del>                                     </del>
	oop Rates		3		+	30.03										<del> </del>
ONL	2W VG Loop (SL1)-Zone 1		1	UEPBX	UEPLX	9.77										+
	2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 2		2	UEPBX	UEPLX	13.88										<del>                                     </del>
	2W VG Loop (SL1)-Zone 2 2W VG Loop (SL1)-Zone 3		3	UEPBX	UEPLX	24.63										<del>                                     </del>
	e Voice Grade Line Port (Bus)		3	OLFBA	OLFLX	24.03										
2-99116	2W voice unbundled port w/o Caller ID-bus			UEPBX	UEPBL	14.00	90.00	90.00				11.90				
	2W voice unbundled port w/o Caller IB-bus  2W voice unbundled port with Caller + E484 ID-bus			UEPBX	UEPBC	14.00	90.00	90.00				11.90				<del>                                     </del>
+	2W voice unbundled port with Callet + E464 ib-bus  2W voice unbundled port outgoing only-bus			UEPBX	UEPBO	14.00	90.00	90.00				11.90				
	2W voice unbundled Incoming Only Port w/o Caller ID Capability			UEPBX	UEPBE	14.00	90.00	90.00			1	11.90				-
				UEPBA	UEPBE	14.00	90.00	90.00				11.90				-
LUCA	L NUMBER PORTABILITY			UEPBX	LNPCX	0.35										
NONE	Local No Portability (1 per port)			UEPBX	LNPCX	0.35										-
NONR	ECURRING CHARGES - CURRENTLY COMBINED	-		LIEDDY	110400		44.50	11.50				44.00				
	2W VG Loop/Line Port Combination -Switch-as-is	1	$\vdash$	UEPBX	USAC2		41.50	41.50		1	1	11.90				<del>                                     </del>
	2W VG Loop/Line Port Combination -Switch with change	<u> </u>		UEPBX	USACC		41.50	41.50			-	11.90				<del>                                     </del>
	TIONAL NRCs	-	$\vdash$	LIESSY	110.00		2.25				1					-
	NRC-2W VG Loop/Line Port Combination-Subsqnt	-	$\vdash$	UEPBX	USAS2		0.00	0.00			1	11.90				-
	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)	<u> </u>	<b> </b>		+ +						-					<del>                                     </del>
	Port/Loop Combination Rates	<u> </u>			1						1					<u> </u>
	2W VG Loop/Port Combo-Zone 1	<u> </u>	1		1	23.77				<u> </u>	1					<u> </u>
	2W VG Loop/Port Combo-Zone 2	<u> </u>	2		1	27.88				<u> </u>	1					<b></b>
	2W VG Loop/Port Combo-Zone 3	<u> </u>	3		1	38.63					1					ļ
UNEL	oop Rates	<u> </u>			<b></b>						1					ļ
1	2W VG Loop (SL1)-Zone 1	1	2	UEPRG UEPRG	UEPLX UEPLX	9.77 13.88										<b>↓</b>

Version 4Q02: 01/21/03 Page 73 of 402

INRONDL	ED NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhil	bit: B
ATEGORY	RATE ELEMENTS	Inter im	Zon e	BCS	usoc		RA	TES (\$)			Svc Order Submitt ed Elec per LSR		al Charge - Manual Svc Order vs.	Incrementa I Charge - Manual Svc Order vs. Electronic- Add'I	Increment al Charge Manual Svc Order vs. Electronic Disc 1st	al Charg Manua Svc Orc vs. Electro
						Rec	Nonrecu		NRC Dis			1 -		Rates (\$)	I -	
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
	2W VG Loop (SL1)-Zone 3		3	UEPRG	UEPLX	24.63										
2-Wire	e Voice Grade Line Port Rates (RES - PBX)															
	2W VG Unbundled Combination 2-Way PBX Trunk Port-Res			UEPRG	UEPRD	14.00	90.00	90.00				11.90				
LOCA	L NUMBER PORTABILITY															
	Local No Portability (1 per port)			UEPRG	LNPCP	3.15	0.00	0.00								
FEAT	JRES															
	All Features Offered			UEPRG	UEPVF	0.00	0.00	0.00				11.90				
NONR	ECURRING CHARGES - CURRENTLY COMBINED															
	2W VG Loop/ Line Port Combination-Switch-As-Is			UEPRG	USAC2		41.50	41.50				11.90				
	2W VG Loop/ Line Port Combination-Switch with Change			UEPRG	USACC		41.50	41.50				11.90				
	TIONAL NRCs															
	2W Loop/Line Side Port Combination-Non feature-Subsqnt Activity-						0.00	0.00				11.90				
	PBX Subsqnt Activity-Change/Rearrange Multiline Hunt Group						7.09	7.09				11.90				1
2-WIR	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)															1
	Port/Loop Combination Rates															
	2W VG Loop/Port Combo-Zone 1	1	1		1	23.77										
	2W VG Loop/Port Combo-Zone 2		2		1	27.88										
	2W VG Loop/Port Combo-Zone 3	1	3		+	38.63					1					
	oop Rates	1	3		+	30.03					1					-
ONL	2W VG Loop (SL1)-Zone 1		1	UEPPX	UEPLX	9.77										
	2W VG Loop (SL1)-Zone 2		2	UEPPX	UEPLX	13.88										
	2W VG Loop (SL1)-Zone 3		3	UEPPX	UEPLX	24.63										
2-Wire	e Voice Grade Line Port Rates (BUS - PBX)	1	3	UEFFX	UEFLA	24.03										
2-99116	Line Side Unbundled Combination 2-Way PBX Trunk Port-Bus	1		UEPPX	UEPPC	14.00	90.00	90.00				11.90				
	Line Side Unbundled Combination 2-Way FBX Trunk Port-Bus			UEPPX	UEPPO	14.00	90.00	90.00			1	11.90				-
	Line Side Unbundled Incoming PBX Trunk Port-Bus	1		UEPPX	UEPP1	14.00	90.00	90.00				11.90				-
-	2W Voice Unbundled PBX LD Terminal Ports	+		UEPPX	UEPLD	14.00	90.00	90.00				11.90		-		-
_				UEPPX	UEPXA	14.00	90.00	90.00		-		11.90				-
	2W Voice Unbundled 2-Way Combination PBX Usage Port 2W Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXA	14.00	90.00	90.00				11.90				
-										-						-
_	2W Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	14.00	90.00	90.00				11.90				<b>├</b>
	2W Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	14.00	90.00	90.00				11.90				
	2W Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPPX	UEPXE	14.00	90.00	90.00				11.90				
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
	Administrative Calling Port	1		UEPPX	UEPXL	14.00	90.00	90.00				11.90				
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room															
	Calling Port			UEPPX	UEPXM	14.00	90.00	90.00				11.90				
	2W Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount															
	Room Calling Port			UEPPX	UEPXO	14.00	90.00	90.00				11.90				
	2W Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	14.00	90.00	90.00				11.90				
LOCA	L NUMBER PORTABILITY															
	Local No Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00								
FEAT																
	All Features Offered	1		UEPPX	UEPVF	0.00	0.00	0.00				11.90		1		<u> </u>
NONR	ECURRING CHARGES - CURRENTLY COMBINED										1			L		<u> </u>
	2W VG Loop/ Line Port Combination-Switch-As-Is			UEPPX	USAC2		41.50	41.50				11.90				
	2W VG Loop/ Line Port Combination-Switch with Change			UEPPX	USACC		41.50	41.50				11.90				
	TIONAL NRCs															
	2W VG Loop/ Line Port Combination-Subsqnt			UEPPX	USAS2	0.00	0.00	0.00				11.90				
	2W Loop/Line Side Port Combination-Non feature-Subsqnt Activity-						0.00	0.00				11.90				
	PBX Subsqnt Activity-Change/Rearrange Multiline Hunt Group					i	7.09	7.09				11.90				
2-WIR	E VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN PORT					İ										

Version 4Q02: 01/21/03 Page 74 of 402

UNBUNDI	ED NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	bit: B
											Svc	Svc	Increment	Incrementa	Increment	Increment
											Order	Order	al Charge -	I Charge -	al Charge	al Charge
			_								Submitt	Submitte	Manual	Manual	Manual	Manual
CATEGORY	RATE ELEMENTS		Zon	BCS	USOC		R.A	TES (\$)			ed Elec	d	Svc Order	Svc Order	Svc Order	Svc Order
	····-	im	е								per LSR	Manually	vs.	vs.	vs.	vs.
														Electronic-	Electronic	Electronic
												-	1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonrec	urring	NRC Disc	connect			oss	Rates (\$)	Į.	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UNE	Port/Loop Combination Rates															
	2W VG Coin Port/Loop Combo – Zone 1		1			23.77										
	2W VG Coin Port/Loop Combo – Zone 2		2			27.88										1
	2W VG Coin Port/Loop Combo – Zone 3		3			38.63										1
UNE	Loop Rates															1
	2W VG Loop (SL1)-Zone 1		1	UEPCO	UEPLX	9.77										
	2W VG Loop (SL1)-Zone 2		2	UEPCO	UEPLX	13.88										
	2W VG Loop (SL1)-Zone 3		3	UEPCO	UEPLX	24.63										
2-Wir	e Voice Grade Line Port Rates (Coin)															1
	2W Coin 2-Way with Oper Screening & Blocking: 011, 900/976,															
	1+DDD (FL)			UEPCO	UEP2F	14.00	90.00	90.00				11.90				
	2W Coin 2-Way with Oper Screening & 011 Blocking (FL)			UEPCO	UEPFA	14.00	90.00	90.00				11.90				
	2W Coin 2-Way with Oper Screening & Blocking: 900/976, 1+DDD,															
	011+. & Local (FL)			UEPCO	UEPCG	14.00	90.00	90.00				11.90				
	2W Coin Outward with Oper Screening & 011 Blocking (AL, FL)			UEPCO	UEPRK	14.00	90.00	90.00				11.90				
	2W Coin Outward with Oper Screening & Blocking: 900/976, 1+DDD,															1
	011+ (FL)			UEPCO	UEPOF	14.00	90.00	90.00				11.90				
	2W Coin Outward with Oper Screening & Blocking: 900/976, 1+DDD,			<u> </u>		1										
	011+, & Local (FL, GA)			UEPCO	UEPCQ	14.00	90.00	90.00				11.90				
LOCA	L NUMBER PORTABILITY															1
	Local No Portability (1 per port)			UEPCO	LNPCX	0.35										1
NONE	RECURRING CHARGES - CURRENTLY COMBINED															
	2W VG Loop/ Line Port Combination-Switch-As-Is			UEPCO	USAC2		41.50	41.50				11.90				
	2W VG Loop/ Line Port Combination-Switch with Change			UEPCO	USACC		41.50	41.50								
	TIONAL NRCs	1														<b>†</b>
1.22.	2W VG Loop/ Line Port Combination-Subsqnt	1		UEPCO	USAS2		0.00	0.00				11.90				
2-WIF	RE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE LI	NE PO	RT (R				2.00	2.00								
	Port/Loop Combination Rates	T														
	2W VG Loop/IO Tranport/Port Combo-Zone 1	1	1			26.24										
	2W VG Loop/IO Tranport/Port Combo-Zone 2		2			31.40										1
	2W VG Loop/IO Tranport/Port Combo-Zone 3	1	3		1	44.87		İ						İ	i e	†

JNBUNDL	.ED NETWORK ELEMENTS - Florida													Attach	ment: 2	Exhil	bit: B
ATEGORY	RATE ELEMENTS	Inter im	z Zon e	В	cs	usoc		RA	TES (\$)			Svc Order Submitt ed Elec per LSR		al Charge - Manual Svc Order vs. Electronic-		Increment al Charge Manual Svc Order vs. Electronic Disc 1st	al Charg Manua Svc Ord vs. Electro
								Manage		NRC Disc				1st	Add'l Rates (\$)	DISC 1St	DISC Ad
		-					Rec	Nonrect First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN		SOMAN	SOMA
LINE	Loop Rates					+		11131	Auu i	11131	Auu	JOINILO	JOWAN	JOWAN	JOWAN	JOWAN	JOWIA
OIVE I	2W VG Loop (SL2)-Zone 1		1	HE	PFR	UECF2	12.24										
	2W VG Loop (SL2)-Zone 2		2		PFR	UECF2	17.40										
	2W VG Loop (SL2)-Zone 3	+	3		PFR	UECF2	30.87										<del>                                     </del>
2-Wire	e Voice Grade Line Port Rates (Res)					1											
	2W voice unbundled port-Res			UEF	PFR	UEPRL	14.00	180.00	110.00	85.00	20.00		11.90				
	2W voice unbundled port with Caller ID-res			UEF	PFR	UEPRC	14.00	180.00	110.00	85.00	20.00		11.90				
	2W voice unbundled port outgoing only-res			UEF	PFR	UEPRO	14.00	180.00	110.00	85.00	20.00		11.90				
	2W voice unbundled FL Area Calling with Caller ID-res			UEF		UEPAF	14.00	180.00	110.00	85.00	20.00		11.90				
	2W voice unbundles res, low usage line port with Caller ID (LUM)			UEF		UEPAP	14.00	180.00	110.00	85.00	20.00		11.90				
INTER	ROFFICE TRANSPORT																
	Interoffice Transport-Dedicated-2W VG-Facility Term			UEF	PFR	U1TV2	25.32	47.35	31.78								
	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi			UEF	PFR	1L5XX	0.0091										
FEAT																	
	All Features Offered			UEF	PFR	UEPVF	0.00	0.00	0.00				11.90				
LOCA	L NUMBER PORTABILITY																
	Local No Portability (1 per port)			UEF	PFR	LNPCX	0.35										
NONE	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED																
	2W Loop/Dedicated IO Transport/2W Line Port Combination-																
	Conversion-Switch-as-is			UEF	PFR	USAC2		16.97	3.73				11.90				
	2W Loop/Dedicated IO Transport/2W Line Port Combination-																
	Conversion-Switch-With-Change				PFR	USACC		16.97	3.73				11.90				
	E VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE L	INE PO	ORT (E	BUS)		1											
UNE F	Port/Loop Combination Rates					1											
	2W VG Loop/IO Tranport/Port Combo-Zone 1		1			ļ	26.24										
	2W VG Loop/IO Tranport/Port Combo-Zone 2		2			ļ	31.40										
	2W VG Loop/IO Tranport/Port Combo-Zone 3		3			ļ	44.87										
UNE	oop Rates																
	2W VG Loop (SL2)-Zone 1		1		PFB	UECF2	12.24										
_	2W VG Loop (SL2)-Zone 2		2		PFB	UECF2	17.40										
	2W VG Loop (SL2)-Zone 3		3	UEI	PFB	UECF2	30.87										
2-Wire	e Voice Grade Line Port (Bus)	-	-	115	PFB	UEPBL	14.00	180.00	110.00	05.00	00.00		11.90				
	2W voice unbundled port w/o Caller ID-bus 2W voice unbundled port with Caller + E484 ID-bus	-			PFB PFB	UEPBC	14.00	180.00	110.00	85.00 85.00	20.00		11.90				-
	2W voice unbundled port with Caller + E464 ID-bus  2W voice unbundled port outgoing only-bus	-	-		PFB	UEPBO	14.00	180.00	110.00	85.00	20.00		11.90				
	2W voice unburidled port outgoing only-bus  2W voice unbundled incoming only port with Caller ID-Bus	-	-	UEI		UEPB1	14.00	180.00	110.00	85.00	20.00		11.90				
1.004	L NUMBER PORTABILITY	-	-	UEI	ггр	UEFBI	14.00	160.00	110.00	65.00	20.00		11.90				
LOCA	Local No Portability (1 per port)		+	HE	PFB	LNPCX	0.35										
INTE	ROFFICE TRANSPORT		+	JEI	טוו	LINE CX	0.33										<del>                                     </del>
INTE	Interoffice Transport-Dedicated-2W VG-Facility Term		+	LIE	PFB	U1TV2	25.32	47.35	31.78								
-	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi		+		PFB	1L5XX	0.0091	47.00	31.70								<del>                                     </del>
FEAT		+	1-	ULI		120///	0.0001			1		1			<b> </b>	<del>                                     </del>	<b>—</b>
	All Features Offered		1	UEI	PFB	UEPVF	0.00	0.00	0.00				11.90				$\vdash$
	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED		1	ULI		JL: VI	0.00	0.00	0.00				11.50				$\vdash$
	2W Loop/Dedicated IO Transport/2W Line Port Combination-		1	1			1										$\vdash$
	Conversion-Switch-as-is			UF	PFB	USAC2		16.97	3.73				11.90				
+	2W Loop/Dedicated IO Transport/2W Line Port Combination-		1	31.		30,102	1	10.51	0.70				11.50				<u> </u>
	Conversion-Switch with change			UEI	PFB	USACC		16.97	3.73				11.90				
2-WIR	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)	+	1				1		50				750				
	Port/Loop Combination Rates	1	1			† †											<b>—</b>
	2W VG Loop/IO Tranport/Port Combo-Zone 1	1	1	1		† †	26.24			1						1	$\vdash$

Version 4Q02: 01/21/03 Page 76 of 402

UNBUNDL	ED NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhib	it: B
CATEGORY	RATE ELEMENTS	Inter im	Zon e	BCS	USOC		RA	ATES (\$)			ed Elec	Submitte d Manually	al Charge - Manual Svc Order vs.	Incrementa I Charge - Manual Svc Order vs. Electronic- Add'I	al Charge - Manual Svc Order vs. Electronic-	al Charge - Manual Svc Order vs.
						Rec	Nonrec		NRC Disc					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2W VG Loop/IO Tranport/Port Combo-Zone 2		2			31.40										
	2W VG Loop/IO Tranport/Port Combo-Zone 3		3			44.87										

<u>Jnbun</u> d	LED NETWORK ELEMENTS - Florida													ment: 2		bit: B
						-	-				Svc	Svc		Incrementa		
											Order	Order	al Charge -	I Charge -	al Charge	al Charge
			_								Submitt	Submitte	Manual	Manual	Manual	Manual
ATEGOR	Y RATE ELEMENTS		Zon	BCS	USOC		RA	TES (\$)			ed Elec	d	Svc Order	Svc Order	Svc Order	Svc Orde
		im	е		0000			0 (0)			per LSR	Manually	vs.	vs.	vs.	vs.
											p	per LSR	-	Electronic-		Electroni
												po. 2011	1st	Add'l	Disc 1st	Disc Add
					+	1	Nonreci		NRC Disc					Rates (\$)	2.00 .01	007.00
					-	Rec	First	Add'l	First	Add'l	COMEC	COMAN	SOMAN		SOMAN	SOMAN
LINIE	Loop Rates				+		FIISt	Addi	FIISt	Add I	SOMEC	SOWAN	SUMAN	SUMAN	SUMAN	SUMAN
UNE			-	UEPFP	UECF2	40.04					-	-				
	2W VG Loop (SL2)-Zone 1		1			12.24										
	2W VG Loop (SL2)-Zone 2		2	UEPFP	UECF2	17.40										
	2W VG Loop (SL2)-Zone 3		3	UEPFP	UECF2	30.87										
2-Wi	re Voice Grade Line Port Rates (BUS - PBX)															
	Line Side Unbundled Combination 2-Way PBX Trunk Port-Bus			UEPFP	UEPPC	14.00	180.00	110.00	85.00	20.00		11.90				
	Line Side Unbundled Outward PBX Trunk Port-Bus			UEPFP	UEPPO	14.00	180.00	110.00	85.00	20.00		11.90				
	Line Side Unbundled Incoming PBX Trunk Port-Bus			UEPFP	UEPP1	14.00	180.00	110.00	85.00	20.00		11.90				
	2W Voice Unbundled PBX LD Terminal Ports			UEPFP	UEPLD	14.00	180.00	110.00	85.00	20.00	ļ	11.90				<u> </u>
	2W Voice Unbundled 2-Way Combination PBX Usage Port			UEPFP	UEPXA	14.00	180.00	110.00	85.00	20.00		11.90				
	2W Voice Unbundled PBX Toll Terminal Hotel Ports			UEPFP	UEPXB	14.00	180.00	110.00	85.00	20.00		11.90				
	2W Voice Unbundled PBX LD DDD Terminals Port			UEPFP	UEPXC	14.00	180.00	110.00	85.00	20.00		11.90				
	2W Voice Unbundled PBX LD Terminal Switchboard Port			UEPFP	UEPXD	14.00	180.00	110.00	85.00	20.00		11.90				
	2W Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPFP	UEPXE	14.00	180.00	110.00	85.00	20.00		11.90				
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
	Administrative Calling Port			UEPFP	UEPXL	14.00	180.00	110.00	85.00	20.00		11.90				
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room			-												
	Calling Port			UEPFP	UEPXM	14.00	180.00	110.00	85.00	20.00		11.90				
	2W Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount			OLITI	OLI XIVI	14.00	100.00	110.00	00.00	20.00		11.00				
	Room Calling Port			UEPFP	UEPXO	14.00	180.00	110.00	85.00	20.00		11.90				
	2W Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPFP	UEPXS	14.00	180.00	110.00	85.00	20.00		11.90				
1.00	AL NUMBER PORTABILITY			UEFFF	UEFAS	14.00	160.00	110.00	65.00	20.00		11.90				
LOC	Local No Portability (1 per port)			UEPFP	LNPCP	3.15	0.00	0.00				11.90				
INITE	ROFFICE TRANSPORT			UEFFF	LINECE	3.13	0.00	0.00				11.90	-	-		
INIE	Interoffice Transport-Dedicated-2W VG-Facility Term			UEPFP	U1TV2	25.32	47.35	31.78			-	-	-			
		-			1L5XX	0.0091	47.35	31.70								1
	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi			UEPFP	TL5XX	0.0091					-	-	-			
FEA	TURES			LIEDED	LIED) (E	0.00	0.00	2.00				11.00				
	All Features Offered			UEPFP	UEPVF	0.00	0.00	0.00				11.90				
NON	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2W Loop/Dedicated IO Transport/2W Line Port Combination-															
	Conversion-Switch-as-is			UEPFP	USAC2		16.97	3.73				11.90				
	2W Loop/Dedicated IO Transport/2W Line Port Combination-															
	Conversion-Switch with change			UEPFP	USACC		16.97	3.73				11.90				
	ED PORT/LOOP COMBINATIONS - MARKET BASED RATES															
	RE VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK PO	RT														
UNE	Port/Loop Combination Rates															
	2W VG Loop/2W DID Trunk Port Combo-UNE Zone 1		1			67.24										
	2W VG Loop/2W DID Trunk Port Combo-UNE Zone 2		2			72.40										
	2W VG Loop/2W DID Trunk Port Combo-UNE Zone 3		3			85.87										
UNE	Loop Rates															
	2W Analog VG Loop-(SL2)-UNE Zone 1		1	UEPPX	UECD1	12.24				-		11.90			1.83	
	2W Analog VG Loop-(SL2)-UNE Zone 2		2	UEPPX	UECD1	17.40						11.90			1.83	
	2W Analog VG Loop-(SL2)-UNE Zone 3		3	UEPPX	UECD1	30.87						11.90			1.83	
UNE	Port Rate															
	Exchange Ports-2W DID Port			UEPPX	UEPD1	55.00	850.00	75.00			Ì	11.90	İ	İ	1.83	
NON	RECURRING CHARGES - CURRENTLY COMBINED				1								1	1	1	
	2W VG Loop/2W DID Trunk Port Combination -Switch-As-Is Top 8				1	1										
	MSAs only		l	UEPPX	USAC1		850.00	75.00				11.90				
-	2W VG Loop/2W DID Trunk Port Conversion with BST Allowable			J_117	33/101		300.00	70.00			1	11.50	t	t		1
	Changes Top 8 MSAs only		l	UEPPX	USA1C		850.00	75.00				11.90				
1	ITIONAL NRCs			ULFFA	USAIC		050.00	10.00			1	11.30			Ļ	ļ

Version 4Q02: 01/21/03 Page 78 of 402

NRONDL	ED NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhib	oit: B
TEGORY	RATE ELEMENTS	Inter im	Zon e	BCS	USOC		RA	TES (\$)			Svc Order Submitt ed Elec per LSR		al Charge - Manual Svc Order vs.	Incrementa I Charge - Manual Svc Order vs. Electronic- Add'I	Increment al Charge - Manual Svc Order vs. Electronic- Disc 1st	al Chai Manu Svc Or vs. Electro
						Rec	Nonrecu	ırring	NRC Disc	onnect				Rates (\$)	•	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
	2W DID Subsqnt Activity-Add Trunks, Per Trunk			UEPPX	USAS1		32.26	32.26				11.90				
Telepi	none Number/Trunk Group Establisment Charges															
	DID Trunk Term (One Per Port)			UEPPX	NDT	0.00	0.00	0.00				11.90			1.83	
	DID Nos, Establish Trunk Group & Provide First Group of 20 DID Nos			UEPPX	NDZ	0.00	0.00	0.00				11.90			1.83	
	Add'l DID Nos for each Group of 20 DID Nos			UEPPX	ND4	0.00	0.00	0.00				11.90			1.83	
	DID Nos, Non-consecutive DID Nos , Per No			UEPPX	ND5	0.00	0.00	0.00				11.90			1.83	
	Reserve Non-Consecutive DID Nos			UEPPX	ND6	0.00	0.00	0.00				11.90			1.83	
	Reserve DID Nos			UEPPX	NDV	0.00	0.00	0.00				11.90			1.83	
	L NUMBER PORTABILITY	<u> </u>		02/1/		0.00	0.00	0.00				11.50			1.00	
	Local No Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00			1	1				
2-1/10	E ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LINE	SIDE 5	OPT	_	2,1, 0,	5.15	0.00	0.00								
	Port/Loop Combination Rates	I	- CIKI													
OIVE I	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -UNE															
	Zone 1		1	UEPPB UEPPR		85.25										
+	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -UNE		-	UEFFB UEFFR		65.25										
			2	HEDDD HEDDD		04.07										
	Zone 2			UEPPB UEPPR		91.67										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -UNE		_													
	Zone 3		3	UEPPB UEPPR		108.46										
	oop Rates															
	2W ISDN Digital Grade Loop-UNE Zone 1		1	UEPPB UEPPR	USL2X	15.25						11.90			1.83	
	2W ISDN Digital Grade Loop-UNE Zone 2		2	UEPPB UEPPR	USL2X	21.67						11.90			1.83	
	2W ISDN Digital Grade Loop-UNE Zone 3		3	UEPPB UEPPR	USL2X	38.46						11.90			1.83	
	ort Rate															
	Exchange Port-2W ISDN Line Side Port			UEPPB UEPPR	UEPPB	70.00	525.00	400.00				11.09			1.83	
	ECURRING CHARGES - CURRENTLY COMBINED															
	2W ISDN Digital Grade Loop/2W ISDN Line Side Port Combination-															
	Conversion-Top 8 MSAs only			UEPPB UEPPR	USACB	0.00	215.00	215.00				11.90			1.83	
ADDIT	TIONAL NRCs															
LOCA	L NUMBER PORTABILITY															
	Local No Portability (1 per port)			UEPPB UEPPR	LNPCX	0.35	0.00	0.00								
B-CH/	ANNEL USER PROFILE ACCESS:															
	CVS/CSD (DMS/5ESS)			UEPPB UEPPR	U1UCA	0.00	0.00	0.00								
	CVS (EWSD)			UEPPB UEPPR	U1UCB	0.00	0.00	0.00								
	CSD			UEPPB UEPPR	U1UCC	0.00	0.00	0.00								
	ANNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS SC,M	S. & T	N)		0.000	3.33	0.00									
	TERMINAL PROFILE	T .	,			İ										
	User Terminal Profile (EWSD only)	<u> </u>		UEPPB UEPPR	U1UMA	0.00	0.00	0.00								
	CAL FEATURES			527.2 521110	3.3	3.30	3.50	0.50								
	All Vertical Features-One per Channel B User Profile	<u> </u>		UEPPB UEPPR	UEPVF	2.26	0.00	0.00				11.90				
	OFFICE CHANNEL MILEAGE	<u> </u>		SEATE SEITIN	JL: V1	2.20	0.00	0.00				11.50				
	Interoffice Channel miage each, including first mi & facilities Term	t		UEPPB UEPPR	M1GNC	18.4491	47.35	31.78	18.31	7.03		11.90			1.83	
+-	Interoffice Channel miage each, Add'l mi	<b>-</b>	<del>                                     </del>	UEPPB UEPPR	M1GNM	0.0091	0.00	0.00	10.01	1.03	<del>                                     </del>	11.90			1.83	
	E DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK PO	DT.	<del>                                     </del>	OLFFD DEFPR	IVITOINIVI	0.0091	0.00	0.00			<del>                                     </del>	11.90			1.03	
	e DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK PC	/K I	-			+					<del> </del>					
ONE		<u> </u>	1	UEPPP		970.74				<b> </b>	<b> </b>	-				
+	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port -UNE Zone 1										<del>                                     </del>	1				
+-	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port -UNE Zone 2	1	2	UEPPP		1,000.54					<u> </u>		-	<b> </b>		-
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port -UNE Zone 3	<u> </u>	3	UEPPP		1,078.39				<b> </b>	<u> </u>	1				
UNEL	oop Rates	<u> </u>	<b>.</b>	LIEDDD	1101.45	70 - 1				ļ	<u> </u>	44.60			4.00	-
		1	1	UEPPP	USL4P	70.74			1	Ī	1	11.90	Ì	1	1.83	1
4	4W DS1 Digital Loop-UNE Zone 1 4W DS1 Digital Loop-UNE Zone 2		2	UEPPP	USL4P	100.54						11.90			1.83	

Version 4Q02: 01/21/03 Page 79 of 402

UN	NBUNDL	ED NETWORK ELEMENTS - Florida												Attachi	ment: 2	Exhib	oit: B
												Svc	Svc	Increment	Incrementa	Increment	Increment
												Order	Order	al Charge -	I Charge -	al Charge -	al Charge -
				<b>7</b>								Submitt	Submitte	Manual	Manual	Manual	Manual
CA	TEGORY	RATE ELEMENTS	Inter	Zon	BCS	USOC		RA	TES (\$)			ed Elec	d	Svc Order	Svc Order	Svc Order	Svc Order
			im	е								per LSR	Manually	vs.	vs.	vs.	vs.
													per LSR	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonrecu	ırring	NRC Disco	onnect			OSS	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	UNE P	ort Rate															
		Exchange Ports-4W ISDN DS1 Port			UEPPP	UEPPP	900.00	1,150.00	1,150.00				11.90			1.83	
	NONR	ECURRING CHARGES - CURRENTLY COMBINED															
		4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port Combination-									•						
		Conversion -Switch-As-Is Top 8 MSAs only			UEPPP	USACP	0.00	925.00	925.00				11.90			1.83	

RUND	LED NETWORK ELEMENTS - Florida													ment: 2		bit: B
regor'	Y RATE ELEMENTS	Inter im	Zon e	BCS	usoc		RA	TES (\$)			Svc Order Submitt ed Elec per LSR	Svc Order Submitte d Manually per LSR	al Charge - Manual Svc Order vs.	Manual	Increment al Charge Manual Svc Order vs. Electronic Disc 1st	- al Char Manua Svc Ord vs.
					+	1	Nonrecu	ırrina	NRC Disc	onnect		l	oss	Rates (\$)	I	
					+	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN		SOMAN	SOMAI
ADDI	TIONAL NRCs				+		11131	Auui	11130	Addi	COMILO	OOMAN	OOMAN	CONTAIN	COMPAR	CONIA
ADD.	4W DS1 Loop/4-W ISDN Digtl Trk Port-Subsqt Actvy-Inward/2way Tel															
	Nos			UEPPP	PR7TF		0.5412					11.90			1.83	
	4W DS1 Loop/4W ISDN DS1 Digital Trunk Port-Outward Tel Nos			UEPPP	PR7TO		12.71	12.71				11.90			1.83	
	4W DS1 Loop/4W ISDN DS1 Digital Trk Port -Subsqnt Inward Tel Nos			UEPPP	PR7ZT		25.42	25.42				11.90			1.83	1
LOC	AL NUMBER PORTABILITY			02		1	202	20.12				11100			1.00	1
	Local No Portability (1 per port)			UEPPP	LNPCN	1.75										
INTE	RFACE (Provsioning Only)			02	2.1. 0.1	0										
1	Voice/Data			UEPPP	PR71V	0.00	0.00	0.00								1
	Digital Data			UEPPP	PR71D	0.00	0.00	0.00								1
	Inward Data			UEPPP	PR71E	0.00	0.00	0.00								1
New	or Additional "B" Channel			02		0.00	0.00	0.00								
	New or Add'I-Voice/Data B Channel			UEPPP	PR7BV	0.00	20.00					11.90			1.83	1
	New or Add'I-Digital Data B Channel			UEPPP	PR7BF	0.00	20.00					11.90			1.83	1
	New or Add'l Inward Data B Channel			UEPPP	PR7BD	0.00	20.00					11.90			1.83	
CALI	TYPES			02	55	0.00	20.00					11100			1.00	
0712	Inward			UEPPP	PR7C1	0.00	0.00	0.00								
	Outward			UEPPP	PR7C0	0.00	0.00	0.00								
1	Two-way			UEPPP	PR7CC	0.00	0.00	0.00								
Inter	office Channel Mileage			OLITI	111700	0.00	0.00	0.00								
	Fixed Each Including First mi			UEPPP	1LN1A	88.6256	105.54	98.47	21.47	19.05		11.90			1.93	†
	Each Airline-Fractional Add'l mi			UEPPP	1LN1B	0.1856	100.04	30.47	21.47	13.03		11.50			1.55	
4-WII	RE DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT			OLITI	ILIVID	0.1000										
	Port/Loop Combination Rates				+											
UITE	4W DS1 Digital Loop/4W DDITS Trunk Port -UNE Zone 1		1	UEPDC	+	820.74						11.90			1.83	
	4W DS1 Digital Loop/4W DDITS Trunk Port -UNE Zone 2		2	UEPDC		850.54						11.90			1.83	<b>—</b>
+	4W DS1 Digital Loop/4W DDITS Trunk Port -UNE Zone 3		3	UEPDC		928.39						11.90			1.83	
UNE	Loop Rates		Ŭ	OLI DO	+	020.00						11.00			1.00	
0.11	4W DS1 Digital Loop-UNE Zone 1		1	UEPDC	USLDC	70.74						11.90			1.83	_
1	4W DS1 Digital Loop-UNE Zone 2		2	UEPDC	USLDC	100.54						11.90			1.83	<b>†</b>
	4W DS1 Digital Loop-UNE Zone 3		3	UEPDC	USLDC	178.39						11.90			1.83	1
UNF	Port Rate		Ť	02. 50	00250	110.00						11100			1.00	<b>—</b>
U.1.2	4W DDITS Digital Trunk Port			UEPDC	UDD1T	750.00	1.019.56	479.87	204.92	20.10		11.90			1.83	
NON	RECURRING CHARGES - CURRENTLY COMBINED						1,01010									
	4W DS1 Digital Loop/4W DDITS Trunk Port Combination-Switch-As-Is															
	Top 8 MSAs only			UEPDC	USAC4		95.31	46.71				11.90			1.83	
	4W DS1 Digital Loop/4W DDITS Trunk Port Combination-Conversion							_								1
	with DS1 Changes Top 8 MSAs only			UEPDC	USAWA		95.31	46.71				11.90			1.83	
	4W DS1 Digital Loop/4W DDITS Trunk Port Combination-Conversion															
	with Change-Trunk Top 8 MSAs only			UEPDC	USAWB		95.31	46.71				11.90			1.83	
ADD	TIONAL NRCs							_								1
	4W DS1 Loop/4W DDITS Trunk Port-NRC-Subsqnt Channel					1										1
	Activation/Chan-2-Way Trunk			UEPDC	UDTTA		15.69	15.69				11.90			1.83	
	4W DS1 Loop/4W DDITS Trunk Port-Subsgnt Channel Activation/Chan-															1
	1-Way Outward Trunk			UEPDC	UDTTB		15.69	15.69				11.90			1.83	
	4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Channel Activation/Chan															<b>†</b>
	Inward Trunk w/out DID			UEPDC	UDTTC		15.69	15.69				11.90			1.83	
1	4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Chan Activation Per	t		52, 50	55110	t	10.00	10.00				71.00			1.00	<b>†</b>
1	Chan-Inward Trunk with DID			UEPDC	UDTTD		15.69	15.69				11.90			1.83	
1	4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Chan Activation/Chan-2-			52.70	22112	-	10.00	10.00		1		71.50			1.00	t -
	Way DID w User Trans			UEPDC	UDTTE		15.69	15.69	I			11.90	1	1	1.83	

UNDL	ED NETWORK ELEMENTS - Florida													ment: 2		bit: B
GORY	RATE ELEMENTS	Inter im	Zon e	BCS	USOC		RA	TES (\$)			Svc Order Submitt ed Elec per LSR	Svc Order Submitte d Manually per LSR	al Charge - Manual Svc Order vs. Electronic-	Incrementa I Charge - Manual Svc Order vs. Electronic-	al Charge Manual Svc Order vs. Electronic	al Char Manu Svc Or vs. Electro
													1st	Add'l	Disc 1st	Disc A
						Rec	Nonrect		NRC Disc		201150			Rates (\$)	001111	
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOM
	AR 8 ZERO SUBSTITUTION			LIEBBO	0000	-	0.00	055.00				44.00	<b></b>	<del> </del>	4.00	
	B8ZS -Superframe Format			UEPDC	CCOS		0.00	655.00				11.90	<u> </u>	<b>_</b>	1.83	
	B8ZS-Extended Superframe Format			UEPDC	CCOE	-	0.00	655.00				11.90	<b></b>	<del> </del>	1.83	-
	ate Mark Inversion			LIEDDO	MOOO	_	0.00	0.00					<del> </del>	<b></b>	-	
	AMI - Superframe Format			UEPDC	MCOS		0.00	0.00						<b></b>		
	AMI-Extended SuperFrame Format			UEPDC	MCOP	,	0.00	0.00						<b></b>		
reiepr	none Number/Trunk Group Establisment Charges			LIEDDO	LIBTO							44.00	<b></b>	<del> </del>	4.00	1
$\vdash$	Telephone No for 2-Way Trunk Group	<del>                                     </del>		UEPDC	UDTG		-			<b></b>	-	11.90	<del> </del>	<del> </del>	1.83	1
	Telephone No for 1-Way Outward Trunk Group			UEPDC	UDTG		1					11.90		<del> </del>	1.83	
-	Telephone No for 1-Way Inward Trunk Group w/o DID	-		UEPDC	UDTG		0.00	0.00			1	11.90		<del> </del>	1.83	1
1	DID Nos, Establish Trunk Group & Provide First Group of 20 DID Nos		-	UEPDC	NDZ ND4	0.00	0.00	0.00			1	11.90	<del>                                     </del>	<del> </del>	1.83	-
-	DID Nos for each Group of 20 DID Nos	-		UEPDC	ND4	0.00	<del>                                     </del>				1	11.90		<del> </del>	1.83	1
$\vdash$	DID Nos, Non-consecutive DID Nos , Per No	-		UEPDC	ND5	0.00					1	11.90	<u> </u>	<del>                                     </del>	1.83	-
	Reserve Non-Consecutive DID Nos.			UEPDC	ND6	0.00	0.00	0.00				11.90	<u> </u>	<b>_</b>	1.83	
	Reserve DID Nos			UEPDC	NDV	0.00	0.00	0.00				11.90	<b></b>	<b>_</b>	1.83	
	ated DS1 (Interoffice Channel Mileage) -												<b></b>	<b></b>		
	O for 4-Wire DS1 Digital Loop with 4-Wire DDITS Trunk Port												<b></b>	<b>_</b>		
	Interoffice Channel miage-Fixed rate 0-8 mis (Facilities Term)			UEPDC	1LNO		105.54	98.47	21.47	19.05		11.90	<b></b>	<b></b>	1.83	
	Interoffice Channel miage-Add'l rate per mi-0-8 mis			UEPDC	1LNO		0.00	0.00					<u> </u>	<u> </u>		
	Interoffice Channel miage-Fixed rate 9-25 mis (Facilities Term)			UEPDC	1LNO:		0.00	0.00								
	Interoffice Channel miage-Add'l rate per mi-9-25 mis			UEPDC	1LNOI		0.00	0.00					<u> </u>	<u> </u>		
	Interoffice Channel miage-Fixed rate 25+ mis (Facilities Term)			UEPDC	1LNO:		0.00	0.00	0.00				<u> </u>	<u> </u>		
	Interoffice Channel miage-Add'l rate per mi-25+ mis			UEPDC	1LNO		0.00	0.00						<u> </u>		
	Local No Portability, per DS0 Activated			UEPDC	LNPC		0.00	0.00	0.00				<u> </u>	<u> </u>		
	Central Office Termininating Point			UEPDC	CTG	0.00								<u> </u>		
	E DS1 LOOP WITH CHANNELIZATION WITH PORT												<u> </u>	<u> </u>		
	n is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Activation												<u> </u>	<u> </u>		
	em can have various rate combinations based on type and numbe	of po	rts us	sed												
	S1 Loop												<u> </u>	<u> </u>		
	4W DS1 Loop-UNE Zone 1		1	UEPMG	USLD		0.00	0.00					<u> </u>	<u> </u>		
	4W DS1 Loop-UNE Zone 2		2	UEPMG	USLD		0.00	0.00								
	4W DS1 Loop-UNE Zone 3		3	UEPMG	USLD	178.39	0.00	0.00								
	SO Channelization Capacities (D4 Channel Bank Configurations)												<u> </u>	<u> </u>		
	24 DSO Channel Capacity-1 per DS1			UEPMG	VUM2		0.00	0.00				11.90	<u> </u>	<u> </u>	1.83	
	48 DSO Channel Capacity-1 per 2 DS1s			UEPMG	VUM4		0.00	0.00				11.90			1.83	
	96 DSO Channel Capacity -1per 4 DS1s			UEPMG	VUM9		0.00	0.00				11.90			1.83	
	144 DS0 Channel Capacity-1 per 6 DS1s			UEPMG	VUM1		0.00	0.00				11.90			1.83	
	192 DS0 Channel Capacity -1 per 8 DS1s			UEPMG	VUM1		0.00	0.00				11.90		<u> </u>	1.83	
	240 DS0 Channel Capacity-1 per 10 DS1s			UEPMG	VUM2		0.00	0.00				11.90			1.83	
	288 DS0 Channel Capacity-1 per 12 DS1s			UEPMG	VUM2		0.00	0.00				11.90			1.83	
	384 DS0 Channel Capacity-1 per 16 DS1s			UEPMG	VUM3	1,888.96	0.00	0.00				11.90			1.83	
	480 DS0 Channel Capacity-1 per 20 DS1s			UEPMG	VUM4		0.00	0.00				11.90			1.83	
	576 DS0 Channel Capacity -1 per 24 DS1s			UEPMG	VUM5	2,833.44	0.00	0.00				11.90			1.83	
	672 DS0 Channel Capacity-1 per 28 DS1s			UEPMG	VUM6	3,305.68	0.00	0.00				11.90			1.83	
Non-R	ecurring Charges (NRC) Associated with 4-Wire DS1 Loop with Ch	annel	iztion	with Port - Co	nversion Cha	ge Based on a S	System									
A Mini	mum System configuration is One (1) DS1, One (1) D4 Channel Ba	nk, an	d Up	To 24 DSO Por	ts with Featur	Activations.										
	les of this configuration functioning as one are considered Add'l a															
Multip																
	NRC-Conversion (Currently Combined) with or w/o BST Allowed															
	Changes-Top 8 MSAs Only			UEPMG	USAC	0.00	450.00	50.00				11.90				

Version 4Q02: 01/21/03 Page 82 of 402

U	NBUNDL	ED NETWORK ELEMENTS - Florida												Attachi	ment: 2	Exhil	oit: B
												Svc	Svc	Increment	Incrementa	Increment	Increment
												Order	Order	al Charge -	I Charge -	al Charge	al Charge -
				<b>-</b>								Submitt	Submitte	Manual	Manual	Manual	Manual
С	ATEGORY	RATE ELEMENTS	Inter	Zon	BCS	USOC		RA	TES (\$)			ed Elec	d	Svc Order	Svc Order	Svc Order	Svc Order
			im	е								per LSR	Manually	vs.	vs.	vs.	vs.
													per LSR	Electronic-	Electronic-	Electronic	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonrecu	urring	NRC Disc	onnect			OSS	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		1 DS1/D4 Channel Bank-Add NRC for each Port & Assoc Fea			UEPMG	VUMD4	0.00	950.00	600.00	200.00	30.00		11.90				
	Bipola	r 8 Zero Substitution															
		Clear Channel Capability Format, superframe-Subsqnt Activity Only			UEPMG	CCOSF	0.00	0.00	655.00				11.90				
		Clear Channel Capability Format-Extended Superframe-Subsqnt															
		Activity Only			UEPMG	CCOEF	0.00	0.00	655.00				11.90				

PONDE	ED NETWORK ELEMENTS - Florida										C	0		nent: 2		oit: B
TEGORY	RATE ELEMENTS	Inter im	Zon e	BCS	usoc		RA	TES (\$)			Svc Order Submitt ed Elec per LSR	d Manually	Increment al Charge - Manual Svc Order vs. Electronic- 1st	I Charge - Manual Svc Order vs.	Increment al Charge - Manual Svc Order vs. Electronic- Disc 1st	al Charg Manua Svc Ord vs. Electror
$\neg$							Nonrecu	ırrina	NRC Disc	onnect			0881	Rates (\$)	l	l
+						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN			SOMAN	SOMAN
Δltern	ate Mark Inversion (AMI)						11100	Addi	11100	Auu i	COME	COMPAR	COMPAR	COMPAR	COMPAR	COMPA
	Superframe Format			UEPMG	MCOSF	0.00	0.00	0.00								
	Extended Superframe Format			UEPMG	МСОРО	0.00	0.00	0.00								
Excha	nge Ports Associated with 4-Wire DS1 Loop with Channelization w	ith Po	rt													
_	nge Ports															
	Line Side Combination Channelized PBX Trunk Port-bus			UEPPX	UEPCX	14.00	0.00	0.00	0.00	0.00		11.90			1.83	
	Line Side Outward Channelized PBX Trunk Port-bus			UEPPX	UEPOX	14.00	0.00	0.00	0.00	0.00		11.90			1.83	
	Line Side Inward Only Channelized PBX Trunk Port w/o DID			UEPPX	UEP1X	14.00	0.00	0.00	0.00	0.00		11.90			1.83	
	2W Trunk Side Unbundled Channelized DID Trunk Port			UEPPX	UEPDM	55.00	0.00	0.00	0.00	0.00		11.90			1.83	
	e Activations - Unbundled Loop Concentration															
	Feature (Service) Activation for each Line Port Terminated in D4 Bank			UEPPX	1PQWM	0.66	40.00	20.00	6.00	5.00		11.90			1.83	
	Feature (Service) Activation for each Trunk Port Terminated in D4 Bank			UEPPX	1PQWU	0.66	110.00	30.00	65.00	20.00		11.90			1.83	
	none Number/ Group Establishment Charges for DID Service															
1	DID Trunk Term (1 per Port)			UEPPX	NDT	0.00	0.00	0.00				11.90				
	Estab Trk Grp & Provide 1st 20 DID Nos. (FL,GA, NC,& SC)			UEPPX	NDZ	0.00	0.00	0.00				11.90				
	DID Nos-groups of 20-Valid all States			UEPPX	ND4	0.00	0.00	0.00				11.90				
	Non-Consecutive DID Nos-per No			UEPPX	ND5	0.00	0.00	0.00				11.90				
	Reserve Non-Consecutive DID Nos			UEPPX	ND6	0.00	0.00	0.00				11.90				
	Reserve DID Nos			UEPPX	NDV	0.00	0.00	0.00				11.90				
Local	Number Portability															
	Local No Portability-1 per port			UEPPX	LNPCP	3.15	0.00	0.00								
FEATL	JRES - Vertical and Optional															
Local	Switching Features Offered with Line Side Ports Only															
	All Features Available			UEPPX	UEPVF	2.26	0.00	0.00				11.90			1.83	
UNDLE	D CENTREX PORT/LOOP COMBINATIONS - COST BASED RATES															
	t Based Rates are applied where BellSouth is required by FCC and															
	ures shall apply to the Unbundled Port/Loop Combination - Cost E															
	Office and Tandem Switching Usage and Common Transport Usage															
	first & add'l Port NRC charges apply to Not Currently Combined C	ombo	s. For	Currently Combine	ed Combos,	the NRC charg	es shall be th	nose identifi	ed in the N	RC - Curr	ently Con	nbined sec	tions. Add'l	NRCs may	apply also a	ind are
	orized accordingly.		.4 1		- Dit	:1					1	1	1			
	ket Rates for Unbundled Centrex Port/Loop Combination will be no	egotia	ited or	an Individual Cas	e Basis, unt	il turtner notice	9.									
	CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only) VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
2-vvire	ort/Loop Combination Rates (Non-Design)				-											
LIME D	Off/Loop Combination Rates (Non-Design)															
	2M VC Loop 2M VC Dort (Control) Dort Combo Non Docion		4	LIEDO4		10.04					ļ					
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design		1	UEP91		10.94										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		1 2	UEP91		15.05										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		1 2 3													
UNE P	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design ort/Loop Combination Rates (Design)		3	UEP91 UEP91		15.05 25.80										
UNE P	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design ort/Loop Combination Rates (Design) 2W VG Loop/2W VG Port (Centrex) Port Combo-Design		3	UEP91 UEP91		15.05 25.80 13.41										
UNE P	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design ort/Loop Combination Rates (Design) 2W VG Loop/2W VG Port (Centrex) Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design		1 2	UEP91 UEP91 UEP91 UEP91		15.05 25.80 13.41 18.57										
UNE P	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design ort/Loop Combination Rates (Design) 2W VG Loop/2W VG Port (Centrex) Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design		3	UEP91 UEP91		15.05 25.80 13.41										
UNE P	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design ort/Loop Combination Rates (Design) 2W VG Loop/2W VG Port (Centrex) Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 00 Rate		3 1 2 3	UEP91 UEP91 UEP91 UEP91 UEP91	LIEC91	15.05 25.80 13.41 18.57 32.04										
UNE P	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design ort/Loop Combination Rates (Design) 2W VG Loop/2W VG Port (Centrex) Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design oop Rate 2W VG Loop (SL 1)-Zone 1		3 1 2 3	UEP91 UEP91 UEP91 UEP91 UEP91	UECS1	15.05 25.80 13.41 18.57 32.04										
UNE P	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design ort/Loop Combination Rates (Design) 2W VG Loop/2W VG Port (Centrex) Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design oop Rate 2W VG Loop (SL 1)-Zone 1 2W VG Loop (SL 1)-Zone 2		3 1 2 3 1 2	UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	UECS1	15.05 25.80 13.41 18.57 32.04 9.77 13.88										
UNE P	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design ort/Loop Combination Rates (Design) 2W VG Loop/2W VG Port (Centrex) Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design oop Rate 2W VG Loop (SL 1)-Zone 1 2W VG Loop (SL 1)-Zone 2 2W VG Loop (SL 1)-Zone 3		3 1 2 3 1 2 3	UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	UECS1 UECS1	15.05 25.80 13.41 18.57 32.04 9.77 13.88 24.63										
UNE P	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design ort/Loop Combination Rates (Design) 2W VG Loop/2W VG Port (Centrex) Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design oop Rate 2W VG Loop (SL 1)-Zone 1 2W VG Loop (SL 1)-Zone 2 2W VG Loop (SL 1)-Zone 3 2W VG Loop (SL 2)-Zone 1		3 1 2 3 1 2 3 1	UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	UECS1 UECS1 UECS2	15.05 25.80 13.41 18.57 32.04 9.77 13.88 24.63 12.24										
UNE P	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design ort/Loop Combination Rates (Design) 2W VG Loop/2W VG Port (Centrex) Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 0W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop (SL 1)-Zone 1 2W VG Loop (SL 1)-Zone 1 2W VG Loop (SL 1)-Zone 3 2W VG Loop (SL 2)-Zone 1 2W VG Loop (SL 2)-Zone 2		3 1 2 3 1 2 3 1 2	UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	UECS1 UECS1 UECS2 UECS2	15.05 25.80 13.41 18.57 32.04 9.77 13.88 24.63 12.24 17.40										
UNE P	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design ort/Loop Combination Rates (Design) 2W VG Loop/2W VG Port (Centrex) Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design oop Rate 2W VG Loop (SL 1)-Zone 1 2W VG Loop (SL 1)-Zone 2 2W VG Loop (SL 1)-Zone 3 2W VG Loop (SL 2)-Zone 1 2W VG Loop (SL 2)-Zone 2 2W VG Loop (SL 2)-Zone 2 2W VG Loop (SL 2)-Zone 2		3 1 2 3 1 2 3 1	UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	UECS1 UECS1 UECS2	15.05 25.80 13.41 18.57 32.04 9.77 13.88 24.63 12.24										
UNE P	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design ort/Loop Combination Rates (Design) 2W VG Loop/2W VG Port (Centrex) Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design oop Rate 2W VG Loop (SL 1)-Zone 1 2W VG Loop (SL 1)-Zone 2 2W VG Loop (SL 1)-Zone 3 2W VG Loop (SL 2)-Zone 1 2W VG Loop (SL 2)-Zone 2 2W VG Loop (SL 2)-Zone 2 2W VG Loop (SL 2)-Zone 2		3 1 2 3 1 2 3 1 2	UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	UECS1 UECS1 UECS2 UECS2	15.05 25.80 13.41 18.57 32.04 9.77 13.88 24.63 12.24 17.40										

Version 4Q02: 01/21/03 Page 84 of 402

NDUNDL	ED NETWORK ELEMENTS - Florida													ment: 2		bit: B
TEGORY	RATE ELEMENTS	Inter im	Zon e	BCS	usoc		RA	TES (\$)			Svc Order Submitt ed Elec per LSR		al Charge - Manual Svc Order vs.	Incrementa I Charge - Manual Svc Order vs. Electronic- Add'I	Increment al Charge Manual Svc Order vs. Electronic Disc 1st	- al Chai Manu Svc Or vs. - Electro
							Nonrecu	ırrina	NRC Disc	onnect				Rates (\$)	2.00 .01	12.007.
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN			SOMAN	SOMA
	2W VG Port (Centrex 800 Term)Basic Local Area			UEP91	UEPYB	1.17	53.31	26.46	27.50	8.37		11.90				
	2W VG Port (Centrex with Caller ID)1Basic Local Area			UEP91	UEPYH	1.17	53.31	26.46	27.50	8.37		11.90				
	2W VG Port (Centrex from diff SWC)2 Basic Local Area			UEP91	UEPYM	1.17	139.49	86.10	65.41	13.81		11.90				
	2W VG Port, Diff SWC-800 Service Term-Basic Local Area			UEP91	UEPYZ	1.17	139.49	86.10	65.41	13.81		11.90				1
	2W VG Port terminated in on Megalink or equivalent-Basic Local Area			UEP91	UEPY9	1.17	53.31	26.46	27.50	8.37		11.90				1
	2W VG Port Terminated on 800 Service Term-Basic Local Area			UEP91	UEPY2	1.17	53.31	26.46	27.50	8.37		11.90				
Georg	jia and Florida Only															
	2W VG Port (Centrex )			UEP91	UEPHA	1.17	53.31	26.46	27.50	8.37		11.90				
	2W VG Port (Centrex 800 Term)			UEP91	UEPHB	1.17	53.31	26.46	27.50	8.37		11.90				
	2W VG Port (Centrex with Caller ID)1			UEP91	UEPHH	1.17	53.31	26.46	27.50	8.37		11.90				
	2W VG Port (Centrex from diff SWC)2			UEP91	UEPHM	1.17	139.49	86.10	65.41	13.81		11.90				
	2W VG Port, Diff SWC-800 Service Term			UEP91	UEPHZ	1.17	139.49	86.10	65.41	13.81		11.90				Ī
	2W VG Port terminated in on Megalink or equivalent			UEP91	UEPH9	1.17	53.31	26.46	27.50	8.37		11.90				1
	2W VG Port Terminated on 800 Service Term			UEP91	UEPH2	1.17	53.31	26.46	27.50	8.37		11.90				
Local	Switching															Ī
	Centrex Intercom Funtionality, per port			UEP91	URECS	0.7384										Ī
Local	Number Portability															Ī
	Local No Portability (1 per port)			UEP91	LNPCC	0.35										T
Featu	res															Ī
	All Standard Features Offered, per port			UEP91	UEPVF	2.26						11.90				1
	All Select Features Offered, per port			UEP91	UEPVS	0.00	370.70					11.90				
	All Centrex Control Features Offered, per port			UEP91	UEPVC	2.26						11.90				
NARS																
	Unbundled Network Access Register-Combination			UEP91	UARCX	0.00	0.00	0.00				11.90				
	Unbundled Network Access Register-Indial			UEP91	UAR1X	0.00	0.00	0.00				11.90				
	Unbundled Network Access Register-Outdial			UEP91	UAROX	0.00	0.00	0.00				11.90				
_	llaneous Terminations															
2-Wire	e Trunk Side															
	Trunk Side Terms, each			UEP91	CENA6	8.73										
Intero	ffice Channel Mileage - 2-Wire															
	Interoffice Channel Facilities Term-VG			UEP91	M1GBC	25.32										
	Interoffice Channel miage, per mi or fraction of mi			UEP91	M1GBM	0.0091										
	re Activations (DS0) Centrex Loops on Channelized DS1 Service															4
D4 Ch	nannel Bank Feature Activations															<u> </u>
	Feature Activation on D-4 Channel Bank Centrex Loop Slot	<u> </u>		UEP91	1PQWS	0.66										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP91	1PQW6	0.66										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot	<u> </u>		UEP91	1PQW7	0.66										
_	Feature Activation on D-4 Channel Bank Centrex Loop Slot-Diff WC	1		UEP91	1PQWP	0.66				ļ						<del>                                     </del>
_	Feature Activation on D-4 Channel Bank Private Line Loop Slot	1		UEP91	1PQWV	0.66				ļ						<del>                                     </del>
_	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot	1		UEP91	1PQWQ	0.66				ļ						—
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP91	1PQWA	0.66										╀
Non-H	Recurring Charges (NRC) Associated with UNE-P Centrex					1										4
	Conversion-Currently Combined Switch-As-Is with allowed changes,			HEDOA	110406		04.50	0.40				44.00				
+	per port	-		UEP91	USAC2		21.50	8.42			-	11.90				₩
+	Conversion of Existing Centrex Common Block	<del> </del>		UEP91	USACN	2.22	5.17	8.32		-	-	11.90				₩
-	New Centrex Standard Common Block	-		UEP91	M1ACS	0.00	618.82				-	11.90				₩
+	New Centrex Customized Common Block	-		UEP91	M1ACC	0.00	618.82				-	11.90				₩
-	Secondary Block, per Block	-		UEP91	M2CC1	0.00	71.31				-	11.90				₩
	NAR Establishment Charge, Per Occasion	<del>                                     </del>		UEP91	URECA	0.00	66.48					11.90				₩
	P CENTREX - 5ESS (Valid in All States) e VG Loop/2-Wire Voice Grade Port (Centrex) Combo	ļ										ļ				<b>↓</b>

Version 4Q02: 01/21/03 Page 85 of 402

JNBUND	LED NETWORK ELEMENTS - Florida														ment: 2		bit: B
CATEGOR	Y RATE ELEMENTS	Inter im	Zon e	В	cs	usoc		RA	TES (\$)			Svc Order Submitt ed Elec per LSR		al Charge - Manual Svc Order vs.	Manual Svc Order vs.	al Charge Manual Svc Order vs.	- al Charge Manual Svc Order vs.
													per LSR	Electronic- 1st	Electronic- Add'l		Electronic
						+		Nonreci	ırrina	NRC Disc	onnect				Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN			SOMAN	SOMAN
UNF	Port/Loop Combination Rates (Non-Design)					1			71441		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,						
U.1.	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design		1	UE	P95	1	10.94										†
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		2		P95	1	15.05										†
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		3		P95		25.80										1
UNE	Port/Loop Combination Rates (Design)																1
	2W VG Loop/2W VG Port (Centrex) Port Combo-Design		1	UE	P95		13.41										1
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		2		P95		18.57										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		3	ÜE	P95		32.04										
UNE	Loop Rate	1			-	1											
	2W VG Loop (SL 1)-Zone 1	1	1	UE	P95	UECS1	9.77										
	2W VG Loop (SL 1)-Zone 2	1	2		P95	UECS1	13.88										
	2W VG Loop (SL 1)-Zone 3	1	3		P95	UECS1	24.63										
	2W VG Loop (SL 2)-Zone 1		1		P95	UECS2	12.24										
	2W VG Loop (SL 2)-Zone 2		2	UE	P95	UECS2	17.40										1
	2W VG Loop (SL 2)-Zone 3		3	UE	P95	UECS2	30.87										1
UNE	Port Rate																1
All S	tates																1
	2W VG Port (Centrex ) Basic Local Area			UE	P95	UEPYA	1.17	53.31	26.46	27.50	8.37		11.90				
	2W VG Port (Centrex 800 Term)			UE	P95	UEPYB	1.17	53.31	26.46	27.50	8.37		11.90				
	2W VG Port (Centrex with Caller ID)1Basic Local Area			UE	P95	UEPYH	1.17	53.31	26.46	27.50	8.37		11.90				
	2W VG Port (Centrex from diff SWC)2 Basic Local Area			UE	P95	UEPYM	1.17	139.49	86.10	65.41	13.81		11.90				
	2W VG Port, Diff SWC-800 Service Term-Basic Local Area			UE	P95	UEPYZ	1.17	139.49	86.10	65.41	13.81		11.90				
	2W VG Port terminated in on Megalink or equivalent-Basic Local Area			UE	P95	UEPY9	1.17	53.31	26.46	27.50	8.37		11.90				
	2W VG Port Terminated on 800 Service Term-Basic Local Area			UE	P95	UEPY2	1.17	53.31	26.46	27.50	8.37		11.90				
FL &	GA Only																
	2W VG Port (Centrex )			UE	P95	UEPHA	1.17	53.31	26.46	27.50	8.37		11.90				
	2W VG Port (Centrex 800 Term)			UE	P95	UEPHB	1.17	53.31	26.46	27.50	8.37		11.90				
	2W VG Port (Centrex with Caller ID)1			UE	P95	UEPHH	1.17	53.31	26.46	27.50	8.37		11.90				
	2W VG Port (Centrex from diff SWC)2			UE	P95	UEPHM	1.17	139.49	86.10	65.41	13.81		11.90				
	2W VG Port, Diff SWC-800 Service Term			UE	P95	UEPHZ	1.17	139.49	86.10	65.41	13.81		11.90				
	2W VG Port terminated in on Megalink or equivalent			UE	P95	UEPH9	1.17	53.31	26.46	27.50	8.37		11.90				
	2W VG Port Terminated on 800 Service Term			UE	P95	UEPH2	1.17	53.31	26.46	27.50	8.37		11.90				
Loca	l Switching					1											
	Centrex Intercom Funtionality, per port			UE	P95	URECS	0.7384										
Loca	Number Portability	ļ		ļ								ļ					
	Local No Portability (1 per port)			UE	P95	LNPCC	0.35										
Featu		<u> </u>		<u> </u>		1						<del>                                     </del>					
	All Standard Features Offered, per port	<u> </u>			P95	UEPVF	2.26					<del>                                     </del>					
	All Select Features Offered, per port	<u> </u>			P95	UEPVS	0.00	370.70				<del>                                     </del>	11.90				
	All Centrex Control Features Offered, per port	<u> </u>		UE	P95	UEPVC	2.26					<del>                                     </del>					
NAR		<u> </u>		<u> </u>								<del>                                     </del>	,				
	Unbundled Network Access Register-Combination	1			P95	UARCX	0.00	0.00	0.00			<u> </u>	11.90				
	Unbundled Network Access Register-Indial	1			P95	UAR1X	0.00	0.00	0.00			<u> </u>	11.90				+
	Unbundled Network Access Register-Outdial	1		UE	P95	UAROX	0.00	0.00	0.00			<u> </u>	11.90				+
	ellaneous Terminations	1		<u> </u>		-						<u> </u>					
2-Wii	re Trunk Side	<del> </del>			DOE	05::54						<b> </b>				-	4
4 14	Trunk Side Terms, each	<del> </del>		UE	P95	CEND6	8.73					<b> </b>				-	4
4-Wii	re Digital (1.544 Megabits)	<del> </del>			DOE	MALIDA	54.05					<b> </b>				-	4
	DS1 Circuit Terms, each DS0 Channels Activated, each	<del> </del>			P95 P95	M1HD1 M1HDO	54.95 0.00	15.69				<b> </b>	11.90			-	+
					<b>245</b>	N/ITHIN()	0.00	15 60				1	. าานก	ī		1	1

Version 4Q02: 01/21/03 Page 86 of 402

Feature A	RATE ELEMENTS	Inter im	Zon								Svc Order	Svc Order		Incrementa I Charge -		Increme
Feature A			е	BCS	usoc		RA	TES (\$)			Submitt ed Elec per LSR	Submitte d Manually	Manual Svc Order vs.	Manual Svc Order vs. Electronic- Add'l	Manual Svc Order vs. Electronic Disc 1st	vs. - Electro
Feature A						Rec	Nonrecu First	ırring Add'l	NRC Disc	onnect Add'l	SOMEC	SOMAN	OSS	Rates (\$)	SOMAN	SOMA
Feature A	eroffice Channel Facilities Term	1		UEP95	MIGBC	25.32	11130	Auui	11130	Auu	CONILO	COMAN	OOMAN	COMAN	OOMAN	COMIA
Feature A	eroffice Channel miage, per mi or fraction of mi	1		UEP95	MIGBM	0.0091										1
	Activations (DS0) Centrex Loops on Channelized DS1 Service			OLI 33	IVIIODIVI	0.0031										
D4 Citati	nel Bank Feature Activations	+	+		+											-
Ec	eature Activation on D-4 Channel Bank Centrex Loop Slot	+	+	UEP95	1PQWS	0.66										
			1	UEP95	1PQWS	0.66			-		1					-
	eature Activation on D-4 Channel Bank FX line Side Loop Slot		1		1PQW6	0.66										
	eature Activation on D-4 Channel Bank FX Trunk Side Loop Slot	-	1	UEP95								1				
	eature Activation on D-4 Channel Bank Centrex Loop Slot-Diff WC	1	1	UEP95	1PQWP	0.66			<del>                                     </del>		<del>                                     </del>	1				<del></del>
	eature Activation on D-4 Channel Bank Private Line Loop Slot	+	+	UEP95	1PQWV	0.66			-	<b> </b>	<u> </u>	1				<b>├</b>
	eature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot	+	+	UEP95	1PQWQ	0.66			-	<b> </b>	<u> </u>	1				<b>├</b>
	eature Activation on D-4 Channel Bank WATS Loop Slot	<del>                                     </del>	<del>                                     </del>	UEP95	1PQWA	0.66				ļ	<u> </u>	1				<b>├</b>
	curring Charges (NRC) Associated with UNE-P Centrex		<u> </u>													
	RC Conversion Currently Combined Switch-As-Is with allowed															
	anges, per port	<u> </u>	<u> </u>	UEP95	USAC2	0.00	21.50	8.42				11.90				
	onversion of Existing Centrex Common Block, each			UEP95	USACN		5.17	8.32				11.90				
	ew Centrex Standard Common Block			UEP95	M1ACS	0.00	618.82					11.90				
	ew Centrex Customized Common Block			UEP95	M1ACC	0.00	618.82					11.90				
	AR Establishment Charge, Per Occasion			UEP95	URECA	0.00	66.48					11.90				
	ENTREX - DMS100 (Valid in All States)															
	G Loop/2-Wire Voice Grade Port (Centrex) Combo															
	t/Loop Combination Rates (Non-Design)															
	V VG Loop/2W VG Port (Centrex) Port Combo-Non-Design		1	UEP9D		10.94										
	V VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		2	UEP9D		15.05										
	V VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		3	UEP9D		25.80										
	t/Loop Combination Rates (Design)															
	V VG Loop/2W VG Port (Centrex) Port Combo-Design		1	UEP9D		13.41										
	V VG Loop/2W VG Port (Centrex)Port Combo-Design		2	UEP9D		18.57										
	V VG Loop/2W VG Port (Centrex)Port Combo-Design		3	UEP9D		32.04										
UNE Loo																
	V VG Loop (SL 1)-Zone 1		1	UEP9D	UECS1	9.77										
	V VG Loop (SL 1)-Zone 2		2	UEP9D	UECS1	13.88										
	V VG Loop (SL 1)-Zone 3		3	UEP9D	UECS1	24.63										
	V VG Loop (SL 2)-Zone 1		1	UEP9D	UECS2	12.24										
	V VG Loop (SL 2)-Zone 2		2	UEP9D	UECS2	17.40										
	V VG Loop (SL 2)-Zone 3		3	UEP9D	UECS2	30.87										
UNE Por																
ALL STA																
	V VG Port (Centrex ) Basic Local Area			UEP9D	UEPYA	1.17					ļ	11.90				<u> </u>
	V VG Port (Centrex 800 Term)Basic Local Area			UEP9D	UEPYB	1.17	53.31	26.46	27.50	8.37		11.90				ļ
	V VG Port (Centrex/EBS-PSET)3Basic Local Area			UEP9D	UEPYC	1.17	53.31	26.46	27.50	8.37		11.90				
	V VG Port (Centrex /EBS-M5009)3Basic Local Area			UEP9D	UEPYD	1.17	53.31	26.46	27.50	8.37		11.90				
	V VG Port (Centrex /EBS-M5209)3 Basic Local Area			UEP9D	UEPYE	1.17	53.31	26.46	27.50	8.37		11.90				
2V	V VG Port (Centrex /EBS-M5112)3 Basic Local Area			UEP9D	UEPYF	1.17	53.31	26.46	27.50	8.37		11.90				
2V	V VG Port (Centrex /EBS-M5312)3Basic Local Area			UEP9D	UEPYG	1.17	53.31	26.46	27.50	8.37		11.90				
2V	V VG Port (Centrex /EBS-M5008)3 Basic Local Area			UEP9D	UEPYT	1.17	53.31	26.46	27.50	8.37		11.90				
2V	V VG Port (Centrex/EBS-M5208)3 Basic Local Area	L		UEP9D	UEPYU	1.17	53.31	26.46	27.50	8.37		11.90				
	V VG Port (Centrex/EBS-M5216)3 Basic Local Area			UEP9D	UEPYV	1.17	53.31	26.46	27.50	8.37		11.90				
	V VG Port (Centrex/EBS-M5316)3 Basic Local Area			UEP9D	UEPY3	1.17	53.31	26.46	27.50	8.37		11.90				
2V	V VG Port (Centrex with Caller ID) Basic Local Area			UEP9D	UEPYH	1.17	53.31	26.46	27.50	8.37		11.90				
	V VG Port (Centrex/Caller ID/Msg Wtg Lamp Indication)3 Basic Local	ı	1			İ								1		

Version 4Q02: 01/21/03 Page 87 of 402

<u> </u>	ED NETWORK ELEMENTS - Florida													ment: 2		bit: B
											Svc Order Submitt	Svc Order Submitte	Increment al Charge - Manual	Incrementa I Charge - Manual		Incremen al Charge Manual
CATEGORY	RATE ELEMENTS	Inter im	Zon e	BCS	usoc		RA	TES (\$)			ed Elec per LSR	d		Svc Order vs.		Svc Order
											per LSIX	per LSR	Electronic-	Electronic-	Electronic	- Electronic
													1st	Add'l	Disc 1st	Disc Add'
						Rec	Nonrecu		NRC Disc					Rates (\$)		T
	0.44.740 B 4.40 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4			LIEDOD	LIEDY	4.47	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2W VG Port (Centrex/Msg Wtg Lamp Indication)3 Basic Local Area 2W VG Port (Centrex from diff SWC) 2 Basic Local Area			UEP9D UEP9D	UEPYJ UEPYM	1.17 1.17	53.31 53.31	26.46 26.46	27.50 27.50	8.37 8.37	-	11.90 11.90				
-	2W VG Port (Centrex from din SWC) 2 Basic Local Area  2W VG Port (Centrex/differ SWC /EBS-PSET)2, 3 Basic Local Area			UEP9D	UEPYO	1.17	53.31	26.46	27.50	8.37		11.90				
	2W VG Port (Centrex/differ SWC /EBS-PSE1)2, 3 Basic Local Area			UEP9D	UEPYP	1.17	53.31	26.46	27.50	8.37		11.90				
	2W VG Port (Centrex/differ SWC /EBS-1/19009)2, 3 Basic Local Area			UEP9D	UEPYQ	1.17	139.49	86.10	65.41	13.81		11.90				
	2W VG Port (Centrex/differ SWC /EBS-5209/2, 3 Basic Local Area			UEP9D	UEPYR	1.17	139.49	86.10	65.41	13.81		11.90				
	2W VG Port (Centrex/differ SWC /EBS-M5312)2, 3 Basic Local Area			UEP9D	UEPYS	1.17	139.49	86.10	65.41	13.81		11.90				
	2W VG Port (Centrex/differ SWC /EBS-M5008)2, 3 Basic Local Area			UEP9D	UEPY4	1.17	139.49	86.10	65.41	13.81		11.90				
	2W VG Port (Centrex/differ SWC /EBS-M5000)2, 3 Basic Local Area			UEP9D	UEPY5	1.17	139.49	86.10	65.41	13.81	1	11.90				
	2W VG Port (Centrex/differ SWC /EBS-M5206)2, 3 Basic Local Area			UEP9D	UEPY6	1.17	139.49	86.10	65.41	13.81	1	11.90				
	2W VG Port (Centrex/differ SWC /EBS-M5216)2, 3 Basic Local Area			UEP9D	UEPY7	1.17	139.49	86.10	65.41	13.81	<b>†</b>	11.90				
	2W VG Port, Diff SWC-800 Service Term			UEP9D	UEPYZ	1.17	139.49	86.10	65.41	13.81		11.90				
	2W VG Port terminated in on Megalink or equivalent Basic Local Area			UEP9D	UEPY9	1.17	53.31	26.46	27.50	8.37		11.90				
	2W VG Port Terminated on 800 Service Term Basic Local Area			UEP9D	UEPY2	1.17	53.31	26.46	27.50	8.37		11.90				
FL &	GA Only			02.02	02. 12		00.01	200	21.00	0.01		11.00				
	2W VG Port (Centrex)			UEP9D	UEPHA	1.17	53.31	26.46	27.50	8.37		11.90				
	2W VG Port (Centrex 800 Term)			UEP9D	UEPHB	1.17	53.31	26.46	27.50	8.37		11.90				
	2W VG Port (Centrex/EBS-PSET)3			UEP9D	UEPHC	1.17	53.31	26.46	27.50	8.37		11.90				
	2W VG Port (Centrex /EBS-M5009)3			UEP9D	UEPHD	1.17	53.31	26.46	27.50	8.37		11.90				
	2W VG Port (Centrex /EBS-M5209)3			UEP9D	UEPHE	1.17	53.31	26.46	27.50	8.37		11.90				
	2W VG Port (Centrex /EBS-M5112)3			UEP9D	UEPHF	1.17	53.31	26.46	27.50	8.37		11.90				
	2W VG Port (Centrex /EBS-M5312)3			UEP9D	UEPHG	1.17	53.31	26.46	27.50	8.37		11.90				
	2W VG Port (Centrex /EBS-M5008)3			UEP9D	UEPHT	1.17	53.31	26.46	27.50	8.37		11.90				
	2W VG Port (Centrex/EBS-M5208)3			UEP9D	UEPHU	1.17	53.31	26.46	27.50	8.37		11.90				
	2W VG Port (Centrex/EBS-M5216)3			UEP9D	UEPHV	1.17	53.31	26.46	27.50	8.37		11.90				
	2W VG Port (Centrex/EBS-M5316)3			UEP9D	UEPH3	1.17	53.31	26.46	27.50	8.37		11.90				
	2W VG Port (Centrex with Caller ID)			UEP9D	UEPHH	1.17	53.31	26.46	27.50	8.37		11.90				
	2W VG Port (Centrex/Caller ID/Msg Wtg Lamp Indication)3			UEP9D	UEPHW	1.17	53.31	26.46	27.50	8.37		11.90				
	2W VG Port (Centrex/Msg Wtg Lamp Indication)3			UEP9D	UEPHJ	1.17	53.31	26.46	27.50	8.37		11.90				
	2W VG Port (Centrex from diff SWC) 2			UEP9D	UEPHM	1.17	139.49	86.10	65.41	13.81		11.90				
	2W VG Port (Centrex/differ SWC /EBS-PSET)2, 3			UEP9D	UEPHO	1.17	139.49	86.10	65.41	13.81		11.90				
	2W VG Port (Centrex/differ SWC /EBS-M5009)2, 3			UEP9D	UEPHP	1.17	139.49	86.10	65.41	13.81		11.90				
	2W VG Port (Centrex/differ SWC /EBS-5209)2, 3			UEP9D	UEPHQ	1.17	139.49	86.10	65.41	13.81		11.90				
	2W VG Port (Centrex/differ SWC /EBS-M5112)2, 3			UEP9D	UEPHR	1.17	139.49	86.10	65.41	13.81		11.90				
	2W VG Port (Centrex/differ SWC /EBS-M5312)2, 3			UEP9D	UEPHS	1.17	139.49	86.10	65.41	13.81		11.90				
	2W VG Port (Centrex/differ SWC /EBS-M5008)2, 3			UEP9D	UEPH4	1.17	139.49	86.10	65.41	13.81		11.90				
	2W VG Port (Centrex/differ SWC /EBS-M5208)2, 3			UEP9D	UEPH5	1.17	139.49	86.10	65.41	13.81		11.90				
	2W VG Port (Centrex/differ SWC /EBS-M5216)2, 3			UEP9D	UEPH6	1.17	139.49	86.10	65.41	13.81	1	11.90				ļ
	2W VG Port (Centrex/differ SWC /EBS-M5316)2, 3	<u> </u>	ļ	UEP9D	UEPH7	1.17	139.49	86.10	65.41	13.81		11.90				ļ
	2W VG Port, Diff SWC-800 Service Term	<u> </u>	ļ	UEP9D	UEPHZ	1.17	139.49	86.10	65.41	13.81		11.90				ļ
	2W VG Port terminated in on Megalink or equivalent	<u> </u>	ļ	UEP9D	UEPH9	1.17	53.31	26.46	27.50	8.37		11.90				ļ
	2W VG Port Terminated on 800 Service Term	<u> </u>		UEP9D	UEPH2	1.17	53.31	26.46	27.50	8.37	1	11.90				ļ
Local	Switching	<u> </u>									1					ļ
	Centrex Intercom Funtionality, per port			UEP9D	URECS	0.7384										
Local	Number Portability	<u> </u>									1					
	Local No Portability (1 per port)	<u> </u>		UEP9D	LNPCC	0.35					1					
Featu		<u> </u>	<b> </b>								1					<u> </u>
	All Standard Features Offered, per port	1	<b> </b>	UEP9D	UEPVF	2.26										<u> </u>
	All Select Features Offered, per port	1	<b> </b>	UEP9D	UEPVS	0.00	370.70					11.90				<u> </u>
	All Centrex Control Features Offered, per port	<u> </u>		UEP9D	UEPVC	2.26					1					

Version 4Q02: 01/21/03 Page 88 of 402

BUND	LED NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhil	bit: B
											Svc Order Submitt	Svc Order Submitte		Incrementa I Charge - Manual	Increment al Charge Manual	
TEGOR	RATE ELEMENTS	Inter im	Zon e	BCS	USOC		RA	TES (\$)			ed Elec per LSR	d Manually per LSR	vs.	Svc Order vs. Electronic- Add'l	Svc Order vs. Electronic Disc 1st	vs.
1						T	Nonrecu	ırrina	NRC Disc	onnoct				Rates (\$)	Diac rat	DISC Add
-						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
	Unbundled Network Access Register-Combination			UEP9D	UARCX	0.00	0.00	0.00	11130	Addi	COMILO	11.90	OOMAN	COMAN	CONTAIN	OOMAN
	Unbundled Network Access Register-Inward			UEP9D	UAR1X	0.00	0.00	0.00				11.90				
	Unbundled Network Access Register-Outdial			UEP9D	UAROX	0.00	0.00	0.00				11.90				
Misc	ellaneous Terminations															
	e Trunk Side															
	Trunk Side Terms, each			UEP9D	CEND6	8.73										
4-Wir	e Digital (1.544 Megabits)															
	DS1 Circuit Terms, each			UEP9D	M1HD1	54.95										
	DS0 Channels Activiated per Channel			UEP9D	M1HDO	0.00	15.69					11.90				
Interd	office Channel Mileage - 2-Wire												1			
	Interoffice Channel Facilities Term			UEP9D	MIGBC	25.32										
	Interoffice Channel miage, per mi or fraction of mi			UEP9D	MIGBM	0.0091										
Featu	re Activations (DS0) Centrex Loops on Channelized DS1 Service															
	nannel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9D	1PQWS	0.66										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9D	1PQW6	0.66										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP9D	1PQW7	0.66										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot-Diff WC			UEP9D	1PQWP	0.66										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9D	1PQWV	0.66										
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot			UEP9D	1PQWQ	0.66										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9D	1PQWA	0.66										
Non-	Recurring Charges (NRC) Associated with UNE-P Centrex					0.00										
	NRC Conversion Currently Combined Switch-As-Is with allowed															
	changes, per port			UEP9D	USAC2		21.50	8.42				11.90				
	Conversion of existing Centrex Common Block, each			UEP9D	USACN		5.17	8.32				11.90				
	New Centrex Standard Common Block			UEP9D	M1ACS	0.00	618.82					11.90				
	New Centrex Customized Common Block			UEP9D	M1ACC	0.00	618.82					11.90				
	NAR Establishment Charge, Per Occasion			UEP9D	URECA	0.00	66.48					11.90				
UNE-	P CENTREX - EWSD (Valid in AL, FL, KY, LA, MS & TN)															
	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
	Port/Loop Combination Rates (Non-Design)															
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design		1	UEP9E		10.94										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		2	UEP9E		15.05				1						1
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		3	UEP9E		25.80										
UNE	Port/Loop Combination Rates (Design)															
	2W VG Loop/2W VG Port (Centrex) Port Combo-Design		1	UEP9E		13.41				1						1
1	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		2	UEP9E		18.57				1						1
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		3	UEP9E		32.04										
UNE	Loop Rate		Ť	1									1			1
1	2W VG Loop (SL 1)-Zone 1		1	UEP9E	UECS1	9.77							1			1
	2W VG Loop (SL 1)-Zone 2		2	UEP9E	UECS1	13.88										1
1	2W VG Loop (SL 1)-Zone 3		3	UEP9E	UECS1	24.63										
	2W VG Loop (SL 2)-Zone 1		1	UEP9E	UECS2	12.24										
1	2W VG Loop (SL 2)-Zone 2		2	UEP9E	UECS2	17.40							1			1
1	2W VG Loop (SL 2)-Zone 3		3	UEP9E	UECS2	30.87										
UNE	Port Rate															
	L, KY, LA, MS, & TN only															
<u> </u>	2W VG Port (Centrex ) Basic Local Area			UEP9E	UEPYA	1.17	53.31	26.46	27.50	8.37		11.90				1
1	2W VG Port (Centrex 800 Term)Basic Local Area			UEP9E	UEPYB	1.17	53.31	26.46	27.50	8.37		11.90				
+	2W VG Port (Centrex etc Form) Basic Local Area			UEP9E	UEPYH	1.17	53.31	26.46	27.50	8.37		11.90	t		<b>†</b>	1
+	2W VG Port (Centrex with Galler ID) Pasic Local Area			UEP9E	UEPYM	1.17	139.49	86.10	65.41	13.81	1	11.90	t	<del> </del>	t	

Version 4Q02: 01/21/03 Page 89 of 402

NRONDL	.ED NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhil	bit: B
TEGORY	RATE ELEMENTS	Inter im	Zon e	BCS	usoc		RA	TES (\$)			Svc Order Submitt ed Elec per LSR		al Charge - Manual Svc Order vs.	Incrementa I Charge - Manual Svc Order vs. Electronic- Add'I	Increment al Charge Manual Svc Order vs. Electronic Disc 1st	- al Cha Manu Svc Oi vs. - Electro
							Nonrecu	ırring	NRC Disc	onnect		I	1	Rates (\$)	2.00 .00	12.007.
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
	2W VG Port, Diff SWC-800 Service Term-Basic Local Area			UEP9E	UEPYZ	1.17	139.49	86.10	65.41	13.81		11.90				
	2W VG Port terminated in on Megalink or equivalent-Basic Local Area			UEP9E	UEPY9	1.17	53.31	26.46	27.50	8.37		11.90				<b>†</b>
	2W VG Port Terminated on 800 Service Term-Basic Local Area			UEP9E	UEPY2	1.17	53.31	26.46	27.50	8.37		11.90				
Florid	a Only			02.02	022		00.01	20.10	21.00	0.07						<del>                                     </del>
1 10110	2W VG Port (Centrex )			UEP9E	UEPHA	1.17	53.31	26.46	27.50	8.37		11.90				<del>                                     </del>
	2W VG Port (Centrex )	1		UEP9E	UEPHB	1.17	53.31	26.46	27.50	8.37		11.90				<del>1</del>
	2W VG Port (Centrex with Caller ID)1		1	UEP9E	UEPHH	1.17	53.31	26.46	27.50	8.37		11.90				+
	2W VG Port (Centrex with Caller ID)1 2W VG Port (Centrex from diff SWC)2	1		UEP9E	UEPHM	1.17	139.49	86.10	65.41	13.81		11.90				
	2W VG Port, Diff SWC-800 Service Term	+	<del>   </del>	UEP9E	UEPHZ	1.17	139.49	86.10	65.41	13.81		11.90	<del>                                     </del>	1		+
-	2W VG Port, Diff SWC-800 Service Term  2W VG Port terminated in on Megalink or equivalent	1	$\vdash$	UEP9E UEP9E	UEPH2 UEPH9	1.17	53.31	26.46	27.50	8.37	1	11.90	<del>                                     </del>	<del>                                     </del>		+
+	2W VG Port Terminated in on Megalink of equivalent 2W VG Port Terminated on 800 Service Term	+	1	UEP9E	UEPH9	1.17	53.31	26.46	27.50	8.37	-	11.90	+	+		+
l cor!	Switching	<del>                                     </del>	$\vdash$	UEPSE	UEPH2	1.17	55.51	20.40	21.50	0.37	-	11.90	-	-		+
Local			1	LIEDOE	LIDEGO	0.7004						1	-	-		┼
<u> </u>	Centrex Intercom Funtionality, per port		1	UEP9E	URECS	0.7384										₩
Local	Number Portability	1		LIEDOE	LNDCC	0.05										
	Local No Portability (1 per port)			UEP9E	LNPCC	0.35										₩
Featu																<u> </u>
	All Standard Features Offered, per port			UEP9E	UEPVF	2.26										
	All Select Features Offered, per port			UEP9E	UEPVS	0.00	370.70					11.90				↓
	All Centrex Control Features Offered, per port			UEP9E	UEPVC	2.26										
NARS																
	Unbundled Network Access Register-Combination			UEP9E	UARCX	0.00	0.00	0.00				11.90				
	Unbundled Network Access Register-Indial			UEP9E	UAR1X	0.00	0.00	0.00				11.90				
	Unbundled Network Access Register-Outdial			UEP9E	UAROX	0.00	0.00	0.00				11.90				
	llaneous Terminations															
2-Wire	e Trunk Side															
	Trunk Side Terms, each			UEP9E	CEND6	8.73										
4-Wir€	e Digital (1.544 Megabits)															
	DS1 Circuit Terms, each			UEP9E	M1HD1	54.95										
	DS0 Channel Activated Per Channel			UEP9E	M1HDO	0.00	15.69					11.90				
Intero	ffice Channel Mileage - 2-Wire															
	Interoffice Channel Facilities Term			UEP9E	MIGBC	25.32										
	Interoffice Channel miage, per mi or fraction of mi			UEP9E	MIGBM	0.0091										
Featu	re Activations (DS0) Centrex Loops on Channelized DS1 Service															
D4 Ch	annel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9E	1PQWS	0.66										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9E	1PQW6	0.66										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP9E	1PQW7	0.66										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot-Diff WC			UEP9E	1PQWP	0.66										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9E	1PQWV	0.66										
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot			UEP9E	1PQWQ	0.66										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9E	1PQWA	0.66							İ	İ		
Non-R	Recurring Charges (NRC) Associated with UNE-P Centrex	1											1	1		
	NRC Conversion Currently Combined Switch-As-Is with allowed												İ	İ		
	changes, per port	1		UEP9E	USAC2		21.50	8.42		1		11.90				
	Conversion of Existing Centrex Common Block, each	1		UEP9E	USACN		5.17	8.32				11.90				
	New Centrex Standard Common Block	1		UEP9E	M1ACS	0.00	618.82	0.02				11.90	t	t		$\vdash$
+	New Centrex Customized Common Block	1		UEP9E	M1ACC	0.00	618.82					11.90	t	t		$\vdash$
	NAR Establishment Charge, Per Occasion	1		UEP9E	URECA	0.00	66.48					11.90				$\vdash$
	D CENTREX PORT/LOOP COMBINATIONS - MARKET RATES	t	1	02.02	5.125/1	0.50	33.40						<b>†</b>	1		$\vdash$
, J. 1 2 L L	ket Rates are applied where BellSouth is not required by FCC and/	1			1					Ī	1	1	1	1	<b>.</b>	+

Version 4Q02: 01/21/03 Page 90 of 402

UN	BUNDL	ED NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhil	bit: B
												Svc	Svc	Increment	Incrementa	Increment	Increment
												Order	Order	al Charge -	I Charge -	al Charge	- al Charge -
			14	<b>7</b>								Submitt	Submitte	Manual	Manual	Manual	Manual
CAT	EGORY	RATE ELEMENTS	Inter	2011	BCS	USOC		R/	ATES (\$)			ed Elec	d	Svc Order	Svc Order	Svc Order	Svc Order
			im	е								per LSR	Manually	vs.	vs.	vs.	vs.
													per LSR		Electronic-		
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonrec		NRC Disc					Rates (\$)		
								First	Add'l	First	Add'l		SOMAN			SOMAN	SOMAN
	3. End	Office and Tandem Switching Usage and Common Transport Usage	ge rate	es in tl	ne Port section of th	is Exhibit	shall apply to a	III combination	ons of loop/	port networ	k element	s except	for UNE Co	oin Port/Loc	p Combinati	ions.	
		first & add'l Port NRC charges apply to Not Currently Combined C	ombo	s. For	Currently Combined	d Combos,	the NRC charg	ges shall be t	hose identii	fied in the N	RC - Curr	ently Com	ibined sect	tions. Add'	NRCs may a	apply also a	and are
		prized accordingly.							1	1				1			,
		CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only)													ļ	<b></b>	
		e VG Loop/2-Wire Voice Grade Port (Centrex) Combo														<b></b>	
		ort/Loop Combination Rates (Non-Design)													ļ	<b></b>	
		2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design		1	UEP91		26.94		1						<u> </u>	<u> </u>	
		2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		2	UEP91		31.06										
		2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		3	UEP91		45.87		1						<u> </u>	<u> </u>	
		ort/Loop Combination Rates (Design)															
		2W VG Loop/2W VG Port (Centrex) Port Combo-Design		1	UEP91		29.36										
		2W VG Loop/2W VG Port (Centrex)Port Combo-Design		2	UEP91		34.43										
		2W VG Loop/2W VG Port (Centrex)Port Combo-Design		3	UEP91		50.68										
		oop Rate															
		2W VG Loop (SL 1)-Zone 1		1	UEP91	UECS1	12.94								<u> </u>		
		2W VG Loop (SL 1)-Zone 2		2	UEP91	UECS1	17.06								<u> </u>		
		2W VG Loop (SL 1)-Zone 3		3	UEP91	UECS1	31.87										
		2W VG Loop (SL 2)-Zone 1		1	UEP91	UECS2	15.36										
		2W VG Loop (SL 2)-Zone 2		2	UEP91	UECS2	20.43	•									
		2W VG Loop (SL 2)-Zone 3		3	UEP91	UECS2	36.68										

BUNDLED	NETWORK ELEMENTS - Florida													ment: 2		bit: B
							-				Svc	Svc		Incrementa		
											Order	Order	al Charge -	I Charge -	al Charge	al Charg
			_								Submitt	Submitte	Manual	Manual	Manual	Manua
EGORY	RATE ELEMENTS		Zon	BCS	usoc		RA	TES (\$)			ed Elec	d	Svc Order	Svc Order	Svc Order	Svc Orde
		im	е					0 (4)			per LSR		vs.	vs.	vs.	vs.
											<b>,</b>	per LSR	_	Electronic-	Electronic	_
												poo	1st	Add'I	Disc 1st	Disc Add
		-			-		Managa		NRC Disc					Rates (\$)	2.00	2.007.00
+ +		1			_	Rec	Nonrect				001150	001111			001111	001111
<u> </u>		1			-		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UNE Ports																
	(Except NC and SC)	1														
	VG Port (Centrex ) Basic Local Area			UEP91	UEPYA	14.00	70.00	35.00	35.00	10.00		11.90				
	VG Port (Centrex 800 Term)Basic Local Area			UEP91	UEPYB	14.00	70.00	35.00	35.00	10.00		11.90				
	VG Port (Centrex with Caller ID)1Basic Local Area			UEP91	UEPYH	14.00	70.00	35.00	35.00	10.00		11.90				
2W	VG Port (Centrex from diff SWC)2 Basic Local Area			UEP91	UEPYM	14.00	180.00	110.00	85.00	20.00		11.90				
2W	VG Port, Diff SWC-800 Service Term-Basic Local Area			UEP91	UEPYZ	14.00	180.00	110.00	85.00	20.00		11.90				
2W	VG Port terminated in on Megalink or equivalent-Basic Local Area			UEP91	UEPY9	14.00	70.00	35.00	35.00	10.00		11.90				
	VG Port Terminated on 800 Service Term-Basic Local Area			UEP91	UEPY2	14.00	70.00	35.00	35.00	10.00		11.90		1		
	and Florida Only				7-:	50		22.00	22.30			50		İ		
	VG Port (Centrex )	1		UEP91	UEPHA	14.00	70.00	35.00	35.00	10.00	1	11.90		<b> </b>	<b>†</b>	t
	VG Port (Centrex 800 Term)			UEP91	UEPHB	14.00	70.00	35.00	35.00	10.00	1	11.90				
	VG Port (Centrex with Caller ID)1	1		UEP91	UEPHH	14.00	70.00	35.00	35.00	10.00		11.90				
		1														
	VG Port (Centrex from diff SWC)2			UEP91	UEPHM	14.00	180.00	110.00	85.00	20.00		11.90				
	VG Port, Diff SWC-800 Service Term			UEP91	UEPHZ	14.00	180.00	110.00	85.00	20.00		11.90				
	VG Port terminated in on Megalink or equivalent			UEP91	UEPH9	14.00	70.00	35.00	35.00	10.00		11.90				
	VG Port Terminated on 800 Service Term			UEP91	UEPH2	14.00	70.00	35.00	35.00	10.00		11.90				
Local Swi	itching															
Cer	ntrex Intercom Funtionality, per port			UEP91	URECS	0.7384										
Local Nun	mber Portability															
Loc	al No Portability (1 per port)			UEP91	LNPCC	0.35										
Features																
	Standard Features Offered, per port			UEP91	UEPVF	0.00						11.90				
	Select Features Offered, per port			UEP91	UEPVS	0.00	370.70				1	11.90				
	Centrex Control Features Offered, per port			UEP91	UEPVC	0.00	070.70					11.90				
NARS	Certifex Contitor readures Offered, per port			OLF91	OLFVC	0.00					1	11.50				
	dl-d N-td- A D-sister Obis-ti	-		UEP91	UARCX	0.00	0.00	0.00				11.90				
	bundled Network Access Register-Combination	1				0.00	0.00	0.00								
	bundled Network Access Register-Indial	1		UEP91	UAR1X	0.00	0.00	0.00				11.90				
	bundled Network Access Register-Outdial			UEP91	UAROX	0.00	0.00	0.00				11.90				
	eous Terminations															
2-Wire Tru																
Trui	nk Side Terms, each			UEP91	CENA6	8.81										
Interoffice	e Channel Mileage - 2-Wire															
Inte	eroffice Channel Facilities Term-VG			UEP91	M1GBC	25.32										
	eroffice Channel miage, per mi or fraction of mi			UEP91	M1GBM	0.0091										
	ctivations (DS0) Centrex Loops on Channelized DS1 Service			-												
	nel Bank Feature Activations															
	ature Activation on D-4 Channel Bank Centrex Loop Slot	1		UEP91	1PQWS	0.66										
	ature Activation on D-4 Channel Bank Centrex Loop Slot	1		UEP91	1PQW5	0.66					1			1	<b>-</b>	1
	ature Activation on D-4 Channel Bank FX line Side Loop Slot  ature Activation on D-4 Channel Bank FX Trunk Side Loop Slot	1	-	UEP91 UEP91	1PQW6	0.66					1		<b> </b>	-	<del>                                     </del>	-
	· · · · · · · · · · · · · · · · · · ·	1	-								<b>!</b>			<del>                                     </del>	<b>-</b>	1
	ature Activation on D-4 Channel Bank Centrex Loop Slot-Diff WC	-		UEP91	1PQWP	0.66					ļ			1		ļ
	ature Activation on D-4 Channel Bank Private Line Loop Slot	<u> </u>		UEP91	1PQWV	0.66					<u> </u>			ļ		
	ature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot			UEP91	1PQWQ	0.66					ļ					
	ature Activation on D-4 Channel Bank WATS Loop Slot			UEP91	1PQWA	0.66										
	rring Charges (NRC) Associated with UNE-P Centrex															
Cor	nversion-Currently Combined Switch-As-Is with allowed changes,	1														
per	port			UEP91	USAC2		21.50	8.42	<u> </u>		<u> </u>	11.90			<u> </u>	
Cor	nversion of Existing Centrex Common Block			UEP91	USACN		5.17	8.32				11.90				
	w Centrex Standard Common Block			UEP91	M1ACS	0.00	618.82					11.90		1		
	w Centrex Customized Common Block	1		UEP91	M1ACC	0.00	618.82		i		<u> </u>	11.90		1		
	condary Block, per Block	+	-	UEP91	M2CC1	0.00	71.31				1	11.90			1	<del>                                     </del>

Version 4Q02: 01/21/03 Page 92 of 402

U	NBUNDL	ED NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhil	oit: B
												Svc	Svc	Increment	Incrementa	Increment	Increment
												Order	Order	al Charge -	I Charge -	al Charge	al Charge -
												Submitt	Submitte	Manual	Manual	Manual	Manual
С	TEGORY	RATE ELEMENTS		Zon	BCS	USOC		RA	TES (\$)			ed Elec	d	Svc Order	Svc Order	Svc Order	Svc Order
			im	е					.,			per LSR	Manually	vs.	vs.	vs.	vs.
												-	per LSR	Electronic-	Electronic-	Electronic-	Electronic-
													-	1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonrecu	ırring	NRC Disc	onnect			oss	Rates (\$)		
							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		NAR Establishment Charge, Per Occasion			UEP91	URECA	0.00	66.48					11.90				

NBUNDLED NE	ETWORK ELEMENTS - Florida													ment: 2		bit: B
											Svc	Svc		Incrementa		
											Order	Order		I Charge -	al Charge	
		Intor	Zon								Submitt	Submitte	Manual	Manual	Manual	Manua
TEGORY	RATE ELEMENTS	im	e	BCS	USOC		RA	TES (\$)			ed Elec	d		Svc Order	Svc Order	
		IIII	е								per LSR		vs.	vs.	vs.	vs.
												per LSR		Electronic-	Electronic	
													1st	Add'l	Disc 1st	Disc Add
						Rec	Nonrecu	ırring	NRC Disc	onnect			oss	Rates (\$)		
						Kec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UNE-P CENT	REX - 5ESS (Valid in All States)															
2-Wire VG Lo	op/2-Wire Voice Grade Port (Centrex) Combo															
UNE Port/Loc	op Combination Rates (Non-Design)															
2W VG	Loop/2W VG Port (Centrex) Port Combo-Non-Design		1	UEP95		26.94										
2W VG	Loop/2W VG Port (Centrex)Port Combo-Non-Design		2	UEP95		31.06										
2W VG	Loop/2W VG Port (Centrex)Port Combo-Non-Design		3	UEP95		45.87										
	op Combination Rates (Design)															
	Loop/2W VG Port (Centrex) Port Combo-Design		1	UEP95		29.36										
	Loop/2W VG Port (Centrex)Port Combo-Design		2	UEP95		34.43									İ	Ì
	Loop/2W VG Port (Centrex)Port Combo-Design		3	UEP95		50.68										
UNE Loop Ra			Ť		1											1
	Loop (SL 1)-Zone 1		1	UEP95	UECS1	12.94										
	Loop (SL 1)-Zone 2		2	UEP95	UECS1	17.06										1
	Loop (SL 1)-Zone 3		3	UEP95	UECS1	31.87										
	Loop (SL 2)-Zone 1		1	UEP95	UECS2	15.36										
	Loop (SL 2)-Zone 2		2	UEP95	UECS2	20.43										
	Loop (SL 2)-Zone 3		3	UEP95	UECS2	36.68										<del>                                      </del>
UNE Port Rat			3	OLF 95	ULUGZ	30.00										
All States	le .				-										-	
	Port (Centrex ) Basic Local Area			UEP95	UEPYA	14.00	70.00	35.00	35.00	10.00		11.90			-	
					UEPYB	14.00	70.00	35.00		10.00		11.90				-
	Port (Centrex 800 Term)			UEP95					35.00							-
	Port (Centrex with Caller ID)1Basic Local Area			UEP95	UEPYH	14.00	70.00	35.00	35.00	10.00		11.90				
	Port (Centrex from diff SWC)2 Basic Local Area			UEP95	UEPYM	14.00	180.00	110.00	85.00	20.00		11.90				
	Port, Diff SWC-800 Service Term-Basic Local Area			UEP95	UEPYZ	14.00	180.00	110.00	85.00	20.00		11.90				
	Port terminated in on Megalink or equivalent-Basic Local Area			UEP95	UEPY9	14.00	70.00	35.00	35.00	10.00		11.90				
	Port Terminated on 800 Service Term-Basic Local Area			UEP95	UEPY2	14.00	70.00	35.00	35.00	10.00		11.90				
FL & GA Only																
	Port (Centrex )			UEP95	UEPHA	14.00	70.00	35.00	35.00	10.00		11.90				
	Port (Centrex 800 Term)			UEP95	UEPHB	14.00	70.00	35.00	35.00	10.00		11.90				
	Port (Centrex with Caller ID)1			UEP95	UEPHH	14.00	70.00	35.00	35.00	10.00		11.90				ļ
	Port (Centrex from diff SWC)2			UEP95	UEPHM	14.00	180.00	110.00	85.00	20.00		11.90				
	Port, Diff SWC-800 Service Term			UEP95	UEPHZ	14.00	180.00	110.00	85.00	20.00	ļ	11.90				]
	Port terminated in on Megalink or equivalent			UEP95	UEPH9	14.00	70.00	35.00	35.00	10.00		11.90				ļ
	Port Terminated on 800 Service Term			UEP95	UEPH2	14.00	70.00	35.00	35.00	10.00	ļ	11.90				1
Local Switch	0															
	x Intercom Funtionality, per port			UEP95	URECS	0.7384										
Local Numbe																
Local N	lo Portability (1 per port)			UEP95	LNPCC	0.35										
Features																
	ndard Features Offered, per port			UEP95	UEPVF	0.00										
All Sele	ect Features Offered, per port			UEP95	UEPVS	0.00	370.70					11.90				
	trex Control Features Offered, per port			UEP95	UEPVC	0.00										
NARS	· · ·															
	dled Network Access Register-Combination			UEP95	UARCX	0.00	0.00	0.00				11.90				
	dled Network Access Register-Indial			UEP95	UAR1X	0.00	0.00	0.00				11.90				
	dled Network Access Register-Outdial			UEP95	UAROX	0.00	0.00	0.00				11.90				1
	is Terminations				1	2.30	2.50	2.00				50				
2-Wire Trunk		1													<b>†</b>	1
	Side Terms, each			UEP95	CEND6	8.81										<u> </u>
	Il (1.544 Megabits)	1		521 55	SEINDO	0.01					<b> </b>					1
	rcuit Terms, each		<del>                                     </del>	UEP95	M1HD1	54.95			l		1	<del> </del>	1	1	1	<del>                                     </del>

Version 4Q02: 01/21/03 Page 94 of 402

BUNDL	ED NETWORK ELEMENTS - Florida													ment: 2		bit: B
		Inter	Zon				_				Svc Order Submitt	Svc Order Submitte	al Charge - Manual	Incrementa I Charge - Manual	al Charge Manual	al Charg Manual
TEGORY	RATE ELEMENTS	im	e	BCS	USOC		RA	TES (\$)			ed Elec per LSR	d Manually per LSR	vs.	Svc Order vs. Electronic- Add'l	Svc Order vs. Electronic Disc 1st	vs.
						Rec	Nonrecu		NRC Disc					Rates (\$)		
		-					First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	DS0 Channels Activated, each	-		UEP95	M1HDO	0.00	15.69					11.90				
Intero	office Channel Mileage - 2-Wire	-		LIEBOE	MIGBC	05.00										
	Interoffice Channel Facilities Term	1		UEP95 UEP95	MIGBC	25.32 0.0091										
F4	Interoffice Channel miage, per mi or fraction of mi	-		UEP95	MIGBIN	0.0091									-	
	re Activations (DS0) Centrex Loops on Channelized DS1 Service nannel Bank Feature Activations	-													-	
D4 CI	Feature Activation on D-4 Channel Bank Centrex Loop Slot	-		UEP95	1PQWS	0.66									-	
		1			1PQWS											
-	Feature Activation on D-4 Channel Bank FX line Side Loop Slot	-		UEP95		0.66										
-	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot Feature Activation on D-4 Channel Bank Centrex Loop Slot-Diff WC	+	<del>                                     </del>	UEP95 UEP95	1PQW7 1PQWP	0.66 0.66				<u> </u>	<b> </b>	<del>                                     </del>		<del>                                     </del>	<del>                                     </del>	-
+	Feature Activation on D-4 Channel Bank Centrex Loop Slot-Diff WC Feature Activation on D-4 Channel Bank Private Line Loop Slot	+	<del>                                     </del>	UEP95 UEP95	1PQWP 1PQWV	0.66				<u> </u>	<b> </b>	<del>                                     </del>		<del>                                     </del>	<del>                                     </del>	-
		1														
+	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot Feature Activation on D-4 Channel Bank WATS Loop Slot	+	1	UEP95 UEP95	1PQWQ 1PQWA	0.66 0.66			-	1	<del>                                     </del>	-		-	-	}
Non F		1		UEP95	IPQWA	0.00										
Non-r	Recurring Charges (NRC) Associated with UNE-P Centrex  NRC Conversion Currently Combined Switch-As-Is with allowed	-													-	
	changes, per port			UEP95	USAC2	0.00	21.50	0.40				11.90				
-	Conversion of Existing Centrex Common Block, each	-		UEP95	USACZ	0.00	5.17	8.42 8.32				11.90			-	
	New Centrex Standard Common Block	-		UEP95 UEP95	M1ACS	0.00	618.82	8.32				11.90			-	
-	New Centrex Standard Common Block  New Centrex Customized Common Block	-		UEP95 UEP95	M1ACS M1ACC	0.00	618.82					11.90			-	
		1			URECA											
LINIE	NAR Establishment Charge, Per Occasion	1		UEP95	URECA	0.00	66.48					11.90				
	P CENTREX - DMS100 (Valid in All States)	-													-	
	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design)	-													-	
UNE	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design	-	1	UEP9D		26.94									-	
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design	-	2	UEP9D		31.06									-	
+	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design	1	3	UEP9D		45.87										-
LINE	Port/Loop Combination Rates (Design)	1	3	UEP9D		45.67										
ONE	2W VG Loop/2W VG Port (Centrex) Port Combo-Design	1	1	UEP9D		29.36										
_	2W VG Loop/2W VG Port (Centrex) Port Combo-Design	-	2	UEP9D		34.43									-	
+	2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design	1	3	UEP9D		50.68										
LINE	Loop Rate	1	3	UEF9D		30.00										
ONE	2W VG Loop (SL 1)-Zone 1	1	1	UEP9D	UECS1	12.94										
+	2W VG Loop (SL 1)-Zone 1	1	2	UEP9D	UECS1	17.06										
$\vdash$	2W VG Loop (SL 1)-Zone 2 2W VG Loop (SL 1)-Zone 3	1	3	UEP9D	UECS1	31.87										<del>                                     </del>
+-	2W VG Loop (SL 1)-Zone 3 2W VG Loop (SL 2)-Zone 1	1	1	UEP9D	UECS1	15.36					<b> </b>	<del>                                     </del>		<del>                                     </del>	<b>-</b>	+
+	2W VG Loop (SL 2)-Zone 1	1	2	UEP9D	UECS2	20.43					<b> </b>	<del>                                     </del>		<del>                                     </del>	<b>-</b>	<del>                                     </del>
+	2W VG Loop (SL 2)-Zone 2 2W VG Loop (SL 2)-Zone 3	1	3	UEP9D	UECS2	36.68										<del>                                     </del>
LINE	Port Rate	1	3	OLF 9D	02032	30.00										
_	STATES	1			1											
ALL	2W VG Port (Centrex ) Basic Local Area	<b>-</b>		UEP9D	UEPYA	14.00						11.90				
1	2W VG Port (Centrex 800 Term)Basic Local Area	+		UEP9D	UEPYB	14.00	70.00	35.00	35.00	10.00	1	11.90		<del>                                     </del>	-	
+	2W VG Port (Centrex/EBS-PSET)3Basic Local Area	+-	<u> </u>	UEP9D	UEPYC	14.00	70.00	35.00	35.00	10.00	<del>                                     </del>	11.90		<del>                                     </del>	<del>                                     </del>	1
-	2W VG Port (CertifeXEBS-P3E1)3Basic Local Area	1	1	UEP9D	UEPYD	14.00	70.00	35.00	35.00	10.00	<b> </b>	11.90				1
+	2W VG Port (Centrex /EBS-M5009)3Basic Local Area	1		UEP9D	UEPYE	14.00	70.00	35.00	35.00	10.00	<b> </b>	11.90		<del>                                     </del>	<b>-</b>	<del>                                     </del>
+	2W VG Port (Centrex/EBS-M51209)3 Basic Local Area	+-	<u> </u>	UEP9D	UEPYF	14.00	70.00	35.00	35.00	10.00	<del>                                     </del>	11.90		<del>                                     </del>	<del>                                     </del>	1
1	2W VG Port (Centrex/EBS-M5112)3 Basic Local Area  2W VG Port (Centrex/EBS-M5312)3Basic Local Area	+		UEP9D	UEPYG	14.00	70.00	35.00	35.00	10.00		11.90		<del>                                     </del>	-	
1	2W VG Port (Centrex /EBS-M5312)3Basic Local Area	+	<del>                                     </del>	UEP9D UEP9D	UEPYG	14.00	70.00	35.00	35.00	10.00	1	11.90		<del>                                     </del>	<del>                                     </del>	1
+	2W VG Port (Centrex/EBS-M5008)3 Basic Local Area		<b>-</b>	UEP9D UEP9D	UEPYU	14.00	70.00	35.00	35.00	10.00	<del>                                     </del>	11.90		<b>+</b>	<b> </b>	1
+-	2W VG Port (Centrex/EBS-M5208)3 Basic Local Area  2W VG Port (Centrex/EBS-M5216)3 Basic Local Area	+	1	UEP9D UEP9D	UEPYV	14.00	70.00	35.00	35.00	10.00	<del>                                     </del>	11.90		-	-	<del>                                     </del>
+	2W VG Port (Centrex/EBS-M5216)3 Basic Local Area  2W VG Port (Centrex/EBS-M5316)3 Basic Local Area	+	<u> </u>	UEP9D	UEPYV	14.00	70.00	35.00	35.00	10.00	<b> </b>	11.90		-	-	<del>                                     </del>
							70100	.35 U()	35 00			11 (1)			i	i .

Version 4Q02: 01/21/03 Page 95 of 402

JNBUND	LED NETWORK ELEMENTS - Florida													Attach	ment: 2	Exhi	bit: B
ATEGOR	RATE ELEMENTS	Inter im	Zon e	ВС	5	usoc		RA	TES (\$)			Svc Order Submitt ed Elec per LSR	Svc Order Submitte d Manually per LSR	al Charge - Manual Svc Order vs.	Incrementa I Charge - Manual Svc Order vs. Electronic-	al Charge Manual Svc Order vs.	Incremen al Charge Manual Svc Order vs.
													per Lor	1st	Add'l	Disc 1st	
							_	Nonrecu	ırrina	NRC Disc	onnect			OSS	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
	2W VG Port (Centrex/Caller ID/Msg Wtg Lamp Indication)3 Basic Local																
	Area			UEPS	9D	UEPYW	14.00	70.00	35.00	35.00	10.00		11.90				
	2W VG Port (Centrex/Msg Wtg Lamp Indication)3 Basic Local Area			UEPS	9D	UEPYJ	14.00	70.00	35.00	35.00	10.00		11.90				1
	2W VG Port (Centrex from diff SWC) 2 Basic Local Area			UEPS	9D	UEPYM	14.00	70.00	35.00	35.00	10.00		11.90				1
	2W VG Port (Centrex/differ SWC /EBS-PSET)2, 3 Basic Local Area			UEPS	9D	UEPYO	14.00	70.00	35.00	35.00	10.00		11.90				
	2W VG Port (Centrex/differ SWC /EBS-M5009)2, 3 Basic Local Area			UEPS	)D	UEPYP	14.00	70.00	35.00	35.00	10.00		11.90				
	2W VG Port (Centrex/differ SWC /EBS-5209)2, 3 Basic Local Area			UEPS	D D	UEPYQ	14.00	180.00	110.00	85.00	20.00		11.90				
	2W VG Port (Centrex/differ SWC /EBS-M5112)2, 3 Basic Local Area			UEPS	D D	UEPYR	14.00	180.00	110.00	85.00	20.00		11.90				
	2W VG Port (Centrex/differ SWC /EBS-M5312)2, 3 Basic Local Area			UEP9		UEPYS	14.00	180.00	110.00	85.00	20.00		11.90				
	2W VG Port (Centrex/differ SWC /EBS-M5008)2, 3 Basic Local Area			UEPS		UEPY4	14.00	180.00	110.00	85.00	20.00		11.90				
	2W VG Port (Centrex/differ SWC /EBS-M5208)2, 3 Basic Local Area			UEPS		UEPY5	14.00	180.00	110.00	85.00	20.00		11.90				
	2W VG Port (Centrex/differ SWC /EBS-M5216)2, 3 Basic Local Area			UEPS	9D	UEPY6	14.00	180.00	110.00	85.00	20.00		11.90				
	2W VG Port (Centrex/differ SWC /EBS-M5316)2, 3 Basic Local Area			UEPS	D D	UEPY7	14.00	180.00	110.00	85.00	20.00		11.90				
	2W VG Port, Diff SWC-800 Service Term			UEPS	D D	UEPYZ	14.00	180.00	110.00	85.00	20.00		11.90				
	2W VG Port terminated in on Megalink or equivalent Basic Local Area			UEPS	D D	UEPY9	14.00	70.00	35.00	35.00	10.00		11.90				
	2W VG Port Terminated on 800 Service Term Basic Local Area			UEPS	D D	UEPY2	14.00	70.00	35.00	35.00	10.00		11.90				
FL &	GA Only																
	2W VG Port (Centrex)			UEPS	D D	UEPHA	14.00	70.00	35.00	35.00	10.00		11.90				
	2W VG Port (Centrex 800 Term)			UEPS	D D	UEPHB	14.00	70.00	35.00	35.00	10.00		11.90				
	2W VG Port (Centrex/EBS-PSET)3			UEPS	D D	UEPHC	14.00	70.00	35.00	35.00	10.00		11.90				
	2W VG Port (Centrex /EBS-M5009)3			UEPS	9D	UEPHD	14.00	70.00	35.00	35.00	10.00		11.90				
	2W VG Port (Centrex /EBS-M5209)3			UEPS	9D	UEPHE	14.00	70.00	35.00	35.00	10.00		11.90				
	2W VG Port (Centrex /EBS-M5112)3			UEPS	PD D	UEPHF	14.00	70.00	35.00	35.00	10.00		11.90				
	2W VG Port (Centrex /EBS-M5312)3			UEPS	PD D	UEPHG	14.00	70.00	35.00	35.00	10.00		11.90				
	2W VG Port (Centrex /EBS-M5008)3			UEPS	9D	UEPHT	14.00	70.00	35.00	35.00	10.00		11.90				
	2W VG Port (Centrex/EBS-M5208)3			UEPS		UEPHU	14.00	70.00	35.00	35.00	10.00		11.90				
	2W VG Port (Centrex/EBS-M5216)3			UEP9		UEPHV	14.00	70.00	35.00	35.00	10.00		11.90				
	2W VG Port (Centrex/EBS-M5316)3			UEP9		UEPH3	14.00	70.00	35.00	35.00	10.00		11.90				
	2W VG Port (Centrex with Caller ID)			UEPS		UEPHH	14.00	70.00	35.00	35.00	10.00		11.90				<u> </u>
	2W VG Port (Centrex/Caller ID/Msg Wtg Lamp Indication)3			UEPS		UEPHW	14.00	70.00	35.00	35.00	10.00		11.90				<u> </u>
	2W VG Port (Centrex/Msg Wtg Lamp Indication)3			UEPS		UEPHJ	14.00	70.00	35.00	35.00	10.00		11.90				<u> </u>
	2W VG Port (Centrex from diff SWC) 2			UEPS		UEPHM	14.00	180.00	110.00	85.00	20.00		11.90				
	2W VG Port (Centrex/differ SWC /EBS-PSET)2, 3	ļ	ļ	UEPS		UEPHO	14.00	180.00	110.00	85.00	20.00		11.90				
	2W VG Port (Centrex/differ SWC /EBS-M5009)2, 3			UEPS		UEPHP	14.00	180.00	110.00	85.00	20.00		11.90				
	2W VG Port (Centrex/differ SWC /EBS-5209)2, 3	ļ	ļ	UEPS		UEPHQ	14.00	180.00	110.00	85.00	20.00		11.90				
	2W VG Port (Centrex/differ SWC /EBS-M5112)2, 3			UEPS		UEPHR	14.00	180.00	110.00	85.00	20.00		11.90				
	2W VG Port (Centrex/differ SWC /EBS-M5312)2, 3			UEPS		UEPHS	14.00	180.00	110.00	85.00	20.00	1	11.90				<b>↓</b>
	2W VG Port (Centrex/differ SWC /EBS-M5008)2, 3			UEPS		UEPH4	14.00	180.00	110.00	85.00	20.00	1	11.90				<b>↓</b>
	2W VG Port (Centrex/differ SWC /EBS-M5208)2, 3			UEPS		UEPH5	14.00	180.00	110.00	85.00	20.00	1	11.90				<b>↓</b>
	2W VG Port (Centrex/differ SWC /EBS-M5216)2, 3	<u> </u>	<b> </b>	UEPS		UEPH6	14.00	180.00	110.00	85.00	20.00		11.90				
	2W VG Port (Centrex/differ SWC /EBS-M5316)2, 3	<u> </u>	<b> </b>	UEPS		UEPH7	14.00	180.00	110.00	85.00	20.00		11.90				
	2W VG Port, Diff SWC-800 Service Term	<u> </u>	<u> </u>	UEPS		UEPHZ	14.00	180.00	110.00	85.00	20.00		11.90				
	2W VG Port terminated in on Megalink or equivalent	<u> </u>	<u> </u>	UEPS		UEPH9	14.00	70.00	35.00	35.00	10.00		11.90				
	2W VG Port Terminated on 800 Service Term	<u> </u>	<u> </u>	UEPS	טוּ	UEPH2	14.00	70.00	35.00	35.00	10.00		11.90				
Loca	Switching	<u> </u>	<u> </u>		ND.	LIDEGG	0 =00:										+
	Centrex Intercom Funtionality, per port	<u> </u>		UEPS	JU U	URECS	0.7384					1					
Loca	Number Portability	<u> </u>			)D	LNIDGG	2.05					1					
	Local No Portability (1 per port)	<u> </u>		UEPS	JU	LNPCC	0.35					1					+
Feati	All Standard Features Offered, per port	<u> </u>			)D	HED.	2.00					1					+
	TAIL STANDARD FORTURES ( ITTORON DOT DOT	ı	ı	UEPS	1L)	UEPVF	0.00			i		i	i		l	Ì	1

Version 4Q02: 01/21/03 Page 96 of 402

UNBUNDL	ED NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhil	oit: B
											Svc	Svc	Increment	Incrementa	Increment	Increment
											Order	Order	al Charge -	I Charge -	al Charge	al Charge -
			_								Submitt	Submitte	Manual	Manual	Manual	Manual
CATEGORY	RATE ELEMENTS		Zon	BCS	USOC		RA	TES (\$)			ed Elec	d	Svc Order	Svc Order	Svc Order	Svc Order
		im	е								per LSR	Manually	vs.	vs.	vs.	vs.
											-	per LSR	Electronic-	Electronic-	Electronic	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonrecu	urring	NRC Disco	onnect			OSS	Rates (\$)		
						Kec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	All Centrex Control Features Offered, per port			UEP9D	UEPVC	0.00										
NARS	3															
	Unbundled Network Access Register-Combination			UEP9D	UARCX	0.00	0.00	0.00				11.90				
	Unbundled Network Access Register-Inward			UEP9D	UAR1X	0.00	0.00	0.00				11.90				
	Unbundled Network Access Register-Outdial			UEP9D	UAROX	0.00	0.00	0.00				11.90				
Misce	ellaneous Terminations															
2-Wir	e Trunk Side															
	Trunk Side Terms, each			UEP9D	CEND6	8.81										

BUNDLED NETWORK ELEMENTS - Florida													ment: 2		oit: B
	1-4	70-								Svc Order Submitt	Svc Order Submitte	al Charge - Manual	Incrementa I Charge - Manual	al Charge Manual	al Charo Manua
EGORY RATE ELEMENTS	im	Zon e	BCS	USOC		RA	TES (\$)			ed Elec per LSR	d Manually per LSR	vs.	Svc Order vs. Electronic- Add'l	Svc Order vs. Electronic Disc 1st	vs.
						Neuros		NRC Disc					Rates (\$)	Disc ist	DISC AUC
				_	Rec	Nonrect First	ırrıng Add'l	First		COMEO	COMAN	SOMAN		SOMAN	SOMAN
4-Wire Digital (1.544 Megabits)						FIRST	Addi	FIrst	Add'l	SOMEC	SOWAN	SOMAN	SOWAN	SOMAN	SOMAN
DS1 Circuit Terms, each			UEP9D	M1HD1	54.95										
DS0 Channels Activiated per Channel			UEP9D	M1HD0	0.00	15.69					11.90				
Interoffice Channel Mileage - 2-Wire			UEF9D	WITHDO	0.00	15.69					11.90				
Interoffice Channel Facilities Term			UEP9D	MIGBC	25.32										
Interoffice Channel miage, per mi or fraction of mi			UEP9D	MIGBM	0.0091										
Feature Activations (DS0) Centrex Loops on Channelized DS1	Convice		UEF9D	IVIIGBIVI	0.0091										
D4 Channel Bank Feature Activations	Service														
Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9D	1PQWS	0.66										
Feature Activation on D-4 Channel Bank Centrex Loop Slot Feature Activation on D-4 Channel Bank FX line Side Loop S	lot	<del>                                     </del>	UEP9D UEP9D	1PQWS	0.66				<b> </b>	1				<b> </b>	1
Feature Activation on D-4 Channel Bank FX Trunk Side Loop S		<del>                                     </del>	UEP9D	1PQW6	0.66			<del>                                     </del>	-	1	-			<del>                                     </del>	1
Feature Activation on D-4 Channel Bank FX Trunk Side Loop Feature Activation on D-4 Channel Bank Centrex Loop Slot-D		1	UEP9D	1PQW7	0.66									-	1
Feature Activation on D-4 Channel Bank Centrex Loop Slot-L Feature Activation on D-4 Channel Bank Private Line Loop Sl		<del>                                     </del>	UEP9D	1PQWP	0.66				<b> </b>	1				<b> </b>	1
Feature Activation on D-4 Channel Bank Private Line Loop St			UEP9D	1PQWV	0.66										
Feature Activation on D-4 Channel Bank Tiple Line/Trunk Loop  Feature Activation on D-4 Channel Bank WATS Loop Slot	3101		UEP9D	1PQWQ	0.66			-						-	
Non-Recurring Charges (NRC) Associated with UNE-P Centrex			UEF9D	IFQVA	0.00										
NRC Conversion Currently Combined Switch-As-Is with allow					-									-	
changes, per port	/ea		UEP9D	USAC2		21.50	8.42				11.90				
Conversion of existing Centrex Common Block, each			UEP9D	USACN		5.17	8.32				11.90				
New Centrex Standard Common Block			UEP9D	M1ACS	0.00	618.82					11.90				
New Centrex Customized Common Block			UEP9D	M1ACC	0.00	618.82					11.90				
NAR Establishment Charge, Per Occasion			UEP9D	URECA	0.00	66.48					11.90				
UNE-P CENTREX - EWSD (Valid in AL, FL, KY, LA, MS & TN)															
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
UNE Port/Loop Combination Rates (Non-Design)															
2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design		1	UEP9E		26.94										
2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		2	UEP9E		31.06										
2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		3	UEP9E		45.87										
UNE Port/Loop Combination Rates (Design)															
2W VG Loop/2W VG Port (Centrex) Port Combo-Design		1	UEP9E		29.36										
2W VG Loop/2W VG Port (Centrex)Port Combo-Design		2	UEP9E		34.43										
2W VG Loop/2W VG Port (Centrex)Port Combo-Design		3	UEP9E		50.68										
UNE Loop Rate															
2W VG Loop (SL 1)-Zone 1		1	UEP9E	UECS1	12.94										
2W VG Loop (SL 1)-Zone 2		2	UEP9E	UECS1	17.06										
2W VG Loop (SL 1)-Zone 3		3	UEP9E	UECS1	31.87										
2W VG Loop (SL 2)-Zone 1		1	UEP9E	UECS2	15.36										
2W VG Loop (SL 2)-Zone 2		2	UEP9E	UECS2	20.43										
2W VG Loop (SL 2)-Zone 3		3	UEP9E	UECS2	36.68										
UNE Port Rate															
AL, FL, KY, LA, MS, & TN only			]												
2W VG Port (Centrex ) Basic Local Area			UEP9E	UEPYA	14.00	70.00	35.00	35.00	10.00		11.90				
2W VG Port (Centrex 800 Term)Basic Local Area			UEP9E	UEPYB	14.00	70.00	35.00	35.00	10.00		11.90				
2W VG Port (Centrex with Caller ID)1Basic Local Area			UEP9E	UEPYH	14.00	70.00	35.00	35.00	10.00		11.90				
2W VG Port (Centrex from diff SWC)2 Basic Local Area			UEP9E	UEPYM	14.00	180.00	110.00	85.00	20.00		11.90				
2W VG Port, Diff SWC-800 Service Term-Basic Local Area			UEP9E	UEPYZ	14.00	180.00	110.00	85.00	20.00		11.90				
2W VG Port terminated in on Megalink or equivalent-Basic Lo			UEP9E	UEPY9	14.00	70.00	35.00	35.00	10.00		11.90				
2W VG Port Terminated on 800 Service Term-Basic Local Ar	ea		UEP9E	UEPY2	14.00	70.00	35.00	35.00	10.00		11.90				
Florida Only															
2W VG Port (Centrex )			UEP9E	UEPHA	14.00	70.00	35.00	35.00	10.00		11.90				
2W VG Port (Centrex 800 Term)			UEP9E	UEPHB	14.00	70.00	35.00	35.00	10.00	1	11.90				

Version 4Q02: 01/21/03 Page 98 of 402

IDOINDL	ED NETWORK ELEMENTS - Florida													ment: 2		bit: B
TEGORY	RATE ELEMENTS	Inter	Zon e	BCS	USOC		RA	TES (\$)			Svc Order Submitt ed Elec per LSR	d Manually	al Charge - Manual Svc Order vs.	Incrementa I Charge - Manual Svc Order vs. Electronic- Add'I	Increment al Charge Manual Svc Order vs. Electronic Disc 1st	- al Char Manu Svc Or vs. - Electro
						B	Nonrec	ırring	NRC Disc	onnect			oss	Rates (\$)	ı	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN			SOMAN	SOMA
	2W VG Port (Centrex with Caller ID)1			UEP9E	UEPHH	14.00	70.00	35.00	35.00	10.00		11.90				
	2W VG Port (Centrex from diff SWC)2			UEP9E	UEPHM	14.00	180.00	110.00	85.00	20.00		11.90				
	2W VG Port, Diff SWC-800 Service Term			UEP9E	UEPHZ	14.00	180.00	110.00	85.00	20.00		11.90				
	2W VG Port terminated in on Megalink or equivalent			UEP9E	UEPH9	14.00	70.00	35.00	35.00	10.00		11.90				
	2W VG Port Terminated on 800 Service Term			UEP9E	UEPH2	14.00	70.00	35.00	35.00	10.00		11.90				
Local	Switching															
	Centrex Intercom Funtionality, per port			UEP9E	URECS	0.7384										
Local	Number Portability															
	Local No Portability (1 per port)			UEP9E	LNPCC	0.35										
Featu																
	All Standard Features Offered, per port			UEP9E	UEPVF	0.00										
	All Select Features Offered, per port			UEP9E	UEPVS	0.00	370.70					11.90				<u> </u>
	All Centrex Control Features Offered, per port			UEP9E	UEPVC	0.00										<u> </u>
NARS																<u> </u>
	Unbundled Network Access Register-Combination			UEP9E	UARCX	0.00	0.00	0.00				11.90				<u> </u>
	Unbundled Network Access Register-Indial			UEP9E	UAR1X	0.00	0.00	0.00				11.90				<u> </u>
	Unbundled Network Access Register-Outdial			UEP9E	UAROX	0.00	0.00	0.00				11.90				
	llaneous Terminations															ļ
2-Wire	e Trunk Side															
	Trunk Side Terms, each			UEP9E	CEND6	8.81										
4-Wire	e Digital (1.544 Megabits)		<u> </u>													╀
	DS1 Circuit Terms, each			UEP9E	M1HD1	54.95	45.00					44.00				4
	DS0 Channel Activated Per Channel			UEP9E	M1HDO	0.00	15.69					11.90				4
Intero	ffice Channel Mileage - 2-Wire			LIEBOE	MODO	05.00										4
	Interoffice Channel Facilities Term		1	UEP9E	MIGBC	25.32										4
F4	Interoffice Channel miage, per mi or fraction of mi		<del>                                     </del>	UEP9E	MIGBM	0.0091										+
	re Activations (DS0) Centrex Loops on Channelized DS1 Service annel Bank Feature Activations		<del>                                     </del>													+
D4 Ch	Feature Activation on D-4 Channel Bank Centrex Loop Slot		1	UEP9E	1PQWS	0.66										₩
	Feature Activation on D-4 Channel Bank Centrex Loop Slot Feature Activation on D-4 Channel Bank FX line Side Loop Slot		1	UEP9E UEP9E	1PQWS	0.66							-	-		+
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot		1	UEP9E UEP9E	1PQW6	0.66							-	-		+
	Feature Activation on D-4 Channel Bank Centrex Loop Slot-Diff WC		1	UEP9E	1PQWP	0.66										+
+	Feature Activation on D-4 Channel Bank Private Line Loop Slot		+ +	UEP9E	1PQWP	0.66						<u> </u>				+
+	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot	1		UEP9E	1PQWV	0.66								<b>-</b>		+-
+	Feature Activation on D-4 Channel Bank WATS Loop Slot	1		UEP9E	1PQWQ	0.66								<b>-</b>		+
Non-F	Recurring Charges (NRC) Associated with UNE-P Centrex		1	OLFBL	IFQWA	0.00										+
14011-1	NRC Conversion Currently Combined Switch-As-Is with allowed	1-									-	<b> </b>	<del>                                     </del>	<del>                                     </del>		+
	changes, per port			UEP9E	USAC2		21.50	8.42				11.90		1		
	Conversion of Existing Centrex Common Block, each		† †	UEP9E	USACN		5.17	8.32				11.90		<b>—</b>		<del>                                     </del>
	New Centrex Standard Common Block		<del>                                     </del>	UEP9E	M1ACS	0.00	618.82	0.02				11.90		<b>—</b>		<del>                                     </del>
	New Centrex Customized Common Block	1		UEP9E	M1ACC	0.00	618.82					11.90				$\vdash$
	NAR Establishment Charge, Per Occasion		<del>                                     </del>	UEP9E	URECA	0.00	66.48					11.90		<b>—</b>		<del>†                                      </del>
Note 1	- Required Port for Centrex Control in 1AESS, 5ESS & EWSD	1	<del>† †</del>	OLI OL	ONLOA	0.00	00.40					11.50		<u> </u>		<b>†</b>
	2 - Required Fortion Centrex Control in FAECO, SECO & EWOD	1														<b>†</b>
	. ,				1			ì			1	1	1	1		

UNBUNDLE	D NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhi	bit: B
											Svc	Svc	Incrementa	Incrementa	Increment	Increme
											Order	Order	I Charge -	I Charge -	al Charge -	al Charg
											Submitte	Submitte	Manual	Manual	Manual	Manua
CATEGORY	RATE ELEMENTS	Interi		BCS	USOC		RA	TES (\$)			d Elec	d	Svc Order	Svc Order	Svc Order	Svc Ord
		m	е					. ,			per LSR	Manually	vs.	vs.	vs.	vs.
												per LSR	Electronic-	Electronic-	Electronic-	- Electron
													1st	Add'l	Disc 1st	Disc Add
						Rec	Nonrec	urring	NRC Dis	connect			oss	Rates (\$)		
							First	Add'l				SOMAN				
	ne" shown in the sections for stand-alone loops or loops as part				graphically	Deaveraged U	NE Zones. To	view Geog	raphically	Deaverag	ged UNE Z	Zone Desig	nations by	Central Offic	e, refer to Ir	nternet
	e: http://www.interconnection.bellsouth.com/become_a_clec/htm	I/inter	conn	ection.htm												
	L SUPPORT SYSTEMS															
	(1) Electronic Service Order: CLEC should contact its contract ne															
	Exhibit is the BellSouth regional electronic service ordering charg															
	(2) Any element that can be ordered electronically will be billed a															
	nically. For those elements that cannot be ordered electronically a							ects the cha	rge that w	ould be b	illed to a	CLEC onc	e electronic	ordering cap	abilities co	me on-lir
	element. Otherwise, the manual ordering charge, SOMAN, will be	appli	ed to	a CLECs bill when i	it submits	an LSR to Bell	South.	г	1				1	1		
	lectronic OSS Charge, per LSR, submitted via BST's OSS interactive				201150		0.50									
	nterfaces (Regional)				SOMEC		3.50									<del> </del>
	DATE ADVANCEMENT CHARGE	<u> </u>		N. 4 T. 10 O. 11	<u> </u>											<del> </del>
NOTE:	The Expedite charge will be maintained commensurate with BellS	south'	SFC	ALL UNE EXCEPT	1 5 as appi	icable.										
	INF Forestite Channel and Circuit and Line Assistant LICCO and Base			UNE-P	SDASP		200.00									
	NE Expedite Charge per Circuit or Line Assignable USOC, per Day			UNE-P	SDASP		200.00									
	EXCHANGE ACCESS LOOP ANALOG VOICE GRADE LOOP		-													-
	W Analog VG Loop-SL1-Zone 1		-	UEANL	UEAL2	14.21	42.54	31.33					18.94	0.40		<del> </del>
	W Analog VG Loop-SL1-Zone 1 W Analog VG Loop-SL1-Zone 2		2	UEANL	UEAL2	16.41	42.54	31.33					18.94	8.42 8.42		+
	W Analog VG Loop-SL1-Zone 2 W Analog VG Loop-SL1-Zone 3		3	UEANL	UEAL2	26.08	42.54	31.33					18.94	8.42		<del> </del>
	Inbundled Misc Rate Element, Tag Loop at End User Premise		3	UEANL	URETL	26.08	8.33	0.83					18.94	8.42		+
	oop Testing-Basic 1st Half Hour			UEANL	URET1		78.92	78.92					18.94	8.42		+
	oop Testing-Basic 1st hall hour		-	UEANL	URETA		23.33	23.33					18.94	8.42		+
	LEC to CLEC Conversion Charge w/o Outside Dispatch (UVL-SL1)		-	UEANL	UREWO		15.75	8.92					10.94	0.42		+
	Inbundled Voice Loop, Non-Design, billing for BST providing make-up		-	UEAINL	UKEWU		15.75	0.92								+
	Engineering Information-E.I.)			UEANL	UEANM		14.47	14.47								
	Ianual Order Coordiantion for UVL-SL1s (per loop)			UEANL	UEAMC		16.11	16.11								+-
	Order Coordination for Specified Conversion Time for UVL-SL1 (per			UEAINL	UEAIVIC		10.11	10.11								+-
	SR)			UEANL	OCOSL		35.74	35.74								
	UNBUNDLED COPPER LOOP - NON-DESIGNED		1	OLANE	OOCOL		33.74	33.14								+
	W Unbundled Copper Loop Non-Designed-Zone 1		1	UEQ	UEQ2X	11.02	44.69	22.40					18.94	8.42		
	W Unbundled Copper Loop Non-Designed-Zone 2		2	UEQ	UEQ2X	12.72	44.69	22.40					18.94	8.42		$\overline{}$
	W Unbundled Copper Loop Non-Designed-Zone 3		3	UEQ	UEQ2X	20.22	44.69	22.40					18.94	8.42		
	Inbundled Misc Rate Element, Tag Loop at End User Premise		Ť	UEQ	URETL	20.22	8.33	0.83					18.94	8.42		
	Order Coordination 2W Unbundled Copper Loop-Non-Designed (per			024	O.K.E.I.E		0.00	0.00					10.01	02		<b>†</b>
	(bob)			UEQ	USBMC		16.11	16.11					18.94	8.42		
U	Inbundled Copper Loop, Non-Design Copper Loop, billing for BST															
	roviding make-up (Engineering Information-E.I.)			UEQ	UEQMU		28.72	28.72					18.94	8.42		
	oop Testing-Basic 1st Half Hour			UEQ	URET1		78.92	78.92					18.94	8.42		
	oop Testing-Basic Add'l Half Hour			UEQ	URETA		23.33	23.33					18.94	8.42		
С	LEC to CLEC Conversion Charge w/o Outside Dispatch (UCL-ND)			UEQ	UREWO		14.25	7.42					18.94	8.42		1
UNBUNDLED I	EXCHANGE ACCESS LOOP															1
2-WIRE	ANALOG VOICE GRADE LOOP															
UNE Lo	op Rates for Line Splitting (In Ga. PSC ordered the line splitting	loop l	JSOC	s match the lower p	ort- loop o	ombo rates UE	PLX)									
2\	W VG Loop (SL1) for Line Splitting-Zone 1	<u></u> i	1	UEPSR,UEPSB	UEALS,	12.59	22.14	15.25					18.94	8.42		
2\	W VG Loop (SL1) for Line Splitting-Zone 1	ı	1	UEPSR,UEPSB	UEABS	12.59	22.14	15.25					18.94	8.42		
2\	W VG Loop (SL1) for Line Splitting-Zone 2	1	2	UEPSR,UEPSB	UEALS,	14.26	22.14	15.25					18.94	8.42		
	W VG Loop (SL1) for Line Splitting-Zone 2	I	2	UEPSR,UEPSB	UEABS	14.26	22.14	15.25					18.94	8.42		
	W VG Loop (SL1)for Line Splitting-Zone 3	I	3	UEPSR,UEPSB	UEALS	21.62	22.14	15.25					18.94	8.42		
	W VG Loop (SL1)for Line Splitting-Zone 3	ı	3	UEPSR,UEPSB	UEABS	21.62	22.14	15.25					18.94	8.42		
UNBUNDLED	EXCHANGE ACCESS LOOP															
1	ANALOG VOICE GRADE LOOP	1	1	I	1			1	1	1		1		1	1	1

Version 4Q02: 01/21/03

INBUNDL	ED NETWORK ELEMENTS - Georgia													ment: 2		bit: B
ATEGORY	RATE ELEMENTS		i Zon	BCS	usoc		RA <sup>-</sup>	ΓES (\$)			Svc Order Submitte d Elec	Svc Order Submitte d	I Charge -	Incrementa I Charge - Manual Svc Order	Increment al Charge - Manual Svc Order	al Char
		m	е					, ,			per LSR	Manually per LSR	vs. Electronic- 1st	vs. Electronic- Add'l	vs. Electronic- Disc 1st	vs Electro
							Nonrec	ırrina	NRC Dis	connect			oss	Rates (\$)		
						Rec	First	Add'l	First		SOMEC	SOMAN		SOMAN	SOMAN	SOMAI
	2W Analog VG Loop-SL2 w/Loop or Ground Start Signaling-Zone 1		1	UEA	UEAL2	16.84	104.17	78.10		7166			18.94	8.42		
	2W Analog VG Loop-SL2 w/Loop or Ground Start Signaling-Zone 2		2	UEA	UEAL2	19.45	104.17	78.10					18.94	8.42		†
	2W Analog VG Loop-SL2 w/Loop or Ground Start Signaling-Zone 3		3	UEA	UEAL2	30.92	104.17	78.10					18.94	8.42		†
	Order Coordination for Specified Conversion Time (per LSR)		Ť	UEA	OCOSL	*****	35.74									1
	2W Analog VG Loop-SL2 w/Rev Bat Signaling-Zone 1		1	UEA	UEAR2	16.84	104.17	78.10					18.94	8.42		
	2W Analog VG Loop-SL2 w/Rev Bat Signaling-Zone 2		2	UEA	UEAR2	19.45	104.17	78.10					18.94	8.42		1
	2W Analog VG Loop-SL2 w/Rev Bat Signaling-Zone 3		3	UEA	UEAR2	30.92	104.17	78.10					18.94	8.42		1
	Order Coordination for Specified Conversion Time (per LSR)		Ť	UEA	OCOSL	*****	35.74									1
	CLEC to CLEC Conversion Charge w/o outside dispatch			UEA	UREWO		87.72	36.36					18.94	8.42		1
	Loop Tagging-SL2 (SL2)			UEA	URETL		10.45	1.03					18.94	8.42		†
4-WIR	E ANALOG VOICE GRADE LOOP			J									10.01	3.72		<b>†</b>
1	4W Analog VG Loop-Zone 1		1	UEA	UEAL4	22.26	206.95	170.57					18.94	8.42		<del>                                     </del>
	4W Analog VG Loop-Zone 2		2	UEA	UEAL4	25.70	206.95	170.57					18.94	8.42		†
	4W Analog VG Loop-Zone 3		3	UEA	UEAL4	40.86	206.95	170.57					18.94	8.42		1
	Order Coordination for Specified Conversion Time (per LSR)		Ť	UEA	OCOSL	40.00	35.74	170.07					10.04	0.12		<del>                                     </del>
	CLEC to CLEC Conversion Charge w/o outside dispatch			UEA	UREWO		87.72	36.36					18.94	8.42		<del>                                     </del>
2-WIE	E ISDN DIGITAL GRADE LOOP			OLA	OKEWO		07.72	00.00					10.04	0.12		
2-4411	2W ISDN Digital Grade Loop-Zone 1		1	UDN	U1L2X	21.89	233.38	180.35					18.94	8.42		
	2W ISDN Digital Grade Loop-Zone 2		2	UDN	U1L2X	25.27	233.38	180.35					18.94	8.42		+
	2W ISDN Digital Grade Loop-Zone 3		3	UDN	U1L2X	40.17	233.38	180.35					18.94	8.42		†
	Order Coordination For Specified Conversion Time (per LSR)		-	UDN	OCOSL	40.17	35.74	100.00					10.54	0.72		+
	CLEC to CLEC Conversion Charge w/o outside dispatch			UDN	UREWO		120.98	33.04					18.94	8.42		+
2-WIE	E Universal Digital Channel (UDC) COMPATIBLE LOOP		1 1	ODIN	OKEWO		120.50	33.04					10.54	0.72		+
	2W Universal Digital Channel (UDC) Compatible Loop-Zone 1	-	1	UDC	UDC2X	21.89	44.69	31.55	25.65	7.06			18.94	8.42		+
	2W Universal Digital Channel (UDC) Compatible Loop-Zone 2	÷	2	UDC	UDC2X	25.27	44.69	31.55	25.65	7.06			18.94	8.42		+
	2W Universal Digital Channel (UDC) Compatible Loop-Zone 3	÷	3	UDC	UDC2X	40.17	44.69	31.55	25.65	7.06			18.94	8.42		+
	CLEC to CLEC Conversion Charge w/o outside dispatch	Ė	3	UDC	UREWO	40.17	44.69	31.55	23.03	7.00			18.94	8.42		+
2-WIE	RE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPATII		OOB	ODC	OKLVVO		44.03	31.33					10.34	0.42		+
2-4411	2W Unbundled ADSL Loop including manl svc ing & facility reservation-		100													+
	Zone 1		1	UAL	UAL2X	11.23	44.69	31.55	25.65	7.06			18.94	8.42		
	2W Unbundled ADSL Loop including manl svc ing & facility reservation-			UAL	UALZA	11.23	44.09	31.00	25.05	7.00			10.94	0.42		+
	Zone 2		2	UAL	UAL2X	12.97	44.69	31.55	25.65	7.06			18.94	8.42		
	2W Unbundled ADSL Loop including manl svc ing & facility reservation-			UAL	UALZA	12.51	44.03	31.33	23.03	7.00			10.34	0.42		+
	Zone 3		3	UAL	UAL2X	20.62	44.69	31.55	25.65	7.06			18.94	8.42		
	Order Coordination for Specified Conversion Time (per LSR)		3	UAL	OCOSL	20.02	35.74	31.00	25.05	7.00			10.94	0.42		+
	2W Unbundled ADSL Loop w/o manl svc ing & facility reservaton-Zone	_	1	UAL	UAL2W	11.23	44.69	31.55	25.65	7.06			18.94	8.42		+
	2W Unbundled ADSL Loop w/o manl svc ing & facility reservation-Zone	÷	2	UAL	UAL2W	12.97	44.69	31.55	25.65	7.06			18.94	8.42		+
	2W Unbundled ADSL Loop w/o mail svc ind & facility reservation-Zone	÷	3	UAL	UAL2W	20.62	44.69	31.55	25.65	7.06			18.94	8.42		+
	Order Coordination for Specified Conversion Time (per LSR)		3	UAL	OCOSL	20.02	35.74	31.00	25.05	7.00			10.94	0.42		+
	CLEC to CLEC Conversion Charge w/o outside dispatch			UAL	UREWO		44.69	29.29					18.94	8.42		+
2 14/15	EE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBI		NOD.	UAL	UKEWU		44.09	29.29					10.94	0.42		+
Z-VVIP		E LU	JUP													+
	2W Unbundled HDSL Loop including manl svc inq & facility reservation-			UHL	UHL2X	7.88	44.69	31.55	25.65	7.06			18.94	8.42		
	Zone 1  2W Unbundled HDSL Loop including manl svc ing & facility reservation-		1	UHL	UHLZX	7.88	44.69	31.55	∠5.65	7.06			18.94	8.42		+
	, , ,	1	2	11111	LILII OV	0.00	44.00	24.55	25.65	7.00			10.04	0.40		
_	Zone 2		2	UHL	UHL2X	9.09	44.69	31.55	25.65	7.06	1	1	18.94	8.42	1	+
	2W Unbundled HDSL Loop including manl svc inq & facility reservation-	١.			1111101	44.40	44.00	04.55	05.05	7.00			40.04			1
-	Zone 3		3	UHL	UHL2X	14.46	44.69	31.55	25.65	7.06	1	1	18.94	8.42	1	+
_	Order Coordination for Specified Conversion Time (per LSR)	<u> </u>		UHL	OCOSL	7.00	35.74	04.55	05.05	7.00	-	-	10.01	0.10	1	<del>                                     </del>
	2W Unbundled HDSL Loop w/o manl svc inq & facility reservation-Zone		1	UHL UHL	UHL2W UHL2W	7.88	44.69	31.55	25.65	7.06	ļ	1	18.94	8.42		<del>                                     </del>
	2W Unbundled HDSL Loop w/o manl svc ing & facility reservation-Zone		2			9.09	44.69	31.55	25.65	7.06			18.94	8.42		

Version 4Q02: 01/21/03 Page 101 of 402

JNBUNDL	ED NETWORK ELEMENTS - Georgia													ment: 2		bit: B
ATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	USOC		RAT	ΓES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitte d Manually per LSR	Incrementa I Charge - Manual Svc Order vs. Electronic-	Incrementa I Charge - Manual Svc Order vs. Electronic-	Increment al Charge - Manual Svc Order vs. Electronic-	al Char Manu Svc Ord vs.
												poi zoit	1st	Add'l		Disc Ad
						_	Nonrecu	ırrina	NRC Dis	connect		1	oss	Rates (\$)	1	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAI
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		35.74									
	CLEC to CLEC Conversion Charge w/o outside dispatch			UHL	UREWO		44.69	31.55					18.94	8.42		
4-WIR	E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBL	E LO	OP													
	4W Unbundled HDSL Loop including manl svc ing & facility reservation-		Ī													
	Zone 1	- 1	1	UHL	UHL4X	10.39	44.69	31.55	25.65	7.06			18.94	8.42		
	4W Unbundled HDSL Loop including manl svc ing & facility reservation-							0.1.00						, <u></u>		
	Zone 2	1	2	UHL	UHL4X	12.00	44.69	31.55	25.65	7.06			18.94	8.42		
	4W Unbundled HDSL Loop including manl svc ing & facility reservation-			****												<b>†</b>
	Zone 3	1	3	UHL	UHL4X	19.07	44.69	31.55	25.65	7.06			18.94	8.42		
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL	10.01	35.74	01.00	20.00	7.00				02		1
	4W Unbundled HDSL Loop w/o manl svc ing & facility reservation-Zone	- 1	1	UHL	UHL4W	10.39	44.69	31.55	25.65	7.06			18.94	8.42		<del>                                     </del>
1	4W Unbundled HDSL Loop w/o manl svc ing & facility reservation-Zone	i	2	UHL	UHL4W	12.00	44.69	31.55	25.65	7.06	1	1	18.94	8.42		1
	4W Unbundled HDSL Loop w/o manl svc ing & facility reservation-Zone	i	3	UHL	UHL4W	19.07	44.69	31.55	25.65	7.06			18.94	8.42		<b>†</b>
	Order Coordination for Specified Conversion Time (per LSR)	-	Ŭ	UHL	OCOSL	10.01	35.74	01.00	20.00	7.00			10.0-1	0.72		<del>                                     </del>
	CLEC to CLEC Conversion Charge w/o outside dispatch	-		UHL	UREWO		44.69	31.55					18.94	8.42		
4-W/ID	E DS1 DIGITAL LOOP	-		OTIL	UKLWO	1	44.03	31.55					10.54	0.42		+
4-4411	4W DS1 Digital Loop-Zone 1		1	USL	USLXX	55.53	429.98	268.18					18.94	8.42		+
	4W DS1 Digital Loop-Zone 2		2	USL	USLXX	64.13	429.98	268.18					18.94	8.42		+
-	4W DS1 Digital Loop-Zone 3		3	USL	USLXX	101.93	429.98	268.18					18.94	8.42		+
	Ů Í		3			101.93		268.18					18.94	8.42		
	Order Coordination for Specified Conversion Time (per LSR)			USL	OCOSL	-	35.74	40.07					10.01	0.40		
	CLEC to CLEC Conversion Charge w/o outside dispatch			USL	UREWO	-	100.91	42.97					18.94	8.42		<del>                                     </del>
	E 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP		-	UBI	1101.40	05.75	040.55	044.00					10.01	0.40		<del> </del>
	4W Unbundled Digital 19.2 Kbps		1	UDL	UDL19	25.75	348.55	241.20					18.94	8.42		<del> </del>
	4W Unbundled Digital 19.2 Kbps		2	UDL	UDL19	29.74	348.55	241.20					18.94	8.42		<del> </del>
	4W Unbundled Digital 19.2 Kbps		3	UDL	UDL19	47.27	348.55	241.20					18.94	8.42		<del>                                     </del>
	4W Unbundled Digital Loop 56 Kbps-Zone 1		1	UDL	UDL56	25.75	348.55	241.20					18.94	8.42		
	4W Unbundled Digital Loop 56 Kbps-Zone 2		2	UDL	UDL56	29.74	348.55	241.20					18.94	8.42		
	4W Unbundled Digital Loop 56 Kbps-Zone 3		3	UDL	UDL56	47.27	348.55	241.20					18.94	8.42		4
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		35.74									
	4W Unbundled Digital Loop 64 Kbps-Zone 1		1	UDL	UDL64	25.75	348.55	241.20					18.94	8.42		4
	4W Unbundled Digital Loop 64 Kbps-Zone 2		2	UDL	UDL64	29.74	348.55	241.20					18.94	8.42		
	4W Unbundled Digital Loop 64 Kbps-Zone 3		3	UDL	UDL64	47.27	348.55	241.20					18.94	8.42		
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		35.74									
	CLEC to CLEC Conversion Charge w/o outside dispatc h			UDL	UREWO		101.95	49.66					18.94	8.42		
2-WIR	E Unbundled COPPER LOOP															
	2W Unbundled Copper Loop/Short including manl svc inq & facility															
	reservation-Zone 1	- 1	1	UCL	UCLPB	12.02	44.69	31.55	25.65	7.06			18.94	8.42		
	2W Unbundled Copper Loop/Short including manl svc inq & facility															
	reservation-Zone 2		2	UCL	UCLPB	13.88	44.69	31.55	25.65	7.06			18.94	8.42		
	2W Unbundled Copper Loop/Short including manl svc inq & facility															
	reservation-Zone 3	- 1	3	UCL	UCLPB	22.07	44.69	31.55	25.65	7.06			18.94	8.42		
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		16.11	16.11								
	2W Unbundled Copper Loop/Short w/o manl svc inq & facility				110: 5:::			6: ==	07.05							
	reservation-Zone 1 2W Unbundled Copper Loop/Short w/o manl svc inq & facility	I	1	UCL	UCLPW	12.02	44.69	31.55	25.65	7.06	-		18.94	8.42		<del>                                     </del>
	reservation-Zone 2	I	2	UCL	UCLPW	13.88	44.69	31.55	25.65	7.06			18.94	8.42		
	2W Unbundled Copper Loop/Short w/o manl svc inq & facility				110: 5:::			6: ==	05.05							
	reservation-Zone 3	I	3	UCL	UCLPW	22.07	44.69	31.55	25.65	7.06	-		18.94	8.42		<del>                                     </del>
	Order Coordination for Unbundled Copper Loops (per loop)		$\vdash \vdash$	UCL	UCLMC		16.11	16.11								<b>↓</b>
	2W Unbundled Copper Loop/Long-includes manl svc inq & facility		1		1					l	1			I		1

Version 4Q02: 01/21/03 Page 102 of 402

UNBUNDL	ED NETWORK ELEMENTS - Georgia												Attachi	ment: 2	Exhil	bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	USOC		RAT	ΓES (\$)			Svc Order Submitte d Elec per LSR	d Manually	I Charge - Manual Svc Order	Manual Svc Order vs.	Increment al Charge - Manual Svc Order vs. Electronic- Disc 1st	al Charg Manual Svc Orde vs.
						Rec	Nonreci		NRC Dis					Rates (\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2W Unbundled Copper Loop/Long-includes manl svc inq & facility reservation-Zone 2	ı	2	UCL	UCL2L	41.07	44.69	31.55	25.65	7.06			18.94	8.42		
	2W Unbundled Copper Loop/Long-includes manl svc inq & facility reservation-Zone 3	ı	3	UCL	UCL2L	65.28	44.69	31.55	25.65	7.06			18.94	8.42		
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		16.11	16.11								
	2W Unbundled Copper Loop/Long-w/o manl svc inq & facility reservation-Zone 1	ı	1	UCL	UCL2W	35.56	44.69	31.55	25.65	7.06			18.94	8.42		
	2W Unbundled Copper Loop/Long-w/o manl svc inq & facility	i i												-		
	reservation-Zone 2 2W Unbundled Copper Loop/Long-w/o manl svc inq & facility		2	UCL	UCL2W	41.07	44.69	31.55	25.65	7.06			18.94	8.42		<del>                                     </del>
	reservation-Zone 3		3	UCL	UCL2W	65.28	44.69	31.55	25.65	7.06			18.94	8.42		
	Order Coordination for Unbundled Copper Loops (per loop)	-	- 3	UCL	UCLMC	03.20	16.11	16.11	23.03	7.00			10.94	0.42		
	CLEC to CLEC Conversion Charge w/o outside dispatch (UCL-Des)	<u> </u>		UCL	UREWO		44.69	31.55					18.94	8.42		
4-WIF	RE COPPER LOOP															
	4W Copper Loop/Short-including manl svc inq & facility reservation-															
	Zone 1	- 1	1	UCL	UCL4S	12.02	44.69	31.55	25.65	7.06			18.94	8.42		
	4W Copper Loop/Short-including manl svc inq & facility reservation- Zone 2	ı	2	UCL	UCL4S	13.88	44.69	31.55	25.65	7.06			18.94	8.42		
	4W Copper Loop/Short-including manl svc inq & facility reservation-															1
	Zone 3	- 1	3	UCL	UCL4S	22.07	44.69	31.55	25.65	7.06			18.94	8.42		
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		16.11	16.11								
	4W Copper Loop/Short-w/o manl svc inq & facility reservation-Zone 1		1	UCL	UCL4W	12.02	44.69	31.55	25.65	7.06			18.94	8.42		
	4W Copper Loop/Short-w/o manl svc inq & facility reservation-Zone 2	ı.	2	UCL	UCL4W	13.88	44.69	31.55	25.65	7.06			18.94	8.42		
	4W Copper Loop/Short-w/o manl svc inq & facility reservation-Zone 3  Order Coordination for Unbundled Copper Loops (per loop)		3	UCL UCL	UCL4W UCLMC	22.07	44.69 16.11	31.55 16.11	25.65	7.06			18.94	8.42		
	4W Unbundled Copper Loop/Long-includes manl svc inq & facility reservation-Zone 1	1	1	UCL	UCL4L	35.56	44.69	31.55	25.65	7.06			18.94	8.42		
	4W Unbundled Copper Loop/Long-includes manl svc inq & facility reservation-Zone 2	<u> </u>	2	UCL	UCL4L	41.07	44.69	31.55	25.65	7.06			18.94	8.42		
	4W Unbundled Copper Loop/Long-includes manl svc inq & facility		3													
	reservation-Zone 3 Order Coordination for Unbundled Copper Loops (per loop)	-	3	UCL UCL	UCL4L UCLMC	65.28	44.69 16.11	31.55 16.11	25.65	7.06			18.94	8.42		
	4W Unbundled Copper Loop/Long-w/o manl svc inq & facility		<u> </u>				-							2.42		
	reservation-Zone 1 4W Unbundled Copper Loop/Long-w/o manl svc inq & facility		1	UCL	UCL4O	35.56	44.69	31.55	25.65	7.06			18.94	8.42		<del>                                     </del>
	reservation-Zone 2	I	2	UCL	UCL4O	41.07	44.69	31.55	25.65	7.06			18.94	8.42		
	4W Unbundled Copper Loop/Long-w/o manl svc inq & facility	Ι.														
	reservation-Zone 3		3	UCL	UCL40	65.28	44.69	31.55	25.65	7.06			18.94	8.42		<del>                                     </del>
	Order Coordination for Unbundled Copper Loops (per loop)  CLEC to CLEC conversion Charge w/o outside dispatch	-	<u> </u>	UCL UCL	UCLMC UREWO		16.11 44.69	16.11 31.55					18.94	8.42		<del> </del>
LOOP MOD			1	UCL	OKEWO		44.09	31.33					10.94	0.42		<del>                                     </del>
	TOTAL OF THE PARTY			UAL,UHL,UCL,UEQ,												
	Unbundled Loop Modification, Removal of Load Coils-2W pr < or = 18kft	ı		ULS,UEA,UEANL,U EPSR,UEPSB	ULM2L		0.00	0.00					18.94	8.42		
	Unbundled Loop Modification, Removal of Load Coils-2W > 18kft		<u> </u>	UCL,ULS,UEQ	ULM2G		0.00	0.00					18.94	8.42		<del>                                     </del>
	Unbundled Loop Modification Removal of Load Coils-4W < or = 18kft	l ·		UCL	ULM4L		0.00	0.00					18.94	8.42		<del>                                     </del>
	Unbundled Loop Modification Removal of Load Coils-4W pr > 18kft	I	1	UHL,UCL	ULM4G		0.00	0.00		-			18.94	8.42		<del>                                     </del>
	Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop	,		UAL,UHL,UCL,UEQ, ULS,UEA,UEANL,U EPSR.UEPSB	ULMBT		0.00	0.00					18.94	8.42		
SUB-LOOPS			<u> </u>	EPOR,UEPOB	OFINIR		0.00	0.00	-	<b> </b>		-	18.94	8.42		<del>                                     </del>

Version 4Q02: 01/21/03 Page 103 of 402

NDUNDL	ED NETWORK ELEMENTS - Georgia			ı		1								ment: 2		bit: B
ATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	USOC		RA <sup>-</sup>	ΓES (\$)			Svc Order Submitte d Elec per LSR	d Manually	Svc Order vs.	I Charge - Manual Svc Order vs. Electronic-	al Charge - Manual Svc Order vs. Electronic-	al Char Manua Svc Ord vs. Electro
													1st	Add'l	Disc 1st	Disc Ad
						Rec	Nonrec	urring	NRC Dis	connect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
Sub-L	oop Distribution															
	Sub-Loop-Per Cross Box Location-CLEC Feeder Facility Set-Up	- 1		UEANL	USBSA		421.08	421.08					18.94	8.42		
	Sub-Loop-Per Cross Box Location-Per 25 pr Panel Set-Up	- 1		UEANL	USBSB		67.10	67.10					18.94	8.42		
	Sub-Loop-Per Building Equipment Room-CLEC Feeder Facility Set-Up	-		UEANL	USBSC		394.74	394.74					18.94	8.42		
	Sub-Loop-Per Building Equipment Room-Per 25 pr Panel Set-Up	- 1		UEANL	USBSD		154.57	154.57					18.94	8.42		
	Unbundled Sub-Loops, Riser Cable, 2W per Loop, Working & Spare Loop Activation			UEANL	USBRC	1.37	2.48	2.48	1.74	1.74			18.94	8.42		
	Unbundled Sub-Loops, Riser Cable, 4W per Loop, Working & Spare					2.74	4.96			1.74				_		
	Loop Activation Sub-Loop Distribution Per 2W Analog VG Loop-Statewide		SW	UEANL UEANL	USBRD USBN2	9.12	207.01	4.96 171.32	1.74	1.74	-		18.94 18.94	8.42 8.42		+
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr		SW	UEANL	USBN2 USBMC	9.12	34.22	34.22	-	<b>-</b>	-	-	18.94	8.42		+
						0.00			400.70	00.77			40.04	0.40		<del>                                     </del>
_	Sub-Loop Distribution Per 4W Analog VG Loop -Statewide		SW	UEANL	USBN4	8.32	219.35	72.99	123.72	28.77			18.94	8.42		+
_	Order Coordination for Unbundled Sub-Loops, per sub-loop pr			UEANL	USBMC		34.22	34.22						2.12		
-	Sub-Loop 2W Intrabuilding Network Cable (INC)			UEANL	USBR2	1.37	2.48	41.59	115.85	19.17			18.94	8.42		4
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr			UEANL	USBMC		34.22	34.22								-
	Sub-Loop 4W Intrabuilding Network Cable (INC)	- 1		UEANL	USBR4	2.96	176.46	55.11	122.17	19.57			18.94	8.42		<del> </del>
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr			UEANL	USBMC		34.22	34.22								<del> </del>
	2W Copper Unbundled Sub-Loop Distribution-Zone 1	1	1	UEF	UCS2X	5.54	175.16	55.50	108.86	24.53			18.84	8.42		
	2W Copper Unbundled Sub-Loop Distribution-Zone 2	- 1	2	UEF	UCS2X	5.54	175.16	55.50	108.86	24.53			18.94	8.42		
	2W Copper Unbundled Sub-Loop Distribution-Zone 3	ı	3	UEF	UCS2X	5.54	175.16	55.50	108.86	24.53			18.94	8.42		
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr			UEF	USBMC		34.22	34.22								
	4W Copper Unbundled Sub-Loop Distribution-Zone 1	1	1	UEF	UCS4X	6.89	219.35	72.99	123.72	28.77			18.94	8.42		
	4W Copper Unbundled Sub-Loop Distribution-Zone 2	ı	2	UEF	UCS4X	6.89	219.35	72.99	123.72	28.77			18.94	8.42		
	4W Copper Unbundled Sub-Loop Distribution-Zone 3	- 1	3	UEF	UCS4X	6.89	219.35	72.99	123.72	28.77			18.94	8.42		
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr			UEF	USBMC		34.22	34.22								
	Unbundled Sub-Loop Modification-2-W Copper Dist Load Coil/Equip															
	Removal per 2-W PR			UEF	ULM2X											
	Unbundled Sub-loop Modification-4-W Copper Dist Load Coil/Equip															
	Removal per 4-W PR			UEF	ULM4X											
	Unbundled Sub-loop Modification-2-w/4-w Copper Dist Bridged Tap															
	Removal, per PR unloaded			UEF	ULM4T											
	ndled Network Terminating Wire (UNTW)															
	Unbundled Network Terminating Wire (UNTW) per pr			UENTW	UENPP	1.37	2.48	2.48	1.74	1.74			18.94	8.42		<u> </u>
	rk Interface Device (NID)															<u> </u>
	Network Interface Device (NID)-1-2 lines	ı		UENTW	UND12		86.37	56.69					18.94	8.42		
	Network Interface Device (NID)-1-6 lines	- 1		UENTW	UND16		127.93	98.21					18.94	8.42		
	Network Interface Device Cross Connect-2 W	- 1		UENTW	UNDC2		6.15	6.15					18.94	8.42		
	Network Interface Device Cross Connect-4W			UENTW	UNDC4		6.15	6.15								
3-LOOPS																<b>↓</b>
	oop Feeder															<u> </u>
	USL-Feeder, DS0 Set-up per Cross Box location-CLEC Distribution			UEA,UDN,UCL,UDL					1							
	Facility set-up			,UDC	USBFW		421.08						18.94	8.42		
	USL Feeder-DS0 Set-up per Cross Box location-per 25 pr set-up			UEA,UDN,UCL,UDL ,UDC	USBFX		67.10	67.10					18.94	8.42		
	USL Feeder DS1 Set-up at DSX location, per DS1 Term			USL	USBFZ		521.57	11.30					18.94	8.42		1
	Unbundled Sub-Loop Feeder Loop, 2W Ground-Start, VG-Statewide		sw	UEA	USBFA	8.58	206.44	170.05					18.94	8.42		1
	Order Coordination for Specified Conversion Time, per LSR			UEA	OCOSL		35.74									1
	Unbundled Sub-Loop Feeder Loop, 2W Loop-Start, VG-Statewide		sw	UEA	USBFB	8.58	206.44	170.05					18.94	8.42		1
	Order Coordination for Specified Time Conversion, per LSR			UEA	OCOSL		35.74									1
1	Unbundled Sub-Loop Feeder Loop, 2W Rev Bat, VG Loop-Statewide		sw	UEA	USBFC	8.58	206.44	170.05					18.94	8.42		1
-	Order Coordination For Specified Conversion Time, per LSR			UEA	OCOSL	2.50	35.74									1

Version 4Q02: 01/21/03 Page 104 of 402

CHECHEL	ED NETWORK ELEMENTS - Georgia				1									ment: 2		bit: B
											Svc Order	Svc Order	Incrementa I Charge -	Incrementa I Charge -	Increment al Charge	
											Submitte			Manual	Manual	- al Charge Manual
CATECORY	DATE EL EMENTO	Interi	Zon	DOG	11000		D.4.	FFO (#)						Svc Order		
CATEGORY	RATE ELEMENTS	m	е	BCS	USOC		RA	ΓES (\$)			d Elec	d	Svc Order		Svc Order	
											per LSR	Manually	VS.	VS.	VS.	VS.
												per LSR	Electronic- 1st	Add'l	Disc 1st	- Electronic Disc Add'
															DISC 1St	DISC Add
						Rec	Nonrec		NRC Dis					Rates (\$)		T
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Sub-Loop Feeder Loop, 4W Ground-Start, VG-Statewide		SW	UEA	USBFD	19.91	243.41	81.32	134.77	33.93			18.94	8.42		<b>_</b>
	Order Coordination For Specified Conversion Time, Per LSR			UEA	OCOSL		35.74									<b>_</b>
	Unbundled Sub-Loop Feeder Loop, 4W Loop-Start, VG-Statewide		sw	UEA	USBFE	19.91	243.41	81.32	134.77	33.93			18.94	8.42		
	Order Coordination For Specified Conversion Time, Per LSR			UEA	OCOSL		35.74									
	Unbundled Sub-Loop Feeder Loop, 2W ISDN BRI-Statewide		SW	UDN	USBFF	17.73	208.50	62.31	119.68	29.58			18.94	8.42		
	Order Coordination For Specified Conversion Time, Per LSR	1		UDN	OCOSL		35.74									
	Unbundled Sub-Loop Feeder, 2W UDC (IDSL compatible)	1	SW	UDC	USBFS	17.73	208.50	62.31	119.68	29.58			19.99	19.99	19.99	
	Unbundled Sub-Loop Feeder Loop, 4W DS1-Statewide		SW	USL	USBFG	79.30	203.69	128.76	124.09	34.80			19.99	19.99	19.99	19.99
	Order Coordination For Specified Conversion Time, Per LSR			USL	OCOSL		35.74		L	<u> </u>	ļ					1
	Unbundled Sub-Loop Feeder Loop, 2W Copper Loop-Statewide		SW	UCL	USBFH	7.22	195.38	63.15	119.68	29.58			18.94	8.42		
	Order Coordination For Specified Conversion Time, per LSR			UCL	OCOSL		35.74									
	Sub-Loop Feeder-Per 4W Copper Loop-Statewide		SW	UCL	USBFJ	13.72	243.41	81.32	134.77	33.93			18.94	8.42		
	Order Coordination For Specified Conversion Time, per LSR			UCL	OCOSL		35.74									
	Sub-Loop Feeder-Per 4W 19.2 Kbps Digital Grade Loop		SW	UDL	USBFN	24.50	243.41	81.32	134.77	33.93			19.99	19.99	19.99	
	Sub-Loop Feeder-Per 4W 56 Kbps Digital Grade Loop-Statewide		SW	UDL	USBFO	24.50	243.41	81.32	134.77	33.93			19.99	19.99	19.99	19.99
	Order Coordination For Specified Time Conversion, per LSR			UDL	OCOSL		35.74									
	Sub-Loop Feeder-Per 4W 64 Kbps Digital Grade Loop-Statewide		SW	UDL	USBFP	24.50	243.41	81.32	134.77	33.93			19.99	19.99	19.99	19.99
	Order Coordination For Specified Conversion Time, per LSR			UDL	OCOSL		35.74									
SUB-LOOPS																
Sub-L	oop Feeder															
	Sub Loop Feeder-DS3-Per mi Per mo			UE3	1L5SL	12.80										1
	Sub Loop Feeder-DS3-Facility Term Per mo	I		UE3	USBF1	329.94	3,396.56	406.50	163.61	92.75			18.94	8.42		
	Sub Loop Feeder – STS-1 – Per mi Per mo	- 1		UDLSX	1L5SL	12.80										
	Sub Loop Feeder-STS-1-Facility Term Per mo	- 1		UDLSX	USBF7	372.78	3,396.56	406.50	163.61	92.75			18.94	8.42		
	Sub Loop Feeder – OC-3 – Per mi Per mo	I		UDLO3	1L5SL	9.71										
	Sub Loop Feeder-OC-3-Facility Term Protection Per mo	I		UDLO3	USBF5	57.79										1
	Sub Loop Feeder-OC-3-Facility Term Per mo	I		UDLO3	USBF2	524.13	3,396.56	406.50	163.61	92.75			18.94	8.42		
	Sub Loop Feeder-OC-12-Per mi Per mo	I		UDL12	1L5SL	11.95										
	Sub Loop Feeder-OC-12-Facility Term Protection Per mo	1		UDL12	USBF6	519.09										1
	Sub Loop Feeder-OC-12-Facility Term Per mo	I		UDL12	USBF3	1,570.00	3,396.56	406.50	163.61	92.75			18.94	8.42		
	Sub Loop Feeder-OC-48-Per mi Per mo	- 1		UDL48	1L5SL	39.20	,									1
	Sub Loop Feeder-OC-48-Facility Term Protection Per mo	I		UDL48	USBF9	259.99										
	Sub Loop Feeder-OC-48-Facility Term Per mo	1		UDL48	USBF4	1.505.00	3.582.56	406.50	163.61	92.75			18.94	8.42		1
	Sub Loop Feeder-OC-12 Interface On OC-48	1		UDL48	USBF8	323.43	803.69	406.50	163.61	92.75			18.94	8.42		
UNBUNDLE	D LOOP CONCENTRATION															1
	Unbundled Loop Concentration-System A (TR008)			ULC	UCT8A	441.42	650.81	650.81					19.99	19.99	19.99	19.99
	Unbundled Loop Concentration-System B (TR008)			ULC	UCT8B	52.97	271.17	271.17					19.99	19.99	19.99	
	Unbundled Loop Concentration-System A (TR303)			ULC	UCT3A	478.93	650.81	650.81					19.99	19.99	19.99	
	Unbundled Loop Concentration-System B (TR303)			ULC	UCT3B	89.26	271.17	271.17					19.99	19.99	19.99	
	Unbundled Loop Concentration-DS1 Loop Interface Card			ULC	UCTCO	5.04	126.57	92.14	33.57	9.40			19.99	19.99	19.99	
	Unbundled Loop Concentration-ISDN Loop Interface (Brite Card)			UDN	ULCC1	8.00	21.07	20.96	10.78	10.71			19.99	19.99	19.99	
	Unbundled Loop Concentration-UDC Loop Interface (Brite Card)			UDC	ULCCU	8.00	21.07	20.96	10.78	10.71			19.99	19.99	19.99	
	Unbundled Loop Concentration2W Voice-Loop Start or Ground Start			550	0_000	0.00	21.07	_0.00	.0.70				10.00	10.00	10.00	10.0
	Loop Interface (POTS Card)			UEA	ULCC2	2.00	21.07	20.96	10.78	10.71			19.99	19.99	19.99	19.99
	Unbundled Loop Concentration-2W Voice-Rev Bat Loop Interface	1		OLA .	01002	2.00	21.07	20.00	10.70	10.71			15.55	13.33	10.00	10.5
	(SPOTS Card)			UEA	ULCCR	11.89	21.07	20.96	10.78	10.71			19.99	19.99	19.99	19.9
	Unbundled Loop Concentration-4W Voice Loop Interface (Specials	1		UEA	OLOUR	11.09	21.07	20.90	10.76	10.71	<del>                                     </del>		19.99	19.99	19.99	19.9
	Card)			UEA	ULCC4	7.09	21.07	20.96	10.78	10.71			19.99	19.99	19.99	19.9
	Unbundled Loop Concentration-TEST CIRCUIT Card	<u> </u>		ULC	UCTTC	34.67	21.07	20.96	10.78	10.71	<b>_</b>		19.99	19.99	19.99	
_		1	1	UDL	ULCC7	10.51	21.07	20.96	10.78	10.71	<u> </u>		19.99	19.99	19.99	
	Unbundled Loop Concentration-Digital 19.2 Kbps Data Loop Interface Unbundled Loop Concentration-Digital 56 Kbps Data Loop Interface	1	$\vdash$	UDL	ULCC5	10.51	21.07	20.96	10.78	10.71	<u> </u>		19.99	19.99	19.99	

Version 4Q02: 01/21/03 Page 105 of 402

ONROND	DLED NETWORK ELEMENTS - Georgia				•									ment: 2		bit: B
CATEGOR	Y RATE ELEMENTS	Interi m	Zon e	BCS	USOC		RAT	ΓES (\$)			Svc Order Submitte d Elec per LSR	d Manually	Incrementa I Charge - Manual Svc Order vs. Electronic-	Incrementa I Charge - Manual Svc Order vs. Electronic- Add'I	al Charge - Manual Svc Order vs. Electronic-	al Charg Manua Svc Ord vs.
						1	Nonreci	urring	NRC Dis	connect				Rates (\$)	Disc ist	Disc Auc
						Rec	First	Add'l	First	Add'l		SOMAN		SOMAN	SOMAN	SOMAN
	Unbundled Loop Concentration-Digital 64 Kbps Data Loop Interface			UDL	ULCC6	10.51	21.07	20.96	10.78	10.71	OOMILO	COMAI	19.99	19.99	19.99	19.9
UNE OTHE	ER, PROVISIONING ONLY - NO RATE			OBL	02000	10.01	21.07	20.00	10.70	10.71			10.00	10.00	10.00	10.0
UNIL UTIL	NID-Dispatch & Service Order for NID installation			UENTW	UNDBX	0.00	0.00									
	UNTW Circuit Id Establishment, Provisioning Only-No Rate			UENTW	UENCE	0.00	0.00									<del>                                     </del>
				UEANL,UEF,UEQ,U												
LINE OTHE	Unbundled Contract Name, Provisioning Only-No Rate  ER. PROVISIONING ONLY - NO RATE			ENTW	UNECN	0.00	0.00									
UNE OTHE	ROVISIONING ONLY - NO RATE			HALLIOL LIDO LIDI												ļ
	Unbundled Centeet Name Provinces Celuse sets			UAL,UCL,UDC,UDL, UDN.UEA.UHL.ULC	UNECN	0.00	0.00									
	Unbundled Contact Name, Provisioning Only-no rate Unbundled Sub-Loop Feeder-2W Cross Box Jumper-no rate			UEA.UDN.UCL.UDC		0.00	0.00				1					
																ļ
-	Unbundled Sub-Loop Feeder-4W Cross Box Jumper-no rate			UEA,USL,UCL,UDL	USBFR	0.00	0.00									
	Unbundled DS1 Loop-Superframe Format Option-no rate			USL	CCOSF	0.00	0.00									
	Unbundled DS1 Loop-Expanded Superframe Format option-no rate			USL	CCOEF	0.00	0.00									<del> </del>
	ACITY UNBUNDLED LOCAL LOOP															ļ
NO	TE: minimum billing period of three months for DS3 and above Local	Loop														ļ
	High Capacity Unbundled Local Loop-DS3-Per mi per mo			UE3	1L5ND	8.90										1
	High Capacity Unbundled Local Loop-DS3-Facility Term per mo			UE3	UE3PX	390.34	639.50	426.40					37.55	37.55	18.03	18.0
	High Capacity Unbundled Local Loop-STS-1-Per mi per mo			UDLSX	1L5ND	8.90										
	High Capacity Unbundled Local Loop-STS-1-Facility Term per mo			UDLSX	UDLS1	421.59	639.50	426.40					37.55	37.55	18.03	18.0
LOOP MA																
	Loop Makeup-Preordering w/o Reservation, per working or spare facility queried (Manual).			UMK	UMKLW		35.00	35.00								
	Loop Makeup-Preordering With Reservation, per spare facility queried (Manual).			UMK	UMKLP		45.00	45.00								
	Loop MakeupWith or w/o Reservation, per working or spare facility queried (Mechanized)			UMK	PSUMK		0.075	0.075								
HIGH FRE	QUENCY SPECTRUM			Olviik	1 CONIT		0.070	0.070								
	E SHARING															
	ITTERS-CENTRAL OFFICE BASED															
0	Line Sharing Splitter, per System 96 Line Capacity			ULS	ULSDA	131.00	0.00	0.00					18.94	8.42		
	Line Sharing Splitter, per System 24 Line Capacity			ULS	ULSDB	32.00	0.00	0.00					18.94	8.42		
	Line Sharing Splitter, Per System, 8 Line Capacity			ULS	ULSD8	11.00	0.00	0.00					18.94	8.42		
	Line Sharing-DLEC Owned Splitter in CO-CFA activaton-deactivation (per LSOD)			ULS	ULSDG	11.00	131.55	0.00					18.94	8.42		
ENIE	D USER ORDERING-CENTRAL OFFICE BASED-HIGH FREQUENCY SP	ECTD	1184 4		ULSDG	+	131.33	0.00					10.94	0.42		
EINL	Line Sharing -per Line Activation (BST Owned Splitter)	ECIK	UIVI A	ULS	ULSDC	0.61	10.51	7.70					18.94	8.42		
	Line Sharing-per Subsqnt Activity per Line Rearrangement(BST Owned					0.61										
	Splitter Line Sharing-per Subsqnt Activity per Line Rearrangement(DLEC			ULS	ULSDS		36.23	13.23					18.94	8.42		
	Owned Splitter			ULS	ULSCS		36.23	13.23					18.94	8.42		1
	Line Sharing-per Line Activation (DLEC owned Splitter)			ULS	ULSCC	0.61	47.44	19.31					18.94	8.42		
	E SPLITTING															
END	USER ORDERING-CENTRAL OFFICE BASED															
	Line Splitting-per line activation DLEC owned splitter	I		UEPSR UEPSB	UREOS	0.61										
	Line Splitting-per line activation BST owned-physical			UEPSR UEPSB	UREBP	0.61	53.48	34.48	16.45	12.75			18.94	8.42		
	Line Splitting-per line activation BST owned-virtual	- 1		UEPSR UEPSB	UREBV	0.61	53.48	34.48	16.45	12.75			18.94	8.42		
REM	NOTE SITE HIGH FREQUENCY SPECTRUM															
SPL	ITTERS-REMOTE SITE															
	Remote Site Line Share BST Owned Splitter, 24 Port			ULS	ULSRB	31.13	136.10	0.00					18.94	8.42		
	Remote Site Line Share Cable pr Activation CLEC Owned at RS &															
	Deactivation	- 1		ULS	ULSTG		123.70	0.00					18.94	8.42		

Version 4Q02: 01/21/03 Page 106 of 402

UNBUNDI	LED NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhil	bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	usoc		RA	TES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitte d Manually per LSR	Incrementa I Charge - Manual Svc Order vs. Electronic- 1st	Incrementa I Charge - Manual Svc Order vs. Electronic- Add'I	al Charge - Manual Svc Order vs. Electronic-	al Charge Manual Svc Orde vs.
						Rec	Nonrec	urring	NRC Di	sconnect		•		Rates (\$)	•	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
END	USER ORDERING-REMOTE SITE HIGH FREQUENCY SPECTRUM AF	(A RE	MOTE	SITE LINE SHARI	NG											
	Remote Site Line Share Line Activationfor End User Served at RS, BST															
	Splitter	ı		ULS	ULSRC	0.61	10.51	7.70					18.94	8.42		
	RS Line Share Line Activation for End User served at RS, CLEC Splitter	ı		ULS	ULSTC	0.61	10.51	7.70					18.94	8.42		
	Remote Site Line Share Subsqnt Activity-RS BST Owned Splitter			ULS	ULSRS		36.04	11.96					18.94	8.42		
	Remote Site Line Share Subsqnt Activity-RS CLEC Owned Splitter	ı		ULS	ULSTS		36.04	11.96					18.94	8.42		
	ED DEDICATED TRANSPORT															
	E: INTEROFFICE CHANNEL DEDICATED TRANSPORT - minimum b	illing	period	I - below DS3=one	month, abo	ve DS3=four m	onths									
INTE	ROFFICE CHANNEL - DEDICATED TRANSPORT															
	Interoffice Channel-Dedicated Transport-2W VG-Per mi per mo			U1TVX	1L5XX	0.0222										
	Interoffice Channel-Dedicated Transport-2W VG-Facility Term			U1TVX	U1TV2	17.07	79.61	36.08					18.94	18.94		
	Interoffice Channel-Dedicated Transport-2W VG Rev Bat-Per mi per mo			U1TVX	1L5XX	0.0222										
	Interoffice Channel-Dedicated Transport-2W VG Rev BatFacility Term			U1TVX	U1TR2	17.07	79.61	36.08					18.94	18.94		
	Interoffice Channel-Dedicated Transport-56 kbps-per mi per mo			U1TDX	1L5XX	0.0222										
	Interoffice Channel-Dedicated Transport-56 kbps-Facility Term			U1TDX	U1TD5	16.45	79.61	36.08					18.94	18.94		
	Interoffice Channel-Dedicated Transport-64 kbps-per mi per mo			U1TDX	1L5XX	0.0222										
	Interoffice Channel-Dedicated Transport-64 kbps-Facility Term			U1TDX	U1TD6	16.45	79.61	36.08					18.94	18.94		
	Interoffice Channel-Dedicated Channel-DS1-Per mi per mo			U1TD1	1L5XX	0.4523										
	Interoffice Channel-Dedicated Tranport-DS1-Facility Term			U1TD1	U1TF1	78.47	147.07	111.75					18.94	18.94		
	Interoffice Channel -Dedicated Transport-DS3-Per mi per mo			U1TD3	1L5XX	2.72										
	Interoffice Channel-Dedicated Transport-DS3-Facility Term per mo			U1TD3	U1TF3	788.00	511.10	330.77					37.55	37.55	18.03	18.0
	Interoffice Channel-Dedicated Transport-STS-1-Per mi per mo			U1TS1	1L5XX	2.72										
	Interoffice Channel-Dedicated Transport-STS-1-Facility Term			U1TS1	U1TFS	783.63	511.10	449.91					61.19	61.19	3.17	3.1
LOC	AL CHANNEL - DEDICATED TRANSPORT															
NOT	E: LOCAL CHANNEL DEDICATED TRANSPORT - minimum billing p	eriod	= belo	w DS3=one month	, above DS	3=four months										
	Local Channel-Dedicated-2W VG			ULDVX	ULDV2	13.91	382.95	62.40					18.94	8.42		
	Local Channel-Dedicated-2W VG Rev Bat			ULDVX	ULDR2	13.91	382.95	62.40					18.94	18.94		
	Local Channel-Dedicated-4W VG			ULDVX	ULDV4	14.99	368.44	64.05					18.94	8.42		
	Local Channel-Dedicated-DS1			ULDD1	ULDF1	38.36	356.15	312.89					44.22	44.22	18.03	18.0
	Local Channel-Dedicated-DS3-Per mi per mo			ULDD3	1L5NC	6.92										
	Local Channel-Dedicated-DS3-Facility Term			ULDD3	ULDF3	515.91	639.50	426.31					37.55	37.55	18.03	18.0
	Local Channel-Dedicated-STS-1-Per mi per mo			ULDS1	1L5NC	6.92										
	Local Channel-Dedicated-STS-1 -Facility Term			ULDS1	ULDFS	517.56	639.50	426.31					18.94	18.94		
DARK FIBE	iR															
	Dark Fiber, Four Fiber Strands, Per Route mi or Fraction Thereof per										Ì					
	mo-Local Channel	İ		UDF	1L5DC	44.22								1		
	NRC Dark Fiber-Local Channel			UDF	UDFC4		1.355.29	273.69					18.94	18.94		
	Dark Fiber, Four Fiber Strands, Per Route mi or Fraction Thereof per						,									
	mo-Interoffice Channel			UDF	1L5DF	44.22										
	NRC Dark Fiber-Interoffice Channel			UDF	UDF14		1,355.29	273.69					18.94	18.94		
	Dark Fiber, Four Fiber Strands, Per Route mi or Fraction Thereof per			-			,									
	mo-Local Loop			UDF	1L5DL	44.22										
	NRC Dark Fiber-Local Loop			UDF	UDFL4		1,355.29	273.69		1	1		18.94	18.94		
8XX ACCES	SS TEN DIGIT SCREENING			<del></del> -	1		.,							1		
1	8XX Access Ten Digit Screening, Per Call			OHD	1	0.0004868								1		
	8XX Access Ten Digit Screening, Reservation Charge Per 8XX No				1	2.220.000				1						
	Reserved	1		OHD	N8R1X		6.57	0.76					18.94	18.94		
	8XX Access Ten Digit Screening, Per 8XX No. Established W/O POTS			J. 1D	.,		0.01	0.70		1			10.04	10.04		
	Translations	İ		OHD			12.81	1.45					18.94	18.94		
	8XX Access Ten Digit Screening, Per 8XX No. Established With POTS			Ç. ID	1		12.01	110	1	1	1	1	10.04	10.04		<b>†</b>
	Translations	l		OHD	N8FTX		12.81	1.45					18.94	18.94	l	1

Version 4Q02: 01/21/03 Page 107 of 402

UNBUN	DLED NETWORK ELEMENTS - Georgia												Attachi	ment: 2	Exhil	bit: B
CATEGO	RY RATE ELEMENTS	Inter m	i Zon e	BCS	USOC		RAT	TES (\$)			d Elec	Svc Order Submitte d Manually per LSR	Svc Order	I Charge - Manual Svc Order vs.	al Charge - Manual Svc Order vs. Electronic-	al Charge - Manual Svc Order vs.
						_	Nonreci	urrina	NRC Dis	connect			oss	Rates (\$)		·
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	8XX Access Ten Digit Screening, Customized Area of Service Per 8XX No			OHD	N8FCX		4.46	2.23					18.94	18.94		
	8XX Access Ten Digit Screening, Multiple InterLATA CXR Routing Per CXR Requested Per 8XX No.			OHD	N8FMX		5.22	2.99					18.94	18.94		
	8XX Access Ten Digit Screening, Change Charge Per Request			OHD	N8FAX		7.33	0.76					18.94	18.94		
	8XX Access Ten Digit Screening, Call Handling & Destination Features			OHD	N8FDX		4.72	4.46					18.94	18.94		
LINE INF	ORMATION DATA BASE ACCESS (LIDB)															
	LIDB Common Transport Per Query			OQT		0.0000338										
	LIDB Validation Per Query			OQU		0.0105974										
	LIDB Originating Point Code Establishment or Change			OQT,OQU	NRPBX		50.30						18.94	18.94		
SIGNALI	NG (CCS7)															
	CCS7 Signaling Term, Per STP Port			UDB	PT8SX	133.99										
	CCS7 Signaling Usage, Per TCAP Message		<u> </u>	UDB		0.000087										
	CCS7 Signaling Connection, Per link (A link)		<u> </u>	UDB	TPP++	17.05	131.96	131.96					18.94	18.94		<u> </u>
	CCS7 Signaling Connection, Per link (B link) (also known as D link)		<u> </u>	UDB	TPP++	17.05	131.96	131.96					18.94	18.94		<u> </u>
	CCS7 Signaling Usage, Per ISUP Message		<u> </u>	UDB	1	0.0000354										<u> </u>
	CCS7 Signaling Usage Surrogate, per link per LATA			UDB	STU56	340.67										ļ
	CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, per STP affected			UDB	CCAPO		40.00	40.00					18.94	18.94		
	CCS7 Signaling Point Code, per Destination Point Code Establishment or Change, Per Stp Affected			UDB	CCAPD		8.00	8.00					18.94	18.94		

ONBONDE	ED NETWORK ELEMENTS - Georgia													ment: 2		bit: B
_		Interi	7on								Svc Order Submitte	Svc Order Submitte	I Charge - Manual	Incrementa I Charge - Manual	al Charge · Manual	al Charg
CATEGORY	RATE ELEMENTS	m	e	BCS	USOC		RA	TES (\$)			d Elec per LSR	d Manually per LSR	Svc Order vs. Electronic- 1st	Svc Order vs. Electronic- Add'l	Svc Order vs. Electronic Disc 1st	vs.
						_	Nonrec	urrina	NRC Dis	connect		1	oss	Rates (\$)		1
						Rec	First	Add'l	First		SOMEC	SOMAN			SOMAN	SOMAN
CALLING N	AME (CNAM) SERVICE															
	CNAM for DB Owners, Per Query			OQV		0.01										
	CNAM for Non DB Owners, Per Query			OQV		0.01										
	CNAM (Non-Databs Owner), NRC, applies when using the Character Based User Interface (CHUI)			OQV	CDDCH		595.00	595.00					18.94	18.94		
OPERATOR	CALL PROCESSING				0550		000.00	000.00					10.01	10.01		
	Oper Call Processing-Oper Provided, Per min-Using BST LIDB					1.20										
	Oper Call Processing-Oper Provided, Per min-Using Foreign LIDB					1.24										
	Oper Call Processing-Fully Automated, per Call-Using BST LIDB					0.20										
	Oper Call Processing-Fully Automated, per Call-Using Foreign LIDB					0.20										
NWARD OF	PERATOR SERVICES															
	Inward Oper Svcs-Verification, Per min					1.15										
	Inward Oper Services-Verification & Emergency Interrupt-Per min					1.15										
BRANDING	- OPERATOR CALL PROCESSING		İ													
	ity based CLEC															
	Recording of Custom Branded OA Announcement				CBAOS		7,000.00	7,000.00					19.99	19.99	19.99	19.99
	Loading of Custom Branded OA Announcement per shelf/NAV per OCN				CBAOL		500.00	500.00					19.99	19.99		
UNE	CLEC															
	Recording of Custom Branded OA Announcement						7,000.00	7,000.00					19.99	19.99	19.99	19.99
	Loading of Custom Branded OA Announcement per shelf/NAV per OCN						500.00	500.00					19.99	19.99		
Unbr	anding via OLNS for UNEP CLEC															
	Loading of OA per OCN (Regional)						1,200.00	1,200.00					19.99	19.99		
	Y ASSISTANCE SERVICES															
DIRE	CTORY ASSISTANCE ACCESS SERVICE															
	Directory Assistance Access Service Calls, Charge Per Call					0.275										
DIRE	CTORY ASSISTANCE CALL COMPLETION ACCESS SERVICE (DACC	<b>C)</b>														
	Directory Assistance Call Completion Access Service (DACC), Per Call Attempt					0.10										
	Y ASSISTANCE SERVICES															
DIRE	CTORY ASSISTANCE DATA BASE SERVICE (DADS)															
	Directory Assistance Data Base Service Charge Per Listing					0.04										
	Directory Assistance Data Base Service, per mo				DBSOF	150.00										
	- DIRECTORY ASSISTANCE															
Facili	ty Based CLEC															
	Recording & Provisioning of DA Custom Branded Announcement			AMT	CBADA		3,000.00	3,000.00					18.94	8.42		
	Loading of Custom Branded Announcement per Switch per OCN			AMT	CBADC		1,170.00	1,170.00					18.94	8.42		
UNE	CLEC															
	Recording of DA Custom Branded Announcement						3,000.00	3,000.00					18.94	8.42		
	Loading of DA Custom Branded Announcement per Switch per OCN						1,170.00	1,170.00					18.94	8.42		
Unbr	anding via OLNS for UNEP CLEC															
	Loading of DA per OCN (1 OCN per Order)						420.00	420.00					18.94	8.42		
	Loading of DA per Switch per OCN						16.00	16.00					18.94	8.42		
SELECTIVE	ROUTING				USRCR		199.56	199.56					33.67	7.88		
(IDTUAL C	Selective Routing Per Unique Line Class Code Per Request Per Switch				USRCR		199.56	199.56					33.67	7.88		
IRTUAL C	OLLOCATION			LIEDOD LIEDOD	\/E4L0	0.00	04.50	00.50	0.00	0.00			40.00	40.00		
HVCICAL	Virtual Collocation-2W Cross Connects (Loop) for Line Splitting COLLOCATION			UEPSR,UEPSB	VE1LS	0.03	24.56	23.56	9.20	8.30			19.99	19.99		1
THISICAL	Physical Collocation-2W Cross Connects (Loop) for Line Splitting			UEPSR,UEPSB	PE1LS	0.0318	11.94	11.46		-			19.99	19.99		-
IN SELECT	TIVE CARRIER ROUTING			UEPOR,UEPOB	PEILS	0.0318	11.94	11.46	-	-	-	-	19.99	19.99	<del>                                     </del>	<del>                                     </del>
IIN SELEC	Regional Service Establishment			SRC	SRCEC		391.788.00		-	-	-	-	19.99	19.99	19.99	19.9
	End Office Establishment			SRC	SRCEO		391,788.00	320.53		1	1		19.99	19.99	19.99	

Version 4Q02: 01/21/03 Page 109 of 402

UNBUNDLI	ED NETWORK ELEMENTS - Georgia												Attachr	nent: 2	Exhib	oit: B
											Svc	Svc	Incrementa			
											Order	Order	I Charge -	I Charge -	al Charge -	al Charge -
			_								Submitte	Submitte	Manual	Manual	Manual	Manual
CATEGORY	RATE ELEMENTS	Interi		BCS	USOC		RA <sup>*</sup>	TES (\$)			d Elec	d	Svc Order	Svc Order	Svc Order	Svc Order
		m	е					.,			per LSR	Manually	vs.	vs.	vs.	vs.
											-	per LSR	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonrec	urring	NRC Dis	connect			OSS	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Line/Port NRC, per end user			SRC	SRCLP		2.06	2.06					19.99	19.99	19.99	19.99
	Query NRC, per query			SRC		0.000448	•									

ONBOND	ED NETWORK ELEMENTS - Georgia													ment: 2		bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	usoc		RA	ΓES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitte d Manually per LSR	Incrementa I Charge - Manual Svc Order vs. Electronic- 1st	Incrementa I Charge - Manual Svc Order vs. Electronic- Add'I	al Charge - Manual Svc Order vs. Electronic-	al Charg Manua Svc Ord vs.
							Nanzas		NDC Di	sconnect				Rates (\$)	D100 100	Dioo Auc
						Rec	Nonreci First	urring Add'l	First			COMAN	SOMAN		SOMAN	SOMAN
AIN DELL	I South ain SMS access service						FIrst	Addi	First	Addi	SOMEC	SOWAN	SUMAN	SUMAN	SUMAN	SOMAN
AIN - DELL	AIN SMS Access Service Establishment, Per State, Initial Setup			A1N	CAMSE		90.25	90.25					18.94	18.94		-
	AIN SMS Access Service-Service Establishment, Per State, Initial Setup			A1N	CAMDP		29.66	29.66					18.94	18.94		-
	AIN SMS Access Service-Port Connection-ISDN Access			A1N	CAM1P		29.66	29.66		1			18.94	18.94		
	AIN SMS Access Service-Port Confriction Figure Access AIN SMS Access Service-User Identification Codes-Per User ID Code			A1N A1N	CAMAU		84.43	84.43					18.94	18.94		
	AIN SMS Access Service-Oser Identification Codes-Fer Oser ID Code AIN SMS Access Service-Security Card, Per User ID Code, Initial or			AIN	CAIVIAU		04.43	04.43					10.94	10.94		
	Replacement			A1N	CAMRC		35.44	35.44					18.94	18.94		
	AIN SMS Access Service-Storage, Per Unit (100 Kilobytes)			AIN	CAIVING	0.0023	33.44	33.44		1			10.94	10.94		<del></del>
						0.0023				1						<del></del>
	AIN SMS Access Service-Session, Per min  AIN SMS Access Service-Company Performed Session, Per min				<b> </b>	2.08			-	+	1	-	-	-		<del>                                     </del>
AIN PELL	SOUTH AIN TOOLKIT SERVICE					∠.08				-	-					
MIN - BELL				CAM	DADCC		06.74	06.74		1	<del>                                     </del>		40.04	18.94		<del>                                     </del>
	AIN Toolkit Service-Service Establishment Charge, Per State, Initial		$\vdash$	CAM	BAPSC BAPVX	-	86.74 8,348.00	86.74 8,348.00	<b> </b>	-	-	-	18.94 18.94	18.94 18.94		<del>                                     </del>
	AIN Toolkit Service-Training Session, Per Customer				BAPVX		8,348.00	8,348.00					18.94	18.94		
	AlN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, Term.				DADTT		10.10	40.40					40.04	40.04		
	Attempt				BAPTT		19.13	19.13					18.94	18.94		
	AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, Off-															
	Hook Delay				BAPTD		114.80	114.80		-			18.94	18.94		
	AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, Off-															
	Hook Immediate				BAPTM		19.13	19.13					18.94	18.94		
	AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, 10-															
	Digit PODP				BAPTO		70.06	70.06					18.94	18.94		
	AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, CDP				BAPTC		70.06	70.06					18.94	18.94		
	AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN,															
	Feature Code				BAPTF		70.06	70.06					18.94	18.94		
	AIN Toolkit Service-Query Charge, Per Query					0.0209223										
	AIN Toolkit Service-Type 1 Node Charge, Per AIN Toolkit Subscription,															
	Per Node, Per Query					0.0053137										
	AIN Toolkit Service-SCP Storage Charge, Per SMS Access Account,															
	Per 100 Kilobytes					1.46										
	AIN Toolkit Service-moly report-Per AIN Toolkit Service Subscription			CAM	BAPMS	15.96	22.64	22.64					18.94	18.94		
	AIN Toolkit Service-Special Study-Per AIN Toolkit Service Subscription			CAM	BAPLS	0.0861109	22.64	22.64					18.94	18.94		
_	AIN Toolkit Service-Call Event Report-Per AIN Toolkit Service			CAM	BAPDS	15.87	22.64	22.64					18.94	18.94		<u> </u>
	AIN Toolkit Service-Call Event Special Study-Per AIN Toolkit Service															
	Subscription			CAM	BAPES	0.0028704	22.64	22.64					18.94	18.94		ļ
	EXTENDED LINK (EELs)		ليسيا		<u> </u>				<u> </u>	<u> </u>	<u> </u>					<u> </u>
	E: The monthly recurring and non-recurring charges below will apply											S.				
	E: The monthly recurring and the Switch-As-Is Charge and not the n				I apply for	EELs provision	ned as ' Curre	ntly Combi	ned' Netw	ork Elem	ents.					
	E: Minimum billing is one month for DS1 and below and three month															
2-WI	RE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTERC	FFICE	TRA	NSPORT (EEL)												
	First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-															
	Zone 1		1	UNCVX	UEAL2	16.84	104.14	78.10			ļ		18.94	8.42		ļ
	First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-								]							
	Zone 2		2	UNCVX	UEAL2	19.45	104.14	78.10					18.94	8.42		ļ
	First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-								1			]				
	Zone 3		3	UNCVX	UEAL2	30.92	104.14	78.10					18.94	8.42		
	Interoffice Transport-Dedicated-DS1 combination-Per mi per mo			UNC1X	1L5XX	0.4523										
	Interoffice Transport-Dedicated-DS1 combination-Facility Term per mo			UNC1X	U1TF1	78.47	194.63	141.51					33.63	27.49	19.88	11.8
	DS1 Channelization System Per mo			UNC1X	MQ1	126.22										
	VG COCI-DS1 To Ds0 Interface-Per mo			UNCVX	1D1VG	1.17	12.02	8.66					18.94	8.42		
	Each Add'l 2W VG Loop(SL 2) in the same DS1 Interoffice Transport							_								
	Combination-Zone 1		1	UNCVX	UEAL2	16.84	104.14	78.10	l	1		l	18.94	8.42		1

Version 4Q02: 01/21/03

NBUNDL	ED NETWORK ELEMENTS - Georgia												Attachi	ment: 2	Exhil	bit: B
		Interi	Zon	D00			DA	FFO (Å)			Svc Order Submitte d Elec	Svc Order Submitte d	Incrementa I Charge - Manual	Incrementa I Charge - Manual Svc Order	Increment al Charge · Manual	Increme al Charg Manua
TEGORY	RATE ELEMENTS	m	е	BCS	USOC		KA	ΓES (\$)				Manually	Svc Order vs. Electronic- 1st	vs.	Svc Order vs. Electronic- Disc 1st	vs. Electro
						Rec	Nonrect	urring	NRC Dis	sconnect		•	oss	Rates (\$)	•	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
	Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 2		2	UNCVX	UEAL2	19.45	104.14	78.10					18.94	8.42		
	Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 3		3	UNCVX	UEAL2	30.92	104.14	78.10					18.94	8.42		
	VG COCI-DS1 to DS0 Channel System combination-per mo			UNCVX	1D1VG	1.17	12.02	8.66					18.94	8.42		
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		12.97	11.27					45.46	15.72		
4-WIR	E VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTERO	FFICE	ETRA	NSPORT (EEL)			_							-		
	First 4W Analog VG Loop in a DS1 Interoffice Transport Combination -				1											†
_	Zone 1 First 4W Analog VG Loop in a DS1 Interoffice Transport Combination -		1	UNCVX	UEAL4	22.26	206.95	170.57					18.94	8.42		
	Zone 2 First 4W Analog VG Loop in a DS1 Interoffice Transport Combination -		2	UNCVX	UEAL4	25.70	206.95	170.57					18.94	8.42		-
	Zone 3		3	UNCVX	UEAL4	40.86	206.95	170.57					18.94	8.42		
	Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo		J	UNC1X	1L5XX	0.4523	206.95	170.57					10.94	0.42		+
	Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo Interoffice Transport-Dedicated-DS1-Facility Term Per mo			UNC1X UNC1X	U1TF1	78.47	194.63	141.51					33.63	27.49	19.88	1
_				UNC1X UNC1X	MQ1		194.63	141.51					33.63	27.49	19.88	<del>-                                    </del>
	Channelization-Channel System DS1 to DS0 combination Per mo		1			126.22	40.00	0.00								+
-	VG COCI-DS1 to DS0 Channel System combination-per mo			UNCVX	1D1VG	1.17	12.02	8.66								₩
	Add'l 4W Analog VG Loop in same DS1 Interoffice Transport Combination-Zone 1		1	UNCVX	UEAL4	22.26	206.95	170.57					18.94	8.42		
	Add'l 4W Analog VG Loop in same DS1 Interoffice Transport		_													
	Combination-Zone 2		2	UNCVX	UEAL4	25.70	206.95	170.57					18.94	8.42		
	Add'l 4W Analog VG Loop in same DS1 Interoffice Transport		_													
	Combination-Zone 3		3	UNCVX	UEAL4	40.86	206.95	170.57					18.94	8.42		
_	VG COCI-DS1 to DS0 Channel System combination-per mo			UNCVX	1D1VG	1.17	12.02	8.66					18.94	8.42		
	NRC Currently Combined Network Elements Switch -As-Is Charge		L	UNC1X	UNCCC		12.97	11.27					45.46	15.72		
4-WIR	E 56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTE	ROFF	ICE T	RANSPORT (EEL)												↓
	First 4W 56Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination-Zone 1		1	UNCDX	UDL56	25.75	384.56	241.20					18.94	8.42		
	First 4W 56Kbps Digital Grade Loop in a DS1 Interoffice Transport		_													
	Combination-Zone 2		2	UNCDX	UDL56	29.74	384.56	241.20					18.94	8.42		<del></del>
	First 4W 56Kbps Digital Grade Loop in a DS1 Interoffice Transport															
	Combination-Zone 3		3	UNCDX	UDL56	47.27	384.56	241.20					18.94	8.42		
	Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo			UNC1X	1L5XX	0.4523										
	Interoffice Transport-Dedicated-DS1-combination Facility Term Per mo			UNC1X	U1TF1	78.47	194.63	141.51					33.63	27.49	19.88	
	Channelization-Channel System DS1 to DS0 combination Per mo			UNC1X	MQ1	126.22										↓
	OCU-DP COCI (data)-DS1 to DS0 Channel System-per mo (2.4-64kbs)			UNCDX	1D1DD	1.86	12.02	8.66					18.94	8.42		<u> </u>
	Add'l 4W 56Kbps Digital Grade loop in same DS1 Interoffice Transport Combination-Zone 1		1	UNCDX	UDL56	25.75	384.56	241.20					18.94	8.42		
	Add'l 4W 56Kbps Digital Grade loop in same DS1 Interoffice Transport Combination-Zone 2		2	UNCDX	UDL56	29.74	384.56	241.20					18.94	8.42		
	Add'l 4W 56Kbps Digital Grade loop in same DS1 Interoffice Transport Combination-Zone 3		3	UNCDX	UDL56	47.27	384.56	241.20					18.94	8.42		
	OCU-DP COCI (data)-DS1 to DS0 Channel System-combination per mo (2.4-64kbs)			UNCDX	1D1DD	1.86	12.02	8.66					18.94	8.42		$oxedsymbol{oxedsymbol{oxed}}$
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		12.97	11.27					18.94	8.42		
4-WIR	E 64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTE	ROFF	ICE T	RANSPORT (EEL)												
	First 4W 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination-Zone 1		1	UNCDX	UDL64	25.75	348.55	241.20					18.94	8.42		
	First 4W 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination-Zone 2		2	UNCDX	UDL64	29.74	348.55	241.20					18.94	8.42		

NBUNDL	ED NETWORK ELEMENTS - Georgia												Attachi	nent: 2	Exhi	bit: B
ATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	usoc		RA	ΓES (\$)			d Elec	Svc Order Submitte d Manually per LSR	Incrementa I Charge - Manual Svc Order vs.	Incrementa I Charge - Manual Svc Order vs.	Increment al Charge Manual Svc Order vs.	Increme al Char Manua Svc Ord vs. Electro
							Nonreci	urring	NRC Dis	connect		l	oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMA
	First 4W 64Kbps Digital Grade Loop in a DS1 Interoffice Transport								1	71						
	Combination-Zone 3		3	UNCDX	UDL64	47.27	348.55	241.20					18.94	8.42		
-	Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo			UNC1X	1L5XX	0.4523	101.00	444.54					00.00	07.40	40.00	<del>                                     </del>
	Interoffice Transport-Dedicated-DS1 combination-Facility Term Per mo			UNC1X	U1TF1	78.47	194.63	141.51					33.63	27.49	19.88	11
	Channelization-Channel System DS1 to DS0 combination Per mo OCU-DP COCI (data)-DS1 to DS0 Channel System combination-per mo			UNC1X	MQ1	126.22										+
	(2.4-64kbs) Add'l 4W 64Kbps Digital Grade loop in same DS1 Interoffice Transport			UNCDX	1D1DD	1.86	12.02	8.66					18.94	8.42		-
	Combination-Zone 1		1	UNCDX	UDL64	25.75	348.55	241.20					18.94	8.42		
	Add'l 4W 64Kbps Digital Grade loop in same DS1 Interoffice Transport Combination-Zone 2		2	UNCDX	UDL64	29.74	348.55	241.20					18.94	8.42		
	Add'l 4W 64Kbps Digital Grade loop in same DS1 Interoffice Transport								İ							
	Combination-Zone 3 OCU-DP COCI (data)-DS1 to DS0 Channel System combination-per mo		3	UNCDX	UDL64	47.27	348.55	241.20					18.94	8.42		+
-	(2.4-64kbs) NRC Currently Combined Network Elements Switch -As-Is Charge			UNCDX UNC1X	1D1DD UNCCC	1.86	12.02 12.97	8.66 11.27					18.94 45.46	8.42 15.72		-
4 10/10	RE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INTEROF	FICE	TDAN		UNCCC		12.97	11.21					45.40	13.72		+
4-WIR	4W DS1 Digital Loop in Combination with DS1 Interoffice Transport-	FICE		, ,												
	Zone 1 4W DS1 Digital Loop in Combination with DS1 Interoffice Transport-		1	UNC1X	USLXX	55.53	443.20	138.69					18.94	8.42		+
	Zone 2		2	UNC1X	USLXX	64.13	443.20	138.69					18.94	8.42		_
	4W DS1 Digital Loop in Combination with DS1 Interoffice Transport- Zone 3		3	UNC1X	USLXX	101.93	443.20	138.69					18.94	8.42		
	Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo			UNC1X	1L5XX	0.4523										
	Interoffice Transport-Dedicated-DS1 combination-Facility Term Per mo			UNC1X	U1TF1	78.47	194.63	141.51					33.63	27.49	19.88	1
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		12.97	11.27					45.46	15.72		
4-WIR	E DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROF	FICE	TRAN	ISPORT (EEL)												
	First DS1Loop in DS3 Interoffice Transport Combination-Zone 1		1	UNC1X	USLXX	55.53	443.20	138.69					18.94	8.42		
	First DS1Loop in DS3 Interoffice Transport Combination-Zone 2		2	UNC1X	USLXX	64.13	443.20	138.69					18.94	8.42		
	First DS1Loop in DS3 Interoffice Transport Combination-Zone 3		3	UNC1X	USLXX	101.93	443.20	138.69					18.94	8.42		1
	Interoffice Transport-Dedicated-DS3 combination-Per mi Per mo			UNC3X	1L5XX	2.72										
	Interoffice Transport-Dedicated-DS3-Facility Term per mo			UNC3X	U1TF3	788.00	198.45	153.15					37.55	37.55	18.03	
	DS3 to DS1 Channel System combination per mo			UNC3X	MQ3	137.73	196.66	204.61					18.94	8.42		
	DS3 Interface Unit (DS1 COCI) combination per mo			UNC1X	UC1D1	11.02	12.02	8.66					18.94	8.42		
	Add'l DS1Loop in DS3 Interoffice Transport Combination-Zone 1		1	UNC1X	USLXX	55.53	443.20	138.69					18.94	8.42		
	Add'l DS1Loop in DS3 Interoffice Transport Combination-Zone 2		2	UNC1X	USLXX	64.13	443.20	138.69					18.94	8.42		
	Add'l DS1Loop in DS3 Interoffice Transport Combination-Zone 3		3	UNC1X	USLXX	101.93	443.20	138.69					18.94	8.42		
	DS3 Interface Unit (DS1 COCI) combination per mo			UNC1X	UC1D1	11.02	12.02	8.66					18.94	8.42		
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC3X	UNCCC		12.97	11.27					45.46	15.72		
2-WIR	E VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GRADE INTERC	FFICE	E TRA	NSPORT (EEL)												
	2WVG Loop used with 2W VG Interoffice Transport Combination-Zone		1	UNCVX	UEAL2	16.84	104.14	78.10					18.94	8.42		
	2WVG Loop used with 2W VG Interoffice Transport Combination-Zone															
+	2  2WVG Loop used with 2W VG Interoffice Transport Combination-Zone		2	UNCVX	UEAL2	19.45	104.14	78.10					18.94	8.42		+
	3 Interoffice Transport-Dedicated-2W VG combination-Per mi Per mo		3	UNCVX	UEAL2 1L5XX	30.92 0.0222	104.14	78.10					18.94	8.42		_
+	Interoffice Transport-Dedicated-2W VG combination-Per mi Per mo Interoffice Transport-Dedicated-2W VG combination-Facility Term per		$\vdash$	UNCVX	U1TV2	17.07	79.61	36.08	-	<b> </b>	-	-	18.94	18.94		+
-			$\vdash$			17.07			-	<b> </b>	-	-	45.46			+
	NRC Currently Combined Network Elements Switch -As-Is Charge	1	1	UNCVX	UNCCC		12.97	11.27	1	l	l	l	45.46	15.72		

Version 4Q02: 01/21/03 Page 113 of 402

2 2 4 3 11	RATE ELEMENTS	Interi m	i Zon e	BCS							Svc Order	Svc Order	Incrementa I Charge -	Incrementa I Charge -		
2 2 4 3 11				200	usoc		RAT	TES (\$)			Submitte d Elec	Submitte d Manually	Manual Svc Order	Manual Svc Order vs.	Manual Svc Order vs. Electronic-	Manual Svc Orde vs.
2 2 4 3 11						_	Nonrecu	ırrina	NRC Dis	connect		l	oss	Rates (\$)	1	
2 2 4 3 11						Rec	First	Add'l	First		SOMEC	SOMAN			SOMAN	SOMAN
2 4 3 II	4WVG Loop used with 4W VG Interoffice Transport Combination-Zone 1		1	UNCVX	UEAL4	22.26	206.95	170.57					18.94	8.42		
3 	4WVG Loop used with 4W VG Interoffice Transport Combination-Zone 2		2	UNCVX	UEAL4	25.70	206.95	170.57					18.94	8.42		
li li	4WVG Loop used with 4W VG Interoffice Transport Combination-Zone															
li li	3		3	UNCVX	UEAL4	40.86	206.95	170.57					18.94	8.42		
	Interoffice Transport-Dedicated-4W VG combination-Per mi Per mo			UNCVX	1L5XX	0.0222	70.04	00.00					10.01	40.04		
	Interoffice Transport-Dedicated-4W VG combination-Facility Term per		-	UNCVX	U1TV4	17.07	79.61	36.08					18.94	18.94	1	
	NRC Currently Combined Network Elements Switch -As-Is Charge		DODI	UNCVX	UNCCC		12.97	11.27					45.46	15.72	1	
	IGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFICE TI	RANS	PORI		41 END	0.00							<b></b>	<u> </u>	1	
ŀ	High Capacity Unbundled Local Loop-DS3 combination-Per mi per mo High Capacity Unbundled Local Loop-DS3 combination-Facility Term			UNC3X	1L5ND	8.90	202.52	400.40					07.55	07.55	10.00	40.0
	per mo			UNC3X	UE3PX	390.34	639.50	426.40					37.55	37.55	18.03	18.0
	Interoffice Transport-Dedicated-DS3-Per mi per mo		-	UNC3X	1L5XX	2.72	400.45	450.45					27.55	07.55	40.00	40.0
	Interoffice Transport-Dedicated-DS3 combination-Facility Term per mo			UNC3X	U1TF3	788.00	198.45	153.15					37.55	37.55	18.03	18.0
	NRC Currently Combined Network Elements Switch -As-Is Charge	TD 4 4	1000	UNC3X	UNCCC		12.97	11.27					45.46	15.72		
	DIGITAL EXTENDED LOOP WITH DEDICATED STS1 INTEROFFICE	IKAI	NSPO										<del> </del>	<u> </u>		
	High Capacity Unbundled Local Loop-STS1 combination-Per mi per mo			UNCSX	1L5ND	8.90							<del> </del>	<u> </u>		
	High Capacity Unbundled Local Loop-STS1 combination-Facility Term			LINGOV	1101.04	101 50	000 50	100 10					07.55	07.55	40.00	40.0
	per mo			UNCSX	UDLS1	421.59	639.50	426.40					37.55	37.55	18.03	18.0
	Interoffice Transport-Dedicated-STS1 combination-Per mi per mo			UNCSX	1L5XX	2.72	100.15	110.01					07.55	07.55	40.00	40.0
	Interoffice Transport-Dedicated-STS1 combination-Facility Term per mo			UNCSX	U1TFS	783.63	198.45	449.91					37.55	37.55	18.03	18.0
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNCSX	UNCCC		12.97	11.27					45.46	15.72		
	E ISDN EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPORT (E First 2W ISDN Loop in a DS1 Interoffice Combination Transport-Zone 1	EL)	4	UNCNX	U1L2X	21.89	233.38	180.38					18.94	8.42		
	First 2W ISDN Loop in a DS1 Interoffice Combination Transport-Zone 2		2	UNCNX	U1L2X	25.27	233.38	180.38					18.94	8.42		<del></del>
	First 2W ISDN Loop in a DS1 Interoffice Combination Transport-Zone 3		3	UNCNX	U1L2X	40.17	233.38	180.38					18.94	8.42		<del></del>
	Interoffice Transport-Dedicated-DS1 combination-Per mi		J	UNC1X	1L5XX	0.4523	233.36	100.36					10.94	0.42		<del></del>
	Interoffice Transport-Dedicated-DS1 combination-Per mil			UNC1X	U1TF1	78.47	194.63	141.51					33.63	27.49	19.88	11.8
	Channelization-Channel System DS1 to DS0 combination-per mo			UNC1X	MQ1	126.22	194.03	141.51					33.03	27.49	19.00	11.0
	2W ISDN COCI (BRITE)-DS1 to DS0 Channel System combination-per			UNCNX	UC1CA	3.37	12.02	8.66					33.63	27.49	19.88	11.8
	Add'I 2W ISDN Loop in same DS1 interoffice Transport Combination-			UNCINA	OCICA	3.37	12.02	0.00					33.03	21.43	19.00	11.0
Z	Zone 1		1	UNCNX	U1L2X	21.89	233.38	180.38					18.94	8.42		
Z	Add'l 2W ISDN Loop in same DS1 interoffice Transport Combination- Zone 2		2	UNCNX	U1L2X	25.27	233.38	180.38					18.94	8.42		
	Add'I 2W ISDN Loop in same DS1 interoffice Transport Combination-															
	Zone 3		3	UNCNX	U1L2X	40.17	233.38	180.38					18.94	8.42		<u> </u>
	2W ISDN COCI (BRITE)-DS1 to DS0 Channel System combintaion-per			UNCNX	UC1CA	3.37	12.02	8.66					33.63	27.49	19.88	11.8
	NRC Currently Combined Network Elements Switch -As-ls Charge			UNC1X	UNCCC		12.97	11.27					45.46	15.72		ļ
	E DS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 INTER	OFFIC		· · · · · · · · · · · · · · · · · · ·									<b></b>	ļ		<u> </u>
	First DS1 Loop in STS1 Interoffice Transport Combination-Zone 1		1	UNC1X	USLXX	55.53	443.20	138.69					18.94	8.42		ļ
	First DS1 Loop in STS1 Interoffice Transport Combination-Zone 2	1	2	UNC1X	USLXX	64.13	443.20	138.69					18.94	8.42		<u> </u>
	First DS1 Loop in STS1 Interoffice Transport Combination-Zone 3	<u> </u>	3	UNC1X	USLXX	101.93	443.20	138.69					18.94	8.42		<del> </del>
	Interoffice Transport-Dedicated-STS1 combination-Per mi Per mo	<u> </u>		UNCSX	1L5XX	2.72	400 10	440.01					<del></del>	<del></del>		<del> </del>
	Interoffice Transport-Dedicated-STS1 combination-Facility Term	<u> </u>	1	UNCSX	U1TFS	783.63	198.45	449.91					37.55	37.55	18.08	18.0
	STS1 to DS1 Channel System conbination per mo	<u> </u>		UNCSX	MQ3	182.04	196.66	204.61					37.55	37.55	18.08	
	DS3 Interface Unit (DS1 COCI) combination per mo	<u> </u>	<b>!</b>	UNC1X	UC1D1	11.02	12.02	8.66					37.55	37.55	18.08	18.0
	Add'I DS1Loop in STS1 Interoffice Transport Combination-Zone 1	<u> </u>	1	UNC1X	USLXX	55.53	443.20	138.69					18.94	8.42		<u> </u>
	Add'l DS1Loop in STS1 Interoffice Transport Combination-Zone 2	<u> </u>	2	UNC1X	USLXX	64.13	443.20	138.69					18.94	8.42		<del> </del>
	Add'l DS1Loop in STS1 Interoffice Transport Combination-Zone 3  DS3 Interface Unit (DS1 COCI) combination per mo	<u> </u>	3	UNC1X UNC1X	USLXX UC1D1	101.93 11.02	443.20 12.02	138.69 8.66					18.94 18.94	8.42 8.42		<del>                                     </del>

Version 4Q02: 01/21/03 Page 114 of 402

UNBUNDI	ED NETWORK ELEMENTS - Georgia											Attachi	ment: 2	Exhib	oit: B
CATEGORY	RATE ELEMENTS	Interi m	i Zon e	BCS	usoc		RAT	ΓES (\$)		d Elec	Svc Order Submitte d Manually per LSR	I Charge - Manual Svc Order	Manual Svc Order vs.	al Charge - Manual Svc Order vs. Electronic-	al Charge - Manual Svc Order vs.
						Rec	Nonreci	urring	NRC Disconnec	t		oss	Rates (\$)		
						Nec	First	Add'l	First Add'	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNCSX	UNCCC		12.97	11.27				45.46	15.72		
4-WI	RE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS INTEROFFIC	E TR	ANSP	ORT (EEL)											
	4W 56 kbps Loop/4W 56 kbps Interoffice Transport Combination-Zone 1		1	UNCDX	UDL56	25.75	384.56	241.20				18.94	8.42		
	4W 56 kbps Loop/4W 56 kbps Interoffice Transport Combination-Zone 2		2	UNCDX	UDL56	29.74	384.56	241.20				18.94	8.42		
	4W 56 kbps Loop/4W 56 kbps Interoffice Transport Combination-Zone 3		3	UNCDX	UDL56	47.27	384.56	241.20				18.94	8.42		
	Interoffice Transport-Dedicated-4W 56 kbps combination-Per mi			UNCDX	1L5XX	0.0222									
	Interoffice Transport-Dedicated-4W 56 kbps combination-Facility Term			UNCDX	U1TD5	16.45	147.07	111.75				33.63	27.49	19.88	11.85
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNCDX	UNCCC		12.97	11.27				45.46	15.72		

4W 64 kbps Loop  4W 64 kbps Loop  Interoffice Transpiner Interoffice Transpiner Interoffice Transpiner Interoffice Transpiner Interoffice Transpiner Interoffice Transpiner Interoffice Transpiner Interoffice Transpiner Interoffice Transpiner Interoffice Transpiner Interoffice Transpiner Interoffice Interface Unit DS3 Interface Unit DS3 Interface Unit DS3 Interface Unit DS3 Interface Unit DS3 Interface Unit DS3 Interface Unit DS3 Interface Unit DS3 Interface Unit DS4 Interface Unit DS4 Interface Unit DS4 Interface Unit DS5 Interface Unit DS6 Interface Unit													Attachi	Hellt. 2	EXNI	oit: B
4W 64 kbps Loop  4W 64 kbps Loop  Interoffice Transpiner Interoffice Transpiner Interoffice Transpiner Interoffice Transpiner Interoffice Transpiner Interoffice Transpiner Interoffice Transpiner Interoffice Transpiner Interoffice Transpiner Interoffice Transpiner Interoffice Transpiner Interoffice Interof	RATE ELEMENTS	Interi m	i Zon e	BCS	usoc		RA	TES (\$)			d Elec	Svc Order Submitte d Manually	I Charge - Manual Svc Order	Incrementa I Charge - Manual Svc Order vs.	al Charge - Manual Svc Order vs.	al Charg Manual Svc Orde vs.
4W 64 kbps Loop  4W 64 kbps Loop  Interoffice Transpiner Interoffice Transpiner Interoffice Transpiner Interoffice Transpiner Interoffice Transpiner Interoffice Transpiner Interoffice Transpiner Interoffice Transpiner Interoffice Transpiner Interoffice Transpiner Interoffice Transpiner Interoffice Interof												per LSK	1st	Add'l		Disc Add
4W 64 kbps Loop  4W 64 kbps Loop  Interoffice Transpiner Interoffice Transpiner Interoffice Transpiner Interoffice Transpiner Interoffice Transpiner Interoffice Transpiner Interoffice Transpiner Interoffice Transpiner Interoffice Transpiner Interoffice Transpiner Interoffice Transpiner Interoffice Interof						Rec	Nonrec		NRC Dis			T -		Rates (\$)	_	
4W 64 kbps Loop  4W 64 kbps Loop  Interoffice Transpiner Interoffice Transpiner Interoffice Transpiner Interoffice Transpiner Interoffice Transpiner Interoffice Transpiner Interoffice Transpiner Interoffice Transpiner Interoffice Transpiner Interoffice Transpiner Interoffice Transpiner Interoffice Interof		<u> </u>					First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
4W 64 kbps Loop  4W 64 kbps Loop  Interoffice Transpi Interoffice Transpi NRC Currently Co  DDITIONAL NETWORK ELE When used as a part of When used as ordinari Nonrecurring Currently NRC Currently Co 2W/4W VG NRC Currently Co 56/64 kbps NRC Currently Co NRC Curr	DIGITAL EXTENDED LOOP WITH 64 KBPS INTEROFFIC	CE TRA	ANSP	ORT (EEL)												1
4W 64 kbps Loop Interoffice Transpi Interoffice Transpi NRC Currently Co DDITIONAL NETWORK ELE When used as a part of When used as ordinari Nonrecurring Currently Co 2W/4W VG NRC Currently Co 56/64 kbps NRC Currently Co NRC Cur	Loop/4W 64 kbps Interoffice Transport Combination-Zone 1	1	1	UNCDX	UDL64	25.75	348.55	241.20					18.94	8.42		
Interoffice Transpiner Interoffice Transpiner	Loop/4W 64 kbps Interoffice Transport Combination-Zone 2	2	2	UNCDX	UDL64	29.74	348.55	241.20					18.94	8.42		
Interoffice Transpin NRC Currently Code When used as a part of When used as ordinari Nonrecurring Currently Code When Used Services of When Used Services of When Used Services of When Used Services of When Used Services of White	Loop/4W 64 kbps Interoffice Transport Combination-Zone 3	3	3	UNCDX	UDL64	47.27	348.55	241.20					18.94	8.42		
NRC Currently Octoor DDITIONAL NETWORK ELE When used as a part of When used as a part of When used as ordinari Nonrecurring Currently Octoor DDITIONAL NETWORK ELE When used as ordinari Nonrecurring Currently Octoor DDITIONAL NETWORK OF CURRENTLY OCTOOR NRC Currently Octoor NRC Currently Octoor NRC Currently Octoor DCI Channel-De Local Channel-De Local Channel-De Local Channel-De Local Channel-De Local Channel-De Local Channel-De Cocal Channel-De Cocal Channel-De Cocal Channel-De Cocal Channel-DE Cocal Channel-D	ansport-Dedicated-4W 64 kbps combination-Per mi			UNCDX	1L5XX	0.0222										
DDITIONAL NETWORK ELE  When used as a part of When used as ordinanial Nonrecurring Currently NRC Currently Cc 2W/4W VG NRC Currently Cc 56/64 kbps NRC Currently Cc NRC Currentl	ansport-Dedicated-4W 64 kbps combination-Facility Term			UNCDX	U1TD6	16.45	147.07	111.75					33.63	27.49	19.88	11.8
When used as a part of When used as ordinari Nonrecurring Currently NRC Currently Co 2W/4W VG NRC Currently Co 56/64 kbps NRC Currently Co NRC Channel-De Local Channel-De Local Channel-De Local Channel-De Local Channel-De Local Channel-De Local Channel-De Cocal Channel-De NULTIPLEXERS NOTE: minimum billin NOTE	itly Combined Network Elements Switch -As-Is Charge			UNCDX	UNCCC		12.97	11.27					45.46	15.72		
When used as ordinari  Nonrecurring Currently Co 2W/4W VG  NRC Currently Co 56/64 kbps  NRC Currently Co NRC Currently Co NRC Currently Co NRC Currently Co NRC Currently Co NRC Currently Co NRC Currently Co NRC Currently Co NOTE: Local Channel-De Local Channel-De Local Channel-De Local Channel-De Local Channel-De Local Channel-De Cocal Channel-De Local Channel-De Local Channel-De Uocal Channel-De Local Channel-	ELEMENTS															
Nonrecurring Currently NRC Currently Co 2W/4W VG NRC Currently Co 56/64 kbps NRC Currently Co NRC Currently Co NRC Currently Co NRC Currently Co NRC Currently Co NRC Currently Co NRC Currently Co NRC Currently Co NRC Currently Co NOTE: Local Channel-De Local Channel-De Local Channel-De Local Channel-De Local Channel-De MULTIPLEXERS NOTE: minimum billin Channelization-Ds OCU-DP COCI (d 2W ISDN COCI (6 VG COCI-DST (10 VG COCI-DST (10 DS3 Interface Uni DS3 Interface Uni DS3 Interface Uni Sub-Loop Feeder Unbundled Sub-L	art of a currently combined facility, the non-recurrng c	harges	s do n	ot apply, but a Swi	tch As Is cl	narge does app	oly.									
NRC Currently Co 2W/4W VG NRC Currently Co 56/64 kbps NRC Currently Co NRC Currently Co NRC Currently Co NRC Currently Co NRC Currently Co NRC Currently Co NRC Currently Co NRC Currently Co NRC Currently Co NRC Currently Co NRC Currently Co NRC Currently Co NRC Currently Co NRC Currently Co NRC Currently Co NRC Currently Co NRC Currently Co Local Channel-De Local Channel-De Local Channel-De Local Channel-De Local Channel-De Local Channel-De Local Channel-De Cocal Channel-De MULTIPLEXERS NOTE: minimum billin Channelization-Di OCU-DP COCI (d 2W ISDN COCI (d VG COCI-DST (o VG COCI-DST (o DS3 to DS1 Chan STS1 to DS1 Cha DS3 Interface Uni DS3 Interface Uni DS3 Interface Uni Sub-Loop Feeder Unbundled Sub-L	linarily combined network elements in All States, the ne					As Is Charge	does not.									
2W/4W VG NRC Currently Co 56/64 kbps NRC Currently Co NRC Currently Co NRC Currently Co NRC Currently Co NRC Currently Co NRC Currently Co NRC Currently Co NRC Currently Co NOTE: Local Channel-De Local Channel-De Local Channel-De Local Channel-De Local Channel-De Local Channel-De Local Channel-De Cocal Channel-De Local Channel-De Local Channel-De Local Channel-De Local Channel-De Local Channel-De Local Channel-De Local Channel-De Local Channel-De NOTE: minimum billin Channelization-Di OCU-DP COCI (d 2W ISDN COCI (E VG COCI-DS1 to DS3 to DS1 Chan STS1 to DS1 Cha DS3 Interface Uni DS3 Interface Uni Sub-Loop Feeder Unbundled Sub-L	rently Combined Network Elements "Switch As Is" Cha	arge (O	ne ap	plies to each comb	ination)											
56/64 kbps NRC Currently CC NRC Currently CC NRC Currently CC NRC Currently CC NRC Currently CC NOTE: Local Channel-De Local Channel-De Local Channel-De Local Channel-De Local Channel-De Local Channel-De MULTIPLEXERS NOTE: minimum billin NOTE: minimum billin Channelization-DS OCU-DP COCI (d 2W ISDN COCI (E) VG COCI-DS1 to DS3 to DS1 Chan STS1 to DS1 Cha DS3 Interface Uni DS3 Interface Uni DS3 Interface Uni Sub-Loop Feeder Unbundled Sub-L	tly Combined Network Elements Switch -As-Is Charge-			UNCVX	UNCCC		12.97	11.27					18.94	18.94		
NRC Currently Co NRC Currently Co NRC Currently Co NRC Currently Co NRC Currently Co NRC Currently Co NOTE: Local Channel-De Local Channel-De Local Channel-De Local Channel-De Local Channel-De Local Channel-De Local Channel-De MULTIPLEXERS NOTE: minimum billin Channelization-DS OCU-DP COCI (d 2W ISDN COCI (f VG COCI-DST to DS3 to DS1 Chan STS1 to DS1 Cha DS3 Interface Uni DS3 Interface Uni DS3 Interface Uni Sub-Loop Feeder Unbundled Sub-L	tly Combined Network Elements Switch -As-Is Charge-															
NRC Currently Co NRC Currently Co NRC Currently Co NRC Currently Co NOTE: Local Channel-De Local Channel-De Local Channel-De Local Channel-De Local Channel-De Local Channel-De Local Channel-De MULTIPLEXERS NOTE: minimum billin Channelization-Di OCU-DP COCI (d 2W ISDN COCI (E VG COCI-DST to DS3 to DS1 Chan STS1 to DS1 Cha DS3 Interface Uni DS3 Interface Uni Sub-Loop Feeder Unbundled Sub-L	,			UNCDX	UNCCC		12.97	11.27					18.94	18.94		
NRC Currently Co NRC Currently Co NRC Currently Co NRC Currently Co NOTE: Local Channel-De Local Channel-De Local Channel-De Local Channel-De Local Channel-De Local Channel-De Local Channel-De MULTIPLEXERS NOTE: minimum billin Channelization-Di OCU-DP COCI (d 2W ISDN COCI (E VG COCI-DST to DS3 to DS1 Chan STS1 to DS1 Cha DS3 Interface Uni DS3 Interface Uni Sub-Loop Feeder Unbundled Sub-L	tly Combined Network Elements Switch -As-Is Charge-DS1			UNC1X	UNCCC		12.97	11.27					18.94	18.94		
NOTE: Local Channel - Local Channel-De Local Channel-De Local Channel-De Local Channel-De Local Channel-De Local Channel-De Local Channel-De Local Channel-De MULTIPLEXERS NOTE: minimum billin Channelization-D: OCU-DP COCI (d 2W ISDN COCI (d VG COCI-DS1 to DS3 to DS1 Chan STS1 to DS1 Chan DS3 Interface Uni DS3 Interface Uni DS3 Interface Uni Sub-Loop Feeder Unbundled Sub-L	tly Combined Network Elements Switch -As-Is Charge-DS3	3		UNC3X	UNCCC		12.97	11.27					18.94	18.94		
Local Channel-De Local Channel-De Local Channel-De Local Channel-De Local Channel-De Local Channel-De Local Channel-De Local Channel-De MULTIPLEXERS NOTE: minimum billin Channelization-DS OCU-DP COCI (d 2W ISDN COCI (d VG COCI-DS1 to DS3 to DS1 Chan STS1 to DS1 Chan DS3 Interface Uni DS3 Interface Uni DS3 Interface Uni Sub-Loop Feeder Unbundled Sub-L	tly Combined Network Elements Switch -As-Is Charge-			UNCSX	UNCCC		12.97	11.27					18.94	18.94		
Local Channel-De Local Channel-De Local Channel-De Local Channel-De Local Channel-De Local Channel-De Local Channel-De MULTIPLEXERS NOTE: minimum billin Channelization-DS OCU-DP COCI (d 2W ISDN COCI (E VG COCI-DST to DS3 to DS1 Chan STS1 to DS1 Chan DS3 Interface Uni DS3 Interface Uni Sub-Loop Feeder Unbundled Sub-L	nnel - Dedicated Transport - minimum billing period - E	Below I	DS3=c	ne month, DS3 and	l above=fou	ir months										
Local Channel-De Local Channel-De Local Channel-De Local Channel-De Local Channel-De Local Channel-De Local Channel-De MULTIPLEXERS NOTE: minimum billin Channelization-Di OCU-DP COCI (d 2W ISDN COCI (E VG COCI-DST to DS3 to DS1 Cha STS1 to DS1 Cha DS3 Interface Uni DS3 Interface Uni Sub-Loop Feeder Unbundled Sub-L	el-Dedicated-2W VG			UNCVX	ULDV2	13.91	272.07	60.43					18.94	18.94		
Local Channel-De Local Channel-De Local Channel-De Local Channel-De MULTIPLEXERS NOTE: minimum billin Channelization-Di OCU-DP COCI (6 2W ISDN COCI (6 VG COCI-DS1 to DS3 to DS1 Chan STS1 to DS1 Chan DS3 Interface Uni DS3 Interface Uni DS3 Interface Uni Sub-Loop Feeder Unbundled Sub-L	el-Dedicated-4W VG			UNCVX	ULDV4	14.99	272.07	60.43					18.94	18.94		
Local Channel-De Local Channel-De Local Channel-De Local Channel-De MULTIPLEXERS NOTE: minimum billin Channelization-Ds OCU-DP COCI (d 2W ISDN COCI (d VG COCI-DS1 to DS3 to DS1 Chan STS1 to DS1 Chan DS3 Interface Uni DS3 Interface Uni DS3 Interface Uni Sub-Loop Feeder Unbundled Sub-L	el-Dedicated-DS1			UNC1X	ULDF1	38.36	356.15	312.89								
Local Channel-De Local Channel-De MULTIPLEXERS NOTE: minimum billin Channelization-DS OCU-DP COCI (d 2W ISDN COCI (d VG COCI-DS1 to DS3 to DS1 Chan STS1 to DS1 Cha DS3 Interface Uni DS3 Interface Uni DS3 Interface Uni Sub-Loop Feeder Unbundled Sub-L	el-Dedicated-DS3-Per mi per mo			UNC3X	1L5NC	6.92										
Local Channel-De MULTIPLEXERS NOTE: minimum billin Channelization-Di OCU-DP COCI (d 2W ISDN COCI (E VG COCI-DS 1 to DS3 to DS1 Chan STS1 to DS1 Chan DS3 Interface Uni DS3 Interface Uni DS3 Interface Uni Sub-Loop Feeder Unbundled Sub-L	el-Dedicated-DS3-Facility Term			UNC3X	ULDF3	515.91	639.50	426.31					18.94	18.94		
MULTIPLEXERS NOTE: minimum billin NOTE: minimum billin Channelization-D: OCU-DP COCI (d 2W ISDN COCI (E VG COCI-DS1 to DS3 to DS1 Chan STS1 to DS1 Chan DS3 Interface Uni DS3 Interface Uni DS3 Interface Uni Sub-Loop Feeder Unbundled Sub-L	el-Dedicated-STS-1-Per mi per mo			UNCSX	1L5NC	6.92										
NOTE: minimum billin NOTE: minimum billin Channelization-Di OCU-DP COCI (6 2W ISDN COCI (6 VG COCI-DS1 to DS3 to DS1 Chan STS1 to DS1 Chan DS3 Interface Uni DS3 Interface Uni DS3 Interface Uni Sub-Loop Feeder Unbundled Sub-L	el-Dedicated-STS-1 -Facility Term			UNCSX	ULDFS	517.56	639.50	426.31					18.94	18.94		
NOTE: minimum billin Channelization-Di OCU-DP COCI (d 2W ISDN COCI (E VG COCI-DS1 to DS3 to DS1 Chan STS1 to DS1 Cha DS3 Interface Uni DS3 Interface Uni DS3 Interface Uni DS3 Interface Uni DS3 Interface Uni DS3 Interface Uni DS3 Interface Uni DS3 Interface Uni DS3 Interface Uni DS3 Interface Uni																
Channelization-DS OCU-DP COCI (d 2W ISDN COCI (E) VG COCI-DS1 to DS3 to DS1 Chan STS1 to DS1 Cha DS3 Interface Uni DS3 Interface Uni DS3 Interface Uni DS3 Interface Uni DS3 Interface Uni DS3 Interface Uni DS3 Interface Uni	billing period is one month for DS1 to DS0 Channel Sys	stem a	nd int	erfaces												
OCU-DP COCI (d 2W ISDN COCI (E VG COCI-DS1 to DS3 to DS1 Cha STS1 to DS1 Cha DS3 Interface Uni DS3 Interface Uni DS3 Interface Uni Sub-Loop Feeder Unbundled Sub-L	billing period is three months for DS3 to DS1 and above	e Char	nnel S	ystem and interface	es											
2W ISDN COCI (E VG COCI-DS1 to DS3 to DS1 Chan STS1 to DS1 Cha DS3 Interface Uni DS3 Interface Uni DS3 Interface Uni Sub-Loop Feeder Unbundled Sub-L	on-DS1 to DS0 Channel System			UXTD1	MQ1	126.22	198.22	123.59					14.75	6.55	10.70	
VG COCI-DS1 to DS3 to DS1 Chan STS1 to DS1 Cha DS3 Interface Uni DS3 Interface Uni DS3 Interface Uni DS3 Interface Uni DS4 Interface Uni Sub-Loop Feeder Unbundled Sub-L	OCI (data)-DS1 to DS0 Channel System-per mo (2.4-64kbs)			UDL	1D1DD	1.86	12.02	8.66					14.75	6.55	10.70	
DS3 to DS1 Chan STS1 to DS1 Cha DS3 Interface Uni DS3 Interface Uni DS3 Interface Uni Sub-Loop Feeder Unbundled Sub-L	OCI (BRITE)-DS1 to DS0 Channel Systsem-per mo			UDN	UC1CA	3.37	12.02	8.66					14.75	6.55	10.70	
STS1 to DS1 Cha DS3 Interface Uni DS3 Interface Uni DS3 Interface Uni Sub-Loop Feeder Unbundled Sub-L	S1 to DS0 Channel System-per mo			UEA	1D1VG	1.17	12.02	8.66					14.75	6.55	10.70	
DS3 Interface Uni DS3 Interface Uni DS3 Interface Uni DS3 Interface Uni Sub-Loop Feeder Unbundled Sub-L	Channel System per mo			UXTD3	MQ3	182.04	265.91	188.78					14.75	6.55	10.70	
DS3 Interface Uni DS3 Interface Uni Sub-Loop Feeder Unbundled Sub-L	1 Channel System per mo			UXTS1	MQ3	182.04	265.91	188.78					14.75	6.55	10.70	
DS3 Interface Uni Sub-Loop Feeder Unbundled Sub-L	e Unit (DS1 COCI) used with Loop per mo			USL	UC1D1	11.02	12.02	8.66					14.75	6.55	10.70	
Sub-Loop Feeder Unbundled Sub-L	e Unit (DS1 COCI) used with Local Channel per mo	1		ULDD1	UC1D1	11.02	12.02	8.66					14.75	6.55	10.70	<u> </u>
Unbundled Sub-L	e Unit (DS1 COCI) used with Interoffice Channel per mo			U1TD1	UC1D1	11.02	12.02	8.66					14.75	6.55	10.70	
		1	<b>!</b>													
NBUNDLED LOCAL EXCHA	Sub-Loop Feeder Loop, 4W DS1-Statewide	1	SW	UNC1X	USBFG	79.30	203.69	128.76	124.09	34.80						<b></b>
	CHANGE SWITCHING(PORTS)	1			1											<b></b>
Exchange Ports					1			<u> </u>								<u> </u>
	he Port Rate includes all available features in GA, KY,	LA & T	N, the	desired features w	III need to	be ordered usi	ng retail USO	Cs					ļ	ļ		<u> </u>
	RADE LINE PORT RATES (RES)	1			1			L								<b></b>
	orts-2W Analog Line Port-Res.	-		UEPSR	UEPRL	1.85	17.16	17.16					18.94	8.42		<del></del>
	orts-2W Analog Line Port with Caller ID-Res. orts-2W Analog Line Port outgoing only-Res.	1		UEPSR UEPSR	UEPRC UEPRO	1.85 1.85	17.16 17.16	17.16 17.16					18.94 18.94	8.42 8.42		<u> </u>

Version 4Q02: 01/21/03 Page 116 of 402

UNBUNDL	ED NETWORK ELEMENTS - Georgia												Attachi	ment: 2	Exhil	oit: B
											Svc	Svc	Incrementa	Incrementa	Increment	Increment
											Order	Order	I Charge -	I Charge -	al Charge -	al Charge -
		Intori	i Zon								Submitte	Submitte	Manual	Manual	Manual	Manual
CATEGORY	RATE ELEMENTS	m		BCS	USOC		RA	TES (\$)			d Elec	d	Svc Order	Svc Order	Svc Order	Svc Order
		1111	е								per LSR	Manually	vs.	vs.	vs.	vs.
												per LSR	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonrec	urring	NRC Dis	connect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Exchange Ports-2W VG unbundled res, low usage line port with Caller															
	ID (LUM)			UEPSR	UEPAP	1.85		17.16					18.94	8.42		
	Exchange Ports-2W Voice GA basic dialing port w/o Caller ID			UEPSR	UEPWC	1.85	17.16	17.16					18.94	8.42		
	2W voice unbundled GA basic dialing port for use with Caller ID-res			UEPSR	UEPWQ	1.85	17.16	17.16					18.94	8.42		

<u>UNBUN</u> DI	LED NETWORK ELEMENTS - Georgia													ment: 2		oit: B
CATEGORY	RATE ELEMENTS	Interi m	i Zon e	BCS	usoc		RAT	ΓES (\$)			d Elec	Svc Order Submitte d Manually	I Charge - Manual Svc Order vs.	Manual Svc Order vs.	al Charge - Manual Svc Order vs.	al Charg Manua Svc Ord vs.
												per LSR	Electronic-	Electronic- Add'l	Electronic- Disc 1st	Electron Disc Add
			++				Nonreci		NRC Dis					Rates (\$)	D100 100	Dioo Auc
			1			Rec	First	Add'l	First		SOMEC	COMAN		SOMAN	SOMAN	SOMAN
	OM seize seksendled OA besit dieligen een entreiten ook		++	UEPSR	UEPWR	1.85	17.16	17.16	First	Addi	SOMEC	SOMAN	18.94	8.42	SUMAN	SOMAN
	2W voice unbundled GA basic dialing port-outgoing only		++		UEPRT	1.85	17.16	17.16					18.94	8.42		<del> </del>
	2W voice unbundled Low Usage Line Port w/o Caller ID Capability Subsqnt Activity		++	UEPSR UEPSR	USASC	0.00	0.00	0.00					18.94	8.42		<del> </del>
	TURES		+-+	UEPSK	USASC	0.00	0.00	0.00					16.94	0.42		<u> </u>
FEA			++	UEPSR	UEPVF	0.00	0.00	0.00					18.94	8.42		-
2 14/1	All Available Vertical Features		++	UEPSR	UEPVF	0.00	0.00	0.00					18.94	8.42		-
2-111	RE VOICE GRADE LINE PORT RATES (BUS)  Exchange Ports-2W Analog Line Port w/o Caller ID-Bus		+-+	UEPSB	UEPBL	1.85	17.16	17.16					18.94	8.42		
			+-+	UEPSB	UEPBL	1.00	17.16	17.10					16.94	0.42		
	Exchange Ports-2W VG unbundled Line Port with unbundled port with			LIEDOD	LIEDDO	4.05	47.40	47.40					40.04	0.40		1
	Caller+E484 ID-Bus.		+	UEPSB	UEPBC	1.85	17.16	17.16					18.94	8.42	-	
1	Exchange Ports-2W Voice GA bus Basic Dialing Port, with Caller ID capability			LIEDOD	UEPWP	1.85	17.16	47.40					40.04	0.40		1
	, , , , , , , , , , , , , , , , , , , ,		-	UEPSB				17.16					18.94	8.42		<b> </b>
	Exchange Ports-2W Analog Line Port outgoing only-Bus.		+	UEPSB	UEPBO	1.85	17.16	17.16					18.94	8.42		<del> </del>
	Exhange Ports-2W VG unbundled incoming only port with Caller ID-Bus		-	UEPSB	UEPB1	1.85	17.16	17.16					18.94	8.42		ļ
	Exchange Ports-2W Voice GA bus Dialing Plan w/o Caller ID		<b>├</b>	UEPSB	UEPWD	1.85	17.16	17.16					18.94	8.42		<u> </u>
	2W voice unbundled Incoming Only Port w/o Caller ID Capability		1	UEPSB	UEPBE	1.85	17.16	17.16					18.94	8.42		
	Subsqnt Activity		1	UEPSB	USASC	0.00	0.00	0.00					18.94	8.42		<u> </u>
FEA	TURES		1													
	All Available Vertical Features		1	UEPSB	UEPVF	0.00	0.00	0.00					18.94	8.42		<u> </u>
EXC	ANGE PORT RATES (DID & PBX)															
	2W VG Unbundled 2-Way PBX Trunk-Res			UEPSE	UEPRD	1.85	17.16	17.16					18.94	8.42		
	2W voice unbundled GA extended dialing port, PBX 1-Way Outdial			UEPSE	UEPPO	1.85	17.16	17.16					18.94	8.42		
	2W VG Line Side Unbundled 2-Way PBX Trunk-Bus			UEPSP	UEPPC	1.85	17.16	17.16					18.94	8.42		
	2W VG Line Side Unbundled Outward PBX Trunk-Bus			UEPSP	UEPPO	1.85	17.16	17.16					18.94	8.42		
	2W VG Line Side Unbundled Incoming PBX Trunk-Bus			UEPSP	UEPP1	1.85	17.16	17.16					18.94	8.42		
	2W Analog Long Distance Terminal PBX Trunk-Bus			UEPSP	UEPLD	1.85	17.16	17.16					18.94	8.42		
	2W Voice Unbundled PBX LD Terminal Ports			UEPSP	UEPLD	1.85	17.16	17.16					18.94	8.42		
	2W Vice Unbundled 2-Way PBX Usage Port			UEPSP	UEPXA	1.85	17.16	17.16					18.94	8.42		
	2W Voice Unbundled PBX Toll Terminal Hotel Ports			UEPSP	UEPXB	1.85	17.16	17.16					18.94	8.42		
	2W Voice Unbundled PBX LD DDD Terminals Port			UEPSP	UEPXC	1.85	17.16	17.16					18.94	8.42		
	2W Voice Unbundled PBX LD Terminal Switchboard Port			UEPSP	UEPXD	1.85	17.16	17.16					18.94	8.42		
	2W Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPSP	UEPXE	1.85	17.16	17.16					18.94	8.42		
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
	Administrative Calling Port			UEPSP	UEPXL	1.85	17.16	17.16					18.94	8.42		
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room															
	Calling Port			UEPSP	UEPXM	1.85	17.16	17.16					18.94	8.42		
	2W Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount															
	Room Calling Port			UEPSP	UEPXO	1.85	17.16	17.16					18.94	8.42		
	2W Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPSP	UEPXS	1.85	17.16	17.16					18.94	8.42		
	2W voice unbundled GA basic dialing port-1-Way Oudial Trunk			UEPSP	UEPWS	1.85	17.16	17.16					18.94	8.42		
	2W voice unbundled GA basic dialing port-2-Way Trunk			UEPSP	UEPWT	1.85	17.16	17.16					18.94	8.42		
	2W voice unbundled GA basic dialing port-2-way PBX Trunk			UEPSP	UEPPQ	1.85	17.16	17.16					18.94	8.42		
	2W voice unbundled GA basic dialing port-PBX LD Terminal Ports			UEPSP	UEPPS	1.85	17.16	17.16					18.94	8.42	İ	
	2W voice unbundled GA basic dialing port-PBX Toll Terminal Ports			UEPSP	UEPPT	1.85	17.16	17.16					18.94	8.42		
	2W voice unbundled GA basic dialing port-PBX LD DDD Terminal Port		1 1	UEPSP	UEPPU	1.85	17.16	17.16					18.94	8.42	1	
	2W voice unbundled GA basic dialing port-PBX LD Terminal		1 1													
1	Switchboard Port		1 1	UEPSP	UEPPV	1.85	17.16	17.16	1	1			18.94	8.42		1
	2W voice unbundled GA basic dialing port-PBX LD Terminal		t	02101	5211 7	1.00	17.10	17.10					10.04	5.⊣2	t	
1	Switchboard DDD Capable Port		1 1	UEPSP	UEPPW	1.85	17.16	17.16	1	1			18.94	8.42		1
-+	Subsgnt Activity		+	UEPSP	USASC	0.00	0.00	0.00	1	1			18.94	8.42	<del>                                     </del>	<del>                                     </del>
EE A	TURES	_	+	02101	COAGO	0.00	0.00	0.00					10.34	0.72	1	
FEA	All Available Vertical Features		+	UEPSP UEPSE	UEPVF	0.00	0.00	0.00					18.94	8.42	<del>                                     </del>	<del></del>

Version 4Q02: 01/21/03 Page 118 of 402

UNBUNDL	ED NETWORK ELEMENTS - Georgia												Attachi	ment: 2	Exhil	oit: B
											Svc	Svc	Incrementa			
											Order	Order	I Charge -	I Charge -	al Charge -	al Charge -
			<b></b> -								Submitte	Submitte	Manual	Manual	Manual	Manual
CATEGORY	RATE ELEMENTS	Interi		BCS	USOC		RA <sup>*</sup>	TES (\$)			d Elec	d	Svc Order	Svc Order	Svc Order	Svc Order
		m	е								per LSR	Manually	vs.	vs.	vs.	vs.
												per LSR	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonrec	urring	NRC Dis	connect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
EXCH	ANGE PORT RATES (COIN)															
	Exchange Ports-Coin Port					2.05	17.16	17.16					18.94	8.42		

UNBUNDL	ED NETWORK ELEMENTS - Georgia													ment: 2		oit: B
ATEGORY	RATE ELEMENTS	Interi Z	on e	BCS	USOC		RA <sup>-</sup>	TES (\$)			Svc Order Submitte d Elec	Svc Order Submitte d	Incrementa I Charge - Manual Svc Order	Incrementa I Charge - Manual Svc Order	Increment al Charge - Manual Svc Order	al Charg
		m	е								per LSR	Manually per LSR	vs. Electronic- 1st	vs. Electronic- Add'l	vs. Electronic- Disc 1st	vs. Electron Disc Ad
						Rec	Nonrec	urring	NRC Dis	sconnect		•	oss	Rates (\$)	•	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	E: Transmission/usage charges associated with POTS circuit switch												ith 2W ISDN	l ports.		
	E: Access to B Channel or D Channel Packet capabilities will be ava	lable or	nly t	hrough BFR/NBR P	rocess. Ra	ates for the pac	ket capabiliti	es will be d	etermined	via the E	BFR/NBR F	rocess.				<u> </u>
	D LOCAL EXCHANGE SWITCHING(PORTS)															
EXCF	HANGE PORT RATES			HEDEV	LIEBBO	11.05	04.04	04.04					10.00	40.00	40.00	40.0
	Exchange Ports-2W DID Port			UEPEX UEPDD	UEPP2 UEPDD	11.35 120.80	61.91 108.38	61.91 60.88					19.99 19.99	19.99 19.99	19.99 19.99	19.9 19.9
	Exchange Ports-DDITS Port-4W DS1 Port with DID capability  Exchange Ports-2W ISDN Port (See Notes below.)			UEPTX UEPSX	U1PMA	120.80	47.37	47.37					39.98	39.98	19.99	19.
	All Features Offered		-	UEPTX UEPSX	UEPVF	0.00	0.00	0.00					39.96	39.96		<del> </del>
NOTE	Transmission/usage charges associated with POTS circuit switch	od ucoa	10.14						nemiecio	n by B C	hannala aa	coninted v	ith SW ISDN	Inorto		
	Access to B Channel or D Channel Packet capabilities will be ava												TILLI ZW ISDI	ports.		<del>                                     </del>
1,011	Exchange Ports-2W ISDN Port Channel Profiles		ا و	UEPTX UEPSX	U1UMA	0.00	0.00	0.00		, , ia tile L	. IVIIDIN F	. 30033.				<del>                                     </del>
	Exchange Ports-4W ISDN DS1 Port		-	UEPEX	UEPEX	163.16	186.80	186.80					37.88	37.88		
UNBI	UNDLED PORT with REMOTE CALL FORWARDING CAPABILITY			01. L/X	J/	700.10	.00.00	. 50.00					07.00	07.00		
	UNDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE		1													
	Unbundled Remote Call Forwarding Service, Area Calling, Res		1	UEPVR	UERAC	1.85	17.16	17.16					18.94	8.42		
	Unbundled Remote Call Forwarding Service, Local Calling-Res			UEPVR	UERLC	1.85	17.16	17.16					18.94	8.42		
	Unbundled Remote Call Forwarding Service, InterLATA-Res			UEPVR	UERTE	1.85	17.16	17.16					18.94	8.42		
	Unbundled Remote Call Forwarding Service, IntraLATA-Res			UEPVR	UERTR	1.85	17.16	17.16					18.94	8.42		
Non-	Recurring															
	Unbundled Remote Call Forwarding Service -Conversion-Switch-as-is			UEPVR	USAC2		2.01	0.31					33.67	7.88	11.17	3.
	Unbundled Remote Call Forwarding Service -Conversion with allowed															
	change (PIC & LPIC)			UEPVR	USACC		2.01	0.31								
UNBU	UNDLED REMOTE CALL FORWARDING - Bus															
	Unbundled Remote Call Forwarding Service, Area Calling-Bus			UEPVB	UERAC	1.85	17.16	17.16					18.94	8.42		
	Unbundled Remote Call Forwarding Service, Local Calling-Bus			UEPVB	UERLC	1.85	17.16	17.16					18.94	8.42		
	Unbundled Remote Call Forwarding Service, InterLATA-Bus			UEPVB	UERTE	1.85	17.16	17.16					18.94	8.42		ļ
	Unbundled Remote Call Forwarding Service, IntraLATA-Bus			UEPVB	UERTR	1.85	17.16	17.16					18.94	8.42		ļ
	Unbundled Remote Call Forwarding Service Expanded & Exception															
	Local Calling			UEPVB	UERVJ	1.85	17.16	17.16					18.94	8.42		ļ
Non-l	Recurring															
	Unbundled Remote Call Forwarding Service-Conversion-Switch-as-is			UEPVB	USAC2		2.01	0.31					33.67	7.88	11.17	3.
	Unbundled Remote Call Forwarding Service -Conversion with allowed															
	change (PIC & LPIC)			UEPVB	USACC		2.01	0.31								ļ
	D LOCAL SWITCHING, PORT USAGE															<b>├</b>
Ena	Office Switching (Port Usage)					0.0016333										
	End Office Switching Function, Per MOU  End Office Trunk Port-Shared, Per MOU		-			0.0016333										<del> </del>
Tand	em Switching (Port Usage) (Local or Access Tandem)					0.0001564										-
rand	Tandem Switching Function Per MOU					0.0006757										-
	Tandem Trunk Port-Shared, Per MOU					0.0006757										<del>                                     </del>
Comi	mon Transport					0.0002120										<del>                                     </del>
001111	Common Transport-Per mi, Per MOU					0.000008										<del>                                     </del>
	Common Transport Facilities Term Per MOU					0.0004152										
NBUNDL F	D PORT/LOOP COMBINATIONS - COST BASED RATES					3.000 - 102										
	Based Rates are applied where BellSouth is required by FCC and/or	Commis	ssin	n rule to provide U	bundled I	ocal Switching	or Switch P	orts.								
	ires shall apply to the Unbundled Port/Loop Combination - Cost Bas								ndled Po	t section	of this Fx	hibit.				
	Office & Tandem Switching Usage & Common Transport Usage rates												rt/Loop Cor	nbinations.		
	irst & add'l Port NRC charges apply to Not Currently Combined Com															
	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)		Ť	,							,		-			
	Port/Loop Combination Rates									1						
	2W VG Loop/Port Combo-Zone 1		1			12.59					İ			İ	Ì	

Version 4Q02: 01/21/03

UNBUNDL	ED NETWORK ELEMENTS - Georgia												Attachr	nent: 2	Exhil	it: B
											Svc		Incrementa			
											Order	Order	I Charge -	I Charge -	al Charge -	al Charge -
			l_								Submitte	Submitte	Manual	Manual	Manual	Manual
CATEGORY	RATE ELEMENTS	Interi		BCS	USOC		RA <sup>*</sup>	TES (\$)			d Elec	d	Svc Order	Svc Order	Svc Order	Svc Order
		m	е					.,			per LSR	Manually	vs.	vs.	vs.	vs.
											-	per LSR	Electronic-	Electronic-	Electronic-	Electronic-
												-	1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonrec	urring	NRC Dis	connect			OSS	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2W VG Loop/Port Combo-Zone 2		2			14.26										
	2W VG Loop/Port Combo-Zone 3		3			21.62	•									

NBUNDL	ED NETWORK ELEMENTS - Georgia													ment: 2		bit: B
ATEGORY	RATE ELEMENTS	Interi	Zon	BCS	usoc		D.A-	TEO (Å)			Svc Order Submitte d Elec	Svc Order Submitte d	Incrementa I Charge - Manual Svc Order	Incrementa I Charge - Manual Svc Order	Increment al Charge - Manual Svc Order	- al Char Manu
ATEGORY	KATE ELEMENTS	m	е	всъ	USOC		KA	ΓES (\$)				Manually	vs. Electronic- 1st	vs.	vs. Electronic- Disc 1st	vs. - Electro
							Nonrec	urring	NRC Dis	connect		l	oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l		SOMAN		SOMAN	SOMAN	SOMA
LINE	Loop Rates						11130	Auui	11130	Addi	COMILO	OCIVIAIN	COMAN	COMAN	COMAN	CONT
	2W VG Loop (SL1)-Zone 1		1	UEPRX	UEPLX	10.80										+
	2W VG Loop (SL1)-Zone 2		2	UEPRX	UEPLX	12.47										<del>†                                      </del>
	2W VG Loop (SL1)-Zone 3		3	UEPRX	UEPLX	19.83										1
2-Wire	e Voice Grade Line Port Rates (Res)		Ĭ	02.100	02.27	10.00										1
	2W voice unbundled port-Res			UEPRX	UEPRL	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	
	2W voice unbundled port with Caller ID-res			UEPRX	UEPRC	1.79	22.14	15.25	8.45	3.91			37.06	7.88	11.17	
	2W voice unbundled port outgoing only-res			UEPRX	UEPRO	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	
	2W voice unbundles res, low usage line port with Caller ID (LUM)			UEPRX	UEPAP	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	
	2W voice unbundled GA basic dialing port w/o Caller ID capability-res			UEPRX	UEPWC	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	
	2W voice unbundled GA basic dialing port for use with Caller ID-res			UEPRX	UEPWQ	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	
	2W voice unbundled GA basic dialing port-outgoing only			UEPRX	UEPWR	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	
	2W voice unbundled Low Usage Line Port w/o Caller ID Capability			UEPRX	UEPRT	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	1
	URES															
	All Features Offered			UEPRX	UEPVF	0.00	0.00	0.00					33.67	7.88	11.17	
	L NUMBER PORTABILITY															
	Local No Portability (1 per port)			UEPRX	LNPCX	0.35										1
	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2W VG Loop/Line Port Combination-Conversion-Switch-as-is			UEPRX	USAC2		2.01	0.3108					33.67	7.88	11.17	
	2W VG Loop/Line Port Combination -Conversion-Switch with change			UEPRX	USACC		2.01	0.3108					33.67	7.88		
ADDI	TIONAL NRCs															1
	2W VG Loop/Line Port Combination-Subsqnt Activity			UEPRX	USAS2	0.00	0.00	0.00					33.67	7.88	11.17	
2-WIR	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)															
UNE F	Port/Loop Combination Rates															
	2W VG Loop/Port Combo-Zone 1		1			12.59										
	2W VG Loop/Port Combo-Zone 2		2			14.26										
	2W VG Loop/Port Combo-Zone 3		3			21.62										
UNE L	∟oop Rates															
	2W VG Loop (SL1)-Zone 1		1	UEPBX	UEPLX	10.80										
	2W VG Loop (SL1)-Zone 2		2	UEPBX	UEPLX	12.47										
	2W VG Loop (SL1)-Zone 3		3	UEPBX	UEPLX	19.83										
2-Wire	e Voice Grade Line Port (Bus)															
	2W voice unbundled port w/o Caller ID-bus			UEPBX	UEPBL	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	
	2W voice unbundled port with Caller + E484 ID-bus			UEPBX	UEPBC	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	
	2W voice unbundled port outgoing only-bus			UEPBX	UEPBO	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	
	2W voice unbundled incoming only port with Caller ID-Bus			UEPBX	UPEB1	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	
-	2W voice unbundled GA basic dialing port, w/o Caller ID capability-bus	1		UEPBX	UEPWD	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	
_	2W voice unbundled GA basic dialing port for use with Caller ID-bus	1		UEPBX	UEPWP	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	
	2W voice unbundled Incoming Only Port w/o Caller ID Capability	1		UEPBX	UEPBE	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	+
	L NUMBER PORTABILITY			LIEDDY	LNPCX	0.35										+
	Local No Portability (1 per port)  URES			UEPBX	LNPCX	0.35										+
				LIEDDY	UEPVF	0.00	0.00	0.00					22.67	7.00	44.47	+
	All Features Offered RECURRING CHARGES (NRCs) - CURRENTLY COMBINED	1	<del>   </del>	UEPBX	UEPVF	0.00	0.00	0.00	<b> </b>	<b>-</b>	1	-	33.67	7.88	11.17	+
NUNF		1	<del>   </del>	UEPBX	USAC2		2.01	0.3108	<b> </b>	<b>-</b>	1	-	33.67	7.88	11.17	+
	2W VG Loop/Line Port Combination-Conversion-Switch-as-is 2W VG Loop/Line Port Combination -Conversion-Switch with change			UEPBX	USAC2 USACC		2.01	0.3108			<u> </u>		33.67	7.88	11.17	+
	IONAL NRCs			UEPBX	USACC		∠.01	0.3108								+
	2W VG Loop/Line Port Combination-Subsqnt Activity			UEPBX	USAS2		0.00	0.00					33.67	7.88	11.17	+-
	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)		1	UEPDA	USASZ		0.00	0.00		-	<b> </b>		<i>აა.67</i>	7.88	11.17	+
	Port/Loop Combination Rates	-	H		+				-		<b>_</b>	-				+
	2W VG Loop/Port Combo-Zone 1	<del>                                     </del>	1		+	12.59					<b>-</b>		-	-	<b> </b>	+

Version 4Q02: 01/21/03 Page 122 of 402

UNBUNDL	ED NETWORK ELEMENTS - Georgia												Attachr	nent: 2	Exhil	it: B
											Svc		Incrementa			
											Order	Order	I Charge -	I Charge -	al Charge -	al Charge -
			l_								Submitte	Submitte	Manual	Manual	Manual	Manual
CATEGORY	RATE ELEMENTS	Interi		BCS	USOC		RA <sup>*</sup>	TES (\$)			d Elec	d	Svc Order	Svc Order	Svc Order	Svc Order
		m	е					.,			per LSR	Manually	vs.	vs.	vs.	vs.
											-	per LSR	Electronic-	Electronic-	Electronic-	Electronic-
												-	1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonrec	urring	NRC Dis	connect			OSS	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2W VG Loop/Port Combo-Zone 2		2			14.26										
	2W VG Loop/Port Combo-Zone 3		3			21.62	•									

NDUNDL	ED NETWORK ELEMENTS - Georgia				1						C	· · · ·		ment: 2		bit: B
ATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	usoc		RA	ΓES (\$)			Svc Order Submitte d Elec per LSR	d Manually	I Charge - Manual Svc Order vs. Electronic-	Incrementa I Charge - Manual Svc Order vs. Electronic-	al Charge Manual Svc Order vs. Electronic	- al Char Manua Svc Ord vs. - Electro
													1st	Add'l	Disc 1st	Disc Add
						Rec	Nonrec		NRC Dis					Rates (\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
	oop Rates															
	2W VG Loop (SL 1)-Zone 1		1	UEPRG	UEPLX	10.80										
	2W VG Loop (SL 1)-Zone 2		2	UEPRG	UEPLX	12.47										
	2W VG Loop (SL 1)-Zone 3		3	UEPRG	UEPLX	19.83										
	Voice Grade Line Port Rates (RES - PBX)															
	2W VG Unbundled Combination 2-Way PBX Trunk Port-Res			UEPRG	UEPRD	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	
	2W voice unbundled GA extended dialing port, PBX 1-Way Outdial			UEPRG	UEPPO	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.
	L NUMBER PORTABILITY															
	Local No Portability (1 per port)			UEPRG	LNPCP	3.15	0.00	0.00					33.67	7.88	11.17	3.9
FEAT																<u> </u>
	All Features Offered			UEPRG	UEPVF	0.00	0.00	0.00					33.67	7.88	11.17	3.
	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2W VG Loop/ Line Port Combination (PBX)-Conversion-Switch-As-Is			UEPRG	USAC2		2.01	0.3108					33.67	7.88	11.17	3.
	2W VG Loop/ Line Port Combination (PBX)-Conversion-Switch with															
	Change			UEPRG	USACC		2.01	0.3108					33.67	7.88	11.17	3.
	IONAL NRCs															
	2W VG Loop/ Line Port Combination (PBX)-Subsqnt Activity			UEPRG	USAS2	0.00	0.00	0.00					33.67	7.88	11.17	
	PBX Subsqnt Activity-Change/Rearrange Multiline Hunt Group						14.64	14.64					19.99	19.99	19.99	19
	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)															
	ort/Loop Combination Rates															
	2W VG Loop/Port Combo-Zone 1		1			12.59										
	2W VG Loop/Port Combo-Zone 2		2			14.26										
	2W VG Loop/Port Combo-Zone 3		3			21.62										
	oop Rates															
	2W VG Loop (SL 1)-Zone 1		1	UEPPX	UEPLX	10.80										
	2W VG Loop (SL 1)-Zone 2		2	UEPPX	UEPLX	12.47										
	2W VG Loop (SL 1)-Zone 3		3	UEPPX	UEPLX	19.83										
	Voice Grade Line Port Rates (BUS - PBX)															
	Line Side Unbundled Combination 2-Way PBX Trunk Port-Bus			UEPPX	UEPPC	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	
	Line Side Unbundled Outward PBX Trunk Port-Bus			UEPPX	UEPPO	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	
	Line Side Unbundled Incoming PBX Trunk Port-Bus			UEPPX	UEPP1	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	
	2W Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	
	2W Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	1.79	22.14	15.25	8.45	3.91			37.06	7.88	11.17	
	2W Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	
	2W Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	
	2W Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	
	2W Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPPX	UEPXE	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
	Administrative Calling Port			UEPPX	UEPXL	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room															
	Calling Port			UEPPX	UEPXM	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3
	2W Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount															
	Room Calling Port			UEPPX	UEPXO	1.79	22.14	15.25	8.45	3.91		<u> </u>	33.67	7.88	11.17	
	2W Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	
	2W voice unbundled GA basic dialing port-1-Way Oudial Trunk			UEPPX	UEPWS	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	
	2W voice unbundled GA basic dialing port-2-Way Trunk			UEPPX	UEPWT	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	_
	2W voice unbundled GA basic dialing port-2-way PBX Trunk			UEPPX	UEPPQ	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	
	2W voice unbundled GA basic dialing port-PBX LD Terminal Ports			UEPPX	UEPPS	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	
	2W voice unbundled GA basic dialing port-PBX Toll Terminal Ports			UEPPX	UEPPT	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	
	2W voice unbundled GA basic dialing port-PBX LD DDD Terminal Port		l T	UEPPX	UEPPU	1.79	22.14	15.25	8.45	3.91		1	33.67	7.88	11.17	1

Version 4Q02: 01/21/03 Page 124 of 402

NRONDL	ED NETWORK ELEMENTS - Georgia													ment: 2		bit: B
ATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	usoc		RA <sup>-</sup>	ΓES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitte d Manually per LSR	Incrementa I Charge - Manual Svc Order vs. Electronic-	Incrementa I Charge - Manual Svc Order vs. Electronic-	al Charge Manual Svc Order vs. Electronic	- al Cha Mand Svc O vs - Electro
													1st	Add'l	Disc 1st	Disc A
						Rec	Nonrec		NRC Dis					Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOM
	2W voice unbundled GA basic dialing port-PBX LD Terminal Switchboard Port			UEPPX	UEPPV	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	
	2W voice unbundled GA basic dialing port-PBX LD Terminal			LIEDDY	LIEDDW	4.70		45.05	0.45	0.04			00.07	7.00	44.47	
	Switchboard DDD Capable Port		<b></b>	UEPPX	UEPPW	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	
	2W voice unbundled GA basic dialing port-PBX 2-Way Trunk			UEPPX	UEPPC	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	
	L NUMBER PORTABILITY															
	Local No Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00					33.67	7.88	11.17	
FEAT																
	All Features Offered			UEPPX	UEPVF	0.00	0.00	0.00					33.67	7.88	11.17	
	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2W VG Loop/ Line Port Combination (PBX)-Conversion-Switch-As-Is 2W VG Loop/ Line Port Combination (PBX)-Conversion-Switch with			UEPPX	USAC2		2.01	0.3108					33.67	7.88	11.17	-
	Change			UEPPX	USACC		2.01	0.3108					33.67	7.88	11.17	
	TIONAL NRCs															
	2W VG Loop/ Line Port Combination (PBX)-Subsqnt Activity			UEPPX	USAS2	0.00	0.00	0.00					33.67	7.88	11.17	1
	PBX Subsqnt Activity-Change/Rearrange Multiline Hunt Group						14.64	14.64					19.99	19.99	19.99	
	E VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN PORT				1								10.00	10.00	10.00	+-
	Port/Loop Combination Rates				+											+-
	2W VG Coin Port/Loop Combo – Zone 1		1		+	12.69										+-
	2W VG Coin Port/Loop Combo – Zone 2		2		+ +	14.36										+
			3		-	21.72										+
	2W VG Coin Port/Loop Combo – Zone 3		3		+	21.72										$+\!-\!$
	oop Rates		<b>.</b>			10.00										+
	2W VG Loop (SL1)-Zone 1		1	UEPCO	UEPLX	10.80										$+\!-\!$
	2W VG Loop (SL1)-Zone 2		2	UEPCO	UEPLX	12.47										—
	2W VG Loop (SL1)-Zone 3		3	UEPCO	UEPLX	19.83										₩
2-Wire	e Voice Grade Line Ports (COIN)															—
	2W Coin 2-Way with Oper Screening (GA)			UEPCO	UEPGC	1.89	22.14	15.25	8.45	3.91			33.67	7.88	11.17	—
	2W Coin 2-Way with Oper Screening & Blocking: 011, 900/976, 1+DDD (GA)			UEPCO	UEP2G	1.89	22.14	15.25	8.45	3.91			33.67	7.88	11.17	
	2W Coin 2-Way with Oper Screening & 011 Blocking (GA)			UEPCO	UEPGA	1.89	22.14	15.25	8.45	3.91			33.67	7.88	11.17	
	2W Coin 2-Way with Oper Screening & 900/976 Blocking (GA)			UEPCO	UEPGB	1.89	22.14	15.25	8.45	3.91			33.67	7.88	11.17	
	2W Coin 2-Way with Oper Screening & Blocking: 900/976, 1+DDD,															
	011+, & Local (GA)			UEPCO	UEPCH	1.89	22.14	15.25	8.45	3.91			33.67	7.88	11.17	
	2W Coin Outward with Oper Screening & 011 Blocking (GA, KY, MS)			UEPCO	UEPRJ	1.89	22.14	15.25	8.45	3.91			33.67	7.88	11.17	
	2W Coin Outward with Oper Screening & Blocking: 900/976, 1+DDD,															
	011+, & Local (FL, GA)			UEPCO	UEPCQ	1.89	22.14	15.25	8.45	3.91			33.67	7.88	11.17	
	2W 2-Way Smartline with 900/976 (all states except LA)			UEPCO	UEPCK	1.89	22.14	15.25	8.45	3.91			33.67	7.88	11.17	1
	2W Coin Outward Smartline with 900/976 (all states except LA)			UEPCO	UEPCR	1.89	22.14	15.25	8.45	3.91			33.67	7.88	11.17	1
	TIONAL UNE COIN PORT/LOOP (RC)								00							1
	UNE Coin Port/Loop Combo Usage (Flat Rate)			UEPCO	URECU	3.59	0.00	0.00	0.00	0.00			33.67	7.88	11.17	+
	L NUMBER PORTABILITY															+
	Local No Portability (1 per port)			UEPCO	LNPCX	0.35										+
	ECURRING CHARGES - CURRENTLY COMBINED		<del>                                     </del>	02.00		0.00										+
	2W VG Loop/Line Port Combination -Conversion-Switch-as-is		+	UEPCO	USAC2	-	2.01	0.3108			1		33.67	7.88	11.17	+
	2W VG Loop/Line Port Combination -Conversion-Switch with change		$\vdash$	UEPCO	USACC	+	2.01	0.3100					33.67	7.88	11.17	
	FIONAL NRCs		<del>     </del>	ULFCO	USACC	ł	2.01	0.31					33.07	1.00	11.17	+-
	2W VG Loop/Line Port Combination-Subsqnt Activity		<del>   </del>	UEPCO	USAS2	+	0.00	0.00					33.67	7.88	11.17	+-
	E VOICE LOOP/2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE LIN	E DOS	) )T/D=		USAS2		0.00	0.00					33.67	7.88	11.17	+-
		E 701	VI (KE	رد.	+											+-
	Port/Loop Combination Rates		$\vdash$		+ +	10.00										+
1	2W VG Loop/IO Tranport/Port Combo-Zone 1		2			18.69								l		

Version 4Q02: 01/21/03 Page 125 of 402

NBUNDL	ED NETWORK ELEMENTS - Georgia													ment: 2		bit: B
ATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	usoc		RA <sup>-</sup>	TES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitte d Manually	Incrementa I Charge - Manual Svc Order vs. Electronic-	Incrementa I Charge - Manual Svc Order vs.	Increment al Charge - Manual Svc Order vs. Electronic	al Char Manu Svc Ord vs.
												per LOIX	1st	Add'l		
						Rec	Nonrect First	urring Add'l	NRC Dis	connect Add'l	COMEO	SOMAN		Rates (\$)	SOMAN	SOMA
	2W VG Loop/IO Tranport/Port Combo-Zone 3	1	3		+	32.77	FIISt	Addi	FIISt	Addi	SOMEC	SUMAN	SUMAN	SUMAN	SUMAN	SUMA
	oop Rates		J		+	32.11									-	+
UNE	2W VG Loop (SL2)-Zone 1		1	UEPFR	UECF2	16.84										+
	2W VG Loop (SL2)-Zone 2		2	UEPFR	UECF2	19.45									-	+
		1	3	UEPFR	UECF2	30.92										+
	2W VG Loop (SL2)-Zone 3		3	UEPFR	UECF2	30.92										+
	e Voice Grade Line Port Rates (Res)			UEPFR	UEPRL	1.85	404.00	05.00	0.45	2.04			00.07	7.00	44.47	+ -
-	2W voice unbundled port-Res	1					121.33	95.26	8.45	3.91			33.67	7.88	11.17	
	2W voice unbundled port with Caller ID-res			UEPFR	UEPRC	1.85	121.33	95.26	8.45	3.91			37.06	7.88	11.17	
	2W voice unbundled port outgoing only-res	1	1	UEPFR	UEPRO	1.85	121.33	95.26	8.45	3.91			33.67	7.88	11.17	
_	2W voice unbundles res, low usage line port with Caller ID (LUM)	1		UEPFR	UEPAP	1.85	121.33	95.26	8.45	3.91			33.67	7.88	11.17	
	2W voice unbundled GA basic dialing port, w/o Caller ID capability-res			UEPFR	UEPWC	1.85	121.33	95.26	8.45	3.91			33.67	7.88	11.17	
_	2W voice unbundled GA basic dialing port for use with Caller ID-res			UEPFR	UEPWQ	1.85	121.33	95.26	8.45	3.91			33.67	7.88	11.17	
	2W voice unbundled GA basic dialing port-outgoing only			UEPFR	UEPWR	1.85	121.33	95.26	8.45	3.91			33.67	7.88	11.17	
	OFFICE TRANSPORT															
	Interoffice Transport-Dedicated-2W VG-Facility Term			UEPFR	U1TV2	17.07	79.61	36.08								
	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi			UEPFR	1L5XX	0.0222										
FEAT	JRES															
	All Features Offered			UEPFR	UEPVF	0.00	0.00	0.00					33.67	7.88	11.17	
	L NUMBER PORTABILITY					3.33		0.00								
	Local No Portability (1 per port)			UEPFR	LNPCX	0.35										<del>                                     </del>
	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED			OLITIK	LIVIOX	0.00										+
NON	2W Loop/Dedicated IO Transport/2W Line Port Combination-				+											+
	Conversion-Switch-as-is			UEPFR	USAC2		93.83	93.83					33.67	7.88	11.17	
-	2W Loop/Dedicated IO Transport/2W Line Port Combination-			UEFFR	USACZ		93.03	93.03					33.07	1.00	11.17	+
	·			UEPFR	USACC		93.83	93.83					33.67	7.88		
0.14/10	Conversion-Switch-With-Change E VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE LIN	IE BOI			USACC		93.03	93.63					33.07	7.00	-	+
		NE POI	KI (B	08)	+											
	Port/Loop Combination Rates		<b>.</b> .		+	10.00										
	2W VG Loop/IO Tranport/Port Combo-Zone 1		1			18.69										
	2W VG Loop/IO Tranport/Port Combo-Zone 2		2			21.30										
	2W VG Loop/IO Tranport/Port Combo-Zone 3	1	3		$\perp$	32.77										
UNE L	oop Rates															
	2W VG Loop (SL2)-Zone 1		1	UEPFB	UECF2	16.84										
	2W VG Loop (SL2)-Zone 2		2	UEPFB	UECF2	19.45										
	2W VG Loop (SL2)-Zone 3		3	UEPFB	UECF2	30.92										<u> </u>
	Voice Grade Line Port (Bus)															
	2W voice unbundled port w/o Caller ID-bus			UEPFB	UEPBL	1.85	121.33	95.26	8.45	3.91			33.67	7.88	11.17	
	2W voice unbundled port with Caller + E484 ID-bus			UEPFB	UEPBC	1.85	121.33	95.26	8.45	3.91			33.67	7.88	11.17	
	2W voice unbundled port outgoing only-bus			UEPFB	UEPBO	1.85	121.33	95.26	8.45	3.91			33.67	7.88	11.17	
	2W voice unbundled incoming only port with Caller ID-Bus			UEPFB	UEPB1	1.85	121.33	95.26	8.45	3.91			33.67	7.88	11.17	
	2W voice unbundled GA basic dialing port, w/o Caller ID capability-bus			UEPFB	UEPWD	1.85	121.33	95.26	8.45	3.91			33.67	7.88	11.17	
	2W voice unbundled GA basic dialing port for use with Caller ID-bus			UEPFB	UEPWP	1.85	121.33	95.26	8.45	3.91			33.67	7.88	11.17	
	L NUMBER PORTABILITY				1		50		JJ							
	Local No Portability (1 per port)			UEPFB	LNPCX	0.35										1
	OFFICE TRANSPORT	1		02		3.30										<b>†</b>
	Interoffice Transport-Dedicated-2W VG-Facility Term		$\vdash$	UEPFB	U1TV2	17.07	79.61	36.08			1				t	<del>†                                      </del>
	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi			UEPFB	1L5XX	0.0222	7 3.01	30.00		<b> </b>	-		<del>                                     </del>	<del>                                     </del>	<b>-</b>	+
FEAT		1	$\vdash$	ULFFB	ILUAA	0.0222									<del>                                     </del>	+
	All Features Offered	1		UEPFB	UEPVF	0.00	0.00	0.00		<b> </b>	1		33.67	7.88	11.17	+
		1		UEPFD	UEPVF	0.00	0.00	0.00					33.67	7.88	11.17	+
	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED	-	$\vdash$		+ -					-			<b> </b>	<b> </b>		+
1	2W Loop/Dedicated IO Transport/2W Line Port Combination-	1	1		1		93.83	93.83		I	1	l	33.67	7.88	11.17	

Version 4Q02: 01/21/03 Page 126 of 402

ADOIADE	ED NETWORK ELEMENTS - Georgia													ment: 2		bit: B
ATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	usoc		RAT	ΓES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitte d Manually per LSR	Incrementa I Charge - Manual Svc Order vs. Electronic-	Incrementa I Charge - Manual Svc Order vs. Electronic-	Increment al Charge - Manual Svc Order vs. Electronic-	- al Chai Manu Svc Or vs.
													1st	Add'l	Disc 1st	Disc Ad
						Rec	Nonrecu	ırring	NRC Dis	connect				Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
	2W Loop/Dedicated IO Transport/2W Line Port Combination-															
	Conversion-Switch with change			UEPFB	USACC		93.83	93.83								
2-WIR	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)															
UNE F	ort/Loop Combination Rates															
	2W VG Loop/IO Tranport/Port Combo-Zone 1		1			18.69										
	2W VG Loop/IO Tranport/Port Combo-Zone 2		2			21.30										1
	2W VG Loop/IO Tranport/Port Combo-Zone 3		3			32.77										1
	oop Rates					-										1
	2W VG Loop (SL2)-Zone 1		1	UEPFP	UECF2	16.84										1
	2W VG Loop (SL2)-Zone 2		2	UEPFP	UECF2	19.45										1
	2W VG Loop (SL2)-Zone 3		3	UEPFP	UECF2	30.92										<b>†</b>
	e Voice Grade Line Port Rates (BUS - PBX)		Ť			55.52										<b>†</b>
	Line Side Unbundled Combination 2-Way PBX Trunk Port-Bus			UEPFP	UEPPC	1.85	121.33	95.26	8.45	3.91			33.67	7.88	11.17	<b>†</b>
	Line Side Unbundled Outward PBX Trunk Port-Bus			UEPFP	UEPPO	1.85	121.33	95.26	8.45	3.91			33.67	7.88	11.17	
1	Line Side Unbundled Incoming PBX Trunk Port-Bus			UEPFP	UEPP1	1.85	121.33	95.26	8.45	3.91			33.67	7.88	11.17	
	2W Voice Unbundled PBX LD Terminal Ports			UEPFP	UEPLD	1.85	121.33	95.26	8.45	3.91			33.67	7.88	11.17	
	2W Voice Unbundled 2-Way Combination PBX Usage Port			UEPFP	UEPXA	1.85	121.33	95.26	8.45	3.91			37.06	7.88	11.17	
	2W Voice Unbundled PBX Toll Terminal Hotel Ports			UEPFP	UEPXA	1.85	121.33	95.26	8.45	3.91			37.06	7.88	11.17	
				UEPFP	UEPXB				8.45	3.91						_
	2W Voice Unbundled PBX LD DDD Terminals Port					1.85	121.33	95.26					33.67	7.88	11.17	
_	2W Voice Unbundled PBX LD Terminal Switchboard Port			UEPFP	UEPXD	1.85	121.33	95.26	8.45	3.91			33.67	7.88	11.17	
	2W Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPFP	UEPXE	1.85	121.33	95.26	8.45	3.91			33.67	7.88	11.17	-
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
	Administrative Calling Port			UEPFP	UEPXL	1.85	121.33	95.26	8.45	3.91			33.67	7.88	11.17	
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room															
	Calling Port			UEPFP	UEPXM	1.85	121.33	95.26	8.45	3.91			33.67	7.88	11.17	
	2W Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount															
	Room Calling Port			UEPFP	UEPXO	1.85	121.33	95.26	8.45	3.91			33.67	7.88	11.17	
	2W Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPFP	UEPXS	1.85	121.33	95.26	8.45	3.91			33.67	7.88	11.17	
	2W voice unbundled GA basic dialing port-1-Way Oudial Trunk			UEPFP	UEPWS	1.85	121.33	95.26	8.45	3.91			33.67	7.88	11.17	
	2W voice unbundled GA basic dialing port-2-Way Trunk			UEPFP	UEPWT	1.85	121.33	95.26	8.45	3.91			33.67	7.88	11.17	
	L NUMBER PORTABILITY															
	Local No Portability (1 per port)			UEPFP	LNPCP	3.15	0.00	0.00					33.67	7.88	11.17	
INTER	OFFICE TRANSPORT															
	Interoffice Transport-Dedicated-2W VG-Facility Term			UEPFP	U1TV2	17.07	79.61	36.08								
	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi			UEPFP	1L5XX	0.0222										
FEAT																
	All Features Offered			UEPFP	UEPVF	0.00	0.00	0.00					33.67	7.88	11.17	T
NONE	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2W Loop/Dedicated IO Transport/2W Line Port Combination-															
	Conversion-Switch-as-is			UEPFP	USAC2		93.83	93.83					33.67	7.88	11.17	
	2W Loop/Dedicated IO Transport/2W Line Port Combination-															
	Conversion-Switch with change			UEPFP	USACC		93.83	93.83					33.67	7.88	11.17	
UNDLE	PORT/LOOP COMBINATIONS - COST BASED RATES				i i											
	E VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK PO	RT														1
	Port/Loop Combination Rates				1 1											
	2W VG Loop/2W DID Trunk Port Combo-UNE Zone 1		1		†	28.19										1
	2W VG Loop/2W DID Trunk Port Combo-UNE Zone 2		2		†	30.80										1
	2W VG Loop/2W DID Trunk Port Combo-UNE Zone 3		3		1	42.27										t
	oop Rates		-		+	72.21					1	1				+-
	2W Analog VG Loop-(SL2)-UNE Zone 1		1	UEPPX	UECD1	16.84	104.17	78.10			1					+
	2W Analog VG Loop-(SL2)-UNE Zone 2	$\vdash$	2	UEPPX	UECD1	19.45	104.17	78.10			1				<del>                                     </del>	+-

Version 4Q02: 01/21/03 Page 127 of 402

UNDUNDL	ED NETWORK ELEMENTS - Georgia			1											ment: 2		oit: B
ATEGORY	RATE ELEMENTS	Interi m	i Zon e	всѕ	US	soc		RA <sup>-</sup>	FES (\$)			d Elec	Svc Order Submitte d Manually per LSR	I Charge - Manual Svc Order	Manual Svc Order vs.	al Charge - Manual Svc Order vs.	Increme al Charg Manua Svc Ord vs. Electron Disc Add
							Rec	Nonrec		NRC Dis					Rates (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2W Analog VG Loop-(SL2)-UNE Zone 3		3	UEPPX	UE	CD1	30.92	104.17	104.10								
UNE	Port Rate																
	Exchange Ports-2W DID Port			UEPPX	UE	PD1	11.35	61.91	61.91					33.67	7.88		<u> </u>
NONE	ECURRING CHARGES - CURRENTLY COMBINED																
	2W VG Loop/2W DID Trunk Port Combination -Switch-as-is			UEPPX		SAC1		93.38	93.38					33.67	7.88		
	2W VG Loop/2W DID Trunk Port Conversion with BST Allowable			UEPPX	US	SA1C		93.38	93.38					33.67	7.88		<u> </u>
	FIONAL NRCs																<u> </u>
Telep	hone Number/Trunk Group Establisment Charges	1	1														
	DID Trunk Term (One Per Port)	1	1	UEPPX		IDT	0.00	0.00	0.00								<del></del>
	DID Nos, Establish Trunk Group & Provide First Group of 20 DID Nos	1	1	UEPPX		IDZ	0.00	0.00	0.00								
	Add'l DID Nos for each Group of 20 DID Nos	1	1	UEPPX		ID4	0.00	0.00	0.00								<del></del>
	DID Nos, Non-consecutive DID Nos , Per No	1	1	UEPPX		ID5	0.00	0.00	0.00								<del>                                     </del>
	Reserve Non-Consecutive DID Nos	1	1	UEPPX		ID6	0.00	0.00	0.00								<del></del>
	Reserve DID Nos		1	UEPPX	N	IDV	0.00	0.00	0.00								<u> </u>
LOCA	L NUMBER PORTABILITY																
	Local No Portability (1 per port)		<u> </u>	UEPPX	LN	PCP	3.15	0.00	0.00								
	E ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LINE	SIDE P	ORT														<u> </u>
UNE	Port/Loop Combination Rates																
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -UNE																
	Zone 1		1	UEPPB U	EPPR		35.36										<u> </u>
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -UNE																
	Zone 2		2	UEPPB UE	PPR		38.74										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -UNE																
	Zone 3		3	UEPPB UE	PPR		53.64										<u> </u>
	oop Rates		1														<u> </u>
	2W ISDN Digital Grade Loop-UNE Zone 1		1			SL2X	21.89	252.32	188.77					19.99	19.99		<u> </u>
	2W ISDN Digital Grade Loop-UNE Zone 2		2			SL2X	25.27	252.32	188.77					19.99	19.99		<u> </u>
	2W ISDN Digital Grade Loop-UNE Zone 3		3	UEPPB UE	PPR US	SL2X	40.17	252.32	188.77					19.99	19.99		<u> </u>
	Port Rate	-	1														<del> </del>
	Exchange Port-2W ISDN Line Side Port		1	UEPPB UE	PPR UE	PPB	13.47	47.37	47.37					19.99	19.99		<u> </u>
	ECURRING CHARGES - CURRENTLY COMBINED		1														
	2W ISDN Digital Grade Loop/2W ISDN Line Side Port Combination- Conversion		1	UEPPB UE	DDD	SACB	0.00	93.38	93.38					19.99	19.99		1
A DDI			1	UEPPB UE	PPR US	ACB	0.00	93.38	93.38					19.99	19.99		-
	FIONAL NRCs 2W ISDN Loop/2W ISDN Port Combination-Sub Actvy-Non	1	1			-+				-	1	1	-			-	<del></del>
	Feature/Add Trunk		1	UEPPB UE	PPR US	SASB		165.95						19.99	19.99		1
	L NUMBER PORTABILITY		1	UEPPB UE	PPK US	ASB		100.90						19.99	19.99		<del> </del>
	Local No Portability (1 per port)	+	1	UEPPB UE	PPR LN	IPCX	0.35	0.00	0.00								<del> </del>
			1	UEPPB UE	PPK LN	IPUX	0.35	0.00	0.00								<del> </del>
B-CH	ANNEL USER PROFILE ACCESS:  CVS/CSD (DMS/5ESS)	<del>                                     </del>	1	UEPPB UE	PPR U1	UCA	0.00	0.00	0.00					-			<del></del>
	CVS (EWSD)		1			UCB	0.00	0.00	0.00								-
	CSD (EWSD)	1	+			UCC	0.00	0.00		<b> </b>		-	-			<del>                                     </del>	-
	ICSD Annel area plus user profile access: (al,ky,la,ms sc,m	<u> </u>	L NIX	DEPPE UE	rrk U1	UCC	0.00	0.00	0.00	<b> </b>		-	-			<del>                                     </del>	-
	ANNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS SC,M TERMINAL PROFILE	<u>ی, ه ۱</u>	IN)			-+								-			<del></del>
		1	1	HEDDD ''E	DDD 114	LINAA	0.00	0.00	0.00			1				<del>                                     </del>	
	User Terminal Profile (EWSD only)	1	1	UEPPB UE	PPR U1	UMA	0.00	0.00	0.00	-		1	-			-	<del>                                     </del>
	All Vertical Features-One per Channel B User Profile	1	+	HEDDS ''	PPR UE	PVF	0.00	0.00	0.00	<b> </b>		-	-	40.00	40.00	<del>                                     </del>	<del>                                     </del>
			1	UEPPB UE	PPK   UE	PVF	0.00	0.00	0.00					19.99	19.99	-	
INTE	ROFFICE CHANNEL MILEAGE	<b>!</b>	1	HEDDD HE	DDD 111	ONO	40.47	70.01	20.00			1		40.00	40.00	1	<del>                                     </del>
	Interoffice Channel miage each, including first mi & facilities Term		-	UEPPB UE		GNC	16.47	79.61	36.08	-		1	0.00	19.99	19.99	-	<del>                                     </del>
	Interoffice Channel miage each, Add'l mi E DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK PO	1	1	UEPPB UE	PPK M1	GNM	0.0222	0.00	0.00			ļ	0.00				<del>                                     </del>

Version 4Q02: 01/21/03 Page 128 of 402

INDUNDL	ED NETWORK ELEMENTS - Georgia				1						_			ment: 2		oit: B
ATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	USOC		RAT	ΓES (\$)			d Elec	Svc Order Submitte d Manually per LSR	I Charge - Manual Svc Order vs.	Incrementa I Charge - Manual Svc Order vs. Electronic- Add'I	al Charge - Manual Svc Order vs.	al Charge Manual Svc Orde vs. Electroni
							Nonreci	urring	NRC Dis	connect			OSS	Rates (\$)	•	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
UNF P	Port/Loop Combination Rates															
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port -UNE Zone 1		1	UEPPP		218.69										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port -UNE Zone 2		2	UEPPP		227.29										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port -UNE Zone 3	1	3	UEPPP	+	265.09										
	Loop Rates	1		OLITI	+	203.03										
	4W DS1 Digital Loop-UNE Zone 1	1	1	UEPPP	USL4P	55.53	448.92	276.60					19.99	19.99		
	4W DS1 Digital Loop-UNE Zone 2	1	2	UEPPP	USL4P	64.13	448.92	276.60					19.99	19.99		
	4W DS1 Digital Loop-UNE Zone 2		3	UEPPP	USL4P	101.93	448.92	276.60					19.99	19.99	-	
			3	UEPPP	USL4P	101.93	448.92	276.60					19.99	19.99	-	
	Port Rate	-	$\vdash$	LIEDDD	LIEBBB	400.46	400.00	400.00			1		10.00	10.00	1	1
	Exchange Ports-4W ISDN DS1 Port	<u> </u>	<b> </b>	UEPPP	UEPPP	163.16	186.80	186.80					19.99	19.99	<u> </u>	
	ECURRING CHARGES - CURRENTLY COMBINED		$\sqcup \downarrow$		$\bot$											
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port Combination-												1	1	I	
	Conversion -Switch-as-is			UEPPP	USACP	0.00	269.96	269.96					19.99	19.99		
ADDIT	FIONAL NRCs															
	4W DS1 Loop/4-W ISDN Digtl Trk Port-Subsqt Actvy-Inward/two way															
	Tel Nos. (except NC)			UEPPP	PR7TF		0.9686									
	4W DS1 Loop/4W ISDN DS1 Digital Trunk Port-Outward Tel Nos			UEPPP	PR7TO		22.75	22.75								
	4W DS1 Loop/4W ISDN DS1 Digital Trk Port -Subsqnt Inward Tel Nos			UEPPP	PR7ZT		45.49	45.49								
LOCA	L NUMBER PORTABILITY															
	Local No Portability (1 per port)			UEPPP	LNPCN	1.75										
	RFACE (Provsioning Only)					-										
	Voice/Data			UEPPP	PR71V	0.00	0.00	0.00								
	Digital Data			UEPPP	PR71D	0.00	0.00	0.00								
	Inward Data	1		UEPPP	PR71E	0.00	0.00	0.00								
	or Additional "B" Channel	1	<b>-</b>	OLITI	11117112	0.00	0.00	0.00								
	New or Add'I-Voice/Data B Channel	1	<b>-</b>	UEPPP	PR7BV	0.00	28.71						19.99	19.99		
	New or Add'I-Digital Data B Channel	1	<del>                                     </del>	UEPPP	PR7BF	0.00	28.71						19.99	19.99		
	New or Add'l Inward Data B Channel	1	<b></b>	UEPPP	PR7BD	0.00	28.71						19.99	19.99	-	
	TYPES		<del>                                     </del>	UEPPP	PR/DD	0.00	20.71						19.99	19.99		
CALL			<del>                                     </del>	UEPPP	DD704	0.00	2.00	0.00								
	Inward	1			PR7C1	0.00	0.00	0.00								
	Outward		-	UEPPP	PR7C0	0.00	0.00	0.00								
	Two-way		<b>.</b>	UEPPP	PR7CC	0.00	0.00	0.00								
	ffice Channel Mileage		<b>.</b>													
	Fixed Each Including First mi		$\sqcup \downarrow$	UEPPP	1LN1A	78.9223	147.07	111.75	0.00				19.99	19.99		
	Each Airline-Fractional Add'l mi			UEPPP	1LN1B	0.4523										<u> </u>
	E DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT															
	ort/Loop Combination Rates															
	4W DS1 Digital Loop/4W DDITS Trunk Port -UNE Zone 1		1	UEPDC		176.33										
	4W DS1 Digital Loop/4W DDITS Trunk Port -UNE Zone 2		2	UEPDC		184.93										
	4W DS1 Digital Loop/4W DDITS Trunk Port -UNE Zone 3		3	UEPDC		222.73		_								
UNE L	oop Rates				İ	ĺ										
	4W DS1 Digital Loop-UNE Zone 1		1	UEPDC	USLDC	55.53	448.92	276.00					19.99	19.99		
	4W DS1 Digital Loop-UNE Zone 2		2	UEPDC	USLDC	64.13	448.92	276.60					19.99	19.99		
	4W DS1 Digital Loop-UNE Zone 3	1	3	UEPDC	USLDC	101.93	448.92	276.60					19.99	19.99	1	
	Port Rate		-	02, 00	33250	.01.00	10.02	2, 0.00		1	t		10.00	10.00	t	1
	4W DDITS Digital Trunk Port	1	+	UEPDC	UDD1T	120.80	89.44	52.46					19.99	19.99	-	
	ECURRING CHARGES - CURRENTLY COMBINED	1	+	OLFDO	00011	120.00	03.44	J2. <del>4</del> 0					13.39	13.39	-	
HONK	4W DS1 Digital Loop/4W DDITS Trunk Port Combination-Switch-as-is	1	++	UEPDC	USAC4		269.96	269.96			<del>                                     </del>		19.99	19.99	<del>                                     </del>	
_	4W DS1 Digital Loop/4W DDITS Trunk Port Combination-Switch-as-is	1	++	ULFDC	03AC4	+	203.30	203.30		1	1		19.99	19.99	<del>                                     </del>	<del>                                     </del>
	1477 DOLDIGIRA ECCOMANY DOLLO LIGHT FULL COMBINATION-CONVELSION	1	1		1					1	1	l	1	I	Ì	l

NBONDL	ED NETWORK ELEMENTS - Georgia													ment: 2		bit: B
ATEGORY	RATE ELEMENTS	Inter m	i Zon e	всѕ	usoc		RA	ΓES (\$)			d Elec	Svc Order Submitte d Manually per LSR	I Charge - Manual Svc Order vs.	Incrementa I Charge - Manual Svc Order vs. Electronic-	al Charge - Manual Svc Order vs. Electronic-	al Char Manua Svc Ord vs. Electro
													1st	Add'l	Disc 1st	Disc Ad
						Rec	Nonreci	urring	NRC Dis	connect				Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
	4W DS1 Digital Loop/4W DDITS Trunk Port Combination-Conversion															
	with Change-Trunk			UEPDC	USAWB		269.96	269.96					19.99	19.99		
ADDI	TIONAL NRCs															
	4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Service Activity Per															
	Service Order			UEPDC	USAS4		147.47	147.47								
	4W DS1 Loop/4W DDITS Trunk Port-NRC-Subsqnt Channel															
	Activation/Chan-2-Way Trunk			UEPDC	UDTTA		28.71	28.71					19.99	19.99		
	4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Channel Activation/Chan-															
	1-Way Outward Trunk			UEPDC	UDTTB		28.71	28.71					19.99	19.99		
	4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Channel Activation/Chan															
	Inward Trunk w/out DID			UEPDC	UDTTC		28.71	28.71					19.99	19.99		
	4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Chan Activation Per															
	Chan-Inward Trunk with DID			UEPDC	UDTTD		28.71	28.71					19.99	19.99		
	4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Chan Activation/Chan-2-															
	Way DID w User Trans			UEPDC	UDTTE		28.71	28.71					19.99	19.99		
	LAR 8 ZERO SUBSTITUTION															
	B8ZS -Superframe Format			UEPDC	CCOSF		0.00	600.00								
	B8ZS-Extended Superframe Format			UEPDC	CCOEF		0.00	600.00								
Alterr	nate Mark Inversion															
	AMI -Superframe Format			UEPDC	MCOSF		0.00	0.00								
	AMI-Extended SuperFrame Format			UEPDC	MCOPO		0.00	0.00								
Telep	hone Number/Trunk Group Establisment Charges															
	Telephone No for 2-Way Trunk Group			UEPDC	UDTGX	0.00										
	Telephone No for 1-Way Outward Trunk Group			UEPDC	UDTGY	0.00										
	Telephone No for 1-Way Inward Trunk Group w/o DID			UEPDC	UDTGZ	0.00										
	DID Nos, Establish Trunk Group & Provide First Group of 20 DID Nos			UEPDC	NDZ	0.00	0.00	0.00								
	DID Nos for each Group of 20 DID Nos			UEPDC	ND4	0.00										
	DID Nos, Non-consecutive DID Nos , Per No			UEPDC	ND5	0.00										
	Reserve Non-Consecutive DID Nos.			UEPDC	ND6	0.00	0.00	0.00								
	Reserve DID Nos			UEPDC	NDV	0.00	0.00	0.00								
Dedic	ated DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1 Dig	ital Lo	oop w	ith 4-Wire DDITS T	runk Port											
	Interoffice Channel miage-Fixed rate 0-8 mis (Facilities Term)			UEPDC	1LNO1	78.47	147.07	111.75					19.99	19.99		
	Interoffice Channel miage-Add'l rate per mi-0-8 mis			UEPDC	1LNOA	0.4523	0.00	0.00								
	Interoffice Channel miage-Fixed rate 9-25 mis (Facilities Term)			UEPDC	1LNO2	0.00	0.00	0.00								
	Interoffice Channel miage-Add'l rate per mi-9-25 mis			UEPDC	1LNOB	0.4523	0.00	0.00								
	Interoffice Channel miage-Fixed rate 25+ mis (Facilities Term)			UEPDC	1LNO3	0.00	0.00	0.00								
	Interoffice Channel miage-Add'l rate per mi-25+ mis			UEPDC	1LNOC	0.4523	0.00	0.00								
	Local No Portability, per DS0 Activated			UEPDC	LNPCP	3.15										<u> </u>
	Central Office Termininating Point			UEPDC	CTG	0.00										<u> </u>
	E DS1 LOOP WITH CHANNELIZATION WITH PORT															
	m is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Activation															
	System can have up to 24 combinations of rates depending on type	and r	numb	er of ports used												
UNE	OS1 Loop															<u> </u>
	4W DS1 Loop-UNE Zone 1		1	UEPMG	USLDC	55.53	0.00	0.00								1
	4W DS1 Loop-UNE Zone 2		2	UEPMG	USLDC	64.13	0.00	0.00								1
	4W DS1 Loop-UNE Zone 3		3	UEPMG	USLDC	101.93	0.00	0.00								
UNE I	OSO Channelization Capacities (D4 Channel Bank Configurations)															<u> </u>
	24 DSO Channel Capacity-1 per DS1			UEPMG	VUM24	102.64	0.00	0.00					19.99	19.99		
	48 DSO Channel Capacity-1 per 2 DS1s			UEPMG	VUM48	205.28	0.00	0.00					19.99	19.99		
	96 DSO Channel Capacity -1per 4 DS1s			UEPMG	VUM96	410.56	0.00	0.00					19.99	19.99		
	144 DS0 Channel Capacity-1 per 6 DS1s		1	UEPMG	VUM14	615.84	0.00	0.00	l				19.99	19.99		1

Version 4Q02: 01/21/03 Page 130 of 402

UNBUNDI	ED NETWORK ELEMENTS - Georgia												Attachi	ment: 2	Exhil	oit: B
CATEGORY	RATE ELEMENTS	Inter m	i Zon e	BCS	usoc		RAT	ΓES (\$)			d Elec	Svc Order Submitte d Manually per LSR	Svc Order	I Charge - Manual Svc Order vs.	al Charge - Manual Svc Order vs. Electronic-	al Charge - Manual Svc Order vs.
							Nonreci	ırrina	NRC Dis	connect			oss	Rates (\$)	1	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	192 DS0 Channel Capacity -1 per 8 DS1s			UEPMG	VUM19	821.12	0.00	0.00					19.99	19.99		
	240 DS0 Channel Capacity-1 per 10 DS1s			UEPMG	VUM20	1,026.40	0.00	0.00					19.99	19.99		
	288 DS0 Channel Capacity-1 per 12 DS1s			UEPMG	VUM28	1,231.68	0.00	0.00					19.99	19.99		
	384 DS0 Channel Capacity-1 per 16 DS1s			UEPMG	VUM38	1,642.24	0.00	0.00					19.99	19.99		
	480 DS0 Channel Capacity-1 per 20 DS1s			UEPMG	VUM40	2,052.80	0.00	0.00					19.99	19.99		
	576 DS0 Channel Capacity -1 per 24 DS1s			UEPMG	VUM57	2,463.36	0.00	0.00					19.99	19.99		
	672 DS0 Channel Capacity-1 per 28 DS1s			UEPMG	VUM67	2,873.92	0.00	0.00					19.99	19.99		
	Recurring Charges (NRC) Associated with 4-Wire DS1 Loop with Ch						ystem									
	nimum System configuration is One (1) DS1, One (1) D4 Channel Ba															
Multi	ples of this configuration functioning as one are considered Add'l a	fter th	ne mir													
	NRC-Conversion (Currently Combined) with or w/o BST Allowed			UEPMG	USAC4	0.00	328.35	16.52					19.99	19.99		
	em Additions at End User Locations Where 4-Wire DS1 Loop with Cl				ation Curr	ently Exists an	d									
New	(Not Currently Combined) in all states, except in Density Zone 1 of	op 8	MSA's	3												
	1 DS1/D4 Channel Bank-Add'lly Add NRC for each Port & Assoc Fea															] ]
<del></del>	Activation		1	UEPMG	VUMD4	0.00	738.61	462.53	144.05	17.09			19.99	19.99		
Bipo	lar 8 Zero Substitution		-	LIEDMO	00005	0.00	0.00	200.00								1
<b>—</b>	Clear Channel Capability Format, superframe-Subsqnt Activity Only	1	-	UEPMG	CCOSF	0.00	0.00	600.00			-	-	-			1
	Clear Channel Capability Format-Extended Superframe-Subsqnt			UEPMG	00055	0.00	0.00	000.00								1
A14	Activity Only			UEPMG	CCOEF	0.00	0.00	600.00								<del>                                     </del>
Aiter	nate Mark Inversion (AMI) Superframe Format		-	UEPMG	MCOSF	0.00	0.00	0.00								<del>                                     </del>
<b>-</b>	Extended Superframe Format		-	UEPMG	MCOPO	0.00	0.00	0.00								-
	Extended Superframe Format			UEPMG	IVICOPO	0.00	0.00	0.00								

UNBUNDL	ED NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhil	bit: B
CATEGORY	RATE ELEMENTS	Inter m	i Zon e	BCS	USOC		RA	TES (\$)			Svc Order Submitte d Elec per LSR	d Manually	I Charge - Manual Svc Order	vs.	al Charge - Manual Svc Order vs.	al Charge Manual Svc Order vs.
													1st	Add'l		Disc Add'
			-			Rec	Nonrec		NRC Dis		201150			Rates (\$)	0011411	
Evolu	 Inge Ports Associated with 4-Wire DS1 Loop with Channelization wi	th Do	\				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	inge Ports Associated with 4-wire DST Loop with Charmenzation wi	uiFu	<del>// L</del>													
Exone	Line Side Combination Channelized PBX Trunk Port-bus		1	UEPPX	UEPCX	1.79	0.00	0.00	0.00	0.00			33.67	7.88		
	Line Side Outward Channelized PBX Trunk Port-bus		1	UEPPX	UEPOX	1.79	0.00	0.00	0.00	0.00			33.67	7.88		
	Line Side Inward Only Channelized PBX Trunk Port w/o DID		1	UEPPX	UEP1X	1.79	0.00	0.00	0.00	0.00			33.67	7.88		
	2W Trunk Side Unbundled Channelized DID Trunk Port			UEPPX	UEPDM	11.35	0.00	0.00		0.00			33.67	7.88		
Featu	re Activations - Unbundled Loop Concentration															
	Feature (Service) Activation for each Line Port Terminated in D4 Bank			UEPPX	1PQWM	0.62	25.09	13.25	3.99	3.97			33.67	7.88		
	Feature (Service) Activation for each Trunk Port Terminated in D4 Bank			UEPPX	1PQWU	0.62	77.21	18.20	56.49	11.04			33.67	7.88		
Telep	hone Number/ Group Establishment Charges for DID Service															
	DID Trunk Term (1 per Port)			UEPPX	NDT	0.00	0.00	0.00								
	Estab Trk Grp & Provide 1st 20 DID Nos. (FL,GA, NC,& SC)		L	UEPPX	NDZ	0.00	0.00	0.00				<u> </u>	<u> </u>			
	DID Nos-groups of 20-Valid all States			UEPPX	ND4	0.00	0.00	0.00								
	Non-Consecutive DID Nos-per No			UEPPX	ND5	0.00	0.00	0.00								
	Reserve Non-Consecutive DID Nos			UEPPX	ND6	0.00	0.00	0.00								
	Reserve DID Nos			UEPPX	NDV	0.00	0.00	0.00								
Local	Number Portability															
	Local No Portability-1 per port			UEPPX	LNPCP	3.15	0.00	0.00								
FEAT	URES - Vertical and Optional															
Local	Switching Features Offered with Line Side Ports Only															
	All Features Available			UEPPX	UEPVF	0.00	0.00	0.00								
	D PORT LOOP COMBINATIONS - MARKET RATES															
	et Rates shall apply where BellSouth is not required to provide unbu	indle	d loca	al switching or switc	h ports per	FCC and/or Co	ommission ru	ıles.								
	ncludes:															
	ndled port/loop combinations that are Currently Combined or Not C															
	op 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderdale, M															
	outh currently is developing the billing capability to mechanically b				et Rates in	this section. I	n the interim	where BellS	South canr	not bill M	arket Rate	s, BellSou	th shall bill	the rates in t	the Cost-Ba	sed section
	ding in lieu of the Market Rates and reserves the right to true-up the			rterence.	1	1		г	1	1		1			1	1
	larket Rate for unbundled ports includes all available features in all									l .		<u>                                     </u>		l		
	Office & Tandem Switching Usage & Common Transport Usage rates charge (USOC: URECU).	in th	e Por	rt section of this Exh	ibit shaii a	ppiy to all com	binations of	loop/port ne	etwork eler	nents exc	ept for U	NE Coin P	ort/Loop Coi	nbinations v	wnich nave	a flat rate
	ot Currently Combined scenarios the NRC charges are listed in the	Firet :	and A	Add'I NDC columns for	or each Do	rt IISOC For C	urrently Con	hined scen	arios tha	NDC char	ane ara li	stad in the	NPC - Curr	ntly Combin	and saction	٨٨٨١
	may apply also and are categorized accordingly.	11131	anu A	da i Nice columns i	oi eacii i o	11 0300. 1010	dirently Con	ibilied scell	arios, trie	INIC CITAL	ges are in	steu iii tiie	NIC - Curre	antily Combin	ieu section.	Auu
	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)		T													
	Port/Loop Combination Rates		+	1												
10.12	2W VG Loop/Port Combo-Zone 1		1	1		24.80										
	2W VG Loop/Port Combo-Zone 2		2			26.47										
	2W VG Loop/Port Combo-Zone 3		3	1	1	33.83				1		1				
	Loop Rates		Ť	1	1					1		1				
	2W VG Loop (SL1)-Zone 1		1	UEPRX	UEPLX	10.80										
	2W VG Loop (SL1)-Zone 2		2	UEPRX	UEPLX	12.47										
	2W VG Loop (SL1)-Zone 3		3	UEPRX	UEPLX	19.83								1		
2-Wire	e Voice Grade Line Port (Res)													1		
	2W voice unbundled port-Res			UEPRX	UEPRL	14.00	90.00	90.00					33.67	7.88	11.17	3.91
	2W voice unbundled port with Caller ID-res			UEPRX	UEPRC	14.00	90.00	90.00					33.67	7.88	11.17	3.91
	2W voice unbundled port outgoing only-res			UEPRX	UEPRO	14.00	90.00	90.00					33.67	7.88	11.17	
	OM			UEPRX	UEPAP	14.00	90.00	90.00					33.67	7.88	11.17	3.91
	2W voice unbundles res, low usage line port with Caller ID (LUM)			OLFIX	0 - 1 / 11											2.04
	2W voice unbundled GA basic dialing port w/o Caller ID (LOW)  2W voice unbundled GA basic dialing port w/o Caller ID capability-res		L	UEPRX	UEPWC	14.00	90.00	90.00	l				33.67	7.88	11.17	3.91
								90.00 90.00					33.67 33.67	7.88 7.88	11.17	
	2W voice unbundled GA basic dialing port w/o Caller ID capability-res			UEPRX	UEPWC	14.00	90.00								11.17 11.17	3.91 3.91

Version 4Q02: 01/21/03 Page 132 of 402

UNBUNDL	ED NETWORK ELEMENTS - Georgia												Attachi	nent: 2	Exhil	oit: B
CATEGORY	RATE ELEMENTS	Interi m	i Zon e	BCS	USOC		RA	TES (\$)			Svc Order Submitte d Elec per LSR	d Manually	I Charge - Manual Svc Order	Incrementa I Charge - Manual Svc Order vs. Electronic- Add'I	al Charge - Manual Svc Order vs. Electronic-	al Charge - Manual Svc Order vs.
						Rec	Nonrec		NRC Dis		1	,		Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
LOCA	L NUMBER PORTABILITY															
	Local No Portability (1 per port)			UEPRX	LNPCX	0.35										

INBUNDL	ED NETWORK ELEMENTS - Georgia													ment: 2		bit: B
TEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	usoc		RAT	ΓES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitte d Manually per LSR	Incrementa I Charge - Manual Svc Order vs. Electronic- 1st	Incrementa I Charge - Manual Svc Order vs. Electronic- Add'I	Increment al Charge Manual Svc Order vs. Electronic Disc 1st	al Cha Man Svc C vs
1							Nonreci	ırrina	NRC Di	sconnect				Rates (\$)	2.00 .01	12.007
					+	Rec	First	Add'l	First	Add'l		SOMAN		SOMAN	SOMAN	SOM
FEAT	URES							7.44.		71						1
	All Features Offered			UEPRX	UEPVF	0.00	0.00	0.00					33.67	7.88	11.17	+
	RECURRING CHARGES - CURRENTLY COMBINED			*=:::::												+
	2W VG Loop/Line Port Combination -Switch-as-is			UEPRX	USAC2		41.50	41.50					33.67	7.88	11.17	1
	2W VG Loop/Line Port Combination -Switch with change			UEPRX	USACC		41.50	41.50					33.67	7.88	11.17	_
	TIONAL NRCs			02.700	00,100		11.00	11.00					00.01	1.00		+
	NRC-2W VG Loop/Line Port Combination-Subsqnt	1 1		UEPRX	USAS2	0.00	0.00	0.00					33.67	7.88	11.17	+-
	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)	1 1		02.100	00/102	0.00	0.00	0.00					00.01	1.00		+
_	Port/Loop Combination Rates	1 1														+
	2W VG Loop/Port Combo-Zone 1	1 1	1			24.80				1						+
1	2W VG Loop/Port Combo-Zone 2	1 1	2			26.47				1						+
	2W VG Loop/Port Combo-Zone 3		3			33.83										+
_	Loop Rates					00.00										+-
	2W VG Loop (SL1)-Zone 1	1 1	1	UEPBX	UEPLX	10.80										+-
	2W VG Loop (SL1)-Zone 2		2	UEPBX	UEPLX	12.47										+
	2W VG Loop (SL1)-Zone 3		3	UEPBX	UEPLX	19.83				1						+
	e Voice Grade Line Port (Bus)	1	-	OLI DA	OLI LX	13.03										+
	2W voice unbundled port w/o Caller ID-bus	1	-	UEPBX	UEPBL	14.00	90.00	90.00					33.67	7.88	11.17	+
-	2W voice unbundled port with Caller + E484 ID-bus	+		UEPBX	UEPBC	14.00	90.00	90.00					33.67	7.88	11.17	
	2W voice unbundled port with Callet + E464 ib-bus	+		UEPBX	UEPBO	14.00	90.00	90.00					33.67	7.88	11.17	
-	2W voice unbundled GA basic dialing port, w/o Caller ID capability-bus			UEPBX	UEPWD	14.00	90.00	90.00					33.67	7.88	11.17	
	2W voice unbundled Incoming Only Port w/o Caller ID Capability	+		UEPBX	UEPBE	14.00	90.00	90.00					33.67	7.88	11.17	
	2W voice unbundled incoming only Port wo Caller ID Capability  2W voice unbundled GA basic dialing port for use with Caller ID-bus			UEPBX	UEPWP	14.00	90.00	90.00					33.67	7.88	11.17	
	L NUMBER PORTABILITY			OLFDX	OLFVVF	14.00	90.00	30.00					33.07	7.00	11.17	+
	Local No Portability (1 per port)			UEPBX	LNPCX	0.35										+
	URES	+		UEFBA	LINFUX	0.33										+
	All Features Offered			UEPBX	UEPVF	0.00	0.00	0.00					33.67	7.88	11.17	+
	RECURRING CHARGES - CURRENTLY COMBINED			UEFBA	UEFVF	0.00	0.00	0.00					33.07	7.00	11.17	+
	2W VG Loop/Line Port Combination -Switch-as-is	+ -		UEPBX	USAC2		41.50	41.50					33.67	7.88	11.17	+
	2W VG Loop/Line Port Combination -Switch-as-is 2W VG Loop/Line Port Combination -Switch with change			UEPBX	USACC		41.50	41.50					33.67	7.88	11.17	
	TIONAL NRCs			UEPBA	USACC		41.50	41.50					33.67	7.00	11.17	+-
	NRC-2W VG Loop/Line Port Combination-Subsqnt	+ -		UEPBX	USAS2		0.00	0.00					33.67	7.88	11.17	+
	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)			UEFBA	U3A32		0.00	0.00					33.07	7.00	11.17	+
_	Port/Loop Combination Rates															+
UNE	2W VG Loop/Port Combo-Zone 1	+	1		+	24.80										+
	2W VG Loop/Port Combo-Zone 2		2		+	26.47										+
	2W VG Loop/Port Combo-Zone 2		3			33.83										+
_			3		+	33.03										+
	_oop Rates 2W VG Loop (SL1)-Zone 1	+	1	UEPRG	UEPLX	10.80			-	1	1					+
	2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 2	+	2	UEPRG	UEPLX	12.47			-	1	1					+
_	2W VG Loop (SL1)-Zone 2 2W VG Loop (SL1)-Zone 3	+	3	UEPRG	UEPLX	19.83			-	1	1					+
	e Voice Grade Line Port Rates (RES - PBX)		3	OLFING	OLFLX	19.03										+-
	2W VG Unbundled Combination 2-Way PBX Trunk Port-Res			UEPRG	UEPRD	14.00	90.00	90.00					33.67	7.88	11.17	+-
	2W voice unbundled GA extended dialing port, PBX 1-Way Outdial	+	H	UEPRG	UEPRO	14.00	90.00	90.00	-	1	1		33.67	7.88	11.17	
	2W voice unbundled GA extended dialing port, PBX 1-Way Outdial 2W voice unbundled Low Usage Line Port w/o Caller ID Capability	+ +	-	UEPRX	UEPRT	14.00	90.00	90.00		1			33.67	7.88	11.17	
	L NUMBER PORTABILITY	+	ll-	UEPKA	UEPKI	14.00	90.00	90.00	-	-	<b>_</b>	-	33.07	1.68	11.17	+
	L NUMBER PORTABILITY Local No Portability (1 per port)	+	+	UEPRG	LNPCP	3.15	0.00	0.00	-	1	1	-			1	+
FEAT		+		UEPKG	LINPUP	3.15	0.00	0.00	-	-	<b>_</b>	-				+-
	All Features Offered	+		UEPRG	UEPVF	0.00	0.00	0.00	<b> </b>	<del>                                     </del>	1	-	33.67	7.88	11.17	+
	PAIL FEATURES Offered RECURRING CHARGES - CURRENTLY COMBINED	+		UEPRG	UEPVF	0.00	0.00	0.00		1	<u> </u>		33.67	7.88	11.17	+
	2W VG Loop/ Line Port Combination-Switch-As-Is	+		UEPRG	USAC2		41.50	41.50	<b> </b>	1	<u> </u>		33.67	7.88	11.17	_

Version 4Q02: 01/21/03

UNBUNDL	ED NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhil	bit: B
ATEGORY	RATE ELEMENTS	Inter m	i Zon e	BCS	usoc		RA	ΓES (\$)			Svc Order Submitte d Elec per LSR	d Manually	I Charge - Manual Svc Order	Manual Svc Order vs.	Increment al Charge - Manual Svc Order vs. Electronic-	al Charg Manual Svc Orde vs.
													1st	Add'l	Disc 1st	Disc Add
						Rec	Nonrec	urring	NRC Dis	sconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2W VG Loop/ Line Port Combination-Switch with Change			UEPRG	USACC		41.50	41.50					33.67	7.88	11.17	3.9
ADDIT	TIONAL NRCs															
	2W Loop/Line Side Port Combination-Non feature-Subsqnt Activity-						0.00	0.00					33.67	7.88	11.17	3.9
	PBX Subsqnt Activity-Change/Rearrange Multiline Hunt Group						14.64	14.64					19.99	19.99	19.99	19.9
	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)															
	Port/Loop Combination Rates															
	2W VG Loop/Port Combo-Zone 1		1			24.80										
	2W VG Loop/Port Combo-Zone 2	1	2		-	26.47										
	2W VG Loop/Port Combo-Zone 2	†	3			33.83				1	<b>†</b>			<b>†</b>		<del>                                     </del>
	oop Rates	+-	٦		+	33.03				1	<del>                                     </del>			<del>                                     </del>		+
	2W VG Loop (SL1)-Zone 1	+-	1	UEPPX	UEPLX	10.80				1	<del>                                     </del>			<del>                                     </del>		+
+	2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 2	1	2	UEPPX	UEPLX	12.47			1	1	1	1		<del> </del>		+
	2W VG Loop (SL1)-Zone 2 2W VG Loop (SL1)-Zone 3	<del>                                     </del>	3	UEPPX	UEPLX	12.47				1	-			<del>                                     </del>		+
			3	UEPPX	UEPLX	19.83				-						+
2-Wire	e Voice Grade Line Port Rates (BUS - PBX)	-	1	HEDDY	LIEDDO	44.00	20.00	20.00					00.07	7.00	44.47	
	Line Side Unbundled Combination 2-Way PBX Trunk Port-Bus			UEPPX	UEPPC	14.00	90.00	90.00					33.67	7.88	11.17	
	Line Side Unbundled Outward PBX Trunk Port-Bus			UEPPX	UEPPO	14.00	90.00	90.00					33.67	7.88	11.17	
	Line Side Unbundled Incoming PBX Trunk Port-Bus			UEPPX	UEPP1	14.00	90.00	90.00					33.67	7.88	11.17	
	2W Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	14.00	90.00	90.00					33.67	7.88	11.17	
	2W Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	14.00	90.00	90.00					33.67	7.88	11.17	
	2W Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	14.00	90.00	90.00					33.67	7.88	11.17	
	2W Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	14.00	90.00	90.00					33.67	7.88	11.17	
	2W Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	14.00	90.00	90.00					33.67	7.88	11.17	3.9
	2W Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPPX	UEPXE	14.00	90.00	90.00					33.67	7.88	11.17	3.9
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
	Administrative Calling Port			UEPPX	UEPXL	14.00	90.00	90.00					33.67	7.88	11.17	3.9
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room															
	Calling Port			UEPPX	UEPXM	14.00	90.00	90.00					33.67	7.88	11.17	3.9
	2W Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount															
	Room Calling Port			UEPPX	UEPXO	14.00	90.00	90.00					33.67	7.88	11.17	3.9
	2W Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	14.00	90.00	90.00					33.67	7.88	11.17	
	2W voice unbundled GA basic dialing port-1-Way Oudial Trunk			UEPPX	UEPWS	14.00	90.00	90.00					33.67	7.88	11.17	
	2W voice unbundled GA basic dialing port-2-Way Trunk			UEPPX	UEPWT	14.00	90.00	90.00					33.67	7.88	11.17	
	2W voice unbundled GA basic dialing port-2-way PBX Trunk	1		UEPPX	UEPPQ	14.00	90.00	90.00					33.67	7.88	11.17	
	2W voice unbundled GA basic dialing port-PBX LD Terminal Ports			UEPPX	UEPPS	14.00	90.00	90.00					33.67	7.88	11.17	
	2W voice unbundled GA basic dialing port-PBX Toll Terminal Ports	1		UEPPX	UEPPT	14.00	90.00	90.00					33.67	7.88	11.17	
	2W voice unbundled GA basic dialing port-PBX LD DDD Terminal Port			UEPPX	UEPPU	14.00	90.00	90.00					33.67	7.88	11.17	
	2W voice unbundled GA basic dialing port-PBX LD Terminal 2W voice unbundled GA basic dialing port-PBX LD Terminal	1		OLFFX	OLFFO	14.00	30.00	30.00					33.07	7.00	11.17	3.3
	Switchboard Port			UEPPX	UEPPV	14.00	90.00	90.00					33.67	7.88	11.17	3.9
				UEPPA	UEPPV	14.00	90.00	90.00					33.07	7.00	11.17	3.9
	2W voice unbundled GA basic dialing port-PBX LD Terminal			UEPPX	UEPPW	14.00	90.00	00.00					33.67	7.00	44.47	3.9
	Switchboard DDD Capable Port	-	1	UEPPX	UEPPW	14.00	90.00	90.00					33.67	7.88	11.17	3.8
LUCA	L NUMBER PORTABILITY	+	+	LIEBBY	LNDOD	0.4-	2.00	0.00		1	1			<del>                                     </del>		+
	Local No Portability (1 per port)	+	+	UEPPX	LNPCP	3.15	0.00	0.00		-			<b> </b>	<del>                                     </del>		+
FEAT		+	+	LIEBBY	LIED /E	0.00	2.00	0.00		1	1		20.67	7.00		<b>+</b>
	All Features Offered	1	1	UEPPX	UEPVF	0.00	0.00	0.00		<b> </b>		ļ	33.67	7.88	11.17	3.9
NONR	ECURRING CHARGES - CURRENTLY COMBINED	<u> </u>	1							1						1
	2W VG Loop/ Line Port Combination-Switch-As-Is	<u> </u>		UEPPX	USAC2		41.50	41.50					33.67	7.88	11.17	
	2W VG Loop/ Line Port Combination-Switch with Change			UEPPX	USACC		41.50	41.50					33.67	7.88	11.17	3.9
	TIONAL NRCs	1								<u> </u>				L		<u> </u>
	2W VG Loop/ Line Port Combination-Subsqnt			UEPPX	USAS2	0.00	0.00	0.00					33.67	7.88	11.17	
	2W Loop/Line Side Port Combination-Non feature-Subsqnt Activity-						0.00	0.00					33.67	7.88	11.17	3.9
	PBX Subsqnt Activity-Change/Rearrange Multiline Hunt Group						14.64	14.64		1			19.99	19.99	19.99	19

Version 4Q02: 01/21/03 Page 135 of 402

U	IBUNDL	ED NETWORK ELEMENTS - Georgia												Attachi	ment: 2	Exhil	bit: B
												Svc	Svc	Incrementa	Incrementa	Increment	Increment
												Order	Order	I Charge -	I Charge -	al Charge -	al Charge -
			Interi	7								Submitte	Submitte	Manual	Manual	Manual	Manual
C/	TEGORY	RATE ELEMENTS	m	ZOII	BCS	USOC		RA	TES (\$)			d Elec	d	Svc Order	Svc Order	Svc Order	Svc Order
				е									Manually		vs.	vs.	vs.
													per LSR	Electronic-			Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonrec	urring	NRC Dis	connect			oss	Rates (\$)		
							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-WIR	E VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN PORT															
	UNE F	Port/Loop Combination Rates															
		2W VG Coin Port/Loop Combo – Zone 1		1			24.80										
		2W VG Coin Port/Loop Combo – Zone 2		2			26.47										
		2W VG Coin Port/Loop Combo – Zone 3		3	, and the second		33.83										

<u>NROND</u> L	ED NETWORK ELEMENTS - Georgia													ment: 2		bit: B
TEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	USOC		RAT	ΓES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitte d Manually per LSR	Incrementa I Charge - Manual Svc Order vs. Electronic-	Incrementa I Charge - Manual Svc Order vs. Electronic- Add'I	al Charge - Manual Svc Order vs. Electronic-	al Cha Manu Svc O
						_	Nonrecu	ırrina	NRC Di	sconnect		1		Rates (\$)		1
					1	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOM
UNE	oop Rates															1
	2W VG Loop (SL1)-Zone 1		1	UEPCO	UEPLX	10.80										
	2W VG Loop (SL1)-Zone 2		2	UEPCO	UEPLX	12.47										1
	2W VG Loop (SL1)-Zone 3		3	UEPCO	UEPLX	19.83										1
	e Voice Grade Line Port Rates (Coin)															1
	2W Coin 2-Way with Oper Screening (GA)			UEPCO	UEPGC	14.00	90.00	90.00					33.67	7.88	11.17	1
	2W Coin 2-Way with Oper Screening & Blocking: 011, 900/976, 1+DDD															1
	(GA)			UEPCO	UEP2G	14.00	90.00	90.00					33.67	7.88	11.17	
	2W Coin 2-Way with Oper Screening & 011 Blocking (GA)			UEPCO	UEPGA	14.00	90.00	90.00					33.67	7.88	11.17	1
	2W Coin 2-Way with Oper Screening & 900/976 Blocking (GA)			UEPCO	UEPGB	14.00	90.00	90.00					33.67	7.88	11.17	
	2W Coin 2-Way with Oper Screening & Blocking: 900/976, 1+DDD,															1
	011+,and Local (GA)			UEPCO	UEPCH	14.00	90.00	90.00					33.67	7.88	11.17	1
	2W Coin Outward with Oper Screening & 011Blocking (GA, KY, MS)			UEPCO	UEPRJ	14.00	90.00	90.00					33.67	7.88	11.17	
	2W Coin Outward with Oper Screening & Blocking: 900/976, 1+DDD,															
	011+, & Local (FL, GA)			UEPCO	UEPCQ	14.00	90.00	90.00					33.67	7.88	11.17	
LOCA	L NUMBER PORTABILITY															<b>†</b>
	Local No Portability (1 per port)			UEPCO	LNPCX	0.35										<b>†</b>
	RECURRING CHARGES - CURRENTLY COMBINED															
	2W VG Loop/ Line Port Combination-Switch-As-Is			UEPCO	USAC2		41.50	41.50					33.67	7.88	11.17	<b>†</b>
	2W VG Loop/ Line Port Combination-Switch with Change			UEPCO	USACC		41.50	41.50					33.67	7.88	11.17	<b>†</b>
ADDI	TIONAL NRCs				1											<b>†</b>
	2W VG Loop/ Line Port Combination-Subsgnt			UEPCO	USAS2		0.00	0.00					33.67	7.88	11.17	<b>†</b>
	E VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE LIN	E POI	RT (R		0.00.00											<b>†</b>
	Port/Loop Combination Rates			,												
	2W VG Loop/IO Tranport/Port Combo-Zone 1		1			30.84										
	2W VG Loop/IO Tranport/Port Combo-Zone 2		2			33.45										
	2W VG Loop/IO Tranport/Port Combo-Zone 3		3			44.92										
UNE L	oop Rates															
	2W VG Loop (SL2)-Zone 1		1	UEPFR	UECF2	16.84										†
	2W VG Loop (SL2)-Zone 2		2	UEPFR	UECF2	19.45										
	2W VG Loop (SL2)-Zone 3		3	UEPFR	UECF2	30.92										
	e Voice Grade Line Port Rates (Res)															
	2W voice unbundled port-Res			UEPFR	UEPRL	14.00	160.00	125.00					33.67	7.88	11.17	
	2W voice unbundled port with Caller ID-res			UEPFR	UEPRC	14.00	160.00	125.00					37.06	7.88	11.17	
	2W voice unbundled port outgoing only-res			UEPFR	UEPRO	14.00	160.00	125.00					33.67	7.88	11.17	
	2W voice unbundles res, low usage line port with Caller ID (LUM)			UEPFR	UEPAP	14.00	160.00	125.00					33.67	7.88	11.17	
	2W voice unbundled GA basic dialing port, w/o Caller ID capability-res			UEPFR	UEPWC	14.00	160.00	125.00					33.67	7.88	11.17	<b>†</b>
	2W voice unbundled GA basic dialing port for use with Caller ID-res			UEPFR	UEPWQ	14.00	160.00	125.00					33.67	7.88	11.17	
	2W voice unbundled GA basic dialing port-outgoing only			UEPFR	UEPWR	14.00	160.00	125.00					33.67	7.88	11.17	†
INTER	ROFFICE TRANSPORT															
	Interoffice Transport-Dedicated-2W VG-Facility Term			UEPFR	U1TV2	17.07	79.61	36.08								
	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi			UEPFR	1L5XX	0.0222										
FEAT	URES				1											1
	All Features Offered			UEPFR	UEPVF	0.00	0.00	0.00		1			33.67	7.88	11.17	<b>†</b>
	L NUMBER PORTABILITY				1	2.23	2.23			1						<b>†</b>
-55	Local No Portability (1 per port)			UEPFR	LNPCX	0.35										<b>†</b>
NONE	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED			02		3.30										1
1.0.4	2W Loop/Dedicated IO Transport/2W Line Port Combination-															t
	Conversion-Switch-as-is			UEPFR	USAC2		93.83	93.83					33.67	7.88	11.17	1
1	2W Loop/Dedicated IO Transport/2W Line Port Combination-				1 3, 102		55.55	55.50		1			00.01			t
	Conversion-Switch-With-Change			UEPFR	USACC		93.83	93.83					33.67	7.88		1

Version 4Q02: 01/21/03 Page 137 of 402

NBUNDL	ED NETWORK ELEMENTS - Georgia													ment: 2		bit: B
ATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	usoc		RAT	ΓES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitte d Manually per LSR	I Charge - Manual Svc Order vs. Electronic-		al Charge - Manual Svc Order vs. Electronic-	al Cha Manu Svc O vs. Electro
							Nonreci		NDC D	sconnect			1st	Add'l Rates (\$)	Disc 1st	Disc A
						Rec	First	Add'l	First		SOMEC	SOMAN			SOMAN	SOM
2-WIR	E VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE LIN	IF POF	RT (BI	US)			11130	Auu	11130	Addi	OCIVILO	OCIVIAIN	OOMAN	JONIAN	OOMAN	00141
	Port/Loop Combination Rates		1													<b>†</b>
	2W VG Loop/IO Tranport/Port Combo-Zone 1		1			30.84										
	2W VG Loop/IO Tranport/Port Combo-Zone 2		2			33.45										
	2W VG Loop/IO Tranport/Port Combo-Zone 3		3			44.92										
UNE L	.oop Rates															
	2W VG Loop (SL2)-Zone 1		1	UEPFB	UECF2	16.84										
	2W VG Loop (SL2)-Zone 2		2	UEPFB	UECF2	19.45										
	2W VG Loop (SL2)-Zone 3		3	UEPFB	UECF2	30.92										
2-Wire	e Voice Grade Line Port (Bus)				1											<del>                                     </del>
	2W voice unbundled port w/o Caller ID-bus			UEPFB	UEPBL	14.00	160.00	125.00		ļ			33.67	7.88	11.17	<del>                                     </del>
_	2W voice unbundled port with Caller + E484 ID-bus			UEPFB	UEPBC	14.00	160.00	125.00					33.67	7.88	11.17	<u> </u>
	2W voice unbundled port outgoing only-bus			UEPFB	UEPBO	14.00	160.00	125.00					33.67	7.88	11.17	<del>                                      </del>
	2W voice unbundled incoming only port with Caller ID-Bus			UEPFB	UEPB1	14.00	160.00	125.00					33.67	7.88	11.17	+
	2W voice unbundled GA basic dialing port, w/o Caller ID capability-bus			UEPFB UEPFB	UEPWD UEPWP	14.00 14.00	160.00	125.00 125.00					33.67 33.67	7.88 7.88	11.17 11.17	₩
	2W voice unbundled GA basic dialing port for use with Caller ID-bus  L NUMBER PORTABILITY			UEPFB	UEPWP	14.00	160.00	125.00					33.67	7.88	11.17	₩
	Local No Portability (1 per port)			UEPFB	LNPCX	0.35								1		┼
	ROFFICE TRANSPORT			UEFFB	LINECX	0.33										+-
INTL	Interoffice Transport-Dedicated-2W VG-Facility Term			UEPFB	U1TV2	17.07	79.61	36.08								+
	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi			UEPFB	1L5XX	0.0222	70.01	00.00								<del>                                     </del>
FEAT				OLITE	120/01	0.0222										<b>†</b>
	All Features Offered			UEPFB	UEPVF	0.00	0.00	0.00					33.67	7.88	11.17	t
NONE	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2W Loop/Dedicated IO Transport/2W Line Port Combination-															
	Conversion-Switch-as-is			UEPFB	USAC2		93.83	93.83					33.67	7.88	11.17	
	2W Loop/Dedicated IO Transport/2W Line Port Combination-															
	Conversion-Switch with change			UEPFB	USACC		93.83	93.83								
	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)															
	ort/Loop Combination Rates															
	2W VG Loop/IO Tranport/Port Combo-Zone 1		1			30.84										<del>                                     </del>
	2W VG Loop/IO Tranport/Port Combo-Zone 2		2			33.45										<u> </u>
_	2W VG Loop/IO Tranport/Port Combo-Zone 3		3		+	44.92										₩
UNEL	2W VG Loop (SL2)-Zone 1		1	UEPFP	UECF2	16.84								-		┼
	2W VG Loop (SL2)-Zone 2		2	UEPFP	UECF2	19.45								1		┼
	2W VG Loop (SL2)-Zone 2 2W VG Loop (SL2)-Zone 3		3	UEPFP	UECF2	30.92										+
	e Voice Grade Line Port Rates (BUS - PBX)		3	OLITI	OLOI Z	30.32										<del>                                     </del>
	Line Side Unbundled Combination 2-Way PBX Trunk Port-Bus			UEPFP	UEPPC	14.00	160.00	125.00					33.67	7.88	11.17	1
	Line Side Unbundled Outward PBX Trunk Port-Bus			UEPFP	UEPPO	14.00	160.00	125.00					33.67	7.88	11.17	
	Line Side Unbundled Incoming PBX Trunk Port-Bus		İ	UEPFP	UEPP1	14.00	160.00	125.00					33.67	7.88	11.17	
	2W Voice Unbundled PBX LD Terminal Ports			UEPFP	UEPLD	14.00	160.00	125.00					33.67	7.88	11.17	
	2W Voice Unbundled 2-Way Combination PBX Usage Port			UEPFP	UEPXA	14.00	160.00	125.00					37.06	7.88	11.17	
	2W Voice Unbundled PBX Toll Terminal Hotel Ports			UEPFP	UEPXB	14.00	160.00	125.00					33.67	7.88	11.17	
	2W Voice Unbundled PBX LD DDD Terminals Port			UEPFP	UEPXC	14.00	160.00	125.00					33.67	7.88	11.17	
	2W Voice Unbundled PBX LD Terminal Switchboard Port			UEPFP	UEPXD	14.00	160.00	125.00					33.67	7.88	11.17	$oxed{oxed}$
	2W Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPFP	UEPXE	14.00	160.00	125.00			ļ		33.67	7.88	11.17	<u> </u>
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPFP	UEPXL	14.00	160.00	125.00					33.67	7.88	11.17	
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPFP	UEPXM	14.00	160.00	125.00					33.67	7.88	11.17	

Version 4Q02: 01/21/03

UNE	BUNDLI	ED NETWORK ELEMENTS - Georgia												Attachr	nent: 2	Exhil	oit: B
												Svc	Svc	Incrementa	Incrementa	Increment	Increment
												Order	Order	I Charge -	I Charge -	al Charge -	al Charge -
			Intori	7								Submitte	Submitte	Manual	Manual	Manual	Manual
CAT	EGORY	RATE ELEMENTS	Interi m		BCS	USOC		RA	TES (\$)			d Elec	d	Svc Order	Svc Order	Svc Order	Svc Order
		1111	е								per LSR	Manually		vs.	vs.	vs.	
													per LSR	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonrec	urring	NRC Disc	connect			OSS	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2W Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount															
		Room Calling Port			UEPFP	UEPXO	14.00	160.00	125.00					33.67	7.88	11.17	3.91
		2W Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPFP	UEPXS	14.00	160.00	125.00					33.67	7.88	11.17	3.91
		2W voice unbundled GA basic dialing port-1-Way Oudial Trunk			UEPFP	UEPWS	14.00	160.00	125.00					33.67	7.88	11.17	3.91
		2W voice unbundled GA basic dialing port-2-Way Trunk			UEPFP	UEPWT	14.00	160.00	125.00					33.67	7.88	11.17	3.91

	ED NETWORK ELEMENTS - Georgia													ment: 2		bit: B
ATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	usoc		RA <sup>-</sup>	ΓES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitte d Manually per LSR	Incrementa I Charge - Manual Svc Order vs. Electronic- 1st	Incrementa I Charge - Manual Svc Order vs. Electronic- Add'I	al Charge - Manual Svc Order vs. Electronic-	al Charg Manua Svc Ord vs.
						D	Nonrec	urring	NRC Dis	sconnect			oss	Rates (\$)	•	•
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
LOCA	L NUMBER PORTABILITY															
	Local No Portability (1 per port)			UEPFP	LNPCP	3.15	0.00	0.00					33.67	7.88	11.17	3.9
	ROFFICE TRANSPORT															
	Interoffice Transport-Dedicated-2W VG-Facility Term			UEPFP	U1TV2	17.07	79.61	36.08								
	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi			UEPFP	1L5XX	0.0222	7 0.0 1	00.00								
	URES			OLITI	120/01	0.0222										
	All Features Offered			UEPFP	UEPVF	0.00	0.00	0.00					33.67	7.88	11.17	3.9
	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED			OLFIT	OLFVI	0.00	0.00	0.00			1		33.07	7.00	11.17	3.3
						1			1	1	1	<del>                                     </del>		1		1
	2W Loop/Dedicated IO Transport/2W Line Port Combination- Conversion-Switch-as-is			UEPFP	USAC2		93.83	93.83					33.67	7.88	11.17	3.9
	2W Loop/Dedicated IO Transport/2W Line Port Combination-															
	Conversion-Switch with change			UEPFP	USACC		93.83	93.83					33.67	7.88	11.17	3.9
	D PORT/LOOP COMBINATIONS - MARKET BASED RATES															
	RE VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK PO	RT														
	Port/Loop Combination Rates															
	2W VG Loop/2W DID Trunk Port Combo-UNE Zone 1		1			99.84										
	2W VG Loop/2W DID Trunk Port Combo-UNE Zone 2		2			102.45										
	2W VG Loop/2W DID Trunk Port Combo-UNE Zone 3		3			113.92										
	_oop Rates															
	2W Analog VG Loop-(SL2)-UNE Zone 1		1	UEPPX	UECD1	16.84	104.78	78.10								
	2W Analog VG Loop-(SL2)-UNE Zone 2		2	UEPPX	UECD1	19.45	104.78	78.10								
	2W Analog VG Loop-(SL2)-UNE Zone 3		3	UEPPX	UECD1	30.92	104.78	104.10								
	Port Rate		J	OLITA	OLODI	30.32	104.70	104.10		1						
	Exchange Ports-2W DID Port			UEPPX	UEPD1	83.00	850.00	75.00					33.67	7.88		
	RECURRING CHARGES - CURRENTLY COMBINED			OLITA	OLIDI	05.00	030.00	75.00					33.07	7.00		
	2W VG Loop/2W DID Trunk Port Combination -Switch-As-Is Top 8				+											
	MSAs only			UEPPX	USAC1		850.00	75.00					33.67	7.88		
	2W VG Loop/2W DID Trunk Port Conversion with BST Allowable			UEPPA	USACT		650.00	75.00					33.67	7.00		
				LIEDDY	110440		050.00	75.00					00.07	7.00		
	Changes Top 8 MSAs only			UEPPX	USA1C		850.00	75.00					33.67	7.88		
	TIONAL NRCs				-											
	hone Number/Trunk Group Establisment Charges															
	DID Trunk Term (One Per Port)			UEPPX	NDT	0.00	0.00	0.00								
	DID Nos, Establish Trunk Group & Provide First Group of 20 DID Nos			UEPPX	NDZ	0.00	0.00	0.00		<u> </u>	<u> </u>			1		1
	Add'l DID Nos for each Group of 20 DID Nos			UEPPX	ND4	0.00	0.00	0.00		ļ				ļ		ļ
	DID Nos, Non-consecutive DID Nos , Per No			UEPPX	ND5	0.00	0.00	0.00		ļ	1					ļ
	Reserve Non-Consecutive DID Nos			UEPPX	ND6	0.00	0.00	0.00		ļ						ļ
	Reserve DID Nos			UEPPX	NDV	0.00	0.00	0.00			ļ					
	L NUMBER PORTABILITY										<u> </u>			Į.		
	Local No Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00		1						<u> </u>
	RE ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LINE S	IDE P	ORT													
UNE F	Port/Loop Combination Rates															
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -UNE Zone 1		1	UEPPB UEPF	PR	81.89										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -UNE Zone 2		2	UEPPB UEPP		85.27										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -UNE		3													
<del></del>	Zone 3		3	UEPPB UEPP	K	100.17				1	1	1	<del>                                     </del>	1		<del>                                     </del>
	Loop Rate		1			1			1	1	I	1		1		ļ
						0.1	0.00	100 ==			1		10			
	2W ISDN Digital Grade Loop-UNE Zone 1 2W ISDN Digital Grade Loop-UNE Zone 2		1	UEPPB UEPP		21.89 25.27	252.32 252.32	188.77 188.77					19.99 19.99	19.99 19.99		

Version 4Q02: 01/21/03 Page 140 of 402

UNBUNDLI	ED NETWORK ELEMENTS - Georgia												Attachi	nent: 2	Exhil	oit: B
											Svc	Svc	Incrementa	Incrementa	Increment	Increment
											Order	Order	I Charge -	I Charge -	al Charge -	al Charge -
			_								Submitte	Submitte	Manual	Manual	Manual	Manual
CATEGORY	RATE ELEMENTS	Interi	_	BCS	USOC		RA <sup>*</sup>	TES (\$)			d Elec	d	Svc Order	Svc Order	Svc Order	Svc Order
		m	е					.,			per LSR	Manually	vs.	vs.	vs.	vs.
											-	per LSR	Electronic-	Electronic-	Electronic-	Electronic-
												-	1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonrec	urring	NRC Dis	connect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UNE P	ort Rate															
	Exchange Port-2W ISDN Line Side Port			UEPPB UEPPR	UEPPB	60.00	525.00	400.00					19.99	19.99		

<u>JNBUND</u> L	ED NETWORK ELEMENTS - Georgia													ment: 2		bit: B
TEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	usoc		RAT	TES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitte d Manually per LSR	Incrementa I Charge - Manual Svc Order vs. Electronic- 1st	Incrementa I Charge - Manual Svc Order vs. Electronic- Add'I	al Charge - Manual Svc Order vs. Electronic-	al Char Manua Svc Ord vs.
						_	Nonreci	urring	NRC Dis	sconnect			oss	Rates (\$)	l	
						Rec	First	Add'l	First		SOMEC	SOMAN	SOMAN		SOMAN	SOMA
NONE	ECURRING CHARGES - CURRENTLY COMBINED							71441		71441						
	2W ISDN Digital Grade Loop/2W ISDN Line Side Port Combination-															
	Conversion-Top 8 MSAs only			UEPPB UEPPR	USACB	0.00	215.00	215.00					19.99	19.99		
ADDI	TIONAL NRCs															
	2W ISDN Loop/2W ISDN Port Combination-Sub Actvy-Non															
	Feature/Add Trunk			UEPPB UEPPR	USASB		165.95						19.99	19.99		
LOCA	L NUMBER PORTABILITY															
	Local No Portability (1 per port)			UEPPB UEPPR	LNPCX	0.35	0.00	0.00								
	ANNEL USER PROFILE ACCESS:															
	CVS/CSD (DMS/5ESS)			UEPPB UEPPR	U1UCA	0.00	0.00	0.00								
	CVS (EWSD)			UEPPB UEPPR	U1UCB	0.00	0.00	0.00								
	CSD			UEPPB UEPPR	U1UCC	0.00	0.00	0.00		1						
	ANNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS SC,M)	5, & TN	I)													
	TERMINAL PROFILE	ĺ	,													
	User Terminal Profile (EWSD only)			UEPPB UEPPR	U1UMA	0.00	0.00	0.00								
VERT	CAL FEATURES															
	All Vertical Features-One per Channel B User Profile			UEPPB UEPPR	UEPVF	0.00	0.00	0.00					19.99	19.99		
	OFFICE CHANNEL MILEAGE															
	Interoffice Channel miage each, including first mi & facilities Term			UEPPB UEPPR	M1GNC	16.47	79.61	36.08					19.99	19.99		
	Interoffice Channel miage each, Add'l mi			UEPPB UEPPR	M1GNM	0.0222	0.00	0.00								
	E DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK PO	RT				***************************************										
	Port/Loop Combination Rates															
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port -UNE Zone 1		1	UEPPP		955.53										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port -UNE Zone 2		2	UEPPP		964.13										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port -UNE Zone 3		3	UEPPP		1.001.93										
	oop Rates					1,00.1100										
	4W DS1 Digital Loop-UNE Zone 1		1	UEPPP	USL4P	55.53	448.92	276.60					19.99	19.99		
	4W DS1 Digital Loop-UNE Zone 2		2	UEPPP	USL4P	64.13	448.92	276.60					19.99	19.99		
	4W DS1 Digital Loop-UNE Zone 3		3	UEPPP	USL4P	101.93	448.92	276.60					19.99	19.99		<u> </u>
	Port Rate															
	Exchange Ports-4W ISDN DS1 Port			UEPPP	UEPPP	900.00	1,200.00	1,200.00					19.99	19.99		
NONE	ECURRING CHARGES - CURRENTLY COMBINED							,								
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port Combination-															
	Conversion -Switch-As-Is Top 8 MSAs only			UEPPP	USACP	0.00	925.00	925.00					19.99	19.99		
	TIONAL NRCs															
	4W DS1 Loop/4-W ISDN Digtl Trk Port-Subsqt Actvy-Inward/2way Tel															
	Nos			UEPPP	PR7TF		0.9686									
	4W DS1 Loop/4W ISDN DS1 Digital Trunk Port-Outward Tel Nos			UEPPP	PR7TO		22.75	22.75								
	4W DS1 Loop/4W ISDN DS1 Digital Trk Port -Subsqnt Inward Tel Nos			UEPPP	PR7ZT		45.49	45.49								
	L NUMBER PORTABILITY						.,,,,									
	Local No Portability (1 per port)			UEPPP	LNPCN	1.75										
	RFACE (Provsioning Only)					5										
	Voice/Data			UEPPP	PR71V	0.00	0.00	0.00		1						
	Digital Data			UEPPP	PR71D	0.00	0.00	0.00		1						
	Inward Data			UEPPP	PR71E	0.00	0.00	0.00								
	or Additional "B" Channel			<u> </u>		5.50	3.50	3.30								
	New or Add'l-Voice/Data B Channel			UEPPP	PR7BV	0.00	28.71						19.99	19.99		
	New or Add'I-Digital Data B Channel			UEPPP	PR7BF	0.00	28.71						19.99	19.99		
	New or Add'l Inward Data B Channel			UEPPP	PR7BD	0.00	28.71						19.99	19.99		
	TYPES					0.00	20 1						.0.00	.0.00		<del></del>
	Inward			UEPPP	PR7C1	0.00	0.00	0.00			1			1	1	$\vdash$

Version 4Q02: 01/21/03 Page 142 of 402

UNBUNDL	ED NETWORK ELEMENTS - Georgia												Attachi	ment: 2	Exhil	it: B
											Svc	Svc	Incrementa	Incrementa	Increment	Increment
											Order	Order	I Charge -	I Charge -	al Charge -	al Charge -
			_								Submitte	Submitte	Manual	Manual	Manual	Manual
CATEGORY	RATE ELEMENTS	Interi		BCS	USOC		RA	TES (\$)			d Elec	d	Svc Order	Svc Order	Svc Order	Svc Order
		m	е			RATES (\$)					per LSR	Manually	vs.	vs.	vs.	vs.
											-	per LSR	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonrec	urring	NRC Dis	connect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Outward			UEPPP	PR7C0	0.00	0.00	0.00								
	Two-way			UEPPP	PR7CC	0.00	0.00	0.00								

ARONDE	ED NETWORK ELEMENTS - Georgia													ment: 2		bit: B
TEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	usoc		RAT	ΓES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitte d Manually per LSR	Incrementa I Charge - Manual Svc Order vs. Electronic- 1st	Incrementa I Charge - Manual Svc Order vs. Electronic- Add'I	al Charge - Manual Svc Order vs. Electronic-	al Chai Manu Svc Or vs.
					1	_	Nonreci	ırrina	NRC Dis	connect			oss	Rates (\$)		
					1	Rec	First	Add'l	First		SOMEC	SOMAN			SOMAN	SOMA
Intero	ffice Channel Mileage															
	Fixed Each Including First mi			UEPPP	1LN1A	78.9223	147.07	111.75	0.00				19.99	19.99		1
	Each Airline-Fractional Add'l mi			UEPPP	1LN1B	0.4523			****							1
	E DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT				1											1
	Port/Loop Combination Rates															
	4W DS1 Digital Loop/4W DDITS Trunk Port -UNE Zone 1		1	UEPDC		176.33										
	4W DS1 Digital Loop/4W DDITS Trunk Port -UNE Zone 2		2	UEPDC		184.93										
	4W DS1 Digital Loop/4W DDITS Trunk Port -UNE Zone 3		3	UEPDC	† †	222.73										1
	oop Rates				†											
	4W DS1 Digital Loop-UNE Zone 1	1	1	UEPDC	USLDC	55.53	448.92	276.00					19.99	19.99		1
	4W DS1 Digital Loop-UNE Zone 2	1	2	UEPDC	USLDC	64.13	448.92	276.60					19.99	19.99		<del>                                     </del>
	4W DS1 Digital Loop-UNE Zone 3		3	UEPDC	USLDC	101.93	448.92	276.60					19.99	19.99		<b>—</b>
	Port Rate			OLI DO	COLDO	101.00	110.02	210.00					10.00	10.00		<b>†</b>
	4W DDITS Digital Trunk Port			UEPDC	UDD1T	750.00	1,011.43	477.87	206.70	20.70			19.99	19.99		<b>—</b>
	ECURRING CHARGES - CURRENTLY COMBINED			OLI DO	ODDII	730.00	1,011.40	411.01	200.70	20.70			10.55	13.33		<del>                                     </del>
	4W DS1 Digital Loop/4W DDITS Trunk Port Combination-Switch-As-Is															<del>                                     </del>
	Top 8 MSAs only			UEPDC	USAC4		269.96	269.96					19.99	19.99		
	4W DS1 Digital Loop/4W DDITS Trunk Port Combination-Conversion			OLFDC	03/04		209.90	209.90					19.99	19.99		<del>                                     </del>
	with DS1 Changes Top 8 MSAs only			UEPDC	USAWA		269.96	269.96					19.99	19.99		
	4W DS1 Digital Loop/4W DDITS Trunk Port Combination-Conversion			OLFDC	USAWA		209.90	209.90					19.99	19.99		+
	with Change-Trunk Top 8 MSAs only			UEPDC	USAWB		269.96	269.96					19.99	19.99		
A DDI	TIONAL NRCs			OLFDC	USAWD		209.90	209.90					19.99	19.99		+
	4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Service Activity Per				+ +											+
	Service Order			UEPDC	USAS4		147.47	147.47								
	4W DS1 Loop/4W DDITS Trunk Port-NRC-Subsgnt Channel			UEFDC	U3A34		147.47	147.47								<del>                                     </del>
	Activation/Chan-2-Way Trunk			UEPDC	UDTTA		28.71	28.71					19.99	19.99		
	4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Channel Activation/Chan-			UEFDC	ODITA		20.71	20.71					19.99	19.99		+
	4W DST Loop/4W DDTTS Trunk Port-Subsqrit Charmer Activation/Chart-			UEPDC	UDTTB		28.71	28.71					19.99	19.99		
	4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Channel Activation/Chan			UEPDC	UDITE		20.71	20.71					19.99	19.99		┼
	Inward Trunk w/out DID			UEPDC	UDTTC		28.71	28.71					19.99	19.99		
	4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Chan Activation Per			UEPDC	ODITO		28.71	28.71					19.99	19.99		+
				UEPDC	UDTTD		28.71	28.71					19.99	19.99		
	Chan-Inward Trunk with DID 4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Chan Activation/Chan-2-			UEPDC	UDITU		28.71	28.71					19.99	19.99		
				LIEBBO	UDTTE		00.74	00.74					40.00	40.00		
	Way DID w User Trans			UEPDC	UDTTE		28.71	28.71					19.99	19.99		
	AR 8 ZERO SUBSTITUTION		-	LIEDDO	CCOSF		0.00	600.00								<del>                                     </del>
	B8ZS - Superframe Format		-	UEPDC			0.00									<del>                                     </del>
	B8ZS-Extended Superframe Format	<b>!</b>	$\vdash$	UEPDC	CCOEF		0.00	600.00	-		-					<del>                                     </del>
	ate Mark Inversion	<u> </u>	$\vdash \vdash$	LIEBSO	140000				-		-					<b>├</b>
	AMI -Superframe Format	<del> </del>	$\vdash$	UEPDC	MCOSF		0.00	0.00			-					<del>                                     </del>
	AMI-Extended SuperFrame Format	<u> </u>	$\vdash \vdash$	UEPDC	MCOPO		0.00	0.00								₩
ı elepi	none Number/Trunk Group Establisment Charges	<u> </u>	$\vdash \vdash$	LIEDDO	LIDTOY	0.00			-		-					<b>├</b>
-	Telephone No for 2-Way Trunk Group	<del> </del>	$\vdash$	UEPDC	UDTGX	0.00					-					<b>├</b>
-	Telephone No for 1-Way Outward Trunk Group	<u> </u>	$\vdash \vdash$	UEPDC	UDTGY	0.00										₩
-	Telephone No for 1-Way Inward Trunk Group w/o DID	<u> </u>	<b> </b>	UEPDC	UDTGZ	0.00										₩
	DID Nos, Establish Trunk Group & Provide First Group of 20 DID Nos	<b>!</b>	$\sqcup \bot$	UEPDC	NDZ	0.00	0.00	0.00								<u> </u>
	DID Nos for each Group of 20 DID Nos	ļ	<b> </b>	UEPDC	ND4	0.00										<u> </u>
	DID Nos, Non-consecutive DID Nos , Per No	ļ	<b> </b>	UEPDC	ND5	0.00										<u> </u>
	Reserve Non-Consecutive DID Nos.	<b>!</b>	$\sqcup \bot$	UEPDC	ND6	0.00	0.00	0.00								—
	Reserve DID Nos	<u> </u>		UEPDC	NDV	0.00	0.00	0.00								<b>↓</b>
Dedic	ated DS1 (Interoffice Channel Mileage) -	1			1				I					l		<u> </u>

Version 4Q02: 01/21/03 Page 144 of 402

NRUNDL	ED NETWORK ELEMENTS - Georgia													ment: 2		bit: B
ATEGORY	RATE ELEMENTS	Interi		BCS	usoc		RA	ΓES (\$)			Svc Order Submitte d Elec	Svc Order Submitte d	Incrementa I Charge - Manual Svc Order	Incrementa I Charge - Manual Svc Order	Increment al Charge - Manual Svc Order	al Char Manu
	KATE EEEMENTO	m	е	200			Na	. ΣΟ (ψ)				Manually	vs. Electronic- 1st	vs.	vs. Electronic-	vs.
						Rec	Nonrec		NRC Dis					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMA
	Interoffice Channel miage-Fixed rate 0-8 mis (Facilities Term)			UEPDC	1LNO1	78.47	147.07	111.75					19.99	19.99		
	Interoffice Channel miage-Add'l rate per mi-0-8 mis			UEPDC	1LNOA	0.4523	0.00	0.00								
	Interoffice Channel miage-Fixed rate 9-25 mis (Facilities Term)			UEPDC	1LNO2	0.00	0.00	0.00								
	Interoffice Channel miage-Add'l rate per mi-9-25 mis			UEPDC	1LNOB	0.4523	0.00	0.00								1
	Interoffice Channel miage-Fixed rate 25+ mis (Facilities Term)			UEPDC	1LNO3	0.00	0.00	0.00								1
	Interoffice Channel miage-Add'l rate per mi-25+ mis			UEPDC	1LNOC	0.4523	0.00	0.00								1
	Local No Portability, per DS0 Activated			UEPDC	LNPCP	3.15										1
	Central Office Termininating Point			UEPDC	CTG	0.00										<b>†</b>
4-WIE	RE DS1 LOOP WITH CHANNELIZATION WITH PORT			02. 20	0.0	0.00										<b>†</b>
	em is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Activation	16														†
	stem can have various rate combinations based on type and number		rte ue	nd												†
	DS1 Loop	oi po	l to us	cu												+
ONE			1	UEPMG	USLDC	55.53	0.00	0.00			<del>                                     </del>	<del>                                     </del>				+
	4W DS1 Loop-UNE Zone 1		2		USLDC		0.00	0.00							-	+
_	4W DS1 Loop-UNE Zone 2		_	UEPMG		64.13										┿
	4W DS1 Loop-UNE Zone 3		3	UEPMG	USLDC	101.93	0.00	0.00								
UNE	DSO Channelization Capacities (D4 Channel Bank Configurations)															
	24 DSO Channel Capacity-1 per DS1			UEPMG	VUM24	102.64	0.00	0.00					19.99	19.99		
	48 DSO Channel Capacity-1 per 2 DS1s			UEPMG	VUM48	205.28	0.00	0.00					19.99	19.99		
	96 DSO Channel Capacity -1per 4 DS1s			UEPMG	VUM96	410.56	0.00	0.00					19.99	19.99		
	144 DS0 Channel Capacity-1 per 6 DS1s			UEPMG	VUM14	615.84	0.00	0.00					19.99	19.99		
	192 DS0 Channel Capacity -1 per 8 DS1s			UEPMG	VUM19	821.12	0.00	0.00					19.99	19.99		
	240 DS0 Channel Capacity-1 per 10 DS1s			UEPMG	VUM20	1,026.40	0.00	0.00					19.99	19.99		
	288 DS0 Channel Capacity-1 per 12 DS1s			UEPMG	VUM28	1,231.68	0.00	0.00					19.99	19.99		1
	384 DS0 Channel Capacity-1 per 16 DS1s			UEPMG	VUM38	1,642.24	0.00	0.00					19.99	19.99		
	480 DS0 Channel Capacity-1 per 20 DS1s			UEPMG	VUM40	2.052.80	0.00	0.00					19.99	19.99		t
	576 DS0 Channel Capacity -1 per 24 DS1s			UEPMG	VUM57	2,463.36	0.00	0.00					19.99	19.99		<b>†</b>
	672 DS0 Channel Capacity-1 per 28 DS1s			UEPMG	VUM67	2,873.92	0.00	0.00					19.99	19.99		<b>†</b>
Non-I	Recurring Charges (NRC) Associated with 4-Wire DS1 Loop with Cha	nneli	ztion					0.00					10.00	10.00		†
	nimum System configuration is One (1) DS1, One (1) D4 Channel Ban						Jocan									+
	ples of this configuration functioning as one are considered Add'l af															+
With	NRC-Conversion (Currently Combined) with or w/o BST Allowed	ter tir	111111	illiulli system comi	guration is	counted.										+-
	Changes-Top 8 MSAs Only			UEPMG	USAC4	0.00	450.00	50.00					40.00	40.00		
			L.,	UEPMG	USAC4	0.00	450.00	50.00					19.99	19.99		╄
	em Additions Where Currently Combined and New (Not Currently Co	mbin	ed)													╄
In De	nsity Zone 1 Top 8 MSAs															
	1 DS1/D4 Channel Bank-Add NRC for each Port & Assoc Fea Activation			UEPMG	VUMD4	0.00	950.00	600.00	200.00	30.00			19.99	19.99		
Bipol	ar 8 Zero Substitution															
	Clear Channel Capability Format, superframe-Subsqnt Activity Only			UEPMG	CCOSF	0.00	0.00	600.00								<u> </u>
	Clear Channel Capability Format-Extended Superframe-Subsqnt															
	Activity Only			UEPMG	CCOEF	0.00	0.00	600.00								
Altern	nate Mark Inversion (AMI)															
	Superframe Format			UEPMG	MCOSF	0.00	0.00	0.00								1
	Extended Superframe Format			UEPMG	MCOPO	0.00	0.00	0.00								1
Excha	ange Ports Associated with 4-Wire DS1 Loop with Channelization wi	th Po	rt													
	ange Ports															
	Line Side Combination Channelized PBX Trunk Port-bus			UEPPX	UEPCX	14.00	0.00	0.00	0.00	0.00			33.67	7.88		<b>†</b>
_	Line Side Outward Channelized PBX Trunk Port-bus			UEPPX	UEPOX	14.00	0.00	0.00	0.00	0.00			33.67	7.88		$\vdash$
+	Line Side Inward Only Channelized PBX Trunk Port w/o DID			UEPPX	UEP1X	14.00	0.00	0.00	0.00	0.00	1	1	33.67	7.88		$\vdash$
+	2W Trunk Side Unbundled Channelized DID Trunk Port			UEPPX	UEPDM	83.00	0.00	0.00	0.00	0.00	-	-	33.67	7.88	1	+-
Foot	Ire Activations - Unbundled Loop Concentration		$\vdash$	ULIFA	OLIDIVI	63.00	0.00	0.00	0.00	0.00	<del>                                     </del>	<del>                                     </del>	33.07	1.00		+-
	ne Activations - Officialicie Loop Concentration		1		1PQWM				l		<b></b>	<b></b>			1	+
. cutu	Feature (Service) Activation for each Line Port Terminated in D4 Bank			UEPPX		0.62	40.00	20.00	6.00	5.00			33.67	7.88		

Version 4Q02: 01/21/03 Page 145 of 402

	ED NETWORK ELEMENTS - Georgia													ment: 2		bit: B
				_		_					Svc	Svc		Incrementa		
											Order	Order	I Charge -	I Charge -	al Charge -	al Charg
			. _								Submitte	Submitte	Manual	Manual	Manual	Manua
ATEGORY	RATE ELEMENTS	Interi		BCS	USOC		RA	TES (\$)			d Elec	d	Svc Order	Svc Order	Svc Order	Svc Ord
		m	е		0000			0 (4)				Manually		vs.	vs.	vs.
											<b>P</b>		Electronic-		Electronic-	_
												po. 20.1	1st	Add'I	Disc 1st	
1		-			-	1	Manaa		NDC D	sconnect	1		1	Rates (\$)	2.00 .00	2.007.00
		1			1	Rec	Nonrec				001150	001111			001111	001111
		1					First	Add'l	First	Addi	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
Telep	hone Number/ Group Establishment Charges for DID Service	1														
	DID Trunk Term (1 per Port)			UEPPX	NDT	0.00	0.00	0.00								
	Estab Trk Grp & Provide 1st 20 DID Nos. (FL,GA, NC,& SC)			UEPPX	NDZ	0.00	0.00	0.00								
	DID Nos-groups of 20-Valid all States			UEPPX	ND4	0.00	0.00	0.00								
	Non-Consecutive DID Nos-per No			UEPPX	ND5	0.00	0.00	0.00								
	Reserve Non-Consecutive DID Nos			UEPPX	ND6	0.00	0.00	0.00								
	Reserve DID Nos			UEPPX	NDV	0.00	0.00	0.00								
Loca	Number Portability															
	Local No Portability-1 per port			UEPPX	LNPCP	3.15	0.00	0.00								
FΕΔΤ	URES - Vertical and Optional			OLITA	LIVI OI	0.10	0.00	0.00								
	Switching Features Offered with Line Side Ports Only				1						<u> </u>					
LUCA	All Features Available	-		UEPPX	UEPVF	0.00	0.00	0.00			1	-				
		-		UEPPA	UEPVF	0.00	0.00	0.00			1	-				
	D CENTREX PORT/LOOP COMBINATIONS - COST BASED RATES	<u>.                                    </u>	<u> </u>		1			L								
	st Based Rates are applied where BellSouth is required by FCC and															
	atures shall apply to the Unbundled Port/Loop Combination - Cost E															
	d Office and Tandem Switching Usage and Common Transport Usag															
4. Th	e first & add'l Port NRC charges apply to Not Currently Combined C	ombo	s. For	Currently Combine	ed Combos	, the NRC char	ges shall be t	hose identif	fied in the	NRC - Cu	irrently Co	mbined se	ections. Add	d'I NRCs may	apply also	and are
categ	orized accordingly.			•			_				-					
	arket Rates for Unbundled Centrex Port/Loop Combination will be n	egotia	ted o	n an Individual Cas	e Basis. un	til further notic	e.									
	P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only)				1		-				İ					
	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo	1			+											
			1													
IINE	Part/Loan Cambination Pates (Non Design)															
UNE	Port/Loop Combination Rates (Non-Design)		-	LIEDOA		40.50										
UNE	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design		1	UEP91		12.59										
UNE	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		2	UEP91		14.26										
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design															
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design Port/Loop Combination Rates (Design)		3	UEP91 UEP91		14.26 21.62										
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		2	UEP91		14.26										
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design Port/Loop Combination Rates (Design)		3	UEP91 UEP91		14.26 21.62										
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design Port/Loop Combination Rates (Design) 2W VG Loop/2W VG Port (Centrex) Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design		3	UEP91 UEP91 UEP91 UEP91		14.26 21.62 18.63 21.24										
UNE	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design Port/Loop Combination Rates (Design) 2W VG Loop/2W VG Port (Centrex) Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design		3 1 2	UEP91 UEP91 UEP91		14.26 21.62 18.63										
UNE	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design  Port/Loop Combination Rates (Design) 2W VG Loop/2W VG Port (Centrex) Port Combo-Design  2W VG Loop/2W VG Port (Centrex)Port Combo-Design  2W VG Loop/2W VG Port (Centrex)Port Combo-Design  2W VG Loop/2W VG Port (Centrex)Port Combo-Design  Loop Rate		2 3 1 2 3	UEP91 UEP91 UEP91 UEP91 UEP91	LIFCS1	14.26 21.62 18.63 21.24 32.71										
UNE	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design Port/Loop Combination Rates (Design) 2W VG Loop/2W VG Port (Centrex) Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design Loop Rate 2W VG Loop (SL 1)-Zone 1		2 3 1 2 3	UEP91 UEP91 UEP91 UEP91 UEP91	UECS1	14.26 21.62 18.63 21.24 32.71										
UNE	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design Port/Loop Combination Rates (Design)  2W VG Loop/2W VG Port (Centrex) Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop (SL 1)-Zone 1  2W VG Loop (SL 1)-Zone 1		2 3 1 2 3 1 2	UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	UECS1	14.26 21.62 18.63 21.24 32.71 10.80 12.47										
UNE	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design Port/Loop Combination Rates (Design)  2W VG Loop/2W VG Port (Centrex) Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design Loop Rate 2W VG Loop (SL 1)-Zone 1  2W VG Loop (SL 1)-Zone 2  2W VG Loop (SL 1)-Zone 3		2 3 1 2 3 1 2 3	UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	UECS1	14.26 21.62 18.63 21.24 32.71 10.80 12.47 19.83										
UNE	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design Port/Loop Combination Rates (Design)  2W VG Loop/2W VG Port (Centrex) Port Combo-Design  2W VG Loop/2W VG Port (Centrex)Port Combo-Design  2W VG Loop/2W VG Port (Centrex)Port Combo-Design  2W VG Loop/2W VG Port (Centrex)Port Combo-Design  Loop Rate  2W VG Loop (SL 1)-Zone 1  2W VG Loop (SL 1)-Zone 2  2W VG Loop (SL 2)-Zone 1		2 3 1 2 3 1 2 3 1	UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	UECS1 UECS1 UECS2	14.26 21.62 18.63 21.24 32.71 10.80 12.47 19.83 16.84										
UNE	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design Port/Loop Combination Rates (Design)  2W VG Loop/2W VG Port (Centrex) Port Combo-Design  2W VG Loop/2W VG Port (Centrex)Port Combo-Design  2W VG Loop/2W VG Port (Centrex)Port Combo-Design  2W VG Loop/2W VG Port (Centrex)Port Combo-Design  Loop Rate  2W VG Loop (SL 1)-Zone 1  2W VG Loop (SL 1)-Zone 2  2W VG Loop (SL 2)-Zone 1  2W VG Loop (SL 2)-Zone 1  2W VG Loop (SL 2)-Zone 2		2 3 1 2 3 1 2 3 1 2 3	UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	UECS1 UECS1 UECS2 UECS2	14.26 21.62 18.63 21.24 32.71 10.80 12.47 19.83 16.84 19.45										
UNE	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design Port/Loop Combination Rates (Design) 2W VG Loop/2W VG Port (Centrex) Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design Loop Rate 2W VG Loop (SL 1)-Zone 1 2W VG Loop (SL 1)-Zone 2 2W VG Loop (SL 2)-Zone 3 2W VG Loop (SL 2)-Zone 1 2W VG Loop (SL 2)-Zone 2 2W VG Loop (SL 2)-Zone 2		2 3 1 2 3 1 2 3 1	UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	UECS1 UECS1 UECS2	14.26 21.62 18.63 21.24 32.71 10.80 12.47 19.83 16.84										
UNE	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design Port/Loop Combination Rates (Design)  2W VG Loop/2W VG Port (Centrex) Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design Loop Rate 2W VG Loop (SL 1)-Zone 1 2W VG Loop (SL 1)-Zone 2 2W VG Loop (SL 2)-Zone 3 2W VG Loop (SL 2)-Zone 2 2W VG Loop (SL 2)-Zone 3 Ports		2 3 1 2 3 1 2 3 1 2 3	UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	UECS1 UECS1 UECS2 UECS2	14.26 21.62 18.63 21.24 32.71 10.80 12.47 19.83 16.84 19.45										
UNE	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design Port/Loop Combination Rates (Design)  2W VG Loop/2W VG Port (Centrex) Port Combo-Design  2W VG Loop/2W VG Port (Centrex)Port Combo-Design  2W VG Loop/2W VG Port (Centrex)Port Combo-Design  2W VG Loop (SL 1)-Zone 1  2W VG Loop (SL 1)-Zone 1  2W VG Loop (SL 1)-Zone 3  2W VG Loop (SL 2)-Zone 1  2W VG Loop (SL 2)-Zone 3  Ports  ates (Except North Carolina and Sout Carolina)		2 3 1 2 3 1 2 3 1 2 3	UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	UECS1 UECS1 UECS2 UECS2 UECS2	14.26 21.62 18.63 21.24 32.71 10.80 12.47 19.83 16.84 19.45 30.92										
UNE	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design Port/Loop Combination Rates (Design)  2W VG Loop/2W VG Port (Centrex) Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design Loop Rate 2W VG Loop (SL 1)-Zone 1 2W VG Loop (SL 1)-Zone 2 2W VG Loop (SL 2)-Zone 3 2W VG Loop (SL 2)-Zone 2 2W VG Loop (SL 2)-Zone 3 Ports		2 3 1 2 3 1 2 3 1 2 3	UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	UECS1 UECS1 UECS2 UECS2 UECS2 UECS2	14.26 21.62 18.63 21.24 32.71 10.80 12.47 19.83 16.84 19.45	22.14	15.25	8.45	3.91			33.67	7.88		
UNE	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design Port/Loop Combination Rates (Design)  2W VG Loop/2W VG Port (Centrex) Port Combo-Design  2W VG Loop/2W VG Port (Centrex)Port Combo-Design  2W VG Loop/2W VG Port (Centrex)Port Combo-Design  2W VG Loop (SL 1)-Zone 1  2W VG Loop (SL 1)-Zone 1  2W VG Loop (SL 1)-Zone 3  2W VG Loop (SL 2)-Zone 1  2W VG Loop (SL 2)-Zone 3  Ports  ates (Except North Carolina and Sout Carolina)		2 3 1 2 3 1 2 3 1 2 3	UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	UECS1 UECS1 UECS2 UECS2 UECS2	14.26 21.62 18.63 21.24 32.71 10.80 12.47 19.83 16.84 19.45 30.92	22.14	15.25	8.45 8.45				33.67	7.88		
UNE	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design Port/Loop Combination Rates (Design)  2W VG Loop/2W VG Port (Centrex) Port Combo-Design  2W VG Loop/2W VG Port (Centrex)Port Combo-Design  2W VG Loop/2W VG Port (Centrex)Port Combo-Design  Loop Rate  2W VG Loop (SL 1)-Zone 1  2W VG Loop (SL 1)-Zone 2  2W VG Loop (SL 1)-Zone 3  2W VG Loop (SL 2)-Zone 1  2W VG Loop (SL 2)-Zone 2  2W VG Loop (SL 2)-Zone 3  Ports  atess (Except North Carolina and Sout Carolina)  2W VG Port (Centrex ) Basic Local Area  2W VG Port (Centrex Boo Term)Basic Local Area		2 3 1 2 3 1 2 3 1 2 3	UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	UECS1 UECS1 UECS2 UECS2 UECS2 UECS2 UEPYA UEPYB	14.26 21.62 18.63 21.24 32.71 10.80 12.47 19.83 16.84 19.45 30.92	22.14	15.25	8.45	3.91			33.67	7.88		
UNE	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design Port/Loop Combination Rates (Design)  2W VG Loop/2W VG Port (Centrex) Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop (SL 1)-Zone 1 2W VG Loop (SL 1)-Zone 1 2W VG Loop (SL 1)-Zone 2 2W VG Loop (SL 2)-Zone 3 2W VG Loop (SL 2)-Zone 2 2W VG Loop (SL 2)-Zone 3 Ports ates (Except North Carolina and Sout Carolina) 2W VG Port (Centrex) Basic Local Area 2W VG Port (Centrex 800 Term)Basic Local Area		2 3 1 2 3 1 2 3 1 2 3	UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	UECS1 UECS2 UECS2 UECS2 UECS2 UECS2 UECS2 UEPYA UEPYB UEPYH	14.26 21.62 18.63 21.24 32.71 10.80 12.47 19.83 16.84 19.45 30.92 1.79 1.79	22.14 22.14	15.25 15.25	8.45 8.45	3.91 3.91			33.67 33.67	7.88 7.88		
UNE	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design Port/Loop Combination Rates (Design)  2W VG Loop/2W VG Port (Centrex) Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop (SL 1)-Zone 1  2W VG Loop (SL 1)-Zone 1  2W VG Loop (SL 1)-Zone 2  2W VG Loop (SL 1)-Zone 3  2W VG Loop (SL 2)-Zone 1  2W VG Loop (SL 2)-Zone 2  2W VG Loop (SL 2)-Zone 3  Ports  Lates (Except North Carolina and Sout Carolina)  2W VG Port (Centrex ) Basic Local Area  2W VG Port (Centrex with Caller ID)1Basic Local Area  2W VG Port (Centrex with Caller ID)1Basic Local Area		2 3 1 2 3 1 2 3 1 2 3	UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	UECS1 UECS2 UECS2 UECS2 UECS2 UECS2 UECS2 UEPYA UEPYB UEPYH UEPYM	14.26 21.62 18.63 21.24 32.71 10.80 12.47 19.83 16.84 19.45 30.92 1.79 1.79	22.14 22.14 22.14	15.25 15.25 15.25	8.45 8.45 8.45	3.91 3.91 3.91			33.67 33.67 33.67	7.88 7.88 7.88		
UNE	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design Port/Loop Combination Rates (Design)  2W VG Loop/2W VG Port (Centrex) Port Combo-Design  2W VG Loop/2W VG Port (Centrex)Port Combo-Design  2W VG Loop/2W VG Port (Centrex)Port Combo-Design  2W VG Loop (SL 1)-Zone 1  2W VG Loop (SL 1)-Zone 1  2W VG Loop (SL 1)-Zone 2  2W VG Loop (SL 2)-Zone 3  2W VG Loop (SL 2)-Zone 1  2W VG Loop (SL 2)-Zone 3  Ports  ates (Except North Carolina and Sout Carolina)  2W VG Port (Centrex ) Basic Local Area  2W VG Port (Centrex from diff SWC)2 Basic Local Area  2W VG Port (Centrex from diff SWC)2 Basic Local Area		2 3 1 2 3 1 2 3 1 2 3	UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	UECS1 UECS2 UECS2 UECS2 UECS2 UECY2 UEPYA UEPYA UEPYB UEPYH UEPYM UEPYZ	14.26 21.62 18.63 21.24 32.71 10.80 12.47 19.83 16.84 19.45 30.92 1.79 1.79 1.79	22.14 22.14 22.14 22.14	15.25 15.25 15.25 15.25	8.45 8.45 8.45 8.45	3.91 3.91 3.91 3.91			33.67 33.67 33.67 33.67	7.88 7.88 7.88 7.88		
UNE	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design Port/Loop Combination Rates (Design)  2W VG Loop/2W VG Port (Centrex) Port Combo-Design  2W VG Loop/2W VG Port (Centrex)Port Combo-Design  2W VG Loop/2W VG Port (Centrex)Port Combo-Design  2W VG Loop (SL 1)-Zone 1  2W VG Loop (SL 1)-Zone 1  2W VG Loop (SL 1)-Zone 2  2W VG Loop (SL 1)-Zone 3  2W VG Loop (SL 2)-Zone 1  2W VG Loop (SL 2)-Zone 2  2W VG Loop (SL 2)-Zone 3  Ports  ates (Except North Carolina and Sout Carolina)  2W VG Port (Centrex 800 Term)Basic Local Area  2W VG Port (Centrex with Caller ID)1Basic Local Area  2W VG Port (Centrex from diff SWC)2 Basic Local Area  2W VG Port, Diff SWC-800 Service Term-Basic Local Area  2W VG Port terminated in on Megalink or equivalent-Basic Local Area		2 3 1 2 3 1 2 3 1 2 3	UEP91 UEP91	UECS1 UECS2 UECS2 UECS2 UECS2 UEPYA UEPYB UEPYH UEPYM UEPYM UEPYZ UEPY9	14.26 21.62 18.63 21.24 32.71 10.80 12.47 19.83 16.84 19.45 30.92 1.79 1.79 1.79 1.79	22.14 22.14 22.14 22.14 22.14	15.25 15.25 15.25 15.25 15.25	8.45 8.45 8.45 8.45 8.45	3.91 3.91 3.91 3.91 3.91			33.67 33.67 33.67 33.67 33.67	7.88 7.88 7.88 7.88 7.88		
UNE UNE UNE All St	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design Port/Loop Combination Rates (Design)  2W VG Loop/2W VG Port (Centrex) Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop (SL 1)-Zone 1  2W VG Loop (SL 1)-Zone 1  2W VG Loop (SL 1)-Zone 2  2W VG Loop (SL 1)-Zone 3  2W VG Loop (SL 2)-Zone 1  2W VG Loop (SL 2)-Zone 1  2W VG Loop (SL 2)-Zone 3  Ports  ates (Except North Carolina and Sout Carolina)  2W VG Port (Centrex ) Basic Local Area  2W VG Port (Centrex with Caller ID)1Basic Local Area  2W VG Port (Centrex from diff SWC)2 Basic Local Area  2W VG Port terminated in on Megalink or equivalent-Basic Local Area  2W VG Port terminated on 800 Service Term-Basic Local Area		2 3 1 2 3 1 2 3 1 2 3	UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	UECS1 UECS2 UECS2 UECS2 UECS2 UECY2 UEPYA UEPYA UEPYB UEPYH UEPYM UEPYZ	14.26 21.62 18.63 21.24 32.71 10.80 12.47 19.83 16.84 19.45 30.92 1.79 1.79 1.79	22.14 22.14 22.14 22.14	15.25 15.25 15.25 15.25	8.45 8.45 8.45 8.45	3.91 3.91 3.91 3.91			33.67 33.67 33.67 33.67	7.88 7.88 7.88 7.88		
UNE UNE UNE All St	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design Port/Loop Combination Rates (Design)  2W VG Loop/2W VG Port (Centrex) Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design Loop Rate 2W VG Loop (SL 1)-Zone 1 2W VG Loop (SL 1)-Zone 2 2W VG Loop (SL 1)-Zone 3 2W VG Loop (SL 2)-Zone 3 2W VG Loop (SL 2)-Zone 2 2W VG Loop (SL 2)-Zone 3 Ports Lates (Except North Carolina and Sout Carolina) 2W VG Port (Centrex) Basic Local Area 2W VG Port (Centrex with Caller ID)1Basic Local Area 2W VG Port (Centrex from diff SWC)2 Basic Local Area 2W VG Port (Centrex from diff SWC)2 Basic Local Area 2W VG Port terminated in on Megalink or equivalent-Basic Local Area 2W VG Port Terminated on 800 Service Term-Basic Local Area		2 3 1 2 3 1 2 3 1 2 3	UEP91 UEP91	UECS1 UECS2 UECS2 UECS2 UECS2 UECY2 UEPYA UEPYB UEPYH UEPYM UEPYZ UEPY9 UEPY2	14.26 21.62 18.63 21.24 32.71 10.80 12.47 19.83 16.84 19.45 30.92 1.79 1.79 1.79 1.79	22.14 22.14 22.14 22.14 22.14 22.14	15.25 15.25 15.25 15.25 15.25 15.25	8.45 8.45 8.45 8.45 8.45 8.45	3.91 3.91 3.91 3.91 3.91 3.91			33.67 33.67 33.67 33.67 33.67 33.67	7.88 7.88 7.88 7.88 7.88 7.88		
UNE UNE UNE All St	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design Port/Loop Combination Rates (Design)  2W VG Loop/2W VG Port (Centrex) Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop (SL 1)-Zone 1  2W VG Loop (SL 1)-Zone 1  2W VG Loop (SL 1)-Zone 2  2W VG Loop (SL 1)-Zone 3  2W VG Loop (SL 2)-Zone 1  2W VG Loop (SL 2)-Zone 2  2W VG Loop (SL 2)-Zone 3  Ports  ates (Except North Carolina and Sout Carolina)  2W VG Port (Centrex) Basic Local Area  2W VG Port (Centrex 800 Term)Basic Local Area  2W VG Port (Centrex from diff SWC)2 Basic Local Area  2W VG Port (Centrex from diff SWC)2 Basic Local Area  2W VG Port (Centrex from diff SWC)2 Basic Local Area  2W VG Port Terminated in on Megalink or equivalent-Basic Local Area  2W VG Port Terminated on 800 Service Term-Basic Local Area  2W VG Port Terminated on 800 Service Term-Basic Local Area  2W VG Port Terminated on 800 Service Term-Basic Local Area  2W VG Port Terminated on 800 Service Term-Basic Local Area  2W VG Port (Centrex)		2 3 1 2 3 1 2 3 1 2 3	UEP91 UEP91	UECS1 UECS2 UECS2 UECS2 UECS2 UEPYA UEPYB UEPYH UEPYM UEPYZ UEPY9 UEPY2 UEPYA	14.26 21.62 18.63 21.24 32.71 10.80 12.47 19.83 16.84 19.45 30.92 1.79 1.79 1.79 1.79 1.79	22.14 22.14 22.14 22.14 22.14 22.14 22.14	15.25 15.25 15.25 15.25 15.25 15.25 15.25	8.45 8.45 8.45 8.45 8.45 8.45	3.91 3.91 3.91 3.91 3.91 3.91			33.67 33.67 33.67 33.67 33.67 33.67 33.67	7.88 7.88 7.88 7.88 7.88 7.88 7.88		
UNE UNE UNE All St	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design Port/Loop Combination Rates (Design)  2W VG Loop/2W VG Port (Centrex) Port Combo-Design  2W VG Loop/2W VG Port (Centrex)Port Combo-Design  2W VG Loop/2W VG Port (Centrex)Port Combo-Design  2W VG Loop/2W VG Port (Centrex)Port Combo-Design  2W VG Loop (SL 1)-Zone 1  2W VG Loop (SL 1)-Zone 1  2W VG Loop (SL 1)-Zone 2  2W VG Loop (SL 2)-Zone 3  2W VG Loop (SL 2)-Zone 1  2W VG Loop (SL 2)-Zone 3  Ports  2ates (Except North Carolina and Sout Carolina)  2W VG Port (Centrex) Basic Local Area  2W VG Port (Centrex from diff SWC)2 Basic Local Area  2W VG Port (Centrex from diff SWC)2 Basic Local Area  2W VG Port (Centrex from diff SWC)2 Basic Local Area  2W VG Port (Centrex from diff SWC)2 Easic Local Area  2W VG Port (Centrex from diff SWC)2 Easic Local Area  2W VG Port (Centrex from diff SWC)2 Easic Local Area  2W VG Port (Centrex from diff SWC)2 Easic Local Area  2W VG Port (Centrex from diff SWC)2 Easic Local Area  2W VG Port (Centrex from diff SWC)2 Easic Local Area  2W VG Port (Centrex from diff SWC)2 Easic Local Area  2W VG Port (Centrex from diff SWC)2 Easic Local Area  2W VG Port (Centrex from diff SWC)2 Easic Local Area  2W VG Port (Centrex from diff SWC)2 Easic Local Area  2W VG Port (Centrex from diff SWC)2 Easic Local Area  2W VG Port (Centrex from diff SWC)2 Easic Local Area  2W VG Port (Centrex from diff SWC)2 Easic Local Area  2W VG Port (Centrex from diff SWC)2 Easic Local Area  2W VG Port (Centrex from diff SWC)2 Easic Local Area  2W VG Port (Centrex from diff SWC)2 Easic Local Area		2 3 1 2 3 1 2 3 1 2 3	UEP91 UEP91	UECS1 UECS2 UECS2 UECS2 UECS2 UEPYA UEPYA UEPYH UEPYH UEPYH UEPYY UEPYZ UEPY9 UEPY2 UEPHA UEPHA	14.26 21.62 18.63 21.24 32.71 10.80 12.47 19.83 16.84 19.45 30.92 1.79 1.79 1.79 1.79 1.79 1.79	22.14 22.14 22.14 22.14 22.14 22.14 22.14 22.14	15.25 15.25 15.25 15.25 15.25 15.25 15.25 15.25	8.45 8.45 8.45 8.45 8.45 8.45 8.45	3.91 3.91 3.91 3.91 3.91 3.91 3.91			33.67 33.67 33.67 33.67 33.67 33.67 33.67	7.88 7.88 7.88 7.88 7.88 7.88 7.88		
UNE UNE UNE All St	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design Port/Loop Combination Rates (Design)  2W VG Loop/2W VG Port (Centrex) Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop (SL 1)-Zone 1  2W VG Loop (SL 1)-Zone 1  2W VG Loop (SL 1)-Zone 2  2W VG Loop (SL 1)-Zone 3  2W VG Loop (SL 2)-Zone 1  2W VG Loop (SL 2)-Zone 2  2W VG Loop (SL 2)-Zone 3  Ports  ates (Except North Carolina and Sout Carolina)  2W VG Port (Centrex) Basic Local Area  2W VG Port (Centrex 800 Term)Basic Local Area  2W VG Port (Centrex from diff SWC)2 Basic Local Area  2W VG Port (Centrex from diff SWC)2 Basic Local Area  2W VG Port (Centrex from diff SWC)2 Basic Local Area  2W VG Port Terminated in on Megalink or equivalent-Basic Local Area  2W VG Port Terminated on 800 Service Term-Basic Local Area  2W VG Port Terminated on 800 Service Term-Basic Local Area  2W VG Port Terminated on 800 Service Term-Basic Local Area  2W VG Port Terminated on 800 Service Term-Basic Local Area  2W VG Port (Centrex)		2 3 1 2 3 1 2 3 1 2 3	UEP91 UEP91	UECS1 UECS2 UECS2 UECS2 UECS2 UEPYA UEPYB UEPYH UEPYM UEPYZ UEPY9 UEPY2 UEPYA	14.26 21.62 18.63 21.24 32.71 10.80 12.47 19.83 16.84 19.45 30.92 1.79 1.79 1.79 1.79 1.79	22.14 22.14 22.14 22.14 22.14 22.14 22.14	15.25 15.25 15.25 15.25 15.25 15.25 15.25	8.45 8.45 8.45 8.45 8.45 8.45	3.91 3.91 3.91 3.91 3.91 3.91			33.67 33.67 33.67 33.67 33.67 33.67 33.67	7.88 7.88 7.88 7.88 7.88 7.88 7.88		
UNE UNE UNE All St	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design Port/Loop Combination Rates (Design)  2W VG Loop/2W VG Port (Centrex) Port Combo-Design  2W VG Loop/2W VG Port (Centrex)Port Combo-Design  2W VG Loop/2W VG Port (Centrex)Port Combo-Design  2W VG Loop/2W VG Port (Centrex)Port Combo-Design  2W VG Loop (SL 1)-Zone 1  2W VG Loop (SL 1)-Zone 1  2W VG Loop (SL 1)-Zone 2  2W VG Loop (SL 2)-Zone 3  2W VG Loop (SL 2)-Zone 1  2W VG Loop (SL 2)-Zone 3  Ports  2ates (Except North Carolina and Sout Carolina)  2W VG Port (Centrex) Basic Local Area  2W VG Port (Centrex from diff SWC)2 Basic Local Area  2W VG Port (Centrex from diff SWC)2 Basic Local Area  2W VG Port (Centrex from diff SWC)2 Basic Local Area  2W VG Port (Centrex from diff SWC)2 Easic Local Area  2W VG Port (Centrex from diff SWC)2 Easic Local Area  2W VG Port (Centrex from diff SWC)2 Easic Local Area  2W VG Port (Centrex from diff SWC)2 Easic Local Area  2W VG Port (Centrex from diff SWC)2 Easic Local Area  2W VG Port (Centrex from diff SWC)2 Easic Local Area  2W VG Port (Centrex from diff SWC)2 Easic Local Area  2W VG Port (Centrex from diff SWC)2 Easic Local Area  2W VG Port (Centrex from diff SWC)2 Easic Local Area  2W VG Port (Centrex from diff SWC)2 Easic Local Area  2W VG Port (Centrex from diff SWC)2 Easic Local Area  2W VG Port (Centrex from diff SWC)2 Easic Local Area  2W VG Port (Centrex from diff SWC)2 Easic Local Area  2W VG Port (Centrex from diff SWC)2 Easic Local Area  2W VG Port (Centrex from diff SWC)2 Easic Local Area  2W VG Port (Centrex from diff SWC)2 Easic Local Area		2 3 1 2 3 1 2 3 1 2 3	UEP91 UEP91	UECS1 UECS2 UECS2 UECS2 UECS2 UEPYA UEPYA UEPYH UEPYH UEPYH UEPYY UEPYZ UEPY9 UEPY2 UEPHA UEPHA	14.26 21.62 18.63 21.24 32.71 10.80 12.47 19.83 16.84 19.45 30.92 1.79 1.79 1.79 1.79 1.79 1.79	22.14 22.14 22.14 22.14 22.14 22.14 22.14 22.14	15.25 15.25 15.25 15.25 15.25 15.25 15.25 15.25	8.45 8.45 8.45 8.45 8.45 8.45 8.45	3.91 3.91 3.91 3.91 3.91 3.91 3.91			33.67 33.67 33.67 33.67 33.67 33.67 33.67	7.88 7.88 7.88 7.88 7.88 7.88 7.88		

Version 4Q02: 01/21/03 Page 146 of 402

NRONDE	ED NETWORK ELEMENTS - Georgia													ment: 2		bit: B
ATEGORY	RATE ELEMENTS	Interi i	Zon e	BCS	usoc		RAT	ES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitte d Manually	I Charge - Manual Svc Order vs.	Incrementa I Charge - Manual Svc Order vs.	al Charge - Manual Svc Order vs.	al Charg Manua Svc Ord vs.
												per LSR	Electronic- 1st	Electronic- Add'l	Electronic- Disc 1st	Disc Ad
						Rec	Nonrecu		NRC Dis					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
	2W VG Port terminated in on Megalink or equivalent			UEP91	UEPH9	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2W VG Port Terminated on 800 Service Term			UEP91	UEPH2	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
Local	Switching															
	Centrex Intercom Funtionality, per port			UEP91	URECS	0.5554										
Local	Number Portability															
	Local No Portability (1 per port)			UEP91	LNPCC	0.35										
Featu																
_	All Standard Features Offered, per port	$\vdash$		UEP91	UEPVF	0.00	4= 1.05		-		1				-	<del>                                     </del>
	All Select Features Offered, per port	$\vdash$		UEP91	UEPVS	0.00	454.69				1				-	—
N. 4 F 4	All Centrex Control Features Offered, per port	$\vdash$		UEP91	UEPVC	0.00			-		1				-	₩
NARS		$\vdash$	_	LIEBO4	HAROY	2.22	2.22	2.22					00.0=	7.00		₩
-	Unbundled Network Access Register-Combination			UEP91	UARCX	0.00	0.00	0.00					33.67	7.88		-
-	Unbundled Network Access Register-Indial			UEP91	UAR1X	0.00	0.00	0.00					33.67	7.88		-
	Unbundled Network Access Register-Outdial			UEP91	UAROX	0.00	0.00	0.00					33.67	7.88		-
	ellaneous Terminations					1										
2-Wir	e Trunk Side			LIEDO4	OFNIAG	44.05	04.04	24.04					00.07	7.00		-
-	Trunk Side Terms, each			UEP91	CENA6	11.35	61.91	61.91					33.67	7.88		
Interd	office Channel Mileage - 2-Wire			LIEBOA	144000	47.07										-
	Interoffice Channel Facilities Term-VG			UEP91	M1GBC	17.07										-
	Interoffice Channel miage, per mi or fraction of mi			UEP91	M1GBM	0.0222										
	re Activations (DS0) Centrex Loops on Channelized DS1 Service				-										1	
D4 Ci	hannel Bank Feature Activations Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP91	1PQWS	0.62										
		-		UEP91	1PQWS	0.62										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot	-		UEP91	1PQW6	0.62										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot-Diff WC			UEP91	1PQW7	0.62										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot-Dill WC  Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP91	1PQWV	0.62									<b>†</b>	
	Feature Activation on D-4 Channel Bank Tijle Line/Trunk Loop Slot			UEP91	1PQWQ	0.62										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP91	1PQWQ	0.62										+
Non	Recurring Charges (NRC) Associated with UNE-P Centrex			UEF91	IFQWA	0.02										-
NOTIFI	Conversion-Currently Combined Switch-As-Is with allowed changes, per				+	1										
	port			UEP91	USAC2		2.01	0.3108					33.67	7.88		
_	New Centrex Standard Common Block	<del>     </del>		UEP91	M1ACS	0.00	659.41	0.5100					33.67	7.88		<del>                                     </del>
-	New Centrex Standard Common Block			UEP91	M1ACC	0.00	659.41						33.67	7.88		<del></del>
-	Secondary Block, per Block			UEP91	M2CC1	0.00	77.10						33.67	7.88		<del>                                     </del>
	NAR Establishment Charge, Per Occasion			UEP91	URECA	0.00	71.88						33.67	7.88		<del>                                     </del>
IINE-	P CENTREX - 5ESS (Valid in All States)			OLI JI	OKLOA	0.00	71.00						33.07	7.00		+
	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo				+											<del>                                     </del>
	Port/Loop Combination Rates (Non-Design)				+ +	-										<del>                                     </del>
JINE	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design	1	1	UEP95	+ +	12.59			-		<del>                                     </del>				<b> </b>	<del>                                     </del>
+	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design	1	2	UEP95	+ +	14.26			-		<del>                                     </del>				<b> </b>	+
+	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design	1	3	UEP95	+ +	21.62			-		<del>                                     </del>				<b> </b>	<del>                                     </del>
LINE	Port/Loop Combination Rates (Design)		J	OLI 33	+ +	21.02										<del>                                     </del>
O.VL	2W VG Loop/2W VG Port (Centrex) Port Combo-Design		1	UEP95	1 1	18.63										<del>                                     </del>
	2W VG Loop/2W VG Port (Centrex) Port Combo-Design		2	UEP95	+ +	21.24	-		1	1	1			<b> </b>	<del>                                     </del>	<del>                                     </del>
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		3	UEP95	+ +	32.71										<del>                                     </del>
LINE	Loop Rate		J	OLF 33	+ +	32.11	-		1	1	1			<b> </b>	<del>                                     </del>	<del>                                     </del>
JINE	2W VG Loop (SL 1)-Zone 1	1	1	UEP95	UECS1	10.80			-		<del>                                     </del>				<b> </b>	+
	2W VG Loop (SL 1)-Zone 1	<del>                                     </del>	2	UEP95	UECS1	12.47										$\vdash$
+	2W VG Loop (SL 1)-Zone 2 2W VG Loop (SL 1)-Zone 3	<del>                                     </del>	3	UEP95	UECS1	19.83			-						<b>+</b>	$\vdash$
-+-	2W VG Loop (SL 1)-Zone 3		1	UEP95	UECS1	16.84					1			1	<del>                                     </del>	+

Version 4Q02: 01/21/03 Page 147 of 402

UNBUNDL	ED NETWORK ELEMENTS - Georgia												Attachi	ment: 2	Exhil	oit: B
CATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	USOC		RA <sup>-</sup>	TES (\$)			d Elec	Svc Order Submitte d Manually per LSR	I Charge - Manual Svc Order vs.	Incrementa I Charge - Manual Svc Order vs. Electronic- Add'I	al Charge - Manual Svc Order vs. Electronic-	al Charge - Manual Svc Order vs.
						Rec	Nonrec	urring	NRC Dis	connect			oss	Rates (\$)		•
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2W VG Loop (SL 2)-Zone 2		2	UEP95	UECS2	19.45										
	2W VG Loop (SL 2)-Zone 3		3	UEP95	UECS2	30.92										
UNE	Port Rate															
All St	ates															
	2W VG Port (Centrex ) Basic Local Area			UEP95	UEPYA	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2W VG Port (Centrex 800 Term)			UEP95	UEPYB	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2W VG Port (Centrex with Caller ID)1Basic Local Area			UEP95	UEPYH	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2W VG Port (Centrex from diff SWC)2 Basic Local Area			UEP95	UEPYM	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2W VG Port, Diff SWC-800 Service Term-Basic Local Area			UEP95	UEPYZ	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2W VG Port terminated in on Megalink or equivalent-Basic Local Area			UEP95	UEPY9	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2W VG Port Terminated on 800 Service Term-Basic Local Area			UEP95	UEPY2	1.79	22.14	15.25	8.45	3.91			33.67	7.88		

NBUNDL	ED NETWORK ELEMENTS - Georgia													ment: 2		bit: B
ATEGORY	RATE ELEMENTS	Interi Zo	on	BCS	USOC		PΔ	ΓES (\$)			Svc Order Submitte d Elec	Svc Order Submitte d	Incrementa I Charge - Manual Svc Order	Incrementa I Charge - Manual Svc Order	Increment al Charge - Manual Svc Order	al Charg
A I LOOK I	IVATE ELEMENTO	m e	9	200	0000		NA.	ι ΕΟ (ψ)				Manually	vs. Electronic- 1st	vs.	vs. Electronic-	vs.
						_	Nonreci	urring	NRC Dis	connect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN			SOMAN	SOMA
FL &	GA Only															
	2W VG Port (Centrex )			UEP95	UEPHA	1.79	22.14	15.25	8.45	3.91			33.67	7.88		1
	2W VG Port (Centrex 800 Term)			UEP95	UEPHB	1.79	22.14	15.25	8.45	3.91			33.67	7.88		1
	2W VG Port (Centrex with Caller ID)1			UEP95	UEPHH	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2W VG Port (Centrex from diff SWC)2			UEP95	UEPHM	1.79	22.14	15.25	8.45	3.91			33.67	7.88		1
	2W VG Port, Diff SWC-800 Service Term			UEP95	UEPHZ	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2W VG Port terminated in on Megalink or equivalent			UEP95	UEPH9	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2W VG Port Terminated on 800 Service Term			UEP95	UEPH2	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
Local	Switching															
	Centrex Intercom Funtionality, per port			UEP95	URECS	0.5554										1
Local	Number Portability				1					1						1
1.2.24	Local No Portability (1 per port)		1	UEP95	LNPCC	0.35										1
Featu						1.30										1
	All Standard Features Offered, per port			UEP95	UEPVF	0.00							33.67	7.88		1
	All Select Features Offered, per port			UEP95	UEPVS	0.00	454.69						33.67	7.88		<del>                                     </del>
	All Centrex Control Features Offered, per port			UEP95	UEPVC	0.00	.000						33.67	7.88		+
NARS				021 00	OL: VO	0.00							00.07	7.00		
IIAING	Unbundled Network Access Register-Combination			UEP95	UARCX	0.00	0.00	0.00					33.67	7.88		
-	Unbundled Network Access Register-Combination		-	UEP95	UAR1X	0.00	0.00	0.00					33.67	7.88		+
	Unbundled Network Access Register-Outdial	1	+	UEP95	UAROX	0.00	0.00	0.00					33.67	7.88		+
Misco	Illaneous Terminations	1	+	OLI 33	OAROX	0.00	0.00	0.00					33.07	7.00		+
	e Trunk Side				+											
2-1111	Trunk Side Terms, each			UEP95	CEND6	11.35	61.91	61.91					33.67	7.88		
4-Wir	e Digital (1.544 Megabits)		-	021 00	OLIVEO	11.00	01.01	01.01					00.07	7.00		+
7 *****	DS1 Circuit Terms, each		-	UEP95	M1HD1	120.80	89.44	52.46					33.67	7.88		+
	DS0 Channels Activated, each			UEP95	M1HDO	0.00	28.71	32.40					33.67	7.88		
Interd	ffice Channel Mileage - 2-Wire			OLI 33	WITIDO	0.00	20.71						33.07	7.00		
intere	Interoffice Channel Facilities Term		+	UEP95	MIGBC	17.07										+
	Interoffice Channel miage, per mi or fraction of mi		+	UEP95	MIGBM	0.0222										+
Foatu	re Activations (DS0) Centrex Loops on Channelized DS1 Service		-	OLI 33	WIIODW	0.0222										+
	nannel Bank Feature Activations		-		+ +											†
D4 01	Feature Activation on D-4 Channel Bank Centrex Loop Slot		+	UEP95	1PQWS	0.62										+
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot		+	UEP95	1PQW6	0.62										+
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot		-	UEP95	1PQW7	0.62										†
	Feature Activation on D-4 Channel Bank Centrex Loop Slot-Diff WC		+	UEP95	1PQWP	0.62										+
	Feature Activation on D-4 Channel Bank Private Line Loop Slot	+	-	UEP95	1PQWV	0.62										+
	Feature Activation on D-4 Channel Bank Tivate Line Loop Slot	+ +	_	UEP95	1PQWQ	0.62										+
	Feature Activation on D-4 Channel Bank WATS Loop Slot	+ +	_	UEP95	1PQWQ	0.62										+
Nor 5	Recurring Charges (NRC) Associated with UNE-P Centrex	+ +	+	UEF95	IFQWA	0.02				1	1	1				+
MOII-I	NRC Conversion Currently Combined Switch-As-Is with allowed	+ +	+		+ +					1	1	1				+
	changes, per port			UEP95	USAC2		2.01	0.3108					33.67	7.88		
	New Centrex Standard Common Block	+-+	+	UEP95 UEP95	M1ACS	0.00	659.41	0.3108	-	<b> </b>	1		33.67	7.88		+
	New Centrex Standard Common Block New Centrex Customized Common Block	+	-	UEP95 UEP95	M1ACS M1ACC	0.00	659.41 659.41		-	-	1		33.67	7.88		+
_	NAR Establishment Charge, Per Occasion	+-+	+	UEP95 UEP95	URECA	0.00	71.88		-	<b> </b>	1		33.67	7.88		+
LINE:		+	-	UEP95	UKECA	0.00	71.88			-	1		33.07	7.88		+
	P CENTREX - DMS100 (Valid in All States)	+	+		+ +					<b> </b>	1	1				+
	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo	+	-		+					-	1					+
UNE	Port/Loop Combination Rates (Non-Design)	+ + -	. —	LIEDOD	+	40.50										<del>                                     </del>
+	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design	1	_	UEP9D	+ +	12.59				<b> </b>	1	1				+
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design	2		UEP9D	+ +	14.26				ļ	1					<del> </del>
1	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design	3	3	UEP9D		21.62				<u> </u>	1	1				

Version 4Q02: 01/21/03 Page 149 of 402

JINDUNDL	ED NETWORK ELEMENTS - Georgia													ment: 2		bit: B
ATEGORY	RATE ELEMENTS	Interi	Zon	BCS	usoc		DΛ	ΓES (\$)			Svc Order Submitte d Elec	Svc Order Submitte	Incrementa I Charge - Manual Svc Order	Incrementa I Charge - Manual Svc Order	Increment al Charge - Manual Svc Order	al Charg Manua
ATEGORT	RATE ELEMENTS	m	е	воз	0300		NA.	I E3 (\$)				Manually	vs. Electronic- 1st	vs.	vs. Electronic- Disc 1st	vs.
			-		-		Nonrec		NDC Dia	connect				Rates (\$)	D100 101	Dioo Auc
_						Rec	First	Add'l	First	Add'l		SOMAN		SOMAN	SOMAN	SOMAN
	2W VG Loop/2W VG Port (Centrex) Port Combo-Design		1	UEP9D		18.63	FIISL	Auu i	FIISL	Auui	SOWIEC	SUMAN	SOWAN	SOWAN	SOMAN	SOWIAN
	2W VG Loop/2W VG Port (Centrex) Port Combo-Design		2	UEP9D		21.24					-					+
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		3	UEP9D		32.71					-					+
LINE	Loop Rate		-	OLI JD	+	JZ.7 1										+
OIAL I	2W VG Loop (SL 1)-Zone 1		1	UEP9D	UECS1	10.80										
	2W VG Loop (SL 1)-Zone 2		2	UEP9D	UECS1	12.47										+
	2W VG Loop (SL 1)-Zone 3		3	UEP9D	UECS1	19.83										+
	2W VG Loop (SL 2)-Zone 1		1	UEP9D	UECS2	16.84										+
	2W VG Loop (SL 2)-Zone 2		2	UEP9D	UECS2	19.45										+
	2W VG Loop (SL 2)-Zone 3		3	UEP9D	UECS2	30.92										
UNE	Port Rate			OLI OD	OLOGE	00.02										
	STATES															†
7,22,	2W VG Port (Centrex ) Basic Local Area			UEP9D	UEPYA	1.79	22.14	15.25	8.45	3.91			33.67	7.88		<del>                                     </del>
	2W VG Port (Centrex 800 Term)Basic Local Area			UEP9D	UEPYB	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2W VG Port (Centrex/EBS-PSET)3Basic Local Area			UEP9D	UEPYC	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2W VG Port (Centrex /EBS-M5009)3Basic Local Area			UEP9D	UEPYD	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2W VG Port (Centrex /EBS-M5209)3 Basic Local Area			UEP9D	UEPYE	1.79	22.14	15.25	8.45	3.91			33.67	7.88		†
	2W VG Port (Centrex /EBS-M5203)3 Basic Local Area			UEP9D	UEPYF	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2W VG Port (Centrex /EBS-M5312)3Basic Local Area			UEP9D	UEPYG	1.79	22.14	15.25	8.45	3.91			33.67	7.88		+
-	2W VG Port (Centrex /EBS-M5008)3 Basic Local Area			UEP9D	UEPYT	1.79	22.14	15.25	8.45	3.91			33.67	7.88		+
-	2W VG Port (Centrex/EBS-M5000)3 Basic Local Area			UEP9D	UEPYU	1.79	22.14	15.25	8.45	3.91			33.67	7.88		+
	2W VG Port (Centrex/EBS-M5216)3 Basic Local Area			UEP9D	UEPYV	1.79	22.14	15.25	8.45	3.91			33.67	7.88		-
	2W VG Port (Centrex/EBS-M5216)3 Basic Local Area			UEP9D	UEPY3	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2W VG Port (Centrex with Caller ID) Basic Local Area			UEP9D	UEPYH	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2W VG Port (Centrex/Caller ID/Msg Wtg Lamp Indication)3 Basic Local Area			UEP9D	UEPYW	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2W VG Port (Centrex/Msg Wtg Lamp Indication)3 Basic Local Area			UEP9D	UEPYJ	1.79	22.14	15.25	8.45	3.91			33.67	7.88		+
	2W VG Port (Centrex/Msg VVg Early Indicator)/3 Basic Local Area			UEP9D	UEPYM	1.79	22.14	15.25	8.45	3.91			33.67	7.88		+
	2W VG Port (Centrex/differ SWC /EBS-PSET)2, 3 Basic Local Area			UEP9D	UEPYO	1.79	22.14	15.25	8.45	3.91			33.67	7.88		+
	2W VG Port (Centres/differ SWC /EBS-M5009)2, 3 Basic Local Area			UEP9D	UEPYP	1.79	22.14	15.25	8.45	3.91			33.67	7.88		<del>                                     </del>
	2W VG Port (Centrex/differ SWC /EBS-5209)2, 3 Basic Local Area			UEP9D	UEPYQ	1.79	22.14	15.25	8.45	3.91			33.67	7.88		<del>                                     </del>
	2W VG Port (Centrex/differ SWC /EBS-M5112)2, 3 Basic Local Area			UEP9D	UEPYR	1.79	22.14	15.25	8.45	3.91			33.67	7.88		<del>                                     </del>
	2W VG Port (Centrex/differ SWC /EBS-M5312)2, 3 Basic Local Area			UEP9D	UEPYS	1.79	22.14	15.25	8.45	3.91			33.67	7.88		<del>                                     </del>
	2W VG Port (Centrex/differ SWC /EBS-M5008)2, 3 Basic Local Area			UEP9D	UEPY4	1.79	22.14	15.25	8.45	3.91			33.67	7.88		1
	2W VG Port (Centrex/differ SWC /EBS-M5208)2, 3 Basic Local Area			UEP9D	UEPY5	1.79	22.14	15.25	8.45	3.91			33.67	7.88		1
	2W VG Port (Centrex/differ SWC /EBS-M5216)2, 3 Basic Local Area			UEP9D	UEPY6	1.79	22.14	15.25	8.45	3.91			33.67	7.88		<del>                                     </del>
	2W VG Port (Centrex/differ SWC /EBS-M5316)2, 3 Basic Local Area			UEP9D	UEPY7	1.79	22.14	15.25	8.45	3.91			33.67	7.88		<del>                                     </del>
	2W VG Port, Diff SWC-800 Service Term			UEP9D	UEPYZ	1.79	22.14	15.25	8.45	3.91			33.67	7.88		<del>                                     </del>
	2W VG Port terminated in on Megalink or equivalent Basic Local Area			UEP9D	UEPY9	1.79	22.14	15.25	8.45	3.91			33.67	7.88		<del>                                     </del>
	2W VG Port Terminated in 6th Megalinik of Equivalent Basic Local Area			UEP9D	UEPY2	1.79	22.14	15.25	8.45	3.91			33.67	7.88		<del>                                     </del>
FL &	GA Only															†
	2W VG Port (Centrex)			UEP9D	UEPHA	1.79	22.14	15.25	8.45	3.91			33.67	7.88		1
	2W VG Port (Centrex 800 Term)			UEP9D	UEPHB	1.79	22.14	15.25	8.45	3.91	1		33.67	7.88		<b>T</b>
	2W VG Port (Centrex/EBS-PSET)3			UEP9D	UEPHC	1.79	22.14	15.25	8.45	3.91			33.67	7.88		<b>†</b>
	2W VG Port (Centrex /EBS-M5009)3			UEP9D	UEPHD	1.79	22.14	15.25	8.45	3.91			33.67	7.88		<b>†</b>
-	2W VG Port (Centrex /EBS-M5209)3		t	UEP9D	UEPHE	1.79	22.14	15.25	8.45	3.91	1		33.67	7.88		<b>†</b>
	2W VG Port (Centrex/EBS-M5112)3			UEP9D	UEPHF	1.79	22.14	15.25	8.45	3.91			33.67	7.88		1
_	2W VG Port (Centrex /EBS-M5312)3			UEP9D	UEPHG	1.79	22.14	15.25	8.45	3.91			33.67	7.88		<b>†</b>
	2W VG Port (Centrex /EBS-M5008)3		H	UEP9D	UEPHT	1.79	22.14	15.25	8.45	3.91			33.67	7.88		<b>†</b>
+	2W VG Port (Centrex/EBS-M5000)3			UEP9D	UEPHU	1.79	22.14	15.25	8.45	3.91	1	1	33.67	7.88		<del>                                     </del>
-	2W VG Port (Centrex/EBS-M5256)3		1	UEP9D	UEPHV	1.79	22.14	15.25	8.45	3.91		1	33.67	7.88	<del>l</del>	

Version 4Q02: 01/21/03 Page 150 of 402

ADOIADE	ED NETWORK ELEMENTS - Georgia	, ,												ment: 2		bit: B
											Svc	Svc	Incrementa			
											Order	Order	I Charge -	I Charge -	al Charge -	
		Intori 7a									Submitte	Submitte	Manual	Manual	Manual	Manua
TEGORY	RATE ELEMENTS	Interi Zo		BCS	USOC		RA	ΓES (\$)			d Elec	d	Svc Order	Svc Order	Svc Order	Svc Orde
		m e	е								per LSR	Manually	vs.	vs.	vs.	vs.
												per LSR	Electronic-	Electronic-	Electronic-	Electroni
													1st	Add'l	Disc 1st	Disc Add
		<del>†                                    </del>			1		Nonreci	ırrina	NRC Dis	connect		1	220	Rates (\$)		I
		<del>                                     </del>			+	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
	2W VG Port (Centrex/EBS-M5316)3	<del>                                     </del>		UEP9D	UEPH3	1.79	22.14	15.25	8.45	3.91	SOMEC	JOWAN	33.67	7.88	JOWAN	SOWAN
	2W VG Port (Centrex with Caller ID)	+ +	-	UEP9D	UEPHH	1.79	22.14	15.25	8.45	3.91	1		33.67	7.88		
_			_	UEP9D	UEPHW	1.79	22.14	15.25	8.45	3.91			33.67	7.88		-
	2W VG Port (Centrex/Caller ID/Msg Wtg Lamp Indication)3 2W VG Port (Centrex/Msg Wtg Lamp Indication)3		_	UEP9D	UEPHV	1.79				3.91			33.67	7.88		-
			_				22.14	15.25	8.45							-
	2W VG Port (Centrex from diff SWC) 2	<del>                                     </del>		UEP9D	UEPHM	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2W VG Port (Centrex/differ SWC /EBS-PSET)2, 3		_	UEP9D	UEPHO	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2W VG Port (Centrex/differ SWC /EBS-M5009)2, 3		_	UEP9D	UEPHP	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2W VG Port (Centrex/differ SWC /EBS-5209)2, 3	$\vdash$	_	UEP9D	UEPHQ	1.79	22.14	15.25	8.45	3.91	<u> </u>		33.67	7.88		<u> </u>
	2W VG Port (Centrex/differ SWC /EBS-M5112)2, 3	$\vdash$		UEP9D	UEPHR	1.79	22.14	15.25	8.45	3.91			33.67	7.88		ļ
	2W VG Port (Centrex/differ SWC /EBS-M5312)2, 3	$oxed{oxed}$		UEP9D	UEPHS	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2W VG Port (Centrex/differ SWC /EBS-M5008)2, 3	$oxed{oxed}$		UEP9D	UEPH4	1.79	22.14	15.25	8.45	3.91	<u> </u>		33.67	7.88		<u> </u>
	2W VG Port (Centrex/differ SWC /EBS-M5208)2, 3	$oxed{oxed}$		UEP9D	UEPH5	1.79	22.14	15.25	8.45	3.91	<u> </u>		33.67	7.88		<u> </u>
	2W VG Port (Centrex/differ SWC /EBS-M5216)2, 3			UEP9D	UEPH6	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2W VG Port (Centrex/differ SWC /EBS-M5316)2, 3			UEP9D	UEPH7	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2W VG Port, Diff SWC-800 Service Term			UEP9D	UEPHZ	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2W VG Port terminated in on Megalink or equivalent			UEP9D	UEPH9	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2W VG Port Terminated on 800 Service Term			UEP9D	UEPH2	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	Switching															
	Centrex Intercom Funtionality, per port			UEP9D	URECS	0.5554										
Local	Number Portability															
	Local No Portability (1 per port)			UEP9D	LNPCC	0.35										
Featu	7 ,	<del>†                                    </del>		OLI 3D	LIVI OO	0.55										
	All Standard Features Offered, per port			UEP9D	UEPVF	0.00										
	All Select Features Offered, per port	<del>                                     </del>	_	UEP9D	UEPVS	0.00	454.69						33.67	7.88		
	All Centrex Control Features Offered, per port	<del>                                     </del>		UEP9D	UEPVC	0.00	454.09						33.07	7.00		-
NARS		<del>                                     </del>		UEP9D	UEPVC	0.00										
	Unbundled Network Access Register-Combination	<del>                                     </del>		UEP9D	UARCX	0.00	0.00	0.00					33.67	7.88		
			_			0.00										-
	Unbundled Network Access Register-Inward	<del>                                     </del>		UEP9D	UAR1X		0.00	0.00					33.67	7.88		
	Unbundled Network Access Register-Outdial	<del>                                     </del>		UEP9D	UAROX	0.00	0.00	0.00					33.67	7.88		
	llaneous Terminations		_													
	Trunk Side		_													
	Trunk Side Terms, each	<u> </u>		UEP9D	CEND6	11.35										
	Digital (1.544 Megabits)		_													
	DS1 Circuit Terms, each			UEP9D	M1HD1	120.80	89.44	52.46					33.67	7.88		
	DS0 Channels Activiated per Channel			UEP9D	M1HDO	0.00	28.71						33.67	7.88		
	ffice Channel Mileage - 2-Wire															
	Interoffice Channel Facilities Term			UEP9D	MIGBC	17.07										
	Interoffice Channel miage, per mi or fraction of mi			UEP9D	MIGBM	0.0222										
	e Activations (DS0) Centrex Loops on Channelized DS1 Service															
D4 Ch	annel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9D	1PQWS	0.62										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9D	1PQW6	0.62										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP9D	1PQW7	0.62								]		
	Feature Activation on D-4 Channel Bank Centrex Loop Slot-Diff WC			UEP9D	1PQWP	0.62										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot		_	UEP9D	1PQWV	0.62					Ì			1		Ì
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot			UEP9D	1PQWQ	0.62										
	Feature Activation on D-4 Channel Bank WATS Loop Slot	1 1	$\dashv$	UEP9D	1PQWA	0.62										
Non-R	ecurring Charges (NRC) Associated with UNE-P Centrex		+	02.02	🔍 / (	3.32										
	NRC Conversion Currently Combined Switch-As-Is with allowed	<del>                                     </del>	+							1	1	1		1		1
	changes, per port			UEP9D	USAC2		2.01	0.3108					33.67	7.88		
	New Centrex Standard Common Block	-		UEP9D	M1ACS	0.00	659.41	0.0100			1	-	33.67	7.88	-	1

Version 4Q02: 01/21/03 Page 151 of 402

UN	BUNDL	ED NETWORK ELEMENTS - Georgia												Attachr	nent: 2	Exhit	oit: B
												Svc	Svc	Incrementa	Incrementa	Increment	Increment
												Order	Order	I Charge -	I Charge -	al Charge -	al Charge -
			l									Submitte	Submitte	Manual	Manual	Manual	Manual
CA	TEGORY	RATE ELEMENTS	Interi	Zon	BCS	USOC		RAT	TES (\$)			d Elec	d	Svc Order	Svc Order	Svc Order	Svc Order
			m	е					. ,			per LSR	Manually	vs.	vs.	vs.	vs.
							-	per LSR	Electronic-	Electronic-	Electronic-	Electronic-					
													-	1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonrecu	ırring	NRC Disc	connect			OSS	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		New Centrex Customized Common Block			UEP9D	M1ACC	0.00	659.41						33.67	7.88		
		NAR Establishment Charge, Per Occasion			UEP9D	URECA	0.00	71.88						33.67	7.88		
UN	BUNDLE	D CENTREX PORT/LOOP COMBINATIONS - MARKET RATES															
	1. Mai	rket Rates are applied where BellSouth is not required by FCC and	or Con	nmis	sion rule to provide l	Jnbundled	Local Switchir	ng or Switch I	Ports.							1	
	2. Rec	curring Charges for all Standard Centrex and Centrex Conrol Featur	es are	Inclu	ded in the Market R	ate											
	3. End	Office and Tandem Switching Usage and Common Transport Usa	ge rate	s in t	the Port section of th	is Exhibit	shall apply to a	II combinatio	ns of loop	port netwo	rk eleme	nts excep	t for UNE	Coin Port/Lo	op Combina	ations.	
		first & add'l Port NRC charges apply to Not Currently Combined Corized accordingly.	ombo	s. Fo	r Currently Combine	d Combos	, the NRC charg	jes shall be th	nose identi	fied in the I	NRC - Cı	rrently Co	ombined se	ections. Add	I'I NRCs may	/ apply also	and are

JNBUNDL	ED NETWORK ELEMENTS - Georgia													ment: 2		bit: B
											Svc Order Submitte	Svc Order Submitte	Incrementa I Charge - Manual	Incrementa I Charge - Manual	Increment al Charge - Manual	
ATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	USOC		RAT	TES (\$)			d Elec per LSR	d Manually per LSR	Svc Order vs. Electronic- 1st	Svc Order vs. Electronic- Add'l	Svc Order vs. Electronic- Disc 1st	vs.
		1					Nonreci		NRC Dis					Rates (\$)	DISC ISL	DISC AU
			-		-	Rec	First	urring Add'l	First		SOMEC	SOMAN			SOMAN	SOMA
LINE	P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only)				+		FIISL	Auu i	FIISL	Auu i	SOMEC	SUMAN	SOWAN	SOWAN	SOMAN	SOIVIA
	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo				+											+
	Port/Loop Combination Rates (Non-Design)				+											+
OINE I	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design	1	1	UEP91	+	24.80										†
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design		2	UEP91		26.47										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		3	UEP91		33.83										
UNF	Port/Loop Combination Rates (Design)		Ŭ	OLIVI		00.00										
0.112	2W VG Loop/2W VG Port (Centrex) Port Combo-Design		1	UEP91		30.84										
+	2W VG Loop/2W VG Port (Centrex) Port Combo-Design		2	UEP91	1	33.45								1		$\vdash$
+	2W VG Loop/2W VG Port (Centrex)Port Combo-Design	1	3	UEP91		44.92										+-
UNF	oop Rate	1	$\vdash$	02101		11.02										t
3,42	2W VG Loop (SL 1)-Zone 1	1	1	UEP91	UECS1	10.80										1
	2W VG Loop (SL 1)-Zone 2		2	UEP91	UECS1	12.47										<del>                                     </del>
	2W VG Loop (SL 1)-Zone 3		3	UEP91	UECS1	19.83										t
	2W VG Loop (SL 2)-Zone 1		1	UEP91	UECS2	16.84										<del>                                     </del>
	2W VG Loop (SL 2)-Zone 2		2	UEP91	UECS2	19.45										t
-	2W VG Loop (SL 2)-Zone 3		3	UEP91	UECS2	30.92										
UNE				OLIGI	02002	00.02										+
	ates (Except North Carolina and Sout Carolina)															
7.11 0.	2W VG Port (Centrex ) Basic Local Area			UEP91	UEPYA	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
_	2W VG Port (Centrex 800 Term)Basic Local Area	1		UEP91	UEPYB	14.00	90.00	45.00	20.00	10.00			33.67	7.88		†
	2W VG Port (Centrex with Caller ID)1Basic Local Area			UEP91	UEPYH	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
	2W VG Port (Centrex from diff SWC)2 Basic Local Area			UEP91	UEPYM	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
	2W VG Port, Diff SWC-800 Service Term-Basic Local Area			UEP91	UEPYZ	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
	2W VG Port terminated in on Megalink or equivalent-Basic Local Area			UEP91	UEPY9	14.00	90.00	45.00	20.00	10.00			33.67	7.88		+
	2W VG Port Terminated in 61 Wiggamin of equivalent Basic Local Area			UEP91	UEPY2	14.00	90.00	45.00	20.00	10.00			33.67	7.88		t
Georg	jia and Florida Only			OLI 31	OLI 12	14.00	30.00	43.00	20.00	10.00			33.07	7.00		
000.5	2W VG Port (Centrex )			UEP91	UEPHA	14.00	90.00	45.00	20.00	10.00			33.67	7.88		+
	2W VG Port (Centrex 800 Term)			UEP91	UEPHB	14.00	90.00	45.00	20.00	10.00			33.67	7.88		+
	2W VG Port (Centrex with Caller ID)1			UEP91	UEPHH	14.00	90.00	45.00	20.00	10.00			33.67	7.88		t
	2W VG Port (Centrex from diff SWC)2			UEP91	UEPHM	14.00	90.00	45.00	20.00	10.00			33.67	7.88		1
	2W VG Port, Diff SWC-800 Service Term			UEP91	UEPHZ	14.00	90.00	45.00	20.00	10.00			33.67	7.88		1
	2W VG Port terminated in on Megalink or equivalent			UEP91	UEPH9	14.00	90.00	45.00	20.00	10.00			33.67	7.88		1
	2W VG Port Terminated on 800 Service Term			UEP91	UEPH2	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
Local	Switching			02.0.	02		00.00	10.00	20.00	10.00			30.01	1.00		1
	Centrex Intercom Funtionality, per port			UEP91	URECS	0.5554										1
Local	Number Portability			<del></del>	1											1
	Local No Portability (1 per port)			UEP91	LNPCC	0.35										
Featu				02.0.	2.1.00	0.00								1		1
	All Standard Features Offered, per port			UEP91	UEPVF	0.00										
	All Select Features Offered, per port			UEP91	UEPVS	0.00	454.69									
	All Centrex Control Features Offered, per port			UEP91	UEPVC	0.00										
NARS	7.1	1	t												1	1
1	Unbundled Network Access Register-Combination	1		UEP91	UARCX	0.00	0.00	0.00					33.67	7.88		1
	Unbundled Network Access Register-Indial	i e		UEP91	UAR1X	0.00	0.00	0.00					33.67	7.88		<b>†</b>
1	Unbundled Network Access Register-Outdial	1		UEP91	UAROX	0.00	0.00	0.00					33.67	7.88		<b>†</b>
Misce	Ilaneous Terminations	i e		02. 0.	57CX	3.50	2.30	3.30					33.01			t
	e Trunk Side	1				1										t
	Trunk Side Terms, each	1		UEP91	CENA6	11.35	61.91	61.91					33.67	7.88		<del>                                     </del>
Interd	ffice Channel Mileage - 2-Wire	1	t		1 2 2.1.1.5		001	3					33.37	1.50	t	<del>                                     </del>
	Interoffice Channel Facilities Term-VG			UEP91	M1GBC	17.07					1	1	1	1	1	<del>†                                    </del>

Version 4Q02: 01/21/03 Page 153 of 402

UNBUNDL	ED NETWORK ELEMENTS - Georgia												Attachi	ment: 2	Exhil	oit: B
											Svc	Svc	Incrementa	Incrementa	Increment	Increment
											Order	Order	I Charge -	I Charge -	al Charge -	al Charge -
			l_								Submitte	Submitte	Manual	Manual	Manual	Manual
CATEGORY	RATE ELEMENTS	Interi		BCS	USOC		RA	TES (\$)			d Elec	d	Svc Order	Svc Order	Svc Order	Svc Order
		m	е					. ,			per LSR	Manually	vs.	vs.	vs.	vs.
											-	per LSR	Electronic-	Electronic-	Electronic-	Electronic-
												-	1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonreci	urring	NRC Disc	connect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Channel miage, per mi or fraction of mi			UEP91	M1GBM	0.0222										

JINDUNUL	ED NETWORK ELEMENTS - Georgia		, ,			1								ment: 2		bit: B
ATEGORY	RATE ELEMENTS	Interi m	i Zon e	BCS	usoc		RA <sup>-</sup>	ΓES (\$)			d Elec	Svc Order Submitte d Manually per LSR	I Charge - Manual Svc Order	Manual Svc Order vs.	al Charge - Manual Svc Order vs.	al Charg Manua Svc Ord vs.
						_	Nonreci	urrina	NRC Dis	sconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
Featu	re Activations (DS0) Centrex Loops on Channelized DS1 Service															
	nannel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP91	1PQWS	0.62										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP91	1PQW6	0.62										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP91	1PQW7	0.62										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot-Diff WC			UEP91	1PQWP	0.62										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP91	1PQWV	0.62										
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot			UEP91	1PQWQ	0.62										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP91	1PQWA	0.62										
Non-	Recurring Charges (NRC) Associated with UNE-P Centrex									1						
	Conversion-Currently Combined Switch-As-Is with allowed changes, per									1						
	port			UEP91	USAC2		2.01	0.3108					33.67	7.88		
	New Centrex Standard Common Block			UEP91	M1ACS	0.00	659.41			1			33.67	7.88		
	New Centrex Customized Common Block			UEP91	M1ACC	0.00	659.41						33.67	7.88		
	Secondary Block, per Block			UEP91	M2CC1	0.00	77.10						33.67	7.88		
	NAR Establishment Charge, Per Occasion			UEP91	URECA	0.00	71.88						33.67	7.88		<u> </u>
UNF-	P CENTREX - 5ESS (Valid in All States)			02. 0.	0112071	0.00	7 1.00						30.01	7.00		
	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo															<u> </u>
	Port/Loop Combination Rates (Non-Design)		+													
0.11	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design		1	UEP95		24.80										<del>                                     </del>
	2W VG Loop/2W VG Fort (Centrex) Fort Combo-Non-Design		2	UEP95		26.47										1
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		3	UEP95		33.83										1
LINE	Port/Loop Combination Rates (Design)		J	OLF 95		33.03										<del>                                     </del>
ONE	2W VG Loop/2W VG Port (Centrex) Port Combo-Design		1	UEP95		30.84										<del>                                     </del>
	2W VG Loop/2W VG Port (Centrex) Port Combo-Design		2	UEP95		33.45										+
-	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		3	UEP95		44.92										<del>                                     </del>
LINE	Loop Rate		3	OLF 93		44.32										<del> </del>
UNL	2W VG Loop (SL 1)-Zone 1		1	UEP95	UECS1	10.80										
	2W VG Loop (SL 1)-Zone 1		2	UEP95	UECS1	12.47										
	2W VG Loop (SL 1)-Zone 3		3	UEP95	UECS1	19.83										<del>                                     </del>
	2W VG Loop (SL 1)-Zone 1		1	UEP95	UECS2	16.84										├──
	2W VG Loop (SL 2)-Zone 1 2W VG Loop (SL 2)-Zone 2		2	UEP95	UECS2	19.45										
	2W VG Loop (SL 2)-Zone 2		3	UEP95	UECS2	30.92										
LINE	Port Rate		J	OLF 93	ULC32	30.92										
All St			+													
A11 01	2W VG Port (Centrex ) Basic Local Area			UEP95	UEPYA	14.00	90.00	45.00	20.00	10.00			33.67	7.88		<del>                                     </del>
-	2W VG Port (Centrex ) Basic Educat Area  2W VG Port (Centrex 800 Term)		+	UEP95	UEPYB	14.00	90.00	45.00	20.00	10.00			33.67	7.88		1
	2W VG Port (Centrex 666 Perm)  2W VG Port (Centrex with Caller ID)1Basic Local Area		+	UEP95	UEPYH	14.00	90.00	45.00	20.00	10.00			33.67	7.88		<del> </del>
	2W VG Port (Centrex with Caller ID) Basic Local Area		+	UEP95	UEPYM	14.00	90.00	45.00	20.00	10.00			33.67	7.88		<del>                                     </del>
	2W VG Port, Diff SWC-800 Service Term-Basic Local Area	<b>—</b>	+	UEP95	UEPYZ	14.00	90.00	45.00	20.00	10.00			33.67	7.88		<del>                                     </del>
+	2W VG Port, Dill SWC-800 Service Term-basic Local Area  2W VG Port terminated in on Megalink or equivalent-Basic Local Area		+	UEP95	UEPY9	14.00	90.00	45.00	20.00	10.00			33.67	7.88		$\vdash$
	2W VG Port Terminated in 6n Wegainik of equivalent-basic Local Area		+	UEP95	UEPY2	14.00	90.00	45.00	20.00	10.00			33.67	7.88		+
EI º	GA Only		+	UEP90	UEP 12	14.00	90.00	45.00	∠0.00	10.00			33.07	7.08		+
rL &	2W VG Port (Centrex )		+	UEP95	UEPHA	14.00	90.00	45.00	20.00	10.00		-	33.67	7.88		<del>                                     </del>
	2W VG Port (Centrex )  2W VG Port (Centrex 800 Term)		$\vdash$	UEP95 UEP95	UEPHB	14.00	90.00	45.00 45.00	20.00	10.00			33.67	7.88		<del>                                     </del>
	,		$\vdash$	UEP95 UEP95	UEPHB					10.00				7.88		<del>                                     </del>
	2W VG Port (Centrex with Caller ID)1 2W VG Port (Centrex from diff SWC)2	-	+		UEPHH	14.00 14.00	90.00	45.00	20.00	10.00	-	-	33.67	7.88		<del> </del>
			$\vdash$	UEP95				45.00	20.00				33.67			
	2W VG Port, Diff SWC-800 Service Term		$\vdash$	UEP95	UEPHZ	14.00	90.00	45.00	20.00	10.00			33.67	7.88		₩
-	2W VG Port terminated in on Megalink or equivalent		$\vdash$	UEP95	UEPH9	14.00	90.00	45.00	20.00	10.00		-	33.67	7.88		<del>                                     </del>
	2W VG Port Terminated on 800 Service Term Switching		$\vdash$	UEP95	UEPH2	14.00	90.00	45.00	20.00	10.00			33.67	7.88	ļ	<b>↓</b>

Version 4Q02: 01/21/03 Page 155 of 402

NBUNDL	ED NETWORK ELEMENTS - Georgia													ment: 2		bit: B
TEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	usoc		RAT	ΓES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitte d Manually per LSR	Incrementa I Charge - Manual Svc Order vs. Electronic- 1st	Incrementa I Charge - Manual Svc Order vs. Electronic- Add'I	al Charge - Manual Svc Order vs. Electronic-	al Char Manu Svc Or vs.
						Rec	Nonreci			sconnect		1 -		Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
	Centrex Intercom Funtionality, per port			UEP95	URECS	0.5554										4
	Number Portability															
	Local No Portability (1 per port)			UEP95	LNPCC	0.35										
Featu																<del> </del>
	All Standard Features Offered, per port			UEP95	UEPVF	0.00	1=1.00						33.67	7.88		<del>                                     </del>
	All Select Features Offered, per port			UEP95	UEPVS	0.00	454.69						33.67	7.88		<del>                                     </del>
	All Centrex Control Features Offered, per port			UEP95	UEPVC	0.00							33.67	7.88		<del>                                     </del>
NARS		-								-						₩
	Unbundled Network Access Register-Combination	+	-	UEP95	UARCX	0.00	0.00	0.00		1			33.67	7.88		₩
	Unbundled Network Access Register-Indial	+	$\vdash$	UEP95	UAR1X	0.00	0.00	0.00	-	1	1		33.67	7.88		₩
	Unbundled Network Access Register-Outdial			UEP95	UAROX	0.00	0.00	0.00					33.67	7.88		—
	Ilaneous Terminations	+	$\vdash$		+				-	1	1					+
	e Trunk Side															╀
	Trunk Side Terms, each			UEP95	CEND6	11.35	61.91	61.91					33.67	7.88		—
	e Digital (1.544 Megabits)					100.00		==								—
	DS1 Circuit Terms, each			UEP95	M1HD1	120.80	89.44	52.46					33.67	7.88		
	DS0 Channels Activated, each			UEP95	M1HDO	0.00	28.71						33.67	7.88		
	ffice Channel Mileage - 2-Wire															<u> </u>
	Interoffice Channel Facilities Term			UEP95	MIGBC	17.07										<u> </u>
	Interoffice Channel miage, per mi or fraction of mi			UEP95	MIGBM	0.0222										4
	re Activations (DS0) Centrex Loops on Channelized DS1 Service															
	annel Bank Feature Activations				150110											—
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	1PQWS	0.62										—
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP95	1PQW6	0.62										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP95	1PQW7	0.62										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot-Diff WC			UEP95	1PQWP	0.62										<u> </u>
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP95	1PQWV	0.62										
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot			UEP95	1PQWQ	0.62										<u> </u>
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP95	1PQWA	0.62										<u> </u>
	ecurring Charges (NRC) Associated with UNE-P Centrex															-
	NRC Conversion Currently Combined Switch-As-ls with allowed															
	changes, per port			UEP95	USAC2		2.01	0.3108					33.67	7.88		<u> </u>
	New Centrex Standard Common Block	+	$\vdash$	UEP95	M1ACS	0.00	659.41		<b> </b>	1	<del>                                     </del>		33.67	7.88		+
	New Centrex Customized Common Block	+	$\vdash$	UEP95	M1ACC URECA	0.00	659.41		<b> </b>	1	<del>                                     </del>		33.67	7.88		+
	NAR Establishment Charge, Per Occasion	+	$\vdash$	UEP95	UKECA	0.00	71.88		<b> </b>	1	<del>                                     </del>		33.67	7.88		+
	CENTREX - DMS100 (Valid in All States)	+	$\vdash$		+ -				<b> </b>	1	<del>                                     </del>					₩
	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo	+-	++		+				<b> </b>	-	-	-				+
	Port/Loop Combination Rates (Non-Design)	+	4	LIEDOD	+	04.60				1	<u> </u>					+
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design	+	1 2	UEP9D UEP9D	+	24.80 26.47				1	<del>                                     </del>					
		+	3	UEP9D UEP9D	+	33.83				1	<del>                                     </del>					
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design	+-	3	UEP9D	+	33.83			<b> </b>	-	-	-				+
	Port/Loop Combination Rates (Design)	1	1	UEP9D	+	30.84				-						+
	2W VG Loop/2W VG Port (Centrex) Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design	1	2	UEP9D UEP9D	+	30.84				-						+
		+-	3	UEP9D UEP9D	+	33.45 44.92			<b> </b>	-	-	-				+
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design	+	3	UEP9D	+ +	44.92			-	+	<u> </u>	1				₩
	oop Rate	+		LIEDOD	LIEGO	40.00				1	<del>                                     </del>					+
	2W VG Loop (SL 1)-Zone 1	+	1	UEP9D	UECS1	10.80			<b> </b>	1	<del>                                     </del>					+
	2W VG Loop (SL 1)-Zone 2	+	2	UEP9D	UECS1	12.47				1						₩
	2W VG Loop (SL 1)-Zone 3	1	3	UEP9D	UECS1	19.83				-	<u> </u>					₩
	2W VG Loop (SL 2)-Zone 1	1 1	1	UEP9D	UECS2	16.84			l	1	1	1		l		

DNRONDE	ED NETWORK ELEMENTS - Georgia													ment: 2		bit: B
											Svc Order	Svc Order	I Charge -	Incrementa I Charge - Manual	al Charge -	al Charg
ATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	usoc		RA <sup>-</sup>	ΓES (\$)			Submitte d Elec	Submitte d	Manual Svc Order	Svc Order	Manual Svc Order	Manua Svc Ord
		""	е								per LSR	Manually per I SR	vs. Electronic-	vs. Flectronic-	vs. Electronic-	vs.
												po. zo.t	1st	Add'l		Disc Add
						Rec	Nonrect First	urring Add'l	NRC Dis	connect Add'l		SOMAN		Rates (\$)	SOMAN	SOMAN
	2W VG Loop (SL 2)-Zone 3		3	UEP9D	UECS2	30.92	FIISt	Addi	FIISt	Addi	SOMEC	SUMAN	SUMAN	SUMAN	SUMAN	SUMAI
UNE	Port Rate															
ALL S	STATES															
	2W VG Port (Centrex ) Basic Local Area			UEP9D	UEPYA	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
	2W VG Port (Centrex 800 Term)Basic Local Area			UEP9D	UEPYB	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
	2W VG Port (Centrex/EBS-PSET)3Basic Local Area			UEP9D	UEPYC	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
	2W VG Port (Centrex /EBS-M5009)3Basic Local Area			UEP9D	UEPYD	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
	2W VG Port (Centrex /EBS-M5209)3 Basic Local Area			UEP9D	UEPYE	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
	2W VG Port (Centrex /EBS-M5112)3 Basic Local Area			UEP9D	UEPYF	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
	2W VG Port (Centrex /EBS-M5312)3Basic Local Area			UEP9D	UEPYG	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
	2W VG Port (Centrex /EBS-M5008)3 Basic Local Area			UEP9D	UEPYT	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
	2W VG Port (Centrex/EBS-M5208)3 Basic Local Area			UEP9D	UEPYU	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
	2W VG Port (Centrex/EBS-M5216)3 Basic Local Area			UEP9D	UEPYV	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
	2W VG Port (Centrex/EBS-M5316)3 Basic Local Area			UEP9D	UEPY3	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
	2W VG Port (Centrex with Caller ID) Basic Local Area			UEP9D	UEPYH	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
	2W VG Port (Centrex/Caller ID/Msg Wtg Lamp Indication)3 Basic Local				-											
	Area			UEP9D	UEPYW	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
	2W VG Port (Centrex/Msg Wtg Lamp Indication)3 Basic Local Area			UEP9D	UEPYJ	14.00	90.00	45.00	20.00	10.00			33.67	7.88		<b>†</b>
	2W VG Port (Centrex from diff SWC) 2 Basic Local Area			UEP9D	UEPYM	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
	2W VG Port (Centrex/differ SWC /EBS-PSET)2, 3 Basic Local Area			UEP9D	UEPYO	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
	2W VG Port (Centrex/differ SWC /EBS-M5009)2, 3 Basic Local Area			UEP9D	UEPYP	14.00	90.00	45.00	20.00	10.00			33.67	7.88		<b>†</b>
_	2W VG Port (Centrex/differ SWC /EBS-5209)2, 3 Basic Local Area			UEP9D	UEPYQ	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
	2W VG Port (Centrex/differ SWC /EBS-M5112)2, 3 Basic Local Area			UEP9D	UEPYR	14.00	90.00	45.00	20.00	10.00			33.67	7.88		1
	2W VG Port (Centrex/differ SWC /EBS-M5312)2, 3 Basic Local Area			UEP9D	UEPYS	14.00	90.00	45.00	20.00	10.00			33.67	7.88		1
	2W VG Port (Centrex/differ SWC /EBS-M5008)2, 3 Basic Local Area			UEP9D	UEPY4	14.00	90.00	45.00	20.00	10.00			33.67	7.88		<b>†</b>
	2W VG Port (Centrex/differ SWC /EBS-M5208)2, 3 Basic Local Area			UEP9D	UEPY5	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
	2W VG Port (Centrex/differ SWC /EBS-M5216)2, 3 Basic Local Area			UEP9D	UEPY6	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
	2W VG Port (Centrex/differ SWC /EBS-M5316)2, 3 Basic Local Area			UEP9D	UEPY7	14.00	90.00	45.00	20.00	10.00			33.67	7.88		1
	2W VG Port, Diff SWC-800 Service Term			UEP9D	UEPYZ	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
	2W VG Port terminated in on Megalink or equivalent Basic Local Area			UEP9D	UEPY9	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
	2W VG Port Terminated on 800 Service Term Basic Local Area			UEP9D	UEPY2	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
FL &	GA Only															
	2W VG Port (Centrex)			UEP9D	UEPHA	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
	2W VG Port (Centrex 800 Term)			UEP9D	UEPHB	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
	2W VG Port (Centrex/EBS-PSET)3			UEP9D	UEPHC	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
	2W VG Port (Centrex /EBS-M5009)3			UEP9D	UEPHD	14.00	90.00	45.00	20.00	10.00			33.67	7.88		<u> </u>
	2W VG Port (Centrex /EBS-M5209)3			UEP9D	UEPHE	14.00	90.00	45.00	20.00	10.00			33.67	7.88		<b>-</b>
	2W VG Port (Centrex /EBS-M5112)3			UEP9D	UEPHF	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
	2W VG Port (Centrex /EBS-M5312)3			UEP9D	UEPHG	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
	2W VG Port (Centrex /EBS-M5008)3			UEP9D	UEPHT	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
	2W VG Port (Centrex/EBS-M5208)3			UEP9D	UEPHU	14.00	90.00	45.00	20.00	10.00			33.67	7.88		<b>-</b>
_	2W VG Port (Centrex/EBS-M5216)3			UEP9D	UEPHV	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
	2W VG Port (Centres/EBS-M5316)3			UEP9D	UEPH3	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
	2W VG Port (Centrex with Caller ID)			UEP9D	UEPHH	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
	2W VG Port (Centrex/Caller ID/Msg Wtg Lamp Indication)3			UEP9D	UEPHW	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
	2W VG Port (Centrex/Galler ID/Wsg Wtg Lamp Indication)3		H	UEP9D	UEPHJ	14.00	90.00	45.00	20.00	10.00		1	33.67	7.88		
	2W VG Port (Centrex/insg Wtg Earn) indication/3		$\vdash$	UEP9D	UEPHM	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
	2W VG Port (Centrex Horri dill SWC) 2  2W VG Port (Centrex/differ SWC /EBS-PSET)2, 3		H	UEP9D	UEPHO	14.00	90.00	45.00	20.00	10.00		1	33.67	7.88		<b>†</b>
+	2W VG Port (Centrex/differ SWC /EBS-M5009)2, 3		$\vdash$	UEP9D	UEPHP	14.00	90.00	45.00	20.00	10.00		<del>                                     </del>	33.67	7.88		$\vdash$
-	2W VG Port (Centrex/differ SWC /EBS-tvisoos)2, 3		$\vdash$	UEP9D	UEPHQ	14.00	90.00	45.00	20.00	10.00		<b></b>	33.67	7.88		$\vdash$
-+-	2W VG Port (Centrex/differ SWC /EBS-5209)2, 3		$\vdash$	UEP9D	UEPHR	14.00	90.00	45.00	20.00	10.00		<del>                                     </del>	33.67	7.88	1	$\vdash$

Version 4Q02: 01/21/03 Page 157 of 402

NBUNDL	ED NETWORK ELEMENTS - Georgia													ment: 2		bit: B
ATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	usoc		RAT	ΓES (\$)			d Elec	Svc Order Submitte d Manually	I Charge - Manual Svc Order vs.	Incrementa I Charge - Manual Svc Order vs.	Increment al Charge Manual Svc Order vs.	- al Char Manu
												per LSR	Electronic- 1st	Electronic- Add'l	Electronic Disc 1st	
						Rec	Nonrecu		NRC Dis		COMEO	COMAN		Rates (\$)	COMAN	COMA
	CINATO DE 1/O 1/ 1/1/ CINO /EDO MECACO O	1		LIEBOD	LIEBLIO	14.00	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMA
	2W VG Port (Centrex/differ SWC /EBS-M5312)2, 3 2W VG Port (Centrex/differ SWC /EBS-M5008)2, 3	+		UEP9D UEP9D	UEPHS UEPH4	14.00	90.00 90.00	45.00 45.00	20.00	10.00			33.67 33.67	7.88 7.88		+
	2W VG Port (Centrex/differ SWC /EBS-N5006)2, 3	1		UEP9D	UEPH5	14.00	90.00	45.00	20.00	10.00			33.67	7.88		+
-	2W VG Port (Centrex/differ SWC /EBS-N5206)2, 3	1		UEP9D	UEPH6	14.00	90.00	45.00	20.00	10.00			33.67	7.88		+
	2W VG Port (Centrex/differ SWC /EBS-N5316)2, 3	1		UEP9D	UEPH7	14.00	90.00	45.00	20.00	10.00			33.67	7.88		+
-	2W VG Port, Diff SWC-800 Service Term	1		UEP9D	UEPHZ	14.00	90.00	45.00	20.00	10.00			33.67	7.88		+
	2W VG Port terminated in on Megalink or equivalent	1		UEP9D	UEPH9	14.00	90.00	45.00	20.00	10.00			33.67	7.88		+
	2W VG Port Terminated in 60 Megalinik of equivalent	+ +		UEP9D	UEPH2	14.00	90.00	45.00	20.00	10.00			33.67	7.88		+
Local	Switching	+		UEFBD	UEPHZ	14.00	90.00	45.00	∠0.00	10.00	<del>                                     </del>	1	33.07	7.08		+
LUCAI	Centrex Intercom Funtionality, per port	+ +	$\vdash$	UEP9D	URECS	0.5554					-					+
Local	Number Portability	1 1	-+	02.100	UNLOG	0.0004				1	<del>                                     </del>	<del>                                     </del>				†
Local	Local No Portability (1 per port)	1 1	-+	UEP9D	LNPCC	0.35				1	<del>                                     </del>	<del>                                     </del>				†
Featu		1	— h	OLI 3D	LIVI OO	0.55										+
1 catu	All Standard Features Offered, per port	1	— h	UEP9D	UEPVF	0.00										+
	All Select Features Offered, per port	1	— h	UEP9D	UEPVS	0.00	454.69						33.67	7.88		+
	All Centrex Control Features Offered, per port	+ +	-	UEP9D	UEPVC	0.00	757.05						33.07	7.00		+
NARS		1		OLF 9D	OLFVC	0.00										+
NAING	Unbundled Network Access Register-Combination	+ +	-	UEP9D	UARCX	0.00	0.00	0.00					33.67	7.88		+
	Unbundled Network Access Register-Combination  Unbundled Network Access Register-Inward	1	— h	UEP9D	UAR1X	0.00	0.00	0.00					33.67	7.88		+
	Unbundled Network Access Register-Outdial	1	— h	UEP9D	UAROX	0.00	0.00	0.00					33.67	7.88		+
Misce	ellaneous Terminations	1	— h	OLI OD	O/ II (O/)	0.00	0.00	0.00					00.07	7.00		+
	e Trunk Side	1			1											1
	Trunk Side Terms, each	1		UEP9D	CEND6	11.35										1
4-Wire	e Digital (1.544 Megabits)	1		02.05	02.120	11.00										<del>†                                      </del>
	DS1 Circuit Terms, each	1		UEP9D	M1HD1	120.80	89.44	52.46					33.67	7.88		1
	DS0 Channels Activiated per Channel	1		UEP9D	M1HDO	0.00	28.71	02.10					33.67	7.88		1
Intero	office Channel Mileage - 2-Wire			02.02		0.00	20						00.01	7.00		1
	Interoffice Channel Facilities Term			UEP9D	MIGBC	17.07										
	Interoffice Channel miage, per mi or fraction of mi			UEP9D	MIGBM	0.0222										
	re Activations (DS0) Centrex Loops on Channelized DS1 Service															
	nannel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9D	1PQWS	0.62										1
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9D	1PQW6	0.62										1
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP9D	1PQW7	0.62										1
	Feature Activation on D-4 Channel Bank Centrex Loop Slot-Diff WC			UEP9D	1PQWP	0.62										1
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9D	1PQWV	0.62										1
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot			UEP9D	1PQWQ	0.62										1
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9D	1PQWA	0.62										1
Non-F	Recurring Charges (NRC) Associated with UNE-P Centrex															1
	NRC Conversion Currently Combined Switch-As-Is with allowed						İ									1
	changes, per port			UEP9D	USAC2		2.01	0.3108					33.67	7.88		1
	New Centrex Standard Common Block			UEP9D	M1ACS	0.00	659.41						33.67	7.88		
	New Centrex Customized Common Block			UEP9D	M1ACC	0.00	659.41						33.67	7.88		
	NAR Establishment Charge, Per Occasion			UEP9D	URECA	0.00	71.88						33.67	7.88		
	1 - Required Port for Centrex Control in 1AESS, 5ESS & EWSD						İ									1
	2 - Requres Interoffice Channel Mileage															
	3 - Requires Specific Customer Premises Equipment			_												T

LINIBIA		ED METIMORIA EL EMENTO DA LA														T	
UNBUN	IDL	ED NETWORK ELEMENTS - Kentucky			1										ment: 2		bit: B
												Svc	Svc	Increment	Increment		
												Order	Order	al Charge	al Charge -	Charge -	al Charge
			Inter	7on								Submitte	Submitte	Manual	Manual	Manual Svo	Manual
CATEGO	RY	RATE ELEMENTS	im	е	BCS	USOC			RATES (\$)			d Elec	d	Svc Order	Svc Order	Order vs.	Svc Orde
				-								per LSR	Manually	vs.	vs.	Electronic-	vs.
												<b>P</b> • · · · · · · · · · · · · · · · · · ·	per LSR	Flectronic	Electronic-		Electronic
													po. zo.t	164	Add'l	2.00 .00	Disc Add
							Rec	Nonre	curring	NRC Discor	nnect			oss	Rates (\$)		
								First	Add'l	First	Add'l					SOMAN	
Th	ie "Z	one" shown in the sections for stand-alone loops or loops as part of	a com	binat	ion refers to Geograp	hically Dea	averaged UNE	Zones. To vie	w Geographica	ally Deaverage	ed UNE Zoi	ne Designa	tions by Co	entral Office	, refer to Int	ernet Websit	ιe:
		vww.interconnection.bellsouth.com/become_a_clec/html/interconnec	tion.h	tm													
		AL SUPPORT SYSTEMS															
		(1) Electronic Service Order: CLEC should contact its contract nego															
is	the I	BellSouth regional electronic service ordering charge. CLEC may ele (2) Any element that can be ordered electronically will be billed according	ect eit	her th	e state specific Comr	nission ord	dered rates for	the electronic	service orderi	ing charges, c	r CLEC ma	y elect the	regional e	lectronic se	rvice orderi	ng charge.	
		ose elements that cannot be ordered electronically at present per the				in this cate	egory reflects t	ne charge tha	t would be bille	ed to a CLEC o	once electro	onic orderi	ing capabil	ities come o	n-line for th	at element.	Otherwise,
the		nual ordering charge, SOMAN, will be applied to a CLECs bill when it	subn	nits a	n LSR to BellSouth.								_				
		Manual Service Order Charge, per LSR, Disconnect Only (KY)				SOMAN				0.99							
	Į.	Electronic OSS Charge, per LSR, submitted via BST's OSS interactive	l -	l -	<u> </u>	1				I T							
	i	nterfaces (Regional)	<u>L</u>	L_	<u> </u>	SOMEC		3.50	<u> </u>	<u> </u>			<u> </u>		<u></u>		
UNE SER	RVIC	E DATE ADVANCEMENT CHARGE															
NC	OTE:	The Expedite charge will be maintained commensurate with BellSou	th's F	CC N	o.1 Tariff, Section 5 as	s applicab	le.										
					ALL UNE EXCEPT												
	[	UNE Expedite Charge per Circuit or Line Assignable USOC, per Day		<u> </u>	UNE-P	SDASP	<u> </u>	200.00	1	<u> </u>			<u> </u>		<u> </u>		
UNBUND	LED	EXCHANGE ACCESS LOOP															
2-\	WIRE	ANALOG VOICE GRADE LOOP															
		2W Analog VG Loop-SL1-Zone 1		1	UEANL	UEAL2	10.56	46.66	22.57	26.65	7.65		7.86				1
		2W Analog VG Loop-SL1-Zone 2		2	UEANL	UEAL2	15.34	46.66	22.57	26.65	7.65		7.86				1
		2W Analog VG Loop-SL1-Zone 3		3	UEANL	UEAL2	31.11	46.66		26.65	7.65		7.86				1
		Unbundled Misc Rate Element, Tag Loop at End User Premise			UEANL	URETL		8.33					7.86				1
		Loop Testing-Basic 1st Half Hour			UEANL	URET1		46.88	46.88				7.86				1
		Loop Testing-Basic Add'l Half Hour			UEANL	URETA		24.16					7.86				†
		CLEC to CLEC Conversion Charge w/o Outside Dispatch (UVL-SL1)			UEANL	UREWO		15.78					7.86				†
		Unbundled Voice Loop, Non-Design Voice Loop, billing for BST			02/1112	ONLING		10.70	0.0 .				7.00				†
		providing make-up (Engineering Information-E.I.)			UEANL	UEANM		13.49	13.49								
		Manual Order Coordination for UVL-SL1s (per loop)			UEANL	UEAMC		9.00					1				+
		Order Coordination for Specified Conversion Time for UVL-SL1 (per			OLYNIL	OL/ (IVIO		0.00	0.00								†
	l li	LSR)			UEANL	OCOSL		23.01	23.01								
2-1	WIRE	E Unbundled COPPER LOOP			OLANE	COCOL		23.01	23.01				-				+
2-1		2W Unbundled Copper Loop-Non-Designed Zone 1		1	UEQ	UEQ2X	10.58	44.97	20.89	25.64	6.65		7.86				+
		2W Unbundled Copper Loop-Non-Designed Zone 2	<del></del>	2	UEQ	UEQ2X	11.51	44.97		25.64	6.65		7.86				+
		2W Unbundled Copper Loop-Non-Designed-Zone 3	<del></del>	3	UEQ	UEQ2X	13.19	44.97		25.64	6.65		7.86				+
		Unbundled Misc Rate Element, Tag Loop at End User Premise	-		UEQ	URETL	13.19	8.33		23.04	0.05		7.86				+
		Order Coordination 2W Unbundled Copper Loop-Non-Designed (per			ULQ	UKLIL		0.55	0.03	1			7.00				+
	l'i	oop)			UEQ	USBMC		9.00	9.00								
<del>  </del> -		OOD) Unbundled Copper Loop, Non-Design Copper Loop, billing for BST			UEW	OODIVIC	1	9.00	9.00	<del>                                     </del>			1	<b>-</b>		1	+
		providing make-up (Engineering Information-E.I.)			UEQ	UEQMU		13.49	13.49								
-		Loop Testing-Basic 1st Half Hour	-	<del>                                     </del>	UEQ	URET1	1	46.88		+			7.86	<del>                                     </del>	1	1	+
-+		Loop Testing-Basic 1st Hall Hour	<b>-</b>	<del>                                     </del>	UEQ	URETA		24.16		+ +			7.86	1		1	+
		CLEC to CLEC Conversion Charge w/o Outside Dispatch (UCL-ND)	<del>                                     </del>	<del>                                     </del>	UEQ	UREWO	1	14.27		† †			7.86	1		1	+
IINBIIND		EXCHANGE ACCESS LOOP			UEW	ONEWO	1	14.27	1.43	<del>                                     </del>			7.00	<b>-</b>		1	+
		E ANALOG VOICE GRADE LOOP	-	<del>                                     </del>	1		1	1	+	+			1	<del>                                     </del>	1	1	+
Z-1		2W Analog VG Loop-SL1-Line Splitting-Zone 1		1	UEPSR UEPSB	UEALS	10.56	46.66	22.57	26.65	7.65		7.86	1		1	+
_		2W Analog VG Loop-SL1-Line Splitting-Zone 1	<u> </u>		UEPSR UEPSB	UEALS	10.56		_		7.65		7.86	<del>                                     </del>	-	1	+
<del></del>		2W Analog VG Loop-SL1-Line Splitting-Zone 1 2W Analog VG Loop-SL1-Line Splitting-Zone 2		2	UEPSR UEPSB	UEALS	15.34	46.66 46.66		26.65 26.65	7.65		7.86	1		1	+
			<u> </u>	2	UEPSR UEPSB			46.66		26.65			7.86	<del>                                     </del>	-	1	+
		2W Analog VG Loop-SL1-Line Splitting-Zone 2		3	UEPSR UEPSB	UEABS	15.34				7.65 7.65			-	-	1	+
		2W Analog VG Loop-SL1-Line Splitting-Zone 3		3		UEALS	31.11	46.66		26.65			7.86	<del>                                     </del>		1	+
LIMBURIO		2W Analog VG Loop-SL1-Line Splitting-Zone 3  EXCHANGE ACCESS LOOP	<b>-</b>	3	UEPSR UEPSB	UEABS	31.11	46.66	22.57	26.65	7.65	-	7.86	<del>                                     </del>	-	1	+
					1				+	<del>                                     </del>			1	<del>                                     </del>		1	+
2-\		E ANALOG VOICE GRADE LOOP		<u> </u>	LIE?	LIEALG	10.5-	1015-	21.5	70.05				1		1	+
-		2W Analog VG Loop-SL2 w/Loop or Ground Start Signaling-Zone 1	<u> </u>	1	UEA	UEAL2	12.67	134.89		73.65	14.88		7.86	1	-	1	+
		2W Analog VG Loop-SL2 w/Loop or Ground Start Signaling-Zone 2		2	UEA	UEAL2	17.45	134.89		73.65	14.88		7.86		1		<del></del>
		2W Analog VG Loop-SL2 w/Loop or Ground Start Signaling-Zone 3	<u> </u>	3	UEA	UEAL2	33.22	134.89		73.65	14.88		7.86		ļ	1	<del>                                     </del>
		Order Coordination for Specified Conversion Time (per LSR)		_	UEA	OCOSL		23.01					<del></del>	-			<del>                                     </del>
		2W Analog VG Loop-SL2 w/Rev Bat Signaling-Zone 1	<u> </u>	1	UEA	UEAR2	12.67	134.89		73.65	14.88		7.86				4
1	- 1:	2W Analog VG Loop-SL2 w/Rev Bat Signaling-Zone 2	l	2	UEA	UEAR2	17.45	134.89	81.87	73.65	14.88		7.86	1	l	1	

Version 4Q02: 01/21/03

NRONDLEL	NETWORK ELEMENTS - Kentucky				1	1						_		ment: 2		oit: B
											Svc	Svc		Increment	Incremental	
											Order	Order	al Charge -	-	Charge -	al Charg
		Inter	Zon								Submitte	Submitte	Manual	Manual	Manual Svc	Manua
ATEGORY	RATE ELEMENTS	im	е	BCS	USOC			RATES (\$)			d Elec	d	Svc Order	Svc Order	Order vs.	Svc Orde
			_								per LSR	Manually	vs.	vs.	Electronic-	vs.
											-	per LSR	Electronic-	Electronic-	Disc 1st	Electronic
												po: 2011	164	Add'l	2.00 .01	Disc Add
						Rec	Nonred	curring	NRC Disco	nnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
2W	/ Analog VG Loop-SL2 w/Rev Bat Signaling-Zone 3		3	UEA	UEAR2	33.22	134.89	81.87	73.65	14.88		7.86				
	der Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		23.01									
	EC to CLEC Conversion Charge w/o outside dispatch			UEA	UREWO		87.72	36.36				7.86				
	op Tagging-SL2 (SL2)			UEA	URETL		10.45	1.03				7.86				
	NALOG VOICE GRADE LOOP			OLA	OILLIE		10.40	1.00			<b>-</b>	7.00			-	-
	/ Analog VG Loop-Zone 1		1	UEA	UEAL4	29.26	164.11	112.36	78.91	18.66		7.86				<del>                                     </del>
			2	UEA	UEAL4	34.25	164.11	112.36	78.91	18.66	ļ	7.86			-	-
	/ Analog VG Loop-Zone 2			UEA	UEAL4	34.25 85.06	164.11	112.36	78.91	18.66		7.86				<del>├</del> ──
	/ Analog VG Loop-Zone 3		3			85.06		112.36	78.91	18.66	ļ	7.86				<b>!</b>
	der Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		23.01									
	EC to CLEC Conversion Charge w/o outside dispatch			UEA	UREWO		87.72	36.36				7.86				<u> </u>
	SDN DIGITAL GRADE LOOP															
2W	/ ISDN Digital Grade Loop-Zone 1		1	UDN	U1L2X	18.44	146.77	95.02	71.38	13.83		7.86				
2W	/ ISDN Digital Grade Loop-Zone 2		2	UDN	U1L2X	25.08	146.77	95.02	71.38	13.83		7.86				
2W	/ ISDN Digital Grade Loop-Zone 3		3	UDN	U1L2X	42.87	146.77	95.02	71.38	13.83		7.86				
Orc	der Coordination For Specified Conversion Time (per LSR)			UDN	OCOSL		23.01									
	EC to CLEC Conversion Charge w/o outside dispatch			UDN	UREWO		91.63	44.16				7.86				
	Iniversal Digital Channel (UDC) COMPATIBLE LOOP											1				
	/ Universal Digital Channel (UDC) Compatible Loop-Zone 1		1	UDC	UDC2X	18.44	146.77	95.02	71.38	13.83		7.86				
	/ Universal Digital Channel (UDC) Compatible Loop-Zone 2		2	UDC	UDC2X	25.08	146.77	95.02	71.38	13.83		7.86				<b>-</b>
	/ Universal Digital Channel (UDC) Compatible Loop-Zone 3		3	UDC	UDC2X	42.87	146.77	95.02	71.38	13.83		7.86				<b></b>
	EC to CLEC Conversion Charge w/o outside dispatch		3	UDC	UREWO	42.07	91.63	44.16	11.30	13.03	ļ	7.86			-	<b>-</b>
			_	UDC	UREWU		91.03	44.16				7.80				<del></del>
	ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPATIBLE	L00	P													ļ
	/ Unbundled ADSL Loop including manl svc inq & facility reservation-															
	ne 1		1	UAL	UAL2X	10.82	141.98	79.73	69.02	11.47		7.86				<u> </u>
2W	/ Unbundled ADSL Loop including manl svc inq & facility reservation-															Ì
	ne 2		2	UAL	UAL2X	11.79	141.98	79.73	69.02	11.47		7.86				
2W	/ Unbundled ADSL Loop including manl svc inq & facility reservation-															
Zor	ne 3		3	UAL	UAL2X	12.87	141.98	79.73	69.02	11.47		7.86				
Ord	der Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		23.01									
2W	/ Unbundled ADSL Loop w/o manl svc ing & facility reservaton-Zone 1		1	UAL	UAL2W	10.82	121.18	69.00	69.09	11.54		7.86				İ
	<u> </u>															
2W	/ Unbundled ADSL Loop w/o manl svc inq & facility reservaton-Zone 2		2	UAL	UAL2W	11.79	121.18	69.00	69.09	11.54		7.86				
												1				
2\/\	/ Unbundled ADSL Loop w/o manl svc inq & facility reservaton-Zone 3		3	UAL	UAL2W	12.87	121.18	69.00	69.09	11.54		7.86				
	der Coordination for Specified Conversion Time (per LSR)		3	UAL	OCOSL	12.07	23.01	03.00	03.03	11.54		7.00				<del>                                     </del>
	EC to CLEC Conversion Charge w/o outside dispatch			UAL	UREWO		86.20	40.40				7.86				
	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE			UAL	UKEWU		00.20	40.40			ļ	7.00			-	<b>-</b>
		LOOP	1									-				<del>                                     </del>
	/ Unbundled HDSL Loop including manl svc inq & facility reservation-		١.				454.54	00.00	00.00			7.00				
	ne 1		1	UHL	UHL2X	8.75	151.54	89.29	69.09	11.54		7.86				
	/ Unbundled HDSL Loop including manl svc inq & facility reservation-															
	ne 2		2	UHL	UHL2X	9.56	151.54	89.29	69.09	11.54		7.86				
2W	/ Unbundled HDSL Loop including manl svc inq & facility reservation-															Ì
Zor	ne 3		3	UHL	UHL2X	10.61	151.54	89.29	69.09	11.54		7.86				Ì
Orc	der Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		23.01									
2W	/ Unbundled HDSL Loop w/o manl svc ing & facility reservation-Zone															
1 1	• • • • • • • • • • • • • • • • • • • •		1	UHL	UHL2W	8.75	130.74	78.56	69.09	11.54		7.86				
2W	/ Unbundled HDSL Loop w/o manl svc ing & facility reservation-Zone				1							1.50			1	
2			2	UHL	UHL2W	9.56	130.74	78.56	69.09	11.54		7.86				İ
2//	/ Unbundled HDSL Loop w/o manl svc ing & facility reservation-Zone			OI IL	OI ILZ VV	3.50	150.14	70.50	33.03	11.54	<del>                                     </del>	7.00			t	<del>                                     </del>
200	onbunded ridge coop w/o main svc inq a lacility reservation-20ne	l	3	UHL	UHL2W	10.61	130.74	78.56	69.09	11.54		7.86			1	1
3	der Coordination for Specified Conversion Time (per LSD)	<b>-</b>	3	UHL	OCOSL	10.01	23.01	76.56	69.09	11.54	1	7.86	<del> </del>		<del>                                     </del>	<del>                                     </del>
	der Coordination for Specified Conversion Time (per LSR)							40.40				7.00			<del>                                     </del>	
	EC to CLEC Conversion Charge w/o outside dispatch		<u> </u>	UHL	UREWO		86.14	40.40				7.86			1	<del> </del>
	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE	LOOP	1		-							1				
	/ Unbundled HDSL Loop including manl svc inq & facility reservation-	l	1						]			1			1	1
	ne 1		1	UHL	UHL4X	13.95	185.75	123.50	74.95	14.69	<u> </u>	7.86	1			1

CATGOON RATE ELEMENTS   Not 200   Sec 300   Sec 300   Sec 300   Sec 400   Se	ONDLE	D NETWORK ELEMENTS - Kentucky		, ,			ı					_	_		nent: 2		bit: B
ATTECHNY  RATE LEMENTS  IND  RAT																	
### BCS USO ### PATE (#) USO ### PATE (#) USO ### PATE (#) USO ### PATE (#) USO ### PATE (#) USO **** PATE (*) USO  PATE (*) USO **** PATE (*) USO **** PATE (*) USO **** PATE (*) USO **** PATE (*) USO **** PATE (*) USO **** PATE (*) USO **** PATE (*) USO **** PATE (*) USO **** PATE (*) USO **** PATE (*) USO **** PATE (*) USO **** PATE (*) USO **** PATE (*) USO **** PATE (*) USO **** PATE (*) USO **** PATE (*) USO **** PATE (*) USO  PATE (*) USO **** PATE (*) USO **** PATE (*) USO **** PATE (*)														_	-	_	al Charge
Mail of Library   Mail of Li			Inter	Zon								Submitte	Submitte	Manual	Manual	Manual Svc	Manual
William   Will	GORY	RATE ELEMENTS			BCS	USOC			RATES (\$)			d Elec	d	Svc Order	Svc Order	Order vs.	Svc Orde
No.   Proceedings   Process   Proc				ľ								per LSR	Manually	vs.	vs.	Electronic-	vs.
AV Urbunded HOSL Loop including mail six init & Solidy reservation:  44 Urbunded HOSL Loop including mail six init & Solidy reservation:  45 Urbunded HOSL Loop including mail six init & Solidy reservation:  46 Urbunded HOSL Loop with mail six init & Solidy reservation:  47 Urbunded HOSL Loop with mail six init & Solidy reservation:  48 Urbunded HOSL Loop with mail six init & Solidy reservation:  49 Urbunded HOSL Loop with mail six init & Solidy reservation:  40 Urbunded HOSL Loop with mail six init & Solidy reservation:  40 Urbunded HOSL Loop with mail six init & Solidy reservation:  40 Urbunded HOSL Loop with mail six init & Solidy reservation:  40 Urbunded HOSL Loop with mail six init & Solidy reservation:  40 Urbunded HOSL Loop with mail six init & Solidy reservation:  40 Urbunded HOSL Loop with mail six init & Solidy Reservation:  40 Urbunded HOSL Loop with mail six init & Solidy Reservation:  40 Urbunded HOSL Loop with mail six init & Solidy Reservation:  40 Urbunded HOSL Loop with mail six init & Solidy Reservation:  40 Urbunded HOSL Loop with mail six init & Solidy Reservation:  40 Urbunded HOSL Loop with mail six init & Solidy Reservation:  40 Urbunded HOSL Loop with mail six init & Solidy Reservation:  40 Urbunded HOSL Loop with mail six init & Solidy Reservation:  40 Urbunded HOSL Loop with a six init & Solidy Reservation:  40 Urbunded HOSL Loop with a six init & Solidy Reservation:  40 Urbunded HOSL Loop with a six init & Solidy Reservation:  40 Urbunded HOSL Loop with a six init & Solidy Reservation:  40 Urbunded HOSL Loop with a six init & Solidy Reservation:  40 Urbunded HOSL Loop with a six init & Solidy Reservation:  40 Urbunded HOSL Loop with a six init & Solidy Reservation:  40 Urbunded HOSL Loop with a six init & Solidy Reservation:  40 Urbunded HOSL Loop with a six init & Solidy Reservation:  40 Urbunded HOSL Loop with a six init & Solidy Reservation:  40 Urbunded HOSL Loop with a six init & Solidy Reservation:  40 Urbunded HOSL Loop with a six init & Solidy Reservation:  40 Urbunded HOSL Lo												-	per LSR	Electronic-	Electronic-	Disc 1st	Electronic
## Distributed HOSL Loop including mail occining & facility reservation: ### Unbranded HOSL Loop including mail occining & facility reservation: ### Unbranded HOSL Loop including mail occining & facility reservation: ### Unbranded HOSL Loop with mail occining the facility reservation: ### Unbranded HOSL Loop with mail occining the facility reservation: ### Unbranded HOSL Loop with mail occining the facility reservation: ### Unbranded HOSL Loop with mail occining the facility reservation: ### Unbranded HOSL Loop with mail occining the facility reservation: ### Unbranded HOSL Loop with mail occining the facility reservation: ### Unbranded HOSL Loop with mail occining the facility reservation: ### Unbranded HOSL Loop with mail occining the facility reservation: ### Unbranded HOSL Loop with mail occining the facility reservation: ### Unbranded HOSL Loop with mail occining the facility reservation: ### Unbranded HOSL Loop with mail occining the facility reservation: ### Unbranded HOSL Loop with mail occining the facility reservation: ### Unbranded HOSL Loop with mail occining the facility reservation: ### Unbranded HOSL Loop with mail occining the facility reservation: ### Unbranded HOSL Loop with mail occining the facility reservation: ### Unbranded HOSL Loop with mail occining the facility reservation: ### Unbranded HOSL Loop with mail occining the facility reservation: ### Unbranded HOSL Loop with mail occining the facility reservation: ### Unbranded HOSL Loop with mail occining the facility reservation: ### Unbranded HOSL Loop with mail occining the facility reservation: ### Unbranded HOSL Loop with mail occining the facility reservation: ### Unbranded HOSL Loop with mail occining the facility reservation: ### Unbranded HOSL Loop with mail occining the facility reservation: ### Unbranded HOSL Loop with part occining the facility reservation. ### Unbranded HOSL Loop with part occining the facility reservation. ### Unbranded HOSL Loop with part occining the facility reservation. ### Unbranded HOSL Loop with part o													•	1c+	Add'l		Disc Add
### Unbunded HDSL Loop including mail or in a 6 tooling reservation   1 2 Unit. Unit.xxx   15.60   185.75   123.00   74.55   14.60   7.80   7.							Rec										
Zone 2								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
AV Unburded HSISL Loop including man is set may 6 facility resonance 2 / 2 / 2 / 2 / 2 / 2 / 2 / 2 / 2 / 2																	
Zero 3			-	2	UHL	UHL4X	15.68	185.75	123.50	74.95	14.69		7.86				
Order Contribution for Specified Connection Time (per LSR)																	
AV Unbounded H75EL Loop with mark size ring & facility reservation-Zone   1				3			16.98		123.50	74.95	14.69		7.86				
1					UHL	OCOSL		23.01									
AV Unburded HDSL Lop with mark set ing & Incisity essentation-Zone   2	4	W Unbundled HDSL Loop w/o manl svc inq & facility reservation-Zone															
2	1			1	UHL	UHL4W	13.95	164.95	114.04	77.32	15.80		7.86				
AW Unbunded Field Loop was mad sec in § 8 belief yesenation-Zone   3 UPH, UPI, AW   16,98   14,495   114,04   77,32   15,80   7,86	4	W Unbundled HDSL Loop w/o manl svc inq & facility reservation-Zone															
3   Order Coordination for Specified Conversion Time (per LSR)	2			2	UHL	UHL4W	15.68	164.95	114.04	77.32	15.80		7.86				
Order Contrination for Specialist Conversion Time (per LSR)   UHL   SCOSIL   23.01	4	W Unbundled HDSL Loop w/o manl svc inq & facility reservation-Zone				1		,					l .				
CIEC to CIEC Conversion Charge we outside disposition	3			3			16.98		114.04	77.32	15.80		7.86				
AWRE 515 Digital Loop-Zone 1																	
W DS1 Digital Loop-Zone 1					UHL	UREWO		86.14	40.40				7.86				
W DS1 Digital Loop-Zone 2   2 USL USLX 114.10   306.89   174.44   65.83   14.55   7.86																	
W DS1 Ogistal Loop-Zone 3																	
Order Coordination for Specified Conversion Time (per LSR)																	
CLEC to CLEC Conversion Charge w/o outside dispatch   USL UREWO   101.09   43.04				3			297.76		174.44	65.83	14.55		7.86				
AWW Unbundled Digital 122 Kbps																	
AW Unbundled Digital 19.2 Kbps					USL	UREWO		101.09	43.04								
AW Unburded Digital 192 Kbps																	
AW Unbundled Digital 19.2 Kbps																	
AW Unbundled Digital Loop 56 Khps-Zone 2   2   UDL   UDL56   32.48   157.81   106.06   78.91   18.66   7.86																	
AW Unbundled Digital Loop 56 Khps-Zone 2																	
My Unbundled Diotal Loop 5 Richez-Zone 3   3 UDL   UDL56   36.37   157.81   106.06   78.91   18.66   7.86																	
Order Coordination for Specified Conversion Time (per LSR)																	
AW Unbundled Digital Loop 64 Kbps-Zone 1				3			36.37		106.06	78.91	18.66		7.86				
AW Unbunded Digital Loop 64 Kbps-Zone 2   2 UDL UDL64   32.48   157.81   106.06   78.91   18.66   78.6																	
AWY Unbundled Digital Loop 64 Kbps-Zone 3																	
Order Coordination for Specified Conversion Time (per LSR)																	
CLEC to CLEC Conversion Charge w/o outside dispatch   UDL   UREWO   102.13   49.75   7.86				3			36.37		106.06	78.91	18.66		7.86				
ZWIRE Unbundled COPPER LOOP																	
2W Unbundled Copper Loop/Short including manl svc inq & facility reservation-Zone 1					UDL	UREWO		102.13	49.75				7.86				
Teservation-Zone 1																	
2W Unbundled Copper Loop/Short including manl svc inq & facility reservation-Zone 2																	
reservation-Zone 2				1	UCL	UCLPB	10.82	140.95	78.70	69.09	11.54		7.86				
2W Unbundled Copper Loop/Short including manl svc inq & facility reservation-Zone 3   3   UCL   UCLPB   12.87   140.95   78.70   69.09   11.54   7.86																	
reservation-Zone 3   3   UCL   UCLPB   12.87   140.95   78.70   69.09   11.54   7.86				2	UCL	UCLPB	11.79	140.95	78.70	69.09	11.54		7.86				
Order Coordination for Unbundled Copper Loops (per loop)																	
2W Unbundled Copper Loop/Short w/o manl svc inq & facility reservation-Zone 1				3			12.87			69.09	11.54		7.86				
Teservation-Zone 1					UCL	UCLMC		9.00	9.00								
2W Unbundled Copper Loop/Short w/o manl svc inq & facility reservation-Zone 2																	
Teservation-Zone 2				1	UCL	UCLPW	10.82	120.15	67.97	69.09	11.54		7.86				
2W Unbundled Copper Loop/Short w/o manl svc inq & facility reservation-Zone 3																	
Preservation-Zone 3   3				2	UCL	UCLPW	11.79	120.15	67.97	69.09	11.54		7.86				
Order Coordination for Unbundled Copper Loops (per loop)  2W Unbundled Copper Loop/Long-includes manl svc inq & facility reservation-Zone 1  2W Unbundled Copper Loop/Long-includes manl svc inq & facility reservation-Zone 2  2W Unbundled Copper Loop/Long-includes manl svc inq & facility reservation-Zone 2  2																	
2W Unbundled Copper Loop/Long-includes manl svc inq & facility   1				3			12.87			69.09	11.54		7.86				
Teservation-Zone 1					UCL	UCLMC		9.00	9.00	<b> </b>		ļ					
2W Unbundled Copper Loop/Long-includes manl svc inq & facility reservation-Zone 2 UCL UCL2L 36.94 140.95 78.70 69.09 11.54 7.86  2W Unbundled Copper Loop/Long-includes manl svc inq & facility reservation-Zone 3 3 UCL UCL2L 69.95 140.95 78.70 69.09 11.54 7.86  Order Coordination for Unbundled Copper Loops (per loop) UCL UCLMC 9.00 9.00 9.00						1											
reservation-Zone 2				1	UCL	UCL2L	24.91	140.95	78.70	69.09	11.54		7.86				
2W Unbundled Copper Loop/Long-includes manl svc inq & facility reservation-Zone 3 UCL UCL2L 69.95 140.95 78.70 69.09 11.54 7.86 Order Coordination for Unbundled Copper Loops (per loop) 2W Unbundled Copper Loop/Long-w/o manl svc inq & facility reservation-						1		,					l .				
reservation-Zone 3         3         UCL         UCL2L         69.95         140.95         78.70         69.09         11.54         7.86           Order Coordination for Unbundled Copper Loops (per loop)         UCL         UCLMC         9.00         9.00         9.00           2W Unbundled Copper Loop/Long-w/o manl svc inq & facility reservation-         VCLMC         9.00         9.00         9.00				2	UCL	UCL2L	36.94	140.95	78.70	69.09	11.54	ļ	7.86				
Order Coordination for Unbundled Copper Loops (per loop)  2W Unbundled Copper Loop/Long-w/o manl svc inq & facility reservation-				_				,									
2W Unbundled Copper Loop/Long-w/o manl svc inq & facility reservation				3			69.95			69.09	11.54	ļ	7.86				
					UCL	UCLMC		9.00	9.00								$\vdash$
					UCL	UCL2W	24.91	120.15	67.97	69.09	11.54		7.86				

UNBUNDL	ED NETWORK ELEMENTS - Kentucky												Attachi	ment: 2	Exhil	bit: B
CATEGORY	RATE ELEMENTS	Inter im	Zon e	всѕ	USOC			RATES (\$)			Svc Order Submitte d Elec per LSR	d	Increment al Charge - Manual Svc Order vs. Electronic-	al Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svo Order vs. Electronic- Disc 1st	al Charge Manual Svc Orde vs. Electronic
						_	Nonrec	curring	NRC Disco	nnect		<u> </u>	OSS	Rates (\$)	ı	Disc Add'
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2W Unbundled Copper Loop/Long-w/o manl svc ing & facility reservation															
	Zone 2		2	UCL	UCL2W	36.94	120.15	67.97	69.09	11.54		7.86				
	2W Unbundled Copper Loop/Long-w/o manl svc inq & facility reservation															
	Zone 3		3	UCL	UCL2W	69.95	120.15	67.97	69.09	11.54		7.86				
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		9.00	9.00								
	CLEC to CLEC Conversion Charge w/o outside dispatch (UCL-Des)			UCL	UREWO		97.23	42.48				7.86				
4-WIR	E COPPER LOOP															+
	4W Copper Loop/Short-including manl svc inq & facility reservation-Zone		1	UCL	UCL4S	16.92	170.31	108.06	74.95	14.69		7.86				
	4W Copper Loop/Short-including manl svc ing & facility reservation-Zone		- 1	UCL	UCL43	10.92	170.31	100.00	74.95	14.09		7.00				+
	2	l	2	UCL	UCL4S	17.36	170.31	108.06	74.95	14.69		7.86				
	4W Copper Loop/Short-including manl svc ing & facility reservation-Zone			OOL	JULTU	17.30	170.51	100.00	74.33	17.03	1	7.00				<del>                                     </del>
	3	l	3	UCL	UCL4S	28.10	170.31	108.06	74.95	14.69		7.86				
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC	20.10	9.00	9.00	7 1.00	1 1100		1.00				
	4W Copper Loop/Short-w/o manl svc inq & facility reservation-Zone 1		1	UCL	UCL4W	16.92	149.52	97.33	74.95	14.69		7.86				1
	4W Copper Loop/Short-w/o manl svc inq & facility reservation-Zone 2		2	UCL	UCL4W	17.36	149.52	97.33	74.95	14.69		7.86				
	4W Copper Loop/Short-w/o manl svc inq & facility reservation-Zone 3		3	UCL	UCL4W	28.10	149.52	97.33	74.95	14.69		7.86				
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		9.00	9.00								_
	4W Unbundled Copper Loop/Long-includes manl svc inq & facility		_													
	reservation-Zone 1		1	UCL	UCL4L	46.91	170.31	108.06	74.95	14.69		7.86				
	4W Unbundled Copper Loop/Long-includes manl svc inq & facility reservation-Zone 2		2	UCL	UCL4L	45.78	170.31	108.06	74.95	14.69		7.86				
-	4W Unbundled Copper Loop/Long-includes manl svc inq & facility			UCL	UCL4L	45.78	170.31	108.06	74.95	14.69		7.80				+
	reservation-Zone 3		3	UCL	UCL4L	171.34	170.31	108.06	74.95	14.69		7.86				
	Order Coordination for Unbundled Copper Loops (per loop)		3	UCL	UCLMC	171.34	9.00	9.00	74.95	14.03		7.00				+
	4W Unbundled Copper Loop/Long-w/o manl svc ing & facility reservation			002	0020		0.00	0.00								†
	Zone 1		1	UCL	UCL4O	46.91	149.52	97.33	74.95	14.69		7.86				
	4W Unbundled Copper Loop/Long-w/o manl svc inq & facility reservation															1
	Zone 2		2	UCL	UCL40	45.78	149.52	97.33	74.95	14.69		7.86				
	4W Unbundled Copper Loop/Long-w/o manl svc inq & facility reservation															
	Zone 3		3	UCL	UCL40	171.34	149.52	97.33	74.95	14.69		7.86				
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		9.00	9.00								
LOOP MODI	CLEC to CLEC Conversion Charge w/o outside dispatch (UCL-Des)			UCL	UREWO		97.23	42.48				7.86				+
LOOP MODI	FICATION			UAL,UHL,UCL,UEQ,												+
				ULS,UEA,UEANL,UE												
	Unbundled Loop Modification, Removal of Load Coils-2W pr < or = 18kft			PSR,UEPSB	ULM2L		9.24	9.24				7.86				
	Unbundled Loop Modification, Removal of Load Coils-2W pi < of = Tokit			UCL,ULS,UEQ	ULM2G	<b>-</b>	342.24	342.24	<del>                                     </del>		1	7.86				<del>                                     </del>
	Unbundled Loop Modification Removal of Load Coils-4W < or = 18kft			UHL,UCL	ULM4L		9.24	9.24				7.86				1
	Unbundled Loop Modification Removal of Load Coils-4W pr > 18kft			UCL	ULM4G		342.24	342.24				7.86				
	·			UAL,UHL,UCL,UEQ,					İ							
1 1	Unbundled Loop Modification Removal of Bridged Tap Removal, per	l		ULS,UEA,UEANL,UE					]							
	unbundled loop			PSR,UEPSB	ULMBT		10.47	10.47			ļ	7.86				
SUB-LOOPS																
Sub-L	oop Distribution	<u> </u>		UEANL	USBSA		207.91	207.91				7.86				+
$\vdash$	Sub-Loop-Per Cross Box Location-CLEC Feeder Facility Set-Up Sub-Loop-Per Cross Box Location-Per 25 pr Panel Set-Up	H		UEANL	USBSB	-	12.50	12.50	<del>                                     </del>		-	7.86				+
	Sub-Loop-Per Cross Box Location-Per 25 pr Panel Set-Up Sub-Loop-Per Building Equipment Room-CLEC Feeder Facility Set-Up	H		UEANL	USBSC		80.87	80.87	+		<del>                                     </del>	7.86				+
	Sub-Loop-Per Building Equipment Room-Per 25 pr Panel Set-Up	H		UEANL	USBSD		45.04	45.04				7.86				+
	Sub-Loop Distribution Per 2W Analog VG Loop-Zone 1	Ħ	1	UEANL	USBN2	6.34	85.03	39.05	59.81	7.90		7.86				+
	Sub-Loop Distribution Per 2W Analog VG Loop-Zone 2	i	2	UEANL	USBN2	9.06	85.03	39.05	59.81	7.90		7.86				1
	Sub-Loop Distribution Per 2W Analog VG Loop-Zone 3		3	UEANL	USBN2	14.82	85.03	39.05	59.81	7.90		7.86				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr			UEANL	USBMC		9.00	9.00								
	Sub-Loop Distribution Per 4W Analog VG Loop -Zone 1		1	UEANL	USBN4	8.14	102.31	56.32	65.24	10.88		7.86				$\perp$
	Sub-Loop Distribution Per 4W Analog VG Loop -Zone 2		2	UEANL	USBN4	8.63	102.31	56.32	65.24	10.88		7.86				
	Sub-Loop Distribution Per 4W Analog VG Loop -Zone 3		3	UEANL	USBN4	25.60	102.31	56.32	65.24	10.88	ļ	7.86			ļ	
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr	L		UEANL	USBMC		9.00	9.00				l				

UNBU	NDL	ED NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhil	bit: B
												Svc	Svc	Increment		Incremental	Increment
												Order	Order	al Charge	al Charge -	Charge -	al Charge -
			Inter	Zon								Submitte	Submitte	Manual	Manual	Manual Svo	Manual
CATEG	ORY	RATE ELEMENTS	im	e	BCS	USOC			RATES (\$)			d Elec	d	Svc Order	Svc Order	Order vs.	Svc Order
			""	ľ								per LSR	Manually	vs.	vs.	Electronic-	vs.
													per LSR	Electronic-	Electronic-	Disc 1st	Electronic-
<b>—</b>			-					Names	curring	NRC Discor	noot			1c+	Rates (\$)		Disc Add'l
-							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
-		Sub-Loop 2W Intrabuilding Network Cable (INC)	+		UEANL	USBR2	2.57	68.35	22.36	59.81	7.90		7.86	JOWAN	JOWAN	JOMAN	JOIVIAIN
		Order Coordination for Unbundled Sub-Loops, per sub-loop pr	† <u>'</u>		UEANL	USBMC	2.07	9.00	9.00	00.01	7.00		7.00				†
		Sub-Loop 4W Intrabuilding Network Cable (INC)	T		UEANL	USBR4	4.98	76.49	30.51	65.24	10.88		7.86				1
		Order Coordination for Unbundled Sub-Loops, per sub-loop pr			UEANL	USBMC		9.00	9.00								1
		2W Copper Unbundled Sub-Loop Distribution-Zone 1	П	1	UEF	UCS2X	5.45	85.03	39.05	59.81	7.90		7.86				1
		2W Copper Unbundled Sub-Loop Distribution-Zone 2	ı	2	UEF	UCS2X	7.06	85.03	39.05	59.81	7.90		7.86				
		2W Copper Unbundled Sub-Loop Distribution-Zone 3		3	UEF	UCS2X	9.67	85.03	39.05	59.81	7.90		7.86				
		Order Coordination for Unbundled Sub-Loops, per sub-loop pr			UEF	USBMC		9.00	9.00								
		4W Copper Unbundled Sub-Loop Distribution-Zone 1		1	UEF	UCS4X	7.09	102.31	56.32	65.24	10.88		7.86				
		4W Copper Unbundled Sub-Loop Distribution-Zone 2		2	UEF	UCS4X	8.66	102.31	56.32	65.24	10.88		7.86				
		4W Copper Unbundled Sub-Loop Distribution-Zone 3	- 1	3	UEF	UCS4X	19.40	102.31	56.32	65.24	10.88		7.86				<u> </u>
		Order Coordination for Unbundled Sub-Loops, per sub-loop pr	<u> </u>		UEF	USBMC		9.00	9.00								_
		dled Sub-Loop Modification	-														+
		Unbundled Sub-Loop Modification-2-W Copper Dist Load Coil/Equip Removal per 2-W PR			UEF	ULM2X		5.23	5.23				7.86				
-		Unbundled Sub-loop Modification-4-W Copper Dist Load Coil/Equip	1		UEF	ULIVIZA		3.23	5.23				7.00				+
		Removal per 4-W PR			UEF	ULM4X		5.23	5.23				7.86				
<del>                                     </del>		Unbundled Sub-loop Modification-2-w/4-w Copper Dist Bridged Tap			OLI	OLIVIAN		3.23	3.23				7.00				+
		Removal, per PR unloaded			UEF	ULM4T		7.97	7.97				7.86				
		dled Network Terminating Wire (UNTW)			OL:	OLIVITI		7.07	7.07				7.00				†
		Unbundled Network Terminating Wire (UNTW) per pr			UENTW	UENPP	0.53	23.51	23.51				7.86				1
		rk Interface Device (NID)															1
		Network Interface Device (NID)-1-2 lines			UENTW	UND12		73.53	49.47				7.86				
		Network Interface Device (NID)-1-6 lines			UENTW	UND16		115.96	91.91				7.86				1
		Network Interface Device Cross Connect-2 W			UENTW	UNDC2		8.56	8.56				7.86				
		Network Interface Device Cross Connect-4W			UENTW	UNDC4		8.56	8.56				7.86				
SUB-LO																	
		pop Feeder															
		USL-Feeder, DS0 Set-up per Cross Box location-CLEC Distribution			UEA,UDN,UCL,UDL,	LIODEW		007.04					7.00				
		Facility set-up	1		UDC UEA,UDN,UCL,UDL,	USBFW		207.91		-			7.86		-		+
		USL Feeder-DS0 Set-up per Cross Box location-per 25 pr set-up			UDC	USBFX		12.50	12.50				7.86				
<del>                                     </del>		USL Feeder DS1 Set-up at DSX location, per DS1 Term			USL	USBFZ		527.98	11.32				7.86				+
		Unbundled Sub-Loop Feeder Loop, 2W Ground Start, VG-Zone 1		1	UEA	USBFA	7.67	114.83	64.61	72.34	17.21		7.86				1
		Unbundled Sub-Loop Feeder Loop, 2W Ground-Start, VG-Zone 2		2	UEA	USBFA	9.70	114.83	64.61	72.34	17.21		7.86				†
		Unbundled Sub-Loop Feeder Loop, 2W Ground-Start, VG-Zone 3		3	UEA	USBFA	19.53	114.83	64.61	72.34	17.21		7.86				†
		Order Coordination for Specified Conversion Time, per LSR			UEA	OCOSL		23.01							İ		
		Unbundlde Sub-Loop Feeder Loop, 2W Loop-Start, VG-Zone 1		1	UEA	USBFB	7.67	114.83	64.61	72.34	17.21		7.86				
		Unbundled Sub-Loop Feeder Loop, 2W Loop-Start, VG-Zone 2		2	UEA	USBFB	9.70	114.83	64.61	72.34	17.21		7.86				
		Unbundled Sub-Loop Feeder Loop, 2W Start Loop, VG-Zone 3	1	3	UEA	USBFB	19.53	114.83	64.61	72.34	17.21		7.86				<u> </u>
		Order Coordination for Specified Time Conversion, per LSR			UEA	OCOSL		23.01									
		Unbundled Sub-Loop Feeder Loop, 2W Rev Bat, VG-Zone 1	<u> </u>	1	UEA	USBFC	7.67	114.83	64.61	72.34	17.21		7.86				<u> </u>
		Unbundled Sub-Loop Feeder Loop, 2W Rev Bat, VG-Zone 2	<u> </u>	2	UEA	USBFC	9.70	114.83	64.61	72.34	17.21		7.86				4
		Unbundled Sub-Loop Feeder Loop, 2W Rev Bat, VG-Zone 3 Order Coordination For Specified Conversion Time, per LSR	1	3	UEA UEA	USBFC	19.53	114.83 23.01	64.61	72.34	17.21		7.86		-		+
		Unbundled Sub-Loop Feeder Loop, 4W Ground-Start, VG-Zone 1		1	UEA	USBFD	22.82	131.73	79.98	81.82	51.56		7.86	-	-		+
<del>     </del>		Unbundled Sub-Loop Feeder Loop, 4W Ground-Start, VG-Zone 1 Unbundled Sub-Loop Feeder Loop, 4W Ground-Start, VG-Zone 2	+	2	UEA	USBFD	27.24	131.73	79.98	81.82	51.56	-	7.86	<del>                                     </del>	<del>                                     </del>		+
$\vdash$		Unbundled Sub-Loop Feeder Loop, 4W Ground Start, VG-Zone 3	1	3	UEA	USBFD	61.41	131.73	79.98	81.82	51.56	<b>†</b>	7.86				+
		Order Coordination For Specified Conversion Time, Per LSR	1	J	UEA	OCOSL	31.71	23.01	7 0.50	31.02	31.00		7.50	<b>†</b>	<b>†</b>		+
		Unbundled Sub-Loop Feeder Loop, 4W Loop-Start, VG-Zone 1	1	1	UEA	USBFE	22.82	131.73	79.98	81.82	51.56		7.86				†
		Unbundled Sub-Loop Feeder Loop, 4W Loop-Start, VG-Zone 2	1	2	UEA	USBFE	27.24	131.73	79.98	81.82	51.56		7.86				1
		Unbundled Sub-Loop Feeder Loop, 4W Loop-Start, VG-Zone 3		3	UEA	USBFE	61.41	131.73	79.98	81.82	51.56		7.86				
		Order Coordination For Specified Conversion Time, Per LSR			UEA	OCOSL		23.01									
		Unbundled Sub-Loop Feeder Loop, 2W ISDN BRI-Zone 1		1	UDN	USBFF	13.00	131.79	80.04	74.16	16.60		7.86				
oxdot		Unbundled Sub-Loop Feeder Loop, 2W ISDN BRI-Zone 2		2	UDN	USBFF	16.95	131.79	80.04	74.16	16.60		7.86				
		Unbundled Sub-Loop Feeder Loop, 2W ISDN BRI-Zone 3	1	3	UDN	USBFF	28.95	131.79	80.04	74.16	16.60		7.86				<u> </u>
		Order Coordination For Specified Conversion Time, Per LSR	<u> </u>		UDN	OCOSL		23.01								ļ	

ONBOND	_ED NETWORK ELEMENTS - Kentucky			,										ment: 2		bit: B
											Svc	Svc	Increment		Incremental	
											Order	Order	al Charge ·	al Charge -	Charge -	al Charge
		Inter	Zon								Submitte	Submitte	Manual	Manual	Manual Svc	Manual
CATEGORY	RATE ELEMENTS	im	е	BCS	USOC			RATES (\$)			d Elec	d	Svc Order	Svc Order	Order vs.	Svc Order
		""									per LSR	Manually	vs.	vs.	Electronic-	vs.
												per LSR	Electronic-	Electronic-	Disc 1st	Electronic
									1100 D:			-	1c+			Disc Add
						Rec	Nonred		NRC Discor					Rates (\$)		
		_	L .	LIDO	110050	40.00	First	Add'I	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
-+-	Unbundled Sub-Loop Feeder, 2W UDC (IDSL compatible)		2	UDC UDC	USBFS	13.00	131.79	80.04	74.16 74.16	16.60		7.86				
-+	Unbundled Sub-Loop Feeder, 2W UDC (IDSL compatible) Unbundled Sub-Loop Feeder, 2W UDC (IDSL compatible)	_	3	UDC	USBFS	16.95 28.95	131.79 131.79	80.04 80.04	74.16	16.60		7.86 7.86				
+-	Unbundled Sub-Loop Feeder, 2W ODC (IDSL compatible) Unbundled Sub-Loop Feeder Loop, 4W DS1-Zone 1	_	1	USL	USBFS	62.57	125.43	73.68	81.82	16.60 21.56		7.86				
-+	Unbundled Sub-Loop Feeder Loop, 4W DS1-Zone 1 Unbundled Sub-Loop Feeder Loop, 4W DS1-Zone 2	-	2	USL	USBFG	87.71	125.43	73.68	81.82	21.56		7.86				1
	Unbundled Sub-Loop Feeder Loop, 4W DS1-Zone 3		3	USL	USBFG	273.33	125.43	73.68	81.82	21.56		7.86				
	Order Coordination For Specified Conversion Time, Per LSR		3	USL	OCOSL	213.33	23.01	73.00	01.02	21.50		7.00				1
-+	Unbundled Sub-Loop Feeder, 2W Copper Loop-Zone 1	1	1	UCL	USBFH	6.44	105.31	53.57	71.16	13.61		7.86				
	Unbundled Sub-Loop Feeder Loop, 2W Copper Loop-Zone 2		2	UCL	USBFH	5.78	105.31	53.57	71.16	13,61		7.86				
	Unbundled Sub-Loop Feeder Loop, 2W Copper Loop-Zone 3		3	UCL	USBFH	4.25	105.31	53.57	71.16	13.61		7.86				
	Order Coordination For Specified Conversion Time, per LSR		Ŭ	UCL	OCOSL	1.20	23.01	00.01	7 1110	.0.01		7.00				
	Sub-Loop Feeder-Per 4W Copper Loop-Zone 1		1	UCL	USBFJ	11.33	125.55	73.80	77.12	16.86		7.86				
	Sub-Loop Feeder-Per 4W Copper Loop-Zone 2	1	2	UCL	USBFJ	10.18	125.55	73.80	77.12	16.86		7.86			İ	
	Sub-Loop Feeder-Per 4W Copper Loop-Zone 3		3	UCL	USBFJ	10.32	125.55	73.80	77.12	16.86		7.86				
	Order Coordination For Specified Conversion Time, per LSR			UCL	OCOSL		23.01		-							
	Sub-Loop Feeder-Per 4W 19.2 Kbps Digital Grade Loop		1	UDL	USBFN	20.78	125.43	73.68	81.82	21.56		7.86				
	Sub-Loop Feeder-Per 4W 19.2 Kbps Digital Grade Loop		2	UDL	USBFN	26.41	125.43	73.68	81.82	21.56		7.86				
	Sub-Loop Feeder-Per 4W 19.2 Kbps Digital Grade Loop		3	UDL	USBFN	23.10	125.43	73.68	81.82	21.56		7.86				
	Sub-Loop Feeder-Per 4W 56 Kbps Digital Grade Loop-Zone 1		1	UDL	USBFO	20.78	125.43	73.68	81.82	21.56		7.86				
	Sub-Loop Feeder-Per 4W 56 Kbps Digital Grade Loop-Zone 2		2	UDL	USBFO	26.41	125.43	73.68	81.82	21.56		7.86				
	Sub-Loop Feeder-Per 4W 56 Kbps Digital Grade Loop-Zone 3		3	UDL	USBFO	23.10	125.43	73.68	81.82	21.56		7.86				
	Order Coordination For Specified Time Conversion, per LSR			UDL	OCOSL		23.01									
	Sub-Loop Feeder-Per 4W 64 Kbps Digital Grade Loop-Zone 1		1	UDL	USBFP	20.78	125.43	73.68	81.82	21.56		7.86				
	Sub-Loop Feeder-Per 4W 64 Kbps Digital Grade Loop-Zone 2		2	UDL	USBFP	26.41	125.43	73.68	81.82	21.56		7.86				
	Sub-Loop Feeder-Per 4W 64 Kbps Digital Grade Loop-Zone 3		3	UDL	USBFP	23.10	125.43	73.68	81.82	21.56		7.86				
	Order Coordination For Specified Conversion Time, per LSR			UDL	OCOSL		23.01									
SUB-LOOPS		_														
Sub-l	oop Feeder			=-												
	Sub Loop Feeder-DS3-Per mi Per mo			UE3	1L5SL	15.38										
	Sub Loop Feeder-DS3-Facility Term Per mo			UE3	USBF1	346.30	3,402.59	407.14	160.86	91.19		7.86				
+-	Sub Loop Feeder – STS-1 – Per mi Per mo	<u> </u>		UDLSX	1L5SL	15.38	0.400.50	407.44	400.00	04.40		7.00				
+-	Sub Loop Feeder-STS-1-Facility Term Per mo Sub Loop Feeder – OC-3 – Per mi Per mo	++		UDLSX UDLO3	USBF7 1L5SL	372.80 11.67	3,402.59	407.14	160.86	91.19		7.86				
-+		++		UDLO3	USBF5	58.27										1
	Sub Loop Feeder-OC-3-Facility Term Protection Per mo Sub Loop Feeder-OC-3-Facility Term Per mo	+ +		UDLO3	USBF2	564.68	3,402.59	407.14	160.86	91.19		7.86				
	Sub Loop Feeder-OC-12-Per mi Per mo	<del>+ i</del>		UDL12	1L5SL	14.36	3,402.33	407.14	100.00	31.13		7.00				1
-+	Sub Loop Feeder-OC-12-Fer IIII Fer IIII0  Sub Loop Feeder-OC-12-Facility Term Protection Per mo	<del>+ i</del>		UDL12	USBF6	658.35										
-+	Sub Loop Feeder-OC-12-Facility Term Per mo	+ i		UDL12	USBF3	1,778.00	3,402,59	407.14	160.86	91.19	<b>†</b>	7.86				
-+	Sub Loop Feeder-OC-12-1 actifity Ferriti Ferritio	<del>- Li</del>		UDL48	1L5SL	47.11	0,402.03	-107.14	130.00	91.19		7.00				
-+	Sub Loop Feeder-OC-48-Facility Term Protection Per mo	<del>- Li</del>		UDL48	USBF9	330.39										
	Sub Loop Feeder-OC-48-Facility Term Per mo	Ti		UDL48	USBF4	1,533.00	3,587.59	407.14	160.86	91.19		7.86			İ	
	Sub Loop Feeder-OC-12 Interface On OC-48	i		UDL48	USBF8	372.76	804.96	407.14	160.86	91.19		7.86			İ	
UNBUNDLE	D LOOP CONCENTRATION				1	,,,,,,,	3220		,,,,,							
	Unbundled Loop Concentration-System A (TR008)			ULC	UCT8A	423.72	359.34	359.34				7.86			1	
	Unbundled Loop Concentration-System B (TR008)			ULC	UCT8B	51.60	149.72	149.72				7.86				
	Unbundled Loop Concentration-System A (TR303)			ULC	UCT3A	460.27	359.34	359.34				7.86				
	Unbundled Loop Concentration-System B (TR303)			ULC	UCT3B	86.95	149.72	149.72				7.86				
	Unbundled Loop Concentration-DS1 Loop Interface Card			ULC	UCTCO	4.90	71.69	51.51	22.99	6.00		7.86				
	Unbundled Loop Concentration-ISDN Loop Interface (Brite Card)			UDN	ULCC1	7.78	16.59	16.50	8.42	8.37		7.86				
	Unbundled Loop Concentration-UDC Loop Interface (Brite Card)			UDC	ULCCU	7.78	16.59	16.50	8.42	8.37		7.86				
	Unbundled Loop Concentration2W Voice-Loop Start or Ground Start														<u> </u>	
	Loop Interface (POTS Card)		l	UEA	ULCC2	1.95	16.59	16.50	8.42	8.37		7.86				
			_													1
	Unbundled Loop Concentration-2W Voice-Rev Bat Loop Interface															
	Unbundled Loop Concentration-2W Voice-Rev Bat Loop Interface (SPOTS Card)			UEA	ULCCR	11.58	16.59	16.50	8.42	8.37		7.86				
	Unbundled Loop Concentration-2W Voice-Rev Bat Loop Interface				ULCCR ULCC4 UCTTC	11.58 6.90 33.74	16.59 16.59 16.59	16.50 16.50 16.50	8.42 8.42 8.42	8.37 8.37 8.37		7.86 7.86 7.86				

UNBUNDL	ED NETWORK ELEMENTS - Kentucky												Attachi	ment: 2	Exhil	bit: B
											Svc	Svc	Increment	Increment	Incremental	Incremen
											Order	Order	al Charge -	al Charge -	Charge -	al Charge
			<b></b>								Submitte	Submitte	Manual	Manual	Manual Svc	Manual
CATEGORY	RATE ELEMENTS	Inter		BCS	USOC		ı	RATES (\$)			d Elec	d	Svc Order		Order vs.	Svc Order
		im	е					.,				Manually	vs.	VS.	Electronic-	vs.
											per Lak		_	_		
												per LSR	Electronic-	V44,1	Disc 1st	Electronic-
						_	Nonrec	urrina	NRC Discor	nect			OSS	Rates (\$)		TIMES ASST
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN		SOMAN	SOMAN
	Unbundled Loop Concentration-Digital 56 Kbps Data Loop Interface			UDL	ULCC5	10.23	16.59	16.50	8.42	8.37		7.86				
	Unbundled Loop Concentration-Digital 64 Kbps Data Loop Interface			UDL	ULCC6	10.23	16.59	16.50	8.42	8.37		7.86				
UNE OTHER	, PROVISIONING ONLY - NO RATE															
	NID-Dispatch & Service Order for NID installation			UENTW	UNDBX	0.00	0.00									1
	UNTW Circuit Id Establishment, Provisioning Only-No Rate			UENTW	UENCE	0.00	0.00									1
				UEANL,UEF,UEQ,U												
	Unbundled Contract Name, Provisioning Only-No Rate			ENTW	UNECN	0.00	0.00									
UNE OTHER	, PROVISIONING ONLY - NO RATE			2.11111	ONLON	0.00	0.00									
1	,			UAL,UCL,UDC,UDL,												1
	Unbundled Contact Name, Provisioning Only-no rate			UDN,UEA,UHL,ULC	UNECN	0.00	0.00									1
- 1	Unbundled Sub-Loop Feeder-2W Cross Box Jumper-no rate	<b>-</b>		UEA,UDN,UCL,UDC		0.00	0.00		<b>†</b>				<del>l</del>		1	<del>                                     </del>
	Unbundled Sub-Loop Feeder-4W Cross Box Jumper-no rate			UEA,USL,UCL,UDL		0.00	0.00						i			1
<del>-  </del>	Unbundled DS1 Loop-Superframe Format Option-no rate			USL	CCOSF	0.00	0.00		<b>+</b>				1			<del>                                     </del>
	Unbundled DS1 Loop-Expanded Superframe Format option-no rate	<del>                                     </del>	<del>                                     </del>	USL	CCOEF	0.00	0.00		<b> </b>				<b> </b>			+
HIGH CAPAC	CITY UNBUNDLED LOCAL LOOP			UUL	OOOLI.	0.00	0.00									+
	: minimum billing period of three months for DS3 and above Local Loc		<del>                                     </del>	<del> </del>			· ·		-				<del> </del>			+
	High Capacity Unbundled Local Loop-DS3-Per mi per mo	JP I		UE3	1L5ND	9.25										
				UE3	UE3PX	308.31	551.38	338.08	173.00	120.42	-	7.86				+
	High Capacity Unbundled Local Loop-DS3-Facility Term per mo High Capacity Unbundled Local Loop-STS-1-Per mi per mo			UDLSX	1L5ND	9.25	551.36	338.08	173.00	120.42	-	7.80				+
							554.00	338.08	470.00	400.40		7.86				+
	High Capacity Unbundled Local Loop-STS-1-Facility Term per mo			UDLSX	UDLS1	320.51	551.38	338.08	173.00	120.42	-	7.86				+
LOOP MAKE																-
	Loop Makeup-Preordering w/o Reservation, per working or spare facility			110.417			00.40	00.40								
	queried (Manual).			UMK	UMKLW		23.40	23.40								-
	Loop Makeup-Preordering With Reservation, per spare facility queried			110.417			04.05	04.05								
	(Manual).			UMK	UMKLP		24.85	24.85								
	Loop MakeupWith or w/o Reservation, per working or spare facility			110.417	DOI 18.417		0.07	0.07								
	queried (Mechanized)			UMK	PSUMK		0.67	0.67								
	JENCY SPECTRUM															
	SHARING															
SPLIT	TERS-CENTRAL OFFICE BASED															
	Line Sharing Splitter, per System 96 Line Capacity			ULS	ULSDA	198.83	379.05	0.00	358.55	0.00		7.86				
	Line Sharing Splitter, per System 24 Line Capacity			ULS	ULSDB	49.71	379.05	0.00	358.55	0.00		7.86				
	Line Sharing Splitter, Per System, 8 Line Capacity			ULS	ULSD8	16.94	377.71	0.00	357.29	0.00		7.86				
	Line Sharing-DLEC Owned Splitter in CO-CFA activation-deactivation															1
	(per LSOD)	<u> </u>	<u> </u>	ULS	ULSDG		173.62	0.00	100.40	0.00		7.86	ļ			<del></del>
END (	JSER ORDERING-CENTRAL OFFICE BASED-HIGH FREQUENCY SPEC	TRUI	M AK													
	Line Sharing -per Line Activation (BST Owned Splitter)			ULS	ULSDC	0.61	37.16	21.28	20.17	9.90		7.86				
	Line Sharing-per Subsqnt Activity per Line Rearrangement(BST Owned		1										l			1
	Splitter)			ULS	ULSDS		32.90	16.43				7.86	ļ			<del>                                     </del>
	Line Sharing-per Subsqnt Activity per Line Rearrangement(DLEC															1
	Owned Splitter)			ULS	ULSCS		32.90	16.43				7.86	ļ			<del>                                     </del>
	Line Sharing-per Line Activation (DLEC owned Splitter)			ULS	ULSCC	0.61	47.44	19.31	20.67	12.74		7.86				1
	SPLITTING												ļ			<del>                                     </del>
	JSER ORDERING-CENTRAL OFFICE BASED	<u> </u>					ļ									1
1	Line Splitting-per line activation DLEC owned splitter			UEPSR UEPSB	UREOS	0.61	ļ									1
	Line Splitting-per line activation BST owned-physical			UEPSR UEPSB	UREBP	0.61	37.02	21.20	21.10	9.87		7.86				1
	Line Splitting-per line activation BST owned-virtual			UEPSR UEPSB	UREBV	0.61	37.02	21.20	21.10	9.87		7.86				1
	TE SITE HIGH FREQUENCY SPECTRUM												ļ			
SPLIT	TERS-REMOTE SITE	<u> </u>					ļ									1
	Remote Site Line Share BST Owned Splitter, 24 Port			ULS	ULSRB	38.55	114.83	0.00	84.55	0.00		7.86	ļ			1
] ]	Remote Site Line Share Cable pr Activation CLEC Owned at RS &															1
	Deactivation			ULS	ULSTG		95.65	0.00	67.87	0.00		7.86				
END (	JSER ORDERING-REMOTE SITE HIGH FREQUENCY SPECTRUM AKA	REM	OTE S	SITE LINE SHARING				-								
	Remote Site Line Share Line Activation for End User Served at RS, BST														<u> </u>	
	Splitter			ULS	ULSRC	0.61	37.16	21.28	20.17	9.90		7.86				
	RS Line Share Line Activation for End User served at RS, CLEC Splitter			ULS	ULSTC	0.61	37.16	21.28	20.17	9.90		7.86				
	Remote Site Line Share Subsqnt Activity-RS BST Owned Splitter			ULS	ULSRS		49.16	17.83				7.86				

UNB	UNDL	ED NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhib	oit: B
		-										Svc	Svc	Increment	Increment	Incremental	Increment
												Order	Order	al Charge	al Charge -	Charge -	al Charge -
			late.	7								Submitte	Submitte	Manual	Manual	Manual Svc	Manual
CATE	GORY	RATE ELEMENTS		Zon	BCS	USOC		F	RATES (\$)			d Elec	d	Svc Order	Svc Order		Svc Order
			im	е									Manually	vs.	vs.	Electronic-	vs.
												per Lore			Electronic-		Electronic-
													per Lor	164	Add'I	Diac rat	Disc Add'l
							Rec	Nonrec	urring	NRC Disco	nnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Remote Site Line Share Subsqnt Activity-RS CLEC Owned Splitter	1		ULS	ULSTS		49.16	17.83				7.86				
UNBL	NDLE	D DEDICATED TRANSPORT															
	NOTE	: INTEROFFICE CHANNEL DEDICATED TRANSPORT - minimum billing	ng per	iod - I	pelow DS3=one mon	th, above D	3=four months										
	INTER	OFFICE CHANNEL - DEDICATED TRANSPORT															
		Interoffice Channel-Dedicated Transport-2W VG-Per mi per mo			U1TVX	1L5XX	0.01										
		Interoffice Channel-Dedicated Transport-2W VG-Facility Term			U1TVX	U1TV2	29.11	47.34	31.78	22.77	8.75		7.86				
		Interoffice Channel-Dedicated Transport-2W VG Rev Bat-Per mi per mo			U1TVX	1L5XX	0.01										
		Interoffice Channel-Dedicated Transport-2W VG Rev BatFacility Term			U1TVX	U1TR2	29.11	47.34	31.78	22.77	8.75		7.86				
		Interoffice Channel -Dedicated Transport-4W VG-Per mi per mo			U1TVX	1L5XX	0.01										
		Interoffice Channel -Dedicated Transport-4W VG-Facility Term			U1TVX	U1TV4	25.86	47.34	31.78	22.77	8.75		7.86				
		Interoffice Channel-Dedicated Transport-56 kbps-per mi per mo			U1TDX	1L5XX	0.0115										
		Interoffice Channel-Dedicated Transport-56 kbps-Facility Term			U1TDX	U1TD5	20.97	47.35	31.78	22.77	8.75		7.86				
		Interoffice Channel-Dedicated Transport-64 kbps-per mi per mo			U1TDX	1L5XX	0.0115										
		Interoffice Channel-Dedicated Transport-64 kbps-Facility Term			U1TDX	U1TD6	20.97	47.35	31.78	22.77	8.75		7.86				
		Interoffice Channel-Dedicated Channel-DS1-Per mi per mo			U1TD1	1L5XX	0.23										
		Interoffice Channel-Dedicated Tranport-DS1-Facility Term			U1TD1	U1TF1	96.04	105.52	98.46	23.09	20.49		7.86				
		Interoffice Channel -Dedicated Transport-DS3-Per mi per mo			U1TD3	1L5XX	4.97										
		Interoffice Channel-Dedicated Transport-DS3-Facility Term per mo			U1TD3	U1TF3	1,175.15	335.40	219.24	89.57	87.75		7.86				
		Interoffice Channel-Dedicated Transport-STS-1-Per mi per mo			U1TS1	1L5XX	4.97										
		Interoffice Channel-Dedicated Transport-STS-1-Facility Term			U1TS1	U1TFS	1,149.51	335.40	219.24	89.57	87.75		7.86				
	LOCA	L CHANNEL - DEDICATED TRANSPORT															
	NOTE	: LOCAL CHANNEL DEDICATED TRANSPORT - minimum billing perio	od = b	elow	DS3=one month, abo	ve DS3=fou	r months										
		Local Channel-Dedicated-2W VG			ULDVX	ULDV2	18.57	265.78	46.96	46.79	4.98		7.86				
		Local Channel-Dedicated-2W VG Rev Bat			ULDVX	ULDR2	18.57	265.78	46.96		4.98		7.86				
		Local Channel-Dedicated-4W VG			ULDVX	ULDV4	19.86	266.48	47.65	47.54	5.73		7.86			_	
		Local Channel-Dedicated-DS1-Zone 1		1	ULDD1	ULDF1	40.46	209.60	176.51	30.21	21.07		7.86				
		Local Channel-Dedicated-DS1 -Zone 2		2	ULDD1	ULDF1	43.39	209.60	176.51	30.21	21.07		7.86				
		Local Channel-Dedicated-DS1 -Zone 3		3	ULDD1	ULDF1	164.50	209.60	176.51	30.21	21.07		7.86				
		Local Channel-Dedicated-DS3-Per mi per mo			ULDD3	1L5NC	8.74										
		Local Channel-Dedicated-DS3-Facility Term			ULDD3	ULDF3	576.05	551.38	338.08	173.00	120.42		7.86				
		Local Channel-Dedicated-STS-1-Per mi per mo			ULDS1	1L5NC	8.74										
		Local Channel-Dedicated-STS-1 -Facility Term			ULDS1	ULDFS	543.24	551.38	338.08	173.00	120.42		7.86				

ONDOND	LED NETWORK ELEMENTS - Kentucky				1	I					0	0		ment: 2		bit: B
CATEGORY	Y RATE ELEMENTS	Inter im	Zon e	BCS	usoc			RATES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitte d Manually per LSR	Increment al Charge Manual Svc Order vs. Electronic	al Charge - Manual Svc Order vs.	Incremental Charge - Manual Svo Order vs. Electronic- Disc 1st	al Charg Manua Svc Ord
						Rec	Nonred	curring	NRC Disco	nnect			OSS	Rates (\$)	ı	TINCC Add
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
DARK FIBE																
	Dark Fiber, Four Fiber Strands, Per Route mi or Fraction Thereof per mo-	-														
	Local Channel			UDF	1L5DC	47.01										
	NRC Dark Fiber-Local Channel			UDF	UDFC4		732.53	192.67	377.27	241.67		7.86				-
	Dark Fiber, Four Fiber Strands, Per Route mi or Fraction Thereof per mo-			LIDE	41.505	00.74										
	Interoffice Channel  NRC Dark Fiber-Interoffice Channel			UDF UDF	1L5DF UDF14	30.74	732.53	192.67	377.27	241.67		7.86	-			+
	Dark Fiber, Four Fiber Strands, Per Route mi or Fraction Thereof per mo-			UDF	UDF 14		132.33	192.07	311.21	241.07		7.00				+
	Local Loop			UDF	1L5DL	47.01										
	NRC Dark Fiber-Local Loop			UDF	UDFL4	47.01	732.53	192.67	377.27	241.67		7.86				+
8XX ACCES	SS TEN DIGIT SCREENING			05.	05.2.		702.00	.02.01	011.21	211.01		7.00				1
	8XX Access Ten Digit Screening, Per Call			OHD		0.0006478										
	8XX Access Ten Digit Screening, Reservation Charge Per 8XX No			97.1-												
	Reserved			OHD	N8R1X		4.14	0.70				7.86				
	8XX Access Ten Digit Screening, Per 8XX No. Established W/O POTS															
	Translations			OHD			8.78	1.18	7.08	0.86		7.86				
	8XX Access Ten Digit Screening, Per 8XX No. Established With POTS															1
	Translations			OHD	N8FTX		8.78	1.18	7.08	0.86		7.86				
	8XX Access Ten Digit Screening, Customized Area of Service Per 8XX															
	No			OHD	N8FCX		4.14	2.07				7.86				
	8XX Access Ten Digit Screening, Multiple InterLATA CXR Routing Per															
	CXR Requested Per 8XX No.			OHD	N8FMX		4.85	2.78				7.86				
	8XX Access Ten Digit Screening, Change Charge Per Request			OHD	N8FAX		4.85	0.70				7.86				
	8XX Access Ten Digit Screening, Call Handling & Destination Features			OHD	N8FDX		4.14	4.14				7.86				
	8XX Access Ten Digit Screening w/ 8FL No. Delivery,			OHD		0.0006478										
LINE INFO	8XX Access Ten Digit Screening, w/ POTS No. Delivery,			OHD		0.0006478										+
LINE INFOR	RMATION DATA BASE ACCESS (LIDB)			OQT		0.000023										+
	LIDB Common Transport Per Query  LIDB Validation Per Query			OQU		0.0137322							-			+
	LIDB Validation Fer Query  LIDB Originating Point Code Establishment or Change			OQT,OQU	NRPBX	0.0137322	55.12		67.59			7.86				+
SIGNALING				OQ1,OQ0	NICEDA		33.12		07.55			7.00				+
OIOINALIINO	CCS7 Signaling Connection, Per 56 Kbps Facility			UDB	TPP++	20.71	43.56	43.56	22.45	22.45						†
	CCS7 Signaling Term, Per STP Port			UDB	PT8SX	151.39	10.00	10.00	22.10							†
	CCS7 Signaling Usage, Per TCAP Message			UDB		0.0000656										1
	CCS7 Signaling Connection, Per link (A link)			UDB	TPP++	20.71	43.56	43.56	22.45	22.45		7.86				1
	CCS7 Signaling Connection, Per link (B link) (also known as D link)			UDB	TPP++	20.71	43.56	43.56	22.45	22.45		7.86				
	CCS7 Signaling Usage, Per ISUP Message			UDB		0.0000164										
	CCS7 Signaling Usage Surrogate, per link per LATA			UDB	STU56	751.08										
	CCS7 Signaling Point Code, per Originating Point Code Establishment															
	or Change, per STP affected			UDB	CCAPO		46.02	46.02	56.43	56.43		7.86				
	CCS7 Signaling Point Code, per Destination Point Code Establishment															
E044 0EB)	or Change, Per Stp Affected			UDB	CCAPD		46.02	46.02	56.43	56.43		7.86				+
E911 SERV	Local Channel-Dedicated-2W VG					40.57	265.78	46.96	46.79	4.98		7.86				+
	Interoffice Transport-Dedicated-2W VG Per mi					18.57 0.0115	265.78	46.96	46.79	4.98		7.86	-			+
	Interoffice Transport-Dedicated-2W VG Per Facility Term				+	29.11	47.34	31.78	22.77	8.75		7.86			-	+
	Local Channel-Dedicated-DS1-Zone 1		1		+	40.46	209.60	176.51	30.21	21.07		7.86	-			+
	Local Channel-Dedicated-DS1-Zone 1	1			1	43.39	209.60	176.51	30.21	21.07		7.86	<b>†</b>			†
	Local Channel-Dedicated-DS1-Zone 3	<del>                                     </del>			1	164.50	209.60	176.51	30.21	21.07		7.86	<b>†</b>			1
	Interoffice Transport-Dedicated-DS1 Per mi	1			1	0.23	200.00		00.21	07						<b>†</b>
	Interoffice Transport-Dedicated-DS1 Per Facility Term	1			1	96.04	105.52	98.46	23.09	20.49		7.86			İ	1
CALLING N	IAME (CNAM) SERVICE															1
	CNAM For DB Owners-Service Establishment			OQV			25.34	25.34	23.30	23.30		7.86				
	CNAM For Non DB Owners-Service Establishment			OQV			25.34	25.34	23.30	23.30		7.86				
	CNAM For DB Owners-Service Provisioning With Point Code															
1	Establishment			OQV			1,591.54	1,177.08	431.95	317.61	1	7.86				1

CHECHADI	LED NETWORK ELEMENTS - Kentucky	1	1	1	1	ı					Cua	Cur		ment: 2		bit: B
CATEGORY	RATE ELEMENTS	Inter im	Zon e	всѕ	usoc			RATES (\$)			Svc Order Submitte d Elec per LSR	d Manually	Manual Svc Order vs.	al Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svo Order vs. Electronic- Disc 1st	al Charge Manual Svc Orde vs. Electronic
		-	1				Nonro	curring	NRC Disco	nnect		1	164	Rates (\$)		Disc Add
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN		SOMAN	SOMAN
	CNAM For Non DB Owners-Service Provisioning With Point Code	+	1				riist	Add I	First	Auu i	JOINILO	JOIVIAIN	JOWAN	JOWAN	JOWAN	JOIVIAIN
	Establishment			OQV			546.40	393.74	438.93	317.61		7.86				
	CNAM for DB Owners, Per Query			OQV		0.0010348	0.00	000 1	100.00	011101		7.00				
	CNAM for Non DB Owners, Per Query			OQV		0.0010348										
	CNAM (Non-Databs Owner), NRC, applies when using the Character															
	Based User Interface (CHUI)			OQV	CDDCH		595.00	595.00				7.86				
LNP Query S					0220		000.00	000.00				7.00				1
Liti Query t	LNP Charge Per query					0.0008695										1
	LNP Service Establishment Manual		1			0.000000	13.82	13.82	12.71	12.71		7.86				1
1	LNP Service Provisioning with Point Code Establishment	$\vdash$	+		+		953.27	487.00	431.95	317.61		7.86		<del> </del>	<u> </u>	
OPERATOR	CALL PROCESSING	1	1		1		333.21	-+07.00	-51.55	017.01		7.00	1	<b>†</b>	<b>I</b>	<del></del>
J. LIVATOR	Oper Call Processing-Oper Provided, Per min-Using BST LIDB	1	1		-	1.20						1		-	<b>-</b>	<del></del>
	Oper Call Processing-Oper Provided, Per min-Using Foreign LIDB	1	1		_	1.24										+
	Oper Call Processing-Oper Howard, Fer min-Osing Foreign Libb		1		+	0.20					1			1	-	+
	Oper Call Processing-Fully Automated, per Call-Using Foreign LIDB		1		_	0.20						-				+
INWARD OR	ERATOR SERVICES	1			+	0.20					1					+
INVIAND OF	Inward Oper Services-Verification, Per Call		+			1.00						1				+
	Inward Oper Services-Verification, Fer Call  Inward Oper Services-Verification & Emergency Interrupt-Per Call	1	+		+	1.95					1					+
PRANDING	- OPERATOR CALL PROCESSING	1	+		+	1.95					1					+
	ty based CLEC	1	+		+						1					+
raciii	Recording of Custom Branded OA Announcement	1	+		CBAOS		7,000.00	7,000.00			1	7.86				+
		-			CBAOL		500.00	500.00				7.86				+
LINES	Loading of Custom Branded OA Announcement per shelf/NAV per OCN  CLEC		<del>                                     </del>		CBAUL		500.00	500.00				7.80				<del> </del>
UNEF		1	-		_		7,000,00	7 000 00			1	7.00				
	Recording of Custom Branded OA Announcement		-				7,000.00	7,000.00				7.86				<del> </del>
	Loading of Custom Branded OA Announcement per shelf/NAV per OCN						500.00	500.00				7.86				4
Unbra	anding via OLNS for UNEP CLEC	-			_		4 000 00	4 000 00				7.00				-
DIDECTOR	Loading of OA per OCN (Regional)	-			_		1,200.00	1,200.00				7.86				-
	ASSISTANCE SERVICES	<u> </u>														
DIRE	CTORY ASSISTANCE ACCESS SERVICE	<u> </u>														
	Directory Assistance Access Service Calls, Charge Per Call					0.275										
DIRE	CTORY ASSISTANCE CALL COMPLETION ACCESS SERVICE (DACC)															
	Directory Assistance Call Completion Access Service (DACC), Per Call															
	Attempt					0.10										
	ASSISTANCE SERVICES															<u> </u>
DIRE	CTORY ASSISTANCE DATA BASE SERVICE (DADS)															
	Directory Assistance Data Base Service Charge Per Listing					0.04										
	Directory Assistance Data Base Service, per mo				DBSOF	150.00										
	- DIRECTORY ASSISTANCE															
Facili	ty Based CLEC															
	Recording & Provisioning of DA Custom Branded Announcement			AMT	CBADA		3,000.00	3,000.00				7.86				
	Loading of Custom Branded Announcement per Switch per OCN	<u> </u>		AMT	CBADC		1,170.00	1,170.00				7.86	<u> </u>	1	1	
UNEF	CLEC	<u> </u>										ļ			1	
	Recording of DA Custom Branded Announcement	<u> </u>					3,000.00	3,000.00			ļ	7.86				
	Loading of DA Custom Branded Announcement per Switch per OCN	<u> </u>					1,170.00	1,170.00				7.86			1	
Unbra	anding via OLNS for UNEP CLEC	<u> </u>														
	Loading of DA per OCN (1 OCN per Order)						420.00	420.00				7.86				
	Loading of DA per Switch per OCN						16.00	16.00				7.86				
SELECTIVE	ROUTING															
	Selective Routing Per Unique Line Class Code Per Request Per Switch				USRCR		93.53	93.53	15.58	15.58		7.86				
VIRTUAL CO	DLLOCATION															
	Virtual Collocation-2W Cross Connects (Loop) for Line Splitting			UEPSR,UEPSB	VE1LS	0.309	24.68	23.68	12.14	10.95		7.86				

UNBU	<u>JN</u> DL	ED NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhil	bit: B
		<u> </u>										Svc	Svc	Increment	Increment	Incremental	Incremen
												Order	Order	al Charge	al Charge -	Charge -	al Charge
				<b>7</b>								Submitte	Submitte	Manual	Manual	Manual Svo	_
CATE	GORY	RATE ELEMENTS	Inter		BCS	USOC			RATES (\$)			d Elec	d	Svc Order		Order vs.	Svc Order
			im	е					- (.,				Manually	vs.	VS.	Electronic-	vs.
												per LSK		-	-		_
													per LSR	Electronic		Disc 1st	Electronic-
								Nonre	currina	NRC Disco	nnect	<b>-</b>	1	088	Rates (\$)	l .	Disc Add'l
							Rec	First	Add'I	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
DUVCI	CALC	OLLOCATION						11130	Auu i	11130	Auu i	CONILO	CONTAIN	JONAN	JONAN	COMAN	JOHAN
FIII		Physical Collocation-2W Cross Connects (Loop) for Line Splitting			UEPSR,UEPSB	PE1LS	0.0333	24.68	23.68	12.14	10.95		7.86				
AINI CE		IVE CARRIER ROUTING			OLF SIX,OLF SD	FLILS	0.0333	24.00	23.00	12.14	10.93		7.00				
AIN 3E		Regional Service Establishment			SRC	SRCEC		193,401.00	193,401.00	9,483.34	9,483.34	ļ	7.86				+
		End Office Establishment								9,463.34	9,463.34						
					SRC	SRCEO		194.09	194.09	0.85	0.85		7.86				
		Line/Port NRC, per end user			SRC	SRCLP		2.06	2.06				7.86				
		Query NRC, per query			SRC		0.0037502										
AIN - E		OUTH AIN SMS ACCESS SERVICE															
		AIN SMS Access Service-Service Establishment, Per State, Initial Setup			A1N	CAMSE		43.55	43.55	44.93	44.93		7.86				
igsquare		AIN SMS Access Service-Port Connection-Dial/Shared Access			A1N	CAMDP		8.64	8.64	10.03	10.03		7.86			ļ	<del>                                     </del>
		AIN SMS Access Service-Port Connection-ISDN Access			A1N	CAM1P		8.64	8.64	10.03	10.03		7.86				1
		AIN SMS Access Service-User Identification Codes-Per User ID Code			A1N	CAMAU		38.65	38.65	29.88	29.88		7.86			ļ	1
1 1		AIN SMS Access Service-Security Card, Per User ID Code, Initial or				1				I			1	]		<u> </u>	1
		Replacement			A1N	CAMRC		75.08	75.08	12.93	12.93		7.86				
		AIN SMS Access Service-Storage, Per Unit (100 Kilobytes)					0.0025										
		AIN SMS Access Service-Session, Per min					0.666										
		AIN SMS Access Service-Company Performed Session, Per min					0.4608										
AIN - E		OUTH AIN TOOLKIT SERVICE															
Ī		AIN Toolkit Service-Service Establishment Charge, Per State, Initial			CAM	BAPSC		43.55	43.55	44.93	44.93		7.86				
		AIN Toolkit Service-Training Session, Per Customer			07 1111	BAPVX		8,436.93	8,436.93	11.00			7.86				
		AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, Term.				D/ 11 1/1		0,100.00	0,100.00				7.00				
		Attempt				BAPTT		8.64	8.64	10.03	10.03		7.86				
		AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, Off-				DALLI		0.04	0.04	10.05	10.00		7.00				
		Hook Delay				BAPTD		8.64	8.64	10.03	10.03		7.86				
		AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, Off-				DAFID		0.04	0.04	10.03	10.03	ļ	7.00				+
		Hook Immediate				BAPTM		8.64	8.64	10.03	10.03		7.86				
						BAPTIVI		8.04	8.04	10.03	10.03	ļ	7.80				+
		AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, 10-Digit				DARTO		54.04	54.04	40.50	40.50		7.00				
		PODP				BAPTO		51.01	51.01	18.50	18.50		7.86				
		AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, CDP				BAPTC		51.01	51.01	18.50	18.50		7.86				
		AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, Feature															
		Code				BAPTF		51.01	51.01	18.50	18.50		7.86				
		AIN Toolkit Service-Query Charge, Per Query					0.0549207										
		AIN Toolkit Service-Type 1 Node Charge, Per AIN Toolkit Subscription,															
		Per Node, Per Query					0.0066492										
		AIN Toolkit Service-SCP Storage Charge, Per SMS Access Account, Per															
		100 Kilobytes					0.07										
		AIN Toolkit Service-moly report-Per AIN Toolkit Service Subscription			CAM	BAPMS	7.87	8.64	8.64	6.08	6.08		7.86				
		AIN Toolkit Service-Special Study-Per AIN Toolkit Service Subscription			CAM	BAPLS	3.26	9.56	9.56				7.86				
		AIN Toolkit Service-Call Event Report-Per AIN Toolkit Service															
		Subscription			CAM	BAPDS	4.72	8.64	8.64	6.08	6.08		7.86				1
		AIN Toolkit Service-Call Event Special Study-Per AIN Toolkit Service															
		Subscription			CAM	BAPES	0.11	9.56	9.56				7.86	1		l	1
ENHA		EXTENDED LINK (EELs)			2		Ŭ	3.30	3.50							1	1
		The monthly recurring and non-recurring charges below will apply a	nd the	Swite	ch-As-Is Charge will r	not annly fo	r FFI s nrovisi	oned as ' Ordi	narily Combine	ed' Network F	lements	1	1	1		<del> </del>	<del>                                     </del>
		The monthly recurring and the Switch-As-Is Charge and not the non-											1			<del> </del>	†
		Minimum billing is one month for DS1 and below and three months a				., .o. <u></u>	, p. 5415151160 6	- Junionaly C	- Indiana incl	Elonien		<b>†</b>		l		<del> </del>	<del> </del>
		E VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFI								<b></b>			1	1			<del>                                     </del>
<del>├</del>		First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone	10L I	CAN	J. J. (LLL)				<del>                                     </del>				1			<del>                                     </del>	†
		1 mai zvv v o cooptocz) in a Do i interonice Hansport Combination-Zone		1	UNCVX	UEAL2	12.67	125.22	60.48	59.69	7.84		7.86	1		l	1
$\vdash$		First 2M VC Loon(CL2) in a DC4 Intereffice Transport Combination 7-			UNCVA	UEAL2	12.67	125.22	60.48	99.69	7.84	-	7.86	-			<del> </del>
		First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone		_	1110101			405		=0.5-							1
		Z		2	UNCVX	UEAL2	17.45	125.22	60.48	59.69	7.84	<b>!</b>	7.86	ļ		1	+
		First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone		l _													1
		3		3	UNCVX	UEAL2	33.22	125.22	60.48	59.69	7.84		7.86			ļ	<b>↓</b>
		Interoffice Transport-Dedicated-DS1 combination-Per mi per mo			UNC1X	1L5XX	0.19						<u> </u>				1
		Interoffice Transport-Dedicated-DS1 combination-Facility Term per mo			UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32		7.86				
																	1
		DS1 Channelization System Per mo VG COCI-DS1 To Ds0 Interface-Per mo			UNC1X UNCVX	MQ1 1D1VG	113.33 0.62	57.26 6.71	14.74 4.84	1.86	1.67		7.86 7.86				

UNBUND	LED NETWORK ELEMENTS - Kentucky				•	1								nent: 2		oit: B
											Svc	Svc	Increment	Increment	Incremental	Incremen
											Order	Order	al Charge -	al Charge -	Charge -	al Charge
		Inter	Zon								Submitte	Submitte	Manual	Manual	Manual Svc	Manual
CATEGOR	RATE ELEMENTS			BCS	USOC			RATES (\$)			d Elec	d	Svc Order		Order vs.	Svc Orde
		im	е					.,				Manually	vs.	VS.	Electronic-	vs.
											per LSR		_	_		_
												per LSR	Electronic-		Disc 1st	Electronic
		1			+		Nonre	curring	NRC Disco	nnect			088	Rates (\$)	l.	Disc Add'l
		1			+	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
	Each Add'l 2W VG Loop(SL 2) in the same DS1 Interoffice Transport						11130	Auu	11130	Add I	OOMILO	OUNAIN	JOHAN	OOMAN	COMAN	JOHAN
	Combination-Zone 1		1	UNCVX	UEAL2	12.67	125.22	60.48	59.69	7.84		7.86				
	Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport		<del>- '-</del>	ONOVA	OLALZ	12.07	120.22	00.40	55.05	7.04		7.00				
	Combination-Zone 2		2	UNCVX	UEAL2	17.45	125.22	60.48	59.69	7.84		7.86				
	Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport	1		UNCVA	ULALZ	17.43	123.22	00.40	39.09	7.04		7.00				
	Combination-Zone 3		3	UNCVX	UEAL2	33.22	125.22	60.48	59.69	7.84		7.86				
	VG COCI-DS1 to DS0 Channel System combination-per mo		3			0.62		4.84	59.69	7.84		7.86				1
			-	UNCVX	1D1VG	0.62	6.71		44.47	44.47						
4 140	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		8.98	8.98	11.17	11.17		7.86				
4-WI	RE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROF	FICE	IKAN	SPORT (EEL)												
	First 4W Analog VG Loop in a DS1 Interoffice Transport Combination -															
	Zone 1		1	UNCVX	UEAL4	29.26	125.22	60.48	59.69	7.84		7.86				
	First 4W Analog VG Loop in a DS1 Interoffice Transport Combination -		1		1										l	
	Zone 2		2	UNCVX	UEAL4	34.25	125.22	60.48	59.69	7.84		7.86				<u> </u>
	First 4W Analog VG Loop in a DS1 Interoffice Transport Combination -															
	Zone 3		3	UNCVX	UEAL4	85.06	125.22	60.48	59.69	7.84		7.86				
	Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo			UNC1X	1L5XX	0.19										
	Interoffice Transport-Dedicated-DS1-Facility Term Per mo			UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32		7.86				
	Channelization-Channel System DS1 to DS0 combination Per mo			UNC1X	MQ1	113.33	57.26	14.74	1.86	1.67		7.86				
	VG COCI-DS1 to DS0 Channel System combination-per mo			UNCVX	1D1VG	0.62	6.71	4.84				7.86				
	Add'I 4W Analog VG Loop in same DS1 Interoffice Transport															
	Combination-Zone 1		1	UNCVX	UEAL4	29.26	125.22	60.48	59.69	7.84		7.86				
	Add'l 4W Analog VG Loop in same DS1 Interoffice Transport						-									
	Combination-Zone 2		2	UNCVX	UEAL4	34.25	125.22	60.48	59.69	7.84		7.86				
	Add'I 4W Analog VG Loop in same DS1 Interoffice Transport	1		ONOVA	OL/(L4	04.20	120.22	00.40	00.00	7.07		7.00				
	Combination-Zone 3		3	UNCVX	UEAL4	85.06	125.22	60.48	59.69	7.84		7.86				
	VG COCI-DS1 to DS0 Channel System combination-per mo			UNCVX	1D1VG	0.62	6.71	4.84	55.05	7.04		7.86				
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC	0.02	8.98	8.98	11.17	11.17		7.86				
4-10/	RE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTER	OEEIC	E TD		UNOCC		0.50	0.30	11.17	11.17		7.00				
4-441	First 4W 56Kbps Digital Grade Loop in a DS1 Interoffice Transport	OI I IC	, L 11K/	ANOFORT (LLL)	1											
			1	UNCDX	UDL56	27.59	125.22	60.48	59.69	7.84		7.00				
	Combination-Zone 1	-	<u> </u>	UNCDX	UDL56	27.59	125.22	60.48	59.69	7.84		7.86				
	First 4W 56Kbps Digital Grade Loop in a DS1 Interoffice Transport		2	LINODY	LIDLEO	00.40	405.00	00.40	50.00	7.04		7.00				
	Combination-Zone 2	ļ	2	UNCDX	UDL56	32.48	125.22	60.48	59.69	7.84		7.86				
	First 4W 56Kbps Digital Grade Loop in a DS1 Interoffice Transport		_													
	Combination-Zone 3		3	UNCDX	UDL56	36.37	125.22	60.48	59.69	7.84		7.86				
	Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo			UNC1X	1L5XX	0.19										
	Interoffice Transport-Dedicated-DS1-combination Facility Term Per mo			UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32		7.86				
	Channelization-Channel System DS1 to DS0 combination Per mo		<u> </u>	UNC1X	MQ1	113.33	57.26	14.74	1.86	1.67		7.86				
	OCU-DP COCI (data)-DS1 to DS0 Channel System-per mo (2.4-64kbs)							4.84				7.86	l		I	
			-	UNCDX	1D1DD	1.32	6.71		-			7.00				
J	Add'l 4W 56Kbps Digital Grade loop in same DS1 Interoffice Transport															
	Combination-Zone 1		1	UNCDX	UDL56	27.59	125.22	60.48	59.69	7.84		7.86				
	Combination-Zone 1 Add'l 4W 56Kbps Digital Grade loop in same DS1 Interoffice Transport			UNCDX	UDL56	27.59	125.22	60.48				7.86				
	Combination-Zone 1 Add'I 4W 56Kbps Digital Grade loop in same DS1 Interoffice Transport Combination-Zone 2		1 2						59.69 59.69	7.84 7.84						
	Combination-Zone 1 Add'l 4W 56Kbps Digital Grade loop in same DS1 Interoffice Transport		2	UNCDX	UDL56	27.59	125.22	60.48				7.86				
	Combination-Zone 1 Add'l 4W 56Kbps Digital Grade loop in same DS1 Interoffice Transport Combination-Zone 2 Add'l 4W 56Kbps Digital Grade loop in same DS1 Interoffice Transport Combination-Zone 3			UNCDX	UDL56	27.59	125.22	60.48				7.86				
	Combination-Zone 1 Add'l 4W 56Kbps Digital Grade loop in same DS1 Interoffice Transport Combination-Zone 2 Add'l 4W 56Kbps Digital Grade loop in same DS1 Interoffice Transport		2	UNCDX UNCDX UNCDX	UDL56 UDL56	27.59 32.48 36.37	125.22 125.22 125.22	60.48	59.69	7.84		7.86 7.86				
	Combination-Zone 1  Add'I 4W 56Kbps Digital Grade loop in same DS1 Interoffice Transport Combination-Zone 2  Add'I 4W 56Kbps Digital Grade loop in same DS1 Interoffice Transport Combination-Zone 3  OCU-DP COCI (data)-DS1 to DS0 Channel System-combination per mo (2.4-64kbs)		2	UNCDX	UDL56	27.59 32.48	125.22 125.22	60.48	59.69	7.84		7.86 7.86				
	Combination-Zone 1 Add'l 4W 56Kbps Digital Grade loop in same DS1 Interoffice Transport Combination-Zone 2 Add'l 4W 56Kbps Digital Grade loop in same DS1 Interoffice Transport Combination-Zone 3 OCU-DP COCI (data)-DS1 to DS0 Channel System-combination per mo		2	UNCDX UNCDX UNCDX	UDL56 UDL56	27.59 32.48 36.37	125.22 125.22 125.22	60.48 60.48 60.48	59.69	7.84		7.86 7.86				
4-WI	Combination-Zone 1  Add'I 4W 56Kbps Digital Grade loop in same DS1 Interoffice Transport Combination-Zone 2  Add'I 4W 56Kbps Digital Grade loop in same DS1 Interoffice Transport Combination-Zone 3  OCU-DP COCI (data)-DS1 to DS0 Channel System-combination per mo (2.4-64kbs)	OFFIC	2	UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX	UDL56  UDL56  UDL56  1D1DD	27.59 32.48 36.37	125.22 125.22 125.22 6.71	60.48 60.48 60.48	59.69 59.69	7.84 7.84		7.86 7.86 7.86				
4-WI	Combination-Zone 1 Add'l 4W 56Kbps Digital Grade loop in same DS1 Interoffice Transport Combination-Zone 2 Add'l 4W 56Kbps Digital Grade loop in same DS1 Interoffice Transport Combination-Zone 3 OCU-DP COCI (data)-DS1 to DS0 Channel System-combination per mo (2.4-64kbs) NRC Currently Combined Network Elements Switch -As-Is Charge RE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTER	OFFIC	2	UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX	UDL56  UDL56  UDL56  1D1DD	27.59 32.48 36.37	125.22 125.22 125.22 6.71	60.48 60.48 60.48	59.69 59.69	7.84 7.84		7.86 7.86 7.86				
4-WI	Combination-Zone 1 Add'l 4W 56Kbps Digital Grade loop in same DS1 Interoffice Transport Combination-Zone 2 Add'l 4W 56Kbps Digital Grade loop in same DS1 Interoffice Transport Combination-Zone 3 OCU-DP COCI (data)-DS1 to DS0 Channel System-combination per mo (2.4-64kbs) NRC Currently Combined Network Elements Switch -As-Is Charge	OFFIC	2	UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX	UDL56  UDL56  UDL56  1D1DD	27.59 32.48 36.37	125.22 125.22 125.22 6.71	60.48 60.48 60.48	59.69 59.69	7.84 7.84		7.86 7.86 7.86				
4-WI	Combination-Zone 1 Add'l 4W 56Kbps Digital Grade loop in same DS1 Interoffice Transport Combination-Zone 2 Add'l 4W 56Kbps Digital Grade loop in same DS1 Interoffice Transport Combination-Zone 3 OCU-DP COCI (data)-DS1 to DS0 Channel System-combination per mo (2.4-64kbs) NRC Currently Combined Network Elements Switch -As-Is Charge RE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTER First 4W 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination-Zone 1	OFFIC	2 3 E TR/	UNCDX  UNCDX  UNCDX  UNCDX  UNC1X  ANSPORT (EEL)	UDL56 UDL56 UDL56 1D1DD UNCCC	27.59 32.48 36.37 1.32	125.22 125.22 125.22 6.71 8.98	60.48 60.48 60.48 4.84 8.98	59.69 59.69 11.17	7.84 7.84 11.17		7.86 7.86 7.86 7.86 7.86				
4-WI	Combination-Zone 1 Add'l 4W 56Kbps Digital Grade loop in same DS1 Interoffice Transport Combination-Zone 2 Add'l 4W 56Kbps Digital Grade loop in same DS1 Interoffice Transport Combination-Zone 3 OCU-DP COCI (data)-DS1 to DS0 Channel System-combination per mo (2.4-64kbs) NRC Currently Combined Network Elements Switch -As-Is Charge RE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTER First 4W 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination-Zone 1 First 4W 64Kbps Digital Grade Loop in a DS1 Interoffice Transport	OFFIC	2 3 E TR/	UNCDX  UNCDX  UNCDX  UNCDX  UNCDX  UNC1X  ANSPORT (EEL)  UNCDX	UDL56 UDL56 UDL56 1D1DD UNCCC UDL64	27.59 32.48 36.37 1.32 27.59	125.22 125.22 125.22 6.71 8.98	60.48 60.48 60.48 4.84 8.98	59.69 59.69 11.17 59.69	7.84 7.84 11.17		7.86 7.86 7.86 7.86 7.86				
4-WI	Combination-Zone 1 Add'l 4W 56Kbps Digital Grade loop in same DS1 Interoffice Transport Combination-Zone 2 Add'l 4W 56Kbps Digital Grade loop in same DS1 Interoffice Transport Combination-Zone 3 OCU-DP COCI (data)-DS1 to DS0 Channel System-combination per mo (2.4-64kbs) NRC Currently Combined Network Elements Switch -As-Is Charge RE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTER First 4W 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination-Zone 1 First 4W 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination-Zone 2	OFFIC	2 3 EE TRA	UNCDX  UNCDX  UNCDX  UNCDX  UNC1X  ANSPORT (EEL)	UDL56 UDL56 UDL56 1D1DD UNCCC	27.59 32.48 36.37 1.32	125.22 125.22 125.22 6.71 8.98	60.48 60.48 60.48 4.84 8.98	59.69 59.69 11.17	7.84 7.84 11.17		7.86 7.86 7.86 7.86 7.86				
4-WI	Combination-Zone 1 Add'l 4W 56Kbps Digital Grade loop in same DS1 Interoffice Transport Combination-Zone 2 Add'l 4W 56Kbps Digital Grade loop in same DS1 Interoffice Transport Combination-Zone 3 OCU-DP COCI (data)-DS1 to DS0 Channel System-combination per mo (2.4-64kbs) NRC Currently Combined Network Elements Switch -As-Is Charge RE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTER First 4W 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination-Zone 1 First 4W 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination-Zone 2 First 4W 64Kbps Digital Grade Loop in a DS1 Interoffice Transport	OFFIC	2 3 E TR/	UNCDX  UNCDX  UNCDX  UNCDX  UNC1X  ANSPORT (EEL)  UNCDX  UNCDX	UDL56 UDL56 UDL56 1D1DD UNCCC UDL64 UDL64	27.59 32.48 36.37 1.32 27.59 32.48	125.22 125.22 125.22 6.71 8.98 125.22	60.48 60.48 60.48 4.84 8.98 60.48	59.69 59.69 11.17 59.69 59.69	7.84 7.84 11.17 7.84 7.84		7.86 7.86 7.86 7.86 7.86 7.86				
4-WI	Combination-Zone 1 Add'l 4W 56Kbps Digital Grade loop in same DS1 Interoffice Transport Combination-Zone 2 Add'l 4W 56Kbps Digital Grade loop in same DS1 Interoffice Transport Combination-Zone 3 OCU-DP COCI (data)-DS1 to DS0 Channel System-combination per mo (2.4-64kbs) NRC Currently Combined Network Elements Switch -As-Is Charge RE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTER First 4W 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination-Zone 1 First 4W 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination-Zone 2 First 4W 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination-Zone 2 First 4W 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination-Zone 2	OFFIC	2 3 EE TRA	UNCDX  UNCDX  UNCDX  UNCDX  UNC1X  ANSPORT (EEL)  UNCDX  UNCDX  UNCDX  UNCDX	UDL56  UDL56  UDL56  1D1DD  UNCCC  UDL64  UDL64  UDL64	27.59 32.48 36.37 1.32 27.59 32.48 36.37	125.22 125.22 125.22 6.71 8.98	60.48 60.48 60.48 4.84 8.98	59.69 59.69 11.17 59.69	7.84 7.84 11.17		7.86 7.86 7.86 7.86 7.86				
4-WI	Combination-Zone 1 Add'l 4W 56Kbps Digital Grade loop in same DS1 Interoffice Transport Combination-Zone 2 Add'l 4W 56Kbps Digital Grade loop in same DS1 Interoffice Transport Combination-Zone 3 OCU-DP COCI (data)-DS1 to DS0 Channel System-combination per mo (2.4-64kbs) NRC Currently Combined Network Elements Switch -As-Is Charge RE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTER First 4W 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination-Zone 1 First 4W 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination-Zone 2 First 4W 64Kbps Digital Grade Loop in a DS1 Interoffice Transport	OFFIC	2 3 E TR/	UNCDX  UNCDX  UNCDX  UNCDX  UNC1X  ANSPORT (EEL)  UNCDX  UNCDX	UDL56 UDL56 UDL56 1D1DD UNCCC UDL64 UDL64	27.59 32.48 36.37 1.32 27.59 32.48	125.22 125.22 125.22 6.71 8.98 125.22	60.48 60.48 60.48 4.84 8.98 60.48	59.69 59.69 11.17 59.69 59.69	7.84 7.84 11.17 7.84 7.84		7.86 7.86 7.86 7.86 7.86 7.86				

NROND	LED NETWORK ELEMENTS - Kentucky										•			nent: 2		bit: B
											Svc	Svc		Increment	Incremental	
											Order	Order	al Charge -	al Charge -	Charge -	al Charg
		Inter	Zon								Submitte	Submitte	Manual	Manual	Manual Svc	Manua
ATEGORY	RATE ELEMENTS	im	е	BCS	USOC			RATES (\$)			d Elec	d	Svc Order	Svc Order	Order vs.	Svc Ord
			-								per LSR	Manually	vs.	vs.	Electronic-	vs.
												per LSR	Electronic-	Electronic-	Disc 1st	Electroni
						_						p = = = = = = =	1c+	Add'l		Diec Ade
						Rec		curring	NRC Disco					Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	OCU-DP COCI (data)-DS1 to DS0 Channel System combination-per mo															
	(2.4-64kbs)			UNCDX	1D1DD	1.32	6.71	4.84				7.86				
	Add'l 4W 64Kbps Digital Grade loop in same DS1 Interoffice Transport															
	Combination-Zone 1		1	UNCDX	UDL64	27.59	125.22	60.48	59.69	7.84		7.86				
	Add'l 4W 64Kbps Digital Grade loop in same DS1 Interoffice Transport															
	Combination-Zone 2		2	UNCDX	UDL64	32.48	125.22	60.48	59.69	7.84		7.86				
	Add'l 4W 64Kbps Digital Grade loop in same DS1 Interoffice Transport															
	Combination-Zone 3		3	UNCDX	UDL64	36.37	125.22	60.48	59.69	7.84		7.86				
	OCU-DP COCI (data)-DS1 to DS0 Channel System combination-per mo															
	(2.4-64kbs)			UNCDX	1D1DD	1.32	6.71	4.84				7.86				
	NRC Currently Combined Network Elements Switch -As-ls Charge			UNC1X	UNCCC		8.98	8.98	11.17	11.17		7.86				
4-WI	RE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INTEROFF	ICE T	RANS	PORT (EEL)												
	4W DS1 Digital Loop in Combination with DS1 Interoffice Transport-															
	Zone 1		1	UNC1X	USLXX	86.47	210.70	114.60	63.96	17.97		7.86				
	4W DS1 Digital Loop in Combination with DS1 Interoffice Transport-															1
	Zone 2		2	UNC1X	USLXX	114.10	210.70	114.60	63.96	17.97		7.86				
	4W DS1 Digital Loop in Combination with DS1 Interoffice Transport-								00.00							1
	Zone 3		3	UNC1X	USLXX	297.76	210.70	114.60	63.96	17.97		7.86				
	Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo		Ť	UNC1X	1L5XX	0.19	2.00		00.00			7.00				<del>                                     </del>
	Interoffice Transport-Dedicated-DS1 combination-Facility Term Per mo			UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32		7.86				†
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC	10.02	8.98	8.98	11.17	11.17		7.86				<del>†                                      </del>
4-WI	RE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFF	ICE T	PANS		011000		0.30	0.30	11.17	11.17		7.00				†
7-111	First DS1Loop in DS3 Interoffice Transport Combination-Zone 1	<u> </u>	1	UNC1X	USLXX	86.47	210.70	114.60	63.96	17.97		7.86				+
	First DS1Loop in DS3 Interoffice Transport Combination-Zone 2		2	UNC1X	USLXX	114.10	210.70	114.60	63.96	17.97		7.86				+
-	First DS1Loop in DS3 Interoffice Transport Combination-Zone 3		3	UNC1X	USLXX	297.76	210.70	114.60	63.96	17.97		7.86				+
_			3		1L5XX	4.09	210.70	114.60	63.96	17.97		7.80				+
-	Interoffice Transport-Dedicated-DS3 combination-Per mi Per mo Interoffice Transport-Dedicated-DS3-Facility Term per mo			UNC3X UNC3X	U1TF3	966.89	350.56	141.58	48.00	23.39		7.86				+
_				UNC3X	MQ3	158.20	115.48	56.53	15.12	5.30		7.86				+
_	DS3 to DS1 Channel System combination per mo			UNC3X UNC1X		11.80	6.71	4.84	15.12	5.30		7.86				+
	DS3 Interface Unit (DS1 COCI) combination per mo		_		UC1D1				00.00	47.07	-					
-	Add'l DS1Loop in DS3 Interoffice Transport Combination-Zone 1		1	UNC1X	USLXX	86.47	210.70	114.60	63.96	17.97		7.86				4
	Add'l DS1Loop in DS3 Interoffice Transport Combination-Zone 2		2	UNC1X	USLXX	114.10	210.70	114.60	63.96	17.97		7.86				<del></del>
-	Add'l DS1Loop in DS3 Interoffice Transport Combination-Zone 3		3	UNC1X	USLXX	297.76	210.70	114.60	63.96	17.97		7.86				4
	DS3 Interface Unit (DS1 COCI) combination per mo			UNC1X	UC1D1	11.80	6.71	4.84				7.86				<del>                                     </del>
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC3X	UNCCC		8.98	8.98	11.17	11.17		7.86				<u> </u>
2-WI	RE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GRADE INTEROF	FICE 1	TRAN:	SPORT (EEL)												
	2WVG Loop used with 2W VG Interoffice Transport Combination-Zone 1		1	UNCVX	UEAL2	12.67	125.22	60.48	59.69	7.84		7.86				
	2WVG Loop used with 2W VG Interoffice Transport Combination-Zone 2		2	UNCVX	UEAL2	17.45	125.22	60.48	59.69	7.84		7.86				
	2WVG Loop used with 2W VG Interoffice Transport Combination-Zone 3		3	UNCVX	UEAL2	33.22	125.22	60.48	59.69	7.84		7.86				
	Interoffice Transport-Dedicated-2W VG combination-Per mi Per mo			UNCVX	1L5XX	0.01										
	Interoffice Transport-Dedicated-2W VG combination-Facility Term per			UNCVX	U1TV2	23.95	98.09	53.67	56.31	22.42		7.86				
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNCVX	UNCCC		8.98	8.98	11.17	11.17		7.86				
4-WI	RE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRADE INTEROF	FICE 1	TRAN:	SPORT (EEL)												
	4WVG Loop used with 4W VG Interoffice Transport Combination-Zone 1		1	UNCVX	UEAL4	29.26	125.22	60.48	59.69	7.84		7.86				
1	4WVG Loop used with 4W VG Interoffice Transport Combination-Zone 2		2	UNCVX	UEAL4	34.25	125.22	60.48	59.69	7.84	ĺ	7.86				
	4WVG Loop used with 4W VG Interoffice Transport Combination-Zone 3		3	UNCVX	UEAL4	85.06	125.22	60.48	59.69	7.84		7.86			l	
	Interoffice Transport-Dedicated-4W VG combination-Per mi Per mo			UNCVX	1L5XX	0.01		22.10	22.30							1
	Interoffice Transport-Dedicated-4W VG combination-Facility Term per			UNCVX	U1TV4	21.28	98.09	53.67	56.31	22.42		7.86			İ	1
-	NRC Currently Combined Network Elements Switch -As-Is Charge			UNCVX	UNCCC	220	8.98	8.98	11.17	11.17		7.86			1	$\overline{}$
DS3	DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFICE TRA	NSPC	RT (F		5000	+	0.00	3.50	/	11.17		7.00			<del> </del>	<del>                                     </del>
1200	High Capacity Unbundled Local Loop-DS3 combination-Per mi per mo			UNC3X	1L5ND	9.25		l	-		<b>+</b>	<b> </b>				+

UNBUN	DL	ED NETWORK ELEMENTS - Kentucky													nent: 2	Exhil	bit: B
												Svc	Svc	Increment	Increment	Incremental	Increment
												Order	Order	al Charge -	al Charge -	Charge -	al Charge
			Inter	Zon								Submitte	Submitte	Manual	Manual	Manual Svc	Manual
CATEGOR	RY	RATE ELEMENTS	im	e	BCS	USOC			RATES (\$)			d Elec	d	Svc Order	Svc Order	Order vs.	Svc Order
			IIII	е								per LSR	Manually	vs.	vs.	Electronic-	vs.
												<b>P</b> • • • • • • • • • • • • • • • • • • •	per LSR	Electronic-		Disc 1st	Electronic-
													po. zo	164	Vqq.	2.00 .00	Disc Add'l
							Rec	Nonrec	urring	NRC Disco	nnect			oss	Rates (\$)		
							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		High Capacity Unbundled Local Loop-DS3 combination-Facility Term															
		per mo			UNC3X	UE3PX	308.31	237.36	147.69	83.43	32.67		7.86				
		nteroffice Transport-Dedicated-DS3-Per mi per mo			UNC3X	1L5XX	4.09										ĺ
		Interoffice Transport-Dedicated-DS3 combination-Facility Term per mo			UNC3X	U1TF3	966.89	350.56	141.58	48.00	23.39		7.86				
		NRC Currently Combined Network Elements Switch -As-Is Charge			UNC3X	UNCCC		8.98	8.98	11.17	11.17		7.86				
ST	'S1 I	DIGITAL EXTENDED LOOP WITH DEDICATED STS1 INTEROFFICE TO	RANS	PORT													1
		High Capacity Unbundled Local Loop-STS1 combination-Per mi per mo			UNCSX	1L5ND	9.25										
		High Capacity Unbundled Local Loop-STS1 combination-Facility Term															
		per mo			UNCSX	UDLS1	320.51	237.36	147.69	83.43	32.67		7.86				
		nteroffice Transport-Dedicated-STS1 combination-Per mi per mo			UNCSX	1L5XX	4.09	_000		555	02.01			1			
	-	Interoffice Transport-Dedicated-STS1 combination-Facility Term per mo			UNCSX	U1TFS	945.79	350.56	141.58	48.00	23.39		7.86				1
	-	NRC Currently Combined Network Elements Switch -As-Is Charge			UNCSX	UNCCC	5-10.75	8.98	8.98	11.17	11.17		7.86	t		1	t
2-V	NIR	E ISDN EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPORT (EEL	`	<del>                                     </del>	5,400/	5,4000	<del></del>	0.30	0.90	11.17	11.17	<b>-</b>	7.00	1			<del>                                     </del>
Z-V	71111	First 2W ISDN Loop in a DS1 Interoffice Combination Transport-Zone 1	-/	1	UNCNX	U1L2X	18.44	125.22	60.48	59.69	7.84	<b>-</b>	7.86	1			<del> </del>
	-	First 2W ISDN Loop in a DS1 Interoffice Combination Transport-Zone 2		2	UNCNX	U1L2X	25.08	125.22	60.48	59.69	7.84		7.86	-			<b>†</b>
	-+	First 2W ISDN Loop in a DS1 Interoffice Combination Transport-Zone 3		3	UNCNX	U1L2X	42.87	125.22	60.48	59.69	7.84		7.86	1			<del>                                     </del>
		Interoffice Transport-Dedicated-DS1 combination-Per mi		3	UNC1X	1L5XX	0.19	123.22	00.40	39.09	7.04		7.00				
	-				UNC1X		79.02	181.24	123.53	56.72	22.22	<b> </b>	7.86	-			-
		Interoffice Transport-Dedicated-DS1 combintion-Facility Term per mo			UNC1X	U1TF1	113.33	57.26	14.74	1.86	22.32 1.67		7.86				
	!	Channelization-Channel System DS1 to DS0 combination-per mo			UNCIX	MQ1	2.84			1.86	1.67						
		2W ISDN COCI (BRITE)-DS1 to DS0 Channel System combination-per			UNCNX	UC1CA	2.84	6.71	4.84				7.86				
	- 1	Add'I 2W ISDN Loop in same DS1 interoffice Transport Combination-		١.	LINIONIN	1141.00/	40.44	405.00	00.40	50.00	7.04		7.00				
		Zone 1		1	UNCNX	U1L2X	18.44	125.22	60.48	59.69	7.84		7.86				4
		Add'I 2W ISDN Loop in same DS1 interoffice Transport Combination-		_													
	_	Zone 2		2	UNCNX	U1L2X	25.08	125.22	60.48	59.69	7.84		7.86				
		Add'I 2W ISDN Loop in same DS1 interoffice Transport Combination-															
		Zone 3		3	UNCNX	U1L2X	42.87	125.22	60.48	59.69	7.84		7.86				
		2W ISDN COCI (BRITE)-DS1 to DS0 Channel System combintaion-per			UNCNX	UC1CA	2.84	6.71	4.84				7.86				1
		NRC Currently Combined Network Elements Switch -As-ls Charge			UNC1X	UNCCC		8.98	8.98	11.17	11.17		7.86				
4-V	NIRI	DS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 INTEROF	FICE														
		First DS1 Loop in STS1 Interoffice Transport Combination-Zone 1		1	UNC1X	USLXX	86.47	210.70	114.60	63.96	17.97		7.86				
		First DS1 Loop in STS1 Interoffice Transport Combination-Zone 2		2	UNC1X	USLXX	114.10	210.70	114.60	63.96	17.97		7.86				
		First DS1 Loop in STS1 Interoffice Transport Combination-Zone 3		3	UNC1X	USLXX	297.76	210.70	114.60	63.96	17.97		7.86				
		nteroffice Transport-Dedicated-STS1 combination-Per mi Per mo			UNCSX	1L5XX	4.09										ļ
		nteroffice Transport-Dedicated-STS1 combination-Facility Term			UNCSX	U1TFS	945.79	350.56	141.58	48.00	23.39		7.86				
		STS1 to DS1 Channel System conbination per mo			UNCSX	MQ3	158.20	115.48	56.53	15.12	5.30		7.86				
	_7	DS3 Interface Unit (DS1 COCI) combination per mo			UNC1X	UC1D1	11.80	6.71	4.84				7.86				
		Add'l DS1Loop in STS1 Interoffice Transport Combination-Zone 1		1	UNC1X	USLXX	86.47	210.70	114.60	63.96	17.97		7.86				
		Add'l DS1Loop in STS1 Interoffice Transport Combination-Zone 2		2	UNC1X	USLXX	114.10	210.70	114.60	63.96	17.97		7.86				
		Add'l DS1Loop in STS1 Interoffice Transport Combination-Zone 3		3	UNC1X	USLXX	297.76	210.70	114.60	63.96	17.97		7.86				
		DS3 Interface Unit (DS1 COCI) combination per mo			UNC1X	UC1D1	11.80	6.71	4.84				7.86				1
		NRC Currently Combined Network Elements Switch -As-Is Charge			UNCSX	UNCCC		8.98	8.98	11.17	11.17		7.86				1
4-V		56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS INTEROFFICE	TRAN	SPOF													1
	Ť				1					İ				1		İ	1
	- [.	4W 56 kbps Loop/4W 56 kbps Interoffice Transport Combination-Zone 1		1	UNCDX	UDL56	27.59	125.22	60.48	59.69	7.84		7.86				
	T	11		<u> </u>	002,(	02200	27.50	.20.22	55.40	55.55							
	- [.	4W 56 kbps Loop/4W 56 kbps Interoffice Transport Combination-Zone 2		2	UNCDX	UDL56	32.48	125.22	60.48	59.69	7.84		7.86				
	-	To		<u> </u>	002.1	32230	32.10	.20.22	55.46	35.55							1
	].	4W 56 kbps Loop/4W 56 kbps Interoffice Transport Combination-Zone 3		3	UNCDX	UDL56	36.37	125.22	60.48	59.69	7.84		7.86				
	-1	Interoffice Transport-Dedicated-4W 56 kbps combination-Per mi			UNCDX	1L5XX	0.01	120.22	00.40	33.03	7.04		7.00	1			<del>                                     </del>
	-+	Interoffice Transport-Dedicated-4W 56 kbps combination-Fer IIII  Interoffice Transport-Dedicated-4W 56 kbps combination-Facility Term		<del>                                     </del>	UNCDX	U1TD5	17.25	98.09	53.67	56.31	22.42		7.86	1			<del>                                     </del>
		NRC Currently Combined Network Elements Switch -As-Is Charge		<del>                                     </del>	UNCDX	UNCCC	17.23	8.98	8.98	11.17	11.17		7.86	1			<del>                                     </del>
A.V		E 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTEROFFICE	TRAN	SPO		UNCCC	+	0.90	0.90	11.17	11.17		1.00	-			<del>                                     </del>
14-4	VIIX	TOT REF O DIGITAL EXTENDED LOOF WITH 04 REFS INTEROFFICE	INAN	OF OF	\	+	+			<del> </del>				1			+
	- 1	4W 64 kbps Loop/4W 64 kbps Interoffice Transport Combination-Zone 1		4	UNCDX	UDL64	27.59	125.22	60.48	59.69	7.84		7.86				
		+vv 0+ kbps Loop/4vv 04 kbps interoffice framsport Combination-2one i			UNCDA	UDL04	21.39	120.22	00.48	59.69	1.04	<del>                                     </del>	1.00	1			<del>                                     </del>
	- 1	AW 64 kbps I con/AW 64 kbps Intereffice Transport Combined to 7-1-1		2	LINCDY	LIDLEA	20.40	105.00	00.40	E0.00	704		7.00				
	- 1	4W 64 kbps Loop/4W 64 kbps Interoffice Transport Combination-Zone 2			UNCDX	UDL64	32.48	125.22	60.48	59.69	7.84	<u> </u>	7.86	1		l	1

ONROND	LED NETWORK ELEMENTS - Kentucky													ment: 2		oit: B
											Svc	Svc	Increment	Increment	Incremental	Incremen
											Order	Order	al Charge -	al Charge -	Charge -	al Charge
			Zon								Submitte	Submitte	Manual	Manual	Manual Svc	Manual
CATEGORY	RATE ELEMENTS			BCS	USOC			RATES (\$)			d Elec	d	Svc Order		Order vs.	Svc Order
		im	е									Manually	vs.	vs.	Electronic-	vs.
											per Lak		Electronic	-	Disc 1st	_
												per LSR	Electronic		DISC 1St	Electronic
							Nonred	curring	NRC Discor	nnect		1	088	Rates (\$)		Disc Add'l
					1	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
					-		11130	Auu	11130	Add I	COMILO	OUNAIN	JONAN	JONAN	COMAN	JOHAN
	4W 64 kbps Loop/4W 64 kbps Interoffice Transport Combination-Zone 3		3	UNCDX	UDL64	36.37	125.22	60.48	59.69	7.84		7.86				
	Interoffice Transport-Dedicated-4W 64 kbps combination-Per mi		3	UNCDX	1L5XX	0.01	123.22	00.40	39.09	7.04		7.00				
	Interoffice Transport-Dedicated-4W 64 kbps combination-Fer IIII  Interoffice Transport-Dedicated-4W 64 kbps combination-Facility Term			UNCDX	U1TD6	17.25	98.09	53.67	56.31	22.42		7.86				-
						17.25	8.98	8.98		11.17		7.86				
ADDITION	NRC Currently Combined Network Elements Switch -As-Is Charge			UNCDX	UNCCC		8.98	8.98	11.17	11.17		7.86				
	AL NETWORK ELEMENTS				<u> </u>	L										
	n used as a part of a currently combined facility, the non-recurring cha						L _									
	n used as ordinarily combined network elements in All States, the non-					Is Charge does	not.									
Non	recurring Currently Combined Network Elements "Switch As Is" Charge	(One	appli	es to each combinat	ion)											
	NRC Currently Combined Network Elements Switch -As-Is Charge-				1											
	2W/4W VG			UNCVX	UNCCC		8.98	8.98	11.17	11.17		7.86	<u> </u>			
	NRC Currently Combined Network Elements Switch -As-Is Charge-			<u> </u>												
	56/64 kbps	1	1	UNCDX	UNCCC		8.98	8.98	11.17	11.17		7.86	1		İ	1
	NRC Currently Combined Network Elements Switch -As-Is Charge-DS1			UNC1X	UNCCC		8.98	8.98	11.17	11.17		7.86				
	NRC Currently Combined Network Elements Switch -As-Is Charge-DS3			UNC3X	UNCCC		8.98	8.98	11.17	11.17		7.86				
	NRC Currently Combined Network Elements Switch -As-Is Charge-STS1			UNCSX	UNCCC		8.98	8.98	11.17	11.17		7.86				
NOT	E: Local Channel - Dedicated Transport - minimum billing period - Belo		l=one			nths	0.00	0.00				7.00				
	Local Channel-Dedicated-2W VG	500	-0110	UNCVX	ULDV2	18.57	265.78	46.96	46.79	4.98		7.86				1
	Local Channel-Dedicated-4W VG			UNCVX	ULDV4	19.86	266.48	47.65	47.54	5.73		7.86				
	Local Channel-Dedicated-4W VG  Local Channel-Dedicated-DS1 per mo Zone 1		1	UNC1X	ULDF1	40.46	209.60	176.51	30.21	21.07		7.86				
	Local Channel-Dedicated -DS1 Per mo Zone 2		2	UNC1X	ULDF1	43.39	209.60	176.51	30.21	21.07		7.86				-
	Local Channel-Dedicated-DS1-Per mo Zone 3		3	UNC1X	ULDF1	164.50	209.60	176.51	30.21	21.07		7.86				
	Local Channel-Dedicated-DS3-Per mi per mo			UNC3X	1L5NC	8.74										
	Local Channel-Dedicated-DS3-Facility Term			UNC3X	ULDF3	576.05	551.38	338.08	173.00	120.42		7.86				
	Local Channel-Dedicated-STS-1-Per mi per mo			UNCSX	1L5NC	8.74										
	Local Channel-Dedicated-STS-1 -Facility Term			UNCSX	ULDFS	543.24	551.38	338.08	173.00	120.42		7.86				
	TIPLEXERS															
	E: minimum billing period is one month for DS1 to DS0 Channel Systen															
NOT	E: minimum billing period is three months for DS3 to DS1 and above C	nanne	I Syst	em and interfaces												
	Channelization-DS1 to DS0 Channel System			UXTD1	MQ1	113.33	101.40	71.60	13.79	13.04		7.86				
	OCU-DP COCI (data)-DS1 to DS0 Channel System-per mo (2.4-64kbs)			UDL	1D1DD	1.32	10.07	7.08				7.86				
	2W ISDN COCI (BRITE)-DS1 to DS0 Channel Systsem-per mo			UDN	UC1CA	2.84	10.07	7.08				7.86				
	VG COCI-DS1 to DS0 Channel System-per mo			UEA	1D1VG	0.6228	10.07	7.08				7.86				
	DS3 to DS1 Channel System per mo			UXTD3	MQ3	158.20	199.23	118.62	50.16	48.59		7.86			İ	
	STS1 to DS1 Channel System per mo			UXTS1	MQ3	158.20	199.23	118.62	50.16	48.59		7.86			<del> </del>	
	DS3 Interface Unit (DS1 COCI) used with Loop per mo			USL	UC1D1	11.80	10.07	7.08	30.10	40.03		7.86	<b> </b>		<b> </b>	1
	DS3 Interface Unit (DS1 COCI) used with Local Channel per mo			ULDD1	UC1D1	11.80	10.07	7.08	<del>                                     </del>			7.86				1
	DS3 Interface Unit (DS1 COCI) used with Local Channel per mo		-	U1TD1	UC1D1	11.80	10.07	7.08	<b> </b>			7.86	1		<del> </del>	<del>                                     </del>
C.,L			-	וטווט	OCIDI	11.80	10.07	7.08	1			7.00			1	<del>                                     </del>
oub.	Loop Feeder	-	4	LINCAV	LICDEO	60.57	405.40	70.00	04.00	24.52	-	<del>                                     </del>	-			<del>                                     </del>
	Unbundled Sub-Loop Feeder Loop, 4W DS1-Zone 1	-	1	UNC1X	USBFG	62.57	125.43	73.68	81.82	21.56		1	-		<del>                                     </del>	<del>                                     </del>
	Unbundled Sub-Loop Feeder Loop, 4W DS1-Zone 2		2	UNC1X	USBFG	87.71	125.43	73.68	81.82	21.56						
			3	UNC1X	USBFG	273.33	125.43	73.68	81.82	21.56	ļ	ļ				
	Unbundled Sub-Loop Feeder Loop, 4W DS1-Zone 3				1	]	1						]			1
	ED LOCAL EXCHANGE SWITCHING(PORTS)										l	1	l			
Excl	ED LOCAL EXCHANGE SWITCHING(PORTS) nange Ports															
Excl NOT	ED LOCAL EXCHANGE SWITCHING(PORTS) hange Ports E: Although the Port Rate includes all available features in GA, KY, LA	& TN,	the d	esired features will n	eed to be o	rdered using re	etail USOCs									
Excl NOT	D LOCAL EXCHANGE SWITCHING(PORTS) lange Ports E: Although the Port Rate includes all available features in GA, KY, LA RE VOICE GRADE LINE PORT RATES (RES)	& TN,	the d													
Excl NOT	D LOCAL EXCHANGE SWITCHING(PORTS) lange Ports E: Although the Port Rate includes all available features in GA, KY, LA RE VOICE GRADE LINE PORT RATES (RES) Exchange Ports-2W Analog Line Port-Res.	& TN,	the d	UEPSR	UEPRL	1.49	3.74	3.63	2.23	2.13		7.86				
Excl NOT	D LOCAL EXCHANGE SWITCHING(PORTS) lange Ports E: Although the Port Rate includes all available features in GA, KY, LA RE VOICE GRADE LINE PORT RATES (RES)	& TN,	the d	UEPSR UEPSR	UEPRL UEPRC			3.63 3.63	2.23 2.23	2.13 2.13		7.86 7.86				
Excl NOT	D LOCAL EXCHANGE SWITCHING(PORTS) lange Ports E: Although the Port Rate includes all available features in GA, KY, LA RE VOICE GRADE LINE PORT RATES (RES) Exchange Ports-2W Analog Line Port-Res.	& TN,	the d	UEPSR	UEPRL	1.49	3.74									
Excl NOT	D LOCAL EXCHANGE SWITCHING(PORTS)  lange Ports  E: Although the Port Rate includes all available features in GA, KY, LA  RE VOICE GRADE LINE PORT RATES (RES)  Exchange Ports-2W Analog Line Port Res.  Exchange Ports-2W Analog Line Port with Caller ID-Res.  Exchange Ports-2W Analog Line Port outgoing only-Res.	& TN,	the d	UEPSR UEPSR	UEPRL UEPRC	1.49 1.49	3.74 3.74	3.63	2.23	2.13		7.86				
Excl NOT	D LOCAL EXCHANGE SWITCHING(PORTS) lange Ports E: Although the Port Rate includes all available features in GA, KY, LA RE VOICE GRADE LINE PORT RATES (RES)  Exchange Ports-2W Analog Line Port-Res. Exchange Ports-2W Analog Line Port with Caller ID-Res. Exchange Ports-2W Analog Line Port outgoing only-Res. Exchange Ports-2W VG unbundled KY extended local dialing parity Port	& TN,	the de	UEPSR UEPSR UEPSR	UEPRL UEPRC UEPRO	1.49 1.49	3.74 3.74 3.74	3.63 3.63	2.23	2.13 2.13		7.86 7.86				
Excl NOT	ED LOCAL EXCHANGE SWITCHING(PORTS) lange Ports E: Although the Port Rate includes all available features in GA, KY, LA RE VOICE GRADE LINE PORT RATES (RES)  Exchange Ports-2W Analog Line Port-Res. Exchange Ports-2W Analog Line Port with Caller ID-Res. Exchange Ports-2W Analog Line Port outgoing only-Res. Exchange Ports-2W Of unbundled KY extended local dialing parity Port with Caller ID-Res.	& TN,	the d	UEPSR UEPSR	UEPRL UEPRC	1.49 1.49 1.49	3.74 3.74	3.63	2.23 2.23	2.13		7.86				
Excl NOT	D LOCAL EXCHANGE SWITCHING(PORTS)  lange Ports  E: Although the Port Rate includes all available features in GA, KY, LA  RE VOICE GRADE LINE PORT RATES (RES)  Exchange Ports-2W Analog Line Port-Res.  Exchange Ports-2W Analog Line Port with Caller ID-Res.  Exchange Ports-2W Analog Line Port outgoing only-Res.  Exchange Ports-2W VG unbundled KY extended local dialing parity Port with Caller ID-Res.  Exchange Ports-2W VG unbundled res, low usage line port with Caller	& TN,	the de	UEPSR UEPSR UEPSR UEPSR	UEPRL UEPRC UEPRO UEPRM	1.49 1.49 1.49	3.74 3.74 3.74 3.74	3.63 3.63 3.63	2.23 2.23 2.23	2.13 2.13 2.13		7.86 7.86 7.86				
Excl NOT	D LOCAL EXCHANGE SWITCHING(PORTS) lange Ports E: Although the Port Rate includes all available features in GA, KY, LA RE VOICE GRADE LINE PORT RATES (RES) Exchange Ports-2W Analog Line Port-Res. Exchange Ports-2W Analog Line Port with Caller ID-Res. Exchange Ports-2W Analog Line Port outgoing only-Res. Exchange Ports-2W VG unbundled KY extended local dialing parity Port with Caller ID-Res. Exchange Ports-2W VG unbundled KY extended local dialing parity Port with Caller ID-Res. Exchange Ports-2W VG unbundled res, low usage line port with Caller ID (LUM)	& TN,	the d	UEPSR UEPSR UEPSR UEPSR	UEPRL UEPRC UEPRO UEPRM UEPAP	1.49 1.49 1.49 1.49	3.74 3.74 3.74 3.74 3.74	3.63 3.63 3.63	2.23 2.23 2.23	2.13 2.13 2.13 2.13		7.86 7.86 7.86 7.86				
Excl NOT	ED LOCAL EXCHANGE SWITCHING(PORTS) lange Ports E: Although the Port Rate includes all available features in GA, KY, LA RE VOICE GRADE LINE PORT RATES (RES)  Exchange Ports-2W Analog Line Port-Res. Exchange Ports-2W Analog Line Port with Caller ID-Res. Exchange Ports-2W Analog Line Port outgoing only-Res. Exchange Ports-2W VG unbundled KY extended local dialing parity Port with Caller ID-Res. Exchange Ports-2W VG unbundled res, low usage line port with Caller ID (LUM) Exchange Ports-2W Voice KY Res Dialing Plan w/o Caller ID	& TN,	the d	UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR	UEPRL UEPRC UEPRO UEPRM UEPAP UEPAP	1.49 1.49 1.49 1.49 1.49	3.74 3.74 3.74 3.74 3.74 3.74	3.63 3.63 3.63 3.63 3.63	2.23 2.23 2.23 2.23 2.23	2.13 2.13 2.13 2.13 2.13		7.86 7.86 7.86 7.86 7.86				
Excl NOT	D LOCAL EXCHANGE SWITCHING(PORTS) lange Ports E: Although the Port Rate includes all available features in GA, KY, LA RE VOICE GRADE LINE PORT RATES (RES) Exchange Ports-2W Analog Line Port-Res. Exchange Ports-2W Analog Line Port with Caller ID-Res. Exchange Ports-2W Analog Line Port outgoing only-Res. Exchange Ports-2W VG unbundled KY extended local dialing parity Port with Caller ID-Res. Exchange Ports-2W VG unbundled KY extended local dialing parity Port with Caller ID-Res. Exchange Ports-2W VG unbundled res, low usage line port with Caller ID (LUM)	& TN,	the d	UEPSR UEPSR UEPSR UEPSR	UEPRL UEPRC UEPRO UEPRM UEPAP	1.49 1.49 1.49 1.49	3.74 3.74 3.74 3.74 3.74	3.63 3.63 3.63	2.23 2.23 2.23	2.13 2.13 2.13 2.13		7.86 7.86 7.86 7.86				

UNBUND	LED NETWORK ELEMENTS - Kentucky													ment: 2		oit: B
CATEGOR	RATE ELEMENTS	Inter im	Zon e	BCS	USOC		1	RATES (\$)			d Elec	Svc Order Submitte d Manually per LSR	al Charge - Manual Svc Order vs.	al Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	al Charge
							Nonrec	urring	NRC Disco	nnect		1	088	Rates (\$)	l .	Diec Add'l
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	All Available Vertical Features			UEPSR	UEPVF	0.00	0.00	0.00				7.86				
2-W	RE VOICE GRADE LINE PORT RATES (BUS)															
	Exchange Ports-2W Analog Line Port w/o Caller ID-Bus			UEPSB	UEPBL	1.49	3.74	3.63	2.23	2.13		7.86				
	Exchange Ports-2W VG unbundled Line Port with unbundled port with															
	Caller+E484 ID-Bus.			UEPSB	UEPBC	1.49	3.74	3.63	2.23	2.13		7.86				
	Exchange Ports-2W Analog Line Port outgoing only-Bus.			UEPSB	UEPBO	1.49	3.74	3.63	2.23	2.13		7.86				
	Exchange Ports-2W VG unbundled KY extended local dialing parity Port															
	with Caller ID-Bus.			UEPSB	UEPBM	1.49	3.74	3.63	2.23	2.13		7.86				
	Exhange Ports-2W VG unbundled incoming only port with Caller ID-Bus			UEPSB	UEPB1	1.49	3.74	3.63	2.23	2.13		7.86				
	Exchange Ports-2W Voice KY bus Dialing Plan w/o Caller ID			UEPSB	UEPWF	1.49	3.74	3.63	2.23	2.13		7.86				
	2W voice unbundled Incoming Only Port w/o Caller ID Capability			UEPSB	UEPBE	1.49	3.74	3.63	2.23	2.13		7.86				
	Subsqnt Activity			UEPSB	USASC	0.00	0.00	0.00				7.86				
FEA	TURES															
	All Available Vertical Features			UEPSB	UEPVF	0.00	0.00	0.00				7.86				
EXC	HANGE PORT RATES (DID & PBX)															
	2W VG Unbundled 2-Way PBX Trunk-Res			UEPSE	UEPRD	1.49	39.05	18.17	15.38	0.89		7.86				
	2W VG Line Side Unbundled 2-Way PBX Trunk-Bus			UEPSP	UEPPC	1.49	39.05	18.17	15.38	0.89		7.86				
	2W VG Line Side Unbundled Outward PBX Trunk-Bus			UEPSP	UEPPO	1.49	39.05	18.17	15.38	0.89		7.86				
	2W VG Line Side Unbundled Incoming PBX Trunk-Bus			UEPSP	UEPP1	1.49	39.05	18.17	15.38	0.89		7.86				
	2W Analog Long Distance Terminal PBX Trunk-Bus			UEPSP	UEPLD	1.49	39.05	18.17	15.38	0.89		7.86				
	2W Voice Unbundled PBX LD Terminal Ports			UEPSP	UEPLD	1.49	39.05	18.17	15.38	0.89		7.86				
	2W Vice Unbundled 2-Way PBX Usage Port			UEPSP	UEPXA	1.49	39.05	18.17	15.38	0.89		7.86				
	2W Voice Unbundled PBX Toll Terminal Hotel Ports			UEPSP	UEPXB	1.49	39.05	18.17	15.38	0.89		7.86				
	2W Voice Unbundled PBX LD DDD Terminals Port			UEPSP	UEPXC	1.49	39.05	18.17	15.38	0.89		7.86				
	2W Voice Unbundled PBX LD Terminal Switchboard Port			UEPSP	UEPXD	1.49	39.05	18.17	15.38	0.89		7.86				
	2W Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port		<u> </u>	UEPSP	UEPXE	1.49	39.05	18.17	15.38	0.89		7.86				<b>.</b>
	2W Voice Unbundled 2-Way PBX KY Room Area Calling Port w/o LUD		<u> </u>	UEPSP	UEPXF	1.49	39.05	18.17	15.38	0.89		7.86				<b>.</b>
	2W Voice Unbundled PBX KY LUD Area Calling Port		<u> </u>	UEPSP	UEPXG	1.49	39.05	18.17	15.38	0.89		7.86				<b>.</b>
	2W Voice Unbundled PBX KY Premium Callling Port		<u> </u>	UEPSP	UEPXH	1.49	39.05	18.17	15.38	0.89		7.86				<b>.</b>
	2W Voice Unbundled 2-Way PBX KY Area Callling Port w/o LUD		<u> </u>	UEPSP	UEPXJ	1.49	39.05	18.17	15.38	0.89		7.86				<b>.</b>
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPSP	UEPXL	1.49	39.05	18.17	15.38	0.89		7.86				
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPSP	UEPXM	1.49	39.05	18.17	15.38	0.89		7.86				
	2W Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port			UEPSP	UEPXO	1.49	39.05	18.17	15.38	0.89		7.86				
	2W Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPSP	UEPXS	1.49	39.05	18.17	15.38	0.89		7.86				
	Subsant Activity			UEPSP	USASC	0.00	0.00	0.00				7.86				

ONB	UNDL	ED NETWORK ELEMENTS - Kentucky				1	1					1	,		ment: 2		oit: B
CATE	GORY	RATE ELEMENTS	Inter im	Zon e	BCS	USOC			RATES (\$)			Svc Order Submitte d Elec per LSR	d	al Charge - Manual Svc Order vs.	Increment al Charge - Manual Svc Order vs. Electronic-	Manual Svc Order vs. Electronic-	al Charge
				-				N		NRC Disco				164	V441		Disc Add'l
				-			Rec	Nonred				COMEO	COMAN		Rates (\$)	001441	0011411
	FEAT	IDEO		-		ļ		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		All Available Vertical Features			UEPSP UEPSE	UEPVF	0.00	0.00	0.00				7.86				<b>├</b> ──
		ANGE PORT RATES (COIN)			UEPSP UEPSE	UEPVF	0.00	0.00	0.00				7.80				<b>├</b> ──
		Exchange Ports-Coin Port					1.49	3.74	3.63	2.23	2.13		7.86				<del></del>
		Switching Features offered with Port					1.49	3.74	3.03	2.23	2.13		7.00				<del></del>
				10 14	l alaa anniu ta airauit	owitched v	oloo and/ar all	rouit ouitobad a	lata transmis	ion by B Ch	l nnole ecce	sisted with	2W ISDN *	l norto			<del></del>
		<ul> <li>Transmission/usage charges associated with POTS circuit switched</li> <li>Access to B Channel or D Channel Packet capabilities will be availa</li> </ul>											ZWISDN	orts.			<del></del>
	NOIE	Exchange port-4W ISDN trunk port -all available features included	DIE OI	ily th	Tough BER/NBR Proc	UEPEX	101.60		95.15		22.67	cess.	7.86				
IINDI	INDI EI	D LOCAL EXCHANGE SWITCHING(PORTS)		-		UEPEA	101.60	100.30	95.15	01.92	22.07		7.00				
UNDU		ANGE PORT RATES		-		1							1				
		Exchange Ports-2W DID Port		-	UEPEX	UEPP2	10.51	92.18	15.82	52.16	5.30		7.86				
		Exchange Ports-DDITS Port-4W DS1 Port with DID capability		1	UEPDD	UEPDD	74.77		77.74	60.69	3.86		7.86	1			<del>                                     </del>
		Exchange Ports-2W ISDN Port (See Notes below.)		1	UEPTX UEPSX	U1PMA	13.46		50.67	32.83	14.17		7.86	1			<del>                                     </del>
		All Features Offered		1	UEPTX UEPSX	UEPVF	0.00		0.00		14.17		7.50				
		: Transmission/usage charges associated with POTS circuit switched	lueso	io will							annole accor	l riated with	2W ISDN P	oorte			
		: Access to B Channel or D Channel Packet capabilities will be availa											ZWISDN	Jores.			
	NOIL	Exchange Ports-2W ISDN Port Channel Profiles	DIE OI	lly un	UEPTX UEPSX	U1UMA	0.00		0.00	I via tile b	I NOT THE	Jess.	1				
		Exchange Ports-4W ISDN Port  Exchange Ports-4W ISDN DS1 Port			UEPEX	UEPEX	101.60		95.15	61.92	22.67		7.86				
		NDLED PORT with REMOTE CALL FORWARDING CAPABILITY		-	UEFEX	UEPEA	101.60	100.30	95.15	01.92	22.07		7.00				-
		NDLED REMOTE CALL FORWARDING CAPABILITY NDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE				1		1					1				<del></del>
	UNDU	Unbundled Remote Call Forwarding Service - Residence  Unbundled Remote Call Forwarding Service, Area Calling, Res		-	UEPVR	UERAC	1.49	3.74	3.63				7.86				-
		Unbundled Remote Call Forwarding Service, Area Calling, Res		-	UEPVR	UERLC	1.49		3.63				7.86				-
		Unbundled Remote Call Forwarding Service, InterLATA-Res			UEPVR	UERTE	1.49		3.63				7.86				<b>-</b>
		Unbundled Remote Call Forwarding Service, InterLATA-Res			UEPVR	UERTR	1.49		3.63				7.86				
	Non E	dibundied Remote Call Forwarding Service, IntraLATA-Res		-	UEFVR	UEKIK	1.49	3.74	3.03				7.00				-
	NOII-N	Unbundled Remote Call Forwarding Service -Conversion-Switch-as-is			UEPVR	USAC2		0.10	0.10				7.86				-
		Unbundled Remote Call Forwarding Service -Conversion with allowed			OLFVIX	USACZ		0.10	0.10				7.00				-
		change (PIC & LPIC)			UEPVR	USACC		0.10	0.10								
	IINDI	NDLED REMOTE CALL FORWARDING - Bus			OLFVIX	USACC		0.10	0.10				1				-
	ONDO	Unbundled Remote Call Forwarding Service, Area Calling-Bus			UEPVB	UERAC	1.49	3.74	3.63				7.86				-
		Unbundled Remote Call Forwarding Service, Area Calling-Bus			UEPVB	UERLC	1.49		3.63				7.86				-
		Unbundled Remote Call Forwarding Service, Local Calling-Bus			UEPVB	UERTE	1.49		3.63				7.86				
		Unbundled Remote Call Forwarding Service, IntelEATA-Bus			UEPVB	UERTR	1.49		3.63				7.86				
		Unbundled Remote Call Forwarding Service Expanded & Exception			OLI VD	OLIVIIV	1.40	0.14	0.00				7.00				
		Local Calling			UEPVB	UERVJ	1.49	3.74	3.63				7.86				
	Non-R	Lecurring			OLI VD	OLIVO	1.43	3.74	3.03				7.00				-
		Unbundled Remote Call Forwarding Service-Conversion-Switch-as-is			UEPVB	USAC2		0.10	0.10				7.86				
		Unbundled Remote Call Forwarding Service -Conversion with allowed		<b>†</b>	OLI VD	00/102		0.10	0.10	l .			7.50	1			
		change (PIC & LPIC)			UEPVB	USACC		0.10	0.10								
IINRI		D LOCAL SWITCHING, PORT USAGE			OLI VD	00/100		0.10	0.10				1				
UNDU		ffice Switching (Port Usage)											1				
		End Office Switching Function, Per MOU					0.0011971										
		End Office Trunk Port-Shared, Per MOU					0.0002112						1				
		m Switching (Port Usage) (Local or Access Tandem)					0.0002112						1				
		Tandem Switching Function Per MOU					0.000194										
		Tandem Trunk Port-Shared, Per MOU					0.0002416										
	Comn	non Transport															
		Common Transport-Per mi, Per MOU				İ	0.000003			1	1						
		Common Transport-Facilities Term Per MOU				İ	0.0007466			1	1						
UNBL		PORT/LOOP COMBINATIONS - COST BASED RATES															
		Based Rates are applied where BellSouth is required by FCC and/or C	ommi	ssion	rule to provide Unbu	ndled Loca	Switching or	Switch Ports.		i e				İ			
	Featu	res shall apply to the Unbundled Port/Loop Combination - Cost Based	Rate	section	on in the same manne	er as they a	re applied to t	he Stand-Alone	Unbundled P	ort section o	f this Exhibit	t.					
	End C	ffice & Tandem Switching Usage & Common Transport Usage rates in	the F	ort s	ection of this Exhibit	shall apply	to all combina	ations of loon/n	ort network e	lements exce	pt for UNE C	oin Port/L	oop Combi	nations.			
		rst & add'l Port NRC charges apply to Not Currently Combined Combo															
		E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)		T	,		322 3.10	1		1							
		Port/Loop Combination Rates								1							
		2W VG Loop/Port Combo-Zone 1		1	1		10.79	1		İ	İ			İ			
					1		. 10.73			1	•						

PIADOIADE	ED NETWORK ELEMENTS - Kentucky			ı	1						0	0		ment: 2		bit: B
ATEGORY	RATE ELEMENTS	Inter im	Zon e	BCS	usoc			RATES (\$)			d Elec	Svc Order Submitte d Manually per LSR	Manual Svc Order vs.	Increment al Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svo Order vs. Electronic- Disc 1st	al Charge
						Rec	Nonre		NRC Disco					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2W VG Loop/Port Combo-Zone 2		2			15.52										
	2W VG Loop/Port Combo-Zone 3		3			31.74										
UNE L	oop Rates															
	2W VG Loop (SL1)-Zone 1		1	UEPRX	UEPLX	9.64										
	2W VG Loop (SL1)-Zone 2		2	UEPRX	UEPLX	14.37										
	2W VG Loop (SL1)-Zone 3		3	UEPRX	UEPLX	30.59										
2-Wire	Voice Grade Line Port Rates (Res)															
	2W voice unbundled port-Res			UEPRX	UEPRL	1.15	21.29	15.49	2.85	2.67		7.86				
	2W voice unbundled port with Caller ID-res			UEPRX	UEPRC	1.15	21.29	15.49	2.85	2.67		7.86				
	2W voice unbundled port outgoing only-res			UEPRX	UEPRO	1.15	21.29	15.49	2.85	2.67		7.86				
	2W VG unbundled KY extended local dialing parity port with Caller ID-			UEPRX	UEPRM	1.15	21.29	15.49	2.85	2.67		7.86				
	2W voice unbundles res, low usage line port with Caller ID (LUM)			UEPRX	UEPAP	1.15	21.29	15.49	2.85	2.67		7.86				
	2W Voice Unbundled KY Res Dialing Plan w/o Caller ID			UEPRX	UEPWE	1.15	21.29	15.49	2.85	2.67		7.86				
	2W voice unbundled Low Usage Line Port w/o Caller ID Capability			UEPRX	UEPRT	1.15	21.29	15.49	2.85	2.67		7.86				
FEAT	JRES															
	All Features Offered			UEPRX	UEPVF	0.00	0.00	0.00				7.86				
LOCA	L NUMBER PORTABILITY															
	Local No Portability (1 per port)			UEPRX	LNPCX	0.35										1
NONR	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2W VG Loop/Line Port Combination-Conversion-Switch-as-is			UEPRX	USAC2		0.10	0.10				7.86				
	2W VG Loop/Line Port Combination -Conversion-Switch with change			UEPRX	USACC		0.10	0.10				7.86				1
ADDI1	IONAL NRCs															1
	2W VG Loop/Line Port Combination-Subsent Activity			UEPRX	USAS2	0.00	0.00	0.00				7.86				
2-WIR	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)															
	Port/Loop Combination Rates															
	2W VG Loop/Port Combo-Zone 1		1			10.79										<b>†</b>
	2W VG Loop/Port Combo-Zone 2		2			15.52										
	2W VG Loop/Port Combo-Zone 3		3			31.74										
	oop Rates		Ť													<b>†</b>
	2W VG Loop (SL1)-Zone 1		1	UEPBX	UEPLX	9.64										<b>†</b>
	2W VG Loop (SL1)-Zone 2		2	UEPBX	UEPLX	14.37										<b>†</b>
	2W VG Loop (SL1)-Zone 3		3	UEPBX	UEPLX	30.59										
2-Wire	Voice Grade Line Port (Bus)		Ť	02.27	OZ. ZX	00.00										<b>†</b>
	2W voice unbundled port w/o Caller ID-bus			UEPBX	UEPBL	1.15	21.29	15.49	2.85	2.67		7.86				<b>†</b>
$\neg$	2W voice unbundled port with Caller + E484 ID-bus			UEPBX	UEPBC	1.15	21.29	15.49	2.85	2.67		7.86				<b>†</b>
	2W voice unbundled port outgoing only-bus			UEPBX	UEPBO	1.15	21.29	15.49	2.85	2.67		7.86				<b>†</b>
	2W VG unbundled KY extended local dialing parity port with Caller ID-			02.27	02. 20		21.20	10.10	2.00	2.07		7.00				<del></del>
	bus			UEPBX	UEPBM	1.15	21.29	15.49	2.85	2.67		7.86				
	2W voice unbundled incoming only port with Caller ID-Bus	1	1	UEPBX	UPEB1	1.15	21.29	15.49	2.85	2.67		7.86	1	i		<del></del>
	2W Voice Unbundled KY bus Dialing Plan w/o Caller ID	1	1	UEPBX	UEPWF	1.15	21.29	15.49	2.85	2.67		7.86	1	i		<del>                                     </del>
	2W voice unbundled Incoming Only Port w/o Caller ID Capability	1	1	UEPBX	UEPBE	1.15	21.29	15.49	2.85	2.67		7.86	<u> </u>			<del>                                     </del>
LOCA	L NUMBER PORTABILITY	1	1	OLI DA	OL, DL	1.10	21.20	10.40	2.00	2.01		7.50	<u> </u>			<del>                                     </del>
	Local No Portability (1 per port)	1	1	UEPBX	LNPCX	0.35							<u> </u>			<del>                                     </del>
FEAT		+	1	OLIDA	LIVI OX	0.33							<b>-</b>			+
	All Features Offered	+	1	UEPBX	UEPVF	0.00	0.00	0.00				7.86	<b>-</b>			+
	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED	1	<b>—</b>	OLFDA	OFL AL.	0.00	0.00	0.00			1	7.00	t	<del>                                     </del>	-	+
NOINK	2W VG Loop/Line Port Combination-Conversion-Switch-as-is	1		UEPBX	USAC2		0.10	0.10			1	7.86			1	+
-+	2W VG Loop/Line Port Combination-Conversion-Switch-as-is	+	1	UEPBX	USACZ		0.10	0.10			1	7.86	1	1	-	+
ADDIT	ZW VG Loop/Line Port Combination -Conversion-Switch with change TONAL NRCs	1-	1	UEPBA	USACC		0.10	0.10			}	7.00	-		1	+
AUUII		1	1	HEDDY	110400		0.00	0.00			<b> </b>	7.00	<del>                                     </del>	<b> </b>		
	2W VG Loop/Line Port Combination-Subsqnt Activity			UEPBX	USAS2		0.00	0.00				7.86	1	l	l	Щ_

UNBUND	LED NETWORK ELEMENTS - Kentucky					1					1	1		ment: 2		bit: B
											Svc	Svc		Increment	Incremental	
											Order	Order	al Charge -	al Charge -	Charge -	al Charge
		Inter	Zon								Submitte	Submitte	Manual	Manual	Manual Svo	Manual
CATEGORY	RATE ELEMENTS	im	e	BCS	USOC			RATES (\$)			d Elec	d	Svc Order	Svc Order	Order vs.	Svc Orde
		IIII	е									Manually	vs.	vs.	Electronic-	
											por Lore	per LSR	Electronic-	_	Disc 1st	Electronic
												per Lor	104	Vqq.	DISC 1St	Disc Add'
						D	Nonre	curring	NRC Disco	nnect			oss	Rates (\$)	•	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
2-WIF	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)															1
	Port/Loop Combination Rates															1
	2W VG Loop/Port Combo-Zone 1		1			10.79										1
	2W VG Loop/Port Combo-Zone 2		2			15.52										1
	2W VG Loop/Port Combo-Zone 3		3			31.74										1
UNE	Loop Rates		Ŭ			0										1
- 0.11	2W VG Loop (SL 1)-Zone 1		1	UEPRG	UEPLX	9.64										1
	2W VG Loop (SL 1)-Zone 2		2	UEPRG	UEPLX	14.37										1
	2W VG Loop (SL 1)-Zone 3		3	UEPRG	UEPLX	30.59										4
2-Wir	e Voice Grade Line Port Rates (RES - PBX)		J	OLITIO	OLILA	30.33										+
2-4411	2W VG Unbundled Combination 2-Way PBX Trunk Port-Res	1	1	UEPRG	UEPRD	1.15	21.29	15.49	2.85	2.67		7.86				+
100	AL NUMBER PORTABILITY	-	<del>                                     </del>	ULFING	OLFIND	1.15	21.29	13.49	2.00	2.07		1.00	<del>                                     </del>		<del>                                     </del>	+
LUCA	Local No Portability (1 per port)			UEPRG	LNPCP	3.15	0.00	0.00	1		1	7.86	1		1	+
CEAT	TURES			UEPRG	LINPUP	3.15	0.00	0.00	1		1	7.56	1		1	+
FEAI			-	LIEDDO	HEDVE	0.00	0.00	0.00				7.00	-		-	+
110	All Features Offered			UEPRG	UEPVF	0.00	0.00	0.00				7.86	-			+
NON	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED			LIEDDO	110400		0.45	1.01				7.00				-
	2W VG Loop/ Line Port Combination (PBX)-Conversion-Switch-As-Is			UEPRG	USAC2		8.45	1.91				7.86				
	2W VG Loop/ Line Port Combination (PBX)-Conversion-Switch with															
	Change			UEPRG	USACC		8.45	1.91				7.86				
ADDI	TIONAL NRCs															
	2W VG Loop/ Line Port Combination (PBX)-Subsqnt Activity			UEPRG	USAS2	0.00	0.00	0.00				7.86				
	PBX Subsqnt Activity-Change/Rearrange Multiline Hunt Group						7.86	7.86				7.86				
2-WIF	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)															
UNE	Port/Loop Combination Rates															
	2W VG Loop/Port Combo-Zone 1		1			10.79										T .
	2W VG Loop/Port Combo-Zone 2		2			15.52										
	2W VG Loop/Port Combo-Zone 3		3			31.74										
UNE	Loop Rates															
	2W VG Loop (SL 1)-Zone 1		1	UEPPX	UEPLX	9.64										1
	2W VG Loop (SL 1)-Zone 2		2	UEPPX	UEPLX	14.37										1
	2W VG Loop (SL 1)-Zone 3		3	UEPPX	UEPLX	30.59										1
2-Wir	e Voice Grade Line Port Rates (BUS - PBX)		_	OZ. I X	OL: EX	00.00										+
	Line Side Unbundled Combination 2-Way PBX Trunk Port-Bus			UEPPX	UEPPC	1.15	21.29	15.49	2.85	2.67		7.86				1
	Line Side Unbundled Outward PBX Trunk Port-Bus			UEPPX	UEPPO	1.15	21.29	15.49	2.85	2.67		7.86				+
	Line Side Unbundled Incoming PBX Trunk Port-Bus	<del>                                     </del>	<del>                                     </del>	UEPPX	UEPP1	1.15	21.29	15.49	2.85	2.67		7.86	<b> </b>			+
	2W Voice Unbundled PBX LD Terminal Ports	$\vdash$	$\vdash$	UEPPX	UEPLD	1.15	21.29	15.49	2.85	2.67		7.86	<del>l</del>		<del>                                     </del>	+
	2W Voice Unbundled PBX LD Terminal Ports  2W Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	1.15	21.29	15.49	2.85	2.67	1	7.86	1		1	+
	2W Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	1.15	21.29	15.49	2.85	2.67	1	7.86	1		1	+
	2W Voice Unbundled PBX 10II Terminal Hotel Ports 2W Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXB	1.15	21.29	15.49	2.85	2.67	1	7.86	1		1	+
	2W Voice Unbundled PBX LD DDD Terminals Port 2W Voice Unbundled PBX LD Terminal Switchboard Port	<del>                                     </del>	-	UEPPX	UEPXD	1.15	21.29	15.49	2.85	2.67		7.86	<del> </del>		-	+
			-							2.67			-		-	+
	2W Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port	-	-	UEPPX	UEPXE	1.15	21.29	15.49	2.85			7.86	1		1	+
	2W Voice Unbundled 2-Way PBX KY Room Area Calling Port w/o LUD			UEPPX	UEPXF	1.15	21.29	15.49	2.85	2.67		7.86	<b>.</b>		ļ	+
	2W Voice Unbundled PBX KY LUD Area Calling Port			UEPPX	UEPXG	1.15	21.29	15.49	2.85	2.67		7.86				<del>                                     </del>
	2W Voice Unbundled PBX KY Premium Calling Port			UEPPX	UEPXH	1.15	21.29	15.49	2.85	2.67		7.86				<del>                                     </del>
	2W Voice Unbundled 2-Way KY Area Calling Port w/o LUD			UEPPX	UEPXJ	1.15	21.29	15.49	2.85	2.67		7.86				<del>                                     </del>
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy				1				[ ]		İ		1			
	Administrative Calling Port			UEPPX	UEPXL	1.15	21.29	15.49	2.85	2.67		7.86	ļ			4
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room		1					]	]				l		l	1
	Calling Port			UEPPX	UEPXM	1.15	21.29	15.49	2.85	2.67		7.86	ļ		ļ	1
1	2W Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount															
	Room Calling Port			UEPPX	UEPXO	1.15	21.29	15.49	2.85	2.67		7.86	<u> </u>			
	2W Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	1.15	21.29	15.49	2.85	2.67		7.86				
LOCA	AL NUMBER PORTABILITY															T
1	Local No Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00	j							
FEAT	URES				T	50	2.30	1 2.30	i 1				İ		İ	1
	All Features Offered			UEPPX	UEPVF	0.00	0.00	0.00				7.86	i		1	1
	p. m. r. data. dd Onlorda	1		OL( I A	OLI VI	0.00	0.00	0.00			1	7.00	i		<u> </u>	

MRONDFI	ED NETWORK ELEMENTS - Kentucky													ment: 2		bit: B
											Svc	Svc	Increment	Increment	Incremental	Increme
											Order	Order	al Charge -	al Charge -	Charge -	al Charge
		Intor	Zon								Submitte	Submitte	Manual	Manual	Manual Svo	Manua
ATEGORY	RATE ELEMENTS			BCS	USOC			RATES (\$)			d Elec	d	Svc Order		Order vs.	Svc Orde
		im	е					- (17				Manually	VS.	VS.	Electronic-	vs.
											per LSK		-	-		
												per LSR	Electronic-		Disc 1st	Electroni
						_	Nonrec	curring	NRC Discor	nect		l	OSS	Rates (\$)		Disc Add
					-	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN		SOMAN	SOMAN
- 1.	2W VG Loop/ Line Port Combination (PBX)-Conversion-Switch-As-Is			UEPPX	USAC2		8.45	1.91	FIISL	Auu i	SOMEC	7.86	SOWAN	SOWAN	JOWAN	JOWAN
	2W VG Loop/ Line Port Combination (PBX)-Conversion-Switch with			UEFFX	USACZ		0.40	1.91				7.00				+
	Change			UEPPX	USACC		8.45	1.91				7.86				
	ONAL NRCs	1		UEFFX	USACC		0.40	1.91			ļ	7.00				+
		-	-	LIEDDY	110400	0.00	0.00	0.00				7.00				
	2W VG Loop/ Line Port Combination (PBX)-Subsqnt Activity	-		UEPPX	USAS2	0.00	0.00	0.00				7.86				<del></del>
	PBX Subsqnt Activity-Change/Rearrange Multiline Hunt Group						7.86	7.86				7.86				
	VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN PORT															
	ort/Loop Combination Rates															<del></del>
	W VG Coin Port/Loop Combo – Zone 1		1			10.79										
	W VG Coin Port/Loop Combo – Zone 2		2			15.52										
	W VG Coin Port/Loop Combo – Zone 3	<u> </u>	3		1	31.74										
	pop Rates				1											1
	W VG Loop (SL1)-Zone 1		1	UEPCO	UEPLX	9.64										
	2W VG Loop (SL1)-Zone 2		2	UEPCO	UEPLX	14.37										
1	W VG Loop (SL1)-Zone 3		3	UEPCO	UEPLX	30.59										
2-Wire	Voice Grade Line Ports (COIN)															
	2W Coin 2-Way w/o Oper Screening & w/o Blocking			UEPCO	UEPRF	1.15	21.29	15.49	2.85	2.67		7.86				
	2W Coin 2-Way with Oper Screening (AL, KY)			UEPCO	UEPRE	1.15	21.29	15.49	2.85	2.67		7.86				1
	W Coin 2-Way with Oper Screening & Blocking: 011, 900/976, 1+DDD															†
	AL, KY, LA, MS)			UEPCO	UEPRA	1.15	21.29	15.49	2.85	2.67		7.86				
	W Coin 2-Way with Oper Screening & 011 Blocking (KY)			UEPCO	UEPKA	1.15	21.29	15.49	2.85	2.67		7.86				+
	W Coin 2-Way with Oper Screening & Blocking: 900/976, 1+DDD,			021 00	OLITOR	1.10	21.20	10.40	2.00	2.01	1	7.00				+
	011+, & Local (AL, KY, LA, MS)			UEPCO	UEPCD	1.15	21.29	15.49	2.85	2.67		7.86				
	2W Coin Outward w/o Blocking & w/o Oper Screening			UEPCO	UEPRN	1.15	21.29	15.49	2.85	2.67		7.86				+
	2W Coin Outward with Oper Screening & 011 Blocking	1		UEPCO	UEPRJ	1.15	21.29	15.49	2.85	2.67	ļ	7.86				+
		-	-	UEPCU	UEPRJ	1.15	21.29	15.49	2.85	2.07		7.80				+
	W Coin Outward with Oper Screening & Blocking: 011, 900/976,			UEPCO	UEPRH	4.45	04.00	45.40	2.85	2.67		7.86				
	+DDD (AL, KY, LA, MS)	-		UEPCO	UEPRH	1.15	21.29	15.49	2.85	2.67		7.86				
	W Coin Outward Oper Screening & Blocking: 900/976, 1+DDD, 011+,															
	& Local (AL, KY, LA, MS)			UEPCO	UEPCN	1.15	21.29	15.49	2.85	2.67		7.86				
	2W 2-Way Smartline with 900/976 (all states except LA)			UEPCO	UEPCK	1.15	21.29	15.49	2.85	2.67		7.86				
	2W Coin Outward Smartline with 900/976			UEPCO	UEPCR	1.15	21.29	15.49	2.85	2.67		7.86				
	ONAL UNE COIN PORT/LOOP (RC)															
	JNE Coin Port/Loop Combo Usage (Flat Rate)			UEPCO	URECU	2.57	0.00	0.00	0.00	0.00						
LOCAL	NUMBER PORTABILITY															
	ocal No Portability (1 per port)			UEPCO	LNPCX	0.35										
	CURRING CHARGES - CURRENTLY COMBINED															
	W VG Loop/Line Port Combination -Conversion-Switch-as-is			UEPCO	USAC2		0.10	0.10				7.86				
	W VG Loop/Line Port Combination -Conversion-Switch with change			UEPCO	USACC		0.10	0.10				7.86				
	ONAL NRCs											1				
	W VG Loop/Line Port Combination-Subsqnt Activity			UEPCO	USAS2		0.00	0.00				7.86			İ	1
	VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE LINE	PORT	(RES		00/102		0.00	0.00				7.00				+
	ort/Loop Combination Rates	. 5111	,0	,	1				<b>†</b>						1	<del>                                     </del>
	2W VG Loop/IO Tranport/Port Combo-Zone 1	<del>                                     </del>	1		+	13.90			<b> </b>							+
	2W VG Loop/IO Tranport/Port Combo-Zone 2	<del>                                     </del>	2		+	18.68			+		<b>-</b>					+
	2W VG Loop/IO Tranport/Port Combo-Zone 2	<del>                                     </del>	3		+	34.45										+
	pop Rates	<u> </u>	J		+	34.40										+
	2W VG Loop (SL2)-Zone 1	<del>                                     </del>	1	UEPFR	UECF2	12.67			-		<del>                                     </del>				1	+
		<u> </u>	2	UEPFR	UECF2	12.67			-		-					+
	2W VG Loop (SL2)-Zone 2	1														+
	2W VG Loop (SL2)-Zone 3	<u> </u>	3	UEPFR	UECF2	33.22										<del>                                     </del>
	Voice Grade Line Port Rates (Res)	<u> </u>		=	<del> </del>		,									
	2W voice unbundled port-Res	<u> </u>		UEPFR	UEPRL	1.23	128.96	64.11	61.92	9.97		7.86				<del>                                     </del>
	2W voice unbundled port with Caller ID-res	<u> </u>		UEPFR	UEPRC	1.23	128.96	64.11	61.92	9.97		7.86				4
	W voice unbundled port outgoing only-res	<u> </u>		UEPFR	UEPRO	1.23	128.96	64.11	61.92	9.97		7.86				
	W VG unbundled KY extended local dialing parity port with Caller ID-			UEPFR	UEPRM	1.23	128.96	64.11	61.92	9.97		7.86				
	2W voice unbundles res, low usage line port with Caller ID (LUM)			UEPFR	UEPAP	1.23	128.96	64.11	61.92	9.97		7.86				
12	W Voice Unbundled KY Res Dialing Plan w/o Caller ID			UEPFR	UEPWE	1.23	128.96	64.11	61.92	9.97		7.86			1	
	DFFICE TRANSPORT								i i			1				1

INROND	LED NETWORK ELEMENTS - Kentucky										,			ment: 2		bit: B
											Svc	Svc	Increment	Increment	Incremental	
											Order	Order	al Charge ·	al Charge -	Charge -	al Charge
		Intor	Zon								Submitte	Submitte	Manual	Manual	Manual Svo	Manual
ATEGORY	RATE ELEMENTS			BCS	USOC			RATES (\$)			d Elec	d	Svc Order		Order vs.	
		im	е									Manually	vs.	VS.	Electronic-	
											per Lor	per LSR	Electronic-	-	Disc 1st	Electronic
												per Lak	Liecti Onic	V44,1	DISC 1St	Disc Add'
						_	Nonre	curring	NRC Disco	nnect			OSS	Rates (\$)		TIMES AND
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN		SOMAN	SOMAN
	Interoffice Transport-Dedicated-2W VG-Facility Term			UEPFR	U1TV2	23.95	98.09	53.67	56.31	22.42		7.86	00			
	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi			UEPFR	1L5XX	0.0095	00.00	00.07	00.01	22.72		7.00				1
FFΔ	TURES			02:	120707	0.0000										1
	All Features Offered			UEPFR	UEPVF	0.00	0.00	0.00			1	7.86				+
LOC	AL NUMBER PORTABILITY			OLITIK	OLI VI	0.00	0.00	0.00			1	7.00				+
	Local No Portability (1 per port)			UEPFR	LNPCX	0.35										+
NON	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED			OLFTK	LINECX	0.33					1					+
NON	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-															+
	Switch-as-is			UEPFR	USAC2		9.03	1.87				7.86				
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-			UEFFR	USACZ		9.03	1.01				7.00				+
	Switch-With-Change	1		UEPFR	USACC		9.03	1.87				7.86				
0.14/		DODI	· /DI I O		USACC		9.03	1.87			1	7.86				
	RE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE LINE	PUKI	(ROS	)							<u> </u>					
UNE	Port/Loop Combination Rates					40.00										+
	2W VG Loop/IO Tranport/Port Combo-Zone 1		1			13.90										
	2W VG Loop/IO Tranport/Port Combo-Zone 2		2			18.68										
	2W VG Loop/IO Tranport/Port Combo-Zone 3		3			34.45										ļ
UNE	Loop Rates															
	2W VG Loop (SL2)-Zone 1		1	UEPFB	UECF2	12.67										
	2W VG Loop (SL2)-Zone 2		2	UEPFB	UECF2	17.45										
	2W VG Loop (SL2)-Zone 3		3	UEPFB	UECF2	33.22										
2-Wi	re Voice Grade Line Port (Bus)															
	2W voice unbundled port w/o Caller ID-bus			UEPFB	UEPBL	1.23	128.96	64.11	61.92	9.97		7.86				
	2W voice unbundled port with Caller + E484 ID-bus			UEPFB	UEPBC	1.23	128.96	64.11	61.92	9.97		7.86				
	2W voice unbundled port outgoing only-bus			UEPFB	UEPBO	1.23	128.96	64.11	61.92	9.97		7.86				
	2W VG unbundled KY extended local dialing parity port with Caller ID-															
	bus			UEPFB	UEPBM	1.23	128.96	64.11	61.92	9.97		7.86				
	2W voice unbundled incoming only port with Caller ID-Bus			UEPFB	UEPB1	1.23	128.96	64.11	61.92	9.97		7.86				
	2W Voice Unbundled KY bus Dialing Plan w/o Caller ID			UEPFB	UEPWF	1.23	128.96	64.11	61.92	9.97		7.86				
LOC	AL NUMBER PORTABILITY															
	Local No Portability (1 per port)			UEPFB	LNPCX	0.35										1
INTE	ROFFICE TRANSPORT			-												1
	Interoffice Transport-Dedicated-2W VG-Facility Term			UEPFB	U1TV2	23.95	98.09	53.67	56.31	22.42		7.86				1
	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi			UEPFB	1L5XX	0.0095						1.00				1
FEA	TURES															1
	All Features Offered			UEPFB	UEPVF	0.00	0.00	0.00				7.86				†
NON	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED			02:10	02	0.00	0.00	0.00				7.00				1
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-	<b>.</b>	1										1		1	<b>†</b>
	Switch-as-is		1	UEPFB	USAC2		9.03	1.87				7.86	l		l	
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-				CONCE		0.00	1.07				7.00				1
	Switch with change			UEPFB	USACC		9.03	1.87				7.86				
2-WI	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)			OLITB	OUACC		3.03	1.07				7.00				+
	Port/Loop Combination Rates	$\vdash$	<del>                                     </del>					<del>                                     </del>	1		<b>†</b>		<del>                                     </del>		<del>                                     </del>	+
UNE	2W VG Loop/IO Tranport/Port Combo-Zone 1		1		1	13.90		1	1		1	<del>                                     </del>	1		1	+
	2W VG Loop/IO Tranport/Port Combo-Zone 1  2W VG Loop/IO Tranport/Port Combo-Zone 2	<del>                                     </del>	2		<b> </b>	18.68		<b> </b>	1		<del>                                     </del>	-	-		-	+
	2W VG Loop/IO Tranport/Port Combo-Zone 2  2W VG Loop/IO Tranport/Port Combo-Zone 3		3		1	34.45			1		<u> </u>	<del>                                     </del>	1		1	+
1161-		<del>                                     </del>	3		<b> </b>	34.45		<b> </b>	1		<del>                                     </del>	-	-		-	+
UNE	Loop Rates		4	UEPFP	LIECES	40.07			-		<del>                                     </del>		-		-	
	2W VG Loop (SL2)-Zone 1	-	1	UEPFP	UECF2	12.67 17.45		<del> </del>	1		<b> </b>	<b>!</b>	1		1	<del> </del>
	2W VG Loop (SL2)-Zone 2	-	2		UECF2			<del> </del>	1		<b> </b>	<b>!</b>	1		1	<del> </del>
	2W VG Loop (SL2)-Zone 3		3	UEPFP	UECF2	33.22		1	ļ				ļ		ļ	+
2-Wi	re Voice Grade Line Port Rates (BUS - PBX)		<b></b>	=	=						ļ					
	Line Side Unbundled Combination 2-Way PBX Trunk Port-Bus	-	<b>!</b>	UEPFP	UEPPC	1.23	164.27	78.65	75.05	8.73		7.86				4
	Line Side Unbundled Outward PBX Trunk Port-Bus		<u> </u>	UEPFP	UEPPO	1.23	164.27	78.65	75.05	8.73	ļ	7.86	ļ		ļ	
	Line Side Unbundled Incoming PBX Trunk Port-Bus		<u> </u>	UEPFP	UEPP1	1.23	164.27	78.65	75.05	8.73		7.86				
	2W Voice Unbundled PBX LD Terminal Ports		<u> </u>	UEPFP	UEPLD	1.23	164.27	78.65	75.05	8.73		7.86	ļ		ļ	
	2W Voice Unbundled 2-Way Combination PBX Usage Port			UEPFP	UEPXA	1.23	164.27	78.65	75.05	8.73		7.86				
	2W Voice Unbundled PBX Toll Terminal Hotel Ports			UEPFP	UEPXB	1.23	164.27	78.65	75.05	8.73		7.86				
	2W Voice Unbundled PBX LD DDD Terminals Port			UEPFP	UEPXC	1.23	164.27	78.65	75.05	8.73		7.86				

DIADOIADI	LED NETWORK ELEMENTS - Kentucky										0	0		nent: 2		bit: B
											Svc	Svc	Increment	Increment		
											Order	Order	al Charge -		Charge -	al Charge
ATECORY	RATE ELEMENTS	Inter	Zon	BCS	USOC			DATES (6)			Submitte		Manual	Manual	Manual Svo	
CATEGORY	RAIE ELEMENIS	im	е	BCS	0500			RATES (\$)			d Elec	d	Svc Order		Order vs.	Svc Orde
											per LSR	Manually	vs.	vs.	Electronic-	vs.
												per LSR	Electronic-		Disc 1st	Electronic
						1	Names		NRC Disco	nnoot			104	Addil		Disc Add
						Rec	First	curring Add'l	First	Add'l	COMEC	SOMAN	SOMAN	Rates (\$) SOMAN	SOMAN	SOMAN
	2W Voice Unbundled PBX LD Terminal Switchboard Port	-	-	UEPFP	UEPXD	1.23	164.27	78.65	75.05	8.73	SOMEC		SUMAN	SUMAN	SUMAN	SUMAN
+	2W Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPFP	UEPXE	1.23	164.27	78.65	75.05	8.73		7.86 7.86				<del></del>
+	2W Voice Unbundled 2-Way PBX KY Room Area Calling Port w/o LUD			UEPFP	UEPXF	1.23	164.27	78.65	75.05	8.73		7.86				<del></del>
+	2W Voice Unbundled PBX KY LUD Area Calling Port W/O LUD			UEPFP	UEPXG	1.23	164.27	78.65	75.05	8.73		7.86				<del></del>
-	2W Voice Unbundled PBX KY Premium Calling Port			UEPFP	UEPXH	1.23	164.27	78.65	75.05	8.73		7.86				
-	2W Voice Unbundled 2-Way KY Area Calling Port w/o LUD			UEPFP	UEPXJ	1.23	164.27	78.65	75.05	8.73		7.86				
1	2W Voice Unbundled 2-Way RT Area Calling Fort W/o LOB  2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy			ULFIF	ULFAJ	1.23	104.27	70.03	75.05	0.73		7.00				
	Administrative Calling Port			UEPFP	UEPXL	1.23	164.27	78.65	75.05	8.73		7.86				
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room			OLITI	OLIAL	1.20	104.21	70.03	73.03	0.73		7.00				<del>                                     </del>
	Calling Port			UEPFP	UEPXM	1.23	164.27	78.65	75.05	8.73		7.86				
	2W Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount			OLITI	OLI XIVI	1.20	104.21	70.03	73.03	0.73		7.00				<del>                                     </del>
	Room Calling Port			UEPFP	UEPXO	1.23	164.27	78.65	75.05	8.73		7.86				
	2W Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPFP	UEPXS	1.23	164.27	78.65	75.05	8.73		7.86				<del></del>
LOC	AL NUMBER PORTABILITY			ULFIF	ULFAG	1.23	104.27	70.03	75.05	0.73		7.00				<del>                                     </del>
2007	Local No Portability (1 per port)			UEPFP	LNPCP	3.15	0.00	0.00								<del>                                     </del>
INTE	ROFFICE TRANSPORT			OLITI	LIVI OI	3.13	0.00	0.00								<del></del>
	Interoffice Transport-Dedicated-2W VG-Facility Term			UEPFP	U1TV2	23.95	98.09	53.67	56.31	22.42		7.86				<del></del>
	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi			UEPFP	1L5XX	0.0095	30.03	33.07	30.31	22.72		7.00				<del></del>
FEAT	URES			OLITI	TESKA	0.0033										<del></del>
1	All Features Offered			UEPFP	UEPVF	0.00	0.00	0.00				7.86				
NON	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED			OLITI	OLI VI	0.00	0.00	0.00				7.00				<del></del>
I TON	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion															<del>                                     </del>
	Switch-as-is			UEPFP	USAC2		9.03	1.87				7.86				
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion			OLITI	OOAOZ		3.03	1.07				7.00				<del>                                     </del>
	Switch with change			UEPFP	USACC		9.03	1.87				7.86				
INBLINDI E	D PORT/LOOP COMBINATIONS - COST BASED RATES			OLITI	OOACC		3.03	1.07				7.00				<del>                                     </del>
	RE VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK PORT	-														
	Port/Loop Combination Rates															
0.1.2	2W VG Loop/2W DID Trunk Port Combo-UNE Zone 1		1			21.30										
	2W VG Loop/2W DID Trunk Port Combo-UNE Zone 2		2			26.08										
	2W VG Loop/2W DID Trunk Port Combo-UNE Zone 3		3			41.85										
UNF	Loop Rates		Ť			11.00										
OILE	2W Analog VG Loop-(SL2)-UNE Zone 1		1	UEPPX	UECD1	12.67						7.86				
	2W Analog VG Loop-(SL2)-UNE Zone 2		2	UEPPX	UECD1	17.45						7.86				
	2W Analog VG Loop-(SL2)-UNE Zone 3		3	UEPPX	UECD1	33.22						7.86				
UNF	Port Rate		Ŭ	02.17	0202.	00.22						7.00				
0.12	Exchange Ports-2W DID Port			UEPPX	UEPD1	8.63	336.11	27.75	132.37	9.31		7.86				
NON	RECURRING CHARGES - CURRENTLY COMBINED			02.17	02. 2.	0.00	000	210	102.01	0.01		7.00				
	2W VG Loop/2W DID Trunk Port Conversion with BST Allowable															
	Changes			UEPPX	USA1C		7.85	1.87				7.86				
ADDI	TIONAL NRCs			<u> </u>	001110											
	2W DID Subsqnt Activity-Add Trunks, Per Trunk			UEPPX	USAS1		32.25	32.25				7.86				
Telen	phone Number/Trunk Group Establisment Charges			2=: 1 //			32.20	02.20							İ	
1.0.00	DID Trunk Term (One Per Port)			UEPPX	NDT	0.00	0.00	0.00				7.86			İ	
	Add'l DID Nos for each Group of 20 DID Nos			UEPPX	ND4	0.00	0.00	0.00				7.86			İ	1
	DID Nos, Non-consecutive DID Nos , Per No			UEPPX	ND5	0.00	0.00	0.00				7.86	İ		İ	<b>†</b>
	Reserve Non-Consecutive DID Nos			UEPPX	ND6	0.00	0.00	0.00				7.86	İ		İ	<b>†</b>
	Reserve DID Nos			UEPPX	NDV	0.00	0.00	0.00				7.86			İ	
LOCA	AL NUMBER PORTABILITY			2=: 1 //		0.00	3.50	3.50							İ	
	Local No Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00							1	
2-WIF	RE ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LINE SID	E POR	T	32. I X	0	0.10	0.00	0.00							1	
	Port/Loop Combination Rates	T											İ		İ	<b>†</b>
J.1.L	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -UNE Zone		1										i		1	<b>†</b>
	11		1	UEPPB UEPPR		25.69									1	
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -UNE Zone		<u> </u>	Jan Dei Tik		20.00		1					<del>l</del>		<del> </del>	t
1	2.1. ISS.1. Signal Grado Ecopiziti ISBN Digital Ellio Glaci Fort Give Zolle		2	UEPPB UEPPR		31.92					1	1	İ		İ	1

NRONDI	_ED NETWORK ELEMENTS - Kentucky						1					,	1		nent: 2		bit: B
												Svc	Svc	Increment	Increment	Incremental	Incremen
												Order	Order	al Charge -	al Charge -	Charge -	al Charge
			7									Submitte	Submitte	Manual	Manual	Manual Svo	
ATEGORY	RATE ELEMENTS		Zon	ВС	s	USOC			RATES (\$)			d Elec	d	Svc Order		Order vs.	Svc Orde
		im	е														
												per LSR	Manually	vs.	vs.	Electronic-	vs.
													per LSR	Electronic-		Disc 1st	Electronic
							I	Nonre	curring	NRC Disco	nnect		I	104	Rates (\$)	I	Disc Add'
							Rec	First	Add'l	First	Add'l	COMEC	SOMAN			SOMAN	SOMAN
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -UNE Zone							FIISL	Auu i	FIISL	Auu i	SOMEC	SUMAN	SUMAIN	SOWAN	SUMAN	SOWAN
	2W ISDN DIGITAL GLADE LOOP/2W ISDN DIGITAL LINE SIDE POR -ONE ZONE		3	LIEDDD	UEPPR		50.04										
	13		3	UEPPB	UEPPR		50.21					1	1				
UNE	Loop Rates		<u> </u>														
	2W ISDN Digital Grade Loop-UNE Zone 1		1	UEPPB	UEPPR	USL2X	16.10						7.86				
	2W ISDN Digital Grade Loop-UNE Zone 2		2	UEPPB	UEPPR	USL2X	22.33						7.86				
	2W ISDN Digital Grade Loop-UNE Zone 3		3	UEPPB	UEPPR	USL2X	40.63						7.86				
UNE	Port Rate																
	Exchange Port-2W ISDN Line Side Port			UEPPB	UEPPR	UEPPB	9.59	320.53	289.13	92.19	17.56		7.86				
NONE	RECURRING CHARGES - CURRENTLY COMBINED																
	2W ISDN Digital Grade Loop/2W ISDN Line Side Port Combination-																
	Conversion		1	UEPPB	UEPPR	USACB	0.00	22.77	17.00	[			7.86	l			
ADDI'	TIONAL NRCs									l i							
	AL NUMBER PORTABILITY									†				İ		İ	1
	Local No Portability (1 per port)			UEPPB	UEPPR	LNPCX	0.35	0.00	0.00	i i			1	İ		İ	1
B-CH	ANNEL USER PROFILE ACCESS:			323	J=K	2.1. 0/1	3.00	3.00	3.00	1				i			1
2 311	CVS/CSD (DMS/5ESS)			UEPPB	UEPPR	U1UCA	0.00	0.00	0.00	<del>                                     </del>				<del> </del>		1	<del>                                     </del>
	CVS (EWSD)			UEPPB	UEPPR	U1UCB	0.00	0.00	0.00								+
	CSD			UEPPB	UEPPR	U1UCC	0.00	0.00	0.00	+		1					+
D 011		. TAI)		UEPPB	UEPPR	UTUCC	0.00	0.00	0.00				-				+
B-CH	ANNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS SC,MS, &	S IN)		LIEDDD	HEDDD	HALLOD	0.00	0.00	0.00				-				+
	CVS/CSD (DMS/5ESS)			UEPPB	UEPPR	U1UCD	0.00	0.00	0.00				1				
	CVS (EWSD)			UEPPB	UEPPR	U1UCE	0.00	0.00	0.00								
	CSD			UEPPB	UEPPR	U1UCF	0.00	0.00	0.00								
USER	TERMINAL PROFILE																
	User Terminal Profile (EWSD only)			UEPPB	UEPPR	U1UMA	0.00	0.00	0.00								
VERT	TICAL FEATURES																
	All Vertical Features-One per Channel B User Profile			UEPPB	UEPPR	UEPVF	0.00	0.00	0.00								
INTER	ROFFICE CHANNEL MILEAGE																
	Interoffice Channel miage each, including first mi & facilities Term			UEPPB	UEPPR	M1GNC	29.12	47.34	31.78	22.77	8.75		7.86				
	Interoffice Channel miage each, Add'l mi			UEPPB	UEPPR	M1GNM	0.01	0.00	0.00	i			7.86				1
4-WIR	RE DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK PORT						****						1				
	Port/Loop Combination Rates																
O.V.E.	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port -UNE Zone 1		1	UEP	DD		170.06										+
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port -UNE Zone 2		2	UEP			197.70										+
			3	UEP			381.35						1				
LINIT	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port -UNE Zone 3	<del>                                     </del>	3	UEP	гг		301.35			+		<del>                                     </del>	1	<del> </del>		-	+
UNE	Loop Rates	-	_		- DD	1101.45	00.17					<u> </u>	7.00	<del>                                     </del>			+
	4W DS1 Digital Loop-UNE Zone 1	-	1	UEP		USL4P	86.47					<u> </u>	7.86				+
	4W DS1 Digital Loop-UNE Zone 2		2	UEP		USL4P	114.10					ļ	7.86				
	4W DS1 Digital Loop-UNE Zone 3	<u> </u>	3	UEP	'PP	USL4P	297.76					ļ	7.86	ļ			<b>↓</b>
UNE	Port Rate																4
	Exchange Ports-4W ISDN DS1 Port			UEP	PP	UEPPP	83.59	736.16	382.74	159.48	48.82		7.86				
NONE	RECURRING CHARGES - CURRENTLY COMBINED															<u> </u>	
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port Combination-																
	Conversion -Switch-as-is			UEP	PP	USACP	0.00	81.70	61.37				7.86	1			1
ADDI.	TIONAL NRCs																
	4W DS1 Loop/4-W ISDN Digtl Trk Port-Subsqt Actvy-Inward/two way Tel			Ì						i i							1
	Nos. (except NC)			UEP	PP	PR7TF		0.54					7.86	1			1
	4W DS1 Loop/4W ISDN DS1 Digital Trunk Port-Outward Tel Nos			UEP		PR7TO		12.71	12.71	i i			7.86	i		1	1
_	4W DS1 Loop/4W ISDN DS1 Digital Trik Port -Subsqnt Inward Tel Nos			UEP		PR7ZT		25.41	25.41	<del>                                     </del>			7.86	<del> </del>		1	<del>                                     </del>
1004	L NUMBER PORTABILITY	$\vdash$	$\vdash$	UEF	· ·	111/41		20.41	20.41			<b>I</b>	7.00	<del>l</del>			+
LUCA	Local No Portability (1 per port)			UEP	IDD	LNPCN	1.75			<del>                                     </del>		1	1	<del> </del>		1	+
INITE		-	-	UEP	rr	LINPUN	1./5					<u> </u>	1	<del>                                     </del>			+
INTE	RFACE (Provsioning Only)	-	-		- DD	DDTAY	2.2-		2.2-			<u> </u>	1	<del>                                     </del>		-	+
	Voice/Data			UEP		PR71V	0.00	0.00	0.00				1	<b>.</b>			+
	Digital Data			UEP		PR71D	0.00	0.00	0.00			ļ	1				
	Inward Data			UEP	PP	PR71E	0.00	0.00	0.00								
New	or Additional "B" Channel													ļ			
	New or Add'l-Voice/Data B Channel			UEP		PR7BV	0.00	15.48					7.86			<u> </u>	
	New or Add'l-Digital Data B Channel			UEP	PP	PR7BF	0.00	15.48					7.86			1	

UNBUNDL	ED NETWORK ELEMENTS - Kentucky													ment: 2		bit: B
											Svc Order	Svc Order		Increment al Charge -	Incremental Charge -	Incremen
CATEGORY	RATE ELEMENTS	Inter	Zon	BCS	usoc			RATES (\$)				Submitte	Manual	Manual	Manual Svo	
CATEGORI	RATE ELEMENTS	im	е	503	0300			KAILS (\$)			d Elec	d		Svc Order	Order vs.	Svc Order
											per LSR	Manually		vs.	Electronic-	vs.
												per LSR	Electronic	Electronic-	Disc 1st	Electronic-
						Rec	Nonre	curring	NRC Disco	nnect			OSS	Rates (\$)		Disc Add'l
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	New or Add'l Inward Data B Channel			UEPPP	PR7BD	0.00	15.48					7.86				
CALL	TYPES															
	Inward			UEPPP	PR7C1	0.00	0.00	0.00								
	Outward			UEPPP	PR7C0	0.00	0.00	0.00								
	Two-way			UEPPP	PR7CC	0.00	0.00	0.00								
Interd	ffice Channel Mileage															
	Fixed Each Including First mi			UEPPP	1LN1A	96.27	105.52	98.46	23.09	20.49		7.86				
	Each Airline-Fractional Add'l mi			UEPPP	1LN1B	0.23										
4-WIR	E DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT															
UNE I	Port/Loop Combination Rates															
	4W DS1 Digital Loop/4W DDITS Trunk Port -UNE Zone 1		1	UEPDC		147.99										1
	4W DS1 Digital Loop/4W DDITS Trunk Port -UNE Zone 2		2	UEPDC		175.62										1
	4W DS1 Digital Loop/4W DDITS Trunk Port -UNE Zone 3		3	UEPDC		359.28										1
	Loop Rates															1
	4W DS1 Digital Loop-UNE Zone 1		1	UEPDC	USLDC	86.47						7.86				1
	4W DS1 Digital Loop-UNE Zone 2		2	UEPDC	USLDC	114.10						7.86				1
	4W DS1 Digital Loop-UNE Zone 3		3	UEPDC	USLDC	297.76						7.86				1
	Port Rate															1
	4W DDITS Digital Trunk Port			UEPDC	UDD1T	61.52	780.61	375.52	176.19	16.98		7.86				1
NONE	RECURRING CHARGES - CURRENTLY COMBINED															1
	4W DS1 Digital Loop/4W DDITS Trunk Port Combination-Switch-as-is			UEPDC	USAC4		92.84	46.70				7.86				1
	4W DS1 Digital Loop/4W DDITS Trunk Port Combination-Conversion															1
	with DS1 Changes			UEPDC	USAWA		92.84	46.70				7.86				
	4W DS1 Digital Loop/4W DDITS Trunk Port Combination-Conversion						001									
	with Change-Trunk			UEPDC	USAWB		92.84	46.70				7.86				
ADDI	TIONAL NRCs			02. 50	00/11/2		02.01					1.00				1
,,,,,,	4W DS1 Loop/4W DDITS Trunk Port-NRC-Subsqnt Channel															1
	Activation/Chan-2-Way Trunk			UEPDC	UDTTA		15.09	15.09				7.86				1
	4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Channel Activation/Chan-			52.50			10.00	10.00				1.00				1
	1-Way Outward Trunk			UEPDC	UDTTB		15.09	15.09				7.86				1
	4W DS1 Loop/4W DDITS Trunk Port-Subsgnt Channel Activation/Chan	1	1	01.00	00110		10.00	10.00				7.50				<del>                                     </del>
	Inward Trunk w/out DID			UEPDC	UDTTC		15.09	15.09				7.86				1
	4W DS1 Loop/4W DDITS Trunk Port-Subsent Chan Activation Per Chan-			01.00	020		10.00	10.00				7.50	i		1	1
	Inward Trunk with DID			UEPDC	UDTTD		15.09	15.09				7.86				
	4W DS1 Loop/4W DDITS Trunk Port-Subsgnt Chan Activation/Chan-2-			01.00	00110		10.00	10.00	<del>                                     </del>			7.50	<b>†</b>	l	<del> </del>	<del></del>
	Way DID w User Trans			UEPDC	UDTTE		15.09	15.09	1			7.86				1
	LAR 8 ZERO SUBSTITUTION		+	ULFDC	ODITE		13.09	13.09	<del>                                     </del>			1.00			<del> </del>	+
וטייום	B8ZS -Superframe Format		+	UEPDC	CCOSF		0.00	730.00	<del>                                     </del>			7.86			<del> </del>	+
	B8ZS-Extended Superframe Format		1	UEPDC	CCOEF		0.00	730.00	<del>                                     </del>		<b> </b>	7.86	<b> </b>			+
	DOZO-Extended Oupername i Omiat	1	<u> </u>	ULFDU	CCOLF	l .	0.00	130.00	1 1		1	1.00	1	l	1	

IBUNDL	ED NETWORK ELEMENTS - Kentucky													ment: 2		bit: B
TEGORY	RATE ELEMENTS	Inter im	Zon e	BCS	usoc			RATES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitte d Manually per LSR	Increment al Charge - Manual Svc Order vs. Electronic-	al Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svo Order vs. Electronic- Disc 1st	al Charge Manual Svc Orde vs. Electroni
						_	Nonre	curring	NRC Disco	nnect			OSS	Rates (\$)		Disc Add
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	ate Mark Inversion															
	AMI -Superframe Format			UEPDC	MCOSF		0.00	0.00								
	AMI-Extended SuperFrame Format			UEPDC	MCOPO		0.00	0.00								
	none Number/Trunk Group Establisment Charges			LIEDDO	LIDTOY	0.00	0.00	0.00				7.00				4
	Telephone No for 2-Way Trunk Group Telephone No for 1-Way Outward Trunk Group			UEPDC UEPDC	UDTGX UDTGY	0.00	0.00	0.00	+			7.86 7.86				+
	Telephone No for 1-Way Outward Trunk Group W/o DID			UEPDC	UDTGZ	0.00	0.00	0.00				7.86				+
	DID Nos for each Group of 20 DID Nos			UEPDC	ND4	0.00	0.00	0.00				7.86				+
	DID Nos, Non-consecutive DID Nos , Per No			UEPDC	ND5	0.00	0.00	0.00				7.86				<b>†</b>
	Reserve Non-Consecutive DID Nos.			UEPDC	ND6	0.00	0.00	0.00				7.86				
	Reserve DID Nos			UEPDC	NDV	0.00	0.00	0.00				7.86				1
Dedica	ated DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1 Digita	l Loo	with													
	Interoffice Channel miage-Fixed rate 0-8 mis (Facilities Term)			UEPDC	1LNO1	96.04	105.52	98.46	23.09	20.49		7.86				
	Interoffice Channel miage-Add'l rate per mi-0-8 mis			UEPDC	1LNOA	0.23	0.00	0.00			<u> </u>	<u> </u>				<u> </u>
	Interoffice Channel miage-Fixed rate 9-25 mis (Facilities Term)			UEPDC	1LNO2	0.00	0.00	0.00			<u> </u>	<u> </u>				<u> </u>
	Interoffice Channel miage-Add'l rate per mi-9-25 mis	<u> </u>	<u> </u>	UEPDC	1LNOB	0.45	0.00	0.00			1	1				1
	Interoffice Channel miage-Fixed rate 25+ mis (Facilities Term)			UEPDC	1LNO3	0.00	0.00	0.00								
	Interoffice Channel miage-Add'l rate per mi-25+ mis			UEPDC	1LNOC	0.45	0.00	0.00								+
	Local No Portability, per DS0 Activated  Central Office Termininating Point			UEPDC UEPDC	LNPCP	3.15 0.00	0.00	0.00								+
	E DS1 LOOP WITH CHANNELIZATION WITH PORT			UEPDC	CIG	0.00										+
	m is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Activation:					1										+
	System can have up to 24 combinations of rates depending on type at		nber o	of ports used												+
	OS1 Loop	1		. po. 10 4004												1
	4W DS1 Loop-UNE Zone 1		1	UEPMG	USLDC	86.47	0.00	0.00								
	4W DS1 Loop-UNE Zone 2		2	UEPMG	USLDC	114.10	0.00	0.00								1
	4W DS1 Loop-UNE Zone 3		3	UEPMG	USLDC	297.76	0.00	0.00								
	SO Channelization Capacities (D4 Channel Bank Configurations)															
	24 DSO Channel Capacity-1 per DS1			UEPMG	VUM24	111.16	0.00	0.00				7.86				ļ
	48 DSO Channel Capacity-1 per 2 DS1s			UEPMG	VUM48	222.32	0.00	0.00				7.86				
	96 DSO Channel Capacity -1per 4 DS1s	ļ		UEPMG	VUM96	444.64	0.00	0.00				7.86				
	144 DS0 Channel Capacity-1 per 6 DS1s	-		UEPMG	VUM14 VUM19	666.96	0.00	0.00				7.86				4
	192 DS0 Channel Capacity -1 per 8 DS1s 240 DS0 Channel Capacity-1 per 10 DS1s			UEPMG UEPMG	VUM20	889.28 1.111.60	0.00	0.00	+			7.86 7.86				+
	288 DS0 Channel Capacity-1 per 10 DS1s  288 DS0 Channel Capacity-1 per 12 DS1s			UEPMG	VUM28	1,111.60	0.00	0.00	+			7.86				+
	384 DS0 Channel Capacity-1 per 16 DS1s	1		UEPMG	VUM38	1,778.56	0.00	0.00			1	7.86				+
	480 DS0 Channel Capacity-1 per 10 DS1s	<del>                                     </del>		UEPMG	VUM40	2,223.20	0.00	0.00	<del> </del>		1	7.86				1
	576 DS0 Channel Capacity -1 per 24 DS1s			UEPMG	VUM57	2,667.84	0.00	0.00				7.86				1
	672 DS0 Channel Capacity-1 per 28 DS1s			UEPMG	VUM67	3,112.48	0.00	0.00				7.86				
Non-R	ecurring Charges (NRC) Associated with 4-Wire DS1 Loop with Chan						1									
	mum System configuration is One (1) DS1, One (1) D4 Channel Bank,															
Multip	les of this configuration functioning as one are considered Add'l afte	r the n	ninim	ım system configura	ation is coun	ited.					<u> </u>	<u> </u>				<u> </u>
	NRC-Conversion (Currently Combined) with or w/o BST Allowed			UEPMG	USAC4	0.00	94.30	4.24				7.86				
Systo	Changes n Additions at End User Locations Where 4-Wire DS1 Loop with Char	neliza	ation w				94.30	4.24	<del>                                     </del>		1	7.00				+
	Not Currently Combined) in all states, except in Density Zone 1 of Top			The second secon	ourreinly	LAIGIG BIIU					1	1				+
11017 (1	1 DS1/D4 Channel Bank-Add'lly Add NRC for each Port & Assoc Fea	1				1										+
	Activation	1		UEPMG	VUMD4	0.00	718.89	469.86	149.83	17.77		7.86				
	r 8 Zero Substitution			-							Ì					
	Clear Channel Capability Format, superframe-Subsqnt Activity Only			UEPMG	CCOSF	0.00	0.00	730.00				7.86				
	Clear Channel Capability Format-Extended Superframe-Subsqnt Activity															
	Only			UEPMG	CCOEF	0.00	0.00	730.00				7.86				<del></del>
	ate Mark Inversion (AMI)	<u> </u>	<u> </u>								1	1				<del></del>
	Superframe Format			UEPMG	MCOSF	0.00	0.00	0.00				<u> </u>				<del></del>
	Fitting dead Orange france a Farment															
	Extended Superframe Format nge Ports Associated with 4-Wire DS1 Loop with Channelization with	Da:		UEPMG	MCOPO	0.00	0.00	0.00								+

ONBOND	LED NETWORK ELEMENTS - Kentucky													ment: 2	Exhil	
											Svc Order	Svc Order	Increment al Charge	Increment al Charge -	Incremental Charge -	Increme al Charg
		Inter	Zon								Submitte	Submitte	Manual	Manual	Manual Svo	Manua
ATEGORY	RATE ELEMENTS	im	e	BCS	USOC			RATES (\$)			d Elec	d	Svc Order	Svc Order	Order vs.	Svc Ord
		IIII	е								per LSR	-	vs.	vs.	Electronic-	vs.
											po. 20		_	Electronic-		Electroni
												per Lore	164	Add'l	2130 131	Disc Ada
						Rec	Nonrec	urring	NRC Disco	nnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Line Side Combination Channelized PBX Trunk Port-bus			UEPPX	UEPCX	1.15	0.00	0.00	0.00	0.00		7.86				
	Line Side Outward Channelized PBX Trunk Port-bus			UEPPX	UEPOX	1.15	0.00	0.00	0.00	0.00		7.86				
	Line Side Inward Only Channelized PBX Trunk Port w/o DID	1		UEPPX	UEP1X	1.15	0.00	0.00	0.00	0.00		7.86				
	2W Trunk Side Unbundled Channelized DID Trunk Port			UEPPX	UEPDM	8.65	0.00	0.00	0.00	0.00		7.86				
	Unbundled Exchange Ports, 2W Channelized - Outdial - (AL, KY, LA,															
	MS, & TN)(Conversion from Network Access Service)			UEPPX	UEPCY	1.15	0.00	0.00	0.00	0.00		7.86				
	Unbundled Exchange Ports, 2W Channelized – Combination (AL, KY,			<u> </u>			0.00	0.00	0.00							
	LA, MS, & TN) (Conversion from Network Access Service)			UEPPX	UEPCT	1.15	0.00	0.00	0.00	0.00		7.86				
	Unbundled Exchange Ports, 2W Channelized-Outdial-KY Only-Calling															
	Plan			UEPPX	UEPCV	1.15	0.00	0.00	0.00	0.00		7.86				
	Unbundled Exchange Ports, 2W Channelized - Two Way-KY Only -	1			1			2.20					1	İ	İ	1
	Calling Plan	1		UEPPX	UEPCW	1.15	0.00	0.00	0.00	0.00	ĺ	7.86				
Feati	ure Activations - Unbundled Loop Concentration	T		02	02. 077	0	3.50	0.00	3.30	0.00					1	
· out	Feature (Service) Activation for each Line Port Terminated in D4 Bank	1		UEPPX	1PQWM	0.62	25.40	13.41	4.17	4.15		7.86				
-	Feature (Service) Activation for each Trunk Port Terminated in D4 Bank		1	UEPPX	1PQWU	0.62	78.15	19.68	59.05	11.54		7.86	-			
Tolor	phone Number/ Group Establishment Charges for DID Service	1		OLITA	11 QWO	0.02	70.13	13.00	33.03	11.54		7.00				
Telek	DID Trunk Term (1 per Port)	1		UEPPX	NDT	0.00	0.00	0.00				7.86				
-	DID Nos-groups of 20-Valid all States	-	-	UEPPX	ND4	0.00	0.00	0.00			-	7.86	-			
	Non-Consecutive DID Nos-per No	-		UEPPX	ND4 ND5	0.00	0.00	0.00				7.86				
	Reserve Non-Consecutive DID Nos		1	UEPPX	ND6							7.86				
	Reserve DID Nos		1	UEPPX	NDV	0.00	0.00	0.00				7.86				
<del>-  </del> .			ļ	UEPPX	NDV	0.00	0.00	0.00				7.86				
Loca	I Number Portability															
	Local No Portability-1 per port			UEPPX	LNPCP	3.15	0.00	0.00								
	TURES - Vertical and Optional															
Loca	Switching Features Offered with Line Side Ports Only															
	All Features Available			UEPPX	UEPVF	0.00	0.00	0.00								
	D CENTREX PORT/LOOP COMBINATIONS - COST BASED RATES															
	ost Based Rates are applied where BellSouth is required by FCC and/o															
	atures shall apply to the Unbundled Port/Loop Combination - Cost Bas															
3. En	d Office and Tandem Switching Usage and Common Transport Usage e first & add I Port NRC charges apply to Not Currently Combined Con	rates	in the	Port section of this	Exhibit shall	apply to all co	mbinations of	loop/port netw	vork element	s except fo	r UNE Coir	Port/Loop	Combination	ons.		
		nbos.	For Ci	irrently Combined C	ombos, the I	NRC charges s	nall be those i	dentified in the	NRC - Curr	ently Combi	ned sectio	ns. Add'i f	NRCs may a	ppiy aiso an	d are catego	rized
	rdingly.										•				•	
	arket Rates for Unbundled Centrex Port/Loop Combination will be neg	otiate	d on a	n Individual Case B	asis, until fur	ther notice.										
	P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only)															
2-Wir	re VG Loop/2-Wire Voice Grade Port (Centrex) Combo	<u> </u>	<u> </u>													<u> </u>
		1	1													
	Port/Loop Combination Rates (Non-Design)									·						
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design		1	UEP91		10.79										
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		1 2	UEP91		10.79 15.52										
UNE	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design															
UNE	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design Port/Loop Combination Rates (Design)		2	UEP91 UEP91		15.52										
UNE	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		2	UEP91		15.52										
UNE	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design Port/Loop Combination Rates (Design)		3	UEP91 UEP91		15.52 31.74										
UNE	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design Port/Loop Combination Rates (Design) 2W VG Loop/2W VG Port (Centrex) Port Combo-Design		3	UEP91 UEP91		15.52 31.74 13.82										
UNE	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design Port/Loop Combination Rates (Design) 2W VG Loop/2W VG Port (Centrex) Port Combo-Design 2W VG Loop/2W VG Port (Centrex) Port Combo-Design		3 1 2	UEP91 UEP91 UEP91 UEP91		15.52 31.74 13.82 18.60										
UNE	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design Port/Loop Combination Rates (Design) 2W VG Loop/2W VG Port (Centrex) Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design		3 1 2	UEP91 UEP91 UEP91 UEP91	UECS1	15.52 31.74 13.82 18.60						7.86				
UNE	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design Port/Loop Combination Rates (Design)  2W VG Loop/2W VG Port (Centrex) Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design Loop Rate  2W VG Loop (SL 1)-Zone 1		2 3 1 2 3	UEP91 UEP91 UEP91 UEP91 UEP91	UECS1 UECS1	15.52 31.74 13.82 18.60 34.37						7.86 7.86				
UNE	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design Port/Loop Combination Rates (Design)  2W VG Loop/2W VG Port (Centrex) Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop (SL 1)-Zone 1  2W VG Loop (SL 1)-Zone 2		2 3 1 2 3	UEP91 UEP91 UEP91 UEP91 UEP91 UEP91		15.52 31.74 13.82 18.60 34.37 9.64										
UNE	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design Port/Loop Combination Rates (Design) 2W VG Loop/2W VG Port (Centrex) Port Combo-Design 2W VG Loop/2W VG Port (Centrex) Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design Loop Rate 2W VG Loop (SL 1)-Zone 1 2W VG Loop (SL 1)-Zone 2 2W VG Loop (SL 1)-Zone 3		2 3 1 2 3 1 2 3	UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	UECS1 UECS1	15.52 31.74 13.82 18.60 34.37 9.64 14.37 30.59						7.86 7.86				
UNE	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design Port/Loop Combination Rates (Design)  2W VG Loop/2W VG Port (Centrex) Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop (SL 1)-Zone 1  2W VG Loop (SL 1)-Zone 2		1 2 3 1 2 3 1 2 3	UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	UECS1	15.52 31.74 13.82 18.60 34.37 9.64 14.37						7.86				

	ED NETWORK ELEMENTS - Kentucky		1	I	1						C	C		ment: 2		bit: B
ATEGORY	RATE ELEMENTS	Inter im	Zon e	BCS	USOC			RATES (\$)			d Elec	d Manually	Manual Svc Order vs.	Increment al Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svo Order vs. Electronic- Disc 1st	al Charg
						_	Nonre	curring	NRC Disco	nnect			OSS	Rates (\$)		TINES AND
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
UNE F	Ports															
All Sta	ates (Except NC and SC)															
	2W VG Port (Centrex ) Basic Local Area			UEP91	UEPYA	1.15	21.29	15.49	2.85	2.67		7.86				1
	2W VG Port (Centrex 800 Term)Basic Local Area			UEP91	UEPYB	1.15	21.29	15.49	2.85	2.67		7.86				Ī
	2W VG Port (Centrex with Caller ID)1Basic Local Area			UEP91	UEPYH	1.15	21.29	15.49	2.85	2.67		7.86				1
	2W VG Port (Centrex from diff SWC)2 Basic Local Area			UEP91	UEPYM	1.15	21.29	15.49	2.85	2.67		7.86				1
	2W VG Port, Diff SWC-800 Service Term-Basic Local Area			UEP91	UEPYZ	1.15	21.29	15.49	2.85	2.67		7.86				
	2W VG Port terminated in on Megalink or equivalent-Basic Local Area			UEP91	UEPY9	1.15	21.29	15.49	2.85	2.67		7.86				
	2W VG Port Terminated on 800 Service Term-Basic Local Area			UEP91	UEPY2	1.15	21.29	15.49	2.85	2.67		7.86				
	Y, LA, MS, & TN Only															
	2W VG Port (Centrex )			UEP91	UEPQA	1.15	21.29	15.49	2.85	2.67		7.86				
	2W VG Port (Centrex 800 Term)			UEP91	UEPQB	1.15	21.29	15.49	2.85	2.67		7.86				
	2W VG Port (Centrex with Caller ID)1			UEP91	UEPQH	1.15	21.29	15.49	2.85	2.67		7.86				
	2W VG Port (Centrex from diff SWC)2			UEP91	UEPQM	1.15	21.29	15.49	2.85	2.67		7.86				
	2W VG Port, Diff SWC-800 Service Term			UEP91	UEPQZ	1.15	21.29	15.49	2.85	2.67		7.86				
	2W VG Port terminated in on Megalink or equivalent			UEP91	UEPQ9	1.15	21.29	15.49	2.85	2.67		7.86				
	2W VG Port Terminated on 800 Service Term			UEP91	UEPQ2	1.15	21.29	15.49	2.85	2.67		7.86				
Local	Switching															
	Centrex Intercom Funtionality, per port			UEP91	URECS	0.8873						7.86				
	Number Portability															
	Local No Portability (1 per port)			UEP91	LNPCC	0.35										
Featu																
	All Standard Features Offered, per port			UEP91	UEPVF	0.00						7.86				
	All Select Features Offered, per port			UEP91	UEPVS	0.00	405.66					7.86				
	All Centrex Control Features Offered, per port			UEP91	UEPVC	0.00						7.86				
NARS																
	Unbundled Network Access Register-Combination			UEP91	UARCX	0.00	0.00	0.00				7.86				
	Unbundled Network Access Register-Indial			UEP91	UAR1X	0.00	0.00	0.00				7.86				
	Unbundled Network Access Register-Outdial			UEP91	UAROX	0.00	0.00	0.00				7.86				
	Ilaneous Terminations															
2-Wire	Trunk Side															ļ
	Trunk Side Terms, each			UEP91	CENA6	10.51	92.18	15.82	52.16	5.30		7.86				<u> </u>
	ffice Channel Mileage - 2-Wire															
	Interoffice Channel Facilities Term-VG			UEP91	M1GBC	29.11						7.86				
	Interoffice Channel miage, per mi or fraction of mi			UEP91	M1GBM	0.01						7.86				
	re Activations (DS0) Centrex Loops on Channelized DS1 Service															
D4 Ch	annel Bank Feature Activations															<del></del>
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP91	1PQWS	0.62						7.86				+
-	Feature Activation on D-4 Channel Bank FX line Side Loop Slot		<del>                                     </del>	UEP91	1PQW6	0.62					}	7.86		ļ	1	<b>↓</b>
-	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot		<del>                                     </del>	UEP91	1PQW7	0.62					}	7.86		ļ	1	<b>↓</b>
	Feature Activation on D-4 Channel Bank Centrex Loop Slot-Diff WC			UEP91	1PQWP	0.62						7.86				+
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP91	1PQWV	0.62						7.86				+
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot			UEP91	1PQWQ	0.62						7.86				+
Noc 5	Feature Activation on D-4 Channel Bank WATS Loop Slot		<u> </u>	UEP91	1PQWA	0.62						7.86	<del>                                     </del>			+
Non-R	Recurring Charges (NRC) Associated with UNE-P Centrex	-	1		+				-		1		-		<del>                                     </del>	+
	Conversion-Currently Combined Switch-As-Is with allowed changes, per			LIEDOA	110400		0.400	0.400				7.00	1			
-	port		<del>                                     </del>	UEP91	USAC2		0.102	0.102			}	7.86		ļ	1	+
_	Conversion of Existing Centrex Common Block		<b>-</b>	UEP91	USACN	0.00	18.95	8.32	444.65	40.07	1	7.00	1			+
	New Centrex Standard Common Block		<b>-</b>	UEP91	M1ACS	0.00	669.80	78.32	111.05	13.27	1	7.86	1			┼
	New Centrex Customized Common Block	l	<u> </u>	UEP91	M1ACC	0.00	669.80	78.32	111.05	13.27		7.86				<del>                                     </del>
$\longrightarrow$	Secondary Block, per Block			UEP91	M2CC1	0.00	78.32	78.32	13.27	13.27		7.86				

MBUNDL	ED NETWORK ELEMENTS - Kentucky				_	1								ment: 2		bit: B
											Svc	Svc		Increment	Incremental	
											Order	Order	al Charge -	al Charge -	Charge -	al Charge
		Inter	Zon								Submitte	Submitte	Manual	Manual	Manual Svc	Manua
TEGORY	RATE ELEMENTS			BCS	USOC			RATES (\$)			d Elec	d	Svc Order		Order vs.	Svc Orde
		im	е									Manually	vs.	vs.	Electronic-	vs.
											per Lore	per LSR	Electronic-	_	Disc 1st	Electroni
												per LSK	104	Vqq.	DISC 1St	Disc Add
						_	Nonre	curring	NRC Disco	nnect			oss	Rates (\$)		111101-1111
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UNF-I	CENTREX - 5ESS (Valid in All States)															
	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
	Port/Loop Combination Rates (Non-Design)															<b>†</b>
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design		1	UEP95		10.79										<b>†</b>
$\neg \uparrow -$	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		2	UEP95		15.52										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		3	UEP95		31.74					İ	İ				
UNF	Port/Loop Combination Rates (Design)	<b>†</b>	Ŭ	02.00		0										
0.1.	2W VG Loop/2W VG Port (Centrex) Port Combo-Design		1	UEP95		13.82					İ	İ				
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design	<b>†</b>	2	UEP95		18.60										<del></del>
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design	<b>†</b>	3	UEP95		34.37										<del></del>
UNF	Loop Rate	t	Ť	321 00	1	54.57		1	+		1	1	<del> </del>		1	<del>                                     </del>
3142 1	2W VG Loop (SL 1)-Zone 1	<del>                                     </del>	1	UEP95	UECS1	9.64					1	7.86				<del></del>
-	2W VG Loop (SL 1)-Zone 2	1	2	UEP95	UECS1	14.37			-			7.86				+
	2W VG Loop (SL 1)-Zone 3		3	UEP95	UECS1	30.59					-	7.86				+
-	2W VG Loop (SL 1)-Zone 1	<b>†</b>	1	UEP95	UECS2	12.67					<del>                                     </del>	7.86				+
	2W VG Loop (SL 2)-Zone 2		2	UEP95	UECS2	17.45					1	7.86				+
-	2W VG Loop (SL 2)-Zone 3	1	3	UEP95	UECS2	33.22					1	7.86				+
LINE			3	UEP95	UECSZ	33.22					1	7.80				+
	Port Rate	<u> </u>									-	-				+
All St				UEP95	UEPYA	1.15	21.29	15.49	2.05	2.67	1	7.86				+
	2W VG Port (Centrex ) Basic Local Area	<u> </u>		UEP95 UEP95					2.85	2.67	-					+
-	2W VG Port (Centrex 800 Term)	ļ			UEPYB	1.15	21.29	15.49	2.85	2.67	1	7.86				<del> </del>
_	2W VG Port (Centrex with Caller ID)1Basic Local Area			UEP95	UEPYH	1.15	21.29	15.49	2.85	2.67		7.86				
	2W VG Port (Centrex from diff SWC)2 Basic Local Area	<u> </u>		UEP95	UEPYM	1.15	21.29	15.49	2.85	2.67		7.86				<del></del>
	2W VG Port, Diff SWC-800 Service Term-Basic Local Area	<u> </u>		UEP95	UEPYZ	1.15	21.29	15.49	2.85	2.67		7.86				<del> </del>
	2W VG Port terminated in on Megalink or equivalent-Basic Local Area			UEP95	UEPY9	1.15	21.29	15.49	2.85	2.67		7.86				
	2W VG Port Terminated on 800 Service Term-Basic Local Area	<u> </u>		UEP95	UEPY2	1.15	21.29	15.49	2.85	2.67		7.86				<del></del>
AL, K	Y, LA, MS, SC, & TN Only	<u> </u>														<del> </del>
	2W VG Port (Centrex )	<u> </u>		UEP95	UEPQA	1.15	21.29	15.49	2.85	2.67		7.86				<del> </del>
	2W VG Port (Centrex 800 Term)			UEP95	UEPQB	1.15	21.29	15.49	2.85	2.67		7.86				<u> </u>
	2W VG Port (Centrex with Caller ID)1			UEP95	UEPQH	1.15	21.29	15.49	2.85	2.67		7.86				
	2W VG Port (Centrex from diff SWC)2			UEP95	UEPQM	1.15	21.29	15.49	2.85	2.67		7.86				
	2W VG Port, Diff SWC-800 Service Term			UEP95	UEPQZ	1.15	21.29	15.49	2.85	2.67		7.86				<u> </u>
	2W VG Port terminated in on Megalink or equivalent			UEP95	UEPQ9	1.15	21.29	15.49	2.85	2.67		7.86				<u> </u>
	2W VG Port Terminated on 800 Service Term			UEP95	UEPQ2	1.15	21.29	15.49	2.85	2.67		7.86				
Local	Switching															
	Centrex Intercom Funtionality, per port			UEP95	URECS	0.8873						7.86				
	Number Portability				1						<u> </u>	<u> </u>				
	Local No Portability (1 per port)	<u> </u>		UEP95	LNPCC	0.35							ļ			
Featu					1						<u> </u>	<u> </u>				
	All Standard Features Offered, per port			UEP95	UEPVF	0.00					<u> </u>	7.86				
	All Select Features Offered, per port	<u> </u>		UEP95	UEPVS	0.00	405.66				ļ	7.86				
	All Centrex Control Features Offered, per port			UEP95	UEPVC	0.00						7.86	ļ			1
NARS																
	Unbundled Network Access Register-Combination			UEP95	UARCX	0.00	0.00	0.00				7.86				
	Unbundled Network Access Register-Indial			UEP95	UAR1X	0.00	0.00	0.00				7.86	ļ			1
	Unbundled Network Access Register-Outdial			UEP95	UAROX	0.00	0.00	0.00				7.86				1
	Ilaneous Terminations															
2-Wire	e Trunk Side															
	Trunk Side Terms, each			UEP95	CEND6	10.51	92.18	15.82	52.16	5.30		7.86				
4-Wire	e Digital (1.544 Megabits)															
	DS1 Circuit Terms, each			UEP95	M1HD1	74.77	164.86	77.74	60.69	3.86		7.86				
	DS0 Channels Activated, each			UEP95	M1HDO	0.00	15.09					7.86				
Intero	ffice Channel Mileage - 2-Wire															
	Interoffice Channel Facilities Term			UEP95	MIGBC	29.11						7.86				
	Interoffice Channel miage, per mi or fraction of mi			UEP95	MIGBM	0.01						7.86				T
Featu	re Activations (DS0) Centrex Loops on Channelized DS1 Service															
	annel Bank Feature Activations					İ					1	1	İ		İ	1

ONROND	LED NETWORK ELEMENTS - Kentucky				1	1					,	1		ment: 2		bit: B
											Svc	Svc	Increment	Increment	Incremental	Incremen
											Order	Order	al Charge -	al Charge -	Charge -	al Charge
		Inter	Zon								Submitte	Submitte	Manual	Manual	Manual Svc	Manual
CATEGORY	RATE ELEMENTS			BCS	USOC			RATES (\$)			d Elec	d			Order vs.	Svc Orde
		im	е									Manually	vs.	VS.	Electronic-	vs.
											per Lor	per LSR	Electronic-	_	Disc 1st	Electronic
												per LSK	Liecti onic-	V44,1	DISC 1St	Disc Add'l
						_ 1	Nonred	curring	NRC Disco	nnect			OSS	Rates (\$)		TIMES NAME
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN			SOMAN	SOMAN
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	1PQWS	0.62		71441	1 01	7144		7.86				
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP95	1PQW6	0.62						7.86				
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP95	1PQW7	0.62					1	7.86				+
+	Feature Activation on D-4 Channel Bank Centrex Loop Slot-Diff WC			UEP95	1PQWP	0.62					1	7.86				+
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP95	1PQWV	0.62					1	7.86				+
	Feature Activation on D-4 Channel Bank Tivate Line/Trunk Loop Slot			UEP95	1PQWQ	0.62						7.86				+
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP95	1PQWA	0.62					1	7.86				+
Non	Recurring Charges (NRC) Associated with UNE-P Centrex			ULF 93	IFQWA	0.02						7.00				+
14011-	NRC Conversion Currently Combined Switch-As-Is with allowed				1							1				+
				UEP95	USAC2		0.102	0.102				7.86				
	changes, per port  Conversion of Existing Centrex Common Block, each	-	$\vdash$	UEP95 UEP95	USACZ	<del>                                     </del>	18.95	8.32	<del>                                     </del>		<del>                                     </del>	7.86	<del>                                     </del>		-	+
		-	$\vdash$			0.00			111.05	40.07	<del>                                     </del>		<del> </del>		-	+
	New Centrex Standard Common Block	1		UEP95	M1ACS		669.80	78.32		13.27	<del>                                     </del>	7.86	<b> </b>			+
	New Centrex Customized Common Block  NAR Establishment Charge, Per Occasion	1		UEP95 UEP95	M1ACC URECA	0.00	669.80 72.75	78.32	111.05	13.27	<del>                                     </del>	7.86 7.86	<b> </b>			+
		-		UEP95	URECA	0.00	72.75					7.86				
	P CENTREX - DMS100 (Valid in All States)															-
	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
UNE	Port/Loop Combination Rates (Non-Design)															
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design		1	UEP9D		10.79										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		2	UEP9D		15.52										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		3	UEP9D		31.74										
UNE	Port/Loop Combination Rates (Design)															
	2W VG Loop/2W VG Port (Centrex) Port Combo-Design		1	UEP9D		13.82										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		2	UEP9D		18.60										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		3	UEP9D		34.37										
UNE	Loop Rate															
	2W VG Loop (SL 1)-Zone 1		1	UEP9D	UECS1	9.64						7.86				
	2W VG Loop (SL 1)-Zone 2		2	UEP9D	UECS1	14.37						7.86				
	2W VG Loop (SL 1)-Zone 3		3	UEP9D	UECS1	30.59						7.86				
	2W VG Loop (SL 2)-Zone 1		1	UEP9D	UECS2	12.67						7.86				
	2W VG Loop (SL 2)-Zone 2		2	UEP9D	UECS2	17.45						7.86				
	2W VG Loop (SL 2)-Zone 3		3	UEP9D	UECS2	33.22						7.86				
UNE	Port Rate															
ALL	STATES															
	2W VG Port (Centrex ) Basic Local Area			UEP9D	UEPYA	1.15	21.29	15.49	2.85	2.67		7.86				
	2W VG Port (Centrex 800 Term)Basic Local Area			UEP9D	UEPYB	1.15	21.29	15.49	2.85	2.67		7.86				
	2W VG Port (Centrex/EBS-PSET)3Basic Local Area			UEP9D	UEPYC	1.15	21.29	15.49	2.85	2.67		7.86				1
	2W VG Port (Centrex /EBS-M5009)3Basic Local Area			UEP9D	UEPYD	1.15	21.29	15.49	2.85	2.67		7.86				
	2W VG Port (Centrex /EBS-M5209)3 Basic Local Area	<b>1</b>		UEP9D	UEPYE	1.15	21.29	15.49	2.85	2.67		7.86	İ		İ	1
	2W VG Port (Centrex /EBS-M5112)3 Basic Local Area	<b>1</b>		UEP9D	UEPYF	1.15	21.29	15.49	2.85	2.67		7.86	İ		İ	1
	2W VG Port (Centrex /EBS-M5312)3Basic Local Area	<b>1</b>		UEP9D	UEPYG	1.15	21.29	15.49	2.85	2.67		7.86	İ			<b>†</b>
	2W VG Port (Centrex /EBS-M5008)3 Basic Local Area			UEP9D	UEPYT	1.15	21.29	15.49	2.85	2.67		7.86				1
	2W VG Port (Centrex/EBS-M5208)3 Basic Local Area			UEP9D	UEPYU	1.15	21.29	15.49	2.85	2.67		7.86				1
	2W VG Port (Centrex/EBS-M5216)3 Basic Local Area			UEP9D	UEPYV	1.15	21.29	15.49	2.85	2.67	1	7.86				+
	2W VG Port (Centrex/EBS-M5316)3 Basic Local Area			UEP9D	UEPY3	1.15	21.29	15.49	2.85	2.67		7.86				+
	2W VG Port (Centrex with Caller ID) Basic Local Area			UEP9D	UEPYH	1.15	21.29	15.49	2.85	2.67	1	7.86				+
	2W VG Port (Centrex/Caller ID/Msg Wtg Lamp Indication)3 Basic Local	1		OLI 3D	OLI III	1.13	21.23	15.45	2.00	2.07	<u> </u>	7.00				<del>                                     </del>
	Area	1		UEP9D	UEPYW	1.15	21.29	15.49	2.85	2.67		7.86	l			I
	2W VG Port (Centrex/Msg Wtg Lamp Indication)3 Basic Local Area	<del>                                     </del>		UEP9D UEP9D	UEPYJ	1.15	21.29	15.49	2.85	2.67	1	7.86	1		1	+
		1		UEP9D	UEPYM	1.15	21.29	15.49	2.85	2.67	<u> </u>	7.86	1			+
	2W VG Port (Centrex from diff SWC) 2 Basic Local Area  2W VG Port (Centrex/differ SWC /EBS-PSET)2, 3 Basic Local Area	-	$\vdash$	UEP9D UEP9D	UEPYM	1.15	21.29	15.49	2.85	2.67	<del>                                     </del>	7.86	<del> </del>		-	+
		1											<b> </b>			+
	2W VG Port (Centrex/differ SWC /EBS-M5009)2, 3 Basic Local Area	1		UEP9D	UEPYP	1.15	21.29	15.49	2.85	2.67	<del>                                     </del>	7.86	<b> </b>			+
	2W VG Port (Centrex/differ SWC /EBS-5209)2, 3 Basic Local Area	<b>!</b>		UEP9D	UEPYQ	1.15	21.29	15.49	2.85	2.67	<b> </b>	7.86	1		-	+
	2W VG Port (Centrex/differ SWC /EBS-M5112)2, 3 Basic Local Area	<b>-</b>		UEP9D	UEPYR	1.15	21.29	15.49	2.85	2.67	<u> </u>	7.86	1			₩
	2W VG Port (Centrex/differ SWC /EBS-M5312)2, 3 Basic Local Area	<b></b>		UEP9D	UEPYS	1.15	21.29	15.49	2.85	2.67	ļ	7.86				
	2W VG Port (Centrex/differ SWC /EBS-M5008)2, 3 Basic Local Area	<u> </u>		UEP9D	UEPY4	1.15	21.29	15.49	2.85	2.67	ļ	7.86	ļ			
	2W VG Port (Centrex/differ SWC /EBS-M5208)2, 3 Basic Local Area	<u> </u>		UEP9D	UEPY5	1.15	21.29	15.49	2.85	2.67	ļ	7.86	ļ			1
1	2W VG Port (Centrex/differ SWC /EBS-M5216)2, 3 Basic Local Area	1		UEP9D	UEPY6	1.15	21.29	15.49	2.85	2.67		7.86			l	

	ED NETWORK ELEMENTS - Kentucky													ment: 2		bit: B
											Svc	Svc	Increment	Increment	Incrementa	Increme
											Order	Order	al Charge ·	al Charge -	Charge -	al Char
		Inter	7								Submitte	Submitte	Manual	Manual	Manual Svo	Manua
ATEGORY	RATE ELEMENTS		Zon	BCS	USOC			RATES (\$)			d Elec	d		Svc Order	Order vs.	Svc Ord
		im	е					- (.,				Manually	VS.		Electronic-	
											per LSK		_	vs.		vs.
												per LSR	Electronic-	Electronic-	Disc 1st	Electron
-		+	1		+		Nonrec	urring	NRC Disco	nnoct		l	164	Rates (\$)		LDicc Ad
-		+			+	Rec	First	Add'l	First		SOMEC	COMAN			COMAN	Teoman
	0141 1 0 D	1		LIEDAD	LIED) (T					Add'I	SOMEC		SOMAN	SOMAN	SOMAN	SOMAN
	2W VG Port (Centrex/differ SWC /EBS-M5316)2, 3 Basic Local Area	1		UEP9D	UEPY7	1.15	21.29	15.49	2.85	2.67		7.86				4
	2W VG Port, Diff SWC-800 Service Term		-	UEP9D	UEPYZ	1.15	21.29	15.49	2.85	2.67		7.86				<del>                                     </del>
	2W VG Port terminated in on Megalink or equivalent Basic Local Area	1		UEP9D	UEPY9	1.15	21.29	15.49	2.85	2.67		7.86				
	2W VG Port Terminated on 800 Service Term Basic Local Area			UEP9D	UEPY2	1.15	21.29	15.49	2.85	2.67		7.86				
AL, K	Y, LA, MS, SC, & TN Only															
	2W VG Port (Centrex)			UEP9D	UEPQA	1.15	21.29	15.49	2.85	2.67		7.86				
	2W VG Port (Centrex 800 Term)			UEP9D	UEPQB	1.15	21.29	15.49	2.85	2.67		7.86				
	2W VG Port (Centrex/EBS-PSET)3			UEP9D	UEPQC	1.15	21.29	15.49	2.85	2.67		7.86				
	2W VG Port (Centrex /EBS-M5009)3			UEP9D	UEPQD	1.15	21.29	15.49	2.85	2.67		7.86				
	2W VG Port (Centrex /EBS-M5209)3			UEP9D	UEPQE	1.15	21.29	15.49	2.85	2.67		7.86				
	2W VG Port (Centrex /EBS-M5112)3			UEP9D	UEPQF	1.15	21.29	15.49	2.85	2.67		7.86				1
	2W VG Port (Centrex /EBS-M5312)3			UEP9D	UEPQG	1.15	21.29	15.49	2.85	2.67		7.86				†
	2W VG Port (Centrex /EBS-M5008)3			UEP9D	UEPQT	1.15	21.29	15.49	2.85	2.67		7.86				+
	2W VG Port (Centrex/EBS-M5208)3	1		UEP9D	UEPQU	1.15	21.29	15.49	2.85	2.67	1	7.86				+
_	2W VG Port (Centrex/EBS-M5256)3			UEP9D	UEPQV	1.15	21.29	15.49	2.85	2.67		7.86				+
	2W VG Port (Centrex/EBS-M5316)3	+		UEP9D	UEPQ3	1.15	21.29	15.49	2.85	2.67	ļ	7.86				+
		1	1	UEP9D				15.49		2.67		7.86				+
	2W VG Port (Centrex with Caller ID)	1			UEPQH	1.15	21.29		2.85							+
	2W VG Port (Centrex/Caller ID/Msg Wtg Lamp Indication)3		-	UEP9D	UEPQW	1.15	21.29	15.49	2.85	2.67		7.86				<del></del>
	2W VG Port (Centrex/Msg Wtg Lamp Indication)3		-	UEP9D	UEPQJ	1.15	21.29	15.49	2.85	2.67		7.86				<del>                                     </del>
	2W VG Port (Centrex from diff SWC) 2	1		UEP9D	UEPQM	1.15	21.29	15.49	2.85	2.67		7.86				
	2W VG Port (Centrex/differ SWC /EBS-PSET)2, 3			UEP9D	UEPQO	1.15	21.29	15.49	2.85	2.67		7.86				
	2W VG Port (Centrex/differ SWC /EBS-M5009)2, 3			UEP9D	UEPQP	1.15	21.29	15.49	2.85	2.67		7.86				
	2W VG Port (Centrex/differ SWC /EBS-5209)2, 3			UEP9D	UEPQQ	1.15	21.29	15.49	2.85	2.67		7.86				
	2W VG Port (Centrex/differ SWC /EBS-M5112)2, 3			UEP9D	UEPQR	1.15	21.29	15.49	2.85	2.67		7.86				
	2W VG Port (Centrex/differ SWC /EBS-M5312)2, 3			UEP9D	UEPQS	1.15	21.29	15.49	2.85	2.67		7.86				
	2W VG Port (Centrex/differ SWC /EBS-M5008)2, 3			UEP9D	UEPQ4	1.15	21.29	15.49	2.85	2.67		7.86				Ī
	2W VG Port (Centrex/differ SWC /EBS-M5208)2, 3			UEP9D	UEPQ5	1.15	21.29	15.49	2.85	2.67		7.86				T .
	2W VG Port (Centrex/differ SWC /EBS-M5216)2, 3			UEP9D	UEPQ6	1.15	21.29	15.49	2.85	2.67		7.86				
	2W VG Port (Centrex/differ SWC /EBS-M5316)2, 3			UEP9D	UEPQ7	1.15	21.29	15.49	2.85	2.67		7.86				1
	2W VG Port, Diff SWC-800 Service Term			UEP9D	UEPQZ	1.15	21.29	15.49	2.85	2.67		7.86				†
	2W VG Port terminated in on Megalink or equivalent			UEP9D	UEPQ9	1.15	21.29	15.49	2.85	2.67		7.86				+
	2W VG Port Terminated on 800 Service Term	1	1 1	UEP9D	UEPQ2	1.15	21.29	15.49	2.85	2.67		7.86				+
Local	Switching	1		OLI 3D	OLI QZ	1.10	21.23	13.43	2.00	2.01	1	7.00				+
Local	Centrex Intercom Funtionality, per port			UEP9D	URECS	0.8873						7.86				+
Local	Number Portability	1		OLF 3D	UNLUG	0.0073						7.00				+
Local	Local No Portability (1 per port)	+		UEP9D	LNPCC	0.35					ļ					+
F1-		1	1	UEP9D	LNPCC	0.35										+
Featu		1		LIEDAD	LIED) (E	2.22						7.00				+
	All Standard Features Offered, per port		-	UEP9D	UEPVF	0.00						7.86				<del></del>
	All Select Features Offered, per port	<b>_</b>	$\vdash \vdash \downarrow$	UEP9D	UEPVS	0.00	405.66					7.86	ļ	ļ	ļ	
NARS	All Centrex Control Features Offered, per port		$\vdash$	UEP9D	UEPVC	0.00					-	7.86				1
INARS	Unbundled Network Access Register-Combination	1	$\vdash$	UEP9D	UARCX	0.00	0.00	0.00				7.86				+
-	Unbundled Network Access Register-Inward		$\vdash$	UEP9D	UAR1X	0.00	0.00	0.00				7.86	i		1	†
_	Unbundled Network Access Register-Inward  Unbundled Network Access Register-Outdial			UEP9D	UAROX	0.00	0.00	0.00			<u> </u>	7.86	<del> </del>	l	<del> </del>	†
Misco	Ilaneous Terminations	1	$\vdash$	OLFSD	UAINUA	0.00	0.00	0.00			<b>-</b>	7.00	<b> </b>		<b> </b>	+
	Trunk Side	1	$\vdash$		+								1		1	+
∠-vvire	Trunk Side Terms, each	1	$\vdash$	UEP9D	CEND6	10.51	92.18	15.82	52.16	5.30	<del>                                     </del>	7.86	<b>!</b>		<b>-</b>	+

NROND	PLED NETWORK ELEMENTS - Kentucky	_			1	1						1		ment: 2		bit: B
											Svc	Svc		Increment	Incremental	
											Order	Order	al Charge -	al Charge -	Charge -	al Charg
		Intor	Zon								Submitte	Submitte	Manual	Manual	Manual Svo	Manua
ATEGORY	Y RATE ELEMENTS			BCS	USOC			RATES (\$)			d Elec	d		Svc Order	Order vs.	Svc Orde
		im	е					.,				Manually	VS.	VS.	Electronic-	vs.
											per LSK		-	-		-
												per LSR	Electronic-		Disc 1st	Electronic
		-	1		+		Nonrec	urring	NRC Disco	nnect		l .	088	Rates (\$)	l .	Disc Add
		_			_	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
4 18/	ire Digital (1.544 Megabits)	-	1		+		FIISL	Auu i	FIISL	Auu i	SOWIEC	SUMAN	SUMAN	SOWAN	SOWAN	SOWAN
4-11		-	1	UEP9D	M1HD1	74.77	164.86	77.74	60.69	3.86		7.86				+
	DS1 Circuit Terms, each	_	-					11.14	60.09	3.00	-					-
1	DS0 Channels Activiated per Channel	_	-	UEP9D	M1HDO	0.00	15.09				-	7.86				-
inter	roffice Channel Mileage - 2-Wire	-	ļ	LIEDAD	141000	20.44					1	7.00				
	Interoffice Channel Facilities Term			UEP9D	MIGBC	29.11						7.86				
	Interoffice Channel miage, per mi or fraction of mi			UEP9D	MIGBM	0.01						7.86				
	ture Activations (DS0) Centrex Loops on Channelized DS1 Service															
D4 C	Channel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9D	1PQWS	0.62						7.86				
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9D	1PQW6	0.62						7.86				
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP9D	1PQW7	0.62						7.86				
	Feature Activation on D-4 Channel Bank Centrex Loop Slot-Diff WC			UEP9D	1PQWP	0.62						7.86				
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9D	1PQWV	0.62						7.86				
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot			UEP9D	1PQWQ	0.62						7.86				
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9D	1PQWA	0.62						7.86				
Non-	-Recurring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed															
	changes, per port			UEP9D	USAC2		0.102	0.102				7.86				
	Conversion of existing Centrex Common Block, each	_		UEP9D	USACN		18.95	8.32				7.86				
	New Centrex Standard Common Block	+	1	UEP9D	M1ACS	0.00	669.80	78.32	111.05	13.27		7.86				
	New Centrex Standard Common Block  New Centrex Customized Common Block	-	1	UEP9D	M1ACC	0.00	669.80	78.32	111.05	13.27		7.86				
_		_	-					16.32	111.05	13.27	-					
	NAR Establishment Charge, Per Occasion	-	ļ	UEP9D	URECA	0.00	72.75				1	7.86				
	-P CENTREX - EWSD (Valid in AL, FL, KY, LA, MS & TN)															
	ire VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
UNE	Port/Loop Combination Rates (Non-Design)															
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design		1	UEP9E		10.79										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		2	UEP9E		15.52										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		3	UEP9E		31.74										
UNE	Port/Loop Combination Rates (Design)															
	2W VG Loop/2W VG Port (Centrex) Port Combo-Design		1	UEP9E		13.82										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		2	UEP9E		18.60										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		3	UEP9E		34.37										
UNE	Loop Rate															
	2W VG Loop (SL 1)-Zone 1		1	UEP9E	UECS1	9.64						7.86				
1	2W VG Loop (SL 1)-Zone 2		2	UEP9E	UECS1	14.37						7.86			İ	
1	2W VG Loop (SL 1)-Zone 3		3	UEP9E	UECS1	30.59					1	7.86			<del> </del>	1
	2W VG Loop (SL 1)-Zone 1	+	1	UEP9E	UECS2	12.67					<b>†</b>	7.86			<b> </b>	<b>†</b>
	2W VG Loop (SL 2)-Zone 2		2	UEP9E	UECS2	17.45						7.86				
	2W VG Loop (SL 2)-Zone 2		3	UEP9E	UECS2	33.22						7.86				
LINE	E Port Rate	+	3	UEP9E	05032	33.22					1	7.00	1		-	<u> </u>
		-			-	<del>                                     </del>					<del>                                     </del>	-				1
AL, I	FL, KY, LA, MS, & TN only		1	LIEBOE	LIEDYA		24.25		2.25		1	7.0-			<del>                                     </del>	1
_	2W VG Port (Centrex ) Basic Local Area		<u> </u>	UEP9E	UEPYA	1.15	21.29	15.49	2.85	2.67		7.86				1
	2W VG Port (Centrex 800 Term)Basic Local Area		<u> </u>	UEP9E	UEPYB	1.15	21.29	15.49	2.85	2.67	ļ	7.86				1
	2W VG Port (Centrex with Caller ID)1Basic Local Area		ļ	UEP9E	UEPYH	1.15	21.29	15.49	2.85	2.67	1	7.86				1
	2W VG Port (Centrex from diff SWC)2 Basic Local Area		<u> </u>	UEP9E	UEPYM	1.15	21.29	15.49	2.85	2.67		7.86				
	2W VG Port, Diff SWC-800 Service Term-Basic Local Area			UEP9E	UEPYZ	1.15	21.29	15.49	2.85	2.67		7.86				
	2W VG Port terminated in on Megalink or equivalent-Basic Local Area			UEP9E	UEPY9	1.15	21.29	15.49	2.85	2.67		7.86				
	2W VG Port Terminated on 800 Service Term-Basic Local Area			UEP9E	UEPY2	1.15	21.29	15.49	2.85	2.67		7.86				
AL, ł	KY, LA, MS, & TN Only															
	2W VG Port (Centrex )			UEP9E	UEPQA	1.15	21.29	15.49	2.85	2.67		7.86				
	2W VG Port (Centrex 800 Term)			UEP9E	UEPQB	1.15	21.29	15.49	2.85	2.67		7.86				
	2W VG Port (Centrex with Caller ID)1			UEP9E	UEPQH	1.15	21.29	15.49	2.85	2.67		7.86				
$\top$	2W VG Port (Centrex from diff SWC)2	1		UEP9E	UEPQM	1.15	21.29	15.49	2.85	2.67		7.86			1	
-	2W VG Port, Diff SWC-800 Service Term			UEP9E	UEPQZ	1.15	21.29	15.49	2.85	2.67		7.86			1	1
+	2W VG Port terminated in on Megalink or equivalent	+	<b>!</b>	UEP9E	UEPQ9	1.15	21.29	15.49	2.85	2.67	1	7.86				<del>                                     </del>
+-	2W VG Port Terminated in 60 Megalink of equivalent			UEP9E	UEPQ2	1.15	21.29	15.49	2.85	2.67		7.86				<del>                                     </del>
1	ZW VG FOIL TEIMINATED ON 800 SERVICE TEIM			UEP9E	UEPQ2	1.15	21.29	15.49	∠.₫5	2.67		7.86		l		1

UNBUND	LED NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	bit: B
											Svc	Svc	Increment		Incrementa	Increment
											Order	Order	al Charge	al Charge -	Charge -	al Charge
		Inter	Zon								Submitte	Submitte	Manual	Manual	Manual Svo	Manual
CATEGORY	RATE ELEMENTS	im	е	BCS	USOC			RATES (\$)			d Elec	d	Svc Order	Svc Order	Order vs.	Svc Orde
											per LSR	Manually	vs.	vs.	Electronic-	vs.
												per LSR	Electronic-	Electronic-	Disc 1st	Electronic
		+			+		Nonred	urring	NRC Disconn	oct			164	Rates (\$)		Disc Add'l
-		+			+	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
	Centrex Intercom Funtionality, per port	+		UEP9E	URECS	0.8873	11131	Auu i	11130	Auu	OOMEO	7.86	JOHIAN	JOINAIN	JOINAIN	JONAN
Loca	Number Portability			OLI OL	OKEGO	0.0070						7.00				†
	Local No Portability (1 per port)			UEP9E	LNPCC	0.35						7.86				
Featu																1
	All Standard Features Offered, per port			UEP9E	UEPVF	0.00						7.86				
	All Select Features Offered, per port			UEP9E	UEPVS	0.00	405.66					7.86				
	All Centrex Control Features Offered, per port			UEP9E	UEPVC	0.00						7.86				
NAR				LIEDOE	HAROY		0.00	0.00								
	Unbundled Network Access Register-Combination	-		UEP9E	UARCX	0.00	0.00	0.00								+
	Unbundled Network Access Register-Indial Unbundled Network Access Register-Outdial	+	<u> </u>	UEP9E UEP9E	UAR1X UAROX	0.00	0.00	0.00	<del>                                     </del>		-	-	-			+
Mico	Unbundled Network Access Register-Outdial	+	<del>                                     </del>	UEPSE	UARUX	0.00	0.00	0.00	<del>                                     </del>		1	<del>                                     </del>				+
	e Trunk Side	+														+
Z-1VII	Trunk Side Terms, each	1	1	UEP9E	CEND6	10.51	92.18	15.82	52.16	5.30		7.86				<b>†</b>
4-Wir	e Digital (1.544 Megabits)	1			1		50	: ::02		2.30		1.50				1
	DS1 Circuit Terms, each			UEP9E	M1HD1	74.77	164.86	77.74	60.69	3.86		7.86				1
	DS0 Channel Activated Per Channel			UEP9E	M1HDO	0.00	15.09					7.86				
Inter	office Channel Mileage - 2-Wire															
	Interoffice Channel Facilities Term			UEP9E	MIGBC	29.11						7.86				
	Interoffice Channel miage, per mi or fraction of mi			UEP9E	MIGBM	0.01						7.86				
	re Activations (DS0) Centrex Loops on Channelized DS1 Service															
D4 C	hannel Bank Feature Activations	-		HEDOE	400040	0.00						7.00				<del> </del>
	Feature Activation on D-4 Channel Bank Centrex Loop Slot	-		UEP9E UEP9E	1PQWS 1PQW6	0.62 0.62						7.86 7.86				
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot	+		UEP9E UEP9E	1PQW6	0.62						7.86	-			+
	Feature Activation on D-4 Channel Bank Centrex Loop Slot-Diff WC	+		UEP9E	1PQW7	0.62						7.86				+
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9E	1PQWV	0.62						7.86				1
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot			UEP9E	1PQWQ	0.62						7.86				
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9E	1PQWA	0.62						7.86				
Non-	Recurring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed															
	changes, per port			UEP9E	USAC2		0.102	0.102				7.86				
	Conversion of Existing Centrex Common Block, each			UEP9E	USACN		18.95	8.32								
	New Centrex Standard Common Block			UEP9E	M1ACS	0.00	669.80	78.32	111.05	13.27		7.86				
	New Centrex Customized Common Block	-		UEP9E UEP9E	M1ACC URECA	0.00	669.80 72.75	78.32	111.05	13.27		7.86 7.86				
LINE	NAR Establishment Charge, Per Occasion P CENTREX - DCO - Valid in AL, KY, LA, MS, & TN)	+		UEP9E	URECA	0.00	12.15					7.80				+
	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo	+														+
	Port/Loop Combination Rates (Non-Design)	1														†
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design	1	1	UEP93		10.79										1
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		2	UEP93		15.52										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		3	UEP93		31.74										
UNE	Port/Loop Combination Rates (Design)															
	2W VG Loop/2W VG Port (Centrex) Port Combo-Design		1	UEP93		13.82										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design	4	2	UEP93		18.60			<b>  </b>		1	<u> </u>				
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design	-	3	UEP93	+	34.37					1	<b> </b>	-	-	1	+
UNE	Loop Rate 2W VG Loop (SL 1)-Zone 1	+	1	UEP93	UECS1	9.64			<del>                                     </del>		-	<b> </b>	<del></del>			+
	2W VG Loop (SL 1)-Zone 1 2W VG Loop (SL 1)-Zone 2	+	2	UEP93	UECS1	14.37			<del>                                     </del>		1	<del>                                     </del>				+
	2W VG Loop (SL 1)-Zone 2 2W VG Loop (SL 1)-Zone 3	+	3	UEP93	UECS1	30.59										+
	2W VG Loop (SL 2)-Zone 1	+	1	UEP93	UECS2	12.67			<del>                                     </del>		1	1	t			†
	2W VG Loop (SL 2)-Zone 2	1	2	UEP93	UECS2	17.45										1
	2W VG Loop (SL 2)-Zone 3	1	3	UEP93	UECS2	33.22										1
UNE	Port Rate															
AL, K	Y, LA, MS, & TN only															
	2W VG Port (Centrex ) Basic Local Area			UEP93	UEPYA	1.15	21.29	15.49	2.85	2.67		7.86				
	2W VG Port (Centrex 800 Term)Basic Local Area			UEP93	UEPYB	1.15	21.29	15.49	2.85	2.67		7.86				

MOONDE	LED NETWORK ELEMENTS - Kentucky			ı	1						C	C		ment: 2		bit: B
ATEGORY	RATE ELEMENTS	Inter im	Zon e	BCS	USOC			RATES (\$)			d Elec	Svc Order Submitte d Manually per LSR	vs.		Incremental Charge - Manual Svo Order vs. Electronic- Disc 1st	al Char
						Rec	Nonre	curring	NRC Disco	nnect			OSS	Rates (\$)		THE AA
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
	2W VG Port (Centrex with Caller ID)1Basic Local Area			UEP93	UEPYH	1.15	21.29	15.49	2.85	2.67		7.86				
	2W VG Port (Centrex from diff SWC)2 Basic Local Area			UEP93	UEPYM	1.15	21.29	15.49	2.85	2.67		7.86				
	2W VG Port, Diff SWC-800 Service Term-Basic Local Area			UEP93	UEPYZ	1.15	21.29	15.49	2.85	2.67		7.86				
	2W VG Port terminated in on Megalink or equivalent-Basic Local Area			UEP93	UEPY9	1.15	21.29	15.49	2.85	2.67		7.86				
	2W VG Port Terminated on 800 Service Term-Basic Local Area			UEP93	UEPY2	1.15	21.29	15.49	2.85	2.67		7.86				
	2W VG Port (Centrex )			UEP93	UEPQA	1.15	21.29	15.49	2.85	2.67		7.86				
	2W VG Port (Centrex 800 Term)			UEP93	UEPQB	1.15	21.29	15.49	2.85	2.67		7.86				<u> </u>
	2W VG Port (Centrex with Caller ID)1			UEP93	UEPQH	1.15	21.29	15.49	2.85	2.67		7.86				
	2W VG Port (Centrex from diff SWC)2			UEP93	UEPQM	1.15	21.29	15.49	2.85	2.67		7.86			-	<del>                                     </del>
_	2W VG Port, Diff SWC-800 Service Term			UEP93	UEPQZ	1.15	21.29	15.49	2.85	2.67		7.86			1	₩
_	2W VG Port terminated in on Megalink or equivalent			UEP93	UEPQ9	1.15	21.29	15.49	2.85	2.67		7.86			1	—
1	2W VG Port Terminated on 800 Service Term	-	-	UEP93	UEPQ2	1.15	21.29	15.49	2.85	2.67		7.86			1	+
Local	Switching			UEP93	URECS	0.8873						7.86				+
11	Centrex Intercom Funtionality, per port  Number Portability			UEP93	URECS	0.8873						7.80				+
Local	Local No Portability (1 per port)			UEP93	LNCCC	0.35										┼
Featu				UEP93	LINCCC	0.35										┼
reatu				UEP93	UEPVF	0.00						7.86				┼
_	All Standard Features Offered, per port  All Centrex Control Features Offered, per port			UEP93	UEPVC	0.00						7.86				┼
NARS				UEP93	UEPVC	0.00						7.80				+
NARS	Unbundled Network Access Register-Combination			UEP93	UARCX	0.00	0.00	0.00								+
	Unbundled Network Access Register-Indial			UEP93	UAR1X	0.00	0.00	0.00								+
	Unbundled Network Access Register-India  Unbundled Network Access Register-Outdial			UEP93	UAROX	0.00	0.00	0.00								+
Misco	ellaneous Terminations			OLI 33	OAROX	0.00	0.00	0.00								+
	e Trunk Side															<b>†</b>
	Trunk Side Terms, each			UEP93	CEND6	10.51	92.18	15.82	52.16	5.30		7.86				<b>†</b>
4-Wire	e Digital (1.544 Megabits)															T .
	DS1 Circuit Terms, each			UEP93	M1HD1	74.77	164.86	77.74	60.69	3.86		7.86				
	DS0 Channels Activated, Per Channel			UEP93	M1HDO	0.00	15.09					7.86				
Interd	office Channel Mileage - 2-Wire															1
	Interoffice Channel Facilities Term			UEP93	MIGBC	29.11						7.86				
	Interoffice Channel miage, per mi or fraction of mi			UEP93	MIGBM	0.01						7.86				
Featu	re Activations (DS0) Centrex Loops on Channelized DS1 Service															
D4 Ch	nannel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP93	1PQWS	0.62						7.86				
	Feature Activation on D-4 Channel Bank FX Line Side Loop Slot			UEP93	1PQW6	0.62						7.86				
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP93	1PQW7	0.62						7.86				
	Feature Activation on D-4 Channel Bank Centrex Loop Slot-Diff WC			UEP93	1PQWP	0.62						7.86				
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP93	1PQWV	0.62						7.86				
	Feature Activation on D-4 Channel Bank Tie Line/Trunk Loop Slot			UEP93	1PQWQ	0.62						7.86				
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP93	1PQWA	0.62						7.86				
Non-F	Recurring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-ls with allowed															
	changes, per port			UEP93	USAC2		0.102	0.102				7.86			-	<del>                                     </del>
_	Conversion of Existing Centrex Common Block, each			UEP93	USACN	0.55	18.95	8.32	444.5=	10		7.86			-	₩
_	New Centrex Standard Common Block			UEP93	M1ACS	0.00	669.80	78.32	111.05	13.27		7.86			1	₩
_	New Centrex Customized Common Block			UEP93	M1ACC	0.00	669.80	78.32	111.05	13.27		7.86		-	-	₩
h	NAR Establishment Charge, Per Occasion			UEP93	URECA	0.00	72.75					7.86			1	₩
	1 - Required Port for Centrex Control in 1AESS, 5ESS & EWSD							<del> </del>	ļ			ļ			<b>!</b>	₩
	2 - Requres Interoffice Channel Mileage							ļ				ļ	-	1	1	₩
INote :	3 - Requires Specific Customer Premises Equipment	1	1	1	1			1	1	l	1	1	ĺ	ĺ	1	1

IIND	INDI	ED NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Evhil	bit: B
UND	UNDL	ED NET WORK ELEMENTS - Louisiana			1		1					Svc	Svc Order		Incrementa		
												Order		I Charge -		I Charge -	
														Manual	Manual	Manual	Manual
CATE	CORV	RATE ELEMENTS	Interi	Zon	BCS	USOC		DAT	ES (\$)			ed Elec	per LSR	Svc Order		Svc Order	
CATE	GOR	RATE ELEMENTS	m	е	BCS	0500		KAI	E9 (\$)			per LSR	per LSK		vs.	vs.	vs.
												per LSK		vs. Electronic-	_	_	_
														1st	Add'l		Disc Add
									-	NDO D					1	Disc 1st	DISC AUG
							Rec	Nonrec			isconnec	COMEC	COMAN		Rates (\$)	COMAN	SOMAN
	The "	ا Zone" shown in the sections for stand-alone loops or loops as part of a	m	hinat	ion refere to Geogra	obically De	averaged LIME	First	Add'l								
		ite: http://www.interconnection.bellsouth.com/become a clec/html/in				Dilically De	averaged ONE	Zones. 10 vi	ew Geograp	illically L	Jeaverage	SU UNE ZU	nie Designa	illoiis by Ce	ilitiai Office,	reiei to iiitei	met
ODED		IAL SUPPORT SYSTEMS	iterco	IIIIeci	I				ı				1				$\overline{}$
OPER		: (1) Electronic Service Order: CLEC should contact its contract negot	tiotor	if it n	rofore the state spee	ific clootro	nio corvino or	loring charge	ac ordered	by the C	commissi	one The	olootronio	orvice orde	ring charge	ourrontly oo	ntained in
		: (1) Electronic Service Order: "CLEC should contact his contract negot xhibit is the BellSouth regional electronic service ordering charge. CL															
		: (2) Any element that can be ordered electronically will be billed acco															
		onically. For those elements that cannot be ordered electronically at p															
		lement. Otherwise, the manual ordering charge, SOMAN, will be applied							s the charge	tilat wo	uiu be bii	ica to a o	LLO ONCE C	iccironic on	dering capai	Jiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiii	, OII-IIII I
		Electronic OSS Charge, per LSR, submitted via BST's OSS interactive			l	litto un Eoi	l to Benedatin										$\overline{}$
		interfaces (Regional)				SOMEC		3.50							1		
UNE S	SERVIC	CE DATE ADVANCEMENT CHARGE				OCIVILO		3.30									+
0.112		: The Expedite charge will be maintained commensurate with BellSou	ıth's F	CC N	o 1 Tariff Section 5	as annlical	hle										+
	INCIL	The Expedite charge will be maintained commensurate with behood	111131	1	ALL UNE EXCEPT	аз аррпса	1										+
		UNE Expedite Charge per Circuit or Line Assignable USOC, per Day			UNE-P	SDASP		200.00									
UNRI	INDI E	D EXCHANGE ACCESS LOOP			OINE-I	ODAOI		200.00									+
0.10		E ANALOG VOICE GRADE LOOP															+
		2W Analog VG Loop-SL1-Zone 1		1	UEANL	UEAL2	12.90	36.54	16.87				15.20				+
		2W Analog VG Loop-SL1-Zone 2		2	UEANL	UEAL2	23.33	36.54	16.87				15.20				+
		2W Analog VG Loop-SL1-Zone 3		3	UEANL	UEAL2	48.43	36.54	16.87				15.20				+
		Unbundled Misc Rate Element, Tag Loop at End User Premise			UEANL	URETL	70.75	8.33	0.83				15.20				+
		Loop Testing-Basic 1st Half Hour			UEANL	URET1		33.17	33.17				15.20				+
		Loop Testing-Basic Add'l Half Hour			UEANL	URETA		19.28	19.28				15.20				+
		CLEC to CLEC Conversion Charge w/o Outside Dispatch (UVL-SL1)			UEANL	UREWO		15.75	8.93				15.20				+
		Unbundled Voice Loop, Non-Design Voice Loop, billing for BST providing			OLANE	UKLVVO		13.73	0.93				13.20				+
		make-up (Engineering Information-E.I.)			UEANL	UEANM		13.04	13.04								
		Manual Order Coordination for UVL-SL1s (per loop)			UEANL	UEAMC		7.92	7.92								+
		Order Coordination for Specified Conversion Time for UVL-SL1 (per LSR)			UEANL	OCOSL		17.56	17.56								+
		E Unbundled COPPER LOOP			OLANE	OCOGL		17.50	17.50								+
		2W Unbundled Copper Loop-Non-Designed Zone 1		1	UEQ	UEQ2X	12.40	35.27	15.60				15.20				+
		2W Unbundled Copper Loop-Non-Designed Zone 1	÷	2	UEQ	UEQ2X	14.32	35.27	15.60				15.20				+
		2W Unbundled Copper Loop-Non-Designed-Zone 3	<del></del>	3	UEQ	UEQ2X	16.87	35.27	15.60				15.20				+
		Unbundled Misc Rate Element, Tag Loop at End User Premise		-	UEQ	URETL	10.07	8.33	0.83				15.20				+
		Order Coordination 2W Unbundled Copper Loop-Non-Designed (per loop)			UEQ	USBMC		7.92	7.92				10.20				+
		Unbundled Copper Loop, Non-Design Copper Loop, billing for BST			OLG	CODINO		7.02	7.02								+
		providing make-up (Engineering Information-E.I.)			UEQ	UEQMU		13.04	13.04								
		Loop Testing-Basic 1st Half Hour			UEQ	URET1		33.17	33.17				15.20				+
		Loop Testing-Basic Add'l Half Hour			UEQ	URETA		19.28	19.28				15.20				+
		CLEC to CLEC Conversion Charge w/o Outside Dispatch (UCL-ND)			UEQ	UREWO		14.25	7.42				15.20				+
IINRI		D EXCHANGE ACCESS LOOP			OLQ	OIKLWO		14.23	1.72				13.20				+
ONDO		E ANALOG VOICE GRADE LOOP															+
	_	2W Analog VG Loop-SL1-Line Splitting-Zone 1		1	UEPSR UEPSB	UEALS	12.90	36.54	16.87				15.20				<b>†</b>
		2W Analog VG Loop-SL1-Line Splitting-Zone 1		1	UEPSR UEPSB	UEABS	12.90	36.54	16.87				15.20		<b>—</b>		+
		2W Analog VG Loop-SL1-Line Splitting-Zone 2		2	UEPSR UEPSB	UEALS	23.33	36.54	16.87				15.20		<u> </u>		+
		2W Analog VG Loop-SL1-Line Splitting-Zone 2		2	UEPSR UEPSB	UEABS	23.33	36.54	16.87				15.20				<b>†</b>
		2W Analog VG Loop-SL1-Line Splitting-Zone 3		3	UEPSR UEPSB	UEALS	48.43	36.54	16.87				15.20				<b>†</b>
		2W Analog VG Loop-SL1-Line Splitting-Zone 3		3	UEPSR UEPSB	UEABS	48.43	36.54	16.87		1		15.20		<b>†</b>		+
UNRI		D EXCHANGE ACCESS LOOP			0L1 01 0L1 0B	JEADO	70.73	30.34	10.07		1		10.20		<b>†</b>		+
21120		E ANALOG VOICE GRADE LOOP													<b>—</b>		+
		2W Analog VG Loop-SL2 w/Loop or Ground Start Signaling-Zone 1		1	UEA	UEAL2	14.93	102.10	65.72				15.20		<b>†</b>		+
	1																
		2W Analog VG Loop-SL2 w/Loop or Ground Start Signaling-Zone 2		2	UEA	UEAL2	25.35	102.10	65.72				15.20				

Version 4Q02: 01/21/03 Page 192 of 402

BUNDL	ED NETWORK ELEMENTS - Louisiana												Attachi	ment: 2	Exhib	oit: B
EGORY	RATE ELEMENTS	Interi m	Zon e	BCS	USOC			≣S (\$)			Svc Order Submitt ed Elec per LSR	Submitted	I Charge - Manual Svc Order vs. Electronic- 1st	Add'l	I Charge - Manual Svc Order vs. Electronic-	al Charge Manual Svc Orde vs.
						Rec	Nonrecu			isconnec				Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		17.56									
	2W Analog VG Loop-SL2 w/Rev Bat Signaling-Zone 1		1	UEA	UEAR2	14.93	102.10	65.72				15.20				
	2W Analog VG Loop-SL2 w/Rev Bat Signaling-Zone 2		2	UEA	UEAR2	25.35	102.10	65.72				15.20				
	2W Analog VG Loop-SL2 w/Rev Bat Signaling-Zone 3		3	UEA	UEAR2	50.46	102.10	65.72				15.20				
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		17.56									
	CLEC to CLEC Conversion Charge w/o outside dispatch			UEA	UREWO		87.59	36.30				15.20				
	Loop Tagging-SL2 (SL2)			UEA	URETL		10.45	1.03				15.20				
4-WIR	RE ANALOG VOICE GRADE LOOP															
	4W Analog VG Loop-Zone 1		1	UEA	UEAL4	30.81	127.40	91.02				15.20				
	4W Analog VG Loop-Zone 2		2	UEA	UEAL4	38.32	127.40	91.02				15.20				
	4W Analog VG Loop-Zone 3		3	UEA	UEAL4	60.39	127.40	91.02	1			15.20				
	Order Coordination for Specified Conversion Time (per LSR)		_	UEA	OCOSL	00.00	17.56	01.02				10.20				
	CLEC to CLEC Conversion Charge w/o outside dispatch			UEA	UREWO		87.59	36.30				15.20				
	RE ISDN DIGITAL GRADE LOOP			OLA	UKLVVO		07.55	30.30				13.20				
	2W ISDN Digital Grade Loop-Zone 1		1	UDN	U1L2X	22.09	113.34	76.96				15.20				
	2W ISDN Digital Grade Loop-Zone 1		2	UDN	U1L2X	35.28	113.34	76.96				15.20				
		<u> </u>									-					
	2W ISDN Digital Grade Loop-Zone 3	<u> </u>	3	UDN	U1L2X	65.18	113.34	76.96	-		-	15.20				
	Order Coordination For Specified Conversion Time (per LSR)		-	UDN	OCOSL		17.56	44.00				45.00				
	CLEC to CLEC Conversion Charge w/o outside dispatch			UDN	UREWO		91.49	44.09				15.20				
	RE Universal Digital Channel (UDC) COMPATIBLE LOOP															
	2W Universal Digital Channel (UDC) Compatible Loop-Zone 1		1	UDC	UDC2X	22.09	113.34	76.96				15.20				
	2W Universal Digital Channel (UDC) Compatible Loop-Zone 2		2	UDC	UDC2X	35.28	113.34	76.96				15.20				
	2W Universal Digital Channel (UDC) Compatible Loop-Zone 3		3	UDC	UDC2X	65.18	113.34	76.96				15.20				
	CLEC to CLEC Conversion Charge w/o outside dispatch			UDC	UREWO		91.49	44.09				15.20				
	RE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPATIBL	E LO	)P													
	2W Unbundled ADSL Loop including manl svc inq & facility reservation-															
	Zone 1		1	UAL	UAL2X	12.29	117.08	68.36				15.20				
	2W Unbundled ADSL Loop including manl svc inq & facility reservation-															
	Zone 2		2	UAL	UAL2X	14.09	117.08	68.36				15.20				
	2W Unbundled ADSL Loop including manl svc ing & facility reservation-															
	Zone 3		3	UAL	UAL2X	15.75	117.08	68.36				15.20				
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		17.56									
	2W Unbundled ADSL Loop w/o manl svc ing & facility reservaton-Zone 1		1	UAL	UAL2W	12.29	92.83	56.02				15.20				
	2W Unbundled ADSL Loop w/o manl svc ing & facility reservaton-Zone 2		2	UAL	UAL2W	14.09	92.83	56.02				15.20				
	2W Unbundled ADSL Loop w/o manl svc ing & facility reservaton-Zone 3		3	UAL	UAL2W	15.75	92.83	56.02				15.20				
	Order Coordination for Specified Conversion Time (per LSR)		Ť	UAL	OCOSL	10.70	17.56	00.02				10.20				
	CLEC to CLEC Conversion Charge w/o outside dispatch			UAL	UREWO		86.07	40.34				15.20				
	RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE	LOOF	,	OAL	OKEWO		00.07	70.07				13.20				
	2W Unbundled HDSL Loop including manl svc ing & facility reservation-	LOGI	1		+											
	Zone 1		1	UHL	UHL2X	9.79	125.50	76.77				15.20				
	2W Unbundled HDSL Loop including manl svc ing & facility reservation-		-	UNL	UHLZX	9.19	125.50	70.77				13.20				
	Zone 2		2	UHL	UHL2X	11.50	105.50	76.77				15.20				
		<u> </u>		UHL	UHLZX	11.52	125.50	76.77	-		-	15.20				
	2W Unbundled HDSL Loop including manl svc inq & facility reservation- Zone 3		_	,	1111101	407:	405.50	70 7-				45.00				
		<u> </u>	3	UHL UHL	UHL2X	12.74	125.50	76.77	<b> </b>		1	15.20		1		ļ
					OCOSL		17.56		<b> </b>		ļ					
	Order Coordination for Specified Conversion Time (per LSR)			_	1.00 *** ***											
	Order Coordination for Specified Conversion Time (per LSR) 2W Unbundled HDSL Loop w/o manl svc inq & facility reservation-Zone 1		1	UHL	UHL2W	9.79	101.24	64.43				15.20				-
	Order Coordination for Specified Conversion Time (per LSR) 2W Unbundled HDSL Loop w/o manl svc inq & facility reservation-Zone 1 2W Unbundled HDSL Loop w/o manl svc inq & facility reservation-Zone 2		2	UHL UHL	UHL2W	11.52	101.24	64.43				15.20				
	Order Coordination for Specified Conversion Time (per LSR) 2W Unbundled HDSL Loop w/o manl svc inq & facility reservation-Zone 1 2W Unbundled HDSL Loop w/o manl svc inq & facility reservation-Zone 2 2W Unbundled HDSL Loop w/o manl svc inq & facility reservation-Zone 3			UHL UHL UHL	UHL2W UHL2W		101.24 101.24									
	Order Coordination for Specified Conversion Time (per LSR) 2W Unbundled HDSL Loop w/o manl svc inq & facility reservation-Zone 1 2W Unbundled HDSL Loop w/o manl svc inq & facility reservation-Zone 2		2	UHL UHL	UHL2W	11.52	101.24	64.43				15.20				

Version 4Q02: 01/21/03

NBUNE	DLED NETWORK ELEMENTS - Louisiana												Attachi	ment: 2	Exhil	bit: B
											Svc	Svc Order	Incrementa	Incrementa	Incrementa	Incremen
											Order	Submitted		I Charge -	I Charge -	al Charge
											Submitt		Manual	Manual	Manual	Manual
ATEGOR	RATE ELEMENTS	Interi	Zon	BCS	USOC		DATI	ES (\$)			ed Elec	per LSR		Svc Order	Svc Order	
ATEGOR	CI RATE ELEMENTS	m	е	BCS	0500		KAII	E9 (\$)			per LSR			vs.	vs.	
											per Lak		VS.	-		VS.
													Electronic-			Electronic
													1st	Add'l	Disc 1st	Disc Add
						Rec	Nonrecu	ırring	NRC D	isconnec	2		OSS	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4W Unbundled HDSL Loop including manl svc ing & facility reservation-															
	Zone 1		1	UHL	UHL4X	16.24	153.26	104.54				15.20				
	4W Unbundled HDSL Loop including manl svc ing & facility reservation-															1
	Zone 2		2	UHL	UHL4X	16.65	153.26	104.54				15.20				
	4W Unbundled HDSL Loop including manl svc ing & facility reservation-			****												†
	Zone 3		3	UHL	UHL4X	17.34	153.26	104.54				15.20				
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL	17.54	17.56	104.54				13.20				+
	4W Unbundled HDSL Loop w/o manl svc ing & facility reservation-Zone 1		1	UHL	UHL4W	16.24	129.00	92.20				15.20				+
		<del>                                     </del>							<del>                                     </del>	<b> </b>	<del>                                     </del>		-			+
	4W Unbundled HDSL Loop w/o manl svc inq & facility reservation-Zone 2	<del>                                     </del>	2	UHL	UHL4W	16.65	129.00	92.20	1		-	15.20	<b> </b>			+
	4W Unbundled HDSL Loop w/o manl svc inq & facility reservation-Zone 3		3	UHL	UHL4W	17.34	129.00	92.20	ļ		1	15.20				ļ
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		17.56									<u> </u>
	CLEC to CLEC Conversion Charge w/o outside dispatch			UHL	UREWO		86.00	40.34				15.20				
4-W	IRE DS1 DIGITAL LOOP															
	4W DS1 Digital Loop-Zone 1		1	USL	USLXX	85.70	245.16	152.98				15.20				
	4W DS1 Digital Loop-Zone 2		2	USL	USLXX	194.96	245.16	152.98				15.20				
	4W DS1 Digital Loop-Zone 3		3	USL	USLXX	491.94	245.16	152.98				15.20				
	Order Coordination for Specified Conversion Time (per LSR)		Ť	USL	OCOSL		17.56									†
	CLEC to CLEC Conversion Charge w/o outside dispatch			USL	UREWO		100.93	42.98				15.20				+
4 10	IRE 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP			UGL	UKLVVO	1	100.93	42.90				13.20				+
4-44	4W Unbundled Digital 19.2 Kbps		1	UDL	UDL19	30.99	121.86	85.48				15.20				+
																<del>                                     </del>
	4W Unbundled Digital 19.2 Kbps		2	UDL	UDL19	36.78	121.86	85.48				15.20				+
	4W Unbundled Digital 19.2 Kbps		3	UDL	UDL19	38.92	121.86	85.48				15.20				
	4W Unbundled Digital Loop 56 Kbps-Zone 1		1	UDL	UDL56	30.99	121.86	85.48				15.20				
	4W Unbundled Digital Loop 56 Kbps-Zone 2		2	UDL	UDL56	36.78	121.86	85.48				15.20				
	4W Unbundled Digital Loop 56 Kbps-Zone 3		3	UDL	UDL56	38.92	121.86	85.48				15.20				
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		17.56									
	4W Unbundled Digital Loop 64 Kbps-Zone 1		1	UDL	UDL64	30.99	121.86	85.48				15.20				
	4W Unbundled Digital Loop 64 Kbps-Zone 2		2	UDL	UDL64	36.78	121.86	85.48				15.20				
	4W Unbundled Digital Loop 64 Kbps-Zone 3		3	UDL	UDL64	38.92	121.86	85.48				15.20				1
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		17.56									
	CLEC to CLEC Conversion Charge w/o outside dispatch			UDL	UREWO		101.97	49.67				15.20				+
2-10	IRE Unbundled COPPER LOOP			ODL	OIKEVVO		101.01	10.01				10.20				+
2-91	2W Unbundled Copper Loop/Short including manl svc ing & facility		1		1	+			1		1	1	1			+
			1	UCL	UCLPB	12.29	116.18	07.40			1	45.00	1			
	reservation-Zone 1	-	1	UCL	UCLPB	12.29	116.18	67.46	1		1	15.20	<del>                                     </del>	<b> </b>		+
	2W Unbundled Copper Loop/Short including manl svc inq & facility										1		1			
_	reservation-Zone 2		2	UCL	UCLPB	14.09	116.18	67.46	ļ		ļ	15.20				ļ
	2W Unbundled Copper Loop/Short including manl svc inq & facility										1		1			
	reservation-Zone 3		3	UCL	UCLPB	15.75	116.18	67.46	<u> </u>		1	15.20				
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		7.92	7.92								
	2W Unbundled Copper Loop/Short w/o manl svc inq & facility reservation-															
	Zone 1		1	UCL	UCLPW	12.29	91.92	55.12				15.20				
	2W Unbundled Copper Loop/Short w/o manl svc ing & facility reservation-															
	Zone 2		2	UCL	UCLPW	14.09	91.92	55.12				15.20				
	2W Unbundled Copper Loop/Short w/o manl svc ing & facility reservation-		1			55	002	JU. 12					İ			1
	Zone 3		3	UCL	UCLPW	15.75	91.92	55.12			1	15.20	1			
	Order Coordination for Unbundled Copper Loops (per loop)		J	UCL	UCLMC	13.73	7.92	7.92			1	13.20	1			+
-		1	╁	UCL	UCLIVIC	+	7.92	1.92	}		}					+
1	2W Unbundled Copper Loop/Long-includes manl svc inq & facility		ا ہا	uo	110101	47.0.	410.10	07.40			1	45.00	1			
	reservation-Zone 1		1	UCL	UCL2L	17.21	116.18	67.46	<u> </u>	ļ	<b> </b>	15.20	ļ			<del></del>
	2W Unbundled Copper Loop/Long-includes manl svc inq & facility				1											
1	reservation-Zone 2	Щ.	2	UCL	UCL2L	24.98	116.18	67.46	<u></u>		<u></u>	15.20	<u> </u>	<u> </u>		<u> </u>

Version 4Q02: 01/21/03 Page 194 of 402

UNBUNI	DLED NETWORK ELEMENTS - Louisiana												Attachi	ment: 2	Exhil	oit: B
CATEGOI	RY RATE ELEMENTS	Interi m	Zon e	BCS	USOC		RAT	ES (\$)			Svc Order Submitt ed Elec per LSR		I Charge - Manual Svc Order vs.	Incrementa I Charge - Manual Svc Order vs. Electronic- Add'I	I Charge - Manual Svc Order vs.	al Charge Manual Svc Orde vs.
							Nonrecu	ırrina	NRC D	isconne			oss	Rates (\$)		
						Rec	First	Add'l	First			SOMAN			SOMAN	SOMAN
	2W Unbundled Copper Loop/Long-includes manl svc ing & facility															
	reservation-Zone 3		3	UCL	UCL2L	39.57	116.18	67.46				15.20				
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		7.92	7.92								
	2W Unbundled Copper Loop/Long-w/o manl svc ing & facility reservation-						-	-								
	Zone 1		1	UCL	UCL2W	17.21	91.92	55.12				15.20				
	2W Unbundled Copper Loop/Long-w/o manl svc ing & facility reservation-															
	Zone 2		2	UCL	UCL2W	24.98	91.92	55.12				15.20				
	2W Unbundled Copper Loop/Long-w/o manl svc ing & facility reservation-															
	Zone 3		3	UCL	UCL2W	39.57	91.92	55.12				15.20				
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		7.92	7.92								1
	CLEC to CLEC Conversion Charge w/o outside dispatch (UCL-Des)			UCL	UREWO		91.92	42.47				15.20				
4-V	VIRE COPPER LOOP															
	4W Copper Loop/Short-including manl svc ing & facility reservation-Zone 1		1	UCL	UCL4S	22.27	139.69	90.96				15.20				
	4W Copper Loop/Short-including manl svc inq & facility reservation-Zone 2		2	UCL	UCL4S	18.95	139.69	90.96				15.20				
	4W Copper Loop/Short-including manl svc ing & facility reservation-Zone 3		3	UCL	UCL4S	10.99	139.69	90.96				15.20				
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		7.92	7.92						İ		
	4W Copper Loop/Short-w/o manl svc ing & facility reservation-Zone 1		1	UCL	UCL4W	22.27	115.43	78.63				15.20				
	4W Copper Loop/Short-w/o manl svc ing & facility reservation-Zone 2		2	UCL	UCL4W	18.95	115.43	78.63				15.20		İ		
	4W Copper Loop/Short-w/o manl svc ing & facility reservation-Zone 3		3	UCL	UCL4W	10.99	115.43	78.63				15.20				
	Order Coordination for Unbundled Copper Loops (per loop)		Ŭ	UCL	UCLMC	10.00	7.92	7.92				10.20				
	4W Unbundled Copper Loop/Long-includes manl svc ing & facility			002	0020		7.02	7.02								
	reservation-Zone 1		1	UCL	UCL4L	26.17	139.69	90.96				15.20				
	4W Unbundled Copper Loop/Long-includes manl svc ing & facility		Ė	002	OOLTE	20.17	100.00	00.00				10.20				<b>†</b>
	reservation-Zone 2		2	UCL	UCL4L	28.47	139.69	90.96				15.20				
	4W Unbundled Copper Loop/Long-includes manl svc ing & facility		_	002	00111	20.47	100.00	00.00				10.20				
	reservation-Zone 3		3	UCL	UCL4L	62.93	139.69	90.96				15.20				
	Order Coordination for Unbundled Copper Loops (per loop)		Ŭ	UCL	UCLMC	02.00	7.92	7.92				10.20				<b>†</b>
	4W Unbundled Copper Loop/Long-w/o manl svc ing & facility reservation-			002	OOLIVIO		7.02	7.02				-				
	Zone 1		1	UCL	UCL4O	26.17	115.43	78.63				15.20				
	4W Unbundled Copper Loop/Long-w/o manl svc ing & facility reservation-		Ė	002	00110	20.17	110.40	70.00				10.20				
	Zone 2		2	UCL	UCL4O	28.47	115.43	78.63				15.20				
	4W Unbundled Copper Loop/Long-w/o manl svc ing & facility reservation-		_	002	001-10	20.47	110.40	70.00				10.20				
	Zone 3		3	UCL	UCL4O	62.93	115.43	78.63				15.20				
	Order Coordination for Unbundled Copper Loops (per loop)		Ŭ	UCL	UCLMC	02.00	7.92	7.92				10.20				
	CLEC to CLEC Conversion Charge w/o outside dispatch (UCL-Des)			UCL	UREWO		91.92	42.47				15.20				<b>†</b>
OOP MC	DIFICATION			002	ORLIVO		01.02	72.77				10.20				
1001 1110	- Indiana			UAL,UHL,UCL,UEQ,												
				ULS,UEA,UEANL,U												
	Unbundled Loop Modification, Removal of Load Coils-2W pr < or = 18kft			EPSR,UEPSB	ULM2L		0.00	0.00				15.20				
	Unbundled Loop Modification, Removal of Load Coils-2W > 18kft			UCL,ULS,UEQ	ULM2G		0.00	0.00				15.20				
	Unbundled Loop Modification, Removal of Load Coils-4W < or = 18kft			UHL,UCL	ULM4L		0.00	0.00				15.20				+
	Unbundled Loop Modification Removal of Load Coils-4W pr > 18kft	1		UCL	ULM4G		0.00	0.00				15.20				
	STRUCTURE TO THE PROPERTY OF A			UAL,UHL,UCL,UEQ,	OLIVITO		0.00	0.00				10.20				<b>†</b>
	Unbundled Loop Modification Removal of Bridged Tap Removal, per		ĺ	ULS.UEA.UEANL.U										1		
	unbundled loop		l	EPSR,UEPSB	ULMBT		12.15	12.15				15.20		I		
SUB-LOO		l	l —	E1 011,0E1 0D	CEMIDI		12.13	12.13	<del>                                     </del>	1	}	10.20		<b>†</b>	<del>                                     </del>	<del>                                     </del>
	p-Loop Distribution															<b>†</b>
Jul	Sub-Loop-Per Cross Box Location-CLEC Feeder Facility Set-Up	<u> </u>		UEANL	USBSA	<del> </del>	144.09	144.09	1	1	1	15.20		<b>†</b>	t	<del>                                     </del>
	Sub-Loop-Per Cross Box Location-Per 25 pr Panel Set-Up	<del></del>	l —	UEANL	USBSB		10.99	10.99	<del>                                     </del>	1	}	15.20		<b>†</b>	<del>                                     </del>	<del>                                     </del>
	Sub-Loop-Per Building Equipment Room-CLEC Feeder Facility Set-Up	<del></del>	<del>                                     </del>	UEANL	USBSC		86.16	86.16	<b></b>			15.20		<b>†</b>	-	+
	Sub-Loop-Per Building Equipment Room-Per 25 pr Panel Set-Up	<del>- :-</del>		UEANL	USBSD	+	27.13	27.13	<del>                                     </del>		<b> </b>	15.20	1	1	+	+

Version 4Q02: 01/21/03

UNBUNDL	ED NETWORK ELEMENTS - Louisiana												Attachi	ment: 2	Exhib	bit: B
											Svc	Svc Order	Incrementa	Incrementa	Incrementa	Incremer
											Order	Submitted	I Charge -	I Charge -	I Charge -	al Charge
			_								Submitt	Manually	Manual	Manual	Manual	Manual
CATEGORY	RATE ELEMENTS	Interi		BCS	USOC		RAT	ES (\$)			ed Elec		Svc Order	Svc Order	Svc Order	Svc Orde
		m	е					(0)			per LSR		vs.	vs.	vs.	vs.
													Electronic-	Electronic-	Electronic-	Electroni
													1st	Add'l	Disc 1st	Disc Add'
							Nonreci	urring	NRC D	isconne	<b></b>		088	Rates (\$)	l	4
						Rec	First	Add'l	First			SOMAN	SOMAN		SOMAN	SOMAN
	Sub-Loop Distribution Per 2W Analog VG Loop-Zone 1	1	1	UEANL	USBN2	7.57	63.89	30.06	11130	Auu	COMILO	15.20	OOMAN	OOMAN	CONTAIN	COMAN
	Sub-Loop Distribution Per 2W Analog VG Loop-Zone 2	<del>-                                    </del>	2	UEANL	USBN2	12.75	63.89	30.06				15.20				+
	Sub-Loop Distribution Per 2W Analog VG Loop-Zone 3	i	3	UEANL	USBN2	21.45	63.89	30.06				15.20				+
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr		3	UEANL	USBMC	21.45	7.92	7.92				13.20				
	Sub-Loop Distribution Per 4W Analog VG Loop -Zone 1		1	UEANL	USBN4	11.76	76.75	42.92				15.20				
			2	UEANL	USBN4	16.84	76.75	42.92				15.20				+
	Sub-Loop Distribution Per 4W Analog VG Loop -Zone 2			UEANL	USBN4	19.27		42.92			-	15.20				+
	Sub-Loop Distribution Per 4W Analog VG Loop -Zone 3		3			19.27	76.75		1			15.20				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr			UEANL	USBMC		7.92	7.92								-
	Sub-Loop 2W Intrabuilding Network Cable (INC)		<u> </u>	UEANL	USBR2	2.91	51.48	17.65	<u> </u>		1	15.20				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr			UEANL	USBMC		7.92	7.92								
	Sub-Loop 4W Intrabuilding Network Cable (INC)	- 1	<u> </u>	UEANL	USBR4	6.58	57.54	23.71	1	1		15.20				1
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr			UEANL	USBMC		7.92	7.92								
	2W Copper Unbundled Sub-Loop Distribution-Zone 1		1	UEF	UCS2X	6.26	63.89	30.06				15.20				
	2W Copper Unbundled Sub-Loop Distribution-Zone 2		2	UEF	UCS2X	10.07	63.89	30.06				15.20				
	2W Copper Unbundled Sub-Loop Distribution-Zone 3	- 1	3	UEF	UCS2X	12.70	63.89	30.06				15.20				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr			UEF	USBMC		7.92	7.92								
	4W Copper Unbundled Sub-Loop Distribution-Zone 1	- 1	1	UEF	UCS4X	8.03	76.75	42.92				15.20				
	4W Copper Unbundled Sub-Loop Distribution-Zone 2	- 1	2	UEF	UCS4X	10.71	76.75	42.92				15.20				
	4W Copper Unbundled Sub-Loop Distribution-Zone 3		3	UEF	UCS4X	6.08	76.75	42.92				15.20				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr			UEF	USBMC		7.92	7.92								1
Unbu	ndled Sub-Loop Modification															1
	Unbundled Sub-Loop Modification-2-W Copper Dist Load Coil/Equip															
	Removal per 2-W PR			UEF	ULM2X		0.00	0.00				15.20				
	Unbundled Sub-loop Modification-4-W Copper Dist Load Coil/Equip			_												
	Removal per 4-W PR			UEF	ULM4X		0.00	0.00				15.20				
	Unbundled Sub-loop Modification-2-w/4-w Copper Dist Bridged Tap			02.	O Livi i A		0.00	0.00				10.20				
	Removal, per PR unloaded			UEF	ULM4T		224.55	4.29				15.20				
	ndled Network Terminating Wire (UNTW)			OL:	OLIVITI		224.00	4.20				10.20				
	Unbundled Network Terminating Wire (UNTW) per pr			UENTW	UENPP	0.3454	14.72	14.72				15.20				+
	ork Interface Device (NID)			OLIVIV	OLINET	0.5454	14.72	14.72				13.20				+
	Network Interface Device (NID)-1-2 lines			UENTW	UND12		42.26	27.83				15.20				+
	Network Interface Device (NID)-1-2 lines			UENTW	UND12		62.86	48.43				15.20				
	Network Interface Device (NID)-1-6 lines  Network Interface Device Cross Connect-2 W			UENTW	UNDC2		5.73	5.73				15.20				+
	Network Interface Device Cross Connect-2 W  Network Interface Device Cross Connect-4W			UENTW	UNDC4		5.73	5.73				15.20				+
SUB-LOOPS				UEINTVV	UNDC4		5.73	5.73				15.20				+
	Loop Feeder		-	LIEA LIBALLIOL LIBI					1							+
	USL-Feeder, DS0 Set-up per Cross Box location-CLEC Distribution Facility			UEA,UDN,UCL,UDL												
	set-up		-	,UDC	USBFW		144.09		1			15.20				
	USL Feeder-DS0 Set-up per Cross Box location-per 25 pr set-up			UEA,UDN,UCL,UDL	USBFX		10.99	10.99				15.20				-
	USL Feeder DS1 Set-up at DSX location, per DS1 Term		<u> </u>	USL	USBFZ		568.98	11.30				15.20				
	Unbundled Sub-Loop Feeder Loop, 2W Ground Start, VG-Zone 1		1	UEA	USBFA	8.71	89.81	54.35				15.20				
	Unbundled Sub-Loop Feeder Loop, 2W Ground-Start, VG-Zone 2		2	UEA	USBFA	13.64	89.81	54.35			<u> </u>	15.20				
	Unbundled Sub-Loop Feeder Loop, 2W Ground-Start, VG-Zone 3		3	UEA	USBFA	30.21	89.81	54.35	1	1		15.20				1
	Order Coordination for Specified Conversion Time, per LSR		<u> </u>	UEA	OCOSL		17.56		ļ		1					
	Unbundlde Sub-Loop Feeder Loop, 2W Loop-Start, VG-Zone 1		1	UEA	USBFB	8.71	89.81	54.35			ļ	15.20				
	Unbundled Sub-Loop Feeder Loop, 2W Loop-Start, VG-Zone 2		2	UEA	USBFB	13.64	89.81	54.35			ļ	15.20				<u> </u>
	Unbundled Sub-Loop Feeder Loop, 2W Start Loop, VG-Zone 3		3	UEA	USBFB	30.21	89.81	54.35				15.20				<u> </u>
	Order Coordination for Specified Time Conversion, per LSR			UEA	OCOSL		17.56									
	Unbundled Sub-Loop Feeder Loop, 2W Rev Bat, VG-Zone 1		1	UEA	USBFC	8.71	89.81	54.35				15.20				
	Unbundled Sub-Loop Feeder Loop, 2W Rev Bat, VG-Zone 2		2	UEA	USBFC	13.64	89.81	54.35				15.20				
	Unbundled Sub-Loop Feeder Loop, 2W Rev Bat, VG-Zone 3		3	UEA	USBFC	30.21	89.81	54.35				15.20			1	

DINDUNDE	ED NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhil	bit: B
											Svc	Svc Order	Incrementa	Incrementa	Incrementa	Increme
											Order	Submitted		I Charge -	I Charge -	al Charg
			. _								Submitt	Manually	Manual	Manual	Manual	Manual
CATEGORY	RATE ELEMENTS		Zon	BCS	usoc		RAT	ES (\$)			ed Elec		Svc Order	Svc Order	Svc Order	Svc Orde
JA11200111	NATE ELEMENTO	m	е	500			1041	<b>Ε</b> Θ (ψ)			per LSR		vs.	vs.	vs.	vs.
											<b>P</b>		_	Electronic-	Electronic-	
													1st	Add'l	Disc 1st	Disc Add
<del></del>			+ +		+	1	Nonreci	ırrina	NDC D	isconnec				Rates (\$)		1-1001101
			+ +			Rec	First	Add'l	First			SOMAN		SOMAN	SOMAN	SOMAN
	Order Coordination For Specified Conversion Time, per LSR		+ +	UEA	OCOSL		17.56	Auu i	FIISL	Auu i	SOMEC	SOWAN	SOWAN	SOWAN	SOWAN	SOWAN
	Unbundled Sub-Loop Feeder Loop, 4W Ground-Start, VG-Zone 1	-	1	UEA	USBFD	21.44	103.69	67.31				15.20				+
	Unbundled Sub-Loop Feeder Loop, 4W Ground-Start, VG-Zone 2	-	2	UEA	USBFD	24.66	103.69	67.31				15.20				+
	Unbundled Sub-Loop Feeder Loop, 4W Ground Start, VG-Zone 3	-	3	UEA	USBFD	42.84	103.69	67.31				15.20		-	-	+
		-	3			42.04		67.31				15.20		-	-	+
	Order Coordination For Specified Conversion Time, Per LSR		+ 4 +	UEA UEA	OCOSL USBFE	21.44	17.56 103.69	67.31				15.20				+
	Unbundled Sub-Loop Feeder Loop, 4W Loop-Start, VG-Zone 1		1	UEA	USBFE	24.66	103.69									
	Unbundled Sub-Loop Feeder Loop, 4W Loop-Start, VG-Zone 2	_	2					67.31				15.20				4
	Unbundled Sub-Loop Feeder Loop, 4W Loop-Start, VG-Zone 3	_	3	UEA	USBFE	42.84	103.69	67.31	1		-	15.20		<del>                                     </del>	<del>                                     </del>	
	Order Coordination For Specified Conversion Time, Per LSR		1	UEA	OCOSL	45.44	17.56	00.00	1		1	45.00		<del>                                     </del>	1	+
	Unbundled Sub-Loop Feeder Loop, 2W ISDN BRI-Zone 1	_	1	UDN	USBFF	15.44	102.58	66.20	1		-	15.20		<del>                                     </del>	-	+
	Unbundled Sub-Loop Feeder Loop, 2W ISDN BRI-Zone 2		2	UDN	USBFF	23.32	102.58	66.20	ļ			15.20		1		<del>                                     </del>
	Unbundled Sub-Loop Feeder Loop, 2W ISDN BRI-Zone 3	_	3	UDN	USBFF	44.57	102.58	66.20	1		-	15.20		<del>                                     </del>	-	+
	Order Coordination For Specified Conversion Time, Per LSR		+	UDN	OCOSL		17.56		ļ					1		<del> </del>
	Unbundled Sub-Loop Feeder, 2W UDC (IDSL compatible)		1	UDC	USBFS	15.44	102.58	66.20				15.20				<u> </u>
	Unbundled Sub-Loop Feeder, 2W UDC (IDSL compatible)		2	UDC	USBFS	23.32	102.58	66.20				15.20				
	Unbundled Sub-Loop Feeder, 2W UDC (IDSL compatible)		3	UDC	USBFS	44.57	102.58	66.20				15.20				
	Unbundled Sub-Loop Feeder Loop, 4W DS1-Zone 1		1	USL	USBFG	55.38	98.15	61.77				15.20				
	Unbundled Sub-Loop Feeder Loop, 4W DS1-Zone 2		2	USL	USBFG	167.83	98.15	61.77				15.20				
	Unbundled Sub-Loop Feeder Loop, 4W DS1-Zone 3		3	USL	USBFG	469.87	98.15	61.77				15.20				
	Order Coordination For Specified Conversion Time, Per LSR			USL	OCOSL		17.56									
	Unbundled Sub-Loop Feeder, 2W Copper Loop-Zone 1		1	UCL	USBFH	6.96	81.36	44.98				15.20				
	Unbundled Sub-Loop Feeder Loop, 2W Copper Loop-Zone 2		2	UCL	USBFH	4.97	81.36	44.98				15.20				
	Unbundled Sub-Loop Feeder Loop, 2W Copper Loop-Zone 3		3	UCL	USBFH	3.99	81.36	44.98				15.20				
	Order Coordination For Specified Conversion Time, per LSR			UCL	OCOSL		17.56									
	Sub-Loop Feeder-Per 4W Copper Loop-Zone 1		1	UCL	USBFJ	15.68	98.07	61.69				15.20				
	Sub-Loop Feeder-Per 4W Copper Loop-Zone 2		2	UCL	USBFJ	9.68	98.07	61.69				15.20				
	Sub-Loop Feeder-Per 4W Copper Loop-Zone 3		3	UCL	USBFJ	6.39	98.07	61.69				15.20				
	Order Coordination For Specified Conversion Time, per LSR			UCL	OCOSL		17.56									
	Sub-Loop Feeder-Per 4W 19.2 Kbps Digital Grade Loop		1	UDL	USBFN	22.61	98.15	61.77				15.20				<u> </u>
	Sub-Loop Feeder-Per 4W 19.2 Kbps Digital Grade Loop		2	UDL	USBFN	22.87	98.15	61.77				15.20				<u> </u>
	Sub-Loop Feeder-Per 4W 19.2 Kbps Digital Grade Loop		3	UDL	USBFN	24.25	98.15	61.77				15.20				<u> </u>
	Sub-Loop Feeder-Per 4W 56 Kbps Digital Grade Loop-Zone 1		1	UDL	USBFO	22.61	98.15	61.77				15.20				
	Sub-Loop Feeder-Per 4W 56 Kbps Digital Grade Loop-Zone 2		2	UDL	USBFO	22.87	98.15	61.77				15.20				<u> </u>
	Sub-Loop Feeder-Per 4W 56 Kbps Digital Grade Loop-Zone 3		3	UDL	USBFO	24.25	98.15	61.77				15.20				<u> </u>
	Order Coordination For Specified Time Conversion, per LSR		<del></del>	UDL	OCOSL		17.56									<u> </u>
	Sub-Loop Feeder-Per 4W 64 Kbps Digital Grade Loop-Zone 1		1	UDL	USBFP	22.61	98.15	61.77				15.20				
	Sub-Loop Feeder-Per 4W 64 Kbps Digital Grade Loop-Zone 2		2	UDL	USBFP	22.87	98.15	61.77				15.20				<u> </u>
	Sub-Loop Feeder-Per 4W 64 Kbps Digital Grade Loop-Zone 3		3	UDL	USBFP	24.25	98.15	61.77				15.20				
	Order Coordination For Specified Conversion Time, per LSR			UDL	OCOSL		17.56									
SUB-LOOPS																
	oop Feeder															
	Sub Loop Feeder-DS3-Per mi Per mo	1	1	UE3	1L5SL	17.00						<u> </u>				+
	Sub Loop Feeder-DS3-Facility Term Per mo	<u> </u>	1	UE3	USBF1	368.44	3,397.56	406.56				15.20				<u> </u>
	Sub Loop Feeder – STS-1 – Per mi Per mo	1	1	UDLSX	1L5SL	17.00						L			ļ	1
	Sub Loop Feeder-STS-1-Facility Term Per mo	1		UDLSX	USBF7	395.92	3,397.56	406.56				15.20				1
	Sub Loop Feeder – OC-3 – Per mi Per mo	1	<b>↓</b>	UDLO3	1L5SL	12.90										1
	Sub Loop Feeder-OC-3-Facility Term Protection Per mo	1	<b>↓</b>	UDLO3	USBF5	60.45										1
	Sub Loop Feeder-OC-3-Facility Term Per mo	1	1	UDLO3	USBF2	594.77	3,397.56	406.56				15.20		1		1
	Sub Loop Feeder-OC-12-Per mi Per mo	1	$\downarrow \downarrow \downarrow$	UDL12	1L5SL	15.87										<u> </u>
	Sub Loop Feeder-OC-12-Facility Term Protection Per mo	1 1	1 1	UDL12	USBF6	683.03			1		1	1		1	1	1

Version 4Q02: 01/21/03 Page 197 of 402

UNBUNDI	LED NETWORK ELEMENTS - Louisiana												Attachi	ment: 2	Exhib	oit: B
											Svc		Incrementa		Incrementa	
												Submitted		I Charge -	I Charge -	
		ntori	Zon									Manually	Manual	Manual	Manual	Manual
CATEGORY	RATE ELEMENTS	m	e	BCS	USOC		RAT	ES (\$)			ed Elec		Svc Order	Svc Order	Svc Order	
			-								per LSR		vs.	vs.	vs.	vs.
														Electronic-	Electronic-	
													1st	Add'l	Disc 1st	Disc Add'
						Rec	Nonrec	urring	NRC D	isconnec			OSS	Rates (\$)		
						Kec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Sub Loop Feeder-OC-48-Per mi Per mo			UDL48	1L5SL	52.07										
	Sub Loop Feeder-OC-48-Facility Term Protection Per mo	- 1		UDL48	USBF9	341.64										
	Sub Loop Feeder-OC-48-Facility Term Per mo	-		UDL48	USBF4	1,663.00	3,582.56	406.56				15.20				
	Sub Loop Feeder-OC-12 Interface On OC-48	-		UDL48	USBF8	385.45	803.80	406.56				15.20				
UNBUNDLE	D LOOP CONCENTRATION															
	Unbundled Loop Concentration-System A (TR008)			ULC	UCT8A	374.26	316.00	316.00				15.20				
	Unbundled Loop Concentration-System B (TR008)			ULC	UCT8B	53.40	131.67	131.67				15.20				1
	Unbundled Loop Concentration-System A (TR303)			ULC	UCT3A	412.08	316.00	316.00				15.20				
	Unbundled Loop Concentration-System B (TR303)			ULC	UCT3B	89.98	131.67	131.67				15.20				
	Unbundled Loop Concentration-DS1 Loop Interface Card			ULC	UCTCO	5.12	61.46	44.74				15.20				1
	Unbundled Loop Concentration-ISDN Loop Interface (Brite Card)			UDN	ULCC1	8.12	10.23	10.18		1		15.20				1
	Unbundled Loop Concentration-UDC Loop Interface (Brite Card)			UDC	ULCCU	8.12	10.23	10.18				15.20				<b>†</b>
	Unbundled Loop Concentration2W Voice-Loop Start or Ground Start															
	Loop Interface (POTS Card)			UEA	ULCC2	2.03	10.23	10.18				15.20				
	Unbundled Loop Concentration-2W Voice-Rev Bat Loop Interface (SPOTS			OLA	OLOGE	2.00	10.20	10.10				10.20				+
	Card)			UEA	ULCCR	12.07	10.23	10.18				15.20				
<b>-</b>	Unbundled Loop Concentration-4W Voice Loop Interface (Specials Card)			UEA	ULCC4	7.20	10.23	10.18				15.20				+
<b>-</b>	Unbundled Loop Concentration-TEST CIRCUIT Card			ULC	UCTTC	35.19	10.23	10.18				15.20				+
	Unbundled Loop Concentration-Digital 19.2 Kbps Data Loop Interface			UDL	ULCC7	10.67	10.23	10.18				15.20				+
	Unbundled Loop Concentration-Digital 56 Kbps Data Loop Interface			UDL	ULCC5	10.67	10.23	10.18				15.20				+
	Unbundled Loop Concentration-Digital 64 Kbps Data Loop Interface			UDL	ULCC6	10.67	10.23	10.18				15.20				+
LINE OTHE	R, PROVISIONING ONLY - NO RATE			UDL	ULCCO	10.07	10.23	10.16				13.20				+
UNE OTHER	NID-Dispatch & Service Order for NID installation			UENTW	UNDBX	0.00	0.00									+
-	UNTW Circuit Id Establishment, Provisioning Only-No Rate			UENTW	UENCE	0.00	0.00					-				+
-	UNTW Circuit id Establishment, Provisioning Only-No Rate			UEANL,UEF,UEQ,U	UENCE	0.00	0.00									
	Habitandlad Control Norman Brasilianian Cabi Na Bata				LINIEON	0.00	0.00									
LINE OTHE	Unbundled Contract Name, Provisioning Only-No Rate  R, PROVISIONING ONLY - NO RATE			ENTW	UNECN	0.00	0.00									
UNE OTHER	R, PROVISIONING ONLY - NO RATE			HAL HEL HDC HDL												
				UAL,UCL,UDC,UDL,	UNECN	0.00	0.00									
<b></b>	Unbundled Contact Name, Provisioning Only-no rate			UDN,UEA,UHL,ULC UEA,UDN,UCL,UDC	USBFQ	0.00	0.00									+
	Unbundled Sub-Loop Feeder-2W Cross Box Jumper-no rate															
<b></b>	Unbundled Sub-Loop Feeder-4W Cross Box Jumper-no rate			UEA,USL,UCL,UDL	USBFR	0.00	0.00									+
<b></b>	Unbundled DS1 Loop-Superframe Format Option-no rate			USL	CCOSF	0.00	0.00									+
	Unbundled DS1 Loop-Expanded Superframe Format option-no rate			USL	CCOEF	0.00	0.00									
	ACITY UNBUNDLED LOCAL LOOP															
	E: minimum billing period of three months for DS3 and above Local Loc	op				10.01										
	High Capacity Unbundled Local Loop-DS3-Per mi per mo		1	UE3	1L5ND	10.04		0=0.0-		1						+
	High Capacity Unbundled Local Loop-DS3-Facility Term per mo		1	UE3	UE3PX	362.34	438.46	256.30			<u> </u>	15.20		-		
	High Capacity Unbundled Local Loop-STS-1-Per mi per mo		1	UDLSX	1L5ND	10.04					<u> </u>	L				<del> </del>
	High Capacity Unbundled Local Loop-STS-1-Facility Term per mo		1	UDLSX	UDLS1	374.56	438.46	256.30			<u> </u>	15.20				<del>                                     </del>
LOOP MAK																
	Loop Makeup-Preordering w/o Reservation, per working or spare facility															
	queried (Manual).			UMK	UMKLW		23.29	23.29		1	ļ					1
	Loop Makeup-Preordering With Reservation, per spare facility queried					[										
	(Manual).			UMK	UMKLP		24.70	24.70			ļ					<u> </u>
	Loop MakeupWith or w/o Reservation, per working or spare facility					[										
	queried (Mechanized)			UMK	PSUMK		0.19	0.19		ļ	ļ					1
	UENCY SPECTRUM															1
	SHARING															
SPLI	TTERS-CENTRAL OFFICE BASED															
	Line Sharing Splitter, per System 96 Line Capacity			ULS	ULSDA	187.17	183.33	0.00				15.20				
	Line Sharing Splitter, per System 24 Line Capacity			ULS	ULSDB	46.79	183.33	0.00				15.20		I	1	

Version 4Q02: 01/21/03 Page 198 of 402

UNBUND	LED NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhil	bit: B
CATEGORY	RATE ELEMENTS	Interi m	i Zon e	BCS	USOC		RAT	ES (\$)				Submitted Manually per LSR	I Charge - Manual Svc Order vs.	Incrementa I Charge - Manual Svc Order vs. Electronic- Add'I	I Charge - Manual Svc Order vs. Electronic-	al Charge - Manual Svc Order vs.
						Rec	Nonrecu	urring	NRC I	Disconnec			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Line Sharing Splitter, Per System, 8 Line Capacity	ı		ULS	ULSD8	15.59	183.33	0.00				15.20				
	Line Sharing-DLEC Owned Splitter in CO-CFA activation-deactivation (per LSOD)			ULS	ULSDG		83.98	0.00				15.20				
END	USER ORDERING-CENTRAL OFFICE BASED-HIGH FREQUENCY SPE	CTRU	M AK	A LINE SHARING												
	Line Sharing -per Line Activation (BST Owned Splitter)			ULS	ULSDC	0.61	17.97	10.29				15.20				
	Line Sharing-per Subsqnt Activity per Line Rearrangement(BST Owned Splitter)			ULS	ULSDS		15.91	7.95				15.20				
	Line Sharing-per Subsqnt Activity per Line Rearrangement(DLEC Owned Splitter)			ULS	ULSCS		15.91	7.95				15.20				
	Line Sharing-per Line Activation (DLEC owned Splitter)	ı		ULS	ULSCC	0.61	47.44	19.31				15.20				1
	SPLITTING															
END	USER ORDERING-CENTRAL OFFICE BASED															
	Line Splitting-per line activation DLEC owned splitter	-		UEPSR UEPSB	UREOS	0.61										
	Line Splitting-per line activation BST owned-physical	- 1		UEPSR UEPSB	UREBP	0.61	17.97	10.29				15.20				
	Line Splitting-per line activation BST owned-virtual	- 1		UEPSR UEPSB	UREBV	0.61	17.97	10.29				15.20				
	OTE SITE HIGH FREQUENCY SPECTRUM								, and the second							
	TTERS-REMOTE SITE															
	Remote Site Line Share BST Owned Splitter, 24 Port	ı		ULS	ULSRB	40.12	115.24	0.00				15.20				
	Remote Site Line Share Cable pr Activation CLEC Owned at RS & Deactivation	- 1		ULS	ULSTG		96.00	0.00				15.20				

UNBUND	LED NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhil	bit: B
											Svc	Svc Order	Incrementa	Incrementa	Incrementa	Incremer
											Order	Submitted	I Charge -	I Charge -	I Charge -	al Charge
											Submitt	Manually	Manual	Manual	Manual	Manual
CATEGORY	RATE ELEMENTS		Zon	BCS	USOC		RΔT	ES (\$)			ed Elec		Svc Order		Svc Order	
OA I LOOK I	KATE EEEMENTO	m	е	500	0000		IVA I	ΕΟ (Ψ)			per LSR		vs.	vs.	vs.	vs.
											per Lor		-	Electronic-	Electronic-	_
													1st	Add'l	Disc 1st	Disc Add
															DISC 1St	DISC Aud
						Rec	Nonrec		_	isconne		1 -		Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
END	USER ORDERING-REMOTE SITE HIGH FREQUENCY SPECTRUM AKA	REM	OTE S	ITE LINE SHARING												
	Remote Site Line Share Line Activationfor End User Served at RS, BST															
	Splitter	- 1		ULS	ULSRC	0.61	36.97	21.17				15.20				
	RS Line Share Line Activation for End User served at RS, CLEC Splitter			ULS	ULSTC	0.61	36.97	21.17				15.20				
	Remote Site Line Share Subsqnt Activity-RS BST Owned Splitter	ı		ULS	ULSRS		49.08	17.80				15.20				
	Remote Site Line Share Subsqnt Activity-RS CLEC Owned Splitter	-		ULS	ULSTS		49.08	17.80				15.20				
	D DEDICATED TRANSPORT															1
	E: INTEROFFICE CHANNEL DEDICATED TRANSPORT - minimum bill	ina ne	eriod -	below DS3=one mor	nth. above	DS3=four mon	ths									
	ROFFICE CHANNEL - DEDICATED TRANSPORT	g pc			,	_ 30001 111011			1				1		1	<b>—</b>
	Interoffice Channel-Dedicated Transport-2W VG-Per mi per mo	t	1	U1TVX	1L5XX	0.013			<b>†</b>					1		+
<del>   </del>	Interoffice Channel-Dedicated Transport-2W VG-Fer IIII per IIIo			U1TVX	U1TV2	22.60	39.36	26.62	1		1	15.20	t	1	t	+
		1	1				39.36	∠0.6∠	<del>                                     </del>		1	15.20	-	-	-	+
<del>                                     </del>	Interoffice Channel-Dedicated Transport-2W VG Rev Bat-Per mi per mo	<u> </u>	+	U1TVX	1L5XX	0.013			1		1		<del>                                     </del>	1	<del>                                     </del>	+
	Interoffice Channel-Dedicated Transport-2W VG Rev BatFacility Term	<u> </u>		U1TVX	U1TR2	22.60	39.36	26.62	<u> </u>		<u> </u>	15.20	-		-	
	Interoffice Channel -Dedicated Transport-4W VG-Per mi per mo			U1TVX	1L5XX	0.013										
	Interoffice Channel -Dedicated Transport-4W VG-Facility Term			U1TVX	U1TV4	19.81	39.36	26.62				15.20				
	Interoffice Channel-Dedicated Transport-56 kbps-per mi per mo			U1TDX	1L5XX	0.013										
	Interoffice Channel-Dedicated Transport-56 kbps-Facility Term			U1TDX	U1TD5	15.61	39.37	26.62				15.20				
	Interoffice Channel-Dedicated Transport-64 kbps-per mi per mo			U1TDX	1L5XX	0.013										
	Interoffice Channel-Dedicated Transport-64 kbps-Facility Term			U1TDX	U1TD6	15.61	39.37	26.62				15.20				
	Interoffice Channel-Dedicated Channel-DS1-Per mi per mo			U1TD1	1L5XX	0.2652										
	Interoffice Channel-Dedicated Tranport-DS1-Facility Term			U1TD1	U1TF1	70.47	86.69	79.44				15.20				
	Interoffice Channel -Dedicated Transport-DS3-Per mi per mo			U1TD3	1L5XX	6.04	00.00	70.11				10.20				+
	Interoffice Channel-Dedicated Transport-DS3-Fer Hill per Hillo			U1TD3	U1TF3	850.45	270.69	158.05				15.20				+
	Interoffice Channel-Dedicated Transport-DSS-Facility Term per mo			U1TS1	1L5XX	6.04	270.09	130.03				13.20				
	Interoffice Channel-Dedicated Transport-STS-1-Per fili per filo			U1TS1	U1TFS	830.19	270.69	158.05				15.20				+
				01151	UTIFS	830.19	270.69	158.05				15.20				+
	AL CHANNEL - DEDICATED TRANSPORT	<u> </u>														
NOTE	E: LOCAL CHANNEL DEDICATED TRANSPORT - minimum billing per	iod =	below													
	Local Channel-Dedicated-2W VG			ULDVX	ULDV2	18.32	187.51	32.21				15.20				
	Local Channel-Dedicated-2W VG Rev Bat			ULDVX	ULDR2	18.32	187.51	32.21				15.20				
	Local Channel-Dedicated-4W VG			ULDVX	ULDV4	19.41	187.94	32.63				15.20				
	Local Channel-Dedicated-DS1-Zone 1		1	ULDD1	ULDF1	39.18	172.34	149.27				15.20				
	Local Channel-Dedicated-DS1 -Zone 2		2	ULDD1	ULDF1	121.58	172.34	149.27				15.20				
	Local Channel-Dedicated-DS1 -Zone 3		3	ULDD1	ULDF1	70.02	172.34	149.27				15.20				
	Local Channel-Dedicated-DS3-Per mi per mo			ULDD3	1L5NC	7.82										
	Local Channel-Dedicated-DS3-Facility Term			ULDD3	ULDF3	469.44	438.46	256.30				15.20				
	Local Channel-Dedicated-STS-1-Per mi per mo			ULDS1	1L5NC	7.82										
	Local Channel-Dedicated-STS-1 -Facility Term			ULDS1	ULDFS	457.22	438.46	256.30				15.20				+
DARK FIBE				OLDGT	OLDI 3	451.22	430.40	230.30				13.20				+
	Dark Fiber, Four Fiber Strands, Per Route mi or Fraction Thereof per mo-							-			<u> </u>		1	1	1	+
				LIDE	1L5DC	50.00										
	Local Channel			UDF		52.23										
	NRC Dark Fiber-Local Channel			UDF	UDFC4		620.60	133.88				15.20				
	Dark Fiber, Four Fiber Strands, Per Route mi or Fraction Thereof per mo-															
	Interoffice Channel			UDF	1L5DF	25.28										
	NRC Dark Fiber-Interoffice Channel			UDF	UDF14		620.60	133.88				15.20				
	Dark Fiber, Four Fiber Strands, Per Route mi or Fraction Thereof per mo-															
	Local Loop			UDF	1L5DL	52.23										
ĺ	NRC Dark Fiber-Local Loop			UDF	UDFL4		620.60	133.88				15.20				
	SS TEN DIGIT SCREENING						,_1,50		1		1					1
	8XX Access Ten Digit Screening, Per Call	<u> </u>		OHD		0.0006387			1				1		1	
	8XX Access Ten Digit Screening, Reservation Charge Per 8XX No	<u> </u>		0.10		0.0000001			<del>                                     </del>		1	<del>                                     </del>	t	<del> </del>	t	+
	Reserved			OHD	N8R1X		2.51	0.43				15.20				

Version 4Q02: 01/21/03 Page 200 of 402

UNBUNDL	LED NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhil	bit: B
											Svc	Svc Order	Incrementa	Incrementa	Incrementa	Incremen
												Submitted		I Charge -	I Charge -	
												Manually	Manual	Manual	Manual	Manual
CATEGORY	RATE ELEMENTS	Inter	Zon	BCS	USOC		РΛΤ	ES (\$)			ed Elec		Svc Order		Svc Order	
CATEGORI	NATE ELEMENTS	m	е	ВСЗ	0300		NAI	L3 (4)			per LSR		VS.	VS.	VS.	vs.
											per Loix		_	Electronic-	Electronic-	_
													1st	Add'l	Disc 1st	Disc Add'
1		1	1												DISC 1St	DISC Add
						Rec	Nonrec			isconnec				Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	8XX Access Ten Digit Screening, Per 8XX No. Established W/O POTS															
	Translations			OHD			5.77	0.78				15.20				
	8XX Access Ten Digit Screening, Per 8XX No. Established With POTS															
	Translations			OHD	N8FTX		5.77	0.78				15.20				
	8XX Access Ten Digit Screening, Customized Area of Service Per 8XX No			OHD	N8FCX		2.51	1.26				15.20				1
	8XX Access Ten Digit Screening, Multiple InterLATA CXR Routing Per															1
	CXR Requested Per 8XX No.			OHD	N8FMX		2.93	1.68				15.20				
	8XX Access Ten Digit Screening, Change Charge Per Request			OHD	N8FAX		2.93	0.43				15.20				†
	8XX Access Ten Digit Screening, Call Handling & Destination Features	1	+	OHD	N8FDX		2.51	J0				15.20		Ì	Ì	†
	8XX Access Ten Digit Screening, w/ 8XX No. Delivery, per query			OHD	HOLDY	0.0006387	2.01					10.20				+
	8XX Access Ten Digit Screening, w/ BOTS No. Delivery, per query		+	OHD	+	0.0006387					<del>                                     </del>			+	<del> </del>	+
	RMATION DATA BASE ACCESS (LIDB)	1	+ +	טהט	+	0.0000367					1			1		+
LINE INFOR		1	+	OQT	+	0.0000004					1					+
	LIDB Common Transport Per Query	1	+		+	0.0000221					-			1		+
	LIDB Validation Per Query			OQU	NE PEN	0.0135077										
	LIDB Originating Point Code Establishment or Change	1	1	OQT,OQU	NRPBX		33.33					15.20				<u> </u>
SIGNALING																<u> </u>
	CCS7 Signaling Term, Per STP Port			UDB	PT8SX	147.60										
	CCS7 Signaling Usage, Per TCAP Message			UDB		0.000064										
	CCS7 Signaling Connection, Per link (A link)			UDB	TPP++	15.77	34.50	34.50				15.20				
	CCS7 Signaling Connection, Per link (B link) (also known as D link)			UDB	TPP++	15.77	34.50	34.50				15.20				
	CCS7 Signaling Usage, Per ISUP Message			UDB		0.000016										1
	CCS7 Signaling Usage Surrogate, per link per LATA			UDB	STU56	732.10										Ī
	CCS7 Signaling Point Code, per Originating Point Code Establishment or															1
	Change, per STP affected			UDB	CCAPO		28.17	28.17				15.20				
	CCS7 Signaling Point Code, per Destination Point Code Establishment or															†
	Change, Per Stp Affected			UDB	CCAPD		28.17	28.17				15.20				
E911 SERVI				000	00/11 2		20.17	20.17				10.20				+
	Local Channel-Dedicated-2W VG-Zone 1	1			+	18.32	187.51	32.21				15.20				+
	Local Channel-Dedicated-2W VG-Zone 2	1	+			18.32	187.51	32.21				15.20				+
	Local Channel-Dedicated-2W VG-Zone 3		+ +			18.32	187.51	32.21				15.20				+
	Interoffice Transport-Dedicated-2W VG-Zone 3	1	+		+	0.013	107.31	32.21				13.20				+
	Interoffice Transport-Dedicated-2W VG Per Ini Interoffice Transport-Dedicated-2W VG Per Facility Term		++		+	22.60	39.36	26.62				15.20				+
		1	-		-											4
	Local Channel-Dedicated-DS1-Zone 1	1	-		-	39.18	172.34	149.27				15.20				4
	Local Channel-Dedicated-DS1-Zone 2		1			121.58	172.34	149.27				15.20				4
	Local Channel-Dedicated-DS1-Zone 3	1				70.02	172.34	149.27				15.20				<u> </u>
	Interoffice Transport-Dedicated-DS1 Per mi					0.2652										
	Interoffice Transport-Dedicated-DS1 Per Facility Term					70.47	86.69	79.44				15.20				
	AME (CNAM) SERVICE		$oxed{oxed}$											Į.		<u> </u>
	CNAM For DB Owners-Service Establishment			OQV			22.29					15.20				
	CNAM For Non DB Owners-Service Establishment		<u>1</u> T	OQV			22.29					15.20				
	CNAM For DB Owners-Service Provisioning With Point Code			OQV			962.22	711.64				15.20				
	CNAM For Non DB Owners-Service Provisioning With Point Code			_												
	Establishment		1 )	OQV			332.43	238.05				15.20				
	CNAM for DB Owners, Per Query			OQV		0.0010217										1
	CNAM for Non DB Owners, Per Query			OQV		0.0010217										1
LNP Query		1	t													†
	LNP Charge Per guery			OQV		0.0008559										+
	LNP Service Establishment Manual	1	+ +	OQ V	+	0.00000039	12.16				<b>†</b>	15.20		1		+
	LNP Service Establishment wantal  LNP Service Provisioning with Point Code Establishment	1	+		+		576.33	294.43			-	15.20				+
	CALL PROCESSING	<del>                                     </del>	+		+	-	310.33	234.43			-	13.20	-	1	1	+

Version 4Q02: 01/21/03 Page 201 of 402

LINIBLINIE	DLED NETWORK ELEMENTS - Louisiana												A stack	mont: 2	Even	oit: B
ONDONE	PLED IAL I WORK ELEWEN 13 - LOUISIANA	1	1 1		ı						Svo	Sua Ordan		ment: 2		
											Svc Order		Incrementa I Charge -	Incrementa I Charge -	I Charge -	al Charge
											Submitt		Manual	Manual	Manual	Manual
CATEGOR	RATE ELEMENTS	Interi	Zon	BCS	USOC		PΔT	ES (\$)			ed Elec	per LSR				Svc Order
CATEGOR	NATE ELLINENTS	m	е	B03	0300		KAI	L3 (4)			per LSR	per Lor	VS.	VS.	VS.	vs.
											por Lore		_	Electronic-		Electronic
													1st	Add'l		Disc Add'l
1							Nonreci	ırrina	NRC D	isconnec				Rates (\$)		
						Rec	First	Add'l	First			SOMAN	SOMAN		SOMAN	SOMAN
	Oper Call Processing-Oper Provided, Per min-Using Foreign LIDB					1.24	11130	Addi	11130	Addi	COMILO	COMAN	COMPAR	JOWAN	COMPAN	OOMAN
	Oper Call Processing-Oper Frontace, For Fill Posing Foreign EIDB					0.20						-				
	Oper Call Processing-Fully Automated, per Call-Using Foreign LIDB					0.20										
INWARD (	OPERATOR SERVICES					0.20						-				
IIIII	Inward Oper Services-Verification, Per min					1.15						-				
	Inward Oper Services-Verification, Per min		1			1.15										
BDANDIN	G - OPERATOR CALL PROCESSING					1.10										
	ility based CLEC													1		
гас	Recording of Custom Branded OA Announcement	<del>                                     </del>			CBAOS		7,000.00	7,000.00	1		-	15.20		t		<del>                                     </del>
	Loading of Custom Branded OA Announcement per shelf/NAV per OCN	<del>                                     </del>			CBAOL		500.00	500.00				15.20		<del> </del>		1
11411	EP CLEC	<del>                                     </del>	$\vdash$		CDAOL		300.00	500.00	1	-	1	10.20		<del> </del>		1
UNI	Recording of Custom Branded OA Announcement	<del>                                     </del>			-		7.000.00	7.000.00	<del>                                     </del>	<b> </b>	-	15.20		<del></del>		<b> </b>
		<del>                                     </del>			-		,	500.00	<del>                                     </del>	<b> </b>	-	15.20 15.20		<del></del>		<b> </b>
11. 1	Loading of Custom Branded OA Announcement per shelf/NAV per OCN	<del>                                     </del>					500.00	500.00	-			15.20		-		
Uni	oranding via OLNS for UNEP CLEC						4 000 00	4 000 00	1			45.00		-		
	Loading of OA per OCN (Regional)						1,200.00	1,200.00				15.20				
	RY ASSISTANCE SERVICES															
DIR	ECTORY ASSISTANCE ACCESS SERVICE															
	Directory Assistance Access Service Calls, Charge Per Call					0.275										
DIR	ECTORY ASSISTANCE CALL COMPLETION ACCESS SERVICE (DACC)	)														
	Directory Assistance Call Completion Access Service (DACC), Per Call															
	Attempt					0.10										
	RY ASSISTANCE SERVICES															
DIR	ECTORY ASSISTANCE DATA BASE SERVICE (DADS)															
	Directory Assistance Data Base Service Charge Per Listing					0.04										
	Directory Assistance Data Base Service, per mo				DBSOF	150.00										
	G - DIRECTORY ASSISTANCE															
Fac	ility Based CLEC															
	Recording & Provisioning of DA Custom Branded Announcement			AMT	CBADA		3,000.00	3,000.00				15.20				
	Loading of Custom Branded Announcement per Switch per OCN			AMT	CBADC		1,170.00	1,170.00				15.20				
UNE	EP CLEC															
	Recording of DA Custom Branded Announcement						3,000.00	3,000.00				15.20				
	Loading of DA Custom Branded Announcement per Switch per OCN						1,170.00	1,170.00				15.20				
Unb	oranding via OLNS for UNEP CLEC															
	Loading of DA per OCN (1 OCN per Order)						420.00	420.00				15.20				
	Loading of DA per Switch per OCN						16.00	16.00				15.20				
SELECTIV	E ROUTING															
	Selective Routing Per Unique Line Class Code Per Request Per Switch				USRCR		82.25	82.25				15.20				
VIRTUAL	COLLOCATION															
	Virtual Collocation-2W Cross Connects (Loop) for Line Splitting			UEPSR,UEPSB	VE1LS	0.0296	11.94	11.46	0.00	0.00		15.20				
PHYSICAL	L COLLOCATION															
	Physical Collocation-2W Cross Connects (Loop) for Line Splitting			UEPSR,UEPSB	PE1LS	0.0318	11.94	11.46	1			15.20				
AIN SELE	CTIVE CARRIER ROUTING			,	T	,,,,,,								1		
	Regional Service Establishment	<u> </u>		UEBIB	SRCEC		100.209.33					15.20	İ			
	End Office Establishment	1		UEBIB	SRCEO		164.29	164.29				15.20		1		
	Query NRC, per query	<b>†</b>		UEBIB	5525	0.0030293	704.20	.01.20	1		1	10.20		<b>†</b>		
ΔIN - RFI	LSOUTH AIN SMS ACCESS SERVICE	1		OLDID		0.0000200			<b>†</b>		-			t		<b> </b>
, and DEL	AIN SMS Access Service-Service Establishment. Per State. Initial Setup	<b>†</b>		A1N	CAMSE		38.30	38.30	1		1	15.20		<b>†</b>		
	AIN SMS Access Service-Service Establishment, Per State, Initial Setup  AIN SMS Access Service-Port Connection-Dial/Shared Access	1	$\vdash$	A1N	CAMDP		7.60	7.60	<b>†</b>		-	15.20		t		<b> </b>
	AIN SMS Access Service-Port Connection-ISDN Access	<del>                                     </del>		A1N	CAM1P		7.60	7.60	1		-	15.20		t		<del>                                     </del>
	All V Olvio Access del vice-Folt Collifection-Todia Access			A1N A1N	CAMAU		33.99	33.99	l	l	1	15.20	<b> </b>	ļ		1

Version 4Q02: 01/21/03 Page 202 of 402

UNBUNDL	ED NETWORK ELEMENTS - Louisiana													ment: 2		bit: B
CATEGORY	RATE ELEMENTS	Interi		BCS	USOC		RAT	ES (\$)				Submitted Manually	Incrementa I Charge - Manual Svc Order	I Charge - Manual	Incrementa I Charge - Manual Svc Order	Incremen al Charge Manual Svc Orde
		m	е					, ,			per LSR		vs. Electronic- 1st	vs. Electronic- Add'l		vs. Electronic Disc Add'
						_	Nonrec	urrina	NRC D	isconne			oss	Rates (\$)	ı	
						Rec	First	Add'l	First			SOMAN			SOMAN	SOMAN
	AIN SMS Access Service-Security Card, Per User ID Code, Initial or Replacement			A1N	CAMRC		41.39	41.39				15.20				
	AIN SMS Access Service-Storage, Per Unit (100 Kilobytes)					0.0022										
	AIN SMS Access Service-Session, Per min					0.5795										
	AIN SMS Access Service-Company Performed Session, Per min					0.8104										
	SOUTH AIN TOOLKIT SERVICE				B.1800											
	AIN Toolkit Service-Service Establishment Charge, Per State, Initial Setup			CAM	BAPSC		38.30	38.30				15.20				
	AIN Toolkit Service-Training Session, Per Customer				BAPVX		4,175.10	4,175.10				15.20				
	AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, Term. Attempt				BAPTT		7.60	7.60				15.20				
	AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, Off-Hook Delay				BAPTD		7.60	7.60				15.20				
	AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, Off-Hook Immediate				BAPTM		7.60	7.60				15.20				
	AllN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, 10-Digit				BAPTO		33.47	33.47				15.20				
	AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, CDP				BAPTC		33.47	33.47				15.20				+
	AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, Feature				DAFIC		33.47	33.47				13.20				+
	Code				BAPTF		33.47	33.47				15.20				
	AIN Toolkit Service-Query Charge, Per Query					0.0536446						1				
	AIN Toolkit Service-Type 1 Node Charge, Per AIN Toolkit Subscription, Per Node, Per Query					0.006569										
	AIN Toolkit Service-SCP Storage Charge, Per SMS Access Account, Per 100 Kilobytes					0.06										
	AIN Toolkit Service-moly report-Per AIN Toolkit Service Subscription			CAM	BAPMS	10.90	7.60	7.60				15.20				
	AIN Toolkit Service-Special Study-Per AIN Toolkit Service Subscription			CAM	BAPLS	2.80	8.41	8.41				15.20				
	AIN Toolkit Service-Call Event Report-Per AIN Toolkit Service Subscription			CAM	BAPDS	8.20	7.60	7.60				15.20				
	AIN Toolkit Service-Call Event Special Study-Per AIN Toolkit Service															
	Subscription			CAM	BAPES	0.09	8.41	8.41				15.20				
	EXTENDED LINK (EELs)															
	E: The monthly recurring and non-recurring charges below will apply a															
	: The monthly recurring and the Switch-As-Is Charge and not the non-				pply for EE	Ls provisioned	d as ' Currentl	y Combined	l' Networ	k Elemei	nts.					
	E: Minimum billing is one month for DS1 and below and three months											1				
	RE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFF	-ICE I	KAN		UEAL2	14.93	04.24	4F 00			-	45.00				+
	First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone 1 First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone 2		2	UNCVX	UEAL2	14.93 25.35	94.21 94.21	45.09 45.09	-		<del>                                     </del>	15.20 15.20				+
	First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone 3		3	UNCVX	UEAL2	50.46	94.21	45.09			-	15.20				+
	Interoffice Transport-Dedicated-DS1 combination-Per mi per mo		3	UNCVX UNC1X	1L5XX	0.2652	94.21	45.09			1	15.20				+
	Interoffice Transport-Dedicated-DS1 combination-Per mi per mo Interoffice Transport-Dedicated-DS1 combination-Facility Term per mo		<del>                                     </del>	UNC1X UNC1X	U1TF1	70.47	143.58	103.88	1	<del>                                     </del>	+	15.20				+
	DS1 Channelization System Per mo		<u> </u>	UNC1X	MQ1	105.09	59.97	12.96	-		<del>                                     </del>	15.20				+
	VG COCI-DS1 To Ds0 Interface-Per mo		<del>                                     </del>	UNCVX	1D1VG	0.6497	5.91	4.26	<del>                                     </del>		<del>                                     </del>	13.20				+
	Each Add'l 2W VG Loop(SL 2) in the same DS1 Interoffice Transport		1	511077	15100	3.0437	5.51	7.20	1	1	†	t				<del>                                     </del>
	Combination-Zone 1		1	UNCVX	UEAL2	14.93	94.21	45.09				15.20				<u> </u>
	Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 2		2	UNCVX	UEAL2	25.35	94.21	45.09				15.20				
	Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport															
	Combination-Zone 3		3	UNCVX	UEAL2	50.46	94.21	45.09				15.20				
	VG COCI-DS1 to DS0 Channel System combination-per mo			UNCVX	1D1VG	0.6497	5.91	4.26			1					
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		5.43	5.43				15.20				<u> </u>
4-WIF	RE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFF	ICE T	RANS	SPORT (EEL)												

Version 4Q02: 01/21/03 Page 203 of 402

													Attachi	nent: 2	Exhil	bit: B
											Svc	Svc Order	Incrementa	Incrementa	Incrementa	Increme
											Order		I Charge -	I Charge -	I Charge -	
											Submitt	Manually	Manual	Manual	Manual	Manua
CATEGOR	RATE ELEMENTS	Interi	Zon	BCS	USOC		RΔT	ES (\$)			ed Elec	per LSR		Svc Order	Svc Order	
SAILGON	KATE ELEMENTS	m	е	ВСЗ	0300		INAI	L3 ( <del>4</del> )			per LSR	per Lor	VS.	vs.	VS.	vs.
											per Lor		Electronic-		Electronic-	_
													1st	Add'l		Disc Add
						1									DISC 1St	DISC Add
						Rec	Nonrecu			isconne				Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	First 4W Analog VG Loop in a DS1 Interoffice Transport Combination -															
	Zone 1		1	UNCVX	UEAL4	30.81	94.21	45.09				15.20				
	First 4W Analog VG Loop in a DS1 Interoffice Transport Combination -															
	Zone 2		2	UNCVX	UEAL4	38.32	94.21	45.09				15.20				
	First 4W Analog VG Loop in a DS1 Interoffice Transport Combination -															
	Zone 3		3	UNCVX	UEAL4	60.39	94.21	45.09				15.20				
	Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo		_	UNC1X	1L5XX	0.2652										+
	Interoffice Transport-Dedicated-DS1-Facility Term Per mo			UNC1X	U1TF1	70.47	143.58	103.88				15.20				+
-+	Channelization-Channel System DS1 to DS0 combination Per mo			UNC1X	MQ1	105.09	59.97	12.96	1			10.20				+
-+-	VG COCI-DS1 to DS0 Channel System combination-per mo			UNCVX	1D1VG	0.6497	5.91	4.26	1			<b>-</b>	1	1	1	+
-+				UNCVA	טועו	0.0497	5.91	4.20	<del>                                     </del>	<b>!</b>	-	<del>                                     </del>	-		-	+
	Add'l 4W Analog VG Loop in same DS1 Interoffice Transport Combination-			11110101			04.51	45.00				45.00	1		1	
$-\!\!+\!\!\!-$	Zone 1		1	UNCVX	UEAL4	30.81	94.21	45.09	<u> </u>			15.20	ļ	ļ	<b> </b>	<del>                                     </del>
	Add'l 4W Analog VG Loop in same DS1 Interoffice Transport Combination-															
	Zone 2		2	UNCVX	UEAL4	38.32	94.21	45.09				15.20				
	Add'I 4W Analog VG Loop in same DS1 Interoffice Transport Combination-															
	Zone 3		3	UNCVX	UEAL4	60.39	94.21	45.09				15.20				
	VG COCI-DS1 to DS0 Channel System combination-per mo			UNCVX	1D1VG	0.6497	5.91	4.26								
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		5.43	5.43				15.20				1
4-W	RE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTERC	OFFIC	F TR		0.1000		00	0.10				10.20				+
	First 4W 56Kbps Digital Grade Loop in a DS1 Interoffice Transport				1											+
	Combination-Zone 1		1	UNCDX	UDL56	30.99	94.21	45.09				15.20				
-+-				UNCDA	UDL36	30.99	94.21	45.09				15.20				+
	First 4W 56Kbps Digital Grade Loop in a DS1 Interoffice Transport		_	LINODY	LIDLEC	00.70	04.04	45.00				45.00				
	Combination-Zone 2		2	UNCDX	UDL56	36.78	94.21	45.09				15.20				4
	First 4W 56Kbps Digital Grade Loop in a DS1 Interoffice Transport															
	Combination-Zone 3		3	UNCDX	UDL56	38.92	94.21	45.09				15.20				
	Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo			UNC1X	1L5XX	0.2652										
	Interoffice Transport-Dedicated-DS1-combination Facility Term Per mo			UNC1X	U1TF1	70.47	143.58	103.88				15.20				
	Channelization-Channel System DS1 to DS0 combination Per mo			UNC1X	MQ1	105.09	59.97	12.96								
	OCU-DP COCI (data)-DS1 to DS0 Channel System-per mo (2.4-64kbs)			UNCDX	1D1DD	1.38	5.91	4.26								T .
	Add'l 4W 56Kbps Digital Grade loop in same DS1 Interoffice Transport															
	Combination-Zone 1		1	UNCDX	UDL56	30.99	94.21	45.09				15.20				
	Add'l 4W 56Kbps Digital Grade loop in same DS1 Interoffice Transport						•									<b>†</b>
	Combination-Zone 2		2	UNCDX	UDL56	36.78	94.21	45.09				15.20				
-+	Add'l 4W 56Kbps Digital Grade loop in same DS1 Interoffice Transport			ONODA	ODLSO	30.70	34.21	43.03				13.20				+
	Combination-Zone 3		3	UNCDX	UDL56	38.92	94.21	45.09				15.20				
-+-			J	UNCDX	UDLS6	30.92	94.21	45.09				15.20				
	OCU-DP COCI (data)-DS1 to DS0 Channel System-combination per mo															
	(2.4-64kbs)			UNCDX	1D1DD	1.38	5.91	4.26								
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		5.43	5.43				15.20				
4-WI	RE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTERC	OFFIC	E TR/	NSPORT (EEL)												
	First 4W 64Kbps Digital Grade Loop in a DS1 Interoffice Transport															
	Combination-Zone 1		1	UNCDX	UDL64	30.99	94.21	45.09	<u></u>			15.20		<u></u>	<u> </u>	
	First 4W 64Kbps Digital Grade Loop in a DS1 Interoffice Transport															
	Combination-Zone 2		2	UNCDX	UDL64	36.78	94.21	45.09				15.20	1		1	
	First 4W 64Kbps Digital Grade Loop in a DS1 Interoffice Transport															T
	Combination-Zone 3		3	UNCDX	UDL64	38.92	94.21	45.09				15.20				
-	Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo		Ť	UNC1X	1L5XX	0.2652	\$ <u>E</u> 1	.0.00	1			.5.20				<del>                                     </del>
-+	Interoffice Transport-Dedicated-DS1 combination-Fer IIII Fer IIII0			UNC1X	U1TF1	70.47	143.58	103.88	<del>                                     </del>			15.20	<del>                                     </del>		<del> </del>	+
$-\!\!\!\!+\!\!\!\!-$	Channelization-Channel System DS1 to DS0 combination Per mo		<b>-</b>	UNC1X UNC1X	MQ1	105.09	59.97	103.88	}		-	15.20	1	1	1	+
1				UNUTA	IVIQT	105.09	59.97	12.96	1		1	<b>-</b>	<del>                                     </del>	-	<del>                                     </del>	+
	OCU-DP COCI (data)-DS1 to DS0 Channel System combination-per mo															

Version 4Q02: 01/21/03 Page 204 of 402

RONDE	LED NETWORK ELEMENTS - Louisiana													nent: 2		bit: B
TEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	USOC			ES (\$)			Svc Order Submitt ed Elec per LSR	Submitted Manually per LSR	I Charge - Manual Svc Order vs. Electronic- 1st	Add'l	I Charge - Manual Svc Order vs. Electronic-	al Charge Manual Svc Orde vs.
						Rec	Nonrecu			isconne				Rates (\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Add'l 4W 64Kbps Digital Grade loop in same DS1 Interoffice Transport Combination-Zone 1		1	UNCDX	UDL64	30.99	94.21	45.09				15.20				
	Add'l 4W 64Kbps Digital Grade loop in same DS1 Interoffice Transport Combination-Zone 2		2	UNCDX	UDL64	36.78	94.21	45.09				15.20				
	Add'l 4W 64Kbps Digital Grade loop in same DS1 Interoffice Transport Combination-Zone 3		3	UNCDX	UDL64	38.92	94.21	45.09				15.20				
	OCU-DP COCI (data)-DS1 to DS0 Channel System combination-per mo (2.4-64kbs)			UNCDX	1D1DD	1.38	5.91	4.26								
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC	1.50	5.43	5.43				15.20				
	RE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INTEROFFI	CF TR	RANS		011000		J. <del>4</del> 3	J. <del>4</del> 3	<del>                                     </del>	1	}	13.20				<del>                                     </del>
	4W DS1 Digital Loop in Combination with DS1 Interoffice Transport-Zone 1	<u>~= 11'</u>	1	UNC1X	USLXX	85.70	169.22	100.89	<del>                                     </del>	1	}	15.20				<del>                                     </del>
	4W DS1 Digital Loop in Combination with DS1 Interoffice Transport-Zone 2		2	UNC1X	USLXX	194.96	169.22	100.89				15.20				+
	4W DS1 Digital Loop in Combination with DS1 Interoffice Transport-Zone 3		3	UNC1X	USLXX	491.94	169.22	100.89				15.20				+
	Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo		3	UNC1X	1L5XX	0.2652	103.22	100.03				13.20				+
-	Interoffice Transport-Dedicated-DS1 combination-Fei IIII Fei IIIIo  Interoffice Transport-Dedicated-DS1 combination-Facility Term Per mo			UNC1X	U1TF1	70.47	143.58	103.88				15.20				+
-	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC	70.47	5.43	5.43	1			15.20				+
4 10/15	RE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFI	CE TE	ANG		UNCCC		5.43	3.43	1			13.20				+
4-111		CEIR	1		USLXX	05.70	169.22	100.89	1			15.00				+
-	First DS1Loop in DS3 Interoffice Transport Combination-Zone 1 First DS1Loop in DS3 Interoffice Transport Combination-Zone 2		2	UNC1X UNC1X	USLXX	85.70 194.96	169.22	100.89				15.20 15.20				+
+	'			UNC1X	USLXX	491.94		100.89				15.20				+
-	First DS1Loop in DS3 Interoffice Transport Combination-Zone 3		3	UNC3X	1L5XX	6.04	169.22	100.89				15.20				
-	Interoffice Transport-Dedicated-DS3 combination-Per mi Per mo						202.00	101.10				45.00				
_	Interoffice Transport-Dedicated-DS3-Facility Term per mo			UNC3X	U1TF3	850.45	296.68	121.16				15.20				
-	DS3 to DS1 Channel System combination per mo			UNC3X UNC1X	MQ3 UC1D1	201.48 11.78	107.05 5.91	48.07 4.26	1							<del> </del>
+	DS3 Interface Unit (DS1 COCI) combination per mo				USLXX	85.70	169.22	100.89	1			45.00				<del> </del>
	Add'l DS1Loop in DS3 Interoffice Transport Combination-Zone 1		1	UNC1X							-	15.20				<del> </del>
+	Add'l DS1Loop in DS3 Interoffice Transport Combination-Zone 2		2	UNC1X	USLXX	194.96 491.94	169.22 169.22	100.89			-	15.20 15.20				<del> </del>
-	Add'l DS1Loop in DS3 Interoffice Transport Combination-Zone 3		3	UNC1X				100.89	ļ			15.20				
	DS3 Interface Unit (DS1 COCI) combination per mo			UNC1X	UC1D1	11.78	5.91	4.26								
	NRC Currently Combined Network Elements Switch -As-ls Charge			UNC3X	UNCCC		5.43	5.43	1			15.20				<del> </del>
	RE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GRADE INTEROFF	ICE I	RAN:		UEAL2	14.93	94.21	45.00	1			45.00				
_	2WVG Loop used with 2W VG Interoffice Transport Combination-Zone 1			UNCVX	_			45.09	1			15.20				
-	2WVG Loop used with 2W VG Interoffice Transport Combination-Zone 2		2	UNCVX	UEAL2	25.35	94.21	45.09	ļ			15.20				<del></del>
-	2WVG Loop used with 2W VG Interoffice Transport Combination-Zone 3		3	UNCVX	UEAL2	50.46	94.21	45.09				15.20				
_	Interoffice Transport-Dedicated-2W VG combination-Per mi Per mo			UNCVX	1L5XX U1TV2	0.013 22.60	72.60	44.75				45.00				
	Interoffice Transport-Dedicated-2W VG combination-Facility Term per mo					22.60		41.75	ļ			15.20				
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNCVX	UNCCC		5.43	5.43	ļ			15.20				
	RE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRADE INTEROFF	ICE I				22.21			ļ							
	4WVG Loop used with 4W VG Interoffice Transport Combination-Zone 1		1	UNCVX	UEAL4	30.81	94.21	45.09				15.20				
	4WVG Loop used with 4W VG Interoffice Transport Combination-Zone 2		2	UNCVX	UEAL4	38.32	94.21	45.09	-		1	15.20				+
_	4WVG Loop used with 4W VG Interoffice Transport Combination-Zone 3		3	UNCVX	UEAL4	60.39	94.21	45.09	<b> </b>		1	15.20				+
	Interoffice Transport-Dedicated-4W VG combination-Per mi Per mo			UNCVX	1L5XX	0.013										
	Interoffice Transport-Dedicated-4W VG combination-Facility Term per mo		-	UNCVX	U1TV4	19.81	72.60	41.75	1		1	15.20				+
D00	NRC Currently Combined Network Elements Switch -As-Is Charge	1000	DT /-	UNCVX	UNCCC		5.43	5.43	1		1	15.20				+
DS3 I	DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFICE TRAI	NSPO	KI (E		41.51.5	10.01			1		1	-				+
	High Capacity Unbundled Local Loop-DS3 combination-Per mi per mo		-	UNC3X	1L5ND	10.04	400.45	10==:	<b> </b>		1					<del>                                     </del>
+	High Capacity Unbundled Local Loop-DS3 combination-Facility Term per		-	UNC3X	UE3PX	362.34	188.45	125.51	1		}	1				+
	Interoffice Transport-Dedicated-DS3-Per mi per mo			UNC3X	1L5XX	6.04	000.00	404.40	-		1	45.00				+
	Interoffice Transport-Dedicated-DS3 combination-Facility Term per mo		-	UNC3X	U1TF3	850.45	296.68	121.16	ļ			15.20				<del> </del>
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC3X	UNCCC		5.43	5.43	ļ		1	15.20				
	DIGITAL EXTENDED LOOP WITH DEDICATED STS1 INTEROFFICE TR															

Version 4Q02: 01/21/03 Page 205 of 402

ARONDL	ED NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhil	bit: B
											Svc	Svc Order	Incrementa	Incrementa	Incrementa	Increme
											Order	Submitted	I Charge -	I Charge -	I Charge -	al Char
			l_								Submitt	Manually	Manual	Manual	Manual	Manua
TEGORY	RATE ELEMENTS		Zon	BCS	usoc		RAT	ES (\$)			ed Elec	per LSR	Svc Order	Svc Order	Svc Order	Svc Ord
		m	е					(0)			per LSR		vs.	vs.	vs.	vs.
											<b>P</b>		Electronic-	_	Electronic-	
													1st	Add'l	Disc 1st	Disc Ad
					+	I	Nonreci		NDC D	isconnec				Rates (\$)	2.00 .00	
_						Rec	First	Add'l	First			COMAN			SOMAN	COMA
									First	Addi	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
	High Capacity Unbundled Local Loop-STS1 combination-Facility Term per			UNCSX	UDLS1	374.56	188.45	125.51								+
	Interoffice Transport-Dedicated-STS1 combination-Per mi per mo			UNCSX	1L5XX	6.04										
	Interoffice Transport-Dedicated-STS1 combination-Facility Term per mo			UNCSX	U1TFS	830.19	296.68	121.16				15.20				
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNCSX	UNCCC		5.43	5.43				15.20				
	E ISDN EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPORT (EEL	.)														ļ
	First 2W ISDN Loop in a DS1 Interoffice Combination Transport-Zone 1		1	UNCNX	U1L2X	22.09	94.21	45.09				15.20				
	First 2W ISDN Loop in a DS1 Interoffice Combination Transport-Zone 2		2	UNCNX	U1L2X	35.28	94.21	45.09				15.20				
	First 2W ISDN Loop in a DS1 Interoffice Combination Transport-Zone 3		3	UNCNX	U1L2X	65.18	94.21	45.09				15.20				
	Interoffice Transport-Dedicated-DS1 combination-Per mi			UNC1X	1L5XX	0.2652										
	Interoffice Transport-Dedicated-DS1 combintion-Facility Term per mo			UNC1X	U1TF1	70.47	143.58	103.88				15.20				
	Channelization-Channel System DS1 to DS0 combination-per mo			UNC1X	MQ1	105.09	59.97	12.96								
	2W ISDN COCI (BRITE)-DS1 to DS0 Channel System combination-per mo			UNCNX	UC1CA	2.96	5.91	4.26								1
	Add'I 2W ISDN Loop in same DS1 interoffice Transport Combination-Zone			*												1
	1		1	UNCNX	U1L2X	22.09	94.21	45.09				15.20				
	Add'I 2W ISDN Loop in same DS1 interoffice Transport Combination-Zone			0.110.101	U I LLX	22.00	0	10.00				10.20				1
	2		2	UNCNX	U1L2X	35.28	94.21	45.09				15.20				
	Add'I 2W ISDN Loop in same DS1 interoffice Transport Combination-Zone			ONONA	OTLZX	33.20	34.21	43.03				13.20				+
	2 Add 12W ISBN E00P III Saine BST interonice Transport Combination-Zone		3	UNCNX	U1L2X	65.18	94.21	45.09				15.20				
	OW ICON COCI (DDITE) DC4 to DC0 Channel Cristom combination nor ma		3	UNCNX	UC1CA		5.91	45.09				15.20		-		+
	2W ISDN COCI (BRITE)-DS1 to DS0 Channel System combintaion-per mo					2.96			-			45.00				+
	NRC Currently Combined Network Elements Switch -As-Is Charge		<u> </u>	UNC1X	UNCCC		5.43	5.43				15.20				<del> </del>
	RE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 INTEROF	FICE	IRAN													+
	First DS1 Loop in STS1 Interoffice Transport Combination-Zone 1		1	UNC1X	USLXX	85.70	169.22	100.89				15.20				4
	First DS1 Loop in STS1 Interoffice Transport Combination-Zone 2		2	UNC1X	USLXX	194.96	169.22	100.89				15.20				<del> </del>
	First DS1 Loop in STS1 Interoffice Transport Combination-Zone 3		3	UNC1X	USLXX	491.94	169.22	100.89				15.20				
	Interoffice Transport-Dedicated-STS1 combination-Per mi Per mo			UNCSX	1L5XX	6.04										
	Interoffice Transport-Dedicated-STS1 combination-Facility Term			UNCSX	U1TFS	830.19	296.68	121.16				15.20				
	STS1 to DS1 Channel System conbination per mo			UNCSX	MQ3	201.48	107.05	48.07								
	DS3 Interface Unit (DS1 COCI) combination per mo			UNC1X	UC1D1	11.78	5.91	4.26								
	Add'l DS1Loop in STS1 Interoffice Transport Combination-Zone 1		1	UNC1X	USLXX	85.70	169.22	100.89				15.20				
	Add'l DS1Loop in STS1 Interoffice Transport Combination-Zone 2		2	UNC1X	USLXX	194.96	169.22	100.89				15.20				
	Add'l DS1Loop in STS1 Interoffice Transport Combination-Zone 3		3	UNC1X	USLXX	491.94	169.22	100.89				15.20				
	DS3 Interface Unit (DS1 COCI) combination per mo			UNC1X	UC1D1	11.78	5.91	4.26								
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNCSX	UNCCC		5.43	5.43				15.20				
4-WIR	RE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS INTEROFFICE	RAN	SPORT	Γ (EEL)												
	4W 56 kbps Loop/4W 56 kbps Interoffice Transport Combination-Zone 1		1	UNCDX	UDL56	30.99	94.21	45.09				15.20				
	4W 56 kbps Loop/4W 56 kbps Interoffice Transport Combination-Zone 2		2	UNCDX	UDL56	36.78	94.21	45.09				15.20				
	4W 56 kbps Loop/4W 56 kbps Interoffice Transport Combination-Zone 3		3	UNCDX	UDL56	38.92	94.21	45.09				15.20				1
	Interoffice Transport-Dedicated-4W 56 kbps combination-Per mi			UNCDX	1L5XX	0.013										
	Interoffice Transport-Dedicated-4W 56 kbps combination-Facility Term			UNCDX	U1TD5	15.61	72.60	41.75				15.20				<del>                                     </del>
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNCDX	UNCCC	10.01	5.43	5.43				15.20				+
	RE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTEROFFICE 1	RΔN	SPOP		014000		5.45	0.40	<b> </b>			13.20		<del>                                     </del>	+	+
	4W 64 kbps Loop/4W 64 kbps Interoffice Transport Combination-Zone 1	MAIN	1	UNCDX	UDL64	30.99	94.21	45.09	<del>                                     </del>		-	15.20		<del>                                     </del>		+
	4W 64 kbps Loop/4W 64 kbps Interoffice Transport Combination-Zone 2		2	UNCDX	UDL64	36.78	94.21	45.09	<del>                                     </del>		-	15.20		<del>                                     </del>		+
	4W 64 kbps Loop/4W 64 kbps Interoffice Transport Combination-Zone 2 4W 64 kbps Loop/4W 64 kbps Interoffice Transport Combination-Zone 3		3	UNCDX	UDL64	38.92	94.21	45.09 45.09	1		-	15.20	1	<del> </del>		+
			3				94.21	45.09	<b> </b>	-		15.20	-	<del>                                     </del>	-	+
	Interoffice Transport-Dedicated-4W 64 kbps combination-Per mi		-	UNCDX	1L5XX	0.013	70.00	44				45.00		1	1	₩
	Interoffice Transport-Dedicated-4W 64 kbps combination-Facility Term		$\vdash \vdash$	UNCDX	U1TD6	15.61	72.60	41.75	<b> </b>			15.20		1		+
	NRC Currently Combined Network Elements Switch -As-Is Charge		1 1	UNCDX	UNCCC		5.43	5.43	<b> </b>	ļ		15.20		-		+
	L NETWORK ELEMENTS				المسلما				ļ							<b>↓</b>
When	used as a part of a currently combined facility, the non-recurring char used as ordinarily combined network elements in All States, the non-													1		↓
																1

NRONDE	ED NETWORK ELEMENTS - Louisiana		_											ment: 2		bit: B
ATEGORY	RATE ELEMENTS	Interi		BCS	usoc		RAT	ES (\$)				Submitted Manually	Incrementa I Charge - Manual Svc Order	I Charge - Manual	Incrementa I Charge - Manual Svc Order	al Charg Manual
, A120011	INTEREST	m	е	500			i.Ai	<b>-</b> σ (ψ)			per LSR		vs. Electronic-	vs. Electronic-	vs. Electronic-	vs. Electroni
													1st	Add'l	Disc 1st	Disc Add
						Rec	Nonrec			isconnec				Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	NRC Currently Combined Network Elements Switch -As-Is Charge-2W/4W VG			UNCVX	UNCCC		5.43	5.43				15.20				
	NRC Currently Combined Network Elements Switch -As-Is Charge-56/64															
	kbps			UNCDX	UNCCC		5.43	5.43				15.20				
	NRC Currently Combined Network Elements Switch -As-Is Charge-DS1			UNC1X	UNCCC		5.43	5.43				15.20				
	NRC Currently Combined Network Elements Switch -As-ls Charge-DS3			UNC3X	UNCCC		5.43	5.43				15.20				ļ
	NRC Currently Combined Network Elements Switch -As-Is Charge-STS1			UNCSX	UNCCC		5.43	5.43				15.20				ļ
NOTE	: Local Channel - Dedicated Transport - minimum billing period - Belo	ow DS	3=one													
	Local Channel-Dedicated-2W VG			UNCVX	ULDV2	18.32	187.51	32.21								
	Local Channel-Dedicated-4W VG			UNCVX	ULDV4	19.41	187.94	32.63								ļ
	Local Channel-Dedicated-DS1 per mo Zone 1		1	UNC1X	ULDF1	39.18	172.34	149.27				15.20				<u> </u>
	Local Channel-Dedicated -DS1 Per mo Zone 2		2	UNC1X	ULDF1	121.58	172.34	149.27				15.20				1
	Local Channel-Dedicated-DS1-Per mo Zone 3		3	UNC1X	ULDF1	70.02	172.34	149.27				15.20				
	Local Channel-Dedicated-DS3-Per mi per mo			UNC3X	1L5NC	7.82										
	Local Channel-Dedicated-DS3-Facility Term			UNC3X	ULDF3	469.44	438.46	256.30				15.20				
	Local Channel-Dedicated-STS-1-Per mi per mo			UNCSX	1L5NC	7.82						15.20				
	Local Channel-Dedicated-STS-1 -Facility Term			UNCSX	ULDFS	457.22	438.46	256.30								
MULT	TIPLEXERS															
NOTE	: minimum billing period is one month for DS1 to DS0 Channel Syste	m and	linterf	aces												
NOTE	: minimum billing period is three months for DS3 to DS1 and above C	hanne	el Syst	em and interfaces												
	Channelization-DS1 to DS0 Channel System			UXTD1	MQ1	105.09	88.41	60.76				15.20				
	OCU-DP COCI (data)-DS1 to DS0 Channel System-per mo (2.4-64kbs)			UDL	1D1DD	1.38	6.39	4.58				15.20				
	2W ISDN COCI (BRITE)-DS1 to DS0 Channel Systsem-per mo			UDN	UC1CA	2.96	6.39	4.58				15.20				
	VG COCI-DS1 to DS0 Channel System-per mo			UEA	1D1VG	0.6497	6.39	4.58				15.20				
	DS3 to DS1 Channel System per mo			UXTD3	MQ3	201.48	172.99	91.25				15.20				Ī
	STS1 to DS1 Channel System per mo			UXTS1	MQ3	201.48	172.99	91.25				15.20				
	DS3 Interface Unit (DS1 COCI) used with Loop per mo			USL	UC1D1	11.78	6.39	4.58				15.20				
	DS3 Interface Unit (DS1 COCI) used with Local Channel per mo			ULDD1	UC1D1	11.78	6.39	4.58								
	DS3 Interface Unit (DS1 COCI) used with Interoffice Channel per mo			U1TD1	UC1D1	11.78	6.39	4.58								
Acces	ss to DCS - Customer Reconfiguration (FlexServ)															Ī
Sub-L	oop Feeder															
	Unbundled Sub-Loop Feeder Loop, 4W DS1-Zone 1		1	UNC1X	USBFG	55.38	98.15	61.77								
	Unbundled Sub-Loop Feeder Loop, 4W DS1-Zone 2		2	UNC1X	USBFG	167.83	98.15	61.77								
	Unbundled Sub-Loop Feeder Loop, 4W DS1-Zone 3		3	UNC1X	USBFG	469.87	98.15	61.77								
BUNDLE	D LOCAL EXCHANGE SWITCHING(PORTS)															
Excha	ange Ports															1
	: Although the Port Rate includes all available features in GA, KY, LA	& TN.	the de	sired features will	need to be	ordered using	retail USOCs									1
	RE VOICE GRADE LINE PORT RATES (RES)	<i>'</i>														1
	Exchange Ports-2W Analog Line Port-Res.			UEPSR	UEPRL	1.52	2.31	2.21				15.20				1
	Exchange Ports-2W Analog Line Port with Caller ID-Res.			UEPSR	UEPRC	1.52	2.31	2.21				15.20				
	Exchange Ports-2W Analog Line Port outgoing only-Res.			UEPSR	UEPRO	1.52	2.31	2.21				15.20				1
	Exchange Ports-2W VG unbundled LA extended local dialing parity Port with Caller ID-Res.			UEPSR	UEPAS	1.52	2.31	2.21				15.20				
	Exchange Ports-2W VG unbundled LA Area Plus with Caller ID-Res (RUL)		1	UEPSR	UEPAG	1.52	2.31	2.21				15.20				+
	Exchange Ports-2W VG unburidled Ex Area Plus with Caller ID-Res (ROL)  Exchange Ports-2W VG unbundled res, low usage line port with Caller ID			ULFUN	ULFAG	1.32	2.31	۷.۷۱				13.20				+
	(LUM)	l		UEPSR	UEPAP	1.52	2.31	2.21				15.20				
+ 1	Exchange Ports-2W VG LA Res Dialing Plan w/o Caller ID	<b>—</b>		UEPSR	UEPWG	1.52	2.31	2.21			-	15.20				+
	Exchange Ports-2W VG LA Res Dialing Plan w/o Caller ID  Exchange Ports-2W VG LA Res Area Plus w/o Caller ID			UEPSR	UEPRQ	1.52	2.31	2.21				15.20				+
	2W voice unbundled Low Usage Line Port w/o Caller ID Capability			UEPSR	UEPRU	1.52	2.31	2.21			1	15.20				+
	Subsqnt Activity		$\vdash$	UEPSR	USASC	0.00	0.00	0.00			-	15.20		-	-	+
	OUDSYITE ACTIVITY		1	UEPSK	USASC	0.00	0.00	0.00		ı	1	15.20		i	i	1

Version 4Q02: 01/21/03 Page 207 of 402

UNBUNDL	LED NETWORK ELEMENTS - Louisiana													ment: 2	Exhib	bit: B
											Svc	Svc Order	Incrementa	Incrementa	Incrementa	Increme
											Order	Submitted	I Charge -	I Charge -	I Charge -	al Charg
												Manually	Manual	Manual	Manual	Manua
CATEGORY	RATE ELEMENTS	Interi	Zon	BCS	usoc		PΔT	ES (\$)			ed Elec	per LSR		Svc Order	Svc Order	
JAIL COIK!	INATE ELEMENTO	m	е	500	0000		IVAI	LO (Ψ)			per LSR	poi zoix	VS.	VS.	vs.	vs.
											per Lor		Electronic-	-	Electronic-	
													1st	Add'l	Disc 1st	Disc Add
			1												DISC 1St	DISC AUC
						Rec	Nonrec			isconnec		1 -		Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	All Available Vertical Features			UEPSR	UEPVF	0.00	0.00	0.00				15.20				
2-WIF	RE VOICE GRADE LINE PORT RATES (BUS)															
	Exchange Ports-2W Analog Line Port w/o Caller ID-Bus			UEPSB	UEPBL	1.52	2.31	2.21				15.20				
	Exchange Ports-2W VG unbundled Line Port with unbundled port with															
	Caller+E484 ID-Bus.			UEPSB	UEPBC	1.52	2.31	2.21				15.20				
	Exchange Ports-2W Analog Line Port outgoing only-Bus.			UEPSB	UEPBO	1.52	2.31	2.21				15.20				
	Exchange Ports-2W VG unbundled LA extended local dialing parity Port															†
	with Caller ID-Bus.			UEPSB	UEPAX	1.52	2.31	2.21				15.20				
			1 1													+
	Exhange Ports-2W VG unbundled incoming only port with Caller ID-Bus			UEPSB	UEPB1	1.52	2.31	2.21				15.20				
	Exchange Ports-2W VG unbundled LA Bus Area Calling Port with Caller ID-														1	
	Bus (BUC)			UEPSB	UEPAA	1.52	2.31	2.21				15.20				ļ
	Exchange Ports-2W Voice LA bus Dialing Plan w/o Caller ID			UEPSB	UEPWH	1.52	2.31	2.21				15.20				
	Exchange Ports-2W Voice LA bus Area Calling Port w/o Caller ID			UEPSB	UEPBA	1.52	2.31	2.21				15.20				
	2W voice unbundled Incoming Only Port w/o Caller ID Capability			UEPSB	UEPBE	1.52	2.31	2.21				15.20				
	Subsqnt Activity			UEPSB	USASC	0.00	0.00	0.00				15.20				1
FEAT	URES															1
	All Available Vertical Features			UEPSB	UEPVF	0.00	0.00	0.00				15.20				
	HANGE PORT RATES (DID & PBX)			<del></del>												1
	2W VG Unbundled 2-Way PBX Trunk-Res			UEPSE	UEPRD	1.52	30.37	14.42				15.20				+
	2W VG Line Side Unbundled 2-Way PBX Trunk-Bus			UEPSP	UEPPC	1.52	30.37	14.42				15.20				+
	2W VG Line Side Unbundled Outward PBX Trunk-Bus		1	UEPSP	UEPPO	1.52	30.37	14.42				15.20				+
	2W VG Line Side Unbundled Incoming PBX Trunk-Bus		1	UEPSP	UEPP1	1.52	30.37	14.42				15.20				<del></del>
	2W Analog Long Distance Terminal PBX Trunk-Bus			UEPSP	UEPLD	1.52	30.37	14.42				15.20				
	2W Voice Unbundled 2-Way PBX LA Calling Port			UEPSP	UEPL2	1.52	30.37	14.42				15.20				
	2W Voice Unbundled PBX LD Terminal Ports			UEPSP	UEPLD	1.52	30.37	14.42				15.20				
	2W Vice Unbundled 2-Way PBX Usage Port			UEPSP	UEPXA	1.52	30.37	14.42				15.20				
	2W Voice Unbundled PBX Toll Terminal Hotel Ports			UEPSP	UEPXB	1.52	30.37	14.42				15.20				
	2W Voice Unbundled PBX LD DDD Terminals Port			UEPSP	UEPXC	1.52	30.37	14.42				15.20				
	2W Voice Unbundled PBX LD Terminal Switchboard Port			UEPSP	UEPXD	1.52	30.37	14.42				15.20				1
	2W Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPSP	UEPXE	1.52	30.37	14.42				15.20				
	2W Voice Unbundled 2-Way PBX LA Local Optional Callling Port			UEPSP	UEPXK	1.52	30.37	14.42				15.20				1
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative			02. 0.	02.7	1.02	00.01					10.20				+
	Calling Port			UEPSP	UEPXL	1.52	30.37	14.42				15.20				
			1 1	UEFSF	UEFAL	1.52	30.37	14.42				13.20				+
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling			LIEBOD	LIEDVAA	4.50	00.07	44.40				45.00				
	Port		1	UEPSP	UEPXM	1.52	30.37	14.42	1			15.20				<del>                                     </del>
	2W Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room				l l										1	
	Calling Port		1	UEPSP	UEPXO	1.52	30.37	14.42	1			15.20				<u> </u>
	2W Voice Unbundled 1-Way Outgoing PBX LA Local Discount Calling Port			UEPSP	UEPXP	1.52	30.37	14.42				15.20				1
	2W Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPSP	UEPXS	1.52	30.37	14.42				15.20				
	Subsqnt Activity		$oxed{\Box}$	UEPSP	USASC	0.00	0.00	0.00				15.20				
FEAT	URES															
	All Available Vertical Features			UEPSP UEPSE	UEPVF	0.00	0.00	0.00				15.20				
	IANGE PORT RATES (COIN)											-				
	Exchange Ports-Coin Port		1 1		1	1.52	2.31	2.21	1			15.20		İ	İ	1
	Transmission/usage charges associated with POTS circuit switched	usan	e will a	also apply to circuit	switched v					by B-Cha	nnels ass		h 2W ISDN n	orts.	1	1
	Access to B Channel or D Channel Packet capabilities will be availa												. 211 IODIN p		<del> </del>	+
	ED LOCAL EXCHANGE SWITCHING(PORTS)	DIE OI	ily till	Jugii DER/NDR P100	coo. Rales	ioi tile packet	capabilities	will be dete	i i i i i i eu v	ia lile DF	INNOR PI	UUC33.		-	1	+
	HANGE PORT RATES		$\vdash$			+			1							+
			1	HEDEY	HEDDO	0.00	415.05	10.00	1			45.00		-	<b> </b>	+
	Exchange Ports-2W DID Port			UEPEX	UEPP2	8.29	115.85	18.20 92.92				15.20 15.20				
	Exchange Ports-DDITS Port-4W DS1 Port with DID capability			UEPDD	UEPDD	68.47	196.18									

UNB	UND	ED NETWORK ELEMENTS - Louisiana													ment: 2		bit: B
CATE	GORY	RATE ELEMENTS	Interi m	i Zon e	BCS	USOC		RAT	ES (\$)			Svc Order Submitt ed Elec per LSR	Submitted Manually per LSR	I Charge - Manual Svc Order vs.	Manual Svc Order vs.	I Charge - Manual Svc Order vs. Electronic-	al Charge Manual Svc Orde vs.
								Nonreci	urring	NRC D	Disconne	C		oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		All Features Offered			UEPTX UEPSX	UEPVF	0.00	0.00	0.00								
	NOT	E: Transmission/usage charges associated with POTS circuit switched	l usag	e will	also apply to circuit	switched	voice and/or ci	rcuit switched	d data trans	mission	by B-Ch	annels ass	ociated wit	h 2W ISDN p	orts.		
	NOT	E: Access to B Channel or D Channel Packet capabilities will be availa	ble or	nly th	rough BFR/NBR Proc	ess. Rate	s for the packet	capabilities	will be dete	rmined v	ia the Bl	R/NBR Pi	ocess.				
		Exchange Ports-2W ISDN PortChannel Profiles			UEPTX UEPSX	U1UMA	0.00	0.00	0.00								
		Exchange Ports-4W ISDN DS1 Port			UEPEX	UEPEX	94.82	197.92	98.62				15.20				
	UNB	UNDLED PORT with REMOTE CALL FORWARDING CAPABILITY															
	UNB	UNDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE															
		Unbundled Remote Call Forwarding Service, Area Calling, Res			UEPVR	UERAC	1.52	2.31	2.21				15.20				
		Unbundled Remote Call Forwarding Service, Local Calling-Res			UEPVR	UERLC	1.52	2.31	2.21				15.20				
		Unbundled Remote Call Forwarding Service, InterLATA-Res			UEPVR	UERTE	1.52	2.31	2.21				15.20				
		Unbundled Remote Call Forwarding Service, IntraLATA-Res			UEPVR	UERTR	1.52	2.31	2.21				15.20				
	Non-	Recurring															
		Unbundled Remote Call Forwarding Service -Conversion-Switch-as-is			UEPVR	USAC2		0.10	0.10				15.20				
		Unbundled Remote Call Forwarding Service -Conversion with allowed change (PIC & LPIC)			UEPVR	USACC		0.10	0.10								
	UNB	UNDLED REMOTE CALL FORWARDING - Bus															
		Unbundled Remote Call Forwarding Service, Area Calling-Bus			UEPVB	UERAC	1.52	2.31	2.21				15.20				
		Unbundled Remote Call Forwarding Service, Local Calling-Bus			UEPVB	UERLC	1.52	2.31	2.21				15.20				
		Unbundled Remote Call Forwarding Service, InterLATA-Bus			UEPVB	UERTE	1.52	2.31	2.21				15.20				
		Unbundled Remote Call Forwarding Service, IntraLATA-Bus			UEPVB	UERTR	1.52	2.31	2.21				15.20				
		Unbundled Remote Call Forwarding Service Expanded & Exception Local Calling			UEPVB	UERVJ	1.52	2.31	2.21				15.20				
	Non-	Recurring															1
		Unbundled Remote Call Forwarding Service-Conversion-Switch-as-is			UEPVB	USAC2		0.10	0.10				15.20				1
		Unbundled Remote Call Forwarding Service -Conversion with allowed change (PIC & LPIC)			UEPVB	USACC		0.10	0.10								

UNB	UNDL	ED NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhil	bit: B
												Svc	Svc Order		Incrementa	Incrementa	Incremen
												Order		I Charge -		I Charge -	al Charge
				_								Submitt	Manually	Manual	Manual	Manual	Manual
CATE	GORY	RATE ELEMENTS	Interi		BCS	USOC		RAT	ES (\$)			ed Elec	per LSR	Svc Order	Svc Order	Svc Order	Svc Orde
			m	е					- (.,			per LSR	l .	vs.	vs.	vs.	vs.
												-		Electronic-	Electronic-	Electronic-	Electroni
														1st	Add'l	Disc 1st	Disc Add'
							_	Nonrec	urrina	NRC E	Disconnec			oss	Rates (\$)		
							Rec	First	Add'l		Add'l	SOMEC	SOMAN		,	SOMAN	SOMAN
UNBI	JNDLE	D LOCAL SWITCHING, PORT USAGE															
		Office Switching (Port Usage)															
	_	End Office Switching Function, Per MOU					0.001868										
		End Office Trunk Port-Shared, Per MOU					0.00018										
		em Switching (Port Usage) (Local or Access Tandem)					0.000.0										
		Tandem Switching Function Per MOU					0.0001067										
		Tandem Trunk Port-Shared, Per MOU					0.000222										1
		non Transport															+
	2	Common Transport-Per mi, Per MOU					0.0000032								Ì		1
		Common Transport-Facilities Term Per MOU					0.0003748								İ		<b>†</b>
UNBI		D PORT/LOOP COMBINATIONS - COST BASED RATES					0.00001.10										+
0		Based Rates are applied where BellSouth is required by FCC and/or Co	ommis	ssion	rule to provide Unb	undled Loc	al Switching o	r Switch Port	S.								+
	_	res shall apply to the Unbundled Port/Loop Combination - Cost Based								led Port	section o	this Fyh	ihit				†
		Office & Tandem Switching Usage & Common Transport Usage rates in												/Loon Comb	inations		+
		rst & add'l Port NRC charges apply to Not Currently Combined Combo													liations.		
		RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)	J3. I U	Cuii	entry Combined Co	11003 tile 1	Tro charges si	ian be mose i	I I	THE INIC	Jacourren	ily Collida	lica section	1			+
		Port/Loop Combination Rates															+
	_	2W VG Loop/Port Combo-Zone 1		1			13.13										+
		2W VG Loop/Port Combo-Zone 1		2			23.75										+
		2W VG Loop/Port Combo-Zone 2		3			49.62										+
		Loop Rates		3			49.02										+
	UNE	2W VG Loop (SL1)-Zone 1		1	UEPRX	UEPLX	11.77										+
		2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 2		2	UEPRX	UEPLX	22.39		-								+
		2W VG Loop (SL1)-Zone 2 2W VG Loop (SL1)-Zone 3		3	UEPRX	UEPLX	48.26										+
				J	UEPKA	UEPLX	40.20										+
		e Voice Grade Line Port Rates (Res)			LIEDDY	LIEDDI	4.00	20.05	40.00				45.00				+
		2W voice unbundled port-Res			UEPRX	UEPRL	1.36	38.85	19.08				15.20				
		2W voice unbundled port with Caller ID-res			UEPRX	UEPRC	1.36	38.85	19.08				15.20				
		2W voice unbundled port outgoing only-res			UEPRX	UEPRO	1.36	38.85	19.08				15.20				4
		2W VG unbundled LA extended local dialing parity port with Caller ID-res			UEPRX	UEPAS	1.36	38.85	19.08		1		15.20				4
		2W voice unbundled LA Area Plus with Caller ID-res (RUL)			UEPRX	UEPAG	1.36	38.85	19.08				15.20				4
		2W voice unbundles res, low usage line port with Caller ID (LUM)			UEPRX	UEPAP	1.36	38.85	19.08				15.20				
		2W Voice Unbundled LA Res Dialing Plan w/o Caller ID			UEPRX	UEPWG	1.36	38.85	19.08				15.20				
		2W voice unbundled LA Area Plus Port w/o Caller ID Capability			UEPRX	UEPRQ	1.36	38.85	19.08				15.20				
		2W voice unbundled Low Usage Line Port w/o Caller ID Capability			UEPRX	UEPRT	1.36	38.85	19.08				15.20				
	_	URES															
		All Features Offered			UEPRX	UEPVF	0.00	0.00	0.00				15.20				
	_	L NUMBER PORTABILITY															
		Local No Portability (1 per port)			UEPRX	LNPCX	0.35			ļ	ļ						1
		RECURRING CHARGES (NRCs) - CURRENTLY COMBINED								ļ							1
		2W VG Loop/Line Port Combination-Conversion-Switch-as-is			UEPRX	USAC2		0.10	0.10				15.20		ļ		<del> </del>
		2W VG Loop/Line Port Combination -Conversion-Switch with change			UEPRX	USACC		0.10	0.10				15.20				1
		TIONAL NRCs															<u> </u>
		2W VG Loop/Line Port Combination-Subsqnt Activity			UEPRX	USAS2	0.00	0.00	0.00				15.20				1
	_	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)								1	ļ						
		Port/Loop Combination Rates															
		2W VG Loop/Port Combo-Zone 1		1			13.13			1							
		2W VG Loop/Port Combo-Zone 2		2			23.75									20.00	
		2W VG Loop/Port Combo-Zone 3		3			49.62										
		Loop Rates															
		2W VG Loop (SL1)-Zone 1		1	UEPBX	UEPLX	11.77										
		2W VG Loop (SL1)-Zone 2		2	UEPBX	UEPLX	22.39										

Version 4Q02: 01/21/03 Page 210 of 402

<u>INROND</u> L	ED NETWORK ELEMENTS - Louisiana													ment: 2		bit: B
											Svc	Svc Order	Incrementa	Incrementa	Incrementa	
											Order	Submitted	I Charge -	I Charge -	I Charge -	al Charg
											Submitt	Manually	Manual	Manual	Manual	Manua
ATEGORY	RATE ELEMENTS	Interi		BCS	usoc		RAT	ES (\$)			ed Elec		Svc Order	Svc Order	Svc Order	Svc Ord
A1200K	TATE ELLINEITO	m	е	500			1041	<b>ΔΟ (ψ)</b>			per LSR		vs.	vs.	vs.	vs.
											poi Loit		_	Electronic-	Electronic-	
													1st	Add'l	Disc 1st	Disc Add
					+ +	1		-	NDOD						Disc 1st	DISC AUC
						Rec	Nonrec			isconnec				Rates (\$)		T
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2W VG Loop (SL1)-Zone 3		3	UEPBX	UEPLX	48.26										
	e Voice Grade Line Port (Bus)															
	2W voice unbundled port w/o Caller ID-bus			UEPBX	UEPBL	1.36	38.85	19.08				15.20				
	2W voice unbundled port with Caller + E484 ID-bus			UEPBX	UEPBC	1.36	38.85	19.08				15.20				
	2W voice unbundled port outgoing only-bus			UEPBX	UEPBO	1.36	38.85	19.08				15.20				
	2W VG unbundled LA extended local dialing parity port with Caller ID-bus			UEPBX	UEPAX	1.36	38.85	19.08				15.20				
	2W voice unbundled incoming only port with Caller ID-Bus			UEPBX	UPEB1	1.36	38.85	19.08				15.20				
	2W voice unbundled LA Bus Area Calling Port with Caller ID (BUC)			UEPBX	UEPAA	1.36	38.85	19.08				15.20				T
	2W Voice Unbundled LA bus Dialing Plan w/o Caller ID			UEPBX	UEPWH	1.36	38.85	19.08				15.20	1		1	
	2W voice unbundled LA bus Area Calling Port w/o Caller ID Capability			UEPBX	UEPBA	1.36	38.85	19.08				15.20				1
	2W voice unbundled Incoming Only Port w/o Caller ID Capability			UEPBX	UEPBE	1.36	38.85	19.08				15.20				<del>                                     </del>
	L NUMBER PORTABILITY			OLI DA	OLIBE	1.50	30.03	13.00				13.20				+
	Local No Portability (1 per port)			UEPBX	LNPCX	0.35							-	1	1	+
				UEPBX	LINPCX	0.35			-							+
	URES															
	All Features Offered			UEPBX	UEPVF	0.00	0.00	0.00				15.20				
	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2W VG Loop/Line Port Combination-Conversion-Switch-as-is			UEPBX	USAC2		0.10	0.10				15.20				
	2W VG Loop/Line Port Combination -Conversion-Switch with change			UEPBX	USACC		0.10	0.10				15.20				
ADDI	TIONAL NRCs															
	2W VG Loop/Line Port Combination-Subsqnt Activity			UEPBX	USAS2		0.00	0.00				15.20				
2-WIR	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)															
UNE	Port/Loop Combination Rates															
	2W VG Loop/Port Combo-Zone 1		1			13.13										1
	2W VG Loop/Port Combo-Zone 2		2			23.75										
	2W VG Loop/Port Combo-Zone 3		3		1	49.62										
	Loop Rates		Ť		1	10.02										
	2W VG Loop (SL 1)-Zone 1		1	UEPRG	UEPLX	11.77										+
	2W VG Loop (SL 1)-Zone 2		2	UEPRG	UEPLX	22.39										+
	2W VG Loop (SL 1)-Zone 3		3	UEPRG	UEPLX	48.26										+
			3	UEPRG	UEPLA	46.20										+
	e Voice Grade Line Port Rates (RES - PBX)			LIEDDO	LIEDDD	4.00	20.04	04.00				45.00				+
	2W VG Unbundled Combination 2-Way PBX Trunk Port-Res			UEPRG	UEPRD	1.36	66.91	31.29				15.20				
	L NUMBER PORTABILITY															
	Local No Portability (1 per port)			UEPRG	LNPCP	3.15	0.00	0.00	1			15.20			ļ	<u> </u>
	URES								ļ					Į.		
	All Features Offered			UEPRG	UEPVF	0.00	0.00	0.00				15.20				
	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2W VG Loop/ Line Port Combination (PBX)-Conversion-Switch-As-Is			UEPRG	USAC2	İ	7.68	1.85				15.20				
	2W VG Loop/ Line Port Combination (PBX)-Conversion-Switch with			UEPRG	USACC		7.68	1.85				15.20				I
	TIONAL NRCs					ĺ										1
	2W VG Loop/ Line Port Combination (PBX)-Subsqnt Activity			UEPRG	USAS2	0.00	0.00	0.00			1	15.20	İ		İ	1
	PBX Subsqnt Activity-Change/Rearrange Multiline Hunt Group					2.30	7.11	7.11				15.20				<b>†</b>
	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)		1		+	+	,,,,	7.11			1	10.20		1		1
	Port/Loop Combination Rates				+ +	-					1			1	<b> </b>	1
	2W VG Loop/Port Combo-Zone 1		1		+ +	13.13			<b>+</b>	<b> </b>	<del>                                     </del>			+	<del>                                     </del>	+
	2W VG Loop/Port Combo-Zone 1 2W VG Loop/Port Combo-Zone 2		2		+	23.75			1	-	1		1		1	+
			_		+ +				1	<b> </b>	1		-	1	<del>                                     </del>	+
	2W VG Loop/Port Combo-Zone 3		3		+	49.62			1		ļ			1	1	+
	_oop Rates		<b>⊢.</b> ↓		1				ļ	ļ					ļ	+
	2W VG Loop (SL 1)-Zone 1		1	UEPPX	UEPLX	11.77			1		ļ			ļ		4
1 1	2W VG Loop (SL 1)-Zone 2	1	2	UEPPX	UEPLX	22.39										1
	2W VG Loop (SL 1)-Zone 3		3	UEPPX	UEPLX	48.26										

Version 4Q02: 01/21/03 Page 211 of 402

JNBUND	LED NETWORK ELEMENTS - Louisiana												Attachi	ment: 2	Exhib	oit: B
CATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	USOC		RAT	ES (\$)			Svc Order Submitt ed Elec per LSR	Submitted	Incrementa I Charge - Manual Svc Order vs. Electronic- 1st	Incrementa I Charge - Manual Svc Order vs. Electronic- Add'I	I Charge - Manual Svc Order vs. Electronic-	al Charge Manual Svc Order vs.
					-		Nonrecu	ırrina	NRC D	isconnec				Rates (\$)	2.00 .0.	2.007.00
						Rec	First	Add'l	First			SOMAN	SOMAN		SOMAN	SOMAN
	Line Side Unbundled Combination 2-Way PBX Trunk Port-Bus			UEPPX	UEPPC	1.36	66.91	31.29	11100	Auu	COME	15.20	COMPAR	COMPAR	COMPAR	JOHNAIN
	Line Side Unbundled Outward PBX Trunk Port-Bus			UEPPX	UEPPO	1.36	66.91	31.29				15.20				
	Line Side Unbundled Incoming PBX Trunk Port-Bus			UEPPX	UEPP1	1.36	66.91	31.29				15.20				
	2W Voice Unbundled 2-Way Combination PBX LA Calling Port			UEPPX	UEPL2	1.36	66.91	31.29				15.20				
	2W Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	1.36	66.91	31.29				15.20				
	2W Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	1.36	66.91	31.29				15.20				
	2W Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	1.36	66.91	31.29				15.20				
	2W Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	1.36	66.91	31.29				15.20				
	2W Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	1.36	66.91	31.29				15.20				
	2W Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPPX	UEPXE	1.36	66.91	31.29				15.20				
	2W Voice Unbundled 2-Way PBX LA Local Optional Calling Port			UEPPX	UEPXK	1.36	66.91	31.29				15.20				
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative															
	Calling Port			UEPPX	UEPXL	1.36	66.91	31.29				15.20				
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling			<u> </u>												
	Port			UEPPX	UEPXM	1.36	66.91	31.29				15.20				
	2W Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room															
	Calling Port			UEPPX	UEPXO	1.36	66.91	31.29				15.20				
	2W Voice Unbundled 1-Way Outgoing PBX LA Local Discount Calling Port			UEPPX	UEPXP	1.36	66.91	31.29				15.20				
	2W Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	1.36	66.91	31.29				15.20				
LOC	AL NUMBER PORTABILITY			02.17	02.70	1.00	00.01	01.20				10.20				
	Local No Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00				15.20				
FFA	TURES			OZ. I X	2.11 01	0.10	0.00	0.00				10.20				
	All Features Offered			UEPPX	UEPVF	0.00	0.00	0.00				15.20				
NON	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
-	2W VG Loop/ Line Port Combination (PBX)-Conversion-Switch-As-Is			UEPPX	USAC2		7.68	1.85				15.20				
	2W VG Loop/ Line Port Combination (PBX)-Conversion-Switch with			UEPPX	USACC		7.68	1.85				15.20				
	ITIONAL NRCs			<u> </u>												
	2W VG Loop/ Line Port Combination (PBX)-Subsqnt Activity			UEPPX	USAS2	0.00	0.00	0.00				15.20				
	PBX Subsqnt Activity-Change/Rearrange Multiline Hunt Group						7.11	7.11				15.20				
2-WI	RE VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN PORT															
	Port/Loop Combination Rates															
	2W VG Coin Port/Loop Combo – Zone 1		1			13.13										
	2W VG Coin Port/Loop Combo – Zone 2		2			23.75										
	2W VG Coin Port/Loop Combo – Zone 3		3			49.62										
UNE	Loop Rates															
	2W VG Loop (SL1)-Zone 1		1	UEPCO	UEPLX	11.77										
	2W VG Loop (SL1)-Zone 2		2	UEPCO	UEPLX	22.39										
	2W VG Loop (SL1)-Zone 3		3	UEPCO	UEPLX	48.26										
2-Wi	re Voice Grade Line Ports (COIN)															
	2W Coin 2-Way w/o Oper Screening & w/o Blocking (AL, KY, LA, MS)			UEPCO	UEPRF	1.36	38.85	19.08				15.20				
	2W Coin 2-Way with Oper Screening & Blocking: 011, 900/976, 1+DDD			UEPCO	UEPRA	1.36	38.85	19.08				15.20				
	2W Coin 2-Way with Oper Screening & 011 Blocking (AL, LA, MS)			UEPCO	UEPRB	1.36	38.85	19.08				15.20				
	2W Coin 2-Way with Oper Screening & Blocking: 900/976, 1+DDD, 011+, & Local			UEPCO	UEPCD	1.36	38.85	19.08				15.20				
	2W Coin Outward w/o Blocking & w/o Oper Screening (KY, LA, MS)			UEPCO	UEPRN	1.36	38.85	19.08	<b></b>			15.20				<del>                                     </del>
-	2W Coin Outward with Oper Screening & 011 Blocking (LA)		$\vdash$	UEPCO	UEPLA	1.36	38.85	19.08	1		1	15.20		1		
-+	2W Coin Outward with Oper Screening & 011 Blocking (LA)  2W Coin Outward w Oper Screening & Blocking: 011, 900/976, 1+DDD			UEPCO	UEPRH	1.36	38.85	19.08	<del>                                     </del>		<del>                                     </del>	15.20				<del>                                     </del>
-+	2W Coin Outward Oper Screening & Blocking: 900/976, 1+DDD, 011+, &			ULFCU	OLFRIT	1.30	30.03	19.00	<del>                                     </del>		<del>                                     </del>	13.20				<del>                                     </del>
	Local			UEPCO	UEPCN	1.36	38.85	19.08				15.20				
-	2W Coin 2-Way Smartline with 900/976 (LA only)			UEPCO	UEPNA	1.36	38.85	19.08	1		1	15.20				<del>                                     </del>
	2W Coin 2-way Smartline with 900/976 (LA only)  2W Coin Outward Smartline with 900/976 (LA only)		1	UEPCO	UEPCB	1.36	38.85	19.08	1		1	15.20		<b> </b>	-	<del> </del>

DNRONDL	ED NETWORK ELEMENTS - Louisiana													nent: 2		oit: B
				_							Svc Order	Svc Order Submitted	Incrementa I Charge -	Incrementa I Charge -	Incrementa I Charge -	
												Manually	Manual	Manual	Manual	Manual
CATEGORY	RATE ELEMENTS	Interi		BCS	usoc		RAT	ES (\$)			ed Elec	_	Svc Order		Svc Order	
JA 1 2 0 0 1 1 1	NATE ELEMENTO	m	е	200	0000		1041	<b>-</b> Ο (Ψ)			per LSR		vs.	vs.	vs.	vs.
											<b>P</b>				Electronic-	
													1st	Add'l		Disc Add
1							Nonreci	urring	NRC D	isconnec		1		Rates (\$)		
						Rec	First	Add'l	First	Add'l		SOMAN	SOMAN		SOMAN	SOMAN
ADDI	TIONAL UNE COIN PORT/LOOP (RC)						11130	Auui	11130	Addi	CONILO	OOMAN	COMPAN	OOMAN	OOMAN	OCIVIAIN
	UNE Coin Port/Loop Combo Usage (Flat Rate)			UEPCO	URECU	1.81	0.00	0.00	0.00	0.00		15.20				
	L NUMBER PORTABILITY			021 00	OILEGO	1.01	0.00	0.00	0.00	0.00		10.20				
	Local No Portability (1 per port)			UEPCO	LNPCX	0.35										
	RECURRING CHARGES - CURRENTLY COMBINED			021 00	LIVIOX	0.00										
	2W VG Loop/Line Port Combination -Conversion-Switch-as-is			UEPCO	USAC2		0.10	0.10				15.20				+
	2W VG Loop/Line Port Combination -Conversion-Switch with change			UEPCO	USACC		0.10	0.10				15.20				+
	FIONAL NRCs			OLFCO	USACC		0.10	0.10				13.20				
	2W VG Loop/Line Port Combination-Subsqnt Activity			UEPCO	USAS2		0.00	0.00				15.20				+
	2W VG Loop/Line Port Combination-Subsqut Activity  LE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE LINE	DODT	/DES		USASZ		0.00	0.00	1	-	1	15.20		1		+
	Port/Loop Combination Rates	PORT	(NES	)	+											+
	2W VG Loop/IO Tranport/Port Combo-Zone 1		1		-	16.45										+
			2		+											+
	2W VG Loop/IO Tranport/Port Combo-Zone 2					26.87										+
	2W VG Loop/IO Tranport/Port Combo-Zone 3		3		-	51.98										
UNE	Loop Rates		_	LIEDED	LIEGEO	11.00			ļ							
	2W VG Loop (SL2)-Zone 1		1	UEPFR	UECF2	14.93										
	2W VG Loop (SL2)-Zone 2		2	UEPFR	UECF2	25.35			ļ							<del> </del>
	2W VG Loop (SL2)-Zone 3		3	UEPFR	UECF2	50.46										
	e Voice Grade Line Port Rates (Res)															
	2W voice unbundled port-Res			UEPFR	UEPRL	1.52	104.41	67.93				15.20				
	2W voice unbundled port with Caller ID-res			UEPFR	UEPRC	1.52	104.41	67.93				15.20				
	2W voice unbundled port outgoing only-res			UEPFR	UEPRO	1.52	104.41	67.93				15.20				
	2W VG unbundled LA extended local dialing parity port with Caller ID-res			UEPFR	UEPAS	1.52	104.41	67.93				15.20				
	2W voice unbundled LA Area Plus with Caller ID-res (RUL)			UEPFR	UEPAG	1.52	104.41	67.93				15.20				
	2W voice unbundles res, low usage line port with Caller ID (LUM)			UEPFR	UEPAP	1.52	104.41	67.93				15.20				
	2W Voice Unbundled LA Res Dialing Plan w/o Caller ID			UEPFR	UEPWG	1.52	104.41	67.93				15.20				
	ROFFICE TRANSPORT															
	Interoffice Transport-Dedicated-2W VG-Facility Term			UEPFR	U1TV2	22.60	39.36	26.62				15.20				
	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi			UEPFR	1L5XX	0.013										
FEAT																
	All Features Offered			UEPFR	UEPVF	0.00	0.00	0.00				15.20				
	L NUMBER PORTABILITY															
	Local No Portability (1 per port)			UEPFR	LNPCX	0.35										
	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-															
	Switch-as-is			UEPFR	USAC2		8.24	1.81				15.20				
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-															
	Switch-With-Change			UEPFR	USACC		8.24	1.81		<u> </u>	<u> </u>	15.20				<u> </u>
	E VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE LINE	PORT	(BUS	)												
UNE F	Port/Loop Combination Rates															
	2W VG Loop/IO Tranport/Port Combo-Zone 1		1			16.45										
	2W VG Loop/IO Tranport/Port Combo-Zone 2		2			26.87										
	2W VG Loop/IO Tranport/Port Combo-Zone 3		3			51.98										
	oop Rates															
	2W VG Loop (SL2)-Zone 1		1	UEPFB	UECF2	14.93										
	2W VG Loop (SL2)-Zone 2		2	UEPFB	UECF2	25.35										1
	2W VG Loop (SL2)-Zone 3		3	UEPFB	UECF2	50.46			1							1
	e Voice Grade Line Port (Bus)			*	1	22.10										
	2W voice unbundled port w/o Caller ID-bus			UEPFB	UEPBL	1.52	104.41	67.93				15.20				1
	2W voice unbundled port with Caller + E484 ID-bus			UEPFB	UEPBC	1.52	104.41	67.93				15.20				<del>                                     </del>
	2W voice unbundled port with edition 1 E-10-115 bus			UEPFB	UEPBO	1.52	104.41	67.93				15.20				

Version 4Q02: 01/21/03 Page 213 of 402

UNE	UNDL	ED NETWORK ELEMENTS - Louisiana												Attachi	ment: 2	Exhib	oit: B
CATE	EGORY	RATE ELEMENTS	Interi m	Zon e	BCS	USOC		RATI	ES (\$)			Order	Submitted Manually per LSR	I Charge - Manual Svc Order vs.	Incrementa I Charge - Manual Svc Order vs. Electronic- Add'I	I Charge - Manual Svc Order vs. Electronic-	al Charge - Manual Svc Order vs.
							Rec	Nonrecu	ırring	NRC D	isconne			OSS	Rates (\$)	•	
							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2W VG unbundled LA extended local dialing parity port with Caller ID-bus			UEPFB	UEPAX	1.52	104.41	67.93				15.20				
		2W voice unbundled incoming only port with Caller ID-Bus			UEPFB	UEPB1	1.52	104.41	67.93				15.20				
		2W voice unbundled LA Bus Area Calling Port with Caller ID (BUC)			UEPFB	UEPAA	1.52	104.41	67.93				15.20				
		2W Voice Unbundled LA bus Dialing Plan w/o Caller ID			UEPFB	UEPWH	1.52	104.41	67.93				15.20				
	LOCA	L NUMBER PORTABILITY															
		Local No Portability (1 per port)			UEPFB	LNPCX	0.35										
	INTE	ROFFICE TRANSPORT															
		Interoffice Transport-Dedicated-2W VG-Facility Term			UEPFB	U1TV2	22.60	39.36	26.62				15.20				
		Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi			UEPFB	1L5XX	0.013										
	FEAT	URES															
		All Features Offered			UEPFB	UEPVF	0.00	0.00	0.00	, and the second	,		15.20				

UNBUNDI	LED NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhil	bit: B
											Svc	Svc Order	Incrementa	Incrementa	Incrementa	Increme
												Submitted		I Charge -	I Charge -	
												Manually	Manual	Manual	Manual	Manua
ATEGORY	RATE ELEMENTS	Interi	Zon	BCS	usoc		PΔT	ES (\$)			ed Elec			Svc Order	Svc Order	
AILOOKI	INATE ELLINERTO	m	е	500	0000		I.A.I	LO (4)			per LSR		VS.	vs.	vs.	vs.
											per Lor		_	Electronic-	Electronic-	
													1st	Add'l	Disc 1st	Disc Ad
					_										DISC 1St	DISC AU
						Rec	Nonrec		_	isconne				Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-															
	Switch-as-is			UEPFB	USAC2		8.24	1.81				15.20				
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-															
	Switch with change			UEPFB	USACC		8.24	1.81				15.20				
2-WII	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)															1
	Port/Loop Combination Rates															1
	2W VG Loop/IO Tranport/Port Combo-Zone 1		1			16.45										†
	2W VG Loop/IO Tranport/Port Combo-Zone 2		2		+ -	26.87			<b>†</b>	1	1	<b>†</b>		1	<b>I</b>	1
	2W VG Loop/IO Tranport/Port Combo-Zone 2  2W VG Loop/IO Tranport/Port Combo-Zone 3		3		+ +	51.98			1	1		<b>-</b>	1	1	t	+
			3		+	51.98			<del>                                     </del>	-	-	<del>                                     </del>	-	1	<del>                                     </del>	+
	Loop Rates		$\vdash$		1,5050				ļ	1	ļ			1	1	+
	2W VG Loop (SL2)-Zone 1		1	UEPFP	UECF2	14.93										
	2W VG Loop (SL2)-Zone 2		2	UEPFP	UECF2	25.35										
	2W VG Loop (SL2)-Zone 3		3	UEPFP	UECF2	50.46										
2-Wir	e Voice Grade Line Port Rates (BUS - PBX)															
	Line Side Unbundled Combination 2-Way PBX Trunk Port-Bus			UEPFP	UEPPC	1.52	132.47	82.14				15.20				
	Line Side Unbundled Outward PBX Trunk Port-Bus			UEPFP	UEPPO	1.52	132.47	82.14				15.20				
	Line Side Unbundled Incoming PBX Trunk Port-Bus			UEPFP	UEPP1	1.52	132.47	82.14				15.20				1
	2W Voice Unbundled 2-Way Combination PBX LA Calling Port			UEPFP	UEPL2	1.52	132.47	82.14				15.20				1
	2W Voice Unbundled PBX LD Terminal Ports			UEPFP	UEPLD	1.52	132.47	82.14				15.20				<b>†</b>
	2W Voice Unbundled 2-Way Combination PBX Usage Port			UEPFP	UEPXA	1.52	132.47	82.14				15.20				+
	2W Voice Unbundled PBX Toll Terminal Hotel Ports			UEPFP	UEPXB	1.52	132.47	82.14				15.20				+
	2W Voice Unbundled PBX Toll Terminal Hotel Ports  2W Voice Unbundled PBX LD DDD Terminals Port		-	UEPFP	UEPXC	1.52	132.47	82.14				15.20				+
				UEPFP	UEPXD		132.47	82.14				15.20				+
	2W Voice Unbundled PBX LD Terminal Switchboard Port		-			1.52										4
	2W Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port		-	UEPFP	UEPXE	1.52	132.47	82.14				15.20				4
	2W Voice Unbundled 2-Way PBX LA Local Optional Calling Port			UEPFP	UEPXK	1.52	132.47	82.14				15.20				
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative															
	Calling Port			UEPFP	UEPXL	1.52	132.47	82.14				15.20				
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling															
	Port			UEPFP	UEPXM	1.52	132.47	82.14				15.20				
	2W Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room															
	Calling Port			UEPFP	UEPXO	1.52	132.47	82.14				15.20				
	2W Voice Unbundled 1-Way Outgoing PBX LA Local Discount Calling Port			UEPFP	UEPXP	1.52	132.47	82.14				15.20				1
	2W Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPFP	UEPXS	1.52	132.47	82.14				15.20				1
	AL NUMBER PORTABILITY			02	02.70		.02	02.11				10.20				<b>†</b>
	Local No Portability (1 per port)			UEPFP	LNPCP	3.15	0.00	0.00				15.20				1
	ROFFICE TRANSPORT		-	OLITI	LIVI OI	5.15	0.00	0.00				13.20				+
			-	UEPFP	LIATVO	00.00	20.00	00.00				45.00				+
	Interoffice Transport-Dedicated-2W VG-Facility Term		-		U1TV2	22.60	39.36	26.62				15.20				
	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi			UEPFP	1L5XX	0.013										
	URES															
	All Features Offered			UEPFP	UEPVF	0.00	0.00	0.00				15.20				
	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-															1
	Switch-as-is			UEPFP	USAC2		8.24	1.81	<u> </u>	<u> </u>	<u> </u>	15.20	<u> </u>		<u> </u>	<u> </u>
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-													_		
	Switch with change			UEPFP	USACC		8.24	1.81				15.20				1
	D PORT/LOOP COMBINATIONS - COST BASED RATES						4		1	1	1		İ			1
	RE VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK PORT								1						1	<b>†</b>
	Port/Loop Combination Rates		<del>     </del>		+ -	-			<b>†</b>	1	1	<b>†</b>		1	<b>I</b>	1
	2W VG Loop/2W DID Trunk Port Combo-UNE Zone 1		1		+ +	23.20			1	1	1	<b>+</b>	1	1	t	+
	2W VG Loop/2W DID Trunk Port Combo-UNE Zone 1 2W VG Loop/2W DID Trunk Port Combo-UNE Zone 2		2			33.62			<del>                                     </del>	<del>                                     </del>	<del>                                     </del>	-		<del>                                     </del>	<del>                                     </del>	+

JNBUNDI	LED NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhil	bit: B
											Svc	Svc Order	Incrementa	Incrementa	Incrementa	Increme
											Order	Submitted	I Charge -	I Charge -	I Charge -	al Char
												Manually	Manual	Manual	Manual	Manua
ATEGORY	RATE ELEMENTS	nteri	Zon	BCS	usoc	•	RΔ	TES (\$)			ed Elec		Svc Order		Svc Order	
AILOOKI	KATE EEEMENTO	m	е	500	0000	<b>^</b>	IVA.	LO (4)			per LSR		vs.	vs.	vs.	vs.
											per Lor		Electronic-		Electronic-	_
													1st	Add'l	Disc 1st	Disc Add
							1								DISC 1St	DISC AU
						Rec	Nonrec			Disconne				Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2W VG Loop/2W DID Trunk Port Combo-UNE Zone 3		3			58.73										
	Loop Rates															
	2W Analog VG Loop-(SL2)-UNE Zone 1		1	UEPPX	UECD							15.20				
	2W Analog VG Loop-(SL2)-UNE Zone 2		2	UEPPX	UECD	1 25.35						15.20				
	2W Analog VG Loop-(SL2)-UNE Zone 3		3	UEPPX	UECD	1 50.46						15.20				
UNE	Port Rate															
	Exchange Ports-2W DID Port			UEPPX	UEPD	1 8.27	217.95	83.92				15.20				1
	RECURRING CHARGES - CURRENTLY COMBINED			_												1
	2W VG Loop/2W DID Trunk Port Combination -Switch-as-is			UEPPX	USAC	1	7.10	1.81	1	1	1	15.20	1		1	<del>                                     </del>
	2W VG Loop/2W DID Trunk Port Conversion with BST Allowable Changes			UEPPX	USA1		7.10	1.81	1	1		15.20		1		+
	ITIONAL NRCs			OLFFA	JUNI	<del>-</del>	7.10	1.01	<del>                                     </del>	1	1	13.20	1	1	t	+
				HEDDY	11040	1	00.01	00.01	<b> </b>	<b> </b>	<b> </b>	45.00		-	-	+
	2W DID Subsqnt Activity-Add Trunks, Per Trunk			UEPPX	USAS	1	26.01	26.01	<del>                                     </del>	1	1	15.20	<del>                                     </del>	1	<del>                                     </del>	+
	phone Number/Trunk Group Establisment Charges				<del> </del>		ļ	ļ	<b></b>	<b> </b>	<b> </b>	<del></del>	ļ		-	<b>↓</b>
	DID Trunk Term (One Per Port)			UEPPX	NDT		0.00					15.20				
	Add'l DID Nos for each Group of 20 DID Nos			UEPPX	ND4							15.20				
	DID Nos, Non-consecutive DID Nos , Per No			UEPPX	ND5		0.00	0.00				15.20				
	Reserve Non-Consecutive DID Nos			UEPPX	ND6	0.00	0.00	0.00				15.20				
	Reserve DID Nos			UEPPX	NDV	0.00	0.00	0.00				15.20				
LOCA	AL NUMBER PORTABILITY															1
	Local No Portability (1 per port)			UEPPX	LNPC	P 3.15	0.00	0.00								1
	RE ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LINE SIDE	POR	т													
	Port/Loop Combination Rates		i e													+
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -UNE Zone 1		1	UEPPB UEPPI	,	27.48										+
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Fort - ONE Zone 1		2	UEPPB UEPPF		40.34						-			-	+
				UEPPB UEPPF		70.99			1							+
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -UNE Zone 3		3	UEPPB UEPPF	(	70.99										+
	Loop Rates															
	2W ISDN Digital Grade Loop-UNE Zone 1		1	UEPPB UEPPR								15.20				
	2W ISDN Digital Grade Loop-UNE Zone 2		2	UEPPB UEPPF								15.20				
	2W ISDN Digital Grade Loop-UNE Zone 3		3	UEPPB UEPPR	USL2	K 62.60						15.20				
UNE	Port Rate															
	Exchange Port-2W ISDN Line Side Port			UEPPB UEPPR	UEPP	B 8.39	184.10	128.42				15.20				
NON	RECURRING CHARGES - CURRENTLY COMBINED															
	2W ISDN Digital Grade Loop/2W ISDN Line Side Port Combination-															
	Conversion			UEPPB UEPPR	USAC	в 0.00	37.40	26.23				15.20				
	TIONAL NRCs			OLITE OLITI	00/10	0.00	07.40	20.20				10.20				+
	AL NUMBER PORTABILITY															+
	Local No Portability (1 per port)			UEPPB UEPPR	LNPC	X 0.35	0.00	0.00				-			-	+
				UEPPB UEPPR	LINPC	Λ 0.33	0.00	0.00								+
	IANNEL USER PROFILE ACCESS:								1							+
	CVS/CSD (DMS/5ESS)			UEPPB UEPPR			0.00	0.00								
	CVS (EWSD)			UEPPB UEPPR			0.00	0.00								
	CSD			UEPPB UEPPR	U1UC	C 0.00	0.00	0.00	<u> </u>	ļ	ļ			ļ		
	IANNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS SC,MS, &	TN)			1				ļ	1	<u> </u>					1
	CVS/CSD (DMS/5ESS)			UEPPB UEPPR			0.00	0.00								
	CVS (EWSD)			UEPPB UEPPR		E 0.00	0.00	0.00								
	CSD			UEPPB UEPPR	U1UC	F 0.00	0.00	0.00								
	R TERMINAL PROFILE												1			1
	User Terminal Profile (EWSD only)			UEPPB UEPPR	U1UM	A 0.00	0.00	0.00					İ			1
	TICAL FEATURES					3.00	0.00	0.00	<b>†</b>		1		1		1	1
	All Vertical Features-One per Channel B User Profile			UEPPB UEPPR	UEPV	F 0.00	0.00	0.00	1	1	1	15.20	<b> </b>	1	<b>I</b>	1
	ROFFICE CHANNEL MILEAGE			OLITO OLIFE	. OLFV	0.00	0.00	0.00	<del>                                     </del>	1	1	13.20	1	1	t	$\leftarrow$
INIE	Interoffice Channel miage each, including first mi & facilities Term			UEPPB UEPPR		C 22.613	39.36	26.62	<b></b>	<b></b>	1	15.20	1	1	1	+

Version 4Q02: 01/21/03 Page 216 of 402

<u> </u>	LED NETWORK ELEMENTS - Louisiana													ment: 2		bit: B
											Svc	Svc Order	Incrementa	Incrementa	Incrementa	Increm
											Order	Submitted	I Charge -	I Charge -	I Charge -	al Cha
												Manually	Manual	Manual	Manual	Manu
ATEGORY	RATE ELEMENTS	Interi	Zon	BCS	USOC		DAT	ES (\$)			ed Elec		Svc Order	Svc Order	Svc Order	
AIEGURI	RATE ELEMENTS	m	е	ьсэ	USUC		KAI	E9 (\$)								
											per LSR		vs.	vs.	vs.	vs.
													Electronic-		Electronic-	
													1st	Add'l	Disc 1st	Disc A
						_	Nonrecu	urrina	NRC D	Disconne		•	oss	Rates (\$)	•	
						Rec	First	Add'l	First	ľhhΔ	SOMEC	SOMAN	SOMAN		SOMAN	SOMA
	Interoffice Channel miage each, Add'l mi			UEPPB UEPPR	M1GNM	0.013	0.00	0.00		Auu.	COME	15.20	COMPAN	COMPAN	COMPAR	
	RE DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK PORT			UEFFB UEFFR	IVITGINIVI	0.013	0.00	0.00				13.20				+
	Port/Loop Combination Rates		<b>.</b>								ļ					
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port -UNE Zone 1		1	UEPPP		180.52										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port -UNE Zone 2		2	UEPPP		289.78										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port -UNE Zone 3		3	UEPPP		586.76										
UNE	Loop Rates															
	4W DS1 Digital Loop-UNE Zone 1		1	UEPPP	USL4P	85.70						15.20				1
	4W DS1 Digital Loop-UNE Zone 2		2	UEPPP	USL4P	194.96			1	1		15.20	İ			1
	4W DS1 Digital Loop-UNE Zone 3		3	UEPPP	USL4P	491.94			<u> </u>	1	<b> </b>	15.20				+-
	Port Rate		3	OLFFF	USL4F	431.34						13.20				+-
						21.22										—
	Exchange Ports-4W ISDN DS1 Port			UEPPP	UEPPP	94.82	443.08	251.60				15.20				
	RECURRING CHARGES - CURRENTLY COMBINED															
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port Combination-															
	Conversion -Switch-as-is			UEPPP	USACP	0.00	115.63	76.29				15.20				
	TIONAL NRCs															1
	4W DS1 Loop/4-W ISDN Digtl Trk Port-Subsqt Actvy-Inward/2way Tel Nos			UEPPP	PR7TF		0.48					15.20				+
	4W DS1 Loop/4W ISDN DS1 Digital Trunk Port-Outward Tel Nos			UEPPP	PR7TO		11.18	11.18				15.20				+
				UEPPP												+
	4W DS1 Loop/4W ISDN DS1 Digital Trk Port -Subsqnt Inward Tel Nos		-	UEPPP	PR7ZT		22.35	22.35			ļ	15.20				
	AL NUMBER PORTABILITY															
	Local No Portability (1 per port)			UEPPP	LNPCN	1.75										
INTE	RFACE (Provsioning Only)															
	Voice/Data			UEPPP	PR71V	0.00	0.00	0.00								
	Digital Data			UEPPP	PR71D	0.00	0.00	0.00								
	Inward Data			UEPPP	PR71E	0.00	0.00	0.00								1
	or Additional "B" Channel			<u> </u>				0.00								1
	New or Add'I-Voice/Data B Channel			UEPPP	PR7BV	0.00	14.11					15.20				+
	New or Add'l-Digital Data B Channel			UEPPP	PR7BF	0.00	14.11					15.20				+
																+
	New or Add'l Inward Data B Channel		1	UEPPP	PR7BD	0.00	14.11					15.20				
	TYPES															
	Inward			UEPPP	PR7C1	0.00	0.00	0.00								
	Outward			UEPPP	PR7C0	0.00	0.00	0.00								
	Two-way			UEPPP	PR7CC	0.00	0.00	0.00								
Interd	office Channel Mileage															1
	Fixed Each Including First mi			UEPPP	1LN1A	70.7352	86.69	79.44				15.20				+
	Each Airline-Fractional Add'l mi			UEPPP	1LN1B	0.2652	00.00	70.11				10.20				+
	RE DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT			ULFFF	ILIVID	0.2032					<b> </b>					+
	Port/Loop Combination Rates															
	4W DS1 Digital Loop/4W DDITS Trunk Port -UNE Zone 1		1	UEPDC		154.17				ļ		15.20				
	4W DS1 Digital Loop/4W DDITS Trunk Port -UNE Zone 2		2	UEPDC		263.43						15.20				
	4W DS1 Digital Loop/4W DDITS Trunk Port -UNE Zone 3		3	UEPDC		560.41	-			1		15.20	I			
UNE	Loop Rates				Ī											
	4W DS1 Digital Loop-UNE Zone 1		1	UEPDC	USLDC	85.70						15.20				1
	4W DS1 Digital Loop-UNE Zone 2		2	UEPDC	USLDC	194.96				<b>†</b>		15.20				1
	4W DS1 Digital Loop-UNE Zone 3		3	UEPDC	USLDC	491.94			<u> </u>	1	1	15.20				+
			٥	OLFDC	USLDC	481.84			<u> </u>	1	-	13.20	-			+
	Port Rate		$\vdash \vdash \vdash$	LIEBBO	UDE		4	0.1	1	1	1		-			+
	4W DDITS Digital Trunk Port			UEPDC	UDD1T	68.47	441.34	245.90				15.20				—
	RECURRING CHARGES - CURRENTLY COMBINED									ļ						
	4W DS1 Digital Loop/4W DDITS Trunk Port Combination-Switch-as-is			UEPDC	USAC4		125.75	65.08	<u> </u>			15.20				
	4W DS1 Digital Loop/4W DDITS Trunk Port Combination-Conversion with															
	DS1 Changes			UEPDC	USAWA		125.75	65.08				15.20				

UNBUNDL	ED NETWORK ELEMENTS - Louisiana												Attachi	ment: 2	Exhil	bit: B
											Svc Order	Svc Order Submitted	Incrementa	Incrementa I Charge -	Incrementa I Charge -	
CATEGORY	RATE ELEMENTS	Interi m	Zon	BCS	usoc		RAT	ES (\$)				Manually	Manual Svc Order	Manual	Manual Svc Order	Manua
		m	e								per LSR		vs. Electronic- 1st	vs. Electronic- Add'l	vs. Electronic- Disc 1st	vs. Electron Disc Add
							Nonrec	urring	NRC D	isconnec		1	OSS	Rates (\$)		
						Rec	First	Add'l	First			SOMAN			SOMAN	SOMAN
	4W DS1 Digital Loop/4W DDITS Trunk Port Combination-Conversion with Change-Trunk			UEPDC	USAWB		125.75	65.08		71001		15.20				
	TIONAL NRCs															<b>†</b>
	4W DS1 Loop/4W DDITS Trunk Port-NRC-Subsqnt Channel Activation/Chan-2-Way Trunk			UEPDC	UDTTA		14.06	14.06				15.20				
	4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Channel Activation/Chan-1-Way Outward Trunk			UEPDC	UDTTB		14.06	14.06				15.20				
	4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Channel Activation/Chan Inward Trunk w/out DID			UEPDC	UDTTC		14.06	14.06				15.20				
	4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Chan Activation Per Chan-			OLFDC	ODITO		14.00	14.00				13.20				+
	Inward Trunk with DID 4W DS1 Loop/4W DDITS Trunk Port-Subsgnt Chan Activation/Chan-2-			UEPDC	UDTTD		14.06	14.06				15.20				
	Way DID w User Trans			UEPDC	UDTTE		14.06	14.06				15.20				
BIPO	LAR 8 ZERO SUBSTITUTION															
	B8ZS -Superframe Format			UEPDC	CCOSF		0.00	605.00				15.20				
	B8ZS-Extended Superframe Format			UEPDC	CCOEF		0.00	605.00				15.20				
	nate Mark Inversion															
	AMI -Superframe Format			UEPDC	MCOSF		0.00	0.00								
	AMI-Extended SuperFrame Format			UEPDC	MCOPO		0.00	0.00								
	hone Number/Trunk Group Establisment Charges															
	Telephone No for 2-Way Trunk Group			UEPDC	UDTGX	0.00						15.20				ļ
	Telephone No for 1-Way Outward Trunk Group			UEPDC	UDTGY	0.00						15.20				<u> </u>
	Telephone No for 1-Way Inward Trunk Group w/o DID			UEPDC	UDTGZ	0.00						15.20				
	DID Nos for each Group of 20 DID Nos			UEPDC	ND4	0.00						15.20				
	DID Nos, Non-consecutive DID Nos , Per No			UEPDC	ND5	0.00						15.20				<del>                                     </del>
	Reserve Non-Consecutive DID Nos.			UEPDC	ND6	0.00	0.00	0.00	ļ			15.20				<del> </del>
	Reserve DID Nos		:41.	UEPDC	NDV	0.00	0.00	0.00				15.20				+
	cated DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1 Digital Interoffice Channel miage-Fixed rate 0-8 mis (Facilities Term)	I LOO	with	UEPDC	1LNO1	70.47	86.69	79.44				15.20				+
	Interoffice Channel miage-Add'l rate per mi-0-8 mis			UEPDC	1LNOA	0.2652	0.00	0.00				15.20				+
	Interoffice Channel miage-Fixed rate 9-25 mis (Facilities Term)			UEPDC	1LNO2	0.2032	0.00	0.00								+
	Interoffice Channel miage-Add'l rate per mi-9-25 mis			UEPDC	1LNOB	0.2652	0.00	0.00								+
	Interoffice Channel miage-Fixed rate 25+ mis (Facilities Term)			UEPDC	1LNO3	0.00	0.00	0.00	0.00							†
	Interoffice Channel miage-Add'l rate per mi-25+ mis			UEPDC	1LNOC	0.2652	0.00	0.00	0.00							<del>                                     </del>
	Local No Portability, per DS0 Activated			UEPDC	LNPCP	3.15	0.00	0.00	0.00							<del>                                     </del>
	Central Office Termininating Point			UEPDC	CTG	0.00										1
	RE DS1 LOOP WITH CHANNELIZATION WITH PORT				-											†
	em is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Activations	;														
	System can have up to 24 combinations of rates depending on type at		nber o	f ports used												
	DS1 Loop															
	4W DS1 Loop-UNE Zone 1		1	UEPMG	USLDC	85.70	0.00	0.00				15.20				1
	4W DS1 Loop-UNE Zone 2		2	UEPMG	USLDC	194.96	0.00	0.00				15.20				1
	4W DS1 Loop-UNE Zone 3		3	UEPMG	USLDC	491.94	0.00	0.00				15.20				
	DSO Channelization Capacities (D4 Channel Bank Configurations)															
	24 DSO Channel Capacity-1 per DS1			UEPMG	VUM24	97.35	0.00	0.00				15.20				
	48 DSO Channel Capacity-1 per 2 DS1s			UEPMG	VUM48	194.70	0.00	0.00				15.20				
	96 DSO Channel Capacity -1per 4 DS1s			UEPMG	VUM96	389.40	0.00	0.00				15.20				
	144 DS0 Channel Capacity-1 per 6 DS1s			UEPMG	VUM14	584.10	0.00	0.00				15.20				
	192 DS0 Channel Capacity -1 per 8 DS1s			UEPMG	VUM19	778.80	0.00	0.00				15.20				
	240 DS0 Channel Capacity-1 per 10 DS1s			UEPMG	VUM20	973.50	0.00	0.00				15.20				
	288 DS0 Channel Capacity-1 per 12 DS1s	_	1 ]	UEPMG	VUM28	1,168.20	0.00	0.00		1		15.20	<u> </u>		_	1

UNBUNDI	LED NETWORK ELEMENTS - Louisiana												Attachi	ment: 2	Exhib	bit: B
											Svc	Svc Order	Incrementa			Incremen
											Order	Submitted	I Charge -	I Charge -	I Charge -	al Charge
											Submitt	Manually	Manual	Manual	Manual	Manual
CATEGORY	RATE ELEMENTS	Interi		BCS	USOC		RAT	ES (\$)			ed Elec	_	Svc Order	Svc Order	Svc Order	Svc Orde
	-	m	е					- (17			per LSR		vs.	vs.	vs.	vs.
													Electronic-	Electronic-	Electronic-	Electronic
													1st	Add'l	Disc 1st	Disc Add'
						_	Nonrec	urrina	NRC D	isconnec	:		oss	Rates (\$)		
						Rec	First	Add'l	First			SOMAN	SOMAN	,	SOMAN	SOMAN
	384 DS0 Channel Capacity-1 per 16 DS1s			UEPMG	VUM38	1,557.60	0.00	0.00				15.20				
	480 DS0 Channel Capacity-1 per 20 DS1s			UEPMG	VUM40	1,947.00	0.00	0.00				15.20				1
	576 DS0 Channel Capacity -1 per 24 DS1s			UEPMG	VUM57	2,336.40	0.00	0.00				15.20				1
	672 DS0 Channel Capacity-1 per 28 DS1s			UEPMG	VUM67	2,725,80	0.00	0.00				15.20				
	Recurring Charges (NRC) Associated with 4-Wire DS1 Loop with Chanr	elizti	on wi	th Port - Conversion	Charge Ba	sed on a Syste	em									
	nimum System configuration is One (1) DS1, One (1) D4 Channel Bank,															
	ples of this configuration functioning as one are considered Add'l after															
	NRC-Conversion (Currently Combined) with or w/o BST Allowed Changes			UEPMG	USAC4	0.00	146.13	8.12				15.20				1
	em Additions at End User Locations Where 4-Wire DS1 Loop with Chan	neliza	tion v	vith Port Combinati	on Current											1
	(Not Currently Combined) in all states, except in Density Zone 1 of Top								1							1
T	1 DS1/D4 Channel Bank-Add'lly Add NRC for each Port & Assoc Fea															<b>†</b>
	Activation			UEPMG	VUMD4	0.00	715.54	467.54				15.20				
	lar 8 Zero Substitution			020		0.00	7 10.0 1	.07.07.				10.20				1
2.50	Clear Channel Capability Format, superframe-Subsqnt Activity Only			UEPMG	CCOSF	0.00	0.00	605.00				15.20				+
	Clear Channel Capability Format-Extended Superframe-Subsqnt Activity			OLI MO	00001	0.00	0.00	000.00				10.20				1
	Only			UEPMG	CCOEF	0.00	0.00	605.00				15.20				
	nate Mark Inversion (AMI)			OLI WO	OOOLI	0.00	0.00	003.00				13.20				+
	Superframe Format			UEPMG	MCOSF	0.00	0.00	0.00								+
	Extended Superframe Format			UEPMG	MCOPO	0.00	0.00	0.00								+
	ange Ports Associated with 4-Wire DS1 Loop with Channelization with	Port		OLI WO	WOOIO	0.00	0.00	0.00								+
	ange Ports	1 011														+
	Line Side Combination Channelized PBX Trunk Port-bus			UEPPX	UEPCX	1.52	0.00	0.00	0.00	0.00		15.20				
	Line Side Outward Channelized PBX Trunk Port-bus			UEPPX	UEPOX	1.52	0.00	0.00	0.00	0.00		15.20				
<del>                                     </del>	Line Side Inward Only Channelized PBX Trunk Port w/o DID			UEPPX	UEP1X	1.52	0.00	0.00	0.00	0.00		15.20				+
	2W Trunk Side Unbundled Channelized DID Trunk Port			UEPPX	UEPDM	8.29	0.00	0.00	0.00	0.00		15.20				+
-	Unbundled Exchange Ports, 2W Channelized – Outdial – (AL, KY, LA, MS,			OLITA	OLI DIVI	0.23	0.00	0.00	0.00	0.00		13.20				+
	& TN)(Conversion from Network Access Service)			UEPPX	UEPCY	1.52	0.00	0.00	0.00	0.00		15.20				
<del>                                     </del>	Unbundled Exchange Ports, 2W Channelized – Combination (AL, KY, LA,			OLITA	OLIOI	1.02	0.00	0.00	0.00	0.00		13.20				+
	MS, & TN) (Conversion from Network Access Service)			UEPPX	UEPCT	1.52	0.00	0.00	0.00	0.00		15.20				
	Unbundled Exchange Ports, 2W Channelized – Outdial – LA Only – Calling															+
	Plan			UEPPX	UEPC2	1.52	0.00	0.00	0.00	0.00		15.20				
	Unbundled Exchange Ports, 2W Channelized – Two Way-LA Only –															
	Calling Plan			UEPPX	UEPC3	1.52	0.00	0.00	0.00	0.00		15.20				
Featu	ure Activations - Unbundled Loop Concentration			02.17	02.00	1.02	0.00	0.00	0.00	0.00		10.20				+
- Juli	Feature (Service) Activation for each Line Port Terminated in D4 Bank			UEPPX	1PQWM	0.6497	25.36	13.40				15.20				†
	Feature (Service) Activation for each Trunk Port Terminated in D4 Bank			UEPPX	1PQWU	0.6497	78.05	18.40				15.20				+
Teler	phone Number/ Group Establishment Charges for DID Service			02.17		0.0.01	. 0.00	.00				10.20				+
	DID Trunk Term (1 per Port)			UEPPX	NDT	0.00	0.00	0.00				15.20				
	DID Nos-groups of 20-Valid all States			UEPPX	ND4	0.00	0.00	0.00				15.20				1
	Non-Consecutive DID Nos-per No			UEPPX	ND5	0.00	0.00	0.00				15.20				+
	Reserve Non-Consecutive DID Nos			UEPPX	ND6	0.00	0.00	0.00				15.20				
	Reserve DID Nos			UEPPX	NDV	0.00	0.00	0.00	1		1	15.20		1		†
	I Number Portability			5=/ 1 /A	.,,,,,	0.00	0.00	0.00				10.20		1		1
	Local No Portability-1 per port			UEPPX	LNPCP	3.15	0.00	0.00	1		1			1		†
	TURES - Vertical and Optional			OLITA	2141 01	0.10	0.00	0.00								†
	I Switching Features Offered with Line Side Ports Only		$\vdash$													+
	All Features Available		$\vdash$	UEPPX	UEPVF	0.00	0.00	0.00				15.20				+
	ED PORT LOOP COMBINATIONS - MARKET RATES		$\vdash$	ULFFA	OLFVF	0.00	0.00	0.00				13.20				+
	et Rates shall apply where BellSouth is not required to provide unbund	led le	rcal ev	vitching or switch n	orts per Er	C and/or Com	mission rules	<u> </u>			-			1		+
	et Rates shan apply where bensouth is not required to provide unbuild includes:	icu it	oai SV	vicening or switch p	orts per FC		ssivii rules	·•								+
111115	meraues.			oined in Zone 1 of th	1			l	1		l					

BUND	LED NETWORK ELEMENTS - Louisiana							·					Attachi	ment: 2	Exhib	bit: B
											Svc	Svc Order		Incrementa	Incrementa	Increme
											Order	Submitted	I Charge -	I Charge -	I Charge -	al Char
			_								Submitt	Manually	Manual	Manual	Manual	Manu
TEGOR	RATE ELEMENTS	Interi		BCS	USOC		RAT	ES (\$)			ed Elec	per LSR	Svc Order	Svc Order	Svc Order	Svc Or
		m	е					- (1)			per LSR	'	vs.	vs.	vs.	vs.
											·		Electronic-	Electronic-	Electronic-	- Electro
													1st	Add'l	Disc 1st	Disc Ad
							Nonrec	urring	NRC D	isconnec			OSS	Rates (\$)	ı	
						Rec	First	Add'l			SOMEC	SOMAN	SOMAN		SOMAN	SOMA
The	Top 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderdale, M	iami)· G	Δ (Δ+	lanta): I A (New Orle	ans): NC (	Greenshoro-W								COMPAR	COMPAR	1001117
	South currently is developing the billing capability to mechanically bi													rates in the	Cost-Base	d section
	eding in lieu of the Market Rates and reserves the right to true-up the				vales III IIII	is section. In t	ile iliterilli wii	iere belisou	tii CaiiiiC	t Dili Wai	Kei Naies	Belloodill	Silali bili tile	rates in the	COSI-Daset	3 3601101
	Market Rate for unbundled ports includes all available features in all			illoc.				1				I	I	1	I	т —
	Office & Tandem Switching Usage & Common Transport Usage rates			etion of this Evhibit	chall anni	v to all combi	nations of loo	n/nort notwo	rk olom	onte ovco	nt for LIN	Coin Port	l oon Comb	inations wh	ich have a fl	lat rato
	ge charge (USOC: URECU).	iii tiie r	OIL SE	CHOILOI CHIIS EXHIDI	Silali appi	y to an combi	nations of 100	p/port netwo	ork elelli	ents exce	pt for ON	- Com Port	Loop Comb	illations wii	icii iiave a ii	allale
	Not Currently Combined scenarios the NRC charges are listed in the F	irct one	1 7 44	I NDC columns for a	ook Bort I	ISOC For Cur	rontly Combi	and connerie	c the NI	DC oborg	oc are liet	ad in the NE	C Current	ly Combine	d coation A	Adil ND
	rapply also and are categorized accordingly.	ii st aiit	Auu	I NAC COIDINIS IOI E	acii Fuit u	130C. FOI Cui	rentry Combi	ieu scenario	s, the Ni	NG Charg	es are iisi	eu iii tile Ni	C - Current	iy Combine	a Section. A	au i NK
	IRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)							1	1	1		1	ı	1	ı	_
	E Port/Loop Combination Rates															+
UNE	2W VG Loop/Port Combo-Zone 1		1			25.77										+
-	2W VG Loop/Port Combo-Zone 1  2W VG Loop/Port Combo-Zone 2		2			36.39										+
_		_	3													+
	2W VG Loop/Port Combo-Zone 3	-	3			62.26										
UNE	Loop Rates		<u> </u>													
-	2W VG Loop (SL1)-Zone 1	-	1	UEPRX	UEPLX	11.77										+
	2W VG Loop (SL1)-Zone 2		2	UEPRX	UEPLX	22.39										+
	2W VG Loop (SL1)-Zone 3		3	UEPRX	UEPLX	48.26										
2-Wi	ire Voice Grade Line Port (Res)															
	2W voice unbundled port-Res			UEPRX	UEPRL	14.00	90.00	90.00				15.20				
	2W voice unbundled port with Caller ID-res			UEPRX	UEPRC	14.00	90.00	90.00				15.20				
	2W voice unbundled port outgoing only-res			UEPRX	UEPRO	14.00	90.00	90.00				15.20				
	2W VG unbundled LA extended local dialing parity port with Caller ID-res			UEPRX	UEPAS	14.00	90.00	90.00				15.20				
	2W voice unbundled LA Area Plus with Caller ID-res (RUL)			UEPRX	UEPAG	14.00	90.00	90.00				15.20				
	2W voice unbundled LA Area Plus with Caller ID-res (AC7)			UEPRX	UEPAH	14.00	90.00	90.00				15.20				
	2W voice unbundles res, low usage line port with Caller ID (LUM)			UEPRX	UEPAP	14.00	90.00	90.00				15.20				
	2W voice unbundled Low Usage Line Port w/o Caller ID Capability			UEPRX	UEPRT	14.00	90.00	90.00				15.20				
	2W voice unbundled LA Area Plus Port w/o Caller ID Capability			UEPRX	UEPRQ	14.00	90.00	90.00				15.20				
LOC	CAL NUMBER PORTABILITY															
	Local No Portability (1 per port)			UEPRX	LNPCX	0.35										
FEA.	TURES															
	All Features Offered			UEPRX	UEPVF	0.00	0.00	0.00				15.20				1
NON	RECURRING CHARGES - CURRENTLY COMBINED															1
	2W VG Loop/Line Port Combination -Switch-as-is			UEPRX	USAC2		41.50	41.50				15.20				
	2W VG Loop/Line Port Combination -Switch with change			UEPRX	USACC		41.50	41.50				15.20				1
ADD	DITIONAL NRCs															
	NRC-2W VG Loop/Line Port Combination-Subsqnt			UEPRX	USAS2		0.00	0.00				15.20				
2-WI	IRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)															1
UNE	Port/Loop Combination Rates															1
	2W VG Loop/Port Combo-Zone 1		1			25.77										1
	2W VG Loop/Port Combo-Zone 2		2			36.39										1
	2W VG Loop/Port Combo-Zone 3		3			62.26										1
UNF	Loop Rates															1
7	2W VG Loop (SL1)-Zone 1	1	1	UEPBX	UEPLX	11.77								Ì		1
	2W VG Loop (SL1)-Zone 2	+	2	UEPBX	UEPLX	22.39										†
1	2W VG Loop (SL1)-Zone 3	1	3	UEPBX	UEPLX	48.26										+
2-Wi	ire Voice Grade Line Port (Bus)	1		OL1 DX	OLI LA	70.20								1		<del>+</del>
2-771	2W voice unbundled port w/o Caller ID-bus	1		UEPBX	UEPBL	14.00	90.00	90.00				15.20				1
-	2W voice unburidled port w/o Caller ID-bus  2W voice unbundled port with Caller + E484 ID-bus	-	<del>                                     </del>	UEPBX	UEPBC	14.00	90.00	90.00				15.20		1		+
	2W voice unbundled port with Caller + E464 ID-bus  2W voice unbundled port outgoing only-bus	-	<del>                                     </del>	UEPBX	UEPBO	14.00	90.00	90.00				15.20		1		+
		1		OLFBA	ULFBU	14.00	90.00	90.00		l			l		ļ	4
+	2W VG unbundled LA extended local dialing parity port with Caller ID-bus			UEPBX	UEPAX	14.00	90.00	90.00				15.20				

Version 4Q02: 01/21/03 Page 220 of 402

NROND	LED NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhil	bit: B
											Svc	Svc Order	Incrementa		Incrementa	_
											Order	Submitted		I Charge -	I Charge -	
												Manually	Manual	Manual	Manual	Manu
ATEGORY	RATE ELEMENTS	Interi	Zon	BCS	usoc		RΔT	ES (\$)			ed Elec		Svc Order		Svc Order	
A I LGOIN I	KAIL ELEMENIS	m	е	BC3	0300		NAI	L3 (4)			per LSR		VS.	VS.	VS.	vs
											per Lor		_	Electronic-	Electronic-	_
													1st	Add'l		Disc A
			1												DISC 1St	DISC
						Rec	Nonrec			isconnec				Rates (\$)		
							First	Add'l	First	Add'l	SOMEC		SOMAN	SOMAN	SOMAN	SOM
	2W voice unbundled Incoming Only Port w/o Caller ID Capability			UEPBX	UEPBE	14.00	90.00	90.00				15.20				
	2W Voice Unbundled LA bus Dialing Plan w/o Caller ID			UEPBX	UEPWH	14.00	90.00	90.00				15.20				
	2W voice unbundled LA bus Area Calling Port w/o Caller ID Capability			UEPBX	UEPBA	14.00	90.00	90.00				15.20				
LOCA	AL NUMBER PORTABILITY															T
	Local No Portability (1 per port)			UEPBX	LNPCX	0.35										1
	RECURRING CHARGES - CURRENTLY COMBINED															1
	2W VG Loop/Line Port Combination -Switch-as-is			UEPBX	USAC2		41.50	41.50				15.20				1
	2W VG Loop/Line Port Combination -Switch with change	1		UEPBX	USACC		41.50	41.50				15.20	İ			1
_	TIONAL NRCs	1	<del>                                     </del>	021 0/1	23,100		71.00	71.00				10.20				<b>†</b>
	NRC-2W VG Loop/Line Port Combination-Subsqnt	1	<del>                                     </del>	UEPBX	USAS2		0.00	0.00				15.20		1		+
	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)	+	<del>                                     </del>	ULFDA	UUAUZ		0.00	0.00				13.20	-	1	-	+-
	Port/Loop Combination Rates	+-	<del>⊦ ⊦</del>		+			<b> </b>	-		-	-	-	1		+-
_		+				05.77			-							+
	2W VG Loop/Port Combo-Zone 1		1			25.77										₩
	2W VG Loop/Port Combo-Zone 2		2			36.39										
	2W VG Loop/Port Combo-Zone 3		3			62.26										
UNE	Loop Rates															
	2W VG Loop (SL1)-Zone 1		1	UEPRG	UEPLX	11.77										
	2W VG Loop (SL1)-Zone 2		2	UEPRG	UEPLX	22.39										
	2W VG Loop (SL1)-Zone 3		3	UEPRG	UEPLX	48.26										
2-Wir	re Voice Grade Line Port Rates (RES - PBX)															
	2W VG Unbundled Combination 2-Way PBX Trunk Port-Res			UEPRG	UEPRD	14.00	90.00	90.00				15.20				1
	AL NUMBER PORTABILITY			02.110	022		00.00	00.00				10.20				1
	Local No Portability (1 per port)			UEPRG	LNPCP	3.15										+
	RECURRING CHARGES - CURRENTLY COMBINED		1 1	OLITIO	LIVI OI	0.10										+
	2W VG Loop/ Line Port Combination-Switch-As-Is			UEPRG	USAC2		41.50	41.50				15.20				+-
		-	<del>                                     </del>	UEPRG	USACC		41.50	41.50				15.20				+-
	2W VG Loop/ Line Port Combination-Switch with Change		<b>-</b>	UEPRG	USACC		41.50	41.50				15.20				+
	ITIONAL NRCs		<u> </u>													+
	2W Loop/Line Side Port Combination-Non feature-Subsqnt Activity-NRC						0.00	0.00				15.20				
	PBX Subsqnt Activity-Change/Rearrange Multiline Hunt Group						14.64	14.64				15.20				4
	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)															
	Port/Loop Combination Rates															
	2W VG Loop/Port Combo-Zone 1		1			25.77										
	2W VG Loop/Port Combo-Zone 2		2			36.39										
	2W VG Loop/Port Combo-Zone 3		3			62.26										
UNE	Loop Rates															
	2W VG Loop (SL1)-Zone 1		1	UEPPX	UEPLX	11.77										
	2W VG Loop (SL1)-Zone 2		2	UEPPX	UEPLX	22.39										1
	2W VG Loop (SL1)-Zone 3		3	UEPPX	UEPLX	48.26										1
	re Voice Grade Line Port Rates (BUS - PBX)		Ť	02	02.27	10.20										†
	Line Side Unbundled Combination 2-Way PBX Trunk Port-Bus	1	<del>                                     </del>	UEPPX	UEPPC	14.00	90.00	90.00	1		t	15.20		1		<del>+</del>
	Line Side Unbundled Outward PBX Trunk Port-Bus	+-	<del>     </del>	UEPPX	UEPPO	14.00	90.00	90.00				15.20		1		+-
+	Line Side Unbundled Incoming PBX Trunk Port-Bus	+	<del>                                     </del>	UEPPX	UEPP1	14.00	90.00	90.00				15.20	-	1	-	+-
+		1	++	UEPPX	UEPP1		90.00	90.00	1		-		1		1	+
	2W Voice Unbundled 2-Way Combination PBX LA Calling Port	+	$\vdash$			14.00	20.00	00.00	-			15.20	-	1		+
	2W Voice Unbundled PBX LD Terminal Ports	+	<b>├</b>	UEPPX	UEPLD	14.00	90.00	90.00	ļ			15.20		ļ	ļ	4—
	2W Voice Unbundled 2-Way Combination PBX Usage Port	1	<u> </u>	UEPPX	UEPXA	14.00	90.00	90.00	1			15.20	ļ			4
	2W Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	14.00	90.00	90.00				15.20				4
	2W Voice Unbundled PBX LD DDD Terminals Port	1		UEPPX	UEPXC	14.00	90.00	90.00				15.20				
	2W Voice Unbundled PBX LD Terminal Switchboard Port		$oldsymbol{ol}}}}}}}}}}}}}}}}$	UEPPX	UEPXD	14.00	90.00	90.00				15.20			<u></u>	
	2W Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPPX	UEPXE	14.00	90.00	90.00				15.20				
	2W Voice Unbundled 2-Way PBX LA Local Optional Calling Port			UEPPX	UEPXK	14.00	90.00	90.00				15.20				

Version 4Q02: 01/21/03 Page 221 of 402

<u> NRONDI</u>	LED NETWORK ELEMENTS - Louisiana													ment: 2		bit: B
											Svc	Svc Order	Incrementa	Incrementa	Incrementa	Increme
											Order	Submitted	I Charge -	I Charge -	I Charge -	al Char
												Manually	Manual	Manual	Manual	Manu
ATEGORY	RATE ELEMENTS	Interi	Zon	BCS	usoc		РΛΤ	ES (\$)			ed Elec		Svc Order		Svc Order	
AIEGORI	RATE ELEMENTS	m	е	ВСЗ	0300		KAI	E3 (\$)			per LSR		VS.	VS.	VS.	vs.
											per Lok		_	-		
													Electronic-		Electronic-	
													1st	Add'l	Disc 1st	Disc Add
						D	Nonrecu	urring	NRC D	isconnec	:		ossi	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative															
	Calling Port			UEPPX	UEPXL	14.00	90.00	90.00				15.20				
-+	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling		1	OLITA	OLI AL	14.00	30.00	30.00	1			13.20				+
	Port			UEPPX	UEPXM	44.00	90.00	00.00				45.00				
			1	UEPPX	UEPXIVI	14.00	90.00	90.00	1			15.20				
	2W Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room															
	Calling Port			UEPPX	UEPXO	14.00	90.00	90.00				15.20				
	2W Voice Unbundled 1-Way Outgoing PBX LA Local Discount Calling Port			UEPPX	UEPXP	14.00	90.00	90.00				15.20				
	2W Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	14.00	90.00	90.00				15.20				
LOC	AL NUMBER PORTABILITY															
	Local No Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00								Ī
	TURES															†
	All Features Offered		1 1	UEPPX	UEPVF	0.00	0.00	0.00	1	1	1	15.20			<b> </b>	1
	RECURRING CHARGES - CURRENTLY COMBINED		1 1	OLFFA	OLFVI	0.00	0.00	0.00				13.20				+
			++					44.50	<u> </u>							+
	2W VG Loop/ Line Port Combination-Switch-As-Is		1 1	UEPPX	USAC2		41.50	41.50				15.20				
	2W VG Loop/ Line Port Combination-Switch with Change			UEPPX	USACC		41.50	41.50				15.20				
	TIONAL NRCs															
	2W VG Loop/ Line Port Combination-Subsqnt			UEPPX	USAS2		0.00	0.00				15.20				
	2W Loop/Line Side Port Combination-Non feature-Subsent Activity-NRC						0.00	0.00				15.20				Ī
	PBX Subsqnt Activity-Change/Rearrange Multiline Hunt Group						14.64	14.64				15.20				1
	RE VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN PORT															†
	Port/Loop Combination Rates		1 1		+	1					<b>†</b>	1				+
	2W VG Coin Port/Loop Combo – Zone 1		1			25.77			1							+
			2			36.39			1							+
	2W VG Coin Port/Loop Combo – Zone 2				-				1							
	2W VG Coin Port/Loop Combo – Zone 3		3			62.26			<u> </u>							
	Loop Rates		1													
	2W VG Loop (SL1)-Zone 1		1	UEPCO	UEPLX	11.77										
	2W VG Loop (SL1)-Zone 2		2	UEPCO	UEPLX	22.39										
	2W VG Loop (SL1)-Zone 3		3	UEPCO	UEPLX	48.26										
2-Wii	re Voice Grade Line Port Rates (Coin)															
	2W Coin 2-Way w/o Oper Screening & w/o Blocking (AL, KY, LA, MS)			UEPCO	UEPRF	14.00	90.00	90.00				15.20				
	2W Coin 2-Way w Oper Screening & Blocking: 011, 900/976, 1+DDD\			UEPCO	UEPRA	14.00	90.00	90.00				15.20				
	2W Coin 2-Way with Oper Screening & 011 Blocking (AL, LA, MS)			UEPCO	UEPRB	14.00	90.00	90.00				15.20				†
	2W Coin 2-Way with Oper Screening & Blocking: 900/976, 1+DDD, 011+, &		1 1	02.00	022		00.00	00.00				.0.20				+
	Local (AL, KY, LA, MS)			UEPCO	UEPCD	14.00	90.00	90.00				15.20				
_			1	UEPCO												+
	2W Coin Outward w/o Blocking & w/o Oper Screening (KY, LA, MS)		1		UEPRN	14.00	90.00	90.00				15.20				4
	2W Coin Outward with Oper Screening & 011 Blocking (LA)		1	UEPCO	UEPLA	14.00	90.00	90.00				15.20				
	2W Coin Outward with Oper Screening & Blocking: 011, 900/976, 1+DDD															
	(AL, KY, LA, MS)			UEPCO	UEPRH	14.00	90.00	90.00				15.20				
	2W Coin Outward Oper Screening & Blocking: 900/976, 1+DDD, 011+, &															
	Local (AL, KY, LA, MS)			UEPCO	UEPCN	14.00	90.00	90.00				15.20				
LOC	AL NUMBER PORTABILITY															
	Local No Portability (1 per port)			UEPCO	LNPCX	0.35										1
	RECURRING CHARGES - CURRENTLY COMBINED		1 1		1						1			İ	İ	1
	2W VG Loop/ Line Port Combination-Switch-As-Is		1 1	UEPCO	USAC2		41.50	41.50				15.20			1	<b>†</b>
	2W VG Loop/ Line Port Combination-Switch with Change		+ +	UEPCO	USACC	+	41.50	41.50	<del>                                     </del>		<del>                                     </del>	15.20			<del>                                     </del>	+
			+	ULFUU	UUACC		41.50	41.50	1		-	13.20		-	-	+
	TIONAL NRCs		+	LIEDOO	110:00				<del>                                     </del>		1			-	<del>                                     </del>	+
	2W VG Loop/ Line Port Combination-Subsqnt		<u> </u>	UEPCO	USAS2		0.00	0.00	<b> </b>	ļ		15.20			ļ	<del>                                     </del>
	RE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE LINE	PORT	(RES)		_				<b> </b>		ļ					<del>                                     </del>
	Port/Loop Combination Rates		<u>                                     </u>			ļ			ļ							<u> </u>
	2W VG Loop/IO Tranport/Port Combo-Zone 1		1			28.93										
	2W VG Loop/IO Tranport/Port Combo-Zone 2		2		1 -	39.35			1					l		1

Version 4Q02: 01/21/03 Page 222 of 402

NRONDL	.ED NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhil	oit: B
											Svc	Svc Order	Incrementa	Incrementa	Incrementa	Increme
											Order	Submitted		I Charge -	I Charge -	al Charg
											Submitt	Manually	Manual	Manual	Manual	Manua
ATEGORY	RATE ELEMENTS	Interi	Zon	BCS	usoc		RΔT	ES (\$)			ed Elec	per LSR	Svc Order		Svc Order	
A I LOOK I	KATE EELINEKTO	m	е	500	0000		I.A.I	<b>Ε</b> Ο (Ψ)			per LSR	poi zoix	VS.	vs.	vs.	vs.
											por Lore		_	Electronic-	Electronic-	
													1st	Add'l	Disc 1st	Disc Add
						1			T						DISC 1St	DISC AUC
						Rec	Nonrecu			isconnec		1 -		Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2W VG Loop/IO Tranport/Port Combo-Zone 3		3			64.46										
	Loop Rates															
	2W VG Loop (SL2)-Zone 1		1	UEPFR	UECF2	14.93										
	2W VG Loop (SL2)-Zone 2		2	UEPFR	UECF2	25.35										
	2W VG Loop (SL2)-Zone 3		3	UEPFR	UECF2	50.46										
2-Wir	e Voice Grade Line Port Rates (Res)															
	2W voice unbundled port-Res			UEPFR	UEPRL	14.00	135.00	90.00				15.20				
	2W voice unbundled port with Caller ID-res			UEPFR	UEPRC	14.00	135.00	90.00				15.20				
	2W voice unbundled port outgoing only-res			UEPFR	UEPRO	14.00	135.00	90.00				15.20	İ			1
	2W VG unbundled LA extended local dialing parity port with Caller ID-res		$\vdash$	UEPFR	UEPAS	14.00	135.00	90.00				15.20		1		
	2W voice unbundled LA Area Plus with Caller ID-res (RUL)		1	UEPFR	UEPAG	14.00	135.00	90.00				15.20				
	, ,			UEPFR	UEPAP	14.00	135.00	90.00				15.20		-		
	2W voice unbundles res, low usage line port with Caller ID (LUM)															
	2W Voice Unbundled LA Res Dialing Plan w/o Caller ID			UEPFR	UEPWG	14.00	135.00	90.00				15.20				
	ROFFICE TRANSPORT															
	Interoffice Transport-Dedicated-2W VG-Facility Term			UEPFR	U1TV2	22.60	39.36	26.62				15.20				
	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi			UEPFR	1L5XX	0.013										
	URES															
	All Features Offered			UEPFR	UEPVF	0.00	0.00	0.00				15.20				
LOCA	AL NUMBER PORTABILITY															
	Local No Portability (1 per port)			UEPFR	LNPCX	0.35										
NON	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-															
	Switch-as-is			UEPFR	USAC2		8.24	1.81				15.20				
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-															
	Switch-With-Change			UEPFR	USACC		8.24	1.81				15.20				
	RE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE LINE	DODI	(BIIE)		USACC		0.24	1.01				13.20				
	Port/Loop Combination Rates	FUKI	(603)													
	•				+	00.00										
	2W VG Loop/IO Tranport/Port Combo-Zone 1		1			28.93										
	2W VG Loop/IO Tranport/Port Combo-Zone 2		2			39.35										
	2W VG Loop/IO Tranport/Port Combo-Zone 3		3			64.46										
	Loop Rates															
	2W VG Loop (SL2)-Zone 1		1	UEPFB	UECF2	14.93										
	2W VG Loop (SL2)-Zone 2		2	UEPFB	UECF2	25.35										
	2W VG Loop (SL2)-Zone 3		3	UEPFB	UECF2	50.46										
2-Wir	e Voice Grade Line Port (Bus)															
	2W voice unbundled port w/o Caller ID-bus			UEPFB	UEPBL	14.00	135.00	90.00				15.20				
	2W voice unbundled port with Caller + E484 ID-bus			UEPFB	UEPBC	14.00	135.00	90.00				15.20				
	2W voice unbundled port outgoing only-bus			UEPFB	UEPBO	14.00	135.00	90.00				15.20				
	2W VG unbundled LA extended local dialing parity port with Caller ID-bus			UEPFB	UEPAX	14.00	135.00	90.00	1			15.20	İ		İ	1
	2W voice unbundled incoming only port with Caller ID-Bus			UEPFB	UEPB1	14.00	135.00	90.00				15.20	İ	1	İ	
	2W voice unbundled LA Bus Area Calling Port with Caller ID (BUC)			UEPFB	UEPAA	14.00	135.00	90.00				15.20		1	1	
	2W Voice Unbundled LA bus Area Calling Plan w/o Caller ID		+	UEPFB	UEPWH	14.00	135.00	90.00				15.20		<b>†</b>		1
	LA NUMBER PORTABILITY		$\vdash$	ULFID	OLFWIN	14.00	133.00	30.00				13.20		<del>                                     </del>	<del> </del>	1
	Local No Portability (1 per port)		$\vdash$	UEPFB	LNPCX	0.35							1	t	<del> </del>	1
			$\vdash$	UEPFB	LINPUA	0.33			-			<b> </b>	-	<del></del>	-	1
	ROFFICE TRANSPORT		$\vdash$	HEDED	11477.70	20.00	22.22	00.00				45.00	-	<del>                                     </del>	<b> </b>	
	Interoffice Transport-Dedicated-2W VG-Facility Term		$\vdash$	UEPFB	U1TV2	22.60	39.36	26.62	1			15.20		<b>!</b>	1	1
	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi		ļļ	UEPFB	1L5XX	0.013			ļ							1
	URES All Features Offered		$\sqcup$	UEPFB	UEPVF	0.00	0.00		1			15.20				<del>   </del>
								0.00								1

Version 4Q02: 01/21/03 Page 223 of 402

JNBUNDI	LED NETWORK ELEMENTS - Louisiana												Attachi	ment: 2	Exhib	bit: B
											Svc	Svc Order	Incrementa	Incrementa	Incrementa	Increme
											Order	Submitted	I Charge -	I Charge -	I Charge -	al Charg
												Manually	Manual	Manual	Manual	Manua
CATEGORY	RATE ELEMENTS	Interi	Zon	BCS	usoc		РΛΤ	ES (\$)			ed Elec		Svc Order		Svc Order	
AIEGORI	RATE ELEMENTS	m	е	ВСЗ	0300		KAI	E3 (\$)			per LSR		VS.	VS.	VS.	vs.
											per Lok		vs. Electronic-	_	_	
															Electronic-	
													1st	Add'l	Disc 1st	Disc Add
						Rec	Nonrect	urring	NRC D	isconnec	;		ossi	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-															1
	Switch-as-is			UEPFB	USAC2		8.24	1.81				15.20				
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-			025	00/102	1	0.2.	1.01			<b> </b>	.0.20				+
	Switch with change			UEPFB	USACC		8.24	1.81				15.20				
			1	UEPFB	USACC		0.24	1.01				15.20				+
	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)		1 1													
	Port/Loop Combination Rates															
	2W VG Loop/IO Tranport/Port Combo-Zone 1		1			28.93										
	2W VG Loop/IO Tranport/Port Combo-Zone 2		2			39.35										
	2W VG Loop/IO Tranport/Port Combo-Zone 3		3			64.46										
	Loop Rates				1 1											1
	2W VG Loop (SL2)-Zone 1	<b>-</b>	1	UEPFP	UECF2	14.93			1			t			1	†
	2W VG Loop (SL2)-Zone 2		2	UEPFP		25.35										+
		<del>                                     </del>	_		UECF2				-		-	-			-	+
	2W VG Loop (SL2)-Zone 3		3	UEPFP	UECF2	50.46			<u> </u>	ļ		-				<del></del>
	e Voice Grade Line Port Rates (BUS - PBX)															
	Line Side Unbundled Combination 2-Way PBX Trunk Port-Bus			UEPFP	UEPPC	14.00	132.47	82.14				15.20				
	Line Side Unbundled Outward PBX Trunk Port-Bus			UEPFP	UEPPO	14.00	132.47	82.14				15.20				
	Line Side Unbundled Incoming PBX Trunk Port-Bus			UEPFP	UEPP1	14.00	132.47	82.14				15.20				
	2W Voice Unbundled 2-Way Combination PBX LA Calling Port			UEPFP	UEPL2	14.00	132.47	82.14				15.20				1
	2W Voice Unbundled PBX LD Terminal Ports			UEPFP	UEPLD	14.00	132.47	82.14				15.20				+
	2W Voice Unbundled 2-Way Combination PBX Usage Port			UEPFP	UEPXA	14.00	132.47	82.14				15.20				+
			1	UEPFP	UEPXB	14.00	132.47	82.14				15.20				+
	2W Voice Unbundled PBX Toll Terminal Hotel Ports		1													+
	2W Voice Unbundled PBX LD DDD Terminals Port			UEPFP	UEPXC	14.00	132.47	82.14				15.20				
	2W Voice Unbundled PBX LD Terminal Switchboard Port			UEPFP	UEPXD	14.00	132.47	82.14				15.20				
	2W Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPFP	UEPXE	14.00	132.47	82.14				15.20				
	2W Voice Unbundled 2-Way PBX LA Local Optional Calling Port			UEPFP	UEPXK	14.00	132.47	82.14				15.20				
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative															
	Calling Port			UEPFP	UEPXL	14.00	132.47	82.14				15.20				
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling		+ +	OLITI	OLI AL	14.00	102.71	02.14				13.20				+
				LIEDED	LIEDVAA	44.00	132.47	00.44				45.00				
	Port		1	UEPFP	UEPXM	14.00	132.47	82.14				15.20				4
	2W Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room															
	Calling Port			UEPFP	UEPXO	14.00	132.47	82.14				15.20				
	2W Voice Unbundled 1-Way Outgoing PBX LA Local Discount Calling Port			UEPFP	UEPXP	14.00	132.47	82.14				15.20				
	2W Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPFP	UEPXS	14.00	132.47	82.14				15.20				1
LOCA	AL NUMBER PORTABILITY															1
	Local No Portability (1 per port)			UEPFP	LNPCP	3.15	0.00	0.00				15.20				1
INTE	ROFFICE TRANSPORT		1	OLITI	Liti Oi	0.10	0.00	0.00				10.20				1
INIL	Interoffice Transport-Dedicated-2W VG-Facility Term			UEPFP	U1TV2	22.60	39.36	26.62				15.20				+
			-				39.30	20.02				15.20				+
	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi		1 1	UEPFP	1L5XX	0.013										<del></del>
	URES															
	All Features Offered			UEPFP	UEPVF	0.00	0.00	0.00				15.20				
NON	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-															
	Switch-as-is	1	1 1	UEPFP	USAC2	l	8.24	1.81		1		15.20				
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-					İ						12.20			İ	1
	Switch with change	1		UEPFP	USACC	ļ	8.24	1.81		1		15.20				
	ED PORT/LOOP COMBINATIONS - MARKET BASED RATES		+ +	OLFIF	JUAGO	ł	0.24	1.01	1	<del>                                     </del>		13.20			1	+
		<u> </u>	+ +		+				1			<del>                                     </del>				+
	RE VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK PORT		1 1		1				<u> </u>	ļ						<del>                                     </del>
	Port/Loop Combination Rates		1						ļ							1
	2W VG Loop/2W DID Trunk Port Combo-UNE Zone 1		1			50.93										1
	2W VG Loop/2W DID Trunk Port Combo-UNE Zone 2	L	2			61.35										
	2W VG Loop/2W DID Trunk Port Combo-UNE Zone 3		3			86.46										T

Version 4Q02: 01/21/03 Page 224 of 402

JNBUNDL	ED NETWORK ELEMENTS - Louisiana													Attachi	ment: 2	Exhib	oit: B
ATEGORY	RATE ELEMENTS	Interi m	Zon e	ВС	s	USOC		RAT	ES (\$)					I Charge - Manual Svc Order vs.	Incrementa I Charge - Manual Svc Order Vs.	I Charge - Manual Svc Order vs.	al Charge Manual Svc Orde vs.
														Electronic- 1st	Electronic- Add'l	Electronic- Disc 1st	Disc Add'
_							1	Names		NDC D	isconnec				Rates (\$)	Disc 1st	DISC Add
							Rec	Nonrect First	Add'l	First			SOMAN			SOMAN	SOMAN
LINE	oop Rates							FIISt	Addi	FIISt	Add I	SOMEC	SUMAN	SUMAN	SUMAN	SUMAN	SUMAN
	W Analog VG Loop-(SL2)-UNE Zone 1		1	UEF	אחע	UECD1	14.93						15.20				
	W Analog VG Loop-(SL2)-UNE Zone 2		2	UEF		UECD1	25.35						15.20				
	W Analog VG Loop-(SL2)-UNE Zone 3		3	UEF		UECD1	50.46						15.20				
	ort Rate		3	UEF	<b>P</b> A	UECDI	50.46						15.20				
	exchange Ports-2W DID Port			UEF	DDY	UEPD1	36.00	600.00	45.00				15.20				
	ECURRING CHARGES - CURRENTLY COMBINED			UEF	-ΓΛ	OEFDI	30.00	600.00	45.00				15.20				-
	W VG Loop/2W DID Trunk Port Combination -Switch-As-Is Top 8 MSAs									1							-
	nly			UEF	NDV	USAC1		100.00	42.50				15.00				
	W VG Loop/2W DID Trunk Port Conversion with BST Allowable Changes			UEF	<b>7</b> PX	USACT	-	100.00	42.50				15.20				
	Top 8 MSAs only			UEF	NDV	USA1C		400.00	42.50				15.20				
	op 8 MSAS ONLY  IONAL NRCs			UEF	<b>7</b> PX	USATC		100.00	42.50				15.20				
				LIEF	NDV	110404	-	45.00	45.00				45.00				
	W DID Subsqnt Activity-Add Trunks, Per Trunk			UEF	<b>7</b> PX	USAS1		45.00	45.00				15.20				
	one Number/Trunk Group Establisment Charges			LIEF	NDV	NDT	0.00	0.00	0.00				45.00				
	DID Trunk Term (One Per Port)			UEF		NDT	0.00	0.00	0.00	ļ			15.20				
	add'I DID Nos for each Group of 20 DID Nos			UEF		ND4	0.00	0.00	0.00				15.20				
	DID Nos, Non-consecutive DID Nos , Per No			UEF		ND5	0.00	0.00	0.00	ļ			15.20				<del>                                     </del>
	Reserve Non-Consecutive DID Nos			UEF		ND6	0.00	0.00	0.00				15.20				
	Reserve DID Nos			UEF	PYX	NDV	0.00	0.00	0.00				15.20				
	NUMBER PORTABILITY																
	ocal No Portability (1 per port)			UEF	PPX	LNPCP	3.15	0.00	0.00								
	E ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LINE SIDI	E POR	T														
	ort/Loop Combination Rates						21.22										
	W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -UNE Zone 1		1	UEPPB	UEPPR		84.09										
	W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -UNE Zone 2		2	UEPPB	UEPPR		96.95										
	W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -UNE Zone 3		3	UEPPB	UEPPR		127.60										
	oop Rates																
	W ISDN Digital Grade Loop-UNE Zone 1		1	UEPPB	UEPPR	USL2X	19.09						15.20				
	W ISDN Digital Grade Loop-UNE Zone 2		2	UEPPB	UEPPR	USL2X	31.95						15.20				
	W ISDN Digital Grade Loop-UNE Zone 3		3	UEPPB	UEPPR	USL2X	62.60						15.20				
	ort Rate																
	xchange Port-2W ISDN Line Side Port			UEPPB	UEPPR	UEPPB	65.00	525.00	400.00				15.20				
	ECURRING CHARGES - CURRENTLY COMBINED																
	W ISDN Digital Grade Loop/2W ISDN Line Side Port Combination-																
	Conversion-Top 8 MSAs only			UEPPB	UEPPR	USACB	0.00	230.00	230.00				15.20				
	IONAL NRCs																
	L NUMBER PORTABILITY																
	ocal No Portability (1 per port)			UEPPB	UEPPR	LNPCX	0.35	0.00	0.00								
	NNEL USER PROFILE ACCESS:																
	CVS/CSD (DMS/5ESS)			UEPPB	UEPPR	U1UCA	0.00	0.00	0.00								
	CVS (EWSD)			UEPPB	UEPPR	U1UCB	0.00	0.00	0.00								
	CSD			UEPPB	UEPPR	U1UCC	0.00	0.00	0.00								
	NNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS SC,MS, &	k TN)															
	CVS/CSD (DMS/5ESS)			UEPPB	UEPPR	U1UCD	0.00	0.00	0.00								
	CVS (EWSD)			UEPPB	UEPPR	U1UCE	0.00	0.00	0.00								
	CSD			UEPPB	UEPPR	U1UCF	0.00	0.00	0.00								
USER	TERMINAL PROFILE														]		
l	Jser Terminal Profile (EWSD only)			UEPPB	UEPPR	U1UMA	0.00	0.00	0.00								
VERTI	CAL FEATURES																
1	Il Vertical Features-One per Channel B User Profile			UEPPB	UEPPR	UEPVF	0.00	0.00	0.00				15.20				
	OFFICE CHANNEL MILEAGE							_	-								1

Version 4Q02: 01/21/03 Page 225 of 402

UNBUND	LED NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhil	oit: B
											Svc	Svc Order	Incrementa	Incrementa	Incrementa	Increment
											Order	Submitted	I Charge -	I Charge -	I Charge -	al Charge -
											Submitt	Manually	Manual	Manual	Manual	Manual
CATEGOR	RATE ELEMENTS	Interi		BCS	usoc		RAT	ES (\$)			ed Elec	-	Svc Order			Svc Order
	1	m	е					(+)			per LSR		vs.	vs.	vs.	vs.
													Electronic-	Electronic-	Electronic-	Electronic
													1st	Add'l		Disc Add'l
						_	Nonrecu	ırring	NRC D	isconne	G	I	oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Channel miage each, including first mi & facilities Term			UEPPB UEPPR	M1GNC	22.613	39.36	26.62				15.20				
	Interoffice Channel miage each, Add'l mi			UEPPB UEPPR	M1GNM	0.013	0.00	0.00				15.20				
4-WI	RE DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK PORT	-														
	Port/Loop Combination Rates															
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port -UNE Zone 1		1	UEPPP		935.70										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port -UNE Zone 2		2	UEPPP		1.044.96										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port -UNE Zone 3		3	UEPPP		1,341.94										
UNF	Loop Rates		Ť	02		1,011.01										
0.112	4W DS1 Digital Loop-UNE Zone 1		1	UEPPP	USL4P	85.70						15.20				
	4W DS1 Digital Loop-UNE Zone 2		2	UEPPP	USL4P	194.96						15.20				
	4W DS1 Digital Loop-UNE Zone 3		3	UEPPP	USL4P	491.94					1	15.20				+
LINE	Port Rate		-	OLITI	OOLTI	401.04						13.20				
UNL	Exchange Ports-4W ISDN DS1 Port			UEPPP	UEPPP	850.00	1.150.00	1.150.00				15.20				
NON	RECURRING CHARGES - CURRENTLY COMBINED			ULFFF	OLFFF	030.00	1,130.00	1,150.00				13.20				
NON	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port Combination-															
	Conversion -Switch-As-Is Top 8 MSAs only			UEPPP	USACP	0.00	950.00	950.00				15.20				
ADD	ITIONAL NRCs			OLFFF	USACE	0.00	950.00	930.00				13.20				1
ADD	4W DS1 Loop/4W ISDN Digtl Trk Port-Subsqt Actvy-Inward/2way Tel Nos			UEPPP	PR7TF		0.48					15.20				
<del>                                     </del>	4W DS1 Loop/4W ISDN DS1 Digit Trk Fort-Subsqt Activy-Inward/2way Tel Nos			UEPPP	PR7TO		11.18	11.18				15.20				1
<del>                                     </del>	4W DS1 Loop/4W ISDN DS1 Digital Truth Port-Subsqut Inward Tel Nos			UEPPP	PR7ZT		22.35	22.35				15.20				1
100	AL NUMBER PORTABILITY			UEFFF	FRIZI		22.33	22.33	1		1	15.20				
LOC	Local No Portability (1 per port)			UEPPP	LNPCN	1.75										1
INTE	RFACE (Provsioning Only)			UEFFF	LINECIN	1.73										
IINTE	Voice/Data			UEPPP	PR71V	0.00	0.00	0.00	1		1					
	Digital Data			UEPPP	PR71D	0.00	0.00	0.00								1
	Inward Data			UEPPP	PR71E	0.00	0.00	0.00								1
Now	or Additional "B" Channel			UEPPP	PR/TE	0.00	0.00	0.00								-
New				LIEDDD	PR7BV	0.00	14.11				1	15.00		-		1
<del> </del>	New or Add'I-Voice/Data B Channel	-	1	UEPPP UEPPP	PR7BF	0.00			1		1	15.20 15.20	-	1		+
	New or Add'l-Digital Data B Channel						14.11				1			-		<b> </b>
	New or Add'l Inward Data B Channel	-	1	UEPPP	PR7BD	0.00	14.11		1		1	15.20	-	1		+
CAL	L TYPES			LIEDDD	DD 70 :	0.00	0.00	0.00	ļ		-			1		1
ļļ.	Inward			UEPPP	PR7C1	0.00	0.00	0.00	ļ		-			1		
$\vdash$	Outward	-	1	UEPPP	PR7C0	0.00	0.00	0.00	1		1					1
	Two-way	l	l	UEPPP	PR7CC	0.00	0.00	0.00	1		1					

JNBUNDL	ED NETWORK ELEMENTS - Louisiana												Attachi	ment: 2	Exhib	oit: B
											Svc	Svc Order	Incrementa	Incrementa	Incrementa	Increme
											Order	Submitted	I Charge -	I Charge -	I Charge -	al Char
											Submitt	Manually	Manual	Manual	Manual	Manua
ATEGORY	RATE ELEMENTS	Interi	Zon	BCS	usoc		RΔT	ES (\$)			ed Elec		Svc Order		Svc Order	
AILOOKI	NATE ELEMENTO	m	е	500	0000		IXAI	LO (4)			per LSR		vs.	vs.	vs.	vs.
											per Lor		Electronic-	_	Electronic-	
													1st	Add'l		Disc Ad
			1												DISC 1St	DISC AU
						Rec	Nonreci			isconne				Rates (\$)	1 -	
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAI
	ffice Channel Mileage															
	Fixed Each Including First mi			UEPPP	1LN1A	70.7532	86.69	79.44				15.20				
	Each Airline-Fractional Add'l mi			UEPPP	1LN1B	0.2652										
4-WIF	E DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT															
UNE	Port/Loop Combination Rates															
	4W DS1 Digital Loop/4W DDITS Trunk Port -UNE Zone 1		1	UEPDC		154.17						15.20				
	4W DS1 Digital Loop/4W DDITS Trunk Port -UNE Zone 2		2	UEPDC		263.43						15.20				1
	4W DS1 Digital Loop/4W DDITS Trunk Port -UNE Zone 3		3	UEPDC	1 1	560.41			1			15.20	İ		İ	1
	Loop Rates		1 1		1				1				İ		İ	1
	4W DS1 Digital Loop-UNE Zone 1		1	UEPDC	USLDC	85.70					1	15.20		1		1
	4W DS1 Digital Loop-UNE Zone 2		2	UEPDC	USLDC	194.96						15.20				<del></del>
	4W DS1 Digital Loop-UNE Zone 3		3	UEPDC	USLDC	491.94						15.20				+
	Port Rate		3	UEFDC	USLDC	491.94						13.20				+
			1	LIEDDO	LIDDAT	750.00	4 000 00	470.00	0.00	0.00	-	45.00				<del> </del>
	4W DDITS Digital Trunk Port		1	UEPDC	UDD1T	750.00	1,006.28	479.28	0.00	0.00		15.20				<del> </del>
	RECURRING CHARGES - CURRENTLY COMBINED															
	4W DS1 Digital Loop/4W DDITS Trunk Port Combination-Switch-As-ls Top															
	8 MSAs only			UEPDC	USAC4		125.75	65.08				15.20				
	4W DS1 Digital Loop/4W DDITS Trunk Port Combination-Conversion with															
	DS1 Changes Top 8 MSAs only			UEPDC	USAWA		125.75	65.08				15.20				
	4W DS1 Digital Loop/4W DDITS Trunk Port Combination-Conversion with															
	Change-Trunk Top 8 MSAs only			UEPDC	USAWB		125.75	65.08				15.20				
	TIONAL NRCs															1
	4W DS1 Loop/4W DDITS Trunk Port-NRC-Subsqnt Channel															
	Activation/Chan-2-Way Trunk			UEPDC	UDTTA		14.06	14.06				15.20				
	4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Channel Activation/Chan-1-				-											<b>†</b>
	Way Outward Trunk			UEPDC	UDTTB		14.06	14.06				15.20				
	4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Channel Activation/Chan			OLI DO	ODITE		14.00	14.00				13.20				†
	Inward Trunk w/out DID			UEPDC	UDTTC		14.06	14.06				15.20				
	4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Chan Activation Per Chan-			UEFDC	ODITO		14.00	14.00				13.20				+
	· '			LIEBBO	LIDTED		44.00	4400				45.00				
	Inward Trunk with DID		1	UEPDC	UDTTD		14.06	14.06				15.20				+
	4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Chan Activation/Chan-2-															
	Way DID w User Trans			UEPDC	UDTTE		14.06	14.06				15.20				
	LAR 8 ZERO SUBSTITUTION															
	B8ZS -Superframe Format			UEPDC	CCOSF		0.00	605.00				15.20				
	B8ZS-Extended Superframe Format			UEPDC	CCOEF		0.00	605.00				15.20				
Altern	nate Mark Inversion															
	AMI -Superframe Format			UEPDC	MCOSF		0.00	0.00								
	AMI-Extended SuperFrame Format			UEPDC	MCOPO		0.00	0.00						]		
	hone Number/Trunk Group Establisment Charges															
	Telephone No for 2-Way Trunk Group			UEPDC	UDTGX	0.00					Ì	15.20		1		
	Telephone No for 1-Way Outward Trunk Group			UEPDC	UDTGY	0.00			1			15.20	İ		İ	1
	Telephone No for 1-Way Inward Trunk Group w/o DID			UEPDC	UDTGZ	0.00						15.20				<b>†</b>
	DID Nos, Establish Trunk Group & Provide First Group of 20 DID Nos			UEPDC	NDZ	0.00	0.00	0.00				15.20				<b>†</b>
	DID Nos for each Group of 20 DID Nos		1 1	UEPDC	ND4	0.00	0.00	0.00	1		1	15.20		1		<del>                                     </del>
	DID Nos, Non-consecutive DID Nos, Per No		+-+	UEPDC	ND5	0.00			1		1	15.20		1		+
	Reserve Non-Consecutive DID Nos.		+ +	UEPDC	ND6	0.00	0.00	0.00			}	15.20	-		-	+
			+						-		<del>                                     </del>		-	-	-	+
	Reserve DID Nos		+	UEPDC	NDV	0.00	0.00	0.00	1		1	15.20	-	<del>                                     </del>	-	+
	ated DS1 (Interoffice Channel Mileage) -		<b>├</b>		+				<u> </u>		<b> </b>			ļ		<del>                                     </del>
	O for 4-Wire DS1 Digital Loop with 4-Wire DDITS Trunk Port		+						1							1
	Interoffice Channel miage-Fixed rate 0-8 mis (Facilities Term)			UEPDC	1LNO1	70.47	86.69	79.44			1	15.20		ļ		
	Interoffice Channel miage-Add'l rate per mi-0-8 mis			UEPDC	1LNOA	0.2652	0.00	0.00			1	1	]	1	1	1

ONBOND	LED NETWORK ELEMENTS - Louisiana												Attachi	ment: 2	Exhib	oit: B
											Svc	Svc Order	Incrementa	Incrementa	Incrementa	Increme
											Order	Submitted	I Charge -	I Charge -	I Charge -	al Charg
			l_ l								Submitt	Manually	Manual	Manual	Manual	Manua
CATEGORY	RATE ELEMENTS		Zon	BCS	USOC		RAT	ES (\$)			ed Elec	per LSR	Svc Order	Svc Order	Svc Order	Svc Ord
		m	е					.,			per LSR	l .	vs.	vs.	vs.	vs.
											-		Electronic-	Electronic-	Electronic-	Electron
													1st	Add'l	Disc 1st	Disc Add
							Nonreci	urring	NRC D	isconnec			oss	Rates (\$)		
						Rec	First	Add'l	First			SOMAN	SOMAN		SOMAN	SOMAN
	Interoffice Channel miage-Fixed rate 9-25 mis (Facilities Term)			UEPDC	1LNO2	0.00	0.00	0.00	1 1100	Auu	COME	COMPAN	COMPAR	COMPAR	COMPAR	- COMPA
	Interoffice Channel miage-Add'l rate per mi-9-25 mis			UEPDC	1LNOB	0.2652	0.00	0.00								+
	Interoffice Channel miage-Fixed rate 25+ mis (Facilities Term)			UEPDC	1LNO3	0.00	0.00	0.00								+
	Interoffice Channel miage-Add'l rate per mi-25+ mis			UEPDC	1LNOC	0.2652	0.00	0.00								+
	Local No Portability, per DS0 Activated		1	UEPDC	LNPCP	3.15	0.00	0.00								+
			1	UEPDC	CTG	0.00	0.00	0.00								<del> </del>
	Central Office Termininating Point		-	UEPDC	CIG	0.00										<del> </del>
	RE DS1 LOOP WITH CHANNELIZATION WITH PORT															<del> </del>
	em is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Activations															<del> </del>
	stem can have various rate combinations based on type and number of p	orts	used													
	DS1 Loop															
	4W DS1 Loop-UNE Zone 1		1	UEPMG	USLDC	85.70	0.00	0.00				15.20				
	4W DS1 Loop-UNE Zone 2		2	UEPMG	USLDC	194.96	0.00	0.00				15.20				
	4W DS1 Loop-UNE Zone 3		3	UEPMG	USLDC	491.94	0.00	0.00				15.20				
	DSO Channelization Capacities (D4 Channel Bank Configurations)															
	24 DSO Channel Capacity-1 per DS1			UEPMG	VUM24	97.35	0.00	0.00				15.20				
	48 DSO Channel Capacity-1 per 2 DS1s			UEPMG	VUM48	194.70	0.00	0.00				15.20				
	96 DSO Channel Capacity -1per 4 DS1s			UEPMG	VUM96	389.40	0.00	0.00				15.20				
	144 DS0 Channel Capacity-1 per 6 DS1s			UEPMG	VUM14	584.10	0.00	0.00				15.20				
	192 DS0 Channel Capacity -1 per 8 DS1s			UEPMG	VUM19	778.80	0.00	0.00				15.20				
	240 DS0 Channel Capacity-1 per 10 DS1s			UEPMG	VUM20	973.50	0.00	0.00				15.20				1
	288 DS0 Channel Capacity-1 per 12 DS1s			UEPMG	VUM28	1,168.20	0.00	0.00				15.20				
	384 DS0 Channel Capacity-1 per 16 DS1s			UEPMG	VUM38	1,557.60	0.00	0.00				15.20				
	480 DS0 Channel Capacity-1 per 20 DS1s			UEPMG	VUM40	1,947.00	0.00	0.00				15.20				1
	576 DS0 Channel Capacity -1 per 24 DS1s			UEPMG	VUM57	2,336.40	0.00	0.00				15.20				†
	672 DS0 Channel Capacity-1 per 28 DS1s			UEPMG	VUM67	2,725.80	0.00	0.00				15.20				
	Recurring Charges (NRC) Associated with 4-Wire DS1 Loop with Channel	olizti	on wit			,		0.00				10.20				+
	nimum System configuration is One (1) DS1, One (1) D4 Channel Bank, a						2111									†
	ples of this configuration functioning as one are considered Add'I after															+
	NRC-Conversion (Currently Combined) with or w/o BST Allowed Changes-	tile ii		um system comigu	lation is co	anteu.										+
	Top 8 MSAs Only			UEPMG	USAC4	0.00	450.00	50.00				15.20				
	em Additions Where Currently Combined and New (Not Currently Comb	:d	<u> </u>	UEPIVIG	USAC4	0.00	450.00	50.00				15.20				+
	eni Additions where currently combined and New (Not currently combined and New (Not currently combined and New	mea	/													<del> </del>
			-	LIEDMO	1// 11/45 4	0.00	200 00	000.00				45.00				<del> </del>
	1 DS1/D4 Channel Bank-Add NRC for each Port & Assoc Fea Activation		1	UEPMG	VUMD4	0.00	900.00	600.00				15.20				<del> </del>
	lar 8 Zero Substitution			LIEDMO	00005	0.00	0.00	005.00				45.00				
	Clear Channel Capability Format, superframe-Subsqnt Activity Only			UEPMG	CCOSF	0.00	0.00	605.00				15.20				
	Clear Channel Capability Format-Extended Superframe-Subsqnt Activity															
	Only			UEPMG	CCOEF	0.00	0.00	605.00				15.20				4
	nate Mark Inversion (AMI)															
	Superframe Format			UEPMG	MCOSF	0.00	0.00	0.00								
	Extended Superframe Format			UEPMG	MCOPO	0.00	0.00	0.00								
	ange Ports Associated with 4-Wire DS1 Loop with Channelization with F	ort														
	ange Ports			·												
	Line Side Combination Channelized PBX Trunk Port-bus			UEPPX	UEPCX	14.00	0.00	0.00				15.20				
	Line Side Outward Channelized PBX Trunk Port-bus			UEPPX	UEPOX	14.00	0.00	0.00				15.20				
	Line Side Inward Only Channelized PBX Trunk Port w/o DID			UEPPX	UEP1X	14.00	0.00	0.00				15.20		]		
	2W Trunk Side Unbundled Channelized DID Trunk Port			UEPPX	UEPDM	36.00	0.00	0.00				15.20				
	Unbundled Exchange Ports, 2W Channelized – Outdial – (AL, KY, LA, MS,															
	& TN)			UEPPX	UEPCY	14.00	0.00	0.00	0.00	0.00	1	15.20				
	Unbundled Exchange Ports, 2W Channelized – Combination (AL, KY, LA,															
	MS. & TN		1 1	UEPPX	UEPCT	14.00	0.00	0.00	0.00	0.00	l	15.20		ĺ		

Version 4Q02: 01/21/03 Page 228 of 402

	ED NETWORK ELEMENTS - Louisiana													nent: 2	Exhib	
ATEGORY	RATE ELEMENTS	Interi	Zon	BCS	USOC		ВАТ	ES (\$)				Submitted Manually	Incrementa I Charge - Manual Svc Order	I Charge - Manual	Incrementa I Charge - Manual Svc Order	al Charg Manua
RIEGORI	RATE ELEMENTS	m	е	BC3	0300		KAI	E3 (\$)			per LSR		vs. Electronic-	vs.	vs. Electronic-	vs.
															DISC 1St	DISC Add
						Rec	Nonrec			isconnec		T ======		Rates (\$)		
					<u> </u>		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Exchange Ports, 2W Channelized – Outdial – LA Only – Calling Plan			UEPPX	UEPC2	14.00	0.00	0.00	0.00	0.00		15.20				
	Unbundled Exchange Ports, 2W Channelized – Two Way-LA Only –															
	Calling Plan			UEPPX	UEPC3	14.00	0.00	0.00	0.00	0.00		15.20				
	re Activations - Unbundled Loop Concentration				ļ											
	Feature (Service) Activation for each Line Port Terminated in D4 Bank			UEPPX	1PQWM	0.6497	40.00	20.00				15.20				
	Feature (Service) Activation for each Trunk Port Terminated in D4 Bank			UEPPX	1PQWU	0.6497	110.00	30.00				15.20				
	hone Number/ Group Establishment Charges for DID Service															
	DID Trunk Term (1 per Port)			UEPPX	NDT	0.00	0.00	0.00				15.20				
	DID Nos-groups of 20-Valid all States			UEPPX	ND4	0.00	0.00	0.00	ļ			15.20				
	Non-Consecutive DID Nos-per No			UEPPX	ND5	0.00	0.00	0.00				15.20				
	Reserve Non-Consecutive DID Nos			UEPPX	ND6	0.00	0.00	0.00	ļ			15.20				
	Reserve DID Nos			UEPPX	NDV	0.00	0.00	0.00				15.20				
	Number Portability															
	Local No Portability-1 per port			UEPPX	LNPCP	3.15	0.00	0.00								
	URES - Vertical and Optional															
Local	Switching Features Offered with Line Side Ports Only															
	All Features Available			UEPPX	UEPVF	0.00	0.00	0.00				15.20				
BUNDLE	D CENTREX PORT/LOOP COMBINATIONS - COST BASED RATES															
	4 B	_	::-													
	st Based Rates are applied where BellSouth is required by FCC and/or															
2. Fea	atures shall apply to the Unbundled Port/Loop Combination - Cost Bas	ed Ra	ite sec	tion in the same ma	nner as the	y are applied t	o the Stand-A	lone Unbur								
2. Fea		ed Ra	ite sec	tion in the same ma	nner as the	y are applied t	o the Stand-A	lone Unbur					in Port/Loop	Combination	ons.	
2. Fea 3. En	atures shall apply to the Unbundled Port/Loop Combination - Cost Bas	ed Ra rates i	ite sec	tion in the same ma	nner as the Exhibit sha	ey are applied to	o the Stand-A	lone Unbur of loop/por	t networ	k elemen	ts except	for UNE Co				nd are
2. Fea 3. End 4. The categ	atures shall apply to the Unbundled Port/Loop Combination - Cost Bas d Office and Tandem Switching Usage and Common Transport Usage re e first & add'l Port NRC charges apply to Not Currently Combined Com orized accordingly.	ed Ra rates i ibos.	te sec in the For Cu	tion in the same ma Port section of this Irrently Combined (	nner as the Exhibit sha Combos, the	ey are applied to all apply to all on the NRC charges	o the Stand-A	lone Unbur of loop/por	t networ	k elemen	ts except	for UNE Co				nd are
2. Fea 3. End 4. The categ 5. Ma	atures shall apply to the Unbundled Port/Loop Combination - Cost Bas d Office and Tandem Switching Usage and Common Transport Usage re e first & add'l Port NRC charges apply to Not Currently Combined Com orized accordingly. arket Rates for Unbundled Centrex Port/Loop Combination will be nego	ed Ra rates i ibos.	te sec in the For Cu	tion in the same ma Port section of this Irrently Combined (	nner as the Exhibit sha Combos, the	ey are applied to all apply to all on the NRC charges	o the Stand-A	lone Unbur of loop/por	t networ	k elemen	ts except	for UNE Co				nd are
2. Fea 3. End 4. The categ 5. Ma UNE-	atures shall apply to the Unbundled Port/Loop Combination - Cost Bas d Office and Tandem Switching Usage and Common Transport Usage is first & add'l Port NRC charges apply to Not Currently Combined Comorized accordingly.  arket Rates for Unbundled Centrex Port/Loop Combination will be negree PCENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only)	ed Ra rates i ibos.	te sec in the For Cu	tion in the same ma Port section of this Irrently Combined (	nner as the Exhibit sha Combos, the	ey are applied to all apply to all on the NRC charges	o the Stand-A	lone Unbur of loop/por	t networ	k elemen	ts except	for UNE Co				nd are
2. Fea 3. End 4. The categ 5. Ma UNE-	atures shall apply to the Unbundled Port/Loop Combination - Cost Bas d Office and Tandem Switching Usage and Common Transport Usage re e first & add'l Port NRC charges apply to Not Currently Combined Com orized accordingly. arket Rates for Unbundled Centrex Port/Loop Combination will be nego	ed Ra rates i ibos.	te sec in the For Cu	tion in the same ma Port section of this Irrently Combined (	nner as the Exhibit sha Combos, the	ey are applied to all apply to all on the NRC charges	o the Stand-A	lone Unbur of loop/por	t networ	k elemen	ts except	for UNE Co				nd are
2. Fea 3. End 4. The categ 5. Ma UNE- 2-Wir UNE	atures shall apply to the Unbundled Port/Loop Combination - Cost Bas d Office and Tandem Switching Usage and Common Transport Usage is first & add'l Port NRC charges apply to Not Currently Combined Com orized accordingly. arket Rates for Unbundled Centrex Port/Loop Combination will be nego P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only) e VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design)	ed Ra rates i ibos.	te sec in the For Cu	tion in the same ma Port section of this Irrently Combined ( n Individual Case B	nner as the Exhibit sha Combos, the	ey are applied i ill apply to all o e NRC charges urther notice.	o the Stand-A	lone Unbur of loop/por	t networ	k elemen	ts except	for UNE Co				nd are
2. Fea 3. End 4. The categ 5. Ma UNE- 2-Wir UNE	atures shall apply to the Unbundled Port/Loop Combination - Cost Based Office and Tandem Switching Usage and Common Transport Usage is a first & add'l Port NRC charges apply to Not Currently Combined Comorized accordingly.  arket Rates for Unbundled Centrex Port/Loop Combination will be negative trates for Unbundled Centrex Port/Loop Combination will be negative traces. The Section 1 of the Combination of the Combination will be negative to Combination will be negative to Combination will be negative to Combination Rates (Non-Design).  2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design	ed Ra rates i ibos.	in the For Cu	tion in the same ma Port section of this irrently Combined ( n Individual Case B	nner as the Exhibit sha Combos, the	ey are applied to all apply to all on the NRC charges	o the Stand-A	lone Unbur of loop/por	t networ	k elemen	ts except	for UNE Co				nd are
2. Fea 3. End 4. The categ 5. Ma UNE- 2-Wir UNE	atures shall apply to the Unbundled Port/Loop Combination - Cost Bas d Office and Tandem Switching Usage and Common Transport Usage is first & add'l Port NRC charges apply to Not Currently Combined Com orized accordingly. arket Rates for Unbundled Centrex Port/Loop Combination will be nego P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only) e VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design)	ed Ra rates i ibos.	te sec in the For Cu	tion in the same ma Port section of this Irrently Combined ( n Individual Case B	nner as the Exhibit sha Combos, the	ey are applied i ill apply to all o e NRC charges urther notice.	o the Stand-A	lone Unbur of loop/por	t networ	k elemen	ts except	for UNE Co				ad are
2. Fea 3. End 4. The categ 5. Ma UNE- 2-Wir UNE	atures shall apply to the Unbundled Port/Loop Combination - Cost Based Office and Tandem Switching Usage and Common Transport Usage is a first & add'l Port NRC charges apply to Not Currently Combined Comorized accordingly.  arket Rates for Unbundled Centrex Port/Loop Combination will be negative trates for Unbundled Centrex Port/Loop Combination will be negative traces. The Section 1 of the Combination of the Combination will be negative to Combination will be negative to Combination will be negative to Combination Rates (Non-Design).  2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design	ed Ra rates i ibos.	in the For Cu	tion in the same ma Port section of this irrently Combined ( n Individual Case B	nner as the Exhibit sha Combos, the	ey are applied in apply to all of e NRC charges urther notice.	o the Stand-A	lone Unbur of loop/por	t networ	k elemen	ts except	for UNE Co				ad are
2. Fea 3. End 4. The categ 5. Ma UNE- 2-Wir UNE	atures shall apply to the Unbundled Port/Loop Combination - Cost Bas d Office and Tandem Switching Usage and Common Transport Usage to effirst & add'l Port NRC charges apply to Not Currently Combined Com orized accordingly.  arket Rates for Unbundled Centrex Port/Loop Combination will be neg P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only) e VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design)  2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design	ed Ra rates i ibos.	te section the For Cu	tion in the same ma Port section of this irrently Combined on In Individual Case B UEP91 UEP91	nner as the Exhibit sha Combos, the	ey are applied of apply to all of e NRC charges urther notice.	o the Stand-A	lone Unbur of loop/por	t networ	k elemen	ts except	for UNE Co				nd are
2. Fea 3. End 4. The categ 5. Ma UNE- 2-Wir UNE	atures shall apply to the Unbundled Port/Loop Combination - Cost Bas d Office and Tandem Switching Usage and Common Transport Usage is first & add'l Port NRC charges apply to Not Currently Combined Comorized accordingly.  The states for Unbundled Centrex Port/Loop Combination will be negreted that the states for Unbundled Centrex Port/Loop Combination will be negreted to Centrex - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only)  The violation Value Volume	ed Ra rates i ibos.	te section the For Cu	tion in the same ma Port section of this irrently Combined on In Individual Case B UEP91 UEP91	nner as the Exhibit sha Combos, the	ey are applied of apply to all of e NRC charges urther notice.	o the Stand-A	lone Unbur of loop/por	t networ	k elemen	ts except	for UNE Co				ad are
2. Fez 3. En- 4. Th- categ 5. Ma UNE- 2-Wir UNE	atures shall apply to the Unbundled Port/Loop Combination - Cost Bas d Office and Tandem Switching Usage and Common Transport Usage is first & add"l Port NRC charges apply to Not Currently Combined Comorized accordingly.  The states for Unbundled Centrex Port/Loop Combination will be negative that the states for Unbundled Centrex Port/Loop Combination will be negative that the states for Unbundled Centrex Port/Loop Combination will be negative that the states for Unbundled Centrex Port (Centrex) Combo Port/Loop Combination Rates (Non-Design)  2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design  2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design  2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design  Port/Loop Combination Rates (Design)	ed Ra rates i ibos.	te section the For Cu	tion in the same ma Port section of this irrently Combined (in Individual Case B UEP91 UEP91 UEP91	nner as the Exhibit sha Combos, the	ey are applied to all apply to all apply to all apply to all a e NRC charges wither notice.  13.13 23.75 49.62	o the Stand-A	lone Unbur of loop/por	t networ	k elemen	ts except	for UNE Co				d are
2. Fee 3. End 4. The categ 5. Ma UNE 2-Wir UNE	atures shall apply to the Unbundled Port/Loop Combination - Cost Based Office and Tandem Switching Usage and Common Transport Usage in a first & add"l Port NRC charges apply to Not Currently Combined Comorized accordingly.  The Artest Rates for Unbundled Centrex Port/Loop Combination will be negated Rates for Unbundled Centrex Port/Loop Combination will be negated Potentrex - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only) are VG Loop/2-Wire Voice Grade Port (Centrex) Combo-Port/Loop Combination Rates (Non-Design)  2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design  2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design  Port/Loop Combination Rates (Design)  2W VG Loop/2W VG Port (Centrex) Port Combo-Design  Port/Loop Combination Rates (Design)  2W VG Loop/2W VG Port (Centrex) Port Combo-Design	ed Ra rates i ibos.	te section the For Cu	tion in the same ma Port section of this irrently Combined (in Individual Case Butter)  UEP91  UEP91  UEP91  UEP91	nner as the Exhibit sha Combos, the	ey are applied to all of e NRC charges urther notice.  13.13 23.75 49.62	o the Stand-A	lone Unbur of loop/por	t networ	k elemen	ts except	for UNE Co				nd are
2. Fez 3. End 4. The categ 5. Ma UNE 2-Wir UNE	atures shall apply to the Unbundled Port/Loop Combination - Cost Bas d Office and Tandem Switching Usage and Common Transport Usage to effirst & add'l Port NRC charges apply to Not Currently Combined Com- orized accordingly.  arket Rates for Unbundled Centrex Port/Loop Combination will be nego P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only) e VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design)  2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design Port/Loop Combination Rates (Design)  2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design	ed Ra rates i ibos.	te section the For Cu	UEP91 UEP91 UEP91 UEP91 UEP91	nner as the Exhibit sha Combos, the	y are applied of apply to all	o the Stand-A	lone Unbur of loop/por	t networ	k elemen	ts except	for UNE Co				ad are
2. Fez 3. End 4. The categ 5. Ma UNE UNE UNE UNE	atures shall apply to the Unbundled Port/Loop Combination - Cost Bas d Office and Tandem Switching Usage and Common Transport Usage is first & add'l Port NRC charges apply to Not Currently Combined Comorized accordingly.  The Arket Rates for Unbundled Centrex Port/Loop Combination will be neged to Centre to Tubundled Centrex Port/Loop Combination will be neged to Centrex - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only)  The VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design)  Wy G Loop/2W VG Port (Centrex) Port Combo-Non-Design  Wy G Loop/2W VG Port (Centrex) Port Combo-Non-Design  Wy Loop/2W VG Port (Centrex) Port Combo-Non-Design  Wy Loop/2W VG Port (Centrex) Port Combo-Design  Wy G Loop/2W VG Port (Centrex) Port Combo-Design  Wy G Loop/2W VG Port (Centrex) Port Combo-Design  Wy G Loop/2W VG Port (Centrex) Port Combo-Design  Wy G Loop/2W VG Port (Centrex) Port Combo-Design	ed Ra rates i ibos.	te section the For Cu	UEP91 UEP91 UEP91 UEP91 UEP91	nner as the Exhibit sha Combos, the	y are applied of apply to all of apply to all of apply to apply	o the Stand-A	lone Unbur of loop/por	t networ	k elemen	ts except	for UNE Co				d are
2. Fee 3. En 4. Th catego 5. Ma UNE 2-Wir UNE UNE	atures shall apply to the Unbundled Port/Loop Combination - Cost Bas d Office and Tandem Switching Usage and Common Transport Usage is first & add'l Port NRC charges apply to Not Currently Combined Comorized accordingly.  The states for Unbundled Centrex Port/Loop Combination will be negated accordingly.  The states for Unbundled Centrex Port/Loop Combination will be negated Port (Port Centrex) Combo Port/Loop Combination Rates (Non-Design)  William Compound Centrex (Port Combo-Non-Design)  William Coop/2W VG Port (Centrex) Port Combo-Non-Design  William VG Loop/2W VG Port (Centrex) Port Combo-Non-Design  William VG Loop/2W VG Port (Centrex) Port Combo-Non-Design  William VG Loop/2W VG Port (Centrex) Port Combo-Design  William VG Loop/2W VG Port (Centrex) Port Combo-Design  William VG Loop/2W VG Port (Centrex) Port Combo-Design  William VG Loop/2W VG Port (Centrex) Port Combo-Design  William VG Loop/2W VG Port (Centrex) Port Combo-Design  William VG Loop/2W VG Port (Centrex) Port Combo-Design  Loop Rate	ed Ra rates i ibos.	te section the For Cudon a 1 2 3 1 2 3	UEP91	nner as the Exhibit sha Combos, the asis, until f	y are applied to all apply to all apply to all apply to all a e NRC charges wither notice.  13.13 23.75 49.62 16.29 26.71 48.26	o the Stand-A	lone Unbur of loop/por	t networ	k elemen	ts except	for UNE Co				d are
2. Fec 3. End 4. The catego 5. Ma UNE- 2-Wir UNE	atures shall apply to the Unbundled Port/Loop Combination - Cost Bas d Office and Tandem Switching Usage and Common Transport Usage is first & add"l Port NRC charges apply to Not Currently Combined Comorized accordingly.  The states for Unbundled Centrex Port/Loop Combination will be negative that the states for Unbundled Centrex Port/Loop Combination will be negative that the states for Unbundled Centrex Port/Loop Combination will be negative to the state of the state	ed Ra rates i ibos.	te section the For Cud on a	tion in the same ma Port section of this Irrently Combined (in Individual Case Bindividual	enner as the Exhibit sha Combos, the asis, until f	y are applied in apply to all the end of the	o the Stand-A	lone Unbur of loop/por	t networ	k elemen	ts except	for UNE Co				d are
2. Fee 3. En 4. The catego 5. Ma UNE 2-Wir UNE UNE	atures shall apply to the Unbundled Port/Loop Combination - Cost Bas d Office and Tandem Switching Usage and Common Transport Usage to a first & add'l Port NRC charges apply to Not Currently Combined Comorized accordingly.  The Rates for Unbundled Centrex Port/Loop Combination will be negated to the Centre of the Comborover of the Centre of the Centr	ed Ra rates i ibos.	te section the For Cud on a 1 2 3 1 2 3 1 2 2 3	UEP91	unner as the Exhibit sha Combos, the asis, until fi  UECS1 UECS1 UECS1 UECS1	ey are applied to all apply to all apply to all apply to all a e NRC charges wither notice.  13.13 23.75 49.62 16.29 26.71 48.26 11.77 22.39	o the Stand-A	lone Unbur of loop/por	t networ	k elemen	ts except	for UNE Co				d are
2. Fee 3. En 4. The categ 5. Ma UNE 2-Wir UNE UNE	atures shall apply to the Unbundled Port/Loop Combination - Cost Bas d Office and Tandem Switching Usage and Common Transport Usage is first & add'l Port NRC charges apply to Not Currently Combined Comorized accordingly.  The Arket Rates for Unbundled Centrex Port/Loop Combination will be negrested accordingly.  The Centrex - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only)  The Centrex - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only)  The VG Loop/2-Wire Voice Grade Port (Centrex) Combo  The Voltoop Combination Rates (Non-Design)  The VG Loop/2W VG Port (Centrex) Port Combo-Non-Design  The VG Loop/2W VG Port (Centrex) Port Combo-Non-Design  The VG Loop/2W VG Port (Centrex) Port Combo-Non-Design  The VG Loop/2W VG Port (Centrex) Port Combo-Design  The VG Loop/2W VG Port (Centrex) Port Combo-Design  The VG Loop/2W VG Port (Centrex) Port Combo-Design  The VG Loop/2W VG Port (Centrex) Port Combo-Design  The VG Loop/2W VG Port (Centrex) Port Combo-Design  The VG Loop/2W VG Port (Centrex) Port Combo-Design  The VG Loop/2W VG Port (Centrex) Port Combo-Design  The VG Loop/2W VG Port (Centrex) Port Combo-Design  The VG Loop/2W VG Port (Centrex) Port Combo-Design  The VG Loop/2W VG Port (Centrex) Port Combo-Design  The VG Loop/2W VG Port (Centrex) Port Combo-Design  The VG Loop/2W VG Port (Centrex) Port Combo-Design  The VG Loop/2W VG Port (Centrex) Port Combo-Design  The VG Loop/2W VG Port (Centrex) Port Combo-Design  The VG Loop/2W VG Loop/2W VG Port (Centrex) Port Combo-Design  The VG Loop/2W VG Loop/2W VG Port (Centrex) Port Combo-Design  The VG Loop/2W VG	ed Ra rates i ibos.	te section the For Cu	UEP91	enner as the Exhibit sha Combos, the asis, until f	13.13 23.75 49.62 16.29 26.71 48.26 11.77 22.39 48.26	o the Stand-A	lone Unbur of loop/por	t networ	k elemen	ts except	for UNE Co				d are
2. Fea 3. End 4. The catego 5. Ma UNE- 2-Wir UNE	atures shall apply to the Unbundled Port/Loop Combination - Cost Bas d Office and Tandem Switching Usage and Common Transport Usage is first & add'l Port NRC charges apply to Not Currently Combined Comorized accordingly.  The Article Rates for Unbundled Centrex Port/Loop Combination will be negrested accordingly.  The Centrex - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only)  The VG Loop/2-Wire Voice Grade Port (Centrex) Combo  Port/Loop Combination Rates (Non-Design)  WW VG Loop/2W VG Port (Centrex) Port Combo-Non-Design  WY VG Loop/2W VG Port (Centrex) Port Combo-Non-Design  WY VG Loop/2W VG Port (Centrex) Port Combo-Non-Design  WY VG Loop/2W VG Port (Centrex) Port Combo-Design  WY CLoop/2W VG Port (Centrex) Port Combo-Design  WY CLoop/2W VG Port (Centrex) Port Combo-Design  WY CLoop/2W VG Port (Centrex) Port Combo-Design  WY CLoop/2W VG Port (Centrex) Port Combo-Design  WY CLoop/2W VG Port (Centrex) Port Combo-Design  WY CLoop/2W VG Port (Centrex) Port Combo-Design  WY CLoop/2W VG Port (Centrex) Port Combo-Design  WY CLoop (SL 1)-Zone 1  WY CLoop (SL 1)-Zone 2  WY CLoop (SL 1)-Zone 3  WY CLoop (SL 2)-Zone 1  WY CLoop (SL 2)-Zone 2	ed Ra rates i ibos.	te second don a do	UEP91	UECS1 UECS2 UECS2 UECS2	y are applied to all apply to all apply to all apply to all a e NRC charges wither notice.  13.13 23.75 49.62 16.29 26.71 48.26 11.77 22.39 48.26 14.93 25.35	o the Stand-A	lone Unbur of loop/por	t networ	k elemen	ts except	for UNE Co				d are
2. Fee 3. En 4. Th catego 5. Ma UNE 2-Wir UNE UNE	atures shall apply to the Unbundled Port/Loop Combination - Cost Bas d Office and Tandem Switching Usage and Common Transport Usage is first & add'l Port NRC charges apply to Not Currently Combined Comorized accordingly.  The states for Unbundled Centrex Port/Loop Combination will be negative that the states for Unbundled Centrex Port/Loop Combination will be negative that the states for Unbundled Centrex Port/Loop Combination will be negative to the state of Centrex of Combo Port/Loop Combination Rates (Non-Design)  We Geop/Ze Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design)  We Geop/Ze WG Port (Centrex) Port Combo-Non-Design  We Geop/Ze WG Port (Centrex) Port Combo-Non-Design  We Geop/Ze WG Port (Centrex) Port Combo-Design  We Geop/Ze WG Port (Centrex) Port Combo-Design  We Geop/Ze WG Port (Centrex) Port Combo-Design  We Geop/Ze WG Port (Centrex) Port Combo-Design  Loop Rate  We Geop (St. 1)-Zone 1  We Geop (St. 1)-Zone 2  We WG Loop (St. 1)-Zone 3  We WG Loop (St. 2)-Zone 1  We WG Loop (St. 2)-Zone 2  We WG Loop (St. 2)-Zone 3	ed Ra rates i ibos.	te second the second t	UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	unner as the Exhibit sha Combos, the asis, until fi	y are applied of apply to all	o the Stand-A	lone Unbur of loop/por	t networ	k elemen	ts except	for UNE Co				d are
2. Fee 3. En 4. The catego 5. Ma UNE 2-Wir UNE UNE UNE	atures shall apply to the Unbundled Port/Loop Combination - Cost Bas d Office and Tandem Switching Usage and Common Transport Usage of a first & add'l Port NRC charges apply to Not Currently Combined C	ed Ra rates i ibos.	te second don a do	UEP91	UECS1 UECS2 UECS2 UECS2	y are applied to all apply to all apply to all apply to all a e NRC charges wither notice.  13.13 23.75 49.62 16.29 26.71 48.26 11.77 22.39 48.26 14.93 25.35	o the Stand-A	lone Unbur of loop/por	t networ	k elemen	ts except	for UNE Co				d are
2. Fee 3. En 4. The category 5. Ma UNE 2-Wir UNE UNE UNE	atures shall apply to the Unbundled Port/Loop Combination - Cost Bas d Office and Tandem Switching Usage and Common Transport Usage of First & add'l Port NRC charges apply to Not Currently Combined Comorized accordingly.  The Rates for Unbundled Centrex Port/Loop Combination will be neged to Centre the Combined Combi	ed Ra rates i ibos.	te second don a do	UEP91	uner as the Exhibit sha Combos, the asis, until function of the combos of the asis, until function of the combos o	13.13 23.75 49.62 16.29 26.71 48.26 11.77 22.39 48.26 14.93 25.35 50.46	o the Stand-A	None Unbur of loop/por e identified	t networ	k elemen	ts except	for UNE Co				d are
2. Fee 3. En 4. The category 5. Ma UNE 2-Wir UNE UNE UNE	atures shall apply to the Unbundled Port/Loop Combination - Cost Bas d Office and Tandem Switching Usage and Common Transport Usage is first & add'l Port NRC charges apply to Not Currently Combined Comorized accordingly.  The Add to the Combined Centrex Port/Loop Combination will be negreed accordingly.  The Rates for Unbundled Centrex Port/Loop Combination will be negreed to the Centrex of Ce	ed Ra rates i ibos.	te second don a do	UEP91 UEP91 UEP91 UEP91	unner as the Exhibit sha Combos, the asis, until for the share of the	y are applied to all apply to all apply to all apply to all a e NRC charges wither notice.  13.13 23.75 49.62 16.29 26.71 48.26 11.77 22.39 48.26 14.93 25.35 50.46	o the Stand-Accombinations shall be thos	None Unbur of loop/por se identified	t networ	k elemen	ts except	for UNE Conbined sect				d are
2. Fee 3. En 4. Th catego 5. Ma UNE 2-Wir UNE UNE UNE	atures shall apply to the Unbundled Port/Loop Combination - Cost Bas d Office and Tandem Switching Usage and Common Transport Usage is first & add'l Port NRC charges apply to Not Currently Combined Comorized accordingly.  The According of the Combined Combination will be negative that the Combined C	ed Ra rates i ibos.	te second don a do	UEP91 UEP91 UEP91 UEP91	UECS1 UECS1 UECS2 UECS2 UEPYA UEPYB	13.13 23.75 49.62 16.29 26.71 48.26 11.77 22.39 48.26 14.93 25.35 50.46	o the Stand-Accombinations shall be those	19.08	t networ	k elemen	ts except	for UNE Conbined sect				d are
2. Fee 3. End 4. The category 5. Ma UNE- 2-Wir UNE  UNE  UNE  UNE  UNE	atures shall apply to the Unbundled Port/Loop Combination - Cost Bas d Office and Tandem Switching Usage and Common Transport Usage in first & add'l Port NRC charges apply to Not Currently Combined Comorized accordingly.  The first Add'l Port NRC charges apply to Not Currently Combined Comorized accordingly.  The first Add'l Port NRC charges apply to Not Currently Combined Comorized accordingly.  The first Add'l Port NRC charges apply to Not Currently Combined Comorized accordingly.  The first Add'l Port Use Charges apply to Not Currently Combination will be negative to the Centrex of Combination will be negative to the Centrex of Combination will be negative to the Centrex of Combined C	ed Ra rates i ibos.	te second don a do	UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	UECS1 UECS1 UECS2 UECS2 UEPYA UEPYH UEPYH	13.13 23.75 49.62 16.29 26.71 48.26 11.77 22.39 48.26 14.93 25.35 50.46	o the Stand-Acombinations shall be those shall be t	19.08 19.08	t networ	k elemen	ts except	15.20 15.20				d are
2. Fee 3. En 4. The catego 5. Ma UNE 2-Wir UNE UNE UNE	atures shall apply to the Unbundled Port/Loop Combination - Cost Bas d Office and Tandem Switching Usage and Common Transport Usage of sirst & add'l Port NRC charges apply to Not Currently Combined Comorized accordingly.  The Rates for Unbundled Centrex Port/Loop Combination will be neged to the Centrex of the Combon Port/Loop Combination will be neged to Centrex - 1 AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only)  The VG Loop/2-Wire Voice Grade Port (Centrex) Combonon-Design    W G Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design    W G Loop/2W VG Port (Centrex) Port Combo-Non-Design    W G Loop/2W VG Port (Centrex) Port Combo-Non-Design    W G Loop/2W VG Port (Centrex) Port Combo-Non-Design    W VG Loop/2W VG Port (Centrex) Port Combo-Design    W VG Loop/2W VG Port (Centrex) Port Combo-Design    W VG Loop/2W VG Port (Centrex) Port Combo-Design    W VG Loop/2W VG Port (Centrex) Port Combo-Design    W VG Loop/2W VG Port (Centrex) Port Combo-Design    W VG Loop/2W VG Port (Centrex) Port Combo-Design    W VG Loop/2W VG Port (Centrex) Port Combo-Design    W VG Loop/2W VG Port (Centrex) Port Combo-Design    W VG Loop/2W VG Port (Centrex) Port Combo-Design    W VG Loop (SL 1)-Zone 1    W VG Loop (SL 1)-Zone 2    W VG Loop (SL 2)-Zone 2    W VG Loop (SL 2)-Zone 3    Ports    ates (Except North Carolina and Sout Carolina)    W VG Port (Centrex With Caller ID) 1Basic Local Area    W VG Port (Centrex With Caller ID) 1Basic Local Area    W VG Port (Centrex With Caller ID) 1Basic Local Area    W VG Port (Centrex With Caller ID) 1Basic Local Area    W VG Port (Centrex With Caller ID) 1Basic Local Area    W VG Port (Centrex With Caller ID) 1Basic Local Area    W VG Port (Centrex With Caller ID) 1Basic Local Area    W VG Port (Centrex With Caller ID) 1Basic Local Area    W VG Port (Centrex With Caller ID) 1Basic Local Area    W VG Port (Centrex With Caller ID) 1Basic Local Area    W VG Port (Centrex With Caller ID) 1Basic Local Area    W VG Port (Centrex With Caller ID) 1Basic Local Area    W VG Port (Centrex With C	ed Ra rates i ibos.	te second don a do	UEP91 UEP91	UECS1 UECS1 UECS2 UECS2 UEPYA UEPYA UEPYH UEPYM	13.13 23.75 49.62 16.29 26.71 48.26 11.77 22.39 48.26 14.93 25.35 50.46 1.36 1.36	o the Stand-Accombinations shall be those shall be	19.08 19.08 67.93	t networ	k elemen	ts except	15.20 15.20 15.20				d are
2. Fee 3. En 4. Th catego 5. Ma UNE 2-Wir UNE UNE UNE	atures shall apply to the Unbundled Port/Loop Combination - Cost Bas d Office and Tandem Switching Usage and Common Transport Usage in first & add'l Port NRC charges apply to Not Currently Combined Comorized accordingly.  The first Add'l Port NRC charges apply to Not Currently Combined Comorized accordingly.  The first Add'l Port NRC charges apply to Not Currently Combined Comorized accordingly.  The first Add'l Port NRC charges apply to Not Currently Combined Comorized accordingly.  The first Add'l Port Use Charges apply to Not Currently Combination will be negative to the Centrex of Combination will be negative to the Centrex of Combination will be negative to the Centrex of Combined C	ed Ra rates i ibos.	te second don a do	UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	UECS1 UECS1 UECS2 UECS2 UEPYA UEPYH UEPYH	13.13 23.75 49.62 16.29 26.71 48.26 11.77 22.39 48.26 14.93 25.35 50.46	o the Stand-Acombinations shall be those shall be t	19.08 19.08	t networ	k elemen	ts except	15.20 15.20				d are

Version 4Q02: 01/21/03 Page 229 of 402

<u>NROND</u> L	ED NETWORK ELEMENTS - Louisiana													ment: 2		bit: B
											Svc	Svc Order	Incrementa	Incrementa	Incrementa	
											Order	Submitted	I Charge -	I Charge -	I Charge -	al Cha
			. _								Submitt	Manually	Manual	Manual	Manual	Manu
ATEGORY	RATE ELEMENTS		Zon	BCS	USOC		RAT	ES (\$)			ed Elec		Svc Order	Svc Order	Svc Order	Svc O
		m	е					( ,			per LSR		vs.	vs.	vs.	vs
											<b>P</b>		_	Electronic-	Electronic-	
													1st	Add'l	Disc 1st	Disc A
		-	1 - 1		-		Managa		NDC D	isconnec				Rates (\$)	2.00 .0.	
-		1	1 1			Rec	Nonrec		_			001111			0014411	T 0011
	V	1	1 1		_		First	Add'l	First	Addi	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOM
	Y, LA, MS, & TN Only		1 1													
	2W VG Port (Centrex )			UEP91	UEPQA	1.36	38.85	19.08				15.20				
	2W VG Port (Centrex 800 Term)			UEP91	UEPQB	1.36	38.85	19.08				15.20				
	2W VG Port (Centrex with Caller ID)1			UEP91	UEPQH	1.36	38.85	19.08				15.20				
	2W VG Port (Centrex from diff SWC)2			UEP91	UEPQM	1.36	104.41	67.93				15.20				
	2W VG Port, Diff SWC-800 Service Term			UEP91	UEPQZ	1.36	104.41	67.93				15.20				
	2W VG Port terminated in on Megalink or equivalent			UEP91	UEPQ9	1.36	38.85	19.08				15.20				
	2W VG Port Terminated on 800 Service Term			UEP91	UEPQ2	1.36	38.85	19.08				15.20				Ī
Local	Switching															
	Centrex Intercom Funtionality, per port			UEP91	URECS	0.8577										1
	Number Portability		$\dagger$			J							İ	1	1	1
	Local No Portability (1 per port)		+	UEP91	LNPCC	0.35			1		<u> </u>			<b>I</b>	<b>I</b>	+
Featu	7, 1, 1, 7			OLI 31	E141 OC	0.33			<del>                                     </del>					<b>-</b>	<b>-</b>	+
	All Standard Features Offered, per port		+ +	UEP91	UEPVF	0.00										+
		-	1 - 1	UEP91	UEPVS		412.25					15.20				+
	All Select Features Offered, per port	1	1 1			0.00	412.25					15.20				+
	All Centrex Control Features Offered, per port		1 1	UEP91	UEPVC	0.00										
NARS		1														
	Unbundled Network Access Register-Combination			UEP91	UARCX	0.00	0.00	0.00				15.20				
	Unbundled Network Access Register-Indial			UEP91	UAR1X	0.00	0.00	0.00				15.20				
	Unbundled Network Access Register-Outdial			UEP91	UAROX	0.00	0.00	0.00				15.20				
Misce	ellaneous Terminations															
2-Wir	e Trunk Side															
	Trunk Side Terms, each			UEP91	CENA6	8.29	115.85	18.20				15.20				
Interd	ffice Channel Mileage - 2-Wire															1
	Interoffice Channel Facilities Term-VG			UEP91	M1GBC	22.60	39.36	26.62				15.20				1
	Interoffice Channel miage, per mi or fraction of mi			UEP91	M1GBM	0.013										1
	re Activations (DS0) Centrex Loops on Channelized DS1 Service		1 1	02.0.		0.010										+
	nannel Bank Feature Activations		1													+
	Feature Activation on D-4 Channel Bank Centrex Loop Slot		+ +	UEP91	1PQWS	0.6497						15.20				+
	Feature Activation on D-4 Channel Bank Centrex Loop Stot		+ +	UEP91	1PQW6	0.6497						15.20				+-
		-	1 - 1													+
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot	1	1 1	UEP91	1PQW7	0.6497						15.20				+
	Feature Activation on D-4 Channel Bank Centrex Loop Slot-Diff WC		1 1	UEP91	1PQWP	0.6497						15.20				—
	Feature Activation on D-4 Channel Bank Private Line Loop Slot	1		UEP91	1PQWV	0.6497						15.20				
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot			UEP91	1PQWQ	0.6497						15.20				
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP91	1PQWA	0.6497						15.20				
Non-F	Recurring Charges (NRC) Associated with UNE-P Centrex															
	Conversion-Currently Combined Switch-As-Is with allowed changes, per															
	port		<u> </u>	UEP91	USAC2		0.10	0.10	<u> </u>	<u> </u>	<u> </u>	15.20	<u> </u>	<u> </u>	<u> </u>	L
	Conversion of Existing Centrex Common Block			UEP91	USACN	0.00	36.66	16.10								
	New Centrex Standard Common Block			UEP91	M1ACS	0.00	680.40					15.20	1			1
	New Centrex Customized Common Block			UEP91	M1ACC	0.00	680.40					15.20		1		1
	Secondary Block, per Block		+	UEP91	M2CC1	0.00	79.31					15.20		1	1	<del>+</del>
	NAR Establishment Charge, Per Occasion		+	UEP91	URECA	0.00	73.93					15.20		1	1	<del>+</del>
	P CENTREX - 5ESS (Valid in All States)		+	OLFSI	UNLUA	0.00	10.33		1	<b> </b>		13.20		t	t	+
	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo	1	+		+ +				1	-	-		1	<del> </del>	<del> </del>	+
	. ,	1	+						1	<del>                                     </del>	-		-	<del>                                     </del>	<del>                                     </del>	+-
	Port/Loop Combination Rates (Non-Design)	_	+		_				1					<b>!</b>	<b>!</b>	+
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design	1	1	UEP95		13.13									<b></b>	4—
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		2	UEP95		23.75								1		4
1 1	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design	1	3	UEP95		49.62								1		
	Port/Loop Combination Rates (Design)															

Version 4Q02: 01/21/03 Page 230 of 402

NBUNDL	ED NETWORK ELEMENTS - Louisiana													ment: 2		oit: B
											Svc		Incrementa		Incrementa	
												Submitted		I Charge -	I Charge -	
		Interi	Zon									Manually	Manual	Manual	Manual	Manua
ATEGORY	RATE ELEMENTS	m	e	BCS	USOC		RAT	ES (\$)			ed Elec		Svc Order		Svc Order	
		III	е								per LSR		vs.	vs.	vs.	vs.
														Electronic-	Electronic-	
													1st	Add'l	Disc 1st	Disc Add
						Doo	Nonrec	urring	NRC D	isconnec	3		OSS	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		2	UEP95		26.71										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		3	UEP95		51.82										1
UNE I	oop Rate															1
	2W VG Loop (SL 1)-Zone 1		1	UEP95	UECS1	11.77										
	2W VG Loop (SL 1)-Zone 2		2	UEP95	UECS1	22.39										
	2W VG Loop (SL 1)-Zone 3		3	UEP95	UECS1	48.26										
	2W VG Loop (SL 2)-Zone 1		1	UEP95	UECS2	14.93										<b>†</b>
	2W VG Loop (SL 2)-Zone 2		2	UEP95	UECS2	25.35										†
	2W VG Loop (SL 2)-Zone 3		3	UEP95	UECS2	50.46										<b>†</b>
	Port Rate		Ŭ	02, 00	02002	00.40										
All St		1			+ +				1	1						<del>                                     </del>
	2W VG Port (Centrex ) Basic Local Area			UEP95	UEPYA	1.36	38.85	19.08				15.20				
	2W VG Port (Centrex 800 Term)			UEP95	UEPYB	1.36	38.85	19.08				15.20				
	2W VG Port (Centrex 600 Ferrir) 2W VG Port (Centrex with Caller ID)1Basic Local Area			UEP95	UEPYH	1.36	38.85	19.08				15.20				+
	2W VG Port (Centrex from diff SWC)2 Basic Local Area			UEP95	UEPYM	1.36	104.41	67.93				15.20				+
	2W VG Port, Diff SWC-800 Service Term-Basic Local Area			UEP95	UEPYZ	1.36	104.41	67.93				15.20				+
	2W VG Port terminated in on Megalink or equivalent-Basic Local Area			UEP95	UEPY9	1.36	38.85	19.08				15.20				+
	2W VG Port Terminated in on Wegalink of equivalent-basic Local Area			UEP95	UEPY2	1.36	38.85	19.08				15.20				+
	Y, LA, MS, SC, & TN Only			UEF95	UEF12	1.30	30.03	19.06				15.20				+
	2W VG Port (Centrex )			UEP95	UEPQA	1.36	38.85	19.08				15.20				+
	2W VG Port (Centrex 800 Term)			UEP95	UEPQB	1.36	38.85	19.08				15.20				+
	2W VG Port (Centrex with Caller ID)1			UEP95	UEPQB	1.36	38.85	19.08				15.20				+
				UEP95 UEP95	UEPQH		104.41									+
	2W VG Port (Centrex from diff SWC)2 2W VG Port, Diff SWC-800 Service Term			UEP95 UEP95	UEPQM	1.36	104.41	67.93 67.93				15.20 15.20				
			1			1.36			1							<del> </del>
	2W VG Port terminated in on Megalink or equivalent			UEP95	UEPQ9	1.36	38.85	19.08				15.20				
	2W VG Port Terminated on 800 Service Term			UEP95	UEPQ2	1.36	38.85	19.08	ļ			15.20				
	Switching															<del> </del>
	Centrex Intercom Funtionality, per port			UEP95	URECS	0.8577						15.20				
	Number Portability															<del> </del>
	Local No Portability (1 per port)			UEP95	LNPCC	0.35										
Featu																
	All Standard Features Offered, per port			UEP95	UEPVF	0.00						15.20				
	All Select Features Offered, per port			UEP95	UEPVS	0.00	412.25					15.20				
	All Centrex Control Features Offered, per port			UEP95	UEPVC	0.00						15.20				
NARS																
	Unbundled Network Access Register-Combination			UEP95	UARCX	0.00	0.00	0.00				15.20				
	Unbundled Network Access Register-Indial			UEP95	UAR1X	0.00	0.00	0.00				15.20				
	Unbundled Network Access Register-Outdial			UEP95	UAROX	0.00	0.00	0.00				15.20				
	Ilaneous Terminations															
	e Trunk Side															
	Trunk Side Terms, each			UEP95	CEND6	8.29	115.85	18.20				15.20				
	e Digital (1.544 Megabits)										ļ					
	DS1 Circuit Terms, each			UEP95	M1HD1	68.47	196.18	92.92		ļ	ļ	15.20				1
	DS0 Channels Activated, each			UEP95	M1HDO	0.00	14.06					15.20				1
Interd	ffice Channel Mileage - 2-Wire															
	Interoffice Channel Facilities Term			UEP95	MIGBC	22.60	39.36	26.62				15.20				
	Interoffice Channel miage, per mi or fraction of mi			UEP95	MIGBM	0.013										
Featu	re Activations (DS0) Centrex Loops on Channelized DS1 Service															
D4 Ch	annel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	1PQWS	0.6497						15.20				
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP95	1PQW6	0.6497						15.20		1		

Version 4Q02: 01/21/03 Page 231 of 402

וחאוחסאור	LED NETWORK ELEMENTS - Louisiana												Attachi	nent: 2	Exhib	bit: B
											Svc	Svc Order	Incrementa	Incrementa	Incrementa	Increme
											Order	Submitted	I Charge -	I Charge -	I Charge -	al Charg
											Submitt	Manually	Manual	Manual	Manual	Manua
ATEGORY	RATE ELEMENTS	Interi		BCS	usoc		RAT	ES (\$)			ed Elec		Svc Order	Svc Order	Svc Order	Svc Ord
/LOO	IVATE ELEMENTO	m	е	500	0000		1041	<b>Δ</b> Ο (ψ)			per LSR		vs.	vs.	vs.	vs.
											<b>P</b>		Electronic-	_	Electronic-	_
													1st	Add'l	Disc 1st	Disc Add
			+ +		+	1	Nonreci	ırrina	NDC D	isconnec				Rates (\$)		1-1001100
			+ +			Rec	First	Add'l	First			SOMAN		SOMAN	SOMAN	SOMAN
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot		+ +	UEP95	1PQW7	0.6497	FIISL	Auu i	FIISL	Auu i	SOMEC	15.20	SOWAN	SOWAN	SOWAN	SOWAN
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot- Feature Activation on D-4 Channel Bank Centrex Loop Slot-Diff WC		+ +	UEP95	1PQWP	0.6497						15.20				+
	Feature Activation on D-4 Channel Bank Centrex Loop Slot-Diff WC		+ +	UEP95	1PQWV	0.6497						15.20				+
	Feature Activation on D-4 Channel Bank Frivate Line Loop Slot  Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot		+ +	UEP95	1PQWQ	0.6497						15.20				+
			+ +	UEP95	1PQWQ	0.6497						15.20				+
	Feature Activation on D-4 Channel Bank WATS Loop Slot		++	UEP95	TPQWA	0.6497						15.20				+
	Recurring Charges (NRC) Associated with UNE-P Centrex		+													
	NRC Conversion Currently Combined Switch-As-ls with allowed changes,			LIEBOS	110400		0.40	0.40				45.00				
	per port		+	UEP95	USAC2	-	0.10	0.10	1	-	1	15.20				+
	Conversion of Existing Centrex Common Block, each	-	+	UEP95	USACN		36.66	16.10	ļ	ļ		15.20				+
	New Centrex Standard Common Block		+	UEP95	M1ACS	0.00	680.40		ļ			15.20				<del>                                     </del>
	New Centrex Customized Common Block		1	UEP95	M1ACC	0.00	680.40					15.20				
	NAR Establishment Charge, Per Occasion		1 1	UEP95	URECA	0.00	73.93		<b> </b>			15.20				<u> </u>
	P CENTREX - DMS100 (Valid in All States)															
	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
	Port/Loop Combination Rates (Non-Design)															
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design		1	UEP9D		13.13										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		2	UEP9D		23.75										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		3	UEP9D		49.62										
UNE	Port/Loop Combination Rates (Design)															
	2W VG Loop/2W VG Port (Centrex) Port Combo-Design		1	UEP9D		16.29										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		2	UEP9D		26.71										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		3	UEP9D		51.82										
UNE	Loop Rate															
	2W VG Loop (SL 1)-Zone 1		1	UEP9D	UECS1	11.77										
	2W VG Loop (SL 1)-Zone 2		2	UEP9D	UECS1	22.39										
	2W VG Loop (SL 1)-Zone 3		3	UEP9D	UECS1	48.26										
	2W VG Loop (SL 2)-Zone 1		1	UEP9D	UECS2	14.93										
	2W VG Loop (SL 2)-Zone 2		2	UEP9D	UECS2	25.35										1
	2W VG Loop (SL 2)-Zone 3		3	UEP9D	UECS2	50.46										
UNE	Port Rate															1
	STATES															
	2W VG Port (Centrex ) Basic Local Area			UEP9D	UEPYA	1.36	38.85	19.08				15.20				1
	2W VG Port (Centrex 800 Term)Basic Local Area			UEP9D	UEPYB	1.36	38.85	19.08				15.20				1
	2W VG Port (Centrex/EBS-PSET)3Basic Local Area			UEP9D	UEPYC	1.36	38.85	19.08				15.20				1
	2W VG Port (Centrex /EBS-M5009)3Basic Local Area			UEP9D	UEPYD	1.36	38.85	19.08				15.20				1
	2W VG Port (Centrex /EBS-M5209)3 Basic Local Area			UEP9D	UEPYE	1.36	38.85	19.08				15.20				
	2W VG Port (Centrex /EBS-M5112)3 Basic Local Area		1 1	UEP9D	UEPYF	1.36	38.85	19.08				15.20				+
	2W VG Port (Centrex /EBS-M5312)3Basic Local Area			UEP9D	UEPYG	1.36	38.85	19.08				15.20				
	2W VG Port (Centrex /EBS-M5008)3 Basic Local Area		+ +	UEP9D	UEPYT	1.36	38.85	19.08				15.20				<b>†</b>
	2W VG Port (Centrex/EBS-M5208)3 Basic Local Area		1 1	UEP9D	UEPYU	1.36	38.85	19.08				15.20				<del>†                                      </del>
	2W VG Port (Centrex/EBS-M5216)3 Basic Local Area		1 1	UEP9D	UEPYV	1.36	38.85	19.08	1		1	15.20				<b>†</b>
	2W VG Port (Centrex/EBS-M5316)3 Basic Local Area		+ +	UEP9D	UEPY3	1.36	38.85	19.08	<del>                                     </del>			15.20				+
	2W VG Port (Centrex with Caller ID) Basic Local Area		1 1	UEP9D	UEPYH	1.36	38.85	19.08	1		1	15.20				<b>†</b>
	2W VG Port (Centrex/Caller ID/Msq Wtg Lamp Indication)3 Basic Local		+ +	OLF3D	OLF III	1.50	30.03	19.00	<del>                                     </del>			13.20				+
	Area			UEP9D	UEPYW	1.36	38.85	19.08		1		15.20				
	2W VG Port (Centrex/Msg Wtg Lamp Indication)3 Basic Local Area		+ +	UEP9D	UEPYJ	1.36	38.85	19.08	1		1	15.20				+
	2W VG Port (Centrexiving wtg Lamp indication)3 Basic Local Area  2W VG Port (Centrex from diff SWC) 2 Basic Local Area		+ +	UEP9D UEP9D	UEPYJ	1.36	104.41	67.93	1	-	1	15.20				+
	2W VG Port (Centrex from diff SWC) 2 Basic Local Area 2W VG Port (Centrex/differ SWC /EBS-PSET)2, 3 Basic Local Area		+ +	UEP9D UEP9D	UEPYM	1.36	104.41	67.93	1		1	15.20				+
	2W VG Port (Centrex/differ SWC /EBS-M5009)2, 3 Basic Local Area		+	UEP9D UEP9D	UEPYO	1.36	104.41	67.93	<del>                                     </del>	<b> </b>	-	15.20				+
	2W VG Port (Centrex/differ SWC /EBS-M5009)2, 3 Basic Local Area	-	+	UEP9D UEP9D	UEPYP	1.36	104.41	67.93	<del>                                     </del>			15.20				+
	2W VG Port (Centrex/differ SWC /EBS-5209)2, 3 Basic Local Area 2W VG Port (Centrex/differ SWC /EBS-M5112)2, 3 Basic Local Area		+	UEP9D UEP9D	UEPYQ	1.36	104.41	67.93	<del>                                     </del>	<b> </b>	1	15.20			<del>                                     </del>	+

Version 4Q02: 01/21/03 Page 232 of 402

100110	ED NETWORK ELEMENTS - Louisiana													ment: 2		bit: B
											Svc		Incrementa		Incrementa	
												Submitted	I Charge -	I Charge -	I Charge -	
		Interi	l zon l									Manually	Manual	Manual	Manual	Manua
ATEGORY	RATE ELEMENTS	m	e	BCS	USOC		RAT	ES (\$)			ed Elec		Svc Order		Svc Order	
		III	е								per LSR		vs.	vs.	vs.	vs.
														Electronic-	Electronic-	
													1st	Add'l	Disc 1st	Disc Add
						Rec	Nonrect	ırring	NRC D	isconnec			OSS	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
2	2W VG Port (Centrex/differ SWC /EBS-M5312)2, 3 Basic Local Area			UEP9D	UEPYS	1.36	104.41	67.93				15.20				
	2W VG Port (Centrex/differ SWC /EBS-M5008)2, 3 Basic Local Area			UEP9D	UEPY4	1.36	104.41	67.93				15.20				1
2	2W VG Port (Centrex/differ SWC /EBS-M5208)2, 3 Basic Local Area			UEP9D	UEPY5	1.36	104.41	67.93				15.20				1
	2W VG Port (Centrex/differ SWC /EBS-M5216)2, 3 Basic Local Area			UEP9D	UEPY6	1.36	104.41	67.93				15.20				1
	2W VG Port (Centrex/differ SWC /EBS-M5316)2, 3 Basic Local Area			UEP9D	UEPY7	1.36	104.41	67.93				15.20				
	2W VG Port, Diff SWC-800 Service Term			UEP9D	UEPYZ	1.36	104.41	67.93				15.20				
	2W VG Port terminated in on Megalink or equivalent Basic Local Area			UEP9D	UEPY9	1.36	38.85	19.08				15.20				1
	2W VG Port Terminated on 800 Service Term Basic Local Area			UEP9D	UEPY2	1.36	38.85	19.08				15.20				
	Y, LA, MS, SC, & TN Only	<u> </u>	$\Box$	02100	J_1 12	1.00	00.00	10.00				10.20				+
	2W VG Port (Centrex)	<u> </u>	$\vdash$	UEP9D	UEPQA	1.36	38.85	19.08				15.20				<b>†</b>
	2W VG Port (Centrex 800 Term)	<u> </u>	+	UEP9D	UEPQB	1.36	38.85	19.08				15.20				<b>†</b>
	2W VG Port (Centrex/EBS-PSET)3		1 1	UEP9D	UEPQC	1.36	38.85	19.08				15.20				
	2W VG Port (Centrex/EBS-M5009)3	<b>1</b>	+	UEP9D	UEPQD	1.36	38.85	19.08	1	1	1	15.20				<b>†</b>
	2W VG Port (Centrex /EBS-M5209)3		1	UEP9D	UEPQE	1.36	38.85	19.08				15.20				+
	2W VG Port (Centrex /EBS-M5112)3	1	1 1	UEP9D	UEPQF	1.36	38.85	19.08				15.20				+
	2W VG Port (Centrex /EBS-M5312)3		+ - 1	UEP9D	UEPQG	1.36	38.85	19.08				15.20				+
	2W VG Port (Centrex /EBS-M5008)3		+ +	UEP9D	UEPQT	1.36	38.85	19.08				15.20				+
	2W VG Port (Centrex/EBS-M5208)3		+ - 1	UEP9D	UEPQU	1.36	38.85	19.08				15.20				+
	2W VG Port (Centrex/EBS-M5206)3		+ +	UEP9D	UEPQV	1.36	38.85	19.08				15.20				+
	2W VG Port (Centrex/EBS-M5216)3		1 1	UEP9D	UEPQ3	1.36	38.85	19.08	1			15.20				+
	2W VG Port (Centrex/EBS-W5516)5		1 1	UEP9D	UEPQH	1.36	38.85	19.08				15.20				+
	2W VG Port (Centrex with Caller ID) 2W VG Port (Centrex/Caller ID/Msq Wtg Lamp Indication)3		1 1	UEP9D	UEPQH	1.36	38.85	19.08	1			15.20				+
	2W VG Port (Centrex/Caller ID/Msg Wtg Lamp Indication)3		1 1	UEP9D	UEPQV	1.36	38.85	19.08				15.20				+
	2W VG Port (Centrex/insg Wig Lamp Indication)3		1 1	UEP9D	UEPQM	1.36	104.41	67.93				15.20				+
	2W VG Port (Centrex/differ SWC /EBS-PSET)2, 3		+	UEP9D	UEPQIVI	1.36	104.41	67.93				15.20				+
			+													+
	2W VG Port (Centrex/differ SWC /EBS-M5009)2, 3		+ - 1	UEP9D UEP9D	UEPQP UEPQQ	1.36 1.36	104.41 104.41	67.93 67.93				15.20 15.20				+
	2W VG Port (Centrex/differ SWC /EBS-5209)2, 3		1													
	2W VG Port (Centrex/differ SWC /EBS-M5112)2, 3		1 1	UEP9D	UEPQR	1.36	104.41	67.93	ļ			15.20				+
	2W VG Port (Centrex/differ SWC /EBS-M5312)2, 3		1 1	UEP9D	UEPQS	1.36	104.41	67.93	ļ			15.20				+
	2W VG Port (Centrex/differ SWC /EBS-M5008)2, 3			UEP9D	UEPQ4	1.36	104.41	67.93	ļ			15.20				+
	2W VG Port (Centrex/differ SWC /EBS-M5208)2, 3		1 1	UEP9D	UEPQ5	1.36	104.41	67.93				15.20				
	2W VG Port (Centrex/differ SWC /EBS-M5216)2, 3		1 1	UEP9D	UEPQ6	1.36	104.41	67.93				15.20				
	2W VG Port (Centrex/differ SWC /EBS-M5316)2, 3		1 1	UEP9D	UEPQ7	1.36	104.41	67.93				15.20				
	2W VG Port, Diff SWC-800 Service Term		1 1	UEP9D	UEPQZ	1.36	104.41	67.93				15.20				
	2W VG Port terminated in on Megalink or equivalent		1 1	UEP9D	UEPQ9	1.36	38.85	19.08				15.20				
	2W VG Port Terminated on 800 Service Term		1 1	UEP9D	UEPQ2	1.36	38.85	19.08				15.20				
	Switching				1											
	Centrex Intercom Funtionality, per port			UEP9D	URECS	0.8577										
	Number Portability															
	Local No Portability (1 per port)			UEP9D	LNPCC	0.35										
Featur		<u> </u>														
	All Standard Features Offered, per port	<u> </u>	$\sqcup$	UEP9D	UEPVF	0.00						15.20				4
	All Select Features Offered, per port			UEP9D	UEPVS	0.00	412.25					15.20				ـــــــ
	All Centrex Control Features Offered, per port	<u> </u>		UEP9D	UEPVC	0.00						15.20				
NARS									<u> </u>							1
	Inbundled Network Access Register-Combination			UEP9D	UARCX	0.00	0.00	0.00				15.20				
	Jnbundled Network Access Register-Inward			UEP9D	UAR1X	0.00	0.00	0.00	<u> </u>			15.20				1
	Jnbundled Network Access Register-Outdial			UEP9D	UAROX	0.00	0.00	0.00				15.20				
Misce	Ilaneous Terminations															
	Trunk Side															

Version 4Q02: 01/21/03 Page 233 of 402

ивиии	LED NETWORK ELEMENTS - Louisiana			•		1								ment: 2		oit: B
ATEGOR'	RATE ELEMENTS	Interi m	Zon e	BCS	USOC		RATE	ES (\$)			Svc Order Submitt ed Elec per LSR	Submitted Manually per LSR	I Charge - Manual Svc Order vs.	Incrementa I Charge - Manual Svc Order vs. Electronic- Add'I	I Charge - Manual Svc Order vs. Electronic-	al Charge Manual Svc Orde vs.
						D	Nonrecu	ırring	NRC D	isconnec	,		OSS	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
4-Wi	ire Digital (1.544 Megabits)															
	DS1 Circuit Terms, each			UEP9D	M1HD1	68.47	196.18	98.62				15.20				
	DS0 Channels Activiated per Channel			UEP9D	M1HDO	0.00	14.06					15.20				
Inter	roffice Channel Mileage - 2-Wire			02.05		0.00						10.20				
111101	Interoffice Channel Facilities Term			UEP9D	MIGBC	22.60	39.36	26.62				15.20				
+	Interoffice Channel miage, per mi or fraction of mi			UEP9D	MIGBM	0.013	33.30	20.02				13.20				
East	ure Activations (DS0) Centrex Loops on Channelized DS1 Service			OLF 9D	IVIIGDIVI	0.013										
	Channel Bank Feature Activations											-				
D4 C				UEP9D	1PQWS	0.6497	+		}		}	45.00				
-	Feature Activation on D-4 Channel Bank Centrex Loop Slot						+		1		1	15.20		-		1
-	Feature Activation on D-4 Channel Bank FX line Side Loop Slot		$\vdash$	UEP9D	1PQW6	0.6497			<u> </u>		1	15.20		-		1
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP9D	1PQW7	0.6497						15.20				
	Feature Activation on D-4 Channel Bank Centrex Loop Slot-Diff WC			UEP9D	1PQWP	0.6497						15.20				
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9D	1PQWV	0.6497						15.20				
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot			UEP9D	1PQWQ	0.6497						15.20				
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9D	1PQWA	0.6497						15.20				
Non-	-Recurring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port			UEP9D	USAC2		0.10	0.10				15.20				
	Conversion of existing Centrex Common Block, each			UEP9D	USACN		36.66	16.10				15.20				
	New Centrex Standard Common Block			UEP9D	M1ACS	0.00	680.40					15.20				
	New Centrex Customized Common Block			UEP9D	M1ACC	0.00	680.40					15.20				
	NAR Establishment Charge, Per Occasion			UEP9D	URECA	0.00	73.93					15.20				
UNE	-P CENTREX - EWSD (Valid in AL, FL, KY, LA, MS & TN)															
	ire VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
	Port/Loop Combination Rates (Non-Design)															
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design		1	UEP9E		13.13										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		2	UEP9E		23.75										
+	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		3	UEP9E		49.62										
LINE	Port/Loop Combination Rates (Design)		9	OLI JL		45.02										
OIL	2W VG Loop/2W VG Port (Centrex) Port Combo-Design		1	UEP9E		16.29										
-	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		2	UEP9E		26.71										
-	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		3	UEP9E		51.82										
LINE	Loop Rate		3	OLF 3L		31.02										
UNE	2W VG Loop (SL 1)-Zone 1		1	UEP9E	UECS1	11.77										
-	2W VG Loop (SL 1)-Zone 1 2W VG Loop (SL 1)-Zone 2		2	UEP9E	UECS1	22.39						-				
						48.26										
-	2W VG Loop (SL 1)-Zone 3		3	UEP9E	UECS1				1							
-	2W VG Loop (SL 2)-Zone 1		1	UEP9E	UECS2	14.93			1							
	2W VG Loop (SL 2)-Zone 2		2	UEP9E	UECS2	25.35										
	2W VG Loop (SL 2)-Zone 3		3	UEP9E	UECS2	50.46										
	Port Rate															
AL, I	FL, KY, LA, MS, & TN only															
	2W VG Port (Centrex ) Basic Local Area			UEP9E	UEPYA	1.36	38.85	19.08			ļ	15.20				<u> </u>
	2W VG Port (Centrex 800 Term)Basic Local Area			UEP9E	UEPYB	1.36	38.85	19.08	ļ			15.20				
	2W VG Port (Centrex with Caller ID)1Basic Local Area			UEP9E	UEPYH	1.36	38.85	19.08				15.20				
	2W VG Port (Centrex from diff SWC)2 Basic Local Area			UEP9E	UEPYM	1.36	104.41	67.93				15.20				
	2W VG Port, Diff SWC-800 Service Term-Basic Local Area			UEP9E	UEPYZ	1.36	104.41	67.93				15.20				
	2W VG Port terminated in on Megalink or equivalent-Basic Local Area			UEP9E	UEPY9	1.36	38.85	19.08				15.20				
	2W VG Port Terminated on 800 Service Term-Basic Local Area			UEP9E	UEPY2	1.36	38.85	19.08				15.20				
AL. I	KY, LA, MS, & TN Only															
1,	2W VG Port (Centrex )			UEP9E	UEPQA	1.36	38.85	19.08				15.20				
-	2W VG Port (Centrex )			UEP9E	UEPQB	1.36	38.85	19.08	<b>†</b>		1	15.20				<b>†</b>

Version 4Q02: 01/21/03 Page 234 of 402

NRONDL	ED NETWORK ELEMENTS - Louisiana												Attachi	ment: 2	Exhil	bit: B
											Svc	Svc Order	Incrementa	Incrementa	Incrementa	Increme
											Order	Submitted	I Charge -	I Charge -	I Charge -	al Char
											Submitt	Manually	Manual	Manual	Manual	Manua
ATEGORY	RATE ELEMENTS	Interi		BCS	usoc		RAT	ES (\$)			ed Elec		Svc Order	Svc Order	Svc Order	Svc Ord
	TOTAL ELEMENTO	m	е	200	0000		10-11	<b>ΔΟ (ψ)</b>			per LSR		vs.	vs.	vs.	vs.
											po. 2011		Electronic-	-	Electronic-	_
													1st	Add'l	Disc 1st	Disc Ad
			-			1		-	NDOD						Disc 1st	DISC AU
			1			Rec	Nonreci			isconnec				Rates (\$)		T
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAI
	2W VG Port (Centrex with Caller ID)1			UEP9E	UEPQH	1.36	38.85	19.08				15.20				
	2W VG Port (Centrex from diff SWC)2			UEP9E	UEPQM	1.36	104.41	67.93				15.20				
	2W VG Port, Diff SWC-800 Service Term			UEP9E	UEPQZ	1.36	104.41	67.93				15.20				
	2W VG Port terminated in on Megalink or equivalent			UEP9E	UEPQ9	1.36	38.85	19.08				15.20				
	2W VG Port Terminated on 800 Service Term			UEP9E	UEPQ2	1.36	38.85	19.08				15.20				
	Switching															1
	Centrex Intercom Funtionality, per port			UEP9E	URECS	0.8577										
	Number Portability			02.02	0.1200	0.0011										
	Local No Portability (1 per port)		1	UEP9E	LNPCC	0.35			1							+
Featu			1	UEF9E	LINFCC	0.33										+
			1	UEP9E	UEPVF	0.00			-			15.20			<del>                                     </del>	+
	All Standard Features Offered, per port															
	All Select Features Offered, per port		1	UEP9E	UEPVS	0.00	412.25		<u> </u>			15.20				
	All Centrex Control Features Offered, per port			UEP9E	UEPVC	0.00						15.20				
NARS																
	Unbundled Network Access Register-Combination			UEP9E	UARCX	0.00	0.00	0.00								
	Unbundled Network Access Register-Indial			UEP9E	UAR1X	0.00	0.00	0.00								
	Unbundled Network Access Register-Outdial			UEP9E	UAROX	0.00	0.00	0.00								
	ellaneous Terminations															1
	e Trunk Side															1
	Trunk Side Terms, each			UEP9E	CEND6	8.29	115.85	18.20				15.20				
	e Digital (1.544 Megabits)		1	OLI OL	OLIVEO	0.20	110.00	10.20	1			10.20				+
	DS1 Circuit Terms, each		1	UEP9E	M1HD1	68.47	196.18	92.92				15.20				+
	DS0 Channel Activated Per Channel		1	UEP9E	M1HD0	0.00	14.06	92.92				15.20				+
			1	UEP9E	MILLIPO	0.00	14.06		-			15.20				+
	ffice Channel Mileage - 2-Wire		1													-
	Interoffice Channel Facilities Term		1	UEP9E	MIGBC	22.60	39.36	26.62				15.20				+
	Interoffice Channel miage, per mi or fraction of mi		1	UEP9E	MIGBM	0.013			<u> </u>							
	re Activations (DS0) Centrex Loops on Channelized DS1 Service															
	nannel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9E	1PQWS	0.6497						15.20				
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9E	1PQW6	0.6497						15.20				
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot	$\Box$	⊥_T	UEP9E	1PQW7	0.6497						15.20				
	Feature Activation on D-4 Channel Bank Centrex Loop Slot-Diff WC			UEP9E	1PQWP	0.6497						15.20				
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9E	1PQWV	0.6497						15.20				1
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot			UEP9E	1PQWQ	0.6497						15.20				
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9E	1PQWA	0.6497						15.20				1
	Recurring Charges (NRC) Associated with UNE-P Centrex			02.02		0.0.0.						.0.20				+
	NRC Conversion Currently Combined Switch-As-Is with allowed changes,		1						1							+
	•			LIEDOE	110400		0.40	0.40				45.00				
	per port		-	UEP9E	USAC2		0.10	0.10	1			15.20				
	Conversion of Existing Centrex Common Block, each		1	UEP9E	USACN		36.66	16.10	<u> </u>			15.20				
	New Centrex Standard Common Block			UEP9E	M1ACS	0.00	680.40					15.20				
	New Centrex Customized Common Block			UEP9E	M1ACC	0.00	680.40					15.20				
	NAR Establishment Charge, Per Occasion			UEP9E	URECA	0.00	73.93					15.20				
UNE-	P CENTREX - DCO - Valid in AL, KY, LA, MS, & TN)															
2-Wir	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
	Port/Loop Combination Rates (Non-Design)					ĺ										
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design		1	UEP93	1	13.13								İ		1
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		2	UEP93	† †	23.75									1	<b>†</b>
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		3	UEP93	+ +	49.62									1	<del>†                                      </del>
	Port/Loop Combination Rates (Design)		3	OLF 33	+ +	43.02			<del>                                     </del>			<b>-</b>		1	t	+
		-		LIEDOO	+	40.00			<del>                                     </del>	<b> </b>	-	<del>                                     </del>		-	<del>                                     </del>	+
	2W VG Loop/2W VG Port (Centrex) Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design		2	UEP93 UEP93		16.29 26.71					<b></b>	ļ		l	ļ	4

Version 4Q02: 01/21/03 Page 235 of 402

NRONDL	ED NETWORK ELEMENTS - Louisiana												Attachi	ment: 2	Exhib	bit: B
											Svc	Svc Order	Incrementa	Incrementa	Incrementa	Increme
											Order	Submitted	I Charge -	I Charge -	I Charge -	al Char
												Manually	Manual	Manual	Manual	Manua
ATEGORY	RATE ELEMENTS	Interi	Zon	BCS	usoc		RΔT	ES (\$)			ed Elec		Svc Order		Svc Order	
AILOOKI	KATE EELMENTO	m	е	500	0000		I.A.	ΕΟ (Ψ)			per LSR		VS.	VS.	vs.	vs.
											per Lor		Electronic-	-	Electronic-	_
													1st	Add'l	Disc 1st	Disc Ad
			1			1									DISC 1St	DISC AU
		_				Rec	Nonrec			isconnec		T -		Rates (\$)	1 -	_
		_					First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		3	UEP93		51.82										
	Loop Rate															
	2W VG Loop (SL 1)-Zone 1		1	UEP93	UECS1	11.77										
	2W VG Loop (SL 1)-Zone 2		2	UEP93	UECS1	22.36										
	2W VG Loop (SL 1)-Zone 3		3	UEP93	UECS1	48.26										
	2W VG Loop (SL 2)-Zone 1		1	UEP93	UECS2	14.93										
	2W VG Loop (SL 2)-Zone 2		2	UEP93	UECS2	25.35										
	2W VG Loop (SL 2)-Zone 3		3	UEP93	UECS2	50.46										1
	Port Rate															1
	Y, LA, MS, & TN only				1				1							1
	2W VG Port (Centrex ) Basic Local Area	1		UEP93	UEPYA	1.36	38.85	19.08				15.20				<b>†</b>
	2W VG Port (Centrex 800 Term)Basic Local Area	1		UEP93	UEPYB	1.36	38.85	19.08	1		1	15.20				<b>†</b>
	2W VG Port (Centrex with Caller ID)1Basic Local Area	1		UEP93	UEPYH	1.36	38.85	19.08	<b>†</b>		1	15.20			<b> </b>	<del>+</del>
	2W VG Port (Centrex with Caller ID) Dasic Local Area  2W VG Port (Centrex from diff SWC)2 Basic Local Area		1	UEP93	UEPYM	1.36	104.41	67.93				15.20				+
	2W VG Port, Diff SWC-800 Service Term-Basic Local Area		1	UEP93	UEPYZ	1.36	104.41	67.93				15.20				+
			1													+
	2W VG Port terminated in on Megalink or equivalent-Basic Local Area			UEP93	UEPY9	1.36	38.85	19.08				15.20				-
	2W VG Port Terminated on 800 Service Term-Basic Local Area		1	UEP93	UEPY2	1.36	38.85	19.08				15.20				
	2W VG Port (Centrex )			UEP93	UEPQA	1.36	38.85	19.08				15.20				
	2W VG Port (Centrex 800 Term)			UEP93	UEPQB	1.36	38.85	19.08				15.20				
	2W VG Port (Centrex with Caller ID)1			UEP93	UEPQH	1.36	38.85	19.08				15.20				
	2W VG Port (Centrex from diff SWC)2			UEP93	UEPQM	1.36	104.41	67.93				15.20				
	2W VG Port, Diff SWC-800 Service Term			UEP93	UEPQZ	1.36	104.41	67.93				15.20				
	2W VG Port terminated in on Megalink or equivalent			UEP93	UEPQ9	1.36	38.85	19.08				15.20				
	2W VG Port Terminated on 800 Service Term			UEP93	UEPQ2	1.36	38.85	19.08				15.20				
Local	Switching															
	Centrex Intercom Funtionality, per port			UEP93	URECS	0.8577										
Local	Number Portability															1
	Local No Portability (1 per port)			UEP93	LNCCC	0.35										
Featu																1
	All Standard Features Offered, per port			UEP93	UEPVF	0.00						15.20				1
	All Centrex Control Features Offered, per port	1		UEP93	UEPVC	0.00			1			15.20				<del>                                     </del>
NARS		1		02100	02.1 10	0.00			<b>†</b>		1	10.20			<b> </b>	+
	Unbundled Network Access Register-Combination	+		UEP93	UARCX	0.00	0.00	0.00	<del>                                     </del>		<del>                                     </del>	15.20			<del> </del>	+
	Unbundled Network Access Register-Combination  Unbundled Network Access Register-Indial	-		UEP93	UAR1X	0.00	0.00	0.00	<b>†</b>			15.20				+
	Unbundled Network Access Register-Indial  Unbundled Network Access Register-Outdial	-		UEP93	UAROX	0.00	0.00	0.00				15.20		-	1	+-
	ellaneous Terminations	-	$\vdash$	UEPSS	UARUA	0.00	0.00	0.00	<del>                                     </del>	<b> </b>	-	15.20				+
			-		+				1							+
	e Trunk Side	-	-	LIEBOO	05::50			10.0-	1	-	1			-	<b> </b>	+
	Trunk Side Terms, each		1	UEP93	CEND6	8.27	115.85	18.20	<b> </b>	ļ		15.20				<del>                                     </del>
	e Digital (1.544 Megabits)	_					,		<u> </u>							-
	DS1 Circuit Terms, each	-		UEP93	M1HD1	68.47	196.18	92.92	ļ		ļ	15.20				
	DS0 Channels Activated, Per Channel			UEP93	M1HDO	0.00	14.06					15.20				
	office Channel Mileage - 2-Wire															
	Interoffice Channel Facilities Term			UEP93	MIGBC	22.60	39.36	26.62	<u> </u>		ļ	15.20				1
	Interoffice Channel miage, per mi or fraction of mi			UEP93	MIGBM	0.013										
	re Activations (DS0) Centrex Loops on Channelized DS1 Service															
D4 Cl	nannel Bank Feature Activations				ĺ	Ì										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP93	1PQWS	0.6497						15.20				
	Feature Activation on D-4 Channel Bank FX Line Side Loop Slot	İ		UEP93	1PQW6	0.6497						15.20				1
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP93	1PQW7	0.6497						15.20				1
	Feature Activation on D-4 Channel Bank Centrex Loop Slot-Diff WC		1 1	UEP93	1PQWP	0.6497		1	1			15.20		1	<del> </del>	1
	Feature Activation on D-4 Channel Bank Private Line Loop Slot	+	+ +	UEP93	1PQWV	0.6497		<del>                                     </del>	<del>                                     </del>	<b>-</b>	<del>                                     </del>	15.20		<del>                                     </del>	<del> </del>	+

Version 4Q02: 01/21/03 Page 236 of 402

TEGORY			1 T		ı <del></del>											
TEGODY											Svc	Svc Order	Incrementa	Incrementa	Incrementa	Increme
TEGODY											Order	Submitted	I Charge -	I Charge -	I Charge -	al Char
TEGODY											Submitt	Manually	Manual	Manual	Manual	Manua
	RATE ELEMENTS	Interi	Zon	BCS	usoc		RΔT	ES (\$)			ed Elec		Svc Order	Svc Order	Svc Order	Svc Ord
LOOK	KATE ELEMENTS	m	е	503	0300		INAI	L3 (4)			per LSR		VS.	VS.	VS.	vs.
											per Lak		Vs. Electronic-		_	_
															Electronic-	
													1st	Add'l	Disc 1st	Disc Ad
						Rec	Nonrec	urring	NRC D	isconnec	,		OSS	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
F	eature Activation on D-4 Channel Bank Tie Line/Trunk Loop Slot			UEP93	1PQWQ	0.6497						15.20				
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP93	1PQWA	0.6497					<b>†</b>	15.20				+
	ecurring Charges (NRC) Associated with UNE-P Centrex			OLI 33	II QVVA	0.0431						13.20				+
			1													+
	NRC Conversion Currently Combined Switch-As-Is with allowed changes,															
	per port			UEP93	USAC2		0.10	0.10				15.20				
C	Conversion of Existing Centrex Common Block, each			UEP93	USACN		36.66	16.10				15.20				
N	New Centrex Standard Common Block			UEP93	M1ACS	0.00	680.40					15.20				
N	New Centrex Customized Common Block			UEP93	M1ACC	0.00	680.40					15.20				
	NAR Establishment Charge, Per Occasion			UEP93	URECA	0.00	73.93					15.20				
	CENTREX PORT/LOOP COMBINATIONS - MARKET RATES			OLI 00	ORLOR	0.00	10.00				<b>†</b>	10.20				+
	ket Rates are applied where BellSouth is not required by FCC and/or C	`	ionian	mula ta muavida Hi	ما امطامطا	aal Curitahina	or Curitals Day	4.0								+
						bear Switching	or Switch Pol	ts.								+
	urring Charges for all Standard Centrex and Centrex Conrol Features a															
	Office and Tandem Switching Usage and Common Transport Usage r															
4. The f	first & add'l Port NRC charges apply to Not Currently Combined Com	bos. I	For Cu	rrently Combined	Combos, th	e NRC charges	shall be thos	e identified	I in the N	RC - Cur	rently Cor	nbined sect	ions. Add'l	NRCs may a	pply also ar	nd are
catego	prized accordingly.			•		-					•			•		
	CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only)															
	VG Loop/2-Wire Voice Grade Port (Centrex) Combo				_											+
					+						<b> </b>	-				+
	ort/Loop Combination Rates (Non-Design)		<u> </u>													
	W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design		1	UEP91		25.77										
21	W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		2	UEP91		36.39										
2'	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		3	UEP91		62.26										
UNE P	ort/Loop Combination Rates (Design)															
	2W VG Loop/2W VG Port (Centrex) Port Combo-Design		1	UEP91		28.93										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		2	UEP91		39.35										
			3	UEP91	+											+
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		3	UEP91		64.46										+
	oop Rate															
	2W VG Loop (SL 1)-Zone 1		1	UEP91	UECS1	11.77										
21	2W VG Loop (SL 1)-Zone 2		2	UEP91	UECS1	22.39										
2'	2W VG Loop (SL 1)-Zone 3		3	UEP91	UECS1	48.26										Ī
2'	2W VG Loop (SL 2)-Zone 1		1	UEP91	UECS2	14.93										
	2W VG Loop (SL 2)-Zone 2		2	UEP91	UECS2	25.35										
	2W VG Loop (SL 2)-Zone 3		3	UEP91	UECS2	50.46										+
			3	UEP91	UEUSZ	30.46										
UNE Po											ļ					
	tes (Except North Carolina and Sout Carolina)															
21	2W VG Port (Centrex ) Basic Local Area			UEP91	UEPYA	14.00	50.00	25.00				15.20				
2'	2W VG Port (Centrex 800 Term)Basic Local Area			UEP91	UEPYB	14.00	50.00	25.00				15.20				
2'	W VG Port (Centrex with Caller ID)1Basic Local Area			UEP91	UEPYH	14.00	50.00	25.00				15.20				
	W VG Port (Centrex from diff SWC)2 Basic Local Area			UEP91	UEPYM	14.00	135.00	90.00				15.20				
	2W VG Port, Diff SWC-800 Service Term-Basic Local Area		1	UEP91	UEPYZ	14.00	135.00	90.00				15.20				<del>                                     </del>
			1 1	UEP91	UEPY9	14.00	50.00	25.00	1	<del>                                     </del>	1	15.20	1	1	1	+
	2W VG Port terminated in on Megalink or equivalent-Basic Local Area		1						1	<del>                                     </del>	1		<del>                                     </del>	<del>                                     </del>	<del>                                     </del>	+
	W VG Port Terminated on 800 Service Term-Basic Local Area			UEP91	UEPY2	14.00	50.00	25.00				15.20				
	Y, LA, MS, & TN Only															
	2W VG Port (Centrex )			UEP91	UEPQA	14.00	50.00	25.00	<u> </u>	<u> </u>		15.20			L	
2'	2W VG Port (Centrex 800 Term)			UEP91	UEPQB	14.00	50.00	25.00				15.20				
	W VG Port (Centrex with Caller ID)1			UEP91	UEPQH	14.00	50.00	25.00				15.20				1
	2W VG Port (Centrex with Galler ID)1		1 1	UEP91	UEPQM	14.00	135.00	90.00	<u> </u>	<b>-</b>		15.20				+
			1 1						1	<del>                                     </del>	1		1	1	1	+
	2W VG Port, Diff SWC-800 Service Term		1	UEP91	UEPQZ	14.00	135.00	90.00	1	<b>!</b>	<b>!</b>	15.20	-	-		+
2	W VG Port terminated in on Megalink or equivalent			UEP91	UEPQ9	14.00	50.00	25.00				15.20				
	2W VG Port Terminated on 800 Service Term			UEP91	UEPQ2	14.00	50.00	25.00			1	15.20	1	1	<u> </u>	
	Switching															

Version 4Q02: 01/21/03

UNBUND	LED NETWORK ELEMENTS - Louisiana												Attachi	ment: 2	Exhib	oit: B
											Svc	Svc Order	Incrementa	Incrementa	Incrementa	Incremen
											Order	Submitted	I Charge -	I Charge -	I Charge -	al Charge
			.   _								Submitt	Manually	Manual	Manual	Manual	Manual
CATEGOR'	RATE ELEMENTS		Zon	BCS	USOC		RAT	ES (\$)			ed Elec	per LSR	Svc Order	Svc Order	Svc Order	Svc Order
		m	е					- (1)			per LSR		vs.	vs.	vs.	vs.
											1		Electronic-	Electronic-	Electronic-	Electronic
													1st	Add'l	Disc 1st	Disc Add'
						D	Nonreci	urring	NRC D	isconne	3		oss	Rates (\$)		1
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Loca	Il Number Portability															
	Local No Portability (1 per port)			UEP91	LNPCC	0.35										
Feat	ures															
	All Standard Features Offered, per port			UEP91	UEPVF	0.00										
	All Select Features Offered, per port			UEP91	UEPVS	0.00	412.25	_				15.20	_			
	All Centrex Control Features Offered, per port			UEP91	UEPVC	0.00										
NAR	S															
	Unbundled Network Access Register-Combination			UEP91	UARCX	0.00	0.00	0.00				15.20				
	Unbundled Network Access Register-Indial			UEP91	UAR1X	0.00	0.00	0.00				15.20				
	Unbundled Network Access Register-Outdial			UEP91	UAROX	0.00	0.00	0.00				15.20				
Misc	ellaneous Terminations															
2-Wi	re Trunk Side															
	Trunk Side Terms, each			UEP91	CENA6	8.29	115.85	18.20				15.20				
Inter	office Channel Mileage - 2-Wire															
	Interoffice Channel Facilities Term-VG			UEP91	M1GBC	22.60	39.36	26.62				15.20				
	Interoffice Channel miage, per mi or fraction of mi			UEP91	M1GBM	0.013										
Feat	ure Activations (DS0) Centrex Loops on Channelized DS1 Service															
D4 C	hannel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP91	1PQWS	0.6497						15.20				
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP91	1PQW6	0.6497						15.20				
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP91	1PQW7	0.6497						15.20				
	Feature Activation on D-4 Channel Bank Centrex Loop Slot-Diff WC			UEP91	1PQWP	0.6497						15.20				
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP91	1PQWV	0.6497		_				15.20	_			
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot			UEP91	1PQWQ	0.6497						15.20				
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP91	1PQWA	0.6497						15.20				
Non-	Recurring Charges (NRC) Associated with UNE-P Centrex															
	Conversion-Currently Combined Switch-As-Is with allowed changes, per			_												
	port			UEP91	USAC2		0.10	0.10				15.20				
	Conversion of Existing Centrex Common Block			UEP91	USACN	0.00	36.66	16.10								
	New Centrex Standard Common Block			UEP91	M1ACS	0.00	680.40	_				15.20	_		_	
	New Centrex Customized Common Block			UEP91	M1ACC	0.00	680.40					15.20				
	Secondary Block, per Block			UEP91	M2CC1	0.00	79.31					15.20				
	NAR Establishment Charge, Per Occasion			UEP91	URECA	0.00	73.93					15.20				

NADOIADE	ED NETWORK ELEMENTS - Louisiana	,									_			ment: 2		bit: B
											Svc		Incrementa		Incrementa	
												Submitted	I Charge -	I Charge -	I Charge -	
		Interi	Zon									Manually	Manual	Manual	Manual	Manua
ATEGORY	RATE ELEMENTS	m	e	BCS	USOC		RAT	ES (\$)			ed Elec	per LSR	Svc Order		Svc Order	
			е								per LSR		vs.	vs.	vs.	vs.
														Electronic-	Electronic-	
													1st	Add'l	Disc 1st	Disc Add
						Rec	Nonrec	urring	NRC D	isconnec			OSS	Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UNE-I	P CENTREX - 5ESS (Valid in All States)															
2-Wire	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
UNE F	Port/Loop Combination Rates (Non-Design)															
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design		1	UEP95		25.77										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		2	UEP95		36.39										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		3	UEP95		62.26										
	Port/Loop Combination Rates (Design)															
	2W VG Loop/2W VG Port (Centrex) Port Combo-Design		1	UEP95		28.93										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		2	UEP95		39.35										1
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		3	UEP95		64.46										
	Loop Rate															
	2W VG Loop (SL 1)-Zone 1		1	UEP95	UECS1	11.77										
	2W VG Loop (SL 1)-Zone 2		2	UEP95	UECS1	22.39										
	2W VG Loop (SL 1)-Zone 3		3	UEP95	UECS1	48.26										
	2W VG Loop (SL 2)-Zone 1		1	UEP95	UECS2	14.93										
	2W VG Loop (SL 2)-Zone 2		2	UEP95	UECS2	25.35										
	2W VG Loop (SL 2)-Zone 3		3	UEP95	UECS2	50.46										
	Port Rate															
All St																
	2W VG Port (Centrex ) Basic Local Area			UEP95	UEPYA	14.00	50.00	25.00				15.20				
	2W VG Port (Centrex 800 Term)			UEP95	UEPYB	14.00	50.00	25.00				15.20				
	2W VG Port (Centrex with Caller ID)1Basic Local Area			UEP95	UEPYH	14.00	50.00	25.00				15.20				
	2W VG Port (Centrex from diff SWC)2 Basic Local Area			UEP95	UEPYM	14.00	135.00	90.00				15.20				
	2W VG Port, Diff SWC-800 Service Term-Basic Local Area			UEP95	UEPYZ	14.00	135.00	90.00				15.20				
	2W VG Port terminated in on Megalink or equivalent-Basic Local Area			UEP95	UEPY9	14.00	50.00	25.00				15.20				
	2W VG Port Terminated on 800 Service Term-Basic Local Area			UEP95	UEPY2	14.00	50.00	25.00				15.20				ļ
	Y, LA, MS, SC, & TN Only															
	2W VG Port (Centrex )			UEP95	UEPQA	14.00	50.00	25.00				15.20				ļ
	2W VG Port (Centrex 800 Term)			UEP95	UEPQB	14.00	50.00	25.00				15.20				
	2W VG Port (Centrex with Caller ID)1			UEP95	UEPQH	14.00	50.00	25.00				15.20				
	2W VG Port (Centrex from diff SWC)2			UEP95	UEPQM	14.00	135.00	90.00				15.20				
	2W VG Port, Diff SWC-800 Service Term			UEP95	UEPQZ	14.00	135.00	90.00				15.20				
	2W VG Port terminated in on Megalink or equivalent			UEP95	UEPQ9	14.00	50.00	25.00				15.20				<u> </u>
	2W VG Port Terminated on 800 Service Term			UEP95	UEPQ2	14.00	50.00	25.00				15.20				
	Switching															
	Centrex Intercom Funtionality, per port			UEP95	URECS	0.8577						15.20				
	Number Portability															<u> </u>
	Local No Portability (1 per port)			UEP95	LNPCC	0.35										
Featu																
	All Standard Features Offered, per port			UEP95	UEPVF	0.00						15.20				
	All Select Features Offered, per port	-		UEP95	UEPVS	0.00	412.25					15.20				<del>                                     </del>
	All Centrex Control Features Offered, per port	-	<b> </b>	UEP95	UEPVC	0.00			ļ			15.20				<del>                                     </del>
NARS		-	<b> </b>	LIEBOE	HAROX	0.00	0.00	0.00	ļ			45.00				<del>                                     </del>
	Unbundled Network Access Register-Combination	-	<b> </b>	UEP95	UARCX	0.00	0.00	0.00	ļ			15.20				<del>                                     </del>
	Unbundled Network Access Register-Indial		$\vdash$	UEP95	UAR1X	0.00	0.00	0.00	-			15.20				+
	Unbundled Network Access Register-Outdial	-	$\vdash$	UEP95	UAROX	0.00	0.00	0.00	-			15.20				<del>                                     </del>
	Illaneous Terminations	-	$\vdash$		+				-							₩
	e Trunk Side			LIEBOE	OFNE	0.55	115.5	40.00	-			45.00				<del>                                     </del>
	Trunk Side Terms, each	-		UEP95	CEND6	8.29	115.85	18.20	ļ			15.20				<del>                                     </del>
	e Digital (1.544 Megabits) DS1 Circuit Terms, each	-		UEP95	M1HD1	68.47	196.18	92.92	<u> </u>	ļ		15.20		1		+

Version 4Q02: 01/21/03 Page 239 of 402

NRONDL	ED NETWORK ELEMENTS - Louisiana												Attachi	nent: 2	Exhib	oit: B
											Svc	Svc Order	Incrementa	Incrementa	Incrementa	Increme
											Order	Submitted	I Charge -	I Charge -	I Charge -	al Charg
											Submitt	Manually	Manual	Manual	Manual	Manua
ATEGORY	RATE ELEMENTS	Interi		BCS	usoc		RAT	ES (\$)			ed Elec		Svc Order	Svc Order	Svc Order	Svc Ord
A.LOOK.	TATE ELEMENTO	m	е	200				<b>Δ</b> (ψ)			per LSR		vs.	vs.	vs.	vs.
											po. 2011		Electronic-	_	Electronic-	_
													1st	Add'l	Disc 1st	Disc Ade
		<del> </del>	-		-	ı	Managa		L NDO D	isconnec				Rates (\$)	2.00 .01	2.007.0
		1	1		+	Rec	Nonrect					001111			001111	
	B00 01	1	1				First	Add'l	First	Addi	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	DS0 Channels Activated, each			UEP95	M1HDO	0.00	14.06					15.20				
	office Channel Mileage - 2-Wire	1														
	Interoffice Channel Facilities Term			UEP95	MIGBC	22.60	39.36	26.62				15.20				
	Interoffice Channel miage, per mi or fraction of mi	1		UEP95	MIGBM	0.013										
	re Activations (DS0) Centrex Loops on Channelized DS1 Service															
	nannel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	1PQWS	0.6497						15.20				
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP95	1PQW6	0.6497						15.20				
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP95	1PQW7	0.6497						15.20				
	Feature Activation on D-4 Channel Bank Centrex Loop Slot-Diff WC			UEP95	1PQWP	0.6497						15.20				
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP95	1PQWV	0.6497						15.20				
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot			UEP95	1PQWQ	0.6497						15.20				
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP95	1PQWA	0.6497						15.20				
	Recurring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed changes,															
	per port			UEP95	USAC2		0.10	0.10				15.20				
	Conversion of Existing Centrex Common Block, each	1		UEP95	USACN		36.66	16.10				15.20				
	New Centrex Standard Common Block	1		UEP95	M1ACS	0.00	680.40	10.10				15.20				1
	New Centrex Customized Common Block	1	+	UEP95	M1ACC	0.00	680.40					15.20				
	NAR Establishment Charge, Per Occasion	1	1	UEP95	URECA	0.00	73.93					15.20				1
	P CENTREX - DMS100 (Valid in All States)	1	1	UEP95	URECA	0.00	73.93		-			15.20				
	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo	1			+							-				
		1	1		-				-							
	Port/Loop Combination Rates (Non-Design)	1		LIEDOD	+	05.77										
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design		1	UEP9D	-	25.77										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		2	UEP9D	-	36.39										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design	1	3	UEP9D		62.26										
	Port/Loop Combination Rates (Design)															
	2W VG Loop/2W VG Port (Centrex) Port Combo-Design		1	UEP9D		28.93										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		2	UEP9D		39.35										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		3	UEP9D		64.46										
	Loop Rate															
	2W VG Loop (SL 1)-Zone 1		1	UEP9D	UECS1	11.77										
	2W VG Loop (SL 1)-Zone 2		2	UEP9D	UECS1	22.39										
	2W VG Loop (SL 1)-Zone 3		3	UEP9D	UECS1	48.26										
	2W VG Loop (SL 2)-Zone 1		1	UEP9D	UECS2	14.93										
	2W VG Loop (SL 2)-Zone 2		2	UEP9D	UECS2	25.35										
	2W VG Loop (SL 2)-Zone 3		3	UEP9D	UECS2	50.46										
UNE	Port Rate															
ALL S	STATES															
	2W VG Port (Centrex ) Basic Local Area			UEP9D	UEPYA	14.00	50.00	25.00				15.20				
	2W VG Port (Centrex 800 Term)Basic Local Area			UEP9D	UEPYB	14.00	50.00	25.00				15.20				
	2W VG Port (Centrex/EBS-PSET)3Basic Local Area			UEP9D	UEPYC	14.00	50.00	25.00				15.20				
	2W VG Port (Centrex /EBS-M5009)3Basic Local Area			UEP9D	UEPYD	14.00	50.00	25.00				15.20				1
	2W VG Port (Centrex /EBS-M5009)3 Basic Local Area			UEP9D	UEPYE	14.00	50.00	25.00	1			15.20				1
	2W VG Port (Centrex /EBS-M5112)3 Basic Local Area	1	$\vdash$	UEP9D	UEPYF	14.00	50.00	25.00	1		1	15.20				1
	2W VG Port (Centrex /EBS-M5312)3Basic Local Area	1	$\vdash$	UEP9D	UEPYG	14.00	50.00	25.00	<del>                                     </del>			15.20				<del>                                     </del>
	2W VG Port (Centrex /EBS-M5008)3 Basic Local Area	+-	$\vdash$	UEP9D	UEPYT	14.00	50.00	25.00	<del>                                     </del>		-	15.20				1
	2W VG Port (Centrex/EBS-M5008)3 Basic Local Area  2W VG Port (Centrex/EBS-M5208)3 Basic Local Area	+	$\vdash$	UEP9D	UEPYU	14.00	50.00	25.00	1		1	15.20				1
	2W VG Port (Centrex/EBS-M5208)3 Basic Local Area  2W VG Port (Centrex/EBS-M5216)3 Basic Local Area	+	$\vdash$	UEP9D	UEPYU	14.00	50.00	25.00	<del>                                     </del>	<b> </b>	-	15.20				1
			$\vdash$	UEP9D UEP9D	UEPYV UEPY3	14.00	50.00	25.00	<del>                                     </del>		-	15.20 15.20				$\vdash$
	2W VG Port (Centrex/EBS-M5316)3 Basic Local Area 2W VG Port (Centrex with Caller ID) Basic Local Area			UEP9D UEP9D	UEPY3	14.00 14.00	50.00	25.00 25.00	ļ			15.20 15.20				

Version 4Q02: 01/21/03

DIADOIADE	ED NETWORK ELEMENTS - Louisiana													nent: 2	Exhil	bit: B
											Svc	Svc Order	Incrementa	Incrementa	Incrementa	Increme
											Order	Submitted	I Charge -	I Charge -	I Charge -	al Charg
											Submitt	Manually	Manual	Manual	Manual	Manua
ATEGORY	RATE ELEMENTS		Zon	BCS	usoc		RΔT	ES (\$)			ed Elec		Svc Order	Svc Order	Svc Order	Svc Ord
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	NATE ELEMENTO	m	е	200	0000			<b>Δ</b> (ψ)			per LSR		vs.	vs.	vs.	vs.
											por Lore		Electronic-	_	Electronic-	
													1st	Add'l	Disc 1st	Disc Add
		-	+			1		-	NDOD						Disc 1st	DISC AUC
		_	1			Rec	Nonreci			isconnec				Rates (\$)		T
		_	1		-		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2W VG Port (Centrex/Caller ID/Msg Wtg Lamp Indication)3 Basic Local															
	Area			UEP9D	UEPYW	14.00	50.00	25.00				15.20				
	2W VG Port (Centrex/Msg Wtg Lamp Indication)3 Basic Local Area			UEP9D	UEPYJ	14.00	50.00	25.00				15.20				
	2W VG Port (Centrex from diff SWC) 2 Basic Local Area			UEP9D	UEPYM	14.00	135.00	90.00				15.20				
	2W VG Port (Centrex/differ SWC /EBS-PSET)2, 3 Basic Local Area			UEP9D	UEPYO	14.00	135.00	90.00				15.20				
	2W VG Port (Centrex/differ SWC /EBS-M5009)2, 3 Basic Local Area			UEP9D	UEPYP	14.00	135.00	90.00				15.20				
	2W VG Port (Centrex/differ SWC /EBS-5209)2, 3 Basic Local Area			UEP9D	UEPYQ	14.00	135.00	90.00				15.20				
	2W VG Port (Centrex/differ SWC /EBS-M5112)2, 3 Basic Local Area			UEP9D	UEPYR	14.00	135.00	90.00				15.20				1
	2W VG Port (Centrex/differ SWC /EBS-M5312)2, 3 Basic Local Area			UEP9D	UEPYS	14.00	135.00	90.00				15.20				
	2W VG Port (Centrex/differ SWC /EBS-M5008)2, 3 Basic Local Area		† i	UEP9D	UEPY4	14.00	135.00	90.00				15.20				1
	2W VG Port (Centrex/differ SWC /EBS-M5208)2, 3 Basic Local Area	1	† †	UEP9D	UEPY5	14.00	135.00	90.00				15.20			1	<b>†</b>
	2W VG Port (Centrex/differ SWC /EBS-M5216)2, 3 Basic Local Area	1 -	1 1	UEP9D	UEPY6	14.00	135.00	90.00	1	1	<u> </u>	15.20			<b>I</b>	1
	2W VG Port (Centrex/differ SWC /EBS-M5316)2, 3 Basic Local Area	1 -	+ +	UEP9D	UEPY7	14.00	135.00	90.00	1			15.20			<b>-</b>	+
	2W VG Port, Diff SWC-800 Service Term	-	+	UEP9D	UEPYZ	14.00	135.00	90.00				15.20				+
		-	+ +		UEPY2	14.00		25.00				15.20				+
	2W VG Port terminated in on Megalink or equivalent Basic Local Area	-	+	UEP9D			50.00		1							+
	2W VG Port Terminated on 800 Service Term Basic Local Area		1	UEP9D	UEPY2	14.00	50.00	25.00				15.20				
	Y, LA, MS, SC, & TN Only		1													
	2W VG Port (Centrex)			UEP9D	UEPQA	14.00	50.00	25.00				15.20				ļ
	2W VG Port (Centrex 800 Term)			UEP9D	UEPQB	14.00	50.00	25.00				15.20				
	2W VG Port (Centrex/EBS-PSET)3			UEP9D	UEPQC	14.00	50.00	25.00				15.20				
	2W VG Port (Centrex /EBS-M5009)3			UEP9D	UEPQD	14.00	50.00	25.00				15.20				
	2W VG Port (Centrex /EBS-M5209)3			UEP9D	UEPQE	14.00	50.00	25.00				15.20				
	2W VG Port (Centrex /EBS-M5112)3			UEP9D	UEPQF	14.00	50.00	25.00				15.20				
	2W VG Port (Centrex /EBS-M5312)3			UEP9D	UEPQG	14.00	50.00	25.00				15.20				1
	2W VG Port (Centrex /EBS-M5008)3			UEP9D	UEPQT	14.00	50.00	25.00				15.20				1
	2W VG Port (Centrex/EBS-M5208)3			UEP9D	UEPQU	14.00	50.00	25.00				15.20				1
	2W VG Port (Centrex/EBS-M5216)3			UEP9D	UEPQV	14.00	50.00	25.00				15.20				1
	2W VG Port (Centrex/EBS-M5316)3		1 1	UEP9D	UEPQ3	14.00	50.00	25.00				15.20				1
	2W VG Port (Centrex with Caller ID)		1 1	UEP9D	UEPQH	14.00	50.00	25.00				15.20				+
	2W VG Port (Centrex/Caller ID/Msg Wtg Lamp Indication)3	1	1 1	UEP9D	UEPQW	14.00	50.00	25.00				15.20				+
	2W VG Port (Centrex/Msg Wtg Lamp Indication)3	-	+ +	UEP9D	UEPQJ	14.00	50.00	25.00				15.20				+
	2W VG Port (Centrex/msg wtg Lamp indication)3	-	+ +	UEP9D	UEPQM	14.00	135.00	90.00				15.20				+
		-	+ +	UEP9D		14.00										
	2W VG Port (Centrex/differ SWC /EBS-PSET)2, 3	-	+ +		UEPQO		135.00	90.00				15.20				
	2W VG Port (Centrex/differ SWC /EBS-M5009)2, 3	_	1	UEP9D	UEPQP	14.00	135.00	90.00				15.20				+
	2W VG Port (Centrex/differ SWC /EBS-5209)2, 3	_	1	UEP9D	UEPQQ	14.00	135.00	90.00				15.20				
	2W VG Port (Centrex/differ SWC /EBS-M5112)2, 3		1	UEP9D	UEPQR	14.00	135.00	90.00				15.20				
	2W VG Port (Centrex/differ SWC /EBS-M5312)2, 3			UEP9D	UEPQS	14.00	135.00	90.00				15.20				
	2W VG Port (Centrex/differ SWC /EBS-M5008)2, 3			UEP9D	UEPQ4	14.00	135.00	90.00				15.20				
	2W VG Port (Centrex/differ SWC /EBS-M5208)2, 3			UEP9D	UEPQ5	14.00	135.00	90.00				15.20				
	2W VG Port (Centrex/differ SWC /EBS-M5216)2, 3			UEP9D	UEPQ6	14.00	135.00	90.00				15.20				
	2W VG Port (Centrex/differ SWC /EBS-M5316)2, 3			UEP9D	UEPQ7	14.00	135.00	90.00				15.20				
	2W VG Port, Diff SWC-800 Service Term			UEP9D	UEPQZ	14.00	135.00	90.00				15.20				
	2W VG Port terminated in on Megalink or equivalent			UEP9D	UEPQ9	14.00	50.00	25.00				15.20				
	2W VG Port Terminated on 800 Service Term		† †	UEP9D	UEPQ2	14.00	50.00	25.00				15.20			İ	1
	Switching	1	1 1									1.5				1
	Centrex Intercom Funtionality, per port	1	† †	UEP9D	URECS	0.8577									1	<b>†</b>
	Number Portability	1	1 1	021 00	CINEOU	5.5517			1	1	1	t			t	1
	Local No Portability (1 per port)	+	+ +	UEP9D	LNPCC	0.35			<del>                                     </del>			<b>-</b>			t	+
Featu			╁	OLFAD	LINFUU	0.33			}		-	-			<del> </del>	+
		-	╀┼┼	UEP9D	UEPVF	0.00			<del>                                     </del>	<b> </b>	-	15.20			<del>                                     </del>	+
	All Standard Features Offered, per port  All Select Features Offered, per port	-	+	UEP9D UEP9D	UEPVF	0.00	412.25		<del>                                     </del>		1	15.20 15.20			<del>                                     </del>	+

Version 4Q02: 01/21/03 Page 241 of 402

UNE	UNDL	ED NETWORK ELEMENTS - Louisiana												Attachi	nent: 2	Exhib	oit: B
															Incrementa		1
														I Charge -	_	_	al Charge -
			Interi	Zon								Submitt	Manually	Manual	Manual	Manual	Manual
CATI	GORY	RATE ELEMENTS			BCS	USOC		RAT	ES (\$)			ed Elec	per LSR	Svc Order	Svc Order	Svc Order	Svc Order
			m	е								per LSR		vs.	vs.	vs.	vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonrecu	ırring	NRC D	isconnec			OSS	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		All Centrex Control Features Offered, per port			UEP9D	UEPVC	0.00						15.20				
	NARS																
		Unbundled Network Access Register-Combination			UEP9D	UARCX	0.00	0.00	0.00				15.20				
		Unbundled Network Access Register-Inward			UEP9D	UAR1X	0.00	0.00	0.00				15.20				
		Unbundled Network Access Register-Outdial			UEP9D	UAROX	0.00	0.00	0.00				15.20				
	Misce	Ilaneous Terminations															
	2-Wir	e Trunk Side															
		Trunk Side Terms, each			UEP9D	CEND6	8.29	115.85	18.20				15.20				

INDUIND	LED NETWORK ELEMENTS - Louisiana			•		,								ment: 2		oit: B
ATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	USOC		RATE	ES (\$)			Svc Order Submitt ed Elec per LSR	Submitted Manually per LSR	l Charge - Manual	Incrementa I Charge - Manual Svc Order vs. Electronic- Add'I	I Charge - Manual Svc Order vs. Electronic-	al Charge Manual Svc Orde vs.
						_	Nonrecu	rring	NRC D	isconne			OSS	Rates (\$)	•	
						Rec	First	Add'l	First	Add'l		SOMAN	SOMAN		SOMAN	SOMAN
4-Wii	re Digital (1.544 Megabits)															
	DS1 Circuit Terms, each			UEP9D	M1HD1	68.47	196.18	98.62				15.20				
	DS0 Channels Activiated per Channel			UEP9D	M1HDO	0.00	14.06					15.20				
Inter	office Channel Mileage - 2-Wire			02.05		0.00						10.20				<b>†</b>
nito.	Interoffice Channel Facilities Term			UEP9D	MIGBC	22.60	39.36	26.62				15.20				
	Interoffice Channel miage, per mi or fraction of mi	1		UEP9D	MIGBM	0.013	33.30	20.02				13.20				<del>                                     </del>
Foots	ure Activations (DS0) Centrex Loops on Channelized DS1 Service			OLI 3D	IVIIODIVI	0.013										
	hannel Bank Feature Activations				-							1				
D4 C		-		UEP9D	1PQWS	0.6497	+		1	1	}	45.00				┼
	Feature Activation on D-4 Channel Bank Centrex Loop Slot		$\vdash$						<del>                                     </del>		1	15.20				<del>                                     </del>
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot	<u> </u>	$\vdash$	UEP9D	1PQW6	0.6497	<b>+</b>		<b> </b>	1	1	15.20		1		<del> </del>
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP9D	1PQW7	0.6497						15.20				
	Feature Activation on D-4 Channel Bank Centrex Loop Slot-Diff WC			UEP9D	1PQWP	0.6497						15.20				
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9D	1PQWV	0.6497						15.20				
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot			UEP9D	1PQWQ	0.6497						15.20				
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9D	1PQWA	0.6497						15.20				
Non-	Recurring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port			UEP9D	USAC2		0.10	0.10				15.20				
	Conversion of existing Centrex Common Block, each			UEP9D	USACN		36.66	16.10				15.20				
	New Centrex Standard Common Block			UEP9D	M1ACS	0.00	680.40					15.20				
	New Centrex Customized Common Block			UEP9D	M1ACC	0.00	680.40					15.20				
	NAR Establishment Charge, Per Occasion			UEP9D	URECA	0.00	73.93					15.20				
UNE-	P CENTREX - EWSD (Valid in AL, FL, KY, LA, MS & TN)															
2-Wii	re VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
	Port/Loop Combination Rates (Non-Design)															
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design		1	UEP9E		25.77										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		2	UEP9E		36.39										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		3	UEP9E		62.26										
UNF	Port/Loop Combination Rates (Design)		Ť	02.02		02.20										
UNL	2W VG Loop/2W VG Port (Centrex) Port Combo-Design		1	UEP9E		28.93										
+	2W VG Loop/2W VG Port (Centrex)Port Combo-Design	1	2	UEP9E	-	39.35										<del>                                     </del>
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design	1	3	UEP9E	-	64.46										+
LINE	Loop Rate		9	OLI JL		04.40										
UNL	2W VG Loop (SL 1)-Zone 1		1	UEP9E	UECS1	11.77										-
-	2W VG Loop (SL 1)-Zone 1 2W VG Loop (SL 1)-Zone 2	<del>                                     </del>	2	UEP9E	UECS1	22.39	ł		1		1	<del>                                     </del>				<del>                                     </del>
	2W VG Loop (SL 1)-Zone 3		3	UEP9E	UECS1	48.26			1							
	2W VG Loop (SL 2)-Zone 1	-	1	UEP9E	UECS2	14.93										<del>                                     </del>
	2W VG Loop (SL 2)-Zone 2		2	UEP9E	UECS2	25.35			1							
												1				
	2W VG Loop (SL 2)-Zone 3	-	3	UEP9E	UECS2	50.46										
	Port Rate	-														
AL, F	L, KY, LA, MS, & TN only		$\vdash$	LIEDOE	LIEDY(*	4465	50.65	05.00	<b> </b>			45.00				<del> </del>
-	2W VG Port (Centrex ) Basic Local Area	<b> </b>		UEP9E	UEPYA	14.00	50.00	25.00	1	1	}	15.20				<del>                                     </del>
_	2W VG Port (Centrex 800 Term)Basic Local Area			UEP9E	UEPYB	14.00	50.00	25.00	<b> </b>		ļ	15.20				<b></b>
_	2W VG Port (Centrex with Caller ID)1Basic Local Area	<u> </u>	$\sqcup$	UEP9E	UEPYH	14.00	50.00	25.00	1	ļ		15.20				ļ
	2W VG Port (Centrex from diff SWC)2 Basic Local Area			UEP9E	UEPYM	14.00	135.00	90.00				15.20				↓
	2W VG Port, Diff SWC-800 Service Term-Basic Local Area			UEP9E	UEPYZ	14.00	135.00	90.00			ļ	15.20				
	2W VG Port terminated in on Megalink or equivalent-Basic Local Area			UEP9E	UEPY9	14.00	50.00	25.00	<u> </u>		ļ	15.20				
	2W VG Port Terminated on 800 Service Term-Basic Local Area			UEP9E	UEPY2	14.00	50.00	25.00	]	ļ		15.20				
AL, k	(Y, LA, MS, & TN Only															
	2W VG Port (Centrex )			UEP9E	UEPQA	14.00	50.00	25.00				15.20				
	2W VG Port (Centrex 800 Term)			UEP9E	UEPQB	14.00	50.00	25.00				15.20		1		

Version 4Q02: 01/21/03 Page 243 of 402

NBUNDL	ED NETWORK ELEMENTS - Louisiana													ment: 2		bit: B
											Svc		Incrementa		Incrementa	
												Submitted	I Charge -	I Charge -	I Charge -	
		Interi	7an								Submitt	Manually	Manual	Manual	Manual	Manual
ATEGORY	RATE ELEMENTS	m	e	BCS	USOC		RAT	ES (\$)			ed Elec		Svc Order	Svc Order	Svc Order	Svc Orde
		m	е								per LSR		vs.	vs.	vs.	vs.
													Electronic-		Electronic-	
													1st	Add'l	Disc 1st	Disc Add
						Rec	Nonrecu	ırring	NRC D	isconnec			OSS	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2W VG Port (Centrex with Caller ID)1			UEP9E	UEPQH	14.00	50.00	25.00				15.20				
	2W VG Port (Centrex from diff SWC)2			UEP9E	UEPQM	14.00	135.00	90.00				15.20				
	2W VG Port, Diff SWC-800 Service Term			UEP9E	UEPQZ	14.00	135.00	90.00				15.20				
	2W VG Port terminated in on Megalink or equivalent			UEP9E	UEPQ9	14.00	50.00	25.00				15.20				
	2W VG Port Terminated on 800 Service Term			UEP9E	UEPQ2	14.00	50.00	25.00				15.20				1
Local	Switching															
	Centrex Intercom Funtionality, per port			UEP9E	URECS	0.8577										
Local	Number Portability															1
	Local No Portability (1 per port)			UEP9E	LNPCC	0.35										1
Featu												İ				
	All Standard Features Offered, per port			UEP9E	UEPVF	0.00						15.20				1
	All Select Features Offered, per port			UEP9E	UEPVS	0.00	412.25					15.20				1
	All Centrex Control Features Offered, per port			UEP9E	UEPVC	0.00						15.20				1
NARS						7.00										
	Unbundled Network Access Register-Combination			UEP9E	UARCX	0.00	0.00	0.00								1
	Unbundled Network Access Register-Indial			UEP9E	UAR1X	0.00	0.00	0.00								†
	Unbundled Network Access Register-Outdial			UEP9E	UAROX	0.00	0.00	0.00								+
	Illaneous Terminations			OLI OL	O/ II CO/C	0.00	0.00	0.00								†
	e Trunk Side															+
	Trunk Side Terms, each		1	UEP9E	CEND6	8.29	115.85	18.20				15.20				+
	e Digital (1.544 Megabits)		1	OLI 3L	OLIVDO	0.25	110.00	10.20				13.20				+
	DS1 Circuit Terms, each		1	UEP9E	M1HD1	68.47	196.18	92.92				15.20				+
	DS0 Channel Activated Per Channel			UEP9E	M1HD0	0.00	14.06	32.32				15.20				+
	ffice Channel Mileage - 2-Wire			OLFSL	WITIDO	0.00	14.00					13.20				+
	Interoffice Channel Facilities Term			UEP9E	MIGBC	22.60	39.36	26.62				15.20				+
	Interoffice Channel miage, per mi or fraction of mi			UEP9E	MIGBM	0.013	39.30	20.02				13.20				+
	re Activations (DS0) Centrex Loops on Channelized DS1 Service			UEF9E	IVIIGBIVI	0.013										+
	nannel Bank Feature Activations		1													+
	Feature Activations Feature Activations Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9E	1PQWS	0.6497						15.20				+
	Feature Activation on D-4 Channel Bank Centrex Loop Slot		1	UEP9E	1PQW6	0.6497						15.20				+
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot		1	UEP9E	1PQW6	0.6497						15.20				+
	Feature Activation on D-4 Channel Bank PA Trunk Side Loop Slot		-	UEP9E	1PQWP	0.6497						15.20				+
	Feature Activation on D-4 Channel Bank Centrex Loop Slot-Diff WC		-	UEP9E	1PQWV	0.6497						15.20				+
	Feature Activation on D-4 Channel Bank Private Line Loop Stot			UEP9E	1PQWV	0.6497						15.20				+
				UEP9E UEP9E	1PQWQ	0.6497						15.20				+
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9E	IPQWA	0.6497						15.20				+
	Recurring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed changes,			LIEDOE	110400		0.40	0.40				45.00				
	per port			UEP9E	USAC2		0.10	0.10				15.20				4
	Conversion of Existing Centrex Common Block, each			UEP9E	USACN	0.00	36.66	16.10				15.20				4
	New Centrex Standard Common Block		1	UEP9E	M1ACS	0.00	680.40			ļ		15.20		-		<del>                                     </del>
	New Centrex Customized Common Block		<b>!</b>	UEP9E	M1ACC	0.00	680.40					15.20				<del>                                     </del>
	NAR Establishment Charge, Per Occasion		<b>├</b>	UEP9E	URECA	0.00	73.93			ļ		15.20		-		<del>                                     </del>
	CENTREX - DCO - Valid in AL, KY, LA, MS, & TN)		1		+					ļ				-		<del>                                     </del>
	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo		$\vdash$		-											+
	Port/Loop Combination Rates (Non-Design)		$\vdash$		1											<u> </u>
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design		1	UEP93	+	25.77										<del>                                     </del>
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		2	UEP93	-	36.36						<u> </u>				<del> </del>
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		3	UEP93	-	62.26				ļ						<del>                                     </del>
UNE	Port/Loop Combination Rates (Design) 2W VG Loop/2W VG Port (Centrex) Port Combo-Design		Ш	UEP93	ļ	28.93										<del> </del>

Version 4Q02: 01/21/03 Page 244 of 402

NRONDL	ED NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhib	bit: B
											Svc	Svc Order	Incrementa	Incrementa	Incrementa	Increme
											Order	Submitted	I Charge -	I Charge -	I Charge -	al Char
											Submitt	Manually	Manual	Manual	Manual	Manua
ATEGORY	RATE ELEMENTS		Zon	BCS	USOC		RAT	ES (\$)			ed Elec		Svc Order	Svc Order	Svc Order	Svc Ord
	NATE ELEMENTO	m	е	500	5555		1041	<b>ΔΟ (ψ)</b>			per LSR		vs.	vs.	vs.	vs.
											po. 2011		_	Electronic-	Electronic-	_
													1st	Add'l	Disc 1st	Disc Ad
			1		-	1			L NDO D	isconnec					D100 101	Dioc Au
_			1			Rec	Nonrec					001111		Rates (\$)	001111	
_	000000				-	24.42	First	Add'l	First	Addi	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		3	UEP93	-	64.46										+
	Loop Rate		<b>—</b>													
	2W VG Loop (SL 1)-Zone 1		1	UEP93	UECS1	11.77										
	2W VG Loop (SL 1)-Zone 2		2	UEP93	UECS1	22.36										
	2W VG Loop (SL 1)-Zone 3		3	UEP93	UECS1	48.26										
	2W VG Loop (SL 2)-Zone 1		1	UEP93	UECS2	14.93										
	2W VG Loop (SL 2)-Zone 2		2	UEP93	UECS2	25.35										
	2W VG Loop (SL 2)-Zone 3		3	UEP93	UECS2	50.46										
	Port Rate															
	Y, LA, MS, & TN only		$\vdash$		<u> </u>				<b>!</b>							1
	2W VG Port (Centrex ) Basic Local Area			UEP93	UEPYA	14.00	50.00	25.00				15.20		1		ـــــــ
	2W VG Port (Centrex 800 Term)Basic Local Area		$\vdash$	UEP93	UEPYB	14.00	50.00	25.00	<b>!</b>			15.20				<b>_</b>
	2W VG Port (Centrex with Caller ID)1Basic Local Area			UEP93	UEPYH	14.00	50.00	25.00	ļ			15.20		1		<u> </u>
	2W VG Port (Centrex from diff SWC)2 Basic Local Area			UEP93	UEPYM	14.00	135.00	90.00				15.20				
	2W VG Port, Diff SWC-800 Service Term-Basic Local Area			UEP93	UEPYZ	14.00	135.00	90.00				15.20				
	2W VG Port terminated in on Megalink or equivalent-Basic Local Area			UEP93	UEPY9	14.00	50.00	25.00				15.20				
	2W VG Port Terminated on 800 Service Term-Basic Local Area			UEP93	UEPY2	14.00	50.00	25.00				15.20				
	2W VG Port (Centrex )			UEP93	UEPQA	14.00	50.00	25.00				15.20				
	2W VG Port (Centrex 800 Term)			UEP93	UEPQB	14.00	50.00	25.00				15.20				
	2W VG Port (Centrex with Caller ID)1			UEP93	UEPQH	14.00	50.00	25.00				15.20				
	2W VG Port (Centrex from diff SWC)2			UEP93	UEPQM	14.00	135.00	90.00				15.20				
	2W VG Port, Diff SWC-800 Service Term			UEP93	UEPQZ	14.00	135.00	90.00				15.20				
	2W VG Port terminated in on Megalink or equivalent			UEP93	UEPQ9	14.00	50.00	25.00				15.20				
	2W VG Port Terminated on 800 Service Term			UEP93	UEPQ2	14.00	50.00	25.00				15.20				
	Switching															
	Centrex Intercom Funtionality, per port			UEP93	URECS	0.8577										
	Number Portability															
	Local No Portability (1 per port)			UEP93	LNCCC	0.35										
Featu																
	All Standard Features Offered, per port			UEP93	UEPVF	0.00						15.20				
	All Centrex Control Features Offered, per port			UEP93	UEPVC	0.00						15.20				
NARS																
	Unbundled Network Access Register-Combination			UEP93	UARCX	0.00	0.00	0.00				15.20				
	Unbundled Network Access Register-Indial			UEP93	UAR1X	0.00	0.00	0.00				15.20				
	Unbundled Network Access Register-Outdial			UEP93	UAROX	0.00	0.00	0.00				15.20				
	ellaneous Terminations															
	e Trunk Side															
	Trunk Side Terms, each			UEP93	CEND6	8.27	115.85	18.20	<u> </u>			15.20		L		<u> </u>
	e Digital (1.544 Megabits)								1							<u> </u>
	DS1 Circuit Terms, each			UEP93	M1HD1	68.47	196.18	92.92	1			15.20				<u> </u>
	DS0 Channels Activated, Per Channel			UEP93	M1HDO	0.00	14.06		<u> </u>			15.20				1
	office Channel Mileage - 2-Wire								<u> </u>					L		<u> </u>
	Interoffice Channel Facilities Term			UEP93	MIGBC	22.60	39.36	26.62	<u> </u>			15.20		L		<u> </u>
	Interoffice Channel miage, per mi or fraction of mi			UEP93	MIGBM	0.013			<u> </u>					L		<u> </u>
	re Activations (DS0) Centrex Loops on Channelized DS1 Service								ļ							
	nannel Bank Feature Activations								<u> </u>					L		1
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP93	1PQWS	0.6497						15.20				
	Feature Activation on D-4 Channel Bank FX Line Side Loop Slot			UEP93	1PQW6	0.6497			1			15.20				1
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP93	1PQW7	0.6497			<u> </u>			15.20				1
	Feature Activation on D-4 Channel Bank Centrex Loop Slot-Diff WC			UEP93	1PQWP	0.6497			1		1	15.20	ī	1	1	1

Version 4Q02: 01/21/03 Page 245 of 402

UNBU	NDLED NETWORK ELEMENTS - Louisiar	na											Attachi	ment: 2	Exhib	oit: B
CATEGO	ORY RATE ELEMENTS	Inter m	i Zon e	BCS	USOC		RAT	ES (\$)			Order	Submitted Manually per LSR	I Charge - Manual Svc Order vs.	Incrementa I Charge - Manual Svc Order vs. Electronic- Add'I	I Charge - Manual Svc Order vs. Electronic-	al Charge - Manual Svc Order vs.
						Rec	Nonrecu		NRC D	isconnec				Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Feature Activation on D-4 Channel Bank Tie Lin			UEP93	1PQWQ	0.6497						15.20				
	Feature Activation on D-4 Channel Bank WATS	Loop Slot		UEP93	1PQWA	0.6497						15.20				
N	Ion-Recurring Charges (NRC) Associated with U	NE-P Centrex														
	NRC Conversion Currently Combined Switch-A	s-ls with allowed changes,														
	per port			UEP93	USAC2		0.10	0.10				15.20				
	Conversion of Existing Centrex Common Block,	each		UEP93	USACN		36.66	16.10				15.20				
	New Centrex Standard Common Block			UEP93	M1ACS	0.00	680.40					15.20				
	New Centrex Customized Common Block			UEP93	M1ACC	0.00	680.40					15.20				
	NAR Establishment Charge, Per Occasion	·		UEP93	URECA	0.00	73.93	-				15.20				
N	lote 1 - Required Port for Centrex Control in 1AE	SS, 5ESS & EWSD					·	-								
N	lote 2 - Requres Interoffice Channel Mileage						•									
N	lote 3 - Requires Specific Customer Premises Eq	uipment					•									
N	lote: Rates displaying an "R" in Interim column	are interim and subject to rate t	rue-up	as set forth in Gen	eral Terms	and Conditions	3.	-								

UNBUNDL	ED NETWORK ELEMENTS - Mississippi												Attachi	ment: 2	Exhi	ibit: B
											Svc	Svc	Incremental	Incrementa	Incrementa	Incremen
											Order	Order	Charge -	I Charge -	I Charge -	Charge
			l_								Submitte		Manual Svc	_	Manual	Manual S
CATEGORY	RATE ELEMENTS	Interi	Zon	BCS	USOC		R/	ATES (\$)			d Elec	d	Order vs.	Svc Order	Svc Order	Order vs
		m	е					(+/			1	~				
											per LSK	Manually	Electronic-	vs.	vs.	Electroni
												per LSR	1st	Electronic-	Electronic-	Disc Add
							Nonrec	urring	NRC Disc	onnect		1	088	Rates (\$)	Dicc 1ct	<u></u>
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN			SOMAN	SOMAN
The "	I Zone" shown in the sections for stand-alone loops or loops as part of a con	nhinat	ion re	fers to Geographical	ly Deavera	ned LINE Zones										
	www.interconnection.bellsouth.com/become a clec/html/interconnection.h			icio to ocograpinoai	iy Douveru	ged ONE Lones	. 10 11011 001	grapinoany	Deaverage	u 0.11L LO.	io Doolgii	unono by c	Jenia ai Ginoc	, 10101 10 11110	orner websit	٠.
	AL SUPPORT SYSTEMS	IUII							1			1	ı			
	: (1) Electronic Service Order: CLEC should contact its contract negotiator	r if it n	rofors	the state specific el	ectronic se	rvice ordering	charges as or	dered by the	Commission	one The	electronic	service or	dering charg	e currently o	contained in	this Evhil
NOTE	BellSouth regional electronic service ordering charge. CLEC may elect eit: (z) Any element that can be ordered electronically will be billed according	iner u	e SUN	E Specific Confinission	category.	Please refer to	Bell South's 1	usiness Ku	lies for Loca	Urgering	I (BBR-LC	n to detern	nine it a brod	uct can be o	rgereg elect	ronicaliv.
	ose elements that cannot be ordered electronically at present per the BBR															
	anual ordering charge, SOMAN, will be applied to a CLECs bill when it sub-				3 category	reneots the one	inge that woul	a be billed t	o a ollo oi	ice electiv	ornic oraci	ing capabi	inites come o	ii-iiie ioi tiie	at element. V	Juliel Wise
the m	Manual Service Order Charge, per LSR, Disconnect Only (MS)	iiits a	LOK	to Bellooutii.	SOMAN				1.97			1	ı			
-	Electronic OSS Charge, per LSR, submitted via BST's OSS interactive				SOIVIAIN				1.97			1				<del></del>
					COMEC		2.50									
LINE OFFICE	interfaces (Regional) CE DATE ADVANCEMENT CHARGE		-		SOMEC		3.50					-				
				· · · · · · · · · · · · · · · · · · ·	<del>!</del>							1				
NOTE	: The Expedite charge will be maintained commensurate with BellSouth's I	-CC N	0.1 Ia		licable.											
	LINE Formation Observe and Observe and in the 1990 St.		1	ALL UNE EXCEPT	00405		000.0-							1		
	UNE Expedite Charge per Circuit or Line Assignable USOC, per Day			UNE-P	SDASP		200.00									
	D EXCHANGE ACCESS LOOP															
2-WIR	E ANALOG VOICE GRADE LOOP															
	2W Analog VG Loop-SL1-Zone 1		1	UEANL	UEAL2	12.03	37.92	17.55	23.48	5.25		15.75				
	2W Analog VG Loop-SL1-Zone 2		2	UEANL	UEAL2	16.87	37.92	17.55	23.48	5.25		15.75				
	2W Analog VG Loop-SL1-Zone 3		3	UEANL	UEAL2	25.68	37.92	17.55	23.48	5.25		15.75				
	2W Analog VG Loop-SL1-Zone 4		4	UEANL	UEAL2	43.85	37.92	17.55	23.48	5.25		15.75				
	Unbundled Misc Rate Element, Tag Loop at End User Premise			UEANL	URETL		8.33	0.83				15.75				
	Loop Testing-Basic 1st Half Hour			UEANL	URET1		34.36					15.75				
	Loop Testing-Basic Add'l Half Hour			UEANL	URETA		19.97					15.75				
	CLEC to CLEC Conversion Charge w/o Outside Dispatch			UEANL	UREWO		15.75	8.92				15.75				
	Unbundled Voice Loop, Non-Design, billing for BST providing make-up															1
	(Engineering Information-EI)			UEANL	UEANM		13.51	13.51								
	Manual Order Coordination for UVL-SL1s (per loop)			UEANL	UEAMC		8.20	8.20								
	Order Coordination for Specified Conversion Time for UVL-SL1 (per LSR)			UEANL	OCOSL		18.19	18.19								
2-WIR	E Unbundled COPPER LOOP			ÿ =: ::												
	2W Unbundled Copper Loop-Non-Designed Zone 1	- 1	1	UEQ	UEQ2X	11.01	36.53	16.16	22.66	4.42		15.75				†
	2W Unbundled Copper Loop-Non-Designed-Zone 2	i	2	UEQ	UEQ2X	11.51	36.53	16.16	22.66	4.42		15.75				
-	2W Unbundled Copper Loop-Non-Designed Zone 3	<del>-i-</del>	3	UEQ	UEQ2X	11.57	36.53	16.16	22.66	4.42		15.75		-	1	
	2W Unbundled Copper Loop-Non-Designed Zone 4	<del>-i</del>	4	UEQ	UEQ2X	13.10	36.53	16.16	22.66	4.42		15.75				
	Unbundled Misc Rate Element, Tag Loop at End User Premise			UEQ	URETL	10.10	8.33	0.83	22.00	7.72		15.75		-	1	
-	Order Coordination 2W Unbundled Copper Loop-Non-Designed (per loop)			UEQ	USBMC		8.20	8.20	1			10.70		-	1	
	Unbundled Copper Loop, Non-Design Copper Loop, billing for BST providing			OLQ	CODIVIC		0.20	0.20								
	make-up (Engineering Information-E.I.)			UEQ	UEQMU		13.51	13.51								
+	Loop Testing-Basic 1st Half Hour		1	UEQ	URET1		34.36	13.31				15.75				
	Loop Testing-Basic Add'l Half Hour			UEQ	URETA		19.97					15.75				<del></del>
	CLEC to CLEC Conversion Charge w/o Outside Dispatch			UEQ	UREWO		14.24	7.42				15.75				
INDUNDUE	D EXCHANGE ACCESS LOOP			UEQ	UKEWO		14.24	1.42				15.75				+
			-									-				
Z-WIR	E ANALOG VOICE GRADE LOOP		1	LIEDOD LIEDOD	LIEALO	40.00	37.92	47.55	22.42	F 05	<u> </u>	45.75	1	<del>                                     </del>	<del>                                     </del>	<del></del>
	2W Analog VG Loop-SL1-Line Splitting-Zone 1			UEPSR UEPSB	UEALS	12.03		17.55	23.48	5.25	<u> </u>	15.75	1	<del>                                     </del>	<del>                                     </del>	<del></del>
	2W Analog VG Loop-SL1-Line Splitting-Zone 1		1	UEPSR UEPSB	UEABS	12.03	37.92	17.55	23.48	5.25	<u> </u>	15.75	1	<del>                                     </del>	<del>                                     </del>	<del></del>
	2W Analog VG Loop-SL1-Line Splitting-Zone 2		2	UEPSR UEPSB	UEALS,	16.87	37.92	17.55	23.48	5.25	<u> </u>	15.75	1	<del>                                     </del>	<del>                                     </del>	<del></del>
	2W Analog VG Loop-SL1-Line Splitting-Zone 2		2	UEPSR UEPSB	UEABS	16.87	37.92	17.55	23.48	5.25	<b> </b>	15.75	1	1	1	<b>├</b>
	2W Analog VG Loop-SL1-Line Splitting-Zone 3		3	UEPSR UEPSB	UEALS,	25.68	37.92	17.55	23.48	5.25	<u> </u>	15.75		-	-	<b>├</b>
	2W Analog VG Loop-SL1-Line Splitting-Zone 3		3	UEPSR UEPSB	UEABS	25.68	37.92	17.55	23.48	5.25	<u> </u>	15.75		-	-	<b>├</b>
	2W Analog VG Loop-SL1-Line Splitting-Zone 4		4	UEPSR UEPSB	UEALS,	43.85	37.92	17.55	23.48	5.25		15.75	-			
	2W Analog VG Loop-SL1-Line Splitting-Zone 4		4	UEPSR UEPSB	UEABS	43.85	37.92	17.55	23.48	5.25	ļ	15.75	ļ	ļ		<u> </u>
	D EXCHANGE ACCESS LOOP		<u> </u>								ļ		ļ	ļ		<u> </u>
2-WIR	E ANALOG VOICE GRADE LOOP		<u> </u>		<u> </u>	1			1					1	1	
	2W Analog VG Loop-SL2 w/Loop or Ground Start Signaling-Zone 1		1	UEA	UEAL2	13.89	105.96	68.28	52.82	10.37		15.75				
1	2W Analog VG Loop-SL2 w/Loop or Ground Start Signaling-Zone 2		2	UEA	UEAL2	18.75	105.96	68.28	52.82	10.37		15.75				
	2W Analog VG Loop-SL2 w/Loop or Ground Start Signaling-Zone 3		3	UEA	UEAL2	27.55	105.96	68.28	52.82	10.37		15.75				

Version 4Q02: 01/21/03 Page 247 of 402

UNBUNDL	ED NETWORK ELEMENTS - Mississippi												Attachr			ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	USOC		R.A	ATES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitte d Manually per LSR	Charge - Manual Svc Order vs. Electronic-	I Charge - Manual Svc Order vs. Electronic-	Incrementa I Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-
						_	Nonrec	urrina	NRC Disc	onnect			OSS	Rates (\$)	Disc 1st	<u> </u>
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		18.19									
	2W Analog VG Loop-SL2 w/Rev Bat Signaling-Zone 1		1	UEA	UEAR2	13.89	105.96	68.28	52.82	10.37		15.75				
	2W Analog VG Loop-SL2 w/Rev Bat Signaling-Zone 2		2	UEA	UEAR2	18.75	105.96	68.28	52.82	10.37		15.75				
	2W Analog VG Loop-SL2 w/Rev Bat Signaling-Zone 3		3	UEA	UEAR2	27.55	105.96	68.28	52.82	10.37		15.75				
	2W Analog VG Loop-SL2 w/Rev Bat Signaling-Zone 4  Order Coordination for Specified Conversion Time (per LSR)		4	UEA UEA	UEAR2 OCOSL	45.72	105.96 18.19	68.28	52.82	10.37		15.75				
	CLEC to CLEC Conversion Charge w/o outside dispatch		1	UEA	UREWO		87.56	36.29				15.75				1
	Loop Tagging-SL2 (SL2)			UEA	URETL		10.45	1.03				15.75				1
4-WIR	E ANALOG VOICE GRADE LOOP			02/	U.V.E.I.E		10.10	1.00				10.70				
	4W Analog VG Loop-Zone 1		1	UEA	UEAL4	27.47	132.27	94.59	60.68	14.64		15.75				
	4W Analog VG Loop-Zone 2		2	UEA	UEAL4	38.26	132.27	94.59	60.68	14.64		15.75				
	4W Analog VG Loop-Zone 3		3	UEA	UEAL4	50.03	132.27	94.59	60.68	14.64		15.75				1
	4W Analog VG Loop-Zone 4		4	UEA	UEAL4	50.03	132.27	94.59	60.68	14.64		15.75				
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		18.19									
	CLEC to CLEC Conversion Charge w/o outside dispatch			UEA	UREWO		87.56	36.29				15.75				
2-WIR	E ISDN DIGITAL GRADE LOOP															
	2W ISDN Digital Grade Loop-Zone 1		1	UDN	U1L2X	21.01	117.61	79.92	52.82	10.37		15.75				
	2W ISDN Digital Grade Loop-Zone 2		2	UDN	U1L2X U1L2X	27.59	117.61 117.61	79.92	52.82	10.37		15.75				1
	2W ISDN Digital Grade Loop-Zone 3 2W ISDN Digital Grade Loop-Zone 4		3	UDN UDN	U1L2X	37.34 59.18	117.61	79.92 79.92	52.82 52.82	10.37 10.37		15.75 15.75			-	
	Order Coordination For Specified Conversion Time (per LSR)		4	UDN	OCOSL	39.16	18.19	79.92	32.62	10.37		13.73				1
	CLEC to CLEC Conversion Charge w/o outside dispatch			UDN	UREWO		91.46	44.07				15.75				
2-WIR	E Universal Digital Channel (UDC) COMPATIBLE LOOP			ODIV	OKEWO		31.40	74.07				13.73				<del> </del>
	2W Universal Digital Channel (UDC) Compatible Loop-Zone 1		1	UDC	UDC2X	21.01	117.61	79.92	52.82	10.37		15.75				
	2W Universal Digital Channel (UDC) Compatible Loop-Zone 2		2	UDC	UDC2X	27.59	117.61	79.92	52.82	10.37		15.75				
	2W Universal Digital Channel (UDC) Compatible Loop-Zone 3		3	UDC	UDC2X	37.34	117.61	79.92	52.82	10.37		15.75				
	2W Universal Digital Channel (UDC) Compatible Loop-Zone 4		4	UDC	UDC2X	59.18	117.61	79.92	52.82	10.37		15.75				
	CLEC to CLEC Conversion Charge w/o outside dispatch *			UDC	UREWO		91.46	44.07				15.75				
2-WIR	E ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPATIBLE LOO	P														
	2W Unbundled ADSL Loop including manl svc inq & facility reservation-Zone															
	1		1	UAL	UAL2X	11.11	121.27	70.81	50.38	7.93		15.75				
	2W Unbundled ADSL Loop including manl svc inq & facility reservation-Zone		2	1141	1141.07	44.47	404.07	70.04	50.00	7.00		45.75				
	2W Unbundled ADSL Loop including manl svc inq & facility reservation-Zone		2	UAL	UAL2X	11.47	121.27	70.81	50.38	7.93		15.75				
	2vv Unbundled ADSL Loop including mani svc inq & facility reservation-zone		3	UAL	UAL2X	11.74	121.27	70.81	50.38	7.93		15.75				
	2W Unbundled ADSL Loop including manl svc inq & facility reservation-Zone		3	UAL	UALZA	11.74	121.21	70.61	30.36	7.93		13.73				1
	4 Oribundled ADSE Loop including main svc inq & racinty reservation-zone		4	UAL	UAL2X	12.69	121.27	70.81	50.38	7.93		15.75				
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL	12.00	18.19	70.01	00.00	7.00		10.70				1
	2W Unbundled ADSL Loop w/o manl svc ing & facility reservaton-Zone 1		1	UAL	UAL2W	11.11	96.15	58.03	50.38	7.93		15.75				
	2W Unbundled ADSL Loop w/o manl svc ing & facility reservaton-Zone 2		2	UAL	UAL2W	11.47	96.15	58.03	50.38	7.93		15.75				
	2W Unbundled ADSL Loop w/o manl svc inq & facility reservaton-Zone 3		3	UAL	UAL2W	11.74	96.15	58.03	50.38	7.93		15.75				
	2W Unbundled ADSL Loop w/o manl svc inq & facility reservaton-Zone 4		4	UAL	UAL2W	12.69	96.15	58.03	50.38	7.93		15.75				
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		18.19									
	CLEC to CLEC Conversion Charge w/o outside dispatch			UAL	UREWO		86.04	40.33				15.75				
2-WIR	E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP		$\longmapsto$		_				<u> </u>			<u> </u>	ļ		<u> </u>	<u> </u>
	2W Unbundled HDSL Loop including manl svc inq & facility reservation-Zone		1	UHL	UHL2X	0.75	100.00	79.52	E0 00	7.00		15.75	1			
	2W Unbundled HDSL Loop including manl svc ing & facility reservation-Zone			UHL	UHLZX	8.75	129.98	79.52	50.38	7.93	-	15./5	1		-	<del>                                     </del>
	22 Onbundied Fibol Loop including main syc inq & facility reservation-zone		2	UHL	UHL2X	9.22	129.98	79.52	50.38	7.93		15.75				
	2W Unbundled HDSL Loop including manl svc ing & facility reservation-Zone			JIIL	UTILZA	3.22	123.30	13.32	30.30	1.53	-	13.13			-	+
	3		3	UHL	UHL2X	9.87	129.98	79.52	50.38	7.93		15.75				
	2W Unbundled HDSL Loop including manl svc inq & facility reservation-Zone		Ŭ	OTIL	UTILEX	5.01	120.00	70.02	00.00	7.33		10.70	İ			<b>†</b>
	4		4	UHL	UHL2X	10.46	129.98	79.52	50.38	7.93		15.75	1			
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		18.19									
	2W Unbundled HDSL Loop w/o manl svc inq & facility reservation-Zone 1		1	UHL	UHL2W	8.75	104.86	66.74	50.38	7.93		15.75				
	2W Unbundled HDSL Loop w/o manl svc inq & facility reservation-Zone 2		2	UHL	UHL2W	9.22	104.86	66.74	50.38	7.93		15.75				
	2W Unbundled HDSL Loop w/o manl svc ing & facility reservation-Zone 3		3	UHL	UHL2W	9.87	104.86	66.74	50.38	7.93		15.75				

UNDUNDL	ED NETWORK ELEMENTS - Mississippi				1	T						1	Attachr			ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	usoc		R <i>A</i>	ATES (\$)			Svc Order Submitte d Elec per LSR	d Manually	Charge - Manual Svc Order vs. Electronic-	I Charge - Manual Svc Order vs.	Incrementa I Charge - Manual Svc Order vs.	Charge - Manual Sv Order vs. Electronic
												per LSR	1st	Electronic-	Electronic-	Disc Add'l
						Rec	Nonrec	urring	NRC Disc	onnect			oss	Rates (\$)	I Nec 1et	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2W Unbundled HDSL Loop w/o manl svc ing & facility reservation-Zone 4		4	UHL	UHL2W	10.46	104.86	66.74	50.38	7.93		15.75				
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		18.19									
	CLEC to CLEC Conversion Charge w/o outside dispatch			UHL	UREWO		85.98	40.33				15.75				
4-WIR	E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOF	)														
	4W Unbundled HDSL Loop including manl svc inq & facility reservation-Zone 1		1	UHL	UHL4X	13.78	158.74	108.28	56.72	10.68		15.75				
	4W Unbundled HDSL Loop including manl svc inq & facility reservation-Zone 2		2	UHL	UHL4X	13.43	158.74	108.28	56.72	10.68		15.75				
	4W Unbundled HDSL Loop including manl svc inq & facility reservation-Zone		3	UHL	UHL4X	15.59	158.74	108.28	56.72	10.68		15.75				
	4W Unbundled HDSL Loop including manl svc inq & facility reservation-Zone		4	UHL	UHL4X	14.46	158.74		56.72	10.68		15.75				
	Order Coordination for Specified Conversion Time (per LSR)		+	UHL	OCOSL	14.40	18.19	108.28	30.12	10.08	-	10.75	<del> </del>			<del>                                     </del>
	4W Unbundled HDSL Loop w/o manl svc ing & facility reservation-Zone 1		1	UHL	UHL4W	13.78	133.62	95.50	56.72	10.68		15.75				
	4W Unbundled HDSL Loop w/o manl svc inq & facility reservation-Zone 2		2	UHL	UHL4W	13.43	133.62	95.50	56.72	10.68		15.75	İ			
	4W Unbundled HDSL Loop w/o manl svc ing & facility reservation-Zone 3		3	UHL	UHL4W	15.59	133.62	95.50	56.72	10.68		15.75				
	4W Unbundled HDSL Loop w/o manl svc ing & facility reservation-Zone 4		4	UHL	UHL4W	14.46	133.62	95.50	56.72	10.68		15.75				
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		18.19									
	CLEC to CLEC Conversion Charge w/o outside dispatch			UHL	UREWO		85.98	40.33				15.75				
4-WIR	E DS1 DIGITAL LOOP															
	4W DS1 Digital Loop-Zone 1		1	USL	USLXX	79.08	253.93	158.45	46.10	12.07		15.75				1
	4W DS1 Digital Loop-Zone 2		2	USL	USLXX	129.38	253.93	158.45	46.10	12.07		15.75				
	4W DS1 Digital Loop-Zone 3		3	USL	USLXX	206.74	253.93	158.45	46.10	12.07		15.75				
	4W DS1 Digital Loop-Zone 4		4	USL	USLXX	458.46	253.93	158.45	46.10	12.07		15.75				
	Order Coordination for Specified Conversion Time (per LSR)  CLEC to CLEC Conversion Charge w/o outside dispatch			USL	OCOSL UREWO		18.19 100.90	42.96				15.75				-
4-WIR	E 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP			USL	UREWU		100.90	42.90				15.75				
4-1111	4W Unbundled Digital 19.2 Kbps		1	UDL	UDL19	27.44	126.53	88.85	60.68	14.64		15.75				
	4W Unbundled Digital 19.2 Kbps		2	UDL	UDL19	34.55	126.53	88.85	60.68	14.64		15.75				
	4W Unbundled Digital 19.2 Kbps		3	UDL	UDL19	40.76	126.53	88.85	60.68	14.64		15.75				
	4W Unbundled Digital 19.2 Kbps		4	UDL	UDL19	32.25	126.53	88.85	60.68	14.64		15.75				
	4W Unbundled Digital Loop 56 Kbps-Zone 1		1	UDL	UDL56	27.44	126.53	88.85	60.68	14.64		15.75				
	4W Unbundled Digital Loop 56 Kbps-Zone 2		2	UDL	UDL56	34.55	126.53	88.85	60.68	14.64		15.75				
	4W Unbundled Digital Loop 56 Kbps-Zone 3		3	UDL	UDL56	40.76	126.53	88.85	60.68	14.64		15.75				
	4W Unbundled Digital Loop 56 Kbps-Zone 4		4	UDL	UDL56	32.25	126.53	88.85	60.68	14.64		15.75				
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL	07.44	18.19	22.25	00.00	4404		45.75				
	4W Unbundled Digital Loop 64 Kbps-Zone 1		2	UDL UDL	UDL64 UDL64	27.44 34.55	126.53	88.85	60.68	14.64 14.64		15.75				
	4W Unbundled Digital Loop 64 Kbps-Zone 2 4W Unbundled Digital Loop 64 Kbps-Zone 3		3	UDL	UDL64	40.76	126.53 126.53	88.85 88.85	60.68 60.68	14.64		15.75 15.75				
	4W Unbundled Digital Loop 64 Kbps-Zone 4		4	UDL	UDL64	32.25	126.53	88.85	60.68	14.64		15.75				<del> </del>
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL	02.20	18.19	00.00	00.00	14.04		10.70				
	CLEC to CLEC Conversion Charge w/o outside dispatch			UDL	UREWO		101.94	49.66				15.75				
2-WIR	E Unbundled COPPER LOOP															
	2W Unbundled Copper Loop/Short including manl svc inq & facility reservation-Zone 1		1	UCL	UCLPB	11.11	120.34	69.87	50.38	7.93		15.75				
	2W Unbundled Copper Loop/Short including manl svc inq & facility reservation-Zone 2		2	UCL	UCLPB	11.47	120.34	69.87	50.38	7.93		15.75		_		
	2W Unbundled Copper Loop/Short including manl svc inq & facility reservation-Zone 3		3	UCL	UCLPB	11.74	120.34	69.87	50.38	7.93		15.75				
	2W Unbundled Copper Loop/Short including manl svc inq & facility reservation-Zone 4		4	UCL	UCLPB	12.69	120.34	69.87	50.38	7.93		15.75				
	Order Coordination for Unbundled Copper Loops (per loop)		4	UCL	UCLMC	12.09	8.20	8.20	30.38	1.93		10.75				<del>                                     </del>
	2W Unbundled Copper Loop/Short w/o manl svc inq & facility reservation- Zone 1		1	UCL	UCLPW	11.11	95.21	57.09	50.38	7.93		15.75				
	Zone 1  2W Unbundled Copper Loop/Short w/o manl svc inq & facility reservation- Zone 2		2	UCL	UCLPW	11.11	95.21	57.09	50.38	7.93		15.75				

UNBUNDL	ED NETWORK ELEMENTS - Mississippi													nent: 2		ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	USOC			ATES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitte d Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Svc Order vs. Electronic-	Incrementa I Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-
						Rec	Nonrec		NRC Disc					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2W Unbundled Copper Loop/Short w/o manl svc inq & facility reservation- Zone 3		3	UCL	UCLPW	11.74	95.21	57.09	50.38	7.93		15.75				
	2W Unbundled Copper Loop/Short w/o manl svc ing & facility reservation-		-	OOL	OOLI W	11.74	33.21	37.03	30.30	7.55		13.73				<b> </b>
	Zone 4		4	UCL	UCLPW	12.69	95.21	57.09	50.38	7.93		15.75				
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8.20	8.20								
	2W Unbundled Copper Loop/Long-includes manl svc inq & facility															
	reservation-Zone 1		1	UCL	UCL2L	29.29	120.34	69.87	50.38	7.93		15.75				<u> </u>
	2W Unbundled Copper Loop/Long-includes manl svc inq & facility reservation-Zone 2		2	UCL	UCL2L	43.46	120.34	69.87	50.38	7.93		15.75				
	2W Unbundled Copper Loop/Long-includes manl svc inq & facility															
<b> </b>	reservation-Zone 3		3	UCL	UCL2L	64.44	120.34	69.87	50.38	7.93		15.75	ļ			<del> </del>
	2W Unbundled Copper Loop/Long-includes manl svc inq & facility reservation-Zone 4		4	UCL	UCL2L	87.60	120.34	69.87	50.38	7.93		15.75				
	Order Coordination for Unbundled Copper Loops (per loop)		4	UCL	UCLMC	87.60	8.20	8.20	50.38	7.93		15.75	1			
	2W Unbundled Copper Loop/Long-w/o manl svc ing & facility reservation-			JOL	COLIVIO		0.20	0.20								
	Zone 1		1	UCL	UCL2W	29.29	95.21	57.09	50.38	7.93		15.75				
	2W Unbundled Copper Loop/Long-w/o manl svc inq & facility reservation-															
	Zone 2		2	UCL	UCL2W	43.46	95.21	57.09	50.38	7.93		15.75				
	2W Unbundled Copper Loop/Long-w/o manl svc inq & facility reservation- Zone 3		3	UCL	UCL2W	64.44	95.21	57.09	50.38	7.93		15.75				
	2W Unbundled Copper Loop/Long-w/o manl svc inq & facility reservation-															
	Zone 4		4	UCL	UCL2W	87.60	95.21	57.09	50.38	7.93		15.75				<u> </u>
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8.20	8.20								<u> </u>
4 14/15	CLEC to CLEC Conversion Charge w/o outside dispatch (UCL-Des)  E COPPER LOOP			UCL	UREWO		95.21	42.40				15.75				<del> </del>
4-WIR	4W Copper Loop/Short-including manl svc ing & facility reservation-Zone 1		1	UCL	UCL4S	17.30	144.68	94.22	56.72	10.68		15.75				<del> </del>
	4W Copper Loop/Short-including manl svc ing & facility reservation-Zone 2		2	UCL	UCL4S	18.84	144.68	94.22	56.72	10.68		15.75				+
	4W Copper Loop/Short-including manl svc inq & facility reservation-Zone 3		3	UCL	UCL4S	21.33	144.68	94.22	56.72	10.68		15.75				1
	4W Copper Loop/Short-including manl svc inq & facility reservation-Zone 4		4	UCL	UCL4S	21.33	144.68	94.22	56.72	10.68		15.75				
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8.20	8.20								
	4W Copper Loop/Short-w/o manl svc inq & facility reservation-Zone 1		1	UCL	UCL4W	17.30	119.56	81.44	56.72	10.68		15.75				
	4W Copper Loop/Short-w/o manl svc ing & facility reservation-Zone 2		2	UCL	UCL4W	18.84	119.56	81.44	56.72	10.68		15.75				ļ
	4W Copper Loop/Short-w/o manl svc inq & facility reservation-Zone 3		3	UCL	UCL4W	21.33	119.56	81.44	56.72	10.68		15.75				
	4W Copper Loop/Short-w/o manl svc inq & facility reservation-Zone 4 Order Coordination for Unbundled Copper Loops (per loop)		4	UCL UCL	UCL4W UCLMC	21.33	119.56 8.20	81.44 8.20	56.72	10.68		15.75				<u> </u>
	4W Unbundled Copper Loop/Long-includes manl svc ing & facility			UCL	UCLIVIC		8.20	6.20					1			+
	reservation-Zone 1		1	UCL	UCL4L	54.72	144.68	94.22	56.72	10.68		15.75				
	4W Unbundled Copper Loop/Long-includes manl svc ing & facility			002	002.12	02		0 1.122	002	10.00		10.10				1
	reservation-Zone 2		2	UCL	UCL4L	97.47	144.68	94.22	56.72	10.68		15.75				
	4W Unbundled Copper Loop/Long-includes manl svc inq & facility reservation-Zone 3		3	UCL	UCL4L	106.06	144.68	94.22	56.72	10.68		15.75				
	4W Unbundled Copper Loop/Long-includes manl svc ing & facility		3	UCL	UCL4L	100.00	144.00	34.22	30.72	10.00		13.73				+
	reservation-Zone 4		4	UCL	UCL4L	106.06	144.68	94.22	56.72	10.68		15.75				
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8.20	8.20								
	4W Unbundled Copper Loop/Long-w/o manl svc inq & facility reservation-															
	Zone 1		1	UCL	UCL4O	54.72	119.56	81.44	56.72	10.68		15.75				<u> </u>
	4W Unbundled Copper Loop/Long-w/o manl svc inq & facility reservation- Zone 2		2	UCL	UCL4O	97.47	119.56	81.44	56.72	10.68		15.75				
	4W Unbundled Copper Loop/Long-w/o manl svc inq & facility reservation- Zone 3		3	UCL	UCL4O	106.06	119.56	81.44	56.72	10.68		15.75				
	4W Unbundled Copper Loop/Long-w/o manl svc ing & facility reservation-		Ť	301	33243	700.00	. 10.00	31.77	30.72	.0.00		.0.70	1			1
	Zone 4		4	UCL	UCL4O	106.06	119.56	81.44	56.72	10.68		15.75				
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8.20	8.20								
	CLEC to CLEC Conversion Charge w/o outside dispatch (UCL-Des)			UCL	UREWO		95.21	42.40				15.75				
LOOP MODII	FICATION												1			<u> </u>

J.155.15E	ED NETWORK ELEMENTS - Mississippi			,								,	Attachr			ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	USOC		RA	TES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitte d Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incrementa I Charge - Manual Svc Order vs. Electronic-	Incrementa I Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svo Order vs. Electronic-
<del>                                     </del>												p. c c		Add'I	Diec 1et	
$\longleftarrow$						Rec	Nonreci		NRC Disco					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
i l				UAL,UHL,UCL,UEQ,												
ı l	Habitan Haddana Madiffertian Demonstrational Oction ON and an Additional Oction of the Company o			ULS,UEA,UEANL,UE	LILMOL		00.57	00.57				45.75				
+-	Unbundled Loop Modification, Removal of Load Coils-2W pr < or = 18kft			PSR,UEPSB UCL,ULS,UEQ	ULM2L ULM2G		32.57 171.49	32.57 171.49				15.75 15.75				
	Unbundled Loop Modification, Removal of Load Coils-2W > 18kft															
-+-	Unbundled Loop Modification Removal of Load Coils-4W < or = 18kft Unbundled Loop Modification Removal of Load Coils-4W pr > 18kft			UHL,UCL UCL	ULM4L ULM4G		32.57 171.49	32.57 171.49				15.75 15.75				+
-+-	Onbundled Loop Modification Removal of Load Colls-4W pr > 18kit			UAL,UHL,UCL,UEQ,	ULIVI4G		171.49	171.49				15.75				+
ı l	Unbundled Loop Modification Removal of Bridged Tap Removal, per			ULS,UEA,UEANL,UE												
i l	unbundled loop			PSR,UEPSB	ULMBT		32.59	32.59				15.75				
SUB-LOOPS				1 014,021 03	O LIVID I		02.00	02.00				10.70				1
	oop Distribution															<b>†</b>
,	Sub-Loop-Per Cross Box Location-CLEC Feeder Facility Set-Up	1		UEANL	USBSA		259.69					15.75	İ			1
<del>/                                    </del>	Sub-Loop-Per Cross Box Location-Per 25 pr Panel Set-Up	i		UEANL	USBSB		22.77					15.75				1
í	Sub-Loop-Per Building Equipment Room-CLEC Feeder Facility Set-Up	i		UEANL	USBSC		178.47					15.75				
	Sub-Loop-Per Building Equipment Room-Per 25 pr Panel Set-Up	-		UEANL	USBSD		56.39					15.75				
i l	Sub-Loop Distribution Per 2W Analog VG Loop-Zone 1	ı	1	UEANL	USBN2	7.15	66.18	31.14	45.36	6.71		15.75				
	Sub-Loop Distribution Per 2W Analog VG Loop-Zone 2	- 1	2	UEANL	USBN2	9.51	66.18	31.14	45.36	6.71		15.75				
	Sub-Loop Distribution Per 2W Analog VG Loop-Zone 3		3	UEANL	USBN2	12.45	66.18	31.14	45.36	6.71		15.75				
	Sub-Loop Distribution Per 2W Analog VG Loop-Zone 4		4	UEANL	USBN2	18.26	66.18	31.14	45.36	6.71		15.75				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr			UEANL	USBMC		8.20	8.20								
ullet	Sub-Loop Distribution Per 4W Analog VG Loop -Zone 1		1	UEANL	USBN4	7.30	79.49	44.45	51.27	9.35		15.75				
ullet	Sub-Loop Distribution Per 4W Analog VG Loop -Zone 2		2	UEANL	USBN4	13.92	79.49	44.45	51.27	9.35		15.75				
$\longrightarrow$	Sub-Loop Distribution Per 4W Analog VG Loop -Zone 3		3	UEANL	USBN4	16.73	79.49	44.45	51.27	9.35		15.75				
	Sub-Loop Distribution Per 4W Analog VG Loop -Zone 4		4	UEANL	USBN4	16.73	79.49	44.45	51.27	9.35		15.75				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr			UEANL	USBMC		8.20	8.20				15.75				
$\longleftarrow$	Sub-Loop 2W Intrabuilding Network Cable (INC)			UEANL	USBR2	2.29	53.32	18.28	45.36	6.71		15.75				<u> </u>
$\longleftarrow$	Order Coordination for Unbundled Sub-Loops, per sub-loop pr			UEANL	USBMC		8.20	8.20								<u> </u>
$\vdash \vdash$	Sub-Loop 4W Intrabuilding Network Cable (INC)			UEANL	USBR4	4.40	59.60	24.55	51.27	9.35		15.75				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr			UEANL	USBMC		8.20	8.20								
	2W Copper Unbundled Sub-Loop Distribution-Zone 1	<u> </u>	1	UEF	UCS2X	6.06	66.18	31.14	45.36	6.71		15.75				
	2W Copper Unbundled Sub-Loop Distribution-Zone 2		2	UEF	UCS2X	7.09	66.18	31.14	45.36	6.71		15.75				+
	2W Copper Unbundled Sub-Loop Distribution-Zone 3 2W Copper Unbundled Sub-Loop Distribution-Zone 4		3	UEF UEF	UCS2X UCS2X	8.16 9.90	66.18 66.18	31.14 31.14	45.36 45.36	6.71 6.71		15.75 15.75				+
-+-			4	UEF	USBMC	9.90	8.20		45.36	0.71		15.75				+
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr  4W Copper Unbundled Sub-Loop Distribution-Zone 1	ı	1	UEF	UCS4X	5.10	79.49	8.20 44.45	51.27	9.35		15.75	-			+
$\overline{}$	4W Copper Unbundled Sub-Loop Distribution-Zone 1  4W Copper Unbundled Sub-Loop Distribution-Zone 2	1	2	UEF	UCS4X	9.11	79.49	44.45	51.27	9.35	-	15.75				+
$\leftarrow$	4W Copper Unbundled Sub-Loop Distribution-Zone 3	<del></del>	3	UEF	UCS4X	14.00	79.49	44.45	51.27	9.35		15.75				+
	4W Copper Unbundled Sub-Loop Distribution-Zone 4		4	UEF	UCS4X	14.00	79.49	44.45	51.27	9.35		15.75				+
<del>- 1</del>	Order Coordination for Unbundled Sub-Loops, per sub-loop pr			UEF	USBMC	14.50	8.20	8.20	51.27	0.00		.0.70				1
Unbu	ndled Sub-Loop Modification						3.23	0.20								1
	Unbundled Sub-Loop Modification-2-W Copper Dist Load Coil/Equip															†
ı I	Removal per 2-W PR		l	UEF	ULM2X		176.80	5.13				15.75				
i t	Unbundled Sub-loop Modification-4-W Copper Dist Load Coil/Equip Removal							-								1
ı I	per 4-W PR			UEF	ULM4X		176.80	5.13				15.75				1
1	Unbundled Sub-loop Modification-2-w/4-w Copper Dist Bridged Tap															
	Removal, per PR unloaded		<u></u>	UEF	ULM4T		279.81	6.15				15.75				<u> </u>
Unbu	ndled Network Terminating Wire (UNTW)															
	Unbundled Network Terminating Wire (UNTW) per pr			UENTW	UENPP	0.3366	30.55					15.75				
Netw	ork Interface Device (NID)															
$\sqsubseteq$	Network Interface Device (NID)-1-2 lines			UENTW	UND12		43.84	28.90				15.75				
igcup	Network Interface Device (NID)-1-6 lines			UENTW	UND16		65.30	50.36				15.75				<b></b> _
	Network Interface Device Cross Connect-2 W			UENTW	UNDC2		5.94	5.94				15.75				<b>↓</b>
	Network Interface Device Cross Connect-4W			UENTW	UNDC4		5.94	5.94				15.75				<del></del>
	1					1										<del></del>
SUB-LOOPS																
	.oop Feeder USL-Feeder, DS0 Set-up per Cross Box location-CLEC Distribution Facility			UEA.UDN.UCL.UDL.												

UNBUNDL	ED NETWORK ELEMENTS - Mississippi												Attachr	nent: 2	Exhi	ibit: B
	•										Svc	Svc			Incrementa	
											Order	Order	Charge -	I Charge -	I Charge -	Charge -
		Inter	Zon								Submitte	Submitte	Manual Svc	Manual	Manual	Manual Sv
CATEGORY	RATE ELEMENTS	m	е	BCS	USOC		RA	TES (\$)			d Elec	d	Order vs.	Svc Order	Svc Order	Order vs.
			ľ								per LSR	Manually	Electronic-	vs.	vs.	Electronic
												per LSR	1st		Electronic-	Disc Add'
							Nonrec		NRC Disc	onnoot			220	Rates (\$)	Disc 1st	
<b>-</b>			-			Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
<del>                                     </del>			1	UEA.UDN.UCL.UDL.			FIISL	Add I	FIISL	Add I	SOMEC	SUMAN	SOWAN	SUMAN	SOWAN	SOWAN
	USL Feeder-DS0 Set-up per Cross Box location-per 25 pr set-up			UDC	USBFX		22.77	22.77				15.75				
<b>-</b>	USL Feeder DS1 Set-up at DSX location, per DS1 Term		1	USL	USBFZ		534.46	11.30				15.75				+
	Unbundled Sub-Loop Feeder Loop, 2W Ground Start, VG-Zone 1		1	UEA	USBFA	7.98	93.23	56.50	54.45	13.51		15.75				1
	Unbundled Sub-Loop Feeder Loop, 2W Ground-Start, VG-Zone 2		2	UEA	USBFA	10.39	93.23	56.50	54.45	13.51		15.75				
	Unbundled Sub-Loop Feeder Loop, 2W Ground-Start, VG-Zone 3		3	UEA	USBFA	16.11	93.23	56.50	54.45	13.51		15.75				1
	Unbundled Sub-Loop Feeder Loop, 2W Ground-Start, VG-Zone 4		4	UEA	USBFA	28.37	93.23	56.50	54.45	13.51		15.75				1
	Order Coordination for Specified Conversion Time, per LSR			UEA	OCOSL		18.19									
	Unbundlde Sub-Loop Feeder Loop, 2W Loop-Start, VG-Zone 1		1	UEA	USBFB	7.98	93.23	56.50	54.45	13.51		15.75				
	Unbundled Sub-Loop Feeder Loop, 2W Loop-Start, VG-Zone 2		2	UEA	USBFB	10.39	93.23	56.50	54.45	13.51		15.75				
	Unbundled Sub-Loop Feeder Loop, 2W Start Loop, VG-Zone 3		3	UEA	USBFB	16.11	93.23	56.50	54.45	13.51		15.75				
	Unbundled Sub-Loop Feeder Loop, 2W Loop-Start, VG-Zone 4		4	UEA	USBFB	28.37	93.23	56.50	54.45	13.51		15.75				
	Order Coordination for Specified Time Conversion, per LSR			UEA	OCOSL		18.19						ļ			
	Unbundled Sub-Loop Feeder Loop, 2W Rev Bat, VG-Zone 1		1	UEA	USBFC	7.98	93.23	56.50	54.45	13.51		15.75				
	Unbundled Sub-Loop Feeder Loop, 2W Rev Bat, VG-Zone 2		2	UEA	USBFC	10.39	93.23	56.50	54.45	13.51		15.75				<b></b>
	Unbundled Sub-Loop Feeder Loop, 2W Rev Bat, VG-Zone 3		3	UEA	USBFC	16.11	93.23	56.50	54.45	13.51		15.75				
	Unbundled Sub-Loop Feeder Loop, 2W Rev Bat, VG-Zone 4		4	UEA	USBFC	28.37	93.23	56.50	54.45	13.51		15.75				
	Order Coordination For Specified Conversion Time, per LSR		<u> </u>	UEA	OCOSL		18.19									
-	Unbundled Sub-Loop Feeder Loop, 4W Ground-Start, VG-Zone 1		1	UEA	USBFD	21.69	107.71	70.03	63.68	17.64		15.75				
-	Unbundled Sub-Loop Feeder Loop, 4W Ground-Start, VG-Zone 2		2	UEA UEA	USBFD	26.06 34.77	107.71	70.03 70.03	63.68	17.64		15.75				
	Unbundled Sub-Loop Feeder Loop, 4W Ground Start, VG-Zone 3 Unbundled Sub-Loop Feeder Loop, 4W Ground-Start, VG-Zone 4		3	UEA	USBFD USBFD	34.77	107.71 107.71	70.03	63.68 63.68	17.64 17.64		15.75 15.75				+
	Order Coordination For Specified Conversion Time, Per LSR		4	UEA	OCOSL	34.77	18.19	70.03	03.00	17.04		15.75			-	+
<b>-</b>	Unbundled Sub-Loop Feeder Loop, 4W Loop-Start, VG-Zone 1		1	UEA	USBFE	21.69	107.71	70.03	63.68	17.64		15.75				+
	Unbundled Sub-Loop Feeder Loop, 4W Loop-Start, VG-Zone 1 Unbundled Sub-Loop Feeder Loop, 4W Loop-Start, VG-Zone 2		2	UEA	USBFE	26.06	107.71	70.03	63.68	17.64		15.75				+
	Unbundled Sub-Loop Feeder Loop, 4W Loop-Start, VG-Zone 3		3	UEA	USBFE	34.77	107.71	70.03	63.68	17.64		15.75				+
	Sub-Loop Feeder-Per 4W Analog VG Loop-Start Loop-Zone 4		4	UEA	USBFE	34.77	107.71	70.03	63.68	17.64		15.75				
	Order Coordination For Specified Conversion Time, Per LSR			UEA	OCOSL	0	18.19	7 0.00	00.00	11101		10.70				
	Unbundled Sub-Loop Feeder Loop, 2W ISDN BRI-Zone 1		1	UDN	USBFF	14.60	106.46	68.78	55.58	13.13		15.75				
	Unbundled Sub-Loop Feeder Loop, 2W ISDN BRI-Zone 2		2	UDN	USBFF	18.78	106.46	68.78	55.58	13.13		15.75				
	Unbundled Sub-Loop Feeder Loop, 2W ISDN BRI-Zone 3		3	UDN	USBFF	25.47	106.46	68.78	55.58	13.13		15.75				1
	Unbundled Sub-Loop Feeder Loop, 2W ISDN BRI-Zone 4		4	UDN	USBFF	41.41	106.46	68.78	55.58	13.13		15.75				
	Order Coordination For Specified Conversion Time, Per LSR			UDN	OCOSL		18.19									
	Unbundled Sub-Loop Feeder, 2W UDC (IDSL compatible)		1	UDC	USBFS	14.60	106.46	68.78	55.58	13.13		15.75				
	Unbundled Sub-Loop Feeder, 2W UDC (IDSL compatible)		2	UDC	USBFS	18.78	106.46	68.78	55.58	13.13		15.75				
	Unbundled Sub-Loop Feeder, 2W UDC (IDSL compatible)		3	UDC	USBFS	25.47	106.46	68.78	55.58	13.13		15.75				
	Unbundled Sub-Loop Feeder, 2W UDC (IDSL compatible)		4	UDC	USBFS	41.41	106.46	68.78	55.58	13.13		15.75				
	Unbundled Sub-Loop Feeder Loop, 4W DS1-Zone 1		1	USL	USBFG	55.19	101.97	64.29	63.68	17.64		15.75				
-	Unbundled Sub-Loop Feeder Loop, 4W DS1-Zone 2		2	USL	USBFG	100.03	101.97	64.29	63.68	17.64		15.75				
-	Unbundled Sub-Loop Feeder Loop, 4W DS1-Zone 3		3	USL	USBFG	183.66	101.97	64.29	63.68	17.64		15.75				
-	Unbundled Sub-Loop Feeder Loop, 4W DS1-Zone 4		4	USL USL	USBFG	430.04	101.97	64.29	63.68	17.64		15.75				
-	Order Coordination For Specified Conversion Time, Per LSR		1		OCOSL	F 00	18.19	40.50	50.44	10.70		45.75			-	+
$\vdash$	Unbundled Sub-Loop Feeder Loop, 2W Copper Loop-Zone 1 Unbundled Sub-Loop Feeder Loop, 2W Copper Loop-Zone 2		2	UCL UCL	USBFH USBFH	5.88 5.21	84.27 84.27	46.59 46.59	53.14 53.14	10.70 10.70	-	15.75 15.75	-		-	+
<del>                                     </del>	Unbundled Sub-Loop Feeder Loop, 2W Copper Loop-Zone 2 Unbundled Sub-Loop Feeder Loop, 2W Copper Loop-Zone 3		3	UCL	USBFH	5.21 4.40	84.27	46.59	53.14	10.70		15.75	1		<del>                                     </del>	+
	Unbundled Sub-Loop Feeder, 2W Copper Loop-Zone 4		4	UCL	USBFH	3.63	84.27	46.59	53.14	10.70		15.75				+
	Order Coordination For Specified Conversion Time, per LSR			UCL	OCOSL	3.03	18.19	-10.03	55.14	10.70	t	10.70	<b> </b>		<b>I</b>	<del></del>
	Sub-Loop Feeder-Per 4W Copper Loop-Zone 1	1	1	UCL	USBFJ	13.49	101.58	63.90	59.71	13.67	1	15.75	1		t	<b>†</b>
	Sub-Loop Feeder-Per 4W Copper Loop-Zone 2		2	UCL	USBFJ	10.96	101.58	63.90	59.71	13.67		15.75			1	<b>†</b>
	Sub-Loop Feeder-Per 4W Copper Loop-Zone 3		3	UCL	USBFJ	8.59	101.58	63.90	59.71	13.67		15.75				
	Sub-Loop Feeder-Per 4W Copper Loop-Zone 4		4	UCL	USBFJ	8.59	101.58	63.90	59.71	13.67		15.75				
	Order Coordination For Specified Conversion Time, per LSR		T	UCL	OCOSL	2.20	18.19		,,,,,			1	1		İ	
	Sub-Loop Feeder-Per 4W 19.2 Kbps Digital Grade Loop		1	UDL	USBFN	22.89	101.97	64.29	63.68	17.64		15.75				
	Sub-Loop Feeder-Per 4W 19.2 Kbps Digital Grade Loop		2	UDL	USBFN	25.11	101.97	64.29	63.68	17.64		15.75				
	Sub-Loop Feeder-Per 4W 19.2 Kbps Digital Grade Loop		3	UDL	USBFN	30.84	101.97	64.29	63.68	17.64		15.75				
	Sub-Loop Feeder-Per 4W 19.2 Kbps Digital Grade Loop		4	UDL	USBFN	41.05	101.97	64.29	63.68	17.64		15.75				
	Sub-Loop Feeder-Per 4W 56 Kbps Digital Grade Loop-Zone 1		1	UDL	USBFO	22.89	101.97	64.29	63.68	17.64		15.75				

UNBUNDL	ED NETWORK ELEMENTS - Mississippi					1						,	Attachn			ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	usoc		R	ATES (\$)			Svc Order Submitte d Elec per LSR	d	Incremental Charge - Manual Svc Order vs. Electronic-	Incrementa I Charge - Manual Svc Order vs.	Incrementa I Charge - Manual Svc Order vs.	Increments Charge - Manual Sv Order vs. Electronic
												per LSR	1st	Electronic-	Electronic-	Disc Add'
						Rec	Nonred	urring	NRC Disc	onnect			oss	Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Sub-Loop Feeder-Per 4W 56 Kbps Digital Grade Loop-Zone 2		2	UDL	USBFO	25.11	101.97	64.29	63.68	17.64		15.75				
	Sub-Loop Feeder-Per 4W 56 Kbps Digital Grade Loop-Zone 3		3	UDL	USBFO	30.84	101.97	64.29	63.68	17.64		15.75				
	Sub-Loop Feeder-Per 4W 56 Kbps Digital Grade Loop-Zone 4		4	UDL	USBFO	41.05	101.97	64.29	63.68	17.64		15.75				ļ
	Order Coordination For Specified Time Conversion, per LSR Sub-Loop Feeder-Per 4W 64 Kbps Digital Grade Loop-Zone 1		1	UDL UDL	OCOSL USBFP	22.89	18.19 101.97	64.29	63.68	17.64		15.75				
	Sub-Loop Feeder-Per 4W 64 Kbps Digital Grade Loop-Zone 1 Sub-Loop Feeder-Per 4W 64 Kbps Digital Grade Loop-Zone 2		2	UDL	USBFP	25.11	101.97	64.29	63.68	17.64		15.75				
	Sub-Loop Feeder-Per 4W 64 Kbps Digital Grade Loop-Zone 2 Sub-Loop Feeder-Per 4W 64 Kbps Digital Grade Loop-Zone 3		3	UDL	USBFP	30.84	101.97	64.29	63.68	17.64		15.75				
	Sub-Loop Feeder-Per 4W 64 Kbps Digital Grade Loop-Zone 3		4	UDL	USBFP	41.05	101.97	64.29	63.68	17.64		15.75				<u> </u>
	Order Coordination For Specified Conversion Time, per LSR			UDL	OCOSL		18.19									
SUB-LOOPS																
Sub-Lo	oop Feeder															
	Sub Loop Feeder-DS3-Per mi Per mo			UE3	1L5SL	18.88										
	Sub Loop Feeder-DS3-Facility Term Per mo			UE3	USBF1	349.41	3,396.56	406.45	157.96	89.54		15.75				<u> </u>
	Sub Loop Feeder – STS-1 – Per mi Per mo	L.		UDLSX	1L5SL	18.88	0.0		1====	0						<u> </u>
	Sub Loop Feeder-STS-1-Facility Term Per mo	<u> </u>		UDLSX	USBF7	376.07	3,396.56	406.45	157.96	89.54		15.75				ļ
	Sub Loop Feeder – OC-3 – Per mi Per mo	1		UDLO3 UDLO3	1L5SL USBF5	14.33 58.63										
	Sub Loop Feeder-OC-3-Facility Term Protection Per mo Sub Loop Feeder-OC-3-Facility Term Per mo			UDLO3	USBF5	569.22	3,396.56	406.45	157.96	89.54		15.75				<del> </del>
	Sub Loop Feeder-OC-3-Facility Term Per mo			UDL03	1L5SL	17.63	3,390.50	406.45	157.96	89.54		15.75				1
	Sub Loop Feeder-OC-12-Fer fill Fer fillo Sub Loop Feeder-OC-12-Facility Term Protection Per mo	<u> </u>		UDL12	USBF6	662.39										
	Sub Loop Feeder-OC-12-Facility Term Per mo	l i		UDL12	USBF3	1,795.00	3,396.56	406.45	157.96	89.54		15.75				<del>                                     </del>
	Sub Loop Feeder-OC-48-Per mi Per mo	i		UDL48	1L5SL	57.83	0,000.00	100.10	101.00	00.01		10.70				
	Sub Loop Feeder-OC-48-Facility Term Protection Per mo	i		UDL48	USBF9	331.52										
	Sub Loop Feeder-OC-48-Facility Term Per mo	П		UDL48	USBF4	1,545.00	3,581.56	406.45	157.96	89.54		15.75				1
	Sub Loop Feeder-OC-12 Interface On OC-48			UDL48	USBF8	374.04	803.60	406.45	157.96	89.54		15.75				
UNBUNDLED	LOOP CONCENTRATION															
	Unbundled Loop Concentration-System A (TR008)			ULC	UCT8A	36367	327.30	327.30				15.75				
	Unbundled Loop Concentration-System B (TR008)			ULC	UCT8B	47.56	136.37	136.37				15.75				
	Unbundled Loop Concentration-System A (TR303)			ULC	UCT3A	397.35	327.30	327.30				15.75				
	Unbundled Loop Concentration-System B (TR303)			ULC ULC	UCT3B	80.15	136.37	136.37	17.31	4.05		15.75				
	Unbundled Loop Concentration-DS1 Loop Interface Card Unbundled Loop Concentration-ISDN Loop Interface (Brite Card)			UDN	UCTCO ULCC1	4.52 7.17	63.65 10.60	46.34 10.54	5.56	4.85 5.53		15.75 15.75				-
	Unbundled Loop Concentration-ISDN Loop Interface (Brite Card)			UDC	ULCCU	7.17	10.60	10.54	5.56	5.53		15.75				
	Unbundled Loop Concentration—290 Voice-Loop Start or Ground Start Loop Interface (POTS Card)			UEA	ULCC2	1.80	10.60	10.54	5.56	5.53		15.75				
	Unbundled Loop Concentration-2W Voice-Rev Bat Loop Interface (SPOTS			UEA	ULCCR	10.66	10.60	10.54	5.56	5.53		15.75				
	Card) Unbundled Loop Concentration-4W Voice Loop Interface (Specials Card)	<del>                                     </del>	<del>                                     </del>	UEA	ULCC4	6.36	10.60	10.54	5.56	5.53	-	15.75				<del>                                     </del>
	Unbundled Loop Concentration-TEST CIRCUIT Card			ULC	UCTTC	31.07	10.60	10.54	5.56	5.53		15.75				
	Unbundled Loop Concentration-Digital 19.2 Kbps Data Loop Interface			UDL	ULCC7	9.42	10.60	10.54	5.56	5.53		15.75				
	Unbundled Loop Concentration-Digital 56 Kbps Data Loop Interface			UDL	ULCC5	9.42	10.60	10.54	5.56	5.53		15.75				
	Unbundled Loop Concentration-Digital 64 Kbps Data Loop Interface			UDL	ULCC6	9.42	10.60	10.54	5.56	5.53		15.75				
UNE OTHER,	PROVISIONING ONLY - NO RATE															
	NID-Dispatch & Service Order for NID installation			UENTW	UNDBX	0.00	0.00									
	UNTW Circuit Id Establishment, Provisioning Only-No Rate			UENTW	UENCE	0.00	0.00									
				UEANL,UEF,UEQ,U												
	Unbundled Contract Name, Provisioning Only-No Rate			ENTW	UNECN	0.00	0.00									
UNE OTHER,	PROVISIONING ONLY - NO RATE	<b> </b>	-	HAL HOL HDO HDI						<b>-</b>	1	1				<del>                                     </del>
	Unbundled Contact Name, Provisioning Only-no rate	1		UAL,UCL,UDC,UDL, UDN,UEA,UHL,ULC	UNECN	0.00	0.00			1						
	Unbundled Sub-Loop Feeder-2W Cross Box Jumper-no rate	<del>                                     </del>	<del>                                     </del>	UEA.UDN.UCL.UDC	USBFQ	0.00	0.00					1				<del>                                     </del>
	Unbundled Sub-Loop Feeder-2W Cross Box Jumper-no rate	l		UEA,USL,UCL,UDL	USBFR	0.00	0.00			1	<del>                                     </del>	1			1	<del>                                     </del>
	Unbundled DS1 Loop-Superframe Format Option-no rate			USL	CCOSF	0.00	0.00									
	Unbundled DS1 Loop-Expanded Superframe Format option-no rate			USL	CCOEF	0.00	0.00									
HIGH CAPAC	TY UNBUNDLED LOCAL LOOP		L													
NOTE:	minimum billing period of three months for DS3 and above Local Loop															
	High Capacity Unbundled Local Loop-DS3-Per mi per mo			UE3	1L5ND	11.20										

UNBUNDL	ED NETWORK ELEMENTS - Mississippi												Attachr	nent: 2	Exhi	bit: B
											Svc	Svc	Incremental	Incrementa	Incrementa	Incremental
											Order	Order	Charge -	I Charge -	I Charge -	Charge -
			_								Submitte		Manual Svc		Manual	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zon	BCS	USOC		R.A	TES (\$)			d Elec	d		Svc Order	Svc Order	Order vs.
		m	е					.,				Manually	Electronic-		vs.	Electronic-
											per Lak	per LSR		Electronic-	_	
												per LSK	ist	Electronic-	Diec 1et	DISC Add I
						D	Nonrec	urring	NRC Disc	onnect			oss	Rates (\$)	1 1000 101	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	High Capacity Unbundled Local Loop-DS3-Facility Term per mo			UE3	UE3PX	326.15	454.13	265.47	123.23	86.19		15.75				
	High Capacity Unbundled Local Loop-STS-1-Per mi per mo			UDLSX	1L5ND	11.20										
	High Capacity Unbundled Local Loop-STS-1-Facility Term per mo			UDLSX	UDLS1	338.55	454.13	265.47	123.23	86.19		15.75				
LOOP MAKE	-UP															
	Loop Makeup-Preordering w/o Reservation, per working or spare facility															
	queried (Manual).			UMK	UMKLW		24.12	24.12								
	Loop Makeup-Preordering With Reservation, per spare facility queried															
	(Manual).			UMK	UMKLP		25.58	25.58								
	Loop MakeupWith or w/o Reservation, per working or spare facility queried					Ì										
	(Mechanized)			UMK	PSUMK		0.6652	0.6652								
HIGH FREQU	JENCY SPECTRUM					Ì										
	SHARING															
SPLIT	TERS-CENTRAL OFFICE BASED															
	Line Sharing Splitter, per System 96 Line Capacity			ULS	ULSDA	186.67	189.89	0.00	178.41	0.00		15.75				
	Line Sharing Splitter, per System 24 Line Capacity			ULS	ULSDB	46.67	189.89	0.00	178.41	0.00		15.75				
	Line Sharing Splitter, Per System, 8 Line Capacity	_		ULS	ULSD8	15.55	189.89	0.00	178.41	0.00		15.75				
	Line Sharing-DLEC Owned Splitter in CO-CFA activation-deactivation (per															
	LSOD)			ULS	ULSDG		86.98	0.00	49.96	0.00		15.75				
END (	JSER ORDERING-CENTRAL OFFICE BASED-HIGH FREQUENCY SPECTRU	JM AK	A LINE													
	Line Sharing -per Line Activation (BST Owned Splitter)			ULS	ULSDC	0.61	18.62	10.66	10.04	4.93		15.75				
	Line Sharing-per Subsqnt Activity per Line Rearrangement(BST Owned															
	Splitter)			ULS	ULSDS		16.48	8.24				15.75				
	Line Sharing-per Subsqnt Activity per Line Rearrangement(DLEC Owned															
	Splitter)			ULS	ULSCS		16.48	8.24				15.75				
	Line Sharing-per Line Activation (DLEC owned Splitter)			ULS	ULSCC	0.61	47.44	19.31	20.67	12.74		15.75				
	SPLITTING															
END I	JSER ORDERING-CENTRAL OFFICE BASED															
	Line Splitting-per line activation DLEC owned splitter	R		UEPSR UEPSB	UREOS	0.61										
	Line Splitting-per line activation BST owned-physical	R		UEPSR UEPSB	UREBP	0.61	18.62	10.66	10.04	4.93		15.75				
	Line Splitting-per line activation BST owned-virtual	R		UEPSR UEPSB	UREBV	0.61	18.62	10.66	10.04	4.93	<u> </u>	15.75	<u> </u>	<u> </u>		1

UNDUNDL	_ED NETWORK ELEMENTS - Mississippi	_				ı								nent: 2		ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	usoc		R.	ATES (\$)			Svc Order Submitte d Elec per LSR	d	Incremental Charge - Manual Svc Order vs. Electronic- 1st	I Charge - Manual Svc Order vs. Electronic-	I Charge - Manual Svc Order vs.	Charge - Manual Sve Order vs. Electronic
						Rec	Nonrec		NRC Disc					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	OTE SITE HIGH FREQUENCY SPECTRUM															+
SPLI	ITERS-REMOTE SITE	_		ULS	ULSRB	42.59	114.62	0.00	84.87	0.00		15.75				<del> </del>
	Remote Site Line Share BST Owned Splitter, 24 Port Remote Site Line Share Cable pr Activation CLEC Owned at RS &	<u> </u>		ULS	ULSKB	42.59	114.02	0.00	84.87	0.00		15.75				+
	Deactivation	1		ULS	ULSTG		95.48	0.00	68.12	0.00		15.75				
END	USER ORDERING-REMOTE SITE HIGH FREQUENCY SPECTRUM AKA REI	MOTE :	SITE L		02010		30.40	0.00	00.12	0.00		10.70				1
	Remote Site Line Share Line Activation or End User Served at RS. BST		<del>                                     </del>													†
	Splitter	- 1		ULS	ULSRC	0.61	36.96	21.17	19.93	9.78		15.75				
	RS Line Share Line Activation for End User served at RS, CLEC Splitter			ULS	ULSTC	0.61	36.96	21.17	19.93	9.78		15.75				
	Remote Site Line Share Subsqnt Activity-RS BST Owned Splitter			ULS	ULSRS		49.07	17.80				15.75				
	Remote Site Line Share Subsqnt Activity-RS CLEC Owned Splitter			ULS	ULSTS		49.07	17.80				15.75				<u> </u>
	D DEDICATED TRANSPORT															
	: INTEROFFICE CHANNEL DEDICATED TRANSPORT - minimum billing pe	riod -	below	DS3=one month, al	bove DS3=for	ur months										+
INTE	ROFFICE CHANNEL - DEDICATED TRANSPORT			U1TVX	1L5XX	0.0000										+
	Interoffice Channel-Dedicated Transport-2W VG-Per mi per mo Interoffice Channel-Dedicated Transport-2W VG-Facility Term			U1TVX	U1TV2	0.0098 22.52	40.77	27.57	17.26	7.11		15.75				+
	Interoffice Channel-Dedicated Transport-2W VG-Facility Term  Interoffice Channel-Dedicated Transport-2W VG Rev Bat-Per mi per mo			U1TVX	1L5XX	0.0098	40.77	27.57	17.20	7.11		15.75				+
	Interoffice Channel-Dedicated Transport-2W VG Rev Bat-Fer IIII per IIIIo			U1TVX	U1TR2	22.52	40.77	27.57	17.26	7.11		15.75				+
	Interoffice Channel -Dedicated Transport-2W VG-Per mi per mo			U1TVX	1L5XX	0.0098	40.77	21.51	17.20	7.11		13.73				+
	Interoffice Channel -Dedicated Transport-4W VG-Facility Term			U1TVX	U1TV4	19.79	40.77	27.57	17.26	7.11		15.75				1
	Interoffice Channel-Dedicated Transport-56 kbps-per mi per mo			U1TDX	1L5XX	0.0098	40.17	27.07	17.20			10.70				1
	Interoffice Channel-Dedicated Transport-56 kbps-Facility Term			U1TDX	U1TD5	15.68	40.78	27.57	17.26	7.11		15.75				1
	Interoffice Channel-Dedicated Transport-64 kbps-per mi per mo			U1TDX	1L5XX	0.0098										
	Interoffice Channel-Dedicated Transport-64 kbps-Facility Term			U1TDX	U1TD6	15.68	40.78	27.57	17.26	7.11		15.75				1
	Interoffice Channel-Dedicated Channel-DS1-Per mi per mo			U1TD1	1L5XX	0.201										1
	Interoffice Channel-Dedicated Tranport-DS1-Facility Term			U1TD1	U1TF1	57.33	89.79	82.28	16.86	14.90		15.75				
	Interoffice Channel -Dedicated Transport-DS3-Per mi per mo			U1TD3	1L5XX	4.76										
	Interoffice Channel-Dedicated Transport-DS3-Facility Term per mo			U1TD3	U1TF3	641.90	280.37	163.70	62.08	60.29		15.75				
	Interoffice Channel-Dedicated Transport-STS-1-Per mi per mo			U1TS1	1L5XX	4.76										
	Interoffice Channel-Dedicated Transport-STS-1-Facility Term			U1TS1	U1TFS	644.21	280.37	163.70	62.08	60.29		15.75				
	AL CHANNEL - DEDICATED TRANSPORT															
NOTE	E: LOCAL CHANNEL DEDICATED TRANSPORT - minimum billing period =	below	DS3=c				101.00	00.00	07.70	0.00		45.75				-
	Local Channel-Dedicated-2W VG			ULDVX	ULDV2	14.91	194.22	33.36	37.79	3.30		15.75				+
	Local Channel-Dedicated-2W VG Rev Bat Local Channel-Dedicated-4W VG	<b>!</b>		ULDVX ULDVX	ULDR2 ULDV4	14.91 15.99	194.22 194.66	33.36 33.80	37.79 38.27	3.30 3.78		15.75 15.75				+
	Local Channel-Dedicated-4W VG Local Channel-Dedicated-DS1-Zone 1	1	1	ULDVX ULDD1	ULDV4	36.83	178.50	154.61	22.89	15.74		15.75	-			+
	Local Channel-Dedicated-DS1-Zone 1  Local Channel-Dedicated-DS1 -Zone 2	<del>                                     </del>	2	ULDD1	ULDF1	35.99	178.50	154.61	22.89	15.74	1	15.75				+
	Local Channel-Dedicated-DS1 -Zone 2  Local Channel-Dedicated-DS1 -Zone 3	<b>-</b>	3	ULDD1	ULDF1	221.63	178.50	154.61	22.89	15.74	1	15.75				+
	Local Channel-Dedicated-DS1 -Zone 4	<del>                                     </del>	4	ULDD1	ULDF1	221.63	178.50	154.61	22.89	15.74		10.75				<b>—</b>
	Local Channel-Dedicated-DS3-Per mi per mo	1	† ·	ULDD3	1L5NC	9.66		.001		10.74						<b>†</b>
	Local Channel-Dedicated-DS3-Facility Term			ULDD3	ULDF3	413.87	454.13	265.47	123.23	86.19		15.75				<b>†</b>
	Local Channel-Dedicated-STS-1-Per mi per mo			ULDS1	1L5NC	9.66										1
	Local Channel-Dedicated-STS-1 -Facility Term			ULDS1	ULDFS	408.02	454.13	265.47	123.23	86.19		15.75				
DARK FIBER																
	Dark Fiber, Four Fiber Strands, Per Route mi or Fraction Thereof per mo-															
	Local Channel	<u> </u>		UDF	1L5DC	59.95										
	NRC Dark Fiber-Local Channel			UDF	UDFC4		642.79	138.67	326.97	203.85		15.75				
	Dark Fiber, Four Fiber Strands, Per Route mi or Fraction Thereof per mo- Interoffice Channel			UDF	1L5DF	28.27										
	NRC Dark Fiber-Interoffice Channel			UDF	UDF14		642.79	138.67	326.97	203.85		15.75				
	Dark Fiber, Four Fiber Strands, Per Route mi or Fraction Thereof per mo- Local Loop			UDF	1L5DL	59.95										
	NRC Dark Fiber-Local Loop			UDF	UDFL4		642.79	138.67	326.97	203.85		15.75				

UNBUNDL	ED NETWORK ELEMENTS - Mississippi												Attachr	nent: 2	Exhi	ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	USOC			ATES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitte d Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	I Charge - Manual Svc Order vs. Electronic-	Incrementa I Charge - Manual Svc Order vs. Electronic-	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec		NRC Disc					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
8XX ACCESS	TEN DIGIT SCREENING															
	8XX Access Ten Digit Screening, Per Call			OHD		0.0006216										
	DOWN T DIVID I D WANT D			OUD	Non		0.00					4				
	8XX Access Ten Digit Screening, Reservation Charge Per 8XX No Reserved 8XX Access Ten Digit Screening, Per 8XX No. Established W/O POTS			OHD	N8R1X		2.60	0.44				15.75				<del></del>
	Translations			OHD			5.97	0.81	4.60	0.54		15.75				
	8XX Access Ten Digit Screening, Per 8XX No. Established With POTS		1	OHD	-		5.97	0.01	4.60	0.34		13.73				+
	Translations			OHD	N8FTX		5.97	0.81	4.60	0.54		15.75				
	8XX Access Ten Digit Screening, Customized Area of Service Per 8XX No			OHD	N8FCX		2.60	1.30				15.75				
	8XX Access Ten Digit Screening, Multiple InterLATA CXR Routing Per CXR															
	Requested Per 8XX No.			OHD	N8FMX		3.04	1.74				15.75				
	8XX Access Ten Digit Screening, Change Charge Per Request			OHD	N8FAX		3.04	0.44				15.75				
	8XX Access Ten Digit Screening, Call Handling & Destination Features			OHD	N8FDX		2.60					15.75				
	8XX Access Ten Digit Screening, w/ 8FL No. Delivery, per query			OHD		0.0006216										
	8XX Access Ten Digit Screening, w/ POTS No. Delivery, per query			OHD		0.0006216										
LINE INFORM	NATION DATA BASE ACCESS (LIDB)															
	LIDB Common Transport Per Query			OQT		0.0000197										
	LIDB Validation Per Query			OQU	<b>_</b>	0.0137053										<u> </u>
	LIDB Originating Point Code Establishment or Change			OQT,OQU	NRPBX		34.52	34.52	42.33	42.33		15.75				
SIGNALING (				LIDD	DT001/	100.01										
	CCS7 Signaling Term, Per STP Port		-	UDB UDB	PT8SX	132.21 0.0000597										+
	CCS7 Signaling Usage, Per TCAP Message				TPP++		05.74	05.74	40.50	40.50		45.75				+
	CCS7 Signaling Connection, Per link (A link) CCS7 Signaling Connection, Per link (B link) (also known as D link)		1	UDB UDB	TPP++	16.55 16.55	35.74 35.74	35.74 35.74	16.53 16.53	16.53 16.53		15.75 15.75				
<b></b>	CCS7 Signaling Connection, Per link (B link) (also known as D link) CCS7 Signaling Usage, Per ISUP Message			UDB	IPP++	0.0000149	35.74	35.74	10.53	10.53	1	15.75				+
	CCS7 Signaling Usage, Fel ISOF Message CCS7 Signaling Usage Surrogate, per link per LATA			UDB	STU56	683.55										+
<b></b>	CCS7 Signaling Osage Surrogate, per link per EATA  CCS7 Signaling Point Code, per Originating Point Code Establishment or			ODB	31030	003.33										+
	Change, per STP affected			UDB	CCAPO		29.18	29.18	35.78	35.78		15.75				
E911 SERVIO				000	00/0		20.10	20.10	00.70	00.70		10.10				1
Ī	Local Channel-Dedicated-2W VG					14.91	194.22	33.36	37.79	3.30		15.75				1
	Interoffice Transport-Dedicated-2W VG Per mi					0.0098										
	Interoffice Transport-Dedicated-2W VG Per Facility Term					22.52	40.77	27.57	17.26	7.11		15.75				1
	Local Channel-Dedicated-DS1-Zone 1					36.83	178.50	154.61	22.89	15.74		15.75				
	Local Channel-Dedicated-DS1-Zone 2					35.99	178.50	154.61	22.89	15.74		15.75				
	Local Channel-Dedicated-DS1-Zone 3					221.63	178.50	154.61	22.89	15.74		15.75				
	Local Channel-Dedicated-DS1-Zone 4					221.63	178.50	154.61	22.89	15.74		15.75				
	Interoffice Transport-Dedicated-DS1 Per mi				<u> </u>	0.2010			ļ		ļ		ļ			<u> </u>
	Interoffice Transport-Dedicated-DS1 Per Facility Term		$\vdash$		<del> </del>	57.33	89.79	82.28	16.86	14.90	<u> </u>	15.75				<del></del>
CALLING NA	ME (CNAM) SERVICE		$\vdash$	001/	+		00.00	00.00	04.00	04.00	<u> </u>	45.75	<del> </del>			<del></del>
<b></b>	CNAM For DB Owners-Service Establishment		$\vdash$	OQV OQV	+		23.09 23.09	23.09 23.09	21.23 21.23	21.23 21.23		15.75				<del>                                     </del>
<del>                                     </del>	CNAM For Non DB Owners-Service Establishment		$\vdash$	UQV	+		23.09	23.09	21.23	21.23	<b> </b>	15.75	-		-	+
	CNAM For DB Owners-Service Provisioning With Point Code Establishment			OQV			996.62	737.08	270.49	198.89		15.75				
<del>                                     </del>	CNAM For Non DB Owners-Service Provisioning With Point Code Establishment		$\vdash$	UQV	+		390.02	131.08	210.49	130.09	<del>                                     </del>	10.75	1			+
	Establishment			OQV			344.32	246.56	276.85	198.89		15.75				
	CNAM for DB Owners, Per Query			OQV	1	0.0010231	344.02	_+0.00	2,0.00	. 50.03		.0.70	1			<del>                                     </del>
	CNAM for Non DB Owners, Per Query			OQV	1	0.0010231			İ							1
LNP Query S																1
1	LNP Charge Per query			OQV		0.0008477			1							1
	LNP Service Establishment Manual						12.59	12.59	11.58	11.58		15.75				
	LNP Service Provisioning with Point Code Establishment						596.94	304.96	270.49	198.89		15.75				
<b>OPERATOR</b>	CALL PROCESSING			-												
	Oper Call Processing-Oper Provided, Per min-Using BST LIDB					1.20										
	0 0 10 . 0 0 0	_	ı T		1	1.24	1		1	_	1	1	1		l	
	Oper Call Processing-Oper Provided, Per min-Using Foreign LIDB								<b>.</b>							+
	Oper Call Processing-Oper Provided, Per min-Using Foreign LIDB Oper Call Processing-Fully Automated, per Call-Using BST LIDB Oper Call Processing-Fully Automated, per Call-Using Foreign LIDB					0.20 0.20										

UNBUNDL	ED NETWORK ELEMENTS - Mississippi										1	1	Attachr			ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	USOC			ATES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitte d Manually per LSR	Electronic- 1st	I Charge - Manual Svc Order vs. Electronic-	Incrementa I Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svo Order vs. Electronic-
						Rec	Nonrec		NRC Disco			T		Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Inward Oper Services-Verification, Per min	-				1.15 1.15										<del> </del>
BRANDING	Inward Oper Services-Verification & Emergency Interrupt-Per min OPERATOR CALL PROCESSING	+				1.15										<b></b>
	v based CLEC															<del>                                     </del>
Facilit	Recording of Custom Branded OA Announcement	+			CBAOS		7,000.00	7.000.00				15.75				<del>                                     </del>
	Loading of Custom Branded OA Announcement per shelf/NAV per OCN	+			CBAOL		500.00	500.00				15.75				<del>                                     </del>
UNEP	CLEC				ODAOL		300.00	300.00				13.73				<del>                                     </del>
- CIVE	Recording of Custom Branded OA Announcement						7,000.00	7,000.00				15.75				
	Loading of Custom Branded OA Announcement per shelf/NAV per OCN	1					500.00	500.00			1	15.75				1
Unbra	nding via OLNS for UNEP CLEC	1			Ì								1			
	Loading of OA per OCN (Regional)						1,200.00	1,200.00				15.75				
	ASSISTANCE SERVICES															
DIREC	TORY ASSISTANCE ACCESS SERVICE															
	Directory Assistance Access Service Calls, Charge Per Call	1				0.275					1					<b></b>
DIREC	CTORY ASSISTANCE CALL COMPLETION ACCESS SERVICE (DACC)	1			<u> </u>				<u> </u>		<u> </u>	ļ	ļ			<b></b>
	Directory Assistance Call Completion Access Service (DACC), Per Call	1				0.40							1			
DIRECTORY	Attempt	-				0.10										<del> </del>
	ASSISTANCE SERVICES CTORY ASSISTANCE DATA BASE SERVICE (DADS)	+														<b></b>
DIKE	Directory Assistance Data Base Service Charge Per Listing	+				0.04										<del>                                     </del>
	Directory Assistance Data Base Service, per mo				DBSOF	150.00										<del> </del>
BRANDING -	DIRECTORY ASSISTANCE				DDOOI	130.00										<del> </del>
	y Based CLEC															
	Recording & Provisioning of DA Custom Branded Announcement			AMT	CBADA		3.000.00	3,000.00				15.75				
	Loading of Custom Branded Announcement per Switch per OCN			AMT	CBADC		1,170.00	1,170.00				15.75				
UNEP	CLEC						,	·								
	Recording of DA Custom Branded Announcement						3,000.00	3,000.00				15.75				
	Loading of DA Custom Branded Announcement per Switch per OCN						1,170.00	1,170.00				15.75				
Unbra	nding via OLNS for UNEP CLEC															ļ
	Loading of DA per OCN (1 OCN per Order)						420.00	420.00				15.75				ļ
	Loading of DA per Switch per OCN						16.00	16.00				15.75				
SELECTIVE																<b>_</b>
WIDTHAL OO	Selective Routing Per Unique Line Class Code Per Request Per Switch	-			USRCR		85.19	85.19	14.19	14.19	<u> </u>	15.75				<del> </del>
VIRTUAL CO	Virtual Collocation-2W Cross Connects (Loop) for Line Splitting	+		UEPSR,UEPSB	VE1LS	0.0268	12.37	11.87	6.04	5.45		15.75				<b></b>
BHASICVI C	OLLOCATION			UEPSR,UEPSB	VEILS	0.0268	12.37	11.87	6.04	5.45	1	15.75				<del>                                     </del>
PHISICAL	Physical Collocation-2W Cross Connects (Loop) for Line Splitting	+		UEPSR,UEPSB	PE1LS	0.0288	12.37	11.87	6.04	5.45		15.75				<del>                                     </del>
AIN SELECT	IVE CARRIER ROUTING			OLI OIX,OLI OD	I LILO	0.0200	12.57	11.07	0.04	0.40		13.73				<del> </del>
I	Regional Service Establishment			SRC	SRCEC		101.685.12		8.640.51			15.75				
	End Office Establishment			SRC	SRCEO		167.49	167.49	1.71	1.71		15.75				
	Query NRC, per query			SRC		0.0030502										
AIN - BELLS	OUTH AIN SMS ACCESS SERVICE															
	AIN SMS Access Service-Service Establishment, Per State, Initial Setup			A1N	CAMSE		39.67	39.67	40.92	40.92		15.75				
	AIN SMS Access Service-Port Connection-Dial/Shared Access			A1N	CAMDP		7.87	7.87	9.14	9.14		15.75				L
ļļ	AIN SMS Access Service-Port Connection-ISDN Access	1		A1N	CAM1P	ļ	7.87	7.87	9.14	9.14		15.75	ļ			↓
	AIN SMS Access Service-User Identification Codes-Per User ID Code	1		A1N	CAMAU		35.21	35.21	27.21	27.21	1	15.75				<b></b>
	AIN SMS Access Service-Security Card, Per User ID Code, Initial or	1			044400		40.5	40 :-					1			
<b> </b>	Replacement	-		A1N	CAMRC	0.0001	42.13	42.13	11.78	11.78	-	15.75				<b>├</b>
<del>                                     </del>	AIN SMS Access Service-Storage, Per Unit (100 Kilobytes)	1			1	0.0021					1	}	<del>                                     </del>			<del> </del>
<del>                                     </del>	AIN SMS Access Service-Session, Per min  AIN SMS Access Service-Company Performed Session, Per min	+			1	0.5649			<b> </b>		+	1				<del> </del>
AIN - BELLS	DUTH AIN TOOLKIT SERVICE	1			1	0.8393					+	1	1			<del>                                     </del>
VIIA - DEFFO	AIN Toolkit Service-Service Establishment Charge, Per State, Initial Setup	+	$\vdash$	CAM	BAPSC	1	39.67	39.67	40.92	40.92	+	15.75	<del> </del>			+
<del>                                     </del>	AIN Toolkit Service-Service Establishment Charge, Fer State, Initial Setup	1		OAW	BAPVX		4.226.54	4.226.54	70.32	70.32	1	15.75				<del>                                     </del>
	AIN Toolkit Service-Training Session, Fer Customer  AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, Term.	1			2711 VX		7,220.04	7,220.07				10.70				
1 1	Attempt	1			BAPTT		7.87	7.87	9.14	9.14	. [	15.75	Ì		l	

UNBUNDL	ED NETWORK ELEMENTS - Mississippi												Attachn			bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	USOC		RA	TES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitte d Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	I Charge - Manual Svc Order vs.	Incrementa I Charge - Manual Svc Order vs. Electronic-	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
						Rec	Nonrec	urring	NRC Disc	onnect				Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, Off-Hook															
	Delay				BAPTD		7.87	7.87	9.14	9.14		15.75				
	AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, Off-Hook															
	Immediate				BAPTM		7.87	7.87	9.14	9.14		15.75				
	AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, 10-Digit															
	PODP				BAPTO		34.67	34.67	14.44	14.44		15.75				
	AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, CDP				BAPTC		34.67	34.67	14.44	14.44		15.75				
	AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, Feature				BAPTF		34.67	34.67	4444	14.44		15.75				
	Code AIN Toolkit Service-Query Charge, Per Query				BAPIF	0.0535577	34.67	34.67	14.44	14.44		15.75				
	AIN Toolkit Service-Query Charge, Per Query  AIN Toolkit Service-Type 1 Node Charge, Per AIN Toolkit Subscription, Per				+	0.0535577	-		-							
	Node, Per Query					0.0063509										
	AIN Toolkit Service-SCP Storage Charge, Per SMS Access Account, Per		$\vdash$			0.0003309	ł		<del>                                     </del>							
	100 Kilobytes					0.06										
	AIN Toolkit Service-moly report-Per AIN Toolkit Service Subscription			CAM	BAPMS	11.11	7.87	7.87	5.54	5.54		15.75				
	AIN Toolkit Service-Special Study-Per AIN Toolkit Service Subscription			CAM	BAPLS	2.71	8.71	8.71		-		15.75				
	AIN Toolkit Service-Call Event Report-Per AIN Toolkit Service Subscription			CAM	BAPDS	8.48	7.87	7.87	5.54	5.54		15.75				
	AIN Toolkit Service-Call Event Special Study-Per AIN Toolkit Service			-												
	Subscription			CAM	BAPES	0.09	8.71	8.71				15.75				
ENHANCED	EXTENDED LINK (EELs)															
	: The monthly recurring and non-recurring charges below will apply and th															
	The monthly recurring and the Switch-As-Is Charge and not the non-recu	rrina a	haraa	a balanınılı amalındı												
					or EELS prov	isioned as "Cu	rrently Combi	nea Netwo	rk Elements							
NOTE	: Minimum billing is one month for DS1 and below and three months above	DS1 s	servic	es.	or EELS prov	isioned as "Cu	rrently Combi	nea Netwo	rk Elements							
NOTE		DS1 s	servic	es.	or EELS prov	isioned as * Cu	rrently Combi	ned Netwo	rk Elements							
NOTE	: Minimum billing is one month for DS1 and below and three months above	DS1 s	servic	es.	UEAL2	13.89	105.96	68.28	52.82	10.37		15.75				
NOTE	: Minimum billing is one month for DS1 and below and three months above E VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE	DS1 s	servic	es. T (EEL)								15.75 15.75				
NOTE	Minimum billing is one month for DS1 and below and three months above E VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE  First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone 1  First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone 2	DS1 s	SPOR 1	UNCVX	UEAL2	13.89	105.96	68.28 68.28	52.82	10.37		15.75				
NOTE	Minimum billing is one month for DS1 and below and three months above E VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone 1	DS1 s	SPOR	es. T (EEL) UNCVX	UEAL2	13.89	105.96	68.28	52.82	10.37						
NOTE	Minimum billing is one month for DS1 and below and three months above E VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE  First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone 1  First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone 2  First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone 3	DS1 s	SPOR 1	UNCVX UNCVX UNCVX UNCVX	UEAL2 UEAL2 UEAL2	13.89 18.75 27.55	105.96 105.96 105.96	68.28 68.28 68.28	52.82 52.82 52.82	10.37 10.37		15.75 15.75				
NOTE	Minimum billing is one month for DS1 and below and three months above E VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE  First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone 1  First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone 2  First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone 3  First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone 4	DS1 s	SPOR 1	UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX	UEAL2 UEAL2 UEAL2 UEAL2	13.89 18.75 27.55 45.72	105.96	68.28 68.28	52.82	10.37		15.75				
NOTE	Minimum billing is one month for DS1 and below and three months above E VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE  First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone 1  First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone 2  First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone 3  First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone 4  Interoffice Transport-Dedicated-DS1 combination-Per mi per mo	DS1 s	SPOR 1	UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX	UEAL2 UEAL2 UEAL2 UEAL2 1L5XX	13.89 18.75 27.55 45.72 0.1813	105.96 105.96 105.96	68.28 68.28 68.28 68.28	52.82 52.82 52.82 52.82	10.37 10.37 10.37 10.37		15.75 15.75 15.75				
NOTE	Minimum billing is one month for DS1 and below and three months above E VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE  First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone 1  First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone 2  First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone 3  First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone 4  Interoffice Transport-Dedicated-DS1 combination-Per mi per mo  Interoffice Transport-Dedicated-DS1 combination-Facility Term per mo	DS1 s	SPOR 1	UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNC1X UNC1X	UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2	13.89 18.75 27.55 45.72 0.1813 51.72	105.96 105.96 105.96 105.96	68.28 68.28 68.28 68.28	52.82 52.82 52.82 52.82	10.37 10.37 10.37 10.37		15.75 15.75 15.75				
NOTE	Minimum billing is one month for DS1 and below and three months above E VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE  First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone 1  First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone 2  First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone 3  First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone 4  Interoffice Transport-Dedicated-DS1 combination-Per mi per mo  Interoffice Transport-Dedicated-DS1 combination-Facility Term per mo  DS1 Channelization System Per mo	DS1 s	SPOR 1	UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNC1X UNC1X UNC1X UNC1X UNC1X	UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 IL5X U1TF1 MQ1	13.89 18.75 27.55 45.72 0.1813 51.72 102.85	105.96 105.96 105.96 105.96 89.79 91.57	68.28 68.28 68.28 68.28 82.28 62.94	52.82 52.82 52.82 52.82	10.37 10.37 10.37 10.37		15.75 15.75 15.75				
NOTE	Minimum billing is one month for DS1 and below and three months above E VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE  First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone 1  First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone 2  First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone 3  First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone 4  Interoffice Transport-Dedicated-DS1 combination-Per mi per mo  Interoffice Transport-Dedicated-DS1 combination-Facility Term per mo  DS1 Channelization System Per mo  VG COCI-DS1 To Ds0 Interface-Per mo	DS1 s	SPOR 1	UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNC1X UNC1X	UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2	13.89 18.75 27.55 45.72 0.1813 51.72	105.96 105.96 105.96 105.96	68.28 68.28 68.28 68.28	52.82 52.82 52.82 52.82	10.37 10.37 10.37 10.37		15.75 15.75 15.75				
NOTE	Minimum billing is one month for DS1 and below and three months above E VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE  First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone 1  First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone 2  First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone 3  First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone 4  Interoffice Transport-Dedicated-DS1 combination-Per mi per mo  Interoffice Transport-Dedicated-DS1 combination-Facility Term per mo  DS1 Channelization System Per mo  VG COCI-DS1 To Ds0 Interface-Per mo  Each Add1 2W VG Loop(SL 2) in the same DS1 Interoffice Transport	DS1 s	SPOR 1	UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNC1X UNC1X UNC1X UNC1X UNC1X UNC1X	UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 1L5XX U1TF1 MQ1 1D1VG	13.89 18.75 27.55 45.72 0.1813 51.72 102.85 0.5737	105.96 105.96 105.96 105.96 89.79 91.57 6.62	68.28 68.28 68.28 68.28 82.28 62.94 4.74	52.82 52.82 52.82 52.82 16.86 10.87	10.37 10.37 10.37 10.37 10.37		15.75 15.75 15.75 15.75 15.75				
NOTE	Minimum billing is one month for DS1 and below and three months above E VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE  First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone 1  First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone 2  First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone 3  First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone 4  Interoffice Transport-Dedicated-DS1 combination-Per mi per mo  Interoffice Transport-Dedicated-DS1 combination-Facility Term per mo  DS1 Channelization System Per mo  VG COCI-DS1 To Ds0 Interface-Per mo  Each Add'l 2W VG Loop(SL 2) in the same DS1 Interoffice Transport  Combination-Zone 1	DS1 s	SPOR  1 2 3 4	UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNC1X UNC1X UNC1X UNC1X UNC1X	UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 IL5X U1TF1 MQ1	13.89 18.75 27.55 45.72 0.1813 51.72 102.85	105.96 105.96 105.96 105.96 89.79 91.57	68.28 68.28 68.28 68.28 82.28 62.94	52.82 52.82 52.82 52.82	10.37 10.37 10.37 10.37		15.75 15.75 15.75				
NOTE	Minimum billing is one month for DS1 and below and three months above E VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE  First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone 1  First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone 2  First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone 3  First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone 4  Interoffice Transport-Dedicated-DS1 combination-Per mi per mo  Interoffice Transport-Dedicated-DS1 combination-Facility Term per mo  DS1 Channelization System Per mo  VG COCI-DS1 To Ds0 Interface-Per mo  Each Add1 2W VG Loop(SL2) in the same DS1 Interoffice Transport  Combination-Zone 1  Each Add1 2W VG Loop(SL2) in the same DS1 Interoffice Transport	DS1 s	service SPOR 1 2 3 4	UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNC1X UNC1X UNC1X UNC1X UNC1X UNC1X UNCYX UNCYX	UEAL2 UEAL2 UEAL2 UEAL2 IL5XX U1TF1 MQ1 1D1VG UEAL2	13.89 18.75 27.55 45.72 0.1813 51.72 102.85 0.5737 13.89	105.96 105.96 105.96 105.96 89.79 91.57 6.62 105.96	68.28 68.28 68.28 68.28 82.28 62.94 4.74 68.28	52.82 52.82 52.82 52.82 16.86 10.87	10.37 10.37 10.37 10.37 14.90 10.10		15.75 15.75 15.75 15.75 15.75				
NOTE	Minimum billing is one month for DS1 and below and three months above E VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE  First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone 1  First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone 2  First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone 3  First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone 4  Interoffice Transport-Dedicated-DS1 combination-Per mi per mo  Interoffice Transport-Dedicated-DS1 combination-Facility Term per mo  DS1 Channelization System Per mo  VG COCI-DS1 To Ds0 Interface-Per mo  Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport  Combination-Zone 1  Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport  Combination-Zone 1	DS1 s	SPOR  1 2 3 4	UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNC1X UNC1X UNC1X UNC1X UNC1X UNC1X	UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 1L5XX U1TF1 MQ1 1D1VG	13.89 18.75 27.55 45.72 0.1813 51.72 102.85 0.5737	105.96 105.96 105.96 105.96 89.79 91.57 6.62	68.28 68.28 68.28 68.28 82.28 62.94 4.74	52.82 52.82 52.82 52.82 16.86 10.87	10.37 10.37 10.37 10.37 10.37		15.75 15.75 15.75 15.75 15.75				
NOTE	Minimum billing is one month for DS1 and below and three months above E VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE  First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone 1  First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone 2  First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone 3  First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone 4  Interoffice Transport-Dedicated-DS1 combination-Per mi per mo  Interoffice Transport-Dedicated-DS1 combination-Facility Term per mo  DS1 Channelization System Per mo  VG COCI-DS1 To Ds0 Interface-Per mo  Each Add1 2W VG Loop(SL2) in the same DS1 Interoffice Transport  Combination-Zone 1  Each Add1 2W VG Loop(SL2) in the same DS1 Interoffice Transport  Combination-Zone 2  Each Add1 2W VG Loop(SL2) in the same DS1 Interoffice Transport	DS1 s	3 4 1 2	UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNC1X UNC1X UNC1X UNC1X UNC1X UNCVX UNCVX UNCVX UNCVX UNCVX	UEAL2 br>13.89	105.96 105.96 105.96 105.96 89.79 91.57 6.62 105.96	68.28 68.28 68.28 68.28 62.94 4.74 68.28	52.82 52.82 52.82 52.82 16.86 10.87 52.82	10.37 10.37 10.37 10.37 14.90 10.10		15.75 15.75 15.75 15.75 15.75 15.75					
NOTE	Minimum billing is one month for DS1 and below and three months above E VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE  First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone 1  First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone 2  First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone 3  First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone 4  Interoffice Transport-Dedicated-DS1 combination-Per mi per mo  Interoffice Transport-Dedicated-DS1 combination-Facility Term per mo  DS1 Channelization System Per mo  VG COCI-DS1 To Ds0 Interface-Per mo  Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport  Combination-Zone 1  Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport  Combination-Zone 2  Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport  Combination-Zone 3	DS1 s	service SPOR 1 2 3 4	UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNC1X UNC1X UNC1X UNC1X UNC1X UNC1X UNCYX UNCYX	UEAL2 UEAL2 UEAL2 UEAL2 IL5XX U1TF1 MQ1 1D1VG UEAL2	13.89 18.75 27.55 45.72 0.1813 51.72 102.85 0.5737 13.89	105.96 105.96 105.96 105.96 89.79 91.57 6.62 105.96	68.28 68.28 68.28 68.28 82.28 62.94 4.74 68.28	52.82 52.82 52.82 52.82 16.86 10.87	10.37 10.37 10.37 10.37 14.90 10.10		15.75 15.75 15.75 15.75 15.75				
NOTE	Minimum billing is one month for DS1 and below and three months above E VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE  First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone 1  First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone 2  First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone 3  First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone 4  Interoffice Transport-Dedicated-DS1 combination-Per mi per mo  Interoffice Transport-Dedicated-DS1 combination-Facility Term per mo  DS1 Channelization System Per mo  VG COCI-DS1 To Ds0 Interface-Per mo  Each Add1 2W VG Loop(SL2) in the same DS1 Interoffice Transport  Combination-Zone 1  Each Add1 2W VG Loop(SL2) in the same DS1 Interoffice Transport  Combination-Zone 2  Each Add1 2W VG Loop(SL2) in the same DS1 Interoffice Transport	DS1 s	3 4 1 2	UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNC1X UNC1X UNC1X UNC1X UNC1X UNCVX UNCVX UNCVX UNCVX UNCVX	UEAL2 br>13.89	105.96 105.96 105.96 105.96 89.79 91.57 6.62 105.96	68.28 68.28 68.28 68.28 62.94 4.74 68.28	52.82 52.82 52.82 52.82 16.86 10.87 52.82	10.37 10.37 10.37 10.37 14.90 10.10		15.75 15.75 15.75 15.75 15.75 15.75					
NOTE	Minimum billing is one month for DS1 and below and three months above E VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE  First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone 1  First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone 2  First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone 3  First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone 4  Interoffice Transport-Dedicated-DS1 combination-Per mi per mo  Interoffice Transport-Dedicated-DS1 combination-Facility Term per mo  DS1 Channelization System Per mo  VG COCI-DS1 To Ds0 Interface-Per mo  Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport  Combination-Zone 1  Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport  Combination-Zone 3  Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport  Combination-Zone 3  Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport  Combination-Zone 3  Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport  Combination-Zone 4  VG COCI-DS1 to DS0 Channel System combination-per mo	DS1 s	services SPOR 1 2 3 4 4 1 2 3 3	UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNC1X UNC1X UNC1X UNC1X UNC1X UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX	UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 1L5XX U1TF1 MQ1 1D1VG UEAL2 UEAL2 UEAL2 UEAL2	13.89 18.75 27.55 45.72 0.1813 51.72 102.85 0.5737 13.89 18.75	105.96 105.96 105.96 105.96 89.79 91.57 6.62 105.96 105.96 105.96	68.28 68.28 68.28 68.28 62.94 4.74 68.28 68.28 68.28	52.82 52.82 52.82 52.82 16.86 10.87 52.82 52.82 52.82	10.37 10.37 10.37 10.37 10.37 10.37 10.37		15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75				
NOTE 2-WIR	Minimum billing is one month for DS1 and below and three months above E VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE  First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone 1  First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone 2  First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone 3  First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone 3  First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone 4  Interoffice Transport-Dedicated-DS1 combination-Per mi per mo  Interoffice Transport-Dedicated-DS1 combination-Facility Term per mo  DS1 Channelization System Per mo  VG COCI-DS1 To Ds0 Interface-Per mo  Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport  Combination-Zone 1  Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport  Combination-Zone 3  Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport  Combination-Zone 4  VG COCI-DS1 to DS0 Channel System combination-per mo  NRC Currently Combined Network Elements Switch -As-Is Charge	DS1 s	3 4 1 2 3 3 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	UNCVX UNCVX UNCVX UNCVX UNCVX UNC1X UNC1X UNC1X UNC1X UNC1X UNCYX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX	UEAL2 UEAL2 UEAL2 UEAL2 1L5XX U1TF1 MQ1 1D1VG UEAL2 UEAL2 UEAL2 UEAL2	13.89 18.75 27.55 45.72 0.1813 51.72 102.85 0.5737 13.89 18.75 27.55	105.96 105.96 105.96 105.96 89.79 91.57 6.62 105.96 105.96	68.28 68.28 68.28 68.28 62.94 4.74 68.28 68.28 68.28	52.82 52.82 52.82 52.82 16.86 10.87 52.82 52.82	10.37 10.37 10.37 10.37 14.90 10.10 10.37 10.37		15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75				
NOTE 2-WIR	Minimum billing is one month for DS1 and below and three months above E VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE  First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone 1  First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone 2  First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone 3  First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone 4  Interoffice Transport-Dedicated-DS1 combination-Per mi per mo  Interoffice Transport-Dedicated-DS1 combination-Facility Term per mo  DS1 Channelization System Per mo  VG COCI-DS1 To Ds0 Interface-Per mo  Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport  Combination-Zone 1  Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport  Combination-Zone 2  Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport  Combination-Zone 3  Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport  Combination-Zone 4  VG COCI-DS1 to DS0 Channel System combination-per mo  NRC Currently Combined Network Elements Switch -As-Is Charge  E VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE	DS1 s	3 4 1 2 3 3 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	UNCVX UNCVX UNCVX UNCVX UNCVX UNC1X UNC1X UNC1X UNC1X UNC1X UNCYX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX	UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 1L5XX U1TF1 MQ1 1D1VG UEAL2 UEAL2 UEAL2 UEAL2	13.89 18.75 27.55 45.72 0.1813 51.72 102.85 0.5737 13.89 18.75 27.55	105.96 105.96 105.96 105.96 89.79 91.57 6.62 105.96 105.96 105.96	68.28 68.28 68.28 68.28 62.94 4.74 68.28 68.28 68.28	52.82 52.82 52.82 52.82 16.86 10.87 52.82 52.82 52.82	10.37 10.37 10.37 10.37 10.37 10.37 10.37		15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75				
NOTE 2-WIR	Minimum billing is one month for DS1 and below and three months above E VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE  First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone 1  First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone 2  First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone 3  First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone 3  First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone 4  Interoffice Transport-Dedicated-DS1 combination-Per mi per mo  Interoffice Transport-Dedicated-DS1 combination-Facility Term per mo  DS1 Channelization System Per mo  VG COCI-DS1 To Ds0 Interface-Per mo  Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport  Combination-Zone 1  Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport  Combination-Zone 3  Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport  Combination-Zone 4  VG COCI-DS1 to DS0 Channel System combination-per mo  NRC Currently Combined Network Elements Switch -As-Is Charge	DS1 s	1	UNCVX UNCVX UNCVX UNCVX UNCVX UNCYX UNC1X UNC1X UNC1X UNC1X UNCVX	UEAL2 UEAL2 UEAL2 UEAL2 1L5XX U1TF1 MQ1 1D1VG UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 ID1VG UNCCC	13.89 18.75 27.55 45.72 0.1813 51.72 102.85 0.5737 13.89 18.75 27.55 45.72 0.5737	105.96 105.96 105.96 105.96 89.79 91.57 6.62 105.96 105.96 105.96 6.62 5.63	68.28 68.28 68.28 62.94 4.74 68.28 68.28 68.28 68.28	52.82 52.82 52.82 52.82 16.86 10.87 52.82 52.82 52.82 7.20	10.37 10.37 10.37 10.37 14.90 10.10 10.37 10.37 10.37		15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75				
NOTE 2-WIR	Minimum billing is one month for DS1 and below and three months above E VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE  First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone 1  First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone 2  First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone 3  First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone 4  Interoffice Transport-Dedicated-DS1 combination-Per mi per mo  Interoffice Transport-Dedicated-DS1 combination-Facility Term per mo  DS1 Channelization System Per mo  VG COCI-DS1 To Ds0 Interface-Per mo  Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport  Combination-Zone 1  Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport  Combination-Zone 2  Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport  Combination-Zone 3  Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport  Combination-Zone 4  VG COCI-DS1 to DS0 Channel System combination-per mo  NRC Currently Combined Network Elements Switch -As-Is Charge  E VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE	DS1 s	1	UNCVX UNCVX UNCVX UNCVX UNCVX UNC1X UNC1X UNC1X UNC1X UNC1X UNCYX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX	UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 1L5XX U1TF1 MQ1 1D1VG UEAL2 UEAL2 UEAL2 UEAL2	13.89 18.75 27.55 45.72 0.1813 51.72 102.85 0.5737 13.89 18.75 27.55	105.96 105.96 105.96 105.96 89.79 91.57 6.62 105.96 105.96 105.96	68.28 68.28 68.28 68.28 62.94 4.74 68.28 68.28 68.28	52.82 52.82 52.82 52.82 16.86 10.87 52.82 52.82 52.82	10.37 10.37 10.37 10.37 10.37 10.37 10.37		15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75				
NOTE 2-WIR	Minimum billing is one month for DS1 and below and three months above E VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE  First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone 1  First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone 2  First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone 3  First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone 4  Interoffice Transport-Dedicated-DS1 combination-Per mi per mo  Interoffice Transport-Dedicated-DS1 combination-Facility Term per mo  DS1 Channelization System Per mo  VG COCI-DS1 To DS0 Interface-Per mo  Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport  Combination-Zone 1  Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport  Combination-Zone 2  Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport  Combination-Zone 3  Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport  Combination-Zone 4  VG COCI-DS1 to DS0 Channel System combination-per mo  NRC Currently Combined Network Elements Switch -As-Is Charge  E VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE  First 4W Analog VG Loop in a DS1 Interoffice Transport Combination -Zone  1  First 4W Analog VG Loop in a DS1 Interoffice Transport Combination -Zone	DS1 s	1	UNCVX UNCVX UNCVX UNCVX UNCVX UNCYX UNC1X UNC1X UNC1X UNC1X UNCVX	UEAL2 UEAL2 UEAL2 UEAL2 1L5XX U1TF1 MQ1 1D1VG UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 ID1VG UNCCC	13.89 18.75 27.55 45.72 0.1813 51.72 102.85 0.5737 13.89 18.75 27.55 45.72 0.5737	105.96 105.96 105.96 105.96 89.79 91.57 6.62 105.96 105.96 105.96 6.62 5.63	68.28 68.28 68.28 62.94 4.74 68.28 68.28 68.28 68.28	52.82 52.82 52.82 52.82 16.86 10.87 52.82 52.82 52.82 7.20	10.37 10.37 10.37 10.37 14.90 10.10 10.37 10.37 10.37		15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75				
NOTE 2-WIR	Minimum billing is one month for DS1 and below and three months above E VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE  First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone 1  First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone 2  First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone 3  First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone 4  Interoffice Transport-Dedicated-DS1 combination-Per mi per mo  Interoffice Transport-Dedicated-DS1 combination-Facility Term per mo  DS1 Channelization System Per mo  VG COCI-DS1 To Ds0 Interface-Per mo  Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport  Combination-Zone 1  Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport  Combination-Zone 2  Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport  Combination-Zone 3  Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport  Combination-Zone 4  VG COCI-DS1 to DS0 Channel System combination-per mo  NRC Currently Combined Network Elements Switch -As-Is Charge  E VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE  First 4W Analog VG Loop in a DS1 Interoffice Transport Combination -Zone	DS1 s	1	UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNC1X UNC1X UNC1X UNC1X UNCVX	UEAL2 UEAL2 UEAL2 UEAL2 1L5XX U1TF1 MQ1 1D1VG UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL4 UEAL4	13.89 18.75 27.55 45.72 0.1813 51.72 102.85 0.5737 13.89 18.75 27.55 45.72 0.5737	105.96 105.96 105.96 105.96 89.79 91.57 6.62 105.96 105.96 105.96 105.96 132.27	68.28 68.28 68.28 62.94 4.74 68.28 68.28 68.28 68.28 94.59	52.82 52.82 52.82 52.82 16.86 10.87 52.82 52.82 52.82 7.20 60.68	10.37 10.37 10.37 10.37 10.37 10.37 10.37 10.37 10.37 10.37		15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75				
NOTE 2-WIR	Minimum billing is one month for DS1 and below and three months above E VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE  First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone 1  First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone 2  First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone 3  First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone 4  Interoffice Transport-Dedicated-DS1 combination-Per mi per mo  Interoffice Transport-Dedicated-DS1 combination-Facility Term per mo  DS1 Channelization System Per mo  VG COCI-DS1 To Ds0 Interface-Per mo  Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport  Combination-Zone 1  Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport  Combination-Zone 2  Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport  Combination-Zone 3  Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport  Combination-Zone 4  VG COCI-DS1 to DS0 Channel System combination-per mo  NRC Currently Combined Network Elements Switch -As-Is Charge  EVOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE  First 4W Analog VG Loop in a DS1 Interoffice Transport Combination -Zone  1  First 4W Analog VG Loop in a DS1 Interoffice Transport Combination -Zone  2  First 4W Analog VG Loop in a DS1 Interoffice Transport Combination -Zone	DS1 s	1	UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNC1X UNC1X UNC1X UNC1X UNCYX UNCVX	UEAL2 UEAL2 UEAL2 UEAL2 1L5XX U1TF1 MQ1 1D1VG UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2	13.89 18.75 27.55 45.72 0.1813 51.72 102.85 0.5737 13.89 18.75 27.55 45.72 0.5737	105.96 105.96 105.96 105.96 89.79 91.57 6.62 105.96 105.96 105.96 105.96 105.96	68.28 68.28 68.28 62.28 62.94 4.74 68.28 68.28 68.28 68.28 94.59	52.82 52.82 52.82 52.82 16.86 10.87 52.82 52.82 52.82 7.20	10.37 10.37 10.37 10.37 14.90 10.10 10.37 10.37 10.37 7.20		15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75				
NOTE 2-WIR	Minimum billing is one month for DS1 and below and three months above E VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE  First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone 1  First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone 2  First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone 3  First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone 4  Interoffice Transport-Dedicated-DS1 combination-Per mi per mo  Interoffice Transport-Dedicated-DS1 combination-Facility Term per mo  DS1 Channelization System Per mo  VG COCI-DS1 To DS0 Interface-Per mo  Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport  Combination-Zone 1  Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport  Combination-Zone 2  Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport  Combination-Zone 3  Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport  Combination-Zone 4  VG COCI-DS1 to DS0 Channel System combination-per mo  NRC Currently Combined Network Elements Switch -As-Is Charge  E VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE  First 4W Analog VG Loop in a DS1 Interoffice Transport Combination -Zone  1  First 4W Analog VG Loop in a DS1 Interoffice Transport Combination -Zone	DS1 s	1	UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNC1X UNC1X UNC1X UNC1X UNCVX	UEAL2 UEAL2 UEAL2 UEAL2 1L5XX U1TF1 MQ1 1D1VG UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL4 UEAL4 UEAL4	13.89 18.75 27.55 45.72 0.1813 51.72 102.85 0.5737 13.89 18.75 27.55 45.72 0.5737 27.47 38.26 50.03	105.96 105.96 105.96 105.96 39.79 91.57 6.62 105.96 105.96 105.96 6.62 5.63 132.27	68.28 68.28 68.28 68.28 62.94 4.74 68.28 68.28 68.28 68.28 94.59	52.82 52.82 52.82 16.86 10.87 52.82 52.82 52.82 52.82 7.20 60.68 60.68	10.37 10.37 10.37 10.37 14.90 10.10 10.37 10.37 10.37 10.37 14.64		15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75				
NOTE 2-WIR	Minimum billing is one month for DS1 and below and three months above E VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE  First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone 1  First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone 2  First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone 3  First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone 4  Interoffice Transport-Dedicated-DS1 combination-Per mi per mo  Interoffice Transport-Dedicated-DS1 combination-Facility Term per mo  DS1 Channelization System Per mo  VG COCI-DS1 To Ds0 Interface-Per mo  Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport  Combination-Zone 1  Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport  Combination-Zone 2  Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport  Combination-Zone 3  Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport  Combination-Zone 4  VG COCI-DS1 to DS0 Channel System combination-per mo  NRC Currently Combined Network Elements Switch -As-Is Charge  EVOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE  First 4W Analog VG Loop in a DS1 Interoffice Transport Combination -Zone  1  First 4W Analog VG Loop in a DS1 Interoffice Transport Combination -Zone  2  First 4W Analog VG Loop in a DS1 Interoffice Transport Combination -Zone	DS1 s	1	UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNC1X UNC1X UNC1X UNC1X UNCVX	UEAL2 UEAL2 UEAL2 UEAL2 1L5XX U1TF1 MQ1 1D1VG UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL4 UEAL4	13.89 18.75 27.55 45.72 0.1813 51.72 102.85 0.5737 13.89 18.75 27.55 45.72 0.5737	105.96 105.96 105.96 105.96 89.79 91.57 6.62 105.96 105.96 105.96 105.96 132.27	68.28 68.28 68.28 62.94 4.74 68.28 68.28 68.28 68.28 94.59	52.82 52.82 52.82 52.82 16.86 10.87 52.82 52.82 52.82 7.20 60.68	10.37 10.37 10.37 10.37 10.37 10.37 10.37 10.37 10.37 10.37		15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75				

Version 4Q02: 01/21/03 Page 258 of 402

DIADOIADE	ED NETWORK ELEMENTS - Mississippi		, ,		1	1					1 -		Attachn			ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	usoc		RA	ATES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitte d Manually per LSR	Electronic-	I Charge -	Incrementa I Charge - Manual Svc Order vs. Electronic-	Charge - Manual Sv Order vs. Electronic
						_	Nonreci	urrina	NRC Disc	onnect			oss	Rates (\$)	Luce 1ct	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Channelization-Channel System DS1 to DS0 combination Per mo			UNC1X	MQ1	102.85	91.57	62.94	10.87	10.10		15.75				
	VG COCI-DS1 to DS0 Channel System combination-per mo			UNCVX	1D1VG	0.5737	6.62	4.74				15.75				
	Add'l 4W Analog VG Loop in same DS1 Interoffice Transport Combination-															
	Zone 1		1	UNCVX	UEAL4	27.47	132.27	94.59	60.68	14.64		15.75				
	Add'l 4W Analog VG Loop in same DS1 Interoffice Transport Combination-			1110101		00.00	400.07	04.50	00.00			45				
	Zone 2		2	UNCVX	UEAL4	38.26	132.27	94.59	60.68	14.64		15.75				
	Add'l 4W Analog VG Loop in same DS1 Interoffice Transport Combination-		3	UNCVX	UEAL4	50.03	132.27	94.59	60.68	14.64		15.75				
	Zone 3 Add'I 4W Analog VG Loop in same DS1 Interoffice Transport Combination-		3	UNCVX	UEAL4	50.03	132.21	94.59	60.08	14.04		15.75				
	Zone 4		4	UNCVX	UEAL4	50.03	132.27	94.59	60.68	14.64		15.75				
	VG COCI-DS1 to DS0 Channel System combination-per mo		7	UNCVX	1D1VG	0.5737	6.62	4.74	00.00	14.04		15.75				<del></del>
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC	0.5757	5.63	5.63	7.20	7.20		15.75				
4-WIF	E 56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTEROFFIC	CE TR	ANSPO		0.1000		0.00	0.00	7.20	7.20		10.70				
	First 4W 56Kbps Digital Grade Loop in a DS1 Interoffice Transport															
	Combination-Zone 1		1	UNCDX	UDL56	27.44	126.53	88.85	60.68	14.64		15.75				
	First 4W 56Kbps Digital Grade Loop in a DS1 Interoffice Transport															
	Combination-Zone 2		2	UNCDX	UDL56	34.55	126.53	88.85	60.68	14.64		15.75				
	First 4W 56Kbps Digital Grade Loop in a DS1 Interoffice Transport															
	Combination-Zone 3		3	UNCDX	UDL56	40.76	126.53	88.85	60.68	14.64		15.75				
	First 4W 56Kbps Digital Grade Loop in a DS1 Interoffice Transport															
	Combination-Zone 4		4	UNCDX	UDL56	32.25	126.53	88.85	60.68	14.64		15.75				
	Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo			UNC1X	1L5XX	0.1813						15.75				
	Interoffice Transport-Dedicated-DS1-combination Facility Term Per mo			UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90		15.75				
	Channelization-Channel System DS1 to DS0 combination Per mo			UNC1X	MQ1	102.85	91.57	62.94	10.87	10.10		15.75				
<del></del>	OCU-DP COCI (data)-DS1 to DS0 Channel System-per mo (2.4-64kbs)			UNCDX	1D1DD	1.22	6.62	4.74				15.75				<del>                                     </del>
	Add'l 4W 56Kbps Digital Grade loop in same DS1 Interoffice Transport Combination-Zone 1		1	UNCDX	UDL56	27.44	126.53	88.85	60.68	14.64		15.75				
_	Add'l 4W 56Kbps Digital Grade loop in same DS1 Interoffice Transport		- 1	UNCDA	UDLS6	21.44	120.55	00.00	60.66	14.04		15.75				
	Combination-Zone 2		2	UNCDX	UDL56	34.55	126.53	88.85	60.68	14.64		15.75				
	Add'l 4W 56Kbps Digital Grade loop in same DS1 Interoffice Transport		-	OHODA	ODLOG	04.00	120.00	00.00	00.00	14.04		10.70				1
	Combination-Zone 3		3	UNCDX	UDL56	40.76	126.53	88.85	60.68	14.64		15.75				
	Add'l 4W 56Kbps Digital Grade loop in same DS1 Interoffice Transport															
	Combination-Zone 4		4	UNCDX	UDL56	32.25	126.53	88.85	60.68	14.64		15.75				
	OCU-DP COCI (data)-DS1 to DS0 Channel System-combination per mo (2.4-															ĺ
	64kbs)			UNCDX	1D1DD	1.22	6.62	4.74				15.75				
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		5.63	5.63	7.20	7.20		15.75				
4-WIR	E 64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTEROFFIC	CE TR	ANSP	ORT (EEL)												
	First 4W 64Kbps Digital Grade Loop in a DS1 Interoffice Transport			LINODY	110104	07.44	400.50		00.00			45.75				
	Combination-Zone 1		1	UNCDX	UDL64	27.44	126.53	88.85	60.68	14.64		15.75				-
	First 4W 64Kbps Digital Grade Loop in a DS1 Interoffice Transport		2	UNCDX	UDL64	34.55	126.53	00.05	60.60	1101		15.75				
	Combination-Zone 2 First 4W 64Kbps Digital Grade Loop in a DS1 Interoffice Transport			UNCDX	UDL64	34.55	126.53	88.85	60.68	14.64		15.75				-
	Combination-Zone 3		3	UNCDX	UDL64	40.76	126.53	88.85	60.68	14.64		15.75				
	First 4W 64Kbps Digital Grade Loop in a DS1 Interoffice Transport		3	UNCDA	ODL04	40.70	120.55	00.00	00.00	14.04		13.73				
	Combination-Zone 4		4	UNCDX	UND64	32.25	126.53	88.85	60.68	14.64		15.75				
	Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo			UNC1X	1L5XX	0.1813	0.00	30.00	30.00							
	Interoffice Transport-Dedicated-DS1 combination-Facility Term Per mo			UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90		15.75				
	Channelization-Channel System DS1 to DS0 combination Per mo			UNC1X	MQ1	102.85	91.57	62.94	10.87	10.10		15.75				
	OCU-DP COCI (data)-DS1 to DS0 Channel System combination-per mo (2.4-						ĺ									
	64kbs)			UNCDX	1D1DD	1.22	6.62	4.74		<u></u>	<u> </u>	15.75			<u> </u>	<u></u>
	Add'l 4W 64Kbps Digital Grade loop in same DS1 Interoffice Transport						ĺ									
	Combination-Zone 1		1	UNCDX	UDL64	27.44	126.53	88.85	60.68	14.64		15.75				ļ
	Add'l 4W 64Kbps Digital Grade loop in same DS1 Interoffice Transport		[				T									
	Combination-Zone 2		2	UNCDX	UDL64	34.55	126.53	88.85	60.68	14.64		15.75			1	1
	Add'l 4W 64Kbps Digital Grade loop in same DS1 Interoffice Transport		-	******												

ONRONDE	ED NETWORK ELEMENTS - Mississippi										,		Attachn			bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	usoc		R <i>A</i>	ATES (\$)			Svc Order Submitte d Elec per LSR	d Manually	Electronic-	I Charge - Manual Svc Order vs.	I Charge - Manual Svc Order vs.	Charge - Manual Svo Order vs. Electronic
												per LSR	1st	Electronic-	Electronic-	Disc Add'l
						Rec	Nonrec	urring	NRC Disc	onnect			oss	Rates (\$)	Dice 1et	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
	Add'l 4W 64Kbps Digital Grade loop in same DS1 Interoffice Transport Combination-Zone 4		4	UNCDX	UDL64	32.25	126.53	88.85	60.68	14.64		15.75				
	OCU-DP COCI (data)-DS1 to DS0 Channel System combination-per mo (2.4-															
	64kbs)			UNCDX	1D1DD	1.22	6.62	4.74				15.75				<b>_</b>
4 14/15	NRC Currently Combined Network Elements Switch -As-Is Charge	0.4410	DODT	UNC1X	UNCCC		5.63	5.63	7.20	7.20		15.75				<del> </del>
4-WIR	LE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TO	RANS		UNC1X	USLXX	79.08	253.93	158.45	46.10	12.07		15.75				<u> </u>
	4W DS1 Digital Loop in Combination with DS1 Interoffice Transport-Zone 1 4W DS1 Digital Loop in Combination with DS1 Interoffice Transport-Zone 2		2	UNC1X UNC1X	USLXX	129.38	253.93	158.45	46.10	12.07		15.75				+
	4W DS1 Digital Loop in Combination with DS1 Interoffice Transport-Zone 3		3	UNC1X	USLXX	206.74	253.93	158.45	46.10	12.07		15.75				
	4W DS1 Digital Loop in Combination with DS1 Interoffice Transport-Zone 4		4	UNC1X	USLXX	458.46	253.93	158.45	46.10	12.07		15.75				†
	Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo		_	UNC1X	1L5XX	0.1813	200.00	100.40	40.10	12.07		10.70				
	Interoffice Transport-Dedicated-DS1 combination-Facility Term Per mo			UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90		15.75				
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		5.63	5.63	7.20	7.20		15.75				
4-WIR	E DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFICE T	RANS	PORT	(EEL)												
	First DS1Loop in DS3 Interoffice Transport Combination-Zone 1		1	UNC1X	USLXX	79.08	253.93	158.45	46.10	12.07		15.75				
	First DS1Loop in DS3 Interoffice Transport Combination-Zone 2		2	UNC1X	USLXX	129.38	253.93	158.45	46.10	12.07		15.75				
	First DS1Loop in DS3 Interoffice Transport Combination-Zone 3		3	UNC1X	USLXX	206.74	253.93	158.45	46.10	12.07		15.75				
	First DS1Loop in DS3 Interoffice Transport Combination-Zone 4		4	UNC1X	USLXX	458.46	253.93	158.45	46.10	12.07		15.75				
	Interoffice Transport-Dedicated-DS3 combination-Per mi Per mo			UNC3X	1L5XX	4.29										
	Interoffice Transport-Dedicated-DS3-Facility Term per mo			UNC3X	U1TF3	641.90	280.37	163.70	62.08	60.29		15.75				
	DS3 to DS1 Channel System combination per mo			UNC3X	MQ3	107.85	179.17	94.52	34.30	32.82		15.75				
	DS3 Interface Unit (DS1 COCI) combination per mo			UNC1X	UC1D1	12.96	6.62	4.74				15.75				
	Add'l DS1Loop in DS3 Interoffice Transport Combination-Zone 1		1	UNC1X	USLXX	79.08	253.93	158.45	46.10	12.07		15.75				
	Add'l DS1Loop in DS3 Interoffice Transport Combination-Zone 2		2	UNC1X	USLXX	129.38	253.93	158.45	46.10	12.07		15.75				
	Add'l DS1Loop in DS3 Interoffice Transport Combination-Zone 3		3	UNC1X	USLXX	206.74	253.93	158.45	46.10	12.07		15.75				ļ
	Add'l DS1Loop in DS3 Interoffice Transport Combination-Zone 4		4	UNC1X	USLXX	458.46	253.93	158.45	46.10	12.07		15.75				
_	DS3 Interface Unit (DS1 COCI) combination per mo			UNC1X	UC1D1	12.96	6.62	4.74	7.00	7.00		15.75				<b></b>
2 14/10	NRC Currently Combined Network Elements Switch -As-Is Charge E VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GRADE INTEROFFICE	TD AND	CDOD	UNC3X	UNCCC		5.63	5.63	7.20	7.20	-	15.75				<del> </del>
Z-VVIR	2WVG Loop used with 2W VG Interoffice Transport Combination-Zone 1	IKAN	1	UNCVX	UEAL2	13.89	105.96	68.28	52.82	10.37		15.75				+
	2WVG Loop used with 2W VG Interoffice Transport Combination-Zone 1  2WVG Loop used with 2W VG Interoffice Transport Combination-Zone 2		2	UNCVX	UEAL2	18.75	105.96	68.28	52.82	10.37		15.75				+
-	2WVG Loop used with 2W VG Interoffice Transport Combination-Zone 3		3	UNCVX	UEAL2	27.55	105.96	68.28	52.82	10.37		15.75				+
	A.1.2 2WVG Loop used with 2W VG Interoffice Transport Combination-Zone		4	UNCVX	UEAL2	45.72	105.96	68.28	52.82	10.37		15.75				
-+	Interoffice Transport-Dedicated-2W VG combination-Per mi Per mo			UNCVX	1L5XX	0.00088	100.00	00.20	32.02	10.57		10.75				<del>                                     </del>
	Interoffice Transport-Dedicated-2W VG combination-Facility Term per mo			UNCVX	U1TV2	20.32	40.77	27.57	17.26	7.11		15.75				
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNCVX	UNCCC	20.02	5.63	5.63	7.20	7.20		15.75				
4-WIR	E VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRADE INTEROFFICE	TRAN	SPOR				0.00									
	4WVG Loop used with 4W VG Interoffice Transport Combination-Zone 1		1	UNCVX	UEAL4	27.47	132.27	94.59	60.68	14.64		15.75				
	4WVG Loop used with 4W VG Interoffice Transport Combination-Zone 2		2	UNCVX	UEAL4	38.26	132.27	94.59	60.68	14.64		15.75				
	4WVG Loop used with 4W VG Interoffice Transport Combination-Zone 3		3	UNCVX	UEAL4	50.03	132.27	94.59	60.68	14.64		15.75				
	4WVG Loop used with 4W VG Interoffice Transport Combination-Zone 4		4	UNCVX	UEAL4	50.03	132.27	94.59	60.68	14.64		15.75				
	Interoffice Transport-Dedicated-4W VG combination-Per mi Per mo			UNCVX	1L5XX	0.00088										
	Interoffice Transport-Dedicated-4W VG combination-Facility Term per mo			UNCVX	U1TV4	17.86	40.77	27.57	17.26	7.11		15.75				<u> </u>
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNCVX	UNCCC		5.63	5.63	7.20	7.20		15.75				ļ
DS3 E	DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPO	ORT (E	EL)		<b></b>											ļ
	High Capacity Unbundled Local Loop-DS3 combination-Per mi per mo			UNC3X	1L5ND	11.20	454.45	205 :-	100.55	00.15	<u> </u>	L				<b></b>
_	High Capacity Unbundled Local Loop-DS3 combination-Facility Term per mo			UNC3X	UE3PX	252.17	454.13	265.47	123.23	86.19		15.75				<b></b>
	Interoffice Transport-Dedicated-DS3-Per mi per mo			UNC3X	1L5XX	4.29	200.07	100.70	00.00	00.00	}	45.75				<del>                                     </del>
-	Interoffice Transport-Dedicated-DS3 combination-Facility Term per mo			UNC3X	U1TF3	641.90	280.37	163.70	62.08	60.29	1	15.75				<del>                                     </del>
CTC4	NRC Currently Combined Network Elements Switch -As-Is Charge	DODT	/FF: 1	UNC3X	UNCCC		5.63	5.63	7.20	7.20	1	15.75				<del>                                     </del>
5151	DIGITAL EXTENDED LOOP WITH DEDICATED STS1 INTEROFFICE TRANS	PUKI	(EEL	UNCSX	1L5ND	11.20	+					1				<del>                                     </del>
	High Capacity Unbundled Local Loop-STS1 combination-Per mi per mo High Capacity Unbundled Local Loop-STS1 combination-Facility Term per			UNCSX	UDLS1	264.35	454.13	265.47	123.23	86.19	}	15.75				<del>                                     </del>
-+	Interoffice Transport-Dedicated-STS1 combination-Pacility Term per			UNCSX	1L5XX	4.29	404.13	∠00.4/	123.23	00.19	}	10.70				<del> </del>
-+	Interoffice Transport-Dedicated-STS1 combination-Per mi per mo Interoffice Transport-Dedicated-STS1 combination-Facility Term per mo			UNCSX	U1TFS	644.21	280.37	163.70	62.08	60.29	1	15.75				<del>                                     </del>
-+-	NRC Currently Combined Network Elements Switch -As-Is Charge			UNCSX	UNCCC	044.∠1	5.63	5.63	7.20	7.20	1	15.75				$\vdash$
	RE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPORT (EEL)			OIVOOA	UIVUUU		5.03	J.UJ	1.20	1.20		13.73				

UNBUNDI	_ED NETWORK ELEMENTS - Mississippi				•						1	1	Attachn			ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	usoc		R.	ATES (\$)			Svc Order Submitte d Elec per LSR	d Manually	Charge - Manual Svc Order vs. Electronic-	I Charge - Manual Svc Order vs.	Incrementa I Charge - Manual Svc Order vs.	Charge - Manual Svo Order vs. Electronic
												per LSR	1st	Electronic-	Electronic-	Disc Add'l
						Rec	Nonrec	urring	NRC Disc	onnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	First 2W ISDN Loop in a DS1 Interoffice Combination Transport-Zone 1		1	UNCNX	U1L2X	21.01	117.61	79.92	52.82	10.37		15.75				
	First 2W ISDN Loop in a DS1 Interoffice Combination Transport-Zone 2		2	UNCNX	U1L2X	27.59	117.61	79.92	52.82	10.37		15.75				
	First 2W ISDN Loop in a DS1 Interoffice Combination Transport-Zone 3		3	UNCNX	U1L2X	37.34	117.61	79.92	52.82	10.37		15.75				
	First 2W ISDN Loop in a DS1 Interoffice Combination Transport-Zone 4		4	UNCNX	U1L2X	59.18	117.61	79.92	52.82	10.37		15.75				
	Interoffice Transport-Dedicated-DS1 combination-Per mi			UNC1X	1L5XX	0.1813										<u> </u>
	Interoffice Transport-Dedicated-DS1 combintion-Facility Term per mo			UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90		15.75				<u> </u>
	Channelization-Channel System DS1 to DS0 combination-per mo			UNC1X	MQ1	102.85	91.57	62.94	10.87	10.10		15.75				
	2W ISDN COCI (BRITE)-DS1 to DS0 Channel System combination-per mo			UNCNX	UC1CA	2.62	6.62	4.74				15.75				
	Add'I 2W ISDN Loop in same DS1 interoffice Transport Combination-Zone 1		1	UNCNX	U1L2X	21.01	117.61	79.92	52.82	10.37		15.75				
	Add'I 2W ISDN Loop in same DS1 interoffice Transport Combination-Zone 2		2	UNCNX	U1L2X	27.59	117.61	79.92	52.82	10.37		15.75				
	Add'l 2W ISDN Loop in same DS1 interoffice Transport Combination-Zone 3		3	UNCNX	U1L2X	37.34	117.61	79.92	52.82	10.37		15.75				
	Add'l 2W ISDN Loop in same DS1 interoffice Transport Combination-Zone 4		4	UNCNX	U1L2X	59.18	117.61	79.92	52.82	10.37		15.75				
	2W ISDN COCI (BRITE)-DS1 to DS0 Channel System combintaion-per mo			UNCNX	UC1CA	2.62	6.62	4.74				15.75				
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		5.63	5.63	7.20	7.20		15.75				
4-WIF	RE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 INTEROFFICE	TRAN														
	First DS1 Loop in STS1 Interoffice Transport Combination-Zone 1		1	UNC1X	USLXX	79.08	253.93	158.45	46.10	12.07		15.75				
	First DS1 Loop in STS1 Interoffice Transport Combination-Zone 2		2	UNC1X	USLXX	129.38	253.93	158.45	46.10	12.07		15.75				
	First DS1 Loop in STS1 Interoffice Transport Combination-Zone 3		3	UNC1X	USLXX	206.74	253.93	158.45	46.10	12.07		15.75				
	First DS1 Loop in STS1 Interoffice Transport Combination-Zone 4		4	UNC1X	USLXX	458.46	253.93	158.45	46.10	12.07		15.75				
	Interoffice Transport-Dedicated-STS1 combination-Per mi Per mo			UNCSX	1L5XX	4.29										
	Interoffice Transport-Dedicated-STS1 combination-Facility Term			UNCSX	U1TFS	644.21	280.37	163.70	62.08	60.29		15.75				
	STS1 to DS1 Channel System conbination per mo			UNCSX	MQ3	107.63	179.17	94.52	34.30	32.82		15.75				<b></b>
	DS3 Interface Unit (DS1 COCI) combination per mo			UNC1X	UC1D1	12.96	6.62	4.74				15.75				<b></b>
	Add'l DS1Loop in STS1 Interoffice Transport Combination-Zone 1		1	UNC1X	USLXX	79.08	253.93	158.45	46.10	12.07		15.75				<b></b>
	Add'l DS1Loop in STS1 Interoffice Transport Combination-Zone 2		2	UNC1X	USLXX	129.38	253.93	158.45	46.10	12.07		15.75				
	Add'l DS1Loop in STS1 Interoffice Transport Combination-Zone 3		3	UNC1X	USLXX	206.74	253.93	158.45	46.10	12.07		15.75				<b></b>
	Add'l DS1Loop in STS1 Interoffice Transport Combination-Zone 4		4	UNC1X	USLXX	458.46	253.93	158.45	46.10	12.07		15.75				<b></b>
	DS3 Interface Unit (DS1 COCI) combination per mo			UNC1X	UC1D1	12.96	6.62	4.74				15.75				
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNCSX	UNCCC		5.63	5.63	7.20	7.20		15.75				
4-WIF	RE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS INTEROFFICE TRAN	12LOE			LIB: 50	27.11	400.50	00.0-	00.00	440:	1	4			<del> </del>	+
	4W 56 kbps Loop/4W 56 kbps Interoffice Transport Combination-Zone 1		1	UNCDX	UDL56	27.44	126.53	88.85	60.68	14.64	1	15.75			<del> </del>	+
	4W 56 kbps Loop/4W 56 kbps Interoffice Transport Combination-Zone 2		2	UNCDX	UDL56	34.55	126.53	88.85	60.68	14.64	1	15.75			<del> </del>	+
$\longrightarrow$	4W 56 kbps Loop/4W 56 kbps Interoffice Transport Combination-Zone 3		3	UNCDX	UDL56	40.76	126.53	88.85	60.68	14.64		15.75				+
<del></del>	4W 56 kbps Loop/4W 56 kbps Interoffice Transport Combination-Zone 4		4	UNCDX	UDL56	32.25	126.53	88.85	60.68	14.64	-	15.75				+
+-	Interoffice Transport-Dedicated-4W 56 kbps combination-Per mi			UNCDX	1L5XX	0.00088	40.70	27.57	47.00	7 1 1	-	45.75				+
	Interoffice Transport-Dedicated-4W 56 kbps combination-Facility Term			UNCDX UNCDX	U1TD5 UNCCC	14.14	40.78 5.63	27.57 5.63	17.26 7.20	7.11 7.20	1	15.75 15.75				+
4 1471	NRC Currently Combined Network Elements Switch -As-Is Charge RE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTEROFFICE TRAN	ICDO	T /EF		UNCCC		5.63	5.63	1.20	1.20	<del>                                     </del>	15.75			-	+
4-1/11	4W 64 kbps Loop/4W 64 kbps Interoffice Transport Combination-Zone 1	137Uh		UNCDX	UDL64	27.44	126.53	88.85	60.68	14.64	<del>                                     </del>	15.75			-	+
<del></del>			1 2	UNCDX	UDL64 UDL64	34.55	126.53 126.53	88.85 88.85		14.64	<del>                                     </del>	15.75			-	+
$\vdash$	4W 64 kbps Loop/4W 64 kbps Interoffice Transport Combination-Zone 2 4W 64 kbps Loop/4W 64 kbps Interoffice Transport Combination-Zone 3		3	UNCDX	UDL64 UDL64	34.55 40.76	126.53 126.53	88.85 88.85	60.68 60.68	14.64 14.64	}	15.75			1	+
<del></del>	4W 64 kbps Loop/4W 64 kbps Interoffice Transport Combination-Zone 3 4W 64 kbps Loop/4W 64 kbps Interoffice Transport Combination-Zone 4		4	UNCDX	UDL64	40.76 32.25	126.53	88.85	60.68	14.64	}	15.75			1	+
<del>                                     </del>	Interoffice Transport-Dedicated-4W 64 kbps combination-Per mi		4	UNCDX	1L5XX	0.00088	120.03	00.00	00.08	14.04	1	10.75			1	+
<del>                                     </del>	Interoffice Transport-Dedicated-4W 64 kbps combination-Fer fill  Interoffice Transport-Dedicated-4W 64 kbps combination-Facility Term			UNCDX	U1TD6	14.14	40.78	27.57	17.26	7.11	1	15.75			1	+
<del></del>	NRC Currently Combined Network Elements Switch -As-Is Charge			UNCDX	UNCCC	14.14	5.63	5.63	7.20	7.11	<del> </del>	15.75			<del>                                     </del>	+
ADDITIONA	L NETWORK ELEMENTS			UNCDA	DINCCC		3.03	5.05	1.20	1.20	<del> </del>	13.73			<del>                                     </del>	+
	n used as a part of a currently combined facility, the non-recurring charges of	do not	annly	hut a Switch Δε Is	charge dos	s annly					<del>                                     </del>	<b> </b>				+
	n used as a part of a currently combined facility, the horrecurring charges to used as ordinarily combined network elements in All States, the non-recur						1									+
	ecurring Currently Combined Network Elements "Switch As Is" Charge (One				13 0116	go doss not.					1	1			<b> </b>	+
140/111	NRC Currently Combined Network Elements Switch As is Charge One	- appi			1						1	1			<b> </b>	+
			l l		UNCCC	ı		= 00	l		1	1 4	l		I	
	IVG			UNCVX	UNUU.		5.63	5.63	7 20	7 20		15 /5				
	VG NRC Currently Combined Network Elements Switch -As-Is Charge-56/64			UNCVX	UNCCC		5.63	5.63	7.20	7.20		15.75				+

ONRONDE	ED NETWORK ELEMENTS - Mississippi												Attachr	nent: 2	Exhi	ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	USOC			TES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitte d Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	I Charge - Manual Svc Order vs. Electronic-	I Charge - Manual Svc Order vs.	Incrementa Charge - Manual Svo Order vs. Electronic Disc Add'l
						Rec	Nonrecu		NRC Disc					Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	NRC Currently Combined Network Elements Switch -As-ls Charge-DS1			UNC1X	UNCCC		5.63	5.63	7.20	7.20		15.75				
	NRC Currently Combined Network Elements Switch -As-Is Charge-DS3			UNC3X	UNCCC		5.63	5.63	7.20	7.20		15.75				ļ
	NRC Currently Combined Network Elements Switch -As-Is Charge-STS1			UNCSX	UNCCC		5.63	5.63	7.20	7.20		15.75				
NOTE	: Local Channel - Dedicated Transport - minimum billing period - Below DS	3=one	monti													<b>_</b>
	Local Channel-Dedicated-2W VG			UNCVX	ULDV2	14.91	194.22	33.36	37.79	3.30		15.75				<u> </u>
	Local Channel-Dedicated-4W VG			UNCVX	ULDV4	15.99	194.66	33.80	38.27	3.78		15.75				<u> </u>
	Local Channel-Dedicated-DS1 per mo Zone 1		1	UNC1X	ULDF1 ULDF1	36.83	178.50	154.61	22.89	15.74 15.74		15.75				<del> </del>
	Local Channel-Dedicated -DS1 Per mo Zone 2 Local Channel-Dedicated-DS1-Per mo Zone 3		3	UNC1X UNC1X	ULDF1	35.99 221.63	178.50 178.50	154.61 154.61	22.89 22.89	15.74		15.75 15.75				<del> </del>
			4				178.50									<del> </del>
	Local Channel-Dedicated-DS1-Per mo Zone 4  Local Channel-Dedicated-DS3-Per mi per mo		4	UNC1X UNC3X	ULDF1 1L5NC	221.63 9.66	176.50	154.61	22.89	15.74		15.75				+
	Local Channel-Dedicated-DS3-Fer mi per mo Local Channel-Dedicated-DS3-Facility Term			UNC3X UNC3X	ULDF3	413.87	454.13	265.47	123.23	86.19	}	15.75	1			<del>                                     </del>
	Local Channel-Dedicated-DS3-Facility Term  Local Channel-Dedicated-STS-1-Per mi per mo			UNCSX	1L5NC	9.66	434.13	200.47	123.23	56.19	1	10.75	1			<del>                                     </del>
	Local Channel-Dedicated-STS-1-Fei IIII pei IIIIo			UNCSX	ULDFS	408.02	454.13	265.47	123.23	86.19		15.75				<del>                                     </del>
Ontio	nal Features & Functions:			οποοπ	OLD! O	400.02	404.10	200.47	120.20	00.10		10.70				1
	TPLEXERS															1
	: minimum billing period is one month for DS1 to DS0 Channel System and	interf	aces													
	: minimum billing period is three months for DS3 to DS1 and above Channel			d interfaces												
	Channelization-DS1 to DS0 Channel System			UXTD1	MQ1	102.85	91.57	62.94	10.87	10.10		15.75				
	OCU-DP COCI (data)-DS1 to DS0 Channel System-per mo (2.4-64kbs)			UDL	1D1DD	1.22	6.62	4.74				15.75				
	2W ISDN COCI (BRITE)-DS1 to DS0 Channel Systsem-per mo			UDN	UC1CA	2.62	6.62	4.74				15.75				1
	VG COCI-DS1 to DS0 Channel System-per mo			UEA	1D1VG	0.5737	6.62	4.74				15.75				1
	DS3 to DS1 Channel System per mo			UXTD3	MQ3	170.63	179.17	94.52	34.30	32.82		15.75				
	STS1 to DS1 Channel System per mo			UXTS1	MQ3	170.63	179.17	94.52	34.30	32.82		15.75				
	DS3 Interface Unit (DS1 COCI) used with Loop per mo			USL	UC1D1	12.96	6.62	4.74				15.75				
	DS3 Interface Unit (DS1 COCI) used with Local Channel per mo			ULDD1	UC1D1	12.96	6.62	4.74				15.75				
Sub-L	oop Feeder															ļ
	Unbundled Sub-Loop Feeder Loop, 4W DS1-Zone 1		1	UNC1X	USBFG	55.19	101.97	64.29	63.68	17.64						
	Unbundled Sub-Loop Feeder Loop, 4W DS1-Zone 2		2	UNC1X	USBFG	100.03	101.97	64.29	63.68	17.64						
	Unbundled Sub-Loop Feeder Loop, 4W DS1-Zone 3		3	UNC1X	USBFG	183.66	101.97	64.29	63.68	17.64						ļ
	Unbundled Sub-Loop Feeder Loop, 4W DS1-Zone 4		4	UNC1X	USBFG	430.04	101.97	64.29	63.68	17.64						
	D LOCAL EXCHANGE SWITCHING(PORTS)		-		_						-					
	ange Ports EE VOICE GRADE LINE PORT RATES (RES)															
Z-VVIP	Exchange Ports-2W Analog Line Port-Res.			UEPSR	UEPRL	1.41	2.39	2.29	1.42	1.33		15.75				1
	Exchange Ports-2W Analog Line Port with Caller ID-Res.			UEPSR	UEPRC	1.41	2.39	2.29	1.42	1.33		15.75				
	Exchange Ports-2W Analog Line Port outgoing only-Res.			UEPSR	UEPRO	1.41	2.39	2.29	1.42	1.33		15.75				+
	Exchange Ports-2W Arialog Line Fort outgoing only-rees.  Exchange Ports-2W VG unbundled MS extended local dialing parity Port			OLI OIX	OLI NO	1.71	2.00	2.23	1.72	1.00	1	10.75	1			<b>†</b>
	with Caller ID-Res.			UEPSR	UEPAT	1.41	2.39	2.29	1.42	1.33		15.75	1			
	Exchange Ports-2W VG unbundled res, low usage line port with Caller ID			· <del>-</del> · •			50			50						
	(LUM)			UEPSR	UEPAP	1.41	2.39	2.29	1.42	1.33		15.75				
	Exchange Ports-2W Voice MS Res Dialing Plan w/o Caller ID			UEPSR	UEPWJ	1.41	2.39	2.29	1.42	1.33		15.75				
	2W voice unbundled Low Usage Line Port w/o Caller ID Capability			UEPSR	UEPRT	1.41	2.39	2.29	1.42	1.33		15.75				
	Subsqnt Activity			UEPSR	USASC	0.00	0.00	0.00				15.75				
FEAT																
	All Available Vertical Features			UEPSR	UEPVF	2.56	0.00	0.00				15.75				
2-WIF	E VOICE GRADE LINE PORT RATES (BUS)															ļ
<u> </u>	Exchange Ports-2W Analog Line Port w/o Caller ID-Bus			UEPSB	UEPBL	1.41	2.39	2.29	1.42	1.33	<u> </u>	15.75				<u> </u>
	Exchange Ports-2W VG unbundled Line Port with unbundled port with															
	Caller+E484 ID-Bus.		<u> </u>	UEPSB	UEPBC	1.41	2.39	2.29	1.42	1.33		15.75				<b></b>
	Exchange Ports-2W Analog Line Port outgoing only-Bus.			UEPSB	UEPBO	1.41	2.39	2.29	1.42	1.33		15.75				<b></b>
	Exchange Ports-2W VG unbundled MS extended local dialing parity Port			LIEBOR	LIEBANI		2.25	2 2 -				1				
	with Caller ID-Bus.		1	UEPSB	UEPAY	1.41	2.39	2.29	1.42	1.33	}	15.75	<b> </b>			<del>                                     </del>
	Exhange Ports-2W VG unbundled incoming only port with Caller ID-Bus		1	UEPSB	UEPB1	1.41	2.39	2.29	1.42	1.33	1	15.75	<del>                                     </del>			<del>                                     </del>
	Exchange Ports-2W Voice MS bus Dialing Plan w/o Caller ID  2W voice unbundled Incoming Only Port w/o Caller ID Capability		1	UEPSB UEPSB	UEPWK UEPBE	1.41 1.41	2.39 2.39	2.29	1.42 1.42	1.33 1.33	-	15.75 15.75				<del>                                     </del>
	Subsant Activity		1	UEPSB	USASC	0.00	0.00	0.00		1.33	<b>!</b>	15.75 15.75			1	<del> </del>

UNBUNDL	ED NETWORK ELEMENTS - Mississippi												Attachi	nent: 2	Exhi	ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	usoc		R.A	ATES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitte d Manually per LSR	Charge - Manual Svc Order vs.	Incrementa I Charge - Manual Svc Order vs. Electronic-	I Charge - Manual Svc Order vs.	Charge Manual So Order vs Electronic
												per Lore		Add'I	Diec 1et	Dioo Add
						Rec	Nonrec		NRC Disc			,		Rates (\$)		
	IDEO.						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
FEAT	All Available Vertical Features			UEPSB	UEPVF	2.56	0.00	0.00				15.75				-
EVCH	ANGE PORT RATES (DID & PBX)			UEPSB	UEPVF	2.30	0.00	0.00				15.75	-			
EXCH	2W VG Unbundled 2-Way PBX Trunk-Res			UEPSE	UEPRD	1.41	31.45	14.93	14.38	0.92		15.75				
	2W VG Choundled 2-Way FBX Trunk-Rus			UEPSP	UEPPC	1.41	31.45	14.93	14.38	0.92		15.75				<del></del>
	2W VG Line Side Unbundled Outward PBX Trunk-Bus			UEPSP	UEPPO	1.41	31.45	14.93	14.38	0.92		15.75				
	2W VG Line Side Unbundled Incoming PBX Trunk-Bus			UEPSP	UEPP1	1.41	31.45	14.93	14.38	0.92		15.75				
	2W Analog Long Distance Terminal PBX Trunk-Bus			UEPSP	UEPLD	1.41	31.45	14.93	14.38	0.92		15.75				
	2W Voice Unbundled PBX LD Terminal Ports			UEPSP	UEPLD	1.41	31.45	14.93	14.38	0.92		15.75				1
	2W Vice Unbundled 2-Way PBX Usage Port			UEPSP	UEPXA	1.41	31.45	14.93	14.38	0.92		15.75				
	2W Voice Unbundled PBX Toll Terminal Hotel Ports			UEPSP	UEPXB	1.41	31.45	14.93	14.38	0.92		15.75				
	2W Voice Unbundled PBX LD DDD Terminals Port			UEPSP	UEPXC	1.41	31.45	14.93	14.38	0.92		15.75				
	2W Voice Unbundled PBX LD Terminal Switchboard Port			UEPSP	UEPXD	1.41	31.45	14.93	14.38	0.92		15.75				
	2W Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPSP	UEPXE	1.41	31.45	14.93	14.38	0.92		15.75				
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPSP	UEPXL	1.41	31.45	14.93	14.38	0.92		15.75				
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling															
	Port			UEPSP	UEPXM	1.41	31.45	14.93	14.38	0.92		15.75				
	2W Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port			UEPSP	UEPXO	1.41	31.45	14.93	14.38	0.92		15.75				
	2W Voice Unbundled 2-Way PBX MS Local Economy Calling Port			UEPSP	UEPXQ	1.41	31.45	14.93	14.38	0.92		15.75				
	2W Voice Unbundled 2-Way PBX MS Local Optional Calling Port			UEPSP	UEPXR	1.41	31.45	14.93	14.38	0.92		15.75				
	2W Voice Unbundled PBX Port, MS only			UEPSP	UEPA5	1.41	31.45	14.93	14.38	0.92		15.75				
	2W Voice Unbundled 1-Way Outgoing PBX Measured Port Subsant Activity			UEPSP UEPSP	UEPXS	1.41 0.00	31.45 0.00	14.93 0.00	14.38	0.92		15.75 15.75				
FFAT				UEPSP	USASC	0.00	0.00	0.00				15.75	-			<del> </del>
FLAI	All Available Vertical Features			UEPSP UEPSE	UEPVF	2.56	0.00	0.00				15.75				<del>                                     </del>
EXCH	ANGE PORT RATES (COIN)			02. 0. 02. 02	02	2.00	0.00	0.00				10.70				
	Exchange Ports-Coin Port					1.41	2.39	2.29	1.42	1.33		15.75				
NOTE	: Transmission/usage charges associated with POTS circuit switched usa	ge wil	lalso	apply to circuit switc	hed voice a		vitched data t	ransmissio	by B-Chan	nels asso	ciated with	2W ISDN	ports.			
	: Access to B Channel or D Channel Packet capabilities will be available of															1
UNBUNDLE	LOCAL EXCHANGE SWITCHING(PORTS)															
EXCH	ANGE PORT RATES															
	Exchange Ports-2W DID Port			UEPEX	UEPP2	8.25	120.00	18.85	61.77	3.88		15.75				
	Exchange Ports-DDITS Port-4W DS1 Port with DID capability			UEPDD	UEPDD	58.41	203.19	96.25	74.86	2.54		15.75				
	Exchange Ports-2W ISDN Port (See Notes below.)			UEPTX UEPSX	U1PMA	13.69	73.19	53.30	47.90	10.76		15.75				
	All Features Offered	L	<u> </u>	UEPTX UEPSX	UEPVF	2.56	0.00	0.00		l .		15.75				
	: Transmission/usage charges associated with POTS circuit switched usa											1 2W ISDN	ports.			
NOTE	: Access to B Channel or D Channel Packet capabilities will be available of Exchange Ports-2W ISDN Port Channel Profiles	niy tn	rougn	UEPTX UEPSX	U1UMA	0.00	0.00	0.00	Via the BFR	/NBK Pro	cess.					<del></del>
	Exchange Ports-4W ISDN Port			UEPEX	UEPEX	84.63	205.00	102.14	81.65	20.69		15.75				
LINE	NDLED PORT with REMOTE CALL FORWARDING CAPABILITY			UEPEX	UEFEX	04.03	205.00	102.14	61.03	20.09		13.73				
	NDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE															<del>                                     </del>
ONDO	Unbundled Remote Call Forwarding Service, Area Calling, Res			UEPVR	UERAC	1.41	2.39	2.29	1.42	1.33		15.75				
	Unbundled Remote Call Forwarding Service, Local Calling-Res			UEPVR	UERLC	1.41	2.39	2.29	1.42	1.33		15.75				
	Unbundled Remote Call Forwarding Service, InterLATA-Res			UEPVR	UERTE	1.41	2.39	2.29	1.42	1.33		15.75				
	Unbundled Remote Call Forwarding Service, IntraLATA-Res			UEPVR	UERTR	1.41	2.39	2.29	1.42	1.33		15.75				
Non-R	ecurring															
	Unbundled Remote Call Forwarding Service -Conversion-Switch-as-is Unbundled Remote Call Forwarding Service -Conversion with allowed			UEPVR	USAC2		0.0988	0.0988				15.75				
1	change (PIC & LPIC)	1		UEPVR	USACC		0.0988	0.0988		1		1	I			
UNBU	NDLED REMOTE CALL FORWARDING - Bus			-												
	Unbundled Remote Call Forwarding Service, Area Calling-Bus			UEPVB	UERAC	1.41	2.39	2.29	1.42	1.33		15.75				
	Unbundled Remote Call Forwarding Service, Local Calling-Bus			UEPVB	UERLC	1.41	2.39	2.29	1.42	1.33		15.75				
	Unbundled Remote Call Forwarding Service, InterLATA-Bus			UEPVB	UERTE	1.41	2.39	2.29	1.42	1.33		15.75				
	Unbundled Remote Call Forwarding Service, IntraLATA-Bus	1	1	UEPVB	UERTR	1.41	2.39	2.29	1.42	1.33		15.75	1			i

UNBUNDL	ED NETWORK ELEMENTS - Mississippi												Attachr			bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	USOC		R.A	TES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitte d Manually per LSR	Charge - Manual Svc Order vs. Electronic-	I Charge - Manual Svc Order vs. Electronic-	Incrementa I Charge - Manual Svc Order Vs. Electronic-	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
						_	Nonrec	ırrina	NRC Disc	onnect			oss	Rates (\$)	Dicc 1ct	
					+	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
	Unbundled Remote Call Forwarding Service Expanded & Exception Local															
	Calling			UEPVB	UERVJ	1.41	2.39	2.29	1.42	1.33		15.75				
Non-F	Recurring															
	Unbundled Remote Call Forwarding Service-Conversion-Switch-as-is			UEPVB	USAC2		0.0988	0.0988				15.75				
	Unbundled Remote Call Forwarding Service -Conversion with allowed															
	change (PIC & LPIC)			UEPVB	USACC		0.0988	0.0988								
	D LOCAL SWITCHING, PORT USAGE Office Switching (Port Usage)				+											
Ena C	End Office Switching Function, Per MOU				+	0.0010269										
	End Office Trunk Port-Shared, Per MOU				+	0.0010209										
Tande	em Switching (Port Usage) (Local or Access Tandem)	<b>1</b>			1	0.000101	<del> </del>		t		1					
Tunuc	Tandem Switching Function Per MOU	1			1	0.0001723	1									
	Tandem Trunk Port-Shared, Per MOU	1			1	0.0001828										
Comn	non Transport	L														
	Common Transport-Per mi, Per MOU			<u>-</u>		0.0000026										
	Common Transport-Facilities Term Per MOU					0.0004541										
	D PORT/LOOP COMBINATIONS - COST BASED RATES															
	Based Rates are applied where BellSouth is required by FCC and/or Comn															
	res shall apply to the Unbundled Port/Loop Combination - Cost Based Rate															
End C	Office & Tandem Switching Usage & Common Transport Usage rates in the	Port s	ection	of this Exhibit shall	apply to all	combinations of	of loop/port ne	twork elem	ents except	for UNE (	oin Port/L	oop Comb	inations.			
	rst & add'l Port NRC charges apply to Not Currently Combined Combos. For EVOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)	or Curi	rently	Combined Combos t	ne NRC cha	rges shall be tr	nose identified	I in the NRC	- Currently	Combine	sections					
	Port/Loop Combination Rates		1		+				-							
UNE	2W VG Loop/Port Combo-Zone 1		1			12.22										
	2W VG Loop/Port Combo-Zone 2		2			17.13										
	2W VG Loop/Port Combo-Zone 3		3		+	26.26			-							
	2W VG Loop/Port Combo-Zone 4		4			44.91										
UNE I	Loop Rates															
	2W VG Loop (SL1)-Zone 1		1	UEPRX	UEPLX	10.98										
	2W VG Loop (SL1)-Zone 2		2	UEPRX	UEPLX	15.91										
	2W VG Loop (SL1)-Zone 3		3	UEPRX	UEPLX	25.04										
	2W VG Loop (SL1)-Zone 4		4	UEPRX	UEPLX	43.68										
2-Wire	e Voice Grade Line Port Rates (Res)															
	2W voice unbundled port-Res		1	UEPRX	UEPRL	1.23	40.31	19.84	24.90	6.58		15.75				
	2W voice unbundled port with Caller ID-res			UEPRX UEPRX	UEPRC UEPRO	1.23 1.23	40.31 40.31	19.84	24.90 24.90	6.58 6.58		15.75 15.75				
	2W voice unbundled port outgoing only-res 2W VG unbundled MS extended local dialing parity port w Caller ID-res	<del>                                     </del>	<del>                                     </del>	UEPRX	UEPRO	1.23	40.31 40.31	19.84 19.84	24.90	6.58		15.75 15.75				
+	2W voice unbundles res, low usage line port with Caller ID (LUM)	<del>                                     </del>	+	UEPRX	UEPAP	1.23	40.31	19.84	24.90	6.58		15.75				
						1.23	70.01		24.90	6.58		15.75				
	2W Voice Unbundled MS Res Dialing Plan w/o Caller ID					1.23	40.31	19.84			1		1			
	2W Voice Unbundled MS Res Dialing Plan w/o Caller ID  2W voice unbundled Low Usage Line Port w/o Caller ID Capability			UEPRX UEPRX	UEPWJ	1.23 1.23	40.31 40.31	19.84 19.84	24.90	6.58		15.75				
FEAT	2W voice unbundled Low Usage Line Port w/o Caller ID Capability			UEPRX	UEPWJ											
FEAT	2W voice unbundled Low Usage Line Port w/o Caller ID Capability			UEPRX	UEPWJ											
	2W voice unbundled Low Usage Line Port w/o Caller ID Capability URES All Features Offered L NUMBER PORTABILITY			UEPRX UEPRX UEPRX	UEPWJ UEPRT UEPVF	2.56	40.31	19.84				15.75				
LOCA	2W voice unbundled Low Usage Line Port w/o Caller ID Capability URES  All Features Offered L NUMBER PORTABILITY Local No Portability (1 per port)			UEPRX UEPRX	UEPWJ	1.23	40.31	19.84				15.75				
LOCA	2W voice unbundled Low Usage Line Port w/o Caller ID Capability URES  All Features Offered L NUMBER PORTABILITY Local No Portability (1 per port) RECURRING CHARGES (NRCs) - CURRENTLY COMBINED			UEPRX UEPRX UEPRX UEPRX	UEPWJ UEPRT UEPVF LNPCX	2.56	0.00	0.00				15.75 15.75				
LOCA	2W voice unbundled Low Usage Line Port w/o Caller ID Capability URES  All Features Offered L NUMBER PORTABILITY Local No Portability (1 per port) ECURRING CHARGES (NRCs) - CURRENTLY COMBINED  2W VG Loop/Line Port Combination-Conversion-Switch-as-is			UEPRX UEPRX UEPRX UEPRX UEPRX	UEPWJ UEPRT UEPVF LNPCX USAC2	2.56	0.00	0.00				15.75 15.75 15.75				
LOCA	2W voice unbundled Low Usage Line Port w/o Caller ID Capability URES  All Features Offered L NUMBER PORTABILITY Local No Portability (1 per port) RECURRING CHARGES (NRCs) - CURRENTLY COMBINED			UEPRX UEPRX UEPRX UEPRX	UEPWJ UEPRT UEPVF LNPCX	2.56	0.00	0.00				15.75 15.75				
LOCA	2W voice unbundled Low Usage Line Port w/o Caller ID Capability URES  All Features Offered L NUMBER PORTABILITY Local No Portability (1 per port) ECURRING CHARGES (NRCs) - CURRENTLY COMBINED 2W VG Loop/Line Port Combination-Conversion-Switch-as-is 2W VG Loop/Line Port Combination -Conversion-Switch with change			UEPRX UEPRX UEPRX UEPRX UEPRX	UEPWJ UEPRT UEPVF LNPCX USAC2	2.56	0.00 0.0988 0.0988	0.00 0.0988 0.0988				15.75 15.75 15.75 15.75				
LOCA	2W voice unbundled Low Usage Line Port w/o Caller ID Capability URES  All Features Offered L NUMBER PORTABILITY Local No Portability (1 per port) RECURRING CHARGES (NRCs) - CURRENTLY COMBINED 2W VG Loop/Line Port Combination-Conversion-Switch-as-is 2W VG Loop/Line Port Combination -Conversion-Switch with change 2W VG Loop/Line Port Combination -Conversion-Subsqnt Database Update			UEPRX UEPRX UEPRX UEPRX UEPRX	UEPWJ UEPRT UEPVF LNPCX USAC2	2.56	0.00	0.00				15.75 15.75 15.75				
LOCA	2W voice unbundled Low Usage Line Port w/o Caller ID Capability URES			UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPWJ UEPRT UEPVF LNPCX USAC2 USAC2	1.23 2.56 0.35	0.000 0.0988 0.0988 0.000	0.00 0.0988 0.0988 0.000				15.75 15.75 15.75 15.75 15.75				
NONE	2W voice unbundled Low Usage Line Port w/o Caller ID Capability URES			UEPRX UEPRX UEPRX UEPRX UEPRX	UEPWJ UEPRT UEPVF LNPCX USAC2	2.56	0.00 0.0988 0.0988	0.00 0.0988 0.0988				15.75 15.75 15.75 15.75				
LOCA NONE ADDIT	2W voice unbundled Low Usage Line Port w/o Caller ID Capability URES  All Features Offered L. NUMBER PORTABILITY Local No Portability (1 per port) ECURRING CHARGES (NRCs) - CURRENTLY COMBINED 2W VG Loop/Line Port Combination-Conversion-Switch-as-is 2W VG Loop/Line Port Combination -Conversion-Switch with change 2W VG Loop/Line Port Combination -Conversion-Subsqnt Database Update TIONAL NRCs 2W VG Loop/Line Port Combination-Subsqnt Activity E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)			UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPWJ UEPRT UEPVF LNPCX USAC2 USAC2	1.23 2.56 0.35	0.000 0.0988 0.0988 0.000	0.00 0.0988 0.0988 0.000				15.75 15.75 15.75 15.75 15.75				
LOCA NONF	2W voice unbundled Low Usage Line Port w/o Caller ID Capability URES  All Features Offered L. NUMBER PORTABILITY Local No Portability (1 per port) ECURRING CHARGES (NRCs) - CURRENTLY COMBINED 2W VG Loop/Line Port Combination-Conversion-Switch-as-is 2W VG Loop/Line Port Combination - Conversion-Switch with change 2W VG Loop/Line Port Combination - Conversion-Subsect Database Update IONAL NRCs 2W VG Loop/Line Port Combination-Subsqnt Activity EVOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS) Port/Loop Combination Rates		1	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPWJ UEPRT UEPVF LNPCX USAC2 USAC2	1.23 2.56 0.35	0.000 0.0988 0.0988 0.000	0.00 0.0988 0.0988 0.000				15.75 15.75 15.75 15.75 15.75				
LOCA NONF	2W voice unbundled Low Usage Line Port w/o Caller ID Capability URES		1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPWJ UEPRT UEPVF LNPCX USAC2 USAC2	1.23 2.56 0.35	0.000 0.0988 0.0988 0.000	0.00 0.0988 0.0988 0.000				15.75 15.75 15.75 15.75 15.75				
LOCA NONF	2W voice unbundled Low Usage Line Port w/o Caller ID Capability URES  All Features Offered L. NUMBER PORTABILITY Local No Portability (1 per port) ECURRING CHARGES (NRCs) - CURRENTLY COMBINED 2W VG Loop/Line Port Combination-Conversion-Switch-as-is 2W VG Loop/Line Port Combination - Conversion-Switch with change 2W VG Loop/Line Port Combination - Conversion-Subsect Database Update IONAL NRCs 2W VG Loop/Line Port Combination-Subsqnt Activity EVOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS) Port/Loop Combination Rates			UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPWJ UEPRT UEPVF LNPCX USAC2 USAC2	1.23 2.56 0.35 0.00	0.000 0.0988 0.0988 0.000	0.00 0.0988 0.0988 0.000				15.75 15.75 15.75 15.75 15.75				

NRUNDL	ED NETWORK ELEMENTS - Mississippi											,		nent: 2		ibit: B
ATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	usoc		R.	ATES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitte d Manually per LSR	Charge - Manual Svc Order vs. Electronic-	Svc Order vs. Electronic-	I Charge - Manual Svc Order vs.	Charge - Manual Sv Order vs. Electronic
						1	Nonrec	urring	NRC Disc	onnect		I .	oss	Rates (\$)	Dicc 1ct	1
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
UNF I	Loop Rates						11100	лии	11100	Auu	COMILO	COMPAR	COMPAR	COMPAR	COMPAR	COMPAR
O.V.E.	2W VG Loop (SL1)-Zone 1		1	UEPBX	UEPLX	10.98										
	2W VG Loop (SL1)-Zone 2		2	UEPBX	UEPLX	15.91										
	2W VG Loop (SL1)-Zone 3		3	UEPBX	UEPLX	25.04										
	2W VG Loop (SL1)-Zone 4		4	UEPBX	UEPLX	43.68										
2-Wire	e Voice Grade Line Port (Bus)					.,,,,,,										
	2W voice unbundled port w/o Caller ID-bus			UEPBX	UEPBL	1.23	40.31	19.84	24.90	6.58		15.75				
	2W voice unbundled port with Caller + E484 ID-bus			UEPBX	UEPBC	1.23	40.31	19.84	24.90	6.58		15.75				
	2W voice unbundled port outgoing only-bus			UEPBX	UEPBO	1.23	40.31	19.84	24.90	6.58		15.75				
	2W VG unbundled MS extended local dialing parity port w Caller ID-bus			UEPBX	UEPAY	1.23	40.31	19.84	24.90	6.58		15.75				
	2W voice unbundled incoming only port with Caller ID-Bus			UEPBX	UPEB1	1.23	40.31	19.84	24.90	6.58		15.75	İ			
	2W Voice Unbundled MS bus Dialing Plan w/o Caller ID			UEPBX	UEPWK	1.23	40.31	19.84	24.90	6.58		15.75				
	2W voice unbundled Incoming Only Port w/o Caller ID Capability			UEPBX	UEPBE	1.23	40.31	19.84	24.90	6.58		15.75				
LOCA	L NUMBER PORTABILITY			02. 5%	02. 32	1.20	10.01		2	0.00		10.70				
	Local No Portability (1 per port)			UEPBX	LNPCX	0.35			1				1			
FEAT						0.00										
1 =/ 1.1	All Features Offered			UEPBX	UEPVF	2.56	0.00	0.00				15.75				1
NONE	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED						0.00									
	2W VG Loop/Line Port Combination-Conversion-Switch-as-is			UEPBX	USAC2		0.0988	0.0988				15.75				
	2W VG Loop/Line Port Combination -Conversion-Switch with change			UEPBX	USACC		0.0988	0.0988				15.75				
	211 10 2009/2110 1 of Combination Control of Main Main Change			02. 5%	00/100		0.0000	0.0000				10.70				
	2W VG Loop/Line Port Combination -Conversion-Subsgnt Database Update						0.00	0.00				15.75				
ADDI	TIONAL NRCs						0.00									
	2W VG Loop/Line Port Combination-Subsqnt Activity			UEPBX	USAS2		0.00	0.00				15.75				
2-WIR	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)															
UNE I	Port/Loop Combination Rates															
	2W VG Loop/Port Combo-Zone 1		1			12.22										
	2W VG Loop/Port Combo-Zone 2		2			17.13										
	2W VG Loop/Port Combo-Zone 3		3			26.26										
	2W VG Loop/Port Combo-Zone 4		4			44.91										
UNE I	Loop Rates															
	2W VG Loop (SL 1)-Zone 1		1	UEPRG	UEPLX	10.98										
	2W VG Loop (SL 1)-Zone 2		2	UEPRG	UEPLX	15.91										
	2W VG Loop (SL 1)-Zone 3		3	UEPRG	UEPLX	25.04										
	2W VG Loop (SL 1)-Zone 4		4	UEPRG	UEPLX	43.68										
2-Wire	e Voice Grade Line Port Rates (RES - PBX)															
	2W VG Unbundled Combination 2-Way PBX Trunk Port-Res			UEPRG	UEPRD	1.23	69.37	32.48	37.86	6.17		15.75				
LOCA	L NUMBER PORTABILITY															
	Local No Portability (1 per port)			UEPRG	LNPCP	3.15	0.00	0.00				15.75				
FEAT																
	All Features Offered			UEPRG	UEPVF	2.56	0.00	0.00	ļ			15.75				
NONE	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED								ļ							
	2W VG Loop/ Line Port Combination (PBX)-Conversion-Switch-As-Is			UEPRG	USAC2		7.96	1.91				15.75				
	2W VG Loop/ Line Port Combination (PBX)-Conversion-Switch w Change			UEPRG	USACC		7.96	1.91				15.75				
		1										1	1			
	2W VG Loop/Line Port Combination -Conversion-Subsqnt Database Update						0.00	0.00	1			15.75	ļ			ļ
ADDI	TIONAL NRCs								1							
	2W VG Loop/ Line Port Combination (PBX)-Subsqnt Activity		<u> </u>	UEPRG	USAS2	0.00	0.00	0.00	<b>_</b>			15.75				
	PBX Subsqnt Activity-Change/Rearrange Multiline Hunt Group	<u> </u>	<u> </u>				7.36	7.36	1			15.75	ļ			<del>                                     </del>
	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)	<u> </u>	<u> </u>						1			<u> </u>	ļ			<u> </u>
UNE	Port/Loop Combination Rates	<u> </u>	L.			10.55			<b>+</b>			<u> </u>	ļ			<u> </u>
	2W VG Loop/Port Combo-Zone 1		1		-	12.22			1							ļ
	2W VG Loop/Port Combo-Zone 2		3		-	17.13 26.26			1							ļ
-+-										1				ī	1	1
	2W VG Loop/Port Combo-Zone 3										-	1				
,,,,,,,	ZW VG Loop/Port Combo-Zone 3   ZW VG Loop/Port Combo-Zone 4   Oop Rates		4			44.91										

Version 4Q02: 01/21/03 Page 265 of 402

UNBL	JNDL	ED NETWORK ELEMENTS - Mississippi												Attachi	nent: 2	Exhi	ibit: B
CATEG	ORY	RATE ELEMENTS	Interi m	i Zon e	BCS	usoc		R.	ATES (\$)			d Elec	d	Charge - Manual Svc Order vs. Electronic-	I Charge - Manual Svc Order vs.	I Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
							_	Nonrec	urrina	NRC Disc	onnect			oss	Rates (\$)	1 1000 101	
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2W VG Loop (SL 1)-Zone 2		2	UEPPX	UEPLX	15.91										
		2W VG Loop (SL 1)-Zone 3		3	UEPPX	UEPLX	25.04										
		2W VG Loop (SL 1)-Zone 4		4	UEPPX	UEPLX	43.68										
	2-Wire	Voice Grade Line Port Rates (BUS - PBX)															
		Line Side Unbundled Combination 2-Way PBX Trunk Port-Bus			UEPPX	UEPPC	1.23	69.37	32.48	37.86	6.17		15.75				
		Line Side Unbundled Outward PBX Trunk Port-Bus			UEPPX	UEPPO	1.23	69.37	32.48	37.86	6.17		15.75				
		Line Side Unbundled Incoming PBX Trunk Port-Bus			UEPPX	UEPP1	1.23	69.37	32.48	37.86	6.17		15.75				
		2W Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	1.23	69.37	32.48	37.86	6.17		15.75				
		2W Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	1.23	69.37	32.48	37.86	6.17		15.75				
		2W Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	1.23	69.37	32.48	37.86	6.17		15.75				
		2W Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	1.23	69.37	32.48	37.86	6.17		15.75				
		2W Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	1.23	69.37	32.48	37.86	6.17		15.75				
		2W Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPPX	UEPXE	1.23	69.37	32.48	37.86	6.17		15.75				
		2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPPX	UEPXL	1.23	69.37	32.48	37.86	6.17		15.75				
		2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPPX	UEPXM	1.23	69.37	32.48	37.86	6.17		15.75				
		2W Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port			UEPPX	UEPXO	1.23	69.37	32.48	37.86	6.17		15.75				
		2W Voice Unbundled 2-Way PBX MS Local Economy Calling Port			UEPPX	UEPXQ	1.23	69.37	32.48	37.86	6.17		15.75				
		2W Voice Unbundled 2-Way PBX MS Local Optional Calling Port			UEPPX	UEPXR	1.23	69.37	32.48	37.86	6.17		15.75				1
		2W Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	1.23	69.37	32.48	37.86	6.17		15.75				
		MS PBX 2-Way Combo Local Opt 2 Calling Port			UEPPX	UEPA5	1.23	69.37	32.48	37.86	6.17		15.75				1

ONRONDE	ED NETWORK ELEMENTS - Mississippi		, ,		1	1							Attachr			ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	usoc			ATES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitte d Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	I Charge - Manual Svc Order vs. Electronic-	I Charge - Manual Svc Order vs.	Electronic-
						Rec	Nonrec		NRC Disc					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
LOCA	L NUMBER PORTABILITY															
	Local No Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00				15.75				
FEAT				HEDDY	1155) (5	0.50	2.22					45.75				
NONE	All Features Offered			UEPPX	UEPVF	2.56	0.00	0.00				15.75				<del></del>
NONE	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED			HEDDY	110400		7.00	4.04				45.75				<del></del>
	2W VG Loop/ Line Port Combination (PBX)-Conversion-Switch-As-Is			UEPPX UEPPX	USAC2 USACC		7.96 7.96	1.91				15.75				+
	2W VG Loop/Line Port Combination (PBX)-Conversion-Switch w Change 2W VG Loop/Line Port Combination -Conversion-Subsqnt Database Update			UEPPX	USACC		7.96 0.00	1.91 0.00			-	15.75 15.75				+
ADDIT	TIONAL NRCs						0.00	0.00				15.75				+
ADDII	2W VG Loop/ Line Port Combination (PBX)-Subsent Activity			UEPPX	USAS2	0.00	0.00	0.00				15.75				+
<del>                                     </del>	PBX Subsqnt Activity-Change/Rearrange Multiline Hunt Group	<b> </b>	$\vdash$	UEPPA	U3A32	0.00	7.36	7.36			1	15.75	1			+
2 WID	E VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN PORT						7.30	7.30				15.75				+
	Port/Loop Combination Rates															+
UNE	2W VG Coin Port/Loop Combo – Zone 1		1			12.22										+
<b>-</b>	2W VG Coin Port/Loop Combo – Zone 2		2			17.13										+
<b>-</b>	2W VG Coin Port/Loop Combo – Zone 3		3			26.26										+
<b>-</b>	2W VG Coin Port/Loop Combo – Zone 4		4			44.91										+
LINE	Loop Rates		7			44.51										+
ONL I	2W VG Loop (SL1)-Zone 1		1	UEPCO	UEPLX	10.98										+
+	2W VG Loop (SL1)-Zone 2		2	UEPCO	UEPLX	15.91										+
+	2W VG Loop (SL1)-Zone 3		3	UEPCO	UEPLX	25.04										+
	2W VG Loop (SL1)-Zone 4		4	UEPCO	UEPLX	43.68										†
2-Wire	e Voice Grade Line Ports (COIN)			02.00	02.2/	10.00										+
	2W Coin 2-Way w/o Oper Screening & w/o Blocking (AL, KY, LA, MS)			UEPCO	UEPRF	1.23	40.31	19.84	24.90	6.58		15.75				1
	2W Coin 2-Way w/o Oper Screening & w/o Blocking; with Dialing Parity															1
	(Note 3) (MS)			UEPCO	UEPMC	1.23	40.31	19.84	24.90	6.58		15.75				
	2W Coin 2-Way with Oper Screening & Blocking: 011, 900/976, 1+DDD			UEPCO	UEPRA	1.23	40.31	19.84	24.90	6.58		15.75				
	2W Coin 2-W with Oper Screening & Blocking: 011, 900/976, 1+DDD; with															1
	Dialing Parity (MS)			UEPCO	UEPMA	1.23	40.31	19.84	24.90	6.58		15.75				
	2W Coin 2-Way with Oper Screening & 011 Blocking (AL, LA, MS)			UEPCO	UEPRB	1.23	40.31	19.84	24.90	6.58		15.75				
	2W Coin 2-Way w Oper Screening & 011 Blocking; w Dialing Parity			UEPCO	UEPMB	1.23	40.31	19.84	24.90	6.58		15.75				1
	2W Coin 2-Way with Oper Screening & Blocking: 900/976, 1+DDD, 011+, & Local (AL, KY, LA, MS)			UEPCO	UEPCD	1.23	40.31	19.84	24.90	6.58		15.75				
	2W Coin 2-W Oper Screening: 900 Block: 900/976, 1+DDD, 011+, Local;			0L1 00	5L1 0D	1.23	70.51	10.04	27.00	0.50	1	10.70	1			+
	with Dialing Parity (MS)	l		UEPCO	UEPCJ	1.23	40.31	19.84	24.90	6.58		15.75				
	2W Coin Outward w/o Blocking & w/o Oper Screening (KY, LA, MS)		H	UEPCO	UEPRN	1.23	40.31	19.84	24.90	6.58	1	15.75				1
	2W Coin Outward w/o Blocking & w/o Oper Screening; W Dialing Parity			UEPCO	UEPME	1.23	40.31	19.84	24.90	6.58		15.75				1
	2W Coin Outward with Oper Screening & 011 Blocking (GA, KY, MS)			UEPCO	UEPRJ	1.23	40.31	19.84	24.90	6.58		15.75				1
	2W Coin Outward w Oper Screening & 011 Blocking; w Dialing Parity			UEPCO	UEPMD	1.23	40.31	19.84	24.90	6.58		15.75				1
	2W Coin Outward w Oper Screening & Blocking: 011, 900/976, 1+DDD			UEPCO	UEPRH	1.23	40.31	19.84	24.90	6.58		15.75			İ	1
	2W Coin Outward Oper Screening & Blocking: 900/976, 1+DDD, 011+, &									. , ,	Ì					1
	Local (AL, KY, LA, MS)	l		UEPCO	UEPCN	1.23	40.31	19.84	24.90	6.58		15.75				
	2W Coin Out Oper Screen & Block: 900/976, 1+DDD, 011+, & Local; with															1
	Dialing Parity (MS)	1		UEPCO	UEPCS	1.23	40.31	19.84	24.90	6.58	1	15.75				
	2W 2-Way Smartline with 900/976 (all states except LA)			UEPCO	UEPCK	1.23	40.31	19.84	24.90	6.58		15.75				
	2W Coin Outward Smartline with 900/976 (all states except LA)			UEPCO	UEPCR	1.23	40.31	19.84	24.90	6.58		15.75				
ADDIT	TIONAL UNE COIN PORT/LOOP (RC)															
	UNE Coin Port/Loop Combo Usage (Flat Rate)			UEPCO	URECU	4.62	0.00	0.00	0.00	0.00						
LOCA	L NUMBER PORTABILITY															
	Local No Portability (1 per port)			UEPCO	LNPCX	0.35										
NONR	ECURRING CHARGES - CURRENTLY COMBINED															
	2W VG Loop/Line Port Combination -Conversion-Switch-as-is			UEPCO	USAC2		0.0988	0.0988				15.75				
	2W VG Loop/Line Port Combination -Conversion-Switch with change			UEPCO	USACC		0.0988	0.0988				15.75				

NRONDF	ED NETWORK ELEMENTS - Mississippi		, ,			1							Attachn			bit: B
ATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	usoc		R.	ATES (\$)			Svc Order Submitte d Elec per I SR	Svc Order Submitte d Manually	Incremental Charge - Manual Svc Order vs. Electronic-	Incrementa I Charge - Manual Svc Order vs.	Incrementa I Charge - Manual Svc Order vs.	Incrementa Charge - Manual Sv Order vs. Electronic
											per Lor	per LSR		Electronic-	Electronic-	Disc Add'
						_	Nonrec	urring	NRC Disc	onnect		L	oss	Rates (\$)	Dicc 1ct	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
ADDIT	IONAL NRCs															
	2W VG Loop/Line Port Combination-Subsqnt Activity			UEPCO	USAS2		0.00	0.00				15.75				
	E VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE LINE POR	T (RES	5)													
UNE P	ort/Loop Combination Rates		L .			45.40										
	2W VG Loop/IO Tranport/Port Combo-Zone 1		1 2		+	15.16 20.02										
	2W VG Loop/IO Tranport/Port Combo-Zone 2 2W VG Loop/IO Tranport/Port Combo-Zone 3		3		_	20.02			-							
	2W VG Loop/IO Tranport/Port Combo-Zone 4		4		-	46.99										
UNF I	oop Rates		7			40.33			-							
	2W VG Loop (SL2)-Zone 1		1	UEPFR	UECF2	13.89										
	2W VG Loop (SL2)-Zone 2		2	UEPFR	UECF2	18.75										
	2W VG Loop (SL2)-Zone 3		3	UEPFR	UECF2	27.55			İ		Ì					
	2W VG Loop (SL2)-Zone 4		4	UEPFR	UECF2	45.72										
2-Wire	Voice Grade Line Port Rates (Res)															
	2W voice unbundled port-Res			UEPFR	UEPRL	1.27	108.35	70.57	54.24	11.70		15.75				
	2W voice unbundled port with Caller ID-res			UEPFR	UEPRC	1.27	108.35	70.57	54.24	11.70		15.75				
	2W voice unbundled port outgoing only-res			UEPFR	UEPRO	1.27	108.35	70.57	54.24	11.70		15.75				
	2W VG unbundled MS extended local dialing parity port w Caller ID-res			UEPFR	UEPAT	1.27	108.35	70.57	54.24	11.70		15.75				
	2W voice unbundles res, low usage line port with Caller ID (LUM) 2W Voice Unbundled MS Res Dialing Plan w/o Caller ID			UEPFR UEPFR	UEPAP UEPWJ	1.27 1.27	108.35 108.35	70.57 70.57	54.24 54.24	11.70 11.70		15.75 15.75				
INITED	OFFICE TRANSPORT			UEPFR	UEPWJ	1.27	108.33	70.57	54.24	11.70		15.75				
INTER	Interoffice Transport-Dedicated-2W VG-Facility Term			UEPFR	U1TV2	20.32	40.77	27.57	17.26	7.11						
	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi			UEPFR	1L5XX	0.0088	40.77	21.51	17.20	7.11						
FEATU				OLITIK	TEOTOX	0.0000										
	All Features Offered			UEPFR	UEPVF	2.56	0.00	0.00				15.75				
LOCA	NUMBER PORTABILITY			*				9.00								
	Local No Portability (1 per port)			UEPFR	LNPCX	0.35										
NONR	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-															
	Switch-as-is			UEPFR	USAC2		16.94	3.72				15.75				
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-															
0.1400	Switch-With-Change	T (D116	Ļ	UEPFR	USACC		16.94	3.72				15.75				
	E VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE LINE POR	I (BUS	5)		+											
UNE	ort/Loop Combination Rates 2W VG Loop/IO Tranport/Port Combo-Zone 1		1			15.16										
	2W VG Loop/IO Tranport/Port Combo-Zone 2		2			20.02										
	2W VG Loop/IO Tranport/Port Combo-Zone 3		3			28.82			-							
	2W VG Loop/IO Tranport/Port Combo-Zone 4		4		1	46.99										
UNE L	oop Rates															
	2W VG Loop (SL2)-Zone 1		1	UEPFB	UECF2	13.89										
	2W VG Loop (SL2)-Zone 2		2	UEPFB	UECF2	18.75										
	2W VG Loop (SL2)-Zone 3		3	UEPFB	UECF2	27.55										
	2W VG Loop (SL2)-Zone 4		4	UEPFB	UECF2	45.72							ļ			
2-Wire	Voice Grade Line Port (Bus)			HEDED	LIEDD!		400.0-	70	F10:	44 ===		45				
	2W voice unbundled port w/o Caller ID-bus		$\vdash \vdash$	UEPFB	UEPBL	1.27	108.35	70.57	54.24 54.24	11.70	}	15.75				
-	2W voice unbundled port with Caller + E484 ID-bus 2W voice unbundled port outgoing only-bus			UEPFB UEPFB	UEPBC UEPBO	1.27 1.27	108.35 108.35	70.57 70.57	54.24 54.24	11.70 11.70	1	15.75 15.75				
	2W VG unbundled MS extended local dialing parity port w Caller ID-bus		$\vdash$	UEPFB	UEPAY	1.27	108.35	70.57	54.24	11.70		15.75				1
	2W voice unbundled incoming only port with Caller ID-Bus		$\vdash$	UEPFB	UEPB1	1.27	108.35	70.57	54.24	11.70	1	15.75				
-	2W Voice Unbundled MS bus Dialing Plan w/o Caller ID			UEPFB	UEPWK	1.27	108.35	70.57	54.24	11.70		15.75				
LOCA	L NUMBER PORTABILITY			CLIID	OLI WIK	1.21	100.55	10.31	57.24	.1.70	1	10.70				1
	Local No Portability (1 per port)			UEPFB	LNPCX	0.35										
INTER	OFFICE TRANSPORT															
	Interoffice Transport-Dedicated-2W VG-Facility Term			UEPFB	U1TV2	20.32	40.77	27.57	17.26	7.11						
	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi			UEPFB	1L5XX	0.0088	•									
FEAT																
	All Features Offered			UEPFB	UEPVF	2.56	0.00	0.00				15.75				

UNBUNDL	ED NETWORK ELEMENTS - Mississippi												Attachr	nent: 2	Exh	bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	usoc			ATES (\$)	Lunani		Svc Order Submitte d Elec per LSR	Svc Order Submitte d Manually per LSR		I Charge - Manual Svc Order vs. Electronic-	I Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
-						Rec	Nonrec		NRC Disc		201150			Rates (\$)		
NONE	LECURRING CHARGES (NRCs) - CURRENTLY COMBINED						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
NONK	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-		1								1					
	Switch-as-is			UEPFB	USAC2		16.94	3.72				15.75				
-	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-		1	UEFFB	USACZ		10.94	3.12			1	13.73				
	Switch with change			UEPFB	USACC		16.94	3.72				15.75				
2-W/ID	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)			UEFFB	USACC		10.94	3.12				13.73				
	Port/Loop Combination Rates															
ONL	2W VG Loop/IO Tranport/Port Combo-Zone 1		1			15.16										
	2W VG Loop/IO Tranport/Port Combo-Zone 2		2			20.02										
	2W VG Loop/IO Tranport/Port Combo-Zone 2		3			28.82					1	1				<u> </u>
	2W VG Loop/IO Tranport/Port Combo-Zone 4		4			46.99										
LINE I	Loop Rates		_			40.55										
OIAL I	2W VG Loop (SL2)-Zone 1		1	UEPFP	UECF2	13.89										
	2W VG Loop (SL2)-Zone 2		2	UEPFP	UECF2	18.75										
	2W VG Loop (SL2)-Zone 3		3	UEPFP	UECF2	27.55										
	2W VG Loop (SL2)-Zone 4		4	UEPFP	UECF2	45.72										
2-Wire	e Voice Grade Line Port Rates (BUS - PBX)		<u> </u>	02	020.2	10.1.2										
	Line Side Unbundled Combination 2-Way PBX Trunk Port-Bus			UEPFP	UEPPC	1.27	137.41	80.14	67.20	11.29		15.75				
	Line Side Unbundled Outward PBX Trunk Port-Bus		<b>†</b>	UEPFP	UEPPO	1.27	137.41	80.14	67.20	11.29		15.75				
	Line Side Unbundled Incoming PBX Trunk Port-Bus			UEPFP	UEPP1	1.27	137.41	80.14	67.20	11.29		15.75				
	2W Voice Unbundled PBX LD Terminal Ports			UEPFP	UEPLD	1.27	137.41	80.14	67.20	11.29		15.75				
	2W Voice Unbundled 2-Way Combination PBX Usage Port			UEPFP	UEPXA	1.27	137.41	80.14	67.20	11.29		15.75				
	2W Voice Unbundled PBX Toll Terminal Hotel Ports			UEPFP	UEPXB	1.27	137.41	80.14	67.20	11.29		15.75				
	2W Voice Unbundled PBX LD DDD Terminals Port			UEPFP	UEPXC	1.27	137.41	80.14	67.20	11.29		15.75				
	2W Voice Unbundled PBX LD Terminal Switchboard Port			UEPFP	UEPXD	1.27	137.41	80.14	67.20	11.29		15.75				
	2W Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPFP	UEPXE	1.27	137.41	80.14	67.20	11.29		15.75				
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative			<del></del>												
	Calling Port			UEPFP	UEPXL	1.27	137.41	80.14	67.20	11.29		15.75				
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling															
	Port			UEPFP	UEPXM	1.27	137.41	80.14	67.20	11.29		15.75				
	2W Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room			-								1				
	Calling Port			UEPFP	UEPXO	1.27	137.41	80.14	67.20	11.29		15.75				
	2W Voice Unbundled 2-Way PBX MS Local Economy Calling Port			UEPFP	UEPXQ	1.27	137.41	80.14	67.20	11.29		15.75				
	2W Voice Unbundled 2-Way PBX MS Local Optional Calling Port			UEPFP	UEPXR	1.27	137.41	80.14	67.20	11.29		15.75				
	2W Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPFP	UEPXS	1.27	137.41	80.14	67.20	11.29		15.75				
	MS PBX 2-Way Combo Local Opt 2 Calling Port			UEPFP	UEPA5	1.27	137.41	80.14	67.20	11.29		15.75				
LOCA	L NUMBER PORTABILITY															
	Local No Portability (1 per port)			UEPFP	LNPCP	3.15	0.00	0.00				15.75				
INTER	OFFICE TRANSPORT					, in the second second								,		
	Interoffice Transport-Dedicated-2W VG-Facility Term			UEPFP	U1TV2	20.32	40.77	27.57	17.26	7.11						
	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi			UEPFP	1L5XX	0.0088										
FEAT																
	All Features Offered			UEPFP	UEPVF	2.56	0.00	0.00				15.75				
NONR	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
_	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-		1							1		1	1	]	]	
	Switch-as-is			UEPFP	USAC2		16.94	3.72				15.75				
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-															
	Switch with change			UEPFP	USACC		16.94	3.72				15.75				

ONBONDI	ED NETWORK ELEMENTS - Mississippi													Attachr			ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zon e	В	cs	usoc		R/	ATES (\$)			Svc Order Submitte d Elec	d		I Charge - Manual Svc Order	I Charge - Manual Svc Order	Charge - Manual Sv Order vs.
												per LSR	Manually per LSR	Electronic- 1st	vs. Electronic-	vs. Electronic-	Electronic Disc Add'
							_	Nonrec	urrina	NRC Disc	onnect		l .	oss	Rates (\$)	Dicc 1ct	
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
UNBUNDLE	D PORT/LOOP COMBINATIONS - COST BASED RATES																1
2-WIF	E VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK PORT																
UNE	Port/Loop Combination Rates																
	2W VG Loop/2W DID Trunk Port Combo-UNE Zone 1		1				21.32										
	2W VG Loop/2W DID Trunk Port Combo-UNE Zone 2		2				26.16										
	2W VG Loop/2W DID Trunk Port Combo-UNE Zone 3		3				34.98										<b>↓</b>
	2W VG Loop/2W DID Trunk Port Combo-UNE Zone 4		4				53.15										
UNE	Loop Rates																
	2W Analog VG Loop-(SL2)-UNE Zone 1		1	UEI		UECD1	13.89										<b>_</b>
$\longrightarrow \longmapsto$	2W Analog VG Loop-(SL2)-UNE Zone 2		2	UEI		UECD1	18.75					ļ					4
$\longrightarrow$	2W Analog VG Loop-(SL2)-UNE Zone 3		3	UEI		UECD1	27.55					ļ	1	<b> </b>			<del>                                     </del>
	2W Analog VG Loop-(SL2)-UNE Zone 4		4	UEI	PPX	UECD1	45.72					<u> </u>	-	<b> </b>			+
UNE	Port Rate Exchange Ports-2W DID Port			UE	PPX	UEPD1	7.43	225.96	87.13	114.59	14.25		15.75			1.97	+
NON	RECURRING CHARGES - CURRENTLY COMBINED			UEI	FFA	UEPDI	7.43	225.90	07.13	114.39	14.23		13.73			1.97	+
INOINI	2W VG Loop/2W DID Trunk Port Combination -Switch-as-is		1	UEI	DDY	USAC1		7.35	1.88				15.75			1.97	+
	2W VG Loop/2W DID Trunk Port Conversion with BST Allowable Changes			UE		USA1C		7.35	1.88				15.75			1.97	
ADDI	FIONAL NRCs			ULI	FFA	USATO		7.55	1.00				13.73			1.57	+
ADDI	2W DID Subsgnt Activity-Add Trunks, Per Trunk			UEI	PPX	USAS1		26.94	26.94				15.75			1.97	+
Teler	hone Number/Trunk Group Establisment Charges			OL.	17	00/101		20.04	20.04				10.70			1.07	†
10.00	DID Trunk Term (One Per Port)			UEI	PPX	NDT	0.00	0.00	0.00				15.75			1.97	†
	Add'l DID Nos for each Group of 20 DID Nos			UEI		ND4	0.00	0.00	0.00				15.75			1.97	
	DID Nos, Non-consecutive DID Nos , Per No			UEI		ND5	0.00	0.00	0.00				15.75			1.97	
	Reserve Non-Consecutive DID Nos			UEI		ND6	0.00	0.00	0.00				15.75			1.97	
	Reserve DID Nos			UEI	PPX	NDV	0.00	0.00	0.00				15.75			1.97	1
LOC/	L NUMBER PORTABILITY																
	Local No Portability (1 per port)			UEF	PPX	LNPCP	3.15	0.00	0.00								
2-WIF	E ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LINE SIDE POP	₹T															
UNE	Port/Loop Combination Rates																
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -UNE Zone 1				UEPPR		28.59										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -UNE Zone 2		2	UEPPB	UEPPR		35.00										↓
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -UNE Zone 3		3	UEPPB	UEPPR		45.18										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -UNE Zone 4		4				67.61										_
UNE	Loop Rates		<u> </u>	LIEDDD	LIEBBB	1101.01	40.00						45.75			4.07	4
	2W ISDN Digital Grade Loop-UNE Zone 1		1	UEPPB	UEPPR	USL2X	18.26						15.75			1.97	
	2W ISDN Digital Grade Loop-UNE Zone 2		2	UEPPB	UEPPR	USL2X	24.67						15.75			1.97	
	2W ISDN Digital Grade Loop-UNE Zone 3  2W ISDN Digital Grade Loop-UNE Zone 4		3	UEPPB UEPPB	UEPPR UEPPR	USL2X USL2X	34.85 57.28						15.75 15.75			1.97 1.97	
LINE	Port Rate		4	UEPPB	UEPPR	USLZX	57.28						15.75			1.97	+
ONL	Exchange Port-2W ISDN Line Side Port			UEPPB	UEPPR	UEPPB	10.33	190.80	133.22	100.72	21.13		15.75			1.97	+
NON	RECURRING CHARGES - CURRENTLY COMBINED			OLITB	OLITIK	OLITB	10.55	130.00	100.22	100.72	21.15		13.73			1.57	+
110111	2W ISDN Digital Grade Loop/2W ISDN Line Side Port Combination-																1
	Conversion			UEPPB	UEPPR	USACB	0.00	38.73	27.17				15.75			1.97	
ADDI	TIONAL NRCs			02	021111	00/102	0.00	000					10.70				+
	L NUMBER PORTABILITY																1
	Local No Portability (1 per port)			UEPPB	UEPPR	LNPCX	0.35	0.00	0.00								1
B-CH	ANNEL USER PROFILE ACCESS:																
	CVS/CSD (DMS/5ESS)			UEPPB	UEPPR	U1UCA	0.00	0.00	0.00								
	CVS (EWSD)			UEPPB	UEPPR	U1UCB	0.00	0.00	0.00								
	CSD			UEPPB	UEPPR	U1UCC	0.00	0.00	0.00								
B-CH	ANNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS SC,MS, & TN)							, The state of the					ļ				
	CVS/CSD (DMS/5ESS)			UEPPB	UEPPR	U1UCD	0.00	0.00	0.00			ļ					<u> </u>
	CVS (EWSD)		<u> </u>	UEPPB	UEPPR	U1UCE	0.00	0.00	0.00			ļ					1
	CSD		1	UEPPB	UEPPR	U1UCF	0.00	0.00	0.00	1	Ī	1	1	1		l	1
			1	02		0.00.	0.00	0.00	0.00								_
USER	TERMINAL PROFILE  User Terminal Profile (EWSD only)			UEPPB	UEPPR	U1UMA	0.00	0.00	0.00								-

UNBUNDL	ED NETWORK ELEMENTS - Mississippi												Attachn	nent: 2	Exhi	ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	USOC		R.A	ATES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitte d Manually per LSR	Charge - Manual Svc Order vs. Electronic-	I Charge - Manual Svc Order vs.	Incrementa I Charge - Manual Svc Order vs. Electronic-	Charge - Manual Sv Order vs. Electronic
						Rec	Nonrec		NRC Disc				OSS	Rates (\$)		
	All Vertical Features-One per Channel B User Profile		-	UEPPB UEPPR	UEPVF	2.56	<b>First</b> 0.00	Add'I 0.00	First	Add'l	SOMEC	<b>SOMAN</b> 15.75	SOMAN	SOMAN	<b>SOMAN</b> 1.97	
INTER	ROFFICE CHANNEL MILEAGE			UEPPB UEPPR	UEPVF	2.50	0.00	0.00				15.75			1.97	
	Interoffice Channel miage each, including first mi & facilities Term			UEPPB UEPPR	M1GNC	22.5298	40.77	27.57	17.26	7.11		15.75			1.97	
	Interoffice Channel miage each, Add'l mi			UEPPB UEPPR	M1GNM	0.0098	0.00	0.00							-	
	RE DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK PORT															
UNE F	Port/Loop Combination Rates															
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port -UNE Zone 1		1	UEPPP		155.43										1
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port -UNE Zone 2 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port -UNE Zone 3		3	UEPPP UEPPP		205.74 283.10										-
<del></del>	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port -UNE Zone 4		4	UEPPP		534.81										1
UNF	Loop Rates	<u> </u>	+-	OLITI		334.01										
O.V.	4W DS1 Digital Loop-UNE Zone 1	<u> </u>	1	UEPPP	USL4P	79.08						15.75			1.97	1
	4W DS1 Digital Loop-UNE Zone 2	1	2	UEPPP	USL4P	129.38						15.75			1.97	1
	4W DS1 Digital Loop-UNE Zone 3		3	UEPPP	USL4P	206.74						15.75			1.97	
	4W DS1 Digital Loop-UNE Zone 4		4	UEPPP	USL4P	458.46						15.75			1.97	
UNE I	Port Rate															
	Exchange Ports-4W ISDN DS1 Port			UEPPP	UEPPP	76.35	458.93	260.59	127.75	32.76		15.75			1.97	
NONE	RECURRING CHARGES - CURRENTLY COMBINED															
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port Combination-			LIEDDD	110 4 0 D	0.00	440.70	70.04				45.75			4.07	
ADDI	Conversion -Switch-as-is TIONAL NRCs			UEPPP	USACP	0.00	119.76	79.01			-	15.75			1.97	-
ADDI	HONAL NRCS		1													+
	4W DS1 Loop/4-W ISDN Digtl Trk Port-Subsqt Actvy-Inward/2way Tel Nos			UEPPP	PR7TF		0.49					15.75			1.97	
	4W DS1 Loop/4W ISDN DS1 Digital Trunk Port-Outward Tel Nos		1	UEPPP	PR7TO		11.58	11.58				15.75			1.97	
	4W DS1 Loop/4W ISDN DS1 Digital Trk Port -Subsqnt Inward Tel Nos			UEPPP	PR7ZT		23.15	23.15				15.75			1.97	1
LOCA	AL NUMBER PORTABILITY															
	Local No Portability (1 per port)			UEPPP	LNPCN	1.75										
INTEF	RFACE (Provsioning Only)															
	Voice/Data			UEPPP	PR71V	0.00	0.00	0.00								
	Digital Data			UEPPP	PR71D	0.00	0.00	0.00								
	Inward Data			UEPPP	PR71E	0.00	0.00	0.00								
New c	or Additional "B" Channel New or Add'I-Voice/Data B Channel			UEPPP	PR7BV	0.00	14.61					15.75			1.97	
_	New or Add'l-Digital Data B Channel			UEPPP	PR7BF	0.00	14.61					15.75			1.97	
_	New or Add'l Inward Data B Channel			UEPPP	PR7BD	0.00	14.61					15.75			1.97	
CALL	TYPES			OLITI	TIGE	0.00	14.01					10.70			1.07	
07.22	Inward			UEPPP	PR7C1	0.00	0.00	0.00								
	Outward			UEPPP	PR7C0	0.00	0.00	0.00								
	Two-way			UEPPP	PR7CC	0.00	0.00	0.00								
Interc	office Channel Mileage															
	Fixed Each Including First mi	<u> </u>		UEPPP	1LN1A	57.53	89.79	82.28	16.66	14.90		15.75			1.97	1
	Each Airline-Fractional Add'l mi	ļ	<u> </u>	UEPPP	1LN1B	0.20										1
	RE DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT Port/Loop Combination Rates	<b>!</b>	1			<del>                                     </del>					1	1				1
UNE	4W DS1 Digital Loop/4W DDITS Trunk Port -UNE Zone 1	<del>                                     </del>	1	UEPDC		131.78					1	15.75			1.97	1
-	4W DS1 Digital Loop/4W DDITS Trunk Port -UNE Zone 1 4W DS1 Digital Loop/4W DDITS Trunk Port -UNE Zone 2	l	2	UEPDC		182.07					1	15.75			1.97	+
	4W DS1 Digital Loop/4W DDITS Trunk Port -UNE Zone 3	1	3	UEPDC		259.44						15.75			1.97	
	4W DS1 Digital Loop/4W DDITS Trunk Port -UNE Zone 4	1	4	UEPDC		511.15						15.75			1.97	
UNE I	Loop Rates	L														
	4W DS1 Digital Loop-UNE Zone 1		1	UEPDC	USLDC	79.08						15.75			1.97	
	4W DS1 Digital Loop-UNE Zone 2		2	UEPDC	USLDC	129.38						15.75			1.97	
	4W DS1 Digital Loop-UNE Zone 3	<u> </u>	3	UEPDC	USLDC	206.74						15.75			1.97	1
	4W DS1 Digital Loop-UNE Zone 4	ļ	4	UEPDC	USLDC	458.46						15.75			1.97	1
UNE F	Port Rate	<u> </u>	1	LIEBBO	LIDDAT	50.70	457.40	05470	400.00	44.01	1	45.75	-		4.07	
NON	4W DDITS Digital Trunk Port	<b>!</b>	1	UEPDC	UDD1T	52.70	457.12	254.70	120.96	14.61	1	15.75			1.97	1
NONE	RECURRING CHARGES - CURRENTLY COMBINED  4W DS1 Digital Loop/4W DDITS Trunk Port Combination-Switch-as-is		1	UEPDC	USAC4	<del>                                     </del>	130.24	67.41	<del> </del>		-	15.75			1.97	1

UNBUNDL	ED NETWORK ELEMENTS - Mississippi												Attachr	nent: 2	Exhi	bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	USOC			ATES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitte d Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	I Charge - Manual Svc Order vs. Electronic-	Incrementa I Charge - Manual Svc Order vs. Electronic-	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'I
-						Rec	Nonrec First	urring Add'l	NRC Disco	onnect Add'l	COMEC	SOMAN		Rates (\$) SOMAN	SOMAN	SOMAN
	4W DS1 Digital Loop/4W DDITS Trunk Port Combination-Conversion with						FIISt	Add I	FIISt	Add I	SOMEC	SUMAN	SOWAN	SUMAN	SUMAN	SUMAN
	DS1 Changes			UEPDC	USAWA		130.24	67.41				15.75			1.97	
	4W DS1 Digital Loop/4W DDITS Trunk Port Combination-Conversion with															
ADDI	Change-Trunk FIONAL NRCs			UEPDC	USAWB		130.24	67.41				15.75			1.97	
ADDI	4W DS1 Loop/4W DDITS Trunk Port-NRC-Subsqnt Channel Activation/Chan-															-
	2-Way Trunk			UEPDC	UDTTA		14.56	14.56				15.75			1.97	
	4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Channel Activation/Chan-1-			OLI DO	OBTIN		14.00	14.00				10.70			1.07	
	Way Outward Trunk			UEPDC	UDTTB		14.56	14.56				15.75			1.97	
	4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Channel Activation/Chan															
	Inward Trunk w/out DID			UEPDC	UDTTC		14.56	14.56				15.75			1.97	
	4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Chan Activation Per Chan-			UEPDC	UDTTD		14.56	14.56				15.75			1.97	
	Inward Trunk with DID  4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Chan Activation/Chan-2-Way			UEPDC	UDITO		14.56	14.56	1			15.75			1.97	
	DID w User Trans			UEPDC	UDTTE		14.56	14.56				15.75			1.97	
BIPO	AR 8 ZERO SUBSTITUTION			02. 50	02.12			1 1.00				10.10				
	B8ZS -Superframe Format			UEPDC	CCOSF		0.00	600.00				15.75			1.97	
	B8ZS-Extended Superframe Format			UEPDC	CCOEF		0.00	600.00				15.75			1.97	
Alterr	ate Mark Inversion															
	AMI -Superframe Format			UEPDC	MCOSF		0.00	0.00								
T-1	AMI-Extended SuperFrame Format			UEPDC	MCOPO		0.00	0.00								
Telep	hone Number/Trunk Group Establisment Charges Telephone No for 2-Way Trunk Group			UEPDC	UDTGX	0.00						15.75			1.97	
	Telephone No for 1-Way Outward Trunk Group			UEPDC	UDTGY	0.00			1			15.75			1.97	+
	Telephone No for 1-Way Inward Trunk Group w/o DID			UEPDC	UDTGZ	0.00						15.75			1.97	
	DID Nos for each Group of 20 DID Nos			UEPDC	ND4	0.00						15.75			1.97	
	DID Nos, Non-consecutive DID Nos , Per No			UEPDC	ND5	0.00						15.75			1.97	
	Reserve Non-Consecutive DID Nos.			UEPDC	ND6	0.00	0.00	0.00				15.75			1.97	
	Reserve DID Nos			UEPDC	NDV	0.00	0.00	0.00				15.75			1.97	
Dedic	ated DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1 Digital Loo	p with	4-Wir	e DDITS Trunk Port												
	Interoffice Channel miage-Fixed rate 0-8 mis (Facilities Term)			UEPDC	1LNO1	57.33	89.79	82.28	16.86	14.90		15.75			1.97	
	Interoffice Channel miage-Add'l rate per mi-0-8 mis			UEPDC	1LNOA	0.20	0.00	0.00								
	Interoffice Channel miage-Fixed rate 9-25 mis (Facilities Term)			UEPDC	1LNO2	0.00	0.00	0.00								
	Interoffice Channel miage-Add'l rate per mi-9-25 mis			UEPDC	1LNOB	0.20	0.00	0.00								
	Interoffice Channel miage-Fixed rate 25+ mis (Facilities Term)			UEPDC UEPDC	1LNO3	0.00 0.20	0.00	0.00	0.00							
_	Interoffice Channel miage-Add'l rate per mi-25+ mis Local No Portability, per DS0 Activated			UEPDC	1LNOC LNPCP	3.15	0.00	0.00	0.00		-					
	Central Office Termininating Point			UEPDC	CTG	0.00	0.00	0.00	0.00							
4-WIE	E DS1 LOOP WITH CHANNELIZATION WITH PORT			OLI DO	010	0.00										
	m is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Activations															
	System can have up to 24 combinations of rates depending on type and nu	mber	of por	ts used												
	DS1 Loop															
	4W DS1 Loop-UNE Zone 1		1	UEPMG	USLDC	79.08	0.00	0.00								
	4W DS1 Loop-UNE Zone 2		2	UEPMG	USLDC	129.38	0.00	0.00								
	4W DS1 Loop-UNE Zone 3		3	UEPMG	USLDC	206.74	0.00	0.00			1					<u> </u>
	4W DS1 Loop-UNE Zone 4		4	UEPMG	USLDC	458.46	0.00	0.00			1	15.75			1.97	ļ
UNE	DSO Channelization Capacities (D4 Channel Bank Configurations)  24 DSO Channel Capacity-1 per DS1			UEPMG	VUM24	95.06	0.00	0.00				15.75			1.97	
	48 DSO Channel Capacity-1 per DS1 48 DSO Channel Capacity-1 per 2 DS1s			UEPMG	VUM24 VUM48	95.06 190.12	0.00	0.00			}	15.75			1.97	<del>                                     </del>
	96 DSO Channel Capacity -1 per 4 DS1s			UEPMG	VUM96	380.24	0.00	0.00				15.75			1.97	<del>                                     </del>
	144 DS0 Channel Capacity-1 per 6 DS1s			UEPMG	VUM14	570.36	0.00	0.00			1	15.75			1.97	1
	192 DS0 Channel Capacity -1 per 8 DS1s			UEPMG	VUM19	760.48	0.00	0.00				15.75			1.97	<b>†</b>
	240 DS0 Channel Capacity-1 per 10 DS1s			UEPMG	VUM20	950.60	0.00	0.00			Ì	15.75			1.97	
	288 DS0 Channel Capacity-1 per 12 DS1s			UEPMG	VUM28	1,140.72	0.00	0.00				15.75			1.97	
	384 DS0 Channel Capacity-1 per 16 DS1s			UEPMG	VUM38	1,520.96	0.00	0.00				15.75			1.97	
	480 DS0 Channel Capacity-1 per 20 DS1s			UEPMG	VUM40	1,901.20	0.00	0.00				15.75			1.97	
	576 DS0 Channel Capacity -1 per 24 DS1s			UEPMG	VUM57	2,281.44	0.00	0.00				15.75			1.97	

	ED NETWORK ELEMENTS - Mississippi												Attachn	nent: 2	Exhi	bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	usoc		R.A	ATES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitte d Manually per LSR	Charge - Manual Svc Order vs. Electronic-	I Charge - Manual Svc Order vs.	Incrementa I Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svo Order vs. Electronic-
						Rec	Nonrec	urring	NRC Disc	onnect		<u> </u>	OSS	Rates (\$)	Disc 1st	
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	672 DS0 Channel Capacity-1 per 28 DS1s Recurring Charges (NRC) Associated with 4-Wire DS1 Loop with Channelizti	ion wi	th Por	UEPMG	VUM67	2,661.68	0.00	0.00				15.75			1.97	
	imum System configuration is One (1) DS1, One (1) D4 Channel Bank, and U															
	oles of this configuration functioning as one are considered Add'l after the r			stem configuration is												
	NRC-Conversion (Currently Combined) with or w/o BST Allowed Changes		l	UEPMG	USAC4	0.00	151.35	8.41				15.75			1.97	
	m Additions at End User Locations Where 4-Wire DS1 Loop with Channeliza Not Currently Combined) in all states, except in Density Zone 1 of Top 8 MS		with P	ort Combination Curi	rently Exist	s and										
New (r	Not Currently Combined in all states, except in Density Zone 1 of 10p 8 MS  1 DS1/D4 Channel Bank-Add'lly Add NRC for each Port & Assoc Fea  Activation	AS		UEPMG	VUMD4	0.00	715.15	327.39	148.05	17.56		15.75			1.97	
Bipola	ar 8 Zero Substitution			OLI MIC	VOIVID	0.00	7 10.10	021.00	140.00	17.00		10.70			1.01	
	Clear Channel Capability Format, superframe-Subsqnt Activity Only			UEPMG	CCOSF	0.00	0.00	600.00				15.75			1.97	
	Clear Channel Capability Format-Extended Superframe-Subsqnt Activity															
Altaum	Only late Mark Inversion (AMI)			UEPMG	CCOEF	0.00	0.00	600.00				15.75			1.97	
	Superframe Format			UEPMG	MCOSF	0.00	0.00	0.00								
	Extended Superframe Format			UEPMG	MCOPO	0.00	0.00	0.00								
	ange Ports Associated with 4-Wire DS1 Loop with Channelization with Port			<u> </u>		9.00	9,00									
Excha	ange Ports															
	Line Side Combination Channelized PBX Trunk Port-bus			UEPPX	UEPCX	1.23	0.00	0.00	0.00	0.00		15.75			1.97	
	Line Side Outward Channelized PBX Trunk Port-bus			UEPPX	UEPOX	1.23	0.00	0.00	0.00	0.00		15.75			1.97	
<b> </b>	Line Side Inward Only Channelized PBX Trunk Port w/o DID  2W Trunk Side Unbundled Channelized DID Trunk Port			UEPPX UEPPX	UEP1X UEPDM	1.23 7.40	0.00	0.00	0.00	0.00		15.75 15.75			1.97 1.97	
	Unbundled Exchange Ports, 2W Channelized – Outdial – (AL, KY, LA, MS, & TN)(Conversion from Network Access Service)			UEPPX	UEPCY	1.23	0.00	0.00	0.00	0.00		15.75			1.97	
	Unbundled Exchange Ports, 2W Channelized – Combination (AL, KY, LA, MS, & TN) (Conversion from Network Access Service)			UEPPX	UEPCT	1.23	0.00	0.00	0.00	0.00		15.75			1.97	
	Unbundled Exchange Ports, 2W Channelized – Outdial – MS Only – Calling Plan			UEPPX	UEPC4	1.23	0.00	0.00	0.00	0.00		15.75			1.97	
1   '	Unbundled Exchange Ports, 2W Channelized – Two Way-MS Only – Calling Plan			UEPPX	UEPA5	1.23	0.00	0.00	0.00	0.00		15.75			1.97	
Featur	re Activations - Unbundled Loop Concentration															
	Feature (Service) Activation for each Line Port Terminated in D4 Bank			UEPPX	1PQWM	0.61	25.36	13.39		4.26		15.75			1.97	
	Feature (Service) Activation for each Trunk Port Terminated in D4 Bank			UEPPX	1PQWU	0.61	78.03	18.39	60.66	11.85		15.75			1.97	
	hone Number/ Group Establishment Charges for DID Service  DID Trunk Term (1 per Port)			UEPPX	NDT	0.00	0.00	0.00				15.75			1.97	
	DID Nos-groups of 20-Valid all States			UEPPX	ND4	0.00	0.00	0.00	1			15.75			1.97	
	Non-Consecutive DID Nos-per No			UEPPX	ND5	0.00	0.00	0.00				15.75			1.97	
	Reserve Non-Consecutive DID Nos			UEPPX	ND6	0.00	0.00	0.00				15.75			1.97	
	Reserve DID Nos			UEPPX	NDV	0.00	0.00	0.00				15.75			1.97	
	Number Portability			UEPPX	LNPCP	0.45	0.00	0.00								
	Local No Portability-1 per port URES - Vertical and Optional			UEPPX	LNPCP	3.15	0.00	0.00								
	Switching Features Offered with Line Side Ports Only															
	All Features Available			UEPPX	UEPVF	2.56	0.00	0.00				15.75			1.97	
	MS PBX 2-Way Combo Local Opt 2 Calling Port			UEPPX	UEPA5	14.00	90.00	90.00				15.75				
	CENTREX PORT/LOOP COMBINATIONS - COST BASED RATES		L .		<u> </u>				ļ	ļ	ļ					
	st Based Rates are applied where BellSouth is required by FCC and/or Com							abaaa Da		f thin Fuh	la la					
3. End 4. The	tures shall apply to the Unbundled Port/Loop Combination - Cost Based Ra I Office & Tandem Switching Usage & Common Transport Usage rates in th first & add'l Port NRC charges apply to Not Currently Combined Combos.	e Por	t secti urrent	on of this Exhibit sha ly Combined Combos	all apply to	all combination charges shall he	s of loop/port those identi	network ele	ements exce	pt for UNI	Coin Por	t/Loop Cor ns. Add'l N	nbinations. IRCs may an	ply also & a	re categoriza	ed
, ,	dingly.	<b>J</b>		,	. ,				2 34	. ,			, up	, , u		
	rket Rates for Unbundled Centrex Port/Loop Combination will be negotiated	d on a	ın Indi	vidual Case Basis, u	ntil further	notice.										
accord 5. Mar		_			1					l —	l					
5. Mar UNE-P	P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only)															
5. Mar UNE-P 2-Wire	P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only)  B VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
5. Mar UNE-P 2-Wire UNE P	P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only)		1	UEP91		12.22										

NBUNDL	ED NETWORK ELEMENTS - Mississippi													nent: 2		ibit: B
ATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	USOC		R	ATES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitte d Manually per LSR	Charge - Manual Svc Order vs. Electronic-	Incrementa I Charge - Manual Svc Order vs. Electronic-	I Charge - Manual Svc Order vs.	Charge Manual S Order v Electron
-									NDO D			po. 2011		Addil	Dicc 1ct	2.007.44
						Rec	Nonred		NRC Disco					Rates (\$)		
	OM VO Learn OM VO Best (October ABest October Alex Bestima	-	0	UEP91		26.26	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design		3	UEP91 UEP91		26.26 44.91										-
LINE	Port/Loop Combination Rates (Design)		4	UEP91		44.91										-
UNE	2W VG Loop/2W VG Port (Centrex) Port Combo-Design	_	1	UEP91		15.12										
_	2W VG Loop/2W VG Port (Centrex) Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design	_	2	UEP91		19.98										
		_	3	UEP91		28.78										
-	2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex) Port Combo-Design	-	4	UEP91 UEP91		28.78 46.95			<del>                                     </del>				-			├
LINE	Loop Rate	-	4	UEP91		40.95			<del>                                     </del>		1					$\vdash$
ONE L	2W VG Loop (SL 1)-Zone 1	-	1	UEP91	UECS1	10.98			<del>                                     </del>		1					<del>                                     </del>
-	2W VG Loop (SL 1)-Zone 1 2W VG Loop (SL 1)-Zone 2	-	2	UEP91	UECS1	15.91			<del>                                     </del>		1					<del>                                     </del>
_	2W VG Loop (SL 1)-Zone 2 2W VG Loop (SL 1)-Zone 3	_	3	UEP91	UECS1	25.04										<del></del>
_	2W VG Loop (SL 1)-Zone 3 2W VG Loop (SL 1)-Zone 4	_	4	UEP91	UECS1	43.68										<del></del>
	2W VG Loop (SL 1)-Zone 4 2W VG Loop (SL 2)-Zone 1	_	1	UEP91	UECS1	13.89										
	2W VG Loop (SL 2)-Zone 1 2W VG Loop (SL 2)-Zone 2		2	UEP91	UECS2	18.75										-
_	2W VG Loop (SL 2)-Zone 2 2W VG Loop (SL 2)-Zone 3		3	UEP91	UECS2	27.55										-
	2W VG Loop (SL 2)-Zone 3		4	UEP91	UECS2	45.72										-
UNE F			4	UEF91	UECSZ	43.72										-
	ates (Except North Carolina and Sout Carolina)	-	<del>                                     </del>													
All Old	2W VG Port (Centrex ) Basic Local Area			UEP91	UEPYA	1.23	40.31	19.84	24.90	6.58		15.75				
	2W VG Port (Centrex ) Basic Local Area			UEP91	UEPYB	1.23	40.31	19.84	24.90	6.58		15.75				
	2W VG Port (Centrex obs Term) Basic Local Area			UEP91	UEPYH	1.23	40.31	19.84	24.90	6.58		15.75				
	2W VG Port (Centrex with Galler ID) (Basic Local Area			UEP91	UEPYM	1.23	108.35	70.57	54.24	11.70		15.75				
	2W VG Port, Diff SWC-800 Service Term-Basic Local Area			UEP91	UEPYZ	1.23	108.35	70.57	54.24	11.70		15.75				
	2W VG Port terminated in on Megalink or equivalent-Basic Local Area			UEP91	UEPY9	1.23	40.31	19.84	24.90	6.58		15.75				
	2W VG Port Terminated on 800 Service Term-Basic Local Area			UEP91	UEPY2	1.23	40.31	19.84	24.90	6.58		15.75				
AL K	Y, LA, MS, & TN Only			02. 0.	022	1.20	10.01	10.01	200	0.00		10.10				
, . <u></u> ,	2W VG Port (Centrex)			UEP91	UEPQA	1.23	40.31	19.84	24.90	6.58		15.75				<b>†</b>
	2W VG Port (Centrex 800 Term)			UEP91	UEPQB	1.23	40.31	19.84	24.90	6.58		15.75				1
	2W VG Port (Centrex with Caller ID)1			UEP91	UEPQH	1.23	40.31	19.84	24.90	6.58		15.75				
	2W VG Port (Centrex from diff SWC)2			UEP91	UEPQM	1.23	108.35	70.57	54.24	11.70		15.75				<b>†</b>
	2W VG Port, Diff SWC-800 Service Term			UEP91	UEPQZ	1.23	108.35	70.57	54.24	11.70		15.75				<b>†</b>
	2W VG Port terminated in on Megalink or equivalent			UEP91	UEPQ9	1.23	40.31	19.84	24.90	6.58		15.75				
	2W VG Port Terminated on 800 Service Term			UEP91	UEPQ2	1.23	40.31	19.84	24.90	6.58		15.75				
Local	Switching															
	Centrex Intercom Funtionality, per port			UEP91	URECS	0.7947										
Local	Number Portability															
	Local No Portability (1 per port)			UEP91	LNPCC	0.35										
Featu	res															
	All Standard Features Offered, per port			UEP91	UEPVF	2.56						15.75				
	All Select Features Offered, per port			UEP91	UEPVS	0.00	404.98					15.75				
	All Centrex Control Features Offered, per port			UEP91	UEPVC	2.56						15.75				

NARS					_	nment: 2		ibit: B
MARS			Svc Order Submitte d Elec per LSR		Charge - Manual Sv Order vs. ly Electronic	c Manual Svc Order	I Charge - Manual Svc Order vs.	Charge - Manual Sv Order vs. Electronic
NARS				per Lor		Addil	Disc 1st	Disc Add I
MARS	nnect					S Rates (\$)		
Unbundled Network Access Register-Combination   UEP91 UARCX	Add'l	ld'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Unbundled Network Access Register-Outdail								
Urbundled Network Access Register-Outrial   UEP91								
Miscellaneous Terminations								
2-Wire Trunk Side								
Trunk Side Terms, each								
Interoffice Channel Mileage - 2-Wire     UEP91   MIGBC   22.52   40.77   27.57   17.26   Interoffice Channel mileage, per in of fraction of mi   UEP91   MIGBC   0.0088								
Interoffice Channel Facilities Emm-VG	3.88	3.88		15.75	5			
Interoffice Channel misage, per mi or fraction of mi   UEP91   MTGBM   0.0098								ļ
Feature Activation on D-4 Channel Bank Feature Activations   UEP91   IPQWS   0.57	7.11	7.11		15.75	5			
De Channel Bank Feature Activations						+	+	1
Feature Activation on D-4 Channel Bank Centrex Loop Slot						+	+	<b>.</b>
Feature Activation on D-4 Channel Bank FX Tunk Side Loop Sidt   UEP91   1PQWF   0.57				1	4	_	<b>_</b>	ļ
Feature Activation on D-4 Channel Bank FX Trunk Side Loop Sidt   UEP91   1PQW7   0.57					_	+	+	+
Feature Activation on D-4 Channel Bank Centrex Loop Silot   UEP91   IPGWP   0.57				4	+		1	-
Feature Activation on D-4 Channel Bank Prevate Line Loop Stot								
Feature Activation on D-4 Channel Bank MTSL Logo Slot								
Feature Activation on D-4 Channel Bank WATS Loop Slot   UEP91   1PQWA   0.57								
Non-Recurring Charges (NRC) Associated with UNE-P Centrex   UEP91 USAC2								
Conversion-Currently Combined Switch-As-Is we allowed changes, per port   UEP91 USAC2   0.10   0.10   Conversion of Existing Centrex Common Block   UEP91   USACN   37.97   16.68					_		+	+
Conversion of Existing Centrex Common Block				45.75	_		+	<b>+</b>
New Centrex Customized Common Block				15.75			+	<b>+</b>
New Centrex Customized Common Block				15.75			+	<b>+</b>
Secondary Block, per Block   Secondary Block, per Block   UEP91   M2CC1   0.00   77.91				15.75 15.75		-		-
NAR Establishment Charge, Per Occasion				15.75			+	<b>+</b>
UNE-P CENTREX - SESS (Valid in All States)				15.75			+	<del> </del>
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo				15.75	5			1
UNE Port/Loop Combination Rates (Non-Design   1 UEP95   12.22								
2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design								
2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design   2   UEP95   17.13								
2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design   3 UEP95   26.26								
2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design   4   UEP95   44.91							1	1
UNE Port/Loop Combination Rates (Design)								+
2W VG Loop/2W VG Port (Centrex) Port Combo-Design   1 UEP95   15.12		-						
2		-						
2W VG Loop/2W VG Port (Centrex)Port Combo-Design   3   UEP95   28.78								
2W VG Loop/2W VG Port (Centrex) Port Combo-Design   4   UEP95   46.95		-+		1	+	1	1	1
UNE Loop Rate		-+			1	1	1	1
2W VG Loop (SL 1)-Zone 1						1		
2						1		
2W VG Loop (SL 1)-Zone 3   3   UEP95   UECS1   25.04				1		1	İ	1
2W VG Loop (SL 1)-Zone 4	-							
2W VG Loop (SL 2)-Zone 1	-							
2						1	1	1
2W VG Loop (SL 2)-Zone 3   3   UEP95   UECS2   27.55								
UNE Port Rate								
All States   UEP95 UEPYA   1.23   40.31   19.84   24.90   2W VG Port (Centrex 800 Term)   UEP95 UEPYB   1.23   40.31   19.84   24.90   2W VG Port (Centrex with Caller ID)1Basic Local Area   UEP95 UEPYB   1.23   40.31   19.84   24.90   2W VG Port (Centrex from diff SWC)2 Basic Local Area   UEP95 UEPYM   1.23   108.35   70.57   54.24   24.90   2W VG Port (Centrex from diff SWC)2 Basic Local Area   UEP95 UEPYM   1.23   108.35   70.57   54.24   24.90   2W VG Port (Centrex from diff SWC)2 Basic Local Area   UEP95 UEPYM   1.23   108.35   70.57   54.24   24.90   2W VG Port (Centrex from diff SWC)2 Basic Local Area   UEP95 UEPYM   1.23   108.35   70.57   54.24   24.90   2W VG Port (Centrex from diff SWC)2 Basic Local Area   UEP95 UEPYM   1.24   2W VG Port (Centrex from diff SWC)2 Basic Local Area   UEP95 UEPYM   1.25   2W VG Port (Centrex from diff SWC)2 Basic Local Area   UEP95 UEPYM   1.25   2W VG Port (Centrex from diff SWC)2 Basic Local Area   UEP95 UEPYM   1.26   2W VG Port (Centrex from diff SWC)2 Basic Local Area   UEP95 UEPYM   1.27   2W VG Port (Centrex from diff SWC)2 Basic Local Area   UEP95 UEPYM   1.28   2W VG Port (Centrex from diff SWC)2 Basic Local Area   UEP95 UEPYM   1.28   2W VG Port (Centrex from diff SWC)2 Basic Local Area   UEP95 UEPYM   1.28   2W VG Port (Centrex from diff SWC)2 Basic Local Area   UEP95 UEPYM   1.28   2W VG Port (Centrex from diff SWC)2 Basic Local Area   UEP95 UEPYM   1.28   2W VG Port (Centrex from diff SWC)2 Basic Local Area   UEP95 UEPYM   1.28   2W VG Port (Centrex from diff SWC)2 Basic Local Area   UEP95 UEPYM   1.28   2W VG Port (Centrex from diff SWC)2 Basic Local Area   UEP95 UEPYM   1.28   2W VG Port (Centrex from diff SWC)2 Basic Local Area   UEP95 UEPYM   1.28   2W VG Port (Centrex from diff SWC)2 Basic Local Area   UEP95 UEPYM   1.28   2W VG Port (Centrex from diff SWC)2 Basic Local Area   UEP95 UEPYM   1.28   2W VG Port (Centrex from diff SWC)2 Basic Local Area   UEP95 UEPYM   1.28   2W VG Port (Centrex from diff SWC)2 Basic Local Area   UEP95 UEPYM   1.28   2W VG								
2W VG Port (Centrex ) Basic Local Area     UEP95     UEPYA     1.23     40.31     19.84     24.90       2W VG Port (Centrex 800 Term)     UEP95     UEPYB     1.23     40.31     19.84     24.90       2W VG Port (Centrex with Caller ID)1Basic Local Area     UEP95     UEPYH     1.23     40.31     19.84     24.90       2W VG Port (Centrex from diff SWC)2 Basic Local Area     UEP95     UEPYM     1.23     108.35     70.57     54.24								
2W VG Port (Centrex 800 Term)         UEP95         UEPYB         1.23         40.31         19.84         24.90           2W VG Port (Centrex with Caller ID)1Basic Local Area         UEP95         UEPYH         1.23         40.31         19.84         24.90           2W VG Port (Centrex from diff SWC)2 Basic Local Area         UEP95         UEPYM         1.23         108.35         70.57         54.24								
2W VG Port (Centrex with Caller ID)1Basic Local Area         UEP95         UEPYH         1.23         40.31         19.84         24.90           2W VG Port (Centrex from diff SWC)2 Basic Local Area         UEP95         UEPYM         1.23         108.35         70.57         54.24	6.58	6.58		15.75	5			
2W VG Port (Centrex with Caller ID)1Basic Local Area         UEP95         UEPYH         1.23         40.31         19.84         24.90           2W VG Port (Centrex from diff SWC)2 Basic Local Area         UEP95         UEPYM         1.23         108.35         70.57         54.24	6.58			15.75				
	6.58	6.58		15.75				
	11.70			15.75				
	11.70			15.75				
2W VG Port terminated in on Megalink or equivalent-Basic Local Area UEP95 UEPY9 1.23 40.31 19.84 24.90	6.58			15.75				
2W VG Port Terminated on 800 Service Term-Basic Local Area         UEP95         UEPY2         1.23         40.31         19.84         24.90	6.58	6.58		15.75	5			

UNBUNDL	ED NETWORK ELEMENTS - Mississippi												Attachn	nent: 2	Exhi	ibit: B
											Svc	Svc	Incremental	Incrementa	Incrementa	Incrementa
											Order	Order	Charge -	I Charge -	I Charge -	Charge -
		Interi	Zon								Submitte	Submitte	Manual Svc		Manual	Manual Sv
CATEGORY	RATE ELEMENTS	m	е	BCS	USOC		R/	ATES (\$)			d Elec	d	Order vs.	Svc Order	Svc Order	Order vs.
											per LSR	Manually	Electronic-	vs.	vs.	Electronic-
												per LSR	1st		Electronic-	Disc Add'l
							Nonrec	urring	NRC Disc	onnect			OSS	Rates (\$)	Dicc 1ct	<u> </u>
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN		SOMAN	SOMAN
	2W VG Port (Centrex )			UEP95	UEPQA	1.23	40.31	19.84	24.90	6.58		15.75				
	2W VG Port (Centrex 800 Term)			UEP95	UEPQB	1.23	40.31	19.84	24.90	6.58		15.75				
	2W VG Port (Centrex with Caller ID)1			UEP95	UEPQH	1.23	40.31	19.84	24.90	6.58		15.75				
	2W VG Port (Centrex from diff SWC)2			UEP95	UEPQM	1.23	108.35	70.57	54.24	11.70		15.75				
	2W VG Port, Diff SWC-800 Service Term			UEP95	UEPQZ	1.23	108.35	70.57	54.24	11.70		15.75				
	2W VG Port terminated in on Megalink or equivalent 2W VG Port Terminated on 800 Service Term			UEP95 UEP95	UEPQ9 UEPQ2	1.23 1.23	40.31 40.31	19.84 19.84	24.90 24.90	6.58 6.58		15.75 15.75				
Local	Switching			UEP95	UEPQ2	1.23	40.31	19.64	24.90	0.58		15.75				
Local	Centrex Intercom Funtionality, per port			UEP95	URECS	0.7947										
Local	Number Portability			02.00	0.1.200	0.701.										
	Local No Portability (1 per port)			UEP95	LNPCC	0.35										
Featu	res															Ī
	All Standard Features Offered, per port			UEP95	UEPVF	2.56						15.75				
	All Select Features Offered, per port			UEP95	UEPVS	0.00	404.98					15.75				<u> </u>
	All Centrex Control Features Offered, per port	<u> </u>		UEP95	UEPVC	2.56						15.75				<del>                                     </del>
NARS		<u> </u>	1	LIEDOE	HAROY	0.00	0.00	0.00				45.75				<b>↓</b>
	Unbundled Network Access Register-Combination			UEP95	UARCX UAR1X	0.00	0.00	0.00			ļ	15.75 15.75				
	Unbundled Network Access Register-Indial Unbundled Network Access Register-Outdial		-	UEP95 UEP95	UAROX	0.00	0.00	0.00				15.75				-
Misce	Illaneous Terminations			UEF95	UARUA	0.00	0.00	0.00				13.73				
	e Trunk Side															
	Trunk Side Terms, each			UEP95	CEND6	8.25	120.00	18.85	61.77	3.88		15.75				
4-Wire	e Digital (1.544 Megabits)															
	DS1 Circuit Terms, each			UEP95	M1HD1	58.41	203.19	96.25	74.86	2.54		15.75				
	DS0 Channels Activated, each			UEP95	M1HDO	0.00	14.56									
Interd	ffice Channel Mileage - 2-Wire															
	Interoffice Channel Facilities Term			UEP95	MIGBC	22.52	40.77	27.57	17.26	7.11		15.75				
Factur	Interoffice Channel miage, per mi or fraction of mi re Activations (DS0) Centrex Loops on Channelized DS1 Service			UEP95	MIGBM	0.0098										
	nannel Bank Feature Activations															
D4 C1	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	1PQWS	0.57										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP95	1PQW6	0.57										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP95	1PQW7	0.57										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot-Diff WC			UEP95	1PQWP	0.57										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP95	1PQWV	0.57										
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot			UEP95	1PQWQ	0.57										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP95	1PQWA	0.57										
Non-F	Recurring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-ls with allowed changes,			UEP95	USAC2		0.10	0.10				15.75				
	per port Conversion of Existing Centrex Common Block, each			UEP95	USACZ		37.97	16.68				15.75				
	New Centrex Standard Common Block			UEP95	M1ACS	0.00	666.32	10.00				15.75				
	New Centrex Customized Common Block			UEP95	M1ACC	0.00	666.32					15.75				
	NAR Establishment Charge, Per Occasion			UEP95	URECA	0.00	72.63					15.75				
UNE-I	CENTREX - DMS100 (Valid in All States)															
	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
UNE I	Port/Loop Combination Rates (Non-Design)															
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design		1	UEP9D	<u> </u>	12.22										ļ
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design	ļ	2	UEP9D	<del> </del>	17.13						<u> </u>				<u> </u>
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		3	UEP9D	+	26.26					-	<b> </b>				<del>                                     </del>
LIMIT	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design Port/Loop Combination Rates (Design)		4	UEP9D	-	44.91					-	-				<del> </del>
UNE	2W VG Loop/2W VG Port (Centrex) Port Combo-Design	1	1	UEP9D	-	15.12						<u> </u>				<del>                                     </del>
	2W VG Loop/2W VG Port (Centrex) Port Combo-Design		2	UEP9D		19.98						1				<u> </u>
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		3	UEP9D	1	28.78										
	2W VG Loop/2W VG Port (Centrex) Port Combo-Design		4	UEP9D	1	46.95						1				
UNE I	oop Rate															

UNBUNDL	ED NETWORK ELEMENTS - Mississippi												Attachr	nent: 2	Exhi	bit: B
											Svc	Svc			Incrementa	
											Order Submitte	Order Submitte	Charge -	I Charge - Manual	I Charge -	Charge -
CATEGORY	RATE ELEMENTS	Interi		BCS	USOC		R/	ATES (\$)			d Elec	d	Manual Svc Order vs.	Svc Order	Manual Svc Order	Manual Sv Order vs.
		m	е					- (17				Manually	Electronic-	vs.	vs.	Electronic
											per Lore	per LSR			Electronic-	
		<u> </u>	-				Nonrec		NRC Disc	onnoot				Rates (\$)	Dicc 1ct	
						Rec	First	Add'l	First	Add'I	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
	2W VG Loop (SL 1)-Zone 1		1	UEP9D	UECS1	10.98										
	2W VG Loop (SL 1)-Zone 2		2	UEP9D	UECS1	15.91										
-	2W VG Loop (SL 1)-Zone 3		3	UEP9D	UECS1	25.04										
	2W VG Loop (SL 1)-Zone 4		4	UEP9D	UECS1	43.68										
	2W VG Loop (SL 2)-Zone 1 2W VG Loop (SL 2)-Zone 2	1	1 2	UEP9D UEP9D	UECS2	13.89 18.75										
<del>                                     </del>	2W VG Loop (SL 2)-Zone 2 2W VG Loop (SL 2)-Zone 3	1	3	UEP9D	UECS2	27.55							1			
	2W VG Loop (SL 2)-Zone 4		4	UEP9D	UECS2	45.72										
UNE I	Port Rate			<del></del>												
ALL S	STATES															
	2W VG Port (Centrex ) Basic Local Area			UEP9D	UEPYA	1.23	40.31	19.84	24.90	6.58		15.75				
	2W VG Port (Centrex 800 Term)Basic Local Area			UEP9D	UEPYB	1.23	40.31	19.84	24.90	6.58		15.75				
	2W VG Port (Centrex/EBS-PSET)3Basic Local Area	1		UEP9D	UEPYC	1.23	40.31	19.84	24.90	6.58		15.75				
	2W VG Port (Centrex /EBS-M5009)3Basic Local Area	-	$\vdash$	UEP9D	UEPYD	1.23	40.31	19.84	24.90	6.58	-	15.75				1
<b></b>	2W VG Port (Centrex /EBS-M5209)3 Basic Local Area 2W VG Port (Centrex /EBS-M5112)3 Basic Local Area	1		UEP9D UEP9D	UEPYE	1.23 1.23	40.31 40.31	19.84 19.84	24.90 24.90	6.58 6.58		15.75 15.75	<del>                                     </del>			
	2W VG Port (Centrex/EBS-M5112)3 Basic Local Area	1	1	UEP9D	UEPYG	1.23	40.31	19.84	24.90	6.58		15.75				
<del>                                     </del>	2W VG Port (Centrex/EBS-M5008)3 Basic Local Area	1	1	UEP9D	UEPYT	1.23	40.31	19.84	24.90	6.58		15.75	1			
+	2W VG Port (Centrex/EBS-M5208)3 Basic Local Area	1	1	UEP9D	UEPYU	1.23	40.31	19.84	24.90	6.58		15.75				
	2W VG Port (Centrex/EBS-M5216)3 Basic Local Area	1		UEP9D	UEPYV	1.23	40.31	19.84	24.90	6.58		15.75	İ			
	2W VG Port (Centrex/EBS-M5316)3 Basic Local Area			UEP9D	UEPY3	1.23	40.31	19.84	24.90	6.58		15.75				
	2W VG Port (Centrex with Caller ID) Basic Local Area			UEP9D	UEPYH	1.23	40.31	19.84	24.90	6.58		15.75				
	2W VG Port (Centrex/Caller ID/Msg Wtg Lamp Indication)3 Basic Local			LIEDOD		4.00	40.04	10.01	04.00	0.50		45.75				
	Area  2W VG Port (Centrex/Msg Wtg Lamp Indication)3 Basic Local Area	-		UEP9D UEP9D	UEPYW	1.23 1.23	40.31 40.31	19.84 19.84	24.90 24.90	6.58 6.58		15.75 15.75				
	2W VG Port (Centrex/ivisg Wig Lamp Indication) 5 Basic Local Area	1	1	UEP9D	UEPYM	1.23	108.35	70.57	54.24	11.70		15.75	1			
	2W VG Port (Centrex/differ SWC /EBS-PSET)2, 3 Basic Local Area		1	UEP9D	UEPYO	1.23	108.35	70.57	54.24	11.70		15.75				
	2W VG Port (Centrex/differ SWC /EBS-M5009)2, 3 Basic Local Area			UEP9D	UEPYP	1.23	108.35	70.57	54.24	11.70		15.75				
	2W VG Port (Centrex/differ SWC /EBS-5209)2, 3 Basic Local Area			UEP9D	UEPYQ	1.23	108.35	70.57	54.24	11.70		15.75				
	2W VG Port (Centrex/differ SWC /EBS-M5112)2, 3 Basic Local Area			UEP9D	UEPYR	1.23	108.35	70.57	54.24	11.70		15.75				
	2W VG Port (Centrex/differ SWC /EBS-M5312)2, 3 Basic Local Area			UEP9D	UEPYS	1.23	108.35	70.57	54.24	11.70		15.75				
	2W VG Port (Centrex/differ SWC /EBS-M5008)2, 3 Basic Local Area			UEP9D	UEPY4	1.23	108.35	70.57	54.24	11.70		15.75				
	2W VG Port (Centrex/differ SWC /EBS-M5208)2, 3 Basic Local Area		1	UEP9D	UEPY5	1.23	108.35	70.57	54.24	11.70		15.75				
	2W VG Port (Centrey/differ SWC /EBS-M5216)2, 3 Basic Local Area	1	1	UEP9D UEP9D	UEPY6 UEPY7	1.23	108.35	70.57 70.57	54.24	11.70 11.70		15.75				
	2W VG Port (Centrex/differ SWC /EBS-M5316)2, 3 Basic Local Area 2W VG Port, Diff SWC-800 Service Term	1	1	UEP9D	UEPYZ	1.23 1.23	108.35 108.35	70.57	54.24 54.24	11.70		15.75 15.75				
	2W VG Port terminated in on Megalink or equivalent Basic Local Area	1	1	UEP9D	UEPY9	1.23	40.31	19.84	24.90	6.58		15.75				
	2W VG Port Terminated on 800 Service Term Basic Local Area		1	UEP9D	UEPY2	1.23	40.31	19.84	24.90	6.58		15.75				
AL, K	Y, LA, MS, SC, & TN Only					,										
	2W VG Port (Centrex)			UEP9D	UEPQA	1.23	40.31	19.84	24.90	6.58		15.75				
	2W VG Port (Centrex 800 Term)			UEP9D	UEPQB	1.23	40.31	19.84	24.90	6.58		15.75				
	2W VG Port (Centrex/EBS-PSET)3			UEP9D	UEPQC	1.23	40.31	19.84	24.90	6.58		15.75				
-	2W VG Port (Centrex/EBS-M5009)3			UEP9D	UEPQD	1.23	40.31	19.84	24.90	6.58		15.75				
	2W VG Port (Centrex /EBS-M5209)3	-	+	UEP9D	UEPQE	1.23 1.23	40.31	19.84	24.90	6.58		15.75	-			1
<del>                                     </del>	2W VG Port (Centrex /EBS-M5112)3 2W VG Port (Centrex /EBS-M5312)3	+		UEP9D UEP9D	UEPQF	1.23	40.31 40.31	19.84 19.84	24.90 24.90	6.58 6.58		15.75 15.75	-			}
<del>                                     </del>	2W VG Port (Centrex/EBS-M5008)3	+-	+	UEP9D	UEPQT	1.23	40.31	19.84	24.90	6.58	-	15.75	t			1
	2W VG Port (Centrex/EBS-M5008)3	t	+	UEP9D	UEPQU	1.23	40.31	19.84	24.90	6.58		15.75				
	2W VG Port (Centrex/EBS-M5216)3	1		UEP9D	UEPQV	1.23	40.31	19.84	24.90	6.58		15.75	1			
	2W VG Port (Centrex/EBS-M5316)3			UEP9D	UEPQ3	1.23	40.31	19.84	24.90	6.58		15.75				
l	2W VG Port (Centrex with Caller ID)			UEP9D	UEPQH	1.23	40.31	19.84	24.90	6.58		15.75				
	2W VG Port (Centrex/Caller ID/Msg Wtg Lamp Indication)3			UEP9D	UEPQW	1.23	40.31	19.84	24.90	6.58		15.75				
	2W VG Port (Centrex/Msg Wtg Lamp Indication)3	1	$\downarrow$	UEP9D	UEPQJ	1.23	40.31	19.84	24.90	6.58		15.75				
$\vdash$	2W VG Port (Centrex from diff SWC) 2	<del>                                     </del>	$\downarrow$	UEP9D	UEPQM	1.23	108.35	70.57	54.24	11.70		15.75				
$\vdash$	2W VG Port (Centrex/differ SWC /EBS-PSET)2, 3	-	$\vdash$	UEP9D	UEPQO	1.23	108.35	70.57	54.24	11.70	-	15.75				1
$\Box$	2W VG Port (Centrex/differ SWC /EBS-M5009)2, 3 2W VG Port (Centrex/differ SWC /EBS-5209)2, 3	1	1	UEP9D UEP9D	UEPQP	1.23 1.23	108.35 108.35	70.57 70.57	54.24 54.24	11.70 11.70		15.75 15.75			ļ	1

UNBUNDL	ED NETWORK ELEMENTS - Mississippi												Attachr	nent: 2	Exhi	ibit: B
											Svc	Svc			Incrementa	
											Order	Order	Charge -	I Charge -	I Charge -	Charge -
CATEGORY	RATE ELEMENTS	Interi	Zon	BCS	usoc			TEO (6)			Submitte		Manual Svc		Manual	Manual Sv
CATEGORY	RATE ELEMENTS	m	е	BCS	USUC		RA	ATES (\$)			d Elec	d	Order vs.	Svc Order	Svc Order	Order vs.
											per LSR	Manually	Electronic-	vs.	vs.	Electronic
												per LSR	1st		Electronic-	Disc Add'
						_	Nonrec	urrina	NRC Disc	onnect			oss	Rates (\$)	Diec 1et	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN		SOMAN	SOMAN
	2W VG Port (Centrex/differ SWC /EBS-M5112)2, 3			UEP9D	UEPQR	1.23	108.35	70.57	54.24	11.70		15.75				
	2W VG Port (Centrex/differ SWC /EBS-M5312)2, 3			UEP9D	UEPQS	1.23	108.35	70.57	54.24	11.70		15.75				
igwdot	2W VG Port (Centrex/differ SWC /EBS-M5008)2, 3			UEP9D	UEPQ4	1.23	108.35	70.57	54.24	11.70		15.75				
<b></b>	2W VG Port (Centrex/differ SWC /EBS-M5208)2, 3		1	UEP9D	UEPQ5	1.23	108.35	70.57	54.24	11.70		15.75				
	2W VG Port (Centrex/differ SWC /EBS-M5216)2, 3 2W VG Port (Centrex/differ SWC /EBS-M5316)2, 3			UEP9D UEP9D	UEPQ6 UEPQ7	1.23 1.23	108.35 108.35	70.57 70.57	54.24 54.24	11.70 11.70	ļ	15.75 15.75				
<b></b>	2W VG Port, Diff SWC-800 Service Term			UEP9D UEP9D	UEPQ7	1.23	108.35	70.57	54.24	11.70		15.75				
$\vdash$	2W VG Port terminated in on Megalink or equivalent	1	1	UEP9D	UEPQ2	1.23	40.31	19.84	24.90	6.58		15.75				+
	2W VG Port Terminated in 6th Megalink of equivalent		1	UEP9D	UEPQ2	1.23	40.31	19.84	24.90	6.58		15.75				
Local	Switching			02.02	02. 42	1.20	10.01		2	0.00		10.70				1
	Centrex Intercom Funtionality, per port			UEP9D	URECS	0.7947										
Local	Number Portability															1
	Local No Portability (1 per port)			UEP9D	LNPCC	0.35										
Featu																
igsquare	All Standard Features Offered, per port			UEP9D	UEPVF	2.56						15.75				
igwdot	All Select Features Offered, per port			UEP9D	UEPVS	0.00	404.98					15.75				
<del></del>	All Centrex Control Features Offered, per port		1	UEP9D	UEPVC	2.56						15.75				
NARS				LIEDOD	HAROY	0.00	0.00	0.00			ļ	45.75				
$\vdash$	Unbundled Network Access Register-Combination Unbundled Network Access Register-Inward			UEP9D UEP9D	UARCX UAR1X	0.00	0.00	0.00				15.75 15.75				+
$\vdash$	Unbundled Network Access Register-Inward  Unbundled Network Access Register-Outdial		1	UEP9D	UAROX	0.00	0.00	0.00				15.75				+
Misco	ellaneous Terminations	1	1	OLF 9D	UAROX	0.00	0.00	0.00				13.73				+
	e Trunk Side		1													1
	Trunk Side Terms, each			UEP9D	CEND6	8.25	120.00	18.85	61.77	3.88		15.75				1
4-Wir	e Digital (1.544 Megabits)															
	DS1 Circuit Terms, each			UEP9D	M1HD1	58.41	203.19	96.25	74.86	2.54		15.75				
	DS0 Channels Activiated per Channel			UEP9D	M1HDO	0.00	14.56									
Interc	office Channel Mileage - 2-Wire															
igwdot	Interoffice Channel Facilities Term			UEP9D	MIGBC	22.52	40.77	27.57	17.26	7.11		15.75				<b></b>
<del></del>	Interoffice Channel miage, per mi or fraction of mi			UEP9D	MIGBM	0.0098										-
	re Activations (DS0) Centrex Loops on Channelized DS1 Service		1		-											+
D4 Cr	Feature Activation on D-4 Channel Bank Centrex Loop Slot		1	UEP9D	1PQWS	0.57										+
<del></del>	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9D	1PQW6	0.57										+
<del>                                     </del>	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot	1		UEP9D	1PQW7	0.57										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot-Diff WC	1	1	UEP9D	1PQWP	0.57										<b>†</b>
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9D	1PQWV	0.57										
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot			UEP9D	1PQWQ	0.57										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9D	1PQWA	0.57										
Non-F	Recurring Charges (NRC) Associated with UNE-P Centrex															
1 1	NRC Conversion Currently Combined Switch-As-ls with allowed changes,				1											
$\longmapsto$	per port	<u> </u>	$\downarrow$	UEP9D	USAC2		0.10	0.10			1	15.75				1
$\vdash \vdash \vdash$	Conversion of existing Centrex Common Block, each	<u> </u>	$\vdash$	UEP9D	USACN	0.00	37.97	16.68				15.75	-			
$\vdash \vdash \vdash$	New Centrex Standard Common Block New Centrex Customized Common Block	<u> </u>	+	UEP9D UEP9D	M1ACS M1ACC	0.00	666.32 666.32				-	15.75 15.75	-			<del> </del>
<del>                                     </del>	NAR Establishment Charge, Per Occasion	1	+	UEP9D	URECA	0.00	72.63					15.75				+
IINF-	P CENTREX - EWSD (Valid in AL, FL, KY, LA, MS & TN)	1	+	OLF3D	UNLOA	0.00	12.03					13.73				+
	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo	<u> </u>														<b>†</b>
	Port/Loop Combination Rates (Non-Design)															
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design		1	UEP9E		12.22										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		2	UEP9E		17.13										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		3	UEP9E		26.26										
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design		4	UEP9E		44.91										<u> </u>
UNE	Port/Loop Combination Rates (Design)	ļ														
	2W VG Loop/2W VG Port (Centrex) Port Combo-Design	1	1	UEP9E	1	15.12			1							1
ļļ	2W VG Loop/2W VG Port (Centrex)Port Combo-Design	1	2	UEP9E		19.98										

UNBUNDL	ED NETWORK ELEMENTS - Mississippi												Attachr	nent: 2	Exhi	bit: B
CATEGORY	RATE ELEMENTS	Inter m	i Zon	BCS	usoc		R	ATES (\$)			Svc Order Submitte d Elec	d	Charge - Manual Svc Order vs.	I Charge - Manual Svc Order	Incrementa I Charge - Manual Svc Order	Charge - Manual Sv Order vs.
											per LSR	Manually per LSR	Electronic- 1st	vs. Electronic-	vs. Electronic-	Electronic Disc Add'l
						Rec	Nonrec		NRC Disc					Rates (\$)	Diec 1et	1
	2W VG Loop/2W VG Port (Centrex) Port Combo-Design		4	UEP9E		46.95	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UNF	Loop Rate	+	4	UEP9E	+	46.95										
ONE I	2W VG Loop (SL 1)-Zone 1		1	UEP9E	UECS1	10.98			-							-
	2W VG Loop (SL 1)-Zone 2		2	UEP9E	UECS1	15.91										
	2W VG Loop (SL 1)-Zone 3		3	UEP9E	UECS1	25.04										
	2W VG Loop (SL 1)-Zone 4		4	UEP9E	UECS1	43.68										
	2W VG Loop (SL 2)-Zone 1		1	UEP9E	UECS2	13.89										
	2W VG Loop (SL 2)-Zone 2		2	UEP9E	UECS2	18.75										
	2W VG Loop (SL 2)-Zone 3		3	UEP9E	UECS2	27.55										
	2W VG Loop (SL 2)-Zone 4		4	UEP9E	UECS2	45.72										
	Port Rate	-	-		+											
AL, FI	L, KY, LA, MS, & TN only  2W VG Port (Centrex ) Basic Local Area	-	-	UEP9E	UEPYA	1.23	40.31	19.84	24.90	6.58		15.75				
	2W VG Port (Centrex ) Basic Local Area 2W VG Port (Centrex 800 Term)Basic Local Area	+	+	UEP9E	UEPYA	1.23	40.31	19.84	24.90	6.58		15.75	1			
_	2W VG Port (Centrex with Caller ID)1Basic Local Area	+	1	UEP9E	UEPYH	1.23	40.31	19.84	24.90	6.58		15.75				
	2W VG Port (Centrex from diff SWC)2 Basic Local Area			UEP9E	UEPYM	1.23	108.35	70.57	54.24	11.70		15.75				
	2W VG Port, Diff SWC-800 Service Term-Basic Local Area			UEP9E	UEPYZ	1.23	108.35	70.57	54.24	11.70		15.75				
	2W VG Port terminated in on Megalink or equivalent-Basic Local Area			UEP9E	UEPY9	1.23	40.31	19.84	24.90	6.58		15.75				
	2W VG Port Terminated on 800 Service Term-Basic Local Area			UEP9E	UEPY2	1.23	40.31	19.84	24.90	6.58		15.75				
AL, K	Y, LA, MS, & TN Only															
	2W VG Port (Centrex )			UEP9E	UEPQA	1.23	40.31	19.84	24.90	6.58		15.75				
	2W VG Port (Centrex 800 Term)			UEP9E	UEPQB	1.23	40.31	19.84	24.90	6.58		15.75				
	2W VG Port (Centrex with Caller ID)1			UEP9E	UEPQH	1.23	40.31	19.84	24.90	6.58		15.75				
	2W VG Port (Centrex from diff SWC)2			UEP9E	UEPQM	1.23	108.35	70.57	54.24	11.70		15.75				
	2W VG Port, Diff SWC-800 Service Term	_	_	UEP9E	UEPQZ	1.23	108.35	70.57	54.24	11.70		15.75				
	2W VG Port terminated in on Megalink or equivalent 2W VG Port Terminated on 800 Service Term	-	+	UEP9E UEP9E	UEPQ9 UEPQ2	1.23 1.23	40.31 40.31	19.84 19.84	24.90 24.90	6.58 6.58		15.75 15.75				
Local	Switching	-	+	UEF9E	UEFQZ	1.23	40.31	19.04	24.90	0.36		13.73				
Local	Centrex Intercom Funtionality, per port			UEP9E	URECS	0.7947			-							
Local	Number Portability		1	02.02	0.1200	0.1011										
	Local No Portability (1 per port)			UEP9E	LNPCC	0.35										
Featu																
	All Standard Features Offered, per port			UEP9E	UEPVF	2.56						15.75				
	All Select Features Offered, per port			UEP9E	UEPVS	0.00	404.98					15.75				
	All Centrex Control Features Offered, per port			UEP9E	UEPVC	2.56						15.75				
NARS																
	Unbundled Network Access Register-Combination	1	1	UEP9E	UARCX	0.00	0.00	0.00			1	15.75	1			
_	Unbundled Network Access Register-Indial Unbundled Network Access Register-Outdial	-	-	UEP9E UEP9E	UAR1X UAROX	0.00	0.00	0.00				15.75 15.75				
Misco	Illaneous Terminations	+	+	UEFYE	UARUX	0.00	0.00	0.00	-			13.75	1			
	e Trunk Side	+	1													<b></b>
2-9911	Trunk Side Terms, each	1	1	UEP9E	CEND6	8.25	120.00	18.85	61.77	3.88		15.75				
4-Wire	e Digital (1.544 Megabits)		1	J_, V_		3.20	. 20.00			0.00			Ì			
1	DS1 Circuit Terms, each			UEP9E	M1HD1	58.41	203.19	96.25	74.86	2.54		15.75				
	DS0 Channel Activated Per Channel	Ĺ	L	UEP9E	M1HDO	0.00	14.56					15.75				
Intero	ffice Channel Mileage - 2-Wire			•												
	Interoffice Channel Facilities Term			UEP9E	MIGBC	22.52	40.77	27.57	17.26	7.11		15.75				
	Interoffice Channel miage, per mi or fraction of mi	-	-	UEP9E	MIGBM	0.0098										
	re Activations (DS0) Centrex Loops on Channelized DS1 Service	-	1						<u> </u>		<u> </u>	ļ				
D4 Ch	nannel Bank Feature Activations	-	-	HEDOE	4000440	0.57			-		1	45.75	-			
-	Feature Activation on D-4 Channel Bank Centrex Loop Slot		1	UEP9E UEP9E	1PQWS 1PQW6	0.57			<del>                                     </del>		1	15.75 15.75				
-	Feature Activation on D-4 Channel Bank FX line Side Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot	+	+	UEP9E	1PQW6	0.57 0.57			-			15.75				
-	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot  Feature Activation on D-4 Channel Bank Centrex Loop Slot-Diff WC	+	+	UEP9E	1PQW7	0.57			-			15.75	1			<del>                                     </del>
	Feature Activation on D-4 Channel Bank Private Line Loop Slot	+	1	UEP9E	1PQWV	0.57						15.75				
	Feature Activation on D-4 Channel Bank Tije Line/Trunk Loop Slot	1	1	UEP9E	1PQWQ	0.57						15.75				
	Feature Activation on D-4 Channel Bank WATS Loop Slot	+	1	UEP9E	1PQWA	0.57			1		<b>†</b>	15.75	1	l	İ	

UNBUNDL	ED NETWORK ELEMENTS - Mississippi												Attachr	nent: 2	Exhi	bit: B
											Svc	Svc			Incrementa	
											Order	Order	Charge -	I Charge -	I Charge -	Charge -
CATEGORY	RATE ELEMENTS	Interi	Zon	BCS	usoc		D.	ATES (\$)			Submitte		Manual Svc		Manual	Manual Svo
CATEGORY	RATE ELEMENTS	m	е	ВСЗ	0300		K/	41E3 (φ)			d Elec	d	Order vs.	Svc Order	Svc Order	Order vs.
											per LSR	Manually per LSR	Electronic- 1st	VS.	vs. Electronic-	Electronic- Disc Add'l
												per LSK		٨٨٨١	Diec 1et	DISC Add I
						Rec	Nonrec		NRC Disc					Rates (\$)		
L							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Non-F	Recurring Charges (NRC) Associated with UNE-P Centrex				_				+							
	NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port			UEP9E	USAC2		0.10	0.10				15.75				l
	Conversion of Existing Centrex Common Block, each			UEP9E	USACN		37.97	16.68	-			15.75				-
	New Centrex Standard Common Block			UEP9E	M1ACS	0.00	666.32	10.00				15.75				
	New Centrex Customized Common Block			UEP9E	M1ACC	0.00	666.32					15.75				
	NAR Establishment Charge, Per Occasion			UEP9E	URECA	0.00	72.63					15.75				
UNE-I	CENTREX - DCO - Valid in AL, KY, LA, MS, & TN)															
	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
UNE	Port/Loop Combination Rates (Non-Design)	1							1							
<u> </u>	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design	1	1	UEP93		12.22										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design	1	2	UEP93		17.13				ļ						
<b></b>	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design		3	UEP93 UEP93	-	26.26 44.91			-		-	-				
LINE	Port/Loop Combination Rates (Design)	1	4	UEP93		44.91										<del>                                     </del>
UNE	2W VG Loop/2W VG Port (Centrex) Port Combo-Design	1	1	UEP93	+	15.12						<u> </u>				<del></del>
	2W VG Loop/2W VG Port (Centrex) Port Combo-Design		2	UEP93		19.98			1							<del></del>
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		3	UEP93		28.78										
	2W VG Loop/2W VG Port (Centrex) Port Combo-Design		4	UEP93		46.95			1							
UNE I	oop Rate															
	2W VG Loop (SL 1)-Zone 1		1	UEP93	UECS1	10.98										
	2W VG Loop (SL 1)-Zone 2		2	UEP93	UECS1	15.91										
	2W VG Loop (SL 1)-Zone 3		3	UEP93	UECS1	25.04										
	2W VG Loop (SL 1)-Zone 4		4	UEP93	UECS1	43.68										
	2W VG Loop (SL 2)-Zone 1		1	UEP93	UECS2	13.89			ļ							
	2W VG Loop (SL 2)-Zone 2	-	2	UEP93	UECS2	18.75										<del>                                     </del>
	2W VG Loop (SL 2)-Zone 3 2W VG Loop (SL 2)-Zone 4		3	UEP93 UEP93	UECS2 UECS2	27.55 45.72			+							
LINE	Port Rate		4	UEF93	UEC32	45.72										
	Y, LA, MS, & TN only	1							+							-
/AL, 10	2W VG Port (Centrex ) Basic Local Area			UEP93	UEPYA	1.23	40.31	19.84	24.90	6.58		15.75				
	2W VG Port (Centrex 800 Term)Basic Local Area			UEP93	UEPYB	1.23	40.31	19.84	24.90	6.58		15.75				
	2W VG Port (Centrex with Caller ID)1Basic Local Area			UEP93	UEPYH	1.23	40.31	19.84	24.90	6.58		15.75				
	2W VG Port (Centrex from diff SWC)2 Basic Local Area			UEP93	UEPYM	1.23	108.35	70.57	54.24	11.70		15.75				
	2W VG Port, Diff SWC-800 Service Term-Basic Local Area			UEP93	UEPYZ	1.23	108.35	70.57	54.24	11.70		15.75				
	2W VG Port terminated in on Megalink or equivalent-Basic Local Area			UEP93	UEPY9	1.23	40.31	19.84	24.90	6.58		15.75				
	2W VG Port Terminated on 800 Service Term-Basic Local Area			UEP93	UEPY2	1.23	40.31	19.84	24.90	6.58		15.75				
	2W VG Port (Centrex )	1	<del>     </del>	UEP93	UEPQA	1.23	40.31	19.84	24.90	6.58		15.75				<del>                                     </del>
	2W VG Port (Centrex 800 Term)  2W VG Port (Centrex with Caller ID)1		1	UEP93 UEP93	UEPQB UEPQH	1.23 1.23	40.31 40.31	19.84 19.84	24.90 24.90	6.58 6.58	-	15.75 15.75				
	2W VG Port (Centrex with Caller ID)1 2W VG Port (Centrex from diff SWC)2	1	╁	UEP93 UEP93	UEPQH	1.23	108.35	19.84 70.57	54.24	11.70	1	15.75				<del>                                     </del>
+	2W VG Port, Diff SWC-800 Service Term	1	$\vdash$	UEP93	UEPQM	1.23	108.35	70.57	54.24	11.70		15.75				<del>                                     </del>
<u> </u>	2W VG Port terminated in on Megalink or equivalent	1	1	UEP93	UEPQ2	1.23	40.31	19.84	24.90	6.58		15.75				
1	2W VG Port Terminated in 6th Meganink of equivalent			UEP93	UEPQ2	1.23	40.31	19.84		6.58		15.75				
Local	Switching			02.00	<u> </u>	20	.0.01		250	0.50						
	Centrex Intercom Funtionality, per port			UEP93	URECS	0.7947										
Local	Number Portability			·												
	Local No Portability (1 per port)		oxdot	UEP93	LNCCC	0.35										
Featu			$oxed{oxed}$		1											
	All Standard Features Offered, per port			UEP93	UEPVF	2.56						15.75				
NASS	All Centrex Control Features Offered, per port	1	<b>├</b>	UEP93	UEPVC	2.56				ļ		15.75				
NARS		1	1	UEP93	LIABOV	0.00	0.00	0.00	1	<b> </b>		15.75				-
	Unbundled Network Access Register-Combination Unbundled Network Access Register-Indial	<u> </u>	$\vdash$	UEP93 UEP93	UARCX UAR1X	0.00	0.00	0.00		-		15.75 15.75				
<del>-  </del>	Unbundled Network Access Register-Indial Unbundled Network Access Register-Outdial	1	1	UEP93	UAROX	0.00	0.00	0.00	1	-	1	15.75				<del>                                     </del>
Misco	Ilaneous Terminations	<b>!</b>	$\vdash$	ULF83	UARUX	0.00	0.00	0.00	-	-		10.73				<del></del>
	e Trunk Side	1							<del>                                     </del>							<b></b>

<u>INBUN</u> DL	ED NETWORK ELEMENTS - Mississippi												Attachi	nent: 2	Exhi	ibit: B
											Svc	Svc	Incremental	Incrementa	Incrementa	Increment
											Order	Order	Charge -	I Charge -	I Charge -	Charge -
		Intori	Zon								Submitte	Submitte	Manual Svc	Manual	Manual	Manual Sv
ATEGORY	RATE ELEMENTS	m	2011	BCS	USOC		R/	ATES (\$)			d Elec	d	Order vs.	Svc Order	Svc Order	Order vs.
		- ""	e								per LSR	Manually	Electronic-	vs.	vs.	Electronic
												per LSR		Electronic-	Electronic-	Disc Add'
												p =		Addil	Disc 1st	
						Rec	Nonrec		NRC Disco					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Trunk Side Terms, each			UEP93	CEND6	8.25	120.00	18.85	61.77	3.88		15.75				_
4-Wire	e Digital (1.544 Megabits)															
	DS1 Circuit Terms, each			UEP93	M1HD1	58.41	203.19	96.25	74.86	2.54		15.75				
	DS0 Channels Activated, Per Channel			UEP93	M1HDO	0.00	14.56					15.75				
Interd	office Channel Mileage - 2-Wire															
	Interoffice Channel Facilities Term			UEP93	MIGBC	22.52	40.77	27.57	17.26	7.11		15.75				
	Interoffice Channel miage, per mi or fraction of mi			UEP93	MIGBM	0.0098										
	re Activations (DS0) Centrex Loops on Channelized DS1 Service															
D4 Cł	nannel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP93	1PQWS	0.57										
	Feature Activation on D-4 Channel Bank FX Line Side Loop Slot			UEP93	1PQW6	0.57										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP93	1PQW7	0.57										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot-Diff WC			UEP93	1PQWP	0.57										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP93	1PQWV	0.57										
	Feature Activation on D-4 Channel Bank Tie Line/Trunk Loop Slot			UEP93	1PQWQ	0.57										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP93	1PQWA	0.57										T .
Non-F	Recurring Charges (NRC) Associated with UNE-P Centrex															T
	NRC Conversion Currently Combined Switch-As-Is with allowed changes,															T
	per port			UEP93	USAC2		0.10	0.10				15.75				
	Conversion of Existing Centrex Common Block, each			UEP93	USACN		37.97	16.68								
	New Centrex Standard Common Block			UEP93	M1ACS	0.00	666.32					15.75				
	New Centrex Customized Common Block			UEP93	M1ACC	0.00	666.32					15.75				
	NAR Establishment Charge, Per Occasion			UEP93	URECA	0.00	72.63					15.75				
Note	1 - Required Port for Centrex Control in 1AESS, 5ESS & EWSD															
Note:	2 - Requires Interoffice Channel Mileage															1
Note:	3 - Requires Specific Customer Premises Equipment															

UNBUND	LED NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhil	bit: B
											Svc Order	Svc Order	Charge -	Incremental Charge -	Charge -	I Charge
CATEGOR	Y RATE ELEMENTS	Interi	Zon	BCS	usoc		D	ATES (\$)			Submitte	Submitte		Manual Svc		
CATEGOR	RATE ELEMENTS	m	е	ВСЗ	0300		K/	AIES (\$)			d Elec	d	Order vs.	Order vs.	Order vs.	Svc Order
											per LSR	Manually	Electronic-		Electronic-	vs.
												per LSR	1st	Add'l	Disc 1st	Electronic
						_ 1	Nonre	curring	NRC Dis	connect			oss	Rates (\$)		Disc Addi
						Rec	First	Add'l		Add'l		SOMAN		SOMAN	SOMAN	SOMAN
The	"Zone" shown in the sections for stand-alone loops or loops as part of a co	mbina	ation	refers to Geographica	Ily Deave	raged UNE Zone		eographically				nations by	Central Offic	e, refer to Int		
	//www.interconnection.bellsouth.com/become a clec/html/interconnection			• .	•	ū		. ,			Ū	•		•		
	NAL SUPPORT SYSTEMS															
	E: (1) Electronic Service Order: CLEC should contact its contract negotiate															this Exhibit
is th	e BellSouth regional electronic service ordering charge. CLEC may elect e	either t	the st	ate specific Commiss	ion ordere	ed rates for the	electronic ser	vice ordering	charges, o	or CLEC r	nay elect th	ne regional	electronic s	ervice orderi	ng charge.	
	E: (2) Any element that can be ordered electronically will be billed according															
	hose elements that cannot be ordered electronically at present per the BBI				is catego	ry reflects the cl	narge that wo	uld be billed to	a CLEC	once elec	tronic orde	ering capal	oilities come	on-line for th	at element. (	Otherwise,
the r	nanual ordering charge, SOMAN, will be applied to a CLECs bill when it sul	bmits a	an LS	R to BellSouth.												
	Electronic OSS Charge, per LSR, submitted via BST's OSS interactive															
	interfaces (Regional)				SOMEC		3.50									
	ICE DATE ADVANCEMENT CHARGE															
NOT	E: The Expedite charge will be maintained commensurate with BellSouth's	FCC I	No.1		plicable.											
				ALL UNE EXCEPT												
	UNE Expedite Charge per Circuit or Line Assignable USOC, per Day		<u> </u>	UNE-P	SDASP		200.00									
	ED EXCHANGE ACCESS LOOP		<u> </u>													
2-WI	RE ANALOG VOICE GRADE LOOP		<u> </u>													
	2W Analog VG Loop-SL1-Zone 1		1	UEANL	UEAL2	12.11	57.99	42.37					26.94	12.76		
	2W Analog VG Loop-SL1-Zone 2		2	UEANL	UEAL2	21.24	57.99	42.37					26.94	12.76		<b>.</b>
	2W Analog VG Loop-SL1-Zone 3		3	UEANL	UEAL2	33.65	57.99						26.94	12.76		<b>.</b>
	Unbundled Misc Rate Element, Tag Loop at End User Premise		-	UEANL	URETL		8.33	0.83					26.94	12.76		<b>.</b>
	Loop Testing-Basic 1st Half Hour		-	UEANL	URET1		76.24						26.94	12.76		<b>.</b>
	Loop Testing-Basic Add'l Half Hour		<u> </u>	UEANL	URETA		39.51	0.00					26.94	12.76		
	CLEC to CLEC Conversion Charge w/o Outside Dispatch (UVL-SL1)		<del>                                     </del>	UEANL	UREWO		15.76	8.93					26.94	12.76		-
	Unbundled Voice Loop, Non-Design, billing for BST providing make-up			115 4 5 11			00.74	00.74								
	(Engineering Information-EI)		+	UEANL UEANL	UEANM UEAMC	+	28.74 61.38	28.74 61.38			1					<del>                                     </del>
	Manual Order Coordination for UVL-SL1s (per loop)  Order Coordination for Specified Conversion Time for UVL-SL1 (per LSR)	-	+	UEANL	OCOSL	-	45.34	01.36								<del> </del>
2 14/1	RE Unbundled COPPER LOOP		1	UEANL	UCUSL	+	45.34									<del></del>
2-771	2W Unbundled Copper Loop-Non-Designed Zone 1		1	UEQ	UEQ2X	10.16	35.27	15.60					26.94	12.76		<del> </del>
	2W Unbundled Copper Loop-Non-Designed Zone 1		2	UEQ	UEQ2X	17.55	35.27				1		26.94	12.76		1
	2W Unbundled Copper Loop-Non-Designed-Zone 3		3	UEQ	UEQ2X	27.58	35.27						26.94	12.76		<del> </del>
	Unbundled Misc Rate Element, Tag Loop at End User Premise		-	UEQ	URETL	27.50	8.33	0.83					26.94	12.76		<del> </del>
	Order Coordination 2W Unbundled Copper Loop-Non-Designed (per loop)		1	UEQ	USBMC	+	45.34						20.54	12.70		<del></del>
	Unbundled Copper Loop, Non-Design, billing for BST providing make-up			014	3001110	f t	70.04									
	(Engineering Information-EI)			UEQ	UEQMU	1	28.74	28.74					26.94	12.76		
	Loop Testing-Basic 1st Half Hour			UEQ	URET1	1	76.24						26.94	12.76		
	Loop Testing-Basic Add'l Half Hour			UEQ	URETA	1	39.51					1	26.94	12.76	İ	
	CLEC to CLEC Conversion Charge w/o Outside Dispatch (UCL-ND)			UEQ	UREWO		14.26	7.42					26.94	12.76		
UNBUNDL	ED EXCHANGE ACCESS LOOP													1		
	RE ANALOG VOICE GRADE LOOP													1		
	2W Analog VG Loop-SL1-Line Splitting-Zone 1		1	UEPSR UEPSB	UEALS	12.11	57.99	42.37					26.94	12.76		
	2W Analog VG Loop-SL1-Line Splitting-Zone 1		1	UEPSR UEPSB	UEABS	12.11	57.99	42.37					26.94	12.76		
	2W Analog VG Loop-SL1-Line Splitting-Zone 2		2	UEPSR UEPSB	UEALS	21.24	57.99						26.94	12.76		
	2W Analog VG Loop-SL1-Line Splitting-Zone 2		2		UEABS	21.24	57.99	42.37					26.94	12.76		
	2W Analog VG Loop-SL1-Line Splitting-Zone 3		3	UEPSR UEPSB	UEALS	33.65	57.99	42.37					26.94	12.76		
	2W Analog VG Loop-SL1-Line Splitting-Zone 3		3	UEPSR UEPSB	UEABS	33.65	57.99	42.37					26.94	12.76		
	ED EXCHANGE ACCESS LOOP															
2-WI	RE ANALOG VOICE GRADE LOOP															
	2W Analog VG Loop-SL2 w/Loop or Ground Start Signaling-Zone 1		1	UEA	UEAL2	14.97	142.97						26.94	12.76		
	2W Analog VG Loop-SL2 w/Loop or Ground Start Signaling-Zone 2		2	UEA	UEAL2	25.93	142.97						26.94	12.76		
	2W Analog VG Loop-SL2 w/Loop or Ground Start Signaling-Zone 3		3	UEA	UEAL2	40.81	142.97	106.56			ļ		26.94	12.76		
	Order Coordination for Specified Conversion Time (per LSR)		1	UEA	OCOSL	1	45.34				ļ					
	2W Analog VG Loop-SL2 w/Rev Bat Signaling-Zone 1		1	UEA	UEAR2	14.97	142.97				ļ		26.94	12.76		
	2W Analog VG Loop-SL2 w/Rev Bat Signaling-Zone 2		2	UEA	UEAR2	25.93	142.97	106.56					26.94	12.76		
	2W Analog VG Loop-SL2 w/Rev Bat Signaling-Zone 3		3	UEA	UEAR2	40.81	142.97	106.56		ļ	ļ	ļ	26.94	12.76		
	Order Coordination for Specified Conversion Time (per LSR)		1	UEA	OCOSL	+	45.34		<b></b>	<b> </b>	<u> </u>					
	CLEC to CLEC Conversion Charge w/o outside dispatch	1	1	UEA	UREWO	1	87.64	36.33	l	l	1	1	26.94	12.76	l	1

Version 4Q02: 01/21/03 Page 282 of 402

ADOIAD	LED NETWORK ELEMENTS - North Carolina												Attachi	nent: 2	Exhil	bit: B
ATEGORY		teri m	Zon e	BCS	USOC			ATES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitte d Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	I Charge
						Rec	Nonred		NRC Disc					Rates (\$)		T
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
4 14/1	Loop Tagging-SL2 (SL2)			UEA	URETL		10.45	1.03	<del>                                     </del>				26.94	12.76		
4-111	RE ANALOG VOICE GRADE LOOP  4W Analog VG Loop-Zone 1		1	UEA	UEAL4	21.32	288.47	237.45					26.94	12.76		<del></del>
	4W Analog VG Loop-Zone 1 4W Analog VG Loop-Zone 2		2	UEA	UEAL4	36.27	288.47	237.45	+				26.94	12.76		<del> </del>
	4W Analog VG Loop-Zone 2 4W Analog VG Loop-Zone 3		3	UEA	UEAL4	56.57	288.47	237.45					26.94	12.76		<del>                                     </del>
-	Order Coordination for Specified Conversion Time (per LSR)	-	3	UEA	OCOSL	30.37	45.34	237.43					20.94	12.70		<del></del>
	CLEC to CLEC Conversion Charge w/o outside dispatch			UEA	UREWO		87.64	36.33	1				26.94	12.76		
2-WII	RE ISDN DIGITAL GRADE LOOP			OLA	CINETVO		07.04	00.00	i i				20.04	12.70		
	2W ISDN Digital Grade Loop-Zone 1		1	UDN	U1L2X	19.42	325.91	251.31	i i				26.94	12.76		
	2W ISDN Digital Grade Loop-Zone 2		2	UDN	U1L2X	32.88	325.91	251.31	1				26.94	12.76		1
	2W ISDN Digital Grade Loop-Zone 3		3	UDN	U1L2X	51.14	325.91	251.31	1				26.94	12.76		1
	Order Coordination For Specified Conversion Time (per LSR)			UDN	OCOSL		45.34									
	CLEC to CLEC Conversion Charge w/o outside dispatch			UDN	UREWO		91.55	44.12					26.94	12.76		1
2-WII	RE Universal Digital Channel (UDC) COMPATIBLE LOOP															
	2W Universal Digital Channel (UDC) Compatible Loop-Zone 1		1	UDC	UDC2X	19.42	325.91	251.31					26.94	12.76		
	2W Universal Digital Channel (UDC) Compatible Loop-Zone 2		2	UDC	UDC2X	32.88	325.91	251.31					26.94	12.76		
	2W Universal Digital Channel (UDC) Compatible Loop-Zone 3		3	UDC	UDC2X	51.14	325.91	251.31					26.94	12.76		
	CLEC to CLEC Conversion Charge w/o outside dispatch			UDC	UREWO		91.55	44.12					26.94	12.76		
2-WII	RE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPATIBLE LOOP	•														
	2W Unbundled ADSL Loop including manl svc inq & facility reservation-Zone 1		1	UAL	UAL2X	11.00	264.71	145.60								
	2W Unbundled ADSL Loop including manl svc inq & facility reservation-Zone 2		2	UAL	UAL2X	18.39	264.71	145.60								
	2W Unbundled ADSL Loop including manl svc inq & facility reservation-Zone 3		3	UAL	UAL2X	28.42	264.71	145.60								
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		45.34									
	2W Unbundled ADSL Loop w/o manl svc inq & facility reservaton-Zone 1		1	UAL	UAL2W	11.00	190.25	114.82	1				26.94	12.76		
	2W Unbundled ADSL Loop w/o manl svc inq & facility reservaton-Zone 2		3	UAL	UAL2W	18.39	190.25	114.82	<del>                                     </del>				26.94	12.76		
	2W Unbundled ADSL Loop w/o manl svc inq & facility reservaton-Zone 3		3	UAL UAL	UAL2W OCOSL	28.42	190.25 45.34	114.82	-				26.94	12.76		
-	Order Coordination for Specified Conversion Time (per LSR)  CLEC to CLEC Conversion Charge w/o outside dispatch			UAL	UREWO		86.12	40.36	+				26.94	12.76		-
2 14/11	RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP			UAL	UREWU		80.12	40.36	+				20.94	12.76		-
2-9911	2W Unbundled HDSL Loop including manl svc inq & facility reservation-Zone		1	UHL	UHL2X	9.01	284.74	163.54					0.00	0.00		
	2W Unbundled HDSL Loop including manl svc ing & facility reservation-Zone			02	O.I.E.Z.	0.01	20	100.01	i i				0.00	0.00		
	2  2W Unbundled HDSL Loop including manl svc ing & facility reservation-Zone		2	UHL	UHL2X	14.87	284.74	163.54					0.00	0.00		
	3		3	UHL	UHL2X	22.82	284.74	163.54					0.00	0.00		ļ
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		45.34									<u> </u>
1	2W Unbundled HDSL Loop w/o manl svc inq & facility reservation-Zone 1		1	UHL	UHL2W	9.01	207.48	132.05					26.94	12.76		<u> </u>
	2W Unbundled HDSL Loop w/o manl svc inq & facility reservation-Zone 2		2	UHL	UHL2W	14.87	207.48	132.05					26.94	12.76		<u> </u>
1	2W Unbundled HDSL Loop w/o manl svc inq & facility reservation-Zone 3		3	UHL	UHL2W	22.82	207.48	132.05	<b> </b>				26.94	12.76		<del></del>
1	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		45.34	10	<b> </b>			ļ	00.5	10 ==		<del>                                     </del>
4 1871	CLEC to CLEC Conversion Charge w/o outside dispatch			UHL	UREWO		86.06	40.36	+				26.94	12.76		<b>├</b>
4-1/1	RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP  4W Unbundled HDSL Loop including manl svc ing & facility reservation-Zone		-+		-				$\vdash$							├──
	4W Unbundled HDSL Loop including manl svc ing & facility reservation-Zone  1  4W Unbundled HDSL Loop including manl svc ing & facility reservation-Zone		1	UHL	UHL4X	10.62	341.65	220.45								
	2		2	UHL	UHL4X	17.67	341.65	220.45								
1	4W Unbundled HDSL Loop including manl svc inq & facility reservation-Zone 3 Order Coordination for Specified Conversion Time (per LSR)		3	UHL UHL	UHL4X OCOSL	27.24	341.65 45.34	220.45								
+	4W Unbundled HDSL Loop w/o manl svc inq & facility reservation-Zone 1		1	UHL	UHL4W	10.62	264.39	188.96	+		<b> </b>	1	26.94	12.76		+
-	4W Unbundled HDSL Loop w/o mani svc inq & facility reservation-Zone 1  4W Unbundled HDSL Loop w/o mani svc inq & facility reservation-Zone 2		2	UHL	UHL4W	17.67	264.39	188.96	+				26.94	12.76		+
+	4W Unbundled HDSL Loop w/o manl svc inq & facility reservation-Zone 3		3	UHL	UHL4W	27.24	264.39	188.96	<del>                                     </del>				26.94	12.76		<del>                                     </del>
-	Order Coordination for Specified Conversion Time (per LSR)		3	UHL	OCOSL	21.24	45.34	100.90	+				20.94	12.70		<del>                                     </del>
+-	CLEC to CLEC Conversion Charge w/o outside dispatch			UHL	UREWO		86.06	40.36	<del>                                     </del>				26.94	12.76		+

IBUND	LED NETWORK ELEMENTS - North Carolina												Attachi	ment: 2	Exhil	bit: B
		Interi	Zon								Svc Order Submitte	Svc Order Submitte		Incremental Charge -		I Incrementa I Charge -
TEGORY	RATE ELEMENTS	m	е	BCS	USOC		R#	ATES (\$)			d Elec per LSR	d Manually per LSR	Order vs. Electronic- 1st	Order vs. Electronic- Add'l	Order vs. Electronic- Disc 1st	Svc Order vs. Electronic
						Rec	Nonred	curring	NRC Dis	connect		l	oss	Rates (\$)	l	Disc Add'l
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
4-WIF	RE DS1 DIGITAL LOOP															
_	4W DS1 Digital Loop-Zone 1		1	USL	USLXX	47.60	714.84	421.47					42.19	12.76		+
_	4W DS1 Digital Loop-Zone 2 4W DS1 Digital Loop-Zone 3		3	USL USL	USLXX	84.36 134.29	714.84 714.84	421.47 421.47					42.19 42.19	12.76 12.76		+
	Order Coordination for Specified Conversion Time (per LSR)		3	USL	OCOSL	134.29	48.31	421.47					42.19	12.76		+
	CLEC to CLEC Conversion Charge w/o outside dispatch			USL	UREWO		100.99	43.00					26.94	12.76		+
4-WIF	RE 19.2. 56 OR 64 KBPS DIGITAL GRADE LOOP		t t	OOL	ORLIVO		100.00	40.00					20.04	12.70		1
	4W Unbundled Digital 19.2 Kbps		1	UDL	UDL19	25.32	489.04	337.51					26.94	12.76		1
	4W Unbundled Digital 19.2 Kbps		2	UDL	UDL19	43.11	489.04	337.51					26.94	12.76		
	4W Unbundled Digital 19.2 Kbps		3	UDL	UDL19	67.26	489.04	337.51					26.94	12.76		
	4W Unbundled Digital Loop 56 Kbps-Zone 1		1	UDL	UDL56	25.32	489.04	337.51					26.94	12.76		
	4W Unbundled Digital Loop 56 Kbps-Zone 2		2	UDL	UDL56	43.11	489.04	337.51					26.94	12.76		
_	4W Unbundled Digital Loop 56 Kbps-Zone 3	<u> </u>	3	UDL	UDL56	67.26	489.04	337.51					26.94	12.76		1
_	Order Coordination for Specified Conversion Time (per LSR)	<u> </u>	$\downarrow$	UDL	OCOSL	05.05	45.34	607 5					20.0:	10.7-		<del> </del>
_	4W Unbundled Digital Loop 64 Kbps-Zone 1		1	UDL	UDL64	25.32	489.04	337.51					26.94	12.76		<del> </del>
_	4W Unbundled Digital Loop 64 Kbps-Zone 2	<u> </u>	3	UDL UDL	UDL64 UDL64	43.11 67.26	489.04 489.04	337.51 337.51					26.94 26.94	12.76 12.76		+
-	4W Unbundled Digital Loop 64 Kbps-Zone 3 Order Coordination for Specified Conversion Time (per LSR)		3	UDL	OCOSL	07.20	45.34	337.31					26.94	12.76		+
	CLEC to CLEC Conversion Charge w/o outside dispatch		<del>                                     </del>	UDL	UREWO		102.03	49.70					26.94	12.76		+
2-WIF	RE Unbundled COPPER LOOP			ODL	OKEWO		102.03	43.70					20.54	12.70		1
	2W Unbundled Copper Loop/Short including manl svc ing & facility															†
	reservation-Zone 1		1	UCL	UCLPB	13.26	262.86	143.75								
	2W Unbundled Copper Loop/Short including manl svc inq & facility reservation-Zone 2		2	UCL	UCLPB	22.39	262.86	143.75								
	2W Unbundled Copper Loop/Short including manl svc inq & facility															1
	reservation-Zone 3		3	UCL	UCLPB	34.80	262.86	143.75								
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		61.38	61.38								
	2W Unbundled Copper Loop/Short w/o manl svc inq & facility reservation- Zone 1		1	UCL	UCLPW	13.26	188.39	112.96					26.94	12.76		
	2W Unbundled Copper Loop/Short w/o manl svc inq & facility reservation- Zone 2		2	UCL	UCLPW	22.39	188.39	112.96					26.94	12.76		
	2W Unbundled Copper Loop/Short w/o manl svc inq & facility reservation-		3	HCI	LICI DW	24.00	400.00	440.00					20.04	40.70		
-	Zone 3 Order Coordination for Unbundled Copper Loops (per loop)		3	UCL UCL	UCLPW	34.80	188.39 61.38	112.96 61.38					26.94	12.76		+
	2W Unbundled Copper Loop/Long-includes manl svc inq & facility		1	UCL	OCLIVIC		01.30	01.30								+
	reservation-Zone 1	1	1	UCL	UCL2L	13.26	262.86	143.75								
	2W Unbundled Copper Loop/Long-includes manl svc inq & facility reservation-Zone 2		2	UCL	UCL2L	22.39	262.86	143.75								
	2W Unbundled Copper Loop/Long-includes manl svc inq & facility reservation-Zone 3		3	UCL	UCL2L	34.80	262.86	143.75		·						
1	Order Coordination for Unbundled Copper Loops (per loop)		<del>                                     </del>	UCL	UCLMC	04.00	61.38	61.38						1		1
	2W Unbundled Copper Loop/Long-w/o manl svc inq & facility reservation- Zone 1		1	UCL	UCL2W	13.26	188.39	112.96					26.94	12.76		
	2W Unbundled Copper Loop/Long-w/o manl svc inq & facility reservation- Zone 2		2	UCL	UCL2W	22.39	188.39	112.96					26.94	12.76		
	2W Unbundled Copper Loop/Long-w/o manl svc inq & facility reservation- Zone 3		3	UCL	UCL2W	34.80	188.39	112.96					26.94	12.76		
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		61.38	61.38								
	CLEC to CLEC Conversion Charge w/o outside dispatch (UCL-Des)			UCL	UREWO		97.14	42.44					26.94	12.76		
4-WIF	RE COPPER LOOP		$\sqcup \downarrow$		L									ļ		<del> </del>
	4W Copper Loop/Short-including manl svc ing & facility reservation-Zone 1	<u> </u>	1	UCL	UCL4S	17.36	311.03	191.93								+
	4W Copper Loop/Short-including manl svc inq & facility reservation-Zone 2	-	2	UCL	UCL4S	29.61	311.03	191.93						-		+
	4W Copper Loop/Short-including manl svc inq & facility reservation-Zone 3 Order Coordination for Unbundled Copper Loops (per loop)		3	UCL UCL	UCL4S UCLMC	46.26	311.03 61.38	191.93 61.38								+
-	4W Copper Loop/Short-w/o manl svc ing & facility reservation-Zone 1	<del>                                     </del>	1	UCL	UCL4W	17.36	236.57	161.14					26.94	12.76		+
_	4W Copper Loop/Short-w/o mani svc ing & facility reservation-Zone 1		2	UCL	UCL4W	29.61	236.57	161.14					26.94	12.76		+
				JUL	, OOLTVV	20.01	200.01	101.14					20.04	12.70	1	4

Version 4Q02: 01/21/03 Page 284 of 402

UNBUNDL	ED NETWORK ELEMENTS - North Carolina												Attachi	ment: 2	Exhil	oit: B
CATEGORY	RATE ELEMENTS	Interi m	i Zon	BCS	usoc		R/	ATES (\$)			Svc Order Submitte d Elec	Svc Order Submitte d	Incremental Charge - Manual Svc Order vs.	Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs.	I Charge - Manual Svc Orde
											per LSR	Manually per LSR	Electronic- 1st	Electronic- Add'l	Electronic- Disc 1st	VS. Electronic
						Rec		curring	NRC Disc					Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		61.38	61.38								<b> </b>
	4W Unbundled Copper Loop/Long-includes manl svc inq & facility reservation-Zone 1		1	UCL	UCL4L	17.36	311.03	191.93								
	4W Unbundled Copper Loop/Long-includes manl svc inq & facility reservation-Zone 2		2	UCL	UCL4L	29.61	311.03	191.93								
	4W Unbundled Copper Loop/Long-includes manl svc ing & facility															
	reservation-Zone 3		3	UCL	UCL4L	46.26	311.03	191.93								1
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		61.38	61.38								
	4W Unbundled Copper Loop/Long-w/o manl svc inq & facility reservation-															i
	Zone 1		1	UCL	UCL40	17.36	236.57	161.14					26.94	12.76		<b>I</b>
	4W Unbundled Copper Loop/Long-w/o manl svc inq & facility reservation- Zone 2		2	UCL	UCL4O	29.61	236.57	161.14					26.94	12.76		1
	4W Unbundled Copper Loop/Long-w/o manl svc inq & facility reservation-															
	Zone 3		3	UCL	UCL40	46.26	236.57	161.14					26.94	12.76		
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		61.38	61.38								
	CLEC to CLEC Conversion Charge w/o outside dispatch (UCL-Des)			UCL	UREWO		97.14	42.44								<b></b>
LOOP MODI	FICATION															<u> </u>
				UAL,UHL,UCL,UEQ,												1
	Unbundled Loop Modification, Removal of Load Coils-2W pr < or = 18kft			ULS,UEA,UEANL,UE PSR,UEPSB	ULM2L		21.24	21.24								i
	Unbundled Loop Modification, Removal of Load Coils-2W > 18kft			UCL,ULS,UEQ	ULM2G		119.24	119.24								<b>-</b>
	Unbundled Loop Modification, Removal of Load Coils-2VV > Tokit  Unbundled Loop Modification Removal of Load Coils-4W < or = 18kft	1	1	UHL.UCL	ULM4L		21.24	21.24								<b>—</b>
	Unbundled Loop Modification Removal of Load Coils-4W pr > 18kft			UCL	ULM4G		119.24	119.24								
	embanaida 2009 meanidadi remetal di 2000 cono ini pri reme			UAL,UHL,UCL,UEQ,	02.11.10			110.21								
	Unbundled Loop Modification Removal of Bridged Tap Removal, per			ULS,UEA,UEANL,UE												i
	unbundled loop			PSR,UEPSB	ULMBT		24.84	24.84								i
SUB-LOOPS																
Sub-L	oop Distribution															
	Sub-Loop-Per Cross Box Location-CLEC Feeder Facility Set-Up	- 1		UEANL	USBSA		373.57									1
	Sub-Loop-Per Cross Box Location-Per 25 pr Panel Set-Up	I		UEANL	USBSB		33.78									<b>I</b>
	Sub-Loop-Per Building Equipment Room-CLEC Feeder Facility Set-Up	<u> </u>		UEANL	USBSC		234.76									<b></b>
	Sub-Loop-Per Building Equipment Room-Per 25 pr Panel Set-Up	<u> </u>	_	UEANL	USBSD	7.31	81.05 126.03	54.54					00.04	40.70		<del>                                     </del>
	Sub-Loop Distribution Per 2W Analog VG Loop-Zone 1 Sub-Loop Distribution Per 2W Analog VG Loop-Zone 2	<u> </u>	2	UEANL UEANL	USBN2 USBN2	11.93	126.03	54.54					26.94 26.94	12.76 12.76		<del> </del>
	Sub-Loop Distribution Per 2W Analog VG Loop-Zone 3	H	3	UEANL	USBN2	18.20	126.03	54.54					26.94	12.76		<b>-</b>
-	Order Coordination for Unbundled Sub-Loops, per sub-loop pr	-	- 3	UEANL	USBMC	10.20	61.38	61.38					20.94	12.70		<del>                                     </del>
	Sub-Loop Distribution Per 4W Analog VG Loop -Zone 1		1	UEANL	USBN4	8.44	156.52	79.66			<b>†</b>	1	26.94	12.76		
	Sub-Loop Distribution Per 4W Analog VG Loop -Zone 2		2	UEANL	USBN4	13.81	156.52	79.66					26.94	12.76		
	Sub-Loop Distribution Per 4W Analog VG Loop -Zone 3		3	UEANL	USBN4	21.10	156.52	79.66	İ				26.94	12.76		
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr		L	UEANL	USBMC		61.38	61.38								
	Sub-Loop 2W Intrabuilding Network Cable (INC)			UEANL	USBR2	2.79	114.05	37.20					26.94	12.76		
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr			UEANL	USBMC		61.38	61.38								
	Sub-Loop 4W Intrabuilding Network Cable (INC)			UEANL	USBR4	3.74	127.67	50.82	ļ				26.94	12.76		
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr	<u> </u>	<u> </u>	UEANL	USBMC		61.38	61.38								<b>—</b>
	2W Copper Unbundled Sub-Loop Distribution-Zone 1	<u> </u>	1	UEF	UCS2X	6.10	137.10	60.24					26.94	12.76		<del>                                     </del>
	2W Copper Unbundled Sub-Loop Distribution-Zone 2	₽÷	2	UEF	UCS2X	9.70	137.10	60.24	1		1	1	26.94	12.76		<del>                                     </del>
	2W Copper Unbundled Sub-Loop Distribution-Zone 3		3	UEF UEF	UCS2X USBMC	14.59	137.10 61.38	60.24 61.38					26.94	12.76		<del></del>
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr 4W Copper Unbundled Sub-Loop Distribution-Zone 1	-	1	UEF	UCS4X	6.58	162.24	85.38	+		1		26.94	12.76		<del></del>
	4W Copper Unbundled Sub-Loop Distribution-Zone 1	H	2	UEF	UCS4X	10.51	162.24	85.38			<del>                                     </del>		26.94	12.76		
	4W Copper Unbundled Sub-Loop Distribution-Zone 3	H	3	UEF	UCS4X	15.84	162.24	85.38	1				26.94	12.76		<b>—</b>
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr	<del>  '</del>	۲	UEF	USBMC	13.04	61.38	61.38					20.04	12.70		
Unbur	ndled Sub-Loop Modification						2.700	200	i i							
	Unbundled Sub-Loop Modification-2-W Copper Dist Load Coil/Equip Removal per 2-W PR			UEF	ULM2X		124.51	1.82					26.94	12.76		
$\rightarrow$	Unbundled Sub-loop Modification-4-W Copper Dist Load Coil/Equip	<del>                                     </del>		- OLI	OLIVIZA	<del>                                     </del>	124.31	1.02	1			1	20.54	12.70		
1	Removal per 4-W PR	1	1	UEF	ULM4X	1	124.51	1.82	i		1	1	26.94	12.76	l	i

UNBUND	LED NETWORK ELEMENTS - North Carolina												Attachi	ment: 2	Exhil	oit: B
CATEGORY		Interi m	Zon e	BCS	USOC		RA	ATES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitte d Manually	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incrementa I Charge - Manual Svc Order vs.
												per LSR	1st	Add'l	Disc 1st	Electronic-
						Rec	Nonred First	curring Add'l	NRC Disc	Add'l	SOMEC	SOMAN	SOMAN	Rates (\$) SOMAN	SOMAN	SOMAN
	Unbundled Sub-loop Modification-2-w/4-w Copper Dist Bridged Tap															
Unhi	Removal, per PR unloaded indled Network Terminating Wire (UNTW)			UEF	ULM4T		249.25	47.30					26.94	12.76		
Onbo	Unbundled Network Terminating Wire (UNTW) per pr			UENTW	UENPP	0.4351	64.98		1							
Netw	ork Interface Device (NID)			02.1111	02	0.1001	0 1.00		i i							
1.01	Network Interface Device (NID)-1-2 lines	1		UENTW	UND12	† †	86.37	56.69					26.94	12.76		
	Network Interface Device (NID)-1-6 lines	-		UENTW	UND16		127.93	98.21					26.94	12.76		
	Network Interface Device Cross Connect-2 W	-		UENTW	UNDC2		11.68	11.68					26.94	12.76		
	Network Interface Device Cross Connect-4W			UENTW	UNDC4		11.68	11.68					26.94	12.76		
SUB-LOOP																<b></b>
Sub-	Loop Feeder															<b></b>
	USL-Feeder, DS0 Set-up per Cross Box location-CLEC Distribution Facility			UEA,UDN,UCL,UDL,												ĺ
	set-up		1	UDC	USBFW	<del>                                     </del>	373.57									<del>                                     </del>
	LIST Fooder DS0 Setup per Cross Revisestion per 25 priceture	l		UEA,UDN,UCL,UDL, UDC	USBFX		33.78	33.78								1
<del>                                      </del>	USL Feeder-DS0 Set-up per Cross Box location-per 25 pr set-up USL Feeder DS1 Set-up at DSX location, per DS1 Term		1	USL	USBFZ	<del>                                     </del>	523.51	11.31	1				19.99	19.99		<del>                                     </del>
-	Unbundled Sub-Loop Feeder Loop, 2W Ground Start, VG-Zone 1		1	UEA	USBFA	10.41	122.52	46.61	+ +				26.94	12.76		<del>                                     </del>
	Unbundled Sub-Loop Feeder Loop, 2W Ground-Start, VG-Zone 2		2	UEA	USBFA	17.31	122.52	46.61	1				26.94	12.76		<b>—</b>
	Unbundled Sub-Loop Feeder Loop, 2W Ground-Start, VG-Zone 3		3	UEA	USBFA	26.67	122.52	46.61					26.94	12.76		<b>—</b>
	Order Coordination for Specified Conversion Time, per LSR		Ť	UEA	OCOSL	20.01	45.34		i i				20.0 .	.2		
	Unbundlde Sub-Loop Feeder Loop, 2W Loop-Start, VG-Zone 1		1	UEA	USBFB	10.41	122.52	46.61					26.94	12.76		
	Unbundled Sub-Loop Feeder Loop, 2W Loop-Start, VG-Zone 2		2	UEA	USBFB	17.31	122.52	46.61					26.94	12.76		
	Unbundled Sub-Loop Feeder Loop, 2W Start Loop, VG-Zone 3		3	UEA	USBFB	26.67	122.52	46.61					26.94	12.76		
	Order Coordination for Specified Time Conversion, per LSR			UEA	OCOSL		45.34									
	Unbundled Sub-Loop Feeder Loop, 2W Rev Bat, VG-Zone 1		1	UEA	USBFC	10.41	122.52	46.61					26.94	12.76		
	Unbundled Sub-Loop Feeder Loop, 2W Rev Bat, VG-Zone 2		2	UEA	USBFC	17.31	122.52	46.61					26.94	12.76		<b>L</b>
	Unbundled Sub-Loop Feeder Loop, 2W Rev Bat, VG-Zone 3		3	UEA	USBFC	26.67	122.52	46.61					26.94	12.76		<b></b>
	Order Coordination For Specified Conversion Time, per LSR		١.	UEA	OCOSL	40.00	45.34	444.00					20.04	10.70		+
	Unbundled Sub-Loop Feeder Loop, 4W Ground-Start, VG-Zone 1		1	UEA UEA	USBFD	19.96 33.91	226.36	144.28					26.94 26.94	12.76 12.76		<del>                                     </del>
	Unbundled Sub-Loop Feeder Loop, 4W Ground-Start, VG-Zone 2 Unbundled Sub-Loop Feeder Loop, 4W Ground Start, VG-Zone 3		3	UEA	USBFD USBFD	52.85	226.36 226.36	144.28 144.28					26.94	12.76		<del> </del>
	Order Coordination For Specified Conversion Time, Per LSR		3	UEA	OCOSL	52.65	45.34	144.20	1				20.94	12.76		<del>                                     </del>
	Unbundled Sub-Loop Feeder Loop, 4W Loop-Start, VG-Zone 1		1	UEA	USBFE	19.96	226.36	144.28					26.94	12.76		<b> </b>
	Unbundled Sub-Loop Feeder Loop, 4W Loop-Start, VG-Zone 2		2	UEA	USBFE	33.91	226.36	144.28					26.94	12.76		
	Unbundled Sub-Loop Feeder Loop, 4W Loop-Start, VG-Zone 3		3	UEA	USBFE	52.85	226.36	144.28					26.94	12.76		
	Order Coordination For Specified Conversion Time, Per LSR			UEA	OCOSL		45.34									
	Unbundled Sub-Loop Feeder Loop, 2W ISDN BRI-Zone 1		1	UDN	USBFF	17.24	202.01	105.88					26.94	12.76		
	Unbundled Sub-Loop Feeder Loop, 2W ISDN BRI-Zone 2		2	UDN	USBFF	29.17	202.01	105.88					26.94	12.76		
	Unbundled Sub-Loop Feeder Loop, 2W ISDN BRI-Zone 3		3	UDN	USBFF	45.37	202.01	105.88					26.94	12.76		<b></b>
	Order Coordination For Specified Conversion Time, Per LSR		١.	UDN	OCOSL	47.0:	45.34	405.5					20.0:	10.75		<u> </u>
-	Unbundled Sub-Loop Feeder, 2W UDC (IDSL compatible)		1	UDC UDC	USBFS	17.24	202.01	105.88					26.94	12.76		<del>                                     </del>
	Unbundled Sub-Loop Feeder, 2W UDC (IDSL compatible)		2	UDC	USBFS USBFS	29.17 45.37	202.01 202.01	105.88 105.88	1				26.94 26.94	12.76 12.76		<del>                                     </del>
	Unbundled Sub-Loop Feeder, 2W UDC (IDSL compatible) Unbundled Sub-Loop Feeder Loop, 4W DS1-Zone 1		1	USL	USBFG	45.37 35.65	393.01	105.88	1				26.94 42.19	12.76		<del>                                     </del>
<del>                                     </del>	Unbundled Sub-Loop Feeder Loop, 4W DS1-Zone 1 Unbundled Sub-Loop Feeder Loop, 4W DS1-Zone 2		2	USL	USBFG	63.18	393.01	153.37	1				42.19	12.76		<del>                                     </del>
	Unbundled Sub-Loop Feeder Loop, 4W DS1-Zone 3		3	USL	USBFG	100.58	393.01	153.37	1				42.19	12.76		
	Order Coordination For Specified Conversion Time, Per LSR		Ť	USL	OCOSL		48.31	.00.01					.2.10	.2.70		
	Unbundled Sub-Loop Feeder, 2W Copper Loop-Zone 1		1	UCL	USBFH	9.14	172.89	90.81					26.94	12.76		
	Unbundled Sub-Loop Feeder Loop, 2W Copper Loop-Zone 2		2	UCL	USBFH	14.90	172.89	90.81	i i				26.94	12.76		
	Unbundled Sub-Loop Feeder Loop, 2W Copper Loop-Zone 3		3	UCL	USBFH	22.71	172.89	90.81					26.94	12.76		
	Order Coordination For Specified Conversion Time, per LSR			UCL	OCOSL		45.34	-								
	Sub-Loop Feeder-Per 4W Copper Loop-Zone 1		1	UCL	USBFJ	13.41	207.14	134.77					26.94	12.76		
	Sub-Loop Feeder-Per 4W Copper Loop-Zone 2		2	UCL	USBFJ	22.42	207.14	134.77					26.94	12.76		<b></b>
$\vdash$	Sub-Loop Feeder-Per 4W Copper Loop-Zone 3		3	UCL	USBFJ	34.66	207.14	134.77	<b> </b>				26.94	12.76		<del></del>
<b>  </b>	Order Coordination For Specified Conversion Time, per LSR		١.	UCL	OCOSL	212	45.34	400.5-					20.0:	10.75		<del> </del>
	Sub-Loop Feeder-Per 4W 19.2 Kbps Digital Grade Loop Sub-Loop Feeder-Per 4W 19.2 Kbps Digital Grade Loop		1 2	UDL	USBFN	24.27 41.55	215.00 215.00	132.92 132.92					26.94 26.94	12.76 12.76		<del>                                     </del>
	Joub-Loop reeder-Per 4W 19.2 Kbps Digital Grade Loop			UDL	OSRLN	41.55	215.00	132.92	1		1		26.94	12./6	l	1

ONBONDL	ED NETWORK ELEMENTS - North Carolina													nent: 2		oit: B
CATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	USOC		R.A	ATES (\$)			Svc Order Submitte d Elec	Svc Order Submitte d	Incremental Charge - Manual Svc Order vs.	Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs.	I Charge
											per LSR	Manually per LSR	Electronic- 1st	Electronic- Add'l	Electronic- Disc 1st	vs. Electronic
						Rec	Nonred	curring	NRC Dis	connect			oss	Rates (\$)		THE AAA
							First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
	Sub-Loop Feeder-Per 4W 19.2 Kbps Digital Grade Loop		3	UDL	USBFN	65.02	215.00	132.92					26.94	12.76		
	Sub-Loop Feeder-Per 4W 56 Kbps Digital Grade Loop-Zone 1		1	UDL	USBFO	24.27	215.00	132.92					26.94	12.76		
	Sub-Loop Feeder-Per 4W 56 Kbps Digital Grade Loop-Zone 2		2	UDL	USBFO	41.55	215.00	132.92					26.94	12.76		
	Sub-Loop Feeder-Per 4W 56 Kbps Digital Grade Loop-Zone 3		3	UDL	USBFO	65.02	215.00	132.92					26.94	12.76		<del>                                     </del>
	Order Coordination For Specified Time Conversion, per LSR Sub-Loop Feeder-Per 4W 64 Kbps Digital Grade Loop-Zone 1		1	UDL UDL	OCOSL USBFP	24.27	45.34 215.00	132.92					26.94	12.76		
	Sub-Loop Feeder-Per 4W 64 Kbps Digital Grade Loop-Zone 1 Sub-Loop Feeder-Per 4W 64 Kbps Digital Grade Loop-Zone 2		2	UDL	USBFP	41.55	215.00	132.92					26.94	12.76		
	Sub-Loop Feeder-Per 4W 64 Kbps Digital Grade Loop-Zone 2 Sub-Loop Feeder-Per 4W 64 Kbps Digital Grade Loop-Zone 3		3	UDL	USBFP	65.02	215.00	132.92					26.94	12.76		<del> </del>
	Order Coordination For Specified Conversion Time, per LSR		Ŭ	UDL	OCOSL	00.02	45.34	.02.02					20.01	12.70		
SUB-LOOPS				<u> </u>												
	oop Feeder															
	Sub Loop Feeder-DS3-Per mi Per mo	!		UE3	1L5SL	16.03										
	Sub Loop Feeder-DS3-Facility Term Per mo	ı		UE3	USBF1	350.32	3,399.57	406.81	164.08	93.01			26.94	12.76		
	Sub Loop Feeder – STS-1 – Per mi Per mo			UDLSX	1L5SL	16.03										
	Sub Loop Feeder-STS-1-Facility Term Per mo			UDLSX	USBF7	376.06	3,399.57	406.81	164.08	93.01			26.94	12.76		
	Sub Loop Feeder – OC-3 – Per mi Per mo			UDLO3	1L5SL	12.16										
	Sub Loop Feeder-OC-3-Facility Term Protection Per mo			UDLO3	USBF5	56.60										
	Sub Loop Feeder-OC-3-Facility Term Per mo			UDLO3	USBF2	564.14	3,399.57	406.81	164.08	93.01			26.94	12.76		
	Sub Loop Feeder-OC-12-Per mi Per mo			UDL12 UDL12	1L5SL USBF6	14.97 639.50										
	Sub Loop Feeder-OC-12-Facility Term Protection Per mo Sub Loop Feeder-OC-12-Facility Term Per mo	<del>-  </del> -		UDL12	USBF3	1,841.00	3,399.57	406.81	164.08	93.01			26.94	12.76		
	Sub Loop Feeder-OC-12-1 actinty ferrifine into	÷		UDL48	1L5SL	49.10	3,399.31	400.01	104.00	93.01			20.94	12.70		-
	Sub Loop Feeder-OC-48-Facility Term Protection Per mo	i		UDL48	USBF9	319.92										
	Sub Loop Feeder-OC-48-Facility Term Per mo	i		UDL48	USBF4	1,603.00	3,585.57	406.81	160.39	90.92			26.94	12.76		
	Sub Loop Feeder-OC-12 Interface On OC-48	Ť		UDL48	USBF8	360.95	804.30	406.81	160.39	90.92			26.94	12.76		
INBUNDLE	D LOOP CONCENTRATION															
	Unbundled Loop Concentration-System A (TR008)			ULC	UCT8A	398.41	652.26	652.26								
	Unbundled Loop Concentration-System B (TR008)			ULC	UCT8B	58.36	271.78	271.78								
	Unbundled Loop Concentration-System A (TR303)			ULC	UCT3A	439.73	652.25	652.26								
	Unbundled Loop Concentration-System B (TR303)			ULC	UCT3B	98.34	271.78	271.78								
	Unbundled Loop Concentration-DS1 Loop Interface Card			ULC	UCTCO	5.52	126.85	92.35	33.65	9.42						
	Unbundled Loop Concentration-ISDN Loop Interface (Brite Card)			UDN	ULCC1	8.77	21.11	21.00	10.81	10.74						<del>                                     </del>
	Unbundled Loop Concentration-UDC Loop Interface (Brite Card) Unbundled Loop Concentration2W Voice-Loop Start or Ground Start Loop Interface (POTS Card)			UDC UEA	ULCC2	0.89	21.11 35.73	21.00 35.49	10.81	10.74						
	Unbundled Loop Concentration-2W Voice-Rev Bat Loop Interface (SPOTS Card)			UEA	ULCCR	13.03	21.11	21.00	10.81	10.74						
	Unbundled Loop Concentration-4W Voice Loop Interface (Specials Card)			UEA	ULCC4	7.77	21.11	21.00	10.81	10.74						
	Unbundled Loop Concentration-TEST CIRCUIT Card			ULC	UCTTC	37.98	21.11	21.00	10.81	10.74						
	Unbundled Loop Concentration-Digital 19.2 Kbps Data Loop Interface			UDL	ULCC7	11.51	21.11	21.00	10.81	10.74						
	Unbundled Loop Concentration-Digital 56 Kbps Data Loop Interface			UDL	ULCC5	11.51	21.11	21.00	10.81	10.74						
	Unbundled Loop Concentration-Digital 64 Kbps Data Loop Interface			UDL	ULCC6	11.51	21.11	21.00	10.81	10.74						
	, PROVISIONING ONLY - NO RATE															
	NID-Dispatch & Service Order for NID installation			UENTW	UNDBX	0.00	0.00									
	UNTW Circuit Id Establishment, Provisioning Only-No Rate			UENTW	UENCE	0.00	0.00									
	Habitan Had Contract Name - Benjains in Colon Na Bata			UEANL,UEF,UEQ,U	LINIEON	0.00	0.00									
NE OTHER	Unbundled Contract Name, Provisioning Only-No Rate			ENTW	UNECN	0.00	0.00									
NE OTHER	, PROVISIONING ONLY - NO RATE			UAL,UCL,UDC,UDL,												<del> </del>
	Unbundled Contact Name, Provisioning Only-no rate			UDN,UEA,UHL,ULC	UNECN	0.00	0.00									
	Unbundled Sub-Loop Feeder-2W Cross Box Jumper-no rate			UEA.UDN.UCL.UDC	USBFQ	0.00	0.00				1					
	Unbundled Sub-Loop Feeder-4W Cross Box Jumper-no rate			UEA,USL,UCL,UDL	USBFR	0.00	0.00									
	Unbundled DS1 Loop-Superframe Format Option-no rate			USL	CCOSF	0.00	0.00				1					
	Unbundled DS1 Loop-Expanded Superframe Format option-no rate			USL	CCOEF	0.00	0.00				Ì					
IGH CAPA	CITY UNBUNDLED LOCAL LOOP															
	: minimum billing period of three months for DS3 and above Local Loop															
	High Capacity Unbundled Local Loop-DS3-Per mi per mo		I T	UE3	1L5ND	13.33							1			1

Jnbundi	LED NETWORK ELEMENTS - North Carolina												Attachi	ment: 2	Exhil	bit: B
CATEGORY	RATE ELEMENTS	Interi m	i Zon e	BCS	usoc		RA	TES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitte d Manually per LSR	Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	I Charge -
												per LSK			DISC 1St	Disc Add'l
						Rec		urring		sconnect				Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
	High Capacity Unbundled Local Loop-DS3-Facility Term per mo			UE3	UE3PX	450.69	1,071.00	646.12					53.48	53.48		
	High Capacity Unbundled Local Loop-STS-1-Per mi per mo			UDLSX	1L5ND	13.33										
	High Capacity Unbundled Local Loop-STS-1-Facility Term per mo			UDLSX	UDLS1	464.26	1,071.00	646.12					53.48	53.48		
OOP MAKE																
,	Loop Makeup-Preordering w/o Reservation, per working or spare facility															
	queried (Manual).			UMK	UMKLW		55.44	55.44								
	Loop Makeup-Preordering With Reservation, per spare facility queried (Manual).			UMK	UMKLP		55.73	55.73								
	Loop MakeupWith or w/o Reservation, per working or spare facility queried															
	(Mechanized)			UMK	PSUMK		0.6960821	0.6960821								
	UENCY SPECTRUM															
	SHARING															
	TTERS-CENTRAL OFFICE BASED															
	Line Sharing Splitter, per System 96 Line Capacity			ULS	ULSDA	181.18	631.54	0.00					26.94	12.76		
	Line Sharing Splitter, per System 24 Line Capacity			ULS	ULSDB	38.99	631.54	0.00					26.94	12.76		
	Line Sharing Splitter, Per System, 8 Line Capacity	_		ULS	ULSD8	12.73	424.61	0.00					26.94	12.76		
	Line Sharing-DLEC Owned Splitter in CO-CFA activation-deactivation (per															
	LSOD)			ULS	ULSDG		146.32	31.27					26.94	12.76		
END I	USER ORDERING-CENTRAL OFFICE BASED-HIGH FREQUENCY SPECTRI	JM A	KA LIN	NE SHARING												
	Line Sharing -per Line Activation (BST Owned Splitter)			ULS	ULSDC	0.61	54.71	28.77					26.94	12.76		
	Line Sharing-per Subsqnt Activity per Line Rearrangement(BST Owned															
	Splitter			ULS	ULSDS		35.42	16.57					26.94	12.76		
	Line Sharing-per Subsgnt Activity per Line Rearrangement(DLEC Owned															
	Splitter			ULS	ULSCS		35.14	16.29					26.94	12.76		
	Line Sharing-per Line Activation (DLEC owned Splitter)			ULS	ULSCC	0.61	47.44	19.31					26.94	12.76		
	SPLITTING															
END I	USER ORDERING-CENTRAL OFFICE BASED															
	Line Splitting-per line activation DLEC owned splitter			UEPSR UEPSB	UREOS	0.61										
	Line Splitting-per line activation BST owned-physical	1		UEPSR UEPSB	UREBP	0.61	56.92	28.59					26.94	12.76		
	Line Splitting-per line activation BST owned-virtual	i	1	UEPSR UEPSB	UREBV	0.61	56.92	28.59					26.94	12.76		
	OTE SITE HIGH FREQUENCY SPECTRUM		1			2.01								0		
	TERS-REMOTE SITE															1
	Remote Site Line Share BST Owned Splitter. 24 Port	-		ULS	ULSRB	54.47	113.79	0.00					26.94	12.76		
	Remote Site Line Share Cable pr Activation CLEC Owned at RS &	-		020	0200	J 47		3.00					20.04	.2.70		
	Deactivation		1	ULS	ULSTG	1	74.38	0.00	ı	1	1	l	26.94	12.76	l	

INBONE	ULE	ED NETWORK ELEMENTS - North Carolina				1	1								nent: 2		bit: B
ATEGOR	RY	RATE ELEMENTS	nteri m	Zon e	BCS	usoc		RA	ATES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitte d Manually	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	I Charge Manual
													per LSR	1st	Add'l	Disc 1st	Electronic
							Rec	Nonrec		NRC Disco					Rates (\$)		
							1,00	First	Add'l	First A	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
END		SER ORDERING-REMOTE SITE HIGH FREQUENCY SPECTRUM AKA REM  Lemote Site Line Share Line Activation for End User Served at RS, BST	OTE	SITE	LINE SHARING												
		cemote Site Line Share Line Activationfor End User Served at RS, BS I			ULS	ULSRC	0.61	56.92	28.59					26.94	12.76		
		S Line Share Line Activation for End User served at RS. CLEC Splitter	÷		ULS	ULSTC	0.61	56.92	28.59					26.94	12.76		
		temote Site Line Share Subsqnt Activity-RS BST Owned Splitter	i		ULS	ULSRS	0.01	48.71	17.67					26.94	12.76		
		temote Site Line Share Subsqnt Activity-RS CLEC Owned Splitter	1		ULS	ULSTS		48.71	17.67					26.94	12.76		
		DEDICATED TRANSPORT															
		INTEROFFICE CHANNEL DEDICATED TRANSPORT - minimum billing per	iod -	belov	v DS3=one month, at	ove DS3=1	our months										
INT		OFFICE CHANNEL - DEDICATED TRANSPORT															ļ
		nteroffice Channel-Dedicated Transport-2W VG-Per mi per mo			U1TVX	1L5XX	0.0125										<u> </u>
		nteroffice Channel-Dedicated Transport-2W VG-Facility Term			U1TVX U1TVX	U1TV2	18.00	137.48	52.58				-	38.07	38.07		<b></b>
		hteroffice Channel-Dedicated Transport-2W VG Rev Bat-Per mi per mo hteroffice Channel-Dedicated Transport-2W VG Rev BatFacility Term		$\vdash$	U1TVX	1L5XX U1TR2	0.0125 18.00	137.48	52.58			-	-	38.07	38.07		₩
_		nteroffice Channel-Dedicated Transport-2W VG-Rev BatFacility Term			U1TVX U1TVX	1L5XX	0.0125	137.48	5∠.58				<b>-</b>	38.07	36.07		$\vdash$
		nteroffice Channel -Dedicated Transport-4W VG-Facility Term			U1TVX	U1TV4	22.16	106.11	65.95					22.32	22.32		
		nteroffice Channel-Dedicated Transport-56 kbps-per mi per mo			U1TDX	1L5XX	0.0282										
		nteroffice Channel-Dedicated Transport-56 kbps-Facility Term			U1TDX	U1TD5	17.40	137.48	52.58					38.07	38.07		
	In	nteroffice Channel-Dedicated Transport-64 kbps-per mi per mo			U1TDX	1L5XX	0.0282										
		nteroffice Channel-Dedicated Transport-64 kbps-Facility Term			U1TDX	U1TD6	17.40	137.48	52.58					38.07	38.07		
		nteroffice Channel-Dedicated Channel-DS1-Per mi per mo			U1TD1	1L5XX	0.5753										
		nteroffice Channel-Dedicated Tranport-DS1-Facility Term			U1TD1	U1TF1	71.29	217.17	163.75					38.07	38.07		
		nteroffice Channel -Dedicated Transport-DS3-Per mi per mo			U1TD3	1L5XX	12.98	70101	570.55					24.00	24.00		<del> </del>
_		nteroffice Channel-Dedicated Transport-DS3-Facility Term per mo			U1TD3	U1TF3	720.38 6.14	794.94	579.55					91.26	91.26		
_		nteroffice Channel-Dedicated Transport-STS-1-Per mi per mo enteroffice Channel-Dedicated Transport-STS-1-Facility Term			U1TS1 U1TS1	1L5XX U1TFS	790.37	642.23	408.89	-				53.48	53.48		-
1.00		CHANNEL - DEDICATED TRANSPORT			01131	UTIFS	190.31	042.23	400.09					33.46	33.40		-
		LOCAL CHANNEL DEDICATED TRANSPORT - minimum billing period = b	elow	DS3=	one month, above D	S3=four me	onths										<b>-</b>
		ocal Channel-Dedicated-2W VG-Zone 1		1	ULDVX	ULDV2	11.24	553.80	89.69					42.17	12.76		
		ocal Channel-Dedicated-2W VG -Zone 2		2	ULDVX	ULDV2	19.91	553.80	89.69					42.17	12.76		
	L	ocal Channel-Dedicated-2W VG-Zone 3		3	ULDVX	ULDV2	31.70	553.80	89.69					42.17	12.76		
		ocal Channel-Dedicated-4W VG -Zone 1		1	ULDVX	ULDV4	12.03	562.23	92.67					42.17	12.76		
		ocal Channel-Dedicated-4W VG -Zone 2		2	ULDVX	ULDV4	21.33	562.23	92.67					42.17	12.76		
		ocal Channel-Dedicated-4W VG-Zone 3		3	ULDVX	ULDV4	33.95	562.23	92.67					42.17	12.76		ļ
		ocal Channel-Dedicated-DS1-Zone 1		1	ULDD1	ULDF1	27.05	534.48	462.69					86.15	1.77		<del> </del>
		ocal Channel-Dedicated-DS1 -Zone 2		2	ULDD1	ULDF1 ULDF1	47.94 76.32	534.48 534.48	462.69					86.15	1.77		
		ocal Channel-Dedicated-DS1 -Zone 3 ocal Channel-Dedicated-DS3-Per mi per mo		3	ULDD1 ULDD3	1L5NC	0.9954	534.48	462.69	-			-	86.15	1.77		<del>                                     </del>
		ocal Channel-Dedicated-DS3-Per mi per mo			ULDD3	ULDF3	298.92	562.25	527.88				<b>-</b>	56.25	56.25		+
1		ocal Channel-Dedicated-STS-1-Per mi per mo			ULDS1	1L5NC	0.9954	302.23	321.00					50.25	50.25		
		ocal Channel-Dedicated-STS-1 -Facility Term			ULDS1	ULDFS	286.13	1,071.00	646.12					53.48	53.48		
RK FIB								,									
	D	ark Fiber, Four Fiber Strands, Per Route mi or Fraction Thereof per mo-															
		ocal Channel			UDF	1L5DC	64.04										1
		IRC Dark Fiber-Local Channel			UDF	UDFC4		1,347.00	279.87								
		Park Fiber, Four Fiber Strands, Per Route mi or Fraction Thereof per mo-			UDE	41.505	07.74										
_		nteroffice Channel			UDF UDF	1L5DF UDF14	27.71	4 007 00	500.00								
_		IRC Dark Fiber-Interoffice Channel lark Fiber, Four Fiber Strands, Per Route mi or Fraction Thereof per mo-		$\vdash$	UDF	UDF14	+	1,807.00	562.96	-			-				<del>                                     </del>
		ocal Loop			UDF	1L5DL	64.04										
		IRC Dark Fiber-Local Loop			UDF	UDFL4	04.04	1,347.00	279.87								<del>                                     </del>
(X ACCE		TEN DIGIT SCREENING			ODI	JDI L4	<del>                                     </del>	1,547.00	210.01								
		XX Access Ten Digit Screening, Per Call			OHD		0.0005										
	Ť	<u> </u>															
		XX Access Ten Digit Screening, Reservation Charge Per 8XX No Reserved			OHD	N8R1X		7.05	0.96				<u></u>	26.94			<u> </u>
	8	XX Access Ten Digit Screening, Per 8XX No. Established W/O POTS												_			
1	lπ	ranslations			OHD	I	1	23.82	2.73			l	1	41.35			

UNDUNDI	ED NETWORK ELEMENTS - North Carolina													nent: 2		bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	usoc		R.	ATES (\$)			Svc Order Submitte d Elec per LSR		Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	I Charge Manual Svc Orde vs.
									Lunon			per LSR	1st	Add'l	Disc 1st	Electronic
					1	Rec	Nonred First	curring Add'l	NRC Disco	Add'l	SOMEC	SOMAN		Rates (\$) SOMAN	SOMAN	SOMAN
	8XX Access Ten Digit Screening, Per 8XX No. Established With POTS						FIISL	Add I	FIISL	Auu i	SOIVIEC	SOMAN	SOWAN	SOWAN	SOWAN	SOWAN
	Translations			OHD	N8FTX		23.82	2.73					41.35			
	8XX Access Ten Digit Screening, Customized Area of Service Per 8XX No			OHD	N8FCX		5.63	2.82								
	8XX Access Ten Digit Screening, Multiple InterLATA CXR Routing Per CXR															
	Requested Per 8XX No.			OHD	N8FMX		6.59	3.77					00.04			
	8XX Access Ten Digit Screening, Change Charge Per Request 8XX Access Ten Digit Screening, Call Handling & Destination Features			OHD OHD	N8FAX N8FDX		8.01 5.63	0.96					26.94			
	MATION DATA BASE ACCESS (LIDB)			OHD	INOFUX		5.65									
	LIDB Common Transport Per Query			OQT		0.00003										
	LIDB Validation Per Query			OQU		0.0134										
	LIDB Originating Point Code Establishment or Change			OQT,OQU	NRPBX		62.26						26.94	26.94		
SIGNALING																
	CCS7 Signaling Connection, Per link (A link)			UDB	TPP++	18.22	278.02	278.02			<u> </u>		41.35	41.35		
	CCS7 Signaling Connection, Per link (B link) (also known as D link)		$\vdash$	UDB	TPP++	18.22	278.02	278.02			<b> </b>	-	41.35	41.35		<u> </u>
	CCS7 Signaling Term, Per STP Port CCS7 Signaling Usage, Per ISUP Message		$\vdash$	UDB UDB	PT8SX	132.83 0.00004			<del>                                     </del>		<b> </b>	-				
	CCS7 Signaling Usage, Per ICAP Message			UDB		0.00004										<del>                                     </del>
	CCS7 Signaling Usage, Fell TCAF Message CCS7 Signaling Usage Surrogate, per link per LATA			UDB	STU56	338.98			<del>                                     </del>							<u> </u>
	CCS7 Signaling Point Code, per Originating Point Code Establishment or			ODD	01030	330.30			<del> </del>							
	Change, per STP affected			UDB	CCAPO		40.00	40.00					19.99	19.99		
	CCS7 Signaling Point Code, per Destination Point Code Establishment or															
	Change, Per Stp Affected			UDB	CCAPD		8.00	8.00					19.99	19.99		
E911 SERVI																
	Local Channel-Dedicated-2W VG-Zone 1		1			11.24	553.80	89.69					42.17	12.76		
	Local Channel-Dedicated-2W VG-Zone 2		2			19.91	553.80	89.69					42.17	12.76		
	Local Channel-Dedicated-2W VG-Zone 3 Interoffice Transport-Dedicated-2W VG Per mi		3			31.70 0.0282	553.80	89.69	-				42.17	12.76		<del></del>
	Interoffice Transport-Dedicated-2W VG Per Init				-	18.00	137.48	52.58	<del>                                     </del>				38.07	38.07		<del>                                     </del>
	Local Channel-Dedicated-DS1-Zone 1		1			27.05	534.48	462.69	<del> </del>				86.15	1.77		<del></del>
	Local Channel-Dedicated-DS1-Zone 2		2			47.94	534.48	462.69	t				86.15	1.77		
	Local Channel-Dedicated-DS1-Zone 3		3			76.32	534.48	462.69					86.15	1.77		
	Interoffice Transport-Dedicated-DS1 Per mi					0.5753										
	Interoffice Transport-Dedicated-DS1 Per Facility Term					71.29	217.17	163.75					38.07	38.07		
CALLING N	AME (CNAM) SERVICE															
	CNAM For DB Owners-Service Establishment			OQV			75.62									
	CNAM For Non DB Owners-Service Establishment CNAM For DB Owners-Service Provisioning With Point Code Establishment			OQV			75.62									
	(Initial)			OQV			2.354.00	2,354.00								
	CNAM For DB Owners-Service Provisioning With Point Code Establishment			OQV			2,004.00	2,004.00	t							
	(Subsqnt)			OQV			1,739.00	1,739.00								
	CNAM For Non DB Owners-Service Provisioning With Point Code															
	Establishment (Initial)			OQV			1,072.00	1,072.00								
	CNAM For Non DB Owners-Service Provisioning With Point Code															
	Establishment (Subsqnt)			OQV			768.44	768.44								
ND O	CNAM for DB & Non DB Owners, Per Query			OQV		0.0009592										<b>—</b>
LNP Query	LNP Charge Per query			OQV		0.00084			-							<del></del>
	LNP Service Establishment Manual			OQV	-	0.00064	41.25		<del>                                     </del>							<u> </u>
	LNP Service Provisioning with Point Code Establishment (Initial)		H	OQV	1	t	1,563.00	1,563.00			1	1				
	LNP Service Provisioning with Point Code Establishment (Subsqnt)			OQV			883.99	883.99								
OPERATOR	CALL PROCESSING					<u>                                      </u>										
	Oper Call Processing-Oper Provided, Per min-Using BST LIDB					1.20										
	Oper Call Processing-Oper Provided, Per min-Using Foreign LIDB					1.24										
	Oper Call Processing-Fully Automated, per Call-Using BST LIDB					0.20										<u> </u>
	Oper Call Processing-Fully Automated, per Call-Using Foreign LIDB				1	0.20					ļ					<u> </u>
	ERATOR SERVICES		$\sqcup$		<del>                                     </del>	<b>.</b>			$\vdash$		<u> </u>		ļ			
	Inward Oper Services-Verification, Per min					1.15					1	I				

UNBUND	LED NETWORK ELEMENTS - North Carolina												Attachi	ment: 2	Exhil	bit: B
											Svc	Svc	Incremental	Incremental	Incremental	Incrementa
											Order	Order	Charge -	Charge -	Charge -	I Charge -
		Intori	70n								Submitte	Submitte	Manual Svc	Manual Svc		
CATEGORY	RATE ELEMENTS		Zon	BCS	USOC		R.A	TES (\$)			d Elec	d	Order vs.	Order vs.	Order vs.	Svc Order
		m	е					.,			per LSR	Manually	Electronic-	Electronic-	Electronic-	vs.
											per Lor	per LSR	1st	Add'l	Disc 1st	Electronic-
												per Lor	151	Addi	DISC 1St	Disc Add'l
						Rec	Nonred	curring	NRC Dis	connect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Inward Oper Services-Verification & Emergency Interrupt-Per min					1.15										
BRANDING	- OPERATOR CALL PROCESSING															
Facili	ty based CLEC															
	Recording of Custom Branded OA Announcement				CBAOS		7,000.00	7,000.00					26.94	12.76		
	Loading of Custom Branded OA Announcement per shelf/NAV per OCN				CBAOL		500.00	500.00					26.94	12.76		
UNEF	CLEC															
	Recording of Custom Branded OA Announcement						7,000.00	7,000.00					26.94	12.76		
	Loading of Custom Branded OA Announcement per shelf/NAV per OCN						500.00	500.00					26.94	12.76		
Unbra	anding via OLNS for UNEP CLEC															
	Loading of OA per OCN (Regional)						1,200.00	1,200.00					26.94	12.76		
DIRECTOR	Y ASSISTANCE SERVICES															
	CTORY ASSISTANCE ACCESS SERVICE															
l	Directory Assistance Access Service Calls, Charge Per Call					0.275										
DIRE	CTORY ASSISTANCE CALL COMPLETION ACCESS SERVICE (DACC)															
	Directory Assistance Call Completion Access Service (DACC), Per Call															
	Attempt					0.062										
DIRECTOR	Y ASSISTANCE SERVICES															
	CTORY ASSISTANCE DATA BASE SERVICE (DADS)															
	Directory Assistance Data Base Service Charge Per Listing					0.04										
	Directory Assistance Data Base Service, per mo				DBSOF	150.00										
BRANDING	- DIRECTORY ASSISTANCE															
	tv Based CLEC															
	Recording & Provisioning of DA Custom Branded Announcement			AMT	CBADA		3,000.00	3,000.00					26.94	12.76		
	Loading of Custom Branded Announcement per Switch per OCN			AMT	CBADC		1,170.00	1,170.00					26.94	12.76		
UNE	CLEC						.,	.,								
	Recording of DA Custom Branded Announcement						3,000.00	3,000.00					26.94	12.76		
	Loading of DA Custom Branded Announcement per Switch per OCN						1,170.00	1,170.00					26.94	12.76		
Unbra	anding via OLNS for UNEP CLEC						,	,								
	Loading of DA per OCN (1 OCN per Order)						420.00	420.00					26.94	12.76		
	Loading of DA per Switch per OCN						16.00	16.00					26.94	12.76		
SELECTIVE																
	Selective Routing Per Unique Line Class Code Per Request Per Switch				USRCR		82.25	82.25	14.14	14.14			26.94	12.76		
VIRTUAL C	OLLOCATION															
	Virtual Collocation-2W Cross Connects (Loop) for Line Splitting			UEPSR.UEPSB	VE1LS	0.0287	33.96	32.08	36.72	34.84			19.99	19.99		
PHYSICAL	COLLOCATION			,												
	Physical Collocation-2W Cross Connects (Loop) for Line Splitting			UEPSR,UEPSB	PE1LS	0.0309	33.53	31.65	36.29	34.41			19.99	19.99		
AIN SELEC	TIVÉ CARRIER ROUTING			·												
	Regional Service Establishment			SRC	SRCEC		215,597.00									
	End Office Establishment			SRC	SRCEO		347.27									
	Query NRC, per query			SRC		0.0053758										
AIN - BELLS	SOUTH AIN SMS ACCESS SERVICE															
	AIN SMS Access Service-Service Establishment, Per State, Initial Setup			A1N	CAMSE		294.77									
	AIN SMS Access Service-Port Connection-Dial/Shared Access			A1N	CAMDP		86.94									
	AIN SMS Access Service-Port Connection-ISDN Access			A1N	CAM1P		86.94									
	AIN SMS Access Service-User Identification Codes-Per User ID Code			A1N	CAMAU		200.83									
	AIN SMS Access Service-Security Card, Per User ID Code, Initial or															
	Replacement	L		A1N	CAMRC	<u>                                       </u>	172.05				<u></u>	<u></u>	<u> </u>			<u> </u>
	AIN SMS Access Service-Storage, Per Unit (100 Kilobytes)					0.0023										
Ì	AIN SMS Access Service-Session, Per min					0.0791										
	AIN SMS Access Service-Company Performed Session, Per min					2.08										
AIN - BELLS	SOUTH AIN TOOLKIT SERVICE															
	AIN Toolkit Service-Service Establishment Charge, Per State, Initial Setup			CAM	BAPSC		290.05									
l	AIN Toolkit Service-Training Session, Per Customer				BAPVX		8,363.00									
l	AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, Term.															
( l	Attempt				BAPTT		72.76									
		1	1													
J	AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, Off-Hook															

וסווטפוי	LED NETWORK ELEMENTS - North Carolina					1								nent: 2		bit: B
											Svc	Svc		Incremental		
											Order	Order	Charge -	Charge -	Charge -	I Charge
ATECON	C DATE EL EMENTO	Interi	Zon	200	11000		5.	TEO (A)			Submitte	Submitte		Manual Svc	Manual Svc	
ATEGORY	RATE ELEMENTS	m	е	BCS	USOC		R/	ATES (\$)			d Elec	d	Order vs.	Order vs.	Order vs.	Svc Orde
											per LSR	Manually	Electronic-	Electronic-	Electronic-	vs.
												per LSR	1st	Add'l	Disc 1st	Electroni
$\neg$			-				Nonro	curring	NRC Dis	sconnect			088	Rates (\$)		Disc Add
						Rec	First	Add'I	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, Off-Hook						First	Auu i	FIISt	Auu i	JOINILO	JOWAN	JOIVIAN	SOWAN	JOWAN	JOINAIN
	Immediate				BAPTM		72.76									
	AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, 10-Digit				D) (I TIVI		12.10									
	PODP				BAPTO		149.95									
	AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, CDP				BAPTC		149.95									
	AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, Feature															
	Code				BAPTF		149.95									
	AIN Toolkit Service-Query Charge, Per Query					0.02										
	AIN Toolkit Service-Type 1 Node Charge, Per AIN Toolkit Subscription, Per															
	Node, Per Query					0.005										
	AIN Toolkit Service-SCP Storage Charge, Per SMS Access Account, Per															
	100 Kilobytes					1.45										
	AIN Toolkit Service-moly report-Per AIN Toolkit Service Subscription			CAM	BAPMS	15.98	71.80									
	AIN Toolkit Service-Special Study-Per AIN Toolkit Service Subscription			CAM	BAPLS	0.08	47.20									
	AIN Toolkit Service-Call Event Report-Per AIN Toolkit Service Subscription		1	CAM	BAPDS	15.90	71.80									
	AIN Toolkit Service-Call Event Special Study-Per AIN Toolkit Service			0.114	B4BE0	0.000	47.00									
NULANOEE	Subscription		-	CAM	BAPES	0.003	47.20									
	D EXTENDED LINK (EELs)	- 0	1 - I - A	- 1- 01		1			Nietone als F	1						
NOTE	E: The monthly recurring and non-recurring charges below will apply and the: The monthly recurring and the Switch-As-Is Charge and not the non-recu	ie Sw	itcn-P	s-is Charge Will not	apply for El	LS provisione	a as Orainar	lly Combined	Network E	iements.						
	E. The monthly recurring and the Switch-As-is charge and not the non-recu E: Minimum billing is one month for DS1 and below and three months above				T EELS PI	Visioneu as	Currently Con	ibinea Networ	K Elemen	15.						
	RE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE															
Z-VVII	First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone 1	IINAI	1310	UNCVX	UEAL2	14.97	142.97	106.56								
	First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone 2		2	UNCVX	UEAL2	25.93	142.97	106.56								
_	First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone 3		3	UNCVX	UEAL2	40.81	142.97	106.56								
_	Interoffice Transport-Dedicated-DS1 combination-Per mi per mo		Ŭ	UNC1X	1L5XX	0.5753	142.07	100.00								
	Interoffice Transport-Dedicated-DS1 combination-Facility Term per mo			UNC1X	U1TF1	71.29	217.17	163.75					38.07	38.07		
	DS1 Channelization System Per mo			UNC1X	MQ1	146.69	197.78	140.06					38.07	38.07		
	VG COCI-DS1 To Ds0 Interface-Per mo			UNCVX	1D1VG	1.27	13.09	9.38					38.07	38.07		
	Each Add'l 2W VG Loop(SL 2) in the same DS1 Interoffice Transport															
	Combination-Zone 1		1	UNCVX	UEAL2	14.97	142.97	106.56								
	Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport															
	Combination-Zone 2		2	UNCVX	UEAL2	25.93	142.97	106.56								
	Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport															
	Combination-Zone 3		3	UNCVX	UEAL2	40.81	142.97	106.56								
	VG COCI-DS1 to DS0 Channel System combination-per mo			UNCVX	1D1VG	1.27	13.09	9.38					38.07	38.07		
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
4-WIF	RE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE	TRAN	NSPO	RT (EEL)												
	First 4W Analog VG Loop in a DS1 Interoffice Transport Combination -Zone		١.	1110101		04.00	000 47	007.45								
	1 First 4W Analog VG Loop in a DS1 Interoffice Transport Combination -Zone		1	UNCVX	UEAL4	21.32	288.47	237.45	-	1			-		<b> </b>	-
					1	00.07	288.47	007.45								
	First 4W Arialog VG Loop in a DST interoffice Transport Combination -Zone			LINIOVAY				237.45	i	1	l	l	l	l		<del>                                     </del>
	2		2	UNCVX	UEAL4	36.27	200.47									
	2 First 4W Analog VG Loop in a DS1 Interoffice Transport Combination -Zone 2															
	2 First 4W Analog VG Loop in a DS1 Interoffice Transport Combination -Zone 3		3	UNCVX	UEAL4	56.57	288.47	237.45								
	2 First 4W Analog VG Loop in a DS1 Interoffice Transport Combination -Zone 3 Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo			UNCVX UNC1X	UEAL4 1L5XX	56.57 0.5753	288.47	237.45					38.07	38.07		
	2 First 4W Analog VG Loop in a DS1 Interoffice Transport Combination -Zone 3 Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo Interoffice Transport-Dedicated-DS1-Facility Term Per mo			UNCVX UNC1X UNC1X	UEAL4 1L5XX U1TF1	56.57 0.5753 71.29	288.47 217.17	237.45 163.75					38.07 38.07	38.07 38.07		
	2 First 4W Analog VG Loop in a DS1 Interoffice Transport Combination -Zone 3 Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo Interoffice Transport-Dedicated-DS1-Facility Term Per mo Channelization-Channel System DS1 to DS0 combination Per mo			UNCVX UNC1X UNC1X UNC1X	UEAL4 1L5XX U1TF1 MQ1	56.57 0.5753 71.29 146.69	288.47 217.17 197.78	237.45 163.75 140.06					38.07	38.07		
	2 First 4W Analog VG Loop in a DS1 Interoffice Transport Combination -Zone 3 Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo Interoffice Transport-Dedicated-DS1-Facility Term Per mo Channelization-Channel System DS1 to DS0 combination Per mo VG COCI-DS1 to DS0 Channel System combination-per mo			UNCVX UNC1X UNC1X	UEAL4 1L5XX U1TF1	56.57 0.5753 71.29	288.47 217.17	237.45 163.75								
	2 First 4W Analog VG Loop in a DS1 Interoffice Transport Combination -Zone 3 Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo Interoffice Transport-Dedicated-DS1-Facility Term Per mo Channelization-Channel System DS1 to DS0 combination Per mo			UNCVX UNC1X UNC1X UNC1X	UEAL4 1L5XX U1TF1 MQ1	56.57 0.5753 71.29 146.69	288.47 217.17 197.78	237.45 163.75 140.06					38.07	38.07		
	2 First 4W Analog VG Loop in a DS1 Interoffice Transport Combination -Zone 3 Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo Interoffice Transport-Dedicated-DS1-Facility Term Per mo Channelization-Channel System DS1 to DS0 combination Per mo VG COCI-DS1 to DS0 Channel System combination-per mo Add'l 4W Analog VG Loop in same DS1 Interoffice Transport Combination-Zone 1			UNCVX UNC1X UNC1X UNC1X UNC1X UNCVX	UEAL4 1L5XX U1TF1 MQ1 1D1VG	56.57 0.5753 71.29 146.69 1.27	288.47 217.17 197.78 13.09	237.45 163.75 140.06 9.38					38.07	38.07		
	2 First 4W Analog VG Loop in a DS1 Interoffice Transport Combination -Zone 3 Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo Interoffice Transport-Dedicated-DS1-Facility Term Per mo Channelization-Channel System DS1 to DS0 combination Per mo VG COCI-DS1 to DS0 Channel System combination-per mo Add'I 4W Analog VG Loop in same DS1 Interoffice Transport Combination-			UNCVX UNC1X UNC1X UNC1X UNC1X UNCVX	UEAL4 1L5XX U1TF1 MQ1 1D1VG	56.57 0.5753 71.29 146.69 1.27	288.47 217.17 197.78 13.09	237.45 163.75 140.06 9.38					38.07	38.07		
	2 First 4W Analog VG Loop in a DS1 Interoffice Transport Combination -Zone 3 Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo Interoffice Transport-Dedicated-DS1-Facility Term Per mo Channelization-Channel System DS1 to DS0 combination Per mo VG COCI-DS1 to DS0 Channel System combination-per mo Add'l 4W Analog VG Loop in same DS1 Interoffice Transport Combination-Zone 1 Add'l 4W Analog VG Loop in same DS1 Interoffice Transport Combination-		3	UNCVX UNC1X UNC1X UNC1X UNC1X UNCVX UNCVX	UEAL4 1L5XX U1TF1 MQ1 1D1VG UEAL4	56.57 0.5753 71.29 146.69 1.27	288.47 217.17 197.78 13.09 288.47	237.45 163.75 140.06 9.38 237.45					38.07	38.07		
	2 First 4W Analog VG Loop in a DS1 Interoffice Transport Combination -Zone 3 Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo Interoffice Transport-Dedicated-DS1-Facility Term Per mo Channelization-Channel System DS1 to DS0 combination Per mo VG COCI-DS1 to DS0 Channel System combination-per mo Add'I 4W Analog VG Loop in same DS1 Interoffice Transport Combination-Zone 1 Add'I 4W Analog VG Loop in same DS1 Interoffice Transport Combination-Zone 2		3	UNCVX UNC1X UNC1X UNC1X UNC1X UNCVX UNCVX	UEAL4 1L5XX U1TF1 MQ1 1D1VG UEAL4	56.57 0.5753 71.29 146.69 1.27	288.47 217.17 197.78 13.09 288.47	237.45 163.75 140.06 9.38 237.45					38.07	38.07		
	2 First 4W Analog VG Loop in a DS1 Interoffice Transport Combination -Zone 3 Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo Interoffice Transport-Dedicated-DS1-Facility Term Per mo Channelization-Channel System DS1 to DS0 combination Per mo VG COCI-DS1 to DS0 Channel System combination-per mo Add'l 4W Analog VG Loop in same DS1 Interoffice Transport Combination-Zone 1 Add'l 4W Analog VG Loop in same DS1 Interoffice Transport Combination-Zone 2 Add'l 4W Analog VG Loop in same DS1 Interoffice Transport Combination-Zone 2 Add'l 4W Analog VG Loop in same DS1 Interoffice Transport Combination-		1 2	UNCVX UNC1X UNC1X UNC1X UNC1X UNCVX UNCVX UNCVX	UEAL4 1L5XX U1TF1 MQ1 1D1VG UEAL4 UEAL4	56.57 0.5753 71.29 146.69 1.27 21.32	288.47 217.17 197.78 13.09 288.47 288.47	237.45 163.75 140.06 9.38 237.45					38.07	38.07		

NROND	LED NETWORK ELEMENTS - North Carolina												Attachi	nent: 2	Exhil	bit: B
ATEGORY	RATE ELEMENTS	nteri m	Zon e	BCS	usoc			ATES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitte d Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	I Charge
						Rec	Nonred		NRC Dis		201150			Rates (\$)	001111	
	First AW FOlders Bigital Cond. Language BOA Interesting Transport		$\vdash$				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	First 4W 56Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination-Zone 1		1	UNCDX	UDL56	25.32	489.04	337.51								
	First 4W 56Kbps Digital Grade Loop in a DS1 Interoffice Transport		+ +	ONODA	ODESO	20.02	403.04	337.31								
	Combination-Zone 2		2	UNCDX	UDL56	43.11	489.04	337.51								
	First 4W 56Kbps Digital Grade Loop in a DS1 Interoffice Transport															
	Combination-Zone 3		3	UNCDX	UDL56	67.26	489.04	337.51								
	Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo			UNC1X	1L5XX	0.5753										
	Interoffice Transport-Dedicated-DS1-combination Facility Term Per mo			UNC1X	U1TF1	71.29	217.17	163.75					38.07	38.07		
	Channelization-Channel System DS1 to DS0 combination Per mo			UNC1X	MQ1	146.69	197.78	140.06					38.07	38.07		
	OCU-DP COCI (data)-DS1 to DS0 Channel System-per mo (2.4-64kbs)			UNCDX	1D1DD	2.00	15.76	11.28					38.07	38.07		
	Add'I 4W 56Kbps Digital Grade loop in same DS1 Interoffice Transport				1											
	Combination-Zone 1		1	UNCDX	UDL56	25.32	489.04	337.51								
	Add'l 4W 56Kbps Digital Grade loop in same DS1 Interoffice Transport			LINGEN	1101.55		400 - 1	007					1			
	Combination-Zone 2		2	UNCDX	UDL56	43.11	489.04	337.51								
	Add'l 4W 56Kbps Digital Grade loop in same DS1 Interoffice Transport			LINGRY	1101.50	07.00	400.04	007.54								
	Combination-Zone 3		3	UNCDX	UDL56	67.26	489.04	337.51					-			
	OCU-DP COCI (data)-DS1 to DS0 Channel System-combination per mo (2.4-			LINODY	40400	2.00	45.70	44.00					00.07	00.07		
	64kbs)			UNCDX UNC1X	1D1DD UNCCC	2.00	15.76 21.75	11.28 21.75	32.28	10.96			38.07 38.07	38.07 38.07		
4 10/15	NRC Currently Combined Network Elements Switch -As-Is Charge RE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTEROFFIC	'C TD	ANG		UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
4-441	First 4W 64Kbps Digital Grade Loop in a DS1 Interoffice Transport	,E IK	KANSI	PORT (EEL)	+											-
	Combination-Zone 1		1	UNCDX	UDL64	25.32	489.04	337.51								
	First 4W 64Kbps Digital Grade Loop in a DS1 Interoffice Transport		-	UNCDX	UDL64	25.32	469.04	337.51					-			
	Combination-Zone 2		2	UNCDX	UDL64	43.11	489.04	337.51								
	First 4W 64Kbps Digital Grade Loop in a DS1 Interoffice Transport			UNCDX	UDL04	45.11	409.04	337.31								
	Combination-Zone 3		3	UNCDX	UDL64	67.26	489.04	337.51								
	Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo		J	UNC1X	1L5XX	0.5753	403.04	337.31								
	Interoffice Transport-Dedicated-DS1 combination-Facility Term Per mo			UNC1X	U1TF1	71.29	217.17	163.75					38.07	38.07		
	Channelization-Channel System DS1 to DS0 combination Per mo			UNC1X	MQ1	146.69	197.78	140.06					38.07	38.07		1
	OCU-DP COCI (data)-DS1 to DS0 Channel System combination-per mo (2.4-															
	64kbs)			UNCDX	1D1DD	2.00	15.76	11.28					38.07	38.07		
	Add'l 4W 64Kbps Digital Grade loop in same DS1 Interoffice Transport			***************************************												
	Combination-Zone 1		1	UNCDX	UDL64	25.32	489.04	337.51								
	Add'l 4W 64Kbps Digital Grade loop in same DS1 Interoffice Transport															
	Combination-Zone 2		2	UNCDX	UDL64	43.11	489.04	337.51								
	Add'l 4W 64Kbps Digital Grade loop in same DS1 Interoffice Transport															
	Combination-Zone 3		3	UNCDX	UDL64	67.26	489.04	337.51								
	OCU-DP COCI (data)-DS1 to DS0 Channel System combination-per mo (2.4-															
	64kbs)			UNCDX	1D1DD	2.00	15.76	11.28					38.07	38.07		
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
4-WIF	RE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TI	RANS	SPOR													
	4W DS1 Digital Loop in Combination with DS1 Interoffice Transport-Zone 1		1	UNC1X	USLXX	47.60	714.84	421.47								
	4W DS1 Digital Loop in Combination with DS1 Interoffice Transport-Zone 2		2	UNC1X	USLXX	84.36	714.84	421.47					ļ			<b></b>
	4W DS1 Digital Loop in Combination with DS1 Interoffice Transport-Zone 3		3	UNC1X	USLXX	134.29	714.84	421.47		ļ	ļ	ļ				ļ
_	Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo		$\vdash$	UNC1X	1L5XX	0.5753	0.47 :-	100 ==		<b> </b>						<b></b>
	Interoffice Transport-Dedicated-DS1 combination-Facility Term Per mo		$\vdash$	UNC1X	U1TF1	71.29	217.17	163.75	00.00	40.00			38.07	38.07		<b></b>
4 1477	NRC Currently Combined Network Elements Switch -As-Is Charge	D 4412	SDC S	UNC1X	UNCCC	-	21.75	21.75	32.28	10.96	1	1	38.07	38.07		1
4-WII	RE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFICE TI	KANS			Hei vv	47.60	714.84	421.47	-	-	-	-	<del>                                     </del>			
	First DS1Loop in DS3 Interoffice Transport Combination-Zone 1 First DS1Loop in DS3 Interoffice Transport Combination-Zone 2		1 2	UNC1X UNC1X	USLXX	47.60 84.36	714.84	421.47 421.47	-	<b> </b>	-	-	<del></del>			<del>                                     </del>
	First DS1Loop in DS3 Interoffice Transport Combination-Zone 2  First DS1Loop in DS3 Interoffice Transport Combination-Zone 3		3	UNC1X UNC1X	USLXX	134.29	714.84	421.47 421.47	-	<b> </b>	-	-	<del></del>			<del>                                     </del>
-	Interoffice Transport-Dedicated-DS3 combination-Per mi Per mo		J	UNC1X UNC3X	1L5XX	134.29	114.84	421.47		<del>                                     </del>			t			<del></del>
	Interoffice Transport-Dedicated-DS3-Combination-Per fili Per mo		1	UNC3X	U1TF3	720.38	794.94	579.55		<b> </b>			38.07	38.07		$\vdash$
	DS3 to DS1 Channel System combination per mo			UNC3X	MQ3	233.10	403.97	234.40	-				38.07	38.07		<del>                                     </del>
-	DS3 Interface Unit (DS1 COCI) combination per mo		$\vdash$	UNC1X	UC1D1	16.07	13.09	9.38	<u> </u>		t	t	38.07	38.07		<b>†</b>
	Add'l DS1Loop in DS3 Interoffice Transport Combination-Zone 1		1	UNC1X	USLXX	47.60	714.84	421.47					55.57	00.07		
	Add'l DS1Loop in DS3 Interoffice Transport Combination-Zone 2		2	UNC1X	USLXX	84.36	714.84	421.47	1	l	1	1	1			

AROND	LED NETWORK ELEMENTS - North Carolina				1	1								ment: 2		bit: B
			<b>7</b>								Svc Order Submitte	Svc Order Submitte	Charge -	Incremental Charge - Manual Svc	Incremental Charge - Manual Svc	I Charge
TEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	usoc		R.A	TES (\$)			d Elec	d	Order vs.	Order vs.	Order vs.	Svc Orde
											per LSR	Manually per LSR	Electronic- 1st	Electronic- Add'l	Electronic- Disc 1st	vs. Electroni
						I	Nonred	curring	NRC Dis	connect			220	Rates (\$)		Disc Add
						Rec	First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Add'l DS1Loop in DS3 Interoffice Transport Combination-Zone 3		3	UNC1X	USLXX	134.29	714.84	421.47								
	DS3 Interface Unit (DS1 COCI) combination per mo			UNC1X	UC1D1	16.07	13.09	9.38					38.07	38.07		
	NRC Currently Combined Network Elements Switch -As-ls Charge			UNC3X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
2-WIF	RE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GRADE INTEROFFICE	TRA	NSPO													
	2WVG Loop used with 2W VG Interoffice Transport Combination-Zone 1		1	UNCVX	UEAL2	14.97	142.97	106.56								
	2WVG Loop used with 2W VG Interoffice Transport Combination-Zone 2		2	UNCVX	UEAL2 UEAL2	25.93	142.97	106.56 106.56								<del> </del>
_	2WVG Loop used with 2W VG Interoffice Transport Combination-Zone 3 Interoffice Transport-Dedicated-2W VG combination-Per mi Per mo		3	UNCVX	1L5XX	40.81 0.0282	142.97	106.56								+
+	Interoffice Transport-Dedicated-2W VG combination-Per mi Per mo			UNCVX	U1TV2	18.00	137.48	52.58					38.07	38.07		+
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNCVX	UNCCC	16.00	21.75	21.75	32.28	10.96			38.07	38.07		+
4-WIF	RE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRADE INTEROFFICE	TRA	NSPO		011000		21.75	21.75	32.20	10.30			30.07	30.07		†
1	4WVG Loop used with 4W VG Interoffice Transport Combination-Zone 1		1	UNCVX	UEAL4	21.32	288.47	237.45								<b>†</b>
	4WVG Loop used with 4W VG Interoffice Transport Combination-Zone 2		2	UNCVX	UEAL4	36.27	288.47	237.45								<b>†</b>
	4WVG Loop used with 4W VG Interoffice Transport Combination-Zone 3		3	UNCVX	UEAL4	56.57	288.47	237.45								1
	Interoffice Transport-Dedicated-4W VG combination-Per mi Per mo			UNCVX	1L5XX	0.0282										
	Interoffice Transport-Dedicated-4W VG combination-Facility Term per mo			UNCVX	U1TV4	22.16	106.11	65.95					38.07	38.07		
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNCVX	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
DS3 I	DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFICE TRANSF	PORT	(EEL)													
	High Capacity Unbundled Local Loop-DS3 combination-Per mi per mo			UNC3X	1L5ND	13.33										
	High Capacity Unbundled Local Loop-DS3 combination-Facility Term per mo			UNC3X	UE3PX	450.69	1,071.00	646.12					38.07	38.07		
	Interoffice Transport-Dedicated-DS3-Per mi per mo			UNC3X	1L5XX	12.98										
	Interoffice Transport-Dedicated-DS3 combination-Facility Term per mo			UNC3X	U1TF3	720.38	794.94	579.55					38.07	38.07		
	NRC Currently Combined Network Elements Switch -As-Is Charge		<u></u>	UNC3X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
STS1	DIGITAL EXTENDED LOOP WITH DEDICATED STS1 INTEROFFICE TRAN	ISPOR	T (EE		41.5110	40.00										
	High Capacity Unbundled Local Loop-STS1 combination-Per mi per mo			UNCSX UNCSX	1L5ND UDLS1	13.33 464.26	1,071.00	646.12					38.07	38.07		
	High Capacity Unbundled Local Loop-STS1 combination-Facility Term per Interoffice Transport-Dedicated-STS1 combination-Per mi per mo			UNCSX	1L5XX	6.14	1,071.00	040.12					38.07	38.07		+
_	Interoffice Transport-Dedicated-STS1 combination-Facility Term per mo			UNCSX	U1TFS	790.37	642.23	408.89					38.07	38.07		+
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNCSX	UNCCC	130.31	21.75	21.75	32.28	10.96			38.07	38.07		†
2-WIF	RE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPORT (EEL)			011007	011000		21.70	21.70	02.20	10.00			00.07	00.07		<del>                                     </del>
	First 2W ISDN Loop in a DS1 Interoffice Combination Transport-Zone 1		1	UNCNX	U1L2X	19.42	325.91	251.31								1
	First 2W ISDN Loop in a DS1 Interoffice Combination Transport-Zone 2		2	UNCNX	U1L2X	32.88	325.91	251.31								
	First 2W ISDN Loop in a DS1 Interoffice Combination Transport-Zone 3		3	UNCNX	U1L2X	51.14	325.91	251.31								
	Interoffice Transport-Dedicated-DS1 combination-Per mi			UNC1X	1L5XX	0.5753										
	Interoffice Transport-Dedicated-DS1 combintion-Facility Term per mo			UNC1X	U1TF1	71.29	217.17	163.75					38.07	38.07		
	Channelization-Channel System DS1 to DS0 combination-per mo			UNC1X	MQ1	146.69	197.78	140.06					38.07	38.07		
	2W ISDN COCI (BRITE)-DS1 to DS0 Channel System combination-per mo			UNCNX	UC1CA	3.59	15.76	11.28					38.07	38.07		4
	Add'l 2W ISDN Loop in same DS1 interoffice Transport Combination-Zone 1		1	UNCNX	U1L2X	19.42	325.91	251.31								<del> </del>
-	Add'l 2W ISDN Loop in same DS1 interoffice Transport Combination-Zone 2		3	UNCNX	U1L2X	32.88	325.91	251.31	-	<b> </b>	1	1				+
	Add'l 2W ISDN Loop in same DS1 interoffice Transport Combination-Zone 3		3	UNCNX	U1L2X UC1CA	51.14 3.59	325.91 15.76	251.31 11.28		-	1	1	38.07	38.07		+
	2W ISDN COCI (BRITE)-DS1 to DS0 Channel System combintaion-per mo NRC Currently Combined Network Elements Switch -As-Is Charge			UNCNX UNC1X	UNCCC	3.59	15.76 21.75	11.28 21.75	32.28	10.96		1	38.07	38.07		+
4-10/15	INRC Currently Combined Network Elements Switch -As-is Charge RE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 INTEROFFIC	F TD ^	NSD		UNCCC	1	21.75	21./5	32.28	10.96	1	1	38.07	38.07		+
-+-VVIP	First DS1 Loop in STS1 Interoffice Transport Combination-Zone 1	LIKA	1	UNC1X	USLXX	47.60	714.84	421.47			1	1				+
	First DS1 Loop in STS1 Interoffice Transport Combination-Zone 2		2	UNC1X	USLXX	84.36	714.84	421.47								<del>                                     </del>
	First DS1 Loop in STS1 Interoffice Transport Combination-Zone 3		3	UNC1X	USLXX	134.29	714.84	421.47								<b>†</b>
	Interoffice Transport-Dedicated-STS1 combination-Per mi Per mo		Ť	UNCSX	1L5XX	6.14										1
	Interoffice Transport-Dedicated-STS1 combination-Facility Term			UNCSX	U1TFS	790.37	642.23	408.89				Ì	38.07	38.07		
	STS1 to DS1 Channel System conbination per mo			UNCSX	MQ3	233.10	403.97	234.40					38.07	38.07		
	DS3 Interface Unit (DS1 COCI) combination per mo			UNC1X	UC1D1	16.07	13.09	9.38					38.07	38.07		
			1	UNC1X	USLXX	47.60	714.84	421.47								
	Add'l DS1Loop in STS1 Interoffice Transport Combination-Zone 1						74404	421.47	1	i	1	1				1
	Add'l DS1Loop in STS1 Interoffice Transport Combination-Zone 2		2	UNC1X	USLXX	84.36	714.84									
	Add'l DS1Loop in STS1 Interoffice Transport Combination-Zone 2 Add'l DS1Loop in STS1 Interoffice Transport Combination-Zone 3		3	UNC1X	USLXX	134.29	714.84	421.47								
	Add'l DS1Loop in STS1 Interoffice Transport Combination-Zone 2 Add'l DS1Loop in STS1 Interoffice Transport Combination-Zone 3 DS3 Interface Unit (DS1 COCI) combination per mo		_	UNC1X UNC1X	USLXX UC1D1		714.84 13.09	421.47 9.38					38.07	38.07		
	Add'l DS1Loop in STS1 Interoffice Transport Combination-Zone 2 Add'l DS1Loop in STS1 Interoffice Transport Combination-Zone 3		3	UNC1X UNC1X UNCSX	USLXX	134.29	714.84	421.47	32.28	10.96			38.07 38.07	38.07 38.07		

AROND	LED NETWORK ELEMENTS - North Carolina										,	,		ment: 2		bit: B
			1								Svc	Svc	Incremental	Incremental	Incremental	Increment
											Order	Order	Charge -	Charge -	Charge -	I Charge
		Interi	Zon								Submitte	Submitte	Manual Svc	Manual Svc	Manual Svc	Manual
TEGORY	RATE ELEMENTS	m	e	BCS	USOC		R.A	ATES (\$)			d Elec	d	Order vs.	Order vs.	Order vs.	Svc Orde
		m	е								per LSR	Manually	Electronic-	Electronic-	Electronic-	vs.
											p =	per LSR	1st	Add'l	Disc 1st	Electronic
												po. 2011		7.00.	2.00 .00	Disc Add
						Rec	Nonred	curring	NRC Dis	connect				Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4W 56 kbps Loop/4W 56 kbps Interoffice Transport Combination-Zone 2		2	UNCDX	UDL56	43.11	489.04	337.51								
	4W 56 kbps Loop/4W 56 kbps Interoffice Transport Combination-Zone 3		3	UNCDX	UDL56	67.26	489.04	337.51								
	Interoffice Transport-Dedicated-4W 56 kbps combination-Per mi			UNCDX	1L5XX	0.0282										
	Interoffice Transport-Dedicated-4W 56 kbps combination-Facility Term			UNCDX	U1TD5	17.40	137.48	52.58					38.07	38.07		
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNCDX	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
4-WIF	RE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTEROFFICE TRA	NSPC	RT (I	EEL)												
	4W 64 kbps Loop/4W 64 kbps Interoffice Transport Combination-Zone 1		1	UNCDX	UDL64	25.32	489.04	337.51								
	4W 64 kbps Loop/4W 64 kbps Interoffice Transport Combination-Zone 2		2	UNCDX	UDL64	43.11	489.04	337.51								
	4W 64 kbps Loop/4W 64 kbps Interoffice Transport Combination-Zone 3		3	UNCDX	UDL64	67.26	489.04	337.51								
	Interoffice Transport-Dedicated-4W 64 kbps combination-Per mi			UNCDX	1L5XX	0.0282										
	Interoffice Transport-Dedicated-4W 64 kbps combination-Facility Term			UNCDX	U1TD6	17.40	137.48	52.58					38.07	38.07		
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNCDX	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
DITIONA	L NETWORK ELEMENTS			CHODA	0.1000		20	20	OL.LO	10.00			00.01	00.01		
	n used as a part of a currently combined facility, the non-recurrng charges	do no	nt ann	oly but a Switch As	s charge d	nes annly										
	used as ordinarily combined network elements in All States, the non-reci															
Nonr	ecurring Currently Combined Network Elements "Switch As Is" Charge (O	ne anr	lies t	o each combination)	1011 70 10 0	narge does no	•									
140111	NRC Currently Combined Network Elements Switch -As-Is Charge-2W/4W	le app	lies t		-							1				
	VG			UNCVX	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
-	NRC Currently Combined Network Elements Switch -As-Is Charge-56/64			UNCVA	UNCCC		21.73	21.73	32.20	10.90			30.07	30.07		
				UNCDX	UNCCC		21.75	21.75	22.20	10.96			20.07	38.07		
_	kbps						21.75		32.28	10.96	-	-	38.07			
-	NRC Currently Combined Network Elements Switch -As-Is Charge-DS1			UNC1X	UNCCC			21.75	32.28		1	1	38.07	38.07		
_	NRC Currently Combined Network Elements Switch -As-Is Charge-DS3			UNC3X	UNCCC		21.75	21.75	32.28	10.96	1	1	38.07	38.07		
	NRC Currently Combined Network Elements Switch -As-Is Charge-STS1			UNCSX	UNCCC		21.75	21.75	32.28	10.96	1	1	38.07	38.07		
NOTE	E: Local Channel - Dedicated Transport - minimum billing period - Below D	53=on	_				550.00	20.00								
	Local Channel-Dedicated-2W VG Zone 1		1	UNCVX	ULDV2	11.24	553.80	89.69								
_	Local Channel-Dedicated-2W VG Zone 2		2	UNCVX	ULDV2	19.91	553.80	89.69			1	1				
	Local Channel-Dedicated-2W VG-Zone 3		3	UNCVX	ULDV2	31.70	553.80	89.69								
	Local Channel-Dedicated-4W VG Zone 1		1	UNCVX	ULDV4	12.03	562.23	92.67								
	Local Channel-Dedicated-4W VG Zone 2		2	UNCVX	ULDV4	21.33	562.23	92.67								
	Local Channel-Dedicated-4W VG-Zone 3		3	UNCVX	ULDV4	33.95	562.23	92.67								
	Local Channel-Dedicated-DS1 per mo Zone 1		1	UNC1X	ULDF1	27.05	534.48	462.69								
	Local Channel-Dedicated -DS1 Per mo Zone 2		2	UNC1X	ULDF1	47.94	534.48	462.69								
	Local Channel-Dedicated-DS1-Per mo Zone 3		3	UNC1X	ULDF1	76.32	534.48	462.69								
	Local Channel-Dedicated-DS3-Per mi per mo			UNC3X	1L5NC	0.9954										
	Local Channel-Dedicated-DS3-Facility Term			UNC3X	ULDF3	298.92	562.25	527.88								
	Local Channel-Dedicated-STS-1-Per mi per mo			UNCSX	1L5NC	0.9954										
	Local Channel-Dedicated-STS-1 -Facility Term			UNCSX	ULDFS	286.13	1,071.00	646.12								
	TIPLEXERS															
NOTE	: minimum billing period is one month for DS1 to DS0 Channel System an	d inter	faces	3												
NOTE	: minimum billing period is three months for DS3 to DS1 and above Chan	nel Sy	stem	and interfaces												
	Channelization-DS1 to DS0 Channel System			UXTD1	MQ1	146.69	197.78	140.06					24.85	8.16		
	OCU-DP COCI (data)-DS1 to DS0 Channel System-per mo (2.4-64kbs)			UDL	1D1DD	2.00	13.09	9.38					24.85	8.16		
	2W ISDN COCI (BRITE)-DS1 to DS0 Channel Systsem-per mo			UDN	UC1CA	3.59	13.09	9.38					24.85	8.16		
	VG COCI-DS1 to DS0 Channel System-per mo		1	UEA	1D1VG	1.27	13.09	9.38					24.85	8.16		
	DS3 to DS1 Channel System per mo			UXTD3	MQ3	233.10	403.97	234.40					24.78	7.42		
	STS1 to DS1 Channel System per mo		1	UXTS1	MQ3	233.10	403.97	234.40					38.07	38.07		
	DS3 Interface Unit (DS1 COCI) used with Loop per mo		1	USL	UC1D1	16.07	13.09	9.38			İ		24.85	8.16		
-	DS3 Interface Unit (DS1 COCI) used with Local Channel per mo		1	ULDD1	UC1D1	16.07	13.09	9.38					24.85	8.16	İ	
	DS3 Interface Unit (DS1 COCI) used with Interoffice Channel per mo		1	U1TD1	UC1D1	16.07	13.09	9.38					24.85	8.16		
		•		U		. 5.07	.0.00	2.00					200	3.10		
Sub-l										i	1				ī	<del></del>
Sub-l	Loop Feeder		1	UNC1X	USBEG	35.65	303 01	153 37								1
Sub-l	Loop Feeder Unbundled Sub-Loop Feeder Loop, 4W DS1-Zone 1			UNC1X UNC1X	USBFG	35.65 63.18	393.01 393.01	153.37 153.37								
Sub-l	Loop Feeder Unbundled Sub-Loop Feeder Loop, 4W DS1-Zone 1 Unbundled Sub-Loop Feeder Loop, 4W DS1-Zone 2		2	UNC1X	USBFG	63.18	393.01	153.37								
	Loop Feeder Unbundled Sub-Loop Feeder Loop, 4W DS1-Zone 1 Unbundled Sub-Loop Feeder Loop, 4W DS1-Zone 2 Unbundled Sub-Loop Feeder Loop, 4W DS1-Zone 3															
BUNDLE	Loop Feeder Unbundled Sub-Loop Feeder Loop, 4W DS1-Zone 1 Unbundled Sub-Loop Feeder Loop, 4W DS1-Zone 2 Unbundled Sub-Loop Feeder Loop, 4W DS1-Zone 3 D LOCAL EXCHANGE SWITCHING(PORTS)		2	UNC1X	USBFG	63.18	393.01	153.37								
BUNDLE	Loop Feeder Unbundled Sub-Loop Feeder Loop, 4W DS1-Zone 1 Unbundled Sub-Loop Feeder Loop, 4W DS1-Zone 2 Unbundled Sub-Loop Feeder Loop, 4W DS1-Zone 3		2	UNC1X	USBFG	63.18	393.01	153.37								

וטאוטפאונ	ED NETWORK ELEMENTS - North Carolina											Attachi	ment: 2	Exhil	bit: B
ATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	USOC		R.	ATES (\$)		Svc Order Submitte d Elec per LSR	d	Order vs.	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	I Charge
							Nonre	currina	NRC Disconnec	t	1	oss	Rates (\$)	I	L Dicc Ad
						Rec	First	Add'l	First Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAI
	Exchange Ports-2W Analog Line Port with Caller ID-Res.			UEPSR	UEPRC	2.19	21.60					26.94	12.76		
	Exchange Ports-2W Analog Line Port outgoing only-Res.			UEPSR	UEPRO	2.19	21.60	21.60				26.94	12.76		
	Exchange Ports-2W VG unbundled res, low usage line port with Caller ID														
	(LUM)			UEPSR	UEPAP	2.19	21.60	21.60				26.94	12.76		
	2W voice unbundled Low Usage Line Port w/o Caller ID Capability			UEPSR	UEPRT	2.19	21.60	21.60				26.94	12.76		
	Subsqnt Activity			UEPSR	USASC	0.00	0.00	0.00				26.94	12.76		
FEAT	URES														
	All Available Vertical Features			UEPSR	UEPVF	3.40	0.00	0.00				26.94	12.76		
2-WIR	E VOICE GRADE LINE PORT RATES (BUS)				===:										
_	Exchange Ports-2W Analog Line Port w/o Caller ID-Bus			UEPSB	UEPBL	2.19	21.60	21.60		-	ļ	26.94	12.76		₩
	Exchange Ports-2W VG unbundled Line Port with unbundled port with			LIEDOD	LIEBBO	0.40	04.00	04.00				00.04	10.70		
_	Caller+E484 ID-Bus.  Exchange Ports-2W Analog Line Port outgoing only-Bus.		<del>├</del>	UEPSB UEPSB	UEPBC UEPBO	2.19 2.19	21.60 21.60	21.60 21.60		1	<u> </u>	26.94 26.94	12.76 12.76	-	<del>                                     </del>
	Exchange Ports-2W Analog Line Port outgoing only-Bus.  Exhange Ports-2W VG unbundled incoming only port with Caller ID-Bus		1	UEPSB	UEPBO UEPB1	2.19	21.60	21.60				26.94	12.76	-	<del>                                     </del>
-	2W voice unbundled Incoming Only Port w/o Caller ID Capability		$\vdash$	UEPSB	UEPBE	2.19	21.60			-	<del>                                     </del>	26.94	12.76		$\vdash$
_	Subsant Activity			UEPSB	USASC	0.00	0.00			+	<b> </b>	20.94	12.10		<del></del>
FΕΔΤ	URES			OLI OD	OOAGO	0.00	0.00	0.00		+					
	All Available Vertical Features			UEPSB	UEPVF	3.40	0.00	0.00				26.94	12.76		
	ANGE PORT RATES (DID & PBX)			02.02	02	0.10	0.00	0.00				20.0 .	12.10		
	2W VG Unbundled 2-Way PBX Trunk-Res			UEPSE	UEPRD	2.18	21.60	21.60				26.94	12.76		
	2W VG Line Side Unbundled 2-Way PBX Trunk-Bus			UEPSP	UEPPC	2.18	21.60	21.60				26.94	12.76		
	2W VG Line Side Unbundled Outward PBX Trunk-Bus			UEPSP	UEPPO	2.18	21.60	21.60				26.94	12.76		1
	2W VG Line Side Unbundled Incoming PBX Trunk-Bus			UEPSP	UEPP1	2.18	21.60	21.60				26.94	12.76		
	2W Analog Long Distance Terminal PBX Trunk-Bus			UEPSP	UEPLD	2.18	21.60	21.60				26.94	12.76		
	2W Voice Unbundled PBX LD Terminal Ports			UEPSP	UEPLD	2.18	21.60					26.94	12.76		
	2W Vice Unbundled 2-Way PBX Usage Port			UEPSP	UEPXA	2.18	21.60					26.94	12.76		
	2W Voice Unbundled PBX Toll Terminal Hotel Ports			UEPSP	UEPXB	2.18	21.60					26.94	12.76		
	2W Voice Unbundled PBX LD DDD Terminals Port			UEPSP	UEPXC	2.18	21.60					26.94	12.76		
	2W Voice Unbundled PBX LD Terminal Switchboard Port			UEPSP	UEPXD	2.18	21.60					26.94	12.76		
	2W Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPSP	UEPXE	2.18	21.60	21.60				26.94	12.76		
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPSP	UEPXL	2.18	21.60	21.60				26.94	12.76		
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPSP	UEPXM	2.18	21.60	21.60				26.94	12.76		
	2W Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room			====											
	Calling Port			UEPSP	UEPXO	2.18	21.60	21.60				26.94	12.76		<b>_</b>
_	2W Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPSP UEPSP	UEPXS	2.18 0.00	21.60			1	<u> </u>	26.94 26.94	12.76 12.76		₩
EEAT	Subsqnt Activity URES		H	UEPSP	USASC	0.00	0.00	0.00			-	26.94	12.76		<del>                                     </del>
	All Available Vertical Features		H	UEPSP UEPSE	UEPVF	3.40	0.00	0.00		1	1	26.94	12.76		+
	ANGE PORT RATES (COIN)		$\vdash$	ULFUF UEFUE	OLFVF	3.40	0.00	0.00		-	<del>                                     </del>	20.94	12.70		$\vdash$
	Exchange Ports-Coin Port					2.59	21.60	21.60				26.94	12.76		<del></del>
	: Transmission/usage charges associated with POTS circuit switched usage	ae wi	II also	apply to circuit swit	ched voice					sociated w	th 2W ISDN		12.70		<u> </u>
NOTE	: Access to B Channel or D Channel Packet capabilities will be available o	nly th	roual	BFR/NBR Process.	Rates for	the packet cap	abilities will b	e determined	via the BFR/NBR	Process.	1	T portor			1
	D LOCAL EXCHANGE SWITCHING(PORTS)	,													
	ANGE PORT RATES														
	Exchange Ports-2W DID Port			UEPEX	UEPP2	12.36	81.84	81.84				26.94	12.76		
	Exchange Ports-DDITS Port-4W DS1 Port with DID capability			UEPDD	UEPDD	123.65	116.59					26.94	12.76		
	Exchange Ports-2W ISDN Port (See Notes below.)			UEPTX UEPSX	U1PMA	24.50	62.29					55.30	55.30		
	All Features Offered			UEPTX UEPSX	UEPVF	3.40	0.00								
	: Transmission/usage charges associated with POTS circuit switched usa										th 2W ISDN	N ports.			
NOTE	: Access to B Channel or D Channel Packet capabilities will be available or	nly th	rougl						via the BFR/NBR	Process.					<u> </u>
	Exchange Ports-2W ISDN PortChannel Profiles			UEPTX UEPSX	U1UMA	0.00	0.00				ļ				1
	Exchange Ports-4W ISDN DS1 Port			UEPEX	UEPEX	179.75	241.63	241.63			<u> </u>	53.89	53.89		<del></del>
	INDLED PORT with REMOTE CALL FORWARDING CAPABILITY							1		-	ļ	1			₩
JUNBU	INDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE			UEPVR	UERAC		21.60	21.60				26.94			

UNBUND	LED NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhil	bit: B
CATEGOR	Y RATE ELEMENTS	Interi m	Zon e	BCS	usoc		RA	TES (\$)		Su d	Elec	d	Charge - Manual Svo Order vs. Electronic-	Charge - Manual Svo Order vs.	Electronic-	I Charge - Manual Svc Order
			_			_ 1	Nonrec	urring	NRC Disconn	ect			oss	Rates (\$)		Disc Add'l
						Rec	First	Add'l			OMEC	SOMAN		SOMAN	SOMAN	SOMAN
	Unbundled Remote Call Forwarding Service, Local Calling-Res			UEPVR	UERLC	2.19	21.60	21.60	1				26.94	12.76		
	Unbundled Remote Call Forwarding Service, InterLATA-Res			UEPVR	UERTE	2.19	21.60	21.60					26.94	12.76		
	Unbundled Remote Call Forwarding Service, IntraLATA-Res			UEPVR	UERTR	2.19	21.60	21.60					26.94	12.76		
Non-	Recurring				1											1
	Unbundled Remote Call Forwarding Service -Conversion-Switch-as-is			UEPVR	USAC2		2.77	0.40					26.94	12.76		1
	Unbundled Remote Call Forwarding Service -Conversion with allowed															1
	change (PIC & LPIC)			UEPVR	USACC		2.77	0.40								
UNB	UNDLED REMOTE CALL FORWARDING - Bus															
	Unbundled Remote Call Forwarding Service, Area Calling-Bus			UEPVB	UERAC	2.19	21.60	21.60					26.94	12.76		
	Unbundled Remote Call Forwarding Service, Local Calling-Bus			UEPVB	UERLC	2.19	21.60	21.60					26.94	12.76		ĺ
	Unbundled Remote Call Forwarding Service, InterLATA-Bus			UEPVB	UERTE	2.19	21.60	21.60					26.94	12.76		ĺ
	Unbundled Remote Call Forwarding Service, IntraLATA-Bus			UEPVB	UERTR	2.19	21.60	21.60					26.94	12.76		ĺ
	Unbundled Remote Call Forwarding Service Expanded & Exception Local Calling			UEPVB	UERVJ	2.19	21.60	21.60					26.94	12.76		
Non-	Recurring															
	Unbundled Remote Call Forwarding Service-Conversion-Switch-as-is			UEPVB	USAC2		2.77	0.40					26.94	12.76		
	Unbundled Remote Call Forwarding Service -Conversion with allowed															
	change (PIC & LPIC)			UEPVB	USACC		2.77	0.40								
UNBUNDL	ED LOCAL SWITCHING, PORT USAGE															
End	Office Switching (Port Usage)															
	End Office Switching Function, Per MOU					0.0015										ĺ
	End Office Trunk Port-Shared, Per MOU					0.00023										ĺ
Tano	dem Switching (Port Usage) (Local or Access Tandem)						·	•								
	Tandem Switching Function Per MOU					0.0006		-								
	Tandem Trunk Port-Shared, Per MOU					0.0003										
Com	mon Transport															
	Common Transport-Per mi, Per MOU					0.00001										
	Common Transport-Facilities Term Per MOU					0.00034										

AROND	LED NETWORK ELEMENTS - North Carolina													ment: 2		bit: B
TEGORY	Y RATE ELEMENTS	Interi m	Zon e	BCS	usoc		R/	ATES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitte d Manually per LSR	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	I Charge Manual Svc Orde vs. Electronic
						Rec	Nonre	curring	NRC Dis	connect		1	oss	Rates (\$)		Disc Add
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	ED PORT/LOOP COMBINATIONS - COST BASED RATES															
	Based Rates are applied where BellSouth is required by FCC and/or Comm							<u> </u>								
	ures shall apply to the Unbundled Port/Loop Combination - Cost Based Rate															
	Office & Tandem Switching Usage & Common Transport Usage rates in the first & add'I Port NRC charges apply to Not Currently Combined Combos. For												binations.			
	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)	or Cur	renti	y Combined Combos	the NRC C	narges snall be	tnose identii	led in the NKC	- Currenti	y Combir	lea section	s.				-
	Port/Loop Combination Rates		<del>                                     </del>													<del>                                     </del>
ONE	2W VG Loop/Port Combo-Zone 1		1			13.03										
	2W VG Loop/Port Combo-Zone 2		2			21.33										
	2W VG Loop/Port Combo-Zone 3		3			32.61										
UNE	Loop Rates															
	2W VG Loop (SL1)-Zone 1		1	UEPRX	UEPLX	10.75										
	2W VG Loop (SL1)-Zone 2		2	UEPRX	UEPLX	19.05										
	2W VG Loop (SL1)-Zone 3		3	UEPRX	UEPLX	30.33	<u> </u>									
2-Wir	re Voice Grade Line Port Rates (Res)	_														<u> </u>
	2W voice unbundled port-Res			UEPRX	UEPRL	2.28	79.59						40.18	9.45		
	2W voice unbundled port with Caller ID-res			UEPRX	UEPRC	2.28	79.59						40.18	9.45		
	2W voice unbundled port outgoing only-res		<u> </u>	UEPRX	UEPRO	2.28	79.59						40.18	9.45		
	2W voice unbundles res, low usage line port with Caller ID (LUM)		<u> </u>	UEPRX	UEPAP	2.28	79.59						40.18	9.45		
	2W voice unbundled Low Usage Line Port w/o Caller ID Capability		<u> </u>	UEPRX	UEPRT	2.28	79.59	63.97					40.18	9.45		
FEAT	TURES		-	UEPRX	UEPVF	3.40	0.00	0.00					40.40	9.45		
1.00/	All Features Offered AL NUMBER PORTABILITY		<u> </u>	UEPRX	UEPVF	3.40	0.00	0.00					40.18	9.45		
LUCA	Local No Portability (1 per port)		<u> </u>	UEPRX	LNPCX	0.35										
NONE	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED		<del>                                     </del>	UEFKA	LINECX	0.33										<del>                                     </del>
140141	2W VG Loop/Line Port Combination-Conversion-Switch-as-is			UEPRX	USAC2		2.77	0.40					40.18	9.45		
	2W VG Loop/Line Port Combination -Conversion-Switch with change			UEPRX	USACC		2.77	0.40					40.18	9.45		
	2W VG Loop/Line Port Combination -Conversion-Subsqnt Database Update						1.42						10.27			
ADDI	ITIONAL NRCs															
	2W VG Loop/Line Port Combination-Subsqnt Activity			UEPRX	USAS2	0.00	0.00	0.00					40.18	9.45		
	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)		<u> </u>													
UNE	Port/Loop Combination Rates															
	2W VG Loop/Port Combo-Zone 1		1			13.03										
_	2W VG Loop/Port Combo-Zone 2		2			21.33										
LINE	2W VG Loop/Port Combo-Zone 3		3			32.61										
UNE	Loop Rates  2W VG Loop (SL1)-Zone 1		1	UEPBX	UEPLX	10.75										-
	2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 2		2	UEPBX	UEPLX	19.05										-
	2W VG Loop (SL1)-Zone 3		3	UEPBX	UEPLX	30.33										
2-Wir	re Voice Grade Line Port (Bus)		Ŭ	02. 5/	OLI LX	00.00										
1	2W voice unbundled port w/o Caller ID-bus		t	UEPBX	UEPBL	2.28	79.59	63.97					40.18	9.45		1
i	2W voice unbundled port with Caller + E484 ID-bus			UEPBX	UEPBC	2.28	79.59	63.97					40.18	9.45		
	2W voice unbundled port outgoing only-bus			UEPBX	UEPBO	2.28	79.59	63.97					40.18	9.45		
	2W voice unbundled incoming only port with Caller ID-Bus			UEPBX	UPEB1	2.28	79.59						40.18	9.45		
	2W voice unbundled Incoming Only Port w/o Caller ID Capability	_		UEPBX	UEPBE	2.28	79.59	63.97					40.18	9.45		<u> </u>
LOCA	AL NUMBER PORTABILITY		<u> </u>		L	ļ										<u> </u>
	Local No Portability (1 per port)		<u> </u>	UEPBX	LNPCX	0.35										<u> </u>
FEAT	TURES		<b>├</b>	LIEDBY	LIEDVE	2.4-				ļ			10.1-	0.4-		<del>                                     </del>
NO.	All Features Offered		<b>!</b>	UEPBX	UEPVF	3.40	0.00	0.00	1	<b> </b>	}	1	40.18	9.45		<del>                                     </del>
NON	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED  2W VG Loop/Line Port Combination-Conversion-Switch-as-is		<del>                                     </del>	UEPBX	USAC2	1	2.77	0.40	-	-		-	40.18	9.45		<del>                                     </del>
+	2W VG Loop/Line Port Combination-Conversion-Switch-as-is 2W VG Loop/Line Port Combination -Conversion-Switch with change		1	UEPBX	USACC	1	2.77	0.40	1	1	1	1	40.18	9.45		+
-	244 40 Loop/Line Fort Combination -Conversion-Switch with change		╁	ULFDA	USACC	+	2.11	0.40	-		1	<del>                                     </del>	40.18	9.40		<del></del>
Δηη	2W VG Loop/Line Port Combination -Conversion-Subsqnt Database Update						1.42						10.27			
וטטאן	2W VG Loop/Line Port Combination-Subsant Activity		+	UEPBX	USAS2	1	0.00	0.00	<del>                                     </del>	<del>                                     </del>	<del>                                     </del>	<del>                                     </del>	40.18	9.45	<b> </b>	+

MRAND	LED NETWORK ELEMENTS - North Carolina					,					,			ment: 2		bit: B
											Svc	Svc	Incremental	Incremental	Incremental	Incremen
											Order	Order	Charge -	Charge -	Charge -	I Charge
		Intori	Zon								Submitte	Submitte	Manual Svc	Manual Svc	Manual Svc	Manual
ATEGOR'	Y RATE ELEMENTS	Interi		BCS	USOC		R.A	TES (\$)			d Elec	d	Order vs.	Order vs.	Order vs.	Svc Orde
		m	е					- (.,			per LSR	Manually	Electronic-	Electronic-	Electronic-	
											per LSK					vs.
												per LSR	1st	Add'l	Disc 1st	Electronic
			1			1	Nonred	urring	NPC Die	connect	1	I	220	Rates (\$)		Disc Add
						Rec					001450	COMAN			COMAN	001141
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)															
UNE	Port/Loop Combination Rates															
	2W VG Loop/Port Combo-Zone 1		1			13.03										
	2W VG Loop/Port Combo-Zone 2		2			21.33										
	2W VG Loop/Port Combo-Zone 3		3			32.61										
UNE	Loop Rates															
	2W VG Loop (SL 1)-Zone 1		1	UEPRG	UEPLX	10.75										
	2W VG Loop (SL 1)-Zone 2		2	UEPRG	UEPLX	19.05										1
_	2W VG Loop (SL 1)-Zone 3		3	UEPRG	UEPLX	30.33					1					<u> </u>
2 14/			3	ULFING	OLFLX	30.33						1				1
∠-۷۷1	re Voice Grade Line Port Rates (RES - PBX)		$\vdash$	LIEBBO	LIEBBE	0.00	404 ==	100.15	<b></b>		1	<u> </u>	10.1-	2.1-	<del>                                     </del>	1
_	2W VG Unbundled Combination 2-Way PBX Trunk Port-Res		$\sqcup$	UEPRG	UEPRD	2.28	164.57	128.16			ļ		40.18	9.45		ļ
LOC	AL NUMBER PORTABILITY															
	Local No Portability (1 per port)			UEPRG	LNPCP	3.15	0.00	0.00								
FEA	TURES						_									
	All Features Offered			UEPRG	UEPVF	3.40	0.00	0.00					40.18	9.45		
NON	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED				1	55	5.50	3.30						50	1	1
INOIN	2W VG Loop/ Line Port Combination (PBX)-Conversion-Switch-As-Is		$\vdash$	UEPRG	USAC2	<del>                                     </del>	2.77	0.40			<del>                                     </del>	1	40.18	9.45	<del> </del>	<b> </b>
_				UEPRG	USACC		2.77	0.40			1		40.18	9.45		ļ
	2W VG Loop/ Line Port Combination (PBX)-Conversion-Switch w Change			UEPRG	USACC		2.77	0.40					40.18	9.45		
	2W VG Loop/Line Port Combination -Conversion-Subsqnt Database Update						1.42						10.27			
ADD	ITIONAL NRCs															
	2W VG Loop/ Line Port Combination (PBX)-Subsqnt Activity			UEPRG	USAS2	0.00	0.00	0.00					40.18	9.45		
2-WI	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)															1
	Port/Loop Combination Rates															
OIAL	2W VG Loop/Port Combo-Zone 1		1			13.03					<u> </u>					<del> </del>
_					_				ļ		1					<u> </u>
	2W VG Loop/Port Combo-Zone 2		2			21.33										
	2W VG Loop/Port Combo-Zone 3		3			32.61										
UNE	Loop Rates															
	2W VG Loop (SL 1)-Zone 1		1	UEPPX	UEPLX	10.75										
	2W VG Loop (SL 1)-Zone 2		2	UEPPX	UEPLX	19.05										
	2W VG Loop (SL 1)-Zone 3		3	UEPPX	UEPLX	30.33										
2-Wi	re Voice Grade Line Port Rates (BUS - PBX)		Ŭ	02	02. 27	00.00										1
Z-VVI	Line Side Unbundled Combination 2-Way PBX Trunk Port-Bus			UEPPX	UEPPC	2,28	164.57	128.16					40.18	9.45		1
+-			$\vdash$	UEPPX	UEPPO	2.28		128.16	<b> </b>		1	1	40.18	9.45	1	<del>                                     </del>
+	Line Side Unbundled Outward PBX Trunk Port-Bus		$\vdash$				164.57		<b></b>		1	<u> </u>			<del>                                     </del>	<del>                                     </del>
	Line Side Unbundled Incoming PBX Trunk Port-Bus		$\sqcup$	UEPPX	UEPP1	2.28	164.57	128.16			ļ		40.18	9.45		ļ
	2W Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	2.28	164.57	128.16				1	40.18	9.45		<u> </u>
	2W Voice Unbundled 2-Way Combination PBX Usage Port		$\Box$	UEPPX	UEPXA	2.28	164.57	128.16					40.18	9.45		$\Box$
	2W Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	2.28	164.57	128.16					40.18	9.45		
	2W Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	2.28	164.57	128.16					40.18	9.45		
1	2W Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	2.28	164.57	128.16			İ		40.18	9.45		<b>1</b>
-	2W Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port		$\vdash$	UEPPX	UEPXE	2.28	164.57	128.16			1	<del>                                     </del>	40.18	9.45		1
-			$\vdash$	ULFFA	OLFAE	2.20	104.57	120.10			1	1	40.18	9.45	<del> </del>	1
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative							,			1				1	
_	Calling Port		$\sqcup$	UEPPX	UEPXL	2.28	164.57	128.16			ļ		40.18	9.45		ļ
1	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling										1				1	
	Port			UEPPX	UEPXM	2.28	164.57	128.16					40.18	9.45		
	2W Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room		1 1		1				l		1		l			1
	Calling Port			UEPPX	UEPXO	2.28	164.57	128.16			1		40.18	9.45	İ	1
1	2W Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	2.28	164.57	128.16			1		40.18	9.45	İ	1
LOC	AL NUMBER PORTABILITY		$\vdash$	OLITA	0L1 //0	2.20	104.07	120.10			1	<del>                                     </del>	40.10	5.45		1
LOC			$\vdash$	UEPPX	LNPCP	3.15	0.00	0.00	-		1	1	40.18	9.45	1	<del>                                     </del>
	Local No Portability (1 per port)		$\vdash$	UEPPX	LINPUP	3.15	0.00	0.00	-		<del>                                     </del>	1	40.18	9.45	1	<b> </b>
FEA.	TURES		$\sqcup$		L						1					1
	All Features Offered			UEPPX	UEPVF	3.40	0.00	0.00					40.18	9.45		<u> </u>
NON	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED		ШТ													L
	2W VG Loop/ Line Port Combination (PBX)-Conversion-Switch-As-Is			UEPPX	USAC2		2.77	0.40					40.18	9.45		
1	2W VG Loop/ Line Port Combination (PBX)-Conversion-Switch with Change			UEPPX	USACC		2.77	0.40			İ		40.18	9.45		
	2W VG Loop/Line Port Combination (PBX)-Conversion-Switch with Charge 2W VG Loop/Line Port Combination -Conversion-Subsqnt Database Update		$\vdash$	JETTA	COAGO	1	1.42	0.70			<b>†</b>	<b></b>	10.27	3.73	<del> </del>	$\vdash$

NRONDE	ED NETWORK ELEMENTS - North Carolina													ment: 2		bit: B
regory	RATE ELEMENTS	Interi m	Zon e	BCS	usoc		RA	TES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitte d Manually per LSR	Order vs.	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	I Charg Manua Svc Ord
						D	Nonred	urring	NRC Dis	connect		1	oss	Rates (\$)		Diec Ac
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMA
	2W VG Loop/ Line Port Combination (PBX)-Subsqnt Activity			UEPPX	USAS2	0.00	0.00	0.00					40.18	9.45		
2-WIR	E VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN PORT															
UNE F	Port/Loop Combination Rates															
	2W VG Coin Port/Loop Combo – Zone 1		1			13.03										
	2W VG Coin Port/Loop Combo – Zone 2		2			21.33										
	2W VG Coin Port/Loop Combo – Zone 3		3			32.61										
UNE L	_oop Rates															
	2W VG Loop (SL1)-Zone 1		1	UEPCO	UEPLX	10.75										
	2W VG Loop (SL1)-Zone 2		2	UEPCO	UEPLX	19.05										
	2W VG Loop (SL1)-Zone 3		3	UEPCO	UEPLX	30.33										
	e Voice Grade Line Ports (COIN)															
	2W Coin 2-Way w/o Oper Screening & w/o Blocking (NC)			UEPCO	UEPND	2.28	79.59	63.97					40.18	9.45		
	2W Coin 2-Way with Oper Screening (NC)			UEPCO	UEPNC	2.28	79.59	63.97					40.18	9.45		
	2W Coin 2-Way with Oper Screening & Blocking: 011, 900/976, 1+DDD			UEPCO	UEPRP	2.28	79.59	63.97					40.18	9.45		
	2W Coin 2-Way with Oper Screening & 011 Blocking (NC)			UEPCO	UEPNB	2.28	79.59	63.97					40.18	9.45		
	2W Coin 2-Way with Oper Screening: 900 Blocking: 900/976, 1+DDD, 011+,															
	& Local (NC, TN)			UEPCO	UEPCA	2.28	79.59	63.97					40.18	9.45		
	2W Coin Outward with Oper Screening & 011 Blocking (NC)			UEPCO	UEPNE	2.28	79.59	63.97					40.18	9.45		
	2W Coin Outward with Oper Screening & Blocking: 900/976, 1+DDD, 011+,															
	& Local (NC)			UEPCO	UEPCL	2.28	79.59	63.97					40.18	9.45		
	2W 2-Way Smartline with 900/976 (all states except LA)			UEPCO	UEPCK	2.28	79.59	63.97					40.18	9.45		
	2W Coin Outward Smartline with 900/976 (all states except LA)			UEPCO	UEPCR	2.28	79.59	63.97					40.18	9.45		
	TIONAL UNE COIN PORT/LOOP (RC)															
	UNE Coin Port/Loop Combo Usage (Flat Rate)			UEPCO	URECU	3.70	0.00	0.00	0.00	0.00			40.18	9.45		
	L NUMBER PORTABILITY			<u> </u>												
	Local No Portability (1 per port)			UEPCO	LNPCX	0.35										
	RECURRING CHARGES - CURRENTLY COMBINED			02.00	Litti O/C	0.00										
	2W VG Loop/Line Port Combination -Conversion-Switch-as-is			UEPCO	USAC2		2.77	0.40					40.18	9.45		
	2W VG Loop/Line Port Combination -Conversion-Switch with change			UEPCO	USACC		2.77	0.40					40.18	9.45		
	- The state of the				1	† †	=	2.10						2.10		İ
	2W VG Loop/Line Port Combination -Conversion-Subsgnt Database Update						1.42									
	TIONAL NRCs				1	† †										İ
	2W VG Loop/Line Port Combination-Subsent Activity			UEPCO	USAS2		0.00	0.00					40.18	9.45		
2-WIR	E VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE LINE POR	T (RE	S)													
UNE F	Port/Loop Combination Rates	,														
UNE L	_oop Rates															
2-Wire	e Voice Grade Line Port Rates (Res)															
	2W voice unbundled port-Res			UEPFR	UEPRL	2.19	225.00	225.00					40.18	9.45		
	2W voice unbundled port with Caller ID-res			UEPFR	UEPRC	2.19	225.00	225.00					40.18	9.45		Ì
	2W voice unbundled port outgoing only-res			UEPFR	UEPRO	2.19	225.00	225.00					40.18	9.45		Ì
	2W voice unbundles res, low usage line port with Caller ID (LUM)			UEPFR	UEPAP	2.19	225.00	225.00					40.18	9.45		
	ROFFICE TRANSPORT		t		1											1
	Interoffice Transport-Dedicated-2W VG-Facility Term			UEPFR	U1TV2	18.00	140.00	71.00								
	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi			UEPFR	1L5XX	0.0125										İ
	URES			02	120,000	3.3.20										İ
	All Features Offered		1 - 1	UEPFR	UEPVF	3.40	0.00	0.00					40.18	9.45		<del>                                     </del>

NBUND	DLED NETWORK ELEMENTS - North Carolina													nent: 2		bit: B
ATEGOR'	RY RATE ELEMENTS	Interi m	Zon e	BCS	USOC			ATES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitte d Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	I Charge
						Rec	Nonred			connect	201150			Rates (\$)	0011111	
1.00	LANDING PORTABILITY		1		+	-	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
LOC	Local No Portability (1 per port)	-		UEPFR	LNPCX	0.35										-
NON	NRECURRING CHARGES (NRCs) - CURRENTLY COMBINED	1		OLITIK	LIVI OX	0.00										
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-															
	Switch-as-is			UEPFR	USAC2		9.03	1.87					40.18	9.45		
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-															
2 14/1	Switch-With-Change  //IRE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE LINE PO	DT (DI	IC)	UEPFR	USACC		9.03	1.87					40.18	9.45		
	E Port/Loop Combination Rates	JKI (BU	15)		-								-			<del> </del>
	E Loop Rates															
	/ire Voice Grade Line Port (Bus)															
	2W voice unbundled port w/o Caller ID-bus			UEPFB	UEPBL	2.19	225.00	225.00				İ.,	40.18	9.45		
	2W voice unbundled port with Caller + E484 ID-bus			UEPFB	UEPBC	2.19	225.00	225.00					40.18	9.45		
	2W voice unbundled port outgoing only-bus			UEPFB	UEPBO	2.19	225.00	225.00					40.18	9.45		
	2W voice unbundled incoming only port with Caller ID-Bus	4	$\sqcup$	UEPFB	UEPB1	2.19	225.00	225.00			1	<u> </u>	40.18	9.45		
LOC	CAL NUMBER PORTABILITY	+	$\vdash$	UEPFB	LNPCX	0.35			-		1	<b> </b>				<del>                                     </del>
INITE	Local No Portability (1 per port)  EROFFICE TRANSPORT	-	-	UEPFB	LNPCX	0.35										
IINTE	Interoffice Transport-Dedicated-2W VG-Facility Term	-		UEPFB	U1TV2								1			
	Interoffice Transport-Dedicated-2W VG-racinty Term			UEPFB	1L5XX											
FEA	ATURES			<u> </u>	1											
	All Features Offered			UEPFB	UEPVF	3.40	0.00	0.00					40.18	9.45		
NON	NRECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion- Switch-as-is			UEPFB	USAC2		9.03	1.87					40.18	9.45		
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion- Switch with change			UEPFB	USACC		9.03	1.87					40.18	9.45		
2-WI	/IRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)															
	E Port/Loop Combination Rates															
	E Loop Rates															
2-Wi	/ire Voice Grade Line Port Rates (BUS - PBX)	-														
	Line Side Unbundled Combination 2-Way PBX Trunk Port-Bus Line Side Unbundled Outward PBX Trunk Port-Bus	-	+	UEPFP UEPFP	UEPPC UEPPO	2.18 2.18	225.00 225.00	225.00 225.00					40.18 40.18	9.45 9.45		
	Line Side Unbundled Outward PBX Trunk Port-Bus	-		UEPFP	UEPP0	2.18	225.00	225.00					40.18	9.45		
	2W Voice Unbundled PBX LD Terminal Ports	-		UEPFP	UEPLD	2.18	225.00	225.00					40.18	9.45		<del> </del>
	2W Voice Unbundled 2-Way Combination PBX Usage Port	1		UEPFP	UEPXA	2.18	225.00	225.00					40.18	9.45		
	2W Voice Unbundled PBX Toll Terminal Hotel Ports			UEPFP	UEPXB	2.18	225.00	225.00					40.18	9.45		
	2W Voice Unbundled PBX LD DDD Terminals Port			UEPFP	UEPXC	2.18	225.00	225.00					40.18	9.45		
	2W Voice Unbundled PBX LD Terminal Switchboard Port		$oxed{oxed}$	UEPFP	UEPXD	2.18	225.00	225.00					40.18	9.45		
	2W Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port	_		UEPFP	UEPXE	2.18	225.00	225.00					40.18	9.45		
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPFP	UEPXL	2.18	225.00	225.00					40.18	9.45		
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPFP	UEPXM	2.18	225.00	225.00					40.18	9.45		
	2W Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port			UEPFP	UEPXO	2.18	225.00	225.00					40.18	9.45		
	2W Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPFP	UEPXS	2.18	225.00	225.00					40.18	9.45		
LOC	CAL NUMBER PORTABILITY				1								1			
151==	Local No Portability (1 per port)		1	UEPFP	LNPCP	3.15	0.00	0.00					40.18	9.45		<del></del>
INTE	EROFFICE TRANSPORT  Interoffice Transport-Dedicated-2W VG-Facility Term	+	+	HEDED	U1TV2							-				<del>                                     </del>
	Interoffice Transport-Dedicated-2W VG-Facility Term  Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi	+	+	UEPFP UEPFP	1L5XX	1			1		1	<del>                                     </del>				<del>                                     </del>
FEA	ATURES	+	+	OLFIF	ILJAA	+			<del>                                     </del>	1	1	<del>                                     </del>	<b>†</b>			<b>—</b>
1	All Features Offered	1		UEPFP	UEPVF	3.40	0.00	0.00					40.18	9.45		
NON	NRECURRING CHARGES (NRCs) - CURRENTLY COMBINED						2.20	3.30						50		
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-			_												
	Switch-as-is			UEPFP	USAC2		9.03	1.87		<u></u>	<u> </u>	<u></u>	40.18	9.45		<u></u>

NBUND	DLED NETWORK ELEMENTS - North Carolina											1		ment: 2		bit: B
											Svc	Svc			Incremental	
											Order	Order	Charge -	Charge -	Charge -	I Charge
		Interi Zor									Submitte	Submitte	Manual Svc	Manual Svo	Manual Svc	Manua
ATEGORY	Y RATE ELEMENTS	m e	'  B	CS	USOC		RA	TES (\$)			d Elec	d	Order vs.	Order vs.	Order vs.	Svc Ord
		III e										Manually	Electronic-		Electronic-	vs.
											<b>p</b> =	per LSR	1st	Add'l	Disc 1st	
												per Lore	150	Addi	D130 131	Disc Add
						Rec	Nonred	urring	NRC Disc					Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-															
	Switch with change		UE	PFP	USACC		9.03	1.87					40.18	9.45		
NBUNDL	ED PORT/LOOP COMBINATIONS - COST BASED RATES															
2-WI	IRE VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK PORT															
UNE	Port/Loop Combination Rates															
	2W VG Loop/2W DID Trunk Port Combo-UNE Zone 1	1				20.97										
	2W VG Loop/2W DID Trunk Port Combo-UNE Zone 2	2				27.80										
	2W VG Loop/2W DID Trunk Port Combo-UNE Zone 3	3				37.08										1
UNE	Loop Rates															
	2W Analog VG Loop-(SL2)-UNE Zone 1	1	UE	PPX	UECD1	8.85										1
	2W Analog VG Loop-(SL2)-UNE Zone 2	2		PPX	UECD1	15.68							İ	1	1	1
<u> </u>	2W Analog VG Loop-(SL2)-UNE Zone 3	3		PPX	UECD1	24.96									1	<b>†</b>
UNF	E Port Rate	⊢ † °	0		32051	200								1	1	<u> </u>
3.12	Exchange Ports-2W DID Port		LIF	PPX	UEPD1	12.12	224.81	188.40					40.18	9.45	1	<b>†</b>
NON	IRECURRING CHARGES - CURRENTLY COMBINED				02. 5.	.22	22	100.10					10110	00		
INOIN	2W VG Loop/2W DID Trunk Port Combination -Switch-as-is		HE	PPX	USAC1		13.26	8.39					53.89	11.34		
	2W VG Loop/2W DID Trunk Port Conversion with BST Allowable Changes			PPX	USA1C		13.26	8.39	-				53.89	11.34		<del>                                     </del>
ADD	DITIONAL NRCs		- OL	FFA	USAIC		13.20	0.33					33.09	11.54		
ADD	2W DID Subsqnt Activity-Add Trunks, Per Trunk		115	PPX	USAS1		53.49		-				40.18	9.45		
Tolor	phone Number/Trunk Group Establisment Charges		UE	FFA	USAST		55.49						40.16	9.45		+
reie	DID Trunk Term (One Per Port)		115	PPX	NDT	0.00	0.00	0.00	-							
	DID Nos, Establish Trunk Group & Provide First Group of 20 DID Nos			PPX	NDZ	0.00	0.00	0.00	-							-
_	Add'l DID Nos for each Group of 20 DID Nos			PPX	ND4	0.00	0.00	0.00	-			-		-	-	+
	DID Nos, Non-consecutive DID Nos , Per No			PPX	ND5	0.00	0.00	0.00	-							<del></del>
_				PPX	ND6	0.00	0.00	0.00								
-	Reserve Non-Consecutive DID Nos			PPX PPX		0.00	0.00	0.00								
1.00	Reserve DID Nos		UE	PPX	NDV	0.00	0.00	0.00								
LOC				DDV	LNPCP	3.15	0.00	0.00				-				
0.140	Local No Portability (1 per port)		UE	PPX	LNPCP	3.15	0.00	0.00								
	IRE ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LINE SIDE PO	)KI														
UNE	Port/Loop Combination Rates	L .														
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -UNE Zone 1		UEPPB	UEPPR		38.84										
_	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -UNE Zone 2	2		UEPPR		50.01			<b>  </b>					1	1	<b>├</b>
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -UNE Zone 3	3	UEPPB	UEPPR	1	65.18								1	1	₩
UNE	Loop Rates	<b>.</b>	LUEBEE	LIEDDS	1101.01								1	-	-	<b>├</b>
	2W ISDN Digital Grade Loop-UNE Zone 1	1	UEPPB	UEPPR	USL2X	14.47										
	2W ISDN Digital Grade Loop-UNE Zone 2	2		UEPPR	USL2X	25.64										
	2W ISDN Digital Grade Loop-UNE Zone 3	3	UEPPB	UEPPR	USL2X	40.81										
UNE	Port Rate															
	Exchange Port-2W ISDN Line Side Port		UEPPB	UEPPR	UEPPB	24.37	388.20	302.77					19.99	19.99		
NON	IRECURRING CHARGES - CURRENTLY COMBINED															
	2W ISDN Digital Grade Loop/2W ISDN Line Side Port Combination-				<u>.</u> .									1	1	
	Conversion		UEPPB	UEPPR	USACB	0.00	174.35	174.35						1	ļ	
	OITIONAL NRCs		ļ													
LOC	AL NUMBER PORTABILITY															
	Local No Portability (1 per port)		UEPPB	UEPPR	LNPCX	0.35	0.00	0.00								
B-CI	HANNEL USER PROFILE ACCESS:															
	CVS/CSD (DMS/5ESS)		UEPPB	UEPPR	U1UCA	0.00	0.00	0.00								
	CVS (EWSD)		UEPPB	UEPPR	U1UCB	0.00	0.00	0.00								
	CSD		UEPPB	UEPPR	U1UCC	0.00	0.00	0.00								

NROND	LED NETWORK ELEMENTS - North Carolina												Attachi	ment: 2	Exhil	bit: B
ATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	usoc		RA	ATES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitte d Manually per LSR	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	I Charge
							Names		NDC Di	sconnect		per Lor			Disc 1st	Disc Add
-						Rec	Nonred First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	Rates (\$) SOMAN	SOMAN	SOMAN
B_CU	I ANNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS SC,MS, & TN						FIISL	Add I	FIISL	Auu i	SOIVIEC	SOWAN	SOWAN	SOWAN	SOMAN	SOWAN
LISEE	R TERMINAL PROFILE											1				
OOLI	User Terminal Profile (EWSD only)			UEPPB UEPPR	U1UMA	0.00	0.00	0.00								
VERT	TICAL FEATURES			OLITE OLITE	OTOWA	0.00	0.00	0.00								
	All Vertical Features-One per Channel B User Profile			UEPPB UEPPR	UEPVF	3.40	0.00	0.00								
INTE	ROFFICE CHANNEL MILEAGE			02113 021111	02	0.10	0.00	0.00								
	Interoffice Channel miage each, including first mi & facilities Term			UEPPB UEPPR	M1GNC	18.0282	137.48	52.58					19.99	19.99		
	Interoffice Channel miage each, Add'l mi			UEPPB UEPPR		0.0282	0.00	0.00								
4-WIF	RE DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK PORT															
UNE	Port/Loop Combination Rates															
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port -UNE Zone 1		1	UEPPP		226.55										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port -UNE Zone 2		2	UEPPP		263.28										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port -UNE Zone 3		3	UEPPP		313.15										
UNE	Loop Rates					ļ <u>l</u>								ļ		ļ
	4W DS1 Digital Loop-UNE Zone 1		1	UEPPP	USL4P	47.54										
	4W DS1 Digital Loop-UNE Zone 2		2	UEPPP	USL4P	84.27										
	4W DS1 Digital Loop-UNE Zone 3		3	UEPPP	USL4P	134.14										
UNE	Port Rate															
	Exchange Ports-4W ISDN DS1 Port			UEPPP	UEPPP	179.01	956.47	663.10					19.99	19.99		
NONE	RECURRING CHARGES - CURRENTLY COMBINED															
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port Combination-			LIEBBB		0.00	404.54	101 51								
ADDE	Conversion -Switch-as-is			UEPPP	USACP	0.00	481.51	481.51								
ADDI	TIONAL NRCs  4W DS1 Loop/4W ISDN DS1 Digital Trunk Port-Subsgnt Inward/2-Way Tel															
	Nos-(NC Only)			UEPPP	PR7TG		1.17	1.17								
	4W DS1 Loop/4W ISDN Digital Trunk Port-Subsqnt Activity Outward tel nos.			UEFFF	FR/IG		1.17	1.17								
	(NC only)			UEPPP	PR7TP		28.17	28.17								
	4W DS1 Loop/4W ISDN DS1 Digital Trk Port -Subsqnt Inward Tel Nos			UEPPP	PR7ZT		56.33	56.33								
LOCA	AL NUMBER PORTABILITY			OLITI	110721		00.00	00.00								
	Local No Portability (1 per port)			UEPPP	LNPCN	1.75										
INTE	RFACE (Provsioning Only)			<u> </u>												
	Voice/Data			UEPPP	PR71V	0.00	0.00	0.00								
	Digital Data			UEPPP	PR71D	0.00	0.00	0.00								
	Inward Data			UEPPP	PR71E	0.00	0.00	0.00								
New	or Additional "B" Channel															
	New or Add'l-Voice/Data B Channel			UEPPP	PR7BV	0.00	36.92						19.99	19.99		
	New or Add'l-Digital Data B Channel			UEPPP	PR7BF	0.00	36.92						19.99	19.99		
	New or Add'l Inward Data B Channel			UEPPP	PR7BD	0.00	36.92				<u> </u>	<u> </u>	19.99	19.99		ļ
CALL	TYPES					ļ <u>l</u>										
	Inward			UEPPP	PR7C1	0.00	0.00	0.00								
	Outward			UEPPP	PR7C0	0.00	0.00	0.00	1	ļ		1				
	Two-way			UEPPP	PR7CC	0.00	0.00	0.00	ļ	ļ	ļ	ļ				ļ
Interd	office Channel Mileage									ļ	ļ	ļ				ļ
_	Fixed Each Including First mi			UEPPP	1LN1A	71.8653	217.17	163.75	0.00				19.99	19.99		
4 16"5	Each Airline-Fractional Add'l mi RE DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT		-	UEPPP	1LN1B	0.5753			1	1	1	1	-	<del>                                     </del>	<del>                                     </del>	1
									-	<del>                                     </del>	<u> </u>	<b> </b>	-			<u> </u>
UNE	Port/Loop Combination Rates  4W DS1 Digital Loop/4W DDITS Trunk Port -UNE Zone 1		1	UEPDC	-	171.06		-	-	-		1		-		1
	4W DS1 Digital Loop/4W DDITS Trunk Port -UNE Zone 1 4W DS1 Digital Loop/4W DDITS Trunk Port -UNE Zone 2		2	UEPDC	<b> </b>	207.79			1	1	1	1	1	1	1	1
	4W DS1 Digital Loop/4W DDITS Trunk Port -UNE Zone 2		3	UEPDC		257.66							-	1	1	
LINE	Loop Rates		٥	OLFDC		237.00			1	1	1	1	1	1	1	1
JINE	4W DS1 Digital Loop-UNE Zone 1		1	UEPDC	USLDC	47.54			t	1	1	1		<b> </b>	<b> </b>	1
	4W DS1 Digital Loop-UNE Zone 2		2	UEPDC	USLDC	84.27										
	4W DS1 Digital Loop-UNE Zone 3		3	UEPDC	USLDC	134.14										
UNE	Port Rate		Ť	3=: 50		70 4								İ	İ	
1	4W DDITS Digital Trunk Port			UEPDC	UDD1T	123.52	831.43	491.39					19.99	19.99	İ	
	RECURRING CHARGES - CURRENTLY COMBINED		_			:=::02	2210		1	1	1	1				1

INDUND	ED NETWORK ELEMENTS - North Carolina												Attachr			bit: B
ATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	USOC			ATES (\$)			Svc Order Submitte d Elec per LSR	d	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	I Charge
						Rec		curring	NRC Disc					Rates (\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4W DS1 Digital Loop/4W DDITS Trunk Port Combination-Switch-as-is			UEPDC	USAC4		490.38	490.38								
	4W DS1 Digital Loop/4W DDITS Trunk Port Combination-Conversion with															
	DS1 Changes			UEPDC	USAWA		490.38	490.38								
	4W DS1 Digital Loop/4W DDITS Trunk Port Combination-Conversion with															
	Change-Trunk			UEPDC	USAWB		490.38	490.38								
ADDIT	TIONAL NRCs															
	4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Service Activity Per Service															
	Order			UEPDC	USAS4		127.63	127.63								
	4W DS1 Loop/4W DDITS Trunk Port-NRC-Subsqnt Channel Activation/Chan-															
	2-Way Trunk			UEPDC	UDTTA		28.81	28.81								
	4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Channel Activation/Chan-1-															
	Way Outward Trunk			UEPDC	UDTTB		28.81	28.81								
	4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Channel Activation/Chan			-												
	Inward Trunk w/out DID			UEPDC	UDTTC		28.81	28.81					19.99	19.99		
	4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Chan Activation Per Chan-			<del></del>												
	Inward Trunk with DID			UEPDC	UDTTD		28.81	28.81					19.99	19.99		
	4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Chan Activation/Chan-2-Way			02. 50	05.15		20.01	20.01					.0.00	10.00		
	DID w User Trans			UEPDC	UDTTE		28.81	28.81								
	LAR 8 ZERO SUBSTITUTION		1 1	OLI DO	ODITE		20.01	20.01								<del>                                     </del>
BIFOL	B8ZS -Superframe Format			UEPDC	CCOSF		0.00	615.00			1	1				+
	B8ZS-Extended Superframe Format			UEPDC	CCOEF		0.00	615.00	1		<u> </u>	<u> </u>				+
	nate Mark Inversion		1	OLFDC	CCOLI		0.00	013.00			1	1				+
	AMI -Superframe Format		+	UEPDC	MCOSF		0.00	0.00	+		1	1				+
	AMI-Supername Format  AMI-Extended SuperFrame Format		+	UEPDC	MCOPO		0.00	0.00	+		1	1				+
	hone Number/Trunk Group Establisment Charges		+	UEPDC	MCOPO		0.00	0.00	-		1	1				+
reiep	Telephone No for 2-Way Trunk Group		+	UEPDC	UDTGX	0.00			-		1	1	19.99	19.99		<del>                                     </del>
+	Telephone No for 1-Way Outward Trunk Group		+	UEPDC	UDTGY	0.00			+		1	1	19.99	19.99		+
-	Telephone No for 1-Way Inward Trunk Group w/o DID		1	UEPDC	UDTGZ	0.00			-				19.99	19.99		+
-			+		NDZ	0.00	0.00	0.00	-		1	1	19.99	19.99		┼──
_	DID Nos, Establish Trunk Group & Provide First Group of 20 DID Nos		1	UEPDC	ND4	0.00	0.00	0.00			-	-				
_	DID Nos for each Group of 20 DID Nos		-	UEPDC												4
	DID Nos, Non-consecutive DID Nos , Per No		1	UEPDC	ND5	0.00										
_	Reserve Non-Consecutive DID Nos.		-	UEPDC	ND6	0.00	0.00	0.00								4
	Reserve DID Nos		لببا	UEPDC	NDV	0.00	0.00	0.00								
	ated DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1 Digital Loc	op wit	n 4-w													
	Interoffice Channel miage-Fixed rate 0-8 mis (Facilities Term)			UEPDC	1LNO1	71.29	217.17	163.75	0.00	0.00			19.99	19.99		<del>                                     </del>
	Interoffice Channel miage-Add'l rate per mi-0-8 mis			UEPDC	1LNOA	0.5753	0.00	0.00								
	Interoffice Channel miage-Fixed rate 9-25 mis (Facilities Term)		<b> </b>	UEPDC	1LNO2	0.00	0.00	0.00								
	Interoffice Channel miage-Add'l rate per mi-9-25 mis		$\vdash$	UEPDC	1LNOB	0.5753	0.00	0.00			ļ	ļ				<u> </u>
	Interoffice Channel miage-Fixed rate 25+ mis (Facilities Term)		Ш	UEPDC	1LNO3	0.00	0.00	0.00	0.00		ļ	ļ				<u> </u>
	Interoffice Channel miage-Add'l rate per mi-25+ mis			UEPDC	1LNOC	0.5753	0.00	0.00			ļ	ļ				
	Local No Portability, per DS0 Activated			UEPDC	LNPCP	3.15	0.00	0.00	0.00		ļ	ļ				
	Central Office Termininating Point			UEPDC	CTG	0.00										
	E DS1 LOOP WITH CHANNELIZATION WITH PORT															
	m is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Activations															
	System can have up to 24 combinations of rates depending on type and nu	umber	r of po	orts used												
	OS1 Loop															
	4W DS1 Loop-UNE Zone 1		1	UEPMG	USLDC	47.54	0.00	0.00								
	4W DS1 Loop-UNE Zone 2		2	UEPMG	USLDC	84.27	0.00	0.00								
	4W DS1 Loop-UNE Zone 3		3	UEPMG	USLDC	134.14	0.00	0.00								
	OSO Channelization Capacities (D4 Channel Bank Configurations)															
	24 DSO Channel Capacity-1 per DS1			UEPMG	VUM24	123.06	0.00	0.00					19.99	19.99		
	48 DSO Channel Capacity-1 per 2 DS1s			UEPMG	VUM48	246.12	0.00	0.00					19.99	19.99		
	96 DSO Channel Capacity -1per 4 DS1s			UEPMG	VUM96	492.24	0.00	0.00					19.99	19.99		
	144 DS0 Channel Capacity-1 per 6 DS1s			UEPMG	VUM14	738.36	0.00	0.00					19.99	19.99		
1	192 DS0 Channel Capacity -1 per 8 DS1s			UEPMG	VUM19	984.48	0.00	0.00					19.99	19.99		
	240 DS0 Channel Capacity-1 per 10 DS1s			UEPMG	VUM20	1,230.60	0.00	0.00					19.99	19.99		1
	288 DS0 Channel Capacity-1 per 12 DS1s		1 1	UEPMG	VUM28	1,476.72	0.00				1	t	19.99	19.99		<del></del>

UNBUND	DLED NETWORK ELEMENTS - North Carolina												Attachi	ment: 2	Exhil	bit: B
											Svc	Svc		Incremental	Incremental	Incrementa
											Order	Order	Charge -	Charge -	Charge -	I Charge -
											Submitte	Submitte	_	Manual Svc		_
CATEGORY	Y RATE ELEMENTS	Inter		BCS	USOC		R	ATES (\$)			d Elec	d	Order vs.	Order vs.	Order vs.	Svc Order
		m	е								per LSR	Manually		Electronic-	Electronic-	vs.
											per Lor	per LSR	1st	Add'l	Disc 1st	Electronic
												per Lor	131	Addi	Disc 1st	Disc Add'l
						Rec	Nonre	curring	NRC Dis	sconnect			oss	Rates (\$)		
						Kec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	384 DS0 Channel Capacity-1 per 16 DS1s			UEPMG	VUM38	1,968.96	0.00						19.99	19.99		
	480 DS0 Channel Capacity-1 per 20 DS1s			UEPMG	VUM40	2,461.20	0.00						19.99	19.99		
	576 DS0 Channel Capacity -1 per 24 DS1s		_	UEPMG	VUM57	2,953.44	0.00	0.00					19.99	19.99		
	672 DS0 Channel Capacity-1 per 28 DS1s			UEPMG	VUM67	3,445.68	0.00	0.00					19.99	19.99		
	-Recurring Charges (NRC) Associated with 4-Wire DS1 Loop with Channeliz															
	inimum System configuration is One (1) DS1, One (1) D4 Channel Bank, and															
Multi	tiples of this configuration functioning as one are considered Add'l after the	<u>minir</u>	mum s													
	NRC-Conversion (Currently Combined) w or w/o BST Allowed Changes			UEPMG	USAC4		330.61	16.64					19.99	19.99		
	tem Additions at End User Locations Where 4-Wire DS1 Loop with Channeli			Port Combination Cu	rrently Exi	sts and										
New	(Not Currently Combined) in all states, except in Density Zone 1 of Top 8 M	ISA'S	-										-			1
	1 DS1/D4 Channel Bank-Add'ly Add NRC for each Port & Assoc Fea			LIEDMO	V/UNAC 4	0.00	740 74	000.00	440.00	47.00			40.00	40.00		1
	Activation	1	+	UEPMG	VUMD4	0.00	743.74	326.22	149.02	17.68		ļ	19.99	19.99		1
Bibo	Diar 8 Zero Substitution	1	+	UEPMG	CCOSE	0.00	0.00	045.00	<del>                                     </del>	-	-	-	<del></del>	-	-	1
$\vdash$	Clear Channel Capability Format, superframe-Subsqnt Activity Only	1	+	UEPING	CCOSF	0.00	0.00	615.00	<del>                                     </del>	-	-	-	<del></del>	-	-	1
	Clear Channel Capability Format-Extended Superframe-Subsqnt Activity Only			UEPMG	CCOEF	0.00	0.00	045.00			1		I			
Altai			-	UEPMG	CCOEF	0.00	0.00	615.00	-							-
Alter	rnate Mark Inversion (AMI)		-	LIEDMO	MCOCE	0.00	0.00	0.00	-							-
$\vdash$	Superframe Format  Extended Superframe Format		-	UEPMG UEPMG	MCOSF MCOPO	0.00	0.00		-							-
Eval	Extended Superrame Format   hange Ports Associated with 4-Wire DS1 Loop with Channelization with Por		+	UEPMG	MCOPO	0.00	0.00	0.00					-			+
	hange Ports Associated with 4-wire DST Loop with Chamilenzation with Por	Ī	+													+
EXCI	Line Side Combination Channelized PBX Trunk Port-bus		1	UEPPX	UEPCX	2.28	0.00	0.00	0.00	0.00			40.18	9.45		
<del></del>	Line Side Outward Channelized PBX Trunk Port-bus		+	UEPPX	UEPOX	2.28	0.00			0.00			40.18	9.45		1
<del></del>	Line Side Inward Only Channelized PBX Trunk Port w/o DID		+	UEPPX	UEP1X	2.28	0.00	0.00		0.00			40.18	9.45		1
	2W Trunk Side Unbundled Channelized DID Trunk Port		+	UEPPX	UEPDM	13.26	0.00		0.00	0.00			40.18	9.45		
Feat	ture Activations - Unbundled Loop Concentration		+	OLITA	OLI DIVI	13.20	0.00	0.00	0.00	0.00			40.10	3.43		
I can	Feature (Service) Activation for each Line Port Terminated in D4 Bank			UEPPX	1PQWM	0.65	25.27	13.34	4.15	4.12			40.18	9.45		
	Feature (Service) Activation for each Trunk Port Terminated in D4 Bank		+	UEPPX	1PQWU	0.65	77.75		58.74	11.48			40.18	9.45		
Tele	phone Number/ Group Establishment Charges for DID Service		+	02.17		0.00		10.00	00.7 1				.00	0.10		
	DID Trunk Term (1 per Port)			UEPPX	NDT	0.00	0.00	0.00								
	Estab Trk Grp & Provide 1st 20 DID Nos. (FL,GA, NC,& SC)			UEPPX	NDZ	0.00	0.00	0.00								
	DID Nos-groups of 20-Valid all States			UEPPX	ND4	0.00	0.00									
	Non-Consecutive DID Nos-per No			UEPPX	ND5	0.00	0.00									
	Reserve Non-Consecutive DID Nos			UEPPX	ND6	0.00	0.00	0.00								
	Reserve DID Nos			UEPPX	NDV	0.00	0.00	0.00								
Loca	al Number Portability															
	Local No Portability-1 per port			UEPPX	LNPCP	3.15	0.00	0.00								
	TURES - Vertical and Optional															
Loca	al Switching Features Offered with Line Side Ports Only															
	All Features Available			UEPPX	UEPVF	3.40	0.00	0.00					40.18	9.45		
	ED PORT LOOP COMBINATIONS - MARKET RATES															
	ket Rates shall apply where BellSouth is not required to provide unbundled	local	switc	hing or switch ports	per FCC ar	nd/or Commissi	on rules.									
	includes:															
	undled port/loop combinations that are Currently Combined or Not Currentle															
The	Top 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderdale, Miami);	GA (A	tlanta	a); LA (New Orleans);	NC (Green	sboro-Winston	Salem-Highp	oint/Charlotte-	Gastonia-l	Rock Hill)	TN (Nash	ville).	l	l		1
	South currently is developing the billing capability to mechanically bill the r								ges for no	ot currentl	y combine	d in FL and	NC. In the i	nterim where	BellSouth c	cannot bill
	ket Rates, BellSouth shall bill the rates in the Cost-Based section preceding		eu of t	he Market Rates and	reserves t	ne right to true	up the billing	difference.	1							,
The	Market Rate for unbundled ports includes all available features in all states	S.	1	m af this Follows !	l ammiriti	all a amb ' · · · · · · ·	f l / · ·	maturarii-			Colu De 1	// aar a-	hinations:	lah hace - "		
	Office & Tandem Switching Usage & Common Transport Usage rates in the	Port	section	on of this Exhibit shal	ii apply to a	aii combination	s of loop/port	network eleme	ents excep	ot for UNE	Coin Port	Loop Con	idinations wh	icn nave a fl	at rate usage	e cnarge
	OC: URECU).		:													
	Not Currently Combined scenarios the NRC charges are listed in the First a	and Ad	id'i Ni	RC columns for each	Port USOC	C. For Currently	/ Combined s	cenarios, the N	IRC charg	es are list	ted in the N	NRC - Curr	ently Combin	ed section.	Add'I NRCs n	may apply
	and are categorized accordingly.			7					,							
2-WI	IRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)		4						ļ				1			
			1	l	1	1		1	1		l			l		
UNE	Port/Loop Combination Rates								1							
UNE	2W VG Loop/Port Combo-Zone 1		1			24.75										
UNE			1 2 3			24.75 33.05 44.33										

Version 4Q02: 01/21/03 Page 305 of 402

NDOND	LED NETWORK ELEMENTS - North Carolina		, ,		1	1					_	_		ment: 2		bit: B
						1					Svc	Svc	Incremental		Incremental	
											Order	Order	Charge -	Charge -	Charge -	I Charge
		Interi	Zon								Submitte	Submitte	Manual Svc	Manual Svc	Manual Svc	Manua
ATEGORY	RATE ELEMENTS	m	е	BCS	USOC		R.A	ATES (\$)			d Elec	d	Order vs.	Order vs.	Order vs.	Svc Ord
		""									per LSR	Manually	Electronic-	Electronic-	Electronic-	vs.
												per LSR	1st	Add'l	Disc 1st	Electroni
												po. 2011		71441	2.00 .00	Disc Add
						Dag	Nonre	curring	NRC Disc	onnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UNE	Loop Rates															
	2W VG Loop (SL1)-Zone 1		1	UEPRX	UEPLX	10.75										1
	2W VG Loop (SL1)-Zone 2		2	UEPRX	UEPLX	19.05										1
	2W VG Loop (SL1)-Zone 3		3	UEPRX	UEPLX	30.33										
2-Wir	e Voice Grade Line Port (Res)			<u> </u>												1
	2W voice unbundled port-Res		1 1	UEPRX	UEPRL	14.00	90.00	90.00					40.18	9.45		<b>—</b>
	2W voice unbundled port with Caller ID-res		1 1	UEPRX	UEPRC	14.00	90.00	90.00	1				40.18	9.45		
	2W voice unbundled port with caller ib-res  2W voice unbundled port outgoing only-res		1 1	UEPRX	UEPRO	14.00	90.00	90.00	1				40.18	9.45		
	2W voice unbundles res, low usage line port with Caller ID (LUM)		1 1	UEPRX	UEPAP	14.00	90.00	90.00	<b>-</b>		1		40.18	9.45		<b></b>
	2W voice unbundled Low Usage Line Port w/o Caller ID Capability		1 1	UEPRX	UEPRT	14.00	90.00	90.00	-		-		40.18	9.45		<del>                                     </del>
1.00/	NL NUMBER PORTABILITY		+ +	ULFIX	OLFIXI	14.00	90.00	90.00			1		40.10	9.43		
LUCA		-	+ +	LIEDDY	LNDCV	0.25			-			ļ				-
	Local No Portability (1 per port)	-		UEPRX	LNPCX	0.35					1					
FEAT	URES	-		HEDDY	LIED) (E	0.00		0.00			1		40.40	0.45		
	All Features Offered		1	UEPRX	UEPVF	0.00	0.00	0.00					40.18	9.45		ļ
NON	RECURRING CHARGES - CURRENTLY COMBINED															
	2W VG Loop/Line Port Combination -Switch-as-is			UEPRX	USAC2		41.50	41.50					40.18	9.45		
	2W VG Loop/Line Port Combination -Switch with change			UEPRX	USACC		41.50	41.50					40.18	9.45		
ADDI	TIONAL NRCs															
	NRC-2W VG Loop/Line Port Combination-Subsqnt			UEPRX	USAS2		0.00	0.00					40.18	9.45		
2-WIF	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)															
UNE	Port/Loop Combination Rates															
	2W VG Loop/Port Combo-Zone 1		1			24.75										
	2W VG Loop/Port Combo-Zone 2		2			33.05										
	2W VG Loop/Port Combo-Zone 3		3			44.33										
UNF	Loop Rates															†
- 0	2W VG Loop (SL1)-Zone 1		1	UEPBX	UEPLX	10.75										<b>-</b>
	2W VG Loop (SL1)-Zone 2		2	UEPBX	UEPLX	19.05										<b>-</b>
_	2W VG Loop (SL1)-Zone 3		3	UEPBX	UEPLX	30.33										<b>-</b>
2-Wir	e Voice Grade Line Port (Bus)		-	OLI DA	OLILA	30.33			-							<del>                                     </del>
2-4411	2W voice unbundled port w/o Caller ID-bus		+ +	UEPBX	UEPBL	14.00	90.00	90.00			1		40.18	9.45		
-	2W voice unbundled port w/o Caller ID-bus  2W voice unbundled port with Caller + E484 ID-bus	-	+ +	UEPBX	UEPBC	14.00	90.00	90.00	-			ļ	40.18	9.45		-
_			+ +								-					
_	2W voice unbundled port outgoing only-bus		+ +	UEPBX	UEPBO	14.00 14.00	90.00	90.00			-		40.18	9.45		
	2W voice unbundled Incoming Only Port w/o Caller ID Capability	-		UEPBX	UEPBE	14.00	90.00	90.00			1		40.18	9.45		
LOCA	AL NUMBER PORTABILITY		1													ļ
	Local No Portability (1 per port)			UEPBX	LNPCX	0.35										
FEAT	URES															
	All Features Offered		$\sqcup$	UEPBX	UEPVF	0.00	0.00	0.00			<u> </u>		40.18	9.45		<u> </u>
NON	RECURRING CHARGES - CURRENTLY COMBINED		$\sqcup$								<u> </u>					<u> </u>
	2W VG Loop/Line Port Combination -Switch-as-is			UEPBX	USAC2		41.50	41.50					40.18	9.45		
	2W VG Loop/Line Port Combination -Switch with change			UEPBX	USACC		41.50	41.50					40.18	9.45		
ADDI	TIONAL NRCs															
	NRC-2W VG Loop/Line Port Combination-Subsqnt			UEPBX	USAS2		0.00	0.00					40.18	9.45		
2-WIF	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)															
UNE	Port/Loop Combination Rates															
	2W VG Loop/Port Combo-Zone 1		1			24.75										
	2W VG Loop/Port Combo-Zone 2		2			33.05										
	2W VG Loop/Port Combo-Zone 3		3			44.33										
UNF	Loop Rates	+	-		1	77.00		1	+ +		1		1			
J.1L	2W VG Loop (SL1)-Zone 1	-	1	UEPRG	UEPLX	10.75		<b> </b>	<del>                                     </del>			<u> </u>				
	2W VG Loop (SL1)-Zone 2	-	2	UEPRG	UEPLX	19.05		<del> </del>	<del>                                     </del>		1					<del></del>
_		+	3		UEPLX	30.33		-	++		1		-			+
2 185	2W VG Loop (SL1)-Zone 3	+	3	UEPRG	UEPLX	30.33		-	++		1		-			+
∠-vvir	e Voice Grade Line Port Rates (RES - PBX)	_	++	LIEDDO	LIEDES	44.00	00.00	00.00	<del>                                     </del>		1		40.10	0.15		
	2W VG Unbundled Combination 2-Way PBX Trunk Port-Res		1	UEPRG	UEPRD	14.00	90.00	90.00	$\vdash$		1		40.18	9.45		₽
LOCA	AL NUMBER PORTABILITY		+													<del>                                     </del>
	Local No Portability (1 per port)		$\sqcup$	UEPRG	LNPCP	3.15	0.00	0.00	1							<u> </u>
FEAT	URES															
1	All Features Offered		Щ T	UEPRG	UEPVF	0.00	0.00	0.00	<u>1                                    </u>		L	<u> </u>	40.18	9.45		<u> </u>

2V   2V   2V   2V   2V   2V   2V   2V	CURRING CHARGES - CURRENTLY COMBINED  W VG Loop/ Line Port Combination-Switch-As-Is  W VG Loop/ Line Port Combination-Switch with Change  DNAL NRCs  W Loop/Line Side Port Combination-Non feature-Subsqnt Activity-NRC  BX Subsqnt Activity-Change/Rearrange Multilline Hunt Group  VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)  **rt/Loop Combination Rates  W VG Loop/Port Combo-Zone 1  W VG Loop/Port Combo-Zone 2  W VG Loop/Port Combo-Zone 3  op Rates  W VG Loop (SL1)-Zone 1  W VG Loop (SL1)-Zone 2  W VG Loop (SL1)-Zone 2  W VG Loop (SL1)-Zone 3  **Voice Grade Line Port Rates (BUS - PBX)	Interi	Zon e 1 1 2 3	BCS  UEPRG  UEPRG	USAC2 USACC	Rec -	Nonrec First 41.50	eurring Add'l  41.50 41.50	NRC Disco	onnect Add'l	Svc Order Submitte d Elec per LSR	Svc Order Submitte d Manually per LSR	Order vs. Electronic- 1st  OSS SOMAN  40.18	Charge - Manual Svc Order vs. Electronic- Add'l Rates (\$) SOMAN	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	I Charge
2V   2V   2V   2V   2V   2V   2V   2V	W VG Loop/ Line Port Combination-Switch-As-Is W VG Loop/ Line Port Combination-Switch with Change DNAL NRCs W Loop/Line Side Port Combination-Non feature-Subsqnt Activity-NRC BX Subsqnt Activity-Change/Rearrange Multiline Hunt Group VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX) **TVLoop Combination Rates** W VG Loop/Port Combo-Zone 1 W VG Loop/Port Combo-Zone 2 W VG Loop/Port Combo-Zone 3 **op Rates** W VG Loop (SL1)-Zone 1 W VG Loop (SL1)-Zone 1 W VG Loop (SL1)-Zone 2 W VG Loop (SL1)-Zone 3 **Voice Grade Line Port Rates (BUS - PBX)		2			Rec -	<b>First</b> 41.50	Add'I 41.50				per LSR	1st OSS SOMAN 40.18	Add'I Rates (\$) SOMAN	Disc 1st	Electroni
2V   2V   2V   2V   2V   2V   2V   2V	W VG Loop/ Line Port Combination-Switch-As-Is W VG Loop/ Line Port Combination-Switch with Change DNAL NRCs W Loop/Line Side Port Combination-Non feature-Subsqnt Activity-NRC BX Subsqnt Activity-Change/Rearrange Multiline Hunt Group VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX) **TVLoop Combination Rates** W VG Loop/Port Combo-Zone 1 W VG Loop/Port Combo-Zone 2 W VG Loop/Port Combo-Zone 3 **op Rates** W VG Loop (SL1)-Zone 1 W VG Loop (SL1)-Zone 1 W VG Loop (SL1)-Zone 2 W VG Loop (SL1)-Zone 3 **Voice Grade Line Port Rates (BUS - PBX)		2			Rec	<b>First</b> 41.50	Add'I 41.50			SOMEC	SOMAN	<b>SOMAN</b> 40.18	SOMAN 9.45	SOMAN	
2V   2V   2V   2V   2V   2V   2V   2V	W VG Loop/ Line Port Combination-Switch-As-Is W VG Loop/ Line Port Combination-Switch with Change DNAL NRCs W Loop/Line Side Port Combination-Non feature-Subsqnt Activity-NRC BX Subsqnt Activity-Change/Rearrange Multiline Hunt Group VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX) **TVLoop Combination Rates** W VG Loop/Port Combo-Zone 1 W VG Loop/Port Combo-Zone 2 W VG Loop/Port Combo-Zone 3 **op Rates** W VG Loop (SL1)-Zone 1 W VG Loop (SL1)-Zone 1 W VG Loop (SL1)-Zone 2 W VG Loop (SL1)-Zone 3 **Voice Grade Line Port Rates (BUS - PBX)		2				41.50	41.50	First	Add'l	SOMEC	SOMAN	40.18	9.45	SOMAN	SOMAN
2V   2V   2V   2V   2V   2V   2V   2V	W VG Loop/ Line Port Combination-Switch-As-Is W VG Loop/ Line Port Combination-Switch with Change DNAL NRCs W Loop/Line Side Port Combination-Non feature-Subsqnt Activity-NRC BX Subsqnt Activity-Change/Rearrange Multiline Hunt Group VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX) **TVLoop Combination Rates** W VG Loop/Port Combo-Zone 1 W VG Loop/Port Combo-Zone 2 W VG Loop/Port Combo-Zone 3 **op Rates** W VG Loop (SL1)-Zone 1 W VG Loop (SL1)-Zone 1 W VG Loop (SL1)-Zone 2 W VG Loop (SL1)-Zone 3 **Voice Grade Line Port Rates (BUS - PBX)		2													-
2V   ADDITIO   2V   PF   2V   PF   2V   2V   2V   2V   2V   2V   2V   2	W VG Loop/ Line Port Combination-Switch with Change  DNAL NRCs  W Loop/Line Side Port Combination-Non feature-Subsqnt Activity-NRC BX Subsqnt Activity-Change/Rearrange Multiline Hunt Group  VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)  rt/Loop Combination Rates  W VG Loop/Port Combo-Zone 1  W VG Loop/Port Combo-Zone 2  W VG Loop/Port Combo-Zone 3  op Rates  W VG Loop (SL1)-Zone 1  W VG Loop (SL1)-Zone 2  W VG Loop (SL1)-Zone 3  /oice Grade Line Port Rates (BUS - PBX)		2													Į .
ADDITIO	DNAL NRCS  W Loop/Line Side Port Combination-Non feature-Subsqnt Activity-NRC BX Subsqnt Activity-Change/Rearrange Multiline Hunt Group  VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)  rt/Loop Combination Rates  W VG Loop/Port Combo-Zone 1  W VG Loop/Port Combo-Zone 2  W VG Loop/Port Combo-Zone 3  op Rates  W VG Loop (SL1)-Zone 1  W VG Loop (SL1)-Zone 2  W VG Loop (SL1)-Zone 3  /oice Grade Line Port Rates (BUS - PBX)		2	UEPRG	USACC		41.50	<u>41.</u> 50	1							
2V PE 2-WIRE V UNE Por 2V 2V 2V UNE Loc 2V 2V 2V 2V 2V 2-Wire V	W Loop/Line Side Port Combination-Non feature-Subsqnt Activity-NRC BX Subsqnt Activity-Change/Rearrange Multiline Hunt Group VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX) rt/Loop Combination Rates W VG Loop/Port Combo-Zone 1 W VG Loop/Port Combo-Zone 2 W VG Loop/Port Combo-Zone 3 op Rates W VG Loop (SL1)-Zone 1 W VG Loop (SL1)-Zone 1 W VG Loop (SL1)-Zone 3 /oice Grade Line Port Rates (BUS - PBX)		2										40.18	9.45		
2-WIRE V 2V	BX Subsqnt Activity-Change/Rearrange Multiline Hunt Group VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX) rt/Loop Combination Rates W VG Loop/Port Combo-Zone 1 W VG Loop/Port Combo-Zone 2 W VG Loop/Port Combo-Zone 3 op Rates W VG Loop (SL1)-Zone 1 W VG Loop (SL1)-Zone 1 W VG Loop (SL1)-Zone 2 W VG Loop (SL1)-Zone 3 /oice Grade Line Port Rates (BUS - PBX)		2													<u> </u>
2-WIRE 1 UNE Poi 2V 2V UNE Loc 2V 2V 2V 2V 2V 2V Lin Lin	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)  **rt/Loop Combination Rates  W VG Loop/Port Combo-Zone 1  W VG Loop/Port Combo-Zone 2  W VG Loop/Port Combo-Zone 3  **op Rates  W VG Loop (SL1)-Zone 1  W VG Loop (SL1)-Zone 2  W VG Loop (SL1)-Zone 2  W VG Loop (SL1)-Zone 3  **/oice Grade Line Port Rates (BUS - PBX)		2			l	0.00	0.00					40.18	9.45		ļ
UNE Por 2V	rt/Loop Combination Rates  W VG Loop/Port Combo-Zone 1  W VG Loop/Port Combo-Zone 2  W VG Loop/Port Combo-Zone 3  op Rates  W VG Loop (SL1)-Zone 1  W VG Loop (SL1)-Zone 2  W VG Loop (SL1)-Zone 3  /oice Grade Line Port Rates (BUS - PBX)		2				14.64	14.64	-				40.18	9.45		<del> </del>
2V 2V UNE Loo 2V 2V 2V 2-Wire V	W VG Loop/Port Combo-Zone 1  W VG Loop/Port Combo-Zone 2  W VG Loop/Port Combo-Zone 3  op Rates  W VG Loop (SL1)-Zone 1  W VG Loop (SL1)-Zone 2  W VG Loop (SL1)-Zone 3  /oice Grade Line Port Rates (BUS - PBX)		2													<b></b>
2V UNE Loc 2V 2V 2V 2-Wire V	W VG Loop/Port Combo-Zone 2 W VG Loop/Port Combo-Zone 3 op Rates W VG Loop (SL1)-Zone 1 W VG Loop (SL1)-Zone 2 W VG Loop (SL1)-Zone 3 /oice Grade Line Port Rates (BUS - PBX)		2		1	24.75										-
2V UNE Loc 2V 2V 2V 2-Wire V Lin	W VG Loop/Port Combo-Zone 3 op Rates W VG Loop (SL1)-Zone 1 W VG Loop (SL1)-Zone 2 W VG Loop (SL1)-Zone 3 /oice Grade Line Port Rates (BUS - PBX)				_	33.05										-
2V 2V 2V 2V 2-Wire V Lin	op Rates  W VG Loop (SL1)-Zone 1  W VG Loop (SL1)-Zone 2  W VG Loop (SL1)-Zone 3  /oice Grade Line Port Rates (BUS - PBX)		3		_	44.33										-
2V 2V 2V <b>2-Wire V</b> Lii	W VG Loop (SL1)-Zone 1 W VG Loop (SL1)-Zone 2 W VG Loop (SL1)-Zone 3 /oice Grade Line Port Rates (BUS - PBX)				+	44.33			-							<del></del>
2V 2V 2-Wire V Lii	W VG Loop (SL1)-Zone 2 W VG Loop (SL1)-Zone 3 /oice Grade Line Port Rates (BUS - PBX)		1	UEPPX	UEPLX	10.75										-
2-Wire V Lii	W VG Loop (SL1)-Zone 3 /oice Grade Line Port Rates (BUS - PBX)	1	2	UEPPX	UEPLX	10.75 19.05			+							<del>                                     </del>
2-Wire V	/oice Grade Line Port Rates (BUS - PBX)		3	UEPPX	UEPLX	30.33										<del> </del>
Liı Liı			3	UEPPA	UEPLX	30.33										-
Liı			<b>-</b>	UEPPX	UEPPC	14.00	90.00	90.00					40.18	9.45		-
	ine Side Unbundled Combination 2-Way PBX Trunk Port-Bus ine Side Unbundled Outward PBX Trunk Port-Bus		<b>-</b>	UEPPX	UEPPO	14.00	90.00	90.00					40.18	9.45		-
	ine Side Unbundled Odtward PBX Trunk Port-Bus		<b>-</b>	UEPPX	UEPP0	14.00	90.00	90.00					40.18	9.45		-
	W Voice Unbundled PBX LD Terminal Ports		<del>                                     </del>	UEPPX	UEPLD	14.00	90.00	90.00					40.18	9.45		
	W Voice Unbundled 2-Way Combination PBX Usage Port		<del>                                     </del>	UEPPX	UEPXA	14.00	90.00	90.00					40.18	9.45		<del>                                     </del>
	W Voice Unbundled PBX Toll Terminal Hotel Ports		<del>                                     </del>	UEPPX	UEPXB	14.00	90.00	90.00					40.18	9.45		
	W Voice Unbundled PBX I/Oil Terminal Floter Forts W Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	14.00	90.00	90.00	-				40.18	9.45		<del>                                     </del>
	W Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	14.00	90.00	90.00	-				40.18	9.45		<del>                                     </del>
	W Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPPX	UEPXE	14.00	90.00	90.00	-				40.18	9.45		<del>                                     </del>
	W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative			ULFFX	OLFAL	14.00	90.00	90.00	-				40.10	5.43		<del>                                     </del>
	alling Port			UEPPX	UEPXL	14.00	90.00	90.00					40.18	9.45		
	W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling			OLITA	OLI AL	14.00	30.00	30.00					40.10	3.43		<del>                                     </del>
	ort			UEPPX	UEPXM	14.00	90.00	90.00					40.18	9.45		
	W Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room			OLITA	OLI XIVI	14.00	00.00	50.00					40.10	0.40		
	alling Port			UEPPX	UEPXO	14.00	90.00	90.00					40.18	9.45		
	W Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	14.00	90.00	90.00					40.18	9.45		
	NUMBER PORTABILITY			OLITA	OLI XO	14.00	00.00	00.00					40.10	0.40		
	ocal No Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00								
FEATUR																
	Il Features Offered			UEPPX	UEPVF	0.00	0.00	0.00					40.18	9.45		
NONRE	CURRING CHARGES - CURRENTLY COMBINED															
	W VG Loop/ Line Port Combination-Switch-As-Is			UEPPX	USAC2		41.50	41.50					40.18	9.45		
2١	W VG Loop/ Line Port Combination-Switch with Change			UEPPX	USACC		41.50	41.50					40.18	9.45		
ADDITIC	DNAL NRCs															
2١	W VG Loop/ Line Port Combination-Subsqnt			UEPPX	USAS2		0.00	0.00					40.18	9.45		
2١	W Loop/Line Side Port Combination-Non feature-Subsqnt Activity-NRC						0.00	0.00					40.18	9.45		
PI	BX Subsqnt Activity-Change/Rearrange Multiline Hunt Group						14.64	14.64					40.18	9.45		
2-WIRE	VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN PORT															
	rt/Loop Combination Rates															
2\	W VG Coin Port/Loop Combo – Zone 1		1			24.75										
	W VG Coin Port/Loop Combo – Zone 2		2			33.05		·								
	W VG Coin Port/Loop Combo – Zone 3		3			44.33		·								
	op Rates							·								
	W VG Loop (SL1)-Zone 1		1	UEPCO	UEPLX	10.75		·								
	W VG Loop (SL1)-Zone 2		2	UEPCO	UEPLX	19.05										
	W VG Loop (SL1)-Zone 3		3	UEPCO	UEPLX	30.33										1
	/oice Grade Line Port Rates (Coin)															1
	W Coin 2-Way w/o Oper Screening & w/o Blocking (NC)			UEPCO	UEPND	14.00	90.00	90.00					40.18	9.45		1
	W Coin 2-Way with Oper Screening (NC)			UEPCO	UEPNC	14.00	90.00	90.00					40.18	9.45		
	W Coin 2-Way with Oper Screening & Blocking: 011, 900/976, 1+DDD W Coin 2-Way with Oper Screening & 011 Blocking (NC)			UEPCO UEPCO	UEPRP UEPNB	14.00 14.00	90.00 90.00	90.00					40.18 40.18	9.45 9.45		1

BUNDLED NETWORK ELEMENTS - North Carolina													ment: 2	Exhib	
	nteri	Zon								Svc Order Submitte	Svc Order Submitte	Charge -	Incremental Charge - Manual Svc	Incremental Charge - Manual Svc	I Charge
FEGORY RATE ELEMENTS '	m	e	BCS	USOC		R.A	ATES (\$)			d Elec per LSR	d Manually per LSR	Order vs. Electronic- 1st	Order vs. Electronic- Add'l	Order vs. Electronic- Disc 1st	Svc Orde vs. Electronic
						Name		NRC Dis	agannagt		po. 20.1			2.00 .01	Disc Add
				1	Rec	First	curring Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	Rates (\$) SOMAN	SOMAN	SOMAN
2W Coin 2-Way with Oper Screening & Blocking: 900/976, 1+DDD, 011+, & Local (NC, TN)			UEPCO	UEPCA	14.00	90.00	90.00	7 11 31	Addi	COME	COMPAR	40.18	9.45	OOMAIN	COMPAR
2W Coin Outward with Oper Screening & 011 Blocking (NC)			UEPCO	UEPNE	14.00	90.00	90.00					40.18	9.45		
2W Coin Outward with Oper Screening & Blocking: 900/976, 1+DDD, 011+, & Local (NC)			UEPCO	UEPCL	14.00	90.00	90.00					40.18	9.45		
LOCAL NUMBER PORTABILITY															
Local No Portability (1 per port)			UEPCO	LNPCX	0.35										
NONRECURRING CHARGES - CURRENTLY COMBINED			LIEBOO	110400		44.50	44.50					40.40	0.45		
2W VG Loop/ Line Port Combination-Switch-As-Is			UEPCO	USAC2		41.50	41.50					40.18	9.45		<del> </del>
2W VG Loop/ Line Port Combination-Switch with Change   ADDITIONAL NRCs			UEPCO	USACC		41.50	41.50					40.18	9.45		
2W VG Loop/ Line Port Combination-Subsqnt			UEPCO	USAS2		0.00	0.00					40.18	9.45		
2-WIRE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE LINE PORT	(RF	S)	ULFCO	USASZ		0.00	0.00					40.16	3.43		<del>                                     </del>
UNE Port/Loop Combination Rates	(IVE	Ĭ,													
UNE Loop Rates					†										
2-Wire Voice Grade Line Port Rates (Res)															
2W voice unbundled port-Res			UEPFR	UEPRL	14.00	225.00	170.00					40.18	9.45		
2W voice unbundled port with Caller ID-res			UEPFR	UEPRC	14.00	225.00	170.00					40.18	9.45		
2W voice unbundled port outgoing only-res			UEPFR	UEPRO	14.00	225.00	170.00					40.18	9.45		
2W voice unbundles res, low usage line port with Caller ID (LUM)			UEPFR	UEPAP	14.00	225.00	170.00					40.18	9.45		
INTEROFFICE TRANSPORT															
Interoffice Transport-Dedicated-2W VG-Facility Term			UEPFR	U1TV2	18.00	140.00	71.00								
Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi			UEPFR	1L5XX	0.0125										
FEATURES															
All Features Offered			UEPFR	UEPVF	0.00	0.00	0.00					40.18	9.45		ļ
LOCAL NUMBER PORTABILITY			UEPFR	LNPCX	0.35										<del>                                     </del>
Local No Portability (1 per port)  NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED			UEPFR	LINPUX	0.35										ļ
2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-				+											<del> </del>
Switch-as-is			UEPFR	USAC2		9.03	1.87					40.18	9.45		
2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion- Switch-With-Change			UEPFR	USACC		9.03	1.87					40.18	9.45		
2-WIRE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE LINE PORT	r (BU	IS)													
UNE Port/Loop Combination Rates															ļ
UNE Loop Rates															ļ
2-Wire Voice Grade Line Port (Bus)			HEDED	LIEDDI	44.00	005.00	470.00					40.40	0.45		<del> </del>
2W voice unbundled port w/o Caller ID-bus  2W voice unbundled port with Caller + E484 ID-bus			UEPFB UEPFB	UEPBL UEPBC	14.00 14.00	225.00	170.00 170.00					40.18 40.18	9.45		-
2W voice unbundled port with Caller + E404 ID-bus  2W voice unbundled port outgoing only-bus			UEPFB	UEPBO	14.00	225.00 225.00	170.00					40.18	9.45 9.45		
2W voice unbundled incoming only port with Caller ID-Bus			UEPFB	UEPB1	14.00	225.00	170.00					40.18	9.45		<del>                                     </del>
LOCAL NUMBER PORTABILITY			OLITB	OLI DI	14.00	220.00	170.00					40.10	0.40		
Local No Portability (1 per port)			UEPFB	LNPCX	0.35										
INTEROFFICE TRANSPORT			*												
Interoffice Transport-Dedicated-2W VG-Facility Term			UEPFB	U1TV2											
Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi			UEPFB	1L5XX											
FEATURES															
All Features Offered			UEPFB	UEPVF	0.00	0.00	0.00					40.18	9.45		
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED					ļ <u>l</u>										
2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion- Switch-as-is			UEPFB	USAC2		9.03	1.87					40.18	9.45		
2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion- Switch with change			UEPFB	USACC		9.03	1.87					40.18	9.45		
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)															
UNE Port/Loop Combination Rates															
UNE Loop Rates															
2-Wire Voice Grade Line Port Rates (BUS - PBX)															
Line Side Unbundled Combination 2-Way PBX Trunk Port-Bus		1 T	UEPFP	UEPPC	14.00	225.00	170.00					40.18	9.45		1

NRONDFI	ED NETWORK ELEMENTS - North Carolina													ment: 2		bit: B
											Svc Order Submitte	Svc Order Submitte	Charge -	Incremental Charge - Manual Svc	Incremental Charge - Manual Svc	I Charge
ATEGORY	RATE ELEMENTS	nteri m	Zon e	BCS	USOC		RA	TES (\$)			d Elec	d Manually	Order vs.	Order vs.	Order vs.	Svc Orde
											per Lor	per LSR	1st	Add'l	Disc 1st	Electroni
						Rec	Nonre		NRC Dis					Rates (\$)		T
	: 0:1 11			HEDED	LIEBBO		First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	ine Side Unbundled Outward PBX Trunk Port-Bus ine Side Unbundled Incoming PBX Trunk Port-Bus			UEPFP UEPFP	UEPPO UEPP1	14.00 14.00	225.00 225.00	170.00 170.00					40.18 40.18	9.45 9.45		<del></del>
	W Voice Unbundled PBX LD Terminal Ports			UEPFP	UEPLD	14.00	225.00	170.00					40.18	9.45		<del>                                     </del>
	W Voice Unbundled 2-Way Combination PBX Usage Port			UEPFP	UEPXA	14.00	225.00	170.00					40.18	9.45		
	W Voice Unbundled PBX Toll Terminal Hotel Ports			UEPFP	UEPXB	14.00	225.00	170.00					40.18	9.45		
2	W Voice Unbundled PBX LD DDD Terminals Port			UEPFP	UEPXC	14.00	225.00	170.00					40.18	9.45		
	W Voice Unbundled PBX LD Terminal Switchboard Port			UEPFP	UEPXD	14.00	225.00	170.00					40.18	9.45		
	W Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPFP	UEPXE	14.00	225.00	170.00					40.18	9.45		
	W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative															
	Calling Port			UEPFP	UEPXL	14.00	225.00	170.00					40.18	9.45		
F	W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPFP	UEPXM	14.00	225.00	170.00					40.18	9.45		
	W Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room				==											
	Calling Port			UEPFP	UEPXO	14.00	225.00	170.00					40.18	9.45		<del></del>
	W Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPFP	UEPXS	14.00	225.00	170.00					40.18	9.45		
	NUMBER PORTABILITY			UEPFP	LNPCP	3.15	0.00	0.00					40.18	9.45		
	.ocal No Portability (1 per port) DFFICE TRANSPORT			UEPFP	LNPCP	3.15	0.00	0.00					40.18	9.45		
	nteroffice Transport-Dedicated-2W VG-Facility Term			UEPFP	U1TV2											<del>                                     </del>
	nteroffice Transport-Dedicated-2W VG-Per mi or Fraction mi			UEPFP	1L5XX											
FEATU				02	120707											1
	All Features Offered			UEPFP	UEPVF	0.00	0.00	0.00					40.18	9.45		
NONRE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED															1
	W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion- Switch-as-is			UEPFP	USAC2		9.03	1.87					40.18	9.45		
	W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion- Switch with change			UEPFP	USACC		9.03	1.87					40.18	9.45		
UNDLED	PORT/LOOP COMBINATIONS - MARKET BASED RATES															
	VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK PORT															
	ort/Loop Combination Rates															
	W VG Loop/2W DID Trunk Port Combo-UNE Zone 1		1			60.85										
	WWW VG Loop/2W DID Trunk Port Combo-UNE Zone 2		2			67.68										
	2W VG Loop/2W DID Trunk Port Combo-UNE Zone 3 pop Rates		3			77.96										-
	W Analog VG Loop-(SL2)-UNE Zone 1		1	UEPPX	UECD1	8.85										<del>                                     </del>
	W Analog VG Loop-(SL2)-UNE Zone 2		2	UEPPX	UECD1	15.68										
	W Analog VG Loop-(SL2)-UNE Zone 3		3	UEPPX	UECD1	25.96										1
	ort Rate															
E	xchange Ports-2W DID Port			UEPPX	UEPD1	52.00	485.00	75.00					40.18	9.45		
	CURRING CHARGES - CURRENTLY COMBINED															
	WWVG Loop/2W DID Trunk Port Combination -Switch-As-Is Top 8 MSAs only			UEPPX	USAC1		200.00	75.00					53.89	11.34		
	W VG Loop/2W DID Trunk Port Conversion with BST Allowable Changes			UEPPX	USA1C		200.00	75.00					53.89	11.34		
	ONAL NRCs															
2	W DID Subsqnt Activity-Add Trunks, Per Trunk			UEPPX	USAS1		75.00						40.18	9.45		
	one Number/Trunk Group Establisment Charges															
	DID Trunk Term (One Per Port)			UEPPX	NDT	0.00	0.00	0.00								
	DID Nos, Establish Trunk Group & Provide First Group of 20 DID Nos			UEPPX	NDZ	0.00	0.00	0.00								<del>                                     </del>
	Add'I DID Nos for each Group of 20 DID Nos		$\vdash$	UEPPX	ND4	0.00	0.00	0.00								—
	DID Nos, Non-consecutive DID Nos , Per No			UEPPX UEPPX	ND5 ND6	0.00	0.00	0.00			-					<del> </del>
	Reserve Non-Consecutive DID Nos Reserve DID Nos		$\vdash$	UEPPX	NDV	0.00	0.00	0.00			-	-	-	-		<del>                                     </del>
	NUMBER PORTABILITY		$\vdash$	UEPPA	NUV	0.00	0.00	0.00			1	<del>                                     </del>			1	+
	ocal No Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00			<b>-</b>	<b>-</b>				<del>                                     </del>
	ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LINE SIDE POR	?T		OLITA	2111 01	3.13	0.00	0.00			t	t			<b> </b>	t
	ort/Loop Combination Rates	-			1						t e	1	<b> </b>	l		-

JNBUNE	DLED NETWORK ELEMENTS - North Carolina													ment: 2		bit: B
											Svc	Svc	Incremental	Incrementa	Incremental	Incremen
											Order	Order	Charge -	Charge -	Charge -	I Charge
		Interi Zor									Submitte	Submitte	Manual Svo	Manual Svo	Manual Svc	Manual
CATEGOR	Y RATE ELEMENTS		'	BCS	USOC		RA	TES (\$)			d Elec	d	Order vs.	Order vs.	Order vs.	Svc Orde
		m e										Manually	Electronic-			
											poo	per LSR	1st	Add'I		Electronic
												per Lore			Disc 1st	Disc Add
						Rec	Nonred		NRC Dis					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -UNE Zone 1		UEPPB	UEPPR		79.47										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -UNE Zone 2	2		UEPPR		90.64										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -UNE Zone 3	3	UEPPB	UEPPR		105.81										
UNE	Loop Rates															
	2W ISDN Digital Grade Loop-UNE Zone 1	1	UEPPB		USL2X	14.47										
	2W ISDN Digital Grade Loop-UNE Zone 2	2	UEPPB	UEPPR	USL2X	25.64				-						
	2W ISDN Digital Grade Loop-UNE Zone 3	3	UEPPB	UEPPR	USL2X	40.81										
UNE	Port Rate															
	Exchange Port-2W ISDN Line Side Port		UEPPE	UEPPR	UEPPB	65.00	450.00	375.00					19.99	19.99		
NON	NRECURRING CHARGES - CURRENTLY COMBINED															
	2W ISDN Digital Grade Loop/2W ISDN Line Side Port Combination-															
	Conversion-Top 8 MSAs only		UEPPE	UEPPR	USACB	0.00	200.00	200.00								
ADD	DITIONAL NRCs															
LOC	CAL NUMBER PORTABILITY															
	Local No Portability (1 per port)		UEPPB	UEPPR	LNPCX	0.35	0.00	0.00								
B-C	HANNEL USER PROFILE ACCESS:															
	CVS/CSD (DMS/5ESS)		UEPPB	UEPPR	U1UCA	0.00	0.00	0.00								
	CVS (EWSD)		UEPPE	UEPPR	U1UCB	0.00	0.00	0.00								
	CSD		UEPPE	UEPPR	U1UCC	0.00	0.00	0.00								
B-C	HANNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS SC,MS, & TN	1)														
USE	R TERMINAL PROFILE															
	User Terminal Profile (EWSD only)		UEPPB	UEPPR	U1UMA	0.00	0.00	0.00								
VER	RTICAL FEATURES															
	All Vertical Features-One per Channel B User Profile		UEPPB	UEPPR	UEPVF	3.40	0.00	0.00					19.99	19.99		
INTE	EROFFICE CHANNEL MILEAGE															
	Interoffice Channel miage each, including first mi & facilities Term		UEPPE	UEPPR	M1GNC	18.0282	137.48	52.58					19.99	19.99	1	
	Interoffice Channel miage each, Add'l mi		UEPPE	UEPPR	M1GNM	0.0282	0.00	0.00								
4-W	IRE DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK PORT															
UNE	Port/Loop Combination Rates													İ	1	
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port -UNE Zone 1	1	U	EPPP		947.54										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port -UNE Zone 2	2		PPP	İ	984.27										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port -UNE Zone 3	3		PPP	İ	1.034.14						1				

NBUND	LED NETWORK ELEMENTS - North Carolina												Attachi	ment: 2	Exhil	bit: B
TEGORY	rate elements	Interi m	Zon e	BCS	usoc			ATES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitte d Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	I Charge -
						Rec	Nonre		NRC Dis					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UNE	Loop Rates		L. I	LIEDDD	1101.45	47.54										<b>.</b>
_	4W DS1 Digital Loop-UNE Zone 1		2	UEPPP UEPPP	USL4P	47.54										<del> </del>
-	4W DS1 Digital Loop-UNE Zone 2 4W DS1 Digital Loop-UNE Zone 3		3	UEPPP	USL4P USL4P	84.27 134.14										
LINE	Port Rate		3	UEFFF	USL4F	134.14										
OIVE	Exchange Ports-4W ISDN DS1 Port			UEPPP	UEPPP	900.00	1,150.00	1,150.00					19.99	19.99		<del> </del>
NON	RECURRING CHARGES - CURRENTLY COMBINED			02	02	000.00	1,100.00	1,100.00					10.00	10.00		
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port Combination-															1
	Conversion -Switch-As-Is Top 8 MSAs only			UEPPP	USACP	0.00	925.00	925.00								
ADDI	ITIONAL NRCs															
	4W DS1 Loop/4W ISDN DS1 Digital Trunk Port-Subsqnt Inward/2-Way Tel															
	Nos-(NC Only)			UEPPP	PR7TG		1.17	1.17								
	4W DS1 Loop/4W ISDN Digital Trunk Port-Subsqnt Activity Outward tel nos.			HEDDO	DD=TE		oo :-						1			
-	(NC only)		1	UEPPP	PR7TP		28.17	28.17	-		-		-			<u> </u>
1.00	4W DS1 Loop/4W ISDN DS1 Digital Trk Port -Subsqnt Inward Tel Nos AL NUMBER PORTABILITY		++	UEPPP	PR7ZT	<del>                                     </del>	56.33	56.33	-	<b> </b>	-	-				<del> </del>
LUC	Local No Portability (1 per port)			UEPPP	LNPCN	1.75										1
INTE	RFACE (Provsioning Only)			ULFFF	LINE CIN	1.73										
11412	Voice/Data			UEPPP	PR71V	0.00										<del></del>
	Digital Data			UEPPP	PR71D	0.00										
	Inward Data			UEPPP	PR71E	0.00										
New	or Additional "B" Channel															
	New or Add'I-Voice/Data B Channel			UEPPP	PR7BV	0.00	36.92						19.99	19.99		
	New or Add'l-Digital Data B Channel			UEPPP	PR7BF	0.00	36.92						19.99	19.99		
	New or Add'l Inward Data B Channel			UEPPP	PR7BD	0.00	36.92						19.99	19.99		
CALL	TYPES															
	Inward			UEPPP	PR7C1	0.00										
	Outward			UEPPP	PR7C0	0.00										
later	Two-way			UEPPP	PR7CC	0.00										<u> </u>
inter	office Channel Mileage Fixed Each Including First mi			UEPPP	1LN1A	71.8653	217.17	163.75	0.00				19.99	19.99		-
	Each Airline-Fractional Add'l mi			UEPPP	1LN1A	0.5753	217.17	103.73	0.00				19.99	19.99		+
4-WII	RE DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT			ULFFF	ILINID	0.5755										+
	Port/Loop Combination Rates															
-	4W DS1 Digital Loop/4W DDITS Trunk Port -UNE Zone 1		1	UEPDC		797.54										
	4W DS1 Digital Loop/4W DDITS Trunk Port -UNE Zone 2		2	UEPDC		834.27										1
	4W DS1 Digital Loop/4W DDITS Trunk Port -UNE Zone 3		3	UEPDC		884.14										
UNE	Loop Rates						· · · · · ·									ļ
	4W DS1 Digital Loop-UNE Zone 1		1	UEPDC	USLDC	47.54										<u> </u>
	4W DS1 Digital Loop-UNE Zone 2		2	UEPDC	USLDC	84.27				ļ						ļ
	4W DS1 Digital Loop-UNE Zone 3		3	UEPDC	USLDC	134.14										
UNE	Port Rate		1	LIEBBO	LIDDAT	750.00	4.050.00	400.00	0.00	0.00	-		40.00	40.00		<u> </u>
NON	4W DDITS Digital Trunk Port RECURRING CHARGES - CURRENTLY COMBINED			UEPDC	UDD1T	750.00	1,050.00	480.00	0.00	0.00	-		19.99	19.99		<del>                                     </del>
NON	4W DS1 Digital Loop/4W DDITS Trunk Port Combination-Switch-As-Is Top 8		+		1				1		1					<del>                                     </del>
	MSAs only			UEPDC	USAC4		288.86	133.87					1			
	4W DS1 Digital Loop/4W DDITS Trunk Port Combination-Conversion with			0L, D0	00/104		200.00	155.57	1		<b>†</b>		1			<b>—</b>
	DS1 Changes Top 8 MSAs only			UEPDC	USAWA		288.86	133.37								
	4W DS1 Digital Loop/4W DDITS Trunk Port Combination-Conversion with															
	Change-Trunk Top 8 MSAs only			UEPDC	USAWB		288.86	133.37					1			
ADDI	ITIONAL NRCs															
	4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Service Activity Per Service															
	Order			UEPDC	USAS4		127.63	127.63					ļ			
	4W DS1 Loop/4W DDITS Trunk Port-NRC-Subsqnt Channel Activation/Chan-															
	2-Way Trunk		$\vdash$	UEPDC	UDTTA		28.81	28.81								<del> </del>
	4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Channel Activation/Chan-1-			LIEBBO	LIDTT		22.2	20.5:					1			
	Way Outward Trunk			UEPDC	UDTTB		28.81	28.81	<u> </u>	l			l	l	L	<u> </u>

NDUND	LED NETWORK ELEMENTS - North Carolina													nent: 2		bit: B
TEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	USOC		R/	ATES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitte d Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Increme I Charg Manu Svc Or vs. Electro
						Rec		curring	NRC Dis					Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
	4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Channel Activation/Chan															
-	Inward Trunk w/out DID  4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Chan Activation Per Chan-			UEPDC	UDTTC		28.81	28.81					19.99	19.99		<del>                                     </del>
	Inward Trunk with DID			UEPDC	UDTTD		28.81	28.81					19.99	19.99		
	4W DS1 Loop/4W DDITS Trunk Port-Subsent Chan Activation/Chan-2-Way			OLFDC	ODITO		20.01	20.01					19.99	19.99		<del>                                     </del>
	DID w User Trans			UEPDC	UDTTE		28.81	28.81								
	LAR 8 ZERO SUBSTITUTION			<u> </u>	-											
	B8ZS -Superframe Format			UEPDC	CCOSF		0.00	615.00					19.99	19.99		
	B8ZS-Extended Superframe Format			UEPDC	CCOEF		0.00	615.00					19.99	19.99		
	nate Mark Inversion		$\sqcup$	=												<u> </u>
	AMI -Superframe Format		$\vdash$	UEPDC	MCOSF		0.00	0.00								₩
	AMI-Extended SuperFrame Format		$\vdash$	UEPDC	MCOPO		0.00	0.00			-	-				₩
relep	hone Number/Trunk Group Establisment Charges Telephone No for 2-Way Trunk Group		$\vdash$	UEPDC	UDTGX	0.00			<del>                                     </del>		-	-	19.99	19.99		+
+	Telephone No for 1-Way Outward Trunk Group		$\vdash$	UEPDC	UDTGY	0.00							19.99	19.99		$\vdash$
	Telephone No for 1-Way Inward Trunk Group w/o DID			UEPDC	UDTGZ	0.00							19.99	19.99		<del>                                     </del>
	DID Nos, Establish Trunk Group & Provide First Group of 20 DID Nos			UEPDC	NDZ	0.00	0.00	0.00					10.00	10.00		1
	DID Nos for each Group of 20 DID Nos			UEPDC	ND4	0.00	0.00	0.00								
	DID Nos, Non-consecutive DID Nos, Per No			UEPDC	ND5	0.00	0.00	0.00								1
	Reserve Non-Consecutive DID Nos.			UEPDC	ND6	0.00	0.00	0.00								
	Reserve DID Nos			UEPDC	NDV	0.00	0.00	0.00								
	ated DS1 (Interoffice Channel Mileage) -															
FX/FC	O for 4-Wire DS1 Digital Loop with 4-Wire DDITS Trunk Port															
	Interoffice Channel miage-Fixed rate 0-8 mis (Facilities Term)			UEPDC	1LNO1	71.29	217.17	163.75	0.00	0.00			19.99	19.99		<u> </u>
	Interoffice Channel miage-Add'l rate per mi-0-8 mis Interoffice Channel miage-Fixed rate 9-25 mis (Facilities Term)			UEPDC UEPDC	1LNOA 1LNO2	0.5753 0.00	0.00	0.00					-			
	Interoffice Channel miage-Add'l rate per mi-9-25 mis			UEPDC	1LNOB	0.5753	0.00	0.00								<del>                                     </del>
	Interoffice Channel miage-Add rate per mis-3-25 mis			UEPDC	1LNO3	0.00	0.00	0.00	0.00							<del>                                     </del>
	Interoffice Channel miage-Add'l rate per mi-25+ mis			UEPDC	1LNOC	0.5753	0.00	0.00	0.00				İ			1
	Local No Portability, per DS0 Activated			UEPDC	LNPCP	3.15	0.00	0.00	0.00							
	Central Office Termininating Point			UEPDC	CTG	0.00										
	E DS1 LOOP WITH CHANNELIZATION WITH PORT															
	m is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Activations		Ļ													
	tem can have various rate combinations based on type and number of port	s use	d													
UNE	DS1 Loop  4W DS1 Loop-UNE Zone 1		1	UEPMG	USLDC	47.54										
-	4W DS1 Loop-UNE Zone 1		2	UEPMG	USLDC	84.27	0.00	0.00	1							-
	4W DS1 Loop-UNE Zone 3		3	UEPMG	USLDC	134.14	0.00	0.00								-
UNE I	DSO Channelization Capacities (D4 Channel Bank Configurations)		Ŭ	OLI WO	COLDO	104.14	0.00	0.00					İ			†
	24 DSO Channel Capacity-1 per DS1			UEPMG	VUM24	123.06	0.00	0.00					19.99	19.99		
	48 DSO Channel Capacity-1 per 2 DS1s			UEPMG	VUM48	246.12	0.00	0.00					19.99	19.99		
	96 DSO Channel Capacity -1per 4 DS1s			UEPMG	VUM96	492.24	0.00	0.00					19.99	19.99		
	144 DS0 Channel Capacity-1 per 6 DS1s			UEPMG	VUM14	738.36	0.00	0.00					19.99	19.99		
	192 DS0 Channel Capacity -1 per 8 DS1s			UEPMG	VUM19	984.48	0.00	0.00					19.99	19.99		
	240 DS0 Channel Capacity-1 per 10 DS1s			UEPMG	VUM20	1,230.60	0.00	0.00					19.99	19.99		<u> </u>
	288 DS0 Channel Capacity-1 per 12 DS1s			UEPMG	VUM28	1,476.72	0.00	0.00					19.99	19.99		
	384 DS0 Channel Capacity-1 per 16 DS1s 480 DS0 Channel Capacity-1 per 20 DS1s		+ +	UEPMG UEPMG	VUM38 VUM40	1,968.96 2,461.20	0.00	0.00	<del>                                     </del>			1	19.99 19.99	19.99 19.99		<del>                                     </del>
	576 DS0 Channel Capacity -1 per 24 DS1s			UEPMG	VUM57	2,953.44	0.00	0.00					19.99	19.99		<del>                                     </del>
	672 DS0 Channel Capacity-1 per 28 DS1s		H	UEPMG	VUM67	3.445.68	0.00	0.00					19.99	19.99		<b>—</b>
Non-F	Recurring Charges (NRC) Associated with 4-Wire DS1 Loop with Channelize	ion w	vith Po				2.00	2.00								<b>†</b>
A Min	imum System configuration is One (1) DS1, One (1) D4 Channel Bank, and	Up To	24 D	SO Ports with Featu	re Activatio											
Multip	oles of this configuration functioning as one are considered Add'l after the	minin	num s	system configuration	is counted.											
	NRC-Conversion (Currently Combined) with or w/o BST Allowed Changes-															1
	Top 8 MSAs Only			UEPMG	USAC4	0.00	330.61	16.64					19.99	19.99		ļ
Syste	m Additions Where Currently Combined and New (Not Currently Combined nsity Zone 1 Top 8 MSAs	)									1	1				<u> </u>

	LED NETWORK ELEMENTS - North Carolina													nent: 2		oit: B
ATEGORY	RATE ELEMENTS	Interi m	i Zon e	BCS	usoc		R <i>A</i>	ATES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitte d Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremen I Charge Manual Svc Orde vs. Electroni
						Rec	Nonred First	curring Add'l	NRC Dis	connect Add'l	SOMEC	SOMAN	OSS SOMAN	Rates (\$) SOMAN	SOMAN	SOMAN
Rinols	1 DS1/D4 Channel Bank-Add NRC for each Port & Assoc Fea Activation -			UEPMG	VUMD4	0.00	743.74	326.22	149.02	17.68			19.99	19.99		
Біроїс	Clear Channel Capability Format, superframe-Subsqnt Activity Only			UEPMG	CCOSF	0.00	0.00	615.00								
	Clear Channel Capability Format-Extended Superframe-Subsqnt Activity Only			UEPMG	CCOEF	0.00	0.00	615.00								
	nate Mark Inversion (AMI)			021 1110	0002.	0.00	0.00	0.0.00								
	Superframe Format			UEPMG	MCOSF	0.00	0.00	0.00								
	Extended Superframe Format			UEPMG	MCOPO	0.00	0.00	0.00								
	ange Ports Associated with 4-Wire DS1 Loop with Channelization with Port															
Excha	ange Ports Line Side Combination Channelized PBX Trunk Port-bus			UEPPX	UEPCX	14.00	0.00	0.00	0.00	0.00			40.18	9.45		
	Line Side Combination Channelized PBX Trunk Port-bus  Line Side Outward Channelized PBX Trunk Port-bus		+	UEPPX	UEPOX	14.00	0.00	0.00	0.00	0.00			40.18	9.45		
	Line Side Inward Only Channelized PBX Trunk Port w/o DID			UEPPX	UEP1X	14.00	0.00	0.00	0.00	0.00			40.18	9.45		
	2W Trunk Side Unbundled Channelized DID Trunk Port			UEPPX	UEPDM	52.00	0.00	0.00	0.00	0.00			40.18	9.45		
Featu	re Activations - Unbundled Loop Concentration															
	Feature (Service) Activation for each Line Port Terminated in D4 Bank			UEPPX	1PQWM	0.65	40.00	20.00	10.00	5.00			40.18	9.45		
	Feature (Service) Activation for each Trunk Port Terminated in D4 Bank			UEPPX	1PQWU	0.65	110.00	30.00	75.00	15.00			40.18	9.45		
	hone Number/ Group Establishment Charges for DID Service															
	DID Trunk Term (1 per Port)			UEPPX	NDT	0.00	0.00	0.00								
-	Estab Trk Grp & Provide 1st 20 DID Nos. (FL,GA, NC,& SC)			UEPPX	NDZ	0.00	0.00	0.00								
	DID Nos-groups of 20-Valid all States Non-Consecutive DID Nos-per No			UEPPX UEPPX	ND4 ND5	0.00	0.00	0.00								
-	Reserve Non-Consecutive DID Nos			UEPPX	ND6	0.00	0.00	0.00								
	Reserve DID Nos			UEPPX	NDV	0.00	0.00	0.00								
	Number Portability			02.17	.,,,,,	0.00	0.00	0.00								
	Local No Portability-1 per port			UEPPX	LNPCP	3.15	0.00	0.00								
	URES - Vertical and Optional															
	Switching Features Offered with Line Side Ports Only															
			_					0.00					40.18	9.45		
	All Features Available			UEPPX	UEPVF	3.40	0.00						70.10	3.73		
BUNDLE	D CENTREX PORT/LOOP COMBINATIONS - COST BASED RATES												40.10	3.43		
BUNDLE 1. Cos	D CENTREX PORT/LOOP COMBINATIONS - COST BASED RATES st Based Rates are applied where BellSouth is required by FCC and/or Com	nmiss	sion ru	ule to provide Unbun	dled Local	Switching or S	witch Ports.		rt section	of this Ex	hihit		40.10	3.43		
BUNDLE 1. Cos 2. Fea	D CENTREX PORT/LOOP COMBINATIONS - COST BASED RATES st Based Rates are applied where BellSouth is required by FCC and/or Constructs shall apply to the Unbundled Port/Loop Combination - Cost Based R	ate se	ection	ule to provide Unbun	dled Local	Switching or Seapplied to the	witch Ports. Stand-Alone	Unbundled Po	rt section	of this Ex	hibit.	oin Port/Lo				
1. Cos 2. Fea 3. Enc 4. The	D CENTREX PORT/LOOP COMBINATIONS - COST BASED RATES st Based Rates are applied where BellSouth is required by FCC and/or Con stures shall apply to the Unbundled Port/Loop Combination - Cost Based R d Office and Tandem Switching Usage and Common Transport Usage rates e first & add'l Port NRC charges apply to Not Currently Combined Combos.	ate se	ection e Por	ule to provide Unbun in the same manner t section of this Exhil	dled Local as they are bit shall ap	Switching or Seapplied to the	witch Ports. Stand-Alone on the control of the cont	Unbundled Po	k elements	except	or UNE Co	oin Port/Locions. Add'	op Combinati	ons.	d are catego	rized
3. Enc 4. The	D CENTREX PORT/LOOP COMBINATIONS - COST BASED RATES st Based Rates are applied where BellSouth is required by FCC and/or Con tures shall apply to the Unbundled Port/Loop Combination - Cost Based R d Office and Tandem Switching Usage and Common Transport Usage rates if first & add'l Port NRC charges apply to Not Currently Combined Combos. dingly.	in th	ection e Por Curre	ule to provide Unbun in the same manner t section of this Exhil htly Combined Combo	dled Local as they are bit shall ap os, the NRO	Switching or Seapplied to the ply to all combine charges shall	witch Ports. Stand-Alone on the control of the cont	Unbundled Po	k elements	except	or UNE Co	oin Port/Lo	op Combinati	ons.	d are catego	rized
3. End 4. The accord	D CENTREX PORT/LOOP COMBINATIONS - COST BASED RATES st Based Rates are applied where BellSouth is required by FCC and/or Contures shall apply to the Unbundled Port/Loop Combination - Cost Based R d Office and Tandem Switching Usage and Common Transport Usage rates a first & add'l Port NRC charges apply to Not Currently Combined Combos. dingly.  Inket Rates for Unbundled Centrex Port/Loop Combination will be negotiated.	in th	ection e Por Curre	ule to provide Unbun in the same manner t section of this Exhil htly Combined Combo	dled Local as they are bit shall ap os, the NRO	Switching or Seapplied to the ply to all combine charges shall	witch Ports. Stand-Alone on the control of the cont	Unbundled Po	k elements	except	or UNE Co	oin Port/Locions. Add'	op Combinati	ons.	d are catego	rized
3. Enc 4. The accord 5. Ma	D CENTREX PORT/LOOP COMBINATIONS - COST BASED RATES  st Based Rates are applied where BellSouth is required by FCC and/or Con  stures shall apply to the Unbundled Port/Loop Combination - Cost Based R  d Office and Tandem Switching Usage and Common Transport Usage rates  e first & add'l Port NRC charges apply to Not Currently Combined Combos.  dingly.  wrket Rates for Unbundled Centrex Port/Loop Combination will be negotiated  P CENTREX - 5ESS (Valid in All States)	in th	ection e Por Curre	ule to provide Unbun in the same manner t section of this Exhil htly Combined Combo	dled Local as they are bit shall ap os, the NRO	Switching or Seapplied to the ply to all combine charges shall	witch Ports. Stand-Alone on the control of the cont	Unbundled Po	k elements	except	or UNE Co	in Port/Locions. Add'	op Combinati	ons.	d are catego	rized
3. Enc 4. The accord 5. Ma UNE-F	D CENTREX PORT/LOOP COMBINATIONS - COST BASED RATES  st Based Rates are applied where BellSouth is required by FCC and/or Con  stures shall apply to the Unbundled Port/Loop Combination - Cost Based R  d Office and Tandem Switching Usage and Common Transport Usage rates  e first & add'l Port NRC charges apply to Not Currently Combined Combos.  dingly.  which Rates for Unbundled Centrex Port/Loop Combination will be negotiated  P CENTREX - 5ESS (Valid in All States)  e VG Loop/2-Wire Voice Grade Port (Centrex) Combo	in th	ection e Por Curre	ule to provide Unbun in the same manner t section of this Exhil htly Combined Combo	dled Local as they are bit shall ap os, the NRO	Switching or Seapplied to the ply to all combine charges shall	witch Ports. Stand-Alone on the control of the cont	Unbundled Po	k elements	except	or UNE Co	oin Port/Locions. Add'	op Combinati	ons.	d are catego	rized
BUNDLE  1. Cos 2. Fea 3. Enc 4. The accord 5. Ma UNE-F	D CENTREX PORT/LOOP COMBINATIONS - COST BASED RATES  st Based Rates are applied where BellSouth is required by FCC and/or Con  stures shall apply to the Unbundled Port/Loop Combination - Cost Based R  d Office and Tandem Switching Usage and Common Transport Usage rates  first & add'l Port NRC charges apply to Not Currently Combined Combos.  dingly.  urket Rates for Unbundled Centrex Port/Loop Combination will be negotiate  P CENTREX - 5ESS (Valid in All States)  a VG Loop/2-Wire Voice Grade Port (Centrex) Combo  Port/Loop Combination Rates (Non-Design)	in th	ection e Por Curre	ule to provide Unburn in the same manner t section of this Exhil tty Combined Combo dividual Case Basis,	dled Local as they are bit shall ap os, the NRO	Switching or Seapplied to the ply to all combic charges shall or notice.	witch Ports. Stand-Alone on the control of the cont	Unbundled Po	k elements	except	or UNE Co	oin Port/Locions. Add'	op Combinati	ons.	d are catego	rized
BUNDLE  1. Cos 2. Fea 3. End 4. The accord 5. Ma UNE-F 2-Wire UNE F	D CENTREX PORT/LOOP COMBINATIONS - COST BASED RATES st Based Rates are applied where BellSouth is required by FCC and/or Con stures shall apply to the Unbundled Port/Loop Combination - Cost Based R d Office and Tandem Switching Usage and Common Transport Usage rates e first & add'l Port NRC charges apply to Not Currently Combined Combos. dingly.  urket Rates for Unbundled Centrex Port/Loop Combination will be negotiate P CENTREX - 5ESS (Valid in All States) e VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design)  2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design	in th	ection e Por Currer an In	ulle to provide Unbunn in the same manner t section of this Exhil ntly Combined Combo dividual Case Basis, UEP95	dled Local as they are bit shall ap os, the NRO	Switching or Seapplied to the ply to all combic charges shall or notice.	witch Ports. Stand-Alone on the control of the cont	Unbundled Po	k elements	except	or UNE Co	oin Port/Locions. Add'	op Combinati	ons.	d are catego	rized
BUNDLE  1. Cos 2. Fea 3. Enc 4. The accord 5. Ma UNE-F 2-Wire UNE F	D CENTREX PORT/LOOP COMBINATIONS - COST BASED RATES st Based Rates are applied where BellSouth is required by FCC and/or Con stures shall apply to the Unbundled Port/Loop Combination - Cost Based R d Office and Tandem Switching Usage and Common Transport Usage rates e first & add'l Port NRC charges apply to Not Currently Combined Combos. dingly. wrket Rates for Unbundled Centrex Port/Loop Combination will be negotiate P CENTREX - 5ESS (Valid in All States) e VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design) 2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design	in th	ection le Por Currei	ule to provide Unburn in the same manner t section of this Exhil tty Combined Combo dividual Case Basis,	dled Local as they are bit shall ap os, the NRO	Switching or Seapplied to the ply to all combic charges shall or notice.	witch Ports. Stand-Alone on the control of the cont	Unbundled Po	k elements	except	or UNE Co	oin Port/Locions. Add'	op Combinati	ons.	d are catego	rized
BUNDLE  1. Cos 2. Fea 3. Enc 4. The accor 5. Ma UNE-F 2-Wire UNE F	D CENTREX PORT/LOOP COMBINATIONS - COST BASED RATES  st Based Rates are applied where BellSouth is required by FCC and/or Con  stures shall apply to the Unbundled Port/Loop Combination - Cost Based R  d Office and Tandem Switching Usage and Common Transport Usage rates  et irst & add'l Port NRC charges apply to Not Currently Combined Combos.  dingly.  urket Rates for Unbundled Centrex Port/Loop Combination will be negotiate  P CENTREX - 5ESS (Valid in All States)  e VG Loop/2-Wire Voice Grade Port (Centrex) Combo  Port/Loop Combination Rates (Non-Design)  2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design  2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design  Port/Loop Combination Rates (Design)	in th	ection le Por Currer an In-	ule to provide Unbuna in the same manner t section of this Exhil htty Combined Combo dividual Case Basis, UEP95 UEP95	dled Local as they are bit shall ap os, the NRO	Switching or S applied to the ply to all combine charges shall ar notice.	witch Ports. Stand-Alone on the control of the cont	Unbundled Po	k elements	except	or UNE Co	oin Port/Locions. Add'	op Combinati	ons.	d are catego	rized
BUNDLE  1. Cos 2. Fea 3. Enc 4. The accor 5. Ma UNE-F UNE F	D CENTREX PORT/LOOP COMBINATIONS - COST BASED RATES  st Based Rates are applied where BellSouth is required by FCC and/or Con  stures shall apply to the Unbundled Port/Loop Combination - Cost Based R  d Office and Tandem Switching Usage and Common Transport Usage rates  e first & add'l Port NRC charges apply to Not Currently Combined Combos.  dingly.  write Rates for Unbundled Centrex Port/Loop Combination will be negotiate  P CENTREX - 5ESS (Valid in All States)  a VG Loop/2-Wire Voice Grade Port (Centrex) Combo  Port/Loop Combination Rates (Non-Design)  2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design  2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design  Port/Loop Combination Rates (Design)  2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design  Port/Loop Combination Rates (Design)  2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design  Port/Loop Combination Rates (Design)  2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design  2W VG Loop/2W VG Po	in th	an Inc. 1 2 3	ule to provide Unbunnin in the same manner t section of this Exhilintly Combined Combo dividual Case Basis,  UEP95  UEP95  UEP95  UEP95	dled Local as they are bit shall ap os, the NRO	Switching or S applied to the ply to all combic charges shall or notice.  13.03 21.33 32.61 17.25	witch Ports. Stand-Alone on the control of the cont	Unbundled Po	k elements	except	or UNE Co	oin Port/Loi ons. Add	op Combinati	ons.	d are catego	rized
BUNDLE  1. Cos 2. Fea 3. Enc. 4. The accord 5. Ma UNE-F 2-Wire UNE F	D CENTREX PORT/LOOP COMBINATIONS - COST BASED RATES at Based Rates are applied where BellSouth is required by FCC and/or Contures shall apply to the Unbundled Port/Loop Combination - Cost Based R d Office and Tandem Switching Usage and Common Transport Usage rates of first & add'l Port NRC charges apply to Not Currently Combined Combos. dingly.  In the Rates for Unbundled Centrex Port/Loop Combination will be negotiated P CENTREX - 5ESS (Valid in All States)  By VG Loop/2-Wire Voice Grade Port (Centrex) Combo-Port/Loop Combination Rates (Non-Design)    2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design   2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design   2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design   2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design   2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design   2W VG Loop/2W VG Port (Centrex) Port Combo-Design   2W VG Loop/2W VG Port (Centrex) Port Combo-Design   2W VG Loop/2W VG Port (Centrex) Port Combo-Design   2W VG Loop/2W VG Port (Centrex) Port Combo-Design	in th	an Inc	ule to provide Unbunnin in the same manner t section of this Exhilintly Combined Combo dividual Case Basis,  UEP95 UEP95 UEP95 UEP95 UEP95 UEP95	dled Local as they are bit shall ap os, the NRO	Switching or S applied to the ply to all combined to the ply to all combined to the ply to all combined to the ply to all combined to the ply to all combined to the ply to all combined to the ply to	witch Ports. Stand-Alone on the control of the cont	Unbundled Po	k elements	except	or UNE Co	oin Port/Lo	op Combinati	ons.	d are catego	rized
BUNDLE  1. Cos 2. Fea 3. Enc 4. The accor 5. Ma UNE-F 2-Wire UNE F	D CENTREX PORT/LOOP COMBINATIONS - COST BASED RATES  st Based Rates are applied where BellSouth is required by FCC and/or Con  stures shall apply to the Unbundled Port/Loop Combination - Cost Based R  d Office and Tandem Switching Usage and Common Transport Usage rates  et first & add'l Port NRC charges apply to Not Currently Combined Combos.  dingly.  which Rates for Unbundled Centrex Port/Loop Combination will be negotiated  P CENTREX - 5ESS (Valid in All States)  et VG Loop/2-Wire Voice Grade Port (Centrex) Combo  Port/Loop Combination Rates (Non-Design)   2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design  2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design  2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design  2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design  2W VG Loop/2W VG Port (Centrex) Port Combo-Design  2W VG Loop/2W VG Port (Centrex) Port	in th	an Inc. 1 2 3	ule to provide Unbunnin in the same manner t section of this Exhilintly Combined Combo dividual Case Basis,  UEP95  UEP95  UEP95  UEP95	dled Local as they are bit shall ap os, the NRO	Switching or S applied to the ply to all combic charges shall or notice.  13.03 21.33 32.61 17.25	witch Ports. Stand-Alone on the control of the cont	Unbundled Po	k elements	except	or UNE Co	oin Port/Loions. Add'	op Combinati	ons.	d are catego	rized
BUNDLE  1. Cos 2. Fea 3. Enn 4. The accor 5. Ma UNE-F 2-Wire UNE F	D CENTREX PORT/LOOP COMBINATIONS - COST BASED RATES st Based Rates are applied where BellSouth is required by FCC and/or Con stures shall apply to the Unbundled Port/Loop Combination - Cost Based R d Office and Tandem Switching Usage and Common Transport Usage rates e first & add'l Port NRC charges apply to Not Currently Combined Combos. dingly.  In the Rates for Unbundled Centrex Port/Loop Combination will be negotiate P CENTREX - 5ESS (Valid in All States) E VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design)  2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design Port/Loop Combination Rates (Design)  2W VG Loop/2W VG Port (Centrex) Port Combo-Design 2W VG Loop/2W VG Port (Centrex) Port Combo-Design 2W VG Loop/2W VG Port (Centrex) Port Combo-Design 2W VG Loop/2W VG Port (Centrex) Port Combo-Design 2W VG Loop/2W VG Port (Centrex) Port Combo-Design 2W VG Loop/2W VG Port (Centrex) Port Combo-Design 2W VG Loop/2W VG Port (Centrex) Port Combo-Design 2W VG Loop/2W VG Port (Centrex) Port Combo-Design 2W VG Loop/2W VG Port (Centrex) Port Combo-Design	in th	an Inc.	ule to provide Unburn in the same manner t section of this Exhil ntly Combined Combo dividual Case Basis, UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95	dled Local as they are bit shall apos, the NRO until furthe	Switching or S applied to the ply to all combic charges shall or notice.  13.03 21.33 32.61 17.25 28.21 43.09	witch Ports. Stand-Alone on the control of the cont	Unbundled Po	k elements	except	or UNE Co	oin Port/Loions. Add'	op Combinati	ons.	d are catego	rized
BUNDLE  1. Cos 2. Fea 3. Enc 4. The accor 5. Ma UNE-F 2-Wire UNE F	D CENTREX PORT/LOOP COMBINATIONS - COST BASED RATES  st Based Rates are applied where BellSouth is required by FCC and/or Con  stures shall apply to the Unbundled Port/Loop Combination - Cost Based R  d Office and Tandem Switching Usage and Common Transport Usage rates  e first & add'l Port NRC charges apply to Not Currently Combined Combos.  dingly.  which is a comparable of the compara	in th	an Inc	ule to provide Unburnal in the same manner t section of this Exhilintly Combined Combo dividual Case Basis,  UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95	dled Local as they are oit shall apos, the NRO until furthe	Switching or S applied to the ply to all combic charges shall or notice.  13.03 21.33 22.61 17.25 28.21 43.09	witch Ports. Stand-Alone on the control of the cont	Unbundled Po	k elements	except	or UNE Co	oin Port/Loions. Add'	op Combinati	ons.	d are catego	rized
BUNDLE  1. Cos 2. Fea 3. Enc 4. The accord 5. Ma UNE-F  UNE F	D CENTREX PORT/LOOP COMBINATIONS - COST BASED RATES at Based Rates are applied where BellSouth is required by FCC and/or Contures shall apply to the Unbundled Port/Loop Combination - Cost Based R d Office and Tandem Switching Usage and Common Transport Usage rates of first & add'l Port NRC charges apply to Not Currently Combined Combos. dingly.  We have the first of Unbundled Centrex Port/Loop Combination will be negotiated P CENTREX - 5ESS (Valid in All States)  We US Loop/2-Wire Voice Grade Port (Centrex) Combo  Port/Loop Combination Rates (Non-Design)  We Loop/2W VG Port (Centrex) Port Combo-Non-Design  We Loop/2W VG Port (Centrex) Port Combo-Non-Design  We Loop/2W VG Port (Centrex) Port Combo-Non-Design  We Loop/2W VG Port (Centrex) Port Combo-Non-Design  We Loop/2W VG Port (Centrex) Port Combo-Design  We Loop/2W VG Port (Centrex) Port Combo-Design  We Loop/2W VG Port (Centrex) Port Combo-Design  We Loop/2W VG Port (Centrex) Port Combo-Design  We Loop/2W VG Port (Centrex) Port Combo-Design  We Loop/2W VG Port (Centrex) Port Combo-Design  We Loop/2W VG Port (Centrex) Port Combo-Design  We Loop/2W VG Port (Centrex) Port Combo-Design  We Loop/2W VG Port (Centrex) Port Combo-Design  We Loop/2W VG Port (Centrex) Port Combo-Design  We Loop/2W VG Port (Centrex) Port Combo-Design  We Loop/2W VG Loop/2W VG Port (Centrex) Port Combo-Design  We Loop (SL 1)-Zone 1  We VG Loop (SL 1)-Zone 1	in th	an Inc	ule to provide Unbunnin in the same manner t section of this Exhilintly Combined Combo dividual Case Basis,  UEP95	Switching or S applied to the ply to all combined to the ply to all combined to the ply to all combined to the ply to all combined to the ply to all combined to the ply to all combined to the ply to	witch Ports. Stand-Alone on the control of the cont	Unbundled Po	k elements	except	or UNE Co	oin Port/Loions. Add'	op Combinati	ons.	d are catego	rized	
BUNDLE  1. Cos 2. Fea 3. Enc 4. The accor 5. Ma UNE-F 2-Wire UNE F	D CENTREX PORT/LOOP COMBINATIONS - COST BASED RATES  st Based Rates are applied where BellSouth is required by FCC and/or Con  stures shall apply to the Unbundled Port/Loop Combination - Cost Based R  d Office and Tandem Switching Usage and Common Transport Usage rates  et first & add'l Port NRC charges apply to Not Currently Combined Combos.  dingly.  which Rates for Unbundled Centrex Port/Loop Combination will be negotiated  P CENTREX - 5ESS (Valid in All States)  et VG Loop/2-Wire Voice Grade Port (Centrex) Combo- Port/Loop Combination Rates (Non-Design)  2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design  2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design  2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design  2W VG Loop/2W VG Port (Centrex) Port Combo-Design  2W VG Loop/2W VG Port (Centrex) Port Comb	in th	an Inc	ule to provide Unburnal in the same manner t section of this Exhilintly Combined Combo dividual Case Basis,  UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95	dled Local as they are oit shall apos, the NRO until furthe	Switching or S applied to the ply to all combic charges shall or notice.  13.03 21.33 22.61 17.25 28.21 43.09	witch Ports. Stand-Alone on the control of the cont	Unbundled Po	k elements	except	or UNE Co	oin Port/Loions. Add¹	op Combinati	ons.	d are catego	rized
BUNDLE  1. Cos 2. Fea 3. Enc 4. The accor 5. Ma UNE-F 2-Wire UNE F	D CENTREX PORT/LOOP COMBINATIONS - COST BASED RATES at Based Rates are applied where BellSouth is required by FCC and/or Contures shall apply to the Unbundled Port/Loop Combination - Cost Based R d Office and Tandem Switching Usage and Common Transport Usage rates of first & add'l Port NRC charges apply to Not Currently Combined Combos. dingly.  We have the first of Unbundled Centrex Port/Loop Combination will be negotiated P CENTREX - 5ESS (Valid in All States)  We US Loop/2-Wire Voice Grade Port (Centrex) Combo  Port/Loop Combination Rates (Non-Design)  We Loop/2W VG Port (Centrex) Port Combo-Non-Design  We Loop/2W VG Port (Centrex) Port Combo-Non-Design  We Loop/2W VG Port (Centrex) Port Combo-Non-Design  We Loop/2W VG Port (Centrex) Port Combo-Non-Design  We Loop/2W VG Port (Centrex) Port Combo-Design  We Loop/2W VG Port (Centrex) Port Combo-Design  We Loop/2W VG Port (Centrex) Port Combo-Design  We Loop/2W VG Port (Centrex) Port Combo-Design  We Loop/2W VG Port (Centrex) Port Combo-Design  We Loop/2W VG Port (Centrex) Port Combo-Design  We Loop/2W VG Port (Centrex) Port Combo-Design  We Loop/2W VG Port (Centrex) Port Combo-Design  We Loop/2W VG Port (Centrex) Port Combo-Design  We Loop/2W VG Port (Centrex) Port Combo-Design  We Loop/2W VG Port (Centrex) Port Combo-Design  We Loop/2W VG Loop/2W VG Port (Centrex) Port Combo-Design  We Loop (SL 1)-Zone 1  We VG Loop (SL 1)-Zone 1	in th	an Inc.  1 2 3 1 2 3 1 2 3 3 1 2 3 3 1 2 3 3 1 2 3 3 1 2 3 3 1 3 2 3 3 1 3 3 1 3 3 1 3 3 1 3 3 1 3 3 1 3 3 1 3 3 1 3 3 1 3 3 1 3 3 3 1 3 3 3 1 3 3 3 3 1 3	ule to provide Unburna in the same manner t section of this Exhibitly Combined Combo dividual Case Basis,  UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95	until furthe	Switching or S applied to the ply to all combined to the ply to all combined to the ply to all combined to the ply to all combined to the ply to all combined to the ply to all combined to the ply to	witch Ports. Stand-Alone on the control of the cont	Unbundled Po	k elements	except	or UNE Co	oin Port/Loions. Add'	op Combinati	ons.	d are catego	rized
BUNDLE 1. Cos 2. Fea 3. Enc 4. The accor 5. Ma UNE-F 2-Wire UNE F	D CENTREX PORT/LOOP COMBINATIONS - COST BASED RATES at Based Rates are applied where BellSouth is required by FCC and/or Contures shall apply to the Unbundled Port/Loop Combination - Cost Based R d Office and Tandem Switching Usage and Common Transport Usage rates of first & add'l Port NRC charges apply to Not Currently Combined Combos. dingly.  Tricket Rates for Unbundled Centrex Port/Loop Combination will be negotiated P CENTREX - 5ESS (Valid in All States).  BY OL Coop/2-Wire Voice Grade Port (Centrex) Combo-Port/Loop Combination Rates (Non-Design).  BY OL Coop/2-W VG Port (Centrex) Port Combo-Non-Design.  BY VG Loop/2-W VG Port (Centrex) Port Combo-Non-Design.  BY VG Loop/2-W VG Port (Centrex) Port Combo-Non-Design.  BY VG Loop/2-W VG Port (Centrex) Port Combo-Design.	in th	an In 1 2 3 1 1 2 3 1 1 2 3 1 1 1 2 1 3 1 1 1 2 1 3 1 1 1 2 1 3 1 1 1 2 1 3 1 1 1 1	ule to provide Unburnal in the same manner t section of this Exhilinity Combined Combo dividual Case Basis,  UEP95 UECS2 UECS2	Switching or S applied to the ply to all combic charges shall or notice.  13.03 21.33 32.61 17.25 28.21 43.09 10.75 19.05 30.33 14.97	witch Ports. Stand-Alone on the control of the cont	Unbundled Po	k elements	except	or UNE Co	oin Port/Loions. Add'	op Combinati	ons.	d are catego	rized	
BUNDLE 1. Cos 2. Fea 3. Enc 4. The accor 5. Ma UNE-F 2-Wire UNE F	D CENTREX PORT/LOOP COMBINATIONS - COST BASED RATES st Based Rates are applied where BellSouth is required by FCC and/or Con stures shall apply to the Unbundled Port/Loop Combination - Cost Based R d Office and Tandem Switching Usage and Common Transport Usage rates e first & add'l Port NRC charges apply to Not Currently Combined Combos. dingly.  In the Rates for Unbundled Centrex Port/Loop Combination will be negotiate P CENTREX - 5ESS (Valid in All States) In the Valid Centrex Port/Loop Combination will be negotiate P CENTREX - 5ESS (Valid in All States) In the Valid Centrex Port (Centrex) Combo Port/Loop Combination Rates (Non-Design) In the Valid Centrex Port Combo-Non-Design In the Valid Centrex Port Combo-Non-Design In the Valid Centrex Port Combo-Non-Design In the Valid Centrex Port Combo-Non-Design In the Valid Centrex Port Combo-Non-Design In the Valid Centrex Port Combo-Design In the Valid Centrex Port Combo-Design In the Valid Centrex Port Combo-Design In the Valid Centrex Port Combo-Design In the Valid Centrex Port Combo-Design In the Valid Centrex Port Combo-Design In the Valid Centrex Port Combo-Design In the Valid Centrex Port Combo-Design In the Valid Centrex Port Combo-Design In the Valid Centrex Port Combo-Design In the Valid Centrex Port Centrex Port Combo-Design In the Valid Centrex Port Centrex Port Combo-Design In the Valid Centrex Port Centrex Port Combo-Design In the Valid Centrex Port Port Centrex Port Centrex Port Centrex Port Port Port Port Port Port Port Port	in th	an In	ule to provide Unbunnin in the same manner t section of this Exhilintly Combined Combo	UECS1 UECS1 UECS2 UECS2 UECS2	Switching or S applied to the ply to all combic charges shall or notice.  13.03 21.33 21.33 32.61 17.25 28.21 43.09 10.75 19.05 30.33 14.97 25.93	witch Ports. Stand-Alone on the control of the cont	Unbundled Po	k elements	except	or UNE Co	oin Port/Loions. Add'	op Combinati	ons.	d are catego	rized

NRONDI	LED NETWORK ELEMENTS - North Carolina		, ,									_		nent: 2		bit: B
TEGORY	RATE ELEMENTS	Inter m	i Zon e	BCS	USOC		R <i>A</i>	ATES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitte d Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment I Charge Manual Svc Orde vs. Electroni
						Rec	Nonred		NRC Discon					Rates (\$)		
				LIEDOS	LIED) (D		First	Add'I	First A	dd'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
	2W VG Port (Centrex 800 Term) 2W VG Port (Centrex with Caller ID)1Basic Local Area	-		UEP95 UEP95	UEPYB UEPYH	2.28 2.28	79.59 79.59	63.97 63.97					40.18 40.18	9.45 9.45		
	2W VG Port (Centrex with Caller ID) TBasic Local Area	+		UEP95	UEPYM	2.28	164.57	128.16					40.18	9.45		<del>                                     </del>
	2W VG Port, Diff SWC-800 Service Term-Basic Local Area	+		UEP95	UEPYZ	2.28	104.57	120.10					40.18	9.45		
	2W VG Port terminated in on Megalink or equivalent-Basic Local Area			UEP95	UEPY9	2.28	79.59	63.97					40.18	9.45		
	2W VG Port Terminated in 6h Misganink of equivalent Basic Local Area	+		UEP95	UEPY2	2.28	79.59	63.97		1			40.18	9.45		
NC O																
	2W VG Port (Centrex )			UEP95	UEPUA	2.28	79.59	63.97					40.18	9.45		
	2W VG Port (Centrex 800 Term)			UEP95	UEPUB	2.28	79.59	63.97					40.18	9.45		
	2W VG Port (Centrex with Caller ID)1			UEP95	UEPUH	2.28	79.59	63.97					40.18	9.45		
	2W VG Port (Centrex from diff SWC)2			UEP95	UEPUM	2.28	164.57	128.16					40.18	9.45		
	2W VG Port, Diff SWC-800 Service Term			UEP95	UEPUZ	2.28	164.57	128.16					40.18	9.45		
1	2W VG Port terminated in on Megalink or equivalent	-	$\perp$	UEP95	UEPU9	2.28	79.59	63.97					40.18	9.45		
	2W VG Port Terminated on 800 Service Term	-	$\downarrow \downarrow \downarrow$	UEP95	UEPU2	2.28	79.59	63.97					40.18	9.45		
Local	Switching															
<b>.</b> .	Centrex Intercom Funtionality, per port	_	4	UEP95	URECS	0.903										
	Number Portability	-	+	LIEDOS	LNDOO	0.05										ļ
	Local No Portability (1 per port)	_		UEP95	LNPCC	0.35										
Featu	All Standard Features Offered, per port	-		UEP95	UEPVF	3.40										ļ
	All Select Features Offered, per port	+	+	UEP95	UEPVS	0.00	457.83									
	All Centrex Control Features Offered, per port	+		UEP95	UEPVC	3.40	457.05		<del>                                     </del>							<del>                                     </del>
NARS		+		OLF 93	OLFVC	3.40										
IVAING	Unbundled Network Access Register-Combination	-		UEP95	UARCX	0.00	0.00	0.00					40.18	9.45		<u> </u>
1	Unbundled Network Access Register-Indial	+		UEP95	UAR1X	0.00	0.00	0.00		1			40.18	9.45		
	Unbundled Network Access Register-Outdial			UEP95	UAROX	0.00	0.00	0.00					40.18	9.45		
Misce	ellaneous Terminations															
2-Wir	e Trunk Side															
	Trunk Side Terms, each			UEP95	CEND6	12.36										
	e Digital (1.544 Megabits)															
	DS1 Circuit Terms, each			UEP95	M1HD1	123.65							40.18	9.45		
	DS0 Channels Activated, each			UEP95	M1HDO	0.00	28.81						40.18	9.45		
	office Channel Mileage - 2-Wire	_	4	LIEDOS	141000	40.00										
	Interoffice Channel Facilities Term	_		UEP95 UEP95	MIGBC MIGBM	18.00										
Footu	Interoffice Channel miage, per mi or fraction of mi are Activations (DS0) Centrex Loops on Channelized DS1 Service	-		UEP95	IVIIGBIVI	0.0282										ļ
	nannel Bank Feature Activations	+	+		1											
D4 CI	Feature Activation on D-4 Channel Bank Centrex Loop Slot	1		UEP95	1PQWS	0.65										<del></del>
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP95	1PQW6	0.65										<u> </u>
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP95	1PQW7	0.65										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot-Diff WC			UEP95	1PQWP	0.65										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP95	1PQWV	0.65										
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot			UEP95	1PQWQ	0.65										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP95	1PQWA	0.65										
Non-F	Recurring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed changes,															
-	per port	1	+	UEP95	USAC2	2.2-	2.77	0.40					40.18	9.45		<del>  </del>
+	New Centrex Standard Common Block	-	+	UEP95	M1ACS	0.00	695.11		<del>                                     </del>				40.18	9.45		<del>                                     </del>
-	New Centrex Customized Common Block	+-	+	UEP95 UEP95	M1ACC URECA	0.00	695.11 72.73		<del>                                     </del>				40.18 40.18	9.45 9.45		<del>                                     </del>
	NAR Establishment Charge, Per Occasion P CENTREX - DMS100 (Valid in All States)	-	+	UEP95	UKECA	0.00	12.13		<del>                                     </del>			-	40.18	9.45		<del>                                     </del>
	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo	+	+		+				<del>                                     </del>							-
	Port/Loop Combination Rates (Non-Design)		+		1											<del>                                     </del>
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design	1	1	UEP9D	1	13.03										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		2	UEP9D		21.33			i i							
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		3	UEP9D	1	32.61			i i	t						
	Port/Loop Combination Rates (Design)		1													

<u> INBUND</u>	LED NETWORK ELEMENTS - North Carolina												Attachi	nent: 2	Exhil	oit: B
ATEGORY	Y RATE ELEMENTS	Interi 2 m	Zon e	BCS	usoc		R <i>A</i>	ATES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitte d Manually per LSR	Charge - Manual Svc Order vs.	Charge -		I Charge
		+ +					Nonre	curring	NRC Disc	connect		_	OSS	Rates (\$)		Disc Add
						Rec	First	Add'I	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
	2W VG Loop/2W VG Port (Centrex) Port Combo-Design		1	UEP9D		17.25										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		2	UEP9D		28.21										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		3	UEP9D		43.09										
UNE	Loop Rate															
	2W VG Loop (SL 1)-Zone 1		1	UEP9D	UECS1	10.75										
	2W VG Loop (SL 1)-Zone 2		2	UEP9D	UECS1	19.05										
	2W VG Loop (SL 1)-Zone 3		3	UEP9D	UECS1	30.33										
	2W VG Loop (SL 2)-Zone 1		1	UEP9D	UECS2	14.97										
	2W VG Loop (SL 2)-Zone 2		2	UEP9D	UECS2	25.93										
	2W VG Loop (SL 2)-Zone 3		3	UEP9D	UECS2	40.81										
UNE	Port Rate															
ALL S	STATES															
	2W VG Port (Centrex ) Basic Local Area			UEP9D	UEPYA	2.28	79.59	63.97					40.18	9.45		
	2W VG Port (Centrex 800 Term)Basic Local Area			UEP9D	UEPYB	2.28	79.59	63.97					40.18	9.45		
	2W VG Port (Centrex/EBS-PSET)3Basic Local Area			UEP9D	UEPYC	2.28	79.59	63.97					40.18	9.45		
	2W VG Port (Centrex /EBS-M5009)3Basic Local Area			UEP9D	UEPYD	2.28	79.59	63.97					40.18	9.45		
	2W VG Port (Centrex /EBS-M5209)3 Basic Local Area			UEP9D	UEPYE	2.28	79.59	63.97					40.18	9.45		
	2W VG Port (Centrex /EBS-M5112)3 Basic Local Area			UEP9D	UEPYF	2.28	79.59	63.97					40.18	9.45		
	2W VG Port (Centrex /EBS-M5312)3Basic Local Area			UEP9D	UEPYG	2.28	79.59	63.97					40.18	9.45		
	2W VG Port (Centrex /EBS-M5008)3 Basic Local Area			UEP9D	UEPYT	2.28	79.59	63.97					40.18	9.45		
	2W VG Port (Centrex/EBS-M5208)3 Basic Local Area			UEP9D	UEPYU	2.28	79.59	63.97					40.18	9.45		
	2W VG Port (Centrex/EBS-M5216)3 Basic Local Area			UEP9D	UEPYV	2.28	79.59	63.97					40.18	9.45		
	2W VG Port (Centrex/EBS-M5316)3 Basic Local Area			UEP9D	UEPY3	2.28	79.59	63.97					40.18	9.45		
	2W VG Port (Centrex with Caller ID) Basic Local Area			UEP9D	UEPYH	2.28	79.59	63.97					40.18	9.45		
	2W VG Port (Centrex/Caller ID/Msg Wtg Lamp Indication)3 Basic Local Area			UEP9D	UEPYW	2.28	79.59	63.97					40.18	9.45		
	2W VG Port (Centrex/Msg Wtg Lamp Indication)3 Basic Local Area			UEP9D	UEPYJ	2.28	79.59	63.97					40.18	9.45		
	2W VG Port (Centrex from diff SWC) 2 Basic Local Area			UEP9D	UEPYM	2.28	164.57	128.16					40.18	9.45		
	2W VG Port (Centrex/differ SWC /EBS-PSET)2, 3 Basic Local Area			UEP9D	UEPYO	2.28	164.57	128.16					40.18	9.45		
	2W VG Port (Centrex/differ SWC /EBS-M5009)2, 3 Basic Local Area			UEP9D	UEPYP	2.28	164.57	128.16					40.18	9.45		
	2W VG Port (Centrex/differ SWC /EBS-5209)2, 3 Basic Local Area			UEP9D	UEPYQ	2.28	164.57	128.16					40.18	9.45		
	2W VG Port (Centrex/differ SWC /EBS-M5112)2, 3 Basic Local Area			UEP9D	UEPYR	2.28	164.57	128.16					40.18	9.45		
	2W VG Port (Centrex/differ SWC /EBS-M5312)2, 3 Basic Local Area			UEP9D	UEPYS	2.28	164.57	128.16					40.18	9.45		
	2W VG Port (Centrex/differ SWC /EBS-M5008)2, 3 Basic Local Area			UEP9D	UEPY4	2.28	164.57	128.16					40.18	9.45		
	2W VG Port (Centrex/differ SWC /EBS-M5208)2, 3 Basic Local Area			UEP9D	UEPY5	2.28	164.57	128.16					40.18	9.45		
	2W VG Port (Centrex/differ SWC /EBS-M5216)2, 3 Basic Local Area			UEP9D	UEPY6	2.28	164.57	128.16					40.18	9.45		
	2W VG Port (Centrex/differ SWC /EBS-M5316)2, 3 Basic Local Area			UEP9D	UEPY7	2.28	164.57	128.16					40.18	9.45		
	2W VG Port, Diff SWC-800 Service Term			UEP9D	UEPYZ	2.28	164.57	128.16					40.18	9.45		
	2W VG Port terminated in on Megalink or equivalent Basic Local Area			UEP9D	UEPY9	2.28	79.59	63.97					40.18	9.45		
	2W VG Port Terminated on 800 Service Term Basic Local Area			UEP9D	UEPY2	2.28	79.59	63.97	ĺ				40.18	9.45		

2W VG Por 2W VG											1	1		ment: 2	Exhib	
NC Only  2W VG Por  2W											Svc	Svc	Incremental	Incremental	Incremental	Incremen
NC Only  2W VG Por  2W											Order	Order	Charge -	Charge -	Charge -	I Charge
NC Only  2W VG Por  2W		lmta ni									Submitte	Submitte	Manual Svc	Manual Svc	Manual Svc	Manua
2W VG Por 2W VG	RATE ELEMENTS		Zon	BCS	USOC		RA	TES (\$)			d Elec	d	Order vs.	Order vs.	Order vs.	Svc Ord
2W VG Por 2W VG	····	m	е													
2W VG Por 2W VG											per LSR	Manually	Electronic-	Electronic-	Electronic-	vs.
2W VG Por 2W VG												per LSR	1st	Add'l	Disc 1st	Electroni
2W VG Por 2W VG			1						NDO DI					D ( (A)		Disc Add
2W VG Por 2W VG			1			Rec	Nonrec		NRC Dis					Rates (\$)		
2W VG Por 2W VG							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
2W VG Por 2W VG																
2W VG Port 2W VG Port	G Port (Centrex)			UEP9D	UEPUA	2.28	79.59	63.97					40.18	9.45		
2W VG Port 2W VG Port	G Port (Centrex 800 Term)			UEP9D	UEPUB	2.28	79.59	63.97					40.18	9.45		
2W VG Por 2W VG	G Port (Centrex/EBS-PSET)3		1 1	UEP9D	UEPUC	2.28	79.59	63.97					40.18	9.45		
2W VG Por 2W VG	G Port (Centrex /EBS-M5009)3		+ +	UEP9D	UEPUD	2.28	79.59	63.97					40.18	9.45		
2W VG Por 2W VG			+		UEPUE				<b> </b>							
2W VG Por 2W VG	G Port (Centrex /EBS-M5209)3			UEP9D		2.28	79.59	63.97	ļ				40.18	9.45		
2W VG Por 2W VG	G Port (Centrex/EBS-M5112)3			UEP9D	UEPUF	2.28	79.59	63.97					40.18	9.45		
2W VG Por 2W VG	G Port (Centrex /EBS-M5312)3			UEP9D	UEPUG	2.28	79.59	63.97					40.18	9.45		
2W VG Por 2W VG	G Port (Centrex /EBS-M5008)3			UEP9D	UEPUT	2.28	79.59	63.97					40.18	9.45		
2W VG Por 2W VG	G Port (Centrex/EBS-M5208)3			UEP9D	UEPUU	2.28	79.59	63.97					40.18	9.45		
2W VG Por 2W VG	G Port (Centrex/EBS-M5216)3		1 1	UEP9D	UEPUV	2.28	79.59	63.97			1		40.18	9.45		
2W VG Por 2W VG	G Port (Centrex/EBS-M5316)3		1 1	UEP9D	UEPU3	2.28	79.59	63.97					40.18	9.45		
2W VG Por 2W VG	3 Port (Centrex with Caller ID)	-	1 1	UEP9D	UEPUH	2.28	79.59	63.97	<del>                                     </del>	<b>-</b>	<del>                                     </del>	l .	40.18	9.45		<del>                                     </del>
2W VG Por 2W VG	3 Port (Centrex with Caller ID) 3 Port (Centrex/Caller ID/Msg Wtg Lamp Indication)3		+ +	UEP9D	UEPUW	2.28	79.59	63.97	<b> </b>	<b> </b>	1	<del> </del>	40.18	9.45		<del>                                     </del>
2W VG Por 2W VG			1													
2W VG Por 2W VG	G Port (Centrex/Msg Wtg Lamp Indication)3		1	UEP9D	UEPUJ	2.28	79.59	63.97	ļ	ļ			40.18	9.45		<b> </b>
2W VG Por 2W VG	G Port (Centrex from diff SWC) 2			UEP9D	UEPUM	2.28	164.57	128.16					40.18	9.45		
2W VG Por 2W VG	G Port (Centrex/differ SWC /EBS-PSET)2, 3			UEP9D	UEPUO	2.28	164.57	128.16					40.18	9.45		
2W VG Por 2W VG	G Port (Centrex/differ SWC /EBS-M5009)2, 3			UEP9D	UEPUP	2.28	164.57	128.16					40.18	9.45		
2W VG Por 2W VG Por 2W VG Por 2W VG Por 2W VG Por 2W VG Por 2W VG Por 2W VG Por 2W VG Por 2W VG Por 2W VG Por Local Switching Centrex Inte Local Number Por All Standar All Standar All Standar All Standar All Standar All Standar Contrex NARS Unbundled	G Port (Centrex/differ SWC /EBS-5209)2, 3		1 1	UEP9D	UEPUQ	2.28	164.57	128.16					40.18	9.45		
2W VG Por 2W VG Por 2W VG Por 2W VG Por 2W VG Por 2W VG Por 2W VG Por 2W VG Por 2W VG Por 2W VG Por 2W VG Por 2W VG Por 2W VG Por 4 Number Po Local Number Po Local No Po Features All Standan All Select F All Centrex NARS Unbundled	G Port (Centrex/differ SWC /EBS-M5112)2, 3			UEP9D	UEPUR	2.28	164.57	128.16					40.18	9.45		
2W VG Por 4N Centrex All Select F All Centrex NARS Unbundled Unbundled Unbundled Unbundled Unbundled Unbundled Unbundled Unbundled Unbundled Unbundled Unbundled Unbundled Unbundled Unbundled Unbundled Unbundled Unbundled			+ +	UEP9D	UEPUS	2.28	164.57	128.16					40.18	9.45		
2W VG Por 2W VG Por 2W VG Por 2W VG Por 2W VG Por 2W VG Por 2W VG Por 2W VG Por 2W VG Por 2W VG Por 2W VG Por 2W VG Por 2W VG Por 2W VG Por 2W VG Por 2W VG Por 2W VG Por 4 No Por 4 No Por 4 No Por 4 No Por 4 No Por 5 No Por 6 No Por 6 No Por 6 No Por 6 No Por 6 No Por 6 No Por 6 No Por 7 No Por 7 No Por 8 No	G Port (Centrex/differ SWC /EBS-M5312)2, 3		1													
2W VG Por 2W VG Por 2W VG Por 2W VG Por 2W VG Por 2W VG Por 2W VG Por 2W VG Por 2W VG Por 2W VG Por 2W VG Por 2W VG Por 2W VG Por 2W VG Por 2W VG Por 2W VG Por 2W VG Por 2W VG Por 4Unumber Por 4Unbundled 4Unbundled 4Unbundled 4Unbundled 4Unbundled 4Unbundled 5Unbundled 5Unbundled 6Unbu	G Port (Centrex/differ SWC /EBS-M5008)2, 3		1	UEP9D	UEPU4	2.28	164.57	128.16					40.18	9.45		
2W VG Por 2W VG Por 2W VG Por 2W VG Por 2W VG Por 2W VG Por Local Switching Centrex Intel Local Number Por Local No Por Features All Standar All Select F All Centrex NARS Unbundled Unbundled Unbundled Unbundled Trunk Side Trunk Side 1 Trunk Side 4-Wire Digital (1.1 DS1 Circuit DS0 Chann Interoffice Chann	G Port (Centrex/differ SWC /EBS-M5208)2, 3			UEP9D	UEPU5	2.28	164.57	128.16					40.18	9.45		
2W VG Por 2W VG Por 2W VG Por 2W VG Por 2W VG Por 2W VG Por Local Switching Centrex Inte Local Number Por Local No Por Features All Standar All Select F All Centrex NARS Unbundled Unbundled Unbundled Unbundled Trunk Side Trunk Side Trunk Side 1 DS1 Circuit DS1 Circuit DS2 Chann Interoffice Chann	G Port (Centrex/differ SWC /EBS-M5216)2, 3			UEP9D	UEPU6	2.28	164.57	128.16					40.18	9.45		
2W VG Por 2W VG Por 2W VG Por 2W VG Por 2W VG Por 2W VG Por Local Switching Centrex Inte Local Number Por Local No Por Features All Standar All Select F All Centrex NARS Unbundled Unbundled Unbundled Unbundled Trunk Side Trunk Side Trunk Side 1 DS1 Circuit DS1 Circuit DS2 Chann Interoffice Chann	G Port (Centrex/differ SWC /EBS-M5316)2, 3			UEP9D	UEPU7	2.28	164.57	128.16					40.18	9.45		
2W VG Por 2W VG Por 2W VG Por Local Switching Centrex Inte Local Number Po Local No Pr Features All Standar All Select F All Centrex NARS Unbundled Unbundled Unbundled Unbundled Trunk Side Trunk Side 4-Wire Digital (1.8 DS1 Circuit DS0 Chann Interoffice Chann	G Port, Diff SWC-800 Service Term			UEP9D	UEPUZ	2.28	164.57	128.16					40.18	9.45		
2W VG Por Local Switching Centrex Inte Local Number Po Local No Pi Features All Standan All Select F All Centrex NARS Unbundled Unbundled Unbundled Unbundled Trunk Side Trunk Side 4-Wire Digital (1.9 DS1 Circuit DS0 Chann	G Port terminated in on Megalink or equivalent		1 1	UEP9D	UEPU9	2.28	79.59	63.97					40.18	9.45		
Local Switching Centrex Intel Local Number Po Local No Po Features All Standar All Select F All Centrex NARS Unbundled Unbundled Unbundled Trunk Side Trunk Side 1 Trunk Side 1 Unbs Cicle 1 DS1 Circuit DS1 Circuit IDS0 Chann Interoffice Chann	G Port Terminated on 800 Service Term		1 1	UEP9D	UEPU2	2.28	79.59	63.97					40.18	9.45		
Centrex Inte Local Number Po Local No Pi Features All Standar All Select F All Centrex NARS Unbundled Unbundled Unbundled Unbundled Trunk Side Trunk Side 1 Trunk Side 1 DS1 Circuit DS1 Circuit DS0 Chann Interoffice Chann		-	+ +	OLF3D	ULF UZ	2.20	19.59	03.91	1				40.10	3.43		
Local Number Po Local No Po Features All Standare All Select F All Centrex NARS Unbundled Unbundled Unbundled Trunk Side Trunk Side 4-Wire Digital (1.9 DS1 Circuit Interoffice Channel			-	LIEDAD	LIDEGO	2 222										
Local No Pr Features All Standar All Select F All Centrex NARS Unbundled	ex Intercom Funtionality, per port			UEP9D	URECS	0.903										
Features  All Standar All Select F All Centrex NARS  Unbundled Unbundled Unbundled Trunk Side Trunk Side Trunk Side 1 DS1 Circuit DS2 Chann Interoffice Chann																
All Standar All Select F All Centrex NARS Unbundled Unbundled Unbundled Unbundled Trunk Side Trunk Side 4-Wire Digital (1.3 DS1 Circuit DS0 Chann	No Portability (1 per port)			UEP9D	LNPCC	0.35										
All Select F All Centrex NARS Unbundled Unbundled Unbundled Unbundled Trunk Side Trunk Side 4-Wire Digital (1.9 DS1 Circuit DS0 Chann																
All Select F All Centrex NARS Unbundled Unbundled Unbundled Unbundled Trunk Side Trunk Side 4-Wire Digital (1.9 DS1 Circuit DS0 Chann	indard Features Offered, per port			UEP9D	UEPVF	3.40										
All Centrex NARS Unbundled Unbundled Unbundled Unbundled Vnbundled Unbundled Unbundled Unbundled Irunk Side Irunk Side Irunk Side ITUNK SIDE INSTITUTE INSTI	ect Features Offered, per port		1 1	UEP9D	UEPVS	0.00	457.83						40.18	9.45		
NARS  Unbundled Unbundled Unbundled Unbundled Unbundled ITrunk Side ITrunk Side 15 Circuit DS1 Circuit DS0 Chann Interoffice Chann	ntrex Control Features Offered, per port			UEP9D	UEPVC	3.40	101.00						10110	0.10		
Unbundled Unbundled Unbundled Unbundled Miscellaneous Te 2-Wire Trunk Side Trunk Side 4-Wire Digital (1.1) DS1 Circuit DS0 Chann Interoffice Chann	nitex donition realities officied, per port			OLI 3D	OLI VO	3.40										
Unbundled Unbundled Miscellaneous Te 2-Wire Trunk Side Trunk Side 4-Wire Digital (1.9 DS1 Circuit DS0 Chann Interoffice Chann	alled Network Assess Degister Combination	_	1 - 1	LIEDOD	LIADOY	0.00	0.00	0.00	-	<b> </b>	-	-	40.40	0.45		<b> </b>
Unbundled Miscellaneous Te 2-Wire Trunk Side Trunk Side 4-Wire Digital (1.1 DS1 Circuit DS0 Chann Interoffice Chann	Idled Network Access Register-Combination		+	UEP9D	UARCX	0.00	0.00	0.00	1	<b> </b>		-	40.18	9.45		<b> </b>
Miscellaneous Te 2-Wire Trunk Side Trunk Side 4-Wire Digital (1.: DS1 Circuit DS0 Chann Interoffice Chann	dled Network Access Register-Inward		1	UEP9D	UAR1X	0.00	0.00	0.00	ļ	ļ			40.18	9.45		<b> </b>
2-Wire Trunk Side Trunk Side 4-Wire Digital (1.9 DS1 Circuit DS0 Chann Interoffice Chann	dled Network Access Register-Outdial			UEP9D	UAROX	0.00	0.00	0.00					40.18	9.45		ļ
Trunk Side 4-Wire Digital (1.4 DS1 Circuit DS0 Chann Interoffice Chann																<u> </u>
Trunk Side 4-Wire Digital (1.4 DS1 Circuit DS0 Chann Interoffice Chann	( Side							_								
4-Wire Digital (1.9 DS1 Circuit DS0 Chann Interoffice Chann	Side Terms, each		1 1	UEP9D	CEND6	12.36										
DS1 Circuit DS0 Chann Interoffice Chann			1 1	02.00	02.120	.2.00				1	1					1
DS0 Chann Interoffice Chann	ircuit Terms, each		1 1	UEP9D	M1HD1	123.65			1				40.18	9.45		1
Interoffice Chann	channels Activiated per Channel		+ +	UEP9D	M1HD0	0.00	28.81		<b> </b>	<b> </b>	1	<del> </del>	40.18	9.45		<b> </b>
			+ +	UEPSD	MILLIPO	0.00	∠6.81			<u> </u>	<b>!</b>	1	40.18	9.45		<b> </b>
Interoffice C	hannel Mileage - 2-Wire		1		1				ļ	ļ						ļ
			1	UEP9D	MIGBC	18.00					1	1		]		
	fice Channel Facilities Term			UEP9D	MIGBM	0.0282										
Feature Activatio	fice Channel Facilities Term fice Channel miage, per mi or fraction of mi							_								
			1 1													
	fice Channel miage, per mi or fraction of mi vations (DS0) Centrex Loops on Channelized DS1 Service		1 1	UEP9D	1PQWS	0.65										1
	fice Channel miage, per mi or fraction of mi vations (DS0) Centrex Loops on Channelized DS1 Service Bank Feature Activations								<b>.</b>					<b> </b>		<b>-</b>
	fice Channel miage, per mi or fraction of mi vations (DS0) Centrex Loops on Channelized DS1 Service Bank Feature Activations e Activation on D-4 Channel Bank Centrex Loop Slot		+ +													
	fice Channel miage, per mi or fraction of mi vations (DS0) Centrex Loops on Channelized DS1 Service Bank Feature Activations e Activation on D-4 Channel Bank Centrex Loop Slot e Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9D	1PQW6	0.65										<u> </u>
	fice Channel miage, per mi or fraction of mi vations (DS0) Centrex Loops on Channelized DS1 Service Bank Feature Activations e Activation on D-4 Channel Bank Centrex Loop Slot e Activation on D-4 Channel Bank FX line Side Loop Slot e Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP9D UEP9D	1PQW6 1PQW7	0.65 0.65										
Feature Act	fice Channel miage, per mi or fraction of mi vations (DS0) Centrex Loops on Channelized DS1 Service Bank Feature Activations e Activation on D-4 Channel Bank Centrex Loop Slot e Activation on D-4 Channel Bank FX line Side Loop Slot e Activation on D-4 Channel Bank FX Trunk Side Loop Slot e Activation on D-4 Channel Bank Centrex Loop Slot-Diff WC			UEP9D	1PQW6	0.65										

INBUND	LED NETWORK ELEMENTS - North Carolina												Attachi	ment: 2	Exhil	oit: B
ATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	usoc			ATES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitte d Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	I Charge
						Rec		curring	NRC Dis					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Nam I	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9D	1PQWA	0.65										
NOTIFI	Recurring Charges (NRC) Associated with UNE-P Centrex  NRC Conversion Currently Combined Switch-As-Is with allowed changes,															
	per port			UEP9D	USAC2		2.77	0.40					40.18	9.45		
	New Centrex Standard Common Block			UEP9D	M1ACS	0.00	695.11	0.40					40.18	9.45		
	New Centrex Customized Common Block			UEP9D	M1ACC	0.00	695.11	İ					40.18	9.45		
	NAR Establishment Charge, Per Occasion			UEP9D	URECA	0.00	72.73						40.18	9.45		
NBUNDLE	D CENTREX PORT/LOOP COMBINATIONS - MARKET RATES															
1. Ma	rket Rates are applied where BellSouth is not required by FCC and/or Con	nmissi	on ru	le to provide Unbund	led Local S	Switching or Sw	itch Ports.									
	curring Charges for all Standard Centrex and Centrex Conrol Features are															
3. En	d Office & Tandem Switching Usage & Common Transport Usage rates in e first & add'l Port NRC charges apply to Not Currently Combined Combos	the Po	rt sec	tion of this Exhibit sl	hall apply t	o all combination	ons of loop/po	ort network ele	ments exc	ept for U	NE Coin Po	ort/Loop Co	ombinations.			
		. For C	urrer	ntly Combined Combo	os, the NRO	charges shall	be those ider	ntified in the N	RC - Curre	ently Con	bined sect	ions. Add'	I NRCs may a	apply also an	d are catego	rized
	rdingly.				1								1	1		
	P CENTREX - 5ESS (Valid in All States)		$\vdash$					1			1		<b> </b>			
	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo				1			<del>                                     </del>	1		1	1	<del>                                     </del>			1
UNE	Port/Loop Combination Rates (Non-Design)  2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design		1	UEP95		24.75										
-	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design		2	UEP95		33.05		-								
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		3	UEP95		44.33										
UNF	Port/Loop Combination Rates (Design)		Ŭ	021 00		44.00										
0.1.	2W VG Loop/2W VG Port (Centrex) Port Combo-Design		1	UEP95		28.97		İ								
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		2	UEP95		39.93										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		3	UEP95		54.81										
UNE	Loop Rate															
	2W VG Loop (SL 1)-Zone 1		1	UEP95	UECS1	10.75										
	2W VG Loop (SL 1)-Zone 2		2	UEP95	UECS1	19.05										
	2W VG Loop (SL 1)-Zone 3		3	UEP95	UECS1	30.33										
	2W VG Loop (SL 2)-Zone 1		1	UEP95	UECS2	14.97										
	2W VG Loop (SL 2)-Zone 2		2	UEP95	UECS2	25.93										
	2W VG Loop (SL 2)-Zone 3		3	UEP95	UECS2	40.81		1								
All St	Port Rate															
All St	2W VG Port (Centrex ) Basic Local Area			UEP95	UEPYA	14.00	105.00	85.00					40.18	9.45		
	2W VG Port (Centrex 800 Term)			UEP95	UEPYB	14.00	105.00	85.00					40.18	9.45		
_	2W VG Port (Centrex 600 Tentr)  2W VG Port (Centrex with Caller ID)1Basic Local Area		H	UEP95	UEPYH	14.00	105.00	85.00	1	1	1	t	40.18	9.45		1
	2W VG Port (Centrex with Galler ID) 15 Basic Local Area			UEP95	UEPYM	14.00	215.00	165.00					40.18	9.45		
	2W VG Port, Diff SWC-800 Service Term-Basic Local Area			UEP95	UEPYZ	14.00							40.18	9.45		
	2W VG Port terminated in on Megalink or equivalent-Basic Local Area			UEP95	UEPY9	14.00	105.00	85.00					40.18	9.45		
	2W VG Port Terminated on 800 Service Term-Basic Local Area			UEP95	UEPY2	14.00	105.00	85.00					40.18	9.45		
NC O																
	2W VG Port (Centrex )			UEP95	UEPUA	14.00	105.00	85.00			<u> </u>		40.18	9.45		
	2W VG Port (Centrex 800 Term)		Ш	UEP95	UEPUB	14.00	105.00				ļ		40.18	9.45		
	2W VG Port (Centrex with Caller ID)1		$\vdash$	UEP95	UEPUH	14.00	105.00	85.00			1		40.18	9.45		
-	2W VG Port (Centrex from diff SWC)2			UEP95	UEPUM	14.00	215.00		1		1	1	40.18	9.45		1
	2W VG Port, Diff SWC-800 Service Term		$\vdash$	UEP95 UEP95	UEPUZ	14.00 14.00	215.00 105.00	165.00 85.00	-		1	-	40.18 40.18	9.45 9.45		
	2W VG Port terminated in on Megalink or equivalent 2W VG Port Terminated on 800 Service Term		$\vdash$	UEP95 UEP95	UEPU9 UEPU2	14.00	105.00	85.00 85.00	-		1	-	40.18	9.45		
Local	Switching		$\vdash$	UEPSO	UEPU2	14.00	105.00	85.00	1	1	1	1	40.18	9.45		1
Local	Centrex Intercom Funtionality, per port			UEP95	URECS	0.903										
Local	Number Portability		H	OLF 30	UNLUS	0.303		<b>†</b>	1	1	1	1	1			1
	Local No Portability (1 per port)			UEP95	LNPCC	0.35		1					1			
Featu				02.00		0.00		1					1			
	All Standard Features Offered, per port			UEP95	UEPVF	0.00										
1	All Select Features Offered, per port			UEP95	UEPVS	0.00	457.83									
	All Centrex Control Features Offered, per port			UEP95	UEPVC	0.00										
NARS	3															
	Unbundled Network Access Register-Combination			UEP95	UARCX	0.00	0.00	0.00			1		40.18	9.45		

INROND	LED NETWORK ELEMENTS - North Carolina													nent: 2		bit: B
ATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	usoc		RA	ATES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitte d Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	I Charge
						Rec		curring	NRC Disc					Rates (\$)		
-	Unbundled Network Access Register-Indial			UEP95	UAR1X	0.00	First 0.00	Add'I 0.00	First	Add'l	SOMEC	SOMAN	<b>SOMAN</b> 40.18	<b>SOMAN</b> 9.45	SOMAN	SOMAN
	Unbundled Network Access Register-Indial  Unbundled Network Access Register-Outdial			UEP95	UAROX	0.00	0.00	0.00					40.18	9.45		<del>                                     </del>
Misce	ellaneous Terminations	1		02. 00	- Crittori	0.00	0.00	0.00					10.10	0.10		
	e Trunk Side															
	Trunk Side Terms, each			UEP95	CEND6	12.36										
4-Wir	e Digital (1.544 Megabits)															
	DS1 Circuit Terms, each			UEP95	M1HD1	123.65							40.18	9.45		
	DS0 Channels Activated, each			UEP95	M1HDO	0.00	28.81						40.18	9.45		
Interd	office Channel Mileage - 2-Wire	1		UEP95	MIGBC	18.00										
_	Interoffice Channel Facilities Term Interoffice Channel miage, per mi or fraction of mi	-		UEP95	MIGBC	0.0282										<del></del>
Foatu	re Activations (DS0) Centrex Loops on Channelized DS1 Service	1		UEF95	IVIIGBIVI	0.0262			<del>                                     </del>							
	nannel Bank Feature Activations	1														<del> </del>
D4 01	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	1PQWS	0.65			1							
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot	1		UEP95	1PQW6	0.65										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP95	1PQW7	0.65										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot-Diff WC			UEP95	1PQWP	0.65										1
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP95	1PQWV	0.65										
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot			UEP95	1PQWQ	0.65										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP95	1PQWA	0.65										
Non-F	Recurring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed changes,															
	per port			UEP95	USAC2	0.00	2.77	0.40					40.18	9.45		
	New Centrex Standard Common Block	1		UEP95 UEP95	M1ACS M1ACC	0.00	695.11 695.11		<del>                                     </del>				40.18 40.18	9.45 9.45		<del></del>
-	New Centrex Customized Common Block  NAR Establishment Charge, Per Occasion	1		UEP95	URECA	0.00	72.73						40.18	9.45		<del></del>
UNF-	P CENTREX - DMS100 (Valid in All States)	1		OLF 93	UNLCA	0.00	12.13						40.10	3.43		
	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo	1														
	Port/Loop Combination Rates (Non-Design)															
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design		1	UEP9D		24.75										1
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		2	UEP9D		33.05										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		3	UEP9D		44.33										
UNE	Port/Loop Combination Rates (Design)															
	2W VG Loop/2W VG Port (Centrex) Port Combo-Design		1	UEP9D		28.97										
+	2W VG Loop/2W VG Port (Centrex)Port Combo-Design	-	2	UEP9D	+	39.93			1		<u> </u>					<del>                                     </del>
LINE	2W VG Loop/2W VG Port (Centrex)Port Combo-Design  Loop Rate	+	3	UEP9D	+	54.81			1		<b> </b>	-				<del>                                     </del>
UNE	2W VG Loop (SL 1)-Zone 1		1	UEP9D	UECS1	10.75			<del>                                     </del>		<del>                                     </del>					<del>                                     </del>
1	2W VG Loop (SL 1)-Zone 1	t	2	UEP9D	UECS1	19.05										
1	2W VG Loop (SL 1)-Zone 3	1	3	UEP9D	UECS1	30.33										
	2W VG Loop (SL 2)-Zone 1		1	UEP9D	UECS2	14.97										1
	2W VG Loop (SL 2)-Zone 2		2	UEP9D	UECS2	25.93			<u> </u>							
	2W VG Loop (SL 2)-Zone 3		3	UEP9D	UECS2	40.81										
UNE	Port Rate		Ш													
ALL S	STATES	1	$\vdash \vdash$	115555					<del>                                     </del>		<u> </u>					<u> </u>
_	2W VG Port (Centrex ) Basic Local Area	-	$\vdash$	UEP9D	UEPYA	14.00	105.00	85.00			<b> </b>		40.18	9.45		<del>                                     </del>
	2W VG Port (Centrex 800 Term)Basic Local Area	1	1	UEP9D UEP9D	UEPYB UEPYC	14.00 14.00	105.00	85.00 85.00			<u> </u>		40.18 40.18	9.45 9.45		-
-	2W VG Port (Centrex/EBS-PSET)3Basic Local Area 2W VG Port (Centrex/EBS-M5009)3Basic Local Area	+	+ +	UEP9D UEP9D	UEPYD	14.00	105.00 105.00	85.00 85.00	<del>                                     </del>		1		40.18	9.45		<del>                                     </del>
-	2W VG Port (Centrex /EBS-M5209)3 Basic Local Area	+-	$\vdash$	UEP9D	UEPYE	14.00	105.00	85.00	<del>                                     </del>		<del>                                     </del>		40.18	9.45		<del>                                     </del>
+	2W VG Port (Centrex /EBS-M5209)3 Basic Local Area	1	$\vdash$	UEP9D	UEPYF	14.00	105.00	85.00			<del>                                     </del>		40.18	9.45		
+	2W VG Port (Centrex /EBS-M5312)3Basic Local Area	1		UEP9D	UEPYG	14.00	105.00	85.00					40.18	9.45		
ĺ	2W VG Port (Centrex /EBS-M5008)3 Basic Local Area			UEP9D	UEPYT	14.00	105.00	85.00					40.18	9.45		1
	2W VG Port (Centrex/EBS-M5208)3 Basic Local Area			UEP9D	UEPYU	14.00	105.00	85.00					40.18	9.45		
	2W VG Port (Centrex/EBS-M5216)3 Basic Local Area			UEP9D	UEPYV	14.00	105.00	85.00					40.18	9.45		
	2W VG Port (Centrex/EBS-M5316)3 Basic Local Area			UEP9D	UEPY3	14.00	105.00	85.00					40.18	9.45		
	2W VG Port (Centrex with Caller ID) Basic Local Area	1		UEP9D	UEPYH	14.00	105.00	85.00					40.18	9.45		

INDUND	LED NETWORK ELEMENTS - North Carolina				· · · · · ·								Attachi			bit: B
ATEGORY	RATE ELEMENTS		i Zon	BCS	USOC		R.A	TES (\$)			Svc Order Submitte d Elec	Svc Order Submitte d	Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs.	Charge -	I Charge
		m	е	200				(v)				Manually per LSR	Electronic-	Electronic-	Electronic- Disc 1st	vs.
			+				Nonred	urring	NRC Dis	connect		<b>F</b>	000	Rates (\$)		Disc Ada
		+	++			Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
	2W VG Port (Centrex/Caller ID/Msq Wtq Lamp Indication)3 Basic Local	+	++				LIISI	Auu i	FIISL	Auu i	SOWIEC	SOMAN	SOWAN	SUMAN	SOWAN	SOWAN
	Area			UEP9D	UEPYW	14.00	105.00	85.00					40.18	9.45		
	2W VG Port (Centrex/Msg Wtg Lamp Indication)3 Basic Local Area	-	+ +	UEP9D	UEPYJ	14.00	105.00	85.00					40.18	9.45		<del></del>
	2W VG Port (Centrex/msg Wtg Earlip Indication)3 Basic Local Area	+	+	UEP9D	UEPYM	14.00	215.00	165.00					40.18	9.45		
	2W VG Port (Centrex/form diff SWC/2BS-PSET)2, 3 Basic Local Area		+ +	UEP9D	UEPYO	14.00	215.00	165.00					40.18	9.45		
-	2W VG Port (Centrex/differ SWC /EBS-PSE1)2, 3 Basic Local Area		+ +	UEP9D	UEPYP	14.00	215.00	165.00	l		ļ	-	40.18	9.45		-
	2W VG Port (Centrex/differ SWC /EBS-5209)2, 3 Basic Local Area		+ +	UEP9D	UEPYQ	14.00	215.00	165.00	l		ļ	-	40.18	9.45		-
_	2W VG Port (Centrex/differ SWC /EBS-9209)2, 3 Basic Local Area	+	++	UEP9D	UEPYR	14.00	215.00	165.00					40.18	9.45		-
	2W VG Port (Centrex/differ SWC /EBS-M5312)2, 3 Basic Local Area		+ +	UEP9D	UEPYS	14.00	215.00	165.00	l		ļ	-	40.18	9.45		
_	2W VG Port (Centrex/differ SWC /EBS-M5008)2, 3 Basic Local Area	_	+	UEP9D	UEPYS UEPY4	14.00	215.00	165.00			-		40.18	9.45		
			+	UEP9D	UEPY5	14.00	215.00	165.00					40.18	9.45		
_	2W VG Port (Centrex/differ SWC /EBS-M5208)2, 3 Basic Local Area	-	+													
	2W VG Port (Centrex/differ SWC /EBS-M5216)2, 3 Basic Local Area		-	UEP9D	UEPY6	14.00	215.00	165.00					40.18	9.45		
	2W VG Port (Centrex/differ SWC /EBS-M5316)2, 3 Basic Local Area		-	UEP9D	UEPY7	14.00	215.00	165.00					40.18	9.45		
	2W VG Port, Diff SWC-800 Service Term		4	UEP9D	UEPYZ	14.00	215.00	165.00					40.18	9.45		
	2W VG Port terminated in on Megalink or equivalent Basic Local Area			UEP9D	UEPY9	14.00	105.00	85.00					40.18	9.45		
	2W VG Port Terminated on 800 Service Term Basic Local Area			UEP9D	UEPY2	14.00	105.00	85.00					40.18	9.45		
NC O																
	2W VG Port (Centrex)			UEP9D	UEPUA	14.00	105.00	85.00					40.18	9.45		
	2W VG Port (Centrex 800 Term)			UEP9D	UEPUB	14.00	105.00	85.00					40.18	9.45		
	2W VG Port (Centrex/EBS-PSET)3			UEP9D	UEPUC	14.00	105.00	85.00					40.18	9.45		
	2W VG Port (Centrex /EBS-M5009)3			UEP9D	UEPUD	14.00	105.00	85.00					40.18	9.45		
	2W VG Port (Centrex /EBS-M5209)3			UEP9D	UEPUE	14.00	105.00	85.00					40.18	9.45		
	2W VG Port (Centrex /EBS-M5112)3			UEP9D	UEPUF	14.00	105.00	85.00					40.18	9.45		
	2W VG Port (Centrex /EBS-M5312)3			UEP9D	UEPUG	14.00	105.00	85.00					40.18	9.45		
	2W VG Port (Centrex /EBS-M5008)3			UEP9D	UEPUT	14.00	105.00	85.00					40.18	9.45		
	2W VG Port (Centrex/EBS-M5208)3			UEP9D	UEPUU	14.00	105.00	85.00					40.18	9.45		
	2W VG Port (Centrex/EBS-M5216)3			UEP9D	UEPUV	14.00	105.00	85.00					40.18	9.45		
	2W VG Port (Centrex/EBS-M5316)3			UEP9D	UEPU3	14.00	105.00	85.00					40.18	9.45		
	2W VG Port (Centrex with Caller ID)			UEP9D	UEPUH	14.00	105.00	85.00					40.18	9.45		
	2W VG Port (Centrex/Caller ID/Msg Wtg Lamp Indication)3			UEP9D	UEPUW	14.00	105.00	85.00					40.18	9.45		
	2W VG Port (Centrex/Msg Wtg Lamp Indication)3			UEP9D	UEPUJ	14.00	105.00	85.00					40.18	9.45		
	2W VG Port (Centrex from diff SWC) 2			UEP9D	UEPUM	14.00	215.00	165.00					40.18	9.45		
	2W VG Port (Centrex/differ SWC /EBS-PSET)2, 3			UEP9D	UEPUO	14.00	215.00	165.00					40.18	9.45		
	2W VG Port (Centrex/differ SWC /EBS-M5009)2, 3			UEP9D	UEPUP	14.00	215.00	165.00					40.18	9.45		
	2W VG Port (Centrex/differ SWC /EBS-5209)2, 3			UEP9D	UEPUQ	14.00	215.00	165.00					40.18	9.45		
	2W VG Port (Centrex/differ SWC /EBS-M5112)2, 3			UEP9D	UEPUR	14.00	215.00	165.00					40.18	9.45		
	2W VG Port (Centrex/differ SWC /EBS-M5312)2, 3			UEP9D	UEPUS	14.00	215.00	165.00					40.18	9.45		
	2W VG Port (Centrex/differ SWC /EBS-M5008)2, 3			UEP9D	UEPU4	14.00	215.00	165.00					40.18	9.45		
	2W VG Port (Centrex/differ SWC /EBS-M5208)2, 3			UEP9D	UEPU5	14.00	215.00	165.00					40.18	9.45		
	2W VG Port (Centrex/differ SWC /EBS-M5216)2, 3		1 1	UEP9D	UEPU6	14.00	215.00	165.00					40.18	9.45		1
	2W VG Port (Centrex/differ SWC /EBS-M5316)2, 3	1		UEP9D	UEPU7	14.00	215.00	165.00					40.18	9.45		1
	2W VG Port, Diff SWC-800 Service Term	+	+	UEP9D	UEPUZ	14.00	215.00	165.00					40.18	9.45		<u> </u>
	2W VG Port terminated in on Megalink or equivalent	1	1 1	UEP9D	UEPU9	14.00	105.00	85.00					40.18	9.45		<del>                                     </del>
-+	2W VG Port Terminated in 6th Meganink of equivalent	+	+ +	UEP9D	UEPU2	14.00	105.00	85.00	l -		<del>                                     </del>	<b>+</b>	40.18	9.45		$\leftarrow$

NBUND	LED NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhil	bit: B
ATEGORY	RATE ELEMENTS	Interi Z m	Zon e	BCS	usoc		RA	TES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitte d Manually per LSR	Charge - Manual Svc Order vs. Electronic-	Charge -		I Charge - Manual Svc Order vs. Electronic
						_	Nonrec	urring	NRC Dis	connect			OSS	Rates (\$)	1	Disc Add
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
Local	I Switching															
	Centrex Intercom Funtionality, per port			UEP9D	URECS	0.903										
Local	Number Portability															
	Local No Portability (1 per port)			UEP9D	LNPCC	0.35										
Featu																
	All Standard Features Offered, per port			UEP9D	UEPVF	0.00										
	All Select Features Offered, per port			UEP9D	UEPVS	0.00	457.83	<u> </u>					40.18	9.45		
	All Centrex Control Features Offered, per port			UEP9D	UEPVC	0.00	, and the second									
NARS							, and the second									
	Unbundled Network Access Register-Combination			UEP9D	UARCX	0.00	0.00	0.00					40.18	9.45		
	Unbundled Network Access Register-Inward			UEP9D	UAR1X	0.00	0.00	0.00					40.18	9.45		
	Unbundled Network Access Register-Outdial			UEP9D	UAROX	0.00	0.00	0.00					40.18	9.45		
	ellaneous Terminations															
2-Wir	e Trunk Side															
	Trunk Side Terms, each			UEP9D	CEND6	12.36										
4-Wir	e Digital (1.544 Megabits)															
	DS1 Circuit Terms, each			UEP9D	M1HD1	123.65							40.18	9.45		
	DS0 Channels Activiated per Channel			UEP9D	M1HDO	0.00	28.81						40.18	9.45		
	office Channel Mileage - 2-Wire															
	Interoffice Channel Facilities Term			UEP9D	MIGBC	18.00										
	Interoffice Channel miage, per mi or fraction of mi			UEP9D	MIGBM	0.0282										
	re Activations (DS0) Centrex Loops on Channelized DS1 Service															
D4 CI	hannel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9D	1PQWS	0.65										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9D	1PQW6	0.65										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP9D	1PQW7	0.65										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot-Diff WC			UEP9D	1PQWP	0.65										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9D	1PQWV	0.65										
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot			UEP9D	1PQWQ	0.65										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9D	1PQWA	0.65										<u> </u>
Non-F	Recurring Charges (NRC) Associated with UNE-P Centrex	+			+				ļ			<u> </u>	-		-	
	NRC Conversion Currently Combined Switch-As-ls with allowed changes,			LIEDOD	110400		0	0.40					40.40	0.45	1	
	per port	+		UEP9D	USAC2	0.00	2.77	0.40	ļ			1	40.18	9.45	1	<b> </b>
	New Centrex Standard Common Block	+		UEP9D	M1ACS	0.00	695.11					-	40.18	9.45	<del>                                     </del>	<u> </u>
	New Centrex Customized Common Block	+		UEP9D	M1ACC	0.00	695.11		ļ			1	40.18	9.45	1	<b> </b>
Mad	NAR Establishment Charge, Per Occasion	+		UEP9D	URECA	0.00	72.73		ļ			1	40.18	9.45	1	<b></b>
	1 - Required Port for Centrex Control in 1AESS, 5ESS & EWSD	+			+ -				ļ			1	1		1	<b></b>
	2 - Requires Interoffice Channel Mileage 3 - Requires Specific Customer Premises Equipment	+			+								<del>                                     </del>		<del>                                     </del>	<del>                                     </del>
INOte	3 - Requires Specific Customer Premises Equipment				1 1				1		I	1	I	1	1	<u> </u>

UNBUND	LED NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	ibit: B
3											Svc	Svc	Increment		Increment	
											Order	Order		al Charge -	al Charge -	- al Charge
			l_								Submitte		Manual	Manual	Manual	Manual
CATEGORY	RATE ELEMENTS	Interi		BCS	usoc			RATES (\$)			d Elec	d	Svc Order		Svc Order	
	1	m	е								per LSR		vs.	vs.	vs.	vs.
											per Lak					
												per LSR	Electronic	Electronic-	Electronic-	- Electronic
						_	Nonre	curring	NRC Disco	nnect			OSS	Rates (\$)	L Dice 1ct	Thee Maa
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
The '	'Zone" shown in the sections for stand-alone loops or loops as part of a	comb	inatio	n refers to Geograph	ically Deav	eraged UNE Z	nes. To view	Geographicall	y Deaverage	ed UNE Zone						
http:	//www.interconnection.bellsouth.com/become_a_clec/html/interconnection	on.htn	n	• .	-	•					-	•				
<b>OPERATIO</b>	NAL SUPPORT SYSTEMS														1	
	E: (1) Electronic Service Order: CLEC should contact its contract negoti															
Exhi	bit is the BellSouth regional electronic service ordering charge. CLEC n E: (2) Any element that can be ordered electronically will be billed accord	nay ele	ect eit	her the state specific	Commiss	ion ordered rat	es for the elec	tronic service	ordering ch	arges, or CL	EC may el	ect the reg	ional electr	onic service	ordering c	harge.
	hose elements that cannot be ordered electronically at present per the B				n this categ	ory reflects the	charge that w	ould be billed	to a CLEC o	nce electro	nic orderir	ng capabili	ties come o	n-line for tha	at element.	Otherwise,
the n	nanual ordering charge, SOMAN, will be applied to a CLECs bill when it s	ubmit	ts an l	LSR to BellSouth.		1		1								1
	Manual Service Order Charge, per LSR, Disconnect Only (SC)				SOMAN				1.97					<u> </u>		
	Electronic OSS Charge, per LSR, submitted via BST's OSS interactive													1		1
<del> </del> _	interfaces (Regional)		<b> </b>		SOMEC	ļ	3.50				ļ	ļ		<b>↓</b>	<b>↓</b>	1
	CE DATE ADVANCEMENT CHARGE		لببا											<u> </u>		
NOT	E: The Expedite charge will be maintained commensurate with BellSouth	's FC	C No.		applicable									<u> </u>		
				ALL UNE EXCEPT												
	UNE Expedite Charge per Circuit or Line Assignable USOC, per Day			UNE-P	SDASP		200.00									
	D EXCHANGE ACCESS LOOP															
2-WI	RE ANALOG VOICE GRADE LOOP															
$\vdash$	2W Analog VG Loop-SL1-Zone 1		1	UEANL	UEAL2	14.94	37.92	17.62	23.56	5.32		15.69				
$\vdash$	2W Analog VG Loop-SL1-Zone 2		2	UEANL	UEAL2	21.39	37.92	17.62	23.56	5.32		15.69				
	2W Analog VG Loop-SL1-Zone 3		3	UEANL	UEAL2	26.72	37.92	17.62	23.56	5.32		15.69			ļ	
	Unbundled Misc Rate Element, Tag Loop at End User Premise			UEANL	URETL		8.33	0.83				15.69			ļ	
	Loop Testing-Basic 1st Half Hour			UEANL	URET1		34.23	34.23				15.69			<b>_</b>	
	Loop Testing-Basic Add'l Half Hour			UEANL	URETA		19.90	19.90				15.69			ļ	
	CLEC to CLEC Conversion Charge w/o Outside Dispatch (UVL-SL1)			UEANL	UREWO		15.81	8.96				15.69			ļ	
	Unbundled Voice Loop, Non-Design Voice Loop, billing for BST providing															
	make-up (Engineering Information-E.I. )			UEANL	UEANM		13.47	13.47							ļ	
<b></b>	Manual Order Coordination for UVL-SL1s (per loop)			UEANL	UEAMC		8.17	8.17								
0.100	Order Coordination for Specified Conversion Time for UVL-SL1 (per LSR)			UEANL	OCOSL		18.13	18.13								
2-WI	RE Unbundled COPPER LOOP		-		LIFOOY	40.04	20.40	10.10	20.00	4.40		45.00				
	2W Unbundled Copper Loop-Non-Designed Zone 1		1	UEQ	UEQ2X	12.94	36.40	16.10	22.66	4.42		15.69				
	2W Unbundled Copper Loop-Non-Designed-Zone 2		2	UEQ	UEQ2X	14.51	36.40	16.10	22.66	4.42		15.69				
<b></b>	2W Unbundled Copper Loop-Non-Designed-Zone 3		3	UEQ	UEQ2X	15.02	36.40 8.33	16.10	22.66	4.42		15.69				
$\vdash$	Unbundled Misc Rate Element, Tag Loop at End User Premise			UEQ	URETL		8.33	0.83				15.69	-	+	<del> </del>	-
	Onder Constitution (NATION and Advanced Constitution New Profession of Constitution)			UEQ	USBMC		8.17	8.17								
$\vdash$	Order Coordination 2W Unbundled Copper Loop-Non-Designed (per loop)			UEQ	OSBMC		8.17	8.17					-	+	<del> </del>	-
	Unbundled Copper Loop, Non-Design Copper Loop, billing for BST			LIFO	LIEOMALI		40.47	40.47				45.00				
$\vdash$	providing make-up (Engineering Information-E.I.)		$\vdash$	UEQ UEQ	UEQMU URET1	1	13.47 34.23	13.47 34.23			-	15.69	<del>                                     </del>	+	┼──	+
$\vdash$	Loop Testing Basic 1st Half Hour		$\vdash$	UEQ		-	34.23 19.90	••			-	15.69	<del>                                     </del>	+	┼──	<del> </del>
$\vdash$	Loop Testing-Basic Add'l Half Hour  CLEC to CLEC Conversion Charge w/o Outside Dispatch (UCL-ND)			UEQ	URETA	1	19.90	19.90 7.45			1	15.69 15.69	1	+	+	+
LINBLINDLE	ED EXCHANGE ACCESS LOOP		$\vdash$	UEW	UKEWU		14.30	7.40			<del>                                     </del>	15.69	+	+	<del>                                     </del>	+
	RE ANALOG VOICE GRADE LOOP		$\vdash$		1						<del>                                     </del>	<u> </u>	+	+	<del>                                     </del>	+
2-9911	2W Analog VG Loop-SL1-Line Splitting-Zone 1		1	UEPSR UEPSB	UEALS	14.94	37.92	17.62	23.56	5.32		15.69	1	+	<del>                                     </del>	+
<del></del>	2W Analog VG Loop-SL1-Line Splitting-Zone 1  2W Analog VG Loop-SL1-Line Splitting-Zone 1		1	UEPSR UEPSB	UEABS	14.94	37.92	17.62	23.56	5.32		15.69	1	+	<del>                                     </del>	+
<del>                                     </del>	2W Analog VG Loop-SL1-Line Splitting-Zone 1  2W Analog VG Loop-SL1-Line Splitting-Zone 2		2	UEPSR UEPSB	UEALS	21.39	37.92	17.62	23.56	5.32		15.69	1	+	<del>                                     </del>	+
<del></del>	2W Analog VG Loop-SL1-Line Splitting-Zone 2  2W Analog VG Loop-SL1-Line Splitting-Zone 2		2	UEPSR UEPSB	UEABS	21.39	37.92	17.62	23.56	5.32	<del>                                     </del>	15.69	1	+	+	+
<del></del>	2W Analog VG Loop-SL1-Line Splitting-Zone 2  2W Analog VG Loop-SL1-Line Splitting-Zone 3		3	UEPSR UEPSB	UEALS	26.72	37.92	17.62	23.56	5.32	<del>                                     </del>	15.69	1	+	+	+
<del></del>	2W Analog VG Loop-SL1-Line Splitting-Zone 3  2W Analog VG Loop-SL1-Line Splitting-Zone 3		3	UEPSR UEPSB	UEABS	26.72	37.92	17.62	23.56	5.32	<del>                                     </del>	15.69	1	+	+	+
UNBLINDL	ED EXCHANGE ACCESS LOOP			JEI OIL OEI OD	JEADO	20.72	31.32	17.02	20.00	0.02	t	10.09	<b>†</b>	+	<del>                                     </del>	1
	RE ANALOG VOICE GRADE LOOP				1	1					t	1	<b>†</b>	+	<del>                                     </del>	1
2-4411	2W Analog VG Loop-SL2 w/Loop or Ground Start Signaling-Zone 1		1	UEA	UEAL2	16.68	105.98	68.43	53.05	10.61	t	15.69	<b>†</b>	+	<del>                                     </del>	1
$\vdash$	2W Analog VG Loop-SL2 w/Loop or Ground Start Signaling-Zone 1  2W Analog VG Loop-SL2 w/Loop or Ground Start Signaling-Zone 2		2	UEA	UEAL2	23.13	105.98	68.43	53.05	10.61	t	15.69	1	+	<del>                                     </del>	1
-	2W Analog VG Loop-SL2 w/Loop or Ground Start Signaling-Zone 2  2W Analog VG Loop-SL2 w/Loop or Ground Start Signaling-Zone 3		3	UEA	UEAL2	28.46	105.98	68.43	53.05	10.61		15.69		<del>                                     </del>	t	
			,	U=/\		20.40		55.45	50.00	10.01		10.00	1			+
-				UFA	OCOSI		18 13									
	Order Coordination for Specified Conversion Time (per LSR)		1	UEA UEA	OCOSL UEAR2	16.68	18.13 105.98	68.43	53.05	10.61		15.69		<u> </u>	<del>                                     </del>	
			1 2	UEA UEA UEA	UEAR2 UEAR2	16.68 23.13	18.13 105.98 105.98	68.43 68.43	53.05 53.05	10.61 10.61		15.69 15.69				

Version 4Q02: 01/21/03 Page 321 of 402

JNBUNDL	LED NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	ibit: B
ATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	USOC			ATES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitte d Manually per LSR	1c+	al Charge Manual Svc Order vs. Electronic	Increment al Charge - Manual Svc Order vs. Electronic-	al Charge Manual
						Rec	Nonrec		NRC Disco		201150	001111		Rates (\$)		
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		First 18.13	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	CLEC to CLEC Conversion Charge w/o outside dispatch	1		UEA	UREWO		87.90	36.44				15.69			-	+
	Loop Tagging-SL2 (SL2)			UEA	URETL		10.45	1.03				15.69				†
4-WIF	RE ANALOG VOICE GRADE LOOP															1
	4W Analog VG Loop-Zone 1		1	UEA	UEAL4	32.59	132.38	94.83	59.35	14.61		15.69				
	4W Analog VG Loop-Zone 2		2	UEA	UEAL4	43.89	132.38	94.83	59.35	14.61		15.69				
	4W Analog VG Loop-Zone 3		3	UEA	UEAL4	43.38	132.38	94.83	59.35	14.61		15.69				<u> </u>
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		18.13									
0.14/15	CLEC to CLEC Conversion Charge w/o outside dispatch	-		UEA	UREWO		87.90	36.44				15.69				+
Z-WIF	RE ISDN DIGITAL GRADE LOOP  2W ISDN Digital Grade Loop-Zone 1	-	1	UDN	U1L2X	25.21	117.58	80.03	53.05	10.61		15.69				+
	2W ISDN Digital Grade Loop-Zone 1		2	UDN	U1L2X	32.76	117.58	80.03	53.05	10.61		15.69				+
_	2W ISDN Digital Grade Loop-Zone 2  2W ISDN Digital Grade Loop-Zone 3	1	3	UDN	U1L2X	37.70	117.58	80.03	53.05	10.61	<del>                                     </del>	15.69			<del>                                     </del>	+
	Order Coordination For Specified Conversion Time (per LSR)	1	Ŭ	UDN	OCOSL	57.70	18.13	55.05	55.55	10.01		10.00				1
	CLEC to CLEC Conversion Charge w/o outside dispatch			UDN	UREWO		91.82	44.25				15.69				
2-WIF	RE Universal Digital Channel (UDC) COMPATIBLE LOOP															
	2W Universal Digital Channel (UDC) Compatible Loop-Zone 1		1	UDC	UDC2X	25.21	117.58	80.03	53.05	10.61		15.69				
	2W Universal Digital Channel (UDC) Compatible Loop-Zone 2		2	UDC	UDC2X	32.76	117.58	80.03	53.05	10.61		15.69				
	2W Universal Digital Channel (UDC) Compatible Loop-Zone 3		3	UDC	UDC2X	37.70	117.58	80.03	53.05	10.61		15.69				
0.1405	CLEC to CLEC Conversion Charge w/o outside dispatch			UDC	UREWO		91.82	44.25				15.69				
2-WIF	RE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPATIBLE  2W Unbundled ADSL Loop including manl svc ing & facility reservation-	LOOP														+
	Zone 1		1	UAL	UAL2X	12.19	120.84	70.56	50.37	7.93		15.69				
	2W Unbundled ADSL Loop including manl svc inq & facility reservation- Zone 2		2	UAL	UAL2X	13.71	120.84	70.56	50.37	7.93		15.69				
	2W Unbundled ADSL Loop including manl svc inq & facility reservation- Zone 3		3	UAL	UAL2X	14.14	120.84	70.56	50.37	7.93		15.69				
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		18.13									
	2W Unbundled ADSL Loop w/o manl svc inq & facility reservaton-Zone 1	-	1	UAL	UAL2W	12.19	95.81	57.82	50.37	7.93		15.69				<del> </del>
	2W Unbundled ADSL Loop w/o manl svc inq & facility reservaton-Zone 2 2W Unbundled ADSL Loop w/o manl svc inq & facility reservaton-Zone 3	-	3	UAL UAL	UAL2W UAL2W	13.71 14.14	95.81 95.81	57.82 57.82	50.37 50.37	7.93 7.93		15.69 15.69			-	+
	Order Coordination for Specified Conversion Time (per LSR)	1	3	UAL	OCOSL	14.14	18.13	37.02	30.37	7.93		13.09				+
	CLEC to CLEC Conversion Charge w/o outside dispatch			UAL	UREWO		86.38	40.48				15.69				+
2-WIF	RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE L	ООР														
	2W Unbundled HDSL Loop including manl svc inq & facility reservation-															1
	Zone 1		1	UHL	UHL2X	9.58	129.52	79.24	50.37	7.93		15.69				
	2W Unbundled HDSL Loop including manl svc inq & facility reservation- Zone 2		2	UHL	UHL2X	10.92	129.52	79.24	50.37	7.93		15.69				
	2W Unbundled HDSL Loop including manl svc inq & facility reservation- Zone 3		3	UHL	UHL2X	11.40	129.52	79.24	50.37	7.93		15.69				
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		18.13									
	2W Unbundled HDSL Loop w/o manl svc inq & facility reservation-Zone 1		1	UHL	UHL2W	9.58	104.49	66.50	50.37	7.93		15.69				<u> </u>
	2W Unbundled HDSL Loop w/o manl svc ing & facility reservation-Zone 2	1	2	UHL	UHL2W	10.92	104.49	66.50	50.37	7.93		15.69				
	2W Unbundled HDSL Loop w/o manl svc ing & facility reservation-Zone 3	-	3	UHL UHL	UHL2W OCOSL	11.40	104.49 18.13	66.50	50.37	7.93	1	15.69			-	+
	Order Coordination for Specified Conversion Time (per LSR)  CLEC to CLEC Conversion Charge w/o outside dispatch	+	$\vdash$	UHL	UREWO		18.13 86.32	40.48	-		<b></b>	15.69			-	+
4-WIF	RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE L	OOP	$\vdash$	UNL	UNEWU		00.32	40.48			<b>-</b>	10.09			<b>-</b>	+
4-4411	4W Unbundled HDSL Loop including manl svc ing & facility reservation-	100							<b> </b>							+
	Zone 1  4W Unbundled HDSL Loop including manl svc ing & facility reservation-		1	UHL	UHL4X	16.02	158.18	107.89	55.12	10.38		15.69			ļ	
	Zone 2		2	UHL	UHL4X	14.33	158.18	107.89	55.12	10.38		15.69				
	4W Unbundled HDSL Loop including manl svc inq & facility reservation-Zone 3		3	UHL	UHL4X	16.84	158.18	107.89	55.12	10.38		15.69				<u> </u>
	Order Coordination for Specified Conversion Time (per LSR)	<del>                                     </del>		UHL	OCOSL	40.00	18.13	05.10	55.40	40.00		45.00				
1	4W Unbundled HDSL Loop w/o manl svc inq & facility reservation-Zone 1	<u> </u>	1 2	UHL UHL	UHL4W UHL4W	16.02	133.14	95.16 95.16	55.12 55.12	10.38 10.38		15.69 15.69		ļ		+
	4W Unbundled HDSL Loop w/o manl svc ing & facility reservation-Zone 2					14.33	133.14									

NDUNDLE	NETWORK ELEMENTS - South Carolina			1								_		ment: 2		bit: B
TEGORY	RATE ELEMENTS	Interi m	Zon e	всѕ	USOC	Į.		RATES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitte d Manually per LSR	al Charge Manual Svc Order vs. Electronic	Add'I	Increment al Charge - Manual Svc Order vs. Electronic-	al Charge Manual Svc Orde vs.
						Rec	Nonred		NRC Disco					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	der Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		18.13	10.10				45.00				<u> </u>
	LEC to CLEC Conversion Charge w/o outside dispatch			UHL	UREWO		86.32	40.48				15.69				<del> </del>
	OS1 DIGITAL LOOP  V DS1 Digital Loop-Zone 1		1	USL	USLXX	79.51	253.03	157.89	44.80	11.73		15.69				
	V DS1 Digital Loop-Zone 1		2	USL	USLXX	136.00	253.03	157.89	44.80	11.73		15.69				ļ
	V DS1 Digital Loop-Zone 2		3	USL	USLXX	229.15	253.03	157.89	44.80	11.73		15.69				
	der Coordination for Specified Conversion Time (per LSR)		3	USL	OCOSL	229.13	18.13	137.09	44.00	11.73		13.09				
	EC to CLEC Conversion Charge w/o outside dispatch			USL	UREWO		101.30	43.13				15.69				<del>                                     </del>
	19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP			002	OILLWO		101.00	40.10				10.00				
	V Unbundled Digital 19.2 Kbps		1	UDL	UDL19	29.93	126.66	89.12	59.35	14.61		15.69				
	V Unbundled Digital 19.2 Kbps		2	UDL	UDL19	33.99	126.66	89.12	59.35	14.61		15.69				
	V Unbundled Digital 19.2 Kbps		3	UDL	UDL19	34.74	126.66	89.12	59.35	14.61		15.69				
	V Unbundled Digital Loop 56 Kbps-Zone 1		1	UDL	UDL56	29.93	126.66	89.12	59.35	14.61		15.69				
	V Unbundled Digital Loop 56 Kbps-Zone 2		2	UDL	UDL56	33.99	126.66	89.12	59.35	14.61		15.69				
	V Unbundled Digital Loop 56 Kbps-Zone 3		3	UDL	UDL56	34.74	126.66	89.12	59.35	14.61		15.69				
Or	der Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		18.13									
4V	V Unbundled Digital Loop 64 Kbps-Zone 1		1	UDL	UDL64	29.93	126.66	89.12	59.35	14.61		15.69				
	V Unbundled Digital Loop 64 Kbps-Zone 2		2	UDL	UDL64	33.99	126.66	89.12	59.35	14.61		15.69				
	V Unbundled Digital Loop 64 Kbps-Zone 3		3	UDL	UDL64	34.74	126.66	89.12	59.35	14.61		15.69				
	der Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		18.13									
	.EC to CLEC Conversion Charge w/o outside dispatch			UDL	UREWO		102.34	49.85				15.69				
	Jnbundled COPPER LOOP															
	V Unbundled Copper Loop/Short including manl svc inq & facility															
	servation-Zone 1		1	UCL	UCLPB	12.19	119.91	69.62	50.37	7.93		15.69				ļ
	V Unbundled Copper Loop/Short including manl svc inq & facility servation-Zone 2		2	UCL	UCLPB	13.71	119.91	69.62	50.37	7.93		15.69				
	V Unbundled Copper Loop/Short including manl svc inq & facility			002	002. 2		1.0.01	00.02	00.01	7.00		10.00				
	servation-Zone 3		3	UCL	UCLPB	14.14	119.91	69.62	50.37	7.93		15.69				
	der Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8.17	8.17								
	V Unbundled Copper Loop/Short w/o manl svc ing & facility reservation-															
Zo	ne 1		1	UCL	UCLPW	12.19	94.87	56.89	50.37	7.93		15.69				
2V	Unbundled Copper Loop/Short w/o manl svc inq & facility reservation-															
	ne 2		2	UCL	UCLPW	13.71	94.87	56.89	50.37	7.93		15.69				
	V Unbundled Copper Loop/Short w/o manl svc inq & facility reservation-				1											
	ne 3		3	UCL	UCLPW	14.14	94.87	56.89	50.37	7.93		15.69				
	der Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8.17	8.17								<u> </u>
	V Unbundled Copper Loop/Long-includes manl svc inq & facility		١.													
	servation-Zone 1		1	UCL	UCL2L	38.22	119.91	69.62	50.37	7.93		15.69				<u> </u>
	V Unbundled Copper Loop/Long-includes manl svc inq & facility		2	LICI	LICLAL	FF 22	440.04	60.60	50.07	7.00		45.00				
	servation-Zone 2			UCL	UCL2L	55.33	119.91	69.62	50.37	7.93	1	15.69				<b> </b>
	V Unbundled Copper Loop/Long-includes manl svc inq & facility servation-Zone 3		3	UCL	UCL2L	67.95	119.91	69.62	50.37	7.93		15.69				
	der Coordination for Unbundled Copper Loops (per loop)		٦	UCL	UCLMC	01.33	8.17	8.17	30.37	1.93		13.09				<del>                                     </del>
	V Unbundled Copper Loop/Long-w/o manl svc inq & facility reservation-			001	OOLIVIO		0.17	0.17	<b>-</b>		1					<b> </b>
	ne 1		1	UCL	UCL2W	38.22	94.87	56.89	50.37	7.93		15.69				
	V Unbundled Copper Loop/Long-w/o manl svc ing & facility reservation-		Ė	1				22.30								
	ne 2		2	UCL	UCL2W	55.33	94.87	56.89	50.37	7.93		15.69				1
	V Unbundled Copper Loop/Long-w/o manl svc inq & facility reservation-															
	ne 3		3	UCL	UCL2W	67.95	94.87	56.89	50.37	7.93	<u></u>	15.69	<u></u>		<u> </u>	<u></u>
Or	der Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8.17	8.17								
CL	EC to CLEC Conversion Charge w/o outside dispatch (UCL-Des)			UCL	UREWO		94.87	42.57				15.69				
	COPPER LOOP															
4V	V Copper Loop/Short-including manl svc inq & facility reservation-Zone			1	1							]				1
1		<u> </u>	1	UCL	UCL4S	19.64	144.17	93.88	55.12	10.38		15.69				
40	V Copper Loop/Short-including manl svc inq & facility reservation-Zone			1	1							1			1	1
2			2	UCL	UCL4S	20.90	144.17	93.88	55.12	10.38		15.69				1

INDUND	LED NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	bit: B
ATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	usoc		F	RATES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitte d Manually per LSR	Increment al Charge Manual Svc Order vs. Electronic	al Charge - Manual Svc Order vs.	Increment al Charge - Manual Svc Order vs. Electronic-	al Charge Manual Svc Orde vs.
						_	Nonrec	urrina	NRC Disco	nnect			OSS	Rates (\$)	11166 164	LIBER MAA
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
	4W Copper Loop/Short-including manl svc ing & facility reservation-Zone															
	3		3	UCL	UCL4S	19.34	144.17	93.88	55.12	10.38		15.69				
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8.17	8.17								
	4W Copper Loop/Short-w/o manl svc inq & facility reservation-Zone 1		1	UCL	UCL4W	19.64	119.13	81.15	55.12	10.38		15.69				
	4W Copper Loop/Short-w/o manl svc inq & facility reservation-Zone 2		2	UCL	UCL4W	20.90	119.13	81.15	55.12	10.38		15.69				
	4W Copper Loop/Short-w/o manl svc inq & facility reservation-Zone 3		3	UCL	UCL4W	19.34	119.13	81.15	55.12	10.38		15.69				ļ
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8.17	8.17								
	4W Unbundled Copper Loop/Long-includes manl svc inq & facility		١.			77.00			55.40	40.00		45.00				
	reservation-Zone 1		1	UCL	UCL4L	77.29	144.17	93.88	55.12	10.38		15.69				
	4W Unbundled Copper Loop/Long-includes manl svc inq & facility		2	UCL	UCL4L	140 70	144.17	00.00	EE 40	40.00		45.00				
	reservation-Zone 2	1		UCL	UUL4L	118.78	144.17	93.88	55.12	10.38	<b> </b>	15.69				<del>                                     </del>
	4W Unbundled Copper Loop/Long-includes manl svc inq & facility reservation-Zone 3		3	UCL	UCL4L	144.10	144.17	93.88	55.12	10.38		15.69				
	Order Coordination for Unbundled Copper Loops (per loop)		J	UCL	UCL4L UCLMC	144.10	144.17 8.17	93.88	55.12	10.38		15.09				<del>                                     </del>
-	4W Unbundled Copper Loop/Long-w/o manl svc ing & facility reservation-	<u> </u>		UCL	OCLIVIC		0.17	0.17	+		<del>                                     </del>					$\vdash$
	Zone 1		1	UCL	UCL4O	77.29	119.44	81.45	55.12	10.38		15.69				
-	4W Unbundled Copper Loop/Long-w/o manl svc ing & facility reservation-	1		OOL	00140	11.23	113.44	01.40	33.12	10.50		10.00				<del>                                     </del>
	Zone 2		2	UCL	UCL4O	118.78	119.44	81.45	55.12	10.38		15.69				
-	4W Unbundled Copper Loop/Long-w/o manl svc ing & facility reservation-	1		OOL	00140	110.70	113.44	01.40	33.12	10.50		10.00				<del>                                     </del>
	Zone 3		3	UCL	UCL4O	144.10	119.44	81.45	55.12	10.38		15.69				
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8.17	8.17								<u> </u>
	CLEC to CLEC Conversion Charge w/o outside dispatch (UCL-Des)			UCL	UREWO		94.87	42.57				15.69				<u> </u>
OP MOD	FICATION						J									
				UAL,UHL,UCL,UEQ,												
				ULS,UEA,UEANL,UE												
	Unbundled Loop Modification, Removal of Load Coils-2W pr < or = 18kft			PSR,UEPSB	ULM2L		32.46	32.46				15.69				
	Unbundled Loop Modification, Removal of Load Coils-2W > 18kft			UCL,ULS,UEQ	ULM2G		170.89	170.89				15.69				
	Unbundled Loop Modification Removal of Load Coils-4W < or = 18kft			UHL,UCL	ULM4L		32.46	32.46				15.69				
	Unbundled Loop Modification Removal of Load Coils-4W pr > 18kft			UCL	ULM4G		170.89	170.89				15.69				
				UAL,UHL,UCL,UEQ,												
	Unbundled Loop Modification Removal of Bridged Tap Removal, per			ULS,UEA,UEANL,UE												
	unbundled loop			PSR,UEPSB	ULMBT		32.48	32.48				15.69				
B-LOOPS																ļ
Sub-l	oop Distribution															
	Sub-Loop-Per Cross Box Location-CLEC Feeder Facility Set-Up	1		UEANL	USBSA		241.42	241.42				15.69				
	Sub-Loop-Per Cross Box Location-Per 25 pr Panel Set-Up	l l		UEANL	USBSB		22.69	22.69				15.69				<u> </u>
	Sub-Loop-Per Building Equipment Room-CLEC Feeder Facility Set-Up	<u> </u>		UEANL	USBSC		177.84	177.84				15.69				-
	Sub-Loop-Per Building Equipment Room-Per 25 pr Panel Set-Up	<u> </u>	_	UEANL	USBSD	0.07	55.58	55.58	45.05	0.74	ļ	15.69				
	Sub-Loop Distribution Per 2W Analog VG Loop-Zone 1 Sub-Loop Distribution Per 2W Analog VG Loop-Zone 2		2	UEANL UEANL	USBN2 USBN2	8.87 12.58	65.94 65.94	31.03 31.03	45.35 45.35	6.71 6.71		15.69 15.69				<u> </u>
_				UEANL		12.58			45.35							-
	Sub-Loop Distribution Per 2W Analog VG Loop-Zone 3  Order Coordination for Unbundled Sub-Loops, per sub-loop pr		3	UEANL	USBN2 USBMC	14.79	65.94 8.17	31.03 8.17	45.35	6.71	1	15.69				<del></del>
	Sub-Loop Distribution Per 4W Analog VG Loop -Zone 1		1	UEANL	USBN4	14.11	79.21	44.29	49.82	9.09	1	15.69				<del> </del>
	Sub-Loop Distribution Per 4W Analog VG Loop -Zone 1 Sub-Loop Distribution Per 4W Analog VG Loop -Zone 2		2	UEANL	USBN4	19.40	79.21	44.29	49.82	9.09		15.69	-			-
	Sub-Loop Distribution Per 4W Analog VG Loop -Zone 2 Sub-Loop Distribution Per 4W Analog VG Loop -Zone 3		3	UEANL	USBN4	18.90	79.21	44.29	49.82	9.09		15.69				<del>                                     </del>
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr		3	UEANL	USBMC	10.90	8.17	8.17	49.02	9.09		13.09				<del>                                     </del>
	Sub-Loop 2W Intrabuilding Network Cable (INC)	-		UEANL	USBR2	2.41	53.13	18.21	45.35	6.71		15.69				<del>                                     </del>
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr	<u> </u>		UEANL	USBMC	2.71	8.17	8.17		0.71		10.00				
	Sub-Loop 4W Intrabuilding Network Cable (INC)			UEANL	USBR4	5.36	59.38	24.47	49.82	9.09		15.69				<b>—</b>
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr	† †		UEANL	USBMC	0.00	8.17	8.17	.0.02	0.00						
	2W Copper Unbundled Sub-Loop Distribution-Zone 1		1	UEF	UCS2X	7.11	65.94	31.03	45.35	6.71		15.69				<b></b>
	2W Copper Unbundled Sub-Loop Distribution-Zone 2	Ì	2	UEF	UCS2X	9.83	65.94	31.03	45.35	6.71	İ	15.69				
	2W Copper Unbundled Sub-Loop Distribution-Zone 3	- 1	3	UEF	UCS2X	10.48	65.94	31.03	45.35	6.71		15.69				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr			UEF	USBMC		8.17	8.17								
	4W Copper Unbundled Sub-Loop Distribution-Zone 1	ı	1	UEF	UCS4X	7.85	79.21	44.29	49.82	9.09		15.69				
	4W Copper Unbundled Sub-Loop Distribution-Zone 2		2	UEF	UCS4X	14.17	79.21	44.29	49.82	9.09		15.69				
	4W Copper Unbundled Sub-Loop Distribution-Zone 3		3	UEF	UCS4X	12.64	79.21	44.29	49.82	9.09		15.69				

NDUND	LED NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	bit: B
ATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	USOC		F	RATES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitte d Manually per LSR	al Charge Manual Svc Order vs.	Manual Svc Order vs.	Increment al Charge - Manual Svc Order vs. Electronic-	al Charge Manual Svc Orde vs.
						_	Nonrec	urrina	NRC Disco	nnect			OSS	Rates (\$)	11166 164	THE AAA
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr			UEF	USBMC		8.17	8.17		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,					00	
Unhi	undled Sub-Loop Modification			OLI	CODIVIO		0.17	0.17								
0	Unbundled Sub-Loop Modification-2-W Copper Dist Load Coil/Equip					1										<del>                                     </del>
	Removal per 2-W PR			UEF	ULM2X		176.17	5.11				15.69				
	Unbundled Sub-loop Modification-4-W Copper Dist Load Coil/Equip			OLI	OLIVIZA		170.17	0.11				10.00				†
	Removal per 4-W PR			UEF	ULM4X		176.17	5.11				15.69				
	Unbundled Sub-loop Modification-2-w/4-w Copper Dist Bridged Tap			OLI	OLIVITIA		170.17	0.11				10.00				†
	Removal, per PR unloaded			UEF	ULM4T		278.82	6.13				15.69				
Unbi	undled Network Terminating Wire (UNTW)			02.	O Z.W		2.0.02	0.10				10.00				
0	Unbundled Network Terminating Wire (UNTW) per pr			UENTW	UENPP	0.3303	30.20	30.20				15.69				
Netw	vork Interface Device (NID)			02.1111	02	0.0000	00.20	00.20				10.00				
	Network Interface Device (NID)-1-2 lines			UENTW	UND12		43.68	28.79				15.69				
	Network Interface Device (NID)-1-6 lines			UENTW	UND16		64.42	49.53				15.69				
	Network Interface Device Cross Connect-2 W			UENTW	UNDC2		5.92	5.92				15.69				
	Network Interface Device Cross Connect-4W			UENTW	UNDC4		5.92	5.92				15.69				
JB-LOOP				<b>\$</b>												1
	Loop Feeder															
Oub	USL-Feeder, DS0 Set-up per Cross Box location-CLEC Distribution			UEA,UDN,UCL,UDL,												
	Facility set-up			UDC	USBFW		241.42					15.69				
	Tability out up			UEA,UDN,UCL,UDL,	CODI W		2-11-12					10.00				
	USL Feeder-DS0 Set-up per Cross Box location-per 25 pr set-up			UDC	USBFX		22.69	22.69				15.69				
	USL Feeder DS1 Set-up at DSX location, per DS1 Term			USL	USBFZ		523.87	11.34				15.69				
	Unbundled Sub-Loop Feeder Loop, 2W Ground Start, VG-Zone 1		1	UEA	USBFA	8.93	93.28	56.69	54.68	13.74		15.69				
	Unbundled Sub-Loop Feeder Loop, 2W Ground-Start, VG-Zone 2		2	UEA	USBFA	11.74	93.28	56.69	54.68	13.74		15.69				
	Unbundled Sub-Loop Feeder Loop, 2W Ground-Start, VG-Zone 3		3	UEA	USBFA	14.74	93.28	56.69	54.68	13.74		15.69				
	Order Coordination for Specified Conversion Time, per LSR		Ŭ	UEA	OCOSL	14.74	18.13	00.00	04.00	10.7 4		10.00				
	Unbundlde Sub-Loop Feeder Loop, 2W Loop-Start, VG-Zone 1		1	UEA	USBFB	8.93	93.28	56.69	54.68	13.74		15.69				
	Unbundled Sub-Loop Feeder Loop, 2W Loop-Start, VG-Zone 2		2	UEA	USBFB	11.74	93.28	56.69	54.68	13.74		15.69				<u> </u>
	Unbundled Sub-Loop Feeder Loop, 2W Start Loop, VG-Zone 3		3	UEA	USBFB	14.74	93.28	56.69	54.68	13.74		15.69				<u> </u>
	Order Coordination for Specified Time Conversion, per LSR			UEA	OCOSL		18.13		0.1.00							
	Unbundled Sub-Loop Feeder Loop, 2W Rev Bat, VG-Zone 1		1	UEA	USBFC	8.93	93.28	56.69	54.68	13.74		15.69				
	Unbundled Sub-Loop Feeder Loop, 2W Rev Bat, VG-Zone 2		2	UEA	USBFC	11.74	93.28	56.69	54.68	13.74		15.69				
	Unbundled Sub-Loop Feeder Loop, 2W Rev Bat, VG-Zone 3		3	UEA	USBFC	14.74	93.28	56.69	54.68	13.74		15.69				
	Order Coordination For Specified Conversion Time, per LSR			UEA	OCOSL		18.13		0.1.00							
	Unbundled Sub-Loop Feeder Loop, 4W Ground-Start, VG-Zone 1		1	UEA	USBFD	21.63	107.91	70.36	62.26	17.52		15.69				
	Unbundled Sub-Loop Feeder Loop, 4W Ground-Start, VG-Zone 2		2	UEA	USBFD	27.57	107.91	70.36	62.26	17.52		15.69				
	Unbundled Sub-Loop Feeder Loop, 4W Ground Start, VG-Zone 3		3	UEA	USBFD	26.04	107.91	70.36	62.26	17.52		15.69				
	Order Coordination For Specified Conversion Time, Per LSR			UEA	OCOSL		18.13									
	Unbundled Sub-Loop Feeder Loop, 4W Loop-Start, VG-Zone 1		1	UEA	USBFE	21.63	107.91	70.36	62.26	17.52		15.69				
	Unbundled Sub-Loop Feeder Loop, 4W Loop-Start, VG-Zone 2		2	UEA	USBFE	27.57	107.91	70.36	62.26	17.52		15.69				
	Unbundled Sub-Loop Feeder Loop, 4W Loop-Start, VG-Zone 3		3	UEA	USBFE	26.04	107.91	70.36	62.26	17.52		15.69				
	Order Coordination For Specified Conversion Time, Per LSR			UEA	OCOSL		18.13									
	Unbundled Sub-Loop Feeder Loop, 2W ISDN BRI-Zone 1		1	UDN	USBFF	17.05	106.47	68.92	55.81	13.37		15.69				
	Unbundled Sub-Loop Feeder Loop, 2W ISDN BRI-Zone 2		2	UDN	USBFF	20.92	106.47	68.92	55.81	13.37		15.69				
	Unbundled Sub-Loop Feeder Loop, 2W ISDN BRI-Zone 3		3	UDN	USBFF	23.49	106.47	68.92	55.81	13.37		15.69				
	Order Coordination For Specified Conversion Time, Per LSR			UDN	OCOSL		18.13									
	Unbundled Sub-Loop Feeder, 2W UDC (IDSL compatible)		1	UDC	USBFS	17.05	106.47	68.92	55.81	13.37		15.69				
	Unbundled Sub-Loop Feeder, 2W UDC (IDSL compatible)		2	UDC	USBFS	20.92	106.47	68.92	55.81	13.37		15.69				
	Unbundled Sub-Loop Feeder, 2W UDC (IDSL compatible)	1	3	UDC	USBFS	23.49	106.47	68.92	55.81	13.37		15.69				
	Unbundled Sub-Loop Feeder Loop, 4W DS1-Zone 1	1	1	USL	USBFG	55.85	102.19	64.64	62.26	17.52		15.69				
	Unbundled Sub-Loop Feeder Loop, 4W DS1-Zone 2		2	USL	USBFG	109.16	102.19	64.64	62.26	17.52		15.69				
	Unbundled Sub-Loop Feeder Loop, 4W DS1-Zone 3	1	3	USL	USBFG	203.35	102.19	64.64	62.26	17.52		15.69				
	Order Coordination For Specified Conversion Time, Per LSR	1	Ť	USL	OCOSL		18.13	004	32.23			. 0.00				
+	Unbundled Sub-Loop Feeder, 2W Copper Loop-Zone 1	1	1	UCL	USBFH	5.98	83.97	46.42	53.14	10.69		15.69				
$\dashv$	Unbundled Sub-Loop Feeder Loop, 2W Copper Loop-Zone 2	1	2	UCL	USBFH	4.80	83.97	46.42	53.14	10.69		15.69				
-	Unbundled Sub-Loop Feeder Loop, 2W Copper Loop-Zone 3	+	3	UCL	USBFH	4.59	83.97	46.42	53.14	10.69		15.69				
	Order Coordination For Specified Conversion Time, per LSR		J	UCL	OCOSL	7.00	18.13	70.72	JJ. 17	10.03	<b>!</b>	10.03				

ONRO	NDL	ED NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	bit: B
CATEG	ORY	RATE ELEMENTS	Interi m	Zon e	BCS	USOC		F	RATES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitte d Manually per LSR	al Charge Manual Svc Order vs.	Manual Svc Order vs.	Increment al Charge - Manual Svc Order vs. Electronic-	al Charge Manual Svc Order vs.
							Dan	Nonrec	urring	NRC Disco	nnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Sub-Loop Feeder-Per 4W Copper Loop-Zone 1		1	UCL	USBFJ	13.21	101.22	63.67	58.03	13.29		15.69				
		Sub-Loop Feeder-Per 4W Copper Loop-Zone 2		2	UCL	USBFJ	8.28	101.22	63.67	58.03	13.29		15.69				
		Sub-Loop Feeder-Per 4W Copper Loop-Zone 3		3	UCL	USBFJ	8.42	101.22	63.67	58.03	13.29		15.69				
		Order Coordination For Specified Conversion Time, per LSR			UCL	OCOSL		18.13									
		Sub-Loop Feeder-Per 4W 19.2 Kbps Digital Grade Loop		1	UDL	USBFN	21.02	102.19	64.64	62.26	17.52		15.69				
		Sub-Loop Feeder-Per 4W 19.2 Kbps Digital Grade Loop		2	UDL	USBFN	21.30	102.19	64.64	62.26	17.52		15.69				
		Sub-Loop Feeder-Per 4W 19.2 Kbps Digital Grade Loop		3	UDL	USBFN	20.17	102.19	64.64	62.26	17.52		15.69				
		Sub-Loop Feeder-Per 4W 56 Kbps Digital Grade Loop-Zone 1		1	UDL	USBFO	21.02	102.19	64.64	62.26	17.52		15.69				
		Sub-Loop Feeder-Per 4W 56 Kbps Digital Grade Loop-Zone 2		2	UDL	USBFO	21.30	102.19	64.64	62.26	17.52		15.69				
		Sub-Loop Feeder-Per 4W 56 Kbps Digital Grade Loop-Zone 3		3	UDL	USBFO	20.17	102.19	64.64	62.26	17.52		15.69				
		Order Coordination For Specified Time Conversion, per LSR		<u> </u>	UDL	OCOSL		18.13				<u> </u>					
		Sub-Loop Feeder-Per 4W 64 Kbps Digital Grade Loop-Zone 1		1	UDL	USBFP	21.02	102.19	64.64	62.26	17.52	<u> </u>	15.69				
		Sub-Loop Feeder-Per 4W 64 Kbps Digital Grade Loop-Zone 2		2	UDL	USBFP	21.30	102.19	64.64	62.26	17.52		15.69				
		Sub-Loop Feeder-Per 4W 64 Kbps Digital Grade Loop-Zone 3		3	UDL	USBFP	20.17	102.19	64.64	62.26	17.52		15.69				
		Order Coordination For Specified Conversion Time, per LSR			UDL	OCOSL		18.13									
SUB-LC																	
S		pop Feeder															
		Sub Loop Feeder-DS3-Per mi Per mo			UE3	1L5SL	20.44										
		Sub Loop Feeder-DS3-Facility Term Per mo			UE3	USBF1	348.12	3,408.62	407.90	160.83	91.17		15.69				
		Sub Loop Feeder – STS-1 – Per mi Per mo			UDLSX	1L5SL	20.44										
		Sub Loop Feeder-STS-1-Facility Term Per mo			UDLSX	USBF7	369.07	3,408.62	407.90	160.83	91.17		15.69				
		Sub Loop Feeder – OC-3 – Per mi Per mo			UDLO3	1L5SL	15.51										
		Sub Loop Feeder-OC-3-Facility Term Protection Per mo			UDLO3	USBF5	56.04										
		Sub Loop Feeder-OC-3-Facility Term Per mo			UDLO3	USBF2	565.50	3,408.62	407.90	160.83	91.17		15.69				
		Sub Loop Feeder-OC-12-Per mi Per mo			UDL12	1L5SL	19.08										
		Sub Loop Feeder-OC-12-Facility Term Protection Per mo			UDL12	USBF6	669.82										
		Sub Loop Feeder-OC-12-Facility Term Per mo	<u> </u>		UDL12	USBF3	1,840.00	3,408.62	407.90	160.83	91.17		15.69				
		Sub Loop Feeder-OC-48-Per mi Per mo	- 1		UDL48	1L5SL	62.60										
		Sub Loop Feeder-OC-48-Facility Term Protection Per mo	<u> </u>		UDL48	USBF9	326.16										
		Sub Loop Feeder-OC-48-Facility Term Per mo	- 1		UDL48	USBF4	1,560.00	3,594.62	407.90	160.83	91.17		15.69				
		Sub Loop Feeder-OC-12 Interface On OC-48			UDL48	USBF8	366.86	806.47	407.90	160.83	91.17		15.69				
<u>UNBUN</u>		LOOP CONCENTRATION															
		Unbundled Loop Concentration-System A (TR008)			ULC	UCT8A	318.73	326.13	326.13				15.69				
-+		Unbundled Loop Concentration-System B (TR008)	<u> </u>	<del>                                     </del>	ULC	UCT8B	46.69	135.89	135.89			}	15.69				<b>├</b>
		Unbundled Loop Concentration-System A (TR303)	<u> </u>	<del>                                     </del>	ULC	UCT3A	351.78	326.13	326.13			}	15.69				<del></del>
		Unbundled Loop Concentration-System B (TR303)	<u> </u>	<del>                                     </del>	ULC	UCT3B	78.67	135.89	135.89	40.00		}	15.69				<del></del>
		Unbundled Loop Concentration-DS1 Loop Interface Card	<u> </u>	<del>                                     </del>	ULC	UCTCO	4.42	63.43	46.18	16.83	4.71	}	15.69				<del></del>
-		Unbundled Loop Concentration-ISDN Loop Interface (Brite Card)		-	UDN	ULCC1	7.02	10.56	10.50	5.41	5.37		15.69				<del></del>
-		Unbundled Loop Concentration-UDC Loop Interface (Brite Card)		-	UDC	ULCCU	7.02	10.56	10.50	5.41	5.37		15.69				<del></del>
		Unbundled Loop Concentration2W Voice-Loop Start or Ground Start			1154	111.000	4 75	10.50	10.50	F 44	E 07		45.00				1
		Loop Interface (POTS Card)	<b>-</b>	├	UEA	ULCC2	1.75	10.56	10.50	5.41	5.37	<del>                                     </del>	15.69				<del></del>
		Unbundled Loop Concentration-2W Voice-Rev Bat Loop Interface (SPOTS	l	1	UEA	ULCCR	10.42	10.56	40.50	E 44	F 07		15.00				1
		Card)	<b>-</b>	├					10.50	5.41	5.37	<del>                                     </del>	15.69				<del></del>
		Unbundled Loop Concentration-4W Voice Loop Interface (Specials Card) Unbundled Loop Concentration-TEST CIRCUIT Card	<u> </u>	1	UEA ULC	ULCC4 UCTTC	6.22 30.38	10.56 10.56	10.50 10.50	5.41 5.41	5.37	1	15.69 15.69				
		Unbundled Loop Concentration-TEST CIRCUIT Card  Unbundled Loop Concentration-Digital 19.2 Kbps Data Loop Interface		<del>                                     </del>	UDL	ULCC7	9.21	10.56	10.50	5.41	5.37 5.37		15.69				<del></del>
		Unbundled Loop Concentration-Digital 19.2 Kbps Data Loop Interface  Unbundled Loop Concentration-Digital 56 Kbps Data Loop Interface	<del>                                     </del>	1	UDL	ULCC5	9.21	10.56	10.50	5.41	5.37	}	15.69				<del>                                     </del>
		Unbundled Loop Concentration-Digital 56 Kbps Data Loop Interface  Unbundled Loop Concentration-Digital 64 Kbps Data Loop Interface	<del>                                     </del>	1	UDL	ULCC5	9.21	10.56	10.50	5.41	5.37	}	15.69				<del>                                     </del>
LINE OT	THER	PROVISIONING ONLY - NO RATE	<del>                                     </del>	1	UDL	ULUUD	9.21	10.00	10.50	5.41	5.37	}	15.09				<del>                                     </del>
UNE OI		NID-Dispatch & Service Order for NID installation		<del>                                     </del>	UENTW	UNDBX	0.00	0.00									<del></del>
		UNTW Circuit Id Establishment, Provisioning Only-No Rate		<del>                                     </del>	UENTW	UENCE	0.00	0.00									<del></del>
		UNITY CITCUIT ID ESTABLISHMENT, Provisioning Unity-No Kate		1	UEANL,UEF,UEQ,U	UENCE	0.00	0.00				1		1			<del>                                     </del>
		Unbundled Contract Name, Provisioning Only-No Rate			ENTW	UNECN	0.00	0.00									1
INE OT	HEP	PROVISIONING ONLY - NO RATE		1	EINIVV	UNECIN	0.00	0.00				1		1			$\vdash$
JAL OI	ıı⊑K,	I NOVIGIGINING UNET - NO IVALE		<del>                                     </del>	UAL,UCL,UDC,UDL,		-					1					
		Unbundled Contact Name, Provisioning Only-no rate	l	1	UDN,UEA,UHL,ULC	UNECN	0.00	0.00					1				1
-		Unbundled Sub-Loop Feeder-2W Cross Box Jumper-no rate			UEA,UDN,UCL,UDC		0.00	0.00									<b>—</b>

UNBUND	LED NETWORK ELEMENTS - South Carolina											•		ment: 2	Exhi	bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	USOC		F	RATES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitte d Manually per LSR	al Charge Manual Svc Order vs.	Increment al Charge - Manual Svc Order vs. Electronic-	Increment al Charge - Manual Svc Order vs. Electronic-	al Charge Manual Svc Order vs.
						Rec	Nonrec	urring	NRC Disco	nnect			oss	Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Sub-Loop Feeder-4W Cross Box Jumper-no rate			UEA,USL,UCL,UDL	USBFR	0.00	0.00									
	Unbundled DS1 Loop-Superframe Format Option-no rate			USL	CCOSF	0.00	0.00									
	Unbundled DS1 Loop-Expanded Superframe Format option-no rate			USL	CCOEF	0.00	0.00									
	CITY UNBUNDLED LOCAL LOOP															
NOTI	: minimum billing period of three months for DS3 and above Local Loo	)														
	High Capacity Unbundled Local Loop-DS3-Per mi per mo			UE3	1L5ND	12.26										
	High Capacity Unbundled Local Loop-DS3-Facility Term per mo			UE3	UE3PX	306.36	452.52	264.53	119.75	83.77		15.69				
	High Capacity Unbundled Local Loop-STS-1-Per mi per mo High Capacity Unbundled Local Loop-STS-1-Facility Term per mo			UDLSX	1L5ND UDLS1	12.26	450.50	264.53	119.75	83.77		15.69				
LOOP MAK				UDLSX	UDLST	313.49	452.52	264.53	119.75	83.77		15.69				
LOOP WAK	Loop Makeup-Preordering w/o Reservation, per working or spare facility															
	queried (Manual).			UMK	UMKLW		24.04	24.04								
	Loop Makeup-Preordering With Reservation, per spare facility queried (Manual).			UMK	UMKLP		25.49	25.49								
	Loop MakeupWith or w/o Reservation, per working or spare facility															
	queried (Mechanized)			UMK	PSUMK		0.34	0.34								
	UENCY SPECTRUM															
	SHARING TTERS-CENTRAL OFFICE BASED															
SPLI	Line Sharing Splitter, per System 96 Line Capacity			ULS	ULSDA	216.22	189.21	0.00	178.38	0.00		15.69				
	Line Sharing Splitter, per System 90 Line Capacity  Line Sharing Splitter, per System 24 Line Capacity			ULS	ULSDB	54.05	189.21	0.00	178.38	0.00		15.69				
	Line Sharing Splitter, Per System, 8 Line Capacity	-		ULS	ULSD8	18.02	189.21	0.00	178.38	0.00		15.69				
	Line Sharing-DLEC Owned Splitter in CO-CFA activaton-deactivation (per LSOD)			ULS	ULSDG	10.02	86.67	0.00	49.95	0.00		15.69				
END	USER ORDERING-CENTRAL OFFICE BASED-HIGH FREQUENCY SPEC	TRIIM	ΔKΔ		OLODG		00.07	0.00	49.93	0.00		13.03				
LIND	Line Sharing -per Line Activation (BST owned Splitter)	I I CON		ULS	ULSDC	0.61	18.55	10.62	10.04	4.93		15.69				
	Line Sharing-per Subsqnt Activity per Line Rearrangement(BST Owned					0.01			10.04	4.00						
	Splitter)			ULS	ULSDS		16.42	8.21				15.69				
	Line Sharing-per Subsqnt Activity per Line Rearrangement(DLEC Owned						40.40	0.04				45.00				
	Splitter)			ULS ULS	ULSCS	0.04	16.42	8.21 19.31	00.07	40.74		15.69 15.69				
LINE	Line Sharing-per Line Activation (DLEC owned Splitter)  SPLITTING			ULS	ULSCC	0.61	47.44	19.31	20.67	12.74		15.69				
END	USER ORDERING-CENTRAL OFFICE BASED															
LIND	Line Splitting-per line activation DLEC owned splitter	1		UEPSR UEPSB	UREOS	0.61										
	Line Splitting-per line activation BST owned-physical	l i	<del>                                     </del>	UEPSR UEPSB	UREBP	0.61	37.09	21.24	20.07	9.85		15.69				
	Line Splitting-per line activation BST owned-virtual	i		UEPSR UEPSB	UREBV	0.61	37.09	21.24	20.07	9.85		15.69				
REM	OTE SITE HIGH FREQUENCY SPECTRUM		l													
	TTERS-REMOTE SITE															
	Remote Site Line Share BST Owned Splitter, 24 Port	I		ULS	ULSRB	38.61	115.04	0.00	85.18	0.00		15.69				
	Remote Site Line Share Cable pr Activation CLEC Owned at RS & Deactivation	_		ULS	ULSTG		95.83	0.00	68.37	0.00		15.69				
END	USER ORDERING-REMOTE SITE HIGH FREQUENCY SPECTRUM AKA I	REMO	TE SI													
	Remote Site Line Share Line Activationfor End User Served at RS, BST															
	Splitter	- 1		ULS	ULSRC	0.61	37.09	21.24	20.07	9.85		15.69				
	RS Line Share Line Activation for End User served at RS, CLEC Splitter	- 1		ULS	ULSTC	0.61	37.09	21.24	20.07	9.85		15.69				
	Remote Site Line Share Subsqnt Activity-RS BST Owned Splitter		<u> </u>	ULS	ULSRS		49.26	17.87				15.69				
	Remote Site Line Share Subsqnt Activity-RS CLEC Owned Splitter	- 1	<u> </u>	ULS	ULSTS		49.26	17.87				15.69				
	D DEDICATED TRANSPORT		<u> </u>		- b B 00	f										
	E: INTEROFFICE CHANNEL DEDICATED TRANSPORT - minimum billing ROFFICE CHANNEL - DEDICATED TRANSPORT	perio	a - be	ย่อพ บอง=one month,	apove DS3	=rour months										
INIE		-	<del>                                     </del>	U1TVX	11.577	0.0167										
	Interoffice Channel-Dedicated Transport-2W VG-Per mi per mo Interoffice Channel-Dedicated Transport-2W VG-Facility Term	-	<del>                                     </del>	U1TVX U1TVX	1L5XX U1TV2	24.30	40.63	27.47	16.77	6.91	1	15.69	1			
	Interoffice Channel-Dedicated Transport-2W VG-Pacifity Term			U1TVX	1L5XX	0.0167	40.03	21.41	10.77	0.91		13.09				<u> </u>
	Interoffice Channel-Dedicated Transport-2W VG Rev Bat-Fer IIII per IIII  Interoffice Channel-Dedicated Transport-2W VG Rev Bat-Fer IIII per IIII  Interoffice Channel-Dedicated Transport-2W VG Rev Bat-Fer IIII per IIII  Interoffice Channel-Dedicated Transport-2W VG Rev Bat-Fer IIII per IIII  Interoffice Channel-Dedicated Transport-2W VG Rev Bat-Fer IIII per IIII  Interoffice Channel-Dedicated Transport-2W VG Rev Bat-Fer IIII per IIII  Interoffice Channel-Dedicated Transport-2W VG Rev Bat-Fer IIII per IIII  Interoffice Channel-Dedicated Transport-2W VG Rev Bat-Fer IIII per IIII  Interoffice Channel-Dedicated Transport-2W VG Rev Bat-Fer IIII per IIII  Interoffice Channel-Dedicated Transport-2W VG Rev Bat-Fer IIII per IIII  Interoffice Channel-Dedicated Transport-2W VG Rev Bat-Fer IIII per IIII  Interoffice Channel-Dedicated Transport-2W VG Rev Bat-Fer IIII per IIII  Interoffice Channel-Dedicated Transport-2W VG Rev Bat-Fer IIII per IIII  Interoffice Channel-Dedicated Transport-2W VG Rev Bat-Fer IIII per IIII  Interoffice Channel-Dedicated Transport-2W VG Rev Bat-Fer IIII per IIII  Interoffice Channel-Dedicated Transport-2W VG Rev Bat-Fer IIII per IIII  Interoffice Channel-Dedicated Transport-2W VG Rev Bat-Fer IIII per IIII  Interoffice Channel-Dedicated Transport-2W VG Rev Bat-Fer IIII per IIII  Interoffice Channel-Dedicated Transport-2W VG Rev Bat-Fer IIII per IIII  Interoffice Channel-Dedicated Transport-2W VG Rev Bat-Fer IIII per IIII  Interoffice Channel-Dedicated Transport-2W VG Rev Bat-Fer IIII per IIII  Interoffice Channel-Dedicated Transport-2W VG Rev Bat-Fer IIII per IIII  Interoffice Channel-Dedicated Transport-2W VG Rev Bat-Fer IIII per IIII  Interoffice Channel-Dedicated Transport-2W VG Rev Bat-Fer IIII per III		1	U1TVX	U1TR2	24.30	40.63	27.47	16.77	6.91		15.69				
	Interoffice Channel -Dedicated Transport-4W VG-Per mi per mo		<del>                                     </del>	U1TVX	1L5XX	0.0167	70.03	21.71	10.11	0.31	1	10.09				
	Interoffice Channel -Dedicated Transport-4W VG-Facility Term		l	U1TVX	U1TV4	21.29	40.63	27.47	16.77	6.91		15.69				
																•

<u>UNBU</u>	NDL	ED NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	ibit: B
CATEGO	ORY	RATE ELEMENTS	Interi m	Zon e	BCS	usoc		,	RATES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitte d Manually per LSR	al Charge Manual Svc Order vs.	Increment al Charge - Manual Svc Order vs. Electronic-	Increment al Charge - Manual Svc Order vs. Electronic-	al Charge Manual Svc Order vs.
							D	Nonrec	curring	NRC Disco	nnect			oss	Rates (\$)	1000 100	TIMES AND
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN			SOMAN	SOMAN
		nteroffice Channel-Dedicated Transport-56 kbps-Facility Term			U1TDX	U1TD5	16.76	40.63	27.47	16.77	6.91		15.69				
		nteroffice Channel-Dedicated Transport-64 kbps-per mi per mo			U1TDX	1L5XX	0.0167										
		nteroffice Channel-Dedicated Transport-64 kbps-Facility Term			U1TDX	U1TD6	16.76	40.63	27.47	16.77	6.91		15.69				
		nteroffice Channel-Dedicated Channel-DS1-Per mi per mo			U1TD1	1L5XX	0.3415										
		nteroffice Channel-Dedicated Tranport-DS1-Facility Term			U1TD1	U1TF1	77.14	89.47	81.99	16.39	14.48		15.69				
		nteroffice Channel -Dedicated Transport-DS3-Per mi per mo			U1TD3	1L5XX	8.02										
		nteroffice Channel-Dedicated Transport-DS3-Facility Term per mo			U1TD3	U1TF3	880.65	279.37	163.12	60.33	58.59		15.69				
		nteroffice Channel-Dedicated Transport-STS-1-Per mi per mo			U1TS1	1L5XX	8.02										
		nteroffice Channel-Dedicated Transport-STS-1-Facility Term			U1TS1	U1TFS	880.55	279.37	163.12	60.33	58.59		15.69				
		. CHANNEL - DEDICATED TRANSPORT															
N	IOTE:	LOCAL CHANNEL DEDICATED TRANSPORT - minimum billing period	l = belo	ow D													
		Local Channel-Dedicated-2W VG			ULDVX	ULDV2	15.33	193.53	33.24	36.72	3.21		15.69				
<b>_</b>		Local Channel-Dedicated-2W VG Rev Bat			ULDVX	ULDR2	15.33	193.53	33.24	36.72	3.21	ļ	15.69				
<b>_</b>		Local Channel-Dedicated-4W VG			ULDVX	ULDV4	16.54	193.97	33.68	37.19	3.68	ļ	15.69				
<b>_</b>		Local Channel-Dedicated-DS1-Zone 1		1	ULDD1	ULDF1	42.62	177.87	154.06	22.24	15.30	ļ	15.69				
		Local Channel-Dedicated-DS1 -Zone 2		2	ULDD1	ULDF1	70.32	177.87	154.06	22.24	15.30		15.69				
		Local Channel-Dedicated-DS1 -Zone 3		3	ULDD1	ULDF1	190.68	177.87	154.06	22.24	15.30		15.69				
		Local Channel-Dedicated-DS3-Per mi per mo			ULDD3	1L5NC	11.93										
		Local Channel-Dedicated-DS3-Facility Term			ULDD3	ULDF3	446.00	452.52	264.53	119.75	83.77		15.69				<b></b>
$\longrightarrow$		Local Channel-Dedicated-STS-1-Per mi per mo			ULDS1	1L5NC	11.93										
		Local Channel-Dedicated-STS-1 -Facility Term			ULDS1	ULDFS	435.10	452.52	264.53	119.75	83.77		15.69				
DARK F																	<b></b>
		Dark Fiber, Four Fiber Strands, Per Route mi or Fraction Thereof per mo-															
$\longrightarrow$		_ocal Channel	<u> </u>		UDF	1L5DC	97.65										<b></b>
<del></del>		NRC Dark Fiber-Local Channel			UDF	UDFC4		640.51	138.17	317.76	198.11		15.69				
		Dark Fiber, Four Fiber Strands, Per Route mi or Fraction Thereof per mo-			UDF	41.505	00.44										
$-\!\!\!+$		nteroffice Channel				1L5DF	36.41	040.54	400.47	317.76	198.11	ļ	45.00				<del></del>
$-\!\!\!+$		NRC Dark Fiber-Interoffice Channel			UDF	UDF14	1	640.51	138.17	317.76	198.11	ļ	15.69				<del></del>
		Dark Fiber, Four Fiber Strands, Per Route mi or Fraction Thereof per mo-			UDF	41.501	97.65										
		Local Loop NRC Dark Fiber-Local Loop	<u> </u>		UDF	1L5DL UDFL4	97.65	640.51	138.17	317.76	198.11		15.69				+
0VV AC		TEN DIGIT SCREENING	<u> </u>		UDF	UDFL4		640.51	138.17	317.76	198.11		15.69				+
SXX AC		BXX Access Ten Digit Screening, Per Call			OHD		0.0006673			-				-			<del>                                     </del>
-+		BXX Access Ten Digit Screening, Fer Call  BXX Access Ten Digit Screening, Reservation Charge Per 8XX No	1		OND		0.0006673					1		1			+
		Reserved			OHD	N8R1X		2.59	0.44				15.69				
		BXX Access Ten Digit Screening, Per 8XX No. Established W/O POTS  Translations			OHD			5.95	0.81	4.58	0.54		15.69				
-		BXX Access Ten Digit Screening, Per 8XX No. Established With POTS					†	5.50	3.31								1
		Translations			OHD	N8FTX		5.95	0.81	4.58	0.54		15.69				
		BXX Access Ten Digit Screening, Customized Area of Service Per 8XX															
		No S.			OHD	N8FCX		2.59	1.30				15.69				
		BXX Access Ten Digit Screening, Multiple InterLATA CXR Routing Per															
		CXR Requested Per 8XX No.	L	L	OHD	N8FMX	<u>                                      </u>	3.03	1.74	<u> </u>		<u></u>	15.69	<u></u>		<u></u>	<u> </u>
		BXX Access Ten Digit Screening, Change Charge Per Request			OHD	N8FAX		3.03	0.44				15.69				
		BXX Access Ten Digit Screening, Call Handling & Destination Features			OHD	N8FDX		2.59	2.59				15.69				
		3XX Access Ten Digit Screening, w/ 8XX No. Delivery			OHD		0.0006673										
		BXX Access Ten Digit Screening, w/ POTS No. Delivery			OHD		0.0006673										
INE IN		IATION DATA BASE ACCESS (LIDB)															
		LIDB Common Transport Per Query			OQT		0.0000246										
		LIDB Validation Per Query			OQU		0.0138158										
		LIDB Originating Point Code Establishment or Change			OQT,OQU	NRPBX		34.40		42.18			15.69				
SIGNAL					ļ							<u> </u>					<u> </u>
L		CCS7 Signaling Connection, Per 56 Kbps Facility			UDB	TPP++	16.93	35.61	35.61	16.48	16.48	<u> </u>					<u> </u>
		CCS7 Signaling Term, Per STP Port	]		UDB	PT8SX	163.49								ļ		
																	•
咠		CCS7 Signaling Usage, Per TCAP Message CCS7 Signaling Connection, Per link (A link)			UDB UDB	TPP++	0.0000692 16.93	35.61	35.61	16.48	16.48		15.69				

UNBUNDL	.ED NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exh	ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	USOC			RATES (\$)			Svc Order Submitte d Elec per LSR	d Manually	al Charge Manual Svc Order vs.	Increment al Charge Manual Svc Order vs. Electronic		vs.
						ı	Nonre	curring	NRC Disc	nnect		l	1c+	Addu Rates (\$)	Dicc 1ct	Disc Add
						Rec	First	Add'I	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
	CCS7 Signaling Usage, Per ISUP Message			UDB		0.0000173		,,,,,,		7.00.	0020	00				1 00
	CCS7 Signaling Usage Surrogate, per link per LATA			UDB	STU56	791.37										1
	CCS7 Signaling Point Code, per Originating Point Code Establishment or															1
	Change, per STP affected			UDB	CCAPO		29.08	29.08	35.65	35.65		15.69				
	CCS7 Signaling Point Code, per Destination Point Code Establishment or															
	Change, Per Stp Affected			UDB	CCAPD		29.08	29.08	35.65	35.65		15.69				
E911 SERVI						45.00	100.50	22.24	00.70	0.04		45.00				
	Local Channel-Dedicated-2W VG					15.33	193.53	33.24	36.72	3.21		15.69				+
	Interoffice Transport-Dedicated-2W VG Per mi Interoffice Transport-Dedicated-2W VG Per Facility Term	<u> </u>	$\vdash$			0.0167 24.30	40.63	27.47	16.77	6.91		15.69				+
	Local Channel-Dedicated-DS1-Zone 1					42.62	177.87	154.06	22.24	15.30		15.69				+
	Local Channel-Dedicated-DS1-Zone 2	1			<u> </u>	70.32	177.87	154.06	22.24	15.30		15.69				+
	Local Channel-Dedicated-DS1-Zone 3		+		<u> </u>	190.68	177.87	154.06	22.24	15.30	1	15.69	1			†
	Interoffice Transport-Dedicated-DS1 Per mi				1	0.3415		104.00		10.00		10.00				1
	Interoffice Transport-Dedicated-DS1 Per Facility Term					77.14	89.47	81.99	16.39	14.48		15.69				1
CALLING NA	ME (CNAM) SERVICE															1
	CNAM For DB Owners-Service Establishment			OQV			23.00	23.00	21.15	21.15		15.69				
	CNAM For Non DB Owners-Service Establishment			OQV			23.00	23.00	21.15	21.15		15.69				
	CNAM For DB Owners-Service Provisioning With Point Code															
	Establishment			OQV			993.09	734.47	269.53	198.18		15.69				
	CNAM For Non DB Owners-Service Provisioning With Point Code			001/			0.40.00	0.45.00	075.07	400.40		45.00				
	Establishment CNAM for DB Owners, Per Query			OQV OQV		0.0010433	343.09	245.69	275.87	198.18		15.69				+
	CNAM for Non DB Owners, Per Query			OQV		0.0010433		-					-			+
LNP Query S				OQV		0.0010433		1								+
Livi Query C	LNP Charge Per query					0.0008837										+
	LNP Service Establishment Manual					0.0000007	25.09	25.09	23.07	23.07		15.69				†
	LNP Service Provisioning with Point Code Establishment						594.82	303.88	269.53	198.18		15.69				1
OPERATOR	CALL PROCESSING															1
	Oper Call Processing-Oper Provided, Per min-Using BST LIDB					1.20										
	Oper Call Processing-Oper Provided, Per min-Using Foreign LIDB					1.24										
	Oper Call Processing-Fully Automated, per Call-Using BST LIDB					0.20										_
	Oper Call Processing-Fully Automated, per Call-Using Foreign LIDB					0.20										
INWARD OP	ERATOR SERVICES															
	Inward Oper Services-Verification, Per min Inward Oper Services-Verification & Emergency Interrupt-Per min					1.15 1.15		1								+
PRANDING	OPERATOR CALL PROCESSING					1.15										+
	ty based CLEC	<b>!</b>	$\vdash$					<del> </del>			1	1	1		1	+
racili	Recording of Custom Branded OA Announcement		+		CBAOS		7,000.00	7,000.00			1	15.69	1			†
	Loading of Custom Branded OA Announcement per shelf/NAV per OCN				CBAOL		500.00	500.00				15.69				†
UNEP	CLEC											1				1
	Recording of Custom Branded OA Announcement						7,000.00	7,000.00				15.69				
	Loading of Custom Branded OA Announcement per shelf/NAV per OCN						500.00	500.00				15.69				
Unbra	inding via OLNS for UNEP CLEC		Щ													
	Loading of OA per OCN (Regional)	<u> </u>	$\sqcup$				1,200.00	1,200.00				15.69				1
	ASSISTANCE SERVICES	<u> </u>									1	<u> </u>				<del>                                     </del>
DIRE	CTORY ASSISTANCE ACCESS SERVICE	<u> </u>	$\vdash$			0.075		<del>                                     </del>			1	1	-		1	<del>                                     </del>
DIDE	Directory Assistance Access Service Calls, Charge Per Call CTORY ASSISTANCE CALL COMPLETION ACCESS SERVICE (DACC)	1	$\vdash$		_	0.275		<del>                                     </del>			-	-	<del>                                     </del>		-	+
DIKE	Directory Assistance Call Completion Access Service (DACC)	<b>!</b>	$\vdash$			-		<del> </del>			1	1	1		1	+
	Attempt					0.10		1								
DIRECTORY	ASSISTANCE SERVICES	<u> </u>	$\vdash$		-	0.10		<b>-</b>			1	<del>                                     </del>	<del>                                     </del>		1	+
	CTORY ASSISTANCE DATA BASE SERVICE (DADS)	<u> </u>						1								+
	Directory Assistance Data Base Service Charge Per Listing				1	0.04		1				1				1
	Directory Assistance Data Base Service, per mo				DBSOF	150.00										
BRANDING -	DIRECTORY ASSISTANCE															
Facili	ty Based CLEC															

ONROND	LED NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	USOC		F	RATES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitte d Manually per LSR	al Charge Manual Svc Order vs.	Manual Svc Order vs. Electronic-	Manual Svc Order vs.	al Charge Manual Svc Order vs. Electronic
						_	Nonrec	urring	NRC Disco	nnect		l	OSS	Rates (\$)	Dicc 1et	Diec Add'l
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
	Recording & Provisioning of DA Custom Branded Announcement			AMT	CBADA		3,000.00	3,000.00				15.69				
	Loading of Custom Branded Announcement per Switch per OCN			AMT	CBADC		1,170.00	1,170.00				15.69				
UNE	PCLEC						,									
	Recording of DA Custom Branded Announcement						3,000.00	3,000.00				15.69				
	Loading of DA Custom Branded Announcement per Switch per OCN						1,170.00	1,170.00				15.69				
Unbr	anding via OLNS for UNEP CLEC															
	Loading of DA per OCN (1 OCN per Order)						420.00	420.00				15.69				
	Loading of DA per Switch per OCN						16.00	16.00				15.69				
SELECTIVE			<u> </u>													
	Selective Routing Per Unique Line Class Code Per Request Per Switch		<u> </u>		USRCR		84.89	84.89	14.14	14.14		15.69				Ļ
VIRTUAL C	OLLOCATION		<u> </u>		L											<b></b>
	Virtual Collocation-2W Cross Connects (Loop) for Line Splitting	<u> </u>	<u> </u>	UEPSR,UEPSB	VE1LS	0.0317	12.32	11.83	6.04	5.45		15.69				<del> </del>
PHYSICAL	COLLOCATION  Tolerania de Callacation (IV) Consequents (I anno 16 a laine Callistin a	<u> </u>	<del>                                     </del>	LIEDOD LIEDOS	DETTO	0.004:	10.0-		2.2.			45.00				<del>                                     </del>
AIN 05: 50	Physical Collocation-2W Cross Connects (Loop) for Line Splitting	-	<b>├</b>	UEPSR,UEPSB	PE1LS	0.0341	12.32	11.83	6.04	5.45		15.69				<del>                                     </del>
AIN SELEC	TIVE CARRIER ROUTING	-	1	000	CDCCC		101 001 01	101 001 01	0.000.05	0.000.07	1	45.00				<del>                                     </del>
	Regional Service Establishment	1	-	SRC	SRCEC		101,324.34	101,324.34	8,609.85	8,609.85		15.69				<del> </del>
	End Office Establishment	1	-	SRC	SRCEO	0.0005000	175.66	175.66	1.70	1.70		15.69				<del> </del>
AIN DELL	Query NRC, per query SOUTH AIN SMS ACCESS SERVICE	1	-	SRC		0.0035036										<del> </del>
AIN - BELLS	AIN SMS Access Service Establishment, Per State, Initial Setup	1	<u> </u>	A1N	CAMSE		39.53	39.53	40.78	40.78		15.69				<b>_</b>
	AIN SMS Access Service-Service Establishment, Per State, Initial Setup	1		A1N A1N	CAMDP		7.85	7.85	9.11	9.11		15.69				<del>                                     </del>
	AIN SMS Access Service-Port Connection-Diai/Shared Access AIN SMS Access Service-Port Connection-ISDN Access	1		A1N A1N	CAM1P		7.85	7.85	9.11	9.11		15.69				<del>                                     </del>
	AIN SMS Access Service-Port Conflection-ISDN Access AIN SMS Access Service-User Identification Codes-Per User ID Code	1		A1N A1N	CAMAU		35.08	35.08	27.12	27.12		15.69				<del>                                     </del>
	AIN SMS Access Service-Oser Identification Codes-Per Oser ID Code AIN SMS Access Service-Security Card, Per User ID Code, Initial or	<u> </u>		AIN	CAIVIAU		33.00	33.00	21.12	21.12		13.09				<del> </del>
	Replacement			A1N	CAMRC		41.98	41.98	11.74	11.74		15.69				
	AIN SMS Access Service-Storage, Per Unit (100 Kilobytes)	1		AIN	OAWING	0.0027	41.50	41.30	11.74	11.74		10.00				<del> </del>
	AIN SMS Access Service-Session, Per min	1				0.7121										1
	AIN SMS Access Service-Company Performed Session, Per min					0.8364										
AIN - BELLS	SOUTH AIN TOOLKIT SERVICE															1
	AIN Toolkit Service-Service Establishment Charge, Per State, Initial Setup			CAM	BAPSC		39.53	39.53	40.78	40.78		15.69				
	AIN Toolkit Service-Training Session, Per Customer				BAPVX		4,211.54	4,211.54	0.00	0.00		15.69				
	AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, Term.						·	·								
	Attempt				BAPTT		7.85	7.85	9.11	9.11		15.69				
	AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, Off-Hook															
	Delay		<u> </u>		BAPTD		7.85	7.85	9.11	9.11		15.69				<u> </u>
	AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, Off-Hook															
	Immediate				BAPTM		7.85	7.85	9.11	9.11		15.69				<u> </u>
	AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, 10-Digit															
	PODP		<u> </u>		BAPTO		34.54	34.54	14.39	14.39		15.69				<b></b>
	AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, CDP	<u> </u>	<u> </u>		BAPTC		34.54	34.54	14.39	14.39		15.69				<del></del>
	AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, Feature		1													
	Code		<u> </u>		BAPTF		34.54	34.54	14.39	14.39		15.69				<b>↓</b>
	AIN Toolkit Service-Query Charge, Per Query	1	<u> </u>			0.0558238										<b>↓</b>
	AIN Toolkit Service-Type 1 Node Charge, Per AIN Toolkit Subscription,		1			0.000004.4						1				
	Per Node, Per Query		1		1	0.0069214										<del> </del>
	AIN Toolkit Service-SCP Storage Charge, Per SMS Access Account, Per 100 Kilobytes		1			0.07						1				
	AIN Toolkit Service-moly report-Per AIN Toolkit Service Subscription	1	1	CAM	BAPMS	11.87	7.85	7.85	5.52	5.52	-	15.69				+
	AIN Toolkit Service-moly report-Per AIN Toolkit Service Subscription  AIN Toolkit Service-Special Study-Per AIN Toolkit Service Subscription	1	1	CAM	BAPLS	3.51	8.68	8.68	5.52	5.52	-	15.69				+
	And Toolkit Service-Special Study-Fer Ally Toolkit Service Subscription	1	1	CAIVI	DAPLO	3.51	80.0	80.0			-	15.09				+
	AIN Toolkit Service-Call Event Report-Per AIN Toolkit Service Subscription	J	1	CAM	BAPDS	8.48	7.85	7.85	5.52	5.52		15.69				
_	AIN Toolkit Service-Call Event Report-Per AIN Toolkit Service Subscription AIN Toolkit Service-Call Event Special Study-Per AIN Toolkit Service	+	<b>-</b>	CAIVI	DAFUS	0.48	1.83	1.85	ა.ა∠	0.52		15.69				$\vdash$
	Subscription		1	CAM	BAPES	0.12	8.68	8.68				15.69				
ENHANCE	EXTENDED LINK (EELs)	1	<del>                                     </del>	O/ tivi	5,11 20	0.12	5.00	0.00				10.00				<del>                                     </del>
	E: The monthly recurring and non-recurring charges below will apply ar	d the S	Switch	n-As-Is Charge will no	ot apply for	EELs provision	ned as ' Ordina	arily Combined	' Network F	lements.						1
	E: The monthly recurring and the Switch-As-Is Charge and not the non-r										<b>†</b>	<b>!</b>	-			1
INOT	<b>:</b> : The monthly recurring and the Switch-As-is Charge and not the non-r	ecurrir	IU CII	ardes below will anni	V TOF EELS	provisioned as	· Currently Co	mpinea: Netw	ork Elements	5.						

ивиии	LED NETWORK ELEMENTS - South Carolina										_			ment: 2		bit: B
TEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	usoc		F	RATES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitte d Manually per LSR	al Charge Manual Svc Order vs.	Increment al Charge - Manual Svc Order vs. Electronic-	Increment al Charge - Manual Svc Order vs. Electronic-	al Charge Manual Svc Orde vs.
						Rec	Nonrec	urring	NRC Disco	nnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
2-WI	RE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFF	ICE TR	RANSF	PORT (EEL)												
	First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone															
	1		1	UNCVX	UEAL2	16.68	105.98	68.43	53.05	10.61		15.69				
	First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone															
	2		2	UNCVX	UEAL2	23.13	105.98	68.43	53.05	10.61		15.69				
	First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone															
	3		3	UNCVX	UEAL2	28.46	105.98	68.43	53.05	10.61		15.69				
	Interoffice Transport-Dedicated-DS1 combination-Per mi per mo			UNC1X	1L5XX	0.27										
	Interoffice Transport-Dedicated-DS1 combination-Facility Term per mo			UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48		15.69				
	DS1 Channelization System Per mo			UNC1X	MQ1	107.57	91.24	62.71	10.56	9.81		15.69				
	VG COCI-DS1 To Ds0 Interface-Per mo			UNCVX	1D1VG	0.56	6.59	4.73				15.69				
	Each Add'l 2W VG Loop(SL 2) in the same DS1 Interoffice Transport															
	Combination-Zone 1		1	UNCVX	UEAL2	16.68	105.98	68.43	53.05	10.61		15.69				
	Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport															
	Combination-Zone 2		2	UNCVX	UEAL2	23.13	105.98	68.43	53.05	10.61		15.69				
	Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport															
	Combination-Zone 3		3	UNCVX	UEAL2	28.46	105.98	68.43	53.05	10.61		15.69				
	VG COCI-DS1 to DS0 Channel System combination-per mo			UNCVX	1D1VG	0.56	6.59	4.73				15.69				
	NRC Currently Combined Network Elements Switch -As-Is Charge	<u> </u>		UNC1X	UNCCC		5.61	5.61	7.00	7.00		15.69				
4-WI	RE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFF	ICE TR	RANSF	PORT (EEL)												
	First 4W Analog VG Loop in a DS1 Interoffice Transport Combination -															
_	Zone 1		1	UNCVX	UEAL4	32.59	132.38	94.83	59.35	14.61		15.69				
	First 4W Analog VG Loop in a DS1 Interoffice Transport Combination -															
	Zone 2		2	UNCVX	UEAL4	43.89	132.38	94.83	59.35	14.61		15.69				
	First 4W Analog VG Loop in a DS1 Interoffice Transport Combination -															
_	Zone 3		3	UNCVX	UEAL4	43.38	132.38	94.83	59.35	14.61		15.69				
	Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo			UNC1X	1L5XX	0.27	00.47	04.00	40.00	44.40	ļ	45.00				
	Interoffice Transport-Dedicated-DS1-Facility Term Per mo			UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48	ļ	15.69				
_	Channelization-Channel System DS1 to DS0 combination Per mo			UNC1X	MQ1	107.57	91.24	62.71	10.56	9.81	ļ	15.69				
	VG COCI-DS1 to DS0 Channel System combination-per mo			UNCVX	1D1VG	0.56	6.59	4.73			ļ	15.69				
	Add'l 4W Analog VG Loop in same DS1 Interoffice Transport Combination	1-	1	LINOVA	115414	00.50	400.00	04.00	50.05	44.04		45.00				
_	Zone 1 Add'l 4W Analog VG Loop in same DS1 Interoffice Transport Combination		1	UNCVX	UEAL4	32.59	132.38	94.83	59.35	14.61		15.69				
	· ·	1-	2	UNCVX	LIEALA	43.89	132.38	94.83	59.35	11.01		45.00				
_	Zone 2		2	UNCVX	UEAL4	43.69	132.36	94.63	59.35	14.61		15.69				<del></del>
	Add'l 4W Analog VG Loop in same DS1 Interoffice Transport Combination	1-	3	UNCVX	UEAL4	43.38	132.38	94.83	59.35	14.61		15.69				
_	Zone 3	-	3	UNCVX	1D1VG	0.56			59.35	14.61		15.69				
_	VG COCI-DS1 to DS0 Channel System combination-per mo NRC Currently Combined Network Elements Switch -As-Is Charge	-	1	UNC1X	UNCCC	0.56	6.59 5.61	4.73 5.61	7.00	7.00		15.69				
4-10/1	RE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTERC	EEICE	TDAN		UNCCC		10.0	5.01	7.00	7.00		15.69				
4-441	First 4W 56Kbps Digital Grade Loop in a DS1 Interoffice Transport	FFICE	IKAN	NOPORT (EEL)	+											
	Combination-Zone 1		1	UNCDX	UDL56	29.93	126.66	89.12	59.35	14.61		15.69				
-	First 4W 56Kbps Digital Grade Loop in a DS1 Interoffice Transport	<del>                                     </del>	+ +	ONODA	ODLJU	23.33	120.00	09.12	39.33	14.01	<del>                                     </del>	13.09				<b>†</b>
	Combination-Zone 2		2	UNCDX	UDL56	33.99	126.66	89.12	59.35	14.61		15.69				
-	First 4W 56Kbps Digital Grade Loop in a DS1 Interoffice Transport	<del>                                     </del>		ONODA	ODLJU	33.33	120.00	09.12	39.33	14.01	<del>                                     </del>	13.09				<b>†</b>
	Combination-Zone 3		3	UNCDX	UDL56	34.74	126.66	89.12	59.35	14.61		15.69				
	Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo	<del>                                     </del>		UNC1X	1L5XX	0.27	120.00	00.12	00.00	14.01		10.00				
1	Interoffice Transport-Dedicated-DS1-combination Facility Term Per mo	<b>†</b>	1	UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48		15.69				
	Channelization-Channel System DS1 to DS0 combination Per mo	<b>†</b>	1	UNC1X	MQ1	107.57	91.24	62.71	10.56	9.81		15.69				1
	OCU-DP COCI (data)-DS1 to DS0 Channel System-per mo (2.4-64kbs)	<b>†</b>	1	UNCDX	1D1DD	1.19	6.59	4.73	10.00	5.51		15.69				
	Add'I 4W 56Kbps Digital Grade loop in same DS1 Interoffice Transport	<b>†</b>	1	JUD/		1.13	0.00	4.70				.0.00				
	Combination-Zone 1		1	UNCDX	UDL56	29.93	126.66	89.12	59.35	14.61		15.69				
	Add'l 4W 56Kbps Digital Grade loop in same DS1 Interoffice Transport		rit	200/1		20.00		302	30.00							1
	Combination-Zone 2		2	UNCDX	UDL56	33.99	126.66	89.12	59.35	14.61		15.69				
1	Add'l 4W 56Kbps Digital Grade loop in same DS1 Interoffice Transport	1														
	Combination-Zone 3		3	UNCDX	UDL56	34.74	126.66	89.12	59.35	14.61		15.69				
	OCU-DP COCI (data)-DS1 to DS0 Channel System-combination per mo															
1	(2.4-64kbs)	1	1 1	UNCDX	1D1DD	1.19	6.59	4.73				15.69				

ивоир	LED NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	bit: B
ATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	usoc		F	RATES (\$)			Svc Order Submitte d Elec per LSR	d	al Charge Manual Svc Order vs.	Manual	Increment al Charge - Manual Svc Order vs. Electronic-	al Charg Manua Svc Ord vs.
						Rec	Nonrec	urring	NRC Disco	onnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		5.61	5.61	7.00	7.00		15.69				
4-WII	RE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTERO	FFICE	TRA	NSPORT (EEL)												
	First 4W 64Kbps Digital Grade Loop in a DS1 Interoffice Transport			, ,												
	Combination-Zone 1		1	UNCDX	UDL64	29.93	126.66	89.12	59.35	14.61		15.69				
	First 4W 64Kbps Digital Grade Loop in a DS1 Interoffice Transport															1
	Combination-Zone 2		2	UNCDX	UDL64	33.99	126.66	89.12	59.35	14.61		15.69				
	First 4W 64Kbps Digital Grade Loop in a DS1 Interoffice Transport															1
	Combination-Zone 3		3	UNCDX	UDL64	34.74	126.66	89.12	59.35	14.61		15.69				
	Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo			UNC1X	1L5XX	0.27										
	Interoffice Transport-Dedicated-DS1 combination-Facility Term Per mo			UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48		15.69				
	Channelization-Channel System DS1 to DS0 combination Per mo			UNC1X	MQ1	107.57	91.24	62.71	10.56	9.81		15.69				
	OCU-DP COCI (data)-DS1 to DS0 Channel System combination-per mo							-								
	(2.4-64kbs)			UNCDX	1D1DD	1.19	6.59	4.73				15.69				
	Add'l 4W 64Kbps Digital Grade loop in same DS1 Interoffice Transport															
	Combination-Zone 1		1	UNCDX	UDL64	29.93	126.66	89.12	59.35	14.61		15.69				
	Add'l 4W 64Kbps Digital Grade loop in same DS1 Interoffice Transport															
	Combination-Zone 2		2	UNCDX	UDL64	33.99	126.66	89.12	59.35	14.61		15.69				
	Add'l 4W 64Kbps Digital Grade loop in same DS1 Interoffice Transport															<b>†</b>
	Combination-Zone 3		3	UNCDX	UDL64	34.74	126.66	89.12	59.35	14.61		15.69				
	OCU-DP COCI (data)-DS1 to DS0 Channel System combination-per mo															
	(2.4-64kbs)			UNCDX	1D1DD	1.19	6.59	4.73				15.69				
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		5.61	5.61	7.00	7.00		15.69				
4-WII	RE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INTEROFFIC	E TRA	ANSP	ORT (EEL)												
	4W DS1 Digital Loop in Combination with DS1 Interoffice Transport-Zone			1												
	1		1	UNC1X	USLXX	90.87	253.03	157.89	44.80	11.73		15.69				
	4W DS1 Digital Loop in Combination with DS1 Interoffice Transport-Zone			0.10		7,0,0										1
	2		2	UNC1X	USLXX	155.43	253.03	157.89	44.80	11.73		15.69				
	4W DS1 Digital Loop in Combination with DS1 Interoffice Transport-Zone															
	3		3	UNC1X	USLXX	261.89	253.03	157.89	44.80	11.73		15.69				
	Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo			UNC1X	1L5XX	0.27										
	Interoffice Transport-Dedicated-DS1 combination-Facility Term Per mo			UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48		15.69				
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		5.61	5.61	7.00	7.00		15.69				
4-WII	RE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFIC	E TRA	NSP	ORT (EEL)												1
	First DS1Loop in DS3 Interoffice Transport Combination-Zone 1		1	UNC1X	USLXX	90.87	253.03	157.89	44.80	11.73		15.69				1
	First DS1Loop in DS3 Interoffice Transport Combination-Zone 2		2	UNC1X	USLXX	155.43	253.03	157.89	44.80	11.73		15.69				1
	First DS1Loop in DS3 Interoffice Transport Combination-Zone 3		3	UNC1X	USLXX	261.89	253.03	157.89	44.80	11.73		15.69				1
	Interoffice Transport-Dedicated-DS3 combination-Per mi Per mo			UNC3X	1L5XX	6.42				-						
	Interoffice Transport-Dedicated-DS3-Facility Term per mo			UNC3X	U1TF3	704.52	279.37	163.12	60.33	58.59		15.69				
	DS3 to DS1 Channel System combination per mo			UNC3X	MQ3	144.02	178.54	94.18	33.33	31.90		15.69				
	DS3 Interface Unit (DS1 COCI) combination per mo			UNC1X	UC1D1	8.64	6.59	4.73				15.69				
	Add'l DS1Loop in DS3 Interoffice Transport Combination-Zone 1		1	UNC1X	USLXX	90.87	253.03	157.89	44.80	11.73		15.69				
	Add'l DS1Loop in DS3 Interoffice Transport Combination-Zone 2		2	UNC1X	USLXX	155.43	253.03	157.89	44.80	11.73		15.69				
	Add'l DS1Loop in DS3 Interoffice Transport Combination-Zone 3		3	UNC1X	USLXX	261.89	253.03	157.89	44.80	11.73		15.69				
	DS3 Interface Unit (DS1 COCI) combination per mo			UNC1X	UC1D1	8.64	6.59	4.73				15.69				
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC3X	UNCCC		5.61	5.61	7.00	7.00		15.69				
2-WII	RE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GRADE INTEROFFI	CE TR	RANS	PORT (EEL)												
	2WVG Loop used with 2W VG Interoffice Transport Combination-Zone 1		1	UNCVX	UEAL2	16.68	105.98	68.43	53.05	10.61		15.69				
	2WVG Loop used with 2W VG Interoffice Transport Combination-Zone 2		2	UNCVX	UEAL2	23.13	105.98	68.43	53.05	10.61		15.69				
	2WVG Loop used with 2W VG Interoffice Transport Combination-Zone 3		3	UNCVX	UEAL2	28.46	105.98	68.43	53.05	10.61		15.69				
	Interoffice Transport-Dedicated-2W VG combination-Per mi Per mo			UNCVX	1L5XX	0.0134										
	Interoffice Transport-Dedicated-2W VG combination-Facility Term per mo			UNCVX	U1TV2	19.44	40.63	27.47	16.77	6.91		15.69				
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNCVX	UNCCC		5.61	5.61	7.00	7.00		15.69				
4-WII	RE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRADE INTEROFFI	CE TR						-								
	4WVG Loop used with 4W VG Interoffice Transport Combination-Zone 1		1	UNCVX	UEAL4	32.59	132.38	94.83	59.35	14.61		15.69				
	4WVG Loop used with 4W VG Interoffice Transport Combination-Zone 2		2	UNCVX	UEAL4	43.89	132.38	94.83	59.35	14.61		15.69				
	4WVG Loop used with 4W VG Interoffice Transport Combination-Zone 3		3	UNCVX	UEAL4	43.38	132.38	94.83	59.35	14.61		15.69				
	Interoffice Transport-Dedicated-4W VG combination-Per mi Per mo			UNCVX	1L5XX	0.0134				1		1				

UNBUND	LED NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	usoc		F	RATES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitte d Manually per LSR	al Charge Manual Svc Order vs.	Increment al Charge - Manual Svc Order vs. Electronic-	Increment al Charge Manual Svc Order vs. Electronic	Manual Svc Order vs.
						Rec	Nonrec	urring	NRC Disco	nnect			OSS	Rates (\$)		
							First	Add'l	First	Add'l	SOMEC		SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport-Dedicated-4W VG combination-Facility Term per mo			UNCVX	U1TV4	17.03	40.63	27.47	16.77	6.91		15.69				
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNCVX	UNCCC		5.61	5.61	7.00	7.00		15.69				<u> </u>
DS3	DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFICE TRAN	SPOR	T (EE													
	High Capacity Unbundled Local Loop-DS3 combination-Per mi per mo			UNC3X	1L5ND	12.26										
	High Capacity Unbundled Local Loop-DS3 combination-Facility Term per			1111001	LIEODY.		450.50	004.50	440.75	00 ==		45.00				
-	mo			UNC3X	UE3PX 1L5XX	306.36	452.52	264.53	119.75	83.77		15.69	1			+
<del></del>	Interoffice Transport-Dedicated-DS3-Per mi per mo Interoffice Transport-Dedicated-DS3 combination-Facility Term per mo			UNC3X UNC3X	U1TF3	6.42 704.52	279.37	163.12	60.33	58.59		15.69	1		-	+
<del></del>	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC3X	UNCCC	704.52	5.61	5.61	7.00	7.00		15.69	1		-	+
STS	DIGITAL EXTENDED LOOP WITH DEDICATED STS1 INTEROFFICE TRA	ANSP	ORT (		UNCCC		3.01	5.01	7.00	7.00		13.03				+
313	High Capacity Unbundled Local Loop-STS1 combination-Per mi per mo	1435	<u> </u>	UNCSX	1L5ND	12.26							<b> </b>			+
	High Capacity Unbundled Local Loop-STS1 combination-Facility Term per	<u> </u>		01100/	120110	12.20										<b>—</b>
	mo			UNCSX	UDLS1	313.49	452.52	264.53	119.75	83.77		15.69				
	Interoffice Transport-Dedicated-STS1 combination-Per mi per mo			UNCSX	1L5XX	6.42	.02.02	2000		30.77						
	Interoffice Transport-Dedicated-STS1 combination-Facility Term per mo			UNCSX	U1TFS	704.44	279.37	163.12	60.33	58.59		15.69				1
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNCSX	UNCCC		5.61	5.61	7.00	7.00		15.69				1
2-WI	RE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPORT (EEL)															
	First 2W ISDN Loop in a DS1 Interoffice Combination Transport-Zone 1		1	UNCNX	U1L2X	25.21	117.58	80.03	53.05	10.61		15.69				
	First 2W ISDN Loop in a DS1 Interoffice Combination Transport-Zone 2		2	UNCNX	U1L2X	32.76	117.58	80.03	53.05	10.61		15.69				
	First 2W ISDN Loop in a DS1 Interoffice Combination Transport-Zone 3		3	UNCNX	U1L2X	37.70	117.58	80.03	53.05	10.61		15.69				
	Interoffice Transport-Dedicated-DS1 combination-Per mi			UNC1X	1L5XX	0.27										
	Interoffice Transport-Dedicated-DS1 combintion-Facility Term per mo			UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48		15.69				
	Channelization-Channel System DS1 to DS0 combination-per mo			UNC1X	MQ1	107.57	91.24	62.71	10.56	9.81		15.69				
	2W ISDN COCI (BRITE)-DS1 to DS0 Channel System combination-per			UNCNX	UC1CA	2.56	6.59	4.73				15.69				
	Add'l 2W ISDN Loop in same DS1 interoffice Transport Combination-Zone		1	UNCNX	U1L2X	25.21	117.58	80.03	53.05	10.61		15.69				
	Add'l 2W ISDN Loop in same DS1 interoffice Transport Combination-Zone 2		2	UNCNX	U1L2X	32.76	117.58	80.03	53.05	10.61		15.69				
	Add'I 2W ISDN Loop in same DS1 interoffice Transport Combination-Zone			LINGLIN	1141.00	07.70	447.50	00.00	50.05	40.04		45.00				
-	3		3	UNCNX	U1L2X	37.70	117.58	80.03	53.05	10.61		15.69				
-	2W ISDN COCI (BRITE)-DS1 to DS0 Channel System combintaion-per			UNCNX	UC1CA UNCCC	2.56	6.59 5.61	4.73	7.00	7.00		15.69	1			+
4-10/1	NRC Currently Combined Network Elements Switch -As-Is Charge RE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 INTEROFF	ICE T	DANG	UNC1X	UNCCC		5.01	5.61	7.00	7.00		15.69	1			+
4-441	First DS1 Loop in STS1 Interoffice Transport Combination-Zone 1	ICL I	1	UNC1X	USLXX	90.87	253.03	157.89	44.80	11.73		15.69				+
	First DS1 Loop in STS1 Interoffice Transport Combination-Zone 2		2	UNC1X	USLXX	155.43	253.03	157.89	44.80	11.73		15.69				+
	First DS1 Loop in STS1 Interoffice Transport Combination-Zone 3		3	UNC1X	USLXX	261.89	253.03	157.89	44.80	11.73		15.69				<b>†</b>
	Interoffice Transport-Dedicated-STS1 combination-Per mi Per mo			UNCSX	1L5XX	6.42	_00.00	.000	0							<b>†</b>
	Interoffice Transport-Dedicated-STS1 combination-Facility Term			UNCSX	U1TFS	704.44	279.37	163.12	60.33	58.59		15.69				1
	STS1 to DS1 Channel System conbination per mo			UNCSX	MQ3	144.02	178.54	94.18	33.33	31.90		15.69				
	DS3 Interface Unit (DS1 COCI) combination per mo			UNC1X	UC1D1	8.64	6.59	4.73				15.69				
	Add'l DS1Loop in STS1 Interoffice Transport Combination-Zone 1		1	UNC1X	USLXX	90.87	253.03	157.89	44.80	11.73		15.69				
	Add'l DS1Loop in STS1 Interoffice Transport Combination-Zone 2		2	UNC1X	USLXX	155.43	253.03	157.89	44.80	11.73		15.69				
	Add'l DS1Loop in STS1 Interoffice Transport Combination-Zone 3		3	UNC1X	USLXX	261.89	253.03	157.89	44.80	11.73		15.69				
	DS3 Interface Unit (DS1 COCI) combination per mo			UNC1X	UC1D1	8.64	6.59	4.73				15.69				
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNCSX	UNCCC		5.61	5.61	7.00	7.00		15.69				
4-WI	RE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS INTEROFFICE T	RANS	PORT	(EEL)												
	4W 56 kbps Loop/4W 56 kbps Interoffice Transport Combination-Zone 1		1	UNCDX	UDL56	29.93	126.66	89.12	59.35	14.61		15.69				
	4W 56 kbps Loop/4W 56 kbps Interoffice Transport Combination-Zone 2		2	UNCDX	UDL56	33.99	126.66	89.12	59.35	14.61		15.69				<u> </u>
	4W 56 kbps Loop/4W 56 kbps Interoffice Transport Combination-Zone 3		3	UNCDX	UDL56	34.74	126.66	89.12	59.35	14.61		15.69				<u> </u>
$\vdash \vdash$	Interoffice Transport-Dedicated-4W 56 kbps combination-Per mi			UNCDX	1L5XX	0.0134										+
	Interoffice Transport-Dedicated-4W 56 kbps combination-Facility Term	<b> </b>		UNCDX	U1TD5	13.41	40.63	27.47	16.77	6.91		15.69	<u> </u>			<del></del>
	NRC Currently Combined Network Elements Switch -As-Is Charge	<u> </u>		UNCDX	UNCCC		5.61	5.61	7.00	7.00	ļ	15.69	<u> </u>			
4-WI	RE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTEROFFICE T	KANS	PORT	(EEL)									<u> </u>			1

NBUND	LED NETWORK ELEMENTS - South Carolina													ment: 2		bit: B
TEGORY	/ RATE ELEMENTS	Interi m	i Zon e	BCS	USOC		ı	RATES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitte d Manually per LSR	al Charge Manual Svc Order vs.	Increment al Charge - Manual Svc Order vs. Electronic-	Increment al Charge - Manual Svc Order vs. Electronic-	al Charge Manual Svc Orde vs.
						Rec	Nonrec		NRC Disco	nnect				Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4W 64 kbps Loop/4W 64 kbps Interoffice Transport Combination-Zone 1		1	UNCDX	UDL64	29.93	126.66	89.12	59.35	14.61		15.69				
	4W 64 kbps Loop/4W 64 kbps Interoffice Transport Combination-Zone 2		2	UNCDX	UDL64	33.99	126.66	89.12	59.35	14.61		15.69				
	4W 64 kbps Loop/4W 64 kbps Interoffice Transport Combination-Zone 3		3	UNCDX	UDL64	34.74	126.66	89.12	59.35	14.61		15.69				
	Interoffice Transport-Dedicated-4W 64 kbps combination-Per mi			UNCDX	1L5XX	0.0134										
	Interoffice Transport-Dedicated-4W 64 kbps combination-Facility Term			UNCDX	U1TD6	13.41	40.63	27.47	16.77	6.91		15.69				
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNCDX	UNCCC		5.61	5.61	7.00	7.00		15.69				
	L NETWORK ELEMENTS															
	n used as a part of a currently combined facility, the non-recurrng charg															
	n used as ordinarily combined network elements in All States, the non-re					Charge does n	ot.									
Nonr	recurring Currently Combined Network Elements "Switch As Is" Charge	(One a	applie	es to each combination	on)											
	NRC Currently Combined Network Elements Switch -As-Is Charge-															
	2W/4W VG			UNCVX	UNCCC		5.61	5.61	7.00	7.00		15.69				
	NRC Currently Combined Network Elements Switch -As-Is Charge-56/64															
	kbps			UNCDX	UNCCC		5.61	5.61	7.00	7.00		15.69				
	NRC Currently Combined Network Elements Switch -As-Is Charge-DS1			UNC1X	UNCCC		5.61	5.61	7.00	7.00		15.69				
	NRC Currently Combined Network Elements Switch -As-Is Charge-DS3			UNC3X	UNCCC		5.61	5.61	7.00	7.00		15.69				
	NRC Currently Combined Network Elements Switch -As-Is Charge-STS1			UNCSX	UNCCC		5.61	5.61	7.00	7.00		15.69				
NOT	E: Local Channel - Dedicated Transport - minimum billing period - Below	DS3=	one i													
	Local Channel-Dedicated-2W VG			UNCVX	ULDV2	15.33	193.53	33.24	36.72	3.21		15.69				
	Local Channel-Dedicated-4W VG			UNCVX	ULDV4	16.54	193.97	33.68	37.19	3.68		15.69				
	Local Channel-Dedicated-DS1 per mo Zone 1		1	UNC1X	ULDF1	42.62	177.87	154.06	22.24	15.30		15.69				
	Local Channel-Dedicated -DS1 Per mo Zone 2		2	UNC1X	ULDF1	70.32	177.87	154.06	22.24	15.30		15.69				
	Local Channel-Dedicated-DS1-Per mo Zone 3		3		ULDF1	190.68	177.87	154.06	22.24	15.30		15.69				
	Local Channel-Dedicated-DS3-Per mi per mo		<u> </u>	UNC3X	1L5NC	11.93										
	Local Channel-Dedicated-DS3-Facility Term		<u> </u>	UNC3X	ULDF3	446.00	452.52	264.53	119.75	83.77		15.69				
	Local Channel-Dedicated-STS-1-Per mi per mo		<u> </u>	UNCSX	1L5NC	11.93										
	Local Channel-Dedicated-STS-1 -Facility Term			UNCSX	ULDFS	435.10	452.52	264.53	119.75	83.77		15.69				
	TIPLEXERS															
	E: minimum billing period is one month for DS1 to DS0 Channel System															
NOT	E: minimum billing period is three months for DS3 to DS1 and above Cha	annel S	Syste													
_	Channelization-DS1 to DS0 Channel System	<u> </u>	<u> </u>	UXTD1	MQ1	107.57	91.24	62.71	10.56	9.81	ļ	15.69				<b> </b>
	OCU-DP COCI (data)-DS1 to DS0 Channel System-per mo (2.4-64kbs)		<u> </u>	UDL	1D1DD	1.19	6.59	4.73				15.69				
	2W ISDN COCI (BRITE)-DS1 to DS0 Channel Systsem-per mo	<u> </u>	<u> </u>	UDN	UC1CA	2.56	6.59	4.73				15.69				<b> </b>
	VG COCI-DS1 to DS0 Channel System-per mo	<u> </u>	1	UEA	1D1VG	0.56	6.59	4.73			<u> </u>	15.69				<del>                                     </del>
-	DS3 to DS1 Channel System per mo	<u> </u>	1	UXTD3	MQ3	144.02	178.54	94.18	33.33	31.90		15.69				<b> </b>
	STS1 to DS1 Channel System per mo	<u> </u>	1	UXTS1	MQ3	144.02	178.54	94.18	33.33	31.90		15.69				<b></b>
	DS3 Interface Unit (DS1 COCI) used with Loop per mo		-	USL	UC1D1	8.64	6.59	4.73				15.69				
	DS3 Interface Unit (DS1 COCI) used with Local Channel per mo		-	ULDD1	UC1D1	8.64	6.59	4.73				15.69				
	DS3 Interface Unit (DS1 COCI) used with Interoffice Channel per mo		<u> </u>	U1TD1	UC1D1	8.64	6.59	4.73				15.69				
Sub-	Loop Feeder		<u> </u>		L											
	Unbundled Sub-Loop Feeder Loop, 4W DS1-Zone 1	<u> </u>	1	UNC1X	USBFG	55.85	102.19	64.64	62.26	17.52						<b> </b>
	Unbundled Sub-Loop Feeder Loop, 4W DS1-Zone 2	<u> </u>	2	UNC1X	USBFG	109.16	102.19	64.64	62.26	17.52						<b> </b>
	Unbundled Sub-Loop Feeder Loop, 4W DS1-Zone 3		3	UNC1X	USBFG	203.35	102.19	64.64	62.26	17.52						
	ED LOCAL EXCHANGE SWITCHING(PORTS)	<u> </u>	1	-	1				ļ		<u> </u>					<b></b>
IEvch	nange Ports	<u> </u>	1	-	1				ļ		<u> </u>					<b> </b>
	RE VOICE GRADE LINE PORT RATES (RES)	<u> </u>	1		1,555						<u> </u>	,				<b> </b>
	Exchange Ports-2W Analog Line Port-Res.	<u> </u>	1	UEPSR	UEPRL	1.65	2.38	2.28	1.42	1.33	<u> </u>	15.69				<b> </b>
					I LIFPRC	1.65	2.38	2.28	1.42	1.33	l	15.69				1
	Exchange Ports-2W Analog Line Port with Caller ID-Res.		1	UEPSR		1.05	0.00	200	4 40	4 00		45.00				
	Exchange Ports-2W Analog Line Port with Caller ID-Res. Exchange Ports-2W Analog Line Port outgoing only-Res.			UEPSR	UEPRO	1.65	2.38	2.28	1.42	1.33		15.69				<del>                                      </del>
	Exchange Ports-2W Analog Line Port with Caller ID-Res. Exchange Ports-2W Analog Line Port outgoing only-Res. Exchange Ports-2W VG unbundled SC extended local dialing parity Port			UEPSR	UEPRO											
	Exchange Ports-2W Analog Line Port with Caller ID-Res. Exchange Ports-2W Analog Line Port outgoing only-Res.					1.65 1.65	2.38	2.28	1.42	1.33		15.69 15.69				

UNBUNDI	LED NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	bit: B
CATEGORY		Interi m	Zon e	BCS	USOC		F	RATES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitte d Manually per LSR	Increment al Charge Manual Svc Order vs.	Increment al Charge - Manual Svc Order vs. Electronic-	Increment al Charge - Manual Svc Order vs.	Increment al Charge - Manual Svc Order vs. Electronic-
$\overline{}$						_	Nonrec	urring	NRC Disco	nnect			OSS	Rates (\$)	Disc 1st	Disc Add'l
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN			SOMAN	SOMAN
	Exchange Ports-2W VG unbundled res, low usage line port with Caller ID															
	(LUM)			UEPSR	UEPAP	1.65	2.38	2.28	1.42	1.33		15.69				
	Exchange Ports-2W VG SC Res Dialing Plan w/o Caller ID			UEPSR	UEPWL	1.65	2.38	2.28	1.42	1.33		15.69				
	Fush and a Darte SWING CC Day Area Calling Blan w/o Calley ID conshibit			HEDOD	LIEDDO	4.05	2.20	0.00	4.40	4.00		45.00				
	Exchange Ports-2W VG SC Res Area Calling Plan w/o Caller ID capabilit  2W voice unbundled Low Usage Line Port w/o Caller ID Capability	/		UEPSR UEPSR	UEPRS UEPRT	1.65 1.65	2.38 2.38	2.28 2.28	1.42 1.42	1.33 1.33		15.69 15.69				
	Subsqnt Activity			UEPSR	USASC	0.00	0.00	0.00	1.42	1.33		15.69				
FEAT	TURES			OLI OIL	00/100	0.00	0.00	0.00				10.00				
	All Available Vertical Features			UEPSR	UEPVF	3.04	0.00	0.00				15.69				
2-WIF	RE VOICE GRADE LINE PORT RATES (BUS)															
	Exchange Ports-2W Analog Line Port w/o Caller ID-Bus			UEPSB	UEPBL	1.65	2.38	2.28	1.42	1.33		15.69				
	Exchange Ports-2W VG unbundled Line Port with unbundled port with															
-	Caller+E484 ID-Bus.	1		UEPSB	UEPBC	1.65	2.38	2.28	1.42	1.33		15.69				
	Exchange Ports-2W Analog Line Port outgoing only-Bus.	+		UEPSB	UEPBO	1.65	2.38	2.28	1.42	1.33	1	15.69	1	-		-
. [	Exchange Ports-2W VG unbundled SC extended local dialing parity Port with Caller ID-Bus.			UEPSB	UEPAZ	1.65	2.38	2.28	1.42	1.33		15.69				
	Exhange Ports-2W VG unbundled incoming only port with Caller ID-Bus	1		UEPSB	UEPB1	1.65	2.38	2.28	1.42	1.33		15.69				
	Exchange Ports-2W VG unbundled SC Bus Area Calling Port with Caller	1		OLI OB	OLIDI	1.00	2.50	2.20	1.42	1.00		10.00				-
	ID-Bus (LMB)			UEPSB	UEPAB	1.65	2.38	2.28	1.42	1.33		15.69				
	Exchange Ports-2W Voice SC bus Dialing Plan w/o Caller ID			UEPSB	UEPWM	1.65	2.38	2.28	1.42	1.33		15.69				
	Exchange Ports-2W Voice SC bus Area Calling Port w/o Caller ID			UEPSB	UEPBB	1.65	2.38	2.28	1.42	1.33		15.69				
	2W voice unbundled Incoming Only Port w/o Caller ID Capability			UEPSB	UEPBE	1.65	2.38	2.28	1.42	1.33		15.69				
	Subsqnt Activity			UEPSB	USASC	0.00	0.00	0.00				15.69				
FEAT	TURES															
	All Available Vertical Features			UEPSB	UEPVF	3.04	0.00	0.00				15.69				
= 101	All Available Vertical Features				UEPVF	3.04	0.00	0.00				15.69				
EXCI	HANGE PORT RATES (DID & PBX)			UEPSE	UEPRD	1.65	31.34	14.88	13.97	0.90		45.00				
	2W VG Unbundled 2-Way PBX Trunk-Res  2W VG Line Side Unbundled 2-Way PBX Trunk-Bus	+		UEPSP	UEPPC	1.65	31.34	14.88	13.97	0.90		15.69 15.69				
-+	2W VG Line Side Unbundled Outward PBX Trunk-Bus			UEPSP	UEPPO	1.65	31.34	14.88	13.97	0.90		15.69				
	2W VG Line Side Unbundled Incoming PBX Trunk-Bus			UEPSP	UEPP1	1.65	31.34	14.88	13.97	0.90		15.69				
	2W Analog Long Distance Terminal PBX Trunk-Bus			UEPSP	UEPLD	1.65	31.34	14.88	13.97	0.90		15.69				
	2W Voice Unbundled PBX LD Terminal Ports			UEPSP	UEPLD	1.65	31.34	14.88	13.97	0.90		15.69				
	2W Vice Unbundled 2-Way PBX Usage Port			UEPSP	UEPXA	1.65	31.34	14.88	13.97	0.90		15.69				
	2W Voice Unbundled PBX Toll Terminal Hotel Ports			UEPSP	UEPXB	1.65	31.34	14.88	13.97	0.90		15.69				
	2W Voice Unbundled PBX LD DDD Terminals Port			UEPSP	UEPXC	1.65	31.34	14.88	13.97	0.90		15.69				
	2W Voice Unbundled PBX LD Terminal Switchboard Port	+		UEPSP	UEPXD	1.65	31.34	14.88	13.97	0.90		15.69				
$-\!\!\!\!\!+\!\!\!\!\!-$	2W Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port 2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative	+	-+	UEPSP	UEPXE	1.65	31.34	14.88	13.97	0.90	-	15.69	-			-
	Calling Port			UEPSP	UEPXL	1.65	31.34	14.88	13.97	0.90		15.69				
-+	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling	+	-	OLITOF	OLFAL	1.03	31.34	14.00	13.31	0.50	1	13.09	1	1	1	<del>                                     </del>
.	Port			UEPSP	UEPXM	1.65	31.34	14.88	13.97	0.90		15.69				
	2W Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount			<u> </u>	32.7	00	054	00	.0.07	0.00		.0.00				
. [	Room Calling Port			UEPSP	UEPXO	1.65	31.34	14.88	13.97	0.90		15.69				
	2W Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPSP	UEPXS	1.65	31.34	14.88	13.97	0.90		15.69				
	2W Voice Unbundled 2-Way PBX SC Area Plus Calling Port			UEPSP	UEPXT	1.65	31.34	14.88	13.97	0.90		15.69				
	Subsqnt Activity			UEPSP	USASC	0.00	0.00	0.00				15.69				
FEAT	TURES			UEDOD ::=====	LIES: IT							,	1			
EVA	All Available Vertical Features	-	$\vdash$	UEPSP UEPSE	UEPVF	3.04	0.00	0.00			1	15.69	1		-	-
EXCI	HANGE PORT RATES (COIN) Exchange Ports-Coin Port	1				1.65	2.38	2.28	1.42	1.33		15.69				-
Loca	I Switching Features offered with Port	+ -	-			1.05	2.38	2.28	1.42	1.33	1	15.69	1			<del>                                     </del>
	: Transmission/usage charges associated with POTS circuit switched	usage	will al	so apply to circuit sy	vitched vo	ce and/or circu	it switched da	ta transmissio	on by B-Char	nels assoc	iated with 1	2W ISDN n	orts.			
	E: Access to B Channel or D Channel Packet capabilities will be availa															
UNBUNDLE	D LOCAL EXCHANGE SWITCHING(PORTS)		T													
	HANGE PORT RATES															
	Exchange Ports-2W DID Port			UEPEX	UEPP2	8.86	119.57	18.78	60.03	3.77	1	15.69	1	I	l	

U	NBUNDL	ED NETWORK ELEMENTS - South Carolina												Attachi	ment: 2	Exhil	oit: B
Г												Svc	Svc	Increment	Increment	Increment	Increment
												Order	Order	al Charge	al Charge -	al Charge -	al Charge -
1_			Interi	Zon				_				Submitte	Submitte	Manual	Manual	Manual	Manual
С	ATEGORY	RATE ELEMENTS	m	e	BCS	USOC		R	RATES (\$)			d Elec	d	Svc Order	Svc Order	Svc Order	Svc Order
				•								per LSR	Manually	vs.	vs.	vs.	vs.
													per LSR	Electronic-	Electronic-	Electronic-	Electronic-
_														1c+		Disc 1st	Disc Add'l
							Rec	Nonrec	urring	NRC Disco	nnect			OSS	Rates (\$)		
							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Exchange Ports-DDITS Port-4W DS1 Port with DID capability			UEPDD	UEPDD	73.62	202.47	95.90	72.75	2.47		15.69			1	
		Exchange Ports-2W ISDN Port (See Notes below.)			UEPTX UEPSX	U1PMA	13.38	72.93	53.11	47.90	10.76		15.69			·	
		All Features Offered			UEPTX UEPSX	UEPVF	3.04	0.00	0.00								
	NOTE:	: Transmission/usage charges associated with POTS circuit switched	usage	will a	lso apply to circuit so	witched voi	ice and/or circui	t switched dat	ta transmissio	on by B-Chan	nels assoc	ated with 2	W ISDN po	orts.		·	
	NOTE:	: Access to B Channel or D Channel Packet capabilities will be availab	le onl	y thro	ugh BFR/NBR Proces	ss. Rates fo	or the packet ca	pabilities will	be determine	d via the BFF	R/NBR Proc	ess.				·	
		Exchange Ports-2W ISDN Port Channel Profiles			UEPTX UEPSX	U1UMA	0.00	0.00	0.00								
		Exchange Ports-4W ISDN DS1 Port			UEPEX	UEPEX	107.44	204.27	101.78	79.35	20.10		15.69				

<u>UNBUNDI</u>	LED NETWORK ELEMENTS - South Carolina													Attach	ment: 2	Exhi	ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zon e	В	cs	usoc			RATES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitte d Manually per LSR	Increment al Charge Manual Svc Order vs. Electronic	al Charge - Manual Svc Order vs.		vs.
							Rec	Nonre	curring	NRC Disco	nnect			oss	Rates (\$)		
							Kec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	UNDLED PORT with REMOTE CALL FORWARDING CAPABILITY																
UNBU	UNDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE																
	Unbundled Remote Call Forwarding Service, Area Calling, Res				PVR	UERAC	1.65	2.38	2.28	1.42	1.33		15.69				
	Unbundled Remote Call Forwarding Service, Local Calling-Res				PVR	UERLC	1.65	2.38	2.28	1.42	1.33		15.69				
	Unbundled Remote Call Forwarding Service, InterLATA-Res				PVR	UERTE	1.65	2.38	2.28	1.42	1.33		15.69				
	Unbundled Remote Call Forwarding Service, IntraLATA-Res			UE	PVR	UERTR	1.65	2.38	2.28	1.42	1.33		15.69				
Non-l	Recurring				'D) /D	110400		0.10	0.40				45.00				
	Unbundled Remote Call Forwarding Service -Conversion-Switch-as-is			UE	PVR	USAC2		0.10	0.10				15.69				<del></del>
	Unbundled Remote Call Forwarding Service -Conversion with allowed				:D) (D	110400		0.40	0.40								
LINDI	change (PIC & LPIC)  UNDLED REMOTE CALL FORWARDING - Bus			UE	PVR	USACC		0.10	0.10			-					+
UNBU	Unbundled Remote Call Forwarding Service, Area Calling-Bus			HE	PVB	UERAC	1.65	2.38	2.28	1.42	1.33		15.69				+
	Unbundled Remote Call Forwarding Service, Area Calling-Bus	<b>-</b>	$\vdash$		PVB	UERLC	1.65	2.38	2.28	1.42	1.33		15.69				+
	Unbundled Remote Call Forwarding Service, Local Calling-Bus  Unbundled Remote Call Forwarding Service, InterLATA-Bus		$\vdash$		PVB	UERTE	1.65	2.38	2.28	1.42	1.33	<b></b>	15.69				+
	Unbundled Remote Call Forwarding Service, IntraLATA-Bus				PVB	UERTR	1.65	2.38	2.28	1.42	1.33		15.69				+
	Unbundled Remote Call Forwarding Service Expanded & Exception Local			- 02		OLIVIIV	1.00	2.00	2.20	1.72	1.00		10.00				1
	Calling			UE	PVB	UERVJ	1.65	2.38	2.28	1.42	1.33		15.69				
Non-l	Recurring						1,00										†
1	Unbundled Remote Call Forwarding Service-Conversion-Switch-as-is			UE	PVB	USAC2		0.10	0.10				15.69				†
	Unbundled Remote Call Forwarding Service -Conversion with allowed																1
	change (PIC & LPIC)			UE	PVB	USACC		0.10	0.10								
UNBUNDLE	D LOCAL SWITCHING, PORT USAGE																
End (	Office Switching (Port Usage)																T .
	End Office Switching Function, Per MOU						0.0010519										
	End Office Trunk Port-Shared, Per MOU						0.0002136										
Tand	em Switching (Port Usage) (Local or Access Tandem)																
	Tandem Switching Function Per MOU						0.0001634										
	Tandem Trunk Port-Shared, Per MOU						0.0002863										
Comr	non Transport																
	Common Transport-Per mi, Per MOU						0.0000045										
	Common Transport-Facilities Term Per MOU						0.0004095										
	D PORT/LOOP COMBINATIONS - COST BASED RATES			.d	data Hadaaa		2	de la Deste	-								<del></del>
	Based Rates are applied where BellSouth is required by FCC and/or Co ires shall apply to the Unbundled Port/Loop Combination - Cost Based F								linkundlad Dar	t as atlantat	thia Fyhihit						-
	office & Tandem Switching Usage & Common Transport Usage rates in t												on Combin	otions			+
	irst & add'l Port NRC charges apply to Not Currently Combined Combos												op Combin	auons.			+
	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)		Janet	nay Comb	meu com	JOS LITE INTO	charges shall b	e alose idell	ined in the NK	Currently	y combined	Jections.					+
	Port/Loop Combination Rates		$\vdash$			+						<b></b>					+
OI4E	2W VG Loop/Port Combo-Zone 1		1				14.89		1								1
	2W VG Loop/Port Combo-Zone 2		2				21.52										1
	2W VG Loop/Port Combo-Zone 3		3				27.17										1
UNE	Loop Rates						İ										
	2W VG Loop (SL1)-Zone 1		1	UE	PRX	UEPLX	13.76										T
	2W VG Loop (SL1)-Zone 2		2		PRX	UEPLX	20.38										
	2W VG Loop (SL1)-Zone 3		3	UE	PRX	UEPLX	26.04	· · · · · · · · · · · · · · · · · · ·									
2-Wir	e Voice Grade Line Port Rates (Res)		$oxed{oxed}$														
	2W voice unbundled port-Res				PRX	UEPRL	1.13	40.30	19.90	24.98	6.65		15.69				1
	2W voice unbundled port with Caller ID-res		$\sqcup$		PRX	UEPRC	1.13	40.30	19.90	24.98	6.65		15.69				4
	2W voice unbundled port outgoing only-res				PRX	UEPRO	1.13	40.30	19.90	24.98	6.65		15.69				<del>                                     </del>
	2W VG unbundled SC extended local dialing parity port with Caller ID-res				PRX	UEPAU	1.13	40.30	19.90	24.98	6.65		15.69				
	2W voice unbundled SC Area Calling port with Caller ID-res (LW8)				PRX	UEPAJ	1.13	40.30	19.90	24.98	6.65		15.69				+
	2W voice unbundles res, low usage line port with Caller ID (LUM)				PRX	UEPAP	1.13	37.93	16.72	04.00	0.05		15.69				+
	2W Voice Unbundled SC Res Dialing Plan w/o Caller ID		$\vdash\vdash$		PRX	UEPWL UEPRS	1.13	40.30 40.30	19.90 19.90	24.98 24.98	6.65 6.65		15.69 15.69				+
	2W voice unbundled SC Area Calling Port w/o Caller ID Capability						1.13					1		<b>.</b>	ļ	<del>                                     </del>	+
+	2W voice uphundled Low Heade Line Bort w/o Caller ID Constille:			111		LIEDDT	4 4 2	40 20		24 00							
EEAT	2W voice unbundled Low Usage Line Port w/o Caller ID Capability URES		$\vdash$	UE	PRX	UEPRT	1.13	40.30	19.90	24.98	6.65		15.69				+

NBUNDI	LED NETWORK ELEMENTS - South Carolina													ment: 2		bit: B
ATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	usoc		F	RATES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitte d Manually	al Charge Manual	Increment al Charge - Manual Svc Order vs.	Increment al Charge - Manual Svc Order vs.	al Charge Manual
													Electronic	Electronic-	Electronic-	
						Rec	Nonrec		NRC Disco					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
LOCA	AL NUMBER PORTABILITY															
	Local No Portability (1 per port)			UEPRX	LNPCX	0.35										
NON	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2W VG Loop/Line Port Combination-Conversion-Switch-as-is			UEPRX	USAC2		0.10	0.10				15.69				
	2W VG Loop/Line Port Combination -Conversion-Switch with change			UEPRX	USACC		0.10	0.10				15.69				
ADDI	TIONAL NRCs															
	2W VG Loop/Line Port Combination-Subsqnt Activity			UEPRX	USAS2	0.00	0.00	0.00				15.69				
	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)															
UNE	Port/Loop Combination Rates															
	2W VG Loop/Port Combo-Zone 1		1			14.89										<u> </u>
	2W VG Loop/Port Combo-Zone 2		2			21.52										
	2W VG Loop/Port Combo-Zone 3		3			27.17										
UNE	Loop Rates															
	2W VG Loop (SL1)-Zone 1		1	UEPBX	UEPLX	13.76										
	2W VG Loop (SL1)-Zone 2		2	UEPBX	UEPLX	20.38										
	2W VG Loop (SL1)-Zone 3		3	UEPBX	UEPLX	26.04										
2-Wir	e Voice Grade Line Port (Bus)															
	2W voice unbundled port w/o Caller ID-bus			UEPBX	UEPBL	1.13	40.30	19.90	24.98	6.65		15.69				
	2W voice unbundled port with Caller + E484 ID-bus			UEPBX	UEPBC	1.13	40.30	19.90	24.98	6.65		15.69				
	2W voice unbundled port outgoing only-bus			UEPBX	UEPBO	1.13	40.30	19.90	24.98	6.65		15.69				
	2W VG unbundled SC extended local dialing parity port with Caller ID-bus			UEPBX	UEPAZ	1.13	40.30	19.90	24.98	6.65		15.69				
	2W voice unbundled incoming only port with Caller ID-Bus			UEPBX	UPEB1	1.13	40.30	19.90	24.98	6.65		15.69				
	2W voice unbundled SC Bus Area Calling Port with Caller ID (LMB)			UEPBX	UEPAB	1.13	40.30	19.90	24.98	6.65		15.69				
	2W Voice Unbundled SC bus Dialing Plan w/o Caller ID			UEPBX	UEPWM	1.13	40.30	19.90	24.98	6.65		15.69				
	2W voice unbundled SC bus Area Calling Port w/o Caller ID Capability			UEPBX	UEPBB	1.13	40.30	19.90	24.98	6.65		15.69				
	2W voice unbundled Incoming Only Port w/o Caller ID Capability			UEPBX	UEPBE	1.13	40.30	19.90	24.98	6.65		15.69				
LOCA	AL NUMBER PORTABILITY															
	Local No Portability (1 per port)			UEPBX	LNPCX	0.35										
FEAT	URES															
	All Features Offered			UEPBX	UEPVF	3.04	0.00	0.00				15.69				
NONE	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2W VG Loop/Line Port Combination-Conversion-Switch-as-is			UEPBX	USAC2		0.10	0.10				15.69				
	2W VG Loop/Line Port Combination -Conversion-Switch with change			UEPBX	USACC		0.10	0.10				15.69				
ADDI	TIONAL NRCs															
	2W VG Loop/Line Port Combination-Subsqnt Activity			UEPBX	USAS2		0.00	0.00				15.69				
2-WIF	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)															
UNE	Port/Loop Combination Rates															
	2W VG Loop/Port Combo-Zone 1		1			14.89										
	2W VG Loop/Port Combo-Zone 2		2			21.52										
	2W VG Loop/Port Combo-Zone 3		3			27.17										
UNE	Loop Rates															
	2W VG Loop (SL 1)-Zone 1		1	UEPRG	UEPLX	13.76										
	2W VG Loop (SL 1)-Zone 2		2	UEPRG	UEPLX	20.38										
	2W VG Loop (SL 1)-Zone 3		3	UEPRG	UEPLX	26.04										
2-Wir	e Voice Grade Line Port Rates (RES - PBX)															
	2W VG Unbundled Combination 2-Way PBX Trunk Port-Res			UEPRG	UEPRD	1.13	69.26	32.50	37.53	6.22		15.69				
LOCA	AL NUMBER PORTABILITY															
	Local No Portability (1 per port)			UEPRG	LNPCP	3.15	0.00	0.00				15.69				
FEAT	URES															
_	All Features Offered			UEPRG	UEPVF	3.04	0.00	0.00			İ	15.69	Ì			i –

BUNDL	ED NETWORK ELEMENTS - South Carolina					1								ment: 2		bit: B
EGORY	RATE ELEMENTS	Interi m	Zon e	BCS	usoc		F	RATES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitte d Manually per LSR	al Charge Manual Svc Order vs.	Increment al Charge - Manual Svc Order vs. Electronic-	Manual Svc Order vs.	al Charge Manual Svc Orde vs.
						Rec	Nonrec	urring	NRC Disco	nnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
NONR	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2W VG Loop/ Line Port Combination (PBX)-Conversion-Switch-As-Is			UEPRG	USAC2		7.93	1.91				15.69				
	2W VG Loop/ Line Port Combination (PBX)-Conversion-Switch w Change			UEPRG	USACC		7.93	1.91				15.69				
ADDIT	IONAL NRCs															
	2W VG Loop/ Line Port Combination (PBX)-Subsgnt Activity			UEPRG	USAS2	0.00	0.00	0.00				15.69				
	PBX Subsqnt Activity-Change/Rearrange Multiline Hunt Group						7.34	7.34				15.69				
	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)															
	Port/Loop Combination Rates															
	2W VG Loop/Port Combo-Zone 1		1			14.89										
	2W VG Loop/Port Combo-Zone 2		2			21.52										
	2W VG Loop/Port Combo-Zone 3		3			27.17										
	oop Rates		-			21.11										
	2W VG Loop (SL 1)-Zone 1		1	UEPPX	UEPLX	13.76										
	2W VG Loop (SL 1)-Zone 1 2W VG Loop (SL 1)-Zone 2		2	UEPPX	UEPLX	20.38										
	2W VG Loop (SL 1)-Zone 3		3	UEPPX	UEPLX	26.04										
2-vvire	Voice Grade Line Port Rates (BUS - PBX)		1	LIEDBY	LIEBBO	4.40	22.22	00.50	07.50	0.00		45.00				
	Line Side Unbundled Combination 2-Way PBX Trunk Port-Bus			UEPPX	UEPPC	1.13	69.26	32.50	37.53	6.22		15.69				
	Line Side Unbundled Outward PBX Trunk Port-Bus			UEPPX	UEPPO	1.13	69.26	32.50	37.53	6.22		15.69				
	Line Side Unbundled Incoming PBX Trunk Port-Bus			UEPPX	UEPP1	1.13	69.26	32.50	37.53	6.22		15.69				
	2W Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	1.13	69.26	32.50	37.53	6.22		15.69				
	2W Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	1.13	69.26	32.50	37.53	6.22		15.69				
	2W Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	1.13	69.26	32.50	37.53	6.22		15.69				
	2W Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	1.13	69.26	32.50	37.53	6.22		15.69				
	2W Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	1.13	69.26	32.50	37.53	6.22		15.69				
	2W Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPPX	UEPXE	1.13	69.26	32.50	37.53	6.22		15.69				
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative															
	Calling Port			UEPPX	UEPXL	1.13	69.26	32.50	37.53	6.22		15.69				
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling															
	Port			UEPPX	UEPXM	1.13	69.26	32.50	37.53	6.22		15.69				
	2W Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount			<u> </u>												
	Room Calling Port			UEPPX	UEPXO	1.13	69.26	32.50	37.53	6.22		15.69				
	2W Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	1.13	69.26	32.50	37.53	6.22		15.69				
	2W Voice Unbundled 2-Way PBX SC Area Plus Calling Port			UEPPX	UEPXT	1.13	69.26	32.50	37.53	6.22		15.69				
	L NUMBER PORTABILITY			ULFFX	OLFAI	1.13	09.20	32.30	37.33	0.22		13.09				
	Local No Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00				15.69				
				UEPPX	LINPUP	3.15	0.00	0.00				15.69				
FEAT			1	LIEBBY	LIED) (E	0.04	0.00	2.22				45.00				
	All Features Offered			UEPPX	UEPVF	3.04	0.00	0.00				15.69				
	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED		1	LIEDBY	110400		7.00	4.04				45.00				
	2W VG Loop/ Line Port Combination (PBX)-Conversion-Switch-As-Is			UEPPX	USAC2		7.93	1.91				15.69				
	2W VG Loop/ Line Port Combination (PBX)-Conversion-Switch w Change			UEPPX	USACC		7.93	1.91				15.69				
ADDIT	IONAL NRCs															
	2W VG Loop/ Line Port Combination (PBX)-Subsqnt Activity			UEPPX	USAS2	0.00	0.00	0.00				15.69				
	PBX Subsqnt Activity-Change/Rearrange Multiline Hunt Group						7.34	7.34				15.69				
2-WIR	E VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN PORT															
UNE F	Port/Loop Combination Rates															
	2W VG Coin Port/Loop Combo – Zone 1		1			14.89										
	2W VG Coin Port/Loop Combo – Zone 2		2			21.52										
	2W VG Coin Port/Loop Combo – Zone 3		3			27.17										
	oop Rates															
	2W VG Loop (SL1)-Zone 1		1	UEPCO	UEPLX	13.76			İ							
1	2W VG Loop (SL1)-Zone 2		2	UEPCO	UEPLX	20.38			l							
	2W VG Loop (SL1)-Zone 3		3	UEPCO	UEPLX	26.04										
			٦	521 00	JLI LX	20.04										
2.Wir	Voice Grade Line Ports (COIN)															
2-Wire	2W Coin 2-Way w/o Oper Screening & w/o Blocking (SC)			LIEDCO	HEDED	1 12	40.30	10.00	24 00	6 65		15.60				
2-Wire	2W Coin 2-Way w/o Oper Screening & w/o Blocking (SC)			UEPCO	UEPSD	1.13	40.30	19.90	24.98	6.65		15.69				
2-Wire				UEPCO UEPCO	UEPSD UEPSA	1.13	40.30 40.30	19.90 19.90	24.98 24.98	6.65 6.65		15.69 15.69				

	ED NETWORK ELEMENTS - South Carolina				<u> </u>									ment: 2		bit: B
EGORY	RATE ELEMENTS	Interi m	Zon e	BCS	usoc		F	RATES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitte d Manually per LSR	al Charge Manual Svc Order vs.	Increment al Charge - Manual Svc Order vs. Electronic-	Increment al Charge - Manual Svc Order vs. Electronic-	al Charg Manua Svc Ord vs.
						_	Nonrec	urrina	NRC Disco	nnect			OSS	Rates (\$)	11166 164	THE AND
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
	2W Coin 2-Way with Oper Screening & 011 Blocking; with Dialing Parity															
	(SC)			UEPCO	UEPSC	1.13	40.30	19.90	24.98	6.65		15.69				
	2W Coin 2-Way with Oper Screening and: 900 Blocking: 900/976,															
	1+DDD, 011+, & Local (SC)			UEPCO	UEPCC	1.13	40.30	19.90	24.98	6.65		15.69				
	2W Coin 2-W Oper Screen: 900 Block: 900/976, 1+DDD, 011+, Local;															
	Enhanced Call OPT 3YV (SC)			UEPCO	UEPCE	1.13	40.30	19.90	24.98	6.65		15.69				
	2W Coin 2-W Oper Screen: 900 Block: 900/976, 1+DDD, 011+, Local;															
	Enhanced Call OPT AP7 (SC)			UEPCO	UEPCF	1.13	40.30	19.90	24.98	6.65		15.69				
	2W Coin Outward w/o Blocking & w/o Oper Screening (SC)			UEPCO	UEPSG	1.13	40.30	19.90	24.98	6.65		15.69				
	2W Coin Outward with Oper Screening & 011 Blocking (SC)			UEPCO	UEPSF	1.13	40.30	19.90	24.98	6.65		15.69				
	2W Coin Outward with Oper Screening & Blocking: 011, 900/976, 1+DDD															
	(SC)			UEPCO	UEPSJ	1.13	40.30	19.90	24.98	6.65		15.69		1		
	2W Coin Outward with Oper Screening & Blocking: 900/976, 1+DDD,															İ
	011+, & Local (SC)			UEPCO	UEPCM	1.13	40.30	19.90	24.98	6.65		15.69		1		
	2W Coin Out Oper Screen & Block: 900/976, 1+DDD, 011+, Local;															
	Enhanced Calling OPT 3YW (SC)			UEPCO	UEPCP	1.13	40.30	19.90	24.98	6.65		15.69				
	2W 2-Way Smartline with 900/976 (all states except LA)			UEPCO	UEPCK	1.13	40.30	19.90	24.98	6.65		15.69				
	2W Coin Outward Smartline with 900/976 (all states except LA)			UEPCO	UEPCR	1.13	40.30	19.90	24.98	6.65		15.69				
ADDI	TIONAL UNE COIN PORT/LOOP (RC)															
	UNE Coin Port/Loop Combo Usage (Flat Rate)			UEPCO	URECU	4.05	0.00	0.00	0.00	0.00		15.69				
LOCA	AL NUMBER PORTABILITY															
	Local No Portability (1 per port)			UEPCO	LNPCX	0.35										
NONE	RECURRING CHARGES - CURRENTLY COMBINED															
	2W VG Loop/Line Port Combination -Conversion-Switch-as-is			UEPCO	USAC2		0.10	0.10				15.69				
	2W VG Loop/Line Port Combination -Conversion-Switch with change			UEPCO	USACC		0.10	0.10				15.69				
ADDI	TIONAL NRCs															
	2W VG Loop/Line Port Combination-Subsqnt Activity			UEPCO	USAS2		0.00	0.00				15.69				
2-WIF	RE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE LINE PO	ORT (	RES)													
UNE	Port/Loop Combination Rates															
	2W VG Loop/IO Tranport/Port Combo-Zone 1		1			22.50										
	2W VG Loop/IO Tranport/Port Combo-Zone 2		2			30.56										
	2W VG Loop/IO Tranport/Port Combo-Zone 3		3			37.22										
UNE	Loop Rates															
	2W VG Loop (SL2)-Zone 1		1	UEPFR	UECF2	20.85										
	2W VG Loop (SL2)-Zone 2		2	UEPFR	UECF2	28.91										
	2W VG Loop (SL2)-Zone 3		3	UEPFR	UECF2	35.57										
2-Wir	e Voice Grade Line Port Rates (Res)															
	2W voice unbundled port-Res			UEPFR	UEPRL	1.65	108.36	70.71	1.42	1.33		15.69				
	2W voice unbundled port with Caller ID-res			UEPFR	UEPRC	1.65	108.36	70.71	1.42	1.33		15.69				
	IONAL and a supplication of the standard and a stan			UEPFR	UEPRO	1.65	108.36	70.71	1.42	1.33		15.69				
	2W voice unbundled port outgoing only-res						400.00	70.71	1.42	1.33		15.69				
	2W VG unbundled SC extended local dialing parity port with Caller ID-res			UEPFR	UEPAU	1.65	108.36								1	1
	2W VG unbundled SC extended local dialing parity port with Caller ID-res 2W voice unbundled SC Area Calling port with Caller ID-res (LW8)			UEPFR	UEPAJ	1.65	108.36	70.71	1.42	1.33		15.69				
	2W VG unbundled SC extended local dialing parity port with Caller ID-res 2W voice unbundled SC Area Calling port with Caller ID-res (LW8) 2W voice unbundles res, low usage line port with Caller ID (LUM)			UEPFR UEPFR	UEPAJ UEPAP	1.65 1.65	108.36 108.36	70.71 70.71	1.42	1.33		15.69				
	2W VG unbundled SC extended local dialing parity port with Caller ID-res 2W voice unbundled SC Area Calling port with Caller ID-res (LW8) 2W voice unbundles res, low usage line port with Caller ID (LUM) 2W Voice Unbundled SC Res Dialing Plan w/o Caller ID			UEPFR	UEPAJ	1.65	108.36	70.71								
INTE	2W VG unbundled SC extended local dialing parity port with Caller ID-res 2W voice unbundled SC Area Calling port with Caller ID-res (LW8) 2W voice unbundles res, low usage line port with Caller ID (LUM) 2W Voice Unbundled SC Res Dialing Plan w/o Caller ID ROFFICE TRANSPORT			UEPFR UEPFR UEPFR	UEPAJ UEPAP UEPWL	1.65 1.65 1.65	108.36 108.36 108.36	70.71 70.71 70.71	1.42 1.42	1.33 1.33		15.69				
INTE	2W VG unbundled SC extended local dialing parity port with Caller ID-res 2W voice unbundled SC Area Calling port with Caller ID-res (LW8) 2W voice unbundles res, low usage line port with Caller ID (LUM) 2W Voice Unbundled SC Res Dialing Plan w/o Caller ID ROFFICE TRANSPORT Interoffice Transport-Dedicated-2W VG-Facility Term			UEPFR UEPFR UEPFR	UEPAJ UEPAP UEPWL U1TV2	1.65 1.65 1.65 24.30	108.36 108.36	70.71 70.71	1.42	1.33		15.69				
	2W VG unbundled SC extended local dialing parity port with Caller ID-res 2W voice unbundled SC Area Calling port with Caller ID-res (LW8) 2W voice unbundles res, low usage line port with Caller ID (LUM) 2W Voice Unbundled SC Res Dialing Plan w/o Caller ID 30FFICE TRANSPORT Interoffice Transport-Dedicated-2W VG-Facility Term Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi			UEPFR UEPFR UEPFR	UEPAJ UEPAP UEPWL	1.65 1.65 1.65	108.36 108.36 108.36	70.71 70.71 70.71	1.42 1.42	1.33 1.33		15.69				
	2W VG unbundled SC extended local dialing parity port with Caller ID-res 2W voice unbundled SC Area Calling port with Caller ID-res (LW8) 2W voice unbundles res, low usage line port with Caller ID (LUM) 2W Voice Unbundled SC Res Dialing Plan w/o Caller ID ROFFICE TRANSPORT Interoffice Transport-Dedicated-2W VG-Facility Term Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi URES			UEPFR UEPFR UEPFR UEPFR UEPFR	UEPAJ UEPAP UEPWL U1TV2 1L5XX	1.65 1.65 1.65 24.30 0.0167	108.36 108.36 108.36 40.63	70.71 70.71 70.71 27.47	1.42 1.42	1.33 1.33		15.69 15.69				
FEAT	2W VG unbundled SC extended local dialing parity port with Caller ID-res 2W voice unbundled SC Area Calling port with Caller ID-res (LW8) 2W voice unbundles res, low usage line port with Caller ID (LUM) 2W Voice Unbundled SC Res Dialing Plan w/o Caller ID ROFFICE TRANSPORT Interoffice Transport-Dedicated-2W VG-Facility Term Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi URES All Features Offered			UEPFR UEPFR UEPFR	UEPAJ UEPAP UEPWL U1TV2	1.65 1.65 1.65 24.30	108.36 108.36 108.36	70.71 70.71 70.71	1.42 1.42	1.33 1.33		15.69				
FEAT	2W VG unbundled SC extended local dialing parity port with Caller ID-res 2W voice unbundled SC Area Calling port with Caller ID-res (LW8) 2W voice unbundles res, low usage line port with Caller ID (LUM) 2W Voice Unbundled SC Res Dialing Plan w/o Caller ID ROFFICE TRANSPORT Interoffice Transport-Dedicated-2W VG-Facility Term Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi URES All Features Offered L NUMBER PORTABILITY			UEPFR UEPFR UEPFR UEPFR UEPFR UEPFR	UEPAJ UEPAP UEPWL U1TV2 1L5XX	1.65 1.65 1.65 24.30 0.0167	108.36 108.36 108.36 40.63	70.71 70.71 70.71 27.47	1.42 1.42	1.33 1.33		15.69 15.69				
FEAT	2W VG unbundled SC extended local dialing parity port with Caller ID-res 2W voice unbundled SC Area Calling port with Caller ID-res (LW8) 2W voice unbundles res, low usage line port with Caller ID (LUM) 2W Voice Unbundled SC Res Dialing Plan w/o Caller ID ROFFICE TRANSPORT Interoffice Transport-Dedicated-2W VG-Facility Term Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi URES All Features Offered L NUMBER PORTABILITY Local No Portability (1 per port)			UEPFR UEPFR UEPFR UEPFR UEPFR	UEPAJ UEPAP UEPWL U1TV2 1L5XX	1.65 1.65 1.65 24.30 0.0167	108.36 108.36 108.36 40.63	70.71 70.71 70.71 27.47	1.42 1.42	1.33 1.33		15.69 15.69				
FEAT	2W VG unbundled SC extended local dialing parity port with Caller ID-res 2W voice unbundled SC Area Calling port with Caller ID-res (LW8) 2W voice unbundles res, low usage line port with Caller ID (LUM) 2W Voice Unbundled SC Res Dialing Plan w/o Caller ID ROFFICE TRANSPORT Interoffice Transport-Dedicated-2W VG-Facility Term Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi URES All Features Offered L NUMBER PORTABILITY Local No Portability (1 per port) RECURRING CHARGES (NRCs) - CURRENTLY COMBINED			UEPFR UEPFR UEPFR UEPFR UEPFR UEPFR	UEPAJ UEPAP UEPWL U1TV2 1L5XX	1.65 1.65 1.65 24.30 0.0167	108.36 108.36 108.36 40.63	70.71 70.71 70.71 27.47	1.42 1.42	1.33 1.33		15.69 15.69				
FEAT	2W VG unbundled SC extended local dialing parity port with Caller ID-res 2W voice unbundled SC Area Calling port with Caller ID-res (LW8) 2W voice unbundles res, low usage line port with Caller ID (LUM) 2W Voice Unbundled SC Res Dialing Plan w/o Caller ID ROFFICE TRANSPORT Interoffice Transport-Dedicated-2W VG-Pacility Term Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi URES All Features Offered L NUMBER PORTABILITY Local No Portability (1 per port) RECURRING CHARGES (NRCs) - CURRENTLY COMBINED 2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-			UEPFR UEPFR UEPFR UEPFR UEPFR UEPFR UEPFR	UEPAJ UEPAP UEPWL U1TV2 1L5XX UEPVF	1.65 1.65 1.65 24.30 0.0167	108.36 108.36 108.36 40.63	70.71 70.71 70.71 70.71 27.47	1.42 1.42	1.33 1.33		15.69 15.69				
FEAT	2W VG unbundled SC extended local dialing parity port with Caller ID-res 2W voice unbundled SC Area Calling port with Caller ID-res (LW8) 2W voice unbundled sc Area Calling port with Caller ID (LUM) 2W voice Unbundled SC Res Dialing Plan w/o Caller ID (LUM) 2W Voice Unbundled SC Res Dialing Plan w/o Caller ID ROFFICE TRANSPORT Interoffice Transport-Dedicated-2W VG-Facility Term Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi URES All Features Offered L NUMBER PORTABILITY Local No Portability (1 per port) RECURRING CHARGES (NRCs) - CURRENTLY COMBINED 2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-Switch-as-is			UEPFR UEPFR UEPFR UEPFR UEPFR UEPFR	UEPAJ UEPAP UEPWL U1TV2 1L5XX	1.65 1.65 1.65 24.30 0.0167	108.36 108.36 108.36 40.63	70.71 70.71 70.71 27.47	1.42 1.42	1.33 1.33		15.69 15.69				
FEAT	2W VG unbundled SC extended local dialing parity port with Caller ID-res 2W voice unbundled SC Area Calling port with Caller ID-res (LW8) 2W voice unbundles res, low usage line port with Caller ID (LUM) 2W Voice Unbundled SC Res Dialing Plan w/o Caller ID ROFFICE TRANSPORT Interoffice Transport-Dedicated-2W VG-Pacility Term Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi URES All Features Offered L NUMBER PORTABILITY Local No Portability (1 per port) RECURRING CHARGES (NRCs) - CURRENTLY COMBINED 2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-			UEPFR UEPFR UEPFR UEPFR UEPFR UEPFR UEPFR	UEPAJ UEPAP UEPWL U1TV2 1L5XX UEPVF	1.65 1.65 1.65 24.30 0.0167	108.36 108.36 108.36 40.63	70.71 70.71 70.71 70.71 27.47	1.42 1.42	1.33 1.33		15.69 15.69				

ADOIAD	LED NETWORK ELEMENTS - South Carolina													ment: 2		bit: B
TEGORY	Y RATE ELEMENTS	Interi m	Zon e	BCS	usoc		ı	RATES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitte d Manually per LSR	al Charge Manual Svc Order vs.	Manual Svc Order vs.	Increment al Charge - Manual Svc Order vs. Electronic-	al Charge Manual Svc Orde vs.
						D	Nonrec	urring	NRC Disco	nnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UNF	Port/Loop Combination Rates															
	2W VG Loop/IO Tranport/Port Combo-Zone 1		1			22.50										
	2W VG Loop/IO Tranport/Port Combo-Zone 2		2			30.56										
	2W VG Loop/IO Tranport/Port Combo-Zone 3		3			37.22										
UNF	Loop Rates		Ť			¥1										
	2W VG Loop (SL2)-Zone 1	<b>†</b>	1	UEPFB	UECF2	20.85										1
	2W VG Loop (SL2)-Zone 2	<b>†</b>	2	UEPFB	UECF2	28.91										1
	2W VG Loop (SL2)-Zone 3	<b>†</b>	3	UEPFB	UECF2	35.57										1
2-Wii	re Voice Grade Line Port (Bus)	<b>†</b>	Ť	020	020.2	00.07										1
	2W voice unbundled port w/o Caller ID-bus			UEPFB	UEPBL	1.65	108.36	70.71	1.42	1.33	1	15.69				+
-	2W voice unbundled port with Caller + E484 ID-bus	<del>                                     </del>	$\vdash$	UEPFB	UEPBC	1.65	108.36	70.71	1.42	1.33		15.69			<b> </b>	<del>                                     </del>
-	2W voice unbundled port with Caller + E464 1D-bus  2W voice unbundled port outgoing only-bus	1	$\vdash$	UEPFB	UEPBO	1.65	108.36	70.71	1.42	1.33		15.69				<del>                                     </del>
	2W VG unbundled SC extended local dialing parity port with Caller ID-bus			UEPFB	UEPAZ	1.65	108.36	70.71	1.42	1.33		15.69				
	2W voice unbundled incoming only port with Caller ID-bus			UEPFB	UEPB1	1.65	108.36	70.71	1.42	1.33		15.69				<del>                                     </del>
-	2W voice unbundled SC Bus Area Calling Port with Caller ID (LMB)	<del>                                     </del>	$\vdash$	UEPFB	UEPAB	1.65	108.36	70.71	1.42	1.33		15.69				<del>                                     </del>
-	2W Voice Unbundled SC bus Area Calling Fort with Caller ID (LIMB)			UEPFB	UEPWM	1.65	108.36	70.71	1.42	1.33		15.69				
100	AL NUMBER PORTABILITY	1		UEFFB	UEFWW	1.00	100.30	70.71	1.42	1.33	-	13.09				
LUC		<u> </u>		UEPFB	LNPCX	0.35										
INITE	Local No Portability (1 per port)			UEPFB	LNPCX	0.35										
INIE	ROFFICE TRANSPORT	<u> </u>		LIEDED	LIATE (O	04.00	40.00	07.47	40.77	0.04						
-	Interoffice Transport-Dedicated-2W VG-Facility Term			UEPFB	U1TV2	24.30	40.63	27.47	16.77	6.91						
	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi	<u> </u>		UEPFB	1L5XX	0.0167										
FEA	TURES	<u> </u>														
	All Features Offered			UEPFB	UEPVF	3.04	0.00	0.00				15.69				
NON	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion- Switch-as-is			UEPFB	USAC2		17.00	3.74				15.69				
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion- Switch with change			UEPFB	USACC		17.00	3.74				15.69				
2-WII	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)															
UNE	Port/Loop Combination Rates															
	2W VG Loop/IO Tranport/Port Combo-Zone 1		1			22.50										1
	2W VG Loop/IO Tranport/Port Combo-Zone 2		2			30.56										
	2W VG Loop/IO Tranport/Port Combo-Zone 3		3			37.22										
UNE	Loop Rates															1
	2W VG Loop (SL2)-Zone 1		1	UEPFP	UECF2	20.85										
	2W VG Loop (SL2)-Zone 2		2	UEPFP	UECF2	28.91										1
	2W VG Loop (SL2)-Zone 3		3	UEPFP	UECF2	35.57										1
2-Wii	re Voice Grade Line Port Rates (BUS - PBX)			<del></del>	1	22.31										t
	Line Side Unbundled Combination 2-Way PBX Trunk Port-Bus			UEPFP	UEPPC	1.65	137.32	83.31	67.02	11.51		15.69				1
1	Line Side Unbundled Outward PBX Trunk Port-Bus			UEPFP	UEPPO	1.65	137.32	83.31	67.02	11.51		15.69				t
1	Line Side Unbundled Incoming PBX Trunk Port-Bus		$\vdash$	UEPFP	UEPP1	1.65	137.32	83.31	67.02	11.51		15.69				
1	2W Voice Unbundled PBX LD Terminal Ports	t	$\vdash$	UEPFP	UEPLD	1.65	137.32	83.31	67.02	11.51		15.69				t
	2W Voice Unbundled 1-BX EB Terminal 1 ons  2W Voice Unbundled 2-Way Combination PBX Usage Port	<b>†</b>	H	UEPFP	UEPXA	1.65	137.32	83.31	67.02	11.51		15.69				<del>                                     </del>
	2W Voice Unbundled PBX Toll Terminal Hotel Ports			UEPFP	UEPXB	1.65	137.32	83.31	67.02	11.51		15.69				
+	2W Voice Unbundled PBX LD DDD Terminals Port	<del>                                     </del>	$\vdash$	UEPFP	UEPXC	1.65	137.32	83.31	67.02	11.51		15.69			1	<del>                                     </del>
+	2W Voice Unbundled PBX LD BBB Terminals Fort  2W Voice Unbundled PBX LD Terminal Switchboard Port	1	$\vdash$	UEPFP	UEPXD	1.65	137.32	83.31	67.02	11.51		15.69				<del>                                     </del>
+	2W Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port	$\vdash$	$\vdash$	UEPFP	UEPXE	1.65	137.32	83.31	67.02	11.51		15.69				<del></del>
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative			UEPFP	UEPXL			83.31	67.02							
	Calling Port 2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling					1.65	137.32			11.51		15.69				
+	Port  2W Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount			UEPFP	UEPXM	1.65	137.32	83.31	67.02	11.51		15.69				
_	Room Calling Port	<u> </u>	$\vdash$	UEPFP	UEPXO	1.65	137.32	83.31	67.02	11.51		15.69				
_	2W Voice Unbundled 1-Way Outgoing PBX Measured Port	<u> </u>		UEPFP	UEPXS	1.65	137.32	83.31	67.02	11.51		15.69				4
4	2W Voice Unbundled 2-Way PBX SC Area Plus Calling Port			UEPFP	UEPXT	1.65	137.32	83.31	67.02	11.51		15.69				<b>↓</b>
LOC	AL NUMBER PORTABILITY	<u> </u>														<b>↓</b>
1	Local No Portability (1 per port)	1	1	UEPFP	LNPCP	3.15	0.00	0.00			ĺ	15.69		l	I	1

JNBUNDI	ED NETWORK ELEMENTS - South Carolina													Attach	ment: 2	Exhi	bit: B
CATEGORY		Interi m	Zon e	В	s	usoc		F	RATES (\$)			Svc Order Submitte d Elec per LSR		Increment al Charge Manual Svc Order vs.	Increment al Charge - Manual Svc Order vs.	Increment al Charge - Manual Svc Order vs.	
							Rec	Nonrec	urring	NRC Disco	nnect		ı	OSS	Rates (\$)	11100 10+	Thee vaai
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
INTER	ROFFICE TRANSPORT																
	Interoffice Transport-Dedicated-2W VG-Facility Term			UEF UEF		U1TV2 1L5XX	24.30	40.63	27.47	16.77	6.91						
EEAT	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi URES			UEI	757	TL5XX	0.0167										
	All Features Offered			UEF	PFP	UEPVF	3.04	0.00	0.00				15.69				
	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED			02.	••	02	0.0 .	0.00	0.00				10.00				
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-																
	Switch-as-is			UEF	PFP	USAC2		17.00	3.74				15.69				
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-																
1110111101	Switch with change			UEF	PFP	USACC		17.00	3.74				15.69				
	D PORT/LOOP COMBINATIONS - COST BASED RATES		-														
	RE VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK PORT  Port/Loop Combination Rates	<b>!</b>										<b>+</b>	-	<b>+</b>			
- OIAL I	2W VG Loop/2W DID Trunk Port Combo-UNE Zone 1	t	1				23.75										
	2W VG Loop/2W DID Trunk Port Combo-UNE Zone 2		2				30.20										
	2W VG Loop/2W DID Trunk Port Combo-UNE Zone 3		3				35.52										
UNE	Loop Rates																
	2W Analog VG Loop-(SL2)-UNE Zone 1		1	UEF		UECD1	16.68										
	2W Analog VG Loop-(SL2)-UNE Zone 2		2	UEF		UECD1	23.13										
LINE	2W Analog VG Loop-(SL2)-UNE Zone 3 Port Rate		3	UEF	'PX	UECD1	28.46										
UNE	Exchange Ports-2W DID Port			UEF	PPY	UEPD1	7.06	225.55	87.21	113.08	14.38			15.69			
NON	RECURRING CHARGES - CURRENTLY COMBINED			OLI	1 //	OLIDI	7.00	220.00	07.21	113.00	14.50			10.00			
	2W VG Loop/2W DID Trunk Port Combination -Switch-as-is			UEF	PX	USAC1		7.32	1.87					15.69			
	2W VG Loop/2W DID Trunk Port Conversion with BST Allowable Changes			UEF	PX	USA1C		7.32	1.87					15.69			
	TIONAL NRCs				NDV/	110404		00.04						45.00			
	2W DID Subsqnt Activity-Add Trunks, Per Trunk hone Number/Trunk Group Establisment Charges		-	UEF	PX	USAS1		26.84						15.69			
Тетер	DID Trunk Term (One Per Port)			UEF	PPY	NDT	0.00	0.00	0.00					15.69			
_	DID Nos, Establish Trunk Group & Provide First Group of 20 DID Nos			UEF		NDZ	0.00	0.00	0.00					15.69			
	Add'l DID Nos for each Group of 20 DID Nos			UEF		ND4	0.00	0.00	0.00					15.69			
	DID Nos, Non-consecutive DID Nos , Per No			UEF		ND5	0.00	0.00	0.00					15.69			
	Reserve Non-Consecutive DID Nos			UEF		ND6	0.00	0.00	0.00					15.69			
	Reserve DID Nos			UEF	PX	NDV	0.00	0.00	0.00					15.69			
LOCA	AL NUMBER PORTABILITY			UEF	NDV	LNPCP	0.45	0.00	0.00								
2-W/IE	Local No Portability (1 per port) RE ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LINE SIDE	PORT		UEF	ΓA	LINPUP	3.15	0.00	0.00			1		1			
	Port/Loop Combination Rates	I JKI															
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -UNE Zone		1	UEPPB	UEPPR		30.86										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -UNE Zone		2	UEPPB	UEPPR		38.60										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -UNE Zone		3	UEPPB	UEPPR		44.23		•								
UNE	Loop Rates	<u> </u>															
$-\!\!\!\!+\!\!\!\!-$	2W ISDN Digital Grade Loop-UNE Zone 1	<u> </u>	1	UEPPB	UEPPR	USL2X	21.90					-	-	15.69			1
$-\!\!\!\!+\!\!\!\!-$	2W ISDN Digital Grade Loop-UNE Zone 2 2W ISDN Digital Grade Loop-UNE Zone 3	1	3	UEPPB UEPPB	UEPPR UEPPR	USL2X USL2X	29.64 35.27					-		15.69 15.69			
IINF	Port Rate	<b>-</b>	3	UEFFB	UEFFR	USLZA	აა.21							10.09			
	Exchange Port-2W ISDN Line Side Port	<b>1</b>		UEPPB	UEPPR	UEPPB	8.96	190.51	133.14	100.95	21.37			15.69			
	RECURRING CHARGES - CURRENTLY COMBINED									,,							
	2W ISDN Digital Grade Loop/2W ISDN Line Side Port Combination-																
	Conversion	<u> </u>		UEPPB	UEPPR	USACB	0.00	38.59	27.08					15.69			
	TIONAL NRCs	<u> </u>															
LUCA	L NUMBER PORTABILITY Local No Portability (1 per port)	1		UEPPB	UEPPR	LNPCX	0.35	0.00	0.00					-			
		<b>!</b>	1	UEPPB	UEPPR	LINPUA	0.35	0.00	0.00			1		<b>+</b>			
B-CH	ANNEL LISER PROFILE ACCESS:																
В-СН	ANNEL USER PROFILE ACCESS:  CVS/CSD (DMS/5ESS)			UEPPB	UEPPR	U1UCA	0.00	0.00	0.00								

INDUND	LED NETWORK ELEMENTS - South Carolina		1		1						Cura	Cura		ment: 2		bit: B
ATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	usoc		ŗ	RATES (\$)			d Elec	Submitte d Manually	al Charge Manual Svc Order vs.	al Charge - Manual Svc Order vs.	Increment al Charge - Manual Svc Order vs.	al Charge Manual Svc Orde vs.
												per LSR	1c+	Add'I	Electronic-	Electronic
						Rec	Nonred		NRC Disco					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	CSD	L		UEPPB UEPPR	U1UCC	0.00	0.00	0.00								
B-CH	ANNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS SC,MS, &	TN)														<b></b>
	CVS/CSD (DMS/5ESS)			UEPPB UEPPR	U1UCD	0.00	0.00	0.00								
	CVS (EWSD)			UEPPB UEPPR	U1UCE	0.00	0.00	0.00								
	CSD			UEPPB UEPPR	U1UCF	0.00	0.00	0.00								
USER	R TERMINAL PROFILE															
	User Terminal Profile (EWSD only)			UEPPB UEPPR	U1UMA	0.00	0.00	0.00								<u> </u>
	TICAL FEATURES					0.04	2.22	0.00					45.00			<u> </u>
	All Vertical Features-One per Channel B User Profile			UEPPB UEPPR	UEPVF	3.04	0.00	0.00					15.69			<u> </u>
INTE	ROFFICE CHANNEL MILEAGE				1440110	04.00	40.00	07.47	10.77	2.24			45.00			ļ
	Interoffice Channel miage each, including first mi & facilities Term			UEPPB UEPPR	M1GNC	24.30	40.63	27.47	16.77	6.91			15.69			<u> </u>
4 1400	Interoffice Channel miage each, Add'l mi			UEPPB UEPPR	M1GNM	0.0167	0.00	0.00								ļ
	RE DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK PORT															<del></del>
UNE	Port/Loop Combination Rates  4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port -UNE Zone 1		_	UEPPP		470.00										
_	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port -UNE Zone 1  4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port -UNE Zone 2		1			176.82										<del></del>
			2	UEPPP UEPPP		241.38 347.84										ļ
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port -UNE Zone 3		3	UEPPP		347.84										<del></del>
UNE	Loop Rates  4W DS1 Digital Loop-UNE Zone 1		1	UEPPP	USL4P	90.87							15.69			<del>                                     </del>
	4W DS1 Digital Loop-UNE Zone 1 4W DS1 Digital Loop-UNE Zone 2		2	UEPPP	USL4P USL4P	155.43							15.69			-
	4W DS1 Digital Loop-UNE Zone 2 4W DS1 Digital Loop-UNE Zone 3		3	UEPPP	USL4P	261.89							15.69			-
	Port Rate		3	UEPPP	USL4P	201.89							15.69			-
UNE	Exchange Ports-4W ISDN DS1 Port			UEPPP	UEPPP	85.95	457.30	259.67	124.15	31.83			15.69			
NONE	RECURRING CHARGES - CURRENTLY COMBINED			UEPPP	UEPPP	85.95	457.30	259.67	124.15	31.63			15.69			
NON	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port Combination-															
	Conversion -Switch-as-is			UEPPP	USACP	0.00	119.34	78.73					15.69			
ADDI:	TIONAL NRCs			UEFFF	USACE	0.00	119.54	10.13					13.09			
ADDI	4W DS1 Loop/4-W ISDN Digtl Trk Port-Subsqt Actvy-Inward/two way Tel															
	Nos. (except NC)			UEPPP	PR7TF		0.49	0.49					15.69			
	4W DS1 Loop/4W ISDN DS1 Digital Trunk Port-Outward Tel Nos			UEPPP	PR7TO		11.54	11.54					15.69		<del>                                     </del>	
	4W DS1 Loop/4W ISDN DS1 Digital Trunk Fort-Subsgnt Inward Tel Nos	$\vdash$	H	UEPPP	PR7ZT		23.07	23.07					15.69			<b>—</b>
LOCA	L NUMBER PORTABILITY	$\vdash$	H	OLITI	111/21		25.07	25.01					10.09			<b>—</b>
LOUP	Local No Portability (1 per port)		H	UEPPP	LNPCN	1.75									1	
	Voice/Data		H	UEPPP	PR71V	0.00	0.00	0.00							1	
-	Digital Data		H	UEPPP	PR71D	0.00	0.00	0.00							1	
	Inward Data		H	UEPPP	PR71E	0.00	0.00	0.00							1	
New 4	or Additional "B" Channel		H	OLITI	710712	0.00	0.00	0.00							1	
11011	New or Add'I-Voice/Data B Channel		H	UEPPP	PR7BV	0.00	14.56						15.69		1	
	New or Add'I-Digital Data B Channel			UEPPP	PR7BF	0.00	14.56						15.69		i	
	New or Add'l Inward Data B Channel			UEPPP	PR7BD	0.00	14.56					1	15.69		1	

ADOIAD	LED NETWORK ELEMENTS - South Carolina													ment: 2		bit: B
TEGOR	Y RATE ELEMENTS	Interi m	Zon e	BCS	USOC		F	RATES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitte d Manually per LSR	al Charge Manual Svc Order vs.	Increment al Charge - Manual Svc Order vs. Electronic-	Increment al Charge - Manual Svc Order vs. Electronic-	al Charge Manual Svc Orde vs.
						D	Nonrec	urring	NRC Disco	nnect			oss	Rates (\$)		THE THE
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
CAL	LTYPES															
	Inward			UEPPP	PR7C1	0.00	0.00	0.00								
	Outward			UEPPP	PR7C0	0.00	0.00	0.00								
	Two-way			UEPPP	PR7CC	0.00	0.00	0.00								
Inter	office Channel Mileage															
	Fixed Each Including First mi			UEPPP	1LN1A	77.4815	89.47	81.99	16.39	14.48			15.69			
	Each Airline-Fractional Add'l mi			UEPPP	1LN1B	0.3415										
4-WI	RE DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT															
UNE	Port/Loop Combination Rates															
	4W DS1 Digital Loop/4W DDITS Trunk Port -UNE Zone 1		1	UEPDC		149.77										
	4W DS1 Digital Loop/4W DDITS Trunk Port -UNE Zone 2		2	UEPDC		214.33										
	4W DS1 Digital Loop/4W DDITS Trunk Port -UNE Zone 3		3	UEPDC		320.78										
UNE	Loop Rates															
	4W DS1 Digital Loop-UNE Zone 1		1	UEPDC	USLDC	90.87							15.69			
	4W DS1 Digital Loop-UNE Zone 2		2	UEPDC	USLDC	155.43							15.69			
	4W DS1 Digital Loop-UNE Zone 3		3	UEPDC	USLDC	261.89							15.69			
UNE	Port Rate															
	4W DDITS Digital Trunk Port			UEPDC	UDD1T	58.90	455.50	253.79	117.55	14.20			15.69			
NON	RECURRING CHARGES - CURRENTLY COMBINED															
	4W DS1 Digital Loop/4W DDITS Trunk Port Combination-Switch-as-is			UEPDC	USAC4		129.78	67.17					15.69			
	4W DS1 Digital Loop/4W DDITS Trunk Port Combination-Conversion with															
	DS1 Changes			UEPDC	USAWA		129.78	67.17					15.69			
	4W DS1 Digital Loop/4W DDITS Trunk Port Combination-Conversion with															
	Change-Trunk			UEPDC	USAWB		129.78	67.17					15.69			
ADD	ITIONAL NRCs															
	4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Channel Activation/Chan-1-															
	Way Outward Trunk			UEPDC	UDTTB		14.51	14.51					15.69			
	4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Channel Activation/Chan															
	Inward Trunk w/out DID			UEPDC	UDTTC		14.51	14.51					15.69			
	4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Chan Activation Per Chan-															
	Inward Trunk with DID			UEPDC	UDTTD		14.51	14.51					15.69			
	4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Chan Activation/Chan-2-															
	Way DID w User Trans			UEPDC	UDTTE		14.51	14.51					15.69			
BIPO	DLAR 8 ZERO SUBSTITUTION															
	B8ZS -Superframe Format			UEPDC	CCOSF		0.00	605.00					15.69			
	B8ZS-Extended Superframe Format			UEPDC	CCOEF		0.00	605.00					15.69			
Alte	nate Mark Inversion															
	AMI -Superframe Format			UEPDC	MCOSF		0.00	0.00								
	AMI-Extended SuperFrame Format			UEPDC	MCOPO		0.00	0.00								
Tele	phone Number/Trunk Group Establisment Charges															
	Telephone No for 2-Way Trunk Group			UEPDC	UDTGX	0.00							15.69			
	Telephone No for 1-Way Outward Trunk Group			UEPDC	UDTGY	0.00							15.69			
	Telephone No for 1-Way Inward Trunk Group w/o DID			UEPDC	UDTGZ	0.00							15.69			
	DID Nos, Establish Trunk Group & Provide First Group of 20 DID Nos			UEPDC	NDZ	0.00	0.00	0.00					15.69			
	DID Nos for each Group of 20 DID Nos			UEPDC	ND4	0.00							15.69			
	DID Nos, Non-consecutive DID Nos , Per No			UEPDC	ND5	0.00	0.00	0.00					15.69			
	Reserve Non-Consecutive DID Nos.			UEPDC	ND6	0.00	0.00	0.00			<u> </u>		15.69			<u> </u>
	Reserve DID Nos		<u> </u>	UEPDC	NDV	0.00	0.00	0.00					15.69			ļ
Ded	cated DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1 Digital	Loop v	with 4			ļ										<u> </u>
	Interoffice Channel miage-Fixed rate 0-8 mis (Facilities Term)			UEPDC	1LNO1	77.14	89.47	81.99	16.39	14.48			15.69			<u> </u>
	Interoffice Channel miage-Add'l rate per mi-0-8 mis		<u> </u>	UEPDC	1LNOA	0.3415	0.00	0.00								<b></b>
	Interoffice Channel miage-Fixed rate 9-25 mis (Facilities Term)			UEPDC	1LNO2	0.00	0.00	0.00			<u> </u>					<u> </u>
	Interoffice Channel miage-Add'l rate per mi-9-25 mis			UEPDC	1LNOB	0.3415	0.00	0.00								
	Interoffice Channel miage-Fixed rate 25+ mis (Facilities Term)			UEPDC	1LNO3	0.00	0.00	0.00			<u> </u>					<u> </u>
	Interoffice Channel miage-Add'l rate per mi-25+ mis			UEPDC	1LNOC	0.3415	0.00	0.00			<u> </u>					<u> </u>
	Local No Portability, per DS0 Activated			UEPDC	LNPCP	3.15	0.00	0.00								<u> </u>
	Central Office Termininating Point	i –	1 1	UEPDC	CTG	0.00					1	1				1

	LED NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	bit: B
EGORY	RATE ELEMENTS	Interi m	Zon e	BCS	USOC		F	RATES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitte d Manually per LSR	al Charge Manual Svc Order vs.	Increment al Charge - Manual Svc Order vs. Electronic-	Increment al Charge - Manual Svc Order vs. Electronic-	al Charg Manu Svc Ord vs.
						Rec	Nonrec	urring	NRC Disco	onnect			oss	Rates (\$)		111107-111
1						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMA
4-WIF	RE DS1 LOOP WITH CHANNELIZATION WITH PORT															
Syste	em is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Activations															
Each	System can have up to 24 combinations of rates depending on type and	numb	er of	ports used												
UNE	DS1 Loop															
	4W DS1 Loop-UNE Zone 1		1	UEPMG	USLDC	90.87	0.00	0.00								
1	4W DS1 Loop-UNE Zone 2		2	UEPMG	USLDC	155.43	0.00	0.00								
	4W DS1 Loop-UNE Zone 3		3	UEPMG	USLDC	261.89	0.00	0.00								
UNE	DSO Channelization Capacities (D4 Channel Bank Configurations)															
	24 DSO Channel Capacity-1 per DS1			UEPMG	VUM24	82.78	0.00	0.00					15.69			
	48 DSO Channel Capacity-1 per 2 DS1s			UEPMG	VUM48	165.56	0.00	0.00					15.69		1	
	96 DSO Channel Capacity -1per 4 DS1s			UEPMG	VUM96	331.12	0.00	0.00					15.69		1	
	144 DS0 Channel Capacity-1 per 6 DS1s			UEPMG	VUM14	496.68	0.00	0.00					15.69			
	192 DS0 Channel Capacity -1 per 8 DS1s			UEPMG	VUM19	662.24	0.00	0.00					15.69		1	
	240 DS0 Channel Capacity-1 per 10 DS1s			UEPMG	VUM20	827.80	0.00	0.00					15.69			
	288 DS0 Channel Capacity-1 per 12 DS1s			UEPMG	VUM28	993.36	0.00	0.00					15.69		1	
	384 DS0 Channel Capacity-1 per 16 DS1s			UEPMG	VUM38	1.324.48	0.00	0.00					15.69			
	480 DS0 Channel Capacity-1 per 20 DS1s			UEPMG	VUM40	1,655.60	0.00	0.00					15.69			
	576 DS0 Channel Capacity -1 per 24 DS1s			UEPMG	VUM57	1,986.72	0.00	0.00					15.69			
	672 DS0 Channel Capacity-1 per 28 DS1s			UEPMG	VUM67	2.317.84	0.00	0.00					15.69			
Non-l	Recurring Charges (NRC) Associated with 4-Wire DS1 Loop with Channe	liztion	with				0.00	0.00					10.00			
Syste	NRC-Conversion (Currently Combined) with or w/o BST Allowed Changes	elizatio	on wi	UEPMG th Port Combination	USAC4	0.00	150.81	8.38					15.69			
New	m Additions at End User Locations Where 4-Wire DS1 Loop with Channe (Not Currently Combined) in all states, except in Density Zone 1 of Top 8 I DS1/D4 Channel Bank-Add'lly Add NRC for each Port & Assoc Fea Activation						717.71	425.81	149.08	17.69			15.69			
New	m Additions at End User Locations Where 4-Wire DS1 Loop with Channe (Not Currently Combined) in all states, except in Density Zone 1 of Top 8  1 DS1/D4 Channel Bank-Add'lly Add NRC for each Port & Assoc Fea Activation  ar 8 Zero Substitution			th Port Combination UEPMG	VUMD4	xists and	717.71	425.81	149.08	17.69						
New	m Additions at End User Locations Where 4-Wire DS1 Loop with Channe (Not Currently Combined) in all states, except in Density Zone 1 of Top 8 I DS1/D4 Channel Bank-Add'lly Add NRC for each Port & Assoc Fea Activation			th Port Combination	Currently E	xists and			149.08	17.69						
New (	MAdditions at End User Locations Where 4-Wire DS1 Loop with Channe (Not Currently Combined) in all states, except in Density Zone 1 of Top 8 1 DS1/D4 Channel Bank-Add'lly Add NRC for each Port & Assoc Fea Activation  ar 8 Zero Substitution  Clear Channel Capability Format, superframe-Subsqnt Activity Only Clear Channel Capability Format-Extended Superframe-Subsqnt Activity Only			UEPMG UEPMG	VUMD4  CCOSF	0.00 0.00	717.71	425.81	149.08	17.69						
New Bipol	m Additions at End User Locations Where 4-Wire DS1 Loop with Channe (Not Currently Combined) in all states, except in Density Zone 1 of Top 8  1 DS1/D4 Channel Bank-Add'lly Add NRC for each Port & Assoc Fea Activation ar 8 Zero Substitution  Clear Channel Capability Format, superframe-Subsqnt Activity Only Clear Channel Capability Format-Extended Superframe-Subsqnt Activity			UEPMG UEPMG	VUMD4  CCOSF	0.00 0.00	717.71	425.81	149.08	17.69						
New (	m Additions at End User Locations Where 4-Wire DS1 Loop with Channe (Not Currently Combined) in all states, except in Density Zone 1 of Top 8 1 DS1/D4 Channel Bank-Add'lly Add NRC for each Port & Assoc Fea Activation lar 8 Zero Substitution Clear Channel Capability Format, superframe-Subsqnt Activity Only Clear Channel Capability Format-Extended Superframe-Subsqnt Activity Only nate Mark Inversion (AMI)			UEPMG UEPMG UEPMG	VUMD4  CCOSF  CCOEF	0.00 0.00	717.71 0.00 0.00	425.81 605.00 605.00	149.08	17.69						
Bipol	In Additions at End User Locations Where 4-Wire DS1 Loop with Channe (Not Currently Combined) in all states, except in Density Zone 1 of Top 8    1 DS1/D4 Channel Bank-Add'lly Add NRC for each Port & Assoc Fea Activation    ar 8 Zero Substitution    Clear Channel Capability Format, superframe-Subsqnt Activity Only   Clear Channel Capability Format-Extended Superframe-Subsqnt Activity Only   nate Mark Inversion (AMI)   Superframe Format	MSA'		UEPMG UEPMG UEPMG UEPMG UEPMG	VUMD4  CCOSF  CCOEF	0.00 0.00 0.00 0.00	717.71 0.00 0.00	425.81 605.00 605.00	149.08	17.69						
Bipol Alteri	In Additions at End User Locations Where 4-Wire DS1 Loop with Channe (Not Currently Combined) in all states, except in Density Zone 1 of Top 8 1 DS1/D4 Channel Bank-Add'lly Add NRC for each Port & Assoc Fea Activation  Iar 8 Zero Substitution  Clear Channel Capability Format, superframe-Subsqnt Activity Only  Clear Channel Capability Format-Extended Superframe-Subsqnt Activity Only  nate Mark Inversion (AMI)  Superframe Format  Extended Superframe Format  ange Ports Associated with 4-Wire DS1 Loop with Channelization with Pange Ports	MSA'		UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG	VUMD4  CCOSF  CCOEF  MCOSF  MCOPO	0.00 0.00 0.00 0.00 0.00	717.71 0.00 0.00 0.00 0.00	425.81 605.00 605.00 0.00 0.00					15.69			
Bipol Alteri	In Additions at End User Locations Where 4-Wire DS1 Loop with Channe (Not Currently Combined) in all states, except in Density Zone 1 of Top 8    1 DS1/D4 Channel Bank-Add'lly Add NRC for each Port & Assoc Fea Activation    In 8 Zero Substitution    Clear Channel Capability Format, superframe-Subsqnt Activity Only   Clear Channel Capability Format-Extended Superframe-Subsqnt Activity Only   In the Mark Inversion (AMI)   Superframe Format   Extended Superframe Format   In the Mark Inversion (AMI)    In the Mark Inversion (AMI)    In the Mark	MSA'		UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG	VUMD4  CCOSF  CCOEF  MCOSF  MCOPO	0.00 0.00 0.00 0.00 0.00 0.00	717.71 0.00 0.00 0.00 0.00 0.00	425.81 605.00 605.00 0.00 0.00	0.00	0.00			15.69			
Bipol Alteri	em Additions at End User Locations Where 4-Wire DS1 Loop with Channe (Not Currently Combined) in all states, except in Density Zone 1 of Top 8   1 DS1/D4 Channel Bank-Add'lly Add NRC for each Port & Assoc Fea   Activation   ar 8 Zero Substitution   Clear Channel Capability Format, superframe-Subsqnt Activity Only   Clear Channel Capability Format-Extended Superframe-Subsqnt Activity   Only   nate Mark Inversion (AMI)   Superframe Format   Extended Superframe Format   ange Ports   Line Side Combination Channelized PBX Trunk Port-bus   Line Side Outward Channelized PBX Trunk Port-bus	MSA'		UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPPX UEPPX	VUMD4  CCOSF  CCOEF  MCOSF  MCOPO  UEPCX UEPOX	0.00 0.00 0.00 0.00 0.00 0.00 1.13 1.13	717.71 0.00 0.00 0.00 0.00 0.00	425.81 605.00 605.00 0.00 0.00	0.00	0.00			15.69 15.69 15.69			
Bipol Alteri	em Additions at End User Locations Where 4-Wire DS1 Loop with Channe (Not Currently Combined) in all states, except in Density Zone 1 of Top 8 1 DS1/D4 Channel Bank-Add'lly Add NRC for each Port & Assoc Fea Activation  lar 8 Zero Substitution  Clear Channel Capability Format, superframe-Subsqnt Activity Only Clear Channel Capability Format-Extended Superframe-Subsqnt Activity Only only nate Mark Inversion (AMI) Superframe Format Extended Superframe Format ange Ports Associated with 4-Wire DS1 Loop with Channelization with Pange Ports Line Side Combination Channelized PBX Trunk Port-bus Line Side Outward Channelized PBX Trunk Port-bus Line Side Inward Only Channelized PBX Trunk Port-bus	MSA'		UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPPX UEPPX UEPPX	VUMD4  CCOSF  CCOEF  MCOSF  MCOPO  UEPCX UEPOX UEP1X	0.00 0.00 0.00 0.00 0.00 1.13 1.13 1.13	717.71 0.00 0.00 0.00 0.00 0.00 0.00 0.0	425.81 605.00 605.00 0.00 0.00 0.00 0.00	0.00 0.00 0.00	0.00 0.00 0.00			15.69 15.69 15.69 15.69			
Bipol  Alteri	In Additions at End User Locations Where 4-Wire DS1 Loop with Channel (Not Currently Combined) in all states, except in Density Zone 1 of Top 8 I DS1/D4 Channel Bank-Add'lly Add NRC for each Port & Assoc Fea Activation  I Sa Zero Substitution  Clear Channel Capability Format, superframe-Subsqnt Activity Only Clear Channel Capability Format-Extended Superframe-Subsqnt Activity Only Inate Mark Inversion (AMI) Superframe Format Extended Superframe Format Extended Superframe Format Inge Ports Associated with 4-Wire DS1 Loop with Channelization with Pange Ports Line Side Combination Channelized PBX Trunk Port-bus Line Side Outward Channelized PBX Trunk Port-bus Line Side Inward Only Channelized PBX Trunk Port Vo DID 2W Trunk Side Unbundled Channelized DID Trunk Port	MSA'		UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPPX UEPPX	VUMD4  CCOSF  CCOEF  MCOSF  MCOPO  UEPCX UEPOX	0.00 0.00 0.00 0.00 0.00 0.00 1.13 1.13	717.71 0.00 0.00 0.00 0.00 0.00	425.81 605.00 605.00 0.00 0.00	0.00	0.00			15.69 15.69 15.69			
Bipol  Alteri	em Additions at End User Locations Where 4-Wire DS1 Loop with Channe (Not Currently Combined) in all states, except in Density Zone 1 of Top 8   DS1/DA Channel Bank-Add'lly Add NRC for each Port & Assoc Fea Activation    ar 8 Zero Substitution   Clear Channel Capability Format, superframe-Subsqnt Activity Only   Clear Channel Capability Format-Extended Superframe-Subsqnt Activity Only   Only   nate Mark Inversion (AMI)   Superframe Format   Extended Superframe Format   Extended Superframe Format   ange Ports Associated with 4-Wire DS1 Loop with Channelization with Pange Ports   Line Side Combination Channelized PBX Trunk Port-bus   Line Side Outward Channelized PBX Trunk Port-bus   Line Side Inward Only Channelized PBX Trunk Port w/o DID   2W Trunk Side Unbundled Channelized DID Trunk Port	MSA'		UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPPMG UEPPX UEPPX UEPPX UEPPX UEPPX	VUMD4  CCOSF  CCOEF  MCOPO  UEPCX UEPOX UEPDM	0.00 0.00 0.00 0.00 0.00 0.113 1.13 1.13	717.71 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00	425.81 605.00 605.00 0.00 0.00 0.00 0.00 0.00	0.00 0.00 0.00 0.00	0.00 0.00 0.00 0.00			15.69 15.69 15.69 15.69			
Bipol  Alteri	em Additions at End User Locations Where 4-Wire DS1 Loop with Channel (Not Currently Combined) in all states, except in Density Zone 1 of Top 8 I DS1/D4 Channel Bank-Add'lly Add NRC for each Port & Assoc Fea Activation ar 8 Zero Substitution Clear Channel Capability Format, superframe-Subsqnt Activity Only Clear Channel Capability Format-Extended Superframe-Subsqnt Activity Only nate Mark Inversion (AMI) Superframe Format Extended Superframe Format ange Ports Associated with 4-Wire DS1 Loop with Channelization with Pange Ports Line Side Combination Channelized PBX Trunk Port-bus Line Side Outward Channelized PBX Trunk Port-bus Line Side Inward Only Channelized PBX Trunk Port w/o DID 2W Trunk Side Unbundled Channelized DID Trunk Port ure Activations - Unbundled Loop Concentration Feature (Service) Activation for each Line Port Terminated in D4 Bank	MSA'		UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX	VUMD4  CCOSF  CCOEF  MCOSF  MCOPO  UEPCX UEPOX UEP1X UEPDM	0.00 0.00 0.00 0.00 0.00 1.13 1.13 7.09	717.71 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 25.45	425.81 605.00 605.00 0.00 0.00 0.00 0.00 0.00	0.00 0.00 0.00 0.00 0.00	0.00 0.00 0.00 0.00 4.17			15.69 15.69 15.69 15.69 15.69			
Bipol  Alteri	In Additions at End User Locations Where 4-Wire DS1 Loop with Channe (Not Currently Combined) in all states, except in Density Zone 1 of Top 8 1 DS1/D4 Channel Bank-Add'lly Add NRC for each Port & Assoc Fea Activation  Iar 8 Zero Substitution  Clear Channel Capability Format, superframe-Subsqnt Activity Only  Clear Channel Capability Format-Extended Superframe-Subsqnt Activity Only  Only  nate Mark Inversion (AMI)  Superframe Format  Extended Superframe Format  ange Ports Associated with 4-Wire DS1 Loop with Channelization with Pange Ports  Line Side Combination Channelized PBX Trunk Port-bus  Line Side Outward Channelized PBX Trunk Port-bus  Line Side Outward Channelized PBX Trunk Port-bus  Line Side Inward Only Channelized PBX Trunk Port w/o DID  2W Trunk Side Unbundled Channelized DID Trunk Port  re Activations - Unbundled Loop Concentration  Feature (Service) Activation for each Trunk Port Terminated in D4 Bank  Feature (Service) Activation for each Trunk Port Terminated in D4 Bank	MSA'		UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPPMG UEPPX UEPPX UEPPX UEPPX UEPPX	VUMD4  CCOSF  CCOEF  MCOPO  UEPCX UEPOX UEPDM	0.00 0.00 0.00 0.00 0.00 0.113 1.13 1.13	717.71 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00	425.81 605.00 605.00 0.00 0.00 0.00 0.00 0.00	0.00 0.00 0.00 0.00	0.00 0.00 0.00 0.00			15.69 15.69 15.69 15.69			
Bipol  Alteri	em Additions at End User Locations Where 4-Wire DS1 Loop with Channe (Not Currently Combined) in all states, except in Density Zone 1 of Top 8   1 DS1/D4 Channel Bank-Add'lly Add NRC for each Port & Assoc Fea   Activation   ar 8 Zero Substitution   Clear Channel Capability Format, superframe-Subsqnt Activity Only   Clear Channel Capability Format-Extended Superframe-Subsqnt Activity Only   Only   nate Mark Inversion (AMI)   Superframe Format   Extended Superframe Format   Extended Superframe Format   ange Ports Associated with 4-Wire DS1 Loop with Channelization with P   ange Ports   Line Side Combination Channelized PBX Trunk Port-bus   Line Side Combination Channelized PBX Trunk Port-bus   Line Side Inward Only Channelized PBX Trunk Port w/o DID   2VM Trunk Side Unbundled Channelized DID Trunk Port   Ire Activations - Unbundled Loop Concentration   Feature (Service) Activation for each Line Port Terminated in D4 Bank   Feature (Service) Activation for each Line Port Terminated in D4 Bank   Shone Number/ Group Establishment Charges for DID Service	MSA'		UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX	VUMD4  CCOSF  CCOEF  MCOSF  MCOPO  UEPCX UEPOX UEP1X UEPDM  1PQWU	0.00 0.00 0.00 0.00 0.00 0.00 1.13 1.13	717.71 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00	425.81 605.00 605.00 0.00 0.00 0.00 0.00 0.00 13.44 18.46	0.00 0.00 0.00 0.00 0.00	0.00 0.00 0.00 0.00 4.17			15.69 15.69 15.69 15.69 15.69			
Bipol  Alteri  Exch  Featu	In Additions at End User Locations Where 4-Wire DS1 Loop with Channel (Not Currently Combined) in all states, except in Density Zone 1 of Top 8   DS1/D4 Channel Bank-Add'lly Add NRC for each Port & Assoc Fea Activation    ar 8 Zero Substitution   Clear Channel Capability Format, superframe-Subsqnt Activity Only   Clear Channel Capability Format-Extended Superframe-Subsqnt Activity Only   Only   Dolly	MSA'		UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX	VUMD4  CCOSF  CCOEF  MCOSF  MCOPO  UEPCX UEPOX UEPDM  1PQWM 1PQWU  NDT	0.00 0.00 0.00 0.00 0.00 1.13 1.13 1.13	717.71 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00	425.81 605.00 605.00 0.00 0.00 0.00 0.00 0.00 13.44 18.46	0.00 0.00 0.00 0.00 0.00	0.00 0.00 0.00 0.00 4.17			15.69 15.69 15.69 15.69 15.69			
Bipol Alteri	In Additions at End User Locations Where 4-Wire DS1 Loop with Channel (Not Currently Combined) in all states, except in Density Zone 1 of Top 8 I DS1/D4 Channel Bank-Add'lly Add NRC for each Port & Assoc Fea Activation  ar 8 Zero Substitution  Clear Channel Capability Format, superframe-Subsqnt Activity Only Clear Channel Capability Format-Extended Superframe-Subsqnt Activity Only nate Mark Inversion (AMI)  Superframe Format Extended Superframe Format ange Ports Associated with 4-Wire DS1 Loop with Channelization with Pange Ports Line Side Combination Channelized PBX Trunk Port-bus Line Side Outward Channelized PBX Trunk Port-bus Line Side Outward Channelized PBX Trunk Port w/o DID 2W Trunk Side Unbundled Channelized DID Trunk Port ure Activations - Unbundled Loop Concentration  Feature (Service) Activation for each Line Port Terminated in D4 Bank Feature (Service) Activation for each Trunk Port Terminated in D4 Bank DID Trunk Term (1 per Port)  Estab Trk Grp & Provide 1st 20 DID Nos. (FL,GA, NC, & SC)	MSA'		UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPPX	VUMD4  CCOSF  CCOEF  MCOSF  MCOPO  UEPCX UEPOX UEP1X UEPDM  1PQWM 1PQWU  NDT NDZ	0.00 0.00 0.00 0.00 0.00 0.00 1.13 1.13	717.71 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00	425.81 605.00 605.00 0.00 0.00 0.00 0.00 0.00 13.44 18.46 0.00 0.00	0.00 0.00 0.00 0.00 0.00 4.20 59.37	0.00 0.00 0.00 0.00 4.17			15.69 15.69 15.69 15.69 15.69			
Bipol Alteri	In Additions at End User Locations Where 4-Wire DS1 Loop with Channel (Not Currently Combined) in all states, except in Density Zone 1 of Top 8   I DS1/D4 Channel Bank-Add'lly Add NRC for each Port & Assoc Fea Activation   Iar 8 Zero Substitution   Clear Channel Capability Format, superframe-Subsqnt Activity Only   Clear Channel Capability Format-Extended Superframe-Subsqnt Activity Only   Only   International Combination (AMI)   Superframe Format   Extended Superframe Format   Iange Ports Associated with 4-Wire DS1 Loop with Channelization with Pange Ports   Line Side Combination Channelized PBX Trunk Port-bus   Line Side Outward Channelized PBX Trunk Port-bus   Line Side Inward Only Channelized PBX Trunk Port w/o DID   2W Trunk Side Unbundled Channelized DID Trunk Port   Ire Activations - Unbundled Loop Concentration   Feature (Service) Activation for each Trunk Port Terminated in D4 Bank   Feature (Service) Activation for each Trunk Port Terminated in D4 Bank   Footone Number/ Group Establishment Charges for DID Service   DID Trunk Term (1 per Port)   Estab Trk Gro & Provide 1st 20 DID Nos. (FL,GA, NC,& SC)   DID Nos-groups of 20-Valid all States	MSA'		UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPPX	VUMD4  CCOSF  CCOEF  MCOSF  MCOPO  UEPCX UEPOX UEPDM  1PQWM 1PQWU  NDT NDZ ND4	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0	717.71 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00	425.81 605.00 605.00 0.00 0.00 0.00 0.00 13.44 18.46 0.00 0.00 0.00	0.00 0.00 0.00 0.00 0.00 4.20 59.37	0.00 0.00 0.00 0.00 4.17			15.69 15.69 15.69 15.69 15.69			
Bipol Alteri	em Additions at End User Locations Where 4-Wire DS1 Loop with Channe (Not Currently Combined) in all states, except in Density Zone 1 of Top 8   1 DS1/D4 Channel Bank-Add'lly Add NRC for each Port & Assoc Fea   Activation   ar 8 Zero Substitution   Clear Channel Capability Format, superframe-Subsqnt Activity Only   Clear Channel Capability Format-Extended Superframe-Subsqnt Activity Only   Only   nate Mark Inversion (AMI)   Superframe Format   Extended Superframe Format   Extended Superframe Format   Line Side Combination Channelized PBX Trunk Port-bus   Line Side Combination Channelized PBX Trunk Port-bus   Line Side Outward Channelized PBX Trunk Port-bus   Line Side Inward Only Channelized PBX Trunk Port w/o DID   2W Trunk Side Unbundled Channelized DID Trunk Port   Trunk Side Unbundled Channelized DID Trunk Port   Trunk Clervice) Activation for each Line Port Terminated in D4 Bank   Feature (Service) Activation for each Trunk Port Terminated in D4 Bank   Footne Number/ Group Establishment Charges for DID Service   DID Trunk Term (1 per Port)   Estab Trk Grp & Provide 1st 20 DID Nos. (FL,GA, NC,& SC)   DID Nos-groups of 20-Valid all States   Non-Consecutive DID Nos-per No	MSA'		UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPPX	VUMD4  CCOSF  CCOEF  MCOPO  UEPCX UEPOX UEPOX UEPDM  1PQWM 1PQWU  NDT NDZ ND4 ND5	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.56 0.56	717.71 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00	425.81 605.00 0.00 0.00 0.00 0.00 0.00 0.00 13.44 18.46 0.00 0.00 0.00	0.00 0.00 0.00 0.00 0.00 4.20 59.37	0.00 0.00 0.00 0.00 4.17			15.69 15.69 15.69 15.69 15.69			
Bipol Alteri	In Additions at End User Locations Where 4-Wire DS1 Loop with Channel (Not Currently Combined) in all states, except in Density Zone 1 of Top 8   I DS1/D4 Channel Bank-Add'lly Add NRC for each Port & Assoc Fea   Activation   In Bank-Add'lly Add NRC for each Port & Assoc Fea   Activation   In Bank-Add'lly Add NRC for each Port & Assoc Fea   Activation   In Bank-Add'lly Add NRC for each Port & Assoc Fea   Activation   In Bank-Add'lly Add NRC for each Port & Assoc Fea   Activation   In Bank-Add'lly Add NRC for each Port & Assoc Fea   Activation   In Bank-Add'lly Add NRC for each Port & Assoc Fea   Activation   In Bank-Add'lly Add NRC for each Port & Assoc Fea   Activation   In Bank-Add'lly Add NRC for each Port & Assoc Fea   In Bank-Add'lly Add NRC for each Port & Assoc Fea   In Bank-Add'lly Add NRC for each Port & Assoc Fea   In Bank-Add'lly Add NRC for each Port & Assoc Fea   In Bank-Add'lly Add NRC for each Port & Assoc Fea   In Bank-Add'lly Add NRC for each Port & Assoc Fea   In Bank-Bank-Add'lly Add NRC for each Port & Assoc Fea   In Bank-Bank-Bank-Bank-Bank-Bank-Bank-Bank-	MSA'		UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPPX UEPPX UEPPX UEPPX UEPPX	VUMD4  CCOSF  CCOEF  MCOSF  MCOPO  UEPCX UEPOX UEP1X UEPDM  1PQWM 1PQWU  NDT NDZ ND4 ND5 ND6	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.56 0.56	717.71 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00	425.81 605.00 605.00 0.00 0.00 0.00 0.00 0.00 13.44 18.46 0.00 0.00 0.00 0.00 0.00	0.00 0.00 0.00 0.00 0.00 4.20 59.37	0.00 0.00 0.00 0.00 4.17			15.69 15.69 15.69 15.69 15.69			
Bipol  Alteri  Exch  Featu	In Additions at End User Locations Where 4-Wire DS1 Loop with Channel (Not Currently Combined) in all states, except in Density Zone 1 of Top 8 I DS1/D4 Channel Bank-Add'lly Add NRC for each Port & Assoc Fea Activation  I Bar 8 Zero Substitution  Clear Channel Capability Format, superframe-Subsqnt Activity Only Clear Channel Capability Format-Extended Superframe-Subsqnt Activity Only Interval Combination (AMI) Superframe Format Extended Superframe Format Extended Superframe Format Extended Superframe Format Extended Superframe Format Interval Combination Channelized PBX Trunk Port-bus Line Side Combination Channelized PBX Trunk Port-bus Line Side Outward Channelized PBX Trunk Port-bus Line Side Unbundled Channelized DID Trunk Port Feature (Service) Activation for each Line Port Terminated in D4 Bank Feature (Service) Activation for each Trunk Port Terminated in D4 Bank Feature (Service) Activation for each Trunk Port Terminated in D4 Bank Foother Mumber/ Group Establishment Charges for DID Service DID Trunk Term (1 per Port) Estab Trik Grp & Provide 1st 20 DID Nos. (FL,GA, NC,& SC) DID Nos-groups of 20-Valid all States Non-Consecutive DID Nos-per No Reserve Non-Consecutive DID Nos Reserve DID Nos Reserve DID Nos Reserve DID Nos	MSA'		UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPPX	VUMD4  CCOSF  CCOEF  MCOPO  UEPCX UEPOX UEPOX UEPDM  1PQWM 1PQWU  NDT NDZ ND4 ND5	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.56 0.56	717.71 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00	425.81 605.00 0.00 0.00 0.00 0.00 0.00 0.00 13.44 18.46 0.00 0.00 0.00	0.00 0.00 0.00 0.00 0.00 4.20 59.37	0.00 0.00 0.00 0.00 4.17			15.69 15.69 15.69 15.69 15.69			
Bipol  Alteri  Exch  Featu	em Additions at End User Locations Where 4-Wire DS1 Loop with Channe (Not Currently Combined) in all states, except in Density Zone 1 of Top 8  1 DS1/D4 Channel Bank-Add'lly Add NRC for each Port & Assoc Fea Activation  ar 8 Zero Substitution  Clear Channel Capability Format, superframe-Subsqnt Activity Only  Clear Channel Capability Format-Extended Superframe-Subsqnt Activity Only  nate Mark Inversion (AMI)  Superframe Format  Extended Superframe Format  Extended Superframe Format  ange Ports Associated with 4-Wire DS1 Loop with Channelization with Pange Ports  Line Side Combination Channelized PBX Trunk Port-bus  Line Side Combination Channelized PBX Trunk Port-bus  Line Side Inward Only Channelized PBX Trunk Port w/o DID 22W Trunk Side Unbundled Channelized DID Trunk Port  are Activations - Unbundled Channelized DID Trunk Port  are Activations - Unbundled Loop Concentration  Feature (Service) Activation for each Line Port Terminated in D4 Bank  Feature (Service) Activation for each Line Port Terminated in D4 Bank  Shone Number/ Group Establishment Charges for DID Service  DID Trunk Term (1 per Port)  Estab Trk Grp & Provide 1st 20 DID Nos. (FL,GA, NC,& SC)  DID Nos-groups of 20-Valid all States  Non-Consecutive DID Nos-per No  Reserve DID Nos  Reserve DID Nos  Number Portability	MSA'		UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX	VUMD4  CCOSF  CCOEF  MCOPO  UEPCX UEPOX UEPOX UEPDM  1PQWM 1PQWU  NDT NDZ ND4 ND5 ND6 NDV	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.56 0.56	717.71 0.00	425.81 605.00 0.00 0.00 0.00 0.00 0.00 0.00 13.44 18.46 0.00 0.00 0.00 0.00 0.00	0.00 0.00 0.00 0.00 0.00 4.20 59.37	0.00 0.00 0.00 0.00 4.17			15.69 15.69 15.69 15.69 15.69			
Bipol  Altern  Exch  Featu  Telep	em Additions at End User Locations Where 4-Wire DS1 Loop with Channel (Not Currently Combined) in all states, except in Density Zone 1 of Top 8  1 DS1/D4 Channel Bank-Add'lly Add NRC for each Port & Assoc Fea Activation  ar 8 Zero Substitution  Clear Channel Capability Format, superframe-Subsqnt Activity Only Clear Channel Capability Format-Extended Superframe-Subsqnt Activity Only nate Mark Inversion (AMI)  Superframe Format  Extended Superframe Format  Extended Superframe Format  Inne Side Combination Channelized PBX Trunk Port-bus  Line Side Combination Channelized PBX Trunk Port-bus  Line Side Combination Channelized PBX Trunk Port w/o DID  2W Trunk Side Unbundled Channelized PBX Trunk Port  are Activations - Unbundled Loop Concentration  Feature (Service) Activation for each Trunk Port Terminated in D4 Bank Feature (Service) Activation for each Trunk Port Terminated in D4 Bank Feature (Service) Activation for each Trunk Port Terminated in D4 Bank Johne Number / Group Establishment Charges for DID Service  DID Trunk Term (1 per Port)  Estab Trk Grp & Provide 1st 20 DID Nos. (FL,GA, NC,& SC)  DID Nos-groups of 20-Valid all States  Non-Consecutive DID Nos   Reserve Non-Consec	MSA'		UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPPX	VUMD4  CCOSF  CCOEF  MCOSF  MCOPO  UEPCX UEPOX UEP1X UEPDM  1PQWM 1PQWU  NDT NDZ ND4 ND5 ND6	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.56 0.56	717.71 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00	425.81 605.00 605.00 0.00 0.00 0.00 0.00 0.00 13.44 18.46 0.00 0.00 0.00 0.00 0.00	0.00 0.00 0.00 0.00 0.00 4.20 59.37	0.00 0.00 0.00 0.00 4.17			15.69 15.69 15.69 15.69 15.69			
Bipol  Altern  Exch  Featu  Telep  Loca	In Additions at End User Locations Where 4-Wire DS1 Loop with Channel (Not Currently Combined) in all states, except in Density Zone 1 of Top 8 I DS1/D4 Channel Bank-Add'lly Add NRC for each Port & Assoc Fea Activation  ar 8 Zero Substitution  Clear Channel Capability Format, superframe-Subsqnt Activity Only Clear Channel Capability Format-Extended Superframe-Subsqnt Activity Only nate Mark Inversion (AMI) Superframe Format Extended Superframe Format ange Ports Associated with 4-Wire DS1 Loop with Channelization with Pange Ports Line Side Combination Channelized PBX Trunk Port-bus Line Side Outward Channelized PBX Trunk Port-bus Line Side Inward Only Channelized PBX Trunk Port w/o DID 2W Trunk Side Unbundled Channelized DID Trunk Port ure Activations - Unbundled Loop Concentration Feature (Service) Activation for each Line Port Terminated in D4 Bank Feature (Service) Activation for each Trunk Port Terminated in D4 Bank DiD Trunk Term (1 per Port) Estab Trk Grp & Provide 1st 20 DID Nos. (FL,GA, NC,& SC) DID Nos-groups of 20-Valid all States Non-Consecutive DID Nos-per No Reserve Non-Consecutive DID Nos Reserve DID Nos Reserve DID Nos Reserve DID Nos Reserve DID Nos Reserve DID Nos Reserve DID Nos Reserve DID Nos Reserve Vertical and Optional	MSA'		UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX	VUMD4  CCOSF  CCOEF  MCOPO  UEPCX UEPOX UEPOX UEPDM  1PQWM 1PQWU  NDT NDZ ND4 ND5 ND6 NDV	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.56 0.56	717.71 0.00	425.81 605.00 0.00 0.00 0.00 0.00 0.00 0.00 13.44 18.46 0.00 0.00 0.00 0.00 0.00	0.00 0.00 0.00 0.00 0.00 4.20 59.37	0.00 0.00 0.00 0.00 4.17			15.69 15.69 15.69 15.69 15.69			
Bipol  Altern  Exch  Featu  Telep  Loca	em Additions at End User Locations Where 4-Wire DS1 Loop with Channel (Not Currently Combined) in all states, except in Density Zone 1 of Top 8  1 DS1/D4 Channel Bank-Add'lly Add NRC for each Port & Assoc Fea Activation  ar 8 Zero Substitution  Clear Channel Capability Format, superframe-Subsqnt Activity Only Clear Channel Capability Format-Extended Superframe-Subsqnt Activity Only nate Mark Inversion (AMI)  Superframe Format  Extended Superframe Format  Extended Superframe Format  Inne Side Combination Channelized PBX Trunk Port-bus  Line Side Combination Channelized PBX Trunk Port-bus  Line Side Combination Channelized PBX Trunk Port w/o DID  2W Trunk Side Unbundled Channelized PBX Trunk Port  are Activations - Unbundled Loop Concentration  Feature (Service) Activation for each Trunk Port Terminated in D4 Bank Feature (Service) Activation for each Trunk Port Terminated in D4 Bank Feature (Service) Activation for each Trunk Port Terminated in D4 Bank Johne Number / Group Establishment Charges for DID Service  DID Trunk Term (1 per Port)  Estab Trk Grp & Provide 1st 20 DID Nos. (FL,GA, NC,& SC)  DID Nos-groups of 20-Valid all States  Non-Consecutive DID Nos   Reserve Non-Consec	MSA'		UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPPX	VUMD4  CCOSF  CCOEF  MCOPO  UEPCX UEPOX UEPOX UEPDM  1PQWM 1PQWU  NDT NDZ ND4 ND5 ND6 NDV	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.56 0.56	717.71 0.00	425.81 605.00 0.00 0.00 0.00 0.00 0.00 0.00 13.44 18.46 0.00 0.00 0.00 0.00 0.00	0.00 0.00 0.00 0.00 0.00 4.20 59.37	0.00 0.00 0.00 0.00 4.17			15.69 15.69 15.69 15.69 15.69			

UNBUND	LED NETWORK ELEMENTS - South Carolina												Attach	ment: 2		bit: B
											Svc	Svc	Increment		Increment	
											Order	Order	_	al Charge -	al Charge -	al Charge
	DATE 51 51451170	Interi	Zon					D. 4.T.C. (A)			Submitte	Submitte	Manual	Manual	Manual	Manual
CATEGORY	RATE ELEMENTS	m	e	BCS	USOC			RATES (\$)			d Elec	d	Svc Order	Svc Order	Svc Order	Svc Orde
											per LSR	Manually	vs.	vs.	vs.	vs.
												per LSR	Electronic	Electronic-	Electronic-	Electronic
									NDO Di				164	Vddil	Disc 1st	Disc Add
						Rec		curring	NRC Disco		201150			Rates (\$)	001111	
			<u> </u>			·	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	et Rates shall apply where BellSouth is not required to provide unbundle	ea loc	ai sv	itching or switch por	ts per FCC	and/or Commi	ssion rules.				-		-			
	includes: Indled port/loop combinations that are Currently Combined or Not Currently	atly C	ombi	nad in Zana 1 of the T	on 0 MC AC	in PallSouth's	rogion for on	d ucore with 4	or more Dec	) ogujvalant	lines		+		-	
	op 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderdale, Miam											0)	1			
BST	currently is developing the billing capability to mechanically bill the recu	irrina	and	NRC Market Rates in	this section	n. In the interio	m where BST c	annot bill Mar	ket Rates. B	ST shall bill	the rates in	n the Cost-	Based sect	ion precedi	na in lieu of	the Marke
	s and reserves the right to true-up the billing difference.	9	unu	Witto market reales in	5000.01		III WINCIG BOT C	annot bin man	not realco, B	or onan om	tilo ratos ii	1110 0001	Buscu scot	ion procedi	ing in near or	ino marko
		200	1			1	1		I				1	1		
End (	Market Rate for unbundled ports includes all available features in all stat Office and Tandem Switching Usage and Common Transport Usage rates	in th	e Po	rt section of this Exhi	bit shall ap	ply to all comb	inations of loo	p/port network	elements e	xcept for U	NE Coin Po	ort/Loop Co	ombinations	which have	e a flat rate	usage
chard	ne (USOC: URECU).					. ,										
	lot Currently Combined scenarios the NRC charges are listed in the First	and.	Add'l	NRC columns for each	ch Port US	OC. For Curre	ntly Combined	scenarios, the	NRC charge	es are listed	in the NRC	C - Current	ly Combine	d section. A	Add'I NRCs r	nay apply
also	and are categorized accordingly.															
2-WIF	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)															
UNE	Port/Loop Combination Rates															
	2W VG Loop/Port Combo-Zone 1		1			27.76										
	2W VG Loop/Port Combo-Zone 2		2			34.38										
	2W VG Loop/Port Combo-Zone 3		3			40.04										
UNE	Loop Rates															
	2W VG Loop (SL1)-Zone 1		1	UEPRX	UEPLX	13.76										
	2W VG Loop (SL1)-Zone 2		2	UEPRX	UEPLX	20.38										
	2W VG Loop (SL1)-Zone 3		3	UEPRX	UEPLX	26.04										
2-Wir	e Voice Grade Line Port (Res)															
	2W voice unbundled port-Res			UEPRX	UEPRL	14.00	90.00	90.00				15.69				
	2W voice unbundled port with Caller ID-res			UEPRX	UEPRC	14.00	90.00	90.00				15.69				
	2W voice unbundled port outgoing only-res			UEPRX	UEPRO	14.00	90.00	90.00				15.69				
	2W voice unbundles res, low usage line port with Caller ID (LUM)			UEPRX	UEPAP	14.00	90.00	90.00				15.69				
	2W voice unbundled Low Usage Line Port w/o Caller ID Capability			UEPRX	UEPRT	14.00	90.00	90.00				15.69				
	2W Voice Unbundled SC Res Dialing Plan w/o Caller ID			UEPRX UEPRX	UEPWL UEPRS	14.00 14.00	90.00	90.00				15.69 15.69	-			
100	2W voice unbundled SC Area Calling Port w/o Caller ID Capability AL NUMBER PORTABILITY			UEPKA	UEPRS	14.00	90.00	90.00			-	15.69				
LUCA	Local No Portability (1 per port)			UEPRX	LNPCX	0.35							+		-	
EEAT	URES			UEFKA	LINFCX	0.33							1			
FEAT	All Features Offered			UEPRX	UEPVF	0.00	0.00	0.00				15.69	1			
ADDI	TIONAL NRCs			OLFIX	OLFVI	0.00	0.00	0.00				13.03	1			
ADDI	NRC-2W VG Loop/Line Port Combination-Subsqnt			UEPRX	USAS2		0.00	0.00				15.69				
2-WIF	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)			OLITOX	00/102		0.00	0.00				10.00				
	Port/Loop Combination Rates					İ							1			
	2W VG Loop/Port Combo-Zone 1		1			27.76										
	2W VG Loop/Port Combo-Zone 2		2			34.38										
	2W VG Loop/Port Combo-Zone 3		3			40.04										
UNE	Loop Rates															
	2W VG Loop (SL1)-Zone 1		1	UEPBX	UEPLX	13.76										
	2W VG Loop (SL1)-Zone 2		2	UEPBX	UEPLX	20.38										
	2W VG Loop (SL1)-Zone 3		3	UEPBX	UEPLX	26.04										
2-Wir	e Voice Grade Line Port (Bus)							1					ļ			
	2W voice unbundled port w/o Caller ID-bus			UEPBX	UEPBL	14.00	90.00	90.00				15.69				
	2W voice unbundled port with Caller + E484 ID-bus		<b>—</b>	UEPBX	UEPBC	14.00	90.00	90.00				15.69	1		<u> </u>	
	2W voice unbundled port outgoing only-bus			UEPBX	UEPBO	14.00	90.00	90.00	ļ			15.69	<del>                                     </del>			ļ
	2W VG unbundled SC extended local dialing parity port with Caller ID-bus		<u> </u>	UEPBX	UEPAZ	14.00	90.00	90.00				15.69				
	2W voice unbundled SC Bus Area Calling Port with Caller ID (LMB)		<del>                                     </del>	UEPBX	UEPAB	14.00	90.00	90.00	1		ļ	15.69	1			
	2W voice unbundled Incoming Only Port w/o Caller ID Capability		-	UEPBX	UEPBE	14.00	90.00	90.00				15.69	1			
	2W Voice Unbundled SC bus Dialing Plan w/o Caller ID		-	UEPBX	UEPWM	14.00	90.00	90.00	-		1	15.69	1		<b>-</b>	
	2W voice unbundled SC bus Area Calling Port w/o Caller ID Capability			UEPBX	UEPBB	14.00	90.00	90.00				15.69				
100	AL NUMBER PORTABILITY		1	UEPBA	UEPBB	14.00	90.00	90.00			-	15.69	<del>                                     </del>			
LUCA	Local No Portability (1 per port)		1	UEPBX	LNPCX	0.35	1		1		1		1		-	
EEAT	TURES			UEFBA	LINFUX	0.35	<del> </del>		-				1			
FEAT	All Features Offered			UEPBX	UEPVF	0.00	0.00	0.00	1			15.69	1		<b>+</b>	
	7 iii i dataros Onorea			OLI DA	OLI VI	0.00	0.00	0.00	l		L	15.05		L	1	

Version 4Q02: 01/21/03 Page 346 of 402

NDUNUL	ED NETWORK ELEMENTS - South Carolina			1							_			ment: 2		bit: B
TEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	USOC		ı	RATES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitte d Manually per LSR	al Charge Manual Svc Order vs.	Manual Svc Order vs.	al Charge - Manual	al Charge Manual Svc Orde vs.
		1				D	Nonrec	urring	NRC Disco	nnect			OSS	Rates (\$)		THE PARTY
		1				Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ADDI1	TIONAL NRCs	1														1
	NRC-2W VG Loop/Line Port Combination-Subsqnt			UEPBX	USAS2		0.00	0.00				15.69		i '		
2-WIR	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)												l	·		
UNE F	Port/Loop Combination Rates												l	·		
	2W VG Loop/Port Combo-Zone 1		1			27.76										
	2W VG Loop/Port Combo-Zone 2		2			34.38										
	2W VG Loop/Port Combo-Zone 3		3			40.04										
UNE L	Loop Rates													<u> </u>		
	2W VG Loop (SL1)-Zone 1		1	UEPRG	UEPLX	13.76								<u> </u>		
	2W VG Loop (SL1)-Zone 2		2	UEPRG	UEPLX	20.38								<u> </u>		
	2W VG Loop (SL1)-Zone 3		3	UEPRG	UEPLX	26.04								<u> </u>		
	e Voice Grade Line Port Rates (RES - PBX)															
	2W VG Unbundled Combination 2-Way PBX Trunk Port-Res			UEPRG	UEPRD	14.00	90.00	90.00				15.69				
	L NUMBER PORTABILITY													<u> </u>		
	Local No Portability (1 per port)			UEPRG	LNPCP	3.15	0.00	0.00						<u> </u>		
FEAT														<u> </u>		
	All Features Offered			UEPRG	UEPVF	0.00	0.00	0.00				15.69		<u> </u>		
NONR	ECURRING CHARGES - CURRENTLY COMBINED															
ADDI1	TIONAL NRCs															
	2W Loop/Line Side Port Combination-Non feature-Subsqnt Activity-NRC						0.00	0.00				15.69		<u> </u>		
	PBX Subsqnt Activity-Change/Rearrange Multiline Hunt Group						14.64	14.64				15.69				
2-WIR	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)															
UNE F	Port/Loop Combination Rates															
	2W VG Loop/Port Combo-Zone 1		1			27.76										
	2W VG Loop/Port Combo-Zone 2		2			34.38										
	2W VG Loop/Port Combo-Zone 3		3			40.04										
	oop Rates													<u> </u>		
	2W VG Loop (SL1)-Zone 1		1	UEPPX	UEPLX	13.76								<u> </u>		
	2W VG Loop (SL1)-Zone 2		2	UEPPX	UEPLX	20.38								<u> </u>		
	2W VG Loop (SL1)-Zone 3		3	UEPPX	UEPLX	26.04								<u> </u>		
2-Wire	Voice Grade Line Port Rates (BUS - PBX)												ļ!			
	Line Side Unbundled Combination 2-Way PBX Trunk Port-Bus			UEPPX	UEPPC	14.00	90.00	90.00				15.69	ļ!			
	Line Side Unbundled Outward PBX Trunk Port-Bus			UEPPX	UEPPO	14.00	90.00	90.00				15.69	ļ!			
	Line Side Unbundled Incoming PBX Trunk Port-Bus			UEPPX	UEPP1	14.00	90.00	90.00				15.69	ļ!			
	2W Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	14.00	90.00	90.00				15.69	ļ!			
	2W Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	14.00	90.00	90.00				15.69	ļ!			
	2W Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	14.00	90.00	90.00				15.69	ļ!			
	2W Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	14.00	90.00	90.00				15.69	ļ!			
	2W Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	14.00	90.00	90.00				15.69	ļ!			
	2W Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPPX	UEPXE	14.00	90.00	90.00				15.69	ļ!			
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative												ŀ	í '		
	Calling Port			UEPPX	UEPXL	14.00	90.00	90.00				15.69	ļ!			
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling												ŀ	í '		
	Port			UEPPX	UEPXM	14.00	90.00	90.00				15.69	ļ!			
	2W Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount												l l	ł '		
	Room Calling Port			UEPPX	UEPXO	14.00	90.00	90.00				15.69	ļ!			
	2W Voice Unbundled 1-Way Outgoing PBX Measured Port		<u> </u>	UEPPX	UEPXS	14.00	90.00	90.00				15.69	<u> </u>	<b></b>	<b>├</b>	<u> </u>
	L NUMBER PORTABILITY		<u> </u>										<u> </u>	<b></b>	<b>├</b>	<u> </u>
	Local No Portability (1 per port)	ļ	<u> </u>	UEPPX	LNPCP	3.15	0.00	0.00					<u> </u>	<b></b> '	<b>└</b>	<u> </u>
FEAT			<u> </u>										<u> </u>	<b></b>	<b>├</b>	<u> </u>
	All Features Offered	<u> </u>	<u> </u>	UEPPX	UEPVF	0.00	0.00	0.00			1	15.69	ļ!	<b></b>	<b>├</b>	1
	ECURRING CHARGES - CURRENTLY COMBINED	<b>!</b>	<u> </u>								1		ļ!	<b></b>	<b>├</b>	1
NONR									ī	1	i				1	1
NONR	TIONAL NRCs	1									-		<del></del>	L	<b></b>	+
NONR ADDIT	2W VG Loop/ Line Port Combination-Subsqnt			UEPPX	USAS2		0.00	0.00				15.69				
NONR ADDIT				UEPPX	USAS2		0.00 0.00 7.34	0.00 0.00 7.34				15.69 15.69 15.69				

UNBUNDI	LED NETWORK ELEMENTS - South Carolina													ment: 2		bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	USOC		F	RATES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitte d Manually per LSR	al Charge Manual Svc Order vs.	Manual Svc Order vs.	Increment al Charge - Manual Svc Order vs. Electronic-	Manual Svc Order vs.
						Rec	Nonrec		NRC Disco					Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UNE	Port/Loop Combination Rates															<u> </u>
	2W VG Coin Port/Loop Combo – Zone 1		1			27.76										
	2W VG Coin Port/Loop Combo – Zone 2		2			34.38										<u> </u>
	2W VG Coin Port/Loop Combo – Zone 3		3			40.04										
UNE	Loop Rates															
	2W VG Loop (SL1)-Zone 1		1	UEPCO	UEPLX	13.76										
	2W VG Loop (SL1)-Zone 2		2	UEPCO	UEPLX	20.38										<u> </u>
	2W VG Loop (SL1)-Zone 3		3	UEPCO	UEPLX	26.04										
2-Wir	e Voice Grade Line Port Rates (Coin)		<b>L</b>													<u> </u>
	2W Coin 2-Way w/o Oper Screening & w/o Blocking (SC)		<b>L</b>	UEPCO	UEPSD	14.00	90.00	90.00				15.69				<u> </u>
	2W Coin 2-Way with Oper Screening & Blocking: 011, 900/976, 1+DDD			LIEBOO		44.00	00.00					45.00				
	(AL, KY, LA, MS, SC)		-	UEPCO	UEPRA	14.00	90.00	90.00				15.69				
	2W Coin 2-Way with Oper Screening & Blocking: 011, 900/976, 1+DDD			LIEBOO	LIEDOA	44.00	00.00	00.00				45.00				
<del></del>	(SC)  2W Coin 2-Way with Oper Screening & 011 Blocking (SC)		-	UEPCO UEPCO	UEPSA UEPSH	14.00 14.00	90.00 90.00	90.00			1	15.69 15.69			<del></del>	
-	2W Coin 2-Way with Oper Screening & 011 Blocking (SC)  2W Coin 2-Way with Oper Screening & 011 Blocking; with Dialing Parity		<del>                                     </del>	UEPCO	UEP5H	14.00	90.00	90.00				15.69			<b></b>	
	(SC)			UEPCO	UEPSC	14.00	90.00	90.00				15.69				
-	2W Coin 2-Way with Oper Screening & Blocking: 900/976, 1+DDD, 011+,		-	UEPCO	UEPSC	14.00	90.00	90.00				15.69			<del> </del>	<u> </u>
	Local (SC)	·		UEPCO	UEPCC	14.00	90.00	90.00				15.69				
	2W Coin 2-W Oper Screen & Blocking: 900/976, 1+DDD, 011+ & Local;		<del></del>	UEPCO	UEPCC	14.00	90.00	90.00			1	15.69				
	Enhanced Calling OPT 3YV (SC)			UEPCO	UEPCE	14.00	90.00	90.00				15.69				
	2W Coin 2-W Oper Screen & Block: 900/976, 1+DDD, 011+, & Local;		<del></del>	UEFCO	UEFCE	14.00	90.00	90.00			1	13.09				
	Enhanced Calling OPT AP7 (SC)			UEPCO	UEPCF	14.00	90.00	90.00				15.69				
	2W Coin Outward w/o Blocking & w/o Oper Screening (SC)		<del></del>	UEPCO	UEPSG	14.00	90.00	90.00			1	15.69				1
-	2W Coin Outward with Oper Screening & 011 Blocking (SC)		<del></del>	UEPCO	UEPSF	14.00	90.00	90.00			1	15.69				1
-	2W Coin Outward with Oper Screening & 011 Blocking (SC)		<del></del>	UEFCO	UEFSF	14.00	90.00	90.00			1	13.09				1
	(SC)			UEPCO	UEPSJ	14.00	90.00	90.00				15.69				
	2W Coin Outward with Oper Screening & Blocking: 900/976, 1+DDD,			OLI OO	OLI OS	14.00	30.00	30.00				10.00			<del>                                     </del>	+
	011+, & Local (SC)			UEPCO	UEPCM	14.00	90.00	90.00				15.69				
	2W Coin Out Oper Screen & Block: 900/976, 1+DDD, 011+, & Local; w/	<b>!</b>	1 1	02.00	JEI OW	14.50	55.50	55.00				10.00				t
	Enhanced Call OPT 3YW (SC)			UEPCO	UEPCP	14.00	90.00	90.00				15.69				
LOCA	AL NUMBER PORTABILITY			021 00	OLI OI	14.00	50.00	00.00			1	10.00			<del>                                     </del>	1
1207	Local No Portability (1 per port)	1		UEPCO	LNPCX	0.35									İ	İ
ADDI	TIONAL NRCs					2.30										
1 1 1	2W VG Loop/ Line Port Combination-Subsent			UEPCO	USAS2		0.00	0.00				15.69				
UNBUNDLE	D PORT/LOOP COMBINATIONS - MARKET BASED RATES						2.30	2.00								
	RE VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK PORT														1	1
	2W VG Loop/2W DID Trunk Port Combo-UNE Zone 1		1			73.68									1	1
	2W VG Loop/2W DID Trunk Port Combo-UNE Zone 2		2			80.13										
	2W VG Loop/2W DID Trunk Port Combo-UNE Zone 3		3			85.46										

NBUND	ED NETWORK ELEMENTS - South Carolina													Attach	ment: 2	Exhi	bit: B
ATEGORY	RATE ELEMENTS	Interi m	Zon e	B	cs	USOC			RATES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitte d Manually per LSR	al Charge Manual Svc Order vs. Electronic	vs. Electronic-	Increment al Charge - Manual Svc Order vs. Electronic-	al Charge Manua Svc Ord vs.
							Rec	Nonred		NRC Disco					Rates (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UNE	Loop Rates		_		PPX	LIEODA	40.00										
	2W Analog VG Loop-(SL2)-UNE Zone 1 2W Analog VG Loop-(SL2)-UNE Zone 2		2		PPX	UECD1	16.68 23.13					-		1			
-	2W Analog VG Loop-(SL2)-UNE Zone 2  2W Analog VG Loop-(SL2)-UNE Zone 3		3		PPX	UECD1	28.46							1			-
LINE	Port Rate		3	ULI	FFA	OLCDI	20.40										<del>                                     </del>
ONE	Exchange Ports-2W DID Port			LIFE	PPX	UEPD1	57.00	600.00	75.00				15.69				
NONE	RECURRING CHARGES - CURRENTLY COMBINED			OL.	17.	OLI DI	07.00	000.00	70.00				10.00				
	2W VG Loop/2W DID Trunk Port Combination -Switch-As-Is Top 8 MSAs																
	only			UEI	PPX	USAC1		125.00	75.00				15.69				
	2W VG Loop/2W DID Trunk Port Conversion with BST Allowable Changes																
	Top 8 MSAs only		L	UEI	PPX	USA1C		125.00	75.00				15.69	<u> </u>			<u> </u>
ADDI	TIONAL NRCs								•								
	2W DID Subsqnt Activity-Add Trunks, Per Trunk			UEI	PPX	USAS1		53.68					15.69				
Telep	hone Number/Trunk Group Establisment Charges		<u> </u>									1		ļ			1
	DID Trunk Term (One Per Port)				PPX	NDT	0.00	0.00	0.00								
	DID Nos, Establish Trunk Group & Provide First Group of 20 DID Nos				PPX	NDZ	0.00	0.00	0.00								
	Add'l DID Nos for each Group of 20 DID Nos				PPX	ND4	0.00	0.00	0.00								
	DID Nos, Non-consecutive DID Nos , Per No				PPX	ND5 ND6	0.00	0.00	0.00			-		1			
-	Reserve Non-Consecutive DID Nos Reserve DID Nos				PPX	NDV	0.00	0.00	0.00					1			+
100	AL NUMBER PORTABILITY			UEI		NDV	0.00	0.00	0.00					1			+
LUCA	Local No Portability (1 per port)			UEI	DDY	LNPCP	3.15	0.00	0.00								<del></del>
2-WIF	RE ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LINE SIDE	PORT		OL.	17.	LIVI OI	0.10	0.00	0.00								
	Port/Loop Combination Rates																
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -UNE Zone		1	UEPPB	UEPPR		76.90										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -UNE Zone		2	UEPPB	UEPPR		84.64										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -UNE Zone		3	UEPPB	UEPPR		90.27										
UNE	Loop Rates																
	2W ISDN Digital Grade Loop-UNE Zone 1		1	UEPPB	UEPPR	USL2X	21.90										
	2W ISDN Digital Grade Loop-UNE Zone 2		2	UEPPB	UEPPR	USL2X	29.64										
	2W ISDN Digital Grade Loop-UNE Zone 3		3	UEPPB	UEPPR	USL2X	35.27										<del></del>
UNE	Port Rate			LIEDDD	UEPPR	LIEDDD	55.00	505.00	400.00			-	45.00	1			
NONE	Exchange Port-2W ISDN Line Side Port RECURRING CHARGES - CURRENTLY COMBINED			UEPPB	UEPPR	UEPPB	55.00	525.00	400.00				15.69				<del></del>
NON	2W ISDN Digital Grade Loop/2W ISDN Line Side Port Combination-													1			+
	Conversion-Top 8 MSAs only			UEPPB	UEPPR	USACB	0.00	225.00	225.00				15.69				
ADDI	TIONAL NRCs			OLITE	OLITIK	COMOD	0.00	220.00	220.00				10.00				
	AL NUMBER PORTABILITY																1
	Local No Portability (1 per port)			UEPPB	UEPPR	LNPCX	0.35	0.00	0.00								1
B-CH	ANNEL USER PROFILE ACCESS:																
	CVS/CSD (DMS/5ESS)			UEPPB	UEPPR	U1UCA	0.00	0.00	0.00								
	CVS (EWSD)			UEPPB	UEPPR	U1UCB	0.00	0.00	0.00								
	CSD			UEPPB	UEPPR	U1UCC	0.00	0.00	0.00								
B-CH	ANNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS SC,MS, &	TN)	<u> </u>	=====	==							1		ļ			<b>_</b>
_	CVS/CSD (DMS/5ESS)		-	UEPPB	UEPPR	U1UCD	0.00	0.00	0.00			1		<u> </u>			₩
-	CVS (EWSD)		-	UEPPB	UEPPR	U1UCE	0.00	0.00	0.00			1		<u> </u>			₩
Herr	CSD R TERMINAL PROFILE		-	UEPPB	UEPPR	U1UCF	0.00	0.00	0.00			1					<del>                                     </del>
USER	User Terminal Profile (EWSD only)		-	UEPPB	UEPPR	U1UMA	0.00	0.00	0.00			1	1	1			+
VERT	ICAL FEATURES	<b>—</b>	$\vdash$	ULITE	OLFFR	UTUIVIA	0.00	0.00	0.00			1		<u> </u>			$\vdash$
VERI	All Vertical Features-One per Channel B User Profile			UEPPB	UEPPR	UEPVF	3.04	0.00	0.00			+		<b> </b>			<del>                                     </del>
INTF	ROFFICE CHANNEL MILEAGE			OL. ID	OL/ I I	OLI VI	5.04	0.00	0.00								<b>—</b>
	Interoffice Channel miage each, including first mi & facilities Term			UEPPB	UEPPR	M1GNC	24.30	60.00	40.00	25.00	10.00	1	15.69				<b>†</b>
	Interoffice Channel miage each, Add'l mi			UEPPB	UEPPR	M1GNM	0.0167	0.00	0.00								
4-WIF	RE DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK PORT																
UNE	Port/Loop Combination Rates																
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port -UNE Zone 1		1	UEI	PPP		940.87				1					l	1

IDUNL	DLED NETWORK ELEMENTS - South Carolina				1									ment: 2		bit: B
TEGOR	Y RATE ELEMENTS	Interi m	Zon e	BCS	usoc			RATES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitte d Manually per LSR	al Charge Manual Svc Order vs. Electronic	Manual Svc Order vs. Electronic-	Increment al Charge - Manual Svc Order vs. Electronic-	al Charge Manual Svc Orde vs.
						Rec	Nonred		NRC Disco					Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port -UNE Zone 2		2	UEPPP		1,005.43										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port -UNE Zone 3		3	UEPPP		1,111.89										
UNE	Loop Rates															
	4W DS1 Digital Loop-UNE Zone 1		1	UEPPP	USL4P	90.87						15.69				
	4W DS1 Digital Loop-UNE Zone 2		2	UEPPP	USL4P	155.43						15.69				
	4W DS1 Digital Loop-UNE Zone 3		3	UEPPP	USL4P	261.89						15.69				
UNF	Port Rate		Ŭ	02	002	201.00						10.00				
	Exchange Ports-4W ISDN DS1 Port			UEPPP	UEPPP	850.00	1,150.00	1,150.00				15.69				
NON	NRECURRING CHARGES - CURRENTLY COMBINED			OLITI	OLITI	000.00	1,100.00	1,100.00			1	10.00				
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port Combination-				-						1		1			
	Conversion -Switch-As-Is Top 8 MSAs only			UEPPP	USACP	0.00	950.00	950.00	I	1	1	15.69				
ADD	DITIONAL NRCs		$\vdash$	UEFFF	USACP	0.00	950.00	950.00	-	-	<del> </del>	10.09	<del>                                     </del>			
ADL					+						<del>                                     </del>					
	4W DS1 Loop/4-W ISDN Digtl Trk Port-Subsqt Actvy-Inward/two way			HEDDD								45.00				
+	Telephone Nos (except NC)		$\vdash \vdash$	UEPPP	PR7TF		0.9822	20.0-	-	ļ	ļ	15.69	-			
_	4W DS1 Loop/4W ISDN DS1 Digital Trunk Port-Outward Tel Nos			UEPPP	PR7TO		23.02	23.02				15.69				
	4W DS1 Loop/4W ISDN DS1 Digital Trk Port-Subsqnt Inward Tel Nos			UEPPP	PR7ZT		46.05	46.05				15.69				
LOC	AL NUMBER PORTABILITY															
	Local No Portability (1 per port)			UEPPP	LNPCN	1.75										
INTE	ERFACE (Provsioning Only)															
	Voice/Data			UEPPP	PR71V	0.00	0.00	0.00								
	Digital Data			UEPPP	PR71D	0.00	0.00	0.00								
	Inward Data			UEPPP	PR71E	0.00	0.00	0.00								
New	or Additional "B" Channel						0.00									
1	New or Add'I-Voice/Data B Channel			UEPPP	PR7BV	0.00	40.00									
_	New or Add'I-Digital Data B Channel			UEPPP	PR7BF	0.00	40.00									
_	New or Add'l Inward Data B Channel			UEPPP	PR7BD	0.00	40.00									
CAL	L TYPES			ULFFF	FIX/DD	0.00	40.00									
CAL	Inward			UEPPP	PR7C1	0.00	0.00	0.00								
_	Outward			UEPPP		0.00	0.00									
					PR7C0			0.00								
	Two-way			UEPPP	PR7CC	0.00	0.00	0.00								
Inte	roffice Channel Mileage															
	Fixed Each Including First mi			UEPPP	1LN1A	77.4815	89.47	81.99	16.39	14.48		15.69				
	Each Airline-Fractional Add'l mi			UEPPP	1LN1B	0.3415										
	IRE DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT															
UNE	Port/Loop Combination Rates															
	4W DS1 Digital Loop/4W DDITS Trunk Port -UNE Zone 1		1	UEPDC		840.87										
	4W DS1 Digital Loop/4W DDITS Trunk Port -UNE Zone 2		2	UEPDC		905.43										
	4W DS1 Digital Loop/4W DDITS Trunk Port -UNE Zone 3		3	UEPDC		1.011.89										
UNE	Loop Rates					1										
	4W DS1 Digital Loop-UNE Zone 1		1	UEPDC	USLDC	90.87										
1	4W DS1 Digital Loop-UNE Zone 2		2	UEPDC	USLDC	155.43										
-	4W DS1 Digital Loop-UNE Zone 3		3	UEPDC	USLDC	261.89					1		1			
LINE	E Port Rate		-	OLI DO	COLDO	201.03				1	<b> </b>					
ONE	4W DDITS Digital Trunk Port			UEPDC	UDD1T	750.00	1.005.07	478.99	213.53	20.94	1	15.69	1			
NON	NRECURRING CHARGES - CURRENTLY COMBINED		$\vdash$	ULFDC	ווטטט	730.00	1,005.07	470.99	213.33	20.94	1	10.09	1			
NON	4W DS1 Digital Loop/4W DDITS Trunk Port Combination-Switch-As-Is				+				1		1		<b>-</b>			1
				UEPDC	USAC4		259.56	134.33		1		45.00				
	Top 8 MSAs only			UEPDC	USAC4		∠59.56	134.33			<del>                                     </del>	15.69				
	4W DS1 Digital Loop/4W DDITS Trunk Port Combination-Conversion with			LIEDDO			050 55	404	I	1	1	45.55				
	DS1 Changes Top 8 MSAs only		$\sqcup$	UEPDC	USAWA		259.56	134.33			ļ	15.69				
1	4W DS1 Digital Loop/4W DDITS Trunk Port Combination-Conversion with				1					1						
	Change-Trunk Top 8 MSAs only			UEPDC	USAWB		259.56	134.33			1	15.69				
ADD	DITIONAL NRCs															
	4W DS1 Loop/4W DDITS Trunk Port-NRC-Subsqnt Channel								1							
- 1	Activation/Chan-2-Way Trunk			UEPDC	UDTTA		29.01	29.01				15.69				
	4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Channel Activation/Chan-1-															
	Way Outward Trunk			UEPDC	UDTTB		29.01	29.01	1	]	1	15.69				

IRAND	LED NETWORK ELEMENTS - South Carolina													ment: 2		bit: B
TEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	usoc			RATES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitte d Manually per LSR	al Charge Manual Svc Order vs. Electronic	Increment al Charge - Manual Svc Order vs. Electronic-	Increment al Charge - Manual Svc Order vs. Electronic-	al Charge Manual Svc Orde vs.
						Rec	Nonred	curring	NRC Disco	nnect				Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Channel Activation/Chan Inward Trunk w/out DID			UEPDC	UDTTC		29.01	29.01				15.69				
	4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Chan Activation Per Chan- Inward Trunk with DID			UEPDC	UDTTD		29.01	29.01				15.69				
	4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Chan Activation/Chan-2- Way DID w User Trans			UEPDC	UDTTE		29.01	29.01				15.69				
BIPO	LAR 8 ZERO SUBSTITUTION															
	B8ZS -Superframe Format			UEPDC	CCOSF		0.00	605.00								
	B8ZS-Extended Superframe Format			UEPDC	CCOEF		0.00	605.00								
Alter	nate Mark Inversion															
	AMI -Superframe Format			UEPDC	MCOSF		0.00	0.00								
	AMI-Extended SuperFrame Format		L	UEPDC	MCOPO		0.00	0.00								
Telep	hone Number/Trunk Group Establisment Charges															
	Telephone No for 2-Way Trunk Group			UEPDC	UDTGX	0.00						15.69				
	Telephone No for 1-Way Outward Trunk Group			UEPDC	UDTGY	0.00						15.69				
	Telephone No for 1-Way Inward Trunk Group w/o DID			UEPDC	UDTGZ	0.00						15.69				
	DID Nos, Establish Trunk Group & Provide First Group of 20 DID Nos			UEPDC	NDZ	0.00	0.00	0.00				15.69				
	DID Nos for each Group of 20 DID Nos			UEPDC	ND4	0.00						15.69				
	DID Nos, Non-consecutive DID Nos , Per No			UEPDC	ND5	0.00	0.00	0.00				15.69				
	Reserve Non-Consecutive DID Nos.			UEPDC	ND6	0.00	0.00	0.00				15.69				
	Reserve DID Nos			UEPDC	NDV	0.00	0.00	0.00				15.69				
	cated DS1 (Interoffice Channel Mileage) -															
FX/F	CO for 4-Wire DS1 Digital Loop with 4-Wire DDITS Trunk Port															
	Interoffice Channel miage-Fixed rate 0-8 mis (Facilities Term)			UEPDC	1LNO1	77.14	89.47	81.99	16.39	14.48		15.69				
	Interoffice Channel miage-Add'l rate per mi-0-8 mis			UEPDC	1LNOA	0.3415	0.00	0.00								
	Interoffice Channel miage-Fixed rate 9-25 mis (Facilities Term)			UEPDC	1LNO2	0.00	0.00	0.00								ļ
	Interoffice Channel miage-Add'l rate per mi-9-25 mis			UEPDC	1LNOB	0.7598	0.00	0.00								ļ
	Interoffice Channel miage-Fixed rate 25+ mis (Facilities Term)			UEPDC	1LNO3	0.00	0.00	0.00								ļ
	Interoffice Channel miage-Add'l rate per mi-25+ mis			UEPDC	1LNOC	0.7598	0.00	0.00								ļ
	Local No Portability, per DS0 Activated			UEPDC	LNPCP	3.15	0.00	0.00								ļ
	Central Office Termininating Point			UEPDC	CTG	0.00										ļ
	RE DS1 LOOP WITH CHANNELIZATION WITH PORT															
	em is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Activations		<u> </u>													
	stem can have various rate combinations based on type and number of po DS1 Loop	orts ı	used													
	4W DS1 Loop-UNE Zone 1		1	UEPMG	USLDC	90.87	0.00	0.00								
	4W DS1 Loop-UNE Zone 2		2	UEPMG	USLDC	155.43	0.00	0.00								
	4W DS1 Loop-UNE Zone 3		3	UEPMG	USLDC	261.89	0.00	0.00								
UNE	DSO Channelization Capacities (D4 Channel Bank Configurations)															
	24 DSO Channel Capacity-1 per DS1			UEPMG	VUM24	103.47	0.00	0.00				15.69				
	48 DSO Channel Capacity-1 per 2 DS1s			UEPMG	VUM48	206.94	0.00	0.00				15.69				
	96 DSO Channel Capacity -1per 4 DS1s			UEPMG	VUM96	413.88	0.00	0.00				15.69				
	144 DS0 Channel Capacity-1 per 6 DS1s			UEPMG	VUM14	620.82	0.00	0.00				15.69				
	192 DS0 Channel Capacity -1 per 8 DS1s			UEPMG	VUM19	827.76	0.00	0.00				15.69				
	240 DS0 Channel Capacity-1 per 10 DS1s			UEPMG	VUM20	1,034.70	0.00	0.00				15.69				ļ
	288 DS0 Channel Capacity-1 per 12 DS1s		<u> </u>	UEPMG	VUM28	1,241.64	0.00	0.00				15.69				<b>↓</b>
	384 DS0 Channel Capacity-1 per 16 DS1s		<u> </u>	UEPMG	VUM38	1,655.52	0.00	0.00				15.69				<b>↓</b>
	480 DS0 Channel Capacity-1 per 20 DS1s		<u> </u>	UEPMG	VUM40	2,069.40	0.00	0.00				15.69				<b></b>
	576 DS0 Channel Capacity -1 per 24 DS1s		1	UEPMG	VUM57	2,483.28	0.00	0.00	ļ		<del>                                     </del>	15.69				<del>                                     </del>
	672 DS0 Channel Capacity-1 per 28 DS1s		L	UEPMG	VUM67	2,897.16	0.00	0.00	ļ		<del>                                     </del>	15.69				<del>                                     </del>
	Recurring Charges (NRC) Associated with 4-Wire DS1 Loop with Channel								1		1					₩
	nimum System configuration is One (1) DS1, One (1) D4 Channel Bank, an								<b> </b>		1					<del></del>
wulti	ples of this configuration functioning as one are considered Add'l after the NRC-Conversion (Currently Combined) with or w/o BST Allowed Changes-	ie mii	nimu				,									
Syste	Top 8 MSAs Only  em Additions Where Currently Combined and New (Not Currently Combined)	ed )	<u> </u>	UEPMG	USAC4	0.00	150.81	8.38			-	15.69	-			<del>                                     </del>
	nsity Zone 1 Top 8 MSAs	,	t	İ												

INBUNDL	LED NETWORK ELEMENTS - South Carolina												Attachi	ment: 2	Exhi	bit: B
ATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	USOC		ı	RATES (\$)			Svc Order Submitte d Elec per LSR	d Manually	Manual Svc Order vs.	Increment al Charge - Manual Svc Order vs. Electronic-	Increment al Charge - Manual Svc Order vs. Electronic-	al Charg Manua Svc Ord vs.
						Rec	Nonred		NRC Disco		201150			Rates (\$)		
		1				-	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
	1 DS1/D4 Channel Bank-Add NRC for each Port & Assoc Fea Activation -			UEPMG	VUMD4	0.00	717.71	425.81	149.08	17.69		15.69				
Bipol	ar 8 Zero Substitution															
	Clear Channel Capability Format, superframe-Subsqnt Activity Only			UEPMG	CCOSF	0.00	0.00	605.00								
	Clear Channel Capability Format-Extended Superframe-Subsqnt Activity			LIEDMO	00055	0.00	0.00	005.00								
Altor	Only nate Mark Inversion (AMI)			UEPMG	CCOEF	0.00	0.00	605.00								
Aiteii	Superframe Format	1		UEPMG	MCOSF	0.00	0.00	0.00								
	Extended Superframe Format			UEPMG	MCOPO	0.00	0.00	0.00								
	ange Ports Associated with 4-Wire DS1 Loop with Channelization with I	Port														
Exch	ange Ports	<u> </u>		115551								4				<b>↓</b>
_	Line Side Combination Channelized PBX Trunk Port-bus	<u> </u>	<u> </u>	UEPPX	UEPCX	14.00	0.00	0.00	0.00	0.00		15.69				1
+	Line Side Outward Channelized PBX Trunk Port-bus Line Side Inward Only Channelized PBX Trunk Port w/o DID	1	1	UEPPX UEPPX	UEPOX UEP1X	14.00 14.00	0.00	0.00	0.00	0.00	1	15.69 15.69			1	1
+	2W Trunk Side Unbundled Channelized DID Trunk Port	1		UEPPX	UEPDM	57.00	0.00	0.00	0.00	0.00		15.69				
Featu	re Activations - Unbundled Loop Concentration	1		02	52. DW	350	2.00	2.00	0.50	3.30						
	Feature (Service) Activation for each Line Port Terminated in D4 Bank			UEPPX	1PQWM	0.70	40.00	20.00	6.00	5.00		15.69				
	Feature (Service) Activation for each Trunk Port Terminated in D4 Bank			UEPPX	1PQWU	0.70	110.00	30.00	65.00	20.00		15.69				
Telep	hone Number/ Group Establishment Charges for DID Service	-		LIEDDY.	NDT	0.00	0.00	0.00				45.00				
	DID Trunk Term (1 per Port) Estab Trk Grp & Provide 1st 20 DID Nos. (FL,GA, NC,& SC)	-		UEPPX UEPPX	NDT NDZ	0.00	0.00	0.00				15.69 15.69				
	DID Nos-groups of 20-Valid all States			UEPPX	ND4	0.00	0.00	0.00				15.69				
	Non-Consecutive DID Nos-per No	1		UEPPX	ND5	0.00	0.00	0.00				15.69				
	Reserve Non-Consecutive DID Nos			UEPPX	ND6	0.00	0.00	0.00				15.69				
	Reserve DID Nos			UEPPX	NDV	0.00	0.00	0.00				15.69				
Local	Number Portability															
FEAT	Local No Portability-1 per port	<u> </u>		UEPPX	LNPCP	3.15	0.00	0.00								-
	URES - Vertical and Optional Switching Features Offered with Line Side Ports Only	1				-										-
	All Features Available			UEPPX	UEPVF	3.04	0.00	0.00				15.69				1
	D CENTREX PORT/LOOP COMBINATIONS - COST BASED RATES			02.17	02	0.01	0.00	0.00				10.00				
	st Based Rates are applied where BellSouth is required by FCC and/or															
2. Fea	atures shall apply to the Unbundled Port/Loop Combination - Cost Base	d Rate	sect	ion in the same man	ner as they a	are applied to th	e Stand-Alon	e Unbundled P	ort section	of this Exhil	oit.					
3. En	d Office and Tandem Switching Usage and Common Transport Usage rage first & add'l Port NRC charges apply to Not Currently Combined Comb	ates in	the F	ort section of this E	xhibit shall a	apply to all com	binations of le	oop/port netwo	NRC - Curre	except for	UNE Coin	Port/Loop	Combinatio	ns. Inly also an	d are catego	orized
	dingly.	,00 0	, oui	remay combined co	iniboo, and it	ito onal gos sne	iii be iiiose ia	chanca in the	iiiio ouiio	nay combin	ica scolioi	o. Add i iti	itos may ap	pry aroo arr	a are oatege	JIILUU
	arket Rates for Unbundled Centrex Port/Loop Combination will be nego	tiated	on an	Individual Case Bas	is, until furt	her notice.										
	P CENTREX - 5ESS (Valid in All States)															
	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
UNE	Port/Loop Combination Rates (Non-Design)	<u> </u>	L .	LIEDOS		11.00										<u> </u>
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design	1	2	UEP95 UEP95		14.89 21.52									-	<u> </u>
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design	1	3	UEP95 UEP95		27.17									-	<u> </u>
UNE	Port/Loop Combination Rates (Design)	1	Ĭ	021 90		21.11										
	2W VG Loop/2W VG Port (Centrex) Port Combo-Design		1	UEP95		17.81										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		2	UEP95		24.26										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design	<u> </u>	3	UEP95	1	29.59										<u> </u>
	Loop Rate	1	1	UEP95	UECS1	13.76										
UNE		1	2	UEP95 UEP95	UECS1	13.76									<del>                                     </del>	1
UNE					02001										t	<b>†</b>
UNE	2W VG Loop (SL 1)-Zone 2				UECS1	26.04										
UNE			3	UEP95 UEP95	UECS1 UECS2	26.04 16.68										
UNE	2W VG Loop (SL 1)-Zone 2 2W VG Loop (SL 1)-Zone 3 2W VG Loop (SL 2)-Zone 1 2W VG Loop (SL 2)-Zone 2		3 1 2	UEP95 UEP95 UEP95	UECS2 UECS2	16.68 23.13										
	2W VG Loop (SL 1)-Zone 2 2W VG Loop (SL 1)-Zone 3 2W VG Loop (SL 2)-Zone 1 2W VG Loop (SL 2)-Zone 2 2W VG Loop (SL 2)-Zone 2		3	UEP95 UEP95	UECS2	16.68										
	2W VG Loop (SL 1)-Zone 2 2W VG Loop (SL 1)-Zone 3 2W VG Loop (SL 2)-Zone 1 2W VG Loop (SL 2)-Zone 2 2W VG Loop (SL 2)-Zone 2 Port Rate		3 1 2	UEP95 UEP95 UEP95	UECS2 UECS2	16.68 23.13										

ADOIADL	ED NETWORK ELEMENTS - South Carolina													ment: 2		bit: B
TEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	usoc		F	RATES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitte d Manually per LSR	al Charge Manual Svc Order vs.	Manual Svc Order vs.	Increment al Charge - Manual Svc Order vs. Electronic-	al Charge Manual Svc Orde vs.
1						_	Nonrec	urring	NRC Disco	nnect			OSS	Rates (\$)	I luce 1et	Lines vaa
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
	W VG Port (Centrex 800 Term)			UEP95	UEPYB	1.13	40.30	19.90	24.98	6.65		15.69				
	W VG Port (Centrex with Caller ID)1Basic Local Area			UEP95	UEPYH	1.13	40.30	19.90	24.98	6.65		15.69				1
	W VG Port (Centrex from diff SWC)2 Basic Local Area			UEP95	UEPYM	1.13	108.36	70.71	54.47	11.94		15.69				
2	W VG Port, Diff SWC-800 Service Term-Basic Local Area			UEP95	UEPYZ	1.13	108.36	70.71	54.47	11.94		15.69				1
2	W VG Port terminated in on Megalink or equivalent-Basic Local Area			UEP95	UEPY9	1.13	40.30	19.90	24.98	6.65		15.69				
2	W VG Port Terminated on 800 Service Term-Basic Local Area			UEP95	UEPY2	1.13	40.30	19.90	24.98	6.65		15.69				
AL, KY	LA, MS, SC, & TN Only															
	W VG Port (Centrex )			UEP95	UEPQA	1.13	40.30	19.90	24.98	6.65		15.69				
2	W VG Port (Centrex 800 Term)			UEP95	UEPQB	1.13	40.30	19.90	24.98	6.65		15.69				
	W VG Port (Centrex with Caller ID)1			UEP95	UEPQH	1.13	40.30	19.90	24.98	6.65		15.69				
	W VG Port (Centrex from diff SWC)2			UEP95	UEPQM	1.13	108.36	70.71	54.47	11.94		15.69				
	W VG Port, Diff SWC-800 Service Term			UEP95	UEPQZ	1.13	108.36	70.71	54.47	11.94		15.69				
	W VG Port terminated in on Megalink or equivalent			UEP95	UEPQ9	1.13	40.30	19.90	24.98	6.65		15.69				ļ
	W VG Port Terminated on 800 Service Term		Ш	UEP95	UEPQ2	1.13	40.30	19.90	24.98	6.65		15.69				<u> </u>
	witching															
	Centrex Intercom Funtionality, per port			UEP95	URECS	0.7996										
	lumber Portability	1														
	ocal No Portability (1 per port)	ļ		UEP95	LNPCC	0.35										
Feature																
	Il Standard Features Offered, per port			UEP95	UEPVF	3.04						15.69				
	all Select Features Offered, per port			UEP95	UEPVS	0.00	406.42					15.69				
	Il Centrex Control Features Offered, per port			UEP95	UEPVC	3.04						15.69				
NARS																
	Inbundled Network Access Register-Combination			UEP95	UARCX	0.00	0.00	0.00				15.69				
	Inbundled Network Access Register-Indial			UEP95	UAR1X	0.00	0.00	0.00				15.69				
	Inbundled Network Access Register-Outdial			UEP95	UAROX	0.00	0.00	0.00				15.69				
	aneous Terminations				-											
	Trunk Side			UEP95	OFNIDO	8.86	119.57	18.78	60.03	3.77		45.00				
	runk Side Terms, each Digital (1.544 Megabits)			UEP95	CEND6	8.86	119.57	18.78	60.03	3.77		15.69				
	Digital (1.544 Megabits) S1 Circuit Terms, each	-		UEP95	M1HD1	73.62	202.47	95.90	72.75	2.47		15.69				<del></del>
	SS Channels Activated, each	-		UEP95 UEP95	M1HD0	0.00	14.51	95.90	12.15	2.47		15.69				<del></del>
	ice Channel Mileage - 2-Wire	1		UEP95	MILLIDO	0.00	14.51					15.69				<del></del>
	nteroffice Channel Facilities Term			UEP95	MIGBC	24.30	40.63	27.47	16.77	6.91		15.69				
	nteroffice Channel miage, per mi or fraction of mi			UEP95	MIGBM	0.0167	40.03	21.41	10.77	0.91		13.09				
	Activations (DS0) Centrex Loops on Channelized DS1 Service	1		ULF 95	IVIIGDIVI	0.0107										<del>                                     </del>
	nnel Bank Feature Activations				1											
	reature Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	1PQWS	0.56						15.69				
	reature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP95	1PQW6	0.56						15.69				
	reature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP95	1PQW7	0.56						15.69				
	Feature Activation on D-4 Channel Bank Centrex Loop Slot-Diff WC			UEP95	1PQWP	0.56						15.69				
	reature Activation on D-4 Channel Bank Private Line Loop Slot			UEP95	1PQWV	0.56						15.69				
	reature Activation on D-4 Channel Bank Tijle Line/Trunk Loop Slot			UEP95	1PQWQ	0.56						15.69				
	reature Activation on D-4 Channel Bank WATS Loop Slot			UEP95	1PQWA	0.56						15.69				
	curring Charges (NRC) Associated with UNE-P Centrex			02.00		0.00						10.00				
	IRC Conversion Currently Combined Switch-As-Is with allowed changes,				1	İ										1
	er port			UEP95	USAC2		37.93	16.72				15.69			1	
	lew Centrex Standard Common Block			UEP95	M1ACS	0.00	668.70					15.69				
	lew Centrex Customized Common Block			UEP95	M1ACC	0.00	668.70					15.69				
	IAR Establishment Charge, Per Occasion			UEP95	URECA	0.00	72.89					15.69				
	CENTREX - DMS100 (Valid in All States)			* *												
	VG Loop/2-Wire Voice Grade Port (Centrex) Combo					j										
	ort/Loop Combination Rates (Non-Design)					j										
	W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design		1	UEP9D		14.89										
	W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		2	UEP9D	1	21.52										
	W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		3	UEP9D	1	27.17										
	ort/Loop Combination Rates (Design)	1			1							1				<b>†</b>

UNBUNDI	ED NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	bit: B
											Svc	Svc	Increment		Increment	
											Order	Order	al Charge	al Charge -	al Charge -	al Charge -
CATECORY	DATE ELEMENTO	Interi	Zon	BCS	usoc			ATEC (C)			Submitte	Submitte		Manual	Manual	Manual
CATEGORY	RATE ELEMENTS	m	е	всэ	USUC			RATES (\$)			d Elec	d	Svc Order		Svc Order	
											per LSR	Manually	vs.	vs.	vs.	vs.
												per LSR	Electronic		Electronic-	Electronic-
		1	1 1			1	Nonrec	urring	NRC Disco	nnect		1	088	Rates (\$)	Dicc 1ct	Disc Add'l
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN			SOMAN	SOMAN
	2W VG Loop/2W VG Port (Centrex) Port Combo-Design		1	UEP9D		17.81		,,,,,,		71441						100
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		2	UEP9D		24.26										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		3	UEP9D		29.59										1
UNE	Loop Rate															
	2W VG Loop (SL 1)-Zone 1		1	UEP9D	UECS1	13.76										
	2W VG Loop (SL 1)-Zone 2		2	UEP9D	UECS1	20.38										
	2W VG Loop (SL 1)-Zone 3		3	UEP9D	UECS1	26.04										
	2W VG Loop (SL 2)-Zone 1	_	1	UEP9D	UECS2	16.68										
	2W VG Loop (SL 2)-Zone 2		2	UEP9D	UECS2	23.13										
	2W VG Loop (SL 2)-Zone 3	_	3	UEP9D	UECS2	28.46										
	Port Rate	-	1						-						-	+
ALL S	ETATES    2W VG Port (Centrex ) Basic Local Area		<del>├</del>	UEP9D	UEPYA	1.13	40.30	19.90	24.98	6.65		15.69				+
<del>                                     </del>	2W VG Port (Centrex 800 Term)Basic Local Area	+	+ +	UEP9D	UEPYB	1.13	40.30	19.90	24.98	6.65		15.69	<b> </b>			+
	2W VG Port (Centrex/600 Ferri)Basic Local Area	1	1	UEP9D	UEPYC	1.13	40.30	19.90	24.98	6.65		15.69				<del>                                     </del>
	2W VG Port (Centrex/EBS-M5009)3Basic Local Area	1	1 1	UEP9D	UEPYD	1.13	40.30	19.90	24.98	6.65		15.69	1		t	<del>                                     </del>
	2W VG Port (Centrex /EBS-M5209)3 Basic Local Area	1	† †	UEP9D	UEPYE	1.13	40.30	19.90	24.98	6.65		15.69			t e	<b>†</b>
	2W VG Port (Centrex /EBS-M5112)3 Basic Local Area			UEP9D	UEPYF	1.13	40.30	19.90	24.98	6.65		15.69	1			1
	2W VG Port (Centrex /EBS-M5312)3Basic Local Area			UEP9D	UEPYG	1.13	40.30	19.90	24.98	6.65		15.69				
	2W VG Port (Centrex /EBS-M5008)3 Basic Local Area			UEP9D	UEPYT	1.13	40.30	19.90	24.98	6.65		15.69				1
	2W VG Port (Centrex/EBS-M5208)3 Basic Local Area			UEP9D	UEPYU	1.13	40.30	19.90	24.98	6.65		15.69				
	2W VG Port (Centrex/EBS-M5216)3 Basic Local Area			UEP9D	UEPYV	1.13	40.30	19.90	24.98	6.65		15.69				
	2W VG Port (Centrex/EBS-M5316)3 Basic Local Area			UEP9D	UEPY3	1.13	40.30	19.90	24.98	6.65		15.69				
	2W VG Port (Centrex with Caller ID) Basic Local Area			UEP9D	UEPYH	1.13	40.30	19.90	24.98	6.65		15.69				
	2W VG Port (Centrex/Caller ID/Msg Wtg Lamp Indication)3 Basic Local															
	Area		1	UEP9D	UEPYW	1.13	40.30	19.90	24.98	6.65		15.69				
	2W VG Port (Centrex/Msg Wtg Lamp Indication)3 Basic Local Area	_	1	UEP9D	UEPYJ	1.13	40.30	19.90	24.98	6.65		15.69				
	2W VG Port (Centrex from diff SWC) 2 Basic Local Area	-	1	UEP9D	UEPYM	1.13	108.36	70.71	54.47	11.94		15.69				
-	2W VG Port (Centrey/differ SWC /EBS-PSET)2, 3 Basic Local Area	-	1	UEP9D UEP9D	UEPYO UEPYP	1.13 1.13	108.36	70.71	54.47	11.94		15.69				+
-	2W VG Port (Centrex/differ SWC /EBS-M5009)2, 3 Basic Local Area  2W VG Port (Centrex/differ SWC /EBS-5209)2, 3 Basic Local Area	-	1	UEP9D	UEPYQ	1.13	108.36 108.36	70.71 70.71	54.47 54.47	11.94 11.94		15.69 15.69			-	+
	2W VG Port (Centrex/differ SWC /EBS-9209)2, 3 Basic Local Area	1	1	UEP9D	UEPYR	1.13	108.36	70.71	54.47	11.94		15.69	1			+
	2W VG Port (Centrex/differ SWC /EBS-M5312)2, 3 Basic Local Area			UEP9D	UEPYS	1.13	108.36	70.71	54.47	11.94		15.69				1
	2W VG Port (Centrex/differ SWC /EBS-M5008)2, 3 Basic Local Area			UEP9D	UEPY4	1.13	108.36	70.71	54.47	11.94		15.69				
	2W VG Port (Centrex/differ SWC /EBS-M5208)2, 3 Basic Local Area			UEP9D	UEPY5	1.13	108.36	70.71	54.47	11.94		15.69				
	2W VG Port (Centrex/differ SWC /EBS-M5216)2, 3 Basic Local Area			UEP9D	UEPY6	1.13	108.36	70.71	54.47	11.94		15.69				1
	2W VG Port (Centrex/differ SWC /EBS-M5316)2, 3 Basic Local Area			UEP9D	UEPY7	1.13	108.36	70.71	54.47	11.94		15.69				
	2W VG Port, Diff SWC-800 Service Term			UEP9D	UEPYZ	1.13	108.36	70.71	54.47	11.94		15.69				
	2W VG Port terminated in on Megalink or equivalent Basic Local Area			UEP9D	UEPY9	1.13	40.30	19.90	24.98	6.65		15.69				1
	2W VG Port Terminated on 800 Service Term Basic Local Area			UEP9D	UEPY2	1.13	40.30	19.90	24.98	6.65		15.69				1
AL, K	Y, LA, MS, SC, & TN Only	4	₩		1,550						<u> </u>	,	<u> </u>		<u> </u>	<del> </del>
<del></del>	2W VG Port (Centrex)	1	<b>├</b>	UEP9D	UEPQA	1.13	40.30	19.90	24.98	6.65		15.69	<u> </u>			
	2W VG Port (Centrex 800 Term)	1	₩	UEP9D UEP9D	UEPQB UEPQC	1.13 1.13	40.30 40.30	19.90 19.90	24.98 24.98	6.65 6.65		15.69 15.69	<b> </b>			+
<del>                                     </del>	2W VG Port (Centrex/EBS-PSET)3 2W VG Port (Centrex/EBS-M5009)3	+	+-+	UEP9D UEP9D	UEPQC	1.13	40.30	19.90 19.90	24.98	6.65		15.69			<del>                                     </del>	+
	2W VG Port (Centrex/EBS-M5009)3 2W VG Port (Centrex/EBS-M5209)3	+	╁	UEP9D	UEPQE	1.13	40.30	19.90	24.98	6.65		15.69			<del>                                     </del>	+
<del>                                     </del>	2W VG Port (Centrex/EBS-M5209)3	1 -		UEP9D	UEPQF	1.13	40.30	19.90	24.98	6.65		15.69				<del>                                     </del>
	2W VG Port (Centrex/EBS-M5312)3	1	† †	UEP9D	UEPQG	1.13	40.30	19.90	24.98	6.65		15.69			t e	<b>†</b>
	2W VG Port (Centrex/EBS-M5008)3	1		UEP9D	UEPQT	1.13	40.30	19.90	24.98	6.65		15.69				<b>†</b>
	2W VG Port (Centrex/EBS-M5208)3		t t	UEP9D	UEPQU	1.13	40.30	19.90	24.98	6.65		15.69				
	2W VG Port (Centrex/EBS-M5216)3	L		UEP9D	UEPQV	1.13	40.30	19.90	24.98	6.65		15.69				
	2W VG Port (Centrex/EBS-M5316)3			UEP9D	UEPQ3	1.13	40.30	19.90	24.98	6.65		15.69				
	2W VG Port (Centrex with Caller ID)			UEP9D	UEPQH	1.13	40.30	19.90	24.98	6.65		15.69				
	2W VG Port (Centrex/Caller ID/Msg Wtg Lamp Indication)3			UEP9D	UEPQW	1.13	40.30	19.90	24.98	6.65		15.69				
$\vdash$	2W VG Port (Centrex/Msg Wtg Lamp Indication)3		<u> </u>	UEP9D	UEPQJ	1.13	40.30	19.90	24.98	6.65		15.69				
	2W VG Port (Centrex from diff SWC) 2	<u> </u>	1	UEP9D	UEPQM	1.13	108.36	70.71	54.47	11.94		15.69				
	2W VG Port (Centrex/differ SWC /EBS-PSET)2, 3			UEP9D	UEPQO	1.13	108.36	70.71	54.47	11.94		15.69	<u> </u>			1

BUNDL	ED NETWORK ELEMENTS - South Carolina										1	1		ment: 2		bit: B
											Svc	Svc		Increment	Increment	
											Order	Order	al Charge	al Charge -	al Charge -	al Char
		Interi	Zon								Submitte	Submitte	Manual	Manual	Manual	Manua
<b>TEGORY</b>	RATE ELEMENTS		e	BCS	USOC		R	ATES (\$)			d Elec	d	Svc Order	Svc Order	Svc Order	Svc Ord
		m	е								per LSR	Manually	vs.	vs.	vs.	vs.
											per Lor			-		-
												per LSK	Electronic		Electronic-	Disc Ad
							Nonrec	urring	NRC Disco	nnect			055	Rates (\$)	Diec 1et	LDicc Ad
		1			+	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
	2W VG Port (Centrex/differ SWC /EBS-M5009)2, 3	_	+ +	UEP9D	UEPQP	1.13	108.36	70.71	54.47	11.94	CONILO	15.69	COMAN	COMAI	OCIVIAIN	CONTAI
	2W VG Port (Centrex/differ SWC /EBS-9/03009)2, 3			UEP9D	UEPQQ	1.13	108.36	70.71	54.47	11.94		15.69				+
_	2W VG Port (Centrex/differ SWC /EBS-05209)2, 3	1	-	UEP9D	UEPQR	1.13	108.36	70.71	54.47	11.94		15.69	1		1	+
	2W VG Port (Centrex/differ SWC /EBS-M5312)2, 3			UEP9D	UEPQS	1.13	108.36	70.71	54.47	11.94	-	15.69				<del> </del>
			<del>                                     </del>													+
-	2W VG Port (Centrex/differ SWC /EBS-M5008)2, 3	1	-	UEP9D	UEPQ4	1.13	108.36	70.71	54.47	11.94		15.69				<del> </del>
	2W VG Port (Centrex/differ SWC /EBS-M5208)2, 3		<del></del>	UEP9D	UEPQ5	1.13	108.36	70.71	54.47	11.94		15.69				<del> </del>
	2W VG Port (Centrex/differ SWC /EBS-M5216)2, 3		<del></del>	UEP9D	UEPQ6	1.13	108.36	70.71	54.47	11.94		15.69				<del> </del>
	2W VG Port (Centrex/differ SWC /EBS-M5316)2, 3	1	<b>.</b>	UEP9D	UEPQ7	1.13	108.36	70.71	54.47	11.94		15.69	ļ		ļ	
	2W VG Port, Diff SWC-800 Service Term	1	<b>.</b>	UEP9D	UEPQZ	1.13	108.36	70.71	54.47	11.94		15.69				<b></b>
	2W VG Port terminated in on Megalink or equivalent			UEP9D	UEPQ9	1.13	40.30	19.90	24.98	6.65		15.69				
	2W VG Port Terminated on 800 Service Term			UEP9D	UEPQ2	1.13	40.30	19.90	24.98	6.65		15.69				
Local	Switching															
	Centrex Intercom Funtionality, per port			UEP9D	URECS	0.7996						15.69				
Local	Number Portability															
	Local No Portability (1 per port)			UEP9D	LNPCC	0.35										
Featu	res															
	All Standard Features Offered, per port			UEP9D	UEPVF	3.04						15.69				
	All Select Features Offered, per port			UEP9D	UEPVS	0.00	406.42					15.69				1
	All Centrex Control Features Offered, per port			UEP9D	UEPVC	3.04	100.12					15.69				<del>                                     </del>
NARS				OLI OD	OLI VO	0.04						10.00				<del>                                     </del>
IVAINO	Unbundled Network Access Register-Combination			UEP9D	UARCX	0.00	0.00	0.00				15.69				+
	Unbundled Network Access Register-Combination  Unbundled Network Access Register-Inward			UEP9D	UAR1X	0.00	0.00	0.00				15.69				+
	Unbundled Network Access Register-Inward		<del></del>	UEP9D	UAROX	0.00	0.00	0.00				15.69				+
Missa	ellaneous Terminations			UEF9D	UARUX	0.00	0.00	0.00			-	15.09				+
	e Trunk Side				+ +						-	-				+
Z-VVII			<del>                                     </del>	LIEDOD	OFNE	0.00	440.57	40.70	00.00	0.77		45.00				+
4 18/1-	Trunk Side Terms, each		<del>                                     </del>	UEP9D	CEND6	8.86	119.57	18.78	60.03	3.77		15.69				+
4-vvire	e Digital (1.544 Megabits)	1	-	LIEDAD	1441154	70.00	200.47	05.00	70.75	0.47		45.00				<del></del>
	DS1 Circuit Terms, each			UEP9D	M1HD1	73.62	202.47	95.90	72.75	2.47		15.69				
	DS0 Channels Activiated per Channel			UEP9D	M1HDO	0.00	14.51					15.69				
Intero	ffice Channel Mileage - 2-Wire															
	Interoffice Channel Facilities Term			UEP9D	MIGBC	24.30	40.63	27.47	16.77	6.91		15.69				
	Interoffice Channel miage, per mi or fraction of mi			UEP9D	MIGBM	0.0167										
	re Activations (DS0) Centrex Loops on Channelized DS1 Service															
D4 Ch	nannel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9D	1PQWS	0.56						15.69				
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9D	1PQW6	0.56						15.69				
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP9D	1PQW7	0.56						15.69				
	Feature Activation on D-4 Channel Bank Centrex Loop Slot-Diff WC			UEP9D	1PQWP	0.56	İ					15.69				
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9D	1PQWV	0.56	İ					15.69				
	Feature Activation on D-4 Channel Bank Tije Line/Trunk Loop Slot	1		UEP9D	1PQWQ	0.56						15.69				1
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9D	1PQWA	0.56						15.69	İ		İ	1
Non-F	Recurring Charges (NRC) Associated with UNE-P Centrex	1		02.00		0.50							İ		İ	<b>†</b>
140.1-1	NRC Conversion Currently Combined Switch-As-Is with allowed changes,	1	<del>                                     </del>		+	+					1		1	1	1	<del>                                     </del>
	per port			UEP9D	USAC2		37.93	16.72			İ	15.69				
+	New Centrex Standard Common Block	+	$\vdash$	UEP9D	M1ACS	0.00	668.70	10.72				15.69	<del> </del>		<del> </del>	+
	New Centrex Standard Common Block New Centrex Customized Common Block	1	+	UEP9D	M1ACC	0.00	668.70					15.69	}	<b> </b>	}	+
+		+	<del>├</del>	UEP9D UEP9D	URECA	0.00	72.89					15.69	-	-	-	+
N	NAR Establishment Charge, Per Occasion	1	<del>├</del>	UEP9D	UKECA	0.00	72.89					15.69			<b> </b>	
	1 - Required Port for Centrex Control in 1AESS, 5ESS & EWSD	-	<del> </del>										1		1	₩
	2 - Requires Interoffice Channel Mileage	1	<b>.</b>										ļ		ļ	
	3 - Requires Specific Customer Premises Equipment	1	1									1	1	ı		1

UNBUNE	DLED NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	bit: B
											Svc	Svc	Incrementa	Incrementa	Incrementa	Incrementa
											Order	Order	Charge -	I Charge -	I Charge -	Charge -
		Interi									Submitte	Submitte	Manual Svo	Manual	Manual	Manual Sv
CATEGOR	Y RATE ELEMENTS		Zone	BCS	USOC		RA	TES (\$)			d Elec	d	Order vs.	Svc Order	Svc Order	Order vs.
		m									per LSR	_	Electronic-	vs.	vs.	Electronic
											per Lor	per LSR	1st	Electronic-		
												per LSR	ist	Electronic-	Electronic-	DISC Add I
						_ 1	Nonrec	urrina	NRC Dis	connect		1	OSS	Rates (\$)	11100 10+	
						Rec	First	Add'I	First		SOMEC	SOMAN			SOMAN	SOMAN
The	"Zone" shown in the sections for stand-alone loops or loops as part of a con	hina	ion re	ers to Geographically	/ Deaverag	ed UNF Zones.										
	://www.interconnection.bellsouth.com/become_a_clec/html/interconnection.h			icro to ocograpinoun	Deaverag	cu ONE Ediles.	10 11011 000	grapinouny i	ocuve, age.	. 0.11	ne Design	ations by C	cina di iloc	, 10101 10 11110	met Webone	-
OBERATIO	NAL SUPPORT SYSTEMS	uII	1		1	1		1	ı		1	1	1	1		T
	E: (1) Electronic Service Order: CLEC should contact its contract negotiator	if it s	rofors	the state specific ele	ctronic sor	vice ordering c	harnos as ord	lered by the	Commissio	ne The	electronic	service or	dering charg	e currently c	ontained in t	this Evhibit
NO.	e BellSouth regional electronic service ordering charge. CLEC may elect eit E: (2) Any element that can be ordered electronically will be billed according	to th	e SON	FC rate listed in this	category.	Please reter to	BellSouth's B	usiness Rule	es for Loca	Orderin	a (BBR-I O	) to determ	ine if a prod	ict can be or	dered electr	onically.
	those elements that cannot be ordered electronically at present per the BBR-															
					category	enecis ine cha	ge mai would	be billed to	a CLEC OI	ice electi	onic order	iiig capabi	illies come o	n-ine ioi uia	t element. O	mierwise,
the	manual ordering charge, SOMAN, will be applied to a CLECs bill when it subm	nits a	n LSR	to BellSouth.	1			1				1		1		1
	Electronic OSS Charge, per LSR, submitted via BST's OSS interactive															
	interfaces (Regional)				SOMEC		3.50									
UNE SERV	ICE DATE ADVANCEMENT CHARGE															
NOT	E: The Expedite charge will be maintained commensurate with BellSouth's F	CC V	lo.1 Ta	riff, Section 5 as appl	icable.											
				ALL UNE EXCEPT									Î			
	UNE Expedite Charge per Circuit or Line Assignable USOC, per Day			UNE-P	SDASP		200.00									
UNBUNDI	ED EXCHANGE ACCESS LOOP															
	IRE ANALOG VOICE GRADE LOOP										1					1
	2W Analog VG Loop-SL1-Zone 1		1	UEANL	UEAL2	13.19	31.99	20.02	10.65	1.41		1	20.35	10.54	13.32	13.3
			-	UEANL	UEAL2	17.23	31.99	20.02	10.65	1.41	-		20.35	10.54		
<del></del>	2W Analog VG Loop-SL1-Zone 2		2								1				13.32	
<u> </u>	2W Analog VG Loop-SL1-Zone 3		3	UEANL	UEAL2	22.53	31.99	20.02	10.65	1.41			20.35	10.54	13.32	
	Unbundled Misc Rate Element, Tag Loop at End User Premise			UEANL	URETL		8.33	0.83					20.35	10.54	13.32	
	Loop Testing-Basic 1st Half Hour			UEANL	URET1		78.92	78.92					20.35	10.54	13.32	
	Loop Testing-Basic Add'l Half Hour			UEANL	URETA		23.33	23.33					20.35	10.54	13.32	
	CLEC to CLEC Conversion Charge w/o Outside Dispatch (UVL-SL1)			UEANL	UREWO		15.80	8.95					20.35	10.54	13.32	13.3
	Unbundled Voice Loop, Non-Design Voice Loop, billing for BST providing															
	make-up (Engineering Information-E.I.)			UEANL	UEANM		28.80	28.80								
	Manual Order Coordination for UVL-SL1s (per loop)			UEANL	UEAMC		36.52	36.52					1			
	Order Coordination for Specified Conversion Time for UVL-SL1 (per LSR)			UEANL	OCOSL		34.29	34.29			<b>†</b>	1	1			+
2-14/	IRE Unbundled COPPER LOOP			ULANL	OCOGL		34.23	34.23				1	-			<del> </del>
2-44	2W Unbundled Copper Loop-Non-Designed Zone 1	_	1	UEQ	UEQ2X	13.19	31.99	20.02	10.65	1.41	<b> </b>	+	20.35	10.54	13.32	13.3
<b></b>		<del>-</del>									1					
	2W Unbundled Copper Loop-Non-Designed-Zone 2	<u> </u>	2	UEQ	UEQ2X	17.23	31.99	20.02	10.65	1.41			20.35	10.54	13.32	
	2W Unbundled Copper Loop-Non-Designed-Zone 3	_	3	UEQ	UEQ2X	22.53	31.99		10.65	1.41			20.35	10.54	13.32	
	Unbundled Misc Rate Element, Tag Loop at End User Premise			UEQ	URETL		8.33	0.83					20.35	10.54	13.32	13.3
	Order Coordination 2W Unbundled Copper Loop-Non-Designed (per loop)			UEQ	USBMC		36.52	36.52								
	Unbundled Copper Loop, Non-Design Copper Loop, billing for BST providing															
	make-up (Engineering Information-E.I.)			UEQ	UEQMU		28.80	28.80					20.35	10.54	13.32	13.3
	Loop Testing-Basic 1st Half Hour			UEQ	URET1		78.92	78.92					20.35	10.54	13.32	13.3
	Loop Testing-Basic Add'l Half Hour			UEQ	URETA		23.33	23.33					20.35	10.54	13.32	
	CLEC to CLEC Conversion Charge w/o Outside Dispatch (UCL-ND)			UEQ	UREWO		14.29	7.44					20.35	10.54	13.32	13.3
UNBUNDI	ED EXCHANGE ACCESS LOOP			024	CINZIII		20						20.00	10.01	.0.02	10.0
	IRE ANALOG VOICE GRADE LOOP										1					t
<del>   2-44</del>	2W Analog VG Loop-SL1-Line Splitting-Zone 1		1	UEPSR UEPSB	UEALS	13.19	31.99	20.02	10.65	1.41	<del>                                     </del>	<b>†</b>	20.35	10.54	13.32	13.3
<del>                                     </del>			1	UEPSR UEPSB	UEABS		31.99	20.02	10.65	1.41	1	1	20.35	10.54	13.32	13.3
$\vdash$	2W Analog VG Loop-SL1-Line Splitting-Zone 1					13.19					+	<del>                                     </del>				
$\vdash$	2W Analog VG Loop-SL1-Line Splitting-Zone 2		2	UEPSR UEPSB	UEALS	17.23	31.99	20.02	10.65	1.41		<u> </u>	20.35	10.54	13.32	
$\vdash \vdash \vdash$	2W Analog VG Loop-SL1-Line Splitting-Zone 2		2	UEPSR UEPSB	UEABS	17.23	31.99	20.02	10.65	1.41			20.35	10.54	13.32	
	2W Analog VG Loop-SL1-Line Splitting-Zone 3		3	UEPSR UEPSB	UEALS	22.53	31.99	20.02	10.65	1.41	1	ļ	20.35	10.54	13.32	13.3
	2W Analog VG Loop-SL1-Line Splitting-Zone 3		3	UEPSR UEPSB	UEABS	22.53	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.3
	ED EXCHANGE ACCESS LOOP														L	
2-W	IRE ANALOG VOICE GRADE LOOP			i									1		1	
	2W Analog VG Loop-SL2 w/Loop or Ground Start Signaling-Zone 1		1	UEA	UEAL2	16.56	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.3
	2W Analog VG Loop-SL2 w/Loop or Ground Start Signaling-Zone 2		2	UEA	UEAL2	21.63	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.3
	2W Analog VG Loop-SL2 w/Loop or Ground Start Signaling-Zone 3		3	UEA	UEAL2	28.28	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.3
	Order Coordination for Specified Conversion Time (per LSR)		Ť	UEA	OCOSL	20.20	34.29	.0.20							2	
	2W Analog VG Loop-SL2 w/Rev Bat Signaling-Zone 1		1	UEA	UEAR2	16.56	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.3
<del>                                     </del>	2W Analog VG Loop-SL2 w/Rev Bat Signaling-Zone 2		2	UEA	UEAR2	21.63	75.06	48.20	28.70	17.64	<del>                                     </del>	<b>†</b>	20.35	10.54	13.32	
$\vdash$			_	UEA	UEAR2	28.28	75.06	48.20	28.70	17.64	1	1	20.35	10.54	13.32	
$\vdash$	2W Analog VG Loop-SL2 w/Rev Bat Signaling-Zone 3		3			26.28		46.20	25.70	17.04	-	<del>                                     </del>	∠0.35	10.54	13.32	13.3
$\vdash$	Order Coordination for Specified Conversion Time (per LSR)		<u> </u>	UEA	OCOSL	<del>                                     </del>	34.29		1			<u> </u>			<del></del>	<del> </del>
	CLEC to CLEC Conversion Charge w/o outside dispatch		1	UEA	UREWO		75.06	36.41			1	1	20.35	10.54	13.32	13.3

Version 4Q02: 01/21/03 Page 356 of 402

UNBUNDI	ED NETWORK ELEMENTS - Tennessee												Attachr			ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			ΓES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitte d Manually per LSR		I Charge - Manual Svc Order vs. Electronic-	Incrementa I Charge - Manual Svc Order vs. Electronic-	Electronic-
						Rec	Nonrecu		NRC Disc		00450	001111		Rates (\$)	0011411	SOMAN
	Loop Tagging-SL2 (SL2)			UEA	URETL		First 10.45	Add'I 1.03	First	Add'l	SOMEC	SOMAN	<b>SOMAN</b> 20.35	<b>SOMAN</b> 10.54	SOMAN 13.32	
4-WIE	RE ANALOG VOICE GRADE LOOP			UEA	UKEIL		10.45	1.03					20.33	10.54	13.32	13.32
4-4411	4W Analog VG Loop-Zone 1		1	UEA	UEAL4	24.70	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.32
	4W Analog VG Loop-Zone 2		2	UEA	UEAL4	32.25	122.76	85.57	76.35	39.16			20.35	10.54	13.32	
	4W Analog VG Loop-Zone 3		3	UEA	UEAL4	42.17	122.76	85.57		39.16			20.35	10.54	13.32	
	Order Coordination for Specified Conversion Time (per LSR)		Ŭ	UEA	OCOSL	72.17	34.29	00.07	7 0.00	00.10			20.00	10.04	10.02	10.02
	CLEC to CLEC Conversion Charge w/o outside dispatch			UEA	UREWO		75.06	36.41					20.35	10.54	13.32	13.32
2-WIF	RE ISDN DIGITAL GRADE LOOP			02/1	O.C.L.O		. 0.00	00.11					20.00	10.01	10.02	10.02
	2W ISDN Digital Grade Loop-Zone 1		1	UDN	U1L2X	22.22	142.76	88.88	76.35	39.16			20.35	10.54	13.32	13.32
	2W ISDN Digital Grade Loop-Zone 2		2	UDN	U1L2X	29.02	142.76	88.88	76.35	39.16			20.35	10.54	13.32	13.32
ĺ	2W ISDN Digital Grade Loop-Zone 3		3	UDN	U1L2X	37.95	142.76	88.88		39.16			20.35	10.54	13.32	
	Order Coordination For Specified Conversion Time (per LSR)			UDN	OCOSL		34.29									
	CLEC to CLEC Conversion Charge w/o outside dispatch			UDN	UREWO		91.77	44.22					20.35	10.54	13.32	13.32
2-WIF	RE Universal Digital Channel (UDC) COMPATIBLE LOOP															
	2W Universal Digital Channel (UDC) Compatible Loop-Zone 1		1	UDC	UDC2X	22.22	142.76	88.88		39.16			20.35	10.54	13.32	
	2W Universal Digital Channel (UDC) Compatible Loop-Zone 2		2	UDC	UDC2X	29.02	142.76	88.88	76.35	39.16			20.35	10.54	13.32	
	2W Universal Digital Channel (UDC) Compatible Loop-Zone 3		3	UDC	UDC2X	37.95	142.76	88.88	76.35	39.16			20.35	10.54	13.32	
	CLEC to CLEC Conversion Charge w/o outside dispatch			UDC	UREWO		91.77	44.22					20.35	10.54	13.32	13.32
2-WIF	E ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPATIBLE LOC	OP														
	2W Unbundled ADSL Loop including manl svc inq & facility reservation-Zone 1		1	UAL	UAL2X	13.82	270.01	234.63	74.54	39.14			20.35	10.54	13.32	13.32
	2W Unbundled ADSL Loop including manl svc inq & facility reservation-Zone 2		2	UAL	UAL2X	18.05	270.01	234.63	74.54	39.14			20.35	10.54	13.32	13.32
	2W Unbundled ADSL Loop including manl svc inq & facility reservation-Zone															
	3		3	UAL	UAL2X	23.60	270.01	234.63	74.54	39.14			20.35	10.54	13.32	13.32
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL	40.00	34.29	00.00	40.05				20.05	10.51	40.00	10.00
-	2W Unbundled ADSL Loop w/o manl svc inq & facility reservator-Zone 1	÷	1	UAL	UAL2W	13.82	31.99	20.02	10.65	1.41			20.35	10.54	13.32	
-	2W Unbundled ADSL Loop w/o manl svc inq & facility reservator-Zone 2	÷	3	UAL	UAL2W	18.05	31.99	20.02	10.65	1.41			20.35	10.54	13.32	
	2W Unbundled ADSL Loop w/o manl svc inq & facility reservaton-Zone 3	-	3	UAL UAL	UAL2W	23.60	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	Order Coordination for Specified Conversion Time (per LSR)		-	UAL	OCOSL UREWO		34.29 31.99	20.02	-		-		20.35	10.54	13.32	13.32
2 14/15	CLEC to CLEC Conversion Charge w/o outside dispatch RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOI			UAL	UREWU		31.99	20.02				-	20.35	10.54	13.32	13.32
Z-VVIF	2W Unbundled HDSL Loop including manl svc inq & facility reservation-Zone				-				-							
	2vv Oriburidied FDSL Loop including main svc inq & facility reservation-zone		1	UHL	UHL2X	10.83	270.01	234.63	74.54	39.14			20.35	10.54	13.32	13.32
	2W Unbundled HDSL Loop including manl svc ing & facility reservation-Zone		'	UNL	UHLZX	10.63	270.01	234.03	74.54	39.14			20.33	10.54	13.32	13.32
	22 Oribundled FIDSE E00p including main svc inq & facility reservation-20ne		2	UHL	UHL2X	14.15	270.01	234.63	74.54	39.14			20.35	10.54	13.32	13.32
	2W Unbundled HDSL Loop including manl svc ing & facility reservation-Zone			OFFE	OFFICER	14.13	270.01	254.05	74.54	33.14			20.55	10.54	10.02	13.32
	3	l	3	UHL	UHL2X	18.50	270.01	234.63	74.54	39.14			20.35	10.54	13.32	13.32
	Order Coordination for Specified Conversion Time (per LSR)		Ť	UHL	OCOSL	10.00	34.29	_57.00		50.14			20.00	10.04	10.02	10.02
	2W Unbundled HDSL Loop w/o manl svc ing & facility reservation-Zone 1	Т	1	UHL	UHL2W	10.83	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	2W Unbundled HDSL Loop w/o manl svc ing & facility reservation-Zone 2	Ť	2	UHL	UHL2W	14.15	31.99	20.02	10.65	1.41			20.35	10.54	13.32	
	2W Unbundled HDSL Loop w/o manl svc inq & facility reservation-Zone 3	ı	3	UHL	UHL2W	18.50	31.99	20.02		1.41			20.35	10.54	13.32	
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		34.29									
	CLEC to CLEC Conversion Charge w/o outside dispatch			UHL	UREWO		31.99	20.02					20.35	10.54	13.32	13.32
4-WIF	E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOI	Р														
	4W Unbundled HDSL Loop including manl svc inq & facility reservation-Zone 1		1	UHL	UHL4X	13.93	279.60	244.22	74.54	39.14			20.35	10.54	13.32	13.32
	4W Unbundled HDSL Loop including manl svc inq & facility reservation-Zone 2		2	UHL	UHL4X	18.20	279.60	244.22	74.54	39.14			20.35	10.54	13.32	13.32
	4W Unbundled HDSL Loop including manl svc inq & facility reservation-Zone 3		3	UHL	UHL4X	23.80	279.60	244.22	74.54	39.14			20.35	10.54	13.32	13.32
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		34.29									
	4W Unbundled HDSL Loop w/o manl svc inq & facility reservation-Zone 1		1	UHL	UHL4W	13.93	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	4W Unbundled HDSL Loop w/o manl svc inq & facility reservation-Zone 2		2	UHL	UHL4W	18.20	31.99	20.02	10.65	1.41			20.35	10.54	13.32	
								00.00	40.05				20.05	10.51	13.32	13.32
	4W Unbundled HDSL Loop w/o manl svc inq & facility reservation-Zone 3	- 1	3	UHL	UHL4W	23.80	31.99	20.02	10.65	1.41			20.35	10.54	13.32	.0.02
	4W Unbundled HDSL Loop w/o manl svc inq & facility reservation-Zone 3 Order Coordination for Specified Conversion Time (per LSR) CLEC to CLEC Conversion Charge w/o outside dispatch		3	UHL UHL UHL	OCOSL UREWO	23.80	31.99 34.29 31.99	20.02	10.65	1.41			20.35	10.54	13.32	

Version 4Q02: 01/21/03 Page 357 of 402

JNBUNDL	LED NETWORK ELEMENTS - Tennessee												Attachi	ment: 2	Exh	ibit: B
											Svc	Svc	Incremental			Incrementa
											Order	Order	Charge -	I Charge -	I Charge -	Charge -
ATEOORY	DATE EL EMENTO	Interi	<b>7</b>	BCS	11000		D.41	TEO (A)			Submitte	Submitte	Manual Svo		Manual	Manual Sv
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC		KA	TES (\$)			d Elec	d	Order vs.	Svc Order	Svc Order	
											per LSR	Manually		vs.	vs.	Electronic
												per LSR	1st	Electronic	- Electronic	- Disc Add'
					1	D	Nonrecu	urring	NRC Dis	connect		L	oss	Rates (\$)	Dicc 1ct	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN		SOMAN	SOMAN
4-WIR	RE DS1 DIGITAL LOOP															
	4W DS1 Digital Loop-Zone 1		1	USL	USLXX	57.73	313.08	219.72	96.86	40.45			18.98	8.43		
	4W DS1 Digital Loop-Zone 2		2	USL	USLXX	75.40	313.08	219.72	96.86	40.45			18.98	8.43		
	4W DS1 Digital Loop-Zone 3		3	USL	USLXX	98.59	313.08	219.72	96.86	40.45			18.98	8.43	11.95	11.95
	Order Coordination for Specified Conversion Time (per LSR)			USL	OCOSL		34.59									
	CLEC to CLEC Conversion Charge w/o outside dispatch			USL	UREWO		130.47	40.11					20.35	10.54	13.32	13.32
4-WIR	RE 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP		4	LIDI	LIDI 40	04.40	007.04	444.00	00.70	44.40			00.05	40.54	40.00	40.00
	4W Unbundled Digital 19.2 Kbps		1	UDL	UDL19	31.10	207.01	141.38		44.18			20.35	10.54		
	4W Unbundled Digital 19.2 Kbps		2	UDL	UDL19	40.61	207.01	141.38		44.18		ļ	20.35	10.54		
	4W Unbundled Digital 19.2 Kbps		3	UDL	UDL19	53.11	207.01	141.38	90.70	44.18		ļ	20.35	10.54	13.32	
	4W Unbundled Digital Loop 56 Kbps-Zone 1		1	UDL	UDL56	31.10	207.01	141.38		44.18	-		20.35	10.54		
	4W Unbundled Digital Loop 56 Kbps-Zone 2 4W Unbundled Digital Loop 56 Kbps-Zone 3	-	3	UDL UDL	UDL56 UDL56	40.61 53.11	207.01 207.01	141.38 141.38	90.70 90.70	44.18 44.18	<del>                                     </del>	<del>                                     </del>	20.35 20.35	10.54 10.54		
	Order Coordination for Specified Conversion Time (per LSR)		3	UDL	OCOSL	53.11	34.29	141.38	90.70	44.18		1	20.35	10.54	13.32	13.34
	4W Unbundled Digital Loop 64 Kbps-Zone 1		-1	UDL	UDL64	31.10	207.01	141.38	90.70	44.18		1	20.35	10.54	13.32	13.32
	4W Unbundled Digital Loop 64 Kbps-Zone 2		2	UDL	UDL64	40.61	207.01	141.38	90.70	44.18		1	20.35	10.54	13.32	
	4W Unbundled Digital Loop 64 Kbps-Zone 3		3	UDL	UDL64	53.11	207.01	141.38		44.18		1	20.35	10.54		
	Order Coordination for Specified Conversion Time (per LSR)		3	UDL	OCOSL	55.11	34.29	141.30	90.70	44.10		1	20.33	10.54	13.32	13.32
	CLEC to CLEC Conversion Charge w/o outside dispatch			UDL	UREWO		102.28	49.82				1	20.35	10.54	13.32	13.32
2-14/15	RE Unbundled COPPER LOOP			UDL	UKEWU		102.20	49.02	1			1	20.33	10.54	13.32	13.32
2-4411	2W Unbundled Copper Loop/Short including manl svc inq & facility				+ +				1			1				+
	reservation-Zone 1		1	UCL	UCLPB	13.19	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	2W Unbundled Copper Loop/Short including manl svc inq & facility			UCL	OCLEB	13.19	31.55	20.02	10.03	1.41		1	20.55	10.54	13.32	. 13.32
	reservation-Zone 2		2	UCL	UCLPB	17.23	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	2W Unbundled Copper Loop/Short including manl svc ing & facility			UCL	OCLEB	17.25	31.55	20.02	10.03	1.41		1	20.55	10.54	13.32	. 13.32
	reservation-Zone 3		3	UCL	UCLPB	22.53	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	Order Coordination for Unbundled Copper Loops (per loop)	-	J	UCL	UCLMC	22.55	36.52	36.52	10.03	1.71			20.55	10.54	10.02	. 10.02
	2W Unbundled Copper Loop/Short w/o manl svc inq & facility reservation-			002	COLIVIO		00.02	00.02	1							+
	Zone 1	1	1	UCL	UCLPW	13.19	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	2W Unbundled Copper Loop/Short w/o manl svc inq & facility reservation-		Ė	002	002	10.10	01.00	20.02	10.00				20.00	10.01	10.02	
	Zone 2	1	2	UCL	UCLPW	17.23	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	2W Unbundled Copper Loop/Short w/o manl svc ing & facility reservation-		_	002	002	20	01.00	20.02	10.00				20.00	10.01	10.02	
	Zone 3	1	3	UCL	UCLPW	22.53	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		36.52	36.52								
	2W Unbundled Copper Loop/Long-includes manl svc inq & facility															
	reservation-Zone 1	- 1	1	UCL	UCL2L	13.19	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	2W Unbundled Copper Loop/Long-includes manl svc ing & facility															
	reservation-Zone 2	- 1	2	UCL	UCL2L	17.23	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	2W Unbundled Copper Loop/Long-includes manl svc inq & facility				i											
	reservation-Zone 3	- 1	3	UCL	UCL2L	22.53	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		36.52	36.52								
	2W Unbundled Copper Loop/Long-w/o manl svc inq & facility reservation-															
	Zone 1	1	1	UCL	UCL2W	13.19	31.99	20.02	10.65	1.41	<u></u>	<u></u>	20.35	10.54	13.32	13.32
	2W Unbundled Copper Loop/Long-w/o manl svc inq & facility reservation-															
	Zone 2	- 1	2	UCL	UCL2W	17.23	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	2W Unbundled Copper Loop/Long-w/o manl svc inq & facility reservation-			-		_										
	Zone 3		3	UCL	UCL2W	22.53	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		36.52	36.52								
	CLEC to CLEC Conversion Charge w/o outside dispatch (UCL-Des)			UCL	UREWO	· ·	31.99	20.02					20.35	10.54	13.32	13.32
4-WIR	RE COPPER LOOP					· ·										
	4W Copper Loop/Short-including manl svc inq & facility reservation-Zone 1			UCL	UCL4S	24.70	122.76	85.57	76.35				20.35	10.54		
	4W Copper Loop/Short-including manl svc inq & facility reservation-Zone 2	ı	2	UCL	UCL4S	32.25	122.76	85.57	76.35	39.16			20.35	10.54		
	4W Copper Loop/Short-including manl svc inq & facility reservation-Zone 3	ı	3	UCL	UCL4S	42.17	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.3
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		36.52	36.52								
	4W Copper Loop/Short-w/o manl svc inq & facility reservation-Zone 1		1	UCL	UCL4W	24.70	122.76	85.57	76.35	39.16			20.35	10.54	13.32	
	4W Copper Loop/Short-w/o manl svc inq & facility reservation-Zone 2		2	UCL	UCL4W	32.25	122.76	85.57	76.35	39.16			20.35	10.54	13.32	
	4W Copper Loop/Short-w/o manl svc ing & facility reservation-Zone 3		3	UCL	UCL4W	42.17	122.76	85.57	76.35	39.16	1	1	20.35	10.54	13.32	13.3

UNBUNDL	ED NETWORK ELEMENTS - Tennessee		1	1	Г						C	C		nent: 2		ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			TES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitte d Manually per LSR		I Charge - Manual Svc Order vs. Electronic-	Incrementa I Charge - Manual Svc Order vs. Electronic-	Charge - Manual Sv Order vs. Electronic
						Rec	Nonrecu		NRC Disc		201150			Rates (\$)	0011111	
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		First 36.52	Add'I 36.52	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4W Unbundled Copper Loop/Long-includes manl svc ing & facility			OCL	OCLIVIC		30.32	30.32								
	reservation-Zone 1	- 1	1	UCL	UCL4L	24.70	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.32
	4W Unbundled Copper Loop/Long-includes manl svc inq & facility															
	reservation-Zone 2	- 1	2	UCL	UCL4L	32.25	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.32
	4W Unbundled Copper Loop/Long-includes manl svc inq & facility		_	1101	1101.41	40.47	400.70	05.57	70.05	00.40			00.05	40.54	40.00	40.00
	reservation-Zone 3 Order Coordination for Unbundled Copper Loops (per loop)		3	UCL UCL	UCL4L UCLMC	42.17	122.76 36.52	85.57 36.52	76.35	39.16			20.35	10.54	13.32	13.32
-+	4W Unbundled Copper Loop/Long-w/o manl svc ing & facility reservation-		1	UCL	OCLIVIC		30.32	30.32								-
	Zone 1	1	1	UCL	UCL4O	24.70	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.32
	4W Unbundled Copper Loop/Long-w/o manl svc ing & facility reservation-				002.0											
	Zone 2	- 1	2	UCL	UCL4O	32.25	122.76	85.57	76.35	39.16	<u> </u>		20.35	10.54	13.32	13.32
	4W Unbundled Copper Loop/Long-w/o manl svc inq & facility reservation-															
	Zone 3	- 1	3	UCL	UCL40	42.17	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.32
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		36.52	36.52								
OOP MODIF	CLEC to CLEC Conversion Charge w/o outside dispatch (UCL-Des)			UCL	UREWO		31.99	20.02					20.35	10.54	13.32	13.32
LOOP WIDDIF	ICATION			UAL,UHL,UCL,UEQ,												
				ULS,UEA,UEANL,UE												
	Unbundled Loop Modification, Removal of Load Coils-2W pr < or = 18kft	- 1		PSR.UEPSB	ULM2L		65.40	65.40					20.35	10.54	13.32	13.32
	Unbundled Loop Modification, Removal of Load Coils-2W > 18kft	ı		UCL,ULS,UEQ	ULM2G		710.71	23.77					20.35	10.54	13.32	13.32
	Unbundled Loop Modification Removal of Load Coils-4W < or = 18kft	-		UHL,UCL	ULM4L		65.40	65.40					20.35	10.54	13.32	13.32
	Unbundled Loop Modification Removal of Load Coils-4W pr > 18kft	- 1		UCL	ULM4G		710.71	23.77					20.35	10.54	13.32	13.32
				UAL,UHL,UCL,UEQ,												
1	Unbundled Loop Modification Removal of Bridged Tap Removal, per			ULS,UEA,UEANL,UE												
UB-LOOPS	unbundled loop			PSR,UEPSB	ULMBT		65.44	65.44					20.35	10.54	13.32	13.32
	oop Distribution												1			
- Oub-L	Sub-Loop-Per Cross Box Location-CLEC Feeder Facility Set-Up	-		UEANL	USBSA		517.25	517.25					20.35	10.54	13.32	13.32
	Sub-Loop-Per Cross Box Location-Per 25 pr Panel Set-Up	i		UEANL	USBSB		42.68	42.68					20.35	10.54	13.32	
	Sub-Loop-Per Building Equipment Room-CLEC Feeder Facility Set-Up	ı		UEANL	USBSC		313.01	313.01					20.35	10.54	13.32	
	Sub-Loop-Per Building Equipment Room-Per 25 pr Panel Set-Up			UEANL	USBSD		108.06	108.06					20.35	10.54	13.32	13.32
	Sub-Loop Distribution Per 2W Analog VG Loop-Statewide		SW	UEANL	USBN2	10.02	148.84	112.34	73.14	36.65			20.35	10.54	13.32	13.32
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr			UEANL	USBMC		34.29	34.29								
	Sub-Loop Distribution Per 4W Analog VG Loop -Zone 1		1	UEANL	USBN4	7.30	147.93	75.11	99.96	16.98			20.35	10.54	13.32	
	Sub-Loop Distribution Per 4W Analog VG Loop -Zone 2		2	UEANL UEANL	USBN4 USBN4	9.54 12.47	147.93 147.93	75.11	99.96 99.96	16.98 16.98			20.35 20.35	10.54 10.54	13.32 13.32	13.3
	Sub-Loop Distribution Per 4W Analog VG Loop -Zone 3 Order Coordination for Unbundled Sub-Loops, per sub-loop pr		3	UEANL	USBMC	12.47	34.29	75.11 34.29	99.96	16.98			20.35	10.54	13.32	13.3
	Sub-Loop 2W Intrabuilding Network Cable (INC)		1	UEANL	USBR2	1.35	94.56	29.35					20.35	10.54	13.32	13.3
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr	-	1	UEANL	USBMC	1.00	34.29	34.29					20.00	10.04	10.02	10.0
	Sub-Loop 4W Intrabuilding Network Cable (INC)	-		UEANL	USBR4	2.26	116.14	37.10	1				20.35	10.54	13.32	13.3
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr			UEANL	USBMC		34.29	34.29								
	2W Copper Unbundled Sub-Loop Distribution-Zone 1		1	UEF	UCS2X	5.16	110.71	37.89	94.41	13.09			20.35	10.54	13.32	13.3
	2W Copper Unbundled Sub-Loop Distribution-Zone 2		2	UEF	UCS2X	6.74	110.71	37.89	94.41	13.09			20.35	10.54	13.32	13.32
	2W Copper Unbundled Sub-Loop Distribution-Zone 3		3	UEF	UCS2X	8.81	110.71	37.89	94.41	13.09			20.35	10.54	13.32	13.32
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr	-	-	UEF UEF	USBMC	6.52	34.29	34.29	99.96	16.98	1		20.35	10.54	13.32	13.32
	4W Copper Unbundled Sub-Loop Distribution-Zone 1 4W Copper Unbundled Sub-Loop Distribution-Zone 2	-	2	UEF	UCS4X UCS4X	6.52 8.52	117.12 117.12	44.30 44.30	99.96	16.98	1	-	20.35	10.54	13.32	13.32
	4W Copper Unbundled Sub-Loop Distribution-Zone 2 4W Copper Unbundled Sub-Loop Distribution-Zone 3	-	3	UEF	UCS4X	11.14	117.12	44.30	99.96	16.98			20.35	10.54	13.32	
$\dashv$	Order Coordination for Unbundled Sub-Loops, per sub-loop pr			UEF	USBMC	11.14	34.29	34.29	55.50	10.00			20.00	10.54	10.02	10.02
Unbur	idled Sub-Loop Modification						720	220								1
	Unbundled Sub-Loop Modification-2-W Copper Dist Load Coil/Equip					İ										
1	Removal per 2-W PR			UEF	ULM2X		335.36	7.82					20.34	10.54	13.32	13.32
						· ·			1 7		1	1	1		i —	1
	Unbundled Sub-loop Modification-4-W Copper Dist Load Coil/Equip Removal															
	Unbundled Sub-loop Modification-4-W Copper Dist Load Coil/Equip Removal per 4-W PR Unbundled Sub-loop Modification-2-w/4-w Copper Dist Bridged Tap			UEF	ULM4X		335.36	7.82					20.35	10.54	13.32	13.32

Version 4Q02: 01/21/03 Page 359 of 402

UNBU	INDLE	ED NETWORK ELEMENTS - Tennessee												Attachi	nent: 2	Exh	ibit: B
												Svc	Svc	Incremental		Incrementa	
												Order	Order	Charge -	I Charge -	I Charge -	Charge -
			Interi	l_								Submitte	Submitte	Manual Svc	Manual	Manual	Manual Sv
CATEG	ORY	RATE ELEMENTS	m	Zone	BCS	USOC		RA	ΓES (\$)			d Elec	d	Order vs.	Svc Order	Svc Order	Order vs.
												per LSR	Manually	Electronic-	vs.	vs.	Electronic
													per LSR	1st	Electronic-	Electronic	Disc Add'
l 1								Nonrecu	ırrina	NRC Dis	connect			088	Rates (\$)	Disc 1st	
-							Rec	First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Inhun	dled Network Terminating Wire (UNTW)						11131	Auu	11130	Addi	OOMILO	OOMAN	JOINAIN	OOMAN	OOMAN	JONAN
		Unbundled Network Terminating Wire (UNTW) per pr			UENTW	UENPP	0.4555	2.48	2.48					20.35	10.54	13.32	13.32
		k Interface Device (NID)															
	I	Network Interface Device (NID)-1-2 lines			UENTW	UND12		89.69	54.56	0.6391	0.6391			20.35	10.54	13.32	13.32
		Network Interface Device (NID)-1-6 lines			UENTW	UND16		129.65	94.51	0.6522	0.6522			20.35	10.54	13.32	13.32
		Network Interface Device Cross Connect-2 W			UENTW	UNDC2		11.11	11.11					20.35	10.54		
		Network Interface Device Cross Connect-4W			UENTW	UNDC4		11.11	11.11					20.35	10.54	13.32	13.32
SUB-LO																	
i		op Feeder			HEATIBALLIOL LIBI												
		USL-Feeder, DS0 Set-up per Cross Box location-CLEC Distribution Facility set-up	l		UEA,UDN,UCL,UDL, UDC	USBFW		517.25						20.35	10.54	13.32	13.32
-		set-up			UEA.UDN.UCL.UDL.	USBFW		517.25						20.35	10.54	13.32	13.32
		USL Feeder-DS0 Set-up per Cross Box location-per 25 pr set-up	l		UDC	USBFX		42.68	42.68					20.35	10.54	13.32	13.32
		USL Feeder DS1 Set-up at DSX location, per DS1 Term			USL	USBFZ		531.04	11.34					20.35	10.54		13.32
		Unbundled Sub-Loop Feeder Loop, 2W Ground-Start, VG-Statewide		sw	UEA	USBFA	12.05	122.24	85.05		39.16			20.35	10.54		13.32
		Order Coordination for Specified Conversion Time, per LSR			UEA	OCOSL		34.29	22.20	1							
		Unbundled Sub-Loop Feeder Loop, 2W Loop-Start, VG-Statewide		sw	UEA	USBFB	12.05	122.24	85.05	76.35	39.16			20.35	10.54	13.32	13.32
		Order Coordination for Specified Time Conversion, per LSR			UEA	OCOSL		34.29									
		Unbundled Sub-Loop Feeder Loop, 2W Rev Bat, VG Loop-Statewide		SW	UEA	USBFC	12.05	122.24	85.05	76.35	39.16			20.35	10.54	13.32	13.32
		Order Coordination For Specified Conversion Time, per LSR			UEA	OCOSL		34.29									
		Unbundled Sub-Loop Feeder Loop, 4W Ground-Start, VG-Zone 1		1	UEA	USBFD	21.52	137.31	61.93		30.13			20.35	10.54	13.32	
		Unbundled Sub-Loop Feeder Loop, 4W Ground-Start, VG-Zone 2		2	UEA	USBFD	28.11	137.31	61.93		30.13			20.35	10.54	13.32	13.32
-		Unbundled Sub-Loop Feeder Loop, 4W Ground Start, VG-Zone 3		3	UEA	USBFD	36.76	137.31	61.93	118.04	30.13			20.35	10.54	13.32	13.32
		Order Coordination For Specified Conversion Time, Per LSR		1	UEA UEA	OCOSL USBFE	21.52	34.29 137.31	61.93	118.04	30.13			20.35	10.54	13.32	13.32
+		Unbundled Sub-Loop Feeder Loop, 4W Loop-Start, VG-Zone 1 Unbundled Sub-Loop Feeder Loop, 4W Loop-Start, VG-Zone 2		2	UEA	USBFE	28.11	137.31	61.93	118.04	30.13			20.35	10.54		
		Unbundled Sub-Loop Feeder Loop, 4W Loop-Start, VG-Zone 3		3	UEA	USBFE	36.76	137.31	61.93	118.04	30.13			20.35	10.54	13.32	13.32
		Order Coordination For Specified Conversion Time, Per LSR		_ <u> </u>	UEA	OCOSL	00.70	34.29	01.00	110.04	00.10			20.00	10.04	10.02	10.02
		Unbundled Sub-Loop Feeder Loop, 2W ISDN BRI-Zone 1		1	UDN	USBFF	16.11	142.83	67.45	104.67	18.53			19.99	19.99	19.99	19.99
	- 1	Unbundled Sub-Loop Feeder Loop, 2W ISDN BRI-Zone 2		2	UDN	USBFF	21.04	142.83	67.45	104.67	18.53			19.99	19.99	19.99	19.99
		Unbundled Sub-Loop Feeder Loop, 2W ISDN BRI-Zone 3		3	UDN	USBFF	27.51	142.83	67.45	104.64	18.53			19.99	19.99	19.99	19.99
		Order Coordination For Specified Conversion Time, Per LSR			UDN	OCOSL		34.29									
		Unbundled Sub-Loop Feeder, 2W UDC (IDSL compatible)		1	UDC	USBFS	16.11	142.83	67.45	104.67	18.53			19.99	19.99		
		Unbundled Sub-Loop Feeder, 2W UDC (IDSL compatible)		2	UDC	USBFS	21.04	142.83	67.45		18.53			19.99	19.99		
-		Unbundled Sub-Loop Feeder, 2W UDC (IDSL compatible)		3	UDC	USBFS	27.51	142.83	67.45		18.53			19.99	19.99		
-		Unbundled Sub-Loop Feeder Loop, 4W DS1-Zone 1		1	USL	USBFG	39.74	116.00	40.62	106.82	18.91			19.99	19.99		
$\vdash$		Unbundled Sub-Loop Feeder Loop, 4W DS1-Zone 2 Unbundled Sub-Loop Feeder Loop, 4W DS1-Zone 3	<b>-</b>	3	USL USL	USBFG USBFG	51.90 67.86	116.00 116.00	40.62 40.62	106.82 106.82	18.91 18.91		-	19.99 19.99	19.99 19.99		19.99
$\vdash$		Onbundled Sub-Loop Feeder Loop, 4W DS1-Zone 3 Order Coordination For Specified Conversion Time, Per LSR		3	USL	OCOSL	08.10	34.59	40.62	100.82	16.91			19.99	19.99	19.99	19.99
		Unbundled Sub-Loop Feeder, 2W Copper Loop-Zone 1	1	1	UCL	USBFH	9.52	114.27	38.89	104.64	18.53	<b> </b>	<b></b>	19.99	19.99	19.99	19.99
		Unbundled Sub-Loop Feeder Loop, 2W Copper Loop-Zone 2		2	UCL	USBFH	12.43	114.27	38.89	104.64	18.53			19.99	19.99		19.99
		Unbundled Sub-Loop Feeder Loop, 2W Copper Loop-Zone 3		3	UCL	USBFH	16.26	114.27	38.89	104.64	18.53			19.99	19.99		
		Order Coordination For Specified Conversion Time, per LSR			UCL	OCOSL		34.29						1			1
		Sub-Loop Feeder-Per 4W Copper Loop-Zone 1		1	UCL	USBFJ	14.37	123.41	48.03	110.44	22.53			19.99	19.99		
		Sub-Loop Feeder-Per 4W Copper Loop-Zone 2		2	UCL	USBFJ	18.76	123.41	48.03		22.53			19.99	19.99		
		Sub-Loop Feeder-Per 4W Copper Loop-Zone 3		3	UCL	USBFJ	24.53	123.41	48.03	110.44	22.53			19.99	19.99	19.99	19.99
<b>.</b>		Order Coordination For Specified Conversion Time, per LSR	<u> </u>	<u> </u>	UCL	OCOSL		34.29		1		ļ					
-		Sub-Loop Feeder-Per 4W 19.2 Kbps Digital Grade Loop	<u> </u>	1	UDL	USBFN	26.06	116.00	40.62		18.91	<u> </u>		19.99	19.99		
-		Sub-Loop Feeder-Per 4W 19.2 Kbps Digital Grade Loop		3	UDL UDL	USBFN USBFN	34.03 44.50	116.00 116.00	40.62 40.62	106.82	18.91 18.91	<del>                                     </del>		19.99 19.99	19.99 19.99	19.99 19.99	19.99
$\vdash$		Sub-Loop Feeder-Per 4W 19.2 Kbps Digital Grade Loop Sub-Loop Feeder-Per 4W 56 Kbps Digital Grade Loop-Zone 1		1	UDL	USBFN	26.06	116.00 116.00	40.62	106.82 106.82	18.91 18.91			19.99	19.99 19.99		
$\vdash$	- 1	Sub-Loop Feeder-Per 4W 56 Kops Digital Grade Loop-Zone 1 Sub-Loop Feeder-Per 4W 56 Kbps Digital Grade Loop-Zone 2	<del>                                     </del>	2	UDL	USBFO	34.03	116.00	40.62	106.82	18.91	<del>                                     </del>		19.99	19.99		19.99
<b>-</b>		Sub-Loop Feeder-Per 4W 56 Kbps Digital Grade Loop-Zone 3		3	UDL	USBFO	44.50	116.00	40.62	106.82	18.91	1	1	19.99	19.99		
		Order Coordination For Specified Time Conversion, per LSR		Ť	UDL	OCOSL	44.50	34.29	70.02	100.02	10.01			10.00	10.00	10.00	10.00
		Sub-Loop Feeder-Per 4W 64 Kbps Digital Grade Loop-Zone 1		1	UDL	USBFP	26.06	116.00	40.62	106.82	18.91			19.99	19.99	19.99	19.99
		Sub-Loop Feeder-Per 4W 64 Kbps Digital Grade Loop-Zone 2		2	UDL	USBFP	34.03	116.00	40.62	106.82	18.91	1		19.99	19.99		
		Sub-Loop Feeder-Per 4W 64 Kbps Digital Grade Loop-Zone 3		3	UDL	USBFP	44.50	116.00	40.62		18.91	1		19.99	19.99		

CATEGORY  Order of SUB-LOOPS  Sub-Loop Fe Sub Lc Su	Loop Feeder-DS3-Per mi Per mo Loop Feeder-DS3-Facility Term Per mo Loop Feeder-STS-1 – Per mi Per mo Loop Feeder-STS-1-Facility Term Per mo Loop Feeder-OC-3 – Per mi Per mo Loop Feeder-OC-3-Facility Term Protection Per mo Loop Feeder-OC-3-Facility Term Per mo Loop Feeder-OC-12-Per mi Per mo Loop Feeder-OC-12-Per mi Per mo Loop Feeder-OC-12-Facility Term Per mo Loop Feeder-OC-48-Per mi Per mo Loop Feeder-OC-48-Per mi Per mo Loop Feeder-OC-48-Facility Term Protection Per mo Loop Feeder-OC-48-Facility Term Protection Per mo Loop Feeder-OC-48-Facility Term Protection Per mo Loop Feeder-OC-48-Facility Term Protection Per mo Loop Feeder-OC-12 Interface On OC-48  P CONCENTRATION Indled Loop Concentration-System A (TR008) Indled Loop Concentration-System B (TR008)	Interim	Zone	UDL  UE3  UE3  UDLSX  UDLSX  UDLO3  UDLO3  UDLO3  UDL12  UDL12	USOC  OCOSL  1L5SL USBF1 1L5SL USBF7 1L5SL USBF7 1L5SL USBF5	14.11 333.26 14.11 359.02	Nonrecu First 34.29 3,406.61	rring Add'l 407.68	NRC Disc First	connect Add'I	•	d	Order vs. Electronic- 1st	Incrementa I Charge - Manual Svc Order vs. Electronic- Add'! Rates (\$)	Incrementa I Charge - Manual Svc Order vs.	Charge - Manual Svc Order vs. Electronic-
SUB-LOOPS Sub-Loop Fe Sub-Loop Fe Sub-Loo Sub-	eeder  Loop Feeder-DS3-Per mi Per mo Loop Feeder-DS3-Facility Term Per mo Loop Feeder-STS-1 – Per mi Per mo Loop Feeder – STS-1 – Per mi Per mo Loop Feeder – OC-3 – Per mi Per mo Loop Feeder – OC-3 – Per mi Per mo Loop Feeder-OC-3-Facility Term Protection Per mo Loop Feeder-OC-3-Facility Term Per mo Loop Feeder-OC-12-Per mi Per mo Loop Feeder-OC-12-Per mi Per mo Loop Feeder-OC-12-Facility Term Protection Per mo Loop Feeder-OC-48-Per mi Per mo Loop Feeder-OC-48-Pacility Term Per mo Loop Feeder-OC-48-Facility Term Per mo Loop Feeder-OC-48-Facility Term Per mo Loop Feeder-OC-48-Facility Term Per mo Loop Feeder-OC-48-Facility Term Per mo Loop Feeder-OC-12 Interface On OC-48  IP CONCENTRATION Indled Loop Concentration-System A (TR008) Indled Loop Concentration-System B (TR008)			UE3 UB3 UDLSX UDLSX UDLO3 UDLO3 UDLO3 UDLO3 UDL12 UDL12	1L5SL USBF1 1L5SL USBF7 1L5SL USBF5	14.11 333.26 14.11 359.02	First 34.29	Add'I			SOMEC	SOMAN		Rates (\$)	SOMAN	SOMAN
SUB-LOOPS Sub-Loop Fe Sub-Loop Fe Sub Lc Sub	eeder  Loop Feeder-DS3-Per mi Per mo Loop Feeder-DS3-Facility Term Per mo Loop Feeder-STS-1 – Per mi Per mo Loop Feeder – STS-1 – Per mi Per mo Loop Feeder – OC-3 – Per mi Per mo Loop Feeder – OC-3 – Per mi Per mo Loop Feeder-OC-3-Facility Term Protection Per mo Loop Feeder-OC-3-Facility Term Per mo Loop Feeder-OC-12-Per mi Per mo Loop Feeder-OC-12-Per mi Per mo Loop Feeder-OC-12-Facility Term Protection Per mo Loop Feeder-OC-48-Per mi Per mo Loop Feeder-OC-48-Pacility Term Per mo Loop Feeder-OC-48-Facility Term Per mo Loop Feeder-OC-48-Facility Term Per mo Loop Feeder-OC-48-Facility Term Per mo Loop Feeder-OC-48-Facility Term Per mo Loop Feeder-OC-12 Interface On OC-48  IP CONCENTRATION Indled Loop Concentration-System A (TR008) Indled Loop Concentration-System B (TR008)			UE3 UB3 UDLSX UDLSX UDLO3 UDLO3 UDLO3 UDLO3 UDL12 UDL12	1L5SL USBF1 1L5SL USBF7 1L5SL USBF5	14.11 333.26 14.11 359.02	First 34.29	Add'I			SOMEC	SOMAN			SOMAN	SOMAN
SUB-LOOPS Sub-Loop Fe Sub-Loop Fe Sub Lc Sub	eeder  Loop Feeder-DS3-Per mi Per mo Loop Feeder-DS3-Facility Term Per mo Loop Feeder-STS-1 – Per mi Per mo Loop Feeder – STS-1 – Per mi Per mo Loop Feeder – OC-3 – Per mi Per mo Loop Feeder – OC-3 – Per mi Per mo Loop Feeder-OC-3-Facility Term Protection Per mo Loop Feeder-OC-3-Facility Term Per mo Loop Feeder-OC-12-Per mi Per mo Loop Feeder-OC-12-Per mi Per mo Loop Feeder-OC-12-Facility Term Protection Per mo Loop Feeder-OC-48-Per mi Per mo Loop Feeder-OC-48-Pacility Term Per mo Loop Feeder-OC-48-Facility Term Per mo Loop Feeder-OC-48-Facility Term Per mo Loop Feeder-OC-48-Facility Term Per mo Loop Feeder-OC-48-Facility Term Per mo Loop Feeder-OC-12 Interface On OC-48  IP CONCENTRATION Indled Loop Concentration-System A (TR008) Indled Loop Concentration-System B (TR008)			UE3 UB3 UDLSX UDLSX UDLO3 UDLO3 UDLO3 UDLO3 UDL12 UDL12	1L5SL USBF1 1L5SL USBF7 1L5SL USBF5	333.26 14.11 359.02	34.29		Filst	Auu I	SOWIEC	JOMAN	JOWAN	JOWAN	JOWAN	JOWAN
SUB-LOOPS Sub-Loop Fe Sub-Loop Fe Sub-Loo Sub-	eeder  Loop Feeder-DS3-Per mi Per mo Loop Feeder-DS3-Facility Term Per mo Loop Feeder-STS-1 – Per mi Per mo Loop Feeder – STS-1 – Per mi Per mo Loop Feeder – OC-3 – Per mi Per mo Loop Feeder – OC-3 – Per mi Per mo Loop Feeder-OC-3-Facility Term Protection Per mo Loop Feeder-OC-3-Facility Term Per mo Loop Feeder-OC-12-Per mi Per mo Loop Feeder-OC-12-Per mi Per mo Loop Feeder-OC-12-Facility Term Protection Per mo Loop Feeder-OC-48-Per mi Per mo Loop Feeder-OC-48-Pacility Term Per mo Loop Feeder-OC-48-Facility Term Per mo Loop Feeder-OC-48-Facility Term Per mo Loop Feeder-OC-48-Facility Term Per mo Loop Feeder-OC-48-Facility Term Per mo Loop Feeder-OC-12 Interface On OC-48  IP CONCENTRATION Indled Loop Concentration-System A (TR008) Indled Loop Concentration-System B (TR008)			UE3 UB3 UDLSX UDLSX UDLO3 UDLO3 UDLO3 UDLO3 UDL12 UDL12	1L5SL USBF1 1L5SL USBF7 1L5SL USBF5	333.26 14.11 359.02		407.68								
Sub Lc Su	Loop Feeder-DS3-Per mi Per mo Loop Feeder-DS3-Facility Term Per mo Loop Feeder-STS-1 – Per mi Per mo Loop Feeder-STS-1-Facility Term Per mo Loop Feeder-OC-3 – Per mi Per mo Loop Feeder-OC-3-Facility Term Protection Per mo Loop Feeder-OC-3-Facility Term Per mo Loop Feeder-OC-12-Per mi Per mo Loop Feeder-OC-12-Per mi Per mo Loop Feeder-OC-12-Facility Term Per mo Loop Feeder-OC-48-Per mi Per mo Loop Feeder-OC-48-Per mi Per mo Loop Feeder-OC-48-Facility Term Protection Per mo Loop Feeder-OC-48-Facility Term Protection Per mo Loop Feeder-OC-48-Facility Term Protection Per mo Loop Feeder-OC-48-Facility Term Protection Per mo Loop Feeder-OC-12 Interface On OC-48  P CONCENTRATION Indled Loop Concentration-System A (TR008) Indled Loop Concentration-System B (TR008)			UE3	USBF1 1L5SL USBF7 1L5SL USBF5	333.26 14.11 359.02	3,406.61	407.68								1
Sub Lc Su	Loop Feeder-DS3-Per mi Per mo Loop Feeder-DS3-Facility Term Per mo Loop Feeder-STS-1 – Per mi Per mo Loop Feeder-STS-1-Facility Term Per mo Loop Feeder-OC-3 – Per mi Per mo Loop Feeder-OC-3-Facility Term Protection Per mo Loop Feeder-OC-3-Facility Term Per mo Loop Feeder-OC-12-Per mi Per mo Loop Feeder-OC-12-Per mi Per mo Loop Feeder-OC-12-Facility Term Per mo Loop Feeder-OC-48-Per mi Per mo Loop Feeder-OC-48-Per mi Per mo Loop Feeder-OC-48-Facility Term Protection Per mo Loop Feeder-OC-48-Facility Term Protection Per mo Loop Feeder-OC-48-Facility Term Protection Per mo Loop Feeder-OC-48-Facility Term Protection Per mo Loop Feeder-OC-12 Interface On OC-48  P CONCENTRATION Indled Loop Concentration-System A (TR008) Indled Loop Concentration-System B (TR008)			UE3	USBF1 1L5SL USBF7 1L5SL USBF5	333.26 14.11 359.02	3,406.61	407.68					1 '			
Sub Lc Su	Loop Feeder – STS-1 – Per mi Per mo Loop Feeder-STS-1-Facility Term Per mo Loop Feeder-OC-3 – Per mi Per mo Loop Feeder-OC-3-Facility Term Protection Per mo Loop Feeder-OC-3-Facility Term Protection Per mo Loop Feeder-OC-12-Per mi Per mo Loop Feeder-OC-12-Facility Term Protection Per mo Loop Feeder-OC-12-Facility Term Protection Per mo Loop Feeder-OC-48-Per mi Per mo Loop Feeder-OC-48-Facility Term Per mo Loop Feeder-OC-48-Facility Term Per mo Loop Feeder-OC-48-Facility Term Per mo Loop Feeder-OC-48-Facility Term Per mo Loop Feeder-OC-48-Facility Term Per mo Loop Feeder-OC-48-Facility Term Per mo Loop Feeder-OC-12 Interface On OC-48  IP CONCENTRATION Indled Loop Concentration-System A (TR008) Indled Loop Concentration-System B (TR008)			UDLSX UDLSX UDLO3 UDLO3 UDLO3 UDLO3 UDLO3 UDLO3 UDL12 UDL12	1L5SL USBF7 1L5SL USBF5	14.11 359.02	3,406.61	407.68								
Sub Lc Sub Lc Sub Lc Sub Lc Sub Lc Sub Lc Sub Lc Sub Lc Sub Lc Sub Lc Sub Lc Sub Lc Sub Lc Sub Lc UNBUNDLED LOOP Unbun Unbun Unbun Unbun Unbun Unbun Unbun Unbun Unbun Unbun Unbun Unbun Unbun Unbun Unbun Unbun Unbun	Loop Feeder-STS-1-Facility Term Per mo Loop Feeder - OC-3 - Per mi Per mo Loop Feeder - OC-3 - Per mi Per mo Loop Feeder-OC-3-Facility Term Protection Per mo Loop Feeder-OC-12-Per mi Per mo Loop Feeder-OC-12-Facility Term Protection Per mo Loop Feeder-OC-12-Facility Term Per mo Loop Feeder-OC-12-Facility Term Per mo Loop Feeder-OC-48-Per mi Per mo Loop Feeder-OC-48-Facility Term Protection Per mo Loop Feeder-OC-48-Facility Term Protection Per mo Loop Feeder-OC-12 Interface On OC-48  PP CONCENTRATION Indled Loop Concentration-System A (TR008) Indled Loop Concentration-System B (TR008)			UDLSX UDLO3 UDLO3 UDLO3 UDLO3 UDL12 UDL12	USBF7 1L5SL USBF5	359.02			165.17	501.31			20.35	10.54	13.32	
Sub Lc Sub Lc Sub Lc Sub Lc Sub Lc Sub Lc Sub Lc Sub Lc Sub Lc Sub Lc Sub Lc Sub Lc Sub Lc Sub Lc Sub Lc UNBUNDLED LOOP Unbun	Loop Feeder - OC-3 - Per mi Per mo Loop Feeder-OC-3-Facility Term Protection Per mo Loop Feeder-OC-3-Facility Term Per mo Loop Feeder-OC-12-Per mi Per mo Loop Feeder-OC-12-Facility Term Protection Per mo Loop Feeder-OC-12-Facility Term Protection Per mo Loop Feeder-OC-12-Facility Term Per mo Loop Feeder-OC-48-Per mi Per mo Loop Feeder-OC-48-Facility Term Protection Per mo Loop Feeder-OC-48-Facility Term Per mo Loop Feeder-OC-12 Interface On OC-48  P CONCENTRATION Indled Loop Concentration-System A (TR008) Indled Loop Concentration-System B (TR008)			UDLO3 UDLO3 UDLO3 UDLO3 UDL12 UDL12	1L5SL USBF5											
Sub Lc Sub Lc Sub Lc Sub Lc Sub Lc Sub Lc Sub Lc Sub Lc Sub Lc Sub Lc UNBUNDLED LOOP Unbun	Loop Feeder-OC-3-Facility Term Protection Per mo Loop Feeder-OC-3-Facility Term Per mo Loop Feeder-OC-12-Per mi Per mo Loop Feeder-OC-12-Facility Term Protection Per mo Loop Feeder-OC-12-Facility Term Per mo Loop Feeder-OC-48-Per mi Per mo Loop Feeder-OC-48-Facility Term Per mo Loop Feeder-OC-48-Facility Term Per mo Loop Feeder-OC-48-Facility Term Per mo Loop Feeder-OC-12 Interface On OC-48  IP CONCENTRATION Indled Loop Concentration-System A (TR008) Indled Loop Concentration-System B (TR008)			UDLO3 UDLO3 UDL12 UDL12	USBF5		3,406.61	407.68	165.17	501.31			20.35	10.54	13.32	
Sub Lc Sub Lc Sub Lc Sub Lc Sub Lc Sub Lc Sub Lc Sub Lc Sub Lc UNBUNDLED LOOP Unbun	Loop Feeder-OC-3-Facility Term Per mo Loop Feeder-OC-12-Per mi Per mo Loop Feeder-OC-12-Facility Term Protection Per mo Loop Feeder-OC-12-Facility Term Per mo Loop Feeder-OC-48-Per mi Per mo Loop Feeder-OC-48-Per mi Per mo Loop Feeder-OC-48-Facility Term Protection Per mo Loop Feeder-OC-48-Facility Term Per mo Loop Feeder-OC-48-Facility Term Per mo Loop Feeder-OC-12 Interface On OC-48  IP CONCENTRATION Indled Loop Concentration-System A (TR008) Indled Loop Concentration-System B (TR008)			UDLO3 UDL12 UDL12		10.71							ļ	<b>└</b>		
Sub Lc Unbun Unbun Unbun Unbun Unbun Unbun Unbun Unbun Unbun Unbun Unbun Unbun Unbun Unbun Unbun Unbun Unbun	Loop Feeder-OC-12-Per mi Per mo Loop Feeder-OC-12-Facility Term Protection Per mo Loop Feeder-OC-12-Facility Term Per mo Loop Feeder-OC-48-Per mi Per mo Loop Feeder-OC-48-Facility Term Protection Per mo Loop Feeder-OC-48-Facility Term Protection Per mo Loop Feeder-OC-12 Interface On OC-48  PP CONCENTRATION Indled Loop Concentration-System A (TR008) Indled Loop Concentration-System B (TR008)			UDL12 UDL12	USBF2 I	56.64	0.400.04	407.00	405.47	504.04			00.05	10.54	40.00	<del> </del>
Sub Lc Sub Lc Sub Lc Sub Lc Sub Lc Sub Lc Sub Lc Sub Lc UNBUNDLED LOOP Unbun	Loop Feeder-OC-12-Facility Term Protection Per mo Loop Feeder-OC-12-Facility Term Per mo Loop Feeder-OC-48-Per mi Per mo Loop Feeder-OC-48-Facility Term Protection Per mo Loop Feeder-OC-48-Facility Term Protection Per mo Loop Feeder-OC-12 Interface On OC-48  P CONCENTRATION Indled Loop Concentration-System A (TR008) Indled Loop Concentration-System B (TR008)			UDL12	1L5SL	546.31 13.18	3,406.61	407.68	165.17	501.31			20.35	10.54	13.32	
Sub Lc Sub Lc Sub Lc Sub Lc Sub Lc Sub Lc UNBUNDLED LOOP Unbun	Loop Feeder-OC-12-Facility Term Per mo Loop Feeder-OC-48-Per mi Per mo Loop Feeder-OC-48-Facility Term Protection Per mo Loop Feeder-OC-48-Facility Term Per mo Loop Feeder-OC-12 Interface On OC-48  IP CONCENTRATION Indled Loop Concentration-System A (TR008) Indled Loop Concentration-System B (TR008)				USBF6	639.98					-		<del>                                     </del>			
Sub Lc Sub Lc Sub Lc Sub Lc Sub Lc UNBUNDLED LOOP Unbun	Loop Feeder-OC-48-Per mi Per mo Loop Feeder-OC-48-Facility Term Protection Per mo Loop Feeder-OC-48-Facility Term Per mo Loop Feeder-OC-12 Interface On OC-48  PP CONCENTRATION Indied Loop Concentration-System A (TR008) Indied Loop Concentration-System B (TR008)			UDL12	USBF3	1,697.00	3,406.61	407.68	165.17	501.31			20.35	10.54	13.32	<del>                                     </del>
Sub Lc Sub Lc Sub Lc UNBUNDLED LOOP Unbun	Loop Feeder-OC-48-Facility Term Protection Per mo Loop Feeder-OC-48-Facility Term Per mo Loop Feeder-OC-12 Interface On OC-48  PP CONCENTRATION Indled Loop Concentration-System A (TR008) Indled Loop Concentration-System B (TR008)	İ		UDL48	1L5SL	43.22	5,-100.01	-01.00	100.17	001.01			20.00	10.54	10.02	
Sub Lc Sub Lc UNBUNDLED LOOP Unbun	Loop Feeder-OC-48-Facility Term Per mo Loop Feeder-OC-12 Interface On OC-48  PP CONCENTRATION Indled Loop Concentration-System A (TR008) Indled Loop Concentration-System B (TR008)			UDL48	USBF9	320.36							1	[		
UNBUNDLED LOOP Unbun	P CONCENTRATION Indled Loop Concentration-System A (TR008) Indled Loop Concentration-System B (TR008)		1	UDL48	USBF4	1,457.00	3,592.61	407.68	165.17	501.31			20.35	10.54	13.32	
Unbun Unbun	ndled Loop Concentration-System A (TR008) indled Loop Concentration-System B (TR008)			UDL48	USBF8	361.44	806.02	407.68	165.17	501.31			20.35	10.54	13.32	
Unbun Unbun Unbun Unbun Unbun Unbun Unbun Unbun Unbun Unbun Unbun Unbun Unbun Unbun Unbun Unbun Unbun Unbun	ndled Loop Concentration-System B (TR008)															
Unbun Unbun Unbun Unbun Unbun Unbun Unbun Unbun Unbun Unbun Unbun Unbun Unbun Unbun Unbun Unbun				ULC	UCT8A	500.18	613.60	613.60					20.35	10.54	13.32	13.32
Unbun Unbun Unbun Unbun Unbun Unbun Interfac Unbun Card) Unbun Unbun				ULC	UCT8B	54.82	255.67	255.67					20.35	10.54	13.32	13.32
Unbun Unbun Unbun Interfac Unbun Card) Unbun Unbun Unbun	Indled Loop Concentration-System A (TR303)			ULC	UCT3A	539.00	613.60	613.60					20.35	10.54	13.32	13.32
Unbun Unbun Unbun Interfac Unbun Card) Unbun Unbun Unbun Unbun Unbun	Indled Loop Concentration-System B (TR303) Indled Loop Concentration-DS1 Loop Interface Card	-	-	ULC	UCT3B UCTCO	92.37 6.23	255.67 74.39	255.67 53.07	30.23	8.46			20.35 20.35	10.54 10.54	13.32 13.32	13.32 13.32
Unbun Unbun Interfac Unbun Card) Unbun Unbun Unbun Unbun	Indied Loop Concentration-DST Loop Interface Card	+	+	UDN	ULCC1	8.46	8.69	8.65	9.71	9.65			20.35	10.54	13.32	13.32
Unbun Interfac Unbun Card) Unbun Unbun	Indied Loop Concentration-ISBN Loop Interface (Brite Card)			UDC	ULCCU	8.46	8.69	8.65	9.71	9.65			20.35	10.54	13.32	13.32
Interfac Unbun Card) Unbun Unbun	indled Loop Concentration2W Voice-Loop Start or Ground Start Loop			000	OLOGO	0.40	0.00	0.00	0.7 1	0.00			20.00	10.04	10.02	10.02
Card) Unbun Unbun	ace (POTS Card)			UEA	ULCC2	2.32	8.69	8.65	9.71	9.65			20.35	10.54	13.32	13.32
Unbun Unbun	ndled Loop Concentration-2W Voice-Rev Bat Loop Interface (SPOTS															
Unbun				UEA	ULCCR	12.45	8.69	8.65	9.71	9.65			20.35	10.54	13.32	13.32
	ndled Loop Concentration-4W Voice Loop Interface (Specials Card)			UEA	ULCC4	7.53	8.69	8.65	9.71	9.65			20.35	10.54	13.32	13.332
	ndled Loop Concentration-TEST CIRCUIT Card			ULC	UCTTC	35.77	8.69	8.65	9.71	9.65			20.35	10.54	13.32	13.32
	ndled Loop Concentration-Digital 19.2 Kbps Data Loop Interface			UDL	ULCC7	11.03	8.69	8.65	9.71	9.65			20.35	10.54	13.32	13.32
	Indled Loop Concentration-Digital 56 Kbps Data Loop Interface			UDL	ULCC5 ULCC6	11.03 11.03	8.69 8.69	8.65 8.65	9.71 9.71	9.65			20.35	10.54 10.54	13.32	13.32
	Indled Loop Concentration-Digital 64 Kbps Data Loop Interface VISIONING ONLY - NO RATE			UDL	ULCC6	11.03	8.69	8.65	9.71	9.65			20.35	10.54	13.32	13.32
	Dispatch & Service Order for NID installation			UENTW	UNDBX	0.00	0.00						<del>                                     </del>			
	W Circuit Id Establishment, Provisioning Only-No Rate			UENTW	UENCE	0.00	0.00						+	$\vdash$		
0.1110		1	1	UEANL,UEF,UEQ,U	52.102	0.00	0.00						<del>                                     </del>			
Unbun	ndled Contract Name, Provisioning Only-No Rate	L	L	ENTW	UNECN	0.00	0.00				<u> </u>	<u> </u>	<u>                                     </u>	<u></u> '	<u> </u>	
	VISIONING ONLY - NO RATE															
l I	andled Contest News - Presidence C .	1	1	UAL,UCL,UDC,UDL,	LINEON		2.0-				1					
	Indled Contact Name, Provisioning Only-no rate	<b>!</b>	<b>!</b>	UDN,UEA,UHL,ULC	UNECN	0.00	0.00				-		<b></b>	<b></b>		<u> </u>
	Indled Sub-Loop Feeder-2W Cross Box Jumper-no rate Indled Sub-Loop Feeder-4W Cross Box Jumper-no rate	╁	╁	UEA,UDN,UCL,UDC UEA,USL,UCL,UDL	USBFQ USBFR	0.00	0.00						<b> </b>	$\vdash \vdash \vdash$		<del>                                     </del>
	Indied Sub-Loop Feeder-4W Cross Box Jumper-no rate	1	1	USL	CCOSF	0.00	0.00				-		<del>                                     </del>			
	indled DS1 Loop-Supername Format Option-no rate	1	1	USL	CCOEF	0.00	0.00						+	$\vdash$		
	INBUNDLED LOCAL LOOP				3002.	0.00	2.00						<del>                                     </del>			<u> </u>
	mum billing period of three months for DS3 and above Local Loop	1	1										† ************************************			
	Capacity Unbundled Local Loop-DS3-Per mi per mo			UE3	1L5ND	9.19										
	Capacity Unbundled Local Loop-DS3-Facility Term per mo			UE3	UE3PX	374.24	595.37	304.50	234.83	170.16			36.84	36.84	19.01	19.01
				UDLSX	1L5ND	9.19										
	Capacity Unbundled Local Loop-STS-1-Per mi per mo	<u> </u>	<u> </u>	UDLSX	UDLS1	389.35	595.37	304.50				L	36.84	36.84	19.01	19.01
	Capacity Unbundled Local Loop-STS-1-Per mi per mo Capacity Unbundled Local Loop-STS-1-Facility Term per mo	e interi	m and	subject to retro-active	true-up ad	ljustments pen	ding a permane	ent rate rulii	ng on these	e rate elen					ty.	1
LOOP MAKE-UP	Capacity Unbundled Local Loop-STS-1-Per mi per mo	1	<b>!</b>	1							nents from	the Fenne	essee Regula	tory Authori	ľ	+
Loop N	Capacity Unbundled Local Loop-STS-1-Per mi per mo Capacity Unbundled Local Loop-STS-1-Facility Term per mo	-					+			- 1410 6161	nents from	the Fenne	essee Regula	tory Authori		

UNBUND	LED NETWORK ELEMENTS - Tennessee												Attachr	nent: 2	Exhi	bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			ΓES (\$)			Svc Order Submitte d Elec per LSR	d	1st	I Charge - Manual Svc Order vs. Electronic-	Incrementa I Charge - Manual Svc Order vs. Electronic-	Increment Charge - Manual Sv Order vs Electronic Disc Add
						Rec	Nonrecu First		NRC Dis		COMEC	SOMAN		Rates (\$)	SOMAN	SOMAN
	Loop Makeup-Preordering With Reservation, per spare facility queried						FIRST	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOWAN
	(Manual).	R		UMK	UMKLP		0.76	0.76								
	Loop MakeupWith or w/o Reservation, per working or spare facility queried			•			311.5									
	(Mechanized)	R		UMK	PSUMK		0.76	0.76								
	UENCY SPECTRUM															
	SHARING															
SPLI	TTERS-CENTRAL OFFICE BASED			111.0	LILCDA	400.00	450.00	0.00	0.00	0.00			20.25	10.51	40.00	40.0
	Line Sharing Splitter, per System 96 Line Capacity Line Sharing Splitter, per System 24 Line Capacity			ULS ULS	ULSDA ULSDB	100.00 25.00	150.00 150.00	0.00	0.00	0.00			20.35 20.35	10.54 10.54	13.32 13.32	13.32
	Line Sharing-DLEC Owned Splitter in CO-CFA activation-deactivation (per			ULS	ULSUB	25.00	130.00	0.00	0.00	0.00			20.33	10.54	13.32	13.34
	LSOD)			ULS	ULSDG		163.06	0.00	92.71	0.00			20.35	10.54	13.32	13.3
END	USER ORDERING-CENTRAL OFFICE BASED-HIGH FREQUENCY SPECTRU	M AK	A LINE		OLODO		100.00	0.00	02.71	0.00			20.00	10.04	10.02	10.0
	Line Sharing -per Line Activation (BST owned Splitter)			ULS	ULSDC	0.61	40.00	21.39	0.00	0.00			20.35	10.54	13.32	13.3
	Line Sharing-per Subsqnt Activity per Line Rearrangement(BST Owned															
	Splitter)			ULS	ULSDS		30.00	15.00					20.35	10.54	13.32	13.32
	Line Sharing-per Subsqnt Activity per Line Rearrangement(DLEC Owned															
	Splitter)			ULS	ULSCS		30.00	15.00					20.35	10.54	13.32	13.32
	Line Sharing-per Line Activation (DLEC owned Splitter)			ULS	ULSCC	0.61	47.44	19.31	0.00	0.00			20.35	10.54	13.32	13.32
	SPLITTING USER ORDERING-CENTRAL OFFICE BASED		<u> </u>		-						-					-
END	Line Splitting-per line activation DLEC owned splitter			UEPSR UEPSB	UREOS	0.61										
	Line Splitting-per line activation BST owned-physical	÷		UEPSR UEPSB	UREBP	0.61	48.96	21.39	35.06	10.79			20.35	10.54	13.32	13.3
	Line Splitting-per line activation BST owned-virtual	÷		UEPSR UEPSB	UREBV	0.61	48.96	21.39	35.06	10.79			20.35	10.54	13.32	13.3
REM	OTE SITE HIGH FREQUENCY SPECTRUM	-														
	TTERS-REMOTE SITE															
	Remote Site Line Share BST Owned Splitter, 24 Port			ULS	ULSRB	38.83	115.00	0.00	85.63	0.00			20.35	10.54	13.32	13.3
	Remote Site Line Share Cable pr Activation CLEC Owned at RS &															
	Deactivation			ULS	ULSTG		95.80	0.00	68.73	0.00			20.35	10.54	13.32	13.3
END	USER ORDERING-REMOTE SITE HIGH FREQUENCY SPECTRUM AKA REM	IOTE :	SITE LI	NE SHARING												
	Remote Site Line Share Line Activationfor End User Served at RS, BST Splitter			ULS	ULSRC	0.61	40.00	31.39	35.06	10.79			20.35	10.54	13.32	13.3
	RS Line Share Line Activation for End User served at RS, CLEC Splitter	-		ULS	ULSTC	0.61	40.00	31.39	35.06	10.79			20.35	10.54	13.32	13.3
	Remote Site Line Share Subsqnt Activity-RS BST Owned Splitter	÷		ULS	ULSRS	0.01	49.23	17.86	33.00	10.75			20.35	10.54	13.32	13.3
	Remote Site Line Share Subsqnt Activity-RS CLEC Owned Splitter	i		ULS	ULSTS		49.23	17.86					20.35	10.54	13.32	13.3
JNBUNDLE	D DEDICATED TRANSPORT															
NOTI	E: INTEROFFICE CHANNEL DEDICATED TRANSPORT - minimum billing per	riod -	below I	DS3=one month, abov	e DS3=four	months										
INTE	ROFFICE CHANNEL - DEDICATED TRANSPORT															
	Interoffice Channel-Dedicated Transport-2W VG-Per mi per mo			U1TVX	1L5XX	0.0054										
	Interoffice Channel-Dedicated Transport-2W VG-Facility Term			U1TVX	U1TV2	18.58	55.39	17.37	27.96	3.51			20.35	21.09	9.80	10.5
	Interoffice Channel -Dedicated Transpor t-2W VG Rev BatPer mi per mo Interoffice Channel-Dedicated Transport-2W VG Rev BatFacility Term			U1TVX U1TVX	1L5XX U1TR2	0.0054 18.58	55.39	17.37	27.96	3.51			20.35	21.09	9.80	10.5
	Interoffice Channel -Dedicated Transport-2W VG-Rev BatFacility Term			U1TVX	1L5XX	0.0054	55.39	17.37	27.96	3.51			20.35	21.09	9.80	10.5
	Interoffice Channel -Dedicated Transport-4W VG-Facility Term			U1TVX	U1TV4	24.09	37.87	26.02	30.78	13.07			15.08	15.08	8.66	8.6
	Interoffice Channel-Dedicated Transport-56 kbps-per mi per mo			U1TDX	1L5XX	0.0174	01.01	20.02	00.70	10.07			10.00	10.00	0.00	0.0
	Interoffice Channel-Dedicated Transport-56 kbps-Facility Term			U1TDX	U1TD5	17.98	55.39	17.37	27.96	3.51			20.35	21.09	9.80	10.5
	Interoffice Channel-Dedicated Transport-64 kbps-per mi per mo			U1TDX	1L5XX	0.0174										
	Interoffice Channel-Dedicated Transport-64 kbps-Facility Term			U1TDX	U1TD6	17.98	55.39	17.37	27.96	3.51			20.35	21.09	9.80	10.5
	Interoffice Channel-Dedicated Channel-DS1-Per mi per mo			U1TD1	1L5XX	0.3562										ļ
	Interoffice Channel-Dedicated Tranport-DS1-Facility Term		ļ	U1TD1	U1TF1	77.86	112.40	76.27	19.55	14.99	1		20.35	21.09	9.80	10.5
	Interoffice Channel -Dedicated Transport-DS3-Per mi per mo		-	U1TD3	1L5XX	2.34	205.02	470.50	400.01	105.01	1	-	00.01	00.01	10.01	19.0
	Interoffice Channel-Dedicated Transport-DS3-Facility Term per mo Interoffice Channel-Dedicated Transport-STS-1-Per mi per mo		-	U1TD3 U1TS1	U1TF3 1L5XX	848.99 2.34	395.29	176.56	109.04	105.91	1	<b></b>	36.84	36.84	19.01	19.0
	Interoffice Channel-Dedicated Transport-STS-1-Per fili per filo Interoffice Channel-Dedicated Transport-STS-1-Facility Term		<del>                                     </del>	U1TS1	U1TFS	849.30	395.29	176.56	109.04	105.91	1		36.84	36.84	19.01	19.0
LOCA	AL CHANNEL - DEDICATED TRANSPORT			5.101	5.110	545.50	333.29	170.00	100.04	100.01			30.04	30.04	10.01	13.0
	E: LOCAL CHANNEL DEDICATED TRANSPORT - minimum billing period = b	elow	DS3=o	ne month, above DS3	=four month	ns				1						
	Local Channel-Dedicated-2W VG-Zone 1		1	ULDVX	ULDV2	17.18	199.33	24.16	54.81	4.80						
	Local Channel-Dedicated-2W VG -Zone 2		2	ULDVX	ULDV2	22.44	199.33	24.16	54.81	4.80						

ONBONDE	ED NETWORK ELEMENTS - Tennessee				•									nent: 2		bit: B
CATEGORY	RATE ELEMENTS	Interi m	i Zone	BCS	USOC			'ES (\$)			Svc Order Submitte d Elec per LSR	d	Charge - Manual Svc Order vs. Electronic- 1st	Svc Order vs. Electronic-	Incrementa I Charge - Manual Svc Order vs. Electronic-	Increment Charge - Manual Sv Order vs Electronic Disc Add
						Rec	Nonrecu		NRC Disc			T =		Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Local Channel-Dedicated-2W VG-Zone 3 Local Channel-Dedicated-2W VG Rev. BatZone 1		3	UNDVX ULDVX	ULDV2 ULDR2	29.34 17.18	199.33 199.33	24.16 24.16	54.81 54.81	4.80 4.80						
	Local Channel-Dedicated-2W VG Rev. BatZone 1		2	ULDVX	ULDR2	22.44	199.33	24.16	54.81	4.80						
	Local Channel-Dedicated-2W VG Rev. BatZone 3		3	ULDVX	ULDR2	29.34	199.33	24.16	54.81	4.80						
	Local Channel-Dedicated-4W VG -Zone 1		1	ULDVX	ULDV4	18.18	201.53	24.83	55.52	5.51						
	Local Channel-Dedicated-4W VG -Zone 2		2	ULDVX	ULDV4	23.74	201.53	24.83	55.52	5.51						
	Local Channel-Dedicated-4W VG-Zone 3		3	ULDVX	ULDV4	31.05	201.53	24.83	55.52	5.51						
	Local Channel-Dedicated-DS1-Zone 1		1	ULDD1	ULDF1	36.24	277.35	233.26	33.18	22.30						
	Local Channel-Dedicated-DS1 -Zone 2		2	ULDD1	ULDF1	47.33	277.35	233.26	33.18	22.30						
	Local Channel-Dedicated-DS1 -Zone 3		3	ULDD1	ULDF1	61.89	277.35	233.26	33.18	22.30	1	<b> </b>	1			
	Local Channel-Dedicated-DS3-Per mi per mo Local Channel-Dedicated-DS3-Facility Term	<u> </u>	+-1	ULDD3 ULDD3	1L5NC ULDF3	7.15 611.30	595.37	304.50	215.82	151.15	-	<b> </b>	36.84	36.84	19.01	19.0
	Local Channel-Dedicated-STS-1-Per mi per mo		1 1	ULDS1	1L5NC	7.15	595.57	304.30	210.02	101.15		1	30.84	30.84	19.01	19.0
	Local Channel-Dedicated-STS-1 -Facility Term			ULDS1	ULDFS	599.59	588.07	297.20	215.82	151.15			20.35	21.09	9.80	10.5
DARK FIBER						555.55	333.31								0.00	
	Dark Fiber, Four Fiber Strands, Per Route mi or Fraction Thereof per mo-															
	Local Channel			UDF	1L5DC	58.83										
	NRC Dark Fiber-Local Channel			UDF	UDFC4		1,121.00	153.19	580.26	357.17			20.35	21.09	9.80	10.5
	Dark Fiber, Four Fiber Strands, Per Route mi or Fraction Thereof per mo-															
	Interoffice Channel			UDF UDF	1L5DF UDF14	28.74	1,121.00	153.19	580.26	357.17			20.35	21.09	9.80	10.5
	NRC Dark Fiber-Interoffice Channel  Dark Fiber, Four Fiber Strands, Per Route mi or Fraction Thereof per mo-		+	UDF	UDF14		1,121.00	153.19	580.26	357.17			20.35	21.09	9.80	10.5
	Local Loop			UDF	1L5DL	58.83										
	NRC Dark Fiber-Local Loop			UDF	UDFL4	00.00	1,121.00	153.19	580.26	357.17			20.35	21.09	9.80	10.5
BXX ACCESS	S TEN DIGIT SCREENING						,									
	8XX Access Ten Digit Screening, Per Call			OHD		0.0005192										
	8XX Access Ten Digit Screening, Reservation Charge Per 8XX No Reserved			OHD	N8R1X		5.21	0.76					20.35	20.35	13.28	13.2
	8XX Access Ten Digit Screening, Per 8XX No. Established W/O POTS Translations			OHD			11.47	1.46	7.34	0.7000			20.35	20.35	13.28	40.0
-	8XX Access Ten Digit Screening, Per 8XX No. Established With POTS			OHD			11.47	1.40	7.34	0.7602			20.35	20.35	13.28	13.2
	Translations			OHD	N8FTX		11.47	1.46	7.34	0.7602			20.35	20.35	13.28	13.2
	8XX Access Ten Digit Screening, Customized Area of Service Per 8XX No			OHD	N8FCX		4.47	2.24	7.54	0.7002			20.35	20.35	13.28	13.2
	8XX Access Ten Digit Screening, Multiple InterLATA CXR Routing Per CXR				1107 017											
	Requested Per 8XX No.			OHD	N8FMX		5.23	3.00					20.35	20.35	13.28	13.2
	8XX Access Ten Digit Screening, Change Charge Per Request			OHD	N8FAX		5.97	0.76					20.35	20.35	13.28	13.2
	8XX Access Ten Digit Screening, Call Handling & Destination Features			OHD	N8FDX		4.47						20.35	20.35	13.28	13.2
LINE INFORM	MATION DATA BASE ACCESS (LIDB)		-	007		0.0000054										
	LIDB Common Transport Per Query LIDB Validation Per Query		+	OQT OQU	-	0.0000354 0.0117403										
	LIDB Originating Point Code Establishment or Change			OQT,OQU	NRPBX	0.0117403	49.03						20.35	20.35	13.28	13.2
SIGNALING (				001,000	IVIXI DX		43.03						20.55	20.55	13.20	10.2
	CCS7 Signaling Term, Per STP Port		1 1	UDB	PT8SX	138.41										
	CCS7 Signaling Usage, Per TCAP Message			UDB		0.0000916										
	CCS7 Signaling Connection, Per link (A link)			UDB	TPP++	17.84	130.84	130.84					20.35	20.35	13.32	13.3
	CCS7 Signaling Connection, Per link (B link) (also known as D link)			UDB	TPP++	17.84	130.84	130.84					20.35	20.35	13.32	13.3
	CCS7 Signaling Usage, Per ISUP Message			UDB	07115	0.0000373							ļ			
	CCS7 Signaling Usage Surrogate, per link per LATA		+	UDB	STU56	352.30					1	<b> </b>	1			
	Signaling Point Code, per Originating Point Code Establishment or Change, per STP	1		UDB	CCAPO		121.77	121.77					20.35	20.35	13.32	13.32
	ME (CNAM) SERVICE	<b>-</b>	+	UDB	CCAPO		121.77	121.77			1	<del>                                     </del>	20.35	20.35	13.32	13.3
CALLING NA	INE (OITEM) DEILTIDE	<b>-</b>	1 1	OQV		0.0010541										
CALLING NA	CNAM for DB Owners, Per Query					2.22.00.1										
CALLING NA	CNAM for DB Owners, Per Query CNAM for Non DB Owners, Per Query			OQV		0.0010541										
CALLING NA						0.0010541										
	CNAM for Non DB Owners, Per Query				CDDCH	0.0010541	595.00	595.00					20.35	20.35	13.28	13.28

UNBUNDL	ED NETWORK ELEMENTS - Tennessee												Attachi	nent: 2	Exhi	bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			ΓES (\$)	Lunani		Svc Order Submitte d Elec per LSR	Svc Order Submitte d Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Svc Order vs. Electronic-	Incrementa I Charge - Manual Svc Order vs. Electronic-	Charge - Manual Sv Order vs Electronic
-						Rec	Nonrecu First		NRC Dis	Add'I	001450	SOMAN		Rates (\$) SOMAN	001441	SOMAN
_	Oper Call Processing-Oper Provided, Per min-Using Foreign LIDB					1.13	FIRST	Add'l	FIRST	Addi	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Oper Call Processing-Oper Provided, Per Milr-Osing Foreign LIDB  Oper Call Processing-Fully Automated, per Call-Using BST LIDB					0.1010353										1
	Oper Call Processing-Fully Automated, per Call-Using Foreign LIDB					0.122818										
INWARD OP	ERATOR SERVICES					0.122010			1							+
IIIIIIIII OI	Inward Oper Services-Verification, Per min					1.03										
	Inward Oper Services-Verification & Emergency Interrupt-Per min					1.03										
BRANDING -	OPERATOR CALL PROCESSING															
Facilit	y based CLEC															1
	Recording of Custom Branded OA Announcement				CBAOS		1,555.00	1,553.00	7.03	7.03			19.99	19.99	19.99	19.9
	Loading of Custom Branded OA Announcement per shelf/NAV per OCN				CBAOL		240.71	240.71					19.99	19.99		
UNEP	CLEC															
	Recording of Custom Branded OA Announcement		$oxed{oxed}$				1,555.00	1,555.00	<u> </u>				19.99	19.99	19.99	19.9
	Loading of Custom Branded OA Announcement per shelf/NAV per OCN	ļ	<b>↓</b>				240.71	240.71	<u> </u>				19.99	19.99		<u> </u>
Unbra	Inding via OLNS for UNEP CLEC	-					4.000.00	4.000.00	1	ļ			10.0-	10.00		<del>                                     </del>
DIDECTORY	Loading of OA per OCN (Regional)  ASSISTANCE SERVICES	-	1				1,200.00	1,200.00	1	-			19.99	19.99		<del>                                     </del>
	CTORY ASSISTANCE ACCESS SERVICE															
DIKE	Directory Assistance Access Service Calls, Charge Per Call		1			0.2286787										-
DIREC	CTORY ASSISTANCE CALL COMPLETION ACCESS SERVICE (DACC)					0.2200707										
DIKE	Directory Assistance Call Completion Access Service (DACC), Per Call															<del>                                     </del>
	Attempt					0.0364771										
NUME	BER SERVICES INTERCEPT ACCESS SERVICE					0.000										
	No Services Intercept Per Query					0.017793										
DIREC	CTORY TRANSPORT (DT)															1
	DT-Local Channel DS1				TEFHG	40.99	277.35	233.26	33.18	22.30			20.35	10.54	13.32	1.4
	DT-DS1 Level Interoffice per mi				1L5NL	0.3562										
	DT-DS1 Level Interoffice per facility Term					77.86	112.40	76.27	19.55	14.99			20.35	10.54	13.32	1.4
	SWA Common Transport per Directory Assistance Access Service Per Call					0.000271										
	SWA Common Transport per Directory Assistance Access Service Per Call															
	Per mi					0.0000165										
	Access Tandem Switching Per Directory Assistance Access Service Per Call					0.0001875										
	DT-Directory Assistance Interconnection Per Directory Assistance Service Call					0.00										
	DT-Installation NRC, Per Trunk or Signaling Connection				TPP++	0.00	204.62	4.43	136.09	4.43			20.35	10.54	13.32	1.4
DIRECTORY	ASSISTANCE SERVICES				11 1 77		204.02	7.70	130.03	4.45			20.55	10.54	10.02	1.7
	CTORY ASSISTANCE DATA BASE SERVICE (DADS)															
	Directory Assistance Data Base Service Charge Per Listing					0.0485										
	Directory Assistance Data Base Service, per mo				DBSOF	104.13										
<b>BRANDING</b> -	DIRECTORY ASSISTANCE															
Facilit	y Based CLEC															
	Recording & Provisioning of DA Custom Branded Announcement			AMT	CBADA		1,555.00	1,553.00	7.03	7.03			20.35	10.54	13.32	1.4
	Loading of Custom Branded Announcement per Switch per OCN			AMT	CBADC		240.71	240.71					20.35	10.54		
UNEP	CLEC		1 1													ļ
	Recording of DA Custom Branded Announcement		1				1,555.00	1,553.00	7.03	7.03			20.35	10.54	13.32	1.4
Hab	Loading of DA Custom Branded Announcement per Switch per OCN		<del>                                     </del>				240.71	240.71					20.35	10.54		-
Unbra	Inding via OLNS for UNEP CLEC Loading of DA per OCN (1 OCN per Order)	-	1				420.00	420.00	1	-		-	20.35	10.54		<del> </del>
	Loading of DA per OCN (1 OCN per Order)  Loading of DA per Switch per OCN	-	1				16.00	16.00	1	-	1		20.35	10.54		<del>                                     </del>
SELECTIVE			1				10.00	10.00	<b> </b>				20.33	10.34		<del>                                     </del>
JEELO IIVE	Selective Routing Per Unique Line Class Code Per Request Per Switch		1 1		USRCR		179.60	179.60					20.35	20.35		<del>                                     </del>
VIRTUAL CO	DLLOCATION		1 1		CONTON		173.00	110.00	1				20.00	20.00		
IIII OAL OC	Virtual Collocation-2W Cross Connects (Loop) for Line Splitting	1		UEPSR,UEPSB	VE1LS	0.57	11.62	9.90	10.38	8.66			19.99	19.99	19.99	19.9
PHYSICAL C	COLLOCATION		1 1	,		2.31	52		1							1
	Physical Collocation-2W Cross Connects (Loop) for Line Splitting			UEPSR,UEPSB	PE1LS	0.0318	11.94	11.46	Ì				19.99	19.99	19.99	19.9
AIN SELECT	IVE CARRIER ROUTING															
	Regional Service Establishment			SRC	SRCEC		190,638.00						20.35			
	End Office Establishment			SRC	SRCEO		317.55	317.55	3.19	3.19			20.35	20.35	13.28	13.2

UNBUNDL	ED NETWORK ELEMENTS - Tennessee											1		ment: 2		bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		RAT	TES (\$)			Svc Order Submitte d Elec per LSR	d	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incrementa I Charge - Manual Svc Order vs. Electronic-	Incrementa I Charge - Manual Svc Order vs. Electronic-	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add
						Das	Nonrecu	ırring	NRC Disc	connect		1	oss	Rates (\$)	INCC 1ct	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Query NRC, per query			SRC		0.0206047										
AIN - BELLS	OUTH AIN SMS ACCESS SERVICE															
	AIN SMS Access Service-Service Establishment, Per State, Initial Setup			A1N	CAMSE		135.56	135.56					20.35	20.35	13.28	13.28
	AIN SMS Access Service-Port Connection-Dial/Shared Access			A1N	CAMDP		41.75	41.75					20.35	20.35	13.28	13.28
	AIN SMS Access Service-Port Connection-ISDN Access			A1N	CAM1P		41.75	41.75					20.35	20.35	13.28	13.28
	AIN SMS Access Service-User Identification Codes-Per User ID Code			A1N	CAMAU		96.63	96.63					20.35	20.35	13.28	13.28
	AIN SMS Access Service-Security Card, Per User ID Code, Initial or			A 4 N I	CAMPO		440.07	440.07					00.05	00.05	40.00	40.00
-	Replacement			A1N	CAMRC	0.0004	113.67	113.67					20.35	20.35	13.28	13.28
	AIN SMS Access Service-Storage, Per Unit (100 Kilobytes)		<u> </u>		-	0.0024										-
	AIN SMS Access Service-Session, Per min AIN SMS Access Service-Company Performed Session, Per min		<u> </u>		-	0.0820123 2.27										-
AIN - PELLO	OUTH AIN TOOLKIT SERVICE	<del>                                     </del>	<b>-</b>		+	2.21					1	1				-
VIIA - DEFT9	AIN Toolkit Service-Service Establishment Charge, Per State, Initial Setup	<del>                                     </del>	<del>                                     </del>	CAM	BAPSC		132.04	132.04			+	1	20.35	20.35	13.28	13.28
	AIN Toolkit Service-Gervice Establishment Gharge, Fer Gtate, Initial Getap			OAW	BAPVX		7.915.00	7.915.00					20.35	20.35	13.28	13.28
	AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, Term.				5, , , ,		7,070.00	1,010.00					20.00	20.00	10.20	10.20
	Attempt				BAPTT		31.21	31.21					20.35	20.35	13.28	13.28
	AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, Off-Hook															
	Delay				BAPTD		31.21	31.21					20.35	20.35	13.28	13.28
	AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, Off-Hook															
	Immediate				BAPTM		31.21	31.21					20.35	20.35	13.28	13.28
	AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, 10-Digit															
	PODP				BAPTO		85.24	85.24					20.35	20.35	13.28	13.28
	AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, CDP				BAPTC		85.24	85.24					20.35	20.35	13.28	13.28
	AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, Feature															
	Code				BAPTF		85.24	85.24					20.35	20.35	13.28	13.28
	AIN Toolkit Service-Query Charge, Per Query					0.0211882										
	AIN Toolkit Service-Type 1 Node Charge, Per AIN Toolkit Subscription, Per					0.0054774										
	Node, Per Query  AIN Toolkit Service-SCP Storage Charge, Per SMS Access Account, Per 100				-	0.0054774										
	Kilobytes					1.50										
	AIN Toolkit Service-moly report-Per AIN Toolkit Service Subscription			CAM	BAPMS	17.43	33.52	33.52					20.35	20.35	13.28	13.28
	AIN Toolkit Service-Special Study-Per AIN Toolkit Service Subscription			CAM	BAPLS	0.1321116	36.23	36.23					20.35	20.35	13.28	13.28
	AIN Toolkit Service-Call Event Report-Per AIN Toolkit Service Subscription			CAM	BAPDS	17.35	33.52	33.52					20.35	20.35	13.28	
	AIN Toolkit Service-Call Event Special Study-Per AIN Toolkit Service			-												
	Subscription			CAM	BAPES	0.0511435	36.23	36.23					20.35	20.35	13.28	13.28
	EXTENDED LINK (EELs)															
	: The monthly recurring and non-recurring charges below will apply and th															
	: The monthly recurring and the Switch-As-Is Charge and not the non-recu				r EELs provi	sioned as ' Cur	rently Combin	ed' Network	Elements.							
	: Minimum billing is one month for DS1 and below and three months above															
2-WIR	E VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE	(RAN			LIEALO	10.5-	400 ==	C= 1=	70.0:	40.00	<u> </u>	1	20.0-	21.2-	2.2-	10.51
	First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone 1	<b> </b>	1	UNCVX	UEAL2	16.56	108.76	35.47	72.94	10.86		1	20.35	21.09	9.80	10.54
	First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone 2		2	UNCVX	UEAL2 UEAL2	21.63	108.76 108.76	35.47 35.47	72.94 72.94	10.86 10.86		1	20.35 20.35	21.09 21.09	9.80 9.80	10.54 10.54
	First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone 3 Interoffice Transport-Dedicated-DS1 combination-Per mi per mo		3	UNCVX UNC1X	1L5XX	28.28 0.3562	108.76	35.47	72.94	10.86	+	<b> </b>	20.35	21.09	9.80	10.54
	Interoffice Transport-Dedicated-DS1 combination-Per mi per mo Interoffice Transport-Dedicated-DS1 combination-Facility Term per mo		1	UNC1X UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90	+		20.35	21.09	9.80	10.54
	DS1 Channelization System Per mo	1		UNC1X	MQ1	80.77	105.76	14.48	3.04	2.74		1	20.33	21.09	3.00	10.34
	VG COCI-DS1 To Ds0 Interface-Per mo			UNCVX	1D1VG	0.91	5.70	4.42	5.04	2.14	1	1				
	Each Add'l 2W VG Loop(SL 2) in the same DS1 Interoffice Transport			3.1017	.5100	0.01	0.70	7.72								
	Combination-Zone 1	l	1	UNCVX	UEAL2	16.56	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
	Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport															
	Combination-Zone 2	L	2	UNCVX	UEAL2	21.63	108.76	35.47	72.94	10.86		<u> </u>	20.35	21.09	9.80	10.54
	Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport			=												
	Combination-Zone 3		3	UNCVX	UEAL2	28.28	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
	VG COCI-DS1 to DS0 Channel System combination-per mo			UNCVX	1D1VG	0.91	5.70	4.42								
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09	9.80	10.54
4 WID	E VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE	TRAN	SPORT	(EEL)							1	1	1	1	1	1

NRONDL	ED NETWORK ELEMENTS - Tennessee													nent: 2		ibit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			TES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitte d Manually per LSR	1st	I Charge - Manual Svc Order vs. Electronic-	Incrementa I Charge - Manual Svc Order vs. Electronic-	Incremen Charge Manual S Order v Electron Disc Add
						Rec	Nonrecu First	ırrıng Add'l	NRC Dis First	Add'l	SOMEC	SOMAN		Rates (\$) SOMAN	SOMAN	SOMAN
	First 4W Analog VG Loop in a DS1 Interoffice Transport Combination -Zone 1		1	UNCVX	UEAL4	24.70	108.76	35.47	72.94	10.86	COMILO	COMPAN	20.35	21.09	9.80	10.5
	First 4W Analog VG Loop in a DS1 Interoffice Transport Combination -Zone 2		2	UNCVX	UEAL4	32.26	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.
	First 4W Analog VG Loop in a DS1 Interoffice Transport Combination -Zone 3		3	UNCVX	UEAL4	42.18	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.
	Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo		Ů	UNC1X	1L5XX	0.3562		00.11	12.01	10.00			20.00	21.00	0.00	<u></u>
	Interoffice Transport-Dedicated-DS1-Facility Term Per mo			UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09	9.80	10
	Channelization-Channel System DS1 to DS0 combination Per mo			UNC1X	MQ1	80.77	105.76	14.48	3.04	2.74						
	VG COCI-DS1 to DS0 Channel System combination-per mo			UNCVX	1D1VG	0.91	5.70	4.42								
	Add'l 4W Analog VG Loop in same DS1 Interoffice Transport Combination- Zone 1		1	UNCVX	UEAL4	24.70	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10
	Add'l 4W Analog VG Loop in same DS1 Interoffice Transport Combination- Zone 2		2	UNCVX	UEAL4	32.26	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10
	Add'l 4W Analog VG Loop in same DS1 Interoffice Transport Combination- Zone 3		3	UNCVX	UEAL4	42.18	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10
	VG COCI-DS1 to DS0 Channel System combination-per mo		3	UNCVX	1D1VG	0.91	5.70	4.42	72.94	10.86		-	20.35	21.09	9.80	- 10
_	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC	0.91	52.73	24.62	9.12	9.12		-	20.35	21.09	9.80	10
4 WID	E 56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTEROFFIC	C TD	ANSDO		UNCCC		52.73	24.02	9.12	9.12			20.35	21.09	9.80	- "
4-WIR	First 4W 56Kbps Digital Grade Loop in a DS1 Interoffice Transport	E IK	ANSPU	KI (EEL)												+
	Combination-Zone 1		4	UNCDX	UDL56	31.10	108.76	35.47	72.94	10.86			20.35	21.09	9.80	1
	First 4W 56Kbps Digital Grade Loop in a DS1 Interoffice Transport		'	UNCDA	UDLS6	31.10	100.76	33.47	12.94	10.00			20.33	21.09	9.60	- "
	Combination-Zone 2		2	UNCDX	UDL56	40.61	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10
	First 4W 56Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination-Zone 3		3	UNCDX	UDL56	53.11	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10
	Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo			UNC1X	1L5XX	0.3562									0.00	<b>†</b>
	Interoffice Transport-Dedicated-DS1-combination Facility Term Per mo			UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09	9.80	10
	Channelization-Channel System DS1 to DS0 combination Per mo			UNC1X	MQ1	80.77	105.76	14.48	3.04	2.74						1
	OCU-DP COCI (data)-DS1 to DS0 Channel System-per mo (2.4-64kbs)			UNCDX	1D1DD	0.91	5.70	4.42								1
	Add'l 4W 56Kbps Digital Grade loop in same DS1 Interoffice Transport Combination-Zone 1		1	UNCDX	UDL56	31.10	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10
	Add'l 4W 56Kbps Digital Grade loop in same DS1 Interoffice Transport Combination-Zone 2		2	UNCDX	UDL56	40.61	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10
	Add'l 4W 56Kbps Digital Grade loop in same DS1 Interoffice Transport		3	UNCDX	UDL56	53.11	108.76	35.47	72.94	10.86			20.35	21.09	9.80	1
+	Combination-Zone 3 OCU-DP COCI (data)-DS1 to DS0 Channel System-combination per mo (2.4-		3	UNCDX	UDL56	53.11	108.76	35.47	72.94	10.86			20.35	21.09	9.80	+ - 1
	64kbs)			UNCDX	1D1DD	0.91	5.70	4.42								
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC	0.0.	52.73	24.62	9.12	9.12			20.35	21.09	9.80	10
4-WIR	E 64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTEROFFIC	E TR	ANSPO	RT (EEL)												1
	First 4W 64Kbps Digital Grade Loop in a DS1 Interoffice Transport															
	Combination-Zone 1  First 4W 64Kbps Digital Grade Loop in a DS1 Interoffice Transport		1	UNCDX	UDL64	31.10	108.76	35.47	72.94	10.86			20.35	21.09	9.80	1
	Combination-Zone 2		2	UNCDX	UDL64	40.61	108.76	35.47	72.94	10.86			20.35	21.09	9.80	1
	First 4W 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination-Zone 3		3	UNCDX	UDL64	53.11	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10
	Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo			UNC1X	1L5XX	0.3562					ļ					<u> </u>
	Interoffice Transport-Dedicated-DS1 combination-Facility Term Per mo			UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90	ļ		20.35	21.09	9.80	10
	Channelization-Channel System DS1 to DS0 combination Per mo			UNC1X	MQ1	80.77	105.76	14.48	3.04	2.74			20.35	21.09	9.80	10
	OCU-DP COCI (data)-DS1 to DS0 Channel System combination-per mo (2.4-64kbs)			UNCDX	1D1DD	0.91	5.70	4.42								
	Add'l 4W 64Kbps Digital Grade loop in same DS1 Interoffice Transport Combination-Zone 1		1	UNCDX	UDL64	31.10	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10
	Add'l 4W 64Kbps Digital Grade loop in same DS1 Interoffice Transport Combination-Zone 2		2	UNCDX	UDL64	40.61	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10
	Add'I 4W 64Kbps Digital Grade loop in same DS1 Interoffice Transport		3	UNCDX	UDL64	40.01	100.70	35.47	72.94	10.00			20.00	21.03	9.80	10

UNBUN	DLE	D NETWORK ELEMENTS - Tennessee												Attachr	nent: 2	Exhi	ibit: B
												Svc	Svc	Incremental			Incrementa
												Order	Order	Charge -	I Charge -	I Charge -	Charge -
CATEGOR		RATE ELEMENTS	Interi	Zone	BCS	usoc		DA-	TES (\$)			Submitte		Manual Svc		Manual	Manual Sv
CATEGOR	1	RATE ELEMENTS	m	Zone	ВСЗ	0300		KA	IES (\$)			d Elec	d	Order vs.	Svc Order	Svc Order	Order vs.
												per LSR	Manually	Electronic-	vs.	vs.	Electronic
													per LSR	1st	Electronic-	Electronic-	Disc Add'l
							Rec	Nonrecu	ırring	NRC Disc	connect			oss	Rates (\$)	11166 164	
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		OCU-DP COCI (data)-DS1 to DS0 Channel System combination-per mo (2.4-															
	·	4kbs)			UNCDX	1D1DD	0.91	5.70	4.42								
		IRC Currently Combined Network Elements Switch -As-ls Charge			UNC1X	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09	9.80	10.54
4-vv		DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE T W DS1 Digital Loop in Combination with DS1 Interoffice Transport-Zone 1	KANS	PORT	UNC1X	USLXX	57.73	228.40	161.74	79.87	24.88			20.35	21.09	9.80	10.54
		W DS1 Digital Loop in Combination with DS1 Interoffice Transport-Zone 2		2	UNC1X	USLXX	75.40	228.40	161.74	79.87	24.88			20.35	21.09	9.80	
		W DS1 Digital Loop in Combination with DS1 Interoffice Transport-Zone 3		3	UNC1X	USLXX	98.59	228.40	161.74	79.87	24.88			20.35	21.09	9.80	
		nteroffice Transport-Dedicated-DS1 combination-Per mi Per mo			UNC1X	1L5XX	0.3562	220.40	101.74	13.01	24.00			20.55	21.03	3.00	10.54
		nteroffice Transport-Dedicated-DS1 combination-Facility Term Per mo			UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09	9.80	10.54
	Ν	IRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09	9.80	10.54
4-W	/IRE	DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFICE T	RANS	PORT													
		irst DS1Loop in DS3 Interoffice Transport Combination-Zone 1		1	UNC1X	USLXX	57.73	228.40	161.74	79.87	24.88			20.35	21.09	9.80	
		irst DS1Loop in DS3 Interoffice Transport Combination-Zone 2		2	UNC1X	USLXX	75.40	228.40	161.74	79.87	24.88			20.35	21.09	9.80	10.54
		irst DS1Loop in DS3 Interoffice Transport Combination-Zone 3		3	UNC1X	USLXX	98.59	228.40	161.74	79.87	24.88			20.35	21.09	9.80	10.54
		nteroffice Transport-Dedicated-DS3 combination-Per mi Per mo		1	UNC3X	1L5XX	2.34	400.01	450.01	04.40	25.42	1	1	00.05	04.00	0.00	10.5
		nteroffice Transport-Dedicated-DS3-Facility Term per mo		1	UNC3X UNC3X	U1TF3 MQ3	854.97 222.98	482.01 156.02	153.81 49.41	64.43 17.12	35.43 6.77	-		20.35	21.09	9.80	10.54
		DS3 Interface Unit (DS1 COCI) combination per mo		1	UNC1X	UC1D1	17.58	5.70	49.41	17.12	0.77						
		dd'l DS1Loop in DS3 Interoffice Transport Combination-Zone 1		1	UNC1X	USLXX	57.73	228.40	161.74	79.87	24.88			20.35	21.09	9.80	10.54
		dd'l DS1Loop in DS3 Interoffice Transport Combination-Zone 2		2	UNC1X	USLXX	75.40	228.40	161.74	79.87	24.88			20.35	21.09	9.80	10.54
		Add'l DS1Loop in DS3 Interoffice Transport Combination-Zone 3		3	UNC1X	USLXX	98.59	228.40	161.74	79.87	24.88			20.35	21.09	9.80	
		DS3 Interface Unit (DS1 COCI) combination per mo			UNC1X	UC1D1	17.58	5.70	4.42								
		IRC Currently Combined Network Elements Switch -As-Is Charge			UNC3X	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09	9.80	10.54
2-W	/IRE	VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GRADE INTEROFFICE	TRAN	ISPOR													
		WVG Loop used with 2W VG Interoffice Transport Combination-Zone 1		1	UNCVX	UEAL2	16.56	108.76	35.47	72.94	10.86			20.35	21.09	9.80	
		WVG Loop used with 2W VG Interoffice Transport Combination-Zone 2		2	UNCVX	UEAL2	21.63	108.76	35.47	72.94	10.86			20.35	21.09	9.80	
		WVG Loop used with 2W VG Interoffice Transport Combination-Zone 3		3	UNCVX	UEAL2	28.28	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
		nteroffice Transport-Dedicated-2W VG combination-Per mi Per mo			UNCVX	1L5XX U1TV2	0.0174 21.79	79.83	44.08	69.32	31.00			20.35	21.09	9.80	10.54
		nteroffice Transport-Dedicated-2W VG combination-Facility Term per mo IRC Currently Combined Network Elements Switch -As-Is Charge		1	UNCVX	UNCCC	21.79	52.73	24.62	9.12	9.12			20.35	21.09	9.80	
4-10		VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRADE INTEROFFICE	TRAN	ISPOR		UNCCC		32.73	24.02	9.12	9.12			20.55	21.09	9.00	10.54
7-11		WVG Loop used with 4W VG Interoffice Transport Combination-Zone 1	III	1	UNCVX	UEAL4	24.70	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
		WVG Loop used with 4W VG Interoffice Transport Combination-Zone 2		2	UNCVX	UEAL4	32.26	108.76	35.47	72.94	10.86			20.35	21.09	9.80	
		WVG Loop used with 4W VG Interoffice Transport Combination-Zone 3		3	UNCVX	UEAL4	42.18	108.76	35.47	72.94	10.86			20.35	21.09	9.80	
	lı	nteroffice Transport-Dedicated-4W VG combination-Per mi Per mo			UNCVX	1L5XX	0.0174										
	lı	nteroffice Transport-Dedicated-4W VG combination-Facility Term per mo			UNCVX	U1TV4	27.30	79.83	44.08	69.32	31.00			20.35	21.09	9.80	10.54
		IRC Currently Combined Network Elements Switch -As-Is Charge			UNCVX	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09	9.80	10.54
DS		SITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPO	ORT (I	EEL)													
		ligh Capacity Unbundled Local Loop-DS3 combination-Per mi per mo		1	UNC3X	1L5ND	9.19	0.40	100.55	100.75	45.51			00.55	04.77	0.77	40 -
		ligh Capacity Unbundled Local Loop-DS3 combination-Facility Term per mo		-	UNC3X	UE3PX	373.47	240.23	180.87	106.78	45.24	-	-	20.35	21.09	9.80	10.54
		nteroffice Transport-Dedicated-DS3-Per mi per mo			UNC3X	1L5XX U1TF3	2.34	482.01	153.81	64.43	25.40			20.25	21.09	9.80	10.54
		nteroffice Transport-Dedicated-DS3 combination-Facility Term per per mo IRC Currently Combined Network Elements Switch -As-ls Charge		-	UNC3X UNC3X	UNCCC	854.97	482.01 52.73	153.81 24.62	9.12	35.43 9.12	-	<b></b>	20.35 20.35	21.09	9.80	
ете		IGITAL EXTENDED LOOP WITH DEDICATED STS1 INTEROFFICE TRANS	PORT	I (FFI )		UNCCC		52.73	24.02	9.12	9.12			20.35	21.09	9.80	10.54
313		ligh Capacity Unbundled Local Loop-STS1 combination-Per mi per mo			UNCSX	1L5ND	9.19							1			
		ligh Capacity Unbundled Local Loop-STS1 combination-Facility Term per			UNCSX	UDLS1	394.56	240.23	180.87	106.78	45.24			20.35	21.09	9.80	10.54
		nteroffice Transport-Dedicated-STS1 combination-Per mi per mo			UNCSX	1L5XX	2.34										
		nteroffice Transport-Dedicated-STS1 combination-Facility Term per mo			UNCSX	U1TFS	849.30	482.01	153.81	64.43	35.43			20.35	21.09	9.80	
		IRC Currently Combined Network Elements Switch -As-Is Charge			UNCSX	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09	9.80	10.54
2-W		ISDN EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPORT (EEL)			ļ									1			
		First 2W ISDN Loop in a DS1 Interoffice Combination Transport-Zone 1		1	UNCNX	U1L2X	22.22	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
		First 2W ISDN Loop in a DS1 Interoffice Combination Transport-Zone 2		2	UNCNX	U1L2X	29.02	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
		rirst 2W ISDN Loop in a DS1 Interoffice Combination Transport-Zone 3 hteroffice Transport-Dedicated-DS1 combination-Per mi		3	UNCNX UNC1X	U1L2X 1L5XX	37.95 0.3562	108.76	35.47	72.94	10.86	-		20.35	21.09	9.80	10.54
		nteroffice Transport-Dedicated-DS1 combination-Per mi nteroffice Transport-Dedicated-DS1 combintion-Facility Term per mo		-	UNC1X UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90	1	1	20.35	21.09	9.80	10.54
		Channelization-Channel System DS1 to DS0 combination-per mo		1	UNC1X	MQ1	80.77	171.24	14.48	3.04	2.74	-		20.35	21.09	9.80	
				1	UNUIN	IVICEI	00.77		17.40	5.04	2.74	1	1	20.55		0.00	10.54

JNBUNDL	ED NETWORK ELEMENTS - Tennessee												Attachr	nent: 2		bit: B
											Svc	Svc	Incremental	Incrementa	Incrementa	Increment
											Order	Order	Charge -	I Charge -	I Charge -	Charge
		Interi									Submitte	Submitte	Manual Svc	Manual	Manual	Manual S
CATEGORY	RATE ELEMENTS		Zone	BCS	USOC		RA	ΓES (\$)			d Elec	d	Order vs.	Svc Order	Svc Order	Order vs
		m									per LSR			vs.	vs.	Electroni
											per Lor	per LSR		Electronic-	Electronic-	Disc Add
												per LSK	151	V441	Dies det	DISC Add
						Rec	Nonrecu	ırring	NRC Dis	connect			oss	Rates (\$)		•
						Kec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Add'I 2W ISDN Loop in same DS1 interoffice Transport Combination-Zone 1		1	UNCNX	U1L2X	22.22	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
	Add'l 2W ISDN Loop in same DS1 interoffice Transport Combination-Zone 2		2	UNCNX	U1L2X	29.02	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.5
	Add'l 2W ISDN Loop in same DS1 interoffice Transport Combination-Zone 3		3	UNCNX	U1L2X	37.95	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.5
	2W ISDN COCI (BRITE)-DS1 to DS0 Channel System combintaion-per mo			UNCNX	UC1CA	3.24	5.70	4.42					20.35	21.09	9.80	
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09	9.80	10.5
4-WIR	E DS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 INTEROFFICE	TRAN	ISPOR						****						0.00	
	First DS1 Loop in STS1 Interoffice Transport Combination-Zone 1		1	UNC1X	USLXX	57.73	228.40	161.74	79.87	24.88			20.35	21.09	9.80	10.5
	First DS1 Loop in STS1 Interoffice Transport Combination-Zone 2		2	UNC1X	USLXX	75.40	228.40	161.74	79.87	24.88			20.35	21.09	9.80	10.5
	First DS1 Loop in STS1 Interoffice Transport Combination-Zone 3		3	UNC1X	USLXX	98.59	228.40	161.74	79.87	24.88			20.35	21.09	9.80	10.5
	Interoffice Transport-Dedicated-STS1 combination-Per mi Per mo			UNCSX	1L5XX	2.34	220.70	131.74	1 3.01	_7.00			20.00	21.09	3.00	10.
	Interoffice Transport-Dedicated-STS1 combination-Facility Term			UNCSX	U1TFS	849.30	482.01	153.81	64.43	35.43		1	20.35	21.09	9.80	10.5
	STS1 to DS1 Channel System conbination per mo			UNCSX	MQ3	222.98	156.02	49.41	17.12	6.77	1		20.35	21.09	9.80	10.5
	DS3 Interface Unit (DS1 COCI) combination per mo			UNC1X	UC1D1	17.58	5.70	49.41	17.12	0.11			20.35	21.09	9.80	10.5
	Add'l DS1Loop in STS1 Interoffice Transport Combination-Zone 1		1	UNC1X	USLXX	57.73	228.40	161.74	79.87	24.88			20.35	21.09	9.80	10.5
	Add'l DS1Loop in STS1 Interoffice Transport Combination-Zone 1		2	UNC1X	USLXX	75.40	228.40	161.74	79.87	24.88		1	20.35	21.09	9.80	10.5
	Add'l DS1Loop in STS1 Interoffice Transport Combination-Zone 3		3	UNC1X	USLXX	98.59	228.40	161.74	79.87	24.88		ļ	20.35	21.09		10.5
	DS3 Interface Unit (DS1 COCI) combination per mo		3	UNC1X	UC1D1	17.58	5.70	4.42	19.81	24.00		1	20.35	21.09	9.80	
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNCSX	UNCCC	17.56	52.73	24.62	9.12	9.12			20.35	21.09	9.80	10.5
4 14/15		1000	T (FF)		UNCCC		52.73	24.62	9.12	9.12			20.35	21.09	9.80	10.5
4-WIR	E 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS INTEROFFICE TRAN	15701			LIDI 50	04.40	400.70	05.47	70.04	40.00			00.05	04.00	0.00	40.5
	4W 56 kbps Loop/4W 56 kbps Interoffice Transport Combination-Zone 1		1	UNCDX	UDL56	31.10	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.5
	4W 56 kbps Loop/4W 56 kbps Interoffice Transport Combination-Zone 2		2	UNCDX	UDL56	40.61	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.5
	4W 56 kbps Loop/4W 56 kbps Interoffice Transport Combination-Zone 3		3	UNCDX	UDL56	53.11	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.5
	Interoffice Transport-Dedicated-4W 56 kbps combination-Per mi			UNCDX	1L5XX	0.0174	70.00	44.00	00.00	04.00			00.05	04.00	0.00	40.5
	Interoffice Transport-Dedicated-4W 56 kbps combination-Facility Term			UNCDX	U1TD5	21.19	79.83	44.08	69.32	31.00			20.35	21.09	9.80	10.5
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNCDX	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09	9.80	10.5
4-WIR	E 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTEROFFICE TRAN	ISPOR	RT (EEI													
	4W 64 kbps Loop/4W 64 kbps Interoffice Transport Combination-Zone 1		1	UNCDX	UDL64	31.10	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.5
	4W 64 kbps Loop/4W 64 kbps Interoffice Transport Combination-Zone 2		2	UNCDX	UDL64	40.61	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.5
	4W 64 kbps Loop/4W 64 kbps Interoffice Transport Combination-Zone 3		3	UNCDX	UDL64	53.11	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.5
	Interoffice Transport-Dedicated-4W 64 kbps combination-Per mi			UNCDX	1L5XX	0.0174										
	Interoffice Transport-Dedicated-4W 64 kbps combination-Facility Term			UNCDX	U1TD6	21.19	79.83	44.08	69.32	31.00			20.35	21.09	9.80	10.5
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNCDX	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09	9.80	10.5
	NETWORK ELEMENTS				البلل											
	used as a part of a currently combined facility, the non-recurring charges															
	used as ordinarily combined network elements in All States, the non-recur				h As Is Char	rge does not.										
Nonre	curring Currently Combined Network Elements "Switch As Is" Charge (One	e appi	es to e	ach combination)	1											
	NRC Currently Combined Network Elements Switch -As-Is Charge-2W/4W			1015101												
	VG			UNCVX	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09	9.80	10.5
	NRC Currently Combined Network Elements Switch -As-ls Charge-56/64															
	kbps			UNCDX	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09	9.80	10.5
	NRC Currently Combined Network Elements Switch -As-Is Charge-DS1			UNC1X	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09		10.5
	NRC Currently Combined Network Elements Switch -As-Is Charge-DS3			UNC3X	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09	9.80	10.5
	NRC Currently Combined Network Elements Switch -As-Is Charge-STS1			UNCSX	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09	9.80	10.5
NOTE	: Local Channel - Dedicated Transport - minimum billing period - Below DS	3=one														ļ
	Local Channel-Dedicated-2W VG Zone 1		1	UNCVX	ULDV2	17.18	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.5
	Local Channel-Dedicated-2W VG Zone 2		2	UNCVX	ULDV2	22.44	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.5
	Local Channel-Dedicated-2W VG Zone 3		3	UNCVX	ULDV2	29.34	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.5
	Local Channel-Dedicated-4W VG Zone 1		1	UNCVX	ULDV4	18.18	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.
	Local Channel-Dedicated-4W VG Zone 2		2	UNCVX	ULDV4	23.74	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.
	Local Channel-Dedicated-4W VG Zone 3		3	UNCVX	ULDV4	31.05	108.76	35.47	72.94	10.86	ļ		20.35	21.09	9.80	10.
	Local Channel-Dedicated-DS1 per mo Zone 1		1	UNC1X	ULDF1	36.24	228.40	161.74	79.87	24.88			20.35	21.09	9.80	10.5
	Local Channel-Dedicated -DS1 Per mo Zone 2		2	UNC1X	ULDF1	47.33	228.40	161.74	79.87	24.88			20.35	21.09	9.80	10.5
	Local Channel-Dedicated-DS1-Per mo Zone 3		3	UNC1X	ULDF1	61.89	228.40	161.74	79.87	24.88			20.35	21.09	9.80	10.5
	Local Channel-Dedicated-DS3-Per mi per mo			UNC3X	1L5NC	7.15					1	1			1 -	1

JNBUND	LED NETWORK ELEMENTS - Tennessee			T							1		Attachr			bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		RA <sup>-</sup>	ΓES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitte d Manually	Incremental Charge - Manual Svc Order vs. Electronic-	I Charge -	Incrementa I Charge - Manual Svc Order vs.	Incrementa Charge - Manual Sv Order vs. Electronic
											ľ	per LSR	1st	Electronic-	Electronic-	Disc Add'
						Rec	Nonrecu	ırring	NRC Disc	connect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Local Channel-Dedicated-DS3-Facility Term			UNC3X	ULDF3	611.30	595.37	304.50	215.82	151.15			20.35	21.09	9.80	10.54
	Local Channel-Dedicated-STS-1-Per mi per mo			UNCSX	1L5NC	7.15										
	Local Channel-Dedicated-STS-1 -Facility Term			UNCSX	ULDFS	599.59	588.07	297.20	215.82	151.15			20.35	21.09	9.80	10.54
	TIPLEXERS				-											
	E: minimum billing period is one month for DS1 to DS0 Channel System and			d lutantasas	+						-				-	
NOTE	E: minimum billing period is three months for DS3 to DS1 and above Channel Channelization-DS1 to DS0 Channel System	i Sys	em an	UXTD1	MQ1	80.77	141.67	77.11	14.51	13.46			20.35	9.80	11.49	1.18
	OCU-DP COCI (data)-DS1 to DS0 Channel System-per mo (2.4-64kbs)			UDL	1D1DD	1.82	6.07	4.66	14.31	13.40			20.35	9.80	11.49	1.18
	2W ISDN COCI (BRITE)-DS1 to DS0 Channel Systsem-per mo			UDN	UC1CA	3.10	6.07	4.66					20.35	9.80	11.49	1.18
	VG COCI-DS1 to DS0 Channel System-per mo			UEA	1D1VG	0.91	6.07	4.66					20.35	9.80	11.49	1.18
	DS3 to DS1 Channel System per mo			UXTD3	MQ3	222.98	308.03	108.47	44.47	42.62			20.35	9.80	11.49	1.1
	STS1 to DS1 Channel System per mo			UXTS1	MQ3	222.98	308.03	108.47	44.47	42.62	Ì		20.35	21.09	9.80	9.8
	DS3 Interface Unit (DS1 COCI) used with Loop per mo			USL	UC1D1	17.58	6.07	4.66					20.35	9.80	11.49	1.18
	DS3 Interface Unit (DS1 COCI) used with Local Channel per mo			ULDD1	UC1D1		6.07	4.66					20.35	9.80	11.49	1.18
Sub-	Loop Feeder															
	Unbundled Sub-Loop Feeder Loop, 4W DS1-Zone 1		1	UNC1X	USBFG	39.74	116.00	40.62	106.82	18.91						
	Unbundled Sub-Loop Feeder Loop, 4W DS1-Zone 2		2	UNC1X	USBFG	51.90	116.00	40.62	106.82	18.91						
	Unbundled Sub-Loop Feeder Loop, 4W DS1-Zone 3		3	UNC1X	USBFG	67.86	116.00	40.62	106.82	18.91						
	D LOCAL EXCHANGE SWITCHING(PORTS)												-			1
	nange Ports E: Although the Port Rate includes all available features in GA, KY, LA & TN,	410 0 0	!	factures will mand t	- h	ina matail IIC	200-									
	E: Although the Port Rate includes all available features in GA, KY, LA & TN, RE VOICE GRADE LINE PORT RATES (RES)	tne a	esirea	teatures will need t	o be ordered	using retail US	oucs				-					
Z-VVII	Exchange Ports-2W Analog Line Port-Res.			UEPSR	UEPRL	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Exchange Ports-2W Analog Line Port with Caller ID-Res.			UEPSR	UEPRC	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Exchange Ports-2W Analog Line Port outgoing only-Res.			UEPSR	UEPRO	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Exchange Ports-2W VG unbundled TN extended local dialing parity Port with			02.0.0	020	1.00	0.00	0.10	0.00	2.02			20.00	10.01	10.02	
	Caller ID-Res.			UEPSR	UEPAQ	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Exchange Ports-2W VG unbundled TN Area Plus with Caller ID-Res (AC7)			UEPSR	UEPAH	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Exchange Ports-2W VG unbundled TN Area Calling port with Caller ID-Res															
	(F2R)			UEPSR	UEPAK	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Exchange Ports-2W VG unbundled TN Area Calling port with Caller ID-Res															
	(TACER)			UEPSR	UEPAL	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Exchange Ports-2W VG unbundled TN Area Calling port with Caller ID-Res			LIEDOD	LIEDAL	4.00	0.00	0.40	0.00	0.00			00.05	40.54	40.00	<b>.</b>
	(TACSR)			UEPSR	UEPAM	1.89	9.93	9.19	3.66	2.92	}	1	20.35	10.54	13.32	1.40
	Exchange Ports-2W VG unbundled TN Area Calling port with Caller ID-Res (1MF2X)			UEPSR	UEPAN	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	4 4
	Exchange Ports-2W VG unbundled TN Area Calling port with Caller ID-Res			UEPSK	UEPAN	1.89	9.93	9.19	3.00	2.92		1	20.35	10.54	13.32	1.40
	(2MR)			UEPSR	UEPAO	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.4
	Exchange Ports-2W VG unbundled res, low usage line port with Caller ID			OLFOR	OLFAU	1.09	5.53	3.18	3.00	2.52			20.55	10.54	13.32	1.41
1	(LUM)			UEPSR	UEPAP	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Exchange Port-2W VG TN Res Dialing Plan w/o Caller ID			UEPSR	UEPWN	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Exchange Port-2W VG TN Res Area Plus w/o Caller ID			UEPSR	UEPRR	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	2W voice unbundled Low Usage Line Port w/o Caller ID Capability			UEPSR	UEPRT	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Subsqnt Activity			UEPSR	USASC	0.00	0.00	0.00					20.35	10.54	13.32	1.40
FEAT	TURES															
	All Available Vertical Features			UEPSR	UEPVF	0.00	0.00	0.00					20.35	10.54	13.32	1.40
2-WIF	RE VOICE GRADE LINE PORT RATES (BUS)			LIEBOD	LIEBD:				0.00	0.55			00.55	40	10	ļ
	Exchange Ports-2W Analog Line Port w/o Caller ID-Bus			UEPSB	UEPBL	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
1	Exchange Ports-2W VG unbundled Line Port with unbundled port with			LIEDOD	LIEDDO	4.00	0.00	0.40	0.00	0.00			00.05	40.51	40.00	
	Caller+E484 ID-Bus.			UEPSB UEPSB	UEPBC UEPBO	1.89 1.89	9.93 9.93	9.19 9.19	3.66	2.92	1		20.35 20.35	10.54 10.54	13.32 13.32	1.4
-+	Exchange Ports-2W Analog Line Port outgoing only-Bus.  Exchange Ports-2W VG unbundled TN extended local dialing parity Port with			UEP5B	UEPBU	1.89	9.93	9.19	3.66	2.92	1	<del>                                     </del>	20.35	10.54	13.32	1.40
	Caller ID-Bus.			UEPSB	UEPAV	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.4
-	Exhange Ports-2W VG unbundled incoming only port with Caller ID-Bus			UEPSB	UEPB1	1.89	9.93	9.19	3.66	2.92		<b></b>	20.35	10.54	13.32	1.40
-	Exchange Ports-2W VG unbundled TN Bus 2-Way Area Calling Port			021 00	02.01	1.09	3.33	3.13	5.00	2.02	1	1	20.55	10.54	10.02	1.40
				•								1			1	1

UNBUNDL	ED NETWORK ELEMENTS - Tennessee												Attachi	ment: 2	Exh	ibit: B
											Svc	Svc		Incrementa		
											Order	Order	Charge -	I Charge -	I Charge -	Charge -
CATECORY	RATE ELEMENTS	Interi	7	BCS	USOC		D 4*	FFC (#\			Submitte		Manual Svc		Manual	Manual Sv
CATEGORY	RATE ELEMENTS	m	Zone	ВСЗ	USUC		KA	ΓES (\$)			d Elec	d	Order vs.	Svc Order	Svc Order	Order vs.
											per LSR	Manually	Electronic-	vs.	vs.	Electronic
												per LSR	1st	Electronic-	Electronic	Disc Add'l
						Rec	Nonrecu	ırring	NRC Dis	connect			oss	Rates (\$)	Diec 1et	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Exchange Ports-2W VG unbundled TN Bus 2-Way Area Calling Port			LIEDOD		4.00	0.00	0.40	0.00				00.05	40.54	40.00	
-	Standard Option-Bus (TACC2)			UEPSB	UEPAD	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Exchange Ports-2-W VG unbundled TN Bus 2-Way Collierville & Memphis Local Calling Port-Bus (B2F)			UEPSB	UEPAE	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Exchange Ports-2-W VG unbundled TN Bus 2-Way Collierville & Memphis			UEFSB	UEFAE	1.09	9.93	9.19	3.00	2.92			20.33	10.54	13.32	1.40
	Local Calling Port			UEPSB	UEPB2	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Exchange Ports-2-W VG unbundled TN, bus Line Inward, Collierville &			02. 05	02. 52	1.00	0.00	0.10	0.00	2.02			20.00	10.01	10.02	
	Memphis Local Calling Plan			UEPSB	UEPB3	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Exchange Ports-2W Voice TN bus Dialing Plan w/o Caller ID			UEPSB	UEPWO	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	
	2W voice unbundled Incoming Only Port w/o Caller ID Capability			UEPSB	UEPBE	1.89	9.93	9.19		2.92			20.35	10.54	13.32	
	Subsqnt Activity			UEPSB	USASC	0.00	0.00	0.00					20.35	10.54	13.32	1.40
FEAT			<u> </u>	LIEDOD	HEDVE	0.00	0.00	0.00					00.05	40.51	40.00	4 10
EVOL	All Available Vertical Features  ANGE PORT RATES (DID & PBX)			UEPSB	UEPVF	0.00	0.00	0.00					20.35	10.54	13.32	1.40
EXCH	2W VG Unbundled 2-Way PBX Trunk-Res			UEPSE	UEPRD	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
<del>                                     </del>	2W VG Unbundled 2-Way PBX Trunk-Res 2W VG Line Side Unbundled 2-Way PBX Trunk-Bus			UEPSP	UEPPC	1.79	9.93	9.19	3.66	2.92	-	<del>                                     </del>	20.35	10.54	13.32	
	2W VG Line Side Unbundled Outward PBX Trunk-Bus			UEPSP	UEPPO	1.79	9.93	9.19	3.66	2.92			20.35	10.54		
	2W VG Line Side Unbundled Incoming PBX Trunk-Bus			UEPSP	UEPP1	1.79	9.93	9.19	3.66	2.92			20.35	10.54		
	2W Analog Long Distance Terminal PBX Trunk-Bus			UEPSP	UEPLD	1.79	9.93	9.19		2.92			20.35	10.54		
	2W Analog TN 2-Way Calling Plan PBX Trunk-Bus			UEPSP	UEPT2	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	2W TN Outward Calling Plan PBX Trunk-Bus			UEPSP	UEPTO	1.79	9.93	9.19		2.92			20.35	10.54		
	2W Voice Unbundled PBX LD Terminal Ports			UEPSP	UEPLD	1.79	9.93	9.19		2.92			20.35	10.54	13.32	
	2W Voice Unbundled 2-Way PBX TN Calling Port			UEPSP	UEPT2	1.79	9.93	9.19		2.92			20.35	10.54		
	2W Voice Unbundled 1-Way Outgoing PBX TN Calling Port			UEPSP	UEPTO	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	
	2W Vice Unbundled 2-Way PBX Usage Port			UEPSP	UEPXA	1.79	9.93	9.19	3.66	2.92			20.35	10.54		
	2W Voice Unbundled PBX Toll Terminal Hotel Ports 2W Voice Unbundled PBX LD DDD Terminals Port			UEPSP UEPSP	UEPXB UEPXC	1.79 1.79	9.93 9.93	9.19 9.19	3.66 3.66	2.92 2.92			20.35 20.35	10.54 10.54	13.32 13.32	
	2W Voice Unbundled PBX LD DDD Terminals Port  2W Voice Unbundled PBX LD Terminal Switchboard Port			UEPSP	UEPXC	1.79	9.93	9.19	3.66	2.92			20.35	10.54		
	2W Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPSP	UEPXE	1.79	9.93	9.19		2.92			20.35	10.54		
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative			OLI GI	OLIAL	1.70	0.00	0.10	0.00	2.02			20.00	10.04	10.02	1.40
	Calling Port			UEPSP	UEPXL	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling									-						
	Port			UEPSP	UEPXM	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	2-W Voice Unbundled 1-Way Out PBX Hotel/Hospital Economy															
	Administrative Calling Port TN Calling Port			UEPSP	UEPXN	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	2W Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room			====												
	Calling Port			UEPSP	UEPXO	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Unbundled Exchange Ports, PBX Trunk Combination, Collierville & Memphis Local Calling Plan			UEPSP	UEPA6	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Unbundled Exchange Ports, PBX Trunk Combination, first trunk, Collierville &		<b>-</b>	OLFOR	OLI: AU	1.79	5.53	3.18	3.00	2.52	<del>                                     </del>	1	20.33	10.34	13.32	1.40
1 1	Memphis Local Calling Plan			UEPSP	UEPA7	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	2W Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPSP	UEPXS	1.79	9.93	9.19		2.92			20.35	10.54	13.32	
	2W Voice Unbundled PBX Collierville & Memphis Calling Port			UEPSP	UEPXU	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	2W Voice Unbundled 2-Way PBX TN RegionServ Calling Port			UEPSP	UEPXV	1.79	9.93	9.19		2.92			20.35	10.54		
	Subsqnt Activity			UEPSP	USASC	0.00	0.00	0.00					20.35	10.54	13.32	1.40
FEAT			ļ	UEDOD ::====												
EVO	All Available Vertical Features		-	UEPSP UEPSE	UEPVF	0.00	0.00	0.00	1		-	1	20.35	10.54	13.32	1.40
EXCH	ANGE PORT RATES (COIN) Exchange Ports-Coin Port					2.11	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
NOTE	Exchange Ports-Coin Port: Transmission/usage charges associated with POTS circuit switched usage	ווען פר	l also a	nnly to circuit ewitch	ed voice on					_:	riated with	OW ISDN .		10.54	13.32	1.40
	: Access to B Channel or D Channel Packet capabilities will be available or											1 244 13DN	JUI 13.			
	D LOCAL EXCHANGE SWITCHING(PORTS)		Jugir			paonor capab	wiii be u		.a allo Di K							
	ANGE PORT RATES														1	1
	Exchange Ports-2W DID Port			UEPEX	UEPP2	8.97	47.75	47.01	9.21	8.47			20.35	10.54	13.32	1.40
	Exchange Ports-DDITS Port-4W DS1 Port with DID capability			UEPDD	UEPDD	35.74	75.93	38.15	8.77	8.04			20.35	10.54	13.32	1.40
	Exchange Ports-2W ISDN Port (See Notes below.)			UEPTX UEPSX	U1PMA	16.26	30.23	29.49		4.10			20.35	10.54	13.32	1.40
NOTE	: Transmission/usage charges associated with POTS circuit switched usage	ge wil	l also a	pply to circuit switch	ed voice an	d/or circuit sw	ritched data tra	nsmission	by B-Chan	nels asso	ciated with	2W ISDN	oorts.			

NBUND	LED NETWORK ELEMENTS - Tennessee				•						,		Attachr			bit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		RA	TES (\$)			Svc Order Submitte d Elec per LSR	d	Incremental Charge - Manual Svc Order vs. Electronic- 1st	I Charge -	Incrementa I Charge - Manual Svc Order vs. Electronic-	Increment Charge Manual S Order vs Electroni Disc Add
						Rec	Nonreci	urring	NRC Dis	connect			oss	Rates (\$)	I lier 1et	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
NOT	E: Access to B Channel or D Channel Packet capabilities will be available	only th	rough l						ia the BFR	/NBR Pro	cess.					
	Exchange Ports-2W ISDN PortChannel Profiles			UEPTX UEPSX	U1UMA	0.00	0.00	0.00								
	Exchange Ports-4W ISDN DS1 Port			UEPEX	UEPEX	75.04	148.66	147.18	38.46	36.98			20.35	10.54	13.32	1.4
	UNDLED PORT with REMOTE CALL FORWARDING CAPABILITY															
UNB	UNDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE	-		LIEDVD	HEDAO	4.00	0.00	0.40	0.00	0.00			00.05	40.54	40.00	<b>—</b>
	Unbundled Remote Call Forwarding Service, Area Calling, Res	-		UEPVR UEPVR	UERAC	1.89 1.89	9.93 9.93	9.19 9.19	3.66 3.66	2.92 2.92			20.35 20.35	10.54 10.54	13.32 13.32	1.4
	Unbundled Remote Call Forwarding Service, Local Calling-Res Unbundled Remote Call Forwarding Service, InterLATA-Res	1		UEPVR	UERTE	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.
	Unbundled Remote Call Forwarding Service, InterLATA-Res	1		UEPVR	UERTR	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.
Non-	Recurring	+		OLF VIX	OLKIK	1.09	9.93	5.15	3.00	2.32			20.55	10.54	13.32	1.
14011-	Unbundled Remote Call Forwarding Service -Conversion-Switch-as-is	1		UEPVR	USAC2		1.03	0.29	<u> </u>			<u> </u>	20.35	10.54	13.32	1.4
	Unbundled Remote Call Forwarding Service -Conversion with allowed	1		OLI VIX	00/102		1.00	0.20					20.00	10.04	10.02	<u> </u>
	change (PIC & LPIC)	1		UEPVR	USACC		1.03	0.29		1						
UNB	UNDLED REMOTE CALL FORWARDING - Bus			02. 7.1	00/100		1.00	0.20								
	Unbundled Remote Call Forwarding Service, Area Calling-Bus			UEPVB	UERAC	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.
	Unbundled Remote Call Forwarding Service, Local Calling-Bus			UEPVB	UERLC	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.
	Unbundled Remote Call Forwarding Service, InterLATA-Bus			UEPVB	UERTE	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.
	Unbundled Remote Call Forwarding Service, IntraLATA-Bus			UEPVB	UERTR	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.
	Unbundled Remote Call Forwarding Service Expanded & Exception Local															
	Calling			UEPVB	UERVJ	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.
Non-	Recurring															
	Unbundled Remote Call Forwarding Service-Conversion-Switch-as-is			UEPVB	USAC2		1.03	0.29					20.35	10.54	13.32	1.
	Unbundled Remote Call Forwarding Service -Conversion with allowed change (PIC & LPIC)			UEPVB	USACC		1.03	0.29								
IBUNDLE	D LOCAL SWITCHING, PORT USAGE															
End (	Office Switching (Port Usage)															
	End Office Switching Function, Per MOU					0.0008041										
Tand	em Switching (Port Usage) (Local or Access Tandem)															
	Tandem Switching Function Per MOU					0.0009778										
Com	mon Transport															
	Common Transport-Per mi, Per MOU					0.0000064										
DI INDI E	Common Transport-Facilities Term Per MOU	-			-	0.0003871										
	D PORT/LOOP COMBINATIONS - COST BASED RATES  Based Rates are applied where BellSouth is required by FCC and/or Comi	niccion	rulo to	nrovido Unbundlod	I Local Swite	hina or Cwitch	Porto	-								
	ures shall apply to the Unbundled Port/Loop Combination - Cost Based Ra							ndlad Bart s	action of the	nie Evhibi	•					
	Office & Tandem Switching Usage & Common Transport Usage rates in the											oon Comb	inations			
	irst & add'l Port NRC charges apply to Not Currently Combined Combos. F												l lations.			
	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)	1			1	<u> </u>	000 10011111100	1	-							
	Port/Loop Combination Rates															
	2W VG Loop/Port Combo-Zone 1		1			14.18										
	2W VG Loop/Port Combo-Zone 2		2			18.01										
	2W VG Loop/Port Combo-Zone 3		3			23.02										
UNE	Loop Rates															
	2W VG Loop (SL1)-Zone 1		1	UEPRX	UEPLX	12.48										
	2W VG Loop (SL1)-Zone 2		2	UEPRX	UEPLX	16.31										
	2W VG Loop (SL1)-Zone 3		3	UEPRX	UEPLX	21.32										
2-Wir	re Voice Grade Line Port Rates (Res)			===:/												
	2W voice unbundled port-Res	1	<b> </b>	UEPRX	UEPRL	1.70	22.14	15.25	8.45	3.91	<u> </u>	15.69				
	2W voice unbundled port with Caller ID-res	1	1	UEPRX	UEPRC	1.70	22.14	15.25	8.45	3.91	}	15.69	1			<b>!</b>
_	2W voice unbundled port outgoing only-res	1	1	UEPRX	UEPRO	1.70	22.14	15.25	8.45	3.91	}	15.69	1			1
_	2W VG unbundled TN extended local dialing parity port w Caller ID-res 2W voice unbundled TN Area Plus with Caller ID-res (AC7)	+		UEPRX UEPRX	UEPAQ UEPAH	1.70 1.70	22.14 22.14	15.25 15.25	8.45 8.45	3.91 3.91	-	15.69 15.69				1
-	2W voice unbundled TN Area Plus with Caller ID-res (AC7)  2W voice unbundled TN Area Calling port with Caller ID-res (F2R)	1	1	UEPRX	UEPAK	1.70	22.14	15.25	8.45	3.91	1	15.69	1			1
_	2W voice unbundled TN Area Calling port with Caller ID-res (F2R)  2W voice unbundled TN Area Calling port with Caller ID-res (TACER)	1		UEPRX	UEPAL	1.70	22.14	15.25	8.45	3.91	1	15.69	1			1
		4	1			1.70	22.14	15.25	8.45	3.91	1	15.69	1		l	<del>                                     </del>
-	2W voice unbundled TN Area Calling port with Caller ID-res (TACSR)			()FPRX												
	2W voice unbundled TN Area Calling port with Caller ID-res (TACSR)  2W voice unbundled TN Area Calling port with Caller ID-res (1MF2X)			UEPRX UEPRX	UEPAM	1.70	22.14	15.25	8.45	3.91		15.69				

NBUNDL	ED NETWORK ELEMENTS - Tennessee												Attachr			bit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			TES (\$)			Svc Order Submitte d Elec per LSR	d		I Charge - Manual Svc Order vs. Electronic-	Incrementa I Charge - Manual Svc Order vs. Electronic-	Increment Charge - Manual Sv Order vs Electronic Disc Add
						Rec	Nonrecu		NRC Disc					Rates (\$)		-
							First	Add'l	First	Add'l		SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2W voice unbundles res, low usage line port with Caller ID (LUM)			UEPRX	UEPAP	1.70	22.14	15.25	8.45	3.91		15.69				
	2W Voice Unbundled TN Res Dialing Plan w/o Caller ID 2W voice unbundled TN Area Plus Port w/o Caller ID Capability			UEPRX UEPRX	UEPWN UEPRR	1.70 1.70	22.14 22.14	15.25 15.25	8.45 8.45	3.91	1	15.69				
-	2W voice unbundled TN Area Plus Port w/o Caller ID Capability  2W voice unbundled Low Usage Line Port w/o Caller ID Capability			UEPRX	UEPRT	1.70	22.14	15.25	8.45	3.91	1	15.69 15.69				-
FEAT				ULFIX	OLFINI	1.70	22.14	15.25	0.43	3.91		13.03				-
1 =	All Features Offered			UEPRX	UEPVF	0.00	0.00	0.00				15.69				
LOCA	L NUMBER PORTABILITY					2.00		0.00								
	Local No Portability (1 per port)			UEPRX	LNPCX	0.35										
NONR	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2W VG Loop/Line Port Combination-Conversion-Switch-as-is			UEPRX	USAC2		1.03	0.29				15.69				
	2W VG Loop/Line Port Combination -Conversion-Switch with change			UEPRX	USACC		1.03	0.29				15.69				ļ
ADDIT	2W VG Loop/Line Port Combination -Conversion-Subsqnt Database Update TONAL NRCs						0.76					15.69				
ADDII	2W VG Loop/Line Port Combination-Subsqnt Activity			UEPRX	USAS2	0.00	0.00	0.00				15.69				<del>                                     </del>
2-WIR	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)			OLFKA	03A32	0.00	0.00	0.00				13.03				-
	Port/Loop Combination Rates															
<u> </u>	2W VG Loop/Port Combo-Zone 1		1			14.18										
	2W VG Loop/Port Combo-Zone 2		2			18.01										
	2W VG Loop/Port Combo-Zone 3		3			23.02										
UNE L	oop Rates															
	2W VG Loop (SL1)-Zone 1		1	UEPBX	UEPLX	12.48										
	2W VG Loop (SL1)-Zone 2		2	UEPBX	UEPLX	16.31										
	2W VG Loop (SL1)-Zone 3		3	UEPBX	UEPLX	21.32										
2-Wire	e Voice Grade Line Port (Bus)															
	2W voice unbundled port w/o Caller ID-bus			UEPBX UEPBX	UEPBL UEPBC	1.70 1.70	22.14 22.14	15.25 15.25	8.45 8.45	3.91 3.91		15.69				
-	2W voice unbundled port with Caller + E484 ID-bus 2W voice unbundled port outgoing only-bus			UEPBX	UEPBO	1.70	22.14	15.25	8.45	3.91	1	15.69 15.69				<del> </del>
+	2W VG unbundled TN extended local dialing parity port with Caller ID-bus			UEPBX	UEPAV	1.70	22.14	15.25	8.45	3.91		15.69				
	2W voice unbundled incoming only port with Caller ID-Bus			UEPBX	UPEB1	1.70	22.14	15.25	8.45	3.91		15.69				<del>                                     </del>
	2W voice unbundled TN Bus 2-Way Area Calling Port Economy Option (TACC1)			UEPBX	UEPAC	1.70	22.14	15.25	8.45	3.91		15.69				
	2W voice unbundled TN Bus 2-Way Area Calling Port Standard Option (TACC2)			UEPBX	UEPAD	1.70	22.14	15.25	8.45	3.91		15.69				
	2W voice unbundled TN Bus 2-Way Collierville & Memphis Local Calling Port															
1	(B2F)			UEPBX	UEPAE	1.70	22.14	15.25	8.45	3.91		15.69				<u> </u>
+	2W Voice Unbundled TN bus Dialing Plan w/o Caller ID			UEPBX UEPBX	UEPWO UEPB2	1.70 1.70	22.14	15.25	8.45	3.91		15.69				<del>                                     </del>
1	TN Inward Collierville & Memphis Local Calling Plan (BUS) TN 2-Way Collierville & Memphis Local Calling Plan (BUS)		$\vdash$	UEPBX	UEPB2	1.70 1.70	22.14 22.14	15.25 15.25	8.45 8.45	3.91		15.69 15.69				<del>                                     </del>
+	2W voice unbundled Incoming Only Port w/o Caller ID Capability			UEPBX	UEPBE	1.70	22.14	15.25	8.45	3.91		15.69				<b>†</b>
LOCA	L NUMBER PORTABILITY			SEI DA	5_1 DL	1.70	22.17	.0.20	5.40	0.01		.0.03				
	Local No Portability (1 per port)			UEPBX	LNPCX	0.35										
FEAT																
	All Features Offered			UEPBX	UEPVF	0.00	0.00	0.00				15.69				
NONR	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED	_														
1	2W VG Loop/Line Port Combination-Conversion-Switch-as-is			UEPBX	USAC2		1.03	0.29				15.69				ļ
	2W VG Loop/Line Port Combination -Conversion-Switch with change			UEPBX	USACC		1.03	0.29				15.69				
ADDIT	2W VG Loop/Line Port Combination -Conversion-Subsqnt Database Update TONAL NRCs				+		0.76					15.69				<del>                                     </del>
ADDII	2W VG Loop/Line Port Combination-Subsqnt Activity		$\vdash$	UEPBX	USAS2	0.00	0.00	0.00			1	15.69				<del>                                     </del>
2-WIR	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)			ULFDA	USMSZ	0.00	0.00	0.00			1	13.09				
	Port/Loop Combination Rates															
	2W VG Loop/Port Combo-Zone 1		1			14.18										
1	2W VG Loop/Port Combo-Zone 2		2			18.01										
	2W VG Loop/Port Combo-Zone 3		3			23.02										
	2W VG Loop (SL 1)-Zone 1		1	UEPRG	UEPLX	12.48										

NRUNDL	ED NETWORK ELEMENTS - Tennessee										_		Attachn			bit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		RA	ΓES (\$)			Svc Order Submitte d Elec per LSR	d	Electronic-	Incrementa I Charge - Manual Svc Order vs. Electronic-	Incrementa I Charge - Manual Svc Order vs. Electronic-	Increment Charge Manual St Order vs Electroni Disc Add
									NDO D			p		۸ddil	Diec 1et	
						Rec	Nonrecu	_	NRC Disc		001450	001111		Rates (\$)	COMAN	001441
	2W \/C   222 /Cl   4\ 7222   2		2	UEPRG	UEPLX	16.31	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2W VG Loop (SL 1)-Zone 2 2W VG Loop (SL 1)-Zone 3		3	UEPRG	UEPLX	21.32										
	Voice Grade Line Port Rates (RES - PBX)		3	OLI NO	OLILX	21.02										
	2W VG Unbundled Combination 2-Way PBX Trunk Port-Res			UEPRG	UEPRD	1.70	22.14	15.25	8.45	3.91		15.69				
	L NUMBER PORTABILITY															
	Local No Portability (1 per port)			UEPRG	LNPCP	3.15	0.00	0.00				15.69				
FEATU																
	All Features Offered			UEPRG	UEPVF	0.00	0.00	0.00				15.69				
NONR	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2W VG Loop/ Line Port Combination (PBX)-Conversion-Switch-As-Is			UEPRG	USAC2		1.03	0.29				15.69				
+ +	2W VG Loop/Line Port Combination (PBX)-Conversion-Switch w Change		-	UEPRG	USACC		1.03 0.76	0.29			1	15.69				<del>                                     </del>
	2W VG Loop/Line Port Combination -Conversion-Subsqnt Database Update IONAL NRCs				+		0.76					15.69				
	2W VG Loop/ Line Port Combination (PBX)-Subsqnt Activity			UEPRG	USAS2	0.00	0.00	0.00				15.69				<del>                                     </del>
	PBX Subsqnt Activity-Change/Rearrange Multiline Hunt Group			OLI NO	OOAOZ	0.00	14.64	14.64				15.69				<del>                                     </del>
	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)						14.04	14.04				10.00				
	ort/Loop Combination Rates															1
	2W VG Loop/Port Combo-Zone 1		1			14.18										
	2W VG Loop/Port Combo-Zone 2		2			18.01										1
	2W VG Loop/Port Combo-Zone 3		3			23.02										
	oop Rates															
	2W VG Loop (SL 1)-Zone 1		1	UEPPX	UEPLX	12.48										
	2W VG Loop (SL 1)-Zone 2		2	UEPPX	UEPLX	16.31										
	2W VG Loop (SL 1)-Zone 3		3	UEPPX	UEPLX	21.32										
2-Wire	Voice Grade Line Port Rates (BUS - PBX)			UEPPX	UEPPC	4 70	00.44	45.05	0.45	0.04		45.00				<del>                                     </del>
+ -	Line Side Unbundled Combination 2-Way PBX Trunk Port-Bus Line Side Unbundled Outward PBX Trunk Port-Bus			UEPPX	UEPPC	1.70 1.70	22.14 22.14	15.25 15.25	8.45 8.45	3.91 3.91		15.69 15.69				
+	Line Side Unbundled Outward PBX Trunk Port-Bus			UEPPX	UEPP1	1.70	22.14	15.25	8.45	3.91		15.69				
+	2W Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	1.70	22.14	15.25	8.45	3.91		15.69				<del></del>
	2W Voice Unbundled 2-Way Combination PBX TN Calling Port			UEPPX	UEPT2	1.70	22.14	15.25	8.45	3.91		15.69				<del>                                     </del>
	2W Voice Unbundled 1-Way Outgoing PBX TN Calling Port			UEPPX	UEPTO	1.70	22.14	15.25	8.45	3.91		15.69				
	2W Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	1.70	22.14	15.25	8.45	3.91		15.69				
	2W Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	1.70	22.14	15.25	8.45	3.91		15.69				
	2W Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	1.70	22.14	15.25	8.45	3.91		15.69				
	2W Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	1.70	22.14	15.25	8.45	3.91		15.69				
	2W Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPPX	UEPXE	1.70	22.14	15.25	8.45	3.91		15.69				
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPPX	UEPXL	1.70	22.14	15.25	8.45	3.91		15.69				
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPPX	UEPXM	1.70	22.14	15.25	8.45	3.91		15.69				
	2W Voice Unbundled 1W Out PBX Hotel/Hospital Economy Administrative Calling Port TN Calling Port			UEPPX	UEPXN	1.70	22.14	15.25	8.45	3.91		15.69				
	2W Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port			UEPPX	UEPXO	1.70	22.14	15.25	8.45	3.91		15.69				
	2W Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	1.70	22.14	15.25	8.45	3.91		15.69				
	2W Voice Unbundled PBX Collierville & Memphis Calling Port			UEPPX	UEPXU	1.70	22.14	15.25	8.45	3.91		15.69				
	2W Voice Unbundled 2-Way PBX TN RegionServ Callling Port			UEPPX	UEPXV	1.70	22.14	15.25	8.45	3.91		15.69				
	TN PBX 2-Way Combo Each Add'l Trunk Collierville & Memphis Local Calling Plan			UEPPX	UEPA6	1.70	22.14	15.25	8.45	3.91		15.69				
	TN PBX 2-Way Combo First Trunk Collierville & Memphis Local Calling Plan			UEPPX	UEPA7	1.70	22.14	15.25	8.45	3.91		15.69				
LOCAL	L NUMBER PORTABILITY				<del>                                     </del>											<u> </u>
	Local No Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00				15.69				ļ
FEATU	JRES All Features Offered			HERRY	LIED) (E	2.2-	2.2-	2.25				45.00				₩
	All Footures ( Mored	ľ	1	UEPPX	UEPVF	0.00	0.00	0.00			1	15.69			l	L
	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED					i			1							

NRONDI	ED NETWORK ELEMENTS - Tennessee												Attachn			bit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		RA	TES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitte d Manually		Incrementa I Charge - Manual Svc Order vs.	Incrementa I Charge - Manual Svc Order vs.	Incremen Charge Manual S Order vs Electroni
												per LSR	1st		Electronic-	Disc Add
						_	Nonrecu	ırrina	NRC Dis	connect		I	oss	Rates (\$)	Disc 1st	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2W VG Loop/ Line Port Combination (PBX)-Conversion-Switch w Change			UEPPX	USACC		1.03	0.29				15.69				
	2W VG Loop/Line Port Combination -Conversion-Subsqnt Database Update						0.76					15.69				
ADDI'	TIONAL NRCs															
	2W VG Loop/ Line Port Combination (PBX)-Subsqnt Activity			UEPPX	USAS2	0.00	0.00	0.00				15.69				
	PBX Subsqnt Activity-Change/Rearrange Multiline Hunt Group						14.64	14.64				15.69				
UNE	Port/Loop Combination Rates															
	2W VG Coin Port/Loop Combo – Zone 1		1			14.18										
	2W VG Coin Port/Loop Combo – Zone 2		2			18.01										
	2W VG Coin Port/Loop Combo – Zone 3		3			23.02										
UNE	Loop Rates			LIEBOO	LIEDLY	40.40				-	<u> </u>	1				<del>                                     </del>
_	2W VG Loop (SL1)-Zone 1		1 2	UEPCO	UEPLX	12.48					<del>                                     </del>	1				<del>                                     </del>
	2W VG Loop (SL1)-Zone 2		3	UEPCO		16.31										
2 14/:	2W VG Loop (SL1)-Zone 3 e Voice Grade Line Ports (COIN)		3	UEPCO	UEPLX	21.32					<del> </del>					<del>                                     </del>
Z-VVII	2W Coin 2-Way w/o Oper Screening & w/o Blocking (TN)			UEPCO	UEPTB	1.70	22.14	15.25	8.45	3.91		15.69				-
	2W Coin 2-Way with Oper Screening & Blocking: 011, 900/976, 1+DDD			UEPCO	UEPRP	1.70	22.14	15.25	8.45	3.91		15.69				
	2W Coin 2-Way with Oper Screening & Blocking, 011, 300/976, 14-DBB			UEPCO	UEPTA	1.70	22.14	15.25	8.45	3.91		15.69				-
_	2W Coin 2-Way with Oper Screening: 900 Blocking: 900/976, 1+DDD, 011+,			ULFCO	OLFIA	1.70	22.14	13.23	0.43	3.91		13.03				<del>                                     </del>
	& Local (NC. TN)			UEPCO	UEPCA	1.70	22.14	15.25	8.45	3.91		15.69				
	2W Coin Outward with Oper Screening & 011 Blocking (TN)			UEPCO	UEPTC	1.70	22.14	15.25	8.45	3.91		15.69				<del>                                     </del>
	2W Coin Outward with Oper Screening & Blocking: 900/976, 1+DDD, 011+,			021 00	02110	1.70	22.17	10.20	0.40	0.01		10.00				
	& Local (TN)			UEPCO	UEPOT	1.70	22.14	15.25	8.45	3.91		15.69				
	2W 2-Way Smartline with 900/976 (all states except LA)			UEPCO	UEPCK	1.88		10.20	0.10	0.01		15.69				1
	2W Coin Outward Smartline with 900/976 (all states except LA)			UEPCO	UEPCR	1.88						15.69				
ADDI.	TIONAL UNE COIN PORT/LOOP (RC)															
	UNE Coin Port/Loop Combo Usage (Flat Rate)			UEPCO	URECU	3.45	0.00	0.00	0.00	0.00		15.69				
	Local No Portability (1 per port)			UEPCO	LNPCX	0.35										
	2W VG Loop/Line Port Combination -Conversion-Switch-as-is			UEPCO	USAC2		1.03	0.29				15.69				
	2W VG Loop/Line Port Combination -Conversion-Switch w change			UEPCO	USACC		1.03	0.29				15.69				
	2W VG Loop/Line Port Combination-Subsqnt Activity			UEPCO	USAS2	0.00	0.00	0.00				15.69				
	E VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE LINE PORT	(RES	5)													
UNE	Port/Loop Combination Rates															
	2W VG Loop/IO Tranport/Port Combo-Zone 1		1			18.45										
	2W VG Loop/IO Tranport/Port Combo-Zone 2		2			23.52										ļ
	2W VG Loop/IO Tranport/Port Combo-Zone 3		3			30.17					ļ					ļ
UNE	Loop Rates		$\vdash$		115055						<u> </u>	<u> </u>				<u> </u>
	2W VG Loop (SL2)-Zone 1		1	UEPFR	UECF2	16.56			ļ		<u> </u>	<u> </u>			ļ	<del>                                     </del>
-	2W VG Loop (SL2)-Zone 2		3	UEPFR UEPFR	UECF2 UECF2	21.63 28.28					<del>                                     </del>	1				<del>                                     </del>
2 14/:	2W VG Loop (SL2)-Zone 3		3	UEPFR	UECF2	28.28										<u> </u>
2-Wir	e Voice Grade Line Port Rates (Res)  2W voice unbundled port-Res			UEPFR	UEPRL	1.89	84.99	57.39	32.36	20.56		15.69				
	2W voice unbundled port-Res  2W voice unbundled port with Caller ID-res			UEPFR	UEPRC	1.89	84.99	57.39	32.36	20.56		15.69				-
+	2W voice unbundled port outgoing only-res		$\vdash$	UEPFR	UEPRO	1.89	84.99	57.39	32.36	20.56		15.69	1			<del>                                     </del>
+	2W VG unbundled TN extended local dialing parity port with Caller ID-res			UEPFR	UEPAQ	1.89	84.99	57.39	32.36	20.56		15.69	1		1	$\vdash$
+	2W voice unbundled TN Area Plus with Caller ID-res (AC7)			UEPFR	UEPAH	1.89	84.99	57.39	32.36	20.56		15.69				<b>—</b>
	2W voice unbundled TN Area Calling port with Caller ID-res (F2R)			UEPFR	UEPAK	1.89	84.99	57.39	32.36	20.56		15.69				
	2W voice unbundled TN Area Calling port with Caller ID-res (TACER)			UEPFR	UEPAL	1.89	84.99	57.39	32.36	20.56		15.69				
	2W voice unbundled TN Area Calling port with Caller ID-res (TACSR)			UEPFR	UEPAM	1.89	84.99	57.39	32.36	20.56		15.69				
	2W voice unbundled TN Area Calling port with Caller ID-res (1MF2X)			UEPFR	UEPAN	1.89	84.99	57.39	32.36	20.56	1	15.69			l	
	2W voice unbundled TN Area Calling port with Caller ID-res (2MR)			UEPFR	UEPAO	1.89	84.99	57.39	32.36	20.56		15.69				
	2W voice unbundles res, low usage line port with Caller ID (LUM)			UEPFR	UEPAP	1.89	84.99	57.39	32.36	20.56		15.69				
	2W Voice Unbundled TN Res Dialing Plan w/o Caller ID			UEPFR	UEPWN	1.89	84.99	57.39	32.36	20.56		15.69				
INTER	ROFFICE TRANSPORT															
	Interoffice Transport-Dedicated-2W VG-Facility Term			UEPFR	U1TV2	18.58	55.39	17.37	27.96	3.51						
	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi			UEPFR	1L5XX	0.0174	-									
FEAT	URES															
1	All Features Offered			UEPFR	UEPVF	0.00	0.00	0.00		L		15.69			l	

BUNDL	ED NETWORK ELEMENTS - Tennessee												Attachr			bit: B
TEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			TES (\$)	NRC Dis	•	Svc Order Submitte d Elec per LSR	d	1st	I Charge - Manual Svc Order vs. Electronic-	Incrementa I Charge - Manual Svc Order vs. Electronic-	Charge Manual S Order vs Electroni
						Rec	Nonreci				201450	COMAN		Rates (\$)	001441	001441
1.004	I L NUMBER PORTABILITY				-		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
LOCA	Local No Portability (1 per port)			UEPFR	LNPCX	0.35						-				
NOND	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED			UEFFR	LINFOX	0.33										
INCINI	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-				+											
	Switch-as-is			UEPFR	USAC2		16.94	3.72				15.69				
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-			OLITIK	00/102		10.04	0.72				10.00				
	Switch-With-Change			UEPFR	USACC		16.94	3.72				15.69				
2-WIR	E VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE LINE POR	T (BUS	S)					***								
UNE F	Port/Loop Combination Rates															
	2W VG Loop/IO Tranport/Port Combo-Zone 1		1			18.45										
	2W VG Loop/IO Tranport/Port Combo-Zone 2		2			23.52										
	2W VG Loop/IO Tranport/Port Combo-Zone 3		3			30.17										
UNE L	oop Rates		ļ [													
	2W VG Loop (SL2)-Zone 1		1	UEPFB	UECF2	16.56										
	2W VG Loop (SL2)-Zone 2		2	UEPFB	UECF2	21.63										
0.140	2W VG Loop (SL2)-Zone 3		3	UEPFB	UECF2	28.28										
2-Wire	e Voice Grade Line Port (Bus)			UEPFB	HEDDI	4.00	0.1.00	57.00	00.00	00.50		45.00				
	2W voice unbundled port w/o Caller ID-bus				UEPBL UEPBC	1.89	84.99	57.39 57.39	32.36	20.56 20.56		15.69				
-	2W voice unbundled port with Caller + E484 ID-bus 2W voice unbundled port outgoing only-bus			UEPFB UEPFB	UEPBO	1.89 1.89	84.99 84.99	57.39	32.36 32.36	20.56		15.69 15.69				
	2W VG unbundled TN extended local dialing parity port with Caller ID-bus			UEPFB	UEPAV	1.89	84.99	57.39	32.36	20.56		15.69				
	2W voice unbundled incoming only port with Caller ID-Bus			UEPFB	UEPB1	1.89	84.99	57.39	32.36	20.56		15.69				1
	2W voice unbundled TN Bus 2-Way Area Calling Port Economy Option			UEFFB	UEFBI	1.09	04.99	37.39	32.30	20.30		13.09				
	(TACC1)			UEPFB	UEPAC	1.89	84.99	57.39	32.36	20.56		15.69				
	2W voice unbundled TN Bus 2-Way Area Calling Port Standard Option			OLITB	OLI AO	1.03	04.55	37.33	32.30	20.50		13.03				
	(TACC2)			UEPFB	UEPAD	1.89	84.99	57.39	32.36	20.56		15.69				
	2W voice unbundled TN Bus 2-Way Collierville & Memphis Local Calling Port			020	02.7.2	1.00	0 1.00	07.00	02.00	20.00		10.00				
	(B2F)			UEPFB	UEPAE	1.89	84.99	57.39	32.36	20.56		15.69				
	2W Voice Unbundled TN bus Dialing Plan w/o Caller ID			UEPFB	UEPWO	1.89	84.99	57.39	32.36	20.56		15.69				
	TN Inward Collierville & Memphis Local Calling Plan (BUS)			UEPFB	UEPB2	1.89	84.99	57.39	32.36	20.56		15.69				
	TN 2-Way Collierville & Memphis Local Calling Plan (BUS)			UEPFB	UEPB3	1.89	84.99	57.39	32.36	20.56		15.69				
LOCA	L NUMBER PORTABILITY															
	Local No Portability (1 per port)			UEPFB	LNPCX	0.35										
INTER	OFFICE TRANSPORT															
	Interoffice Transport-Dedicated-2W VG-Facility Term			UEPFB	U1TV2	18.58	55.39	17.37	27.96	3.51						
	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi			UEPFB	1L5XX	0.0174										
FEAT				UEPFB	UEPVF	0.00	0.00	0.00				15.69				
	All Features Offered ECURRING CHARGES (NRCs) - CURRENTLY COMBINED			UEPFB	UEPVF	0.00	0.00	0.00				15.69				
NONK	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-		<del>   </del>		+ -								1			<u> </u>
	Switch-as-is	l		UEPFB	USAC2		16.94	3.72				15.69				1
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-			OLITO	00,102		10.54	0.72				10.00				
1	Switch with change			UEPFB	USACC		16.94	3.72				15.69				
2-WIR	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)				23,.00			J., Z				.0.00	1			1
	Port/Loop Combination Rates															
	2W VG Loop/IO Tranport/Port Combo-Zone 1		1			18.45										
	2W VG Loop/IO Tranport/Port Combo-Zone 2		2	•		23.52	· · · · · · · · · · · · · · · · · · ·									
	2W VG Loop/IO Tranport/Port Combo-Zone 3		3	<u> </u>		30.17										
UNE L	oop Rates			-												
	2W VG Loop (SL2)-Zone 1		1	UEPFP	UECF2	16.56										<u> </u>
	2W VG Loop (SL2)-Zone 2		2	UEPFP	UECF2	21.63							ļ			<b> </b>
	2W VG Loop (SL2)-Zone 3		3	UEPFP	UECF2	28.28										<u> </u>
2-Wire	e Voice Grade Line Port Rates (BUS - PBX)			LIEBER	LIEBBO		400.15	00.00	40.0=	40.51	1	45.00	1			<del>                                     </del>
	Line Side Unbundled Combination 2-Way PBX Trunk Port-Bus Line Side Unbundled Outward PBX Trunk Port-Bus		1	UEPFP UEPFP	UEPPC UEPPO	1.79 1.79	106.40 106.40	63.08	42.67	18.54	-	15.69 15.69	<del>                                     </del>			-
				UEPFP	I UEPPO	1.79	106.40	63.08	42.67	18.54	i .	15.69	1			<u> </u>
	Line Side Unbundled Incoming PBX Trunk Port-Bus			UEPFP	UEPP1	1.79	106.40	63.08	42.67	18.54		15.69				

UNBUNDL	ED NETWORK ELEMENTS - Tennessee													nent: 2		bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		RAT	ES (\$)			Svc Order Submitte d Elec per LSR	d Manually	Electronic-	I Charge - Manual Svc Order vs.	I Charge - Manual Svc Order vs.	Incrementa Charge - Manual Svo Order vs. Electronic
												per LSR	1st	Electronic-	Electronic-	Disc Add'l
						_	Nonrecu	rring	NRC Disc	connect		<u> </u>	oss	Rates (\$)	Disc 1st	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
	2W Voice Unbundled 2-Way Combination PBX TN Calling Port			UEPFP	UEPT2	1.79	106.40	63.08	42.67	18.54		15.69				
	2W Voice Unbundled 1-Way Outgoing PBX TN Calling Port			UEPFP	UEPTO	1.79	106.40	63.08	42.67	18.54		15.69				
	2W Voice Unbundled 2-Way Combination PBX Usage Port			UEPFP	UEPXA	1.79	106.40	63.08	42.67	18.54		15.69				
	2W Voice Unbundled PBX Toll Terminal Hotel Ports			UEPFP	UEPXB	1.79	106.40	63.08	42.67	18.54		15.69				
	2W Voice Unbundled PBX LD DDD Terminals Port			UEPFP	UEPXC	1.79	106.40	63.08	42.67	18.54		15.69				
	2W Voice Unbundled PBX LD Terminal Switchboard Port			UEPFP	UEPXD	1.79	106.40	63.08	42.67	18.54		15.69				
	2W Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPFP	UEPXE	1.79	106.40	63.08	42.67	18.54		15.69				
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPFP	UEPXL	1.79	106.40	63.08	42.67	18.54		15.69				
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPFP	UEPXM	1.79	106.40	63.08	42.67	18.54		15.69				
	2W Voice Unbundled 1W Out PBX Hotel/Hospital Economy Administrative				1											
	Calling Port TN Calling Port 2W Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room			UEPFP	UEPXN	1.79	106.40	63.08	42.67	18.54		15.69				
	Calling Port			UEPFP	UEPXO	1.79	106.40	63.08	42.67	18.54		15.69				
	2W Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPFP	UEPXS	1.79	106.40	63.08	42.67	18.54		15.69				
	2W Voice Unbundled PBX Collierville & Memphis Calling Port			UEPFP	UEPXU	1.79	106.40	63.08	42.67	18.54		15.69				
	2W Voice Unbundled 2-Way PBX TN RegionServ Callling Port			UEPFP	UEPXV	1.79	106.40	63.08	42.67	18.54		15.69				
LOCA	NUMBER PORTABILITY															
	Local No Portability (1 per port)			UEPFP	LNPCP	3.15	0.00	0.00				15.69				
INTER	OFFICE TRANSPORT			HERER	11177.10	40.50	55.00	47.07	07.00	0.51						
<u> </u>	Interoffice Transport-Dedicated-2W VG-Facility Term		1	UEPFP	U1TV2	18.58	55.39	17.37	27.96	3.51						
FEAT	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi		1	UEPFP	1L5XX	0.0174			-							
FEAT	All Features Offered			UEPFP	UEPVF	0.00	0.00	0.00	-		-	15.69				-
	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED			UEFFF	UEFVF	0.00	0.00	0.00	1			15.09				
NON	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion- Switch-as-is			UEPFP	USAC2		16.94	3.72				15.69				
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-															
UNDUNDUE	Switch with change DPORT/LOOP COMBINATIONS - COST BASED RATES			UEPFP	USACC		16.94	3.72	-		-	15.69				-
	E VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK PORT				+				+							
	ort/Loop Combination Rates				+							<u> </u>				
ONLI	2W VG Loop/2W DID Trunk Port Combo-UNE Zone 1		1			18.38										<del>                                     </del>
	2W VG Loop/2W DID Trunk Port Combo-UNE Zone 2		2			19.87			1							
	2W VG Loop/2W DID Trunk Port Combo-UNE Zone 3		3			24.78										
UNE L	oop Rates															
	2W Analog VG Loop-(SL2)-UNE Zone 1		1	UEPPX	UECD1	9.60										
	2W Analog VG Loop-(SL2)-UNE Zone 2		2	UEPPX	UECD1	11.09										
	2W Analog VG Loop-(SL2)-UNE Zone 3		3	UEPPX	UECD1	16.00										
UNE F	ort Rate															
<b>  </b>	Exchange Ports-2W DID Port			UEPPX	UEPD1	8.78	45.44	29.94	8.45	3.91			30.89	7.03		ļ
NONR	ECURRING CHARGES - CURRENTLY COMBINED				1											
	2W VG Loop/2W DID Trunk Port Combination -Switch-as-is			UEPPX	USAC1		8.76	5.75					30.89	7.03		
ļļ_	2W VG Loop/2W DID Trunk Port Conversion with BST Allowable Changes			UEPPX	USA1C		8.76	5.75					30.89	7.03		ļ
Telepi	none Number/Trunk Group Establisment Charges		ļ		<b>—</b>							ļ	ļ		ļ	ļ
<b>  </b>	DID Trunk Term (One Per Port)	<b> </b>	<u> </u>	UEPPX	NDT	0.00	0.00	0.00			<u> </u>	<u> </u>				
<b>  </b>	Add'l DID Nos for each Group of 20 DID Nos		ļ	UEPPX	ND4	0.00	0.00	0.00								<del> </del>
<del>                                     </del>	DID Nos, Non-consecutive DID Nos , Per No	<b> </b>	1	UEPPX	ND5	0.00	0.00	0.00	1		}	1				ļ
<del>                                     </del>	Reserve Non-Consecutive DID Nos Reserve DID Nos		1	UEPPX UEPPX	ND6 NDV	0.00	0.00	0.00			1	1				
1004	Reserve DID NOS L NUMBER PORTABILITY	<b>-</b>	1	UEPPX	NDA	0.00	0.00	0.00	-		<del>                                     </del>	<del>                                     </del>	-		-	<del>                                     </del>
LUCA	Local No Portability (1 per port)	-	1	UEPPX	LNPCP	3.15	0.00	0.00								<del> </del>
2-14/10	E ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LINE SIDE PO	PT	1	UEFFA	LINECP	3.15	0.00	0.00					1		1	
	e ison digital grade Loop with 2-wire ison digital line side Pol ort/Loop Combination Rates	\ <u> </u>	1		1						1	1	1		<del> </del>	<del>                                     </del>
ONE P	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -UNE Zone 1		1	UEPPB UEPPF	,	32.27			<del>                                     </del>		<del>                                     </del>	<del>                                     </del>	<del>                                     </del>		<del>                                     </del>	<del>                                     </del>
LL	211 IODIA Digital Grade Loop/211 IODIA Digital Line Glae I OII FOIAL ZOIIE I			OLITO OLFFI	`	92.21					1	·	L	L	1	

NBUNDL	ED NETWORK ELEMENTS - Tennessee													Attachr	nent: 2	Exhi	bit: B
												Svc	Svc	Incremental	Incrementa		Incrementa
												Order	Order	Charge -	I Charge -	I Charge -	Charge -
		Interi										Submitte	Submitte	Manual Svc	Manual	Manual	Manual Sv
ATEGORY	RATE ELEMENTS	m	Zone	BCS		USOC		RA	TES (\$)			d Elec	d	Order vs.	Svc Order	Svc Order	Order vs
												per LSR	Manually	Electronic-	vs.	vs.	Electronic
													per LSR	1st	Electronic-	Electronic-	Disc Add
							ı	N		NDO DI-						Dicc 1ct	
							Rec	Nonrecu		NRC Disc		201150	0011111		Rates (\$)		001111
	000 1000 100 100 100 100 100 100 100 10						04.70	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
$-\!\!\!\!+\!\!\!\!-$	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -UNE Zone 2 2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -UNE Zone 3				EPPR EPPR		34.78 44.32										
LINE			3	UEPPB U	EPPR		44.32										
UNE	Loop Rates		1	LIEDDD LIE	EPPR	1101.07	16.20										
$-\!\!\!\!+\!\!\!\!-$	2W ISDN Digital Grade Loop-UNE Zone 1		2			USL2X											
$-\!\!\!\!+\!\!\!\!-$	2W ISDN Digital Grade Loop-UNE Zone 2		3		EPPR EPPR	USL2X USL2X	18.71 28.25										1
LINE	2W ISDN Digital Grade Loop-UNE Zone 3		3	UEPPB UE	EPPR	USLZX	28.25										1
UNE	Port Rate			LIEDDD LIE	-DDD	LIEDDD	10.07	444.75	440.07	40.00	42.20			10.00	10.00		1
NONE	Exchange Port-2W ISDN Line Side Port			UEPPB UE	EPPR	UEPPB	16.07	141.75	118.37	49.20	43.26			19.99	19.99		ļ
NONK	RECURRING CHARGES - CURRENTLY COMBINED																1
	2W ISDN Digital Grade Loop/2W ISDN Line Side Port Combination-			HEDDD HE		LICAOD	0.00	447.00	447.00					40.00	40.00		
ADDE	Conversion		<del>                                     </del>	UEPPB UE	FPFK	USACB	0.00	117.23	117.23					19.99	19.99	<del>                                     </del>	<del>                                     </del>
AUUI	TIONAL NRCs		<del>                                     </del>													<del>                                     </del>	<del>                                     </del>
	2W ISDN Loop/2W ISDN Port Combination-Sub Actvy-Non Feature/Add Trunk			UEPPB UE	EPPR	USASB		212.88						19.99	19.99		
1.004	AL NUMBER PORTABILITY		<del>                                     </del>	UEPPB UE	EPPK	OOAOR		212.88						19.99	19.99	<del>                                     </del>	<del>                                     </del>
LUCA			<del>                                     </del>	UEPPB UE	EPPR	LNPCX	0.35	0.00	0.00							<del>                                     </del>	<del>                                     </del>
- P C''	Local No Portability (1 per port)  ANNEL USER PROFILE ACCESS:		<del>                                     </del>	UEPPB UE	EPPK	LINPUX	0.35	0.00	0.00							<del>                                     </del>	<del>                                     </del>
B-CH/				UEPPB UE	EPPR	1141104	0.00	0.00	0.00								ļ
$-\!\!\!\!\!+\!\!\!\!\!-$	CVS/CSD (DMS/5ESS)				EPPR	U1UCA	0.00	0.00									ļ
	CVS (EWSD)				EPPR EPPR	U1UCB U1UCC	0.00	0.00	0.00								1
D CII	CSD ANNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS SC.MS, & TN)			UEPPB UE	EPPR	01000	0.00	0.00	0.00								1
Б-СП/	CVS/CSD (DMS/5ESS)			UEPPB UE	EPPR	U1UCD	0.00	0.00	0.00								
																	ļ
	CVS (EWSD)				EPPR	U1UCE	0.00	0.00	0.00								ļ
11055	CSD R TERMINAL PROFILE			UEPPB UE	EPPR	U1UCF	0.00	0.00	0.00								ļ
USER	User Terminal Profile (EWSD only)			UEPPB UE	EPPR	U1UMA	0.00	0.00	0.00								ļ
VEDT	TICAL FEATURES			UEPPB UE	EPPR	UTUMA	0.00	0.00	0.00								1
VERI	All Vertical Features-One per Channel B User Profile			UEPPB UE	EPPR	UEPVF	0.00	0.00	0.00								1
	Interoffice Channel miage each, including first mi & facilities Term				PPR	M1GNC	17.91	53.99	17.37					19.99	19.99		1
							0.173	0.00						19.99	19.99		
4 14/15	Interoffice Channel miage each, Add'l mi			UEPPB UE	=PPK	MTGNM	0.173	0.00	0.00								ļ
	RE DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK PORT																
UNE	Port/Loop Combination Rates  4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port -UNE Zone 1		1	UEPPP			132.58										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port -UNE Zone 2		2	UEPPP			150.25										1
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port -UNE Zone 2  4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port -UNE Zone 3		3	UEPPP			173.44									+	
LIME	Loop Rates		3	UEPPP			1/3.44		-							<del> </del>	1
ONE L	4W DS1 Digital Loop-UNE Zone 1		1	UEPPP		USL4P	57.73		-							<del> </del>	1
+	4W DS1 Digital Loop-UNE Zone 1 4W DS1 Digital Loop-UNE Zone 2		2	UEPPP		USL4P USL4P	75.40									1	1
	4W DS1 Digital Loop-UNE Zone 2 4W DS1 Digital Loop-UNE Zone 3		3	UEPPP		USL4P USL4P	75.40 98.59									t	1
LINE	Port Rate		3	OLFFF		JULAF	30.59		l							1	
ONE			<b>!</b>	UEPPP		UEPPP	74.85	415.53	366.90	89.28	77.43			19.99	19.99	t	1
	Eychange Ports-AW ISDN DS1 Port							410.00	300.90	03.20	11.43			19.99	19.99	1	
NONE	Exchange Ports-4W ISDN DS1 Port			OLITI												1	1
NONE	RECURRING CHARGES - CURRENTLY COMBINED			OLITI													
NONE	RECURRING CHARGES - CURRENTLY COMBINED  4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port Combination-							328 52	328 52					10.00	10.00		
	AECURRING CHARGES - CURRENTLY COMBINED  4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port Combination- Conversion -Switch-as-is			UEPPP		USACP	0.00	328.53	328.53					19.99	19.99		
	RECURRING CHARGES - CURRENTLY COMBINED  4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port Combination- Conversion - Switch-as-is  TIONAL NRCs			UEPPP	ı	USACP			328.53								
	ARECURRING CHARGES - CURRENTLY COMBINED  AW DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port Combination- Conversion - Switch-as-is  TIONAL NRCs  AW DS1 Loop/4-W ISDN Digtl Trk Port-Subsqt Actvy-Inward/2way Tel Nos			UEPPP UEPPP	1	USACP PR7TF		0.94						19.99	19.99		
	AW DS1 Loop/4-W ISDN DS1 Digital Trunk Port Combination- IONNESS LOOP/4-W ISDN DS1 Digital Trunk Port Combination- IONNESS LOOP/4-W ISDN Digit Trk Port-Subsqt Actvy-Inward/2way Tel Nos IONAL NRCS LOOP/4-W ISDN Digit Trk Port-Subsqt Actvy-Inward/2way Tel Nos IONAL NRCS LOOP/4-W ISDN DS1 Digital Trunk Port-Outward Tel Nos			UEPPP UEPPP UEPPP		USACP PR7TF PR7TO		0.94 22.36	22.36					19.99 19.99	19.99 19.99		
ADDIT	AW DS1 Loop/4W ISDN DS1 Digital Trunk Port-Outward Tel Nos  WW DS1 Loop/4W ISDN DS1 Digital Trunk Port Combination- Conversion -Switch-as-is  TIONAL NRCs  WW DS1 Loop/4-W ISDN Digit Trk Port-Subsqt Actvy-Inward/2way Tel Nos  WW DS1 Loop/4W ISDN DS1 Digital Trunk Port-Outward Tel Nos			UEPPP UEPPP		USACP PR7TF		0.94						19.99	19.99		
ADDIT	RECURRING CHARGES - CURRENTLY COMBINED  4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port Combination- Conversion - Switch-as-is  TIONAL NRCS  4W DS1 Loop/4-W ISDN Digit Trk Port-Subsqt Actvy-Inward/2way Tel Nos  4W DS1 Loop/4-W ISDN DS1 Digital Trunk Port-Outward Tel Nos  4W DS1 Loop/4W ISDN DS1 Digital Trunk Port-Subsqnt Inward Tel Nos  L NUMBER PORTABILITY			UEPPP UEPPP UEPPP		USACP PR7TF PR7TO PR7ZT	0.00	0.94 22.36	22.36					19.99 19.99	19.99 19.99		
ADDIT	ARECURRING CHARGES - CURRENTLY COMBINED  AW DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port Combination- Conversion - Switch-as-is  TIONAL NRCS  AW DS1 Loop/4-W ISDN Digit Trk Port-Subsqt Actvy-Inward/2way Tel Nos AW DS1 Loop/4W ISDN DS1 Digital Trunk Port-Outward Tel Nos AW DS1 Loop/4W ISDN DS1 Digital Trk Port - Subsqnt Inward Tel Nos AW DS1 Loop/4W ISDN DS1 Digital Trk Port - Subsqnt Inward Tel Nos LNUMBER PORTABILITY  Local No Portability (1 per port)			UEPPP UEPPP UEPPP		USACP PR7TF PR7TO		0.94 22.36	22.36					19.99 19.99	19.99 19.99		
ADDIT	ARECURRING CHARGES - CURRENTLY COMBINED  AW DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port Combination- Conversion - Switch-as-is  TIONAL NRCS  AW DS1 Loop/4-W ISDN Digit Trk Port-Subsqt Actvy-Inward/2way Tel Nos  AW DS1 Loop/4W ISDN DS1 Digital Trunk Port-Outward Tel Nos  AW DS1 Loop/4W ISDN DS1 Digital Trk Port - Subsqnt Inward Tel Nos  AND NS1 Loop/4W ISDN DS1 Digital Trk Port - Subsqnt Inward Tel Nos  L NUMBER PORTABILITY  Local No Portability (1 per port)  RFACE (Provsioning Only)			UEPPP UEPPP UEPPP UEPPP		USACP PR7TF PR7TO PR7ZT LNPCN	1.75	0.94 22.36 44.71	22.36 44.70					19.99 19.99	19.99 19.99		
ADDIT	RECURRING CHARGES - CURRENTLY COMBINED  4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port Combination- Conversion - Switch-as-is  TIONAL NRCS  4W DS1 Loop/4-W ISDN Digit Trk Port-Subsqt Actvy-Inward/2way Tel Nos  4W DS1 Loop/4-W ISDN DS1 Digital Trunk Port-Outward Tel Nos  4W DS1 Loop/4W ISDN DS1 Digital Trk Port - Subsqnt Inward Tel Nos  4W DS1 Loop/4W ISDN DS1 Digital Trk Port - Subsqnt Inward Tel Nos  L NUMBER PORTABILITY  Local No Portability (1 per port)  RFACE (Provsioning Only)  Voice/Data			UEPPP UEPPP UEPPP UEPPP UEPPP		USACP PR7TF PR7TO PR7ZT LNPCN PR71V	0.00 1.75 0.00	0.94 22.36 44.71	22.36 44.70					19.99 19.99	19.99 19.99		
ADDIT	RECURRING CHARGES - CURRENTLY COMBINED  4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port Combination- Conversion - Switch-as-is  TIONAL NRCS  4W DS1 Loop/4W ISDN Digit Trk Port-Subsqt Actvy-Inward/2way Tel Nos  4W DS1 Loop/4W ISDN DS1 Digital Trunk Port-Outward Tel Nos  4W DS1 Loop/4W ISDN DS1 Digital Trunk Port-Subsqnt Inward Tel Nos  4W DS1 Loop/4W ISDN DS1 Digital Trk Port - Subsqnt Inward Tel Nos  L NUMBER PORTABILITY  Local No Portability (1 per port)  RFACE (Provsioning Only)  Voice/Data  Digital Data			UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP		USACP PR7TF PR7TO PR7ZT LNPCN PR71V PR71D	1.75 0.00 0.00	0.94 22.36 44.71 0.00 0.00	22.36 44.70 0.00 0.00					19.99 19.99	19.99 19.99		
LOCA	AW DS1 Loop/4W ISDN DS1 Digital Trunk Port Combination- Conversion -Switch-as-is TIONAL NRCS  4W DS1 Loop/4W ISDN Digital Trunk Port-Subsqt Actvy-Inward/2way Tel Nos 4W DS1 Loop/4W ISDN DS1 Digital Trunk Port-Outward Tel Nos 4W DS1 Loop/4W ISDN DS1 Digital Trunk Port-Subsqnt Inward Tel Nos 4W DS1 Loop/4W ISDN DS1 Digital Trunk Port-Subsqnt Inward Tel Nos 4W DS1 Loop/4W ISDN DS1 Digital Trunk Port-Subsqnt Inward Tel Nos 4W DS1 Loop/4W ISDN DS1 Digital Trunk Port-Subsqnt Inward Tel Nos 4W DS1 Loop/4W ISDN DS1 Digital Trunk Port-Subsqnt Inward Tel Nos 4W DS1 Loop/4W ISDN DS1 Digital Trunk Port-Subsqnt Inward Tel Nos 4W DS1 Loop/4W ISDN DS1 Digital Trunk Port-Subsqnt Inward Tel Nos 4W DS1 Loop/4W ISDN DS1 Digital Trunk Port-Subsqnt Inward Data 4W DS1 Loop/4W ISDN DS1 Digital Trunk Port-Subsqnt Inward Data 4W DS1 Loop/4W ISDN DS1 Digital Trunk Port-Subsqnt Inward Data			UEPPP UEPPP UEPPP UEPPP UEPPP		USACP PR7TF PR7TO PR7ZT LNPCN PR71V	0.00 1.75 0.00	0.94 22.36 44.71	22.36 44.70					19.99 19.99	19.99 19.99		
LOCA	RECURRING CHARGES - CURRENTLY COMBINED  4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port Combination- Conversion - Switch-as-is  TIONAL NRCS  4W DS1 Loop/4W ISDN Digit Trk Port-Subsqt Actvy-Inward/2way Tel Nos  4W DS1 Loop/4W ISDN DS1 Digital Trunk Port-Outward Tel Nos  4W DS1 Loop/4W ISDN DS1 Digital Trunk Port-Subsqnt Inward Tel Nos  4W DS1 Loop/4W ISDN DS1 Digital Trk Port - Subsqnt Inward Tel Nos  L NUMBER PORTABILITY  Local No Portability (1 per port)  RFACE (Provsioning Only)  Voice/Data  Digital Data			UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP		USACP PR7TF PR7TO PR7ZT LNPCN PR71V PR71D	1.75 0.00 0.00	0.94 22.36 44.71 0.00 0.00	22.36 44.70 0.00 0.00					19.99 19.99	19.99 19.99		

ARONDI	LED NETWORK ELEMENTS - Tennessee				, ,							1	Attachn			bit: B
TEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		RAT	ES (\$)			Svc Order Submitte d Elec	Svc Order Submitte d	Incremental Charge - Manual Svc Order vs.	Incrementa I Charge - Manual Svc Order	Incrementa I Charge - Manual Svc Order	Incremen Charge Manual S Order vs
											per LSR	Manually per LSR		vs. Electronic-	vs. Electronic-	Electroni Disc Add
						_	Nonrecu	rring	NRC Disc	connect			oss	Rates (\$)	Disc 1st	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	New or Add'l Inward Data B Channel			UEPPP	PR7BD	0.00	29.39						19.99	19.99		
CALL	TYPES															
	Inward			UEPPP	PR7C1	0.00	0.00	0.00								
	Outward			UEPPP	PR7C0	0.00	0.00	0.00								
	Two-way			UEPPP	PR7CC	0.00	0.00	0.00								
Interd	office Channel Mileage															
	Fixed Each Including First mi			UEPPP	1LN1A	76.1825	145.98	109.85	19.55				19.99	19.99		
	Each Airline-Fractional Add'l mi			UEPPP	1LN1B	0.3525										
	RE DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT															
UNE	Port/Loop Combination Rates		_	LIEBBO	+ +	20.0-							10.00	40.00		ļ
	4W DS1 Digital Loop/4W DDITS Trunk Port -UNE Zone 1		1	UEPDC	+ +	93.28							19.99	19.99	1	<b> </b>
	4W DS1 Digital Loop/4W DDITS Trunk Port -UNE Zone 2 4W DS1 Digital Loop/4W DDITS Trunk Port -UNE Zone 3		3	UEPDC UEPDC	+ +	110.95 134.14							19.99 19.99	19.99		1
LINE	Loop Rates		3	UEPDC	+	134.14							19.99	19.99		
UNE	4W DS1 Digital Loop-UNE Zone 1		1	UEPDC	USLDC	57.53					1	1				1
	4W DS1 Digital Loop-UNE Zone 1		2	UEPDC	USLDC	75.40									-	
	4W DS1 Digital Loop-UNE Zone 2		3	UEPDC	USLDC	98.59										
LINE	Port Rate		3	OLFDC	USLDC	90.59										
UNL	4W DDITS Digital Trunk Port			UEPDC	UDD1T	35.55	342.80	257.87	61.41	48.49			19.99	19.99		
NONE	RECURRING CHARGES - CURRENTLY COMBINED			OLFDC	ODDII	33.33	342.00	231.01	01.41	40.43			19.99	19.99		
110111	4W DS1 Digital Loop/4W DDITS Trunk Port Combination-Switch-as-is			UEPDC	USAC4		312.91	312.91					19.99	19.99		
	4W DS1 Digital Loop/4W DDITS Trunk Port Combination-Conversion with			OLI DO	00/104		012.01	012.01					10.00	10.00		
	DS1 Changes			UEPDC	USAWA		312.91	312.91					19.99	19.99		
	4W DS1 Digital Loop/4W DDITS Trunk Port Combination-Conversion with			<del> </del>			0.1.0.1	0.1.0.1								
	Change-Trunk			UEPDC	USAWB		312.91	312.91					19.99	19.99		
ADDI	TIONAL NRCs			<del></del>												
	4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Service Activity Per Service															
	Order			UEPDC	USAS4		94.88	94.88								
	4W DS1 Loop/4W DDITS Trunk Port-NRC-Subsqnt Channel Activation/Chan-															
	2-Way Trunk			UEPDC	UDTTA		108.67	108.67					19.99	19.99		
	4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Channel Activation/Chan-1-															
	Way Outward Trunk			UEPDC	UDTTB		108.67	108.67					19.99	19.99		
	4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Channel Activation/Chan															
	Inward Trunk w/out DID			UEPDC	UDTTC		108.67	108.67					19.99	19.99		
	4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Chan Activation Per Chan-															
	Inward Trunk with DID			UEPDC	UDTTD		108.67	108.67					19.99	19.99		
	4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Chan Activation/Chan-2-Way						,	46								
DIES	DID w User Trans		<b> </b>	UEPDC	UDTTE		108.67	108.67					19.99	19.99	1	<b> </b>
RIPO	LAR 8 ZERO SUBSTITUTION			HEBBO	00005		2.22	E00.00					40.00	40.00		<del>                                     </del>
+	B8ZS -Superframe Format			UEPDC UEPDC	CCOSF		0.00	590.00 590.00			-		19.99 19.99	19.99 19.99		<del>                                     </del>
Alter	B8ZS-Extended Superframe Format nate Mark Inversion		<del>                                     </del>	UEPDC	CCOEF		0.00	090.00			-	<b> </b>	19.99	19.99		+
Aiteri	AMI -Superframe Format		<del>                                     </del>	UEPDC	MCOSF		0.00	0.00			-	<b> </b>				<del>                                     </del>
-	AMI-Superframe Format  AMI-Extended SuperFrame Format			UEPDC	MCOSF		0.00	0.00								<b> </b>
Telen	phone Number/Trunk Group Establisment Charges			UEPDC	IVICOPO		0.00	0.00			-					
relep	Telephone No for 2-Way Trunk Group			UEPDC	UDTGX	0.00					-		19.99	19.99		
_	Telephone No for 1-Way Outward Trunk Group		<del>                                     </del>	UEPDC	UDTGY	0.00							19.99	19.99		<del>                                     </del>
1	Telephone No for 1-Way Inward Trunk Group w/o DID			UEPDC	UDTGZ	0.00					1	1	19.99	19.99		1
	DID Nos for each Group of 20 DID Nos			UEPDC	ND4	0.00							19.99	19.99		
_	DID Nos, Non-consecutive DID Nos , Per No			UEPDC	ND5	0.00							19.99	19.99		
1	Reserve Non-Consecutive DID Nos.			UEPDC	ND6	0.00	0.00	0.00								
	Reserve DID Nos			UEPDC	NDV	0.00	0.00	0.00								
Dedic	cated DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1 Digital Loo	p with	4-Wire													
	Interoffice Channel miage-Fixed rate 0-8 mis (Facilities Term)			UEPDC	1LNO1	75.83	145.98	109.85	19.66	14.99						
	Interoffice Channel miage-Add'l rate per mi-0-8 mis			UEPDC	1LNOA	0.3525	0.00	0.00								
	Interoffice Channel miage-Fixed rate 9-25 mis (Facilities Term)			UEPDC	1LNO2	0.00	0.00	0.00								
	Interoffice Channel miage-Add'l rate per mi-9-25 mis		_	UEPDC	1LNOB	0.3525	0.00	0.00								

	RATE ELEMENTS										1	1	Attachn			bit: B
	RATE ELEMENTS										Svc	Svc	Incremental	Incrementa	Incrementa	
	RATE ELEMENTS										Order	Order	Charge -	I Charge -	I Charge -	Charge
	RATE ELEMENTS	Interi									Submitte	Submitte	Manual Svc	Manual	Manual	Manual S
		m	Zone	BCS	USOC		RAT	ΓES (\$)			d Elec	d	Order vs.	Svc Order	Svc Order	Order vs
											per LSR	Manually		vs.	vs.	Electroni
												per LSR	1st	Electronic-	Electronic-	Disc Add
														۸dd'I	Disc 1st	
						Rec	Nonrecu		NRC Disc			,		Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
l li	Interoffice Channel miage-Fixed rate 25+ mis (Facilities Term)			UEPDC	1LNO3	0.00	0.00	0.00								
	Interoffice Channel miage-Add'l rate per mi-25+ mis			UEPDC	1LNOC	0.3525	0.00	0.00								
	Local No Portability, per DS0 Activated			UEPDC	LNPCP	3.15	0.00	0.00								
	Central Office Termininating Point			UEPDC	CTG	0.00										
	DS1 LOOP WITH CHANNELIZATION WITH PORT															
	n is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Activations															
	system can have up to 24 combinations of rates depending on type and nu	mber	of port	s used												
	S1 Loop															
	4W DS1 Loop-UNE Zone 1		1	UEPMG	USLDC	57.73	0.00	0.00								
	4W DS1 Loop-UNE Zone 2		2	UEPMG	USLDC	75.40	0.00	0.00			<u> </u>	<u> </u>				
	4W DS1 Loop-UNE Zone 3		3	UEPMG	USLDC	98.59	0.00	0.00			<u> </u>	<u> </u>				
	SO Channelization Capacities (D4 Channel Bank Configurations)															
	24 DSO Channel Capacity-1 per DS1			UEPMG	VUM24	131.87	0.00	0.00					19.99	19.99		
	48 DSO Channel Capacity-1 per 2 DS1s			UEPMG	VUM48	263.74	0.00	0.00					19.99	19.99		
	96 DSO Channel Capacity -1per 4 DS1s			UEPMG	VUM96	527.48	0.00	0.00					19.99	19.99		
	144 DS0 Channel Capacity-1 per 6 DS1s			UEPMG	VUM14	791.42	0.00	0.00					19.99	19.99		
	192 DS0 Channel Capacity -1 per 8 DS1s			UEPMG	VUM19	827.76	0.00	0.00					19.99	19.99		
T = f	240 DS0 Channel Capacity-1 per 10 DS1s			UEPMG	VUM20	1,318.70	0.00	0.00					19.99	19.99		
1	288 DS0 Channel Capacity-1 per 12 DS1s			UEPMG	VUM28	1,582.44	0.00	0.00					19.99	19.99		
T = f	384 DS0 Channel Capacity-1 per 16 DS1s			UEPMG	VUM38	2,109.92	0.00	0.00					19.99	19.99		
	480 DS0 Channel Capacity-1 per 20 DS1s			UEPMG	VUM40	2,637.40	0.00	0.00					19.99	19.99		
7	576 DS0 Channel Capacity -1 per 24 DS1s			UEPMG	VUM57	3,164.88	0.00	0.00					19.99	19.99		
	672 DS0 Channel Capacity-1 per 28 DS1s			UEPMG	VUM67	3,692.36	0.00	0.00					19.99	19.99		
	ecurring Charges (NRC) Associated with 4-Wire DS1 Loop with Channelizt	ion wi	th Port	- Conversion Char	e Based on	a System										
	mum System configuration is One (1) DS1, One (1) D4 Channel Bank, and I															
	es of this configuration functioning as one are considered Add'l after the															
	NRC-Conversion (Currently Combined) with or w/o BST Allowed Changes			UEPMG	USAC4	0.00	303.61	15.74					19.99	19.99		
	n Additions at End User Locations Where 4-Wire DS1 Loop with Channeliz	ation	with Po	rt Combination Cur	rently Exists	and										
	lot Currently Combined) in all states, except in Density Zone 1 of Top 8 MS															
	1 DS1/D4 Channel Bank-Add'lly Add NRC for each Port & Assoc Fea															
	Activation			UEPMG	VUMD4	0.00	704.68	441.48	138.36	16.41			19.99			
	r 8 Zero Substitution				1											
	Clear Channel Capability Format, superframe-Subsent Activity Only			UEPMG	CCOSF	0.00	0.00	590.00								
† †				2_10	2200.	3.50	3.50	230.00			<b>†</b>		1		l	
	Clear Channel Capability Format-Extended Superframe-Subsqnt Activity Only			UEPMG	CCOEF	0.00	0.00	590.00								
	ate Mark Inversion (AMI)			OLI WO	JJOLI	0.00	0.00	550.00			1	1			1	<b>-</b>
	Superframe Format			UEPMG	MCOSF	0.00	0.00	0.00			<del>                                     </del>	<del>                                     </del>				<del>                                     </del>
	Extended Superframe Format			UEPMG	MCOPO	0.00	0.00	0.00			1		<del>                                     </del>		-	
	nge Ports Associated with 4-Wire DS1 Loop with Channelization with Port			ULFIVIG	WICOFO	0.00	0.00	0.00			1					<del>                                     </del>
	nge Ports Associated with 4-wire DST Loop with Chamienzation with Port				+						<del>                                     </del>	<del>                                     </del>				<del>                                     </del>
-vcn2	Line Side Combination Channelized PBX Trunk Port-bus			UEPPX	UEPCX	1.70	0.00	0.00	0.00	0.00	1		30.89	7.03	-	
	Line Side Combination Channelized PBX Trunk Port-bus			UEPPX	UEPOX	1.70	0.00	0.00	0.00	0.00	1		30.89	7.03	-	
				UEPPX	UEP1X	1.70	0.00	0.00	0.00	0.00	1	1	30.89	7.03	1	1
l l				UEPPX	UEPDM	8.97	0.00	0.00	0.00	0.00	1	1	30.89	7.03	<b> </b>	-
	Line Side Inward Only Channelized PBX Trunk Port w/o DID			UEPPA		6.97	0.00	0.00	0.00	0.00	1	1	30.89	7.03	<b> </b>	1
	Line Side Inward Only Channelized PBX Trunk Port w/o DID 2W Trunk Side Unbundled Channelized DID Trunk Port										İ					
	Line Side Inward Only Channelized PBX Trunk Port w/o DID 2W Trunk Side Unbundled Channelized DID Trunk Port Unbundled Exchange Ports, 2W Channelized – Outdial – (AL, KY, LA, MS, &			HEDDY			0.00	0.00	0.00	0.00			20.00	7.02		
1	Line Side Inward Only Channelized PBX Trunk Port w/o DID 2W Trunk Side Unbundled Channelized DID Trunk Port Unbundled Exchange Ports, 2W Channelized – Outdial – (AL, KY, LA, MS, & TN)(Conversion from Network Access Service)			UEPPX	UEPCY	1.70	0.00	0.00	0.00	0.00			30.89	7.03		
	Line Side Inward Only Channelized PBX Trunk Port w/o DID 2W Trunk Side Unbundled Channelized DID Trunk Port Unbundled Exchange Ports, 2W Channelized – Outdial – (AL, KY, LA, MS, & TN)(Conversion from Network Access Service) Unbundled Exchange Ports, 2W Channelized – Combination (AL, KY, LA,				UEPCY	1.70										
	Line Side Inward Only Channelized PBX Trunk Port w/o DID 2W Trunk Side Unbundled Channelized DID Trunk Port Unbundled Exchange Ports, 2W Channelized – Outdial – (AL, KY, LA, MS, & TN)(Conversion from Network Access Service) Unbundled Exchange Ports, 2W Channelized – Combination (AL, KY, LA, MS, & TN) (Conversion from Network Access Service)			UEPPX UEPPX			0.00	0.00	0.00	0.00			30.89 30.89	7.03 7.03		
	Line Side Inward Only Channelized PBX Trunk Port w/o DID 2W Trunk Side Unbundled Channelized DID Trunk Port Unbundled Exchange Ports, 2W Channelized — Outdial — (AL, KY, LA, MS, & TN)(Conversion from Network Access Service) Unbundled Exchange Ports, 2W Channelized — Combination (AL, KY, LA, MS, & TN) (Conversion from Network Access Service) Unbundled Exchange Ports, 2W Channelized — Outdial — TN Only — Calling			UEPPX	UEPCY	1.70	0.00	0.00	0.00	0.00			30.89	7.03		
	Line Side Inward Only Channelized PBX Trunk Port w/o DID 2W Trunk Side Unbundled Channelized DID Trunk Port Unbundled Exchange Ports, 2W Channelized – Outdial – (AL, KY, LA, MS, & TN)(Conversion from Network Access Service) Unbundled Exchange Ports, 2W Channelized – Combination (AL, KY, LA, MS, & TN) (Conversion from Network Access Service) Unbundled Exchange Ports, 2W Channelized – Outdial – TN Only – Calling Plan-Regionserv				UEPCY	1.70										
	Line Side Inward Only Channelized PBX Trunk Port w/o DID 2W Trunk Side Unbundled Channelized DID Trunk Port Unbundled Exchange Ports, 2W Channelized – Outdial – (AL, KY, LA, MS, & TN)(Conversion from Network Access Service) Unbundled Exchange Ports, 2W Channelized – Combination (AL, KY, LA, MS, & TN) (Conversion from Network Access Service) Unbundled Exchange Ports, 2W Channelized – Outdial – TN Only – Calling Plan-Regionserv Unbundled Exchange Ports, 2W Channelized – Two Way-TN Only – Calling			UEPPX UEPPX	UEPCY UEPCT UEPCZ	1.70 1.70 1.70	0.00	0.00	0.00	0.00			30.89 30.89	7.03 7.03		
	Line Side Inward Only Channelized PBX Trunk Port w/o DID 2W Trunk Side Unbundled Channelized DID Trunk Port Unbundled Exchange Ports, 2W Channelized – Outdial – (AL, KY, LA, MS, & TN)(Conversion from Network Access Service) Unbundled Exchange Ports, 2W Channelized – Combination (AL, KY, LA, MS, & TN) (Conversion from Network Access Service) Unbundled Exchange Ports, 2W Channelized – Outdial – TN Only – Calling Plan-Regionserv Unbundled Exchange Ports, 2W Channelized – Two Way-TN Only – Calling Plan-Regionserv			UEPPX	UEPCY	1.70	0.00	0.00	0.00	0.00			30.89	7.03		
	Line Side Inward Only Channelized PBX Trunk Port w/o DID 2W Trunk Side Unbundled Channelized DID Trunk Port Unbundled Exchange Ports, 2W Channelized – Outdial – (AL, KY, LA, MS, & TN)(Conversion from Network Access Service) Unbundled Exchange Ports, 2W Channelized – Combination (AL, KY, LA, MS, & TN) (Conversion from Network Access Service) Unbundled Exchange Ports, 2W Channelized – Outdial – TN Only – Calling Plan-Regionserv Unbundled Exchange Ports, 2W Channelized – Two Way-TN Only – Calling Plan-Regionserv e Activations - Unbundled Loop Concentration			UEPPX UEPPX	UEPCY UEPCT UEPCZ	1.70 1.70 1.70	0.00	0.00	0.00	0.00			30.89 30.89	7.03 7.03		
	Line Side Inward Only Channelized PBX Trunk Port w/o DID 2W Trunk Side Unbundled Channelized DID Trunk Port Unbundled Exchange Ports, 2W Channelized – Outdial – (AL, KY, LA, MS, & TN)(Conversion from Network Access Service) Unbundled Exchange Ports, 2W Channelized – Combination (AL, KY, LA, MS, & TN) (Conversion from Network Access Service) Unbundled Exchange Ports, 2W Channelized – Outdial – TN Only – Calling Plan-Regionserv Unbundled Exchange Ports, 2W Channelized – Two Way-TN Only – Calling Plan-Regionserv Excitations - Unbundled Loop Concentration Feature (Service) Activation for each Line Port Terminated in D4 Bank			UEPPX UEPPX UEPPX	UEPCY UEPCT UEPCZ UEPXV	1.70 1.70 1.70 1.70	0.00 0.00 0.00	0.00 0.00 0.00	0.00 0.00 0.00	0.00			30.89 30.89 30.89	7.03 7.03 7.03		
Feature	Line Side Inward Only Channelized PBX Trunk Port w/o DID 2W Trunk Side Unbundled Channelized DID Trunk Port Unbundled Exchange Ports, 2W Channelized – Outdial – (AL, KY, LA, MS, & TN)(Conversion from Network Access Service) Unbundled Exchange Ports, 2W Channelized – Combination (AL, KY, LA, MS, & TN) (Conversion from Network Access Service) Unbundled Exchange Ports, 2W Channelized – Outdial – TN Only – Calling Plan-Regionserv Unbundled Exchange Ports, 2W Channelized – Two Way-TN Only – Calling Plan-Regionserv e Activations - Unbundled Loop Concentration			UEPPX UEPPX	UEPCY UEPCT UEPCZ	1.70 1.70 1.70	0.00	0.00	0.00	0.00			30.89 30.89	7.03 7.03		

UNB	UNDL	ED NETWORK ELEMENTS - Tennessee												Attachr	nent: 2	Exhi	ibit: B
												Svc	Svc	Incremental	Incrementa	Incrementa	Incrementa
												Order	Order	Charge -	I Charge -	I Charge -	Charge -
	0001	DATE ELEMENTO	Interi	<b>-</b>	BCS	11000		D.41	TEO (6)			Submitte		Manual Svc		Manual	Manual Svo
CAIL	GORY	RATE ELEMENTS	m	Zone	BCS	USOC		KA	TES (\$)			d Elec	d	Order vs.		Svc Order	Order vs.
												per LSR	Manually		vs.	vs.	Electronic-
													per LSR	1st	Electronic-	Electronic-	Disc Add'l
							Rec	Nonrecu	urring	NRC Dis	connect			oss	Rates (\$)	I lier 1et	.1
							Kec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Teleph	none Number/ Group Establishment Charges for DID Service															<b>_</b>
		DID Trunk Term (1 per Port)			UEPPX	NDT	0.00	0.00	0.00								<b> </b>
		DID Nos-groups of 20-Valid all States Non-Consecutive DID Nos-per No			UEPPX UEPPX	ND4 ND5	0.00	0.00	0.00					-			<u> </u>
		Reserve Non-Consecutive DID Nos			UEPPX	ND6	0.00	0.00	0.00					-			
		Reserve DID Nos			UEPPX	NDV	0.00	0.00	0.00					1			
	Local	Number Portability			OLITA	NDV	0.00	0.00	0.00								<del> </del>
	Looui	Local No Portability-1 per port			UEPPX	LNPCP	3.15	0.00	0.00					İ			
	FEAT	JRES - Vertical and Optional															
	Local	Switching Features Offered with Line Side Ports Only															
		All Features Available			UEPPX	UEPVF	0.00	0.00	0.00								
UNBU		PORT LOOP COMBINATIONS - MARKET RATES															
		t Rates shall apply where BellSouth is not required to provide unbundled I	ocal s	witchi	ng or switch ports pe	r FCC and/o	or Commission	rules.						ļ			ļ
		ncludes:		Ļ			L	L									
		dled port/loop combinations that are Currently Combined or Not Currently											L	1			<del>                                     </del>
	The To	op 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderdale, Miami); Gouth currently is developing the billing capability to mechanically bill the re	A (Atl	anta);	LA (New Orleans); NO	(Greensbo	oro-Winston Sa	llem-Highpoint	Charlotte-G	iastonia-Ro	CK Hill);	N (Nashvi	lle). boll bill tho	rotoc in the	Cost Boood	cootion pro	oding in
		the Market Rates and reserves the right to true-up the billing difference.	Currii	ig and	INIC Market Rates III	uns secuo	ii. III tile iliterii	ili wilere belio	butii Cannot	DIII Walke	rates, D	ensoum s	nan bili the	rates in the	Cosi-baseu	section prec	earing in
		arket Rate for unbundled ports includes all available features in all states.		1		ı	1	1	1			1		1		1	т —
		ffice & Tandem Switching Usage & Common Transport Usage rates in the l	Port s	ection	of this Exhibit shall a	nnly to all	combinations of	of loop/port net	work eleme	nts excent	for UNF (	Coin Port/I	oon Comb	inations which	h have a fla	t rate usage	charge
		:: URECU).	0		or this Exhibit shan t	ippiy to un t	oombinations c	or roop, port net	WOLK CICILIC	ino except		JO 1 O. U.	oop comb	madono wine	iii iiave a iia	t rate asage	onar ge
		of Currently Combined scenarios the NRC charges are listed in the First an	d Add	'I NRC	columns for each Po	ort USOC. F	or Currently C	ombined scena	arios, the N	RC charge	are liste	d in the NF	C - Curren	tly Combined	section. A	dd'I NRCs m	av apply
		nd are categorized accordingly.							,					,			, , , , ,
	2-WIR	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)															
	UNE P	ort/Loop Combination Rates															
		2W VG Loop/Port Combo-Zone 1		1			26.48										
		2W VG Loop/Port Combo-Zone 2		2			30.31										
		2W VG Loop/Port Combo-Zone 3		3			35.32										
	UNE L	oop Rates															
		2W VG Loop (SL1)-Zone 1		1	UEPRX	UEPLX	12.48										
		2W VG Loop (SL1)-Zone 2		2	UEPRX UEPRX	UEPLX	16.31							-			<u> </u>
<del>                                     </del>	2 \A/iro	2W VG Loop (SL1)-Zone 3  Voice Grade Line Port (Res)		3	UEPRX	UEPLX	21.32										<b></b>
	Z-VVIFE	2W voice unbundled port-Res			UEPRX	UEPRL	14.00	90.00	90.00					30.89	7.03		1
		2W voice unbundled port with Caller ID-res			UEPRX	UEPRC	14.00	90.00	90.00					30.89	7.03		
		2W voice unbundled port with caller 12-res 2W voice unbundled port outgoing only-res			UEPRX	UEPRO	14.00	90.00	90.00					30.89	7.03		<del> </del>
		2W VG unbundled TN extended local dialing parity port with Caller ID-res			UEPRX	UEPAQ	14.00	90.00	90.00					30.89	7.03		
		2W voice unbundled TN Area Calling port with Caller ID-res (F2R)			UEPRX	UEPAK	14.00	90.00	90.00					30.89	7.03		1
ı		2W voice unbundled TN Area Calling port with Caller ID-res (TACER)			UEPRX	UEPAL	14.00	90.00	90.00					30.89	7.03		
		2W voice unbundled TN Area Calling port with Caller ID-res (TACSR)			UEPRX	UEPAM	14.00	90.00	90.00					30.89	7.03		
		2W voice unbundled TN Area Calling port with Caller ID-res (1MF2X)			UEPRX	UEPAN	14.00	90.00	90.00					30.89	7.03		
		2W voice unbundled TN Area Calling port with Caller ID-res (2MR)			UEPRX	UEPAO	14.00	90.00	90.00					30.89	7.03		
		2W voice unbundles res, low usage line port with Caller ID (LUM)			UEPRX	UEPAP	14.00	90.00	90.00			ļ		30.89	7.03		<b></b>
	<u> </u>	2W voice unbundled Low Usage Line Port w/o Caller ID Capability		<u> </u>	UEPRX	UEPRT	14.00	90.00	90.00			ļ		30.89	7.03		<u> </u>
	<b></b>	2W Voice Unbundled TN Res Dialing Plan w/o Caller ID		<b> </b>	UEPRX	UEPWN	14.00	90.00	90.00			<u> </u>		30.89	7.03		<u> </u>
	1001	2W voice unbundled TN Area Plus Port w/o Caller ID Capability		<u> </u>	UEPRX	UEPRR	14.00	90.00	90.00			<b></b>		30.89	7.03		<del>                                     </del>
	LUCA	L NUMBER PORTABILITY		<b> </b>	UEPRX	LNDCY	0.35			1		<u> </u>	1	1			<del>                                     </del>
	FEATU	Local No Portability (1 per port)		<b>-</b>	UEPKX	LNPCX	0.35			1		1	<del>                                     </del>	<del> </del>			<del>                                     </del>
	FLAIL	All Features Offered		<del>                                     </del>	UEPRX	UEPVF	0.00	0.00	0.00	-		<del>                                     </del>		30.89	7.03		<del>                                     </del>
	NONP	ECURRING CHARGES - CURRENTLY COMBINED		1	OLFIX	OFL AI.	0.00	0.00	0.00			<b> </b>	<b></b>	30.09	1.03		<del>                                     </del>
	HON	2W VG Loop/Line Port Combination -Switch-as-is			UEPRX	USAC2		41.50	41.50					30.89	7.03		<u> </u>
		2W VG Loop/Line Port Combination -Switch with change			UEPRX	USACC		41.50	41.50					30.89	7.03		
	ADDIT	IONAL NRCs			02.100	30,.00			00					55.55		İ	İ
		NRC-2W VG Loop/Line Port Combination-Subsqnt			UEPRX	USAS2	0.00	0.00	0.00					30.89	7.03		1
	2-WIR	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)					2.30	2.30									
		ort/Loop Combination Rates															

Version 4Q02: 01/21/03 Page 380 of 402

DUNDL	ED NETWORK ELEMENTS - Tennessee			Т									Attachn			bit: B
											Svc	Svc		Incrementa	Incrementa	
											Order	Order	Charge -	I Charge -	I Charge -	Charge
		Interi									Submitte	Submitte	Manual Svc	Manual	Manual	Manual S
TEGORY	RATE ELEMENTS	m	Zone	BCS	USOC		RA	ΓES (\$)			d Elec	d	Order vs.	Svc Order	Svc Order	Order vs
		m											Electronic-	vs.	vs.	Electroni
											per Lore	per LSR			Electronic-	Disc Add
												per LSK	151	Add'I	Dies 1st	DISC Auu
						_	Nonrecu	ırrina	NRC Dis	connect			oss	Rates (\$)	11166 164	
$\neg$						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
-	2W VG Loop/Port Combo-Zone 1		1			26.48		7144	1 01	7.000			00			00
-	2W VG Loop/Port Combo-Zone 2		2			30.31										
+-	2W VG Loop/Port Combo-Zone 3		3			35.32					1					<b>†</b>
LINE	oop Rates				_	33.32										
ONLL	2W VG Loop (SL1)-Zone 1		1	UEPBX	UEPLX	12.48					1					
			2	UEPBX	UEPLX	16.31					<b>-</b>	-				<b> </b>
$-\!\!\!\!+\!\!\!\!-\!\!\!\!-$	2W VG Loop (SL1)-Zone 2		3	UEPBX	UEPLX	21.32										
- 145	2W VG Loop (SL1)-Zone 3		3	UEPBX	UEPLX	21.32					1					
2-Wire	Voice Grade Line Port (Bus)															
	2W voice unbundled port w/o Caller ID-bus			UEPBX	UEPBL	14.00	90.00	90.00					30.89	7.03		
	2W voice unbundled port with Caller + E484 ID-bus			UEPBX	UEPBC	14.00	90.00	90.00					30.89	7.03		
	2W voice unbundled port outgoing only-bus		<u> </u>	UEPBX	UEPBO	14.00	90.00	90.00		ļ			30.89	7.03	<b>l</b>	ļ
	2W VG unbundled TN extended local dialing parity port with Caller ID-bus			UEPBX	UEPAV	14.00	90.00	90.00					30.89	7.03		
	2W voice unbundled TN Bus 2-Way Area Calling Port Economy Option															
	(TACC1)			UEPBX	UEPAC	14.00	90.00	90.00				ĺ	30.89	7.03		
	2W voice unbundled TN Bus 2-Way Area Calling Port Standard Option															
	(TACC2)			UEPBX	UEPAD	14.00	90.00	90.00					30.89	7.03		
$\neg$	2W voice unbundled TN Bus 2-Way Collierville & Memphis Local Calling Port			<b>V</b> = 1 = 11												
	(B2F)			UEPBX	UEPAE	14.00	90.00	90.00					30.89	7.03		
_	2W voice unbundled Incoming Only Port w/o Caller ID Capability			UEPBX	UEPBE	14.00	90.00	90.00			1		30.89	7.03		
_	2W Voice Unbundled TN bus Dialing Plan w/o Caller ID			UEPBX	UEPWO	14.00	90.00	90.00			1		30.89	7.03		
LOCA	L NUMBER PORTABILITY			OLFBA	OLFWO	14.00	90.00	90.00			1		30.09	7.03		
LUCA	Local No Portability (1 per port)			UEPBX	LNPCX	0.35					<b>-</b>	-				<b> </b>
FEAT				UEPBX	LINPUX	0.35										
FEAT				HEDDY	LIED) (E	0.00	0.00	2.22			1		00.00	7.00		
	All Features Offered			UEPBX	UEPVF	0.00	0.00	0.00					30.89	7.03		
NONR	ECURRING CHARGES - CURRENTLY COMBINED															
	2W VG Loop/Line Port Combination -Switch-as-is			UEPBX	USAC2		41.50	41.50					30.89	7.03		
	2W VG Loop/Line Port Combination -Switch with change			UEPBX	USACC		41.50	41.50					30.89	7.03		
ADDIT	IONAL NRCs															
	NRC-2W VG Loop/Line Port Combination-Subsqnt			UEPBX	USAS2	0.00	0.00	0.00					30.89	7.03		
2-WIR	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)															
UNE F	ort/Loop Combination Rates															
	2W VG Loop/Port Combo-Zone 1		1			26.48										
	2W VG Loop/Port Combo-Zone 2		2			30.31										
_	2W VG Loop/Port Combo-Zone 3		3			35.32										
UNE	oop Rates		<del>ا</del> ٽ		1	00.02				<b>†</b>	<u> </u>	1			1	1
ONL L	2W VG Loop (SL1)-Zone 1		1	UEPRG	UEPLX	12.48				1	+				-	1
+	2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 2		2	UEPRG	UEPLX	16.31				1	1				1	1
+			3	UEPRG	UEPLX	21.32				-	-				<b> </b>	-
2 14"	2W VG Loop (SL1)-Zone 3		3	UEPRG	UEPLX	21.32				<del>                                     </del>	-				-	<del>                                     </del>
2-Wire	e Voice Grade Line Port Rates (RES - PBX)		1	HESSO	LIEBBE	440-	22.22	60.00	<b> </b>	<b>!</b>	1		00.00		-	<b>!</b>
<del>                                     </del>	2W VG Unbundled Combination 2-Way PBX Trunk Port-Res		<u> </u>	UEPRG	UEPRD	14.00	90.00	90.00		<u> </u>			30.89	7.03		<del>                                     </del>
LOCA	L NUMBER PORTABILITY		ļ						ļ	<b> </b>	1					<b> </b>
	Local No Portability (1 per port)			UEPRG	LNPCP	3.15	0.00	0.00								
FEAT			<u> </u>							ļ					<b>l</b>	ļ
	All Features Offered			UEPRG	UEPVF	0.00	0.00	0.00					30.89	7.03		
NONR	ECURRING CHARGES - CURRENTLY COMBINED															
	2W VG Loop/ Line Port Combination-Switch-As-Is			UEPRG	USAC2		41.50	41.50					30.89	7.03		
	2W VG Loop/ Line Port Combination-Switch with Change			UEPRG	USACC		41.50	41.50					30.89	7.03		
	IONAL NRCs															
ADDIT				1	1		0.00	0.00					30.89	7.03	İ	
ADDI1								14.64	1	<del>                                     </del>	+	1			<b></b>	
ADDI1	2W Loop/Line Side Port Combination-Non feature-Subsqnt Activity-NRC						14 64						30 80	7 / 12		
	2W Loop/Line Side Port Combination-Non feature-Subsqnt Activity-NRC PBX Subsqnt Activity-Change/Rearrange Multiline Hunt Group						14.64	14.04					30.89	7.03		
2-WIR	2W Loop/Line Side Port Combination-Non feature-Subsqnt Activity-NRC PBX Subsqnt Activity-Change/Rearrange Multiline Hunt Group E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)						14.64	14.04					30.89	7.03		
2-WIR	2W Loop/Line Side Port Combination-Non feature-Subsqnt Activity-NRC PBX Subsqnt Activity-Change/Rearrange Multiline Hunt Group E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX) Port/Loop Combination Rates		4			26.40	14.64	14.04					30.89	7.03		
2-WIR	2W Loop/Line Side Port Combination-Non feature-Subsqnt Activity-NRC PBX Subsqnt Activity-Change/Rearrange Multiline Hunt Group E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX) Port/Loop Combination Rates 2W VG Loop/Port Combo-Zone 1		1			26.48	14.64	14.64					30.89	7.03		
2-WIR	2W Loop/Line Side Port Combination-Non feature-Subsqnt Activity-NRC PBX Subsqnt Activity-Change/Rearrange Multiline Hunt Group E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX) Port/Loop Combination Rates 2W VG Loop/Port Combo-Zone 1 2W VG Loop/Port Combo-Zone 2		2			30.31	14.64	14.04					30.89	7.03		
2-WIR UNE F	2W Loop/Line Side Port Combination-Non feature-Subsqnt Activity-NRC PBX Subsqnt Activity-Change/Rearrange Multiline Hunt Group E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX) Port/Loop Combination Rates 2W VG Loop/Port Combo-Zone 1						14.64	14.04					30.89	7.03		

ONDONDL	ED NETWORK ELEMENTS - Tennessee													nent: 2		bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		RAT	'ES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitte d Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	I Charge - Manual Svc Order vs. Electronic-	Incrementa I Charge - Manual Svc Order vs. Electronic-	Charge - Manual Sv Order vs. Electronic
						_	Nonrecu	rring	NRC Dis	connect			oss	Rates (\$)	Dicc 1ct	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN		SOMAN	SOMAN
	2W VG Loop (SL1)-Zone 2		2	UEPPX	UEPLX	16.31										
	2W VG Loop (SL1)-Zone 3		3	UEPPX	UEPLX	21.32										
2-Wire	e Voice Grade Line Port Rates (BUS - PBX)															
	Line Side Unbundled Combination 2-Way PBX Trunk Port-Bus			UEPPX	UEPPC	14.00	90.00	90.00					30.89	7.03		
	Line Side Unbundled Outward PBX Trunk Port-Bus			UEPPX	UEPPO	14.00	90.00	90.00					30.89	7.03		
	Line Side Unbundled Incoming PBX Trunk Port-Bus			UEPPX	UEPP1	14.00	90.00	90.00					30.89	7.03		
	2W Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	14.00	90.00	90.00					30.89	7.03		
	2W Voice Unbundled 2-Way Combination PBX TN Calling Port			UEPPX	UEPT2	14.00	90.00	90.00					30.89	7.03		<b>.</b>
	2W Voice Unbundled 1-Way Outgoing PBX TN Calling Port			UEPPX	UEPTO	14.00	90.00	90.00					30.89	7.03		
	2W Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX UEPPX	UEPXA	14.00	90.00	90.00					30.89	7.03		
	2W Voice Unbundled PBX Toll Terminal Hotel Ports				UEPXB	14.00	90.00	90.00					30.89	7.03		
	2W Voice Unbundled PBX LD DDD Terminals Port 2W Voice Unbundled PBX LD Terminal Switchboard Port		1	UEPPX UEPPX	UEPXC UEPXD	14.00 14.00	90.00 90.00	90.00	<b> </b>	1	1		30.89 30.89	7.03 7.03		<del>                                     </del>
	2W Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPPX	UEPXE	14.00	90.00	90.00			+		30.89	7.03		-
	2W Voice Unbundled PBX LD refilling Switchboard IDD Capable Port 2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative			UEFFX	UEFAE	14.00	90.00	90.00					30.69	7.03		
	Calling Port    Work of the Continued 2-way PBX Hotel/Hospital Economy Room Calling			UEPPX	UEPXL	14.00	90.00	90.00					30.89	7.03		
	Port			UEPPX	UEPXM	14.00	90.00	90.00					30.89	7.03		
	2W Voice Unbundled 1-W Out PBX Hotel/Hospital Economy Administrative			UEFFA	UEFAIN	14.00	90.00	90.00					30.09	7.03		
	Calling Port TN			UEPPX	UEPXN	14.00	90.00	90.00					30.89	7.03		
	2W Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room			<del></del>												
	Calling Port			UEPPX	UEPXO	14.00	90.00	90.00					30.89	7.03		
	2W Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	14.00	90.00	90.00					30.89	7.03		
	2W Voice Unbundled PBX Collierville & Memphis Calling Port			UEPPX	UEPXU	14.00	90.00	90.00					30.89	7.03		
	2W Voice Unbundled 2-Way PBX TN RegionServ Callling Port			UEPPX	UEPXV	14.00	90.00	90.00					30.89	7.03		
	TN PBX 2-Way Combo Each Add'l Trunk Collierville & Memphis Local															
	Calling Plan			UEPPX	UEPA6	14.00	90.00	90.00					30.89	7.03		
	TN PBX 2-Way Combo First Trunk Collierville & Memphis Local Calling Plan			UEPPX	UEPA7	14.00	90.00	90.00					30.89	7.03		
LOCA	L NUMBER PORTABILITY															1
	Local No Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00								
FEAT	URES															
	All Features Offered			UEPPX	UEPVF	0.00	0.00	0.00					30.89	7.03		
NONR	ECURRING CHARGES - CURRENTLY COMBINED															
	2W VG Loop/ Line Port Combination-Switch-As-Is			UEPPX	USAC2		41.50	41.50					30.89	7.03		
	2W VG Loop/ Line Port Combination-Switch with Change			UEPPX	USACC		41.50	41.50					30.89	7.03		
ADDIT	TIONAL NRCs															
	2W VG Loop/ Line Port Combination-Subsqnt			UEPPX	USAS2	0.00	0.00	0.00					30.89	7.03		
	2W Loop/Line Side Port Combination-Non feature-Subsqnt Activity-NRC						0.00	0.00					30.89	7.03		
	PBX Subsqnt Activity-Change/Rearrange Multiline Hunt Group						14.64	14.64					30.89	7.03		
	E VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN PORT				-											-
UNE	Port/Loop Combination Rates				-	00.40										
	2W VG Coin Port/Loop Combo – Zone 1 2W VG Coin Port/Loop Combo – Zone 2		1			26.48 30.31					-	-				<b></b>
	2W VG Coin Port/Loop Combo – Zone 2 2W VG Coin Port/Loop Combo – Zone 3		3		+	35.32										
LINE	Loop Rates		3		+	33.32					+					-
UNE L	2W VG Loop (SL1)-Zone 1		1	UEPCO	UEPLX	12.48			1	1	1		1			<del>                                     </del>
-	2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 2		2	UEPCO	UEPLX	16.31			<del>                                     </del>	1	+		<del>                                     </del>			<del>                                     </del>
-	2W VG Loop (SL1)-Zone 3		3	UEPCO	UEPLX	21.32				<u> </u>	1					<del>                                     </del>
2-Wire	e Voice Grade Line Port Rates (Coin)		-	011 00	OLI LA	21.32				1	+					<b>-</b>
2-44116	2W Coin 2-Way w/o Oper Screening & w/o Blocking (TN)			UEPCO	UEPTB	14.00	90.00	90.00	1	1	1	1	30.89	7.03		<del>                                     </del>
	2W Coin 2-Way with Oper Screening & Wio Blocking (117)  2W Coin 2-Way with Oper Screening & Blocking: 011, 900/976, 1+DDD			UEPCO	UEPRP	14.00	90.00	90.00		<b>†</b>			30.89	7.03		
	2W Coin 2-Way with Oper Screening & 011 Blocking (TN)			UEPCO	UEPTA	14.00	90.00	90.00		1	1		30.89	7.03		
	2W Coin 2-Way with Oper Screening & Blocking: 900/976, 1+DDD, 011+, &															
	Local (NC, TN)			UEPCO	UEPCA	14.00	90.00	90.00					30.89	7.03		
	2W Coin Outward with Oper Screening & 011 Blocking (TN)			UEPCO	UEPTC	14.00	90.00	90.00					30.89	7.03		

EGORY											Svc	Svc	Incremental	Incrementa	Incrementa	1 4
	RATE ELEMENTS	Interi m	Zone	BCS	usoc			ΓES (\$)			Order Submitte d Elec per LSR	Order Submitte d Manually per LSR	Electronic- 1st	I Charge - Manual Svc Order vs. Electronic-	I Charge - Manual Svc Order vs. Electronic-	Charge Manual S Order vs Electroni
						Rec	Nonrecu		NRC Disc		201150			Rates (\$)		
	014 Online Outstand with Online Online 9 Blanking 9 000/070 4 - DDD 044						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2W Coin Outward with Oper Screening & Blocking: 900/976, 1+DDD, 011+, & Local (TN)			UEPCO	UEPOT	14.00	90.00	90.00					30.89	7.03	ĺ	
LOCAL	L NUMBER PORTABILITY			021 00	OLI OI	14.00	30.00	30.00					30.03	7.05		
	Local No Portability (1 per port)			UEPCO	LNPCX	0.35										
NONR	ECURRING CHARGES - CURRENTLY COMBINED															
	2W VG Loop/ Line Port Combination-Switch-As-Is			UEPCO	USAC2		41.50	41.50					30.89	7.03		
	2W VG Loop/ Line Port Combination-Switch with Change			UEPCO	USACC		41.50	41.50					30.89	7.03	<b>└</b>	
	IONAL NRCs			LIEDOO	110400	0.00	0.00	0.00					00.00	7.00	+	-
	2W VG Loop/ Line Port Combination-Subsqnt  E VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE LINE PORT	· /DEC	,	UEPCO	USAS2	0.00	0.00	0.00					30.89	7.03	$\vdash$	
	ort/Loop Combination Rates	(KES	)		-								<del>                                     </del>		<del></del>	
	2W VG Loop/IO Tranport/Port Combo-Zone 1		1			30.56								$\overline{}$		
	2W VG Loop/IO Tranport/Port Combo-Zone 2		2			35.63										†
	2W VG Loop/IO Tranport/Port Combo-Zone 3		3			42.28										
UNE L	oop Rates															
	2W VG Loop (SL2)-Zone 1		1	UEPFR	UECF2	16.56										
	2W VG Loop (SL2)-Zone 2		2	UEPFR	UECF2	21.63								<u> </u>	<b></b>	
	2W VG Loop (SL2)-Zone 3		3	UEPFR	UECF2	28.28							<b> </b>	!	<b>├</b>	
	Voice Grade Line Port Rates (Res)  2W voice unbundled port-Res			UEPFR	UEPRL	14.00	115.00	75.00	40.00	30.00		15.69	<del>  </del>		$\vdash$	
	2W voice unbundled port with Caller ID-res			UEPFR	UEPRC	14.00	115.00	75.00	40.00	30.00		15.69	<del>                                     </del>		<del></del>	
	2W voice unbundled port with caller 15-res 2W voice unbundled port outgoing only-res			UEPFR	UEPRO	14.00	115.00	75.00	40.00	30.00		15.69			<b>—</b>	+
1	2W VG unbundled TN extended local dialing parity port with Caller ID-res			UEPFR	UEPAQ	14.00	115.00	75.00	40.00	30.00		15.69				
1 1	2W voice unbundled TN Area Plus with Caller ID-res (AC7)			UEPFR	UEPAH	14.00	115.00	75.00	40.00	30.00		15.69				
	2W voice unbundled TN Area Calling port with Caller ID-res (F2R)			UEPFR	UEPAK	14.00	115.00	75.00	40.00	30.00		15.69				
	2W voice unbundled TN Area Calling port with Caller ID-res (TACER)			UEPFR	UEPAL	14.00	115.00	75.00	40.00	30.00		15.69				
	2W voice unbundled TN Area Calling port with Caller ID-res (TACSR)			UEPFR	UEPAM	14.00	115.00	75.00	40.00	30.00		15.69	Ļ	<b></b> '	<b></b>	
	2W voice unbundled TN Area Calling port with Caller ID-res (1MF2X)			UEPFR	UEPAN	14.00	115.00	75.00	40.00	30.00		15.69	$\vdash$	$\vdash$	⊢	
	2W voice unbundled TN Area Calling port with Caller ID-res (2MR)			UEPFR UEPFR	UEPAO UEPAP	14.00 14.00	115.00 115.00	75.00 75.00	40.00 40.00	30.00		15.69 15.69	<del>  </del>		$\vdash$	
+	2W voice unbundles res, low usage line port with Caller ID (LUM) 2W Voice Unbundled TN Res Dialing Plan w/o Caller ID			UEPFR	UEPWN	14.00	115.00	75.00	40.00	30.00		15.69			<del></del>	+
INTER	OFFICE TRANSPORT			OLFIK	OLFVVIN	14.00	113.00	73.00	40.00	30.00		13.09			<b>—</b>	+
	Interoffice Transport-Dedicated-2W VG-Facility Term			UEPFR	U1TV2	18.58	55.39	17.37	27.96	3.51						<b>†</b>
	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi			UEPFR	1L5XX	0.0174										
FEATU																
	All Features Offered			UEPFR	UEPVF	0.00	0.00	0.00				15.69				
	NUMBER PORTABILITY												L	<u> </u>	<b>└</b>	
	Local No Portability (1 per port)			UEPFR	LNPCX	0.35							<del>  </del>		$\vdash$	
	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED  2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-														<del></del>	+
	Switch-as-is			UEPFR	USAC2		16.94	3.72				15.69	1 !	, '	ĺ	
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-			OLITIK	00/102		10.04	0.72				10.00				
	Switch-With-Change			UEPFR	USACC		16.94	3.72				15.69	1 !	, '	ĺ	
2-WIRI	E VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE LINE PORT	(BUS	3)													
	ort/Loop Combination Rates														<b></b>	
	2W VG Loop/IO Tranport/Port Combo-Zone 1		1			30.56							L	<u> </u>	<b>└</b>	
	2W VG Loop/IO Tranport/Port Combo-Zone 2		2			35.63							$\vdash$	$\vdash$	⊢	
	2W VG Loop/IO Tranport/Port Combo-Zone 3 oop Rates		3			42.28					-		$\vdash$		$\vdash \vdash$	+
	2W VG Loop (SL2)-Zone 1		1	UEPFB	UECF2	16.56									<del></del>	+
	2W VG Loop (SL2)-Zone 1		2	UEPFB	UECF2	21.63							<del>                                     </del>		<b>—</b>	+
	2W VG Loop (SL2)-Zone 3		3	UEPFB	UECF2	28.28										<b>T</b>
	Voice Grade Line Port (Bus)															
	2W voice unbundled port w/o Caller ID-bus			UEPFB	UEPBL	14.00	115.00	75.00	40.00	30.00		15.69				
	2W voice unbundled port with Caller + E484 ID-bus			UEPFB	UEPBC UEPBO	14.00	115.00	75.00	40.00	30.00		15.69				
$\bot$	2W voice unbundled port outgoing only-bus			UEPFB		14.00	115.00	75.00	40.00	30.00		15.69				

NRONDE	LED NETWORK ELEMENTS - Tennessee												Attachr	nent: 2	Exhi	bit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			TES (\$)			Svc Order Submitte d Elec per LSR	d	1st	I Charge - Manual Svc Order vs. Electronic-	Incrementa I Charge - Manual Svc Order vs. Electronic-	Increment Charge Manual S Order vs Electroni Disc Add
						Rec	Nonrecu		NRC Disc					Rates (\$)		
	OM/ and a supplied in a supplied and			UEPFB	UEPB1	14.00	First 115.00	Add'I	First 40.00	Add'I		<b>SOMAN</b> 15.69	SOMAN	SOMAN	SOMAN	SOMAN
	2W voice unbundled incoming only port with Caller ID-Bus 2W voice unbundled TN Bus 2-Way Area Calling Port Economy Option		1	UEPFB	UEPB1	14.00	115.00	75.00	40.00	30.00		15.69				
	(TACC1)			UEPFB	UEPAC	14.00	115.00	75.00	40.00	30.00		15.69				
	2W voice unbundled TN Bus 2-Way Area Calling Port Standard Option			OLITE	OLITO	14.00	110.00	70.00	40.00	00.00		10.00				
	(TACC2)			UEPFB	UEPAD	14.00	115.00	75.00	40.00	30.00		15.69				
	2W voice unbundled TN Bus 2-Way Collierville & Memphis Local Calling Port															
	(B2F)			UEPFB	UEPAE	14.00	115.00	75.00	40.00	30.00		15.69				
	2W Voice Unbundled TN bus Dialing Plan w/o Caller ID			UEPFB	UEPWO	14.00	115.00	75.00	40.00	30.00		15.69				
	TN Inward Collierville & Memphis Local Calling Plan (BUS)			UEPFB	UEPB2	14.00	115.00	75.00	40.00	30.00		15.69				
	TN 2-Way Collierville & Memphis Local Calling Plan (BUS)			UEPFB	UEPB3	14.00	115.00	75.00	40.00	30.00		15.69				
LOCA	L NUMBER PORTABILITY			11555	LNDOV	0.0-							1			
INITE	Local No Portability (1 per port) ROFFICE TRANSPORT		1	UEPFB	LNPCX	0.35							-			
INTER	Interoffice Transport-Dedicated-2W VG-Facility Term		1	UEPFB	U1TV2	18.58	55.39	17.37	27.96	3.51						
	Interoffice Transport-Dedicated-2W VG-Pacinty Term			UEPFB	1L5XX	0.0174	55.59	17.37	21.90	3.31			1			
FΕΔΤ	URES			OLITB	TLOXX	0.0174										
1 -/ 11	All Features Offered			UEPFB	UEPVF	0.00	0.00	0.00				15.69				
NONE	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED			*		2.00		0.00								
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-															
	Switch-as-is			UEPFB	USAC2		16.94	3.72				15.69				
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-															
	Switch with change			UEPFB	USACC		16.94	3.72				15.69				
	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)															
UNE	Port/Loop Combination Rates															
	2W VG Loop/IO Tranport/Port Combo-Zone 1		1			30.56										
	2W VG Loop/IO Tranport/Port Combo-Zone 2		2		+	35.63										
LINE	2W VG Loop/IO Tranport/Port Combo-Zone 3		3		+	42.28										
UNE	2W VG Loop (SL2)-Zone 1		1	UEPFP	UECF2	16.56										
	2W VG Loop (SL2)-Zone 2		2	UEPFP	UECF2	21.63										
	2W VG Loop (SL2)-Zone 3		3	UEPFP	UECF2	28.28										
2-Wire	e Voice Grade Line Port Rates (BUS - PBX)		Ŭ	02.11	020.2	20.20										
	Line Side Unbundled Combination 2-Way PBX Trunk Port-Bus			UEPFP	UEPPC	14.00	106.40	63.08	42.67	18.54		15.69				
	Line Side Unbundled Outward PBX Trunk Port-Bus			UEPFP	UEPPO	14.00	106.40	63.08	42.67	18.54		15.69				
	Line Side Unbundled Incoming PBX Trunk Port-Bus			UEPFP	UEPP1	14.00	106.40	63.08	42.67	18.54		15.69				
	2W Voice Unbundled PBX LD Terminal Ports			UEPFP	UEPLD	14.00	106.40	63.08	42.67	18.54		15.69				
	2W Voice Unbundled 2-Way Combination PBX TN Calling Port			UEPFP	UEPT2	14.00	106.40	63.08	42.67	18.54		15.69	1			
	2W Voice Unbundled 1-Way Outgoing PBX TN Calling Port		1	UEPFP	UEPTO	14.00	106.40	63.08	42.67	18.54		15.69				
+	2W Voice Unbundled 2-Way Combination PBX Usage Port 2W Voice Unbundled PBX Toll Terminal Hotel Ports		1	UEPFP UEPFP	UEPXA UEPXB	14.00 14.00	106.40 106.40	63.08 63.08	42.67 42.67	18.54 18.54	-	15.69 15.69	1			1
										18.54 18.54						
-	2W Voice Unbundled PBX LD DDD Terminals Port 2W Voice Unbundled PBX LD Terminal Switchboard Port			UEPFP UEPFP	UEPXC UEPXD	14.00 14.00	106.40 106.40	63.08 63.08	42.67 42.67	18.54		15.69 15.69	-			
-	2W Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port		1	UEPFP	UEPXE	14.00	106.40	63.08	42.67	18.54	-	15.69	t			
-	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative			OLFIF	OLFAL	14.00	100.40	00.00	72.07	10.54	<del>                                     </del>	13.09	<b>†</b>			1
	Calling Port			UEPFP	UEPXL	14.00	106.40	63.08	42.67	18.54		15.69				
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling											2.20				1
_L	Port			UEPFP	UEPXM	14.00	106.40	63.08	42.67	18.54	<u></u>	15.69	<u> </u>			
	2W Voice Unbundled 1W Out PBX Hotel/Hospital Economy Administrative															
	Calling Port TN Calling Port			UEPFP	UEPXN	14.00	106.40	63.08	42.67	18.54		15.69				
	2W Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room															
	Calling Port			UEPFP	UEPXO	14.00	106.40	63.08	42.67	18.54		15.69	1			
	2W Voice Unbundled 1-Way Outgoing PBX Measured Port		<u> </u>	UEPFP	UEPXS	14.00	106.40	63.08	42.67	18.54		15.69				
	2W Voice Unbundled PBX Collierville & Memphis Calling Port			UEPFP	UEPXU	14.00	106.40	63.08	42.67	18.54		15.69	1			<del>                                     </del>
1004	2W Voice Unbundled 2-Way PBX TN RegionServ Callling Port			UEPFP	UEPXV	14.00	106.40	63.08	42.67	18.54	-	15.69	-			
LUCA	Local No Portability (1 per port)			UEPFP	LNPCP	3.15	0.00	0.00			-	15.69	<del></del>			-
1	Local No Foliability (1 pel polt)			UEFFF	LINEUP	ა.15	0.00	0.00				10.09				<b></b>

UNBUNDL	ED NETWORK ELEMENTS - Tennessee											1			ment: 2		bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	В	cs	USOC			ΓES (\$)			Svc Order Submitte d Elec per LSR	d	Charge - Manual Svc Order vs. Electronic- 1st	Svc Order vs. Electronic-	I Charge - Manual Svc Order vs.	Charge - Manual Svc Order vs. Electronic-
							Rec	Nonrecu		NRC Disc		00450	001111		Rates (\$)	001441	001441
	Interoffice Transport-Dedicated-2W VG-Facility Term			HE	PFP	U1TV2	18.58	First 55.39	Add'I 17.37	First 27.96	Add'I 3.51	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport-Dedicated-2W VG-Pacinity Term				PFP	1L5XX	0.0174	55.59	17.37	27.90	3.31						+
FEATU				- OL		TEOXIX	0.0174										
	All Features Offered			UE	PFP	UEPVF	0.00	0.00	0.00				15.69				
NONR	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED																
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-																
	Switch-as-is			UE	PFP	USAC2		16.94	3.72				15.69				
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-				555			40.04	0.70				45.00				
	Switch with change PORT/LOOP COMBINATIONS - MARKET BASED RATES			UE	PFP	USACC		16.94	3.72				15.69				<del> </del>
	E VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK PORT		<del>                                     </del>			<del>                                     </del>				<del>                                     </del>		1		<b>+</b>			<del>                                     </del>
	ort/Loop Combination Rates		l	<del>                                     </del>		<del>                                     </del>				1		}	<del>                                     </del>	<b>†</b>	1		<del>                                     </del>
10.1.2	2W VG Loop/2W DID Trunk Port Combo-UNE Zone 1		1				49.60										<b>†</b>
	2W VG Loop/2W DID Trunk Port Combo-UNE Zone 2		2				51.09										
	2W VG Loop/2W DID Trunk Port Combo-UNE Zone 3		3				56.00										
	oop Rates																
	2W Analog VG Loop-(SL2)-UNE Zone 1		1		PPX	UECD1	9.60										
	2W Analog VG Loop-(SL2)-UNE Zone 2		2		PPX	UECD1	11.09										
	2W Analog VG Loop-(SL2)-UNE Zone 3		3		PPX PPX	UECD1 UEPD1	16.00 40.00	600.00	45.00	8.45	3.91			30.89	7.03		
	Exchange Ports-2W DID Port  ECURRING CHARGES - CURRENTLY COMBINED			UE	PPX	UEPDI	40.00	600.00	45.00	6.45	3.91			30.89	7.03		1
NONK	2W VG Loop/2W DID Trunk Port Combination -Switch-As-Is Top 8 MSAs																
	only			UF	PPX	USAC1		100.00	42.50					30.89	7.03		
	2W VG Loop/2W DID Trunk Port Conversion with BST Allowable Changes																
	Top 8 MSAs only			UE	PPX	USA1C		100.00	42.50					30.89	7.03		
	one Number/Trunk Group Establisment Charges																
	DID Trunk Term (One Per Port)				PPX	NDT	0.00	0.00	0.00								
	Add'I DID Nos for each Group of 20 DID Nos				PPX	ND4	0.00	0.00	0.00								
	DID Nos, Non-consecutive DID Nos , Per No				PPX	ND5 ND6	0.00	0.00	0.00								1
	Reserve Non-Consecutive DID Nos Reserve DID Nos				PPX	NDV	0.00	0.00	0.00								<del> </del>
	NUMBER PORTABILITY			UE	FFA	INDV	0.00	0.00	0.00								
	Local No Portability (1 per port)			UE	PPX	LNPCP	3.15	0.00	0.00								1
	E ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LINE SIDE POI	RT						0.00									
UNE P	ort/Loop Combination Rates																
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -UNE Zone 1		1	UEPPB	UEPPR		32.27										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -UNE Zone 2		2	UEPPB	UEPPR		34.78										ļ
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -UNE Zone 3		3	UEPPB	UEPPR	LICLAY	44.32			1		1	-				<del>                                     </del>
	2W ISDN Digital Grade Loop-UNE Zone 1 2W ISDN Digital Grade Loop-UNE Zone 2		1 2	UEPPB UEPPB	UEPPR UEPPR	USL2X USL2X	16.20 18.71										<del>                                     </del>
<del>     </del>	2W ISDN Digital Grade Loop-UNE Zone 2 2W ISDN Digital Grade Loop-UNE Zone 3		3	UEPPB	UEPPR	USL2X USL2X	28.25			<del>                                     </del>		1		<b>+</b>			<del>                                     </del>
	Exchange Port-2W ISDN Line Side Port		3	UEPPB	UEPPR	UEPPB	80.00	525.00	400.00	75.00	70.00			30.89	7.03		<del> </del>
NONR	ECURRING CHARGES - CURRENTLY COMBINED		1	<u> </u>	J 1 10	<u> </u>	00.00	320.00	.50.00	. 0.00	. 0.00			00.00	7.00		<b>†</b>
1	2W ISDN Digital Grade Loop/2W ISDN Line Side Port Combination-																
	Conversion-Top 8 MSAs only			UEPPB	UEPPR	USACB	0.00	225.00	225.00					30.89	7.03		
ADDIT	IONAL NRCs																
	2W ISDN Loop/2W ISDN Port Combination-Sub Actvy-Non Feature/Add		1														
1000	Trunk		<u> </u>	UEPPB	UEPPR	USASB		212.88		<b>_</b>		1		30.89	7.03		<del>                                     </del>
LOCA	L NUMBER PORTABILITY Local No Portability (1 per port)	-	<del>                                     </del>	UEPPB	UEPPR	LNPCX	0.35	0.00	0.00	-		-	-	<del>                                     </del>			<del> </del>
B_CH v	NNEL USER PROFILE ACCESS:		1	UEPPB	UEPPR	LINPUX	0.35	0.00	0.00	1		}	-	-	-		+
	CVS/CSD (DMS/5ESS)			UEPPB	UEPPR	U1UCA	0.00	0.00	0.00								<b>†</b>
	CVS (EWSD)			UEPPB	UEPPR	U1UCB	0.00	0.00	0.00								<b>†</b>
	CSD			UEPPB	UEPPR	U1UCC	0.00	0.00	0.00								
	NNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS SC,MS, & TN)																
	CVS/CSD (DMS/5ESS)			UEPPB	UEPPR	U1UCD	0.00	0.00	0.00								
	CVS (EWSD)			UEPPB	UEPPR	U1UCE	0.00	0.00	0.00					1		l	

Version 4Q02: 01/21/03 Page 385 of 402

UNDUNDL	ED NETWORK ELEMENTS - Tennessee	1	1			1							_		nent: 2		bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	В	cs	usoc		RA <sup>-</sup>	ΓES (\$)			Svc Order Submitte d Elec per LSR	d Manually	Incremental Charge - Manual Svc Order vs. Electronic-	I Charge - Manual Svc Order vs.	Incrementa I Charge - Manual Svc Order vs.	Charge - Manual Sv Order vs. Electronic
													per LSR	1st	Electronic-	Electronic-	Disc Add'l
							Rec	Nonrecu	ırring	NRC Dis	connect			oss	Rates (\$)	11166 164	
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	CSD			UEPPB	UEPPR	U1UCF	0.00	0.00	0.00								
	TERMINAL PROFILE																
	User Terminal Profile (EWSD only)			UEPPB	UEPPR	U1UMA	0.00	0.00	0.00								
VERT	CAL FEATURES			LIEDDD	LIEDDD	1150) (5	0.00	0.00	0.00								
	All Vertical Features-One per Channel B User Profile			UEPPB UEPPB	UEPPR UEPPR	UEPVF M1GNC	0.00 17.91	0.00 53.99	0.00 17.37								
-	Interoffice Channel miage each, including first mi & facilities Term Interoffice Channel miage each, Add'l mi			UEPPB	UEPPR	M1GNC	0.173	0.00	0.00			1					<del>                                     </del>
4-WIR	E DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK PORT			UEFFB	UEFFR	IVITGINIVI	0.173	0.00	0.00								<b>-</b>
	Port/Loop Combination Rates																
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port -UNE Zone 1		1	UEF	PPP		982.73										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port -UNE Zone 2		2	UEF			1,000.40					İ					
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port -UNE Zone 3		3		PPP		1,023.59										
	4W DS1 Digital Loop-UNE Zone 1		1		PPP	USL4P	57.73										
	4W DS1 Digital Loop-UNE Zone 2		2		PPP	USL4P	75.40					<u> </u>	<u> </u>				
	4W DS1 Digital Loop-UNE Zone 3		3		PPP	USL4P	98.59										
	Exchange Ports-4W ISDN DS1 Port			UEI	PPP	UEPPP	925.00	950.00	950.00	130.00	100.00			30.89	7.03		<u> </u>
NONR	ECURRING CHARGES - CURRENTLY COMBINED																
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port Combination-						0.00	005.00	205.00						7.00		
ADDIT	Conversion -Switch-As-Is Top 8 MSAs only			UEI	PPP	USACP	0.00	925.00	925.00					30.89	7.03		
ADDIT	IONAL NRCs 4W DS1 Loop/4-W ISDN Digtl Trk Port-Subsqt Actvy-Inward/2way Tel Nos			UEF	מממ	PR7TF		0.94									-
	4W DS1 Loop/4W ISDN DIGIT TIK POIT-Subsqt Activy-inward/2way Tel Nos 4W DS1 Loop/4W ISDN DS1 Digital Trunk Port-Outward Tel Nos				PPP	PR7TO		22.36	22.36			1					<del> </del>
	4W DS1 Loop/4W ISDN DS1 Digital Truth Port-Subsqut Inward Tel Nos				PPP	PR7ZT		44.71	44.70								<b></b>
LOCA	L NUMBER PORTABILITY			OL.		11021		77.71	44.70								
	Local No Portability (1 per port)			UEF	PPP	LNPCN	1.75										
INTER	FACE (Provsioning Only)																
	Voice/Data			UEF	PPP	PR71V	0.00	0.00	0.00								
	Digital Data				PPP	PR71D	0.00	0.00	0.00								
	Inward Data			UEF	PPP	PR71E	0.00	0.00	0.00								
New o	r Additional "B" Channel																
	New or Add'I-Voice/Data B Channel				PPP	PR7BV	0.00	28.39									<u> </u>
	New or Add'l-Digital Data B Channel				PPP	PR7BF	0.00	29.11									
	New or Add'l Inward Data B Channel  TYPES			UEF	PPP	PR7BD	0.00	29.39									
CALL	Inward			1151	PPP	PR7C1	0.00	0.00	0.00								ļ
-	Outward	<b>—</b>	<del>                                     </del>	UEF		PR7C1	0.00	0.00	0.00	<del>                                     </del>		+	1				<del></del>
	Two-way			UEF		PR7CC	0.00	0.00	0.00			<del>†</del>					
Intero	fice Channel Mileage		1	321		00	2.00	3.00	3.00								
	Fixed Each Including First mi			UEF	PPP	1LN1A	76.1825	145.98	109.85	19.55		Ì					
	Each Airline-Fractional Add'l mi			UEF	PPP	1LN1B	0.3525										
	E DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT																
UNE P	ort/Loop Combination Rates																
	4W DS1 Digital Loop/4W DDITS Trunk Port -UNE Zone 1		1	UEF			93.28										
	4W DS1 Digital Loop/4W DDITS Trunk Port -UNE Zone 2		2		PDC		110.95					1					
	4W DS1 Digital Loop/4W DDITS Trunk Port -UNE Zone 3		3	UEF	יטכ		134.14					1	1				
UNE L	oop Rates		-		PDC	1101.50	F7 F0			1	1	1	1				1
	4W DS1 Digital Loop-UNE Zone 1 4W DS1 Digital Loop-UNE Zone 2		1 2	UEF		USLDC	57.53 75.40					-					<del></del>
	4W DS1 Digital Loop-UNE Zone 2  4W DS1 Digital Loop-UNE Zone 3		3		PDC	USLDC	75.40 98.59			1	1	1	1				+
	Port Rate		-	JEI	50	JULDO	30.39					<b>†</b>					<del>                                     </del>
	4W DDITS Digital Trunk Port		<b>†</b>	UFF	PDC	UDD1T	750.00	982.57	450.10	196.09	19.23	1	1	30.89	7.03		
	ECURRING CHARGES - CURRENTLY COMBINED		<u> </u>	JEI		322.1	. 55.00	332.01	.00.10	.00.00		1		55.00			
	4W DS1 Digital Loop/4W DDITS Trunk Port Combination-Switch-As-Is Top 8											Ì					
	MSAs only		<u></u>	UEF	PDC	USAC4		312.91	312.91		<u> </u>	<u> </u>		30.89	7.03		<u> </u>
	4W DS1 Digital Loop/4W DDITS Trunk Port Combination-Conversion with																
	DS1 Changes Top 8 MSAs only		<u></u>	UEF	PDC	USAWA		312.91	312.91			<u> </u>	<u></u>	30.89	7.03		<u> </u>

INBUNDL	ED NETWORK ELEMENTS - Tennessee												Attachr			bit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			ΓES (\$)			Svc Order Submitte d Elec per LSR	d	1st	I Charge - Manual Svc Order vs. Electronic-	Incrementa I Charge - Manual Svc Order vs. Electronic-	Increment Charge - Manual Sv Order vs Electronic Disc Add
						Rec	Nonrecu		NRC Disc					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4W DS1 Digital Loop/4W DDITS Trunk Port Combination-Conversion with Change-Trunk Top 8 MSAs only			UEPDC	USAWB		242.04	242.04					20.00	7.03		
ADDIT	TONAL NRCs			UEPDC	USAWB		312.91	312.91					30.89	7.03		1
ADDII	4W DS1 Loop/4W DDITS Trunk Port-Subsent Service Activity Per Service				+											
	Order			UEPDC	USAS4		94.88	94.88								
	4W DS1 Loop/4W DDITS Trunk Port-NRC-Subsqnt Channel Activation/Chan-			OLI DO	00/10-1		04.00	04.00								
	2-Way Trunk			UEPDC	UDTTA		108.67	108.67					30.89	7.03		
	4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Channel Activation/Chan-1-															
	Way Outward Trunk			UEPDC	UDTTB		108.67	108.67					30.89	7.03		
	4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Channel Activation/Chan															
	Inward Trunk w/out DID			UEPDC	UDTTC		108.67	108.67					30.89	7.03		
	4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Chan Activation Per Chan-			=	l											
	Inward Trunk with DID			UEPDC	UDTTD		108.67	108.67					30.89	7.03		
	4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Chan Activation/Chan-2-Way			UEPDC	LIDTTE		400.07	400.07					00.00	7.00		
BIBOI	DID w User Trans  AR 8 ZERO SUBSTITUTION		-	UEPDC	UDTTE		108.67	108.67					30.89	7.03		
BIPUL	B8ZS -Superframe Format			UEPDC	CCOSF		0.00	590.00								
	B8ZS-Extended Superframe Format			UEPDC	CCOEF		0.00	590.00								
Altern	ate Mark Inversion			OLI DO	COOL		0.00	000.00								
7	AMI -Superframe Format			UEPDC	MCOSF		0.00	0.00								
	AMI-Extended SuperFrame Format			UEPDC	MCOPO		0.00	0.00								
Telepl	none Number/Trunk Group Establisment Charges															
	Telephone No for 2-Way Trunk Group			UEPDC	UDTGX	0.00										
	Telephone No for 1-Way Outward Trunk Group			UEPDC	UDTGY	0.00										
	Telephone No for 1-Way Inward Trunk Group w/o DID			UEPDC	UDTGZ	0.00										
	DID Nos, Establish Trunk Group & Provide First Group of 20 DID Nos			UEPDC	NDZ	0.00	0.00	0.00								
	DID Nos for each Group of 20 DID Nos			UEPDC	ND4	0.00										
	DID Nos, Non-consecutive DID Nos , Per No Reserve Non-Consecutive DID Nos.		-	UEPDC UEPDC	ND5 ND6	0.00	0.00	0.00								
-	Reserve DID Nos			UEPDC	NDV	0.00	0.00	0.00					-			
Dedic	ated DS1 (Interoffice Channel Mileage) -			UEPDC	NDV	0.00	0.00	0.00					1			
	O for 4-Wire DS1 Digital Loop with 4-Wire DDITS Trunk Port				+											
17410	Interoffice Channel miage-Fixed rate 0-8 mis (Facilities Term)			UEPDC	1LNO1	75.83	145.98	109.85	19.66	14.99			İ			
	Interoffice Channel miage-Add'l rate per mi-0-8 mis			UEPDC	1LNOA	0.3525	0.00	0.00								
	Interoffice Channel miage-Fixed rate 9-25 mis (Facilities Term)			UEPDC	1LNO2	0.00	0.00	0.00								
	Interoffice Channel miage-Add'l rate per mi-9-25 mis			UEPDC	1LNOB	0.3525	0.00	0.00								
	Interoffice Channel miage-Fixed rate 25+ mis (Facilities Term)			UEPDC	1LNO3	0.00	0.00	0.00								
	Interoffice Channel miage-Add'l rate per mi-25+ mis		[	UEPDC	1LNOC	0.3525	0.00	0.00					ļ			
_	Local No Portability, per DS0 Activated			UEPDC	LNPCP	3.15	0.00	0.00								<del>                                     </del>
4 14 15	Central Office Termininating Point		1	UEPDC	CTG	0.00					1		1			<del>                                     </del>
	E DS1 LOOP WITH CHANNELIZATION WITH PORT m is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Activations		$\vdash$		1 1						1		<del>                                     </del>			<del>                                     </del>
	m is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Activations tem can have various rate combinations based on type and number of ports	llec.	-		1 1						}	-	-			1
	S1 Loop	uset	1		+ +								<del> </del>			
JIVE	4W DS1 Loop-UNE Zone 1		1	UEPMG	USLDC	57.73	0.00	0.00					1			
	4W DS1 Loop-UNE Zone 2		2	UEPMG	USLDC	75.40	0.00	0.00								
İ	4W DS1 Loop-UNE Zone 3		3	UEPMG	USLDC	98.59	0.00	0.00								
UNE [	OSO Channelization Capacities (D4 Channel Bank Configurations)															
	24 DSO Channel Capacity-1 per DS1			UEPMG	VUM24	131.87	0.00	0.00					30.89	7.03		
	48 DSO Channel Capacity-1 per 2 DS1s			UEPMG	VUM48	263.74	0.00	0.00					30.89	7.03		
	96 DSO Channel Capacity -1per 4 DS1s		ļ [	UEPMG	VUM96	527.48	0.00	0.00					30.89	7.03		
	144 DS0 Channel Capacity-1 per 6 DS1s			UEPMG	VUM14	791.42	0.00	0.00					30.89	7.03		ļ
	192 DS0 Channel Capacity -1 per 8 DS1s			UEPMG	VUM19	827.76	0.00	0.00			ļ		30.89	7.03		<del>                                     </del>
	040 000 01 10 11 40 004															1
	240 DS0 Channel Capacity-1 per 10 DS1s			UEPMG	VUM20	1,318.70	0.00	0.00				ļ	30.89	7.03		
	240 DS0 Channel Capacity-1 per 10 DS1s 288 DS0 Channel Capacity-1 per 12 DS1s 384 DS0 Channel Capacity-1 per 16 DS1s			UEPMG UEPMG UEPMG	VUM20 VUM28 VUM38	1,318.70 1,582.44 2,109.92	0.00 0.00 0.00	0.00					30.89 30.89	7.03 7.03 7.03		

UNE	BUNDL	ED NETWORK ELEMENTS - Tennessee												Attachr	nent: 2	Exhi	bit: B
												Svc	Svc	Incremental	Incrementa	Incrementa	Incremental
												Order	Order	Charge -	I Charge -	I Charge -	Charge -
												Submitte	Submitte	Manual Svc		Manual	Manual Svc
CATI	GORY	RATE ELEMENTS	Interi	Zone	BCS	USOC		RAT	TES (\$)			d Elec	d	Order vs.	Svc Order	Svc Order	Order vs.
		·	m						- (.,			per LSR		Electronic-	VS.		Electronic-
												per LSR	,			vs.	
													per LSR	1st	Electronic-	Electronic-	Disc Add'l
						+		Nonrecu	rring	NRC Disc	connect		l	220	Rates (\$)	Dicc 1ct	
							Rec	First	Add'l	First		SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
		576 DS0 Channel Capacity -1 per 24 DS1s			UEPMG	VUM57	3.164.88	0.00	0.00	First	Auu i	SOMEC	SOWAN	30.89	7.03	SOWAN	JOWAN
		672 DS0 Channel Capacity-1 per 28 DS1s			UEPMG	VUM67	3,692.36	0.00	0.00					30.89	7.03		
	Non D	ecurring Charges (NRC) Associated with 4-Wire DS1 Loop with Channelizt		th Davi				0.00	0.00			-		30.69	7.03		<b></b>
		mum System configuration is One (1) DS1, One (1) D4 Channel Bank, and U					a System					-					<b></b>
		les of this configuration is one (1) bot, one (1) but channel bank, and the					'					-					<b></b>
	wuitip	NRC-Conversion (Currently Combined) with or w/o BST Allowed Changes-	nimim	um sys	stem configuration is	counted.											-
					115040			000.04						00.00	7.00		
		Top 8 MSAs Only			UEPMG	USAC4	0.00	303.61	15.74					30.89	7.03		
-		m Additions Where Currently Combined and New (Not Currently Combined	)														
		sity Zone 1 Top 8 MSAs															
		1 DS1/D4 Channel Bank-Add NRC for each Port & Assoc Fea Activation			UEPMG	VUMD4	0.00	704.68	441.48	138.36	16.41			30.89	7.03		
	Bipola	r 8 Zero Substitution															
		Clear Channel Capability Format, superframe-Subsqnt Activity Only			UEPMG	CCOSF	0.00	0.00	590.00								
1						1							1				1
		Clear Channel Capability Format-Extended Superframe-Subsqnt Activity Only			UEPMG	CCOEF	0.00	0.00	590.00								
	Altern	ate Mark Inversion (AMI)															
		Superframe Format			UEPMG	MCOSF	0.00	0.00	0.00								
		Extended Superframe Format			UEPMG	MCOPO	0.00	0.00	0.00								
	Excha	nge Ports Associated with 4-Wire DS1 Loop with Channelization with Port															
	Excha	nge Ports															
		Line Side Combination Channelized PBX Trunk Port-bus			UEPPX	UEPCX	14.00	0.00	0.00	0.00	0.00			30.89	7.03		
		Line Side Outward Channelized PBX Trunk Port-bus			UEPPX	UEPOX	14.00	0.00	0.00	0.00	0.00			30.89	7.03		
		Line Side Inward Only Channelized PBX Trunk Port w/o DID			UEPPX	UEP1X	14.00	0.00	0.00	0.00	0.00			30.89	7.03		
		2W Trunk Side Unbundled Channelized DID Trunk Port			UEPPX	UEPDM	40.00	0.00	0.00	0.00	0.00			30.89	7.03		
		Unbundled Exchange Ports, 2W Channelized - Outdial - (AL, KY, LA, MS, &															
		TN)			UEPPX	UEPCY	14.00	0.00	0.00	0.00	0.00			30.89	7.03		
		Unbundled Exchange Ports, 2W Channelized – Combination (AL, KY, LA,															
		MS. & TN			UEPPX	UEPCT	14.00	0.00	0.00	0.00	0.00			30.89	7.03		
		Unbundled Exchange Ports, 2W Channelized – Outdial – TN Only – Calling			<u> </u>			0.00		0.00				00.00			
		Plan-Regionserv			UEPPX	UEPCZ	14.00	0.00	0.00	0.00	0.00			30.89	7.03		
		Unbundled Exchange Ports, 2W Channelized – Two Way-TN Only – Calling			02.17	02. 02	1 1.00	0.00	0.00	0.00	0.00			00.00	7.00		
		Plan-Regionserv			UEPPX	UEPXV	14.00	0.00	0.00	0.00	0.00			30.89	7.03		
-	Featur	e Activations - Unbundled Loop Concentration			OLITA	OLI XV	14.00	0.00	0.00	0.00	0.00			00.00	7.00		
	i catui	Feature (Service) Activation for each Line Port Terminated in D4 Bank				+											
		(includes Q.1.4, P.50.1, & P.50.498)			UEPPX	1PQWM	2.02	40.00	20.00	6.00	5.00						
		Feature (Service) Activation for each Trunk Port Terminated in D4 Bank			OLITA	II QVVIVI	2.02	40.00	20.00	0.00	3.00						
		(includes Q.1.4, P.50.1, & P.50.498)			UEPPX	1PQWU	2.02	110.00	30.00	75.00	15.00						
-	Tolonk	none Number/ Group Establishment Charges for DID Service			UEFFX	IFQWU	2.02	110.00	30.00	75.00	13.00						-
-	reiepr	DID Trunk Term (1 per Port)		<b>-</b>	UEPPX	NDT	0.00	0.00	0.00								<del></del>
-	+	DID Trunk Term (1 per Port) DID Nos-groups of 20-Valid all States		1	UEPPX	ND1	0.00	0.00	0.00								<del>                                     </del>
-	+	Non-Consecutive DID Nos-per No		1	UEPPX		0.00	0.00	0.00								<del></del>
-	1			1		ND5											<del></del>
-	1	Reserve Non-Consecutive DID Nos		1	UEPPX	ND6	0.00	0.00	0.00								<del></del>
<b>—</b>		Reserve DID Nos		1	UEPPX	NDV	0.00	0.00	0.00				-				<del>                                     </del>
<u> </u>		Number Portability															<b>├</b>
<u> </u>		Local No Portability-1 per port		1	UEPPX	LNPCP	3.15	0.00	0.00								<b>├</b>
<u> </u>		JRES - Vertical and Optional		1		1											<b>├</b>
<u> </u>	Local	Switching Features Offered with Line Side Ports Only															<del></del>
	1	All Features Available		<u> </u>	UEPPX	UEPVF	0.00	0.00	0.00								<del></del>
UNB		CENTREX PORT/LOOP COMBINATIONS - COST BASED RATES		1		1											1
		t Based Rates are applied where BellSouth is required by FCC and/or Com															<b></b>
		tures shall apply to the Unbundled Port/Loop Combination - Cost Based Ra															
	3. End	Office & Tandem Switching Usage & Common Transport Usage rates in th	e Por	t sectio	on of this Exhibit sha	all apply to a	II combinations	of loop/port n	etwork elen	nents exce	pt for UNE	Coin Por	t/Loop Con	nbinations.			
1		first & add'l Port NRC charges apply to Not Currently Combined Combos.	For C	urrently	y Combined Combos	s, the NRC cl	narges shall be	those identifie	ed in the NR	C - Curren	tly Combi	ned sectio	ns. Add'l N	NRCs may ap	ply also and	are categor	ized
	accord																
	5. Ma	rket Rates for Unbundled Centrex Port/Loop Combination will be negotiate	d on a	an Indiv	ridual Case Basis, u	ntil further n	otice.										
	UNE-P	CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only)															
		VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
	UNE P	ort/Loop Combination Rates (Non-Design)															
			-														_

Version 4Q02: 01/21/03 Page 388 of 402

UNBUNDI	LED NETWORK ELEMENTS - Tennessee												Attachn	nent: 2	Exhi	ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		RA <sup>-</sup>	TES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitte d Manually per LSR	Electronic-	I Charge -	I Charge - Manual Svc Order vs.	Incrementa Charge - Manual Svo Order vs. Electronic Disc Add'l
						Rec	Nonrecu		NRC Dis			•		Rates (\$)	111074-104	•
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design		1	UEP91		14.18										ļ
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		2	UEP91		18.01										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		3	UEP91		23.02										
UNE	Port/Loop Combination Rates (Design)		<b>!</b>													
	2W VG Loop/2W VG Port (Centrex) Port Combo-Design		1	UEP91		18.26										+
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design	_	2	UEP91 UEP91		23.33 29.98										-
LINE	Loop Rate	-	3	UEP91	-	29.98										+
UNE	2W VG Loop (SL 1)-Zone 1	-	1	UEP91	UECS1	12.48										
1	2W VG Loop (SL 1)-Zone 2	_	2	UEP91	UECS1	16.31			1							1
	2W VG Loop (SL 1)-Zone 2 2W VG Loop (SL 1)-Zone 3	-	3	UEP91	UECS1	21.32										
_	2W VG Loop (SL 1)-Zone 3	+	1	UEP91	UECS2	16.56			1							<u> </u>
<del>-  </del>	2W VG Loop (SL 2)-Zone 1	+	2	UEP91	UECS2	21.63			1							1
	2W VG Loop (SL 2)-Zone 3		3	UEP91	UECS2	28.28										
UNE	Ports			22. 0.	12002	20.20										
	ates (Except NC and SC)															
	2W VG Port (Centrex ) Basic Local Area			UEP91	UEPYA	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2W VG Port (Centrex 800 Term)Basic Local Area			UEP91	UEPYB	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2W VG Port (Centrex with Caller ID)1Basic Local Area			UEP91	UEPYH	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2W VG Port (Centrex from diff SWC)2 Basic Local Area			UEP91	UEPYM	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2W VG Port, Diff SWC-800 Service Term-Basic Local Area			UEP91	UEPYZ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2W VG Port terminated in on Megalink or equivalent-Basic Local Area			UEP91	UEPY9	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2W VG Port Terminated on 800 Service Term-Basic Local Area			UEP91	UEPY2	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
AL, K	Y, LA, MS, & TN Only															
	2W VG Port (Centrex )			UEP91	UEPQA	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2W VG Port (Centrex 800 Term)			UEP91	UEPQB	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2W VG Port (Centrex with Caller ID)1			UEP91	UEPQH	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2W VG Port (Centrex from diff SWC)2			UEP91	UEPQM	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2W VG Port, Diff SWC-800 Service Term			UEP91	UEPQZ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2W VG Port terminated in on Megalink or equivalent			UEP91	UEPQ9	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2W VG Port Terminated on 800 Service Term			UEP91	UEPQ2	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
Loca	Switching															
	Centrex Intercom Funtionality, per port			UEP91	URECS	0.6381										
Loca	Number Portability	_	$\vdash$		1				ļ							
	Local No Portability (1 per port)		$\vdash$	UEP91	LNPCC	0.35			ļ							
Featu		-	1		1,155.55				<u> </u>							
_	All Standard Features Offered, per port	-	$\vdash$	UEP91	UEPVF	0.00	100 ==		<u> </u>			30.89	7.03			
-	All Select Features Offered, per port		+	UEP91	UEPVS	0.00	433.78		<b> </b>		-	30.89	7.03			1
NARS	All Centrex Control Features Offered, per port		1	UEP91	UEPVC	0.00			<u> </u>			30.89	7.03			1
NARS			1	UEP91	UARCX	0.00	0.00	0.00	<u> </u>			30.89	7.03			1
	Unbundled Network Access Register-Combination	+	+	UEP91 UEP91	UARCX UAR1X	0.00	0.00	0.00	<b> </b>		-	30.89	7.03			<u> </u>
	Unbundled Network Access Register-Indial Unbundled Network Access Register-Outdial	+	+ + +	UEP91	UARTX	0.00	0.00	0.00	1		1	30.89	7.03			1
Miss	ellaneous Terminations		+	OEFSI	UARUA	0.00	0.00	0.00	<b> </b>			50.09	1.03			
	e Trunk Side	+	+		+ +			<b> </b>	<b>-</b>							<del>                                     </del>
2-1411	Trunk Side Terms, each	+	$\vdash$	UEP91	CENA6	8.78	22.14	15.25	8.45	3.91	<u> </u>	30.89	7.03			1
Interd	office Channel Mileage - 2-Wire			321 01	0211/10	5.70	22.17	10.20	0.40	0.01		30.00	7.00			
	Interoffice Channel Facilities Term-VG			UEP91	M1GBC	18.58	22.14	15.25	8.45	3.91		30.89	7.03			
	Interoffice Channel miage, per mi or fraction of mi	1		UEP91	M1GBM	0.0174		.0.20	00	0.01		20.00				
Featu	re Activations (DS0) Centrex Loops on Channelized DS1 Service			22. 0.		3.0										
	hannel Bank Feature Activations	1			1											1
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP91	1PQWS	0.66										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP91	1PQW6	0.66										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP91	1PQW7	0.66										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot-Diff WC			UEP91	1PQWP	0.66										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP91	1PQWV	0.66										
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot			UEP91	1PQWQ	0.66					1					

Version 4Q02: 01/21/03 Page 389 of 402

IBUNDL	ED NETWORK ELEMENTS - Tennessee												Attachn			bit: B
TEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		RA	ΓES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitte d Manually per LSR	Electronic-	Incrementa I Charge - Manual Svc Order vs. Electronic-	Incrementa I Charge - Manual Svc Order vs. Electronic-	Increment Charge Manual S Order vs Electroni Disc Add
					+ +	1	Nonrecu	ırrina	NRC Disc	connect			220	Addu Rates (\$)	Disc 1st	
					+	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP91	1PQWA	0.66	11100	Addi	11100	Auu	COMILO	COMPAR	COMPAR	COMPAR	COMPAR	COMPAR
Non-F	ecurring Charges (NRC) Associated with UNE-P Centrex															
	Conversion-Currently Combined Switch-As-Is with allowed changes, per port			UEP91	USAC2		1.03	0.29				30.89	7.03			
	New Centrex Standard Common Block			UEP91	M1ACS	0.00	658.60					30.89	7.03			
	New Centrex Customized Common Block			UEP91	M1ACC	0.00	658.60					30.89	7.03			
	Secondary Block, per Block			UEP91	M2CC1	0.00	73.55					30.89	7.03			
LINE	NAR Establishment Charge, Per Occasion  P CENTREX - 5ESS (Valid in All States)			UEP91	URECA		68.57					30.89	7.03			
	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo				+											
	Port/Loop Combination Rates (Non-Design)				+											
5142	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design		1	UEP95	+ +	14.18					1	1				1
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		2	UEP95		18.01										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		3	UEP95	1	23.02										
UNE	Port/Loop Combination Rates (Design)															
	2W VG Loop/2W VG Port (Centrex) Port Combo-Design		1	UEP95		18.26										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		2	UEP95		23.33										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		3	UEP95		29.98										
UNE	oop Rate				<b></b>											
	2W VG Loop (SL 1)-Zone 1		1	UEP95	UECS1	12.48										
	2W VG Loop (SL 1)-Zone 2		2	UEP95	UECS1	16.31										
-	2W VG Loop (SL 1)-Zone 3		3	UEP95 UEP95	UECS1	21.32										
-	2W VG Loop (SL 2)-Zone 1 2W VG Loop (SL 2)-Zone 2		2	UEP95	UECS2 UECS2	16.56 21.63										
	2W VG Loop (SL 2)-Zone 2 2W VG Loop (SL 2)-Zone 3		3	UEP95	UECS2	28.28										
UNF	Port Rate		3	OLF 95	ULC32	20.20										
All St					1											
	2W VG Port (Centrex ) Basic Local Area			UEP95	UEPYA	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2W VG Port (Centrex 800 Term)			UEP95	UEPYB	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2W VG Port (Centrex with Caller ID)1Basic Local Area			UEP95	UEPYH	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2W VG Port (Centrex from diff SWC)2 Basic Local Area			UEP95	UEPYM	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2W VG Port, Diff SWC-800 Service Term-Basic Local Area			UEP95	UEPYZ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2W VG Port terminated in on Megalink or equivalent-Basic Local Area			UEP95	UEPY9	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
41 14	2W VG Port Terminated on 800 Service Term-Basic Local Area			UEP95	UEPY2	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
AL, K	Y, LA, MS, SC, & TN Only			UEP95	UEPQA	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
-	2W VG Port (Centrex ) 2W VG Port (Centrex 800 Term)			UEP95 UEP95	UEPQA	1.70	22.14	15.25 15.25	8.45 8.45	3.91	-	30.89	7.03		-	
-	2W VG Port (Centrex 800 Term) 2W VG Port (Centrex with Caller ID)1			UEP95 UEP95	UEPQB	1.70	22.14	15.25	8.45	3.91	1	30.89	7.03			1
-	2W VG Port (Centrex with Caller ID)1 2W VG Port (Centrex from diff SWC)2			UEP95	UEPQH	1.70	22.14	15.25	8.45	3.91	1	30.89	7.03		1	1
1	2W VG Port, Diff SWC-800 Service Term			UEP95	UEPQZ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2W VG Port terminated in on Megalink or equivalent			UEP95	UEPQ9	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2W VG Port Terminated on 800 Service Term			UEP95	UEPQ2	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
FL &	GA Only					_										
Local	Switching						•									
	Centrex Intercom Funtionality, per port			UEP95	URECS	0.6381										
Local	Number Portability				<del>                                      </del>											
4	Local No Portability (1 per port)			UEP95	LNPCC	0.35										
Featu				LIEBOS	LIED' (E	2.0-						00.00	7.00			
-	All Standard Features Offered, per port			UEP95	UEPVF	0.00	400.70				1	30.89	7.03			
	All Select Features Offered, per port			UEP95 UEP95	UEPVS	0.00	433.78					30.89 30.89	7.03 7.03			
NARS	All Centrex Control Features Offered, per port			UEP95	UEPVC	0.00					1	30.89	7.03			1
IVAING	Unbundled Network Access Register-Combination			UEP95	UARCX	0.00	0.00	0.00				30.89	7.03			
	Unbundled Network Access Register-Combination  Unbundled Network Access Register-Indial			UEP95	UAR1X	0.00	0.00	0.00				30.89	7.03			
$\top$	Unbundled Network Access Register-Outdial			UEP95	UAROX	0.00	0.00	0.00				30.89	7.03			
Misce	Ilaneous Terminations				5	0.00	0.00	0.00				20.00			l	
	Trunk Side				1 1						1	1				

NBUNDL	ED NETWORK ELEMENTS - Tennessee		, ,										Attachn			bit: B
TEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		RAT	ΓES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitte d Manually per LSR	Electronic-	Incrementa I Charge - Manual Svc Order vs. Electronic-	Incrementa I Charge - Manual Svc Order vs. Electronic-	Incremen Charge Manual S Order vs Electroni Disc Add
												per Lor		۸dd'I	Disc 1st	DISC AUC
						Rec	Nonrecu		NRC Dis		201150			Rates (\$)	201111	
	Trivals Cida Tayraa aaah			UEP95	CEND6	8.78	First 47.75	Add'I 47.01	First 9.21	Add'l 8.47		30.89	<b>SOMAN</b> 7.03	SOMAN	SOMAN	SOMAN
4-Wir	Trunk Side Terms, each e Digital (1.544 Megabits)			UEP95	CENDO	0.70	47.75	47.01	9.21	6.47		30.89	7.03			
4-4411	DS1 Circuit Terms, each			UEP95	M1HD1	35.55	75.93	38.15				30.89	7.03			
	DS0 Channels Activated, each			UEP95	M1HDO	0.00	108.67	00.10				30.89	7.03			
Interd	office Channel Mileage - 2-Wire					0.00										
	Interoffice Channel Facilities Term			UEP95	MIGBC	18.58	22.14	15.25	8.45	3.91		30.89	7.03			
	Interoffice Channel miage, per mi or fraction of mi			UEP95	MIGBM	0.0174										
	re Activations (DS0) Centrex Loops on Channelized DS1 Service															
D4 Cł	nannel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	1PQWS	0.66										
_	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP95	1PQW6	0.66										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP95	1PQW7	0.66										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot-Diff WC Feature Activation on D-4 Channel Bank Private Line Loop Slot	<b> </b>		UEP95 UEP95	1PQWP 1PQWV	0.66 0.66			-		<b> </b>	<b></b>	<del> </del>			1
	Feature Activation on D-4 Channel Bank Fivate Line Loop Slot			UEP95	1PQW V	0.66										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP95	1PQWA	0.66										
Non-F	Recurring Charges (NRC) Associated with UNE-P Centrex			021 00	11 00077	0.00										
110111	NRC Conversion Currently Combined Switch-As-Is with allowed changes,															
	per port			UEP95	USAC2		1.03	0.29				30.89	7.03			
	New Centrex Standard Common Block			UEP95	M1ACS	0.00	658.60					30.89	7.03			
	New Centrex Customized Common Block			UEP95	M1ACC	0.00	658.60					30.89	7.03			
	NAR Establishment Charge, Per Occasion			UEP95	URECA	0.00	68.57					30.89	7.03			
	P CENTREX - DMS100 (Valid in All States)															
	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
UNE	Port/Loop Combination Rates (Non-Design)				-											
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design		1 2	UEP9D UEP9D	-	14.18										
_	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		3	UEP9D UEP9D	+	18.01 23.02										-
LINE	Port/Loop Combination Rates (Design)		3	UEP9D	+	23.02										
ONL	2W VG Loop/2W VG Port (Centrex) Port Combo-Design		1	UEP9D	+	18.26										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		2	UEP9D		23.33										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		3	UEP9D		29.98										
UNE I	Loop Rate			<del></del>												
	2W VG Loop (SL 1)-Zone 1		1	UEP9D	UECS1	12.48										
	2W VG Loop (SL 1)-Zone 2		2	UEP9D	UECS1	16.31										
	2W VG Loop (SL 1)-Zone 3		3	UEP9D	UECS1	21.32										
	2W VG Loop (SL 2)-Zone 1		1	UEP9D	UECS2	16.56										
	2W VG Loop (SL 2)-Zone 2		2	UEP9D	UECS2	21.63										
	2W VG Loop (SL 2)-Zone 3		3	UEP9D	UECS2	28.28										
	Port Rate STATES				-											
ALL	2W VG Port (Centrex ) Basic Local Area			UEP9D	UEPYA	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2W VG Port (Centrex 800 Term)Basic Local Area			UEP9D	UEPYB	1.70	22.14	15.25	8.45	3.91		30.89	7.03			1
	2W VG Port (Centrex/EBS-PSET)3Basic Local Area			UEP9D	UEPYC	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2W VG Port (Centrex /EBS-M5009)3Basic Local Area			UEP9D	UEPYD	1.70	22.14	15.25	8.45	3.91		30.89	7.03			1
	2W VG Port (Centrex /EBS-M5209)3 Basic Local Area			UEP9D	UEPYE	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2W VG Port (Centrex /EBS-M5112)3 Basic Local Area			UEP9D	UEPYF	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2W VG Port (Centrex /EBS-M5312)3Basic Local Area			UEP9D	UEPYG	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2W VG Port (Centrex /EBS-M5008)3 Basic Local Area			UEP9D	UEPYT	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2W VG Port (Centrex/EBS-M5208)3 Basic Local Area			UEP9D	UEPYU	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2W VG Port (Centrex/EBS-M5216)3 Basic Local Area			UEP9D	UEPYV	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2W VG Port (Centrex/EBS-M5316)3 Basic Local Area			UEP9D	UEPY3	1.70	22.14	15.25	8.45	3.91		30.89	7.03			ļ
	2W VG Port (Centrex with Caller ID) Basic Local Area	<b> </b>		UEP9D	UEPYH	1.70	22.14	15.25	8.45	3.91	<u> </u>	30.89	7.03			<b> </b>
	OWANG Port (Control/Colley ID/Mag W/to Leave to display to Deside	İ		LIEDOD	HEDVA	4 70	00.44	45.05	0.45	2.21		20.00	7.00			
_	2W VG Port (Centrex/Caller ID/Msg Wtg Lamp Indication)3 Basic Local Area 2W VG Port (Centrex/Msg Wtg Lamp Indication)3 Basic Local Area			UEP9D UEP9D	UEPYW UEPYJ	1.70 1.70	22.14 22.14	15.25 15.25	8.45 8.45	3.91 3.91	<del>                                     </del>	30.89 30.89	7.03 7.03			1
				UEP9D	UEPYJ	1 7() 1	22 1A	15.25	I 8 45	191		30 89	. / 03 [			

NRONDE	ED NETWORK ELEMENTS - Tennessee											1	Attachr			bit: B
ATEGORY	RATE ELEMENTS	Inter m	i Zone	BCS	usoc		RAT	'ES (\$)			Svc Order Submitte d Elec per LSR	d	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incrementa I Charge - Manual Svc Order vs. Electronic-	I Charge - Manual Svc Order vs.	Increment Charge - Manual Sv Order vs Electronic Disc Add
						Rec	Nonrecu		NRC Disc					Rates (\$)	11166 164	
	ONLY O D / C / L.W. ONLO (EDO DOETTO O D		1	LIEDOD	LIEDYO		First	Add'I	First	Add'I	SOMEC		SOMAN	SOMAN	SOMAN	SOMAN
	2W VG Port (Centrex/differ SWC /EBS-PSET)2, 3 Basic Local Area 2W VG Port (Centrex/differ SWC /EBS-M5009)2, 3 Basic Local Area	-		UEP9D UEP9D	UEPYO	1.70 1.70	22.14 22.14	15.25 15.25	8.45 8.45	3.91 3.91		30.89 30.89	7.03 7.03		-	-
	2W VG Port (Centrex/differ SWC /EBS-5209)2, 3 Basic Local Area			UEP9D	UEPYQ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			<del>                                     </del>
	2W VG Port (Centrex/differ SWC /EBS-M5112)2, 3 Basic Local Area			UEP9D	UEPYR	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2W VG Port (Centrex/differ SWC /EBS-M5312)2, 3 Basic Local Area			UEP9D	UEPYS	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2W VG Port (Centrex/differ SWC /EBS-M5008)2, 3 Basic Local Area			UEP9D	UEPY4	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2W VG Port (Centrex/differ SWC /EBS-M5208)2, 3 Basic Local Area			UEP9D	UEPY5	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2W VG Port (Centrex/differ SWC /EBS-M5216)2, 3 Basic Local Area			UEP9D	UEPY6	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2W VG Port (Centrex/differ SWC /EBS-M5316)2, 3 Basic Local Area			UEP9D	UEPY7	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2W VG Port, Diff SWC-800 Service Term			UEP9D	UEPYZ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2W VG Port terminated in on Megalink or equivalent Basic Local Area			UEP9D	UEPY9	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
41 10	2W VG Port Terminated on 800 Service Term Basic Local Area			UEP9D	UEPY2	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	Y, LA, MS, SC, & TN Only			UEP9D	UEPQA	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2W VG Port (Centrex) 2W VG Port (Centrex 800 Term)	-		UEP9D	UEPQA	1.70	22.14	15.25	8.45	3.91		30.89	7.03		-	-
	2W VG Port (Centrex/EBS-PSET)3			UEP9D	UEPQC	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2W VG Port (Centrex/EBS-P3E1)3	+		UEP9D	UEPQD	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2W VG Port (Centrex /EBS-M5209)3			UEP9D	UEPQE	1.70	22.14	15.25	8.45	3.91		30.89	7.03			<del>                                     </del>
	2W VG Port (Centrex /EBS-M5112)3			UEP9D	UEPQF	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2W VG Port (Centrex /EBS-M5312)3			UEP9D	UEPQG	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2W VG Port (Centrex /EBS-M5008)3			UEP9D	UEPQT	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2W VG Port (Centrex/EBS-M5208)3			UEP9D	UEPQU	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2W VG Port (Centrex/EBS-M5216)3			UEP9D	UEPQV	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2W VG Port (Centrex/EBS-M5316)3			UEP9D	UEPQ3	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2W VG Port (Centrex with Caller ID)			UEP9D	UEPQH	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2W VG Port (Centrex/Caller ID/Msg Wtg Lamp Indication)3			UEP9D	UEPQW	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
_	2W VG Port (Centrex/Msg Wtg Lamp Indication)3	+	1	UEP9D UEP9D	UEPQJ UEPQM	1.70 1.70	22.14 22.14	15.25	8.45 8.45	3.91 3.91		30.89 30.89	7.03 7.03			
	2W VG Port (Centrex from diff SWC) 2 2W VG Port (Centrex/differ SWC /EBS-PSET)2, 3	-		UEP9D	UEPQM	1.70	22.14	15.25 15.25	8.45	3.91		30.89	7.03		-	-
	2W VG Port (Centrex/differ SWC /EBS-M5009)2, 3	+		UEP9D	UEPQP	1.70	22.14	15.25	8.45	3.91		30.89	7.03			<del>                                     </del>
	2W VG Port (Centrex/differ SWC /EBS-5209)2, 3			UEP9D	UEPQQ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2W VG Port (Centrex/differ SWC /EBS-M5112)2, 3			UEP9D	UEPQR	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2W VG Port (Centrex/differ SWC /EBS-M5312)2, 3			UEP9D	UEPQS	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2W VG Port (Centrex/differ SWC /EBS-M5008)2, 3			UEP9D	UEPQ4	1.70	22.14	15.25	8.45	3.91		30.89	7.03			1
	2W VG Port (Centrex/differ SWC /EBS-M5208)2, 3			UEP9D	UEPQ5	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2W VG Port (Centrex/differ SWC /EBS-M5216)2, 3			UEP9D	UEPQ6	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2W VG Port (Centrex/differ SWC /EBS-M5316)2, 3			UEP9D	UEPQ7	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2W VG Port, Diff SWC-800 Service Term			UEP9D	UEPQZ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2W VG Port terminated in on Megalink or equivalent			UEP9D	UEPQ9	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
11	2W VG Port Terminated on 800 Service Term	-		UEP9D	UEPQ2	1.70	22.14	15.25	8.45	3.91		30.89	7.03			<del>                                     </del>
	Switching Control Intercon Funtionality payment			UEP9D	URECS	0.6381										
	Centrex Intercom Funtionality, per port  Number Portability	-		UEP9D	URECS	0.0361			1						-	-
LUCAI	Local No Portability (1 per port)			UEP9D	LNPCC	0.35										<del> </del>
Featur				OLI 3D	LIVI CC	0.55										
	All Standard Features Offered, per port			UEP9D	UEPVF	0.00						30.89	7.03			
	All Select Features Offered, per port			UEP9D	UEPVS	0.00	433.78					30.89	7.03			
	All Centrex Control Features Offered, per port			UEP9D	UEPVC	0.00						30.89	7.03			1
NARS	· ·															
	Unbundled Network Access Register-Combination			UEP9D	UARCX	0.00	0.00	0.00				30.89	7.03			
	Unbundled Network Access Register-Inward			UEP9D	UAR1X	0.00	0.00	0.00				30.89	7.03			
	Unbundled Network Access Register-Outdial			UEP9D	UAROX	0.00	0.00	0.00				30.89	7.03			
	laneous Terminations	-	1						ļļ							<b>↓</b>
2-Wire	Trunk Side	1	1	LIEDOD	OENDS	0.70	00.11	45.05	0.45	0.01		00.00	7.00			₩
4 VA/:	Trunk Side Terms, each	-	1	UEP9D	CEND6	8.78	22.14	15.25	8.45	3.91	1	30.89	7.03		-	<del>                                     </del>
	Digital (1.544 Megabits) DS1 Circuit Terms, each	+	1	UEP9D	M1HD1	35.55	75.93	38.15	<del>                                     </del>		1	30.89	7.03		-	<del></del>

NRONDL	ED NETWORK ELEMENTS - Tennessee												Attachn			bit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		RAT	TES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitte d Manually per LSR	Electronic-	Incrementa I Charge - Manual Svc Order vs. Electronic-	Incrementa I Charge - Manual Svc Order vs. Electronic-	Increment Charge - Manual Sv Order vs Electronic Disc Add
							Nonrecu	rring	NRC Disc	annoot			220	Add'I Rates (\$)	Disc 1st	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN		SOMAN	SOMAN
	DS0 Channels Activiated per Channel			UEP9D	M1HDO	0.00	108.67	Auu i	riist	Auu i	JOIVILO	30.89	7.03	JOWAN	JOWAN	JOWAN
Intero	ffice Channel Mileage - 2-Wire			OLI OD	WITIDO	0.00	100.01					00.00	7.00			
	Interoffice Channel Facilities Term			UEP9D	MIGBC	18.58	22.14	15.25	8.45	3.91		30.89	7.03			
	Interoffice Channel miage, per mi or fraction of mi			UEP9D	MIGBM	0.0174										
	re Activations (DS0) Centrex Loops on Channelized DS1 Service															
D4 Ch	annel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9D	1PQWS	0.66										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9D	1PQW6	0.66										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP9D	1PQW7	0.66										
-	Feature Activation on D-4 Channel Bank Centrex Loop Slot-Diff WC	<b> </b>	$\vdash$	UEP9D UEP9D	1PQWP	0.66 0.66					}	1				}
	Feature Activation on D-4 Channel Bank Private Line Loop Slot Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot			UEP9D UEP9D	1PQWV 1PQWQ	0.66										
	Feature Activation on D-4 Channel Bank MATS Loop Slot			UEP9D	1PQWQ	0.66										
Non-R	Lecurring Charges (NRC) Associated with UNE-P Centrex	<del>                                     </del>		OFLAD	IF QVVA	0.00						<b></b>				
1401121	NRC Conversion Currently Combined Switch-As-Is with allowed changes,															
	per port			UEP9D	USAC2		1.03	0.29				30.89	7.03			
	New Centrex Standard Common Block			UEP9D	M1ACS	0.00	658.60	0.00				30.89	7.03			
	New Centrex Customized Common Block			UEP9D	M1ACC	0.00	658.60					30.89	7.03			
	NAR Establishment Charge, Per Occasion			UEP9D	URECA		68.57					30.89	7.03			
	CENTREX - EWSD (Valid in AL, FL, KY, LA, MS & TN)															
	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
UNE F	Port/Loop Combination Rates (Non-Design)															
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design		1	UEP9E		14.18										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		2	UEP9E		18.01										
UNIT	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design Port/Loop Combination Rates (Design)		3	UEP9E		23.02										
UNE	2W VG Loop/2W VG Port (Centrex) Port Combo-Design		1	UEP9E	+	18.26										
	2W VG Loop/2W VG Port (Centrex) Port Combo-Design		2	UEP9E		23.33										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		3	UEP9E		29.98										
UNE L	oop Rate		Ŭ	02.02	1	20.00										
	2W VG Loop (SL 1)-Zone 1		1	UEP9E	UECS1	12.48										
	2W VG Loop (SL 1)-Zone 2		2	UEP9E	UECS1	16.31										
	2W VG Loop (SL 1)-Zone 3		3	UEP9E	UECS1	21.32										
	2W VG Loop (SL 2)-Zone 1		1	UEP9E	UECS2	16.56										
	2W VG Loop (SL 2)-Zone 2		2	UEP9E	UECS2	21.63										
	2W VG Loop (SL 2)-Zone 3		3	UEP9E	UECS2	28.28										
	Port Rate	<b> </b>									ļ					<u> </u>
AL, FI	, KY, LA, MS, & TN only	<b> </b>	$\vdash$	LIEDOE	LIEDVA	4 70	20.44	45.05	0.45	2.01	1	20.00	7.00			1
	2W VG Port (Centrex ) Basic Local Area 2W VG Port (Centrex 800 Term)Basic Local Area			UEP9E UEP9E	UEPYA UEPYB	1.70 1.70	22.14 22.14	15.25 15.25	8.45 8.45	3.91 3.91		30.89 30.89	7.03 7.03			
-	2W VG Port (Centrex 800 Term)Basic Local Area  2W VG Port (Centrex with Caller ID)1Basic Local Area	<del>                                     </del>	$\vdash$	UEP9E	UEPYB	1.70	22.14	15.25	8.45	3.91	1	30.89	7.03			1
-	2W VG Port (Centrex with Caller ID) (Basic Local Area  2W VG Port (Centrex from diff SWC)2 Basic Local Area	<del>                                     </del>		UEP9E	UEPYH	1.70	22.14	15.25	8.45	3.91	1	30.89	7.03			1
	2W VG Port, Diff SWC-800 Service Term-Basic Local Area			UEP9E	UEPYZ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2W VG Port terminated in on Megalink or equivalent-Basic Local Area			UEP9E	UEPY9	1.70	22.14	15.25	8.45	3.91	1	30.89	7.03			1
	2W VG Port Terminated on 800 Service Term-Basic Local Area			UEP9E	UEPY2	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
AL, K	Y, LA, MS, & TN Only															
	2W VG Port (Centrex )			UEP9E	UEPQA	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2W VG Port (Centrex 800 Term)			UEP9E	UEPQB	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2W VG Port (Centrex with Caller ID)1			UEP9E	UEPQH	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2W VG Port (Centrex from diff SWC)2			UEP9E	UEPQM	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2W VG Port, Diff SWC-800 Service Term			UEP9E	UEPQZ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
_	2W VG Port terminated in on Megalink or equivalent			UEP9E	UEPQ9	1.70	22.14	15.25	8.45	3.91		30.89	7.03			ļ
1	2W VG Port Terminated on 800 Service Term	ļ		UEP9E	UEPQ2	1.70	22.14	15.25	8.45	3.91	1	30.89	7.03			<del>                                     </del>
Local	Switching Control Intercom Funtionality per part	<del>                                     </del>	$\vdash$	UEP9E	LIBECC	0.6381					1	-				<del>                                     </del>
	Centrex Intercom Funtionality, per port			UEP9E	URECS	U.b381					1	1				<b>↓</b>
Loos	Number Portability															

UNB	UNDL	ED NETWORK ELEMENTS - Tennessee												Attachr	nent: 2	Exhi	ibit: B
												Svc	Svc	Incremental	Incrementa	Incrementa	Incrementa
												Order	Order	Charge -	I Charge -	I Charge -	Charge -
			Interi	ıl								Submitte	Submitte	Manual Svc	Manual	Manual	Manual Sv
CATE	GORY	RATE ELEMENTS	m	Zone	BCS	USOC		RA'	ΓES (\$)			d Elec	d	Order vs.	Svc Order	Svc Order	Order vs.
												per LSR	Manually	Electronic-	vs.	vs.	Electronic
												-	per LSR	1st	Electronic-	Electronic-	Disc Add'
										1100 D:					- V44!	Disc 1st	
							Rec	Nonrect		NRC Dis		201150	001111		Rates (\$)		
			1					First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Featur	All Standard Features Offered, per port	1	-	UEP9E	UEPVF	0.00			ļ			00.00	7.03			+
			1	-				400.70		ļ			30.89				+
	1	All Select Features Offered, per port All Centrex Control Features Offered, per port		<del>                                     </del>	UEP9E UEP9E	UEPVS UEPVC	0.00	433.78					30.89 30.89	7.03 7.03			-
	NARS	All Centiex Control Features Offered, per port	1		UEP9E	UEPVC	0.00						30.89	7.03		1	+
		Unbundled Network Access Register-Combination	1	1	UEP9E	UARCX	0.00	0.00	0.00	1			30.89	7.03			1
		Unbundled Network Access Register-Combination  Unbundled Network Access Register-Indial	1	1	UEP9E	UAR1X	0.00	0.00	0.00	1			30.89	7.03			1
		Unbundled Network Access Register-India  Unbundled Network Access Register-Outdial			UEP9E	UAROX	0.00	0.00	0.00	1			30.89	7.03			
	Miscel	Ilaneous Terminations	1		OLI 3L	UAROX	0.00	0.00	0.00				30.03	7.03			
		Trunk Side				+											1
	2 11110	Trunk Side Terms, each			UEP9E	CEND6	8.78	22.14	15.25	8.45	3.91		30.89	7.03			
	4-Wire	Digital (1.544 Megabits)			02.02	02.120	00		10.20	00	0.01		00.00	7.00			
	1	DS1 Circuit Terms, each			UEP9E	M1HD1	35.55	75.93	38.15	İ			30.89	7.03			
		DS0 Channel Activated Per Channel			UEP9E	M1HDO	0.00	108.67	00.10				30.89	7.03			
	Interof	fice Channel Mileage - 2-Wire			V = 1 V =		2.00										
		Interoffice Channel Facilities Term			UEP9E	MIGBC	18.58	22.14	15.25	8.45	3.91		30.89	7.03			
		Interoffice Channel miage, per mi or fraction of mi			UEP9E	MIGBM	0.0174										
	Featur	e Activations (DS0) Centrex Loops on Channelized DS1 Service															
		annel Bank Feature Activations															
		Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9E	1PQWS	0.66										
		Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9E	1PQW6	0.66										
		Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP9E	1PQW7	0.66										
		Feature Activation on D-4 Channel Bank Centrex Loop Slot-Diff WC			UEP9E	1PQWP	0.66										
		Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9E	1PQWV	0.66										
		Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot			UEP9E	1PQWQ	0.66										
		Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9E	1PQWA	0.66										
	Non-R	ecurring Charges (NRC) Associated with UNE-P Centrex															
		NRC Conversion Currently Combined Switch-As-Is with allowed changes,															
		per port			UEP9E	USAC2		1.03	0.29				30.89	7.03			
		New Centrex Standard Common Block			UEP9E	M1ACS	0.00	658.60					30.89	7.03			
		New Centrex Customized Common Block			UEP9E	M1ACC	0.00	658.60					30.89	7.03			
	<u> </u>	NAR Establishment Charge, Per Occasion		<u> </u>	UEP9E	URECA	0.00	68.57					30.89	7.03			
		CENTREX - DCO - Valid in AL, KY, LA, MS, & TN)															
		VG Loop/2-Wire Voice Grade Port (Centrex) Combo	1	-		_											1
	UNE P	Port/Loop Combination Rates (Non-Design)	1	-	LIEDOO	_	4440										1
	<del>                                     </del>	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design	1	1	UEP93	+	14.18			1		<del>                                     </del>	-			<del>                                     </del>	<del>                                     </del>
	1	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design	1	3	UEP93 UEP93	+	18.01 23.02			<del>                                     </del>	-	1				1	<del>                                     </del>
	LINE	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		3	UEP93	+ +	23.02					<u> </u>				1	1
	ONE P	2W VG Loop/2W VG Port (Centrex) Port Combo-Design		1	UEP93	+ +	18.26			1		<del>                                     </del>				1	1
		2W VG Loop/2W VG Port (Centrex) Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design		2	UEP93	+ +	23.33			1		<del>                                     </del>				1	1
		2W VG Loop/2W VG Port (Centrex)Port Combo-Design		3	UEP93	+ +	29.98			<del>                                     </del>	<b> </b>	<u> </u>				<u> </u>	1
	UNF	oop Rate	1	T -	OL1 33	+ +	20.90					<u> </u>				1	<del>                                     </del>
	5.45	2W VG Loop (SL 1)-Zone 1	1	1	UEP93	UECS1	12.48					<u> </u>				1	<del>                                     </del>
		2W VG Loop (SL 1)-Zone 2		2	UEP93	UECS1	16.31									1	
		2W VG Loop (SL 1)-Zone 3	1	3	UEP93	UECS1	21.32									i e	
		2W VG Loop (SL 2)-Zone 1		1	UEP93	UECS2	16.56					1				İ	1
		2W VG Loop (SL 2)-Zone 2		2	UEP93	UECS2	21.63					1				İ	1
		2W VG Loop (SL 2)-Zone 3		3	UEP93	UECS2	28.28									1	
	UNE P	ort Rate															
		/, LA, MS, & TN only		1												1	
		2W VG Port (Centrex ) Basic Local Area			UEP93	UEPYA	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
		2W VG Port (Centrex 800 Term)Basic Local Area			UEP93	UEPYB	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
		2W VG Port (Centrex with Caller ID)1Basic Local Area			UEP93	UEPYH	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
		2W VG Port (Centrex from diff SWC)2 Basic Local Area			UEP93	UEPYM	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
		2W VG Port, Diff SWC-800 Service Term-Basic Local Area			UEP93	UEPYZ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	1	2W VG Port terminated in on Megalink or equivalent-Basic Local Area			UEP93	UEPY9	1.70	22.14	15.25	8.45	3.91		30.89	7.03			

UNBUNDL	ED NETWORK ELEMENTS - Tennessee												Attachn	nent: 2	Exhi	ibit: B
											Svc	Svc	Incremental	Incrementa	Incrementa	Incrementa
											Order	Order	Charge -	I Charge -	I Charge -	Charge -
		Interi									Submitte	Submitte	Manual Svc	Manual	Manual	Manual Sv
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC		RA	ΓES (\$)			d Elec	d	Order vs.	Svc Order	Svc Order	Order vs.
											per LSR	Manually	Electronic-	vs.	vs.	Electronic
												per LSR	1st	Electronic-	Electronic-	Disc Add'l
1					+		Nonrecu	ırrina	NRC Dis	connect			220	Add'I Rates (\$)	Disc 1st	
						Rec	First	Add'l	First		SOMEC	SOMAN	SOMAN		SOMAN	SOMAN
	2W VG Port Terminated on 800 Service Term-Basic Local Area			UEP93	UEPY2	1.70	22.14	15.25	8.45	3.91	SOIVIEC	30.89	7.03	SOWAN	SOWAN	SOMAN
	2W VG Port (Centrex )			UEP93	UEPQA	1.70	22.14	15.25	8.45	3.91		30.89	7.03			<b>†</b>
	2W VG Port (Centrex 800 Term)			UEP93	UEPQB	1.70	22.14	15.25	8.45	3.91		30.89	7.03			1
	2W VG Port (Centrex with Caller ID)1			UEP93	UEPQH	1.70	22.14	15.25	8.45	3.91		30.89	7.03			1
	2W VG Port (Centrex from diff SWC)2			UEP93	UEPQM	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2W VG Port, Diff SWC-800 Service Term			UEP93	UEPQZ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			1
	2W VG Port terminated in on Megalink or equivalent			UEP93	UEPQ9	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2W VG Port Terminated on 800 Service Term			UEP93	UEPQ2	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
Local	Switching															
<b> </b>	Centrex Intercom Funtionality, per port			UEP93	URECS	0.6381										<u> </u>
Local	Number Portability		1		<del>                                     </del>				1			ļ				<del></del>
	Local No Portability (1 per port)		1	UEP93	LNCCC	0.35										
Featu			1	LIEDOS	UEPVF	0.00			1		1	<u> </u>			1	+
<b></b>	All Standard Features Offered, per port		1	UEP93 UEP93	UEPVF	0.00			1		-	<del>                                     </del>			<del>                                     </del>	<del> </del>
NARS	All Centrex Control Features Offered, per port		1	UEP93	UEPVC	0.00			1		-	<b>_</b>			-	+
INAKS	Unbundled Network Access Register-Combination		1	UEP93	UARCX	0.00	0.00	0.00	1		1	30.89	7.03		<del>                                     </del>	+
	Unbundled Network Access Register-Combination  Unbundled Network Access Register-Indial			UEP93	UAR1X	0.00	0.00	0.00				30.89	7.03			+
	Unbundled Network Access Register-India  Unbundled Network Access Register-Outdial			UEP93	UAROX	0.00	0.00	0.00				30.89	7.03			+
Misce	ellaneous Terminations			OLI 00	O/WOX	0.00	0.00	0.00				00.00	7.00			†
	e Trunk Side															
	Trunk Side Terms, each			UEP93	CEND6	8.78	22.14	15.25	8.45	3.91		30.89	7.03			
4-Wire	e Digital (1.544 Megabits)															1
	DS1 Circuit Terms, each			UEP93	M1HD1	35.55	75.93	38.15				30.89	7.03			
	DS0 Channels Activated, Per Channel			UEP93	M1HDO	0.00	108.67					30.89	7.03			
Interd	ffice Channel Mileage - 2-Wire															1
	Interoffice Channel Facilities Term			UEP93	MIGBC	18.58	22.14	15.25	8.45	3.91		30.89	7.03			
	Interoffice Channel miage, per mi or fraction of mi			UEP93	MIGBM	0.0174										-
	re Activations (DS0) Centrex Loops on Channelized DS1 Service				-											+
D4 Cr	nannel Bank Feature Activations  Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP93	1PQWS	0.66										+
	Feature Activation on D-4 Channel Bank Centrex Loop Slot  Feature Activation on D-4 Channel Bank FX Line Side Loop Slot			UEP93	1PQWS	0.66						1			-	+
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP93	1PQW6	0.66										+
	Feature Activation on D-4 Channel Bank Centrex Loop Slot-Diff WC			UEP93	1PQWP	0.66										1
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP93	1PQWV	0.66										<b>†</b>
	Feature Activation on D-4 Channel Bank Tie Line/Trunk Loop Slot			UEP93	1PQWQ	0.66									1	1
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP93	1PQWA	0.66			Ì						İ	
Non-F	Recurring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed changes,															
	per port			UEP93	USAC2		1.03	0.29	<u> </u>			30.89	7.03			<u> </u>
	New Centrex Standard Common Block			UEP93	M1ACS	0.00	658.60					30.89	7.03			<del></del>
	New Centrex Customized Common Block		1	UEP93	M1ACC	0.00	658.60		<u> </u>			30.89	7.03		<u> </u>	
 	NAR Establishment Charge, Per Occasion		1	UEP93	URECA		68.57		1			30.89	7.03			<del></del>
	D CENTREX PORT/LOOP COMBINATIONS - MARKET RATES rket Rates are applied where BellSouth is not required by FCC and/or Comn	oleo!-	n rule	to provide Unburdi	od Local Sud	tohing or Suite	h Dorts									+
	rket Rates are applied where BellSouth is not required by FCC and/or Comn curring Charges for all Standard Centrex and Centrex Conrol Features are I				EG LOCAL SWI	coming or SWITC	ii FUITS.		1		1	1			<del>                                     </del>	+
	d Office & Tandem Switching Usage & Common Transport Usage rates in the				all apply to a	II combinations	of loon/port n	etwork eler	nents exce	nt for UNI	Coin Por	t/Loon Con	hinations		-	+
	e first & add'l Port NRC charges apply to Not Currently Combined Combos. I													ply also and	are catego	rized
	dingly.			,	-,	. J				,			, , up	, ,		- <del>-</del>
	P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only)															1
	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo				1 1										1	1
	Port/Loop Combination Rates (Non-Design)				1 1											
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design		1	UEP91		26.48										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		2	UEP91		30.31										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		3	UEP91		35.32										
UNE	Port/Loop Combination Rates (Design)						·									ļ
	2W VG Loop/2W VG Port (Centrex) Port Combo-Design		1	UEP91	1	30.56			]						1	1

UNBUNDL	ED NETWORK ELEMENTS - Tennessee													nent: 2		bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			'ES (\$)			Svc Order Submitte d Elec per LSR	d	Charge - Manual Svc Order vs. Electronic- 1st	Svc Order vs. Electronic-	I Charge - Manual Svc Order vs.	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrecu		NRC Disc					Rates (\$)		
				LIEBOA			First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design		3	UEP91 UEP91		35.63 42.28					-					<b></b>
	oop Rate		3	UEF91		42.20										
	2W VG Loop (SL 1)-Zone 1		1	UEP91	UECS1	12.48										
	2W VG Loop (SL 1)-Zone 2		2	UEP91	UECS1	16.31										
	2W VG Loop (SL 1)-Zone 3		3	UEP91	UECS1	21.32										
	2W VG Loop (SL 2)-Zone 1		1	UEP91	UECS2	16.56										
	2W VG Loop (SL 2)-Zone 2		2	UEP91	UECS2	21.63										
	2W VG Loop (SL 2)-Zone 3		3	UEP91	UECS2	28.28										
UNE P																
	ites (Except NC and SC)				1											<del></del>
	2W VG Port (Centrex ) Basic Local Area			UEP91	UEPYA	14.00	90.00	45.00	20.00	10.00	<u> </u>	30.89	7.03			<u> </u>
	2W VG Port (Centrex 800 Term)Basic Local Area 2W VG Port (Centrex with Caller ID)1Basic Local Area			UEP91 UEP91	UEPYB UEPYH	14.00 14.00	90.00 90.00	45.00 45.00	20.00	10.00	1	30.89 30.89	7.03 7.03			<del>                                     </del>
	2W VG Port (Centrex with Caller ID) Thasic Local Area  2W VG Port (Centrex from diff SWC)2 Basic Local Area			UEP91	UEPYM	14.00	90.00	45.00	20.00	10.00		30.89	7.03			<del> </del>
	2W VG Port, Diff SWC-800 Service Term-Basic Local Area			UEP91	UEPYZ	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2W VG Port terminated in on Megalink or equivalent-Basic Local Area			UEP91	UEPY9	14.00	90.00	45.00	20.00	10.00		30.89	7.03			<del> </del>
	2W VG Port Terminated on 800 Service Term-Basic Local Area			UEP91	UEPY2	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	, LA, MS, & TN Only															1
	2W VG Port (Centrex )			UEP91	UEPQA	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2W VG Port (Centrex 800 Term)			UEP91	UEPQB	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2W VG Port (Centrex with Caller ID)1			UEP91	UEPQH	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2W VG Port (Centrex from diff SWC)2			UEP91	UEPQM	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2W VG Port, Diff SWC-800 Service Term			UEP91	UEPQZ	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2W VG Port terminated in on Megalink or equivalent			UEP91	UEPQ9	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
1 1	2W VG Port Terminated on 800 Service Term			UEP91	UEPQ2	14.00	90.00	45.00	20.00	10.00		30.89	7.03			<u> </u>
	Switching			UEP91	URECS	0.6381					-					
	Centrex Intercom Funtionality, per port  Number Portability			UEP91	URECS	0.0361										
Local	Local No Portability (1 per port)			UEP91	LNPCC	0.35										
Featur				OLI 01	LIVI OO	0.00										1
	All Standard Features Offered, per port			UEP91	UEPVF	0.00						30.89	7.03			
	All Select Features Offered, per port			UEP91	UEPVS	0.00	433.78					30.89	7.03			
	All Centrex Control Features Offered, per port			UEP91	UEPVC	0.00						30.89	7.03			
NARS																
	Unbundled Network Access Register-Combination			UEP91	UARCX	0.00	0.00	0.00				30.89	7.03			
	Unbundled Network Access Register-Indial			UEP91	UAR1X	0.00	0.00	0.00				30.89	7.03			
	Unbundled Network Access Register-Outdial			UEP91	UAROX	0.00	0.00	0.00				30.89	7.03			
	llaneous Terminations															
2-Wire	Trunk Side			LIEDOA	OFNIAG	0.70	00.00	45.00	00.00	40.00		00.00	7.00			1
Interes	Trunk Side Terms, each  ffice Channel Mileage - 2-Wire			UEP91	CENA6	8.78	90.00	45.00	20.00	10.00		30.89	7.03			
mero	Interoffice Channel Facilities Term-VG			UEP91	M1GBC	18.58	90.00	45.00	20.00	10.00		30.89	7.03			1
	Interoffice Channel miage, per mi or fraction of mi			UEP91	M1GBC	0.0174	90.00	45.00	20.00	10.00		30.09	7.03			
	re Activations (DS0) Centrex Loops on Channelized DS1 Service			OLI 31	WITODW	0.0174										<del> </del>
	annel Bank Feature Activations												t			
12 : 311	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP91	1PQWS	0.66										1
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP91	1PQW6	0.66										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot	_		UEP91	1PQW7	0.66										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot-Diff WC			UEP91	1PQWP	0.66										<u> </u>
	Feature Activation on D-4 Channel Bank Private Line Loop Slot Feature Activation on D-4 Channel Bank Tije Line/Trunk Loop Slot			UEP91 UEP91	1PQWV 1PQWQ	0.66 0.66					}	1	1			<del>                                     </del>
	Feature Activation on D-4 Channel Bank Tijle Line/Trunk Loop Slot Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP91 UEP91	1PQWQ 1PQWA	0.66			1		1	1	<del>                                     </del>			<del>                                     </del>
	ecurring Charges (NRC) Associated with UNE-P Centrex			OLF31	II QVVA	0.00										<del>                                     </del>
INOII-K	SSEETING STEET PRODUCTION WITH CHEET CONTROL				1 1						1	1	<b>†</b>			<del>                                     </del>
	Conversion-Currently Combined Switch-As-Is with allowed changes, per port			UEP91	USAC2		1.03	0.29				30.89	7.03			
	New Centrex Standard Common Block			UEP91	M1ACS	0.00	658.60				Ì	30.89	7.03			1

IBUNDL	ED NETWORK ELEMENTS - Tennessee										_		Attachn			bit: B
TEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		RAT	TES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitte d Manually		Incrementa I Charge - Manual Svc Order vs.	Incrementa I Charge - Manual Svc Order vs.	Increment Charge Manual S Order v Electron
												per LSR	1st	Electronic-	Electronic-	Disc Add
					i i	Boo	Nonrecu	ırring	NRC Disc	connect			oss	Rates (\$)	Dicc 1ct	1
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	New Centrex Customized Common Block			UEP91	M1ACC	0.00	658.60					30.89	7.03			
	Secondary Block, per Block			UEP91	M2CC1	0.00	73.55					30.89	7.03			
	NAR Establishment Charge, Per Occasion			UEP91	URECA		68.57					30.89	7.03			
	CENTREX - 5ESS (Valid in All States)	+			+											
	VG Loop/2-Wire Voice Grade Port (Centrex) Combo	-			+											
UNEF	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design		1	UEP95	+	26.48										
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design	+	2	UEP95	+	30.31										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		3	UEP95	1	35.32										
UNE P	ort/Loop Combination Rates (Design)															
	2W VG Loop/2W VG Port (Centrex) Port Combo-Design		1	UEP95		30.56										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		2	UEP95		35.63										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		3	UEP95		42.28										
UNE L	oop Rate															
	2W VG Loop (SL 1)-Zone 1	_	1	UEP95	UECS1	12.48										
	2W VG Loop (SL 1)-Zone 2		2	UEP95	UECS1	16.31										
	2W VG Loop (SL 1)-Zone 3		3	UEP95	UECS1	21.32										
_	2W VG Loop (SL 2)-Zone 1		1 2	UEP95 UEP95	UECS2	16.56 21.63										
	2W VG Loop (SL 2)-Zone 2 2W VG Loop (SL 2)-Zone 3		3	UEP95	UECS2 UECS2	28.28										
LINE P	Port Rate		3	UEF93	UEC32	20.20										
All Sta		+			+											
All Old	2W VG Port (Centrex ) Basic Local Area			UEP95	UEPYA	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2W VG Port (Centrex 800 Term)			UEP95	UEPYB	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2W VG Port (Centrex with Caller ID)1Basic Local Area			UEP95	UEPYH	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2W VG Port (Centrex from diff SWC)2 Basic Local Area			UEP95	UEPYM	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2W VG Port, Diff SWC-800 Service Term-Basic Local Area			UEP95	UEPYZ	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2W VG Port terminated in on Megalink or equivalent-Basic Local Area			UEP95	UEPY9	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2W VG Port Terminated on 800 Service Term-Basic Local Area			UEP95	UEPY2	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
AL, KY	(, LA, MS, SC, & TN Only	-		LIEDOS	LIEDOA	44.00	00.00	45.00	00.00	40.00		00.00	7.00			
-	2W VG Port (Centrex ) 2W VG Port (Centrex 800 Term)			UEP95 UEP95	UEPQA UEPQB	14.00 14.00	90.00 90.00	45.00 45.00	20.00	10.00		30.89 30.89	7.03 7.03			-
	2W VG Port (Centrex with Caller ID)1	-		UEP95	UEPQB	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
-	2W VG Port (Centrex with Caner ID)1 2W VG Port (Centrex from diff SWC)2			UEP95	UEPQM	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2W VG Port, Diff SWC-800 Service Term	+		UEP95	UEPQZ	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2W VG Port terminated in on Megalink or equivalent			UEP95	UEPQ9	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2W VG Port Terminated on 800 Service Term			UEP95	UEPQ2	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
Local	Switching			* *	1 1											
	Centrex Intercom Funtionality, per port			UEP95	URECS	0.6381										
Local	Number Portability															
	Local No Portability (1 per port)			UEP95	LNPCC	0.35										
Featur																
	All Standard Features Offered, per port	_		UEP95	UEPVF	0.00						30.89	7.03			
	All Select Features Offered, per port			UEP95	UEPVS	0.00	433.78					30.89	7.03			
NARS	All Centrex Control Features Offered, per port	+		UEP95	UEPVC	0.00						30.89	7.03			
NAKS	Linking diad Naturals Access Designator Combination			UEP95	UARCX	0.00	0.00	0.00				30.89	7.03			-
+	Unbundled Network Access Register-Combination Unbundled Network Access Register-Indial	+		UEP95 UEP95	UARCX UAR1X	0.00	0.00	0.00			-	30.89	7.03			<del>                                     </del>
+ -	Unbundled Network Access Register-Indial  Unbundled Network Access Register-Outdial	+		UEP95	UAROX	0.00	0.00	0.00				30.89	7.03			1
Miscel	Ilaneous Terminations	1		JE1 90	C/ INOX	0.00	0.00	0.00			1	50.03	7.03			1
	Trunk Side	1			1 1											1
<u> </u>	Trunk Side Terms, each	1		UEP95	CEND6	8.78	47.75	47.01	9.21	8.47		30.89	7.03			1
4-Wire	Digital (1.544 Megabits)															
	DS1 Circuit Terms, each			UEP95	M1HD1	35.55	75.93	38.15				30.89	7.03			
!																
	DS0 Channels Activated, each ffice Channel Mileage - 2-Wire			UEP95	M1HDO	0.00	108.67					30.89	7.03			

UNDUNDL	ED NETWORK ELEMENTS - Tennessee										_			nent: 2		ibit: B
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			FFQ (A)			Svc Order Submitte	Svc Order Submitte	Charge - Manual Svc	Incrementa I Charge - Manual	I Charge - Manual	Incrementa Charge - Manual Sv
CATEGORY	RATE ELEMENTS	m	Zone	всэ	USOC		KAI	ΓES (\$)			d Elec per LSR	d Manually per LSR	Order vs. Electronic- 1st	Svc Order vs. Electronic-	Svc Order vs. Electronic-	Electronic
							Nonrecu	ırrina	NRC Dis	connect			oss	Rates (\$)	Dicc 1ct	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
	Interoffice Channel miage, per mi or fraction of mi			UEP95	MIGBM	0.0174										
	e Activations (DS0) Centrex Loops on Channelized DS1 Service															
D4 Ch	annel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	1PQWS	0.66										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP95	1PQW6	0.66										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP95	1PQW7	0.66										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot-Diff WC Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP95 UEP95	1PQWP 1PQWV	0.66 0.66										
	Feature Activation on D-4 Channel Bank Tile Line/Trunk Loop Slot			UEP95	1PQWV	0.66			1		+	1				+
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP95	1PQWQ	0.66										+
Non-R	ecurring Charges (NRC) Associated with UNE-P Centrex			OLI 33	II QWA	0.00					+					+
Non-K	NRC Conversion Currently Combined Switch-As-Is with allowed changes,															
	per port			UEP95	USAC2		1.03	0.29				30.89	7.03			
	New Centrex Standard Common Block			UEP95	M1ACS	0.00	658.60	0.00				30.89	7.03			1
	New Centrex Customized Common Block			UEP95	M1ACC	0.00	658.60				1	30.89	7.03			1
	NAR Establishment Charge, Per Occasion			UEP95	URECA	0.00	68.57					30.89	7.03			1
	CENTREX - DMS100 (Valid in All States)															
2-Wire	VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
UNE P	ort/Loop Combination Rates (Non-Design)															
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design		1	UEP9D		26.48										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		2	UEP9D		30.31										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		3	UEP9D		35.32										
UNE P	ort/Loop Combination Rates (Design)															
	2W VG Loop/2W VG Port (Centrex) Port Combo-Design		1	UEP9D		30.56										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		2	UEP9D		35.63										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		3	UEP9D		42.28										
	oop Rate															
	2W VG Loop (SL 1)-Zone 1		1	UEP9D	UECS1	12.48										
	2W VG Loop (SL 1)-Zone 2		2	UEP9D	UECS1	16.31										
	2W VG Loop (SL 1)-Zone 3		3	UEP9D	UECS1	21.32							-			
	2W VG Loop (SL 2)-Zone 1		1 2	UEP9D UEP9D	UECS2 UECS2	16.56 21.63					-					+
	2W VG Loop (SL 2)-Zone 2 2W VG Loop (SL 2)-Zone 3		3	UEP9D	UECS2	28.28					-					+
	ort Rate		3	UEP9D	UEUSZ	26.26					+					+
	TATES				+								-			+
ALL 3	2W VG Port (Centrex ) Basic Local Area			UEP9D	UEPYA	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2W VG Port (Centrex 800 Term)Basic Local Area			UEP9D	UEPYB	14.00	90.00	45.00	20.00	10.00		30.89	7.03			+
	2W VG Fort (Centrex/EBS-PSET)3Basic Local Area			UEP9D	UEPYC	14.00	90.00	45.00	20.00	10.00		30.89	7.03			+
	2W VG Port (Centrex /EBS-M5009)3Basic Local Area			UEP9D	UEPYD	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2W VG Port (Centrex /EBS-M5209)3 Basic Local Area			UEP9D	UEPYE	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2W VG Port (Centrex /EBS-M5112)3 Basic Local Area			UEP9D	UEPYF	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2W VG Port (Centrex /EBS-M5312)3Basic Local Area			UEP9D	UEPYG	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2W VG Port (Centrex /EBS-M5008)3 Basic Local Area			UEP9D	UEPYT	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2W VG Port (Centrex/EBS-M5208)3 Basic Local Area			UEP9D	UEPYU	14.00	90.00	45.00	20.00	10.00	1	30.89	7.03			
	2W VG Port (Centrex/EBS-M5216)3 Basic Local Area			UEP9D	UEPYV	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2W VG Port (Centrex/EBS-M5316)3 Basic Local Area			UEP9D	UEPY3	14.00	90.00	45.00	20.00	10.00	)	30.89	7.03			
	2W VG Port (Centrex with Caller ID) Basic Local Area			UEP9D	UEPYH	14.00	90.00	45.00	20.00	10.00	)	30.89	7.03			
	2W VG Port (Centrex/Caller ID/Msg Wtg Lamp Indication)3 Basic Local Area			UEP9D	UEPYW	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2W VG Port (Centrex/Msg Wtg Lamp Indication)3 Basic Local Area			UEP9D	UEPYJ	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2W VG Port (Centrex from diff SWC) 2 Basic Local Area			UEP9D	UEPYM	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2W VG Port (Centrex/differ SWC /EBS-PSET)2, 3 Basic Local Area			UEP9D	UEPYO	14.00	90.00	45.00	20.00	10.00		30.89	7.03			<u> </u>
	2W VG Port (Centrex/differ SWC /EBS-M5009)2, 3 Basic Local Area			UEP9D	UEPYP	14.00	90.00	45.00	20.00	10.00		30.89	7.03			<u> </u>
$\rightarrow$	2W VG Port (Centrex/differ SWC /EBS-5209)2, 3 Basic Local Area			UEP9D	UEPYQ	14.00	90.00	45.00	20.00	10.00		30.89	7.03			<b>↓</b>
	2W VG Port (Centrex/differ SWC /EBS-M5112)2, 3 Basic Local Area			UEP9D	UEPYR	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2W VG Port (Centrex/differ SWC /EBS-M5312)2, 3 Basic Local Area			UEP9D	UEPYS	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2W VG Port (Centrex/differ SWC /EBS-M5008)2, 3 Basic Local Area			UEP9D	UEPY4	14.00	90.00	45.00	20.00	10.00		30.89	7.03			

NDUNUL	ED NETWORK ELEMENTS - Tennessee		, ,										Attachn			bit: B
TEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		RA <sup>-</sup>	ΓES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitte d Manually per LSR	Electronic-	Incrementa I Charge - Manual Svc Order vs. Electronic-	Incrementa I Charge - Manual Svc Order vs. Electronic-	Increment Charge Manual S Order ve Electron Disc Add
												per LSK		۸ddil	Disc 1st	DISC AUC
						Rec	Nonrecu		NRC Disc					Rates (\$)		
	0W.VO.D / 0 / 17/ . OWO /EDO MESONO O.D	-		LIEDOD	LIED)/5		First	Add'I	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
_	2W VG Port (Centrex/differ SWC /EBS-M5208)2, 3 Basic Local Area 2W VG Port (Centrex/differ SWC /EBS-M5216)2, 3 Basic Local Area	-		UEP9D UEP9D	UEPY5 UEPY6	14.00 14.00	90.00	45.00 45.00	20.00	10.00		30.89 30.89	7.03 7.03			
	2W VG Port (Centrex/differ SWC /EBS-M5316)2, 3 Basic Local Area	1		UEP9D	UEPY7	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2W VG Port, Diff SWC-800 Service Term	-		UEP9D	UEPYZ	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2W VG Port terminated in on Megalink or equivalent Basic Local Area			UEP9D	UEPY9	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2W VG Port Terminated on 800 Service Term Basic Local Area			UEP9D	UEPY2	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
AL, KY	, LA, MS, SC, & TN Only															
	2W VG Port (Centrex)			UEP9D	UEPQA	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2W VG Port (Centrex 800 Term)			UEP9D	UEPQB	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
_	2W VG Port (Centrex/EBS-PSET)3	-	$\vdash$	UEP9D	UEPQC	14.00	90.00	45.00	20.00	10.00	1	30.89	7.03			1
4	2W VG Port (Centrex /EBS-M5009)3	1		UEP9D	UEPQD	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2W VG Port (Centrex /EBS-M5209)3	-	-	UEP9D	UEPQE	14.00	90.00	45.00	20.00	10.00		30.89	7.03			1
+	2W VG Port (Centrex /EBS-M5112)3 2W VG Port (Centrex /EBS-M5312)3	+	+ +	UEP9D UEP9D	UEPQF UEPQG	14.00 14.00	90.00	45.00 45.00	20.00	10.00		30.89 30.89	7.03 7.03			1
	2W VG Port (Centrex /EBS-M5008)3	-		UEP9D	UEPQT	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2W VG Port (Centrex/EBS-M5208)3	1		UEP9D	UEPQU	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2W VG Port (Centrex/EBS-M5216)3			UEP9D	UEPQV	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2W VG Port (Centrex/EBS-M5316)3			UEP9D	UEPQ3	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2W VG Port (Centrex with Caller ID)			UEP9D	UEPQH	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2W VG Port (Centrex/Caller ID/Msg Wtg Lamp Indication)3			UEP9D	UEPQW	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2W VG Port (Centrex/Msg Wtg Lamp Indication)3			UEP9D	UEPQJ	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2W VG Port (Centrex from diff SWC) 2			UEP9D	UEPQM	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2W VG Port (Centrex/differ SWC /EBS-PSET)2, 3			UEP9D	UEPQO	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2W VG Port (Centrex/differ SWC /EBS-M5009)2, 3			UEP9D	UEPQP	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2W VG Port (Centrex/differ SWC /EBS-5209)2, 3	_		UEP9D	UEPQQ	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2W VG Port (Centrex/differ SWC /EBS-M5112)2, 3	-		UEP9D UEP9D	UEPQR UEPQS	14.00 14.00	90.00	45.00	20.00	10.00		30.89 30.89	7.03 7.03			
	2W VG Port (Centrex/differ SWC /EBS-M5312)2, 3 2W VG Port (Centrex/differ SWC /EBS-M5008)2, 3	-		UEP9D UEP9D	UEPQS UEPQ4	14.00	90.00	45.00 45.00	20.00	10.00		30.89	7.03			
	2W VG Port (Centrex/differ SWC /EBS-M5208)2, 3	1		UEP9D	UEPQ5	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2W VG Port (Centrex/differ SWC /EBS-M5216)2, 3	-		UEP9D	UEPQ6	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2W VG Port (Centrex/differ SWC /EBS-M5316)2, 3	1		UEP9D	UEPQ7	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2W VG Port, Diff SWC-800 Service Term			UEP9D	UEPQZ	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2W VG Port terminated in on Megalink or equivalent			UEP9D	UEPQ9	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2W VG Port Terminated on 800 Service Term			UEP9D	UEPQ2	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
Local	Switching															
	Centrex Intercom Funtionality, per port			UEP9D	URECS	0.6381										
Local	Number Portability															
	Local No Portability (1 per port)			UEP9D	LNPCC	0.35										
Featur		-		LIEDAD	LIED) (E	2.22						00.00	7.00			
	All Standard Features Offered, per port	-	-	UEP9D UEP9D	UEPVF	0.00	433.78					30.89 30.89	7.03			
-	All Select Features Offered, per port  All Centrex Control Features Offered, per port	-	1	UEP9D UEP9D	UEPVS UEPVC	0.00	433.78				-	30.89	7.03 7.03			-
NARS	All Centrex Control Features Offered, per port	-		UEP9D	UEPVC	0.00						30.89	7.03			
IVAINO	Unbundled Network Access Register-Combination	-		UEP9D	UARCX	0.00	0.00	0.00				30.89	7.03			
	Unbundled Network Access Register-Inward			UEP9D	UAR1X	0.00	0.00	0.00				30.89	7.03			
	Unbundled Network Access Register-Outdial			UEP9D	UAROX	0.00	0.00	0.00				30.89	7.03			
Miscel	Ianeous Terminations															
2-Wire	Trunk Side															
	Trunk Side Terms, each			UEP9D	CEND6	8.78	90.00	45.00	20.00	10.00		30.89	7.03			
4-Wire	Digital (1.544 Megabits)															
	DS1 Circuit Terms, each		igspace	UEP9D	M1HD1	35.55	75.93	38.15				30.89	7.03			
	DS0 Channels Activiated per Channel	4	1	UEP9D	M1HDO	0.00	108.67					30.89	7.03			ļ
Interof	fice Channel Mileage - 2-Wire	1	$\vdash$	LIEBOD	MODO	10.5-	20.0-	45.00	00.00	40.00	1	00.00	7.00			1
+	Interoffice Channel Facilities Term	-	+	UEP9D UEP9D	MIGBC MIGBM	18.58 0.0174	90.00	45.00	20.00	10.00	}	30.89	7.03			<b>├</b>
Faction	Interoffice Channel miage, per mi or fraction of mi	-	1	UEP9D	MIGRIM	0.0174					-					<del>                                     </del>
	e Activations (DS0) Centrex Loops on Channelized DS1 Service annel Bank Feature Activations	-	+		+						1	1				$\vdash$

NRONDL	ED NETWORK ELEMENTS - Tennessee	,			, ,									nent: 2		bit: B
ATEGORY	RATE ELEMENTS	Interi m	i Zone	BCS	usoc	RATES (\$)					Svc Order Submitte d Elec per LSR	Svc Order Submitte d Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incrementa I Charge - Manual Svc Order vs. Electronic-	Incrementa I Charge - Manual Svc Order vs. Electronic-	Charge - Manual Sv Order vs Electronic
						Rec	Nonrecu		NRC Disc					Rates (\$)	11100 101	T
	Facture Activistics on D. 4 Channel Book Contravil con Clat			UEP9D	1PQWS	0.66	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
-	Feature Activation on D-4 Channel Bank Centrex Loop Slot Feature Activation on D-4 Channel Bank FX line Side Loop Slot		1	UEP9D	1PQWS	0.66			1							-
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP9D	1PQW7	0.66			1							<del></del>
	Feature Activation on D-4 Channel Bank Centrex Loop Slot-Diff WC	1		UEP9D	1PQWP	0.66			1							<del>                                     </del>
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9D	1PQWV	0.66			1							
	Feature Activation on D-4 Channel Bank Tije Line/Trunk Loop Slot			UEP9D	1PQWQ	0.66										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9D	1PQWA	0.66			1 1							
Non-R	ecurring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed changes,															
	per port			UEP9D	USAC2		1.03	0.29				30.89	7.03			
	New Centrex Standard Common Block			UEP9D	M1ACS	0.00	658.60					30.89	7.03			
	New Centrex Customized Common Block			UEP9D	M1ACC	0.00	658.60					30.89	7.03			
	NAR Establishment Charge, Per Occasion			UEP9D	URECA		68.57					30.89	7.03			
	CENTREX - EWSD (Valid in AL, FL, KY, LA, MS & TN)															
	VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
UNE P	ort/Loop Combination Rates (Non-Design)															
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design		1	UEP9E		26.48										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		2	UEP9E		30.31										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		3	UEP9E		35.32										
	ort/Loop Combination Rates (Design)		<b>.</b>													
	2W VG Loop/2W VG Port (Centrex) Port Combo-Design		1	UEP9E		30.56										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		2	UEP9E		35.63										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		3	UEP9E	+ +	42.28										
	oop Rate	1		UEP9E	LIE004	12.48			<u> </u>							
	2W VG Loop (SL 1)-Zone 1 2W VG Loop (SL 1)-Zone 2		2	UEP9E UEP9E	UECS1 UECS1	16.31										
	2W VG Loop (SL 1)-Zone 3	1	3	UEP9E	UECS1	21.32			1							
	2W VG Loop (SL 2)-Zone 1		1	UEP9E	UECS2	16.56			<del>                                     </del>							
	2W VG Loop (SL 2)-Zone 1 2W VG Loop (SL 2)-Zone 2		2	UEP9E	UECS2	21.63			1							
	2W VG Loop (SL 2)-Zone 2 2W VG Loop (SL 2)-Zone 3	1	3	UEP9E	UECS2	28.28			1							<del>                                     </del>
	ort Rate	1		OLI OL	02002	20.20			1							
	, KY, LA, MS, & TN only				1				1							
, <u>, , , , , , , , , , , , , , , , , , </u>	2W VG Port (Centrex ) Basic Local Area			UEP9E	UEPYA	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2W VG Port (Centrex 800 Term)Basic Local Area			UEP9E	UEPYB	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2W VG Port (Centrex with Caller ID)1Basic Local Area			UEP9E	UEPYH	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2W VG Port (Centrex from diff SWC)2 Basic Local Area			UEP9E	UEPYM	14.00	90.00	45.00	20.00	10.00		30.89	7.03			1
	2W VG Port, Diff SWC-800 Service Term-Basic Local Area			UEP9E	UEPYZ	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2W VG Port terminated in on Megalink or equivalent-Basic Local Area			UEP9E	UEPY9	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2W VG Port Terminated on 800 Service Term-Basic Local Area			UEP9E	UEPY2	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	/, LA, MS, & TN Only															
	2W VG Port (Centrex )			UEP9E	UEPQA	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2W VG Port (Centrex 800 Term)			UEP9E	UEPQB	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2W VG Port (Centrex with Caller ID)1			UEP9E	UEPQH	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2W VG Port (Centrex from diff SWC)2			UEP9E	UEPQM	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2W VG Port, Diff SWC-800 Service Term			UEP9E	UEPQZ	14.00	90.00	45.00	20.00	10.00		30.89	7.03			<b>↓</b>
	2W VG Port terminated in on Megalink or equivalent	<u> </u>	1	UEP9E	UEPQ9	14.00	90.00	45.00	20.00	10.00	1	30.89	7.03			<b></b>
	2W VG Port Terminated on 800 Service Term	<u> </u>	1	UEP9E	UEPQ2	14.00	90.00	45.00	20.00	10.00	ļ	30.89	7.03			<b>_</b>
	Switching	<u> </u>	1						<b> </b>		ļ					<b></b>
	Centrex Intercom Funtionality, per port	1	1	UEP9E	URECS	0.6381			<b> </b>		<u> </u>	ļ	ļ			<del>                                     </del>
	Number Portability	₩	1	LIEDOE	LNDGG	0.05			<b> </b>		1		<b> </b>			₩
	Local No Portability (1 per port)	+	1	UEP9E	LNPCC	0.35			<b> </b>		<b> </b>					<del>                                     </del>
Featur		+	1	UEP9E	UEPVF	0.00			<del>                                     </del>		-	30.89	7.00			<del>                                     </del>
	All Standard Features Offered, per port All Select Features Offered, per port	+	1	UEP9E UEP9E	UEPVF	0.00	433.78		1		<del>                                     </del>	30.89	7.03 7.03			<del> </del>
+	All Centrex Control Features Offered, per port	+	1 -	UEP9E	UEPVS	0.00	433.78		<del>                                     </del>		1	30.89	7.03		-	+
NARS	All Control Control Legities Chereu, per port	1	1 -	OLFSE	OLFVC	0.00			<del>                                     </del>		1	30.09	1.03		1	+
NAKS	Unbundled Network Access Register-Combination	1	1	UEP9E	UARCX	0.00	0.00	0.00	<del>├</del>		1	30.89	7.03		-	<del></del>

IDUNDL	LED NETWORK ELEMENTS - Tennessee												Attachr	nent: 2		bit: B
TEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)  Nonrecurring   NRC Disconnect				Svc Order Submitte d Manually per LSR	Order vs. Electronic- 1st	I Charge - Manual Svc Order vs. Electronic-	Incrementa I Charge - Manual Svc Order vs. Electronic-	Incrementa Charge - Manual Svo Order vs. Electronic Disc Add'l
-		-	-			Rec	Nonrecu				201450	COMAN		Rates (\$)	001441	001441
-	Habitan diad Nationals Assess Devictor Indial	-	-	UEP9E	HADAY	0.00	First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Network Access Register-Indial Unbundled Network Access Register-Outdial	1		UEP9E UEP9E	UAR1X UAROX	0.00	0.00	0.00				30.89 30.89	7.03 7.03			1
Misco	ellaneous Terminations	1		UEF9E	UARUX	0.00	0.00	0.00				30.09	7.03			
	e Trunk Side	1														
	Trunk Side Terms, each			UEP9E	CEND6	8.78	90.00	45.00	20.00	10.00		30.89	7.03			
4-Wire	e Digital (1.544 Megabits)	1		02.02	02.120	00	00.00	10.00	20.00	10.00		00.00	7.00			
	DS1 Circuit Terms, each			UEP9E	M1HD1	35.55	75.93	38.15				30.89	7.03			
	DS0 Channel Activated Per Channel			UEP9E	M1HDO	0.00	108.67					30.89	7.03			
Interd	office Channel Mileage - 2-Wire															
	Interoffice Channel Facilities Term			UEP9E	MIGBC	18.58	90.00	45.00	20.00	10.00		30.89	7.03			
	Interoffice Channel miage, per mi or fraction of mi			UEP9E	MIGBM	0.0174	-									
	re Activations (DS0) Centrex Loops on Channelized DS1 Service															
D4 Ch	hannel Bank Feature Activations	<u> </u>	1		<u> </u>								ļ			ļ
	Feature Activation on D-4 Channel Bank Centrex Loop Slot	1	1	UEP9E	1PQWS	0.66					ļ		-			
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9E	1PQW6	0.66										
_	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot	-	-	UEP9E	1PQW7	0.66							-			
_	Feature Activation on D-4 Channel Bank Centrex Loop Slot-Diff WC	1	-	UEP9E UEP9E	1PQWP 1PQWV	0.66 0.66					-					
-	Feature Activation on D-4 Channel Bank Private Line Loop Slot Feature Activation on D-4 Channel Bank Tije Line/Trunk Loop Slot	-		UEP9E UEP9E	1PQWV	0.66										
	Feature Activation on D-4 Channel Bank WATS Loop Slot	1		UEP9E UEP9E	1PQWQ	0.66										
Non-F	Recurring Charges (NRC) Associated with UNE-P Centrex	<b>-</b>		OLFBL	IFQWA	0.00										
INOII-I	NRC Conversion Currently Combined Switch-As-Is with allowed changes,	1														1
	per port			UEP9E	USAC2		1.03	0.29				30.89	7.03			
	New Centrex Standard Common Block			UEP9E	M1ACS	0.00	658.60	0.20				30.89	7.03			
	New Centrex Customized Common Block			UEP9E	M1ACC	0.00	658.60					30.89	7.03			
	NAR Establishment Charge, Per Occasion			UEP9E	URECA	0.00	68.57					30.89	7.03			
UNE-	P CENTREX - DCO - Valid in AL, KY, LA, MS, & TN)															
2-Wire	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
UNE I	Port/Loop Combination Rates (Non-Design)															
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design		1	UEP93		26.48										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		2	UEP93		30.31										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design	1	3	UEP93		35.32										
UNE	Port/Loop Combination Rates (Design)			LIEBOO		00.50										
-	2W VG Loop/2W VG Port (Centrex) Port Combo-Design	-	1 2	UEP93 UEP93		30.56										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design	1	3	UEP93	-	35.63 42.28										
LINE	Loop Rate	1	3	UEF93		42.20										
ONL	2W VG Loop (SL 1)-Zone 1	<b>-</b>	1	UEP93	UECS1	12.48										
	2W VG Loop (SL 1)-Zone 2		2	UEP93	UECS1	16.31										
	2W VG Loop (SL 1)-Zone 3		3	UEP93	UECS1	21.32										
	2W VG Loop (SL 2)-Zone 1		1	UEP93	UECS2	16.56										
	2W VG Loop (SL 2)-Zone 2		2	UEP93	UECS2	21.63										
	2W VG Loop (SL 2)-Zone 3	1	3	UEP93	UECS2	28.28										
UNE	Port Rate															
AL, K	Y, LA, MS, & TN only															
	2W VG Port (Centrex ) Basic Local Area			UEP93	UEPYA	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2W VG Port (Centrex 800 Term)Basic Local Area			UEP93	UEPYB	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2W VG Port (Centrex with Caller ID)1Basic Local Area			UEP93	UEPYH	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
_	2W VG Port (Centrex from diff SWC)2 Basic Local Area	<u> </u>	$\vdash$	UEP93	UEPYM	14.00	90.00	45.00	20.00	10.00	1	30.89	7.03			
	2W VG Port, Diff SWC-800 Service Term-Basic Local Area	1	1	UEP93	UEPYZ	14.00	90.00	45.00	20.00	10.00	ļ	30.89	7.03			1
-	2W VG Port terminated in on Megalink or equivalent-Basic Local Area	-	1	UEP93	UEPY9	14.00	90.00	45.00	20.00	10.00	}	30.89	7.03			1
+	2W VG Port Terminated on 800 Service Term-Basic Local Area	+	1	UEP93	UEPY2	14.00	90.00	45.00	20.00	10.00	<b> </b>	30.89	7.03 7.03			1
+	2W VG Port (Centrex ) 2W VG Port (Centrex 800 Term)	1	$\vdash$	UEP93 UEP93	UEPQA UEPQB	14.00 14.00	90.00	45.00 45.00	20.00	10.00	}	30.89 30.89	7.03			1
+	2W VG Port (Centrex 800 Term)  2W VG Port (Centrex with Caller ID)1	+	1	UEP93 UEP93	UEPQB	14.00	90.00	45.00 45.00	20.00	10.00	1	30.89	7.03			1
-	2W VG Port (Centrex with Caller ID)1 2W VG Port (Centrex from diff SWC)2	+-	1	UEP93	UEPQH	14.00	90.00	45.00	20.00	10.00	1	30.89	7.03			<del>                                     </del>
-	2W VG Port, Diff SWC-800 Service Term	1	$\vdash$	UEP93	UEPQZ	14.00	90.00	45.00	20.00	10.00	<del> </del>	30.89	7.03			<del>                                     </del>

	ED NETWORK ELEMENTS - Tennessee	-									_			ment: 2		ibit: B
	RATE ELEMENTS	Interi m							Svc Order Submitte	Svc Order Submitte		I Charge -	Incrementa I Charge - Manual	Increment Charge Manual Sy		
CATEGORY			Zone	BCS	USOC	RATES (\$)					d Elec	d Manually	Order vs. Electronic-	Svc Order vs.	Svc Order vs.	Order v Electron
											per LSR	1st	Electronic-	Disc 1st	Disc Add	
						Rec	Nonrecu	rring	NRC Disc	connect				S Rates (\$)		
							First	Add'l	First	Add'l	SOMEC			SOMAN	SOMAN	SOMAN
	2W VG Port terminated in on Megalink or equivalent			UEP93	UEPQ9	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2W VG Port Terminated on 800 Service Term			UEP93	UEPQ2	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	Switching		1													<u> </u>
	Centrex Intercom Funtionality, per port		1	UEP93	URECS	0.6381										
Local	Number Portability		1													<u> </u>
	Local No Portability (1 per port)		1	UEP93	LNCCC	0.35										
Featur			1	LIEBOO	LIED) (E	0.55										
	All Standard Features Offered, per port		+	UEP93	UEPVF	0.00									-	+
	All Centrex Control Features Offered, per port	-	1	UEP93	UEPVC	0.00										<del></del>
NARS		-	1	LIEBOO	114 5 6 14	0.00	2.22	2.22				00.00	7.00			<del> </del>
	Unbundled Network Access Register-Combination	-	1	UEP93	UARCX	0.00	0.00	0.00				30.89	7.03			<del> </del>
	Unbundled Network Access Register-Indial		1	UEP93	UAR1X	0.00	0.00	0.00				30.89	7.03			
841	Unbundled Network Access Register-Outdial	_	1	UEP93	UAROX	0.00	0.00	0.00	<u> </u>			30.89	7.03			
	illaneous Terminations e Trunk Side	_	1						<u> </u>							
2-Wire	Trunk Side Trunk Side Terms, each	_	1	UEP93	CEND6	8.78	90.00	45.00	20.00	10.00		30.89	7.03			
4 10/:	e Digital (1.544 Megabits)	-	1	UEP93	CENDO	6.76	90.00	45.00	20.00	10.00		30.89	7.03			+
4-vvire	DS1 Circuit Terms, each	-	1	UEP93	M1HD1	35.55	75.93	38.15	1			30.89	7.03			+
	DS0 Channels Activated. Per Channel	-	1	UEP93	M1HD0	0.00	108.67	36.13	1			30.89	7.03			+
	ffice Channel Mileage - 2-Wire	-	1	UEP93	MILLIO	0.00	108.67		1			30.89	7.03			+
intero	Interoffice Channel Facilities Term	-	1	UEP93	MIGBC	18.58	90.00	45.00	20.00	10.00		30.89	7.03			+
_	Interoffice Channel miage, per mi or fraction of mi	-	<del>                                     </del>	UEP93	MIGBM	0.0174	90.00	45.00	20.00	10.00		30.09	7.03			+
Foatu	re Activations (DS0) Centrex Loops on Channelized DS1 Service	_	1	OLF 93	IVIIGDIVI	0.0174			<del> </del>							+
	nannel Bank Feature Activations	_	1		+				<del> </del>							+
D4 CII	Feature Activation on D-4 Channel Bank Centrex Loop Slot	_	1	UEP93	1PQWS	0.66			<del> </del>							+
	Feature Activation on D-4 Channel Bank FX Line Side Loop Slot	_	1	UEP93	1PQW6	0.66			<del> </del>							+
_	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot		1 1	UEP93	1PQW0	0.66			1							†
<del>-  </del>	Feature Activation on D-4 Channel Bank Centrex Loop Slot-Diff WC		1	UEP93	1PQWP	0.66			1							+
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP93	1PQWV	0.66			1							
	Feature Activation on D-4 Channel Bank Tie Line/Trunk Loop Slot			UEP93	1PQWQ	0.66			1							<b>†</b>
	Feature Activation on D-4 Channel Bank WATS Loop Slot		t	UEP93	1PQWA	0.66			i i							1
Non-F	Recurring Charges (NRC) Associated with UNE-P Centrex		t	02.00		0.00			i i							1
	NRC Conversion Currently Combined Switch-As-Is with allowed changes,				i i											1
	per port	1		UEP93	USAC2	l	1.03	0.29				30.89	7.03			
	New Centrex Standard Common Block			UEP93	M1ACS	0.00	658.60					30.89	7.03			1
	New Centrex Customized Common Block			UEP93	M1ACC	0.00	658.60					30.89	7.03	1		
	NAR Establishment Charge, Per Occasion			UEP93	URECA		68.57					30.89	7.03			
Note 1	1 - Required Port for Centrex Control in 1AESS, 5ESS & EWSD															1
	2 - Requires Interoffice Channel Mileage				i i											
Note '	3 - Requires Specific Customer Premises Equipment															

# **Attachment 3**

**Network Interconnection** 

Version 4Q02: 12/18/02

# TABLE OF CONTENTS

1.	GENERAL	3
2.	DEFINITIONS: (FOR THE PURPOSE OF THIS ATTACHMENT)	3
3.	NETWORK INTERCONNECTION	4
4.	INTERCONNECTION TRUNK GROUP ARCHITECTURES	6
5.	NETWORK DESIGN AND MANAGEMENT FOR INTERCONNECTION1	3
6.	LOCAL DIALING PARITY1	7
7.	INTERCONNECTION COMPENSATION1	7
8.	FRAME RELAY SERVICE INTERCONNECTION	3
9.	ORDERING CHARGES2	5
Rat	tesExhibit A	L
Bas	sic ArchitectureExhibit I	\$
On	e Way ArchitectureExhibit (	7
Tw	o Way ArchitectureExhibit I	)
Suj	pergroup ArchitectureExhibit I	C

#### NETWORK INTERCONNECTION

#### 1. GENERAL

- 1.1 The Parties shall provide interconnection with each other's networks for the transmission and routing of telephone exchange service (Local Traffic), ISP-bound Traffic, and exchange access (Switched Access Traffic) on the following terms:
- 2. DEFINITIONS: (FOR THE PURPOSE OF THIS ATTACHMENT)
- 2.1 For purposes of this attachment only, the following terms shall have the definitions set forth below:
- 2.1.1 **Call Termination** has the meaning set forth for "termination" in 47CFR § 51.701(d).
- 2.1.2 **Call Transport** has the meaning set forth for "transport" in 47 CFR § 51.701(c).
- 2.1.3 **Call Transport and Termination** is used collectively to mean the switching and transport functions from the Interconnection Point to the last point of switching.
- 2.1.4 **Common (Shared) Transport** is defined as the transport of the originating Party's traffic by the terminating Party over the terminating Party's common (shared) facilities between (1) the terminating Party's tandem switch and end office switch, (2) between the terminating Party's tandem switches, and/or (3) between the terminating Party's host and remote end office switches. All switches referred herein must be entered into the Local Exchange Routing Guide (LERG).
- 2.1.5 **Dedicated Interoffice Facility** is defined as a switch transport facility between a Party's Serving Wire Center and the first point of switching within the LATA on the other Party's network.
- 2.1.6 **End Office Switching** is defined as the function that establishes a communications path between the trunk side and line side of the End Office switch.
- 2.1.7 **Fiber Meet** is an interconnection arrangement whereby the Parties physically interconnect their networks via an optical fiber interface at which one Party's facilities, provisioning, and maintenance responsibility begins and the other Party's responsibility ends.
- 2.1.8 **Final Trunk Group** is defined as the trunk group that does not carry overflow traffic.
- 2.1.9 **Interconnection Point (IP)** is the physical telecommunications equipment interface that interconnects the networks of BellSouth and MRC.

Version 4Q02: 12/18/02

- 2.1.10 **IntraLATA Toll Traffic** is as defined in Section 7 of this Attachment.
- 2.1.11 **ISP-bound Traffic** is as defined in Section 7 of this Attachment.
- 2.1.12 **Local Channel** is defined as a switched transport facility between a Party's Interconnection Point and the IP's Serving Wire Center.
- 2.1.13 **Local Traffic** is as defined in Section 7 of this Attachment.
- 2.1.14 **Reciprocal Trunk Group** is defined as a one-way trunk group carrying BellSouth originated traffic to be terminated by MRC
- 2.1.15 **Serving Wire Center** is defined as the wire center owned by one Party from which the other Party would normally obtain dial tone for its IP.
- 2.1.16 **Tandem Switching** is defined as the function that establishes a communications path between two switching offices through a third switching office through the provision of trunk side to trunk side switching.
- 2.1.17 **Transit Traffic** is traffic originating on MRC's network that is switched and/or transported by BellSouth and delivered to a third party's network, or traffic originating on a third party's network that is switched and/or transported by BellSouth and delivered to MRC's network.

## 3. NETWORK INTERCONNECTION

- 3.1 This Attachment pertains only to the provision of network interconnection where MRC owns, leases from a third party or otherwise provides its own switch(es).
- Network interconnection may be provided by the Parties at any technically feasible point within BellSouth's network. Requests to BellSouth for interconnection at points other than as set forth in this Attachment may be made through the Bona Fide Request/New Business Request (BFR/NBR) process set out in Attachment 11.
- 3.2.1 Each Party is responsible for providing, engineering and maintaining the network on its side of the IP. The IP must be located within BellSouth's serving territory in the LATA in which traffic is originating. The IP determines the point at which the originating Party shall pay the terminating Party for the Call Transport and Termination of Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic.
- Pursuant to the provisions of this Attachment, the location of the initial IP in a given LATA shall be established by mutual agreement of the Parties. Subject to the requirements for installing additional IPs, as set forth below, any IPs existing prior to the Effective Date of the Agreement will be accepted as initial IPs and will not require re-grooming. When the Parties mutually agree to utilize two-way

Version 4Q02: 12/18/02

interconnection trunk groups for the exchange of Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic between each other, the Parties shall mutually agree to the location of IP(s). If the Parties are unable to agree to a mutual initial IP, each Party, as originating Party, shall establish a single IP in the LATA for the delivery of its originated Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic to the other Party for Call Transport and Termination by the terminating Party.

3.2.3 When first establishing the interconnection arrangement in each LATA, the location of the IP shall be established by mutual agreement of the Parties. In selecting the IP, both Parties will act in good faith and select the point that is most efficient for both Parties. If the Parties are unable to agree on the location of the IP, each Party will designate IPs for its originated traffic. Additional IP(s) in a LATA may be established by mutual agreement of the Parties. Notwithstanding the foregoing, additional IP(s) in a particular LATA shall be established, at the request of either Party, when the Local Traffic and ISP-bound Traffic exceeds 8.9 million minutes per month for three consecutive months at the proposed location of the additional IP. BellSouth will not request the establishment of an IP where physical or virtual collocation space is not available or where BellSouth fiber connectivity is not available. When the Parties agree to utilize two-way interconnection trunk groups for the exchange of Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic the Parties must agree to the location of the IP(s).

#### 3.3 Interconnection via Dedicated Facilities

- 3.3.1 <u>Local Channel Facilities.</u> As part of Call Transport and Termination, the originating Party may obtain Local Channel facilities from the terminating Party. The percentage of Local Channel facilities utilized for Local Traffic shall be determined based upon the application of the Percent Local Facility (PLF) Factor on a statewide basis. The charges applied to the percentage of Local Channel facilities used for Local Traffic as determined by the PLF are as set forth in Exhibit A to this Attachment. The remaining percentage of Local Channel facilities shall be billed at BellSouth's applicable access tariff rates.
- 3.3.2 <u>Dedicated Interoffice Facilities.</u> As a part of Call Transport and Termination, the originating Party may obtain Dedicated Interoffice Facilities from the terminating Party. The percentage of Dedicated Interoffice Facilities utilized for Local Traffic shall be determined based upon the application of the Percent Local Facility (PLF) Factor on a statewide basis. The charges applied to the percentage of the Dedicated Interoffice Facilities used for Local Traffic as determined by the PLF are as set forth in Exhibit A to this Attachment. The remaining percentage of the Dedicated Interoffice Facilities shall be billed at BellSouth's applicable access tariff rates.
- 3.3.3 The facilities purchased pursuant to this Section 3 shall be ordered via the Access Service Request (ASR) process.

### 3.4 Fiber Meet

- 3.4.1 Notwithstanding Section 3.2.1, 3.2.2, and 3.2.3 above, if MRC elects to establish interconnection with BellSouth pursuant to a Fiber Meet Local Channel, MRC and BellSouth shall jointly engineer, operate and maintain a Synchronous Optical Network (SONET) transmission system by which they shall interconnect their transmission and routing of Local Traffic via a Local Channel at either the DS1 or DS3 level. The Parties shall work jointly to determine the specific transmission system. However, MRC's SONET transmission system must be compatible with BellSouth's equipment, and the Data Communications Channel (DCC) must be turned off.
- 3.4.2 Each Party, at its own expense, shall procure, install and maintain the agreed upon SONET transmission system in its network.
- 3.4.3 The Parties shall agree to a Fiber Meet point between the BellSouth Serving Wire Center and the MRC Serving Wire Center. The Parties shall deliver their fiber optic facilities to the Fiber Meet point with sufficient spare length to reach the fusion splice point for the Fiber Meet Point. BellSouth shall, at its own expense, provide and maintain the fusion splice point for the Fiber Meet. A building type Common Language Location Identification (CLLI) code will be established for each Fiber Meet point. All orders for interconnection facilities from the Fiber Meet point shall indicate the Fiber Meet point as the originating point for the facility.
- 3.4.4 Upon verbal request by MRC, BellSouth shall allow MRC access to the fusion splice point for the Fiber Meet point for maintenance purposes on MRC's side of the Fiber Meet point.
- 3.4.5 Neither Party shall charge the other for its Local Channel portion of the Fiber Meet facility used exclusively for Local Traffic. All other appropriate charges will apply. MRC shall be billed for a mixed use of the Local Channel using the actual traffic MRC elects to transmit over the facility and the rates from this Agreement and the appropriate tariff(s). Charges for switched and special access services shall be billed in accordance with the applicable access service tariff.

#### 4. INTERCONNECTION TRUNK GROUP ARCHITECTURES

- 4.1 BellSouth and MRC shall establish interconnecting trunk groups and trunk group configurations between networks, including the use of one-way or two-way trunks in accordance with the following provisions set forth in this Agreement. For trunking purposes, traffic will be routed based on the digits dialed by the originating end user and in accordance with the LERG.
- 4.2 MRC shall establish an interconnection trunk group(s) to at least one BellSouth access tandem within the LATA for the delivery of MRC's originated Local

Traffic, ISP-bound Traffic and IntraLATA Toll Traffic and for the receipt and delivery of Transit Traffic. To the extent MRC desires to deliver Local Traffic, ISP-bound Traffic, IntraLATA Toll Traffic and/or Transit Traffic to BellSouth access tandems within the LATA, other than the tandems(s) to which MRC has established interconnection trunk groups, MRC shall order Multiple Tandem Access, as described in this Attachment, to such other BellSouth access tandems.

- 4.2.1 Notwithstanding the forgoing, MRC shall establish an interconnection trunk group(s) to all BellSouth access and local tandems in the LATA where MRC has homed (i.e. assigned) its NPA/NXXs. MRC shall home its NPA/NXXs on the BellSouth tandems that serve the exchange rate center areas to which the NPA/NXXs are assigned. The specified exchange rate center assigned to each BellSouth tandem is defined in the LERG. MRC shall enter its NPA/NXX access and/or local tandem homing arrangements into the LERG.
- 4.3 Switched access traffic will be delivered to and from Interexchange Carriers (IXCs) based on MRC's NXX access tandem homing arrangement as specified by MRC in the LERG.
- Any MRC interconnection request that (1) deviates from the interconnection trunk group architectures as described in this Agreement, (2) affects traffic delivered to MRC from a BellSouth switch, and (3) requires special BellSouth switch translations and other network modifications will require MRC to submit a BFR/NBR via the BFR/NBR Process as set forth in Attachment 11.
- 4.5 Recurring and nonrecurring rates associated with interconnecting trunk groups between BellSouth and MRC are set forth in Exhibit A. To the extent a rate associated with the interconnecting trunk group is not set forth in Exhibit A, the rate shall be as set forth in the appropriate BellSouth tariff for switched access services.
- 4.6 For two-way trunk groups that carry only both Parties' Local Traffic, the Parties shall be compensated at 50% of the nonrecurring and recurring rates for dedicated trunks and DS1 facilities. MRC shall be responsible for ordering and paying for any two-way trunks carrying Transit Traffic.
- 4.7 All trunk groups will be provisioned as Signaling System 7 (SS7) capable where technically feasible. If SS7 is not technically feasible multi-frequency (MF) protocol signaling shall be used.
- 4.8 In cases where MRC is also an IXC, the IXC's Feature Group D (FGD) trunk group(s) must remain separate from the local interconnection trunk group(s).
- 4.9 Each Party shall order interconnection trunks and trunk group including trunk and trunk group augmentations via the ASR process. A Firm Order Confirmation (FOC) shall be returned to the ordering Party, after receipt of a valid, error free

ASR, within the timeframes set forth in each state's applicable Performance Measures. Notwithstanding the foregoing, blocking situations and projects shall be managed through BellSouth's Carrier Interconnection Switching Center (CISC) Project Management Group and MRC's equivalent trunking group, and FOCs for such orders shall be returned in the timeframes applicable to the project. A project is defined as (1) a new trunk group or (2) a request for more than 96 trunks on a single or multiple group(s) in a given BellSouth local calling area.

# 4.10 Interconnection Trunk Groups for Exchange of Local Traffic and Transit Traffic

Upon mutual agreement of the Parties in a joint planning meeting, the Parties shall exchange Local Traffic on two-way interconnection trunk group(s) with the quantity of trunks being mutually determined and the provisioning being jointly coordinated. Furthermore, the Parties shall agree upon the IP(s) for two-way interconnection trunk groups transporting both Parties' Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic. MRC shall order such two-way trunks via the ASR process. BellSouth will use the Trunk Group Service Request (TGSR) to request changes in trunking. Furthermore, the Parties shall jointly review trunk performance and forecasts on a periodic basis. The Parties' use of two-way interconnection trunk groups for the transport of Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic between the Parties does not preclude either Party from establishing additional one-way interconnection trunks for the delivery of its originated Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic to the other Party.

#### 4.10.1 **BellSouth Access Tandem Interconnection**

BellSouth access tandem interconnection at a single access tandem provides access to those end offices subtending that access tandem (Intratandem Access). Access tandem interconnection is available for any of the following access tandem architectures

#### 4.10.1.1 **Basic Architecture**

In the basic architecture, MRC's originating Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic and originating and terminating Transit Traffic is transported on a single two-way trunk group between MRC and BellSouth access tandem(s) within a LATA to provide Intratandem Access. This trunk group carries Transit Traffic between MRC and Independent Companies, IXCs, other CLECs, CMRS providers that have a Meet Point Billing arrangement with BellSouth, and other network providers with which MRC desires to exchange traffic. This trunk group also carries MRC originated Transit Traffic transiting a single BellSouth access tandem destined to third party tandems such as an Independent Company tandem or other CLEC tandem. BellSouth originated Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic is transported on a separate single one-way trunk group terminating to MRC. Other trunk groups for operator services, directory assistance, emergency services and intercept must be

established pursuant to the applicable BellSouth tariff if service is requested. The LERG contains current routing and tandem serving arrangements. The basic architecture is illustrated in Exhibit B.

#### 4.10.1.2 One-Way Trunk Group Architecture

In one-way trunk group architecture, the Parties interconnect using three separate trunk groups. A one-way trunk group provides Intratandem Access for MRCoriginated Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic destined for BellSouth end users. A second one-way trunk group carries BellSouthoriginated Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic destined for MRC end users. A two-way trunk group provides Intratandem Access for MRC's originating and terminating Transit Traffic. This trunk group carries Transit Traffic between MRC and Independent Companies, IXCs, other CLECs, CMRS providers that have a Meet Point Billing arrangement with BellSouth, and other network providers with which MRC desires to exchange traffic. This trunk group also carries MRC originated Transit Traffic transiting a single BellSouth access tandem destined to third party tandems such as an Independent Company tandem or other CLEC tandem. BellSouth originated Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic is transported on a separate single one-way trunk group terminating to MRC. Other trunk groups for operator services, directory assistance, emergency services and intercept must be established pursuant to the applicable BellSouth tariff if service is requested. The LERG contains current routing and tandem serving arrangements. The one-way trunk group architecture is illustrated in Exhibit C.

## 4.10.1.3 **Two-Way Trunk Group Architecture**

The two-way trunk group architecture establishes one two-way trunk group to provide Intratandem Access for the exchange of Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic between MRC and BellSouth. In addition, a separate two-way transit trunk group must be established for MRC's originating and terminating Transit Traffic. This trunk group carries Transit Traffic between MRC and Independent Companies, IXCs, other CLECs, CMRS providers that have a Meet Point Billing arrangement with BellSouth, and other network providers with which MRC desires to exchange traffic. This trunk group also carries MRC originated Transit Traffic transiting a single BellSouth access tandem destined to third party tandems such as an Independent Company tandem or other CLEC tandem. BellSouth originated traffic may, in order to prevent or remedy traffic blocking situations, be transported on a separate single one-way trunk group terminating to MRC. However, where MRC is responsive in a timely manner to BellSouth's transport needs for its originated traffic, BellSouth originating traffic will be placed on the two-way Local Traffic trunk group carrying ISP-bound Traffic and IntraLATA Toll Traffic. Other trunk groups for operator services, directory assistance, emergency services and intercept must be established pursuant to the applicable BellSouth tariff if service is requested. The LERG

contains current routing and tandem serving arrangements. The two-way trunk group architecture is illustrated in Exhibit D.

# 4.10.1.4 **Supergroup Architecture**

In the supergroup architecture, the Parties' Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic and MRC's Transit Traffic are exchanged on a single twoway trunk group between MRC and BellSouth to provide Intratandem Access to MRC. This trunk group carries Transit Traffic between MRC and Independent Companies, IXCs, other CLECs, CMRS providers that have a Meet Point Billing arrangement with BellSouth, and other network providers with which MRC desires to exchange traffic. This trunk group also carries MRC originated Transit Traffic transiting a single BellSouth access tandem destined to third party tandems such as an Independent Company tandem or other CLEC tandem. BellSouth originated traffic may, in order to prevent or remedy traffic blocking situations, be transported on a separate single one-way trunk group terminating to MRC. However, where MRC is responsive in a timely manner to BellSouth's transport needs for its originated traffic, BellSouth originating traffic will be placed on the Supergroup. Other trunk groups for operator services, directory assistance, emergency services and intercept must be established pursuant to the applicable BellSouth tariff if service is requested. The LERG contains current routing and tandem serving arrangements. The supergroup architecture is illustrated in Exhibit E.

## 4.10.1.5 **Multiple Tandem Access Interconnection**

- Where MRC does not choose access tandem interconnection at every BellSouth 4.10.1.5.1 access tandem within a LATA, MRC may utilize BellSouth's multiple tandem access interconnection (MTA). To utilize MTA MRC must establish an interconnection trunk group(s) at a BellSouth access tandem through multiple BellSouth access tandems within the LATA as required. BellSouth will route MRC's originated Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic for LATA wide transport and termination. MRC must also establish an interconnection trunk group(s) at all BellSouth access tandems where MRC NXXs are homed as described in Section 4.2.1 above. If MRC does not have NXXs homed at any particular BellSouth access tandem within a LATA and elects not to establish an interconnection trunk group(s) at such BellSouth access tandem, MRC can order MTA in each BellSouth access tandem within the LATA where it does have an interconnection trunk group(s) and BellSouth will terminate MRC's Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic to end users served through those BellSouth access tandems where MRC does not have an interconnection trunk group(s). MTA shall be provisioned in accordance with BellSouth's Ordering Guidelines.
- 4.10.1.5.2 MRC may also utilize MTA to route its originated Transit Traffic; provided, however, that MTA may not be utilized to route switched access traffic that transits the BellSouth network to an IXC. Switched access traffic originated by or

- terminated to MRC will be delivered to and from IXCs based on MRC's NXX access tandem homing arrangement as specified by MRC in the LERG.
- 4.10.1.5.3 Compensation for MTA shall be at the applicable tandem switching and transport charges specified in Exhibit A to this Attachment and shall be billed in addition to any Call Transport and Termination charges.
- 4.10.1.5.4 To the extent MRC does not purchase MTA in a LATA served by multiple access tandems, MRC must establish an interconnection trunk group(s) to every access tandem in the LATA to serve the entire LATA. To the extent MRC routes its traffic in such a way that utilizes BellSouth's MTA service without properly ordering MTA, MRC shall pay BellSouth the associated MTA charges.

#### 4.10.2 **Local Tandem Interconnection**

- 4.10.2.1 Local Tandem Interconnection arrangement allows MRC to establish an interconnection trunk group(s) at BellSouth local tandems for: (1) the delivery of MRC-originated Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic transported and terminated by BellSouth to BellSouth end offices served by those BellSouth local tandems, and (2) for local Transit Traffic transported by BellSouth for third party network providers who have also established an interconnection trunk group(s) at those BellSouth local tandems.
- 4.10.2.2 When a specified local calling area is served by more than one BellSouth local tandem, MRC must designate a "home" local tandem for each of its assigned NPA/NXXs and establish trunk connections to such local tandems. Additionally, MRC may choose to establish an interconnection trunk group(s) at the BellSouth local tandems where it has no codes homing but is not required to do so. MRC may deliver Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic to a "home" BellSouth local tandem that is destined for other BellSouth or third party network provider end offices subtending other BellSouth local tandems in the same local calling area where MRC does not choose to establish an interconnection trunk group(s). It is MRC's responsibility to enter its own NPA/NXX local tandem homing arrangements into the LERG either directly or via a vendor in order for other third party network providers to determine appropriate traffic routing to MRC's codes. Likewise, MRC shall obtain its routing information from the LERG.
- 4.10.2.3 Notwithstanding establishing an interconnection trunk group(s) to BellSouth's local tandems, MRC must also establish an interconnection trunk group(s) to BellSouth access tandems within the LATA on which MRC has NPA/NXXs homed for the delivery of IXC Switched Access (SWA) and toll traffic, and traffic to Type 2A CMRS connections located at the access tandems. BellSouth shall not switch SWA traffic through more than one BellSouth access tandem. SWA, Type 2A CMRS or toll traffic routed to the local tandem in error will not be backhauled

to the BellSouth access tandem for completion. (Type 2A CMRS interconnection is defined in BellSouth's A35 GSST).

4.10.2.4 BellSouth's provisioning of Local Tandem Interconnection assumes that MRC has executed the necessary local interconnection agreements with the other third party network providers subtending those local tandems as required by the Act.

#### 4.10.3 **Direct End Office-to-End Office Interconnection**

- 4.10.3.1 Direct End Office-to-End Office one-way or two-way interconnection trunk groups allow for the delivery of a Party's originating Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic to the terminating Party on a direct end office-to-end office basis.
- 4.10.3.2 The Parties shall utilize direct end office-to-end office trunk groups under any one of the following conditions:
- 4.10.3.2.1 Tandem Exhaust If a tandem through which the Parties are interconnected is unable to, or is forecasted to be unable to support additional traffic loads for any period of time, the Parties will mutually agree on an end office trunking plan that will alleviate the tandem capacity shortage and ensure completion of traffic between MRC and BellSouth.
- 4.10.3.2.2 Traffic Volume –To the extent either Party has the capability to measure the amount of traffic between MRC's switch and a BellSouth end office and where such traffic exceeds or is forecasted to exceed a single DS1 of traffic per month, then the Parties shall install and retain direct end office trunking sufficient to handle such traffic volumes. Either Party will install additional capacity between such points when overflow traffic exceeds or is forecasted to exceed a single DS1 of traffic per month. In the case of one-way trunking, additional trunking shall only be required by the Party whose trunking has achieved the preceding usage threshold.
- 4.10.3.2.3 Mutual Agreement The Parties may install direct end office trunking upon mutual agreement in the absence of conditions (1) or (2) above.

#### 4.10.4 Transit Traffic Trunk Group

Transit Traffic trunks can either be two-way trunks or two one-way trunks ordered by MRC to deliver and receive Transit Traffic. Establishing Transit Traffic trunks at BellSouth access and local tandems provides intratandem access to the third parties also interconnected at those tandems.

#### 4.10.4.1 **Toll Free Traffic**

4.10.4.1.1 If MRC chooses BellSouth to perform the Service Switching Point (SSP) Function (i.e., handle Toll Free database queries) from BellSouth's switches, all MRC

originating Toll Free traffic will be routed over the Transit Traffic Trunk Group and shall be delivered using GR-394 format. Carrier Code "0110" and Circuit Code (to be determined for each LATA) shall be used for all such calls.

- 4.10.4.1.2 MRC may choose to perform its own Toll Free database queries from its switch. In such cases, MRC will determine the nature (local/intraLATA/interLATA) of the Toll Free call based on the response from the database. If the call is a BellSouth local or intraLATA Toll Free call, MRC will route the post-query local or IntraLATA converted ten-digit local number to BellSouth over the local or intraLATA trunk group. If the call is a third party (ICO, IXC, CMRS or other CLEC) local or intraLATA Toll Free call, MRC will route the post-query local or intraLATA converted ten-digit local number to BellSouth over the Transit Traffic Trunk Group and MRC shall provide to BellSouth a Toll Free billing record when appropriate. If the query reveals the call is an interLATA Toll Free call, MRC will route the post-query interLATA Toll Free call (1) directly from its switch for carriers interconnected with its network or (2) over the Transit Traffic Trunk Group to carriers that are not directly connected to MRC's network but that are connected to BellSouth's access tandem.
- 4.10.5 All post-query Toll Free calls for which MRC performs the SSP function, if delivered to BellSouth, shall be delivered using GR-394 format for calls destined to IXCs, and GR-317 format for calls destined to end offices that directly subtend a BellSouth access tandem within the LATA.

#### 5. NETWORK DESIGN AND MANAGEMENT FOR INTERCONNECTION

- 5.1 <u>Network Management and Changes</u>. The Parties will exchange toll-free maintenance contact numbers and escalation procedures. The Parties will provide public notice of network changes in accordance with applicable federal and state rules and regulations.
- Interconnection Technical Standards. The interconnection of all networks will be based upon accepted industry/national guidelines for transmission standards and traffic blocking criteria. Interconnecting facilities shall conform, at a minimum, to the telecommunications industry standard of DS-1 pursuant to Telcordia Standard No. TR-NWT-00499. Where MRC chooses to utilize Signaling System 7 signaling, also known as Common Channel Signaling (SS7), SS7 connectivity is required between the MRC switch and the BellSouth Signaling Transfer Point (STP). BellSouth will provide SS7 signaling using Common Channel Signaling Access Capability in accordance with the technical specifications set forth in the BellSouth Guidelines to Technical Publication, TR-TSV-000905. Facilities of each Party shall provide the necessary on-hook, off-hook answer and disconnect supervision and shall provide calling number ID (Calling Party Number) when technically feasible.

- Quality of Interconnection. The local interconnection for the transmission and routing of telephone exchange service and exchange access that each Party provides to each other will be at least equal in quality to what it provides to itself and any subsidiary or affiliate, where technically feasible, or to any other Party to which each Party provides local interconnection.
- Network Management Controls. Both Parties will work cooperatively to apply sound network management principles by invoking appropriate network management controls (e.g., call gapping) to alleviate or prevent network congestion.
- 5.5 <u>SS7 Signaling</u>. Both Parties will utilize LEC-to-LEC SS7 Signaling, where available, in conjunction with all traffic in order to enable full interoperability of CLASS features and functions except for call return. All SS7 signaling parameters will be provided, including but not limited to automatic number identification (ANI), originating line information (OLI) calling company category and charge number. All privacy indicators will be honored, and the Parties will exchange Transactional Capabilities Application Part (TCAP) messages to facilitate full interoperability of SS7-based features between the respective networks. Neither Party shall alter the SS7 parameters, or be a party to altering such parameters, or knowingly pass SS7 parameters that have been altered in order to circumvent appropriate interconnection charges.
- 5.6 <u>Signaling Call Information</u>. BellSouth and MRC will send and receive 10 digits for Local Traffic. Additionally, BellSouth and MRC will exchange the proper call information, i.e. originated call company number and destination call company number, CIC, and OZZ, including all proper translations for routing between networks and any information necessary for billing.

### 5.7 Forecasting for Trunk Provisioning

- 5.7.1 Within six (6) months after execution of this Agreement, MRC shall provide an initial interconnection trunk group forecast for each LATA in which it plans to provide service within BellSouth's region. Upon receipt of MRC's forecast, the Parties shall conduct a joint planning meeting to develop a joint interconnection trunk group forecast. Each forecast provided under this Section shall be deemed "Confidential Information" under the General Terms and Conditions of this Agreement.
- 5.7.1.1 At a minimum, the forecast shall include the projected quantity of Transit Trunks, MRC-to-BellSouth one-way trunks (MRC Trunks), BellSouth-to-MRC one-way trunks (Reciprocal Trunk Groups) and/or two-way interconnection trunks, if the Parties have agreed to interconnect using two-way trunking to transport the Parties' Local Traffic and IntraLATA Toll Traffic. The quantities shall be projected for a minimum of six months and shall include an estimate of the current year plus the next two years total forecasted quantities. The Parties shall mutually

develop Reciprocal Trunk Groups and/or two-way interconnection trunk forecast quantities.

- 5.7.1.2 All forecasts shall include, at a minimum, Access Carrier Terminal Location (ACTL), trunk group type (local/intraLATA toll, Transit, Operator Services, 911, etc.), A location/Z location (CLLI codes for MRC location and BellSouth location where the trunks shall terminate), interface type (e.g., DS1), Direction of Signaling, Trunk Group Number, if known, (commonly referred to as the 2-6 code) and forecasted trunks in service each year (cumulative).
- 5.7.2 Once initial interconnection trunk forecasts have been developed, MRC shall continue to provide interconnection trunk forecasts on a semiannual basis or at otherwise mutually agreeable intervals. MRC shall use its best efforts to make the forecasts as accurate as possible based on reasonable engineering criteria. The Parties shall continue to develop Reciprocal Trunk Group and/or two-way interconnection trunk forecasts as described in Section 5.7.1.1.
- 5.7.3 The submitting and development of interconnection trunk forecasts shall not replace the ordering process for local interconnection trunks. Each Party shall exercise its best efforts to provide the quantity of interconnection trunks mutually forecasted. However, the provision of the forecasted quantity of interconnection trunks is subject to trunk terminations and facility capacity existing at the time the trunk order is submitted. Furthermore, the receipt and development of trunk forecasts does not imply any liability for failure to perform if capacity (trunk terminations or facilities) is not available for use at the forecasted time.

#### 5.8 **Trunk Utilization**

- 5.8.1 For the Reciprocal Trunk Groups that are Final Trunk Groups (Reciprocal Final Trunk Groups), BellSouth and MRC shall monitor traffic on each interconnection Reciprocal Final Trunk Group that is ordered and installed. The Parties agree that the Reciprocal Final Trunk Groups will be utilized at sixty percent (60%) of the time consistent busy hour utilization level within 90 days of installation. The Parties agree that the Reciprocal Final Trunk Groups will be utilized at eighty percent (80%) of the time consistent busy hour utilization level within 180 days of installation. Any Reciprocal Final Trunk Group not meeting the minimum thresholds set forth in this Section are defined as "Under-utilized" trunks. BellSouth may disconnect any Under-utilized Reciprocal Final Trunk Groups and MRC shall refund to BellSouth the associated nonrecurring and recurring trunk and facility charges paid by BellSouth, if any.
- 5.8.1.1 BellSouth's CISC will notify MRC of any under-utilized Reciprocal Trunk Groups and the number of such trunk groups that BellSouth wishes to disconnect. BellSouth will provide supporting information either by email or facsimile to the designated MRC interface. MRC will provide concurrence with the disconnection in seven (7) business days or will provide specific information supporting why the

trunks should not be disconnected. Such supporting information should include expected traffic volumes (including traffic volumes generated due to Local Number Portability) and the timeframes within which MRC expects to need such trunks. BellSouth's CISC Project Manager and Circuit Capacity Manager will discuss the information with MRC to determine if agreement can be reached on the number of Reciprocal Final Trunk Groups to be removed. If no agreement can be reached, BellSouth will issue disconnect orders to MRC. The due date of these orders will be four weeks after MRC was first notified in writing of the underutilization of the trunk groups.

- To the extent that any interconnection trunk group is utilized at a time-consistent busy hour of eighty percent (80%) or greater, the Parties may review the trunk groups and, if necessary, shall negotiate in good faith for the installation of augmented facilities.
- 5.8.3 For the two-way trunk groups, BellSouth and MRC shall monitor traffic on each interconnection trunk group that is ordered and installed. The Parties agree that within 90 days of the installation of the BellSouth two-way trunk or trunks, the trunks will be utilized at sixty percent (60%) of the time consistent busy hour utilization level. The Parties agree that within 180 days of the installation of a trunk or trunks, the trunks will be utilized at eighty percent (80%) of the time consistent busy hour utilization level. Any trunk or trunks not meeting the minimum thresholds set forth in this Section are defined as "Under-utilized" trunks. BellSouth will request the disconnection of any Under-utilized two-way trunk(s) and MRC shall refund to BellSouth the associated nonrecurring and recurring trunk and facility charges paid by BellSouth, if any.
- BellSouth's LISC will notify MRC of any under-utilized two-way trunk groups and the number of trunks that BellSouth wishes to disconnect. BellSouth will provide supporting information either by email or facsimile to the designated MRC interface. MRC will provide concurrence with the disconnection in seven (7) business days or will provide specific information supporting why the two-way trunks should not be disconnected. Such supporting information should include expected traffic volumes (including traffic volumes generated due to Local Number Portability) and the timeframes within which MRC expects to need such trunks. BellSouth's CISC Project Manager and Circuit Capacity Manager will discuss the information with MRC to determine if agreement can be reached on the number of trunks to be removed. If no agreement can be reached, MRC will issue disconnect orders to BellSouth. The due date of these orders will be four weeks after MRC was first notified in writing of the underutilization of the trunk groups.
- 5.8.3.2 To the extent that any interconnection trunk group is utilized at a time-consistent busy hour of eighty percent (80%) or greater, the Parties may review the trunk groups and, if necessary, shall negotiate in good faith for the installation of augmented facilities.

#### 6. LOCAL DIALING PARITY

BellSouth and MRC shall provide local and toll dialing parity, as defined in FCC rules and regulations, with no unreasonable dialing delays. Dialing parity shall be provided for all originating telecommunications services that require dialing to route a call.

#### 7. INTERCONNECTION COMPENSATION

- 7.1 Compensation for Call Transportation and Termination for Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic
- 7.1.1 For the purposes of this Attachment and for reciprocal compensation between the Parties pursuant to this Attachment, Local Traffic is defined as any telephone call that originates in one exchange and terminates in either the same exchange, or other local calling area associated with the originating exchange as defined and specified in Section A3 of BellSouth's GSST.
- 7.1.1.1 Additionally, Local Traffic includes any cross boundary, voice-to-voice intrastate, interLATA or interstate, interLATA calls established as a local call by the ruling regulatory body.
- 7.1.2 ISP-bound Traffic is defined as calls to an information service provider or Internet service provider (ISP) that are dialed by using a local dialing pattern (7 or 10 digits) by a calling party in one exchange to an ISP server or modem in either the same exchange or a corresponding Extended Area Service (EAS) exchange as defined and specified in Section A3 of BellSouth's GSST. ISP-bound Traffic is not Local Traffic subject to reciprocal compensation, but instead is information access traffic subject to the FCC's jurisdiction.
- 7.1.3 Notwithstanding the definitions of Local Traffic and ISP-bound traffic above, and pursuant to the FCC's Order on Remand and Report and Order in CC Docket 99-68 released April 27, 2001 (ISP Order on Remand), BellSouth and MRC agree to the rebuttable presumption that all combined circuit switched Local and ISP-bound Traffic delivered to BellSouth or MRC that exceeds a 3:1 ratio of terminating to originating traffic on a statewide basis shall be considered ISP-bound traffic for compensation purposes. BellSouth and MRC further agree to the rebuttable presumption that all combined circuit switched Local and ISP-bound Traffic delivered to BellSouth or MRC that does not exceed a 3:1 ratio of terminating to originating traffic on a statewide basis shall be considered Local Traffic for compensation purposes.
- 7.1.4 Neither Party shall pay compensation to the other Party for per minute of use rate elements associated with the Call Transport and Termination of Local Traffic or ISP-bound Traffic.

- 7.1.5 The appropriate elemental rates set forth in Exhibit A of this Attachment shall apply for Transit Traffic as described in Sections 7.6 and 7.6.1 below and to Multiple Tandem Access as described in Section 4.10.1.5 above.
- 7.1.6 Neither Party shall represent Switched Access Traffic as Local Traffic or ISP-bound Traffic for purposes of determining compensation for the call.
- 7.1.7 IntraLATA Toll Traffic is defined as all traffic that originates and terminates within a single LATA that is not Local or ISP-bound traffic under this Attachment.
- 7.1.7.1 For terminating its intraLATA toll traffic on the other company's network, the originating Party will pay the terminating Party BellSouth's current intrastate or interstate, whichever is appropriate, terminating switched access tariff rates as set forth in BellSouth's Access Services Tariffs as filed and in effect with the FCC or Commission. The appropriate charges will be determined by the routing of the call. Additionally, if one Party is the other Party's end user's presubscribed IXC or if one Party's end user uses the other Party as an IXC on a 101XXXX basis, the originating party will charge the other Party the appropriate BellSouth originating switched access tariff rates as set forth in BellSouth's Intrastate or Interstate Access Services Tariff as filed and in effect with the FCC or appropriate Commission.
- 7.1.8 If MRC assigns NPA/NXXs to specific BellSouth rate centers within the LATA and assigns numbers from those NPA/NXXs to MRC end users physically located outside of that LATA, BellSouth traffic originating from within the LATA where the NPA/NXXs are assigned and delivered to a MRC customer physically located outside of such LATA, shall not be deemed Local Traffic. Further, MRC agrees to identify such interLATA traffic to BellSouth and to compensate BellSouth for originating and transporting such interLATA traffic to MRC at BellSouth's switched access tariff rates.
- 7.2 If MRC does not identify such interLATA traffic to BellSouth, to the best of BellSouth's ability BellSouth will determine which whole MRC NPA/NXXs on which to charge the applicable rates for originating network access service as reflected in BellSouth's Access Service Tariff. BellSouth shall make appropriate billing adjustments if MRC can provide sufficient information for BellSouth to determine whether or not said traffic is Local or ISP-bound Traffic.

# 7.3 **Jurisdictional Reporting**

7.3.1 Percent Local Use. Each Party shall report to the other a Percent Local Usage (PLU) factor. The application of the PLU will determine the amount of local or ISP-bound minutes to be billed to the other Party. Each Party shall update its PLU on the first of January, April, July and October of the year and shall send it to the

other Party to be received no later than 30 days after the first of each such month based on local and ISP-bound usage for the past three months ending the last day of December, March, June and September, respectively. Requirements associated with PLU calculation and reporting shall be as set forth in BellSouth's Jurisdictional Factors Reporting Guide, as it is amended from time to time.

- Percent Local Facility. Each Party shall report to the other a Percent Local Facility (PLF) factor. The application of the PLF will determine the portion of switched dedicated transport to be billed per the local jurisdiction rates. The PLF shall be applied to Multiplexing, Local Channel and Interoffice Channel Switched Dedicated Transport utilized in the provision of local interconnection trunks. Each Party shall update its PLF on the first of January, April, July and October of the year and shall send it to the other Party to be received no later than 30 days after the first of each such month to be effective the first bill period the following month, respectively. Requirements associated with PLU and PLF calculation and reporting shall be as set forth in BellSouth's Jurisdictional Factors Reporting Guide, as it is amended from time to time.
- Percent Interstate Usage (PIU) factor. All jurisdictional report requirements, rules and regulations for IXCs specified in BellSouth's Intrastate Access Services Tariff will apply to MRC. After interstate and intrastate traffic percentages have been determined by use of PIU procedures, the PLU and PLF factors will be used for application and billing of local interconnection. Each Party shall update its PIUs on the first of January, April, July and October of the year and shall send it to the other Party to be received no later than 30 days after the first of each such month, for all services showing the percentages of use for the past three months ending the last day of December, March, June and September.
- Notwithstanding the provisions in Section 7.3.1, 7.3.2, and 7.3.3 above, where the terminating Party has message recording technology that identifies the jurisdiction of traffic terminated as defined in this Agreement, such information shall, at the terminating Party's option, be utilized to determine the appropriate jurisdictional reporting factors (PLU, PIU, and/or PLF), in lieu of those provided by the originating Party. In the event that the terminating Party opts to utilize its own data to determine jurisdictional reporting factors, such terminating Party shall notify the originating Party at least 15 days prior to the beginning of the calendar quarter in which the terminating Party will begin to utilize its own data. Such factors shall subject to the Dispute Resolution provisions in this Agreement, as well as the Audit provisions set forth in 7.3.5 below.
- 7.3.5 **Audits.** On thirty (30) days written notice, each Party must provide the other the ability and opportunity to conduct an annual audit to ensure the proper billing of traffic. BellSouth and MRC shall retain records of call detail for a minimum of nine months from which the PLU, PLF and/or PIU can be ascertained. The audit

shall be conducted during normal business hours at an office designated by the Party being audited. Audit requests shall not be submitted more frequently than one (1) time per calendar year. Audits shall be performed by a mutually acceptable independent auditor paid for by the Party requesting the audit. The PLF, PLU and/or PIU shall be adjusted based upon the audit results and shall apply for the quarter the audit was completed, for the quarter prior to the completion of the audit, and for the two quarters following the completion of the audit. If, as a result of an audit, either Party is found to have overstated the PLF, PLU and/or PIU by twenty percentage points (20%) or more, that Party shall reimburse the auditing Party for the cost of the audit.

## 7.4 Compensation for 8XX Traffic

- 7.4.1 <u>Compensation for 8XX Traffic</u>. Each Party shall pay the other the appropriate switched access charges set forth in the BellSouth intrastate or interstate switched access tariffs. MRC will pay BellSouth the database query charge as set forth in the BellSouth intrastate or interstate switched access tariffs as applicable.
- 7.4.2 Records for 8XX Billing. Each Party will provide to the other the appropriate records necessary for billing intraLATA 8XX customers. The records provided will be in a standard EMI format.
- 7.4.3 <u>8XX Access Screening</u>. BellSouth's provision of 8XX Toll Free Dialing (TFD) to MRC requires interconnection from MRC to BellSouth's 8XX Signal Channel Point (SCP). Such interconnections shall be established pursuant to BellSouth's Common Channel Signaling Interconnection Guidelines and Telcordia's CCS Network Interface Specification document, TR-TSV-000905. MRC shall establish SS7 interconnection at the BellSouth Local Signal Transfer Points serving the BellSouth 8XX SCPs that MRC desires to query. The terms and conditions for 8XX TFD are set out in BellSouth's Intrastate Access Services Tariff.

#### 7.5 Mutual Provision of Switched Access Service

7.5.1 Switched Access Traffic. Switched Access Traffic is described as telephone calls requiring local transmission or switching services for the purpose of the origination or termination of Telephone Toll Service. Switched Access Traffic includes, but is not limited to, the following types of traffic: Feature Group A, Feature Group B, Feature Group C, Feature Group D, toll free access (e.g., 8XX), 900 access and their successors. Additionally, any Public Switched Telephone Network interexchange telecommunications traffic, regardless of transport protocol method, where the originating and terminating points, end-to-end points, are in different LATAs, or are in the same LATA and the Parties' Switched Access services are used for the origination or termination of the call, shall be considered Switched Access Traffic. Irrespective of transport protocol method used, a call which originates in one LATA and terminates in another LATA (i.e., the end-to-end points of the call) or in which the Parties' Switched Access Services are used for

the origination or termination of the call, shall not be considered Local Traffic or ISP-bound Traffic.

- 7.5.2 If the BellSouth end user chooses MRC as their presubscribed IXC, or if the BellSouth end user uses MRC as an IXC on a 101XXXX basis, BellSouth will charge MRC the appropriate BellSouth tariff charges for originating switched access services.
- 7.5.3 Where the originating Party delivers a call to the terminating Party over switched access facilities, the originating Party will pay the terminating Party terminating, switched access charges as set forth in BellSouth's Intrastate or Interstate Access Services Tariff, as appropriate.
- When MRC's end office switch provides an access service connection to or from an IXC by a direct trunk group to the IXC utilizing BellSouth facilities, each Party will provide its own access services to the IXC and bill on a multi-bill, multi-tariff meet-point basis. Each Party will bill its own access services rates to the IXC with the exception of the interconnection charge. The interconnection charge will be billed by MRC as the Party providing the end office function. Each party will use the Multiple Exchange Carrier Access Billing (MECAB) guidelines to establish meet point billing for all applicable traffic. The Parties shall utilize a thirty (30) day billing period.
- 7.5.4.1 When MRC's end office subtends the BellSouth Access Tandem switch for receipt or delivery of switched access traffic and provides an access service connection to or from an IXC via BellSouth's Access Tandem switch, BellSouth, as the tandem company agrees to provide to MRC, as the End Office Company, as defined in MECAB, at no charge, all the switched access detail usage data, recorded at the access tandem, within no more than sixty (60) days after the recording date. Each Party will notify the other when it is not feasible to meet these requirements. As business requirements change, data reporting requirements may be modified as necessary.
- 7.5.5 BellSouth, as the tandem provider company, will retain for a minimum period of sixty (60) days, access message detail sufficient to recreate any data that is lost or damaged by the tandem provider company or any third party involved in processing or transporting data.
- 7.5.6 BellSouth, as the tandem provider company, agrees to recreate the lost or damaged data within forty-eight (48) hours of notification by the other or by an authorized third party handling the data.
- 7.5.7 Any claims against BellSouth, as the tandem provider company, for unbillable or uncollectible revenue should be filed with the tandem provider company within 120 days of the usage date.

- 7.5.8 BellSouth, as the tandem provider company shall keep records of its billing activities relating to jointly-provided Intrastate and Interstate access services in sufficient detail to permit the Subsequent Billing Party to, by formal or informal review or audit, to verify the accuracy and reasonableness of the jointly-provided access billing data provided by the Initial Billing Party. Each Party agrees to cooperate in such formal or informal reviews or audits and further agrees to jointly review the findings of such reviews or audits in order to resolve any differences concerning the findings thereof.
- 7.5.9 MRC agrees not to deliver switched access traffic to BellSouth for termination except over MRC ordered switched access trunks and facilities.

#### 7.6 Transit Traffic

- 7.6.1 BellSouth shall provide tandem switching and transport services for MRC's Transit Traffic. Rates for local Transit Traffic and ISP-bound Transit Traffic shall be the applicable Call Transport and Termination charges as set forth in Exhibit A to this Attachment. Rates for Switched Access Transit Traffic shall be the applicable charges as set forth in BellSouth Interstate or Intrastate Switched Access tariffs. Billing associated with all Transit Traffic shall be pursuant to MECAB guidelines. Traffic between MRC and Wireless Type 1 third parties shall not be treated as Transit Traffic from a routing or billing perspective. Traffic between MRC and Wireless Type 2A or a third party CLEC utilizing BellSouth switching shall not be treated as Transit Traffic from a routing or billing perspective until BellSouth and the Wireless carrier or a third party CLEC utilizing BellSouth switching have the capability to properly meet-point-bill in accordance with MECAB guidelines.
- 7.6.2 The delivery of traffic that transits the BellSouth network and is transported to another carrier's network is excluded from any BellSouth billing guarantees. BellSouth agrees to deliver Transit Traffic to the terminating carrier; provided, however, that MRC is solely responsible for negotiating and executing any appropriate contractual agreements with the terminating carrier for the exchange of Transit Traffic through the BellSouth network. BellSouth will not be liable for any compensation to the terminating carrier or to MRC. In the event that the terminating third party carrier imposes on BellSouth any charges or costs for the delivery of Transit Traffic, MRC shall reimburse BellSouth for such costs. Additionally, the Parties agree that any billing to a third party or other telecommunications carrier under this section shall be pursuant to MECAB procedures.
- 7.6.3 Except for as provided in 7.6.4 below, transit charges shall only be assessed on the originating carrier and shall not be assessed on the terminating carrier.

7.6.4 Transit charges associated with the provisioning of toll free services (e.g., 800/888/877) shall be assessed upon the terminating carrier and shall not be imposed on the originating carrier.

#### 8. FRAME RELAY SERVICE INTERCONNECTION

- 8.1 In addition to the Local Interconnection services set forth above, BellSouth will offer a network to network Interconnection arrangement between BellSouth's and MRC's frame relay switches as set forth below. The following provisions will apply only to Frame Relay Service and Exchange Access Frame Relay Service and Managed Shared Frame Relay Service in those states in which MRC is certified and providing Frame Relay Service as a Local Exchange Carrier and where traffic is being exchanged between MRC and BellSouth Frame Relay Switches in the same LATA.
- 8.2 The Parties agree to establish two-way Frame Relay facilities between their respective Frame Relay Switches to the mutually agreed upon Frame Relay Service point(s) of interconnection (IP(s)) within the LATA. All IPs shall be within the same Frame Relay Network Serving Areas as defined in Section A40 of BellSouth's GSST except as set forth in this Attachment.
- 8.3 Upon the request of either Party, such interconnection will be established where BellSouth and MRC have Frame Relay Switches in the same LATA. Where there are multiple Frame Relay switches in one central office, an interconnection with any one of the switches will be considered an interconnection with all of the switches at that central office for purposes of routing packet traffic.
- 8.4 The Parties agree to provision local and intraLATA Frame Relay Service and Exchange Access Frame Relay Service and Managed Shared Frame Relay Service (both intrastate and interstate) over Frame Relay interconnection facilities between the respective Frame Relay switches and the IPs.
- 8.5 The Parties agree to assess each other reciprocal charges for the facilities that each provides to the other according to the Percent Local Circuit Use Factor (PLCU), determined as follows:
- 8.5.1 If the data packets originate and terminate in locations in the same LATA, and are consistent with the local definitions of the Agreement, the traffic is considered local. Frame Relay framed packet data is transported within Virtual Circuits (VC). For the purposes of this Agreement, if all the data packets transported within a VC remain within the LATA, then consistent with the local definitions in this Agreement, the traffic on that VC is local (Local VC).
- 8.5.2 If the originating and terminating locations of the two-way packet data traffic are not in the same LATA, the traffic on that VC is interLATA (InterLATA VC).

- 8.5.3 The PLCU is determined by dividing the total number of Local VCs, by the total number of VCs on each Frame Relay facility. To facilitate implementation, MRC may determine its PLCU in aggregate, by dividing the total number of Local VCs in a given LATA by the total number VCs in that LATA. The Parties agree to renegotiate the method for determining PLCU, at BellSouth's request, and within 90 days, if BellSouth notifies MRC that it has found that this method does not adequately represent the PLCU.
- 8.5.4 If there are no VCs on a facility when it is billed, the PLCU will be zero.
- 8.5.5 BellSouth will provide the circuit between the Parties' respective Frame Relay Switches. The Parties will be compensated as follows: BellSouth will invoice, and MRC will pay, the total non-recurring and recurring charges for the circuit based upon the rates set forth in BellSouth's Interstate Access Tariff, FCC No. 1. MRC will then invoice, and BellSouth will pay, an amount calculated by multiplying the BellSouth billed charges for the circuit by one-half of MRC's PLCU.
- The Parties agree to compensate each other for Frame Relay network-to-network interface (NNI) ports based upon the NNI rates set forth in BellSouth's Interstate Access Tariff, FCC No. 1. Compensation for each pair of NNI ports will be calculated as follows: BellSouth will invoice, and MRC will pay, the total non-recurring and recurring charges for the NNI port. MRC will then invoice, and BellSouth will pay, an amount calculated by multiplying the BellSouth billed non-recurring and recurring charges for the NNI port by MRC's PLCU.
- 8.7 Each Party agrees that there will be no charges to the other Party for its own subscriber's Permanent Virtual Circuit (PVC) rate elements for the local PVC segment from its Frame Relay switch to its own subscriber's premises. PVC rate elements include the Data Link Connection Identifier (DLCI) and Committed Information Rate (CIR).
- 8.8 For the PVC segment between the MRC and BellSouth Frame Relay switches, compensation for the PVC charges is based upon the rates in BellSouth's Interstate Access Tariff, FCC No. 1.
- 8.9 Compensation for PVC rate elements will be calculated as follows:
- 8.9.1 If MRC orders a VC connection between a BellSouth subscriber's PVC segment and a PVC segment from the BellSouth Frame Relay switch to the MRC Frame Relay switch, BellSouth will invoice, and MRC will pay, the total non-recurring and recurring PVC charges for the PVC segment between the BellSouth and MRC Frame Relay switches. If the VC is a Local VC, MRC will then invoice and BellSouth will pay, the total nonrecurring and recurring PVC charges billed for that segment. If the VC is not local, no compensation will be paid to MRC for the PVC segment.


- 8.9.2 If BellSouth orders a Local VC connection between a MRC subscriber's PVC segment and a PVC segment from the MRC Frame Relay switch to the BellSouth Frame Relay switch, BellSouth will invoice, and MRC will pay, the total non-recurring and recurring PVC and CIR charges for the PVC segment between the BellSouth and MRC Frame Relay switches. If the VC is a Local VC, MRC will then invoice and BellSouth will pay the total non-recurring and recurring PVC and CIR charges billed for that segment. If the VC is not local, no compensation will be paid to MRC for the PVC segment.
- 8.9.3 The Parties agree to compensate each other for requests to change a PVC segment or PVC service order record, according to the Feature Change charge as set forth in the BellSouth access tariff BellSouth Tariff FCC No. 1.
- 8.9.4 If MRC requests a change, BellSouth will invoice and MRC will pay a Feature Change charge for each affected PVC segment.
- 8.9.4.1 If BellSouth requests a change to a Local VC, MRC will invoice and BellSouth will pay a Feature Change charge for each affected PVC segment.
- 8.9.5 The Parties agree to limit the sum of the CIR for the VCs on a DS1 NNI port to not more than three times the port speed, or not more than six times the port speed on a DS3 NNI port.
- 8.9.6 Except as expressly provided herein, this Agreement does not address or alter in any way either Party's provision of Exchange Access Frame Relay Service, Managed Shared Frame Relay Service or interLATA Frame Relay Service. All charges by each Party to the other for carriage of Exchange Access Frame Relay Service or interLATA Frame Relay Service are included in the BellSouth access tariff BellSouth Tariff FCC No. 1.
- 8.10 MRC will identify and report quarterly to BellSouth the PLCU of the Frame Relay facilities it uses, per Section 8.5.3 above.
- 8.11 Either Party may request a review or audit of the various service components, consistent with the provisions of section E2 of the BellSouth State Access Services tariffs or Section 2 of the BellSouth FCC No.1 Tariff.

#### 9. ORDERING CHARGES

9.1 The terms, conditions and rates for Ordering Charges are as set forth in FCC Tariff for Access Service Records.


# **Basic Architecture**

Exhibit B



# **One-Way Architecture**

**Exhibit C** 



# **Two-Way Architecture**

#### **Exhibit D**





Exhibit E

# **Supergroup Architecture**



LOCA	AL INTE	RCONNECTION - Alabama												Attachi	ment: 3	Exhi	bit: A
CATE	GORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		RAT	ΓES (\$)			Svc Order Submitt ed Elec per LSR	Svc Order Submitte d Manually per LSR	I Charge - Manual Svc Order vs.	al Charge Manual Svc Order vs.	Manual Svc Order vs. Electronic-	vs.
							Rec	Nonre	curring	NRC Di	isconnec		•	oss	Rates(\$)	•	•
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	LINTER	CONNECTION (CALL TRANSPORT AND TERMINATION)															
LUCA		CONNECTION (CALL TRANSPORT AND TERMINATION) "bk" beside a rate indicates that the Parties have agreed to bill and keep f	or that c	lomon	hoursuant to the	torme an	d conditions in	Attachmo	nt 3								
		M SWITCHING	Tinale	lemen	l pursuant to the	e terms an	l conditions in .	Attaciiiiei	it 3.								
		Tandem Switching Function Per MOU		1	OHD		0.000498bk										
		Multiple Tandem Switching, per MOU (applies to intial tandem only)		1	OHD		0.000498DK										
		Tandem Intermediary Charge, per MOU*		1	OHD		0.000498										
		hange is applicable only to transit traffic and is applied in addition to app	l licable :	witch:		onnostic			-	1	1			-			1
		narge is applicable only to transit traffic and is applied in addition to app CCHARGE	iicabie s	witchi	ing and/or interc	onnection	citatyes.										
	IKUNK	Installation Trunk Side Service-per DS0			OHD	TPP++		333.69	56.91								
		Dedicated End Office Trunk Port Service-per DS0**			OHD	TDE0P	0.00	333.09	30.31								
		Dedicated End Office Trunk Port Service-per DS1**			0H1 OH1MS	TDE1P	0.00										
		Dedicated End Office Trank Port Service-per DS1*  Dedicated Tandem Trunk Port Service-per DS0**			OHD	TDW0P	0.00										
		Dedicated Tandem Trunk Port Service-per DS0  Dedicated Tandem Trunk Port Service-per DS1**		1	OH1 OH1MS	TDW1P	0.00										
		rate element is recovered on a per MOU basis and is included in the End (	14: C	itabin				lamanta									
		rate element is recovered on a per WOO basis and is included in the End t ON TRANSPORT (Shared)	Jilice S	witchin	g and randem s	switching,	per woo rate ei	ements									
	COMINIC	Common Transport-Per mi, Per MOU			OHD		0.0000023bk										
004		Common Transport-Facilities Term Per MOU CONNECTION (DEDICATED TRANSPORT)		-	OHD		0.0003224bk										
LUCA		DEFICE CHANNEL - DEDICATED TRANSPORT		-													
				-	OHL, OHM	1L5NF	0.008838										
		Interoffice Channel-Dedicated Transport-2W VG-Per mi per mo						40.54	07.44	40.74	0.00						
		Interoffice Channel-Dedicated Transport-2W VG-Facility Term per mo	1		OHL, OHM	1L5NF	21.13 0.008838	40.54	27.41	16.74	6.90						
	+	Interoffice Channel-Dedicated Transport-56 kbps-per mi per mo		1	OHL, OHM	1L5NK		40.54	07.44	40.74	6.90						
		Interoffice Channel-Dedicated Transport-56 kbps-Facility Term per mo		-	OHL, OHM	1L5NK	15.12	40.54	27.41	16.74	6.90						
		Interoffice Channel-Dedicated Transport-64 kbps-per mi per mo		-	OHL, OHM	1L5NK	0.008838										
		Interoffice Channel-Dedicated Transport-64 kbps-Facility Term per mo		-	OHL, OHM	1L5NK	15.12	40.54	27.41	16.74	6.90						
		Interoffice Channel-Dedicated Channel-DS1-Per mi per mo		-	OH1, OH1MS	1L5NL	0.18	00.07	04.04	40.05	4444						
	1	Interoffice Channel-Dedicated Transport-DS1-Facility Term per mo	1	1	OH1, OH1MS	1L5NL	60.16	89.27	81.81	16.35	14.44						1
	+	Interoffice Channel -Dedicated Transport-DS3-Per mi per mo	-	<u> </u>	OH3, OH3MS OH3. OH3MS	1L5NM 1L5NM	4.09 703.52	270 75	162.76	60.20	58.46						
		Interoffice Channel-Dedicated Transport-DS3-Facility Term per mo CHANNEL - DEDICATED TRANSPORT	-	<u> </u>	OH3, OH3IVIS	INIVICAL	703.52	278.75	162.76	60.20	58.46						
	LUCAL	Local Channel-Dedicated-2W VG per mo	-	<u> </u>	OHL, OHM	TEFV2	13.97	102.40	33.17	36.64	3.20						
	+	Local Channel-Dedicated-2W VG per mo Local Channel-Dedicated-4W VG per mo	-	<u> </u>	OHL, OHM		13.97	193.10		36.64	3.20						
	1 1	Local Channel-Dedicated-44V VG per mo Local Channel-Dedicated-DS1 per mo	-	<u> </u>	OHL, OHM OH1	TEFV4 TEFHG	14.93 35.76	193.53 177.47	33.60	22.19	15.26						
	1 1	Local Channel-Dedicated-DS1 per mo Local Channel-Dedicated-DS3 Facility Term per mo	-	<u> </u>	OH1 OH3	TEFHG	35.76 416.54	451.52	153.72 263.94	119.49	15.26 83.58						
	LOCAL	INTERCONNECTION MID-SPAN MEET	-	<u> </u>	Uns	1 EFFJ	410.54	401.02	203.94	119.49	63.38						
			 		annliachla												
	NOTE:	If Access service ride Mid-Span Meet, one-half the tariffed service Local C Local Channel-Dedicated-DS1 per mo	namnel	iate is	OH1MS	TEFHG	0.00	0.00									
	1 1	Local Channel-Dedicated-DS1 per mo	1		OH1MS OH3MS	TEFHG	0.00	0.00									
	MILLTI	PLEXERS	<del>                                     </del>	<u> </u>	CIVIS	IEFHJ	0.00	0.00									
		Channelization-DS1 to DS0 Channel System	<del>                                     </del>	<u> </u>	OH1, OH1MS	SATN1	101.06	91.04	62.57	10.54	9.79						
		DS3 to DS1 Channel System per mo	-	<u> </u>	OH1, OH1MS	SATNS	166.13	178.14	93.97	33.26	31.63						
			1		OH3, OH3MS		12.70	6.58	4.72	აა.∠ხ	31.03						
		DS3 Interface Unit (DS1 COCI) per mo  If no rate is identified in the contract, the rates, terms, and conditions for		1		SATCO											ļ

Version 4Q02: 12/18/02 Page 1 of 9

LOCA	AL INTE	RCONNECTION - Florida												Attach	ment: 3	Exhi	bit: A
												Svc	Svc	Incrementa	Increment	Incrementa	Increment
												Order	Order	I Charge -	al Charge	I Charge -	I Charge
			Interi									Submitt	Submitte	Manual	Manual	Manual	Manual
CATE	GORY	RATE ELEMENTS	Interi	Zone	BCS	USOC		RAT	ES (\$)			ed Elec	d	Svc Order	Svc Order	Svc Order	Svc Orde
			m									per LSR	Manually	vs.	vs.	vs.	vs.
													per LSR	Electronic-		Electronic-	
														1st	Add'l	Disc 1st	Disc Add'
							Rec	Nonrec	urring	NRC Di	sconnect			oss	Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	LUITED	CONNECTION (CALL TRANSPORT AND TERMINATION)	-														
LOCAL		CONNECTION (CALL TRANSPORT AND TERMINATION) "bk" beside a rate indicates that the Parties have agreed to bill and keep	for that a	lomon	nurcuant to th	o torme on	d conditions in	Attachma	nt 2								-
		EM SWITCHING	ior that e	emen	pursuant to the	e terms an	d conditions in	Attachme	nt 3.								+
	TANDE	Tandem Switching Function Per MOU			OUD		0.0006019bk									-	+
		Multiple Tandem Switching, per MOU (applies to intial tandem only)			OHD OHD		0.000601958									-	+
		Tandem Intermediary Charge, per MOU*			OHD		0.0006019										
	* This s	prandem intermediary charge, per MOO charge is applicable only to transit traffic and is applied in addition to ap	aliaabla (														
		charge is applicable only to transit tranic and is applied in addition to ap	licable	Switchi	ng and/or interd	onnection	charges.										+
	IKUNK	Installation Trunk Side Service-per DS0		1	OHD	TPP++		336.43	57.38								+
		Dedicated End Office Trunk Port Service-per DS0**		1	OHD	TDE0P	0.00	330.43	37.36								+
		Dedicated End Office Trunk Port Service-per DS0  Dedicated End Office Trunk Port Service-per DS1**		1	0H1 OH1MS	TDE1P	0.00										+
		Dedicated End Office Trunk Port Service-per DS1  Dedicated Tandem Trunk Port Service-per DS0**		1	OHD	TDW0P	0.00										+
		Dedicated Tandem Trunk Port Service-per DS0  Dedicated Tandem Trunk Port Service-per DS1**		1	OH1 OH1MS	TDW1P	0.00										+
		rate element is recovered on a per MOU basis and is included in the End	Office S	witchin				lomonto									+
		ON TRANSPORT (Shared)	Unice 3	WILCIIII	g and randem.	switching,	per wioo rate e	lements									+
	COMIN	Common Transport-Per mi, Per MOU			OHD		0.0000035bk										
		Common Transport-Per Mil, Per MOU  Common Transport-Facilities Term Per MOU		1	OHD		0.0004372bk										+
LOCAL	INTED	CONNECTION (DEDICATED TRANSPORT)		1	OHD		0.0004372DK										+
LUCAL		OFFICE CHANNEL - DEDICATED TRANSPORT		1													+
	INTER	Interoffice Channel-Dedicated Transport-2W VG-Per mi per mo		1	OHL. OHM	1L5NF	0.0091										+
		Interoffice Channel-Dedicated Transport-2W VG-Per mi per mo		1	OHL, OHM	1L5NF	25.32	47.35	31.78	18.31	7.03						+
		Interoffice Channel-Dedicated Transport-2W VG-Pacifity Fermi per mo			OHL, OHM	1L5NK	0.0091	47.33	31.76	10.31	7.03						+
		Interoffice Channel-Dedicated Transport-56 kbps-Facility Term per mo		1	OHL, OHM	1L5NK	18.44	47.35	31.78	18.31	7.03						+
		Interoffice Channel-Dedicated Transport-36 kbps-racinty Fermi per mo		1	OHL, OHM	1L5NK	0.0091	47.33	31.76	10.31	7.03						+
		Interoffice Channel-Dedicated Transport-64 kbps-Facility Term per mo			OHL, OHM	1L5NK	18.44	47.35	31.78	18.31	7.03						+
		Interoffice Channel-Dedicated Channel-DS1-Per mi per mo			OH1, OH1MS	1L5NL	0.1856	47.33	31.76	10.31	7.03						+
		Interoffice Channel-Dedicated Channel-DS1-Fei fili per filo		1	OH1, OH1MS	1L5NL	88.44	105.54	98.47	21.47	19.05						+
		Interoffice Channel -Dedicated Transport-DS3-Per mi per mo		1	OH3, OH3MS	1L5NM	3.87	105.54	90.47	21.47	19.00						+
		Interoffice Channel-Dedicated Transport-DS3-Fer IIII per IIIIo		+	OH3, OH3MS	1L5NM	1,071.00	335.46	219.28	72.03	70.56						+
	LOCAL	CHANNEL - DEDICATED TRANSPORT		+	Ons, Onsivis	ILDINIVI	1,071.00	333.40	219.20	12.03	70.56						+
	LOCAL	Local Channel-Dedicated-2W VG per mo		1	OHL. OHM	TEFV2	19.66	265.84	46.97	37.63	4.00						+
		Local Channel-Dedicated-2W VG per mo		1	OHL, OHM	TEFV4	20.45	266.54	47.67	44.22	5.33						+
	1	Local Channel-Dedicated-4W VG per mo	+	<del>                                     </del>	OHL, OHM	TEFHG	36.49	216.65	183.54	24.30	16.95				<del>                                     </del>	<del>                                     </del>	+
	1	Local Channel-Dedicated-DS3 Facility Term per mo	1	+	OH1	TEFHJ	531.91	556.37	343.01	139.13	96.84					<del>                                     </del>	<del> </del>
	LOCAL	INTERCONNECTION MID-SPAN MEET	1	+	0113	ILIIIJ	331.91	330.37	343.01	133.13	30.04					<del>                                     </del>	<del> </del>
		If Access service ride Mid-Span Meet, one-half the tariffed service Local	Channel	rate is	annlicable											<del>                                     </del>	<del> </del>
	NOTE:	Local Channel-Dedicated-DS1 per mo		101015	OH1MS	TEFHG	0.00	0.00							<del>                                     </del>	<del>                                     </del>	+
	1	Local Channel-Dedicated-DS3 per mo	+	<del>                                     </del>	OH IMS	TEFHJ	0.00	0.00							<del>                                     </del>	<del>                                     </del>	+
	MIII TII	PLEXERS		1	OHONO	ILIIIJ	0.00	0.00									+
	WOLIII	Channelization-DS1 to DS0 Channel System	1	+	OH1, OH1MS	SATN1	146.77	101.42	71.62	11.09	10.49					<del>                                     </del>	+
	<del>                                     </del>	DS3 to DS1 Channel System per mo	+	1	OH3, OH3MS	SATNS	211.19	199.28	118.64		39.07					<b>+</b>	+
	1	DS3 Interface Unit (DS1 COCI) per mo	1	+	OH1, OH1MS	SATIO	13.76	10.07	7.08	40.34	39.07					<del>                                     </del>	<del> </del>
		If no rate is identified in the contract, the rates, terms, and conditions for		1				10.07		1							

Version 4Q02: 12/18/02 Page 2 of 9

LOCA	L INTE	RCONNECTION - Georgia												Attachi	ment: 3	Exhi	bit: A
CATEG	GORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		RAT	ES (\$)			Svc Order Submitt ed Elec per LSR	d Manually	I Charge - Manual Svc Order	al Charge Manual Svc Order vs.	Manual Svc Order vs.	I Charge Manual Svc Orde vs.
														1st	Add'l	Disc 1st	Disc Add
							Rec	Nonre			isconnec				Rates(\$)		
							1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
10041	INTER	CONNECTION (CALL TRANSPORT AND TERMINATION)	-														
LOCAL		CONNECTION (CALL TRANSPORT AND TERMINATION) "bk" beside a rate indicates that the Parties have agreed to bill and keep	for that a	lomon	t nurcuant to th	o torme on	d conditions in	Attachma	nt 2								
		M SWITCHING	ior that e	emen	t pursuant to th	e terms an	a conditions in a	Attachine	it 3.					-			
	TANDE	Tandem Switching Function Per MOU			OHD		0.0011009bk										
		Multiple Tandem Switching, per MOU (applies to intial tandem only)			OHD		0.001100958							1		1	
		Tandem Intermediary Charge, per MOU*			OHD		0.0011009							1		1	
	* This c	charge is applicable only to transit traffic and is applied in addition to ap	olicable (	witchi		connection											
		snarge is аррисавле отпуто transit tranic and is applied in addition to ap	piicabie s	SWILCIII	ng and/or miter	Jointection	charges.							<b>+</b>			
	INDIAN	Installation Trunk Side Service-per DS0	+		OHD	TPP++		333.28	56.84								
		Dedicated End Office Trunk Port Service-per DS0**			OHD	TDE0P	0.00	000.20	00.01								
		Dedicated End Office Trunk Port Service-per DS1**		1	0H1 OH1MS	TDE1P	0.00										
		Dedicated Tandem Trunk Port Service-per DS0**			OHD	TDW0P	0.00										
		Dedicated Tandem Trunk Port Service-per DS1**			OH1 OH1MS	TDW1P	0.00										
		rate element is recovered on a per MOU basis and is included in the End	Office S	witchin				lements									
		ON TRANSPORT (Shared)	1	1		,g,											
		Common Transport-Per mi, Per MOU			OHD		0.0000080bk										
		Common Transport-Facilities Term Per MOU			OHD		0.0004152bk										
LOCAL	INTER	CONNECTION (DEDICATED TRANSPORT)															
	INTERC	OFFICE CHANNEL - DEDICATED TRANSPORT															
		Interoffice Channel-Dedicated Transport-2W VG-Per mi per mo			OHL, OHM	1L5NF	0.0222										
		Interoffice Channel-Dedicated Transport-2W VG-Facility Term per mo			OHL, OHM	1L5NF	17.07	79.61	36.08								
		Interoffice Channel-Dedicated Transport-56 kbps-per mi per mo			OHL, OHM	1L5NK	0.0222										
		Interoffice Channel-Dedicated Transport-56 kbps-Facility Term per mo			OHL, OHM	1L5NK	16.45	79.61	36.08								
		Interoffice Channel-Dedicated Transport-64 kbps-per mi per mo			OHL, OHM	1L5NK	0.0222										
		Interoffice Channel-Dedicated Transport-64 kbps-Facility Term per mo			OHL, OHM	1L5NK	16.45	79.61	36.08								
		Interoffice Channel-Dedicated Channel-DS1-Per mi per mo			OH1, OH1MS	1L5NL	0.4523										
		Interoffice Channel-Dedicated Tranport-DS1-Facility Term per mo			OH1, OH1MS	1L5NL	78.47	147.07	111.75								
		Interoffice Channel -Dedicated Transport-DS3-Per mi per mo			OH3, OH3MS	1L5NM	2.72										
		Interoffice Channel-Dedicated Transport-DS3-Facility Term per mo			OH3, OH3MS	1L5NM	788.00	511.10	330.77								
	LOCAL	CHANNEL - DEDICATED TRANSPORT															
		Local Channel-Dedicated-2W VG per mo			OHL, OHM	TEFV2	13.91	382.95	62.40								
		Local Channel-Dedicated-4W VG per mo			OHL, OHM	TEFV4	14.99	368.44	64.05								
		Local Channel-Dedicated-DS1 per mo			OH1	TEFHG	38.36	356.15	312.89								
		Local Channel-Dedicated-DS3 Facility Term per mo		1	OH3	TEFHJ	515.91	639.50	426.31								
		INTERCONNECTION MID-SPAN MEET		1	1		ļ										<u> </u>
	NOTE:	If Access service ride Mid-Span Meet, one-half the tariffed service Local	Channel	rate is													
		Local Channel-Dedicated-DS1 per mo	-	1	OH1MS	TEFHG	0.00	0.00									
		Local Channel-Dedicated-DS3 per mo	-	1	OH3MS	TEFHJ	0.00	0.00		ļ							
	MULTIF	PLEXERS	-	1		0.4=:::		10	10	ļ							
	ļ	Channelization-DS1 to DS0 Channel System	-	1	OH1, OH1MS	SATN1	126.22	198.22	123.59	ļ							
		DS3 to DS1 Channel System per mo	-	<u> </u>	OH3, OH3MS	SATNS	182.04	280.66	195.33								
		DS3 Interface Unit (DS1 COCI) per mo	1	1	OH1, OH1MS	SATCO	11.02	12.02	8.66	1			1	1		I	I

Version 4Q02: 12/18/02 Page 3 of 9

LOCA	AL INTE	RCONNECTION - Kentucky													ment: 3		bit: A
			Interi									Svc Order Submitt		I Charge - Manual	al Charge Manual	Manual	Increment I Charge Manual
CATE	GORY	RATE ELEMENTS	m	Zone	BCS	USOC		RA	TES (\$)			ed Elec	d	Svc Order		Svc Order	Svc Orde
												per LSR	Manually		vs.	vs.	vs.
													per LSR		1	Electronic-	
														1st	Add'l	Disc 1st	Disc Add
							Rec		curring		sconnect				Rates(\$)		
	-							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
1004	INTED	L CONNECTION (CALL TRANSPORT AND TERMINATION)															
LUCA		"bk" beside a rate indicates that the Parties have agreed to bill and keep f	or that e	lemen	t nursuant to the	e terms an	d conditions in	∆ttachmei	nt 3								
		M SWITCHING	I		Puroudin to the	c torrilo ari		- tttaoiiiioi									
	.,	Tandem Switching Function Per MOU			OHD		0.0006772bk										
		Multiple Tandem Switching, per MOU (applies to intial tandem only)			OHD		0.0006772										
		Tandem Intermediary Charge, per MOU*			OHD		0.0015										
		charge is applicable only to transit traffic and is applied in addition to app	licable s	witch		connection											
		CHARGE															
		Installation Trunk Side Service-per DS0			OHD	TPP++		334.09	57.12								
		Dedicated End Office Trunk Port Service-per DS0**			OHD	TDE0P	0.00										
		Dedicated End Office Trunk Port Service-per DS1**			0H1 OH1MS	TDE1P	0.00										
		Dedicated Tandem Trunk Port Service-per DS0**			OHD	TDW0P	0.00										
		Dedicated Tandem Trunk Port Service-per DS1**			OH1 OH1MS	TDW1P	0.00										
		rate element is recovered on a per MOU basis and is included in the End (	Office Sv	vitchir		Switching,	per MOU rate el	ements									
	COMM	ON TRANSPORT (Shared)			Ĭ		İ										
		Common Transport-Per mi, Per MOU			OHD		0.0000030bk										
		Common Transport-Facilities Term Per MOU			OHD		0.0007466bk										
LOCA	L INTER	CONNECTION (DEDICATED TRANSPORT)															
	INTERC	OFFICE CHANNEL - DEDICATED TRANSPORT															
		Interoffice Channel-Dedicated Transport-2W VG-Per mi per mo			OHL, OHM	1L5NF	0.01										
		Interoffice Channel-Dedicated Transport-2W VG-Facility Term per mo			OHL, OHM	1L5NF	29.11	47.34	31.78	22.77	8.75						
		Interoffice Channel-Dedicated Transport-56 kbps-per mi per mo			OHL, OHM	1L5NK	0.0115										
		Interoffice Channel-Dedicated Transport-56 kbps-Facility Term per mo			OHL, OHM	1L5NK	20.97	47.35	31.78	22.77	8.75						
		Interoffice Channel-Dedicated Transport-64 kbps-per mi per mo			OHL, OHM	1L5NK	0.0115										
		Interoffice Channel-Dedicated Transport-64 kbps-Facility Term per mo			OHL, OHM	1L5NK	20.97	47.35	31.78	22.77	8.75						
		Interoffice Channel-Dedicated Channel-DS1-Per mi per mo			OH1, OH1MS	1L5NL	0.23										
		Interoffice Channel-Dedicated Tranport-DS1-Facility Term per mo			OH1, OH1MS	1L5NL	96.04	105.52	98.46	23.09	20.49						
		Interoffice Channel -Dedicated Transport-DS3-Per mi per mo			OH3, OH3MS	1L5NM	4.97										
		Interoffice Channel-Dedicated Transport-DS3-Facility Term per mo			OH3, OH3MS	1L5NM	1,175.15	335.40	219.24	89.57	87.75						
	LOCAL	. CHANNEL - DEDICATED TRANSPORT															
		Local Channel-Dedicated-2W VG per mo			OHL, OHM	TEFV2	18.57	265.78	46.96	46.79	4.98						
		Local Channel-Dedicated-4W VG per mo			OHL, OHM	TEFV4	19.86	266.48	47.65	47.54	5.73						
		Local Channel-Dedicated-DS1 per mo			OH1	TEFHG	40.46	209.60	176.51	30.21	21.07						
		Local Channel-Dedicated-DS3 Facility Term per mo			OH3	TEFHJ	576.05	551.38	338.08	173.00	120.42						
		. INTERCONNECTION MID-SPAN MEET															
	NOTE:	If Access service ride Mid-Span Meet, one-half the tariffed service Local C	hannel	rate is													
		Local Channel-Dedicated-DS1 per mo			OH1MS	TEFHG	0.00	0.00									
		Local Channel-Dedicated-DS3 per mo	ļ		OH3MS	TEFHJ	0.00	0.00									
	MULTII	PLEXERS	ļ														
		Channelization-DS1 to DS0 Channel System	ļ		OH1, OH1MS	SATN1	113.33	101.40	71.60	13.79	13.04						
		DS3 to DS1 Channel System per mo			OH3, OH3MS	SATNS	158.20	199.23	118.62	50.16	48.59						
	1	DS3 Interface Unit (DS1 COCI) per mo		I	OH1, OH1MS	SATCO	11.80	10.07	7.08	1			l	1	1	l	

Version 2Q02: 12/18/02 Page 4 of 9

LOCA	AL INTE	RCONNECTION - Louisiana													ment: 3		bit: A
												Svc	Svc			Incrementa	
												Order	Order				
			Interi										Submitte		Manual	Manual	Manual
CATE	GORY	RATE ELEMENTS	m	Zone	BCS	USOC		RAT	ES (\$)			ed Elec	d				
			l									per LSR	Manually		vs.	vs.	vs.
													per LSR			- Electronic-	
														1st	Add'l	Disc 1st	Disc Add'
							Rec	Nonre		_	isconnec				Rates(\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
LOCA	I INTED	CONNECTION (CALL TRANSPORT AND TERMINATION)	-														<u> </u>
LUCA		"bk" beside a rate indicates that the Parties have agreed to bill and keep for	or that o	lomon	t nureuant to the	torme an	d conditions in	Attachmo	nt 3								
		M SWITCHING	Tinate	I	l pursuant to the	e terriis an		Attaciiiie	III 3.								1
	TANDE	Tandem Switching Function Per MOU			OHD		0.0005507bk										
		Multiple Tandem Switching, per MOU (applies to intial tandem only)			OHD		0.000550758										<del>                                     </del>
		Tandem Intermediary Charge, per MOU*			OHD		0.0003307										
	* This c	tharge is applicable only to transit traffic and is applied in addition to app	licable s	witchi		onnoction											
		CHARGE	licable	WILCIII	ing and/or interc	Officelion	Cilaiges.										
	INDINK	Installation Trunk Side Service-per DS0		1	OHD	TPP++		334.94	56.98								<del>                                     </del>
	1	Dedicated End Office Trunk Port Service-per DS0**	<del>                                     </del>	<b>†</b>	OHD	TDE0P	0.00	554.54	50.50			-		<del>                                     </del>	<del>                                     </del>		<del>                                     </del>
		Dedicated End Office Trunk Port Service-per DS1**			0H1 OH1MS	TDE1P	0.00										
		Dedicated Tandem Trunk Port Service-per DS0**			OHD	TDW0P	0.00										
		Dedicated Tandem Trunk Port Service-per DS1**			OH1 OH1MS	TDW1P	0.00										
		rate element is recovered on a per MOU basis and is included in the End (	Office Sv	witchin				ements									
		ON TRANSPORT (Shared)	1	VICIIII	lg and random (	witching,	per wice rate er	Cilicitis									-
	COMM	Common Transport-Per mi, Per MOU			OHD		0.0000032bk										-
		Common Transport Facilities Term Per MOU			OHD		0.0003748bk										
LOCA	INTER	CONNECTION (DEDICATED TRANSPORT)			OLID		0.00007 10DIX										
		OFFICE CHANNEL - DEDICATED TRANSPORT															
		Interoffice Channel-Dedicated Transport-2W VG-Per mi per mo			OHL, OHM	1L5NF	0.013										
		Interoffice Channel-Dedicated Transport-2W VG-Facility Term per mo			OHL, OHM	1L5NF	22.60	39.36	26.62								
		Interoffice Channel-Dedicated Transport-56 kbps-per mi per mo			OHL, OHM	1L5NK	0.013	00.00	20.02								
		Interoffice Channel-Dedicated Transport-56 kbps-Facility Term per mo			OHL, OHM	1L5NK	15.61	39.37	26.62								
		Interoffice Channel-Dedicated Transport-64 kbps-per mi per mo			OHL, OHM	1L5NK	0.013										
		Interoffice Channel-Dedicated Transport-64 kbps-Facility Term per mo			OHL, OHM	1L5NK	15.61	39.37	26.62								
		Interoffice Channel-Dedicated Channel-DS1-Per mi per mo			OH1, OH1MS	1L5NL	0.2652										
		Interoffice Channel-Dedicated Tranport-DS1-Facility Term per mo			OH1, OH1MS	1L5NL	70.47	86.69	79.44								
		Interoffice Channel -Dedicated Transport-DS3-Per mi per mo			OH3, OH3MS	1L5NM	6.04										
		Interoffice Channel-Dedicated Transport-DS3-Facility Term per mo			OH3, OH3MS	1L5NM	850.45	270.69	158.05								
	LOCAL	CHANNEL - DEDICATED TRANSPORT			,												
		Local Channel-Dedicated-2W VG per mo			OHL, OHM	TEFV2	18.32	187.51	32.21								
		Local Channel-Dedicated-4W VG per mo			OHL, OHM	TEFV4	19.41	187.94	32.63								
		Local Channel-Dedicated-DS1 per mo			OH1	TEFHG	39.18	172.34	149.27								
		Local Channel-Dedicated-DS3 Facility Term per mo			OH3	TEFHJ	469.44	438.46	256.30								
	LOCAL	INTERCONNECTION MID-SPAN MEET															
	NOTE:	If Access service ride Mid-Span Meet, one-half the tariffed service Local C	hannel	rate is	applicable.												
		Local Channel-Dedicated-DS1 per mo			OH1MS	TEFHG	0.00	0.00									
		Local Channel-Dedicated-DS3 per mo			OH3MS	TEFHJ	0.00	0.00									
	MULTIF	PLEXERS															
		Channelization-DS1 to DS0 Channel System			OH1, OH1MS	SATN1	105.09	88.41	60.76								
		DS3 to DS1 Channel System per mo			OH3, OH3MS	SATNS	201.48	172.99	91.25								
		DS3 Interface Unit (DS1 COCI) per mo	1 _	1	OH1, OH1MS	SATCO	11.78	6.39	4.58	1	I			1	1	1	

Version 4Q02: 12/18/02 Page 5 of 9

LOC/	AL INTE	RCONNECTION - Mississippi													ment: 3		bit: A
CATE	GORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		RA <sup>-</sup>	TES (\$)			Svc Order Submitt ed Elec	Svc Order Submitte d Manually	I Charge - Manual Svc Order	al Charge Manual Svc Order	Manual	I Charge Manual Svc Orde
												per LSK	_		vs. Electronic Add'l	Electronic-	vs. Electronic Disc Add
							Rec	Nonre	curring	NRC Dis	sconnect				Rates(\$)		
							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
004	INTER	 CONNECTION (CALL TRANSPORT AND TERMINATION)		-													
LOCA		"bk" beside a rate indicates that the Parties have agreed to bill and keep f	or that e	elemen	t nursuant to the	e terms an	d conditions in	 ∆ttachme	nt 3								
		M SWITCHING	I	T	t pursuant to the	c terms an		Lucinine									
	IANDL	Tandem Switching Function Per MOU		1	OHD		0.0005379bk										
		Multiple Tandem Switching, per MOU (applies to intial tandem only)		1	OHD		0.0005379										
		Tandem Intermediary Charge, per MOU*		1	OHD		0.0015										
		charge is applicable only to transit traffic and is applied in addition to app	licable s	switchi		connection											
		CHARGE	1	1	3												
		Installation Trunk Side Service-per DS0	İ	1	OHD	TPP++		334.11	56.98								
		Dedicated End Office Trunk Port Service-per DS0**			OHD	TDE0P	0.00										
		Dedicated End Office Trunk Port Service-per DS1**			0H1 OH1MS	TDE1P	0.00										
		Dedicated Tandem Trunk Port Service-per DS0**			OHD	TDW0P	0.00										
		Dedicated Tandem Trunk Port Service-per DS1**			OH1 OH1MS	TDW1P	0.00										
	** This	rate element is recovered on a per MOU basis and is included in the End (	Office S	witchir	ng and Tandem	Switching,	per MOU rate el	lements									
	COMM	ON TRANSPORT (Shared)															
		Common Transport-Per mi, Per MOU			OHD		0.0000026bk										
		Common Transport-Facilities Term Per MOU			OHD		0.0004541bk										
LOCA	L INTER	CONNECTION (DEDICATED TRANSPORT)															
	INTERC	OFFICE CHANNEL - DEDICATED TRANSPORT															
		Interoffice Channel-Dedicated Transport-2W VG-Per mi per mo			OHL, OHM	1L5NF	0.0098										
		Interoffice Channel-Dedicated Transport-2W VG-Facility Term per mo			OHL, OHM	1L5NF	22.52	40.77	27.57	17.26	7.11						
		Interoffice Channel-Dedicated Transport-56 kbps-per mi per mo			OHL, OHM	1L5NK	0.0098										
		Interoffice Channel-Dedicated Transport-56 kbps-Facility Term per mo			OHL, OHM	1L5NK	15.68	40.78	27.57	17.26	7.11						
		Interoffice Channel-Dedicated Transport-64 kbps-per mi per mo			OHL, OHM	1L5NK	0.0098										
		Interoffice Channel-Dedicated Transport-64 kbps-Facility Term per mo			OHL, OHM	1L5NK	15.68	40.78	27.57	17.26	7.11						
		Interoffice Channel-Dedicated Channel-DS1-Per mi per mo			OH1, OH1MS	1L5NL	0.201										
		Interoffice Channel-Dedicated Tranport-DS1-Facility Term per mo			OH1, OH1MS	1L5NL	57.33	89.79	82.28	16.86	14.90						
		Interoffice Channel -Dedicated Transport-DS3-Per mi per mo			OH3, OH3MS	1L5NM	4.76										
		Interoffice Channel-Dedicated Transport-DS3-Facility Term per mo			OH3, OH3MS	1L5NM	641.90	280.37	163.70	62.08	60.29						
	LOCAL	CHANNEL - DEDICATED TRANSPORT															
		Local Channel-Dedicated-2W VG per mo			OHL, OHM	TEFV2	14.91	194.22	33.36		3.30						
		Local Channel-Dedicated-4W VG per mo			OHL, OHM	TEFV4	15.99	194.66	33.80		3.78						
		Local Channel-Dedicated-DS1 per mo	1	ļ	OH1	TEFHG	36.83	178.50	154.61	22.89	15.74						
	1.00:	Local Channel-Dedicated-DS3 Facility Term per mo			OH3	TEFHJ	413.87	454.13	264.47	123.23	86.19						
		INTERCONNECTION MID-SPAN MEET	<u> </u>	<u> </u>	<u> </u>												
	NOTE:	If Access service ride Mid-Span Meet, one-half the tariffed service Local C	hannel	rate is		TEE:::											
	+	Local Channel-Dedicated-DS1 per mo	1	-	OH1MS	TEFHG	0.00	0.00	-	1			-	1	-		-
	BALL T-17	Local Channel-Dedicated-DS3 per mo	1	1	OH3MS	TEFHJ	0.00	0.00		1			-		-	<del>                                     </del>	
	MULIII	PLEXERS	1	1	OLIA OLIARAO	CATNI	400.05	04.57	00.01	40.07	40.40		-		-	<del>                                     </del>	-
		Channelization-DS1 to DS0 Channel System	1	1	OH1, OH1MS	SATN1	102.85	91.57	62.94		10.10		-		-	<del>                                     </del>	-
		DS3 to DS1 Channel System per mo	1		OH3, OH3MS	SATNS	170.63	179.17	94.52	34.30	32.82				-	-	
		DS3 Interface Unit (DS1 COCI) per mo	1		OH1, OH1MS	SATCO	12.96	6.62	4.74		l	1		<u> </u>			<u> </u>

Version 4Q02: 12/18/02 Page 6 of 9

LOCAL IN	TERCONNECTION - North Carolina												Attach	ment: 3	Exhi	bit: A
											Svc	Svc	Incrementa		Incrementa	Increment
											Order	Order	I Charge -	al Charge	- I Charge -	I Charge -
											Submitt	Submitte	Manual	Manual	Manual	Manual
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC		RAT	ES (\$)			ed Elec	d	Svc Order	Svc Order	Svc Order	Svc Order
		m									per LSR	Manually	vs.	vs.	vs.	vs.
												per LSR	Electronic-	Electronic		
													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonred	curring	NRC Di	isconnec			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
																ļ
	ERCONNECTION (CALL TRANSPORT AND TERMINATION)	farthat a	lam and	t mroomt to th		d conditions in	A 44 a a b a .	-4.2								-
	E: "bk" beside a rate indicates that the Parties have agreed to bill and keep	for that e	eremen	t pursuant to the	e terms an	a conditions in A	Attacnmer	1t 3.								
IAN			-	OUD		0.00400001.1										
	Tandem Switching Function Per MOU			OHD OHD		0.0012000bk										
	Multiple Tandem Switching, per MOU (applies to intial tandem only)			OHD		0.0012 0.0015										
* =1	Tandem Intermediary Charge, per MOU*	-1:														
	is charge is applicable only to transit traffic and is applied in addition to ap INK CHARGE	olicable s	SWITCHI	ng and/or interd	connection	cnarges.										-
IKC	Installation Trunk Side Service-per DS0		1	OHD	TPP++		333.54	56.88								<del> </del>
	Dedicated End Office Trunk Port Service-per DS0**		1	OHD	TDE0P	0.00	333.34	30.00								<del> </del>
	Dedicated End Office Trunk Port Service-per DS0*  Dedicated End Office Trunk Port Service-per DS1**		1	0H1 OH1MS	TDE1P	0.00										<del> </del>
	Dedicated End Office Trunk Port Service-per DS1  Dedicated Tandem Trunk Port Service-per DS0**		1	OHD	TDW0P	0.00										<del> </del>
	Dedicated Tandem Trunk Port Service-per DS0  Dedicated Tandem Trunk Port Service-per DS1**		1	OH1 OH1MS	TDW1P	0.00										<b>-</b>
** TI	his rate element is recovered on a per MOU basis and is included in the End	Office S	witchin				omonto									1
	MMON TRANSPORT (Shared)	Unice 3	T	g and randem.	Switching,	per MOO rate er	ements									<del> </del>
COI	Common Transport-Per mi, Per MOU		1	OHD		0.0000100bk										1
	Common Transport-Fer IIII, Fer MOU  Common Transport-Facilities Term Per MOU			OHD		0.0003400bk										
LOCAL INT	ERCONNECTION (DEDICATED TRANSPORT)			OUD		0.0003400DK										
	EROFFICE CHANNEL - DEDICATED TRANSPORT															
IIV.	Interoffice Channel-Dedicated Transport-2W VG-Per mi per mo			OHL. OHM	1L5NF	0.0282										
	Interoffice Channel-Dedicated Transport-2W VG-Fer Hill per mo			OHL, OHM	1L5NF	18.00	137.48	52.58								
	Interoffice Channel-Dedicated Transport-2W VG-Facility Fermi per mo			OHL, OHM	1L5NK	0.0282	137.40	32.30								
	Interoffice Channel-Dedicated Transport-56 kbps-Facility Term per mo			OHL, OHM	1L5NK	17.40	137.48	52.58								
	Interoffice Channel-Dedicated Transport 30 kbps-per mi per mo			OHL, OHM	1L5NK	0.0282	137.40	32.30								
	Interoffice Channel-Dedicated Transport-64 kbps-Facility Term per mo			OHL, OHM	1L5NK	17.40	137.48	52.58								<del> </del>
	Interoffice Channel-Dedicated Channel-DS1-Per mi per mo			OH1, OH1MS	1L5NL	0.5753	137.40	32.30								
	Interoffice Channel-Dedicated Tranport-DS1-Facility Term per mo	+		OH1, OH1MS	1L5NL	71.29	217.17	163.75								<del></del>
	Interoffice Channel -Dedicated Transport-DS3-Per mi per mo			OH3, OH3MS	1L5NM	12.98	217.17	100.70								
	Interoffice Channel-Dedicated Transport-DS3-Facility Term per mo			OH3, OH3MS	1L5NM	720.38	794.94	579.55								
LOC	CAL CHANNEL - DEDICATED TRANSPORT			0110, 0110110	ILOIVI	720.00	704.04	070.00								1
	Local Channel-Dedicated-2W VG per mo			OHL, OHM	TEFV2	11.24	553.80	89.69								1
	Local Channel-Dedicated-4W VG per mo			OHL, OHM	TEFV4	12.03	562.23	92.67								1
	Local Channel-Dedicated-DS1 per mo			OH1	TEFHG	27.05	534.48	462.69								
	Local Channel-Dedicated-DS3 Facility Term per mo			OH3	TEFHJ	298.92	438.46	256.30								
LOC	CAL INTERCONNECTION MID-SPAN MEET															
NOT	E: If Access service ride Mid-Span Meet, one-half the tariffed service Local	Channel	rate is	applicable.												
	Local Channel-Dedicated-DS1 per mo			OH1MS	TEFHG	0.00	0.00									
	Local Channel-Dedicated-DS3 per mo	1		OH3MS	TEFHJ	0.00	0.00									
MUI	TIPLEXERS															
	Channelization-DS1 to DS0 Channel System	1		OH1, OH1MS	SATN1	146.69	197.78	140.06								
	DS3 to DS1 Channel System per mo	1		OH3, OH3MS	SATNS	233.10		234.40								
	DS3 Interface Unit (DS1 COCI) per mo			OH1, OH1MS	SATCO	16.07	13.09	9.38								
Note	es: If no rate is identified in the contract, the rates, terms, and conditions for	r the spe	cific se					ellSouth t	ariff.				İ	Ì		1

Version 4Q02: 12/18/02 Page 7 of 9

LOCA	L INTE	RCONNECTION - South Carolina												Attach	ment: 3	Exhi	ibit: A
												Svc	Svc			Incrementa	
												Order	Order	I Charge -		- I Charge -	I Charge
			Interi										Submitte		Manual	Manual	Manual
CATE	ORY	RATE ELEMENTS	m	Zone	BCS	USOC		RAT	ΓES (\$)			ed Elec	d		Svc Order		
												per LSR	Manually		vs.	vs.	vs.
													per LSR		1	- Electronic-	
								1						1st	Add'l	Disc 1st	Disc Add
							Rec		curring		sconnec				Rates(\$)	1	
	ļ							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
1.0041	INITED	CONNECTION (CALL TRANSPORT AND TERMINATION)															
LUCAL		CONNECTION (CALL TRANSPORT AND TERMINATION) "bk" beside a rate indicates that the Parties have agreed to bill and keep	for that a	laman.	1 mroom4 40 4h		d conditions in	Attachma	m4 2								<del></del>
		M SWITCHING	TOT THAT E	emen	t pursuant to th	e terms an	d conditions in	Attachme	ent 3.						-		
	TANDE	Tandem Switching Function Per MOU		1	OHD		0.0007360bk										+
	-	Multiple Tandem Switching, per MOU (applies to intial tandem only)			OHD		0.0007360bk								-		
	-	Tandem Intermediary Charge, per MOU*			OHD		0.000736								-		
	* This s	prandern intermediary charge, per MOO charge is applicable only to transit traffic and is applied in addition to ap	nlicable (	witchi		onnoction											+
		marge is applicable only to transit tranic and is applied in addition to ap ( CHARGE	pilicable	SWITCHI	ng and/or interc	connection	charges.										
	INUMN	Installation Trunk Side Service-per DS0	-	1	OHD	TPP++		335.14	57.16					<del>                                     </del>	-	1	+
	1	Dedicated End Office Trunk Port Service-per DS0**			OHD	TDE0P	0.00	555.14	51.10					<b>+</b>	<b> </b>		+
		Dedicated End Office Trunk Port Service-per DS0*  Dedicated End Office Trunk Port Service-per DS1**			0H1 OH1MS	TDE1P	0.00										+
		Dedicated End Office Hunk Port Service-per DS0**			OHD	TDW0P	0.00										+
		Dedicated Tandem Trunk Port Service-per DS0*  Dedicated Tandem Trunk Port Service-per DS1**			OH1 OH1MS	TDW1P	0.00										+
		rate element is recovered on a per MOU basis and is included in the Enc	Office S	witchin				loments									+
		ON TRANSPORT (Shared)	Onice o	VICIIII	g and random	owncoming,	per inico rate e	lements									+
	COMM	Common Transport-Per mi, Per MOU			OHD		0.0000045bk										+
		Common Transport-Facilities Term Per MOU			OHD		0.0004095bk								-		
LOCAL	INTER	CONNECTION (DEDICATED TRANSPORT)			OHD		0.000+033bk								-		
LOOK		OFFICE CHANNEL - DEDICATED TRANSPORT													-		
		Interoffice Channel-Dedicated Transport-2W VG-Per mi per mo			OHL. OHM	1L5NF	0.0167										
		Interoffice Channel-Dedicated Transport-2W VG-Facility Term per mo			OHL, OHM	1L5NF	24.30	40.63	27.47	16.77	6.91						
		Interoffice Channel-Dedicated Transport-56 kbps-per mi per mo			OHL, OHM	1L5NK	0.0167	10.00	2717	10.11	0.01						+
		Interoffice Channel-Dedicated Transport-56 kbps-Facility Term per mo			OHL, OHM	1L5NK	16.76	40.63	27.47	16.77	6.91						+
		Interoffice Channel-Dedicated Transport-64 kbps-per mi per mo			OHL, OHM	1L5NK	0.0167	10.00			0.01						+
		Interoffice Channel-Dedicated Transport-64 kbps-Facility Term per mo			OHL, OHM	1L5NK	16.76	40.63	27.47	16.77	6.91						
		Interoffice Channel-Dedicated Channel-DS1-Per mi per mo			OH1. OH1MS	1L5NL	0.3415	10.00			0.01						
		Interoffice Channel-Dedicated Tranport-DS1-Facility Term per mo			OH1, OH1MS	1L5NL	77.14	89.47	81.99	16.39	14.48						
		Interoffice Channel -Dedicated Transport-DS3-Per mi per mo			OH3, OH3MS	1L5NM	8.02										
		Interoffice Channel-Dedicated Transport-DS3-Facility Term per mo			OH3, OH3MS	1L5NM	880.65	279.37	163.12	60.33	58.59						
	LOCAL	CHANNEL - DEDICATED TRANSPORT			,												
		Local Channel-Dedicated-2W VG per mo			OHL, OHM	TEFV2	15.33	193.53	33.24	36.72	3.21						
		Local Channel-Dedicated-4W VG per mo			OHL, OHM	TEFV4	16.54	193.97	33.68	37.19	3.68						
		Local Channel-Dedicated-DS1 per mo			OH1	TEFHG	42.62	177.87	154.06	22.24	15.30						1
		Local Channel-Dedicated-DS3 Facility Term per mo			OH3	TEFHJ	446.00	452.52	264.53	119.75	83.77						1
	LOCAL	INTERCONNECTION MID-SPAN MEET															1
	NOTE:	If Access service ride Mid-Span Meet, one-half the tariffed service Local	Channel	rate is	applicable.												1
		Local Channel-Dedicated-DS1 per mo			OH1MS	TEFHG	0.00	0.00									
		Local Channel-Dedicated-DS3 per mo			OH3MS	TEFHJ	0.00	0.00									
	MULTII	PLEXERS															
		Channelization-DS1 to DS0 Channel System			OH1, OH1MS	SATN1	107.57	91.24	62.71	10.56	9.81						
		DS3 to DS1 Channel System per mo		L	OH3, OH3MS	SATNS	144.02	178.54	94.18	33.33	31.90						
		DS3 Interface Unit (DS1 COCI) per mo			OH1, OH1MS	SATCO	8.64	6.59	4.73								1

Version 4Q02: 12/18/02 Page 8 of 9

LOCA	L INTE	RCONNECTION - Tennessee												Attachi	ment: 3	Exhi	bit: A
			l-t									Svc Order Submitt	Svc Order Submitte	Incrementa I Charge - Manual	Increment al Charge Manual		Incrementa I Charge - Manual
CATE	SORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		RA <sup>-</sup>	TES (\$)			ed Elec per LSR	d Manually per LSR	Svc Order vs. Electronic- 1st	vs.	vs. Electronic-	Svc Order vs. Electronic Disc Add'l
								Nonre	curring	NRC Dis	sconnect		l	oss	Rates(\$)	l	
							Rec	First	Add'l	First		SOMEC	SOMAN	SOMAN		SOMAN	SOMAN
OCAL	INTERC	CONNECTION (CALL TRANSPORT AND TERMINATION)															
LUCAL		"bk" beside a rate indicates that the Parties have agreed to bill and keep for	or that c	lemen	t nursuant to the	a torms an	d conditions in	Attachme	nt 3								
		M SWITCHING	I		l pursuant to the	terring arr	d conditions in 7	rttaciiiici	it 5.								
		Tandem Switching Function Per MOU			OHD		0.0009778bk								-		
		Multiple Tandem Switching, per MOU (applies to intial tandem only)			OHD		0.000977858										
		Tandem Intermediary Charge, per MOU*			OHD		0.0003776										
		charge is applicable only to transit traffic and is applied in addition to app	licable s	witchi		onnection			-	<del>                                     </del>	1		1		<del>                                     </del>	<b> </b>	
		CHARGE	- Cabie s	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	ing ana/or miter		onarges.										
		Installation Trunk Side Service-per DS0			OHD	TPP++		334.29	57.01								
		Dedicated End Office Trunk Port Service-per DS0**			OHD	TDE0P	0.00	00 1.20	01101								
		Dedicated End Office Trunk Port Service-per DS1**			0H1 OH1MS	TDE1P	0.00								-		
		Dedicated Tandem Trunk Port Service-per DS0**			OHD	TDW0P	0.00										
		Dedicated Tandem Trunk Port Service-per DS1**			OH1 OH1MS	TDW1P	0.00								-		
		rate element is recovered on a per MOU basis and is included in the End C	Office S	witchir				ements							-		
		ON TRANSPORT (Shared)	1	I	lg and random t	Jiritoiiiig,	per in co rate er	Cilicino							-		
		Common Transport-Per mi, Per MOU			OHD		0.0000064bk										
		Common Transport-Facilities Term Per MOU			OHD		0.0003871bk								-		
OCAI		CONNECTION (DEDICATED TRANSPORT)			OND		0.000307 TDK								-		
00/11		OFFICE CHANNEL - DEDICATED TRANSPORT													-		
		Interoffice Channel-Dedicated Transport-2W VG-Per mi per mo			OHL, OHM	1L5NF	0.0174								-		
		Interoffice Channel-Dedicated Transport-2W VG-Facility Term per mo			OHL, OHM	1L5NF	18.58	55.39	17.37	27.96	3.51						
		Interoffice Channel-Dedicated Transport-56 kbps-per mi per mo			OHL, OHM	1L5NK	0.0174	55.55	17.57	21.50	0.01				-		
		Interoffice Channel-Dedicated Transport-56 kbps-Facility Term per mo			OHL, OHM	1L5NK	17.98	55.39	17.37	27.96	3.51						
		Interoffice Channel-Dedicated Transport-64 kbps-per mi per mo			OHL, OHM	1L5NK	0.0174	33.33	17.57	27.50	0.01						
		Interoffice Channel-Dedicated Transport-64 kbps-Facility Term per mo			OHL, OHM	1L5NK	17.98	55.39	17.37	27.96	3.51						
		Interoffice Channel-Dedicated Transported Robert acting Term per mo			OH1, OH1MS	1L5NL	0.3562	55.55	11.31	21.30	0.01						
		Interoffice Channel-Dedicated Channel-DS1-Facility Term per mo		1	OH1, OH1MS	1L5NL	77.86	112.40	76.27	19.55	14.99						
		Interoffice Channel -Dedicated Transport-DS3-Per mi per mo	<b>+</b>	l	OH3, OH3MS	1L5NM	2.34	112.70	10.21	10.00	17.00		1		<del>                                     </del>	<b> </b>	
		Interoffice Channel-Dedicated Transport-DS3-Facility Term per mo		<b>†</b>	OH3, OH3MS	1L5NM	848.99	395.29	176.56	109.04	105.91						
		CHANNEL - DEDICATED TRANSPORT		<b>†</b>	31 10, 31 101010	I LOI VIVI	040.09	555.25	170.00	100.04	100.01						
		Local Channel-Dedicated-2W VG per mo			OHL, OHM	TEFV2	19.43	199.33	24.16	54.81	4.80						
		Local Channel-Dedicated-4W VG per mo			OHL, OHM	TEFV4	20.56	201.53	24.83	55.52	5.51						
		Local Channel-Dedicated 4VV VG per mo		<u> </u>	OH1	TEFHG	40.99	277.35	233.26	33.18	22.30						
		Local Channel-Dedicated-DS3 Facility Term per mo		<u> </u>	OH3	TEFHJ	611.30	595.37	304.50		151.15						
		INTERCONNECTION MID-SPAN MEET		<u> </u>	55		300	000.01	0000	2.0.02	.00						
		If Access service ride Mid-Span Meet, one-half the tariffed service Local C	hannel	rate is	applicable.												
	1	Local Channel-Dedicated-DS1 per mo		1	OH1MS	TEFHG	0.00	0.00									
		Local Channel-Dedicated-DS3 per mo		<u> </u>	OH3MS	TEFHJ	0.00	0.00									
		PLEXERS		<b>†</b>	OI IOIVIO	12/110	0.00	0.00		1					t		
		Channelization-DS1 to DS0 Channel System			OH1, OH1MS	SATN1	80.77	141.87	77.11	44.47	42.62						
		DS3 to DS1 Channel System per mo		1	OH3, OH3MS	SATNS	222.98	308.03	108.47	6.34	4.23						
		DS3 Interface Unit (DS1 COCI) per mo		1	OH1, OH1MS	SATCO	17.58	6.07	4.66	0.54	7.23						
		If no rate is identified in the contract, the rates, terms, and conditions for	46	-:4:						L.,,	<b>!</b>		<b> </b>		<del>                                     </del>		<del></del>

Version 4Q02: 12/18/02 Page 9 of 9

# **Attachment 4**

**Physical Collocation** 

#### BELLSOUTH

#### PHYSICAL COLLOCATION

### 1. Scope of Attachment

- 1.1 The rates, terms, and conditions contained within this Attachment shall only apply when MRC is physically collocated as a sole occupant or as a Host within a Premise location pursuant to this Attachment. BellSouth Premises include BellSouth Central Offices and Serving Wire Centers (hereinafter "Premises"). This Attachment is applicable to Premises owned or leased by BellSouth. However, if the Premises occupied by BellSouth are leased by BellSouth from a third party, special considerations and intervals may apply in addition to the terms and conditions of this Attachment.
- Right to Occupy. BellSouth shall offer to MRC collocation on rates, terms, and conditions that are just, reasonable, non-discriminatory and consistent with the rules of the FCC. Subject to the rates, terms and conditions of this Attachment, where space is available and it is technically feasible, BellSouth will allow MRC to occupy that certain area designated by BellSouth within a BellSouth Premise, or on BellSouth property upon which the BellSouth Premises are located, of a size which is specified by MRC and agreed to by BellSouth (hereinafter "Collocation Space"). The necessary rates, terms and conditions for BellSouth locations other than BellSouth Premises shall be negotiated upon request for collocation at such location(s).
- 1.2.1 Neither BellSouth nor any of BellSouth's affiliates may reserve space for future use on more preferential terms than those set forth below.
- 1.2.1.1 In all states other than Florida, the size specified by MRC may contemplate a request for space sufficient to accommodate MRC's growth within a two-year period.
- 1.2.1.2 In the state of Florida, the size specified by MRC may contemplate a request for space sufficient to accommodate MRC's growth within an eighteen (18) month period.
- 1.3 Space Allocation. BellSouth shall attempt to accommodate MRC's requested preferences if any. In allocating Collocation Space, BellSouth shall not materially increase MRC's cost or materially delay MRC's occupation and use of the Collocation Space, assign Collocation Space that will impair the quality of service or otherwise limit the service MRC wishes to offer, reduce unreasonably the total space available for physical collocation or preclude unreasonable physical collocation within the Premises. Space shall not be available for collocation if it is: (a) physically occupied by non-obsolete equipment; (b) assigned to another collocated telecommunications carrier; (c) used to provide physical access to occupied space; (d) used to enable technicians to work on equipment located within occupied space; (e) properly reserved for future use, either by BellSouth or by another collocated telecommunications carrier; or (f) essential for the administration and proper functioning of BellSouth's

Premises. BellSouth may segregate Collocation Space and require separate entrances in accordance with FCC Rules.

- 1.4 <u>Space Reclamation</u>. In the event of space exhaust within a Premise, BellSouth may include in its documentation for the Petition for Waiver filing any unutilized space in the Premises. MRC will be responsible for any justification of unutilized space within its space, if the Commission requires such justification.
- 1.5 <u>Use of Space</u>. MRC shall use the Collocation Space for the purposes of installing, maintaining and operating MRC's equipment (to include testing and monitoring equipment) necessary for interconnection with BellSouth services and facilities or for accessing BellSouth unbundled network elements (UNEs) for the provision of telecommunications services, as specifically set forth in this Agreement. The Collocation Space may be used for no other purposes except as specifically described herein or in any amendment hereto.
- 1.6 <u>Rates and Charges</u>. MRC agrees to pay the rates and charges identified in Exhibit B attached hereto.
- 1.7 If any due date contained in this Attachment falls on a weekend or National holiday, then the due date will be the next business day thereafter. For intervals of ten (10) calendar days or less National holidays will be excluded.
- 1.8 The Parties agree to comply with all applicable federal, state, county, local and administrative laws, rules, ordinances, regulations and codes in the performance of their obligations hereunder.

#### 2. Space Availability Report

- 2.1 Upon request from MRC, BellSouth will provide a written report (Space Availability Report) describing in detail the space that is available for collocation and specifying the amount of Collocation Space available at the Premises requested, the number of collocators present at the Premises, any modifications in the use of the space since the last report on the Premises requested and the measures BellSouth is taking to make additional space available for collocation arrangements. A Space Availability Report does not reserve space at the Premises.
- 2.1.1 The request from MRC for a Space Availability Report must be written and must include the Premises street address, as identified in the LERG, and Common Language Location Identification (CLLI) code of the Premises. CLLI code information is located in the NECA Tariff FCC No. 4.
- 2.1.2 BellSouth will respond to a request for a Space Availability Report for a particular Premise within ten (10) calendar days of receipt of such request. BellSouth will make best efforts to respond in ten (10) calendar days to such a request when the request includes from two (2) to five (5) Premises within the same state. The response time

for requests of more than five (5) Premises shall be negotiated between the Parties. If BellSouth cannot meet the ten (10) calendar day response time, BellSouth shall notify MRC and inform MRC of the time frame under which it can respond.

### 3. <u>Collocation Options</u>

- 3.1 <u>Cageless.</u> BellSouth shall allow MRC to collocate MRC's equipment and facilities without requiring the construction of a cage or similar structure. BellSouth shall allow MRC to have direct access to MRC's equipment and facilities in accordance with Section 5.9. BellSouth shall make cageless collocation available in single bay increments. Except where MRC's equipment requires special technical considerations (e.g., special cable racking or isolated ground plane), BellSouth shall assign cageless Collocation Space in conventional equipment rack lineups where feasible. For equipment requiring special technical considerations, MRC must provide the equipment layout, including spatial dimensions for such equipment pursuant to generic requirements contained in Telcordia GR-63-Core, and shall be responsible for compliance with all special technical requirements associated with such equipment.
- 3.2 Caged. At MRC's expense, MRC may arrange with a Supplier certified by BellSouth (BellSouth Certified Supplier) to construct a collocation arrangement enclosure in accordance with BellSouth's Technical References (TR) (Specifications) prior to starting equipment installation. BellSouth will provide Specifications upon request. Where local building codes require enclosure specifications more stringent than BellSouth's enclosure Specifications, MRC and MRC's BellSouth Certified Supplier must comply with the more stringent local building code requirements. MRC's BellSouth Certified Supplier shall be responsible for filing and receiving any and all necessary permits and/or licenses for such construction. BellSouth shall cooperate with MRC and provide, at MRC's expense, the documentation, including existing building architectural drawings, enclosure drawings, and Specifications required and necessary for MRC's BellSouth Certified Supplier to obtain the zoning, permits and/or other licenses. MRC's BellSouth Certified Supplier shall bill MRC directly for all work performed for MRC pursuant to this Attachment and BellSouth shall have no liability for nor responsibility to pay such charges imposed by MRC's BellSouth Certified Supplier. MRC must provide the local BellSouth building contact with two Access Keys used to enter the locked enclosure. Except in case of emergency, BellSouth will not access MRC's locked enclosure prior to notifying MRC at least forty-eight (48) hours or two (2) business days, whichever is greater, before access to the Collocation Space is required. Upon request, BellSouth shall construct the enclosure for MRC.
- 3.2.1 BellSouth may elect to review MRC's plans and specifications prior to allowing construction to start to ensure compliance with BellSouth's Specifications. Notification to MRC indicating BellSouth's desire to execute this review will be provided in BellSouth's response to the Initial Application, if MRC has indicated its desire to construct its own enclosure. If MRC's Initial Application does not indicate its desire to construct its own enclosure, but its subsequent firm order does indicate its desire to construct its own enclosure, then notification to review will be given within

ten (10) calendar days after the Firm Order date. BellSouth shall complete its review within fifteen (15) calendar days after the receipt of the plans and specifications. Regardless of whether or not BellSouth elects to review MRC's plans and specifications, BellSouth reserves the right to inspect the enclosure after construction to make sure it is constructed according to the submitted plans and specifications and/or BellSouth's Specifications, as applicable. If BellSouth decides to inspect, BellSouth will complete its inspection within fifteen (15) calendar days after receipt of written notification of completion of the enclosure from MRC. BellSouth shall require MRC to remove or correct within seven (7) calendar days at MRC's expense any structure that does not meet these plans and specifications or, where applicable, BellSouth's Specifications.

- 3.3 Shared Caged Collocation. MRC may allow other telecommunications carriers to share MRC's caged collocation arrangement pursuant to terms and conditions agreed to by MRC (Host) and other telecommunications carriers (Guests) and pursuant to this Section, except where the BellSouth Premises is located within a leased space and BellSouth is prohibited by said lease from offering such an option. MRC shall notify BellSouth in writing upon execution of any agreement between the Host and its Guest within ten (10) calendar days of its execution and prior to any Firm Order. Further, such notice shall include the name of the Guest(s) and the term of the agreement, and shall contain a certification by MRC that said agreement imposes upon the Guest(s) the same terms and conditions for Collocation Space as set forth in this Attachment between BellSouth and MRC.
- 3.3.1 MRC, as the Host, shall be the sole interface and responsible Party to BellSouth for the assessment and billing of rates and charges contained within this Attachment and for the purposes of ensuring that the safety and security requirements of this Attachment are fully complied with by the Guest(s), its employees and agents. BellSouth shall provide MRC with a proration of the costs of the Collocation Space based on the number of collocators and the space used by each with a minimum charge of one (1) bay/rack per Host/Guest. In all states other than Florida, and in addition to the foregoing, MRC shall be the responsible party to BellSouth for the purpose of submitting applications for initial and additional equipment placement for the Guest. In Florida the Guest may directly submit initial and additional equipment placement applications using the Host's access carrier name abbreviation (ACNA). A separate Guest application shall require the assessment of an Initial or Subsequent Application Fee, as set forth in Exhibit B, which will be billed to the Host on the date that BellSouth provides its written response (Application Response).
- 3.3.2 Notwithstanding the foregoing, the Guest may arrange directly with BellSouth for the provision of the interconnecting facilities between BellSouth and the Guest and for the provision of the services and access to UNEs. The bill for these interconnecting facilities, services and access to UNEs will be charged to the Guest pursuant to the applicable tariff or the Guest's Interconnection Agreement with BellSouth.

- 3.3.3 MRC shall indemnify and hold harmless BellSouth from any and all claims, actions, causes of action, of whatever kind or nature arising out of the presence of MRC's Guests in the Collocation Space except to the extent caused by BellSouth's sole negligence, gross negligence, or willful misconduct.
- 3.4 Adjacent Collocation. Subject to technical feasibility and space availability, BellSouth will permit adjacent collocation arrangements (Adjacent Arrangement) on the Premises' property when space within the Premises is legitimately exhausted, where the Adjacent Arrangement does not interfere with access to existing or planned structures or facilities on the Premises property. The Adjacent Arrangement shall be constructed or procured by MRC and in conformance with BellSouth's design and construction Specifications. Further, MRC shall construct, procure, maintain and operate said Adjacent Arrangement(s) pursuant to all of the rates, terms and conditions set forth in this Attachment.
- 3.4.1 Should MRC elect Adjacent Collocation, MRC must arrange with a BellSouth Certified Supplier to construct an Adjacent Arrangement structure in accordance with BellSouth's Specifications. BellSouth will provide Specifications upon request. Where local building codes require enclosure specifications more stringent than BellSouth's Specifications, MRC and MRC's BellSouth Certified Supplier must comply with the more stringent local building code requirements. MRC's BellSouth Certified Supplier shall be responsible for filing and receiving any and all necessary zoning, permits and/or licenses for such construction. MRC's BellSouth Certified Supplier shall bill MRC directly for all work performed for MRC pursuant to this Attachment and BellSouth shall have no liability for nor responsibility to pay such charges imposed by MRC's BellSouth Certified Supplier. MRC must provide the local BellSouth building contact with two cards, keys or other access device used to enter the locked enclosure. Except in cases of emergency, BellSouth will not access MRC's locked enclosure prior to notifying MRC at least forty-eight (48) hours or two (2) business days, whichever is greater, before access to the Collocation Space is required.
- 3.4.2 MRC must submit its plans and specifications to BellSouth with its Firm Order. BellSouth shall review MRC's plans and specifications prior to construction of an Adjacent Arrangement(s) to ensure compliance with BellSouth's Specifications. BellSouth shall complete its review within fifteen (15) calendar days after receipt of the plans and specifications. BellSouth may inspect the Adjacent Arrangement during and after construction to confirm it is constructed according to the submitted plans and specifications. If BellSouth decides to inspect, BellSouth will complete its inspection within fifteen (15) calendar days after receipt of written notification of completion of the enclosure from MRC. BellSouth shall require MRC to remove or correct within seven (7) calendar days at MRC's expense any structure that does not meet these plans and specifications or, where applicable, BellSouth's Specifications.
- 3.4.3 MRC shall provide a concrete pad, the structure housing the arrangement, heating/ventilation/air conditioning (HVAC), lighting, and all facilities that connect the

structure (i.e. racking, conduits, etc.) to the BellSouth point of demarcation. At MRC's option, and where the local authority having jurisdiction permits, BellSouth shall provide an AC power source and access to physical collocation services and facilities subject to the same nondiscriminatory requirements as applicable to any other physical collocation arrangement. In Alabama and Louisiana, BellSouth will provide DC power to Adjacent Collocation sites where technically feasible, as that term has been defined by the FCC, and subject to individual case basis pricing. MRC's BellSouth Certified Supplier shall be responsible, at MRC's expense, for filing and receiving any and all necessary zoning, permits and/or licenses for such arrangement. BellSouth shall allow Shared Caged Collocation within an Adjacent Arrangement pursuant to the terms and conditions set forth herein.

- 3.5 Co-Carrier Cross Connect (CCXC). The primary purpose of collocation is for a collocated telecommunications carrier to interconnect with BellSouth's network or to access BellSouth's UNEs for the provision of telecommunications services within a BellSouth Premise. BellSouth will permit MRC to interconnect between its virtual or physical collocation arrangements and those of another collocated telecommunications carrier within the same Premises. Both MRC's agreement and the other collocated telecommunications carrier's agreement must contain rates, terms and conditions for CCXC language. At no point in time shall MRC use the Collocation Space for the sole or primary purpose of cross connecting to other collocated telecommunications carriers.
- 3.5.1 MRC must use a BellSouth Certified Supplier to place the CCXC. The CCXC shall be provisioned through facilities owned by MRC. Such connections to other collocated telecommunications carriers may be made using either optical or electrical facilities. In cases where MRC's equipment and the equipment of the other collocated telecommunications carrier are located in contiguous caged Collocation Spaces, MRC will have the option of using MRC's own technicians to deploy co-carrier cross connects using either electrical or optical facilities between the sets of equipment and construct its own dedicated cable support structure. MRC shall deploy such optical or electrical connections directly between its own facilities and the facilities of other collocated telecommunications carriers without being routed through BellSouth equipment. MRC shall not provision CCXC on any BellSouth distribution frame, POT (Point of Termination) Bay, DSX (Digital System Cross-connect) or LGX (Light Guide Cross-connect). MRC is responsible for ensuring the integrity of the signal.
- 3.5.2 MRC shall be responsible for providing a letter of authorization (LOA) to BellSouth from the other collocated telecommunications carrier simultaneously with submitting the application. MRC-provisioned CCXC shall utilize common cable support structure. There will be a recurring charge per linear foot, per cable, of common cable support structure used. In the case of two contiguous caged collocation arrangements, MRC will have the option of using MRC's own technicians to construct its own dedicated support structure.

3.5.3 To order CCXCs, MRC must submit an Initial Application or Subsequent Application. If no modification to the Collocation Space is requested other than the placement of CCXCs, the Subsequent Application Fee for CCXCs, as defined in Exhibit B, will apply. If modifications in addition to the placement of CCXCs are requested, the Initial Application or Subsequent Application Fee will apply. This nonrecurring fee will be billed by BellSouth on the date that BellSouth provides an Application Response.

# 4. Occupancy

- 4.1 BellSouth will notify MRC in writing that the Collocation Space is ready for occupancy (Space Ready Date). MRC will schedule and complete an acceptance walkthrough of each Collocation Space with BellSouth within fifteen (15) calendar days of BellSouth's notifying MRC of the Space Ready Date. BellSouth will correct any deviations to MRC's original or jointly amended requirements within seven (7) calendar days after the walkthrough, unless the Parties jointly agree upon a different time frame, and BellSouth shall establish a new Space Ready Date. Another acceptance walkthrough will then be scheduled and conducted within fifteen (15) calendar days of the new Space Ready Date. This follow-up acceptance walkthrough will be limited to those items identified in the initial walkthrough. If MRC has met the fifteen (15) calendar day interval(s), billing will begin upon the date of MRC's acceptance of the Collocation Space (Space Acceptance Date). In the event that MRC fails to complete an acceptance walkthrough within this fifteen (15) calendar day interval, the Collocation Space shall be deemed accepted by MRC on the Space Ready Date and billing will commence from that date. If MRC decides to occupy the space prior to the Space Ready Date, the date MRC occupies the space becomes the new Space Acceptance Date and billing begins from that date. MRC must notify BellSouth in writing that collocation equipment installation is complete and is operational with BellSouth's network. BellSouth may, at its option, not accept orders for cross connects until receipt of such notice. For purposes of this paragraph, MRC's telecommunications equipment will be deemed operational when cross-connected to BellSouth's network for the purpose of service provisioning.
- 4.2 Termination of Occupancy. In addition to any other provisions addressing termination of occupancy in this Agreement, MRC may terminate occupancy in a particular Collocation Space by submitting a Subsequent Application requesting termination of occupancy; such termination shall be effective upon BellSouth's acceptance of the Space Relinquishment Form. Billing for monthly recurring charges will cease on the date MRC and BellSouth conduct an inspection of the terminated space and jointly sign off on the Space Relinquishment Form or on the date that MRC signs off on the Space Relinquishment Form and sends the form to BellSouth if a subsequent inspection of the terminated space by BellSouth reveals no discrepancies. If the subsequent inspection by BellSouth reveals discrepancies, billing will cease on the date that BellSouth and MRC jointly conduct an inspection which confirms that MRC has corrected the discrepancies. A Subsequent Application Fee will not apply for termination of occupancy. BellSouth may terminate MRC's right to occupy the

Collocation Space in the event MRC fails to comply with any provision of this Agreement including the payment of applicable fees.

4.2.1 Upon termination of occupancy, MRC at its expense shall remove its equipment and other property from the Collocation Space. MRC shall have thirty (30) calendar days from the Bona Fide Firm Order (BFFO) Subsequent Application date (Termination Date) to complete such removal, including the removal of all equipment and facilities of MRC's Guest(s), unless MRC's Guest(s) has assumed responsibility for the Collocation Space housing the Guest(s)'s equipment and executed the documentation required by BellSouth prior to such removal date. MRC shall continue payment of monthly fees to BellSouth until such date as MRC, and if applicable MRC's Guest(s), has fully vacated the Collocation Space and the Space Relinquishment Form has been accepted by BellSouth. Should MRC or MRC's Guest(s) fail to vacate the Collocation Space within thirty (30) calendar days from the Termination Date, BellSouth shall have the right to remove the equipment and dispose of the equipment and other property of MRC or MRC's Guest(s), in any manner that BellSouth deems fit, at MRC's expense and with no liability whatsoever for MRC's property or MRC's Guest(s)'s property. Upon termination of MRC's right to occupy Collocation Space, the Collocation Space will revert back to BellSouth, and MRC shall surrender such Collocation Space to BellSouth in the same condition as when first occupied by MRC except for ordinary wear and tear, unless otherwise agreed to by the Parties. MRC's BellSouth Certified Supplier shall be responsible for updating and making any necessary changes to BellSouth's records as required by BellSouth's Specifications including, but not limited to, Central Office Record Drawings and ERMA Records. MRC shall be responsible for the cost of removing any MRC constructed enclosure, together with all support structures (e.g., racking, conduits, or power cables), at the termination of occupancy and restoring the grounds to their original condition.

# 5. Use of Collocation Space

- Equipment Type. BellSouth permits the collocation of any type of equipment necessary for interconnection to BellSouth's network or for access to BellSouth's UNEs in the provision of telecommunications services, as the term "necessary" is defined by FCC 47 C.F.R. Section 51.323 (b). The primary purpose and function of any equipment collocated in a Premise must be for interconnection to BellSouth's network or for access to BellSouth's UNEs in the provision of telecommunications services.
- 5.1.1 Examples of equipment that would not be considered necessary include but are not limited to: traditional circuit switching equipment, equipment used exclusively for call-related databases, computer servers used exclusively for providing information services, operations support system (OSS) equipment used to support collocated telecommunications carrier network operations, equipment that generates customer orders, manages trouble tickets or inventory, or stores customer records in centralized databases, etc. BellSouth will determine upon receipt of an application if the requested equipment is necessary based on the criteria established by the FCC.

Multifunctional equipment placed on BellSouth's Premises must not place any greater relative burden on BellSouth's property than comparable single-function equipment. BellSouth reserves the right to permit collocation of any equipment on a nondiscriminatory basis.

- 5.1.2 Such equipment must, at a minimum, meet the following Telcordia Network Equipment Building Systems (NEBS) General Equipment Requirements: Criteria Level 1 requirements as outlined in the Telcordia Special Report SR-3580, Issue 1. Except where otherwise required by a Commission, BellSouth shall comply with the applicable FCC rules relating to denial of collocation based on MRC's failure to comply with this Section.
- MRC shall not request more DS0, DS1, DS3 and optical terminations for a collocation arrangement than the total port or termination capacity of the equipment physically installed in the arrangement. The total capacity of the equipment collocated in the arrangement will include equipment contained in the application in question as well as equipment already placed in the arrangement. If full network termination capacity of the equipment being installed is not requested in the application, additional network terminations for the installed equipment will require the submission of another application. In the event that MRC submits an application for terminations that exceed the total capacity of the collocated equipment, MRC will be informed of the discrepancy and will be required to submit a revision to the application.
- MRC shall identify to BellSouth whenever MRC submits a Method of Procedure (MOP) adding equipment to MRC's Collocation Space, all UCC-1 lien holders or other entities that have a financial interest, secured and otherwise, in the equipment in MRC's Collocation Space. MRC shall submit a copy of the list of any lien holders or other entities that have a financial interest to MRC's ATCC Representative.
- 5.3 MRC shall not use the Collocation Space for marketing purposes nor shall it place any identifying signs or markings outside the Collocation Space or on the grounds of the Premises.
- MRC shall place a plaque or other identification affixed to MRC's equipment necessary to identify MRC's equipment, including a list of emergency contacts with telephone numbers.
- Entrance Facilities. MRC may elect to place MRC-owned or MRC-leased fiber entrance facilities into the Collocation Space. BellSouth will designate the point of interconnection in close proximity to the Premises building housing the Collocation Space, such as an entrance manhole or a cable vault, which are physically accessible by both Parties. MRC will provide and place fiber cable at the point of entrance of sufficient length to be pulled through conduit and into the splice location. MRC will provide and install a sufficient length of fire retardant riser cable, to which the entrance cable will be spliced by BellSouth, which will extend from the splice location to MRC's equipment in the Collocation Space. In the event MRC utilizes a non-metallic,

riser-type entrance facility, a splice will not be required. MRC must contact BellSouth for instructions prior to placing the entrance facility cable in the manhole. MRC is responsible for maintenance of the entrance facilities. At MRC's option BellSouth will accommodate where technically feasible a microwave entrance facility pursuant to separately negotiated terms and conditions. In the case of adjacent collocation, unless BellSouth determines that limited space is available for the entrance facilities, copper facilities may be used between the adjacent collocation arrangement and the central office demarcation point.

- Dual Entrance. BellSouth will provide at least two interconnection points at each Premise where there are at least two such interconnection points available and where capacity exists. Upon receipt of a request for physical collocation under this Attachment, BellSouth shall provide MRC with information regarding BellSouth's capacity to accommodate dual entrance facilities. If conduit in the serving manhole(s) is available and is not reserved for another purpose for utilization within twelve (12) months of the receipt of an application for collocation, BellSouth will make the requested conduit space available for installing a second entrance facility to MRC's arrangement. The location of the serving manhole(s) will be determined at the sole discretion of BellSouth. Where dual entrance is not available due to lack of capacity, BellSouth will so state in the Application Response.
- 5.5.2 Shared Use. MRC may utilize spare capacity on an existing interconnector entrance facility for the purpose of providing an entrance facility to MRC's collocation arrangement within the same BellSouth Premises. BellSouth shall allow the splice, provided that the fiber is non-working fiber. MRC must arrange with BellSouth in accordance with BellSouth's Special Construction Procedures, RL93-11-030BT, and provide a LOA from the other telecommunications carrier for BellSouth to splice the MRC provided riser cable to the spare capacity on the entrance facility. If MRC desires to allow another telecommunications carrier to use its entrance facilities that telecommunications carrier must arrange with BellSouth in accordance with BellSouth's Special Construction Procedures, RL93-11-030BT, and provide a LOA from MRC for BellSouth to splice that telecommunications carrier's provided riser cable to the spare capacity on MRC's entrance facility.
- Demarcation Point. BellSouth will designate the point(s) of demarcation between MRC's equipment and/or network and BellSouth's network. Each Party will be responsible for maintenance and operation of all equipment/facilities on its side of the demarcation point. For 2-wire and 4-wire connections to BellSouth's network, the demarcation point shall be a common block on the BellSouth designated conventional distributing frame (CDF). MRC shall be responsible for providing, and MRC's BellSouth Certified Supplier shall be responsible for installing and properly labeling/stenciling the common block and necessary cabling pursuant to Section 7. For all other terminations BellSouth shall designate a demarcation point on a per arrangement basis. MRC or its agent must perform all required maintenance to equipment/facilities on its side of the demarcation point, pursuant to Section 5.7,

following, and may self-provision cross-connects that may be required within the Collocation Space to activate service requests.

- 5.6.1 In Tennessee, BellSouth will designate the point(s) of demarcation between MRC's equipment and/or network and BellSouth's network. Each Party will be responsible for maintenance and operation of all equipment/facilities on its side of the demarcation point. For connections to BellSouth's network, the demarcation point shall be a MRC-provided Point of Termination Bay (POT Bay) in a common area within the Premises. MRC shall be responsible for providing, and MRC's BellSouth Certified Supplier shall be responsible for installing and properly labeling/stenciling the POT Bay as well as installing the necessary cabling between MRC's Collocation Space and the demarcation point. MRC or its agent must perform all required maintenance to equipment/facilities on its side of the demarcation point, pursuant to Section 5.7, following, and may self-provision cross-connects that may be required within the Collocation Space to activate service requests. BellSouth will negotiate alternative rates, terms and conditions related to the demarcation point in Tennessee in the event that MRC desires to avoid the use of an intermediary device as contemplated by the Tennessee Regulatory Authority.
- MRC's Equipment and Facilities. MRC, or if required by this Attachment, MRC's BellSouth Certified Supplier, is solely responsible for the design, engineering, installation, testing, provisioning, performance, monitoring, maintenance and repair of the equipment and facilities used by MRC which must be performed in compliance with all applicable BellSouth Specifications. Such equipment and facilities may include but are not limited to cable(s), equipment, and point of termination connections. MRC and its selected BellSouth Certified Supplier must follow and comply with all BellSouth requirements outlined in BellSouth's TR 73503, TR 73519, TR 73572, and TR 73564.
- BellSouth's Access to Collocation Space. From time to time BellSouth may require access to the Collocation Space. BellSouth retains the right to access such space for the purpose of making BellSouth equipment and building modifications (e.g., running, altering or removing racking, ducts, electrical wiring, HVAC, and cables). BellSouth will give notice to MRC at least forty-eight (48) hours before access to the Collocation Space is required. MRC may elect to be present whenever BellSouth performs work in the Collocation Space. The Parties agree that MRC will not bear any of the expense associated with this work.
- 5.9 Access. Pursuant to Section 12, MRC shall have access to the Collocation Space twenty-four (24) hours a day, seven (7) days a week. MRC agrees to provide the name and social security number or date of birth or driver's license number of each employee, supplier, or agent of MRC or MRC's Guests to be provided with access keys or cards (Access Keys) prior to the issuance of said Access Keys using form RF-2906-C "CLEC and CLEC Certified Supplier Access Request and Acknowledgement". Key acknowledgement forms, "Collocation Acknowledgement Sheet" for access cards and "Key Acknowledgement Form" for keys, must be signed

by MRC and returned to BellSouth Access Management within fifteen (15) calendar days of MRC's receipt. Failure to return properly acknowledged forms will result in the holding of subsequent requests until acknowledgements are current. Access Keys shall not be duplicated under any circumstances. MRC agrees to be responsible for all Access Keys and for the return of all said Access Keys in the possession of MRC's employees, suppliers, Guests, or agents after termination of the employment relationship, contractual obligation with MRC or upon the termination of this Attachment or the termination of occupancy of an individual collocation arrangement.

- 5.9.1 BellSouth will permit one accompanied site visit to MRC's designated collocation arrangement location after receipt of the BFFO without charge to MRC. MRC must submit to BellSouth the completed Access Control Request Form for all employees or agents requiring access to the BellSouth Premises a minimum of thirty (30) calendar days prior to the date MRC desires access to the Collocation Space. In order to permit reasonable access during construction of the Collocation Space, MRC may submit such a request at any time subsequent to BellSouth's receipt of the BFFO. In the event MRC desires access to the Collocation Space after submitting such a request but prior to access being approved, in addition to the first accompanied free visit, BellSouth shall permit MRC to access the Collocation Space accompanied by a security escort at MRC's expense. MRC must request escorted access at least three (3) business days prior to the date such access is desired.
- 5.10 Lost or Stolen Access Keys. MRC shall notify BellSouth in writing immediately in the case of lost or stolen Access Keys. Should it become necessary for BellSouth to rekey buildings or deactivate a card as a result of a lost Access Key(s) or for failure to return an Access Key(s), MRC shall pay for all reasonable costs associated with the rekeying or deactivating the card.
- 5.11 Interference or Impairment. Notwithstanding any other provisions of this Attachment, MRC shall not use any product or service provided under this Agreement, any other service related thereto or used in combination therewith, or place or use any equipment or facilities in any manner that 1) significantly degrades, interferes with or impairs service provided by BellSouth or by any other entity or any person's use of its telecommunications service; 2) endangers or damages the equipment, facilities or other property of BellSouth or of any other entity or person; 3) compromises the privacy of any communications; or 4) creates an unreasonable risk of injury or death to any individual or to the public. If BellSouth reasonably determines that any equipment or facilities of MRC violates the provisions of this paragraph, BellSouth shall give written notice to MRC, which notice shall direct MRC to cure the violation within forty-eight (48) hours of MRC's actual receipt of written notice or, at a minimum, to commence curative measures within twenty-four (24) hours and to exercise reasonable diligence to complete such measures as soon as possible thereafter. After receipt of the notice, the Parties agree to consult immediately and, if necessary, to inspect the arrangement.
- 5.11.1 Except in the case of the deployment of an advanced service which significantly degrades the performance of other advanced services or traditional voice band

services, if MRC fails to take curative action within forty-eight (48) hours or if the violation is of a character which poses an immediate and substantial threat of damage to property, injury or death to any person, or any other significant degradation, interference or impairment of BellSouth's or another entity's service, then and only in that event BellSouth may take such action as it deems appropriate to correct the violation, including without limitation the interruption of electrical power to MRC's equipment. BellSouth will endeavor, but is not required, to provide notice to MRC prior to taking such action and shall have no liability to MRC for any damages arising from such action, except to the extent that such action by BellSouth constitutes willful misconduct.

- 5.11.2 For purposes of this Section, the term significantly degrade shall mean an action that noticeably impairs a service from a user's perspective. In the case of the deployment of an advanced service which significantly degrades the performance of other advanced services or traditional voice band services and MRC fails to take curative action within forty-eight (48) hours then BellSouth will establish before the Commission that the technology deployment is causing the significant degradation. Any claims of network harm presented to MRC or, if subsequently necessary, the Commission must be supported with specific and verifiable information. Where BellSouth demonstrates that a deployed technology is significantly degrading the performance of other advanced services or traditional voice band services, MRC shall discontinue deployment of that technology and migrate its customers to technologies that will not significantly degrade the performance of other such services. Where the only degraded service itself is a known disturber, and the newly deployed technology satisfies at least one of the criteria for a presumption that is acceptable for deployment under Section 47 C.F.R. 51.230, the degraded service shall not prevail against the newly deployed technology.
- 5.12 Personalty and its Removal. Facilities and equipment placed by MRC in the Collocation Space shall not become a part of the Collocation Space, even if nailed, screwed or otherwise fastened to the Collocation Space, but shall retain their status as personal property and may be removed by MRC at any time. Any damage caused to the Collocation Space by MRC's employees, agents or representatives during the removal of such property shall be promptly repaired by MRC at its expense.
- 5.12.1 If MRC decides to remove equipment from its Collocation Space and the removal requires no physical changes, BellSouth will bill MRC an Administrative Only Application Fee as set forth in Exhibit B for these changes. This nonrecurring fee will be billed on the date that BellSouth provides an Application Response.
- Alterations. In no case shall MRC or any person acting on behalf of MRC make any rearrangement, modification, improvement, addition, or other alteration which could affect in any way space, power, HVAC, and/or safety considerations to the Collocation Space or the BellSouth Premises without the written consent of BellSouth, which consent shall not be unreasonably withheld. The cost of any such specialized alterations shall be paid by MRC. Any such material rearrangement,

modification, improvement, addition, or other alteration shall require a Subsequent Application and Subsequent Application Fee, which will be billed by BellSouth on the date that BellSouth makes an Application Response.

5.14 <u>Janitorial Service</u>. MRC shall be responsible for the general upkeep of the Collocation Space. MRC shall arrange directly with a BellSouth Certified Supplier for janitorial services applicable to Caged Collocation Space. BellSouth shall provide a list of such suppliers on a site-specific basis upon request.

# 6. Ordering and Preparation of Collocation Space

- Should any state or federal regulatory agency impose procedures or intervals applicable to MRC and BellSouth that are different from procedures or intervals set forth in this Section, whether now in effect or that become effective after execution of this Agreement, those procedures or intervals shall supersede the requirements set forth herein for that jurisdiction for all applications submitted for the first time after the effective date thereof.
- 6.2 <u>Initial Application</u>. For MRC or MRC's Guest(s) initial equipment placement, MRC shall submit to BellSouth a Physical Expanded Interconnection Application Document (Initial Application). The Initial Application is Bona Fide when it is complete and accurate, meaning that all required fields on the application are completed with the appropriate type of information. An application fee will apply which will be billed by BellSouth on the date that BellSouth makes an Application Response.
- Subsequent Application. In the event MRC or MRC's Guest(s) desires to modify the use of the Collocation Space after a BFFO, MRC shall complete an application detailing all information regarding the modification to the Collocation Space (Subsequent Application). The Subsequent Application is Bona Fide when it is complete and accurate, meaning that all required fields on the Subsequent Application are completed with the appropriate type of information. BellSouth shall determine what modifications, if any, to the Premises are required to accommodate the change requested by MRC in the application. Such necessary modifications to the Premises may include, but are not limited to, floor loading changes, changes necessary to meet HVAC requirements, changes to power plant requirements, equipment additions, etc.
- 6.3.1 <u>Subsequent Application Fee.</u> The application fee paid by MRC for its request to modify the use of the Collocation Space shall be dependent upon the level of assessment needed for the modification requested. The fee for a Subsequent Application where the modification requested has limited effect (e.g., requires labor expenditure but no capital expenditure by BellSouth and where sufficient cable support structure, HVAC, power and terminations are available) shall be the Subsequent Application Fee as set forth in Exhibit B. If the modification requires capital expenditure, an Initial Application Fee shall apply. This nonrecurring fee will be billed on the date that BellSouth makes an Application Response.

- Space Preferences. If MRC has previously requested and received a Space Availability Report for the Premises, MRC may submit up to three (3) space preferences on its application identifying specific space identification numbers as referenced on the Space Availability Report. In the event that BellSouth cannot accommodate the MRC's preference(s), MRC may elect to accept the space allocated by BellSouth or may cancel its application and submit another application requesting additional preferences, which will be treated as a new application and an application fee will apply which will be billed by BellSouth on the date that BellSouth makes an Application Response.
- 6.5 <u>Space Availability Notification.</u>
- Unless otherwise specified, BellSouth will respond to an application within ten (10) calendar days as to whether space is available or not available within a BellSouth Premises. BellSouth will also respond as to whether the application is Bona Fide and if it is not Bona Fide, the items necessary to cause the application to become Bona Fide. If the amount of space requested is not available, BellSouth will notify MRC of the amount of space that is available and no application fee shall apply. When BellSouth's response includes an amount of space less than that requested by MRC or differently configured no application fee shall apply. If MRC decides to accept the available space, MRC must resubmit its application to reflect the actual space available prior to submitting a BFFO and an application fee will be billed.
- BellSouth will respond to a Florida application within fifteen (15) calendar days as to whether space is available or not available within a BellSouth Premise. BellSouth will also respond as to whether the application is Bona Fide and if it is not Bona Fide, the items necessary to cause the application to become Bona Fide. If a lesser amount of space than requested is available, BellSouth will provide an Application Response for the amount of space that is available and an application fee will be billed by BellSouth on the date that BellSouth makes an Application Response. When BellSouth's Application Response includes an amount of space less than that requested by MRC or differently configured, if MRC decides to accept the available space, MRC must amend its application to reflect the actual space available prior to submitting a BFFO.
- BellSouth will respond to a Louisiana application within ten (10) calendar days for space availability for one (1) to ten (10) applications; fifteen (15) calendar days for eleven (11) to twenty (20) applications; and for more than twenty (20) applications, the response interval is increased by five (5) calendar days for every five additional applications received within five (5) business days. If the amount of space requested is not available, BellSouth will notify MRC of the amount of space that is available and no application fee shall apply. When BellSouth's response includes an amount of space less than that requested by MRC or differently configured no application fee shall apply. If MRC decides to accept the available space, MRC must resubmit its application to reflect the actual space available prior to submitting a BFFO and an application fee will be billed. BellSouth will also respond as to whether the application is Bona Fide and if it is not Bona Fide, the items necessary to cause the application to become Bona Fide.

- Denial of Application. If BellSouth notifies MRC that no space is available (Denial of Application), BellSouth will not assess an Application Fee. After notifying MRC that BellSouth has no available space in the requested Premises, BellSouth will allow MRC, upon request, to tour the entire Premises within ten (10) calendar days of such Denial of Application. In order to schedule said tour within ten (10) calendar days, the request for a tour of the Premises must be received by BellSouth within five (5) calendar days of the Denial of Application.
- 6.7 <u>Filing of Petition for Waiver</u>. Upon Denial of Application, BellSouth will timely file a petition with the Commission pursuant to 47 U.S.C. § 251(c)(6). BellSouth shall provide to the Commission any information requested by that Commission. Such information shall include which space, if any, BellSouth or any of BellSouth's affiliates have reserved for future use and a detailed description of the specific future uses for which the space has been reserved. Subject to an appropriate nondisclosure agreement or provision, BellSouth shall permit MRC to inspect any floor plans or diagrams that BellSouth provides to the Commission.
- Maiting List. On a first-come, first-served basis governed by the date of receipt of an application or Letter of Intent, BellSouth will maintain a waiting list of requesting carriers who have either received a Denial of Application or, where it is publicly known that the Premises is out of space, have submitted a Letter of Intent to collocate. BellSouth will notify the telecommunications carriers on the waiting list that can be accommodated by the amount of space that becomes available according to the position of the telecommunications carriers on said waiting list.
- 6.8.1 In Florida, on a first-come, first-served basis governed by the date of receipt of an application or Letter of Intent, BellSouth will maintain a waiting list of requesting carriers who have either received a Denial of Application or, where it is publicly known that the Premises is out of space, have submitted a Letter of Intent to collocate. Sixty (60) calendar days prior to space becoming available, if known, BellSouth will notify the Florida PSC and the telecommunications carriers on the waiting list by mail when space becomes available according to the position of the telecommunications carrier on said waiting list. If not known sixty (60) calendar days in advance, BellSouth shall notify the Florida PSC and the telecommunications carriers on the waiting list within two (2) business days of the determination that space is available. A telecommunications carrier that, upon denial of physical collocation, requests virtual collocation shall be automatically placed on the waiting list.
- When space becomes available, MRC must submit an updated, complete, and correct application to BellSouth within thirty (30) calendar days of such notification. If MRC has originally requested caged Collocation Space and cageless Collocation Space becomes available, MRC may refuse such space and notify BellSouth in writing within that time that MRC wants to maintain its place on the waiting list without accepting such space. MRC may accept an amount of space less than its original request by submitting an application as set forth above, and upon request, may maintain its position on the waiting list for the remaining space that was initially requested. If

MRC does not submit such an application or notify BellSouth in writing as described above, BellSouth will offer such space to the next telecommunications carrier on the waiting list and remove MRC from the waiting list. Upon request, BellSouth will advise MRC as to its position on the list.

- 6.9 <u>Public Notification</u>. BellSouth will maintain on its Interconnection Services website a notification document that will indicate all Premises that are without available space. BellSouth shall update such document within ten (10) calendar days of the date BellSouth becomes aware that there is insufficient space to accommodate physical collocation. BellSouth will also post a document on its Interconnection Services website that contains a general notice where space has become available in a Premises previously on the space exhaust list.
- 6.10 <u>Application Response.</u>
- 6.10.1 In Alabama, Georgia, Kentucky, Mississippi, North Carolina, South Carolina, and Tennessee, when space has been determined to be available for caged or cageless arrangements, BellSouth will provide an Application Response within twenty (20) calendar days of receipt of a Bona Fide application. The Application Response will include, at a minimum, the configuration of the space, the Cable Installation Fee, Cable Records Fee, and any other applicable space preparation fees, as described in Section 8.
- In Florida, within fifteen (15) calendar days of receipt of a Bona Fide application, when space has been determined to be available or when a lesser amount of space than that requested is available, then with respect to the space available, BellSouth will provide an Application Response including sufficient information to enable MRC to place a Firm Order. The Application Response will include, at a minimum, the configuration of the space, the Cable Installation Fee, Cable Records Fee, and the space preparation fees, as described in Section 8. When MRC submits ten (10) or more applications within ten (10) calendar days, the initial fifteen (15) calendar day response period will increase by ten (10) calendar days for every additional ten (10) applications or fraction thereof.
- In Louisiana, when space has been determined to be available, BellSouth will provide an Application Response within thirty (30) calendar days for one (1) to ten (10) applications; thirty-five (35) calendar days for eleven (11) to twenty (20) applications; and for requests of more than twenty (20) applications, the Application Response interval will be increased by five (5) calendar days for every five (5) applications received within five (5) business days. The Application Response will include, at a minimum, the configuration of the space, the Cable Installation Fee, Cable Records Fee, and the space preparation fees, as described in Section 8.
- 6.11 <u>Application Modifications</u>.

6.11.1 If a modification or revision is made to any information in the Bona Fide application prior to a BFFO, with the exception of modifications to Customer Information, Contact Information or Billing Contact Information, either at the request of MRC or necessitated by technical considerations, said application shall be considered a new application and shall be handled as a new application with respect to response and provisioning intervals and BellSouth may charge MRC an additional application fee. The fee for an application modification where the modification requested has limited effect (e.g., requires labor expenditure but no capital expenditure by BellSouth and where sufficient cable support structure, HVAC, power and terminations are available) shall be the Subsequent Application Fee as set forth in Exhibit B. A modification involving a capital expenditure by BellSouth shall require MRC to submit the application with an Initial Application Fee. This nonrecurring fee will be billed by BellSouth on the date that BellSouth provides an Application Response.

# 6.12 Bona Fide Firm Order.

- MRC shall indicate its intent to proceed with equipment installation in a BellSouth Premises by submitting a Firm Order to BellSouth. The BFFO must be received by BellSouth no later than thirty (30) calendar days after BellSouth's Application Response to MRC's Bona Fide application or the application will expire.
- 6.12.2 BellSouth will establish a firm order date based upon the date BellSouth is in receipt of a BFFO. BellSouth will acknowledge the receipt of MRC's BFFO within seven (7) calendar days of receipt indicating that the BFFO has been received. A BellSouth response to a BFFO will include a Firm Order Confirmation containing the firm order date. No revisions will be made to a BFFO.

# 7. Construction and Provisioning

- 7.1 Construction and Provisioning Intervals.
- 7.1.1 In Florida, BellSouth will complete construction for collocation arrangements as soon as possible and within a maximum of ninety (90) calendar days from receipt of a BFFO or as agreed to by the Parties. For changes to the Collocation Space after initial space completion (Augmentation), BellSouth will complete construction for collocation arrangements as soon as possible and within a maximum of forty-five (45) calendar days from receipt of a BFFO or as agreed to by the Parties. If BellSouth does not believe that construction will be completed within the relevant time frame and BellSouth and MRC cannot agree upon a completion date, within forty-five (45) calendar days of receipt of the BFFO for an initial request, and within thirty (30) calendar days for Augmentations, BellSouth may seek an extension from the Florida Commission.
- 7.1.2 In Alabama, Georgia, Kentucky, Mississippi, North Carolina, and Tennessee, BellSouth will complete construction for caged collocation arrangements under ordinary conditions as soon as possible and within a maximum of ninety (90) calendar days from receipt of a BFFO or as agreed to by the Parties. BellSouth will complete

construction for cageless collocation arrangements under ordinary conditions as soon as possible and within a maximum of sixty (60) calendar days from receipt of a BFFO and ninety (90) calendar days from receipt of a BFFO for extraordinary conditions or as agreed to by the Parties. Ordinary conditions are defined as space available with only minor changes to support systems required, such as but not limited to, HVAC, cabling and the power plant(s). Extraordinary conditions shall include, but not limited to, major BellSouth equipment rearrangement or addition; power plant addition or upgrade; major mechanical addition or upgrade; major upgrade for ADA compliance; environmental hazard or hazardous materials abatement; and arrangements for which equipment shipping intervals are extraordinary in length. The Parties may mutually agree to renegotiate an alternative provisioning interval or BellSouth may seek a waiver from this interval from the Commission.

- 7.1.3 In Louisiana, BellSouth will complete construction for collocation arrangements under ordinary conditions as soon as possible and within a maximum of ninety (90) calendar days for caged and sixty (60) calendar days for cageless from receipt of a BFFO for an initial request, and within sixty (60) calendar days for an Augmentation, or as agreed to by the Parties. Ordinary conditions are defined as space available with only minor changes to support systems required, such as but not limited to, HVAC, cabling and the power plant(s). BellSouth will complete construction of all other Collocation Space (extraordinary conditions) within one hundred twenty (120) calendar days for caged and ninety (90) calendar days for cageless from the receipt of a BFFO. Examples of extraordinary conditions include but are not limited to, extended license or permitting intervals; major BellSouth equipment rearrangement or addition; power plant addition or upgrade; major mechanical addition or upgrade; major upgrade for ADA compliance; environmental hazard or hazardous materials abatement; and arrangements for which equipment shipping intervals are extraordinary in length. The Parties may mutually agree to renegotiate an alternative provisioning interval or BellSouth may seek a waiver from this interval from the Commission.
- In South Carolina, BellSouth will complete construction for caged collocation 7.1.4 arrangements as soon as possible and within a maximum of ninety (90) calendar days from receipt of a BFFO or as agreed to by the Parties. BellSouth will complete construction for cageless collocation arrangements under ordinary conditions as soon as possible and within a maximum of sixty (60) calendar days from receipt of the BFFO and within a maximum of ninety (90) calendar days from receipt of the BFFO under extraordinary conditions, or as agreed to by the Parties. Ordinary conditions are defined as space available with only minor changes to support systems required, such as but not limited to, HVAC, cabling and the power plant(s). Extraordinary conditions are defined to include, but not limited to, a major BellSouth equipment rearrangement or addition; power plant addition or upgrade; major mechanical addition or upgrade; major upgrade for ADA compliance; environmental hazard or hazardous materials abatement; and arrangements for which equipment shipping intervals are extraordinary in length. The Parties may mutually agree to renegotiate an alternative provisioning interval or BellSouth may seek a waiver from this interval from the Commission of South Carolina.

- Joint Planning. Joint planning between BellSouth and MRC will commence within a maximum of twenty (20) calendar days from BellSouth's receipt of a BFFO. BellSouth will provide the preliminary design of the Collocation Space and the equipment configuration requirements as reflected in the Bona Fide application and affirmed in the BFFO. The Collocation Space completion time period will be provided to MRC during joint planning.
- 7.3 <u>Permits</u>. Each Party or its agents will diligently pursue filing for the permits required for the scope of work to be performed by that Party or its agents within ten (10) calendar days of the completion of finalized construction designs and specifications.
- Acceptance Walkthrough. MRC will schedule and complete an acceptance walkthrough of each Collocation Space with BellSouth within fifteen (15) calendar days of BellSouth's notifying MRC that the Collocation Space is ready for occupancy. In the event that MRC fails to complete an acceptance walkthrough within this fifteen (15) day interval, the Collocation Space shall be deemed accepted by MRC on the Space Ready Date. BellSouth will correct any deviations to MRC's original or jointly amended requirements within seven (7) calendar days after the walkthrough, unless the Parties jointly agree upon a different time frame.
- 7.5 <u>Circuit Facility Assignments (CFAs).</u> Unless otherwise specified, BellSouth will provide CFAs to MRC prior to the applicable provisioning interval set forth herein (Provisioning Interval) for those Premises in which MRC has a physical collocation arrangement with no POT bay or with a POT bay provided by BellSouth. BellSouth cannot provide CFAs to MRC prior to the Provisioning Interval for those Premises in which MRC has a physical collocation arrangement with a POT bay provided by MRC or a virtual collocation arrangement until MRC provides BellSouth with the following information:
- 7.5.1 For MRC-provided POT bay a complete layout of the POT panels (equipment inventory update (EIU) form) showing locations, speeds, etc.
- 7.5.2 For virtual a complete layout of MRC's equipment (equipment inventory update (EIU) form), including the locations of the low speed ports and the specific frame terminations to which the equipment will be wired by MRC's BellSouth Certified Supplier
- 7.5.3 BellSouth cannot begin work on the CFAs until the complete and accurate EIU form is received from MRC. If the EIU form is provided ten (10) calendar days prior to the Provisioning Interval, then CFAs will be made available by the Provisioning Interval. If this EIU is not received ten (10) calendar days prior to the Provisioning Interval, then the CFAs will be provided within ten (10) calendar days of receipt of the EIU form.
- 7.5.4 BellSouth will bill MRC a nonrecurring charge, as set forth in Exhibit B, each time MRC requests a resend of its CFAs for any reason other than a BellSouth error in the CFAs.

- 7.6 Use of BellSouth Certified Supplier. MRC shall select a supplier which has been approved as a BellSouth Certified Supplier to perform all engineering and installation work. MRC and MRC's BellSouth Certified Supplier must follow and comply with all BellSouth requirements outlined in BellSouth's TR 73503, TR 73519, TR 73572, and TR 73564. In some cases, MRC must select separate BellSouth Certified Suppliers for transmission equipment, switching equipment and power equipment. BellSouth shall provide MRC with a list of BellSouth Certified Suppliers upon request. The BellSouth Certified Supplier(s) shall be responsible for installing MRC's equipment and components, extending power cabling to the BellSouth power distribution frame, performing operational tests after installation is complete, and notifying BellSouth's equipment engineers and MRC upon successful completion of installation, etc. The BellSouth Certified Supplier shall bill MRC directly for all work performed for MRC pursuant to this Attachment, and BellSouth shall have no liability for nor responsibility to pay such charges imposed by the BellSouth Certified Supplier. BellSouth shall make available its supplier certification program to MRC or any supplier proposed by MRC and will not unreasonably withhold certification. All work performed by or for MRC shall conform to generally accepted industry standards.
- Alarm and Monitoring. BellSouth shall place environmental alarms in the Premises for the protection of BellSouth equipment and facilities. MRC shall be responsible for placement, monitoring and removal of environmental and equipment alarms used to service MRC's Collocation Space. Upon request, BellSouth will provide MRC with applicable tariffed service(s) to facilitate remote monitoring of collocated equipment by MRC. Both Parties shall use best efforts to notify the other of any verified environmental condition known to that Party.
- 7.8 <u>Virtual to Physical Collocation Relocation</u>. In the event physical Collocation Space was previously denied at a location due to technical reasons or space limitations, and physical Collocation Space has subsequently become available, MRC may relocate its virtual collocation arrangements to physical collocation arrangements and pay the appropriate fees for physical collocation and for the rearrangement or reconfiguration of services terminated in the virtual collocation arrangement, as outlined in the appropriate BellSouth tariffs. In the event that BellSouth knows when additional space for physical collocation may become available at the location requested by MRC, such information will be provided to MRC in BellSouth's written denial of physical collocation. To the extent that (i) physical Collocation Space becomes available to MRC within one hundred eighty (180) calendar days of BellSouth's written denial of MRC's request for physical collocation, (ii) BellSouth had knowledge that the space was going to become available, and (iii) MRC was not informed in the written denial that physical Collocation Space would become available within such one hundred eighty (180) calendar days, then MRC may relocate its virtual collocation arrangement to a physical collocation arrangement and will receive a credit for any nonrecurring charges previously paid for such virtual collocation. MRC must arrange with a BellSouth Certified Supplier for the relocation of equipment from its virtual Collocation Space to its physical Collocation Space and will bear the cost of such relocation.

- 7.8.1 In Alabama, BellSouth will complete a relocation from virtual collocation to cageless physical collocation within thirty (30) calendar days and from virtual collocation to caged physical collocation within ninety (90) calendar days.
- Virtual to Physical Conversion (In-Place). Virtual collocation arrangements may be converted to "in-place" physical arrangements if the potential conversion meets the following four criteria: 1) there is no change in the amount of equipment or the configuration of the equipment that was in the virtual collocation arrangement; 2) the conversion of the virtual collocation arrangement will not cause the equipment or the results of that conversion to be located in a space that BellSouth has reserved for its own future needs; 3) the converted arrangement does not limit BellSouth's ability to secure its own equipment and facilities due to the location of the virtual collocation arrangement; and 4) any changes to the arrangement can be accommodated by existing power, HVAC, and other requirements. Unless otherwise specified, BellSouth will complete virtual to in-place physical collocation conversions within sixty (60) calendar days from receipt of the BFFO. BellSouth will bill MRC an Administrative Only Application Fee as set forth in Exhibit B for these charges on the date that BellSouth provides an Application Response.
- 7.9.1 In Alabama and Tennessee, BellSouth will complete Virtual to Physical Conversions (In Place) within thirty (30) calendar days from receipt of the BFFO.
- 7.10 <u>Cancellation</u>. If, at any time prior to space acceptance, MRC cancels its order for the Collocation Space(s) (Cancellation), BellSouth will bill the applicable nonrecurring rate for any and all work processes for which work has begun. In Georgia, if MRC cancels its order for Collocation Space at any time prior to space acceptance, BellSouth will bill MRC for all costs incurred prior to the date of Cancellation and for any costs incurred as a direct result of the Cancellation, not to exceed the total amount that would have been due had the order not been cancelled.
- 7.11 <u>Licenses.</u> MRC, at its own expense, will be solely responsible for obtaining from governmental authorities, and any other appropriate agency, entity, or person, all rights, privileges, and licenses necessary or required to operate as a provider of telecommunications services to the public or to build-out, equip and occupy the Collocation Space.
- 7.12 <u>Environmental Compliance.</u> The Parties agree to utilize and adhere to the Environmental Hazard Guidelines identified in Exhibit A attached hereto.

# 8. Rates and Charges

8.1 <u>Application Fee.</u> BellSouth shall assess an application fee via a service order, which shall be issued at the time BellSouth responds that space is available pursuant to Section 6.10 (Application Response). This nonrecurring fee will be billed by BellSouth on the date that BellSouth provides an Application Response.

- 8.1.1 In Tennessee the applicable application fee is the planning fee for both Initial Applications and Subsequent Applications placed by MRC. This nonrecurring fee will be billed by BellSouth on the date that BellSouth provides an Application Response.
- 8.2 <u>Cable Installation</u>. Cable Installation Fee(s) are assessed per entrance cable placed. This nonrecurring fee will be billed by BellSouth upon receipt of MRC's BFFO.
- 8.3 Recurring Charges. If MRC has met the applicable fifteen (15) calendar day walkthrough interval(s) specified in Section 4, billing for recurring charges will begin upon the Space Acceptance Date. In the event that MRC fails to complete an acceptance walkthrough within the applicable fifteen (15) calendar day interval(s), billing for recurring charges will commence on the Space Ready Date. If MRC occupies the space prior to the Space Ready Date, the date MRC occupies the space becomes the new Space Acceptance Date and billing for recurring charges begin on that date.
- Space Preparation. Space preparation fees consist of a nonrecurring charge for firm order processing and monthly recurring charges for central office modifications assessed per arrangement, per square foot and common systems modifications assessed per arrangement, per square foot for cageless collocation and per cage for caged collocation. MRC shall remit payment of the nonrecurring firm order processing fee coincident with submission of a BFFO. The charges recover the costs associated with preparing the Collocation Space, which includes survey, engineering of the Collocation Space, design and modification costs for network, building and support systems. In the event MRC opts for cageless space, the space preparation fees will be assessed based on the total floor space dedicated to MRC as prescribed in this Section.
- 8.5 Floor Space. The Floor Space Charge includes reasonable charges for lighting, HVAC, and other allocated expenses associated with maintenance of the Premises but does not include any power-related costs incurred by BellSouth. When the Collocation Space is enclosed, MRC shall pay floor space charges based upon the number of square feet so enclosed. When the Collocation Space is not enclosed, MRC shall pay floor space charges based upon the following floor space calculation: [(depth of the equipment lineup in which the rack is placed) + (0.5 x maintenance aisle depth)+ (0.5 x wiring aisle depth)] X (width of rack and spacers). For purposes of this calculation, the depth of the equipment lineup shall consider the footprint of equipment racks plus any equipment overhang. BellSouth will assign unenclosed Collocation Space in conventional equipment rack lineups where feasible. In the event MRC's collocated equipment requires special cable racking, isolated grounding or other treatment which prevents placement within conventional equipment rack lineups, MRC shall be required to request an amount of floor space sufficient to accommodate the total equipment arrangement.
- 8.6 <u>Power</u>. BellSouth shall make available –48 Volt (-48V) Direct Current (DC) power for MRC's Collocation Space at a BellSouth Power Board or BellSouth Battery Distribution Fuse Bay (BDFB) at MRC's option within the Premises. BellSouth will

revise recurring power charges to reflect a power upgrade upon notification of the completion of the upgrade by MRC's BellSouth Certified Vendor. BellSouth will revise recurring power charges to reflect a power reduction upon BellSouth's receipt of the Power Reduction Form from MRC certifying the completion of the power reduction, including the removal of the power cabling by MRC's BellSouth Certified Supplier.

- 8.6.1 When obtaining power from a BDFB, fuses and power cables (A&B) must be engineered (sized), and installed by MRC's BellSouth Certified Supplier. When obtaining power from a BellSouth power board, power cables (A&B) must be engineered (sized), and installed by MRC's BellSouth Certified Supplier. MRC is responsible for contracting with a BellSouth Certified Supplier for power distribution feeder cable runs from a BellSouth BDFB or BellSouth power board to MRC's equipment. The determination of the BellSouth BDFB or BellSouth power board as the power source will be made at BellSouth's sole, but reasonable, discretion. The BellSouth Certified Supplier contracted by MRC must provide BellSouth with a copy of the engineering power specifications prior to the day on which MRC's equipment becomes operational (Commencement Date). BellSouth will provide the common power feeder cable support structure between the BellSouth BDFB or BellSouth power board and MRC's arrangement area. MRC shall contract with a BellSouth Certified Supplier who will be responsible for the following: dedicated power cable support structure within MRC's arrangement, power cable feeds, and terminations of cable. Any terminations at a BellSouth power board must be performed by a BellSouth Certified Supplier. MRC shall comply with all applicable National Electric Code (NEC), BellSouth TR73503, Telcordia and ANSI Standards regarding power cabling, installation, and maintenance.
- 8.6.2 If MRC elects to install its own DC Power Plant, BellSouth shall provide Alternating Current (AC) power to feed MRC's DC Power Plant. Charges for AC power will be assessed per breaker ampere per month. Rates include the provision of commercial and standby AC power. When obtaining power from a BellSouth service panel, protection devices and power cables must be engineered (sized), and installed by MRC's BellSouth Certified Supplier except that BellSouth shall engineer and install protection devices and power cables for Adjacent Collocation. MRC's BellSouth Certified Supplier must also provide a copy of the engineering power specifications prior to the Commencement Date. Charges for AC power shall be assessed pursuant to the rates specified in Exhibit B. AC power voltage and phase ratings shall be determined on a per location basis. At MRC's option, MRC may arrange for AC power in an Adjacent Collocation arrangement from a retail provider of electrical power.
- 8.6.3 In Tennessee, recurring charges for -48V DC power consumption will be assessed per ampere per month based upon the engineered and installed power feed fused ampere capacity. Rates include redundant feeder fuse positions (A&B) and common cable racks to MRC's equipment or space enclosure. MRC shall contract with a BellSouth Certified Supplier who will be responsible for the following: dedicated power cable

- support structure within MRC's arrangement and terminations of cable within the Collocation Space.
- 8.6.3.1 In Tennessee, nonrecurring charges for –48V DC power distribution will be based on the common power feeder cable support structure between the BellSouth BDFB and MRC's arrangement area.
- In Alabama and Louisiana, MRC has the option to purchase power directly from an electric utility company. Under such an option, MRC is responsible for contracting with the electric utility company for its own power feed and meter, and is financially responsible for purchasing all equipment necessary to accomplish the arrangement, including inverters, batteries, power boards, bus bars, BDFBs, backup power supplies and cabling. The actual work to install this arrangement must be performed by a BellSouth Certified Supplier hired by MRC. MRC's BellSouth Certified Supplier must comply with all applicable safety codes, including the National Electric Safety Codes, in installing this power arrangement. If MRC previously had power supplied by BellSouth, MRC may request to change its arrangement to obtain power from an electric utility company by submitting a subsequent application. BellSouth will waive any application fee for this subsequent application if no other change was requested therein. Any floor space, cable racking, etc. utilized by MRC in provisioning said power will be billed on an ICB basis.
- 8.6.5 In South Carolina, MRC has the option to purchase power directly from an electric utility company where technically feasible and where space is available in a requested BellSouth Premise. Under such an option, MRC is responsible for contracting with the electric utility company for its own power feed and meter, and is financially responsible for purchasing all equipment necessary to accomplish the arrangement, including inverters, batteries, power boards, bus bars, BDFBs, backup power supplies and power cabling. The actual work to install this arrangement must be performed by a BellSouth Certified Supplier hired by MRC. MRC's BellSouth Certified Supplier must comply with all applicable national, regional, state and local safety, electrical, fire and building codes, including the National Electric Safety Code standards, in installing this power arrangement, just as BellSouth is required to comply with these codes. MRC must submit an application to BellSouth for the appropriate amount of collocation space that MRC requires to install this type of power arrangement. BellSouth will evaluate the request and determine if the appropriate amount of space is available within the office for the installation of MRC's power equipment and facilities. This type of power arrangement must be located in an appropriate area in the central office that has been properly conditioned for the installation of power equipment and conforms to the applicable national, regional, state and local safety, electrical, fire and building codes. BellSouth shall waive the application fee or any other nonrecurring charge that would otherwise be due from a CLEC that decides to reconfigure an existing collocation power arrangement so as to purchase power directly from an electric utility company as provided herein. MRC shall be responsible for the recurring charges associated with the central office space needed for collocation of this type of power arrangement, including space required to place associated power-related

equipment and facilities (i.e., batteries, generator, power meter, etc.). If there is no space available for this type of power arrangement in the requested central office, BellSouth may seek a waiver of these requirements from the Commission of South Carolina for the central office requested. MRC would still have the option to order its power needs directly from BellSouth.

- 8.6.6 If MRC requests a reduction in the amount of power that BellSouth is currently providing, MRC must submit a Subsequent Application. If no modification to the Collocation Space is requested other than the reduction in power, the Subsequent Application Fee for Power Reduction as set forth in Exhibit B will apply. If modifications are requested in addition to the reduction of power, the Subsequent Application Fee will apply. This nonrecurring fee will be billed by BellSouth on the date that BellSouth provides an Application Response.
- 8.6.7 In Alabama and Louisiana, if MRC is currently served from the BellSouth main power board and requests that its power be reconfigured to connect to a BellSouth BDFB, in a specific central office, MRC must submit a Subsequent Application. BellSouth will respond to such application within seven (7) calendar days and no application fee will apply.
- 8.7 <u>Security Escort.</u> A security escort will be required whenever MRC or its approved agent desires access to the entrance manhole or must have access to the Premises after the one accompanied site visit allowed pursuant to Section 5 prior to completing BellSouth's Security Training requirements. Rates for a security escort are assessed according to the schedule appended hereto as Exhibit B beginning with the scheduled escort time. BellSouth will wait for one-half (1/2) hour after the scheduled time for such an escort and MRC shall pay for such half-hour charges in the event MRC fails to show up.
- 8.8 <u>Cable Record charges.</u> These charges apply for work required to build cable records in BellSouth systems. The VG/DS0 per cable record charge is for a maximum of 3600 records. The Fiber cable record charge is for a maximum of 99 records. These nonrecurring fees will be billed upon receipt of MRC's BFFO.
- 8.9 Other. If no rate is identified in the contract, the rate for the specific service or function will be negotiated by the Parties upon request by either Party.

# 9. Insurance

- 9.1 MRC shall, at its sole cost and expense, procure, maintain, and keep in force insurance as specified in this Section and underwritten by insurance companies licensed to do business in the states applicable under this Agreement and having a Best's Insurance Rating of A-.
- 9.2 MRC shall maintain the following specific coverage:

- 9.2.1 Commercial General Liability coverage in the amount of ten million dollars (\$10,000,000.00) or a combination of Commercial General Liability and Excess/Umbrella coverage totaling not less than ten million dollars (\$10,000,000.00). BellSouth shall be named as an Additional Insured on the Commercial General Liability policy as specified herein.
- 9.2.2 Statutory Workers Compensation coverage and Employers Liability coverage in the amount of one hundred thousand dollars (\$100,000.00) each accident, one hundred thousand dollars (\$100,000.00) each employee by disease, and five hundred thousand dollars (\$500,000.00) policy limit by disease.
- 9.2.3 All Risk Property coverage on a full replacement cost basis insuring all of MRC's real and personal property situated on or within BellSouth's Central Office location(s).
- 9.2.4 MRC may elect to purchase business interruption and contingent business interruption insurance, having been advised that BellSouth assumes no liability for loss of profit or revenues should an interruption of service occur.
- 9.3 The limits set forth in Section 9.2 above may be increased by BellSouth from time to time during the term of this Agreement upon thirty (30) calendar days notice to MRC to at least such minimum limits as shall then be customary with respect to comparable occupancy of BellSouth structures.
- 9.4 All policies purchased by MRC shall be deemed to be primary and not contributing to or in excess of any similar coverage purchased by BellSouth. All insurance must be in effect on or before the date equipment is delivered to BellSouth's Premises and shall remain in effect for the term of this Attachment or until all MRC's property has been removed from BellSouth's Premises, whichever period is longer. If MRC fails to maintain required coverage, BellSouth may pay the premiums thereon and seek reimbursement of same from MRC.
- 9.5 MRC shall submit certificates of insurance reflecting the coverage required pursuant to this Section a minimum of ten (10) business days prior to the commencement of any work in the Collocation Space. Failure to meet this interval may result in construction and equipment installation delays. MRC shall arrange for BellSouth to receive thirty (30) business days' advance notice of cancellation from MRC's insurance company. MRC shall forward a certificate of insurance and notice of cancellation/non-renewal to BellSouth at the following address:

BellSouth Telecommunications, Inc. Attn.: Risk Management Coordinator 17H53 BellSouth Center 675 W. Peachtree Street Atlanta, Georgia 30375

- 9.6 MRC must conform to recommendations made by BellSouth's fire insurance company to the extent BellSouth has agreed to, or shall hereafter agree to, such recommendations.
- 9.7 Self-Insurance. If MRC's net worth exceeds five hundred million dollars (\$500,000,000), MRC may elect to request self-insurance status in lieu of obtaining any of the insurance required in Sections 9.2.1 and 9.2.2. MRC shall provide audited financial statements to BellSouth thirty (30) calendar days prior to the commencement of any work in the Collocation Space. BellSouth shall then review such audited financial statements and respond in writing to MRC in the event that self-insurance status is not granted to MRC. If BellSouth approves MRC for self-insurance, MRC shall annually furnish to BellSouth, and keep current, evidence of such net worth that is attested to by one of MRC's corporate officers. The ability to self-insure shall continue so long as the MRC meets all of the requirements of this Section. If MRC subsequently no longer satisfies this Section, MRC is required to purchase insurance as indicated by Sections 9.2.1 and 9.2.2.
- 9.8 The net worth requirements set forth in Section 9.7 may be increased by BellSouth from time to time during the term of this Attachment upon thirty (30) calendar days' notice to MRC to at least such minimum limits as shall then be customary with respect to comparable occupancy of BellSouth structures.
- 9.9 Failure to comply with the provisions of this Section will be deemed a material breach of this Attachment.

# 10. Mechanics Liens

10.1 If any mechanics lien or other liens shall be filed against property of either Party (BellSouth or MRC), or any improvement thereon by reason of or arising out of any labor or materials furnished or alleged to have been furnished or to be furnished to or for the other Party or by reason of any changes, or additions to said property made at the request or under the direction of the other Party, the other Party directing or requesting those changes shall, within thirty (30) business days after receipt of written notice from the Party against whose property said lien has been filed, either pay such lien or cause the same to be bonded off the affected property in the manner provided by law. The Party causing said lien to be placed against the property of the other shall also defend, at its sole cost and expense, on behalf of the other, any action, suit or proceeding which may be brought for the enforcement of such liens and shall pay any damage and discharge any judgment entered thereon.

# 11. <u>Inspections</u>

BellSouth may conduct an inspection of MRC's equipment and facilities in the Collocation Space(s) prior to the activation of facilities between MRC's equipment and equipment of BellSouth. BellSouth may conduct an inspection if MRC adds equipment and may otherwise conduct routine inspections at reasonable intervals mutually agreed upon by the Parties. BellSouth shall provide MRC with a minimum of

forty-eight (48) hours or two (2) business days, whichever is greater, advance notice of all such inspections. All costs of such inspection shall be borne by BellSouth.

# 12. <u>Security and Safety Requirements</u>

- Unless otherwise specified, MRC will be required, at its own expense, to conduct a statewide investigation of criminal history records for each MRC employee hired in the past five years being considered for work on the BellSouth Premises, for the states/counties where the MRC employee has worked and lived for the past five years. Where state law does not permit statewide collection or reporting, an investigation of the applicable counties is acceptable. MRC shall not be required to perform this investigation if an affiliated company of MRC has performed an investigation of the MRC employee seeking access, if such investigation meets the criteria set forth above. This requirement will not apply if MRC has performed a pre-employment statewide investigation of criminal history records of the MRC employee for the states/counties where the MRC employee has worked and lived for the past five years or, where state law does not permit a statewide investigation, an investigation of the applicable counties.
- MRC will be required to administer to its personnel assigned to the BellSouth Premises security training either provided by BellSouth, or meeting criteria defined by BellSouth.
- MRC shall provide its employees and agents with picture identification, which must be worn and visible at all times while in the Collocation Space or other areas in or around the Premises. The photo identification card shall bear, at a minimum, the employee's name and photo and MRC's name. BellSouth reserves the right to remove from its Premises any employee of MRC not possessing identification issued by MRC or who has violated any of BellSouth's policies as outlined in the CLEC Security Training documents. MRC shall hold BellSouth harmless for any damages resulting from such removal of its personnel from BellSouth Premises. MRC shall be solely responsible for ensuring that any Guest(s) of MRC is in compliance with all subsections of this Section.
- MRC shall not assign to the BellSouth Premises any personnel with records of felony criminal convictions. MRC shall not assign to the BellSouth Premises any personnel with records of misdemeanor convictions, except for misdemeanor traffic violations, without advising BellSouth of the nature and gravity of the offense(s). BellSouth reserves the right to refuse building access to any MRC personnel who have been identified to have misdemeanor criminal convictions. Notwithstanding the foregoing, in the event that MRC chooses not to advise BellSouth of the nature and gravity of any misdemeanor conviction, MRC may, in the alternative, certify to BellSouth that it shall not assign to the BellSouth Premises any personnel with records of misdemeanor convictions (other than misdemeanor traffic violations).
- MRC shall not knowingly assign to the BellSouth Premises any individual who was a former employee of BellSouth and whose employment with BellSouth was terminated

- for a criminal offense whether or not BellSouth sought prosecution of the individual for the criminal offense.
- MRC shall not knowingly assign to the BellSouth Premises any individual who was a former supplier of BellSouth and whose access to a BellSouth Premises was revoked due to commission of a criminal offense whether or not BellSouth sought prosecution of the individual for the criminal offense.
- 12.5 For each MRC employee or agent hired by MRC within five years of being considered for work on the BellSouth Premises, who requires access to a BellSouth Premises pursuant to this Attachment, MRC shall furnish BellSouth, prior to an employee or agent gaining such access, a certification that the aforementioned background check and security training were completed. The certification will contain a statement that no felony convictions were found and certifying that the security training was completed by the employee. If the employee's criminal history includes misdemeanor convictions, MRC will disclose the nature of the convictions to BellSouth at that time. In the alternative, MRC may certify to BellSouth that it shall not assign to the BellSouth Premises any personnel with records of misdemeanor convictions other than misdemeanor traffic violations.
- 12.5.1 For all other MRC employees requiring access to a BellSouth Premise pursuant to this Attachment, MRC shall furnish BellSouth, prior to an employee gaining such access, a certification that the employee is not subject to the requirements of Section 12.5 above and that security training was completed by the employee.
- At BellSouth's request, MRC shall promptly remove from BellSouth's Premises any employee of MRC BellSouth does not wish to grant access to its Premises 1) pursuant to any investigation conducted by BellSouth or 2) prior to the initiation of an investigation if an employee of MRC is found interfering with the property or personnel of BellSouth or another collocated telecommunications carrier, provided that an investigation shall promptly be commenced by BellSouth.
- 12.7 Security Violations. BellSouth reserves the right to interview MRC's employees, agents, or suppliers in the event of wrongdoing in or around BellSouth's property or involving BellSouth's or another collocated telecommunications carrier's property or personnel, provided that BellSouth shall provide reasonable notice to MRC's Security representative of such interview. MRC and its suppliers shall reasonably cooperate with BellSouth's investigation into allegations of wrongdoing or criminal conduct committed by, witnessed by, or involving MRC's employees, agents, or suppliers. Additionally, BellSouth reserves the right to bill MRC for all reasonable costs associated with investigations involving its employees, agents, or suppliers if it is established and mutually agreed in good faith that MRC's employees, agents, or suppliers are responsible for the alleged act. BellSouth shall bill MRC for BellSouth property, which is stolen or damaged where an investigation determines the culpability of MRC's employees, agents, or suppliers and where MRC agrees, in good faith, with the results of such investigation. MRC shall notify BellSouth in writing immediately in the event that MRC discovers one of its employees already working on the BellSouth

Premises is a possible security risk. Upon request of the other Party, the Party who is the employer shall discipline consistent with its employment practices, up to and including removal from BellSouth's Premises, any employee found to have violated the security and safety requirements of this Section. MRC shall hold BellSouth harmless for any damages resulting from such removal of its personnel from BellSouth Premises.

- 12.8 <u>Use of Supplies</u>. Unauthorized use of equipment, supplies or other property by either Party, whether or not used routinely to provide telephone service will be strictly prohibited and handled appropriately. Costs associated with such unauthorized use may be charged to the offending Party, as may be all associated investigative costs.
- 12.9 <u>Use of Official Lines</u>. Except for non-toll calls necessary in the performance of their work, neither Party shall use the telephones of the other Party on the BellSouth Premises. Charges for unauthorized telephone calls may be charged to the offending Party, as may be all associated investigative costs.
- 12.10 <u>Accountability</u>. Full compliance with the Security requirements of this Section shall in no way limit the accountability of either Party to the other for the improper actions of its employees.

# 13. Destruction of Collocation Space

13.1 In the event a Collocation Space is wholly or partially damaged by fire, windstorm, tornado, flood or by similar causes to such an extent as to be rendered wholly unsuitable for MRC's permitted use hereunder, then either Party may elect within ten (10) calendar days after such damage, to terminate occupancy of the damaged Collocation Space, and if either Party shall so elect, by giving the other written notice of termination, both Parties shall stand released of and from further liability under the terms hereof. If the Collocation Space shall suffer only minor damage and shall not be rendered wholly unsuitable for MRC's permitted use, or is damaged and the option to terminate is not exercised by either Party, BellSouth covenants and agrees to proceed promptly without expense to MRC, except for improvements not to the property of BellSouth, to repair the damage. BellSouth shall have a reasonable time within which to rebuild or make any repairs, and such rebuilding and repairing shall be subject to delays caused by storms, shortages of labor and materials, government regulations, strikes, walkouts, and causes beyond the control of BellSouth, which causes shall not be construed as limiting factors, but as exemplary only. MRC may, at its own expense, accelerate the rebuild of its collocated space and equipment provided however that a BellSouth Certified Supplier is used and the necessary space preparation has been completed. If MRC's acceleration of the project increases the cost of the project, then those additional charges will be incurred by MRC. Where allowed and where practical, MRC may erect a temporary facility while BellSouth rebuilds or makes repairs. In all cases where the Collocation Space shall be rebuilt or repaired, MRC shall be entitled to an equitable abatement of rent and other charges, depending upon the unsuitability of the Collocation Space for MRC's permitted use, until such Collocation Space is fully repaired and restored and MRC's equipment

installed therein (but in no event later than thirty (30) calendar days after the Collocation Space is fully repaired and restored). Where MRC has placed an Adjacent Arrangement pursuant to Section 3.4, MRC shall have the sole responsibility to repair or replace said Adjacent Arrangement provided herein. Pursuant to this Section, BellSouth will restore the associated services to the Adjacent Arrangement.

# 14. Eminent Domain

14.1 If the whole of a Collocation Space or Adjacent Arrangement shall be taken by any public authority under the power of eminent domain, then this Attachment shall terminate with respect to such Collocation Space or Adjacent Arrangement as of the day possession shall be taken by such public authority and rent and other charges for the Collocation Space or Adjacent Arrangement shall be paid up to that day with proportionate refund by BellSouth of such rent and charges as may have been paid in advance for a period subsequent to the date of the taking. If any part of the Collocation Space or Adjacent Arrangement shall be taken under eminent domain, BellSouth and MRC shall each have the right to terminate this Attachment with respect to such Collocation Space or Adjacent Arrangement and declare the same null and void, by written notice of such intention to the other Party within ten (10) calendar days after such taking.

# 15. <u>Nonexclusivity</u>

MRC understands that this Attachment is not exclusive and that BellSouth may enter into similar agreements with other Parties. Assignment of space pursuant to all such agreements shall be determined by space availability and made on a first come, first served basis

# ENVIRONMENTAL AND SAFETY PRINCIPLES

The following principles provide basic guidance on environmental and safety issues when applying for and establishing Physical Collocation arrangements.

### 1. GENERAL PRINCIPLES

- 1.1 Compliance with Applicable Law. BellSouth and MRC agree to comply with applicable federal, state, and local environmental and safety laws and regulations including U.S. Environmental Protection Agency (USEPA) regulations issued under the Clean Air Act (CAA), Clean Water Act (CWA), Resource Conservation and Recovery Act (RCRA), Comprehensive Environmental Response, Compensation and Liability Act (CERCLA), Superfund Amendments and Reauthorization Act (SARA), the Toxic Substances Control Act (TSCA), and OSHA regulations issued under the Occupational Safety and Health Act of 1970, as amended and NFPA and National Electrical Codes (NEC) and the NESC ("Applicable Laws"). Each Party shall notify the other if compliance inspections are conducted by regulatory agencies and/or citations are issued that relate to any aspect of this Attachment.
- 1.2 Notice. BellSouth and MRC shall provide notice to the other, including Material Safety Data Sheets (MSDSs), of known and recognized physical hazards or Hazardous Chemicals existing on site or brought on site. A Hazardous Chemical inventory list is posted on an OSHA Poster and updated annually at each Central Office. This Poster is normally located near the front entrance of the building or in the lounge area. Each Party is required to provide specific notice for known potential Imminent Danger conditions. MRC should contact 1-800-743-6737 for any BellSouth MSDS required.
- 1.3 Practices/Procedures. BellSouth may make available additional environmental control procedures for MRC to follow when working at a BellSouth Premise (See Section 2, below). These practices/procedures will represent the regular work practices required to be followed by the employees and suppliers of BellSouth for environmental protection. MRC will require its suppliers, agents and others accessing the BellSouth Premises to comply with these practices. Section 2 lists the Environmental categories where BellSouth practices should be followed by MRC when operating in the BellSouth Premises.
- 1.4 <u>Environmental and Safety Inspections</u>. BellSouth reserves the right to inspect the MRC space with proper notification. BellSouth reserves the right to stop any MRC work operation that imposes Imminent Danger to the environment, employees or other persons in the area or Premises.
- 1.5 <u>Hazardous Materials Brought On Site</u>. Any hazardous materials brought into, used, stored or abandoned at the BellSouth Premises by MRC are owned by MRC. MRC will indemnify BellSouth for claims, lawsuits or damages to persons or property caused by these materials. Without prior written BellSouth approval, no substantial new safety or environmental hazards can be created by MRC or different hazardous materials used by MRC at BellSouth Premises. MRC must demonstrate adequate emergency response capabilities for its materials used or remaining at the BellSouth Premises.

- 1.6 <u>Spills and Releases</u>. When contamination is discovered at a BellSouth Premise, either Party discovering the condition must notify the other Party. All Spills or Releases of regulated materials will immediately be reported by MRC to BellSouth.
- 1.7 <u>Coordinated Environmental Plans and Permits</u>. BellSouth and MRC will coordinate plans, permits or information required to be submitted to government agencies, such as emergency response plans, spill prevention control and countermeasures (SPCC) plans and community reporting. If fees are associated with filing, BellSouth and MRC will develop a cost sharing procedure. If BellSouth's permit or EPA identification number must be used, MRC must comply with all of BellSouth's permit conditions and environmental processes, including environmental "best management practices (BMP)" (see Section 2, below) and/or selection of BellSouth disposition vendors and disposal sites.
- Environmental and Safety Indemnification. BellSouth and MRC shall indemnify, defend and hold harmless the other Party from and against any claims (including, without limitation, third-party claims for personal injury or death or real or personal property damage), judgments, damages (including direct and indirect damages and punitive damages), penalties, fines, forfeitures, costs, liabilities, interest and losses arising in connection with the violation or alleged violation of any Applicable Law or contractual obligation or the presence or alleged presence of contamination arising out of the acts or omissions of the indemnifying Party, its agents, suppliers, or employees concerning its operations at the Premises.

### 2. CATEGORIES FOR CONSIDERATION OF ENVIRONMENTAL ISSUES

- When performing functions that fall under the following Environmental categories on BellSouth's Premises, MRC agrees to comply with the applicable sections of the current issue of BellSouth's Environmental and Safety Methods and Procedures (M&Ps), incorporated herein by this reference. MRC further agrees to cooperate with BellSouth to ensure that MRC's employees, agents, and/or suppliers are knowledgeable of and satisfy those provisions of BellSouth's Environmental M&Ps which apply to the specific Environmental function being performed by MRC, its employees, agents and/or suppliers.
- 2.2 The most current version of the reference documentation must be requested from MRC's BellSouth Account Team Collocation Coordinator (ATCC) Representative.

ENVIRONMENTAL	ENVIRONMENTAL	ADDRESSED BY THE FOLLOWING
CATEGORIES	ISSUES	DOCUMENTATION
Disposal of hazardous material or other	Compliance with all applicable local, state, &	Std T&C 450

regulated material	federal laws and regulations	Fact Sheet Series 17000
(e.g., batteries, fluorescent tubes, solvents &	rederar raws and regulations	ract Sheet Series 17000
cleaning materials)	Pollution liability insurance	Std T&C 660-3
	EVET approval of supplier	Approved Environmental Vendor List (Contact ATCC Representative)
Emergency response	Hazmat/waste release/spill fire safety emergency	Fact Sheet Series 17000 Building Emergency Operations Plan (EOP) (specific to and located on Premises)
Contract labor/outsourcing for services with environmental implications to be performed on BellSouth Premises	Compliance with all applicable local, state, & federal laws and regulations	Std T&C 450
(e.g., disposition of hazardous material/waste; maintenance of storage tanks)	Performance of services in accordance with BST's environmental M&Ps  Insurance	Std T&C 450-B (Contact ATCC Representative for copy of appropriate E/S M&Ps.)
		Std T&C 660
Transportation of hazardous material	Compliance with all applicable local, state, & federal laws and regulations	Std T&C 450 Fact Sheet Series 17000
	Pollution liability insurance	Std T&C 660-3
	EVET approval of supplier	Approved Environmental Vendor List (Contact ATCC Representative)
Maintenance/operations work which may produce a waste	Compliance with all applicable local, state, & federal laws and regulations	Std T&C 450
Other maintenance work	Protection of BST employees and equipment	29CFR 1910.147 (OSHA Standard) 29CFR 1910 Subpart O (OSHA Standard)
Janitorial services	All waste removal and disposal must conform to all applicable federal, state and local regulations	Procurement Manager (CRES Related Matters)- BST Supply Chain Services
	All Hazardous Material and Waste	Fact Sheet Series 17000
	Asbestos notification and protection of employees and equipment	GU-BTEN-001BT, Chapter 3 BSP 010-170-001BS (Hazcom)
Manhole cleaning	Compliance with all applicable local, state, & federal laws and regulations	Std T&C 450 Fact Sheet 14050 BSP 620-145-011PR Issue A, August 1996
	Pollution liability insurance	Std T&C 660-3
	EVET approval of supplier	Approved Environmental Vendor List (Contact ATCC Representative)
Removing or disturbing building materials that may contain asbestos	Asbestos work practices	GU-BTEN-001BT, Chapter 3 For questions regarding removing or disturbing materials that contain asbestos, call the BellSouth Building Service Center: AL, MS, TN, KY & LA (local area code) 557-6194 FL, GA, NC & SC (local area code) 780-2740

### 3. **DEFINITIONS**

<u>Generator</u>. Under RCRA, the person whose act produces a Hazardous Waste, as defined in 40 CFR 261, or whose act first causes a Hazardous Waste to become subject to regulation. The Generator is legally responsible for the proper management and disposal of Hazardous Wastes in accordance with regulations.

<u>Hazardous Chemical</u>. As defined in the U.S. Occupational Safety and Health (OSHA) hazard communication standard (29 CFR 1910.1200), any chemical which is a health hazard or physical hazard.

Hazardous Waste. As defined in Section 1004 of RCRA.

<u>Imminent Danger</u>. Any conditions or practices at a Premises which are such that a danger exists which could reasonably be expected to cause immediate death or serious harm to people or immediate significant damage to the environment or natural resources.

Spill or Release. As defined in Section 101 of CERCLA.

### 4. ACRONYMS

ATCC – Account Team Collocation Coordinator

BST – BellSouth Telecommunications

<u>CRES</u> – Corporate Real Estate and Services (formerly PS&M)

DEC/LDEC - Department Environmental Coordinator/Local Department Environmental Coordinator

<u>E/S</u> – Environmental/Safety

**EVET - Environmental Vendor Evaluation Team** 

GU-BTEN-001BT - BellSouth Environmental Methods and Procedures

**NESC** - National Electrical Safety Codes

<u>P&SM</u> - Property & Services Management

Std T&C - Standard Terms & Conditions

# **Attachment 4**

**Remote Site Physical Collocation** 

#### BELLSOUTH

### REMOTE SITE PHYSICAL COLLOCATION

# 1. Scope of Attachment

- 1.1 <u>Scope of Attachment.</u> The rates, terms, and conditions contained within this Attachment shall only apply when MRC is occupying the collocation space as a sole occupant or as a Host within a Remote Site Location (Remote Collocation Space) pursuant to this Attachment.
- Right to occupy. BellSouth shall offer to MRC Remote Collocation Space on rates, terms, and conditions that are just, reasonable, non-discriminatory and consistent with the rules of the FCC. Subject to the rates, terms, and conditions of this Attachment, where space is available and collocation is technically feasible, BellSouth will allow MRC to occupy that certain area designated by BellSouth within a BellSouth Remote Site Location, or on BellSouth property upon which the BellSouth Remote Site Location is located, of a size, which is specified by MRC and agreed to by BellSouth. BellSouth Remote Site Locations include cabinets, huts, and controlled environmental vaults owned or leased by BellSouth that house BellSouth Network Facilities. To the extent this Attachment does not include all the necessary rates, terms and conditions for BellSouth Remote Site Locations other than cabinets, huts and controlled environmental vaults, the Parties will negotiate said rates, terms, and conditions upon request for collocation at BellSouth Remote Site Locations other than those specified above.

# 1.3 Space Reservation.

- 1.3.1 In all states other than Florida, the number of racks/bays specified by MRC may contemplate a request for space sufficient to accommodate MRC's growth within a two-year period.
- 1.3.2 In the state of Florida, the number of racks/bays specified by MRC may contemplate a request for space sufficient to accommodate MRC's growth within an eighteen (18) month period.
- 1.3.3 Neither BellSouth nor any of BellSouth's affiliates may reserve space for future use on more preferential terms than those set forth above.
- 1.4 <u>Third Party Property.</u> If the Premise, or the property on which it is located, is leased by BellSouth from a Third Party or otherwise controlled by a Third Party, special considerations and intervals may apply in addition to the terms and conditions of this

Attachment. Additionally, where BellSouth notifies MRC that BellSouth's agreement with a Third Party does not grant BellSouth the ability to provide access and use rights to others, upon MRC's request, BellSouth will use its best efforts to obtain the owner's consent and to otherwise secure such rights for MRC. MRC agrees to reimburse BellSouth for the reasonable and demonstrable costs incurred by BellSouth in obtaining such rights for MRC. In cases where a Third Party agreement does not grant BellSouth the right to provide access and use rights to others as contemplated by this Attachment and BellSouth, despite its best efforts, is unable to secure such access and use rights for MRC as above, MRC shall be responsible for obtaining such permission to access and use such property. BellSouth shall cooperate with MRC in obtaining such permission.

- 1.5 <u>Space Reclamation</u>. In the event of space exhaust within a Remote Site Location, BellSouth may include in its documentation for the Petition for Waiver filing any unutilized space in the Remote Site Location. MRC will be responsible for any justification of unutilized space within its Remote Collocation Space, if the Commission requires such justification.
- 1.6 <u>Use of Space.</u> MRC shall use the Remote Collocation Space for the purposes of installing, maintaining and operating MRC's equipment (to include testing and monitoring equipment) necessary for interconnection with BellSouth services and facilities or for accessing BellSouth unbundled network elements (UNEs) for the provision of telecommunications services, as specifically set forth in this Agreement. The Remote Collocation Space may be used for no other purposes except as specifically described herein or in any amendment hereto.
- 1.7 <u>Rates and charges</u>. MRC agrees to pay the rates and charges identified in Exhibit B attached hereto.
- 1.8 If any due date contained in this Attachment falls on a weekend or National holiday, then the due date will be the next business day thereafter. For intervals of ten (10) calendar days or less National holidays will be excluded.
- 1.9 The Parties agree to comply with all applicable federal, state, county, local and administrative laws, rules, ordinances, regulations and codes in the performance of their obligations hereunder.

# 2. Space Availability Report

2.1 Upon request from MRC, BellSouth will provide a written report (Space Availability Report), describing in detail the space that is available for collocation and specifying the amount of Remote Collocation Space available at the Remote Site Location requested, the number of collocators present at the Remote Site Location, any modifications in the use of the space since the last report on the Remote Site Location requested and the measures BellSouth is taking to make additional space available for

collocation arrangements. A Space Availability Report does not reserve space at the Remote Site Location.

- 2.1.1 The request from MRC for a Space Availability Report must be written and must include the Common Language Location Identification (CLLI) code for both the Remote Site Location and the serving wire center. The CLLI code information for the serving wire center is located in the NECA Tariff FCC No. 4. If MRC is unable to obtain the CLLI code for the Remote Site Location from, for example, a site visit to the remote site, MRC may request the CLLI code from BellSouth. To obtain a CLLI code for a Remote Site Location directly from BellSouth, MRC should submit to BellSouth a Remote Site Interconnection Request for the serving wire center CLLI code prior to submitting its request for a Space Availability Report. MRC should complete all the requested information and submit the Request to BellSouth. BellSouth will bill the applicable fee upon receipt of the request.
- 2.1.2 BellSouth will respond to a request for a Space Availability Report for a particular Remote Site Location within ten (10) calendar days of receipt of such request. BellSouth will make best efforts to respond in ten (10) calendar days to such a request when the request includes from two (2) to five (5) Remote Site Locations within the same state. The response time for requests of more than five (5) Remote Site Locations shall be negotiated between the Parties. If BellSouth cannot meet the ten (10) calendar day response time, BellSouth shall notify MRC and inform MRC of the time frame under which it can respond.
- Remote Terminal information. Upon request, BellSouth will provide MRC with the following information concerning BellSouth's remote terminals: (i) the address of the remote terminal; (ii) the CLLI code of the remote terminal; (iii) the carrier serving area of the remote terminal; (iv) the designation of which remote terminals subtend a particular central office; and (v) the number and address of customers that are served by a particular remote terminal.
- 2.2.1 BellSouth will provide this information on a first come, first served basis within thirty (30) calendar days of a MRC request subject to the following conditions: (i) the information will only be provided on a CD in the same format in which it appears in BellSouth's systems; (ii) the information will only be provided for each serving wire center designated by MRC, up to a maximum of thirty (30) wire centers per MRC request per month per state, and up to for a maximum of one hundred twenty (120) wire centers total per month per state for all CLECs; and (iii) MRC agrees to pay the costs incurred by BellSouth in providing the information.

# 3. Collocation Options

3.1 <u>Cageless.</u> BellSouth shall allow MRC to collocate MRC's equipment and facilities without requiring the construction of a cage or similar structure. BellSouth shall allow MRC to have direct access to MRC's equipment and facilities in accordance with Section 5.8. BellSouth shall make cageless collocation available in single rack/bay

increments. Except where MRC's equipment requires special technical considerations (e.g., special cable racking or isolated ground plane), BellSouth shall assign cageless Remote Collocation Space in conventional equipment rack lineups where feasible. For equipment requiring special technical considerations, MRC must provide the equipment layout, including spatial dimensions for such equipment pursuant to generic requirements contained in Telcordia GR-63-Core, and shall be responsible for compliance with all special technical requirements associated with such equipment pursuant to Section 7.6 following.

- 3.2 Caged. At MRC's expense, MRC may arrange with a Supplier certified by BellSouth (BellSouth Certified Supplier) to construct a collocation arrangement enclosure, where technically feasible as that term has been defined by the FCC, in accordance with BellSouth's Technical References (TR) (Specifications) prior to starting equipment installation. BellSouth will provide Specifications upon request. MRC's BellSouth Certified Supplier shall be responsible for filing and receiving any and all necessary permits and/or licenses for such construction. BellSouth shall cooperate with MRC and provide, at MRC's expense, the documentation, including existing building architectural drawings, enclosure drawings, and Specifications required and necessary for MRC's BellSouth Certified Supplier to obtain the zoning, permits and/or other licenses. MRC's BellSouth Certified Supplier shall bill MRC directly for all work performed for MRC pursuant to this Attachment and BellSouth shall have no liability for nor responsibility to pay such charges imposed by MRC's BellSouth Certified Supplier. MRC must provide the local BellSouth Remote Site Location contact with two Access Keys used to enter the locked enclosure. Except in case of emergency, BellSouth will not access MRC's locked enclosure prior to notifying MRC at least forty-eight (48) hours before access to the Remote Site Location is required. Upon request, BellSouth shall construct the enclosure for MRC.
- 3.2.1 BellSouth may elect to review MRC's plans and specifications prior to allowing construction to start to ensure compliance with BellSouth's Specifications. Notification to MRC indicating BellSouth's desire to execute this review will be provided in BellSouth's response to the Application, if MRC has indicated their desire to construct their own enclosure. If MRC's Application does not indicate their desire to construct their own enclosure, but their firm order does indicate their desire to construct their own enclosure, then notification to review will be given within ten (10) calendar days after the Firm Order date. BellSouth shall complete its review within fifteen (15) calendar days after the receipt of the plans and specifications. Regardless of whether or not BellSouth elects to review MRC's plans and specifications, BellSouth reserves the right to inspect the enclosure after construction to make sure it is constructed according to the submitted plans and specifications and/or BellSouth's Specifications, as applicable. BellSouth shall require MRC to remove or correct within seven (7) calendar days at MRC's expense any structure that does not meet these plans and specifications or, where applicable, BellSouth's Specifications.

- 3.3 Shared Collocation. MRC may allow other telecommunications carriers to share MRC's Remote Collocation Space pursuant to terms and conditions agreed to by MRC (Host) and other telecommunications carriers (Guests) and pursuant to this Section, except where the BellSouth Remote Site Location is located within a leased space and BellSouth is prohibited by said lease from offering such an option or is located on property for which BellSouth holds an easement and such easement does not permit such an option. MRC shall notify BellSouth in writing upon execution of any agreement between the Host and its Guest within ten (10) calendar days of its execution and prior to any Firm Order. Further, such notice shall include the name of the Guest(s) and the term of the agreement, and shall contain a certification by MRC that said agreement imposes upon the Guest(s) the same terms and conditions for Remote Collocation Space as set forth in this Attachment between BellSouth and MRC.
- 3.3.1 MRC, as the Host, shall be the sole interface and responsible Party to BellSouth for assessment of rates and charges contained within this Attachment and for the purposes of ensuring that the safety and security requirements of this Attachment are fully complied with by the Guest, its employees and agents. BellSouth shall provide MRC with a proration of the costs of the Remote Collocation Space based on the number of collocators and the space used by each with a minimum charge of one (1) bay/rack per Host/Guest. In those instances where the Host permits a Guest to use a shelf within the Host's bay, BellSouth will not prorate the cost of the bay. In all states other than Florida, and in addition to the foregoing, MRC shall be the responsible party to BellSouth for the purpose of submitting applications for bay/rack placement for the Guest. In Florida the Guest may directly submit bay/rack placement applications using the Host's access carrier name abbreviation (ACNA). A separate Guest application shall require the assessment of an Application Fee, as set forth in Exhibit B, which will be charged to the Host. BellSouth shall bill this nonrecurring fee on the date that BellSouth provides it written response (Application Response).
- 3.3.2 Notwithstanding the foregoing, the Guest may arrange directly with BellSouth for the provision of the interconnecting facilities between BellSouth and the Guest and for the provision of the services and access to unbundled network elements. The bill for these interconnecting facilities, services and access to UNEs will be charged to the Guest pursuant to the applicable tariff or the Guest's Interconnection Agreement with BellSouth.
- 3.3.3 MRC shall indemnify and hold harmless BellSouth from any and all claims, actions, causes of action, of whatever kind or nature arising out of the presence of MRC's Guest(s) in the Remote Collocation Space except to the extent caused by BellSouth's sole negligence, gross negligence, or willful misconduct.
- 3.4 <u>Adjacent Collocation</u>. Subject to technical feasibility and space availability, BellSouth will permit adjacent Remote Site collocation arrangements (Remote Site Adjacent Arrangement) on the property on which the Remote Site is located when space within

the Remote Site Location is legitimately exhausted, where the Remote Site Adjacent Arrangement does not interfere with access to existing or planned structures or facilities on the Remote Site Location property. The Remote Site Adjacent Arrangement shall be constructed or procured by MRC and in conformance with BellSouth's design and construction Specifications. Further, MRC shall construct, procure, maintain and operate said Remote Site Adjacent Arrangement(s) pursuant to all of the terms and conditions set forth in this Attachment. Rates shall be negotiated at the time of the application for the Remote Site Adjacent Arrangement.

- 3.4.1 Should MRC elect Adjacent Collocation, MRC must arrange with a BellSouth Certified Supplier to construct a Remote Site Adjacent Arrangement structure in accordance with BellSouth's Specifications. Where local building codes require enclosure specifications more stringent than BellSouth's Specifications, MRC and MRC's BellSouth Certified Supplier must comply with local building code requirements. MRC's BellSouth Certified Supplier shall be responsible for filing and receiving any and all necessary zoning, permits and/or licenses for such construction. MRC's BellSouth Certified Supplier shall bill MRC directly for all work performed for MRC pursuant to this Attachment and BellSouth shall have no liability for nor responsibility to pay such charges imposed by MRC's BellSouth Certified Supplier. MRC must provide the local BellSouth Remote Site Location contact with two cards, keys or other access device used to enter the locked enclosure. Except in cases of emergency, BellSouth shall not access MRC's locked enclosure prior to notifying MRC at least forty-eight (48) hours or two (2) business days, whichever is greater, before access to the locked enclosure is required.
- 3.4.2 MRC must submit its plans and specifications to BellSouth with its Firm Order. BellSouth shall review MRC's plans and specifications prior to construction of a Remote Site Adjacent Arrangement(s) to ensure compliance with BellSouth's Specifications. BellSouth shall complete its review within fifteen (15) calendar days after receipt of plans and specifications. BellSouth may inspect the Remote Site Adjacent Arrangement(s) during and after construction to confirm it is constructed according to the submitted plans and specifications. BellSouth shall require MRC to remove or correct within seven (7) calendar days at MRC's expense any structure that does not meet these plans and specifications or, where applicable, BellSouth's Specifications.
- 3.4.3 MRC shall provide a concrete pad, the structure housing the arrangement, heating/ventilation/air conditioning (HVAC), lighting, and all facilities that connect the structure (i.e. racking, conduits, etc.) to the BellSouth point of demarcation. At MRC's option, and where the local authority having jurisdiction permits, BellSouth shall provide an AC power source and access to physical collocation services and facilities subject to the same nondiscriminatory requirements as applicable to any other physical collocation arrangement. In Alabama and Louisiana, BellSouth will provide DC power to Adjacent Collocation sites where technically feasible, as that term has been defined by the FCC, and subject to individual case basis pricing. MRC's

BellSouth Certified Supplier shall be responsible, at MRC's expense, for filing and receiving any and all necessary zoning, permits and/or licenses for such arrangement. BellSouth shall allow Shared Collocation within a Remote Site Adjacent Arrangement pursuant to the terms and conditions set forth herein.

- 3.5 Co-carrier cross-connect (CCXC). The primary purpose of collocation is for a collocated telecommunications carrier to interconnect with BellSouth's network or to access BellSouth's UNEs for the provision of telecommunications services within a BellSouth Premise. BellSouth will permit MRC to interconnect between its virtual or physical collocation arrangements and those of another collocated telecommunications carrier within the same Remote Site Location. Both MRC's agreement and the other collocated telecommunications carrier's agreement must contain rates, terms and conditions for CCXC language. At no point in time shall MRC use the Remote Collocated telecommunications carriers.
- 3.5.1 MRC must use a BellSouth Certified Supplier to place the CCXC. The CCXC shall be provisioned through facilities owned by MRC. Such connections to other collocated telecommunications carriers may be made using either optical or electrical facilities. In cases where MRC's equipment and the equipment of the other collocated telecommunications carrier are located in contiguous caged Collocation Spaces, MRC will have the option of using MRC's own technicians to deploy co-carrier cross connects using either electrical or optical facilities between the sets of equipment and construct its own dedicated cable support structure. MRC shall deploy such optical or electrical connections directly between its own facilities and the facilities of other collocated telecommunications carriers without being routed through BellSouth equipment. MRC shall not provision CCXC on any BellSouth distribution frame, POT (Point of Termination) Bay, DSX (Digital System Cross-connect) or LGX (Light Guide Cross-connect). MRC is responsible for ensuring the integrity of the signal.
- 3.5.2 MRC shall be responsible for providing a letter of authorization (LOA) to BellSouth from the other collocated telecommunications carrier prior to installing the CCXC. MRC-provisioned CCXC shall utilize common cable support structure. There will be a recurring charge per linear foot, per cable, of common cable support structure used. In the case of two contiguous caged collocation arrangements, MRC will have the option of using MRC's own technicians to construct its own dedicated support structure.
- 3.5.3 To order CCXCs, MRC must submit an Application. If no modification to the Remote Collocation Space is requested other than the placement of CCXCs, the Subsequent Application Fee for CCXCs, as defined in Exhibit B, will apply. If modifications in addition to the placement of CCXCs are requested, the Application Fee will apply. This nonrecurring fee will be billed by BellSouth on the date that BellSouth provides an Application Response.

## 4. Occupancy

- 4.1 BellSouth will notify MRC in writing that the Remote Collocation Space is ready for occupancy (Space Ready Date). MRC will schedule and complete an acceptance walkthrough of each Remote Collocation Space with BellSouth within fifteen (15) calendar days of BellSouth's notifying MRC of the Space Ready Date. BellSouth will correct any deviations to MRC's original or jointly amended requirements within seven (7) calendar days after the walkthrough, unless the Parties jointly agree upon a different time frame, and BellSouth shall establish a new Space Ready Date. Another acceptance walkthrough will then be scheduled and conducted within fifteen (15) calendar days of the new Space Ready Date. This follow-up acceptance walkthrough will be limited to those items identified in the initial walkthrough. If MRC has met the fifteen (15) calendar day interval(s), billing will begin upon the date of MRC's acceptance of the Collocation Space (Space Acceptance Date). In the event that MRC fails to complete an acceptance walkthrough within this fifteen (15) calendar day interval, the Remote Collocation Space shall be deemed accepted by MRC on the Space Ready Date and billing will commence from that date. If MRC decides to occupy the space prior to the Space Ready Date, the date MRC occupies the space becomes the new Space Acceptance Date and billing begins from that date. MRC must notify BellSouth in writing that collocation equipment installation is complete and is operational with BellSouth's network. BellSouth may, at its option, not accept orders for cross connects until receipt of such notice. For purposes of this paragraph, MRC's telecommunications equipment will be deemed operational when cross-connected to BellSouth's network for the purpose of service provision.
- 4.2 Termination of Occupancy. In addition to any other provisions addressing termination of occupancy in this Attachment, MRC may terminate occupancy in a particular Remote Collocation Space by submitting an Application requesting termination of occupancy; such termination shall be effective upon BellSouth's acceptance of the Space Relinquishment Form. Billing for monthly recurring charges will cease on the date MRC and BellSouth conduct an inspection of the terminated space and jointly sign off on the Space Relinquishment Form or on the date that MRC signs off on the Space Relinquishment Form and sends the form to BellSouth if a subsequent inspection of the terminated space by BellSouth reveals no discrepancies. If the subsequent inspection by BellSouth reveals discrepancies, billing will cease on the date that BellSouth and MRC jointly conduct an inspection which confirms that MRC has corrected the discrepancies. An Application Fee will not apply for termination of occupancy. BellSouth may terminate MRC's right to occupy the Remote Collocation Space in the event MRC fails to comply with any provision of this Agreement.
- 4.2.1 Upon termination of occupancy, MRC at its expense shall remove its equipment and other property from the Remote Collocation Space. MRC shall have thirty (30) calendar days from the Bona Fide Firm Order (BFFO) Application Date (Termination Date) to complete such removal, including the removal of all equipment and facilities of MRC's Guest(s), unless MRC's Guest(s) has assumed responsibility for the Remote

Collocation Space housing the Guest(s)'s equipment and executed the documentation required by BellSouth prior to such removal date. MRC shall continue payment of monthly fees to BellSouth until such date as MRC, and if applicable MRC's Guest(s), has fully vacated the Remote Collocation Space and the Space Relinquish Form has been accepted by BellSouth. Should MRC or MRC's Guest(s) fail to vacate the Remote Collocation Space within thirty (30) calendar days from the Termination Date, BellSouth shall have the right to remove the equipment and dispose of the equipment and other property of MRC or MRC's Guest(s), in any manner that BellSouth deems fit, at MRC's expense and with no liability whatsoever for MRC's or MRC's Guest(s)'s property. Upon termination of MRC's right to occupy Remote Collocation Space, the Remote Collocation Space will revert back to BellSouth, and MRC shall surrender such Remote Collocation Space to BellSouth in the same condition as when first occupied by the MRC except for ordinary wear and tear unless otherwise agreed to by the Parties. For CEVs and huts MRC's BellSouth Certified Supplier shall be responsible for updating and making any necessary changes to BellSouth's records as required by BellSouth's Specifications including but not limited to Record Drawings and ERMA Records. MRC shall be responsible for the cost of removing any MRC constructed enclosure, together with all support structures (e.g., racking, conduits, or power cables), at the termination of occupancy and restoring the grounds to their original condition.

## 5. Use of Remote Collocation Space

- 5.1 Equipment Type. BellSouth permits the collocation of any type of equipment necessary for interconnection to BellSouth's network or for access to BellSouth's UNEs in the provision of telecommunications services, as the term "necessary" is defined by FCC 47 C.F.R. Section 51.323 (b). The primary purpose and function of any equipment collocated in a Remote Collocation Space must be for interconnection to BellSouth's network or for access to BellSouth's UNEs in the provision of telecommunications services.
- 5.1.1 Examples of equipment that would not be considered necessary include but are not limited to: traditional circuit switching equipment, equipment used exclusively for call-related databases, computer servers used exclusively for providing information services, operations support system (OSS) equipment used to support collocated telecommunications carrier network operations, equipment that generates customer orders, manages trouble tickets or inventory, or stores customer records in centralized databases, etc. BellSouth will determine upon receipt of an application if the requested equipment is necessary based on the criteria established by the FCC. Multifunctional equipment placed on BellSouth's Premises must not place any greater relative burden on BellSouth's property than comparable single-function equipment. BellSouth reserves the right to permit collocation of any equipment on a nondiscriminatory basis.
- 5.1.2 Such equipment must, at a minimum, meet the following Telcordia Network Equipment Building Systems (NEBS) General Equipment Requirements: Criteria

Level 3 requirements as outlined in the Telcordia Special Report SR-3580, Issue 1. Except where otherwise required by a Commission, BellSouth shall comply with the applicable FCC rules relating to denial of collocation based on MRC's failure to comply with this Section.

- 5.1.2.1 All MRC equipment installation shall comply with BellSouth TR 73503-11h, "Grounding Engineering Procedures". Metallic cable sheaths and metallic strength members of optical fiber cables as well as the metallic cable sheaths of all copper conductor cables shall be bonded to the designated grounding bus for the Remote Site Location. All copper conductor pairs, working and non-working, shall be equipped with a solid-state protector unit (over-voltage protection only), which has been listed by a nationally recognized testing laboratory.
- MRC shall identify to BellSouth whenever MRC submits a Method of Procedure (MOP) adding equipment to MRC's Remote Collocation Space all UCC-1 lien holders or other entities that have a financial interest, secured or otherwise, in the equipment in MRC's Remote Collocation Space. MRC shall submit a copy of the list of any lien holders or other entities that have a financial interest to MRC's ATCC Representative.
- 5.2 MRC shall not use the Remote Collocation Space for marketing purposes nor shall it place any identifying signs or markings in the area surrounding the Remote Collocation Space or on the grounds of the Remote Site Location.
- 5.3 MRC shall place a plaque or other identification affixed to MRC's equipment to identify MRC's equipment, including a list of emergency contacts with telephone numbers.
- Entrance Facilities. MRC may elect to place MRC-owned or MRC-leased fiber entrance facilities into the Remote Collocation Space. BellSouth will designate the point of interconnection at the Remote Site Location housing the Remote Collocation Space, which is physically accessible by both Parties. MRC will provide and place copper cable through conduit from the Remote Collocation Space to the Feeder Distribution Interface to the splice location of sufficient length for splicing by BellSouth. MRC must contact BellSouth for instructions prior to placing the entrance facility cable. MRC is responsible for maintenance of the entrance facilities.
- Shared Use. MRC may utilize spare capacity on an existing interconnector entrance facility for the purpose of providing an entrance facility to MRC's collocation arrangement within the same BellSouth Remote Site Location. BellSouth shall allow splicing to the entrance facility, provided that the fiber is non-working fiber. MRC must arrange with BellSouth in accordance with BellSouth's Special Construction Procedures, RL93-11-030BT, and provide a LOA from the other telecommunications carrier for BellSouth to splice the MRC provided riser cable to the spare capacity on the entrance facility. If MRC desires to allow another telecommunications carrier to use its entrance facilities, then that telecommunications carrier must arrange with

BellSouth in accordance with BellSouth's Special Construction Procedures, RL93-11-030BT, and provide a LOA from MRC for BellSouth to splice that telecommunications carrier's provided riser cable to the spare capacity on MRC's entrance facility.

- Demarcation Point. BellSouth will designate the point(s) of demarcation between MRC's equipment and/or network and BellSouth's network. Each Party will be responsible for maintenance and operation of all equipment/facilities on its side of the demarcation point. MRC or its agent must perform all required maintenance to MRC equipment/facilities on its side of the demarcation point, pursuant to Section 5.6, following.
- MRC's Equipment and Facilities. MRC, or if required by this Attachment, MRC's BellSouth Certified Supplier, is solely responsible for the design, engineering, installation, testing, provisioning, performance, monitoring, maintenance and repair of the equipment and facilities used by MRC which must be performed in compliance with all applicable BellSouth Specifications. Such equipment and facilities may include but are not limited to cable(s), equipment, and point of termination connections. MRC and its selected BellSouth Certified Supplier must follow and comply with all BellSouth requirements outlined in BellSouth's TR 73503, TR 73519, TR 73572, and TR 73564.
- 5.7 <u>BellSouth's Access to Remote Collocation Space</u>. From time to time BellSouth may require access to the Remote Collocation Space. BellSouth retains the right to access the Remote Collocation Space for the purpose of making BellSouth equipment and Remote Site Location modifications. Except in case of emergency, BellSouth will give notice to MRC at least forty-eight (48) hours before access to the Remote Collocation Space is required. MRC may elect to be present whenever BellSouth performs work in the Collocation Space. The Parties agree that MRC will not bear any of the expense associated with this work.
- 5.8 Access. Pursuant to Section 12, MRC shall have access to the Remote Collocation Space twenty-four (24) hours a day, seven (7) days a week. MRC agrees to provide the name and social security number or date of birth or driver's license number of each employee, supplier, or agents of MRC or MRC's Guests to be provided with access keys or cards (Access Keys) prior to the issuance of said Access Keys using form RF-2906-C "CLEC and CLEC Certified Supplier Access Request and Acknowledgement". Key acknowledgement forms, "Collocation Acknowledgement Sheet" for access cards and "Key Acknowledgement Form" for keys, must be signed by MRC and returned to BellSouth Access Management within fifteen (15) calendar days of MRC's receipt. Failure to return properly acknowledged forms will result in the holding of subsequent requests until acknowledgements are current. Access Keys shall not be duplicated under any circumstances. MRC agrees to be responsible for all Access Keys and for the return of all said Access Keys in the possession of MRC's employees, suppliers, Guests, or agents after termination of the employment

relationship, contractual obligation with MRC or upon the termination of this Attachment or the termination of occupancy of an individual Remote Collocation Space arrangement.

- BellSouth will permit one accompanied site visit to MRC's designated collocation arrangement location after receipt of the BFFO without charge to MRC. MRC must submit to BellSouth the completed Access Control Request Form for all employees or agents requiring access to the BellSouth Remote Site Location a minimum of thirty (30) calendar days prior to the date MRC desires access to the Remote Collocation Space. In order to permit reasonable access during construction of the Remote Collocation Space, MRC may submit such a request at any time subsequent to BellSouth's receipt of the BFFO. In the event MRC desires access to the Remote Collocation Space after submitting such a request but prior to access being approved, in addition to the first accompanied free visit, BellSouth shall permit MRC to access the Remote Collocation Space accompanied by a security escort at MRC's expense. MRC must request escorted access at least three (3) business days prior to the date such access is desired.
- Lost or Stolen Access Keys. MRC shall notify BellSouth in writing immediately in the case of lost or stolen Access Keys. Should it become necessary for BellSouth to rekey Remote Site Locations or deactivate a card as a result of a lost Access Key(s) or for failure to return an Access Key(s), MRC shall pay for all reasonable costs associated with the re-keying or deactivating the card.
- 5.10 Interference or Impairment. Notwithstanding any other provisions of this Attachment, MRC shall not use any product or service provided under this Agreement, any other service related thereto or used in combination therewith, or place or use any equipment and facilities in any manner that 1) significantly degrades, interferes with or impairs service provided by BellSouth or by any other entity or any person's use of its telecommunications service; 2) endangers or damages the equipment, facilities or other property of BellSouth or of any other entity or person; 3) compromises the privacy of any communications; or 4)creates an unreasonable risk of injury or death to any individual or to the public. If BellSouth reasonably determines that any equipment or facilities of MRC violates the provisions of this paragraph, BellSouth shall give written notice to MRC, which notice shall direct MRC to cure the violation within forty-eight (48) hours of MRC's actual receipt of written notice or, at a minimum, to commence curative measures within 24 hours and to exercise reasonable diligence to complete such measures as soon as possible thereafter. After receipt of the notice, the Parties agree to consult immediately and, if necessary, to inspect the arrangement.
- 5.10.1 Except in the case of the deployment of an advanced service which significantly degrades the performance of other advanced services or traditional voice band services, if MRC fails to take curative action within forty-eight (48) hours or if the violation is of a character which poses an immediate and substantial threat of damage to property, injury or death to any person, or any other significant degradation,

interference or impairment of BellSouth's or any other entity's service, then and only in that event BellSouth may take such action as it deems appropriate to correct the violation, including without limitation the interruption of electrical power to MRC's equipment. BellSouth will endeavor, but is not required, to provide notice to MRC prior to taking such action and shall have no liability to MRC for any damages arising from such action, except to the extent that such action by BellSouth constitutes willful misconduct.

- 5.10.2 For purposes of this section, the term significantly degrade shall mean an action that noticeably impairs a service from a user's perspective. In the case of the deployment of an advanced service which significantly degrades the performance of other advanced services or traditional voice band services and MRC fails to take curative action within forty-eight (48) hours then BellSouth will establish before the Commission that the technology deployment is causing the significant degradation. Any claims of network harm presented to MRC or, if subsequently necessary, the Commission must be supported with specific and verifiable information. Where BellSouth demonstrates that a deployed technology is significantly degrading the performance of other advanced services or traditional voice band services, MRC shall discontinue deployment of that technology and migrate its customers to technologies that will not significantly degrade the performance of other such services. Where the only degraded service itself is a known disturber, and the newly deployed technology satisfies at least one of the criteria for a presumption that is acceptable for deployment under Section 47 C.F.R. 51.230, the degraded service shall not prevail against the newly deployed technology.
- 5.11 Personalty and its Removal. Facilities and equipment placed by MRC in the Remote Collocation Space shall not become a part of the Remote Site Location, even if nailed, screwed or otherwise fastened to the Remote Collocation Space but shall retain their status as personalty and may be removed by MRC at any time. Any damage caused to the Remote Collocation Space by MRC's employees, agents or representatives shall be promptly repaired by MRC at its expense.
- 5.11.1 If MRC decides to remove equipment from its Remote Collocation Space and the removal requires no physical changes, BellSouth will bill MRC an Administrative Only Application Fee as set forth in Exhibit B for these changes. This nonrecurring fee will be billed on the date that BellSouth provides an Application Response.
- Alterations. In no case shall MRC or any person acting on behalf of MRC make any rearrangement, modification, improvement, addition, or other alteration which could affect in any way space, power, HVAC, and/or safety considerations to the Remote Collocation Space or the BellSouth Remote Site Location without the written consent of BellSouth, which consent shall not be unreasonably withheld. The cost of any specialized alterations shall be paid by MRC. Any such material rearrangement, modification, improvement, addition, or other alteration shall require an application

- and Application Fee. BellSouth will bill the nonrecurring fee on the date that BellSouth provides an Application Response.
- 5.13 <u>Upkeep of Remote Collocation Space</u>. MRC shall be responsible for the general upkeep and cleaning of the Remote Collocation Space. MRC shall be responsible for removing any MRC debris from the Remote Collocation Space and from in and around the Remote Site Location on each visit.

## 6. Ordering and Preparation of Remote Collocation Space

- Should any state or federal regulatory agency impose procedures or intervals applicable to MRC and BellSouth that are different from procedures or intervals set forth in this Section, whether now in effect or that become effective after execution of this Agreement, those procedures or intervals shall supersede the requirements set forth herein for that jurisdiction for all applications submitted for the first time after the effective date thereof
- Remote Site Application. When MRC or MRC's Guest(s) desires to install a bay/rack in a Remote Site Location, MRC shall submit to BellSouth a Physical Expanded Interconnection Application Document (Application). The application is Bona Fide when it is complete and accurate, meaning that all required fields on the application are completed with the appropriate type of information. An application fee will apply which will be billed on the date that BellSouth provides an Application Response. The placement of an additional bay/rack at a later date will be treated in the same fashion and an application will be required. The installation of additional shelves/equipment, subject to the restrictions contained in Section 5.10, within an existing bay/rack does not require an application.
- 6.3 Availability of Space. Upon submission of an application, BellSouth will permit MRC to physically collocate, pursuant to the terms of this Attachment, at any BellSouth Remote Site Location, unless BellSouth has determined that there is no space available due to space limitations or that collocation at the Remote Site Location is not practical for technical reasons. In the event space is not immediately available at a Remote Site Location, BellSouth reserves the right to make additional space available, in which case the conditions in Section 7 shall apply, or BellSouth may elect to deny space in accordance with this Section in which case virtual or adjacent collocation options may be available. If the amount of space requested is not available, BellSouth will notify MRC of the amount that is available.
- 6.4 Space Availability Notification.
- 6.4.1 Unless otherwise specified, BellSouth will respond to an application within ten (10) calendar days as to whether space is available or not available within a BellSouth

Remote Site Location. BellSouth will also respond as to whether the application is Bona Fide and if it is not Bona Fide the items necessary to cause the application to become Bona Fide. If the amount of space requested is not available, BellSouth will notify MRC of the amount of space that is available and no Application Fee shall apply. When BellSouth's response includes an amount of space less than that requested by MRC or differently configured no application fee shall apply. If MRC decides to accept the available space, MRC must resubmit its application to reflect the actual space available prior to submitting a BFFO and an application fee will be billed.

- BellSouth will respond to a Florida application within fifteen (15) calendar days as to whether space is available or not available within a BellSouth Remote Site Location. BellSouth will also respond as to whether the application is Bona Fide and if it is not Bona Fide the items necessary to cause the application to become Bona Fide. If a lesser amount of space than requested is available, BellSouth will provide an Application Response for the amount of space that is available and an Application Fee will be billed by BellSouth on the date that BellSouth provides an Application Response. When BellSouth's Application Response includes an amount of space less than that requested by MRC or differently configured, if MRC decides to accept the available space, MRC must amend its application to reflect the actual space available prior to submitting a BFFO.
- BellSouth will respond to a Louisiana application within ten (10) calendar days for space availability for one (1) to ten (10) applications; fifteen (15) calendar days for eleven (11) to twenty (20) applications; and for more than twenty (20) applications, the response interval is increased by five (5) calendar days for every five additional applications received within five (5) business days. If the amount of space requested is not available, BellSouth will notify MRC of the amount of space that is available and no Application Fee will apply. When BellSouth's response includes an amount of space less than that requested by MRC or differently configured no application fee shall apply. If MRC decides to accept the available space, MRC must resubmit its application to reflect the actual space available prior to submitting a BFFO and an application fee will be billed. BellSouth will also respond as to whether the application is Bona Fide and if it is not Bona Fide the items necessary to cause the application to become Bona Fide.
- Denial of Application. If BellSouth notifies MRC that no space is available (Denial of Application), BellSouth will not assess an Application Fee. After notifying MRC that BellSouth has no available space in the requested Remote Site Location, BellSouth will allow MRC, upon request, to tour the Remote Site Location within ten (10) calendar days of such Denial of Application. In order to schedule said tour within ten (10) calendar days, the request for a tour of the Remote Site Location must be received by BellSouth within five (5) calendar days of the Denial of Application.
- 6.6 <u>Filing of Petition for Waiver</u>. Upon Denial of Application BellSouth will timely file a petition with the Commission pursuant to 47 U.S.C. § 251(c)(6). BellSouth shall

provide to the Commission any information requested by that Commission. Such information shall include which space, if any, BellSouth or any of BellSouth's affiliates have reserved for future use and a detailed description of the specific future uses for which the space has been reserved. Subject to an appropriate nondisclosure agreement or provision, BellSouth shall permit MRC to inspect any plans or diagrams that BellSouth provides to the Commission.

- Maiting List. On a first-come, first-served basis governed by the date of receipt of an application or Letter of Intent, BellSouth will maintain a waiting list of requesting carriers who have either received a Denial of Application or, where it is publicly known that the Remote Site Location is out of space, have submitted a Letter of Intent to collocate. BellSouth will notify the telecommunications carriers on the waiting list that can be accommodated by the amount of space that becomes available according to the position of the telecommunications carriers on said waiting list.
- 6.7.1 In Florida, on a first-come, first-served basis governed by the date of receipt of an application or Letter of Intent, BellSouth will maintain a waiting list of requesting carriers who have either received a Denial of Application or, where it is publicly known that the Remote Site Location is out of space, have submitted a Letter of Intent to collocate. Sixty (60) calendar days prior to space becoming available, if known, BellSouth will notify the Florida PSC and the telecommunications carriers on the waiting list by mail when space becomes available according to the position of the telecommunications carrier on said waiting list. If not known sixty (60) calendar days in advance, BellSouth shall notify the Florida PSC and the telecommunications carriers on the waiting list within two business days of the determination that space is available. A telecommunications carrier that, upon denial of physical collocation, requests virtual collocation shall be automatically placed on the waiting list.
- 6.7.2 When space becomes available, MRC must submit an updated, complete, and correct application to BellSouth within thirty (30) calendar days of such notification. If MRC has originally requested caged Remote Collocation Space and cageless Remote Collocation Space becomes available, MRC may refuse such space and notify BellSouth in writing within that time that MRC wants to maintain its place on the waiting list without accepting such space. MRC may accept an amount of space less than its original request by submitting an application as set forth above, and upon request, may maintain its position on the waiting list for the remaining space that was initially requested. If MRC does not submit such an application or notify BellSouth in writing as described above, BellSouth will offer such space to the next telecommunications carrier on the waiting list and remove MRC from the waiting list. Upon request, BellSouth will advise MRC as to its position on the list.
- 6.8 <u>Public Notification</u>. BellSouth will maintain on its Interconnection Services website a notification document that will indicate all Remote Site Locations that are without available space. BellSouth shall update such document within ten (10) calendar days of the date that BellSouth becomes aware that there is insufficient space to accommodate collocation at the Remote Site Location. BellSouth will also post a

document on its Interconnection Services website that contains a general notice where space has become available in a Remote Site Location previously on the space exhaust list.

## 6.9 <u>Application Response</u>.

- In Florida, within fifteen (15) calendar days of receipt of a Bona Fide application, when space has been determined to be available or when a lesser amount of space than that requested is available, then with respect to the space available, BellSouth will provide an Application Response including sufficient information to enable MRC to place a Firm Order. The Application Response will include, at a minimum, the configuration of the space, the Cable Installation Fee, Cable Records Fee, and the space preparation fees, as described in Section 8. When MRC submits ten (10) or more applications within ten (10) calendar days, the initial fifteen (15) calendar day response period will increase by ten (10) calendar days for every additional ten (10) applications or fraction thereof.
- In Alabama, Georgia, Kentucky, Mississippi, North Carolina, South Carolina, and Tennessee when space has been determined to be available, BellSouth will provide an Application Response within twenty (20) calendar days of receipt of a Bona Fide application. The Application Response will include, at a minimum, the configuration of the space, the Cable Installation Fee, Cable Records Fee, and the space preparation fees, as described in Section 8.
- 6.9.3 In Louisiana, when space has been determined to be available, BellSouth will respond with an Application Response within thirty (30) calendar days for one (1) to ten (10) applications; thirty (35) calendar days for eleven (11) to twenty (20) applications; and for requests of more than twenty (20) applications, the Application Response interval will be increased by five (5) calendar days for every five (5) applications received within five (5) business days. The Application Response will include, at a minimum, the configuration of the space, the Cable Installation Fee, Cable Records Fee, and the space preparation fees, as described in Section 8.

## 6.10 Application Modifications.

6.10.1 If a modification or revision is made to any information in the Bona Fide application prior to a BFFO, with the exception of modifications to Customer Information, Contact Information or Billing Contact Information, either at the request of MRC or necessitated by technical considerations, said application shall be considered a new application and shall be handled as a new application with respect to response and provisioning intervals and BellSouth will charge MRC a full application fee as set forth in Exhibit B. BellSouth will bill the nonrecurring fee on the date that BellSouth provides an Application Response.

#### 6.10.2 Bona Fide Firm Order.

- 6.10.2.1 MRC shall indicate its intent to proceed with equipment installation in a BellSouth Remote Site Location by submitting a Firm Order to BellSouth. The BFFO must be received by BellSouth no later than thirty (30) calendar days after BellSouth's Application Response to MRC's Bona Fide application or the application will expire.
- 6.10.2.2 BellSouth will establish a firm order date based upon the date BellSouth is in receipt of a BFFO. BellSouth will acknowledge the receipt of MRC's BFFO within seven (7) calendar days of receipt indicating that the BFFO has been received. A BellSouth response to a BFFO will include a Firm Order Confirmation containing the firm order date. No revisions will be made to a BFFO.

# 7. <u>Construction and Provisioning</u>

- 7.1 Construction and Provisioning Intervals.
- 7.1.1 In Florida, BellSouth will complete construction for collocation arrangements as soon as possible and within a maximum of ninety (90) calendar days from receipt of a BFFO or as agreed to by the Parties. For changes to Remote Collocation Space after initial space completion (Augmentation), BellSouth will complete construction for collocation arrangements as soon as possible and within a maximum of forty-five (45) calendar days from receipt of a BFFO or as agreed to by the Parties. If BellSouth does not believe that construction will be completed within the relevant time frame and BellSouth and MRC cannot agree upon a completion date, within forty-five (45) calendar days of receipt of the BFFO for an initial request, and within thirty (30) calendar days for Augmentations, BellSouth may seek an extension from the Florida Commission.
- 7.1.2 In Alabama, Georgia, Kentucky, Mississippi, North Carolina, South Carolina, and Tennessee, BellSouth will complete construction for collocation arrangements under ordinary conditions as soon as possible and within a maximum of sixty (60) calendar days from receipt of a BFFO and ninety (90) calendar days from receipt of a BFFO for extraordinary conditions or as agreed to by the Parties. Ordinary conditions are defined as space available with only minor changes to support systems required, such as but not limited to, HVAC, cabling and the power plant(s). Extraordinary conditions shall include, but not limited to, major BellSouth equipment rearrangement or addition; power plant addition or upgrade; major mechanical addition or upgrade; major upgrade for ADA compliance; environmental hazard or hazardous materials abatement; and arrangements for which equipment shipping intervals are extraordinary in length. The Parties may mutually agree to renegotiate an alternative provisioning interval or BellSouth may seek a waiver from this interval from the Commission.
- 7.1.3 In Louisiana, BellSouth will complete construction for collocation arrangements under ordinary conditions as soon as possible and within a maximum of sixty (60) calendar days from receipt of a BFFO for an initial request, and within 60 calendar days for an Augmentation, or as agreed to by the Parties. The Parties may mutually agree to

renegotiate an alternative provisioning interval or BellSouth may seek a waiver from this interval from the Commission.

- 7.2 In the event BellSouth does not have space immediately available at a Remote Site Location, BellSouth may elect to make additional space available by, for example but not limited to, rearranging BellSouth facilities or constructing additional capacity. In such cases, the above intervals shall not apply and BellSouth will provision the Remote Collocation Space in a nondiscriminatory manner and at parity with BellSouth and will provide MRC with the estimated completion date in its Response.
- 7.3 <u>Joint Planning</u>. Joint planning between BellSouth and MRC will commence within a maximum of twenty (20) calendar days from BellSouth's receipt of a BFFO. BellSouth will provide the preliminary design of the Remote Collocation Space and the equipment configuration requirements as reflected in the Bona Fide application and affirmed in the BFFO. The Remote Collocation Space completion time period will be provided to MRC during joint planning.
- 7.4 <u>Permits</u>. Each Party or its agents will diligently pursue filing for the permits required for the scope of work to be performed by that Party or its agents within ten (10) calendar days of the completion of finalized construction designs and specifications.
- Acceptance Walkthrough. MRC will schedule and complete an acceptance walkthrough of each Remote Collocation Space with BellSouth within fifteen (15) calendar days of BellSouth's notifying MRC that the Remote Collocation Space is ready for occupancy. In the event that MRC fails to complete an acceptance walkthrough within this fifteen (15) calendar day interval, the Remote Collocation Space shall be deemed accepted by MRC on the Space Ready Date. BellSouth will correct any deviations to MRC's original or jointly amended requirements within seven (7) calendar days after the walkthrough, unless the Parties jointly agree upon a different time frame.
- 3.6 Use of BellSouth Certified Supplier. MRC shall select a supplier which has been approved by BellSouth to perform all engineering and installation work MRC and MRC's BellSouth Certified Supplier must follow and comply with all BellSouth requirements outlined in BellSouth's TR 73503, TR 73519, TR 73572, and TR 73564. In some cases, MRC must select separate BellSouth Certified Suppliers for transmission equipment, switching equipment and power equipment. BellSouth shall provide MRC with a list of BellSouth Certified Suppliers upon request. The BellSouth Certified Supplier(s) shall be responsible for installing MRC's equipment and components, extending power cabling to the BellSouth power distribution frame, performing operational tests after installation is complete, and notifying BellSouth's Outside Plant engineers and MRC upon successful completion of installation. The BellSouth Certified Supplier shall bill MRC directly for all work performed for MRC pursuant to this Attachment, and BellSouth shall have no liability for nor responsibility to pay such charges imposed by the BellSouth Certified Supplier. BellSouth shall

make available its supplier certification program to MRC or any supplier proposed by MRC and will not unreasonably withhold certification. All work performed by or for MRC shall conform to generally accepted industry standards.

- Alarm and Monitoring. BellSouth may place alarms in the Remote Site Location for the protection of BellSouth equipment and facilities. MRC shall be responsible for placement, monitoring and removal of environmental and equipment alarms used to service MRC's Remote Collocation Space. Upon request, BellSouth will provide MRC with applicable tariffed service(s) to facilitate remote monitoring of collocated equipment by MRC. Both Parties shall use best efforts to notify the other of any verified hazardous conditions known to that Party.
- 7.8 Virtual Remote Collocation Space Relocation. In the event physical Remote Collocation Space was previously denied at a Remote Site Location due to technical reasons or space limitations, and physical Remote Collocation Space has subsequently become available, MRC may relocate its virtual Remote Collocation arrangements to physical Remote Collocation Space arrangements and pay the appropriate fees for physical Remote Collocation Space and for the rearrangement or reconfiguration of services terminated in the virtual Remote Collocation Space arrangement, as outlined in the appropriate BellSouth tariffs. In the event that BellSouth knows when additional space for physical Remote Collocation Space may become available at the location requested by MRC, such information will be provided to MRC in BellSouth's written denial of physical Remote Collocation Space. To the extent that (i) physical Remote Collocation Space becomes available to MRC within one hundred eighty (180) calendar days of BellSouth's written denial of MRC's request for physical collocation, (ii) BellSouth had knowledge that the space was going to become available, and (iii) MRC was not informed in the written denial that physical Remote Collocation Space would become available within such one hundred eighty (180) calendar days, then MRC may relocate its virtual Remote Collocation Space arrangement to a physical Remote Collocation Space arrangement and will receive a credit for any nonrecurring charges previously paid for such virtual Remote Collocation Space. MRC must arrange with a BellSouth Certified Supplier for the relocation of equipment from its virtual Remote Collocation Space to its physical Remote Collocation Space and will bear the cost of such relocation.
- 7.8.1 In Alabama, BellSouth will complete a relocation from virtual collocation to physical collocation within ninety (90) calendar days.
- 7.9 <u>Virtual to Physical Conversion (In-Place)</u>. Virtual collocation arrangements may be converted to "in-place" physical arrangements if the potential conversion meets the following four criteria: 1) there is no change in the amount of equipment or the configuration of the equipment that was in the virtual collocation arrangement; 2) the conversion of the virtual collocation arrangement will not cause the equipment or the results of that conversion to be located in a space that BellSouth has reserved for its own future needs; 3) the converted arrangement does not limit BellSouth's ability to

secure its own equipment and facilities due to the location of the virtual collocation arrangement; and 4) any changes to the arrangement can be accommodated by existing power, HVAC, and other requirements. Unless otherwise specified, BellSouth will complete virtual to in-place physical collocation conversions within sixty (60) calendar days from receipt of the BFFO. BellSouth will bill MRC an Administrative Only Application Fee as set forth in Exhibit B for these charges on the date that BellSouth provides an Application Response.

- 7.9.1 In Alabama and Tennessee, BellSouth will complete Virtual to Physical Conversions (In Place) within thirty (30) calendar days from receipt of the BFFO.
- 7.10 Cancellation. If, at any time prior to space acceptance, MRC cancels its order for the Remote Collocation Space(s) (Cancellation), BellSouth will bill the applicable nonrecurring rate for any and all work processes for which work has begun. In Georgia, if MRC cancels its order for Remote Collocation Space at any time prior to space acceptance, BellSouth will bill MRC for all costs incurred prior to the date of Cancellation and for any costs incurred as a direct result of the Cancellation, not to exceed the total amount that would have been due had the order not been cancelled.
- 7.11 <u>Licenses</u>. MRC, at its own expense, will be solely responsible for obtaining from governmental authorities, and any other appropriate agency, entity, or person, all rights, privileges, and licenses necessary or required to operate as a provider of telecommunications services to the public or to build-out, equip and occupy the Remote Collocation Space.
- 7.12 <u>Environmental Hazard Guidelines</u>. The Parties agree to utilize and adhere to the Environmental Hazard Guidelines identified in Exhibit A attached hereto.

## 8. Rates and Charges

- 8.1 Recurring Charges. If MRC has met the applicable fifteen (15) calendar day walkthrough interval(s) specified in Section 4, billing for recurring charges will begin upon the Space Acceptance Date. In the event that MRC fails to complete an acceptance walkthrough within the applicable fifteen (15) calendar day interval(s), billing for recurring charges will commence on the Space Ready Date. If MRC occupies the space prior to the Space Ready Date, the date MRC occupies the space becomes the new Space Acceptance Date and billing for recurring charges begin on that date.
- 8.2 <u>Application Fee.</u> BellSouth shall assess an Application Fee via a service order, which shall be issued at the time BellSouth responds that space is available pursuant to Section 6.10 (Application Response). This nonrecurring fee will be billed by BellSouth on the date that BellSouth provides an Application Response.

- 8.2.1 In Tennessee, the applicable application fee is the planning fee for both Initial Applications and Subsequent Applications placed by MRC. This nonrecurring fee will be billed by BellSouth on the date that BellSouth provides an Application Response.
- 8.3 Rack/Bay Space. The rack/bay space charge includes reasonable charges for air conditioning, ventilation and other allocated expenses associated with maintenance of the Remote Site Location, and includes amperage necessary to power MRC's equipment. MRC shall pay rack/bay space charges based upon the number of racks/bays requested. BellSouth will assign Remote Collocation Space in conventional remote site rack/bay lineups where feasible.
- 8.4 Power. BellSouth shall make available –48 Volt (-48V) DC power for MRC's Remote Collocation Space at a BellSouth Power Board or BellSouth Battery Distribution Fuse Bay (BDFB) at MRC's option within the Remote Site Location. The charge for power shall be assessed as part of the recurring charge for rack/bay space. If the power requirements for MRC's equipment exceeds the capacity available, then such power requirements shall be assessed on an individual case basis. BellSouth will revise recurring power charges to reflect a power upgrade upon notification of the completion of the upgrade by MRC's BellSouth Certified Vendor. BellSouth will revise recurring power charges to reflect a power reduction upon BellSouth's receipt of the Power Reduction Form from MRC certifying the completion of the power reduction, including the removal of the power cabling by MRC's BellSouth Certified Supplier.
- 8.4.1 Adjacent Collocation Power. Charges for AC power will be assessed per breaker ampere per month. Rates include the provision of commercial and standby AC power, where available. When obtaining power from a BellSouth service panel, protection devices and power cables must be engineered (sized), and installed by MRC's BellSouth Certified Supplier except that BellSouth shall engineer and install protection devices and power cables for Adjacent Collocation. MRC's BellSouth Certified Supplier must also provide a copy of the engineering power specification prior to the equipment becoming operational. Charges for AC power shall be assessed pursuant to the rates specified in Exhibit B. AC power voltage and phase ratings shall be determined on a per location basis. At MRC's option, MRC may arrange for AC power in an Adjacent Collocation arrangement from a retail provider of electrical power.
- 8.5 <u>Security Escort</u>. A security escort will be required whenever MRC or its approved agent desires access to the Remote Site Location after the one accompanied site visit allowed pursuant to Section 5 prior to completing BellSouth's Security Training requirements. Rates for a security escort are assessed according to the schedule appended hereto as Exhibit B beginning with the scheduled escort time. BellSouth will wait for one-half (1/2) hour after the scheduled time for such an escort and MRC shall pay for such half-hour charges in the event MRC fails to show up.

8.6 Other. If no rate is identified in the contract, the rate for the specific service or function will be negotiated by the Parties upon request by either Party.

#### 9. Insurance

- 9.1 MRC shall, at its sole cost and expense, procure, maintain, and keep in force insurance as specified in this Section and underwritten by insurance companies licensed to do business in the states applicable under this Agreement and having a Best's Insurance Rating of A-.
- 9.2 MRC shall maintain the following specific coverage:
- 9.2.1 Commercial General Liability coverage in the amount of ten million dollars (\$10,000,000.00) or a combination of Commercial General Liability and Excess/Umbrella coverage totaling not less than ten million dollars (\$10,000,000.00). BellSouth shall be named as an Additional Insured on the Commercial General Liability policy as specified herein.
- 9.2.2 Statutory Workers Compensation coverage and Employers Liability coverage in the amount of one hundred thousand dollars (\$100,000.00) each accident, one hundred thousand dollars (\$100,000.00) each employee by disease, and five hundred thousand dollars (\$500,000.00) policy limit by disease.
- 9.2.3 All Risk Property coverage on a full replacement cost basis insuring all of MRC's real and personal property situated on or within BellSouth's Remote Site Location.
- 9.2.4 MRC may elect to purchase business interruption and contingent business interruption insurance, having been advised that BellSouth assumes no liability for loss of profit or revenues should an interruption of service occur.
- 9.3 The limits set forth in Section 9.2 above may be increased by BellSouth from time to time during the term of this Agreement upon thirty (30) calendar days notice to MRC to at least such minimum limits as shall then be customary with respect to comparable occupancy of BellSouth structures.
- 9.4 All policies purchased by MRC shall be deemed to be primary and not contributing to or in excess of any similar coverage purchased by BellSouth. All insurance must be in effect on or before the date equipment is delivered to BellSouth's Remote Site Location and shall remain in effect for the term of this Attachment or until all of MRC's property has been removed from BellSouth's Remote Site Location, whichever period is longer. If MRC fails to maintain required coverage, BellSouth may pay the premiums thereon and seek reimbursement of same from MRC.
- 9.5 MRC shall submit certificates of insurance reflecting the coverage required pursuant to this Section a minimum of ten (10) business days prior to the commencement of any work in the Remote Collocation Space. Failure to meet this interval may result in

construction and equipment installation delays. MRC shall arrange for BellSouth to receive thirty (30) business days' advance notice of cancellation from MRC's insurance company. MRC shall forward a certificate of insurance and notice of cancellation/non-renewal to BellSouth at the following address:

BellSouth Telecommunications, Inc. Attn.: Risk Management Coordinator 17H53 BellSouth Center 675 W. Peachtree Street Atlanta, Georgia 30375

- 9.6 MRC must conform to recommendations made by BellSouth's fire insurance company to the extent BellSouth has agreed to, or shall hereafter agree to, such recommendations.
- 9.7 Self-Insurance. If MRC's net worth exceeds five hundred million dollars (\$500,000,000), MRC may elect to request self-insurance status in lieu of obtaining any of the insurance required in Sections 9.2.1 and 9.2.2. MRC shall provide audited financial statements to BellSouth thirty (30) calendar days prior to the commencement of any work in the Remote Collocation Space. BellSouth shall then review such audited financial statements and respond in writing to MRC in the event that self-insurance status is not granted to MRC. If BellSouth approves MRC for self-insurance, MRC shall annually furnish to BellSouth, and keep current, evidence of such net worth that is attested to by one of MRC's corporate officers. The ability to self-insure shall continue so long as MRC meets all of the requirements of this Section. If MRC subsequently no longer satisfies this Section, MRC is required to purchase insurance as indicated by Sections 9.2.1 and Section 9.2.2.
- 9.8 The net worth requirements set forth in Section 9.7 may be increased by BellSouth from time to time during the term of this Attachment upon thirty (30) calendar days' notice to MRC to at least such minimum limits as shall then be customary with respect to comparable occupancy of BellSouth structures.
- 9.9 Failure to comply with the provisions of this Section will be deemed a material breach of this Attachment.

#### 10. Mechanics Liens

10.1 If any mechanics lien or other liens shall be filed against property of either Party (BellSouth or MRC), or any improvement thereon by reason of or arising out of any labor or materials furnished or alleged to have been furnished or to be furnished to or for the other Party or by reason of any changes, or additions to said property made at the request or under the direction of the other Party, the other Party directing or requesting those changes shall, within thirty (30) business days after receipt of written notice from the Party against whose property said lien has been filed, either pay such lien or cause the same to be bonded off the affected property in the manner provided

by law. The Party causing said lien to be placed against the property of the other shall also defend, at its sole cost and expense, on behalf of the other, any action, suit or proceeding which may be brought for the enforcement of such liens and shall pay any damage and discharge any judgment entered thereon.

## 11. <u>Inspections</u>

BellSouth may conduct an inspection of MRC's equipment and facilities in the Remote Collocation Space(s) prior to the activation of facilities between MRC's equipment and equipment of BellSouth. BellSouth may conduct an inspection if MRC adds equipment and may otherwise conduct routine inspections at reasonable intervals mutually agreed upon by the Parties. BellSouth shall provide MRC with a minimum of forty-eight (48) hours or two (2) business days, whichever is greater, advance notice of all such inspections. All costs of such inspection shall be borne by BellSouth.

## 12. <u>Security and Safety Requirements</u>

- Unless otherwise specified, MRC will be required, at its own expense, to conduct a statewide investigation of criminal history records for each MRC employee hired in the past five years being considered for work on the BellSouth Remote Site Location, for the states/counties where the MRC employee has worked and lived for the past five years. Where state law does not permit statewide collection or reporting, an investigation of the applicable counties is acceptable. MRC shall not be required to perform this investigation if an affiliated company of MRC has performed an investigation of the MRC employee seeking access, if such investigation meets the criteria set forth above. This requirement will not apply if MRC has performed a preemployment statewide investigation of criminal history records of the MRC employee for the states/counties where the MRC employee has worked and lived for the past five years or, where state law does not permit a statewide investigation, an investigation of the applicable counties.
- MRC will be required to administer to their personnel assigned to the BellSouth Premises security training either provided by BellSouth, or meeting criteria defined by BellSouth.
- MRC shall provide its employees and agents with picture identification, which must be worn, and visible at all times while in the Remote Collocation Space or other areas in or around the Remote Site Location. The photo Identification card shall bear, at a minimum, the employee's name and photo, and MRC's name. BellSouth reserves the right to remove from its Remote Site Location any employee of MRC not possessing identification issued by MRC or who have violated any of BellSouth's policies as outlined in the CLEC Security Training documents. MRC shall hold BellSouth harmless for any damages resulting from such removal of its personnel from BellSouth Remote Site Location. MRC shall be solely responsible for ensuring that any Guest(s) of MRC is in compliance with all subsections of this Section.

- MRC shall not assign to the BellSouth Remote Site Location any personnel with records of felony criminal convictions. MRC shall not assign to the BellSouth Remote Site Location any personnel with records of misdemeanor convictions, except for misdemeanor traffic violations, without advising BellSouth of the nature and gravity of the offense(s). BellSouth reserves the right to refuse access to any MRC personnel who have been identified to have misdemeanor criminal convictions. Notwithstanding the foregoing, in the event that MRC chooses not to advise BellSouth of the nature and gravity of any misdemeanor conviction, MRC may, in the alternative, certify to BellSouth that it shall not assign to the BellSouth Remote Site Location any personnel with records of misdemeanor convictions (other than misdemeanor traffic violations).
- MRC shall not knowingly assign to the BellSouth Remote Site Location any individual who was a former employee of BellSouth and whose employment with BellSouth was terminated for a criminal offense whether or not BellSouth sought prosecution of the individual for the criminal offense.
- MRC shall not knowingly assign to the BellSouth Remote Site Location any individual who was a former supplier of BellSouth and whose access to a BellSouth Remote Site Location was revoked due to commission of a criminal offense whether or not BellSouth sought prosecution of the individual for the criminal offense.
- 12.5 For each MRC employee or agent hired by MRC within five years of being considered for work on the BellSouth Remote Site Location, who requires access to a BellSouth Remote Site Location pursuant to this Attachment, MRC shall furnish BellSouth, prior to an employee gaining such access, a certification that the aforementioned background check and security training were completed. The certification will contain a statement that no felony convictions were found and certifying that the security training was completed by the employee. If the employee's criminal history includes misdemeanor convictions, MRC will disclose the nature of the convictions to BellSouth at that time. In the alternative, MRC may certify to BellSouth that it shall not assign to the BellSouth Remote Site Location any personnel with records of misdemeanor convictions other than misdemeanor traffic violations.
- 12.5.1 For all other MRC employees requiring access to a BellSouth Remote Site Location pursuant to this Attachment, MRC shall furnish BellSouth, prior to an employee gaining such access, a certification that the employee is not subject to the requirements of Section 12.5 above and that security training was completed by the employee.
- At BellSouth's request, MRC shall promptly remove from BellSouth's Remote Site Location any employee of MRC BellSouth does not wish to grant access to its Remote Site Location 1) pursuant to any investigation conducted by BellSouth or 2) prior to the initiation of an investigation if an employee of MRC is found interfering with the property or personnel of BellSouth or another collocated telecommunications carrier, provided that an investigation shall promptly be commenced by BellSouth.

- 12.7 Security Violations. BellSouth reserves the right to interview MRC's employees, agents, or suppliers in the event of wrongdoing in or around BellSouth's property or involving BellSouth's or another collocated telecommunications carrier's property or personnel, provided that BellSouth shall provide reasonable notice to MRC's Security representative of such interview. MRC and its suppliers shall reasonably cooperate with BellSouth's investigation into allegations of wrongdoing or criminal conduct committed by, witnessed by, or involving MRC's employees, agents, or suppliers. Additionally, BellSouth reserves the right to bill MRC for all reasonable costs associated with investigations involving its employees, agents, or suppliers if it is established and mutually agreed in good faith that MRC's employees, agents, or suppliers are responsible for the alleged act. BellSouth shall bill MRC for BellSouth property, which is stolen or damaged where an investigation determines the culpability of MRC's employees, agents, or suppliers and where MRC agrees, in good faith, with the results of such investigation. MRC shall notify BellSouth in writing immediately in the event that the MRC discovers one of its employees already working on the BellSouth Remote Site Location is a possible security risk. Upon request of the other Party, the Party who is the employer shall discipline consistent with its employment practices, up to and including removal from BellSouth's Remote Site Location, any employee found to have violated the security and safety requirements of this section. MRC shall hold BellSouth harmless for any damages resulting from such removal of its personnel from BellSouth's Remote Site Location.
- 12.8 <u>Use of Supplies</u>. Unauthorized use of telecommunications equipment or supplies by either Party, whether or not used routinely to provide telephone service (e.g. plug-in cards,) will be strictly prohibited and handled appropriately. Costs associated with such unauthorized use may be charged to the offending Party, as may be all associated investigative costs.
- 12.9 <u>Use of Official Lines</u>. Except for non-toll calls necessary in the performance of their work, neither Party shall use the telephones of the other Party on the BellSouth Remote Site Location. Charges for unauthorized telephone calls may be charged to the offending Party, as may be all associated investigative costs.
- Accountability. Full compliance with the Security requirements of this Section shall in no way limit the accountability of either Party to the other for the improper actions of its employees.

### 13. Destruction of Remote Collocation Space

In the event a Remote Collocation Space is wholly or partially damaged by fire, windstorm, tornado, flood or by similar causes to such an extent as to be rendered wholly unsuitable for MRC's permitted use hereunder, then either Party may elect within ten (10) calendar days after such damage, to terminate this Attachment with respect to the affected Remote Collocation Space, and if either Party shall so elect, by giving the other written notice of termination, both Parties shall stand released of and from further liability under the terms hereof with respect to such Remote Collocation

Space. If the Remote Collocation Space shall suffer only minor damage and shall not be rendered wholly unsuitable for MRC's permitted use, or is damaged and the option to terminate is not exercised by either Party, BellSouth covenants and agrees to proceed promptly without expense to MRC, except for improvements not to the property of BellSouth, to repair the damage. BellSouth shall have a reasonable time within which to rebuild or make any repairs, and such rebuilding and repairing shall be subject to delays caused by storms, shortages of labor and materials, government regulations, strikes, walkouts, and causes beyond the control of BellSouth, which causes shall not be construed as limiting factors, but as exemplary only. MRC may, at its own expense, accelerate the rebuild of its Remote Collocation Space and equipment provided however that a BellSouth Certified Supplier is used and the necessary space preparation has been completed. Rebuild of equipment must be performed by a BellSouth Certified Vendor. If MRC's acceleration of the project increases the cost of the project, then those additional charges will be incurred by MRC. Where allowed and where practical, MRC may erect a temporary facility while BellSouth rebuilds or makes repairs. In all cases where the Remote Collocation Space shall be rebuilt or repaired, MRC shall be entitled to an equitable abatement of rent and other charges, depending upon the unsuitability of the Remote Collocation Space for MRC's permitted use, until such Remote Collocation Space is fully repaired and restored and MRC's equipment installed therein (but in no event later than thirty (30) calendar days after the Remote Collocation Space is fully repaired and restored). Where MRC has placed a Remote Site Adjacent Arrangement pursuant to Section 3.4, MRC shall have the sole responsibility to repair or replace said Remote Site Adjacent Arrangement provided herein. Pursuant to this Section, BellSouth will restore the associated services to the Remote Site Adjacent Arrangement.

## 14. Eminent Domain

14.1 If the whole of a Remote Collocation Space or Remote Site Adjacent Arrangement shall be taken by any public authority under the power of eminent domain, then this Attachment shall terminate with respect to such Remote Collocation Space or Remote Site Adjacent Arrangement as of the day possession shall be taken by such public authority and rent and other charges for the Remote Collocation Space or Remote Site Adjacent Arrangement shall be paid up to that day with proportionate refund by BellSouth of such rent and charges as may have been paid in advance for a period subsequent to the date of the taking. If any part of the Remote Collocation Space or Remote Site Adjacent Arrangement shall be taken under eminent domain, BellSouth and MRC shall each have the right to terminate this Attachment with respect to such Remote Collocation Space or Remote Site Adjacent Arrangement and declare the same null and void, by written notice of such intention to the other Party within ten (10) calendar days after such taking.

### 15. Nonexclusivity

MRC understands that this Attachment is not exclusive and that BellSouth may enter into similar agreements with other Parties. Assignment of space pursuant to all such

agreements shall be determined by space availability and made on a first come, first served basis.

# ENVIRONMENTAL AND SAFETY PRINCIPLES

The following principles provide basic guidance on environmental and safety issues when applying for and establishing Physical Collocation arrangements.

#### 1. GENERAL PRINCIPLES

- 1.1 Compliance with Applicable Law. BellSouth and MRC agree to comply with applicable federal, state, and local environmental and safety laws and regulations including U.S. Environmental Protection Agency (USEPA) regulations issued under the Clean Air Act (CAA), Clean Water Act (CWA), Resource Conservation and Recovery Act (RCRA), Comprehensive Environmental Response, Compensation and Liability Act (CERCLA), Superfund Amendments and Reauthorization Act (SARA), the Toxic Substances Control Act (TSCA), and OSHA regulations issued under the Occupational Safety and Health Act of 1970, as amended and NFPA and National Electrical Codes (NEC) and the NESC (Applicable Laws). Each Party shall notify the other if compliance inspections are conducted by regulatory agencies and/or citations are issued that relate to any aspect of this Attachment.
- Notice. BellSouth and MRC shall provide notice to the other, including Material Safety Data Sheets (MSDSs), of known and recognized physical hazards or Hazardous Chemicals existing on site or brought on site. A Hazardous Chemical inventory list is posted on an OSHA Poster and updated annually at each Central Office. This Poster is normally located near the front entrance of the building or in the lounge area. Each Party is required to provide specific notice for known potential Imminent Danger conditions. MRC should contact 1-800-743-6737 for any BellSouth MSDS required.
- 1.3 Practices/Procedures. BellSouth may make available additional environmental control procedures for MRC to follow when working at a BellSouth Remote Site Location (See Section 2, below). These practices/procedures will represent the regular work practices required to be followed by the employees and suppliers of BellSouth for environmental protection. MRC will require its suppliers, agents and others accessing the BellSouth Remote Site Location to comply with these practices. Section 2 lists the Environmental categories where BellSouth practices should be followed by MRC when operating in the BellSouth Remote Site Location.
- Environmental and Safety Inspections. BellSouth reserves the right to inspect the MRC space with proper notification. BellSouth reserves the right to stop any MRC work operation that imposes Imminent Danger to the environment, employees or other persons in the area or Remote Site Location.
- 1.5 <u>Hazardous Materials Brought On Site</u>. Any hazardous materials brought into, used, stored or abandoned at the BellSouth Remote Site Location by MRC are owned by MRC. MRC will indemnify BellSouth for claims, lawsuits or damages to persons or property caused by these materials. Without prior written BellSouth approval, no substantial new safety or environmental hazards can be created by MRC or different hazardous materials used by MRC at the BellSouth Remote Site Location.

  MRC must demonstrate adequate emergency response capabilities for its materials used or remaining at the BellSouth Remote Site Location.

- 1.6 <u>Spills and Releases</u>. When contamination is discovered at a BellSouth Remote Site Location, either Party discovering the condition must notify the other Party. All Spills or Releases of regulated materials will immediately be reported by MRC to BellSouth.
- 1.7 <u>Coordinated Environmental Plans and Permits</u>. BellSouth and MRC will coordinate plans, permits or information required to be submitted to government agencies, such as emergency response plans, spill prevention control and countermeasures (SPCC) plans and community reporting. If fees are associated with filing, BellSouth and MRC will develop a cost sharing procedure. If BellSouth's permit or EPA identification number must be used, MRC must comply with all of BellSouth's permit conditions and environmental processes, including environmental "best management practices (BMP)" (see Section 2, below) and/or selection of BellSouth disposition vendors and disposal sites.
- Environmental and Safety Indemnification. BellSouth and MRC shall indemnify, defend and hold harmless the other Party from and against any claims (including, without limitation, third-party claims for personal injury or death or real or personal property damage), judgments, damages, (including direct and indirect damages, and punitive damages), penalties, fines, forfeitures, costs, liabilities, interest and losses arising in connection with the violation or alleged violation of any Applicable Law or contractual obligation or the presence or alleged presence of contamination arising out of the acts or omissions of the indemnifying Party, its agents, suppliers, or employees concerning its operations at the Remote Site Location.

#### 2. CATEGORIES FOR CONSIDERATION OF ENVIRONMENTAL ISSUES

- When performing functions that fall under the following Environmental categories on BellSouth's Remote Site Location, MRC agrees to comply with the applicable sections of the current issue of BellSouth's Environmental and Safety Methods and Procedures (M&Ps), incorporated herein by this reference. MRC further agrees to cooperate with BellSouth to ensure that MRC's employees, agents, and/or suppliers are knowledgeable of and satisfy those provisions of BellSouth's Environmental M&Ps which apply to the specific Environmental function being performed by MRC, its employees, agents and/or suppliers.
- 2.1.1 The most current version of reference documentation must be requested from MRC's BellSouth Account Team Collocation Coordinator (ATCC) Representative.

ENVIRONMENTAL CATEGORIES	ENVIRONMENTAL ISSUES	ADDRESSED BY THE FOLLOWING DOCUMENTATION
Disposal of hazardous material or other regulated material	Compliance with all applicable local, state, & federal laws and regulations	• Std T&C 450
(e.g., batteries, fluorescent tubes,		

solvents & cleaning materials)	Pollution liability insurance	Fact Sheet Series 17000
	EVET approval of supplier	• Std T&C 660-3
		Approved Environmental Vendor List (Contact ATCC Representative)
Emergency response	Hazmat/waste release/spill fire safety emergency	<ul> <li>Fact Sheet Series 1700</li> <li>Building Emergency Operations Plan (EOP)         (specific to and located on Remote Site Location)     </li> </ul>
Contract labor/outsourcing for services with environmental implications to be performed on BellSouth Remote Site	Compliance with all applicable local, state, & federal laws and regulations	• Std T&C 450
Location (e.g., disposition of hazardous material/waste; maintenance of storage	Performance of services in accordance with BST's environmental M&Ps	<ul> <li>Std T&amp;C 450-B</li> <li>(Contact ATCC Representative for copy of appropriate E/S M&amp;Ps.)</li> </ul>
tanks)	Insurance	• Std T&C 660
Transportation of hazardous material	Compliance with all applicable local, state, & federal laws and regulations	<ul><li>Std T&amp;C 450</li><li>Fact Sheet Series 17000</li></ul>
	Pollution liability insurance	• Std T&C 660-3
	EVET approval of supplier	Approved Environmental Vendor List (Contact ATCC Representative)
Maintenance/operations work which may produce a waste	Compliance with all applicable local, state, & federal laws and regulations	Std T&C 450
Other maintenance work	Protection of BST employees and equipment	<ul> <li>29CFR 1910.147 (OSHA Standard)</li> <li>29CFR 1910 Subpart O (OSHA Standard)</li> </ul>
Janitorial services	All waste removal and disposal must conform to all applicable federal, state and local regulations	Procurement Manager (CRES Related Matters)- BST Supply Chain Services
	All Hazardous Material and Waste	• Fact Sheet Series 17000
	Asbestos notification and protection of employees and equipment	<ul> <li>GU-BTEN-001BT, Chapter 3</li> <li>BSP 010-170-001BS (Hazcom)</li> </ul>
Manhole cleaning	Compliance with all applicable local, state, & federal laws and regulations	<ul> <li>Std T&amp;C 450</li> <li>Fact Sheet 14050</li> <li>BSP 620-145-011PR Issue A, August 1996</li> </ul>
	Pollution liability insurance	• Std T&C 660-3
	EVET approval of supplier	Approved Environmental Vendor List (Contact ATCC Representative)
Removing or disturbing building materials that may contain asbestos	Asbestos work practices	GU-BTEN-001BT, Chapter 3 For questions regarding removing or disturbing materials that contain asbestos, call the BST Bldg Svc Center: AL,MS,TN,KY & LA (local area code)557-6194 FL, GA, NC & SC (local area code) 780-2740

#### 3. **DEFINITIONS**

<u>Generator</u>. Under RCRA, the person whose act produces a Hazardous Waste, as defined in 40 CFR 261, or whose act first causes a Hazardous Waste to become subject to regulation. The Generator is legally responsible for the proper management and disposal of Hazardous Wastes in accordance with regulations.

<u>Hazardous Chemical</u>. As defined in the U.S. Occupational Safety and Health (OSHA) hazard communication standard (29 CFR 1910.1200), any chemical which is a health hazard or physical hazard.

Hazardous Waste. As defined in section 1004 of RCRA.

<u>Imminent Danger</u>. Any conditions or practices at a remote site location which are such that a danger exists which could reasonably be expected to cause immediate death or serious harm to people or immediate significant damage to the environment or natural resources.

Spill or Release. As defined in Section 101 of CERCLA.

#### 4. ACRONYMS

ATCC – Account Team Collocation Coordinator

BST – BellSouth Telecommunications

<u>CRES</u> – Corporate Real Estate and Services (formerly PS&M)

DEC/LDEC - Department Environmental Coordinator/Local Department Environmental Coordinator

<u>E/S</u> – Environmental/Safety

**EVET - Environmental Vendor Evaluation Team** 

GU-BTEN-001BT - BellSouth Environmental Methods and Procedures

**NESC** - National Electrical Safety Codes

<u>P&SM</u> - Property & Services Management

Std T&C - Standard Terms & Conditions

COLLOCAT	FION - Alabama												Attach	ment: 4	Exhi	bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	USOC			RATES (\$)			d Elec	Svc Order Submitte d Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec		curring		connect				S Rates (\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	DLLOCATION  Physical Collocation 2W Cross Connect, Exchange Port 2W Analog-Res			UEPSR	PE1R2	0.03	12.30	11.80	6.03	5.44		15.66				
+	Physical Collocation 2W Cross Connect, Exchange Port 2W Analog-Res  Physical Collocation 2W Cross Connect, Exchange Port 2W Line Side PBX			UEFSK	FEIRZ	0.03	12.30	11.00	0.03	3.44		15.00				
	Trunk-Bus			UEPSP	PE1R2	0.03	12.30	11.80	6.03	5.44		15.66				
	Train Dao			OEI OI	TETILE	0.00	12.00	11.00	0.00	0.44		10.00				
	Physical Collocation 2W Cross Connect, Exchange Port 2W VG PBX Trunk-Res			UEPSE	PE1R2	0.03	12.30	11.80	6.03	5.44		15.66				
	Physical Collocation 2W Cross Connect, Exchange Port 2W Analog-Bus			UEPSB	PE1R2	0.03	12.30	11.80	6.03	5.44		15.66				
	Physical Collocation 2W Cross Connect, Exchange Port 2W ISDN			UEPSX	PE1R2	0.03	12.30	11.80	6.03	5.44		15.66				
	Physical Collocation 2W Cross Connect, Exchange Port 2W ISDN			UEPTX	PE1R2	0.03	12.30	11.80	6.03	5.44		15.66				<u> </u>
	Physical Collocation 4W Cross Connect, Exchange Port 4W ISDN DS1			UEPEX	PE1R4	0.05	12.39	11.87	6.39	5.73		15.66				
	DLLOCATION  Disconsist College Application For Initial		-	01.0	DE4D4		4.070.40	4.070.40						-	1	<del>                                     </del>
	Physical Collocation-Application Fee-Initial Physical Collocation-Application Fee-Subsequent		-	CLO CLO	PE1BA PE1CA	-	1,879.48 1,566.60	1,879.48 1,566.60		<b> </b>	<b></b>	-	-	-	-	
	Physical Collocation-Application Fee-Subsequent Physical Collocation-Cageless-Application Fee		-	CLO	PE1CA PE1CH	1	1,205.26	1,205.26	1	-	1	1		1	1	1
<del>- 1</del>	Physical Collocation Administrative Only-Application Fee			CLO	PE1BL		742.15	1,200.20		<b> </b>						<del>                                     </del>
	Physical Collocation-Space Preparation-Firm Order Processing			CLO	PE1SJ		600.71	600.71								
	Physical Collocation-Space Preparation-CO Modification per sq ft			CLO	PE1SK	1.96	000	000								
	Physical Collocation-Space Preparation-Common Systems Modification per sq ft-Cageless			CLO	PE1SL	2.62										
	Physical Collocation-Space Preparation-Common Systems Modification per Cage			CLO	PE1SM	88.86										
	Physical Collocation-Cable Installation			CLO	PE1BD		859.71	859.71	22.49	22.49						
	Physical Collocation-Floor Space per sq ft			CLO	PE1PJ	3.22										
	Physical Collocation-Cable Support Structure, Per Entrance Cable			CLO	PE1PM	17.11										
	Physical Collocation-Cageless-Cable Support Structure			CLO	PE1CJ	14.97										
	Physical Collocation-Power -48V DC Power, per Fused Amp			CLO	PE1PL	7.83										
	Physical Collocation-Power Reduction, Application Fee			CLO	PE1PR	4.04	399.51									
	Physical Collocation-120V, Single Phase Standby Power Rate			CLO CLO	PE1FB PE1FD	4.91 9.84										
	Physical Collocation-240V, Single Phase Standby Power Rate Physical Collocation-120V, Three Phase Standby Power Rate			CLO	PE1FD PE1FE	14.74										
+	Physical Collocation-120V, Three Phase Standby Power Rate			CLO	PE1FG	34.06										
	Thysical Conscalor 2777, finee France Clanaby Fore France			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,UDL,UNCVX,UN	12110	04.00										
	Physical Collocation-2W Cross-Connects			LDX,UNCNX	PE1P2	0.03	12.30	11.80	6.03	5.44						
				CLO,UAL,UDL,UDN,												
				UEA,UHL,UNCVX,U												
	Physical Collocation-4W Cross-Connects			NCDX,UCL	PE1P4	0.05	12.39	11.87	6.39	5.73						
	Physical Collocation-DS1 Cross-Connects			CLO,UEANL,UEQ,W DS1L,WDS1S,USL, U1TD1,UXTD1,UNC1 X,ULDD1,USLEL,UN LD1.UDL	PE1P1	1.11	22.03	15.93	6.40	5.79						
	. Trystal Companion Do Foreign Commond			CLO,UE3,U1TD3,UX TD3,UXTS1,UNC3X, UNCSX,ULDD3,U1T S1,ULDS1,UNLD3,U		1.11	22.00	10.33	0.40	5.19						
	Physical Collocation-DS3 Cross-Connects			DL	PE1P3	14.16	20.89	15.20	7.38	5.92						
	Physical Collocation-2-Fiber Cross-Connect			CLO,ULDO3,ULD12, ULD48,U1TO3,U1T1 2,U1T48,UDLO3,UD L12,UDF	PE1F2	2.81	20.89	15.20	7.38	5.92						
	Physical Collocation-Cageless-2 Fiber Cross Connect			CLO,ULDO3,ULD12, ULD48,U1TO3,U1T1 2,U1T48,UDLO3,UD L12,UDF	PE1CK	2.84	20.89	15.20	7.38	5.92						

Version 4Q02: 12/18/02 Page 1 of 40

COLLOCA	TION - Alabama			<del>.</del>									Attach	ment: 4	Exhi	bit: B
											Svc	Svc	Incremental	Incremental	Incremental	Incremental
											Order	Order	Charge -	Charge -	Charge -	Charge -
			<b>-</b>									Submitte	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS		Zon	BCS	USOC			RATES (\$)			d Elec	d	Order vs.	Order vs.	Order vs.	Order vs.
		m	е					. ,				Manually	Electronic-	Electronic-	Electronic-	Electronic-
											per Lor	per LSR	1st	Add'I	Disc 1st	Disc Add'l
												per Lor	130	Addi	Disc 1st	Disc Add I
						Rec		curring		connect				S Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
				CLO,ULDO3,ULD12,												
				ULD48,U1TO3,U1T1												
				2,U1T48,UDLO3,UD												
	Physical Collocation-4-Fiber Cross-Connect		<u> </u>	L12,UDF	PE1F4	4.99	25.55	19.86	9.71	8.25						
				CLO,ULDO3,ULD12,												
				ULD48,U1TO3,U1T1												
	Physical Collocation-Cageless-4-Fiber Cross-Connect			2,U1T48,UDLO3,UD L12,UDF	PE1CL	5.69	25.55	19.86	9.71	8.25						
	Physical Collocation-Cageless-4-Fiber Cross-Connect  Physical Collocation-Welded Wire Cage-First 100 sq ft			CLO	PE1BW	156.33	25.55	19.86	9.71	8.23						
	Physical Collocation-Welded Wire Cage-First 100 sq ft  Physical Collocation-Welded Wire Cage-Add'l 50 sq ft			CLO	PE1CW	15.34										-
	Physical Collocation-Weided Wife Cage-Add 1 50 Sq ft  Physical Collocation-Security Access System-Security System per CO			CLO	PE1AX	45.70										
	Physical Collocation-Security Access System-New Access Card Activation, per			CLO	FEIAA	45.70										
	Card		1	CLO	PE1A1	0.05	27.79	27.79								I
<del>                                     </del>	Physical Collocation-Security Access System-Administrative Change, existing		1	CLU	FLIAI	0.00	21.19	21.19			<b></b>	<b> </b>			<b>†</b>	<b>†</b>
	Access Card, per Request, per State, per Card		1	CLO	PE1AA		7.79	7.79								I
<del>-  </del>	Physical Collocation-Security Access System-Replace Lost or Stolen Card, per		<del>                                     </del>	OLO	LIAA	+	1.13	1.13			1	<u> </u>			<b>†</b>	<b>-</b>
	Card			CLO	PE1AR		22.78	22.78								
	Physical Collocation-Security Access-Initial Key, per Key			CLO	PE1AK		13.10	13.10								
	I hysical consocitor occurry necess initial ney, per ney			OLO	1 = 1741	1	10.10	10.10				1				
	Physical Collocation-Security Access-Key, Replace Lost or Stolen Key, per Key			CLO	PE1AL		13.10	13.10								
	Physical Collocation-Space Availability Report per premises			CLO	PE1SR		1.075.17	1,075.17								
				UEANL,UEA,UDN,U			.,	.,								
				DC,UAL,UHL,UCL,U												
				EQ,CLO,UDL,UNCV												
	POT Bay Arrangements prior to 6/1/99-2W Cross-Connect, per cross-connect			X,UNCDX,UNCNX	PE1PE	0.08										
				UEANL,UEA,UDN,U												
				DC,UAL,UHL,UCL,U												
				EQ,CLO,USL,UNCV												
	POT Bay Arrangements prior to 6/1/99-4W Cross-Connect, per cross-connect			X,UNCDX	PE1PF	0.17										
				UEANL,UEA,UDN,U												
				DC,UAL,UHL,UCL,U												
				EQ,CLO,WDS1L,WD												
	POT Bay Arrangements prior to 6/1/99-DS1 Cross-Connect, per cross-connect			S1S,USL,U1TD1,UX TD1,UNC1X,ULDD1,	PE1PG	1.20										
	POT Bay Arrangements prior to 6/1/99-DST Cross-Connect, per cross-connect			UEANL,UEA,UDN,U	PEIPG	1.20										-
				DC,UAL,UHL,UCL,U												
				EQ,CLO,UE3,U1TD3												
				,UXTD3,UXTS1,UNC												
				3X,UNCSX,ULDD3,U												
				1TS1,ULDS1,UNLD3												
	POT Bay Arrangements prior to 6/1/99-DS3 Cross-Connect, per cross-connect			,UDL,UDLSX	PE1PH	10.67						ļ				
				UEANL,UEA,UDN,U												
				DC,UAL,UHL,UCL,U												
				EQ,CLO,ULDO3,ULD												
				12,ULD48,U1TO3,U1												
	POT Bay Arrangements prior to 6/1/99-2-Fiber Cross-Connect, per cross-			T12,U1T48,UDLO3,U												
	connect		<del>                                     </del>	DL12,UDF	PE1B2	36.40					ļ	<u> </u>		1	1	1
				UEANL,UEA,UDN,U												1
				DC,UAL,UHL,UCL,U												1
				EQ,CLO,ULDO3,ULD 12,ULD48,U1TO3,U1												1
	POT Ray Arrangements prior to 6/1/00.4 Fiber Cross Connect, per cross			T12,ULD48,U11O3,U1												1
	POT Bay Arrangements prior to 6/1/99-4-Fiber Cross-Connect, per cross- connect		1	DL12,U1148,UDL03,U	PE1B4	49.09										I
	Physical Collocation-Request Resend of CFA Information, per CLLI		<del>                                     </del>	CLO	PE1B4 PE1C9	49.09	77.56					<u> </u>			<del> </del>	<del>                                     </del>
<b></b>	NRC Collocation Cable Records-per request		$\vdash$	CLO	PE1C9 PE1CR		759.29	488.11	133.00	133.00	1	<del>                                     </del>		1	1	<del>                                     </del>
	nato conceation dable recolus-per request		₩			<del>                                     </del>					<del>                                     </del>	<del>                                     </del>	<b> </b>	-	<b>I</b>	<del>                                     </del>
	NRC Collocation, Cable Records-VG/DS0 Cable, per cable record			CLO	PF1CD		326 92	326 92	189 12	189 12						
	NRC Collocation Cable Records-VG/DS0 Cable, per cable record NRC Collocation Cable Records-VG/DS0 Cable, per each 100 pr			CLO CLO	PE1CD PE1CO		326.92 4.81	326.92 4.81	189.12 5.90	189.12 5.90						

Version 4Q02: 12/18/02 Page 2 of 40

COLLOCA	TION - Alabama												Attach	ment: 4	Exhi	bit: B
CATEGORY	RATE ELEMENTS	Interi Zo m e	on e	BCS	USOC			RATES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitte d Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'l
						Rec	Nonrec			sconnect				S Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	NRC Collocation Cable Records-DS3, per T3TIE			CLO	PE1C3		7.88	7.88	9.66	9.66						
	NRC Collocation Cable Records-Fiber Cable, per 99 fiber records			CLO	PE1CB		84.49	84.49	77.13	77.13						
	Physical Collocation-Security Escort-Basic, per Half Hour			CLO,CLORS	PE1BT		16.93	10.73								
	Physical Collocation-Security Escort-Overtime, per Half Hour			CLO,CLORS	PE10T		22.05	13.86								
	Physical Collocation-Security Escort-Premium, per Half Hour			CLO,CLORS	PE1PT		27.17	16.98							1	
	V to P Conversion, Per Customer Request-DS0 V to P Conversion, Per Customer Request-DS1			CLO CLO	PE1BO PE1B1		33.00 52.00				-					
	V to P Conversion, Per Customer Request-DS1  V to P Conversion, Per Customer request-DS3			CLO	PE1B1		52.00									
	V to P Conversion, Per Customer Request per VG Circuit Reconfigured			CLO	PE1BR		23.00									
	V to P Conversion, Per Customer Request per VS Circuit Reconfigured		-	CLO	PE1BP		23.00								<b>†</b>	
	V to P Conversion, Per Customer Request per DS0 Circuit Reconfigured  V to P Conversion, Per Customer Request per DS1 Circuit Reconfigured			CLO	PE1BS		33.00			1	<del>                                     </del>	<del>                                     </del>			t	
<u> </u>	V to P Conversion, Per Customer Request per DS3 Circuit Reconfigured		+	CLO	PE1BE		37.00				1				<b>+</b>	
<del>-  </del>	V to P Conversion, Cable prs Assigned to Collo Space per 700 prs or fraction			0.0	, LIDL		37.00		1	1	1	1			<b>†</b>	
	thereof			CLO	PE1B7		592.00									
	Physical Collocation-Co-Carrier Cross Connects-Fiber Cable Support Structure,															
	per cable, per linear ft.			CLO.UDF	PE1ES	0.0011										
	Physical Collocation-Co-Carrier Cross Connects-Copper/Coax Cable Support			,												
	Structure, per cable, per lin. ft.			CLO,UE3,USL	PE1DS	0.0016										
	Physical Collocation-Co-Carrier Cross Connects Only-Application Fee, per															
	application			CLO	PE1DT		584.22									
ADJACENT C	OLLOCATION															
	Adjacent Collocation-Space Charge per sq ft			CLOAC	PE1JA	0.14										
	Adjacent Collocation-Electrical Facility Charge per Linear Ft.			CLOAC	PE1JC	5.41										
	Adjacent Collocation-2W Cross-Connects			CLOAC	PE1P2	0.02	12.30	11.80	6.03	5.44						
				UEA,UHL,UDL,UCL,												
	Adjacent Collocation-4W Cross-Connects			CLOAC	PE1P4	0.04	12.39	11.87	6.39	5.73						
	Adjacent Collocation-DS1 Cross-Connects			USL,CLOAC	PE1P1	1.03	22.03	15.93	6.40							
	Adjacent Collocation-DS3 Cross-Connects			CLOAC	PE1P3	13.95	20.89	15.20	7.38	5.92						
	Adjacent Collocation-2-Fiber Cross-Connect			CLOAC	PE1F2	2.36	20.89	15.20	7.38	5.92						
	Adjacent Collocation-4-Fiber Cross-Connect			CLOAC	PE1F4	4.52	25.55	19.86	9.71	8.25					1	
	Adjacent Collocation-Application Fee		-	CLOAC	PE1JB		1,576.69								-	
	Adjacent Collocation-120V, Single Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FB	4.91										
	Adjacent Collocation-240V, Single Phase Standby Power Rate per AC Breaker			CLOAC	FEIFB	4.91										
	Amp			CLOAC	PE1FD	9.84										
	Adjacent Collocation-120V, Three Phase Standby Power Rate per AC Breaker		-	OLOAG	TEILD	3.04										
	Amp			CLOAC	PE1FE	14.74										
	Adjacent Collocation-277V, Three Phase Standby Power Rate per AC Breaker			OLONO		17.77										
	Amp			CLOAC	PE1FG	34.06										
PHYSICAL C	OLLOCATION IN THE REMOTE SITE															
	Physical Collocation in the Remote Site-Application Fee			CLORS	PE1RA		307.70	307.70	168.22	168.22						
İ	Cabinet Space in the Remote Site per Bay/ Rack			CLORS	PE1RB	201.42										
İ	Physical Collocation in the Remote Site-Security Access-Key		T	CLORS	PE1RD		13.10	13.10			Ì					
İ	Physical Collocation in the Remote Site-Space Availability Report per Premises		T	*							Ì					
	Requested			CLORS	PE1SR		115.87	115.87		<u> </u>	<u> </u>	<u> </u>			<u> </u>	<u> </u>
	Physical Collocation in the Remote Site-Remote Site CLLI Code Request, per		T													
	CLLI Code Requested			CLORS	PE1RE		37.56	37.56		ļ						
	Remote Site DLEC Data (BRSDD), per Compact Disk, per CO			CLORS	PE1RR		233.38									
PHYSICAL C	OLLOCATION IN THE REMOTE SITE - ADJACENT		[													
	Remote Site-Adjacent Collocation-AC Power, per breaker amp	1		CLORS	PE1RS	6.27					<u> </u>					
	Remote Site-Adjacent Collocation-Real Estate, per sq ft	1	ļ	CLORS	PE1RT	0.134				ļ	ļ		ļ		ļ	
	Remote Site-Adjacent Collocation-Application Fee			CLORS	PE1RU		755.62	755.62		ļ	1	ļ				
	: If Security Escort and/or Add'l Engineering Fees become necessary for remo	te site c	ollo	cation, the Parties w	ill negotia	te appropr	ate rates.				<u> </u>				-	
VIRTUAL CO				AMTFS	F		4.005.00	4.005.05		2.5	1	45.00	1		<b>.</b>	
		1	1	AMILES	EAF	l	1,205.26	1,205.26	0.51	0.51	1	15.66	I	ı	1	l
	Virtual Collocation-Application Fee Virtual Collocation-Cable Installation Cost, per cable			AMTFS	ESPCX		859.71	859.71	22.49	22.49	1	15.66				

Version 4Q02: 12/18/02 Page 3 of 40

COLLOCA	TION - Alabama												Attach	ment: 4	Exhi	ibit: B
CATEGORY		Interi m	Zon e	BCS	USOC			RATES (\$)			d Elec	Svc Order Submitte d Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge -	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec		curring		connect	201150			S Rates (\$)		
	Vistoria Collegation Proven and transferred and			ANATEO	FODAY	7.00	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Virtual Collocation-Power, per fused amp  Virtual Collocation-Cable Support Structure, per entrance cable			AMTFS AMTFS	ESPAX ESPSX	7.83 14.97										+
	Virtual Collocation-Cable Support Structure, per entrance cable			UEANL,UEA,UDN,U	ESPSX	14.97										
				DC,UAL,UHL,UCL,U EQ,AMTFS,UDL,UN CVX,UNCDX,UNCN												
	Virtual Collocation-2W Cross Connects (loop)			X	UEAC2	0.03	12.30	11.80	6.03	5.44		15.66				
	Thirds Consodion 211 Gross Commons (1995)			UEA,UHL,UCL,UDL,	O L/ (O L	0.00	12.00	11.00	0.00	0		10.00				
				AMTFS,UAL,UDN,U												
	Virtual Collocation-4W Cross Connects (loop)			NCVX,UNCDX	UEAC4	0.05	12.39	11.87	6.39	5.73		15.66				
				AMTFS,UDL12,UDL												
				O3,U1T48,U1T12,U1												
				T03,ULDO3,ULD12,												
	Virtual Collocation-2-Fiber Cross Connects			ULD48,UDF	CNC2F	2.84	20.89	15.20	7.38	5.92		15.66				
				AMTFS,UDL12,UDL												
				O3,U1T48,U1T12,U1												
				T03,ULDO3,ULD12,												
	Virtual Collocation-4-Fiber Cross Connects			ULD48,UDF	CNC4F	5.69	25.55	19.86	9.71	8.25		15.66				
				USL,ULC,AMTFS,UL												Ì
				R,UXTD1,UNC1X,UL												
				DD1,U1TD1,USLEL,												
	Virtual collocation-Special Access & UNE, cross-connect per DS1			UNLD1	CNC1X	1.11	22.03	15.93	6.40	5.79		15.66				
	Virtual collocation-Special Access & UNE, cross-connect per DS3			USL,ULC,AMTFS,UE 3,U1TD3,UXTS1,UX TD3,UNC3X,UNCSX, ULDD3,U1TS1,ULDS 1,UDLSX,UNLD3	CND3X	14.16	20.89	15.20	7.38	5.92		15.66				
	Virtual Collocation-Co-Carrier Cross Connects-Fiber Cable Support Structure,															1
	per linear foot			AMTFS	VE1CB	0.0026										
	Virtual Collocation-Co-Carrier Cross Connects-Copper/Coax Cable Support															
	Structure, per linear ft			AMTFS	VE1CD	0.0038										
	Virtual Collocation-Co-Carrier Cross Connects-Fiber Cable Support															
	Structure,per cable			AMTFS	VE1CC		535.37					15.66				
	Virtual Collocation-Co-Carrier Cross Connects-Copper/Coax Cable Support															
	Structure, per cable			AMTFS	VE1CE		535.37					15.66				
	Virtual Collocation Cable Records-per request			AMTFS	VE1BA		1,518.57	1,518.57	265.99	265.99		15.66				
	Virtual Collocation Cable Records-VG/DS0 Cable, per cable record			AMTFS	VE1BB		653.83	653.83	378.24	378.24		15.66				<u> </u>
	Virtual Collocaiton Cable Records-VG/DS0 Cable, per each 100 pr			AMTFS	VE1BC		9.62	9.62	11.79	11.79		15.66		ļ	ļ	<b>!</b>
	Virtual Collocation Cable Records-DS1, per T1TIE			AMTFS	VE1BD		4.50	4.50	5.52	5.52		15.66		ļ	ļ	<b>ļ</b>
	Virtual Collocation Cable Records-DS3, per T3TIE			AMTFS	VE1BE		15.75	15.75	19.32	19.32		15.66		ļ	ļ	<b>!</b>
	Virtual Collocation Cable Records-Fiber Cable, per 99 fiber records			AMTFS	VE1BF		168.97	168.97	154.25	154.25		15.66			ļ	<b>↓</b>
	Virtual collocation-Security Escort-Basic, per half hour			AMTFS	SPTBX		16.93	10.73				15.66			<u> </u>	ļ
	Virtual collocation-Security Escort-Overtime, per half hour			AMTFS	SPTOX		22.05	13.86				15.66			ļ	<b>↓</b>
	Virtual collocation-Security Escort-Premium, per half hour			AMTES	SPTPX		27.17	16.98				15.66			1	<del>                                     </del>
	Virtual collocation-Maintenance in CO-Basic, per half hour			AMTES	CTRLX		27.93	10.73			<b> </b>	15.66		-	<del> </del>	<del>                                     </del>
	Virtual collocation-Maintenance in CO-Overtime, per half hour	-		AMTES	SPTOM		36.47	13.86				15.66			<del>                                     </del>	<del> </del>
WIDTHAL CO	Virtual collocation-Maintenance in CO-Premium per half hour	-		AMTFS	SPTPM		45.02	16.98			1	15.66		<b> </b>	<del>                                     </del>	<del> </del>
VIKTUAL CO	LLOCATION  Nitrius Collegation 2W Cross Connect Evaluate Part 2W Applies Res			LIEDOD	VEADO	0.03	40.00	44.00	0.00	E 44		15.00			<b>_</b>	<del> </del>
	Virtual Collocation-2W Cross Connect, Exchange Port 2W Analog-Res			UEPSR	VE1R2	0.03	12.30	11.80	6.03	5.44	1	15.66		<b> </b>	<del>                                     </del>	<del> </del>
	Virtual Collocation 2W Cross Connect, Exchange Port 2W Line Side PBX Trunk			UEPSP	VE1R2	0.03	12.30	44.00	0.00	E 44		15.00				
	Virtual Collocation 2W Cross Connect, Exchange Port 2W VG PBX Trunk-Res			UEPSP	VE1R2	0.03	12.30	11.80 11.80	6.03	5.44 5.44	-	15.66 15.66			+	+
$\rightarrow$				UEPSB	VE1R2	0.03	12.30	11.80	6.03	5.44	-	15.66		1	<del>                                     </del>	+
	Virtual Collocation 2W Cross Connect, Exchange Port 2W Analog Bus Virtual Collocation 2W Cross Connect, Exchange Port 2W ISDN			UEPSK	VE1R2	0.03	12.30	11.80	6.03	5.44	-	15.66			<del> </del>	<del> </del>
						0.03					-			-	<del>                                     </del>	<del> </del>
	Virtual Collocation 2W Cross Connect, Exchange Port 2W ISDN  Virtual Collocation 4W Cross Connect, Exchange Port 4W ISDN DS1			UEPTX UEPEX	VE1R2 VE1R4	0.03	12.30 12.39	11.80 11.87	6.03	5.44 5.44	-	15.66 15.66			<del> </del>	<del> </del>
1																

Version 4Q02: 12/18/02 Page 4 of 40

ICOLL OC	ATION - Florida												Attach	ment: 4	Evhi	ibit: B
CATEGORY		Interi m	Zon e	BCS	USOC			RATES (\$)			Svc Order Submitte d Elec per LSR	d	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge -	Incremental Charge -
		<u> </u>				Rec	Nonrec First	urring Add'l	NRC Dis	Add'I	COMEC	SOMAN	OS SOMAN	S Rates (\$) SOMAN	SOMAN	SOMAN
							FIFSt	Addi	FIRST	Add I	SUMEC	SUMAN	SOWAN	SOWAN	SUMAN	SOWAN
PHYSICAL	COLLOCATION															
	Physical Collocation 2W Cross Connect, Exchange Port 2W Analog-Res			UEPSR	PE1R2	0.0276	8.22	7.22				11.90				
	Physical Collocation 2W Cross Connect, Exchange Port 2W Line Side PBX															
	Trunk-Bus  Physical Callegation 3W Green Connect Fushering Part 3W VC PRV Trunk		-	UEPSP	PE1R2	0.0276	8.22	7.22				11.90				
	Physical Collocation 2W Cross Connect, Exchange Port 2W VG PBX Trunk- Res			UEPSE	PE1R2	0.0276	8.22	7.22				11.90				
	Physical Collocation 2W Cross Connect, Exchange Port 2W Analog-Bus			UEPSB	PE1R2	0.0276	8.22	7.22				11.90				
	Physical Collocation 2W Cross Connect, Exchange Port 2W ISDN			UEPSX	PE1R2	0.0276	8.22	7.22				11.90				
	Physical Collocation 2W Cross Connect, Exchange Port 2W ISDN			UEPTX	PE1R2	0.0276	8.22	7.22				11.90				
	Physical Collocation 4W Cross Connect, Exchange Port 4W ISDN DS1	<u> </u>		UEPEX	PE1R4	0.0552	8.42	7.36				11.90				
PHYSICAL	COLLOCATION  Physical Collocation-Application Fee-Initial	<del>                                     </del>	1	CLO	PE1BA		2.597.00				<del>                                     </del>	-			1	1
	Physical Collocation-Application Fee-Initial Physical Collocation-Application Fee-Subsequent	1	1	CLO	PE1BA PE1CA		2,597.00								<u> </u>	1
	Physical Collocation Administrative Only-Application Fee	-		CLO	PE1BL		742.00									
	Physical Collocation-Space Preparation-Firm Order Processing			CLO	PE1SJ		288.93									
	Physical Collocation-Space Preparation-CO Modification per sq ft			CLO	PE1SK	2.38										
	Physical Collocation-Space Preparation-Common Systems Modification per															
	Cage Physical Collocation-Cable Installation per Cable	<u> </u>		CLO CLO	PE1SM PE1BD	92.55	1,750.00		45.16							
	Physical Collocation-Floor Space per sq ft			CLO	PE1PJ	7.86	1,730.00		43.10							
	Physical Collocation-Cable Support Structure, Per Entrance Cable			CLO	PE1PM	18.96										
	Physical Collocation-Power, per Fused Amp			CLO	PE1PL	7.80										
	Physical Collocation-Power Reduction, Application Fee			CLO	PE1PR		399.43									
	Physical Collocation-120V, Single Phase Standby Power Rate			CLO	PE1FB	5.38										
	Physical Collocation-240V, Single Phase Standby Power Rate Physical Collocation-120V, Three Phase Standby Power Rate		1	CLO CLO	PE1FD PE1FE	10.77 16.15									-	
	Physical Collocation-277V, Three Phase Standby Power Rate			CLO	PE1FG	37.30										
	Physical Collocation-2W Cross-Connects			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,UDL,UNCVX,UN LDX,UNCNX	PE1P2	0.0276	8.22	7.22	5.74	4.58						
	Physical Collegation 4W Cross Connects			CLO,UAL,UDL,UDN, UEA,UHL,UNCVX,U NCDX,UCL	PE1P4	0.0552	8.42	7.36	5.90	4.66						
	Physical Collocation-4W Cross-Connects			CLO,UEANL,UEQ,W	PE IP4	0.0552	0.42	7.30	5.90	4.00						
	Physical Collocation-DS1 Cross-Connects			DS1L,WDS1S,USL, U1TD1,UXTD1,UNC1 X,ULDD1,USLEL,UN LD1,UDL CLO,UE3,U1TD3,UX	PE1P1	1.32	27.77	15.52	5.93	4.77						
	Physical Collocation-DS3 Cross-Connects			TD3,UXTS1,UNC3X, UNCSX,ULDD3,U1T S1,ULDS1,UNLD3,U DL	PE1P3	16.81	25.48	14.05	7.77	5.01						
	Physical Collocation-2-Fiber Cross-Connect			CLO,ULDO3,ULD12, ULD48,U1TO3,U1T1 2,U1T48,UDLO3,UD L12,UDF CLO.ULDO3,ULD12.	PE1F2	3.34	41.94	30.52	13.91	11.16						
	Physical Collocation-4-Fiber Cross-Connect			ULD48,U1TO3,U1T1 2,U1T48,UDLO3,UD L12,UDF	PE1F4	5.92	51.30	39.87	18.29	15.54						
1 1	Physical Collocation-Welded Wire Cage-First 100 sq ft	<u> </u>		CLO CLO	PE1BW PE1CW	189.45										
<del> </del>	Physical Collocation-Welded Wire Cage-Add'l 50 sg ft					18.58										

COLLOCA	ATION - Florida												Attachi	ment: 4	Fyhi	bit: B
OOLLOO											Svc	Svc	Incremental	Incremental	Incremental	Incremental
											Order	Order	Charge -	Charge -	Charge -	Charge -
			<b>-</b>								I	Submitte	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zon	BCS	USOC		1	RATES (\$)			d Elec	d	Order vs.	Order vs.	Order vs.	Order vs.
		m	е									Manually	Electronic-	Electronic-	Electronic-	Electronic-
											por Lore	per LSR	1st	Add'I	Disc 1st	Disc Add'l
												per Lor			Disc 1st	DISC Add I
						Rec	Nonrec			connect				S Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Physical Collocation-Security Access System-New Access Card Activation, per															
	Card			CLO	PE1A1	0.0577	55.80									
	Physical Collocation-Security Access System-Administrative Change, existing			CLO	DE444		15.65									
-	Access Card, per Request, per State, per Card  Physical Collocation-Security Access System-Replace Lost or Stolen Card, per			CLO	PE1AA		15.05									
	Card			CLO	PE1AR		45.75									
	Physical Collocation-Security Access-Initial Key, per Key			CLO	PE1AK		26.30									
	1 Hydrodi Collocation Coounty 7100000 Hittar Ney; per Ney			020	1 = 17 (1)		20.00									
	Physical Collocation-Security Access-Key, Replace Lost or Stolen Key, per Key			CLO	PE1AL		26.30									
	Physical Collocation-Space Availability Report per premises			CLO	PE1SR		2,159.00									
				UEANL,UEA,UDN,U			·									
				DC,UAL,UHL,UCL,U												
				EQ,CLO,UDL,UNCV												
	POT Bay Arrangements prior to 6/1/99-2W Cross-Connect, per cross-connect	ı		X,UNCDX,UNCNX	PE1PE	0.00										
				UEANL,UEA,UDN,U												
				DC,UAL,UHL,UCL,U												
	DOT D A	١.		EQ,CLO,USL,UNCV	DE4DE	0.00										
	POT Bay Arrangements prior to 6/1/99-4W Cross-Connect, per cross-connect		-	X,UNCDX UEANL,UEA,UDN,U	PE1PF	0.00										
				DC,UAL,UHL,UCL,U												
				EQ,CLO,WDS1L,WD												
				S1S.USL.U1TD1.UX												
	POT Bay Arrangements prior to 6/1/99-DS1 Cross-Connect, per cross-connect	1 1		TD1,UNC1X,ULDD1,	PE1PG	0.00										
	, , , , , , , , , , , , , , , , , , ,			UEÁNL,UEÁ,UDN,Ú												
				DC,UAL,UHL,UCL,U												
				EQ,CLO,UE3,U1TD3												
				,UXTD3,UXTS1,UNC												
				3X,UNCSX,ULDD3,U												
	POT Bay Arrangements prior to 6/1/99-DS3 Cross-Connect, per cross-connect	١.		1TS1,ULDS1,UNLD3 ,UDL,UDLSX	PE1PH	0.00										
	POT Bay Arrangements prior to 6/1/99-DS3 Cross-Connect, per cross-connect			UEANL,UEA,UDN,U	PEIPH	0.00										
				DC.UAL.UHL.UCL.U												
				EQ,CLO,ULDO3,ULD												
				12,ULD48,U1TO3,U1												
	POT Bay Arrangements prior to 6/1/99-2-Fiber Cross-Connect, per cross-			T12,U1T48,UDLO3,U												
	connect	1		DL12,UDF	PE1B2	0.00										
				UEANL,UEA,UDN,U												
		1	1	DC,UAL,UHL,UCL,U	1											1
		l		EQ,CLO,ULDO3,ULD												
		1	1	12,ULD48,U1TO3,U1	1											1
	POT Bay Arrangements prior to 6/1/99-4-Fiber Cross-Connect, per cross-	1	1	T12,U1T48,UDLO3,U	1											1
	connect	- 1	<u> </u>	DL12,UDF	PE1B4	0.00										ļ
	Physical Collocation-Request Resend of CFA Information, per CLLI		1	CLO	PE1C9		77.54	05	00= =:		<u> </u>				ļ	ļ
<del>  </del>	NRC Collocation Cable Records-per request	<b> </b>	1	CLO	PE1CR		1,525.00	980.22			1				1	<del> </del>
<del>                                     </del>	NRC Collocation Cable Records-VG/DS0 Cable, per cable record		<del>                                     </del>	CLO CLO	PE1CD		656.50	656.50	379.78	14.04	<b> </b>				<b> </b>	
<del>                                     </del>	NRC Collocation Cable Records-VG/DS0 Cable, per each 100 pr NRC Collocation Cable Records-DS1, per T1TIE		<b>!</b>	CLO	PE1CO PE1C1		9.66 4.52	9.66 4.52	11.84 5.54	11.84 5.54	1				+	-
<del>                                     </del>	NRC Collocation Cable Records-DS1, per 11 HE NRC Collocation Cable Records-DS3, per T3TIE	<b>-</b>	1	CLO	PE1C1		15.82	15.82	19.40	19.40	1	1			1	1
	NRC Collocation Cable Records-DS3, per 13 TE  NRC Collocation Cable Records-Fiber Cable, per 99 fiber records	<del>                                     </del>	<del>                                     </del>	CLO	PE1C3		169.67	169.67	154.89	154.89	1				1	1
	Physical Collocation-Security Escort-Basic, Per Quarter Hour		<del>                                     </del>	CLO	PE1BQ		10.89	103.07	104.03	154.09	1				†	1
	Physical Collocation-Security Escort-Overtime, Per Quarter Hour		1	CLO	PE10Q		13.64								İ	
<b> </b>	Physical Collocation-Security Escort-Premium, Per Quarter Hour		<u> </u>	CLO	PE1PQ		16.40								İ	
	Physical Collocation-Security Escort-Basic, per Half Hour		<u> </u>	CLO,CLORS	PE1BT		33.99	21.54							İ	
	Physical Collocation-Security Escort-Overtime, per Half Hour			CLO,CLORS	PE10T		44.27	27.82								
	Physical Collocation-Security Escort-Premium, per Half Hour			CLO,CLORS	PE1PT		54.55	34.10								<u> </u>
	V to P Conversion, Per Customer Request-VG			CLO	PE1BV		33.00									
	V to P Conversion, Per Customer Request-DS0			CLO	PE1BO		33.00									
	V to P Conversion, Per Customer request-DS3	Ī	1	CLO	PE1B3		52.00		1		1					

Version 4Q02: 12/18/02 Page 6 of 40

COLL	OCA	TION - Florida												Attach	ment: 4	Exhi	bit: B
CATEG	SORY	RATE ELEMENTS	Interi m	Zon e	BCS	USOC			RATES (\$)			d Elec	Svc Order Submitte d Manually per LSR	1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
							Rec	Nonrec			sconnect	001450	LOOMAN		S Rates (\$)	001441	000000
		V to P Conversion, Per Customer Request per VG Circuit Reconfigured			CLO	PE1BR		First 23.00	Add'l	First	Addi	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		V to P Conversion, Per Customer Request per VG Circuit Reconfigured  V to P Conversion, Per Customer Request per DS0 Circuit Reconfigured	+	+	CLO	PE1BR PE1BP		23.00									<del> </del>
		V to P Conversion, Per Customer Request per DS0 Circuit Reconfigured  V to P Conversion, Per Customer Request per DS1 Circuit Reconfigured			CLO	PE1BS		33.00									-
		V to P Conversion, Per Customer Request per DS1 Circuit Reconfigured  V to P Conversion, Per Customer Request per DS3 Circuit Reconfigured			CLO	PE1BE		37.00									-
		v to P Conversion, Cable prs Assigned to Collo Space per 700 prs or fraction thereof	<u>'</u>		CLO	PE1B7		592.00									
		Physical Collocation-Co-Carrier Cross Connects-Fiber Cable Support Structure, per cable, per linear ft.			CLO,UDF	PE1ES	0.001										
		Physical Collocation-Co-Carrier Cross Connects-Copper/Coax Cable Support Structure, per cable, per lin. ft.			CLO,UE3,USL	PE1DS	0.0014										
		Physical Collocation-Co-Carrier Cross Connects Only-Application Fee, per			0: 5												1
	.=	application		-	CLO	PE1DT		584.11		ļ	<u> </u>						<b>├</b>
ADJAC	ENT (	COLLOCATION		<del>                                     </del>	01.04.0	DEATA	0.4005					-	ļ			<b>.</b>	<b>├</b>
		Adjacent Collocation-Space Charge per sq ft		<b>├</b> ─	CLOAC	PE1JA	0.1635			<u> </u>	1	1	1		<del> </del>	<del>                                     </del>	<del>                                     </del>
		Adjacent Collocation-Electrical Facility Charge per Linear Ft.		<del>                                     </del>	CLOAC	PE1JC	5.11	04.00	00.00	44	40.00	ļ	ļ	-	<b> </b>	<b>.</b>	<del>                                     </del>
		Adjacent Collocation-2W Cross-Connects		-	CLOAC	PE1P2	0.0213	24.69	23.69	11.77	10.62					1	<del></del>
		Adjacent Collocation-4W Cross-Connects			UEA,UHL,UDL,UCL, CLOAC	PE1P4	0.0426	24.88	23.83	12.04	10.80					1	1
-		Adjacent Collocation-4vv Cross-Connects Adjacent Collocation-DS1 Cross-Connects			USL.CLOAC	PE1P4 PE1P1	1.22	44.24	31.98			1				-	<del></del>
		Adjacent Collocation-DS1 Cross-Connects  Adjacent Collocation-DS3 Cross-Connects			CLOAC	PE1P3	16.56	41.94	30.52	13.91	11.15						<del> </del>
		Adjacent Collocation-2-5 Gross-Connect			CLOAC	PE1F2	2.81	41.94	30.52	13.91	11.16						-
		Adjacent Collocation-4-Fiber Cross-Connect			CLOAC	PE1F4	5.36	51.30	39.87	18.29							
		Adjacent Collocation-Application Fee			CLOAC	PE1JB	0.00	2.785.00	00.01	10.20	10.01					1	
		Adjacent Collocation-120V, Single Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FB	5.38										
		Adjacent Collocation-240V, Single Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FD	10.77										
		Adjacent Collocation-120V, Three Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FE	16.15										
		Adjacent Collocation-277V, Three Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FG	37.30										
		Adjacent Collocation-Cable Support Structure per Entrance Cable			CLOAC	PE1PM	18.96										
PHYSI	CAL C	OLLOCATION IN THE REMOTE SITE															
		Physical Collocation in the Remote Site-Application Fee			CLORS	PE1RA		617.91		328.81							
		Cabinet Space in the Remote Site per Bay/ Rack		1	CLORS	PE1RB	219.49	20.0-		<b></b>	1		<u> </u>	-	1	1	<del>                                     </del>
<b> </b>		Physical Collocation in the Remote Site-Security Access-Key		<b>├</b> ─	CLORS	PE1RD		26.30		<u> </u>	1	1	1		<del> </del>	<del>                                     </del>	<del>                                     </del>
		Physical Collocation in the Remote Site-Space Availability Report per Premises Requested Physical Collocation in the Remote Site-Remote Site CLLI Code Request, per		1	CLORS	PE1SR		232.69									
		CLLI Code Requested			CLORS	PE1RE		75.41									1
1		Remote Site DLEC Data (BRSDD), per Compact Disk, per CO		<del>                                     </del>	CLORS	PE1RR		233.51							1	1	
PHYSI	CAL C	OLLOCATION IN THE REMOTE SITE - ADJACENT			2_30										Ì	1	
Ì		Remote Site-Adjacent Collocation-AC Power, per breaker amp		İ	CLORS	PE1RS	6.27										
		Remote Site-Adjacent Collocation-Real Estate, per sq ft			CLORS	PE1RT											
		Remote Site-Adjacent Collocation-Application Fee			CLORS	PE1RU		755.62	755.62								
		If Security Escort and/or Add'l Engineering Fees become necessary for rem	ote si	te coll	ocation, the Parties w	ill negotia	te appropr	iate rates.									
VIRTU	AL CO	LLOCATION															
		Virtual Collocation-Application Fee/Planning Fee Initial Request Virtual Collocation-Application Fee/Planning Fee Additional Entrance Cable		$\vdash$	AMTFS	EAF		4,122.00			-		11.90				
$\sqcup$		Request		<u> </u>	AMTFS	EAF		1,249.00		ļ		ļ	11.90				<b>↓</b>
<b>  </b>		Virtual Collocation-Cable Installation Cost, per cable		1	AMTES	ESPCX	12.45	965.00		<u> </u>	<u> </u>	<u> </u>	11.90				<del></del>
<b> </b>		Virtual Collocation-Floor Space, per sq ft		1	AMTES	ESPVX	4.25			<b></b>	1		<u> </u>	-	1	1	<del>                                     </del>
-		Virtual Collocation-Power, per fused amp		<del>                                     </del>	AMTES	ESPAX	6.95	-		1	1	1	<u> </u>		-	1	<b>├</b>
		Virtual Collocation-Cable Support Structure, per entrance cable		1	AMTFS	ESPSX	13.35	l						l			<u> </u>

CATEORY   RATE FLEMENTS   Method   Each   RATE (8)   Size   Discrepance   Incompanies   Contract   Charge   C	COLLOCA	TION - Florida												Attachi	nent: 4	Exhi	bit: B
Virtual Collocation-Special Access & LIME, consecurated per DS1			RATE ELEMENTS m e BCS USOC RATES (\$)								Order Submitte d Elec	Order Submitte d Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l	
BEANLEAURN   COLUMB							Rec					SOMEC	SOMAN			SOMAN	SOMAN
URAJELICULUSCA   AMTRE   URAJELICULUSCA   AMTRE   URAJELICULUSCA   URAJE					DC,UAL,UHL,UCL,U EQ,AMTFS,UDL,UN CVX,UNCDX,UNCN	LIE CO.		-		11151	Add I	SOIVIEC		SOWAN	SOWAN	SOWAN	SOWIAN
Virtual Collocation-4W Cross Connects (loog)		Virtual Collocation-2VV Cross Connects (loop)				UEAC2	0.0502	11.57	11.57				11.90				
Virtual Collocation-2-Fiber Cross Connects		Virtual Collocation-4W Cross Connects (loop)			AMTFS,UAL,UDN,U NCVX,UNCDX AMTFS,UDL12,UDL	UEAC4	0.0502	11.57	11.57				11.90				
Virtual Collocation-4-Fiber Cross Connects		Virtual Collocation-2-Fiber Cross Connects			T03,ULD03,ULD12, ULD48,UDF AMTFS,UDL12,UDL	CNC2F	6.71	2,431.00					11.90				
Virtual collocation-Special Access & UNE, cross-connect per DS1																	
Virtual collocation-Special Access & UNE, cross-connect per DS1		Virtual Collocation-4-Fiber Cross Connects			USL,ULC,AMTFS,UL R,UXTD1,UNC1X,UL	CNC4F	6.71	2,431.00					11.90				
Virtual collocation-Special Access & UNE, cross-connect per DS3		Virtual collocation-Special Access & UNE, cross-connect per DS1			UNLD1 USL,ULC,AMTFS,UE	CNC1X	7.50	155.00	14.00				11.90				
Per linear foot					TD3,UNC3X,UNCSX, ULDD3,U1TS1,ULDS	CND3X	56.25	151.90	11.83				11.90				
Virtual Collocation-Co-Carrier Cross Connects-Fiber Cable Support   AMTES   VE1CC   535.54   11.90		per linear foot			AMTFS,CLO	VE1CB	0.0028										
Virtual Collocation-Co-Carrier Cross Connects-Copper/Coax Cable Support   AMTFS   VE10E   535.54     11.90		Virtual Collocation-Co-Carrier Cross Connects-Fiber Cable Support			·		0.0041										
Virtual Collocation Cable Records-Per request		Virtual Collocation-Co-Carrier Cross Connects-Copper/Coax Cable Support															
Virtual Collocation Cable Records-VG/DS0 Cable, per cable record									4.505.00	007.00	007.00		11.90				
Virtual Collocation Cable Records-VG/DSO Cable, per each 100 pr																	
Virtual Collocation Cable Records-DS3, per T3TIE																	
Virtual Collocation Cable Records-Fiber Cable, per 99 fiber records																	
Virtual collocation-Security Escort-Basic, per quarter hour																	
Virtual collocation-Security Escort-Overtime, per quarter hour									108.07	154.03	154.09		11.90				
Virtual Collocation-2W Cross Connects (loop), per ckts		Virtual collocation-Security Escort-Overtime, per quarter hour			AMTFS	SPTOQ		13.64					11.90				
Virtual Collocation-4W Cross Connects (loop), per ckts							0.0-										
Virtual Collocation-DS-1/DCS Cross Connects, PER CKTS				<u> </u>													
Virtual Collocation-DS-1.DSX Cross Connects, PER CKTS																	
Virtual Collocation-DS-3/DSC Cross Connects, PER CKT		Virtual Collocation-DS-1.DSX Cross Connects, PER CKTS			AMTFS	VE11X	0.41	69.64					11.90				
Virtual collocation-Maintenance in CO-Basic, per quarter hour																	
Virtual collocation-Maintenance in CO-Overtime, per quarter hour							10.06										
Virtual collocation-Maintenance in CO-Premium per quarter hour																	
VIRTUAL COLLOCATION         UEPSR         VE1R2         0.0502         11.57         11.57         11.90           Virtual Collocation - 2W Cross Connect, Exchange Port 2W Line Side PBX Trunk-Bus         UEPSR         VE1R2         0.0502         11.57         11.57         11.90         11.9		Virtual collocation-Maintenance in CO-Premium per quarter hour															
Virtual Collocation 2W Cross Connect, Exchange Port 2W Line Side PBX Trunk-Bus         UEPSP         VE1R2         0.0502         11.57         11.57         11.90           Virtual Collocation 2W Cross Connect, Exchange Port 2W VG PBX Trunk-Res         UEPSE         VE1R2         0.0502         11.57         11.57         11.90	VIRTUAL CO																_
Trunk-Bus         UEPSP         VE1R2         0.0502         11.57         11.57         11.90           Virtual Collocation 2W Cross Connect, Exchange Port 2W VG PBX Trunk-Res         UEPSE         VE1R2         0.0502         11.57         11.57         11.90				<u> </u>	UEPSR	VE1R2	0.0502	11.57	11.57			-	11.90				
		Trunk-Bus															
I I IVistual Callagation OW Cross Connect Evabours Dart OW Angley Dug.		Virtual Collocation 2W Cross Connect, Exchange Port 2W VG PBX Trunk-Res Virtual Collocation 2W Cross Connect, Exchange Port 2W Analog Bus		<u> </u>	UEPSE UEPSB	VE1R2 VE1R2	0.0502 0.0502	11.57 11.57	11.57 11.57		-		11.90 11.90				

Version 4Q02: 12/18/02 Page 8 of 40

COLLOCA	TION - Florida												Attachi	ment: 4	Exhi	bit: B
											Svc	Svc	Incremental	Incremental	Incremental	Incremental
											Order	Order	Charge -	Charge -	Charge -	Charge -
		Interi	Zon				_				Submitte	Submitte	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	e	BCS	USOC		F	RATES (\$)			d Elec	d	Order vs.	Order vs.	Order vs.	Order vs.
							- T						Electronic-	Electronic-	Electronic-	Electronic-
												per LSR	1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonrec	urring	NRC Dis	connect		l	OS	S Rates (\$)	l	-
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Virtual Collocation 2W Cross Connect, Exchnage Port 2W ISDN			UEPSX	VE1R2	0.0502	11.57	11.57				11.90				
	Virtual Collocation 2W Cross Connect, Exchange Port 2W ISDN			UEPTX	VE1R2	0.0502	11.57	11.57				11.90				
	Virtual Collocation 4W Cross Connect, Exchange Port 4W ISDN DS1			UEPEX	VE1R4	0.0502	11.57	11.57				11.90				
Note:	Rates displaying an "R" in Interim column are interim and subject to rate to	rue-up a	s set fo	orth in General Term	s and Cond	ditions.										

COLLOC	ATION - Georgia												Attach	ment: 4	Exhi	ibit: B
CATEGOR		Interi m	Zon e	BCS	usoc			RATES (\$)			Svc Order Submitt ed Elec per LSR	Svc Order Submitt ed Manuall y per LSR	Incrementa I Charge -	Incrementa I Charge - Manual Svc Order vs.	Increment al Charge -	Increment I Charge Manual Svc Orde vs.
						Rec	Nonred	curring	NRC Dis	sconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
PHYSICAL	COLLOCATION															
	Physical Collocation 2W Cross Connect, Exchange Port 2W Analog-Res			UEPSR	PE1R2	0.30	12.60	12.60					18.94	8.42		
	Physical Collocation 2W Cross Connect, Exchange Port 2W Line Side PBX Trunk-Bus			UEPSP	PE1R2	0.30	12.60	12.60					18.94	8.42		
	Physical Collocation 2W Cross Connect, Exchange Port 2W VG PBX Trunk-Res			UEPSE	PE1R2	0.30	12.60	12.60					18.94	8.42		
	Physical Collocation 2W Cross Connect, Exchange Port 2W Analog-Bus			UEPSB	PE1R2	0.30	12.60	12.60					18.94	8.42		
	Physical Collocation 2W Cross Connect, Exchange Port 2W ISDN			UEPSX	PE1R2	0.30	12.60	12.60					18.94	8.42		
	Physical Collocation 2W Cross Connect, Exchange Port 2W ISDN			UEPTX	PE1R2	0.30	12.60	12.60					18.94	8.42		
	Physical Collocation 4W Cross Connect, Exchange Port 4W ISDN DS1			UEPEX	PE1R4	0.50	12.60	12.60					18.94	8.42		
PHYSICAL	COLLOCATION															
	Physical Collocation-Application Fee-Initial			CLO	PE1BA		3,850.00									
	Physical Collocation-Application Fee-Subsequent			CLO	PE1CA		3,130.00	3,130.00								
	Physical Collocation Administrative Only-Application Fee			CLO	PE1BL		740.83									
	Physical Collocation-Space Preparation Fee Per sq ft			CLO	PE1SS		100.00	100.00								1
	Physical Collocation-Space Preparation-Firm Order Processing	1		CLO	PE1SJ		1,187.00									
	Physical Collocation-Space Preparation-CO Modification per sq ft	1		CLO	PE1SK	2.02										
	Physical Collocation-Space Preparation-Common Systems Modification per sq ft-															1
	Cageless	1		CLO	PE1SL	2.80										
	Physical Collocation-Space Preparation-Common Systems Modification per	1		CLO	PE1SM	95.23										
	Physical Collocation-Cable Installation			CLO	PE1BD		2,750.00	2,750.00								
	Physical Collocation-Floor Space per sq ft			CLO	PE1PJ	7.50	,	,								
	Physical Collocation-Floor Space-Zone B per sq ft			CLO	PE1PK	6.75										
	Physical Collocation-Cable Support Structure, Per Entrance Cable			CLO	PE1PM	13.35										
	Physical Collocation-Power -48V DC Power, per Fused Amp	1		CLO	PE1PL	8.06										
	Physical Collocation-Power Reduction, Application Fee	- 1		CLO	PE1PR		398.80									
	Physical Collocation-120V, Single Phase Standby Power Rate	I		CLO	PE1FB	5.52										1
	Physical Collocation-240V, Single Phase Standby Power Rate	1		CLO	PE1FD	11.05										
	Physical Collocation-120V, Three Phase Standby Power Rate	ı		CLO	PE1FE	16.58										
	Physical Collocation-277V, Three Phase Standby Power Rate	ı		CLO	PE1FG	38.27										
	Physical Collocation-2W Cross-Connects			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,UDL,UNCVX,UN LDX,UNCNX CLO,UAL,UDL,UDN,	PE1P2	0.30	12.60	12.60								
	Physical Collocation-4W Cross-Connects			UEA,UHL,UNCVX,U NCDX,UCL	PE1P4	0.50	12.60	12.60								
	Physical Collocation-DS1 Cross-Connects			CLO,UEANL,UEQ, WDS1L,WDS1S,US L,U1TD1,UXTD1,UN C1X,ULDD1,USLEL, UNLD1,UDL	PE1P1	8.00	155.00	27.00								
				CLO,UE3,U1TD3,U XTD3,UXTS1,UNC3 X,UNCSX,ULDD3,U 1TS1,ULDS1,UNLD												
	Physical Collocation-DS3 Cross-Connects			3,UDL CLO,ULDO3,ULD12, ULD48,U1TO3,U1T1 2,U1T48,UDLO3,UD	PE1P3	72.00	155.00	27.00								
	Physical Collocation-2-Fiber Cross-Connect	l	1	L12,UDF	PE1F2	2.86	52.14	38.72						I	1	

Version 4Q02: 12/18/02 Page 10 of 40

COLLOCA	ATION - Georgia												Attach	ment: 4	Exhi	bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	usoc			RATES (\$)			Svc Order Submitt ed Elec	Svc Order Submitt ed	I Charge - Manual Svc Order vs.	Order vs.	al Charge - Manual Svc Order	I Charge - Manual Svc Order
											per LSR	Manuall y per LSR	Electronic- 1st		vs. Electronic- Disc 1st	vs. Electronic- Disc Add'l
						D	Nonrec	urring	NRC Dis	sconnect			oss	Rates (\$)	ı	1
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
				CLO,ULDO3,ULD12,												
				ULD48,U1TO3,U1T1												
				2,U1T48,UDLO3,UD												
	Physical Collocation-4-Fiber Cross-Connect			L12,UDF	PE1F4	5.08	64.74	51.31								
	Physical Collocation-Welded Wire Cage-First 100 sq ft	1	<u> </u>	CLO	PE1BW	161.27										
	Physical Collocation-Welded Wire Cage-Add'l 50 sq ft		-	CLO	PE1CW	15.82										
	Physical Collocation-Security System Per CO Per Assignable sq ft		-	CLO	PE1AY	0.0172										
	Physical Collocation-Security Access System-New Access Card Activation, per Card			CLO	PE1A1	0.0607	46.20	46.20								
	Physical Collocation-Security Access System-New Access Card Deactivation,			CLO	PETAT	0.0607	46.20	46.20								
	per Card			CLO	PE1A4		8.72	8.72								
	Physical Collocation-Security Access System-Administrative Change, existing			OLO	I L I/A		0.12	0.72								
	Access Card, per Request, per State, per Card			CLO	PE1AA		15.40	15.40								
	Physical Collocation-Security Access System- Replace Lost or Stolen Card, per															
	Card			CLO	PE1AR		45.02	45.02								
	Physical Collocation-Security Access-Initial Key, per Key			CLO	PE1AK		26.16	26.16								
	Physical Collocation-Security Access-Key, Replace Lost or Stolen Key, per Key			CLO	PE1AL		26.16	26.16								
	Physical Collocation-Space Availability Report per premises			CLO	PE1SR		2,148.00	2,148.00								
	POT Bay Arrangements prior to 6/1/99-2W Cross-Connect, per cross-connect			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO,UDL,UNCV X,UNCDX,UNCNX UEANL,UEA,UDN,U	PE1PE	0.40										
	POT Bay Arrangements prior to 6/1/99-4W Cross-Connect, per cross-connect			DC,UAL,UHL,UCL,U EQ,CLO,USL,UNCV X,UNCDX UEANL,UEA,UDN,U	PE1PF	1.20										
	POT Bay Arrangements prior to 6/1/99-DS1 Cross-Connect, per cross-connect			DC,UAL,UHL,UCL,U EQ,CLO,WDS1L,W DS1S,USL,U1TD1,U XTD1,UNC1X,ULDD UEANL,UEA,UDN,U	PE1PG	1.20										
				DC,UAL,UHL,UCL,U EQ,CLO,UE3,U1TD 3,UXTD3,UXTS1,UN C3X,UNCSX,ULDD3 ,U1TS1,ULDS1,UNL												
	POT Bay Arrangements prior to 6/1/99-DS3 Cross-Connect, per cross-connect			D3,UDL,UDLSX	PE1PH	8.00										
	POT Bay Arrangements prior to 6/1/99-2-Fiber Cross-Connect, per cross-connect			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO,ULDO3,UL D12,ULD48,U1TO3, U1T12,U1T48,UDLO 3,UDL12,UDF	PE1B2	38.79										
	POT Bay Arrangements prior to 6/1/99-4-Fiber Cross-Connect, per cross-connect			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO,ULDO3,UL D12,ULD48,U1TO3, U1T12,U1T48,UDLO 3,UDL12,UDF	PE1B4	52.31										
1	Physical Collocation-Request Resend of CFA Information, per CLLI			CLO	PE1C9		77.42								l	1

Version 4Q02: 12/18/02 Page 11 of 40

COLLOCA	TION - Georgia												Attach	ment: 4	Exhi	bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	USOC		F	RATES (\$)			Svc Order Submitt ed Elec per LSR	Svc Order Submitt ed Manuall y per LSR	I Charge - Manual Svc Order vs. Electronic- 1st	Order vs. Electronic- Add'I	al Charge -	Increment I Charge Manual Svc Orde vs. Electroni Disc Add
						Rec	Nonrec	urring	NRC Dis	connect				Rates (\$)		
						INCC	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	NRC Collocation Cable Records-per request			CLO	PE1CR		1,706.00									
	NRC Collocation Cable Records-VG/DS0 Cable, per cable record			CLO	PE1CD		922.38									
	NRC Collocation Cable Records-VG/DS0 Cable, per each 100 pr			CLO	PE1CO		18.00	18.00								
	NRC Collocation Cable Records-DS1, per T1TIE			CLO	PE1C1		8.43	8.43								
	NRC Collocation Cable Records-DS3, per T3TIE			CLO	PE1C3		29.49	29.49								
	NRC Collocation Cable Records-Fiber Cable, per 99 fiber records			CLO	PE1CB		278.61	278.61								
	Physical Collocation-Security Escort-Basic, per Half Hour			CLO.CLORS	PE1BT		41.00	25.00								
	Physical Collocation-Security Escort-Overtime, per Half Hour			CLO,CLORS	PE1OT		48.00	30.00								
	Physical Collocation-Security Escort-Premium, per Half Hour			CLO,CLORS	PE1PT		55.00	35.00					1		1	
	V to P Conversion, Per Customer Request-VG			CLO	PE1BV		33.00	30.00					1			
	V to P Conversion, Per Customer Request-DS1			CLO	PE1B1		52.00				1		1	1		1
	V to P Conversion, Per Customer request-DS3			CLO	PE1B3		52.00									
-	V to P Conversion, Per Customer Request per VG Circuit Reconfigured	<del>                                     </del>		CLO	PE1BR		23.00					<b> </b>	<del> </del>		<del> </del>	
-	V to P Conversion, Per Customer Request per VG Circuit Reconfigured  V to P Conversion, Per Customer Request per DS0 Circuit Reconfigured			CLO	PE1BR PE1BP		23.00				1	-	1	1		1
				CLO	PE1BS		33.00									
	V to P Conversion, Per Customer Request per DS1 Circuit Reconfigured															
	V to P Conversion, Per Customer Request per DS3 Circuit Reconfigured			CLO	PE1BE		37.00									
	V to P Conversion, Cable prs Assigned to Collo Space per 700 prs or fraction thereof			CLO	PE1B7		592.00									
	Physical Collocation-Co-Carrier Cross Connects-Fiber Cable Support Structure,			0101105	DE 450	0.004										
	per cable, per linear ft.			CLO,UDF	PE1ES	0.001										
	Physical Collocation-Co-Carrier Cross Connects-Copper/Coax Cable Support															
	Structure, per cable, per lin. ft.			CLO,UE3,USL	PE1DS	0.0015										
	Physical Collocation-Co-Carrier Cross Connects Only-Application Fee, per															
	application			CLO	PE1DT		583.18									
DJACENT	COLLOCATION															
	Adjacent Collocation-Space Charge per sq ft			CLOAC	PE1JA	0.2542										
	Adjacent Collocation-Electrical Facility Charge per Linear Ft.			CLOAC	PE1JC	5.44										
	Adjacent Collocation-2W Cross-Connects			CLOAC	PE1P2	0.598	24.95	23.97	11.80	10.67						
				UEA,UHL,UDL,UCL,												
	Adjacent Collocation-4W Cross-Connects			CLOAC	PE1P4	0.1196	25.14	24.11	12.15	10.93						
	Adjacent Collocation-DS1 Cross-Connects			USL,CLOAC	PE1P1	1.04	44.19	32.13	11.93	10.81						
	Adjacent Collocation-DS3 Cross-Connects			CLOAC	PE1P3	14.12	41.93	30.69	13.71	11.04						
	Adjacent Collocation-2-Fiber Cross-Connect			CLOAC	PE1F2	2.39	41.93	30.69	13.71	11.05						
	Adjacent Collocation-4-Fiber Cross-Connect			CLOAC	PE1F4	4.57	51.14	39.90	17.96	15.29						
	Adjacent Collocation-Application Fee			CLOAC	PE1JB		1,555.00									
	Adjacent Collocation-120V, Single Phase Standby Power Rate per AC Breaker						,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,									
	Amp			CLOAC	PE1FB	5.39										
	Adjacent Collocation-240V, Single Phase Standby Power Rate per AC Breaker			OLONIO	12110	0.00										
	Amp			CLOAC	PE1FD	10.79										
	Adjacent Collocation-120V, Three Phase Standby Power Rate per AC Breaker			CLOAC	FEIFD	10.79										
	Amp			CLOAC	PE1FE	16.18										
	Adjacent Collocation-277V, Three Phase Standby Power Rate per AC Breaker						J					1	]		]	1
	Amp			CLOAC	PE1FG	38.27										
	Adjacent Collocation-240V, Three Phase Standby Power Rate per AC Breaker											1	]			
	Amp		l	CLOAC	PEIJD	37.37						1	1			
HYSICAL	COLLOCATION IN THE REMOTE SITE						j						1			
	Physical Collocation in the Remote Site-Application Fee			CLORS	PE1RA		608.18	608.17	323.63	323.63			1			
	Cabinet Space in the Remote Site per Bay/ Rack			CLORS	PE1RB	224.82	- 30						İ	l	İ	
	Physical Collocation in the Remote Site-Security Access-Key			CLORS	PE1RD		25.88	25.88								
-	Physical Collocation in the Remote Site-Space Availability Report per Premises			020110			20.00	_0.00			1		1	1		<del>                                     </del>
				i		1					1	1		ī		1

Version 4Q02: 12/18/02 Page 12 of 40

COLLOCA	ATION - Georgia	1		T	1	1								ment: 4		ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	USOC			RATES (\$)			Svc Order Submitt ed Elec per LSR	Svc Order Submitt ed Manuall y per LSR	I Charge - Manual Svc Order vs. Electronic- 1st	Add'l	al Charge -	I Charge - Manual Svc Order vs.
						Rec	Nonred		NRC Dis					Rates (\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Physical Collocation in the Remote Site-Remote Site CLLI Code Request, per															
	CLLI Code Requested			CLORS	PE1RE		74.22	74.22								
	Remote Site DLEC Data (BRSDD), per Compact Disk, per CO			CLORS	PE1RR		232.88									
PHYSICAL	COLLOCATION IN THE REMOTE SITE - ADJACENT															
	Remote Site-Adjacent Collocation-AC Power, per breaker amp			CLORS	PE1RS	6.27										ļ
	Remote Site-Adjacent Collocation-Real Estate, per sq ft			CLORS	PE1RT	0.134										
	Remote Site-Adjacent Collocation-Application Fee			CLORS	PE1RU		755.62	755.62								ļ
	: If Security Escort and/or Add'l Engineering Fees become necessary for re	mote s	te co	llocation, the Parties	will nego	otiate app	ropriate rate	s.								
<u>VIRTUAL C</u>	OLLOCATION															
	Virtual Collocation-Application Fee			AMTFS	EAF		2,848.30	2,848.30					19.99	19.99		
	Virtual Collocation-Cable Installation Cost, per cable			AMTFS	ESPCX		2,750.00	2,750.00	ļ				19.99	19.99		<b></b>
	Virtual Collocation-Floor Space, per sq ft			AMTFS	ESPVX	3.20							1			<b></b>
	Virtual Collocation-Power, per fused amp			AMTFS	ESPAX	3.48										
	Virtual Collocation-Cable Support Structure, per entrance cable			AMTFS	ESPSX	13.35										
				UEANL,UEA,UDN,U												
				DC,UAL,UHL,UCL,U												
				EQ,AMTFS,UDL,UN												
				CVX,UNCDX,UNCN												
	Virtual Collocation-2W Cross Connects (loop)			X	UEAC2	0.0283	24.56	23.56	9.20	8.30			19.99	19.99	19.99	19.99
				UEA,UHL,UCL,UDL,												
				AMTFS,UAL,UDN,U												
	Virtual Collocation-4W Cross Connects (loop)			NCVX,UNCDX	UEAC4	0.0566	24.75	23.70	9.03	8.10			19.99	19.99	19.99	19.99
				AMTFS,UDL12,UDL												
				O3,U1T48,U1T12,U												
				1T03,ULDO3,ULD12												
	Virtual Collocation-2-Fiber Cross Connects			,ULD48,UDF	CNC2F	2.88	41.72	30.36	10.43	8.36			2.20	2.20		
				AMTFS,UDL12,UDL												1
				O3,U1T48,U1T12,U												
				1T03,ULDO3,ULD12												
	Virtual Collocation-4-Fiber Cross Connects			,ULD48,UDF	CNC4F	5.76	51.03	39.67	13.71	11.65			2.20	2.20		
				USL,ULC,AMTFS,U												1
				LR,UXTD1,UNC1X,												
				ULDD1,U1TD1,USL												
	Virtual collocation-Special Access & UNE, cross-connect per DS1			EL,UNLD1	CNC1X	7.50	155.00	14.00					19.99	19.99		
				USL,ULC,AMTFS,U												1
				E3,U1TD3,UXTS1,U												
				XTD3,UNC3X,UNC												
				SX,ULDD3,U1TS1,U												
	Virtual collocation-Special Access & UNE, cross-connect per DS3		l	LDS1,UDLSX,UNLD	CND3X	56.25	151.90	11.83				1	19.99	19.99		
	Virtual Collocation-Co-Carrier Cross Connects-Fiber Cable Support Structure,															
	per linear foot			AMTFS	VE1CB	0.0023								1		
	Virtual Collocation-Co-Carrier Cross Connects-Copper/Coax Cable Support	1							Ì						İ	
	Structure, per linear ft			AMTFS	VE1CD	0.0034								1		
	Virtual Collocation-Co-Carrier Cross Connects-Fiber Cable Support	1							Ì						İ	
	Structure,per cable			AMTFS	VE1CC		553.43						19.99	1		
	Virtual Collocation-Co-Carrier Cross Connects-Copper/Coax Cable Support	1		-											1	
	Structure, per cable		l	AMTFS	VE1CE		553.43						19.99			
	Virtual Collocation Cable Records-per request	1		AMTFS	VE1BA		1,706.00	1,706.00							1	1
	Virtual Collocation Cable Records-VG/DS0 Cable, per cable record			AMTFS	VE1BB		922.38	922.38			1	1				<b>†</b>
	Virtual Collocation Cable Records-VG/DS0 Cable, per each 100 pr	1		AMTES	VE1BC		18.00	18.00	l				1	t	1	1
J	TVIITUAL COHOCALION CADIE RECORDS-VG/DSO GADIE. DEL EACH TOO DI															

Version 4Q02: 12/18/02 Page 13 of 40

COLLOC	ATION - Georgia												Attach	ment: 4	Exhi	bit: B
CATEGOR	RATE ELEMENTS	Interi m	Zon e	BCS	USOC		ı	RATES (\$)			ed Elec	ed	Incrementa I Charge - Manual Svc Order vs. Electronic- 1st	I Charge - Manual Svc Order vs. Electronic-	al Charge - Manual Svc Order vs. Electronic-	I Charge - Manual
						Rec	Nonrec		NRC Dis					Rates (\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Virtual Collocation Cable Records-DS3, per T3TIE			AMTFS	VE1BE		29.49	29.49								
	Virtual Collocation Cable Records-Fiber Cable, per 99 fiber records			AMTFS	VE1BF		278.61	278.61								
	Virtual collocation-Security Escort-Basic, per half hour			AMTFS	SPTBX		41.00	25.00					19.99	19.99		
	Virtual collocation-Security Escort-Overtime, per half hour			AMTFS	SPTOX		48.00	30.00					19.99	19.99		
	Virtual collocation-Security Escort-Premium, per half hour			AMTFS	SPTPX		55.00	35.00					19.99	19.99		
	Virtual collocation-Maintenance in CO-Basic, per half hour			AMTFS	CTRLX		30.64	30.64					19.99	19.99		
	Virtual collocation-Maintenance in CO-Overtime, per half hour			AMTFS	SPTOM		35.77	35.77					19.99	19.99		
	Virtual collocation-Maintenance in CO-Premium per half hour			AMTFS	SPTPM		40.90	40.90					19.99	19.99		
VIRTUAL C	OLLOCATION															
	Virtual Collocation-2W Cross Connect, Exchange Port 2W Analog-Res			UEPSR	VE1R2	0.30	12.60	12.60					18.94	8.42		
	Virtual Collocation 2W Cross Connect, Exchange Port 2W Line Side PBX Trunk-															
	Bus			UEPSP	VE1R2	0.30	12.60	12.60					18.94	8.42		
	Virtual Collocation 2W Cross Connect, Exchange Port 2W VG PBX Trunk-Res			UEPSE	VE1R2	0.30	12.60	12.60					18.94	8.42		
	Virtual Collocation 2W Cross Connect, Exchange Port 2W Analog Bus			UEPSB	VE1R2	0.30	12.60	12.60					18.94	8.42		
	Virtual Collocation 2W Cross Connect, Exchnage Port 2W ISDN			UEPSX	VE1R2	0.30	12.60	12.60					18.94	8.42		
	Virtual Collocation 2W Cross Connect, Exchange Port 2W ISDN			UEPTX	VE1R2	0.30	12.60	12.60					18.94	8.42		
	Virtual Collocation 4W Cross Connect, Exchange Port 4W ISDN DS1			UEPEX	VE1R4	0.50	12.60	12.60					18.94	8.42		
Note	Rates displaying an "R" in Interim column are interim and subject to rate to	rue-up	as se	et forth in General Te	erms and (	Conditions	š.									

COL	LOCA	TION - Kentucky												Attach	ment: 4	Evhi	bit: B
COL	LUCA	HON - Relitucky	1									Svc	Svc		Incremental		
												Order	Order	Charge -	Charge -	I Charge -	al Charge -
												1			Manual Svc	Manual	Manual
CATE	GORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)			Submitte					
CAIL	GORT	NATE ELEMENTS	m	Zone	503	0300			KAILS (4)			d Elec	d	Order vs.	Order vs.	Svc Order	
												per LSR	Manually		Electronic-	vs.	vs.
													per LSR	1st	Add'l	Electronic-	Electronic-
										NRC Dis					D ( (A)	Disc 1st	Disc Add'l
				-			Rec		curring			201150			Rates (\$)	001111	
				-				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
DUVO	1041.0	OLL COATION															<del> </del>
PHYS		OLLOCATION  Physical Collegation CM Cores Consent Fushers & Part CM Apple & Page			UEPSR	DEADO	0.0000	04.00	00.00	40.44	40.05		7.86				<del> </del>
-	_	Physical Collocation 2W Cross Connect, Exchange Port 2W Analog-Res Physical Collocation 2W Cross Connect, Exchange Port 2W Line Side PBX Trunk-			UEPSR	PE1R2	0.0333	24.68	23.68	12.14	10.95		7.86				
					LIEDED	DE4D0	0.0000	24.00	22.00	40.44	40.05		7.00				
		Bus			UEPSP	PE1R2	0.0333	24.68	23.68	12.14	10.95		7.86				<del> </del>
		Physical Collocation 2W Cross Connect, Exchange Port 2W VG PBX Trunk-Res			UEPSE	PE1R2	0.0333	24.68	23.68	12.14	10.95		7.86				<del> </del>
-		Physical Collocation 2W Cross Connect, Exchange Port 2W Analog-Bus			UEPSB UEPSX	PE1R2	0.0333	24.68 24.68	23.68 23.68	12.14 12.14	10.95 10.95		7.86 7.86				<del> </del>
-		Physical Collocation 2W Cross Connect, Exchange Port 2W ISDN			UEPTX	PE1R2 PE1R2				12.14	10.95		7.86				<del> </del>
		Physical Collocation 2W Cross Connect, Exchange Port 2W ISDN					0.0333	24.68	23.68				7.86				
DUVO		Physical Collocation 4W Cross Connect, Exchange Port 4W ISDN DS1	<del>                                     </del>		UEPEX	PE1R4	1.48	44.23	31.98	12.81	11.57	<u> </u>	7.86	-			<del> </del>
PHYS		OLLOCATION  Physical Callegation Application For Initial	1	1	01.0	DEADA		0.770.51	0.770.51								<del> </del>
-		Physical Collocation-Application Fee-Initial	<b>!</b>	-	CLO	PE1BA		3,773.54	3,773.54			1	-	<del>                                     </del>	-		<del> </del>
		Physical Collocation-Application Fee-Subsequent			CLO	PE1CA		3,145.35	3,145.35								<del> </del>
		Physical Collocation Administrative Only-Application Fee			CLO	PE1BL		742.12	4.000.07								<del> </del>
-		Physical Collocation-Space Preparation-Firm Order Processing		-	CLO	PE1SJ	0.00	1,206.07	1,206.07								
-		Physical Collocation-Space Preparation-CO Modification per sq ft			CLO	PE1SK	2.32										<b>_</b>
		Physical Collocation-Space Preparation-Common Systems Modification per sq ft-			01.0	DE 401											
-		Cageless District On Participation Control of the C			CLO	PE1SL	3.26										<b>_</b>
		Physical Collocation-Space Preparation-Common Systems Modification per Cage			CLO CLO	PE1SM PE1BD	110.57	1,729.11		45.40							<del> </del>
		Physical Collocation-Cable Installation			CLO		7.99	1,729.11		45.16							<del> </del>
		Physical Collocation-Floor Space per sq ft		<u> </u>	CLO	PE1PJ PE1PM	19.86										<b>_</b>
		Physical Collocation-Cable Support Structure, Per Entrance Cable Physical Collocation-Power -48V DC Power, per Fused Amp			CLO	PE1PM PE1PL	8.06										<b></b>
		Physical Collocation-Power Reduction, Application Fee			CLO	PE1PL PE1PR	8.06	399.50									<del>                                     </del>
		Physical Collocation-Power Reduction, Application Fee Physical Collocation-120V, Single Phase Standby Power Rate	- '		CLO	PE1FB	5.44	399.50									<del>                                     </del>
		Physical Collocation-240V, Single Phase Standby Power Rate	1		CLO	PE1FD	10.88										<del>                                     </del>
		Physical Collocation-120V, Three Phase Standby Power Rate			CLO	PE1FE	16.32										<del>                                     </del>
		Physical Collocation-277V, Three Phase Standby Power Rate			CLO	PE1FG	37.68										<del>                                     </del>
		1 Hydiodi Collocation 277 v, Thice i Hade Otanaby i Gwel i tate			UEANL.UEA.UDN.U	1 - 11 0	07.00										<del>                                     </del>
					DC,UAL,UHL,UCL,U												
					EQ,UDL,UNCVX,UN												
		Physical Collocation-2W Cross-Connects			LDX.UNCNX	PE1P2	0.0333	24.68	23.68	12.14	10.95						
		Thysical Collocation-244 Closs-Collificts			CLO,UAL,UDL,UDN,	16112	0.0000	24.00	23.00	12.17	10.33						1
					UEA,UHL,UNCVX,U												
		Physical Collocation-4W Cross-Connects			NCDX,UCL	PE1P4	0.0665	24.88	23.82	12.77	11.46						
		Thydrodi Collocation TV Cross Collinois			CLO,UEANL,UEQ,W		0.0000	2 1.00	20.02	,_,,,	11110						
					DS1L,WDS1S,USL,												
					U1TD1,UXTD1,UNC1												
					X,ULDD1,USLEL,UN												
		Physical Collocation-DS1 Cross-Connects			LD1,UDL	PE1P1	1.48	44.23	31.98	12.81	11.57						
					CLO,UE3,U1TD3,UX												
					TD3.UXTS1.UNC3X.												
					UNCSX,ULDD3,U1T												
					S1,ULDS1,UNLD3,U												
		Physical Collocation-DS3 Cross-Connects			DL	PE1P3	18.89	41.93	30.51	14.75	11.83						
		•			CLO,ULDO3,ULD12,												1
				1	ULD48,U1TO3,U1T1	1	1							1			
				1	2,U1T48,UDLO3,UD	1	1							1			
		Physical Collocation-2-Fiber Cross-Connect	<u>L</u>	L	L12,UDF	PE1F2	3.75	41.93	30.51	14.76	11.84	<u> </u>	<u></u>	<u> </u>	<u> </u>	<u></u>	<u></u>
					CLO,ULDO3,ULD12,												
				1	ULD48,U1TO3,U1T1	1	1							1			
				1	2,U1T48,UDLO3,UD	1	1										
		Physical Collocation-4-Fiber Cross-Connect			L12,UDF	PE1F4	6.65	51.29	39.87	19.41	16.49						
		Physical Collocation-Welded Wire Cage-First 100 sq ft			CLO	PE1BW	184.97										
1		Physical Collocation-Welded Wire Cage-Add'l 50 sq ft			CLO	PE1CW	18.14										
		Physical Collocation-Security Access System-Security System per CO		1 -	CLO	PE1AX	76.10			· ·		1	1	1	1		1

COLLOCA	ATION - Kentucky			<u> </u>									Attach	ment: 4	Exhi	ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitte d Manually per LSR	Incremental Charge - Manual Svc Order vs.		Incrementa I Charge - Manual Svc Order vs. Electronic-	a Increment al Charge Manual Svc Order vs. Electronic
			1				Nonre	curring	NRC Dis	connect			OSS	Rates (\$)	Dicc 1ct	Disc Add'l
			1			Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
	Physical Collocation-Security Access System-New Access Card Activation, per						11130	Addi	11100	Auu	COME	COMPAR	COMPAR	COMPAN	COMPAR	
	Card			CLO	PE1A1	0.058	55.79	55.79								
	Physical Collocation-Security Access System-Administrative Change, existing															1
	Access Card, per Request, per State, per Card			CLO	PE1AA		15.64	15.64								
	Physical Collocation-Security Access System-Replace Lost or Stolen Card, per Card			CLO	PE1AR		45.74	45.74								<b>_</b>
	Physical Collocation-Security Access-Initial Key, per Key			CLO	PE1AK		26.29				1					<del> </del>
	Physical Collocation-Security Access-Key, Replace Lost or Stolen Key, per Key Physical Collocation-Space Availability Report per premises			CLO CLO	PE1AL PE1SR		26.29 2,158.67									<del> </del>
	Physical Collocation-Space Availability Report per premises			UEANL,UEA,UDN,U	PEISK		2,158.67	2,158.67								+
				DC,UAL,UHL,UCL,U												
				EQ,CLO,UDL,UNCV												
	POT Bay Arrangements prior to 6/1/99-2W Cross-Connect, per cross-connect			X,UNCDX,UNCNX	PE1PE	0.113										
				UEANL,UEA,UDN,U												T
				DC,UAL,UHL,UCL,U												
				EQ,CLO,USL,UNCV												
	POT Bay Arrangements prior to 6/1/99-4W Cross-Connect, per cross-connect			X,UNCDX	PE1PF	0.23										
				UEANL,UEA,UDN,U												
				DC,UAL,UHL,UCL,U EQ,CLO,WDS1L,WD												
				S1S,USL,U1TD1,UX												
	POT Bay Arrangements prior to 6/1/99-DS1 Cross-Connect, per cross-connect			TD1,UNC1X,ULDD1,	PE1PG	1.60										
	1 OT Bay Arrangements prior to 0/1/33-BOT Gloss-connect, per closs-connect			UEANL,UEA,UDN,U	11110	1.00		-								+
				DC,UAL,UHL,UCL,U EQ,CLO,UE3,U1TD3 ,UXTD3,UXTS1,UNC 3X,UNCSX,ULDD3,U 1TS1,ULDS1,UNLD3												
	POT Bay Arrangements prior to 6/1/99-DS3 Cross-Connect, per cross-connect			,UDL,UDLSX	PE1PH	14.23										
	POT Bay Arrangements prior to 6/1/99-2-Fiber Cross-Connect, per cross-connect			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO,ULDO3,ULD 12,ULD48,U1TO3,U1 T12,U1T48,UDLO3,U DL12,UDF	PE1B2	48.57										
	POT Bay Arrangements prior to 6/1/99-4-Fiber Cross-Connect, per cross-connect			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO,ULDO3,ULD 12,ULD48,U1TO3,U1 T12,U1T48,UDLO3,U DL12,UDF	PE1B4	65.50										
	Physical Collocation-Request Resend of CFA Information, per CLLI			CLO	PE1C9	00.00	77.55				1					+
	NRC Collocation Cable Records-per request		<u> </u>	CLO	PE1CR		1.524.45		267.02							+
	NRC Collocation Cable Records-VG/DS0 Cable, per cable record			CLO	PE1CD		656.37									1
	NRC Collocation Cable Records-VG/DS0 Cable, per each 100 pr			CLO	PE1CO		9.65	9.65	11.84	11.84						1
	NRC Collocation Cable Records-DS1, per T1TIE			CLO	PE1C1		4.52	4.52	5.54	5.54						
	NRC Collocation Cable Records-DS3, per T3TIE			CLO	PE1C3		15.81	15.81	19.39	19.39						
	NRC Collocation Cable Records-Fiber Cable, per 99 fiber records			CLO	PE1CB		169.63	169.63	154.85	154.85						
	Physical Collocation-Security Escort-Basic, per Half Hour			CLO,CLORS	PE1BT		33.98	21.53	<u> </u>							<u> </u>
	Physical Collocation-Security Escort-Overtime, per Half Hour			CLO,CLORS	PE1OT		44.26	27.81			ļ					1
	Physical Collocation-Security Escort-Premium, per Half Hour		<u> </u>	CLO,CLORS	PE1PT		54.54		1		ļ					1
	V to P Conversion, Per Customer Request-VG		ļ	CLO	PE1BV		33.00		<u> </u>							<del>                                     </del>
	V to P Conversion, Per Customer Request-DS0		<u> </u>	CLO	PE1BO		33.00				-					+
	V to P Conversion, Per Customer Request-DS1		<u> </u>	CLO	PE1B1	1	52.00		1		<u> </u>	1				+
	V to P Conversion, Per Customer request-DS3		1	CLO CLO	PE1B3		52.00		-		<b> </b>	1	-	-		+
	V to P Conversion, Per Customer Request per DS0 Circuit Reconfigured		1		PE1BP	<b></b>	23.00 33.00	1	1		<b></b>	1	ļ	ļ	<b> </b>	+
	V to P Conversion, Per Customer Request per DS1 Circuit Reconfigured			CLO	PE1BS											

Version 4Q02: 12/18/02 Page 16 of 40

COLL	OCA	TION - Kentucky				-						-		Attachi	ment: 4	Exhi	ibit: B
		•										Svc	Svc	Incremental	Incremental	Incrementa	Incremen
												Order	Order	Charge -	Charge -	I Charge -	al Charge
			Imaani									Submitte	Submitte	Manual Svc	Manual Svc	Manual	Manual
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			d Elec	d	Order vs.	Order vs.	Svc Order	
			m												Electronic-		
												per LSK	Manually			vs.	vs.
													per LSR	1st	Add'l		- Electronic-
								Names	currina	NRC Dis	connect			000	Rates (\$)	Disc 1st	Disc Add'l
				-			Rec					001450	001441			001441	LOGMAN
		V/, D.O O.H. A .: . I/ O.H.O	-					First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		V to P Conversion, Cable prs Assigned to Collo Space per 700 prs or fraction															
		thereof			CLO	PE1B7		592.00									
		Physical Collocation-Co-Carrier Cross Connects-Fiber Cable Support Structure, per															
		cable, per linear ft.			CLO,UDF	PE1ES	0.0012										
		Physical Collocation-Co-Carrier Cross Connects-Copper/Coax Cable Support															
		Structure, per cable, per lin. ft.			CLO,UE3,USL	PE1DS	0.0018										
		Physical Collocation-Co-Carrier Cross Connects Only-Application Fee, per															
		application			CLO	PE1DT		584.20									
ADJACI	ENT C	OLLOCATION															1
Ī		Adjacent Collocation-Space Charge per sq ft			CLOAC	PE1JA	0.0173										1
		Adjacent Collocation-Electrical Facility Charge per Linear Ft.			CLOAC	PE1JC	5.35	1	1							i	1
		Adjacent Collocation-2W Cross-Connects	l -	t	CLOAC	PE1P2	0.0258	24.68	23.68	12.14	10.95	1				<del> </del>	†
		riajaconi Conocation-244 Oroco-Connecto	<del>                                     </del>	1	UEA.UHL.UDL.UCL.	I LIFZ	0.0230	24.00	23.00	12.14	10.93	1		1		l .	+
		Adjacent Collocation-4W Cross-Connects			CLOAC	PE1P4	0.0515	24.88	23.82	12.77	11.46					1	
			<del>                                     </del>	<del>                                     </del>	USL,CLOAC	PE1P4 PE1P1	1.37	24.88 44.23	31.98	12.77	11.46	<del>                                     </del>				-	+
		Adjacent Collocation-DS1 Cross-Connects	-														
		Adjacent Collocation-DS3 Cross-Connects			CLOAC	PE1P3	18.61	41.93	30.51	14.75	11.83						4
		Adjacent Collocation-2-Fiber Cross-Connect			CLOAC	PE1F2	3.15	41.93	30.51	14.76	11.84						
		Adjacent Collocation-4-Fiber Cross-Connect			CLOAC	PE1F4	6.02	51.29	39.87	19.41	16.49						
		Adjacent Collocation-Application Fee			CLOAC	PE1JB		3,165.50									
		Adjacent Collocation-120V, Single Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FB	5.44										
		Adjacent Collocation-240V, Single Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FD	10.88										
		Adjacent Collocation-120V, Three Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FE	16.32										
		Adjacent Collocation-277V, Three Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FG	37.68										T .
PHYSIC	AL C	OLLOCATION IN THE REMOTE SITE															
		Physical Collocation in the Remote Site-Application Fee			CLORS	PE1RA		617.78		338.89							1
		Cabinet Space in the Remote Site per Bay/ Rack			CLORS	PE1RB	219.67										
		Physical Collocation in the Remote Site-Security Access-Key			CLORS	PE1RD		26.29									1
		Physical Collocation in the Remote Site-Space Availability Report per Premises															+
		Requested			CLORS	PE1SR		232.64									
		Physical Collocation in the Remote Site-Remote Site CLLI Code Request, per CLLI			OLONO	TETOR		232.04									+
		Code Requested			CLORS	PE1RE		75.40									
-			-														+
DUIVOIO		Remote Site DLEC Data (BRSDD), per Compact Disk, per CO	<del>                                     </del>		CLORS	PE1RR		233.42				1				<del> </del>	+
PHYSIC		OLLOCATION IN THE REMOTE SITE - ADJACENT	<b></b>	-	01.000	DEADS	0.0=	ļ	ļ					1		1	+
		Remote Site-Adjacent Collocation-AC Power, per breaker amp			CLORS	PE1RS	6.27										4
		Remote Site-Adjacent Collocation-Real Estate, per sq ft	<b> </b>		CLORS	PE1RT	0.134		ļ							ļ	<b>↓</b>
		Remote Site-Adjacent Collocation-Application Fee			CLORS	PE1RU		755.62	755.62								1
		If Security Escort and/or Add'l Engineering Fees become necessary for remote s	ite col	locatio	n, the Parties will neg	otiate app	ropriate ra	tes.									1
VIRTUA	L CO	LLOCATION															↓
		Virtual Collocation-Application Fee			AMTFS	EAF		2,419.86		1.01	1.01		7.86				↓
		Virtual Collocation-Cable Installation Cost, per cable	<u> </u>		AMTFS	ESPCX		1,729.11	1,729.11	45.16	45.16		7.86				
		Virtual Collocation-Floor Space, per sq ft			AMTFS	ESPVX	7.99										
		Virtual Collocation-Power, per fused amp		$\Box$	AMTFS	ESPAX	8.06				L						
		Virtual Collocation-Cable Support Structure, per entrance cable			AMTFS	ESPSX	17.38										
					UEANL,UEA,UDN,U												
			l	1	DC,UAL,UHL,UCL,U			1	1							l	1
			l	1	EQ,AMTFS,UDL,UN			1	1							l	1
			l		CVX,UNCDX,UNCN						1					l	
		Virtual Collocation-2W Cross Connects (loop)	l	1	X	UEAC2	0.0309	24.68	23.68	12.14	10.95		7.86			l	1
		virtual Consoditori-244 O1000 Cormicolo (100p)	1		UEA,UHL,UCL,UDL,	OLAGZ	0.0009	24.00	23.00	12.14	10.55	1	1.00			<del>                                     </del>	+
			l	1	AMTFS,UAL,UDN,U			1	1							l	1
		Virtual Collegation AW Cross Connects (Ican)				LIEACA	0.0040	24.88	23.82	40.77	11.46		7.00			1	
		Virtual Collocation-4W Cross Connects (loop)	<del>                                     </del>		NCVX,UNCDX	UEAC4	0.0619	24.88	23.82	12.77	17.46	1	7.86			<b> </b>	+
			l	1	AMTFS,UDL12,UDL			1	1							l	1
			l	1	O3,U1T48,U1T12,U1			1	1							l	1
1			l		T03,ULDO3,ULD12,			l								l	1
		Virtual Collocation-2-Fiber Cross Connects	1	i	ULD48,UDF	CNC2F	3.80	41.94	30.51	14.76	11.84	1	7.86	i		ĺ	1

COLLOCA	TION - Kentucky												Attachi	ment: 4	Exhi	bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitte d Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Add'l	I Charge - Manual Svc Order vs.	Increment al Charge - Manual Svc Order vs. Electronic-
						Rec	Nonred		NRC Disc					Rates (\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Virtual Collocation-4-Fiber Cross Connects			AMTFS,UDL12,UDL O3,U1T48,U1T12,U1 T03,ULDO3,ULD12, ULD48,UDF	CNC4F	7.59	51.29	39.87	19.41	16.49		7.86				
	Virtual collocation-Special Access & UNE, cross-connect per DS1			USL,ULC,AMTFS,UL R,UXTD1,UNC1X,UL DD1,U1TD1,USLEL, UNLD1	CNC1X	1.48	44.23	31.98	12.81	11.57						
	Virtual collocation-Special Access & UNE, cross-connect per DS3			USL,ULC,AMTFS,UE 3,U1TD3,UXTS1,UX TD3,UNC3X,UNCSX, ULDD3,U1TS1,ULDS 1.UDLSX.UNLD3	CND3X	18.89	41.93	30.51	14.75	11.83						
	Virtual Collocation-Co-Carrier Cross Connects-Fiber Cable Support Structure, per linear foot			AMTFS	VE1CB	0.003										
	Virtual Collocation-Co-Carrier Cross Connects-Copper/Coax Cable Support Structure, per linear ft Virtual Collocation-Co-Carrier Cross Connects-Fiber Cable Support Structure,per			AMTFS	VE1CD	0.0045										
	Virtual Collocation-Co-Carrier Cross Connects-Fiber Cable Support Structure,per cable  Virtual Collocation-Co-Carrier Cross Connects-Copper/Coax Cable Support			AMTFS	VE1CC		535.55									
	Structure, per cable			AMTFS	VE1CE		535.55									
	Virtual Collocation Cable Records-per request			AMTFS	VE1BA		1,524.45	980.01	267.02	267.02						
	Virtual Collocation Cable Records-VG/DS0 Cable, per cable record			AMTFS	VE1BB		656.37	656.37	379.70	379.70						
	Virtual Collocation Cable Records-VG/DS0 Cable, per each 100 pr			AMTFS	VE1BC		9.65	9.65	11.84	11.84						
	Virtual Collocation Cable Records -DS1, per T1TIE			AMTFS	VE1BD		4.52	4.52	5.54	5.54						
	Virtual Collocation Cable Records-DS3, per T3TIE			AMTFS	VE1BE		15.81	15.81	19.39	19.39						
	Virtual Collocation Cable Records-Fiber Cable, per 99 fiber records			AMTFS	VE1BF		169.63	169.63	154.85	154.85						
	Virtual collocation-Security Escort-Basic, per half hour			AMTFS	SPTBX		33.98	21.53								
	Virtual collocation-Security Escort-Overtime, per half hour			AMTFS	SPTOX		44.26	27.81								
	Virtual collocation-Security Escort-Premium, per half hour			AMTFS	SPTPX		54.54	34.09								
	Virtual collocation-Maintenance in CO-Basic, per half hour			AMTFS	CTRLX		56.07	21.53								
	Virtual collocation-Maintenance in CO-Overtime, per half hour			AMTFS	SPTOM		73.23	27.81								
	Virtual collocation-Maintenance in CO-Premium per half hour			AMTFS	SPTPM		90.39	34.09								
VIRTUAL CO	LLOCATION															
	Virtual Collocation-2W Cross Connect, Exchange Port 2W Analog-Res			UEPSR	VE1R2	0.0309	24.68	23.68	12.14	10.95		7.86				
	Virtual Collocation 2W Cross Connect, Exchange Port 2W Line Side PBX Trunk- Bus			UEPSP	VE1R2	0.0309	24.68	23.68	12.14	10.95		7.86				1
	Virtual Collocation 2W Cross Connect, Exchange Port 2W VG PBX Trunk-Res	1	1	UEPSE	VE1R2	0.0309	24.68	23.68	12.14	10.95		7.86				$\vdash$
	Virtual Collocation 2W Cross Connect, Exchange Port 2W Analog Bus	i -	<b>†</b>	UEPSB	VE1R2	0.0309	24.68	23.68	12.14	10.95		7.86				
	Virtual Collocation 2W Cross Connect, Exchange Port 2W ISDN	i -	<b>†</b>	UEPSX	VE1R2	0.0309	24.68	23.68	12.14	10.95		7.86				
	Virtual Collocation 2W Cross Connect, Exchange Port 2W ISDN	İ	<b>†</b>	UEPTX	VE1R2	0.0309	24.68	23.68	12.14	10.95		7.86				
	Virtual Collocation 4W Cross Connect, Exchange Port 4W ISDN DS1	1		UEPEX	VE1R4	1.48	44.23	31.98	12.81	11.57		7.86				
Note:	Rates displaying an "R" in Interim column are interim and subject to rate true-up	as set	forth i							,						

COLL	OCA.	TION - Louisiana												Attachi	ment: 4	Exhi	ibit: B
												Svc	Svc	Incremental			
												Order	Order	Charge -	Charge -	al Charge -	al Charge
			Inter	.								Submitte	Submitte	Manual Svc	Manual Svc	Manual	Manual
CATEG	ORY	RATE ELEMENTS	im	Zone	BCS	USOC		F	RATES (\$)			d Elec	d	Order vs.	Order vs.	Svc Order	Svc Order
												per LSR	Manually	Electronic-		vs.	vs.
													per LSR	1st	Add'l	Electronic-	Electronic-
																Dicc 1st	Disc Add'l
							Rec	Nonrec			isconnec				Rates (\$)		
				1				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
DUVOIC	\ \ \ \ \ \	OLL COATION		-													
PHYSIC		OLLOCATION  Physical Callegation 200 Cases Connect Fushering Part 200 Apples Per		1	UEPSR	PE1R2	0.0318	11.94	11.46				15.20				
		Physical Collocation 2W Cross Connect, Exchange Port 2W Analog-Res Physical Collocation 2W Cross Connect, Exchange Port 2W Line Side PBX Trunk-Bus		-	UEPSP	PE1R2	0.0318	11.94	11.46				15.20				
		Physical Collocation 2W Cross Connect, Exchange Port 2W Line Side PBX Trunk-Bus  Physical Collocation 2W Cross Connect, Exchange Port 2W VG PBX Trunk-Res		1	UEPSE	PE1R2	0.0318	11.94	11.46				15.20				1
		Physical Collocation 2W Cross Connect, Exchange Port 2W VG FBX Hunk-Nes		<b>-</b>	UEPSB	PE1R2	0.0318	11.94	11.46				15.20				
		Physical Collocation 2W Cross Connect, Exchange Port 2W ISDN		1	UEPSX	PE1R2	0.0318	11.94	11.46				15.20				<del>                                     </del>
		Physical Collocation 2W Cross Connect, Exchange Port 2W ISDN			UEPTX	PE1R2	0.0318	11.94	11.46				15.20				
		Physical Collocation 4W Cross Connect, Exchange Port 4W ISDN DS1			UEPEX	PE1R4	0.0636	12.04	11.53				15.20				
PHYSIC		OLLOCATION			<u> </u>												
Î		Physical Collocation-Application Fee-Initial			CLO	PE1BA		1,837.24									
		Physical Collocation-Application Fee-Subsequent			CLO	PE1CA		1,533.41									
		Physical Collocation Administrative Only-Application Fee			CLO	PE1BL		741.97									
		Physical Collocation-Space Preparation-Firm Order Processing			CLO	PE1SJ		583.33									
		Physical Collocation-Space Preparation-CO Modification per sq ft			CLO	PE1SK	2.31										
		Physical Collocation-Space Preparation-Common Systems Modification per sq ft-															
		Cageless			CLO	PE1SL	2.70										
		Physical Collocation-Space Preparation-Common Systems Modification per Cage			CLO	PE1SM	91.60										
		Physical Collocation-Cable Installation			CLO	PE1BD		841.54	841.54								
		Physical Collocation-Floor Space per sq ft			CLO	PE1PJ	5.30										
		Physical Collocation-Cable Support Structure, Per Entrance Cable			CLO	PE1PM	18.31										
		Physical Collocation-Power -48V DC Power, per Fused Amp	!	1	CLO	PE1PL	8.32										
		Physical Collocation-Power Reduction, Application Fee	ı		CLO	PE1PR		398.88									
		Physical Collocation-120V, Single Phase Standby Power Rate			CLO	PE1FB	5.45										
		Physical Collocation-240V, Single Phase Standby Power Rate		-	CLO	PE1FD PE1FE	10.92 16.37										
		Physical Collocation-120V, Three Phase Standby Power Rate Physical Collocation-277V, Three Phase Standby Power Rate		1	CLO CLO	PE1FE PE1FG	37.80										
-		Filysical Collocation-277 V, Tillee Filase Standby Fower Nate		1	UEANL,UEA,UDN,U	FLIIG	37.00										1
					DC.UAL.UHL.UCL.U												
					EQ,UDL,UNCVX,UN												
		Physical Collocation-2W Cross-Connects			LDX,UNCNX	PE1P2	0.0318	11.94	11.46								
		· · · · · · · · · · · · · · · · · · ·			CLO,UAL,UDL,UDN,												
					UEA,UHL,UNCVX,U												
		Physical Collocation-4W Cross-Connects			NCDX,UCL	PE1P4	0.0636	12.04	11.53								
					CLO,UEANL,UEQ,W												ĺ
					DS1L,WDS1S,USL,												
					U1TD1,UXTD1,UNC1												
					X,ULDD1,USLEL,UN												
		Physical Collocation-DS1 Cross-Connects			LD1,UDL	PE1P1	1.04	21.39	15.47								
					CLO,UE3,U1TD3,UX												
					TD3,UXTS1,UNC3X,												
					UNCSX,ULDD3,U1T												
		Physical Collocation-DS3 Cross-Connects			S1,ULDS1,UNLD3,U DL	PE1P3	13.21	20.28	14.76								
		r nysicai Culiucatiun-Doo Ciuss-Cuninecis		+	CLO,ULDO3,ULD12,	FEIPS	13.21	20.28	14.70	<del>                                     </del>	<del>                                     </del>	<b> </b>					<del></del>
				1	ULD48,U1TO3,U1T1												
				1	2,U1T48,UDLO3,UD					1							
		Physical Collocation-2-Fiber Cross-Connect		1	L12,UDF	PE1F2	2.62	20.28	14.76	1							
	İ	,			CLO,ULDO3,ULD12,				0								
					ULD48,U1TO3,U1T1					l							
				1	2,U1T48,UDLO3,UD												
		Physical Collocation-4-Fiber Cross-Connect	L		L12,UDF	PE1F4	4.65	24.81	19.29		<u> </u>	<u></u>					<u> </u>
		Physical Collocation-Welded Wire Cage-First 100 sq ft			CLO	PE1BW	184.50										
		Physical Collocation-Welded Wire Cage-Add'l 50 sq ft			CLO	PE1CW	18.10										
		Physical Collocation-Security System Per CO Per Assignable sq ft			CLO	PE1AY	0.0224										
T-		Physical Collocation-Security Access System-New Access Card Activation, per Card	1		CLO	PE1A1	0.0579	27.50		1	1						

COLLOC	ATION - Louisiana												Attach	nent: 4		ibit: B
CATEGORY	RATE ELEMENTS	Inter	Zone	BCS	USOC		ı	RATES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitte d Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs.	al Charge - Manual Svc Order vs.	Manual Svc Order vs.
										_		per LSR			Electronic-	Disc Add
		-	-			Rec		curring		isconnec				Rates (\$)	001111	
	Physical Collocation-Security Access System-Administrative Change, existing Access	+	-				First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Card, per Request, per State, per Card			CLO	PE1AA		7.74	7.74								
	Physical Collocation-Security Access System-Replace Lost or Stolen Card, per Card	1		CLO	PE1AR		22.64	22.64								
	Physical Collocation-Security Access-Initial Key, per Key			CLO	PE1AK		13.01	13.01								
	Physical Collocation-Security Access-Key, Replace Lost or Stolen Key, per Key			CLO	PE1AL		13.01	13.01								
	Physical Collocation-Space Availability Report per premises			CLO	PE1SR		1,044.07	1,044.07								
				UEANL,UEA,UDN,U												
				DC,UAL,UHL,UCL,U												
	DOT D. A			EQ,CLO,UDL,UNCV	DE 4 DE	0.070										
	POT Bay Arrangements prior to 6/1/99-2W Cross-Connect, per cross-connect	+		X,UNCDX,UNCNX UEANL,UEA,UDN,U	PE1PE	0.079										
				DC,UAL,UHL,UCL,U												
				EQ,CLO,USL,UNCV												
	POT Bay Arrangements prior to 6/1/99-4W Cross-Connect, per cross-connect			X,UNCDX	PE1PF	0.158										
	1 of Bay Attaingomente phot to 6/1/00 444 cross connect, per cross connect			UEANL,UEA,UDN,U		0.100										
				DC,UAL,UHL,UCL,U												
				EQ,CLO,WDS1L,WD												
				S1S,USL,U1TD1,UX												
	POT Bay Arrangements prior to 6/1/99-DS1 Cross-Connect, per cross-connect			TD1,UNC1X,ULDD1,	PE1PG	1.12										
				DC HAL HILL HOLLI												
				DC,UAL,UHL,UCL,U EQ,CLO,UE3,U1TD3												
				,UXTD3,UXTS1,UNC												
				3X,UNCSX,ULDD3,U												
				1TS1,ULDS1,UNLD3												
	POT Bay Arrangements prior to 6/1/99-DS3 Cross-Connect, per cross-connect			,UDL,UDLSX	PE1PH	9.95										
	1 o 1 bay 7 mangamana pharite of 1700 boo cross common par cross common			UEANL,UEA,UDN,U		0.00										1
				DC,UAL,UHL,UCL,U												
				EQ,CLO,ULDO3,ULD												
				12,ULD48,U1TO3,U1												
				T12,U1T48,UDLO3,U												
	POT Bay Arrangements prior to 6/1/99-2-Fiber Cross-Connect, per cross-connect			DL12,UDF	PE1B2	33.96										
				UEANL,UEA,UDN,U												
				DC,UAL,UHL,UCL,U												
				EQ,CLO,ULDO3,ULD												
				12,ULD48,U1TO3,U1 T12,U1T48,UDLO3,U												
	POT Bay Arrangements prior to 6/1/99-4-Fiber Cross-Connect, per cross-connect			DL12,UDF	PE1B4	45.80										
	Physical Collocation-Request Resend of CFA Information, per CLLI	1		CLO	PE1C9	40.00	77.43									
	Recurring Collocation Cable Records-per request			CLO	PE1CU	10.97										1
	Recurring Collocation Cable Records-VG/DS0 Cable, per cable record	1		CLO	PE1CE	5.29										
	Recurring Collocation Cable Records-VG/DS0 Cable, per each 100 pr	L		CLO	PE1CT	0.08										
	Recurring Collocation Cable Records-DS1, per T1TIE			CLO	PE1C2	0.04										
	Recurring Collocation Cable Records-DS3, per T3TIE			CLO	PE1C4	0.13										
	Recurring Collocation Cable Records-Fiber Cable, per 99 fiber records	1		CLO	PE1CG	1.37										ļ
	Physical Collocation-Security Escort-Basic, per Half Hour	4	1	CLO,CLORS	PE1BT		16.44	10.42			<u> </u>					
	Physical Collocation-Security Escort-Overtime, per Half Hour	+	-	CLO,CLORS	PE1OT		21.41	13.45	1	<b> </b>	1					1
	Physical Collocation-Security Escort-Premium, per Half Hour	+	1	CLO,CLORS	PE1PT		26.38	16.49	-	-	1					
	V to P Conversion, Per Customer Request-VG V to P Conversion, Per Customer Request-DS0	+	<del>                                     </del>	CLO CLO	PE1BV PE1BO		33.00 33.00			<b> </b>	1					<del>                                     </del>
	V to P Conversion, Per Customer Request-DS0  V to P Conversion, Per Customer Request-DS1	+	+	CLO	PE1BO		52.00				1					<del>                                     </del>
	V to P Conversion, Per Customer request-DS3	+		CLO	PE1B3		52.00			<b> </b>	<del>                                     </del>				<b> </b>	<del>                                     </del>
	V to P Conversion, Per Customer Request per DS0 Circuit Reconfigured	+		CLO	PE1BP		23.00									
	V to P Conversion, Per Customer Request per DS1 Circuit Reconfigured	1	<del>                                     </del>	CLO	PE1BS		33.00									
	V to P Conversion, Per Customer Request per DS3 Circuit Reconfigured	1		CLO	PE1BE		37.00									
	V to P Conversion, Cable prs Assigned to Collo Space per 700 prs or fraction thereof	1		CLO	PE1B7		592.00									
	Physical Collocation-Co-Carrier Cross Connects-Fiber Cable Support Structure, per															
1	cable, per linear ft.	1	1	CLO,UDF	PE1ES	0.001			1	l					l	

Version 4Q02: 12/18/02 Page 20 of 40

COLLOCA	ATION - Louisiana												Attach	ment: 4	Exhi	ibit: B
CATEGORY	RATE ELEMENTS	Inter im	Zone	BCS	USOC			RATES (\$)	LNDOD		Svc Order Submitte d Elec per LSR	d	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svo Order vs. Electronic- Add'I	al Charge - Manual Svc Order vs.	Increment al Charge - Manual Svc Order Vs. Electronic-
<b></b>		1	-			Rec	Nonred		First	isconnec		COMAN		Rates (\$)	COMAN	COMAN
-	Physical Collocation-Co-Carrier Cross Connects-Copper/Coax Cable Support Structure,						First	Add'l	FIRST	Addi	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	per cable, per lin. ft.			CLO,UE3,USL	PE1DS	0.0015										
	per case, per min ra		1	020,020,002	12120	0.00.0										
	Physical Collocation-Co-Carrier Cross Connects Only-Application Fee, per application			CLO	PE1DT		583.30									
ADJACENT	COLLOCATION															
	Adjacent Collocation-Space Charge per sq ft			CLOAC	PE1JA	0.0552										
	Adjacent Collocation-Electrical Facility Charge per Linear Ft.			CLOAC	PE1JC	5.61										
	Adjacent Collocation-2W Cross-Connects			CLOAC	PE1P2	0.0245	11.94	11.46								
				UEA,UHL,UDL,UCL,												
	Adjacent Collocation-4W Cross-Connects			CLOAC	PE1P4	0.0491	12.04	11.53								
	Adjacent Collocation-DS1 Cross-Connects	<u> </u>	<u> </u>	USL,CLOAC	PE1P1	0.9605	21.39	15.47	ļ		1	ļ		ļ		ļ
	Adjacent Collocation-DS3 Cross-Connects		<u> </u>	CLOAC	PE1P3	13.01	20.28	14.76			1	ļ				
<b>———</b>	Adjacent Collocation-2-Fiber Cross-Connect	1	<del>                                     </del>	CLOAC	PE1F2	2.20	20.28	14.76			-	ļ		1		<b></b>
	Adjacent Collocation-4-Fiber Cross-Connect	1-	+	CLOAC	PE1F4 PE1JB	4.21	24.81	19.29	-		1	<u> </u>	<b> </b>	1		
$\vdash$	Adjacent Collection-Application Fee	1	+	CLOAC CLOAC	PE1JB PE1FB	5.45	1,543.20				1	1		-		
	Adjacent Collocation-120V, Single Phase Standby Power Rate per AC Breaker Amp		-	CLOAC	PE1FB PE1FD	10.92										<b>+</b>
<del>                                     </del>	Adjacent Collocation-240V, Single Phase Standby Power Rate per AC Breaker Amp Adjacent Collocation-120V, Three Phase Standby Power Rate per AC Breaker Amp		+	CLOAC	PE1FD PE1FE	16.37								-		+
	Adjacent Collocation-277V, Three Phase Standby Power Rate per AC Breaker Amp	1	1	CLOAC	PE1FG	37.80										-
PHYSICAL (	COLLOCATION IN THE REMOTE SITE		1	CLOAC	FLIIG	37.00										†
THOOAL	Physical Collocation in the Remote Site-Application Fee			CLORS	PE1RA		298.80	298.80								
	Cabinet Space in the Remote Site per Bay/ Rack		1	CLORS	PE1RB	225.39	200.00	200.00								
	Physical Collocation in the Remote Site-Security Access-Key			CLORS	PE1RD	220.00	13.01	13.01								
	Physical Collocation in the Remote Site-Space Availability Report per Premises															
	Requested			CLORS	PE1SR		112.52	112.52								
	Physical Collocation in the Remote Site-Remote Site CLLI Code Request, per CLLI Code															
	Requested			CLORS	PE1RE		36.47	36.47								
	Remote Site DLEC Data (BRSDD), per Compact Disk, per CO			CLORS	PE1RR		233.21									
PHYSICAL (	COLLOCATION IN THE REMOTE SITE - ADJACENT															
	Remote Site-Adjacent Collocation-AC Power, per breaker amp			CLORS	PE1RS	6.27										
	Remote Site-Adjacent Collocation-Real Estate, per sq ft			CLORS	PE1RT	0.134										
	Remote Site-Adjacent Collocation-Application Fee	<u> </u>		CLORS	PE1RU	L	755.62	755.62								
	E: If Security Escort and/or Add'l Engineering Fees become necessary for remote site	colloc	ation,	the Parties will negot	iate appro	priate rate	s.									
VIRTUAL CO	DLLOCATION  Notice of Order of Application From	-	1	ANTEO	E 4 E		4 770 40					45.00				<u> </u>
$\vdash$	Virtual Collocation-Application Fee Virtual Collocation-Cable Installation Cost, per cable	1	1	AMTFS AMTFS	EAF ESPCX		1,770.40 841.54		-	-	+	15.20 15.20		<del>                                     </del>		<del>                                     </del>
<del></del>	Virtual Collocation-Cable Installation Cost, per cable  Virtual Collocation-Floor Space, per sq ft	+	+	AMTES	ESPUX	3.20	541.54		-		+	15.20		-		<del>                                     </del>
<del>                                     </del>	Virtual Collocation-Pioor Space, per sq ft Virtual Collocation-Power, per fused amp	1	+	AMTES	ESPAX	8.32			-	1	+	1		<del>                                     </del>		1
	Virtual Collocation-Power, per rused amp  Virtual Collocation-Cable Support Structure, per entrance cable	1	1	AMTES	ESPSX	16.02					1					<del>                                     </del>
	Virtual Conocation-Cable Cupport Structure, per entrance cable		1	UEANL,UEA,UDN,U	LOI OX	10.02										†
				DC,UAL,UHL,UCL,U												
		1	1	EQ,AMTFS,UDL,UN	1				1							
		1	1	CVX,UNCDX,UNCN	1				1							
	Virtual Collocation-2W Cross Connects (loop)	1	1	X	UEAC2	0.0296	11.94	11.46	1			15.20				
				UEA,UHL,UCL,UDL,				0				1		İ		
		1	1	AMTFS,UAL,UDN,U	1				1							
	Virtual Collocation-4W Cross Connects (loop)			NCVX,UNCDX	UEAC4	0.0591	12.04	11.53				15.20				
				AMTFS,UDL12,UDL												
				O3,U1T48,U1T12,U1												
				T03,ULDO3,ULD12,												
<u> </u>	Virtual Collocation-2-Fiber Cross Connects	1	1	ULD48,UDF	CNC2F	2.65	20.29	14.76			ļ	15.20				ļ
		1	1	AMTFS,UDL12,UDL	1				1				1			
		1	1	O3,U1T48,U1T12,U1	1				1				1			
	No. 10 II of 151 0			T03,ULDO3,ULD12,	01104-		04.5	40.55				45.55				
	Virtual Collocation-4-Fiber Cross Connects	1		ULD48,UDF	CNC4F	5.31	24.81	19.29				15.20		1		1

COLLOCA	TION - Louisiana												Attach	ment: 4	Exh	ibit: B
CATEGORY	RATE ELEMENTS	Inter im	Zone	BCS	usoc		F	RATES (\$)			d Elec	Svc Order Submitte d Manually per LSR	Charge - Manual Svc Order vs.	Manual Svc Order vs.	al Charge - Manual Svc Order vs.	Increment al Charge - Manual Svc Order vs. Electronic-
						_	Nonrec	currina	NRC D	isconnec	t		oss	Rates (\$)	I luce 1et	Thec year
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Virtual collocation-Special Access & UNE, cross-connect per DS1			USL,ULC,AMTFS,UL R,UXTD1,UNC1X,UL DD1,U1TD1,USLEL, UNLD1	CNC1X	1.04	21.39	15.47				15.20				
	Virtual collocation-Special Access & UNE, cross-connect per DS3			USL,ULC,AMTFS,UE 3,U1TD3,UXTS1,UX TD3,UNC3X,UNCSX, ULDD3,U1TS1,ULDS 1,UDLSX,UNLD3	CND3X	13.21	20.28	14.76				15.20				
	Virtual Collocation-Special Access & ONE, closs-connect per Dos			1,00L3A,0INLD3	CINDOX	13.21	20.20	14.70				13.20				
	foot			AMTES	VE1CB	0.0024										
	Virtual Collocation-Co-Carrier Cross Connects-Copper/Coax Cable Support Structure, per linear ft			AMTFS	VE1CD	0.0036										
	Virtual Collocation-Co-Carrier Cross Connects-Fiber Cable Support Structure,per cable Virtual Collocation-Co-Carrier Cross Connects-Copper/Coax Cable Support Structure, per			AMTFS	VE1CC		534.79					15.20				
	cable			AMTFS	VE1CE		534.79					15.20				
	Virtual Collocation Cable Records-per request			AMTFS	VE1BA	10.97										
	Virtual Collocation Cable Records-VG/DS0 Cable, per cable record			AMTFS	VE1BB	5.29										
	Virtual Collocation Cable Records-VG/DS0 Cable, per each 100 pr			AMTFS	VE1BC	0.08										
	Virtual Collocation Cable Records-DS1, per T1TIE			AMTFS	VE1BD	0.04										
	Virtual Collocation Cable Records-DS3, per T3TIE			AMTFS	VE1BE	0.13										
	Virtual Collocation Cable Records-Fiber Cable, per 99 fiber records			AMTFS	VE1BF	1.37										
<b></b>	Virtual collocation-Security Escort-Basic, per half hour			AMTFS	SPTBX		16.44	10.42				15.20				
	Virtual collocation-Security Escort-Overtime, per half hour			AMTFS	SPTOX		21.41	13.45				15.20				
	Virtual collocation-Security Escort-Premium, per half hour			AMTFS	SPTPX		26.38	16.49				15.20				
	Virtual collocation-Maintenance in CO-Basic, per half hour			AMTES	CTRLX		27.12	10.42				15.20				
	Virtual collocation-Maintenance in CO-Overtime, per half hour			AMTES	SPTOM SPTPM		35.42 43.72	13.45 16.49				15.20				
VIDTUAL CO	Virtual collocation-Maintenance in CO-Premium per half hour  OLLOCATION			AMTFS	SPIPM		43.72	16.49				15.20				
VIRTUAL CO	Virtual Collocation-2W Cross Connect, Exchange Port 2W Analog-Res			UEPSR	VE1R2	0.0296	11.94	11.46				15.20				
+	Virtual Collocation 2W Cross Connect, Exchange Port 2W Line Side PBX Trunk-Bus			UEPSP	VE1R2	0.0296	11.94	11.46				15.20			-	
<del>                                     </del>	Virtual Collocation 2W Cross Connect, Exchange Port 2W Line Side PBX Trunk-Bus Virtual Collocation 2W Cross Connect, Exchange Port 2W VG PBX Trunk-Res			UEPSE	VE1R2	0.0296	11.94	11.46	<del>                                     </del>			15.20		-		1
<b>-</b>	Virtual Collocation 2W Cross Connect, Exchange Port 2W Vo PBX Hulli-Nes			UEPSB	VE1R2	0.0296	11.94	11.46				15.20			-	
	Virtual Collocation 2W Cross Connect, Exchange Port 2W Arialog Bus  Virtual Collocation 2W Cross Connect, Exchange Port 2W ISDN			UEPSX	VE1R2	0.0296	11.94	11.46	<b> </b>			15.20				+
<del></del>	Virtual Collocation 2W Cross Connect, Exchange Port 2W ISDN	1	1	UEPTX	VE1R2	0.0296	11.94	11.46			1	15.20			<b>-</b>	<b>†</b>
<del></del>	Virtual Collocation 2W Cross Connect, Exchange Fort 2W ISBN DS1	1	1	UEPEX	VE1R4	0.0290	12.04	11.53			1	15.20			<b>-</b>	<b>†</b>
	Rates displaying an "R" in Interim column are interim and subject to rate true-up as s	et for	th in (			0.0001	12.04	11.55	<b> </b>		<del>                                     </del>	10.20			-	<del> </del>

COLL	LOCA	TION - Mississippi												Attach	ment: 4	Exhi	ibit: B
CATE		RATE ELEMENTS	Interi m	Zon e	BCS	usoc		1	RATES (\$)			Svc Order Submitte d Elec per LSR	d	Order vs.	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incrementa I Charge - Manual Svc Order vs. Electronic-	I Charge - Manual Svc Order vs. Electronic
								Nonrec	urring	NRC Dis	connect			OSS	Rates (\$)	Diec 1et	Disc Add'l
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
								riist	Auu i	riist	Auu i	JOINILO	SOWAN	JOWAN	JOWAN	SOWAN	JOIVIAN
DUVCI	ICAL C	OLLOCATION															<b>†</b>
	IOAL O	Physical Collocation 2W Cross Connect, Exchange Port 2W Analog-Res			UEPSR	PE1R2	0.0288	12.37	11.87	6.04	5.45		15.75				<b>†</b>
		Friysical Collocation 200 Closs Collifect, Exchange Fort 200 Analog-Ites			OLFSK	FLINZ	0.0288	12.37	11.07	0.04	3.43		13.73				
		Physical Collocation 2W Cross Connect, Exchange Port 2W Line Side PBX Trunk-Bus			UEPSP	PE1R2	0.0288	12.37	11.87	6.04	5.45		15.75				
		Physical Collocation 2W Cross Connect, Exchange Port 2W VG PBX Trunk-Res			UEPSE	PE1R2	0.0288	12.37	11.87	6.04	5.45		15.75				
		Physical Collocation 2W Cross Connect, Exchange Port 2W Analog-Bus			UEPSB	PE1R2	0.0288	12.37	11.87	6.04	5.45		15.75				
		Physical Collocation 2W Cross Connect, Exchange Port 2W Analog-Bus  Physical Collocation 2W Cross Connect, Exchange Port 2W ISDN			UEPSX	PE1R2	0.0288	12.37	11.87	6.04	5.45		15.75				1
		Physical Collocation 2W Cross Connect, Exchange Port 2W ISDN			UEPTX	PE1R2	0.0288	12.37	11.87	6.04	5.45		15.75				1
		Physical Collocation 4W Cross Connect, Exchange Port 4W ISDN DS1			UEPEX	PE1R4	0.0576	12.47	11.94	6.59	5.91		15.75				1
PHYSI	ICAL C	OLLOCATION			JE, EA		0.0010	14.71	11.04	0.00	0.01	1	10.70	<b> </b>	1		<del>                                     </del>
3	. JAL 0	Physical Collocation-Application Fee-Initial			CLO	PE1BA		1,890.38					1				<b>†</b>
	<b>-</b>	Physical Collocation-Application Fee-Subsequent			CLO	PE1CA		1,575.69						<del>                                     </del>	1		+
		Physical Collocation Administrative Only-Application Fee			CLO	PE1BL		740.76									1
		Physical Collocation-Space Preparation-Firm Order Processing	<u> </u>		CLO	PE1SJ		604.19									
		Physical Collocation-Space Preparation-CO Modification per sq ft	H		CLO	PE1SK	2.30	004.19									
		Physical Collocation-Space Preparation-Common Systems Modification per sq ft-	-		CLO	FLIOR	2.30										
		Cageless			CLO	PE1SL	2.52										
		Physical Collocation-Space Preparation-Common Systems Modification per Cage			CLO	PE1SM	85.67										1
		Physical Collocation-Cable Installation			CLO	PE1BD	65.67	926.27	926.27	22.62							
		Physical Collocation-Floor Space per sq ft			CLO	PE1PJ	5.74	920.27	920.27	22.02							1
		Physical Collocation-Cable Support Structure, Per Entrance Cable			CLO	PE1PM	17.42										1
		Physical Collocation-Cable Support Structure, Per Entrance Cable  Physical Collocation-Power -48V DC Power, per Fused Amp	-		CLO	PE1PIN	7.33										
			H		CLO		7.33	398.76									
		Physical Collocation-Power Reduction, Application Fee Physical Collocation-120V, Single Phase Standby Power Rate	H		CLO	PE1PR PE1FB	5.29	398.76									<del> </del>
		Physical Collocation-120V, Single Phase Standby Power Rate  Physical Collocation-240V, Single Phase Standby Power Rate	H		CLO	PE1FD	10.58										<b></b>
		Physical Collocation-120V, Three Phase Standby Power Rate  Physical Collocation-120V, Three Phase Standby Power Rate	-		CLO	PE1FD PE1FE	15.87										1
		Physical Collocation-277V, Three Phase Standby Power Rate			CLO	PE1FG	36.65										1
		Friysical Collocation-277V, Tillee Friase Standby Fower Rate	'		UEANL,UEA,UDN,U	FEIFG	30.03										1
					DC,UAL,UHL,UCL,U												
					EQ,UDL,UNCVX,UN												
		Physical Collocation-2W Cross-Connects			LDX,UNCNX	PE1P2	0.0288	12.37	11.87	6.04	5.45						
		Thysical Collocation-244 Closs-Collificats			CLO,UAL,UDL,UDN,	ILIIZ	0.0200	12.57	11.07	0.04	J. <del>1</del> J						1
					UEA.UHL.UNCVX.U												
		Physical Collocation-4W Cross-Connects			NCDX,UCL	PE1P4	0.0576	12.47	11.94	6.59	5.91						
		Thybical Comodulion 444 Close Comidate			CLO,UEANL,UEQ,W		0.0070	12.47	11.04	0.00	0.01						
					DS1L,WDS1S,USL,												
					U1TD1,UXTD1,UNC1												
					X,ULDD1,USLEL,UN												
		Physical Collocation-DS1 Cross-Connects			LD1.UDL	PE1P1	1.14	22.16	16.02	6.60	5.97						
					CLO,UE3,U1TD3,UX												
					TD3,UXTS1,UNC3X,												
					UNCSX,ULDD3,U1T												
					S1,ULDS1,UNLD3,U												
		Physical Collocation-DS3 Cross-Connects			DL	PE1P3	14.49	21.01	15.29	7.61	6.10						
		•			CLO,ULDO3,ULD12,									1			
					ULD48,U1TO3,U1T1									1			
					2,U1T48,UDLO3,UD									1			
		Physical Collocation-2-Fiber Cross-Connect			L12,UDF	PE1F2	2.87	21.01	15.29	7.61	6.10			1			
					CLO,ULDO3,ULD12,												
					ULD48,U1TO3,U1T1									l			
					2,U1T48,UDLO3,UD									l			
		Physical Collocation-4-Fiber Cross-Connect			L12,UDF	PE1F4	5.10	25.70	19.97	10.01	8.50			1			
		Physical Collocation-Welded Wire Cage-First 100 sq ft			CLO	PE1BW	183.20							1			
		Physical Collocation-Welded Wire Cage-Add'l 50 sq ft			CLO	PE1CW	17.97										
		Physical Collocation-Security Access System-Security System per CO			CLO	PE1AX	75.23										1

Version 4Q02: 12/18/02 Page 23 of 40

COLLOCA	ATION - Mississippi												Attach	ment: 4	Exhi	bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zon	BCS	usoc			RATES (\$)			Svc Order Submitte d Elec	Svc Order Submitte d	Incremental Charge -	Incremental Charge - Manual Svc Order vs.	Incrementa I Charge - Manual Svc Order	Incrementa I Charge - Manual
		m	е								per LSR		Electronic- 1st		vs. Electronic-	vs.
						Rec	Nonre	curring	NRC Dis	connect			oss	Rates (\$)	11166 164	THE ARAT
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Request, per State, per Card			CLO	PE1AA		7.84	7.84								
	Physical Collocation-Security Access System-Replace Lost or Stolen Card, per Card			CLO	PE1AR		22.91	22.91								<del></del>
	Physical Collocation-Security Access-Initial Key, per Key			CLO	PE1AK		13.17	13.17								
	Physical Collocation-Security Access-Key, Replace Lost or Stolen Key, per Key			CLO	PE1AL		13.17	13.17								
	Physical Collocation-Space Availability Report per premises			CLO	PE1SR		1,081.40									
				UEANL,UEA,UDN,U												
				DC,UAL,UHL,UCL,U												
				EQ,CLO,UDL,UNCV												
	POT Bay Arrangements prior to 6/1/99-2W Cross-Connect, per cross-connect			X,UNCDX,UNCNX	PE1PE	0.0867										
				UEANL,UEA,UDN,U												
				DC,UAL,UHL,UCL,U												
	POT Bay Arrangements prior to 6/1/99-4W Cross-Connect, per cross-connect			EQ,CLO,USL,UNCV X,UNCDX	PE1PF	0.1734										
	POT Bay Arrangements prior to 6/1/99-4W Cross-Connect, per cross-connect			UEANL,UEA,UDN,U	FEIFF	0.1734										
				DC,UAL,UHL,UCL,U												
				EQ,CLO,WDS1L,WD												
				S1S,USL,U1TD1,UX												
	POT Bay Arrangements prior to 6/1/99-DS1 Cross-Connect, per cross-connect			TD1,UNC1X,ULDD1,	PE1PG	1.22										
				UEÁNL,UEÁ,UDN,Ú												
				DC,UAL,UHL,UCL,U												
				EQ,CLO,UE3,U1TD3												
				,UXTD3,UXTS1,UNC 3X.UNCSX.ULDD3.U												
				1TS1,ULDS1,UNLD3												
	POT Bay Arrangements prior to 6/1/99-DS3 Cross-Connect, per cross-connect			,UDL,UDLSX	PE1PH	10.91										
	1 OT bay Anangements prior to 0/1/33-b03 cross-connect, per cross-connect			UEANL,UEA,UDN,U	1 - 11 11	10.51										
				DC,UAL,UHL,UCL,U												
				EQ,CLO,ULDO3,ULD												
				12,ULD48,U1TO3,U1												
				T12,U1T48,UDLO3,U												
	POT Bay Arrangements prior to 6/1/99-2-Fiber Cross-Connect, per cross-connect			DL12,UDF	PE1B2	37.26										
				UEANL,UEA,UDN,U												
				DC,UAL,UHL,UCL,U												
				EQ,CLO,ULDO3,ULD												
				12,ULD48,U1TO3,U1												
	POT Bay Arrangements prior to 6/1/99-4-Fiber Cross-Connect, per cross-connect			T12,U1T48,UDLO3,U DL12,UDF	PE1B4	50.24										
	Physical Collocation-Request Resend of CFA Information, per CLLI			CLO	PE1B4 PE1C9	50.24	77.41									<del>                                     </del>
	NRC Collocation Cable Records-per request			CLO	PE1CR		763.69	490.94	133.77							
	NRC Collocation Cable Records-VG/DS0 Cable, per cable record			CLO	PE1CD		328.81	.50.04	190.22							
	NRC Collocation Cable Records-VG/DS0 Cable, per each 100 pr			CLO	PE1CO		4.84	4.84	5.93	5.93						
	NRC Collocation Cable Records-DS1, per T1TIE			CLO	PE1C1		2.27	2.27	2.78	2.78						
	NRC Collocation Cable Records-DS3, per T3TIE			CLO	PE1C3		7.92	7.92	9.72	9.72						
	NRC Collocation Cable Records-Fiber Cable, per 99 fiber records			CLO	PE1CB		84.98	84.98	77.58	77.58						
	Physical Collocation-Security Escort-Basic, per Half Hour			CLO,CLORS	PE1BT		17.02	10.79								
	Physical Collocation-Security Escort-Overtime, per Half Hour			CLO,CLORS	PE10T		22.17	13.94								
	Physical Collocation-Security Escort-Premium, per Half Hour			CLO,CLORS	PE1PT		27.32	17.08								
	V to P Conversion, Per Customer Request-VG		-	CLO	PE1BV		33.00									
	V to P Conversion, Per Customer Request-DS0			CLO	PE1BO		33.00	-			1	1				<del>                                     </del>
	V to P Conversion, Per Customer Request-DS1			CLO	PE1B1		52.00	-	-		-					
	V to P Conversion, Per Customer request-DS3			CLO CLO	PE1B3 PE1BP		52.00 23.00								-	<del></del>
	V to P Conversion, Per Customer Request per DS0 Circuit Reconfigured  V to P Conversion, Per Customer Request per DS1 Circuit Reconfigured		-	CLO	PE1BS		33.00	1			1	1				<del>                                     </del>
	V to P Conversion, Per Customer Request per DS1 Circuit Reconfigured  V to P Conversion, Per Customer Request per DS3 Circuit Reconfigured	<u> </u>	<del>                                     </del>	CLO	PE1BS PE1BE		37.00	-								
	1 to . Commonding For Oddiomor Request per Doo Onedit Reconniqued			, JLO	-		01.00		i				1	1		

COLLO	ATION - Mississippi												Attach	ment: 4	Fyhi	bit: B
CATEGOR		Interi m	Zor e	BCS	usoc			RATES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitte d Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I		Incrementa I Charge - Manual Svc Order vs.
			<u> </u>			Rec		curring		connect	COMEO	0011411		Rates (\$)	SOMAN	SOMAN
	Physical Collocation-Co-Carrier Cross Connects-Fiber Cable Support Structure, per cable, per linear ft.			CLO,UDF	PE1ES	0.001	First	Add'l	First	Add'l	SOWIEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Physical Collocation-Co-Carrier Cross Connects-Copper/Coax Cable Support Structure, per cable, per lin. ft.			CLO,UE3,USL	PE1DS	0.0015										
						0.0010	500.40									
ADIACEN	Physical Collocation-Co-Carrier Cross Connects Only-Application Fee, per application COLLOCATION		1 -	CLO	PE1DT		583.13				-					
ADJACEN	Adjacent Collocation-Space Charge per sq ft		1	CLOAC	PE1JA	0.0678										
	Adjacent Collocation-Electrical Facility Charge per Linear Ft.		1	CLOAC	PE1JC	4.68										<del></del>
	Adjacent Collocation-2W Cross-Connects			CLOAC	PE1P2	0.0223	12.37	11.87	6.04	5.45						
	Trajacent conceditor 211 cross connects			UEA,UHL,UDL,UCL,		0.0220	12.01		0.0 .	0.10						
	Adjacent Collocation-4W Cross-Connects			CLOAC	PE1P4	0.0446	12.47	11.94	6.59	5.91						<u> </u>
	Adjacent Collocation-DS1 Cross-Connects			USL,CLOAC	PE1P1	1.05	22.16	16.02	6.60	5.97						
	Adjacent Collocation-DS3 Cross-Connects		1	CLOAC	PE1P3	14.27	21.01	15.29	7.61	6.10						
	Adjacent Collocation-2-Fiber Cross-Connect			CLOAC	PE1F2	2.42	21.01	15.29	7.61	6.10						
	Adjacent Collocation-4-Fiber Cross-Connect		<u> </u>	CLOAC	PE1F4	4.62	25.70	19.97	10.01	8.50						
	Adjacent Collocation-Application Fee		<u> </u>	CLOAC	PE1JB		1,585.83									
	Adjacent Collocation-120V, Single Phase Standby Power Rate per AC Breaker Amp		<u> </u>	CLOAC	PE1FB	5.29										
	Adjacent Collocation-240V, Single Phase Standby Power Rate per AC Breaker Amp		1 -	CLOAC CLOAC	PE1FD PE1FE	10.58										-
	Adjacent Collocation-120V, Three Phase Standby Power Rate per AC Breaker Amp Adjacent Collocation-277V, Three Phase Standby Power Rate per AC Breaker Amp		1	CLOAC	PE1FG	15.87 36.65		-								-
DHASICVI	COLLOCATION IN THE REMOTE SITE		1	CLOAC	PEIFG	30.03										
FITTSICAL	Physical Collocation in the Remote Site-Application Fee		1	CLORS	PE1RA		309.48		168.63							
	Cabinet Space in the Remote Site per Bay/ Rack		1	CLORS	PE1RB	210.05	303.40		100.03							-
	Physical Collocation in the Remote Site-Security Access-Key			CLORS	PE1RD	210.00	13.17	13.17								
	Physical Collocation in the Remote Site-Space Availability Report per Premises			020110												
	Requested			CLORS	PE1SR		116.54	116.54								
	Physical Collocation in the Remote Site-Remote Site CLLI Code Request, per CLLI															
	Code Requested			CLORS	PE1RE		37.77	37.77								
	Remote Site DLEC Data (BRSDD), per Compact Disk, per CO			CLORS	PE1RR		233.14									
PHYSICAL	COLLOCATION IN THE REMOTE SITE - ADJACENT															
	Remote Site-Adjacent Collocation-AC Power, per breaker amp			CLORS	PE1RS	6.27										
	Remote Site-Adjacent Collocation-Real Estate, per sq ft		<u> </u>	CLORS	PE1RT	0.134										
	Remote Site-Adjacent Collocation-Application Fee	L	Ь.	CLORS	PE1RU		755.62	755.62								
	E: If Security Escort and/or Add'l Engineering Fees become necessary for remote sit	e collo	catio	on, the Parties will neg	otiate app	ropriate ra	tes.									
VIRTUAL	COLLOCATION		1 -	AMTFS	EAF		4 242 25		0.54			45.75				-
	Virtual Collocation-Application Fee Virtual Collocation-Cable Installation Cost, per cable	1	1-	AMTES	ESPCX		1,212.25 926.27		0.51 22.62		+	15.75 15.75				<del>                                     </del>
<del>                                     </del>	Virtual Collocation-Cobie Installation Cost, per cable  Virtual Collocation-Floor Space, per sq ft	1	1	AMTES	ESPVX	5.74	320.27		22.02		1	13.73				<del>                                     </del>
	Virtual Collocation-Power, per fused amp		1	AMTES	ESPAX	7.33					1					
	Virtual Collocation-Cable Support Structure, per entrance cable			AMTFS	ESPSX	15.24										
				UEANL,UEA,UDN,U												
				DC,UAL,UHL,UCL,U												
			1	EQ,AMTFS,UDL,UN												
			1	CVX,UNCDX,UNCN												
	Virtual Collocation-2W Cross Connects (loop)	<u> </u>	<u> </u>	X	UEAC2	0.0268	12.37	11.87	6.04	5.45	1	15.75				
			1	UEA,UHL,UCL,UDL,												
	Wintered College Clare ANN Consess Community (Iv. )			AMTFS,UAL,UDN,U	11540:	0.0505		44.0:				4===				
<del></del>	Virtual Collocation-4W Cross Connects (loop)		1-	NCVX,UNCDX AMTFS,UDL12,UDL	UEAC4	0.0536	12.47	11.94	6.59	5.91	+	15.75				<del>                                     </del>
				O3,U1T48,U1T12,U1												
				T03,ULDO3,ULD12,												
	Virtual Collocation-2-Fiber Cross Connects		1	ULD48,UDF	CNC2F	2.91	21.01	15.29	7.61	6.10		15.75				
$\vdash$	VIII CONCOUNT 2-1 IDEI CIOSS CONNECTS		1	AMTFS,UDL12,UDL	014021	2.31	21.01	10.29	7.01	0.10	1	10.70				$\vdash$
			1	O3,U1T48,U1T12,U1												
				T03,ULDO3,ULD12,												1
1 1	Virtual Collocation-4-Fiber Cross Connects	1	1	ULD48,UDF	CNC4F	5.82	25.70	19.97	10.01	8.50		15.75				

Version 4Q02: 12/18/02 Page 25 of 40

COLLO	OCA	TION - Mississippi												Attach	nent: 4	Exhi	bit: B
CATEGO	ORY	RATE ELEMENTS	Interi m	Zon e	BCS	usoc			RATES (\$)			Svc Order Submitte d Elec per LSR	d		Charge - Manual Svc Order vs. Electronic-	Incrementa I Charge - Manual Svc Order vs. Electronic-	I Charge - Manual Svc Order vs.
							_	Nonred	urring	NRC Dis	connect		l	oss	Rates (\$)	Diec 1et	Diec Add'l
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
		Virtual Collocation-Special Access & UNE, cross-connect per DS1			USL,ULC,AMTFS,UL R,UXTD1,UNC1X,UL DD1,U1TD1,USLEL, UNLD1	CNC1X	1.14	22.16	16.02	6.60	5.97		15.75				
		Virtual collocation-Special Access & UNE, cross-connect per DS3			USL,ULC,AMTFS,UE 3,U1TD3,UXTS1,UX TD3,UNC3X,UNCSX, ULDD3,U1TS1,ULDS 1,UDLSX,UNLD3		14.49	21.01	15.29	7.61	6.10		15.75				
		Virtual Collocation-Co-Carrier Cross Connects-Fiber Cable Support Structure, per linear foot			AMTFS	VE1CB	0.0025										
		Virtual Collocation-Co-Carrier Cross Connects-Copper/Coax Cable Support Structure, per linear ft			AMTFS	VE1CD	0.0037										
		Virtual Collocation-Co-Carrier Cross Connects-Fiber Cable Support Structure,per cable Virtual Collocation-Co-Carrier Cross Connects-Copper/Coax Cable Support Structure,			AMTFS	VE1CC		534.65					15.75				
		per cable			AMTFS	VE1CE		534.65					15.75				
		Virtual Collocation Cable Records-per request			AMTFS	VE1BA		763.69	490.94	133.77	133.77						
		Virtual Collocation Cable Records-VG/DS0 Cable, per cable record			AMTFS	VE1BB		328.81	328.81	190.22	190.22						
		Virtual Collocation Cable Records-VG/DS0 Cable, per each 100 pr			AMTFS	VE1BC		4.84	4.84	5.93	5.93						
		Virtual Collocation Cable Records-DS1, per T1TIE			AMTFS	VE1BD		2.27	2.27	2.78	2.78						
		Virtual Collocation Cable Records-DS3, per T3TIE			AMTFS	VE1BE		7.92	7.92	9.72	9.72						
		Virtual Collocation Cable Records-Fiber Cable, per 99 fiber records			AMTFS	VE1BF		84.98	84.98	77.58	77.58						
		Virtual collocation-Security Escort-Basic, per half hour			AMTFS	SPTBX		17.02	10.79				15.75				
		Virtual collocation-Security Escort-Overtime, per half hour			AMTFS	SPTOX		22.17	13.94				15.75				
		Virtual collocation-Security Escort-Premium, per half hour		<u> </u>	AMTFS	SPTPX		27.32	17.08				15.75				
		Virtual collocation-Maintenance in CO-Basic, per half hour		<u> </u>	AMTFS	CTRLX		28.09	10.79				15.75				
		Virtual collocation-Maintenance in CO-Overtime, per half hour		<u> </u>	AMTFS	SPTOM		36.69	13.94				15.75				
		Virtual collocation-Maintenance in CO-Premium per half hour		<u> </u>	AMTFS	SPTPM		45.28	17.08				15.75				
VIRTUA	L CO	LLOCATION		<u> </u>									ļ				
		Virtual Collocation-2W Cross Connect, Exchange Port 2W Analog-Res		<u> </u>	UEPSR	VE1R2	0.0268	12.37	11.87	6.04	5.45		15.75				
		Virtual Collocation 2W Cross Connect, Exchange Port 2W Line Side PBX Trunk-Bus		<u> </u>	UEPSP	VE1R2	0.0268	12.37	11.87	6.04	5.45		15.75				
		Virtual Collocation 2W Cross Connect, Exchange Port 2W VG PBX Trunk-Res		ļ	UEPSE	VE1R2	0.0268	12.37	11.87	6.04	5.45		15.75	ļ			
		Virtual Collocation 2W Cross Connect, Exchange Port 2W Analog Bus		<u> </u>	UEPSB	VE1R2	0.0268	12.37	11.87	6.04	5.45		15.75				
		Virtual Collocation 2W Cross Connect, Exchnage Port 2W ISDN		<u> </u>	UEPSX	VE1R2	0.0268	12.37	11.87	6.04	5.45		15.75				
		Virtual Collocation 2W Cross Connect, Exchange Port 2W ISDN		<u> </u>	UEPTX	VE1R2	0.0268	12.37	11.87	6.04	5.45		15.75				
		Virtual Collocation 4W Cross Connect, Exchange Port 4W ISDN DS1			UEPEX	VE1R4	0.0536	12.47	11.94	6.59	5.91		15.75				
N	lote:	Rates displaying an "R" in Interim column are interim and subject to rate true-up as	s set fo	orth ir	General Terms and C	onditions											

COLL	OCA.	TION - North Carolina												Attachi	ment: 4	Exhi	bit: B
<del></del>	1											Svc	Svc			Incrementa	
												Order	Order	I Charge -	I Charge -	I Charge -	I Charge -
l												Submitt	Submitt	Manual	Manual	Manual	Manual
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC		R	ATES (\$)			ed Elec	ed	Svc Order	Svc Order	Svc Order	
			m			5555		•	(4)			per LSR		vs.	vs.	vs.	vs.
1													y per	Electronic-	Electronic-	Electronic-	Electronic-
ì													LSR	1st	Add'l	Disc 1st	Disc Add'l
							_	Nonred	curring	NRC Di	isconnec			oss	Rates (\$)		
							Rec	First	Add'l		Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
PHYSIC	CALC	OLLOCATION															
		Physical Collocation 2W Cross Connect, Exchange Port 2W Analog-Res			UEPSR	PE1R2	0.32	41.78	39.23					26.94	12.76		
		Physical Collocation 2W Cross Connect, Exchange Port 2W Line Side PBX Trunk-															
		Bus			UEPSP	PE1R2	0.32	41.78	39.23					26.94	12.76		
		Physical Collocation 2W Cross Connect, Exchange Port 2W VG PBX Trunk-Res			UEPSE	PE1R2	0.32	41.78	39.23					26.94	12.76		
		Physical Collocation 2W Cross Connect, Exchange Port 2W Analog-Bus			UEPSB	PE1R2	0.32	41.78	39.23					26.94	12.76		
LΙΙ		Physical Collocation 2W Cross Connect, Exchange Port 2W ISDN			UEPSX	PE1R2	0.32	41.78	39.23					26.94	12.76		
igsqcut		Physical Collocation 2W Cross Connect, Exchange Port 2W ISDN			UEPTX	PE1R2	0.32	41.78	39.23					26.94	12.76		
igsqcut		Physical Collocation 4W Cross Connect, Exchange Port 4W ISDN DS1			UEPEX	PE1R4	0.64	41.91	39.25					26.94	12.76		
PHYSIC		COLLOCATION															
igsquare		Physical Collocation-Application Fee-Initial	I		CLO	PE1BA		3,850.00	3,850.00								
igsquare		Physical Collocation-Application Fee-Subsequent			CLO	PE1CA		3,119.00	3,119.00								
igsquare		Physical Collocation Administrative Only-Application Fee			CLO	PE1BL		741.44									
igsquare		Physical Collocation-Space Preparation-CO Modification per sq ft	I		CLO	PE1SK	1.57										
ì		Physical Collocation-Space Preparation-Common Systems Modification per sq ft-															
		Cageless	ı		CLO	PE1SL	3.26										
		Physical Collocation-Space Preparation-Common Systems Modification per Cage	ı		CLO	PE1SM	110.79										
		Space Preparation Fees-Power Per Nominal -48V Dc Amp	ı		CLO	PE1FH	5.76										
$\vdash$		Physical Collocation-Cable Installation	ı		CLO	PE1BD		2,305.00	2,305.00								
$\vdash$		Physical Collocation-Floor Space per sq ft			CLO	PE1PJ	3.45										
$\vdash$		Physical Collocation-Cable Support Structure, Per Entrance Cable	<u> </u>		CLO	PE1PM	21.33										
$\vdash$		Physical Collocation-Power -48V DC Power, per Fused Amp	L.		CLO	PE1PL	8.50										
$\vdash$		Physical Collocation-Power Reduction, Application Fee			CLO	PE1PR		399.13									
$\vdash \vdash$		Physical Collocation-120V, Single Phase Standby Power Rate	<u> </u>		CLO	PE1FB	5.50										
$\vdash \vdash$		Physical Collocation-240V, Single Phase Standby Power Rate	<u> </u>		CLO	PE1FD	11.01										
$\vdash \vdash$		Physical Collocation-120V, Three Phase Standby Power Rate	<u> </u>		CLO CLO	PE1FE PE1FG	16.51										
$\vdash \vdash$		Physical Collocation-277V, Three Phase Standby Power Rate				PETFG	38.12										
ì					UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U												
					EQ,UDL,UNCVX,UN												
ì		Physical Collocation-2W Cross-Connects	١,		LDX.UNCVX,UN	PE1P2	0.32	41.78	39.23								
$\vdash$		Physical Collocation-2vv Cross-Connects	-		CLO,UAL,UDL,UDN,	PEIPZ	0.32	41.70	39.23							-	
					UEA,UHL,UNCVX,U												
		Physical Collocation-4W Cross-Connects	١,		NCDX,UCL	PE1P4	0.64	41.91	39.25								
+-+		r hysical Collocation 444 Cross-Connects			CLO,UEANL,UEQ,	FEIF4	0.04	41.31	39.23							1	
					WDS1L,WDS1S,US												
1					L,U1TD1,UXTD1,UN												
1					C1X,ULDD1,USLEL,												
1		Physical Collocation-DS1 Cross-Connects	١,		UNLD1,UDL	PE1P1	2.34	71.02	51.08								
<del></del>		Trysical Collocation DOT Closs-Conficcts	<u>'</u>		CLO,UE3,U1TD3,U	1 - 11 1	2.04	71.02	31.00								
( l			l		XTD3,UXTS1,UNC3												
1			l		X,UNCSX,ULDD3,U												
1			l		1TS1,ULDS1,UNLD												
1		Physical Collocation-DS3 Cross-Connects	Li		3.UDL	PE1P3	42.84	69.84	49.43								
-+		. Hysical Standard II Dec Group Commons	<del></del>	<u> </u>	CLO.ULDO3.ULD12.		72.04	33.04	70.70	<b> </b>						<b>†</b>	<b>†</b>
( l			l		ULD48,U1TO3,U1T1												
1 !			l		2,U1T48,UDLO3,UD												
ļ																	

CATEGORY  RATE ELEMENTS  Interim m  Zone BCS  USOC  RATES (\$)  Svc Order Order Order Submitt Submitt Submitt ed Elector on the per LSR Manual vs. vs. vs. vs. vs. vs. vs. vs. vs. vs.	COLLOCA	TION - North Carolina												Attachi	ment: 4	Exhi	bit: B
Physical Colocation 4-Pierr Gross-Connect				Zone	BCS	USOC		F	ATES (\$)			Order Submitt ed Elec	Order Submitt ed Manuall y per	Incrementa I Charge - Manual Svc Order vs.	Incrementa I Charge - Manual Svc Order vs.	Incrementa I Charge - Manual Svc Order vs. Electronic-	Incrementa I Charge - Manual Svc Order vs. Electronic-
CLOULDOSULIDIZA   CLOUD   FEEVA   CL													LSR	1st	Add'l	Disc 1st	Disc Add'l
CLOUD DOTALD PROJECT   Characteristics   First   Add   SOME   SOMA   S							Rec	Nonre	curring	NRC D					Rates (\$)		
Project   Coloration-differ Cross Cornect   1							i.cc	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Physical Collocation-Weldow Vive Cage-Add 150 sq ft   1			1		ULD48,U1TO3,U1T1 2,U1T48,UDLO3,UD L12,UDF			64.53	51.15								
Physical Collocation-Security Access System per CO																	<del>                                     </del>
Physical Collocation-Security Access System-New Administrative Change, existing   1 CLO   PE1A1   0.082   55.30   55.30																	$\vdash$
Card   Pipsical Colocation-Security Access System-Administrative Change, existing   Access Card per Request, per State, per Card   1			-		CLO	PETAX	41.03										$\vdash$
Physical Collocation-Security Accesses System-Administrative Change, existing   1			1		CLO	PF1A1	0.062	55 30	55.30								
Access Card, per Request, per State, per Card					020	1 = 17(1	0.002	00.00	00.00								
Card			- 1		CLO	PE1AA		15.51	15.51								
Physical Collocation-Searchy Access-Key, Replace Lost of Solon Key, per Key   CLO   PE13R   26.18   26.18					CLO	PE1AR		45.34	45.34								
Physical Collocation-Space Availability Report per premises		Physical Collocation-Security Access-Initial Key, per Key			CLO	PE1AK		26.18	26.18								
UBANLUEAUDNIJD   DC.UAL.UHL.UC.U   EQ.CLO.UDL.UNCV   EQ.CLO.UDL.UDL.UNCV   EQ.CLO.		Physical Collocation-Security Access-Key, Replace Lost or Stolen Key, per Key			CLO	PE1AL		26.18	26.18								
DC_UAL_UH_UCL_U   EQ.CL.O_UD_UNCV   EQ.CL.O_UD_UNCV   EQ.CL.O_UD_UNCV   EQ.CL.O_UD_UNCV   EQ.CL.O_UD_UNCV   EQ.CL.O_UD_UNCV   EQ.CL.O_UD_UNCV   EQ.CL.O_UD_UNCV   EQ.CL.O_UD_UNCV   EQ.CL.O_UD_UNCV   EQ.CL.O_UD_UNCV   EQ.CL.O_UD_UNCV   EQ.CL.O_UD_UNCV   EQ.CL.O_UD_UNCV   EQ.CL.O_UD_UNCV   EQ.CL.O_UD_UNCV   EQ.CL.O_UD_UNCV   EQ.CL.O_UD_UNCV   EQ.CL.O_UD_UD_UD_UD_UD_UD_UD_UD_UD_UD_UD_UD_UD_		Physical Collocation-Space Availability Report per premises	- 1			PE1SR		2,140.00	2,140.00								
EQ.CLO.USL.UNCX		POT Bay Arrangements prior to 6/1/99-2W Cross-Connect, per cross-connect			DC,UAL,UHL,UCL,U EQ,CLO,UDL,UNCV X,UNCDX,UNCNX UEANL,UEA,UDN,U	PE1PE	0.10										
EQ.CLO.WDS1L,W   DS1S.USL.U1TD1,U   DS1S.USL.U1TD1,U   DS1S.USL.U1TD1,U   DS1S.USL.U1TD1,U   DS1S.USL.U1TD1,U   DS1S.USL.U1TD1,U   DS1S.USL.U1TD1,UCL.U   EQ.CLO.UE3.U1TD   SJ.UDL.UCL.U   EQ.CLO.UE3.U1TD   SJ.UDL.UDLSX   USAN.UCSX.UL.DD3   UJ1TS1,ULDS1,UNL   DS1,UDL.UDLSX   DS1,UDL.UDLSX   DS1,UDL.UDLSX   DS1,UDL.UDL.UDLSX   DS1,UDLSX   DS1,UDLSX   DS1,UDLSX   DS1,UDLSX   DS1,UDLSX   DS1,UDLSX   DS1,UDLSX   DS		POT Bay Arrangements prior to 6/1/99-4W Cross-Connect, per cross-connect			EQ,CLO,USL,UNCV X,UNCDX	PE1PF	0.19										
DC,UAL,UHL,UCL,U   EQ,CLO,UE3,U1TD   3,UXTD3,UXTS1,UN   C3X,UNCSX,ULDD3   ,U1TS1,ULDS1,UNL   D3,UDL,UDLSX   PE1PH   4.85   UEANL,UEA,UDN,U   DC,UAL,UHL,UCL,U   EQ,CLO,ULDO3,UL   D12,ULD48,U1TO3,   U1712,U17148,UDLO   3,UD12,UDF   PE1B2   45.30   UEANL,UEA,UDN,U   DC,UAL,UHL,UCL,U   EQ,CLO,ULDO3,UL   D12,ULD48,U1TO3,   U1712,U17148,UDLO   3,UD12,UDF   PE1B2   45.30   UEANL,UEA,UDN,U   DC,UAL,UHL,UCL,U   EQ,CLO,ULDO3,UL   D12,ULD48,U1TO3,   U1712,U17148,UDLO   S,ULD3,UL   D12,ULD48,U1TO3,   U1712,U17148,UDLO   S,ULD3,UL   D12,ULD48,U1TO3,   U1712,U17148,UDLO   S,ULD12,UDF   PE1B4   61.09   POT Bay Arrangements prior to 6/1/99-4-Fiber Cross-Connect, per cross-connect   3,UD12,UDF   PE1B4   61.09   PE1B4   61.09   POT Bay Arrangements prior to 6/1/99-4-Fiber Cross-Connect, per cross-connect   3,UD12,UDF   PE1B4   61.09   PE1B4   61.09   POT Bay Arrangements prior to 6/1/99-4-Fiber Cross-Connect, per cross-connect   3,UD12,UDF   PE1B4   61.09   POT Bay Arrangements prior to 6/1/99-4-Fiber Cross-Connect   3,UD12,UDF   PE1B4   61.09   POT Bay Arrangements prior to 6/1/99-4-Fiber Cross-Connect   3,UD12,UDF   PE1B4   61.09   POT Bay Arrangements prior to 6/1/99-4-Fiber Cross-Connect   3,UD12,UDF   PE1B4   61.09   POT Bay Arrangements prior to 6/1/99-4-Fiber Cross-Connect   3,UD12,UDF   PE1B4   61.09   POT Bay Arrangements prior to 6/1/99-4-Fiber Cross-Connect   3,UD12,UDF   PE1B4   61.09   POT Bay Arrangements prior to 6/1/99-4-Fiber Cross-Connect   3,UD12,UDF   PE1B4   61.09   POT Bay Arrangements prior to 6/1/99-4-Fiber Cross-Connect   3,UD12,UDF   PE1B4   61.09   POT Bay Arrangements prior to 6/1/99-4-Fiber Cross-Connect   3,UD12,UDF   PE1B4   61.09   POT Bay Arrangements prior to 6/1/99-4-Fiber Cross-Connect   3,UD12,UDF   PE1B4   61.09   POT Bay Arrangements prior to 6/1/99-4-Fiber Cross-Connect   9,UD12,UD12,UD12,UD12,UD12,UD12,UD12,UD12		POT Bay Arrangements prior to 6/1/99-DS1 Cross-Connect, per cross-connect			EQ,CLO,WDS1L,W DS1S,USL,U1TD1,U XTD1,UNC1X,ULDD	PE1PG	0.79										
UEANL,UEA,UDN,U   DC,UAL,UHL,UCL,U   EQ,CLO,ULDO3,UL   D12,ULD48,U1TO3,   U1T12,U1T48,UDLO   3,UDL12,UDF   PE1B2   45.30   UEANL,UEA,UDN,U   DC,UAL,UHL,UCL,U   EQ,CLO,ULDO3,UL   D12,ULDO3,UL   D12,ULDO3,UL   D12,ULD03,UL   D12,ULD03,UL   D12,ULD03,UL   D12,ULD48,U1TO3,   U1T12,U1T48,UDLO   D12,ULD48,U1TO3,   U1T12,U1T48,UDLO   D12,ULD48,UDLO   D12,ULD48,UDLO   D12,ULD48,UDLO   D12,ULD48,UDLO   D12,ULD48,UDLO   D12,ULD48,UDLO   D12,ULD48,UDLO   D12,ULD48,UDLO   D12,ULD48,UDLO   D12,ULD48,UDLO   D12,ULD48,UDLO   D12,UDF   D13,UD12,UDF   D14,UD5   D15,UD5,UD5,UD5,UD5,UD5,UD5,UD5,UD5,UD5,UD		POT Bay Arrangements prior to 6/1/99-DS3 Cross-Connect. per cross-connect			DC,UAL,UHL,UCL,U EQ,CLO,UE3,U1TD 3,UXTD3,UXTS1,UN C3X,UNCSX,ULDD3 ,U1TS1,ULDS1,UNL	PE1PH	4.85										
UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO,ULDO3,UL D12,ULD48,U1TO3, U1T12,U1T48,UDLO POT Bay Arrangements prior to 6/1/99-4-Fiber Cross-Connect, per cross-connect 3,UDL12,UDF PE1B4 61.09					DC,UAL,UHL,UCL,U EQ,CLO,ULDO3,UL D12,ULD48,U1TO3, U1T12,U1T48,UDLO												
DC,UAL,UHL,UCL,U EQ,CLO,ULDO3,UL D12,ULD48,U1TO3, U1T12,U1T48,UDLO 3,UDL12,UDF PE1B4 61.09		POT Bay Arrangements prior to 6/1/99-2-Fiber Cross-Connect, per cross-connect		<u> </u>	, ,	PE1B2	45.30										<b></b>
		POT Bay Arrangements prior to 6/1/99-4-Fiber Cross-Connect, per cross-connect			DC,UAL,UHL,UCL,U EQ,CLO,ULDO3,UL D12,ULD48,U1TO3, U1T12,U1T48,UDLO	PE1B4	61.09										
					-,- ,-			77.48									
NRC Collocation Cable Records-per request CLO PE1CR 1,707.00				<b>†</b>						1	1	1					
NRC Collocation Cable Records-VG/DS0 Cable, per cable record  CLO PE1CD 923.08																	
NRC Collocation Cable Records-VG/DS0 Cable, per each 100 pr CLO PE1CO 18.02 18.02									18.02							1	

Version 4Q02: 12/18/02 Page 28 of 40

COLLOCA	ATION - North Carolina												Attach	ment: 4	Exhi	bit: B
											Svc	Svc	Incrementa	Incrementa	Incrementa	Incremen
											Order	Order	I Charge -	I Charge -	I Charge -	I Charge
											Submitt	Submitt	Manual	Manual	Manual	Manual
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			ed Elec	ed	Svc Order	Svc Order	Svc Order	Svc Orde
CATEGOR	KATE ELEMENTS	m	20116	B03	0300		ľ	CATES (ψ)			per LSR	Manuali	VS.	VS.	VS.	vs.
											per Lak	y per	_	Electronic-	Vs. Electronic-	Electronic
												LSR	1st	Add'l	Disc 1st	Disc Add
		1										LOR			DISC 1St	DISC Add
						Rec		curring		isconnec				Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	NRC Collocation Cable Records-DS1, per T1TIE			CLO	PE1C1		8.43	8.43								
	NRC Collocation Cable Records-DS3, per T3TIE			CLO	PE1C3		29.51	29.51								
	NRC Collocation Cable Records-Fiber Cable, per 99 fiber records			CLO	PE1CB		278.82	278.82								
	Physical Collocation-Security Escort-Basic, per Half Hour			CLO,CLORS	PE1BT		42.92	25.56								
	Physical Collocation-Security Escort-Overtime, per Half Hour			CLO,CLORS	PE1OT		54.51	32.44								
	Physical Collocation-Security Escort-Premium, per Half Hour			CLO,CLORS	PE1PT		66.10	39.32								
	V to P Conversion, Per Customer Request-VG			CLO	PE1BV		33.00									
	V to P Conversion, Per Customer Request-DS0			CLO	PE1BO		33.00									
	V to P Conversion, Per Customer Request-DS0  V to P Conversion, Per Customer Request-DS1		<b>†</b>	CLO	PE1B1		52.00		<b>†</b>	1	t	<b> </b>	<b> </b>	<b> </b>	1	<b>†</b>
	V to P Conversion, Per Customer request-DS3		<b>†</b>	CLO	PE1B3		52.00		<del>                                     </del>	<b> </b>			<del> </del>	<b> </b>		<del></del>
	V to P Conversion, Per Customer Request per DS0 Circuit Reconfigured		1	CLO	PE1BP		23.00			-			1		-	
		1	<u> </u>	CLO	PE1BS		33.00		<del>                                     </del>	<b> </b>					-	-
	V to P Conversion, Per Customer Request per DS1 Circuit Reconfigured	1							1							<b></b>
	V to P Conversion, Per Customer Request per DS3 Circuit Reconfigured			CLO	PE1BE		37.00									
	V to P Conversion, Cable prs Assigned to Collo Space per 700 prs or fraction															
	thereof			CLO	PE1B7		592.00									
	Physical Collocation-Co-Carrier Cross Connects-Fiber Cable Support Structure,															
	per cable, per linear ft.			CLO,UDF	PE1ES	0.0018										
	Physical Collocation-Co-Carrier Cross Connects-Copper/Coax Cable Support															
	Structure, per cable, per lin. ft.			CLO,UE3,USL	PE1DS	0.0027										
	Physical Collocation-Co-Carrier Cross Connects Only-Application Fee, per															
	application			CLO	PE1DT		583.66									
ADJACENT	COLLOCATION															
/ LDO/LOZIVI	Adjacent Collocation-Space Charge per sq ft			CLOAC	PE1JA	0.179										
	Adjacent Collocation-Electrical Facility Charge per Linear Ft.			CLOAC	PE1JC	5.96										-
	Adjacent Collocation-Electrican admity charge per Elliean 1.			CLOAC	PE1P2	0.32	41.78	39.23								
	Aujacent Conocation-2W Cross-Connects			UEA,UHL,UDL,UCL,	FEIFZ	0.32	41.70	39.23								
	A -li			CLOAC	PE1P4	0.04	41.91	39.25								
	Adjacent Collocation-4W Cross-Connects	1				0.64			1							<b></b>
	Adjacent Collocation-DS1 Cross-Connects			USL,CLOAC	PE1P1	2.34	71.02	51.08								<b>.</b>
	Adjacent Collocation-DS3 Cross-Connects			CLOAC	PE1P3	42.84	69.84	49.43								
	Adjacent Collocation-2-Fiber Cross-Connect			CLOAC	PE1F2	2.94	51.97	38.59								
	Adjacent Collocation-4-Fiber Cross-Connect			CLOAC	PE1F4	5.62	64.53	51.15								
	Adjacent Collocation-Application Fee			CLOAC	PE1JB		3,153.00									
	Adjacent Collocation-120V, Single Phase Standby Power Rate per AC Breaker															
	Amp		<u>L</u>	CLOAC	PE1FB	5.50			<u></u>							
	Adjacent Collocation-240V, Single Phase Standby Power Rate per AC Breaker						_								_	
	Amp			CLOAC	PE1FD	11.01										
	Adjacent Collocation-120V, Three Phase Standby Power Rate per AC Breaker			CLOAC	PE1FE	16.51										
	Adjacent Collocation-277V, Three Phase Standby Power Rate per AC Breaker			CLOAC	PE1FG	38.12										
PHYSICAL	COLLOCATION IN THE REMOTE SITE		<del>                                     </del>	020/10		00.12										
····OIOAL	Physical Collocation in the Remote Site-Application Fee		1	CLORS	PE1RA		865.34	865.34	1	1						
	Cabinet Space in the Remote Site per Bay/ Rack	1	<del>                                     </del>	CLORS	PE1RB	254.02	000.04	000.04	1	1	-			<del> </del>		-
		<u> </u>	<del>                                     </del>	CLORS	PE1RD	204.02	26.06	26.06	-	1	-	-		-	-	<del> </del>
	Physical Collocation in the Remote Site-Security Access-Key	1	<u> </u>	CLUKS	PEIKD		∠6.06	∠6.06	<del>                                     </del>	<b> </b>					-	-
	Physical Collocation in the Remote Site-Space Availability Report per Premises		1	01.000	DE 40E		000.00	000.00		1		1	1	1		1
	Requested		<u> </u>	CLORS	PE1SR		230.60	230.60	<u> </u>	<b> </b>		ļ	ļ	<b> </b>	ļ	
	Physical Collocation in the Remote Site-Remote Site CLLI Code Request, per															
	CLLI Code Requested		<u> </u>	CLORS	PE1RE		74.74	74.74								
	Remote Site DLEC Data (BRSDD), per Compact Disk, per CO			CLORS	PE1RR		232.94			]						
PHYSICAL	COLLOCATION IN THE REMOTE SITE - ADJACENT															
	Remote Site-Adjacent Collocation-AC Power, per breaker amp			CLORS	PE1RS	6.27	_								_	
	Remote Site-Adjacent Collocation-Real Estate, per sq ft			CLORS	PE1RT	0.134										
	Remote Site-Adjacent Collocation-Application Fee	1		CLORS	PE1RU		755.62	755.62								

Version 4Q02: 12/18/02 Page 29 of 40

COLLOC	ATION - North Carolina												Attach	ment: 4	Exhi	bit: B
											Svc	Svc			Incrementa	
											Order	Order	I Charge -	I Charge -	I Charge -	I Charge -
											Submitt	Submitt	Manual	Manual	Manual	Manual
CATEGOR	RATE ELEMENTS	Interi	Zone	BCS	USOC		F	RATES (\$)			ed Elec	ed	Svc Order	Svc Order	Svc Order	Svc Order
07(1200)	NATE ELEMENTO	m			0000		•	ΣΟ (ψ)			per LSR		vs.	vs.	vs.	vs.
											<b>F</b>	y per	Electronic-	-	Electronic-	
												LSR	1st	Add'l	Disc 1st	Disc Add'
							Nonro	curring	NPCD	isconnec			088	Rates (\$)		
-			1			Rec	First	Add'l				SOMAN		SOMAN	SOMAN	SOMAN
NO		-4	to soll	  tion the Douties :	will magati	into annua		Auu i	FIISL	Auu	SOMEC	SUMAN	SOWAN	SOWAN	SOWAN	SUMAN
	E: If Security Escort and/or Add'I Engineering Fees become necessary for rem	iote si	te con	cation, the Parties v	wiii negot	iate appro	oriate rates.									
VIRTUAL			-	AMTFS	EAF		2.848.30	2.848.30	1				26.94	12.76	-	
	Virtual Collocation-Application Fee		-				,		1						-	
	Virtual Collocation-Cable Installation Cost, per cable		-	AMTFS	ESPCX		2,750.00	2,750.00	1				26.94	12.76	-	
	Virtual Collocation-Floor Space, per sq ft			AMTFS	ESPVX	3.20										
	Virtual Collocation-Power, per fused amp		ļ	AMTFS	ESPAX	3.48										
	Virtual Collocation-Cable Support Structure, per entrance cable			AMTFS	ESPSX	13.35										
				UEANL,UEA,UDN,U												
				DC,UAL,UHL,UCL,U												
				EQ,AMTFS,UDL,UN												
				CVX,UNCDX,UNCN									1		1	
	Virtual Collocation-2W Cross Connects (loop)		<u> </u>	X	UEAC2	0.09	41.78	39.23	4.75	4.75			26.94	12.76		
				UEA,UHL,UCL,UDL,												
				AMTFS,UAL,UDN,U												
	Virtual Collocation-4W Cross Connects (loop)			NCVX,UNCDX	UEAC4	0.18	41.91	39.25	4.73	4.73			26.94	12.76		
	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \			AMTFS,UDL12,UDL												
				O3,U1T48,U1T12,U												
				1T03,ULDO3,ULD12												
	Virtual Collocation-2-Fiber Cross Connects			,ULD48,UDF	CNC2F	15.99	67.34	48.55					26.94	12.76		
	Threat Conscience I have cross Connects			AMTFS,UDL12,UDL	0.102.	10.00	01.01	10.00					20.0 .	.2		
				O3,U1T48,U1T12,U												
				1T03,ULDO3,ULD12												
	Virtual Collocation-4-Fiber Cross Connects			,ULD48,UDF	CNC4F	28.74	82.35	63.56					26.94	12.76		
	Villual Collocation-4-1 iber Cross Connects			USL,ULC,AMTFS,U	CINCHI	20.74	02.33	03.30					20.34	12.70		
				LR,UXTD1,UNC1X,												
	Viet el cellección Consid Access & LINE			ULDD1,U1TD1,USL	ONICAY	0.07	74.00	54.00					00.04	40.70		
	Virtual collocation-Special Access & UNE, cross-connect per DS1		-	EL,UNLD1	CNC1X	0.97	71.02	51.08	1				26.94	12.76	-	
				USL,ULC,AMTFS,U												
				E3,U1TD3,UXTS1,U												
				XTD3,UNC3X,UNC												
				SX,ULDD3,U1TS1,U												
	Virtual collocation-Special Access & UNE, cross-connect per DS3			LDS1,UDLSX,UNLD	CND3X	56.25	151.90	11.83					26.94	12.76		
	Virtual Collocation-Co-Carrier Cross Connects-Fiber Cable Support Structure, per															
	linear foot			AMTFS	VE1CB	0.0028										
	Virtual Collocation-Co-Carrier Cross Connects-Copper/Coax Cable Support															
	Structure, per linear ft			AMTFS	VE1CD	0.0041										
	Virtual Collocation-Co-Carrier Cross Connects-Fiber Cable Support Structure,per															
	cable			AMTFS	VE1CC		532.72						26.94	12.76		
	Virtual Collocation-Co-Carrier Cross Connects-Copper/Coax Cable Support			_												
	Structure, per cable			AMTFS	VE1CE		532.72				1		26.94	12.76		
Ì	Virtual Collocation Cable Records- per request			AMTFS	VE1BA		1,707.00									
	Virtual Collocation Cable Records-VG/DS0 Cable, per cable record			AMTFS	VE1BB		923.08									
İ	Virtual Collocation Cable Records-VG/DS0 Cable, per each 100 pr		1	AMTFS	VE1BC		18.02	18.02								
	Virtual Collocation Cable Records-DS1, per T1TIE		1	AMTFS	VE1BD	İ	8.43	8.43	1				1		1	
	Virtual Collocation Cable Records-DS3, per T3TIE			AMTFS	VE1BE		29.51	29.51					1		1	
	Virtual Collocation Cable Records-Fiber Cable, per 99 fiber records		1	AMTFS	VE1BF		278.82	278.82	1	1		1	<b>†</b>		<b>†</b>	
	Virtual collocation-Security Escort-Basic, per half hour		<b>†</b>	AMTFS	SPTBX		41.00	25.00	<del>                                     </del>				26.94	12.76	t	
<del>  </del> -	Virtual collocation-Security Escort-Basic, per half hour		1	AMTFS	SPTOX		48.00	30.00	1				26.94	12.76	t	
<del></del>	Virtual collocation-Security Escort-Overtime, per half hour		1	AMTFS	SPTPX		55.00	35.00	1	1	-	1	26.94	12.76	<del> </del>	
	EVIDUAL CONOCANODE-SECURIV ESCOR-PLEMBURE DECIDAL BOOLE	1		AIVITO	SPIPA				1	l			20.94		1	
	Virtual collocation-Maintenance in CO-Basic, per half hour			AMTFS	CTRLX		30.64	30.64					26.94	12.76		

Version 4Q02: 12/18/02 Page 30 of 40

COL	LOCA	TION - North Carolina												Attachi	ment: 4	Exhil	bit: B
												Svc	Svc	Incrementa	Incrementa	Incrementa	Incrementa
												Order	Order	I Charge -	I Charge -	I Charge -	I Charge -
			lmtari									Submitt	Submitt	Manual	Manual	Manual	Manual
CAT	GORY	RATE ELEMENTS	mteri	Zone	BCS	USOC		R	ATES (\$)			ed Elec	ed	Svc Order	Svc Order	Svc Order	Svc Order
			'''									per LSR	Manuall		vs.	vs.	vs.
													y per	Electronic-		Electronic-	
													LSR	1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonrec	curring	NRC Dis	connec			oss	Rates (\$)		
							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Virtual collocation-Maintenance in CO-Premium per half hour			AMTFS	SPTPM		40.90	40.90					26.94	12.76		
VIRT	UAL CO	DLLOCATION															
		Virtual Collocation-2W Cross Connect, Exchange Port 2W Analog-Res			UEPSR	VE1R2	0.09	41.78	39.23					26.94	12.76		
		Virtual Collocation 2W Cross Connect, Exchange Port 2W Line Side PBX Trunk-															
		Bus			UEPSP	VE1R2	0.09	41.78	39.23					26.94	12.76		
		Virtual Collocation 2W Cross Connect, Exchange Port 2W VG PBX Trunk-Res			UEPSE	VE1R2	0.09	41.78	39.23					26.94	12.76		
		Virtual Collocation 2W Cross Connect, Exchange Port 2W Analog Bus			UEPSB	VE1R2	0.09	41.78	39.23					26.94	12.76		
		Virtual Collocation 2W Cross Connect, Exchnage Port 2W ISDN			UEPSX	VE1R2	0.09	41.78	39.23		,	,		26.94	12.76		
		Virtual Collocation 2W Cross Connect, Exchange Port 2W ISDN			UEPTX	VE1R2	0.09	41.78	39.23					26.94	12.76		
		Virtual Collocation 4W Cross Connect, Exchange Port 4W ISDN DS1			UEPEX	VE1R4	0.18	41.91	39.25					26.94	12.76		
	Note:	Rates displaying an "R" in Interim column are interim and subject to rate tro	ue-up	as set	forth in General Teri	ns and Co	nditions.										

COLL	OCA	TION - South Carolina												Attach	ment: 4	Exhi	ibit: B
CATEG		RATE ELEMENTS	Interi m	Zon e	BCS	USOC			RATES (\$)			Svc Order Submitte d Elec per LSR	d	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incrementa I Charge - Manual Svc Order vs.	Increment al Charge Manual
							Rec	Nonre		NRC Dis					Rates (\$)		T
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
DUVE	CALC	OLLOCATION															+
FHISI		Physical Collocation 2W Cross Connect, Exchange Port 2W Analog-Res			UEPSR	PE1R2	0.0341	12.32	11.83	6.04	5.45		15.69				+
		Thysical Collocation 217 Gross Collineat, Exchange For 217 Finalog 100			OLI OIL	I LIIVE	0.0041	12.02	11.00	0.04	0.40		10.00				1
		Physical Collocation 2W Cross Connect, Exchange Port 2W Line Side PBX Trunk-Bus			UEPSP	PE1R2	0.0341	12.32	11.83	6.04	5.45		15.69				
		Physical Collocation 2W Cross Connect, Exchange Port 2W VG PBX Trunk-Res			UEPSE	PE1R2	0.0341	12.32	11.83	6.04	5.45		15.69				1
		Physical Collocation 2W Cross Connect, Exchange Port 2W Analog-Bus			UEPSB	PE1R2	0.0341	12.32	11.83	6.04	5.45		15.69				
		Physical Collocation 2W Cross Connect, Exchange Port 2W ISDN			UEPSX	PE1R2	0.0341	12.32	11.83	6.04	5.45		15.69				
		Physical Collocation 2W Cross Connect, Exchange Port 2W ISDN			UEPTX	PE1R2	0.0341	12.32	11.83	6.04	5.45		15.69				
DI INC		Physical Collocation 4W Cross Connect, Exchange Port 4W ISDN DS1		<u> </u>	UEPEX	PE1R4	1.12	22.08	15.96	6.42	5.80		15.69				+
PHYSI		OLLOCATION  Physical Callegation Application Foo Initial		<u> </u>	CLO	DEADA		4 000 07	4 000 07			1	1		-		+
		Physical Collocation-Application Fee-Initial Physical Collocation-Application Fee-Subsequent		-	CLO	PE1BA PE1CA		1,883.67 1,570.10				-	-				+
		Physical Collocation-Application Fee-Subsequent Physical Collocation Administrative Only-Application Fee		<del>                                     </del>	CLO	PE1BL		743.66	1,070.10			1	1		1		+
		Physical Collocation-Space Preparation-Firm Order Processing			CLO	PE1SJ		602.05	602.05								+
		Physical Collocation-Space Preparation-CO Modification per sq ft			CLO	PE1SK	2.75	002.00	002.00								+
		Physical Collocation-Space Preparation-Common Systems Modification per sq ft-			020		2.70										1
		Cageless			CLO	PE1SL	3.24										
		Physical Collocation-Space Preparation-Common Systems Modification per Cage			CLO	PE1SM	110.16										
		Physical Collocation-Cable Installation			CLO	PE1BD		794.22	794.22	22.54	22.54						
		Physical Collocation-Floor Space per sq ft			CLO	PE1PJ	3.95										
		Physical Collocation-Cable Support Structure, Per Entrance Cable			CLO	PE1PM	21.33										
		Physical Collocation-Power -48V DC Power, per Fused Amp			CLO	PE1PL	9.19										
		Physical Collocation-Power Reduction, Application Fee	ı		CLO	PE1PR		400.33									
		Physical Collocation-120V, Single Phase Standby Power Rate			CLO	PE1FB	5.67										
		Physical Collocation-240V, Single Phase Standby Power Rate			CLO CLO	PE1FD PE1FE	11.36 17.03										
		Physical Collocation-120V, Three Phase Standby Power Rate Physical Collocation-277V, Three Phase Standby Power Rate			CLO	PE1FG	39.33										+
		Friysical Collocation-277 V, Tillee Friase Standby Fower Rate			UEANL,UEA,UDN,U	FLIIG	39.33										+
					DC,UAL,UHL,UCL,U												
					EQ,UDL,UNCVX,UN												
		Physical Collocation-2W Cross-Connects			LDX,UNCNX	PE1P2	0.0341	12.32	11.83	6.04	5.45						
					CLO,UAL,UDL,UDN,												
					UEA,UHL,UNCVX,U												
		Physical Collocation-4W Cross-Connects			NCDX,UCL	PE1P4	0.0682	12.42	11.90	6.40	5.74						
					CLO,UEANL,UEQ,W												
					DS1L,WDS1S,USL,												
					U1TD1,UXTD1,UNC1 X.ULDD1.USLEL.UN												
		Physical Collocation-DS1 Cross-Connects			LD1,UDL	PE1P1	1.12	22.08	15.96	6.42	5.80						
		Physical Collocation-D51 Cross-Connects			CLO,UE3,U1TD3,UX	PEIPI	1.12	22.08	15.96	0.42	5.80						+
					TD3,UXTS1,UNC3X,												
					UNCSX,ULDD3,U1T												
					S1,ULDS1,UNLD3,U												
		Physical Collocation-DS3 Cross-Connects			DL	PE1P3	14.21	20.94	15.23	7.39	5.93						
					CLO,ULDO3,ULD12,												
					ULD48,U1TO3,U1T1												
				l	2,U1T48,UDLO3,UD												
		Physical Collocation-2-Fiber Cross-Connect			L12,UDF	PE1F2	2.82	20.94	15.23	7.40	5.93						<del></del>
				l	CLO,ULDO3,ULD12,												
				l	ULD48,U1TO3,U1T1												
		Physical Callegation 4 Fiber Cross Connect		l	2,U1T48,UDLO3,UD	DE4F4	E 04	05.64	40.00	0.70	0.00						
		Physical Collocation-4-Fiber Cross-Connect Physical Collocation-Welded Wire Cage-First 100 sq ft			L12,UDF CLO	PE1F4 PE1BW	5.01 219.19	25.61	19.90	9.73	8.26	1					+
		Physical Collocation-Welded Wire Cage-First 100 sq ft  Physical Collocation-Welded Wire Cage-Add'l 50 sq ft		<del>                                     </del>	CLO	PE1BW PE1CW	21.50					<del>                                     </del>	1		1		+
		Physical Collocation-Security Access System-Security System per CO		1	CLO	PE1AX	74.72					<b></b>					+
		Physical Collocation-Security Access System-New Access Card Activation, per Card	1		CLO	PE1A1	0.0601	27.85	27.85				<b>.</b>			-	+

Version 4Q02: 12/18/02 Page 32 of 40

COLLOCA	TION - South Carolina												Attach	ment: 4	Exhi	ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	USOC			RATES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitte d Manually per LSR	Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I	Manual	al Charg Manua Svc Ord vs.
						Rec		curring		connect				Rates (\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Physical Collocation-Security Access System-Administrative Change, existing Access			01.0	DE444		7.04	7.04								
	Card, per Request, per State, per Card Physical Collocation-Security Access System-Replace Lost or Stolen Card, per Card			CLO CLO	PE1AA PE1AR		7.81 22.83	7.81 22.83								
	Physical Collocation-Security Access system-Replace Lost of Stolen Card, per Card Physical Collocation-Security Access-Initial Key, per Key			CLO	PE1AK		13.13	13.13								+
	Physical Collocation-Security Access-Hintal Rey, per Rey  Physical Collocation-Security Access-Key, Replace Lost or Stolen Key, per Key			CLO	PE1AL		13.13	13.13								†
	Physical Collocation-Space Availability Report per premises			CLO	PE1SR		1.077.57									1
	, , , , , , , , , , , , , , , , , , , ,			UEANL,UEA,UDN,U			1,011.01	.,,,,,,,,,,								
				DC,UAL,UHL,UCL,U												
				EQ,CLO,UDL,UNCV												
	POT Bay Arrangements prior to 6/1/99-2W Cross-Connect, per cross-connect			X,UNCDX,UNCNX	PE1PE	0.085										
				UEANL,UEA,UDN,U												
				DC,UAL,UHL,UCL,U								1				
	DOT D A			EQ,CLO,USL,UNCV	DEADE	0.4704										
	POT Bay Arrangements prior to 6/1/99-4W Cross-Connect, per cross-connect			X,UNCDX UEANL,UEA,UDN,U	PE1PF	0.1701										<del> </del>
				DC,UAL,UHL,UCL,U												
				EQ,CLO,WDS1L,WD												
				S1S,USL,U1TD1,UX												
	POT Bay Arrangements prior to 6/1/99-DS1 Cross-Connect, per cross-connect			TD1,UNC1X,ULDD1,	PE1PG	1.20										
				DC,UAL,UHL,UCL,U												
				EQ,CLO,UE3,U1TD3												
				UXTD3,UXTS1,UNC												
				3X,UNCSX,ULDD3,U												
				1TS1,ULDS1,UNLD3												
	POT Bay Arrangements prior to 6/1/99-DS3 Cross-Connect, per cross-connect			,UDL,UDLSX	PE1PH	10.71										
				UEANL,UEA,UDN,U												
				DC,UAL,UHL,UCL,U												
				EQ,CLO,ULDO3,ULD												
				12,ULD48,U1TO3,U1												
				T12,U1T48,UDLO3,U												
	POT Bay Arrangements prior to 6/1/99-2-Fiber Cross-Connect, per cross-connect			DL12,UDF	PE1B2	36.55										<del> </del>
				UEANL,UEA,UDN,U												
				DC,UAL,UHL,UCL,U EQ,CLO,ULDO3,ULD												
				12,ULD48,U1TO3,U1												
				T12,U1T48,UDLO3,U												
	POT Bay Arrangements prior to 6/1/99-4-Fiber Cross-Connect, per cross-connect			DL12.UDF	PE1B4	49.29										
	Physical Collocation-Request Resend of CFA Information, per CLLI			CLO	PE1C9		77.71									
	NRC Collocation Cable Records-per request			CLO	PE1CR		760.98	489.20	133.29	133.29						
	NRC Collocation Cable Records-VG/DS0 Cable, per cable record			CLO	PE1CD		327.65	327.65	189.54	189.54						
	NRC Collocation Cable Records-VG/DS0 Cable, per each 100 pr	igspace		CLO	PE1CO		4.82	4.82	5.91	5.91						
	NRC Collocation Cable Records-DS1, per T1TIE			CLO	PE1C1		2.26	2.26	2.77	2.77						1
	NRC Collocation Cable Records-DS3, per T3TIE	$\vdash$		CLO	PE1C3		7.90	7.90	9.68 77.30	9.68	1					+
	NRC Collocation Cable Records-Fiber Cable, per 99 fiber records	$\vdash$		CLO CLO.CLORS	PE1CB PE1BT		84.68 16.96	84.68 10.75	11.30	77.30						+
-	Physical Collocation-Security Escort-Basic, per Half Hour Physical Collocation-Security Escort-Overtime, per Half Hour	$\vdash$		CLO,CLORS	PE10T		22.10	13.89			1					+
	Physical Collocation-Security Escort-Overtime, per Half Hour	$\vdash$		CLO,CLORS	PE1DT		27.23	17.02			-	-				+
	V to P Conversion, Per Customer Request-VG	1		CLO	PE1BV		33.00	17.02								<b>†</b>
	V to P Conversion, Per Customer Request-DS0			CLO	PE1BO		33.00									1
	V to P Conversion, Per Customer Request-DS1			CLO	PE1B1		52.00									
	V to P Conversion, Per Customer request-DS3			CLO	PE1B3		52.00									
	V to P Conversion, Per Customer Request per DS0 Circuit Reconfigured			CLO	PE1BP		23.00									
	V to P Conversion, Per Customer Request per DS1 Circuit Reconfigured	igspace		CLO	PE1BS		33.00									
	V to P Conversion, Per Customer Request per DS3 Circuit Reconfigured			CLO	PE1BE		37.00									1
		1		1		i e		1			1	1	1	ı	i	1

COLLOCA	ATION - South Carolina												Attach	ment: 4	Exhi	ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	USOC			RATES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitte d Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Order vs. Electronic- Add'l	I Charge - Manual Svc Order vs.	Increment al Charge Manual Svc Order vs. Electronic
						Rec		curring		connect				Rates (\$)		T
	Physical Collocation-Co-Carrier Cross Connects-Fiber Cable Support Structure, per cable, per linear ft.			CLO,UDF	PE1ES	0.001	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Physical Collocation-Co-Carrier Cross Connects-Copper/Coax Cable Support Structure, per cable, per lin. ft.			CLO,UE3,USL	PE1DS	0.0015										
	Physical Collocation-Co-Carrier Cross Connects Only-Application Fee, per application			CLO	PE1DT		584.42									
ADJACENT	COLLOCATION															1
	Adjacent Collocation-Space Charge per sq ft			CLOAC	PE1JA	0.0939										
	Adjacent Collocation-Electrical Facility Charge per Linear Ft.			CLOAC	PE1JC	6.40										ĺ
	Adjacent Collocation-2W Cross-Connects			CLOAC	PE1P2	0.0264	12.32	11.83	6.04	5.45						
	Adjacent Collocation-4W Cross-Connects			UEA,UHL,UDL,UCL, CLOAC	PE1P4	0.0527	12.42	11.90	6.40	5.74						
	Adjacent Collocation-DS1 Cross-Connects			USL,CLOAC	PE1P1	1.03	22.08	15.96	6.42	5.80				_		
	Adjacent Collocation-DS3 Cross-Connects			CLOAC	PE1P3	14.00	20.94	15.23	7.39	5.93						
	Adjacent Collocation-2-Fiber Cross-Connect			CLOAC	PE1F2	2.37	20.94	15.23	7.40	5.93						
	Adjacent Collocation-4-Fiber Cross-Connect			CLOAC	PE1F4	4.53	25.61	19.90	9.73	8.26						
	Adjacent Collocation-Application Fee			CLOAC	PE1JB		1,580.20									
	Adjacent Collocation-120V, Single Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FB	5.67										
	Adjacent Collocation-240V, Single Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FD	11.36										
	Adjacent Collocation-120V, Three Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FE	17.03										
PHYSICAL (	Adjacent Collocation-277V, Three Phase Standby Power Rate per AC Breaker Amp COLLOCATION IN THE REMOTE SITE			CLOAC	PE1FG	39.33										
	Physical Collocation in the Remote Site-Application Fee			CLORS	PE1RA		308.38	308.38	168.60	168.60						
	Cabinet Space in the Remote Site per Bay/ Rack			CLORS	PE1RB	246.44										
	Physical Collocation in the Remote Site-Security Access-Key			CLORS	PE1RD		13.13	13.13								
	Physical Collocation in the Remote Site-Space Availability Report per Premises Requested			CLORS	PE1SR		116.13	116.13								
	Physical Collocation in the Remote Site-Remote Site CLLI Code Request, per CLLI Code Requested			CLORS	PE1RE		37.64	37.64								
	Remote Site DLEC Data (BRSDD), per Compact Disk, per CO			CLORS	PE1RR		234.50									
PHYSICAL (	COLLOCATION IN THE REMOTE SITE - ADJACENT															
	Remote Site-Adjacent Collocation-AC Power, per breaker amp			CLORS	PE1RS	6.27										1
	Remote Site-Adjacent Collocation-Real Estate, per sq ft			CLORS	PE1RT	0.134										ĺ
	Remote Site-Adjacent Collocation-Application Fee			CLORS	PE1RU		755.62	755.62								ĺ
NOTI	E: If Security Escort and/or Add'I Engineering Fees become necessary for remote site	collo	catio	n, the Parties will neg	otiate app	ropriate ra	tes.									
VIRTUAL CO	OLLOCATION															
	Virtual Collocation-Application Fee			AMTFS	EAF		1,207.95		0.51	0.51		15.69				
	Virtual Collocation-Cable Installation Cost, per cable	<u> </u>	<u> </u>	AMTFS	ESPCX		794.22	794.22	22.54	22.54	1	15.69				<u> </u>
	Virtual Collocation-Floor Space, per sq ft	<u> </u>		AMTFS	ESPVX	3.95				ļ		ļ				<u> </u>
	Virtual Collocation-Power, per fused amp	<u> </u>	-	AMTES	ESPAX	9.19				ļ	1			1		<del>                                     </del>
	Virtual Collocation-Cable Support Structure, per entrance cable			AMTFS	ESPSX	18.66										
				UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,AMTFS,UDL,UN												
	Virtual Collocation-2W Cross Connects (loop)			CVX,UNCDX,UNCN X	UEAC2	0.0317	12.32	11.83	6.04	5.45		15.69				
	The Constitution of the Constitution (1999)			UEA,UHL,UCL,UDL, AMTFS,UAL,UDN,U	JEMOZ	0.0017	12.02	11.00	0.04	0.40		10.00				
	Virtual Collocation-4W Cross Connects (loop)			NCVX,UNCDX	UEAC4	0.0634	12.42	11.90	6.40	5.74		15.69				
				AMTFS,UDL12,UDL O3,U1T48,U1T12,U1 T03,ULDO3,ULD12,												
$\longrightarrow$	Virtual Collocation-2-Fiber Cross Connects			ULD48,UDF	CNC2F	2.86	20.94	15.23	7.40	5.93	1	15.69		ļ		<u> </u>
				AMTFS,UDL12,UDL O3,U1T48,U1T12,U1 T03,ULDO3,ULD12,												
	Virtual Collocation-4-Fiber Cross Connects			ULD48,UDF	CNC4F	5.71	25.61	19.90	9.73	8.26		15.69				

COLLOCA	ATION - South Carolina												Attach	ment: 4	Exhi	bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	usoc			RATES (\$)			Svc Order Submitte d Elec per LSR	d	Order vs. Electronic-	Charge - Manual Svc Order vs.	I Charge - Manual Svc Order vs.	al Charge - Manual
						1	Nonre	curring	NRC Dis	connect			oss	Rates (\$)	Dicc 1ct	Disc Add'l
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
	Virtual collocation-Special Access & UNE.cross-connect per DS1			USL,ULC,AMTFS,UL R,UXTD1,UNC1X,UL DD1,U1TD1,USLEL, UNLD1	CNC1X	1.12	22.08	15.96	6.42	5.80		15.69				
	Virtual collocation-Special Access & UNE, cross-connect per DS3			USL,ULC,AMTFS,UE 3,U1TD3,UXTS1,UX TD3,UNC3X,UNCSX, ULDD3,U1TS1,ULDS 1,UDLSX,UNLD3	CND3X	14.21	20.94	15.23	7.39	5.93		15.69				
	Virtual Collocation-Co-Carrier Cross Connects-Fiber Cable Support Structure, per linear foot			AMTES	VE1CB	0.0022	20.94	13.23	7.59	3.93		13.09				
	Virtual Collocation-Co-Carrier Cross Connects-Copper/Coax Cable Support Structure, per linear ft			AMTFS	VE1CD	0.0033										
	Virtual Collocation-Co-Carrier Cross Connects-Fiber Cable Support Structure,per cable Virtual Collocation-Co-Carrier Cross Connects-Copper/Coax Cable Support Structure,			AMTFS	VE1CC		536.56									
	per cable			AMTFS	VE1CE		536.56									
	Virtual Collocation Cable Records-per request			AMTFS	VE1BA		760.98	489.20		133.29						
	Virtual Collocation Cable Records-VG/DS0 Cable, per cable record			AMTFS	VE1BB		327.65	327.65	189.54	189.54						
	Virtual Collocation Cable Records-VG/DS0 Cable, per each 100 pr			AMTFS	VE1BC		4.82	4.82	5.91	5.91						
	Virtual Collocation Cable Records-DS1, per T1TIE			AMTFS	VE1BD		2.26	2.26	2.77	2.77						
	Virtual Collocation Cable Records-DS3, per T3TIE			AMTFS	VE1BE		7.90	7.90	9.68	9.68						
	Virtual Collocation Cable Records-Fiber Cable, per 99 fiber records			AMTFS	VE1BF		84.68	84.68	77.30	77.30						ļ
	Virtual collocation-Security Escort-Basic, per half hour			AMTFS	SPTBX		16.96	10.75			ļ	15.69	1			ļ
	Virtual collocation-Security Escort-Overtime, per half hour			AMTFS	SPTOX		22.10	13.89				15.69				<u> </u>
	Virtual collocation-Security Escort-Premium, per half hour			AMTFS	SPTPX		27.23	17.02			ļ	15.69	1			ļ
	Virtual collocation-Maintenance in CO-Basic, per half hour			AMTFS	CTRLX		27.99	10.75				15.69	1		ļ	
	Virtual collocation-Maintenance in CO-Overtime, per half hour			AMTFS	SPTOM		36.56	13.89				15.69	1		ļ	
	Virtual collocation-Maintenance in CO-Premium per half hour			AMTFS	SPTPM		45.12	17.02				15.69	1		ļ	
VIRTUAL CO	DLLOCATION												1		ļ	
	Virtual Collocation-2W Cross Connect, Exchange Port 2W Analog-Res			UEPSR	VE1R2	0.0317	12.32	11.83	6.04	5.45		15.69				
	Virtual Collocation 2W Cross Connect, Exchange Port 2W Line Side PBX Trunk-Bus	$\vdash \vdash$		UEPSP	VE1R2	0.0317	12.32	11.83	6.04	5.45	ļ	15.69				
	Virtual Collocation 2W Cross Connect, Exchange Port 2W VG PBX Trunk-Res			UEPSE	VE1R2	0.0317	12.32	11.83	6.04	5.45		15.69				
	Virtual Collocation 2W Cross Connect, Exchange Port 2W Analog Bus			UEPSB	VE1R2	0.0317	12.32	11.83	6.04	5.45		15.69	1		ļ	
	Virtual Collocation 2W Cross Connect, Exchnage Port 2W ISDN			UEPSX	VE1R2	0.0317	12.32	11.83	6.04	5.45	ļ	15.69	1			
	Virtual Collocation 2W Cross Connect, Exchange Port 2W ISDN			UEPTX	VE1R2	0.0317	12.32	11.83	6.04	5.45		15.69				
	Virtual Collocation 4W Cross Connect, Exchange Port 4W ISDN DS1			UEPEX	VE1R4	1.12	22.08	15.96	6.42	5.80		15.69				
Note:	Rates displaying an "R" in Interim column are interim and subject to rate true-up as	set fo	orth in	General Terms and C	Conditions	S.							1			

COLLO	CA	TION - Tennessee												Attach	ment: 4	Exhi	bit: B
												Svc	Svc	Incrementa	Incrementa	Incrementa	Increment
												Order Submitt	Order Submitt	I Charge - Manual	I Charge - Manual	I Charge - Manual	al Charge - Manual
CATEGO	OR'	RATE ELEMENTS		Zon	BCS	USOC			RATES (\$)			ed Elec	ed	Svc Order	Svc Order	Svc Order	Svc Order
		<u></u>	m	е				•	0 (+)			per LSR		VS.	vs.	vs.	vs.
													y per		Electronic-	Electronic-	
													LSR	1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonrec			sconnec				Rates (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
DUVCIO	<u>, , , , , , , , , , , , , , , , , , , </u>	COLLOCATION												-	-		
PHISIC		Physical Collocation 2W Cross Connect, Exchange Port 2W Analog-Res			UEPSR	PE1R2	0.30	19.20	19.20					20.35	10.54	13.32	1.40
		Physical Collocation 2W Cross Connect, Exchange Port 2W Line Side PBX Trunk-			OLFSIX	FLIIVZ	0.30	19.20	19.20					20.55	10.54	13.32	1.40
		Bus			UEPSP	PE1R2	0.30	19.20	19.20					20.35	10.54	13.32	1.40
		Physical Collocation 2W Cross Connect, Exchange Port 2W VG PBX Trunk-Res			UEPSE	PE1R2	0.30	19.20	19.20					20.35	10.54	13.32	1.40
	_	Physical Collocation 2W Cross Connect, Exchange Port 2W Analog-Bus			UEPSB	PE1R2	0.30	19.20	19.20					20.35	10.54	13.32	1.40
		Physical Collocation 2W Cross Connect, Exchange Port 2W ISDN			UEPSX	PE1R2	0.30	19.20	19.20					20.35	10.54	13.32	1.40
		Physical Collocation 2W Cross Connect, Exchange Port 2W ISDN			UEPTX	PE1R2	0.30	19.20	19.20					20.35	10.54	13.32	1.40
		Physical Collocation 4W Cross Connect, Exchange Port 4W ISDN DS1			UEPEX	PE1R4	0.50	19.20	19.20					20.35	10.54	13.32	1.40
PHYSIC		COLLOCATION			-												
	F	Physical Collocation-Cageless-Application Fee			CLO	PE1CH		2,633.00	2,633.00								
	F	Physical Collocation Administrative Only-Application Fee	ı		CLO	PE1BL		743.25	,								
	F	Physical Collocation-Space Preparation-CO Modification per sq ft	I		CLO	PE1SK	2.74										
	F	Physical Collocation-Space Preparation-Common Systems Modification per sq ft-															
	(	Cageless	- 1		CLO	PE1SL	2.95										
	F	Physical Collocation-Space Preparation-Common Systems Modification per Cage	ı		CLO	PE1SM	100.14										
		Physical Collocation-Cageless-Cable Installation Cost, per cable			CLO	PE1ZA		1,749.00	1,749.00								
	F	Physical Collocation-Cageless-Floor Space, per sq ft			CLO	PE1ZB	3.91										
		Physical Collocation-Floor Space per sq ft	- 1		CLO	PE1PJ	5.94										
	F	Physical Collocation-Cageless-Cable Support Structure			CLO	PE1CJ	17.87										
		Physical Collocation-Cable Support Structure, Per Entrance Cable	- 1		CLO	PE1PM	19.80										
		Physical Collocation-Cageless-Floor Space Power, per Fused Amp			CLO	PE1ZC	6.79										
		Physical Collocation-Power -48V DC Power, per Fused Amp	I		CLO	PE1PL	8.87										
	_	Physical Collocation-Power Reduction, Application Fee	1		CLO	PE1PR		400.10									
		Physical Collocation-120V, Single Phase Standby Power Rate	I		CLO	PE1FB	5.60										
		Physical Collocation-240V, Single Phase Standby Power Rate	I		CLO	PE1FD	11.22										
		Physical Collocation-120V, Three Phase Standby Power Rate	I		CLO	PE1FE	16.82										
	F	Physical Collocation-277V, Three Phase Standby Power Rate	I		CLO	PE1FG	38.84										
					UEANL,UEA,UDN,U												
					DC,UAL,UHL,UCL,U												
	ı,	Newsited Callegation CAN Course Courses	١.		EQ,UDL,UNCVX,UN	DE4D0	0.000	22.00	04.00								
	+	Physical Collocation-2W Cross-Connects			LDX,UNCNX CLO,UAL,UDL,UDN,	PE1P2	0.033	33.82	31.92					-	-		
					UEA,UHL,UNCVX,U												
		Physical Collocation-4W Cross-Connects	١,		NCDX,UCL	PE1P4	0.066	33.94	31.95								
		-Trysical Collocation-44V Cross-Connects	<u>'</u>		CLO,UEANL,UEQ,	FE IF4	0.000	33.94	31.93					1	1		
					WDS1L,WDS1S,US												
					L,U1TD1,UXTD1,UN												
					C1X,ULDD1,USLEL,												
	-	Physical Collocation-DS1 Cross-Connects			UNLD1,UDL	PE1P1	1.51	53.27	40.16								
		hysical collocation bot cross connects	<u> </u>		CLO,UE3,U1TD3,U	1 - 11 1	1.01	33.Z1	40.10								
					XTD3,UXTS1,UNC3												
					X,UNCSX,ULDD3,U									1	1		
			1		1TS1,ULDS1,UNLD												
	F	Physical Collocation-DS3 Cross-Connects	1		3,UDL	PE1P3	19.26	52.37	38.89								
	Ť	.,,	<u> </u>		CLO,ULDO3,ULD12,	0		02.01	33.00								
			1		ULD48,U1TO3,U1T1												
			1		2,U1T48,UDLO3,UD												
1 1	l,	Physical Collocation-2-Fiber Cross-Connect	1		L12,UDF	PE1F2	15.64	41.56	29.82	12.96	10.34			2.69	2.69	1.56	1.56

Version 4Q02: 01/20/03 Page 36 of 40

COLLO	ATION - Tennessee												Attachi	ment: 4	Exhib	oit: B
											Svc	Svc			Incrementa	
											Order	Order	I Charge -	I Charge -	I Charge -	al Charge -
			. _								Submitt	Submitt	Manual	Manual	Manual	Manual
CATEGOR	RATE ELEMENTS		Zon	BCS	USOC		F	RATES (\$)			ed Elec	ed	Svc Order	Svc Order	Svc Order	Svc Order
		m	е				-				per LSR		vs.	vs.	vs.	vs.
												y per	Electronic-		Electronic-	
												LSR	1st	Add'l	Disc 1st	Disc Add'l
							Nonrec	urring	NRC Di	sconnect		I	oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
				CLO,ULDO3,ULD12,												
				ULD48,U1TO3,U1T1												
				2.U1T48.UDLO3.UD												
	Physical Collocation-Cageless-2-Fiber Cross-Connect			L12,UDF	PE1CK	3.03	41.56	29.82	12.96	10.34						
	I Hydrodi Conocation Cagologo 2 i ibor Cross Connect			CLO,ULDO3,ULD12,	TETOR	0.00	41.00	20.02	12.00	10.01						
				ULD48,U1TO3,U1T1												
				2,U1T48,UDLO3,UD												
	Physical Collocation-4-Fiber Cross-Connect	1		L12.UDF	PE1F4	28.11	50.53	38.78	16.97	14.35			2.69	2.69	1.56	1.56
_	Thysical Collegation 4 Fiber Close Collinea			CLO,ULDO3,ULD12,	1 = 11 -	20.11	00.00	00.70	10.07	14.00			2.00	2.00	1.00	1.00
				ULD48,U1TO3,U1T1												
				2,U1T48,UDLO3,UD												
	Physical Collocation-Cageless-4-Fiber Cross-Connect			L12,UDF	PE1CL	6.06	50.53	38.78	16.97	14.35						
	Physical Collocation-Welded Wire Cage-First 100 sq ft	-		CLO			30.33	30.70	10.97	14.55						
$-\!\!+\!\!-$		<u> </u>	1	CLO	PE1BW PE1CW	218.53 21.44			-		-	-				
	Physical Collocation-Welded Wire Cage-Add'l 50 sq ft	÷		CLO	PE1AX	55.99										
	Physical Collocation-Security Access System-Security System per CO	-	1	CLO		0.059	55.07	55.07								
-	Physical Collocation-Security Access System-New Access Card Activation, per Card		1		PE1A1	0.059	55.67	55.67								
	Physical Collocation-Space Availability Report per premises			CLO UEANL,UEA,UDN,U	PE1SR		2,027.00	2,154.00								
				DC,UAL,UHL,UCL,U												
				EQ,CLO,UDL,UNCV												
	DOT D. A				DEADE	0.40										
	POT Bay Arrangements prior to 6/1/99-2W Cross-Connect, per cross-connect			X,UNCDX,UNCNX	PE1PE	0.40										
				UEANL,UEA,UDN,U												
				DC,UAL,UHL,UCL,U												
	DOT D. A	١.		EQ,CLO,USL,UNCV	DEADE	4.00										
-	POT Bay Arrangements prior to 6/1/99-4W Cross-Connect, per cross-connect	ı	1	X,UNCDX UEANL,UEA,UDN,U	PE1PF	1.20										
				DC,UAL,UHL,UCL,U												
				EQ,CLO,WDS1L,W												
				DS1S,USL,U1TD1,U												
	POT Bay Arrangements prior to 6/1/99-DS1 Cross-Connect, per cross-connect			XTD1,UNC1X,ULDD	DE1DC	1.20										
	POT Bay Arrangements prior to 6/1/99-D31 Cross-Connect, per cross-connect			UEANL,UEA,UDN,U	FEIFG	1.20										
				DC,UAL,UHL,UCL,U												
				EQ,CLO,UE3,U1TD												
				3,UXTD3,UXTS1,UN												
				C3X,UNCSX,ULDD3												
				,U1TS1,ULDS1,UNL												
	POT Bay Arrangements prior to 6/1/99-DS3 Cross-Connect, per cross-connect	- 1	1	D3,UDL,UDLSX	PE1PH	8.00					1	1				
	, , , , , , , , , , , , , , , , , , , ,			UEANL,UEA,UDN,U												
		l	1	DC,UAL,UHL,UCL,U							1	1				
				EQ,CLO,ULDO3,UL												
				D12,ULD48,U1TO3,												
		l	1	U1T12,U1T48,UDLO							1	1				
	POT Bay Arrangements prior to 6/1/99-2-Fiber Cross-Connect, Per Cross-Connect	l	1	3,UDL12,UDF	PE1B2	38.79					1	1				
-	. 2,angomente prior te er nee 2 i non erede connect; i er erede connect			UEANL,UEA,UDN,U	102	55.75										
		l	1	DC,UAL,UHL,UCL,U							1	1				
				EQ.CLO,ULDO3,UL												
		l	1	D12,ULD48,U1TO3,							1	1				
		l	1	U1T12,U1T48,UDLO							1	1				
	POT Bay Arrangements prior to 6/1/99-4-Fiber Cross-Connect, per cross-connect	l	1	3,UDL12,UDF	PE1B4	52.31										
																1
$\perp$		1				02.01	77 67									
$\perp$	Physical Collocation-Request Resend of CFA Information, per CLLI  NRC Collocation Cable Records-per request	I		CLO CLO	PE1C9 PE1CR	02.01	77.67 1,711.00									

Version 4Q02: 01/20/03 Page 37 of 40

COLLOCA	ATION - Tennessee												Attach	ment: 4	Exhil	bit: B
											Svc	Svc			Incrementa	
											Order	Order	I Charge -	I Charge -	I Charge -	al Charge -
		Interi	Zon								Submitt	Submitt	Manual	Manual	Manual	Manual
CATEGOR	RATE ELEMENTS	m	e	BCS	USOC			RATES (\$)			ed Elec	ed	Svc Order	Svc Order		
		""	ľ								per LSR		VS.	vs.	vs.	vs.
												y per LSR		Electronic-	Electronic- Disc 1st	
												LSR	1st	Add'l	DISC 1St	Disc Add'l
						Rec		curring		isconnec				Rates (\$)		T ======
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	NRC Collocation Cable Records-VG/DS0 Cable, per each 100 pr	<u> </u>		CLO	PE1CO		18.05	18.05								<del>                                     </del>
	NRC Collocation Cable Records-DS1, per T1TIE	<u> </u>		CLO	PE1C		8.45	8.45	ļ	ļ						<del>                                     </del>
	NRC Collocation Cable Records-DS3, per T3TIE	<u> </u>		CLO	PE1C:		29.57	29.57								<del>                                     </del>
-	NRC Collocation Cable Records-Fiber Cable, per 99 fiber records			CLO	PE1CI		279.42	279.42								<del>                                     </del>
-	Physicial Collocation-Cageless-Security Escort-Basic, per Half Hour			CLO	PE1ZN		33.15	20.44								<del>                                     </del>
-	Physical Collocation-Cageless-Security Escort-Overtime, per Half Hour			CLO	PE1ZN		41.50	25.61								<del>                                     </del>
-	Physical Collocation-Cageless-Security Escort-Premium, per Half Hour	<u> </u>		CLO	PE1Z0		49.86 33.00	30.79								<del>                                     </del>
	V to P Conversion, Per Customer Request-VG	-														<del> </del>
$\vdash$	V to P Conversion, Per Customer Request-DS0 V to P Conversion, Per Customer Request-DS1		1	CLO CLO	PE1B0		33.00 52.00		<del>                                     </del>	<del>                                     </del>	-		<del>                                     </del>			<del>                                     </del>
$\vdash$	V to P Conversion, Per Customer Request-DS3	<del>                                     </del>		CLO	PE1B		52.00						-		-	<del>                                     </del>
$\vdash$	V to P Conversion, Per Customer request-053  V to P Conversion, Per Customer Request per VG Circuit Reconfigured	<u> </u>	1	CLO	PE1B		23.00	-	}	}	}	1	-			<del>                                     </del>
<del> </del>	V to P Conversion, Per Customer Request per VS Circuit Reconfigured	<u> </u>		CLO	PE1BI		23.00						1			<del>                                     </del>
<del> </del>	V to P Conversion, Per Customer Request per DS0 Circuit Reconfigured  V to P Conversion, Per Customer Request per DS1 Circuit Reconfigured	<u> </u>		CLO	PE1BS	_	33.00						1			<del>                                     </del>
<del> </del>	V to P Conversion, Per Customer Request per DS1 Circuit Reconfigured  V to P Conversion, Per Customer Request per DS3 Circuit Reconfigured	<u> </u>		CLO	PE1B		37.00						1			<del>                                     </del>
<del> </del>	V to F Conversion, Fer Customer Request per D33 Circuit Reconligured	<u>'</u>		CLO	FEIDI		37.00						1			<del>                                     </del>
	V to P Conversion, Cable prs Assigned to Collo Space per 700 prs or fraction thereof	١,		CLO	PE1B		592.00									ı
	Physical Caged Collocation-App Cost(initial & sub)-Planning, per request			CLO	PE1A0			2,903.66								<b>——</b>
	Physical Caged Collocation-Space Prep-Grounding, per location			CLO	PE1BE		2,303.00	2,303.00								<b>——</b>
	Physical Caged Collocation-Space Prep-Power Delivery, per 40 amp Feed			CLO	PE1SI		142.40									<b>——</b>
	Physical Caged Collocation-Space Prep-Power Delivery, per 100 amp Feed			CLO	PE1S0		185.72									
	Physical Caged Collocation-Space Prep-Power Delivery, per 100 amp Feed			CLO	PE1SI		242.05									
	Physical Caged Collocation-Space Enclosure-Cage Preparation, per first 100 sq ft			CLO	PE1S <sup>2</sup>		2 12.00									
	Phycical Caged Collocation-Space Enclosure-Cage Preparation2, per add'l 50 sq ft			CLO	PE1S											
	Physical Caged collocation-Cable Installation-Entrance Fiber Structure, interduct per			CLO	PE1CI											
	Phycical Caged Collocation-Cable Installation-Entrance Fiber, per cable			CLO	PE1C0	2.56	944.27									
	Physical Caged Collocation-Floor Space-Land & Buildings, per sq ft			CLO	PE1FS											
	Physical Caged Collocation-Cable Support Structure-Cable Racking, per entrance															
	cable			CLO	PE1C	21.47										ĺ
	Physical Caged Collocation-Power-Power Construction, per amp DC plant			CLO	PE1PI	3.55										
	Physical Caged Collocation-Power-Power Consumption,per amp AC usage			CLO	PE1P0	2.03										ĺ
	Physical Caged Collocation-2W Cross Connects-VG ckts, per ckt.			CLO	PE120	0.0475	7.68									
	Physical Caged Collocation-4W Cross Connects-VG Ckts, per ckt.			CLO	PE140	0.0475	7.68									
	Physical Caged Collocation-DS1 Cross Connects-connection to DCS, per ckt.			CLO	PE119		41.65									
	Physical Caged Collocation-DS1 Cross Connects-Connection to DSX, per ckt.			CLO	PE11)		41.65									
	Physical Caged Collocation-DS3 Cross Connects-Connection to DCS, per ckt.			CLO	PE138		298.03									L
	Physical Caged Collocation-DS3 Cross Connects-Connection to DSX, per ckt.			CLO	PE13X		298.03									<b>L</b>
	Physical Caged Collocation-Security Access-Access Cards, per 5 Cards			CLO	PE1A2		76.10									<b></b>
	Physical Collocation-Co-Carrier Cross Connects-Fiber Cable Support Structure, per															ı
	cable, per linear ft.			CLO,UE	F PE1ES	0.0013										<b></b>
	Physical Collocation-Cageless-Co-Carrier Cross Connects-Fiber Cable Support				1											ĺ
$\vdash$	Structure, per linear ft.	<u> </u>	1	CLO	PE1ZI	0.0031	-		<b> </b>	<b> </b>						<del>                                     </del>
	Physical Collocation-Cageless-Co-Carrier Cross Connects- Fiber Cable Support	1		01.0	55,-		F55.00									1
$\vdash$	Structure, per cable	-	1	CLO	PE1Zł	-	555.03		1	1	1		<del>                                     </del>		-	<del>                                     </del>
	Physical Collocation-Co-Carrier Cross Connects-Copper/Coax Cable Support	1		01.0	DE 15	0.0040										1
$\vdash$	Structure, per cable, per lin. ft.	<u> </u>	1	CLO	PE1DS	0.0019	-		<del>                                     </del>	<del>                                     </del>	-		<del>                                     </del>			<del>                                     </del>
	Physical Collocation-Cageless-Co-Carrier Cross Connects-Copper/Coax Cable	1		CLO	PE1Z	0.0045										1
$\vdash$	Support Structure, per linear ft.  Physical Collocation-Cageless-Co-Carrier Cross Connects-Copper/Coax Cable	<u> </u>	1	CLO	PE1Z	0.0045	-		<del>                                     </del>	<del>                                     </del>	-		<del>                                     </del>			<del>                                     </del>
	Support Structure, per cable	1		CLO	PE1ZI		555.03									1
$\Box$	oupport offucture, per capie	<u> </u>	1	CLU	PE IZI	1	500.03	I	1	1	<u> </u>	<u> </u>	I	<u> </u>	i	<b>!</b>

Version 4Q02: 01/20/03 Page 38 of 40

COL	LOCA	ATION - Tennessee												Attach	ment: 4	Exhi	bit: B
				1								Svc	Svc	Incrementa	Incrementa	Incrementa	Increment
												Order	Order	I Charge -	I Charge -	I Charge -	al Charge -
				. _								Submitt	Submitt	Manual	Manual	Manual	Manual
CATE	GOR	RATE ELEMENTS		Zon	BCS	USOC		ı	RATES (\$)			ed Elec	ed	Svc Order	Svc Order	Svc Order	Svc Order
			m	е								per LSR	Manuali	vs.	vs.	vs.	vs.
													y per	Electronic-	Electronic-	Electronic-	
													LSR	1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonred	curring	NRC Di	sconnect			oss	Rates (\$)		
							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Physical Collocation-Co-Carrier Cross Connects Only-Application Fee, per															
		application			CLO	PE1DT		585.09									
ADJA		COLLOCATION															
		Adjacent Collocation-Space Charge per sq ft			CLOAC	PE1JA	0.0656										
		Adjacent Collocation-Electrical Facility Charge per Linear Ft.			CLOAC	PE1JC	5.53										
		Adjacent Collocation-2W Cross-Connects			CLOAC	PE1P2	0.34	11.12	10.18	11.33	10.23			1.77	1.77	1.12	1.12
					UEA,UHL,UDL,UCL,												
		Adjacent Collocation-4W Cross-Connects		<u> </u>	CLOAC	PE1P4	0.33	11.30	10.31	11.62	10.44			1.77	1.77	1.12	1.12
		Adjacent Collocation-DS1 Cross-Connects		<u> </u>	USL,CLOAC	PE1P1	1.70	28.39	16.88	11.65	10.54			1.77	1.77	1.12	1.12
		Adjacent Collocation-DS3 Cross-Connects	<u> </u>	1	CLOAC	PE1P3	19.03	26.23	15.51	13.40	10.77		1	1.77	1.77	1.12	1.12
		Adjacent Collocation-2-Fiber Cross-Connect	ļ	<u> </u>	CLOAC	PE1F2	3.49	26.23	15.51	13.41	10.78			1.77	1.77	1.12	1.12
		Adjacent Collocation-4-Fiber Cross-Connect			CLOAC	PE1F4	6.50	29.75	19.02	17.60	14.97			1.77	1.77	1.12	1.12
		Adjacent Collocation-Application Fee			CLOAC	PE1JB		2,973.00									
		Adjacent Collocation-120V, Single Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FB	5.81										
		Adjacent Collocation-240V, Single Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FD	11.64										
		Adjacent Collocation-120V, Three Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FE	17.45										
		Adjacent Collocation-277V, Three Phase Standby Power Rate per AC Breaker Amp		<u> </u>	CLOAC	PE1FG	40.30					ļ					
PHY		COLLOCATION IN THE REMOTE SITE		<u> </u>	01.000	PE1RA		500.00		040.70		ļ					
		Physical Collocation in the Remote Site-Application Fee		<u> </u>	CLORS CLORS		000.44	580.20		312.76		ļ					
		Cabinet Space in the Remote Site per Bay/ Rack		-		PE1RB	220.41	04.00									
		Physical Collocation in the Remote Site-Security Access-Key		1	CLORS	PE1RD		24.69									
		Physical Collocation in the Remote Site-Space Availability Report per Premises			CLORS	PE1SR		218.49									
		Requested Physical Collocation in the Remote Site-Remote Site CLLI Code Request, per CLLI		1	CLORS	PETOR		210.49									
		Code Requested			CLORS	PE1RE		70.81									
		Remote Site DLEC Data (BRSDD), per Compact Disk, per CO		1	CLORS	PE1RR		234.15									
PHY		COLLOCATION IN THE REMOTE SITE - ADJACENT		1	OLONG	FLIKK		234.13									
		Remote Site-Adjacent Collocation-AC Power, per breaker amp		1	CLORS	PE1RS	6.27										
		Remote Site-Adjacent Collocation-Real Estate, per significant		1	CLORS	PE1RT	0.134										
		Remote Site-Adjacent Collocation-Application Fee		1	CLORS	PE1RU	0.10-1	755.62	755.62								
		: If Security Escort and/or Add'l Engineering Fees become necessary for remot	e site	collo	0-00		te approp		700.02								
		OLLOCATION		1													
		Virtual Collocation-Application Fee			AMTFS	EAF		2,633.00	2,633.00					2.07	2.81	0.67	1.41
		Virtual Collocation-Cable Installation Cost, per cable			AMTFS	ESPCX		1,749.00	1,749.00					2.07	2.81	0.67	1.41
		Virtual Collocation-Floor Space, per sq ft			AMTFS	ESPVX	3.91	,	,								
		Virtual Collocation-Power, per fused amp			AMTFS	ESPAX	6.79										
		Virtual Collocation-Cable Support Structure, per entrance cable			AMTFS	ESPSX	17.87										
					UEANL,UEA,UDN,U												
					DC,UAL,UHL,UCL,U												
			1	1	EQ,AMTFS,UDL,UN												
				1	CVX,UNCDX,UNCN												
		Virtual Collocation-2W Cross Connects (loop)			Χ	UEAC2	0.57	11.62	9.90	10.38	8.66			2.07	2.81	0.67	1.41
					UEA,UHL,UCL,UDL,												
			1	1	AMTFS,UAL,UDN,U												
		Virtual Collocation-4W Cross Connects (loop)	<u> </u>		NCVX,UNCDX	UEAC4	0.57	11.81	10.04	10.44	8.67	<u></u>	<u> </u>	2.07	2.81	0.67	1.41
					AMTFS,UDL12,UDL												
			1	1	O3,U1T48,U1T12,U												
			1	1	1T03,ULDO3,ULD12												
		Virtual Collocation-2-Fiber Cross Connects	1	1	,ULD48,UDF	CNC2F	3.03	41.56	29.82	12.96	10.34		1	2.69	2.69	1.56	1.56

COLLOC	ATION - Tennessee												Attach	ment: 4	Exhi	bit: B
CATEGOR	RATE ELEMENTS	Interi m	eri Zon e	BCS	USOC			RATES (\$)			Svc Order Submitt ed Elec per LSR	Svc Order Submitt ed Manuall y per LSR	I Charge - Manual Svc Order vs. Electronic- 1st	Add'l	I Charge - Manual Svc Order vs.	Increment al Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec			sconnect				Rates (\$)		
				AMTFS,UDL12,UDL			First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
				O3,U1T48,U1T12,U 1T03,ULDO3,ULD12	011015											
	Virtual Collocation-4-Fiber Cross Connects			,ULD48,UDF	CNC4F	6.06	50.53	38.78	16.97	14.35			2.69	2.69	1.56	1.56
	Virtual collocation-Special Access & UNE, cross-connect per DS1			USL,ULC,AMTFS,U LR,UXTD1,UNC1X, ULDD1,U1TD1,USL EL.UNLD1	CNC1X	1.32	32.22	17.76	10.46	8.75			2.07	2.81	0.67	1.41
	Virtual Collocation-Special Access & ONE, Closs-Collinect per DS 1			USL,ULC,AMTFS,U E3,U1TD3,UXTS1,U XTD3,UNC3X,UNC	CNCIX	1.32	32.22	17.76	10.46	6.75			2.01	2.01	0.67	1.41
	Virtual collocation-Special Acess & UNE, cross-connect per DS3			SX,ULDD3,U1TS1,U LDS1,UDLSX,UNLD	CND3X	12.32	29.97	16.30	12.03	8.99			2.07	2.81	0.67	1.41
	Virtual Collocation-Co-Carrier Cross Connects-Fiber Cable Support Structure, per															
	linear foot			AMTFS	VE1CB	0.0031										
	Virtual Collocation-Co-Carrier Cross Connects-Copper/Coax Cable Support															
	Structure, per linear ft			AMTFS	VE1CD	0.0045										
	Virtual Collocation-Co-Carrier Cross Connects-Fiber Cable Support Structure,per cable			AMTFS	VE1CC		555.03						2.07	2.81	0.67	1.41
	Virtual Collocation-Co-Carrier Cross Connects-Copper/Coax Cable Support Structure, per cable			AMTFS	VE1CE		555.03						2.07	2.81	0.67	1.41
	Virtual Collocation Cable Records-per request			AMTFS	VE1BA		1,711.00									
	Virtual Collocation Cable Records-VG/DS0 Cable, per cable record			AMTFS	VE1BB		925.06									
	Virtual Collocation Cable Records-VG/DS0 Cable, per each 100 pr			AMTFS	VE1BC		18.05	18.05								
	Virtual Collocation Cable Records-DS1, per T1TIE			AMTFS	VE1BD		8.45	8.45								
	Virtual Collocation Cable Records-DS3, per T3TIE			AMTFS	VE1BE		29.57	29.57								
	Virtual Collocation Cable Records-Fiber Cable, per 99 fiber records			AMTFS	VE1BF		279.42	279.42								
	Virtual collocation-Security Escort-Basic, per half hour			AMTFS	SPTBX		33.15	20.44					2.07	2.81	0.67	1.41
	Virtual collocation-Security Escort-Overtime, per half hour			AMTFS	SPTOX		41.50	25.61					2.07	2.81	0.67	1.41
	Virtual collocation-Security Escort-Premium, per half hour		ļ	AMTFS	SPTPX		49.86	30.79					2.07	2.81	0.67	1.41
	Virtual collocation-Maintenance in CO-Basic, per half hour			AMTFS	CTRLX		30.64	30.64					2.07	2.81	0.67	1.41
	Virtual collocation-Maintenance in CO-Overtime, per half hour			AMTES	SPTOM		35.77	35.77					2.07	2.81	0.67	1.41
VIDTI'A' S	Virtual collocation-Maintenance in CO-Premium per half hour		<u> </u>	AMTFS	SPTPM		40.90	40.90					2.07	2.81	0.67	1.41
VIKIUAL	COLLOCATION  Virtual Collocation-2W Cross Connect, Exchange Port 2W Analog-Res	<del>                                     </del>	<del>                                     </del>	UEPSR	VE1R2	0.30	19.20	19.20	-	<b> </b>	<u> </u>	<b> </b>	20.35	10.54	13.32	1.40
				UEPSR	VE1R2	0.30	19.20 19.20	19.20					20.35	10.54	13.32	1.40
	Virtual Collocation 2W Cross Connect, Exchange Port 2W Line Side PBX Trunk-Bus Virtual Collocation 2W Cross Connect, Exchange Port 2W VG PBX Trunk-Res	<del>                                     </del>	<del>                                     </del>	UEPSP	VE1R2	0.30	19.20 19.20	19.20	-	<b> </b>	<u> </u>	<b> </b>	20.35	10.54	13.32	1.40
	Virtual Collocation 2W Cross Connect, Exchange Port 2W VG PBX Trunk-Res Virtual Collocation 2W Cross Connect, Exchange Port 2W Analog Bus	-	1	UEPSE	VE1R2	0.30	19.20	19.20	1		1		20.35	10.54	13.32	1.40
	Virtual Collocation 2W Cross Connect, Exchange Port 2W Analog Bus Virtual Collocation 2W Cross Connect, Exchange Port 2W ISDN	-	1	UEPSX	VE1R2	0.30	19.20	19.20	1		1		20.35	10.54	13.32	1.40
	Virtual Collocation 2W Cross Connect, Exchange Port 2W ISDN  Virtual Collocation 2W Cross Connect, Exchange Port 2W ISDN			UEPTX	VE1R2	0.30	19.20	19.20					20.35	10.54	13.32	1.40
	Virtual Collocation 2W Cross Connect, Exchange Port 2W ISDN  Virtual Collocation 4W Cross Connect, Exchange Port 4W ISDN DS1	1	<del>                                     </del>	UEPEX	VE1R4	0.50	19.20	19.20					20.35	10.54	13.32	1.40
NI-4	Rates displaying an "R" in Interim column are interim and subject to rate true	<u> </u>	<u> </u>				13.20	13.20		<b></b>		ļ	20.00	10.54	13.32	1.40

## **Attachment 5**

Access to Numbers and Number Portability

## TABLE OF CONTENTS

1.	NON-DISCRIMINATORY ACCESS TO TELEPHONE NUMBERS	3
2.	LOCAL SERVICE PROVIDER NUMBER PORTABILITY - PERMANENT SOLUTION (LNP)	3
3.	OPERATIONAL SUPPORT SYSTEM (OSS) RATES	4

#### ACCESS TO NUMBERS AND NUMBER PORTABILITY

#### 1. NON-DISCRIMINATORY ACCESS TO TELEPHONE NUMBERS

- 1.1 During the term of this Agreement, where MRC is utilizing its own switch, MRC shall contact the North American Numbering Plan Administrator, NeuStar, for the assignment of numbering resources. In order to be assigned a Central Office Code, MRC will be required to complete the Central Office Code (NXX) Assignment Request and Confirmation Form (Code Request Form) in accordance with Industry Numbering Committee's Central Office Code (NXX) Assignment Guidelines (INC 95-0407-008).
- Where BellSouth provides local switching or resold services to MRC, BellSouth will provide MRC with on-line access to intermediate telephone numbers as defined by applicable FCC rules and regulations on a first come first served basis. MRC acknowledges that such access to numbers shall be in accordance with the appropriate FCC rules and regulations. MRC acknowledges that there may be instances where there is a shortage of telephone numbers in a particular rate center; and in such instances, BellSouth may request that MRC return unused intermediate numbers to BellSouth. MRC shall return unused intermediate numbers to BellSouth upon BellSouth's request. BellSouth shall make all such requests on a nondiscriminatory basis.
- 1.3 BellSouth will allow MRC to designate up to 100 intermediate telephone numbers per rate center for MRC's sole use. Assignment, reservation and use of telephone numbers shall be governed by applicable FCC rules and regulations. MRC acknowledges that there may be instances where there is a shortage of telephone numbers in a particular rate center and BellSouth has the right to limit access to blocks of intermediate telephone numbers. These instances include: 1) where jeopardy status has been declared by the North American Numbering Plan (NANP) for a particular Numbering Plan Area (NPA); or 2) where a rate center has less than six months supply of numbering resources.

# 2. LOCAL SERVICE PROVIDER NUMBER PORTABILITY - PERMANENT SOLUTION (LNP)

- 2.1 The Parties will offer Number Portability in accordance with rules, regulations and guidelines adopted by the Commission, the FCC and industry forums.
- 2.2 <u>End User Line Charge</u>. Where MRC subscribes to BellSouth's local switching, BellSouth shall bill and MRC shall pay the end user line charge associated with implementing LNP as set forth in BellSouth's FCC Tariff No. 1. This charge is not subject to the resale discount set forth in Attachment 1 of this Agreement.

- To limit service outage, BellSouth and MRC will adhere to the process flows and cutover guidelines for porting numbers as outlined in the LNP Reference Guide, as amended from time to time. The LNP Reference Guide, incorporated herein by reference, is accessible via the Internet at the following site:

  http://www.interconnection.bellsouth.com. All intervals referenced in the LNP Reference Guide shall apply to both BellSouth and MRC.
- 2.4 The Parties will set Location Routing Number (LRN) unconditional or 10-digit triggers where applicable. Where triggers are set, the porting Party will remove the ported number at the same time the trigger is removed.
- A trigger order is a service order issued in advance of the porting of a number. A trigger order 1) initiates call queries to the AIN SS7 network in advance of the number being ported; and 2) provides for the new service provider to be in control of when a number ports.
- 2.6 Where triggers are not set, the Parties shall coordinate the porting of the number between service providers so as to minimize service interruptions to the end user.
- 2.7 BellSouth and MRC will work cooperatively to implement changes to LNP process flows ordered by the FCC or as recommended by standard industry forums addressing LNP.

### 3. OPERATIONAL SUPPORT SYSTEM (OSS) RATES

3.1 The terms, conditions and rates for OSS are as set forth in Attachment 2.

# **Attachment 6**

Pre-Ordering, Ordering, Provisioning, Maintenance and Repair

Version 4Q02: 12/18/02

# TABLE OF CONTENTS

3.	MISCELLANEOUS	5
2.	ACCESS TO OPERATIONS SUPPORT SYSTEMS	3
1.	QUALITY OF PRE-ORDERING, ORDERING, PROVISIONING, MAINTENANCE AND REPAIR.	3

#### PRE-ORDERING, ORDERING, PROVISIONING, MAINTENANCE AND REPAIR

# 1. QUALITY OF PRE-ORDERING, ORDERING, PROVISIONING, MAINTENANCE AND REPAIR

- BellSouth shall provide pre-ordering, ordering, provisioning, and maintenance and repair services to MRC that are equivalent to the pre-ordering, ordering, provisioning, and maintenance and repair services BellSouth provides to itself or any other CLEC where technically feasible. The guidelines for pre-ordering, ordering, provisioning, and maintenance and repair are set forth in the various guides and business rules, as appropriate, and as they are amended from time to time during this Agreement. The guides and business rules are found at http://www.interconnection.bellsouth.com and are incorporated herein by reference.
- 1.2 For purposes of this Agreement, BellSouth's regular working hours for provisioning are defined as follows:

Monday – Friday – 8:00 a.m. – 5:00 p.m. (Excluding Holidays)
(Resale/UNE non-coordinated,
coordinated orders and order
coordinated-time specific)
Saturday - 8:00 a.m. – 5:00 p.m. (Excluding Holidays)
(Resale/UNE non-coordinated
orders)

- 1.2.1 The above hours represent the hours, either Eastern or Central Time, of the location where the physical work is being performed.
- 1.2.2 To the extent MRC requests provisioning of service to be performed outside BellSouth's regular working hours, or the work so requested requires BellSouth's technicians or Project Manager to work outside of regular working hours, overtime billing charges shall apply. Notwithstanding the foregoing, if such work is performed outside of regular working hours by a BellSouth technician or Project Manager during his or her scheduled shift and BellSouth does not incur any overtime charges in performing the work on behalf of MRC, BellSouth will not assess MRC additional charges beyond the rates and charges specified in this Agreement.

#### 2. ACCESS TO OPERATIONS SUPPORT SYSTEMS

2.1 BellSouth shall provide MRC access to operations support systems (OSS) functions for pre-ordering, ordering, provisioning, maintenance and repair, and billing. BellSouth shall provide access to the OSS through manual and/or electronic interfaces as described in this Attachment. It is the sole responsibility of

Version 4Q02: 12/18/02

MRC to obtain the technical capability to access and utilize BellSouth's OSS interfaces. Specifications for MRC's access and use of BellSouth's electronic interfaces are set forth at <a href="https://www.interconnection.bellsouth.com">www.interconnection.bellsouth.com</a> and are incorporated herein by reference.

- 2.1.1 Pre-Ordering. In accordance with FCC and Commission rules and orders, BellSouth will provide electronic access to the following pre-ordering functions: service address validation, telephone number selection, service and feature availability, due date information, customer record information and loop makeup information. Access is provided through the Local Exchange Navigation System (LENS) interface and the Telecommunications Access Gateway (TAG) interface. Customer record information includes customer specific information in CRIS and RSAG. MRC shall provide to BellSouth access to customer record information including circuit numbers associated with each telephone number where applicable. MRC shall provide such information within four (4) hours after request via electronic access where available. If electronic access is not available, MRC shall provide to BellSouth paper copies of customer record information including circuit numbers associated with each telephone number where applicable. If BellSouth requests the information before noon, the customer record information shall be provided the same day. If BellSouth requests the information after noon, the customer record information shall be provided by noon the following day.
- 2.1.2 The Parties agree not to view, copy, or otherwise obtain access to the customer record information of any customer without that customer's permission. MRC will obtain access to customer record information only in strict compliance with applicable laws, rules, or regulations of the state in which the service is provided. BellSouth reserves the right to audit MRC's access to customer record information. If a BellSouth audit of MRC's access to customer record information reveals that MRC is accessing customer record information without having obtained the proper End User authorization, BellSouth upon reasonable notice to MRC may take corrective action, including but not limited to suspending or terminating MRC's electronic access to BellSouth's OSS functionality. All such information obtained through an audit shall be deemed Information covered by the Proprietary and Confidential Information section in the General Terms and Conditions of this Agreement.
- 2.1.3 <u>Service Ordering</u>. BellSouth will make available the Electronic Data Interchange (EDI) interface and the TAG ordering interface for the purpose of exchanging order information, including order status and completion notification, for noncomplex and certain complex resale requests and certain network elements. MRC may integrate the EDI interface or the TAG ordering interface with the TAG preordering interface. In addition, BellSouth will provide integrated pre-ordering and ordering capability through the LENS interface for non-complex and certain complex resale service requests and certain network element requests.
- 2.1.4 <u>Maintenance and Repair</u>. MRC may report and monitor service troubles and obtain repair services from BellSouth via electronic interfaces. BellSouth provides

Version 4Q02: 12/18/02

several options for electronic trouble reporting. For exchange services, BellSouth will offer MRC non-discriminatory access to the Trouble Analysis Facilitation Interface (TAFI). In addition, BellSouth will offer an industry standard, machine-to-machine Electronic Communications Trouble Administration (ECTA) Gateway interface. For designed services, BellSouth will provide non-discriminatory trouble reporting via the ECTA Gateway. BellSouth will provide MRC an estimated time to repair, an appointment time or a commitment time, as appropriate, on trouble reports. Requests for trouble repair will be billed in accordance with the provisions of this Attachment. BellSouth and MRC agree to adhere to BellSouth's Operational Understanding, as amended from time to time during this Agreement and as incorporated herein by reference. The Operational Understanding may be accessed via the Internet at http://www.interconnection.bellsouth.com.

- 2.2 <u>Change Management</u>. BellSouth provides a collaborative process for change management of the electronic interfaces through the Change Control Process (CCP). Guidelines for this process are set forth in the CCP document as amended from time to time during this Agreement. The CCP document may be accessed via the Internet at <a href="http://www.interconnection.bellsouth.com">http://www.interconnection.bellsouth.com</a>.
- 2.3 <u>BellSouth's Versioning Policy for Electronic Interfaces.</u> BellSouth's Versioning Policy is part of the CCP. Pursuant to the CCP, BellSouth will issue new software releases for new industry standards for its EDI and TAG electronic interfaces. The Versioning Policy, including the appropriate notification to MRC, is set forth in the CCP document as amended from time to time during this Agreement. The CCP document may be accessed via the Internet at <a href="http://www.interconnection.bellsouth.com">http://www.interconnection.bellsouth.com</a>.
- 2.4 <u>Rates.</u> Charges for use of OSS shall be as set forth in Attachments 1 and 2 of this Agreement and are incorporated herein by reference.

#### 3. MISCELLANEOUS

- Pending Orders. Orders placed in the hold or pending status by MRC will be held for a maximum of thirty (30) days from the date the order is placed on hold. After such time, MRC shall be required to submit a new service request. Incorrect or invalid requests returned to MRC for correction or clarification will be held for thirty (30) days. If MRC does not return a corrected request within thirty (30) days, BellSouth will cancel the request.
- 3.2 <u>Single Point of Contact</u>. MRC will be the single point of contact with BellSouth for ordering activity for network elements and other services used by MRC to provide services to its end users, except that BellSouth may accept a request directly from another CLEC, or BellSouth, acting with authorization of the affected end user. MRC and BellSouth shall each execute a blanket letter of authorization with respect to customer requests so that prior proof of end-user authorization will not be necessary with every request. The Parties shall each be entitled to adopt their own internal processes for verification of customer

authorization for requests, provided, however, that such processes shall comply with applicable state and federal law including, until superseded, the FCC guidelines and orders applicable to Presubscribed Interexchange Carrier (PIC) changes, including Un-PIC. Pursuant to a request from another carrier, BellSouth may disconnect any network element being used by MRC to provide service to that end user and may reuse such network elements or facilities to enable such other carrier to provide service to the end user. BellSouth will notify MRC that such a request has been processed but will not be required to notify MRC in advance of such processing.

- 3.2.1 Neither BellSouth nor MRC shall prevent or delay an end-user from migrating to another carrier because of unpaid bills, denied service, or contract terms.
- 3.2.2 BellSouth shall provide access to customer service records (CSRs), Firm Order Confirmations (FOCs) and Local Service Request rejects within the intervals set forth in Attachment 9 of this Agreement.
- 3.2.3 MRC shall return a FOC to BellSouth within thirty-six (36) hours after MRC's receipt from BellSouth of a valid LSR.
- 3.2.4 MRC shall provide a Reject Response to BellSouth within twenty-four (24) hours after BellSouth's submission of an LSR which is incomplete or incorrectly formatted.
- 3.3 <u>Use of Facilities</u>. When a customer of MRC elects to discontinue service and to transfer service to another local exchange carrier, including BellSouth, BellSouth shall have the right to reuse the facilities provided to MRC by BellSouth. In addition, where BellSouth provides local switching, BellSouth may disconnect and reuse facilities when the facility is in a denied state and BellSouth has received a request to establish new service or transfer of service from a customer or a customer's CLEC at the same address served by the denied facility. BellSouth will notify MRC that such a request has been processed after the disconnect order has been completed.
- 3.4 <u>Contact Numbers</u>. The Parties agree to provide one another with toll-free nationwide (50 states) contact numbers for the purpose of ordering, provisioning and maintenance of services.
- 3.5 <u>Subscription Functions</u>. In cases where BellSouth performs subscription functions for an IXC (i.e. PIC and LPIC changes via Customer Account Record Exchange (CARE)), BellSouth will provide the affected IXCs with the Operating Company Number (OCN) of the local provider for the purpose of obtaining end user billing account and other end user information required under subscription requirements.
- 3.6 <u>Cancellation Charges</u>. If MRC cancels a request for network elements or other services, any costs incurred by BellSouth in conjunction with the provisioning of that request will be recovered in accordance with BellSouth's Private Line Tariff or BellSouth's FCC No. 1 Tariff, Section 5.4, as applicable. Notwithstanding the

Version 4Q02: 12/18/02

foregoing, if MRC places an LSR based upon BellSouth's loop makeup information, and such information is inaccurate resulting in the inability of BellSouth to provision the network elements or services requested in accordance with the transmission characteristics of the network elements or services requested, cancellation charges described in this Section shall not apply. Where MRC places a single LSR for multiple network elements or services based upon loop makeup information, and information as to some, but not all, of the network elements or services is inaccurate, if BellSouth cannot provision the network elements or services that were the subject of the inaccurate loop makeup information, MRC may cancel its request for those network elements or services without incurring cancellation charges as described in this Section. In such instance, should MRC elect to cancel the entire LSR, cancellation charges as described in this Section shall apply to those elements and services that were not the subject of inaccurate loop makeup.

3.7 <u>Service Date Advancement Charges (a.k.a. Expedites)</u>. For Service Date Advancement requests by MRC, Service Date Advancement charges will apply for intervals less than the standard interval as outlined in the BellSouth Product and Services Interval Guide. The charges as outlined in BellSouth's FCC No. 1 Tariff, Section 5, will apply as applicable.

# **Attachment 7**

**Billing** 

### TABLE OF CONTENTS

	tes	
6.	ENHANCED OPTIONAL DAILY USAGE FILE	15
5.	ACCESS DAILY USAGE FILE	13
4.	OPTIONAL DAILY USAGE FILE	11
3.	RAO HOSTING	8
2.	BILLING DISPUTES	7
1.	PAYMENT AND BILLING ARRANGEMENTS	3

#### BILLING

#### 1. PAYMENT AND BILLING ARRANGEMENTS

The terms and conditions set forth in this Attachment shall apply to all services ordered and provisioned pursuant to this Agreement.

- 1.1 <u>Billing</u>. BellSouth will bill through the Carrier Access Billing System (CABS), Integrated Billing System (IBS) and/or the Customer Records Information System (CRIS) depending on the particular service(s) provided to MRC under this Agreement. BellSouth will format all bills in Carrier Billing Output Specification (CBOS) Standard or CLUB/EDI format, depending on the type of service provided. For those services where standards have not yet been developed, BellSouth's billing format will change as necessary when standards are finalized by the applicable industry forum.
- 1.1.1 For any service(s) BellSouth receives from MRC, MRC shall bill BellSouth in CBOS format.
- 1.1.2 Any switched access charges associated with interexchange carrier access to the resold local exchange lines will be billed by, and due to BellSouth.
- 1.1.3 BellSouth will render bills each month for lines on established bill days for each of MRC's accounts. If either Party requests multiple billing media or additional copies of the bills, the Billing Party will provide these at a reasonable cost.
- 1.1.4 BellSouth will bill MRC in advance for all services to be provided during the ensuing billing period except charges associated with service usage and nonrecurring charges, which will be billed in arrears.
- 1.1.4.1 For resold services, charges will be calculated on an individual End User account level, including, if applicable, any charge for usage or usage allowances. BellSouth will also bill MRC, and MRC will be responsible for and remit to BellSouth, all charges applicable to resold services including but not limited to 911 and E911 charges, End Users common line charges, federal subscriber line charges, telecommunications relay charges (TRS), and franchise fees, unless otherwise ordered by a Commission.
- 1.1.5 BellSouth will not perform billing and collection services for MRC as a result of the execution of this Agreement. All requests for billing services should be referred to the appropriate entity or operational group within BellSouth.
- 1.1.6 In the event that this Agreement or an amendment to this Agreement effects a rate change to recurring rate elements that are billed in advance, Bellsouth will make an adjustment to such recurring rates billed in advance and at the previously effective rate. The adjustment shall reflect billing at the new rates from the Effective Date of the Agreement or amendment.

- Establishing Accounts. After submitting a credit profile and deposit, if required, and after receiving certification as a local exchange carrier from the appropriate regulatory agency, MRC will provide the appropriate BellSouth advisory team/local contract manager the necessary documentation to enable BellSouth to establish accounts for Local Interconnection, Network Elements and Other Services, Collocation and/or resold services. Such documentation shall include the Application for Master Account, if applicable, proof of authority to provide telecommunications services, the appropriate Operating Company Number (OCN) for each state as assigned by NECA, Carrier Identification Code (CIC), Access Customer Name and Abbreviation (ACNA), Blanket Letter of Authorization (LOA), Misdirected Number form, and a tax exemption certificate, if applicable. Notwithstanding anything to the contrary in this Agreement, MRC may not order services under a new account established in accordance with this Section 1.2 until 30 days after all information specified in this Section 1.2 is received from MRC.
- 1.2.1 OCN. If MRC needs to change its OCN(s) under which it operates when MRC has already been conducting business utilizing those OCN(s), MRC shall bear all costs incurred by BellSouth to convert MRC to the new OCN(s). OCN conversion charges include all time required to make system updates to all of MRC's end user customer records and will be handled by the BFR/NBR process.
- 1.2.2 <u>Payment Responsibility</u>. Payment of all charges will be the responsibility of MRC. MRC shall make payment to BellSouth for all services billed. Payments made by MRC to BellSouth as payment on account will be credited to MRC's accounts receivable master account. BellSouth will not become involved in billing disputes that may arise between MRC and MRC's customer.
- 1.3 <u>Payment Due.</u> Payment for services provided will be due on or before the next bill date and is payable in immediately available funds. Payment is considered to have been made when received by BellSouth.
- 1.4 If the payment due date falls on a Sunday or on a Holiday that is observed on a Monday, the payment due date shall be the first non-Holiday day following such Sunday or Holiday. If the payment due date falls on a Saturday or on a Holiday which is observed on Tuesday, Wednesday, Thursday, or Friday, the payment due date shall be the last non-Holiday day preceding such Saturday or Holiday. If payment is not received by the payment due date, a late payment charge, as set forth in Section 1.6, below, shall apply.
- 1.5 <u>Tax Exemption</u>. Upon BellSouth's receipt of tax exemption certificate, the total amount billed to MRC will not include those taxes or fees from which MRC is exempt. MRC will be solely responsible for the computation, tracking, reporting and payment of all taxes and like fees associated with the services provided to the end user of MRC.

- Late Payment. If any portion of the payment is received by BellSouth after the payment due date as set forth preceding, or if any portion of the payment is received by BellSouth in funds that are not immediately available to BellSouth, then a late payment charge shall be due to BellSouth. The late payment charge shall be the portion of the payment not received by the payment due date multiplied by a late factor and will be applied on a per bill basis. The late factor shall be as set forth in Section A2 of the General Subscriber Services Tariff (GSST), Section B2 of the Private Line Service Tariff (PLST) or Section E2 of the Intrastate Access Tariff, as appropriate. In addition to any applicable late payment charges, MRC may be charged a fee for all returned checks as set forth in Section A2 of the GSST or pursuant to the applicable state law.
- 1.7 <u>Discontinuing Service to MRC</u>. The procedures for discontinuing service to MRC are as follows:
- 1.7.1 BellSouth reserves the right to suspend or terminate service in the event of prohibited, unlawful or improper use of BellSouth facilities or service, abuse of BellSouth facilities, or any other violation or noncompliance by MRC of the rules and regulations of BellSouth's tariffs.
- 1.7.2 BellSouth reserves the right to suspend or terminate service for nonpayment. If payment of amounts not subject to a billing dispute, as described in Section 2, is not received by the bill date in the month after the original bill date, BellSouth will provide written notice to MRC that additional applications for service may be refused, that any pending orders for service may not be completed, and/or that access to ordering systems may be suspended if payment of such amounts, and all other amounts not in dispute that become past due before refusal, incompletion or suspension, is not received by the fifteenth day following the date of the notice. In addition, BellSouth may, at the same time, provide written notice to the person designated by MRC to receive notices of noncompliance that BellSouth may discontinue the provision of existing services to MRC if payment of such amounts, and all other amounts not in dispute that become past due before discontinuance, is not received by the thirtieth day following the date of the initial notice.
- 1.7.3 In the case of discontinuance of services, all billed charges, as well as applicable termination charges, shall become due.
- 1.7.4 Upon discontinuance of service on MRC's account, service to MRC's end users will be denied. BellSouth will reestablish service for MRC upon payment of all past due charges and the appropriate connection fee subject to BellSouth's normal application procedures. MRC is solely responsible for notifying the end user of the proposed disconnection of the service. If within fifteen (15) days after MRC has been denied and no arrangements to reestablish service have been made consistent with this subsection, MRC's service will be discontinued.

- 1.8 Deposit Policy. MRC shall complete the BellSouth Credit Profile and provide information to BellSouth regarding credit worthiness. Based on the results of the credit analysis, BellSouth reserves the right to secure the account with a suitable form of security deposit. Such security deposit shall take the form of cash, an Irrevocable Letter of Credit (BellSouth form), Surety Bond (BellSouth form) or, in BellSouth's sole discretion, some other form of security. Any such security deposit shall in no way release MRC from its obligation to make complete and timely payments of its bill. MRC shall pay any applicable deposits prior to the inauguration of service. If, in the sole opinion of BellSouth, circumstances so warrant and/or gross monthly billing has increased beyond the level initially used to determine the level of security deposit, BellSouth reserves the right to request additional security and/or file a Uniform Commercial Code (UCC-1) security interest in MRC's "accounts receivables and proceeds." Interest on a security deposit, if provided in cash, shall accrue and be paid in accordance with the terms in the appropriate BellSouth tariff. Security deposits collected under this Section shall not exceed two months' estimated billing. In the event MRC fails to remit to BellSouth any deposit requested pursuant to this Section, service to MRC may be terminated in accordance with the terms of Section 1.7 of this Attachment, and any security deposits will be applied to MRC's account(s). In the event MRC defaults on its account, service to MRC will be terminated and any security deposits will be applied to MRC's account. In determining whether a security deposit is required, BellSouth will review MRC's Dun & Bradstreet rating and report details, MRC's payment history with BellSouth and payment history with others as available; the number of years MRC has been in business; MRC's management history and managers' length of service with MRC; liens, suits and judgments against MRC; UCC-1 filings against MRC's assets; and to the extent available, MRC's financial information. Upon the conclusion of this review, if BellSouth continues to insist on additional security, at MRC's written request, BellSouth will provide an explanation in writing to MRC justifying the decision for additional deposit.
- Notices. Notwithstanding anything to the contrary in this Agreement, all bills and notices regarding billing matters, including notices relating to security deposits, disconnection of services for nonpayment of charges, and rejection of additional orders from MRC, shall be forwarded to the individual and/or address provided by MRC in establishment of its billing account(s) with BellSouth, or to the individual and/or address subsequently provided by MRC as the contact for billing information. All monthly bills and notices described in this Section shall be forwarded to the same individual and/or address; provided, however, upon written notice from MRC to BellSouth's billing organization, a final notice of disconnection of services purchased by MRC under this Agreement shall be sent via certified mail to the individual(s) listed in the Notices provision of the General Terms and Conditions of this Agreement at least 30 days before BellSouth takes any action to terminate such services.
- 1.10 <u>Rates.</u> Rates for Optional Daily Usage File (ODUF), Access Daily Usage File (ADUF), Enhanced Optional Daily Usage File (EODUF) and Centralized Message

Distribution Service (CMDS) are set out in Exhibit A to this Attachment. If no rate is identified in this Attachment, the rate for the specific service or function will be as set forth in applicable BellSouth tariff or as negotiated by the Parties upon request by either Party.

#### 2. BILLING DISPUTES

- Each Party agrees to notify the other Party in writing upon the discovery of a billing dispute. MRC shall report all billing disputes to BellSouth using the Billing Adjustment Request Form (RF 1461) provided by BellSouth. In the event of a billing dispute, the Parties will endeavor to resolve the dispute within sixty (60) calendar days of the notification date. If the Parties are unable within the 60 day period to reach resolution, then the aggrieved Party may pursue dispute resolution in accordance with the General Terms and Conditions of this Agreement.
- 2.2 For purposes of this Section 2, a billing dispute means a reported dispute of a specific amount of money actually billed by either Party. The dispute must be clearly explained by the disputing Party and supported by written documentation, which clearly shows the basis for disputing charges. By way of example and not by limitation, a billing dispute will not include the refusal to pay all or part of a bill or bills when no written documentation is provided to support the dispute, nor shall a billing dispute include the refusal to pay other amounts owed by the billed Party until the dispute is resolved. Claims by the billed Party for damages of any kind will not be considered a billing dispute for purposes of this Section. If the billing dispute is resolved in favor of the billing Party, the disputing Party will make immediate payment of any of the disputed amount owed to the billing Party or the billing Party shall have the right to pursue normal treatment procedures. Any credits due to the disputing Party, pursuant to the billing dispute, will be applied to the disputing Party's account by the billing Party immediately upon resolution of the dispute. On disputed amounts resolved in favor of MRC, any applicable late payment charges will be adjusted from the date BellSouth receives the dispute to the date the dispute is resolved.
- If a Party disputes a charge and does not pay such charge by the payment due date, or if a payment or any portion of a payment is received by either Party after the payment due date, or if a payment or any portion of a payment is received in funds which are not immediately available to the other Party, then a late payment charge and interest, where applicable, shall be assessed. For bills rendered by either Party for payment, the late payment charge for both Parties shall be calculated based on the portion of the payment not received by the payment due date multiplied by the late factor as set forth in the following BellSouth tariffs: for services purchased from the GSST for purposes of resale and for ports and non-designed loops, Section A2 of the GSST; for services purchased from the PLST for purposes of resale, Section B2 of the PLST; and for designed network elements and other services and local interconnection charges, Section E2 of the Access Service

Tariff. The Parties shall assess interest on previously assessed late payment charges only in a state where it has the authority pursuant to its tariffs.

#### 3. RAO HOSTING

- 3.1 RAO Hosting, Calling Card and Third Number Settlement System (CATS) and Non-Intercompany Settlement System (NICS) services provided to MRC by BellSouth will be in accordance with the methods and practices regularly applied by BellSouth to its own operations during the term of this Agreement, including such revisions as may be made from time to time by BellSouth.
- 3.2 MRC shall furnish all relevant information required by BellSouth for the provision of RAO Hosting, CATS and NICS.
- 3.3 Charges or credits, as applicable, will be applied by BellSouth to MRC on a monthly basis in arrears. Amounts due (excluding adjustments) are payable within thirty (30) days of receipt of the billing statement.
- 3.4 MRC must have its own unique hosted RAO code. Where BellSouth is the selected CMDS interfacing host, MRC must request that BellSouth establish a unique hosted RAO code for MRC. Such request shall be in writing to the BellSouth RAO Hosting coordinator and must be submitted at least eight (8) weeks prior to provision of services pursuant to this Section. Services shall commence on a date mutually agreed by the Parties.
- 3.5 BellSouth will receive messages from MRC that are to be processed by BellSouth, another LEC in the BellSouth region or a LEC outside the BellSouth region.

  MRC shall send all messages to BellSouth no later than sixty (60) days after the message date.
- 3.6 BellSouth will perform invoice sequence checking, standard EMI format editing, and balancing of message data with the EMI trailer record counts on all data received from MRC.
- 3.7 All data received from MRC that is to be processed or billed by another LEC within the BellSouth region will be distributed to that LEC in accordance with the Agreement(s) in effect between BellSouth and the involved LEC.
- 3.8 All data received from MRC that is to be placed on the CMDS network for distribution outside the BellSouth region will be handled in accordance with the agreement(s) in effect between BellSouth and its connecting contractor.
- 3.9 BellSouth will receive messages from the CMDS network that are destined to be processed by MRC and will forward them to MRC on a daily basis for processing.

- 3.10 Transmission of message data between BellSouth and MRC will be via CONNECT:Direct or CONNECT:Enterprise Client utilizing secure File Transfer Protocol (FTP).
- 3.10.1 Data circuits (private line or dial-up) will be required between BellSouth and MRC for the purpose of data transmission when utilizing CONNECT:Direct. Where a dedicated line is required, MRC will be responsible for ordering the circuit and coordinating the installation with BellSouth. MRC is responsible for any charges associated with this line. Equipment required on the BellSouth end to attach the line to the mainframe computer and to transmit data will be negotiated on an individual case basis. Where a dial-up facility is required, dial circuits will be installed in the BellSouth data center by BellSouth and the associated charges assessed to MRC. Additionally, all message toll charges associated with the use of the dial circuit by MRC will be the responsibility of MRC. Associated equipment on the BellSouth end, including a modem, will be negotiated on an individual case basis between the Parties. All equipment, including modems and software, that is required on the MRC end for the purpose of data transmission will be the responsibility of MRC.
- 3.10.2 If MRC utilizes CONNECT:Enterprise Client for data file transmission, purchase of the CONNECT:Enterprise Client software will be the responsibility of MRC.
- 3.11 All messages and related data exchanged between BellSouth and MRC will be formatted for EMI formatted records and packed between appropriate EMI header and trailer records in accordance with accepted industry standards.
- 3.12 MRC will maintain recorded message detail necessary to recreate files provided to BellSouth for a period of three (3) calendar months beyond the related message dates.
- 3.13 Should it become necessary for MRC to send data to BellSouth more than sixty (60) days past the message date(s), MRC will notify BellSouth in advance of the transmission of the data. BellSouth will work with its connecting contractor and/or MRC, where necessary, to notify all affected LECs.
- In the event that data to be exchanged between the two Parties should become lost or destroyed, the Party responsible for creating the data will make every effort to restore and retransmit such data. If the data cannot be retrieved, the Party responsible for losing or destroying the data will be liable to the other Party for any resulting lost revenue. Lost revenue may be a combination of revenues that could not be billed to the end users and associated access revenues. Both Parties will work together to estimate the revenue amount based upon historical data through a method mutually agreed upon. The resulting estimated revenue loss will be paid by the responsible Party to the other Party within three (3) calendar months of the resolution of the amount owed, or as mutually agreed upon by the Parties.

- 3.15 Should an error be detected by the EMI format edits performed by BellSouth on data received from MRC, the entire pack containing the affected data will not be processed by BellSouth. BellSouth will notify MRC of the error. MRC will correct the error(s) and will resend the entire pack to BellSouth for processing. In the event that an out-of-sequence condition occurs on subsequent packs, MRC will resend these packs to BellSouth after the pack containing the error has been successfully reprocessed by BellSouth.
- In association with message distribution service, BellSouth will provide MRC with associated intercompany settlements reports (CATS and NICS) as appropriate.
- 3.17 Notwithstanding anything in this Agreement to the contrary, in no case shall either Party be liable to the other for any direct or consequential damages incurred as a result of the obligations set out in this Section 3.
- 3.18 Intercompany Settlements Messages
- 3.18.1 Intercompany Settlements Messages facilitate the settlement of revenues associated with traffic originated from or billed by MRC as a facilities based provider of local exchange telecommunications services outside the BellSouth region. Only traffic that originates in one Bell operating territory and bills in another Bell operating territory is included. Traffic that originates and bills within the same Bell operating territory will be settled on a local basis between MRC and the involved company(ies), unless that company is participating in NICS.
- 3.18.2 Both traffic that originates outside the BellSouth region by MRC and is billed within the BellSouth region, and traffic that originates within the BellSouth region and is billed outside the BellSouth region by MRC, is covered by CATS. Also covered is traffic that either is originated by or billed by MRC, involves a company other than MRC, qualifies for inclusion in the CATS settlement, and is not originated or billed within the BellSouth region (NICS).
- 3.18.3 Once MRC is operating within the BellSouth territory, revenues associated with calls originated and billed within the BellSouth region will be settled via NICS.
- 3.18.4 BellSouth will receive the monthly NICS reports from Telcordia on behalf of MRC. BellSouth will distribute copies of these reports to MRC on a monthly basis.
- 3.18.5 BellSouth will receive the monthly CATS reports from Telcordia on behalf of MRC. BellSouth will distribute copies of these reports to MRC on a monthly basis.
- 3.18.6 BellSouth will collect the revenue earned by MRC from the Bell operating company in whose territory the messages are billed via CATS, less a per message billing and collection fee of five cents (\$0.05), on behalf of MRC. BellSouth will remit the revenue billed by MRC to the Bell operating company in whose territory

the messages originated, less a per message billing and collection fee of five cents (\$0.05), on behalf on MRC. These two amounts will be netted together by BellSouth and the resulting charge or credit issued to MRC via a monthly Carrier Access Billing System (CABS) miscellaneous bill.

- 3.18.7 BellSouth will collect the revenue earned by MRC within the BellSouth territory from another CLEC also within the BellSouth territory (NICS) where the messages are billed, less a per message billing and collection fee of five cents (\$0.05), on behalf of MRC. BellSouth will remit the revenue billed by MRC within the BellSouth region to the CLEC also within the BellSouth region, where the messages originated, less a per message billing and collection fee of five cents (\$0.05). These two amounts will be netted together by BellSouth and the resulting charge or credit issued to MRC via a monthly CABS miscellaneous bill.
- 3.18.8 BellSouth and MRC agree that monthly netted amounts of less than fifty dollars (\$50.00) will not be settled.

#### 4. OPTIONAL DAILY USAGE FILE

- 4.1 Upon written request from MRC, BellSouth will provide the Optional Daily Usage File (ODUF) service to MRC pursuant to the terms and conditions set forth in this section.
- 4.2 MRC shall furnish all relevant information required by BellSouth for the provision of ODUF.
- 4.3 The ODUF feed will contain billable messages that were carried over the BellSouth Network and processed in the BellSouth Billing System, but billed to a MRC customer.
- 4.4 Charges for ODUF will appear on MRC's monthly bills for the previous month's usage. The charges are as set forth in Exhibit A to this Attachment. MRC will be billed at the ODUF rates that are in effect at the end of the previous month.
- 4.5 The ODUF feed will contain both rated and unrated messages. All messages will be in the standard Alliance for Telecommunications Industry Solutions (ATIS) EMI record format.
- 4.6 Messages that error in the billing system of MRC will be the responsibility of MRC. If, however, MRC should encounter significant volumes of errored messages that prevent processing by MRC within its systems, BellSouth will work with MRC to determine the source of the errors and the appropriate resolution.
- 4.7 The following specifications shall apply to the ODUF feed.
- 4.7.1 ODUF Messages to be Transmitted

4.7.1.1 The following messages recorded by BellSouth will be transmitted to MRC: 4.7.1.1.1 Message recording for per use/per activation type services (examples: Three-Way Calling, Verify, Interrupt, Call Return, etc.) 4.7.1.1.2 Measured billable Local 4.7.1.1.3 Directory Assistance messages 4.7.1.1.4 IntraLATA Toll 4.7.1.1.5 WATS and 800 Service 4.7.1.1.6 N11 4.7.1.1.7 Information Service Provider Messages Operator Services Messages 4.7.1.1.8 4.7.1.1.9 Operator Services Message Attempted Calls (Network Element only) 4.7.1.1.10 Credit/Cancel Records 4.7.1.1.11 Usage for Voice Mail Message Service 4.7.1.2 Rated Incollects (messages BellSouth receives from other revenue accounting offices) can also be on ODUF. Rated Incollects will be intermingled with BellSouth recorded rated and unrated usage. Rated Incollects will not be packed separately. 4.7.1.3 BellSouth will perform duplicate record checks on records processed to ODUF. Any duplicate messages detected will be deleted and not sent to MRC. 4.7.1.4 In the event that MRC detects a duplicate on ODUF they receive from BellSouth, MRC will drop the duplicate message and will not return the duplicate to BellSouth. 4.7.2 **ODUF Physical File Characteristics** 4.7.2.1 ODUF will be distributed to MRC via CONNECT:Direct, CONNECT:Enterprise Client or another mutually agreed medium. The ODUF feed will be a variable block format. The data on the ODUF feed will be in a non-compacted EMI format (175 byte format plus modules). It will be created on a daily basis Monday through Friday except holidays. Details such as dataset name and delivery schedule will be addressed during negotiations of the distribution medium. There will be a maximum of one dataset per workday per OCN. 4.7.2.2 Data circuits (private line or dial-up) will be required between BellSouth and MRC for the purpose of data transmission as set forth in Section 3.10.1 above. 4.7.2.3 If MRC utilizes CONNECT: Enterprise Client for data file transmission, purchase of the CONNECT:Enterprise Client software will be the responsibility of MRC. 4.7.3 **ODUF Packing Specifications** 4.7.3.1 A pack will contain a minimum of one message record or a maximum of 99,999 message records plus a pack header record and a pack trailer record. One

transmission can contain a maximum of 99 packs and a minimum of one pack.

4.7.3.2 The OCN, From RAO, and Invoice Number will control the invoice sequencing. The From RAO will be used to identify to MRC which BellSouth RAO that is sending the message. BellSouth and MRC will use the invoice sequencing to control data exchange. BellSouth will be notified of sequence failures identified by MRC and resend the data as appropriate.

The data will be packed using ATIS EMI records.

- 4.7.4 ODUF Pack Rejection. MRC will notify BellSouth within one business day of rejected packs (via the mutually agreed medium). Packs could be rejected because of pack sequencing discrepancies or a critical edit failure on the Pack Header or Pack Trailer records (i.e. out-of-balance condition on grand totals, invalid data populated). Standard ATIS EMI error codes will be used. MRC will not be required to return the actual rejected data to BellSouth. Rejected packs will be corrected and retransmitted to MRC by BellSouth.
- 4.7.5 ODUF Control Data. MRC will send one confirmation record per pack that is received from BellSouth. This confirmation record will indicate MRC's receipt of the pack and acceptance or rejection of the pack. Pack Status Code(s) will be populated using standard ATIS EMI error codes for packs that were rejected by MRC for reasons stated in the above section.
- 4.7.6 ODUF Testing. Upon request from MRC, BellSouth shall send ODUF test files to MRC. The Parties agree to review and discuss the ODUF content and/or format. For testing of usage results, BellSouth shall request that MRC set up a production (live) file. The live test may consist of MRC's employees making test calls for the types of services MRC requests on ODUF. These test calls are logged by MRC, and the logs are provided to BellSouth. These logs will be used to verify the files. Testing will be completed within 30 calendar days from the date on which the initial test file was sent.

#### 5. ACCESS DAILY USAGE FILE

- 5.1 Upon written request from MRC, BellSouth will provide the Access Daily Usage File (ADUF) service to MRC pursuant to the terms and conditions set forth in this section.
- 5.2 MRC shall furnish all relevant information required by BellSouth for the provision of ADUF.
- 5.3 ADUF will contain access messages associated with a port that MRC has purchased from BellSouth
- 5.4 Charges for ADUF will appear on MRC's monthly bills for the previous month's usage. The charges are as set forth in Exhibit A to this Attachment. MRC will be billed at the ADUF rates that are in effect at the end of the previous month.

5.5 Messages that error in the billing system of MRC will be the responsibility of MRC. If, however, MRC should encounter significant volumes of errored messages that prevent processing by MRC within its systems, BellSouth will work with MRC to determine the source of the errors and the appropriate resolution. 5.6 ADUF Messages To Be Transmitted 5.6.1 The following messages recorded by BellSouth will be transmitted to MRC: 5.6.1.1 Recorded originating and terminating interstate and intrastate access records associated with a port. 5.6.1.2 Recorded terminating access records for undetermined jurisdiction access records associated with a port. 5.6.2 BellSouth will perform duplicate record checks on records processed to ADUF. Any duplicate messages detected will be dropped and not sent to MRC. 5.6.3 In the event that MRC detects a duplicate on ADUF they receive from BellSouth, MRC will drop the duplicate message and will not return the duplicate to BellSouth. 5.6.4 **ADUF Physical File Characteristics** 5.6.4.1 ADUF will be distributed to MRC via CONNECT:Direct, CONNECT:Enterprise Client or another mutually agreed medium. The ADUF feed will be a fixed block format. The data on the ADUF feed will be in a non-compacted EMI format (210 byte). It will be created on a daily basis Monday through Friday except holidays. Details such as dataset name and delivery schedule will be addressed during negotiations of the distribution medium. There will be a maximum of one dataset per workday per OCN. 5.6.4.2 Data circuits (private line or dial-up) will be required between BellSouth and MRC for the purpose of data transmission as set forth in Section 3.10.1 above. 5.6.4.3 If MRC utilizes CONNECT: Enterprise Client for data file transmission, purchase of the CONNECT: Enterprise Client software will be the responsibility of MRC. 5.6.5 **ADUF Packing Specifications** 5.6.5.1 A pack will contain a minimum of one message record or a maximum of 99,999 message records plus a pack header record and a pack trailer record. One

5.6.5.2

transmission can contain a maximum of 99 packs and a minimum of one pack.

The OCN, From RAO, and Invoice Number will control the invoice sequencing. The From RAO will be used to identify to MRC which BellSouth RAO is sending the message. BellSouth and MRC will use the invoice sequencing to control data

exchange. BellSouth will be notified of sequence failures identified by MRC and resend the data as appropriate.

The data will be packed using ATIS EMI records.

- ADUF Pack Rejection. MRC will notify BellSouth within one business day of rejected packs (via the mutually agreed medium). Packs could be rejected because of pack sequencing discrepancies or a critical edit failure on the Pack Header or Pack Trailer records (i.e. out-of-balance condition on grand totals, invalid data populated). Standard ATIS EMI error codes will be used. MRC will not be required to return the actual rejected data to BellSouth. Rejected packs will be corrected and retransmitted to MRC by BellSouth.
- ADUF Control Data. MRC will send one confirmation record per pack that is received from BellSouth. This confirmation record will indicate MRC's receipt of the pack and acceptance or rejection of the pack. Pack Status Code(s) will be populated using standard ATIS EMI error codes for packs that were rejected by MRC for reasons stated in the above section.
- 5.6.8 ADUF Testing. Upon request from MRC, BellSouth shall send a test file of generic data to MRC via Connect:Direct or Text File via E-Mail. The Parties agree to review and discuss the test file's content and/or format.

#### 6. ENHANCED OPTIONAL DAILY USAGE FILE (EODUF)

- Upon written request from MRC, BellSouth will provide the Enhanced Optional Daily Usage File (EODUF) service to MRC pursuant to the terms and conditions set forth in this section. EODUF will only be sent to existing ODUF subscribers who request the EODUF option.
- MRC shall furnish all relevant information required by BellSouth for the provision of EODUF.
- 6.3 EODUF will provide usage data for local calls originating from resold Flat Rate Business and Residential Lines.
- Charges for delivery of EODUF will appear on MRC's monthly bills for the previous month's usage. The charges are as set forth in Exhibit A to this Attachment. MRC will be billed at the EODUF rates that are in effect at the end of the previous month.
- All messages will be in the standard Alliance for Telecommunications Industry Solutions (ATIS) EMI record format.
- Messages that error in the billing system of MRC will be the responsibility of MRC. If, however, MRC should encounter significant volumes of errored messages that prevent processing by MRC within its systems, BellSouth will work with MRC to determine the source of the errors and the appropriate resolution.

6.7 The following specifications shall apply to the EODUF feed. 6.7.1 Usage To Be Transmitted 6.7.1.1 The following messages recorded by BellSouth will be transmitted to MRC: 6.7.1.1.1 Customer usage data for flat rated local call originating from MRC's End User lines (1FB or 1FR). The EODUF record for flat rate messages will include: 6.7.1.1.2 Date of Call 6.7.1.1.3 From Number 6.7.1.1.4 To Number 6.7.1.1.5 Connect Time 6.7.1.1.6 **Conversation Time** 6.7.1.1.7 Method of Recording 6.7.1.1.8 From RAO Rate Class 6.7.1.1.9 6.7.1.1.10 Message Type **Billing Indicators** 6.7.1.1.11 6.7.1.1.12 Bill to Number 6.7.1.2 BellSouth will perform duplicate record checks on EODUF records processed to ODUF. Any duplicate messages detected will be deleted and not sent to MRC. 6.7.1.3 In the event that MRC detects a duplicate on EODUF they receive from BellSouth, MRC will drop the duplicate message (MRC will not return the duplicate to BellSouth). 6.7.2 Physical File Characteristics 6.7.2.1 The EODUF feed will be distributed to MRC over their existing ODUF feed. EODUF messages will be intermingled among MRC's ODUF messages. EODUF will be a variable block format (2476) with an LRECL of 2472. The data on EODUF will be in a non-compacted EMI format (175 byte format plus modules). It will be created on a daily basis (Monday through Friday except holidays). 6.7.2.2 Data circuits (private line or dial-up) may be required between BellSouth and MRC for the purpose of data transmission. Where a dedicated line is required, MRC will be responsible for ordering the circuit, overseeing its installation and

coordinating the installation with BellSouth. MRC will also be responsible for any charges associated with this line. Equipment required on the BellSouth end to attach the line to the mainframe computer and to transmit successfully ongoing will be negotiated on an individual case basis. Where a dial-up facility is required, dial

circuits will be installed in the BellSouth data center by BellSouth and the associated charges assessed to MRC. Additionally, all message toll charges associated with the use of the dial circuit by MRC will be the responsibility of MRC. Associated equipment on the BellSouth end, including a modem, will be

negotiated on an individual case basis between the Parties. All equipment, including modems and software, that is required on MRC's end for the purpose of data transmission will be the responsibility of MRC.

- 6.7.3 Packing Specifications
- 6.7.3.1 A pack will contain a minimum of one message record or a maximum of 99,999 message records plus a pack header record and a pack trailer record. One transmission can contain a maximum of 99 packs and a minimum of one pack.
- 6.7.3.2 The Operating Company Number (OCN), From Revenue Accounting Office (RAO), and Invoice Number will control the invoice sequencing. The From RAO will be used to identify to MRC which BellSouth RAO is sending the message. BellSouth and MRC will use the invoice sequencing to control data exchange. BellSouth will be notified of sequence failures identified by MRC and resend the data as appropriate.
- 6.7.3.3 The data will be packed using ATIS EMI records.

ODUF/ADU	F/EODUF/CMDS - Alabama												Attachi	ment: 7	Exhi	bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$	s)		Submitted	Submitted Manually	Charge -	Charge -	Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						_	Nonre	curring	NRC D	isconnect		l	oss	Rates (\$)	l	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ODUF/ADUF/	OEDUF/CMDS															
ACCE	SS DAILY USAGE FILE (ADUF)															
	ADUF: Message Processing, per message				N/A	0.007037										
	ADUF: Data Transmission (CONNECT:DIRECT), per message				N/A	0.000113										
OPTIO	ONAL DAILY USAGE FILE (ODUF)															
	ODUF: Recording, per message				N/A	0.000011										
	ODUF: Message Processing, per message				N/A	0.004101										
	ODUF: Message Processing, per Magnetic Tape provisioned				N/A	42.67										ı
	ODUF: Data Transmission (CONNECT:DIRECT), per message				N/A	0.000094										ı
CENT	RALIZED MESSAGE DISTRIBUTION SERVICE (CMDS)															
	CMDS: Message Processing, per message				N/A	0.004										
	CMDS: Data Transmission (CONNECT:DIRECT), per message				N/A	0.001										
ENHA	NCED OPTIONAL DAILY USAGE FILE (EODUF)															
	EODUF: Message Processing, per message				N/A	0.22										
Notes	: If no rate is identified in the contract, the rate for the specific service	or funct	ion will	be as s	et forth in ap	plicable BellS	outh tar	iff or as n	egotiate	d by the Part	ies upon requ	est by eith	er Party.			

Version 4Q02: 12/18/02 Page 1 of 9

ODUF/ADU	F/EODUF/CMDS - Florida												Attachi	ment: 7	Exhi	bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$	)		Submitted	Submitted Manually	Charge -	Charge -	Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
	+					_	Nonre	curring	NRC D	isconnect			oss	Rates (\$)	l	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ODUF/ADUF/	OEDUF/CMDS															
ACCE	SS DAILY USAGE FILE (ADUF)															
	ADUF: Message Processing, per message				N/A	0.001656										
	ADUF: Data Transmission (CONNECT:DIRECT), per message				N/A	0.0001245										
OPTIO	ONAL DAILY USAGE FILE (ODUF)															
	ODUF: Recording, per message				N/A	0.0000071										
	ODUF: Message Processing, per message				N/A	0.002146										
	ODUF: Message Processing, per Magnetic Tape provisioned				N/A	35.91										
	ODUF: Data Transmission (CONNECT:DIRECT), per message				N/A	0.00010375										
CENT	RALIZED MESSAGE DISTRIBUTION SERVICE (CMDS)															
	CMDS: Message Processing, per message				N/A	0.004										
	CMDS: Data Transmission (CONNECT:DIRECT), per message				N/A	0.001										
ENHA	NCED OPTIONAL DAILY USAGE FILE (EODUF)															
	EODUF: Message Processing, per message				N/A	0.080698										
Notes	: If no rate is identified in the contract, the rate for the specific service	or funct	ion will	be as s	et forth in a	plicable BellS	outh tar	iff or as n	egotiated	d by the Part	ies upon requ	est by eith	er Party.			

Version 4Q02: 12/18/02 Page 2 of 9

ODUF/AD	UF/EODUF/CMDS - Georgia												Attachi	ment: 7	Exhi	bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$	5)		Submitted	Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge -	Charge -	Charge - Manual Svo Order vs.
			1			_	Nonre	curring	NRC D	isconnect			OSS	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ODUF/ADU	F/OEDUF/CMDS															
ACC	CESS DAILY USAGE FILE (ADUF)															
	ADUF: Message Processing, per message				N/A	0.0136327										
	ADUF: Data Transmission (CONNECT:DIRECT), per message				N/A	0.0000434										
OP	TONAL DAILY USAGE FILE (ODUF)															
	ODUF: Recording, per message				N/A	0.0001275										
	ODUF: Message Processing, per message				N/A	0.0082548										
	ODUF: Message Processing, per Magnetic Tape provisioned				N/A	28.85										
	ODUF: Data Transmission (CONNECT:DIRECT), per message				N/A	0.0000434										
CEN	ITRALIZED MESSAGE DISTRIBUTION SERVICE (CMDS)															
	CMDS: Message Processing, per message				N/A	0.004										
	CMDS: Data Transmission (CONNECT:DIRECT), per message				N/A	0.001										
EN	IANCED OPTIONAL DAILY USAGE FILE (EODUF)			·			,									
	EODUF: Message Processing, per message				N/A	0.0034555										
Not	es: If no rate is identified in the contract, the rate for the specific services	ce or funct	ion wil	be as s	et forth in a	plicable BellS	outh tar	iff or as n	egotiate	d by the Part	ies upon req	uest by eith	er Party.			

Version 4Q02: 12/18/02 Page 3 of 9

ODUF/ADU	F/EODUF/CMDS - Kentucky												Attach	ment: 7	Exhi	bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$	)		Submitted	Submitted Manually	Charge -	Charge -	Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
	+					_	Nonre	curring	NRC D	isconnect			oss	Rates (\$)	J	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ODUF/ADUF/	OEDUF/CMDS															
ACCE	SS DAILY USAGE FILE (ADUF)															
	ADUF: Message Processing, per message				N/A	0.001857										
	ADUF: Data Transmission (CONNECT:DIRECT), per message				N/A	0.0001245										
OPTIO	ONAL DAILY USAGE FILE (ODUF)															
	ODUF: Recording, per message				N/A	0.0000136										
	ODUF: Message Processing, per message				N/A	0.002506										
	ODUF: Message Processing, per Magnetic Tape provisioned				N/A	35.90										
	ODUF: Data Transmission (CONNECT:DIRECT), per message				N/A	0.00010372										ı
CENT	RALIZED MESSAGE DISTRIBUTION SERVICE (CMDS)															
	CMDS: Message Processing, per message				N/A	0.004										
	CMDS: Data Transmission (CONNECT:DIRECT), per message				N/A	0.001										
ENHA	NCED OPTIONAL DAILY USAGE FILE (EODUF)					_				_						
	EODUF: Message Processing, per message				N/A	0.235889										
Notes	: If no rate is identified in the contract, the rate for the specific service	or funct	ion will	be as s	et forth in a	pplicable BellS	outh tar	iff or as n	egotiated	d by the Part	ies upon requ	est by eith	er Party.			

Version 4Q02: 12/18/02 Page 4 of 9

ODUF/ADU	F/EODUF/CMDS - Louisiana												Attach	ment: 7	Exhi	bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$	)		Submitted	Submitted Manually	Charge -	Charge -	Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
	+					_	Nonre	curring	NRC D	isconnect			oss	Rates (\$)	J	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ODUF/ADUF/	OEDUF/CMDS															
ACCE	SS DAILY USAGE FILE (ADUF)															
	ADUF: Message Processing, per message				N/A	0.007983										
	ADUF: Data Transmission (CONNECT:DIRECT), per message				N/A	0.00012681										
OPTIO	ONAL DAILY USAGE FILE (ODUF)															
	ODUF: Recording, per message				N/A	0.0000117										
	ODUF: Message Processing, per message				N/A	0.004641										
	ODUF: Message Processing, per Magnetic Tape provisioned				N/A	48.45										
	ODUF: Data Transmission (CONNECT:DIRECT), per message				N/A	0.00010568										ı
CENT	RALIZED MESSAGE DISTRIBUTION SERVICE (CMDS)															
	CMDS: Message Processing, per message				N/A	0.004										
	CMDS: Data Transmission (CONNECT:DIRECT), per message				N/A	0.001										
ENHA	NCED OPTIONAL DAILY USAGE FILE (EODUF)									_						
	EODUF: Message Processing, per message				N/A	0.250015										
Notes	: If no rate is identified in the contract, the rate for the specific service	or funct	ion will	be as s	et forth in a	plicable BellS	outh tar	iff or as n	egotiated	d by the Part	ies upon requ	est by eith	er Party.			

Version 4Q02: 12/18/02 Page 5 of 9

ODUF/ADU	F/EODUF/CMDS - Mississippi												Attach	ment: 7	Exhi	bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$	)			Submitted Manually	Charge -	Charge -	Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						_	Nonre	curring	NRC D	isconnect			oss	Rates (\$)	ı	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ODUF/ADUF/	OEDUF/CMDS															
ACCE	SS DAILY USAGE FILE (ADUF)															
	ADUF: Message Processing, per message				N/A	0.008087										
	ADUF: Data Transmission (CONNECT:DIRECT), per message				N/A	0.00012803										
OPTIO	ONAL DAILY USAGE FILE (ODUF)															
	ODUF: Recording, per message				N/A	0.0000063										
	ODUF: Message Processing, per message				N/A	0.004707										
	ODUF: Message Processing, per Magnetic Tape provisioned				N/A	49.04										ı
	ODUF: Data Transmission (CONNECT:DIRECT), per message				N/A	0.00010669										ı
CENT	RALIZED MESSAGE DISTRIBUTION SERVICE (CMDS)															
	CMDS: Message Processing, per message				N/A	0.004										
	CMDS: Data Transmission (CONNECT:DIRECT), per message				N/A	0.001										
ENHA	NCED OPTIONAL DAILY USAGE FILE (EODUF)															
	EODUF: Message Processing, per message				N/A	0.250424										
Notes	: If no rate is identified in the contract, the rate for the specific service	or funct	ion will	be as s	et forth in a	pplicable BellS	outh tar	iff or as n	egotiated	d by the Part	ies upon requ	uest by eith	er Party.			

Version 4Q02: 12/18/02 Page 6 of 9

ODUF/ADU	F/EODUF/CMDS - North Carolina												Attachi	ment: 7	Exhi	bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		I	RATES (\$	)		Submitted	Submitted Manually	Charge -	Charge -	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
	+						Nonre	curring	NRC D	isconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ODUF/ADUF/	OEDUF/CMDS															
ACCE	SS DAILY USAGE FILE (ADUF)															
	ADUF: Message Processing, per message				N/A	0.01435										
	ADUF: Data Transmission (CONNECT:DIRECT), per message				N/A	0.0001277										
OPTIO	ONAL DAILY USAGE FILE (ODUF)															
	ODUF: Recording, per message				N/A	0.0003										
	ODUF: Message Processing, per message				N/A	0.0032										
	ODUF: Message Processing, per Magnetic Tape provisioned				N/A	54.61										
	ODUF: Data Transmission (CONNECT:DIRECT), per message				N/A	0.00004										
CENT	RALIZED MESSAGE DISTRIBUTION SERVICE (CMDS)															
	CMDS: Message Processing, per message				N/A	0.004										
	CMDS: Data Transmission (CONNECT:DIRECT), per message				N/A	0.001										
ENHA	NCED OPTIONAL DAILY USAGE FILE (EODUF)															
	EODUF: Message Processing, per message				N/A	0.2285406										
Notes	: If no rate is identified in the contract, the rate for the specific service	or funct	ion will	be as s	et forth in ap	plicable BellS	outh tar	ff or as n	egotiate	d by the Part	ies upon requ	est by eith	er Party.			

Version 4Q02: 12/18/02 Page 7 of 9

ODUF/ADUF/E	EODUF/CMDS - South Carolina												Attachi	ment: 7	Exhi	bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$	)			Submitted Manually	Charge -	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual Svo Order vs.
	Rec Rec First Add't First Add't SOMEC SOMAN											oss	Rates (\$)			
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ODUF/ADUF/OE	DUF/CMDS															
ACCESS	S DAILY USAGE FILE (ADUF)															
A	ADUF: Message Processing, per message				N/A	0.008061										
A	ADUF: Data Transmission (CONNECT:DIRECT), per message				N/A	0.00013036										
OPTION	AL DAILY USAGE FILE (ODUF)															
	ODUF: Recording, per message				N/A	0.0000216										
	ODUF: Message Processing, per message				N/A	0.004704										
	ODUF: Message Processing, per Magnetic Tape provisioned				N/A	48.87										
	ODUF: Data Transmission (CONNECT:DIRECT), per message				N/A	0.00010863										
CENTRA	ALIZED MESSAGE DISTRIBUTION SERVICE (CMDS)															
C	CMDS: Message Processing, per message				N/A	0.004										
	CMDS: Data Transmission (CONNECT:DIRECT), per message				N/A	0.001										
ENHANC	CED OPTIONAL DAILY USAGE FILE (EODUF)															
E	EODUF: Message Processing, per message				N/A	0.258301										
Notes: I	If no rate is identified in the contract, the rate for the specific service	or functi	ion will	be as s	et forth in a	plicable BellS	outh tar	iff or as n	egotiated	d by the Part	ies upon requ	est by eith	er Party.			

Version 4Q02: 12/18/02 Page 8 of 9

ODUF/ADUF	F/EODUF/CMDS - Tennessee												Attach	ment: 7	Exhi	ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		RATE	ES (\$)				Submitted	Charge - Manual Svc	Charge -	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring		NRC D	isconnect		•	oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ODUF/ADUF/C																
ACCES	SS DAILY USAGE FILE (ADUF)															
	ADUF: Message Processing, per message				N/A	0.004										
	ADUF: Data Transmission (CONNECT:DIRECT), per message				N/A	0.001										
OPTIO	NAL DAILY USAGE FILE (ODUF)															
	ODUF: Recording, per message				N/A	0.0000044										
	ODUF: Message Processing, per message				N/A	0.0027366										
	ODUF: Message Processing, per Magnetic Tape provisioned				N/A	52.75										
	ODUF: Data Transmission (CONNECT:DIRECT), per message				N/A	0.0000339										ĺ
CENT	RALIZED MESSAGE DISTRIBUTION SERVICE (CMDS)															
	CMDS: Message Processing, per message				N/A	0.004										
	CMDS: Data Transmission (CONNECT:DIRECT), per message				N/A	0.001										1
ENHA	NCED OPTIONAL DAILY USAGE FILE (EODUF)															1
	EODUF: Message Processing, per message				N/A	0.004										
Notes:	If no rate is identified in the contract, the rate for the specific service	or functi	on will	be as s	et forth in ap	plicable BellSe	outh tariff or as ne	gotiated	by the Pa	arties upon re	quest by eitl	ner Party.				

Version 4Q02: 12/18/02 Page 9 of 9

# **Attachment 8**

Rights-of-Way, Conduits and Pole Attachments

# Rights-of-Way, Conduits and Pole Attachments

BellSouth will provide nondiscriminatory access to any pole, duct, conduit, or right-of-way owned or controlled by BellSouth pursuant to 47 U.S.C. § 224, as amended by the Act, pursuant to terms and conditions of a license agreement subsequently negotiated with BellSouth's Competitive Structure Provisioning Center.

# **Attachment 9**

**Performance Measurements** 

## PERFORMANCE MEASUREMENTS

Upon a particular Commission's issuance of an Order pertaining to Performance Measurements in a proceeding expressly applicable to all CLECs generally, BellSouth shall implement in that state such Performance Measurements as of the date specified by the Commission. Performance Measurements that have been Ordered in a particular state can currently be accessed via the internet at https://pmap.bellsouth.com. The following Service Quality Measurements (SQM) plan adopted by the Florida Commission on February 14, 2002, as it presently exists and as it may be modified in the future, is being included as the performance measurements currently in place for the state of Tennessee. At such time that the TRA issues a subsequent Order pertaining to Performance Measurements, such Performance Measurements shall supersede the SQM contained in the Agreement.

# BellSouth Service Quality Measurement Plan (SQM)

# **Tennessee Performance Metrics**

Measurement Descriptions Version 1.00

Issue Date: December 1, 2002

#### Introduction

The BellSouth Service Quality Measurement Plan (SQM) describes in detail the measurements produced to evaluate the quality of service delivered to BellSouth's customers both wholesale and retail. The SQM was developed to respond to the requirements of the Communications Act of 1996 Section 251 (96 Act) which required BellSouth to provide non-discriminatory access to Competitive Local Exchange Carriers (CLEC)<sup>1</sup> and their Retail Customers. The reports produced by the SQM provide regulators, CLECs and BellSouth the information necessary to monitor the delivery of non-discriminatory access.

This plan results from the many divergent forces evolving from the 96 Act. The 96 Act, the Georgia Public Service Commission (GPSC) Order (Docket 7892-U 12/30/97), LCUG 1-7.0, the FCC's NPRM (CC Docket 98-56 RM9101 04/17/98), the Louisiana Public Service Commission (LPSC) Order (Docket U-22252 Subdocket C 04/19/98), the Florida Public Service Commission Order (Docket 000121-TP), numerous arbitration cases, LPSC sponsored collaborative workshops (10/98-02/00), and proceedings in Alabama, Mississippi, and North Carolina have and continue to influence the SQM.

The SQM and the reports flowing from it must change to reflect the dynamic requirements of the industry. New measurements are added as new products, systems, and processes are developed and fielded. New products and services are added as the markets for them develop and the processes stabilize. The measurements are also changed to reflect changes in systems, correct errors, and respond to both 3<sup>rd</sup> Party audit requirements and the Tennessee Regulatory Authority.

This document is intended for use by someone with knowledge of telecommunications industry, information technologies and a functional knowledge of the subject areas covered by the BellSouth Performance Measurements and the reports that flow from them.

Once it is approved, the most current copy of this document can be found on the web at URL: <a href="http://pmap.bellsouth.com">http://pmap.bellsouth.com</a> in the Documentation/Exhibits folder.

# **Report Publication Dates**

Each month, preliminary SQM reports will be posted to BellSouth's SQM web site (<a href="http://pmap.bellsouth.com">http://pmap.bellsouth.com</a>) by 8:00 A.M. EST on the 21st day of each month or the first business day after the 21st. The validated SQM reports will be posted by 8:00 A.M. on the last day of the month. Reports not posted by this time will be considered late for SEEM payment purposes. Validated SEEM reports will be posted on the 15th of the following month. SEEM payments due will also be paid on the 15th of the following month. For instance: May data will be posted in preliminary SQM reports on June 21. Final validated SQM reports will be posted on the 15th of the following month. Final validated SEEM reports will be posted and payments mailed on the 15th of the following month. BellSouth shall retain the performance measurement raw data files for a period of 18 months and further retain the monthly reports produced in PMAP for a period of three years.

1. Alternative Local Exchange Companies (ALEC) and Competing Local Providers (CLP) are referred to as Competitive Local Exchange Carriers (CLEC) in this document.



# **Report Delivery Methods**

CLEC SQM and SEEM reports will be considered delivered when posted to the web site. The Tennessee Regulatory Authority has access to the web site. In addition, a copy of the Monthly State Summary reports will be filed with the TRA as soon as possible after the last day of each month.



# **Contents**

<b>Section 1:</b>	Operations Support Systems (OSS)	
OSS-1:	Average Response Time and Response Interval (Pre-Ordering/Ordering)	1-1
OSS-2:	Interface Availability (Pre-Ordering/Ordering)	1-5
OSS-3:	Interface Availability (Maintenance & Repair)	1-8
OSS-4:	Response Interval (Maintenance & Repair)	1-10
PO-1:	Loop Makeup - Response Time - Manual	1-12
PO-2:	Loop Make Up - Response Time - Electronic	1-14
Section 2:	Ordering	
O-1:	Acknowledgement Message Timeliness	2-1
O-2:	Acknowledgement Message Completeness	2-3
O-3:	Percent Flow-Through Service Requests (Summary)	2-5
O-4:	Percent Flow-Through Service Requests (Detail)	2-8
O-5:	Flow-Through Error Analysis	
O-6:	CLEC LSR Information	
•	LSR Flow Through Matrix	2-15
O-7:	Percent Rejected Service Requests	2-18
O-8:	Reject Interval	
O <b>-</b> 9:	Firm Order Confirmation Timeliness	
O-10:	Service Inquiry with LSR Firm Order Confirmation (FOC) Response Time Manual	
O-11:	Firm Order Confirmation and Reject Response Completeness	2-29
O-12:	Speed of Answer in Ordering Center	2-3
Section 3:	Provisioning	
P-1:	Mean Held Order Interval & Distribution Intervals	3-1
P-2:	Average Jeopardy Notice Interval & Percentage of Orders Given Jeopardy Notices	3-4
P-3:	Percent Missed Initial Installation Appointments	3-7
P-3A:	Percent Missed Installation Appointments Including Subsequent Appointments	3-10
P-4:	Average Completion Interval (OCI) & Order Completion Interval Distribution	3-13
P-4A:	Average Order Completion and Completion Notice Interval (AOCCNI) Distribution	3-16
P-5:	Average Completion Notice Interval	3-20
P-6:	% Completions/Attempts without Notice or < 24 hours Notice	3-23
P-7:		
P-7A:	Coordinated Customer Conversions – Hot Cut Timeliness % Within Interval and Average Interval Coordinated Customer Conversions – Average Recovery Time	
P-7B: P-7C:	Hot Cut Conversions - % Provisioning Troubles Received Within 7 days of a completed Service Order	2.21
P-8:	Cooperative Acceptance Testing - % of xDSL Loops Successfully Tested	2 23
P-9:	% Provisioning Troubles within 30 days of Service Order Completion	3_3
P-10:	Total Service Order Cycle Time (TSOCT)	3_3
P-11:	Service Order Accuracy	3-41
P-12:	LNP-Average Disconnect Timeliness Interval & Disconnect Timeliness Interval Distribution	
Section 4.	Maintenance & Repair	
Men 1	Missed Repair Appointments	A 1
M&K-1:	Customer Trouble Report Rate	[ -4 4
Mar-2.	Customer Trouble Report Rate	4-4



M&R-3	: Maintenance Average Duration	4-7
	: Percent Repeat Troubles within 30 Days	
	: Out of Service (OOS) > 24 Hours	
M&R-6	: Average Answer Time – Repair Centers	4-16
M&R-7	: Mean Time To Notify CLEC of Network Outages	4-17
Section 5	: Billing	
B-1:	Invoice Accuracy	5-1
B-2:	Mean Time to Deliver Invoices	
B-3:	Usage Data Delivery Accuracy	
B-4:	Usage Data Delivery Completeness	
B-5:	Usage Data Delivery Timeliness	
B-6:	Mean Time to Deliver Usage	5-11
B-7:	Recurring Charge Completeness	
B-8:	Non-Recurring Charge Completeness	5-14
B-9:	Percent Daily Usage Feed Errors Corrected in X Business Days	5-15
B-10:	Percent Billing Errors Corrected in X Days	5-17
Section 6	· Onewater Services And Directory Assistance	
	: Operator Services And Directory Assistance	
OS-1:	Speed to Answer Performance/Average Speed to Answer – Toll – — — — — — — — — — — — — — — — — — —	
OS-2:	Speed to Answer Performance/Percent Answered with "X" Seconds – Toll	
DA-1: DA-2:	Speed to Answer Performance/Average Speed to Answer – Directory Assistance (DA)	6-5
	: Database Update Information	
D-1:	Average Database Update Interval	
D-2:	Percent Database Update Accuracy	7-3
D-3:	Percent NXXs and LRNs Loaded by the LERG Effective Date	7-5
Section 8	• E911	
E-1:	Timeliness	<b>Q</b> 1
E-1. E-2:	Accuracy	
E-2: E-3:	Mean Interval	
L-3.	Mean mervai	
<b>Section 9</b>	: Trunk Group Performance	
TGP-1:	Trunk Group Performance-Aggregate	9-1
TGP-2:	Trunk Group Performance – CLEC Specific	9-3
Castian 1	0: Collocation	
		10.1
C-1:	Collocation Average Response Time Collocation Average Arrangement Time	10-1
C-2:	Collocation Average Arrangement Time  Collocation Percent of Due Dates Missed	
C-3:	Collocation Percent of Due Dates Missed	10-3
Section 1	1: Change Management	
CM-1:	Timeliness of Change Management Notices	11-1
CM-2:	Change Management Notice Average Delay Days	
CM-3:	Timeliness of Documents Associated with Change	11-4
CM-4:	Change Management Documentation Average Delay Days	11-5
CM-5:	Notification of CLEC Interface Outages	11-7
Annandi	x A. Danarting Scano	A-1
	x A: Reporting Scope Standard Service Groupings	
A-1:	Standard Service Groupings Standard Service Order Activities	
A-2:	Standard Service Order Activities	A-

CCCS 726 of 907



Appendi	x B: Glossary of Acronyms and Terms	B-1
Appendi	x C: BellSouth Audit Policy	C-1
C-1:	BellSouth's Internal Audit Policy	C-1
C-2:	BellSouth's External Audit Policy	C-1



# **Section 1: Operations Support Systems (OSS)**

# OSS-1: Average Response Time and Response Interval (Pre-Ordering/ Ordering)

#### **Definition**

Average response time and response intervals are the average times and number of requests responded to within certain intervals for accessing legacy data associated with appointment scheduling, service & feature availability, address verification, request for Telephone numbers (TNs), and Customer Service Records (CSRs).

#### **Exclusions**

Syntactically incorrect queries.

#### **Business Rules**

The average response time for retrieving pre-order/order information from a given legacy system is determined by summing the response times for all requests submitted to the legacy systems during the reporting period and dividing by the total number of legacy system requests for that month.

The date/time stamp shall begin when BST receives a query at the BellSouth Gateway and shall end when the query is transmitted from the BST Gateway (applies to both TAG and LENS). For BellSouth, the response interval starts when the client application (RNS or ROS) submits a request to the legacy system and ends when the appropriate response is returned to the client application. The number of accesses to the legacy systems during the reporting period which take less than 2.3 seconds, the number of accesses which take more than 6 seconds, and the number which are less than or equal to 6.3 seconds are also captured.

#### Calculation

**Response Time** = (a - b)

- a = Date & Time of Legacy Response
- b = Date & Time of Legacy Request

#### Average Response Time = $c \div d$

- c = Sum of Response Times
- d = Number of Legacy Requests During the Reporting Period

#### **Report Structure**

- · Interface Type
- Not CLEC Specific
- Not product/service specific
- Regional Level

#### **Data Retained**

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	Report Month
Legacy Contract (per reporting dimension)	Legacy Contract (per reporting dimension)
Response Interval	Response Interval
Regional Scope	Regional Scope

# OSS-1: Average Response Time and Response Interval (Pre-Ordering/Ordering)

# **SQM Disaggregation - Analog/Benchmark**

SQM Level of Disaggregation	SQM Analog/Benchmark
<ul> <li>RSAG – Address (Regional Street Address Guide-Address) – stores street address information used to validate customer addresses. CLECs and BellSouth query this legacy system.</li> <li>RSAG – TN (Regional Street Address Guide-Telephone number) – contains information about facilities available and telephone numbers working at a given address. CLECs and BellSouth query this legacy system.</li> <li>ATLAS (Application for Telephone Number Load Administration and Selection) – acts as a warehouse for storing telephone numbers that are available for assignment by the system. It enables CLECs and BellSouth service reps to select and reserve telephone numbers. CLECs and BellSouth query this legacy system.</li> <li>COFFI (Central Office Feature File Interface) – stores information about product and service offerings and availability. CLECs query this legacy system.</li> <li>DSAP (DOE Support Application) – provides due date information. CLECs and BellSouth query this legacy system.</li> <li>CRIS (Customer Record Information System) – Source of CSR (Customer Service Record) information. Contains information about individual customers including listings, addresses, features, services, etc. CLECs and BellSouth can query for CSR information.</li> <li>P/SIMS (Product/Services Inventory Management system) – provides information on capacity, tariffs, inventory and service availability. CLECs query this legacy system.</li> <li>OASIS (Obtain Available Services Information Systems) – Information on feature and rate availability. BellSouth queries this legacy system.</li> </ul>	• Parity + 2 seconds

**Table 1: Legacy System Access Times For RNS** 

System	Contract	Data	< 2.3 sec.	> 6 sec.	<u>≤</u> 6.3 sec.	Avg. Sec.	# of Calls
RSAG	RSAG-TN	Address	x	X	X	x	х
RSAG	RSAG-ADDR	Address	х	X	Х	х	х
ATLAS	ATLAS-TN	TN	x	X	X	X	х
DSAP	DSAP-DDI	Schedule	X	X	X	X	Х
CRIS	CRSACCTS	CSR	X	X	X	X	Х
OASIS	OASISCAR	Feature/Service	X	X	X	X	Х
OASIS	OASISLPC	Feature/Service	X	X	X	X	Х
OASIS	OASISMTN	Feature/Service	X	X	X	X	Х
OASIS	OASISBIG	Feature/Service	X	X	X	X	Х

Table 2: Legacy System Access Times For R0S

System	Contract	Data	< 2.3 sec.	> 6 sec.	<u>&lt;</u> 6.3 sec.	Avg. sec.	# of Calls
RSAG	RSAG-TN	Address	х	X	Х	х	Х
RSAG	RSAG-ADDR	Address	Х	Х	Х	Х	Х
ATLAS	ATLAS-TN	TN	X	X	X	X	Х

Version 1.00 1-2 Issue Date: December 1, 2002



#### Table 2: Legacy System Access Times For R0S

System	Contract	Data	< 2.3 sec.	> 6 sec.	<u>&lt;</u> 6.3 sec.	Avg. sec.	# of Calls
DSAP	DSAP-DDI	Schedule	х	X	X	X	X
CRIS	CRSOCSR	CSR	Х	X	X	X	X
OASIS	OASISBIG	Feature/Service	X	X	X	X	X

**Table 3: Legacy System Access Times For LENS** 

System	Contract	Data	< 2.3 sec.	> 6 sec.	<u>&lt;</u> 6.3 sec.	Avg. sec.	# of Calls
RSAG	RSAG-TN	Address	X	X	X	X	X
RSAG	RSAG-ADDR	Address	X	X	X	X	X
ATLAS	ATLAS-TN	TN	X	X	X	x	X
DSAP	DSAP	Schedule	X	X	X	X	X
CRIS	CRSECSRL	CSR	X	X	X	X	X
COFFI	COFFI/USOC	Feature/Service	х	X	X	X	X
P/SIMS	PSIMS/ORB	Feature/Service	X	X	X	X	X

**Table 4: Legacy System Access Times For TAG** 

System	Contract	Data	< 2.3 sec.	> 6 sec.	<u>&lt;</u> 6.3 sec.	Avg. sec.	# of Calls
RSAG	RSAG-TN	Address	x	X	X	x	X
RSAG	RSAG-ADDR	Address	X	X	X	Х	Х
ATLAS	ATLAS-TN	TN	X	X	X	X	X
ATLAS	ATLAS-MLH	TN	X	X	X	х	X
ATLAS	ATLAS-DID	TN	X	X	X	Х	Х
DSAP	DSAP-DDI	Schedule	X	X	X	X	X
CRIS	TAG-CSR	CSR	X	X	X	х	X
P/SIMS	PSIM/ORB	Feature/Service	X	X	X	Х	X

#### **SEEM Measure**

SEEM Measure				
Yes	Tier I			
	Tier II	X		

Note: CLEC specific data is not available in this measure. Queries of this sort do not have company specific signatures.

# OSS-1: Average Response Time and Response Interval (Pre-Ordering/Ordering)

# **SEEM Disaggregation - Analog/Benchmark**

SEEM Disaggregation	SEEM Analog/Benchmark
<ul> <li>RSAG – Address (Regional Street Address Guide-Address) – stores street address information used to validate customer addresses. CLECs and BellSouth query this legacy system.</li> <li>RSAG – TN (Regional Street Address Guide-Telephone number) – contains information about facilities available and telephone numbers working at a given address. CLECs and BellSouth query this legacy system.</li> <li>ATLAS (Application for Telephone Number Load Administration and Selection) – acts as a warehouse for storing telephone numbers that are available for assignment by the system. It enables CLECs and BellSouth service reps to select and reserve telephone numbers. CLECs and BellSouth query this legacy system.</li> <li>COFFI (Central Office Feature File Interface) – stores information about product and service offerings and availability. CLECs query this legacy system.</li> <li>DSAP (DOE Support Application) – provides due date information. CLECs and BellSouth query this legacy system.</li> <li>CRIS (Customer Record Information System) – Source of CSR (Customer Service Record) information. Contains information about individual customers including listings, addresses, features, services, etc. CLECs and BellSouth can query for CSR information.</li> <li>P/SIMS (Product/Services Inventory Management system) – provides information on capacity, tariffs, inventory and service availability. CLECs query this legacy system.</li> <li>OASIS (Obtain Available Services Information Systems) – Information on feature and rate availability. BellSouth queries this legacy system.</li> </ul>	• Parity + 2 Seconds

# **SEEM OSS Legacy Systems**

System	BellSouth	CLEC	
	Telephone Number/Address		
RSAG-ADDR	RNS, ROS	TAG, LENS	
RSAG-TN	RNS, ROS	TAG, LENS	
Atlas	RNS,ROS	TAG LENS	
	Appointment Scheduling		
DSAP	RNS, ROS	TAG, LENS	
CSR Data			
CRSACCTS	RNS		
CRSOCSR	ROS		
CRSECSRL		LENS	
TAG-CSR		TAG	
Service/Feature Availability			
OASISBIG	RNS, ROS		
PSIMS/ORB, COFFI		LENS, TAG	



# **OSS-2: Interface Availability (Pre-Ordering)Ordering)**

#### Definition

Percent of time OSS interface is functionally available compared to scheduled availability. Availability percentages for CLEC interface systems and for all Legacy systems accessed by them are captured. ("Functional Availability" is the amount of time in hours during the reporting period that the legacy systems are available to users. The planned System Scheduled Availability is the time in hours per day that the legacy system is scheduled to be available.)

Scheduled availability is posted on the ICS Operations internet site: (www.interconnection.bellsouth.com/oss/osshour.html)

#### **Exclusions**

None

#### **Business Rules**

This measurement captures the functional availability of applications/interfaces as a percentage of scheduled availability for the same systems. Only full outages are included in the calculation for this measure. Full outages are defined as occurrences of either of the following:

- Application/Interface application is down or totally inoperative.
- Application is totally inoperative for customers attempting to access or use the application. This includes transport outages when they
  may be directly associated with a specific application.

Comparison to an internal benchmark provides a vehicle for determining whether or not CLECs and retail BellSouth entities are given comparable opportunities for use of pre-ordering and ordering systems.

(Note: Scheduled maintenance will not be performed between the hours of 8:00 a.m through 9:00 p.m. Monday through Friday.)

#### Calculation

Interface Availability (Pre-Ordering/Ordering) =  $(a \div b) \times 100$ 

- a = Functional Availability
- b = Scheduled Availability

#### **Report Structure**

- · Interface Type
- · Not CLEC Specific
- · Not product/service specific
- · Regional Level

#### **Data Retained**

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	Report Month
<ul> <li>Legacy Contract Type (per reporting dimension)</li> </ul>	Legacy Contract Type (per reporting dimension)
Regional Scope	Regional Scope
Hours of Downtime	Hours of Downtime

SQM Level of Disaggregation	SQM Analog/Benchmark
Regional Level	• ≥ 99.5%



# **OSS Interface Availability**

OSS Interface	Applicable to	% Availability
EDI	CLEC	х
LENS	CLEC	X
LEO	CLEC	X
LESOG	CLEC	X
PSIMS	CLEC	X
TAG	CLEC	X
LNP Gateway	CLEC	X
COG	CLEC	X
SOG	CLEC	X
DOM	CLEC	X
DOE	CLEC/BellSouth	X
CRIS	CLEC/BellSouth	X
ATLAS/COFFI	CLEC/BellSouth	X
BOCRIS	CLEC/BellSouth	X
DSAP	CLEC/BellSouth	X
RSAG	CLEC/BellSouth	X
SOCS	CLEC/BellSouth	X
SONGS	CLEC/BellSouth	X
RNS	BellSouth	X
ROS	BellSouth	X

### **SEEM Measure**

SEEM Measure		
Yes	Tier I	
	Tier II	X

# **SEEM Disaggregation - Analog/Benchmark**

SEEM Disaggregation	SEEM Analog/Benchmark
Regional Level	• ≥ 99.5%

# **SEEM OSS Interface Availability**

OSS Interface	Applicable to	% Availability
EDI	CLEC	X
LENS	CLEC	X
LEO	CLEC	X
LESOG	CLEC	X
PSIMS	CLEC	X



OSS Interface	Applicable to	% Availability
TAG	CLEC	X
LNP Gateway	CLEC	X
COG	CLEC	X
SOG	CLEC	X
DOM	CLEC	x



# **OSS-3: Interface Availability (Maintenance & Repair)**

#### Definition

This measures the percentage of time the OSS Interface is functionally available compared to scheduled availability percentage for the CLEC and BellSouth interface systems and for the legacy systems accessed by them are captured.

Scheduled availability is posted on the ICS Operations internet site: (www.interconnection.bellsouth.com/oss/osshour.html)

#### **Exclusions**

None

#### **Business Rules**

This measure is designed to compare the OSS availability versus scheduled availability of BellSouth's legacy systems.

**Note**: Only full outages are used in the calculation of Application Availability. A full outage is incurred when any of the following circumstances exists:

- The application or system is down.
- The application or system is inaccessible, for any reason, by the customers who normally access the application or system.
- More than one work center cannot access the application or system for any reason.
- When only one work center accesses an application or system and 40% or more of the clients in that work center cannot access the application.
- When 40% of the functions the clients normally perform or 40% of the functionality that is normally provided by an application or system is unavailable.

(Note: Scheduled maintenance will not be performed between the hours of 8:00 a.m through 9:00 p.m. Monday through Friday.)

#### Calculation

OSS Interface Availability (a  $\div$  b) X 100

- a = Functional Availability
- b = Scheduled Availability

#### **Report Structure**

- Interface Type
- · Not CLEC Specific
- Not product/service specific
- · Regional Level

#### **Data Retained**

Relating to CLEC Experience	Relating to BellSouth Performance
Availability of CLEC TAFI  A CLASS CONSTRUCT MARCH SOCS CRIS	Availability of BellSouth TAFI  A citable of HOST MARCH SOCS CRIS
Availability of LMOS HOST, MARCH, SOCS, CRIS, PREDICTOR, LNP and OSPCM	Availability of LMOS HOST, MARCH, SOCS, CRIS, PREDICTOR, LNP and OSPCM
• ECTA	

SQM Level of Disaggregation	SQM Analog/Benchmark
Regional Level	• ≥ 99.5%



# OSS Interface Availability (M&R)

OSS Interface	% Availability
BellSouth TAFI	x
CLEC TAFI	x
CLEC ECTA	х
BellSouth & CLEC	Х
CRIS	x
LMOS HOST	х
LNP	х
MARCH	х
OSPCM	х
PREDICTOR	х
SOCS	X

#### **SEEM Measure**

SEEM Measure		
Yes	Tier I	
	Tier II	X

# **SEEM Disaggregation - Analog/Benchmark**

SEEM Disaggregation	SEEM Analog/Benchmark
Regional Level	• ≥ 99.5%

# OSS Interface Availability (M&R)

OSS Interface	% Availability
CLEC TAFI	х
CLEC ECTA	x



# **OSS-4: Response Interval (Maintenance & Repair)**

#### Definition

The response intervals are determined by subtracting the time a request is received on the BellSouth side of the interface from the time the response is received from the legacy system. Percentages of requests falling into each interval category are reported, along with the actual number of requests falling into those categories.

#### **Exclusions**

None

#### **Business Rules**

This measure is designed to monitor the time required for the CLEC and BellSouth interface system to obtain from BellSouth's legacy systems the information required to handle maintenance and repair functions. The clock starts on the date and time when the request is received on the BellSouth side of the interface and the clock stops when the response has been transmitted through that same point to the requester.

Note: The OSS Response Interval BellSouth Total Report is a combination of BellSouth Residence and Business Total.

#### Calculation

#### **OSS Response Interval** = (a - b)

- a = Query Response Date and Time
- b = Query Request Date and Time

#### **Percent Response Interval** (per category) = $(c \div d) \times 100$

- c = Number of Response Intervals in category "X"
- d = Number of Queries Submitted in the Reporting Period

where, "X" is 
$$\leq 4$$
,  $> 4 \leq 10$ ,  $\leq 10$ ,  $\geq 10$ , or  $> 30$  seconds.

#### Average Interval = $(e \div f)$

- e = Sum of Response Intervals
- f = Number of Queries Submitted in the Reporting Period

#### **Report Structure**

- Not CLEC Specific
- Not product/service specific
- Regional Level

#### **Data Retained**

Relating to CLEC Experience	Relating to BellSouth Performance
CLEC Transaction Intervals	BellSouth Business and Residential Transactions Intervals

SQM Level of Disaggregation	SQM Analog/Benchmark
Regional Level	Average Interval



# **Legacy System Access Times for M&R**

0	BellSouth &			Co	ount		
System	CLEC	<u>≤</u> 4	> 4 <u>&lt;</u> 10	<u>≤</u> 10	> 10	> 30	Avg. Int.
CRIS	х	X	X	X	X	X	X
DLETH	х	х	Х	X	X	X	X
DLR	х	X	X	X	X	X	X
LMOS	X	X	Х	X	X	X	Х
LMOSupd	X	X	X	X	X	X	X
LNP	X	X	X	X	X	X	X
MARCH	X	X	X	X	X	X	X
OSPCM	X	X	X	X	X	X	X
Predictor	X	X	X	X	X	X	X
SOCS	X	X	X	X	X	X	X
NIW	X	X	X	X	X	X	X

#### **SEEM Measure**

SEEM Measure		
Yes	Tier I	
	Tier II	X

SEEM Disaggregation	SEEM Analog/Benchmark
• Region	Average Interval



# PO-1: Loop Makeup - Response Time - Manual

#### Definition

This report measures the average interval and percent within the interval from the submission of a Manual Loop Makeup Service Inquiry (LMUSI) to the distribution of Loop Makeup information back to the CLEC.

#### **Exclusions**

- Inquiries, which are submitted electronically.
- Designated Holidays are excluded from the interval calculation.
- Weekends are excluded from the interval calculation.
- · Canceled Inquiries

#### **Business Rules**

The CLEC Manual Loop Makeup Service Inquiry (LMUSI) process includes inquiries submitted via mail or FAX to BellSouth's Complex Resale Support Group (CRSG)

This measurement combines three intervals:

- 1. From receipt of a valid Service Inquiry for Loop Makeup to hand off to the Service Advocacy Center (SAC) for "Look-up."
- 2. From SAC start date to SAC complete date
- From SAC complete date to date the Complex Resale Support Group (CRSG) distributes loop makeup information back to the CLEC.

The "Receive Date" is defined as the date the Manual LMUSI is received by the CRSG. It is counted as day Zero. LMU "Return Date" is defined as the date the LMU information is sent back to the CLEC from BellSouth. The interval calculation is reset to Zero when a CLEC initiated change occurs on the Manual LMU request.

**Note**: The Loop Make Up Service Inquiry Form does not require the CLEC to furnish the type of Loop. The CLEC determines whether the loop makeup will support the type of service they wish to order or not and qualifies the loop. If the loop makeup will support the service, a firm order LSR is submitted by the CLEC.

(A valid Service Inquiry is an inquiry that has all required fields populated correctly and has not been returned for clarification.)

#### Calculation

#### Response Interval = (a - b)

- a = Date the LMUSI returned to CLEC
- b = Date the LMUSI is received

#### Average Interval = $(c \div d)$

- c = Sum of all Response Intervals
- d = Total Number of LMUSIs received within the reporting period

#### **Percent within interval** = $(e \div f) \times 100$

- e = Total LMUSIs received within the interval
- f = Total Number of LMUSIs processed within the reporting period

#### **Report Structure**

- · CLEC Aggregate
- · CLEC Specific
- · Geographic Scope
  - State
  - Region
- Interval for manual LMUs:
  - $0 < 1 \, day$
  - $>1-\leq 2$  days
  - $>2-\leq 3$  days



 $0 - \leq 3 \text{ days}$ 

 $>3 - \le 6$  days  $>6 - \le 10$  days

> 10 days

· Average Interval in days

#### **Data Retained**

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	
Total Number of Inquiries	
SI Intervals	
State and Region	

# **SQM Disaggregation - Analog/Benchmark**

SQM Level of Disaggregation	SQM Analog/Benchmark
• Loops	Benchmark
	• 95% ≤ 3 Business Days

#### **SEEM Measure**

SEEM Measure		
Yes	Tier I	
	Tier II	X

SEEM Disaggregation	SEEM Analog/Benchmark
• Loops	Benchmark • 95% ≤ 3 Business Days



# PO-2: Loop Make Up - Response Time - Electronic

#### Definition

This report measures the average interval and the percent within the interval from the electronic submission of a Loop Makeup Service Inquiry (LMUSI) to the distribution of Loop Makeup information back to the CLEC.

#### **Exclusions**

- · Manually submitted inquiries.
- Designated Holidays are excluded from the interval calculation.
- Canceled Requests.

#### **Business Rules**

The response interval starts when the CLEC's Mechanized Loop Makeup Service Inquiry (LMUSI) is submitted electronically through the Operational Support Systems interface, LENS, TAG or RoboTAG. It ends when BellSouth's Loop Facility Assignment and Control System (LFACS) responds electronically to the CLEC with the requested Loop Makeup data via LENS, TAG or RoboTAG Interfaces.

**Note**: The Loop Make Up Service Inquiry Form does not require the CLEC to furnish the type of Loop. The CLEC determines whether the loop makeup will support the type of service they wish to order or not and qualifies the loop. If the loop makeup will support the service, a firm order LSR is submitted by the CLEC. EDI is not a pre-ordering system, and, therefore, is not applicable in this measure.

#### Calculation

#### **Response Interval** = (a - b)

- a = Date and Time the LMUSI returned to CLEC
- b = Date and Time the LMUSI is received

#### Average Interval = $(c \div d)$

- c = Sum of all response intervals
- d = Total Number of LMUSIs received within the reporting period

#### Percent within interval = $(e \div f) \times 100$

- e = Total LMUSIs received within the interval
- f = Total Number of LMUSIs processed within the reporting period

#### Report Structure

- · CLEC Aggregate
- CLEC Specific
- · Geographic Scope
  - State
  - Region
- Interval for electronic LMUs:
  - 0 < 1 minute
  - $>1-\leq 5$  minutes
  - $0 \le 5$  minutes
  - $> 5 \le 8$  minutes
  - $> 8 \le 15$  minutes
  - > 15 minutes
- · Average Interval in minutes



# **Data Retained**

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month     Legacy Contract	Not Applicable
<ul><li>Response Interval</li><li>Regional Scope</li></ul>	

# **SQM Disaggregation - Analog/Benchmark**

SQM Level of Disaggregation	SQM Analog/Benchmark
• Loop	Benchmark • 95% ≤ 1 Minute

#### **SEEM Measure**

SEEM Measure		
Yes	Tier I	
	Tier II	X

SEEM Disaggregation	SEEM Analog/Benchmark
• Loop	• 95% ≤ 1 Minute



# **Section 2: Ordering**

# **O-1: Acknowledgement Message Timeliness**

#### **Definition**

This measurement provides the response interval from the time a Message/LSR is electronically submitted via EDI or TAG until an acknowledgement notice is sent by the system.

#### **Exclusions**

None

#### **Business Rules**

The process includes EDI & TAG system functional acknowledgements for all Local Service Requests (LSRs) which are electronically submitted by the CLEC. The start time is the receipt time of the LSR at BellSouth's side of the interface (gateway). The end time is when the acknowledgement is transmitted by BellSouth at BellSouth's side of the interface (gateway). For those CLECs using EDI, if more than one CLEC uses the same ordering center, an Acknowledgement Message will be returned to the "Aggregator", however, BellSouth will not be able to determine which specific CLEC this message represented.

#### Calculation

**Response Interval** = (a - b)

- a = Date and Time Acknowledgement Notices returned to CLEC
- b = Date and Time Messages/LSRs electronically submitted by the CLEC via EDI or TAG respectively

#### Average Response Interval = $(c \div d)$

- c = Sum of all Response Intervals
- d = Total number of electronically submitted Messages/LSRs received, via EDI or TAG respectively, in the Reporting Period.

#### **Reporting Structure**

- · CLEC Aggregate
- CLEC Specific
- Geographic Scope
  - Region
- · Electronically Submitted LSRs
  - $0 \le 10$  minutes
- $> 10 \leq 20$  minutes
- $> 20 \le 30$  minutes
- $0 \le 3\overline{0}$  minutes
- $> 30 \le 45$  minutes
- > 45  $\leq$ 60 minutes
- $> 60 \le 120$  minutes
- > 120 minutes
- · Average interval for electronically submitted LSRs in minutes

(A) BELLSOUTH®

#### **Data Retained**

Relating to CLEC Experience	Relating to BellSouth Performance
<ul><li>Report Month</li><li>Record of Functional Acknowledgements</li></ul>	Not Applicable

# **SQM Disaggregation - Analog/Benchmark**

SQM Level of Disaggregation	Retail Analog/Benchmark
• EDI	• EDI – 95% ≤ 30 Minutes
• TAG	• TAG – 95% ≤ 30 Minutes

#### **SEEM Measure**

SEEM Measure		
Yes	Tier I	X
	Tier II	X

SEEM Disaggregation	SEEM Analog/Benchmark
• EDI	• EDI – 95% ≤ 30 Minutes
• TAG	• TAG – 95% ≤ 30 Minutes

**BELLSOUTH** 

# O-2: Acknowledgement Message Completeness

#### Definition

This measurement provides the percent of Messages/LSRs received via EDI or TAG, which are acknowledged electronically.

#### **Exclusions**

Manually submitted LSRs

#### **Business Rules**

EDI and TAG send Functional Acknowledgements for all LSRs, which are electronically submitted by a CLEC. For those CLECs using EDI, if more than one CLEC uses the same ordering center, an Acknowledgement Message will be returned to the "Aggregator", however, BellSouth will not be able to determine which specific CLEC this message represented. The Acknowledgement Message is returned prior to the determination of whether the LSR will be partially mechanized or fully mechanized.

#### Calculation

Acknowledgement Completeness =  $(a \div b) \times 100$ 

- a = Total number of Functional Acknowledgements returned in the reporting period for Messages/LSRs electronically submitted by EDI or TAG respectively
- b = Total number of electronically submitted Messages/LSRs received in the reporting period by EDI or TAG respectively

#### **Report Structure**

- · CLEC Aggregate
- · CLEC Specific
- Geographic Scope
  - Region

Note: Acknowledgement message is generated before the system recognizes whether this message (LSR) will be partially or fully mechanized.

#### **Data Retained**

Relating to CLEC Experience	Relating to BellSouth Performance
<ul><li>Report Month</li><li>Record of functional acknowledgements</li></ul>	Not Applicable

### SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
• EDI	• Benchmark: 100%
• TAG	

#### **SEEM Measure**

SEEM Measure		
Yes	Tier I	X
Tier II X		

**BELLSOUTH®** 

SEEM Disaggregation	SEEM Analog/Benchmark
• EDI	Benchmark: 100%
• TAG	

(A) **BELLSOUTH** \*

# O-3: Percent Flow-Through Service Requests (Summary)

#### Definition

The percentage of Local Service Requests (LSR) and LNP Local Service Requests (LNP LSRs) submitted electronically via the CLEC mechanized ordering process that flow through and reach a status for a FOC to be issued, without manual intervention.

#### **Exclusions**

- · Fatal Rejects
- Auto Clarification
- Manual Fallout for Percent Flow-Through only
- · CLEC System Fallout

#### **Business Rules**

The CLEC mechanized ordering process includes all LSRs, including supplements (subsequent versions) which are submitted through one of the three gateway interfaces (TAG, EDI and LENS), that flow through and reach a status for a FOC to be issued, without manual intervention. These LSRs can be divided into two classes of service: Business and Residence, and two types of service: Resale, and Unbundled Network Elements (UNE). The CLEC mechanized ordering process does not include LSRs which are submitted manually (for example, fax and courier) or are not designed to flow through (for example, Manual Fallout.)

Fatal Rejects: Errors that prevent an LSR, submitted electronically by the CLEC, from being processed further. When an LSR is submitted by a CLEC, LEO/LNP Gateway will perform edit checks to ensure the data received is correctly formatted and complete. For example, if the PON field contains an invalid character, LEO/LNP Gateway will reject the LSR and the CLEC will receive a Fatal Reject.

Auto-Clarification: Clarifications that occur due to invalid data within the LSR. LESOG/LAUTO will perform data validity checks to ensure the data within the LSR is correct and valid. For example, if the address on the LSR is not valid according to RSAG, or if the LNP is not available for the NPA NXXX requested, the CLEC will receive an Auto-Clarification.

Manual Fallout: Planned Fallout that occur by design. Certain LSRs are designed to fallout of the Mechanized Order Process due to their complexity. These LSRs are manually processed by the LCSC. When a CLEC submits an LSR, LESOG/LAUTO will determine if the LSR should be forwarded to LCSC for manual handling. Following are the categories for Manual Fallout:

- Complex\*
- Special pricing plans
- Some Partial migrations
- New telephone number not yet posted to BOCRIS
- Pending order review required
- CSR inaccuracies such as invalid or missing CSR data in

- Expedites (requested by the CLEC)

- Denials-restore and conversion, or disconnect and conversion orders
- Class of service invalid in certain states with some types of
- 10. Low volume such as activity type "T" (move)
- 11. More than 25 business lines, or more than 15 loops
- 12. Transfer of calls option for the CLEC end users
- 13. Directory Listings (Indentions and Captions)

\* See "LSR Flow-Through Matrix" on page 15, for a list of services, including complex services, and whether LSRs issued for the services are eligible to flow through.

Total System Fallout: Errors that require manual review by the LCSC to determine if the error is caused by the CLEC, or is due to BellSouth system functionality. If it is determined the error is caused by the CLEC, the LSR will be sent back to the CLEC for clarification. If it is determined the error is BellSouth caused, the LCSC representative will correct the error, and the LSR will continue to be processed.

Z Status: LSRs that receive a supplemental LSR submission prior to final disposition of the original LSR.

(A) **BELLSOUTH** \*

#### Calculation

#### **Percent Flow Through** = $a \div [b - (c + d + e + f)] \times 100$

- a = The total number of LSRs that flow through LESOG/LAUTO and reach a status for a FOC to be issued
- b = the number of LSRs passed from LEO/LNP Gateway to LESOG/LAUTO
- c =the number of LSRs that fall out for manual processing
- d = the number of LSRs that are returned to the CLEC for clarification
- e = the number of LSRs that contain errors made by CLECs
- f =the number of LSRs that receive a Z status.

#### **Percent Achieved Flow Through** = $a \div [b-(c+d+e)] \times 100$

- a = the number of LSRs that flow through LESOG/LAUTO and reach a status for a FOC to be issued.
- b = the number of LSRs passed from LEO/LNP Gateway to LESOG/LAUTO
- c =the number of LSRs that are returned to the CLEC for clarification
- d = the number of LSRs that contain errors made by CLECs
- e = the number of LSRs that receive Z status

#### **Report Structure**

- · CLEC Aggregate
  - Region

#### **Data Retained**

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	Report Month
<ul> <li>Total Number of LSRs Received, by Interface, by CLEC</li> </ul>	Total Number of Errors by Type
- TAG	- BellSouth System Error
- EDI	
- LENS	
<ul> <li>Total Number of Errors by Type, by CLEC</li> </ul>	
- Fatal Rejects	
- Auto Clarification	
- CLEC Caused System Fallout	
Total Number of Errors by Error Code	
Total Fallout for Manual Processing	

#### SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark <sup>a</sup>
Residence	Benchmark: 95%
Business	Benchmark: 90%
• UNE	Benchmark: 85%
• LNP	Benchmark: 85%

a. Benchmarks do not apply to the "Percent Achieved Flow Through."

#### **SEEM Measure**

SEEM Measure		
Yes	Tier I	
	Tier II	X

**BELLSOUTH®** 

SEEM Disaggregation	SEEM Analog/Benchmark <sup>a</sup>
Residence	• Benchmark: 95%
Business	Benchmark: 90%
• UNE	Benchmark: 85%
• LNP	Benchmark: 85%

a. Benchmarks do not apply to the "Percent Achieved Flow Through."

(A) **BELLSOUTH** \*

# O-4: Percent Flow-Through Service Requests (Detail)

#### Definition

A detailed list, by CLEC, of the percentage of Local Service Requests (LSR) and LNP Local Service Requests (LNP LSRs) submitted electronically via the CLEC mechanized ordering process that flow through and reach a status for a FOC to be issued, without manual or human intervention.

#### **Exclusions**

- · Fatal Rejects
- Auto Clarification
- · Manual Fallout for Percent Flow-Through only
- CLEC System Fallout

#### **Business Rules**

The CLEC mechanized ordering process includes all LSRs, including supplements (subsequent versions) which are submitted through one of the three gateway interfaces (TAG, EDI, and LENS), that flow through and reach a status for a FOC to be issued, without manual intervention. These LSRs can be divided into two classes of service: Business and Residence, and two types of service: Resale, and Unbundled Network Elements (UNE). The CLEC mechanized ordering process does not include LSRs, which are submitted manually (for example, fax and courier) or are not designed to flow through (for example, Manual Fallout.)

#### **Definitions:**

Fatal Rejects: Errors that prevent an LSR, submitted electronically by the CLEC, from being processed further. When an LSR is submitted by a CLEC, LEO/LNP Gateway will perform edit checks to ensure the data received is correctly formatted and complete. For example, if the PON field contains an invalid character, LEO/LNP Gateway will reject the LSR and the CLEC will receive a Fatal Reject.

Auto-Clarification: Clarifications that occur due to invalid data within the LSR. LESOG/LAUTO will perform data validity checks to ensure the data within the LSR is correct and valid. For example, if the address on the LSR is not valid according to RSAG, or if the LNP is not available for the NPA NXXX requested, the CLEC will receive an Auto-Clarification.

Manual Fallout: Planned Fallout that occur by design. Certain LSRs are designed to fallout of the Mechanized Order Process due to their complexity. These LSRs are manually processed by the LCSC. When a CLEC submits an LSR, LESOG/LAUTO will determine if the LSR should be forwarded to LCSC for manual handling. Following are the categories for Manual Fallout:

- Complex\*
- Special pricing plans
- 3. Some Partial migrations
- 4. New telephone number not yet posted to BOCRIS
- Pending order review required
- CSR inaccuracies such as invalid or missing CSR data in CRIS

- Denials-restore and conversion, or disconnect and conversion orders
- Class of service invalid in certain states with some types of
- 10. Low volume such as activity type "T" (move)
- 11. More than 25 business lines, or more than 15 loops
- 12. Transfer of calls option for the CLEC end users
- 13. Directory Listings (Indentions and Captions)

- Expedites (requested by the CLEC)
- \* See "LSR Flow-Through Matrix" on page 15. for a list of services, including complex services, and whether LSRs issued for the services are eligible to flow through.

Total System Fallout: Errors that require manual review by the LCSC to determine if the error is caused by the CLEC, or is due to BellSouth system functionality. If it is determined the error is caused by the CLEC, the LSR will be sent back to the CLEC for clarification. If it is determined the error is BellSouth caused, the LCSC representative will correct the error, and the LSR will continue to be processed.

**Z Status:** LSRs that receive a supplemental LSR submission prior to final disposition of the original LSR.

(A) **BELLSO**UTH®

#### Calculation

**Percent Flow Through** =  $a \div [b - (c + d + e + f)] \times 100$ 

- a = The total number of LSRs that flow through LESOG/LAUTO and reach a status for a FOC to be issued
- b = the number of LSRs passed from LEO/LNP Gateway to LESOG/LAUTO
- c =the number of LSRs that fall out for manual processing
- d = the number of LSRs that are returned to the CLEC for clarification
- e = the number of LSRs that contain errors made by CLECs
- f = the number of LSRs that receive a Z status.

#### Percent Achieved Flow Through = $a \div [b-(c+d+e)] \times 100$

- a = the number of LSRs that flow through LESOG/LAUTO and reach a status for a FOC to be issued.
- b = the number of LSRs passed from LEO/LNP Gateway to LESOG/LAUTO
- c =the number of LSRs that are returned to the CLEC for clarification
- d = the number of LSRs that contain errors made by CLECs
- e = the number of LSRs that receive Z status

#### **Report Structure**

Provides the flow through percentage for each CLEC (by alias designation) submitting LSRs through the CLEC mechanized ordering process. The report provides the following:

- CLEC (by alias designation)
- · Number of fatal rejects
- · Mechanized interface used
- · Total mechanized LSRs
- Total manual fallout
- Number of auto clarifications returned to CLEC
- · Number of validated LSRs
- · Number of BellSouth caused fallout
- · Number of CLEC caused fallout
- · Number of Service Orders Issued
- · Base calculation
- · CLEC error excluded calculation

#### **Data Retained**

outh Performance
rpe
i

SQM Level of Disaggregation	SQM Analog/Benchmark <sup>a</sup>
Residence	Benchmark: 95%
Business	Benchmark: 90%
• UNE	Benchmark: 85%

**BELLSOUTH**®

SQM Level of Disaggregation	SQM Analog/Benchmark <sup>a</sup>
• LNP	• Benchmark: 85%

a. Benchmarks do not apply to the "Percent Achieved Flow Through."

#### **SEEM Measure**

SEEM Measure		
	Tier I	X
Yes	Tier II	

SEEM Disaggregation	SEEM Analog/Benchmark
Residence	Benchmark: 95%
Business	Benchmark: 90%
• UNE	Benchmark: 85%
• LNP	Benchmark: 85%

(A) **BELL**SOUTH

# O-5: Flow-Through Error Analysis

#### Definition

An analysis of each error type (by error code) that was experienced by the LSRs that did not flow through or reached a status for a FOC to be issued.

#### **Exclusions**

Each Error Analysis is error code specific, therefore exclusions are not applicable.

#### **Business Rules**

The CLEC mechanized ordering process includes all LSRs, including supplements (subsequent versions) which are submitted through one of the three gateway interfaces (TAG, EDI, and LENS), that flow through and reach a status for a FOC to be issued. The CLEC mechanized ordering process does not include LSRs which are submitted manually (for example, fax and courier).

#### Calculation

Total for each error type.

#### **Report Structure**

Provides an analysis of each error type (by error code). The report is in descending order by count of each error code and provides the following:

- Error Type (by error code)
- · Count of each error type
- · Percent of each error type
- · Cumulative percent
- · Error Description
- · CLEC Caused Count of each error code
- · Percent of aggregate by CLEC caused count
- · Percent of CLEC caused count
- · BellSouth Caused Count of each error code
- · Percent of aggregate by BellSouth caused count
- · Percent of BellSouth by BellSouth caused count.

#### **Data Retained**

Relating to CLEC Experience	Relating to BellSouth Performance
<ul> <li>Report Month</li> <li>Total Number of Lsrs Received</li> <li>Total Number of Errors by Type (by Error Code)</li> <li>CLEC caused error</li> </ul>	<ul> <li>Report Month</li> <li>Total Number of Errors by Type (by Error Code)</li> <li>BellSouth System Error</li> </ul>

#### **SQM** Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
Not Applicable	Not Applicable

#### **SEEM Measure**

SEEM Measure			
No	Tier I		
	Tier II		



SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

(A) **BELLSOUTH** \*

### O-6: CLEC LSR Information

#### **Definition**

A list with the flow through activity of LSRs by CC, PON and Ver, issued by each CLEC during the report period.

#### **Exclusions**

- · Fatal Rejects
- · LSRs submitted manually

#### **Business Rules**

The CLEC mechanized ordering process includes all LSRs, including supplements (subsequent versions) which are submitted through one of the three gateway interfaces (TAG, EDI, and LENS), that flow through and reach a status for a FOC to be issued. The CLEC mechanized ordering process does not include LSRs which are submitted manually (for example, fax and courier).

#### Calculation

Not Applicable

#### Report Structure

Provides a list with the flow through activity of LSRs by CC, PON and Ver, issued by each CLEC during the report period with an explanation of the of the columns and content. This report is available on a CLEC specific basis. The report provides the following for each LSR.

- CC
- PON
- Ver
- Timestamp
- Type
- Err #
- Note or Error Description

#### **Data Retained**

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month     Record of LSRs Received by CC, PON and Ver	Not Applicable
<ul> <li>Record of Timestamp, Type, Err # and Note or Error Description for Each LSR by CC, PON and Ver</li> </ul>	

#### **SQM** Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
Not Applicable	Not Applicable

#### **SEEM Measure**

SEEM Measure			
No	Tier I		
	Tier II		

**BELLSOUTH®** 

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable



### **LSR Flow Through Matrix**

	Product Type	Reqtype	ACT Type	F/T³	Complex Service	Complex Order	Planned Fallout For Manual Handling <sup>1</sup>	EDI	TAG <sup>2</sup>	LENS <sup>4</sup>
2 wire analog DID trunk port	U,C	A	N,T	No	UNE	Yes	NA	N	N	N
2 wire analog port	U	A	N,T	No	UNE	No	Yes	Y	Y	N
2 wire ISDN digital line	U,C	A	N,T	No	UNE	Yes	NA	N	N	N
2 wire ISDN digital loop	U,C	A	N,T	Yes	UNE	Yes	No	Y	Y	N
3 Way Calling	R,B	E,M	N,C,T,V,W	Yes	No	No	No	Y	Y	Y
4 wire analog voice grade loop	U,C	A	N,T	Yes	UNE	Yes	No	Y	Y	N
4 wire DSO & PRI digital loop	U,C	A	N,T	No	UNE	Yes	NA	N	N	N
4 wire DS1 & PRI digital loop	U,C	A	N,T	No	UNE	Yes	NA	N	N	N
4 wire ISDN DSI digital trunk ports	U,C	A	N,T	No	UNE	Yes	NA	N	N	N
Accupulse	С	Е	N,C,T,V,W	No	Yes	Yes	NA	N	N	N
ADSL	R,B,C	Е	V,W	No	UNE	No	No	Y	Y	N
Area Plus	R,B	E,M	N,C,T,V,W	Yes	No	No	No	Y	Y	Y
Basic Rate ISDN	U,C	A	N,T	No	Yes	Yes	Yes	Y	Y	N
Basic Rate ISDN 2 Wire	С	Е	C, D,T,V,W	No	Yes	Yes	Yes	Y	Y	N
Basic Rate ISDN 2 Wire	С	Е	N,T	No	Yes	Yes	N/A	N	N	N
Basic Rate ISDN 2 Wire UNE P	С	M	N,C,D,V	No	YES	Yes	N/A	N	N	N
Analog Data/Private Line	С	Е	N, C, T, V, W, D, P, Q	No	Yes	Yes	N/A	N	N	N
Call Block	R,B	E,B,M	N,C,T,V,W	Yes	No	No	No	Y	Y	Y
Call Forwarding	R,B	E,B,M	N,C,T,V,W	Yes	No	No	No	Y	Y	Y
Call Return	R,B	E,B,M	N,C,T,V,W	Yes	No	No	No	Y	Y	Y
Call Selector	R,B	E,B,M	N,C,T,V,W	Yes	No	No	No	Y	Y	Y
Call Tracing	R,B	E,B,M	N,C,T,V,W	Yes	No	No	No	Y	Y	Y
Call Waiting	R,B	E,B,M	N,C,T,V,W	Yes	No	No	No	Y	Y	Y
Call Waiting Deluxe	R,B	E,B,M	N,C,T,V,W	Yes	No	No	No	Y	Y	Y
Caller ID	R,B	E,B,M	N,C,T,V,W	Yes	No	No	No	Y	Y	Y
CENTREX	С	P	V,P	No	Yes	Yes	NA	N	N	N
DID ACT W	С	N	W	No	Yes	Yes	Yes	Y	Y	Y
Digital Data Transport	U	Е	N,C,T,V,W	No	UNE	Yes	NA	N	N	N
Directory Listing Indentions	B,U	B,C,E,F, J,M,N	N,C,T,R,V,W,P,Q	No	No	No	Yes	Y	Y	Y
Directory Listings Captions	R,B,U	B,C,E,F, J,M,N	N,C,T,R,V,W,P,Q	No	No	Yes	Yes	Y	Y	Y
Directory Listings (simple)	R,B,U	B,C,E,F, J,M,N	N,C,T,R,V,W,P,Q	Yes	No	No	No	Y	Y	Y
DS3	U	A,M	N,C,V	No	UNE	Yes	NA	N	N	N
DS1Loop	U	A,M	N,C,V	Yes	UNE	Yes	No	Y	Y	N
DSO Loop	U	A, B	N,C,D,T,V	Yes	UNE	Yes	No	Y	Y	N
Enhanced Caller ID	R,B	E,M	C,D,N,T,V,W	Yes	No	No	No	Y	Y	Y



	Product Type	Reqtype	ACT Type	F/T <sup>3</sup>	Complex Service	Complex Order	Planned Fallout For Manual Handling <sup>1</sup>	EDI	TAG <sup>2</sup>	LENS <sup>4</sup>
ESSX	С	P	C,D,T,V,S,B,W,L ,P,Q	No	Yes	Yes	NA	N	N	N
Flat Rate/Business	В	E, M	C,D,N,T,V,W	Yes	No	No	No	Y	Y	Y
Flat Rate/Residence	R	E, M	C,D,N,T,V,W	Yes	No	No	No	Y	Y	Y
FLEXSERV	С	Е	N,C,D,T,V,W,P,Q	No	Yes	Yes	NA	N	N	N
Frame Relay	С	Е	N,C,D,V,W	No	Yes	Yes	NA	N	N	N
FX	C	Е	N,C,D,T,V,W,P,Q	No	Yes	Yes	NA	N	N	N
Ga. Community Calling	R,B	E, M	C,D,N,T,V,W	Yes	No	No	No	Y	Y	Y
HDSL	U	A	N,C,D	Yes	UNE	No	No	Y	Y	N
Hunting MLH	R,B	E, M	C,D,N,T,V,W	No	C/S4	C/S	Yes	Y	Y	N
Hunting Series Completion	R,B	E, M	C,D,N,T,V,W	Yes	C/S	C/S	No	Y	Y	Y
INP to LNP Conversion	U	С	С	No	UNE	Yes	Yes	Y	Y	N
LightGate	C	Е	N,C,D,T,V,W,P,Q	No	Yes	Yes	NA	N	N	N
Line Sharing	U	A	C,D	Yes	UNE	No	No	Y	Y	Y
Local Number Portability	U	С	C,D,P,V,Q	Yes	UNE	Yes	No	Y	Y	N
LNP With Complex Listing	С	С	P,V,Q,W	No	UNE	Yes	Yes	Y	Y	N
LNP with Partial Migration	U	С	D,P,V,Q	No	UNE	Yes	Yes	Y	Y	N
LNP with Complex Services	С	С	P,V,Q,W	No	UNE	Yes	Yes	Y	Y	N
Loop+INP	U	В	D,P,V,Q	Yes	UNE	No	No	Y	Y	N
Loop+LNP	U	В	C,D,N,V	Yes	UNE	No	No	Y	Y	N
Measured Rate/Bus	R,B	E,M	C,D,T,N,V,W	Yes	No	No	No	Y	Y	Y
Measured Rate/Res	R,B	E,M	C,D,T,N,V,W	Yes	No	No	No	Y	Y	Y
Megalink	С	Е	N,V,W,T,D,C,P,Q	No	Yes	Yes	NA	N	N	N
Megalink-T1	С	E,M	N,V,W,T,D,C,P,Q	No	Yes	Yes	NA	N	N	N
Memory Call	R,B	E, M	C,D,N,T,V,W	Yes	No	No	No	Y	Y	Y
Memory Call Ans. Svc.	R,B	E, M	C,D,N,T,V,W	Yes	No	No	No	Y	Y	Y
Multiserv	С	P	N,C,D,T,V,S,B, W,L,P,Q	No	Yes	Yes	NA	N	N	N
Native Mode LAN Interconnection (NMLI)	С	Е	N,C,D,V,W	No	Yes	Yes	NA	N	N	N
Off-Prem Stations	С	Е	N,C,D,V,W,T,P,Q	No	Yes	Yes	NA	N	N	N
Optional Calling Plan	R,B	E, M	N	Yes	No	No	No	Y	Y	Y
Package/Complete Choice and Area Plus	R,B	E, M	N,T,C,V,W	Yes	No	No	No	Y	Y	Y
Pathlink Primary Rate ISDN	С	Е	N,C,D,T,V,W,P,Q	No	Yes	Yes	NA	N	N	N
Pay Phone Provider	В	Е	C,D,T,N,V,W	No	No	No	NA	N	N	N
PBX Standalone Port	С	F	N,C,D	No	Yes	Yes	Yes	Y	Y	N
PBX Trunks	R,B	Е	N,C,D,V,W,T,P,Q	No	Yes	Yes	Yes	Y	Y	N
Port/Loop PBX	U	M	A,C,D,V	No	No	No	Yes	Y	Y	N
Port/Loop Simple	U	M	A,C,D,V	Yes	No	No	Yes	Y	Y	Y
Preferred Call Forward	R,B,U	Е	C,D,T,N,V,W	Yes	No	No	No	Y	Y	Y
RCF Basic	R,B	Е	N,D,W,T,F	Yes	No	No	No	Y	Y	Y



	Product Type	Reqtype	ACT Type	F/T <sup>3</sup>	Complex Service	Complex Order	Planned Fallout For Manual Handling <sup>1</sup>	EDI	TAG <sup>2</sup>	LENS <sup>4</sup>
Remote Access to CF	R,B	E,M	C,D,T,N,V,W	Yes	No	No	No	Y	Y	Y
Repeat Dialing	R,B	E,M	C,D,T,N,V,W	Yes	No	No	No	Y	Y	Y
Ringmaster	R,B	E,M	C,D,T,N,V,W	Yes	No	No	No	Y	Y	Y
Smartpath	R,B	Е	C,D,T,N,V,W	No	Yes	Yes	NA	N	N	N
SmartRING	С	Е	N,D,C,V,W	No	Yes	Yes	NA	N	N	N
Speed Calling	R,B	Е	C,D,T,N,V,W	Yes	No	No	No	Y	Y	Y
Synchronet	С	Е	N	Yes	Yes	Yes	Yes	Y	Y	N
Tie Lines	С	Е	N,C,D,V,W,T,P,Q	No	Yes	Yes	NA	N	N	N
Touchtone	R,B	Е	C,D,T,N,V,W	Yes	No	No	No	Y	Y	Y
Unbundled Loop-Analog 2W, SL1, SL2	U	A,B	C,D,T,N,V,W	Yes	UNE	No	No	Y	Y	Y
WATS	R,B	Е	W,D	No	Yes	Yes	NA	N	N	N
XDSL	C,U	A,B	N,T,C,V,D	Yes	UNE	No	No	Y	Y	N
XDSL Extended LOOP	C,U	A,B	N,T,C,V,D	No	UNE	Yes	NA	N	N	N
Collect Call Block	R,B	Е	N,T,C,V,W,D	Yes	No	No	No	Y	Y	Y
900 Call Block	R,B	Е	N,T,C,V,W,D	Yes	No	No	No	Y	Y	Y
3rd Party Call Block	R,B	Е	N,T,C,V,W,D	Yes	No	No	No	Y	Y	Y
Three Way Call Block	R,B	Е	N,T,C,V,W,D	Yes	No	No	No	Y	Y	Y
PIC/LPIC Change	R,B	Е	T,C,V,	Yes	No	No	No	Y	Y	Y
PIC/LPIC Freeze	R,B	Е	N,T,C,V	Yes	No	No	No	Y	Y	Y

**Note**<sup>1</sup>: Planned Fallout for Manual Handling denotes those services that are electronically submitted and are not intended to flow through due to the complexity of the service.

Note<sup>2</sup>: The TAG column includes those LSRs submitted via Robo TAG.

Note<sup>3</sup>: For all services that indicate 'No' for flow-through, the following reasons, in addition to errors or complex services, also prompt manual handling: Expedites from CLECs, special pricing plans, denials – restore and conversion or disconnect and conversion both required, partial migrations (although conversions-as-is flow through), class of service invalid in certain states with some TOS – e.g. government, or cannot be changed when changing main TN on C activity, low volume – e.g. activity type T=move, pending order review required, more than 25 business lines, CSR inaccuracies such as invalid or missing CSR data in CRIS, Directory listing indentions and captions, transfer of calls option for CLEC end user – new TN not yet posted to BOCRIS. Many are unique to the CLEC environment.

Note<sup>4</sup>: Services with C/S in the Complex Service and/or the Complex Order columns can be either complex or simple.

**Note<sup>5</sup>:** EELs are manually ordered.

**Note**<sup>6</sup>: LSRs submitted for Resale Products and Services for which there is a temporary promotion or discount plan will be processed identically to those LSRs ordering the same Products or Services without a promotion or discount plan.

**Note**: The Flow Through Matrix is continually being updated and expanded with additional information about the listed products and services. BellSouth will not change any "Yes" designation to "No" without commission approval. The most current pre-approved matrix will be posted to the PMAP web site (www.pmap.bellsouth.com).

🕮 **BELL**SOUTH

#### **O-7: Percent Rejected Service Requests**

#### Definition

Percent Rejected Service Request is the percent of total Service Requests [(Local Service Requests (LSRs)) or Access Service Requests (ASRs)] received which are rejected due to error or omission. Service Requests are considered valid when they are submitted by the CLEC and pass edit checks to insure the data received is correctly formatted and complete.

#### **Exclusions**

- Service Requests canceled by the CLEC prior to being rejected/clarified.
- · Fatal Rejects
- Order Activities of BellSouth or the CLEC associated with internal or administrative use of local services (Record Orders, Test Orders, etc.) where identifiable.

#### **Business Rules**

**Fully Mechanized:** An LSR/Service Request is considered "rejected" when it is submitted electronically but does not pass edit checks in the ordering systems (EDI, LENS, TAG, LESOG, LNP Gateway, LAUTO) and is returned to the CLEC without manual intervention. There are two types of "Rejects" in the Mechanized category:

A **Fatal Reject** occurs when a CLEC attempts to electronically submit an LSR but required fields are either not populated or incorrectly populated and the request is returned to the CLEC before it is considered a valid LSR.

Fatal rejects are reported in a separate column, and for informational purposes ONLY. They are not considered in the calculation of the percent of total LSRs rejected or the total number of rejected LSRs.

An **Auto Clarification** occurs when a valid LSR is electronically submitted but rejected from LESOG or LAUTO because it does not pass further edit checks for order accuracy.

Partially Mechanized: A valid LSR, which is electronically submitted (via EDI, LENS, TAG) but cannot be processed electronically and "falls out" for manual handling. It is then put into "clarification" and sent back (rejected) to the CLEC.

**Non-Mechanized:** LSRs which are faxed or mailed to the LCSC for processing and "clarified" (rejected) back to the CLEC by the BellSouth service representative.

**Interconnection Trunks:** Interconnection Trunks are ordered on Access Service Requests (ASRs). ASRs are submitted to and processed by the Local Interconnection Service Center (LISC). Trunk data is reported as a separate category.

#### Calculation

**Percent Rejected Service Requests** =  $(a \div b) \times 100$ 

- a = Total Number of Service Requests Rejected in the reporting period
- b = Total Number of Service Requests Received in the reporting period

#### Report Structure

- · Fully Mechanized, Partially Mechanized, Non-Mechanized
- Trunks
- CLEC Specific
- CLEC Aggregate
- Geographic Scope
- State
- Region
- Product Specific percent Rejected
- · Total percent Rejected

(A) BELLSOUTH®

#### **Data Retained**

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	Not Applicable
Total Number of LSRs	
Total Number of Rejects	
State and Region	
Total Number of ASRs (Trunks)	

#### **SQM Disaggregation - Analog/Benchmark**

SQM Level of Disaggregation	SQM Analog/Benchmark
Mechanized, Partially Mechanized and Non-Mechanized	Diagnostic
Resale - Residence	
Resale - Business	
Resale – Design (Special)	
Resale PBX	
Resale Centrex	
Resale ISDN	
LNP Standalone	
INP Standalone	
2W Analog Loop Design	
2W Analog Loop Non-Design	
2W Analog Loop with INP Design	
2W Analog Loop with INP Non-Design	
2W Analog Loop with LNP Design	
2W Analog Loop with LNP Non-Design	
• UNE Digital Loop < DS1	
• UNE Digital Loop ≥ DS1	
UNE Loop + Port Combinations	
UNE Combination Other	
• UNE ISDN Loop	
• UNE Other Design	
UNE Other Non-Design  A N	
UNE Line Splitting	
• EELs	
Switch Ports     Delta (Appel A	
• UNE xDSL (ADSL, HDSL, UCL)	
• Line Sharing	
Local Interoffice Transport     Local Intercognication Transport	
Local Interconnection Trunks	

#### **SEEM Measure**

	SEEM Measure					
No	Tier I					
	Tier II					

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable



#### O-8: Reject Interval

#### Definition

Reject Interval is the average reject time from receipt of Service Requests [(Local Service Requests (LSRs)) or Access Service Requests (ASRs)] to the distribution of a Reject. Service Requests are considered valid when they are submitted by the CLEC and pass edit checks to insure the data received is correctly formatted and complete.

#### **Exclusions**

- Service Requests canceled by CLEC prior to being rejected/clarified.
- · Fatal Rejects
- Designated Holidays are excluded from the interval calculation.
- · LSRs which are identified and classified as "Projects"
- The following hours for Partially mechanized and Non-mechanized LSRs are excluded from the interval calculation:

Residence Resale Group – Monday through Saturday 7:00PM until 7:00AM From 7:00 PM Saturday until 7:00 AM Monday

Business Resale, Complex, UNE Groups – Monday through Friday 6:00PM until 8:00AM From 6:00 PM Friday until 8:00 AM Monday.

Local Interconnection Service Center (LISC) - Monday through Friday 4:30 P.M. until 8:00 A M.

From 4:30 P.M.Friday until 8:00 A.M. Monday

The hours excluded will be altered to reflect changes in the Center operating hours. The LCSC will accept faxed LSRs only during posted hours of operation.

The interval will be the amount of time accrued from receipt of the LSR until normal closing of the center if an LSR is worked using overtime hours.

In the case of a Partially Mechanized LSR received and worked after normal business hours, the interval will be set at one (1) minute.

#### **Business Rules**

The Reject interval is determined for each rejected LSR processed during the reporting period. The Reject interval is the elapsed time from when BellSouth receives LSR (date and time stamps in EDI or TAG) until that LSR is rejected back to the CLEC. Elapsed time for each LSR (date and time stamps in EDI or TAG) is accumulated for each reporting dimension. The accumulated time for each reporting dimension is then divided by the associated total number of rejected LSRs to produce the reject interval distribution.

**Fully Mechanized:** The elapsed time from receipt of a valid electronically submitted LSR (date and time stamp in EDI translator or TAG) until the LSR is rejected (date and time stamp or reject in EDI translator, or TAG). Auto Clarifications are considered in the Fully Mechanized category.

Partially Mechanized: The elapsed time from receipt of a valid electronically submitted LSR (date and time stamp in EDI translator or TAG) until it falls out for manual handling. The stop time on partially mechanized LSRs is when the LCSC Service Representative clarifies the LSR back to the CLEC via EDI translator, or TAG.

**Non-Mechanized:** The elapsed time from receipt of a valid LSR (date and time stamp of FAX or date and time mailed LSR is received in the LCSC) until notice of the reject (clarification) is returned to the CLEC via LON.

**Interconnection Trunks:** Interconnection Trunks are ordered on Access Service Requests (ASRs). ASRs are submitted to and processed by the Local Interconnection Service Center (LISC). Trunk data is reported as a separate category.

#### Calculation

**Reject Interval** = (a - b)

- a = Date and Time of Service Request Rejection
- b = Date and Time of Service Request Receipt

Average Reject Interval =  $(c \div d)$ 

- c = Sum of all Reject Intervals
- d = Number of Service Requests Rejected in Reporting Period

#### **Reject Interval Distribution** = $(e \div f) \times 100$

- e = Service Requests Rejected in reported interval
- f = Total Number of Service Requests Rejected in Reporting Period

#### **Report Structure**

- · Fully Mechanized, Partially Mechanized, Non-Mechanized
- · CLEC Specific
- · CLEC Aggregate
- · Geographic Scope
  - State
  - Region
- · Fully Mechanized:
- $0 \leq 4 \text{ minutes}$
- $> 4 \leq 8 \text{ minutes}$
- >8  $\leq$  12 minutes
- $> 12 \le 60 \text{ minutes}$
- $0 \leq 1 \text{ hour}$
- $> 1 \leq 4 \text{ hours}$
- > 4  $\leq$  8 hours
- $> 8 \le 12 \text{ hours}$
- $> 12 \le 16 \text{ hours}$
- $> 16 \le 20 \text{ hours}$
- $> 20 \le 24 \text{ hours}$
- > 24 hours
- · Partially Mechanized:
  - $0 \leq 1$  hour
- $> 1 \leq 4 \text{ hours}$
- $> 4 \leq 8 \text{ hours}$
- $> 8 \le 10 \text{ hours}$
- $0 \leq 10 \text{ hours}$
- $> 10 \le 18 \text{ hours}$
- $0 \leq 18 \text{ hours}$
- $> 18 \le 24 \text{ hours}$
- > 24 hours
- · Non-mechanized:
- $0 \leq 1 \text{ hour}$
- $> 1 \leq 4 \text{ hours}$
- > 4  $\leq$  8 hours
- $> 8 \le 12 \text{ hours}$  $> 12 - \le 16 \text{ hours}$
- $> 16 \le 20 \text{ hours}$
- $> 20 \le 24 \text{ hours}$
- $0 \leq 24 \text{ hours}$
- > 24 hours
- Trunks:
  - $0 \leq 36 \text{ hours}$
- > 36 hours
- Average Interval is reported in business hours.



#### **Data Retained**

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	Not Applicable
Reject Interval	
Total Number of LSRs	
Total Number of Rejects	
State and Region	
Total Number of ASRs (Trunks)	

#### **SQM Disaggregation - Analog/Benchmark**

SQM Level of Disaggregation	SQM Analog/Benchmark
<ul> <li>Resale – Residence</li> <li>Resale – Business</li> <li>Resale – Design (Special)</li> <li>Resale PBX</li> <li>Resale Centrex</li> <li>Resale ISDN</li> <li>LNP Standalone</li> <li>INP Standalone</li> <li>2W Analog Loop Design</li> <li>2W Analog Loop with INP Design</li> <li>2W Analog Loop with INP Non-Design</li> <li>2W Analog Loop with LNP Design</li> <li>2W Analog Loop with LNP Non-Design</li> <li>2W Analog Loop with LNP Non-Design</li> <li>UNE Digital Loop &lt; DS1</li> <li>UNE Digital Loop &gt; DS1</li> <li>UNE Loop + Port Combinations</li> <li>UNE Combination Other</li> <li>UNE ISDN Loop</li> <li>UNE Other Design</li> <li>UNE Other Non-Design</li> <li>UNE Line Splitting</li> <li>EELs</li> <li>Switch Ports</li> <li>UNE XDSL (ADSL, HDSL, UCL)</li> <li>Line Sharing</li> <li>Local Interoffice Transport</li> </ul>	<ul> <li>Fully Mechanized: - 97% ≤ 1Hour</li> <li>Partially Mechanized: - 95% ≤ 10 Hours</li> <li>Non-Mechanized: - 95% ≤ 24 Hours</li> </ul>
Local Interconnection Trunks	• Trunks: 95% ≤ 36 Hours

#### **SEEM Measure**

	SEEM Measure						
Yes	Tier I	X					
	Tier II	X					

SEEM Disaggregation	SEEM Analog/Benchmark
Fully Mechanized	• 97% ≤ 1 hour





SEEM Disaggregation	SEEM Analog/Benchmark
Partially Mechanized	• 95% ≤ 10 hours
Non-Mechanized	• 95% ≤ 24 hours
Local Interconnection Trunks	• 95% ≤ 36 hours



#### **O-9: Firm Order Confirmation Timeliness**

#### Definition

Interval for Return of a Firm Order Confirmation (FOC Interval) is the average response time from receipt of valid LSR to distribution of a Firm Order Confirmation. The interval will include an electronic facilities check.

#### **Exclusions**

- Service Requests canceled by CLEC prior to being confirmed.
- Designated Holidays are excluded from the interval calculation.
- LSRs which are identified and classified as "Projects"
- The following hours for Partially mechanized and Non-mechanized LSRs are excluded from the interval calculation:

Residence Resale Group – Monday through Saturday 7:00PM until 7:00AM

From 7:00 PM Saturday until 7:00 AM Monday

Business Resale, Complex, UNE Groups – Monday through Friday 6:00PM until 8:00AM From 6:00 PM Friday until 8:00 AM Monday.

Local Interconnection Service Center (LISC) - From 4:30 P.M. Friday until 8:00 A.M. Monday (ASRs received after 2:00PM will be counted as if received at 8:00AM the next business day.)

The hours excluded will be altered to reflect changes in the Center operating hours. The LCSC will accept faxed LSRs only during posted hours of operation.

The interval will be the amount of time accrued from receipt of the LSR until normal closing of the center if an LSR is worked using overtime hours.

In the case of a Partially Mechanized LSR received and worked after normal business hours, the interval will be set at one (1) minute.

#### **Business Rules**

- Fully Mechanized: The elapsed time from receipt of a valid electronically submitted LSR (date and time stamp in EDI or TAG) until the LSR is processed, appropriate service orders are generated and a Firm Order Confirmation is returned to the CLEC via EDI translator or TAG.
- Partially Mechanized: The elapsed time from receipt of a valid electronically submitted LSR (date and time stamp in EDI, or TAG) which falls out for manual handling until appropriate service orders are issued by a BellSouth service representative via Direct Order Entry (DOE) or Service Order Negotiation Generation System (SONGS) to SOCS and a Firm Order Confirmation is returned to the CLEC via EDI translator, or TAG.
- Non-Mechanized: The elapsed time from receipt of a valid paper LSR (date and time stamp of FAX or date and time paper LSRs received in LCSC) until appropriate service orders are issued by a BellSouth service representative via Direct Order Entry (DOE) or Service Order Negotiation Generation System (SONGS) to SOCS and a Firm Order Confirmation is sent to the CLEC via LON.
- Interconnection Trunks: Interconnection Trunks are ordered on Access Service Requests (ASRs). ASRs are submitted to and processed by the Local Interconnection Service Center (LISC). The elapsed time is measured from receipt of a valid ASR (date and time stamp of a FAX or paper ASR received in the LISC) until the appropriate orders are issued by a BellSouth representative and a FOC issued in EXACT. Trunk data is reported as a separate category.

#### Calculation

#### Firm Order Confirmation Interval = (a - b)

- a = Date and Time of Firm Order Confirmation
- b = Date and Time of Service Request Receipt

#### Average FOC Interval = $(c \div d)$

- c = Sum of all Firm Order Confirmation Times
- d = Number of Service Requests Confirmed in Reporting Period

#### **FOC Interval Distribution** = $(e \div f) \times 100$

- e = Service Requests Confirmed in Designated Interval
- f = Total Service Requests Confirmed in the Reporting Period

#### **Report Structure**

- · Fully Mechanized, Partially Mechanized, Non-Mechanized
  - CLEC Specific
  - CLEC Aggregate
- · Geographic Scope
- State
- Region
- · Fully Mechanized:
  - $0 \leq 15 \text{ minutes}$
- $> 15 \leq 30 \text{ minutes}$
- $> 30 \le 45 \text{ minutes}$
- > 45  $\leq$  60 minutes
- $> 60 \le 90 \text{ minutes}$
- > 90  $\leq$  120 minutes
- $> 120 \le 180 \text{ minutes}$
- $0 \leq 3 \text{ hours}$
- > 3  $\leq$  6 hours
- $> 6 \le 12 \text{ hours}$
- $> 12 \le 24 \text{ hours}$
- $> 24 \le 48 \text{ hours}$
- > 48 hours
- · Partially Mechanized:
- $0 \leq 4 \text{ hours}$
- > 4  $\leq$  8 hours
- $> 8 \le 10 \text{ hours}$
- $0 \leq 10 \text{ hours}$
- $> 10 \le 18 \text{ hours}$
- $0 \leq 18 \text{ hours}$
- $> 18 \le 24 \text{ hours}$
- $> 24 \le 48 \text{ hours}$
- > 48 hours
- · Non-mechanized:
  - $0 \leq 4 \text{ hours}$
- > 4  $\leq$  8 hours
- $> 8 \le 12 \text{ hours}$
- $> 12 \le 16 \text{ hours}$
- $0 \leq 24 \text{ hours}$
- $> 16 \le 20 \text{ hours}$
- $> 20 \le 24 \text{ hours}$
- $> 24 \le 36 \text{ hours}$
- $0 \leq 36 \text{ hours}$
- $> 36 \le 48 \text{ hours}$
- > 48 hours
- Trunks:
- $0 \leq 48 \text{ hours}$
- > 48 hours
- · Average Interval is reported in business hours

#### **Data Retained**

Relating to CLEC Experience	Relating to BellSouth Performance
Report month	Not Applicable
• Interval for FOC	
Total number of LSRs	
State and Region	
Total Number of ASRs (Trunks)	

#### **SQM** Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
Resale – Residence	• Fully Mechanized: - 95% ≤3 Hours
Resale – Business	Partially Mechanized:
Resale – Design (Special)	- 95% ≤ 10 Hours
Resale PBX	• Non-Mechanized: - 95% ≤ 24 Hours
Resale Centrex	
Resale ISDN	
LNP Standalone	
INP Standalone	
2W Analog Loop Design	
2W Analog Loop Non-Design	
2W Analog Loop with INP Design	
2W Analog Loop with INP Non-Design	
2W Analog Loop with LNP Design	
2W Analog Loop with LNP Non-Design	
• UNE Digital Loop < DS1	
• UNE Digital Loop ≥ DS1	
UNE Loop + Port Combinations	
UNE Combination Other	
UNE ISDN Loop	
UNE Other Design	
UNE Other Non-Design	
UNE Line Splitting	
• EELs	
Switch Ports	
• UNE xDSL (ADSL, HDSL, UCL)	
Line Sharing	
Local Interoffice Transport	
Local Interconnection Trunks	• Trunks: 95% ≤ 48 Hours

#### **SEEM Measure**

SEEM Measure		
Yes	Tier I	X
	Tier II	X

SEEM Disaggregation	SEEM Analog/Benchmark
Fully Mechanized	• 95% ≤ 3 Hours
Partially Mechanized	• 95% ≤ 10 Hours
Non-Mechanized	• 95% ≤ 24 Hours
Local Interconnection Trunks	• 95% ≤ 48 Hours

(A) **BELL**SOUTH

# O-10: Service Inquiry with LSR Firm Order Confirmation (FOC) Response Time Manual<sup>1</sup>

#### Definition

This report measures the interval and the percent within the interval from the submission of a Service Inquiry (SI) with Firm Order LSR to the distribution of a Firm Order Confirmation (FOC).

#### **Exclusions**

- Designated Holidays are excluded from the interval calculation.
- Weekend hours from 5:00PM Friday until 8:00AM Monday are excluded from the interval calculation of the Service Inquiry.
- · Canceled Requests
- · Electronically Submitted Requests

#### **Business Rules**

This measurement combines four intervals:

- 1. From receipt of a valid Service Inquiry with LSR to hand off to the Service Advocacy Center (SAC) for Loop 'Look-up'.
- 2. From SAC start date to SAC complete date.
- 3. From SAC complete date to the Complex Resale Support Group (CRSG) complete date with hand off to LCSC.
- 4. From receipt of a valid SI/LSR in the LCSC to Firm Order Confirmation.

(A valid Service Inquiry is an inquiry that has all required fields populated correctly and has not been returned for clarification.)

#### Calculation

#### **FOC Timeliness Interval** = (a - b)

- a = Date and Time Firm Order Confirmation (FOC) for SI with LSR returned to CLEC
- b = Date and Time SI with LSR received

#### Average Interval = $(c \div d)$

- c = Sum of all FOC Timeliness Intervals
- d = Total number of SIs with LSRs received in the reporting period

#### Percent Within Interval = $(e \div f) \times 100$

- e = Total number of Service Inquiries with LSRs received by the CRSG to distribution of FOC by the Local Carrier Service Center (LCSC)
- f = Total number of Service Inquiries with LSRs received in the reporting period

#### **Report Structure**

- · CLEC Aggregate
- CLEC Specific
- · Geographic Scope
  - State
- Region
- Intervals
- $0 \le 3$  days >  $3 - \le 5$  days
- $0 \le 5 \text{ days}$
- $> 5 \le 7$  days
- $> 7 \le 10 \text{ days}$
- $> 10 \le 15 \text{ days}$
- >15 days
- · Average Interval measured in days

1. See O-9 for FOC Timeliness



Relating to CLEC Experience	Relating to BellSouth Performance
<ul><li>Report Month</li><li>Total Number of Requests</li><li>SI Intervals</li><li>State and Region</li></ul>	Not Applicable

#### **SQM Disaggregation - Analog/Benchmark**

SQM Level of Disaggregation	SQM Analog/Benchmark
<ul> <li>xDSL (includes UNE unbundled ADSL, HDSL and UNE Unbundled Copper Loops)</li> <li>Unbundled Interoffice Transport</li> </ul>	• 95% Returned ≤ 5 Business Days

#### **SEEM Measure**

SEEM Measure		
No	Tier I	
	Tier II	

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

(A) **BELLSOUTH** \*

#### O-11: Firm Order Confirmation and Reject Response Completeness

#### Definition

A response is expected from BellSouth for every Local Service Request transaction (version). Firm Order Confirmation and Reject Response Completeness is the corresponding number of Local Service Requests received to the combination of Firm Order Confirmation and Reject Responses.

#### **Exclusions**

· Service Requests canceled by the CLEC prior to FOC or Rejected/Clarified.

#### **Business Rules**

Mechanized - The number of FOCs or Auto Clarifications sent to the CLEC from EDI, or TAG in response to electronically submitted LSRs.

Partially Mechanized - The number of FOCs or Rejects sent to the CLEC from EDI, or TAG in response to electronically submitted LSRs which fall out for manual handling by the LCSC personnel.

Non-Mechanized: The number of FOCs or Rejects sent to the CLECs by FAX server.

Interconnection Trunks: Interconnection Trunks are ordered on Access Service Requests (ASRs). ASRs are submitted to and processed by the Local Interconnection Service Center (LISC). Trunk data is reported as a separate category.

#### For CLEC Results:

Percent responses is determined by computing the number of Firm Order Confirmations and Rejects transmitted by BellSouth and dividing by the number of Local Service Requests (all versions) received in the reporting period.

#### Calculation

Firm Order Confirmation / Reject Response Completeness =  $(a \div b) \times 100$ 

- a = Total Number of Service Requests for which a Firm Order Confirmation or Reject is Sent
- b = Total Number of Service Requests Received in the Report Period

#### **Report Structure**

Fully Mechanized, Partially Mechanized, Non-Mechanized and Interconnection Trunks

- State and Region
- · CLEC Specific
- · CLEC Aggregate

#### **Data Retained**

Relating to CLEC Experience	Relating to BellSouth Performance
Report month	Not Applicable
Total number of LSRs	
Total number of rejects	
Total number of ASRs (Trunks)	
• Total number of FOCs	

#### **SQM** Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
Resale Residence	• 95% Returned
Resale Business	
Resale Design (Special)	
Resale PBX	
Resale Centrex	
Resale ISDN	
LNP Standalone	
INP Standalone	
2W Analog Loop Design	
2W Analog Loop Non-Design	
2W Analog Loop with INP Design	
• 2W Analog Loop with INP Non-Design	
2W Analog Loop with LNP Design	
2W Analog Loop with LNP Non-Design	
• UNE Digital Loop < DS1	
• UNE Digital Loop ≥ DS1	
<ul> <li>UNE Loop + Port Combinations</li> </ul>	
UNE Combination Other	
UNE ISDN Loop	
UNE Other Design	
UNE Other Non-Design	
UNE Line Splitting	
• EELs	
Switch Ports	
• UNE xDSL (ADSL, HDSL, UCL)	
Line Sharing	
Local Interoffice Transport	
Local Interconnection Trunks	

#### **SEEM Measure**

SEEM Measure		
Yes	Tier I	X
	Tier II	X

#### **SEEM Disaggregation - Analog/Benchmark**

SEEM Disaggregation	SEEM Analog/Benchmark
<ul> <li>Fully Mechanized</li> <li>Partially Mechanized</li> <li>Non-Mechanized</li> <li>Local Interconnection Trunks</li> </ul>	• 95% Returned

Version 1.00 2-30 Issue Date: December 1, 2002 (A) **BELLSOUTH** \*

#### O-12: Speed of Answer in Ordering Center

#### Definition

Measures the average time a customer is in queue.

#### **Exclusions**

None

#### **Business Rules**

The clock starts when the appropriate option is selected (i.e., 1 for Resale Consumer, 2 for Resale Multiline, and 3 for UNE-LNP, etc.) and the call enters the queue for that particular group in the LCSC. The clock stops when a BellSouth service representative in the LCSC answers the call. The speed of answer is determined by measuring and accumulating the elapsed time from the entry of a CLEC call into the BellSouth automatic call distributor (ACD) until a service representative in BellSouth's Local Carrier Service Center (LCSC) answers the CLEC call.

#### Calculation

**Speed of Answer in Ordering Center** =  $(a \div b)$ 

- a = Total seconds in queue
- b = Total number of calls answered in the Reporting Period

#### **Report Structure**

Aggregate

- CLEC Local Carrier Service Center
- · BellSouth
- Business Service Center
- Residence Service Center

Note: Combination of Residence Service Center and Business Service Center data under development

#### **Data Retained**

Relating to CLEC Experience	Relating to BellSouth Performance
Mechanized Tracking Through LCSC Automatic Call	Mechanized Tracking Through BellSouth Retail Center
Distributor	Support System

#### SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
Aggregate	Parity with Retail

#### **SEEM Measure**

SEEM Measure		
Yes	Tier I	
	Tier II	X

SEEM Disaggregation	SEEM Analog/Benchmark
<ul> <li>CLEC Local Carrier Service Center</li> <li>BellSouth</li> <li>Business Service Center</li> <li>Residence Service Center</li> </ul>	Parity With Retail



#### **Section 3: Provisioning**

#### P-1: Mean Held Order Interval & Distribution Intervals

#### **Definition**

When delays occur in completing CLEC orders, the average period that CLEC orders are held for BellSouth reasons, pending a delayed completion, should be no worse for the CLEC when compared to BellSouth delayed orders. Calculation of the interval is the total days orders are held and pending but not completed that have passed the currently committed due date; divided by the total number of held orders. This report is based on orders still pending, held and past their committed due date. The distribution interval is based on the number of orders held and pending but not completed over 15 and 90 days. (Orders reported in the >90 day interval are also included in the >15 day interval.)

#### **Exclusions**

- Order Activities of BellSouth or the CLEC associated with internal or administrative use of local services (Record Orders, Listing Orders, Test Orders, etc.) Test order types may be C, N, R, or T.
- Disconnect (D) & From (F) orders
- · Orders with appointment code of 'A' for Rural orders.

#### **Business Rules**

Mean Held Order Interval: This metric is computed at the close of each report period. The held order interval is established by first identifying all orders, at the close of the reporting interval, that both have not been reported as completed in SOCS and have passed the currently committed due date for the order and identifying all orders that have been reported as completed in SOCS after the currently committed due date for the order. For each such order, the number of calendar days between the earliest committed due date on which BellSouth had a company missed appointment and the close of the reporting period is established and represents the held order interval for that particular order. The held order interval is accumulated by the standard groupings, unless otherwise noted, and the reason for the order being held. The total number of days accumulated in a category is then divided by the number of held orders within the same category to produce the mean held order interval. The interval is by calendar days with no exclusions for Holidays or Sundays.

CLEC Specific reporting is by type of held order (facilities, equipment, other), total number of orders held, and the total and average days.

**Held Order Distribution Interval:** This measure provides data to report total days held and identifies these in categories of >15 days and >90 days. (Orders counted in >90 days are also included in >15 days).

#### Calculation

Mean Held Order Interval =  $a \div b$ 

- a = Sum of held-over-days for all Past Due Orders Held for the reporting period
- b = Number of Past Due Orders Held and Pending But Not Completed and past the committed due date

Held Order Distribution Interval (for each interval) =  $(c \div d) \times 100$ 

- c = # of Orders Held for  $\ge 15$  days or # of Orders Held for  $\ge 90$  days
- d = Total # of Past Due Orders Held and Pending But Not Completed)

#### **Report Structure**

- · CLEC Specific
- · CLEC Aggregate
- · BellSouth Aggregate
- Circuit Breakout  $< 10, \ge 10$  (except trunks)
- Dispatch/Non-Dispatch

#### **Data Retained**

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	Report Month
CLEC Order Number and PON (PON)	BellSouth Order Number
Order Submission Date (TICKET_ID)	Order Submission Date
Committed Due Date (DD)	Committed Due Date
Service Type (CLASS SVC DESC)	Service Type
Hold Reason	Hold Reason
Total line/circuit count	Total line/circuit count
Geographic Scope	Geographic Scope
<b>Note</b> : Code in parentheses is the corresponding header found in the raw data file.	

SQM LEVEL of Disaggregation	SQM Analog/Benchmark
Resale Residence	Retail Residence
Resale Business	Retail Business
Resale Design	Retail Design
Resale PBX	Retail PBX
Resale Centrex	Retail Centrex
Resale ISDN	Retail ISDN
• LNP (Standalone)	Retail Residence and Business (POTS)
• INP (Standalone)	Retail Residence and Business (POTS)
2W Analog Loop Design	Retail Residence and Business Dispatch
2W Analog Loop Non-Design	Retail Residence and Business - POTS Excluding Switch- Based Orders
2W Analog Loop With LNP - Design	Retail Residence and Business Dispatch
2W Analog Loop With LNP- Non-Design	Retail Residence and Business - POTS Excluding Switch
2W Analog Loop With INP-Design	Retail Residence and Business Dispatch
2W Analog Loop With INP-Non-Design	Retail Residence and Business - POTS Excluding Switch- Based Orders
• UNE Digital Loop < DS1	Retail Digital Loop < DS1
• UNE Digital Loop ≥ DS1	• Retail Digital Loop ≥ DS1
<ul> <li>UNE Loop + Port Combinations</li> <li>Dispatch In</li> <li>Switch Based</li> </ul>	Retail Residence and Business     Dispatch In     Switch Based
UNE Switch Ports	Retail Residence and Business (POTS)
UNE Combo Other	Retail Residence, Business and Design Dispatch
UNE xDSL (HDSL, ADSL and UCL)	ADSL Provided to Retail
UNE ISDN (Includes UDC)	Retail ISDN - BRI
UNE Line Sharing	ADSL Provided to Retail
UNE Other Design	Retail Design
UNE Other Non-Design	Retail Residence and Business
Local Transport (Unbundled Interoffice Transport)	Retail DS1/DS3 Interoffice



**Tennessee Performance Measurements** 

# SQM LEVEL of Disaggregation • Local Interconnection Trunks • Parity with Retail • UNE Line Splitting • ADSL to Retail • Retail DS1/DS3

#### **SEEM Measure**

SEEM Measure		
No	Tier I	
	Tier II	

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

#### P-2: Average Jeopardy Notice Interval & Percentage of Orders Given **Jeopardy Notices**

#### Definition

When BellSouth can determine in advance that a committed due date is in jeopardy for facility delay, it will provide advance notice to the CLEC.

The interval is from the date/time the notice is released to the CLEC/BellSouth systems until 5pm on the commitment date of the order. The Percent of Orders is the percentage of orders given jeopardy notices for facility delay in the count of orders confirmed in the report period.

#### **Exclusions**

- · Orders held for CLEC end user reasons
- Disconnect (D) & From (F) orders

#### **Business Rules**

When BellSouth can determine in advance that a committed due date is in jeopardy for facility delay, it will provide advance notice to the CLEC. The number of committed orders in a report period is the number of orders that have a due date in the reporting period. Jeopardy notices for interconnection trunks results are usually zero as these trunks seldom experience facility delays. The Committed due date is considered the Confirmed due date.

#### Calculation

Jeopardy Interval = a - b

- a = Date and Time of Jeopardy Notice
- b = Date and Time of Scheduled Due Date on Service Order

Average Jeopardy Interval =  $c \div d$ 

- c = Sum of all jeopardy intervals
- d = Number of Orders Notified of Jeopardy in Reporting Period

Percent of Orders Given Jeopardy Notice =  $(e \div f) \times 100$ 

- e = Number of Orders Given Jeopardy Notices in Reporting Period
- f = Number of Orders Confirmed (due) in Reporting Period)

#### **Report Structure**

- CLEC Specific
- · CLEC Aggregate
- BellSouth Aggregate
- Mechanized Orders
- · Non-Mechanized Orders
- · Dispatch/Non-Dispatch

#### **Data Retained**

Relating to CLEC Experience	Relating to BellSouth Performance
<ul> <li>Report Month</li> <li>CLEC Order Number and PON</li> <li>Date and Time Jeopardy Notice sent</li> <li>Committed Due Date</li> <li>Service Type</li> </ul>	<ul> <li>Report Month</li> <li>BellSouth Order Number</li> <li>Date and Time Jeopardy Notice sent</li> <li>Committed Due Date</li> <li>Service Type</li> </ul>
<b>Note:</b> Code in parentheses is the corresponding header found in the raw data file.	



#### **SQM Disaggregation - Analog/Benchmark**

SQM LEVEL of Disaggregation	SQM Analog/Benchmark
Resale Residence	Retail Residence
Resale Business	Retail Business
Resale Design	Retail Design
Resale PBX	Retail PBX
Resale Centrex	Retail Centrex
Resale ISDN	Retail ISDN
• LNP (Standalone)	Retail Residence and Business (POTS)
• INP (Standalone)	Retail Residence and Business (POTS)
2W Analog Loop Design	Retail Residence and Business Dispatch
2W Analog Loop Non-Design	Retail Residence and Business - POTS Excluding Switch- Based Orders
• 2W Analog Loop With LNP - Design	Retail Residence and Business Dispatch
• 2W Analog Loop With LNP- Non-Design	Retail Residence and Business - POTS Excluding Switch- Based Orders
2W Analog Loop With INP-Design	Retail Residence and Business Dispatch
• 2W Analog Loop With INP-Non-Design	Retail Residence and Business - POTS Excluding Switch- Based Orders
• UNE Digital Loop < DS1	• Retail Digital Loop < DS1
• UNE Digital Loop ≥ DS1	• Retail Digital Loop ≥ DS1
<ul> <li>UNE Loop + Port Combinations</li> <li>Dispatch In</li> <li>Switch Based</li> </ul>	Retail Residence and Business     Dispatch In     Switch Based
UNE Switch Ports	Retail Residence and Business (POTS)
UNE Combo Other	Retail Residence, Business and Design Dispatch
UNE xDSL (HDSL, ADSL and UCL)	ADSL Provided to Retail
UNE ISDN (Includes UDC)	Retail ISDN - BRI
UNE Line Sharing	ADSL Provided to Retail
UNE Other Design	Retail Design
UNE Other Non-Design	Retail Residence and Business
Local Transport (Unbundled Interoffice Transport)	Retail DS1/DS3 Interoffice
Local Interconnection Trunks	Parity with Retail
UNE Line Splitting	ADSL to Retail
• EELs	Retail DS1/DS3
Average Jeopardy Notice Interval (Electronic only)	• 95% >= 48 Hours

#### **SEEM Measure**

SEEM Measure			
No	Tier I		
	Tier II		



SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

(A) **BELLSO**UTH®

#### P-3: Percent Missed Initial Installation Appointments

#### (This metric was not ordered by FPSC)

#### Definition

"Percent missed initial installation appointments" monitors the reliability of BellSouth commitments with respect to committed due dates to assure that the CLEC can reliably quote expected due dates to their retail customer as compared to BellSouth. This measure is the percentage of total orders processed for which BellSouth is unable to complete the service orders on the committed due dates and reported for Total misses and End User Misses.

#### **Exclusions**

- · Canceled Service Orders
- Order Activities of BellSouth or the CLEC associated with internal or administrative use of local services (Record Orders, Listing Orders Test Orders, etc.)
- Disconnect (D) & From (F) orders
- · End User Misses

#### **Business Rules**

Percent Missed Initial Installation Appointments (PMI) is the percentage of orders with completion dates in the reporting period that are past the original committed due date. Missed Appointments caused by end-user reasons will be excluded and reported separately. The first commitment date on the service order that is a missed appointment is the missed appointment code used for calculation whether it is a BellSouth missed appointment or an End User missed appointment. The "due date" is any time on the confirmed due date. Which means there cannot be a cutoff time for commitments, as certain types of orders are requested to be worked after standard business hours. Also, during Daylight Savings Time, field technicians are scheduled until 9PM in some areas and the customer is offered a greater range of intervals from which to select.

#### Calculation

Percent Missed Installation Appointments =  $(a \div b) \times 100$ 

- a = Number of Orders with Completion date in Reporting Period past the Original Committed Due Date
- b = Number of Orders Completed in Reporting Period

#### **Report Structure**

- · CLEC Specific
- · CLEC Aggregate
- · BellSouth Aggregate
- Report in Categories of <10 lines/circuits ≥ 10 lines/circuits (except trunks)
- · Dispatch/Non-Dispatch

#### **Data Retained**

Relating to CLEC Experience	Relating to BellSouth Performance
Report month	Report month
CLEC Order Number and PON (PON)	BellSouth Order Number
Committed Due Date (DD)	Committed Due Date (DD)
Completion Date (CMPLTN DD)	Completion Date (CMPLTN DD)
Status Type	Status Type
Status Notice Date	Status Notice Date
Standard Order Activity	Standard Order Activity
Geographic Scope	Geographic Scope
<b>Note:</b> Code in parentheses is the corresponding header found in the raw data file.	

#### **SQM** Disaggregation - Analog/Benchmark

SQM LEVEL of Disaggregation	SQM Analog/Benchmark
Resale Residence	Retail Residence
Resale Business	Retail Business
Resale Design	Retail Design
Resale PBX	Retail PBX
Resale Centrex	Retail Centrex
Resale ISDN	Retail ISDN
LNP (Standalone)	Retail Residence and Business (POTS)
INP (Standalone)	Retail Residence and Business (POTS)
2W Analog Loop Design	Retail Residence and Business Dispatch
2W Analog Loop Non-Design	Retail Residence and Business - POTS Excluding Switch- Based Orders
2W Analog Loop With LNP - Design	Retail Residence and Business Dispatch
2W Analog Loop With LNP- Non-Design	Retail Residence and Business - POTS Excluding Switch- Based Orders
2W Analog Loop With INP-Design	Retail Residence and Business Dispatch
2W Analog Loop With INP-Non-Design	Retail Residence and Business - POTS Excluding Switch- Based Orders
UNE Digital Loop < DS1	• Retail Digital Loop < DS1
• UNE Digital Loop ≥ DS1	Retail Digital Loop ≥ DS1
UNE Loop + Port Combinations     Dispatch In     Switch Based	Retail Residence and Business     Dispatch In     Switch Based
UNE Switch Ports	Retail Residence and Business (POTS)
UNE Combo Other	Retail Residence, Business and Design Dispatch
UNE xDSL (HDSL, ADSL and UCL)     Without Conditioning     With Conditioning	ADSL Provided to Retail     Without Conditioning     With Conditioning (BellSouth does not offer this service to Retail)
UNE ISDN (Includes UDC)	Retail ISDN - BRI
UNE Line Sharing	ADSL Provided to Retail
UNE Other Design	Retail Design
UNE Other Non-Design	Retail Residence and Business
Local Transport (Unbundled Interoffice Transport)	Retail DS1/DS3 Interoffice
Local Interconnection Trunks	Parity with Retail
UNE Line Splitting	ADSL to Retail
• EELs	• Retail DS1/DS3

#### **SEEM Measure**

SEEM Measure		
No	Tier I	
	Tier II	

# P-3: Percent Missed Initial Installation Appointments

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable



# P-3A: Percent Missed Installation Appointments Including Subsequent Appointments

#### Definition

"Percent missed installation appointments" monitors the reliability of BellSouth commitments with respect to committed due dates to assure that the CLEC can reliably quote expected due dates to their retail customer as compared to BellSouth. This measure is the percentage of total orders processed for which BellSouth is unable to complete the service orders on the committed due dates and reported for Total misses and End User Misses.

#### **Exclusions**

- · Canceled Service Orders
- Order Activities of BellSouth or the CLEC associated with internal or administrative use of local services (Record Orders, Listing Orders Test Orders, etc.) Test order types may be C, N, R, or T.
- Disconnect (D) & From (F) orders
- End User Misses

#### **Business Rules**

Percent Missed Installation Appointments (PMI) is the percentage of orders with completion dates in the reporting period that are past the original committed due date. Missed Appointments caused by end-user reasons will be excluded and reported separately. The "due date" is the commitment time (if applicable) on the confirmed due date.

#### Calculation

**Percent Missed Installation Appointments** =  $(a \div b) \times 100$ 

- a = Number of Appointments in Reporting Period past the Original (Date/Time as applicable) Committed and Subsequent Committed Due Date
- b = Number of Appointments on Orders Completed in Reporting Period

#### **Report Structure**

- · CLEC Specific
- CLEC Aggregate
- · BellSouth Aggregate
- Report in Categories of <10 lines/circuits ≥ 10 lines/circuits (except trunks)
- · Dispatch/Non-Dispatch

#### **Data Retained**

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	Report Month
CLEC Order Number and PON (PON)	BellSouth Order Number
Committed Due Date (DD)	Committed Due Date (DD)
Completion Date (CMPLTN DD)	Completion Date (CMPLTN DD)
Status Type	Status Type
Status Notice Date	Status Notice Date
Standard Order Activity	Standard Order Activity
Geographic Scope	Geographic Scope
<b>Note:</b> Code in parentheses is the corresponding header found in the raw data file.	



#### **SQM** Disaggregation - Analog/Benchmark

SQM LEVEL of Disaggregation	SQM Analog/Benchmark
Resale Residence	Retail Residence
Resale Business	Retail Business
Resale Design	Retail Design
Resale PBX	Retail PBX
Resale Centrex	Retail Centrex
Resale ISDN	Retail ISDN
LNP (Standalone)	Retail Residence and Business (POTS)
INP (Standalone)	Retail Residence and Business (POTS)
2W Analog Loop Design	Retail Residence and Business Dispatch
2W Analog Loop Non-Design	Retail Residence and Business - POTS Excluding Switch- Based Orders
2W Analog Loop With LNP - Design	Retail Residence and Business Dispatch
2W Analog Loop With LNP- Non-Design	Retail Residence and Business - POTS Excluding Switch- Based Orders
2W Analog Loop With INP-Design	Retail Residence and Business Dispatch
2W Analog Loop With INP-Non-Design	Retail Residence and Business - POTS Excluding Switch- Based Orders
UNE Digital Loop < DS1	• Retail Digital Loop < DS1
• UNE Digital Loop ≥ DS1	Retail Digital Loop ≥ DS1
UNE Loop + Port Combinations     Dispatch In     Switch Based	Retail Residence and Business     Dispatch In     Switch Based
UNE Switch Ports	Retail Residence and Business (POTS)
UNE Combo Other	Retail Residence, Business and Design Dispatch
UNE xDSL (HDSL, ADSL and UCL)     Without Conditioning     With Conditioning	ADSL Provided to Retail     Without Conditioning     With Conditioning (BellSouth does not offer this service to Retail)
UNE ISDN (Includes UDC)	Retail ISDN - BRI
UNE Line Sharing	ADSL Provided to Retail
UNE Other Design	Retail Design
UNE Other Non-Design	Retail Residence and Business
Local Transport (Unbundled Interoffice Transport)	Retail DS1/DS3 Interoffice
Local Interconnection Trunks	Parity with Retail
UNE Line Splitting	ADSL to Retail
• EELs	• Retail DS1/DS3

#### **SEEM Measure**

SEEM Measure		
Yes	Tier I	X
	Tier II	X

SEEM Disaggregation	SEEM Analog/Benchmark
Resale Residence	Retail Residence
Resale Business	Retail Business
Resale Design	Retail Design
Resale PBX	Retail PBX
Resale Centrex	Retail Centrex
Resale ISDN	Retail ISDN
LNP (Standalone)	Retail Residence and Business (POTS)
INP (Standalone)	Retail Residence and Business (POTS)
2W Analog Loop Design	Retail Residence and Business Dispatch
2W Analog Loop Non-Design	Retail Residence and Business - POTS Excluding Switch- Based Orders
2W Analog Loop With LNP - Design	Retail Residence and Business Dispatch
2W Analog Loop With LNP- Non-Design	Retail Residence and Business - POTS Excluding Switch- Based Orders
2W Analog Loop With INP-Design	Retail Residence and Business Dispatch
2W Analog Loop With INP-Non-Design	Retail Residence and Business - POTS Excluding Switch- Based Orders
UNE Digital Loop < DS1	• Retail Digital Loop < DS1
• UNE Digital Loop ≥ DS1	• Retail Digital Loop ≥ DS1
UNE Loop + Port Combinations     Dispatch In     Switch Based	Retail Residence and Business     Dispatch In     Switch Based
UNE Switch Ports	Retail Residence and Business (POTS)
UNE Combo Other	Retail Residence, Business and Design Dispatch
UNE xDSL (HDSL, ADSL and UCL)     Without Conditioning     With Conditioning	ADSL Provided to Retail     Without Conditioning     With Conditioning (BellSouth does not offer this service to Retail)
UNE ISDN (Includes UDC)	Retail ISDN - BRI
UNE Line Sharing	ADSL Provided to Retail
Local Transport (Unbundled Interoffice Transport)	Retail DS1/DS3 Interoffice
Local Interconnection Trunks	Parity with Retail
UNE Line Splitting	ADSL Provided to Retail
UNE Other Design	Retail Design
UNE Other Non-Design	Retail Residence and Business
• EELs	Retail DS1/DS3



# P-4: Average Completion Interval (OCI) & Order Completion Interval Distribution

#### (This metric not ordered by the FPSC)

#### **Definition**

The "average completion interval" measure monitors the interval of time it takes BellSouth to provide service for the CLEC or its own customers. The "Order Completion Interval Distribution" provides the percentages of orders completed within certain time periods. This report measures how well BellSouth meets the interval offered to customers on service orders.

#### **Exclusions**

- · Canceled Service Orders
- Order Activities of BellSouth or the CLEC associated with internal or administrative use of local services (Record Orders, Listing Orders, Test Orders, etc.)
- Disconnect (D&F) orders (Except "D" orders associated with LNP Standalone)
- "L" Appointment coded orders (where the customer has requested a later than offered interval)
- · End user-caused misses

#### **Business Rules**

The actual completion interval is determined for each order processed during the reporting period. The completion interval is the elapsed time from when BellSouth issues a FOC or SOCS date time stamp receipt of an order from the CLEC to BellSouth's actual order completion date. The clock starts when a valid order number is assigned by SOCS and stops when the technician or system completes the order in SOCS. Elapsed time for each order is accumulated for each reporting dimension. The accumulated time for each reporting dimension is then divided by the associated total number of orders completed. Orders that are worked on zero due dates are calculated with a .33-day interval (8 hours) in order to report a portion of a day interval. These orders are issued and worked/completed on the same day. They can be either flow through orders (no field work-non-dispatched) or field orders (dispatched).

The interval breakout for UNE and Design is: 0-5 = 0 < 5, 5-10 = 5 < 10, 10-15 = 10 < 15, 15-20 = 15 < 20, 20-25 = 20 < 25, 25-30 = 25 < 30,  $\ge 30 = 30$  and greater.

#### Calculation

#### Completion Interval = (a - b)

- a = Completion Date
- b = FOC/SOCS date time-stamp (application date)

#### Average Completion Interval = $(c \div d)$

- c = Sum of all Completion Intervals
- d = Count of Orders Completed in Reporting Period

#### **Order Completion Interval Distribution** (for each interval) = $(e \div f) \times 100$

- e = Service Orders Completed in "X" days
- f = Total Service Orders Completed in Reporting Period

#### Report Structure

- · CLEC Specific
- CLEC Aggregate
- · BellSouth Aggregate
- Dispatch/Non-Dispatch categories applicable to all levels except trunks
- Residence & Business reported in day intervals = 0.1,3,4,5,5+
- UNE and Design reported in day intervals =0-5,5-10,10-15,15-20,20-25,25-30,≥ 30
- All Levels are reported <10 line/circuits; ≥ 10 line/circuits (except trunks)
- · ISDN Orders included in Non-Design



#### **Data Retained**

Relating to CLEC Experience	Relating to BellSouth Performance
<ul> <li>Report Month</li> <li>CLEC Company Name</li> <li>Order Number (PON)</li> <li>Application Date &amp; Time</li> <li>Completion Date (CMPLTN_DT)</li> <li>Service Type (CLASS_SVC_DESC)</li> <li>Geographic Scope</li> </ul>	<ul> <li>Report Month</li> <li>BellSouth Order Number</li> <li>Order Submission Date &amp; Time</li> <li>Order Completion Date &amp; Time</li> <li>Service Type</li> <li>Geographic Scope</li> </ul>
<b>Note:</b> Code in parentheses is the corresponding header found in the raw data file.	

SQM LEVEL of Disaggregation	SQM Analog/Benchmark
Resale Residence	Retail Residence
Resale Business	Retail Business
Resale Design	Retail Design
Resale PBX	Retail PBX
Resale Centrex	Retail Centrex
Resale ISDN	Retail ISDN
LNP (Standalone)	Retail Residence and Business (POTS)
INP (Standalone)	Retail Residence and Business (POTS)
2W Analog Loop Design	Retail Residence and Business Dispatch
2W Analog Loop Non-Design	Retail Residence and Business - POTS Excluding Switch- Based Orders
2W Analog Loop With LNP - Design	Retail Residence and Business Dispatch
2W Analog Loop With LNP- Non-Design	Retail Residence and Business - POTS Excluding Switch- Based Orders
2W Analog Loop With INP-Design	Retail Residence and Business Dispatch
2W Analog Loop With INP-Non-Design	Retail Residence and Business - POTS Excluding Switch- Based Orders
UNE Digital Loop < DS1	Retail Digital Loop < DS1
• UNE Digital Loop ≥ DS1	Retail Digital Loop ≤ DS1
<ul> <li>UNE Loop + Port Combinations</li> <li>Dispatch In</li> <li>Switch Based</li> </ul>	Retail Residence and Business     Dispatch In     Switch Based
UNE Switch Ports	Retail Residence and Business (POTS)
UNE Combo Other	Retail Residence, Business and Design Dispatch
UNE xDSL (HDSL, ADSL and UCL)     Without Conditioning     With Conditioning	- ≤ 5 Days - ≤ 12 Days
UNE ISDN (Includes UDC)	Retail ISDN - BRI
UNE Line Sharing	ADSL Provided to Retail
Local Transport (Unbundled Interoffice Transport)	Retail DS1/DS3 Interoffice
Local Interconnection Trunks	Parity with Retail

(A) BELLSOUTH®

SQM LEVEL of Disaggregation	SQM Analog/Benchmark
UNE Line Splitting	ADSL to Retail
UNE Other Design	Retail Design
UNE Other Non-Design	Retail Residence and Business
• EELs	• Retail DS1/DS3

#### **SEEM Measure**

SEEM Measure		
No	Tier I	
	Tier II	

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable



# P-4A: Average Order Completion and Completion Notice Interval (AOCCNI) Distribution

#### **Definition**

The "Order Completion And Completion Notice Interval Distribution" provides the percentages of orders completed within certain time periods. This report measures how well BellSouth meets the interval offered to customers and notice of completion to the CLEC on service orders.

#### **Exclusions**

- · Canceled Service Orders
- Order Activities of BellSouth or the CLEC associated with internal or administrative use of local services (Record Orders, Listing Orders, Test Orders, etc.) Test order types may be C, N, R, or T.
- Disconnect (D&F) orders (Except "D" orders associated with LNP Standalone)
- "L" Appointment coded orders (where the customer has requested a later than offered interval)
- · End user-caused misses

#### **Business Rules**

The interval is determined for each order processed during the reporting period. The completion interval for AOCCNI is the elapsed time from when BellSouth issues a FOC or SOCS date time stamp receipt of an order from the CLEC to BellSouth's return of the completion notice (CN) to the CLEC. Elapsed time for each order is accumulated for each reporting dimension. The accumulated time for each reporting dimension is then divided by the associated total number of orders completed. Orders that are worked on zero due dates are calculated with a .33-day interval (8 hours) in order to report a portion of a day interval. These orders are issued and worked/completed on the same day. They can be either flow through orders (no field work-non-dispatched) or field orders (dispatched).

The interval breakout for UNE and Design is: 0.5 = 0.< 5, 5.10 = 5.<10, 10.15 = 10.< 15, 15.20 = 15.< 20, 20.25 = 20.< 25, 25.30 = 25.< 30,  $\ge 30 = 30$  and greater.

#### Calculation

Completion Interval = (a - b)

- a = Date and Time Completion Notice is sent
- b = FOC/SOCS date time-stamp (application date)

Average Completion Interval =  $(c \div d)$ 

- c = Sum of all Completion Intervals
- d = Count of Orders Completed in Reporting Period

Order Completion Interval Distribution (for each interval) =  $(e \div f) \times 100$ 

- e = Service Orders Completed in "X" days
- f = Total Service Orders Completed in Reporting Period

#### Report Structure

- · CLEC Specific
- CLEC Aggregate
- · BellSouth Aggregate
- Dispatch/Non-Dispatch categories applicable to all levels except trunks
- Residence & Business reported in day intervals = 0,1,2,3,4,5,5+
- UNE and Design reported in day intervals = 0-5, 5-10, 10-15, 15-20, 20-25, 25-30,  $\geq$  30
- All Levels are reported <10 line/circuits; ≥ 10 line/circuits (except trunks)
- · ISDN Orders included in Non-Design
- Mechanized/Non-Mechanized (Non-Mechanized is not applicable to BellSouth)

#### **Data Retained**

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month  CLEC Company Name  Order Number (PON)  Application Date & Time  Completion Date (CMPLTN_DT)  Service Type (CLASS_SVC_DESC)  Geographic Scope	<ul> <li>Report Month</li> <li>BellSouth Order Number</li> <li>Order Submission Date &amp; Time</li> <li>Order Completion Date &amp; Time</li> <li>Service Type</li> <li>Geographic Scope</li> </ul>
<b>Note:</b> Code in parentheses is the corresponding header found in the raw data file.	

SQM Level of Disaggregation	SQM Analog/Benchmark
Resale Residence	Retail Residence
Resale Business	Retail Business
Resale Design	Retail Design
Resale PBX	Retail PBX
Resale Centrex	Retail Centrex
Resale ISDN	Retail ISDN
LNP (Standalone)	Retail Residence and Business (POTS)
INP (Standalone)	Retail Residence and Business (POTS)
2W Analog Loop Design	Retail Residence and Business Dispatch
2W Analog Loop Non-Design	Retail Residence and Business - POTS Excluding Switch- Based Orders
2W Analog Loop With LNP - Design	Retail Residence and Business Dispatch
2W Analog Loop With LNP- Non-Design	Retail Residence and Business - POTS Excluding Switch- Based Orders
2W Analog Loop With INP-Design	Retail Residence and Business Dispatch
2W Analog Loop With INP-Non-Design	Retail Residence and Business - POTS Excluding Switch- Based Orders
UNE Digital Loop < DS1	Retail Digital Loop < DS1
• UNE Digital Loop ≥ DS1	• Retail Digital Loop ≤ DS1
UNE Loop + Port Combinations     Dispatch In     Switch Based	Retail Residence and Business     Dispatch In     Switch Based
UNE Switch Ports	Retail Residence and Business (POTS)
UNE Combo Other	Retail Residence, Business and Design Dispatch
UNE xDSL (HDSL, ADSL and UCL)     Without Conditioning     With Conditioning	- ≤ 5 Days - ≤ 12 Days
UNE ISDN (Includes UDC)	Retail ISDN - BRI
UNE Line Sharing	ADSL Provided to Retail
Local Transport (Unbundled Interoffice Transport)	Retail DS1/DS3 Interoffice
Local Interconnection Trunks	Parity with Retail

(A) BELLSOUTH®


SQM Level of Disaggregation	SQM Analog/Benchmark
UNE Line Splitting	ADSL to Retail
UNE Other Design	Retail Design
UNE Other Non-Design	Retail Residence and Business
• EELs	• Retail DS1/DS3

#### **SEEM Measure**

SEEM Measure		
Yes	Tier I	X
	Tier II	X

SEEM Disaggregation	SEEM Analog/Benchmark
Resale Residence	Retail Residence
Resale Business	Retail Business
Resale Design	Retail Design
• Resale PBX	Retail PBX
Resale Centrex	Retail Centrex
Resale ISDN	Retail ISDN
LNP (Standalone)	Retail Residence and Business (POTS)
• INP (Standalone)	Retail Residence and Business (POTS)
2W Analog Loop Design	Retail Residence and Business Dispatch
2W Analog Loop Non-Design	Retail Residence and Business - POTS Excluding Switch- Based Orders
• 2W Analog Loop With LNP - Design	Retail Residence and Business Dispatch
2W Analog Loop With LNP- Non-Design	Retail Residence and Business - POTS Excluding Switch- Based Orders
2W Analog Loop With INP-Design	Retail Residence and Business Dispatch
2W Analog Loop With INP-Non-Design	Retail Residence and Business - POTS Excluding Switch- Based Orders
UNE Digital Loop < DS1	Retail Digital Loop < DS1
• UNE Digital Loop ≥ DS1	Retail Digital Loop ≤ DS1
<ul> <li>UNE Loop + Port Combinations</li> <li>Dispatch In</li> <li>Switch Based</li> </ul>	Retail Residence and Business     Dispatch In     Switch Based
UNE Switch Ports	Retail Residence and Business (POTS)
UNE Combo Other	Retail Residence, Business and Design Dispatch
UNE xDSL (HDSL, ADSL and UCL)     Without Conditioning     With Conditioning	- ≤ 5 Days - ≤ 12 Days
UNE ISDN (Includes UDC)	Retail ISDN - BRI
UNE Line Sharing	ADSL Provided to Retail
Local Transport (Unbundled Interoffice Transport)	Retail DS1/DS3 Interoffice

(A) BELLSOUTH®



# P-5: Average Completion Notice Interval

#### **Definitions**

The Completion Notice Interval is the elapsed time between the BellSouth reported completion of work and the issuance of a valid completion notice to the CLEC.

#### **Exclusions**

- · Cancelled Service Orders
- Order Activities of BellSouth or the CLEC associated with internal or administrative use of local services (Record Orders, Listing Orders, Test Orders, etc.) Test order types may be C, N, R, or T.
- D&F orders (Exception: "D" orders associated with LNP Standalone)

#### **Business Rules**

Measurement on interval of completion date and time entered by a field technician on dispatched orders, and 5PM start time on the due date for non-dispatched orders; to the release of a notice to the CLEC/BellSouth of the completion status. The field technician notifies the CLEC the work was complete and then he/she enters the completion time stamp information in his/her computer. This information switches through to the SOCS systems either completing the order or rejecting the order to the Work Management Center (WMC). If the completion is rejected, it is manually corrected and then completed by the WMC. The notice is returned on each individual order.

The start time for all orders is the completion stamp either by the field technician or the 5PM due date stamp; the end time for mechanized orders is the time stamp the notice was transmitted to the CLEC interface (LENS, EDI, OR TAG). For non-mechanized orders the end time will be date and timestamp of order update from the FAX record via LON or C-SOTS system.

#### Calculation

Completion Notice Interval = (a - b)

- a = Date and Time of Notice of Completion
- b = Date and Time of Work Completion

Average Completion Notice Interval =  $c \div d$ 

- c = Sum of all Completion Notice Intervals
- d = Number of Orders with Notice of Completion in Reporting Period

#### Report Structure

- · CLEC Specific
- · CLEC Aggregate
- · BellSouth Aggregate
- · Mechanized Orders
- · Non-Mechanized Orders
- · Dispatch/Non-Dispatch
- Reporting intervals in Hours; 0,1-2,2-4,4-8,8-12,12-24, ≥ 24 plus Overall Average Hour Interval (The categories are inclusive of these time intervals: 0-1 = 0.99; 1-2 = 1-1.99; 2-4 = 2-3.99, etc.)
- Reported in categories of <10 line / circuits;  $\ge 10$  line/circuits (except trunks)

(A) BELLSOUTH®

#### **Data Retained**

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	Report Month
• CLEC Order Number (so_nbr)	BellSouth Order Number (so_nbr)
<ul> <li>Work Completion Date (cmpltn_dt)</li> </ul>	Work Completion Date (cmpltn_dt)
Work Completion Time	Work Completion Time
Completion Notice Availability Date	Completion Notice Availability Date
Completion Notice Availability Time	Completion Notice Availability Time
Service Type	Service Type
Geographic Scope	Geographic Scope
<b>Note:</b> Code in parentheses is the corresponding header found in the raw data file.	<b>NOTE:</b> Code in parentheses is the corresponding header found in the raw data file.

SQM LEVEL of Disaggregation	SQM Analog/Benchmark
Resale Residence	Retail Residence
Resale Business	Retail Business
Resale Design	Retail Design
Resale PBX	Retail PBX
Resale Centrex	Retail Centrex
Resale ISDN	Retail ISDN
LNP (Standalone)	Retail Residence and Business (POTS)
INP (Standalone)	Retail Residence and Business (POTS)
2W Analog Loop Design	Retail Residence and Business Dispatch
2W Analog Loop Non-Design	Retail Residence and Business - POTS Excluding Switch- Based Orders
2W Analog Loop With LNP - Design	Retail Residence and Business Dispatch
2W Analog Loop With LNP- Non-Design	Retail Residence and Business - POTS Excluding Switch- Based Orders
2W Analog Loop With INP-Design	Retail Residence and Business Dispatch
2W Analog Loop With INP-Non-Design	Retail Residence and Business - POTS Excluding Switch- Based Orders
UNE Digital Loop < DS1	Retail Digital Loop < DS1
• UNE Digital Loop ≥ DS1	Retail Digital Loop ≤ DS1
UNE Loop + Port Combinations     Dispatch In     Switch Based	Retail Residence and Business     Dispatch In     Switch Based
UNE Switch Ports	Retail Residence and Business (POTS)
UNE Combo Other	Retail Residence, Business and Design Dispatch
UNE xDSL (HDSL, ADSL and UCL)	ADSL Provided to Retail
UNE ISDN (Includes UDC)	Retail ISDN - BRI
UNE Line Sharing	ADSL Provided to Retail
Local Transport (Unbundled Interoffice Transport)	Retail DS1/DS3 Interoffice
Local Interconnection Trunks	Parity with Retail



SQM LEVEL of Disaggregation	SQM Analog/Benchmark
UNE Line Splitting	ADSL to Retail
UNE Other Design	Retail Design
UNE Other Non-Design	Retail Residence and Business
• EELs	• Retail DS1/DS3

#### **SEEM Measure**

SEEM Measure		
No	Tier I	
	Tier II	

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

(A) **BELLSO**UTH®

# P-6: % Completions/Attempts without Notice or < 24 hours Notice

#### **Definition**

The purpose of this measure is to report if BellSouth is returning a FOC to the CLEC in time for the CLEC to notify their customer of

#### **Exclusions**

- · Cancelled Orders
- Expedited Orders
- "0" dated orders or any request where the subscriber requested an earlier due date of < 24 hours prior to the original commitment date, or any LSR received < 24 hours prior to the original commitment date.

#### **Business Rules**

#### For CLEC Results:

Calculation would exclude any successful or unsuccessful service delivery where the CLEC was informed at least 24 hours in advance. BellSouth may also exclude from calculation any LSRs received from the requesting CLEC with less than 24 hour notice prior to the commitment date.

#### For BellSouth Results:

BellSouth does not provide a FOC to its retail customers.

#### Calculation

Percent Completions or Attempts without Notice or with Less Than 24 Hours Notice =  $(a \div b) \times 100$ 

- a = Completion Dispatches (Successful and Unsuccessful) With No FOC or FOC Received < 24 Hours of Original Committed Due Date
- b = All Completions

#### **Report Structure**

- · CLEC Specific
- · CLEC Aggregate
- · Dispatch /Non-Dispatch
- Total Orders FOC < 24 Hours
- Total Completed Service Orders
- % FOC < 24 Hours

#### **Data Retained**

Relating to CLEC Experience	Relating to BellSouth Performance
Committed Due Date (DD)     FOC End Timestamp	Not Applicable
<ul><li>Report Month</li><li>CLEC Order Number and PON</li></ul>	
Geographic Scope     State / Region	

# **SQM** Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
Resale Residence	• <= 5%
Resale Business	
Resale Design	
Resale PBX	
Resale Centrex	
Resale ISDN	
• LNP (Standalone)	
• INP (Standalone)	
2W Analog Loop Design	
2W Analog Loop Non-Design	
2W Analog Loop Design With LNP	
• 2W Analog Loop Non-Design With LNP	
2W Analog Loop Design With INP	
2W Analog Loop Non-Design With INP	
• UNE Digital Loop < DS1	
• UNE Digital Loop ≥DS1	
UNE Loop + Port Combinations	
- Dispatch In	
- Switch Based	
• UNE Switch ports	
UNE Combo Other	
• UNE xDSL (HDSL, ADSL and UCL)	
UNE ISDN (Includes UDC)	
UNE Line Sharing	
UNE Line Splitting	
Local Transport (Unbundled Interoffice Transport)	
Local Interconnection Trunks	
• EELS	

#### **SEEM Measure**

SEEM Measure		
No	Tier I	
	Tier II	

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable



### P-7: Coordinated Customer Conversions Interval

#### Definition

This report measures the average time it takes BellSouth to disconnect an unbundled loop from the BellSouth switch and cross connect it to CLEC equipment. This measurement applies to service orders with INP and LNP, and where the CLEC has requested BellSouth to provide a coordinated cutover.

#### **Exclusions**

- Any order canceled by the CLEC will be excluded from this measurement.
- Delays due to CLEC following disconnection of the unbundled loop
- Unbundled Loops where there is no existing subscriber loop and loops where coordination is not requested.

#### **Business Rules**

Where the service order includes LNP, the interval includes the total time for the cutover including the translation time to place the line back in service on the ported line. When the service order includes INP, the interval includes the total time for the cutover including the translation time to place the link back in service on the ported line. The interval is calculated for the entire cutover time for the service order and then divided by items worked in that time to give the average per-item interval for each service order.

#### Calculation

**Coordinated Customer Conversions Interval** = (a - b)

- a = Completion Date and Time for Cross Connection of a Coordinated Unbundled Loop
- b = Disconnection Date and Time of an Coordinated Unbundled Loop

**Percent Coordinated Customer Conversions** (for each interval) =  $(c \div d) \times 100$ 

- c = Total number of Coordinated Customer Conversions for each interval
- d = Total Number of Unbundled Loop with Coordinated Conversions (items) for the reporting period

#### Report Structure

- · CLEC Specific
- · CLEC Aggregate
- The interval breakout is  $0-5 = 0-\le 5$ ,  $5-15 = >5-\le 15$ ,  $\ge 15 = 15$  and greater, plus Overall Average Interval.

#### **Data Retained**

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	No BellSouth Analog Exists
CLEC Order Number	
Committed Due Date (DD)	
Service Type (CLASS_SVC_DESC)	
Cutover Start Time	
Cutover Completion time	
Portability Start and Completion Times (INP orders)	
Total Conversions (Items)	
<b>Note:</b> Code in parentheses is the corresponding header found in the raw data file.	

SQM Level of Disaggregation	SQM Analog/Benchmark	Ì
Unbundled Loops with INP	• 95% ≤ 15 minutes	1
Unbundled Loops with LNP	• 95% ≤ 15 minutes	ì

#### **SEEM Measure**

SEEM Measure		
Yes	Tier I	X
	Tier II	X

SEEM Disaggregation	SEEM Analog/Benchmark
<ul><li>Unbundled Loops With INP</li><li>Unbundled Loops With LNP</li></ul>	<ul> <li>95% ≤ 15 minutes</li> <li>95% ≤ 15 minutes</li> </ul>

(A) **BELLSOUTH** \*

# P-7A: Coordinated Customer Conversions – Hot Cut Timeliness % Within Interval and Average Interval

#### **Definition**

This category measures whether BellSouth begins the cutover of an unbundled loop on a coordinated and/or a time specific order at the CLEC requested start time. It measures the percentage of orders where the cut begins within 15 minutes of the requested start time of the order and the average interval.

#### **Exclusions**

- Any order canceled by the CLEC will be excluded from this measurement.
- Delays caused by the CLEC
- Unbundled Loops where there is no existing subscriber loop and loops where coordination is not requested.
- All unbundled loops on multiple loop orders after the first loop.

#### **Business Rules**

This report measures whether BellSouth begins the cutover of an unbundled loop on a coordinated and/or a time specific order at the CLEC requested start time. The cut is considered on time if it starts 15 minutes before or after the requested start time. Using the scheduled time and the actual cutover start time, the measurement will calculate the percent within interval and the average interval. If a cut involves multiple lines, the cut will be considered "on time" if the first line is cut within the interval. ≤ 15 minutes includes intervals that began 15:00 minutes or less before the scheduled cut time and cuts that began 15 minutes or less after the scheduled cut time; >15 minutes, ≤30 minutes includes cuts within 15:00 – 30:00 minutes either prior to or after the scheduled cut time; >30 minutes includes cuts greater than 30:00 minutes either prior to or after the scheduled cut time. If IDLC is involved, a four hour window applies to the start time. (8 A.M. to Noon or 1 P.M. to 5 P.M.) This only applies if BellSouth notifies the CLEC by 10:30 A.M. on the day before the due date that the service is on IDLC.

A Hot Cut is considered complete when one of the following occurs:

- BellSouth performs the hot cut, notifies the CLEC by telephone.
- BellSouth performs the hot cut and attempts to notify the CLEC by telephone, but receives no answer and leaves a phone message.

#### Calculation

% within Interval =  $(a \div b) \times 100$ 

- a = Total Number of Coordinated Unbundled Loop Orders for the interval
- b = Total Number of Coordinated Unbundled Loop Orders for the reporting period

Interval = (c - d)

- c = Scheduled Time for Cross Connection of a Coordinated Unbundled Loop Order
- d = Actual Start Date and Time of a Coordinated Unbundled Loop Order

Average Interval =  $(e \div f)$ 

- · Sum of all Intervals
- Total Number of Coordinated Unbundled Loop Orders for the reporting period.

#### **Report Structure**

- · CLEC Specific
- · CLEC Aggregate

Reported in intervals of early, on time and late cuts % ≤ 15 minutes; % > 15 minutes, ≤30 minutes; % > 30 minutes, plus Overall Average Interval

(A) BELLSOUTH®

#### **Data Retained**

Relating to CLEC Experience	Relating to BellSouth Performance
<ul> <li>Report Month</li> <li>CLEC Order Number (so_nbr)</li> <li>Committed Due Date (DD)</li> <li>Service Type (CLASS_SVC_DESC)</li> <li>Cutover Scheduled Start Time</li> <li>Cutover Actual Start Time</li> <li>Total Conversions Orders</li> </ul>	No BellSouth Analog exists
<b>Note:</b> Code in parentheses is the corresponding header found in the raw data file.	

# **SQM** Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
<ul> <li>Product Reporting Level</li> <li>SL1 Time Specific</li> <li>SL1 Non-Time Specific</li> <li>SL2 Time Specific</li> <li>SL2 Non-Time Specific</li> </ul>	95% Within + or – 15 Minutes of Scheduled Start Time
- SL1 IDLC - SL2 IDLC	• 95% Within 4-hour Window

#### **SEEM Measure**

SEEM Measure		
Yes	Tier I	X
	Tier II	X

SEEM Disaggregation	SEEM Analog/Benchmark
- SL1 Time Specific - SL1 Non-Time Specific - SL2 Time Specific - SL2 Non-Time Specific	• 95% Within + or – 15 Minutes of Scheduled Start Time
- SL1 IDLC - SL2 IDLC	• 95% Within 4-hour Window

🕮 **BELL**SOUTH

# P-7B: Coordinated Customer Conversions – Average Recovery Time

#### Definition

Measures the time between notification and resolution by BellSouth of a service outage found that can be isolated to the BellSouth side of the network. The time between notification and resolution by BellSouth must be measured to ensure that CLEC customers do not experience unjustifiable lengthy service outages during a Coordinated Customer Conversion. This report measures outages associated with Coordinated Customer Conversions prior to service order completion.

#### **Exclusions**

- Cutovers where service outages are due to CLEC caused reasons when the CLEC agrees
- Cutovers where service outages are due to end-user caused reasons when the CLEC agrees

#### **Business Rules**

Measures the outage duration time related to Coordinated Customer Conversions from the initial trouble notification until the trouble has been restored and the CLEC has been notified. The duration time is defined as the time from the initial trouble notification until the trouble has been restored and the CLEC has been notified. The interval is calculated on the total outage time for the circuits divided by the total number of outages restored during the report period to give the average outage duration.

#### Calculation

**Recovery Time** = (a - b)

- a = Date & Time That Trouble is Closed by CLEC
- b = Date & Time Initial Trouble is Opened with BellSouth

Average Recovery Time =  $(c \div d)$ 

- c = Sum of all the Recovery Times
- d = Number of Troubles Referred to the BellSouth

#### **Report Structure**

- · CLEC Specific
- · CLEC Aggregate

#### **Data Retained**

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	• None
CLEC Company Name	
CLEC Order Number (so_nbr)	
• Committed Due Date (DD)	
Service Type (CLASS_SVC_DESC)	
CLEC Acceptance Conflict (CLEC_CONFLICT)	
CLEC Conflict Resolved (CLEC_CON_RES)	
CLEC Conflict MFC (CLEC_CONFLICT_MFC)	
Total Conversion Orders	
<b>Note:</b> Code in parentheses is the corresponding header found in the raw data file.	

SQM Level of Disaggregation	SQM Analog/Benchmark
<ul><li> Unbundled Loops with INP</li><li> Unbundled Loops with LNP</li></ul>	Diagnostic (To Be Established at The 6 Month Review Period)

#### **SEEM Measure**

SEEM Measure		
No	Tier I	
	Tier II	

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable



# P-7C: Hot Cut Conversions - % Provisioning Troubles Received Within 7 days of a completed Service Order

#### Definition

The Percent Provisioning Troubles received within 7 days of a completed service order associated with a Hot Cut Conversion (CCC) measures the quality and accuracy of Coordinated Customer Conversion Activities.

#### **Exclusions**

- · Any order canceled by the CLEC
- Troubles caused by Customer Provided Equipment

#### **Business Rules**

Measures the quality and accuracy of completed service orders associated with Coordinated and Non-coordinated Customer Conversions. The first trouble report received on a circuit ID within 7 days following a service order completion is counted in this measure. Subsequent trouble reports are measured in Repeat Report Rate. Reports are calculated searching in the prior report period for completed Coordinated Customer Conversion service orders and following 7 days after the completion of the service order for a trouble report issue date.

#### Calculation

% Provisioning Troubles within 7 days of service order completion =  $(a \div b) \times 100$ 

- a = The sum of all CCC Circuits with a trouble within 7 days following service order(s) completion
- b = The total number of CCC service order circuits completed in the previous report calendar month

#### **Report Structure**

- · CLEC Specific
- CLEC Aggregate
- · Dispatch/Non-Dispatch

#### **Data Retained**

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	No BellSouth Analog exists
CLEC Order Number (so_nbr)	
• PON	
Order Submission Date (TICKET_ID)	
Order Submission Time (TICKET_ID)	
Status Type	
Status Notice Date	
Standard Order Activity	
Geographic Scope	
Total Conversion Circuits	
<b>Note:</b> Code in parentheses is the corresponding header	
found in the raw data file.	

SQM Level of Disaggregation	SQM Analog/Benchmark
<ul><li> UNE Loop Design</li><li> UNE Loop Non-Design</li></ul>	• ≤ 5% (To be reviewed after six month period)

#### **SEEM Measure**

SEEM Measure		
Yes	Tier I	X
	Tier II	X

SEEM Disaggregation	SEEM Analog/Benchmark
<ul><li> UNE Loop Design</li><li> UNE Loop Non-Design</li></ul>	• ≤ 5% (To be reviewed after six month period)

(A) **BELLSO**UTH®

# P-8: Cooperative Acceptance Testing - % of xDSL Loops Successfully Tested

#### **Definition**

A loop will be considered successfully cooperatively tested when both the CLEC and ILEC representatives agree that the loop has passed the cooperative testing.

#### **Exclusions**

- Testing failures due to CLEC (incorrect contact number, CLEC not ready, etc.)
- xDSL lines with no request for cooperative testing

#### **Business Rules**

When a BellSouth technician finishes delivering an order for an xDSL loop where the CLEC order calls for cooperative testing at the customer's premise, the BellSouth technician is to call a toll free number to the CLEC testing center. The BellSouth technician and the CLEC representative at the center then test the line. As an example of the type of testing performed, the testing center may ask the technician to put a short on the line so that the center can run a test to see if it can identify the short. CLEC caused failures will be captured in the raw data files.

#### Calculation

Cooperative Acceptance Testing - % of xDSL Loops Successfully Tested =  $(a \div b) \times 100$ 

- a = Total number of successful xDSL cooperative tests for xDSL lines where cooperative testing was requested in the reporting period
- b = Total Number of xDSL line tests requested by the CLEC and scheduled in the reporting period

#### Report Structure

- · CLEC Specific
- CLEC Aggregate
- · Type of Loop tested

#### **Data Retained**

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month  CLEC Company Name (OCN)  CLEC Order Number (so_nbr) and PON (PON)  Committed Due Date (DD)  Service Type (CLASS_SVC_DESC)  Acceptance Testing Completed (ACCEPT_TESTING)  Acceptance Testing Declined (ACCEPT_TESTING)  Total xDSL Orders	No BellSouth Analog Exists
Missed Appointments Code (SO_MISSED_CMMT_CD)	
<b>Note</b> : Code in parentheses is the corresponding header found in the raw data file.	

#### **SQM** Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
• UNE xDSL - ADSL - HDSL - UCL - OTHER	95% of Lines Successfully Tested

Version 1.00 3-33 Issue Date: December 1, 2002

#### **SEEM Measure**

SEEM Measure		
Yes	Tier I	X
	Tier II	X

SEEM Disaggregation	SEEM Analog/Benchmark
• UNE xDSL	95% of Lines Successfully Tested
- ADSL	
- HDSL	
- UCL	
- Other	



# P-9: % Provisioning Troubles within 30 days of Service Order Completion

#### Definition

Percent Provisioning Troubles within 30 days of Service Order Completion measures the quality and accuracy of Service order activities.

#### **Exclusions**

- · Canceled Service Orders
- Order Activities of BellSouth or the CLEC associated with internal or administrative use of local services (Record Orders, Listing Orders, Test Orders, etc.) Test order types may be C, N, R, or T.
- D & F orders
- Trouble reports caused and closed out to Customer Provided Equipment (CPE)

#### **Business Rules**

Measures the quality and accuracy of completed orders. The first trouble report from a service order after completion is counted in this measure. Subsequent trouble reports are measured in Repeat Report Rate. Reports are calculated searching in the prior report period for completed service orders and following 30 days after completion of the service order for a trouble report issue date.

D & F orders are excluded as there is no subsequent activity following a disconnect.

Note: Standalone LNP historical data is not available in the maintenance systems (LMOS or WFA).

#### Calculation

% Provisioning Troubles within 30 days of Service Order Activity =  $(a \div b) \times 100$ 

- a = Trouble reports on all completed orders 30 days following service order(s) completion
- b = All Service Orders completed in the previous report calendar month

#### **Report Structure**

- · CLEC Specific
- CLEC Aggregate
- BellSouth Aggregate
- Reported in categories of <10 line/circuits; ≥ 10 line/circuits (except trunks)
- Dispatch /Non-Dispatch (except trunks)

#### **Data Retained**

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	Report Month
CLEC Order Number and PON	BellSouth Order Number
Order Submission Date (TICKET_ID)	Order Submission Date
Order Submission Time (TICKET_ID)	Order Submission Time
Status Type	Status Type
Status Notice Date	Status Notice Date
Standard Order Activity	Standard Order Activity
Geographic Scope	Geographic Scope
<b>Note:</b> Code in parentheses is the corresponding header found in the raw data file.	

SQM LEVEL of Disaggregation	SQM Analog/Benchmark
Resale Residence	Retail Residence

(A) BELLSOUTH®

SQM Analog/Benchmark
Retail business
Retail Design
Retail PBX
Retail Centrex
Retail ISDN
Retail Residence and Business (POTS)
Retail Residence and Business (POTS)
Retail Residence and Business Dispatch
Retail Residence and Business - (POTS Excluding Switch- Based Orders)
Retail Residence and Business Dispatch
Retail Residence and Business - (POTS Excluding Switch- Based Orders)
Retail Residence and Business Dispatch
Retail Residence and Business (POTS - Excluding Switch- Based Orders)
• Retail Digital Loop < DS1
• Retail Digital Loop ≥ DS1
ADSL provided to Retail
Retail ISDN BRI
ADSL Provided to Retail
<ul><li>Retail Residence and Business</li><li>Dispatch In</li><li>Switch-Based</li></ul>
Retail Residence and Business (POTS)
Retail Residence, Business and Design Dispatch (Including Dispatch Out and Dispatch In)
Retail DS1/DS3 Interoffice
Retail Residence and Business
Retail Design
Parity with Retail
ADSL to Retail
• Retail DS1/DS3

#### **SEEM Measure**

SEEM Measure		
Yes	Tier I	X
	Tier II	X



SEEM Disaggregation	SEEM Analog/Benchmark
Resale Residence	Retail Residence
Resale Business	Retail business
Resale Design	Retail Design
Resale PBX	Retail PBX
Resale Centrex	Retail Centrex
Resale ISDN	Retail ISDN
LNP (Standalone)	Retail Residence and Business (POTS)
INP (Standalone)	Retail Residence and Business (POTS)
2W Analog Loop Design	Retail Residence and Business Dispatch
2W Analog Loop Non-Design	Retail Residence and Business - (POTS Excluding Switch- Based Orders)
2W Analog Loop With LNP Design	Retail Residence and Business Dispatch
2W Analog Loop With LNP Non-Design	Retail Residence and Business - (POTS Excluding Switch- Based Orders)
2W Analog Loop With INP Design	Retail Residence and Business Dispatch
2W Analog Loop With INP Non-Design	Retail Residence and Business (POTS - Excluding Switch- Based Orders)
UNE Digital Loop < DS1	Retail Digital Loop < DS1
• UNE Digital Loop ≥ DS1	Retail Digital Loop ≥ DS1
UNE Loop + Port Combinations     Dispatch In     Switch-Based	Retail Residence and Business     Dispatch In     Switch-Based
UNE Switch Ports	Retail Residence and Business (POTS)
UNE Combo Other	Retail Residence, Business and Design Dispatch (Including Dispatch Out and Dispatch In)
UNE xDSL (HDSL, ADSL and UCL)	ADSL provided to Retail
UNE ISDN (Includes UDC)	Retail ISDN BRI
UNE Line Sharing	ADSL Provided to Retail
Local Transport (Unbundled Interoffice Transport)	Retail DS1/DS3 Interoffice
Local Interconnection Trunks	Parity with Retail
UNE Line Splitting	ADSL Provided to Retail
UNE Other Non-Design	Retail Residence and Business
UNE Other Design	Retail Design
• EELs	• Retail DS1/DS3

(A) **BELLSOUTH** \*

# P-10: Total Service Order Cycle Time (TSOCT)

#### Definition

This report measures the total service order cycle time from receipt of a valid service order request to the return of a completion notice to the CLEC Interface.

#### **Exclusions**

- · Canceled Service Orders
- Order Activities of BellSouth or the CLEC associated with internal or administrative use of local services (Record Orders, Listing Orders, Test Orders, etc.) Test order types may be C, N, R, or T.
- D (Disconnect Except "D" orders associated with LNP Standalone.) and F (From) orders. (From is disconnect side of a move order when the customer moves to a new address).
- "L" Appointment coded orders (where the customer has requested a later than offered interval)
- Orders with CLEC/Subscriber caused delays or CLEC/Subscriber requested due date changes.

#### **Business Rules**

The interval is determined for each order processed during the reporting period. This measurement combines three reports: FOC Timeliness, Average Order Completion Interval and Average Completion Notice Interval.

This interval starts with the receipt of a valid service order request and stops when a completion notice is sent to the CLEC Interface (LENS, TAG OR EDI). Elapsed time for each order is accumulated for each reporting dimension. The accumulated time for each reporting dimension is then divided by the associated total number of orders completed. Orders that are worked on zero due dates are calculated with a .33 day interval (8 hours) in order to report a portion of a day interval. These orders are issued and worked/completed on same day. They can be either flow through orders (no field work-non-dispatched) or field orders (dispatched).

Reporting is by Fully Mechanized, Partially Mechanized and Non-Mechanized receipt of LSRs.

#### Calculation

Total Service Order Cycle Time = (a - b)

- a = Service Order Completion Notice Date
- b = Service Request Receipt Date

Average Total Service Order Cycle Time =  $(c \div d)$ 

- c = Sum of all Total Service Order Cycle Times
- d = Total Number Service Orders Completed in Reporting Period

Total Service Order Cycle Time Interval Distribution (for each interval) =  $(e \div f) \times 100$ 

- e = Total Number of Service Requests Completed in "X" minutes/hours
- f = Total Number of Service Requests Received in Reporting Period

#### Report Structure

- · CLEC Specific
- CLEC Aggregate
- BellSouth Aggregate
- Fully Mechanized; Partially Mechanized; Non-Mechanized
- Report in categories of <10 line/circuits; > 10 line/circuits (except trunks)
- Dispatch /Non-Dispatch categories applicable to all levels except trunks
- Intervals 0-5, 5-10, 10-15, 15-20, 20-25, 25-30,  $\geq$  30 Days. The interval breakout is: 0-5 = 0-<5, 5-10 = 5-<10, 10-15 = 10-<15, 15-20 = 15-<20, 20-25 = 20-<25, 25-30 = 25-<30,  $\geq$  30 = 30 and greater.

#### **Data Retained**

Relating to CLEC Experience	Relating to BellSouth Performance
<ul> <li>Report Month</li> <li>Interval for FOC</li> <li>CLEC Company Name (OCN)</li> <li>Order Number (PON)</li> <li>Submission Date &amp; Time (TICKET_ID)</li> <li>Completion Date (CMPLTN_DT)</li> <li>Service Type (CLASS_SVC_DESC)</li> <li>Geographic Scope</li> <li>Note: Code in parentheses is the corresponding header found in the raw data file</li> </ul>	<ul> <li>Report Month</li> <li>BellSouth Order Number</li> <li>Order Submission Date &amp; Time</li> <li>Order Completion Date &amp; Time</li> <li>Service Type</li> <li>Geographic Scope</li> </ul>

# **SQM** Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
Resale Residence	Diagnostic
Resale Business	
Resale Design	
Resale PBX	
Resale Centrex	
Resale ISDN	
• LNP (Standalone)	
• INP (Standalone)	
2W Analog Loop Design	
2W Analog Loop Non-Design	
2W Analog Loop With LNP Design	
• 2W Analog Loop With LNP Non-Design	
2W Analog Loop With INP Design	
2W Analog Loop With INP Non-Design	
UNE Switch Ports	
UNE Loop + Port Combinations	
- Dispatch In	
- Switch Based	
UNE Combo Other	
UNE xDSL (HDSL, ADSL and UCL)	
• UNE ISDN (Includes UDC)	
• UNE Line Sharing	
• UNE Other Design	
• UNE Other Non -Design	
• UNE Digital Loops < DS1	
• UNE Digital Loops ≥ DS1	
Local Transport (Unbundled Interoffice Transport)	
Local Interconnection Trunks     DUD Line Control	
• UNE Line Splitting	
• EELs	

#### **SEEM Measure**

SEEM Measure			
No	Tier I		
	Tier II		



SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable



# P-11: Service Order Accuracy

#### Definition

The "service order accuracy" measurement measures the accuracy and completeness of BellSouth service orders by comparing what was ordered and what was completed.

#### **Exclusions**

- · Cancelled Service Orders
- Order Activities of BellSouth or the CLEC associated with internal or administrative use of local services (Record Orders, Listing Orders, Test Orders, etc.)
- D & F orders

#### **Business Rules**

A statistically valid sample of service orders, completed during a monthly reporting period, is compared to the original account profile and the order that the CLEC sent to BellSouth. An order is "completed without error" if all service attributes and account detail changes (as determined by comparing the original order) completely and accurately reflect the activity specified on the original order and any supplemental CLEC order. For both small and large sample sizes, when a Service Request cannot be matched with a corresponding Service Order, it will not be counted. For small sample sizes an effort will be made to replace the service request.

Service Order Accuracy Sampling Process: A list of all orders completed in the report month is generated. The orders are then listed by the disaggregations specified in the SQM. For each disaggregation, the quantity of completed orders and the error rate for each disaggregation from the previous month are entered into a "Stratified Random Sampling for Proportions" formula. This formula determines the number of orders that are to be reviewed for each disaggregation. Once the sample size for each disaggregation is determined, the specified quantity of orders for each disaggregation are pulled for review.

#### Calculation

Percent Service Order Accuracy =  $(a \div b) \times 100$ 

- a = Orders Completed without Error
- b = Orders Completed in Reporting Period

#### **Report Structure**

- · CLEC Aggregate
- Reported in categories of <10 line/circuits; > = 10 line/circuits
- Dispatch/Non-Dispatch

#### **Data Retained**

Relating to CLEC Experience	Relating to BellSouth Experience
Report Month	No BellSouth Analog Exist
CLEC Order Number and PON	
Local Service Request (LSR)	
Order Submission Date	
Committed Due Date	
Service Type	
Standard Order Activity	

# P-11: Service Order Accuracy

# **SQM** Disaggregation - Analog/Benchmark

SQM LEVEL of Disaggregation	SQM Analog/Benchmark:
Resale Residence	95% Accurate
Resale Business	
Resale Design (Specials)	
• UNE Specials (Design)	
• UNE (Non-Design)	
Local Interconnection Trunks	

#### **SEEM Measure**

SEEM Measure		
Yes	Tier I	
	Tier II	X

SEEM Disaggregation	SEEM Analog/Benchmark
• Resale	• 95%
• UNE	• 95%
• UNE-P	• 95%

# P-12: LNP-Average Disconnect Timeliness Interval & Disconnect Timeliness **Interval Distribution**

#### **Definition**

Disconnect Timeliness is defined as the interval between the time ESI Number Manager receives the valid 'Number Ported' message from NPAC (signifying the CLEC 'Activate') until the time the Disconnect is completed in the Central Office switch. This interval effectively measures BellSouth responsiveness by isolating it from impacts that are caused by CLEC related activities.

#### **Exclusions**

- · Canceled Service Orders
- Order Activities of BellSouth or the CLEC associated with internal or administrative use of local services (Record Orders, Listing Orders, Test Orders, etc.) where identifiable.

#### **Business Rules**

The Disconnect Timeliness interval is determined for each number ported associated with a disconnect service order processed on an LSR during the reporting period. The Disconnect Timeliness interval is the elapsed time from when BellSouth receives a valid 'Number Ported' message in ESI Number Manager (signifying the CLEC 'Activate') for each telephone number ported until each number on the service order is disconnected in the Central Office switch. Elapsed time for each ported number is accumulated for each reporting dimension. The accumulated time for each reporting dimension is then divided by the total number of selected telephone numbers disconnected in the reporting period.

#### Calculation

#### **Disconnect Timeliness Interval** = (a - b)

- a = Completion Date and Time in Central Office switch for each number on disconnect order
- b = Valid 'Number Ported' message received date & time

#### Average Disconnect Timeliness Interval = $(c \div d)$

- c = Sum of all Disconnect Timeliness Intervals
- d = Total Number of disconnected numbers completed in reporting period

#### **Disconnect Timeliness Interval Distribution** (for each interval) = $(e \div f) \times 100$

- e = Disconnected numbers completed in "X" days
- f = Total disconnect numbers completed in reporting period

#### Report Structure

- · CLEC Specific
- CLEC Aggregate
- Geographic Scope
- State, Region

#### **Data Retained**

Relating to CLEC Experience	Relating to BellSouth Performance
Order Number	Not Applicable
Telephone Number / Circuit Number	
Committed Due Date	
Receipt Date / Time (ESI Number Manager)	
Date/Time of Recent Change Notice	

# **SQM** Disaggregation - Analog/Benchmark

SQM Level of Disaggregation:	SQM Analog/Benchmark
• LNP	• 95% ≤ 15 Minutes

#### **SEEM Measure**

SEEM Measure		
No	Tier I	
	Tier II	

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable



# Section 4: Maintenance & Repair

# **M&R-1: Missed Repair Appointments**

#### **Definition**

The percent of trouble reports not cleared by the committed date and time.

#### **Exclusions**

- Trouble tickets canceled at the CLEC request.
- BellSouth trouble reports associated with internal or administrative service.
- Customer Provided Equipment (CPE) troubles or CLEC Equipment Trouble.

#### **Business Rules**

The negotiated commitment date and time is established when the repair report is received. The cleared time is the date and time that BellSouth personnel clear the trouble and closes the trouble report in his/her Computer Access Terminal (CAT) or workstation. If this is after the Commitment time, the report is flagged as a "Missed Commitment" or a missed repair appointment. When the data for this measure is collected for BellSouth and a CLEC, it can be used to compare the percentage of the time repair appointments are missed due to BellSouth reasons. (No access reports are not part of this measure because they are not a missed appointment.)

**Note**: Appointment intervals vary with force availability in the POTS environment. Specials and Trunk intervals are standard interval appointments of no greater than 24 hours. Standalone LNP historical data is not available in the maintenance systems (LMOS or WFA).

#### Calculation

Percentage of Missed Repair Appointments =  $(a \div b) \times 100$ 

- a = Count of Customer Troubles Not Cleared by the Quoted Commitment Date and Time
- b = Total Trouble reports closed in Reporting Period

#### **Report Structure**

- · Dispatch/Non-Dispatch
- · CLEC Specific
- · CLEC Aggregate
- · BellSouth Aggregate

#### **Data Retained**

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month CLEC Company Name Submission Date & Time (TICKET_ID) Completion Date (CMPLTN_DT) Service Type (CLASS_SVC_DESC) Disposition and Cause (CAUSE_CD & CAUSE_DESC) Geographic Scope	<ul> <li>Report Month</li> <li>BellSouth Company Code</li> <li>Submission Date &amp; Time</li> <li>Completion Date</li> <li>Service Type</li> <li>Disposition and Cause (Non-Design /Non-Special Only)</li> <li>Trouble Code (Design and Trunking Services)</li> </ul>
<b>Note</b> : Code in parentheses is the corresponding header found in the raw data file.	Geographic Scope

Version 1.00 4-1 Issue Date: December 1, 2002

# **SQM** Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
Resale Residence	Retail Residence
Resale Business	Retail Business
Resale Design	Retail Design
Resale PBX	Retail PBX
Resale Centrex	Retail Centrex
Resale ISDN	Retail ISDN
2W Analog Loop Design	Retail Residence & Business Dispatch
2W Analog Loop Non – Design	Retail Residence & Business (POTS) (Exclusion of switch- based feature troubles
UNE Digital Loop < DS1	Retail Digital Loop < DS1
UNE Digital Loop ≥ DS1	Retail Digital Loop ≥ DS1
UNE Loop + Port Combinations	Retail Residence & Business
UNE Switch ports	Retail Residence & Business (POTS)
UNE Combo Other	Retail Residence, Business & Design Dispatch
UNE xDSL (HDSL, ADSL and UCL)	ADSL provided to Retail
• UNE ISDN	Retail ISDN – BRI
UNE Line Sharing	ADSL provided to Retail
UNE Other Design	Retail Design
UNE Other Non-Design	Retail Residence and Business
Local Interconnection Trunks	Parity with Retail
Local Transport (Unbundled Interoffice Transport)	Retail DS1/DS3 Interoffice

#### **SEEM Measure**

SEEM Measure		
Yes	Tier I	X
	Tier II	X

SEEM Disaggregation	SEEM Analog/Benchmark
Resale Residence	Retail Residence
Resale Business	Retail Business
Resale Design	Retail Design
Resale PBX	Retail PBX
Resale Centrex	Retail Centrex
Resale ISDN	Retail ISDN
2W Analog Loop Design	Retail Residence & Business Dispatch
2W Analog Loop Non – Design	Retail Residence & Business (POTS) (Exclusion of switch- based feature troubles
UNE Digital Loop < DS1	Retail Digital Loop < DS1



SEEM Disaggregation	SEEM Analog/Benchmark
UNE Digital Loop ≥ DS1	Retail Digital Loop ≥ DS1
UNE Loop + Port Combinations	Retail Residence & Business
UNE Switch ports	Retail Residence & Business (POTS)
UNE Combo Other	Retail Residence, Business & Design Dispatch
UNE xDSL (HDSL, ADSL and UCL)	ADSL provided to Retail
• UNE ISDN	Retail ISDN – BRI
UNE Line Sharing	ADSL provided to Retail
UNE Other Design	Retail Design
UNE Other Non-Design	Retail Residence and Business
Local Transport (Unbundled Interoffice Transport)	Retail DS1/DS3 Interoffice
Local Interconnection Trunks	Parity with Retail



# M&R-2: Customer Trouble Report Rate

#### Definition

Initial and repeated customer direct or referred troubles reported within a calendar month per 100 lines/circuits in service.

#### **Exclusions**

- Trouble tickets canceled at the CLEC request.
- BellSouth trouble reports associated with internal or administrative service.
- Customer Provided Equipment (CPE) troubles or CLEC Equipment Trouble.

#### **Business Rules**

Customer Trouble Report Rate is computed by accumulating the number of maintenance initial and repeated trouble reports during the reporting period. The resulting number of trouble reports are divided by the total "number of service" lines, ports or combination that exist for the CLECs and BellSouth respectively at the end of the report month.

#### Calculation

Customer Trouble Report Rate =  $(a \div b) \times 100$ 

- a = Count of Initial and Repeated Trouble Reports closed in the Current Period
- b = Number of Service Access Lines in service at End of the Report Period

#### **Report Structure**

- · CLEC Specific
- CLEC Aggregate
- · BellSouth Aggregate

#### **Data Retained**

Relating to CLEC Experience	Relating to BellSouth Performance
<ul> <li>Report Month</li> <li>CLEC Company Name</li> <li>Ticket Submission Date &amp; Time (TICKET_ID)</li> <li>Ticket Completion Date (CMPLTN_DT)</li> <li>Service Type (CLASS_SVC_DESC)</li> <li>Disposition and Cause (CAUSE_CD &amp; CAUSE_DESC)</li> <li># Service Access Lines in Service at the end of period</li> <li>Geographic Scope</li> <li>Note: Code in parentheses is the corresponding header found in the raw data file.</li> </ul>	<ul> <li>Report Month</li> <li>BellSouth Company Code</li> <li>Ticket Submission Date &amp; Time</li> <li>Ticket Completion Date</li> <li>Service Type</li> <li>Disposition and Cause (Non-Design /Non-Special Only)</li> <li>Trouble Code (Design and Trunking Services)</li> <li># Service Access Lines in Service at the end of period</li> <li>Geographic Scope</li> </ul>

SQM Level of Disaggregation	SQM Analog/Benchmark
Resale Residence	Retail Residence
Resale Business	Retail Business
Resale Design	Retail Design
Resale PBX	Retail PBX
Resale Centrex	Retail Centrex
Resale ISDN	Retail ISDN
2W Analog Loop Design	Retail Residence & Business Dispatch

SQM Level of Disaggregation	SQM Analog/Benchmark
2W Analog Loop Non – Design	Retail Residence & Business (POTS) (Exclusion of switch- based feature troubles)
UNE Digital Loop < DS1	Retail Digital Loop < DS1
• UNE Digital Loop ≥ DS1	Retail Digital Loop ≥ DS1
UNE Loop + Port Combinations	Retail Residence & Business
UNE Switch Ports	Retail Residence & Business (POTS)
UNE Combo Other	Retail Residence, Business & Design Dispatch
UNE xDSL (HDSL, ADSL and UCL)	ADSL provided to Retail
UNE ISDN	Retail ISDN – BRI
UNE Line Sharing	ADSL provided to Retail
UNE Other Design	Retail Design
UNE Other Non-Design	Retail Residence and Business
Local Interconnection Trunks	Parity with Retail
Local Transport (Unbundled Interoffice Transport)	Retail DS1/DS3 Interoffice

#### **SEEM Measure**

SEEM Measure		
Yes	Tier I	X
	Tier II	X

SEEM Disaggregation	SEEM Analog/Benchmark
Resale Residence	Retail Residence
Resale Business	Retail Business
Resale Design	Retail Design
Resale PBX	Retail PBX
Resale Centrex	Retail Centrex
Resale ISDN	Retail ISDN
2W Analog Loop Design	Retail Residence & Business Dispatch
2W Analog Loop Non – Design	Retail Residence & Business (POTS) (Exclusion of switch- based feature troubles)
UNE Digital Loop < DS1	Retail Digital Loop < DS1
UNE Digital Loop ≥ DS1	Retail Digital Loop ≥ DS1
UNE Loop + Port Combinations	Retail Residence & Business
UNE Switch ports	Retail Residence & Business (POTS)
UNE Combo Other	Retail Residence, Business & Design Dispatch
UNE xDSL (HDSL, ADSL and UCL)	ADSL provided to Retail
UNE ISDN	Retail ISDN – BRI
UNE Line Sharing	ADSL provided to Retail
UNE Other Design	Retail Design



SEEM Disaggregation	SEEM Analog/Benchmark
UNE Other Non-Design	Retail Residence and Business
Local Transport (Unbundled Interoffice Transport)	Retail DS1/DS3 Interoffice
Local Interconnection Trunks	Parity with Retail



# **M&R-3: Maintenance Average Duration**

#### Definition

The Average duration of Customer Trouble Reports from the receipt of the Customer Trouble Report to the time the trouble report is cleared.

#### **Exclusions**

- Trouble tickets canceled at the CLEC request.
- BellSouth trouble reports associated with internal or administrative service.
- Customer Provided Equipment (CPE) troubles or CLEC Equipment Trouble.

#### **Business Rules**

For Average Duration the clock starts on the date and time of the receipt of the correct report information, i.e. correct telephone number, correct circuit identification, trouble description, etc. for the repair request. The clock stops on the date and time the service is restored and the BellSouth or CLEC customer is notified (when the technician completes the trouble ticket on his/her CAT or work systems).

#### Calculation

**Maintenance Duration** = (a - b)

- a = Date and Time of Service Restoration
- b = Date and Time Trouble Ticket was Opened

#### Average Maintenance Duration = $(c \div d)$

- c = Total of all maintenance durations in the reporting period
- d = Total Closed Troubles in the reporting period

#### **Report Structure**

- · Dispatch/Non-Dispatch
- · CLEC Specific
- CLEC Aggregate
- · BellSouth Aggregate

#### **Data Retained**

Relating to CLEC Experience:	Relating to BellSouth Performance:
Report month	Report month
Total Tickets (LINE_NBR)	Total Tickets
CLEC Company Name	BellSouth Company Code
Ticket Submission Date & Time (TICKET_ID)	Ticket Submission Date
Ticket Completion Date (CMPLTN_DT)	Ticket Submission Time
Service Type (CLASS_SVC_DESC)	Ticket Completion Date
<ul> <li>Disposition and Cause (CAUSE_CD &amp; CAUSE_DESC)</li> </ul>	Ticket Completion Time
Geographic Scope	Total Duration Time
<b>Note</b> : Code in parentheses is the corresponding header	Service Type
1 0	Disposition and Cause (Non-Design /Non-Special Only)
found in the raw data file.	Trouble Code (Design and Trunking Services)
	Geographic Scope

SQM Level of Disaggregation	SQM Analog/Benchmark
Resale Residence	Retail Residence
Resale Business	Retail business

SQM Level of Disaggregation	SQM Analog/Benchmark
Resale Design	Retail Design
Resale PBX	Retail PBX
Resale Centrex	Retail Centrex
Resale ISDN	Retail ISDN
2W Analog Loop Design	Retail Residence & Business Dispatch
2W Analog Loop Non – Design	Retail Residence & Business (POTS) (Exclusion of switch- based feature troubles)
UNE Digital Loop < DS1	Retail Digital Loop < DS1
UNE Digital Loop ≥ DS1	Retail Digital Loop ≥ DS1
UNE Loop + Port Combinations	Retail Residence & Business
UNE Switch ports	Retail Residence & Business (POTS)
UNE Combo Other	Retail Residence, Business & Design Dispatch
UNE xDSL (HDSL, ADSL and UCL)	ADSL provided to Retail
UNE ISDN	Retail ISDN – BRI
UNE Line Sharing	ADSL provided to Retail
UNE Other Design	Retail Design
UNE Other Non-Design	Retail Residence and Business
Local Transport (Unbundled Interoffice Transport)	Retail DS1/DS3 Interoffice
Local Interconnection Trunks	Parity with Retail

#### **SEEM Measure**

SEEM Measure			
Yes	Tier I	X	
	Tier II	X	

SEEM Disaggregation	SEEM Analog/Benchmark
Resale Residence	Retail Residence
Resale Business	Retail Business
Resale Design	Retail Design
Resale PBX	Retail PBX
Resale Centrex	Retail Centrex
Resale ISDN	Retail ISDN
2W Analog Loop Design	Retail Residence & Business Dispatch
2W Analog Loop Non – Design	Retail Residence & Business (POTS) (Exclusion of switch- based feature troubles)
UNE Digital Loop < DS1	Retail Digital Loop < DS1
UNE Digital Loop ≥ DS1	Retail Digital Loop ≥ DS1
UNE Loop + Port Combinations	Retail Residence & Business
UNE Switch ports	Retail Residence & Business (POTS)



SEEM Disaggregation	SEEM Analog/Benchmark
UNE Combo Other	Retail Residence, Business & Design Dispatch
UNE xDSL (HDSL, ADSL and UCL)	ADSL provided to Retail
• UNE ISDN	Retail ISDN – BRI
UNE Line Sharing	ADSL provided to Retail
UNE Other Design	Retail Design
UNE Other Non-Design	Retail Residence and Business
Local Transport (Unbundled Interoffice Transport)	Retail DS1/DS3 Interoffice
Local Interconnection Trunks	Parity with Retail



# M&R-4: Percent Repeat Troubles within 30 Days

#### Definition

Closed trouble reports on the same line/circuit as a previous trouble report received within 30 calendar days as a percent of total troubles closed reported

#### **Exclusions**

- Trouble tickets canceled at the CLEC request.
- BellSouth trouble reports associated with internal or administrative service.
- Customer Provided Equipment (CPE) troubles or CLEC Equipment Trouble.

#### **Business Rules**

Includes Customer trouble reports received within 30 days of an original Customer trouble report

#### Calculation

Percent Repeat Troubles within 30 Days =  $(a \div b) \times 100$ 

- a = Count of closed Customer Troubles where more than one trouble report was logged for the same service line within a continuous 30 days
- b = Total Trouble Reports Closed in Reporting Period

#### **Report Structure**

- · Dispatch/Non-Dispatch
- CLEC Specific
- · CLEC Aggregate
- · BellSouth Aggregate

#### **Data Retained**

SQM Level of Disaggregation	SQM Analog/Benchmark
Resale Residence	Retail Residence
Resale Business	Retail business
Resale Design	Retail Design
Resale PBX	Retail PBX
Resale Centrex	Retail Centrex

SQM Level of Disaggregation	SQM Analog/Benchmark
Resale ISDN	Retail ISDN
2W Analog Loop Design	Retail Residence & Business Dispatch
2W Analog Loop Non – Design	Retail Residence & Business (POTS) (Exclusion of switch- based feature troubles)
UNE Digital Loop < DS1	Retail Digital Loop < DS1
UNE Digital Loop ≥ DS1	Retail Digital Loop ≥ DS1
UNE Loop + Port Combinations	Retail Residence & Business
UNE Switch ports	Retail Residence & Business (POTS)
UNE Combo Other	Retail Residence, Business & Design Dispatch
UNE xDSL (HDSL, ADSL and UCL)	ADSL provided to Retail
UNE ISDN	Retail ISDN – BRI
UNE Line Sharing	ADSL provided to Retail
UNE Other Design	Retail Design
UNE Other Non-Design	Retail Residence and Business
Local Transport (Unbundled Interoffice Transport)	Retail DS1/DS3 Interoffice
Local Interconnection Trunks	Parity with Retail

# **SEEM Measure**

SEEM Measure		
Yes	Tier I	X
	Tier II	X

SEEM Disaggregation	SEEM Analog/Benchmark
Resale Residence	Retail Residence
Resale Business	Retail Business
Resale Design	Retail Design
Resale PBX	Retail PBX
Resale Centrex	Retail Centrex
Resale ISDN	Retail ISDN
2W Analog Loop Design	Retail Residence & Business Dispatch
2W Analog Loop Non – Design	Retail Residence & Business (POTS) (Exclusion of switch- based feature troubles)
UNE Digital Loop < DS1	Retail Digital Loop < DS1
• UNE Digital Loop ≥ DS1	Retail Digital Loop ≥ DS1
UNE Loop + Port Combinations	Retail Residence & Business
UNE Switch ports	Retail Residence & Business (POTS)
UNE Combo Other	Retail Residence, Business & Design Dispatch
UNE xDSL (HDSL, ADSL and UCL)	ADSL provided to Retail
• UNE ISDN	Retail ISDN – BRI



SEEM Disaggregation	SEEM Analog/Benchmark
UNE Line Sharing	ADSL provided to Retail
UNE Other Design	Retail Design
UNE Other Non-Design	Retail Residence and Business
Local Transport (Unbundled Interoffice Transport)	Retail DS1/DS3 Interoffice
Local Interconnection Trunks	Parity with Retail



# M&R-5: Out of Service (OOS) > 24 Hours

#### Definition

For Out of Service Troubles (no dial tone, cannot be called or cannot call out) the percentage of Total OOS Troubles cleared in excess of 24 hours. (All design services are considered to be out of service).

#### **Exclusions**

- Trouble Reports canceled at the CLEC request
- BellSouth Trouble Reports associated with administrative service
- Customer Provided Equipment (CPE) Troubles or CLEC Equipment Troubles.

### **Business Rules**

Customer Trouble reports that are out of service and cleared in excess of 24 hours. The clock begins when the trouble report is created in LMOS/WFA and the trouble is counted if the elapsed time exceeds 24 hours.

## Calculation

Out of Service (OOS) > 24 hours =  $(a \div b) \times 100$ 

- a = Total Cleared Troubles OOS > 24 Hours
- b = Total OOS Troubles in Reporting Period

# **Report Structure**

- · Dispatch/Non-Dispatch
- CLEC Specific
- BellSouth Aggregate
- · CLEC Aggregate

# **Data Retained**

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month Total Tickets CLEC Company Name Ticket Submission Date & Time (TICKET_ID) Ticket Completion Date (CMPLTN_DT Percentage of Customer Troubles out of Service > 24 Hours (OOS>24_FLAG) Service type (CLASS_SVC_DESC) Disposition and Cause (CAUSE_CD & CAUSE-DESC) Geographic Scope	<ul> <li>Report Month</li> <li>Total Tickets</li> <li>BellSouth Company Code</li> <li>Ticket Submission Date</li> <li>Ticket Submission time</li> <li>Ticket Completion Date</li> <li>Ticket Completion Time</li> <li>Percent of Customer Troubles out of Service &gt; 24 Hours</li> <li>Service type</li> <li>Disposition and Cause (Non-Design/Non-Special only)</li> <li>Trouble Code (Design and Trunking Services)</li> </ul>
<b>Note:</b> Code in parentheses is the corresponding header found in the raw data file.	Geographic Scope

SQM Level of Disaggregation	SQM Analog/Benchmark
Resale Residence	Retail Residence
Resale Business	Retail Business
Resale Design	Retail Design
Resale PBX	Retail PBX
Resale Centrex	Retail Centrex

**BELLSOUTH®** 

SQM Level of Disaggregation	SQM Analog/Benchmark
Resale ISDN	Retail ISDN
2W Analog Loop Design	Retail Residence & Business Dispatch
2W Analog Loop Non – Design	Retail Residence & Business (POTS) (Exclusion of switch- based feature troubles)
UNE Digital Loop < DS1	• Retail Digital Loop < DS1
UNE Digital Loop ≥ DS1	Retail Digital Loop ≥ DS1
UNE Loop + Port Combinations	Retail Residence & Business
UNE Switch ports	Retail Residence & Business (POTS)
UNE Combo Other	Retail Residence, Business & Design Dispatch
UNE xDSL (HDSL, ADSL and UCL)	ADSL provided to Retail
• UNE ISDN	Retail ISDN – BRI
UNE Line Sharing	ADSL provided to Retail
UNE Other Design	Retail Design
UNE Other Non-Design	Retail Residence and Business
Local Transport (Unbundled Interoffice Transport)	Retail DS1/DS3 Interoffice
Local Interconnection Trunks	Parity with Retail

# **SEEM Measure**

SEEM Measure		
Yes	Tier I	X
	Tier II	X

SEEM Disaggregation	SEEM Analog/Benchmark
Resale Residence	Retail Residence
Resale Business	Retail Business
Resale Design	Retail Design
Resale PBX	Retail PBX
Resale Centrex	Retail Centrex
Resale ISDN	Retail ISDN
2W Analog Loop Design	Retail Residence & Business Dispatch
2W Analog Loop Non – Design	Retail Residence & Business (POTS) (Exclusion of switch- based feature troubles)
UNE Digital Loop < DS1	Retail Digital Loop < DS1
• UNE Digital Loop ≥ DS1	Retail Digital Loop ≥ DS1
UNE Loop + Port Combinations	Retail Residence & Business
UNE Switch Ports	Retail Residence & Business (POTS)
UNE Combo Other	Retail Residence, Business & Design Dispatch
UNE xDSL (HDSL, ADSL and UCL)	ADSL provided to Retail
• UNE ISDN	Retail ISDN – BRI



SEEM Disaggregation	SEEM Analog/Benchmark
UNE Line Sharing	ADSL provided to Retail
UNE Other Design	Retail Design
UNE Other Non-Design	Retail Residence and Business
Local Transport (Unbundled Interoffice Transport)	Retail DS1/DS3 Interoffice
Local Interconnection Trunks	Parity with Retail



# M&R-6: Average Answer Time – Repair Centers

#### Definition

This report measures the average time a customer is in queue.

#### **Exclusions**

None

#### **Business Rules**

The clock starts when a CLEC Representative or BellSouth customer makes a choice on the Repair Center's menu and is put in queue for the next repair attendant. The clock stops when the repair attendant answers the call (abandoned calls are not included).

Note: The Total Column is a combined BellSouth Residence and Business number.

#### Calculation

Answer Time for BellSouth Repair Centers = (a - b)

- a = Time BellSouth Repair Attendant Answers Call
- b = Time of entry into queue after ACD Selection

#### Average Answer Time for BellSouth Repair Centers = $(c \div d)$

- c = Sum of all Answer Times
- d = Total number of calls by reporting period

## **Report Structure**

- CLEC Aggregate
- · BellSouth Aggregate

#### **Data Retained**

Relating to CLEC Experience	Relating to BellSouth Performance
CLEC Average Answer Time	BellSouth Average Answer Time

# SQM Disaggregation - Analog / Benchmark

SQM Level of Disaggregation	Retail Analog / Benchmark
Region. CLEC/BellSouth Service Centers and BellSouth Repair Centers are regional.	For CLEC, Average Answer Times in UNE Center and BRMC are comparable to the Average Answer Times in the BellSouth Repair Centers.

# **SEEM Measure**

SEEM Measure			
No	Tier I		
	Tier II		

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable



# M&R-7: Mean Time To Notify CLEC of Network Outages

#### Definition

BellSouth will inform the CLEC of any Network outages (key customer accounts)

#### **Exclusions**

None

#### **Business Rules**

The time it takes for BellSouth to notify the CLEC and appropriate BellSouth personnel of a customer impacting network incident in equipment that may be utilized by the CLEC. When BellSouth becomes aware of a network incident, the CLEC and appropriate BellSouth personnel will be notified electronically. The notification time for each outage will be measured in minutes and divided by the number of outages for the reporting period. The CLECs will be notified the same way and at the same time as BellSouth personnel. These are broadcast messages. It is up to those receiving the message to determine if they have customers affected by the incident.

## Calculation

Time to Notify CLEC = (a - b)

- a = Date and Time BellSouth Notified CLEC
- b = Date and time BellSouth detected network incident

Mean Time to Notify CLEC =  $(c \div d)$ 

- c = Sum of all Times to Notify CLEC
- d = Count of Network Incidents

# **Report Structure**

- · BellSouth Aggregate
- · CLEC Aggregate
- · CLEC Specific

#### **Data Retained**

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	Report Month
Major Network Events	Major Network Events
Date/Time of Incident	Date/Time of Incident
• Date/Time of Notification	Date/Time of Notification

## SQM Disaggregation - Analog / Benchmark

SQM Level of Disaggregation	Retail Analog / Benchmark
<ul><li>BellSouth Aggregate</li><li>CLEC Aggregate</li><li>CLEC Specific</li></ul>	Parity by Design

#### **SEEM Measure**

SEEM Measure			
No	Tier I		
	Tier II		



SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable



# **Section 5: Billing**

# **B-1: Invoice Accuracy**

#### **Definition**

This measure provides the percentage of accuracy of the billing invoices rendered to CLECs during the current month.

#### **Exclusions**

- Adjustments not related to billing errors (e.g., credits for service outage, special promotion credits, adjustments to satisfy the customer)
- · Test Accounts

#### **Business Rules**

The accuracy of billing invoices delivered by BellSouth to the CLEC must enable them to provide a degree of billing accuracy comparative to BellSouth bills rendered to retail customers of BellSouth. CLECs request adjustments on bills determined to be incorrect. The BellSouth Billing verification process includes manually analyzing a sample of local bills from each bill period. The bill verification process draws from a mix of different customer billing options and types of service. An end-to-end auditing process is performed for new products and services. Internal measurements and controls are maintained on all billing processes. The CLEC-specific raw data file (which is available on the PMAP web site) will contain the number of bills and adjustments for the reporting month. The number of bills and bill adjustments will be displayed by OCN and/or ACNA.

#### Calculation

**Invoice Accuracy** =  $[(a - b) \div a] \times 100$ 

- a = Absolute Value of Total Billed Revenues during current month
- b = Absolute Value of Billing Related Adjustments during current month

#### Measure of Adjustments = $[(c-d)/c] \times 100$

- c = Number of Bills in current month
- d= Number of Billing-related Adjustments in current month

## **Report Structure**

- · CLEC Specific
- CLEC Aggregate
- · BellSouth Aggregate
- · Geographic Scope
  - Region
  - State

**BELLSOUTH®** 

# **Data Retained**

Relating to CLEC Experience	Relating to BellSouth Performance
<ul> <li>Report Month</li> <li>Invoice Type</li> <li>UNE</li> <li>Resale</li> <li>Interconnection</li> <li>Total Billed Revenue</li> <li>Billing Related Adjustments</li> <li>Number of Bills</li> <li>Number of Adjustments</li> </ul>	<ul> <li>Report Month</li> <li>Retail Type</li> <li>CRIS</li> <li>CABS</li> <li>Total Billed Revenue</li> <li>Billing Related Adjustments</li> </ul>

# **SQM** Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
Product/Invoice Type     Resale	Parity with BellSouth Retail Aggregate
- UNE	
- Interconnection	

# **SEEM Measure**

SEEM Measure		
Yes	Tier I	X
	Tier II	X

SEEM Disaggregation	SEEM Analog/Benchmark
• Resale • UNE	Parity with Retail
Interconnection	



# **B-2: Mean Time to Deliver Invoices**

#### **Definition**

Bill Distribution is calculated as follows: CRIS BILLS-The number of workdays is reported for CRIS bills. This is calculated by counting the Bill Period date as the first work day. Weekends and holidays are excluded when counting workdays. J/N Bills are counted in the CRIS work day category for the purposes of the measurement since their billing account number (Q account) is provided from the CRIS system.

CABS BILLS-The number of calendar days is reported for CABS bills. This is calculated by counting the day following the Bill Period date as the first calendar day. Weekends and holidays are included when counting the calendar days.

#### **Exclusions**

None

#### **Business Rules**

This report measures the mean interval for timeliness of billing records delivered to CLECs in an agreed upon format. CRIS-based invoices are measured in business days, and CABS-based invoices in calendar days.

#### Calculation

Invoice Timeliness = (a - b)

- a = Invoice Transmission Date
- b = Close Date of Scheduled Bill Cycle

#### Mean Time To Deliver Invoices = $(c \div d)$

- c = Sum of all Invoice Timeliness intervals
- d = Count of Invoices Transmitted in Reporting Period

# **Report Structure**

- · CLEC Specific
- · CLEC Aggregate
- · BellSouth Aggregate
- · Geographic Scope
  - Region
  - State

#### **Data Retained**

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month     Invoice Type     - UNE     - Resale     Interconnection     - State     Invoice Transmission Count     Date of Scheduled Bill Close	<ul> <li>Report Month</li> <li>Invoice Type</li> <li>CRIS</li> <li>CABS</li> <li>Invoice Transmission Count</li> <li>Date of Scheduled Bill Close</li> </ul>



# **SQM Disaggregation - Analog/Benchmark**

SQM Level of Disaggregation	SQM Analog/Benchmark
Product/Invoice Type  Resale  UNE  Interconnection  State	<ul> <li>CRIS-based invoices will be released for delivery within six (6) business days.</li> <li>CABS-based invoices will be released for delivery within eight (8) calendar days.</li> <li>CLEC Average Delivery Intervals for both CRIS and CABS Invoices are comparable to BellSouth Average delivery for both systems.</li> </ul>

# **SEEM Measure**

SEEM Measure		
Yes	Tier I	X
	Tier II	X

SEEM Disaggregation	SEEM Analog/Benchmark
<ul><li>CLEC State</li><li>CRIS</li><li>CABS</li><li>BST-State</li></ul>	Parity with Retail



# **B-3: Usage Data Delivery Accuracy**

#### Definition

This measurement captures the percentage of recorded usage that is delivered error free and in an acceptable format to the appropriate Competitive Local Exchange Carrier (CLEC). These percentages will provide the necessary data for use as a comparative measurement for BellSouth performance. This measurement captures Data Delivery Accuracy rather than the accuracy of the individual usage recording.

#### **Exclusions**

None

#### **Business Rules**

The accuracy of the data delivery of usage records delivered by BellSouth to the CLEC must enable them to provide a degree of accuracy comparative to BellSouth bills rendered to their retail customers. If errors are detected in the delivery process, they are investigated, evaluated and documented. Errors are corrected and the data retransmitted to the CLEC.

#### Calculation

Usage Data Delivery Accuracy (Packs) =  $(a - b) \div a \times 100$  (This calculation not ordered by the FPSC)

- a = Total number of usage data packs sent during current month
- b = Total number of usage data packs requiring retransmission during current month

Usage Data Delivery Accuracy (Records) =  $(c - d) \div c \times 100$ 

- c = Total number of usage records sent during current month
- d = Total number of usage records requiring retransmission during current month

# **Report Structure**

- · CLEC Aggregate
- · BellSouth Aggregate
- Geographic Scope
  - Region

#### **Data Retained**

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	Report Month
Record Type	Record Type
- BellSouth Recorded	Number of Records
- Non-BellSouth Recorded	• Packs
Number of Records	
• Packs	

# **SQM** Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
• Region	Parity With Retail

#### **SEEM Measure**

SEEM Measure		
Yes	Tier I	
	Tier II	X

**BELLSOUTH®** 

SEEM Disaggregation	SEEM Analog/Benchmark
<ul><li>CLEC State (In Tennessee, SEEM is based on records.)</li><li>BellSouth Region</li></ul>	Parity with Retail



# **B-4: Usage Data Delivery Completeness**

#### Definition

This measurement provides percentage of complete and accurately recorded usage data (usage recorded by BellSouth and usage recorded by other companies and sent to BellSouth for billing) that is processed and transmitted to the CLEC within thirty (30) days of the message recording date. A parity measure is also provided showing completeness of BellSouth messages processed and transmitted via CMDS. BellSouth delivers its own retail usage from recording location to billing location via CMDS as well as delivering billing data to other companies. Timeliness, Completeness and Mean Time to Deliver Usage measures are reported on the same report.

#### **Exclusions**

None

#### **Business Rules**

The purpose of these measurements is to demonstrate the level of quality of usage data delivered to the appropriate CLEC. Method of delivery is at the option of the CLEC.

#### Calculation

Usage Data Delivery Completeness =  $(a \div b) \times 100$ 

- a = Total number of Recorded usage records delivered during current month that are within thirty (30) days of the message recording
  date
- b = Total number of Recorded usage records delivered during the current month

# **Report Structure**

- · CLEC Specific
- · CLEC Aggregate
- · BellSouth Aggregate
- Region

# **Data Retained**

Relating to CLEC Experience	Relating to BellSouth Performance
<ul> <li>Report Month</li> <li>Record Type</li> <li>BellSouth Recorded</li> <li>Non-BellSouth Recorded</li> </ul>	Report Month     Record Type

# **SQM Disaggregation - Analog/Benchmark**

SQM Level of Disaggregation	SQM Analog/Benchmark
• Region	Parity With Retail

#### **SEEM Measure**

SEEM Measure		
No	Tier I	
	Tier II	



SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable



# **B-5: Usage Data Delivery Timeliness**

#### Definition

This measurement provides a percentage of recorded usage data (usage recorded by BellSouth and usage recorded by other companies and sent to BellSouth for billing) that is delivered to the appropriate CLEC within six (6) calendar days from the receipt of the initial recording. A parity measure is also provided showing timeliness of BellSouth messages processed and transmitted via CMDS. Timeliness, Completeness and Mean Time to Deliver Usage measures are reported on the same report.

#### **Exclusions**

None

#### **Business Rules**

The purpose of this measurement is to demonstrate the level of timeliness for processing and transmission of usage data delivered to the appropriate CLEC. The usage data will be mechanically transmitted or mailed to the CLEC data processing center once daily. The Timeliness interval of usage recorded by other companies is measured from the date BellSouth receives the records to the date BellSouth distributes to the CLEC. Method of delivery is at the option of the CLEC

# Calculation

Usage Data Delivery Timeliness Current month =  $(a \div b) \times 100$ 

- a = Total number of usage records sent within six (6) calendar days from initial recording/receipt
- b = Total number of usage records sent

# **Report Structure**

- · CLEC Aggregate
- CLEC Specific
- · BellSouth Aggregate
- · Region

## **Data Retained**

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month     Record Type     BellSouth Recorded	Report Month     Record Type
- Non-BellSouth Recorded	

# SQM Level of Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
• Region	Parity with Retail

#### **SEEM Measure**

SEEM Measure		
No	Tier I	
	Tier II	



SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable



# **B-6: Mean Time to Deliver Usage**

#### Definition

This measurement provides the average time it takes to deliver Usage Records to a CLEC. A parity measure is also provided showing timeliness of BellSouth messages processed and transmitted via CMDS. Timeliness, Completeness and Mean Time to Deliver Usage measures are reported on the same report.

#### **Exclusions**

None

#### **Business Rules**

The purpose of this measure is to calculate the average number of days it takes BellSouth to deliver usage data to the appropriate CLEC. The calculation reflects the differences between the date the data is transmitted or mailed to the CLEC and the date the data is generated by Customer divided by the total record volume delivery.

Each delivery record is calculated as the time, in days, between when the customer generates the call and when BellSouth delivers the usage data to the CLEC. Each delivery record is categorized by the resulting number of days.

An estimated interval is calculated for each category by taking the total number of usage data records delivered for that period and multiplying it by the total number of days in that period. The mean (average) time to deliver the usage data is calculated by summing all estimated intervals and dividing by the total number of records delivered.

Note: Any usage record falling in the 30+ day interval will be added using an average figure of 31.5 days.

Usage data is mechanically transmitted or mailed to the CLEC data processing center once daily. Method of delivery is at the option of the CLEC.

#### Calculation

# **Delivery Interval Record** = (a - b)

- a = Date BellSouth delivers the usage data
- b = Date usage data is generated by the customer

# Estimated Interval = (c X d)

- c = Number of records delivered in each category
- d = Number of days to deliver for the category

# Mean Time to Deliver Usage = $(e \div f)$

- e = Sum of all estimated intervals
- f = Total number of records delivered

## **Report Structure**

- CLEC Aggregate
- · CLEC Specific
- · BellSouth Aggregate
- · Region

#### **Data Retained**

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	Report Month
Record Type	Record Type
- BellSouth Recorded	
- Non-BellSouth Recorded	

**BELLSOUTH®** 



# **SQM Level of Disaggregation - Analog/Benchmark**

SQM Level of Disaggregation	SQM Analog/Benchmark
Region	Parity With Retail

## **SEEM Measure**

SEEM Measure		
No	Tier I	
	Tier II	

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable



# **B-7: Recurring Charge Completeness**

#### **Definition**

This measure captures percentage of fractional recurring charges appearing on the correct bill.

#### **Exclusions**

None

#### **Business Rules**

The effective date of the recurring charge must be within 30 days of the bill date for the charge to appear on the correct bill.

#### Calculation

Recurring Charge Completeness =  $(a \div b) \times 100$ 

- a = Count of fractional recurring charges that are on the correct bill<sup>1</sup>
- b = Total count of fractional recurring charges that are on the correct bill

## **Report Structure**

- · CLEC Specific
- · CLEC Aggregate
- · BellSouth Aggregate

## **Data Retained**

Relating to CLEC Experience	Relating to BellSouth Performance
Report month	Report month
Invoice Type	Retail Analog
Total Recurring Charges Billed	Total recurring charges billed
Total Billed On Time	Total Billed On Time

# **SQM Level of Disaggregation - Analog/Benchmark**

SQM Level of Disaggregation	SQM Analog/Benchmark
Product/Invoice Type	
Resale	Parity
• UNE	Benchmark 90%
Interconnection	Benchmark 90%

# **SEEM Measure**

SEEM Measure		
No	Tier I	
	Tier II	

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

<sup>&</sup>lt;sup>1</sup>Correct bill = next available bill



# **B-8: Non-Recurring Charge Completeness**

#### **Definition**

This measure captures percentage of non-recurring charges appearing on the correct bill.

#### **Exclusions**

None

#### **Business Rules**

The effective date of the non-recurring charge must be within 30 days of the bill date for the charge to appear on the correct bill.

#### Calculation

Non-Recurring Charge Completeness =  $(a \div b) \times 100$ 

- a = Count of non-recurring charges that are on the correct bill<sup>1</sup>
- b = Total count of non-recurring charges that are on the correct bill

## **Report Structure**

- · CLEC Specific
- · CLEC Aggregate
- · BellSouth Aggregate

## **Data Retained**

Relating to CLEC Experience	Relating to BellSouth Performance
Report month	Report month
Invoice type	Retail Analog
Total non-recurring charges billed	Total non-recurring charges billed
Total billed on time	Total billed on time

# **SQM Level of Disaggregation - Analog/Benchmark**

SQM Level of Disaggregation	SQM Analog/Benchmark
Product/Invoice Type	
Resale	Parity
• UNE	Benchmark 90%
Interconnection	Benchmark 90%

# **SEEM Measure**

SEEM Measure		
No	Tier I	
	Tier II	

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

<sup>&</sup>lt;sup>1</sup>Correct bill = next available bill



# B-9: Percent Daily Usage Feed Errors Corrected in X Business Days

#### Definition

Measures the timely correction of Daily Usage Feed (DUF) errors in record information and Pack formats measured separately. Errors included (1) Pack Failure errors and (2) EMI content errors in records.

#### **Exclusions**

- Usage that cannot be corrected and resent or usage that the CLEC doesn't want Retransmitted.
- CLEC Problem/Issue/File Retransmission forms disputed by BellSouth SMEs that do not result in an EMI error.
- CLEC notification received by BellSouth > 10 business days from transmission date of errored messages or packs.

#### **Business Rules**

This measure will provide the % of errors corrected in X Business days.

Pack Failure errors are defined as a DUF header/trailer error containing one or more of the following conditions: Grand total records not equal to records in pack or sequence/invoice numbers for a from RAO is not sequential

EMI content errors are defined as those records with errors contained in the EMI detail records that cause a message to be unbillable by the CLEC

Only notification received via the CLEC Problem/Issue/File Retransmission form will be included in this measure. To locate the form, go to the PMAP web site (<a href="http://www.pmap.bellsouth.com/">http://www.pmap.bellsouth.com/</a>) and click the Documentation Downloads link, then select the "CLEC Problem/Issue/File Retransmission form."

When circumstances arise for multiple content errors it is not necessary for the form to be filled out in its entirety, the CLECs agree to provide sufficient information for content error research so that a thorough investigation and resolution can be completed.

For each type error condition, a new CLEC Problem/Issue/File Retransmission form should be submitted.

EMI content errors should be attached in a separate file from the CLEC Problem/Issue/File Retransmission form

Elapsed time is measured in business days.

The clock starts when BellSouth receives CLEC's Problem/Issue/File Retransmission form.

The clock stops when BellSouth provides the corrected usage to the CLEC using the predesignated DUF delivery method.

This measure applies only to CLECs that are ODUF and ADUF participants

#### Calculation

#### Timeliness of Daily Usage EMI Content Errors Corrected = $(a \div b) \times 100$

- a = Total number of Daily Usage Records with EMI Content Errors Corrected in the reporting month within 10 Business Days.
- b = Total number of Daily Usage Records with EMI Content Errors corrected in reporting month.

# Timeliness of Daily Usage Pack Format Errors Corrected = $(c \div d) \times 100$

- c= Total number of Daily Usage Packs with Format Errors Corrected in the reporting month within 4 Business Days.
- d = Total number of Daily Usage Packs with Format Errors corrected in reporting month

## **Report Structure**

- · CLEC Specific
  - Total number of BST disputed Daily Usage Records with EMI Content Errors received in reporting month.
  - Total number of Daily Usage Records with EMI Content Errors received in reporting month.
  - Total number of BST disputed Daily Usage Packs with Format Errors received in reporting month
  - Total number of Daily Usage Packs with Format Errors received in reporting month
- · CLEC Aggregate
- · Geographic Scope
  - Region

(A) BELLSOUTH®

## **Data Retained**

Relating to CLEC Experience	Relating to BellSouth Performance
Report month     BellSouth Recorded	• None
- Non-BellSouth Recorded	

# **SQM Level of Disaggregation - Analog/Benchmark**

SQM Level of Disaggre	gation	SQM Analog/Benchmark
• Region	• Diagno	ostic

# **SEEM Measure**

SEEM Measure		
No	Tier I	
	Tier II	

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable



# **B-10: Percent Billing Errors Corrected in X Days**

#### Definition

Measures timely carrier bill adjustments.

#### **Exclusions**

Billing adjustments requests that are rejected by BellSouth or disputed by BellSouth.

Adjustments that are initiated by BellSouth.

#### **Business Rules**

This measure applies to CLEC wholesale bill adjustments. IXC Access billing adjustment requests are not reflected in this measure. Elapsed time is measured in business days. Clock starts when BellSouth receives the ALECs Billing Adjustment Request (BAR) form (BAR form and instructions found at WWW.interconnection.bellsouth.com/forms/html/billing & collections.html) and the clock stops when adjustments is made to bill through ACATS or BOCRIS (generally next CLEC bill unless adjustment request after middle of the month). BellSouth will report separately those adjustment requests that are disputed by BellSouth.

#### Calculation

Percent Billing Errors Corrected in 45 Days = (a / b) X 100

- a = Number of BellSouth Adjustments in 45 Days
- b = Total Number of Adjustment Requests in Reporting Period

## **Report Structure**

- · CLEC Specific
- · CLEC Aggregate
- · Geographic Scope:
- State Specific

## **Data Retained**

Relating to CLEC Experience	Relating to BellSouth Performance
<ul> <li>Number of BellSouth Adjustments in 45 days</li> <li>Total number of Billing Adjustment Requests in Reporting Period</li> <li>Number of Adjustments disputed by BellSouth (reported separately)</li> </ul>	• None

# **SQM Disaggregation - Retail Analog/Benchmark**

	SQM Level of Disaggregation	SQM Analog/Benchmark
• State		Diagnostic

# **SEEM Measure**

SEEM Measure		
No	Tier I	
	Tier II	

**BELLSOUTH®** 

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable



# **Section 6: Operator Services And Directory Assistance**

# OS-1: Speed to Answer Performance/Average Speed to Answer - Toll

#### Definition

Measurement of the average time in seconds calls wait before answered by a toll operator.

#### **Exclusions**

None

#### **Business Rules**

The clock starts when the customer enters the queue and the clock stops when a BellSouth representative answers the call or the customer abandons the call. The length of each call is determined by measuring, using a scanning technique, and accumulating the elapsed time from the entry of a customer call into the BellSouth call management system queue until the customer call is abandoned or transferred to BellSouth personnel assigned to handle calls for assistance. The system makes no distinction between CLEC customers and BellSouth customers.

#### Calculation

**Speed to Answer Performance/Average Speed to Answer – Toll =**  $a \div b$ 

- a = Total queue time
- b = Total calls answered

**Note**: Total queue time includes time that answered calls wait in queue as well as time abandoned calls wait in queue prior to abandonment.

# **Report Structure**

- Reported for the aggregate of BellSouth and CLECs
- State

## **Data Retained (on Aggregate Basis)**

- For the items below, BellSouth's Performance Measurement Analysis Platform (PMAP) receives a final computation; therefore, no raw data file is available in PMAP
- Month
- Call Type (Toll)
- Average Speed of Answer

# SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
• None	Parity by Design

Version 1.00 6-1 Issue Date: December 1, 2002



# **SEEM Measure**

SEEM Measure		
No	Tier I	
	Tier II	

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable



# OS-2: Speed to Answer Performance/Percent Answered with "X" Seconds – Toll

#### **Definition**

Measurement of the percent of toll calls that are answered in less than ten seconds

#### **Exclusions**

None

#### **Business Rules**

The clock starts when the customer enters the queue and the clock stops when a BellSouth representative answers the call or the customer abandons the call. The length of each call is determined by measuring, using a scanning technique, and accumulating the elapsed time from the entry of a customer call into the BellSouth call management system queue until the customer call is abandoned or transferred to BellSouth personnel assigned to handle calls for assistance. The system makes no distinction between CLEC customers and BellSouth customers.

## Calculation

The Percent Answered within "X" Seconds measurement for toll is derived by using the BellCore Statistical Answer Conversion Tables, to convert the Average Speed to Answer measure into a percent of calls answered within "X" seconds. The BellCore Conversion Tables are specific to the defined parameters of work time, number of operators, max queue size and call abandonment rates.

# **Report Structure**

- Reported for the aggregate of BellSouth and CLECs
  - State

## Data Retained (on Aggregate Basis)

- For the items below, BellSouth's Performance Measurement Analysis Platform (PMAP) receives a final computation; therefore, no raw data file is available in PMAP
- · Month
- Call Type (Toll)
- · Average Speed of Answer

# SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation:	SQM Analog/Benchmark
• None	Parity by Design

#### **SEEM Measure**

SEEM Measure		
No	Tier I	
	Tier II	

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable



# DA-1: Speed to Answer Performance/Average Speed to Answer – Directory Assistance (DA)

#### **Definition**

Measurement of the average time in seconds calls wait before answered by a DA operator.

#### **Exclusions**

None

#### **Business Rules**

The clock starts when the customer enters the queue and the clock stops when a BellSouth representative answers the call or the customer abandons the call. The length of each call is determined by measuring, using a scanning technique, and accumulating the elapsed time from the entry of a customer call into the BellSouth call management system queue until the customer call is abandoned or transferred to BellSouth personnel assigned to handle calls for assistance. The system makes no distinction between CLEC customers and BellSouth customers.

## Calculation

Speed to Answer Performance/Average Speed to Answer – Directory Assistance (DA) =  $a \div b$ 

- a = Total queue time
- b = Total calls answered

**Note**: Total queue time includes time that answered calls wait in queue as well as time abandoned calls wait in queue prior to abandonment.

# **Report Structure**

- Reported for the aggregate of BellSouth and CLECs
  - State

## **Data Retained (on Aggregate Basis)**

- For the items below, BellSouth's Performance Measurement Analysis Platform (PMAP) receives a final computation; therefore, no raw data file is available in PMAP
- Month
- Call Type (DA)
- Average Speed of Answer

## SQM Level of Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
• None	Parity by Design

## **SEEM Measure**

SEEM Measure		
No	Tier I	
	Tier II	

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable



# DA-2: Speed to Answer Performance/Percent Answered within "X" Seconds – Directory Assistance (DA)

#### Definition

Measurement of the percent of DA calls that are answered in less than twelve seconds.

#### **Exclusions**

None

#### **Business Rules**

The clock starts when the customer enters the queue and the clock stops when a BellSouth representative answers the call or the customer abandons the call. The length of each call is determined by measuring, using a scanning technique, and accumulating the elapsed time from the entry of a customer call into the BellSouth call management system queue until the customer call is abandoned or transferred to BellSouth personnel assigned to handle calls for assistance. The system makes no distinction between CLEC customers and BellSouth customers.

## Calculation

The Percent Answered within "X" Seconds measurement for DA is derived by using the BellCore Statistical Answer Conversion Tables, to convert the Average Speed to Answer measure into a percent of calls answered within "X" seconds. The BellCore Conversion Tables are specific to the defined parameters of work time, number of operators, max queue size and call abandonment rates.

# **Report Structure**

- · Reported for the aggregate of BellSouth and CLECs
  - State

## Data Retained (on Aggregate Basis)

- For the items below, BellSouth's Performance Measurement Analysis Platform (PMAP) receives a final computation; therefore, no raw data file is available in PMAP.
- · Month
- Call Type (DA)
- · Average Speed of Answer

# **SQM Disaggregation - Analog/Benchmark**

SQM Level of Disaggregation	SQM Analog/Benchmark
• None	Parity by Design

#### **SEEM Measure**

SEEM Measure		
No	Tier I	
	Tier II	

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable



# **Section 7: Database Update Information**

# D-1: Average Database Update Interval

#### Definition

This report measures the interval from receipt of the database change request to the completion of the update to the database for Line Information Database (LIDB), Directory Assistance and Directory Listings.

#### **Exclusions**

- Updates Canceled by the CLEC
- Initial update when supplemented by CLEC
- BellSouth updates associated with internal or administrative use of local services.

#### **Business Rules**

The interval for this measure begins with the date and time stamp when a service order is completed and the completion notice is released to all systems to be updated with the order information including Directory Assistance, Directory Listings, and Line Information Database (LIDB). The end time stamp is the date and time of completion of updates to the system.

#### For BellSouth Results:

The BellSouth computation is identical to that for the CLEC with the clarifications noted below.

#### Other Clarifications and Qualification:

- For LIDB, the elapsed time for a BellSouth update is measured from the point in time when the BellSouth file maintenance process makes the LIDB update information available until the date and time reported by BellSouth that database updates are completed.
- Results for the CLECs are captured and reported at the update level by Reporting Dimension (see below).
- The Completion Date is the date upon which BellSouth issues the Update Completion Notice to the CLEC.
- If the CLEC initiates a supplement to the originally submitted update and the supplement reflects changes in customer requirements (rather than responding to BellSouth initiated changes), then the update submission date and time will be the date and time of BellSouth receipt of a syntactically correct update supplement. Update activities responding to BellSouth initiated changes will not result in changes to the update submission date and time used for the purposes of computing the update completion interval.
- Elapsed time is measured in hours and hundredths of hours rounded to the nearest tenth of an hour.
- Because this should be a highly automated process, the accumulation of elapsed time continues through off-schedule, weekends and holidays; however, scheduled maintenance windows are excluded.

#### Calculation

#### **Update Interval** = (a - b)

- a = Completion Date & Time of Database Update
- b = Submission Date and Time of Database Change

# Average Update Interval = $(c \div d)$

- c = Sum of all Update Intervals
- d = Total Number of Updates Completed During Reporting Period

# **Report Structure**

- CLEC Specific (Under development)
- · CLEC Aggregate
- · BellSouth Aggregate



## **Data Retained**

Relating to CLEC Experience	Relating to BellSouth Performance
<ul> <li>Database File Submission Time</li> <li>Database File Update Completion Time</li> <li>CLEC Number of Submissions</li> </ul>	<ul> <li>Database File Submission Time</li> <li>Database File Update Completion Time</li> <li>BellSouth Number of Submissions</li> </ul>
Total Number of Updates	Total Number of Updates

# **SQM Disaggregation - Analog/Benchmark**

SQM Level of Disaggregation:	SQM Analog/Benchmark
Database Type • LIDB	Parity by Design
<ul><li> Directory Listings</li><li> Directory Assistance</li></ul>	

## **SEEM Measure**

SEEM Measure			
No	Tier I		
	Tier II		

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable



# **D-2: Percent Database Update Accuracy**

#### Definition

This report measures the accuracy of database updates by BellSouth for Line Information Database (LIDB) Directory Assistance and Directory Listings using a statistically valid sample of LSRs/Orders in a manual review. This manual review is not conducted on BellSouth Retail Orders.

#### **Exclusions**

- Updates canceled by the CLEC
- Initial update when supplemented by CLEC
- · CLEC orders that had CLEC errors
- BellSouth updates associated with internal or administrative use of local services.

#### **Business Rules**

For each update completed during the reporting period, the original update that the CLEC sent to BellSouth is compared to the database following completion of the update by BellSouth. An update is "completed without error" if the database completely and accurately reflects the activity specified on the original and supplemental update (e.g., orders) submitted by the CLEC. Each database (e.g., LIDB, Directory Assistance and Directory Listings) should be separately tracked and reported.

A statistically valid sample of CLEC Orders will be pulled each month. The sample will be used to test the accuracy of the database update process. This is a manual process.

#### Calculation

**Percent Update Accuracy** =  $(a \div b) \times 100$ 

- a = Number of Updates Completed Without Error
- b = Number Updates Completed

# **Report Structure**

- · CLEC Aggregate
- CLEC Specific (not available in this report)
- BellSouth Aggregate (not available in this report)

#### **Data Retained**

Relating to CLEC Experience	Relating to BellSouth Performance
<ul> <li>Report Month</li> <li>CLEC Order Number (so_nbr) and PON (PON)</li> <li>Local Service Request (LSR)</li> <li>Order Submission Date</li> <li>Number of Orders Reviewed</li> </ul>	Not Applicable
<b>Note</b> : Code in parentheses is the corresponding header found in the raw data file.	

SQM Level of Disaggregation	SQM Analog/Benchmark
Database Type	• 95% Accurate
• LIDB	
Directory Listings	



# **SEEM Measure**

SEEM Measure		
No	Tier I	
	Tier II	

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

(A) **BELLSOUTH** \*

# D-3: Percent NXXs and LRNs Loaded by the LERG Effective Date

#### Definition

Measurement of the percent of NXX(s) and Location Routing Numbers LRN(s) loaded and tested in new end office and/or tandem switches by the Local Exchange Routing Guide (LERG) effective date when facilities are in place. BellSouth has a single provisioning process for both NXX(s) and LRN(s). In this measure BellSouth will identify whether or not a particular NXX has been flagged as LNP capable (set triggers for dips) by the LERG effective date.

An LRN is assigned by the owner of the switch and is placed into the software translations for every switch to be used as an administrative pointer to route NXX(s) in LNP capable switches. The LRN is a result of Local Number Porting and is housed in a national database provided by the Number Portability Administration Center (NPAC). The switch owner is responsible for notifying NPAC and requesting the effective date that will be reflected in the LERG. The national database downloads routing tables into BellSouth's Service Control Point (SCP) regional databases, which are queried by switches when routing ported numbers.

The basic NXX routing process includes the addition of all NXX(s) in the response translations. This addition to response translations is what supports LRN routing. Routing instructions for all NXX(s), including LRN(s), are received from the Advance Routing & Trunking System (ARTS) and all routing, including response, is established based on the information contained in the Translation Work Instructions (TWINs) document.

#### **Exclusions**

- Activation requests where the CLEC's interconnection arrangements and facilities are not in place by the LERG effective date.
- · Expedite requests

## **Business Rules**

Data for the initial NXX(s) and LRN(s) in a local calling area will be based on the LERG effective date or completion of the initial interconnection trunk group(s), whichever is longer. Data for additional NXX(s) in the local calling area will be based on the LERG effective date. The LERG effective date is loaded into the system at the request of the CLEC. It is contingent upon the CLEC to engineer, order, and install interconnection arrangements and facilities prior to that date.

The total Count of NXX(s) and LRN(s) that were scheduled to be loaded and those that were loaded by the LERG effective date in BellSouth switches will be captured in the Work Force Administration -Dispatch In database.

#### Calculation

Percent NXXs/LRNs Loaded and Tested Prior to the LERG Effective Date =  $(a \div b) \times 100$ 

- a = Count of NXXs and LRNs loaded by the LERG effective date
- b = Total NXXs and LRNs to be scheduled and loaded by the LERG effective date

# **Report Structure**

- · CLEC Specific
- · CLEC Aggregate
- BellSouth (Not Applicable)

#### **Data Retained**

Relating to CLEC Experience	Relating to BellSouth Performance
Company Name	Not Applicable
Company Code	
• NPA/NXX	
LERG Effective Date	
Loaded Date	



# **SQM** Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
Geographic Scope     Region	100% by LERG Effective Date

# **SEEM Measure**

SEEM Measure		
No	Tier I	
	Tier II	

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable



# Section 8: E911

# **E-1: Timeliness**

#### Definition

Measures the percent of batch orders for E911 database updates (to CLEC resale and BellSouth retail records) processed successfully within a 24-hour period.

#### **Exclusions**

- · Any resale order canceled by a CLEC
- · Facilities-based CLEC orders

#### **Business Rules**

The 24-hour processing period is calculated based on the date and time processing starts on the batch orders and the date and time processing stops on the batch orders. Mechanical processing starts when SCC (the BellSouth E911 vendor) receives E911 files containing batch orders extracted from the BellSouth Service Order Control System (SOCS). Processing stops when SCC loads the individual records to the E911 database. The E911 database includes updates to the Automatic Location Identification (ALI) database. The system makes no distinction between CLEC resale records and BellSouth retail records.

# Calculation

**E911 Timeliness** =  $(a \div b) \times 100$ 

- a = Number of batch orders processed within 24 hours
- b = Total number of batch orders submitted

## **Report Structure**

Reported for the aggregate of CLEC resale updates and BellSouth retail updates

- State
- Region

# **Data Retained**

- · Report month
- · Aggregate data

# SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
• None	Parity by Design

## **SEEM Measure**

SEEM Measure		
No	Tier I	
	Tier II	





SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable





# E-2: Accuracy

## Definition

Measures the percent of E911 telephone number (TN) record updates (to CLEC resale and BellSouth retail records) processed successfully for E911 (including the Automatic Location Identification (ALI) database).

# **Exclusions**

- · Any resale order canceled by a CLEC
- · Facilities-based CLEC orders

## **Business Rules**

Accuracy is based on the number of records processed without error at the conclusion of the processing cycle. Mechanical processing starts when SCC (the BellSouth E911 vendor) receives E911 files containing telephone number (TN) records extracted from BellSouth's Service Order Control System (SOCS). The system makes no distinction between CLEC resale records and BellSouth retail records.

#### Calculation

**E911 Accuracy** =  $(a \div b) \times 100$ 

- a = Number of record individual updates processed with no errors
- b = Total number of individual record updates

# **Report Structure**

Reported for the aggregate of CLEC resale updates and BellSouth retail updates

- State
- · Region

# **Data Retained**

- · Report month
- · Aggregate data

# **SQM** Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
• None	Parity by Design

## **SEEM Measure**

SEEM Measure		
No	Tier I	
	Tier II	

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable



# E-3: Mean Interval

## Definition

Measures the mean interval processing of E911 batch orders (to update CLEC resale and BellSouth retail records) including processing against the Automatic Location Identification (ALI) database.

# **Exclusions**

- · Any resale order canceled by a CLEC
- · Facilities-based CLEC orders

#### **Business Rules**

The processing period is calculated based on the date and time processing starts on the batch orders and the date and time processing stops on the batch orders. Data is posted is 4-hour increments up to and beyond 24 hours. The system makes no distinction between CLEC resale records and BellSouth retail records.

# Calculation

## E911 Interval = (a - b)

- a = Date and time of batch order completion
- b = Date and time of batch order submission

#### E911 Mean Interval = $(c \div d)$

- c = Sum of all E911 Intervals
- d = Number of batch orders completed

# **Report Structure**

Reported for the aggregate of CLEC resale updates and BellSouth retail updates

- State
- · Region

# **Data Retained**

- · Report month
- Aggregate data

# SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
• None	Parity by Design

# **SEEM Measure**

SEEM Measure		
No	Tier I	
	Tier II	

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable



# **Section 9: Trunk Group Performance**

# **TGP-1: Trunk Group Performance-Aggregate**

## **Definition**

The Trunk Group Performance report displays, over a reporting cycle, aggregate, average trunk group blocking data for each hour of each day of the reporting cycle, for both CLEC affecting and BellSouth affecting trunk groups.

#### **Exclusions**

- Trunk Groups for which there was no valid data available for an entire study period
- Duplicate trunk group information

#### **Business Rules**

The purpose of the Trunk Group Performance Report is to provide trunk blocking measurements on CLEC and BellSouth trunk groups for comparison only. It is not the intent of the report that it be used for network management and/or engineering.

# **Monthly Average Blocking:**

- The reporting cycle includes both business and non-business days in a calendar month.
- Monthly average blocking values are calculated for each trunk group for each of the 24 time consistent hours across a reporting cycle.

#### **Aggregate Monthly Blocking:**

- Used to compare aggregate blocking across trunk groups which terminate traffic at CLEC points of presence versus BellSouth switches.
- · Aggregate monthly blocking data is calculated for each hour of the day across all trunk groups assigned to a category.

# Trunk Categorization:

This report displays, over a reporting cycle, aggregate, average blocking data for each hour of a day. Therefore, for each reporting cycle, 24 blocking data points are generated for two aggregate groups of selected trunk groups. These groups are CLEC affecting and BellSouth affecting trunk groups. In order to assign trunk groups to each aggregate group, all trunk groups are first assigned to a category. A trunk group's end points and the type of traffic that is transmitted on it define a category. Selected categories of trunk groups are assigned to the aggregate groups so that trunk reports can be generated. The categories to which trunk groups have been assigned for this report are as follows.

Point A

Point B

## **CLEC Affecting Categories**:

(	Category 1:	BellSouth End Office	BellSouth Access Tandem
	Category 3:	BellSouth End Office	CLEC Switch
(	Category 4:	BellSouth Local Tandem	CLEC Switch
(	Category 5:	BellSouth Access Tandem	CLEC Switch
(	Category 10:	BellSouth End Office	BellSouth Local Tandem
(	Category 16:	BellSouth Tandem	BellSouth Tandem
BellSouth Affecting	Categories:		
		Point A	Point B
(	Category 9:	BellSouth End Office	BellSouth End Office



## Calculation

## **Monthly Average Blocking:**

- For each hour of the day, each day's raw data are summed across all valid measurements days in a report cycle for blocked and attempted calls.
- The sum of the blocked calls is divided by the total number of calls attempted in a reporting period.

## **Aggregate Monthly Blocking:**

- For each hour of the day, the monthly sums of the blocked and attempted calls from each trunk group are separately aggregated over all trunk groups within each assigned category.
- The total blocked calls is divided by the total call attempts within a group to calculate an aggregate monthly blocking for each assigned group.
- The result is an aggregate monthly average blocking value for each of the 24 hours by group.
- The difference between the CLEC and BellSouth affecting trunk groups are also calculated for each hour.

# **Report Structure**

- · CLEC Aggregate
- · BellSouth Aggregate
  - State

## **Data Retained**

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	Report Month
Total Trunk Groups	Total Trunk Groups
Number of Trunk Groups by CLEC	Aggregate Hourly Blocking Per Trunk Group
Hourly Blocking Per Trunk Group	Hourly Usage Per Trunk Group
Hourly Usage Per Trunk Group	Hourly Call Attempts Per Trunk Group
Hourly Call Attempts Per Trunk Group	

# **SQM Disaggregation - Analog/Benchmark**

SQM Level of Disaggregation	SQM Analog/Benchmark
CLEC Aggregate     BellSouth Aggregate	• Any 2 hour period in 24 hours where CLEC blockage exceeds BellSouth blockage by more than 0.5% using trunk groups 1, 3, 4, 5, 10, 16 for CLECs and 9 for BellSouth

# **SEEM Measure**

SEEM Measure		
Yes	Tier I	
	Tier II	X

SEEM Disaggregation	SEEM Analog/Benchmark
CLEC Aggregate     BellSouth Aggregate	• Any 2 hour period in 24 hours where CLEC blockage exceeds BellSouth blockage by more than 0.5% using trunk groups 1,3,4,5,10,16 for CLECs and 9 for BellSouth

Daint B

TGP-2: Trunk Group Performance – CLEC Specific



**Tennessee Performance Measurements** 

# TGP-2: Trunk Group Performance – CLEC Specific

#### Definition

The Trunk Group Performance report displays, over a reporting cycle, aggregate, average trunk group blocking data for each hour of each day of the reporting cycle, for both CLEC affecting and BellSouth affecting trunk groups.

## **Exclusions**

- Trunk Groups for which there was no valid data available for an entire study period
- Duplicate trunk group information

#### **Business Rules**

The purpose of the Trunk Group Performance Report is to provide trunk blocking measurements on CLEC and BellSouth trunk groups for comparison only. It is not the intent of the report that it be used for network management and/or engineering.

#### Monthly Average Blocking:

- The reporting cycle includes both business and non-business days in a calendar month.
- Monthly average blocking values are calculated for each trunk group for each of the 24 time consistent hours across a reporting cycle.

#### Aggregate Monthly Blocking:

- · Used to compare aggregate blocking across trunk groups which terminate traffic at CLEC points of presence versus BellSouth switches.
- Aggregate monthly blocking data is calculated for each hour of the day across all trunk groups assigned to a category.

## Trunk Categorization:

• This report displays, over a reporting cycle, aggregate, average blocking data for each hour of a day. Therefore, for each reporting cycle, 24 blocking data points are generated for two aggregate groups of selected trunk groups. These groups are CLEC affecting and BellSouth affecting trunk groups. In order to assign trunk groups to each aggregate group, all trunk groups are first assigned to a category. A trunk group's end points and the type of traffic that is transmitted on it define a category. Selected categories of trunk groups are assigned to the aggregate groups so that trunk reports can be generated. The categories to which trunk groups have been assigned for this report are as follows.

## **CLEC Affecting Categories:**

	Point A	Point B
Category 1:	BellSouth End Office	BellSouth Access Tandem
Category 3:	BellSouth End Office	CLEC Switch
Category 4:	BellSouth Local Tandem	CLEC Switch
Category 5:	BellSouth Access Tandem	CLEC Switch
Category 10:	BellSouth End Office	BellSouth Local Tandem
Category 16:	BellSouth Tandem	BellSouth Tandem

# **BellSouth Affecting Categories:**

	TOILLA	1 Ollit B
Category 9:	BellSouth End Office	BellSouth End Office

Doint A

## Calculation

# Monthly Average Blocking:

- For each hour of the day, each day's raw data are summed across all valid measurements days in a report cycle for blocked and attempted calls.
- The sum of the blocked calls is divided by the total number of calls attempted in a reporting period.

#### Aggregate Monthly Blocking:



- For each hour of the day, the monthly sums of the blocked and attempted calls from each trunk group are separately aggregated over all trunk groups within each assigned category.
- The total blocked calls is divided by the total call attempts within a group to calculate an aggregate monthly blocking for each assigned group.
- The result is an aggregate monthly average blocking value for each of the 24 hours by group.
- The difference between the CLEC and BellSouth affecting trunk groups are also calculated for each hour.

# **Report Structure**

- · CLEC Specific
  - State

## **Data Retained**

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	Report Month
Total Trunk Groups	Total Trunk Groups
Number of Trunk Groups by CLEC	Aggregate Hourly Blocking Per Trunk Group
Hourly Blocking Per Trunk Group	Hourly Usage Per Trunk Group
Hourly Usage Per Trunk Group	Hourly Call Attempts Per Trunk Group
Hourly Call Attempts Per Trunk Group	

# **SQM Disaggregation - Analog/Benchmark**

SQM Level of Disaggregation	SQM Analog/Benchmark
CLEC Trunk Group	• Any 2 hour period in 24 hours where CLEC blockage exceeds BellSouth blockage by more than 0.5% using trunk groups 1,
	3, 4, 5, 10, 16 for CLECs and 9 for BellSouth

## **SEEM Measure**

SEEM Measure		
Yes	Tier I	X
	Tier II	

SEEM Disaggregation	SEEM Analog/Benchmark
CLEC Trunk Group     BellSouth Trunk Group	• Any 2 hour period in 24 hours where CLEC blockage exceeds BellSouth blockage by more than 0.5% using trunk groups 1, 3, 4, 5, 10, 16 for CLECs and 9 for BellSouth



# **Section 10: Collocation**

# C-1: Collocation Average Response Time

## **Definition**

Measures the average time (counted in calendar days) from the receipt of a complete and accurate collocation application (including receipt of application fee if required) to the date BellSouth returns a response electronically or in writing. Within 10 calendar days after having received a bona fide application for physical collocation, BellSouth must respond as to whether space is available or not.

# **Exclusions**

Any application canceled by the CLEC

## **Business Rules**

The clock starts on the date that BellSouth receives a complete and accurate collocation application accompanied by the appropriate application fee if required. The clock stops on the date that BellSouth returns a response. The clock will restart upon receipt of changes to the original application request.

#### Calculation

**Response Time** = (a - b)

- a = Request Response Date
- b = Request Submission Date

Average Response Time =  $(c \div d)$ 

- c = Sum of all Response Times
- d = Count of Responses Returned within Reporting Period

# **Report Structure**

- Individual CLEC (alias) aggregate
- · Aggregate of all CLECs

# **Data Retained**

- · Report period
- · Aggregate data

SQM Level of Disaggregation	SQM Analog/Benchmark
• State	Virtual - 15 Calendar Days
Virtual-Initial	Physical Caged - 15 Calendar Days
Virtual-Augment	Physical Cageless - 15 Calendar Days
Physical Caged-Initial	
Physical Caged-Augment	
Physical-Cageless-Initial	
Physical Cageless-Augment	

**BELLSOUTH®** 

# **SEEM Measure**

SEEM Measure		
No	Tier I	
	Tier II	

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

(A) **BELLSOUTH** \*

# C-2: Collocation Average Arrangement Time

#### Definition

Measures the average time (counted in calendar days) from receipt of a complete and accurate Bona Fide firm order (including receipt of appropriate fee if required) to the date BellSouth completes the collocation arrangement and notifies the CLEC and the CLEC accepts the arrangement.

#### **Exclusions**

Any Bona Fide firm order canceled by the CLEC

#### **Business Rules**

The clock starts on the date that BellSouth receives a complete and accurate Bone Fide firm order accompanied by the appropriate fee. The clock stops on the date that BellSouth completes the collocation arrangement and notifies the CLEC. The cable assignments associated with the specific collocation request will be provided prior to completion of the arrangement.

# Calculation

Arrangement Time = (a - b)

- a = Date Collocation Arrangement is Complete
- b = Date Order for Collocation Arrangement Submitted

Average Arrangement Time =  $(c \div d)$ 

- c = Sum of all Arrangement Times
- d = Total Number of Collocation Arrangements Completed during Reporting Period

# **Report Structure**

- Individual CLEC (alias) aggregate
- · Aggregate of all CLECs

## **Data Retained**

- · Report period
- · Aggregate data

# **SQM** Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
State     Virtual-Initial     Virtual-Augment     Physical Caged-Initial     Physical Caged-Augment     Physical Cageless-Initial     Physical Cageless-Augment	<ul> <li>Virtual - 60 Calendar Days</li> <li>Virtual-Augment - 45 Calendar Days (Without Space Increase)</li> <li>Virtual-Augment - 60 Calendar Days (With Space Increase)</li> <li>Physical Caged - 90 Calendar Days (Ordinary)</li> <li>Physical Caged-Augment - 45 Calendar Days (Without Space Increase)</li> <li>Physical Caged-Augment - 90 Calendar Days (With Space Increase)</li> <li>Physical Cagedless - 90 Calendar Days</li> <li>Physical Cagedless-Augment - 45 Calendar Days (Without Space Increase)</li> <li>Physical Cagedless-Augment - 90 Calendar Days (With Space Increase)</li> <li>Physical Cagedless-Augment - 90 Calendar Days (With Space Increase)</li> </ul>

## **SEEM Measure**

SEEM Measure		
No	Tier I	
	Tier II	

**BELLSOUTH®** 

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

(A) BELLSOUTH

# C-3: Collocation Percent of Due Dates Missed

#### Definition

Measures the percent of missed due dates for both virtual and physical collocation arrangements

## **Exclusions**

Any Bona Fide firm order canceled by the CLEC

#### **Business Rules**

Percent Due Dates Missed is the percent of total collocation arrangements which BellSouth is unable to complete by end of the BellSouth committed due date. The clock starts on the date that BellSouth receives a complete and accurate Bona Fide firm order accompanied by the appropriate fee if required. The arrangement is considered a missed due date if it is not completed on or before the committed due date

## Calculation

% of Due Dates Missed =  $(a \div b) \times 100$ 

- a = Number of Completed Orders that were not completed within BellSouth Committed Due Date during Reporting Period
- b = Number of Orders Completed in Reporting Period

# **Report Structure**

- Individual CLEC (alias) aggregate
- · Aggregate of all CLECs

## **Data Retained**

- · Report period
- · Aggregate data

# **SQM** Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
• State	• $\geq$ 95% on time
Virtual-Initial	
Virtual- Augment	
Physical Caged- Initial	
Physical Caged- Augment	
Physical Cageless- Initial	
Physical Cageless- Augment	

## **SEEM Measure**

SEEM Measure		
Yes	Tier I	X
	Tier II	X

SEEM Disaggregation	SEEM Analog/Benchmark
All Collocation Arrangements	• $\geq 95\%$ on time



# **Section 11: Change Management**

# **CM-1: Timeliness of Change Management Notices**

## **Definition**

Measures whether CLECs receive required software release notices on time to prepare for BellSouth interface/system changes so CLEC interfaces are not impaired by change.

#### **Exclusions**

- Changes to release dates for reasons outside BellSouth control, such as the system software vendor changes. For example: a patch to fix a software problem.
- Type 6 Change Requests (Defects/Expedites), as defined by the Change Control Process (CCP)

## **Business Rules**

This metric is designed to measure the percent of change management notices sent to the CLECs according to notification standards and time frames set forth in the Change Control Process. The CCP is used by BellSouth and the CLECs to manage requested changes to the BellSouth Local Interfaces.

The clock starts on the notification date. The clock stops on the software release date. When project events occur (scope changes, analysis information, etc.), the software release date may change. A revised notification would be required and the clock would restart. Based on release constraints for defects/expedites, notification may be less than the agreed upon interval in the CCP for new features.

# Calculation

Timeliness of Change Management Notices =  $(a \div b) \times 100$ 

- a = Total number of Change Management Notifications Sent Within Required Time frames
- b = Total Number of Change Management Notifications Sent

# **Report Structure**

· BellSouth Aggregate

## **Data Retained**

- · Report Period
- Notice Date
- · Release Date

# **SQM** Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
Region	• 98% on time

# **SEEM Measure**

SEEM Measure		
Yes	Tier I	
	Tier II	X



SEEM Disaggregation	SEEM Analog/Benchmark
• Region	• 98% on time



# CM-2: Change Management Notice Average Delay Days

#### Definition

Measures the average delay days for change management system release notices sent outside the time frame set forth in the Change Control Process.

## **Exclusions**

- Changes to release dates for reasons outside BellSouth control, such as the system vendor
- Type 6 Change Requests (Defects/Expedites), as defined by the Change Control Process

#### **Business Rules**

This metric is designed to measure the percent of change management notices sent to the CLECs according to notification standards and time frames set forth in the Change Control Process. The CCP is used by BellSouth and the CLECs to manage requested changes to the BellSouth Local Interfaces.

The clock starts on the notification due date. The clock stops on the software release date. When project events occur (scope changes, analysis information, etc.), the software release date may change. A revised notification would be required and the clock would restart. Based on release constraints for defects/expedites, notification may be less than the agreed upon interval in the CCP for new features

## Calculation

Change Management Notice Delay Days = (a - b)

- a = Date Notice Sent
- b = Date Notice Due

Change Management Notice Average Delay Days =  $(c \div d)$ 

- c = Sum of all Change Management Notice Delay Days
- d = Total Number of Notices Sent Late

# **Report Structure**

· BellSouth Aggregate

## **Data Retained**

- · Report Period
- Notice Date
- · Release Date

# SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
• Region	• ≤ 5 Days

## **SEEM Measure**

SEEM Measure		
No	Tier I	
	Tier II	

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable



# CM-3: Timeliness of Documents Associated with Change

#### Definition

Measures whether CLECs received requirements or business rule documentation on time to prepare for BellSouth interface/system changes so CLEC interfaces are not impaired by change as set forth in the Change Control Process governed by the CLEC/BellSouth Review Board.

#### **Exclusions**

- Documentation for release dates that slip less than 30 days for a change mandated by regulatory or legal entities (Federal Communications Commission [FCC], a state commission/authority, or state and federal courts) or CLEC request.
- Type 6 Change Requests (Defects/Expedites), as defined by the Change Control Process.

## **Business Rules**

This metric is designed to measure the percent of requirements or business rule documentation sent to the CLECs according to documentation standards and time frames set forth in the Change Control Process. The CCP is used by BellSouth and the CLECs to manage requested changes to the BellSouth Local Interfaces.

The clock starts on the business rule documentation release date. The clock stops on the software release date. When project events occur (scope changes, analysis information, etc.), the software release date may change. Revisions to documentation could be required and the clock would restart.

# Calculation

Timeliness of Documents Associated with Change = (a ÷ b) X 100

- a = Change Management Documentation Sent Within Required Time frames after Notices
- b = Total Number of Change Management Documentation Sent

# Report Structure

· BellSouth Aggregate

# **Data Retained**

- · Report Period
- · Notice Date
- · Release Date

# **SQM** Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
Region	• 98% on Time

## **SEEM Measure**

SEEM Measure		
Yes	Tier I	
	Tier II	X

SEEM Disaggregation	SEEM Analog/Benchmark
Region	• 98% on Time

# CM-4: Change Management Documentation Average Delay Days

#### Definition

Measures the average delay days for requirements or business rule documentation sent outside the time frames set forth in the Change

## **Exclusions**

- Documentation for release dates that slip less than 30 days for reasons outside BellSouth control, such as changes due to Regulatory mandate or CLEC request.
- Type 6 Change Requests (Defects/Expedites), as defined by the Change Control Process.

## **Business Rules**

This metric is designed to measure the percent of requirements or business rule documentation sent to the CLECs according to documentation standards and time frames set forth in the Change Control Process. The CCP is used by BellSouth and the CLECs to manage requested changes to the BellSouth Local Interfaces.

The clock starts on the business rule documentation release date. The clock stops on the software release date. When project events occur (scope changes, analysis information, etc.), the software release date may change. Revisions to documentation could be required and the clock would restart.

## Calculation

**Change Management Documentation Delay Days** = (a - b)

- a = Date Documentation Provided
- b = Date Documentation Due

Change Management Documentation Average Delay Days =  $(c \div d)$ 

- c = Sum of all CM Documentation Delay Days
- d = Total Change Management Documents Sent

# Report Structure

· BellSouth Aggregate

# **Data Retained**

- · Report Period
- · Notice Date
- · Release Date

# SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
Region	• ≤ 5 Days

## **SEEM Measure**

SEEM Measure		
No	Tier I	
	Tier II	



SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

# **CM-5: Notification of CLEC Interface Outages**

## **Definition**

Measures the time it takes BellSouth to notify the CLEC of an outage of an interface.

## **Exclusions**

None

## **Business Rules**

This measure is designed to notify the CLEC of interface outages within 15 minutes of BellSouth's verification that an outage has taken place. This metric will be expressed as a percentage.

# Calculation

Notification of CLEC Interface Outages =  $(a \div b) \times 100$ 

- a = Number of Interface Outages where CLECS are notified within 15 minutes
- b = Total Number of Interface Outages

# **Report Structure**

· CLEC Aggregate

# **Data Retained**

Relating to CLEC Experience	Relating to BellSouth Performance
<ul> <li>Number of Interface Outages</li> <li>Number of Notifications ≤ 15 minutes</li> </ul>	Not Applicable

# SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
By interface type for all interfaces accessed by CLECs	• 97% ≤ 15 Minutes

Interface	Applicable to
EDI	CLEC
CSOTS	CLEC
LENS	CLEC
TAG	CLEC
ECTA	CLEC
TAFI	CLEC/BellSouth

## **SEEM Measure**

SEEM Measure		
No	Tier I	
	Tier II	



SEEM Disaggregation	SEEM Analog/Benchmark	
Not Applicable	Not Applicable	



# **Appendix A: Reporting Scope**

# A-1: Standard Service Groupings

See individual reports in the body of the SQM.

# A-2: Standard Service Order Activities

These are the generic BellSouth/CLEC service order activities which are included in the Pre-Ordering, Ordering, and Provisioning sections of this document. It is not meant to indicate specific reporting categories.

# **Service Order Activity Types**

- Service Migrations Without Changes
- Service Migrations With Changes
- Move and Change Activities
- Service Disconnects (Unless noted otherwise)
- · New Service Installations

# **Pre-Ordering Query Types**

- Address
- Telephone Number
- Appointment Scheduling
- Customer Service Record
- · Feature Availability
- · Service Inquiry

## **Maintenance Query Types**

TAFI - TAFI queries the systems below

- CRIS
- March
- Predictor
- LMOS
- DLR
- DLETHLMOSupd
- LNP
- NIW
- OSPCM
- SOCS

# **Report Levels**

- CLEC RESH
- CLEC State
- · CLEC Region
- Aggregate CLEC State



- Aggregate CLEC Region
- BellSouth State
- BellSouth Region



# **Appendix B: Glossary of Acronyms and Terms**

# Symbols used in calculations

- $\Sigma$  A mathematical symbol representing the sum of a series of values following the symbol.
- A mathematical operator representing subtraction.
- + A mathematical operator representing addition.
- ÷ A mathematical operator representing division.
- < A mathematical symbol that indicates the metric on the left of the symbol is less than the metric on the right.
- ≤ A mathematical symbol that indicates the metric on the left of the symbol is less than or equal to the metric on the right.
- > A mathematical symbol that indicates the metric on the left of the symbol is greater than the metric on the right.
- > A mathematical symbol that indicates the metric on the left of the symbol is greater than or equal to the metric on the right.
- () Parentheses, used to group mathematical operations which are completed before operations outside the parentheses.

# Α

**ACD:** Automatic Call Distributor - A service that provides status monitoring of agents in a call center and routes high volume incoming telephone calls to available agents while collecting management information on both callers and attendants.

Aggregate: Sum total of all items in like category, e.g. CLEC aggregate equals the sum total of all CLECs' data for a given reporting level

**ALEC:** Alternative Local Exchange Company = FL CLEC

ADSL: Asymmetrical Digital Subscriber Line

**ASR:** Access Service Request - A request for access service terminating delivery of carrier traffic into a Local Exchange Carrier's network.

ATLAS: Application for Telephone Number Load Administration System - The BellSouth Operations System used to administer the pool of available telephone numbers and to reserve selected numbers from the pool for use on pending service requests/service orders.

ATLASTN: ATLAS software contract for Telephone Number.

**Auto Clarification:** The number of LSRs that were electronically rejected from LESOG and electronically returned to the CLEC for correction.

#### В

**BFR:** Bona Fied Request



**BILLING:** The process and functions by which billing data is collected and by which account information is processed in order to render accurate and timely billing.

BOCRIS: Business Office Customer Record Information System (Front-end to the CRIS database.)

**BRI:** Basic Rate ISDN

**BRC:** Business Repair Center – The BellSouth Business Systems trouble receipt center which serves large business and CLEC customers.

BellSouth: BellSouth Telecommunications, Inc.

C

CABS: Carrier Access Billing System

**CCC:** Coordinated Customer Conversions

**CCP:** Change Control Process

**Centrex:** A business telephone service, offered by local exchange carriers, which is similar to a Private Branch Exchange (PBX) but the switching equipment is located in the telephone company Central Office (CO).

**CKTID:** A unique identifier for elements combined in a service configuration

CLEC: Competitive Local Exchange Carrier

**CLP:** Competitive Local Provider = NC CLEC

CM: Change Management

CMDS: Centralized Message Distribution System - Telcordia administered national system used to transfer specially formatted messages among companies.

**COFFI:** Central Office Feature File Interface - Provides information about USOCs and class of service. COFFI is a part of DOE/SONGS. It indicates all services available to a customer.

CRIS: Customer Record Information System - This system is used to retain customer information and render bills for telecommunications service.

CRSACCTS: CRIS software contract for CSR information

CRSG: Complex Resale Support Group

C-SOTS: CLEC Service Order Tracking System

**CSR:** Customer Service Record

CTTG: Common Transport Trunk Group - Final trunk groups between BellSouth & Independent end offices and the BellSouth access tandems.

D

DA: Directory Assistance

**DESIGN:** Design Service is defined as any Special or Plain Old Telephone Service Order which requires BellSouth Design Engineering Activities.



**DISPOSITION & CAUSE:** Types of trouble conditions, e.g. No Trouble Found, Central Office Equipment, Customer Premises Equipment, etc.

**DLETH:** Display Lengthy Trouble History - A history report that gives all activity on a line record for trouble reports in LMOS.

**DLR:** Detail Line Record - A report that gives detailed line record information on records maintained in LMOS

**DS-0:** The worldwide standard speed for one digital voice signal (64000 bps).

**DS-1:** 24 DS-0s (1.544Mb/sec., i.e. carrier systems)

**DOE:** Direct Order Entry System - An internal BellSouth service order entry system used by BellSouth Service Representatives to input business service orders in BellSouth format.

**DSAP:** DOE (Direct Order Entry) Support Application - The BellSouth Operations System which assists a Service Representative or similar carrier agent in negotiating service provisioning commitments for non-designed services and Unbundled Network Elements.

**DSAPDDI:** DSAP software contract for schedule information.

**DSL:** Digital Subscriber Line

**DUI:** Database Update Information

## Ε

**E911:** Provides callers access to the applicable emergency services bureau by dialing a 3-digit universal telephone number.

**EDI:** Electronic Data Interchange - The computer-to-computer exchange of inter and/or intra-company business documents in a public standard format.

ESSX: BellSouth Centrex Service

## F G

**Fatal Reject:** The number of LSRs that were electronically rejected from LEO, which checks to see of the LSR has all the required fields correctly populated.

**Flow-Through:** In the context of this document, LSRs submitted electronically via the CLEC mechanized ordering process that flow through to the BellSouth OSS without manual or human intervention.

**FOC:** Firm Order Confirmation - A notification returned to the CLEC confirming that the LSR has been received and accepted, including the specified commitment date.

FX: Foreign Exchange

## Н

**HAL:** "Hands Off" Assignment Logic - Front end access and error resolution logic used in interfacing BellSouth Operations Systems such as ATLAS, BOCRIS, LMOS, PSIMS, RSAG and SOCS.

**HALCRIS:** HAL software contract for CSR information

HDSL: High Density Subscriber Loop/Line

Version 1.00 B-3 Issue Date: December 1, 2002



## IJK

**ILEC:** Incumbent Local Exchange Company

INP: Interim Number Portability

**ISDN:** Integrated Services Digital Network

**IPC:** Interconnection Purchasing Center

L

LAN: Local Area Network

LAUTO: The automatic processor in the LNP Gateway that validates LSRs and issues service orders.

LCSC: Local Carrier Service Center - The BellSouth center which is dedicated to handling CLEC LSRs, ASRs, and Preordering transactions along with associated expedite requests and escalations.

Legacy System: Term used to refer to BellSouth Operations Support Systems (see OSS)

**LENS:** Local Exchange Negotiation System - The BellSouth LAN/web server/OS application developed to provide both preordering and ordering electronic interface functions for CLECs.

**LEO:** Local Exchange Ordering - A BellSouth system which accepts the output of EDI, applies edit and formatting checks, and reformats the Local Service Requests in BellSouth Service Order format.

LERG: Local Exchange Routing Guide

**LESOG:** Local Exchange Service Order Generator - A BellSouth system which accepts the service order output of LEO and enters the Service Order into the Service Order Control System using terminal emulation technology.

LFACS: Loop Facilities Assessment and Control System

LIDB: Line Information Database

**LMOS:** Loop Maintenance Operations System - A system that provides a mechanized means of maintaining customer line records and for entering, processing, and tracking trouble reports.

LMOS HOST: LMOS host computer

**LMOSupd:** LMOS update allows trouble tickets on line records to be entered into LMOS.

LMU: Loop Make-up

LMUS: Loop Make-up Service Inquiry

**LNP:** Local Number Portability - In the context of this document, the capability for a subscriber to retain his current telephone number as he transfers to a different local service provider.

**LNP Gateway:** Local Number Portability (gateway)- A system that provides both internal and external communications with various interfaces and process including:

- (1). Linking BellSouth to the Number Portability Administration Center (NPAC).
- (2). Allowing for inter-company communications between BellSouth and the CLECs for electronic ordering.
- (3). Providing interface between NPAC and AIN SMS for LNP routing processes.



**LOOPS**: Transmission paths from the central office to the customer premises.

LRN: Location Routing Number

LSR: Local Service Request – A request for local resale service or unbundled network elements from a CLEC.

## M

**Maintenance & Repair:** The process and function by which trouble reports are passed to BellSouth and by which the related service problems are resolved.

**MARCH:** A memory administration system that translates line-related service order data into switch provisioning messages and automatically transmits the messages to targeted stored program control system switches.

## Ν

**NBR:** New Business Request

NC: "No Circuits" - All circuits busy announcement.

**NIW:** Network Information Warehouse - A system that stores central office blockage data for use in processing trouble reports.

**NMLI:** Native Mode LAN Interconnection

NPA: Numbering Plan Area

**NXX:** The "exchange" portion of a telephone number.

## 0

**OASIS:** Obtain Availability Services Information System - A BellSouth front-end processor, which acts as an interface between COFFI and RNS. This system takes the USOCs in COFFI and translates them to English for display in RNS.

OASISBSN: OASIS software contract for feature/service

OASISCAR: OASIS software contract for feature/service

OASISLPC: OASIS software contract for feature/service

OASISMTN: OASIS software contract for feature/service

**OASISNET:** OASIS software contract for feature/service

**OASISOCP:** OASIS software contract for feature/service

**ORDERING:** The process and functions by which resale services or unbundled network elements are ordered from Bell-South as well as the process by which an LSR or ASR is placed with BellSouth.

Order Types: The following order types are used in this document:

- (1). T The "to" portion of a change of address. This Order Type is used to connect main service at a new address when a customer moves from one address to another in any of the nine states within the BellSouth region. A "T" Order Type is always pared with an "F" Order Type which will have the same telephone number following the "F" Order Type Code unless the orders are within different states.
- (2). N Orders establishing a new account. Also, this Order Type Code is occasionally used when changing from one type of system to another such as when changing from PBX to Centrex.



- (3). C Order Type used for the following conditions: changes or partial connections or disconnections of service or equipment; change of telephone number, grade or class of main line, additional lines, auxiliary lines, PBX trunks and stations; addition of trunks or lines to existing accounts; move of equipment (other than change of address); temporary suspension and restoration of service at customer's request.
- (4). R Order Type used for the following conditions: additions, removals or changes in directory listings; responsibility change orders, addition, removal or changes in directory and billing information; other record corrections where no "field work" is involved.

**OSPCM:** Outside Plant Contract Management System - A system that provides scheduling and completion information on outside plant construction activities.

**OSS:** Operations Support System - A support system or database which is used to mechanize the flow or performance of work. The term is used to refer to the overall system consisting of hardware complex, computer operating system(s), and application which is used to provide the support functions.

**OUT OF SERVICE:** Customer has no dial tone and cannot call out.

# P Q

PMAP: Performance Measurement Analysis Platform

PON: Purchase Order Number

**POTS:** Plain Old Telephone Service

**PREDICTOR:** A system which is used to administer proactive maintenance and rehabilitation activities on outside plant facilities, provide access to selected work groups to Mechanized Loop Testing and switching system I/O ports.

**Preordering:** The process and functions by which vital information is obtained, verified, or validated prior to placing a service request.

PRI: Primary Rate ISDN

**Provisioning:** The process and functions by which necessary work is performed to activate a service requested via an LSR or ASR and to initiate the proper billing and accounting functions.

**PSIMS:** Product/Service Inventory Management System - A BellSouth database Operations System which contains availability information on switching system features and capabilities and on BellSouth service availability. This database is used to verify the availability of a feature or service in an NXX prior to making a commitment to the customer.

**PSIMSORB:** PSIMS software contract for feature/service.

## R

**RNS:** Regional Negotiation System - An internal BellSouth service order entry system used by BellSouth Consumer Services to input service orders in BellSouth format.

ROS: Regional Ordering System

RRC: Residence Repair Center - The BellSouth Consumer Services trouble receipt center which serves residential customers.

**RSAG:** Regional Street Address Guide - The BellSouth database, which contains street addresses validated to be accurate with state and local governments.

**RSAGADDR:** RSAG software contract for address search.



**RSAGTN:** RSAG software contract for telephone number search.

S

SAC: Service Advocacy Center

**SEEM:** Self Effectuating Enforcement Mechanism

**SOCS:** Service Order Control System - A system which routes service order images among BellSouth drop points and BellSouth OSS during the service provisioning process.

**SOIR:** Service Order Interface Record - any change effecting activity to a customer account by service order that impacts 911/E911

SONGS: Service Order Negotiation and Generation System.

**Syntactically Incorrect Query:** A query that cannot be fulfilled due to insufficient or incorrect input data from the end user. For example, A CLEC would like to query the legacy system for the following address: 1234 Main ST. Entering "1234 Main ST" will be considered syntactically correct because valid characters were used in the address field. However, entering "AB34 Main ST" will be considered syntactically incorrect because invalid characters (i.e., alpha characters were entered in numeric slots) were used in the address field.

## Т

**TAFI:** Trouble Analysis Facilitation Interface - The BellSouth Operations System that supports trouble receipt center personnel in taking and handling customer trouble reports.

TAG: Telecommunications Access Gateway – TAG was designed to provide an electronic interface, or machine-to-machine interface for the bi-directional flow of information between BellSouth's OSSs and participating CLECs.

TN: Telephone Number

**Total Manual Fallout:** The number of LSRs which are entered electronically but require manual entering into a service order generator.

# UV

UNE: Unbundled Network Element

UCL: Unbundled Copper Link

USOC: Universal Service Order Code

# WXYZ

**WATS:** Wide Area Telephone Service

WFA: Work Force Administration

WMC: Work Management Center

WTN: Working Telephone Number.



# **Appendix C: BellSouth Audit Policy**

# C-1: BellSouth's Internal Audit Policy

BellSouth's internal efforts to make certain that the reports produced by the PMAP platform are of the highest accuracy has been formalized into a Performance Measurements Quality Assurance Plan (PMQAP) that documents and augments existing quality assurance processes integral to the production and validation of Performance Measurements data.

The plan consists of three sections:

- 1. Change Control addresses the quality assurance steps involved in the introduction of new measurements and changes to existing measurements.
- 2. Production addresses the quality assurance steps used to create monthly SQM reports.
- 3. Monthly Validation addresses the quality assurance steps used to ensure accurate posting of monthly results.

The BellSouth PMQAP will ensure that BellSouth effectively and consistently provides accurate performance measurements data for the activities included in the SQM. The BellSouth Internal Audit department will audit this plan and its quality assurance steps annually, beginning in 4Q01.

# C-2: BellSouth's External Audit Policy

BellSouth currently provides many CLECs with audit rights as a part of their individual interconnection agreements. BellSouth has developed a proposed Audit Plan for use by the parties to an audit. If requested by a Public Service Commission or by a CLEC exercising contractual audit rights, BellSouth will agree to undergo a comprehensive audit of the current year aggregate level reports for both BellSouth and the CLECs for each of the next five (5) years (2001 - 2005), to be conducted by an independent third party auditor jointly selected by BellSouth and the CLEC. The results of audits will be made available to all the parties subject to proper safeguards to protect proprietary information. Requested audits include the following specifications:

- 1. The cost shall be borne by BellSouth.
- 2. The independent third party auditor shall be selected with input from BellSouth, the PSC, if applicable, and the CLEC(s).
- 3. BellSouth, the PSC and the CLECs shall jointly determine the scope of the audit.

These comprehensive audits are intended to provide the basis for the PSCs and CLECs to determine that the SQM and PMAP produce accurate data that reflects each States Order for performance measurements. Once this has been verified by an initial audit, the BellSouth PMQAP will provide the basis for future audits.

# Attachment 10 BellSouth Disaster Recovery Plan

				<u>PAGE</u>
<u>CON</u>	TENT	<u>S</u>		
1.0	Purpose			
2.0	Single Point of Contact			
3.0	Identifying the Problem			3
	3.1 Site Control			4
	3.2	Enviro	nmental Concerns	4
4.0	The Emergency Control Center (ECC)			
5.0	Recovery Procedures		6	
	5.1 CLEC Outage			6
	5.2 BellSouth Outage			6
		5.2.1	Loss of Central Office	6
		5.2.2	Loss of a Central Office with Serving Wire Center Functions	7
			Loss of a Central Office with Tandem Functions	7
		5.2.4	Loss of a Facility Hub	7
	5.3 Combined Outage (CLEC and BellSouth Equipment)		8	
6.0	T1 Identification Procedures			8
7.0	Acronyms			8
		-		

## 1.0 PURPOSE

In the unlikely event of a disaster occurring that affects BellSouth's long-term ability to deliver traffic to a Competitive Local Exchange Carrier (CLEC), general procedures have been developed to hasten the recovery process. Since each location is different and could be affected by an assortment of potential problems, a detailed recovery plan is impractical. However, in the process of reviewing recovery activities for specific locations, some basic procedures emerge that appear to be common in most cases.

These general procedures should apply to any disaster that affects the delivery of traffic for an extended time period. Each CLEC will be given the same consideration during an outage, and service will be restored as quickly as possible.

This document will cover the basic recovery procedures that would apply to every CLEC.

## 2.0 SINGLE POINT OF CONTACT

When a problem is experienced, regardless of the severity, the BellSouth Network Management Center (NMC) will observe traffic anomalies and begin monitoring the situation. Controls will be appropriately applied to insure the sanity of BellSouth's network; and, in the event that a switch or facility node is lost, the NMC will attempt to circumvent the failure using available reroutes.

BellSouth's NMC will remain in control of the restoration efforts until the problem has been identified as being a long-term outage. At that time, the NMC will contact BellSouth's Emergency Control Center (ECC) and relinquish control of the recovery efforts. Even though the ECC may take charge of the situation, the NMC will continue to monitor the circumstances and restore traffic as soon as damaged network elements are revitalized.

The telephone number for the BellSouth Network Management Center in Atlanta, as published in Telcordia's National Network Management Directory, is 404-321-2516.

## 3.0 IDENTIFYING THE PROBLEM

During the early stages of problem detection, the NMC will be able to tell which CLECs are affected by the catastrophe. Further analysis and/or first hand observation will determine if the disaster has affected CLEC equipment only, BellSouth equipment only or a combination. The initial restoration activity will be largely determined by the equipment that is affected.

Once the nature of the disaster is determined and after verifying the cause of the problem, the NMC will initiate reroutes and/or transfers that are jointly agreed upon by the affected CLECs' Network Management Center and the BellSouth NMC. The type and percentage of controls used will depend upon available network capacity. Controls necessary to stabilize the situation will be invoked and the NMC will attempt to re-establish as much traffic as possible.

For long-term outages, recovery efforts will be coordinated by the Emergency Control Center (ECC). Traffic controls will continue to be applied by the NMC until facilities are re-established. As equipment is made available for service, the ECC will instruct the NMC to begin removing the controls and allow traffic to resume.

## 3.1 SITE CONTROL

In the total loss of building use scenario, what likely exists will be a smoking pile of rubble. This rubble will contain many components that could be dangerous. It could also contain any personnel on the premises at the time of the disaster. For these reasons, the local fire marshal with the assistance of the police will control the site until the building is no longer a threat to surrounding properties and the companies have secured the site from the general public.

During this time, the majority owner of the building should be arranging for a demolition contractor to mobilize to the site with the primary objective of reaching the cable entrance facility for a damage assessment. The results of this assessment would then dictate immediate plans for restoration, both short term and permanent.

In a less catastrophic event, i.e., the building is still standing and the cable entrance facility is usable, the situation is more complex. The site will initially be controlled by local authorities until the threat to adjacent property has diminished. Once the site is returned to the control of the companies, the following events should occur.

An initial assessment of the main building infrastructure systems (mechanical, electrical, fire and life safety, elevators, and others) will establish building needs. Once these needs are determined, the majority owner should lead the building restoration efforts. There may be situations where the site will not be totally restored within the confines of the building. The companies must individually determine their needs and jointly assess the cost of permanent restoration to determine the overall plan of action.

Multiple restoration trailers from each company will result in the need for designated space and installation order. This layout and control is required to maximize the amount of restoration equipment that can be placed at the site, and the priority of placements.

Care must be taken in this planning to ensure other restoration efforts have logistical access to the building. Major components of telephone and building equipment will need to be removed and replaced. A priority for this equipment must also be jointly established to facilitate overall site restoration. (Example: If the AC switchgear has sustained damage, this would be of the highest priority in order to regain power, lighting, and HVAC throughout the building.)

If the site will not accommodate the required restoration equipment, the companies would then need to quickly arrange with local authorities for street closures, rights of way or other possible options available.

## 3.2 ENVIRONMENTAL CONCERNS

In the worse case scenario, many environmental concerns must be addressed. Along with the police and fire marshal, the state environmental protection department will be on site to monitor the situation.

Items to be concerned with in a large central office building could include:

- 1. Emergency engine fuel supply. Damage to the standby equipment and the fuel handling equipment could have created "spill" conditions that have to be handled within state and federal regulations.
- 2. Asbestos-containing materials that may be spread throughout the wreckage. Asbestos could be in many components of building, electrical, mechanical, outside plant distribution, and telephone systems.
- 3. Lead and acid. These materials could be present in potentially large quantities depending upon the extent of damage to the power room.
- 4. Mercury and other regulated compounds resident in telephone equipment.
- 5. Other compounds produced by the fire or heat.

Once a total loss event occurs at a large site, local authorities will control immediate clean up (water placed on the wreckage by the fire department) and site access.

At some point, the companies will become involved with local authorities in the overall planning associated with site clean up and restoration. Depending on the clean up approach taken, delays in the restoration of several hours to several days may occur.

In a less severe disaster, items listed above are more defined and can be addressed individually depending on the damage.

In each case, the majority owner should coordinate building and environmental restoration as well as maintain proper planning and site control.

# 4.0 THE EMERGENCY CONTROL CENTER (ECC)

The ECC is located in the Colonnade Building in Birmingham, Alabama. During an emergency, the ECC staff will convene a group of pre-selected experts to inventory the damage and initiate corrective actions. These experts have regional access to BellSouth's personnel and equipment and will assume control of the restoration activity anywhere in the nine-state area.

In the past, the ECC has been involved with restoration activities resulting from hurricanes, ice storms and floods. They have demonstrated their capabilities during these calamities as well as during outages caused by human error or equipment failures. This group has an excellent record of restoring service as quickly as possible.

During a major disaster, the ECC may move emergency equipment to the affected location, direct recovery efforts of local personnel and coordinate service restoration activities with the CLECs. The ECC will attempt to restore service as quickly as possible using whatever means is available, leaving permanent solutions, such as the replacement of damaged buildings or equipment, for local personnel to administer.

Part of the ECC's responsibility, after temporary equipment is in place, is to support the NMC efforts to return service to the CLECs. Once service has been restored, the ECC will return control of the network to normal operational organizations. Any long-term changes required after service is restored will be made in an orderly fashion and will be conducted as normal activity.

## 5.0 RECOVERY PROCEDURES

The nature and severity of any disaster will influence the recovery procedures. One crucial factor in determining how BellSouth will proceed with restoration is whether or not BellSouth's equipment is incapacitated. Regardless of whose equipment is out of service, BellSouth will move as quickly as possible to aid with service recovery; however, the approach that will be taken may differ depending upon the location of the problem.

## 5.1 CLEC OUTAGE

For a problem limited to one CLEC (or a building with multiple CLECs), BellSouth has several options available for restoring service quickly. For those CLECs that have agreements with other CLECs, BellSouth can immediately start directing traffic to a provisional CLEC for completion. This alternative is dependent upon BellSouth having concurrence from the affected CLECs.

Whether or not the affected CLECs have requested a traffic transfer to another CLEC will not impact BellSouth's resolve to re-establish traffic to the original destination as quickly as possible.

#### 5.2 BELLSOUTH OUTAGE

Because BellSouth's equipment has varying degrees of impact on the service provided to the CLECs, restoring service from damaged BellSouth equipment is different. The outage will probably impact a number of Carriers simultaneously. However, the ECC will be able to initiate immediate actions to correct the problem.

A disaster involving any of BellSouth's equipment locations could impact the CLECs, some more than others. A disaster at a Central Office (CO) would only impact the delivery of traffic to and from that one location, but the incident could affect many Carriers. If the Central Office is a Serving Wire Center (SWC), then traffic from the entire area to those Carriers served from that switch would also be impacted. If the switch functions as an Access Tandem, or there is a tandem in the building, traffic from every CO to every CLEC could be interrupted. A disaster that destroys a facility hub could disrupt various traffic flows, even though the switching equipment may be unaffected.

The NMC would be the first group to observe a problem involving BellSouth's equipment. Shortly after a disaster, the NMC will begin applying controls and finding re-routes for the completion of as much traffic as possible. These reroutes may involve delivering traffic to alternate Carriers upon receiving approval from the CLECs involved. In some cases, changes in translations will be required. If the outage is caused by the destruction of equipment, then the ECC will assume control of the restoration.

## **5.2.1 Loss of a Central Office**

When BellSouth loses a Central Office, the ECC will

- a) Place specialists and emergency equipment on notice;
- b) Inventory the damage to determine what equipment and/or functions are lost;

- c) Move containerized emergency equipment and facility equipment to the stricken area, if necessary;
- d) Begin reconnecting service for Hospitals, Police and other emergency agencies; and
- e) Begin restoring service to CLECs and other customers.

# 5.2.2 Loss of a Central Office with Serving Wire Center Functions

The loss of a Central Office that also serves as a Serving Wire Center (SWC) will be restored as described in Section 5.2.1.

## 5.2.3 Loss of a Central Office with Tandem Functions

When BellSouth loses a Central Office building that serves as an Access Tandem and as a SWC, the ECC will

- a) Place specialists and emergency equipment on notice;
- b) Inventory the damage to determine what equipment and/or functions are lost;
- c) Move containerized emergency equipment and facility equipment to the stricken area, if necessary;
- d) Begin reconnecting service for Hospitals, Police and other emergency agencies;
- e) Re-direct as much traffic as possible to the alternate access tandem (if available) for delivery to those CLECs utilizing a different location as a SWC;
- f) Begin aggregating traffic to a location near the damaged building. From this location, begin re-establishing trunk groups to the CLECs for the delivery of traffic normally found on the direct trunk groups. (This aggregation point may be the alternate access tandem location or another CO on a primary facility route.)
- g) Begin restoring service to CLECs and other customers.

# 5.2.4 Loss of a Facility Hub

In the event that BellSouth loses a facility hub, the recovery process is much the same as above. Once the NMC has observed the problem and administered the appropriate controls, the ECC will assume authority for the repairs. The recovery effort will include

- a) Placing specialists and emergency equipment on notice;
- b) Inventorying the damage to determine what equipment and/or functions are lost;
- c) Moving containerized emergency equipment to the stricken area, if necessary;
- d) Reconnecting service for Hospitals, Police and other emergency agencies; and
- e) Restoring service to CLECs and other customers. If necessary, BellSouth will aggregate the traffic at another location and build temporary facilities. This alternative would be viable for a location that is destroyed and building repairs are required.

# 5.3 COMBINED OUTAGE (CLEC AND BELLSOUTH EQUIPMENT)

In some instances, a disaster may impact BellSouth's equipment as well as the CLECs'. This situation will be handled in much the same way as described in Section 5.2.3. Since BellSouth and the CLECs will be utilizing temporary equipment, close coordination will be required.

## 6.0 T1 IDENTIFICATION PROCEDURES

During the restoration of service after a disaster, BellSouth may be forced to aggregate traffic for delivery to a CLEC. During this process, T1 traffic may be consolidated onto DS3s and may become unidentifiable to the Carrier. Because resources will be limited, BellSouth may be forced to "package" this traffic entirely differently than normally received by the CLECs. Therefore, a method for identifying the T1 traffic on the DS3s and providing the information to the Carriers is required.

# 7.0 ACRONYMS

CO - Central Office (BellSouth)

DS3 - Facility that carries 28 T1s (672 circuits)
ECC - Emergency Control Center (BellSouth)
CLEC - Competitive Local Exchange Carrier

NMC - Network Management Center

SWC - Serving Wire Center (BellSouth switch)

T1 - Facility that carries 24 circuits

# **Hurricane Information**

During a hurricane, BellSouth will make every effort to keep CLECs updated on the status of our network. Information centers will be set up throughout BellSouth Telecommunications. These centers are not intended to be used for escalations, but rather to keep the CLEC informed of network related issues, area damages and dispatch conditions, etc.

Hurricane-related information can also be found on line at <a href="http://www.interconnection.bellsouth.com/network/disaster/dis\_resp.htm">http://www.interconnection.bellsouth.com/network/disaster/dis\_resp.htm</a>. Information concerning Mechanized Disaster Reports can also be found at this website by clicking on CURRENT MDR REPORTS or by going directly to <a href="http://www.interconnection.bellsouth.com/network/disaster/mdrs.htm">http://www.interconnection.bellsouth.com/network/disaster/mdrs.htm</a>.

## **BST Disaster Management Plan**

BellSouth maintenance centers have geographical and redundant communication capabilities. In the event of a disaster removing any maintenance center from service another geographical center would assume maintenance responsibilities. The contact numbers will not change and the transfer will be transparent to the CLEC.

# **Attachment 11**

**Bona Fide Request and New Business Request Process** 

Version 4Q02: 12/18/02

# BONA FIDE REQUEST AND NEW BUSINESS REQUESTS PROCESS

- 1.0 The Parties agree that MRC is entitled to order any Network Element, Interconnection option, service option or Resale Service required to be made available by the Communications Act of 1934, as modified by the Telecommunications Act of 1996 (the "Act"), FCC requirements or Commission requirements. MRC also shall be permitted to request the development of new or revised facilities or service options which are not required by the Act. Procedures applicable to requesting the addition of such facilities or service options are specified in this Attachment 11.
- 2.0 Bona Fide Requests (BFRs) are to be used when MRC makes a request of BellSouth to provide a new or modified network element, interconnection option, or other service option pursuant to the Act that was not previously included in the Agreement. New Business Requests (NBRs) are to be used when MRC makes a request of BellSouth to provide a new or custom capability or function to meet MRC's business needs that was not previously included in the Agreement.
- A BFR or a NBR shall be submitted in writing by MRC and shall specifically identify the required service date, technical requirements, space requirements and/or such specifications that clearly define the request such that BellSouth has sufficient information to analyze and prepare a response. Such a request also shall include a MRC's designation of the request as being (i) pursuant to the Telecommunications Act of 1996 (i.e. a "BFR") or (ii) pursuant to the needs of the business (i.e. a "NBR"). The request shall be sent to MRC's Local Contract Manager.
- 4.0 Within thirty (30) business days of its receipt of a BFR or NBR from MRC, BellSouth shall respond to MRC by providing a preliminary analysis of such Interconnection, Network Element, or other facility or service option that is the subject of the BFR or NBR. The preliminary analysis shall confirm that BellSouth will either offer access to the Interconnection, Network Element, or other facility or service option, or provide an explanation of why it is not technically feasible and/or why the request does not qualify as an Interconnection or Network Element or is otherwise not required to be provided under the Act. However, if the preliminary analysis is determined to be of such complexity that it causes BellSouth to expend inordinate resources, a fee will be levied upon MRC and collected prior to the beginning of the preliminary analysis and the thirty (30) business days will begin upon receipt of the fee. In addition to the preliminary analysis, an explanation of the fee will be provided.

- MRC may cancel a BFR or NBR at any time. If MRC cancels the request more than three (3) business days after submitting it, MRC shall pay BellSouth's reasonable and demonstrable costs of processing and/or implementing the BFR or NBR up to the date of cancellation. If MRC does not cancel a BFR or NBR, MRC shall pay BellSouth's reasonable and demonstrable costs of processing and implementing the request.
- BellSouth shall propose a firm price quote and a detailed implementation plan for BFRs within thirty (30) business days of MRC's acceptance of the preliminary analysis. BellSouth shall propose a firm price and a detailed implementation plan for NBRs within sixty (60) business days of MRC's acceptance of the preliminary analysis.
- 7.0 If MRC accepts the preliminary analysis, BellSouth shall proceed with MRC's BFR or NBR, and MRC agrees to pay the non-refundable amount identified in the preliminary analysis for the initial work required to develop the project plan, create the design parameters, and establish all activities and resources required to complete the BFR or NBR. These costs will be referred to as "development" costs. The development costs identified in the preliminary analysis are fixed. If MRC cancels a BFR or NBR after BellSouth has received MRC's acceptance of the preliminary analysis, MRC agrees to pay BellSouth the reasonable, demonstrable, and actual costs, if any, directly related to complying with MRC's BFR or NBR up to the date of cancellation, to the extent such costs were not included in the non-refundable amount set forth above.
- 8.0 If MRC believes that BellSouth's firm price quote is not consistent with the requirements of the Act, MRC may seek FCC or Commission arbitration of its request, as appropriate. Any such arbitration applicable to Network Elements and/or Interconnection shall be conducted in accordance with standards prescribed in Section 252 of the Act.
- 9.0 Unless MRC agrees otherwise, all prices shall be consistent with the pricing principles of the Act, FCC and/or Commission.
- If either Party to a BFR or NBR believes that the other Party is not requesting, negotiating, or processing the BFR/NBR in good faith, or disputes a determination, or price or cost quote, such Party may seek FCC or Commission resolution of the dispute, as appropriate.
- Upon agreement to the terms of a BFR or NBR, an amendment to the Agreement may be required.