

**AMENDMENT
TO THE
INTERCONNECTION AGREEMENT
BETWEEN
GULFPINES COMMUNICATIONS, LLC
AND
BELLSOUTH TELECOMMUNICATIONS, INC.
DATED September 4, 2001**

Pursuant to this Amendment, (the “Amendment”) GulfPines Communications, LLC (GulfPines) and BellSouth Telecommunications, Inc. (BellSouth), hereinafter referred to collectively as the “Parties”, hereby agree to amend that certain Interconnection Agreement between the Parties dated September 4, 2001 (Agreement). This Amendment shall be deemed effective thirty (30) days after the date of the last signature of both Parties.

WHEREAS, BellSouth and GulfPines entered into the Agreement on September 4, 2001, and;

NOW THEREFORE, in consideration of the mutual provisions contained herein and other good and valuable consideration, the receipt and sufficiency of which are hereby acknowledged, the Parties hereby covenant and agree as follows:

1. Attachment 4 is hereby deleted and replaced in its entirety by the new Attachment 4 as set forth in Exhibit 1 attached hereto and incorporated herein by this reference.
2. All of the other provisions of the Agreement, dated September 4, 2001, shall remain in full force and effect.
3. Either or both of the Parties are authorized to submit this Amendment to the appropriate Public Service Commissions for approval subject to Section 252(e) of the Federal Telecommunications Act of 1996.

IN WITNESS WHEREOF, the Parties have executed this Agreement the day and year written below.

BellSouth Telecommunications, Inc.

By: Pat C Finlen

Name: Patrick C. Finlen

Title: Assistant Director

Date: 9/25/03

GulfPines Communications, LLC

By: [Signature]

Name: Sam M. McRaney

Title: Director of Business Services

Date: August 29, 2003

EXHIBIT 1

Attachment 4
Physical Collocation

BELLSOUTH
PHYSICAL COLLOCATION

1. Scope of Attachment

- 1.1 The rates, terms, and conditions contained within this Attachment shall only apply when GulfPines is physically collocated as a sole occupant or as a Host within a BellSouth Premise location pursuant to this Attachment. BellSouth Premises include BellSouth Central Offices and Serving Wire Centers (hereinafter BellSouth Premises). This Attachment is applicable to BellSouth Premises owned or leased by BellSouth. However, if the BellSouth Premises occupied by BellSouth are leased by BellSouth from a third party, special considerations and intervals may apply in addition to the terms and conditions contained in this Attachment.
- 1.2 Right to Occupy. BellSouth shall offer to GulfPines collocation on rates, terms, and conditions that are just, reasonable, non-discriminatory and consistent with the rules of the FCC. Subject to the rates, terms and conditions of this Attachment, where space is available and it is technically feasible, BellSouth will allow GulfPines to occupy a certain area designated by BellSouth within a BellSouth Premise, or on BellSouth property upon which the BellSouth Premise is located, of a size which is specified by GulfPines and agreed to by BellSouth (hereinafter “Collocation Space”). The necessary rates, terms and conditions for the premises as defined by the FCC, other than BellSouth Premises, shall be negotiated upon reasonable request for collocation at such premises.
- 1.2.1 Neither BellSouth nor any of BellSouth’s affiliates may reserve space for future use on more preferential terms than those set forth in this Attachment.
- 1.2.1.1 In all states other than Florida, the size specified by GulfPines may contemplate a request for space sufficient to accommodate GulfPines’ growth within a twenty-four (24) month period.
- 1.2.1.2 In the state of Florida, the size specified by GulfPines may contemplate a request for space sufficient to accommodate GulfPines’ growth within an eighteen (18) month period.
- 1.3 Space Allocation. BellSouth shall attempt to accommodate GulfPines’ requested space preferences, if any. In allocating Collocation Space, BellSouth shall not materially increase GulfPines’ cost or materially delay GulfPines’ occupation and use of the Collocation Space, assign Collocation Space that will impair the quality of service or otherwise limit the service GulfPines wishes to offer, reduce unreasonably the total space available for physical collocation or preclude unreasonable physical collocation within the BellSouth Premises. Space shall not be available for collocation if it is: (a) physically occupied by non-obsolete equipment; (b) assigned to another collocated telecommunications carrier; (c) used to provide physical access to occupied

- space; (d) used to enable technicians to work on equipment located within occupied space; (e) properly reserved for future use, either by BellSouth or another collocated telecommunications carrier; or (f) essential for the administration and proper functioning of the BellSouth Premises. BellSouth may segregate Collocation Space and require separate entrances for collocated telecommunications carriers to access their Collocation Space, pursuant to FCC Rules.
- 1.4 Space Reclamation. In the event of space exhaust within a BellSouth Premise, BellSouth may include in its documentation for the Petition for Waiver filed with the Commission, any unutilized space in the BellSouth Premise, including unutilized space held by GulfPines and other collocated telecommunications carriers in BellSouth's Premise. GulfPines will be responsible for the justification of unutilized space within its Collocation Space, if the Commission requires such justification.
- 1.4.1 If physical Collocation Space is needed to accommodate another telecommunication carrier's request for physical collocation or BellSouth's own immediate space needs, BellSouth may reclaim from GulfPines any physical Collocation Space that is not being "efficiently used" or that cannot be proven to be needed within the two (2) year (18 months in Florida) planning period. This term (efficiently used) shall mean that substantially all of the floor space is taken up by GulfPines' collocated equipment as described in Section 5.1 of this Attachment. In addition, BellSouth may reclaim, for the same reasons as those stated above, any space that is not being used at all to house GulfPines' equipment and/or facilities for collocation purposes. GulfPines will have one hundred eighty (180) calendar days from receipt of notice by BellSouth to GulfPines of the need for such physical Collocation Space to ensure that such space is being used in accordance with the terms and conditions herein and shall be responsible to justify to the Commission, if the Commission requires such justification.
- 1.5 Use of Space. GulfPines shall use the Collocation Space for the purpose of installing, maintaining and operating GulfPines' equipment (including testing and monitoring equipment) necessary for interconnection with BellSouth's services/facilities or for accessing BellSouth's unbundled network elements (UNEs) for the provision of telecommunications services, as specifically set forth in this Agreement. The Collocation Space assigned to GulfPines may not be used for any purposes other than as specifically described herein or in any amendment hereto.
- 1.6 Rates and Charges. GulfPines agrees to pay the rates and charges identified in Exhibit B attached hereto.
- 1.7 If any due date contained in this Attachment falls on a weekend or a National holiday, the due date will be the next business day thereafter. For intervals of ten (10) calendar days or less, National holidays will be excluded.
- 1.8 The Parties agree to comply with all applicable federal, state, county, local and administrative laws, rules, ordinances, regulations and codes in the performance of their obligations hereunder.

2. Space Availability Report

- 2.1 Upon request from GulfPines and at GulfPines' expense, BellSouth will provide a written report (Space Availability Report) describing in detail the space that is currently available for collocation at a particular BellSouth Premise. This report will include the amount of Collocation Space available at the BellSouth Premise requested, the number of collocators present at the BellSouth Premise, any modifications in the use of the space since the last report on the BellSouth Premise requested and the measures BellSouth is taking to make additional space available for collocation arrangements. A Space Availability Report does not reserve space at the BellSouth Premise for which the Space Availability Report was requested by GulfPines.
- 2.1.1 The request from GulfPines for a Space Availability Report must be in writing and include the BellSouth Premise street address, as identified in the Local Exchange Routing Guide (LERG) and Common Language Location Identification (CLLI) code of the BellSouth Premise. CLLI code information is located in the NECA Tariff FCC No. 4.
- 2.1.2 BellSouth will respond to a request for a Space Availability Report for a particular BellSouth Premise within ten (10) calendar days of the receipt of such a request. BellSouth will make its best efforts to respond in ten (10) calendar days to a Space Availability Report request when the request includes from two (2) to five (5) BellSouth Premises within the same state. The response time for Space Availability Report requests of more than five (5) BellSouth Premises, whether the requests are for the same state or for two or more states within the BellSouth Region, shall be negotiated between the Parties. If BellSouth cannot meet the ten (10) calendar day response time, BellSouth shall notify GulfPines and inform GulfPines of the timeframe under which it can respond.

3. Collocation Options

- 3.1 Cageless. BellSouth shall allow GulfPines to collocate GulfPines' equipment and facilities without requiring the construction of a cage or similar structure. BellSouth shall allow GulfPines to have direct access to GulfPines' equipment and facilities in accordance with Section 5.9. BellSouth shall make cageless collocation available in single bay increments. Except where GulfPines' equipment requires special technical considerations (e.g., special cable racking or isolated ground plane), BellSouth shall assign cageless Collocation Space in conventional equipment rack lineups where feasible. For equipment requiring special technical considerations, GulfPines must provide the equipment layout, including spatial dimensions for such equipment pursuant to generic requirements contained in Telcordia GR-63-Core, and shall be responsible for compliance with all special technical requirements associated with such equipment.
- 3.2 Caged. At GulfPines' expense, GulfPines will arrange with a Supplier certified by BellSouth (BellSouth Certified Supplier) to construct a collocation arrangement

enclosure in accordance with BellSouth's Technical References (TRs) (hereinafter referred to as Specifications) prior to starting equipment installation. BellSouth will provide Specifications upon request. Where local building codes require enclosure specifications more stringent than BellSouth's enclosure Specifications, GulfPines and GulfPines' BellSouth Certified Supplier must comply with the more stringent local building code requirements. GulfPines' BellSouth Certified Supplier shall be responsible for filing and obtaining any and all necessary permits and/or licenses for such construction. BellSouth shall cooperate with GulfPines and provide, at GulfPines' expense, the documentation, including existing building architectural drawings, enclosure drawings, and Specifications required and necessary for GulfPines' BellSouth Certified Supplier to obtain all necessary permits and/or other licenses. GulfPines' BellSouth Certified Supplier shall bill GulfPines directly for all work performed for GulfPines to comply with this Attachment. BellSouth shall have no liability for, nor responsibility to pay, such charges imposed by GulfPines' BellSouth Certified Supplier. GulfPines must provide the local BellSouth Central Office Building Contact with two (2) Access Keys that will allow entry into the locked enclosure. Except in the case of an emergency, BellSouth will not access GulfPines' locked enclosure prior to notifying GulfPines at least forty-eight (48) hours or two (2) business days, whichever is greater, before access to the Collocation Space is required. Upon request, BellSouth shall construct the enclosure for GulfPines.

- 3.2.1 BellSouth may elect to review GulfPines' plans and specifications prior to allowing construction to start, to ensure compliance with BellSouth's Specifications. BellSouth will notify GulfPines of its desire to execute this review in BellSouth's response to the Initial Application, if GulfPines has indicated its desire to construct its own enclosure. If GulfPines' Initial Application does not indicate its desire to construct its own enclosure, but its subsequent firm order does indicate its desire to construct its own enclosure, then notification to review will be given within ten (10) calendar days after the date the firm order has been received by BellSouth. BellSouth shall complete its review within fifteen (15) calendar days after the receipt of GulfPines' plans and specifications. Regardless of whether or not BellSouth elects to review GulfPines' plans and specifications, BellSouth reserves the right to inspect the enclosure after construction has been completed to ensure that it is constructed according to GulfPines' submitted plans and specifications and/or BellSouth's Specifications, as applicable. If BellSouth decides to inspect the constructed Collocation Space, BellSouth will complete its inspection within fifteen (15) calendar days after receipt of written notification of completion of the enclosure from GulfPines. BellSouth shall require GulfPines to remove or correct within seven (7) calendar days, at GulfPines' expense, any structure that does not meet GulfPines' plans and specifications or BellSouth's Specifications, as applicable.

- 3.3 Shared Caged Collocation. GulfPines may allow other telecommunications carriers to share GulfPines' caged collocation arrangement, pursuant to the terms and conditions agreed to by GulfPines (Host) and the other telecommunications carriers (Guests) contained in this Section, except where the BellSouth Premise is located within a leased space and BellSouth is prohibited by said lease from offering such an option to

- GulfPines. BellSouth shall be notified in writing by GulfPines upon the execution of any agreement between the Host and its Guest(s) within ten (10) calendar days of its execution and prior to the submission of any Firm Orders. Further, such notification shall include the name of the Guest(s), the term of the agreement, and a certification by GulfPines that said agreement imposes upon the Guest(s) the same terms and conditions for Collocation Space as set forth in this Attachment between BellSouth and GulfPines. The term of the agreement between the Host and its Guest(s) shall not exceed the term of this Attachment between BellSouth and GulfPines.
- 3.3.1 GulfPines, as the Host, shall be the sole interface and responsible Party to BellSouth for the assessment and billing of rates and charges contained within this Attachment. GulfPines is also responsible for ensuring that the safety and security requirements of this Attachment are fully complied with by the Guest(s), its employees and agents. BellSouth shall provide GulfPines with a proration of the costs of the Collocation Space based on the number of collocators and the space used by each. There will be a minimum charge of one (1) bay/rack per Host/Guest. In addition to the above, for all states other than Florida, GulfPines shall be the responsible party to BellSouth for the purpose of submitting applications for initial and additional equipment placement for the Guest(s). In Florida, the Guest(s) may submit its own initial and subsequent equipment placement applications using the Host's Access Carrier Name Abbreviation (ACNA). A separate Guest application shall result in the assessment of an Initial Application Fee or a Subsequent Application Fee, as set forth in Exhibit B, which will be billed to the Host on the date that BellSouth provides its written response to the Guest(s) Bona Fide Application (Application Response).
- 3.3.2 Notwithstanding the foregoing, the Guest(s) may submit service orders directly to BellSouth to request the provisioning of interconnecting facilities between BellSouth and the Guest(s), the provisioning of services, and access to UNEs. The bill for these interconnecting facilities, services and UNEs will be charged to the Guest(s) pursuant to the applicable Tariff or the Guest's Interconnection Agreement with BellSouth.
- 3.3.3 GulfPines shall indemnify and hold harmless BellSouth from any and all claims, actions, causes of action, of whatever kind or nature arising out of the presence of GulfPines' Guest(s) in the Collocation Space, except to the extent caused by BellSouth's sole negligence, gross negligence, or willful misconduct.
- 3.4 Adjacent Collocation. Subject to technical feasibility and space availability, BellSouth will permit an adjacent collocation arrangement (Adjacent Arrangement) on BellSouth Premises' property only when space within the requested BellSouth Premise is legitimately exhausted and where the Adjacent Arrangement does not interfere with access to existing or planned structures or facilities on the BellSouth Premises' property. An Adjacent Arrangement shall be procured by GulfPines or constructed by the GulfPines' BellSouth Certified Supplier and must be in conformance with BellSouth's design and construction Specifications. Further, GulfPines shall construct, procure, maintain and operate said Adjacent Arrangement(s) pursuant to all of the rates, terms and conditions set forth in this Attachment.

- 3.4.1 If GulfPines requests Adjacent Collocation, pursuant to the conditions stated in 3.4 above, GulfPines must arrange with a BellSouth Certified Supplier to construct the Adjacent Arrangement structure in accordance with BellSouth's Specifications. BellSouth will provide the appropriate Specifications upon request. Where local building codes require enclosure specifications more stringent than BellSouth's Specifications, GulfPines and GulfPines' BellSouth Certified Supplier shall comply with the more stringent local building code requirements. GulfPines' BellSouth Certified Supplier shall be responsible for filing and receiving any and all necessary zoning, permits and/or licenses for such construction. GulfPines' BellSouth Certified Supplier shall bill GulfPines directly for all work performed for GulfPines to comply with this Attachment. BellSouth shall have no liability for, nor responsibility to pay, such charges imposed by GulfPines' BellSouth Certified Supplier. GulfPines must provide the local BellSouth Central Office Building Contact with two (2) cards, keys or other access devices used to gain entry into the locked enclosure. Except in the case of an emergency, BellSouth will not access GulfPines' locked enclosure prior to notifying GulfPines at least forty-eight (48) hours or two (2) business days, whichever is greater, before access to the Collocation Space is required.
- 3.4.2 GulfPines must submit its Adjacent Arrangement construction plans and specifications to BellSouth when it places its firm order. BellSouth shall review GulfPines' plans and specifications prior to the construction of an Adjacent Arrangement(s) to ensure GulfPines' compliance with BellSouth's Specifications. BellSouth shall complete its review within fifteen (15) calendar days after receipt of the plans and specifications from GulfPines for the Adjacent Arrangement. BellSouth may inspect the Adjacent Arrangement during and after construction is completed to ensure that it is constructed according to GulfPines' submitted plans and specifications. If BellSouth decides to inspect the completed Adjacent Arrangement, BellSouth will complete its inspection within fifteen (15) calendar days after receipt of written notification of completion of the enclosure from GulfPines. BellSouth shall require GulfPines to remove or correct within seven (7) calendar days, at GulfPines' expense, any structure that does not meet its submitted plans and specifications or BellSouth's Specifications, as applicable.
- 3.4.3 GulfPines shall provide a concrete pad, the structure housing the arrangement, heating/ventilation/air conditioning (HVAC), lighting, and all of the facilities that are required to connect the structure (i.e., racking, conduits, etc.) to the BellSouth point of demarcation. At GulfPines' option, and where the local authority having jurisdiction permits, BellSouth shall provide an AC power source and access to physical collocation services and facilities, subject to the same nondiscriminatory requirements as those applicable to any other physical collocation arrangement. In Alabama and Louisiana, BellSouth will provide DC power to Adjacent Collocation sites where technically feasible, as that term has been defined by the FCC, subject to individual case basis (ICB) pricing. GulfPines' BellSouth Certified Supplier shall be responsible, at GulfPines' sole expense, for filing and obtaining any and all necessary permits and/or licenses for an Adjacent Arrangement. BellSouth shall allow Shared

- Caged Collocation within an Adjacent Arrangement, pursuant to the terms and conditions set forth in Section 3.3 above.
- 3.5 Direct Connect. BellSouth will permit GulfPines to directly interconnect between its own virtual/physical Collocation Space within the same central office by utilizing a Direct Connect. GulfPines shall contract with a BellSouth Certified Supplier to place the Direct Connect, which shall be provisioned using facilities owned by GulfPines. GulfPines-provisioned DC's shall utilize BellSouth common cable support structure. There will be a recurring charge per linear foot, and a nonrecurring charge per cable, of the actual common cable support structure used by GulfPines to provision the Direct Connects between its virtual/physical Collocation Spaces. In those instances where GulfPines' virtual/physical Collocation Space is contiguous in the central office, GulfPines will have the option of using GulfPines' own technicians to deploy the Direct Connects using either electrical or optical facilities between its Collocation Spaces by constructing its own dedicated cable support structure. GulfPines will deploy such electrical or optical connections directly between its own facilities without being routed through BellSouth's equipment. GulfPines may not self-provision Direct Connects on any BellSouth distribution frame, POT, DSX (Digital System Cross-Connect) or LGX (Light Guide Cross-Connect). GulfPines is responsible for ensuring the integrity of the signal.
- 3.5.1 To place an order for Direct Connects, GulfPines must submit an Initial Application or Subsequent Application. If no modification to the Collocation Space is requested other than the placement of Direct Connects, the Subsequent Application Fee for Direct Connects, as defined in Exhibit B, will apply. If other modifications, in addition to the placement of Direct Connects are requested, either an Initial Application Fee or Subsequent Application Fee will apply, pursuant to Section 6.3.1 of this Attachment. This nonrecurring fee will be billed by BellSouth on the date that BellSouth provides an Application Response to GulfPines.
- 3.6 Co-Carrier Cross Connect (CCXC). The primary purpose of collocation is for a telecommunications carrier to interconnect with BellSouth's network or to access BellSouth's UNEs for the provision of telecommunications services. BellSouth will permit GulfPines to interconnect between its virtual or physical collocation arrangement(s) and that (those) of another collocated telecommunications carrier within the same BellSouth Premise. Both GulfPines' agreement and the other collocated telecommunications carrier's agreement must contain the CCXC rates, terms and conditions before BellSouth will permit the provisioning of CCXCs between the two collocated carriers. GulfPines is prohibited from using the Collocation Space for the sole or primary purpose of cross-connecting to other collocated telecommunications carriers.
- 3.6.1 GulfPines must contract with a BellSouth Certified Supplier to place the CCXC. The CCXC shall be provisioned using facilities owned by GulfPines. Such cross-connections to other collocated telecommunications carriers may be made using either electrical or optical facilities. GulfPines shall be responsible for providing a letter of

authorization (LOA), with the application, to BellSouth from the other collocated telecommunications carrier to which it will be cross-connecting. The GulfPines-provisioned CCXC shall utilize BellSouth common cable support structure. There will be a recurring charge per linear foot, per cable, of common cable support structure used by GulfPines to provision the CCXC to the other collocated telecommunications carrier. In those instances where GulfPines' equipment and the equipment of the other collocated telecommunications carrier are located in contiguous caged Collocation Space, GulfPines may use its own technicians to install co-carrier cross connects using either electrical or optical facilities between the equipment of both collocated telecommunications carriers by constructing a dedicated cable support structure between the two contiguous cages. GulfPines shall deploy such electrical or optical cross-connections directly between its own facilities and the facilities of another collocated telecommunications carrier without being routed through BellSouth's equipment. GulfPines shall not provision CCXC on any BellSouth distribution frame, POT (Point of Termination) Bay, DSX (Digital System Cross-Connect) or LGX (Light Guide Cross-Connect). GulfPines is responsible for ensuring the integrity of the signal.

- 3.6.2 To place an order for CCXCs, GulfPines must submit an Initial Application or Subsequent Application to BellSouth. If no modification to the Collocation Space is requested other than the placement of CCXCs, the Subsequent Application Fee for CCXCs, as defined in Exhibit B, will apply. If other modifications, in addition to the placement of CCXCs, are requested, either an Initial Application or Subsequent Application Fee will apply, pursuant to Section 6.3.1 of this Attachment. BellSouth will bill this nonrecurring fee on the date that it provides an Application Response to GulfPines.

4. Occupancy

- 4.1 BellSouth will notify GulfPines in writing when the Collocation Space is ready for occupancy (Space Ready Date). GulfPines will schedule and complete an acceptance walkthrough of the Collocation Space with BellSouth within fifteen (15) calendar days of the Space Ready Date. BellSouth will correct any deviations in GulfPines' original or jointly amended application requirements within seven (7) calendar days after the walkthrough, unless the Parties mutually agree upon a different time frame. BellSouth will then establish a new Space Ready Date. Another acceptance walkthrough will be scheduled and conducted within fifteen (15) calendar days of the new Space Ready Date. This follow-up acceptance walkthrough will be limited to only those items identified in the initial walkthrough. If GulfPines completes its acceptance walkthrough within the fifteen (15) calendar day interval, billing will begin upon the date of GulfPines' acceptance of the Collocation Space (Space Acceptance Date). In the event GulfPines fails to complete an acceptance walkthrough within this fifteen (15) calendar day interval, the Collocation Space shall be deemed accepted by GulfPines on the Space Ready Date and billing will commence from that date. If GulfPines decides to occupy the space prior to the Space Ready Date, the date GulfPines occupies the space is deemed the new Space Acceptance Date and billing

will begin from that date. GulfPines must notify BellSouth in writing that its collocation equipment installation is complete and operational with BellSouth's network. BellSouth may, at its discretion, refuse to accept any orders for cross-connects until it has received such notice. For the purposes of this paragraph, GulfPines' telecommunications equipment will be deemed operational when it has been cross-connected to BellSouth's network for the purpose of provisioning telecommunication services to its customers.

4.2 Termination of Occupancy. In addition to any other provisions addressing termination of occupancy in this Agreement, GulfPines may terminate its occupancy of a particular Collocation Space by submitting a Subsequent Application requesting termination of occupancy. Such termination shall be effective upon BellSouth's acceptance of the Space Relinquishment Form. Billing for monthly recurring charges will cease on the date that GulfPines and BellSouth conduct an inspection of the terminated space and jointly sign off on the Space Relinquishment Form or on the date that GulfPines signs off on the Space Relinquishment Form and sends this form to BellSouth, provided no discrepancies are found during BellSouth's subsequent inspection of the terminated space. If the subsequent inspection by BellSouth reveals discrepancies, billing will cease on the date that BellSouth and GulfPines jointly conduct an inspection, confirming that GulfPines has corrected all of the noted discrepancies identified by BellSouth. A Subsequent Application Fee will not apply for the termination of occupancy; however, specific disconnect fees may apply to certain rate elements in Alabama, Florida, Georgia, Kentucky, Mississippi, South Carolina and Tennessee. The particular disconnect fees that would apply in each state are contained in Exhibit B of this Attachment. BellSouth may terminate GulfPines' right to occupy Collocation Space in the event GulfPines fails to comply with any provision of this Agreement, including payment of the applicable fees contained in Exhibit B of this Attachment.

4.2.1 Upon termination of occupancy, GulfPines, at its sole expense, shall remove its equipment and any other property owned, leased or controlled by the GulfPines from the Collocation Space. GulfPines shall have thirty (30) calendar days from the Bona Fide Firm Order (BFFO) date (Termination Date) to complete such removal, including the removal of all equipment and facilities of GulfPines' Guest(s), unless GulfPines' Guest(s) has assumed responsibility for the Collocation Space housing the Guest(s)'s equipment and executed the appropriate documentation required by BellSouth prior to the GulfPines removal date. GulfPines shall continue the payment of all monthly recurring charges to BellSouth until the date GulfPines, and if applicable GulfPines' Guest(s), has fully vacated the Collocation Space and the Space Relinquishment Form has been accepted by BellSouth. If GulfPines or GulfPines' Guest(s) fails to vacate the Collocation Space within thirty (30) calendar days from the Termination Date, BellSouth shall have the right to remove and dispose of the equipment and any other property of GulfPines or GulfPines' Guest(s), in any manner that BellSouth deems fit, at GulfPines' expense and with no liability whatsoever for GulfPines' property or GulfPines' Guest(s)'s property. Upon termination of GulfPines' right to occupy specific Collocation Space, the Collocation Space will revert back to BellSouth's space inventory, and GulfPines shall surrender the Collocation Space to BellSouth in

the same condition as when it was first occupied by GulfPines, with the exception of ordinary wear and tear, unless otherwise agreed to by the Parties. GulfPines' BellSouth Certified Supplier shall be responsible for updating and making any necessary changes to BellSouth's records as required by BellSouth's Specifications including, but not limited to, BellSouth's Central Office Record Drawings and ERMA Records. GulfPines shall be responsible for the cost of removing any GulfPines constructed enclosure, together with any supporting structures (e.g., racking, conduits, or power cables), by the Termination Date and restoring the grounds to their original condition.

5. Use of Collocation Space

5.1 Equipment Type. BellSouth permits the collocation of any equipment necessary for interconnection to BellSouth's network or access to BellSouth's UNEs in the provision of telecommunications services, as the term "necessary" is defined by FCC 47 C.F.R. Section 51.323 (b). The primary purpose and function of any equipment collocated in a BellSouth Premise must be for interconnection to BellSouth's network or access to BellSouth's UNEs in the provision of telecommunications services.

5.1.1 Examples of equipment that would not be considered necessary include, but are not limited to: traditional circuit switching equipment, equipment used exclusively for call-related databases, computer servers used exclusively for providing information services, operations support system (OSS) equipment used to support collocated telecommunications carrier network operations, equipment that generates customer orders, manages trouble tickets or inventory, or stores customer records in centralized databases, etc. BellSouth will determine upon receipt of an application if the requested equipment is necessary based on the criteria established by the FCC. Multifunctional equipment placed on a BellSouth Premise must not place any greater relative burden on BellSouth's property than comparable single-function equipment. BellSouth reserves the right to permit collocation of any equipment on a nondiscriminatory basis.

5.1.2 Such equipment must, at a minimum, meet the following Telcordia Network Equipment Building Systems (NEBS) General Equipment Requirements: Criteria Level 1 requirements as outlined in Telcordia Special Report SR-3580, Issue 1. Except where otherwise required by a Commission, BellSouth shall comply with the applicable FCC rules relating to denial of collocation based on GulfPines' failure to comply with this Section.

5.1.3 GulfPines shall not request more DS0, DS1, DS3 and optical terminations for a collocation arrangement than the total port or termination capacity of the equipment physically installed in the arrangement. The total capacity of the equipment collocated in the arrangement will include equipment contained in an application, as well as equipment already placed in the collocation arrangement. If full network termination capacity of the equipment being installed is not requested in the application, additional network terminations for the installed equipment will require the submission of another

application. In the event GulfPines submits an application for terminations that will exceed the total capacity of the collocated equipment, GulfPines will be informed of the discrepancy by BellSouth and required to submit a revision to the application.

Commencing with the most current calendar quarter after the effective date of this Attachment, and thereafter with respect to each subsequent calendar quarter during the term of this Attachment, GulfPines will, no later than thirty (30) days after the close of such calendar quarter, provide a report to ICS Collocation Product Management, Room 34A55, 675 W. Peachtree Street, Atlanta, Georgia 30375 listing any equipment in the Collocation Space (i) that was added during the calendar quarter to which such report pertains, and (ii) for which there is a UCC-1 lien holder or another entity that has a secured financial interest in such equipment. Equipment that satisfies both subparts (i) and (ii) of this section shall be defined as "Secured Equipment". If no Secured Equipment has been installed within a given calendar quarter, no report shall be due hereunder in connection with such calendar quarter.

- 5.2 GulfPines shall not use the Collocation Space for marketing purposes, nor shall it place any identifying signs or markings outside the Collocation Space or on the grounds of the BellSouth Premises.
- 5.3 GulfPines shall place a plaque or affix other identification (e.g., stenciling) to GulfPines' equipment, including the appropriate emergency contacts with their corresponding telephone numbers, in order for BellSouth to properly identify GulfPines' equipment in the case of an emergency.
- 5.4 Entrance Facilities. GulfPines may elect to place GulfPines-owned or GulfPines-leased fiber entrance facilities into its Collocation Space. BellSouth will designate the point of interconnection in close proximity to the BellSouth Premise building housing the Collocation Space, such as at an entrance manhole or a cable vault, which are physically accessible by both Parties. GulfPines will provide and place fiber cable at the point of entrance of sufficient length to be pulled through conduit and into the splice location. GulfPines will provide and install a sufficient length of fire retardant riser cable, to which the entrance cable will be spliced by BellSouth. The fire retardant riser cable will extend from the splice location to GulfPines' equipment in the Collocation Space. In the event GulfPines utilizes a non-metallic, riser-type entrance facility, a splice will not be required. GulfPines must contact BellSouth for instructions prior to placing any entrance facility cable in the manhole. GulfPines is responsible for the maintenance of the entrance facilities. At GulfPines' option, BellSouth will accommodate, where technically feasible, a microwave entrance facility, pursuant to separately negotiated terms and conditions. In the case of adjacent collocation, copper facilities may be used between the adjacent collocation arrangement and the central office demarcation point unless BellSouth determines that limited space is available for the placement of entrance facilities.
- 5.5.1 Dual Entrance Facilities. BellSouth will provide at least two interconnection points at each Premise where at least two such interconnection points are available and capacity

- exists. Upon receipt of a request by GulfPines for dual entrance facilities to its physical Collocation Space, BellSouth shall provide GulfPines with information regarding BellSouth's capacity to accommodate the requested dual entrance facilities. If conduit in the serving manhole(s) is available and is not reserved for another purpose or for utilization within twelve (12) months of the receipt of an application for collocation, BellSouth will make the requested conduit space available for the installation of a second entrance facility to GulfPines' Collocation Space. The location of the serving manhole(s) will be determined at the sole discretion of BellSouth. Where dual entrance facilities are not available due to lack of capacity, BellSouth will provide this information to GulfPines in the Application Response.
- 5.5.2 Shared Use. GulfPines may utilize spare capacity on an existing interconnector's entrance facility for the purpose of providing an entrance facility to GulfPines' Collocation Space within the same BellSouth Premise. BellSouth shall allow the splice, as long as the fiber is non-working fiber. GulfPines must arrange with BellSouth in accordance with BellSouth's Special Construction Procedures, RL93-11-030BT, and provide a LOA from the other telecommunications carrier authorizing BellSouth to perform the splice of the GulfPines-provided riser cable to the spare capacity on the entrance facility. If GulfPines desires to allow another telecommunications carrier to use its entrance facilities, that other telecommunications carrier must arrange with BellSouth in accordance with BellSouth's Special Construction Procedures, RL93-11-030BT, and provide a LOA from GulfPines authorizing BellSouth to perform the splice of that telecommunications carrier's provided riser cable to the spare capacity on GulfPines' entrance facility.
- 5.6 Demarcation Point. BellSouth will designate the point(s) of demarcation between GulfPines' equipment and/or network and BellSouth's network. Each Party will be responsible for the maintenance and operation of all equipment/facilities on its side of the demarcation point. For 2-wire and 4-wire connections to BellSouth's network, the demarcation point shall be a common block on BellSouth's designated conventional distributing frame (CDF). GulfPines shall be responsible for providing the necessary cabling, and GulfPines' BellSouth Certified Supplier shall be responsible for installing and properly labeling/stenciling the common block and any necessary cabling identified in Section 7 of this Attachment. GulfPines or its agent must perform all required maintenance to the equipment/facilities on its side of the demarcation point, pursuant to Section 5.7, following, and may self-provision cross-connects that may be required within its own Collocation Space to activate service requests.
- 5.6.1 In Tennessee, BellSouth will designate the point(s) of demarcation between GulfPines' equipment and/or network and BellSouth's network. Each Party will be responsible for the maintenance and operation of all equipment/facilities on its side of the demarcation point. For connections to BellSouth's network, the demarcation point shall be a GulfPines-provided Point of Termination Bay (POT Bay) in a common area within the BellSouth Premises. GulfPines shall be responsible for providing, and GulfPines' BellSouth Certified Supplier shall be responsible for installing and properly labeling/stenciling the POT Bay, as well as installing the necessary cabling between

- GulfPines' Collocation Space and the demarcation point. GulfPines, its agent, or GulfPines' BellSouth Certified Supplier must perform all required maintenance to the equipment/facilities on its side of the demarcation point, pursuant to Section 5.7, following, and may self-provision cross-connects that may be required within its own Collocation Space to activate service requests. BellSouth will negotiate alternative rates, terms and conditions related to the demarcation point in Tennessee, if GulfPines desires to avoid the use of an intermediary device as contemplated by the Tennessee Regulatory Authority.
- 5.7 GulfPines' Equipment and Facilities. GulfPines, or if required by this Attachment, GulfPines' BellSouth Certified Supplier, is solely responsible for the design, engineering, installation, testing, provisioning, performance, monitoring, maintenance and repair of the equipment and facilities used by GulfPines which must be performed in compliance with all applicable BellSouth Specifications. Such equipment and facilities may include, but are not limited to, cable(s), equipment, and point of termination connections. GulfPines and its designated BellSouth Certified Supplier must follow and comply with all BellSouth Specifications outlined in the following BellSouth Technical Requirements: TR 73503, TR 73519, TR 73572, and TR 73564.
- 5.8 BellSouth's Access to Collocation Space. From time to time, BellSouth may require access to GulfPines' Collocation Space. BellSouth retains the right to access GulfPines' space for the purpose of making BellSouth equipment and building modifications (e.g., running, altering or removing racking, ducts, electrical wiring, HVAC, and cabling). BellSouth will give notice to GulfPines at least forty-eight (48) hours before access to GulfPines' Collocation Space is required. GulfPines may elect to be present whenever BellSouth performs work in the GulfPines' Collocation Space. The Parties agree that GulfPines will not bear any of the expense associated with this type of work.
- 5.9 Access. Pursuant to Section 12, GulfPines shall have access to its Collocation Space twenty-four (24) hours a day, seven (7) days a week. GulfPines agrees to provide the name and social security number, date of birth, or driver's license number of each employee, supplier, or agent of GulfPines or GulfPines' Guest(s) that will be provided with access keys or cards (Access Keys), prior to the issuance of said Access Keys, using form RF-2906-C, the "CLEC and CLEC Certified Supplier Access Request and Acknowledgement" form. The appropriate key acknowledgement forms (the "Collocation Acknowledgement Sheet" for access cards and the "Key Acknowledgement Form" for keys) must be signed by GulfPines and returned to BellSouth Access Management within fifteen (15) calendar days of GulfPines' receipt. Failure to return these properly acknowledged forms will result in the holding of subsequent access key or card requests until the proper key acknowledgement documents have been received by BellSouth and reflect current information. Access Keys may not be duplicated under any circumstances. GulfPines agrees to be responsible for all Access Keys and for the return of all Access Keys in the possession of GulfPines' employees, suppliers, agents, or Guest(s) after termination of the employment relationship, the contractual obligation with GulfPines ends, upon the

- termination of this Attachment, or upon the termination of occupancy of Collocation Space in a specific BellSouth Premises.
- 5.9.1 BellSouth will permit one (1) accompanied site visit to GulfPines' designated Collocation Space, after receipt of the BFFO, without charge to GulfPines. GulfPines must submit to BellSouth the completed Access Control Request Form for all employees or agents requiring access to a BellSouth Premise at least thirty (30) calendar days prior to the date GulfPines desires access to the Collocation Space. In order to permit reasonable access during construction of the Collocation Space, GulfPines may submit a request for its one (1) accompanied site visit to its designated Collocation Space at any time subsequent to BellSouth's receipt of the BFFO. In the event GulfPines desires access to the Collocation Space after submitting such a request, but prior to the approval of its access request, in addition to the first accompanied free visit, BellSouth shall permit GulfPines to access the Collocation Space accompanied by a security escort, at GulfPines' expense, which will be assessed pursuant to the Security Escort fees contained in Exhibit B. GulfPines must request escorted access to its designated Collocation Space at least three (3) business days prior to the date such access is desired.
- 5.10 Lost or Stolen Access Devices. GulfPines shall immediately notify BellSouth in writing when any of its Access Keys have been lost or stolen. If it becomes necessary for BellSouth to re-key buildings or deactivate an Access card as a result of a lost or stolen Access Device(s) or for failure of GulfPines' employees, suppliers, agents or Guest(s) to return an Access Device(s), GulfPines shall pay for the costs of re-keying or deactivating the Access card pursuant to the fees set forth in Exhibit B.
- 5.11 Interference or Impairment. Notwithstanding any other provisions of this Attachment, GulfPines shall not use any product or service provided under this Agreement, any other service related thereto or used in combination therewith, or place or use any equipment or facilities in any manner that 1) significantly degrades, interferes with or impairs service provided by BellSouth or any other entity or any person's use of its telecommunications services; 2) endangers or damages the equipment, facilities or any other property of BellSouth or any other entity or person; 3) compromises the privacy of any communications; or 4) creates an unreasonable risk of injury or death to any individual or to the public. If BellSouth reasonably determines that any equipment or facilities of GulfPines violates the provisions of this paragraph, BellSouth shall provide written notice to GulfPines, which shall direct GulfPines to cure the violation within forty-eight (48) hours of GulfPines' receipt of written notice or, at a minimum, to commence curative measures within twenty-four (24) hours and exercise reasonable diligence to complete such measures as soon as possible thereafter. After receipt of the notice, the Parties agree to consult immediately and, if necessary, to conduct an inspection of the Collocation Space.
- 5.11.1 Except in the case of the deployment of an advanced service which significantly degrades the performance of other advanced services or traditional voice band services, if GulfPines fails to take curative action within forty-eight (48) hours or if the

- violation is of a character that poses an immediate and substantial threat of damage to property or injury or death to any person, or any other significant degradation, interference or impairment of BellSouth's or another entity's service, then and only in that event, BellSouth may take such action as it deems appropriate to correct the violation including, without limitation, the interruption of electrical power to GulfPines' equipment and/or facilities. BellSouth will endeavor, but is not required, to provide notice to GulfPines prior to the taking of such action and BellSouth shall have no liability to GulfPines for any damages arising from such action, except to the extent that such action by BellSouth constitutes willful misconduct.
- 5.11.2 For purposes of this Section, the term "significantly degrades" shall be defined as an action that noticeably impairs a service from a user's perspective. In the case of the deployment of an advanced service which significantly degrades the performance of other advanced services or traditional voice band services and GulfPines fails to take curative action within forty-eight (48) hours of GulfPines' receipt of written notice, BellSouth will establish before the appropriate Commission that the technology deployment is causing the significant degradation. Any claims of network harm presented to GulfPines or, if subsequently necessary, the Commission must be provided by BellSouth with specific and verifiable information. When BellSouth demonstrates that a certain technology deployed by GulfPines is significantly degrading the performance of other advanced services or traditional voice band services, GulfPines shall discontinue deployment of that technology and migrate its customers to other technologies that will not significantly degrade the performance of such services. Where the only degraded service itself is a known disturber, and the newly deployed technology satisfies at least one of the criteria for a presumption that it is acceptable for deployment under Section 47 C.F.R. 51.230, the degraded service shall not prevail against the newly deployed technology.
- 5.12 Personalty and its Removal. Facilities and equipment placed by GulfPines in the Collocation Space shall not become a part of the Collocation Space, even if nailed, screwed or otherwise fastened to the Collocation Space, but shall retain their status as personal property and may be removed by GulfPines at any time. Any damage caused to the Collocation Space by GulfPines' employees, suppliers, agents or representatives during the installation or removal of such property shall be promptly repaired by GulfPines at its sole expense. If GulfPines decides to remove equipment from its Collocation Space and the removal requires no physical work be performed by BellSouth and GulfPines' physical work includes, but is not limited to, power reduction, cross-connects, or tie pairs, BellSouth will bill GulfPines an Administrative Only Application Fee as set forth in Exhibit B. This nonrecurring fee will be billed on the date that BellSouth provides an Application Response to GulfPines.
- 5.13 Alterations. Under no condition shall GulfPines or any person acting on behalf of GulfPines make any rearrangement, modification, augment, improvement, addition, and/or other alteration which could affect in any way space, power, HVAC, and/or safety considerations to the Collocation Space or the BellSouth Premises, without the express written consent of BellSouth, which shall not be unreasonably withheld. The

cost of any such rearrangement, modification, augment, improvement, addition, and/or other alteration shall be paid by GulfPines, and shall require a Subsequent Application and will result in the assessment of either a Subsequent Application Fee, an Administrative Only Application Fee or an Initial Application Fee as set forth in Section 6.3.1, which will be billed by BellSouth on the date that BellSouth provides GulfPines with an Application Response.

- 5.14 Janitorial Service. GulfPines shall be responsible for the general upkeep of its Collocation Space. GulfPines shall arrange directly with a BellSouth Certified Supplier for janitorial services applicable to Caged Collocation Space. BellSouth shall provide a list of such suppliers on a BellSouth Premises-specific basis, upon request.

6. Ordering and Preparation of Collocation Space

- 6.1 If any state or federal regulatory agency imposes procedures or intervals applicable to GulfPines and BellSouth that are different from the procedures or intervals set forth in this Section, whether now in effect or that become effective after execution of this Agreement, those procedures or intervals shall supersede the requirements set forth herein for that jurisdiction for all applications that are submitted for the first time after the effective date thereof.

- 6.2 Initial Application. For GulfPines' or GulfPines' Guest's(s') initial equipment placement, GulfPines shall input a Physical Expanded Interconnection Application Document (Initial Application) directly into BellSouth's electronic application (e.App) system for processing. The Initial Application is considered Bona Fide when it is complete and accurate, meaning that all of the required fields on the application are completed with the appropriate type of information. An application fee will apply to each application submitted by GulfPines and will be billed by BellSouth on the date BellSouth provides GulfPines with an Application Response.

- 6.3 Subsequent Application. In the event GulfPines or GulfPines' Guest(s) desires to modify its use of the Collocation Space after a BFFO, GulfPines shall complete an application (Subsequent Application) that contains all of the detailed information associated with the alteration related to the Collocation Space, as defined in Section 5.13 of this Attachment. The Subsequent Application will be considered Bona Fide when it is complete and accurate, meaning that all of the required fields on the Subsequent Application are completed with the appropriate type of information associated with the alteration. BellSouth shall determine what modifications, if any, to the BellSouth Premises are required to accommodate the change requested by GulfPines in the application. Such modifications to the BellSouth Premises may include, but are not limited to, floor loading changes, changes necessary to meet HVAC requirements, changes to power plant requirements, equipment additions, etc.

- 6.3.1 Subsequent Application Fee. The application fee paid by GulfPines shall be dependent upon the level of assessment needed. If the modifications reflected on the Subsequent Application require no labor or capital expenditure by BellSouth, but BellSouth must

perform an assessment of the application to evaluate whether or not BellSouth would be required to perform necessary infrastructure or provisioning activities, then an Administrative Only Application Fee shall apply. This Administrative Only Application Fee would be applicable in instances such as those associated with a Transfer of Ownership of the Collocation Space, Removal of Equipment from the Collocation Space, a modification to an application prior to receipt of the BFFO and a V-to-P Conversion (In Place). The fee for a Subsequent Application in which the modifications requested have limited effect (e.g., requires labor expenditure but no capital expenditure by BellSouth and where sufficient cable support structure, HVAC, power and terminations are available) shall be the Subsequent Application Fee, as set forth in Exhibit B. A modification involving a capital expenditure by BellSouth shall require GulfPines to submit the Subsequent Application with an Initial Application Fee. The appropriate nonrecurring application fee will be billed on the date BellSouth provides GulfPines with an Application Response.

- 6.4 Space Preferences. If GulfPines has previously requested and received a Space Availability Report for the BellSouth Premises, GulfPines may submit up to three (3) space preferences on its application by identifying the specific space identification numbers referenced on the Space Availability Report for the space it is requesting. In the event BellSouth cannot accommodate GulfPines' preference(s), GulfPines may accept the space allocated by BellSouth or cancel its application and submit another application requesting additional space preferences for the same central office. This application will be treated as a new application and an application fee will apply. The application fee will be billed by BellSouth on the date that BellSouth provides GulfPines with an Application Response.
- 6.5 Space Availability Notification.
- 6.5.1 Unless otherwise specified, BellSouth will respond to an application within ten (10) calendar days as to whether space is available or not available within the requested BellSouth Premise. BellSouth will also respond as to whether the application is Bona Fide and if it is not Bona Fide, the items/revisions necessary to cause the application to become Bona Fide. If the amount of space requested is not available, BellSouth will notify GulfPines of the amount of space that is available and no application fee will apply. When BellSouth's response includes an amount of space less than that requested by GulfPines or space that is configured differently, no application fee will apply. If GulfPines decides to accept the available space, GulfPines must resubmit its application to reflect the actual space available, including the configuration of the space, prior to submitting a BFFO. When GulfPines resubmits its application to accept the available space, BellSouth will bill GulfPines the appropriate application fee.
- 6.5.2 BellSouth will respond to a Florida or Tennessee application within fifteen (15) calendar days as to whether space is available or not available within a BellSouth Premise. BellSouth will also respond as to whether the application is Bona Fide and if it is not Bona Fide, the items/revisions necessary to cause the application to become Bona Fide. If a lesser amount of space than requested is available, BellSouth will

- provide an Application Response for the amount of space that is available and bill GulfPines an appropriate application fee on the date that BellSouth provides the Application Response. When BellSouth's Application Response includes an amount of space less than that requested by GulfPines or space that is configured differently, if GulfPines decides to accept the available space, GulfPines must amend its application to reflect the actual space available, including the configuration of the space, prior to submitting a BFFO.
- 6.5.3 Denial of Application. If BellSouth notifies GulfPines that no space is available (Denial of Application), BellSouth will not assess an application fee to GulfPines. After notifying GulfPines that there is no available space in the requested BellSouth Premises, BellSouth will allow GulfPines, upon request, to tour the entire BellSouth Premises within ten (10) calendar days of such Denial of Application. In order to schedule this tour within ten (10) calendar days, BellSouth must receive the request for a tour of the BellSouth Premises within five (5) calendar days of the Denial of Application.
- 6.6 Filing of Petition for Waiver. Upon Denial of Application, BellSouth will timely file a petition with the appropriate Commission pursuant to 47 U.S.C. § 251(c)(6). BellSouth shall provide to the Commission any information requested by that Commission. Such information shall include which space, if any, BellSouth or any of BellSouth's affiliates have reserved for future use and a detailed description of the specific future uses for which the space has been reserved. Subject to an appropriate nondisclosure agreement or provision, BellSouth shall permit GulfPines to inspect any floor plans or diagrams that BellSouth provides to the Commission.
- 6.7 Waiting List. On a first-come, first-served basis, which is governed by the date of receipt of an application or Letter of Intent, BellSouth will maintain a waiting list of requesting telecommunication carriers that have either received a Denial of Application or, where it is publicly known that the BellSouth Premise is out of space, have submitted a Letter of Intent to collocate in that BellSouth Premise. BellSouth will notify each telecommunication carrier on the waiting list that can be accommodated by the amount of space that becomes available, according to the position of the telecommunication carrier on said waiting list.
- 6.7.1 In Florida, on a first-come, first-served basis, which is governed by the date of receipt of an application or Letter of Intent, BellSouth will maintain a waiting list of requesting telecommunication carriers that have either received a Denial of Application or, where it is publicly known that the BellSouth Premise is out of space, have submitted a Letter of Intent to collocate in that BellSouth Premise. Sixty (60) calendar days prior to space becoming available, if known, BellSouth will notify the Commission and the telecommunication carriers on the waiting list by mail when space becomes available according to the position of each telecommunication carrier on said waiting list. If BellSouth does not know sixty (60) calendar days in advance of when space will become available, BellSouth will notify the Commission and the telecommunication carriers on the waiting list within two (2) business days of the

determination that space will become available. A telecommunication carrier that, upon denial of physical Collocation Space, requests virtual Collocation Space shall automatically be placed on the waiting list for physical Collocation Space that may become available in the future.

- 6.7.2 When physical Collocation Space becomes available, GulfPines must submit an updated, complete, and accurate application to BellSouth within thirty (30) calendar days of notification by BellSouth that physical Collocation Space will be available in the requested BellSouth Premise previously out of space. If GulfPines has originally requested caged Collocation Space and cageless Collocation Space becomes available, GulfPines may refuse such space and notify BellSouth in writing within the thirty (30) day timeframe that GulfPines wants to maintain its place on the waiting list for caged Physical Collocation Space, without accepting the available cageless Collocation Space.

GulfPines may accept an amount of space less than what it originally requested by submitting an application as set forth above, and upon request, may maintain its position on the waiting list for the remaining space that was initially requested. If GulfPines does not submit an application or notify BellSouth in writing as described above, BellSouth will offer the space to the next telecommunication carrier on the waiting list and remove GulfPines from the waiting list. Upon request, BellSouth will advise GulfPines as to its position on the waiting list.

- 6.8 Public Notification. BellSouth will maintain on its Interconnection Services website a notification document that will indicate all BellSouth Premises that are without available space. BellSouth shall update such document within ten (10) calendar days of the date that BellSouth becomes aware that insufficient space is available to accommodate physical collocation. BellSouth will also post a document on its Interconnection Services website that contains a general notice when space becomes available in a BellSouth Premise previously on the space exhaust list.

- 6.9 Application Response.

- 6.9.1 In Alabama, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, and South Carolina, when space has been determined to be available for physical (caged or cageless) arrangements, BellSouth will provide an Application Response within twenty (20) calendar days of receipt of a Bona Fide Application. The Application Response will include, at a minimum, the configuration of the space, the Cable Installation Fee, Cable Records Fee, and any other applicable space preparation fees, as described in Section 8.

- 6.9.2 In Florida and Tennessee, within fifteen (15) calendar days of receipt of a Bona Fide Application, when space has been determined to be available or when a lesser amount of space than that requested is available, then with respect to the space available, BellSouth will provide an Application Response including sufficient information to

enable GulfPines to place a firm order. The Application Response will include, at a minimum, the configuration of the space, the Cable Installation Fee, Cable Records Fee, and the space preparation fees, as described in Section 8. When GulfPines submits ten (10) or more applications within ten (10) calendar days, the initial fifteen (15) calendar day response interval will increase by ten (10) calendar days for every additional ten (10) applications or fraction thereof.

6.10 Application Modifications. If a modification or revision is made to any information in the Bona Fide Application prior to a BFFO, with the exception of modifications to Customer Information, Contact Information or Billing Contact Information, at the request of GulfPines, or as necessitated by technical considerations, the application shall be considered a new application and handled as a new application with respect to the response and provisioning intervals. BellSouth will charge GulfPines the appropriate application fee associated with the level of assessment performed by BellSouth. If the modification requires no labor or capital expenditure by BellSouth, but BellSouth must perform an assessment of the application to evaluate whether or not BellSouth would be required to perform necessary infrastructure or provisioning activities, then an Administrative Only Application Fee shall apply. The fee for an application modification in which the modification requested has limited effect (e.g., requires labor expenditure but no capital expenditure by BellSouth and where sufficient cable support structure, HVAC, power and terminations are available) shall be the Subsequent Application Fee as set forth in Exhibit B. A modification involving a capital expenditure by BellSouth shall require GulfPines to submit the application with an Initial Application Fee. The appropriate nonrecurring application fee will be billed on the date BellSouth provides GulfPines with an Application Response.

6.11 Bona Fide Firm Order.

6.11.1 GulfPines shall indicate its intent to proceed with equipment installation in a BellSouth Premises by submitting a BFFO to BellSouth. The BFFO must be received by BellSouth no later than thirty (30) calendar days after BellSouth's Application Response to GulfPines' Bona Fide Application or GulfPines' application will expire.

6.11.2 BellSouth will establish a firm order date based upon the date BellSouth is in receipt of GulfPines' BFFO. BellSouth will acknowledge the receipt of GulfPines' BFFO within seven (7) calendar days of receipt, so that GulfPines will have positive confirmation from BellSouth that its BFFO has been received. BellSouth's response to a BFFO will include a Firm Order Confirmation, which contains the firm order date. No revisions can be made to a BFFO.

7. Construction and Provisioning

7.1 Construction and Provisioning Intervals.

7.1.1 In Florida and Tennessee, BellSouth will complete construction of physical Collocation Space as soon as possible within a maximum of ninety (90) calendar days from receipt of a BFFO or as agreed to by the Parties. For virtual Collocation Space,

- BellSouth will complete construction as soon as possible within a maximum of sixty (60) calendar days from receipt of a BFFO or as agreed to by the Parties. For Augments requested to Collocation Space after the initial space has been completed, BellSouth will complete construction for Collocation Space as soon as possible within a maximum of forty-five (45) calendar days from receipt of a BFFO or as agreed to by the Parties. If BellSouth does not believe that construction will be completed within the relevant provisioning interval and BellSouth and GulfPines cannot agree upon a completion date, within forty-five (45) calendar days of receipt of the BFFO for an initial request, or within thirty (30) calendar days of receipt of the BFFO for an Augment, BellSouth may seek an extension from the Commission.
- 7.1.2 In Alabama, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, and South Carolina, BellSouth will complete construction for physical caged Collocation Space under ordinary conditions as soon as possible within a maximum of ninety (90) calendar days from receipt of a BFFO or as agreed to by the Parties. BellSouth will complete construction for physical cageless Collocation Space under ordinary conditions as soon as possible within a maximum of sixty (60) calendar days from receipt of a BFFO and ninety (90) calendar days from receipt of a BFFO for extraordinary conditions, or as agreed to by the Parties. Ordinary conditions are defined as space available with only minor changes required to BellSouth's support systems (Examples include, but are not limited to: minor modifications to HVAC, cabling and BellSouth's power plant). Extraordinary conditions include, but may not be limited to: major BellSouth equipment rearrangements or additions; power plant additions or upgrades; major mechanical additions or upgrades; major upgrades for ADA compliance; environmental hazards or hazardous materials abatement; and arrangements for which equipment shipping intervals are extraordinary in length. The Parties may mutually agree to renegotiate an alternative provisioning interval or BellSouth may seek a waiver from the ordered interval from the appropriate Commission.
- 7.1.3 When GulfPines adds equipment within initial demand parameters that requires no additional space preparation work on the part of BellSouth, then no additional charges or intervals will be imposed by BellSouth that would cause delay in GulfPines' operation.
- 7.1.4 In the states of Alabama, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, and South Carolina, BellSouth will provide the reduced intervals outlined below to GulfPines, when GulfPines requests an augment that is identified in Sections 7.1.4.1, 7.1.4.2, 7.1.4.3, 7.1.4.4 and 7.1.4.5 (Augment) after the Space Ready Date for existing physical Collocation Space. Unless otherwise set forth in Section 7.1.4.10, any such augment application will require a Subsequent Application and will result in the assessment of an Augment Application fee as set forth in Exhibit B.
- 7.1.4.1 Simple Augments will be completed within twenty (20) calendar days after receipt of the BFFO for an:

- Extension of Existing AC Circuit Capacity within Arrangement Where Sufficient Circuit Capacity is Available
- Fuse Change and/or Increase or Decrease -48V DC Power from Existing ILEC BDFB

7.1.4.2 Minor Augments will be completed within forty-five (45) calendar days after receipt of the BFFO for:

- 168 DS1s Terminations at the ILEC Demarcation Frame (Databasing Only; Panels, Relay Racks and Overhead Racking Exist)
- 96 DS3s Terminations at the ILEC Demarcation Frame (Databasing Only; Panels, Relay Racks and Overhead Racking Exist)
- 99 Fiber Terminations at the ILEC Demarcation Frame (Databasing Only; Panels, Relay Racks and Overhead Racking Exist)
- Maximum of 2000 Service Ready DS0 Terminations at the ILEC Demarcation Frame (Databasing Only; Panels, Relay Racks and Overhead Racking Exist)

7.1.4.3 Intermediate Augments will be completed within sixty (60) calendar days after receipt of the BFFO for:

- 168 DS1s (Databasing and Installation of Termination Panels, Relay Racks or Additional Structure as Required)
- 96 DS3s (Databasing and Installation of Termination Panels, Relay Racks or Additional Structure as Required)
- 99 Fiber Terminations (Databasing and Installation of Termination Panels, Relay Racks or Additional Structure as Required)
- 2000 DS0s (Databasing and Installation of Termination Panels, Relay Racks or Additional Structure as Required)
- Installation of Cable Racking or Other Support Structures as Required to Support Co-Carrier Cross Connects (Adequate Floor or Ceiling Structural Capacity Exists and Support/Protection Structure for Fiber Patch Cord is Excluded)

7.1.4.4 Major Augments of physical Collocation Space will be completed within ninety (90) calendar days after BFFO. This category includes all requests for additional physical Collocation Space (caged or cageless).

7.1.4.5 Major Augments of virtual Collocation Space will be completed within seventy-five (75) calendar days after BFFO. This category includes all requests for additional virtual Collocation Space.

7.1.4.6 If GulfPines submits an augment application request that includes two augment items from the same category in either Section 7.1.4.1, 7.1.4.2, or 7.1.4.3 above, the provisioning interval associated with the next highest augment category will apply (e.g., if two items from the minor augment category are requested on the same request, then an interval of sixty (60) calendar days from the receipt of the BFFO would apply, which is the interval associated with the intermediate category).

- 7.1.4.7 If GulfPines submits an augment application request that includes three augment items from the same category in either Section 7.1.4.1, 7.1.4.2, or 7.1.4.3 above, the major augment interval of ninety (90) calendar days from the receipt of the BFFO would apply (e.g., if three items from the simple augment category are requested on the same request for a physical collocation arrangement, then an interval of ninety (90) calendar days from the receipt of the BFFO would apply, which is the major physical augment interval; likewise if three items from the simple augment category are requested on the same request for a virtual collocation arrangement, then an interval of seventy-five (75) calendar days from the receipt of the BFFO would apply, which is the major virtual augment interval).
- 7.1.4.8 If GulfPines submits an augment application request that includes one augment item from two separate categories in Sections 7.1.4.1, 7.1.4.2 and 7.1.4.3 above, the augment interval associated with the highest augment category will apply (e.g., if an item from the minor augment category and an item from the intermediate augment category are requested on the same request, then an interval of sixty (60) calendar days from the receipt of the BFFO would apply, which is the interval associated with the intermediate augment category).
- 7.1.4.9 All Augments not expressly included in the Simple, Minor, Intermediate or Major categories, as outlined above, will be placed into the appropriate category as negotiated by GulfPines and BellSouth. If GulfPines and BellSouth are unable to determine the appropriate category through negotiation, then the appropriate major augment category, identified in Section 7.1.4.4 and Section 7.1.4.5, would apply based on whether the augment request is for GulfPines' physical or virtual Collocation Space.
- 7.1.4.10 Individual application fees associated with simple, minor and intermediate augment applications are contained in Exhibit B. The appropriate application fee will be assessed to GulfPines at the time BellSouth provides GulfPines with the Application Response. GulfPines will be assessed a Subsequent Application Fee for all Major Augment applications (Major Augments are defined above in Sections 7.1.4.4 and 7.1.4.5). The Subsequent Application Fee is also reflected in Exhibit B of this Attachment.
- 7.2 Joint Planning. Joint planning between BellSouth and GulfPines will commence within a maximum of twenty (20) calendar days from BellSouth's receipt of a BFFO. BellSouth will provide the preliminary design of the Collocation Space and the equipment configuration requirements as reflected in the Bona Fide Application and BFFO. The Collocation Space completion interval will be provided to GulfPines during the joint planning meeting.
- 7.3 Permits. Each Party, its agent(s) or BellSouth Certified Supplier(s) will file for the appropriate permits required for the scope of work to be performed by that Party, its agent(s) or BellSouth Certified Supplier(s) within ten (10) calendar days of the completion of the finalized construction design and specifications.

- 7.4 Acceptance Walkthrough. GulfPines will schedule and complete an acceptance walkthrough of the Collocation Space with BellSouth within fifteen (15) calendar days after the Space Ready Date. In the event GulfPines fails to complete an acceptance walkthrough within this fifteen (15) day interval, the Collocation Space shall be deemed accepted by GulfPines on the Space Ready Date. BellSouth will correct any deviations to GulfPines' original or jointly amended design and/or specification requirements within seven (7) calendar days after the walkthrough, unless the Parties mutually agree upon a different timeframe.
- 7.5 Circuit Facility Assignments (CFAs). Unless otherwise specified, BellSouth will provide CFAs to GulfPines prior to the applicable provisioning interval set forth herein (Provisioning Interval) for those BellSouth Premises in which GulfPines has physical Collocation Space with no POT bay or with a grandfathered POT bay provided by BellSouth. BellSouth cannot provide CFAs to GulfPines prior to the Provisioning Interval for those BellSouth Premises in which GulfPines has physical Collocation Space with a POT bay provided by GulfPines or virtual Collocation Space, until GulfPines provides BellSouth with the following information:
- For physical Collocation Space with a GulfPines-provided POT bay, GulfPines shall provide BellSouth with a complete layout of the POT panels on an equipment inventory update (EIU) form, showing locations, speeds, etc.
- For virtual Collocation Space, GulfPines shall provide BellSouth with a complete layout of GulfPines' equipment on an equipment inventory update (EIU) form, including the locations of the low speed ports and the specific frame terminations to which the equipment will be wired by GulfPines' BellSouth Certified Supplier.
- 7.5.1 BellSouth cannot begin work on the CFAs until the complete and accurate EIU form is received from GulfPines. If the EIU form is provided within ten (10) calendar days prior to the ending date of the Provisioning Interval, then the CFAs will be made available by the ending date of the Provisioning Interval. If the EIU form is not received ten (10) calendar days prior to the ending date of the Provisioning Interval, then the CFAs will be provided within ten (10) calendar days of receipt of the EIU form.
- 7.5.2 BellSouth will bill GulfPines a nonrecurring charge, as set forth in Exhibit B, each time GulfPines requests a resend of its CFAs for any reason other than a BellSouth error in the CFAs initially provided to GulfPines.
- 7.6 Use of BellSouth Certified Supplier. GulfPines shall select a supplier which has been approved as a BellSouth Certified Supplier to perform all engineering and installation work. GulfPines and GulfPines' BellSouth Certified Supplier must follow and comply with all of BellSouth's Specifications, as outlined in the following BellSouth Technical Requirements: TR 73503, TR 73519, TR 73572, and TR 73564. In some cases, GulfPines must select different BellSouth Certified Suppliers for those work activities associated with transmission equipment, switching equipment and power equipment. BellSouth shall provide GulfPines with a list of BellSouth Certified Suppliers upon

request. The BellSouth Certified Supplier(s) shall be responsible for installing GulfPines' equipment and associated components, extending power cabling to the BellSouth power distribution frame, performing operational tests after installation is completed, and notifying BellSouth's equipment engineers and GulfPines upon successful completion of the installation, etc. The BellSouth Certified Supplier shall bill GulfPines directly for all work performed for GulfPines pursuant to this Attachment. BellSouth shall have no liability for, nor responsibility to pay, such charges imposed by GulfPines' BellSouth Certified Supplier. BellSouth shall make available its supplier certification program to GulfPines or any supplier proposed by GulfPines and will not unreasonably withhold certification. All work performed by or for GulfPines shall conform to generally accepted industry standards.

- 7.7 Alarm and Monitoring. BellSouth shall place environmental alarms in the BellSouth Premises for the protection of BellSouth equipment and facilities. GulfPines shall be responsible for the placement, monitoring and removal of environmental and equipment alarms used to service GulfPines' Collocation Space. Upon request, BellSouth will provide GulfPines with an applicable tariffed service(s) to facilitate remote monitoring of collocated equipment by GulfPines. Both Parties shall use best efforts to notify the other of any verified environmental condition known to that Party.
- 7.8 Virtual to Physical Collocation Relocation. In the event physical Collocation Space was previously denied at a BellSouth Premise due to technical reasons or space limitations and physical Collocation Space has subsequently become available, GulfPines may relocate its existing virtual collocation arrangement(s) to a physical collocation arrangement(s) and pay the appropriate fees associated with physical Collocation Space and the rearrangement or reconfiguration of services currently being terminated in the virtual collocation arrangement. If BellSouth knows when additional space for physical collocation may become available at the BellSouth Premises requested by GulfPines, such information will be provided to GulfPines in BellSouth's written denial of physical Collocation Space. To the extent that (i) physical Collocation Space becomes available to GulfPines within one hundred eighty (180) calendar days of BellSouth's written denial of GulfPines' request for physical Collocation Space, (ii) BellSouth had knowledge that the space was going to become available, and (iii) GulfPines was not informed in the written denial that physical Collocation Space would become available within such one hundred eighty (180) calendar day period, then GulfPines may relocate its virtual collocation arrangement to a physical collocation arrangement and will receive a credit for any nonrecurring charges previously paid for such virtual Collocation Space. GulfPines must arrange with a BellSouth Certified Supplier for the relocation of equipment from its virtual Collocation Space to its physical Collocation Space and will bear the cost of such relocation.
- 7.8.1 In Alabama, BellSouth will complete a relocation from virtual Collocation Space to cageless physical Collocation Space within thirty (30) calendar days and from virtual Collocation Space to caged physical Collocation Space within ninety (90) calendar days.

- 7.9 Virtual to Physical Conversion (In-Place). Virtual collocation arrangements may be converted to “in-place” physical collocation arrangements if the potential conversion meets all of the following criteria: 1) there is no change in the amount of equipment or the configuration of the equipment that was in the virtual Collocation Space; 2) the conversion of the virtual collocation arrangement will not cause the equipment or the results of that conversion to be located in a space that BellSouth has reserved for its own future needs; 3) the converted arrangement does not limit BellSouth’s ability to secure its own equipment and facilities due to the location of the virtual Collocation Space; and 4) any changes to the arrangement can be accommodated by existing power, HVAC, and other requirements. Unless otherwise specified, BellSouth will complete virtual to physical conversions (in-place) within sixty (60) calendar days from receipt of the BFFO. BellSouth will bill GulfPines an Administrative Only Application Fee, as set forth in Exhibit B, on the date BellSouth provides an Application Response to GulfPines.
- 7.9.1 In Alabama and Tennessee, BellSouth will complete Virtual to Physical Conversions (In Place) within thirty (30) calendar days from receipt of the BFFO.
- 7.10 Cancellation. If at any time prior to space acceptance, GulfPines cancels its order for Collocation Space (Cancellation), BellSouth will bill the applicable nonrecurring charge(s) for any and all work processes for which work has begun or been completed. In Georgia, if GulfPines cancels its order for Collocation Space at any time prior to space acceptance, BellSouth will bill GulfPines for all costs incurred prior to the date of Cancellation and for any costs incurred as a direct result of the Cancellation, not to exceed the total amount that would have been due had the firm order not been cancelled.
- 7.11 Licenses. GulfPines, at its own expense, will be solely responsible for obtaining from the proper governmental authorities, and any other appropriate agency, entity, or person, all rights, privileges, permits, licenses, and certificates necessary or required to operate as a provider of telecommunication services to the public or to build-out, equip and/or occupy Collocation Space in a BellSouth Premise.
- 7.12 Environmental Compliance. The Parties agree to utilize and adhere to the Environmental Hazard Guidelines identified in Exhibit A attached hereto.
- 8. Rates and Charges**
- 8.1 Application Fee. BellSouth shall assess a nonrecurring application fee via a service order on the date BellSouth responds pursuant to Section 6.10 (Application Response).
- 8.1.1 In Tennessee, the application fee for caged Collocation Space is the planning fee for both Initial Applications and Subsequent Applications placed by GulfPines. Likewise, for cageless Collocation Space, the same Cageless - Application Fee applies for both Initial Applications and Subsequent Applications placed by GulfPines. BellSouth will

- bill the appropriate nonrecurring application fee on the date that BellSouth provides an Application Response to GulfPines.
- 8.2 Cable Installation. Cable Installation Fee(s) are assessed per entrance cable placed. This nonrecurring fee will be billed by BellSouth upon receipt of GulfPines' BFFO.
- 8.3 Recurring Charges. If GulfPines has met the applicable fifteen (15) calendar day walkthrough interval specified in Section 4, billing for recurring charges will begin upon the Space Acceptance Date. In the event that GulfPines fails to complete an acceptance walkthrough within the applicable fifteen (15) calendar day interval, billing for recurring charges will commence on the Space Ready Date. If GulfPines occupies the space prior to the Space Ready Date, the date GulfPines occupies the space is deemed the new Space Acceptance Date and billing for recurring charges will begin on that date.
- 8.4 Space Preparation. Space preparation fees consist of a nonrecurring charge for Firm Order Processing and monthly recurring charges for Central Office Modifications assessed per arrangement, per square foot and Common Systems Modifications assessed per arrangement, per square foot for cageless collocation and per cage for caged collocation. GulfPines shall remit payment of the nonrecurring Firm Order Processing fee coincident with the submission of a BFFO. These charges recover the costs associated with preparing the Collocation Space, which includes, but is not limited to, the following items: a survey, engineering of the Collocation Space, design and modification costs for network, building and support systems, etc. In the event GulfPines opts for cageless space, the space preparation fees will be assessed based on the total square footage of floor space dedicated to GulfPines as prescribed in this Section.
- 8.5 Floor Space. The Floor Space Charge includes reasonable charges for lighting, HVAC, and other allocated expenses associated with maintenance of the BellSouth Premises, but does not include any power-related costs incurred by BellSouth. When the Collocation Space is enclosed, GulfPines shall pay floor space charges based upon the number of square feet so enclosed. The minimum size for caged Collocation Space is 100 square feet. Additional caged Collocation Space may be requested in increments of 50 square feet. When the Collocation Space is not enclosed, GulfPines shall pay floor space charges based upon the following floor space calculation: [(depth of the equipment lineup in which the rack is placed) + (0.5 x maintenance aisle depth) + (0.5 x wiring aisle depth)] x (width of rack and spacers). For purposes of this calculation, the depth of the equipment lineup shall consider the footprint of equipment racks plus any equipment overhang. BellSouth will assign unenclosed Collocation Space in conventional equipment rack lineups where feasible. In the event GulfPines' collocated equipment requires special cable racking, isolated grounding or other treatment which prevents placement within conventional equipment rack lineups, GulfPines shall be required to request an amount of floor space sufficient to accommodate the total equipment arrangement.

- 8.6 Power. BellSouth shall make available –48 Volt (-48V) Direct Current (DC) power for GulfPines' Collocation Space at a BellSouth Power Board or BellSouth Battery Distribution Fuse Bay (BDFB) upon GulfPines' request within the BellSouth Premise; however, the determination of whether BellSouth will permit the power configuration requested by GulfPines will be made at BellSouth's sole discretion, which shall not be unreasonably withheld. BellSouth will revise GulfPines' recurring power charges to reflect a power upgrade upon notification of the completion of the upgrade by GulfPines' BellSouth Certified Vendor. BellSouth will revise recurring power charges to reflect a power reduction upon BellSouth's receipt of the Power Reduction Form from GulfPines certifying the completion of the power reduction work, including the removal of the power cabling by GulfPines' BellSouth Certified Supplier.
- 8.6.1 When obtaining power from a BDFB, fuses and power cables (A&B) must be engineered (sized), and installed by GulfPines' BellSouth Certified Supplier. Likewise, when obtaining power from a BellSouth power board, power cables (A&B) must be engineered (sized) and installed by GulfPines' BellSouth Certified Supplier. GulfPines is responsible for contracting with a BellSouth Certified Supplier for the power distribution feeder cable running from a BellSouth BDFB or BellSouth power board to GulfPines' equipment. The determination of whether GulfPines' requested DC power will be provided from the BellSouth BDFB or BellSouth power board will be made at BellSouth's sole, but reasonable, discretion. The BellSouth Certified Supplier contracted by GulfPines must provide BellSouth with a copy of the engineering power specifications prior to the day on which GulfPines' equipment becomes operational (Commencement Date). BellSouth will provide the common power feeder cable support structure between the BellSouth BDFB or BellSouth power board and GulfPines' Collocation Space. GulfPines shall contract with a BellSouth Certified Supplier who will be responsible for the following power provisioning activities: installing, removing or replacing dedicated power cable support structure within GulfPines' arrangement, power cable feeds, and terminations of cable. A BellSouth Certified Supplier must perform all terminations at a BellSouth power board. GulfPines shall comply with all applicable National Electric Code (NEC), BellSouth TR73503, Telcordia and ANSI Standards regarding power cabling, installation, and maintenance.
- 8.6.2 If GulfPines elects to install its own DC Power Plant, BellSouth shall provide Alternating Current (AC) power to feed GulfPines' DC Power Plant. Charges for AC power will be assessed per breaker ampere per month. Rates include the provision of commercial and standby AC power. When obtaining power from a BellSouth service panel, protection devices and power cables must be engineered (sized) and installed by GulfPines' BellSouth Certified Supplier, except that BellSouth shall engineer and install protection devices and power cables for Adjacent Collocation. GulfPines' BellSouth Certified Supplier must also provide a copy of the engineering power Specifications prior to the Commencement Date. Charges for AC power shall be assessed pursuant to the rates specified in Exhibit B. AC power voltage and phase ratings shall be determined on a per location basis. At GulfPines' option, GulfPines

- may arrange for AC power in an adjacent collocation arrangement from a retail provider of electrical power.
- 8.6.3 In Tennessee, monthly recurring charges for -48V DC power consumption will be assessed per ampere per month based upon the engineered and installed power feed fused ampere capacity. Rates include redundant feeder fuse positions (A&B) and common cable racks to GulfPines' equipment or space enclosure. GulfPines shall contract with a BellSouth Certified Supplier to perform the installation and removal of dedicated power cable support structure within GulfPines' arrangement and terminations of cable within the Collocation Space.
- 8.6.3.1 In Tennessee, nonrecurring charges for -48V DC power distribution will be based on the costs associated with collocation power plant investment and the associated infrastructure.
- 8.6.4 In Alabama and Louisiana, GulfPines has the option to purchase power directly from an electric utility company. Under such an option, GulfPines is responsible for contracting with the electric utility company for its own power feed and meter and is financially responsible for purchasing all equipment necessary to accomplish the arrangement, including inverters, batteries, power boards, bus bars, BDFBs, backup power supplies and cabling. The actual work to install this arrangement must be performed by a BellSouth Certified Supplier hired by GulfPines. GulfPines' BellSouth Certified Supplier must comply with all applicable safety codes, including the National Electric Safety Codes, in the installation of this power arrangement. If GulfPines previously had power supplied by BellSouth, GulfPines may request to change its Collocation Space to obtain power from an electric utility company by submitting a Subsequent Application. BellSouth will waive the application fee for this Subsequent Application if no other changes are requested therein. Any floor space, cable racking, etc. utilized by GulfPines in provisioning said power will be billed on an ICB basis.
- 8.6.5 In South Carolina, GulfPines has the option to purchase power directly from an electric utility company where technically feasible and where space is available in a requested BellSouth Premise. Under such option, GulfPines is responsible for contracting with the electric utility company for its own power feed and meter and is financially responsible for purchasing all equipment necessary to accomplish the arrangement, including inverters, batteries, power boards, bus bars, BDFBs, backup power supplies and power cabling. The actual work to install this arrangement must be performed by a BellSouth Certified Supplier hired by GulfPines. GulfPines' BellSouth Certified Supplier must comply with all applicable national, regional, state and local safety, electrical, fire and building codes, including the National Electric Safety Code standards, in the installation of this power arrangement, just as BellSouth is required to comply with these codes. GulfPines must submit an application to BellSouth for the appropriate amount of Collocation Space that GulfPines requires to install this type of power arrangement. BellSouth will evaluate the request and determine if the appropriate amount of space is available within the office for the installation of GulfPines' power equipment and facilities. This type of power arrangement must be located in an appropriate area in the central office that has been properly conditioned

- for the installation of power equipment and conforms to the applicable national, regional, state and local safety, electrical, fire and building codes. BellSouth shall waive the application fee or any other nonrecurring charges that would otherwise be due from a CLEC that decides to reconfigure an existing collocation power arrangement to purchase power directly from an electric utility company as provided herein. GulfPines shall be responsible for the recurring charges associated with the central office space needed for this type of power arrangement, including space required to place associated power-related equipment and facilities (i.e., batteries, generator, power meter, etc.). If there is no space available for this type of power arrangement in the requested central office, BellSouth may seek a waiver of these requirements from the Commission for the central office requested. GulfPines would still retain the option of ordering its power needs directly from BellSouth.
- 8.6.6 If GulfPines desire to reduce the amount of power that it has requested from BellSouth, GulfPines must submit a Subsequent Application for this power reduction. If no other modifications to the Collocation Space are requested other than the reduction in power, the Power Reduction Only, Application fee, as set forth in Exhibit B, will apply. If other modifications are requested in addition to the reduction of power, the Subsequent Application Fee will apply. BellSouth will bill the appropriate nonrecurring application fee on the date BellSouth provides an Application Response to GulfPines.
- 8.6.7 In Alabama and Louisiana, if GulfPines is currently served from the BellSouth main power board and requests that its power be reconfigured to connect to a BellSouth BDFB in a specific central office, GulfPines must submit a Subsequent Application to BellSouth. A response to such application will be provided by BellSouth within seven (7) calendar days and no application fee will apply for the initial power reduction at each BellSouth Premise in which GulfPines is currently collocated.
- 8.7 Security Escort. A security escort will be required whenever GulfPines or its approved agent desires access to the entrance manhole or must have access to a BellSouth Premise after the one (1) accompanied site visit allowed pursuant to Section 5.9 prior to completing BellSouth's Security Training requirements. The rates for security escort service are assessed, beginning with the scheduled escort time, pursuant to the fee schedule in Exhibit B. BellSouth will wait for one-half (1/2) hour after the scheduled time for such an escort and GulfPines shall pay for such half-hour charges in the event GulfPines fails to show up.
- 8.8 Cable Record charges. These charges apply for work required to add or change existing cable records assigned to GulfPines in BellSouth's database systems. The VG/DS0 per cable record charge is for a maximum of 3600 records. The Fiber cable record charge is for a maximum of 99 records. The Cable Record charges are assessed as nonrecurring fees in all BellSouth states, other than Louisiana, and will be billed upon receipt of GulfPines' BFFO. In Louisiana, the Cable Record charges are assessed on a monthly recurring basis and will be billed upon receipt of GulfPines' BFFO.

8.9 Other. If no rate is identified in the contract, the rate for the specific service or function will be negotiated by the Parties upon request by either Party.

9. Insurance

9.1 GulfPines shall, at its sole cost and expense, procure, maintain, and keep in force insurance as specified in this Section and underwritten by insurance companies licensed to do business in the states applicable under this Agreement and having a Best's Insurance Rating of A-.

9.2 GulfPines shall maintain the following specific coverage:

9.2.1 Commercial General Liability coverage in the amount of ten million dollars (\$10,000,000.00) or a combination of Commercial General Liability and Excess/Umbrella coverage totaling not less than ten million dollars (\$10,000,000.00). BellSouth shall be named as an Additional Insured on the Commercial General Liability policy as specified herein.

9.2.2 Statutory Workers Compensation coverage and Employers Liability coverage in the amount of one hundred thousand dollars (\$100,000.00) each accident, one hundred thousand dollars (\$100,000.00) each employee by disease, and five hundred thousand dollars (\$500,000.00) policy limit by disease.

9.2.3 All Risk Property coverage on a full replacement cost basis insuring all of GulfPines' real and personal property situated on or within BellSouth's Central Office location(s).

9.2.4 GulfPines may elect to purchase business interruption and contingent business interruption insurance, having been advised that BellSouth assumes no liability for loss of profit or revenues should an interruption of service occur.

9.3 The limits set forth in Section 9.2 above may be increased by BellSouth from time to time during the term of this Agreement upon thirty (30) calendar days notice to GulfPines to at least such minimum limits as shall then be customary with respect to comparable occupancy of BellSouth structures.

9.4 All policies purchased by GulfPines shall be deemed to be primary and not contributing to or in excess of any similar coverage purchased by BellSouth. All insurance must be in effect on or before the date equipment is delivered to BellSouth's Premises and shall remain in effect for the term of this Attachment or until all GulfPines' property has been removed from BellSouth's Premises, whichever period is longer. If GulfPines fails to maintain required coverage, BellSouth may pay the premiums thereon and seek reimbursement of same from GulfPines.

9.5 GulfPines shall submit certificates of insurance reflecting the coverage required pursuant to this Section a minimum of ten (10) business days prior to the commencement of any work in the Collocation Space. Failure to meet this interval may result in construction and equipment installation delays. GulfPines shall arrange

for BellSouth to receive thirty (30) business days' advance notice of cancellation from GulfPines' insurance company. GulfPines shall forward a certificate of insurance and notice of cancellation/non-renewal to BellSouth at the following address:

BellSouth Telecommunications, Inc.
Attn.: Risk Management Coordinator
17H53 BellSouth Center
675 W. Peachtree Street
Atlanta, Georgia 30375

- 9.6 GulfPines must conform to recommendations made by BellSouth's fire insurance company to the extent BellSouth has agreed to, or shall hereafter agree to, such recommendations.
- 9.7 Self-Insurance. If GulfPines' net worth exceeds five hundred million dollars (\$500,000,000), GulfPines may elect to request self-insurance status in lieu of obtaining any of the insurance required in Sections 9.2.1 and 9.2.2. GulfPines shall provide audited financial statements to BellSouth thirty (30) calendar days prior to the commencement of any work in the Collocation Space. BellSouth shall then review such audited financial statements and respond in writing to GulfPines in the event that self-insurance status is not granted to GulfPines. If BellSouth approves GulfPines for self-insurance, GulfPines shall annually furnish to BellSouth, and keep current, evidence of such net worth that is attested to by one of GulfPines' corporate officers. The ability to self-insure shall continue so long as the GulfPines meets all of the requirements of this Section. If GulfPines subsequently no longer satisfies this Section, GulfPines is required to purchase insurance as indicated by Sections 9.2.1 and 9.2.2.
- 9.8 The net worth requirements set forth in Section 9.7 may be increased by BellSouth from time to time during the term of this Attachment upon thirty (30) calendar days' notice to GulfPines to at least such minimum limits as shall then be customary with respect to comparable occupancy of BellSouth structures.
- 9.9 Failure to comply with the provisions of this Section will be deemed a material breach of this Attachment.

10. Mechanics Liens

- 10.1 If any mechanics lien or other liens shall be filed against property of either Party (BellSouth or GulfPines), or any improvement thereon by reason of or arising out of any labor or materials furnished or alleged to have been furnished or to be furnished to or for the other Party or by reason of any changes, or additions to said property made at the request or under the direction of the other Party, the other Party directing or requesting those changes shall, within thirty (30) business days after receipt of written notice from the Party against whose property said lien has been filed, either pay such lien or cause the same to be bonded off the affected property in the manner provided by law. The Party causing said lien to be placed against the property of the other shall

also defend, at its sole cost and expense, on behalf of the other, any action, suit or proceeding which may be brought for the enforcement of such liens and shall pay any damage and discharge any judgment entered thereon.

11. Inspections

11.1 BellSouth may conduct an inspection of GulfPines' equipment and facilities in the Collocation Space(s) prior to the activation of facilities between GulfPines' equipment and equipment of BellSouth. BellSouth may conduct an inspection if GulfPines adds equipment and may otherwise conduct routine inspections at reasonable intervals mutually agreed upon by the Parties. BellSouth shall provide GulfPines with a minimum of forty-eight (48) hours or two (2) business days, whichever is greater, advance notice of all such inspections. All costs of such inspection shall be borne by BellSouth.

12. Security and Safety Requirements

12.1 Unless otherwise specified, GulfPines will be required, at its own expense, to conduct a statewide investigation of criminal history records for each GulfPines employee hired in the past five years being considered for work on the BellSouth Premises, for the states/counties where the GulfPines employee has worked and lived for the past five years. Where state law does not permit statewide collection or reporting, an investigation of the applicable counties is acceptable. GulfPines shall not be required to perform this investigation if an affiliated company of GulfPines has performed an investigation of the GulfPines employee seeking access, if such investigation meets the criteria set forth above. This requirement will not apply if GulfPines has performed a pre-employment statewide investigation of criminal history records of the GulfPines employee for the states/counties where the GulfPines employee has worked and lived for the past five years or, where state law does not permit a statewide investigation, an investigation of the applicable counties.

12.2 GulfPines will be required to administer to its personnel assigned to the BellSouth Premises security training either provided by BellSouth, or meeting criteria defined by BellSouth.

12.3 GulfPines shall provide its employees and agents with picture identification, which must be worn and visible at all times while in the Collocation Space or other areas in or around the BellSouth Premises. The photo identification card shall bear, at a minimum, the employee's name and photo and GulfPines' name. BellSouth reserves the right to remove from a BellSouth Premise any employee of GulfPines not possessing identification issued by GulfPines or who has violated any of BellSouth's policies as outlined in the CLEC Security Training documents. GulfPines shall not hold BellSouth harmless for any damages resulting from such removal of its personnel from a BellSouth Premise. GulfPines shall be solely responsible for ensuring that any Guest(s) of GulfPines is in compliance with all subsections of this Section.

- 12.4 GulfPines shall not assign to the BellSouth Premises any personnel with records of felony criminal convictions. GulfPines shall not assign to the BellSouth Premises any personnel with records of misdemeanor convictions, except for misdemeanor traffic violations, without advising BellSouth of the nature and gravity of the offense(s). BellSouth reserves the right to refuse building access to any GulfPines personnel who have been identified to have misdemeanor criminal convictions. Notwithstanding the foregoing, in the event that GulfPines chooses not to advise BellSouth of the nature and gravity of any misdemeanor conviction, GulfPines may, in the alternative, certify to BellSouth that it shall not assign to the BellSouth Premises any personnel with records of misdemeanor convictions (other than misdemeanor traffic violations).
- 12.4.1 GulfPines shall not knowingly assign to the BellSouth Premises any individual who was a former employee of BellSouth and whose employment with BellSouth was terminated for a criminal offense whether or not BellSouth sought prosecution of the individual for the criminal offense.
- 12.4.2 GulfPines shall not knowingly assign to the BellSouth Premises any individual who was a former supplier of BellSouth and whose access to a BellSouth Premise was revoked due to commission of a criminal offense whether or not BellSouth sought prosecution of the individual for the criminal offense.
- 12.5 For each GulfPines employee or agent hired by GulfPines within five years of being considered for work on the BellSouth Premises, who requires access to a BellSouth Premise pursuant to this Attachment, GulfPines shall furnish BellSouth, prior to an employee or agent gaining such access, a certification that the aforementioned background check and security training were completed. The certification will contain a statement that no felony convictions were found and certify that the employee completed the security training. If the employee's criminal history includes misdemeanor convictions, GulfPines will disclose the nature of the convictions to BellSouth at that time. In the alternative, GulfPines may certify to BellSouth that it shall not assign to the BellSouth Premises any personnel with records of misdemeanor convictions other than misdemeanor traffic violations.
- 12.5.1 For all other GulfPines employees requiring access to a BellSouth Premise pursuant to this Attachment, GulfPines shall furnish BellSouth, prior to an employee gaining such access, a certification that the employee is not subject to the requirements of Section 12.5 above and that security training was completed by the employee.
- 12.6 At BellSouth's request, GulfPines shall promptly remove from the BellSouth Premises any employee of GulfPines BellSouth does not wish to grant access to a BellSouth Premise 1) pursuant to any investigation conducted by BellSouth or 2) prior to the initiation of an investigation if an employee of GulfPines is found interfering with the property or personnel of BellSouth or another collocated telecommunications carrier, provided that an investigation shall promptly be commenced by BellSouth.
- 12.7 Security Violations. BellSouth reserves the right to interview GulfPines' employees, agents, or suppliers in the event of wrongdoing in or around BellSouth's property or

involving BellSouth's or another collocated telecommunications carrier's property or personnel, provided that BellSouth shall provide reasonable notice to GulfPines' Security representative of such interview. GulfPines and its suppliers shall reasonably cooperate with BellSouth's investigation into allegations of wrongdoing or criminal conduct committed by, witnessed by, or involving GulfPines' employees, agents, or suppliers. Additionally, BellSouth reserves the right to bill GulfPines for all reasonable costs associated with investigations involving its employees, agents, or suppliers if it is established and mutually agreed in good faith that GulfPines' employees, agents, or suppliers are responsible for the alleged act. BellSouth shall bill GulfPines for BellSouth property, which is stolen or damaged where an investigation determines the culpability of GulfPines' employees, agents, or suppliers and where GulfPines agrees, in good faith, with the results of such investigation. GulfPines shall notify BellSouth in writing immediately in the event that GulfPines discovers one of its employees already working on the BellSouth Premises is a possible security risk. Upon request of the other Party, the Party who is the employer shall discipline consistent with its employment practices, up to and including removal from BellSouth's Premises, any employee found to have violated the security and safety requirements of this Section. GulfPines shall not hold BellSouth harmless for any damages resulting from such removal of its personnel from a BellSouth Premise.

- 12.8 Use of Supplies. Unauthorized use of equipment, supplies or other property by either Party, whether or not used routinely to provide telephone service will be strictly prohibited and handled appropriately. Costs associated with such unauthorized use may be charged to the offending Party, as may be all associated investigative costs.
- 12.9 Use of Official Lines. Except for non-toll calls necessary in the performance of their work, neither Party shall use the telephones of the other Party on BellSouth's Premises. Charges for unauthorized telephone calls may be charged to the offending Party, as may be all associated investigative costs.
- 12.10 Accountability. Full compliance with the Security requirements of this Section shall in no way limit the accountability of either Party to the other for the improper actions of its employees.

13. Destruction of Collocation Space

- 13.1 In the event a Collocation Space is wholly or partially damaged by fire, windstorm, tornado, flood or by similar causes to such an extent as to be rendered wholly unsuitable for GulfPines' permitted use hereunder, then either Party may elect within ten (10) calendar days after such damage, to terminate occupancy of the damaged Collocation Space, and if either Party shall so elect, by giving the other written notice of termination, both Parties shall stand released of and from further liability under the terms hereof. If the Collocation Space shall suffer only minor damage and shall not be rendered wholly unsuitable for GulfPines' permitted use, or is damaged and the option to terminate is not exercised by either Party, BellSouth covenants and agrees to proceed promptly without expense to GulfPines, except for improvements not to the property of BellSouth, to repair the damage. BellSouth shall have a reasonable time

within which to rebuild or make any repairs, and such rebuilding and repairing shall be subject to delays caused by storms, shortages of labor and materials, government regulations, strikes, walkouts, and causes beyond the control of BellSouth, which causes shall not be construed as limiting factors, but as exemplary only. GulfPines may, at its own expense, accelerate the rebuild of its collocated space and equipment provided however that a BellSouth Certified Supplier is used and the necessary space preparation has been completed. If GulfPines' acceleration of the project increases the cost of the project, then those additional charges will be incurred by GulfPines. Where allowed and where practical, GulfPines may erect a temporary facility while BellSouth rebuilds or makes repairs. In all cases where the Collocation Space shall be rebuilt or repaired, GulfPines shall be entitled to an equitable abatement of rent and other charges, depending upon the unsuitability of the Collocation Space for GulfPines' permitted use, until such Collocation Space is fully repaired and restored and GulfPines' equipment installed therein (but in no event later than thirty (30) calendar days after the Collocation Space is fully repaired and restored). Where GulfPines has placed an Adjacent Arrangement pursuant to Section 3.4, GulfPines shall have the sole responsibility to repair or replace said Adjacent Arrangement provided herein. Pursuant to this Section, BellSouth will restore the associated services to the Adjacent Arrangement.

14. Eminent Domain

- 14.1 If the whole of a Collocation Space or Adjacent Arrangement shall be taken by any public authority under the power of eminent domain, then this Attachment shall terminate with respect to such Collocation Space or Adjacent Arrangement as of the day possession shall be taken by such public authority and rent and other charges for the Collocation Space or Adjacent Arrangement shall be paid up to that day with proportionate refund by BellSouth of such rent and charges as may have been paid in advance for a period subsequent to the date of the taking. If any part of the Collocation Space or Adjacent Arrangement shall be taken under eminent domain, BellSouth and GulfPines shall each have the right to terminate this Attachment with respect to such Collocation Space or Adjacent Arrangement and declare the same null and void, by written notice of such intention to the other Party within ten (10) calendar days after such taking.

15. Nonexclusivity

- 15.1 GulfPines understands that this Attachment is not exclusive and that BellSouth may enter into similar agreements with other Parties. Assignment of space pursuant to all such agreements shall be determined by space availability and made on a first come, first served basis

ENVIRONMENTAL AND SAFETY PRINCIPLES

The following principles provide basic guidance on environmental and safety issues when applying for and establishing Physical Collocation arrangements.

1. GENERAL PRINCIPLES

- 1.1 Compliance with Applicable Law. BellSouth and GulfPines agree to comply with applicable federal, state, and local environmental and safety laws and regulations including U.S. Environmental Protection Agency (USEPA) regulations issued under the Clean Air Act (CAA), Clean Water Act (CWA), Resource Conservation and Recovery Act (RCRA), Comprehensive Environmental Response, Compensation and Liability Act (CERCLA), Superfund Amendments and Reauthorization Act (SARA), the Toxic Substances Control Act (TSCA), and OSHA regulations issued under the Occupational Safety and Health Act of 1970, as amended and NFPA and National Electrical Codes (NEC) and the NESC (Applicable Laws). Each Party shall notify the other if compliance inspections are conducted by regulatory agencies and/or citations are issued that relate to any aspect of this Attachment.
- 1.2 Notice. BellSouth and GulfPines shall provide notice to the other, including Material Safety Data Sheets (MSDSs), of known and recognized physical hazards or Hazardous Chemicals existing on site or brought on site. A Hazardous Chemical inventory list is posted on an OSHA Poster and updated annually at each Central Office. This Poster is normally located near the front entrance of the building or in the lounge area. Each Party is required to provide specific notice for known potential Imminent Danger conditions. GulfPines should contact 1-800-743-6737 for any BellSouth MSDS required.
- 1.3 Practices/Procedures. BellSouth may make available additional environmental control procedures for GulfPines to follow when working at a BellSouth Premise (See Section 2, below). These practices/procedures will represent the regular work practices required to be followed by the employees and suppliers of BellSouth for environmental protection. GulfPines will require its suppliers, agents and others accessing the BellSouth Premises to comply with these practices. Section 2 lists the Environmental categories where BellSouth practices should be followed by GulfPines when operating in the BellSouth Premises.
- 1.4 Environmental and Safety Inspections. BellSouth reserves the right to inspect GulfPines' space with proper notification. BellSouth reserves the right to stop any GulfPines work operation that imposes Imminent Danger to the environment, employees or other persons in the area on BellSouth's Premises.
- 1.5 Hazardous Materials Brought On Site. Any hazardous materials brought into, used, stored or abandoned at the BellSouth Premises by GulfPines are owned by GulfPines. GulfPines will indemnify BellSouth for claims, lawsuits or damages to persons or property caused by these materials. Without prior written BellSouth approval, no substantial new safety or environmental hazards can be created by GulfPines or different hazardous materials used by GulfPines at a BellSouth Premise. GulfPines must demonstrate adequate emergency response capabilities for its materials used or remaining at the BellSouth Premises.

- 1.6 Spills and Releases. When contamination is discovered at a BellSouth Premise, either Party discovering the condition must notify the other Party. All Spills or Releases of regulated materials will immediately be reported by GulfPines to BellSouth.
- 1.7 Coordinated Environmental Plans and Permits. BellSouth and GulfPines will coordinate plans, permits or information required to be submitted to government agencies, such as emergency response plans, spill prevention control and countermeasures (SPCC) plans and community reporting. If fees are associated with filing, BellSouth and GulfPines will develop a cost sharing procedure. If BellSouth’s permit or EPA identification number must be used, GulfPines must comply with all of BellSouth’s permit conditions and environmental processes, including environmental “best management practices (BMP)” (see Section 2, below) and/or selection of BellSouth disposition vendors and disposal sites.
- 1.8 Environmental and Safety Indemnification. BellSouth and GulfPines shall indemnify, defend and hold harmless the other Party from and against any claims (including, without limitation, third-party claims for personal injury or death or real or personal property damage), judgments, damages (including direct and indirect damages and punitive damages), penalties, fines, forfeitures, costs, liabilities, interest and losses arising in connection with the violation or alleged violation of any Applicable Law or contractual obligation or the presence or alleged presence of contamination arising out of the acts or omissions of the indemnifying Party, its agents, suppliers, or employees concerning its operations at the BellSouth Premises.

2. CATEGORIES FOR CONSIDERATION OF ENVIRONMENTAL ISSUES

- 2.1 When performing functions that fall under the following Environmental categories on BellSouth’s Premises, GulfPines agrees to comply with the applicable sections of the current issue of BellSouth's Environmental and Safety Methods and Procedures (M&Ps), incorporated herein by this reference. GulfPines further agrees to cooperate with BellSouth to ensure that GulfPines’ employees, agents, and/or suppliers are knowledgeable of and satisfy those provisions of BellSouth’s Environmental M&Ps which apply to the specific Environmental function being performed by GulfPines, its employees, agents and/or suppliers.
- 2.2 The most current version of the reference documentation must be requested from GulfPines’ BellSouth Regional Contract Manager (RCM) (f/k/a Account Team Collocation Coordinator – ATCC).

| ENVIRONMENTAL CATEGORIES | ENVIRONMENTAL ISSUES | ADDRESSED BY THE FOLLOWING DOCUMENTATION |
|---|---------------------------------------|--|
| Disposal of hazardous material or other | Compliance with all applicable local, | Std T&C 450 |

| | | |
|--|--|---|
| regulated material (e.g., batteries, fluorescent tubes, solvents & cleaning materials) | state, & federal laws and regulations Pollution liability insurance EVET approval of supplier | Fact Sheet Series 17000 Std T&C 660-3 Approved Environmental Vendor List (Contact RCM Representative) |
| Emergency response | Hazmat/waste release/spill fire safety emergency | Fact Sheet Series 17000 Building Emergency Operations Plan (EOP) (specific to and located on BellSouth's Premises) |
| Contract labor/outsourcing for services with environmental implications to be performed on BellSouth Premises (e.g., disposition of hazardous material/waste; maintenance of storage tanks) | Compliance with all applicable local, state, & federal laws and regulations Performance of services in accordance with BST's environmental M&Ps Insurance | Std T&C 450 Std T&C 450-B (Contact RCM Representative for copy of appropriate E/S M&Ps.) Std T&C 660 |
| Transportation of hazardous material | Compliance with all applicable local, state, & federal laws and regulations Pollution liability insurance EVET approval of supplier | Std T&C 450 Fact Sheet Series 17000 Std T&C 660-3 Approved Environmental Vendor List (Contact RCM Representative) |
| Maintenance/operations work which may produce a waste Other maintenance work | Compliance with all applicable local, state, & federal laws and regulations Protection of BST employees and equipment | Std T&C 450 29CFR 1910.147 (OSHA Standard) 29CFR 1910 Subpart O (OSHA Standard) |
| Janitorial services | All waste removal and disposal must conform to all applicable federal, state and local regulations All Hazardous Material and Waste Asbestos notification and protection of employees and equipment | Procurement Manager (CRES Related Matters)- BST Supply Chain Services Fact Sheet Series 17000 GU-BTEN-001BT, Chapter 3 BSP 010-170-001BS (Hazcom) |
| Manhole cleaning | Compliance with all applicable local, state, & federal laws and regulations Pollution liability insurance EVET approval of supplier | Std T&C 450 Fact Sheet 14050 BSP 620-145-011PR Issue A, August 1996 Std T&C 660-3 Approved Environmental Vendor List (Contact RCM Representative) |
| Removing or disturbing building materials that may contain asbestos | Asbestos work practices | GU-BTEN-001BT, Chapter 3 For questions regarding removing or disturbing materials that contain asbestos, call the BST Bldg Svc Cntr: AL, MS, TN, KY & LA (local area code) 557- 6194 FL,GA,NC & SC (local area code) 780- 2740 |

3. DEFINITIONS

Generator. Under RCRA, the person whose act produces a Hazardous Waste, as defined in 40 CFR 261, or whose act first causes a Hazardous Waste to become subject to regulation. The Generator is legally responsible for the proper management and disposal of Hazardous Wastes in accordance with regulations.

Hazardous Chemical. As defined in the U.S. Occupational Safety and Health (OSHA) hazard communication standard (29 CFR 1910.1200), any chemical which is a health hazard or physical hazard.

Hazardous Waste. As defined in Section 1004 of RCRA.

Imminent Danger. Any conditions or practices at a BellSouth Premises which are such that a danger exists which could reasonably be expected to cause immediate death or serious harm to people or immediate significant damage to the environment or natural resources.

Spill or Release. As defined in Section 101 of CERCLA.

4. ACRONYMS

RCM – Regional Collocation Manager (f/k/a Account Team Collocation Coordinator)

BST – BellSouth Telecommunications

CRES – Corporate Real Estate and Services (formerly PS&M)

DEC/LDEC - Department Environmental Coordinator/Local Department Environmental Coordinator

E/S – Environmental/Safety

EVET - Environmental Vendor Evaluation Team

GU-BTEN-001BT - BellSouth Environmental Methods and Procedures

NESC - National Electrical Safety Codes

P&SM - Property & Services Management

Std T&C - Standard Terms & Conditions

Attachment 4

Remote Site Physical Collocation

BELLSOUTH

REMOTE SITE PHYSICAL COLLOCATION

1. Scope of Attachment

- 1.1 The rates, terms, and conditions contained within this Attachment shall only apply when GulfPines is occupying the collocation space as a sole occupant or as a Host within a Remote Site Location (Remote Collocation Space) pursuant to this Attachment.
- 1.2 Right to occupy. BellSouth shall offer to GulfPines Remote Collocation Space on rates, terms, and conditions that are just, reasonable, non-discriminatory and consistent with the rules of the FCC. Subject to the rates, terms, and conditions of this Attachment, where space is available and collocation is technically feasible, BellSouth will allow GulfPines to occupy that certain area designated by BellSouth within a BellSouth Remote Site Location, or on BellSouth property upon which the BellSouth Remote Site Location is located, of a size, which is specified by GulfPines and agreed to by BellSouth. BellSouth Remote Site Locations include cabinets, huts, and controlled environmental vaults owned or leased by BellSouth that house BellSouth Network Facilities. To the extent this Attachment does not include all the necessary rates, terms and conditions for BellSouth Remote Site Locations other than cabinets, huts and controlled environmental vaults, the Parties will negotiate said rates, terms, and conditions upon request for collocation at BellSouth Remote Site Locations other than those specified above.
- 1.3 Space Reservation.
 - 1.3.1 In all states other than Florida, the number of racks/bays specified by GulfPines may contemplate a request for space sufficient to accommodate GulfPines' growth within a two-year period.
 - 1.3.2 In the state of Florida, the number of racks/bays specified by GulfPines may contemplate a request for space sufficient to accommodate GulfPines' growth within an eighteen (18) month period.
 - 1.3.3 Neither BellSouth nor any of BellSouth's affiliates may reserve space for future use on more preferential terms than those set forth above.
- 1.4 Third Party Property. If the Premise, or the property on which it is located, is leased by BellSouth from a Third Party or otherwise controlled by a Third Party, special considerations and intervals may apply in addition to the terms and conditions of this

- Attachment. Additionally, where BellSouth notifies GulfPines that BellSouth's agreement with a Third Party does not grant BellSouth the ability to provide access and use rights to others, upon GulfPines' request, BellSouth will use its best efforts to obtain the owner's consent and to otherwise secure such rights for GulfPines. GulfPines agrees to reimburse BellSouth for the reasonable and demonstrable costs incurred by BellSouth in obtaining such rights for GulfPines. In cases where a Third Party agreement does not grant BellSouth the right to provide access and use rights to others as contemplated by this Attachment and BellSouth, despite its best efforts, is unable to secure such access and use rights for GulfPines as above, GulfPines shall be responsible for obtaining such permission to access and use such property. BellSouth shall cooperate with GulfPines in obtaining such permission.
- 1.5 Space Reclamation. In the event of space exhaust within a Remote Site Location, BellSouth may include in its documentation for the Petition for Waiver filing any unutilized space in the Remote Site Location. GulfPines will be responsible for any justification of unutilized space within its Remote Collocation Space, if the Commission requires such justification.
- 1.6 Use of Space. GulfPines shall use the Remote Collocation Space for the purposes of installing, maintaining and operating GulfPines' equipment (to include testing and monitoring equipment) necessary for interconnection with BellSouth services and facilities or for accessing BellSouth unbundled network elements (UNEs) for the provision of telecommunications services, as specifically set forth in this Agreement. The Remote Collocation Space may be used for no other purposes except as specifically described herein or in any amendment hereto.
- 1.7 Rates and charges. GulfPines agrees to pay the rates and charges identified in Exhibit B attached hereto.
- 1.8 If any due date contained in this Attachment falls on a weekend or National holiday, then the due date will be the next business day thereafter. For intervals of ten (10) calendar days or less National holidays will be excluded.
- 1.9 The Parties agree to comply with all applicable federal, state, county, local and administrative laws, rules, ordinances, regulations and codes in the performance of their obligations hereunder.
- 2. Space Availability Report**
- 2.1 Upon request from GulfPines, BellSouth will provide a written report (Space Availability Report), describing in detail the space that is available for collocation and specifying the amount of Remote Collocation Space available at the Remote Site Location requested, the number of collocators present at the Remote Site Location, any modifications in the use of the space since the last report on the Remote Site Location requested and the measures BellSouth is taking to make additional space

- available for collocation arrangements. A Space Availability Report does not reserve space at the Remote Site Location.
- 2.1.1 The request from GulfPines for a Space Availability Report must be written and must include the Common Language Location Identification (CLLI) code for both the Remote Site Location and the serving wire center. The CLLI code information for the serving wire center is located in the NECA Tariff FCC No. 4. If GulfPines is unable to obtain the CLLI code for the Remote Site Location from, for example, a site visit to the remote site, GulfPines may request the CLLI code from BellSouth. To obtain a CLLI code for a Remote Site Location directly from BellSouth, GulfPines should submit to BellSouth a Remote Site Interconnection Request for the serving wire center CLLI code prior to submitting its request for a Space Availability Report. GulfPines should complete all the requested information and submit the Request to BellSouth. BellSouth will bill the applicable fee upon receipt of the request.
- 2.1.2 BellSouth will respond to a request for a Space Availability Report for a particular Remote Site Location within ten (10) calendar days of receipt of such request. BellSouth will make best efforts to respond in ten (10) calendar days to such a request when the request includes from two (2) to five (5) Remote Site Locations within the same state. The response time for requests of more than five (5) Remote Site Locations shall be negotiated between the Parties. If BellSouth cannot meet the ten (10) calendar day response time, BellSouth shall notify GulfPines and inform GulfPines of the time frame under which it can respond.
- 2.2 Remote Terminal information. Upon request, BellSouth will provide GulfPines with the following information concerning BellSouth's remote terminals: (i) the address of the remote terminal; (ii) the CLLI code of the remote terminal; (iii) the carrier serving area of the remote terminal; (iv) the designation of which remote terminals subtend a particular central office; and (v) the number and address of customers that are served by a particular remote terminal.
- 2.2.1 BellSouth will provide this information on a first come, first served basis within thirty (30) calendar days of a GulfPines request subject to the following conditions: (i) the information will only be provided on a CD in the same format in which it appears in BellSouth's systems; (ii) the information will only be provided for each serving wire center designated by GulfPines, up to a maximum of thirty (30) wire centers per GulfPines request per month per state, and up to for a maximum of one hundred twenty (120) wire centers total per month per state for all CLECs; and (iii) GulfPines agrees to pay the costs incurred by BellSouth in providing the information.
- 3. Collocation Options**
- 3.1 Cageless. BellSouth shall allow GulfPines to collocate GulfPines' equipment and facilities without requiring the construction of a cage or similar structure. BellSouth shall allow GulfPines to have direct access to GulfPines' equipment and facilities in accordance with Section 5.8. BellSouth shall make cageless collocation available in

single rack/bay increments. Except where GulfPines' equipment requires special technical considerations (e.g., special cable racking or isolated ground plane), BellSouth shall assign cageless Remote Collocation Space in conventional equipment rack lineups where feasible. For equipment requiring special technical considerations, GulfPines must provide the equipment layout, including spatial dimensions for such equipment pursuant to generic requirements contained in Telcordia GR-63-Core, and shall be responsible for compliance with all special technical requirements associated with such equipment pursuant to Section 7.6 following.

3.2 Caged. At GulfPines' expense, GulfPines may arrange with a Supplier certified by BellSouth (BellSouth Certified Supplier) to construct a collocation arrangement enclosure, where technically feasible as that term has been defined by the FCC, in accordance with BellSouth's Technical References (TR) (Specifications) prior to starting equipment installation. BellSouth will provide Specifications upon request. GulfPines' BellSouth Certified Supplier shall be responsible for filing and receiving any and all necessary permits and/or licenses for such construction. BellSouth shall cooperate with GulfPines and provide, at GulfPines' expense, the documentation, including existing building architectural drawings, enclosure drawings, and Specifications required and necessary for GulfPines' BellSouth Certified Supplier to obtain the zoning, permits and/or other licenses. GulfPines' BellSouth Certified Supplier shall bill GulfPines directly for all work performed for GulfPines pursuant to this Attachment and BellSouth shall have no liability for nor responsibility to pay such charges imposed by GulfPines' BellSouth Certified Supplier. GulfPines must provide the local BellSouth Remote Site Location contact with two Access Keys used to enter the locked enclosure. Except in case of emergency, BellSouth will not access GulfPines' locked enclosure prior to notifying GulfPines at least forty-eight (48) hours before access to the Remote Site Location is required. Upon request, BellSouth shall construct the enclosure for GulfPines.

3.2.1 BellSouth may elect to review GulfPines' plans and specifications prior to allowing construction to start to ensure compliance with BellSouth's Specifications. Notification to GulfPines indicating BellSouth's desire to execute this review will be provided in BellSouth's response to the Application, if GulfPines has indicated their desire to construct their own enclosure. If GulfPines' Application does not indicate their desire to construct their own enclosure, but their firm order does indicate their desire to construct their own enclosure, then notification to review will be given within ten (10) calendar days after the Firm Order date. BellSouth shall complete its review within fifteen (15) calendar days after the receipt of the plans and specifications. Regardless of whether or not BellSouth elects to review GulfPines' plans and specifications, BellSouth reserves the right to inspect the enclosure after construction to make sure it is constructed according to the submitted plans and specifications and/or BellSouth's Specifications, as applicable. BellSouth shall require GulfPines to remove or correct within seven (7) calendar days at GulfPines' expense any structure that does not meet these plans and specifications or, where applicable, BellSouth's Specifications.

- 3.3 Shared Collocation. GulfPines may allow other telecommunications carriers to share GulfPines' Remote Collocation Space pursuant to terms and conditions agreed to by GulfPines (Host) and other telecommunications carriers (Guests) and pursuant to this Section, except where the BellSouth Remote Site Location is located within a leased space and BellSouth is prohibited by said lease from offering such an option or is located on property for which BellSouth holds an easement and such easement does not permit such an option. GulfPines shall notify BellSouth in writing upon execution of any agreement between the Host and its Guest within ten (10) calendar days of its execution and prior to any Firm Order. Further, such notice shall include the name of the Guest(s) and the term of the agreement, and shall contain a certification by GulfPines that said agreement imposes upon the Guest(s) the same terms and conditions for Remote Collocation Space as set forth in this Attachment between BellSouth and GulfPines.
- 3.3.1 GulfPines, as the Host, shall be the sole interface and responsible Party to BellSouth for assessment of rates and charges contained within this Attachment and for the purposes of ensuring that the safety and security requirements of this Attachment are fully complied with by the Guest, its employees and agents. BellSouth shall provide GulfPines with a proration of the costs of the Remote Collocation Space based on the number of collocators and the space used by each with a minimum charge of one (1) bay/rack per Host/Guest. In those instances where the Host permits a Guest to use a shelf within the Host's bay, BellSouth will not prorate the cost of the bay. In all states other than Florida, and in addition to the foregoing, GulfPines shall be the responsible party to BellSouth for the purpose of submitting applications for bay/rack placement for the Guest. In Florida the Guest may directly submit bay/rack placement applications using the Host's access carrier name abbreviation (ACNA). A separate Guest application shall require the assessment of an Application Fee, as set forth in Exhibit B, which will be charged to the Host. BellSouth shall bill this nonrecurring fee on the date that BellSouth provides it written response (Application Response).
- 3.3.2 Notwithstanding the foregoing, the Guest may arrange directly with BellSouth for the provision of the interconnecting facilities between BellSouth and the Guest and for the provision of the services and access to unbundled network elements. The bill for these interconnecting facilities, services and access to UNEs will be charged to the Guest pursuant to the applicable tariff or the Guest's Interconnection Agreement with BellSouth.
- 3.3.3 GulfPines shall indemnify and hold harmless BellSouth from any and all claims, actions, causes of action, of whatever kind or nature arising out of the presence of GulfPines' Guest(s) in the Remote Collocation Space except to the extent caused by BellSouth's sole negligence, gross negligence, or willful misconduct.
- 3.4 Adjacent Collocation. Subject to technical feasibility and space availability, BellSouth will permit adjacent Remote Site collocation arrangements (Remote Site Adjacent

- Arrangement) on the property on which the Remote Site is located when space within the Remote Site Location is legitimately exhausted, where the Remote Site Adjacent Arrangement does not interfere with access to existing or planned structures or facilities on the Remote Site Location property. The Remote Site Adjacent Arrangement shall be constructed or procured by GulfPines and in conformance with BellSouth's design and construction Specifications. Further, GulfPines shall construct, procure, maintain and operate said Remote Site Adjacent Arrangement(s) pursuant to all of the terms and conditions set forth in this Attachment. Rates shall be negotiated at the time of the application for the Remote Site Adjacent Arrangement.
- 3.4.1 Should GulfPines elect Adjacent Collocation, GulfPines must arrange with a BellSouth Certified Supplier to construct a Remote Site Adjacent Arrangement structure in accordance with BellSouth's Specifications. Where local building codes require enclosure specifications more stringent than BellSouth's Specifications, GulfPines and GulfPines' BellSouth Certified Supplier must comply with local building code requirements. GulfPines' BellSouth Certified Supplier shall be responsible for filing and receiving any and all necessary zoning, permits and/or licenses for such construction. GulfPines' BellSouth Certified Supplier shall bill GulfPines directly for all work performed for GulfPines pursuant to this Attachment and BellSouth shall have no liability for nor responsibility to pay such charges imposed by GulfPines' BellSouth Certified Supplier. GulfPines must provide the local BellSouth Remote Site Location contact with two cards, keys or other access device used to enter the locked enclosure. Except in cases of emergency, BellSouth shall not access GulfPines' locked enclosure prior to notifying GulfPines at least forty-eight (48) hours or two (2) business days, whichever is greater, before access to the locked enclosure is required.
- 3.4.2 GulfPines must submit its plans and specifications to BellSouth with its Firm Order. BellSouth shall review GulfPines' plans and specifications prior to construction of a Remote Site Adjacent Arrangement(s) to ensure compliance with BellSouth's Specifications. BellSouth shall complete its review within fifteen (15) calendar days after receipt of plans and specifications. BellSouth may inspect the Remote Site Adjacent Arrangement(s) during and after construction to confirm it is constructed according to the submitted plans and specifications. BellSouth shall require GulfPines to remove or correct within seven (7) calendar days at GulfPines' expense any structure that does not meet these plans and specifications or, where applicable, BellSouth's Specifications.
- 3.4.3 GulfPines shall provide a concrete pad, the structure housing the arrangement, heating/ventilation/air conditioning (HVAC), lighting, and all facilities that connect the structure (i.e. racking, conduits, etc.) to the BellSouth point of demarcation. At GulfPines' option, and where the local authority having jurisdiction permits, BellSouth shall provide an AC power source and access to physical collocation services and facilities subject to the same nondiscriminatory requirements as applicable to any other physical collocation arrangement. In Alabama and Louisiana, BellSouth will provide DC power to Adjacent Collocation sites where technically feasible, as that term has

been defined by the FCC, and subject to individual case basis pricing. GulfPines' BellSouth Certified Supplier shall be responsible, at GulfPines' expense, for filing and receiving any and all necessary zoning, permits and/or licenses for such arrangement. BellSouth shall allow Shared Collocation within a Remote Site Adjacent Arrangement pursuant to the terms and conditions set forth herein.

- 3.5 Co-carrier cross-connect (CCXC). The primary purpose of collocation is for a collocated telecommunications carrier to interconnect with BellSouth's network or to access BellSouth's UNEs for the provision of telecommunications services within a BellSouth Premise. BellSouth will permit GulfPines to interconnect between its virtual or physical collocation arrangements and those of another collocated telecommunications carrier within the same Remote Site Location. Both GulfPines' agreement and the other collocated telecommunications carrier's agreement must contain rates, terms and conditions for CCXC language. At no point in time shall GulfPines use the Remote Collocation Space for the sole or primary purpose of cross connecting to other collocated telecommunications carriers.
- 3.5.1 GulfPines must use a BellSouth Certified Supplier to place the CCXC. The CCXC shall be provisioned through facilities owned by GulfPines. Such connections to other collocated telecommunications carriers may be made using either optical or electrical facilities. In cases where GulfPines' equipment and the equipment of the other collocated telecommunications carrier are located in contiguous caged Collocation Spaces, GulfPines will have the option of using GulfPines' own technicians to deploy co-carrier cross connects using either electrical or optical facilities between the sets of equipment and construct its own dedicated cable support structure. GulfPines shall deploy such optical or electrical connections directly between its own facilities and the facilities of other collocated telecommunications carriers without being routed through BellSouth equipment. GulfPines shall not provision CCXC on any BellSouth distribution frame, POT (Point of Termination) Bay, DSX (Digital System Cross-connect) or LGX (Light Guide Cross-connect). GulfPines is responsible for ensuring the integrity of the signal.
- 3.5.2 GulfPines shall be responsible for providing a letter of authorization (LOA) to BellSouth from the other collocated telecommunications carrier prior to installing the CCXC. GulfPines-provisioned CCXC shall utilize common cable support structure. There will be a recurring charge per linear foot, per cable, of common cable support structure used. In the case of two contiguous caged collocation arrangements, GulfPines will have the option of using GulfPines' own technicians to construct its own dedicated support structure.
- 3.5.3 To order CCXCs, GulfPines must submit an Application. If no modification to the Remote Collocation Space is requested other than the placement of CCXCs, the Subsequent Application Fee for CCXCs, as defined in Exhibit B, will apply. If modifications in addition to the placement of CCXCs are requested, the Application

Fee will apply. This nonrecurring fee will be billed by BellSouth on the date that BellSouth provides an Application Response.

4. **Occupancy**

4.1 BellSouth will notify GulfPines in writing that the Remote Collocation Space is ready for occupancy (Space Ready Date). GulfPines will schedule and complete an acceptance walkthrough of each Remote Collocation Space with BellSouth within fifteen (15) calendar days of the Space Ready Date. BellSouth will correct any deviations to GulfPines' original or jointly amended requirements within seven (7) calendar days after the walkthrough, unless the Parties jointly agree upon a different time frame, and BellSouth shall establish a new Space Ready Date. Another acceptance walkthrough will then be scheduled and conducted within fifteen (15) calendar days of the new Space Ready Date. This follow-up acceptance walkthrough will be limited to those items identified in the initial walkthrough. If GulfPines has met the fifteen (15) calendar day interval(s), billing will begin upon the date of GulfPines' acceptance of the Collocation Space (Space Acceptance Date). In the event that GulfPines fails to complete an acceptance walkthrough within this fifteen (15) calendar day interval, the Remote Collocation Space shall be deemed accepted by GulfPines on the Space Ready Date and billing will commence from that date. If GulfPines decides to occupy the space prior to the Space Ready Date, the date GulfPines occupies the space becomes the new Space Acceptance Date and billing begins from that date. GulfPines must notify BellSouth in writing that collocation equipment installation is complete and is operational with BellSouth's network. BellSouth may, at its option, not accept orders for cross connects until receipt of such notice. For purposes of this paragraph, GulfPines' telecommunications equipment will be deemed operational when cross-connected to BellSouth's network for the purpose of service provision.

4.2 **Termination of Occupancy.** In addition to any other provisions addressing termination of occupancy in this Attachment, GulfPines may terminate occupancy in a particular Remote Collocation Space by submitting an Application requesting termination of occupancy; such termination shall be effective upon BellSouth's acceptance of the Space Relinquishment Form. Billing for monthly recurring charges will cease on the date GulfPines and BellSouth conduct an inspection of the terminated space and jointly sign off on the Space Relinquishment Form or on the date that GulfPines signs off on the Space Relinquishment Form and sends the form to BellSouth if a subsequent inspection of the terminated space by BellSouth reveals no discrepancies. If the subsequent inspection by BellSouth reveals discrepancies, billing will cease on the date that BellSouth and GulfPines jointly conduct an inspection which confirms that GulfPines has corrected the discrepancies. An Application Fee will not apply for termination of occupancy. BellSouth may terminate GulfPines' right to occupy the Remote Collocation Space in the event GulfPines fails to comply with any provision of this Agreement.

4.2.1 Upon termination of occupancy, GulfPines at its expense shall remove its equipment and other property from the Remote Collocation Space. GulfPines shall have thirty

(30) calendar days from the Bona Fide Firm Order (BFFO) Application Date (Termination Date) to complete such removal, including the removal of all equipment and facilities of GulfPines' Guest(s), unless GulfPines' Guest(s) has assumed responsibility for the Remote Collocation Space housing the Guest(s)'s equipment and executed the documentation required by BellSouth prior to such removal date. GulfPines shall continue payment of monthly fees to BellSouth until such date as GulfPines, and if applicable GulfPines' Guest(s), has fully vacated the Remote Collocation Space and the Space Relinquish Form has been accepted by BellSouth. Should GulfPines or GulfPines' Guest(s) fail to vacate the Remote Collocation Space within thirty (30) calendar days from the Termination Date, BellSouth shall have the right to remove the equipment and dispose of the equipment and other property of GulfPines or GulfPines' Guest(s), in any manner that BellSouth deems fit, at GulfPines' expense and with no liability whatsoever for GulfPines' or GulfPines' Guest(s)'s property. Upon termination of GulfPines' right to occupy Remote Collocation Space, the Remote Collocation Space will revert back to BellSouth, and GulfPines shall surrender such Remote Collocation Space to BellSouth in the same condition as when first occupied by the GulfPines except for ordinary wear and tear unless otherwise agreed to by the Parties. For CEVs and huts GulfPines' BellSouth Certified Supplier shall be responsible for updating and making any necessary changes to BellSouth's records as required by BellSouth's Specifications including but not limited to Record Drawings and ERMA Records. GulfPines shall be responsible for the cost of removing any GulfPines constructed enclosure, together with all support structures (e.g., racking, conduits, or power cables), at the termination of occupancy and restoring the grounds to their original condition.

5. Use of Remote Collocation Space

5.1 Equipment Type. BellSouth permits the collocation of any type of equipment necessary for interconnection to BellSouth's network or for access to BellSouth's UNEs in the provision of telecommunications services, as the term "necessary" is defined by FCC 47 C.F.R. Section 51.323 (b). The primary purpose and function of any equipment collocated in a Remote Collocation Space must be for interconnection to BellSouth's network or for access to BellSouth's UNEs in the provision of telecommunications services.

5.1.1 Examples of equipment that would not be considered necessary include but are not limited to: traditional circuit switching equipment, equipment used exclusively for call-related databases, computer servers used exclusively for providing information services, operations support system (OSS) equipment used to support collocated telecommunications carrier network operations, equipment that generates customer orders, manages trouble tickets or inventory, or stores customer records in centralized databases, etc. BellSouth will determine upon receipt of an application if the requested equipment is necessary based on the criteria established by the FCC. Multifunctional equipment placed on BellSouth's Premises must not place any greater relative burden on BellSouth's property than comparable single-function equipment.

- BellSouth reserves the right to permit collocation of any equipment on a nondiscriminatory basis.
- 5.1.2 Such equipment must, at a minimum, meet the following Telcordia Network Equipment Building Systems (NEBS) General Equipment Requirements: Criteria Level 3 requirements as outlined in the Telcordia Special Report SR-3580, Issue 1. Except where otherwise required by a Commission, BellSouth shall comply with the applicable FCC rules relating to denial of collocation based on GulfPines' failure to comply with this Section.
- 5.1.2.1 All GulfPines equipment installation shall comply with BellSouth TR 73503-11h, "Grounding - Engineering Procedures". Metallic cable sheaths and metallic strength members of optical fiber cables as well as the metallic cable sheaths of all copper conductor cables shall be bonded to the designated grounding bus for the Remote Site Location. All copper conductor pairs, working and non-working, shall be equipped with a solid-state protector unit (over-voltage protection only), which has been listed by a nationally recognized testing laboratory.
- 5.1.3 GulfPines shall identify to BellSouth whenever GulfPines submits a Method of Procedure (MOP) adding equipment to GulfPines' Remote Collocation Space all UCC-1 lien holders or other entities that have a financial interest, secured or otherwise, in the equipment in GulfPines' Remote Collocation Space. GulfPines shall submit a copy of the list of any lien holders or other entities that have a financial interest to GulfPines' ATCC Representative.
- 5.2 GulfPines shall not use the Remote Collocation Space for marketing purposes nor shall it place any identifying signs or markings in the area surrounding the Remote Collocation Space or on the grounds of the Remote Site Location.
- 5.3 GulfPines shall place a plaque or other identification affixed to GulfPines' equipment to identify GulfPines' equipment, including a list of emergency contacts with telephone numbers.
- 5.4 Entrance Facilities. GulfPines may elect to place GulfPines-owned or GulfPines-leased fiber entrance facilities into the Remote Collocation Space. BellSouth will designate the point of interconnection at the Remote Site Location housing the Remote Collocation Space, which is physically accessible by both Parties. GulfPines will provide and place copper cable through conduit from the Remote Collocation Space to the Feeder Distribution Interface to the splice location of sufficient length for splicing by BellSouth. GulfPines must contact BellSouth for instructions prior to placing the entrance facility cable. GulfPines is responsible for maintenance of the entrance facilities.
- 5.4.1 Shared Use. GulfPines may utilize spare capacity on an existing interconnector entrance facility for the purpose of providing an entrance facility to GulfPines'

- collocation arrangement within the same BellSouth Remote Site Location. BellSouth shall allow splicing to the entrance facility, provided that the fiber is non-working fiber. GulfPines must arrange with BellSouth in accordance with BellSouth's Special Construction Procedures, RL93-11-030BT, and provide a LOA from the other telecommunications carrier for BellSouth to splice the GulfPines provided riser cable to the spare capacity on the entrance facility. If GulfPines desires to allow another telecommunications carrier to use its entrance facilities, then that telecommunications carrier must arrange with BellSouth in accordance with BellSouth's Special Construction Procedures, RL93-11-030BT, and provide a LOA from GulfPines for BellSouth to splice that telecommunications carrier's provided riser cable to the spare capacity on GulfPines' entrance facility.
- 5.5 Demarcation Point. BellSouth will designate the point(s) of demarcation between GulfPines' equipment and/or network and BellSouth's network. Each Party will be responsible for maintenance and operation of all equipment/facilities on its side of the demarcation point. GulfPines or its agent must perform all required maintenance to GulfPines equipment/facilities on its side of the demarcation point, pursuant to Section 5.6, following.
- 5.6 GulfPines' Equipment and Facilities. GulfPines, or if required by this Attachment, GulfPines' BellSouth Certified Supplier, is solely responsible for the design, engineering, installation, testing, provisioning, performance, monitoring, maintenance and repair of the equipment and facilities used by GulfPines which must be performed in compliance with all applicable BellSouth Specifications. Such equipment and facilities may include but are not limited to cable(s), equipment, and point of termination connections. GulfPines and its selected BellSouth Certified Supplier must follow and comply with all BellSouth requirements outlined in BellSouth's TR 73503, TR 73519, TR 73572, and TR 73564.
- 5.7 BellSouth's Access to Remote Collocation Space. From time to time BellSouth may require access to the Remote Collocation Space. BellSouth retains the right to access the Remote Collocation Space for the purpose of making BellSouth equipment and Remote Site Location modifications. Except in case of emergency, BellSouth will give notice to GulfPines at least forty-eight (48) hours before access to the Remote Collocation Space is required. GulfPines may elect to be present whenever BellSouth performs work in the Collocation Space. The Parties agree that GulfPines will not bear any of the expense associated with this work.
- 5.8 Access. Pursuant to Section 12, GulfPines shall have access to the Remote Collocation Space twenty-four (24) hours a day, seven (7) days a week. GulfPines agrees to provide the name and social security number or date of birth or driver's license number of each employee, supplier, or agents of GulfPines or GulfPines' Guests to be provided with access keys or cards (Access Keys) prior to the issuance of said Access Keys using form RF-2906-C "CLEC and CLEC Certified Supplier Access Request and Acknowledgement". Key acknowledgement forms, "Collocation

- Acknowledgement Sheet” for access cards and “Key Acknowledgement Form” for keys, must be signed by GulfPines and returned to BellSouth Access Management within fifteen (15) calendar days of GulfPines’ receipt. Failure to return properly acknowledged forms will result in the holding of subsequent requests until acknowledgements are current. Access Keys shall not be duplicated under any circumstances. GulfPines agrees to be responsible for all Access Keys and for the return of all said Access Keys in the possession of GulfPines’ employees, suppliers, Guests, or agents after termination of the employment relationship, contractual obligation with GulfPines or upon the termination of this Attachment or the termination of occupancy of an individual Remote Collocation Space arrangement.
- 5.8.1 BellSouth will permit one accompanied site visit to GulfPines’ designated collocation arrangement location after receipt of the BFFO without charge to GulfPines. GulfPines must submit to BellSouth the completed Access Control Request Form for all employees or agents requiring access to the BellSouth Remote Site Location a minimum of thirty (30) calendar days prior to the date GulfPines desires access to the Remote Collocation Space. In order to permit reasonable access during construction of the Remote Collocation Space, GulfPines may submit such a request at any time subsequent to BellSouth’s receipt of the BFFO. In the event GulfPines desires access to the Remote Collocation Space after submitting such a request but prior to access being approved, in addition to the first accompanied free visit, BellSouth shall permit GulfPines to access the Remote Collocation Space accompanied by a security escort at GulfPines’ expense. GulfPines must request escorted access at least three (3) business days prior to the date such access is desired.
- 5.9 Lost or Stolen Access Keys. GulfPines shall notify BellSouth in writing immediately in the case of lost or stolen Access Keys. Should it become necessary for BellSouth to re-key Remote Site Locations or deactivate a card as a result of a lost Access Key(s) or for failure to return an Access Key(s), GulfPines shall pay for all reasonable costs associated with the re-keying or deactivating the card.
- 5.10 Interference or Impairment. Notwithstanding any other provisions of this Attachment, GulfPines shall not use any product or service provided under this Agreement, any other service related thereto or used in combination therewith, or place or use any equipment and facilities in any manner that 1) significantly degrades, interferes with or impairs service provided by BellSouth or by any other entity or any person’s use of its telecommunications service; 2) endangers or damages the equipment, facilities or other property of BellSouth or of any other entity or person; 3) compromises the privacy of any communications; or 4) creates an unreasonable risk of injury or death to any individual or to the public. If BellSouth reasonably determines that any equipment or facilities of GulfPines violates the provisions of this paragraph, BellSouth shall give written notice to GulfPines, which notice shall direct GulfPines to cure the violation within forty-eight (48) hours of GulfPines’ actual receipt of written notice or, at a minimum, to commence curative measures within 24 hours and to exercise reasonable diligence to complete such measures as soon as possible thereafter. After receipt of

- the notice, the Parties agree to consult immediately and, if necessary, to inspect the arrangement.
- 5.10.1 Except in the case of the deployment of an advanced service which significantly degrades the performance of other advanced services or traditional voice band services, if GulfPines fails to take curative action within forty-eight (48) hours or if the violation is of a character which poses an immediate and substantial threat of damage to property, injury or death to any person, or any other significant degradation, interference or impairment of BellSouth's or any other entity's service, then and only in that event BellSouth may take such action as it deems appropriate to correct the violation, including without limitation the interruption of electrical power to GulfPines' equipment. BellSouth will endeavor, but is not required, to provide notice to GulfPines prior to taking such action and shall have no liability to GulfPines for any damages arising from such action, except to the extent that such action by BellSouth constitutes willful misconduct.
- 5.10.2 For purposes of this section, the term significantly degrade shall mean an action that noticeably impairs a service from a user's perspective. In the case of the deployment of an advanced service which significantly degrades the performance of other advanced services or traditional voice band services and GulfPines fails to take curative action within forty-eight (48) hours then BellSouth will establish before the Commission that the technology deployment is causing the significant degradation. Any claims of network harm presented to GulfPines or, if subsequently necessary, the Commission must be supported with specific and verifiable information. Where BellSouth demonstrates that a deployed technology is significantly degrading the performance of other advanced services or traditional voice band services, GulfPines shall discontinue deployment of that technology and migrate its customers to technologies that will not significantly degrade the performance of other such services. Where the only degraded service itself is a known disturber, and the newly deployed technology satisfies at least one of the criteria for a presumption that is acceptable for deployment under Section 47 C.F.R. 51.230, the degraded service shall not prevail against the newly deployed technology.
- 5.11 Personalty and its Removal. Facilities and equipment placed by GulfPines in the Remote Collocation Space shall not become a part of the Remote Site Location, even if nailed, screwed or otherwise fastened to the Remote Collocation Space but shall retain their status as personalty and may be removed by GulfPines at any time. Any damage caused to the Remote Collocation Space by GulfPines' employees, agents or representatives shall be promptly repaired by GulfPines at its expense.
- 5.11.1 If GulfPines decides to remove equipment from its Remote Collocation Space and the removal requires no physical changes, BellSouth will bill GulfPines an Administrative Only Application Fee as set forth in Exhibit B for these changes. This nonrecurring fee will be billed on the date that BellSouth provides an Application Response.

5.12 Alterations. In no case shall GulfPines or any person acting on behalf of GulfPines make any rearrangement, modification, improvement, addition, or other alteration which could affect in any way space, power, HVAC, and/or safety considerations to the Remote Collocation Space or the BellSouth Remote Site Location without the written consent of BellSouth, which consent shall not be unreasonably withheld. The cost of any specialized alterations shall be paid by GulfPines. Any such material rearrangement, modification, improvement, addition, or other alteration shall require an application and Application Fee. BellSouth will bill the nonrecurring fee on the date that BellSouth provides an Application Response.

5.13 Upkeep of Remote Collocation Space. GulfPines shall be responsible for the general upkeep and cleaning of the Remote Collocation Space. GulfPines shall be responsible for removing any GulfPines debris from the Remote Collocation Space and from in and around the Remote Site Location on each visit.

6. Ordering and Preparation of Remote Collocation Space

6.1 Should any state or federal regulatory agency impose procedures or intervals applicable to GulfPines and BellSouth that are different from procedures or intervals set forth in this Section, whether now in effect or that become effective after execution of this Agreement, those procedures or intervals shall supersede the requirements set forth herein for that jurisdiction for all applications submitted for the first time after the effective date thereof

6.2 Remote Site Application. When GulfPines or GulfPines' Guest(s) desires to install a bay/rack in a Remote Site Location, GulfPines shall submit to BellSouth a Physical Expanded Interconnection Application Document (Application). The application is Bona Fide when it is complete and accurate, meaning that all required fields on the application are completed with the appropriate type of information. An application fee will apply which will be billed on the date that BellSouth provides an Application Response. The placement of an additional bay/rack at a later date will be treated in the same fashion and an application will be required. The installation of additional shelves/equipment, subject to the restrictions contained in Section 5.10, within an existing bay/rack does not require an application.

6.3 Availability of Space. Upon submission of an application, BellSouth will permit GulfPines to physically collocate, pursuant to the terms of this Attachment, at any BellSouth Remote Site Location, unless BellSouth has determined that there is no space available due to space limitations or that collocation at the Remote Site Location is not practical for technical reasons. In the event space is not immediately available at a Remote Site Location, BellSouth reserves the right to make additional space available, in which case the conditions in Section 7 shall apply, or BellSouth may elect to deny space in accordance with this Section in which case virtual or adjacent collocation options may be available. If the amount of space requested is not available, BellSouth will notify GulfPines of the amount that is available.

- 6.4 Space Availability Notification.
- 6.4.1 Unless otherwise specified, BellSouth will respond to an application within ten (10) calendar days as to whether space is available or not available within a BellSouth Remote Site Location. BellSouth will also respond as to whether the application is Bona Fide and if it is not Bona Fide the items necessary to cause the application to become Bona Fide. If the amount of space requested is not available, BellSouth will notify GulfPines of the amount of space that is available and no Application Fee shall apply. When BellSouth's response includes an amount of space less than that requested by GulfPines or differently configured no application fee shall apply. If GulfPines decides to accept the available space, GulfPines must resubmit its application to reflect the actual space available prior to submitting a BFFO and an application fee will be billed.
- 6.4.2 BellSouth will respond to a Florida application within fifteen (15) calendar days as to whether space is available or not available within a BellSouth Remote Site Location. BellSouth will also respond as to whether the application is Bona Fide and if it is not Bona Fide the items necessary to cause the application to become Bona Fide. If a lesser amount of space than requested is available, BellSouth will provide an Application Response for the amount of space that is available and an Application Fee will be billed by BellSouth on the date that BellSouth provides an Application Response. When BellSouth's Application Response includes an amount of space less than that requested by GulfPines or differently configured, if GulfPines decides to accept the available space, GulfPines must amend its application to reflect the actual space available prior to submitting a BFFO.
- 6.4.3 BellSouth will respond to a Louisiana application within ten (10) calendar days for space availability for one (1) to ten (10) applications; fifteen (15) calendar days for eleven (11) to twenty (20) applications; and for more than twenty (20) applications, the response interval is increased by five (5) calendar days for every five additional applications received within five (5) business days. If the amount of space requested is not available, BellSouth will notify GulfPines of the amount of space that is available and no Application Fee will apply. When BellSouth's response includes an amount of space less than that requested by GulfPines or differently configured no application fee shall apply. If GulfPines decides to accept the available space, GulfPines must resubmit its application to reflect the actual space available prior to submitting a BFFO and an application fee will be billed. BellSouth will also respond as to whether the application is Bona Fide and if it is not Bona Fide the items necessary to cause the application to become Bona Fide.
- 6.5 Denial of Application. If BellSouth notifies GulfPines that no space is available (Denial of Application), BellSouth will not assess an Application Fee. After notifying GulfPines that BellSouth has no available space in the requested Remote Site Location, BellSouth will allow GulfPines, upon request, to tour the Remote Site Location within ten (10) calendar days of such Denial of Application. In order to schedule said tour within ten (10) calendar days, the request for a tour of the Remote

Site Location must be received by BellSouth within five (5) calendar days of the Denial of Application.

- 6.6 Filing of Petition for Waiver. Upon Denial of Application BellSouth will timely file a petition with the Commission pursuant to 47 U.S.C. § 251(c)(6). BellSouth shall provide to the Commission any information requested by that Commission. Such information shall include which space, if any, BellSouth or any of BellSouth's affiliates have reserved for future use and a detailed description of the specific future uses for which the space has been reserved. Subject to an appropriate nondisclosure agreement or provision, BellSouth shall permit GulfPines to inspect any plans or diagrams that BellSouth provides to the Commission.
- 6.7 Waiting List. On a first-come, first-served basis governed by the date of receipt of an application or Letter of Intent, BellSouth will maintain a waiting list of requesting carriers who have either received a Denial of Application or, where it is publicly known that the Remote Site Location is out of space, have submitted a Letter of Intent to collocate. BellSouth will notify the telecommunications carriers on the waiting list that can be accommodated by the amount of space that becomes available according to the position of the telecommunications carriers on said waiting list.
- 6.7.1 In Florida, on a first-come, first-served basis governed by the date of receipt of an application or Letter of Intent, BellSouth will maintain a waiting list of requesting carriers who have either received a Denial of Application or, where it is publicly known that the Remote Site Location is out of space, have submitted a Letter of Intent to collocate. Sixty (60) calendar days prior to space becoming available, if known, BellSouth will notify the Florida PSC and the telecommunications carriers on the waiting list by mail when space becomes available according to the position of the telecommunications carrier on said waiting list. If not known sixty (60) calendar days in advance, BellSouth shall notify the Florida PSC and the telecommunications carriers on the waiting list within two business days of the determination that space is available. A telecommunications carrier that, upon denial of physical collocation, requests virtual collocation shall be automatically placed on the waiting list.
- 6.7.2 When space becomes available, GulfPines must submit an updated, complete, and correct application to BellSouth within thirty (30) calendar days of such notification. If GulfPines has originally requested caged Remote Collocation Space and cageless Remote Collocation Space becomes available, GulfPines may refuse such space and notify BellSouth in writing within that time that GulfPines wants to maintain its place on the waiting list without accepting such space. GulfPines may accept an amount of space less than its original request by submitting an application as set forth above, and upon request, may maintain its position on the waiting list for the remaining space that was initially requested. If GulfPines does not submit such an application or notify BellSouth in writing as described above, BellSouth will offer such space to the next telecommunications carrier on the waiting list and remove GulfPines from the waiting list. Upon request, BellSouth will advise GulfPines as to its position on the list.

- 6.8 Public Notification. BellSouth will maintain on its Interconnection Services website a notification document that will indicate all Remote Site Locations that are without available space. BellSouth shall update such document within ten (10) calendar days of the date that BellSouth becomes aware that there is insufficient space to accommodate collocation at the Remote Site Location. BellSouth will also post a document on its Interconnection Services website that contains a general notice where space has become available in a Remote Site Location previously on the space exhaust list.
- 6.9 Application Response.
- 6.9.1 In Florida, within fifteen (15) calendar days of receipt of a Bona Fide application, when space has been determined to be available or when a lesser amount of space than that requested is available, then with respect to the space available, BellSouth will provide an Application Response including sufficient information to enable GulfPines to place a Firm Order. The Application Response will include, at a minimum, the configuration of the space, the Cable Installation Fee, Cable Records Fee, and the space preparation fees, as described in Section 8. When GulfPines submits ten (10) or more applications within ten (10) calendar days, the initial fifteen (15) calendar day response period will increase by ten (10) calendar days for every additional ten (10) applications or fraction thereof.
- 6.9.2 In Alabama, Georgia, Kentucky, Mississippi, North Carolina, South Carolina, and Tennessee when space has been determined to be available, BellSouth will provide an Application Response within twenty (20) calendar days of receipt of a Bona Fide application. The Application Response will include, at a minimum, the configuration of the space, the Cable Installation Fee, Cable Records Fee, and the space preparation fees, as described in Section 8.
- 6.9.3 In Louisiana, when space has been determined to be available, BellSouth will respond with an Application Response within thirty (30) calendar days for one (1) to ten (10) applications; thirty (35) calendar days for eleven (11) to twenty (20) applications; and for requests of more than twenty (20) applications, the Application Response interval will be increased by five (5) calendar days for every five (5) applications received within five (5) business days. The Application Response will include, at a minimum, the configuration of the space, the Cable Installation Fee, Cable Records Fee, and the space preparation fees, as described in Section 8.
- 6.10 Application Modifications. If a modification or revision is made to any information in the Bona Fide application prior to a BFFO, with the exception of modifications to Customer Information, Contact Information or Billing Contact Information, either at the request of GulfPines or necessitated by technical considerations, said application shall be considered a new application and shall be handled as a new application with respect to response and provisioning intervals and BellSouth will charge GulfPines a full application fee as set forth in Exhibit B. BellSouth will bill the nonrecurring fee on the date that BellSouth provides an Application Response.

6.11 Bona Fide Firm Order.

6.11.1 GulfPines shall indicate its intent to proceed with equipment installation in a BellSouth Remote Site Location by submitting a Firm Order to BellSouth. The BFFO must be received by BellSouth no later than thirty (30) calendar days after BellSouth's Application Response to GulfPines' Bona Fide application or the application will expire.

6.11.2 BellSouth will establish a firm order date based upon the date BellSouth is in receipt of a BFFO. BellSouth will acknowledge the receipt of GulfPines' BFFO within seven (7) calendar days of receipt indicating that the BFFO has been received. A BellSouth response to a BFFO will include a Firm Order Confirmation containing the firm order date. No revisions will be made to a BFFO.

7. Construction and Provisioning

7.1 Construction and Provisioning Intervals.

7.1.1 In Florida, BellSouth will complete construction for collocation arrangements as soon as possible and within a maximum of ninety (90) calendar days from receipt of a BFFO or as agreed to by the Parties. For changes to Remote Collocation Space after initial space completion (Augmentation), BellSouth will complete construction for collocation arrangements as soon as possible and within a maximum of forty-five (45) calendar days from receipt of a BFFO or as agreed to by the Parties. If BellSouth does not believe that construction will be completed within the relevant time frame and BellSouth and GulfPines cannot agree upon a completion date, within forty-five (45) calendar days of receipt of the BFFO for an initial request, and within thirty (30) calendar days for Augmentations, BellSouth may seek an extension from the Florida Commission.

7.1.2 In Alabama, Georgia, Kentucky, Mississippi, North Carolina, South Carolina, and Tennessee, BellSouth will complete construction for collocation arrangements under ordinary conditions as soon as possible and within a maximum of sixty (60) calendar days from receipt of a BFFO and ninety (90) calendar days from receipt of a BFFO for extraordinary conditions or as agreed to by the Parties. Ordinary conditions are defined as space available with only minor changes to support systems required, such as but not limited to, HVAC, cabling and the power plant(s). Extraordinary conditions shall include, but not limited to, major BellSouth equipment rearrangement or addition; power plant addition or upgrade; major mechanical addition or upgrade; major upgrade for ADA compliance; environmental hazard or hazardous materials abatement; and arrangements for which equipment shipping intervals are extraordinary in length. The Parties may mutually agree to renegotiate an alternative provisioning interval or BellSouth may seek a waiver from this interval from the Commission.

7.1.3 In Louisiana, BellSouth will complete construction for collocation arrangements under ordinary conditions as soon as possible and within a maximum of sixty (60) calendar

- days from receipt of a BFFO for an initial request, and within 60 calendar days for an Augmentation, or as agreed to by the Parties. The Parties may mutually agree to renegotiate an alternative provisioning interval or BellSouth may seek a waiver from this interval from the Commission.
- 7.2 In the event BellSouth does not have space immediately available at a Remote Site Location, BellSouth may elect to make additional space available by, for example but not limited to, rearranging BellSouth facilities or constructing additional capacity. In such cases, the above intervals shall not apply and BellSouth will provision the Remote Collocation Space in a nondiscriminatory manner and at parity with BellSouth and will provide GulfPines with the estimated completion date in its Response.
- 7.3 Joint Planning. Joint planning between BellSouth and GulfPines will commence within a maximum of twenty (20) calendar days from BellSouth's receipt of a BFFO. BellSouth will provide the preliminary design of the Remote Collocation Space and the equipment configuration requirements as reflected in the Bona Fide application and affirmed in the BFFO. The Remote Collocation Space completion time period will be provided to GulfPines during joint planning.
- 7.4 Permits. Each Party or its agents will diligently pursue filing for the permits required for the scope of work to be performed by that Party or its agents within ten (10) calendar days of the completion of finalized construction designs and specifications.
- 7.5 Acceptance Walkthrough. GulfPines will schedule and complete an acceptance walkthrough of each Remote Collocation Space with BellSouth within fifteen (15) calendar days of BellSouth's notifying GulfPines that the Remote Collocation Space is ready for occupancy. In the event that GulfPines fails to complete an acceptance walkthrough within this fifteen (15) calendar day interval, the Remote Collocation Space shall be deemed accepted by GulfPines on the Space Ready Date. BellSouth will correct any deviations to GulfPines' original or jointly amended requirements within seven (7) calendar days after the walkthrough, unless the Parties jointly agree upon a different time frame.
- 7.6 Use of BellSouth Certified Supplier. GulfPines shall select a supplier which has been approved by BellSouth to perform all engineering and installation work GulfPines and GulfPines' BellSouth Certified Supplier must follow and comply with all BellSouth requirements outlined in BellSouth's TR 73503, TR 73519, TR 73572, and TR 73564. In some cases, GulfPines must select separate BellSouth Certified Suppliers for transmission equipment, switching equipment and power equipment. BellSouth shall provide GulfPines with a list of BellSouth Certified Suppliers upon request. The BellSouth Certified Supplier(s) shall be responsible for installing GulfPines' equipment and components, extending power cabling to the BellSouth power distribution frame, performing operational tests after installation is complete, and notifying BellSouth's Outside Plant engineers and GulfPines upon successful completion of installation. The BellSouth Certified Supplier shall bill GulfPines directly for all work performed for

- GulfPines pursuant to this Attachment, and BellSouth shall have no liability for nor responsibility to pay such charges imposed by the BellSouth Certified Supplier. BellSouth shall make available its supplier certification program to GulfPines or any supplier proposed by GulfPines and will not unreasonably withhold certification. All work performed by or for GulfPines shall conform to generally accepted industry standards.
- 7.7 Alarm and Monitoring. BellSouth may place alarms in the Remote Site Location for the protection of BellSouth equipment and facilities. GulfPines shall be responsible for placement, monitoring and removal of environmental and equipment alarms used to service GulfPines' Remote Collocation Space. Upon request, BellSouth will provide GulfPines with applicable tariffed service(s) to facilitate remote monitoring of collocated equipment by GulfPines. Both Parties shall use best efforts to notify the other of any verified hazardous conditions known to that Party.
- 7.8 Virtual Remote Collocation Space Relocation. In the event physical Remote Collocation Space was previously denied at a Remote Site Location due to technical reasons or space limitations, and physical Remote Collocation Space has subsequently become available, GulfPines may relocate its virtual Remote Collocation arrangements to physical Remote Collocation Space arrangements and pay the appropriate fees for physical Remote Collocation Space and for the rearrangement or reconfiguration of services terminated in the virtual Remote Collocation Space arrangement, as outlined in the appropriate BellSouth tariffs. In the event that BellSouth knows when additional space for physical Remote Collocation Space may become available at the location requested by GulfPines, such information will be provided to GulfPines in BellSouth's written denial of physical Remote Collocation Space. To the extent that (i) physical Remote Collocation Space becomes available to GulfPines within one-hundred-eighty (180) calendar days of BellSouth's written denial of GulfPines' request for physical collocation, (ii) BellSouth had knowledge that the space was going to become available, and (iii) GulfPines was not informed in the written denial that physical Remote Collocation Space would become available within such one-hundred-eighty (180) calendar days, then GulfPines may relocate its virtual Remote Collocation Space arrangement to a physical Remote Collocation Space arrangement and will receive a credit for any nonrecurring charges previously paid for such virtual Remote Collocation Space. GulfPines must arrange with a BellSouth Certified Supplier for the relocation of equipment from its virtual Remote Collocation Space to its physical Remote Collocation Space and will bear the cost of such relocation.
- 7.8.1 In Alabama, BellSouth will complete a relocation from virtual collocation to physical collocation within ninety (90) calendar days.
- 7.9 Virtual to Physical Conversion (In-Place). Virtual collocation arrangements may be converted to "in-place" physical arrangements if the potential conversion meets the following four criteria: 1) there is no change in the amount of equipment or the configuration of the equipment that was in the virtual collocation arrangement; 2) the

- conversion of the virtual collocation arrangement will not cause the equipment or the results of that conversion to be located in a space that BellSouth has reserved for its own future needs; 3) the converted arrangement does not limit BellSouth's ability to secure its own equipment and facilities due to the location of the virtual collocation arrangement; and 4) any changes to the arrangement can be accommodated by existing power, HVAC, and other requirements. Unless otherwise specified, BellSouth will complete virtual to in-place physical collocation conversions within sixty (60) calendar days from receipt of the BFFO. BellSouth will bill GulfPines an Administrative Only Application Fee as set forth in Exhibit B for these charges on the date that BellSouth provides an Application Response.
- 7.9.1 In Alabama and Tennessee, BellSouth will complete Virtual to Physical Conversions (In Place) within thirty (30) calendar days from receipt of the BFFO.
- 7.10 Cancellation. If, at any time prior to space acceptance, GulfPines cancels its order for the Remote Collocation Space(s) (Cancellation), BellSouth will bill the applicable nonrecurring rate for any and all work processes for which work has begun. In Georgia, if GulfPines cancels its order for Remote Collocation Space at any time prior to space acceptance, BellSouth will bill GulfPines for all costs incurred prior to the date of Cancellation and for any costs incurred as a direct result of the Cancellation, not to exceed the total amount that would have been due had the order not been cancelled.
- 7.11 Licenses. GulfPines, at its own expense, will be solely responsible for obtaining from governmental authorities, and any other appropriate agency, entity, or person, all rights, privileges, and licenses necessary or required to operate as a provider of telecommunications services to the public or to build-out, equip and occupy the Remote Collocation Space.
- 7.12 Environmental Hazard Guidelines. The Parties agree to utilize and adhere to the Environmental Hazard Guidelines identified in Exhibit A attached hereto.
- 8. Rates and Charges**
- 8.1 Recurring Charges. If GulfPines has met the applicable fifteen (15) calendar day walkthrough interval(s) specified in Section 4, billing for recurring charges will begin upon the Space Acceptance Date. In the event that GulfPines fails to complete an acceptance walkthrough within the applicable fifteen (15) calendar day interval(s), billing for recurring charges will commence on the Space Ready Date. If GulfPines occupies the space prior to the Space Ready Date, the date GulfPines occupies the space becomes the new Space Acceptance Date and billing for recurring charges begin on that date.
- 8.2 Application Fee. BellSouth shall assess an Application Fee via a service order, which shall be issued at the time BellSouth responds that space is available pursuant to

- Section 6.10 (Application Response). This nonrecurring fee will be billed by BellSouth on the date that BellSouth provides an Application Response.
- 8.2.1 In Tennessee, the applicable application fee is the planning fee for both Initial Applications and Subsequent Applications placed by GulfPines. This nonrecurring fee will be billed by BellSouth on the date that BellSouth provides an Application Response.
- 8.3 Rack/Bay Space. The rack/bay space charge includes reasonable charges for air conditioning, ventilation and other allocated expenses associated with maintenance of the Remote Site Location, and includes amperage necessary to power GulfPines' equipment. GulfPines shall pay rack/bay space charges based upon the number of racks/bays requested. BellSouth will assign Remote Collocation Space in conventional remote site rack/bay lineups where feasible.
- 8.4 Power. BellSouth shall make available -48 Volt (-48V) DC power for GulfPines' Remote Collocation Space at a BellSouth Power Board or BellSouth Battery Distribution Fuse Bay (BDFB) at GulfPines' option within the Remote Site Location. The charge for power shall be assessed as part of the recurring charge for rack/bay space. If the power requirements for GulfPines' equipment exceeds the capacity available, then such power requirements shall be assessed on an individual case basis. BellSouth will revise recurring power charges to reflect a power upgrade upon notification of the completion of the upgrade by GulfPines' BellSouth Certified Vendor. BellSouth will revise recurring power charges to reflect a power reduction upon BellSouth's receipt of the Power Reduction Form from GulfPines certifying the completion of the power reduction, including the removal of the power cabling by GulfPines' BellSouth Certified Supplier.
- 8.4.1 Adjacent Collocation Power. Charges for AC power will be assessed per breaker ampere per month. Rates include the provision of commercial and standby AC power, where available. When obtaining power from a BellSouth service panel, protection devices and power cables must be engineered (sized), and installed by GulfPines' BellSouth Certified Supplier except that BellSouth shall engineer and install protection devices and power cables for Adjacent Collocation. GulfPines' BellSouth Certified Supplier must also provide a copy of the engineering power specification prior to the equipment becoming operational. Charges for AC power shall be assessed pursuant to the rates specified in Exhibit B. AC power voltage and phase ratings shall be determined on a per location basis. At GulfPines' option, GulfPines may arrange for AC power in an Adjacent Collocation arrangement from a retail provider of electrical power.
- 8.5 Security Escort. A security escort will be required whenever GulfPines or its approved agent desires access to the Remote Site Location after the one accompanied site visit allowed pursuant to Section 5 prior to completing BellSouth's Security Training requirements. Rates for a security escort are assessed according to the

schedule appended hereto as Exhibit B beginning with the scheduled escort time. BellSouth will wait for one-half (1/2) hour after the scheduled time for such an escort and GulfPines shall pay for such half-hour charges in the event GulfPines fails to show up.

8.6 Other. If no rate is identified in the contract, the rate for the specific service or function will be negotiated by the Parties upon request by either Party.

9. Insurance

9.1 GulfPines shall, at its sole cost and expense, procure, maintain, and keep in force insurance as specified in this Section and underwritten by insurance companies licensed to do business in the states applicable under this Agreement and having a Best's Insurance Rating of A-.

9.2 GulfPines shall maintain the following specific coverage:

9.2.1 Commercial General Liability coverage in the amount of ten million dollars (\$10,000,000.00) or a combination of Commercial General Liability and Excess/Umbrella coverage totaling not less than ten million dollars (\$10,000,000.00). BellSouth shall be named as an Additional Insured on the Commercial General Liability policy as specified herein.

9.2.2 Statutory Workers Compensation coverage and Employers Liability coverage in the amount of one hundred thousand dollars (\$100,000.00) each accident, one hundred thousand dollars (\$100,000.00) each employee by disease, and five hundred thousand dollars (\$500,000.00) policy limit by disease.

9.2.3 All Risk Property coverage on a full replacement cost basis insuring all of GulfPines' real and personal property situated on or within BellSouth's Remote Site Location.

9.2.4 GulfPines may elect to purchase business interruption and contingent business interruption insurance, having been advised that BellSouth assumes no liability for loss of profit or revenues should an interruption of service occur.

9.3 The limits set forth in Section 9.2 above may be increased by BellSouth from time to time during the term of this Agreement upon thirty (30) calendar days notice to GulfPines to at least such minimum limits as shall then be customary with respect to comparable occupancy of BellSouth structures.

9.4 All policies purchased by GulfPines shall be deemed to be primary and not contributing to or in excess of any similar coverage purchased by BellSouth. All insurance must be in effect on or before the date equipment is delivered to BellSouth's Remote Site Location and shall remain in effect for the term of this Attachment or until all of GulfPines' property has been removed from BellSouth's Remote Site Location,

- whichever period is longer. If GulfPines fails to maintain required coverage, BellSouth may pay the premiums thereon and seek reimbursement of same from GulfPines.
- 9.5 GulfPines shall submit certificates of insurance reflecting the coverage required pursuant to this Section a minimum of ten (10) business days prior to the commencement of any work in the Remote Collocation Space. Failure to meet this interval may result in construction and equipment installation delays. GulfPines shall arrange for BellSouth to receive thirty (30) business days' advance notice of cancellation from GulfPines' insurance company. GulfPines shall forward a certificate of insurance and notice of cancellation/non-renewal to BellSouth at the following address:
- BellSouth Telecommunications, Inc.
Attn.: Risk Management Coordinator
17H53 BellSouth Center
675 W. Peachtree Street
Atlanta, Georgia 30375
- 9.6 GulfPines must conform to recommendations made by BellSouth's fire insurance company to the extent BellSouth has agreed to, or shall hereafter agree to, such recommendations.
- 9.7 Self-Insurance. If GulfPines' net worth exceeds five hundred million dollars (\$500,000,000), GulfPines may elect to request self-insurance status in lieu of obtaining any of the insurance required in Sections 9.2.1 and 9.2.2. GulfPines shall provide audited financial statements to BellSouth thirty (30) calendar days prior to the commencement of any work in the Remote Collocation Space. BellSouth shall then review such audited financial statements and respond in writing to GulfPines in the event that self-insurance status is not granted to GulfPines. If BellSouth approves GulfPines for self-insurance, GulfPines shall annually furnish to BellSouth, and keep current, evidence of such net worth that is attested to by one of GulfPines' corporate officers. The ability to self-insure shall continue so long as GulfPines meets all of the requirements of this Section. If GulfPines subsequently no longer satisfies this Section, GulfPines is required to purchase insurance as indicated by Sections 9.2.1 and Section 9.2.2.
- 9.8 The net worth requirements set forth in Section 9.7 may be increased by BellSouth from time to time during the term of this Attachment upon thirty (30) calendar days' notice to GulfPines to at least such minimum limits as shall then be customary with respect to comparable occupancy of BellSouth structures.
- 9.9 Failure to comply with the provisions of this Section will be deemed a material breach of this Attachment.

10. Mechanics Liens

- 10.1 If any mechanics lien or other liens shall be filed against property of either Party (BellSouth or GulfPines), or any improvement thereon by reason of or arising out of any labor or materials furnished or alleged to have been furnished or to be furnished to or for the other Party or by reason of any changes, or additions to said property made at the request or under the direction of the other Party, the other Party directing or requesting those changes shall, within thirty (30) business days after receipt of written notice from the Party against whose property said lien has been filed, either pay such lien or cause the same to be bonded off the affected property in the manner provided by law. The Party causing said lien to be placed against the property of the other shall also defend, at its sole cost and expense, on behalf of the other, any action, suit or proceeding which may be brought for the enforcement of such liens and shall pay any damage and discharge any judgment entered thereon.

11. Inspections

- 11.1 BellSouth may conduct an inspection of GulfPines' equipment and facilities in the Remote Collocation Space(s) prior to the activation of facilities between GulfPines' equipment and equipment of BellSouth. BellSouth may conduct an inspection if GulfPines adds equipment and may otherwise conduct routine inspections at reasonable intervals mutually agreed upon by the Parties. BellSouth shall provide GulfPines with a minimum of forty-eight (48) hours or two (2) business days, whichever is greater, advance notice of all such inspections. All costs of such inspection shall be borne by BellSouth.

12. Security and Safety Requirements

- 12.1 Unless otherwise specified, GulfPines will be required, at its own expense, to conduct a statewide investigation of criminal history records for each GulfPines employee hired in the past five years being considered for work on the BellSouth Remote Site Location, for the states/counties where the GulfPines employee has worked and lived for the past five years. Where state law does not permit statewide collection or reporting, an investigation of the applicable counties is acceptable. GulfPines shall not be required to perform this investigation if an affiliated company of GulfPines has performed an investigation of the GulfPines employee seeking access, if such investigation meets the criteria set forth above. This requirement will not apply if GulfPines has performed a pre-employment statewide investigation of criminal history records of the GulfPines employee for the states/counties where the GulfPines employee has worked and lived for the past five years or, where state law does not permit a statewide investigation, an investigation of the applicable counties.
- 12.2 GulfPines will be required to administer to their personnel assigned to the BellSouth Premises security training either provided by BellSouth, or meeting criteria defined by BellSouth.

- 12.3 GulfPines shall provide its employees and agents with picture identification, which must be worn, and visible at all times while in the Remote Collocation Space or other areas in or around the Remote Site Location. The photo Identification card shall bear, at a minimum, the employee's name and photo, and GulfPines' name. BellSouth reserves the right to remove from its Remote Site Location any employee of GulfPines not possessing identification issued by GulfPines or who have violated any of BellSouth's policies as outlined in the CLEC Security Training documents. GulfPines shall hold BellSouth harmless for any damages resulting from such removal of its personnel from BellSouth Remote Site Location. GulfPines shall be solely responsible for ensuring that any Guest(s) of GulfPines is in compliance with all subsections of this Section.
- 12.4 GulfPines shall not assign to the BellSouth Remote Site Location any personnel with records of felony criminal convictions. GulfPines shall not assign to the BellSouth Remote Site Location any personnel with records of misdemeanor convictions, except for misdemeanor traffic violations, without advising BellSouth of the nature and gravity of the offense(s). BellSouth reserves the right to refuse access to any GulfPines personnel who have been identified to have misdemeanor criminal convictions. Notwithstanding the foregoing, in the event that GulfPines chooses not to advise BellSouth of the nature and gravity of any misdemeanor conviction, GulfPines may, in the alternative, certify to BellSouth that it shall not assign to the BellSouth Remote Site Location any personnel with records of misdemeanor convictions (other than misdemeanor traffic violations).
- 12.4.1 GulfPines shall not knowingly assign to the BellSouth Remote Site Location any individual who was a former employee of BellSouth and whose employment with BellSouth was terminated for a criminal offense whether or not BellSouth sought prosecution of the individual for the criminal offense.
- 12.4.2 GulfPines shall not knowingly assign to the BellSouth Remote Site Location any individual who was a former supplier of BellSouth and whose access to a BellSouth Remote Site Location was revoked due to commission of a criminal offense whether or not BellSouth sought prosecution of the individual for the criminal offense.
- 12.5 For each GulfPines employee or agent hired by GulfPines within five years of being considered for work on the BellSouth Remote Site Location, who requires access to a BellSouth Remote Site Location pursuant to this Attachment, GulfPines shall furnish BellSouth, prior to an employee gaining such access, a certification that the aforementioned background check and security training were completed. The certification will contain a statement that no felony convictions were found and certifying that the security training was completed by the employee. If the employee's criminal history includes misdemeanor convictions, GulfPines will disclose the nature of the convictions to BellSouth at that time. In the alternative, GulfPines may certify to BellSouth that it shall not assign to the BellSouth Remote Site Location any

- personnel with records of misdemeanor convictions other than misdemeanor traffic violations.
- 12.5.1 For all other GulfPines employees requiring access to a BellSouth Remote Site Location pursuant to this Attachment, GulfPines shall furnish BellSouth, prior to an employee gaining such access, a certification that the employee is not subject to the requirements of Section 12.5 above and that security training was completed by the employee.
- 12.6 At BellSouth's request, GulfPines shall promptly remove from BellSouth's Remote Site Location any employee of GulfPines BellSouth does not wish to grant access to its Remote Site Location 1) pursuant to any investigation conducted by BellSouth or 2) prior to the initiation of an investigation if an employee of GulfPines is found interfering with the property or personnel of BellSouth or another collocated telecommunications carrier, provided that an investigation shall promptly be commenced by BellSouth.
- 12.7 Security Violations. BellSouth reserves the right to interview GulfPines' employees, agents, or suppliers in the event of wrongdoing in or around BellSouth's property or involving BellSouth's or another collocated telecommunications carrier's property or personnel, provided that BellSouth shall provide reasonable notice to GulfPines' Security representative of such interview. GulfPines and its suppliers shall reasonably cooperate with BellSouth's investigation into allegations of wrongdoing or criminal conduct committed by, witnessed by, or involving GulfPines' employees, agents, or suppliers. Additionally, BellSouth reserves the right to bill GulfPines for all reasonable costs associated with investigations involving its employees, agents, or suppliers if it is established and mutually agreed in good faith that GulfPines' employees, agents, or suppliers are responsible for the alleged act. BellSouth shall bill GulfPines for BellSouth property, which is stolen or damaged where an investigation determines the culpability of GulfPines' employees, agents, or suppliers and where GulfPines agrees, in good faith, with the results of such investigation. GulfPines shall notify BellSouth in writing immediately in the event that the GulfPines discovers one of its employees already working on the BellSouth Remote Site Location is a possible security risk. Upon request of the other Party, the Party who is the employer shall discipline consistent with its employment practices, up to and including removal from BellSouth's Remote Site Location, any employee found to have violated the security and safety requirements of this section. GulfPines shall hold BellSouth harmless for any damages resulting from such removal of its personnel from BellSouth's Remote Site Location.
- 12.8 Use of Supplies. Unauthorized use of telecommunications equipment or supplies by either Party, whether or not used routinely to provide telephone service (e.g. plug-in cards,) will be strictly prohibited and handled appropriately. Costs associated with such unauthorized use may be charged to the offending Party, as may be all associated investigative costs.

- 12.9 Use of Official Lines. Except for non-toll calls necessary in the performance of their work, neither Party shall use the telephones of the other Party on the BellSouth Remote Site Location. Charges for unauthorized telephone calls may be charged to the offending Party, as may be all associated investigative costs.
- 12.10 Accountability. Full compliance with the Security requirements of this Section shall in no way limit the accountability of either Party to the other for the improper actions of its employees.

13. Destruction of Remote Collocation Space

- 13.1 In the event a Remote Collocation Space is wholly or partially damaged by fire, windstorm, tornado, flood or by similar causes to such an extent as to be rendered wholly unsuitable for GulfPines' permitted use hereunder, then either Party may elect within ten (10) calendar days after such damage, to terminate this Attachment with respect to the affected Remote Collocation Space, and if either Party shall so elect, by giving the other written notice of termination, both Parties shall stand released of and from further liability under the terms hereof with respect to such Remote Collocation Space. If the Remote Collocation Space shall suffer only minor damage and shall not be rendered wholly unsuitable for GulfPines' permitted use, or is damaged and the option to terminate is not exercised by either Party, BellSouth covenants and agrees to proceed promptly without expense to GulfPines, except for improvements not to the property of BellSouth, to repair the damage. BellSouth shall have a reasonable time within which to rebuild or make any repairs, and such rebuilding and repairing shall be subject to delays caused by storms, shortages of labor and materials, government regulations, strikes, walkouts, and causes beyond the control of BellSouth, which causes shall not be construed as limiting factors, but as exemplary only. GulfPines may, at its own expense, accelerate the rebuild of its Remote Collocation Space and equipment provided however that a BellSouth Certified Supplier is used and the necessary space preparation has been completed. Rebuild of equipment must be performed by a BellSouth Certified Vendor. If GulfPines' acceleration of the project increases the cost of the project, then those additional charges will be incurred by GulfPines. Where allowed and where practical, GulfPines may erect a temporary facility while BellSouth rebuilds or makes repairs. In all cases where the Remote Collocation Space shall be rebuilt or repaired, GulfPines shall be entitled to an equitable abatement of rent and other charges, depending upon the unsuitability of the Remote Collocation Space for GulfPines' permitted use, until such Remote Collocation Space is fully repaired and restored and GulfPines' equipment installed therein (but in no event later than thirty (30) calendar days after the Remote Collocation Space is fully repaired and restored). Where GulfPines has placed a Remote Site Adjacent Arrangement pursuant to Section 3.4, GulfPines shall have the sole responsibility to repair or replace said Remote Site Adjacent Arrangement provided herein. Pursuant to this Section, BellSouth will restore the associated services to the Remote Site Adjacent Arrangement.

14. Eminent Domain

- 14.1 If the whole of a Remote Collocation Space or Remote Site Adjacent Arrangement shall be taken by any public authority under the power of eminent domain, then this Attachment shall terminate with respect to such Remote Collocation Space or Remote Site Adjacent Arrangement as of the day possession shall be taken by such public authority and rent and other charges for the Remote Collocation Space or Remote Site Adjacent Arrangement shall be paid up to that day with proportionate refund by BellSouth of such rent and charges as may have been paid in advance for a period subsequent to the date of the taking. If any part of the Remote Collocation Space or Remote Site Adjacent Arrangement shall be taken under eminent domain, BellSouth and GulfPines shall each have the right to terminate this Attachment with respect to such Remote Collocation Space or Remote Site Adjacent Arrangement and declare the same null and void, by written notice of such intention to the other Party within ten (10) calendar days after such taking.

15. Nonexclusivity

- 15.1 GulfPines understands that this Attachment is not exclusive and that BellSouth may enter into similar agreements with other Parties. Assignment of space pursuant to all such agreements shall be determined by space availability and made on a first come, first served basis.

ENVIRONMENTAL AND SAFETY PRINCIPLES

The following principles provide basic guidance on environmental and safety issues when applying for and establishing Physical Collocation arrangements.

1. GENERAL PRINCIPLES

- 1.1 Compliance with Applicable Law. BellSouth and GulfPines agree to comply with applicable federal, state, and local environmental and safety laws and regulations including U.S. Environmental Protection Agency (USEPA) regulations issued under the Clean Air Act (CAA), Clean Water Act (CWA), Resource Conservation and Recovery Act (RCRA), Comprehensive Environmental Response, Compensation and Liability Act (CERCLA), Superfund Amendments and Reauthorization Act (SARA), the Toxic Substances Control Act (TSCA), and OSHA regulations issued under the Occupational Safety and Health Act of 1970, as amended and NFPA and National Electrical Codes (NEC) and the NESC (Applicable Laws). Each Party shall notify the other if compliance inspections are conducted by regulatory agencies and/or citations are issued that relate to any aspect of this Attachment.
- 1.2 Notice. BellSouth and GulfPines shall provide notice to the other, including Material Safety Data Sheets (MSDSs), of known and recognized physical hazards or Hazardous Chemicals existing on site or brought on site. A Hazardous Chemical inventory list is posted on an OSHA Poster and updated annually at each Central Office. This Poster is normally located near the front entrance of the building or in the lounge area. Each Party is required to provide specific notice for known potential Imminent Danger conditions. GulfPines should contact 1-800-743-6737 for any BellSouth MSDS required.
- 1.3 Practices/Procedures. BellSouth may make available additional environmental control procedures for GulfPines to follow when working at a BellSouth Remote Site Location (See Section 2, below). These practices/procedures will represent the regular work practices required to be followed by the employees and suppliers of BellSouth for environmental protection. GulfPines will require its suppliers, agents and others accessing the BellSouth Remote Site Location to comply with these practices. Section 2 lists the Environmental categories where BellSouth practices should be followed by GulfPines when operating in the BellSouth Remote Site Location.
- 1.4 Environmental and Safety Inspections. BellSouth reserves the right to inspect the GulfPines space with proper notification. BellSouth reserves the right to stop any GulfPines work operation that imposes Imminent Danger to the environment, employees or other persons in the area or Remote Site Location.
- 1.5 Hazardous Materials Brought On Site. Any hazardous materials brought into, used, stored or abandoned at the BellSouth Remote Site Location by GulfPines are owned by GulfPines. GulfPines will indemnify BellSouth for claims, lawsuits or damages to persons or property caused by these materials. Without prior written BellSouth approval, no substantial new safety or environmental hazards can be created by GulfPines or different hazardous materials used by GulfPines at the BellSouth Remote Site Location. GulfPines must demonstrate adequate emergency response capabilities for its materials used or remaining at the BellSouth Remote Site Location.

- 1.6 Spills and Releases. When contamination is discovered at a BellSouth Remote Site Location, either Party discovering the condition must notify the other Party. All Spills or Releases of regulated materials will immediately be reported by GulfPines to BellSouth.
- 1.7 Coordinated Environmental Plans and Permits. BellSouth and GulfPines will coordinate plans, permits or information required to be submitted to government agencies, such as emergency response plans, spill prevention control and countermeasures (SPCC) plans and community reporting. If fees are associated with filing, BellSouth and GulfPines will develop a cost sharing procedure. If BellSouth's permit or EPA identification number must be used, GulfPines must comply with all of BellSouth's permit conditions and environmental processes, including environmental "best management practices (BMP)" (see Section 2, below) and/or selection of BellSouth disposition vendors and disposal sites.
- 1.8 Environmental and Safety Indemnification. BellSouth and GulfPines shall indemnify, defend and hold harmless the other Party from and against any claims (including, without limitation, third-party claims for personal injury or death or real or personal property damage), judgments, damages, (including direct and indirect damages, and punitive damages), penalties, fines, forfeitures, costs, liabilities, interest and losses arising in connection with the violation or alleged violation of any Applicable Law or contractual obligation or the presence or alleged presence of contamination arising out of the acts or omissions of the indemnifying Party, its agents, suppliers, or employees concerning its operations at the Remote Site Location.

2. CATEGORIES FOR CONSIDERATION OF ENVIRONMENTAL ISSUES

- 2.1 When performing functions that fall under the following Environmental categories on BellSouth's Remote Site Location, GulfPines agrees to comply with the applicable sections of the current issue of BellSouth's Environmental and Safety Methods and Procedures (M&Ps), incorporated herein by this reference. GulfPines further agrees to cooperate with BellSouth to ensure that GulfPines' employees, agents, and/or suppliers are knowledgeable of and satisfy those provisions of BellSouth's Environmental M&Ps which apply to the specific Environmental function being performed by GulfPines, its employees, agents and/or suppliers.
 - 2.1.1 The most current version of reference documentation must be requested from GulfPines' BellSouth Account Team Collocation Coordinator (ATCC) Representative.

| ENVIRONMENTAL CATEGORIES | ENVIRONMENTAL ISSUES | ADDRESSED BY THE FOLLOWING DOCUMENTATION |
|---|---|--|
| Disposal of hazardous material or other regulated material (e.g., batteries, fluorescent tubes, solvents & cleaning materials) | Compliance with all applicable local, state, & federal laws and regulations Pollution liability insurance EVET approval of supplier | <ul style="list-style-type: none"> • Std T&C 450 • Fact Sheet Series 17000 • Std T&C 660-3 • Approved Environmental Vendor List (Contact ATCC Representative) |
| Emergency response | Hazmat/waste release/spill fire safety emergency | <ul style="list-style-type: none"> • Fact Sheet Series 1700 • Building Emergency Operations Plan (EOP) (specific to and located on Remote Site Location) |
| Contract labor/outsourcing for services with environmental implications to be performed on BellSouth Remote Site Location (e.g., disposition of hazardous material/waste; maintenance of storage tanks) | Compliance with all applicable local, state, & federal laws and regulations Performance of services in accordance with BST's environmental M&Ps Insurance | <ul style="list-style-type: none"> • Std T&C 450 • Std T&C 450-B • (Contact ATCC Representative for copy of appropriate E/S M&Ps.) • Std T&C 660 |
| Transportation of hazardous material | Compliance with all applicable local, state, & federal laws and regulations Pollution liability insurance EVET approval of supplier | <ul style="list-style-type: none"> • Std T&C 450 • Fact Sheet Series 17000 • Std T&C 660-3 • Approved Environmental Vendor List (Contact ATCC Representative) |
| Maintenance/operations work which may produce a waste Other maintenance work | Compliance with all applicable local, state, & federal laws and regulations Protection of BST employees and equipment | <ul style="list-style-type: none"> • Std T&C 450 • 29CFR 1910.147 (OSHA Standard) • 29CFR 1910 Subpart O (OSHA Standard) |
| Janitorial services | All waste removal and disposal must conform to all applicable federal, state and local regulations All Hazardous Material and Waste Asbestos notification and protection of employees and equipment | <ul style="list-style-type: none"> • Procurement Manager (CRES Related Matters)-BST Supply Chain Services • Fact Sheet Series 17000 • GU-BTEN-001BT, Chapter 3 BSP 010-170-001BS (Hazcom) |
| Manhole cleaning | Compliance with all applicable local, state, & federal laws and regulations Pollution liability insurance EVET approval of supplier | <ul style="list-style-type: none"> • Std T&C 450 • Fact Sheet 14050 • BSP 620-145-011PR Issue A, August 1996 • Std T&C 660-3 • Approved Environmental Vendor List (Contact ATCC Representative) |
| Removing or disturbing building materials that may contain asbestos | Asbestos work practices | GU-BTEN-001BT, Chapter 3 For questions regarding removing or disturbing materials that contain asbestos, call BST Bldg Svc Cntr: AL, MS, TN, KY & LA (local area code) 557-6194 FL, GA, NC & SC (local |

| | | |
|--|--|---------------------|
| | | area code) 780-2740 |
|--|--|---------------------|

3. DEFINITIONS

Generator. Under RCRA, the person whose act produces a Hazardous Waste, as defined in 40 CFR 261, or whose act first causes a Hazardous Waste to become subject to regulation. The Generator is legally responsible for the proper management and disposal of Hazardous Wastes in accordance with regulations.

Hazardous Chemical. As defined in the U.S. Occupational Safety and Health (OSHA) hazard communication standard (29 CFR 1910.1200), any chemical which is a health hazard or physical hazard.

Hazardous Waste. As defined in section 1004 of RCRA.

Imminent Danger. Any conditions or practices at a remote site location which are such that a danger exists which could reasonably be expected to cause immediate death or serious harm to people or immediate significant damage to the environment or natural resources.

Spill or Release. As defined in Section 101 of CERCLA.

4. ACRONYMS

ATCC – Account Team Collocation Coordinator

BST – BellSouth Telecommunications

CRES – Corporate Real Estate and Services (formerly PS&M)

DEC/LDEC - Department Environmental Coordinator/Local Department Environmental Coordinator

E/S – Environmental/Safety

EVET - Environmental Vendor Evaluation Team

GU-BTEN-001BT - BellSouth Environmental Methods and Procedures

NESC - National Electrical Safety Codes

P&SM - Property & Services Management

Std T&C - Standard Terms & Conditions

| COLLOCATION - Alabama | | | | | | | | | | | Attachment: 4 | | Exhibit: B | | |
|-----------------------------|--|---------|------|---|-------|------------|--------------|-------|------------------|-----------------------------|--------------------------------------|--|--|---|---|
| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES (\$) | | | | Svc Order Submitted per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | Rec | Nonrecurring | | Nonrecurring Dis | | | | | | |
| | | | | | | | First | Add'l | First | Add'l | SOME C | SOMAN | SOMAN | SOMAN | SOMAN |
| PHYSICAL COLLOCATION | | | | | | | | | | | | | | | |
| | Physical Collocation 2W Cross Connect, Exchange Port 2W Analog-Res | | | UEPSR | PE1R2 | 0.03 | 12.30 | 11.80 | 6.03 | 5.44 | | | | | |
| | Physical Collocation 2W Cross Connect, Exchange Port 2W Line Side PBX Trunk-Bus | | | UEPSP | PE1R2 | 0.03 | 12.30 | 11.80 | 6.03 | 5.44 | | | | | |
| | Physical Collocation 2W Cross Connect, Exchange Port 2W VG PBX Trunk-Res | | | UEPSE | PE1R2 | 0.03 | 12.30 | 11.80 | 6.03 | 5.44 | | | | | |
| | Physical Collocation 2W Cross Connect, Exchange Port 2W Analog-Bus | | | UEPSB | PE1R2 | 0.03 | 12.30 | 11.80 | 6.03 | 5.44 | | | | | |
| | Physical Collocation 2W Cross Connect, Exchange Port 2W ISDN | | | UEPSX | PE1R2 | 0.03 | 12.30 | 11.80 | 6.03 | 5.44 | | | | | |
| | Physical Collocation 2W Cross Connect, Exchange Port 2W ISDN | | | UEPTX | PE1R2 | 0.03 | 12.30 | 11.80 | 6.03 | 5.44 | | | | | |
| | Physical Collocation 4W Cross Connect, Exchange Port 4W ISDN DS1 | | | UEPEX | PE1R4 | 0.05 | 12.39 | 11.87 | 6.39 | 5.73 | | | | | |
| PHYSICAL COLLOCATION | | | | | | | | | | | | | | | |
| | Physical Collocation-Initial Application Fee | | | CLO | PE1BA | | 1,879.48 | | 0.51 | | | | | | |
| | Physical Collocation-Subsequent Application Fee | | | CLO | PE1CA | | 1,566.60 | | | | | | | | |
| | Physical Collocation Administrative Only-Application Fee | | | CLO | PE1BL | | 742.15 | | | | | | | | |
| | Physical Collocation-Space Preparation-Firm Order Processing | | | CLO | PE1SJ | | 600.71 | | | | | | | | |
| | Physical Collocation-Space Preparation-CO Modification per sq ft | | | CLO | PE1SK | 1.96 | | | | | | | | | |
| | Physical Collocation-Space Preparation, Common Systems Modifications-Cageless, per sq ft | | | CLO | PE1SL | 2.62 | | | | | | | | | |
| | Physical Collocation-Space Preparation-Common Systems Modifications-Caged, per cage | | | CLO | PE1SM | 88.86 | | | | | | | | | |
| | Physical Collocation-Cable Installation, Pricing, NRC charge, per Entrance Cable | | | CLO | PE1BD | | 859.71 | | 22.49 | | | | | | |
| | Physical Collocation-Floor Space, per sq ft | | | CLO | PE1PJ | 3.22 | | | | | | | | | |
| | Physical Collocation-Cable Support Structure, per Entrance Cable | | | CLO | PE1PM | 17.11 | | | | | | | | | |
| | Physical Collocation-Power, -48V DC Power-per Fused Amp | | | CLO | PE1PL | 7.83 | | | | | | | | | |
| | Physical Collocation-Power Reduction Only, Application Fee | | | CLO | PE1PR | | 398.76 | | | | | | | | |
| | Physical Collocation-Power, 120V AC Power, Single Phase, per Breaker | | | CLO | PE1FB | 4.91 | | | | | | | | | |
| | Physical Collocation-Power, 240V AC Power, Single Phase, per Breaker | | | CLO | PE1FD | 9.84 | | | | | | | | | |
| | Physical Collocation-Power, 120V AC Power, Three Phase, per Breaker Amp | | | CLO | PE1FE | 14.74 | | | | | | | | | |
| | Physical Collocation-Power, 277V AC Power, Three Phase, per Breaker Amp | | | CLO | PE1FG | 34.06 | | | | | | | | | |
| | Physical Collocation-2W cross-connect, loop, provisioning | | | UEANL,UEQ,UNLD X,UNCNX | PE1P2 | 0.03 | 12.30 | 11.80 | 6.03 | 5.44 | | | | | |
| | Physical Collocation-4W cross-connect, loop, provisioning | | | UEA,UHL,UNCVX,U NCDX,UCL,UDL UEANL,UEQ,WDS1 L,WDS1S,UXTD1,U LDD1,USLEL,UNLD 1,UDL,UEPEX,UEP | PE1P4 | 0.05 | 12.39 | 11.87 | 6.39 | 5.73 | | | | | |
| | Physical Collocation -DS1 Cross-Connect for Physical Collocation, provisioning | | | UE3,U1TD3,UXTD3, UXTS1,UNC3X,UN CSX,ULDD3,U1TS1, ULDS1,UNLD3 | PE1P1 | 1.11 | 22.03 | 15.93 | 6.40 | 5.79 | | | | | |
| | Physical Collocation-DS3 Cross-Connect, provisioning | | | CLO,ULD03,ULD12, ULD48,U1TO3,U1T1 2,U1T48,UDLO3,UD L12,UDF | PE1P3 | 14.16 | 20.89 | 15.20 | 7.38 | 5.92 | | | | | |
| | Physical Collocation-2-Fiber Cross-Connect | | | ULD03,ULD12,ULD 48,U1TO3,U1T12,U 1T48,UDLO3,UDL12 ,UDF | PE1F2 | 2.81 | 20.89 | 15.20 | 7.38 | 5.92 | | | | | |
| | Physical Collocation-4-Fiber Cross-Connect | | | ULD03,ULD12,ULD 48,U1TO3,U1T12,U 1T48,UDLO3,UDL12 ,UDF | PE1F4 | 4.99 | 25.55 | 19.86 | 9.71 | 8.25 | | | | | |

| COLLOCATION - Alabama | | | | | | | | | | | | | | Attachment: 4 | | Exhibit: B | |
|-----------------------|---|---------|------|-----|-------|------------|--------------|--------|------------------|----------------------------------|--------------------------------------|--|--|---|---|----------------|--|
| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES (\$) | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l | | |
| | | | | | | Rec | Nonrecurring | | Nonrecurring Dis | | | | | | | OSS Rates (\$) | |
| | | | | | | | First | Add'l | First | Add'l | SOMECS | SOMAN | SOMAN | SOMAN | SOMAN | | |
| | Physical Collocation-Space enclosure, welded wire, first 100 sq ft | | | CLO | PE1BW | 156.33 | | | | | | | | | | | |
| | Physical Collocation-Space enclosure, welded wire, each add'l 50 sq ft | | | CLO | PE1CW | 15.34 | | | | | | | | | | | |
| | Physical Collocation-Security Access System-Security System per CO | | | CLO | PE1AX | 45.70 | | | | | | | | | | | |
| | Physical Collocation-Security Access System-New Card Activation, per Card Activation (First), per State | | | CLO | PE1A1 | 0.05 | 27.79 | | | | | | | | | | |
| | Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Request, per State, per Card | | | CLO | PE1AA | | 7.79 | | | | | | | | | | |
| | Physical Collocation-Security Access System-Replace Lost or Stolen Card, per Card | | | CLO | PE1AR | | 22.78 | | | | | | | | | | |
| | Physical Collocation-Security Access-Initial Key, per Key | | | CLO | PE1AK | | 13.10 | | | | | | | | | | |
| | Physical Collocation-Security Access-Key, Replace Lost or Stolen Key, per Key | | | CLO | PE1AL | | 13.10 | | | | | | | | | | |
| | Physical Collocation-Space Availability Report, per CO Requested | | | CLO | PE1SR | | 1,075.17 | | | | | | | | | | |
| | Physical Collocation-CFA Information Resend Request, per premises, per request | | | CLO | PE1C9 | | 77.56 | | | | | | | | | | |
| | Physical Collocation-Cable Records, per request | | | CLO | PE1CR | | 759.29 | 488.11 | 133.00 | | | | | | | | |
| | Physical Collocation, Cable Records, VG/DS0 Cable, per cable record (maximum 3600 records) | | | CLO | PE1CD | | 326.92 | | 189.12 | | | | | | | | |
| | Physical Collocation, Cable Records, VG/DS0 Cable, per each 100 pr | | | CLO | PE1CO | | 4.81 | | 5.90 | | | | | | | | |
| | Physical Collocation, Cable Records, DS1, per T1 TIE | | | CLO | PE1C1 | | 2.25 | | 2.76 | | | | | | | | |
| | Physical Collocation, Cable Records, DS3, per T3 TIE | | | CLO | PE1C3 | | 7.88 | | 9.66 | | | | | | | | |
| | Physical Collocation-Cable Records, Fiber Cable, per cable record (maximum 99 records) | | | CLO | PE1CB | | 84.49 | | 77.13 | | | | | | | | |
| | Physical Collocation-Security Escort for Basic Time-normally scheduled work, per half hr | | | CLO | PE1BT | | 16.93 | 10.73 | | | | | | | | | |
| | Physical Collocation-Security Escort for Overtime-outside of normally scheduled working hrs on a scheduled work day, per half hr | | | CLO | PE1OT | | 22.05 | 13.86 | | | | | | | | | |
| | Physical Collocation-Security Escort for Premium Time-outside of scheduled work day, per half hr | | | CLO | PE1PT | | 27.17 | 16.98 | | | | | | | | | |
| | Physical Collocation-Virtual to Physical Collocation Relocation, per VG Circuit | | | CLO | PE1BV | | 33.00 | | | | | | | | | | |
| | Physical Collocation-Virtual to Physical Collocation Relocation, per DSO Circuit | | | CLO | PE1BO | | 33.00 | | | | | | | | | | |
| | Physical Collocation-Virtual to Physical Collocation Relocation, per DS1 Circuit | | | CLO | PE1B1 | | 52.00 | | | | | | | | | | |
| | Physical Collocation-Virtual to Physical Collocation Relocation, per DS3 Circuit | | | CLO | PE1B3 | | 52.00 | | | | | | | | | | |
| | Physical Collocation-Virtual to Physical Collocation In-Place, Per VG Circuit | | | CLO | PE1BR | | 23.00 | | | | | | | | | | |
| | Physical Collocation Virtual to Physical Collocation In-Place, Per DSO Circuit | | | CLO | PE1BP | | 23.00 | | | | | | | | | | |
| | Physical Collocation-Virtual to Physical Collocation In-Place, Per DS1 Circuit | | | CLO | PE1BS | | 33.00 | | | | | | | | | | |
| | Physical Collocation-Virtual to Physical Collocation In-Place, per DS3 Circuit | | | CLO | PE1BE | | 37.00 | | | | | | | | | | |
| | Physical Collocation-Virtual to Physical Collocation In-Place/Relocation, space cable facilities assigned to Collocation Space, per 700 cable prs or fraction thereof | | | CLO | PE1B7 | | 592.00 | | | | | | | | | | |
| | Physical Collocation-Co-Carrier Cross Connects/Direct Connect-Fiber Cable Support Structure, per linear ft | | | CLO | PE1ES | 0.0011 | | | | | | | | | | | |

| COLLOCATION - Alabama | | | | | | | | | | | | | | Attachment: 4 | | Exhibit: B | | | |
|--|--|---------|------|-----------------|-------|------------|-----------------------------|--------------------------------------|--|--|---|---|----------------|--------------------|--------------------|------------------------|------------------------|--------|-------|
| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES (\$) | Svc Order Submitted per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l | OSS Rates (\$) | | | | | | |
| | | | | | | | | | | | | | Rec | Nonrecurring First | Nonrecurring Add'l | Nonrecurring Dis First | Nonrecurring Dis Add'l | SOME C | SOMAN |
| | Physical Collocation-Co-Carrier Cross Connect/Direct Connect-Copper/Coax Cable Support Structure, per lin. ft | | | CLO | PE1DS | 0.0016 | | | | | | | | | | | | | |
| | Physical Collocation-Co-Carrier Cross Connects/Direct Connect, Application Fee, per application | | | CLO | PE1DT | 584.22 | | | | | | | | | | | | | |
| | Physical Collocation-Copper Entrance Cable per Cable (CO manhole to vault splice) | | | CLO | PE1EA | 1,196.424 | 42.721 | | | | | | | | | | | | |
| | Physical Collocation-Copper Entrance Cable Installation, per 100 prs | | | CLO | PE1EB | 18.103 | | | | | | | | | | | | | |
| | Physical Collocation-Fiber Entrance Cable per Cable (CO manhole to vault splice) | | | CLO | PE1EC | 1,000.913 | 42.721 | | | | | | | | | | | | |
| | Physical Collocation-Fiber Entrance Cable Installation, per Fiber | | | CLO | PE1ED | 7.241 | | | | | | | | | | | | | |
| | Physical Collocation-Application Cost, Simple Augment | | | CLO | PE1KS | 594.41 | | 1.21 | | | | | | | | | | | |
| | Physical Collocation-Application Cost, Minor Augment | | | CLO | PE1KM | 833.47 | | 1.21 | | | | | | | | | | | |
| | Physical Collocation-Application Cost, Intermediate Augment | | | CLO | PE1K1 | 1,058.00 | | 1.21 | | | | | | | | | | | |
| | Physical Collocation-Co-Carrier Cross Connect/Direct Connect-Fiber Cable Support Structure, per cable | I | | CLO | PE1DU | 535.37 | | | | | | | | | | | | | |
| | Physical Collocation-Co-Carrier Cross Connect/Direct Connect-Copper/Coax Cable Support Structure, per cable | I | | CLO | PE1DV | 535.37 | | | | | | | | | | | | | |
| ADJACENT COLLOCATION | | | | | | | | | | | | | | | | | | | |
| | Adjacent Collocation-Space Charge per sq ft | | | CLOAC | PE1JA | 0.14 | | | | | | | | | | | | | |
| | Adjacent Collocation-Electrical Facility Charge per Linear ft | | | CLOAC | PE1JC | 5.41 | | | | | | | | | | | | | |
| | Adjacent Collocation-2W Cross-Connects | | | UEA,UHL,UDL,UCL | PE1P2 | 0.02 | 12.30 | 11.80 | 6.03 | 5.44 | | | | | | | | | |
| | Adjacent Collocation-4W Cross-Connects | | | UEA,UHL,UDL,UCL | PE1P4 | 0.04 | 12.39 | 11.87 | 6.39 | 5.73 | | | | | | | | | |
| | Adjacent Collocation-DS1 Cross-Connects | | | UEA,UHL,UDL,UCL | PE1P1 | 1.03 | 22.03 | 15.93 | 6.40 | 5.79 | | | | | | | | | |
| | Adjacent Collocation-DS3 Cross-Connects | | | UEA,UHL,UDL,UCL | PE1P3 | 13.95 | 20.89 | 15.20 | 7.38 | 5.92 | | | | | | | | | |
| | Adjacent Collocation-2-Fiber Cross-Connect | | | CLOAC | PE1F2 | 2.36 | 20.89 | 15.20 | 7.38 | 5.92 | | | | | | | | | |
| | Adjacent Collocation-4-Fiber Cross-Connect | | | CLOAC | PE1F4 | 4.52 | 25.55 | 19.86 | 9.71 | 8.25 | | | | | | | | | |
| | Adjacent Collocation-Application Fee | | | CLOAC | PE1JB | 1,576.69 | | 0.51 | | | | | | | | | | | |
| | Adjacent Collocation-120V, Single Phase Standby Power Rate per AC Breaker Amp | | | CLOAC | PE1FB | 4.91 | | | | | | | | | | | | | |
| | Adjacent Collocation-240V, Single Phase Standby Power Rate per AC Breaker Amp | | | CLOAC | PE1FD | 9.84 | | | | | | | | | | | | | |
| | Adjacent Collocation-120V, Three Phase Standby Power Rate per AC Breaker Amp | | | CLOAC | PE1FE | 14.74 | | | | | | | | | | | | | |
| | Adjacent Collocation-277V, Three Phase Standby Power Rate per AC Breaker Amp | | | CLOAC | PE1FG | 34.06 | | | | | | | | | | | | | |
| | Adjacent Collocation-DC power provisioning (Alabama Only Mandate) | | | CLOAC | | | ICB | | | | | | | | | | | | |
| | Note: ICB means Individual Case Basis | | | | | | | | | | | | | | | | | | |
| PHYSICAL COLLOCATION IN THE REMOTE SITE | | | | | | | | | | | | | | | | | | | |
| | Physical Collocation in the Remote Site-Application Fee | | | CLOAC | PE1RA | 307.70 | | 168.22 | | | | | | | | | | | |
| | Cabinet Space in the Remote Site per Bay/ Rack | | | CLOAC | PE1RB | 201.42 | | | | | | | | | | | | | |
| | Physical Collocation in the Remote Site-Security Access-Key | | | CLOAC | PE1RD | 13.10 | | | | | | | | | | | | | |
| | Physical Collocation in the Remote Site-Space Availability Report per Premises Requested | | | CLOAC | PE1SR | 115.87 | | | | | | | | | | | | | |
| | Physical Collocation in the Remote Site-Remote Site CLLI Code Request, per CLLI Code Requested | | | CLOAC | PE1RE | 37.56 | | | | | | | | | | | | | |
| | Remote Site DLEC Data (BRSDD), per Compact Disk, per CO | | | CLOAC | PE1RR | 233.38 | | | | | | | | | | | | | |
| | Power, DC Power Provisioning (Alabama Only) | | | CLOAC | | | ICB | | | | | | | | | | | | |
| | Physical Collocation-Security Escort for Basic Time-normally scheduled work, per half hr | | | CLOAC | PE1BT | 16.93 | 10.73 | | | | | | | | | | | | |
| | Physical Collocation-Security Escort for Overtime-outside of normally scheduled working hrs on a scheduled work day, per half hr | | | CLOAC | PE1OT | 22.05 | 13.86 | | | | | | | | | | | | |

| COLLOCATION - Alabama | | | | | | | | | | Attachment: 4 | | Exhibit: B | | | |
|---|--|---------|------|---|-------|------------|--------------|--------|------------------|-----------------------------|--------------------------------------|--|--|---|---|
| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES (\$) | | | | Svc Order Submitted per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | Rec | Nonrecurring | | Nonrecurring Dis | | | | | | |
| OSS Rates (\$) | | | | | | | | | | | | | | | |
| PHYSICAL COLLOCATION IN THE REMOTE SITE - ADJACENT | | | | | | | | | | | | | | | |
| | Physical Collocation-Security Escort for Premium Time-outside of scheduled work day, per half hr | | | CLORS | PE1PT | | 27.17 | 16.98 | | | | | | | |
| | Remote Site-Adjacent Collocation-AC Power, per breaker amp | I | | CLORS | PE1RS | 6.27 | | | | | | | | | |
| | Remote Site-Adjacent Collocation-Real Estate, per sq ft | I | | CLORS | PE1RT | 0.134 | | | | | | | | | |
| | Remote Site-Adjacent Collocation-Application Fee | I | | CLORS | PE1RU | | 755.62 | 755.62 | | | | | | | |
| NOTE: If Security Escort and/or Add'l Engineering Fees become necessary for remote site collocation, the Parties will negotiate appropriate rates. | | | | | | | | | | | | | | | |
| VIRTUAL COLLOCATION | | | | | | | | | | | | | | | |
| | Virtual Collocation-Application Fee | | | AMTFS | EAF | | 1,205.26 | | 0.51 | | | | | | |
| | Virtual Collocation-Cable Installation Cost, per cable | | | AMTFS | ESPCX | | 859.71 | | 22.49 | | | | | | |
| | Virtual Collocation-Floor Space, per sq ft | | | AMTFS | ESPVX | 3.22 | | | | | | | | | |
| | Virtual Collocation-Power, per fused amp | | | AMTFS | ESPAX | 7.83 | | | | | | | | | |
| | Virtual Collocation-Cable Support Structure, per entrance cable | | | AMTFS | ESPSX | 14.97 | | | | | | | | | |
| | Virtual Collocation-2W Cross Connects (loop) | | | UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,UNCVX,UNCDX ,UNCNX | UEAC2 | 0.03 | 12.30 | 11.80 | 6.03 | 5.44 | | | | | |
| | Virtual Collocation-4W Cross Connects (loop) | | | UEA,UHL,UCL,UDL, UAL,UDN,UNCVX,U NCDX | UEAC4 | 0.05 | 12.39 | 11.87 | 6.39 | 5.73 | | | | | |
| | Virtual Collocation-2-Fiber Cross Connects | | | UDL12,UDLO3,U1T 48,U1T12,U1T03,UL DO3,ULD12,ULD48, UDF | CNC2F | 2.84 | 20.89 | 15.20 | 7.38 | 5.92 | | | | | |
| | Virtual Collocation-4-Fiber Cross Connects | | | UDL12,UDLO3,U1T 48,U1T12,U1T03,UL DO3,ULD12,ULD48, UDF | CNC4F | 5.69 | 25.55 | 19.86 | 9.71 | 8.25 | | | | | |
| | Virtual collocation-Special Access & UNE, cross-connect per DS1 | | | USL,UJC,ULR,UXT D1,UNC1X,ULDD1, U1TD1,USLEL,UNL D1,UEPEX,UEPDX | CNC1X | 1.11 | 22.03 | 15.93 | 6.40 | 5.79 | | | | | |
| | Virtual collocation-Special Access & UNE, cross-connect per DS3 | | | USL,UE3,U1TD3,UX TS1,UXTD3,UNC3X, UNCSX,ULDD3,U1T S1,ULDS1,ULDSX,U NLD3 | CND3X | 14.16 | 20.89 | 15.20 | 7.38 | 5.92 | | | | | |
| | Virtual Collocation-Co-Carrier Cross Connects-Fiber Cable Support Structure, per linear ft | | | AMTFS | VE1CB | 0.0026 | | | | | | | | | |
| | Virtual Collocation-Co-Carrier Cross Connects-Copper/Coax Cable Support Structure, per linear ft | | | AMTFS | VE1CD | 0.0038 | | | | | | | | | |
| | Virtual Collocation-Co-Carrier Cross Connects-Fiber Cable Support Structure,per cable | | | AMTFS | VE1CC | | 535.37 | | | | | | | | |
| | Virtual Collocation-Co-Carrier Cross Connects-Copper/Coax Cable Support Structure, per cable | | | AMTFS | VE1CE | | 535.37 | | | | | | | | |
| | Virtual Collocation Cable Records-per request | | | AMTFS | VE1BA | | 759.29 | 488.11 | 133.00 | | | | | | |
| | Virtual Collocation Cable Records-VG/DS0 Cable, per cable record | | | AMTFS | VE1BB | | 326.92 | 326.92 | 189.12 | | | | | | |
| | Virtual Collocation Cable Records-VG/DS0 Cable, per each 100 pr | | | AMTFS | VE1BC | | 4.81 | | 5.90 | | | | | | |
| | Virtual Collocation Cable Records-DS1, per T1TIE | | | AMTFS | VE1BD | | 2.25 | | 2.76 | | | | | | |
| | Virtual Collocation Cable Records-DS3, per T3TIE | | | AMTFS | VE1BE | | 7.88 | | 9.66 | | | | | | |
| | Virtual Collocation Cable Records-Fiber Cable, per 99 fiber records | | | AMTFS | VE1BF | | 84.49 | | 77.13 | | | | | | |

| COLLOCATION - Alabama | | | | | | | | | | | Attachment: 4 | | Exhibit: B | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|--|---------|------|-------|-------|------------|-----------------------------|--------------------------------------|--|--|---|---|----------------|--------------|-------|------------------|--|--------|-------|-------|-------|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES (\$) | Svc Order Submitted per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l | OSS Rates (\$) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | Rec | Nonrecurring | | Nonrecurring Dis | | SOME C | SOMAN | SOMAN | SOMAN | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | First | Add'l | First | Add'l | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VIRTUAL COLLOCATION | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Virtual Collocation-2W Cross Connect, Exchange Port 2W Analog-Res | | | UEPSR | VE1R2 | 0.03 | 12.30 | 11.80 | 6.03 | 5.44 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Virtual Collocation 2W Cross Connect, Exchange Port 2W Line Side PBX Trunk-Bus | | | UEPSP | VE1R2 | 0.03 | 12.30 | 11.80 | 6.03 | 5.44 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Virtual Collocation 2W Cross Connect, Exchange Port 2W VG PBX Trunk-Res | | | UEPSE | VE1R2 | 0.03 | 12.30 | 11.80 | 6.03 | 5.44 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Virtual Collocation 2W Cross Connect, Exchange Port 2W Analog Bus | | | UEPSB | VE1R2 | 0.03 | 12.30 | 11.80 | 6.03 | 5.44 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Virtual Collocation 2W Cross Connect, Exchange Port 2W ISDN | | | UEPSX | VE1R2 | 0.03 | 12.30 | 11.80 | 6.03 | 5.44 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Virtual Collocation 2W Cross Connect, Exchange Port 2W ISDN | | | UEPTX | VE1R2 | 0.03 | 12.30 | 11.80 | 6.03 | 5.44 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Virtual Collocation 4W Cross Connect, Exchange Port 4W ISDN DS1 | | | UEPEX | VE1R4 | 0.05 | 12.39 | 11.87 | 6.39 | 5.44 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Note: Rates displaying an "R" in Interim column are interim and subject to rate true-up as set forth in General Terms and Conditions. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

| COLLOCATION - Florida | | | | | | | | | | | | | | Attachment: 4 | | Exhibit: B | |
|-----------------------------|---|---------|------|---|-------|------------|--------------|-------|------------------|----------------------------------|--------------------------------------|--|--|---|---|----------------|--|
| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES (\$) | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l | | |
| | | | | | | Rec | Nonrecurring | | Nonrecurring Dis | | | | | | | OSS Rates (\$) | |
| | | | | | | | First | Add'l | First | Add'l | SOME | SOMAN | SOMAN | SOMAN | SOMAN | | |
| PHYSICAL COLLOCATION | | | | | | | | | | | | | | | | | |
| | Physical Collocation 2W Cross Connect, Exchange Port 2W Analog-Res | | | UEPSR | PE1R2 | 0.0276 | 8.22 | 7.22 | | | | | | | | | |
| | Physical Collocation 2W Cross Connect, Exchange Port 2W Line Side PBX Trunk-Bus | | | UEPSP | PE1R2 | 0.0276 | 8.22 | 7.22 | | | | | | | | | |
| | Physical Collocation 2W Cross Connect, Exchange Port 2W VG PBX Trunk-Res | | | UEPSE | PE1R2 | 0.0276 | 8.22 | 7.22 | | | | | | | | | |
| | Physical Collocation 2W Cross Connect, Exchange Port 2W Analog-Bus | | | UEPSB | PE1R2 | 0.0276 | 8.22 | 7.22 | | | | | | | | | |
| | Physical Collocation 2W Cross Connect, Exchange Port 2W ISDN | | | UEPSX | PE1R2 | 0.0276 | 8.22 | 7.22 | | | | | | | | | |
| | Physical Collocation 2W Cross Connect, Exchange Port 2W ISDN | | | UEPTX | PE1R2 | 0.0276 | 8.22 | 7.22 | | | | | | | | | |
| | Physical Collocation 4W Cross Connect, Exchange Port 4W ISDN DS1 | | | UEPEX | PE1R4 | 0.0552 | 8.42 | 7.36 | | | | | | | | | |
| PHYSICAL COLLOCATION | | | | | | | | | | | | | | | | | |
| | Physical Collocation-Initial Application Fee | | | CLO | PE1BA | | 2,597.00 | | | | | | | | | | |
| | Physical Collocation-Subsequent Application Fee | | | CLO | PE1CA | | 2,236.00 | | | | | | | | | | |
| | Physical Collocation Administrative Only-Application Fee | I | | CLO | PE1BL | | 742.00 | | | | | | | | | | |
| | Physical Collocation-Space Preparation-Firm Order Processing | | | CLO | PE1SJ | | 288.93 | | | | | | | | | | |
| | Physical Collocation-Space Preparation-CO Modification per sq ft | | | CLO | PE1SK | 2.38 | | | | | | | | | | | |
| | Physical Collocation-Space Preparation-Common Systems Modifications-Caged, per cage | | | CLO | PE1SM | 92.55 | | | | | | | | | | | |
| | Physical Collocation-Cable Installation, Pricing, NRC charge, per Entrance Cable | | | CLO | PE1BD | | 1,750.00 | | 45.16 | | | | | | | | |
| | Physical Collocation-Floor Space, per sq ft | | | CLO | PE1PJ | 7.86 | | | | | | | | | | | |
| | Physical Collocation-Cable Support Structure, per Entrance Cable | | | CLO | PE1PM | 18.96 | | | | | | | | | | | |
| | Physical Collocation-Power, -48V DC Power-per Fused Amp | | | CLO | PE1PL | 7.80 | | | | | | | | | | | |
| | Physical Collocation-Power Reduction Only, Application Fee | I | | CLO | PE1PR | | 399.43 | | | | | | | | | | |
| | Physical Collocation-Power, 120V AC Power, Single Phase, per Breaker | | | CLO | PE1FB | 5.38 | | | | | | | | | | | |
| | Physical Collocation-Power, 240V AC Power, Single Phase, per Breaker | | | CLO | PE1FD | 10.77 | | | | | | | | | | | |
| | Physical Collocation-Power, 120V AC Power, Three Phase, per Breaker Amp | | | CLO | PE1FE | 16.15 | | | | | | | | | | | |
| | Physical Collocation-Power, 277V AC Power, Three Phase, per Breaker Amp | | | CLO | PE1FG | 37.30 | | | | | | | | | | | |
| | Physical Collocation-2W cross-connect, loop, provisioning | | | UEANL,UEQ,UNLDX,UNCNX | PE1P2 | 0.0276 | 8.22 | 7.22 | 5.74 | 4.58 | | | | | | | |
| | Physical Collocation-4W cross-connect, loop, provisioning | | | UEA,UHL,UNCVX,UNCDX,UCL,UDL | PE1P4 | 0.0552 | 8.42 | 7.36 | 5.90 | 4.66 | | | | | | | |
| | Physical Collocation -DS1 Cross-Connect for Physical Collocation, provisioning | | | UEANL,UEQ,WDS1L,WDS1S,UXTD1,U | PE1P1 | 1.32 | 27.77 | 15.52 | 5.93 | 4.77 | | | | | | | |
| | Physical Collocation-DS3 Cross-Connect, provisioning | | | LDD1,USLEL,UNLD1,UDL,UEPEX,UEP | | | | | | | | | | | | | |
| | | | | UE3,U1TD3,UXTD3,UXTS1,UNC3X,UNCSX,ULDD3,U1TS1,ULDS1,UNLD3 | PE1P3 | 16.81 | 25.48 | 14.05 | 7.77 | 5.01 | | | | | | | |
| | Physical Collocation-2-Fiber Cross-Connect | | | CLO,ULDO3,ULD12,ULD48,U1TO3,U1T12,U1T48,UDLO3,UDL12,UDF | PE1F2 | 3.34 | 41.94 | 30.52 | 13.91 | 11.16 | | | | | | | |
| | Physical Collocation-4-Fiber Cross-Connect | | | ULDO3,ULD12,ULD48,U1TO3,U1T12,U1T48,UDLO3,UDL12,UDF | PE1F4 | 5.92 | 51.30 | 39.87 | 18.29 | 15.54 | | | | | | | |
| | Physical Collocation-Space enclosure, welded wire, first 100 sq ft | | | CLO | PE1BW | 189.45 | | | | | | | | | | | |
| | Physical Collocation-Space enclosure, welded wire, each add'l 50 sq ft | | | CLO | PE1CW | 18.58 | | | | | | | | | | | |

| COLLOCATION - Florida | | | | | | | | | | | | | | | | Attachment: 4 | | Exhibit: B | |
|-----------------------|---|---------|------|-----|-------|------------|--------------|--------|------------------|----------------------------------|--------------------------------------|--|--|---|---|----------------|--|------------|--|
| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES (\$) | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l | | | | |
| | | | | | | Rec | Nonrecurring | | Nonrecurring Dis | | | | | | | OSS Rates (\$) | | | |
| | | | | | | | First | Add'l | First | Add'l | SOME | SOMAN | SOMAN | SOMAN | SOMAN | | | | |
| | Physical Collocation-Security Access System-Security System per CO | | | CLO | PE1AY | 0.0105 | | | | | | | | | | | | | |
| | Physical Collocation -Security Access System-New Card Activation, per Card Activation (First), per State | | | CLO | PE1A1 | 0.0577 | 55.80 | | | | | | | | | | | | |
| | Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Request, per State, per Card | | | CLO | PE1AA | | 15.65 | | | | | | | | | | | | |
| | Physical Collocation-Security Access System-Replace Lost or Stolen Card, per Card | | | CLO | PE1AR | | 45.75 | | | | | | | | | | | | |
| | Physical Collocation-Security Access-Initial Key, per Key | | | CLO | PE1AK | | 26.30 | | | | | | | | | | | | |
| | Physical Collocation-Security Access-Key, Replace Lost or Stolen Key, per Key | | | CLO | PE1AL | | 26.30 | | | | | | | | | | | | |
| | Physical Collocation-Space Availability Report, per CO Requested | | | CLO | PE1SR | | 2,159.00 | | | | | | | | | | | | |
| | Physical Collocation-CFA Information Resend Request, per premises, per request | | | CLO | PE1C9 | | 77.54 | | | | | | | | | | | | |
| | Physical Collocation-Cable Records, per request | | | CLO | PE1CR | | 1,525.00 | 980.22 | 267.08 | | | | | | | | | | |
| | Physical Collocation, Cable Records, VG/DS0 Cable, per cable record (maximum 3600 records) | | | CLO | PE1CD | | 656.50 | | 379.78 | | | | | | | | | | |
| | Physical Collocation, Cable Records, VG/DS0 Cable, per each 100 pr | | | CLO | PE1CO | | 9.66 | | 11.84 | | | | | | | | | | |
| | Physical Collocation, Cable Records, DS1, per T1 TIE | | | CLO | PE1C1 | | 4.52 | | 5.54 | | | | | | | | | | |
| | Physical Collocation, Cable Records, DS3, per T3 TIE | | | CLO | PE1C3 | | 15.82 | | 19.40 | | | | | | | | | | |
| | Physical Collocation-Cable Records, Fiber Cable, per cable record (maximum 99 records) | | | CLO | PE1CB | | 169.67 | | 154.89 | | | | | | | | | | |
| | Physical Collocation-Security Escort for Basic Time-normally scheduled work, per half hr | | | CLO | PE1BT | | 16.52 | 10.83 | | | | | | | | | | | |
| | Physical Collocation-Security Escort for Overtime-outside of normally scheduled working hrs on a scheduled work day, per half hr | | | CLO | PE1OT | | 21.92 | 14.19 | | | | | | | | | | | |
| | Physical Collocation-Security Escort for Premium Time-outside of scheduled work day, per half hr | | | CLO | PE1PT | | 27.31 | 17.55 | | | | | | | | | | | |
| | Physical Collocation-Virtual to Physical Collocation Relocation, per VG Circuit | I | | CLO | PE1BV | | 33.00 | | | | | | | | | | | | |
| | Physical Collocation-Virtual to Physical Collocation Relocation, per DSO Circuit | I | | CLO | PE1BO | | 33.00 | | | | | | | | | | | | |
| | Physical Collocation-Virtual to Physical Collocation Relocation, per DS1 Circuit | I | | CLO | PE1B1 | | 52.00 | | | | | | | | | | | | |
| | Physical Collocation-Virtual to Physical Collocation Relocation, per DS3 Circuit | I | | CLO | PE1B3 | | 52.00 | | | | | | | | | | | | |
| | Physical Collocation-Virtual to Physical Collocation In-Place, Per VG Circuit | I | | CLO | PE1BR | | 23.00 | | | | | | | | | | | | |
| | Physical Collocation Virtual to Physical Collocation In-Place, Per DSO Circuit | I | | CLO | PE1BP | | 23.00 | | | | | | | | | | | | |
| | Physical Collocation-Virtual to Physical Collocation In-Place, Per DS1 Circuit | I | | CLO | PE1BS | | 33.00 | | | | | | | | | | | | |
| | Physical Collocation-Virtual to Physical Collocation In-Place, per DS3 Circuit | I | | CLO | PE1BE | | 37.00 | | | | | | | | | | | | |
| | Physical Collocation-Virtual to Physical Collocation In-Place/Relocation, space cable facilities assigned to Collocation Space, per 700 cable prs or fraction thereof | I | | CLO | PE1B7 | | 592.00 | | | | | | | | | | | | |
| | Physical Collocation-Co-Carrier Cross Connects/Direct Connect-Fiber Cable Support Structure, per linear ft | | | CLO | PE1ES | 0.001 | | | | | | | | | | | | | |
| | Physical Collocation-Co-Carrier Cross Connect/Direct Connect-Copper/Coax Cable Support Structure, per lin. ft | | | CLO | PE1DS | 0.0014 | | | | | | | | | | | | | |

| COLLOCATION - Florida | | | | | | | | | | | | | | Attachment: 4 | | Exhibit: B | |
|---|--|---------|------|-----------------|-------|------------|--------------|--------|------------------|----------------------------------|--------------------------------------|--|--|---|---|----------------|--|
| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES (\$) | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l | | |
| | | | | | | Rec | Nonrecurring | | Nonrecurring Dis | | | | | | | OSS Rates (\$) | |
| | | | | | | | First | Add'l | First | Add'l | SOME C | SOMAN | SOMAN | SOMAN | SOMAN | | |
| | Physical Collocation-Co-Carrier Cross Connects/Direct Connect, Application Fee, per application | | | CLO | PE1DT | | 584.11 | | | | | | | | | | |
| | Physical Collocation-Copper Entrance Cable per Cable (CO manhole to vault splice) | | | CLO | PE1EA | | 1,169.133 | 42.712 | | | | | | | | | |
| | Physical Collocation-Copper Entrance Cable Installation, per 100 prs | | | CLO | PE1EB | | 18.009 | | | | | | | | | | |
| | Physical Collocation-Fiber Entrance Cable per Cable (CO manhole to vault splice) | | | CLO | PE1EC | | 973.661 | 42.712 | | | | | | | | | |
| | Physical Collocation-Fiber Entrance Cable Installation, per Fiber | | | CLO | PE1ED | | 7.24 | | | | | | | | | | |
| | Physical Collocation-Co-Carrier Cross Connect/Direct Connect-Fiber Cable Support Structure, per cable | I | | CLO | PE1DU | | 535.54 | | | | | | | | | | |
| | Physical Collocation-Co-Carrier Cross Connect/Direct Connect-Copper/Coax Cable Support Structure, per cable | I | | CLO | PE1DV | | 535.54 | | | | | | | | | | |
| ADJACENT COLLOCATION | | | | | | | | | | | | | | | | | |
| | Adjacent Collocation-Space Charge per sq ft | | | CLOAC | PE1JA | 0.1635 | | | | | | | | | | | |
| | Adjacent Collocation-Electrical Facility Charge per Linear ft | | | CLOAC | PE1JC | 5.11 | | | | | | | | | | | |
| | Adjacent Collocation-2W Cross-Connects | | | UEA,UHL,UDL,UCL | PE1P2 | 0.0213 | 24.69 | 23.69 | 11.77 | 10.62 | | | | | | | |
| | Adjacent Collocation-4W Cross-Connects | | | UEA,UHL,UDL,UCL | PE1P4 | 0.0426 | 24.88 | 23.83 | 12.04 | 10.80 | | | | | | | |
| | Adjacent Collocation-DS1 Cross-Connects | | | UEA,UHL,UDL,UCL | PE1P1 | 1.22 | 44.24 | 31.98 | 12.07 | 10.91 | | | | | | | |
| | Adjacent Collocation-DS3 Cross-Connects | | | UEA,UHL,UDL,UCL | PE1P3 | 16.56 | 41.94 | 30.52 | 13.91 | 11.15 | | | | | | | |
| | Adjacent Collocation-2-Fiber Cross-Connect | | | CLOAC | PE1F2 | 2.81 | 41.94 | 30.52 | 13.91 | 11.16 | | | | | | | |
| | Adjacent Collocation-4-Fiber Cross-Connect | | | CLOAC | PE1F4 | 5.36 | 51.30 | 39.87 | 18.29 | 15.54 | | | | | | | |
| | Adjacent Collocation-Application Fee | | | CLOAC | PE1JB | | 2,785.00 | | | | | | | | | | |
| | Adjacent Collocation-120V, Single Phase Standby Power Rate per AC Breaker Amp | | | CLOAC | PE1FB | 5.38 | | | | | | | | | | | |
| | Adjacent Collocation-240V, Single Phase Standby Power Rate per AC Breaker Amp | | | CLOAC | PE1FD | 10.77 | | | | | | | | | | | |
| | Adjacent Collocation-120V, Three Phase Standby Power Rate per AC Breaker Amp | | | CLOAC | PE1FE | 16.15 | | | | | | | | | | | |
| | Adjacent Collocation-277V, Three Phase Standby Power Rate per AC Breaker Amp | | | CLOAC | PE1FG | 37.30 | | | | | | | | | | | |
| | Adjacent Collocation-Cable Support Structure per Entrance Cable | I | | CLOAC | PE1PM | 18.96 | | | | | | | | | | | |
| PHYSICAL COLLOCATION IN THE REMOTE SITE | | | | | | | | | | | | | | | | | |
| | Physical Collocation in the Remote Site-Application Fee | | | CLORS | PE1RA | | 617.91 | | 328.81 | | | | | | | | |
| | Cabinet Space in the Remote Site per Bay/ Rack | | | CLORS | PE1RB | 219.49 | | | | | | | | | | | |
| | Physical Collocation in the Remote Site-Security Access-Key | | | CLORS | PE1RD | | 26.30 | | | | | | | | | | |
| | Physical Collocation in the Remote Site-Space Availability Report per Premises Requested | | | CLORS | PE1SR | | 232.69 | | | | | | | | | | |
| | Physical Collocation in the Remote Site-Remote Site CLLI Code Request, per CLLI Code Requested | | | CLORS | PE1RE | | 75.41 | | | | | | | | | | |
| | Remote Site DLEC Data (BRSDDD), per Compact Disk, per CO | | | CLORS | PE1RR | | 233.51 | | | | | | | | | | |
| | Physical Collocation-Security Escort for Basic Time-normally scheduled work, per half hr | | | CLORS | PE1BT | | 16.52 | 10.83 | | | | | | | | | |
| | Physical Collocation-Security Escort for Overtime-outside of normally scheduled working hrs on a scheduled work day, per half hr | | | CLORS | PE1OT | | 21.92 | 14.19 | | | | | | | | | |
| | Physical Collocation-Security Escort for Premium Time-outside of scheduled work day, per half hr | | | CLORS | PE1PT | | 27.31 | 17.55 | | | | | | | | | |
| PHYSICAL COLLOCATION IN THE REMOTE SITE - ADJACENT | | | | | | | | | | | | | | | | | |
| | Remote Site-Adjacent Collocation-AC Power, per breaker amp | | | CLORS | PE1RS | 6.27 | | | | | | | | | | | |
| | Remote Site-Adjacent Collocation-Real Estate, per sq ft | | | CLORS | PE1RT | 0.134 | | | | | | | | | | | |
| | Remote Site-Adjacent Collocation-Application Fee | | | CLORS | PE1RU | | 755.62 | 755.62 | | | | | | | | | |
| NOTE: If Security Escort and/or Add'l Engineering Fees become necessary for remote site collocation, the Parties will negotiate appropriate rates. | | | | | | | | | | | | | | | | | |

| COLLOCATION - Florida | | | | | | | | | | | Attachment: 4 | | Exhibit: B | | |
|----------------------------|--|---------|------|---|-------|------------|--------------|----------|------------------|-----------------------------|--------------------------------------|--|--|---|---|
| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES (\$) | | | | Svc Order Submitted per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | Rec | Nonrecurring | | Nonrecurring Dis | | | | | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN |
| VIRTUAL COLLOCATION | | | | | | | | | | | | | | | |
| | Virtual Collocation-Application Fee | | | AMTFS | EMF | | 4,122.00 | 1,249.00 | | | | | | | |
| | Virtual Collocation-Cable Installation Cost, per cable | | | AMTFS | ESPCX | 12.45 | 965.00 | | | | | | | | |
| | Virtual Collocation-Floor Space, per sq ft | | | AMTFS | ESPVX | 4.25 | | | | | | | | | |
| | Virtual Collocation-Power, per fused amp | | | AMTFS | ESPAX | 6.95 | | | | | | | | | |
| | Virtual Collocation-Cable Support Structure, per entrance cable | | | AMTFS | ESPSX | 13.35 | | | | | | | | | |
| | Virtual Collocation-2W Cross Connects (loop) | | | UEANL,UEA,UDN,UDC,UAL,UHL,UCL,U EQ,UNCVX,UNCDX ,UNCNX | UEAC2 | 0.0502 | 11.57 | | | | | | | | |
| | Virtual Collocation-4W Cross Connects (loop) | | | UEA,UHL,UCL,UDL, UAL,UDN,UNCVX,U NCDX | UEAC4 | 0.0502 | 11.57 | | | | | | | | |
| | Virtual Collocation-2-Fiber Cross Connects | | | UDL12,UDLO3,U1T 48,U1T12,U1T03,UL DO3,ULD12,ULD48, UDF | CNC2F | 6.71 | 2,431.00 | | | | | | | | |
| | Virtual Collocation-4-Fiber Cross Connects | | | UDL12,UDLO3,U1T 48,U1T12,U1T03,UL DO3,ULD12,ULD48, UDF | CNC4F | 6.71 | 2,431.00 | | | | | | | | |
| | Virtual collocation-Special Access & UNE, cross-connect per DS1 | | | USL,ULC,ULR,UXT D1,UNC1X,ULDD1, U1TD1,USLEL,UNL D1,UEPEX,UEPDX | CNC1X | 7.50 | 155.00 | 14.00 | | | | | | | |
| | Virtual collocation-Special Access & UNE, cross-connect per DS3 | | | USL,UE3,U1TD3,UX TS1,UXTD3,UNC3X, UNCSX,ULDD3,U1T S1,ULDS1,UDLSX,U NLD3 | CND3X | 56.25 | 151.90 | 11.83 | | | | | | | |
| | Virtual Collocation-Co-Carrier Cross Connects-Fiber Cable Support Structure, per linear ft | | | AMTFS | VE1CB | 0.0028 | | | | | | | | | |
| | Virtual Collocation-Co-Carrier Cross Connects-Copper/Coax Cable Support Structure, per linear ft | | | AMTFS | VE1CD | 0.0041 | | | | | | | | | |
| | Virtual Collocation-Co-Carrier Cross Connects-Fiber Cable Support Structure,per cable | | | AMTFS | VE1CC | | 535.54 | | | | | | | | |
| | Virtual Collocation-Co-Carrier Cross Connects-Copper/Coax Cable Support Structure, per cable | | | AMTFS | VE1CE | | 535.54 | | | | | | | | |
| | Virtual Collocation Cable Records-per request | | | AMTFS | VE1BA | | 1,525.00 | | 267.08 | | | | | | |
| | Virtual Collocation Cable Records-VG/DS0 Cable, per cable record | | | AMTFS | VE1BB | | 656.50 | | 379.78 | | | | | | |
| | Virtual Collocation Cable Records-VG/DS0 Cable, per each 100 pr | | | AMTFS | VE1BC | | 9.66 | | 11.84 | | | | | | |
| | Virtual Collocation Cable Records-DS1, per T1TIE | | | AMTFS | VE1BD | | 4.52 | | 5.54 | | | | | | |
| | Virtual Collocation Cable Records-DS3, per T3TIE | | | AMTFS | VE1BE | | 15.82 | | 19.40 | | | | | | |
| | Virtual Collocation Cable Records-Fiber Cable, per 99 fiber records | | | AMTFS | VE1BF | | 169.67 | | 154.89 | | | | | | |
| | Virtual collocation-Security Escort-Basic, per quarter hr | | | AMTFS | SPTBQ | | 10.89 | | | | | | | | |
| | Virtual collocation-Security Escort-Overtime, per quarter hr | | | AMTFS | SPTOQ | | 13.64 | | | | | | | | |
| | Virtual collocation-Security Escort-Premium, per quarter hr | | | AMTFS | SPTPQ | | 16.40 | | | | | | | | |
| | Virtual Collocation-2W Cross Connects (loop), per ckts | | | AMTFS | VE1R2 | 0.05 | 11.57 | | | | | | | | |
| | Virtual Collocation-4W Cross Connects (loop), per ckts | | | AMTFS | VE1R4 | 0.05 | 11.57 | | | | | | | | |
| | Virtual Collocation-DS-1/DCS Cross Connects, PER CKTS | | | AMTFS | VE11S | 8.09 | 69.64 | | | | | | | | |
| | Virtual Collocation-DS-1.DSX Cross Connects, PER CKTS | | | AMTFS | VE11X | 0.41 | 69.64 | | | | | | | | |

| COLLOCATION - Florida | | | | | | | | | | | | | Attachment: 4 | | Exhibit: B | |
|-----------------------|--|---------|------|-------|-------|------------|--------------|-------|------------------|----------------------------------|--------------------------------------|--|--|---|---|----------------|
| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES (\$) | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l | |
| | | | | | | Rec | Nonrecurring | | Nonrecurring Dis | | | | | | | OSS Rates (\$) |
| | | | | | | | First | Add'l | First | Add'l | SOME C | SOMAN | SOMAN | SOMAN | SOMAN | |
| | Virtual Collocation-DS-3/DSC Cross Connects, PER CKT | | | AMTFS | VE13S | 59.67 | 528.00 | | | | | | | | | |
| | Virtual Collocation-DS-3/DSC Cross Connects, PER CKT | | | AMTFS | VE13X | 10.06 | 528.00 | | | | | | | | | |
| | Virtual collocation-Maintenance in CO-Basic, per quarter hr | | | AMTFS | SPTRE | | 10.89 | | | | | | | | | |
| | Virtual collocation-Maintenance in CO-Overtime, per quarter hr | | | AMTFS | SPTOE | | 13.64 | | | | | | | | | |
| | Virtual collocation-Maintenance in CO-Premium per quarter hr | | | AMTFS | SPTPE | | 16.40 | | | | | | | | | |

| COLLOCATION - Florida | | | | | | | | | | | | | | Attachment: 4 | | Exhibit: B | |
|--|--|---------|------|-------|-------|------------|--------------|-------|------------------|----------------------------------|--------------------------------------|--|--|---|---|----------------|--|
| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES (\$) | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l | | |
| | | | | | | Rec | Nonrecurring | | Nonrecurring Dis | | | | | | | OSS Rates (\$) | |
| | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN | |
| VIRTUAL COLLOCATION | | | | | | | | | | | | | | | | | |
| | Virtual Collocation-2W Cross Connect, Exchange Port 2W Analog-Res | | | UEPSR | VE1R2 | 0.0502 | 11.57 | 11.57 | | | | | | | | | |
| | Virtual Collocation 2W Cross Connect, Exchange Port 2W Line Side PBX Trunk-Bus | | | UEPSP | VE1R2 | 0.0502 | 11.57 | 11.57 | | | | | | | | | |
| | Virtual Collocation 2W Cross Connect, Exchange Port 2W VG PBX Trunk-Res | | | UEPSE | VE1R2 | 0.0502 | 11.57 | 11.57 | | | | | | | | | |
| | Virtual Collocation 2W Cross Connect, Exchange Port 2W Analog Bus | | | UEPSB | VE1R2 | 0.0502 | 11.57 | 11.57 | | | | | | | | | |
| | Virtual Collocation 2W Cross Connect, Exchange Port 2W ISDN | | | UEPSX | VE1R2 | 0.0502 | 11.57 | 11.57 | | | | | | | | | |
| | Virtual Collocation 2W Cross Connect, Exchange Port 2W ISDN | | | UEPTX | VE1R2 | 0.0502 | 11.57 | 11.57 | | | | | | | | | |
| | Virtual Collocation 4W Cross Connect, Exchange Port 4W ISDN DS1 | | | UEPEX | VE1R4 | 0.0502 | 11.57 | 11.57 | | | | | | | | | |
| Note: Rates displaying an "R" in Interim column are interim and subject to rate true-up as set forth in General Terms and Conditions. | | | | | | | | | | | | | | | | | |

| COLLOCATION - Georgia | | | | | | | | | | | Attachment: 4 | | Exhibit: B | | |
|-----------------------------|--|---------|------|---|-------|------------|--------------|-------|------------------|-----------------------------|--------------------------------------|--|--|---|---|
| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES (\$) | | | | Svc Order Submitted per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | Rec | Nonrecurring | | Nonrecurring Dis | | | | | | |
| | | | | | | | First | Add'l | First | Add'l | SOME C | SOMAN | SOMAN | SOMAN | SOMAN |
| PHYSICAL COLLOCATION | | | | | | | | | | | | | | | |
| | Physical Collocation 2W Cross Connect, Exchange Port 2W Analog-Res | I | | UEPSR | PE1R2 | 0.30 | 12.60 | 12.60 | | | | | | | |
| | Physical Collocation 2W Cross Connect, Exchange Port 2W Line Side PBX Trunk-Bus | I | | UEPSP | PE1R2 | 0.30 | 12.60 | 12.60 | | | | | | | |
| | Physical Collocation 2W Cross Connect, Exchange Port 2W VG PBX Trunk-Res | I | | UEPSE | PE1R2 | 0.30 | 12.60 | 12.60 | | | | | | | |
| | Physical Collocation 2W Cross Connect, Exchange Port 2W Analog-Bus | I | | UEPSB | PE1R2 | 0.30 | 12.60 | 12.60 | | | | | | | |
| | Physical Collocation 2W Cross Connect, Exchange Port 2W ISDN | I | | UEPSX | PE1R2 | 0.30 | 12.60 | 12.60 | | | | | | | |
| | Physical Collocation 2W Cross Connect, Exchange Port 2W ISDN | I | | UEPTX | PE1R2 | 0.30 | 12.60 | 12.60 | | | | | | | |
| | Physical Collocation 4W Cross Connect, Exchange Port 4W ISDN DS1 | | | UEPEX | PE1R4 | 0.50 | 12.60 | 12.60 | | | | | | | |
| PHYSICAL COLLOCATION | | | | | | | | | | | | | | | |
| | Physical Collocation-Initial Application Fee | | | CLO | PE1BA | | 1,285.98 | | 0.59 | | | | | | |
| | Physical Collocation-Subsequent Application Fee | | | CLO | PE1CA | | 1,085.48 | | 0.59 | | | | | | |
| | Physical Collocation Administrative Only-Application Fee | | | CLO | PE1BL | | 740.83 | | | | | | | | |
| | Physical Collocation-Space Preparation-Firm Order Processing | | | CLO | PE1SJ | | 141.10 | | | | | | | | |
| | Physical Collocation-Space Preparation-CO Modification per sq ft | | | CLO | PE1SK | 2.01 | | | | | | | | | |
| | Physical Collocation-Space Preparation, Common Systems Modifications-Cageless, per sq ft | | | CLO | PE1SL | 2.23 | | | | | | | | | |
| | Physical Collocation-Space Preparation-Common Systems Modifications-Caged, per cage | | | CLO | PE1SM | 75.61 | | | | | | | | | |
| | Physical Collocation-Cable Installation, Pricing, NRC charge, per Entrance Cable | | | CLO | PE1BD | | 736.93 | | 21.51 | | | | | | |
| | Physical Collocation-Floor Space, per sq ft | | | CLO | PE1PJ | 4.52 | | | | | | | | | |
| | Physical Collocation-Cable Support Structure, per Entrance Cable | | | CLO | PE1PM | 7.21 | | | | | | | | | |
| | Physical Collocation-Power, -48V DC Power-per Fused Amp | | | CLO | PE1PL | 4.78 | | | | | | | | | |
| | Physical Collocation-Power Reduction Only, Application Fee | I | | CLO | PE1PR | | 398.80 | | | | | | | | |
| | Physical Collocation-Power, 120V AC Power, Single Phase, per Breaker | | | CLO | PE1FB | 5.14 | | | | | | | | | |
| | Physical Collocation-Power, 240V AC Power, Single Phase, per Breaker | | | CLO | PE1FD | 10.30 | | | | | | | | | |
| | Physical Collocation-Power, 120V AC Power, Three Phase, per Breaker Amp | | | CLO | PE1FE | 15.44 | | | | | | | | | |
| | Physical Collocation-Power, 277V AC Power, Three Phase, per Breaker Amp | | | CLO | PE1FG | 35.65 | | | | | | | | | |
| | Physical Collocation-2W cross-connect, loop, provisioning | | | UEANL,UEQ,UNLDX,UNCNX | PE1P2 | 0.0197 | | | | | | | | | |
| | Physical Collocation-4W cross-connect, loop, provisioning | | | UEA,UHL,UNCVX,UNCDX,UCL,UDL | PE1P4 | 0.0393 | | | | | | | | | |
| | Physical Collocation -DS1 Cross-Connect for Physical Collocation, provisioning | | | UEANL,UEQ,WDS1L,WDS1S,UXTD1,U | PE1P1 | 0.3726 | | | | | | | | | |
| | Physical Collocation-DS3 Cross-Connect, provisioning | | | LDD1,USLEL,UNLD1,UDL,UEPEX,UEP | PE1P3 | 4.06 | | | | | | | | | |
| | Physical Collocation-2-Fiber Cross-Connect | | | UE3,U1TD3,UXTD3,UXTS1,UNC3X,UNCSX,ULDD3,U1TS1,ULDS1,UNLD3 | PE1F2 | 1.72 | | | | | | | | | |
| | Physical Collocation-4-Fiber Cross-Connect | | | CLO,ULD03,ULD12,ULD48,U1TO3,U1T12,U1T48,UDLO3,UDL12,UDF | PE1F4 | 3.30 | | | | | | | | | |
| | Physical Collocation-4-Fiber Cross-Connect | | | ULD03,ULD12,ULD48,U1TO3,U1T12,U1T48,UDLO3,UDL12,UDF | | | | | | | | | | | |

| COLLOCATION - Georgia | | | | | | | | | | | Attachment: 4 | | Exhibit: B | | | | | | | |
|-----------------------|---|---------|------|-----|-------|------------|----------------------------------|--------------------------------------|--|--|---|---|----------------|--------------------|--------------------|------------------------|------------------------|--------|-------|-------|
| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES (\$) | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l | OSS Rates (\$) | | | | | | | |
| | | | | | | | | | | | | | Rec | Nonrecurring First | Nonrecurring Add'l | Nonrecurring Dis First | Nonrecurring Dis Add'l | SOMECS | SOMAN | SOMAN |
| | Physical Collocation-Space enclosure, welded wire, first 100 sq ft | | | CLO | PE1BW | 160.45 | | | | | | | | | | | | | | |
| | Physical Collocation-Space enclosure, welded wire, each add'l 50 sq ft | | | CLO | PE1CW | 15.74 | | | | | | | | | | | | | | |
| | Physical Collocation-Security Access System-Security System per CO | | | CLO | PE1AY | 0.0106 | | | | | | | | | | | | | | |
| | Physical Collocation-Security Access System-New Card Activation, per Card Activation (First), per State | | | CLO | PE1A1 | 22.00 | | | | | | | | | | | | | | |
| | Physical Collocation-Security Access System-New Access Card Deactivation, per Card | | | CLO | PE1A4 | 8.72 | 8.72 | | | | | | | | | | | | | |
| | Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Request, per State, per Card | | | CLO | PE1AA | 5.38 | | | | | | | | | | | | | | |
| | Physical Collocation-Security Access System-Replace Lost or Stolen Card, per Card | | | CLO | PE1AR | 17.01 | | | | | | | | | | | | | | |
| | Physical Collocation-Security Access-Initial Key, per Key | | | CLO | PE1AK | 13.20 | | | | | | | | | | | | | | |
| | Physical Collocation-Security Access-Key, Replace Lost or Stolen Key, per Key | | | CLO | PE1AL | 13.20 | | | | | | | | | | | | | | |
| | Physical Collocation-Space Availability Report, per CO Requested | | | CLO | PE1SR | 248.75 | | | | | | | | | | | | | | |
| | Physical Collocation-CFA Information Resend Request, per premises, per request | | | CLO | PE1C9 | 77.42 | | | | | | | | | | | | | | |
| | Physical Collocation-Cable Records, per request | | | CLO | PE1CR | 743.65 | 478.06 | 125.75 | | | | | | | | | | | | |
| | Physical Collocation, Cable Records, VG/DS0 Cable, per cable record (maximum 3600 records) | | | CLO | PE1CD | 317.60 | | 177.77 | | | | | | | | | | | | |
| | Physical Collocation, Cable Records, VG/DS0 Cable, per each 100 pr | | | CLO | PE1CO | 4.48 | | 5.30 | | | | | | | | | | | | |
| | Physical Collocation, Cable Records, DS1, per T1 TIE | | | CLO | PE1C1 | 2.22 | | 2.63 | | | | | | | | | | | | |
| | Physical Collocation, Cable Records, DS3, per T3 TIE | | | CLO | PE1C3 | 7.76 | | 9.19 | | | | | | | | | | | | |
| | Physical Collocation-Cable Records, Fiber Cable, per cable record (maximum 99 records) | | | CLO | PE1CB | 83.45 | | 73.57 | | | | | | | | | | | | |
| | Physical Collocation-Security Escort for Basic Time-normally scheduled work, per half hr | | | CLO | PE1BT | 16.52 | 10.83 | | | | | | | | | | | | | |
| | Physical Collocation-Security Escort for Overtime-outside of normally scheduled working hrs on a scheduled work day, per half hr | | | CLO | PE1OT | 21.92 | 14.19 | | | | | | | | | | | | | |
| | Physical Collocation-Security Escort for Premium Time-outside of scheduled work day, per half hr | | | CLO | PE1PT | 27.31 | 17.55 | | | | | | | | | | | | | |
| | Physical Collocation-Virtual to Physical Collocation Relocation, per VG Circuit | | | CLO | PE1BV | 33.00 | | | | | | | | | | | | | | |
| | Physical Collocation-Virtual to Physical Collocation Relocation, per DSO Circuit | | | CLO | PE1BO | 33.00 | | | | | | | | | | | | | | |
| | Physical Collocation-Virtual to Physical Collocation Relocation, per DS1 Circuit | | | CLO | PE1B1 | 52.00 | | | | | | | | | | | | | | |
| | Physical Collocation-Virtual to Physical Collocation Relocation, per DS3 Circuit | | | CLO | PE1B3 | 52.00 | | | | | | | | | | | | | | |
| | Physical Collocation-Virtual to Physical Collocation In-Place, Per VG Circuit | | | CLO | PE1BR | 23.00 | | | | | | | | | | | | | | |
| | Physical Collocation Virtual to Physical Collocation In-Place, Per DSO Circuit | | | CLO | PE1BP | 23.00 | | | | | | | | | | | | | | |
| | Physical Collocation-Virtual to Physical Collocation In-Place, Per DS1 Circuit | | | CLO | PE1BS | 33.00 | | | | | | | | | | | | | | |
| | Physical Collocation-Virtual to Physical Collocation In-Place, per DS3 Circuit | | | CLO | PE1BE | 37.00 | | | | | | | | | | | | | | |
| | Physical Collocation-Virtual to Physical Collocation In-Place/Relocation, space cable facilities assigned to Collocation Space, per 700 cable prs or fraction thereof | | | CLO | PE1B7 | 592.00 | | | | | | | | | | | | | | |

| COLLOCATION - Georgia | | | | | | | | | | | Attachment: 4 | | Exhibit: B | | | | | | | |
|--|---|---------|------|-----------------|-------|------------|----------------------------------|--------------------------------------|--|--|---|---|----------------|--------------------|--------------------|-------------------------|-------------------------|--------|-------|-------|
| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES (\$) | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l | OSS Rates (\$) | | | | | | | |
| | | | | | | | | | | | | | Rec | Nonrecurring First | Nonrecurring Add'l | Nonrecurring Disc First | Nonrecurring Disc Add'l | SOME C | SOMAN | SOMAN |
| | Physical Collocation-Co-Carrier Cross Connects/Direct Connect-Fiber Cable Support Structure, per linear ft | | | CLO | PE1ES | 0.001 | | | | | | | | | | | | | | |
| | Physical Collocation-Co-Carrier Cross Connect/Direct Connect-Copper/Coax Cable Support Structure, per lin. ft | | | CLO | PE1DS | 0.0015 | | | | | | | | | | | | | | |
| | Physical Collocation-Co-Carrier Cross Connects/Direct Connect, Application Fee, per application | | | CLO | PE1DT | 583.18 | | | | | | | | | | | | | | |
| | Physical Collocation-Copper Entrance Cable per Cable (CO manhole to vault splice) | | | CLO | PE1EA | 1,198.43 | 42.645 | | | | | | | | | | | | | |
| | Physical Collocation-Copper Entrance Cable Installation, per 100 prs | | | CLO | PE1EB | 18.071 | | | | | | | | | | | | | | |
| | Physical Collocation-Fiber Entrance Cable per Cable (CO manhole to vault splice) | | | CLO | PE1EC | 1,003.267 | 42.645 | | | | | | | | | | | | | |
| | Physical Collocation-Fiber Entrance Cable Installation, per Fiber | | | CLO | PE1ED | 7.228 | | | | | | | | | | | | | | |
| | Physical Collocation-Application Cost, Simple Augment | | | CLO | PE1KS | 594.05 | | 1.21 | | | | | | | | | | | | |
| | Physical Collocation-Application Cost, Minor Augment | | | CLO | PE1KM | 832.95 | | 1.21 | | | | | | | | | | | | |
| | Physical Collocation-Application Cost, Intermediate Augment | | | CLO | PE1K1 | 1,057.00 | | 1.21 | | | | | | | | | | | | |
| | Physical Collocation-Co-Carrier Cross Connect/Direct Connect-Fiber Cable Support Structure, per cable | I | | CLO | PE1DU | 553.43 | | | | | | | | | | | | | | |
| | Physical Collocation-Co-Carrier Cross Connect/Direct Connect-Copper/Coax Cable Support Structure, per cable | I | | CLO | PE1DV | 553.43 | | | | | | | | | | | | | | |
| | Physical Collocation-Power-Power Construction, per amp DC plant | I | | CLO | PE1PU | 3.44 | | | | | | | | | | | | | | |
| | Physical Collocation-Power-Power Consumption, per amp AC usage | I | | CLO | PE1PV | 1.34 | | | | | | | | | | | | | | |
| | Physical Collocation-Physical Meter Reading Expense | I | | CLO | PE1FL | 75.34 | | | | | | | | | | | | | | |
| | Physical Collocation-Meter Reading-Billing Setup Fee | I | | CLO | PE1FK | 300 | | | | | | | | | | | | | | |
| | Physical Collocation-add'l Meter Reading Trip Charge | I | | CLO | PE1FM | 285 | | | | | | | | | | | | | | |
| ADJACENT COLLOCATION | | | | | | | | | | | | | | | | | | | | |
| | Adjacent Collocation-Space Charge per sq ft | | | CLOAC | PE1JA | 0.164 | | | | | | | | | | | | | | |
| | Adjacent Collocation-Electrical Facility Charge per Linear ft | | | CLOAC | PE1JC | 4.01 | | | | | | | | | | | | | | |
| | Adjacent Collocation-2W Cross-Connects | | | UEA,UHL,UDL,UCL | PE1P2 | 0.0172 | | | | | | | | | | | | | | |
| | Adjacent Collocation-4W Cross-Connects | | | UEA,UHL,UDL,UCL | PE1P4 | 0.0344 | | | | | | | | | | | | | | |
| | Adjacent Collocation-DS1 Cross-Connects | | | UEA,UHL,UDL,UCL | PE1P1 | 0.3608 | | | | | | | | | | | | | | |
| | Adjacent Collocation-DS3 Cross-Connects | | | UEA,UHL,UDL,UCL | PE1P3 | 4.73 | | | | | | | | | | | | | | |
| | Adjacent Collocation-2-Fiber Cross-Connect | | | CLOAC | PE1F2 | 1.66 | | | | | | | | | | | | | | |
| | Adjacent Collocation-4-Fiber Cross-Connect | | | CLOAC | PE1F4 | 3.24 | | | | | | | | | | | | | | |
| | Adjacent Collocation-Application Fee | | | CLOAC | PE1JB | 1,382.19 | | 0.50 | | | | | | | | | | | | |
| | Adjacent Collocation-120V, Single Phase Standby Power Rate per AC Breaker Amp | | | CLOAC | PE1FB | 5.14 | | | | | | | | | | | | | | |
| | Adjacent Collocation-240V, Single Phase Standby Power Rate per AC Breaker Amp | | | CLOAC | PE1FD | 10.30 | | | | | | | | | | | | | | |
| | Adjacent Collocation-120V, Three Phase Standby Power Rate per AC Breaker Amp | | | CLOAC | PE1FE | 15.44 | | | | | | | | | | | | | | |
| | Adjacent Collocation-277V, Three Phase Standby Power Rate per AC Breaker Amp | | | CLOAC | PE1FG | 35.65 | | | | | | | | | | | | | | |
| | Adjacent Collocation-240V, Three Phase Standby Power Rate per AC Breaker Amp | I | | CLOAC | PE1JD | 35.65 | | | | | | | | | | | | | | |
| PHYSICAL COLLOCATION IN THE REMOTE SITE | | | | | | | | | | | | | | | | | | | | |
| | Physical Collocation in the Remote Site-Application Fee | | | CLORS | PE1RA | 300.61 | | 132.62 | | | | | | | | | | | | |
| | Cabinet Space in the Remote Site per Bay/ Rack | | | CLORS | PE1RB | 143.23 | | | | | | | | | | | | | | |
| | Physical Collocation in the Remote Site-Security Access-Key | | | CLORS | PE1RD | 13.20 | | | | | | | | | | | | | | |
| | Physical Collocation in the Remote Site-Space Availability Report per Premises Requested | | | CLORS | PE1SR | 109.94 | | | | | | | | | | | | | | |

| COLLOCATION - Georgia | | | | | | | | | | | Attachment: 4 | | Exhibit: B | | |
|---|--|---------|------|---|-------|------------|--------------|--------|------------------|-----------------------------|--------------------------------------|--|--|---|---|
| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES (\$) | | | | Svc Order Submitted per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | Rec | Nonrecurring | | Nonrecurring Dis | | | | | | |
| | | | | | | | First | Add'l | First | Add'l | SOMECS | SOMAN | SOMAN | SOMAN | SOMAN |
| PHYSICAL COLLOCATION IN THE REMOTE SITE - ADJACENT | | | | | | | | | | | | | | | |
| | Remote Site-Adjacent Collocation-AC Power, per breaker amp | | | CLORS | PE1RS | 6.27 | | | | | | | | | |
| | Remote Site-Adjacent Collocation-Real Estate, per sq ft | | | CLORS | PE1RT | 0.134 | | | | | | | | | |
| | Remote Site-Adjacent Collocation-Application Fee | | | CLORS | PE1RU | | 755.62 | 755.62 | | | | | | | |
| NOTE: If Security Escort and/or Add'l Engineering Fees become necessary for remote site collocation, the Parties will negotiate appropriate rates. | | | | | | | | | | | | | | | |
| VIRTUAL COLLOCATION | | | | | | | | | | | | | | | |
| | Virtual Collocation-Application Fee | | | AMTFS | EAF | | 609.52 | | 0.59 | | | | | | |
| | Virtual Collocation-Cable Installation Cost, per cable | | | AMTFS | ESPCX | | 736.93 | | 21.51 | | | | | | |
| | Virtual Collocation-Floor Space, per sq ft | | | AMTFS | ESPVX | 4.52 | | | | | | | | | |
| | Virtual Collocation-Power, per fused amp | | | AMTFS | ESPAX | 4.78 | | | | | | | | | |
| | Virtual Collocation-Cable Support Structure, per entrance cable | | | AMTFS | ESPSX | 7.57 | | | | | | | | | |
| | Virtual Collocation-2W Cross Connects (loop) | | | UEANL,UEA,UDN,UDC,UAL,UHL,UCL,U | UEAC2 | 0.0188 | | | | | | | | | |
| | Virtual Collocation-4W Cross Connects (loop) | | | UEA,UHL,UCL,UDL,UAL,UDN,UNCVX,U | UEAC4 | 0.0375 | | | | | | | | | |
| | Virtual Collocation-2-Fiber Cross Connects | | | UDL12,UDLO3,U1T48,U1T12,U1T03,ULDO3,ULD12,ULD48,UDF | CNC2F | 1.73 | | | | | | | | | |
| | Virtual Collocation-4-Fiber Cross Connects | | | UDL12,UDLO3,U1T48,U1T12,U1T03,ULDO3,ULD12,ULD48,UDF | CNC4F | 3.45 | | | | | | | | | |
| | Virtual collocation-Special Access & UNE, cross-connect per DS1 | | | USL,ULC,ULR,UXTD1,UNC1X,ULDD1,U1TD1,USLEL,UNLD1,UEPEX,UEPDX | CNC1X | 0.3726 | | | | | | | | | |
| | Virtual collocation-Special Access & UNE, cross-connect per DS3 | | | USL,UE3,U1TD3,UXTS1,UXTD3,UNC3X,UNCSX,ULDD3,U1TS1,ULDS1,UDLSX,UNLD3 | CND3X | 4.06 | | | | | | | | | |
| | Virtual Collocation-Co-Carrier Cross Connects-Fiber Cable Support Structure, per linear ft | | | AMTFS | VE1CB | 0.0023 | | | | | | | | | |
| | Virtual Collocation-Co-Carrier Cross Connects-Copper/Coax Cable Support Structure, per linear ft | | | AMTFS | VE1CD | 0.0034 | | | | | | | | | |
| | Virtual Collocation-Co-Carrier Cross Connects-Fiber Cable Support Structure, per cable | | | AMTFS | VE1CC | | 553.43 | | | | | | | | |
| | Virtual Collocation-Co-Carrier Cross Connects-Copper/Coax Cable Support Structure, per cable | | | AMTFS | VE1CE | | 553.43 | | | | | | | | |
| | Virtual Collocation Cable Records-per request | | | AMTFS | VE1BA | | 743.65 | 478.06 | 125.75 | | | | | | |
| | Virtual Collocation Cable Records-VG/DS0 Cable, per cable record | | | AMTFS | VE1BB | | 317.60 | | 177.77 | | | | | | |
| | Virtual Collocation Cable Records-VG/DS0 Cable, per each 100 pr | | | AMTFS | VE1BC | | 4.48 | | 5.30 | | | | | | |
| | Virtual Collocation Cable Records-DS1, per T1TIE | | | AMTFS | VE1BD | | 2.22 | | 2.63 | | | | | | |
| | Virtual Collocation Cable Records-DS3, per T3TIE | | | AMTFS | VE1BE | | 7.76 | | 9.19 | | | | | | |
| | Virtual Collocation Cable Records-Fiber Cable, per 99 fiber records | | | AMTFS | VE1BF | | 83.45 | | 73.57 | | | | | | |
| | Virtual collocation-Security Escort-Basic, per half hr | | | AMTFS | SPTBX | | 16.52 | 10.83 | | | | | | | |
| | Virtual collocation-Security Escort-Overtime, per half hr | | | AMTFS | SPTOX | | 21.92 | 14.19 | | | | | | | |

COLLOCATION - Georgia

| COLLOCATION - Georgia | | | | | | | | | | Attachment: 4 | | Exhibit: B | | | |
|--|--|---------|------|-------|-------|------------|--------------|-------|------------------|----------------------------------|--------------------------------------|--|--|---|---|
| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES (\$) | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | Rec | Nonrecurring | | Nonrecurring Dis | | | | | | |
| | | | | | | | First | Add'l | First | Add'l | SOME C | SOMAN | SOMAN | SOMAN | SOMAN |
| | Virtual collocation-Security Escort-Premium, per half hr | | | AMTFS | SPTPX | | 27.31 | 17.55 | | | | | | | |
| | Virtual collocation-Maintenance in CO-Basic, per half hr | | | AMTFS | CTRLX | | 26.54 | 10.83 | | | | | | | |
| | Virtual collocation-Maintenance in CO-Overtime, per half hr | | | AMTFS | SPTOM | | 35.44 | 14.19 | | | | | | | |
| | Virtual collocation-Maintenance in CO-Premium per half hr | | | AMTFS | SPTPM | | 44.34 | 17.55 | | | | | | | |
| VIRTUAL COLLOCATION | | | | | | | | | | | | | | | |
| | Virtual Collocation-2W Cross Connect, Exchange Port 2W Analog-Res | | | UEPSR | VE1R2 | 0.30 | 12.60 | 12.60 | | | | | | | |
| | Virtual Collocation 2W Cross Connect, Exchange Port 2W Line Side PBX Trunk-Bus | | | UEPSP | VE1R2 | 0.30 | 12.60 | 12.60 | | | | | | | |
| | Virtual Collocation 2W Cross Connect, Exchange Port 2W VG PBX Trunk-Res | | | UEPSE | VE1R2 | 0.30 | 12.60 | 12.60 | | | | | | | |
| | Virtual Collocation 2W Cross Connect, Exchange Port 2W Analog Bus | | | UEPSB | VE1R2 | 0.30 | 12.60 | 12.60 | | | | | | | |
| | Virtual Collocation 2W Cross Connect, Exchnage Port 2W ISDN | | | UEPSX | VE1R2 | 0.30 | 12.60 | 12.60 | | | | | | | |
| | Virtual Collocation 2W Cross Connect, Exchange Port 2W ISDN | | | UEPTX | VE1R2 | 0.30 | 12.60 | 12.60 | | | | | | | |
| | Virtual Collocation 4W Cross Connect, Exchange Port 4W ISDN DS1 | | | UEPEX | VE1R4 | 0.50 | 12.60 | 12.60 | | | | | | | |
| Note: Rates displaying an "R" in Interim column are interim and subject to rate true-up as set forth in General Terms and Conditions. | | | | | | | | | | | | | | | |

| COLLOCATION - Kentucky | | | | | | | | | | | | | | Attachment: 4 | | Exhibit: B | |
|-----------------------------|--|---------|------|---|-------|------------|--------------|-------|------------------|-----------------------------|--------------------------------------|--|--|---|---|------------|-------|
| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES (\$) | | | | Svc Order Submitted per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l | | |
| | | | | | | Rec | Nonrecurring | | Nonrecurring Dis | | | | | | | SOMECS | SOMAN |
| | | | | | | | First | Add'l | First | Add'l | | | | | | | |
| PHYSICAL COLLOCATION | | | | | | | | | | | | | | | | | |
| | Physical Collocation 2W Cross Connect, Exchange Port 2W Analog-Res | | | UEPSR | PE1R2 | 0.0333 | 24.68 | 23.68 | 12.14 | 10.95 | | | | | | | |
| | Physical Collocation 2W Cross Connect, Exchange Port 2W Line Side PBX Trunk-Bus | | | UEPSP | PE1R2 | 0.0333 | 24.68 | 23.68 | 12.14 | 10.95 | | | | | | | |
| | Physical Collocation 2W Cross Connect, Exchange Port 2W VG PBX Trunk-Res | | | UEPSE | PE1R2 | 0.0333 | 24.68 | 23.68 | 12.14 | 10.95 | | | | | | | |
| | Physical Collocation 2W Cross Connect, Exchange Port 2W Analog-Bus | | | UEPSB | PE1R2 | 0.0333 | 24.68 | 23.68 | 12.14 | 10.95 | | | | | | | |
| | Physical Collocation 2W Cross Connect, Exchange Port 2W ISDN | | | UEPSX | PE1R2 | 0.0333 | 24.68 | 23.68 | 12.14 | 10.95 | | | | | | | |
| | Physical Collocation 2W Cross Connect, Exchange Port 2W ISDN | | | UEPTX | PE1R2 | 0.0333 | 24.68 | 23.68 | 12.14 | 10.95 | | | | | | | |
| | Physical Collocation 4W Cross Connect, Exchange Port 4W ISDN DS1 | | | UEPEX | PE1R4 | 1.48 | 44.23 | 31.98 | 12.81 | 11.57 | | | | | | | |
| PHYSICAL COLLOCATION | | | | | | | | | | | | | | | | | |
| | Physical Collocation-Initial Application Fee | | | CLO | PE1BA | | 3,773.54 | | | | | | | | | | |
| | Physical Collocation-Subsequent Application Fee | | | CLO | PE1CA | | 3,145.35 | | | | | | | | | | |
| | Physical Collocation Administrative Only-Application Fee | | | CLO | PE1BL | | 742.12 | | | | | | | | | | |
| | Physical Collocation-Space Preparation-Firm Order Processing | | | CLO | PE1SJ | | 1,206.07 | | | | | | | | | | |
| | Physical Collocation-Space Preparation-CO Modification per sq ft | | | CLO | PE1SK | 2.32 | | | | | | | | | | | |
| | Physical Collocation-Space Preparation, Common Systems Modifications-Cageless, per sq ft | | | CLO | PE1SL | 3.26 | | | | | | | | | | | |
| | Physical Collocation-Space Preparation-Common Systems Modifications-Caged, per cage | | | CLO | PE1SM | 110.57 | | | | | | | | | | | |
| | Physical Collocation-Cable Installation, Pricing, NRC charge, per Entrance Cable | | | CLO | PE1BD | | 1,729.11 | | 45.16 | | | | | | | | |
| | Physical Collocation-Floor Space, per sq ft | | | CLO | PE1PJ | | 7.99 | | | | | | | | | | |
| | Physical Collocation-Cable Support Structure, per Entrance Cable | | | CLO | PE1PM | | 19.86 | | | | | | | | | | |
| | Physical Collocation-Power, -48V DC Power-per Fused Amp | | | CLO | PE1PL | | 8.06 | | | | | | | | | | |
| | Physical Collocation-Power Reduction Only, Application Fee | | | CLO | PE1PR | | 399.50 | | | | | | | | | | |
| | Physical Collocation-Power, 120V AC Power, Single Phase, per Breaker Amp | | | CLO | PE1FB | 5.44 | | | | | | | | | | | |
| | Physical Collocation-Power, 240V AC Power, Single Phase, per Breaker Amp | | | CLO | PE1FD | 10.88 | | | | | | | | | | | |
| | Physical Collocation-Power, 120V AC Power, Three Phase, per Breaker Amp | | | CLO | PE1FE | 16.32 | | | | | | | | | | | |
| | Physical Collocation-Power, 277V AC Power, Three Phase, per Breaker Amp | | | CLO | PE1FG | 37.68 | | | | | | | | | | | |
| | Physical Collocation-2W cross-connect, loop, provisioning | | | UEANL,UEQ,UNLDX,UNCNX | PE1P2 | 0.0333 | 24.68 | 23.68 | 12.14 | 10.95 | | | | | | | |
| | Physical Collocation-4W cross-connect, loop, provisioning | | | UEA,UHL,UNCVX,UNCDX,UCL,UDL | PE1P4 | 0.0665 | 24.88 | 23.82 | 12.77 | 11.46 | | | | | | | |
| | Physical Collocation -DS1 Cross-Connect for Physical Collocation, provisioning | | | UEANL,UEQ,WDS1L,WDS1S,UXTD1,U | | | | | | | | | | | | | |
| | | | | LDD1,USLEL,UNLD1,UDL,UEPEX,UEP | PE1P1 | 1.48 | 44.23 | 31.98 | 12.81 | 11.57 | | | | | | | |
| | | | | UE3,U1TD3,UXTD3,UXTS1,UNC3X,UNCSX,ULDD3,U1TS1,ULDS1,UNLD3 | PE1P3 | 18.89 | 41.93 | 30.51 | 14.75 | 11.83 | | | | | | | |
| | Physical Collocation-DS3 Cross-Connect, provisioning | | | CLO,ULDO3,ULD12,ULD48,U1TO3,U1T12,U1T48,UDLO3,UDL12,UDF | PE1F2 | 3.75 | 41.93 | 30.51 | 14.76 | 11.84 | | | | | | | |

| COLLOCATION - Kentucky | | | | | | | | | | | | | | Attachment: 4 | | Exhibit: B | |
|------------------------|--|---------|------|---|-------|------------|--------------|--------|------------------|----------------------------------|--------------------------------------|--|--|---|---|----------------|--|
| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES (\$) | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l | | |
| | | | | | | Rec | Nonrecurring | | Nonrecurring Dis | | | | | | | OSS Rates (\$) | |
| | | | | | | | First | Add'l | First | Add'l | SOMEK | SOMAN | SOMAN | SOMAN | SOMAN | | |
| | Physical Collocation-4-Fiber Cross-Connect | | | ULDO3,ULD12,ULD48,U1TO3,U1T12,U1T48,UDLO3,UDL12,UDF | PE1F4 | 6.65 | 51.29 | 39.87 | 19.41 | 16.49 | | | | | | | |
| | Physical Collocation-Space enclosure, welded wire, first 100 sq ft | | | CLO | PE1BW | 184.97 | | | | | | | | | | | |
| | Physical Collocation-Space enclosure, welded wire, each add'l 50 sq ft | | | CLO | PE1CW | 18.14 | | | | | | | | | | | |
| | Physical Collocation-Security Access System, Security System, per CO, per sq ft | | | CLO | PE1AX | 76.10 | | | | | | | | | | | |
| | Physical Collocation -Security Access System-New Card Activation, per Card Activation (First), per State | | | CLO | PE1A1 | 0.058 | 55.79 | | | | | | | | | | |
| | Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Request, per State, per Card | | | CLO | PE1AA | | 15.64 | | | | | | | | | | |
| | Physical Collocation-Security Access System-Replace Lost or Stolen Card, per Card | | | CLO | PE1AR | | 45.74 | | | | | | | | | | |
| | Physical Collocation-Security Access-Initial Key, per Key | | | CLO | PE1AK | | 26.29 | | | | | | | | | | |
| | Physical Collocation-Security Access-Key, Replace Lost or Stolen Key, per Key | | | CLO | PE1AL | | 26.29 | | | | | | | | | | |
| | Physical Collocation-Space Availability Report, per CO Requested | | | CLO | PE1SR | | 2,158.67 | | | | | | | | | | |
| | Physical Collocation-CFA Information Resend Request, per premises, per request | | | CLO | PE1C9 | | 77.55 | | | | | | | | | | |
| | Physical Collocation-Cable Records, per request | | | CLO | PE1CR | | 1,524.45 | 980.01 | 267.02 | | | | | | | | |
| | Physical Collocation, Cable Records, VG/DS0 Cable, per cable record (maximum 3600 records) | | | CLO | PE1CD | | 656.37 | | 379.70 | | | | | | | | |
| | Physical Collocation, Cable Records, VG/DS0 Cable, per each 100 pr | | | CLO | PE1CO | | 9.65 | | 11.84 | | | | | | | | |
| | Physical Collocation, Cable Records, DS1, per T1 TIE | | | CLO | PE1C1 | | 4.52 | | 5.54 | | | | | | | | |
| | Physical Collocation, Cable Records, DS3, per T3 TIE | | | CLO | PE1C3 | | 15.81 | | 19.39 | | | | | | | | |
| | Physical Collocation-Cable Records, Fiber Cable, per cable record (maximum 99 records) | | | CLO | PE1CB | | 169.63 | | 154.85 | | | | | | | | |
| | Physical Collocation-Security Escort for Basic Time-normally scheduled work, per half hr | | | CLO | PE1BT | | 33.98 | 21.53 | | | | | | | | | |
| | Physical Collocation-Security Escort for Overtime-outside of normally scheduled working hrs on a scheduled work day, per half hr | | | CLO | PE1OT | | 44.26 | 27.81 | | | | | | | | | |
| | Physical Collocation-Security Escort for Premium Time-outside of scheduled work day, per half hr | | | CLO | PE1PT | | 54.54 | 34.09 | | | | | | | | | |
| | Physical Collocation-Virtual to Physical Collocation Relocation, per VG Circuit | | | CLO | PE1BV | | 33.00 | | | | | | | | | | |
| | Physical Collocation-Virtual to Physical Collocation Relocation, per DSO Circuit | | | CLO | PE1BO | | 33.00 | | | | | | | | | | |
| | Physical Collocation-Virtual to Physical Collocation Relocation, per DS1 Circuit | | | CLO | PE1B1 | | 52.00 | | | | | | | | | | |
| | Physical Collocation-Virtual to Physical Collocation Relocation, per DS3 Circuit | | | CLO | PE1B3 | | 52.00 | | | | | | | | | | |
| | Physical Collocation-Virtual to Physical Collocation In-Place, Per VG Circuit | | | CLO | PE1BR | | 23.00 | | | | | | | | | | |
| | Physical Collocation Virtual to Physical Collocation In-Place, Per DSO Circuit | | | CLO | PE1BP | | 23.00 | | | | | | | | | | |
| | Physical Collocation-Virtual to Physical Collocation In-Place, Per DS1 Circuit | | | CLO | PE1BS | | 33.00 | | | | | | | | | | |
| | Physical Collocation-Virtual to Physical Collocation In-Place, per DS3 Circuit | | | CLO | PE1BE | | 37.00 | | | | | | | | | | |

| COLLOCATION - Kentucky | | | | | | | | | | | | | | Attachment: 4 | | Exhibit: B | |
|--|---|---------|------|-----------------|-------|------------|--------------|--------|------------------|----------------------------------|--------------------------------------|--|--|---|---|----------------|--|
| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES (\$) | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l | | |
| | | | | | | Rec | Nonrecurring | | Nonrecurring Dis | | | | | | | OSS Rates (\$) | |
| | | | | | | | First | Add'l | First | Add'l | SOME C | SOMAN | SOMAN | SOMAN | SOMAN | | |
| | Physical Collocation-Virtual to Physical Collocation In-Place/Relocation, space cable facilities assigned to Collocation Space, per 700 cable prs or fraction thereof | | | CLO | PE1B7 | | 592.00 | | | | | | | | | | |
| | Physical Collocation-Co-Carrier Cross Connects/Direct Connect-Fiber Cable Support Structure, per linear ft | | | CLO | PE1ES | 0.0012 | | | | | | | | | | | |
| | Physical Collocation-Co-Carrier Cross Connect/Direct Connect-Copper/Coax Cable Support Structure, per lin. ft | | | CLO | PE1DS | 0.0018 | | | | | | | | | | | |
| | Physical Collocation-Co-Carrier Cross Connects/Direct Connect, Application Fee, per application | | | CLO | PE1DT | | 584.20 | | | | | | | | | | |
| | Physical Collocation-Copper Entrance Cable per Cable (CO manhole to vault splice) | | | CLO | PE1EA | | 1,224.485 | 42.719 | | | | | | | | | |
| | Physical Collocation-Copper Entrance Cable Installation, per 100 prs | | | CLO | PE1EB | | 18.102 | | | | | | | | | | |
| | Physical Collocation-Fiber Entrance Cable per Cable (CO manhole to vault splice) | | | CLO | PE1EC | | 1,028.981 | 42.719 | | | | | | | | | |
| | Physical Collocation-Fiber Entrance Cable Installation, per Fiber | | | CLO | PE1ED | | 7.241 | | | | | | | | | | |
| | Physical Collocation-Application Cost, Simple Augment | | | CLO | PE1KS | | 594.98 | | 1.21 | | | | | | | | |
| | Physical Collocation-Application Cost, Minor Augment | | | CLO | PE1KM | | 834.26 | | 1.21 | | | | | | | | |
| | Physical Collocation-Application Cost, Intermediate Augment | | | CLO | PE1K1 | | 1,059.00 | | 1.21 | | | | | | | | |
| | Physical Collocation-Co-Carrier Cross Connect/Direct Connect-Fiber Cable Support Structure, per cable | I | | CLO | PE1DU | | 535.55 | | | | | | | | | | |
| | Physical Collocation-Co-Carrier Cross Connect/Direct Connect-Copper/Coax Cable Support Structure, per cable | I | | CLO | PE1DV | | 535.55 | | | | | | | | | | |
| ADJACENT COLLOCATION | | | | | | | | | | | | | | | | | |
| | Adjacent Collocation-Space Charge per sq ft | | | CLOAC | PE1JA | 0.0173 | | | | | | | | | | | |
| | Adjacent Collocation-Electrical Facility Charge per Linear ft | | | CLOAC | PE1JC | 5.35 | | | | | | | | | | | |
| | Adjacent Collocation-2W Cross-Connects | | | UEA,UHL,UDL,UCL | PE1P2 | 0.0258 | 24.68 | 23.68 | 12.14 | 10.95 | | | | | | | |
| | Adjacent Collocation-4W Cross-Connects | | | UEA,UHL,UDL,UCL | PE1P4 | 0.0515 | 24.88 | 23.82 | 12.77 | 11.46 | | | | | | | |
| | Adjacent Collocation-DS1 Cross-Connects | | | UEA,UHL,UDL,UCL | PE1P1 | 1.37 | 44.23 | 31.98 | 12.81 | 11.57 | | | | | | | |
| | Adjacent Collocation-DS3 Cross-Connects | | | UEA,UHL,UDL,UCL | PE1P3 | 18.61 | 41.93 | 30.51 | 14.75 | 11.83 | | | | | | | |
| | Adjacent Collocation-2-Fiber Cross-Connect | | | CLOAC | PE1F2 | 3.15 | 41.93 | 30.51 | 14.76 | 11.84 | | | | | | | |
| | Adjacent Collocation-4-Fiber Cross-Connect | | | CLOAC | PE1F4 | 6.02 | 51.29 | 39.87 | 19.41 | 16.49 | | | | | | | |
| | Adjacent Collocation-Application Fee | | | CLOAC | PE1JB | | 3,165.50 | | | | | | | | | | |
| | Adjacent Collocation-120V, Single Phase Standby Power Rate per AC Breaker Amp | | | CLOAC | PE1FB | 5.44 | | | | | | | | | | | |
| | Adjacent Collocation-240V, Single Phase Standby Power Rate per AC Breaker Amp | | | CLOAC | PE1FD | 10.88 | | | | | | | | | | | |
| | Adjacent Collocation-120V, Three Phase Standby Power Rate per AC Breaker Amp | | | CLOAC | PE1FE | 16.32 | | | | | | | | | | | |
| | Adjacent Collocation-277V, Three Phase Standby Power Rate per AC Breaker Amp | | | CLOAC | PE1FG | 37.68 | | | | | | | | | | | |
| PHYSICAL COLLOCATION IN THE REMOTE SITE | | | | | | | | | | | | | | | | | |
| | Physical Collocation in the Remote Site-Application Fee | | | CLORS | PE1RA | | 617.78 | | 338.89 | | | | | | | | |
| | Cabinet Space in the Remote Site per Bay/ Rack | | | CLORS | PE1RB | 219.67 | | | | | | | | | | | |
| | Physical Collocation in the Remote Site-Security Access-Key | | | CLORS | PE1RD | | 26.29 | | | | | | | | | | |
| | Physical Collocation in the Remote Site-Space Availability Report per Premises Requested | | | CLORS | PE1SR | | 232.64 | | | | | | | | | | |
| | Physical Collocation in the Remote Site-Remote Site CLLI Code Request, per CLLI Code Requested | | | CLORS | PE1RE | | 75.40 | | | | | | | | | | |
| | Remote Site DLEC Data (BRSDD), per Compact Disk, per CO | | | CLORS | PE1RR | | 233.42 | | | | | | | | | | |
| | Physical Collocation-Security Escort for Basic Time-normally scheduled work, per half hr | | | CLORS | PE1BT | | 33.98 | 21.53 | | | | | | | | | |

| COLLOCATION - Kentucky | | | | | | | | | | | | | | Attachment: 4 | | Exhibit: B | |
|---|--|---------|------|---|-------|------------|--------------|--------|------------------|----------------------------------|--------------------------------------|--|--|---|---|----------------|--|
| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES (\$) | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l | | |
| | | | | | | Rec | Nonrecurring | | Nonrecurring Dis | | | | | | | OSS Rates (\$) | |
| | | | | | | | First | Add'l | First | Add'l | SOMEK | SOMAN | SOMAN | SOMAN | SOMAN | | |
| | Physical Collocation-Security Escort for Overtime-outside of normally scheduled working hrs on a scheduled work day, per half hr | | | CLORS | PE1OT | | 44.26 | 27.81 | | | | | | | | | |
| | Physical Collocation-Security Escort for Premium Time-outside of scheduled work day, per half hr | | | CLORS | PE1PT | | 54.54 | 34.09 | | | | | | | | | |
| PHYSICAL COLLOCATION IN THE REMOTE SITE - ADJACENT | | | | | | | | | | | | | | | | | |
| | Remote Site-Adjacent Collocation-AC Power, per breaker amp | | | CLORS | PE1RS | 6.27 | | | | | | | | | | | |
| | Remote Site-Adjacent Collocation-Real Estate, per sq ft | | | CLORS | PE1RT | 0.134 | | | | | | | | | | | |
| | Remote Site-Adjacent Collocation-Application Fee | | | CLORS | PE1RU | | 755.62 | 755.62 | | | | | | | | | |
| NOTE: If Security Escort and/or Add'l Engineering Fees become necessary for remote site collocation, the Parties will negotiate appropriate rates. | | | | | | | | | | | | | | | | | |
| VIRTUAL COLLOCATION | | | | | | | | | | | | | | | | | |
| | Virtual Collocation-Application Fee | | | AMTFS | EAF | | 2,419.86 | | | 1.01 | | | | | | | |
| | Virtual Collocation-Cable Installation Cost, per cable | | | AMTFS | ESPCX | | 1,729.11 | | | 45.16 | | | | | | | |
| | Virtual Collocation-Floor Space, per sq ft | | | AMTFS | ESPVX | 7.99 | | | | | | | | | | | |
| | Virtual Collocation-Power, per fused amp | | | AMTFS | ESPAX | 8.06 | | | | | | | | | | | |
| | Virtual Collocation-Cable Support Structure, per entrance cable | | | AMTFS | ESPSX | 17.38 | | | | | | | | | | | |
| | Virtual Collocation-2W Cross Connects (loop) | | | UEANL,UEA,UDN,UDC,UAL,UHL,UCL,UUEQ,UNCVX,UNCDX,UNCNX | UEAC2 | 0.0309 | 24.68 | 23.68 | 12.14 | 10.95 | | | | | | | |
| | Virtual Collocation-4W Cross Connects (loop) | | | UEA,UHL,UCL,UDL,UAL,UDN,UNCVX,UNCNCDX | UEAC4 | 0.0619 | 24.88 | 23.82 | 12.77 | 11.46 | | | | | | | |
| | Virtual Collocation-2-Fiber Cross Connects | | | UDL12,UDLO3,U1T48,U1T12,U1T03,ULDO3,ULD12,ULD48,UDF | CNC2F | 3.80 | 41.94 | 30.51 | 14.76 | 11.84 | | | | | | | |
| | Virtual Collocation-4-Fiber Cross Connects | | | UDL12,UDLO3,U1T48,U1T12,U1T03,ULDO3,ULD12,ULD48,UDF | CNC4F | 7.59 | 51.29 | 39.87 | 19.41 | 16.49 | | | | | | | |
| | Virtual collocation-Special Access & UNE, cross-connect per DS1 | | | USL,ULC,ULR,UXTD1,UNC1X,ULDD1,U1TD1,USLEL,UNLD1,UEPEX,UEPDX | CNC1X | 1.48 | 44.23 | 31.98 | 12.81 | 11.57 | | | | | | | |
| | Virtual collocation-Special Access & UNE, cross-connect per DS3 | | | USL,UE3,U1TD3,UXTS1,UXTD3,UNC3X,UNC3X,ULDD3,U1TS1,ULDS1,UDLSX,UNLD3 | CND3X | 18.89 | 41.93 | 30.51 | 14.75 | 11.83 | | | | | | | |
| | Virtual Collocation-Co-Carrier Cross Connects-Fiber Cable Support Structure, per linear ft | | | AMTFS | VE1CB | 0.003 | | | | | | | | | | | |
| | Virtual Collocation-Co-Carrier Cross Connects-Copper/Coax Cable Support Structure, per linear ft | | | AMTFS | VE1CD | 0.0045 | | | | | | | | | | | |
| | Virtual Collocation-Co-Carrier Cross Connects-Fiber Cable Support Structure,per cable | | | AMTFS | VE1CC | | 535.55 | | | | | | | | | | |
| | Virtual Collocation-Co-Carrier Cross Connects-Copper/Coax Cable Support Structure, per cable | | | AMTFS | VE1CE | | 535.55 | | | | | | | | | | |
| | Virtual Collocation Cable Records-per request | | | AMTFS | VE1BA | | 1,524.45 | 980.01 | 267.02 | | | | | | | | |
| | Virtual Collocation Cable Records-VG/DS0 Cable, per cable record | | | AMTFS | VE1BB | | 656.37 | | 379.70 | | | | | | | | |
| | Virtual Collocation Cable Records-VG/DS0 Cable, per each 100 pr | | | AMTFS | VE1BC | | 9.65 | | 11.84 | | | | | | | | |
| | Virtual Collocation Cable Records -DS1, per T1TIE | | | AMTFS | VE1BD | | 4.52 | | 5.54 | | | | | | | | |

| COLLOCATION - Kentucky | | | | | | | | | | | Attachment: 4 | | Exhibit: B | | | | | | | | |
|------------------------|---|---------|------|-------|-------|------------|----------------------------------|--------------------------------------|--|--|---|---|----------------|--------------|--------|------------------|--|-------|-------|-------|-------|
| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES (\$) | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l | OSS Rates (\$) | | | | | | | | |
| | | | | | | | | | | | | | Rec | Nonrecurring | | Nonrecurring Dis | | SOMEK | SOMAN | SOMAN | SOMAN |
| | | | | | | | | | | | | | First | Add'l | First | Add'l | | | | | |
| | Virtual Collocation Cable Records-DS3, per T3TIE | | | AMTFS | VE1BE | | | | | | | | 15.81 | | 19.39 | | | | | | |
| | Virtual Collocation Cable Records-Fiber Cable, per 99 fiber records | | | AMTFS | VE1BF | | | | | | | | 169.63 | | 154.85 | | | | | | |
| | Virtual collocation-Security Escort-Basic, per half hr | | | AMTFS | SPTBX | | | | | | | | 33.98 | 21.53 | | | | | | | |
| | Virtual collocation-Security Escort-Overtime, per half hr | | | AMTFS | SPTOX | | | | | | | | 44.26 | 27.81 | | | | | | | |
| | Virtual collocation-Security Escort-Premium, per half hr | | | AMTFS | SPTPX | | | | | | | | 54.54 | 34.09 | | | | | | | |
| | Virtual collocation-Maintenance in CO-Basic, per half hr | | | AMTFS | CTRLX | | | | | | | | 56.07 | 21.53 | | | | | | | |
| | Virtual collocation-Maintenance in CO-Overtime, per half hr | | | AMTFS | SPTOM | | | | | | | | 73.23 | 27.81 | | | | | | | |
| | Virtual collocation-Maintenance in CO-Premium per half hr | | | AMTFS | SPTPM | | | | | | | | 90.39 | 34.09 | | | | | | | |

| COLLOCATION - Kentucky | | | | | | | | | | | | | | Attachment: 4 | | Exhibit: B | |
|--|--|---------|------|-------|-------|------------|--------------|-------|------------------|----------------------------------|--------------------------------------|--|--|---|---|----------------|--|
| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES (\$) | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l | | |
| | | | | | | Rec | Nonrecurring | | Nonrecurring Dis | | | | | | | OSS Rates (\$) | |
| | | | | | | | First | Add'l | First | Add'l | SOME C | SOMAN | SOMAN | SOMAN | SOMAN | | |
| VIRTUAL COLLOCATION | | | | | | | | | | | | | | | | | |
| | Virtual Collocation-2W Cross Connect, Exchange Port 2W Analog-Res | | | UEPSR | VE1R2 | 0.0309 | 24.68 | 23.68 | 12.14 | 10.95 | | | | | | | |
| | Virtual Collocation 2W Cross Connect, Exchange Port 2W Line Side PBX Trunk-Bus | | | UEPSP | VE1R2 | 0.0309 | 24.68 | 23.68 | 12.14 | 10.95 | | | | | | | |
| | Virtual Collocation 2W Cross Connect, Exchange Port 2W VG PBX Trunk-Res | | | UEPSE | VE1R2 | 0.0309 | 24.68 | 23.68 | 12.14 | 10.95 | | | | | | | |
| | Virtual Collocation 2W Cross Connect, Exchange Port 2W Analog Bus | | | UEPSB | VE1R2 | 0.0309 | 24.68 | 23.68 | 12.14 | 10.95 | | | | | | | |
| | Virtual Collocation 2W Cross Connect, Exchange Port 2W ISDN | | | UEPSX | VE1R2 | 0.0309 | 24.68 | 23.68 | 12.14 | 10.95 | | | | | | | |
| | Virtual Collocation 2W Cross Connect, Exchange Port 2W ISDN | | | UEPTX | VE1R2 | 0.0309 | 24.68 | 23.68 | 12.14 | 10.95 | | | | | | | |
| | Virtual Collocation 4W Cross Connect, Exchange Port 4W ISDN DS1 | | | UEPEX | VE1R4 | 1.48 | 44.23 | 31.98 | 12.81 | 11.57 | | | | | | | |
| Note: Rates displaying an "R" in Interim column are interim and subject to rate true-up as set forth in General Terms and Conditions. | | | | | | | | | | | | | | | | | |

COLLOCATION - Louisiana

| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES (\$) | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Attachment: 4 | | Exhibit: B | | | | | |
|----------|---|---------|------|-----|-------|------------|----------------------------------|--------------------------------------|--|--|---|---|-------|----------------|-------|--|
| | | | | | | | | | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l | | | | |
| | | | | | | | | | Rec | Nonrecurring | | Nonrecurring D | | OSS Rates (\$) | | |
| | | | | | | First | Add'l | First | Add'l | SOME C | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN | |
| | Physical Collocation-Space enclosure, welded wire, each add'l 50 sq ft | | | CLO | PE1CW | 18.10 | | | | | | | | | | |
| | Physical Collocation-Security Access System-Security System per CO | | | CLO | PE1AY | 0.0224 | | | | | | | | | | |
| | Physical Collocation -Security Access System-New Card Activation, per Card Activation (First), per State | | | CLO | PE1A1 | 0.0579 | 27.50 | | | | | | | | | |
| | Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Request, per State, per Card | | | CLO | PE1AA | | 7.74 | | | | | | | | | |
| | Physical Collocation-Security Access System-Replace Lost or Stolen Card, per Card | | | CLO | PE1AR | | 22.64 | | | | | | | | | |
| | Physical Collocation-Security Access-Initial Key, per Key | | | CLO | PE1AK | | 13.01 | | | | | | | | | |
| | Physical Collocation-Security Access-Key, Replace Lost or Stolen Key, per Key | | | CLO | PE1AL | | 13.01 | | | | | | | | | |
| | Physical Collocation-Space Availability Report, per CO Requested | | | CLO | PE1SR | | 1,044.07 | | | | | | | | | |
| | Physical Collocation-CFA Information Resend Request, per premises, per request | | | CLO | PE1C9 | | 77.43 | | | | | | | | | |
| | Recurring Collocation Cable Records-per request | | | CLO | PE1CU | 10.97 | | | | | | | | | | |
| | Recurring Collocation Cable Records-VG/DS0 Cable, per cable record | | | CLO | PE1CE | 5.29 | | | | | | | | | | |
| | Recurring Collocation Cable Records-VG/DS0 Cable, per each 100 pr | | | CLO | PE1CT | 0.08 | | | | | | | | | | |
| | Recurring Collocation Cable Records-DS1, per T1TIE | | | CLO | PE1C2 | 0.04 | | | | | | | | | | |
| | Recurring Collocation Cable Records-DS3, per T3TIE | | | CLO | PE1C4 | 0.13 | | | | | | | | | | |
| | Recurring Collocation Cable Records-Fiber Cable, per 99 fiber records | | | CLO | PE1CG | 1.37 | | | | | | | | | | |
| | Physical Collocation-Security Escort for Basic Time-normally scheduled work, per half hr | | | CLO | PE1BT | | 16.44 | 10.42 | | | | | | | | |
| | Physical Collocation-Security Escort for Overtime-outside of normally scheduled working hrs on a scheduled work day, per half hr | | | CLO | PE1OT | | 21.41 | 13.45 | | | | | | | | |
| | Physical Collocation-Security Escort for Premium Time-outside of scheduled work day, per half hr | | | CLO | PE1PT | | 26.38 | 16.49 | | | | | | | | |
| | Physical Collocation-Virtual to Physical Collocation Relocation, per VG Circuit | | | CLO | PE1BV | | 33.00 | | | | | | | | | |
| | Physical Collocation-Virtual to Physical Collocation Relocation, per DSO Circuit | | | CLO | PE1BO | | 33.00 | | | | | | | | | |
| | Physical Collocation-Virtual to Physical Collocation Relocation, per DS1 Circuit | | | CLO | PE1B1 | | 52.00 | | | | | | | | | |
| | Physical Collocation-Virtual to Physical Collocation Relocation, per DS3 Circuit | | | CLO | PE1B3 | | 52.00 | | | | | | | | | |
| | Physical Collocation-Virtual to Physical Collocation In-Place, Per VG Circuit | | | CLO | PE1BR | | 23.00 | | | | | | | | | |
| | Physical Collocation Virtual to Physical Collocation In-Place, Per DSO Circuit | | | CLO | PE1BP | | 23.00 | | | | | | | | | |
| | Physical Collocation-Virtual to Physical Collocation In-Place, Per DS1 Circuit | | | CLO | PE1BS | | 33.00 | | | | | | | | | |
| | Physical Collocation-Virtual to Physical Collocation In-Place, per DS3 Circuit | | | CLO | PE1BE | | 37.00 | | | | | | | | | |
| | Physical Collocation-Virtual to Physical Collocation In-Place/Relocation, space cable facilities assigned to Collocation Space, per 700 cable prs or fraction thereof | | | CLO | PE1B7 | | 592.00 | | | | | | | | | |
| | Physical Collocation-Co-Carrier Cross Connects/Direct Connect-Fiber Cable Support Structure, per linear ft | | | CLO | PE1ES | 0.001 | | | | | | | | | | |
| | Physical Collocation-Co-Carrier Cross Connect/Direct Connect-Copper/Coax Cable Support Structure, per lin. ft | | | CLO | PE1DS | 0.0015 | | | | | | | | | | |
| | Physical Collocation-Co-Carrier Cross Connects/Direct Connect, Application Fee, per application | | | CLO | PE1DT | | 583.30 | | | | | | | | | |

| COLLOCATION - Louisiana | | | | | | | | | | Attachment: 4 | | Exhibit: B | | | |
|---|--|---------|------|-----------------|-------|------------|----------------------------------|--------------------------------------|--|--|---|---|-------|--------------|-------|
| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES (\$) | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l | | | |
| | | | | | | | | | | | | | Rec | Nonrecurring | |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Physical Collocation-Copper Entrance Cable per Cable (CO manhole to vault splice) | | | CLO | PE1EA | 1,358.81 | 42.653 | | | | | | | | |
| | Physical Collocation-Copper Entrance Cable Installation, per 100 prs | | | CLO | PE1EB | 18.074 | | | | | | | | | |
| | Physical Collocation-Fiber Entrance Cable per Cable (CO manhole to vault splice) | | | CLO | PE1EC | 1,163.609 | 42.653 | | | | | | | | |
| | Physical Collocation-Fiber Entrance Cable Installation, per Fiber | | | CLO | PE1ED | 7.23 | | | | | | | | | |
| | Physical Collocation-Application Cost, Simple Augment | | | CLO | PE1KS | 596.35 | | 1.22 | | | | | | | |
| | Physical Collocation-Application Cost, Minor Augment | | | CLO | PE1KM | 836.18 | | 1.22 | | | | | | | |
| | Physical Collocation-Application Cost, Intermediate Augment | | | CLO | PE1K1 | 1,061.00 | | 1.22 | | | | | | | |
| | Physical Collocation-Co-Carrier Cross Connect/Direct Connect-Fiber Cable Support Structure, per cable | I | | CLO | PE1DU | 534.79 | | | | | | | | | |
| | Physical Collocation-Co-Carrier Cross Connect/Direct Connect-Copper/Coax Cable Support Structure, per cable | I | | CLO | PE1DV | 534.79 | | | | | | | | | |
| ADJACENT COLLOCATION | | | | | | | | | | | | | | | |
| | Adjacent Collocation-Space Charge per sq ft | | | CLOAC | PE1JA | 0.0552 | | | | | | | | | |
| | Adjacent Collocation-Electrical Facility Charge per Linear ft | | | CLOAC | PE1JC | 5.61 | | | | | | | | | |
| | Adjacent Collocation-2W Cross-Connects | | | UEA,UHL,UDL,UCL | PE1P2 | 0.0245 | 11.94 | 11.46 | | | | | | | |
| | Adjacent Collocation-4W Cross-Connects | | | UEA,UHL,UDL,UCL | PE1P4 | 0.0491 | 12.04 | 11.53 | | | | | | | |
| | Adjacent Collocation-DS1 Cross-Connects | | | UEA,UHL,UDL,UCL | PE1P1 | 0.9605 | 21.39 | 15.47 | | | | | | | |
| | Adjacent Collocation-DS3 Cross-Connects | | | UEA,UHL,UDL,UCL | PE1P3 | 13.01 | 20.28 | 14.76 | | | | | | | |
| | Adjacent Collocation-2-Fiber Cross-Connect | | | CLOAC | PE1F2 | 2.20 | 20.28 | 14.76 | | | | | | | |
| | Adjacent Collocation-4-Fiber Cross-Connect | | | CLOAC | PE1F4 | 4.21 | 24.81 | 19.29 | | | | | | | |
| | Adjacent Collocation-Application Fee | | | CLOAC | PE1JB | 1,543.20 | | | | | | | | | |
| | Adjacent Collocation-120V, Single Phase Standby Power Rate per AC Breaker Amp | | | CLOAC | PE1FB | 5.45 | | | | | | | | | |
| | Adjacent Collocation-240V, Single Phase Standby Power Rate per AC Breaker Amp | | | CLOAC | PE1FD | 10.92 | | | | | | | | | |
| | Adjacent Collocation-120V, Three Phase Standby Power Rate per AC Breaker Amp | | | CLOAC | PE1FE | 16.37 | | | | | | | | | |
| | Adjacent Collocation-277V, Three Phase Standby Power Rate per AC Breaker Amp | | | CLOAC | PE1FG | 37.80 | | | | | | | | | |
| PHYSICAL COLLOCATION IN THE REMOTE SITE | | | | | | | | | | | | | | | |
| | Physical Collocation in the Remote Site-Application Fee | | | CLORS | PE1RA | 298.80 | | | | | | | | | |
| | Cabinet Space in the Remote Site per Bay/ Rack | | | CLORS | PE1RB | 225.39 | | | | | | | | | |
| | Physical Collocation in the Remote Site-Security Access-Key | | | CLORS | PE1RD | 13.01 | | | | | | | | | |
| | Physical Collocation in the Remote Site-Space Availability Report per Premises Requested | | | CLORS | PE1SR | 112.52 | | | | | | | | | |
| | Physical Collocation in the Remote Site-Remote Site CLLI Code Request, per CLLI Code Requested | | | CLORS | PE1RE | 36.47 | | | | | | | | | |
| | Remote Site DLEC Data (BRSD), per Compact Disk, per CO | | | CLORS | PE1RR | 233.21 | | | | | | | | | |
| | Physical Collocation-Security Escort for Basic Time-normally scheduled work, per half hr | | | CLORS | PE1BT | 16.44 | 10.42 | | | | | | | | |
| | Physical Collocation-Security Escort for Overtime-outside of normally scheduled working hrs on a scheduled work day, per half hr | | | CLORS | PE1OT | 21.41 | 13.45 | | | | | | | | |
| | Physical Collocation-Security Escort for Premium Time-outside of scheduled work day, per half hr | | | CLORS | PE1PT | 26.38 | 16.49 | | | | | | | | |
| PHYSICAL COLLOCATION IN THE REMOTE SITE - ADJACENT | | | | | | | | | | | | | | | |
| | Remote Site-Adjacent Collocation-AC Power, per breaker amp | | | CLORS | PE1RS | 6.27 | | | | | | | | | |
| | Remote Site-Adjacent Collocation-Real Estate, per sq ft | | | CLORS | PE1RT | 0.134 | | | | | | | | | |
| | Remote Site-Adjacent Collocation-Application Fee | | | CLORS | PE1RU | 755.62 | 755.62 | | | | | | | | |
| NOTE: If Security Escort and/or Add'l Engineering Fees become necessary for remote site collocation, the Parties will negotiate appropriate rates. | | | | | | | | | | | | | | | |
| VIRTUAL COLLOCATION | | | | | | | | | | | | | | | |

COLLOCATION - Louisiana

| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES (\$) | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l | Attachment: 4 | | Exhibit: B | | | |
|----------------------------|--|---------|------|---|-------|------------|----------------------------------|--------------------------------------|--|--|---|---|---------------|----------------|----------------|-------|-------|-------|
| | | | | | | | | | | | | | Nonrecurring | Nonrecurring D | OSS Rates (\$) | | | |
| | | | | | | | | | | | | | Rec | First | Add'l | First | Add'l | SOMEC |
| | Virtual Collocation-Application Fee | | | AMTFS | EAF | 1,770.40 | | | | | | | | | | | | |
| | Virtual Collocation-Cable Installation Cost, per cable | | | AMTFS | ESPCX | 841.54 | | | | | | | | | | | | |
| | Virtual Collocation-Floor Space, per sq ft | | | AMTFS | ESPVX | 3.20 | | | | | | | | | | | | |
| | Virtual Collocation-Power, per fused amp | | | AMTFS | ESPAX | 8.32 | | | | | | | | | | | | |
| | Virtual Collocation-Cable Support Structure, per entrance cable | | | AMTFS | ESPSX | 16.02 | | | | | | | | | | | | |
| | Virtual Collocation-2W Cross Connects (loop) | | | UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,UNCVX,UNCDX ,UNCNX | UEAC2 | 0.0296 | 11.94 | 11.46 | | | | | | | | | | |
| | Virtual Collocation-4W Cross Connects (loop) | | | UEA,UHL,UCL,UDL, UAL,UDN,UNCVX,U NCDX | UEAC4 | 0.0591 | 12.04 | 11.53 | | | | | | | | | | |
| | Virtual Collocation-2-Fiber Cross Connects | | | UDL12,UDLO3,U1T 48,U1T12,U1T03,UL DO3,ULD12,ULD48, UDF | CNC2F | 2.65 | 20.29 | 14.76 | | | | | | | | | | |
| | Virtual Collocation-4-Fiber Cross Connects | | | UDL12,UDLO3,U1T 48,U1T12,U1T03,UL DO3,ULD12,ULD48, UDF | CNC4F | 5.31 | 24.81 | 19.29 | | | | | | | | | | |
| | Virtual collocation-Special Access & UNE, cross-connect per DS1 | | | USL,ULC,ULR,UXT D1,UNC1X,ULDD1, U1TD1,USLEL,UNL D1,UEPEX,UEPDX | CNC1X | 1.04 | 21.39 | 15.47 | | | | | | | | | | |
| | Virtual collocation-Special Access & UNE, cross-connect per DS3 | | | USL,UE3,U1TD3,UX TS1,UXTD3,UNC3X, UNC3X,ULDD3,U1T S1,ULDS1,UDLSX,U NLD3 | CND3X | 13.21 | 20.28 | 14.76 | | | | | | | | | | |
| | Virtual Collocation-Co-Carrier Cross Connects-Fiber Cable Support Structure, per linear ft | | | AMTFS | VE1CB | 0.0024 | | | | | | | | | | | | |
| | Virtual Collocation-Co-Carrier Cross Connects-Copper/Coax Cable Support Structure, per linear ft | | | AMTFS | VE1CD | 0.0036 | | | | | | | | | | | | |
| | Virtual Collocation-Co-Carrier Cross Connects-Fiber Cable Support Structure,per cable | | | AMTFS | VE1CC | | 534.79 | | | | | | | | | | | |
| | Virtual Collocation-Co-Carrier Cross Connects-Copper/Coax Cable Support Structure, per cable | | | AMTFS | VE1CE | | 534.79 | | | | | | | | | | | |
| | Virtual Collocation Cable Records-per request | | | AMTFS | VE1BA | 10.97 | | | | | | | | | | | | |
| | Virtual Collocation Cable Records-VG/DS0 Cable, per cable record | | | AMTFS | VE1BB | 5.29 | | | | | | | | | | | | |
| | Virtual Collocation Cable Records-VG/DS0 Cable, per each 100 pr | | | AMTFS | VE1BC | 0.08 | | | | | | | | | | | | |
| | Virtual Collocation Cable Records-DS1, per T1TIE | | | AMTFS | VE1BD | 0.04 | | | | | | | | | | | | |
| | Virtual Collocation Cable Records-DS3, per T3TIE | | | AMTFS | VE1BE | 0.13 | | | | | | | | | | | | |
| | Virtual Collocation Cable Records-Fiber Cable, per 99 fiber records | | | AMTFS | VE1BF | 1.37 | | | | | | | | | | | | |
| | Virtual collocation-Security Escort-Basic, per half hr | | | AMTFS | SPTBX | | 16.44 | 10.42 | | | | | | | | | | |
| | Virtual collocation-Security Escort-Overtime, per half hr | | | AMTFS | SPTOX | | 21.41 | 13.45 | | | | | | | | | | |
| | Virtual collocation-Security Escort-Premium, per half hr | | | AMTFS | SPTPX | | 26.38 | 16.49 | | | | | | | | | | |
| | Virtual collocation-Maintenance in CO-Basic, per half hr | | | AMTFS | CTRLX | | 27.12 | 10.42 | | | | | | | | | | |
| | Virtual collocation-Maintenance in CO-Overtime, per half hr | | | AMTFS | SPTOM | | 35.42 | 13.45 | | | | | | | | | | |
| | Virtual collocation-Maintenance in CO-Premium per half hr | | | AMTFS | SPTPM | | 43.72 | 16.49 | | | | | | | | | | |
| VIRTUAL COLLOCATION | | | | | | | | | | | | | | | | | | |
| | Virtual Collocation-2W Cross Connect, Exchange Port 2W Analog-Res | | | UEPSR | VE1R2 | 0.0296 | 11.94 | 11.46 | | | | | | | | | | |

COLLOCATION - Louisiana

| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES (\$) | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Attachment: 4 | | Exhibit: B | | | | | |
|--|--|---------|------|-------|-------|------------|----------------------------------|--------------------------------------|--|--|---|---|-------|----------------|-------|--|
| | | | | | | | | | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l | | | | |
| | | | | | | | | | Rec | Nonrecurring | | Nonrecurring D | | OSS Rates (\$) | | |
| | | | | | | First | Add'l | First | Add'l | SOME C | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN | |
| | Virtual Collocation 2W Cross Connect, Exchange Port 2W Line Side PBX Trunk-Bus | | | UEPSP | VE1R2 | 0.0296 | 11.94 | 11.46 | | | | | | | | |
| | Virtual Collocation 2W Cross Connect, Exchange Port 2W VG PBX Trunk-Res | | | UEPSE | VE1R2 | 0.0296 | 11.94 | 11.46 | | | | | | | | |
| | Virtual Collocation 2W Cross Connect, Exchange Port 2W Analog Bus | | | UEPSB | VE1R2 | 0.0296 | 11.94 | 11.46 | | | | | | | | |
| | Virtual Collocation 2W Cross Connect, Exchange Port 2W ISDN | | | UEPSX | VE1R2 | 0.0296 | 11.94 | 11.46 | | | | | | | | |
| | Virtual Collocation 2W Cross Connect, Exchange Port 2W ISDN | | | UEPTX | VE1R2 | 0.0296 | 11.94 | 11.46 | | | | | | | | |
| | Virtual Collocation 4W Cross Connect, Exchange Port 4W ISDN DS1 | | | UEPEX | VE1R4 | 0.0591 | 12.04 | 11.53 | | | | | | | | |
| Note: Rates displaying an "R" in Interim column are interim and subject to rate true-up as set forth in General Terms and Conditions. | | | | | | | | | | | | | | | | |

| COLLOCATION - Mississippi | | | | | | | | | | | | | | Attachment: 4 | | Exhibit: B | |
|-----------------------------|--|---------|------|---|-------|------------|--------------|-------|------------------|-----------------------------|--------------------------------------|--|--|---|---|------------|-------|
| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES (\$) | | | | Svc Order Submitted per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l | | |
| | | | | | | Rec | Nonrecurring | | Nonrecurring Dis | | | | | | | SOMECS | SOMAN |
| | | | | | | | First | Add'l | First | Add'l | | | | | | | |
| PHYSICAL COLLOCATION | | | | | | | | | | | | | | | | | |
| | Physical Collocation 2W Cross Connect, Exchange Port 2W Analog-Res | | | UEPSR | PE1R2 | 0.0288 | 12.37 | 11.87 | 6.04 | 5.45 | | | | | | | |
| | Physical Collocation 2W Cross Connect, Exchange Port 2W Line Side PBX Trunk-Bus | | | UEPSP | PE1R2 | 0.0288 | 12.37 | 11.87 | 6.04 | 5.45 | | | | | | | |
| | Physical Collocation 2W Cross Connect, Exchange Port 2W VG PBX Trunk-Res | | | UEPSE | PE1R2 | 0.0288 | 12.37 | 11.87 | 6.04 | 5.45 | | | | | | | |
| | Physical Collocation 2W Cross Connect, Exchange Port 2W Analog-Bus | | | UEPSB | PE1R2 | 0.0288 | 12.37 | 11.87 | 6.04 | 5.45 | | | | | | | |
| | Physical Collocation 2W Cross Connect, Exchange Port 2W ISDN | | | UEPSX | PE1R2 | 0.0288 | 12.37 | 11.87 | 6.04 | 5.45 | | | | | | | |
| | Physical Collocation 2W Cross Connect, Exchange Port 2W ISDN | | | UEPTX | PE1R2 | 0.0288 | 12.37 | 11.87 | 6.04 | 5.45 | | | | | | | |
| | Physical Collocation 4W Cross Connect, Exchange Port 4W ISDN DS1 | | | UEPEX | PE1R4 | 0.0576 | 12.47 | 11.94 | 6.59 | 5.91 | | | | | | | |
| PHYSICAL COLLOCATION | | | | | | | | | | | | | | | | | |
| | Physical Collocation-Initial Application Fee | | | CLO | PE1BA | | 1,890.38 | | | | | | | | | | |
| | Physical Collocation-Subsequent Application Fee | | | CLO | PE1CA | | 1,575.69 | | | | | | | | | | |
| | Physical Collocation Administrative Only-Application Fee | | | CLO | PE1BL | | 740.76 | | | | | | | | | | |
| | Physical Collocation-Space Preparation-Firm Order Processing | | I | CLO | PE1SJ | | 604.19 | | | | | | | | | | |
| | Physical Collocation-Space Preparation-CO Modification per sq ft | | I | CLO | PE1SK | 2.30 | | | | | | | | | | | |
| | Physical Collocation-Space Preparation, Common Systems Modifications-Cageless, per sq ft | | I | CLO | PE1SL | 2.52 | | | | | | | | | | | |
| | Physical Collocation-Space Preparation-Common Systems Modifications-Caged, per cage | | I | CLO | PE1SM | 85.67 | | | | | | | | | | | |
| | Physical Collocation-Cable Installation, Pricing, NRC charge, per Entrance Cable | | | CLO | PE1BD | | 926.27 | | 22.62 | | | | | | | | |
| | Physical Collocation-Floor Space, per sq ft | | | CLO | PE1PJ | 5.74 | | | | | | | | | | | |
| | Physical Collocation-Cable Support Structure, per Entrance Cable | | | CLO | PE1PM | 17.42 | | | | | | | | | | | |
| | Physical Collocation-Power, -48V DC Power-per Fused Amp | | I | CLO | PE1PL | 7.33 | | | | | | | | | | | |
| | Physical Collocation-Power Reduction Only, Application Fee | | I | CLO | PE1PR | | 398.76 | | | | | | | | | | |
| | Physical Collocation-Power, 120V AC Power, Single Phase, per Breaker | | I | CLO | PE1FB | 5.29 | | | | | | | | | | | |
| | Physical Collocation-Power, 240V AC Power, Single Phase, per Breaker | | I | CLO | PE1FD | 10.58 | | | | | | | | | | | |
| | Physical Collocation-Power, 120V AC Power, Three Phase, per Breaker Amp | | I | CLO | PE1FE | 15.87 | | | | | | | | | | | |
| | Physical Collocation-Power, 277V AC Power, Three Phase, per Breaker Amp | | I | CLO | PE1FG | 36.65 | | | | | | | | | | | |
| | Physical Collocation-2W cross-connect, loop, provisioning | | | UEANL,UEQ,UNLDX,UNCNX | PE1P2 | 0.0288 | 12.37 | 11.87 | 6.04 | 5.45 | | | | | | | |
| | Physical Collocation-4W cross-connect, loop, provisioning | | | UEA,UHL,UNCVX,UNCDX,UCL,UDL,UEANL,UEQ,WDS1L,WDS1S,UXTD1,U | PE1P4 | 0.0576 | 12.47 | 11.94 | 6.59 | 5.91 | | | | | | | |
| | Physical Collocation -DS1 Cross-Connect for Physical Collocation, provisioning | | | LDD1,USLEL,UNLD1,UDL,UEPEX,UEP | PE1P1 | 1.14 | 22.16 | 16.02 | 6.60 | 5.97 | | | | | | | |
| | Physical Collocation-DS3 Cross-Connect, provisioning | | | UE3,U1TD3,UXTD3,UXTS1,UNC3X,UNCSX,ULDD3,U1TS1,ULDS1,UNLD3 | PE1P3 | 14.49 | 21.01 | 15.29 | 7.61 | 6.10 | | | | | | | |
| | Physical Collocation-2-Fiber Cross-Connect | | | CLO,ULDO3,ULD12,ULD48,U1TO3,U1T12,U1T48,UDLO3,UDL12,UDF | PE1F2 | 2.87 | 21.01 | 15.29 | 7.61 | 6.10 | | | | | | | |
| | Physical Collocation-4-Fiber Cross-Connect | | | ULDO3,ULD12,ULD48,U1TO3,U1T12,U1T48,UDLO3,UDL12,UDF | PE1F4 | 5.10 | 25.70 | 19.97 | 10.01 | 8.50 | | | | | | | |

COLLOCATION - Mississippi

| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES (\$) | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Attachment: 4 | | Exhibit: B | | | | | | |
|----------|---|---------|------|-----|-------|------------|--------------|--------|------------------|----------------------------------|--------------------------------------|---------------|-------|------------|-------|--|--|---|---|-------|
| | | | | | | Rec | Nonrecurring | | Nonrecurring Dis | | | SOMECS | SOMAN | SOMAN | SOMAN | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l | |
| | | | | | | | First | Add'l | First | | | | | | | | | | | Add'l |
| | Physical Collocation-Space enclosure, welded wire, first 100 sq ft | | | CLO | PE1BW | 183.20 | | | | | | | | | | | | | | |
| | Physical Collocation-Space enclosure, welded wire, each add'l 50 sq ft | | | CLO | PE1CW | 17.97 | | | | | | | | | | | | | | |
| | Physical Collocation-Security Access System, Security System, per CO, per sq ft | I | | CLO | PE1AX | 75.23 | | | | | | | | | | | | | | |
| | Physical Collocation -Security Access System-New Card Activation, per Card Activation (First), per State | I | | CLO | PE1A1 | 0.0576 | 27.95 | | | | | | | | | | | | | |
| | Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Request, per State, per Card | I | | CLO | PE1AA | | 7.84 | | | | | | | | | | | | | |
| | Physical Collocation-Security Access System-Replace Lost or Stolen Card, per Card | | | CLO | PE1AR | | 22.91 | | | | | | | | | | | | | |
| | Physical Collocation-Security Access-Initial Key, per Key | | | CLO | PE1AK | | 13.17 | | | | | | | | | | | | | |
| | Physical Collocation-Security Access-Key, Replace Lost or Stolen Key, per Key | | | CLO | PE1AL | | 13.17 | | | | | | | | | | | | | |
| | Physical Collocation-Space Availability Report, per CO Requested | I | | CLO | PE1SR | | 1,081.40 | | | | | | | | | | | | | |
| | Physical Collocation-CFA Information Resend Request, per premises, per request | | | CLO | PE1C9 | | 77.41 | | | | | | | | | | | | | |
| | Physical Collocation-Cable Records, per request | | | CLO | PE1CR | | 763.69 | 490.94 | 133.77 | | | | | | | | | | | |
| | Physical Collocation, Cable Records, VG/DS0 Cable, per cable record (maximum 3600 records) | | | CLO | PE1CD | | 328.81 | | 190.22 | | | | | | | | | | | |
| | Physical Collocation, Cable Records, VG/DS0 Cable, per each 100 pr | | | CLO | PE1CO | | 4.84 | | 5.93 | | | | | | | | | | | |
| | Physical Collocation, Cable Records, DS1, per T1 TIE | | | CLO | PE1C1 | | 2.27 | | 2.78 | | | | | | | | | | | |
| | Physical Collocation, Cable Records, DS3, per T3 TIE | | | CLO | PE1C3 | | 7.92 | | 9.72 | | | | | | | | | | | |
| | Physical Collocation-Cable Records, Fiber Cable, per cable record (maximum 99 records) | | | CLO | PE1CB | | 84.98 | | 77.58 | | | | | | | | | | | |
| | Physical Collocation-Security Escort for Basic Time-normally scheduled work, per half hr | | | CLO | PE1BT | | 17.02 | 10.79 | | | | | | | | | | | | |
| | Physical Collocation-Security Escort for Overtime-outside of normally scheduled working hrs on a scheduled work day, per half hr | | | CLO | PE1OT | | 22.17 | 13.94 | | | | | | | | | | | | |
| | Physical Collocation-Security Escort for Premium Time-outside of scheduled work day, per half hr | | | CLO | PE1PT | | 27.32 | 17.08 | | | | | | | | | | | | |
| | Physical Collocation-Virtual to Physical Collocation Relocation, per VG Circuit | | | CLO | PE1BV | | 33.00 | | | | | | | | | | | | | |
| | Physical Collocation-Virtual to Physical Collocation Relocation, per DSO Circuit | | | CLO | PE1BO | | 33.00 | | | | | | | | | | | | | |
| | Physical Collocation-Virtual to Physical Collocation Relocation, per DS1 Circuit | | | CLO | PE1B1 | | 52.00 | | | | | | | | | | | | | |
| | Physical Collocation-Virtual to Physical Collocation Relocation, per DS3 Circuit | | | CLO | PE1B3 | | 52.00 | | | | | | | | | | | | | |
| | Physical Collocation-Virtual to Physical Collocation In-Place, Per VG Circuit | | | CLO | PE1BR | | 23.00 | | | | | | | | | | | | | |
| | Physical Collocation Virtual to Physical Collocation In-Place, Per DSO Circuit | | | CLO | PE1BP | | 23.00 | | | | | | | | | | | | | |
| | Physical Collocation-Virtual to Physical Collocation In-Place, Per DS1 Circuit | | | CLO | PE1BS | | 33.00 | | | | | | | | | | | | | |
| | Physical Collocation-Virtual to Physical Collocation In-Place, per DS3 Circuit | | | CLO | PE1BE | | 37.00 | | | | | | | | | | | | | |
| | Physical Collocation-Virtual to Physical Collocation In-Place/Relocation, space cable facilities assigned to Collocation Space, per 700 cable prs or fraction thereof | | | CLO | PE1B7 | | 592.00 | | | | | | | | | | | | | |
| | Physical Collocation-Co-Carrier Cross Connects/Direct Connect-Fiber Cable Support Structure, per linear ft | | | CLO | PE1ES | 0.001 | | | | | | | | | | | | | | |

| COLLOCATION - Mississippi | | | | | | | | | | | | | | Attachment: 4 | | Exhibit: B | | | |
|---|--|---------|------|-----------------|-------|------------|-----------------------------|--------------------------------------|--|--|---|---|----------------|--------------------|--------------------|------------------------|------------------------|-------|-------|
| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES (\$) | Svc Order Submitted per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l | OSS Rates (\$) | | | | | | |
| | | | | | | | | | | | | | Rec | Nonrecurring First | Nonrecurring Add'l | Nonrecurring Dis First | Nonrecurring Dis Add'l | SOMEK | SOMAN |
| | Physical Collocation-Co-Carrier Cross Connect/Direct Connect-Copper/Coax Cable Support Structure, per lin. ft | | | CLO | PE1DS | 0.0015 | | | | | | | | | | | | | |
| | Physical Collocation-Co-Carrier Cross Connects/Direct Connect, Application Fee, per application | | | CLO | PE1DT | 583.13 | | | | | | | | | | | | | |
| | Physical Collocation-Copper Entrance Cable per Cable (CO manhole to vault splice) | | | CLO | PE1EA | 1,265.629 | 42.641 | | | | | | | | | | | | |
| | Physical Collocation-Copper Entrance Cable Installation, per 100 prs | | | CLO | PE1EB | 18.069 | | | | | | | | | | | | | |
| | Physical Collocation-Fiber Entrance Cable per Cable (CO manhole to vault splice) | | | CLO | PE1EC | 1,070.484 | 42.641 | | | | | | | | | | | | |
| | Physical Collocation-Fiber Entrance Cable Installation, per Fiber | | | CLO | PE1ED | 7.228 | | | | | | | | | | | | | |
| | Physical Collocation-Application Cost, Simple Augment | | | CLO | PE1KS | 597.34 | | | 1.22 | | | | | | | | | | |
| | Physical Collocation-Application Cost, Minor Augment | | | CLO | PE1KM | 837.57 | | | 1.22 | | | | | | | | | | |
| | Physical Collocation-Application Cost, Intermediate Augment | | | CLO | PE1K1 | 1,063.00 | | | 1.22 | | | | | | | | | | |
| | Physical Collocation-Co-Carrier Cross Connect/Direct Connect-Fiber Cable Support Structure, per cable | I | | CLO | PE1DU | 534.65 | | | | | | | | | | | | | |
| | Physical Collocation-Co-Carrier Cross Connect/Direct Connect-Copper/Coax Cable Support Structure, per cable | I | | CLO | PE1DV | 534.65 | | | | | | | | | | | | | |
| ADJACENT COLLOCATION | | | | | | | | | | | | | | | | | | | |
| | Adjacent Collocation-Space Charge per sq ft | | | CLOAC | PE1JA | 0.0678 | | | | | | | | | | | | | |
| | Adjacent Collocation-Electrical Facility Charge per Linear ft | | | CLOAC | PE1JC | 4.68 | | | | | | | | | | | | | |
| | Adjacent Collocation-2W Cross-Connects | | | UEA,UHL,UDL,UCL | PE1P2 | 0.0223 | 12.37 | 11.87 | 6.04 | 5.45 | | | | | | | | | |
| | Adjacent Collocation-4W Cross-Connects | | | UEA,UHL,UDL,UCL | PE1P4 | 0.0446 | 12.47 | 11.94 | 6.59 | 5.91 | | | | | | | | | |
| | Adjacent Collocation-DS1 Cross-Connects | | | UEA,UHL,UDL,UCL | PE1P1 | 1.05 | 22.16 | 16.02 | 6.60 | 5.97 | | | | | | | | | |
| | Adjacent Collocation-DS3 Cross-Connects | | | UEA,UHL,UDL,UCL | PE1P3 | 14.27 | 21.01 | 15.29 | 7.61 | 6.10 | | | | | | | | | |
| | Adjacent Collocation-2-Fiber Cross-Connect | | | CLOAC | PE1F2 | 2.42 | 21.01 | 15.29 | 7.61 | 6.10 | | | | | | | | | |
| | Adjacent Collocation-4-Fiber Cross-Connect | | | CLOAC | PE1F4 | 4.62 | 25.70 | 19.97 | 10.01 | 8.50 | | | | | | | | | |
| | Adjacent Collocation-Application Fee | | | CLOAC | PE1JB | 1,585.83 | | | | | | | | | | | | | |
| | Adjacent Collocation-120V, Single Phase Standby Power Rate per AC Breaker Amp | | | CLOAC | PE1FB | 5.29 | | | | | | | | | | | | | |
| | Adjacent Collocation-240V, Single Phase Standby Power Rate per AC Breaker Amp | | | CLOAC | PE1FD | 10.58 | | | | | | | | | | | | | |
| | Adjacent Collocation-120V, Three Phase Standby Power Rate per AC Breaker Amp | | | CLOAC | PE1FE | 15.87 | | | | | | | | | | | | | |
| | Adjacent Collocation-277V, Three Phase Standby Power Rate per AC Breaker Amp | | | CLOAC | PE1FG | 36.65 | | | | | | | | | | | | | |
| PHYSICAL COLLOCATION IN THE REMOTE SITE | | | | | | | | | | | | | | | | | | | |
| | Physical Collocation in the Remote Site-Application Fee | | | CLORS | PE1RA | 309.48 | | 168.63 | | | | | | | | | | | |
| | Cabinet Space in the Remote Site per Bay/ Rack | | | CLORS | PE1RB | 210.05 | | | | | | | | | | | | | |
| | Physical Collocation in the Remote Site-Security Access-Key | | | CLORS | PE1RD | 13.17 | | | | | | | | | | | | | |
| | Physical Collocation in the Remote Site-Space Availability Report per Premises Requested | | | CLORS | PE1SR | 116.54 | | | | | | | | | | | | | |
| | Physical Collocation in the Remote Site-Remote Site CLLI Code Request, per CLLI Code Requested | | | CLORS | PE1RE | 37.77 | | | | | | | | | | | | | |
| | Remote Site DLEC Data (BRSD), per Compact Disk, per CO | | | CLORS | PE1RR | 233.14 | | | | | | | | | | | | | |
| | Physical Collocation-Security Escort for Basic Time-normally scheduled work, per half hr | | | CLORS | PE1BT | 17.02 | 10.79 | | | | | | | | | | | | |
| | Physical Collocation-Security Escort for Overtime-outside of normally scheduled working hrs on a scheduled work day, per half hr | | | CLORS | PE1OT | 22.17 | 13.94 | | | | | | | | | | | | |
| | Physical Collocation-Security Escort for Premium Time-outside of scheduled work day, per half hr | | | CLORS | PE1PT | 27.32 | 17.08 | | | | | | | | | | | | |
| PHYSICAL COLLOCATION IN THE REMOTE SITE - ADJACENT | | | | | | | | | | | | | | | | | | | |

| COLLOCATION - Mississippi | | | | | | | | | | | | | | Attachment: 4 | | Exhibit: B | |
|---|--|---------|------|---|-------|------------|--------------|--------|------------------|----------------------------------|--------------------------------------|--|--|---|---|------------|-------|
| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES (\$) | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l | | |
| | | | | | | Rec | Nonrecurring | | Nonrecurring Dis | | | | | | | SOME C | SOMAN |
| | | | | | | | First | Add'l | First | Add'l | | | | | | | |
| | Remote Site-Adjacent Collocation-AC Power, per breaker amp | | | CLORS | PE1RS | 6.27 | | | | | | | | | | | |
| | Remote Site-Adjacent Collocation-Real Estate, per sq ft | | | CLORS | PE1RT | 0.134 | | | | | | | | | | | |
| | Remote Site-Adjacent Collocation-Application Fee | | | CLORS | PE1RU | | 755.62 | 755.62 | | | | | | | | | |
| NOTE: If Security Escort and/or Add'l Engineering Fees become necessary for remote site collocation, the Parties will negotiate appropriate rates. | | | | | | | | | | | | | | | | | |
| VIRTUAL COLLOCATION | | | | | | | | | | | | | | | | | |
| | Virtual Collocation-Application Fee | | | AMTFS | EAF | | 1,212.25 | | 0.51 | | | | | | | | |
| | Virtual Collocation-Cable Installation Cost, per cable | | | AMTFS | ESPCX | | 926.27 | | 22.62 | | | | | | | | |
| | Virtual Collocation-Floor Space, per sq ft | | | AMTFS | ESPVX | 5.74 | | | | | | | | | | | |
| | Virtual Collocation-Power, per fused amp | | | AMTFS | ESPAX | 7.33 | | | | | | | | | | | |
| | Virtual Collocation-Cable Support Structure, per entrance cable | | | AMTFS | ESPSX | 15.24 | | | | | | | | | | | |
| | Virtual Collocation-2W Cross Connects (loop) | | | UEANL,UEA,UDN,UDC,UAL,UHL,UCL,U EQ,UNCVX,UNCDX,UNCNX | UEAC2 | 0.0268 | 12.37 | 11.87 | 6.04 | 5.45 | | | | | | | |
| | Virtual Collocation-4W Cross Connects (loop) | | | UEA,UHL,UCL,UDL,UAL,UDN,UNCVX,UNCNCDX | UEAC4 | 0.0536 | 12.47 | 11.94 | 6.59 | 5.91 | | | | | | | |
| | Virtual Collocation-2-Fiber Cross Connects | | | UDL12,UDLO3,U1T48,U1T12,U1T03,ULDO3,ULD12,ULD48,UDF | CNC2F | 2.91 | 21.01 | 15.29 | 7.61 | 6.10 | | | | | | | |
| | Virtual Collocation-4-Fiber Cross Connects | | | UDL12,UDLO3,U1T48,U1T12,U1T03,ULDO3,ULD12,ULD48,UDF | CNC4F | 5.82 | 25.70 | 19.97 | 10.01 | 8.50 | | | | | | | |
| | Virtual Collocation-Special Access & UNE, cross-connect per DS1 | | | USL,UJC,ULR,UXTD1,UNC1X,ULDD1,U1TD1,USLEL,UNLD1,JEPEX,UEPDX | CNC1X | 1.14 | 22.16 | 16.02 | 6.60 | 5.97 | | | | | | | |
| | Virtual collocation-Special Access & UNE, cross-connect per DS3 | | | USL,UE3,U1TD3,UXTS1,UXTD3,UNC3X,UNC3X,ULDD3,U1TS1,ULDS1,UDLSX,UNLD3 | CND3X | 14.49 | 21.01 | 15.29 | 7.61 | 6.10 | | | | | | | |
| | Virtual Collocation-Co-Carrier Cross Connects-Fiber Cable Support Structure, per linear ft | | | AMTFS | VE1CB | 0.0025 | | | | | | | | | | | |
| | Virtual Collocation-Co-Carrier Cross Connects-Copper/Coax Cable Support Structure, per linear ft | | | AMTFS | VE1CD | 0.0037 | | | | | | | | | | | |
| | Virtual Collocation-Co-Carrier Cross Connects-Fiber Cable Support Structure,per cable | | | AMTFS | VE1CC | | 534.65 | | | | | | | | | | |
| | Virtual Collocation-Co-Carrier Cross Connects-Copper/Coax Cable Support Structure, per cable | | | AMTFS | VE1CE | | 534.65 | | | | | | | | | | |
| | Virtual Collocation Cable Records-per request | | | AMTFS | VE1BA | | 763.69 | 490.94 | 133.77 | | | | | | | | |
| | Virtual Collocation Cable Records-VG/DS0 Cable, per cable record | | | AMTFS | VE1BB | | 328.81 | | 190.22 | | | | | | | | |
| | Virtual Collocation Cable Records-VG/DS0 Cable, per each 100 pr | | | AMTFS | VE1BC | | 4.84 | | 5.93 | | | | | | | | |
| | Virtual Collocation Cable Records-DS1, per T1TIE | | | AMTFS | VE1BD | | 2.27 | | 2.78 | | | | | | | | |
| | Virtual Collocation Cable Records-DS3, per T3TIE | | | AMTFS | VE1BE | | 7.92 | | 9.72 | | | | | | | | |
| | Virtual Collocation Cable Records-Fiber Cable, per 99 fiber records | | | AMTFS | VE1BF | | 84.98 | | 77.58 | | | | | | | | |
| | Virtual collocation-Security Escort-Basic, per half hr | | | AMTFS | SPTBX | | 17.02 | | 10.79 | | | | | | | | |
| | Virtual collocation-Security Escort-Overtime, per half hr | | | AMTFS | SPTOX | | 22.17 | | 13.94 | | | | | | | | |
| | Virtual collocation-Security Escort-Premium, per half hr | | | AMTFS | SPTPX | | 27.32 | | 17.08 | | | | | | | | |

| COLLOCATION - Mississippi | | | | | | | | | | | Attachment: 4 | | Exhibit: B | | | |
|---------------------------|---|---------|------|-------|-------|------------|--------------|-------|------------------|----------------------------------|--------------------------------------|--|--|---|---|-------|
| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES (\$) | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l | |
| | | | | | | Rec | Nonrecurring | | Nonrecurring Dis | | OSS Rates (\$) | | | | | |
| | | | | | | | First | Add'l | First | Add'l | SOME C | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Virtual collocation-Maintenance in CO-Basic, per half hr | | | AMTFS | CTRLX | | 28.09 | 10.79 | | | | | | | | |
| | Virtual collocation-Maintenance in CO-Overtime, per half hr | | | AMTFS | SPTOM | | 36.69 | 13.94 | | | | | | | | |
| | Virtual collocation-Maintenance in CO-Premium per half hr | | | AMTFS | SPTPM | | 45.28 | 17.08 | | | | | | | | |

| COLLOCATION - Mississippi | | | | | | | | | | | | | | Attachment: 4 | | Exhibit: B | |
|--|--|---------|------|-------|-------|------------|--------------|-------|------------------|----------------------------------|--------------------------------------|--|--|---|---|------------|-------|
| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES (\$) | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l | | |
| | | | | | | Rec | Nonrecurring | | Nonrecurring Dis | | | | | | | SOME C | SOMAN |
| VIRTUAL COLLOCATION | | | | | | | | | | | | | | | | | |
| | Virtual Collocation-2W Cross Connect, Exchange Port 2W Analog-Res | | | UEPSR | VE1R2 | 0.0268 | 12.37 | 11.87 | 6.04 | 5.45 | | | | | | | |
| | Virtual Collocation 2W Cross Connect, Exchange Port 2W Line Side PBX Trunk-Bus | | | UEPSP | VE1R2 | 0.0268 | 12.37 | 11.87 | 6.04 | 5.45 | | | | | | | |
| | Virtual Collocation 2W Cross Connect, Exchange Port 2W VG PBX Trunk-Res | | | UEPSE | VE1R2 | 0.0268 | 12.37 | 11.87 | 6.04 | 5.45 | | | | | | | |
| | Virtual Collocation 2W Cross Connect, Exchange Port 2W Analog Bus | | | UEPSB | VE1R2 | 0.0268 | 12.37 | 11.87 | 6.04 | 5.45 | | | | | | | |
| | Virtual Collocation 2W Cross Connect, Exchange Port 2W ISDN | | | UEPSX | VE1R2 | 0.0268 | 12.37 | 11.87 | 6.04 | 5.45 | | | | | | | |
| | Virtual Collocation 2W Cross Connect, Exchange Port 2W ISDN | | | UEPTX | VE1R2 | 0.0268 | 12.37 | 11.87 | 6.04 | 5.45 | | | | | | | |
| | Virtual Collocation 4W Cross Connect, Exchange Port 4W ISDN DS1 | | | UEPEX | VE1R4 | 0.0536 | 12.47 | 11.94 | 6.59 | 5.91 | | | | | | | |
| Note: Rates displaying an "R" in Interim column are interim and subject to rate true-up as set forth in General Terms and Conditions. | | | | | | | | | | | | | | | | | |

| COLLOCATION - North Carolina | | | | | | | | | | Attachment: 4 | | Exhibit: B | | | | |
|------------------------------|--|---------|------|---|-------|------------|--------------|-------|--------------------|----------------------------------|--------------------------------------|--|--|---|---|----------------|
| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES (\$) | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l | |
| | | | | | | Rec | Nonrecurring | | Nonrecurring Disco | | | | | | | OSS Rates (\$) |
| | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| PHYSICAL COLLOCATION | | | | | | | | | | | | | | | | |
| | Physical Collocation 2W Cross Connect, Exchange Port 2W Analog-Res | | | UEPSR | PE1R2 | 0.32 | 41.78 | 39.23 | | | | | 26.94 | 12.76 | | |
| | Physical Collocation 2W Cross Connect, Exchange Port 2W Line Side PBX Trunk-Bus | | | UEPSP | PE1R2 | 0.32 | 41.78 | 39.23 | | | | | 26.94 | 12.76 | | |
| | Physical Collocation 2W Cross Connect, Exchange Port 2W VG PBX Trunk-Res | | | UEPSE | PE1R2 | 0.32 | 41.78 | 39.23 | | | | | 26.94 | 12.76 | | |
| | Physical Collocation 2W Cross Connect, Exchange Port 2W Analog-Bus | | | UEPSB | PE1R2 | 0.32 | 41.78 | 39.23 | | | | | 26.94 | 12.76 | | |
| | Physical Collocation 2W Cross Connect, Exchange Port 2W ISDN | | | UEPSX | PE1R2 | 0.32 | 41.78 | 39.23 | | | | | 26.94 | 12.76 | | |
| | Physical Collocation 2W Cross Connect, Exchange Port 2W ISDN | | | UEPTX | PE1R2 | 0.32 | 41.78 | 39.23 | | | | | 26.94 | 12.76 | | |
| | Physical Collocation 4W Cross Connect, Exchange Port 4W ISDN DS1 | | | UEPEX | PE1R4 | 0.64 | 41.91 | 39.25 | | | | | 26.94 | 12.76 | | |
| PHYSICAL COLLOCATION | | | | | | | | | | | | | | | | |
| | Physical Collocation-Initial Application Fee | I | | CLO | PE1BA | | 2,322.00 | | | | | | | | | |
| | Physical Collocation-Subsequent Application Fee | | | CLO | PE1CA | | 2,311.00 | | | | | | | | | |
| | Physical Collocation Administrative Only-Application Fee | | | CLO | PE1BL | | 741.44 | | | | | | | | | |
| | Physical Collocation-Space Preparation-Firm Order Processing | | | CLO | PE1SJ | | 1,196.00 | | | | | | | | | |
| | Physical Collocation-Space Preparation-CO Modification per sq ft | I | | CLO | PE1SK | 2.42 | | | | | | | | | | |
| | Physical Collocation-Space Preparation, Common Systems Modifications-Cageless, per sq ft | I | | CLO | PE1SL | 2.88 | | | | | | | | | | |
| | Physical Collocation-Space Preparation-Common Systems Modifications-Caged, per cage | I | | CLO | PE1SM | 97.98 | | | | | | | | | | |
| | Space Preparation Fees-Power Per Nominal -48V Dc Amp | I | | CLO | PE1FH | 5.76 | | | | | | | | | | |
| | Physical Collocation-Cable Installation, Pricing, NRC charge, per Entrance Cable | I | | CLO | PE1BD | | 1,701.00 | | | | | | | | | |
| | Physical Collocation-Floor Space, per sq ft | I | | CLO | PE1PJ | 2.30 | | | | | | | | | | |
| | Physical Collocation-Cable Support Structure, per Entrance Cable | I | | CLO | PE1PM | 20.57 | | | | | | | | | | |
| | Physical Collocation-Power, -48V DC Power-per Fused Amp | I | | CLO | PE1PL | 7.65 | | | | | | | | | | |
| | Physical Collocation-Power Reduction Only, Application Fee | I | | CLO | PE1PR | | 399.13 | | | | | | | | | |
| | Physical Collocation-Power, 120V AC Power, Single Phase, per Breaker Amp | I | | CLO | PE1FB | 5.50 | | | | | | | | | | |
| | Physical Collocation-Power, 240V AC Power, Single Phase, per Breaker Amp | I | | CLO | PE1FD | 11.01 | | | | | | | | | | |
| | Physical Collocation-Power, 120V AC Power, Three Phase, per Breaker Amp | I | | CLO | PE1FE | 16.51 | | | | | | | | | | |
| | Physical Collocation-Power, 277V AC Power, Three Phase, per Breaker Amp | I | | CLO | PE1FG | 38.12 | | | | | | | | | | |
| | Physical Collocation-2W cross-connect, loop, provisioning | I | | UEANL,UEQ,UNLDX,UNCNX | PE1P2 | 0.0309 | 33.53 | 31.65 | | | | | | | | |
| | Physical Collocation-4W cross-connect, loop, provisioning | I | | UEA,UHL,UNCVX,U NCDX,UCL,UDL UEANL,UEQ,WDS1L,WDS1S,UXTD1,UL DD1,USLEL,UNLD1,UDL,UEPEX,UEPDX | PE1P4 | 0.0618 | 33.67 | 31.70 | | | | | | | | |
| | Physical Collocation -DS1 Cross-Connect for Physical Collocation, provisioning | I | | UE3,U1TD3,UXTD3,UXTS1,UNC3X,UNC SX,ULDD3,U1TS1,U LDS1,UNLD3 | PE1P1 | 1.38 | 52.87 | 39.86 | | | | | | | | |
| | Physical Collocation-DS3 Cross-Connect, provisioning | I | | CLO,ULDO3,ULD12,ULD48,U1TO3,U1T1 2,U1T48,UDLO3,UD L12,UDF | PE1P3 | 17.62 | 51.97 | 38.59 | | | | | | | | |
| | Physical Collocation-2-Fiber Cross-Connect | I | | ULDO3,ULD12,ULD4 8,U1TO3,U1T12,U1T 48,UDLO3,UDL12,U DF | PE1F2 | 3.50 | 51.97 | 38.59 | | | | | | | | |
| | Physical Collocation-4-Fiber Cross-Connect | I | | ULDO3,ULD12,ULD4 8,U1TO3,U1T12,U1T 48,UDLO3,UDL12,U DF | PE1F4 | 6.20 | 64.53 | 51.15 | | | | | | | | |
| | Physical Collocation-Space enclosure, welded wire, first 100 sq ft | I | | CLO | PE1BW | | 559.81 | | | | | | | | | |
| | Physical Collocation-Space enclosure, welded wire, each add'l 50 sq ft | I | | CLO | PE1CW | | 25.37 | | | | | | | | | |
| | Physical Collocation-Security Access System-Security System per CO | | | CLO | PE1AY | 0.0135 | | | | | | | | | | |
| | Physical Collocation-Security Access System, Security System, per CO, per sq ft | I | | CLO | PE1AX | 41.03 | | | | | | | | | | |

| COLLOCATION - North Carolina | | | | | | | | | | | | | | Attachment: 4 | | Exhibit: B | | | |
|------------------------------|---|---------|------|-----|-------|------------|----------------------------------|--------------------------------------|--|--|---|---|----------------|---------------|--|--------------------|--|-------|-------|
| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES (\$) | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l | OSS Rates (\$) | | | | | | |
| | | | | | | | | | | | | | Rec | Nonrecurring | | Nonrecurring Disco | | SOMEC | SOMAN |
| | | | | | | | | | | | | | | | | | | | |
| | Physical Collocation -Security Access System-New Card Activation, per Card Activation (First), per State | I | | CLO | PE1A1 | 0.062 | 15.00 | | | | | | | | | | | | |
| | Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Request, per State, per Card | I | | CLO | PE1AA | | 15.51 | | | | | | | | | | | | |
| | Physical Collocation-Security Access System-Replace Lost or Stolen Card, per Card | | | CLO | PE1AR | | 15.00 | | | | | | | | | | | | |
| | Physical Collocation-Security Access-Initial Key, per Key | | | CLO | PE1AK | | 15.00 | | | | | | | | | | | | |
| | Physical Collocation-Security Access-Key, Replace Lost or Stolen Key, per Key | | | CLO | PE1AL | | 15.00 | | | | | | | | | | | | |
| | Physical Collocation-Space Availability Report, per CO Requested | I | | CLO | PE1SR | | 2,140.00 | 2,140.00 | | | | | | | | | | | |
| | Physical Collocation-CFA Information Resend Request, per premises, per request | | | CLO | PE1C9 | | 77.48 | | | | | | | | | | | | |
| | Physical Collocation-Cable Records, per request | | | CLO | PE1CR | | 1,707.00 | | | | | | | | | | | | |
| | Physical Collocation, Cable Records, VG/DS0 Cable, per cable record (maximum 3600 records) | | | CLO | PE1CD | | 923.08 | | | | | | | | | | | | |
| | Physical Collocation, Cable Records, VG/DS0 Cable, per each 100 pr | | | CLO | PE1CO | | 18.02 | | | | | | | | | | | | |
| | Physical Collocation, Cable Records, DS1, per T1 TIE | | | CLO | PE1C1 | | 8.43 | | | | | | | | | | | | |
| | Physical Collocation, Cable Records, DS3, per T3 TIE | | | CLO | PE1C3 | | 29.51 | | | | | | | | | | | | |
| | Physical Collocation-Cable Records, Fiber Cable, per cable record (maximum 99 records) | | | CLO | PE1CB | | 278.82 | | | | | | | | | | | | |
| | Physical Collocation-Security Escort for Basic Time-normally scheduled work, per half hr | | | CLO | PE1BT | | 33.68 | 21.34 | | | | | | | | | | | |
| | Physical Collocation-Security Escort for Overtime-outside of normally scheduled working hrs on a scheduled work day, per half hr | | | CLO | PE1OT | | 43.87 | 27.57 | | | | | | | | | | | |
| | Physical Collocation-Security Escort for Premium Time-outside of scheduled work day, per half hr | | | CLO | PE1PT | | 54.06 | 33.80 | | | | | | | | | | | |
| | Physical Collocation-Virtual to Physical Collocation Relocation, per VG Circuit | | | CLO | PE1BV | | 33.00 | | | | | | | | | | | | |
| | Physical Collocation-Virtual to Physical Collocation Relocation, per DSO Circuit | | | CLO | PE1BO | | 33.00 | | | | | | | | | | | | |
| | Physical Collocation-Virtual to Physical Collocation Relocation, per DS1 Circuit | | | CLO | PE1B1 | | 52.00 | | | | | | | | | | | | |
| | Physical Collocation-Virtual to Physical Collocation Relocation, per DS3 Circuit | | | CLO | PE1B3 | | 52.00 | | | | | | | | | | | | |
| | Physical Collocation-Virtual to Physical Collocation In-Place, Per VG Circuit | | | CLO | PE1BR | | 23.00 | | | | | | | | | | | | |
| | Physical Collocation Virtual to Physical Collocation In-Place, Per DSO Circuit | | | CLO | PE1BP | | 23.00 | | | | | | | | | | | | |
| | Physical Collocation-Virtual to Physical Collocation In-Place, Per DS1 Circuit | | | CLO | PE1BS | | 33.00 | | | | | | | | | | | | |
| | Physical Collocation-Virtual to Physical Collocation In-Place, per DS3 Circuit | | | CLO | PE1BE | | 37.00 | | | | | | | | | | | | |
| | Physical Collocation-Virtual to Physical Collocation In-Place/Relocation, space cable facilities assigned to Collocation Space, per 700 cable prs or fraction thereof | | | CLO | PE1B7 | | 592.00 | | | | | | | | | | | | |
| | Physical Collocation-Co-Carrier Cross Connects/Direct Connect-Fiber Cable Support Structure, per linear ft | | | CLO | PE1ES | 0.0028 | | | | | | | | | | | | | |
| | Physical Collocation-Co-Carrier Cross Connect/Direct Connect-Copper/Coax Cable Support Structure, per lin. ft | | | CLO | PE1DS | 0.0041 | | | | | | | | | | | | | |
| | Physical Collocation-Co-Carrier Cross Connects/Direct Connect, Application Fee, per application | | | CLO | PE1DT | | 583.66 | | | | | | | | | | | | |
| | Physical Collocation-Copper Entrance Cable per Cable (CO manhole to vault splice) | | | CLO | PE1EA | | 1,167.175 | 42.68 | | | | | | | | | | | |
| | Physical Collocation-Copper Entrance Cable Installation, per 100 prs | | | CLO | PE1EB | | 18.086 | | | | | | | | | | | | |
| | Physical Collocation-Fiber Entrance Cable per Cable (CO manhole to vault splice) | | | CLO | PE1EC | | 971.852 | 42.68 | | | | | | | | | | | |
| | Physical Collocation-Fiber Entrance Cable Installation, per Fiber | | | CLO | PE1ED | | 7.234 | | | | | | | | | | | | |

| COLLOCATION - North Carolina | | | | | | | | | | Attachment: 4 | | Exhibit: B | | | |
|---|--|---------|------|--|-------|------------|----------------------------------|--------------------------------------|--|--|---|---|-------|--------------|-------|
| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES (\$) | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l | | | |
| | | | | | | | | | | | | | Rec | Nonrecurring | |
| | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Physical Collocation-Application Cost, Simple Augment | | | CLO | PE1KS | 575.93 | | 1.16 | | | | | | | |
| | Physical Collocation-Application Cost, Minor Augment | | | CLO | PE1KM | 806.66 | | 1.16 | | | | | | | |
| | Physical Collocation-Application Cost, Intermediate Augment | | | CLO | PE1K1 | 1,023.00 | | 1.16 | | | | | | | |
| | Physical Collocation-Co-Carrier Cross Connect/Direct Connect-Fiber Cable Support Structure, per cable | I | | CLO | PE1DU | 532.72 | | | | | | | | | |
| | Physical Collocation-Co-Carrier Cross Connect/Direct Connect-Copper/Coax Cable Support Structure, per cable | I | | CLO | PE1DV | 532.72 | | | | | | | | | |
| ADJACENT COLLOCATION | | | | | | | | | | | | | | | |
| | Adjacent Collocation-Space Charge per sq ft | | | CLOAC | PE1JA | 0.1555 | | | | | | | | | |
| | Adjacent Collocation-Electrical Facility Charge per Linear ft | | | CLOAC | PE1JC | 5.78 | | | | | | | | | |
| | Adjacent Collocation-2W Cross-Connects | | | UEA,UHL,UDL,UCL | PE1P2 | 0.0239 | 33.53 | 31.65 | | | | | | | |
| | Adjacent Collocation-4W Cross-Connects | | | UEA,UHL,UDL,UCL | PE1P4 | 0.0477 | 33.67 | 31.70 | | | | | | | |
| | Adjacent Collocation-DS1 Cross-Connects | | | UEA,UHL,UDL,UCL | PE1P1 | 1.28 | 52.87 | 39.86 | | | | | | | |
| | Adjacent Collocation-DS3 Cross-Connects | | | UEA,UHL,UDL,UCL | PE1P3 | 17.35 | 51.97 | 38.59 | | | | | | | |
| | Adjacent Collocation-2-Fiber Cross-Connect | | | CLOAC | PE1F2 | 2.94 | 51.97 | 38.59 | | | | | | | |
| | Adjacent Collocation-4-Fiber Cross-Connect | | | CLOAC | PE1F4 | 5.62 | 64.53 | 51.15 | | | | | | | |
| | Adjacent Collocation-Application Fee | | | CLOAC | PE1JB | 3,139.00 | | | | | | | | | |
| | Adjacent Collocation-120V, Single Phase Standby Power Rate per AC Breaker Amp | | | CLOAC | PE1FB | 5.50 | | | | | | | | | |
| | Adjacent Collocation-240V, Single Phase Standby Power Rate per AC Breaker Amp | | | CLOAC | PE1FD | 11.01 | | | | | | | | | |
| | Adjacent Collocation-120V, Three Phase Standby Power Rate per AC Breaker Amp | | | CLOAC | PE1FE | 16.51 | | | | | | | | | |
| | Adjacent Collocation-277V, Three Phase Standby Power Rate per AC Breaker Amp | | | CLOAC | PE1FG | 38.12 | | | | | | | | | |
| PHYSICAL COLLOCATION IN THE REMOTE SITE | | | | | | | | | | | | | | | |
| | Physical Collocation in the Remote Site-Application Fee | | | CLORS | PE1RA | 865.34 | | | | | | | | | |
| | Cabinet Space in the Remote Site per Bay/ Rack | | | CLORS | PE1RB | 254.02 | | | | | | | | | |
| | Physical Collocation in the Remote Site-Security Access-Key | | | CLORS | PE1RD | 26.06 | | | | | | | | | |
| | Physical Collocation in the Remote Site-Space Availability Report per Premises Requested | | | CLORS | PE1SR | 230.60 | | | | | | | | | |
| | Physical Collocation in the Remote Site-Remote Site CLLI Code Request, per CLLI Code Requested | | | CLORS | PE1RE | 74.74 | | | | | | | | | |
| | Remote Site DLEC Data (BRSD), per Compact Disk, per CO | | | CLORS | PE1RR | 232.94 | | | | | | | | | |
| | Physical Collocation-Security Escort for Basic Time-normally scheduled work, per half hr | | | CLORS | PE1BT | 33.68 | 21.34 | | | | | | | | |
| | Physical Collocation-Security Escort for Overtime-outside of normally scheduled working hrs on a scheduled work day, per half hr | | | CLORS | PE1OT | 43.87 | 27.57 | | | | | | | | |
| | Physical Collocation-Security Escort for Premium Time-outside of scheduled work day, per half hr | | | CLORS | PE1PT | 54.06 | 33.80 | | | | | | | | |
| PHYSICAL COLLOCATION IN THE REMOTE SITE - ADJACENT | | | | | | | | | | | | | | | |
| | Remote Site-Adjacent Collocation-AC Power, per breaker amp | | | CLORS | PE1RS | 6.27 | | | | | | | | | |
| | Remote Site-Adjacent Collocation-Real Estate, per sq ft | | | CLORS | PE1RT | 0.134 | | | | | | | | | |
| | Remote Site-Adjacent Collocation-Application Fee | | | CLORS | PE1RU | 755.62 | 755.62 | | | | | | | | |
| NOTE: If Security Escort and/or Add'l Engineering Fees become necessary for remote site collocation, the Parties will negotiate appropriate rates. | | | | | | | | | | | | | | | |
| VIRTUAL COLLOCATION | | | | | | | | | | | | | | | |
| | Virtual Collocation-Application Fee | | | AMTFS | EAF | 1,208.00 | | 1.16 | | | | 26.94 | 12.76 | | |
| | Virtual Collocation-Cable Installation Cost, per cable | | | AMTFS | ESPCX | 2,750.00 | | | | | | 26.94 | 12.76 | | |
| | Virtual Collocation-Floor Space, per sq ft | | | AMTFS | ESPVX | 3.20 | | | | | | | | | |
| | Virtual Collocation-Power, per fused amp | | | AMTFS | ESPAX | 3.48 | | | | | | | | | |
| | Virtual Collocation-Cable Support Structure, per entrance cable | | | AMTFS | ESPSX | 12.60 | | | | | | | | | |
| | Virtual Collocation-2W Cross Connects (loop) | | | UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,UNCVX,UNCDX, UNCNX | UEAC2 | 0.0208 | | | | | | 26.94 | 12.76 | | |

| COLLOCATION - North Carolina | | | | | | | | | | Attachment: 4 | | Exhibit: B | | | |
|------------------------------|--|---------|------|---|-------|------------|----------------------------------|--------------------------------------|--|--|---|---|-------|--------------|-------|
| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES (\$) | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l | | | |
| | | | | | | | | | | | | | Rec | Nonrecurring | |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Virtual Collocation-4W Cross Connects (loop) | | | UEA,UHL,UCL,UDL,UAL,UDN,UNCVX,UNCDCX | UEAC4 | 0.0417 | | | | | | 26.94 | 12.76 | | |
| | Virtual Collocation-2-Fiber Cross Connects | | | UDL12,UDLO3,U1T48,U1T12,U1T03,ULDO3,ULD12,ULD48,UDF | CNC2F | 1.86 | | | | | | 26.94 | 12.76 | | |
| | Virtual Collocation-4-Fiber Cross Connects | | | UDL12,UDLO3,U1T48,U1T12,U1T03,ULDO3,ULD12,ULD48,UDF | CNC4F | 3.73 | | | | | | 26.94 | 12.76 | | |
| | Virtual collocation-Special Access & UNE, cross-connect per DS1 | | | USL,ULC,ULR,UXTD1,UNC1X,ULDD1,U1TD1,USLEL,UNLD1,UEPEX,UEPDX | CNC1X | 0.3978 | | | | | | 26.94 | 12.76 | | |
| | Virtual collocation-Special Access & UNE, cross-connect per DS3 | | | USL,UE3,U1TD3,UXTS1,UXTD3,UNC3X,UNCSX,ULDD3,U1TS1,ULDS1,UDLSX,UNLD3 | CND3X | 4.18 | | | | | | 26.94 | 12.76 | | |
| | Virtual Collocation-Co-Carrier Cross Connects-Fiber Cable Support Structure, per linear ft | | | AMTFS | VE1CB | 0.0028 | | | | | | | | | |
| | Virtual Collocation-Co-Carrier Cross Connects-Copper/Coax Cable Support Structure, per linear ft | | | AMTFS | VE1CD | 0.0041 | | | | | | | | | |
| | Virtual Collocation-Co-Carrier Cross Connects-Fiber Cable Support Structure, per cable | | | AMTFS | VE1CC | | | | | | | 26.94 | 12.76 | | |
| | Virtual Collocation-Co-Carrier Cross Connects-Copper/Coax Cable Support Structure, per cable | | | AMTFS | VE1CE | | | | | | | 26.94 | 12.76 | | |
| | Virtual Collocation Cable Records- per request | | | AMTFS | VE1BA | | 1474.00 I | 947.42 S | 247.64 I | 247.64 S | | | | | |
| | Virtual Collocation Cable Records-VG/DS0 Cable, per cable record | | | AMTFS | VE1BB | | 629.42 I | 629.42 S | 350.10 I | 350.10 S | | | | | |
| | Virtual Collocation Cable Records-VG/DS0 Cable, per each 100 pr | | | AMTFS | VE1BC | | 8.87 I | 8.87 S | 10.43 I | 10.43 S | | | | | |
| | Virtual Collocation Cable Records-DS1, per T1TIE | | | AMTFS | VE1BD | | 4.40 I | 4.40 S | 5.17 I | 5.17 S | | | | | |
| | Virtual Collocation Cable Records-DS3, per T3TIE | | | AMTFS | VE1BE | | 15.38 I | 15.38 S | 18.09 I | 18.09 S | | | | | |
| | Virtual Collocation Cable Records-Fiber Cable, per 99 fiber records | | | AMTFS | VE1BF | | 165.38 I | 165.38 S | 144.87 I | 144.87 S | | | | | |
| | Virtual collocation-Security Escort-Basic, per half hr | | | AMTFS | SPTBX | | 41.00 | 25.00 | | | | 26.94 | 12.76 | | |
| | Virtual collocation-Security Escort-Overtime, per half hr | | | AMTFS | SPTOX | | 48.00 | 30.00 | | | | 26.94 | 12.76 | | |
| | Virtual collocation-Security Escort-Premium, per half hr | | | AMTFS | SPTPX | | 55.00 | 35.00 | | | | 26.94 | 12.76 | | |
| | Virtual collocation-Maintenance in CO-Basic, per half hr | | | AMTFS | CTRLX | | 52.59 | 21.45 | | | | 26.94 | 12.76 | | |
| | Virtual collocation-Maintenance in CO-Overtime, per half hr | | | AMTFS | SPTOM | | 70.24 | 28.11 | | | | 26.94 | 12.76 | | |
| | Virtual collocation-Maintenance in CO-Premium per half hr | | | AMTFS | SPTPM | | 87.88 | 34.77 | | | | 26.94 | 12.76 | | |

| COLLOCATION - North Carolina | | | | | | | | | | | | | | | | |
|--|--|---------|------|-------|-------|------------|----------------------------------|--------------------------------------|--|--|---|---|-------|-------|-------|-------|
| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES (\$) | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Attachment: 4 | | Exhibit: B | | | | | |
| | | | | | | | | | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l | | | | |
| | | | | | | Rec | Nonrecurring | | Nonrecurring Disco | | OSS Rates (\$) | | | | | |
| | | | | | | | First | Add'l | First | Add'l | SOME C | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| VIRTUAL COLLOCATION | | | | | | | | | | | | | | | | |
| | Virtual Collocation-2W Cross Connect, Exchange Port 2W Analog-Res | | | UEPSR | VE1R2 | 0.09 | 41.78 | 39.23 | | | | | 26.94 | 12.76 | | |
| | Virtual Collocation 2W Cross Connect, Exchange Port 2W Line Side PBX Trunk-Bus | | | UEPSP | VE1R2 | 0.09 | 41.78 | 39.23 | | | | | 26.94 | 12.76 | | |
| | Virtual Collocation 2W Cross Connect, Exchange Port 2W VG PBX Trunk-Res | | | UEPSE | VE1R2 | 0.09 | 41.78 | 39.23 | | | | | 26.94 | 12.76 | | |
| | Virtual Collocation 2W Cross Connect, Exchange Port 2W Analog Bus | | | UEPSB | VE1R2 | 0.09 | 41.78 | 39.23 | | | | | 26.94 | 12.76 | | |
| | Virtual Collocation 2W Cross Connect, Exchange Port 2W ISDN | | | UEPSX | VE1R2 | 0.09 | 41.78 | 39.23 | | | | | 26.94 | 12.76 | | |
| | Virtual Collocation 2W Cross Connect, Exchange Port 2W ISDN | | | UEPTX | VE1R2 | 0.09 | 41.78 | 39.23 | | | | | 26.94 | 12.76 | | |
| | Virtual Collocation 4W Cross Connect, Exchange Port 4W ISDN DS1 | | | UEPEX | VE1R4 | 0.18 | 41.91 | 39.25 | | | | | 26.94 | 12.76 | | |
| Note: Rates displaying an "R" in Interim column are interim and subject to rate true-up as set forth in General Terms and Conditions. | | | | | | | | | | | | | | | | |

| COLLOCATION - South Carolina | | | | | | | | | | Attachment: 4 | | Exhibit: B | | | |
|------------------------------|--|---------|------|---|-------|------------|--------------|-------|------------------|----------------------------------|--------------------------------------|--|--|---|---|
| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES (\$) | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | Rec | Nonrecurring | | Nonrecurring Dis | | | | | | |
| | | | | | | | First | Add'l | First | Add'l | SOME C | SOMAN | SOMAN | SOMAN | SOMAN |
| PHYSICAL COLLOCATION | | | | | | | | | | | | | | | |
| | Physical Collocation 2W Cross Connect, Exchange Port 2W Analog-Res | | | UEPSR | PE1R2 | 0.0341 | 12.32 | 11.83 | 6.04 | 5.45 | | | | | |
| | Physical Collocation 2W Cross Connect, Exchange Port 2W Line Side PBX Trunk-Bus | | | UEPSP | PE1R2 | 0.0341 | 12.32 | 11.83 | 6.04 | 5.45 | | | | | |
| | Physical Collocation 2W Cross Connect, Exchange Port 2W VG PBX Trunk-Res | | | UEPSE | PE1R2 | 0.0341 | 12.32 | 11.83 | 6.04 | 5.45 | | | | | |
| | Physical Collocation 2W Cross Connect, Exchange Port 2W Analog-Bus | | | UEPSB | PE1R2 | 0.0341 | 12.32 | 11.83 | 6.04 | 5.45 | | | | | |
| | Physical Collocation 2W Cross Connect, Exchange Port 2W ISDN | | | UEPSX | PE1R2 | 0.0341 | 12.32 | 11.83 | 6.04 | 5.45 | | | | | |
| | Physical Collocation 2W Cross Connect, Exchange Port 2W ISDN | | | UEPTX | PE1R2 | 0.0341 | 12.32 | 11.83 | 6.04 | 5.45 | | | | | |
| | Physical Collocation 4W Cross Connect, Exchange Port 4W ISDN DS1 | | | UEPEX | PE1R4 | 1.12 | 22.08 | 15.96 | 6.42 | 5.80 | | | | | |
| PHYSICAL COLLOCATION | | | | | | | | | | | | | | | |
| | Physical Collocation-Initial Application Fee | | | CLO | PE1BA | | 1,883.67 | | | | | | | | |
| | Physical Collocation-Subsequent Application Fee | | | CLO | PE1CA | | 1,570.10 | | | | | | | | |
| | Physical Collocation Administrative Only-Application Fee | | | CLO | PE1BL | | 743.66 | | | | | | | | |
| | Physical Collocation-Space Preparation-Firm Order Processing | | | CLO | PE1SJ | | 602.05 | | | | | | | | |
| | Physical Collocation-Space Preparation-CO Modification per sq ft | | | CLO | PE1SK | 2.75 | | | | | | | | | |
| | Physical Collocation-Space Preparation, Common Systems Modifications-Cageless, per sq ft | | | CLO | PE1SL | 3.24 | | | | | | | | | |
| | Physical Collocation-Space Preparation-Common Systems Modifications-Caged, per cage | | | CLO | PE1SM | 110.16 | | | | | | | | | |
| | Physical Collocation-Cable Installation, Pricing, NRC charge, per Entrance Cable | | | CLO | PE1BD | | 794.22 | | 22.54 | | | | | | |
| | Physical Collocation-Floor Space, per sq ft | | | CLO | PE1PJ | 3.95 | | | | | | | | | |
| | Physical Collocation-Cable Support Structure, per Entrance Cable | | | CLO | PE1PM | 21.33 | | | | | | | | | |
| | Physical Collocation-Power, -48V DC Power-per Fused Amp | | | CLO | PE1PL | 9.19 | | | | | | | | | |
| | Physical Collocation-Power Reduction Only, Application Fee | | | CLO | PE1PR | | 400.33 | | | | | | | | |
| | Physical Collocation-Power, 120V AC Power, Single Phase, per Breaker | | | CLO | PE1FB | 5.67 | | | | | | | | | |
| | Physical Collocation-Power, 240V AC Power, Single Phase, per Breaker | | | CLO | PE1FD | 11.36 | | | | | | | | | |
| | Physical Collocation-Power, 120V AC Power, Three Phase, per Breaker Amp | | | CLO | PE1FE | 17.03 | | | | | | | | | |
| | Physical Collocation-Power, 277V AC Power, Three Phase, per Breaker Amp | | | CLO | PE1FG | 39.33 | | | | | | | | | |
| | Physical Collocation-2W cross-connect, loop, provisioning | | | UEANL,UEQ,UNLD X,UNCNX | PE1P2 | 0.0341 | 12.32 | 11.83 | 6.04 | 5.45 | | | | | |
| | Physical Collocation-4W cross-connect, loop, provisioning | | | UEA,UHL,UNCVX,U NCDX,UCL,UDL UEANL,UEQ,WDS1 L,WDS1S,UXTD1,U LDD1,USLEL,UNLD 1,UDL,UEPEX,UEP | PE1P4 | 0.0682 | 12.42 | 11.90 | 6.40 | 5.74 | | | | | |
| | Physical Collocation -DS1 Cross-Connect for Physical Collocation, provisioning | | | UE3,U1TD3,UXTD3, UXTS1,UNC3X,UN CSX,ULDD3,U1TS1, ULDS1,UNLD3 | PE1P1 | 1.12 | 22.08 | 15.96 | 6.42 | 5.80 | | | | | |
| | Physical Collocation-DS3 Cross-Connect, provisioning | | | CLO,ULDO3,ULD12, UL48,U1TO3,U1T1 2,U1T48,UDLO3,UD L12,UDF | PE1P3 | 14.21 | 20.94 | 15.23 | 7.39 | 5.93 | | | | | |
| | Physical Collocation-2-Fiber Cross-Connect | | | ULDO3,ULD12,ULD 48,U1TO3,U1T12,U 1T48,UDLO3,UDL12 ,UDF | PE1F2 | 2.82 | 20.94 | 15.23 | 7.40 | 5.93 | | | | | |
| | Physical Collocation-4-Fiber Cross-Connect | | | ULDO3,ULD12,ULD 48,U1TO3,U1T12,U 1T48,UDLO3,UDL12 ,UDF | PE1F4 | 5.01 | 25.61 | 19.90 | 9.73 | 8.26 | | | | | |

| COLLOCATION - South Carolina | | | | | | | | | | | | Attachment: 4 | | Exhibit: B | |
|------------------------------|---|---------|------|-----|-------|------------|--------------|--------|------------------|----------------------------------|--------------------------------------|--|--|---|---|
| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES (\$) | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | Rec | Nonrecurring | | Nonrecurring Dis | | | | | | |
| | | | | | | | First | Add'l | First | Add'l | SOME C | SOMAN | SOMAN | SOMAN | SOMAN |
| | Physical Collocation-Space enclosure, welded wire, first 100 sq ft | | | CLO | PE1BW | 219.19 | | | | | | | | | |
| | Physical Collocation-Space enclosure, welded wire, each add'l 50 sq ft | | | CLO | PE1CW | 21.50 | | | | | | | | | |
| | Physical Collocation-Security Access System, Security System, per CO, per sq ft | | | CLO | PE1AX | 74.72 | | | | | | | | | |
| | Physical Collocation -Security Access System-New Card Activation, per Card Activation (First), per State | | | CLO | PE1A1 | 0.0601 | 27.85 | | | | | | | | |
| | Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Request, per State, per Card | | | CLO | PE1AA | | 7.81 | | | | | | | | |
| | Physical Collocation-Security Access System-Replace Lost or Stolen Card, per Card | | | CLO | PE1AR | | 22.83 | | | | | | | | |
| | Physical Collocation-Security Access-Initial Key, per Key | | | CLO | PE1AK | | 13.13 | | | | | | | | |
| | Physical Collocation-Security Access-Key, Replace Lost or Stolen Key, per Key | | | CLO | PE1AL | | 13.13 | | | | | | | | |
| | Physical Collocation-Space Availability Report, per CO Requested | | | CLO | PE1SR | | 1,077.57 | | | | | | | | |
| | Physical Collocation-CFA Information Resend Request, per premises, per request | | | CLO | PE1C9 | | 77.71 | | | | | | | | |
| | Physical Collocation-Cable Records, per request | | | CLO | PE1CR | | 760.98 | 489.20 | 133.29 | | | | | | |
| | Physical Collocation, Cable Records, VG/DS0 Cable, per cable record (maximum 3600 records) | | | CLO | PE1CD | | 327.65 | | 189.54 | | | | | | |
| | Physical Collocation, Cable Records, VG/DS0 Cable, per each 100 pr | | | CLO | PE1CO | | 4.82 | | 5.91 | | | | | | |
| | Physical Collocation, Cable Records, DS1, per T1 TIE | | | CLO | PE1C1 | | 2.26 | | 2.77 | | | | | | |
| | Physical Collocation, Cable Records, DS3, per T3 TIE | | | CLO | PE1C3 | | 7.90 | | 9.68 | | | | | | |
| | Physical Collocation-Cable Records, Fiber Cable, per cable record (maximum 99 records) | | | CLO | PE1CB | | 84.68 | | 77.30 | | | | | | |
| | Physical Collocation-Security Escort for Basic Time-normally scheduled work, per half hr | | | CLO | PE1BT | | 16.96 | 10.75 | | | | | | | |
| | Physical Collocation-Security Escort for Overtime-outside of normally scheduled working hrs on a scheduled work day, per half hr | | | CLO | PE1OT | | 22.10 | 13.89 | | | | | | | |
| | Physical Collocation-Security Escort for Premium Time-outside of scheduled work day, per half hr | | | CLO | PE1PT | | 27.23 | 17.02 | | | | | | | |
| | Physical Collocation-Virtual to Physical Collocation Relocation, per VG Circuit | | | CLO | PE1BV | | 33.00 | | | | | | | | |
| | Physical Collocation-Virtual to Physical Collocation Relocation, per DSO Circuit | | | CLO | PE1BO | | 33.00 | | | | | | | | |
| | Physical Collocation-Virtual to Physical Collocation Relocation, per DS1 Circuit | | | CLO | PE1B1 | | 52.00 | | | | | | | | |
| | Physical Collocation-Virtual to Physical Collocation Relocation, per DS3 Circuit | | | CLO | PE1B3 | | 52.00 | | | | | | | | |
| | Physical Collocation-Virtual to Physical Collocation In-Place, Per VG Circuit | | | CLO | PE1BR | | 23.00 | | | | | | | | |
| | Physical Collocation Virtual to Physical Collocation In-Place, Per DSO Circuit | | | CLO | PE1BP | | 23.00 | | | | | | | | |
| | Physical Collocation-Virtual to Physical Collocation In-Place, Per DS1 Circuit | | | CLO | PE1BS | | 33.00 | | | | | | | | |
| | Physical Collocation-Virtual to Physical Collocation In-Place, per DS3 Circuit | | | CLO | PE1BE | | 37.00 | | | | | | | | |
| | Physical Collocation-Virtual to Physical Collocation In-Place/Relocation, space cable facilities assigned to Collocation Space, per 700 cable prs or fraction thereof | | | CLO | PE1B7 | | 592.00 | | | | | | | | |
| | Physical Collocation-Co-Carrier Cross Connects/Direct Connect-Fiber Cable Support Structure, per linear ft | | | CLO | PE1ES | 0.001 | | | | | | | | | |

| COLLOCATION - South Carolina | | | | | | | | | | | Attachment: 4 | | Exhibit: B | | | | | | | |
|---|--|---------|------|-----------------|-------|------------|----------------------------------|--------------------------------------|--|--|---|---|----------------|--------------------|--------------------|------------------------|------------------------|-------|-------|-------|
| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES (\$) | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l | OSS Rates (\$) | | | | | | | |
| | | | | | | | | | | | | | Rec | Nonrecurring First | Nonrecurring Add'l | Nonrecurring Dis First | Nonrecurring Dis Add'l | SOMEC | SOMAN | SOMAN |
| | Physical Collocation-Co-Carrier Cross Connect/Direct Connect-Copper/Coax Cable Support Structure, per lin. ft | | | CLO | PE1DS | 0.0015 | | | | | | | | | | | | | | |
| | Physical Collocation-Co-Carrier Cross Connects/Direct Connect, Application Fee, per application | | | CLO | PE1DT | | 584.42 | | | | | | | | | | | | | |
| | Physical Collocation-Copper Entrance Cable per Cable (CO manhole to vault splice) | | | CLO | PE1EA | | 1,136.597 | 42.808 | | | | | | | | | | | | |
| | Physical Collocation-Copper Entrance Cable Installation, per 100 prs | | | CLO | PE1EB | | 18.14 | | | | | | | | | | | | | |
| | Physical Collocation-Fiber Entrance Cable per Cable (CO manhole to vault splice) | | | CLO | PE1EC | | 940.686 | 42.808 | | | | | | | | | | | | |
| | Physical Collocation-Fiber Entrance Cable Installation, per Fiber | | | CLO | PE1ED | | 7.256 | | | | | | | | | | | | | |
| | Physical Collocation-Application Cost, Simple Augment | | | CLO | PE1KS | | 594.27 | | 1.21 | | | | | | | | | | | |
| | Physical Collocation-Application Cost, Minor Augment | | | CLO | PE1KM | | 833.26 | | 1.21 | | | | | | | | | | | |
| | Physical Collocation-Application Cost, Intermediate Augment | | | CLO | PE1K1 | | 1,058.00 | | 1.21 | | | | | | | | | | | |
| | Physical Collocation-Co-Carrier Cross Connect/Direct Connect-Fiber Cable Support Structure, per cable | I | | CLO | PE1DU | | 536.56 | | | | | | | | | | | | | |
| | Physical Collocation-Co-Carrier Cross Connect/Direct Connect-Copper/Coax Cable Support Structure, per cable | I | | CLO | PE1DV | | 536.56 | | | | | | | | | | | | | |
| ADJACENT COLLOCATION | | | | | | | | | | | | | | | | | | | | |
| | Adjacent Collocation-Space Charge per sq ft | | | CLOAC | PE1JA | 0.0939 | | | | | | | | | | | | | | |
| | Adjacent Collocation-Electrical Facility Charge per Linear ft | | | CLOAC | PE1JC | 6.40 | | | | | | | | | | | | | | |
| | Adjacent Collocation-2W Cross-Connects | | | UEA,UHL,UDL,UCL | PE1P2 | 0.0264 | 12.32 | 11.83 | 6.04 | 5.45 | | | | | | | | | | |
| | Adjacent Collocation-4W Cross-Connects | | | UEA,UHL,UDL,UCL | PE1P4 | 0.0527 | 12.42 | 11.90 | 6.40 | 5.74 | | | | | | | | | | |
| | Adjacent Collocation-DS1 Cross-Connects | | | UEA,UHL,UDL,UCL | PE1P1 | 1.03 | 22.08 | 15.96 | 6.42 | 5.80 | | | | | | | | | | |
| | Adjacent Collocation-DS3 Cross-Connects | | | UEA,UHL,UDL,UCL | PE1P3 | 14.00 | 20.94 | 15.23 | 7.39 | 5.93 | | | | | | | | | | |
| | Adjacent Collocation-2-Fiber Cross-Connect | | | CLOAC | PE1F2 | 2.37 | 20.94 | 15.23 | 7.40 | 5.93 | | | | | | | | | | |
| | Adjacent Collocation-4-Fiber Cross-Connect | | | CLOAC | PE1F4 | 4.53 | 25.61 | 19.90 | 9.73 | 8.26 | | | | | | | | | | |
| | Adjacent Collocation-Application Fee | | | CLOAC | PE1JB | | 1,580.20 | | | | | | | | | | | | | |
| | Adjacent Collocation-120V, Single Phase Standby Power Rate per AC Breaker Amp | | | CLOAC | PE1FB | 5.67 | | | | | | | | | | | | | | |
| | Adjacent Collocation-240V, Single Phase Standby Power Rate per AC Breaker Amp | | | CLOAC | PE1FD | 11.36 | | | | | | | | | | | | | | |
| | Adjacent Collocation-120V, Three Phase Standby Power Rate per AC Breaker Amp | | | CLOAC | PE1FE | 17.03 | | | | | | | | | | | | | | |
| | Adjacent Collocation-277V, Three Phase Standby Power Rate per AC Breaker Amp | | | CLOAC | PE1FG | 39.33 | | | | | | | | | | | | | | |
| PHYSICAL COLLOCATION IN THE REMOTE SITE | | | | | | | | | | | | | | | | | | | | |
| | Physical Collocation in the Remote Site-Application Fee | | | CLORS | PE1RA | | 308.38 | | 168.60 | | | | | | | | | | | |
| | Cabinet Space in the Remote Site per Bay/ Rack | | | CLORS | PE1RB | 246.44 | | | | | | | | | | | | | | |
| | Physical Collocation in the Remote Site-Security Access-Key | | | CLORS | PE1RD | | 13.13 | | | | | | | | | | | | | |
| | Physical Collocation in the Remote Site-Space Availability Report per Premises Requested | | | CLORS | PE1SR | | 116.13 | | | | | | | | | | | | | |
| | Physical Collocation in the Remote Site-Remote Site CLLI Code Request, per CLLI Code Requested | | | CLORS | PE1RE | | 37.64 | | | | | | | | | | | | | |
| | Remote Site DLEC Data (BRSDDD), per Compact Disk, per CO | | | CLORS | PE1RR | | 234.50 | | | | | | | | | | | | | |
| | Physical Collocation-Security Escort for Basic Time-normally scheduled work, per half hr | | | CLORS | PE1BT | | 16.96 | 10.75 | | | | | | | | | | | | |
| | Physical Collocation-Security Escort for Overtime-outside of normally scheduled working hrs on a scheduled work day, per half hr | | | CLORS | PE1OT | | 22.10 | 13.89 | | | | | | | | | | | | |
| | Physical Collocation-Security Escort for Premium Time-outside of scheduled work day, per half hr | | | CLORS | PE1PT | | 27.23 | 17.02 | | | | | | | | | | | | |
| PHYSICAL COLLOCATION IN THE REMOTE SITE - ADJACENT | | | | | | | | | | | | | | | | | | | | |

| COLLOCATION - South Carolina | | | | | | | | | | Attachment: 4 | | Exhibit: B | | | |
|---|--|---------|------|---|-------|------------|--------------|--------|------------------|----------------------------------|--------------------------------------|--|--|---|---|
| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES (\$) | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | Rec | Nonrecurring | | Nonrecurring Dis | | | | | | |
| | | | | | | | First | Add'l | First | Add'l | SOME C | SOMAN | SOMAN | SOMAN | SOMAN |
| | Remote Site-Adjacent Collocation-AC Power, per breaker amp | | | CLORS | PE1RS | 6.27 | | | | | | | | | |
| | Remote Site-Adjacent Collocation-Real Estate, per sq ft | | | CLORS | PE1RT | 0.134 | | | | | | | | | |
| | Remote Site-Adjacent Collocation-Application Fee | | | CLORS | PE1RU | | 755.62 | 755.62 | | | | | | | |
| NOTE: If Security Escort and/or Add'l Engineering Fees become necessary for remote site collocation, the Parties will negotiate appropriate rates. | | | | | | | | | | | | | | | |
| VIRTUAL COLLOCATION | | | | | | | | | | | | | | | |
| | Virtual Collocation-Application Fee | | | AMTFS | EAF | | 1,207.95 | | 0.51 | | | | | | |
| | Virtual Collocation-Cable Installation Cost, per cable | | | AMTFS | ESPCX | | 794.22 | | 22.54 | | | | | | |
| | Virtual Collocation-Floor Space, per sq ft | | | AMTFS | ESPVX | 3.95 | | | | | | | | | |
| | Virtual Collocation-Power, per fused amp | | | AMTFS | ESPAX | 9.19 | | | | | | | | | |
| | Virtual Collocation-Cable Support Structure, per entrance cable | | | AMTFS | ESPSX | 18.66 | | | | | | | | | |
| | Virtual Collocation-2W Cross Connects (loop) | | | UEANL,UEA,UDN,UDC,UAL,UHL,UCL,U EQ,UNCVX,UNCDX,UNCNX | UEAC2 | 0.0317 | 12.32 | 11.83 | 6.04 | 5.45 | | | | | |
| | Virtual Collocation-4W Cross Connects (loop) | | | UEA,UHL,UCL,UDL,UAL,UDN,UNCVX,UNCNCDX | UEAC4 | 0.0634 | 12.42 | 11.90 | 6.40 | 5.74 | | | | | |
| | Virtual Collocation-2-Fiber Cross Connects | | | UDL12,UDLO3,U1T48,U1T12,U1T03,ULDO3,ULD12,ULD48,UDF | CNC2F | 2.86 | 20.94 | 15.23 | 7.40 | 5.93 | | | | | |
| | Virtual Collocation-4-Fiber Cross Connects | | | UDL12,UDLO3,U1T48,U1T12,U1T03,ULDO3,ULD12,ULD48,UDF | CNC4F | 5.71 | 25.61 | 19.90 | 9.73 | 8.26 | | | | | |
| | Virtual collocation-Special Access & UNE,cross-connect per DS1 | | | USL,UJC,ULR,UXTD1,UNC1X,ULDD1,U1TD1,USLEL,UNLD1,UEPEX,UEPDX | CNC1X | 1.12 | 22.08 | 15.96 | 6.42 | 5.80 | | | | | |
| | Virtual collocation-Special Access & UNE, cross-connect per DS3 | | | USL,UE3,U1TD3,UXTS1,UXTD3,UNC3X,UNC3X,ULDD3,U1TS1,ULDS1,UDLSX,UNLD3 | CND3X | 14.21 | 20.94 | 15.23 | 7.39 | 5.93 | | | | | |
| | Virtual Collocation-Co-Carrier Cross Connects-Fiber Cable Support Structure, per linear ft | | | AMTFS | VE1CB | 0.0022 | | | | | | | | | |
| | Virtual Collocation-Co-Carrier Cross Connects-Copper/Coax Cable Support Structure, per linear ft | | | AMTFS | VE1CD | 0.0033 | | | | | | | | | |
| | Virtual Collocation-Co-Carrier Cross Connects-Fiber Cable Support Structure,per cable | | | AMTFS | VE1CC | | 536.56 | | | | | | | | |
| | Virtual Collocation-Co-Carrier Cross Connects-Copper/Coax Cable Support Structure, per cable | | | AMTFS | VE1CE | | 536.56 | | | | | | | | |
| | Virtual Collocation Cable Records-per request | | | AMTFS | VE1BA | | 760.98 | 489.20 | 133.29 | | | | | | |
| | Virtual Collocation Cable Records-VG/DSO Cable, per cable record | | | AMTFS | VE1BB | | 327.65 | | 189.54 | | | | | | |
| | Virtual Collocation Cable Records-VG/DSO Cable, per each 100 pr | | | AMTFS | VE1BC | | 4.82 | | 5.91 | | | | | | |
| | Virtual Collocation Cable Records-DS1, per T1TIE | | | AMTFS | VE1BD | | 2.26 | | 2.77 | | | | | | |
| | Virtual Collocation Cable Records-DS3, per T3TIE | | | AMTFS | VE1BE | | 7.90 | | 9.68 | | | | | | |
| | Virtual Collocation Cable Records-Fiber Cable, per 99 fiber records | | | AMTFS | VE1BF | | 84.68 | | 77.30 | | | | | | |
| | Virtual collocation-Security Escort-Basic, per half hr | | | AMTFS | SPTBX | | 16.96 | 10.75 | | | | | | | |
| | Virtual collocation-Security Escort-Overtime, per half hr | | | AMTFS | SPTOX | | 22.10 | 13.89 | | | | | | | |
| | Virtual collocation-Security Escort-Premium, per half hr | | | AMTFS | SPTPX | | 27.23 | 17.02 | | | | | | | |

| COLLOCATION - South Carolina | | | | | | | | | | Attachment: 4 | | Exhibit: B | | | |
|------------------------------|---|---------|------|-------|-------|------------|--------------|-------|------------------|----------------------------------|--------------------------------------|--|--|---|---|
| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES (\$) | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | Rec | Nonrecurring | | Nonrecurring Dis | | | | | | |
| | | | | | | | First | Add'l | First | Add'l | SOME C | SOMAN | SOMAN | SOMAN | SOMAN |
| | Virtual collocation-Maintenance in CO-Basic, per half hr | | | AMTFS | CTRLX | | 27.99 | 10.75 | | | | | | | |
| | Virtual collocation-Maintenance in CO-Overtime, per half hr | | | AMTFS | SPTOM | | 36.56 | 13.89 | | | | | | | |
| | Virtual collocation-Maintenance in CO-Premium per half hr | | | AMTFS | SPTPM | | 45.12 | 17.02 | | | | | | | |

| COLLOCATION - South Carolina | | | | | | | | | | | Attachment: 4 | | Exhibit: B | | |
|--|--|---------|------|-------|-------|------------|--------------|-------|------------------|----------------------------------|--------------------------------------|--|--|---|---|
| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES (\$) | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | Rec | Nonrecurring | | Nonrecurring Dis | | | | | | |
| | | | | | | | First | Add'l | First | Add'l | SOME C | SOMAN | SOMAN | SOMAN | SOMAN |
| VIRTUAL COLLOCATION | | | | | | | | | | | | | | | |
| | Virtual Collocation-2W Cross Connect, Exchange Port 2W Analog-Res | | | UEPSR | VE1R2 | 0.0317 | 12.32 | 11.83 | 6.04 | 5.45 | | | | | |
| | Virtual Collocation 2W Cross Connect, Exchange Port 2W Line Side PBX Trunk-Bus | | | UEPSP | VE1R2 | 0.0317 | 12.32 | 11.83 | 6.04 | 5.45 | | | | | |
| | Virtual Collocation 2W Cross Connect, Exchange Port 2W VG PBX Trunk-Res | | | UEPSE | VE1R2 | 0.0317 | 12.32 | 11.83 | 6.04 | 5.45 | | | | | |
| | Virtual Collocation 2W Cross Connect, Exchange Port 2W Analog Bus | | | UEPSB | VE1R2 | 0.0317 | 12.32 | 11.83 | 6.04 | 5.45 | | | | | |
| | Virtual Collocation 2W Cross Connect, Exchange Port 2W ISDN | | | UEPSX | VE1R2 | 0.0317 | 12.32 | 11.83 | 6.04 | 5.45 | | | | | |
| | Virtual Collocation 2W Cross Connect, Exchange Port 2W ISDN | | | UEPTX | VE1R2 | 0.0317 | 12.32 | 11.83 | 6.04 | 5.45 | | | | | |
| | Virtual Collocation 4W Cross Connect, Exchange Port 4W ISDN DS1 | | | UEPEX | VE1R4 | 1.12 | 22.08 | 15.96 | 6.42 | 5.80 | | | | | |
| Note: Rates displaying an "R" in Interim column are interim and subject to rate true-up as set forth in General Terms and Conditions. | | | | | | | | | | | | | | | |

COLLOCATION - Tennessee

| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES (\$) | | | | | | Attachment: 4 | | Exhibit: B | | | |
|-----------------------------|--|---------|------|----------------------------------|-------|------------|--------------|-------|------------------|-------|-------|---------------|-------|------------|-------|-------|--|
| | | | | | | Rec | Nonrecurring | | Nonrecurring Dis | | SOMEK | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN | |
| | | | | | | | First | Add'l | First | Add'l | | | | | | | |
| PHYSICAL COLLOCATION | | | | | | | | | | | | | | | | | |
| | Physical Collocation 2W Cross Connect, Exchange Port 2W Analog-Res | | | UEPSR | PE1R2 | 0.30 | 19.20 | 19.20 | | | | | 20.35 | 10.54 | 13.32 | 1.40 | |
| | Physical Collocation 2W Cross Connect, Exchange Port 2W Line Side PBX Trunk-Bus | | | UEPSP | PE1R2 | 0.30 | 19.20 | 19.20 | | | | | 20.35 | 10.54 | 13.32 | 1.40 | |
| | Physical Collocation 2W Cross Connect, Exchange Port 2W VG PBX Trunk-Res | | | UEPSE | PE1R2 | 0.30 | 19.20 | 19.20 | | | | | 20.35 | 10.54 | 13.32 | 1.40 | |
| | Physical Collocation 2W Cross Connect, Exchange Port 2W Analog-Bus | | | UEPSB | PE1R2 | 0.30 | 19.20 | 19.20 | | | | | 20.35 | 10.54 | 13.32 | 1.40 | |
| | Physical Collocation 2W Cross Connect, Exchange Port 2W ISDN | | | UEPSX | PE1R2 | 0.30 | 19.20 | 19.20 | | | | | 20.35 | 10.54 | 13.32 | 1.40 | |
| | Physical Collocation 2W Cross Connect, Exchange Port 2W ISDN | | | UEPTX | PE1R2 | 0.30 | 19.20 | 19.20 | | | | | 20.35 | 10.54 | 13.32 | 1.40 | |
| | Physical Collocation 4W Cross Connect, Exchange Port 4W ISDN DS1 | | | UEPEX | PE1R4 | 0.50 | 19.20 | 19.20 | | | | | 20.35 | 10.54 | 13.32 | 1.40 | |
| PHYSICAL COLLOCATION | | | | | | | | | | | | | | | | | |
| | Physical Collocation-Cageless-Application Fee | | | CLO | PE1CH | | 2,633.00 | | | | | | | | | | |
| | Physical Collocation Administrative Only-Application Fee | I | | CLO | PE1BL | | 743.25 | | | | | | | | | | |
| | Physical Collocation-Space Preparation-Firm Order Processing | I | | CLO | PE1SJ | | 1,204.00 | | | | | | | | | | |
| | Physical Collocation-Space Preparation-CO Modification per sq ft | I | | CLO | PE1SK | 2.74 | | | | | | | | | | | |
| | Physical Collocation-Space Preparation, Common Systems Modifications-Cageless, per sq ft | I | | CLO | PE1SL | 2.95 | | | | | | | | | | | |
| | Physical Collocation-Space Preparation-Common Systems Modifications-Caged, per cage | I | | CLO | PE1SM | 100.14 | | | | | | | | | | | |
| | Physical Collocation-Cageless-Cable Installation Cost, per cable | | | CLO | PE1ZA | | 1,749.00 | | | | | | | | | | |
| | Physical Collocation-Cageless-Floor Space, per sq ft | | | CLO | PE1ZB | 3.91 | | | | | | | | | | | |
| | Physical Collocation-Floor Space, per sq ft | I | | CLO | PE1PJ | 5.94 | | | | | | | | | | | |
| | Physical Collocation-Cageless-Cable Support Structure, per Entrance | | | CLO | PE1CJ | 17.87 | | | | | | | | | | | |
| | Physical Collocation-Cable Support Structure, per Entrance Cable | I | | CLO | PE1PM | 19.80 | | | | | | | | | | | |
| | Physical Collocation-Cageless-Power, per Fused Amp | | | CLO | PE1ZC | 6.79 | | | | | | | | | | | |
| | Physical Collocation-Power, -48V DC Power-per Fused Amp | I | | CLO | PE1PL | 8.87 | | | | | | | | | | | |
| | Physical Collocation-Power Reduction Only, Application Fee | I | | CLO | PE1PR | | 400.10 | | | | | | | | | | |
| | Physical Collocation-Power, 120V AC Power, Single Phase, per Breaker | I | | CLO | PE1FB | 5.60 | | | | | | | | | | | |
| | Physical Collocation-Power, 240V AC Power, Single Phase, per Breaker | I | | CLO | PE1FD | 11.22 | | | | | | | | | | | |
| | Physical Collocation-Power, 120V AC Power, Three Phase, per Breaker | I | | CLO | PE1FE | 16.82 | | | | | | | | | | | |
| | Physical Collocation-Power, 277V AC Power, Three Phase, per Breaker | I | | CLO | PE1FG | 38.84 | | | | | | | | | | | |
| | Physical Collocation-2W cross-connect, loop, provisioning | I | | UEANL,UEQ,UNLDX,UNCNX | PE1P2 | 0.033 | 33.82 | 31.92 | | | | | | | | | |
| | Physical Collocation-Cageless-2W Cross-Connects | | | UEANL,UEQ,UNLDX,UNCNX | PE1ZD | 0.57 | 11.62 | 9.90 | 10.38 | 8.66 | | | | | | | |
| | Physical Collocation-4W cross-connect, loop, provisioning | I | | UEA,UHL,UNCVX,UNCNX,UDL | PE1P4 | 0.066 | 33.94 | 31.95 | | | | | | | | | |
| | Physical Collocation-Cageless-4W Cross Connects | | | UEA,UHL,UNCVX,UNCNX,UDL | PE1ZE | 0.57 | 11.81 | 10.04 | 10.44 | 8.67 | | | | | | | |
| | Physical Collocation -DS1 Cross-Connect for Physical Collocation, provisioning | I | | UEANL,UEQ,WDS1L,WDS1S,UXTD1,U | PE1P1 | 1.51 | 53.27 | 40.16 | | | | | | | | | |
| | Physical Collocation-Cageless-DS1 Cross Connects | | | LDD1,USLEL,UNLD1,UDL,UEPEX,UEPDX | PE1ZF | 1.32 | 32.22 | 17.76 | 10.46 | 8.75 | | | | | | | |
| | Physical Collocation-DS3 Cross-Connect, provisioning | I | | UE3,U1TD3,UXTD3,UXTS1,UNC3X,UNC | PE1P3 | 19.26 | 52.37 | 38.89 | | | | | | | | | |
| | Physical Collocation-Cageless-DS3 Cross Connects | | | SX,ULDD3,U1TS1,ULDS1,UNLD3 | PE1ZG | 12.32 | 29.97 | 16.30 | 12.03 | 8.99 | | | | | | | |

| COLLOCATION - Tennessee | | | | | | | | | | | | | | Attachment: 4 | | Exhibit: B | | | |
|-------------------------|--|---------|------|--|-------|------------|--------------------|----------|-------------------|-------|----------------------------------|--------------------------------------|--|--|---|---|----------------|-------|-------|
| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES (\$) | | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l | | | |
| | | | | | | Rec | Nonrecurring First | Add'l | Nonrecurring Disc | Add'l | | | | | | | OSS Rates (\$) | | |
| | | | | | | | | | | | | | | SOMEK | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Physical Collocation-2-Fiber Cross-Connect | I | | CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF | PE1F2 | 15.64 | 41.56 | 29.82 | 12.96 | 10.34 | | | 2.69 | | 2.69 | | 1.56 | | 1.56 |
| | Physical Collocation-Cageless-2 Fiber Cross Connect | | | CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF | PE1CK | 3.03 | 41.56 | 29.82 | 12.96 | 10.34 | | | | | | | | | |
| | Physical Collocation-4-Fiber Cross-Connect | I | | ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF | PE1F4 | 28.11 | 50.53 | 38.78 | 16.97 | 14.35 | | | 2.69 | | 2.69 | | 1.56 | | 1.56 |
| | Physical Collocation-Cageless-4-Fiber Cross-Connect | | | ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF | PE1CL | 6.06 | 50.53 | 38.78 | 16.97 | 14.35 | | | | | | | | | |
| | Physical Collocation-Space enclosure, welded wire, first 100 sq ft | I | | CLO | PE1BW | 218.53 | | | | | | | | | | | | | |
| | Physical Collocation-Space enclosure, welded wire, each add'l 50 sq ft | I | | CLO | PE1CW | 21.44 | | | | | | | | | | | | | |
| | Physical Collocation-Security Access System-Security System per CO | I | | CLO | PE1AX | 55.99 | | | | | | | | | | | | | |
| | Physical Collocation -Security Access System-New Card Activation, per Card Activation (First), per State | I | | CLO | PE1A1 | 0.059 | 55.67 | | | | | | | | | | | | |
| | Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Request, per State, per Card | | | CLO | PE1AA | | 15.61 | | | | | | | | | | | | |
| | Physical Collocation-Security Access System-Replace Lost or Stolen Card, per Card | | | CLO | PE1AR | | 45.64 | | | | | | | | | | | | |
| | Physical Collocation-Security Access-Initial Key, per Key | | | CLO | PE1AK | | 26.24 | | | | | | | | | | | | |
| | Physical Collocation-Security Access-Key, Replace Lost or Stolen Key, per Key | | | CLO | PE1AL | | 26.24 | | | | | | | | | | | | |
| | Physical Collocation-Space Availability Report, per CO Requested | | | CLO | PE1SR | | 2,027.00 | 2,154.00 | | | | | | | | | | | |
| | Physical Collocation-CFA Information Resend Request, per premises, per request | | | CLO | PE1C9 | | 77.67 | | | | | | | | | | | | |
| | Physical Collocation-Cable Records, per request | I | | CLO | PE1CR | | 1,711.00 | | | | | | | | | | | | |
| | Physical Collocation, Cable Records, VG/DS0 Cable, per cable record (maximum 3600 records) | I | | CLO | PE1CD | | 925.06 | | | | | | | | | | | | |
| | Physical Collocation, Cable Records, VG/DS0 Cable, per each 100 pr | I | | CLO | PE1CO | | 18.05 | | | | | | | | | | | | |
| | Physical Collocation, Cable Records, DS1, per T1 TIE | I | | CLO | PE1C1 | | 8.45 | | | | | | | | | | | | |
| | Physical Collocation, Cable Records, DS3, per T3 TIE | I | | CLO | PE1C3 | | 29.57 | | | | | | | | | | | | |
| | Physical Collocation-Cable Records, Fiber Cable, per cable record (maximum 99 records) | I | | CLO | PE1CB | | 279.42 | | | | | | | | | | | | |
| | Physical Collocation-Cageless-Security Escort-Basic, per Half hr | | | CLO | PE1ZM | | 33.15 | 20.44 | | | | | | | | | | | |
| | Physical Collocation-Cageless-Security Escort-Overtime, per Half hr | | | CLO | PE1ZN | | 41.50 | 25.61 | | | | | | | | | | | |
| | Physical Collocation-Cageless-Security Escort-Premium, per Half hr | | | CLO | PE1ZO | | 49.86 | 30.79 | | | | | | | | | | | |
| | Physical Collocation-Security Escort for Basic Time-normally scheduled work, per half hr | | | CLO | PE1BT | | 33.91 | 21.49 | | | | | | | | | | | |
| | Physical Collocation-Security Escort for Overtime-outside of normally scheduled working hrs on a scheduled work day, per half hr | | | CLO | PE1OT | | 44.17 | 27.76 | | | | | | | | | | | |
| | Physical Collocation-Security Escort for Premium Time-outside of scheduled work day, per half hr | | | CLO | PE1PT | | 54.42 | 34.02 | | | | | | | | | | | |
| | Physical Collocation-Virtual to Physical Collocation Relocation, per VG Circuit | I | | CLO | PE1BV | | 33.00 | | | | | | | | | | | | |
| | Physical Collocation-Virtual to Physical Collocation Relocation, per DSO Circuit | I | | CLO | PE1BO | | 33.00 | | | | | | | | | | | | |
| | Physical Collocation-Virtual to Physical Collocation Relocation, per DS1 Circuit | I | | CLO | PE1B1 | | 52.00 | | | | | | | | | | | | |
| | Physical Collocation-Virtual to Physical Collocation Relocation, per DS3 Circuit | I | | CLO | PE1B3 | | 52.00 | | | | | | | | | | | | |
| | Physical Collocation-Virtual to Physical Collocation In-Place, Per VG Circuit | I | | CLO | PE1BR | | 23.00 | | | | | | | | | | | | |

COLLOCATION - Tennessee

| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES (\$) | | | | Svc Order Submitted per LSR | Svc Order Submitted Manually per LSR | Attachment: 4 | | | | Exhibit: B | | | |
|----------|---|---------|------|--|-------|------------|--------------------|-------|-------------------|-----------------------------|--------------------------------------|---------------|-------|-------|-------|------------|-------|---|---|
| | | | | | | Rec | Nonrecurring First | Add'l | Nonrecurring Disc | | | SOMEc | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN | Incremental Charge - Manual Order vs. Electronic-Disc 1st | Incremental Charge - Manual Order vs. Electronic-Disc Add'l |
| | | | | | | | | | | | | | | | | | | | |
| | Physical Collocation Virtual to Physical Collocation In-Place, Per DSO Circuit | I | | CLO | PE1BP | | 23.00 | | | | | | | | | | | | |
| | Physical Collocation-Virtual to Physical Collocation In-Place, Per DS1 Circuit | I | | CLO | PE1BS | | 33.00 | | | | | | | | | | | | |
| | Physical Collocation-Virtual to Physical Collocation In-Place, per DS3 Circuit | I | | CLO | PE1BE | | 37.00 | | | | | | | | | | | | |
| | Physical Collocation-Virtual to Physical Collocation In-Place/Relocation, space cable facilities assigned to Collocation Space, per 700 cable prs or fraction thereof | I | | CLO | PE1B7 | | 592.00 | | | | | | | | | | | | |
| | Physical Caged Collocation-App Cost(initial & sub)-Planning, per request | | | CLO | PE1AC | 16.16 | 2,903.66 | | | | | | | | | | | | |
| | Physical Caged Collocation-Space Prep-Grounding, per location | | | CLO | PE1BB | 4.32 | | | | | | | | | | | | | |
| | Physical Collocation, Caged Collocation-Space Prep-Power Cable, 40 AMP, includes 20 AMP A and B Feed | | | CLO | PE1SN | | 142.40 | | | | | | | | | | | | |
| | Physical Collocation, Caged Collocation-Space Prep-Power Cable, 100 AMP, includes 50 AMP A and B Feed | | | CLO | PE1SO | | 185.72 | | | | | | | | | | | | |
| | Physical Collocation, Caged Collocation-Space Prep-Power Cable, 200 AMP, includes 100 AMP A and B Feed | | | CLO | PE1SP | | 242.05 | | | | | | | | | | | | |
| | Physical Caged Collocation-Space Enclosure-Cage Preparation, per first 100 sq ft | | | CLO | PE1S1 | 110.97 | | | | | | | | | | | | | |
| | Physical Caged Collocation-Space Enclosure-Cage Preparation2, per add'l 50 sq ft | | | CLO | PE1S5 | 55.49 | | | | | | | | | | | | | |
| | Physical Caged collocation-Cable Installation-Entrance Fiber Structure, interduct per ft | | | CLO | PE1CP | 0.0156 | | | | | | | | | | | | | |
| | Physical Caged Collocation-Cable Installation-Entrance Fiber, per cable | | | CLO | PE1CQ | 2.56 | 944.27 | | | | | | | | | | | | |
| | Physical Caged Collocation-Floor Space-Land & Buildings, per sq ft | | | CLO | PE1FS | 5.94 | | | | | | | | | | | | | |
| | Physical Caged Collocation-Cable Support Structure-Cable Racking, per entrance cable | | | CLO | PE1CS | 21.47 | | | | | | | | | | | | | |
| | Physical Caged Collocation-Power-Power Construction, per amp DC plant | | | CLO | PE1PN | 3.55 | | | | | | | | | | | | | |
| | Physical Caged Collocation-Power-Power Consumption,per amp AC usage | | | CLO | PE1PO | 2.03 | | | | | | | | | | | | | |
| | Physical Caged Collocation-2W Cross Connects-VG ckt, per ckt. | | | UE3,U1TD3,UXTD3, UXTS1,UNC3X,UNC SX,ULDD3,U1TS1,U LDS1,UNLD3,UDL | PE12C | 0.0475 | 7.68 | | | | | | | | | | | | |
| | Physical Caged Collocation-4W Cross Connects-VG Ckts, per ckt. | | | UE3,U1TD3,UXTD3, UXTS1,UNC3X,UNC SX,ULDD3,U1TS1,U LDS1,UNLD3,UDL | PE14C | 0.0475 | 7.68 | | | | | | | | | | | | |
| | Physical Caged Collocation-DS1 Cross Connects-connection to DCS, per ckt. | | | UE3,U1TD3,UXTD3, UXTS1,UNC3X,UNC SX,ULDD3,U1TS1,U LDS1,UNLD3,UDL | PE11S | 7.68 | 41.65 | | | | | | | | | | | | |
| | Physical Caged Collocation-DS1 Cross Connects-Connection to DSX, per ckt. | | | UE3,U1TD3,UXTD3, UXTS1,UNC3X,UNC SX,ULDD3,U1TS1,U LDS1,UNLD3,UDL | PE11X | 0.38 | 41.65 | | | | | | | | | | | | |
| | Physical Caged Collocation-DS3 Cross Connects-Connection to DCS, per ckt. | | | UE3,U1TD3,UXTD3, UXTS1,UNC3X,UNC SX,ULDD3,U1TS1,U LDS1,UNLD3,UDL | PE13S | 53.96 | 298.03 | | | | | | | | | | | | |
| | Physical Caged Collocation-DS3 Cross Connects-Connection to DSX, per ckt. | | | UE3,U1TD3,UXTD3, UXTS1,UNC3X,UNC SX,ULDD3,U1TS1,U LDS1,UNLD3,UDL | PE13X | 9.32 | 298.03 | | | | | | | | | | | | |
| | Physical Caged Collocation-Security Access-Access Cards, per 5 Cards | | | CLO | PE1A2 | | 76.10 | | | | | | | | | | | | |
| | Physical Collocation-Co-Carrier Cross Connects/Direct Connect-Fiber Cable Support Structure, per linear ft | | | CLO | PE1ES | 0.0013 | | | | | | | | | | | | | |
| | Physical Collocation-Cageless-Co-Carrier Cross Connects-Fiber Cable Support Structure, per linear ft | | | CLO | PE1ZH | 0.0031 | | | | | | | | | | | | | |
| | Physical Collocation-Cageless-Co-Carrier Cross Connects- Fiber Cable Support Structure, per cable | | | CLO | PE1ZK | | 555.03 | | | | | | | | | | | | |

COLLOCATION - Tennessee

| COLLOCATION - Tennessee | | | | | | | | | | Attachment: 4 | | Exhibit: B | | | |
|---|--|---------|------|-----------------|-------|------------|--------------------|--------|-------------------|-----------------------------|----------------------------|--|--|---|---|
| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES (\$) | | | | Svc Order Submitted per LSR | Svc Order Manually per LSR | Incremental Charge - Manual Order vs. Electronic-1st | Incremental Charge - Manual Order vs. Electronic-Add'l | Incremental Charge - Manual Order vs. Electronic-Disc 1st | Incremental Charge - Manual Order vs. Electronic-Disc Add'l |
| | | | | | | Rec | Nonrecurring First | Add'l | Nonrecurring Disc | | | | | | |
| | | | | | | | | | | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Physical Collocation-Co-Carrier Cross Connect/Direct Connect-Copper/Coax Cable Support Structure, per lin. ft | | | CLO | PE1DS | 0.0019 | | | | | | | | | |
| | Physical Collocation-Cageless-Co-Carrier Cross Connects-Copper/Coax Cable Support Structure, per linear ft | | | CLO | PE1ZJ | 0.0045 | | | | | | | | | |
| | Physical Collocation-Cageless-Co-Carrier Cross Connects-Copper/Coax Cable Support Structure, per cable | | | CLO | PE1ZL | | 555.03 | | | | | | | | |
| | Physical Collocation-Co-Carrier Cross Connects/Direct Connect, Application Fee, per application | | | CLO | PE1DT | | 585.09 | | | | | | | | |
| | Physical Collocation-Copper Entrance Cable per Cable (CO manhole to vault splice) | | | CLO | PE1EA | | 1,279.91 | 42.784 | | | | | | | |
| | Physical Collocation-Copper Entrance Cable Installation, per 100 prs | | | CLO | PE1EB | | 18.13 | | | | | | | | |
| | Physical Collocation-Fiber Entrance Cable per Cable (CO manhole to vault splice) | | | CLO | PE1EC | | 1,084.11 | 42.784 | | | | | | | |
| | Physical Collocation-Fiber Entrance Cable Installation, per Fiber | | | CLO | PE1ED | | 7.252 | | | | | | | | |
| | Physical Collocation-Co-Carrier Cross Connect/Direct Connect-Fiber Cable Support Structure, per cable | | I | CLO | PE1DU | | 555.03 | | | | | | | | |
| | Physical Collocation-Co-Carrier Cross Connect/Direct Connect-Copper/Coax Cable Support Structure, per cable | | I | CLO | PE1DV | | 555.03 | | | | | | | | |
| ADJACENT COLLOCATION | | | | | | | | | | | | | | | |
| | Adjacent Collocation-Space Charge per sq ft | | | CLOAC | PE1JA | 0.0656 | | | | | | | | | |
| | Adjacent Collocation-Electrical Facility Charge per Linear ft | | | CLOAC | PE1JC | 5.53 | | | | | | | | | |
| | Adjacent Collocation-2W Cross-Connects | | | UEA,UHL,UDL,UCL | PE1P2 | 0.34 | 11.12 | 10.18 | 11.33 | 10.23 | | 1.77 | 1.77 | 1.12 | 1.12 |
| | Adjacent Collocation-4W Cross-Connects | | | UEA,UHL,UDL,UCL | PE1P4 | 0.33 | 11.30 | 10.31 | 11.62 | 10.44 | | 1.77 | 1.77 | 1.12 | 1.12 |
| | Adjacent Collocation-DS1 Cross-Connects | | | UEA,UHL,UDL,UCL | PE1P1 | 1.70 | 28.39 | 16.88 | 11.65 | 10.54 | | 1.77 | 1.77 | 1.12 | 1.12 |
| | Adjacent Collocation-DS3 Cross-Connects | | | UEA,UHL,UDL,UCL | PE1P3 | 19.03 | 26.23 | 15.51 | 13.40 | 10.77 | | 1.77 | 1.77 | 1.12 | 1.12 |
| | Adjacent Collocation-2-Fiber Cross-Connect | | | CLOAC | PE1F2 | 3.49 | 26.23 | 15.51 | 13.41 | 10.78 | | 1.77 | 1.77 | 1.12 | 1.12 |
| | Adjacent Collocation-4-Fiber Cross-Connect | | | CLOAC | PE1F4 | 6.50 | 29.75 | 19.02 | 17.60 | 14.97 | | 1.77 | 1.77 | 1.12 | 1.12 |
| | Adjacent Collocation-Application Fee | | | CLOAC | PE1JB | | 2,973.00 | | | | | | | | |
| | Adjacent Collocation-120V, Single Phase Standby Power Rate per AC Breaker Amp | | | CLOAC | PE1FB | 5.81 | | | | | | | | | |
| | Adjacent Collocation-240V, Single Phase Standby Power Rate per AC Breaker Amp | | | CLOAC | PE1FD | 11.64 | | | | | | | | | |
| | Adjacent Collocation-120V, Three Phase Standby Power Rate per AC Breaker Amp | | | CLOAC | PE1FE | 17.45 | | | | | | | | | |
| | Adjacent Collocation-277V, Three Phase Standby Power Rate per AC Breaker Amp | | | CLOAC | PE1FG | 40.30 | | | | | | | | | |
| PHYSICAL COLLOCATION IN THE REMOTE SITE | | | | | | | | | | | | | | | |
| | Physical Collocation in the Remote Site-Application Fee | | | CLORS | PE1RA | | 580.20 | 312.76 | | | | | | | |
| | Cabinet Space in the Remote Site per Bay/ Rack | | | CLORS | PE1RB | 220.41 | | | | | | | | | |
| | Physical Collocation in the Remote Site-Security Access-Key | | | CLORS | PE1RD | | 24.69 | | | | | | | | |
| | Physical Collocation in the Remote Site-Space Availability Report per Premises Requested | | | CLORS | PE1SR | | 218.49 | | | | | | | | |
| | Physical Collocation in the Remote Site-Remote Site CLLI Code Request, per CLLI Code Requested | | | CLORS | PE1RE | | 70.81 | | | | | | | | |
| | Remote Site DLEC Data (BRSD), per Compact Disk, per CO | | | CLORS | PE1RR | | 234.15 | | | | | | | | |
| | Physical Collocation-Security Escort for Basic Time-normally scheduled work, per half hr | | | CLORS | PE1BT | | 33.91 | 21.49 | | | | | | | |
| | Physical Collocation-Security Escort for Overtime-outside of normally scheduled working hrs on a scheduled work day, per half hr | | | CLORS | PE1OT | | 44.17 | 27.76 | | | | | | | |
| | Physical Collocation-Security Escort for Premium Time-outside of scheduled work day, per half hr | | | CLORS | PE1PT | | 54.42 | 34.02 | | | | | | | |
| PHYSICAL COLLOCATION IN THE REMOTE SITE - ADJACENT | | | | | | | | | | | | | | | |
| | Remote Site-Adjacent Collocation-AC Power, per breaker amp | | | CLORS | PE1RS | 6.27 | | | | | | | | | |
| | Remote Site-Adjacent Collocation-Real Estate, per sq ft | | | CLORS | PE1RT | 0.134 | | | | | | | | | |
| | Remote Site-Adjacent Collocation-Application Fee | | | CLORS | PE1RU | | 755.62 | 755.62 | | | | | | | |
| NOTE: If Security Escort and/or Add'l Engineering Fees become necessary for remote site collocation, the Parties will negotiate appropriate rates. | | | | | | | | | | | | | | | |
| VIRTUAL COLLOCATION | | | | | | | | | | | | | | | |
| | Virtual Collocation-Application Fee | | | AMTFS | EAF | | 2,633.00 | | | | 2.07 | 2.81 | 0.67 | 1.41 | |
| | Virtual Collocation-Cable Installation Cost, per cable | | | AMTFS | ESPCX | | 1,749.00 | | | | 2.07 | 2.81 | 0.67 | 1.41 | |

COLLOCATION - Tennessee

| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES (\$) | | | | | Attachment: 4 | | | | Exhibit: B | | | |
|----------|--|---------|------|---|-------|------------|--------------|-------|------------------|-------|---------------|-------|-------|-------|------------|-------|---|---|
| | | | | | | Rec | Nonrecurring | | Nonrecurring Dis | | SOMEK | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN | Incremental Charge - Manual Order vs. Electronic-Disc 1st | Incremental Charge - Manual Order vs. Electronic-Disc Add'l |
| | | | | | | | First | Add'l | First | Add'l | | | | | | | | |
| | Virtual Collocation-Floor Space, per sq ft | | | AMTFS | ESPVX | 3.91 | | | | | | | | | | | | |
| | Virtual Collocation-Power, per fused amp | | | AMTFS | ESPAX | 6.79 | | | | | | | | | | | | |
| | Virtual Collocation-Cable Support Structure, per entrance cable | | | AMTFS | ESPSX | 17.87 | | | | | | | | | | | | |
| | Virtual Collocation-2W Cross Connects (loop) | | | UEANL,UEA,UDN,UDC,UAL,UHL,UCL,U EQ,UNCVX,UNCDX,UNCNX | UEAC2 | 0.57 | 11.62 | 9.90 | 10.38 | 8.66 | | | 2.07 | 2.81 | 0.67 | 1.41 | | |
| | Virtual Collocation-4W Cross Connects (loop) | | | UEA,UHL,UCL,UDL,UAL,UDN,UNCVX,UNCNX | UEAC4 | 0.57 | 11.81 | 10.04 | 10.44 | 8.67 | | | 2.07 | 2.81 | 0.67 | 1.41 | | |
| | Virtual Collocation-2-Fiber Cross Connects | | | UDL12,UDLO3,U1T48,U1T12,U1T03,ULD03,ULD12,ULD48,UDF | CNC2F | 3.03 | 41.56 | 29.82 | 12.96 | 10.34 | | | 2.69 | 2.69 | 1.56 | 1.56 | | |
| | Virtual Collocation-4-Fiber Cross Connects | | | UDL12,UDLO3,U1T48,U1T12,U1T03,ULD03,ULD12,ULD48,UDF | CNC4F | 6.06 | 50.53 | 38.78 | 16.97 | 14.35 | | | 2.69 | 2.69 | 1.56 | 1.56 | | |
| | Virtual collocation-Special Access & UNE, cross-connect per DS1 | | | USL,ULC,ULR,UXTD1,UNC1X,ULDD1,U1TD1,USLEL,UNLD1,UEPEX,UEPDX | CNC1X | 1.32 | 32.22 | 17.76 | 10.46 | 8.75 | | | 2.07 | 2.81 | 0.67 | 1.41 | | |
| | Virtual collocation-Special Access & UNE, cross-connect per DS3 | | | USL,UE3,U1TD3,UXTS1,UXTD3,UNC3X,UNC3X,ULDD3,U1TS1,ULDS1,UDLSX,UNLD3 | CND3X | 12.32 | 29.97 | 16.30 | 12.03 | 8.99 | | | 2.07 | 2.81 | 0.67 | 1.41 | | |
| | Virtual Collocation-Co-Carrier Cross Connects-Fiber Cable Support Structure, per linear ft | | | AMTFS | VE1CB | 0.0031 | | | | | | | | | | | | |
| | Virtual Collocation-Co-Carrier Cross Connects-Copper/Coax Cable Support Structure, per linear ft | | | AMTFS | VE1CD | 0.0045 | | | | | | | | | | | | |
| | Virtual Collocation-Co-Carrier Cross Connects-Fiber Cable Support Structure,per cable | | | AMTFS | VE1CC | | 555.03 | | | | | | 2.07 | 2.81 | 0.67 | 1.41 | | |
| | Virtual Collocation-Co-Carrier Cross Connects-Copper/Coax Cable Support Structure, per cable | | | AMTFS | VE1CE | | 555.03 | | | | | | 2.07 | 2.81 | 0.67 | 1.41 | | |
| | Virtual Collocation Cable Records-per request | | | AMTFS | VE1BA | | 1,711.00 | | | | | | | | | | | |
| | Virtual Collocation Cable Records-VG/DS0 Cable, per cable record | | | AMTFS | VE1BB | | 925.06 | | | | | | | | | | | |
| | Virtual Collocation Cable Records-VG/DS0 Cable, per each 100 pr | | | AMTFS | VE1BC | | 18.05 | | | | | | | | | | | |
| | Virtual Collocation Cable Records-DS1, per T1TIE | | | AMTFS | VE1BD | | 8.45 | | | | | | | | | | | |
| | Virtual Collocation Cable Records-DS3, per T3TIE | | | AMTFS | VE1BE | | 29.57 | | | | | | | | | | | |
| | Virtual Collocation Cable Records-Fiber Cable, per 99 fiber records | | | AMTFS | VE1BF | | 279.42 | | | | | | | | | | | |
| | Virtual collocation-Security Escort-Basic, per half hr | | | AMTFS | SPTBX | | 33.15 | | | | | | 2.07 | 2.81 | 0.67 | 1.41 | | |
| | Virtual collocation-Security Escort-Overtime, per half hr | | | AMTFS | SPTOX | | 41.50 | | | | | | 2.07 | 2.81 | 0.67 | 1.41 | | |
| | Virtual collocation-Security Escort-Premium, per half hr | | | AMTFS | SPTPX | | 49.86 | | | | | | 2.07 | 2.81 | 0.67 | 1.41 | | |
| | Virtual collocation-Maintenance in CO-Basic, per half hr | | | AMTFS | CTRLX | | 30.64 | | | | | | 2.07 | 2.81 | 0.67 | 1.41 | | |
| | Virtual collocation-Maintenance in CO-Overtime, per half hr | | | AMTFS | SPTOM | | 35.77 | | | | | | 2.07 | 2.81 | 0.67 | 1.41 | | |
| | Virtual collocation-Maintenance in CO-Premium per half hr | | | AMTFS | SPTPM | | 40.90 | | | | | | 2.07 | 2.81 | 0.67 | 1.41 | | |

COLLOCATION - Tennessee

| COLLOCATION - Tennessee | | | | | | | | | | Attachment: 4 | | Exhibit: B | | | |
|--|--|---------|------|-------|-------|------------|--------------------|-------|-------------------|----------------------------------|--------------------------------------|--|--|---|---|
| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES (\$) | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | Rec | Nonrecurring First | Add'l | Nonrecurring Disc | | | | | | |
| VIRTUAL COLLOCATION | | | | | | | | | | | | | | | |
| | Virtual Collocation-2W Cross Connect, Exchange Port 2W Analog-Res | | | UEPSR | VE1R2 | 0.30 | 19.20 | 19.20 | | | | 20.35 | 10.54 | 13.32 | 1.40 |
| | Virtual Collocation 2W Cross Connect, Exchange Port 2W Line Side PBX Trunk-Bus | | | UEPSP | VE1R2 | 0.30 | 19.20 | 19.20 | | | | 20.35 | 10.54 | 13.32 | 1.40 |
| | Virtual Collocation 2W Cross Connect, Exchange Port 2W VG PBX Trunk-Res | | | UEPSE | VE1R2 | 0.30 | 19.20 | 19.20 | | | | 20.35 | 10.54 | 13.32 | 1.40 |
| | Virtual Collocation 2W Cross Connect, Exchange Port 2W Analog Bus | | | UEPSB | VE1R2 | 0.30 | 19.20 | 19.20 | | | | 20.35 | 10.54 | 13.32 | 1.40 |
| | Virtual Collocation 2W Cross Connect, Exchange Port 2W ISDN | | | UEPSX | VE1R2 | 0.30 | 19.20 | 19.20 | | | | 20.35 | 10.54 | 13.32 | 1.40 |
| | Virtual Collocation 2W Cross Connect, Exchange Port 2W ISDN | | | UEPTX | VE1R2 | 0.30 | 19.20 | 19.20 | | | | 20.35 | 10.54 | 13.32 | 1.40 |
| | Virtual Collocation 4W Cross Connect, Exchange Port 4W ISDN DS1 | | | UEPEX | VE1R4 | 0.50 | 19.20 | 19.20 | | | | 20.35 | 10.54 | 13.32 | 1.40 |
| Note: Rates displaying an "R" in Interim column are interim and subject to rate true-up as set forth in General Terms and Conditions. | | | | | | | | | | | | | | | |