

AMENDMENT TO
INTERCONNECTION AGREEMENT BETWEEN
BELLSOUTH TELECOMMUNICATIONS, INC.
AND
LECSTAR TELECOM, INC.
DATED APRIL 14, 2000

This Agreement (the "Amendment") is made and entered into between BellSouth Telecommunications, Inc. ("BellSouth") a Georgia corporation, and LecStar Telecom, Inc. ("LecStar"), a Georgia corporation.

WHEREAS, the Parties desire to amend that certain Interconnection Agreement between BellSouth and LecStar dated April 14, 2000 (the "Interconnection Agreement") in order to incorporate LATA-wide local calling language.

WHEREAS, the Parties desire to amend the Interconnection Agreement in order to incorporate rates established by the Florida Public Service Commission ("PSC") in Docket Number 990649-TP and to incorporate changes in language.

NOW THEREFORE, in consideration of the mutual provisions contained herein and other good and valuable consideration, the receipt and sufficiency of which are hereby acknowledged, BellSouth and LecStar hereby covenant and agree as follows:

1. The following language is hereby incorporated to provide LATA-wide local calling enhancements in all states:

3.1.3.1 Unbundled Local Switching, together with Common Transport and, if necessary, Tandem Switching, provides to LecStar local subscribers local calling and the ability to presubscribe to a primary carrier for intraLATA toll service and a primary carrier for interLATA toll service.

3.1.3.2 Provided that LecStar purchases unbundled local switching from BellSouth and uses the BellSouth CIC for its end users' LPIC or if a BellSouth local end user selects BellSouth as its LPIC, then the Parties will consider as local any calls originated by a LecStar local end user, or originated by a BellSouth local end user and terminated to a LecStar local end user, where such calls originate and terminate in the same LATA, except for those calls originated and terminated through switched access arrangements (i.e., calls that are transported by a party other than BellSouth). For such calls, BellSouth will charge LecStar the UNE elements for the BellSouth facilities utilized. Neither Party shall bill the other originating or terminating switched

access charges for such calls. Intercarrier compensation for local calls between BellSouth and LecStar shall be as described in BellSouth's UNE Local Call Flows set forth on BellSouth's web site.

3.1.3.3 Where LecStar purchases unbundled local switching from BellSouth but does not use the BellSouth CIC for its end users' LPIC, BellSouth will consider as local those direct dialed telephone calls that originate from an LecStar end user and terminate within the basic local calling area or within the extended local calling areas and that are dialed using 7 or 10 digits as defined and specified in Section A3 of BellSouth's General Subscriber Services Tariffs. For such local calls, BellSouth will charge LecStar the UNE elements for the BellSouth facilities utilized. Intercarrier compensation for local calls between BellSouth and LecStar shall be as described in BellSouth's UNE Local Call Flows set forth on BellSouth's web site.

3.1.3.4 For any calls that originate and terminate through switched access arrangements (i.e., calls that are transported by a party other than BellSouth), BellSouth shall bill LecStar the UNE elements for the BellSouth facilities utilized. Each Party may bill the toll provider originating or terminating switched access charges, as appropriate.

3.1.3.5 Reverse billed toll calls, such as intraLATA 800 calls, calling card calls and third party billed calls, where BellSouth is the carrier shall also be considered as local calls and LecStar shall not bill BellSouth originating or terminating switched access for such calls.

3.1.3.6 BellSouth shall assess retroactive charges for UNE transport and switching associated with using the BellSouth LPIC if a CLEC has been able to previously select BellSouth as the end user LPIC prior to the option allowing the selection of a BellSouth provided LATA-wide local calling area being offered.

2. The Interconnection Agreement is hereby amended to replace in their entirety all rate elements and rates for Florida in Attachments 1, 2, 3, 5, and 7 as attached hereto as Exhibit 1 and by reference made a part of this Amendment.

3. The Interconnection Agreement is hereby amended to modify or add language in Attachment 2 for Florida and is attached hereto as Exhibit 2 and by reference made a part of this Amendment.

4. The Parties agree that all of the other provisions of the Interconnection Agreement, dated November 30, 2000, shall remain in full force and effect.

5. The Parties further agree that either or both of the Parties is authorized to submit this Amendment to the appropriate regulatory body having jurisdiction over the subject matter of this Amendment, for approval subject to Section 252(e) of the federal Telecommunications Act of 1996.

This Amendment is made effective upon the date that it is signed by both Parties.

IN WITNESS WHEREOF, the parties hereto have caused this Amendment to be executed by their respective duly authorized representatives on the data indicated below.

Signed:

CW Boltz
BellSouth Telecommunications, Inc.

[Signature]
LecStar Telecom, Inc.

By: CW BOLTZ
(printed name)

By: ALAN B. THOMAS JR.
(printed name)

Title: MANAGING DIRECTOR

Title: Vice President

Date: 11-13-01

Date: Oct 22, 2001

EXHIBIT 1

RESALE DISCOUNTS AND RATES

		FLORIDA
APPLICABLE DISCOUNTS		
RESIDENCE		21.83%
BUSINESS		16.81%
CSAs*		
* Unless noted in this row, the discount for Business will be the applica		
OPERATIONAL SUPPORT SYSTEMS (OSS) RATES		
ELEMENT	USOC	
Electronic LSR	SOMECS	\$3.50
Manual LSR	SOMAN	\$19.99
ODUF/EODUF/CMD5 RATES		
ENHANCED OPTION DAILY USAGE FILE (EODUF)		
EODUF: Message Processing, per message		0.22245100
OPTIONAL DAILY USAGE FILE (ODUF)		
ODUF: Recording, per message		0.00000680
ODUF: Message Processing, per message		0.00661400
ODUF: Message Processing, per Magnetic Tape provisioned		48.77000000
ODUF: Data Transmission (CONNECT:DIRECT), per msg		0.00010772

**LOCAL INTERCONNECTION
Florida**

CATEGORY	NOTES	LOCAL INTERCONNECTION	Intern	Zone	BCS	USOC	RATES				OSS RATES				
							Rec	Nonrecurring		Svc Order Submitted Manually per LSR	Svc Order Submitted Elec per LSR	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-Add'l	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-Add'l
								First	Add'l						
LOCAL INTERCONNECTION (CALL TRANSPORT AND TERMINATION)															
NOTE: "bk" beside a rate indicates that the Parties have agreed to bill and keep on usage. As such, the element will be assessed for transit and MTA traffic, and not for non-transit and non-MTA traffic.															
TANDEM SWITCHING															
		Tandem Switching Function Per MOU			OHD										
		Multiple Tandem Switching, per MOU (applies to initial tandem only)			OHD										
TRUNK CHARGE															
		Installation Trunk Side Service - per DSO			OHD	TPP++									
		Dedicated End Office Trunk Port Service-per DSO**			OHD	TDE0P	\$336.43	\$57.38							
		Dedicated End Office Trunk Port Service-per DS1**			OH1	TDE1P									
		Dedicated Tandem Trunk Port Service-per DSO**			OHD	TDW0P									
		Dedicated Tandem Trunk Port Service-per DS1**			OH1	TDW1P									
** This rate element is recovered on a per MOU basis and is included in the End Office Switching, per MOU rate elements															
LOCAL INTERCONNECTION (TRANSPORT)															
COMMON TRANSPORT (Shared)															
		Common Transport - Per Mile, Per MOU			OHD										
		Common Transport - Facilities Termination Per MOU			OHD										
INTEROFFICE CHANNEL - DEDICATED TRANSPORT - VOICE GRADE															
		Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month			OHL_OHM	1LSNF	\$0.0084								
		Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Facility Termination per month			OHL_OHM	1LSNF	\$26.02	\$42.69	\$28.66	\$16.51	\$6.34				
INTEROFFICE CHANNEL - DEDICATED TRANSPORT - 5664 KBPS															
		Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month			OHL_OHM	1LSNK	\$0.0084								
		Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination per month			OHL_OHM	1LSNK	\$18.95	\$42.69	\$28.66	\$16.51	\$6.34				
		Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month			OHL_OHM	1LSNK	\$0.0084								
		Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination per month			OHL_OHM	1LSNK	\$18.95	\$42.69	\$28.66	\$16.51	\$6.34				
INTEROFFICE CHANNEL - DEDICATED TRANSPORT - DS1															
		Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month			OH1_OH1M	1LSNL	\$0.171								
		Interoffice Channel - Dedicated Transport - DS1 - Facility Termination per month			OH1_OH1M	1LSNL	\$90.87	\$95.16	\$88.78	\$16.74	\$14.85				
INTEROFFICE CHANNEL - DEDICATED TRANSPORT - DS3															
		Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month			OH3_OH3M	1LSNM	\$3.57								
		Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month			OH3_OH3M	1LSNM	\$1,101.00	\$302.43	\$197.7	\$64.94	\$63.61				
LOCAL CHANNEL - DEDICATED TRANSPORT															
		Local Channel - Dedicated - 2-Wire Voice Grade per month			OHL_OHM	TEFV2	\$21.42	\$239.67	\$42.34	\$33.93	\$3.61				

**LOCAL INTERCONNECTION
Florida**

Amendment Exhibit 1
Attachment 3
Exhibit A

CATEGORY	NOTES	LOCAL INTERCONNECTION	Initiation Zone	BCS	USOC	RATES				OSS RATES									
						Rec	Nonrecurring		Spec Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs Electronic-Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc 1st Add'l	Incremental Charge - Manual Svc Order vs Electronic-Add'l						
							First	Add'l						First	Add'l	SOMAN	SOMAN	SOMAN	SOMAN
		Local Channel - Dedicated - 4-Wire Voice Grade per month				\$21.91	\$240.30	\$42.97	\$34.47										
		Local Channel - Dedicated - DS1 per month		OH1 OHM	TEFV4	\$34.49	\$195.33	\$165.48	\$21.90										
		Local Channel - Dedicated - DS3 Facility Termination per month		OH3	TEFHJ	\$554.83	\$501.59	\$309.24	\$125.43										
		LOCAL INTERCONNECTION MID-SPAN MEET																	
		Local Channel - Dedicated - DS1 per month		OH1MS	TEFHG	\$0.00	\$0.00												
		Local Channel - Dedicated - DS3 per month		OH3MS	TEFHJ	\$0.00	\$0.00												
		MULTIPLXERS																	
		Channelization - DS1 to DS0 Channel System		OH1 OH1M	SATN1	\$151.74	\$91.44	\$64.57	\$10.00										
		DS3 to DS1 Channel System per month		OH3MS	SATNS	\$218.7	\$179.66	\$106.96	\$36.37										
		DS3 Interface Unit (DS1 COCI) per month		OH1MS	SATCO	\$14.24	\$9.08	\$6.38											
		Notes: If no rate is identified in the contract, the rate for the specific service or function will be as set forth in applicable BellSouth tariff or as negotiated by the Parties upon request by either Party.																	

Unbundled Network Elements
FLORIDA

CATEGORY	NOTES	UNBUNDLED NETWORK ELEMENT	Interim Zone	BCS	USDC	RATES (\$)					OSS RATES (\$)								
						Noninterconnecting					Disconnecting								
						REC	FI44	AS41	FI48	AS41	SOME	SOME	SOME	SO	SO	SO	SO	SO	SO
	The "Zone" shown in the sections for stand alone loops or loops as part of a combination refers to Geographically Deaggregated UNE Zones. To view Geographically Deaggregated UNE Zone Designations by Central Office, refer to Internet Website http://www.interconnection.bellsouth.com/combine_a_dcdtm/interconnection.htm																		
		UNBUNDLED EXCHANGE ACCESS LOOP																	
		2-WIRE ANALOG VOICE GRADE LOOP																	
		2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 1	1	UEANL	UEAL2	11 74	44 68	20 57	23 1	59 2	10 73	1 65							
		2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 2	2	UEANL	UEAL2	16 26	44 68	20 57	23 1	59 2	10 73	1 65							
		2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 3	3	UEANL	UEAL2	30 75	44 68	20 57	23 1	59 2	10 73	1 65							
		2-Wire Analog Voice Grade Loop - Service Level 1 - Line Splitting - Zone 1	1	UEPSR UEFPSS	UEALS	11 74	44 68	20 57	23 1	59 2	10 73	1 65							
		2-Wire Analog Voice Grade Loop - Service Level 1 - Line Splitting - Zone 2	2	UEPSR UEFPSS	UEALS	16 26	44 68	20 57	23 1	59 2	10 73	1 65							
		2-Wire Analog Voice Grade Loop - Service Level 1 - Line Splitting - Zone 3	3	UEPSR UEFPSS	UEALS	30 75	44 68	20 57	23 1	59 2	10 73	1 65							
		Engineering Information Document (E1)					28 77	28 77											
		Manual Order Coordination for UVL-SL 1s (per loop)		UEAMC	UEAMC	8 12	8 12												
		Order Coordination for Specified Conversion Time for UVL-SL 1 (per LSR)		UEANL	OCOSL		20 75	20 75											
		2-Wire Analog Voice Grade Loop - Service Level 2 w/loop or Ground Start Signaling - Zone 1	1	UEA	UEAL2	13 43	122 38	74 35	57 28	10 83	10 73	1 65							
		2-Wire Analog Voice Grade Loop - Service Level 2 w/loop or Ground Start Signaling - Zone 2	2	UEA	UEAL2	18 6	122 38	74 35	57 28	10 83	10 73	1 65							
		2-Wire Analog Voice Grade Loop - Service Level 2 w/loop or Ground Start Signaling - Zone 3	3	UEA	UEAL2	35 18	122 38	74 35	57 28	10 83	10 73	1 65							
		Order Coordination for Specified Conversion Time (per LSR)		UEA	OCOSL		20 75	20 75											
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 1	1	UEA	UEAR2	13 43	122 38	74 35	57 28	10 83	10 73	1 65							
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 2	2	UEA	UEAR2	18 6	122 38	74 35	57 28	10 83	10 73	1 65							
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 3	3	UEA	UEAR2	35 18	122 38	74 35	57 28	10 83	10 73	1 65							
		Order Coordination for Specified Conversion Time (per LSR)		UEA	OCOSL		20 75	20 75											
		4-WIRE ANALOG VOICE GRADE LOOP																	
		4-Wire Analog Voice Grade Loop - Zone 1	1	UEA	UEAL4	21 23	151 34	103 82	60 47	14 02	10 73	1 65							
		4-Wire Analog Voice Grade Loop - Zone 2	2	UEA	UEAL4	28 41	151 34	103 82	60 47	14 02	10 73	1 65							
		4-Wire Analog Voice Grade Loop - Zone 3	3	UEA	UEAL4	55 63	151 34	103 82	60 47	14 02	10 73	1 65							
		Order Coordination for Specified Conversion Time (per LSR)		UEA	OCOSL		20 75	20 75											
		2-WIRE ISDN DIGITAL GRADE LOOP																	
		2-Wire ISDN Digital Grade Loop - Zone 1	1	UDN	U1L2X	20 44	133 15	85 12	56 1	9 65	10 73	1 65							
		2-Wire ISDN Digital Grade Loop - Zone 2	2	UDN	U1L2X	28 31	133 15	85 12	56 1	9 65	10 73	1 65							
		2-Wire ISDN Digital Grade Loop - Zone 3	3	UDN	U1L2X	53 56	133 15	85 12	56 1	9 65	10 73	1 65							
		Order Coordination For Specified Conversion Time (per LSR)		UDN	OCOSL		20 75	20 75											
		2-WIRE UNIVERSAL DIGITAL CHANNEL (UDC) COMPATIBLE LOOP																	
		2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone 1	1	UDC	UDC2X	20 44	133 15	85 12	56 1	9 65	10 73	1 65							
		2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone 2	2	UDC	UDC2X	28 31	133 15	85 12	56 1	9 65	10 73	1 65							
		2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone 3	3	UDC	UDC2X	53 56	133 15	85 12	56 1	9 65	10 73	1 65							
		2-WIRE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPATIBLE LOOP																	
		2-Wire Asymmetrical Digital Subscriber Line (ADSL) Compatible Loop																	
		2-Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 1	1	UAL	UAL2X	11 52	134 8	93 62	67 66	14 09	10 73	1 65							
		2-Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 2	2	UAL	UAL2X	15 96	134 8	93 62	67 66	14 09	10 73	1 65							
		2-Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 3	3	UAL	UAL2X	30 19	134 8	93 62	67 66	14 09	10 73	1 65							
		Order Coordination for Specified Conversion Time (per LSR)		UAL	OCOSL		20 75	20 75											
		2-Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 1	1	UAL	UAL2W	11 52	112 55	64 12	54 67	8 22	10 73	1 65							
		2-Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 2	2	UAL	UAL2W	15 96	112 55	64 12	54 67	8 22	10 73	1 65							

Order Coordination for Specified Conversion Time (per LSR)	U/L	U/LAZ	30.19	112.55	64.12	54.67	8.22	10.73	1.65
2-Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 3									
Order Coordination for Specified Conversion Time (per LSR)				20.75					
2-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP									
2-Wire High Bit Rate Digital Subscriber Line (HDSL) Compatible Loop									
2-Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 1	UHL	UHLZX	9.12	143.43	102.25	67.66	14.09	10.73	1.65
2-Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 2	UHL	UHLZX	12.63	143.43	102.25	67.66	14.09	10.73	1.65
2-Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 3	UHL	UHLZX	23.9	143.43	102.25	67.66	14.09	10.73	1.65
Order Coordination for Specified Conversion Time (per LSR)				20.75					
2-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1	UHL	UHLZM	9.12	121.17	72.75	54.67	8.22	10.73	1.65
2-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2	UHL	UHLZM	12.63	121.17	72.75	54.67	8.22	10.73	1.65
2-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3	UHL	UHLZM	23.9	121.17	72.75	54.67	8.22	10.73	1.65
Order Coordination for Specified Conversion Time (per LSR)				20.75					
4-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP									
4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 1	UHL	UHLAX	14.24	174.28	125.3	69.56	11.37	10.73	1.65
4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 2	UHL	UHLAX	19.72	174.28	125.3	69.56	11.37	10.73	1.65
4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 3	UHL	UHLAX	31.31	174.28	125.3	69.56	11.37	10.73	1.65
Order Coordination for Specified Conversion Time (per LSR)				20.75					
4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1	UHL	UHLAW	14.24	152.02	104.11	56.57	10.12	10.73	1.65
4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2	UHL	UHLAW	19.72	152.02	104.11	56.57	10.12	10.73	1.65
4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3	UHL	UHLAW	31.31	152.02	104.11	56.57	10.12	10.73	1.65
Order Coordination for Specified Conversion Time (per LSR)				20.75					
4-WIRE DSL DIGITAL LOOP									
4-Wire DSL Digital Loop - Zone 1	USL	USLXX	69.22	282.15	163.51	47.4	10.22	10.73	1.65
4-Wire DSL Digital Loop - Zone 2	USL	USLXX	95.89	282.15	163.51	47.4	10.22	10.73	1.65
4-Wire DSL Digital Loop - Zone 3	USL	USLXX	181.38	282.15	163.51	47.4	10.22	10.73	1.65
Order Coordination for Specified Conversion Time (per LSR)				20.75					
4-WIRE 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP									
4-Wire Unbundled Digital 19.2 Kbps - Zone 1	UDL	UDL19	24.48	145.66	98.14	60.47	14.02	10.73	1.65
4-Wire Unbundled Digital 19.2 Kbps - Zone 2	UDL	UDL19	33.91	145.66	98.14	60.47	14.02	10.73	1.65
4-Wire Unbundled Digital 19.2 Kbps - Zone 3	UDL	UDL19	64.14	145.66	98.14	60.47	14.02	10.73	1.65
4-Wire Unbundled Digital Loop 56 Kbps - Zone 1	UDL	UDL56	24.48	145.66	98.14	60.47	14.02	10.73	1.65
4-Wire Unbundled Digital Loop 56 Kbps - Zone 2	UDL	UDL56	33.91	145.66	98.14	60.47	14.02	10.73	1.65
4-Wire Unbundled Digital Loop 56 Kbps - Zone 3	UDL	UDL56	64.14	145.66	98.14	60.47	14.02	10.73	1.65
Order Coordination for Specified Conversion Time (per LSR)				20.75					
4-Wire Unbundled Digital Loop 64 Kbps - Zone 1	UDL	UDL64	24.48	145.66	98.14	60.47	14.02	10.73	1.65
4-Wire Unbundled Digital Loop 64 Kbps - Zone 2	UDL	UDL64	33.91	145.66	98.14	60.47	14.02	10.73	1.65
4-Wire Unbundled Digital Loop 64 Kbps - Zone 3	UDL	UDL64	64.14	145.66	98.14	60.47	14.02	10.73	1.65
Order Coordination for Specified Conversion Time (per LSR)				20.75					
2-WIRE UNBUNDLED COPPER LOOP									
2-Wire Unbundled Copper Loop/Short including manual service inquiry & facility reservation - Zone 1	UCL	UCLPB	11.52	133.88	92.7	67.66	14.09	10.73	1.65
2-Wire Unbundled Copper Loop/Short including manual service inquiry & facility reservation - Zone 2	UCL	UCLPB	15.96	133.88	92.7	67.66	14.09	10.73	1.65
2-Wire Unbundled Copper Loop/Short including manual service inquiry & facility reservation - Zone 3	UCL	UCLPB	30.19	133.88	92.7	67.66	14.09	10.73	1.65
Order Coordination for Unbundled Copper Loops (per loop)				8.12	8.12				
2-Wire Unbundled Copper Loop/Short without manual service inquiry and facility reservation - Zone 1	UCL	UCLPW	11.52	111.62	63.19	54.67	8.22	10.73	1.65
2-Wire Unbundled Copper Loop/Short without manual service inquiry and facility reservation - Zone 2	UCL	UCLPW	15.96	111.62	63.19	54.67	8.22	10.73	1.65

Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-up	1	UEANL	USBSD	43.54	43.54	37.03	4.1	10.73	1.65
Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 1	1	UEANL	USBNP2	19.64	19.64	37.03	4.1	10.73	1.65
Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 2	2	UEANL	USBNP3	54.26	19.64	37.03	4.1	10.73	1.65
Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 3	3	UEANL	USBNP4	54.26	19.64	37.03	4.1	10.73	1.65
Order Coordination for Unbundled Sub-Loops - per sub-loop pair		UEANL	USBNP5	18.08	18.08	37.03	4.1	10.73	1.65
Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 1	1	UEANL	USBNM	7.35	27.42	37.98	5.05	10.73	1.65
Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 2	2	UEANL	USBNM	10.18	27.42	37.98	5.05	10.73	1.65
Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3	3	UEANL	USBNM	19.23	27.42	37.98	5.05	10.73	1.65
Order Coordination for Unbundled Sub-Loops - per sub-loop pair		UEANL	USBNP2	8.12	12.11	37.03	4.1	10.73	1.65
Sub-Loop 2-Wire Intra-building Network Cable (INB)	1	UEANL	USBNP2	46.74	8.12	37.03	4.1	10.73	1.65
Order Coordination for Unbundled Sub-Loops - per sub-loop pair		UEANL	USBNP2	8.12	8.12	37.98	5.05	10.73	1.65
Sub-Loop 4-Wire Intra-building Network Cable (INB)	1	UEANL	USBNP2	50.41	15.78	37.98	5.05	10.73	1.65
Order Coordination for Unbundled Sub-Loops - per sub-loop pair		UEANL	USBNP2	8.12	8.12	37.03	4.1	10.73	1.65
2-Wire Copper Unbundled Sub-Loop Distribution - Zone 1	1	UEANL	USBNP2	5.66	19.64	37.03	4.1	10.73	1.65
2-Wire Copper Unbundled Sub-Loop Distribution - Zone 2	2	UEANL	USBNP2	7.83	19.64	37.03	4.1	10.73	1.65
2-Wire Copper Unbundled Sub-Loop Distribution - Zone 3	3	UEANL	USBNP2	14.92	19.64	37.03	4.1	10.73	1.65
Order Coordination for Unbundled Sub-Loops - per sub-loop pair		UEANL	USBNP2	23.24	23.24	37.98	5.05	10.73	1.65
4-Wire Copper Unbundled Sub-Loop Distribution - Zone 1	1	UEANL	USBNM	4.72	27.42	37.98	5.05	10.73	1.65
4-Wire Copper Unbundled Sub-Loop Distribution - Zone 2	2	UEANL	USBNM	5.93	27.42	37.98	5.05	10.73	1.65
4-Wire Copper Unbundled Sub-Loop Distribution - Zone 3	3	UEANL	USBNM	12.36	27.42	37.98	5.05	10.73	1.65
Order Coordination for Unbundled Sub-Loops - per sub-loop pair		UEANL	USBNM	8.12	8.12	37.98	5.05	10.73	1.65
Sub-Loop Feeder									
USL Feeder - DS0 Set-up per Cross Box location - CLEC Distribution Facility set-up		UEA	USBFW	467.08					
USL Feeder - DS0 Set-up per Cross Box location - per 25 pair set-up		UEA	USBFX	11.27	11.27				
USL Feeder DS1 Set-up at DSX location - per DS1 termination		UDN	UCLUDLUDC	527.41	1.32				
Unbundled Sub-Loop Feeder Loop - 2 Wire Ground Start - Voice Grade - Zone 1	1	UEA	USBFZ	83.62	46.2	45.57	10.19	10.73	1.65
Unbundled Sub-Loop Feeder Loop - 2 Wire Ground Start - Voice Grade - Zone 2	2	UEA	USBFA	10.53	46.2	45.57	10.19	10.73	1.65
Unbundled Sub-Loop Feeder Loop - 2 Wire Ground Start - Voice Grade - Zone 3	3	UEA	USBFA	19.92	46.2	45.57	10.19	10.73	1.65
Order Coordination for Specified Conversion Time - per LSR		UEA	OCOSL	20.75					
Unbundled Sub-Loop Feeder Loop - 2 Wire Loop-Start - Voice Grade - Zone 1	1	UEA	USBFB	83.62	46.2	45.57	10.19	10.73	1.65
Unbundled Sub-Loop Feeder Loop - 2 Wire Loop-Start - Voice Grade - Zone 2	2	UEA	USBFB	10.53	46.2	45.57	10.19	10.73	1.65
Unbundled Sub-Loop Feeder Loop - 2 Wire Loop-Start - Voice Grade - Zone 3	3	UEA	USBFB	19.92	46.2	45.57	10.19	10.73	1.65
Order Coordination for Specified Conversion Time - per LSR		UEA	OCOSL	20.75					
Unbundled Sub-Loop Feeder Loop - 2 Wire Reverse Battery - Voice Grade - Zone 1	1	UEA	USBFC	83.62	46.2	45.57	10.19	10.73	1.65
Unbundled Sub-Loop Feeder Loop - 2 Wire Reverse Battery - Voice Grade - Zone 2	2	UEA	USBFC	10.53	46.2	45.57	10.19	10.73	1.65
Unbundled Sub-Loop Feeder Loop - 2 Wire Reverse Battery - Voice Grade - Zone 3	3	UEA	USBFC	19.92	46.2	45.57	10.19	10.73	1.65
Order Coordination for Specified Conversion Time - per LSR		UEA	OCOSL	20.75					
Unbundled Sub-Loop Feeder Loop - 4 Wire Ground-Start - Voice Grade - Zone 1	1	UEA	USBFD	16.05	58.12	48.55	11.33	10.73	1.65
Unbundled Sub-Loop Feeder Loop - 4 Wire Ground-Start - Voice Grade - Zone 2	2	UEA	USBFD	22.23	58.12	48.55	11.33	10.73	1.65
Unbundled Sub-Loop Feeder Loop - 4 Wire Ground-Start - Voice Grade - Zone 3	3	UEA	USBFD	42.66	58.12	48.55	11.33	10.73	1.65
Order Coordination for Specified Conversion Time - per LSR		UEA	OCOSL	20.75					
Unbundled Sub-Loop Feeder Loop - 4 Wire Loop-Start - Voice Grade - Zone 1	1	UEA	USBFE	16.05	58.12	48.55	11.33	10.73	1.65
Unbundled Sub-Loop Feeder Loop - 4 Wire Loop-Start - Voice Grade - Zone 2	2	UEA	USBFE	22.23	58.12	48.55	11.33	10.73	1.65
Unbundled Sub-Loop Feeder Loop - 4 Wire Loop-Start - Voice Grade - Zone 3	3	UEA	USBFE	42.06	58.12	48.55	11.33	10.73	1.65
Order Coordination for Specified Conversion Time - per LSR		UEA	OCOSL	20.75					
Unbundled Sub-Loop Feeder Loop - 2 Wire ISDN BRI - Zone 1	1	UDN	USBFF	16.18	60.12	46.95	9.74	10.73	1.65
Unbundled Sub-Loop Feeder Loop - 2-Wire ISDN BRI - Zone 2	2	UDN	USBFF	22.41	60.12	46.95	9.74	10.73	1.65
Unbundled Sub-Loop Feeder Loop - 2-Wire ISDN BRI - Zone 3	3	UDN	USBFF	42.39	60.12	46.95	9.74	10.73	1.65
Order Coordination for Specified Conversion Time - per LSR		UDN	OCOSL	20.75					
Unbundled Sub-Loop Feeder Loop - 2 Wire UDC (IDSL compatible)	1	UDC	USBFG	16.18	60.12	46.95	9.74	10.73	1.65
Unbundled Sub-Loop Feeder Loop - 2 Wire UDC (IDSL compatible)	2	UDC	USBFG	22.41	60.12	46.95	9.74	10.73	1.65
Unbundled Sub-Loop Feeder Loop - 2 Wire UDC (IDSL compatible)	3	UDC	USBFG	42.39	60.12	46.95	9.74	10.73	1.65
Unbundled Sub-Loop Feeder Loop - 4-Wire DS1 - Zone 1	1	USL	USBFG	120.61	70.34	65.07	16.2	10.73	1.65
Unbundled Sub-Loop Feeder Loop - 4-Wire DS1 - Zone 2	2	USL	USBFG	60.45	70.34	65.07	16.2	10.73	1.65
Unbundled Sub-Loop Feeder Loop - 4-Wire DS1 - Zone 3	3	USL	USBFG	114.36	70.34	65.07	16.2	10.73	1.65
Order Coordination for Specified Conversion Time - per LSR		USL	OCOSL	20.75					
Unbundled Sub-Loop Feeder - 2-Wire Copper Loop - Zone 1	1	UCL	USBFH	6.65	76.87	45.64	8.43	10.73	1.65
Unbundled Sub-Loop Feeder - 2-Wire Copper Loop - Zone 2	2	UCL	USBFH	9.22	76.87	45.64	8.43	10.73	1.65
Unbundled Sub-Loop Feeder - 2-Wire Copper Loop - Zone 3	3	UCL	USBFH	17.44	76.87	45.64	8.43	10.73	1.65
Order Coordination for Specified Conversion Time - per LSR		UCL	OCOSL	20.75					
Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 1	1	UCL	USBFJ	12.76	89.85	46.59	9.38	10.73	1.65
Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 2	2	UCL	USBFJ	17.67	89.85	46.59	9.38	10.73	1.65
Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 3	3	UCL	USBFJ	33.43	89.85	46.59	9.38	10.73	1.65
Order Coordination for Specified Conversion Time - per LSR		UCL	OCOSL	20.75					
Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop	1	UDL	USBFN	17.52	90.72	48.55	11.33	10.73	1.65
Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop	2	UDL	USBFN	24.28	90.72	48.55	11.33	10.73	1.65

Unbundled Network Elements
 FLORIDA

Description	Code	Unit	Rate	Rate	Rate	Rate	Rate	Rate	Rate	Rate	Rate	Rate	Rate	Rate	Rate
Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop	UDL	90.72	45.92	52.43	48.55	11.33	10.73	1.65							
Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop - Zone 1	UDL	90.72	17.52	52.43	48.55	11.33	10.73	1.65							
Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop - Zone 2	UDL	90.72	24.28	52.43	48.55	11.33	10.73	1.65							
Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop - Zone 3	UDL	90.72	45.92	52.43	48.55	11.33	10.73	1.65							
Order Coordination For Specified Time Conversion, per LSR	UDL	20.75		52.43	48.55	11.33	10.73	1.65							
Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - Zone 1	UDL	90.72	17.52	52.43	48.55	11.33	10.73	1.65							
Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - Zone 2	UDL	90.72	24.28	52.43	48.55	11.33	10.73	1.65							
Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - Zone 3	UDL	90.72	45.92	52.43	48.55	11.33	10.73	1.65							
Order Coordination For Specified Conversion Time, per LSR	UDL	20.75		52.43	48.55	11.33	10.73	1.65							
Unbundled Sub-Loop Modification															
Unbundled Sub-Loop Modification - 2-W Copper Dist Load Coil/Equip Removal per 2-W PR	UEF	9.11		9.11			10.73	1.65							
Unbundled Sub-Loop Modification - 4-W Copper Dist Load Coil/Equip Removal per 4-W PR	UEF	9.11		9.11			10.73	1.65							
Unbundled Sub-Loop Modification - 2-w4-w Copper Dist Bridged Tap Removal, per PR	UEF	14.05		14.05			10.73	1.65							
Unbundled Sub-Loop Modification - 2-w4-w Copper Dist Bridged Tap Removal, per PR	UEF	14.05		14.05			10.73	1.65							
Unbundled Network Terminating Wire (UNTW)															
Unbundled Network Terminating Wire (UNTW) per Pair	UENTW	21.85	0.3682	21.85			10.73	1.65							
Network Interface Device (NID)															
Network Interface Device (NID) - 1,2 lines	UNDI2	63.72		40.84			10.73	1.65							
Network Interface Device (NID) - 1,6 lines	UNDI6	105.96		83.17			10.73	1.65							
Network Interface Device Cross Connect - 2 W	UNDC2	7.12		7.12			10.73	1.65							
Network Interface Device Cross Connect - 4W	UNDC4	7.12		7.12			10.73	1.65							
UNBUNDLED LOOP CONCENTRATION															
Unbundled Loop Concentration - System A (TR008)	ULC	324.01	461.86	324.01			10.73	1.65							
Unbundled Loop Concentration - System B (TR008)	ULC	135	54.91	135			10.73	1.65							
Unbundled Loop Concentration - System A (TR203)	ULC	324.01	500.74	324.01			10.73	1.65							
Unbundled Loop Concentration - System B (TR203)	ULC	135	92.53	135			10.73	1.65							
Unbundled Loop Concentration - DS1 Loop Interface Card	ULC	64.65	5.18	64.65	16.67	4.35	10.73	1.65							
Unbundled Loop Concentration - ISDN Loop Interface (Brite Card)	ULC	14.96	8.22	14.96	6.11	6.07	10.73	1.65							
Unbundled Loop Concentration - UDC Loop Interface (Brite Card)	UDC	14.96	8.22	14.96	6.11	6.07	10.73	1.65							
Unbundled Loop Concentration - 2 Wire Voice-Loop Start or Ground Start Loop Interface (POTS Card)	UEA	14.96	2.06	14.96	6.11	6.07	10.73	1.65							
Unbundled Loop Concentration - 2 Wire Voice - Reverse Battery Loop Interface (SPTS Card)	UEA	14.96	12.22	14.96	6.11	6.07	10.73	1.65							
Unbundled Loop Concentration - 4 Wire Voice Loop Interface (Specials Card)	UEA	14.96	7.29	14.96	6.11	6.07	10.73	1.65							
Unbundled Loop Concentration - TEST CIRCUIT Card	ULC	35.63		35.63			10.73	1.65							
Unbundled Loop Concentration - Digital 19.2 Kbps Data Loop Interface	UDL	14.96	10.8	14.96	6.11	6.07	10.73	1.65							
Unbundled Loop Concentration - Digital 56 Kbps Data Loop Interface	UDL	14.96	10.8	14.96	6.11	6.07	10.73	1.65							
Unbundled Loop Concentration - Digital 64 Kbps Data Loop Interface	UDL	14.96	10.8	14.96	6.11	6.07	10.73	1.65							
UNBUNDLED SUB-LOOP CONCENTRATION (OUTSIDE CO)															
LINE OTHER, PROVISIONING ONLY - NO RATE															
NID - Dispatch and Service Order for NID installation	UNDBX														
UNTW Circuit Id Establishment, Provisioning Only - No Rate	UENTW														
Unbundled Contract Name, Provisioning Only - No Rate	UEANL,UEF,UEQ,U														
Unbundled Contract Name, Provisioning Only - No Rate	ENTW														
Unbundled Contract Name, Provisioning Only - No Rate	UAI,UCL,UDC,UDI,UDN,UEA,UHL,UJ,C														
Unbundled Contract Name, Provisioning Only - no rate	UNECN	0	0	0											
Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no rate	USBFQ	0	0	0											
Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no rate	USBFR	0	0	0											
Unbundled DS1 loop - Superframe Format Option - no rate	CCOSF	0	0	0											
Unbundled DS1 loop - Expanded Superframe Format option - no rate	CCDEF	0	0	0											
HIGH CAPACITY UNBUNDLED LOCAL LOOP															
NOTE: 4 months minimum billing period															
High Capacity Unbundled Local Loop - DS3 - Per Mile per month	UE3	10.06		10.06			10.73	1.65							
High Capacity Unbundled Local Loop - DS3 - Facility Termination per month	UE3PX	387.1		387.1			10.73	1.65							
High Capacity Unbundled Local Loop - STS-1 - Per Mile per month	UDLSX	10.06		10.06			10.73	1.65							
High Capacity Unbundled Local Loop - STS-1 - Facility Termination per month	UDLS1	426.68		426.68			10.73	1.65							
LOOP MAKE-UP															

Unbundled Network Elements
FLORIDA

Element	Description	Code	Unit	Rate	Rate	Rate	Rate	Rate	Rate	Rate
DARK FIBER	Voice Grade COC1 - DS1 to DS0 Channel System - per month	UEA	1.42	9.08	6.38				10.73	1.65
	DS3 to DS1 Channel System per month	MQ3	218.7	179.66	106.96				10.73	1.65
	STS1 to DS1 Channel System per month	MQ3	218.7	179.66	106.96				10.73	1.65
	DS3 Interface Unit (DS1 COC1) used with Loop per month	UC1D1	14.24	9.06	6.38					
DARK FIBER	Dark Fiber - Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Local Channel	UDF	54.11	677.34	174.79				10.73	1.65
	NRC Dark Fiber - Local Channel	UDF								
	Dark Fiber - Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Interoffice Channel	UDF	25.14	677.34	174.79				10.73	1.65
	NRC Dark Fiber - Interoffice Channel	UDF								
TRANSPORT OTHER	Dark Fiber - Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Local Loop	UDF	54.11	677.34	174.79				10.73	1.65
	NRC Dark Fiber - Local Loop	UDF								
Optional Features & Functions:										
BXX ACCESS TEN DIGIT SCREENING	Clear Channel Capability (BRZS/ESF) Option - Subsequent - per DS1 Channel	UNC1X		184.92	23.82	2.07			10.73	1.65
	Clear Channel Capability (BRZS/ISF) Option - Subsequent - per DS1 Channel	UNC1X		184.92	23.82	2.07			10.73	1.65
	BXX Access Ten Digit Screening, Per Call	OHD	0.0006165							
	BXX Access Ten Digit Screening, Reservation Charge Per BXX Number Reserved	OHD		3.74	0.64				10.73	1.65
	BXX Access Ten Digit Screening, Per BXX No. Established With POTIS Translations	OHD		7.92	1.06	5.2			10.73	1.65
	BXX Access Ten Digit Screening, Per BXX No. Established With POTIS Translations	OHD		7.92	1.06	5.2			10.73	1.65
	BXX Access Ten Digit Screening, Customized Area of Service Per BXX Number	OHD		3.74	1.87				10.73	1.65
	BXX Access Ten Digit Screening, Multiple InterLATA CXR Routing Per CXR Requested Per BXX No.	OHD		4.37	2.5				10.73	1.65
	BXX Access Ten Digit Screening, Change Charge Per Request	OHD		4.37	0.64				10.73	1.65
	BXX Access Ten Digit Screening, Call Handling and Destination Features	OHD		3.74					10.73	1.65
	BXX Access Ten Digit Screening, w/ BXX No. Delivery, per query	OHD								
	BXX Access Ten Digit Screening, w/ POTIS No. Delivery, per query	OHD								
	BXX Access Ten Digit Screening, w/ POTIS No. Delivery, per query	OHD								
	LINE INFORMATION DATA BASE ACCESS (LIDB)	LIDB Common Transport Per Query	OGT	0.0000195						
LIDB Validation Per Query		OGU	0.0132254							
LIDB Originating Point Code Establishment or Change		OGT, OGU		49.71	49.71	49.71			10.73	1.65
LIDB Validation Per Query		OGU								
LIDB Originating Point Code Establishment or Change		NRPBX								
SIGNALING (CCS7)	CCS7 Signaling Termination, Per STP Port	1DB	129.77						10.73	1.65
	CCS7 Signaling Usage, Per TCAP Message	1DB	0.0000592							
	CCS7 Signaling Connection, Per link (A link)	1DB	18.39	39.28	39.28	16.51			10.73	1.65
	CCS7 Signaling Connection, Per link (B link) (also known as D link)	1DB	18.39	39.28	39.28	16.51			10.73	1.65
	CCS7 Signaling Usage, Per ISUP Message	1DB	0.0000148							
	CCS7 Signaling Usage, Surrogate, per link, per LATA	1DB	676.89						10.73	1.65
	CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, per STP affected	1DB		41.5	41.5				10.73	1.65
	CCS7 Signaling Point Code, per Destination Point Code Establishment or Change, Per STP Affected	1DB		8	8				10.73	1.65
	Local Channel - Dedicated - 2-wr Voice Grade - Zone 1		21.04	239.67	42.34	35.93			10.73	1.65
	Local Channel - Dedicated - 2-wr Voice Grade - Zone 2		29.15	239.67	42.34	35.93			10.73	1.65
Local Channel - Dedicated - 2-wr Voice Grade - Zone 3		55.14	239.67	42.34	35.93			10.73	1.65	
Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile		0.0084								
Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility Termination		26.02	42.69	28.66	16.51			10.73	1.65	
Local Channel - Dedicated - DS1 - Zone 1		34.49	195.33	165.48	21.9			10.73	1.65	
Local Channel - Dedicated - DS1 - Zone 2		47.78	195.33	165.48	21.9			10.73	1.65	
Local Channel - Dedicated - DS1 - Zone 3		90.38	195.33	165.48	21.9			10.73	1.65	
Interoffice Transport - Dedicated - DS1 Per Mile		0.171								
Interoffice Transport - Dedicated - DS1 Per Facility Termination		90.87	95.16	89.78	16.74			10.73	1.65	
CALLING NAME (CNAM) SERVICE	CNAM for DB Owners, Per Query	OOV	0.0010161							
	CNAM for Non DB Owners, Per Query	OOV	0.0010161							
	CNAM For DB Owners - Service Establishment	OOV		22.85	22.85	17.14			10.73	1.65
	CNAM For Non DB Owners - Service Establishment	OOV		22.85	22.85	17.14			10.73	1.65
	CNAM For DB Owners - Service Provisioning With Point Code Establishment	OOV		1435	317.7	233.6			10.73	1.65
	CNAM For Non DB Owners - Service Provisioning With Point Code Establishment	OOV		492.73	355.07	233.6			10.73	1.65
CNAM (Non-Darab Owner), NRC, applies when using the Character Based User Interface (CHUI)	OOV	CDDCH		595	595			10.73	1.65	

Service Name	Description	Unit	Rate	Quantity	Total	Category	Code	Rate	Quantity	Total
LNP QUERY SERVICE	LNP Charge Per Query		0.000842							
	LNP Service Establishment Manual		12.46	12.46	9.35				10.73	1.65
	LNP Service Provisioning with Point Code Establishment		591.01	301.93	218.42				10.73	1.65
OPERATOR SERVICES AND DIRECTORY ASSISTANCE										
OPERATOR CALL PROCESSING	Oper. Call Processing - Other Provided Per Min. - Using BST LDB		1.2							
	Oper. Call Processing - Other Provided Per Min. - Using Foreign LDB		1.24							
	Oper. Call Processing - Fully Automated Per Call - Using BST LDB		0.2							
	Oper. Call Processing - Fully Automated Per Call - Using Foreign LDB		0.2							
INWARD OPERATOR SERVICES										
	Inward Operator Services - Verification Per Call		1							
	Inward Operator Services - Verification and Emergency Interrupt - Per Call		1.95							
BRANDING_OPERATOR_CALL_PROCESSING	Recording of Custom Branded OA Announcement		7000	7000					10.73	1.65
	Loading of Custom Branded OA Announcement per attel/NAV		500	500					10.73	1.65
DIRECTORY ASSISTANCE SERVICES										
DIRECTORY ASSISTANCE ACCESS SERVICE	Directory Assistance Access Service Calls - Charge Per Call		0.275							
DIRECTORY ASSISTANCE CALL COMPLETION ACCESS SERVICE (DACC)	Directory Assistance Call Completion Access Service (DACC) Per Call Attempt		0.1							
UNBRANDING										
DIRECTORY TRANSPORT	Directory Transport - Local Channel DS1		43.64	242.45	226.44				10.73	1.65
	Directory Transport - DS1 Level Interoffice Per Mile		0.8013							
	Directory Transport - DS1 Level Interoffice Per Facility Termination		35.75	45.91	44.16				10.73	1.65
	Switched Common Transport Per DA Access Service Per Call		0.0003							
	Switched Common Transport Per DA Access Service Per Call Per Mile		0.0001							
	Access Tandem Switching Per DA Access Service Per Call		0.00055	206.06	4.71				10.73	1.65
	Directory Transport - Installation NRC - Per Trunk or Signaling Connection									
DIRECTORY ASSISTANCE DATA BASE SERVICE (DADS)	Directory Assistance Data Base Service Charge Per Listing		0.04							
	Directory Assistance Data Base Service - per month		150							
BRANDING_DIRECTORY_ASSISTANCE	Custom Branding Announcement, per Recording to be used with the provision of DA		3000	3000						
	Loading of Custom Branded Announcement per DRAM Card/Switch		690	690						
SELECTIVE ROUTING	Selective Routing Per Unique Line Class Code Per Request Per Switch		84.33	84.33	11.46				10.73	1.65
VIRTUAL COLLOCATION										
	Virtual Collocation - 2-wire Cross Connects (loop)		33.86	31.95					10.73	1.65
	Virtual Collocation-2 Wire Cross Connects (Loop) for Line Splitting		33.86	31.85					10.73	1.65
	Virtual Collocation - 2-wire Cross Connects (port)		11.57	1.37					10.73	1.65
	Virtual Collocation - 4-wire Cross Connects (loop)		33.89	1.37					10.73	1.65
	Virtual Collocation - 4-wire Cross Connects (port)		11.57	11.57					10.73	1.65
	Virtual Collocation - DS1 Cross Connects		53.3	40.2						
AIN_SELECTIVE_CARRIER_ROUTING	Regional Service Establishment		191575	168.89	697.4				10.73	1.65
	End Office Establishment		168.89	168.89	0.63				10.73	1.65
	Query NRC - per query		0.00309988							
AIN - BELLSOUTH_AIN_SMS_ACCESS_SERVICE										
	AIN SMS Access Service - Service Establishment, Per State, Initial Setup		39.27	39.27	33.04				10.73	1.65
	AIN SMS Access Service - Port Connection - Dial/Shared Access		7.79	7.79	7.38				10.73	1.65
	AIN SMS Access Service - Port Connection - ISDN Access		7.79	7.79	7.38				10.73	1.65
	AIN SMS Access Service - User Identification Codes - Per User ID Code		34.85	34.85	21.97				10.73	1.65
	AIN SMS Access Service - Security Card, Per User ID Code, Initial or Replacement		73.76	73.76	9.51				10.73	1.65
	AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)		0.0029							
	AIN SMS Access Service - Session, Per Minute		0.7985							
	AIN SMS Access Service - Company Performed Session, Per Minute		0.4155							

Code	Description	Unit	Rate	Category	Notes
AIN - BELLSOUTH AIN TOOLKIT SERVICE	AIN Toolkit Service - Service Establishment Charge, Per State, Initial Setup		39.27	BAPSC	1.65
	AIN Toolkit Service - Training Session, Per Customer		84.06	BAPVX	1.65
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Term Attempt		7.79	BAPIT	1.65
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Delay		7.79	BAPID	1.65
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Immediate		7.79	BAPIM	1.65
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, 10-Digit POPD		34.32	BAPTO	1.65
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, CDP		34.32	BAPIC	1.65
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Feature Code		34.32	BAPIF	1.65
	AIN Toolkit Service - Query Charge, Per Query		0.0509436		
	Query		0.0062787		
	AIN Toolkit Service - SCP Storage Charge, Per SMS Access Account, Per 100 Kilobytes		0.06		
	AIN Toolkit Service - Monthly report - Per AIN Toolkit Service Subscription		7.79	BAPMS	1.65
	AIN Toolkit Service - Special Study - Per AIN Toolkit Service Subscription		8.62	BAPLS	1.65
	AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service Subscription		7.79	BAPDS	1.65
	AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit Service Subscription		8.62	BAPES	1.65
ODUF/EDUF/ADUF/CMPS					
ACCESS DAILY USAGE FILE (ADUF)					
ADUF - Message Processing, per message			0.013928		
ADUF - Data Transmission (CONNECT/DIRECT), per message			0.00012927		
ENHANCED OPTIONAL DAILY USAGE FILE (EODUF)					
EODUF - Message Processing, per message			0.222451		
OPTIONAL DAILY USAGE FILE (ODUF)					
ODUF - Recording, per message			0.0000068		
ODUF - Message Processing, per message			0.006614		
ODUF - Message Processing, Non-Relic Time provisioned			48.77		
ODUF - Data Transmission (CONNECT/DIRECT), per message			0.00010772		
ENHANCED EXTENDED LINK (EELs)					
NOTE: New EELs available in State of Georgia, densely zone 1 of following SMAs: Orlando, FL; Miami, FL; Ft. Lauderdale, FL; Nashville, TN; New Orleans, LA;					
NOTE: Charlotte-Gastonia-Rock Hill, NC; Greensboro-Winston Salem-High Point, NC. Use all rates below except Switch As is Charge.					
NOTE: In all states, EEL network elements shown below also apply to currently combined facilities which are converted to UNE rates. A Switch As is Charge applies to currently combined facilities converted to UNEs. (Non-recurring rates do not apply.)					
NOTE: In Georgia, the EEL network elements apply to ordinarily combined network elements per the GA PSC order. (No Switch As is Charge)					
2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL)					
First 2-Wire VG Loop(SL2) in a DS1 Interoffice Transport Combination - Zone 1	1	UNCVX	115.02	UEAL2	1.65
First 2-Wire VG Loop(SL2) in a DS1 Interoffice Transport Combination - Zone 2	2	UNCVX	115.02	UEAL2	1.65
First 2-Wire VG Loop(SL2) in a DS1 Interoffice Transport Combination - Zone 3	3	UNCVX	115.02	UEAL2	1.65
Interoffice Transport - Dedicated - DS1 combination - Per Mile per month		UNCVX	157.3	UEAL2	1.65
Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month		UNCVX	157.3	UEAL2	1.65
DS1 Channelization System Per Month		UNCVX	151.74	UEAL2	1.65
Voice Grade COCI - DS1 To DS0 Interface - Per Month		UNCVX	6.05	UEAL2	1.65
Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination		UNCVX	13.43	UEAL2	1.65
Zone 1		UNCVX	18.6	UEAL2	1.65
Zone 2		UNCVX	18.6	UEAL2	1.65
Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination		UNCVX	35.18	UEAL2	1.65
Zone 3		UNCVX	35.18	UEAL2	1.65
Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination		UNCVX	90.87	UEAL2	1.65
Zone 3		UNCVX	90.87	UEAL2	1.65
Voice Grade COCI - DS1 to DS0 Channel System combination - per month		UNCVX	151.74	UEAL2	1.65
Non-recurring Currently Combined Network Elements Switch - As is Charge		UNCVX	1.42	UEAL2	1.65
4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL)					
First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 1	1	UNCVX	115.02	UEAL4	1.65
First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 2	2	UNCVX	115.02	UEAL4	1.65
First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 3	3	UNCVX	115.02	UEAL4	1.65
Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month		UNCVX	157.3	UEAL4	1.65
Interoffice Transport - Dedicated - DS1 - Facility Termination Per Month		UNCVX	157.3	UEAL4	1.65
Channelization - Channel System DS1 to DS0 combination Per Month		UNCVX	151.74	UEAL4	1.65
Voice Grade COCI - DS1 to DS0 Channel System combination - per month		UNCVX	151.74	UEAL4	1.65
Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 1		UNCVX	1.42	UEAL4	1.65
Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 2		UNCVX	1.42	UEAL4	1.65
Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 3		UNCVX	1.42	UEAL4	1.65

Unbundled Network Elements
 FLORIDA

Item	Description	Quantity	Unit	Rate	Value	Category	Code	Rate	Value	Category	Code	Rate	Value	Category	Code	Rate	Value	Category	Code	
2	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 2	1	UEAL4	29.41	115.02	54.58	43.28	5.68	10.73	1.65										
3	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 3	1	UEAL4	55.63	115.02	54.58	43.28	5.68	10.73	1.65										
	Voice Grade COC1 - DS1 to DS0 Channel System - combination - per month	1	UDTVG	1.42	6.05	4.36														
	Nonrecurring Currently Combined Network Elements Switch - As-Is Charge	1	UNCCX	8.1	8.1	8.1	8.1	8.1	10.73	1.65										
4-WIRE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL)																				
1	First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 1	1	UDL56	24.48	115.02	54.58	43.28	5.68	10.73	1.65										
2	First 4-wire 56Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 2	1	UDL56	33.91	115.02	54.58	43.28	5.68	10.73	1.65										
3	First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 3	1	UDL56	64.14	115.02	54.58	43.28	5.68	10.73	1.65										
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month	1	UNCDX	0.171																
	Interoffice Transport - Dedicated - DS1 - combination Facility Termination Per Month	1	UITF1	90.87	157.3	110.42	41.12	16.18	10.73	1.65										
	Channelization - Channel System DS1 to DS0 combination Per Month	1	MGT	151.74	51.63	13.29	1.35	1.21												
	OCU-DP COC1 (data) - DS1 to DS0 Channel System - per month (2.4-64kbs)	1	IDIDD	2.16	6.05	4.36														
	Additional 4-Wire 56Kbps Digital Grade Loop same DS1 Interoffice Transport Combination - Zone 1	1	UDL56	24.48	115.02	54.58	43.28	5.68	10.73	1.65										
	Additional 4-Wire 56Kbps Digital Grade Loop same DS1 Interoffice Transport Combination - Zone 2	1	UDL56	33.91	115.02	54.58	43.28	5.68	10.73	1.65										
	Additional 4-Wire 56Kbps Digital Grade Loop same DS1 Interoffice Transport Combination - Zone 3	1	UDL56	64.14	115.02	54.58	43.28	5.68	10.73	1.65										
	OCU-DP COC1 (data) - DS1 to DS0 Channel System - combination per month (2.4-64kbs)	1	IDIDD	2.16	9.08	6.36														
	Nonrecurring Currently Combined Network Elements Switch - As-Is Charge	1	UNCCX	8.1	8.1	8.1	8.1	8.1	10.73	1.65										
4-WIRE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL)																				
1	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 1	1	UDL64	24.48	115.02	54.58	43.28	5.68	10.73	1.65										
2	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 2	1	UDL64	33.91	115.02	54.58	43.28	5.68	10.73	1.65										
3	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 3	1	UDL64	64.14	115.02	54.58	43.28	5.68	10.73	1.65										
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month	1	UNCDX	0.171																
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month	1	UITF1	90.87	157.3	110.42	41.12	16.18	10.73	1.65										
	Channelization - Channel System DS1 to DS0 combination Per Month	1	MGT	151.74	51.63	13.29	1.35	1.21												
	OCU-DP COC1 (data) - DS1 to DS0 Channel System combination - per month (2.4-64kbs)	1	IDIDD	2.16	6.05	4.36														
	Additional 4-Wire 64Kbps Digital Grade Loop same DS1 Interoffice Transport Combination - Zone 1	1	UDL64	24.48	115.02	54.58	43.28	5.68	10.73	1.65										
	Additional 4-Wire 64Kbps Digital Grade Loop same DS1 Interoffice Transport Combination - Zone 2	1	UDL64	33.91	115.02	54.58	43.28	5.68	10.73	1.65										
	Additional 4-Wire 64Kbps Digital Grade Loop same DS1 Interoffice Transport Combination - Zone 3	1	UDL64	64.14	115.02	54.58	43.28	5.68	10.73	1.65										
	OCU-DP COC1 (data) - DS1 to DS0 Channel System combination - per month (2.4-64kbs)	1	IDIDD	2.16	6.05	4.36														
	Nonrecurring Currently Combined Network Elements Switch - As-Is Charge	1	UNCCX	8.1	8.1	8.1	8.1	8.1	10.73	1.65										
4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL)																				
1	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 1	1	USLXX	69.22	196.32	109.65	46.38	13.03	10.73	1.65										
2	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 2	1	USLXX	95.69	196.32	109.65	46.38	13.03	10.73	1.65										
3	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 3	1	USLXX	181.38	196.32	109.65	46.38	13.03	10.73	1.65										
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month	1	UNCDX	3.57																
	Interoffice Transport - Dedicated - DS3 - Facility Termination per month	1	UITF3	107.1	288.5	124.61	34.8	16.96	10.73	1.65										
	DS3 to DS1 Channel System combination per month	1	MGT	4.24	10.13	50.98														
	Additional DS1 Loop in DS1 Interoffice Transport Combination - Zone 1	1	UNCDX	4.24	6.05	4.36														
	Additional DS1 Loop in DS1 Interoffice Transport Combination - Zone 2	1	UNCDX	4.24	6.05	4.36														
	Additional DS1 Loop in DS1 Interoffice Transport Combination - Zone 3	1	UNCDX	95.69	196.32	109.65	46.38	13.03	10.73	1.65										
	Additional DS1 Loop in DS1 Interoffice Transport Combination - Zone 3	1	UNCDX	181.38	196.32	109.65	46.38	13.03	10.73	1.65										
	DS3 Interface Unit (DS1 COC1) combination per month	1	UCID1	14.24	6.05	4.36														
	Nonrecurring Currently Combined Network Elements Switch - As-Is Charge	1	UNCCX	8.1	8.1	8.1	8.1	8.1	10.73	1.65										

2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GRADE INTEROFFICE TRANSPORT (EEL)	1	UNCVX	UEAL2	13.43	115.02	54.58	43.28	5.68	10.73	1.65
2-Wire VG Loop used with 2-wire VG Interoffice Transport Combination - Zone 1	2	UNCVX	UEAL2	18.6	115.02	54.58	43.28	5.68	10.73	1.65
2-Wire VG Loop used with 2-wire VG Interoffice Transport Combination - Zone 2	3	UNCVX	UEAL2	35.18	115.02	54.58	43.28	5.68	10.73	1.65
Interoffice Transport - Dedicated - 2-wire VG combination - Per Mile Per Month			1L5XX							
Interoffice Transport - Dedicated - 2-Wire Voice Grade combination - Facility Termination per month		UNCVX	UITV2	26.02	85.38	47.42	40.82	16.25	10.73	1.65
Nonrecurring Currently Combined Network Elements Switch -As-Is Charge		UNCVX	UNCCC		8.1	8.1	8.1	8.1	10.73	1.65
4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRADE INTEROFFICE TRANSPORT (EEL)	1	UNCVX	UEAL4	21.73	115.02	54.58	43.28	5.68	10.73	1.65
4-Wire VG Loop used with 4-wire VG Interoffice Transport Combination - Zone 1	2	UNCVX	UEAL4	29.41	115.02	54.58	43.28	5.68	10.73	1.65
4-Wire VG Loop used with 4-wire VG Interoffice Transport Combination - Zone 2	3	UNCVX	UEAL4	55.63	115.02	54.58	43.28	5.68	10.73	1.65
Interoffice Transport - Dedicated - 4-wire VG combination - Per Mile Per Month			1L5XX	0.0084						
Interoffice Transport - Dedicated - 4-Wire Voice Grade combination - Facility Termination per month		UNCVX	UITV4	23.2	85.38	47.42	40.82	16.25	10.73	1.65
Nonrecurring Currently Combined Network Elements Switch -As-Is Charge		UNCVX	UNCCC		8.1	8.1	8.1	8.1	10.73	1.65
DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORT (EEL)		UNCSX	1L5ND	10.06						
High Capacity Unbundled Local Loop - DS3 combination - Per Mile per month		UNCSX	UEJFX	387.1	220.36	138.5	60.49	23.69		
High Capacity Unbundled Local Loop - DS3 combination - Facility Termination per month		UNCSX	1L5XX	3.57						
Interoffice Transport - Dedicated - DS3 combination - Per Mile per month		UNCSX	UITF3	1101	288.5	124.61	34.8	16.96	10.73	1.65
Interoffice Transport - Dedicated - DS3 combination - Facility Termination per month		UNCSX	UNCCC		8.1	8.1	8.1	8.1	10.73	1.65
Nonrecurring Currently Combined Network Elements Switch -As-Is Charge										
STS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS1 INTEROFFICE TRANSPORT (EEL)		UNCSX	1L5ND	10.06						
High Capacity Unbundled Local Loop - STS1 combination - Per Mile per month		UNCSX	UDLS1	426.68	220.36	138.5	60.49	23.69		
High Capacity Unbundled Local Loop - STS1 combination - Facility Termination per month		UNCSX	1L5XX	3.57						
Interoffice Transport - Dedicated - STS1 combination - Per Mile per month		UNCSX	UITFS	1085	288.5	124.61	34.8	16.96	10.73	1.65
Interoffice Transport - Dedicated - STS1 combination - Facility Termination per month		UNCSX	UNCCC		8.1	8.1	8.1	8.1	10.73	1.65
Nonrecurring Currently Combined Network Elements Switch -As-Is Charge										
2-WIRE IDSN EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPORT (EEL)	1	UNCNX	U1L2X	20.44	115.02	54.58	43.28	5.68	10.73	1.65
First 2-Wire IDSN Loop in a DS1 Interoffice Transport Combination - Zone 1	2	UNCNX	U1L2X	28.31	115.02	54.58	43.28	5.68	10.73	1.65
First 2-Wire IDSN Loop in a DS1 Interoffice Transport Combination - Zone 2	3	UNCNX	U1L2X	53.56	115.02	54.58	43.28	5.68	10.73	1.65
Interoffice Transport - Dedicated - DS1 combination - Per Mile		UNCNX	U1L2X	3.76	6.05	4.36				
Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month		UNCNX	U1L2X	20.44	115.02	54.58	43.28	5.68	10.73	1.65
Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month		UNCNX	U1L2X	28.31	115.02	54.58	43.28	5.68	10.73	1.65
Channelization - Channel System DS1 to DS0 combination - per month		UNCNX	UC1A	3.76	6.05	4.36				
2-wire IDSN COCI (BRITE) - DS1 to DS0 Channel System combination - per month		UNCNX	UC1A	3.76	6.05	4.36				
Additional 2-wire IDSN Loop in same DS1 Interoffice Transport Combination - Zone 1		UNCNX	U1L2X	20.44	115.02	54.58	43.28	5.68	10.73	1.65
Additional 2-wire IDSN Loop in same DS1 Interoffice Transport Combination - Zone 2		UNCNX	U1L2X	28.31	115.02	54.58	43.28	5.68	10.73	1.65
Additional 2-wire IDSN Loop in same DS1 Interoffice Transport Combination - Zone 3		UNCNX	U1L2X	53.56	115.02	54.58	43.28	5.68	10.73	1.65
2-wire IDSN COCI (BRITE) - DS1 to DS0 Channel System combination - per month		UNCNX	UC1A	3.76	6.05	4.36				
Nonrecurring Currently Combined Network Elements Switch -As-Is Charge		UNCNX	UNCCC		8.1	8.1	8.1	8.1	10.73	1.65
4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL)	1	UNCIX	US1XX	69.72	198.32	109.65	46.38	13.03	10.73	1.65
First DS1 Loop in STS1 Interoffice Transport Combination - Zone 1	2	UNCIX	US1XX	95.89	198.32	109.65	46.38	13.03	10.73	1.65
First DS1 Loop in STS1 Interoffice Transport Combination - Zone 2	3	UNCIX	US1XX	186.32	198.32	109.65	46.38	13.03	10.73	1.65
Interoffice Transport - Dedicated - STS1 combination - Per Mile Per Month		UNCIX	U1L2X	3.42	288.5	124.61	34.8	16.96	10.73	1.65
Interoffice Transport - Dedicated - STS1 combination - Facility Termination per month		UNCIX	U1L2X	1085	288.5	124.61	34.8	16.96	10.73	1.65
STS1 to DS1 Channel System combination per month		UNCIX	UC1A	21.74	6.05	4.36				
DS3 Interface Unit (DS1 COCI) combination per month		UNCIX	UC1A	21.74	6.05	4.36				
Additional DS1 Loop in STS1 Interoffice Transport Combination - Zone 1	1	UNCIX	US1XX	69.72	198.32	109.65	46.38	13.03	10.73	1.65
Additional DS1 Loop in STS1 Interoffice Transport Combination - Zone 2	2	UNCIX	US1XX	95.89	198.32	109.65	46.38	13.03	10.73	1.65
Additional DS1 Loop in STS1 Interoffice Transport Combination - Zone 3	3	UNCIX	US1XX	186.32	198.32	109.65	46.38	13.03	10.73	1.65
Additional DS1 Loop in STS1 Interoffice Transport Combination - Zone 3		UNCIX	US1XX	186.32	198.32	109.65	46.38	13.03	10.73	1.65
DS3 Interface Unit (DS1 COCI) combination per month		UNCIX	UC1A	14.24	6.05	4.36				
Nonrecurring Currently Combined Network Elements Switch -As-Is Charge		UNCIX	UNCCC		8.1	8.1	8.1	8.1	10.73	1.65
4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS INTEROFFICE TRANSPORT (EEL)	1	UNCIX	U1L56	24.48	115.02	54.58	43.28	5.68	10.73	1.65
4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport Combination - Zone 1	2	UNCIX	U1L56	33.91	115.02	54.58	43.28	5.68	10.73	1.65
4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport Combination - Zone 2	3	UNCIX	U1L56	64.14	115.02	54.58	43.28	5.68	10.73	1.65
Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Per Mile		UNCIX	U1L56	0.0096						
Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Facility Termination per month		UNCIX	UITD3	19.31	85.38	47.42	40.82	16.25	10.73	1.65

Unbundled Network Elements
FLORIDA

Element Description	UNCDX	UNCCC	8.1	8.1	8.1	8.1	8.1	8.1	10.73	1.65
Nonrecurrently Currently Combined Network Elements Switch -As-Is Charge										
4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTEROFFICE TRANSPORT (EEL)										
4-wire 64 kbps Loop4-wire 64 kbps Interoffice Transport Combination - Zone 1	UNCDX	UDL64	24.48	54.58	5.68				10.73	1.65
4-wire 64 kbps Loop4-wire 64 kbps Interoffice Transport Combination - Zone 2	UNCDX	UDL64	33.91	54.58	5.68				10.73	1.65
4-wire 64 kbps Loop4-wire 64 kbps Interoffice Transport Combination - Zone 3	UNCDX	UDL64	64.14	54.58	5.68				10.73	1.65
Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Par Mile	UNCDX	ULSX	0.0998							
Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Facility Termination	UNCDX	UL1DB	19.31	86	31.91				10.73	1.65
Nonrecurrently Currently Combined Network Elements Switch -As-Is Charge	UNCDX	UNCCC		8.1	8.1				10.73	1.65
ADDITIONAL NETWORK ELEMENTS										
When used as a part of a currently combined facility, the non-recurring charges do not apply, but a Switch As Is charge does apply										
When used as ordinarily combined network elements in Georgia, the non-recurring charges apply and the Switch As Is Charge does not										
Node (Synchronous)										
Node per month	UNCDX	UNCNT	16.35							
Nonrecurrently Currently Combined Network Elements "Switch As Is" Charge (One applies to each combination)										
2/4-Wire VG Interoffice Channel used in a COMBINATION - "Switch As Is" Conversion Charge	UNCVX	UNCCC		8.1	8.1				10.73	1.65
56/64 kbps Interoffice Channel used in a COMBINATION - "Switch As Is" Conversion Charge	UNCDX	UNCCC		8.1	8.1				10.73	1.65
DS1 Interoffice Channel used in a COMBINATION - "Switch As Is" Conversion Charge	UNCIY	UNCCC		8.1	8.1				10.73	1.65
DS3 Interoffice Channel used in a COMBINATION - "Switch As Is" Conversion Charge	UNCX3	UNCCC		8.1	8.1				10.73	1.65
STS1 Interoffice or Local Loop used in a COMBINATION - "Switch As Is" Conversion Charge	UNCSX	UNCCC		8.1	8.1				10.73	1.65
NOTE: Local Channel - Dedicated Transport - minimum billing period - Below DS3=one month, DS3 and above=four months										
OPERATIONAL SUPPORT SYSTEMS										
NOTE: (1) Electronic Service Order - CLEC-1 should contact its contract host if it prefers the state specific electronic service ordering charges as ordered by the State Commissions										
NOTE: (1) Continued. The electronic service ordering charge currently contained in this rate exhibit at the BellSouth regional electronic service ordering charge										
NOTE: (1) Concluded. CLEC-1 may elect either the state specific Commission ordered rates for the electronic service ordering charges or CLEC-1 may elect the regional electronic service ordering charge										
NOTE: (2) Manual Service Order charge. disconnected, in the state of Florida, to be billed on a per LSR basis										
Electronic OSS Charge, per LSR, submitted via BST's OSS interactive interfaces (Regional)	SOMEC					3.5				
UNBUNDLED LOCAL EXCHANGE SWITCHING(PORTS)										
Exchange Ports										
NOTE: Although the Port Rate includes all available features in GA & TN, the desired features will need to be ordered using retail USOCs										
2-WIRE VOICE GRADE LINE PORT RATES (RES)										
Exchange Ports - 2-Wire Analog Line Port - Res	UEPSR	UEPRL	1.34	3.27	1.69	1.62			10.73	1.65
Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res	UEPSR	UEPRC	1.34	3.27	1.69	1.62			10.73	1.65
Exchange Ports - 2-Wire Analog Line Port outgoing only - Res	UEPSR	UEPRO	1.34	3.27	1.69	1.62			10.73	1.65
Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res	UEPSR	UEPAP	1.34	3.27	1.69	1.62			10.73	1.65
Exchange Ports - 2-Wire VG unbundled res, low usage line port with Caller ID (LUM)	UEPSR	UEPAP	1.34	3.27	1.69	1.62			10.73	1.65
Subsequent Activity	UEPSC	USASC	0	0	0	0				
All Available Vertical Features	UEPVF	UEPVF	2.17	0	0	0			10.73	1.65
2-WIRE VOICE GRADE LINE PORT RATES (BUS)										
Exchange Ports - 2-Wire Analog Line Port without Caller ID - Bus	UEPSB	UEPBL	1.34	3.27	1.69	1.62			10.73	1.65
Exchange Ports - 2-Wire VG unbundled Line Port with unbundle port with Caller-ID Bus	UEPSB	UEPBC	1.34	3.27	1.69	1.62			10.73	1.65
Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus	UEPSB	UEPBI	1.34	3.27	1.69	1.62			10.73	1.65
Exchange Ports - 2-Wire VG unbundled incoming only port with Caller ID - Bus	UEPSB	UEPBI	1.34	3.27	1.69	1.62			10.73	1.65
Subsequent Activity	UEPSB	USASC	0	0	0	0				
All Available Vertical Features	UEPVF	UEPVF	2.17	0	0	0			10.73	1.65
EXCHANGE PORT RATES (DID & PRI)										
Exchange Ports - 2-Wire DID Port	UEPDP	UEPDP	8.81	70.69	14.26	37.81			10.73	1.65

Unbundled Network Elements
FLORIDA

Exchange Ports - DDTS Port - 4-Wire DS1 Port with DID capability	UEPDD	UEPDD	52.73	136.24	70.1	44	2.8	10.73	1.65
Exchange Ports - 2-Wire ISDN Port (See Notes below)	UEPDX	UEPDX	8.46	42.22	45.69	24.91	10.75	10.73	1.65
<p>NOTE: Transmission charges associated with POTS circuit switched usage will also apply to circuit switched voice and/or circuit switched data transmission by B-Channels associated with 2-wire ISDN ports.</p> <p>NOTE: Access to B Channel or D Channel Packet capabilities will be available only through BFR/New Business Request Process. Rate for the packet capabilities will be determined via the Bona Fide Request/New Business Request Process.</p> <p>Exchange Ports - 2-Wire ISDN Port - Channel Profiles</p> <p>Exchange Ports - 4-Wire ISDN DS1 Port</p>									
2-Wire VG Unbundled 2-Way PBX Trunk - Res	UEPSE	UEPRD	1.34	35.22	16.39	11.14	0.648	10.73	1.65
2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus	UEPSP	UEPPC	1.34	35.22	16.39	11.14	0.648	10.73	1.65
2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus	UEPSP	UEPPO	1.34	35.22	16.39	11.14	0.648	10.73	1.65
2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus	UEPSP	UEPPI	1.34	35.22	16.39	11.14	0.648	10.73	1.65
2-Wire Analog Long Distance Terminal PBX Trunk - Bus	UEPSP	UEPLD	1.34	35.22	16.39	11.14	0.648	10.73	1.65
2-Wire Voice Unbundled PBX LD Terminal Ports	UEPSP	UEPXD	1.34	35.22	16.39	11.14	0.648	10.73	1.65
2-Wire Voice Unbundled 2-Way PBX Usage Port	UEPSP	UEPXA	1.34	35.22	16.39	11.14	0.648	10.73	1.65
2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports	UEPSP	UEPXB	1.34	35.22	16.39	11.14	0.648	10.73	1.65
2-Wire Voice Unbundled PBX LD DDD Terminal Port	UEPSP	UEPXC	1.34	35.22	16.39	11.14	0.648	10.73	1.65
2-Wire Voice Unbundled PBX LD Terminal Switchboard Port	UEPSP	UEPXD	1.34	35.22	16.39	11.14	0.648	10.73	1.65
2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port	UEPSP	UEPXE	1.34	35.22	16.39	11.14	0.648	10.73	1.65
2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port	UEPSP	UEPXL	1.34	35.22	16.39	11.14	0.648	10.73	1.65
2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port	UEPSP	UEPXM	1.34	35.22	16.39	11.14	0.648	10.73	1.65
2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port	UEPSP	UEPXD	1.34	35.22	16.39	11.14	0.648	10.73	1.65
2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port	UEPSP	UEPXS	1.34	35.22	16.39	11.14	0.648	10.73	1.65
Subsequent Activity	UEPSP	USASC	0	0	0	0	0	0	0
All Available Vertical Features	UEPSP	UEPVF	2.17	0	0	0	0	0	0
Exchange Ports - Coin Port	UEPSP	UEPVC	1.34	3.37	3.27	1.69	1.62	10.73	1.65
<p>NOTE: Transmission charges associated with POTS circuit switched usage will also apply to circuit switched voice and/or circuit switched data transmission by B-Channels associated with 2-wire ISDN ports.</p> <p>NOTE: Access to B Channel or D Channel Packet capabilities will be available only through BFR/New Business Request Process. Rate for the packet capabilities will be determined via the Bona Fide Request/New Business Request Process.</p>									
UNBUNDLED LOCAL SWITCHING, PORT USAGE									
End Office Switching (Port Usage)									
End Office Switching Function, Per MOU			0.0007341						
End Office Trunk Port - Shared, Per MOU			0.0001571						
Tandem Switching (Port Usage) (Local or Access Tandem)									
Tandem Switching Function Per MOU			0.0001263						
Tandem Trunk Port - Shared, Per MOU			0.0002262						
Common Transport									
Common Transport - Per Mile, Per MOU			0.0000334						
Common Transport - Facilities Termination Per MOU			0.0004483						
UNBUNDLED PORT/LOOP COMBINATIONS - COST BASED RATES									
<p>Cost Based Rates are applied where BellSouth is required by FCC and/or State Commission rule to provide Unbundled Local Switching or Switch Ports. Features shall apply to the Unbundled Port/Loop Combination - Cost Based Rate section in the same manner as they are applied to the Stand-Alone Unbundled Port section of this Rate Exhibit. For Georgia and Tennessee, the recurring UNE Port and Loop charges listed apply to Currently Combined and Not Currently Combined Combinations and Not Currently Combined Combinations. For Currently Combined Combinations in GA, TN and all other States, the nonrecurring charges shall be those identified in the Nonrecurring - Currently Combined sections.</p>									
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)									
UNE Port/Loop Combination Rates									
2-Wire VG Loop/Port Combo - Zone 1	1		13.01						
2-Wire VG Loop/Port Combo - Zone 2	2		17.15						
2-Wire VG Loop/Port Combo - Zone 3	3		30.45						
UNE Loop Rates									
2-Wire Voice Grade Loop (SL1) - Zone 1	1	UEPLX	11.89						
2-Wire Voice Grade Loop (SL1) - Zone 2	2	UEPRX	16.03						
2-Wire Voice Grade Loop (SL1) - Zone 3	3	UEPLX	29.33						
2-Wire Voice Grade Line Port Rates (Res)									
2-Wire voice unbundled port - residence		UEPRL	1.12					10.73	1.65
2-Wire voice unbundled port with Caller ID - res		UEPRC	1.12					10.73	1.65

Unbundled Network Elements
FLORIDA

	2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundled res low usage line port with Caller ID (LUM)																				10/73	1.65
	2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundled res low usage line port with Caller ID (LUM)																				10/73	1.65
	2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundled res low usage line port with Caller ID (LUM)																				10/73	1.65
FEATURES	All Features Offered																				10/73	1.65
LOCAL NUMBER PORTABILITY	Local Number Portability (1 per port)																					
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is																				10/73	
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change																				10/73	
ADDITIONAL NRCs	2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity																					
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)																						
UNE Port/Loop Combination Rates	2-Wire VG Loop/Port Combo - Zone 1																					
	2-Wire VG Loop/Port Combo - Zone 2																					
	2-Wire VG Loop/Port Combo - Zone 3																					
UNE Loop Rates	2-Wire Voice Grade Loop (SL1) - Zone 1																					
	2-Wire Voice Grade Loop (SL1) - Zone 2																					
	2-Wire Voice Grade Loop (SL1) - Zone 3																					
2-Wire Voice Grade Line Port (Bus)	2-Wire voice unbundled port without Caller ID - bus																				10/73	1.65
	2-Wire voice unbundled port with Caller + E-911 ID - bus																				10/73	1.65
	2-Wire voice unbundled port outgoing only - bus																				10/73	1.65
	2-Wire voice unbundled incoming only port with Caller ID - Bus																				10/73	1.65
LOCAL NUMBER PORTABILITY	Local Number Portability (1 per port)																					
FEATURES	All Features Offered																				10/73	1.65
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is																				10/73	
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change																				10/73	
ADDITIONAL NRCs	2-Wire Voice Grade Loop / Line Port Combination - Subsequent Activity																					
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)																						
UNE Port/Loop Combination Rates	2-Wire VG Loop/Port Combo - Zone 1																					
	2-Wire VG Loop/Port Combo - Zone 2																					
	2-Wire VG Loop/Port Combo - Zone 3																					
UNE Loop Rates	2-Wire Voice Grade Loop (SL 1) - Zone 1																					
	2-Wire Voice Grade Loop (SL 1) - Zone 2																					
	2-Wire Voice Grade Loop (SL 1) - Zone 3																					
2-Wire Voice Grade Line Port Rates (RES - PBX)	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port - Res																				10/73	1.65
LOCAL NUMBER PORTABILITY	Local Number Portability (1 per port)																					
FEATURES	All Features Offered																				10/73	1.65
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED	2-Wire Voice Grade Loop / Line Port Combination (PBX1) - Conversion - Switch-As-is																				10/73	
	2-Wire Voice Grade Loop / Line Port Combination (PBX1) - Conversion - Switch-As-is																				10/73	

Unbundled Network Elements
FLORIDA

Element	Description	UEPRG	USACC	Rate	Rate	Rate	Rate	Rate	Rate	Rate
2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch with Charge										
ADDITIONAL NRCs										
2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Subsequent Activity		UEPRG	USAS2	0	7.62	1.72				
PBX Subsequent Activity - Charge/Rearrange Multiple Hunt Group										1.65
2-WIRE VOICE GRADE LOOP WITH 2 WIRE LINE PORT (BUS - PBX)										
UNE Port/ Loop Combination Rates										
2-Wire VG Loop/Port Combo - Zone 1										
2-Wire VG Loop/Port Combo - Zone 2										
2-Wire VG Loop/Port Combo - Zone 3										
UNE Loop Rates										
2-Wire Voice Grade Loop (SL 1) - Zone 1		UEPXX	UEPLX	11.89						
2-Wire Voice Grade Loop (SL 1) - Zone 2		UEPXX	UEPLX	16.03						
2-Wire Voice Grade Loop (SL 1) - Zone 3		UEPXX	UEPLX	29.33						
2-Wire Voice Grade Line Port Rates (BUS - PBX)										
Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus		UEPXX	UEPPC	1.12						1.65
Line Side Unbundled Outward PBX Trunk Port - Bus		UEPXX	UEPPO	1.12						1.65
Line Side Unbundled Incoming PBX Trunk Port - Bus		UEPXX	UEPPI	1.12						1.65
2-Wire Voice Unbundled PBX LD Terminal Port - Bus		UEPXX	UEPLD	1.12						1.65
2-Wire Voice Unbundled PBX LD Terminal Port - Usage Port		UEPXX	UEPLA	1.12						1.65
2-Wire Voice Unbundled 6-Way Combination PBX Usage Port		UEPXX	UEPXB	1.12						1.65
2-Wire Voice Unbundled PBX LD DDD Terminals Port		UEPXX	UEPXC	1.12						1.65
2-Wire Voice Unbundled PBX LD Terminal Switchboard Port		UEPXX	UEPXD	1.12						1.65
2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port		UEPXX	UEPXE	1.12						1.65
2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port		UEPXX	UEPXL	1.12						1.65
2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port		UEPXX	UEPXM	1.12						1.65
2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port		UEPXX	UEPXD	1.12						1.65
2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port		UEPXX	UEPXS	1.12						1.65
LOCAL NUMBER PORTABILITY										
Local Number Portability (1 per port)		UEPXX	LNPCP	3.15						
FEATURES										
All Features Offered		UEPXX	UEPVF	2.17	0	0				1.65
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED										
2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch-As-Is Charge		UEPXX	USAC2		7.62	1.72				1.65
2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch with Charge		UEPXX	USACC		7.62	1.72				1.65
ADDITIONAL NRCs										
2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Subsequent Activity		UEPXX	USAS2	0	0	0				1.65
PBX Subsequent Activity - Charge/Rearrange Multiple Hunt Group										
2-WIRE VOICE GRADE LOOP WITH 2 WIRE ANALOG LINE COIN PORT										
UNE Port/ Loop Combination Rates										
2-Wire VG Coin Port/Loop Combo - Zone 1										
2-Wire VG Coin Port/Loop Combo - Zone 2										
2-Wire VG Coin Port/Loop Combo - Zone 3										
UNE Loop Rates										
2-Wire Voice Grade Loop (SL 1) - Zone 1		UEPXX	UEPLX	11.89						
2-Wire Voice Grade Loop (SL 1) - Zone 2		UEPXX	UEPLX	16.03						
2-Wire Voice Grade Loop (SL 1) - Zone 3		UEPXX	UEPLX	29.33						
2-Wire Voice Grade Line Ports (COIN)										
2-Wire Coin 2-Way with Operator Screening and Blocking 011, 900/976, 1+DDD (FL)		UEPXX	UEP2E	1.12						1.65
2-Wire Coin 2-Way with Operator Screening and Blocking 011 Blocking (FL)		UEPXX	UEP2F	1.12						1.65
2-Wire Coin 2-Way with Operator Screening and Blocking 900/976, 1+DDD, 011+, and Local (FL)		UEPXX	UEP2G	1.12						1.65
2-Wire Coin Outward with Operator Screening and 011 Blocking (AL, FL)		UEPXX	UEP2H	1.12						1.65
2-Wire Coin Outward with Operator Screening and Blocking 900/976, 1+DDD, 011+ (FL)		UEPXX	UEP2I	1.12						1.65

Unbundled Network Elements
FLORIDA

Amendment Exhibit 1
Attachment 2
Exhibit C

Service Description	Code	Rate	Unit	Other Code	Other Rate	Other Unit	Other Code	Other Rate	Other Unit
2-Wire Coin Outward with Operator Screening and Blocking 900/976, 1+DDD, 011+, and Local (FL, GA)	UEPCO	1.12		UEPCQ	1.12		UEPCQ	1.65	10.73
2-Wire 2-Way Smartline with 900/976 (all states except LA)	UEPCO	1.12		UEPCQ	1.12		UEPCQ	1.65	10.73
2-Wire Coin Outward Smartline with 900/976 (all states except LA)	UEPCO	1.12		UEPCQ	1.12		UEPCQ	1.65	10.73
ADDITIONAL LINE COIN PORT/LOOP [RC]									
UNE Coin Port/Loop Combo Usage (Flat Rate)	UEPCO	1.86	0	URECU	1.86	0	URECU	1.65	
LOCAL NUMBER PORTABILITY									
Local Number Portability (1 per port)	UEPCO	0.35		LNPCX	0.35		LNPCX	1.65	
FEATURES									
All Features Offered	UEPCO	2.17	0	UEPVF	2.17	0	UEPVF	1.65	10.73
NONRECURRING CHARGES - CURRENTLY COMBINED									
2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is	UEPCO	0.092		USAC2	0.092		USAC2	1.65	10.73
2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with charge	UEPCO	0.092		USACC	0.092		USACC	1.65	10.73
ADDITIONAL NRCs									
2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity	UEPCO	0	0	USAS2	0	0	USAS2	1.65	10.73
2-WIRE VOICE GRADE LOOP - BUS ONLY - WITH 2-WIRE DID TRUNK PORT									
LINE Port/loop Combination Rates									
2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1		22.22							
2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2		27.39							
2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3		43.79							
UNE Loop Rates									
2-Wire Analog Voice Grade Loop - (SI 2) - UNE Zone 1	UEPDX	13.43		UEGDI	13.43		UEGDI	1.65	10.73
2-Wire Analog Voice Grade Loop - (SI 2) - UNE Zone 2	UEPDX	18.6		UEGDI	18.6		UEGDI	1.65	10.73
2-Wire Analog Voice Grade Loop - (SI 2) - UNE Zone 3	UEPDX	35.18		UEGDI	35.18		UEGDI	1.65	10.73
UNE Port Rate									
Exchange Ports - 2-Wire DID Port	UEPDX	8.79		UEPDI	8.79		UEPDI	1.65	10.73
NONRECURRING CHARGES - CURRENTLY COMBINED									
2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination - Switch-as-is	UEPDX	7.08	1.69	USAC1	7.08	1.69	USAC1	1.65	10.73
2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion with BellSouth Allowable Charges	UEPDX	7.08	1.69	USA1C	7.08	1.69	USA1C	1.65	10.73
ADDITIONAL NRCs									
2-Wire DID Subsequent Activity - Add Trunks Per Trunk	UEPDX	29.08	29.08	USAS1	29.08	29.08	USAS1	1.65	10.73
Telephone Number/Trunk Group Establishment Charges									
DID Trunk Termination (One Per Port)	UEPDX	0	0	NDT	0	0	NDT	1.65	10.73
DID Numbers - Establish Trunk Group and Provide First Group of 20 DID Numbers	UEPDX	0	0	ND4	0	0	ND4	1.65	10.73
Additional DID Numbers for each Group of 20 DID Numbers	UEPDX	0	0	ND5	0	0	ND5	1.65	10.73
DID Numbers Non- consecutive DID Numbers Per Number	UEPDX	0	0	ND6	0	0	ND6	1.65	10.73
Reserve Non-Consecutive DID Numbers	UEPDX	0	0	NDV	0	0	NDV	1.65	10.73
Reserve DID Numbers	UEPDX	0	0	NDV	0	0	NDV	1.65	10.73
LOCAL NUMBER PORTABILITY									
Local Number Portability (1 per port)	UEPDX	3.15		LNPCP	3.15		LNPCP	1.65	10.73
2-WIRE ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LINE SIDE PORT									
UNE Port/loop Combination Rates									
2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 1	UEPBB	30.29		UEPBR	30.29		UEPBR	1.65	10.73
2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 2	UEPBB	36.51		UEPBR	36.51		UEPBR	1.65	10.73
2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 3	UEPBB	56.45		UEPBR	56.45		UEPBR	1.65	10.73
UNE Loop Rates									
2-Wire ISDN Digital Grade Loop - UNE Zone 1	UEPBB	13.43		USL2X	13.43		USL2X	1.65	10.73
2-Wire ISDN Digital Grade Loop - UNE Zone 2	UEPBB	29.44		USL2X	29.44		USL2X	1.65	10.73
2-Wire ISDN Digital Grade Loop - UNE Zone 3	UEPBB	49.38		USL2X	49.38		USL2X	1.65	10.73
UNE Port Rate									
Exchange Port - 2-Wire ISDN Line Side Port	UEPBB	7.07		UEPBB	7.07		UEPBB	1.65	10.73
NONRECURRING CHARGES - CURRENTLY COMBINED									
2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port Combination - Compression	UEPBB	0	27.61	USACH	0	27.61	USACH	1.65	10.73

Unbundled Network Elements
FLORIDA

Each Alternate-Fractional Additional Mile	1LNTB	0.171	UEPPP	1LNTB	0.171	UEPPP	1LNTB	0.171	UEPPP	1LNTB	0.171
4-WIRE DS1 DIGITAL LOOP WITH 4 WIRE DDITS TRUNK PORT											
UNE Port/Loop Combination Rates											
4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1		121.95	UEPDC							10.73	1.65
4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2		148.62	UEPDC							10.73	1.65
4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3		234.11	UEPDC							10.73	1.65
UNE Loop Rates											
4-Wire DS1 Digital Loop - UNE Zone 1		69.22	UEPDC							10.73	1.65
4-Wire DS1 Digital Loop - UNE Zone 2			UEPDC							10.73	1.65
4-Wire DS1 Digital Loop - UNE Zone 3		181.38	UEPDC					10.22		10.73	1.65
UNE Port Rate											
4-Wire DDITS Digital Trunk Port		52.73	UEPDC							10.73	1.65
NONRECURRING CHARGES - CURRENTLY COMBINED											
4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Switch-as-is		71.29	UEPDC					42.11		10.73	1.65
4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with DS1											
Changes											
4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with Change - Trunk		71.29	UEPDC					42.11		10.73	1.65
ADDITIONAL NRCs											
4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC - Subsequent Channel Activation/Chan - 2-Way Trunk		14.14	UEPDC					14.14		10.73	1.65
4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent Channel Activation/Chan - 1-Way Outward Trunk		14.14	UEPDC					14.14		10.73	1.65
4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent Channel Activation/Chan - Inward Trunk w/out DID		14.14	UEPDC					14.14		10.73	1.65
4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent Channel Activation Per Chan - Inward Trunk with DID		14.14	UEPDC					14.14		10.73	1.65
4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent Channel Activation / Chan - 2-Way DID w/ User Trunk		14.14	UEPDC					14.14		10.73	1.65
BIPOLAR & ZERO SUBSTITUTION											
9B2S - Superframe Format		0	UEPDC					655		10.73	1.65
9B2S - Extended Superframe Format		0	UEPDC					655		10.73	1.65
Alternate Mark Inversion											
AMI - Superframe Format		0	UEPDC					0			
AMI - Extended Superframe Format		0	UEPDC					0			
Telephone Number/Trunk Group Establishment Charges											
Telephone Number for 2-Way Trunk Group		0	UEPDC							10.73	
Telephone Number for 1-Way Outward Trunk Group		0	UEPDC							10.73	
Telephone Number for 1-Way Inward Trunk Group Without DID		0	UEPDC							10.73	
DID Numbers - Establish Trunk Group and Provide First Group of 20 DID Numbers		0	UEPDC					0		10.73	
DID Numbers for each Group of 20 DID Numbers		0	UEPDC					0		10.73	
DID Numbers - Non- consecutive DID Numbers - Per Number		0	UEPDC					0		10.73	
Reserve Non-Consecutive DID Nos		0	UEPDC					0		10.73	
Reserve DID Numbers		0	UEPDC					0		10.73	
Dedicated DS1 (Interoffice Channel Mileage) - FY/FQ for 4-Wire DS1 Digital Loop with 4-Wire DDITS Trunk Port											
Interoffice Channel Mileage - Fixed rate 0-8 miles (Includes Termination)		90.87	UEPDC					95.16		10.73	1.65
Interoffice Channel Mileage - Additional rate per mile - 0-8 miles		0.71	UEPDC					0			
Interoffice Channel Mileage - Fixed rate 9-25 miles (Includes Termination)		0	UEPDC					0			
Interoffice Channel Mileage - Additional rate per mile - 9-25 miles		0.71	UEPDC					0			
Interoffice Channel Mileage - Fixed rate 26-40 miles (Includes Termination)		0	UEPDC					0			
Interoffice Channel Mileage - Additional rate per mile - 26-40 miles		0.71	UEPDC					0			
Interoffice Channel Mileage - Fixed rate 41-60 miles (Includes Termination)		0	UEPDC					0			
Interoffice Channel Mileage - Additional rate per mile - 41-60 miles		0.71	UEPDC					0			
Local Number Portability, per DS0 Activated		3.15	UEPDC					0			
Central Office Terminating Point		0	UEPDC					0			
4-WIRE DS1 LOOP WITH CHANNELIZATION WITH PORT											
System is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Activations											
Each System can have up to 24 combinations of rates depending on type and number of ports used											
UNE DS1 Loop											
4-Wire DS1 Loop - UNE Zone 1		69.22	UEPMG					0			0
4-Wire DS1 Loop - UNE Zone 2		95.69	UEPMG					0			0
4-Wire DS1 Loop - UNE Zone 3		181.38	UEPMG					0			0
UNE DS0 Channelization Capacities (D4 Channel Bank Configurations)											

Unbundled Network Elements
FLORIDA

Amendment Exhibit 1
Attachment 2
Exhibit C

Service Description	Code	Rate	Unit	Notes
24 DSO Channel Capacity - 1 per DS1	UEPMG	VUM24 121.31	0	
48 DSO Channel Capacity - 1 per 2 DS1s	UEPMG	VUM48 242.62	0	
96 DSO Channel Capacity - 1 per 4 DS1s	UEPMG	VUM96 485.24	0	
144 DSO Channel Capacity - 1 per 6 DS1s	UEPMG	VUM144 727.86	0	
192 DSO Channel Capacity - 1 per 8 DS1s	UEPMG	VUM192 970.48	0	
240 DSO Channel Capacity - 1 per 10 DS1s	UEPMG	VUM240 1213.1	0	
288 DSO Channel Capacity - 1 per 12 DS1s	UEPMG	VUM288 1455.72	0	
384 DSO Channel Capacity - 1 per 16 DS1s	UEPMG	VUM384 1940.66	0	
480 DSO Channel Capacity - 1 per 20 DS1s	UEPMG	VUM480 2426.2	0	
576 DSO Channel Capacity - 1 per 24 DS1s	UEPMG	VUM576 2911.44	0	
672 DSO Channel Capacity - 1 per 28 DS1s	UEPMG	VUM672 3396.68	0	
Non-Recurring Charges (NRC) Associated with 4-Wire DS1 Loop with Channelization with Port - Conversion Charge Based on a System				
A. Minimum system configuration is One (1) DS1, One (1) D4 Channel Bank, and Up To 24 DSO Ports with Feature Activations.				
Multiples of this configuration functioning as one are considered Add1 after the minimum system configuration is counted.				
NRC - Conversion (Currently Combined) with or without BellSouth Allowed Changes	USAC4	0	72.61	10.73
System Additions at End User Locations Where 4-Wire DS1 Loop with Channelization with Port Combination Currently Exists and New (Not Currently Combined) in Georgia & Tennessee Only				
NRC - 1 DS1/D4 Channel Bank - Add NRC for each Port and Assoc Feature Activation - New GA & TN Only	UEPMG	VUMD4 0	468.21	10.73
Bipolar & Zero Substitution				
Clear Channel Capability Formal - superframe - Subsequent Activity Only	UEPMG	CCOSF 0	655	10.73
Clear Channel Capability Formal - Extended Superframe - Subsequent Activity Only	UEPMG	CCOEF 0	655	10.73
Alternate Mark Inversion (AMI)				
Superframe Formal	UEPMG	MCOSF 0	0	
Extended Superframe Formal	UEPMG	MCOFO 0	0	
Exchange Ports Associated with 4-Wire DS1 Loop with Channelization with Port Exchange Ports				
Line Side Combination Channelized PBX Trunk Port - Business	UEPPX	UEPCX 1.34	0	10.73
Line Side Outward Channelized PBX Trunk Port - Business	UEPPX	UEPOX 1.34	0	10.73
Line Side Inward Only Channelized PBX Trunk Port without DID	UEPPX	UEPIX 1.34	0	10.73
2-Wire Trunk Side Unbundled Channelized DID Trunk Port	UEPPX	UEPDM 8.81	0	10.73
Feature Activations - Unbundled Loop Concentration				
Feature (Service) Activation for each Line Side Port Terminated in D4 Bank	UEPPX	IPQWM 0.66	25.4	10.73
Feature (Service) Activation for each Trunk Side Port Terminated in D4 Bank	UEPPX	IPQWU 0.66	78.16	10.73
Telephone Number/ Group Establishment Charges for DID Service				
DID Trunk Termination (1 per Port)	UEPPX	NDT 0	0	10.73
Establish Trk Grp and Provide 1st 20 DID Nos (FL, GA, NC & SC)	UEPPX	NDZ 0	0	10.73
DID Numbers - groups of 20 - Valid all States	UEPPX	ND4 0	0	10.73
Non-Consecutive DID Numbers - per number	UEPPX	ND5 0	0	10.73
Reserve Non-Consecutive DID Numbers	UEPPX	ND6 0	0	10.73
Reserve DID Numbers	UEPPX	NDV 0	0	10.73
Local Number Portability				
Local Number Portability - 1 per port	UEPPX	LNPQP 3.15	0	
FEATURES - Vertical and Optional				
Local Switching Features Offered with Line Side Ports Only	UEPPX	UEPVF 2.17	0	10.73
All Features Available				
UNBUNDLED PORT LOOP COMBINATIONS - MARKET RATES				
Market Rates shall apply where BellSouth is not required to provide unbundled local switching or switch ports per FCC and/or State Commission rules. These scenarios include:				
1. Unbundled port/loop combinations that are Not Currently Combined in all of the BellSouth states except as noted for Georgia and Tennessee				
2. Unbundled port/loop combinations that are Currently Combined or Not Currently Combined in Zone 1 of the Top 8 MSAs in BellSouth's region for end users with 4 or more DS0 equivalent lines.				
The Top 8 MSAs in BellSouth's region are FL (Orlando, Ft. Lauderdale, Miami), GA (Atlanta), LA (New Orleans), NC (Greensboro-Winston Salem-Highpoint/Charlotte-Gastonia-Rock Hill), TN (Nashville)				
BellSouth currently is developing the billing capability to mechanically bill the recurring and non-recurring Market Rates in this section. In the interim, BellSouth shall bill the rates in the Cost-Based section preceding in lieu of the billing difference.				
The Market Rate for unbundled ports includes all available features in all states.				
End Office and Tandem Switching Usage rates in the Port section of this rate exhibit shall apply to all combinations of loop/port network elements except for UNE Coin Port/loop Combinations which have a flat rate usage charge (USOC - URECU).				
For Not Currently Combined scenarios where Market Rates apply, the Non-recurring charges are listed in the First and Additional NRC columns for each Port USOC. For Currently Combined scenarios, the Non-recurring charges are listed in the NRC - Currently Combined section. Additional NRCs may apply also and are categorized accordingly.				
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)				
UNE Port/loop Combination Rates				
2-Wire VG Loop/Port Combo - Zone 1			25.89	
2-Wire VG Loop/Port Combo - Zone 2			30.03	

Unbundled Network Elements
FLORIDA

Amendment Exhibit 1
Attachment 2
Exhibit C

Service	UEPCO	UEPRK	14	90	90	10.73	1.65
2-Wire Coin Outward with Operator Screening and 011 Blocking (AL, FL)	UEPCO	UEPRK	14	90	90	10.73	1.65
2-Wire Coin Outward with Operator Screening and Blocking 900976, 11-000, 011* (FL)	UEPCO	UEPOF	14	90	90	10.73	1.65
2-Wire Coin Outward with Operator Screening and Blocking 900976, 11-000, 011*, and Local (FL, GA)	UEPCO	UEPCO	14	90	90	10.73	1.65
LOCAL NUMBER PORTABILITY							
Local Number Portability (1 per port)	UEPCO	LNPCX	0.35				
NONRECURRING CHARGES - CURRENTLY COMBINED							
2-Wire Voice Grade Loop/Line Port Combination - Switch-As-Is	UEPCO	USAC2		41.5	41.5		
2-Wire Voice Grade Loop/Line Port Combination - Switch with Change	UEPCO	USACC		41.5	41.5		
ADDITIONAL NRCS							
2-Wire Voice Grade Loop/Line Port Combination - Subsequent	UEPCO	USAS2		0	0		

SERVICE PROVIDER NUMBER PORTABILITY
Florida

Amendment Exhibit 1
Attachment 5
Exhibit A

CATEGORY	NOTES	UNBUNDLED NETWORK ELEMENT	Interim indicator	Zone	BCS	USOC	RATES						OSS RATES				
							Nonrecurring		Add'l		Svc Order Submitted per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc-1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc-Add'l	SOMAN	SOMAN
							Final	Add'l	Final	Add'l							
							Rtc	Nonrecurring	Final	Add'l							
INTERIM SERVICE PROVIDER NUMBER PORTABILITY - RCF													\$1.65	\$1.65			
	RCF, per number ported (Business Line)									\$0.3738	\$0.3738	\$0.0374	\$0.0374	\$3.50	\$10.73	\$1.65	\$1.65
	RCF, per number ported (Residence Line)									\$0.3738	\$0.3738	\$0.0374	\$0.0374	\$3.50	\$10.73	\$1.65	\$1.65
	RCF, Per Additional Path																
INTERIM SERVICE PROVIDER NUMBER PORTABILITY - DID													\$1.65	\$1.65			
	DID, per number ported (Residence)									\$0.6242	\$0.6242	\$0.6242	\$0.6242	\$3.50	\$10.73	\$1.65	\$1.65
	DID, per number ported (Business)									\$0.6242	\$0.6242	\$0.6242	\$0.6242	\$3.50	\$10.73	\$1.65	\$1.65
	DID, per trunk termination, Initial									\$145.42	\$145.42	\$29.51	\$29.51	\$3.50	\$10.73	\$1.65	\$1.65
	DID, per trunk termination, Subsequent									\$72.65	\$72.65	\$29.51	\$29.51	\$3.50	\$10.73	\$1.65	\$1.65
SERVICE PROVIDER NUMBER PORTABILITY (RIPH)													\$1.65	\$1.65			
	RIPH, Functionality, Per Rearrangement									\$18.11	\$18.11	\$0.0195	\$0.0195		\$10.73	\$1.65	\$1.65
	RIPH, Per Number Ported									\$0.1952	\$0.1952	\$0.0195	\$0.0195		\$10.73	\$1.65	\$1.65
	RIPH, Functionality, Per Central Ofc.									\$81.56	\$81.56	\$2.29	\$2.29		\$10.73	\$1.65	\$1.65

Note: If no rate is identified in the contract, the rate for the specific service or function will be as set forth in applicable BellSouth tariff or as negotiated by the Parties upon request by either Party.

CATEGORY	NOTES	UNBUNDLED NETWORK ELEMENT	Int'l	Zone	BCS	USOC	RATES				OSS RATES										
							Nonrecurring		Disconnect		Svc Order Submitted Manually per TSR	Svc Order Submitted Elec per TSR	Incremental Charge - Manual Svc Order vs. Electronic-TX	Incremental Charge - Manual Svc Order vs. Electronic-ADT	Incremental Charge - Manual Svc Order vs. Electronic-Disc	Incremental Charge - Manual Svc Order vs. Electronic-Dis-Adt					
							First	Add1	First	Adt1							SOMAN	SOMAN	SOMAN	SOMAN	
ODUF/ADUF/CMDS																					
		ACCESS DAILY USAGE FILE (ADUF)				N/A	\$0.0139280														
		ADUF: Message Processing, per message																			
		ADUF: Data Transmission (CONNECT/DIRECT), per message				N/A	\$0.000129270														
		OPTIONAL DAILY USAGE FILE (ODUF)																			
		ODUF: Recording, per message																			
		ODUF: Message Processing, per message				N/A	\$0.0000068														
		ODUF: Message Processing, per Magnetic Tape provisioned				N/A	\$0.006614														
		ODUF: Data Transmission (CONNECT/DIRECT), per message				N/A	\$48.77														
		CENTRALIZED MESSAGE DISTRIBUTION SERVICE (CMDS)																			
		CMDS: Message Processing, per message				N/A	\$0.004														
		CMDS: Data Transmission (CONNECT/DIRECT), per message				N/A	\$0.001														
		Notes: If no rate is identified in the contract, the rate for the specific service or function will be as set forth in applicable BellSouth tariff or as negotiated by the Parties upon request by either Party.																			

EXHIBIT 2

LecStar Telecom, Inc. and BellSouth Telecommunications, Inc.
 Modifications to Language in Attachment 2 of Interconnection Agreement
 Applicable to FL

Modify or add Sections as follows to provide for additional Order Coordination options for loops:

2.1.5 “Order Coordination” (OC) allows BellSouth and LecStar to coordinate the installation of the SL2 Loops, Unbundled Digital Loops (UDL) and other Loops where OC may be purchased as an option, to LecStar’s facilities to limit end user service outage. OC is available when the Loop is provisioned over an existing circuit that is currently providing service to the end user. OC for physical conversions will be scheduled at BellSouth’s discretion during normal working hours on the committed due date. OC shall be provided in accordance with the chart set forth below.

2.1.5.1 “Order Coordination – Time Specific” (OC-TS) allows LecStar to order a specific time for OC to take place. BellSouth will make every effort to accommodate LecStar’s specific conversion time request. However, BellSouth reserves the right to negotiate with LecStar a conversion time based on load and appointment control when necessary. This OC-TS is a chargeable option for all Loops except Unbundled Copper Loops (UCL) and Universal Digital Channel (UDC), and is billed in addition to the OC charge. LecStar may specify a time between 9:00 a.m. and 4:00 p.m. (location time) Monday through Friday (excluding holidays). If LecStar specifies a time outside this window, or selects a time or quantity of Loops that requires BellSouth technicians to work outside normal work hours, overtime charges will apply in addition to the OC and OC-TS charges. Overtime charges will be applied based on the amount of overtime worked and in accordance with the rates established in the E Access Tariff, Section E13.2, for each state. The OC-TS charges for an order due on the same day at the same location will be applied on a per Local Service Request (LSR) basis.

	Order Coordination (OC)	Order Coordination – Time Specific (OC-TS)	Test Points	DLR	Charge for Dispatch and Testing if No Trouble Found
SL-1	Chargeable Option	Chargeable Option	Not available	Chargeable Option – ordered as Engineering Information Document	Charged for Dispatch inside and outside Central Office

LecStar Telecom, Inc. and BellSouth Telecommunications, Inc.
 Modifications to Language in Attachment 2 of Interconnection Agreement
 Applicable to FL

UCL-ND	Chargeable Option	Not Available	Not Available	Chargeable Option – ordered as Engineering Information Document	Charged for Dispatch inside and outside Central Office
SL-2	Included	Chargeable Option	Included	Included	Charged for Dispatch outside Central Office
Unbundled Digital Loop	Included	Chargeable Option (except on Universal Digital Channel)	Included (where appropriate)	Included	Charged for Dispatch outside Central Office
Unbundled Copper Loop	Chargeable in accordance with Section 2	Not available	Included	Included	Charged for Dispatch outside Central Office
For UVL-SL1 and UCLs, LecStar must order and will be billed for both OC and OC-TS if requesting OC-TS.					

2.1.10 Unbundled Voice Loop - SL1 (UVL-SL1) loops are 2-wire loop start circuits, will be non-designed, and will not have remote access test points. OC will be offered as a chargeable option on SL1 loops when reuse of existing facilities has been requested by LecStar. LecStar may also order OC-TS when a specified conversion time is requested. OC-TS is a chargeable option for any coordinated order and is billed in addition to the OC charge. An Engineering Information (EI) document can be ordered as chargeable option. The EI document provides loop make up information which is similar to the information normally provided in a Design Layout Record. Upon issuance of a non-coordinated order in the service order system, SL1 loops will be activated on the due date in the same manner and time frames that BellSouth normally activates POTS-type loops for its end users.

2.1.11 Unbundled Voice Loop – SL2 (UVL-SL2) loops may be 2-wire or 4-wire circuits, shall have remote access test points, and will be designed with a Design Layout Record provided to LecStar. SL2 circuits can be provisioned with loop start, ground start or reverse battery signaling. OC is provided as a standard feature on SL2 loops. The OC feature will allow LecStar to coordinate the installation of the loop with the disconnect of an existing customer’s service and/or number portability service. In these cases, BellSouth will perform the order conversion with standard order coordination at its discretion during normal work hours.

LecStar Telecom, Inc. and BellSouth Telecommunications, Inc.
Modifications to Language in Attachment 2 of Interconnection Agreement
Applicable to FL

- 2.1.13 As a chargeable option on all loops except UCL and UDC (Universal Digital Channel) (also known as IDSL-compatible Loop), BellSouth will offer Order Coordination – Time Specific (OC-TS). This will allow LecStar the ability to specify the time that the coordinated conversion takes place. The OC-TS charge for orders due on the same day at the same location will be applied on a per Local Service Request (LSR) basis. In the event that multiple LSRs are worked on the same day, at the same location, only one OC-TS charge will apply per day.

Add Section 2.10, Loop Make-up:

2.10 **Loop Make-up (LMU)**

2.10.1 Description of Service

- 2.10.1.1 BellSouth shall make available to LecStar (LMU) information so that LecStar can make an independent judgment about whether the Loop is capable of supporting the advanced services equipment LecStar intends to install and the services LecStar wishes to provide.

- 2.10.1.1 BellSouth will provide LecStar LMU information consisting of the composition of the loop material (copper/fiber); the existence, location and type of equipment on the Loop, including but not limited to digital loop carrier or other remote concentration devices, feeder/distribution interfaces, bridged taps, load coils, pair-gain devices; the loop length; the wire gauge and electrical parameters.

- 2.10.1.2 BellSouth's LMU information is provided to LecStar as it exists either in BellSouth's databases or in its hard copy facility records. BellSouth does not guarantee accuracy or reliability of the LMU information provided.

- 2.10.1.3 LecStar may choose to use equipment that it deems will enable it to provide a certain type and level of service over a particular BellSouth Loop. The determination shall be made solely by LecStar and BellSouth shall not be liable in any way for the performance of the advanced data services provisioned over said Loop. The specific Loop type (ADSL, HDSL, or otherwise) ordered on the LSR must match the LMU of the loop requested taking into consideration any requisite line conditioning. The LMU data is provided for informational purposes only and does not guarantee LecStar's ability to provide advanced data services over the ordered loop type. Further, if LecStar orders loops that are not

LecStar Telecom, Inc. and BellSouth Telecommunications, Inc.
Modifications to Language in Attachment 2 of Interconnection Agreement
Applicable to FL

intended to support advanced services (such as UV-SL1, UV-SL2, or ISDN compatible loops) and that are not inventoried as advanced services loops, the LMU information for such loops is subject to change at any time due to modifications and/or upgrades to BellSouth's network. LecStar is fully responsible for any of its service configurations that may differ from BellSouth's technical standard for the loop type ordered.

2.10.2 Submitting Loop Makeup Service Inquiries

2.10.2.1 LecStar may obtain LMU information by submitting a LMU Service Inquiry (LMUSI) mechanically or manually. Mechanized LMUSIs should be submitted through BellSouth's Operational Support Systems interfaces. After obtaining the Loop from the mechanized LMUSI process, if LecStar needs further loop information in order to determine loop service capability, LecStar may initiate a separate Manual Service Inquiry for a separate nonrecurring charge as set forth in the rate exhibit for Attachment 2.

2.10.2.2 Manual LMUSIs shall be submitted by electronic mail to BellSouth's Complex Resale Support Group (CRSG)/Account Team utilizing the Preordering Loop Makeup Service Inquiry form. The service interval for the return of a Loop Makeup Manual Service Inquiry is seven business days. Manual LMUSIs are not subject to expedite requests. This service interval is distinct from the interval applied to the subsequent service order.

2.10.3 Loop Reservations

2.10.3.1 For a Mechanized LMUSI, <customer_name>> may reserve up to ten Loop facilities. For a Manual LMUSI, LecStar may reserve up to three Loop facilities.

2.10.3.2 LecStar may reserve facilities for up to four (4) calendar days for each facility requested on a LMUSI from the time the LMU information is returned to LecStar. During and prior to LecStar placing an LSR, the reserved facilities are rendered unavailable to other customers, including BellSouth. If LecStar does not submit an LSR for a UNE service on a reserved facility within the four-day reservation timeframe, the reservation of that spare facility will become invalid and the facility will be released.

2.10.3.3 Charges for preordering LMUSI are separate from any charges associated with ordering other services from BellSouth.

LecStar Telecom, Inc. and BellSouth Telecommunications, Inc.
Modifications to Language in Attachment 2 of Interconnection Agreement
Applicable to FL

2.10.4 **Ordering of Other UNE Services**

2.10.4.1 All LSRs issued for reserved facilities shall reference the facility reservation number as provided by BellSouth. LecStar will not be billed any additional LMU charges for the loop ordered on such LSR. If, however, LecStar does not reserve facilities upon an initial LMUSI, LecStar will be required to submit and pay for an additional LMUSI upon ordering.

2.10.4.2 Where LecStar has reserved multiple Loop facilities on a single reservation, LecStar may not specify which facility shall be provisioned when submitting the LSR. For those occasions, BellSouth will assign to LecStar, subject to availability, a facility that meets the BellSouth technical standards of the BellSouth type Loop as ordered by LecStar. If the ordered Loop type is not available, LecStar may utilize the Unbundled Loop Modification process or the Special Construction process, as applicable, to obtain the Loop type ordered.

Add Section 2.11, High Frequency Spectrum

2.11 **High Frequency Spectrum Network Element**

2.11.1 General

2.11.1.1 BellSouth shall provide LecStar access to the high frequency portion of the local loop as an unbundled network element only where BellSouth is the voice service provider to the end user ("High Frequency Spectrum") at the rates set forth in this Attachment.

2.11.1.2 High Frequency Spectrum is defined as the frequency range above the voiceband on a copper loop facility carrying analog circuit-switched voiceband transmissions. Access to the High Frequency Spectrum is intended to allow LecStar the ability to provide Digital Subscriber Line ("xDSL") data services to the end user for which BellSouth provides voice services. The High Frequency Spectrum shall be available for any version of xDSL complying with Spectrum Management Class 5 of ANSI T1.417, *American National Standard for Telecommunications, Spectrum Management for Loop Transmission Systems*. BellSouth will continue to have access to the low frequency portion of the loop spectrum (from 300 Hertz to at least 3000 Hertz, and potentially up to 3400 Hertz, depending on equipment and facilities) for the purposes of providing voice service. LecStar shall only use xDSL technology that is within the PSD mask for Spectrum Management Class 5 as found in the above-mentioned document.

LecStar Telecom, Inc. and BellSouth Telecommunications, Inc.
Modifications to Language in Attachment 2 of Interconnection Agreement
Applicable to FL

2.11.1.3 Access to the High Frequency Spectrum requires an unconditioned, 2-wire copper Loop. An unloaded Loop is a copper Loop with no load coils, low-pass filters, range extenders, DAMLs, or similar devices and minimal bridged taps consistent with ANSI T1.413 and T1.601. BellSouth will provide Loop conditioning to LecStar in accordance with the Unbundled Loop Modification process set forth in Section 2.2 of this Attachment. BellSouth is not required to condition a Loop for access to the High Frequency spectrum if conditioning of that Loop significantly degrades BellSouth's voice service. If LecStar requests that BellSouth condition a Loop longer than 18,000 ft. and such conditioning significantly degrades the voice services on the Loop, LecStar shall pay for the Loop to be restored to its original state.

2.11.2 **Provisioning of High Frequency Spectrum and Splitter Space**

2.11.2.1 BellSouth will provide LecStar with access to the High Frequency Spectrum as follows:

2.11.2.2 To order High Frequency Spectrum on a particular Loop, LecStar must have a Digital Subscriber Line Access Multiplexer (DSLAM) collocated in the central office that serves the end-user of such Loop. LecStar may order splitters in a central office once it has installed its DSLAM in that central office. BellSouth will install splitters within forty-two (42) calendar days of LecStar's submission of such order to the BellSouth Complex Resale Support Group; provided, however, that in the event BellSouth did not have reasonable notice that a particular central office was to have a splitter installed therein, the forty-two (42) day interval shall not apply. Collocation itself or an application for collocation will serve as reasonable notice.

2.11.2.3 Once a splitter is installed on behalf of LecStar in a central office in which LecStar is located, LecStar shall be entitled to order the High Frequency Spectrum on lines served out of that central office. BellSouth will bill and LecStar shall pay the electronic or manual ordering charges as applicable when LecStar orders High Frequency Spectrum for end-user service.

2.11.2.4 BellSouth will select, purchase, install, and maintain a central office POTS splitter and provide LecStar access to data ports on the splitter. The splitter will route the High Frequency Spectrum on the circuit to LecStar's xDSL equipment in LecStar's collocation space. At least 30 days before making a change in splitter suppliers, BellSouth will provide LecStar with a carrier notification letter, informing LecStar of change. LecStar shall purchase ports on the splitter in increments of 24 ports.

2.11.2.5 BellSouth will install the splitter in (i) a common area close to LecStar's collocation area, if possible; or (ii) in a BellSouth relay rack as close to LecStar's DS0 termination point as possible. LecStar shall have access to the

LecStar Telecom, Inc. and BellSouth Telecommunications, Inc.
Modifications to Language in Attachment 2 of Interconnection Agreement
Applicable to FL

splitter for test purposes, regardless of where the splitter is placed in the BellSouth premises. For purposes of this section, a common area is defined as an area in the central office in which both Parties have access to a common test access point. A Termination Point is defined as the point of termination for LecStar on the toll main distributing frame in the central office and is not the demarcation point set forth in Attachment 4 of this Agreement. BellSouth will cross-connect the splitter data ports to a specified LecStar DS0 at such time that a LecStar end user's service is established.

2.11.2.6 The High Frequency Spectrum shall only be available on Loops on which BellSouth is also providing, and continues to provide, analog voice service directly to the end user. In the event the end-user terminates its BellSouth provided voice service for any reason, or in the event BellSouth disconnects the end user's voice service pursuant to its tariffs or applicable law, and LecStar desires to continue providing xDSL service on such Loop, LecStar shall be required to purchase a full stand-alone Loop unbundled network element. To the extent commercially practicable, BellSouth shall give LecStar notice in a reasonable time prior to disconnect, which notice shall give LecStar an adequate opportunity to notify BellSouth of its intent to purchase such Loop. In those cases in which BellSouth no longer provides voice service to the end user and LecStar purchases the full stand-alone Loop, LecStar may elect the type of loop it will purchase. LecStar will pay the appropriate recurring and non-recurring rates for such Loop as set forth in Exhibit B to this Attachment. In the event LecStar purchases a voice grade Loop, LecStar acknowledges that such Loop may not remain xDSL compatible.

2.11.2.7 Only one competitive local exchange carrier shall be permitted access to the High Frequency Spectrum of any particular loop.

2.11.3 **Ordering**

2.11.3.1 BellSouth will provide LecStar the Local Service Request ("LSR") format to be used when ordering the High Frequency Spectrum.

2.11.3.2 BellSouth will return a manual Firm Order Confirmation ("FOC") in no more than two (2) business days after receipt of a valid, error free manual LSR. When LecStar submits an electronic LSR for High Frequency Spectrum, BellSouth will return a FOC in four (4) hours ninety-five percent (95%) of the time, or, for orders that do not flow-through, in two (2) business days. BellSouth will provide LecStar with access to the High Frequency Spectrum at the following target intervals:

LecStar Telecom, Inc. and BellSouth Telecommunications, Inc.
Modifications to Language in Attachment 2 of Interconnection Agreement
Applicable to FL

- 2.11.3.3 For 1-5 lines at the same address within three (3) business days from BellSouth's issuance of a FOC; 6-10 lines at same address within 5 business days from BellSouth's issuance of a FOC; and more than 10 lines at the same address is to be negotiated.
- 2.11.3.4 BellSouth will provide to LecStar BellSouth's Loop Qualification System that BellSouth uses to qualify loops for its own ADSL offering.
- 2.11.3.5 BellSouth will provide LecStar access to Preordering Loop Makeup (LMU), in accordance with the terms of this Agreement. BellSouth shall bill and LecStar shall pay the rates for such services, as described in Exhibit C.
- 2.11.3.6 BellSouth shall test the data portion of the loop to ensure the continuity of the wiring for LecStar's data.
- 2.11.4. **Maintenance and Repair**
- 2.11.4.1 LecStar shall have access for repair and maintenance purposes, to any loop for which it has access to the High Frequency Spectrum. LecStar may access the loop at the point where the combined voice and data signal exits the central office splitter.
- 2.11.4.2 BellSouth will be responsible for repairing voice services and the physical line between the network interface device at the customer's premises and the Termination Point. LecStar will be responsible for repairing data services. Each Party will be responsible for maintaining its own equipment.
- 2.11.4.3 LecStar shall inform its end users to direct data problems to LecStar, unless both voice and data services are impaired, in which event the end users should call BellSouth.
- 2.11.4.4 Once a Party has isolated a trouble to the other Party's portion of the loop, the Party isolating the trouble shall notify the end user that the trouble is on the other Party's portion of the Loop.
- 2.11.4.5 In the event LecStar's deployment of xDSL on the High Frequency Spectrum significantly degrades the performance of other advanced services or of BellSouth's voice service on the same loop, BellSouth shall notify LecStar and allow twenty-four (24) hours to cure the trouble. If LecStar fails to resolve the trouble, BellSouth may discontinue LecStar's access to the High Frequency Spectrum on such loop.

LecStar Telecom, Inc. and BellSouth Telecommunications, Inc.
Modifications to Language in Attachment 2 of Interconnection Agreement
Applicable to FL

2.11.5 **Line Splitting.**

- 2.11.5.1 BellSouth will work cooperatively with CLECs to develop rates, methods and procedures to operationalize a process whereby two CLECs, one being a provider of voice services (a "Voice CLEC") and the other being a provider of data services (a "Data CLEC") may provide services over the same loop. The loop and port over which the services are provided cannot be a loop and port combination (i.e., UNE-P), but must be individual, stand alone network elements. The Voice CLEC or the Data CLEC shall be responsible for connecting the loop and port to a CLEC-owned splitter. BellSouth shall not own or maintain the splitter used for this purpose. When such rates, methods and procedures have been developed and operationalized, then at the request of LecStar, the Parties shall amend this Agreement to incorporate the same.

Modify Section 4.3, Enhanced Extended Link (EELs):

4.3 Enhanced Extended Link (EELs)

- 4.3.1 DS1 Interoffice Channel + DS1 Channelization + 2-wire VG Local Loop
- 4.3.2 DS1 Interoffice Channel + DS1 Channelization + 4-wire VG Local Loop
- 4.3.3 DS1 Interoffice Channel + DS1 Channelization + 2-wire ISDN Local Loop
- 4.3.4 DS1 Interoffice Channel + DS1 Channelization + 4-wire 56 kbps Local Loop
- 4.3.5 DS1 Interoffice Channel + DS1 Channelization + 4-wire 64 kbps Local Loop
- 4.3.6 DS1 Interoffice Channel + DS1 Local Loop
- 4.3.7 DS3 Interoffice Channel + DS3 Local Loop
- 4.3.8 STS-1 Interoffice Channel + STS-1 Local Loop
- 4.3.9 DS3 Interoffice Channel + DS3 Channelization + DS1 Local Loop

LecStar Telecom, Inc. and BellSouth Telecommunications, Inc.
Modifications to Language in Attachment 2 of Interconnection Agreement
Applicable to FL

- 4.3.10 STS-1 Interoffice Channel + DS3 Channelization + DS1 Local Loop
- 4.3.11 2-wire VG Interoffice Channel + 2-wire VG Local Loop
- 4.3.12 4-wire VG Interoffice Channel + 4-wire VG Local Loop
- 4.3.13 4-wire 56 kbps Interoffice Channel + 4-wire 56 kbps Local Loop
- 4.3.14 4-wire 64 kbps Interoffice Channel + 4-wire 64 kbps Local Loop